FEDERAL SECURITY AGENCY
WATSON B. MILLER, ADMINISTRATOR

UNITED STATES
PUBLIC HEALTH SERVICE
THOMAS PARRAN, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1945

PART II

NATALITY AND MORTALITY DATA
FOR THE UNITED STATES
TABULATED BY PLACE OF RESIDENCE

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1947

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. - Price $3.50 cents.

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Principal Analyst*

IWAO M. MORIYAMA, *Mortality Analysis*

FELIX E. MOORE, JR., *Natality Analysis*

THOMAS N. E. GREVILLE, *Actuarial Analysis*

SAMUEL C. NEWMAN, *Marriage and Divorce Analysis*

ALBERT E. BAILEY, *National Consulting Service*

FRANK S. MORRISON, *International Vital Statistics Cooperation*

HOWARD WEST, *Statistical Processing*

CONTENTS

INTRODUCTION

	Page
The value of vital statistics tabulated by place of residence	V
Previous tabulations by place of residence	VI
Nonresident tabulations by State offices	VI
Definition of residence	VIII
Relation of geographic code to the identification of nonresidents	IX
Allocation of deaths to place of residence	IX
Special residence instructions for military personnel	X
Allocation of births to place of residence	X

RATE TABLE

Table

I. Death rates for selected causes: United States, each division and State, 1945 2

GENERAL NATALITY AND MORTALITY TABLES

Live Births

1. Live births by State of occurrence distributed according to State of residence: United States and each State, 1945 6
2. Births, deaths, deaths under 1 year, and stillbirths, and infant mortality rates, urban and rural: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1945 8
3. Live births by sex, age of mother, race, and nativity of white parents: United States and each State, 1945 54
4. Live births by race, nativity of white mother, and age of mother, urban and rural: United States and each State, 1945 68
5. Live births by age of mother, birth order, race, and nativity of white mother: United States and each State, 1945 91
6. Live births by race, sex, and age of father: United States and each State, 1945 124
7. Live births by specified race: United States and each State, 1945 129
8. Live births by sex, race, and month: United States and each State, 1945 130
9. Cases of plural births classified by number of children born alive and stillborn, and by race and sex: United States and each State, 1945 135

Stillbirths

10. Stillbirths by State of occurrence distributed according to State of residence: United States and each State, 1945 139
11. Stillbirths by sex, race, nativity of white mother, and age of mother, urban and rural: United States, 1945 141
12. Stillbirths by race and birth order: United States and each State, 1945 143
13. Stillbirths by race, urban and rural: United States and each State, 1945 146
14. Stillbirths by race and person in attendance: United States and each State, 1945 148

Total Deaths

15. Deaths by State of occurrence distributed according to State of residence: United States and each State, 1945 149
16. Deaths by specified race: United States and each State, 1945 151
17. Deaths by sex, race, and month: United States and each State, 1945 152
18. Deaths from selected causes, by month: United States and each State, 1945 157
19. Deaths from selected causes, by age, race, and sex: each State, 1945 181
20. Deaths from each cause, by race and sex: United States and each State, 1945 378

Infant Deaths

Table		Page
21.	Deaths under 1 year and under 1 month of age, by month: United States and each State, 1945	446
22.	Deaths under 1 year and under 1 month of age, by race and sex: United States and each State, 1945	448
23.	Deaths under 1 year by detailed age and race: United States and each State, 1945	449
24.	Deaths under 1 year, in institutions, by detailed age and race: United States and each State, 1945	451
25.	Deaths under 1 year of age, from selected causes, by month: United States, 1945	456
26.	Deaths under 1 year, from selected causes, by detailed age and race: United States, 1945	457
27.	Deaths under 1 year of age, from selected causes, by race, urban and rural: United States, 1945	459

County and City Tables

28.	Live births by person in attendance, urban and rural: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1945	460
29.	Deaths from selected causes: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1945	492
30.	Deaths in institutions: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1945	602

SYMBOLS USED

	Symbol
Class or item not applicable (3 dots)	. . .
Data not available (series of dashes)	– – –
Quantity is zero, in frequency tables (1 dash)	–
Quantity is zero, in rate or percent tables (1 cipher)	0
If rate or percent is more than 0 but less than 0.05	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)	–

If the population is reported to be zero, but one or more births or deaths are reported, a footnote "Rate not computed" is used.

for the calendar year 1946, -- microfilm copies

VITAL STATISTICS OF THE UNITED STATES

PART II. GEOGRAPHIC CLASSIFICATION BY PLACE OF RESIDENCE

INTRODUCTION

This volume—Vital Statistics of the United States, Part II—contains official natality and mortality statistics tabulated according to the place of residence of the mother of the child, or the place of residence of the decedent. Data compiled on a place-of-occurrence basis are published in a volume entitled "Vital Statistics of the United States, Part I." The tabulations published in both part I and part II are compiled from the same source material, being derived from transcripts of original birth and death certificates received from registration officials of States and cities, and of the outlying territories and possessions of the United States.

The tables given in this volume should be interpreted with some caution since several factors enter into the determination of the place of residence. The place of birth or death, in most cases, is clear-cut and definitely determinable. To determine the place of residence is more difficult because it is dependent upon definitions of residence as well as the completeness of the information given on the certificate. It has, therefore, been necessary to adopt a set of arbitrary rules for the proper coding in each instance. The data obtained by a reallocation of nonresidents are obviously dependent upon these rules and cannot be correctly interpreted unless the rules are exactly and clearly stated.

THE VALUE OF VITAL STATISTICS TABULATED BY PLACE OF RESIDENCE

Tabulated vital statistics may be used for many purposes, each requiring data classified by different groupings or according to different definitions. Many of these uses relate to public health work, such as an evaluation of the problems confronting public health agencies or the measurement of the results of public health programs. Other uses relate to maternal- and infant-welfare activities, problems of population research, analysis of fertility trends, actuarial investigations, medical research, et cetera. For some purposes, such as a study of the hospital load carried by a given community, the proportion of births attended by physicians, or the simple ranking of causes of death, it is possible to use tabulated natality and mortality data without relating them to other statistical data. But for the most part, vital statistics take on their full value only when related to population figures by the computation of birth or death rates. For deaths, these rates, in their simplest form, consist of ratios of the number of deaths occurring in a specified place during a specified time to the number of persons exposed to the risk of death at that place and time. It is obvious that such a rate can be correctly computed and interpreted only when the population figure in the denominator and the mortality figure in the numerator are compiled on a comparable basis. In other words, the population figure must represent a certain group that is exposed to the risk of death, and the death figure must include all of this group that died. Although the birth rate is interpreted in a different manner, similar considerations apply to it.

For the United States, as a unit, there is little difficulty in securing adequate comparability between vital statistics and population figures. However, for individual cities or counties or for population-size groups, there are several disturbing factors. In the population census, each person is counted as a part of the population of the geographic unit in which he has his "usual place of residence." Therefore, the enumerated population of a city is a count of all the persons who usually live in that city, excluding persons who are temporarily in the city at the time of the census and including residents of the city who are at some other place during the time of the population enumeration.

The crude death rate for the residents of any area must be based on the total resident population of that area and the total number of deaths occurring in this total resident population. It is essential to include the deaths of residents no matter where the deaths occurred, and to exclude deaths of nonresidents occurring in that area.

The occurrence of a large number of births and deaths "away from home" results from the movement of the people, facilitated by convenient methods of transportation, and from the increasing use of hospitals during confinement and illness. Seasonal movement to and from resort States, seasonal migration in search of employment, and the movement of people to some other area for hospital facilities not available in their usual place of residence, are several of the factors that contribute to the number of nonresident births and deaths.

Inasmuch as the registration laws of each State specify that births and deaths be registered at the place of birth or death, the compilation of vital statistics according to place of occurrence is the most direct and usual method. Rates computed on this basis may be called *recorded* rates, since all the births or deaths

recorded in each area are included in the computation. The compilation of natality and mortality data on the same geographic basis as the population census requires a complete reallocation of births and deaths to the place of residence. When this reallocation has been made, it is then possible to compute *resident* rates. Since resident death rates are ratios of the number of deaths to the number of persons exposed to the risk of death, they indicate more accurately the force of mortality affecting a given population and can therefore be interpreted in terms of relative health conditions. Resident birth rates are interpreted somewhat differently, but similar considerations apply to them. Of course, in such interpretations, cognizance must be taken of other factors, such as the age, sex, and race distributions of the exposed populations.

From some points of view it may seem incorrect to allocate deaths purely on a place-of-residence basis without taking into account the city or county responsible for the causes resulting in death. For example, a resident of one city may be killed in an automobile accident in another city. In such a case it may seem unreasonable to allocate that death to the city of residence if the accident was caused by traffic hazards of the city where the death occurred. However, even if desirable, the reallocations of deaths from most causes to the area reponsible for the conditions resulting in death would be a highly speculative and difficult task. Furthermore, admitting the possibility of making such an assignment of deaths, it then becomes necessary to devise an "exposed-to-risk" figure quite different from an enumerated population.

Tabulations of vital statistics by place of occurrence are valuable and necessary for certain purposes. Tabulations by place of residence and the computation of resident birth and death rates provide data of greater value and meaning for many uses. However, resident data cannot be directly interpreted for every purpose. No single method of tabulation could be devised that would provide statistics compiled in the manner necessary for all possible problems.

PREVIOUS TABULATIONS BY PLACE OF RESIDENCE [1]

The first nonresident tabulations made by the Bureau of the Census were published in the volume of "Mortality Statistics" for 1914. These tabulations included deaths, but not births, and consisted merely of a separation of nonresident deaths from the total deaths for each area. However, discovery of serious deficiencies in the place-of-residence information given on the death certificates resulted in the omission of nonresident tabulations from the published volumes from 1915 to 1917, inclusive. By 1918 it was believed that sufficient progress had been made with the basic data to resume publication of nonresident statistics.

In 1918 the nonresident mortality tabulations were revised so as to provide a complete allocation of deaths by place of residence within the limits of the then incomplete registration area. A decedent in the registration area whose place of residence was outside the registration area could not be reallocated to his place of residence. Similarly, deaths of residents of the registration area could not be included in the figures for this area if the deaths had occurred outside the registration area.

Tables showing the number of deaths by place of residence were published for each year from 1918 to 1930, inclusive. The rules for residence allocation remained essentially unchanged during this period. In 1931 the tabulation of nonresident deaths was discontinued as an economy measure, and for the years 1931 to 1934, inclusive, no data on this important subject are available.

The completion of the birth- and death-registration areas in 1933 made possible, for the first time, a Nationwide reallocation of nonresidents to the place of residence. When the nonresident reallocation was resumed in 1935, the definition of a nonresident was revised and more detailed rules for allocation were formulated. In addition, compilation by place of residence was extended to birth statistics. Previous to 1935, no reallocation of births to place of residence of the child's mother had been made by the Bureau of the Census.

Resident tabulations for 1935 and 1936 were made but were not published in the annual volumes—"Birth, Stillbirth, and Infant Mortality Statistics" or "Mortality Statistics." However, they were released in the series of "Vital Statistics—Special Reports." [2]

The publication in 1937 of a combined volume of natality and mortality data tabulated by place of residence marked an important change in the compilation of national vital statistics. Since then, the tabulations by place of residence have been expanded considerably.

NONRESIDENT TABULATIONS BY STATE OFFICES

Since vital statistics tabulations by place of residence are important in public health administration, many State departments of health compile natality and mortality data on this basis. A survey by the Bureau of the Census in 1935 revealed that 11 States were making rather complete resident reallocations and 8 States were publishing tables showing the number of deaths for cities and counties including and excluding deaths of nonresidents. A survey was made in 1938 by a Committee on Residence Allocation under the

[1] For a more detailed account of previous resident tabulations, see "Vital Statistics of the United States, 1937, Part II," p. 2, Bureau of the Census, Washington, D. C., 1939.

[2] For a list of these reports containing resident tabulations for 1935 and 1936, see "Vital Statistics of the United States, 1937, Part II," p. 2, Bureau of the Census, Washington, D. C., 1939.

(National Office of Vital Statistics (formerly

auspices of the Vital Statistics Section of the American Public Health Association. This survey indicated that 24 States were making regular tabulations involving the reallocation of nonresidents.

Answers to a questionnaire sent to all the States by the Bureau of the Census in 1941 indicated that 35 States and the District of Columbia were making some resident tabulations. In 4 States, these tabulations were limited to the separation of residents and nonresidents with no allocation to place of residence. In 13 States, the tabulations excluded nonresidents from other areas within the State and included residents who were born or who died elsewhere within the State; however, the tabulations in these States did not exclude nonresidents from other States or include residents of the State who were born or who died in another State. Nineteen States made complete place-of-residence tabulations excluding all nonresidents and including all residents within and outside the State.

In many States the resident tabulations are based solely on a reallocation of nonresidents within the State. In other words, these States do not include in their tabulations the deaths (or births) of residents of that State occurring in other States. For State totals, the allocation of interstate nonresidents is, in most cases, numerically unimportant. However, for areas near a State border, interstate realloaction may be very important since many deaths (or births) of residents of the area may occur in the adjacent State.

To assist the States in obtaining records of births or deaths of their residents in other States, the Vital Statistics Section of the American Public Health Association adopted, in 1931, a resolution requesting the Bureau of the Census to act as a clearing house in the exchange of such records. Since 1933, most States have sent to the Bureau of the Census copies of birth and death certificates for out-of-State nonresidents and these have been forwarded to the State of residence. Although this interstate exchange has been of considerable value to the individual States, it has not solved all of the difficulties met by State agencies in making a complete reallocation.

Differences of opinion exist regarding the principles on which the definition of a nonresident and the rules used for coding should be based. For this reason the interstate transfer is not on a strictly uniform basis for all States. Some indication of the amount of variation among States can be seen in the following table. In this table the number of nonresidents of each State, according to the definitions of the National Office of Vital Statistics, is compared with those identified by the separate State offices. These comparisons are based upon transcripts which have been cleared through the National Office of Vital Statistics. Since some interchange of nonresident transcripts is still made directly, these ratios do not completely represent the differences in State procedures. The table shows for both births and deaths the number of nonresident transcripts to be subtracted from the tabulations of each State, and the number of resident transcripts to be added. A study of the figures in this table, and particularly of the ratios between Federal and State figures, will indicate the existence of many differences in State procedures. While State tabulations fulfill an important need, it is obviously desirable for some central agency, operating with a uniform although arbitrary set of rules, to make Nation-wide tabulations.

One significant comment should be made regarding the differences between resident tabulations made by State agencies and those made by the National Office of Vital Statistics. Because of the large number of transcripts involved in national tabulations, the coding rules used by the National Office of Vital Statistics must be designed and simplified to facilitate mass production. Furthermore, it does not have access to the detailed local information necessary for certain types of allocation. For these reasons, it is not practicable to introduce all possible coding refinements or to use different sets of rules for various causes of death. Many State offices, having special local problems or interests to meet, wish to use special coding rules for certain groups of data. For example, some States either allocate deaths in custodial institutions to the place of prior residence or consider these institutions as separate tabulation areas. Some States prefer to allocate deaths from infectious diseases to the area where the infection presumably originated; deaths from accidents, to the place of accident; deaths from homicide, to the place of homicide, et cetera.

The desirability of these special types of tabulation should be emphasized, but they often require detailed information available only in local offices and involve operating rules feasible only for a relatively small volume of work. Therefore, while it is desirable for a central agency to make national tabulations, these national uniform tabulations do not replace those made by the separate State agencies.

FEDERAL AND STATE INTERCHANGE OF BIRTH AND DEATH NONRESIDENT TRANSCRIPTS BETWEEN STATES: 1945

[Exclusive of stillbirths. Includes only transcripts exchanged through National Office of Vital Statistics; excludes transcripts exchanged directly between State offices]

AREA	BIRTHS						DEATHS					
	Nonresident transcripts to be subtracted			Resident transcripts to be added			Nonresident transcripts to be subtracted			Resident transcripts to be added		
	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation
United States	77,286	[1] 52,269	0.68	77,286	[1] 52,269	0.68	38,262	[1] 35,927	0.94	38,262	[1] 35,927	0.94
Alabama	2,673	----------	0	1,705	1,235	0.72	569	----------	0	769	678	0.88
Arizona	1,715	1,700	0.99	292	229	0.78	860	1,204	1.40	240	190	0.79
Arkansas	1,376	1,345	0.98	1,241	920	0.74	585	851	1.45	818	767	0.94
California	1,470	----------	0	2,723	2,117	0.78	1,789	----------	0	1,201	1,416	1.18
Colorado	1,293	1,055	0.82	651	516	0.79	642	880	1.37	370	342	0.92
Connecticut	550	403	0.73	1,344	740	0.55	412	680	1.65	650	699	1.08
Delaware	365	----------	0	323	120	0.37	163	169	1.04	132	156	1.18
District of Columbia	7,750	660	0.09	784	262	0.33	1,128	372	0.33	595	318	0.53
Florida	4,495	2,454	0.55	1,183	554	0.47	1,739	1,435	0.83	839	646	0.77
Georgia	1,845	1,042	0.56	1,501	927	0.62	800	873	1.09	763	572	0.75
Idaho	814	680	0.84	730	473	0.65	290	360	1.24	339	229	0.68
Illinois	1,287	1,514	1.18	4,785	3,156	0.66	1,623	1,984	1.22	2,627	2,333	0.89
Indiana	1,965	----------	0	1,877	1,671	0.89	904	----------	0	1,165	1,247	1.07
Iowa	1,750	1,950	1.11	1,350	1,037	0.77	873	1,095	1.25	871	697	0.80
Kansas	1,743	1,977	1.13	2,361	1,988	0.84	757	1,270	1.68	767	797	1.04
Kentucky	1,012	1,046	1.03	1,602	1,221	0.76	621	850	1.37	916	797	0.87
Louisiana	692	645	0.93	807	453	0.56	647	653	1.01	418	301	0.72
Maine	365	507	1.39	557	525	0.94	235	445	1.89	267	256	0.96
Maryland	1,998	444	0.22	4,152	880	0.21	1,198	672	0.56	858	334	0.39
Massachusetts	1,607	516	0.32	1,471	877	0.60	1,045	929	0.89	997	1,086	1.09
Michigan	958	993	1.04	1,646	1,104	0.67	748	1,004	1.34	1,027	932	0.91
Minnesota	1,254	122	0.10	1,756	1,575	0.90	1,229	18	0.01	671	764	1.14
Mississippi	990	757	0.76	1,036	652	0.63	419	334	0.80	681	566	0.83
Missouri	3,763	3,645	0.97	2,036	1,878	0.92	1,504	1,584	1.05	1,399	1,720	1.23
Montana	214	307	1.43	399	311	0.78	193	246	1.27	227	201	0.89
Nebraska	1,103	1,154	1.05	915	865	0.95	428	506	1.18	482	533	1.11
Nevada	548	102	0.19	123	92	0.75	181	217	1.20	120	40	0.33
New Hampshire	843	1,051	1.25	640	453	0.71	332	368	1.11	302	304	1.01
New Jersey	764	920	1.20	3,537	3,563	1.01	1,218	1,568	1.29	2,187	2,472	1.13
New Mexico	1,198	1,146	0.96	664	279	0.42	610	804	1.32	409	269	0.66
New York	3,132	3,188	1.02	3,179	2,409	0.76	2,871	3,510	1.22	2,292	2,582	1.13
North Carolina	2,569	2,442	0.95	1,370	1,020	0.74	819	1,017	1.24	691	703	1.02
North Dakota	835	828	0.99	710	353	0.50	285	381	1.34	314	153	0.49
Ohio	2,505	2,097	0.84	3,189	2,219	0.70	1,294	1,192	0.92	1,622	1,468	0.91
Oklahoma	1,420	----------	0	1,627	1,188	0.73	391	553	1.41	875	713	0.81
Oregon	1,048	1,093	1.04	874	281	0.32	594	721	1.21	418	179	0.43
Pennsylvania	2,787	3,374	1.21	3,600	2,741	0.76	1,579	1,564	0.99	2,102	2,044	0.97
Rhode Island	697	----------	0	708	480	0.68	270	140	0.52	312	378	1.21
South Carolina	545	----------	0	893	677	0.76	382	----------	0	438	463	1.06
South Dakota	484	484	1.00	876	581	0.66	212	236	1.11	335	232	0.69
Tennessee	3,455	3,784	1.10	1,577	1,220	0.77	1,447	1,580	1.09	680	661	0.97
Texas	1,075	----------	0	2,741	2,092	0.76	925	----------	0	1,174	1,144	0.97
Utah	764	792	1.04	326	210	0.64	285	335	1.18	165	113	0.68
Vermont	252	270	1.07	554	629	1.14	140	228	1.63	204	246	1.21
Virginia	2,686	3,241	1.21	5,870	1,297	0.22	899	1,533	1.71	1,110	539	0.49
Washington	1,831	124	0.07	1,273	1,068	0.84	638	----------	0	644	615	0.95
West Virginia	1,507	1,097	0.73	1,676	1,313	0.78	639	458	0.72	740	649	0.88
Wisconsin	1,010	1,010	1.00	1,634	1,105	0.68	662	718	1.08	823	594	0.72
Wyoming	284	310	1.09	418	410	0.98	188	322	1.71	216	206	0.95

[1] Includes allocations outside of continental United States.

DEFINITION OF RESIDENCE

The reallocation of births and deaths to place of residence is based on information somewhat different and collected in a manner different from that obtained in the enumerated population census. It is obviously not possible to use identical rules for both compilations. The tabulation of vital statistics on a place-of-residence basis requires that the information given on the certificate be interpreted in such a way as to result in classifications comparable with the population census figures. The necessity for such interpretation introduces arbitrary and controversial factors into the procedure of allocation. It can hardly be expected that the geographic classification by place of residence can be as direct and simple as the classification by place of occurrence.

In addition to difficulties in the definition of residence, there are several factors in the original collection of birth and death information that may produce errors or discrepancies in residence tabulations. The place of birth or death is usually obvious or easily learned by the person filling out the original certificate. On the other hand, the original informant or the State office may have to make an inquiry to determine the place of residence, particularly in the case of nonresident births or deaths. Since it is sometimes difficult to ascertain the precise geographic location of the place

of residence, errors may be made occasionally. Because of these difficulties of residence designation and because of incomplete understanding of the importance of residence data, the residence information may be omitted or incompletely reported on birth and death certificates for certain areas.

Relation of geographic code to the identification of nonresidents.—Whether or not a person is classified as a nonresident depends somewhat upon the size of the area under consideration. A resident of Maine may die in California, yet this fact may be ignored when only totals for the United States are concerned. For State totals, only those persons who cross State lines need be considered in a reallocation by place of residence, since any movement within the State is irrelevant. On the other hand, for the study of mortality conditions within a city (for individual census tracts or wards), it is necessary to use a much finer definition of a nonresident. In such cases it may be necessary, for example, to define as a nonresident a person who lived on one side of a street and died in a hospital on the other side of the same street.

In whatever way the place of residence may be defined, the size of the tabulation or coding unit will partially determine the number of identified nonresidents. If the coding unit—assuming the use of a punch-card system in which geographic areas are given numerical codes—is a whole county, obviously it is impossible to determine, from a tabulation of the cards, the number of persons who moved about within the county. If the coding unit is a single registration district, it will be possible to identify persons moving from one district to another within the county, but it will not be possible to measure the movement within districts.

The tabulations given in this volume are based on a geographic code that identifies each city or other urban place having a population of over 10,000 in 1940 and each county excluding these cities or urban places. The code for the county (exclusive of the cities or urban places of 10,000 or more) is subdivided into two codes, one for all urban places of 2,500 to 10,000 as a group, and another for all villages under 2,500 and rural areas as a group. In coding the place of residence, movement from an urban place or city of 2,500 or more to another place or city of 2,500 or more, in the same or a different county, is identified. Similarly, any population movement from one county to another is identified, including movement to or from rural areas in different counties. However, movement from a village under 2,500 or from a rural area to another village under 2,500 or rural area within the same county is not identified.

Another limitation should be mentioned. If, for example, the nonresident deaths for each urban place and county within a State are tabulated, it is not possible to add these figures together and obtain the number of nonresidents of the whole State. Such addition will give the number of persons in the State who died in a tabulation-unit area other than the area of their residence, but it will not give the number of nonresidents of the State since a nonresident in an urban place may be a resident of some rural area or some other urban place in the same State. Therefore, the term "nonresident" may have one or two meanings. In reference to the smallest unit of tabulation (in this report an urban place or county), a nonresident is a person who died within that unit but whose usual place of residence was in some other unit. In reference to a consolidation of separate geographic units (for example, a whole State), the term refers to the number of persons dying therein who are nonresidents of the particular place of death but are not necessarily nonresidents of the consolidated area. Furthermore, since the nonresidents of one area are necessarily residents of some other area, it is necessary to apply both terms to the same data when considered in different aspects. In order to avoid confusion, the tables given in this volume include headnotes or footnotes when additional explanation seems necessary.

Allocation of deaths to place of residence.—The allocation of deaths to the place of residence is based on the following general principles and rules.

1. Mortality data should be compiled so as to correspond with enumerated populations on which rates are to be based. Each death should be assigned to the area which was the "usual place of residence" of the decedent.

2. A decedent is defined as a nonresident if the place of residence stated on the certificate is different from the place of death. However, decedents who at the time of death had been living more than 1 year in a community are considered residents of that community even though some other place of residence is stated.

3. Decedents in nonresident institutions such as general hospitals, tuberculosis sanatoriums, convalescent homes, jails, et cetera, are reallocated to the usual place of residence, if they had been in the institution less than 1 year.

4. Decedents in resident institutions, where length of stay is usually long, such as mental institutions; orphanages; homes for the aged, blind, and deaf; et cetera, are not reallocated to the place of prior residence.

5. Decedents whose usual place of residence is a foreign country or a United States possession outside the United States are not reallocated to the usual place of residence.

6. Infants born at other than the place of residence of the mother, who died in that same place, are reallocated to the place of residence of the mother.

or microfilm copies,

For the purpose of coding mortality transcripts, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in the Instruction Manual of the Vital Statistics Division.[3]

Special residence instructions for military personnel.—On all death certificates having indications that the deceased was a member of the Army, Navy, or Marine Corps, the usual place of residence is the post or port at which the deceased was stationed.

In cases where the death occurred while the person was in the process of being transferred from one post to another, the person is to be considered a resident of the post from which he was being transferred.

In cases where the death occurred while on land maneuver or leave, the usual place of residence is the post at which the deceased was stationed.

If the death occurred aboard a naval vessel at sea, the place of death will be the vessel and the death certificate should have been filed at the first port of call. If a permanent station is not indicated, the place of residence of the deceased is assumed to be the place of residence of the nearest relative to the deceased.

Allocation of births to place of residence.—The allocation of live births and stillbirths is made according to the same general principles as the allocation of deaths. In the case of births, however, the residence of the mother is considered to be the place of residence of the child,

For the purpose of coding natality transcripts, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in the Instruction Manual of the Vital Statistics Division.[3]

[3] Bureau of the Census, "Vital Statistics Instruction Manual, Part I, Coding and Punching Geographic and Personal Particulars of Births, Deaths, and Stillbirths Occurring During 1945," Washington, D. C., 1945.

National Office of Vital Statistics (formerly

and the allocation is not affected by the mother's length of stay in the community in which the birth occurs.

Allocation of births to place of residence.—The allocation of live births and stillbirths is made according to the same general principles as the allocation of deaths. In the case of births, however, the usual residence of the mother is considered to be the place of residence of the child, and the allocation is not affected by the mother's length of stay in the community in which the birth occurs.

For the purpose of coding natality transcripts, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in the Instruction manual of the Vital Statistics Division.[3]

[3] ~~Bureau of the Census,~~ National Office of Vital Statistics, "Vital Statistics Instruction Manual, Part I, Coding and Punching Geographic and Personal Particulars of Births, Deaths and Stillbirths Occurring During 1946," Washington, D. C., 1946.

Per Binder 6/14/48

RATE TABLE

TABLE I.—DEATH RATES FOR SELECTED CAUSES:

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Rates per 100,000 estimated population, and based on

	DIVISION AND STATE	Total	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61	63b
1	UNITED STATES	1,062.1	0.4	1.3	0.2	1.3	1.2	40.1	1.2	0.3	10.7	0.2	0.9	134.5	1.0	26.6	1.9
	Geographic Divisions:																
2	New England.....	1,181.2	0.1	0.8	0.2	0.9	0.4	36.4	0.2	0.1	7.0	0.2	0.6	176.5	0.7	34.7	1.1
3	Middle Atlantic.....	1,195.8	0.3	1.4	0.2	0.9	0.3	44.7	0.2	0.1	10.6	0.1	1.0	173.2	1.2	39.6	2.2
4	East North Central.....	1,113.4	0.2	1.3	0.3	1.0	0.7	35.7	0.5	0.1	10.3	0.1	0.9	150.1	1.0	31.9	2.8
5	West North Central.....	1,109.9	0.2	1.1	0.4	0.8	1.0	25.9	0.4	0.2	9.3	0.2	0.9	151.1	1.0	28.2	2.0
6	South Atlantic.....	923.0	0.7	1.4	0.2	2.2	1.9	40.6	1.6	0.6	12.4	0.2	0.6	89.3	1.3	17.3	1.2
7	East South Central.....	970.1	0.9	1.8	0.2	2.8	2.6	51.4	2.7	1.0	10.9	0.5	0.9	89.8	1.3	14.2	1.4
8	West South Central.....	877.7	0.8	1.1	0.1	1.5	2.5	43.7	4.0	1.1	11.7	0.4	1.3	92.6	0.8	14.3	1.0
9	Mountain.....	1,000.5	0.7	1.1	0.4	1.9	1.6	47.7	3.9	0.1	9.5	0.3	1.3	103.7	1.2	17.5	2.1
10	Pacific.....	1,052.0	0.3	1.3	0.2	0.7	1.3	40.0	0.6	0.0	11.7	0.4	0.7	137.2	0.5	22.1	1.7
	New England:																
11	Maine.....	1,270.5	0.3	1.5	0.8	3.3	1.9	31.0	0.4	0.1	7.4	0.3	0.8	173.4	1.5	27.6	0.9
12	New Hampshire.....	1,286.2	0.4	1.3	0.4	0.4	0.4	21.9	0	0	6.4	0	1.1	188.9	0.4	38.7	0.9
13	Vermont.....	1,251.1	0	1.3	0.3	2.6	0.6	35.4	1.0	0.3	5.2	0	1.0	170.8	0.3	32.5	1.3
14	Massachusetts.....	1,222.3	0.1	0.6	0.2	0.5	0.3	39.3	0.2	0.1	6.2	0.2	0.5	186.8	0.6	35.5	1.2
15	Rhode Island.....	1,053.1	0	0.8	0	0.7	0.3	33.2	0.1	0.1	10.6	0	0	142.3	0.8	38.1	0.7
16	Connecticut.....	1,054.3	0.2	0.6	0.1	0.5	0.1	37.2	0	0.1	7.4	0.2	0.6	166.0	0.5	34.0	1.3
	Middle Atlantic:																
17	New York.....	1,220.9	0.2	1.4	0.1	0.7	0.2	47.9	0.2	0.1	11.8	0.1	0.7	186.3	1.0	43.1	2.2
18	New Jersey.....	1,138.4	0.3	1.7	0.1	0.6	0.1	41.3	0.2	0.1	7.4	0.1	2.4	166.9	1.1	33.7	2.0
19	Pennsylvania.....	1,187.7	0.5	1.4	0.3	1.4	0.4	41.7	0.2	0.1	10.4	0.2	0.6	158.1	1.5	37.6	2.2
	East North Central:																
20	Ohio.....	1,146.9	0.2	1.5	0.3	1.6	1.0	38.3	0.6	0.1	11.7	0.1	0.4	150.4	1.1	31.7	2.8
21	Indiana.....	1,151.5	0.2	1.3	0.4	1.1	0.9	33.0	0.6	0.1	11.6	0.1	0.7	140.0	0.9	28.4	2.5
22	Illinois.....	1,167.1	0.1	1.7	0.4	0.7	0.2	41.2	0.4	0.1	10.5	0.1	1.4	165.4	0.9	35.4	3.0
23	Michigan.....	986.3	0.1	0.8	0.2	0.7	0.8	33.2	0.6	0.2	9.7	0.2	0.4	132.5	0.8	28.4	2.4
24	Wisconsin.....	1,086.2	0.1	1.1	0.3	0.6	0.4	22.6	0.2	0	6.4	0.0	1.9	153.8	1.1	33.7	3.8
	West North Central:																
25	Minnesota.....	1,071.6	0.0	0.7	0.4	1.0	0.8	24.9	0.3	0.0	6.9	0.2	1.2	155.9	1.1	31.3	2.4
26	Iowa.....	1,145.2	0	1.2	0.5	0.5	0.5	15.7	0.1	0.1	7.3	0.3	1.1	165.3	1.2	29.2	1.7
27	Missouri.....	1,197.8	0.6	1.2	0.3	0.9	1.2	40.0	0.8	0.4	14.0	0.1	0.8	154.5	0.9	25.6	2.4
28	North Dakota.....	980.7	0.4	0.8	0.6	0.6	2.1	22.5	0.2	0	4.8	0	0.6	122.5	1.9	30.1	1.7
29	South Dakota.....	987.0	0	1.4	0.9	1.1	1.8	28.1	0.4	0.2	5.6	0.2	0.2	128.7	1.1	25.9	0.9
30	Nebraska.....	1,043.0	0.1	1.3	0.5	0.3	1.1	15.4	0.1	0.1	5.7	0.3	1.0	145.7	0.8	28.9	1.9
31	Kansas.....	1,063.4	0.1	1.1	0.3	1.0	1.1	19.5	0.5	0.2	10.7	0.3	1.0	138.4	0.7	27.6	1.7
	South Atlantic:																
32	Delaware.....	1,141.4	0.3	0.3	0.7	2.1	1.4	38.0	0.3	0	14.3	1.0	1.0	122.7	1.4	35.2	0.3
33	Maryland.....	1,062.6	0.2	1.3	0.2	1.5	1.3	59.6	0.8	0.0	16.6	0.1	0.2	127.6	1.3	29.1	1.8
34	District of Columbia.....	898.5	0.1	0.7	0	0.3	0.1	57.6	0.1	0.1	17.3	0	1.1	117.1	1.2	20.0	1.7
35	Virginia.....	930.0	0.6	1.7	0.4	2.4	1.4	44.4	2.6	0.1	11.9	0.1	0.9	89.4	1.2	18.2	1.4
36	West Virginia.....	964.2	0.5	1.7	0.5	3.5	2.2	41.7	3.0	0.1	12.4	0.2	0.6	99.4	1.6	20.6	2.1
37	North Carolina.....	824.5	0.4	1.5	0.2	2.8	2.7	36.0	1.1	0.7	8.4	0.2	0.4	71.4	1.2	13.3	0.8
38	South Carolina.....	887.1	1.9	1.3	0	3.3	2.9	34.8	1.7	2.2	13.7	0.3	1.3	66.1	1.4	14.5	0.9
39	Georgia.....	894.8	0.9	1.3	0.1	2.0	2.3	34.7	1.7	0.8	11.6	0.3	0.4	76.6	1.3	11.7	1.0
40	Florida.....	954.6	0.6	1.3	0	1.2	1.3	31.0	1.4	0.9	13.1	0.3	0.6	94.4	1.1	15.9	0.8
	East South Central:																
41	Kentucky.....	1,070.1	1.2	1.9	0.3	3.1	2.4	62.3	3.8	0.2	8.6	0.7	0.5	106.0	1.1	17.8	1.9
42	Tennessee.....	970.8	0.8	2.0	0.3	2.8	3.6	61.7	2.1	0.7	10.0	0.2	1.6	91.9	1.6	12.4	1.4
43	Alabama.....	907.2	0.6	2.0	0.0	3.0	2.1	43.3	2.9	1.3	12.7	0.2	0.9	79.5	1.5	12.8	1.1
44	Mississippi.....	930.4	0.9	1.3	0.1	2.2	2.0	34.6	1.7	1.8	12.6	1.1	0.5	80.5	0.6	13.9	1.2
	West South Central:																
45	Arkansas.....	826.1	0.8	1.6	0.1	1.5	3.1	45.9	2.4	2.4	10.7	0.4	0.9	83.5	1.0	11.5	1.1
46	Louisiana.....	900.8	0.8	1.1	0	1.0	2.2	44.5	1.5	1.3	18.9	0.7	0.5	96.9	0.5	15.4	1.4
47	Oklahoma.....	930.0	0.6	1.2	0.3	2.3	2.6	40.8	2.6	0.9	8.7	0.2	0.7	108.9	1.0	17.2	1.2
48	Texas.....	867.2	0.8	0.9	0.1	1.4	2.4	43.7	5.8	0.8	10.3	0.3	1.9	88.6	0.8	13.8	0.8
	Mountain:																
49	Montana.....	1,183.1	0.4	0.7	0.2	0.4	0.9	37.4	0.4	0	11.8	0.2	2.2	143.8	1.3	28.2	3.3
50	Idaho.....	920.2	0.2	0.6	0.6	1.2	1.2	16.2	1.2	0	5.0	0.4	0.8	101.6	1.6	19.0	2.4
51	Wyoming.....	905.3	1.2	3.2	0	2.4	0.8	10.9	1.6	0	13.8	0.8	0.8	98.9	1.6	15.8	1.2
52	Colorado.....	1,105.6	0.7	1.1	0.8	2.1	2.1	38.0	1.6	0.1	8.8	0.1	1.2	132.5	1.1	17.8	2.1
53	New Mexico.....	1,031.4	1.3	0.6	0.7	4.1	3.9	72.1	17.7	0.2	12.0	0.7	0.4	66.9	1.7	9.0	2.1
54	Arizona.....	966.4	1.6	1.3	0.2	2.9	2.1	123.1	5.2	0.2	13.3	0	0.5	78.1	0.5	13.8	1.0
55	Utah.....	787.5	0	1.1	0.2	0.6	0	12.8	1.1	0	4.4	0.3	3.2	83.6	1.6	20.4	2.9
56	Nevada.....	993.7	0.6	0.6	0	0	0	55.7	0	0	11.3	0.6	1.3	102.6	0.6	13.8	1.9
	Pacific:																
57	Washington.....	1,048.1	0.2	1.1	0.1	0.3	1.8	33.8	0.8	0	9.1	0.4	1.2	130.8	0.8	22.3	1.9
58	Oregon.....	1,079.5	0.5	0.8	0.2	0.2	1.5	25.5	0.9	0	9.0	0.1	0.6	138.9	0.4	23.1	2.2
59	California.....	1,049.2	0.2	1.4	0.2	0.9	1.2	43.4	0.5	0.0	12.7	0.4	0.6	138.4	0.5	21.9	1.6

UNITED STATES, EACH DIVISION AND STATE, 1945

population excluding armed forces overseas. Numbers under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
0.7	1.7	97.9	321.5	51.8	6.8	8.7	5.1	9.5	66.7	4.3	50.7	11.2	5.6	21.3	51.4	22.0	103.3	1
0.1	3.1	115.3	413.8	47.4	8.9	4.6	4.5	12.4	60.1	3.2	47.4	12.4	1.4	14.8	52.4	8.3	111.2	2
0.1	2.0	93.3	429.1	48.9	8.4	5.2	5.3	12.3	67.2	3.5	47.0	12.6	2.9	15.7	49.9	7.4	109.1	3
0.1	1.0	109.4	364.0	46.2	7.1	5.5	4.8	10.6	69.5	3.1	47.7	12.1	4.1	21.9	49.3	11.7	108.5	4
0.2	1.4	118.4	333.1	57.0	6.9	6.3	5.9	8.1	69.5	3.5	46.9	12.5	3.0	19.0	57.7	18.0	119.7	5
1.5	1.9	93.4	222.1	55.1	5.0	13.5	4.7	6.2	79.6	5.8	56.9	8.7	10.0	21.5	48.1	29.7	87.8	6
2.4	1.2	95.0	208.2	66.9	5.2	13.2	5.2	5.1	72.9	7.3	55.9	6.5	11.3	20.5	47.3	70.3	93.4	7
2.1	1.0	78.2	203.0	53.0	4.1	14.9	5.5	6.2	55.5	5.5	54.8	7.5	8.9	20.4	52.3	36.5	91.4	8
0.2	3.1	74.2	246.6	61.4	7.4	20.7	6.1	7.1	53.9	5.2	62.3	11.5	4.7	29.5	66.7	47.1	99.5	9
0.2	2.8	88.5	331.4	45.3	8.2	6.1	4.3	14.1	52.4	3.4	49.0	16.0	5.2	36.9	54.3	10.8	104.7	10
0	3.1	139.8	373.1	62.3	5.0	9.3	5.9	9.9	79.5	5.2	64.8	15.9	0.9	19.8	68.5	28.8	127.6	11
0	3.5	131.1	452.7	61.0	8.2	3.8	4.4	9.1	66.1	3.3	51.5	14.4	0.7	15.7	50.4	10.2	138.7	12
0	1.9	144.7	422.1	54.1	9.0	4.5	5.8	8.7	69.3	3.9	57.0	13.9	2.9	20.3	55.7	16.4	148.2	13
0.1	3.3	118.2	442.2	50.1	9.6	4.3	4.4	13.6	56.7	3.4	44.9	11.5	1.5	13.4	54.5	4.5	113.6	14
0.3	0.8	100.2	393.0	38.9	8.7	2.9	4.2	13.3	67.1	2.5	39.0	8.0	1.1	12.5	36.5	5.0	91.3	15
0.1	3.8	95.1	362.8	33.4	9.2	4.1	3.9	11.9	53.5	2.2	46.5	13.9	1.5	15.4	47.1	7.8	93.4	16
0.1	2.4	83.0	167.0	44.6	9.8	4.6	5.6	14.0	52.8	3.3	46.2	13.1	3.0	14.3	50.4	4.8	106.0	17
0.2	2.1	102.9	398.9	43.4	8.0	4.0	5.1	11.9	72.5	3.0	43.5	12.8	3.0	15.8	45.1	6.9	101.5	18
0.1	1.4	103.1	391.2	57.3	6.6	6.6	5.0	10.0	84.5	4.2	49.6	11.8	2.8	17.5	51.4	11.3	116.6	19
0.2	1.3	125.5	356.2	51.1	6.3	6.3	4.3	10.3	69.3	3.4	49.2	13.0	4.9	22.4	52.1	16.0	113.3	20
0.1	1.2	128.2	341.9	56.3	6.0	7.0	5.3	9.0	90.0	3.3	49.3	13.6	4.0	25.0	54.6	12.5	122.3	21
0.0	0.7	94.9	415.4	42.8	7.9	4.1	5.4	12.0	79.9	3.0	41.8	11.2	4.7	19.9	48.5	6.1	106.2	22
0.0	0.7	96.6	319.6	38.9	7.2	6.1	4.3	9.8	48.1	3.0	52.8	10.2	3.7	22.3	41.9	12.9	97.1	23
0.1	1.7	111.6	352.7	45.4	7.8	4.4	4.8	10.9	58.4	2.9	48.6	14.1	1.6	21.6	52.4	12.9	108.2	24
0.0	1.5	111.4	333.8	54.6	7.0	4.8	4.8	7.7	39.2	3.0	53.4	10.8	1.9	19.2	56.2	11.5	123.6	25
0	0.8	137.2	355.3	53.7	7.0	3.1	5.4	6.1	68.9	3.5	48.6	15.1	1.6	18.5	57.8	20.5	117.3	26
0.3	1.3	116.2	361.9	72.7	7.8	9.6	6.7	11.6	93.1	4.2	43.3	12.9	5.9	19.7	59.2	12.1	115.6	27
0	3.6	99.4	274.5	39.4	4.4	8.1	5.8	6.9	47.4	2.7	51.1	10.7	1.0	18.8	50.5	33.6	134.2	28
0	0.7	98.7	264.3	53.3	5.2	4.9	5.9	5.8	52.0	2.9	48.4	10.1	2.0	18.9	49.5	47.7	120.1	29
0.1	2.1	115.8	299.0	49.8	6.3	4.7	7.2	7.5	71.0	3.0	44.1	13.4	1.2	18.4	57.6	22.2	116.6	30
0.4	0.9	122.5	307.2	44.4	6.4	6.7	5.5	5.5	77.0	3.6	43.3	11.3	2.3	18.6	61.6	19.0	123.1	31
0.3	2.8	106.0	357.7	59.3	7.7	7.7	5.2	9.1	103.9	6.6	48.8	11.5	4.9	21.3	56.1	6.3	107.0	32
0.2	1.9	85.3	328.3	51.8	5.2	9.5	4.1	8.8	94.6	3.0	49.1	11.4	7.0	19.1	48.9	4.3	88.3	33
0.3	1.4	68.0	249.9	39.5	3.8	10.3	4.0	12.3	73.4	2.6	60.3	14.1	6.3	11.3	35.3	2.2	86.0	34
0.9	1.9	98.1	238.9	55.5	5.2	14.1	5.2	5.0	74.2	4.6	58.6	10.2	7.8	20.7	46.2	21.5	84.8	35
0.1	1.9	92.0	226.1	58.6	4.9	21.7	3.7	6.1	60.1	3.8	62.7	8.8	5.6	18.6	64.7	42.7	92.2	36
2.1	1.6	90.2	184.2	53.5	4.4	13.6	4.6	3.9	83.0	7.1	58.8	7.0	8.8	21.9	37.6	25.5	75.9	37
2.3	1.5	92.7	177.8	64.2	3.9	17.5	4.3	5.2	85.1	8.9	58.2	5.2	10.8	25.8	47.0	50.5	79.8	38
3.4	2.1	102.3	178.3	61.4	5.2	12.2	5.4	5.0	88.1	7.6	55.3	6.9	15.0	22.3	44.0	42.1	91.5	39
1.5	2.4	97.5	225.1	47.2	6.1	10.3	5.0	8.4	66.3	5.9	55.3	9.7	15.1	25.6	64.0	39.9	105.5	40
1.0	1.7	106.2	265.9	79.5	5.8	16.6	4.8	6.3	69.5	6.0	61.2	9.0	10.3	23.0	57.8	24.4	109.3	41
2.5	1.4	97.5	208.0	70.2	6.0	15.1	4.4	5.8	64.7	5.3	54.3	7.2	10.8	19.4	43.5	64.7	96.8	42
3.4	0.9	87.0	183.2	60.7	4.7	11.2	6.2	3.8	74.3	8.5	59.6	5.7	12.2	22.0	43.8	73.0	82.9	43
2.7	0.7	88.6	170.4	55.3	4.1	9.2	5.4	4.7	86.4	9.9	46.4	3.7	12.1	16.9	44.4	131.3	83.2	44
2.2	1.0	80.3	179.5	56.7	3.4	8.5	6.3	5.6	67.8	6.5	36.9	6.1	7.4	15.2	50.2	41.7	83.8	45
1.0	0.9	75.2	241.4	55.9	3.9	9.0	5.0	8.0	66.4	5.9	59.8	7.0	9.8	17.3	45.4	18.3	83.7	46
1.5	0.8	93.9	213.2	53.9	4.4	7.5	6.5	4.9	54.9	4.8	51.9	7.6	8.3	21.8	58.8	43.5	104.7	47
2.6	1.0	74.0	192.2	50.7	4.2	20.9	5.1	6.2	48.6	5.3	58.6	8.1	9.8	22.5	53.4	39.7	92.1	48
0	2.8	106.9	350.3	53.1	6.8	4.4	5.9	7.9	61.0	3.7	58.6	17.3	4.2	25.8	83.0	35.8	124.6	49
0	2.8	84.4	267.9	39.6	8.6	4.6	6.2	4.0	52.4	4.6	58.2	13.2	2.8	32.6	60.4	26.6	99.4	50
0	4.9	66.9	250.4	46.2	4.5	6.1	7.3	5.7	59.2	2.0	58.4	13.0	5.7	23.5	77.0	19.9	101.7	51
0.2	2.4	89.3	291.6	79.4	10.8	18.8	7.1	9.6	72.4	5.0	58.8	11.4	4.6	27.7	64.4	21.1	120.6	52
1.3	2.2	42.8	130.4	87.6	3.2	57.5	7.5	6.5	42.8	10.6	91.0	9.9	4.5	28.6	61.5	169.3	80.7	53
0.2	4.3	53.8	189.0	67.0	4.8	39.5	3.8	6.3	38.6	6.3	60.6	9.8	7.3	34.7	67.4	48.9	80.6	54
0	1.0	64.7	230.5	32.4	6.8	7.6	5.3	4.5	42.0	3.4	56.7	7.0	3.2	28.8	54.8	27.7	78.6	55
0	13.1	76.3	240.3	53.2	13.1	5.6	5.6	3.8	44.4	3.1	49.4	16.9	8.1	36.3	101.4	28.2	95.7	56
0.2	4.7	99.4	324.7	46.1	7.4	5.6	4.7	6.7	53.6	3.6	54.2	14.5	3.7	27.7	63.4	19.9	103.6	57
0.1	2.8	105.9	306.1	43.7	6.7	3.7	2.9	6.4	87.2	2.7	45.3	18.3	4.4	29.0	66.6	28.9	114.7	58
0.2	2.3	83.5	336.4	45.3	8.6	6.5	4.4	16.9	47.4	3.4	48.3	16.0	5.6	40.2	50.5	6.1	103.6	59

GENERAL NATALITY AND MORTALITY TABLES

TABLE 1.—LIVE BIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1945

STATE OF OCCURRENCE	Total births occurring in State	Births to residents occurring in place of residence	BIRTHS TO NONRESIDENTS[1]														
			Total	Intrastate nonresidents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	2,735,456	1,813,392	922,064	844,778	77,286	1,705	292	1,241	2,723	651	1,344	323	784	1,183	1,501	730	4,785
Alabama	71,289	54,007	17,282	14,609	2,673	...	5	38	91	10	22	2	9	473	288	-	83
Arizona	14,771	9,659	5,112	3,397	1,715	7	...	56	493	46	10	2	3	10	10	15	79
Arkansas	39,763	29,196	10,567	9,191	1,376	5	5	...	96	5	3	1	1	4	5	1	19
California	183,127	107,663	75,464	73,994	1,470	19	38	30	...	31	14	6	11	35	13	21	100
Colorado	24,153	15,580	8,573	7,280	1,293	9	10	14	171	...	8	1	4	12	8	12	50
Connecticut	32,971	19,482	13,489	12,939	550	2	1	5	25	5	...	1	3	1	2	-	14
Delaware	6,026	3,314	2,712	2,347	365	-	-	1	4	-	1	...	-	-	-	-	3
District of Columbia	23,107	15,357	7,750	...	7,750	6	3	8	14	1	3	1	...	7	12	1	17
Florida	51,103	31,768	19,335	14,840	4,495	346	15	49	197	33	69	11	35	...	352	12	229
Georgia	75,196	55,142	20,054	18,209	1,845	740	3	5	19	3	9	1	14	257	...	3	29
Idaho	11,585	5,920	5,665	4,851	814	3	4	6	53	10	3	1	-	8	2	...	27
Illinois	135,207	91,024	44,183	42,896	1,287	4	5	1	12	4	-	-	4	6	2	1	...
Indiana	68,532	43,221	25,311	23,346	1,965	-	1	10	1	2	-	-	-	1	11	-	1,154
Iowa	45,334	24,337	20,997	19,247	1,750	-	2	-	23	4	-	-	2	-	1	2	671
Kansas	33,006	20,350	12,656	10,913	1,743	9	11	20	54	82	10	1	2	11	7	5	57
Kentucky	60,302	48,702	11,600	10,588	1,012	7	-	1	6	-	1	1	-	5	10	-	64
Louisiana	57,723	41,542	16,181	15,489	692	22	4	67	25	4	3	-	2	17	10	-	23
Maine	16,495	10,325	6,170	5,805	365	2	-	1	8	3	13	-	2	3	2	1	13
Maryland	40,637	28,947	11,690	9,692	1,998	6	3	4	52	4	9	183	486	19	9	2	44
Massachusetts	77,200	46,811	30,389	28,782	1,607	1	1	-	8	1	388	-	7	-	-	-	5
Michigan	111,967	72,162	39,805	38,847	958	1	1	3	10	2	3	-	2	3	2	-	32
Minnesota	54,154	33,364	20,790	19,536	1,254	-	1	1	13	2	-	-	1	1	2	-	22
Mississippi	54,217	45,253	8,964	7,974	990	161	2	22	20	8	8	-	2	14	17	2	29
Missouri	67,386	44,874	22,512	18,749	3,763	9	4	168	72	30	6	-	2	8	7	1	1,034
Montana	10,416	6,835	3,581	3,367	214	-	-	-	10	3	1	-	-	-	-	18	-
Nebraska	24,316	15,569	8,747	7,644	1,103	5	2	14	43	53	5	-	-	5	3	4	26
Nevada	3,276	1,728	1,548	1,000	548	5	10	12	158	10	2	-	-	4	6	11	23
New Hampshire	8,541	5,458	3,083	2,240	843	2	-	-	1	-	17	1	1	1	-	-	-
New Jersey	74,565	35,562	39,003	38,239	764	1	-	-	1	-	10	3	3	1	-	-	1
New Mexico	15,840	11,372	4,468	3,270	1,198	6	86	17	141	57	6	1	2	11	10	4	33
New York	234,707	162,806	71,901	68,769	3,132	6	2	1	19	3	376	2	25	34	11	1	21
North Carolina	88,600	61,596	27,004	24,435	2,569	39	6	17	82	8	26	2	30	57	131	4	104
North Dakota	13,272	6,826	6,446	5,611	835	-	1	-	7	-	-	-	1	-	-	-	2
Ohio	131,812	85,024	46,788	44,283	2,505	9	1	2	24	3	2	1	5	11	10	1	36
Oklahoma	42,958	29,184	13,774	12,354	1,420	13	7	46	86	23	8	3	1	12	12	4	81
Oregon	24,314	13,976	10,338	9,290	1,048	2	3	6	190	5	1	-	1	4	3	183	17
Pennsylvania	172,986	104,219	68,767	65,980	2,787	4	1	-	12	-	22	75	23	7	6	1	11
Rhode Island	13,624	7,798	5,826	5,129	697	4	1	2	4	-	194	-	4	6	4	1	8
South Carolina	49,083	37,620	11,463	10,918	545	4	-	2	5	2	2	-	10	14	82	-	9
South Dakota	12,068	6,923	5,145	4,661	484	1	-	-	3	-	-	-	-	1	-	-	3
Tennessee	66,844	50,170	16,674	13,219	3,455	198	8	457	76	13	21	4	12	48	386	2	96
Texas	156,249	118,643	37,606	36,531	1,075	3	12	121	32	4	3	-	3	2	1	1	12
Utah	16,118	9,519	6,599	5,835	764	2	21	6	137	50	4	1	4	5	1	111	18
Vermont	6,571	3,924	2,647	2,395	252	-	-	-	1	-	17	-	1	-	-	-	-
Virginia	63,884	44,449	19,435	16,749	2,686	20	9	8	76	12	28	8	57	41	55	2	96
Washington	45,131	27,868	17,263	15,432	1,831	18	3	17	120	53	11	8	3	13	5	299	61
West Virginia	38,870	29,447	9,423	7,916	1,507	1	-	-	1	1	-	1	6	6	1	-	4
Wisconsin	60,813	35,050	25,763	24,753	1,010	2	-	1	14	4	5	1	-	4	1	1	313
Wyoming	5,347	3,826	1,521	1,237	284	1	-	2	13	57	-	-	-	1	1	3	12

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS[1]—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
UNITED STATES	1,877	1,350	2,361	1,602	807	557	4,152	1,471	1,646	1,756	1,036	2,036	399	915	123	640	3,537	664	3,179
Alabama	49	24	10	33	59	9	10	33	65	28	224	47	9	16	2	4	71	4	155
Arizona	36	24	27	11	12	3	12	14	49	19	13	57	7	18	3	1	17	142	64
Arkansas	5	5	12	4	35	-	3	1	13	8	16	164	-	3	-	-	5	1	14
California	32	35	42	12	17	8	14	33	57	43	16	49	14	18	25	5	29	13	82
Colorado	19	35	65	10	11	5	12	20	33	41	9	35	7	97	-	2	19	58	85
Connecticut	4	1	1	-	1	8	3	111	6	4	-	2	-	4	-	5	9	-	244
Delaware	-	1	3	-	-	-	100	-	1	-	-	2	-	-	-	-	97	-	20
District of Columbia	6	5	7	5	4	7	3,143	16	8	12	1	9	1	5	-	2	8	-	45
Florida	107	74	52	87	66	28	48	139	144	83	65	110	10	32	5	13	143	5	417
Georgia	11	7	4	5	14	4	8	18	23	6	6	12	4	3	-	5	19	1	51
Idaho	7	9	6	2	1	2	-	9	11	7	-	9	28	8	15	1	6	1	15
Illinois	477	94	4	82	1	-	3	6	78	12	3	245	1	3	-	1	1	3	13
Indiana	...	3	7	142	2	-	3	-	132	5	2	13	-	5	-	1	1	-	13
Iowa	9	...	7	4	-	2	2	3	3	190	1	234	1	274	-	1	-	-	10
Kansas	22	38	...	17	8	7	7	18	27	25	8	523	2	79	1	2	16	7	52
Kentucky	213	4	4	...	5	-	8	4	20	7	4	11	-	1	-	-	8	-	13
Louisiana	9	6	10	-	...	1	5	6	7	6	130	12	2	3	1	2	8	3	14
Maine	3	6	2	5	1	...	3	58	8	2	1	6	1	2	1	121	6	-	26
Maryland	19	8	6	11	8	5	...	28	25	17	1	13	2	5	2	2	44	1	80
Massachusetts	3	-	-	2	-	71	2	...	11	7	2	4	-	2	-	276	13	4	131
Michigan	202	3	2	10	1	4	2	9	...	12	3	5	5	-	2	-	4	1	21
Minnesota	2	158	3	1	-	-	2	7	19	...	2	6	3	4	2	1	1	-	4
Mississippi	13	3	5	5	296	2	6	6	18	10	...	16	1	5	-	-	12	3	39
Missouri	37	156	1,529	18	7	2	4	14	51	56	8	...	2	60	2	3	14	11	43
Montana	1	1	2	-	-	1	1	3	2	5	-	2	...	1	-	-	-	-	1
Nebraska	8	258	216	5	4	-	2	7	16	14	4	32	6	...	2	-	8	-	20
Nevada	5	10	6	3	13	2	4	10	13	10	8	21	8	6	...	1	10	7	21
New Hampshire	-	-	-	-	-	308	1	112	1	-	-	1	-	-	-	...	2	-	16

[1] See discussion in text for definition of nonresident.

TABLE 1.—LIVE BIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1945—Continued

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS[1]—Continued. Interstate nonresidents—Continued. State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
New Jersey	1	1	1	1	-	2	8	10	3	1	2	1	1	-	2	1	...	-	279
New Mexico	21	25	28	9	17	5	7	10	20	11	12	24	5	14	1	2	21	...	40
New York	10	6	2	4	2	11	32	93	32	9	3	12	3	2	-	12	1,306	4	...
North Carolina	44	34	27	35	32	13	42	71	66	33	43	47	2	11	1	3	68	7	184
North Dakota	-	1	1	-	-	-	-	-	1	520	1	-	143	4	-	-	-	1	1
Ohio	297	8	4	484	1	-	8	12	248	11	7	10	-	4	-	2	14	3	56
Oklahoma	28	20	159	12	15	2	12	27	35	42	10	59	3	24	-	2	23	23	66
Oregon	9	7	10	4	3	3	3	5	3	14	2	11	8	8	4	-	8	7	10
Pennsylvania	5	2	2	4	4	2	412	14	17	3	2	4	-	-	3	2	1,371	6	311
Rhode Island	4	2	1	-	4	8	2	357	8	5	1	3	2	-	-	2	5	1	14
South Carolina	2	2	4	2	1	1	11	3	3	3	8	1	1	1	-	-	7	3	21
South Dakota	3	67	9	-	-	-	-	-	1	38	-	-	17	107	-	-	-	-	1
Tennessee	56	18	16	294	30	8	14	34	80	18	397	82	3	9	-	4	29	5	96
Texas	8	11	12	1	96	1	3	4	8	3	4	7	-	4	2	-	1	305	6
Utah	6	8	5	2	3	1	4	6	12	17	4	17	6	9	41	2	8	25	24
Vermont	-	1	-	-	-	1	1	22	1	-	1	-	-	-	-	144	3	-	53
Virginia	43	35	21	47	15	11	69	86	65	50	13	51	9	13	-	8	77	3	202
Washington	17	30	17	16	13	2	9	25	23	53	6	51	43	20	3	4	15	3	67
West Virginia	3	1	2	209	3	1	107	-	9	2	-	3	-	-	1	-	3	1	10
Wisconsin	18	95	2	4	1	6	-	4	101	289	-	3	1	4	-	1	4	-	24
Wyoming	3	8	6	-	1	-	-	3	4	5	3	10	36	27	2	2	3	2	5

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS[1]—Continued. Interstate nonresidents—Continued. State of residence—Continued																		Total births to residents
	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W.Va.	Wis.	Wyo.	
UNITED STATES	1,370	710	3,189	1,627	874	3,600	708	893	876	1,577	2,741	326	554	5,870	1,273	1,676	1,634	418	2,735,456
Alabama	37	4	76	22	10	122	5	41	15	252	94	10	-	39	12	28	33	-	70,321
Arizona	12	8	78	79	23	31	-	2	7	12	109	20	1	8	37	4	22	2	13,348
Arkansas	6	-	12	361	1	8	-	-	3	35	507	-	1	4	-	2	1	1	39,628
California	19	10	59	54	85	61	5	8	9	15	99	19	2	10	104	11	33	5	184,380
Colorado	10	9	43	31	15	42	2	5	12	13	64	30	2	9	35	8	21	60	23,511
Connecticut	3	-	13	-	1	20	21	2	-	1	3	1	6	9	4	-	4	-	33,765
Delaware	5	1	-	-	-	120	-	-	-	1	1	-	-	1	-	2	1	-	5,984
District of Columbia	29	3	17	2	3	42	2	19	-	3	16	4	1	4,234	1	6	10	1	16,141
Florida	136	15	251	57	24	277	26	85	17	119	184	19	9	81	60	57	98	4	47,791
Georgia	60	-	26	5	4	36	2	252	-	126	15	-	2	16	5	4	8	-	74,852
Idaho	6	2	8	9	106	10	1	-	7	5	21	41	2	1	310	2	3	26	11,501
Illinois	1	1	25	5	2	9	-	1	5	4	8	-	1	2	3	2	151	1	138,705
Indiana	2	-	342	6	1	6	-	-	-	9	13	-	-	4	-	1	7	-	68,444
Iowa	-	2	4	2	1	3	-	-	157	1	10	3	-	3	3	2	112	1	44,934
Kansas	14	6	41	304	8	65	3	2	10	10	76	6	1	14	21	6	19	9	33,624
Kentucky	6	1	221	4	6	7	1	2	1	252	8	-	-	41	1	58	5	1	60,892
Louisiana	13	1	19	8	4	18	-	5	-	11	190	2	-	5	7	3	4	-	57,838
Maine	1	2	7	1	2	11	8	-	1	6	8	-	3	7	1	2	4	1	16,687
Maryland	30	4	34	6	1	300	6	14	4	14	11	2	2	199	15	244	12	2	42,791
Massachusetts	2	-	10	1	2	23	544	-	2	1	3	-	67	8	-	-	5	-	77,064
Michigan	4	1	123	1	-	13	2	4	1	10	58	-	-	6	4	5	381	-	112,655
Minnesota	-	317	5	1	3	2	-	-	243	-	21	1	-	1	13	-	389	-	54,656
Mississippi	12	1	27	12	4	18	2	11	2	102	49	1	1	5	4	3	9	2	54,263
Missouri	14	10	52	98	6	41	-	4	10	28	55	4	2	13	15	8	41	4	65,659
Montana	1	77	-	-	4	1	-	-	9	1	4	3	-	-	25	2	2	33	10,601
Nebraska	3	4	8	11	8	13	-	1	141	4	34	7	-	6	13	-	11	77	24,128
Nevada	3	3	17	12	7	16	-	2	3	2	28	22	-	3	13	2	13	3	2,851
New Hampshire	-	-	2	-	-	1	3	2	-	2	1	-	360	5	-	-	2	1	8,338
New Jersey	3	-	7	-	1	403	1	2	-	1	-	-	-	7	1	3	1	-	77,338
New Mexico	9	6	31	67	12	36	3	5	6	5	309	6	1	8	21	8	13	6	15,306
New York	16	2	41	2	1	873	16	12	1	4	19	1	58	30	1	5	6	-	234,754
North Carolina	...	7	124	27	17	150	14	304	9	121	63	7	5	393	14	24	28	3	87,401
North Dakota	-	...	-	1	3	2	-	1	124	-	10	-	-	-	6	-	3	1	13,147
Ohio	15	-	...	10	2	307	3	3	2	10	43	5	1	15	3	797	15	-	132,496
Oklahoma	15	4	63	...	14	55	5	4	11	10	305	7	2	9	20	7	24	7	43,165
Oregon	5	9	17	9	...	13	1	6	2	5	13	3	-	3	414	2	5	2	24,140
Pennsylvania	23	7	307	4	4	...	4	12	-	5	7	1	1	30	1	54	1	-	173,799
Rhode Island	4	1	4	3	1	10	...	3	1	3	8	2	1	4	1	1	3	-	13,635
South Carolina	275	-	11	4	1	17	1	...	7	-	3	1	1	11	1	5	3	-	49,431
South Dakota	1	154	4	-	3	-	-	-	...	1	4	-	-	3	1	-	1	61	12,460
Tennessee	171	4	108	29	9	71	6	22	6	...	81	9	3	331	15	36	34	4	64,966
Texas	2	-	7	300	2	12	-	2	5	9	...	6	3	16	23	7	11	-	157,915
Utah	8	2	14	9	11	11	1	1	5	5	15	...	-	2	22	3	9	86	15,680
Vermont	2	-	2	-	-	-	-	-	-	-	-	-	...	-	-	1	1	-	6,873
Virginia	368	5	117	17	10	165	14	44	12	327	57	10	10	...	18	243	36	3	67,068
Washington	7	22	35	42	444	37	5	6	13	17	48	46	2	23	...	16	32	8	44,573
West Virginia	12	1	759	-	-	94	-	3	-	8	4	1	2	242	-	...	4	1	39,039
Wisconsin	4	2	12	4	3	20	-	1	7	5	31	2	1	8	3	2	...	2	61,437
Wyoming	1	2	6	7	5	8	1	-	6	2	6	24	-	1	2	-	3	...	5,481

[1]See discussion in text for definition of nonresident.

747801 O - 47 - 2

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Infant mortality rates per 1,000 live births in a specified race group. Stillbirths include those for which the period of uterogestation was 5 months or more or not stated. White and nonwhite are shown separately for those counties and urban places in which the 1940 populations for nonwhite races formed 10 percent or more of the total, or numbered 10,000 or more]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
UNITED STATES	2,735,456	1,401,719	104,684	38.3	65,513
White	2,395,563	1,233,889	85,295	35.6	51,242
Nonwhite	339,893	167,830	19,389	57.0	14,271
Urban	1,618,128	888,172	61,008	37.7	39,149
White	1,452,741	788,982	50,997	35.1	31,529
Nonwhite	165,387	99,190	10,011	60.5	7,620
Places of 100,000 or more	772,275	447,035	26,888	34.8	19,259
White	678,617	390,664	21,623	31.9	15,138
Nonwhite	93,658	56,371	5,265	56.2	4,131
Places of 25,000 to 100,000	334,378	176,355	12,743	38.1	7,806
White	304,305	158,592	10,857	35.7	6,324
Nonwhite	30,073	17,763	1,886	62.7	1,482
Places of 10,000 to 25,000	228,475	117,855	9,098	39.8	5,404
White	209,386	106,640	7,815	37.3	4,456
Nonwhite	19,089	11,215	1,283	67.2	948
Places of 2,500 to 10,000	283,000	146,927	12,279	43.4	6,670
White	260,433	133,086	10,702	41.1	5,611
Nonwhite	22,567	13,841	1,577	69.9	1,059
Rural	1,117,328	513,547	43,676	39.1	26,364
White	942,822	444,907	34,298	36.4	19,713
Nonwhite	174,506	68,640	9,378	53.7	6,651
Section A (States)					
ALABAMA	70,321	25,513	3,141	44.7	2,038
White	44,091	14,725	1,709	38.8	970
Nonwhite	26,230	10,788	1,432	54.6	1,068
Urban	23,064	10,413	1,122	48.6	741
White	14,492	5,977	596	41.1	340
Nonwhite	8,572	4,436	526	61.4	401
Places of 10,000 or more	17,033	8,022	802	47.1	559
White	10,258	4,440	387	37.7	238
Nonwhite	6,775	3,582	415	61.3	321
Places of 2,500 to 10,000	6,031	2,391	320	53.1	182
White	4,234	1,537	209	49.4	102
Nonwhite	1,797	854	111	61.8	80
Rural	47,257	15,100	2,019	42.7	1,297
White	29,599	8,748	1,113	37.6	630
Nonwhite	17,658	6,352	906	51.3	667
ARIZONA	13,348	6,091	917	68.7	312
White	11,549	4,982	666	57.7	246
Nonwhite	1,799	1,109	251	139.5	66
Urban	7,620	3,105	464	60.9	168
White	7,155	2,887	426	59.5	147
Nonwhite	465	218	38	81.7	21
Places of 10,000 or more	4,862	2,064	259	53.3	116
White	4,519	1,909	241	53.3	98
Nonwhite	343	155	18	52.5	18
Places of 2,500 to 10,000	2,758	1,041	205	74.3	52
White	2,636	978	185	70.2	49
Nonwhite	122	63	20	163.9	3
Rural	5,728	2,986	453	79.1	144
White	4,394	2,095	240	54.6	99
Nonwhite	1,334	891	213	159.7	45
ARKANSAS	39,628	14,703	1,256	31.7	816
White	29,495	10,493	926	31.4	527
Nonwhite	10,133	4,210	330	32.6	289
Urban	12,029	6,163	464	38.6	237
White	9,479	4,394	344	36.3	161
Nonwhite	2,550	1,769	120	47.1	76
Places of 10,000 or more	6,461	3,510	222	34.4	117
White	5,158	2,481	162	31.4	84
Nonwhite	1,303	1,029	60	46.0	33
Places of 2,500 to 10,000	5,568	2,653	242	43.5	120
White	4,321	1,913	182	42.1	77
Nonwhite	1,247	740	60	48.1	43
Rural	27,599	8,540	792	28.7	579
White	20,016	6,099	582	29.1	366
Nonwhite	7,583	2,441	210	27.7	213
CALIFORNIA	184,380	92,569	5,991	32.5	3,453
White	173,687	88,130	5,522	31.8	3,112
Nonwhite	10,693	4,439	469	43.9	341
Urban	140,949	67,927	4,326	30.7	2,634
White	132,133	64,651	3,963	30.0	2,337
Nonwhite	8,816	3,276	363	41.2	297
Places of 10,000 or more	119,910	59,598	3,601	30.0	2,291
White	111,653	56,515	3,269	29.3	2,001
Nonwhite	8,257	3,083	332	40.2	290
Places of 2,500 to 10,000	21,039	8,329	725	34.5	343
White	20,480	8,136	694	33.9	336
Nonwhite	559	193	31	55.5	7
Rural	43,431	24,642	1,665	38.3	819
White	41,554	23,479	1,559	37.5	775
Nonwhite	1,877	1,163	106	56.5	44
Section A (States)—Continued					
COLORADO	23,511	12,389	1,188	50.5	516
White	22,864	12,048	1,161	50.8	497
Nonwhite	647	341	27	41.7	19
Urban	14,655	8,442	706	48.2	312
White	14,156	8,197	689	48.7	297
Nonwhite	499	245	17	34.1	15
Places of 10,000 or more	11,734	6,720	514	43.8	255
White	11,265	6,498	498	44.2	241
Nonwhite	469	222	16	34.1	14
Places of 2,500 to 10,000	2,921	1,722	192	65.7	57
White	2,891	1,699	191	66.1	56
Nonwhite	30	23	1	33.3	1
Rural	8,856	3,947	482	54.4	204
White	8,708	3,851	472	54.2	200
Nonwhite	148	96	10	67.6	4
CONNECTICUT	33,765	18,833	1,011	29.9	584
White	32,832	18,334	974	29.7	557
Nonwhite	933	499	37	39.7	27
Urban	23,041	13,159	722	31.3	445
White	22,217	12,746	688	31.0	423
Nonwhite	824	413	34	41.3	22
Places of 10,000 or more	21,932	12,549	672	30.6	418
White	21,113	12,139	638	30.2	396
Nonwhite	819	410	34	41.5	22
Places of 2,500 to 10,000	1,109	610	50	45.1	27
White	1,104	607	50	45.3	27
Nonwhite	5	3	-	0	-
Rural	10,724	5,674	289	26.9	139
White	10,615	5,588	286	26.9	134
Nonwhite	109	86	3	27.5	5
DELAWARE	5,984	3,274	233	38.9	148
White	5,067	2,671	168	33.2	109
Nonwhite	917	603	65	70.9	39
Urban	3,021	1,828	120	39.7	79
White	2,581	1,520	92	35.6	63
Nonwhite	440	308	28	63.6	16
Places of 10,000 or more	2,337	1,451	80	34.2	60
White	1,986	1,219	62	31.2	47
Nonwhite	351	232	18	51.3	13
Places of 2,500 to 10,000	684	377	40	58.5	19
White	595	301	30	50.4	16
Nonwhite	89	76	10	112.4	3
Rural	2,963	1,446	113	38.1	69
White	2,486	1,151	76	30.6	46
Nonwhite	477	295	37	77.6	23
DISTRICT OF COLUMBIA	16,141	8,432	780	48.3	374
White	10,862	5,307	402	37.0	202
Nonwhite	5,279	3,125	378	71.6	172
FLORIDA	47,791	22,776	2,093	43.8	1,499
White	35,207	15,847	1,318	37.4	830
Nonwhite	12,584	6,929	775	61.6	669
Urban	27,657	14,352	1,200	43.4	836
White	20,550	9,922	743	36.2	445
Nonwhite	7,107	4,430	457	64.3	391
Places of 10,000 or more	21,461	10,927	859	40.0	668
White	16,221	7,751	544	33.5	365
Nonwhite	5,240	3,176	315	60.1	303
Places of 2,500 to 10,000	6,196	3,425	341	55.0	168
White	4,329	2,171	199	46.0	80
Nonwhite	1,867	1,254	142	76.1	88
Rural	20,134	8,424	893	44.4	663
White	14,657	5,925	575	39.2	385
Nonwhite	5,477	2,499	318	58.1	278
GEORGIA	74,852	28,559	3,162	42.2	2,199
White	47,493	16,495	1,721	36.2	1,050
Nonwhite	27,359	12,064	1,441	52.7	1,149
Urban	30,541	13,454	1,358	44.5	984
White	21,134	7,458	749	35.4	470
Nonwhite	9,407	5,996	609	64.7	514
Places of 10,000 or more	22,732	10,416	1,035	45.5	757
White	15,731	5,731	576	36.6	356
Nonwhite	7,001	4,685	459	65.6	401
Places of 2,500 to 10,000	7,809	3,038	323	41.4	227
White	5,403	1,727	173	32.0	114
Nonwhite	2,406	1,311	150	62.3	113
Rural	44,311	15,105	1,804	40.7	1,215
White	26,359	9,037	972	36.9	580
Nonwhite	17,952	6,068	832	46.3	635

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section A (States)—Continued					
IDAHO	11,501	4,602	403	35.0	200
White	11,288	4,471	385	34.1	198
Nonwhite	213	131	18	84.5	2
Urban	4,932	2,388	217	44.0	92
White	4,866	2,341	211	43.4	92
Nonwhite	66	47	6	90.9	-
Places of 10,000 or more	2,864	1,430	126	44.0	49
White	2,838	1,397	123	43.3	49
Nonwhite	26	33	3	115.4	-
Places of 2,500 to 10,000	2,068	958	91	44.0	43
White	2,028	944	88	43.4	43
Nonwhite	40	14	3	75.0	-
Rural	6,569	2,214	186	28.3	108
White	6,422	2,130	174	27.1	106
Nonwhite	147	84	12	81.6	2
ILLINOIS	138,705	90,116	4,377	31.6	2,951
White	128,577	83,049	3,848	29.9	2,605
Nonwhite	10,128	7,067	529	52.2	346
Urban	106,201	67,474	3,334	31.4	2,312
White	96,534	61,187	2,837	29.4	1,987
Nonwhite	9,667	6,287	497	51.4	325
Places of 10,000 or more	91,723	58,481	2,847	31.0	2,019
White	82,304	52,406	2,363	28.7	1,701
Nonwhite	9,419	6,075	484	51.4	318
Places of 2,500 to 10,000	14,478	8,993	487	33.6	293
White	14,230	8,781	474	33.3	286
Nonwhite	248	212	13	52.4	7
Rural	32,504	22,642	1,043	32.1	639
White	32,043	21,862	1,011	31.6	618
Nonwhite	461	780	32	69.4	21
INDIANA	68,444	39,586	2,462	36.0	1,341
White	65,623	37,448	2,260	34.4	1,229
Nonwhite	2,821	2,138	202	71.6	112
Urban	41,476	23,431	1,571	37.9	817
White	38,754	21,483	1,377	35.5	709
Nonwhite	2,722	1,948	194	71.3	108
Places of 10,000 or more	34,970	19,322	1,358	38.8	713
White	32,300	17,413	1,165	36.1	605
Nonwhite	2,670	1,909	193	72.3	108
Places of 2,500 to 10,000	6,506	4,109	213	32.7	104
White	6,454	4,070	212	32.8	104
Nonwhite	52	39	1	19.2	-
Rural	26,968	16,155	891	33.0	524
White	26,869	15,965	883	32.9	520
Nonwhite	99	190	8	80.8	4
IOWA	44,934	25,876	1,363	30.3	880
White	44,584	25,602	1,341	30.1	879
Nonwhite	350	274	22	62.9	1
Urban	19,865	13,414	697	35.1	420
White	19,545	13,169	677	34.6	419
Nonwhite	320	245	20	62.5	1
Places of 10,000 or more	14,674	8,857	497	33.9	293
White	14,375	8,643	477	33.2	292
Nonwhite	299	214	20	66.9	1
Places of 2,500 to 10,000	5,191	4,557	200	38.5	127
White	5,170	4,526	200	38.7	127
Nonwhite	21	31	-	0	-
Rural	25,069	12.462	666	26.6	460
White	25,039	12,433	664	26.5	460
Nonwhite	30	29	2	66.7	-
KANSAS	33,624	18,507	1,109	33.0	642
White	32,383	17,510	1,035	32.0	590
Nonwhite	1,241	997	74	59.6	52
Urban	18,040	9,686	688	38.1	367
White	16,923	8,897	624	36.9	321
Nonwhite	1,117	789	64	57.3	46
Places of 10,000 or more	13,452	6,842	479	35.6	272
White	12,422	6,119	425	34.2	228
Nonwhite	1,030	723	54	52.4	44
Places of 2,500 to 10,000	4,588	2,844	209	45.6	95
White	4,501	2,778	199	44.2	93
Nonwhite	87	66	10	114.9	2
Rural	15,584	8,821	421	27.0	275
White	15,460	8,613	411	26.6	269
Nonwhite	124	208	10	80.6	6

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section A (States)—Continued					
KENTUCKY	60,892	27,590	2,858	46.9	1,436
White	57,654	24,095	2,630	45.6	1,328
Nonwhite	3,238	3,495	228	70.4	108
Urban	19,502	11,673	943	48.4	453
White	17,605	9,364	800	45.4	389
Nonwhite	1,897	2,309	143	75.4	64
Places of 10,000 or more	14,451	8,670	700	48.4	325
White	12,978	6,920	592	45.6	280
Nonwhite	1,473	1,750	108	73.3	45
Places of 2,500 to 10,000	5,051	3,003	243	48.1	128
White	4,627	2,444	208	45.0	109
Nonwhite	424	559	35	82.5	19
Rural	41,390	15,917	1,915	46.3	983
White	40,049	14,731	1,830	45.7	939
Nonwhite	1,341	1,186	85	63.4	44
LOUISIANA	57,838	22,125	2,488	43.0	1,683
White	35,240	12,657	1,170	33.2	720
Nonwhite	22,598	9,468	1,318	58.3	963
Urban	26,066	11,872	1,140	43.7	841
White	17,592	7,268	584	33.2	394
Nonwhite	8,474	4,604	556	65.6	447
Places of 10,000 or more	19,705	8,993	774	39.3	600
White	13,004	5,572	389	29.9	280
Nonwhite	6,701	3,421	385	57.5	320
Places of 2,500 to 10,000	6,361	2,879	366	57.5	241
White	4,588	1,696	195	42.5	114
Nonwhite	1,773	1,183	171	96.4	127
Rural	31,772	10,253	1,348	42.4	842
White	17,648	5,389	586	33.2	326
Nonwhite	14,124	4,864	762	54.0	516
MAINE	16,687	9,985	773	46.3	303
White	16,638	9,951	767	46.1	303
Nonwhite	49	34	6	122.4	-
Urban	6,499	4,281	321	49.4	121
White	6,471	4,264	316	48.8	121
Nonwhite	28	17	5	178.6	-
Places of 10,000 or more	4,898	3,238	240	49.0	92
White	4,873	3,226	236	48.4	92
Nonwhite	25	12	4	160.0	-
Places of 2,500 to 10,000	1,601	1,043	81	50.6	29
White	1,598	1,038	80	50.1	29
Nonwhite	3	5	1	333.3	-
Rural	10,188	5,704	452	44.4	182
White	10,167	5,687	451	44.4	182
Nonwhite	21	17	1	47.6	-
MARYLAND	42,791	22,584	1,626	38.0	1,153
White	34,647	17,776	1,110	32.0	767
Nonwhite	8,144	4,808	516	63.4	386
Urban	23,812	13,922	930	39.1	697
White	18,663	10,766	610	32.7	444
Nonwhite	5,149	3,156	320	62.1	253
Places of 10,000 or more	21,391	12,940	848	39.6	639
White	16,415	9,916	535	32.6	398
Nonwhite	4,976	3,024	313	62.9	241
Places of 2,500 to 10,000	2,421	982	82	33.9	58
White	2,248	850	75	33.4	46
Nonwhite	173	132	7	40.5	12
Rural	18,979	8,662	696	36.7	456
White	15,984	7,010	500	31.3	323
Nonwhite	2,995	1,652	196	65.4	133
MASSACHUSETTS	77,064	51,133	2,436	31.6	1,758
White	75,805	50,226	2,371	31.3	1,716
Nonwhite	1,259	907	65	51.6	42
Urban	69,103	45,438	2,198	31.8	1,579
White	67,942	44,640	2,143	31.5	1,542
Nonwhite	1,161	798	55	47.4	37
Places of 10,000 or more	64,096	42,220	2,042	31.9	1,478
White	62,965	41,454	1,988	31.6	1,442
Nonwhite	1,131	766	54	47.7	36
Places of 2,500 to 10,000	5,007	3,218	156	31.2	101
White	4,977	3,186	155	31.1	100
Nonwhite	30	32	1	33.3	1
Rural	7,961	5,695	238	29.9	179
White	7,863	5,586	228	29.0	174
Nonwhite	98	109	10	102.0	5

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	Deaths under 1 year		Still-births
			Number	Rate	
Section A (States)—Continued					
MICHIGAN	112,655	53,966	4,035	35.8	2,700
White	105,840	50,557	3,690	34.9	2,406
Nonwhite	6,815	3,409	345	50.6	294
Urban	81,110	33,895	2,726	33.6	1,941
White	74,644	31,193	2,421	32.4	1,660
Nonwhite	6,466	2,702	305	47.2	281
Places of 10,000 or more	69,635	29,063	2,341	33.6	1,699
White	63,519	26,443	2,052	32.3	1,426
Nonwhite	6,116	2,620	289	47.3	273
Places of 2,500 to 10,000	11,475	4,832	385	33.6	242
White	11,125	4,750	369	33.2	234
Nonwhite	350	82	16	45.7	8
Rural	31,545	20,071	1,309	41.5	759
White	31,196	19,364	1,269	40.7	745
Nonwhite	349	707	40	114.6	13
MINNESOTA	54,656	26,763	1,638	31.1	1,141
White	53,921	26,395	1,649	30.6	1,122
Nonwhite	735	368	19	66.7	19
Urban	27,949	15,249	974	34.8	610
White	27,632	15,046	957	34.6	598
Nonwhite	317	203	17	53.6	12
Places of 10,000 or more	21,353	11,577	666	31.2	484
White	21,059	11,396	651	30.9	472
Nonwhite	294	181	15	51.0	12
Places of 2,500 to 10,000	6,596	3,672	308	46.7	126
White	6,573	3,650	306	46.6	126
Nonwhite	23	22	2	87.0	-
Rural	26,707	11,514	724	27.1	531
White	26,289	11,349	692	26.3	524
Nonwhite	418	165	32	76.6	7
MISSISSIPPI	54,263	19,355	2,204	40.6	1,844
White	24,103	8,781	865	35.9	555
Nonwhite	30,160	10,574	1,339	44.4	1,289
Urban	12,394	5,531	648	52.3	460
White	7,965	2,859	363	45.6	188
Nonwhite	4,429	2,672	285	64.3	272
Places of 10,000 or more	7,751	3,459	403	51.9	299
White	4,988	1,767	217	43.5	123
Nonwhite	2,773	1,692	186	67.1	176
Places of 2,500 to 10,000	4,633	2,072	245	52.9	161
White	2,977	1,092	146	49.0	65
Nonwhite	1,656	980	99	59.8	96
Rural	41,869	13,824	1,556	37.2	1,384
White	16,138	5,922	502	31.1	367
Nonwhite	25,731	7,902	1,054	41.0	1,017
MISSOURI	65,659	42,602	2,464	37.5	1,550
White	60,474	38,397	2,131	35.2	1,285
Nonwhite	5,185	4,205	333	64.2	265
Urban	37,721	25,953	1,501	39.8	949
White	33,453	22,428	1,232	36.8	718
Nonwhite	4,268	3,525	269	63.0	231
Places of 10,000 or more	31,356	21,658	1,210	38.6	817
White	27,390	18,486	959	35.0	598
Nonwhite	3,966	3,172	251	63.3	219
Places of 2,500 to 10,000	6,365	4,295	291	45.7	132
White	6,063	3,942	273	45.0	120
Nonwhite	302	353	18	59.6	12
Rural	27,938	16,649	963	34.5	601
White	27,021	15,969	899	33.3	567
Nonwhite	917	680	64	69.8	34
MONTANA	10,601	5,414	363	34.2	184
White	9,974	5,169	314	31.5	161
Nonwhite	627	245	49	78.1	23
Urban	5,194	2,810	197	37.9	86
White	5,135	2,775	195	38.0	83
Nonwhite	59	35	2	33.9	3
Places of 10,000 or more	3,414	1,821	128	37.5	60
White	3,388	1,798	127	37.5	57
Nonwhite	26	23	1	38.5	3
Places of 2,500 to 10,000	1,780	989	69	38.8	26
White	1,747	977	68	38.9	26
Nonwhite	33	12	1	30.3	-
Rural	5,407	2,604	166	30.7	98
White	4,839	2,394	119	24.6	78
Nonwhite	568	210	47	82.7	20
Section A (States)—Continued					
NEBRASKA	24,128	12,500	687	28.5	444
White	23,585	12,188	642	27.2	436
Nonwhite	543	312	45	82.9	8
Urban	11,106	6,091	374	33.7	211
White	10,683	5,853	339	31.7	205
Nonwhite	423	238	35	82.7	6
Places of 10,000 or more	8,633	4,601	278	32.2	163
White	8,229	4,374	246	29.9	158
Nonwhite	404	227	32	79.2	5
Places of 2,500 to 10,000	2,473	1,490	96	38.8	48
White	2,454	1,479	93	37.9	47
Nonwhite	19	11	3	157.9	1
Rural	13,022	6,409	313	24.0	233
White	12,902	6,335	303	23.5	231
Nonwhite	120	74	10	83.3	2
NEVADA	2,851	1,588	132	46.3	76
White	2,640	1,445	114	43.2	65
Nonwhite	211	143	18	85.3	11
Urban	1,395	650	60	43.0	45
White	1,319	605	52	39.4	41
Nonwhite	76	45	8	105.3	4
Places of 10,000 or more	625	274	20	32.0	21
White	598	265	19	31.8	19
Nonwhite	27	9	1	37.0	2
Places of 2,500 to 10,000	770	376	40	51.9	24
White	721	340	33	45.8	22
Nonwhite	49	36	7	142.9	2
Rural	1,456	938	72	49.5	31
White	1,321	840	62	46.9	24
Nonwhite	135	98	10	74.1	7
NEW HAMPSHIRE	8,338	5,816	303	36.3	183
White	8,324	5,810	302	36.3	183
Nonwhite	14	6	1	71.4	-
Urban	4,939	3,387	197	39.9	97
White	4,925	3,385	196	39.8	97
Nonwhite	14	2	1	71.4	-
Places of 10,000 or more	4,185	2,924	173	41.3	79
White	4,171	2,922	172	41.3	79
Nonwhite	14	2	1	71.4	-
Places of 2,500 to 10,000	754	463	24	31.8	18
White	754	463	24	31.8	18
Nonwhite	-	-	-	-	-
Rural	3,399	2,429	106	31.2	86
White	3,399	2,425	106	31.2	86
Nonwhite	-	4	-	-	-
NEW JERSEY	77,338	47,825	2,476	32.0	1,842
White	71,809	44,348	2,159	30.1	1,626
Nonwhite	5,529	3,477	317	57.3	216
Urban	62,651	37,298	2,009	32.1	1,491
White	57,970	34,480	1,744	30.1	1,299
Nonwhite	4,681	2,818	265	56.6	192
Places of 10,000 or more	50,876	30,482	1,670	32.8	1,214
White	46,594	27,961	1,426	30.6	1,043
Nonwhite	4,282	2,521	244	57.0	171
Places of 2,500 to 10,000	11,775	6,836	339	28.8	277
White	11,376	6,539	318	28.0	256
Nonwhite	399	297	21	52.6	21
Rural	14,687	10,527	467	31.8	351
White	13,839	9,868	415	30.0	327
Nonwhite	848	659	52	61.3	24
NEW MEXICO	15,306	5,520	1,543	100.8	372
White	14,041	4,871	1,316	93.7	345
Nonwhite	1,265	649	227	179.4	27
Urban	6,039	2,221	521	86.3	134
White	5,886	2,113	501	85.1	127
Nonwhite	153	108	20	130.7	7
Places of 10,000 or more	2,816	998	221	78.5	61
White	2,737	948	217	79.3	57
Nonwhite	79	50	4	50.6	4
Places of 2,500 to 10,000	3,223	1,223	300	93.1	73
White	3,149	1,165	284	90.2	70
Nonwhite	74	58	16	216.2	3
Rural	9,267	3,299	1,022	110.3	238
White	8,155	2,758	815	99.9	218
Nonwhite	1,112	541	207	186.2	20

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section A (States)—Continued					
NEW YORK	234,754	153,654	7,461	31.8	6,348
White	221,326	145,141	6,748	30.5	5,584
Nonwhite	13,428	8,513	713	53.1	764
Urban	193,614	123,693	6,130	31.7	5,526
White	180,682	115,922	6,451	30.2	4,780
Nonwhite	12,932	7,771	679	52.5	746
Places of 10,000 or more	181,123	116,149	5,731	31.6	5,233
White	168,357	108,497	5,065	30.1	4,494
Nonwhite	12,766	7,652	666	52.2	739
Places of 2,500 to 10,000	12,491	7,544	399	31.9	293
White	12,325	7,425	386	31.3	286
Nonwhite	166	119	13	78.3	7
Rural	41,140	29,961	1,331	32.4	822
White	40,644	29,219	1,297	31.9	804
Nonwhite	496	742	34	68.5	18
NORTH CAROLINA	87,401	28,897	3,782	43.3	2,232
White	59,503	18,982	2,234	37.5	1,198
Nonwhite	27,898	9,915	1,548	55.5	1,034
Urban	23,917	9,556	1,082	45.2	745
White	17,128	5,959	652	38.1	418
Nonwhite	6,789	3,597	430	63.3	327
Places of 10,000 or more	18,054	7,473	834	46.2	545
White	12,530	4,508	489	39.0	277
Nonwhite	5,524	2,965	345	62.5	268
Places of 2,500 to 10,000	5,863	2,083	248	42.3	200
White	4,598	1,451	163	35.5	141
Nonwhite	1,265	632	85	67.2	59
Rural	63,484	19,341	2,700	42.5	1,487
White	42,375	13,023	1,582	37.3	780
Nonwhite	21,109	6,318	1,118	53.0	707
NORTH DAKOTA	13,147	5,109	385	29.3	251
White	12,819	5,001	370	28.9	240
Nonwhite	328	108	15	45.7	11
Urban	2,921	1,576	109	37.3	64
White	2,898	1,566	108	37.3	64
Nonwhite	23	10	1	43.5	-
Places of 10,000 or more	1,854	934	70	37.8	41
White	1,838	927	70	38.1	41
Nonwhite	16	7	-	0	-
Places of 2,500 to 10,000	1,067	642	39	36.6	23
White	1,060	639	38	35.8	23
Nonwhite	7	3	1	142.9	-
Rural	10,226	3,533	276	27.0	187
White	9,921	3,435	262	26.4	176
Nonwhite	305	98	14	45.9	11
OHIO	132,496	78,835	4,830	36.5	3,213
White	124,619	73,411	4,400	35.3	2,889
Nonwhite	7,877	6,424	430	54.6	324
Urban	92,715	55,094	3,394	36.6	2,278
White	85,345	50,277	2,996	35.1	1,978
Nonwhite	7,370	4,817	398	54.0	300
Places of 10,000 or more	79,836	47,191	2,912	36.5	1,950
White	72,799	42,616	2,535	34.8	1,664
Nonwhite	7,037	4,575	377	53.6	286
Places of 2,500 to 10,000	12,879	7,903	482	37.4	328
White	12,546	7,661	461	36.7	314
Nonwhite	333	242	21	63.1	14
Rural	39,781	23,741	1,436	36.1	935
White	39,274	23,134	1,404	35.7	911
Nonwhite	507	607	32	63.1	24
OKLAHOMA	43,165	18,921	1,727	40.0	1,030
White	38,366	16,519	1,431	37.3	860
Nonwhite	4,799	2,402	296	61.7	170
Urban	21,391	10,075	923	43.1	501
White	19,121	8,838	775	40.5	413
Nonwhite	2,270	1,237	148	65.2	88
Places of 10,000 or more	15,490	6,882	653	42.2	327
White	13,862	5,991	550	39.7	261
Nonwhite	1,628	891	103	63.3	66
Places of 2,500 to 10,000	5,901	3,193	270	45.8	174
White	5,259	2,847	225	42.8	152
Nonwhite	642	346	45	70.1	22
Rural	21,774	8,846	804	36.9	529
White	19,245	7,681	656	34.1	447
Nonwhite	2,529	1,165	148	58.5	82

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section A (States)—Continued					
OREGON	24,140	13,022	692	28.7	413
White	23,563	12,764	657	27.9	400
Nonwhite	577	258	35	60.7	13
Urban	13,427	8,587	420	31.3	244
White	13,179	8,459	409	31.0	238
Nonwhite	248	128	11	44.4	6
Places of 10,000 or more	10,348	6,182	290	28.0	180
White	10,136	6,075	283	27.9	174
Nonwhite	212	107	7	33.0	6
Places of 2,500 to 10,000	3,079	2,405	130	42.2	64
White	3,043	2,384	126	41.4	64
Nonwhite	36	21	4	111.1	-
Rural	10,713	4,435	272	25.4	169
White	10,384	4,305	248	23.9	162
Nonwhite	329	130	24	72.9	7
PENNSYLVANIA	173,799	109,193	6,590	37.9	4,077
White	162,177	101,972	5,880	36.3	3,590
Nonwhite	11,622	7,221	710	61.1	487
Urban	118,520	74,998	4,475	37.8	2,760
White	107,757	68,596	3,825	35.5	2,320
Nonwhite	10,763	6,402	650	60.4	440
Places of 10,000 or more	96,530	61,868	3,679	38.1	2,292
White	86,169	55,707	3,056	35.5	1,864
Nonwhite	10,361	6,161	623	60.1	428
Places of 2,500 to 10,000	21,990	13,130	796	36.2	468
White	21,588	12,889	769	35.6	456
Nonwhite	402	241	27	67.2	12
Rural	55,279	34,195	2,115	38.3	1,317
White	54,420	33,376	2,055	37.8	1,270
Nonwhite	859	819	60	69.8	47
RHODE ISLAND	13,635	7,985	384	28.2	279
White	13,302	7,794	363	27.3	273
Nonwhite	333	191	21	63.1	6
Urban	12,111	7,260	349	28.8	251
White	11,803	7,082	334	28.3	245
Nonwhite	308	178	15	48.7	6
Places of 10,000 or more	11,634	6,950	339	29.1	243
White	11,328	6,773	324	28.6	237
Nonwhite	306	177	15	49.0	6
Places of 2,500 to 10,000	477	310	10	21.0	8
White	475	309	10	21.1	8
Nonwhite	2	1	-	0	-
Rural	1,524	725	35	23.0	28
White	1,499	712	29	19.3	28
Nonwhite	25	13	6	240.0	-
SOUTH CAROLINA	49,431	16,904	2,469	49.9	1,664
White	26,745	8,613	1,083	40.5	589
Nonwhite	22,686	8,291	1,386	61.1	1,075
Urban	15,333	6,072	813	53.0	506
White	10,558	3,538	478	45.3	240
Nonwhite	4,775	2,534	335	70.2	266
Places of 10,000 or more	9,612	3,796	470	48.9	322
White	6,495	2,174	265	40.8	147
Nonwhite	3,117	1,622	205	65.8	175
Places of 2,500 to 10,000	5,721	2,276	343	60.0	184
White	4,063	1,364	213	52.4	93
Nonwhite	1,658	912	130	78.4	91
Rural	34,098	10,832	1,656	48.6	1,158
White	16,187	5,075	605	37.4	349
Nonwhite	17,911	5,757	1,051	58.7	809
SOUTH DAKOTA	12,460	5,481	388	31.1	193
White	11,786	5,168	329	27.9	174
Nonwhite	674	313	59	87.5	19
Urban	3,697	1,963	140	37.9	54
White	3,625	1,928	132	36.4	51
Nonwhite	72	35	8	111.1	3
Places of 10,000 or more	2,573	1,110	82	31.9	40
White	2,542	1,095	78	30.7	40
Nonwhite	31	15	4	129.0	-
Places of 2,500 to 10,000	1,124	853	58	51.6	14
White	1,083	833	54	49.9	11
Nonwhite	41	20	4	97.6	3
Rural	8,763	3,518	248	28.3	139
White	8,161	3,240	197	24.1	123
Nonwhite	602	278	51	84.7	16

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section A (States)—Continued					
TENNESSEE	64,966	27,946	3,096	47.7	1,546
White	54,218	21,285	2,448	45.2	1,101
Nonwhite	10,748	6,661	648	60.3	445
Urban	25,057	12,443	1,365	54.5	685
White	19,296	8,258	949	49.2	384
Nonwhite	5,761	4,185	416	72.2	301
Places of 10,000 or more	19,612	9,959	1,081	55.1	556
White	14,560	6,320	716	49.2	286
Nonwhite	5,052	3,639	365	72.2	270
Places of 2,500 to 10,000	5,445	2,484	284	52.2	129
White	4,736	1,938	233	49.2	98
Nonwhite	709	546	51	71.9	31
Rural	39,909	15,503	1,731	43.4	861
White	34,922	13,027	1,499	42.9	717
Nonwhite	4,987	2,476	232	46.5	144
TEXAS	157,915	58,853	7,703	48.8	4,027
White	138,286	48,783	6,533	47.2	3,108
Nonwhite	19,629	10,070	1,170	59.6	919
Urban	95,922	35,711	4,918	51.3	2,495
White	85,332	29,362	4,197	49.2	1,959
Nonwhite	10,590	6,349	721	68.1	536
Places of 10,000 or more	68,627	25,796	3,310	48.2	1,783
White	60,471	20,909	2,747	45.4	1,369
Nonwhite	8,156	4,887	563	69.0	414
Places of 2,500 to 10,000	27,295	9,915	1,608	58.9	712
White	24,861	8,453	1,450	58.3	590
Nonwhite	2,434	1,462	158	64.9	122
Rural	61,993	23,142	2,785	44.9	1,532
White	52,954	19,421	2,336	44.1	1,149
Nonwhite	9,039	3,721	449	49.7	383
UTAH	15,680	4,859	488	31.1	268
White	15,406	4,733	472	30.6	262
Nonwhite	274	126	16	58.4	6
Urban	9,321	3,007	291	31.2	154
White	9,175	2,947	281	30.6	149
Nonwhite	146	60	10	68.5	5
Places of 10,000 or more	6,696	2,263	207	30.9	95
White	6,569	2,215	201	30.6	90
Nonwhite	127	48	6	47.2	5
Places of 2,500 to 10,000	2,625	744	84	32.0	59
White	2,606	732	80	30.7	59
Nonwhite	19	12	4	210.5	-
Rural	6,359	1,852	197	31.0	114
White	6,231	1,786	191	30.7	113
Nonwhite	128	66	6	46.9	1
VERMONT	6,873	4,007	238	34.6	151
White	6,868	4,005	238	34.7	151
Nonwhite	5	2	-	0	-
Urban	2,698	1,658	89	33.0	53
White	2,693	1,658	89	33.0	53
Nonwhite	5	-	-	0	-
Places of 10,000 or more	1,213	649	39	32.2	21
White	1,209	649	39	32.3	21
Nonwhite	4	-	-	0	-
Places of 2,500 to 10,000	1,485	1,009	50	33.7	32
White	1,484	1,009	50	33.7	32
Nonwhite	1	-	-	0	-
Rural	4,175	2,349	149	35.7	98
White	4,175	2,347	149	35.7	98
Nonwhite	-	2	-	-	-
VIRGINIA	67,068	28,641	3,178	47.4	2,017
White	50,246	19,475	2,025	40.3	1,185
Nonwhite	16,822	9,166	1,153	68.5	832
Urban	26,358	12,168	1,170	44.4	791
White	20,308	8,144	733	36.1	474
Nonwhite	6,050	4,024	437	72.2	317
Places of 10,000 or more	21,480	10,028	938	43.7	646
White	16,106	6,423	555	34.5	361
Nonwhite	5,374	3,605	383	71.3	285
Places of 2,500 to 10,000	4,878	2,140	232	47.6	145
White	4,202	1,721	178	42.4	113
Nonwhite	676	419	54	79.9	32
Rural	40,710	16,473	2,008	49.3	1,226
White	29,938	11,331	1,292	43.2	711
Nonwhite	10,772	5,142	716	66.5	515
Section A (States)—Continued					
WASHINGTON	44,573	21,890	1,539	34.5	693
White	43,191	21,264	1,448	33.5	662
Nonwhite	1,382	626	91	65.8	31
Urban	27,747	13,974	946	34.1	451
White	26,933	13,605	899	33.4	430
Nonwhite	814	369	47	57.7	21
Places of 10,000 or more	24,467	12,203	813	33.2	395
White	23,732	11,867	774	32.6	374
Nonwhite	735	336	39	53.1	21
Places of 2,500 to 10,000	3,280	1,771	133	40.5	56
White	3,201	1,738	125	39.1	56
Nonwhite	79	33	8	101.3	-
Rural	16,826	7,916	593	35.2	242
White	16,258	7,659	549	33.8	232
Nonwhite	568	257	44	77.5	10
WEST VIRGINIA	39,039	16,630	2,030	52.0	1,228
White	36,902	15,372	1,903	51.6	1,120
Nonwhite	2,137	1,258	127	59.4	108
Urban	13,156	7,134	740	56.2	375
White	12,553	6,627	697	55.5	342
Nonwhite	603	507	43	71.3	33
Places of 10,000 or more	9,027	4,761	517	57.3	253
White	8,622	4,410	491	56.9	237
Nonwhite	405	351	26	64.2	16
Places of 2,500 to 10,000	4,129	2,373	223	54.0	122
White	3,931	2,217	206	52.4	105
Nonwhite	198	156	17	85.9	17
Rural	25,883	9,496	1,290	49.8	853
White	24,349	8,745	1,206	49.5	778
Nonwhite	1,534	751	84	54.8	75
WISCONSIN	61,437	32,066	1,913	31.1	1,164
White	60,704	31,716	1,861	30.7	1,146
Nonwhite	733	350	52	70.9	18
Urban	32,919	18,152	1,046	31.8	638
White	32,533	17,962	1,022	31.4	627
Nonwhite	386	190	24	62.2	11
Places of 10,000 or more	27,790	14,873	852	30.7	532
White	27,413	14,699	832	30.4	521
Nonwhite	377	174	20	53.1	11
Places of 2,500 to 10,000	5,129	3,279	194	37.8	106
White	5,120	3,263	190	37.1	106
Nonwhite	9	16	4	444.4	-
Rural	28,518	13,914	867	30.4	526
White	28,171	13,754	839	29.8	519
Nonwhite	347	160	28	80.7	7
WYOMING	5,481	2,234	219	40.0	97
White	5,239	2,113	206	39.3	91
Nonwhite	242	121	13	53.7	6
Urban	2,592	1,112	100	38.6	45
White	2,556	1,079	99	38.7	45
Nonwhite	36	33	1	27.8	-
Places of 10,000 or more	1,681	659	67	39.9	33
White	1,657	645	67	40.4	33
Nonwhite	24	14	-	0	-
Places of 2,500 to 10,000	911	453	33	36.2	12
White	899	434	32	35.6	12
Nonwhite	12	19	1	83.3	-
Rural	2,889	1,122	119	41.2	52
White	2,683	1,034	107	39.9	46
Nonwhite	206	88	12	58.3	6
Section B (Counties)					
ALABAMA	70,321	25,513	3,141	44.7	2,038
White	44,091	14,725	1,709	38.8	970
Nonwhite	26,230	10,788	1,432	54.6	1,068
Autauga	500	182	21	42.0	16
White	233	64	7	30.0	8
Nonwhite	267	118	14	52.4	8
Baldwin	941	303	38	40.4	27
White	681	233	26	38.2	18
Nonwhite	260	70	12	46.2	9
Barbour	822	291	45	54.7	23
White	310	141	17	54.8	6
Nonwhite	512	150	28	54.7	17
Bibb	441	146	18	40.8	19
White	261	94	9	34.5	8
Nonwhite	180	52	9	50.0	11

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	Deaths under 1 year		Still-births
			Number	Rate	
Section B (Counties)—Continued					
ALABAMA—Continued					
Blount	581	187	31	53.4	9
Bullock	478	186	18	37.7	22
White	70	45	4	57.1	4
Nonwhite	408	141	14	34.3	18
Butler	739	213	21	28.4	21
White	351	106	7	19.9	5
Nonwhite	388	107	14	36.1	16
Calhoun	1,740	571	75	43.1	43
White	1,391	433	64	46.0	29
Nonwhite	349	138	11	31.5	14
Anniston	708	254	26	36.7	32
White	485	166	21	43.3	19
Nonwhite	223	88	5	22.4	13
Balance of county	1,032	317	49	47.5	11
White	906	267	43	47.5	10
Nonwhite	126	50	6	47.6	1
Chambers	805	332	40	49.7	32
White	421	168	18	42.8	11
Nonwhite	384	164	22	57.3	21
Cherokee	393	118	17	43.3	11
Chilton	598	220	36	60.2	15
White	459	170	25	54.5	11
Nonwhite	139	50	11	79.1	4
Choctaw	472	161	21	44.5	12
White	192	77	7	36.5	1
Nonwhite	280	84	14	50.0	11
Clarke	626	204	29	46.3	16
White	244	79	9	36.9	5
Nonwhite	382	125	20	52.4	11
Clay	319	125	15	47.0	11
White	249	104	12	48.2	7
Nonwhite	70	21	3	42.9	4
Cleburne	279	75	14	50.2	4
Coffee	694	154	16	23.1	14
White	519	123	14	27.0	13
Nonwhite	175	31	2	11.4	1
Colbert	982	294	54	55.0	14
White	773	217	43	55.6	10
Nonwhite	209	77	11	52.6	4
Conecuh	620	189	27	43.5	23
White	282	90	8	28.4	7
Nonwhite	338	99	19	56.2	16
Coosa	245	85	9	36.7	10
White	125	53	4	32.0	2
Nonwhite	120	32	5	41.7	8
Covington	966	274	39	40.4	24
White	821	230	27	32.9	18
Nonwhite	145	44	12	82.8	6
Crenshaw	442	150	20	45.2	7
White	263	96	14	53.2	2
Nonwhite	179	54	6	33.5	5
Cullman	1,136	269	26	22.9	16
Dale	562	189	26	46.3	11
White	424	162	21	49.5	9
Nonwhite	138	27	5	36.2	2
Dallas	1,484	673	94	63.3	70
White	388	182	13	33.5	6
Nonwhite	1,096	491	81	73.9	64
Selma	573	282	33	57.6	21
White	263	114	8	30.4	4
Nonwhite	310	168	25	80.6	17
Balance of county	911	391	61	67.0	49
White	125	68	5	40.0	2
Nonwhite	786	323	56	71.2	47
De Kalb	939	286	27	28.8	22
Elmore	709	289	27	38.1	23
White	372	156	11	29.6	14
Nonwhite	337	133	16	47.5	9
Escambia	847	274	39	46.0	28
White	522	178	26	49.8	7
Nonwhite	325	96	13	40.0	21
Etowah	1,879	585	91	48.4	34
White	1,575	435	77	48.9	25
Nonwhite	304	150	14	46.1	9
Gadsden	982	345	44	44.8	16
White	763	233	36	47.2	10
Nonwhite	219	112	8	36.5	6
Balance of county	897	240	47	52.4	18
Fayette	421	123	18	42.8	6
White	333	98	12	36.0	4
Nonwhite	88	25	6	68.2	2
Franklin	644	178	25	38.8	7
Geneva	646	165	17	26.3	13
White	558	143	14	25.1	12
Nonwhite	88	22	3	34.1	1
Greene	422	165	19	45.0	26
White	24	30	2	83.3	1
Nonwhite	398	135	17	42.7	25
Hale	602	238	37	61.5	12
White	118	47	7	59.3	3
Nonwhite	484	189	30	62.0	9
Henry	582	159	16	27.5	16
White	234	76	2	8.5	7
Nonwhite	348	83	14	40.2	9
Section B (Counties)—Continued					
ALABAMA—Continued					
Houston	1,164	354	56	48.1	34
White	850	237	43	50.6	21
Nonwhite	314	117	13	41.4	13
Dothan	429	161	22	51.3	18
White	312	91	16	51.3	11
Nonwhite	117	70	6	51.3	7
Balance of county	735	193	34	46.3	16
White	538	146	27	50.2	10
Nonwhite	197	47	7	35.5	6
Jackson	1,056	279	41	38.8	25
Jefferson	10,969	4,816	526	48.0	339
White	6,335	2,474	238	37.6	140
Nonwhite	4,634	2,342	288	62.1	199
Bessemer	560	293	35	62.5	35
White	215	102	4	18.6	6
Nonwhite	345	191	31	89.9	29
Birmingham	6,058	3,026	297	49.0	188
White	3,316	1,547	123	37.1	74
Nonwhite	2,742	1,479	174	63.5	114
Fairfield	285	99	7	24.6	14
White	105	32	-	0	2
Nonwhite	180	67	7	38.9	12
Balance of county	4,066	1,398	187	46.0	102
White	2,699	793	111	41.1	58
Nonwhite	1,367	605	76	55.6	44
Lamar	374	137	15	40.1	7
White	314	113	12	38.2	7
Nonwhite	60	24	3	50.0	-
Lauderdale	1,097	386	44	40.1	23
White	951	292	38	40.0	19
Nonwhite	146	94	6	41.1	4
Florence	438	185	25	57.1	9
White	370	132	20	54.1	5
Nonwhite	68	53	5	73.5	4
Balance of county	659	201	19	28.8	14
White	581	160	18	31.0	14
Nonwhite	78	41	1	12.8	-
Lawrence	739	171	19	25.7	13
White	560	126	12	21.4	11
Nonwhite	179	45	7	39.1	2
Lee	851	362	34	40.0	32
White	351	141	8	22.8	7
Nonwhite	500	221	26	52.0	25
Limestone	940	260	31	33.0	26
White	722	181	25	34.6	15
Nonwhite	218	79	6	27.5	11
Lowndes	522	196	25	47.9	25
White	45	28	1	22.2	1
Nonwhite	477	168	24	50.3	24
Macon	713	327	42	58.9	26
White	89	39	10	112.4	4
Nonwhite	624	288	32	51.3	22
Madison	1,714	645	84	49.0	43
White	1,230	407	58	47.2	32
Nonwhite	484	238	26	53.7	11
Huntsville	513	288	32	62.4	12
White	391	193	22	56.3	9
Nonwhite	122	95	10	82.0	3
Balance of county	1,201	357	52	43.3	31
White	839	214	36	42.9	23
Nonwhite	362	143	16	44.2	8
Marengo	748	283	41	54.8	25
White	167	72	2	12.0	2
Nonwhite	581	211	39	67.1	23
Marion	584	159	22	37.7	20
Marshall	985	269	33	33.5	15
Mobile	6,099	2,234	286	46.9	213
White	4,113	1,187	176	42.8	95
Nonwhite	1,986	1,047	110	55.4	118
Mobile	3,003	1,187	146	48.6	110
White	1,886	709	79	41.9	42
Nonwhite	1,117	478	67	60.0	68
Balance of county	3,096	1,047	140	45.2	103
White	2,227	478	97	43.6	53
Nonwhite	869	569	43	49.5	50
Monroe	707	221	31	43.8	17
White	258	95	6	23.3	3
Nonwhite	449	126	25	55.7	14
Montgomery	2,686	1,314	111	41.3	82
White	1,287	542	35	27.2	35
Nonwhite	1,399	772	76	54.3	47
Montgomery	1,958	976	88	44.9	62
White	1,098	444	32	29.1	30
Nonwhite	860	532	56	65.1	32
Balance of county	728	338	23	31.6	20
White	189	98	3	15.9	5
Nonwhite	539	240	20	37.1	15
Morgan	1,123	351	32	28.5	26
White	970	288	30	30.9	21
Nonwhite	153	63	2	13.1	5
Decatur	399	147	5	12.5	7
White	327	113	5	15.3	7
Nonwhite	72	34	-	0	-

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
ALABAMA—Continued					
Morgan—Continued					
Balance of county	724	204	27	37.3	19
White	643	175	25	38.9	14
Nonwhite	81	29	2	24.7	5
Perry	522	202	25	47.9	23
White	98	49	4	40.8	2
Nonwhite	424	153	21	49.5	21
Pickens	611	170	25	40.9	18
White	256	78	4	15.6	8
Nonwhite	355	92	21	59.2	10
Pike	809	291	42	51.9	29
White	401	134	15	37.4	12
Nonwhite	408	157	27	66.2	17
Randolph	511	183	31	60.7	12
White	343	131	20	58.3	8
Nonwhite	168	52	11	65.5	4
Russell	1,106	371	45	40.7	38
White	438	162	13	29.7	16
Nonwhite	668	209	32	47.9	22
Phenix City	495	182	17	34.3	15
White	315	115	9	28.6	9
Nonwhite	180	67	8	44.4	6
Balance of county	611	189	28	45.8	23
White	123	47	4	32.5	7
Nonwhite	488	142	24	49.2	16
St. Clair	580	226	21	36.2	15
White	432	173	16	37.0	13
Nonwhite	148	53	5	33.8	2
Shelby	604	241	30	49.7	18
White	452	163	21	46.5	11
Nonwhite	152	78	9	59.2	7
Sumter	709	284	49	69.1	29
White	92	54	7	76.1	1
Nonwhite	617	230	42	68.1	28
Talladega	1,738	501	90	51.8	52
White	1,139	306	53	46.5	32
Nonwhite	599	195	37	61.8	20
Tallapoosa	754	270	29	38.5	27
White	479	170	16	33.4	11
Nonwhite	275	100	13	47.3	16
Tuscaloosa	1,586	1,035	63	39.7	44
White	1,011	744	29	28.7	27
Nonwhite	575	291	34	59.1	17
Tuscaloosa	632	597	25	39.6	20
White	412	449	12	29.1	10
Nonwhite	220	148	13	59.1	10
Balance of county	954	438	38	39.8	24
White	599	295	17	28.4	17
Nonwhite	355	143	21	59.2	7
Walker	1,527	474	72	47.2	32
White	1,385	376	63	45.5	27
Nonwhite	142	98	9	63.4	5
Washington	431	111	23	53.4	14
White	271	59	12	44.3	6
Nonwhite	160	52	11	68.8	8
Wilcox	776	233	42	54.1	32
White	84	43	5	59.5	2
Nonwhite	692	190	37	53.5	30
Winston	430	106	15	34.9	7
ARIZONA	13,348	6,091	917	68.7	312
White	11,549	4,982	666	57.7	246
Nonwhite	1,799	1,109	251	139.5	66
Apache	418	220	49	117.2	11
White	138	44	6	43.5	3
Nonwhite	280	176	43	153.6	8
Cochise	846	348	43	50.8	21
Coconino	399	185	53	132.8	3
White	249	89	15	60.2	2
Nonwhite	150	96	38	253.3	1
Gila	584	250	22	37.7	6
White	502	206	17	33.9	6
Nonwhite	82	44	5	61.0	-
Graham	302	79	10	33.1	3
Greenlee	268	74	13	48.5	5
Maricopa	5,399	2,517	328	60.8	141
Phoenix	2,944	1,410	159	54.0	70
Balance of county	2,455	1,107	169	68.8	71
Mohave	143	87	10	69.9	7
Navajo	668	288	111	166.2	15
White	364	112	42	115.4	9
Nonwhite	304	176	69	227.0	6
Pima	2,314	991	131	56.6	57
White	2,115	866	106	50.1	47
Nonwhite	199	125	25	125.6	10
Tucson	1,918	654	100	52.1	46
Balance of county	396	337	31	78.3	11
White	304	260	15	49.3	9
Nonwhite	92	77	16	173.9	2
Pinal	812	385	72	88.7	22
White	642	240	40	62.3	11
Nonwhite	170	145	32	188.2	11
Santa Cruz	233	83	14	60.1	3
Yavapai	464	280	24	51.7	8
Section B (Counties)—Continued					
ARIZONA—Continued					
Yuma	498	304	37	74.3	10
White	445	216	31	69.7	7
Nonwhite	53	88	6	113.2	3
ARKANSAS	39,628	14,703	1,256	31.7	816
White	29,495	10,493	926	31.4	527
Nonwhite	10,133	4,210	330	32.6	289
Arkansas	540	158	14	25.9	11
White	416	131	11	26.4	10
Nonwhite	124	27	3	24.2	1
Ashley	542	182	32	59.0	16
White	316	86	15	47.6	3
Nonwhite	226	96	17	75.2	13
Baxter	174	67	6	34.5	2
Benton	585	360	21	35.9	19
Boone	303	116	6	19.8	2
Bradley	349	117	13	37.2	9
White	221	87	9	40.7	9
Nonwhite	128	30	4	31.3	-
Calhoun	152	41	1	6.6	2
White	97	29	1	10.3	1
Nonwhite	55	12	-	0	1
Carroll	230	120	7	30.4	2
Chicot	518	186	16	30.9	22
White	240	68	7	29.2	7
Nonwhite	278	118	9	32.4	15
Clark	455	189	6	13.2	7
White	320	125	5	15.6	7
Nonwhite	135	64	1	7.4	-
Clay	481	183	13	27.0	14
Cleburne	272	74	10	36.8	1
Cleveland	186	74	7	37.6	1
White	136	56	5	36.8	1
Nonwhite	50	18	2	40.0	-
Columbia	457	178	14	30.6	11
White	251	98	8	31.9	8
Nonwhite	206	80	6	29.1	3
Conway	454	168	13	28.6	11
White	334	128	8	24.0	5
Nonwhite	120	40	5	41.7	6
Craighead	1,020	341	42	41.2	17
Jonesboro	244	151	16	65.6	7
White	224	140	15	67.0	4
Nonwhite	20	11	1	50.0	3
Balance of county	776	190	26	33.5	10
Crawford	467	173	15	32.1	12
Crittenden	1,154	392	46	39.9	40
White	289	58	12	41.5	4
Nonwhite	865	334	34	39.3	36
Cross	582	138	19	32.6	6
White	402	69	12	29.9	6
Nonwhite	180	69	7	38.9	-
Dallas	264	95	5	18.9	5
White	153	55	4	26.1	3
Nonwhite	111	40	1	9.0	2
Desha	566	194	13	23.0	18
White	265	61	9	34.0	6
Nonwhite	301	133	4	13.3	12
Drew	430	121	11	25.6	2
White	245	72	3	12.2	-
Nonwhite	185	49	8	43.2	2
Faulkner	508	176	10	19.7	15
White	430	147	8	18.6	11
Nonwhite	78	29	2	25.6	4
Franklin	244	92	7	28.7	4
Fulton	131	49	5	38.2	5
Garland	796	473	33	41.5	29
White	721	396	30	41.6	26
Nonwhite	75	77	3	40.0	3
Hot Springs	524	381	26	49.6	23
White	455	309	23	50.5	21
Nonwhite	69	72	3	43.5	2
Balance of county	272	92	7	25.7	6
Grant	185	59	8	43.2	5
Greene	557	198	18	32.3	6
Hempstead	474	218	18	38.0	9
White	254	129	10	39.4	3
Nonwhite	220	89	8	36.4	6
Hot Spring	410	150	14	34.1	13
White	350	128	14	40.0	11
Nonwhite	60	22	-	0	2
Howard	261	87	5	19.2	-
White	196	65	3	15.3	-
Nonwhite	65	22	2	30.8	-
Independence	485	185	20	41.2	5
Izard	179	66	4	22.3	3
Jackson	664	172	24	36.1	9
White	569	138	21	36.9	9
Nonwhite	95	34	3	31.6	-
Jefferson	1,777	607	50	28.1	37
White	851	286	29	34.1	19
Nonwhite	926	321	21	22.7	18
Pine Bluff	754	352	27	35.8	17
White	518	205	19	36.7	13
Nonwhite	236	147	8	33.9	4

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
ARKANSAS—Continued					
Jefferson—Continued					
Balance of county	1,023	255	23	22.5	20
White	333	81	10	30.0	6
Nonwhite	690	174	13	18.8	14
Johnson	311	137	16	51.4	6
Lafayette	270	95	4	14.8	10
White	101	42	2	19.8	2
Nonwhite	169	53	2	11.8	8
Lawrence	506	151	15	29.6	10
Lee	484	169	13	26.9	16
White	134	50	6	44.8	2
Nonwhite	350	119	7	20.0	14
Lincoln	354	93	7	19.8	8
White	134	27	1	7.5	2
Nonwhite	220	66	6	27.3	6
Little River	304	84	4	13.2	2
White	194	51	2	10.3	1
Nonwhite	110	33	2	18.2	1
Logan	429	149	8	18.6	5
Lonoke	690	201	25	36.2	14
White	481	136	13	27.0	10
Nonwhite	209	65	12	57.4	4
Madison	223	73	4	17.9	1
Marion	143	50	8	55.9	3
Miller	740	229	27	36.5	17
White	541	153	16	29.6	12
Nonwhite	199	76	11	55.3	5
Texarkana[1]	362	145	17	47.0	11
White	276	92	7	25.4	8
Nonwhite	86	53	10	116.3	3
Balance of county	378	84	10	26.5	6
White	265	61	9	34.0	4
Nonwhite	113	23	1	8.8	2
Mississippi	2,027	571	66	32.6	35
White	1,497	359	47	31.4	22
Nonwhite	530	212	19	35.8	13
Blytheville	396	161	14	35.4	4
White	302	102	10	33.1	3
Nonwhite	94	59	4	42.6	1
Balance of county	1,631	410	52	31.9	31
White	1,195	257	37	31.0	19
Nonwhite	436	153	15	34.4	12
Monroe	457	146	16	35.0	8
White	246	63	9	36.6	4
Nonwhite	211	83	7	33.2	4
Montgomery	123	37	4	32.5	3
Nevada	353	112	8	22.7	8
White	210	74	4	19.0	4
Nonwhite	143	38	4	28.0	4
Newton	143	33	2	14.0	2
Ouachita	839	265	31	37.3	19
White	499	125	15	30.1	10
Nonwhite	331	140	16	48.3	9
Perry	133	46	-	0	1
Phillips	1,062	463	35	33.0	40
White	348	143	13	37.4	13
Nonwhite	714	320	22	30.8	27
Pike	125	38	6	48.0	4
Poinsett	1,037	210	43	41.5	16
White	955	178	41	42.9	13
Nonwhite	82	32	2	24.4	3
Polk	310	118	10	32.3	7
Pope	432	146	13	30.1	7
Prairie	228	70	5	21.9	11
White	180	60	5	27.8	7
Nonwhite	48	10	-	0	4
Pulaski	3,964	2,246	134	33.8	56
White	2,980	1,509	91	30.5	38
Nonwhite	984	737	43	43.7	18
Little Rock	2,202	1,651	61	27.7	21
White	1,727	1,121	44	25.5	16
Nonwhite	475	530	17	35.8	5
North Little Rock	705	176	24	34.0	14
White	525	112	17	32.4	6
Nonwhite	180	64	7	38.9	8
Balance of county	1,057	419	49	46.4	21
White	728	276	30	41.2	16
Nonwhite	329	143	19	57.8	5
Randolph	337	103	9	26.7	6
St. Francis	902	283	19	21.1	14
White	319	107	14	43.9	4
Nonwhite	583	176	5	8.6	10
Saline	393	211	18	45.8	8
Scott	174	38	5	28.7	5
Searcy	225	77	6	26.7	6
Sebastian	1,333	461	38	28.5	18
Fort Smith	885	355	31	35.0	9
White	815	312	24	29.4	8
Nonwhite	70	43	7	100.0	1
Balance of county	448	106	7	15.6	9
Sevier	221	114	9	40.7	4
White	202	105	8	39.6	1
Nonwhite	19	9	1	52.6	3
Section B (Counties)—Continued					
ARKANSAS—Continued					
Sharp	129	58	3	23.3	2
Stone	98	47	6	61.2	3
Union	936	300	20	21.4	21
White	647	183	13	20.1	7
Nonwhite	289	117	7	24.2	14
El Dorado	389	138	6	15.4	11
White	316	88	3	9.5	5
Nonwhite	73	50	3	41.1	6
Balance of county	547	162	14	25.6	10
White	331	95	10	30.2	2
Nonwhite	216	67	4	18.5	8
Van Buren	168	77	3	17.9	-
Washington	762	353	24	31.5	20
White	663	233	15	22.6	14
Woodruff	477	125	22	46.1	9
White	276	63	14	50.7	1
Nonwhite	201	62	8	39.8	8
Yell	280	92	9	32.1	7
CALIFORNIA	184,380	92,569	5,991	32.5	3,453
White	173,687	88,130	5,522	31.8	3,112
Nonwhite	10,693	4,439	469	43.9	341
Alameda	15,211	7,039	435	28.6	296
Alameda	1,814	439	40	22.1	37
Albany	366	102	9	24.6	5
Berkeley	2,437	990	65	26.7	43
Oakland	8,169	4,227	231	28.3	176
White	7,296	3,845	183	25.1	148
Nonwhite	873	382	48	55.0	28
San Leandro	781	229	20	25.6	9
Balance of county	1,644	1,052	70	42.6	26
Alpine	10	5	-	0	-
White	5	5	-	0	-
Nonwhite	5	-	-	0	-
Amador	99	110	1	10.1	1
Butte	1,017	578	37	36.4	23
Calaveras	96	86	2	20.8	-
Colusa	191	137	2	10.5	3
Contra Costa	6,073	1,472	180	29.6	119
Richmond	3,313	628	97	29.3	67
Balance of county	2,760	844	83	30.1	52
Del Norte	74	61	4	54.1	1
El Dorado	189	126	7	37.0	4
Fresno	4,883	2,066	207	42.4	99
Fresno	1,712	998	60	35.0	42
Balance of county	3,171	1,068	147	46.4	57
Glenn	196	139	4	20.4	7
Humboldt	868	548	23	25.9	15
Eureka	413	272	10	24.2	8
Balance of county	475	276	13	27.4	7
Imperial	1,578	490	97	61.5	33
White	1,443	423	84	58.2	29
Nonwhite	135	67	13	96.3	4
Brawley	419	117	30	71.6	9
El Centro	347	96	19	54.8	9
White	321	82	14	43.6	9
Nonwhite	26	14	5	192.3	-
Balance of county	812	277	48	59.1	15
White	734	233	41	55.9	12
Nonwhite	78	44	7	89.7	3
Inyo	160	118	8	50.0	3
White	148	75	6	40.5	3
Nonwhite	12	43	2	166.7	-
Kern	4,271	1,426	162	37.9	68
Bakersfield	1,763	474	57	32.3	30
Balance of county	2,508	952	105	41.9	38
Kings	1,041	350	37	35.5	13
Lake	136	107	9	66.2	1
Lassen	282	129	11	39.0	4
Los Angeles	67,836	36,648	2,091	30.8	1,288
Alhambra	722	465	18	24.9	13
Bell	355	115	8	22.5	10
Belvedere (twp.)[2]	489	290	30	61.3	10
Beverly Hills	86	218	6	69.8	-
Burbank	1,584	421	46	29.0	22
Compton	763	240	26	34.1	10
Glendale	1,645	991	45	27.4	37
Huntington Park	623	308	14	22.5	10
Inglewood	1,038	378	23	22.2	11
Long Beach	5,274	2,427	161	30.5	86
Los Angeles	35,387	20,284	1,139	32.2	751
White	32,142	18,980	1,015	31.6	621
Nonwhite	3,245	1,304	124	38.2	130
Lynwood	348	117	11	31.6	5
Maywood	241	105	2	8.3	7
Monrovia	280	185	8	28.6	4
Pasadena	1,880	1,314	42	22.3	29
Pomona	605	346	18	29.8	9
Redondo Beach	426	191	2	4.7	9
San Gabriel	403	158	12	29.8	8
Santa Monica	1,359	683	37	27.2	19
South Gate	902	256	16	17.7	14
South Pasadena	215	190	8	37.2	3

[1] Includes data for Texarkana, Ark., only.
[2] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
CALIFORNIA—Continued					
Los Angeles—Continued					
Whittier	428	238	11	25.7	5
Balance of county	12,783	6,728	408	31.9	216
White	12,443	6,588	404	32.5	214
Nonwhite	340	140	4	11.8	2
Madera	663	267	29	43.7	13
Marin	1,439	673	42	29.2	23
Mariposa	44	49	3	68.2	-
Mendocino	475	456	17	35.8	11
Merced	1,331	472	64	48.1	21
Merced	350	98	19	54.3	3
Balance of county	981	374	45	45.9	18
Modoc	146	190	24	164.4	-
Mono	23	18	3	130.4	-
White	20	12	1	50.0	-
Nonwhite	3	6	2	666.7	-
Monterey	2,336	814	69	29.5	61
Monterey	427	107	8	18.7	10
Salinas	777	141	13	16.7	16
White	731	130	13	17.8	15
Nonwhite	46	11	-	0	1
Balance of county	1,132	566	48	42.4	35
Napa	669	919	19	28.4	11
Nevada	257	166	7	27.2	3
Orange	3,952	1,826	143	36.2	67
Anaheim	285	142	11	38.6	4
Fullerton	247	119	11	44.5	4
Santa Ana	1,078	445	36	33.4	19
Balance of county	2,342	1,120	85	36.3	40
Placer	582	371	15	25.8	15
Plumas	166	103	4	24.1	1
Riverside	3,005	1,380	117	38.9	54
Riverside	1,272	530	54	42.5	20
Balance of county	1,733	850	63	36.4	34
Sacramento	4,308	2,255	133	30.9	79
Sacramento	2,647	1,621	87	32.9	51
Balance of county	1,661	634	46	27.7	28
White	1,523	594	41	26.9	27
Nonwhite	138	40	5	36.2	1
San Benito	283	125	8	28.3	7
San Bernardino	4,651	2,503	177	38.1	82
Ontario	449	168	16	35.6	8
Redlands	347	186	17	49.0	7
San Bernardino	1,647	767	57	34.6	25
Balance of county	2,208	1,382	87	39.4	42
San Diego	11,994	4,217	374	31.2	182
National City	647	184	19	29.4	6
San Diego	8,434	2,731	257	30.5	123
Balance of county	2,913	1,302	98	33.6	53
San Francisco, coextensive with San Francisco (city)	14,475	9,362	383	26.5	304
White	13,312	8,872	348	26.1	269
Nonwhite	1,163	490	35	30.1	35
San Joaquin	3,409	2,262	126	37.0	67
Lodi	232	180	11	47.4	3
Stockton	1,384	821	45	32.5	32
Balance of county	1,793	1,261	70	39.0	32
White	1,643	1,177	67	40.8	29
Nonwhite	150	84	3	20.0	3
San Luis Obispo	1,047	464	45	43.0	16
San Mateo	3,300	1,316	69	20.9	63
Burlingame	410	141	8	19.5	2
Redwood City	451	176	11	24.4	13
San Mateo	573	263	11	19.2	7
Balance of county	1,866	736	39	20.9	41
Santa Barbara	1,776	826	64	36.0	42
Santa Barbara	803	455	36	44.8	17
Balance of county	973	371	28	28.8	25
Santa Clara	4,352	2,701	138	31.7	83
Palo Alto	388	258	7	18.0	8
San Jose	1,932	876	52	26.9	39
Balance of county	2,032	1,567	79	38.9	38
Santa Cruz	992	755	32	32.3	19
Santa Cruz	272	316	8	29.4	10
Balance of county	720	439	24	33.3	9
Shasta	463	279	20	43.2	10
Sierra	27	28	1	37.0	-
Siskiyou	470	315	19	40.4	9
Solano	2,781	768	128	46.0	53
Vallejo	2,051	338	63	30.7	36
Balance of county	730	430	65	89.0	17
Sonoma	1,610	1,050	41	25.5	23
Santa Rosa	618	225	9	14.6	4
Balance of county	992	825	32	32.3	19
Stanislaus	2,285	877	59	25.8	31
Modesto	721	325	20	27.7	9
Balance of county	1,564	552	39	24.9	22
Sutter	414	200	16	38.6	14
Tehama	274	184	10	36.5	4
Trinity	37	38	3	81.1	1
Tulare	2,822	1,038	151	53.5	44
Tuolumne	141	165	3	21.3	2
Ventura	2,003	925	78	38.9	36
San Buenaventura	406	131	11	27.1	4
Balance of county	1,597	794	67	42.0	32
Yolo	656	333	23	35.1	14
Yuba	491	244	17	34.6	8
Section B (Counties)—Continued					
COLORADO	23,511	12,389	1,188	50.5	516
White	22,864	12,048	1,161	50.8	497
Nonwhite	647	341	27	41.7	19
Adams	476	240	29	60.9	14
Alamosa	191	87	19	99.5	5
Arapahoe	972	337	31	31.9	16
Archuleta	50	31	9	180.0	-
Baca	179	47	8	44.7	4
Bent	144	80	10	69.4	2
Boulder	679	389	21	30.9	18
Boulder	295	203	8	27.1	7
Balance of county	384	186	13	33.9	11
Chaffee	137	113	6	43.8	2
Cheyenne	62	23	1	16.1	3
Clear Creek	52	36	7	134.6	-
Conejos	172	88	17	98.8	0
Costilla	151	49	6	39.7	1
Crowley	126	46	5	39.7	4
Custer	30	14	-	0	-
Delta	286	158	18	62.9	6
Denver, coextensive with Denver (city)	7,619	4,112	288	37.8	177
Dolores	32	12	1	31.3	-
Douglas	43	31	-	0	1
Eagle	99	41	5	50.5	1
Elbert	83	26	2	24.1	-
El Paso	1,083	769	61	56.3	19
Colorado Springs	888	682	47	52.9	16
Balance of county	195	87	14	71.8	3
Fremont	265	223	8	30.2	13
Garfield	193	115	9	46.6	2
Gilpin	11	7	-	0	-
Grand	46	22	-	0	1
Gunnison	73	37	1	13.7	2
Hinsdale	3	6	-	0	-
Huerfano	222	138	36	162.2	7
Jackson	39	17	3	76.9	-
Jefferson	711	350	36	50.6	14
Kiowa	55	18	1	18.2	-
Kit Carson	157	66	7	44.6	3
Lake	126	61	8	63.5	3
La Plata	263	143	15	57.0	6
Larimer	610	364	27	44.3	11
Fort Collins	256	98	2	7.8	7
Balance of county	354	266	25	70.6	4
Las Animas	631	311	70	110.9	12
Trinidad	340	200	39	114.7	7
Balance of county	291	111	31	106.5	5
Lincoln	107	46	1	9.3	1
Logan	300	131	13	43.3	8
Mesa	705	348	35	49.6	10
Grand Junction	332	198	18	54.2	5
Balance of county	373	150	17	45.6	5
Mineral	11	5	1	90.9	-
Moffat	91	27	1	11.0	1
Montezuma	180	82	10	55.6	6
Montrose	266	153	13	48.9	5
Morgan	356	156	20	56.2	13
Otero	629	305	47	74.7	21
Ouray	28	20	-	0	-
Park	26	14	1	38.5	-
Phillips	77	43	2	26.0	5
Pitkin	16	21	1	62.5	-
Prowers	295	148	8	27.1	6
Pueblo	1,817	1,138	102	56.1	35
Pueblo	1,589	977	88	55.4	28
Balance of county	228	161	14	61.4	7
Rio Blanco	52	25	2	38.5	1
Rio Grande	280	154	46	164.3	6
Routt	175	86	4	22.9	5
Saguache	98	55	20	204.1	4
San Juan	17	16	2	117.6	-
San Miguel	39	26	-	0	-
Sedgwick	109	41	5	45.9	1
Summit	9	10	-	0	-
Teller	35	30	1	28.6	-
Washington	136	67	6	44.1	2
Weld	1,387	552	77	55.5	27
Greeley	415	250	24	57.8	8
Balance of county	972	302	53	54.5	19
Yuma	199	83	5	25.1	3
CONNECTICUT	33,765	18,833	1,011	29.9	584
White	32,832	18,334	974	29.7	557
Nonwhite	933	499	37	39.7	27
Fairfield	8,266	4,690	254	30.7	178
Bridgeport	3,053	1,717	110	36.0	88
Danbury	440	337	18	40.9	17
Norwalk	737	456	28	38.0	14
Shelton	186	101	3	16.1	2
Stamford	1,084	637	31	28.6	21
Stratford (town)	574	217	19	33.1	8
Balance of county	2,192	1,225	45	20.5	28
Hartford	9,620	4,586	264	27.4	136
Bristol	717	278	23	32.1	8
East Hartford (town)	611	192	11	18.0	5
Hartford	3,326	1,819	92	27.7	47
New Britain	1,335	617	42	31.5	17

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
CONNECTICUT—Continued					
Hartford—Continued					
West Hartford (town)	613	329	15	24.5	9
Balance of county	3,018	1,351	81	26.8	50
Litchfield	1,602	894	43	26.8	25
Torrington	460	234	8	17.4	9
Balance of county	1,142	660	35	30.6	16
Middlesex	952	844	23	24.2	13
Middletown	424	484	9	21.2	9
Balance of county	528	360	14	26.5	4
New Haven	9,055	5,268	291	32.1	156
Ansonia	331	186	12	36.3	3
Derby	178	139	5	28.1	4
Meriden	731	446	23	31.5	15
Naugatuck	334	168	12	35.9	3
New Haven	2,790	1,917	81	29.0	52
Wallingford	278	157	7	25.2	-
Waterbury	1,872	1,018	81	43.3	44
West Haven (town)	488	267	9	18.4	11
Balance of county	2,053	970	61	29.7	24
New London	2,708	1,576	82	30.3	49
New London	577	334	15	26.0	16
Norwich	577	364	11	19.1	13
Balance of county	1,554	878	56	36.0	20
Tolland	595	357	18	30.3	5
Windham	967	618	36	37.2	22
Willimantic	216	135	7	32.4	3
Balance of county	751	483	29	38.6	19
DELAWARE	5,984	3,274	233	38.9	148
White	5,067	2,671	168	33.2	109
Nonwhite	917	603	65	70.9	39
Kent	626	506	32	51.1	17
White	500	384	24	48.0	13
Nonwhite	126	122	8	63.5	4
New Castle	4,221	2,137	130	30.8	94
White	3,692	1,786	102	27.6	76
Nonwhite	529	351	28	52.9	18
Wilmington	2,337	1,451	80	34.2	60
White	1,986	1,219	62	31.2	47
Nonwhite	351	232	18	51.3	13
Balance of county	1,884	686	50	26.5	34
Sussex	1,137	631	71	62.4	37
White	875	501	42	48.0	20
Nonwhite	262	130	29	110.7	17
DISTRICT OF COLUMBIA	16,141	8,432	780	48.3	374
Washington	16,141	8,432	780	48.3	374
White	10,862	5,307	402	37.0	202
Nonwhite	5,279	3,125	378	71.6	172
FLORIDA	47,791	22,776	2,093	43.8	1,499
White	35,207	15,847	1,318	37.4	830
Nonwhite	12,584	6,929	775	61.6	669
Alachua	928	421	51	55.0	30
White	560	220	24	42.9	15
Nonwhite	368	201	27	73.4	15
Gainesville	367	186	22	59.9	8
White	262	114	13	49.6	4
Nonwhite	105	72	9	85.7	4
Balance of county	561	235	29	51.7	22
White	298	106	11	36.9	11
Nonwhite	263	129	18	68.4	11
Baker	140	51	7	50.0	11
White	96	33	5	52.1	5
Nonwhite	44	18	2	45.5	6
Bay	879	314	58	66.0	30
White	713	249	45	63.1	15
Nonwhite	166	65	13	78.3	15
Panama City	502	183	29	57.8	17
White	395	135	20	50.6	6
Nonwhite	107	48	9	84.1	11
Balance of county	377	131	29	76.9	13
White	318	114	25	78.6	9
Nonwhite	59	17	4	67.8	4
Bradford	269	98	20	74.3	17
White	195	54	13	66.7	9
Nonwhite	74	34	7	94.6	8
Brevard	404	243	17	42.1	12
White	275	167	8	29.1	5
Nonwhite	129	76	9	69.8	7
Broward	1,146	512	61	53.2	38
White	775	338	34	43.9	17
Nonwhite	371	174	27	72.8	21
Fort Lauderdale	552	254	23	41.7	14
White	411	189	16	38.9	9
Nonwhite	141	65	7	49.6	5
Balance of county	594	258	38	64.0	24
White	364	149	18	49.5	8
Nonwhite	230	109	20	87.0	16
Calhoun	250	65	18	72.0	8
White	217	54	16	73.7	7
Nonwhite	33	11	2	60.6	1
Section B (Counties)—Continued					
FLORIDA—Continued					
Charlotte	66	43	6	90.9	-
White	54	33	5	92.6	-
Nonwhite	12	10	1	83.3	-
Citrus	101	48	2	19.8	5
White	67	33	2	30.0	1
Nonwhite	34	15	-	0	4
Clay	176	170	14	79.5	8
White	122	143	11	90.2	5
Nonwhite	54	27	3	55.6	3
Collier	62	42	5	80.6	8
White	50	27	5	100.0	4
Nonwhite	12	15	-	0	4
Columbia	486	165	27	55.6	19
White	309	94	20	64.7	8
Nonwhite	177	71	7	39.5	11
Dade	6,922	3,145	252	36.4	188
White	5,766	2,546	161	27.9	113
Nonwhite	1,156	599	91	78.7	75
Miami	4,147	1,973	131	31.6	112
White	3,376	1,555	80	23.7	65
Nonwhite	771	418	51	66.1	47
Miami Beach	637	283	22	34.5	18
Balance of county	2,138	889	99	46.3	58
White	1,754	708	59	33.6	30
Nonwhite	384	181	40	104.2	28
De Sota	176	89	12	68.2	5
White	133	64	10	75.2	3
Nonwhite	43	25	2	46.5	2
Dixie	138	42	10	72.5	3
White	103	29	9	87.4	2
Nonwhite	35	13	1	28.6	1
Duval	5,567	2,712	233	41.9	179
White	3,909	1,656	151	38.6	98
Nonwhite	1,658	1,056	82	49.5	81
Jacksonville	4,556	2,245	187	41.0	152
White	3,080	1,261	111	36.0	77
Nonwhite	1,476	984	76	51.5	75
Balance of county	1,011	467	46	45.5	27
White	829	395	40	48.3	21
Nonwhite	182	72	6	33.0	6
Escambia	3,055	881	110	36.0	104
White	2,405	597	70	29.1	65
Nonwhite	650	284	40	61.5	39
Pensacola	1,602	529	60	37.5	56
White	1,123	306	31	27.6	27
Nonwhite	479	223	29	60.5	29
Balance of county	1,453	352	50	34.4	48
White	1,282	291	39	30.4	38
Nonwhite	171	61	11	64.3	10
Flagler	58	47	8	137.9	5
White	23	18	1	43.5	2
Nonwhite	35	29	7	200.0	3
Franklin	158	92	9	57.0	6
White	125	68	8	64.0	4
Nonwhite	33	24	1	30.3	2
Gadsden	615	690	40	65.0	22
White	210	317	14	66.7	2
Nonwhite	405	373	26	64.2	20
Gilchrist	70	29	4	57.1	4
White	56	23	3	53.6	4
Nonwhite	14	6	1	71.4	-
Glades	41	11	1	24.4	-
White	21	5	-	0	-
Nonwhite	20	6	1	50.0	-
Gulf	184	47	9	48.9	9
White	141	31	9	63.8	6
Nonwhite	43	16	-	0	3
Hamilton	240	88	8	33.3	10
White	144	40	1	6.9	1
Nonwhite	96	48	7	72.9	9
Hardee	185	88	8	43.2	3
Hendry	110	40	8	72.7	5
White	84	28	6	71.4	-
Nonwhite	26	12	2	76.9	5
Hernando	142	55	4	28.2	3
White	102	32	-	0	2
Nonwhite	40	23	4	100.0	1
Highlands	292	135	22	75.3	9
White	208	98	12	57.7	6
Nonwhite	84	37	10	119.0	3
Hillsborough	4,791	2,112	187	39.0	130
White	4,017	1,625	138	34.4	90
Nonwhite	774	487	49	63.3	40
Tampa	3,002	1,399	123	41.0	91
White	2,425	1,025	85	35.1	57
Nonwhite	577	374	38	65.9	34
Balance of county	1,789	713	64	35.8	39
White	1,592	600	53	33.3	33
Nonwhite	197	113	11	55.8	6
Holmes	391	101	13	33.2	9
Indian River	156	110	10	64.1	5
White	107	85	9	84.1	4
Nonwhite	49	25	1	20.4	1
Jackson	1,020	268	41	40.2	22
White	689	137	22	31.9	17
Nonwhite	331	131	19	57.4	5

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	Deaths under 1 year		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
FLORIDA—Continued					
Jefferson	293	132	15	51.2	7
White	73	45	3	41.1	1
Nonwhite	220	87	12	54.5	6
Lafayette	67	30	1	14.9	1
Lake	615	281	18	29.3	20
White	455	206	7	15.4	12
Nonwhite	160	75	11	68.8	8
Lee	434	219	28	64.5	23
White	343	166	21	61.2	16
Nonwhite	91	53	7	76.9	7
Fort Myers	291	140	17	58.4	13
White	223	95	12	53.8	7
Nonwhite	68	45	5	73.5	6
Balance of county	143	79	11	76.9	10
White	120	71	9	75.0	9
Nonwhite	23	8	2	87.0	1
Leon	860	316	31	36.0	32
White	436	134	12	27.5	10
Nonwhite	424	182	19	44.8	22
Tallahassee	496	166	18	36.3	16
White	309	90	9	29.1	6
Nonwhite	187	76	9	48.1	10
Balance of county	364	150	13	35.7	16
White	127	44	3	23.6	4
Nonwhite	237	106	10	42.2	12
Levy	229	95	7	30.6	11
White	134	48	6	44.8	5
Nonwhite	95	47	1	10.5	6
Liberty	72	33	4	55.6	5
White	54	27	4	74.1	3
Nonwhite	18	6	-	0	2
Madison	405	154	17	42.0	18
White	179	58	5	27.9	4
Nonwhite	226	96	12	53.1	14
Manatee	487	278	18	37.0	18
White	335	197	12	35.8	12
Nonwhite	152	81	6	39.5	6
Marion	650	387	35	53.8	31
White	327	187	15	45.9	15
Nonwhite	323	200	20	61.9	16
Martin	109	69	2	18.3	3
White	74	41	2	27.0	1
Nonwhite	35	28	-	0	2
Monroe	319	207	21	65.8	16
White	238	156	17	71.4	13
Nonwhite	81	51	4	49.4	3
Key West	306	185	20	65.4	10
White	226	138	16	70.8	8
Nonwhite	80	47	4	50.0	2
Balance of county	13	22	1	76.9	6
White	12	18	1	83.3	5
Nonwhite	1	4	-	0	1
Nassau	344	117	13	37.8	7
White	232	65	6	25.9	2
Nonwhite	112	52	7	62.5	5
Okaloosa	410	150	31	75.6	10
Okeechobee	61	37	1	16.4	-
White	52	17	-	0	-
Nonwhite	9	20	1	111.1	-
Orange	1,678	862	57	34.0	61
White	1,267	669	44	34.7	29
Nonwhite	411	193	13	31.6	32
Orlando	940	529	25	26.6	40
White	720	410	20	27.8	20
Nonwhite	220	119	5	22.7	20
Balance of county	738	333	32	43.4	21
White	547	259	24	43.9	9
Nonwhite	191	74	8	41.9	12
Osceola	152	142	6	39.5	4
White	120	118	6	50.0	3
Nonwhite	32	24	-	0	1
Palm Beach	1,704	906	89	52.2	46
White	1,057	578	37	35.0	15
Nonwhite	647	328	52	80.4	31
West Palm Beach	732	432	24	32.8	19
White	528	280	15	28.4	9
Nonwhite	204	152	9	44.1	10
Balance of county	972	474	65	66.9	27
White	529	298	22	41.6	6
Nonwhite	443	176	43	97.1	21
Pasco	292	187	15	51.4	4
White	244	153	11	45.1	1
Nonwhite	48	34	4	83.3	3
Pinellas	1,870	1,573	80	42.8	54
White	1,514	1,375	60	39.6	35
Nonwhite	356	198	20	56.2	19
Clearwater	308	158	17	55.2	13
White	240	119	11	45.8	8
Nonwhite	68	39	6	88.2	5
St. Petersburg	1,192	1,125	52	43.6	35
White	938	991	39	41.6	21
Nonwhite	254	134	13	51.2	14
Balance of county	370	290	11	29.7	6
Section B (Counties)—Continued					
FLORIDA—Continued					
Polk	2,181	918	88	40.3	71
White	1,659	674	57	34.4	48
Nonwhite	522	244	31	59.4	23
Lakeland	547	283	22	40.2	13
White	415	216	14	33.7	6
Nonwhite	132	67	8	60.6	7
Balance of county	1,634	635	66	40.4	58
White	1,244	458	43	34.6	42
Nonwhite	390	177	23	59.0	16
Putnam	400	237	15	37.5	12
White	238	116	4	16.8	7
Nonwhite	162	121	11	67.9	5
St. Johns	419	252	20	47.7	17
White	288	140	8	27.8	6
Nonwhite	131	112	12	91.6	11
St. Augustine	287	184	15	52.3	10
White	218	112	8	36.7	4
Nonwhite	69	72	7	101.4	6
Balance of county	132	68	5	37.9	7
White	70	28	-	0	2
Nonwhite	62	40	5	80.6	5
St. Lucie	357	148	26	72.8	7
White	195	75	5	25.6	4
Nonwhite	162	73	21	129.6	3
Santa Rosa	509	137	20	39.3	8
White	457	110	18	39.4	6
Nonwhite	52	27	2	38.5	2
Sarasota	315	266	25	79.4	7
White	222	199	14	63.1	5
Nonwhite	93	67	11	118.3	2
Sarasota	229	195	19	83.0	2
White	149	136	8	53.7	1
Nonwhite	80	59	11	137.5	1
Balance of county	86	71	6	69.8	5
White	73	63	6	82.2	4
Nonwhite	13	8	-	0	1
Seminole	558	244	21	37.6	21
White	302	121	10	33.1	7
Nonwhite	256	123	11	43.0	14
Sanford	276	129	10	36.2	13
White	175	57	4	22.9	4
Nonwhite	101	72	6	59.4	9
Balance of county	282	115	11	39.0	8
White	127	64	6	47.2	3
Nonwhite	155	51	5	32.3	5
Sumter	207	88	8	38.6	4
White	131	58	6	45.8	3
Nonwhite	76	30	2	26.3	1
Suwannee	378	156	9	23.8	13
White	246	89	6	24.4	6
Nonwhite	132	67	3	22.7	7
Taylor	215	84	9	41.9	6
White	145	50	7	48.3	-
Nonwhite	70	34	2	28.6	6
Union	126	84	12	95.2	3
White	100	50	11	110.0	1
Nonwhite	26	34	1	38.5	2
Volusia	1,051	764	54	51.4	30
White	786	548	33	42.0	14
Nonwhite	265	216	21	79.2	16
Daytona Beach	492	349	23	46.7	16
White	372	239	10	26.9	8
Nonwhite	120	110	13	108.3	8
Balance of county	559	415	31	55.5	14
White	414	309	23	55.6	6
Nonwhite	145	106	8	55.2	8
Wakulla	135	46	5	37.0	4
White	81	18	1	12.3	2
Nonwhite	54	28	4	74.1	2
Walton	343	129	11	32.1	8
White	296	101	8	27.0	8
Nonwhite	47	28	3	63.8	-
Washington	328	94	6	18.3	10
White	267	70	3	11.2	6
Nonwhite	61	24	3	49.2	4
GEORGIA	74,852	28,559	3,162	42.2	2,199
White	47,493	16,495	1,721	36.2	1,050
Nonwhite	27,359	12,064	1,441	52.7	1,149
Appling	386	86	2	5.2	7
White	312	59	2	6.4	5
Nonwhite	74	27	-	0	2
Atkinson	160	47	8	50.0	4
White	142	41	8	56.3	4
Nonwhite	18	6	-	0	-
Bacon	257	60	16	62.3	7
White	224	54	14	62.5	7
Nonwhite	33	6	2	60.6	-
Baker	172	46	6	34.9	6
White	48	15	-	0	2
Nonwhite	124	31	6	48.4	4

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
GEORGIA—Continued					
Baldwin	397	986	19	47.9	8
White	169	487	4	23.7	-
Nonwhite	228	479	15	65.8	8
Banks	143	49	12	83.9	6
Barrow	220	104	9	40.9	8
White	162	81	5	30.9	6
Nonwhite	58	23	4	69.0	2
Bartow	575	227	39	67.6	18
White	495	160	28	55.5	13
Nonwhite	79	67	11	139.2	5
Ben Hill	317	129	16	50.5	10
White	200	79	8	40.0	4
Nonwhite	117	50	8	68.4	6
Berrien	351	91	8	22.8	8
White	304	74	8	26.3	6
Nonwhite	47	17	-	0	2
Bibb	2,307	1,099	120	52.0	79
White	1,397	543	61	43.7	30
Nonwhite	910	556	59	64.8	49
Macon	1,928	913	102	52.9	71
White	1,171	432	51	43.6	26
Nonwhite	757	481	51	67.4	45
Balance of county	379	186	18	47.5	8
White	226	111	10	44.2	4
Nonwhite	153	75	8	52.3	4
Bleckley	244	79	6	24.6	4
White	160	46	3	18.8	2
Nonwhite	84	33	3	35.7	2
Brantley	168	44	7	41.7	6
White	151	35	7	46.4	6
Nonwhite	17	9	-	0	-
Brooks	461	154	16	34.7	23
White	191	64	5	26.2	6
Nonwhite	270	90	11	40.7	17
Bryan	134	63	10	74.6	10
White	70	36	3	42.9	2
Nonwhite	64	27	7	109.4	8
Bulloch	578	177	27	46.7	17
White	288	102	12	41.7	5
Nonwhite	290	75	15	51.7	12
Burke	676	228	14	20.7	16
White	122	58	2	16.4	2
Nonwhite	554	170	12	21.7	14
Butts	184	90	7	38.0	10
White	78	47	4	51.3	4
Nonwhite	106	43	3	28.3	6
Calhoun	276	98	15	54.3	10
White	74	30	5	67.6	1
Nonwhite	202	68	10	49.5	9
Camden	152	61	10	65.8	9
White	63	23	6	95.2	4
Nonwhite	89	38	4	44.9	5
Candler	162	71	6	37.0	5
White	92	42	3	32.6	1
Nonwhite	70	29	3	42.9	4
Carroll	673	272	36	53.5	24
White	507	203	26	51.3	16
Nonwhite	166	69	10	60.2	8
Catoosa	243	69	14	57.6	5
Charlton	124	47	7	56.5	4
White	79	28	2	25.3	4
Nonwhite	45	19	5	111.1	-
Chatham	3,606	1,712	197	54.6	147
White	2,274	804	96	42.2	52
Nonwhite	1,332	908	101	75.8	95
Savannah	2,982	1,423	153	51.3	126
White	1,844	647	72	39.0	39
Nonwhite	1,138	776	81	71.2	87
Balance of county	624	289	44	70.5	21
White	430	157	24	55.8	13
Nonwhite	194	132	20	103.1	8
Chattahoochee	141	65	5	35.5	2
White	117	48	4	34.2	-
Nonwhite	24	17	1	41.7	2
Chattooga	491	144	25	50.9	3
Cherokee	464	151	16	34.5	10
Clarke	630	259	28	44.4	27
White	421	141	14	33.3	7
Nonwhite	209	118	14	67.0	20
Athens	496	207	19	38.3	19
White	343	113	10	29.2	6
Nonwhite	153	94	9	58.8	13
Balance of county	134	52	9	67.2	8
White	78	28	4	51.3	1
Nonwhite	56	24	5	89.3	7
Clay	194	47	11	56.7	12
White	34	18	2	58.8	1
Nonwhite	160	29	9	56.3	11
Clayton	270	82	12	44.4	5
White	175	57	9	51.4	4
Nonwhite	95	25	3	31.6	1
Clinch	124	25	3	24.2	4
White	78	15	2	25.6	3
Nonwhite	46	10	1	21.7	1
Section B (Counties)—Continued					
GEORGIA—Continued					
Cobb	1,258	342	29	23.1	25
White	1,131	268	22	19.5	18
Nonwhite	127	74	7	55.1	7
Coffee	619	188	37	59.8	11
White	446	142	30	67.3	1
Nonwhite	173	46	7	40.5	10
Colquitt	895	245	36	40.2	25
White	659	167	23	34.9	18
Nonwhite	236	78	13	55.1	7
Moultrie	320	110	13	40.6	11
White	214	57	8	37.4	5
Nonwhite	106	53	5	47.2	6
Balance of county	575	135	23	40.0	14
White	445	110	15	33.7	13
Nonwhite	130	25	8	61.5	1
Columbia	207	57	14	67.6	7
White	76	17	2	26.3	2
Nonwhite	131	40	12	91.6	5
Cook	298	80	11	36.9	3
White	213	49	8	37.6	2
Nonwhite	85	31	3	35.3	1
Coweta	574	159	9	15.7	6
White	299	91	3	10.0	1
Nonwhite	275	68	6	21.8	5
Crawford	162	53	7	43.2	3
White	51	19	-	0	1
Nonwhite	111	34	7	63.1	2
Crisp	455	148	18	39.6	22
White	211	62	7	33.2	5
Nonwhite	244	86	11	45.1	17
Dade	154	43	6	39.0	4
Dawson	59	14	-	0	6
Decatur	545	228	27	49.5	18
White	280	107	10	35.7	7
Nonwhite	266	121	17	63.9	11
De Kalb	2,090	814	91	43.5	103
White	1,727	629	57	33.0	54
Nonwhite	363	185	34	93.7	49
Atlanta (part)	808	291	27	(3)	75
White	749	256	20	(3)	36
Nonwhite	59	35	7	(3)	39
Decatur	438	156	11	25.1	12
White	350	110	5	14.3	7
Nonwhite	88	46	6	68.2	5
Balance of county	844	367	53	62.8	16
White	628	263	32	51.0	11
Nonwhite	216	104	21	97.2	5
Dodge	487	90	6	12.3	9
White	314	68	3	9.6	5
Nonwhite	173	22	3	17.3	4
Dooly	380	127	14	36.8	17
White	118	49	3	25.4	6
Nonwhite	262	78	11	42.0	11
Dougherty	843	357	31	36.8	38
White	468	119	11	23.5	10
Nonwhite	375	238	20	53.3	28
Albany	670	279	20	29.9	32
White	398	94	9	22.6	10
Nonwhite	272	185	11	40.4	22
Balance of county	173	78	11	63.6	6
White	70	25	2	28.6	-
Nonwhite	103	53	9	87.4	6
Douglas	193	49	5	25.9	4
White	136	38	2	14.7	2
Nonwhite	57	11	3	52.6	2
Early	516	123	8	15.5	15
White	222	59	2	9.0	2
Nonwhite	294	64	6	20.4	13
Echols	55	25	-	0	1
White	29	18	-	0	1
Nonwhite	26	7	-	0	-
Effingham	219	87	8	36.5	11
White	116	45	2	17.2	2
Nonwhite	103	42	6	58.3	9
Elbert	403	161	17	42.2	12
White	215	93	6	27.9	2
Nonwhite	188	68	11	58.5	10
Emanuel	472	169	26	55.1	13
White	284	108	14	49.3	4
Nonwhite	188	61	12	63.8	9
Evans	186	57	6	32.3	5
White	101	37	3	29.7	3
Nonwhite	85	20	3	35.3	2
Fannin	341	79	19	55.7	13
Fayette	136	57	12	88.2	5
White	74	39	5	67.6	1
Nonwhite	62	18	7	112.9	4
Floyd	1,271	448	62	48.8	26
White	1,114	355	52	46.7	22
Nonwhite	157	93	10	63.7	4
Rome	699	284	39	55.8	15
White	598	216	32	53.5	12
Nonwhite	101	68	7	69.3	3

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
GEORGIA—Continued					
Floyd—Continued					
Balance of county	572	164	23	40.2	11
White	516	139	20	38.8	10
Nonwhite	56	25	3	53.6	1
Forsyth	230	38	7	30.4	2
Franklin	320	89	6	18.8	4
White	271	80	4	14.8	4
Nonwhite	49	9	2	40.8	-
Fulton	8,708	4,486	389	44.7	168
White	6,195	2,603	218	35.2	90
Nonwhite	2,513	1,883	171	68.0	78
Atlanta (part)[4]	6,608	3,622	281	(3)	123
White[4]	4,513	1,994	150	(3)	57
Nonwhite[4]	2,095	1,628	131	(3)	66
Atlanta (total)[4]	7,416	3,913	308	41.5	198
White[4]	5,262	2,250	170	32.3	93
Nonwhite[4]	2,154	1,663	138	64.1	105
District 1511, Center Hill[4]	--------	--------	-------	0	-------
White[4]	--------	--------	-------	0	-------
Nonwhite[4]	--------	--------	-------	0	-------
East Point	319	75	13	40.8	8
White	275	58	9	32.7	6
Nonwhite	44	17	4	90.9	2
Balance of county	1,781	789	95	53.3	37
White	1,407	551	59	41.9	27
Nonwhite	374	238	36	96.3	10
Gilmer	227	63	9	39.6	1
Glascock	90	25	2	22.2	2
White	59	19	-	0	1
Nonwhite	31	6	2	64.5	1
Glynn	958	366	74	77.2	43
White	658	188	33	50.2	21
Nonwhite	300	178	41	136.7	22
Brunswick	770	279	65	84.4	33
White	521	146	27	51.8	13
Nonwhite	249	133	38	152.6	20
Balance of county	188	87	9	47.9	10
White	137	42	6	43.8	8
Nonwhite	51	45	3	58.8	2
Gordon	331	105	8	24.2	4
Grady	499	145	20	40.1	16
White	318	91	13	40.9	7
Nonwhite	181	54	7	38.7	9
Greene	262	126	17	64.9	7
White	91	59	5	54.9	3
Nonwhite	171	67	12	70.2	4
Gwinnett	463	237	24	51.8	17
White	416	206	22	52.9	15
Nonwhite	47	31	2	42.6	2
Habersham	362	107	22	60.8	11
Hall	802	219	27	33.7	17
Gainesville	304	97	7	23.0	7
White	254	78	4	15.7	5
Nonwhite	50	19	3	60.0	2
Balance of county	498	122	20	40.2	10
Hancock	325	65	8	24.6	7
White	56	30	3	53.6	1
Nonwhite	269	35	5	18.6	6
Haralson	271	86	11	40.6	6
White	246	78	11	44.7	5
Nonwhite	25	8	-	0	1
Harris	248	93	11	44.4	8
White	70	39	5	71.4	3
Nonwhite	178	54	6	33.7	5
Hart	266	69	2	7.5	5
White	192	46	1	5.2	3
Nonwhite	74	23	1	13.5	2
Heard	127	69	8	63.0	3
White	79	47	6	75.9	2
Nonwhite	48	22	2	41.7	1
Henry	382	147	16	41.9	16
White	138	61	4	29.0	8
Nonwhite	244	86	12	49.2	8
Houston	529	129	25	47.3	16
White	293	63	14	47.8	8
Nonwhite	236	66	11	46.6	8
Irwin	298	66	5	16.8	12
White	175	29	3	17.1	7
Nonwhite	123	37	2	16.3	5
Jackson	498	99	13	26.1	5
White	411	79	10	24.3	3
Nonwhite	87	20	3	34.5	2
Jasper	185	71	11	59.5	17
White	55	20	1	18.2	4
Nonwhite	130	51	10	76.9	13
Jeff Davis	262	52	11	42.0	8
White	212	41	7	33.0	7
Nonwhite	50	11	4	80.0	1
Jefferson	406	134	12	29.6	24
White	135	48	5	37.0	4
Nonwhite	271	86	7	25.8	20
Jenkins	260	108	11	42.3	6
White	106	49	7	66.0	1
Nonwhite	154	59	4	26.0	5

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
GEORGIA—Continued					
Johnson	310	66	7	22.6	10
White	173	44	5	28.9	2
Nonwhite	137	22	2	14.6	8
Jones	215	74	12	55.8	4
White	64	29	1	15.6	2
Nonwhite	151	45	11	72.8	2
Lamar	201	105	10	49.8	6
White	88	50	4	45.5	2
Nonwhite	113	55	6	53.1	4
Lanier	114	33	3	26.3	4
White	86	21	1	11.6	3
Nonwhite	28	12	2	71.4	1
Laurens	833	307	36	43.2	22
White	447	164	19	42.5	7
Nonwhite	386	143	17	44.0	15
Lee	237	69	11	46.4	3
White	45	12	-	0	1
Nonwhite	192	57	11	57.3	2
Liberty	272	83	7	25.7	9
White	88	33	2	22.7	1
Nonwhite	184	50	5	27.2	8
Lincoln	130	30	4	30.8	6
White	49	15	2	40.8	1
Nonwhite	81	15	2	24.7	5
Long	110	18	-	0	4
White	71	10	-	0	2
Nonwhite	39	8	-	0	2
Lowndes	926	327	33	35.6	19
White	527	160	15	28.5	7
Nonwhite	399	167	18	45.1	12
Valdosta	540	208	20	37.0	12
White	336	93	5	14.9	4
Nonwhite	204	115	15	73.5	8
Balance of county	386	119	13	33.7	7
White	191	67	10	52.4	3
Nonwhite	195	52	3	15.4	4
Lumpkin	145	33	4	27.6	1
McDuffie	253	78	12	47.4	5
White	115	42	2	17.4	1
Nonwhite	138	36	10	72.5	4
McIntosh	162	79	7	43.2	3
White	49	32	3	61.2	-
Nonwhite	113	47	4	35.4	3
Macon	426	166	33	77.5	6
White	89	48	2	22.5	2
Nonwhite	337	118	31	92.0	4
Madison	272	89	8	29.4	3
White	202	70	6	29.7	2
Nonwhite	70	19	2	28.6	1
Marion	225	69	7	31.1	7
White	75	34	2	26.7	2
Nonwhite	150	35	5	33.3	5
Meriwether	560	189	17	30.4	22
White	203	68	4	19.7	10
Nonwhite	357	121	13	36.4	12
Miller	247	65	1	4.0	3
White	141	43	-	0	3
Nonwhite	106	22	1	9.4	-
Mitchell	552	185	21	38.0	17
White	226	75	4	17.7	5
Nonwhite	326	110	17	52.1	12
Monroe	231	107	10	43.3	6
White	87	48	3	34.5	2
Nonwhite	144	59	7	48.6	4
Montgomery	155	33	3	19.4	4
White	83	24	2	24.1	1
Nonwhite	72	9	1	13.9	3
Morgan	327	110	13	39.8	11
White	115	45	8	69.6	2
Nonwhite	212	65	5	23.6	9
Murray	256	65	8	31.3	5
Muscogee	2,538	796	107	42.2	74
White	1,952	498	78	40.0	48
Nonwhite	586	298	29	49.5	26
Columbus	2,245	676	89	39.6	68
White	1,774	424	67	37.8	46
Nonwhite	471	252	22	46.7	22
Balance of county	293	120	18	61.4	6
White	178	74	11	61.8	2
Nonwhite	115	46	7	60.9	4
Newton	455	182	19	41.8	9
White	281	104	10	35.6	7
Nonwhite	174	78	9	51.7	2
Oconee	109	65	4	36.7	-
White	69	49	3	43.5	-
Nonwhite	40	16	1	25.0	-
Oglethorpe	266	115	16	60.2	8
White	115	53	7	60.9	1
Nonwhite	151	62	9	59.6	7
Paulding	239	72	6	25.1	2
White	203	63	5	24.6	1
Nonwhite	36	9	1	27.8	1

[3] Rate not computed for part of an area.

[4] Figures for District 1511, Center Hill, are included in those for Atlanta.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
GEORGIA—Continued					
Peach	275	119	12	43.6	5
White	101	38	3	29.7	1
Nonwhite	174	81	9	51.7	4
Pickens	147	58	7	47.6	2
Pierce	329	92	20	60.8	13
White	243	72	16	65.8	12
Nonwhite	86	20	4	46.5	1
Pike	202	73	7	34.7	2
White	83	37	4	48.2	-
Nonwhite	119	36	3	25.2	2
Polk	613	206	20	32.6	16
White	524	157	18	34.4	14
Nonwhite	89	49	2	22.5	2
Pulaski	223	59	12	53.8	5
White	73	27	5	68.5	-
Nonwhite	150	32	7	46.7	5
Putnam	207	63	11	53.1	6
White	51	26	2	39.2	2
Nonwhite	156	37	9	57.7	4
Quitman	100	29	5	50.0	1
White	33	8	2	60.6	1
Nonwhite	67	21	3	44.8	-
Rabun	189	29	1	5.3	4
Randolph	394	148	14	35.5	18
White	108	42	1	9.3	1
Nonwhite	286	106	13	45.5	17
Richmond	1,893	1,103	93	49.1	69
White	1,187	598	50	42.1	34
Nonwhite	706	505	43	60.9	35
Augusta	1,506	907	78	51.8	55
White	919	469	42	45.7	29
Nonwhite	587	438	36	61.3	26
Balance of county	387	196	15	38.8	14
White	268	129	8	29.9	5
Nonwhite	119	67	7	58.8	9
Rockdale	151	70	3	19.9	5
White	81	47	-	0	2
Nonwhite	70	23	3	42.9	3
Schley	111	36	4	36.0	4
White	33	21	2	60.6	2
Nonwhite	78	15	2	25.6	2
Screven	427	131	16	37.5	15
White	134	49	3	22.4	4
Nonwhite	293	82	13	44.4	11
Seminole	135	70	7	51.9	5
White	79	45	4	50.6	3
Nonwhite	56	25	3	53.6	2
Spalding	575	257	29	50.4	21
White	379	155	18	47.5	12
Nonwhite	196	102	11	56.1	9
Griffin	356	174	17	47.8	13
White	246	108	10	40.7	7
Nonwhite	110	66	7	63.6	6
Balance of county	219	83	12	54.8	8
White	133	47	8	60.2	5
Nonwhite	86	36	4	46.5	3
Stephens	357	62	6	16.8	7
White	325	38	2	6.2	5
Nonwhite	32	24	4	125.0	2
Stewart	260	77	5	19.2	9
White	50	22	1	20.0	1
Nonwhite	210	55	4	19.0	8
Sumter	614	262	35	57.0	26
White	188	82	6	31.9	8
Nonwhite	426	180	29	68.1	18
Talbot	203	76	10	49.3	9
White	33	22	1	30.3	-
Nonwhite	170	54	9	52.9	9
Taliaferro	120	47	7	58.3	4
White	26	14	-	0	-
Nonwhite	94	33	7	74.5	4
Tattnall	295	98	3	10.2	9
White	227	56	1	4.4	8
Nonwhite	68	42	2	29.4	1
Taylor	268	73	7	26.1	-
White	117	34	3	25.6	-
Nonwhite	151	39	4	26.5	-
Telfair	289	93	12	41.5	7
White	175	68	6	34.3	7
Nonwhite	114	25	6	52.6	-
Terrell	477	150	20	41.9	19
White	92	42	2	21.7	2
Nonwhite	385	108	18	46.8	17
Thomas	850	347	44	51.8	45
White	465	160	22	47.3	14
Nonwhite	385	187	22	57.1	31
Thomasville	412	200	24	58.3	19
White	243	96	13	53.5	8
Nonwhite	169	104	11	65.1	11
Balance of county	438	147	20	45.7	26
White	222	64	9	40.5	6
Nonwhite	216	83	11	50.9	20
Tift	541	186	19	35.1	16
White	360	111	12	33.3	7
Nonwhite	181	75	7	38.7	9
Section B (Counties)—Continued					
GEORGIA—Continued					
Toombs	400	128	10	25.0	13
White	261	94	9	34.5	11
Nonwhite	139	34	1	7.2	2
Towns	98	6	2	20.4	3
Treutlen	151	32	7	46.4	2
White	108	30	6	55.6	2
Nonwhite	43	2	1	23.3	-
Troup	1,043	389	39	37.4	34
White	636	223	21	33.0	15
Nonwhite	407	166	18	44.2	19
La Grange	492	190	24	48.8	16
White	330	117	17	51.5	9
Nonwhite	162	73	7	43.2	7
Balance of county	551	199	15	27.2	18
White	306	106	4	13.1	6
Nonwhite	245	93	11	44.9	12
Turner	183	47	6	32.8	6
White	110	29	3	27.3	4
Nonwhite	73	18	3	41.1	2
Twiggs	248	66	10	40.3	7
White	78	23	3	38.5	1
Nonwhite	170	43	7	41.2	6
Union	162	21	6	37.0	3
Upson	532	183	30	56.4	14
White	364	119	19	52.2	8
Nonwhite	168	64	11	65.5	6
Walker	750	246	34	45.3	12
Walton	465	175	22	45.4	14
White	289	107	12	41.5	8
Nonwhite	196	68	10	51.0	6
Ware	759	284	23	30.3	42
White	572	188	15	26.2	31
Nonwhite	187	96	8	42.8	11
Waycross	488	214	18	36.9	29
White	333	125	11	33.0	18
Nonwhite	155	89	7	45.2	11
Balance of county	271	70	5	18.5	13
White	239	63	4	16.7	13
Nonwhite	32	7	1	31.3	-
Warren	243	93	10	41.2	6
White	54	31	4	74.1	3
Nonwhite	189	62	6	31.7	3
Washington	548	213	34	62.0	19
White	170	80	7	41.2	3
Nonwhite	378	133	27	71.4	16
Wayne	415	88	7	16.9	8
White	326	63	5	15.3	6
Nonwhite	89	25	2	22.5	2
Webster	129	43	13	100.8	3
White	23	19	2	87.0	-
Nonwhite	106	24	11	103.8	3
Wheeler	148	43	3	20.3	2
White	91	32	1	11.0	1
Nonwhite	57	11	2	35.1	1
White	148	51	9	60.8	5
Whitfield	671	190	25	37.3	17
Dalton	351	111	15	42.7	13
White	320	98	14	43.8	13
Nonwhite	31	13	1	32.3	-
Balance of county	320	79	10	31.3	4
Wilcox	197	50	3	15.2	4
White	129	31	1	7.8	2
Nonwhite	68	19	2	29.4	2
Wilkes	353	119	18	51.0	3
White	116	42	6	51.7	1
Nonwhite	237	77	12	50.6	2
Wilkinson	198	84	4	20.2	7
White	99	37	2	20.2	3
Nonwhite	99	47	2	20.2	4
Worth	572	148	24	42.0	19
White	236	58	10	42.4	7
Nonwhite	336	90	14	41.7	12
IDAHO	11,501	4,602	403	35.0	200
White	11,288	4,471	385	34.1	198
Nonwhite	213	131	18	84.5	2
Ada	1,174	528	34	29.0	19
Boise City	769	425	25	32.5	13
Balance of county	405	103	9	22.2	6
Adams	74	31	3	40.5	1
Bannock	997	308	35	35.1	15
Pocatello	670	245	27	40.3	6
Balance of county	327	63	8	24.5	9
Bear Lake	164	49	6	36.6	4
Benewah	101	65	3	29.7	1
Bingham	546	206	14	25.6	8
Blaine	111	35	2	18.0	3
Boise	30	11	1	33.3	-
Bonner	300	132	9	30.0	5
Bonneville	630	158	25	39.7	13
Idaho Falls	348	118	14	40.2	11
Balance of county	282	40	11	39.0	2
Boundary	125	42	3	24.0	3
Butte	42	11	1	23.8	-

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
IDAHO—Continued					
Camas	18	5	-	0	-
Canyon	967	403	37	38.3	19
Nampa	289	179	20	69.2	9
Balance of county	678	224	17	25.1	10
Caribou	39	14	3	76.9	1
Cassia	373	83	8	21.4	5
Clark	16	6	-	0	2
Clearwater	146	130	9	61.6	-
Custer	48	31	1	20.8	-
Elmore	134	49	4	29.9	3
Franklin	284	60	10	35.2	5
Fremont	195	57	9	46.2	4
Gem	164	85	8	48.8	4
Gooding	212	79	8	37.7	5
Idaho	185	114	10	54.1	4
Jefferson	277	77	9	32.5	6
Jerome	258	108	7	27.1	3
Kootenai	474	229	19	40.1	4
Coeur d'Alene	261	147	11	42.1	2
Balance of county	213	82	8	37.6	2
Latah	313	151	8	25.6	6
Lemhi	107	54	4	37.4	2
Lewis	80	48	3	37.5	-
Lincoln	78	35	5	64.1	1
Madison	252	70	14	55.6	3
Minidoka	214	79	6	28.0	4
Nez Perce	337	215	11	32.6	11
Lewiston	222	151	6	27.0	7
Balance of county	115	64	5	43.5	4
Oneida	119	45	4	33.6	-
Owyhee	123	40	1	8.1	1
Payette	194	84	5	25.8	1
Power	70	20	-	0	2
Shoshone	367	197	17	46.3	13
Teton	96	15	1	10.4	2
Twin Falls	817	329	41	50.2	13
Twin Falls	305	165	23	75.4	1
Balance of county	512	164	18	35.2	12
Valley	81	37	3	37.0	-
Washington	169	71	2	11.8	1
Yellowstone National Park (part)	-	-	-	(3)	-
ILLINOIS	138,705	90,116	4,377	31.6	2,951
White	128,577	83,049	3,848	29.9	2,605
Nonwhite	10,128	7,067	529	52.2	346
Adams	1,044	764	31	29.7	16
Quincy	725	518	25	35.9	11
Balance of county	319	246	5	15.7	5
Alexander	439	304	38	86.6	22
White	298	182	18	60.4	9
Nonwhite	141	122	20	141.8	13
Cairo	238	214	27	113.4	15
White	146	120	12	82.2	5
Nonwhite	92	94	15	163.0	10
Balance of county	201	90	11	54.7	7
White	152	62	6	39.5	4
Nonwhite	49	28	5	102.0	3
Bond	229	157	6	26.2	3
Boone	260	201	6	23.1	7
Brown	115	78	2	17.4	3
Bureau	605	421	21	34.7	14
Calhoun	111	64	1	9.0	3
Carroll	292	207	6	20.5	4
Cass	246	178	13	52.8	3
Champaign	1,605	687	47	29.3	14
Champaign	527	257	20	38.0	2
Urbana	419	157	13	31.0	2
Balance of county	659	273	14	21.2	10
Christian	613	391	24	39.2	8
Clark	233	187	6	25.8	10
Clay	289	151	17	58.8	2
Clinton	391	194	10	25.6	10
Centralia (part)	10	8	-	(3)	-
Balance of county	381	186	10	26.2	10
Coles	637	429	22	34.5	14
Mattoon	335	184	9	26.9	7
Balance of county	302	245	13	43.0	7
Cook	72,511	46,529	2,061	28.4	1,593
Berwyn	757	433	25	33.0	14
Blue Island	382	187	10	26.2	3
Brookfield	220	106	2	9.1	3
Calumet City	262	84	2	7.6	1
Chicago	60,045	38,897	1,715	28.6	1,386
White	52,255	33,885	1,348	25.8	1,133
Nonwhite	7,790	5,012	367	47.1	253
Chicago Heights	478	233	20	41.8	8
Cicero	1,084	590	30	27.7	15
Elgin (part)	12	5	-	(3)	1
Elmwood Park	257	95	4	15.6	3
Evanston	1,040	662	28	26.9	13
Forest Park	239	161	3	12.6	6
Harvey	486	185	15	30.9	12
La Grange	265	82	5	18.9	8
Section B (Counties)—Continued					
ILLINOIS—Continued					
Cook—Continued					
Maywood	468	227	12	25.6	9
Melrose Park	326	109	8	24.5	7
Oak Park	1,001	700	25	25.0	13
Park Ridge	206	112	5	24.3	4
Wilmette	276	166	10	36.2	6
Winnetka	171	106	5	29.2	2
Balance of county	4,536	3,389	137	30.2	80
Crawford	309	228	17	55.0	11
Cumberland	173	123	7	40.5	2
De Kalb	691	427	11	15.9	14
De Witt	256	193	8	31.3	7
Douglas	269	173	5	18.6	3
Du Page	1,985	964	41	20.7	31
Elmhurst	262	143	7	26.7	9
Balance of county	1,723	821	34	19.7	22
Edgar	392	261	11	28.1	13
Edwards	129	95	4	31.0	4
Effingham	385	213	10	26.0	8
Fayette	391	239	22	56.3	18
Ford	257	150	6	23.3	5
Franklin	741	518	45	60.7	16
West Frankfort	198	141	17	85.9	-
Balance of county	543	377	28	51.6	16
Fulton	699	478	13	18.6	8
Canton	179	157	4	22.3	5
Balance of county	520	321	9	17.3	3
Gallatin	182	99	11	60.4	4
Greene	295	226	12	40.7	10
Grundy	391	216	12	30.7	2
Hamilton	198	110	4	20.2	3
Hancock	382	319	5	13.1	8
Hardin	151	83	10	66.2	4
Henderson	159	86	3	18.9	1
Henry	633	474	23	36.3	15
Kewanee	219	202	9	41.1	7
Balance of county	414	272	14	33.8	8
Iroquois	562	310	12	21.4	10
Jackson	608	399	31	51.0	14
Jasper	173	117	1	5.8	3
Jefferson	619	361	27	43.6	17
Mount Vernon	335	176	18	53.7	13
Balance of county	284	185	9	31.7	4
Jersey	246	132	11	44.7	10
Jo Daviess	377	268	14	37.1	10
Johnson	137	99	2	14.6	4
Kane	2,304	1,719	65	28.2	28
Aurora	339	471	25	26.6	3
Elgin (part)	574	842	18	(3)	12
Elgin (total)	586	847	18	30.7	13
Balance of county	791	406	22	27.8	13
Kankakee	1,004	1,449	35	34.9	20
Kankakee	465	268	17	36.6	9
Balance of county	539	1,181	18	33.4	11
Kendall	161	110	3	18.6	1
Knox	882	602	29	32.9	13
Galesburg	532	364	22	41.4	10
Balance of county	350	238	7	20.0	3
Lake	2,589	1,373	77	29.7	42
Highland Park	259	118	5	19.3	6
Waukegan	768	351	32	41.7	10
Balance of county	1,562	904	40	25.6	26
La Salle	1,746	1,084	52	29.8	30
La Salle	188	133	8	42.6	5
Ottawa	323	190	11	34.1	3
Streator	310	188	6	19.4	6
Balance of county	925	573	27	29.2	16
Lawrence	344	285	16	46.5	3
Lee	544	564	45	82.7	14
Dixon	198	150	6	30.3	6
Balance of county	346	414	39	112.7	8
Livingston	602	384	9	15.0	12
Logan	411	372	24	58.4	8
Lincoln	169	208	16	94.7	3
Balance of county	242	164	8	33.1	5
McDonough	445	340	13	29.2	7
McHenry	593	441	14	20.0	14
McLean	1,242	803	39	31.4	24
Bloomington	584	427	21	36.0	15
Balance of county	658	376	18	27.4	9
Macon	1,564	919	48	28.8	29
Decatur	1,177	704	31	26.3	25
Balance of county	487	215	17	34.9	4
Macoupin	637	485	17	26.7	15
Madison	3,051	1,771	130	42.6	53
Alton	773	403	52	67.3	14
Granite City	506	211	16	31.6	12
Balance of county	1,773	1,160	62	34.9	27
Marion	788	408	29	36.8	21
Centralia (part)	252	142	10	(3)	12
Centralia (total)	262	150	10	38.2	12
Balance of county	536	266	19	35.4	9
Marshall	202	144	5	24.8	6

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	Deaths under 1 year		Still-births
			Number	Rate	
Section B (Counties)—Continued					
ILLINOIS—Continued					
Mason	197	180	5	25.4	8
Massac	225	176	12	53.3	3
White	207	156	11	53.1	3
Nonwhite	18	20	1	55.6	-
Menard	148	34	5	33.8	4
Mercer	282	186	14	49.6	4
Monroe	194	151	5	25.8	3
Montgomery	452	378	15	33.2	14
Morgan	463	693	19	41.0	10
Jacksonville	228	536	13	57.0	4
Balance of county	235	157	6	25.5	6
Moultrie	223	166	7	31.4	4
Ogle	552	330	16	29.0	11
Peoria	2,699	1,854	83	30.8	60
Peoria	1,972	1,158	71	36.0	46
Balance of county	727	696	12	16.5	14
Perry	390	231	16	41.0	4
Piatt	237	152	11	46.4	6
Pike	359	257	12	33.4	11
Pope	96	72	5	52.1	3
Pulaski	231	195	16	69.3	7
White	127	111	8	63.0	4
Nonwhite	104	84	8	76.9	3
Putnam	86	59	1	11.6	-
Randolph	486	314	16	32.9	8
Richland	307	167	13	42.3	4
Rock Island	2,201	1,436	75	34.1	43
East Moline	172	387	9	52.3	2
Moline	646	370	14	21.7	14
Rock Island	840	497	35	41.7	15
Balance of county	543	182	17	31.3	12
St. Clair	3,348	1,914	148	44.2	88
White	2,738	1,607	105	38.3	57
Nonwhite	610	307	43	70.5	31
Belleville	653	364	22	33.7	7
East St. Louis	1,580	940	85	53.8	50
White	1,072	688	50	46.6	24
Nonwhite	508	252	35	68.9	26
Balance of county	1,115	610	41	36.8	31
Saline	541	379	33	61.0	16
Harrisburg	195	154	12	61.5	3
Balance of county	346	225	21	60.7	13
Sangamon	2,026	1,327	85	42.0	45
Springfield	1,489	939	59	39.6	36
Balance of county	537	388	26	48.4	9
Schuyler	144	135	5	34.7	6
Scott	106	90	4	37.7	2
Shelby	353	306	7	19.8	9
Stark	147	103	6	40.8	2
Stephenson	655	500	27	41.2	14
Freeport	368	300	19	51.6	8
Balance of county	287	200	8	27.9	6
Tazewell	1,165	543	43	36.9	19
Pekin	329	210	16	48.6	9
Balance of county	836	333	27	32.3	10
Union	362	481	20	55.2	11
Vermilion	1,355	1,091	52	38.4	37
Danville	642	483	25	38.9	15
Balance of county	713	608	27	37.9	22
Wabash	216	160	7	28.5	5
Warren	365	249	10	27.4	7
Washington	197	154	3	15.2	4
Wayne	355	196	13	36.6	7
White	357	187	12	33.6	6
Whiteside	826	455	28	33.9	21
Sterling	207	147	4	19.3	2
Balance of county	619	308	24	38.8	19
Will	1,979	1,199	66	33.4	27
Joliet	1,213	660	39	32.2	18
Balance of county	766	539	27	35.2	9
Williamson	764	561	33	43.2	18
Winnebago	2,519	1,259	80	31.8	75
Rockford	1,750	869	54	30.9	55
Balance of county	769	390	26	33.8	20
Woodford	339	172	10	29.5	5
INDIANA	68,444	39,586	2,462	36.0	1,341
White	65,623	37,448	2,260	34.4	1,229
Nonwhite	2,821	2,138	202	71.6	112
Adams	448	186	13	29.0	12
Allen	3,316	1,783	105	31.7	53
Fort Wayne	2,526	1,402	82	32.5	42
Balance of county	790	381	23	29.1	11
Bartholomew	641	291	21	32.8	13
Columbus	333	132	9	27.0	6
Balance of county	308	159	12	39.0	7
Benton	236	99	7	29.7	3
Blackford	213	158	3	14.1	5
Boone	420	271	7	16.7	5
Brown	96	56	3	31.3	2
Carroll	227	187	8	35.2	7
Cass	657	655	29	44.1	11
Logansport	385	260	16	41.6	4
Balance of county	272	395	13	47.8	7
Section B (Counties)—Continued					
INDIANA—Continued					
Clark	845	397	36	42.6	16
Jeffersonville	325	182	13	40.0	8
White	307	154	11	35.8	8
Nonwhite	18	28	2	111.1	-
Balance of county	520	215	23	44.2	8
Clay	376	274	11	29.3	8
Clinton	538	341	24	44.6	10
Frankfort	262	182	12	45.8	4
Balance of county	276	159	12	43.5	6
Crawford	162	101	6	37.0	7
Daviess	574	277	25	43.6	9
Dearborn	380	255	13	34.2	10
Decatur	307	212	11	35.8	5
De Kalb	501	256	10	20.0	5
Delaware	1,671	899	83	49.7	31
Muncie	1,206	613	62	51.4	21
Balance of county	465	286	21	45.2	10
Dubois	376	206	13	34.6	10
Elkhart	1,515	792	64	42.2	21
Elkhart	648	374	34	52.5	12
Goshen	269	142	9	33.5	5
Balance of county	598	276	21	35.1	4
Fayette	436	237	16	36.7	7
Connersville	356	176	15	42.1	5
Balance of county	80	61	1	12.5	2
Floyd	803	466	30	37.4	14
New Albany	625	330	25	40.0	12
Balance of county	178	136	5	28.1	2
Fountain	290	199	15	51.7	6
Franklin	257	170	10	38.9	3
Fulton	265	226	10	37.7	3
Gibson	549	297	16	29.1	8
Grant	1,147	702	40	34.9	16
Marion	620	340	22	35.5	12
Balance of county	527	362	18	34.2	4
Greene	413	291	15	36.3	15
Hamilton	448	315	8	17.9	5
Hancock	322	222	13	40.4	5
Harrison	317	194	8	25.2	7
Hendricks	359	214	11	30.6	10
Henry	801	466	39	48.7	22
New Castle	381	186	19	49.9	9
Balance of county	420	280	20	47.6	13
Howard	1,027	539	48	46.7	21
Kokomo	798	406	35	43.9	14
Balance of county	229	133	13	56.8	7
Huntington	521	391	23	44.1	8
Huntington	251	181	14	55.8	4
Balance of county	270	210	9	33.3	4
Jackson	523	275	21	40.2	6
Jasper	308	146	12	39.0	5
Jay	413	260	19	46.0	10
Jefferson	341	410	13	38.1	13
Jennings	243	165	7	28.8	1
Johnson	486	368	17	35.0	4
Knox	875	449	30	34.3	15
Vincennes	408	223	18	44.1	4
Balance of county	467	226	12	25.7	11
Kosciusko	575	366	16	27.8	11
Lagrange	322	141	5	15.5	6
Lake	6,524	2,720	238	36.5	163
East Chicago	1,023	514	66	64.5	30
White	848	418	45	53.1	26
Nonwhite	175	96	21	120.0	4
Gary	2,675	1,150	91	34.0	84
White	2,072	804	59	28.5	48
Nonwhite	603	346	32	53.1	36
Hammond	1,314	617	50	38.1	25
Whiting	352	63	7	19.9	6
Balance of county	1,160	376	24	20.7	18
La Porte	1,308	751	50	38.2	25
La Porte	393	251	16	40.7	9
Michigan City	438	290	14	32.0	9
Balance of county	477	210	20	41.9	7
Lawrence	675	334	23	34.1	9
Bedford	257	156	9	35.0	2
Balance of county	418	178	14	33.5	7
Madison	1,973	904	68	34.5	44
Anderson	1,006	458	32	31.8	23
Elwood	263	132	9	34.2	9
Balance of county	704	314	27	38.4	12
Marion	9,900	5,929	371	37.5	212
White	8,832	5,026	290	32.8	170
Nonwhite	1,068	903	81	75.8	42
Indianapolis	8,886	5,341	342	38.5	183
White	7,827	4,469	262	33.5	141
Nonwhite	1,059	872	80	75.5	42
Balance of county	1,014	588	29	28.6	29
Marshall	497	303	21	42.3	7
Martin	227	108	8	35.2	4
Miami	512	340	12	23.4	9
Peru	259	174	6	23.2	5
Balance of county	253	166	6	23.7	4
Monroe	714	320	21	29.4	14
Bloomington	414	173	11	26.6	5
Balance of county	300	147	10	33.3	9

747801 O - 47 - 3

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
INDIANA—Continued					
Montgomery	428	354	9	21.0	11
Crawfordsville	197	181	4	20.3	8
Balance of county	231	173	5	21.6	3
Morgan	407	233	11	27.0	6
Newton	167	116	7	41.9	3
Noble	430	304	18	41.9	7
Ohio	75	38	1	13.3	-
Orange	273	179	8	29.3	6
Owen	150	123	4	26.7	4
Parke	234	177	9	38.5	4
Perry	320	128	7	21.9	10
Pike	244	172	11	45.1	7
Porter	508	275	18	35.4	6
Posey	345	187	9	26.1	6
Pulaski	218	117	11	50.5	7
Putnam	299	244	10	33.4	4
Randolph	473	289	12	25.4	8
Ripley	349	205	10	28.7	8
Rush	331	204	5	15.1	8
St. Joseph	3,365	1,605	87	25.9	56
Mishawaka	513	264	13	25.3	12
South Bend	2,210	1,041	54	24.4	37
Balance of county	642	300	20	31.2	7
Scott	247	88	9	36.4	10
Shelby	472	312	25	53.0	8
Shelbyville	214	158	15	70.1	6
Balance of county	258	154	10	38.8	2
Spencer	274	194	12	43.8	5
Starke	305	157	10	32.8	9
Steuben	216	176	7	32.4	5
Sullivan	390	320	7	17.9	11
Switzerland	106	99	3	28.3	4
Tippecanoe	1,114	675	39	35.0	17
Lafayette	664	415	29	43.7	12
Balance of county	450	260	10	22.2	5
Tipton	321	134	6	18.7	3
Union	66	86	2	30.3	1
Vanderburgh	2,998	1,649	124	41.4	62
Evansville	2,481	1,395	104	41.9	55
Balance of county	517	254	20	38.7	7
Vermillion	316	243	9	28.5	3
Vigo	1,767	1,369	85	48.1	27
Terre Haute	1,285	1,017	59	45.9	18
Balance of county	482	352	26	53.9	9
Wabash	456	318	13	28.5	7
Warren	166	86	8	48.2	3
Warrick	356	203	10	28.1	9
Washington	305	175	8	26.2	6
Wayne	1,154	884	55	47.7	20
Richmond	733	403	42	57.3	13
Balance of county	421	481	13	30.9	7
Wells	337	188	9	26.7	7
White	288	176	12	41.7	6
Whitley	304	199	16	52.6	6
IOWA	44,934	25,876	1,363	30.3	880
White	44,584	25,602	1,341	30.1	879
Nonwhite	350	274	22	62.9	1
Adair	186	101	4	21.5	4
Adams	156	77	2	12.8	2
Allamakee	327	174	9	27.5	6
Appanoose	344	242	14	40.7	6
Audubon	208	78	2	9.6	6
Benton	380	222	5	13.2	5
Black Hawk	1,593	790	53	33.3	33
Waterloo	978	450	31	31.7	23
Balance of county	615	340	22	35.8	10
Boone	427	339	8	18.7	7
Boone	189	172	2	10.6	3
Balance of county	238	167	6	25.2	4
Bremer	346	181	8	23.1	6
Buchanan	371	371	8	21.6	10
Buena Vista	335	187	16	47.8	4
Butler	314	163	8	25.5	7
Calhoun	322	153	6	18.6	6
Carroll	476	196	14	29.4	8
Cass	298	182	5	16.8	10
Cedar	268	190	7	26.1	4
Cerro Gordo	754	426	27	35.8	13
Mason City	448	2[illegible]3	21	46.9	7
Balance of county	306	153	6	19.6	6
Cherokee	325	271	8	24.6	4
Chickasaw	289	147	12	41.5	3
Clarke	158	118	6	38.0	3
Clay	299	130	7	23.4	4
Clayton	383	257	12	31.3	6
Clinton	823	549	21	25.5	17
Clinton	504	354	13	25.8	10
Balance of county	319	195	8	25.1	7
Crawford	371	150	15	40.4	11
Dallas	394	269	11	27.9	9
Davis	176	96	4	22.7	6
Decatur	230	128	8	34.8	5

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
IOWA—Continued					
Delaware	347	163	9	25.9	12
Des Moines	749	449	24	32.0	20
Burlington	547	350	20	36.6	14
Balance of county	202	99	4	19.8	6
Dickinson	181	84	10	55.2	7
Dubuque	1,219	782	41	33.6	36
Dubuque	784	594	32	40.8	25
Balance of county	435	188	9	20.7	11
Emmet	243	116	6	24.7	7
Fayette	513	273	10	19.5	16
Floyd	357	200	9	25.2	7
Franklin	279	131	10	35.8	7
Fremont	220	167	9	40.9	-
Greene	276	148	3	10.9	5
Grundy	217	107	4	18.4	5
Guthrie	270	155	11	40.7	7
Hamilton	361	153	12	33.2	9
Hancock	281	130	6	21.4	3
Hardin	343	249	10	29.2	9
Harrison	371	224	13	35.0	4
Henry	309	362	15	48.5	6
Howard	223	121	5	22.4	1
Humboldt	250	108	4	16.0	2
Ida	204	98	7	34.3	5
Iowa	262	180	7	26.7	10
Jackson	334	207	12	35.9	5
Jasper	545	286	10	18.3	11
Newton	187	109	3	16.0	3
Balance of county	358	177	7	19.6	8
Jefferson	297	180	11	37.0	5
Johnson	702	347	13	18.5	6
Iowa City	396	207	11	27.8	6
Balance of county	306	140	2	6.5	-
Jones	342	207	6	17.5	8
Keokuk	291	165	4	13.7	3
Kossuth	621	222	25	40.3	8
Lee	719	484	29	40.3	19
Fort Madison	239	162	11	46.2	5
Keokuk	286	217	10	35.0	11
Balance of county	194	105	8	41.2	3
Linn	1,621	990	56	34.5	24
Cedar Rapids	1,172	707	41	35.0	17
Balance of county	449	283	15	33.4	7
Louisa	167	112	3	18.0	4
Lucas	208	155	12	57.7	8
Lyon	325	131	13	40.0	6
Madison	191	129	8	41.9	1
Mahaska	439	310	12	27.3	7
Oskaloosa	170	165	5	29.4	6
Balance of county	269	145	7	26.0	1
Marion	411	325	7	17.0	3
Marshall	574	389	20	34.8	15
Marshalltown	311	229	12	38.6	7
Balance of county	263	160	8	30.4	8
Mills	227	168	4	17.6	4
Mitchell	260	124	6	23.1	4
Monona	315	133	9	28.6	5
Monroe	201	141	5	24.9	11
Montgomery	248	189	7	28.2	5
Muscatine	566	357	19	33.6	7
Muscatine	316	250	13	41.1	5
Balance of county	250	107	6	24.0	2
O'Brien	338	159	7	20.7	8
Osceola	196	58	6	30.6	4
Page	415	394	13	31.3	10
Palo Alto	330	116	8	24.2	4
Plymouth	474	180	9	19.0	5
Pocahontas	283	142	8	28.3	3
Polk	3,562	2,060	113	31.7	75
Des Moines	3,114	1,782	93	29.9	62
Balance of county	448	268	20	44.6	13
Pottawattamie	1,223	708	42	34.3	25
Council Bluffs	790	497	31	39.2	15
Balance of county	433	211	11	25.4	10
Poweshiek	329	224	11	33.4	7
Ringgold	169	104	3	17.8	1
Sac	321	143	4	12.5	8
Scott	1,673	1,005	48	28.7	33
Davenport	1,209	814	40	33.1	24
Balance of county	464	191	8	17.2	9
Shelby	296	113	10	33.8	7
Sioux	493	188	12	24.3	7
Story	632	289	16	25.3	14
Ames	287	101	9	31.4	4
Balance of county	345	188	7	20.3	10
Tama	341	206	9	26.4	2
Taylor	193	138	7	36.3	3
Union	226	165	7	31.0	5
Van Buren	172	125	2	11.6	5
Wapello	903	501	40	44.3	10
Ottumwa	675	366	28	41.5	9
Balance of county	228	135	12	52.6	1
Warren	276	177	12	43.5	3
Washington	357	226	10	28.0	10
Wayne	171	137	2	11.7	2

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
IOWA—Continued					
Webster	725	407	37	51.0	5
Fort Dodge	400	252	18	45.0	4
Balance of county	325	155	19	58.5	1
Winnebago	255	128	9	35.3	8
Winneshiek	390	218	11	28.2	8
Woodbury	2,055	963	69	33.6	41
Sioux City	1,672	796	53	31.7	33
Balance of county	383	167	16	41.8	8
Worth	173	96	7	40.5	7
Wright	331	168	15	45.3	8
KANSAS	33,624	18,507	1,109	33.0	642
White	32,383	17,510	1,035	32.0	590
Nonwhite	1,241	997	74	59.6	52
Allen	302	225	14	46.4	11
Anderson	167	97	9	53.9	1
Atchison	321	249	12	37.4	5
Atchison	196	175	9	45.9	3
White	184	147	5	27.2	2
Nonwhite	12	28	4	333.3	1
Balance of county	125	74	3	24.0	2
Barber	148	69	6	40.5	-
Barton	578	234	27	46.7	7
Bourbon	358	264	10	27.9	8
Fort Scott	183	195	10	54.6	5
Balance of county	175	69	-	0	3
Brown	256	172	10	39.1	3
Butler	590	273	21	35.6	13
El Dorado	218	135	5	22.9	6
Balance of county	372	138	16	43.0	7
Chase	79	46	-	0	1
Chautauqua	109	73	4	36.7	1
Cherokee	528	290	12	22.7	12
Cheyenne	100	40	3	30.0	2
Clark	49	32	1	20.4	1
Clay	211	171	10	47.4	4
Cloud	294	203	8	27.2	6
Coffey	213	112	4	18.8	4
Comanche	65	32	-	0	4
Cowley	684	444	31	45.3	7
Arkansas City	272	145	13	47.8	2
Balance of county	412	299	18	43.7	5
Crawford	672	518	22	32.7	20
Pittsburg	331	176	12	36.3	14
Balance of county	341	342	10	29.3	6
Decatur	119	68	2	16.8	1
Dickinson	457	229	16	35.0	8
Doniphan	187	109	2	10.7	1
Douglas	531	283	5	9.4	9
Lawrence	366	202	4	10.9	7
Balance of county	165	81	1	6.1	2
Edwards	97	62	2	20.6	-
Elk	92	75	4	43.5	2
Ellis	414	129	20	48.3	7
Ellsworth	158	84	2	12.7	2
Finney	275	99	9	32.7	8
Ford	432	180	14	32.4	12
Franklin	338	251	8	23.7	6
Ottawa	184	150	8	43.5	3
Balance of county	154	101	-	0	3
Geary	250	163	19	76.0	5
Gove	87	33	4	46.0	1
Graham	92	38	2	21.7	2
Grant	50	14	1	20.0	1
Gray	97	30	7	72.2	2
Greeley	29	19	1	34.5	-
Greenwood	249	138	10	40.2	5
Hamilton	86	37	2	23.3	1
Harper	178	113	7	39.3	7
Harvey	369	219	11	29.8	10
Newton	187	148	8	42.8	4
Balance of county	182	71	3	16.5	6
Haskell	66	8	2	30.3	-
Hodgeman	57	19	-	0	-
Jackson	166	136	4	24.1	5
Jefferson	171	127	3	17.5	-
Jewell	161	98	3	18.6	3
Johnson	847	308	16	18.9	15
Kearny	52	24	-	0	1
Kingman	232	82	5	21.6	1
Kiowa	71	41	5	70.4	2
Labette	565	376	24	42.5	8
Parsons	325	195	16	49.2	5
Balance of county	240	181	8	33.3	3
Lane	56	18	3	53.6	-
Leavenworth	549	509	24	43.7	12
White	492	441	23	46.7	8
Nonwhite	57	68	1	17.5	4
Leavenworth	378	265	15	39.7	12
White	331	226	14	42.3	8
Nonwhite	47	39	1	21.3	4
Balance of county	171	244	9	52.6	-
Lincoln	102	78	2	19.6	4

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
KANSAS—Continued					
Linn	149	126	2	13.4	-
Logan	72	29	2	27.8	-
Lyon	428	314	22	51.4	8
Emporia	260	230	14	53.8	7
Balance of county	168	84	8	47.6	1
McPherson	428	195	10	23.4	8
Marion	301	135	7	23.3	6
Marshall	309	216	7	22.7	4
Meade	97	38	3	30.9	5
Miami	256	350	7	27.3	7
Mitchell	182	125	6	33.0	3
Montgomery	938	556	39	41.6	23
Coffeyville	395	181	11	27.8	8
White	341	159	9	26.4	6
Nonwhite	54	22	2	37.0	2
Independence	223	175	13	58.3	9
White	199	167	11	55.3	8
Nonwhite	24	8	2	83.3	1
Balance of county	320	200	15	46.9	6
Morris	157	87	1	6.4	3
Morton	74	17	1	13.5	1
Nemaha	280	146	7	25.0	3
Neosho	345	239	11	31.9	6
Chanute	162	152	6	37.0	4
Balance of county	183	87	5	27.3	2
Ness	105	46	2	19.0	4
Norton	136	128	4	29.4	4
Osage	211	158	1	4.7	5
Osborne	129	98	3	23.3	1
Ottawa	111	84	2	18.0	-
Pawnee	156	230	7	44.9	1
Phillips	146	100	3	20.5	4
Pottawatomie	178	125	5	28.1	1
Pratt	263	111	18	68.4	8
Rawlins	82	34	1	12.2	2
Reno	1,130	522	34	30.1	19
Hutchinson	823	349	22	26.7	12
Balance of county	307	173	12	39.1	7
Republic	166	118	3	18.1	1
Rice	296	151	7	23.6	8
Riley	453	166	15	33.1	9
Manhattan	342	107	12	35.1	8
Balance of county	111	59	3	27.0	1
Rooks	155	68	5	32.3	4
Rush	153	47	5	32.7	-
Russell	274	91	8	29.2	4
Saline	509	335	27	53.0	8
Salina	416	263	26	62.5	6
Balance of county	93	72	1	10.8	2
Scott	92	15	2	21.7	4
Sedgwick	4,359	1,591	133	30.5	93
Wichita	3,888	1,345	115	29.6	82
Balance of county	471	246	18	38.2	11
Seward	248	78	7	28.2	6
Shawnee	1,769	1,166	64	36.2	31
Topeka	1,572	820	55	35.0	30
Balance of county	197	346	9	45.7	1
Sheridan	91	24	2	22.0	2
Sherman	113	56	4	35.4	2
Smith	126	94	3	23.8	4
Stafford	181	74	4	22.1	8
Stanton	33	9	1	30.3	-
Stevens	68	24	1	14.7	2
Sumner	410	228	13	31.7	8
Thomas	123	76	9	73.2	4
Trego	90	23	1	11.1	1
Wabaunsee	136	55	7	51.5	3
Wallace	46	9	2	43.5	2
Washington	187	156	6	32.1	3
Wichita	57	13	1	17.5	1
Wilson	273	182	11	40.3	4
Woodson	96	77	4	41.7	3
Wyandotte	3,051	1,631	116	38.0	50
White	2,515	1,296	100	39.8	31
Nonwhite	536	335	16	29.9	19
Kansas City	2,731	1,434	105	38.4	45
White	2,220	1,132	91	41.0	27
Nonwhite	511	302	14	27.4	18
Balance of county	320	197	11	34.4	5
KENTUCKY	60,892	27,590	2,858	46.9	1,436
White	57,654	24,095	2,630	45.6	1,328
Nonwhite	3,238	3,495	228	70.4	108
Adair	327	163	23	70.3	14
Allen	263	129	11	41.8	7
Anderson	159	94	6	37.7	5
Ballard	152	89	8	52.6	5
Barren	517	274	38	73.5	15
Bath	180	110	11	61.1	6
Bell	1,227	394	92	75.0	16
Middlesborough	281	129	25	89.0	4
Balance of county	946	265	67	70.8	12
Boone	208	132	8	38.5	4

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
KENTUCKY—Continued					
Bourbon	333	207	18	54.1	8
White	303	147	16	52.8	6
Nonwhite	30	60	2	66.7	2
Boyd	949	389	46	48.5	21
Ashland	638	267	24	37.6	8
Balance of county	311	122	22	70.7	13
Boyle	345	189	24	69.6	9
White	322	146	21	65.2	9
Nonwhite	23	43	3	130.4	-
Bracken	143	104	8	55.9	3
Breathitt	483	134	19	39.3	21
Breckinridge	349	192	13	37.2	11
Bullitt	197	104	13	66.0	4
Butler	247	91	7	28.3	4
Caldwell	244	146	12	49.2	8
White	229	125	11	48.0	8
Nonwhite	15	21	1	66.7	-
Calloway	309	147	5	16.2	4
Campbell	1,311	883	72	54.9	40
Fort Thomas	156	100	4	25.6	3
Newport	603	419	38	63.0	24
Balance of county	552	364	30	54.3	13
Carlisle	90	74	7	77.8	5
Carroll	143	112	6	42.0	4
Carter	604	171	34	56.3	22
Casey	473	120	21	44.4	10
Christian	595	631	41	68.9	20
White	413	416	21	50.8	13
Nonwhite	182	215	20	109.9	7
Hopkinsville	194	172	11	56.7	9
White	129	89	4	31.0	6
Nonwhite	65	83	7	107.7	3
Balance of county	401	459	30	74.8	11
White	284	327	17	59.9	7
Nonwhite	117	132	13	111.1	4
Clark	369	201	21	56.9	12
White	344	167	16	46.5	12
Nonwhite	25	34	5	200.0	-
Clay	695	146	32	46.0	21
Clinton	231	65	2	8.7	4
Crittenden	214	128	10	46.7	4
Cumberland	189	82	11	58.2	8
Daviess	1,300	545	77	59.2	29
Owensboro	814	384	53	65.1	19
Balance of county	486	161	24	49.4	10
Edmonson	254	75	9	35.4	3
Elliott	178	40	6	33.7	1
Estill	398	115	16	40.2	8
Fayette	1,465	1,281	75	51.2	32
White	1,241	941	59	47.5	29
Nonwhite	224	340	16	71.4	3
Lexington	1,261	1,044	59	46.8	28
White	1,069	739	45	42.1	25
Nonwhite	192	305	14	72.9	3
Balance of county	204	237	16	78.4	4
White	172	202	14	81.4	4
Nonwhite	32	35	2	62.5	-
Fleming	254	166	16	63.0	3
Floyd	1,455	336	58	39.9	27
Franklin	385	228	13	33.8	9
Frankfort	195	145	9	46.2	7
White	179	112	9	50.3	7
Nonwhite	16	33	-	0	-
Balance of county	190	83	4	21.1	2
Fulton	320	164	12	37.5	14
White	273	135	9	33.0	12
Nonwhite	47	29	3	63.8	2
Gallatin	67	55	5	74.6	-
Garrard	208	88	8	38.5	5
White	195	73	7	35.9	4
Nonwhite	13	15	1	76.9	1
Grant	196	110	4	20.4	5
Graves	515	336	18	35.0	15
Grayson	376	138	21	55.9	9
Green	223	105	14	62.8	7
Greenup	529	166	29	54.8	12
Hancock	118	59	4	33.9	4
Hardin	674	290	22	32.6	16
Harlan	1,967	485	98	49.8	52
White	1,823	423	96	52.7	46
Nonwhite	144	62	2	13.9	6
Harrison	214	179	11	51.4	4
Hart	323	139	11	34.1	9
Henderson	608	330	29	47.7	24
White	531	254	23	43.3	19
Nonwhite	77	76	6	77.9	5
Henderson	318	202	17	53.5	11
White	268	144	14	52.2	8
Nonwhite	50	58	3	60.0	3
Balance of county	290	128	12	41.4	13
White	263	110	9	34.2	11
Nonwhite	27	18	3	111.1	2
Henry	232	102	5	21.6	3
Section B (Counties)—Continued					
KENTUCKY—Continued					
Hickman	144	85	-	0	5
White	118	74	-	0	4
Nonwhite	26	11	-	0	1
Hopkins	718	424	31	43.2	23
White	660	359	30	45.5	19
Nonwhite	58	65	1	17.2	4
Jackson	327	98	9	27.5	11
Jefferson	9,032	5,248	423	46.8	151
White	8,034	4,150	359	44.7	126
Nonwhite	998	1,098	64	64.1	25
Louisville	7,852	4,351	366	46.6	133
White	6,925	3,402	305	44.0	110
Nonwhite	927	949	61	65.8	23
Balance of county	1,180	897	57	48.3	18
Jessamine	210	116	10	47.6	4
White	191	96	9	47.1	4
Nonwhite	19	20	1	52.6	-
Johnson	595	181	27	45.4	10
Kenton	1,798	1,089	64	35.6	49
Covington	1,224	801	47	38.4	34
Balance of county	574	288	17	29.6	15
Knott	547	96	15	27.4	13
Knox	815	228	49	60.1	25
Larue	177	89	8	45.2	4
Laurel	637	219	32	50.2	14
Lawrence	291	143	14	48.1	9
Lee	166	45	2	12.0	-
Leslie	447	69	21	47.0	9
Letcher	1,187	267	60	50.5	29
Lewis	363	131	28	77.1	2
Lincoln	440	165	19	43.2	7
Livingston	148	94	5	33.8	1
Logan	405	250	25	61.7	8
White	358	203	21	58.7	8
Nonwhite	47	47	4	85.1	-
Lyon	107	65	2	18.7	-
White	104	55	2	19.2	-
Nonwhite	3	10	-	0	-
McCracken	871	546	32	36.7	46
White	790	425	29	36.7	32
Nonwhite	81	121	3	37.0	14
Paducah	550	414	19	34.5	36
White	485	302	16	33.0	26
Nonwhite	65	112	3	46.2	10
Balance of county	321	132	13	40.5	10
McCreary	429	119	27	62.9	20
McLean	249	101	6	24.1	3
Madison	566	310	19	33.6	8
White	540	259	18	33.3	6
Nonwhite	26	51	1	38.5	2
Magoffin	348	65	4	11.5	4
Marion	472	167	24	50.8	6
Marshall	239	108	7	29.3	10
Martin	286	57	18	62.9	5
Mason	341	212	15	44.0	12
White	311	182	13	41.8	8
Nonwhite	30	30	2	66.7	4
Meade	211	60	8	37.9	6
Menifee	127	43	7	55.1	5
Mercer	249	149	9	36.1	2
Metcalfe	204	83	12	58.8	5
Monroe	331	89	9	27.2	6
Montgomery	309	140	16	51.8	6
White	280	110	15	53.6	6
Nonwhite	29	30	1	34.5	-
Morgan	298	108	6	20.1	4
Muhlenberg	796	312	47	59.0	14
Nelson	460	165	20	43.5	12
Nicholas	133	85	5	37.6	-
Ohio	393	216	10	25.4	7
Oldham	144	87	9	62.5	3
White	131	74	8	61.1	3
Nonwhite	13	13	1	76.9	-
Owen	163	119	12	73.6	4
Owsley	164	33	5	30.5	1
Pendleton	132	106	1	7.6	4
Perry	1,383	262	66	47.7	47
Pike	2,150	482	114	53.0	36
Powell	163	55	8	49.1	4
Pulaski	873	270	44	50.4	23
Robertson	54	39	2	37.0	2
Rockcastle	390	100	17	43.6	8
Rowan	268	82	6	22.4	4
Russell	235	101	7	29.8	6
Scott	253	159	14	55.3	4
White	229	115	12	52.4	3
Nonwhite	24	44	2	83.3	1
Shelby	347	212	13	37.5	4
White	301	170	12	39.9	4
Nonwhite	46	42	1	21.7	-
Simpson	214	122	11	51.4	7
White	186	99	10	53.8	7
Nonwhite	28	23	1	35.7	-

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
KENTUCKY—Continued					
Spencer	154	14	11	71.4	4
Taylor	302	124	9	29.8	6
Todd	260	139	11	42.3	5
White	208	98	5	24.0	4
Nonwhite	52	41	6	115.4	1
Trigg	212	90	14	66.0	1
White	177	72	12	67.8	1
Nonwhite	35	18	2	57.1	-
Trimble	111	46	3	27.0	-
Union	383	169	18	47.0	5
White	357	139	13	36.4	3
Nonwhite	26	30	5	192.3	2
Warren	746	459	52	69.7	19
White	673	379	44	65.4	17
Nonwhite	73	80	8	109.6	2
Bowling Green	365	242	28	76.7	9
White	327	189	23	70.3	8
Nonwhite	38	53	5	131.6	1
Balance of county	381	217	24	63.0	10
Washington	282	107	10	35.5	7
Wayne	451	111	14	31.0	12
Webster	271	155	7	25.8	5
White	249	128	6	24.1	4
Nonwhite	22	27	1	45.5	1
Whitley	685	260	42	61.3	21
Wolfe	231	80	8	34.6	8
Woodford	200	107	5	25.0	25
White	185	84	5	27.0	24
Nonwhite	15	23	-	0	1
LOUISIANA	57,838	22,125	2,488	43.0	1,683
White	35,240	12,657	1,170	33.2	720
Nonwhite	22,598	9,468	1,318	58.3	963
Acadia	1,105	354	58	52.5	23
White	834	253	38	45.6	20
Nonwhite	271	101	20	73.8	3
Allen	424	140	22	51.9	13
White	299	88	13	43.5	8
Nonwhite	125	52	9	72.0	5
Ascension	462	174	12	26.0	19
White	290	93	5	17.2	5
Nonwhite	172	81	7	40.7	14
Assumption	461	159	22	47.7	14
White	215	73	6	27.9	1
Nonwhite	246	86	16	65.0	13
Avoyelles	761	248	19	25.0	11
White	538	151	10	18.6	3
Nonwhite	223	97	9	40.4	8
Beauregard	380	120	17	44.7	13
White	319	93	13	40.8	12
Nonwhite	61	27	4	65.6	1
Bienville	415	170	16	38.6	7
White	170	89	4	23.5	1
Nonwhite	245	81	12	49.0	6
Bossier	772	272	44	57.0	26
White	372	118	20	53.8	12
Nonwhite	400	154	24	60.0	14
Caddo	3,568	1,394	168	47.1	102
White	1,875	673	55	29.3	31
Nonwhite	1,693	721	113	66.7	71
Shreveport	2,490	1,027	121	48.6	68
White	1,502	535	46	30.6	24
Nonwhite	988	492	75	75.9	44
Balance of parish	1,078	367	47	43.6	34
White	373	138	9	24.1	7
Nonwhite	705	229	38	53.9	27
Calcasieu	1,842	538	80	43.4	45
White	1,401	366	50	35.7	20
Nonwhite	441	172	30	68.0	25
Lake Charles	810	298	37	45.7	24
White	577	181	18	31.2	7
Nonwhite	233	117	19	81.5	17
Balance of parish	1,032	240	43	41.7	21
White	824	185	32	38.8	13
Nonwhite	208	55	11	52.9	8
Caldwell	260	79	7	26.9	3
White	186	49	3	16.1	2
Nonwhite	74	30	4	54.1	1
Cameron	81	33	3	37.0	3
Catahoula	273	86	7	25.6	5
White	163	36	4	24.5	1
Nonwhite	110	50	3	27.3	4
Claiborne	538	187	15	27.9	9
White	177	69	1	5.6	1
Nonwhite	361	118	14	38.8	8
Concordia	305	126	10	32.8	7
White	115	34	3	26.1	2
Nonwhite	190	92	7	36.8	5
De Soto	694	258	27	38.9	18
White	185	92	9	48.6	1
Nonwhite	509	166	18	35.4	17
East Baton Rouge	2,692	836	89	33.1	82
White	1,751	419	41	23.4	33
Nonwhite	941	417	48	51.0	49
Section B (Counties)—Continued					
LOUISIANA—Continued					
East Baton Rouge—Continued					
Baton Rouge	1,324	340	29	21.9	50
White	948	170	11	11.6	21
Nonwhite	376	170	18	47.9	29
Balance of parish	1,368	496	60	43.9	32
White	803	249	30	37.4	12
Nonwhite	565	247	30	53.1	20
East Carroll	488	163	21	43.0	11
White	149	37	4	26.8	2
Nonwhite	339	126	17	50.1	9
East Feliciana	350	487	21	60.0	22
White	64	240	6	93.8	3
Nonwhite	286	247	15	52.4	19
Evangeline	573	179	27	47.1	13
White	365	130	11	30.1	4
Nonwhite	208	49	16	76.9	9
Franklin	691	213	31	44.7	17
White	388	95	9	23.2	9
Nonwhite	308	118	22	71.9	8
Grant	344	132	7	20.3	3
White	253	92	4	15.8	3
Nonwhite	91	40	3	33.0	-
Iberia	860	344	42	48.8	31
White	528	194	24	45.5	13
Nonwhite	332	150	18	54.2	18
New Iberia	333	179	23	69.1	18
White	233	118	15	64.4	6
Nonwhite	100	61	8	80.0	12
Balance of parish	527	165	19	36.1	13
White	295	76	9	30.5	7
Nonwhite	232	89	10	43.1	6
Iberville	658	308	37	56.2	29
White	302	136	20	66.2	8
Nonwhite	356	172	17	47.8	21
Jackson	337	126	21	62.3	15
White	208	77	12	57.7	9
Nonwhite	129	49	9	69.8	6
Jefferson	1,647	487	61	37.0	28
White	1,320	352	42	31.8	18
Nonwhite	327	135	19	58.1	10
Gretna	284	103	16	56.3	6
White	209	66	10	47.8	4
Nonwhite	75	37	6	80.0	2
Balance of parish	1,363	384	45	33.0	22
White	1,111	286	32	28.8	14
Nonwhite	252	98	13	51.6	8
Jefferson Davis	612	188	26	42.5	11
White	447	143	25	55.9	4
Nonwhite	165	45	1	6.1	7
Lafayette	1,120	382	50	44.6	30
White	664	239	26	39.2	11
Nonwhite	456	143	24	52.6	19
Lafayette	550	211	25	45.5	15
White	387	138	17	43.9	4
Nonwhite	163	73	8	49.1	11
Balance of parish	570	171	25	43.9	15
White	277	101	9	32.5	7
Nonwhite	293	70	16	54.6	8
Lafourche	978	269	52	53.2	36
White	823	199	35	42.5	28
Nonwhite	155	70	17	109.7	8
La Salle	240	96	5	20.8	9
White	215	84	5	23.3	8
Nonwhite	25	12	-	0	1
Lincoln	494	183	30	60.7	14
White	229	109	12	52.4	3
Nonwhite	265	74	18	67.9	11
Livingston	450	107	19	42.2	10
White	372	92	13	34.9	6
Nonwhite	78	15	6	76.9	4
Madison	432	149	20	46.3	20
White	116	35	4	34.5	4
Nonwhite	316	114	16	50.6	16
Morehouse	668	279	39	58.4	23
White	295	103	9	30.5	4
Nonwhite	373	176	30	80.4	19
Natchitoches	699	302	40	44.5	29
White	380	122	9	23.7	7
Nonwhite	519	180	31	59.7	22
Orleans, coextensive with New Orleans	11,758	5,993	437	37.2	333
White	7,768	3,908	230	29.6	182
Nonwhite	3,990	2,085	207	51.9	151
Ouachita	1,598	612	69	43.2	70
White	1,055	361	31	29.4	30
Nonwhite	543	251	38	70.0	40
Monroe	845	383	40	47.3	46
White	552	220	18	32.6	19
Nonwhite	293	173	22	75.1	27
Balance of parish	753	219	29	38.5	24
White	503	141	13	25.8	11
Nonwhite	250	78	16	64.0	13
Plaquemines	281	96	14	49.8	8
White	144	45	6	41.7	2
Nonwhite	137	51	8	58.4	6

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
LOUISIANA—Continued					
Pointe Coupee	611	226	36	58.9	18
White	208	62	4	19.2	1
Nonwhite	403	164	32	79.4	17
Rapides	2,285	929	102	44.6	48
White	1,561	510	59	37.8	21
Nonwhite	724	419	43	59.4	27
Alexandria	971	327	33	34.0	24
White	616	163	19	30.8	7
Nonwhite	355	164	14	39.4	17
Balance of parish	1,314	602	69	52.5	24
White	945	347	40	42.3	14
Nonwhite	369	255	29	78.6	10
Red River	333	99	16	48.0	15
White	155	39	3	19.4	6
Nonwhite	178	60	13	73.0	9
Richland	654	224	29	44.3	24
White	356	99	13	36.5	8
Nonwhite	298	125	16	53.7	16
Sabine	517	174	22	42.6	12
White	412	124	11	26.7	6
Nonwhite	105	50	11	104.8	6
St. Bernard	173	69	8	46.2	6
White	135	50	6	44.4	6
Nonwhite	38	19	2	52.6	-
St. Charles	285	91	3	10.5	12
White	171	55	3	17.5	7
Nonwhite	114	36	-	0	5
St. Helena	169	60	6	35.5	4
White	56	26	2	35.7	1
Nonwhite	113	34	4	35.4	3
St. James	418	137	24	57.4	9
White	150	55	5	33.3	1
Nonwhite	268	82	19	70.9	8
St. John the Baptist	345	127	28	81.2	7
White	150	45	7	46.7	1
Nonwhite	195	82	21	107.7	6
St. Landry	2,135	573	133	62.3	83
White	877	247	33	37.6	19
Nonwhite	1,258	326	100	79.5	64
St. Martin	697	177	27	38.7	13
White	349	90	10	28.7	6
Nonwhite	348	87	17	48.9	7
St. Mary	940	301	28	29.8	24
White	534	137	11	20.6	9
Nonwhite	406	164	17	41.9	15
St. Tammany	547	243	28	51.2	18
White	352	154	13	36.9	8
Nonwhite	195	89	15	76.9	10
Tangipahoa	1,162	405	57	49.1	36
White	747	252	35	46.9	15
Nonwhite	415	153	22	53.0	21
Tensas	345	138	9	26.1	18
White	104	28	3	28.8	2
Nonwhite	241	110	6	24.9	16
Terrebonne	1,204	304	62	51.5	42
White	877	186	38	43.3	24
Nonwhite	327	118	24	73.4	18
Union	358	152	7	19.6	8
White	199	101	5	25.1	7
Nonwhite	159	51	2	12.6	1
Vermilion	767	257	19	24.8	12
White	656	220	15	22.9	8
Nonwhite	111	37	4	36.0	4
Vernon	500	203	31	62.0	19
White	431	161	26	60.3	13
Nonwhite	69	42	5	72.5	6
Washington	877	253	29	33.1	29
White	555	150	13	23.4	12
Nonwhite	322	103	16	49.7	17
Bogalusa	340	122	13	38.2	16
White	212	73	5	23.6	6
Nonwhite	128	49	8	62.5	10
Balance of parish	537	131	16	29.8	13
White	343	77	8	23.3	6
Nonwhite	194	54	8	41.2	7
Webster	838	263	38	45.3	23
White	491	134	18	36.7	7
Nonwhite	347	129	20	57.6	16
West Baton Rouge	248	106	18	72.6	6
White	87	35	1	11.5	2
Nonwhite	161	71	17	105.6	4
West Carroll	426	122	19	44.6	12
White	336	87	14	41.7	8
Nonwhite	90	35	5	55.6	4
West Feliciana	213	104	13	61.0	16
White	30	14	1	33.3	3
Nonwhite	183	90	12	65.6	13
Winn	277	119	11	39.7	7
White	210	79	6	28.6	5
Nonwhite	67	40	5	74.6	2

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
MAINE	16,687	9,985	773	46.3	303
White	16,638	9,951	767	46.1	303
Nonwhite	49	34	6	122.4	-
Androscoggin	1,470	914	66	44.9	36
Auburn	309	211	11	35.6	9
Lewiston	687	420	30	43.7	18
Balance of county	474	283	25	52.7	9
Aroostook	2,229	786	143	64.2	34
Cumberland	3,428	1,930	162	47.3	56
Portland	1,551	1,004	74	47.7	27
South Portland	472	169	23	48.7	4
Westbrook	180	126	11	61.1	2
Balance of county	1,225	631	54	44.1	23
Franklin	364	218	13	35.7	5
Hancock	500	363	16	32.0	7
Kennebec	1,399	983	67	47.9	27
Augusta	306	248	13	42.5	6
Waterville	281	201	19	67.6	6
Balance of county	812	534	35	43.1	15
Knox	449	353	17	37.9	8
Lincoln	300	246	21	70.0	6
Oxford	693	434	28	40.4	20
Penobscot	1,806	1,213	79	43.7	30
Bangor	549	501	32	58.3	12
Balance of county	1,257	712	47	37.4	18
Piscataquis	325	219	16	49.2	7
Sagadahoc	452	267	17	37.6	5
Bath	211	137	3	14.2	2
Balance of county	241	130	14	58.1	3
Somerset	654	401	27	41.3	11
Waldo	404	287	19	47.0	6
Washington	541	405	21	38.8	13
York	1,673	966	61	36.5	32
Biddeford	352	221	24	68.2	6
Balance of county	1,321	745	37	28.0	26
MARYLAND	42,791	22,584	1,626	38.0	1,153
White	34,647	17,776	1,110	32.0	767
Nonwhite	8,144	4,808	516	63.4	386
Allegany	1,743	923	72	41.3	54
Cumberland	754	514	28	37.1	24
Balance of county	989	409	44	44.5	30
Anne Arundel	1,699	941	76	44.7	43
White	1,269	545	52	41.0	32
Nonwhite	430	396	24	55.8	11
Annapolis	246	192	17	69.1	7
White	152	110	9	59.2	5
Nonwhite	94	82	8	85.1	2
Balance of county	1,453	749	59	40.6	36
White	1,117	435	43	38.5	27
Nonwhite	336	314	16	47.6	9
Baltimore	4,968	1,849	137	27.6	97
District 12[2]	567	142	25	44.1	3
District 13[2]	140	75	3	21.4	2
Balance of county	4,261	1,632	109	25.6	92
White	3,956	1,519	95	24.0	75
Nonwhite	305	113	14	45.9	17
Baltimore (city)	18,115	10,996	717	39.6	559
White	13,577	8,269	444	32.7	332
Nonwhite	4,538	2,727	273	60.2	227
Calvert	311	116	11	35.4	17
White	157	67		31.8	3
Nonwhite	154	49	6	39.0	14
Caroline	344	201	19	55.2	7
White	261	162	14	53.6	6
Nonwhite	83	39	5	60.2	1
Carroll	710	683	27	38.0	15
Cecil	694	427	38	54.8	19
Charles	608	182	23	37.8	9
White	306	104	8	26.1	4
Nonwhite	302	78	15	49.7	5
Dorchester	468	363	21	44.9	19
White	304	245	9	29.6	9
Nonwhite	164	118	12	73.2	10
Cambridge	212	155	8	37.7	9
White	137	101	3	21.9	3
Nonwhite	75	54	5	66.7	6
Balance of county	256	208	13	50.8	10
White	167	144	6	35.9	6
Nonwhite	89	64	7	78.7	4
Frederick	1,153	691	58	50.3	27
Frederick	357	202	24	67.2	13
White	299	171	15	50.2	13
Nonwhite	58	31	9	155.2	-
Balance of county	796	489	34	42.7	14
Garrett	424	195	16	37.7	9
Harford	1,060	427	55	50.9	18
White	983	354	43	43.7	15
Nonwhite	97	73	12	123.7	3

[2] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
MARYLAND—Continued					
Howard	395	192	10	25.3	10
White	333	160	8	24.0	8
Nonwhite	62	32	2	32.3	2
Kent	260	186	11	42.3	9
White	178	136	7	39.3	5
Nonwhite	82	50	4	48.8	4
Montgomery	2,641	829	56	21.2	49
White	2,404	722	43	17.9	41
Nonwhite	237	107	13	54.9	8
Prince Georges	3,040	1,003	119	39.1	79
White	2,582	777	80	31.0	43
Nonwhite	458	226	39	85.2	36
Queen Annes	249	131	9	36.1	11
White	168	89	3	17.9	5
Nonwhite	81	42	6	74.1	6
St. Marys	678	181	24	35.4	19
White	512	108	13	25.4	10
Nonwhite	166	73	11	66.3	9
Somerset	365	269	16	43.8	15
White	207	171	7	33.8	10
Nonwhite	158	98	9	57.0	5
Talbot	331	260	18	54.4	12
White	219	178	11	50.2	7
Nonwhite	112	82	7	62.5	5
Washington	1,476	777	41	27.8	25
Hagerstown	704	418	12	17.0	12
Balance of county	772	359	29	37.6	13
Wicomico	638	493	29	45.5	16
White	467	372	17	36.4	8
Nonwhite	171	121	12	70.2	8
Salisbury	296	246	14	47.3	10
White	241	189	7	29.0	6
Nonwhite	55	57	7	127.3	4
Balance of county	342	247	15	43.9	6
White	226	183	10	44.2	2
Nonwhite	116	64	5	43.1	4
Worcester	401	269	23	57.4	15
White	229	170	11	48.0	6
Nonwhite	172	99	12	69.8	9
MASSACHUSETTS	77,064	51,133	2,436	31.6	1,758
White	75,805	50,226	2,371	31.3	1,716
Nonwhite	1,259	907	65	51.6	42
Barnstable	519	503	19	36.6	11
Berkshire	1,988	1,329	59	29.7	51
Adams (town)	181	130	4	22.1	4
North Adams	347	260	9	25.9	11
Pittsfield	870	519	31	35.6	23
Balance of county	590	420	15	25.4	13
Bristol	6,532	4,551	239	36.6	175
Attleboro	450	295	16	35.6	6
Fairhaven (town)	195	118	9	46.2	4
Fall River	2,132	1,490	87	40.8	61
New Bedford	1,822	1,254	64	35.1	53
North Attleborough (town)	191	110	4	20.9	6
Taunton	680	660	25	36.8	14
Balance of county	1,062	624	34	32.0	31
Dukes	120	90	6	50.0	-
Essex	8,398	6,041	270	32.2	195
Amesbury (town)	181	147	3	16.6	6
Andover (town)	191	125	9	47.1	1
Beverly	505	298	17	33.7	10
Danvers (town)	216	386	5	23.1	10
Gloucester	453	293	16	35.3	8
Haverhill	702	553	19	27.1	15
Lawrence	1,291	966	48	37.2	37
Lynn	1,706	1,177	50	29.3	31
Marblehead (town)	214	143	5	23.4	3
Methuen (town)	360	226	16	44.4	8
Newburyport	234	217	19	81.2	7
Peabody	324	231	8	24.7	5
Salem	706	464	20	28.3	20
Saugus (town)	319	115	10	31.3	14
Swampscott (town)	195	113	5	25.6	3
Balance of county	801	587	20	25.0	17
Franklin	844	605	33	39.1	12
Greenfield (town)	293	176	5	17.1	3
Balance of county	551	429	28	50.8	9
Hampden	6,240	3,653	181	29.0	154
Chicopee	821	360	22	26.8	21
Holyoke	978	641	37	37.8	21
Springfield	2,923	1,729	79	27.0	78
Westfield	345	232	9	26.1	7
West Springfield (town)	343	140	10	29.2	6
Balance of county	830	551	24	28.9	21
Hampshire	1,222	1,047	29	23.7	24
Easthampton (town)	178	81	2	11.2	6
Northampton	405	527	7	17.3	10
Balance of county	639	439	20	31.3	8
Middlesex	17,584	10,668	488	27.8	387
Arlington (town)	652	394	21	32.2	9
Belmont (town)	451	217	15	33.3	7
Section B (Counties)—Continued					
MASSACHUSETTS—Continued					
Middlesex—Continued					
Cambridge	2,219	1,489	72	32.4	46
Everett	890	407	27	30.3	19
Framingham (town)	409	250	13	31.8	8
Lexington (town)	224	321	7	31.3	11
Lowell	1,641	1,286	41	25.0	35
Malden	1,046	582	32	30.6	23
Marlborough	237	186	7	29.5	6
Medford	1,145	575	28	24.5	22
Melrose	455	237	16	35.2	7
Natick (town)	301	167	8	26.6	11
Newton	1,231	706	20	16.2	28
Reading (town)	230	118	4	17.4	2
Somerville	1,867	1,059	60	32.1	48
Stoneham (town)	234	109	10	42.7	6
Wakefield (town)	320	154	7	21.9	4
Waltham	798	467	18	22.6	26
Watertown (town)	624	263	14	22.4	17
Winchester (town)	276	134	2	7.2	-
Woburn	340	207	14	41.2	6
Balance of county	1,994	1,290	52	26.1	46
Nantucket	57	46	2	35.1	1
Norfolk	6,203	3,812	181	29.2	118
Braintree (town)	370	162	7	18.9	8
Brookline (town)	804	682	14	17.4	8
Dedham (town)	287	163	10	34.8	4
Milton (town)	280	201	6	21.4	6
Needham (town)	241	115	10	41.5	2
Norwood (town)	258	173	8	31.0	7
Quincy	1,622	785	45	27.7	36
Wellesley (town)	252	114	16	63.5	3
Weymouth (town)	639	298	27	42.3	13
Balance of county	1,450	1,119	38	26.2	31
Plymouth	3,198	2,086	93	29.1	55
Brockton	1,146	800	31	27.1	23
Plymouth (town)	156	148	7	37.6	4
Balance of county	1,866	1,138	55	29.5	25
Suffolk	15,497	10,740	536	34.6	350
Boston	13,790	9,778	476	34.5	309
White	13,112	9,335	449	34.2	284
Nonwhite	678	443	27	39.8	25
Chelsea	689	488	30	43.5	19
Revere	681	304	18	26.4	15
Winthrop (town)	337	170	12	35.6	7
Worcester	8,662	5,962	300	34.6	225
Athol (town)	297	101	13	62.8	4
Clinton (town)	204	163	5	24.5	3
Fitchburg	713	418	19	26.6	19
Gardner	293	264	9	30.7	9
Leominster	500	251	15	30.0	19
Milford (town)	265	184	9	34.0	7
Northbridge (town)	153	77	4	26.1	8
Southbridge (town)	329	150	12	36.5	8
Webster (town)	246	119	9	36.6	8
Worcester	3,263	2,558	124	38.0	73
Balance of county	2,489	1,677	81	32.5	67
MICHIGAN	112,655	53,966	4,035	35.8	2,700
White	105,840	50,557	3,690	34.9	2,406
Nonwhite	6,815	3,409	345	50.6	294
Alcona	88	41	4	45.5	1
Alger	197	122	16	81.2	11
Allegan	735	497	29	39.5	13
Alpena	452	197	30	66.4	7
Alpena	302	147	20	66.2	3
Balance of county	150	50	10	66.7	4
Antrim	177	123	8	45.2	4
Arenac	160	93	11	68.8	2
Baraga	144	91	5	34.7	1
Barry	416	297	17	40.9	8
Bay	1,797	799	85	47.3	35
Bay City	1,184	547	52	43.9	25
Balance of county	613	252	33	53.8	10
Benzie	144	75	8	55.6	7
Berrien	2,082	1,020	75	36.0	41
Benton Harbor	564	230	25	44.3	14
Niles	296	117	7	23.6	3
Balance of county	1,222	673	43	35.2	24
Branch	497	366	13	26.2	3
Calhoun	2,041	1,204	73	35.8	46
Battle Creek	1,236	588	38	30.7	32
Balance of county	805	616	35	43.5	14
Cass	423	292	12	28.4	10
Charlevoix	227	171	12	52.9	9
Cheboygan	266	168	14	52.6	8
Chippewa	566	261	29	51.2	13
Sault Ste. Marie	361	167	19	52.6	5
Balance of county	205	114	10	48.8	8
Clare	200	104	14	70.0	8
Clinton	565	281	13	23.0	15
Crawford	47	44	5	106.4	2

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
MICHIGAN—Continued					
Delta	632	333	35	55.4	19
Escanaba	276	165	15	54.3	9
Balance of county	356	168	20	56.2	10
Dickinson	423	245	12	28.4	11
Iron Mountain	211	106	5	23.7	4
Balance of county	212	139	7	33.0	7
Eaton	748	464	28	37.4	17
Emmet	268	170	16	59.7	8
Genesee	4,985	1,903	181	36.3	120
Flint	3,892	1,306	128	32.9	95
Balance of county	1,093	597	53	48.5	25
Gladwin	183	87	13	71.0	4
Gogebic	451	327	19	42.1	9
Ironwood	188	115	5	26.6	4
Balance of county	263	212	14	53.2	5
Grand Traverse	505	497	21	41.6	20
Traverse City	319	131	13	40.8	12
Balance of county	186	366	8	43.0	8
Gratiot	691	366	27	39.1	20
Hillsdale	528	334	14	26.5	17
Houghton	704	580	24	34.1	20
Huron	681	309	25	36.7	3
Ingham	3,012	1,260	96	31.9	68
Lansing	2,076	797	57	27.5	52
Balance of county	936	463	39	41.7	16
Ionia	713	381	24	33.7	19
Iosco	181	67	4	22.1	6
Iron	307	144	8	26.1	3
Isabella	550	252	27	49.1	18
Jackson	1,810	1,035	59	32.6	55
Jackson	1,272	672	44	34.6	39
Balance of county	538	363	15	27.9	16
Kalamazoo	2,084	1,373	69	33.1	35
Kalamazoo	1,537	986	46	29.9	25
Balance of county	547	387	23	42.0	10
Kalkaska	73	62	5	68.5	1
Kent	4,903	2,616	160	32.6	97
Grand Rapids	3,843	1,785	119	31.0	63
Balance of county	1,060	831	41	38.7	34
Keweenaw	38	23	1	26.3	2
Lake	81	59	2	24.7	1
White	72	39	1	13.9	1
Nonwhite	9	20	1	111.1	-
Lapeer	575	431	30	52.2	15
Leelanau	144	66	3	20.8	4
Lenawee	1,158	630	48	41.5	27
Adrian	372	205	21	56.5	7
Balance of county	786	425	27	34.4	20
Livingston	399	266	13	32.6	14
Luce	135	187	9	66.7	3
Mackinac	144	75	9	62.5	4
Macomb	3,073	970	108	35.1	81
Mount Clemens	505	181	24	47.5	14
St. Clair Shores	265	80	7	26.4	8
Balance of county	2,303	709	77	33.4	59
Manistee	345	205	14	40.6	8
Marquette	834	506	28	33.6	27
Marquette	272	162	8	29.4	8
Balance of county	562	344	20	35.6	19
Mason	334	223	14	41.9	5
Mecosta	305	178	14	45.9	5
Menominee	462	224	15	32.5	11
Menominee	247	114	9	36.4	6
Balance of county	215	110	6	27.9	5
Midland	743	227	21	28.3	14
Midland	413	89	8	19.4	5
Balance of county	330	138	13	39.4	9
Missaukee	161	74	7	43.5	8
Monroe	1,304	593	47	36.0	30
Monroe	616	189	20	32.5	15
Balance of county	688	404	27	39.2	15
Montcalm	587	320	24	40.9	9
Montmorency	70	34	6	85.7	2
Muskegon	2,679	1,043	152	56.7	62
Muskegon	1,489	616	97	65.1	33
Muskegon Heights	448	117	19	42.4	9
Balance of county	742	310	36	48.5	20
Newaygo	414	235	14	33.8	11
Oakland	6,555	2,351	219	33.4	144
Birmingham	325	89	6	18.5	9
Ferndale	619	174	21	33.9	23
Pontiac	1,613	748	52	32.2	37
Royal Oak	918	217	27	29.4	12
Balance of county	3,080	1,123	113	36.7	63
Oceana	273	176	23	84.2	10
Ogemaw	201	90	11	54.7	3
Ontonagon	180	102	3	16.7	9
Osceola	278	154	11	39.6	5
Oscoda	32	20	-	0	2
Otsego	108	65	5	45.3	4
Ottawa	1,327	588	33	24.9	31
Holland	334	172	5	15.0	10
Balance of county	993	416	28	28.2	21
Presque Isle	225	94	8	35.6	5
Roscommon	56	40	3	53.6	5
Section B (Counties)—Continued					
MICHIGAN—Continued					
Saginaw	2,814	1,339	102	36.2	50
Saginaw	1,850	925	72	38.9	35
Balance of county	964	414	30	31.1	24
St. Clair	1,625	885	67	41.2	48
Port Huron	805	422	36	44.7	28
Balance of county	820	463	31	37.8	20
St. Joseph	595	394	14	23.5	7
Sanilac	552	299	14	25.4	11
Schoolcraft	170	85	7	41.2	3
Shiawassee	885	429	26	29.4	18
Owosso	354	141	8	22.6	5
Balance of county	531	288	18	33.9	13
Tuscola	734	435	28	38.1	16
Van Buren	648	501	28	43.2	10
Washtenaw	2,211	1,212	73	33.0	31
Ann Arbor	841	372	30	35.7	11
Ypsilanti	591	146	11	18.6	10
White	534	121	8	15.0	6
Nonwhite	57	25	3	52.6	4
Balance of county	779	694	32	41.1	10
Wayne	43,182	18,869	1,421	32.9	1,113
Dearborn	1,997	449	45	22.5	40
Detroit	33,336	14,078	1,091	32.7	899
White	28,809	12,086	881	30.6	688
Nonwhite	4,527	1,992	210	46.4	211
Ecorse	381	108	14	36.7	11
White	262	77	10	38.2	8
Nonwhite	119	31	4	33.6	3
Grosse Pointe Park	119	72	2	16.8	3
Hamtramck	876	358	32	36.5	16
Highland Park	769	487	29	37.7	22
Lincoln Park	429	77	12	28.0	9
River Rouge	372	125	12	32.3	11
White	255	92	7	27.5	8
Nonwhite	117	33	5	42.7	3
Wyandotte	922	291	30	32.5	18
Balance of county	3,981	2,824	154	38.7	84
Wexford	363	198	20	55.1	9
MINNESOTA	54,656	26,763	1,698	31.1	1,141
White	53,921	26,395	1,649	30.6	1,129
Nonwhite	735	368	49	66.7	19
Aitkin	270	130	5	18.5	6
Anoka	446	238	15	33.6	5
Becker	548	242	26	47.4	4
Beltrami	535	240	21	39.3	14
Benton	352	106	10	28.4	4
St. Cloud (part)	44	11	1	(3)	-
Balance of county	308	95	9	29.2	4
Big Stone	210	97	8	38.1	3
Blue Earth	674	332	12	17.8	13
Mankato	338	187	7	20.7	5
Balance of county	336	145	5	14.9	8
Brown	534	222	25	46.8	16
Carlton	420	309	11	26.2	9
Carver	325	179	10	30.8	3
Cass	385	208	16	41.6	7
Chippewa	336	143	4	11.9	9
Chisago	193	153	6	31.1	3
Clay	501	227	18	35.9	19
Clearwater	229	87	7	30.6	3
Cook	36	27	6	166.7	-
White	33	21	5	151.5	-
Nonwhite	3	6	1	333.3	-
Cottonwood	318	131	15	47.2	8
Crow Wing	562	274	13	23.1	15
Brainerd	242	133	8	33.1	9
Balance of county	320	141	5	15.6	6
Dakota	847	421	36	42.5	16
South St. Paul	311	98	8	25.7	4
Balance of county	536	323	28	52.2	12
Dodge	249	118	7	28.1	8
Douglas	396	184	17	42.9	7
Faribault	478	212	13	27.2	13
Fillmore	467	256	8	17.1	8
Freeborn	636	259	21	33.0	14
Albert Lea	260	129	13	50.0	7
Balance of county	376	130	8	21.3	7
Goodhue	592	354	18	30.4	6
Grant	187	72	8	42.8	3
Hennepin	11,526	5,779	314	27.2	270
Minneapolis	9,567	5,031	274	28.6	226
Balance of county	1,959	748	40	20.4	44
Houston	269	129	5	18.6	4
Hubbard	196	104	9	45.9	5
Isanti	169	144	7	41.4	3
Itasca	672	291	29	43.2	10
Jackson	324	123	10	30.9	7
Kanabec	187	77	4	21.4	2
Kandiyohi	464	288	7	15.1	8
Kittson	219	78	5	22.8	4
Koochiching	311	147	12	38.6	6
Lac qui Parle	289	127	17	58.8	7
Lake	130	60	1	7.7	4

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
MINNESOTA—Continued					
Lake of the Woods	87	42	4	46.0	2
Le Sueur	350	170	10	28.6	6
Lincoln	205	97	7	34.1	4
Lyon	471	201	18	38.2	14
McLeod	428	190	13	30.4	8
Mahnomen	159	58	6	37.7	3
White	117	50	3	25.6	1
Nonwhite	42	8	3	71.4	2
Marshall	328	137	14	42.7	5
Martin	532	174	18	33.8	10
Meeker	326	184	14	42.9	10
Mille Lacs	281	151	13	46.3	3
Morrison	514	212	11	21.4	12
Mower	875	282	17	19.4	14
Austin	493	158	14	28.4	13
Balance of county	382	124	3	7.9	1
Murray	315	81	7	22.2	8
Nicollet	300	356	8	26.7	6
Nobles	511	151	18	35.2	6
Norman	243	132	4	16.5	5
Olmsted	828	579	26	31.4	11
Rochester	473	455	14	29.6	5
Balance of county	355	124	12	33.8	6
Otter Tail	920	672	26	28.3	18
Fergus Falls	158	330	8	50.6	2
Balance of county	762	342	18	23.6	16
Pennington	260	129	10	38.5	6
Pine	334	172	5	15.0	9
Pipestone	296	96	7	23.6	7
Polk	660	315	25	37.9	14
Pope	271	144	11	40.6	2
Ramsey	6,520	3,299	198	30.4	159
St. Paul	5,898	3,068	186	31.5	150
Balance of county	622	231	12	19.3	9
Red Lake	147	42	5	34.0	1
Redwood	439	160	15	34.2	15
Renville	507	185	14	27.6	10
Rice	575	362	24	41.7	15
Faribault	236	213	17	72.0	3
Balance of county	339	149	7	20.6	12
Rock	248	69	5	20.2	5
Roseau	324	113	12	37.0	7
St. Louis	3,730	1,965	121	32.4	70
Duluth	1,898	1,080	60	31.6	32
Hibbing	365	128	10	27.4	8
Virginia	235	112	11	46.8	3
Balance of county	1,232	645	40	32.5	27
Scott	294	161	12	40.8	4
Sherburne	158	95	8	50.6	1
St. Cloud (part)	9	16	1	(3)	-
Balance of county	149	79	7	47.0	1
Sibley	268	121	4	14.9	6
Stearns	1,459	555	58	39.8	24
St. Cloud (part)	418	176	25	(3)	7
St. Cloud (total)	471	203	27	57.3	7
Balance of county	1,041	379	33	31.7	17
Steele	398	171	12	30.2	5
Stevens	276	83	9	32.6	1
Swift	318	120	7	22.0	6
Todd	486	236	18	37.0	14
Traverse	139	59	4	28.8	2
Wabasha	335	182	15	44.8	7
Wadena	278	108	10	36.0	5
Waseca	276	138	10	36.2	6
Washington	472	256	12	25.4	11
Watonwan	283	123	5	17.7	3
Wilkin	220	97	15	68.2	3
Winona	688	389	16	23.3	16
Winona	408	252	9	22.1	10
Balance of county	280	137	7	25.0	6
Wright	536	256	18	33.6	8
Yellow Medicine	306	125	3	9.8	8
MISSISSIPPI	54,263	19,355	2,204	40.6	1,844
White	24,103	8,781	865	35.9	555
Nonwhite	30,160	10,574	1,339	44.4	1,289
Adams	667	318	37	55.5	21
White	271	88	11	40.6	3
Nonwhite	396	230	26	65.7	18
Natchez	445	209	27	60.7	16
White	249	75	11	44.2	2
Nonwhite	196	134	16	81.6	14
Balance of county	222	109	10	45.0	5
White	22	13	-	0	1
Nonwhite	200	96	10	50.0	4
Alcorn	575	218	37	64.3	22
White	472	177	30	63.6	13
Nonwhite	103	41	7	68.0	9
Amite	551	166	21	38.1	16
White	162	61	5	30.9	3
Nonwhite	389	105	16	41.1	13
Attala	696	252	36	51.7	24
White	331	134	20	60.4	8
Nonwhite	365	118	16	43.8	16

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
MISSISSIPPI—Continued					
Benton	260	67	6	23.1	8
White	109	35	4	36.7	2
Nonwhite	151	32	2	13.2	6
Bolivar	1,836	642	73	39.8	69
White	385	116	10	26.0	11
Nonwhite	1,451	526	63	43.4	58
Calhoun	446	138	13	29.1	6
White	312	105	5	16.0	2
Nonwhite	134	33	8	59.7	4
Carroll	465	141	18	38.7	13
White	133	61	3	22.6	4
Nonwhite	332	80	15	45.2	9
Chickasaw	492	174	13	26.4	17
White	222	96	5	22.5	6
Nonwhite	270	78	8	29.6	11
Choctaw	276	76	7	25.4	4
White	165	49	1	6.1	2
Nonwhite	111	27	6	54.1	2
Claiborne	276	128	9	32.6	14
White	55	29	1	18.2	2
Nonwhite	221	99	8	36.2	12
Clarke	462	182	16	34.6	10
White	227	101	7	30.8	4
Nonwhite	235	81	9	38.3	6
Clay	483	171	24	49.7	13
White	163	69	6	36.8	1
Nonwhite	320	102	18	56.3	12
Coahoma	1,225	485	42	34.3	56
White	235	101	3	12.8	4
Nonwhite	990	384	39	39.4	52
Clarksdale	303	162	10	33.0	11
White	127	60	2	15.7	-
Nonwhite	176	102	8	45.5	11
Balance of county	922	323	32	34.7	45
White	108	41	1	9.3	4
Nonwhite	814	282	31	38.1	41
Copiah	807	303	26	32.2	28
White	265	144	7	26.4	6
Nonwhite	542	159	19	35.1	22
Covington	459	129	12	26.1	11
White	278	73	3	10.8	3
Nonwhite	181	56	9	49.7	8
De Soto	728	216	33	45.3	20
White	158	53	4	25.3	3
Nonwhite	570	163	29	50.9	17
Forrest	1,001	411	52	51.9	25
White	629	251	31	49.3	15
Nonwhite	372	160	21	56.5	10
Hattiesburg	680	265	37	54.4	20
White	412	158	21	51.0	12
Nonwhite	268	107	16	59.7	8
Balance of county	321	146	15	46.7	5
White	217	93	10	46.1	3
Nonwhite	104	53	5	48.1	2
Franklin	261	82	4	15.3	12
White	129	36	-	0	2
Nonwhite	132	46	4	30.3	10
George	291	84	16	55.0	4
White	251	71	14	55.8	4
Nonwhite	40	13	2	50.0	-
Greene	274	55	11	40.1	7
White	210	35	8	38.1	4
Nonwhite	64	20	3	46.9	3
Grenada	534	157	29	54.3	23
White	210	62	8	38.1	10
Nonwhite	324	95	21	64.8	13
Hancock	247	105	12	48.6	9
White	196	75	10	51.0	6
Nonwhite	51	30	2	39.2	3
Harrison	1,702	666	75	44.1	60
White	1,434	496	59	41.1	48
Nonwhite	268	170	16	59.7	12
Biloxi	809	194	29	35.8	23
White	723	150	22	30.4	18
Nonwhite	86	44	7	81.4	5
Gulfport	474	220	25	52.7	28
White	380	153	21	55.3	23
Nonwhite	94	67	4	42.6	5
Balance of county	419	252	21	50.1	9
White	331	193	16	48.3	7
Nonwhite	88	59	5	56.8	2
Hinds	2,747	1,056	128	46.6	99
White	1,188	493	47	39.6	26
Nonwhite	1,559	563	81	52.0	73
Jackson	1,615	679	82	50.8	65
White	946	370	40	42.3	21
Nonwhite	669	309	42	62.8	44
Balance of county	1,132	377	46	40.6	34
White	242	123	7	28.9	5
Nonwhite	890	254	39	43.8	29
Holmes	1,077	376	39	36.2	49
White	152	82	1	6.6	6
Nonwhite	925	294	38	41.1	43
Humphreys	713	205	24	33.7	26
White	163	43	4	24.5	5
Nonwhite	550	162	20	36.4	21

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
MISSISSIPPI—Continued					
Issaquena	142	46	3	21.1	5
White	28	9	1	35.7	-
Nonwhite	114	37	2	17.5	5
Itawamba	377	128	15	39.8	9
Jackson	917	252	33	36.0	20
White	719	175	19	26.4	12
Nonwhite	198	77	14	70.7	8
Jasper	460	141	12	26.1	17
White	179	76	6	33.5	9
Nonwhite	281	65	6	21.4	8
Jefferson	294	125	9	30.6	19
White	43	29	1	23.3	1
Nonwhite	251	96	8	31.9	18
Jefferson Davis	419	115	13	31.0	11
White	152	44	3	19.7	1
Nonwhite	267	71	10	37.5	10
Jones	1,195	433	49	41.0	39
White	841	280	29	34.5	22
Nonwhite	354	153	20	56.5	17
Laurel	546	233	31	56.8	27
White	372	122	17	45.7	15
Nonwhite	174	111	14	80.5	12
Balance of county	649	200	18	27.7	12
White	469	158	12	25.6	7
Nonwhite	180	42	6	33.3	5
Kemper	438	160	25	57.1	21
White	97	60	4	41.2	2
Nonwhite	341	100	21	61.6	19
Lafayette	431	159	18	41.8	21
White	196	85	8	40.8	5
Nonwhite	235	74	10	42.6	16
Lamar	352	109	14	39.8	12
White	291	79	10	34.4	9
Nonwhite	61	30	4	65.6	3
Lauderdale	1,421	672	70	49.3	39
White	871	390	40	45.9	15
Nonwhite	550	282	30	54.5	24
Meridian	966	474	56	58.0	28
White	702	287	39	55.6	12
Nonwhite	264	187	17	64.4	16
Balance of county	455	198	14	30.8	11
White	169	103	1	5.9	3
Nonwhite	286	95	13	45.5	8
Lawrence	319	109	7	21.9	16
White	173	68	2	11.6	7
Nonwhite	146	41	5	34.2	9
Leake	589	159	31	52.6	7
White	276	97	12	43.5	4
Nonwhite	313	62	19	60.7	3
Lee	798	301	24	30.1	22
White	533	196	18	33.8	15
Nonwhite	265	105	6	22.6	7
Leflore	1,452	439	54	37.2	64
White	300	107	11	36.7	5
Nonwhite	1,152	332	43	37.3	59
Greenwood	356	179	23	64.6	15
White	180	71	9	50.0	2
Nonwhite	176	108	14	79.5	13
Balance of county	1,096	260	31	28.3	49
White	120	36	2	16.7	3
Nonwhite	976	224	29	29.7	46
Lincoln	644	227	29	45.0	19
White	380	128	17	44.7	5
Nonwhite	264	99	12	45.5	14
Lowndes	944	330	29	30.7	26
White	441	154	12	27.2	9
Nonwhite	503	176	17	33.8	17
Columbus	470	197	20	42.6	18
White	307	99	10	32.8	7
Nonwhite	163	98	10	61.3	11
Balance of county	474	133	9	19.0	8
White	134	55	2	14.9	2
Nonwhite	340	78	7	20.6	6
Madison	1,034	334	44	42.5	33
White	169	71	9	53.3	1
Nonwhite	865	263	35	40.5	32
Marion	589	187	25	42.4	19
White	352	106	13	36.9	8
Nonwhite	237	81	12	50.6	11
Marshall	732	240	27	36.9	24
White	144	73	5	34.7	2
Nonwhite	588	167	22	37.4	22
Monroe	840	303	32	38.1	20
White	442	157	18	40.7	10
Nonwhite	398	146	14	35.2	10
Montgomery	396	126	19	48.0	26
White	198	73	7	35.4	4
Nonwhite	198	53	12	60.6	22
Neshoba	647	196	26	40.2	26
White	438	139	13	29.7	10
Nonwhite	209	57	13	62.2	16
Newton	536	177	23	42.9	21
White	283	104	10	35.3	10
Nonwhite	253	73	13	51.4	11
Section B (Counties)—Continued					
MISSISSIPPI—Continued					
Noxubee	636	210	32	50.3	34
White	92	46	2	21.7	4
Nonwhite	544	164	30	55.1	30
Oktibbeha	497	160	18	36.2	21
White	139	63	6	43.2	3
Nonwhite	358	97	12	33.5	18
Panola	865	299	35	40.5	38
White	283	108	8	28.3	10
Nonwhite	582	191	27	46.4	28
Pearl River	529	177	22	41.6	8
White	419	137	22	52.5	6
Nonwhite	110	40	-	0	2
Perry	225	45	5	22.2	9
White	158	32	5	31.6	5
Nonwhite	67	13	-	0	4
Pike	823	329	39	47.4	18
White	364	157	14	38.5	8
Nonwhite	459	172	25	54.5	10
Pontotoc	440	150	8	18.2	5
White	334	120	8	24.0	4
Nonwhite	106	30	-	0	1
Prentiss	455	173	27	59.3	11
White	404	147	25	61.9	9
Nonwhite	51	26	2	39.2	2
Quitman	714	223	34	47.6	34
White	236	55	4	16.9	8
Nonwhite	478	168	30	62.8	26
Rankin	573	547	10	17.5	28
White	184	222	6	32.6	8
Nonwhite	389	325	4	10.3	18
Scott	516	185	24	46.5	25
White	222	85	8	36.0	8
Nonwhite	294	100	16	54.4	17
Sharkey	396	125	21	53.0	10
White	66	20	2	30.3	4
Nonwhite	330	105	19	57.6	6
Simpson	524	170	13	24.8	13
White	290	100	7	24.1	4
Nonwhite	234	70	6	25.6	9
Smith	415	121	11	26.5	9
White	301	94	7	23.3	5
Nonwhite	114	27	4	35.1	4
Stone	111	40	4	36.0	1
White	84	25	3	35.7	1
Nonwhite	27	15	1	37.0	-
Sunflower	1,542	483	67	43.5	43
White	361	108	12	33.2	7
Nonwhite	1,181	375	55	46.6	36
Tallahatchie	981	256	30	30.6	34
White	254	59	6	23.6	9
Nonwhite	727	197	24	33.0	25
Tate	515	167	27	52.4	17
White	146	62	8	54.8	2
Nonwhite	369	105	19	51.5	15
Tippah	387	124	16	41.3	9
White	295	95	14	47.5	8
Nonwhite	92	29	2	21.7	1
Tishomingo	374	106	12	32.1	6
Tunica	588	237	18	30.6	25
White	61	27	3	49.2	-
Nonwhite	527	210	15	28.5	25
Union	430	140	8	18.6	9
White	335	107	7	20.9	5
Nonwhite	95	33	1	10.5	4
Walthall	467	155	30	64.2	20
White	193	79	11	57.0	3
Nonwhite	274	76	19	69.3	17
Warren	844	442	36	42.7	41
White	354	150	13	36.7	8
Nonwhite	490	292	23	46.9	33
Vicksburg	508	322	26	51.2	26
White	300	131	12	40.0	6
Nonwhite	208	191	14	67.3	20
Balance of county	336	120	10	29.8	15
White	54	19	1	18.5	2
Nonwhite	282	101	9	31.9	13
Washington	1,722	743	87	50.5	67
White	468	160	20	42.7	11
Nonwhite	1,254	583	67	53.4	56
Greenville	589	325	37	62.8	22
White	290	91	13	44.8	5
Nonwhite	299	234	24	80.3	17
Balance of county	1,133	418	50	44.1	45
White	178	69	7	39.3	6
Nonwhite	955	349	43	45.0	39
Wayne	412	196	16	38.8	12
White	228	65	9	39.5	5
Nonwhite	184	41	7	38.0	7
Webster	265	107	9	34.0	7
White	181	84	5	27.6	4
Nonwhite	84	23	4	47.6	3
Wilkinson	496	148	21	42.3	9
White	108	37	5	46.3	4
Nonwhite	388	111	16	41.2	5

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
MISSISSIPPI—Continued					
Winston	571	189	24	42.0	21
White	275	99	13	47.3	9
Nonwhite	296	90	11	37.2	12
Yalobusha	401	156	14	34.9	15
White	162	78	4	24.7	3
Nonwhite	239	78	10	41.8	12
Yazoo	1,032	371	42	40.7	45
White	346	104	7	20.2	7
Nonwhite	686	267	35	51.0	38
MISSOURI	65,659	42,602	2,464	37.5	1,550
White	60,474	38,397	2,131	35.2	1,285
Nonwhite	5,185	4,205	333	64.2	265
Adair	327	193	7	21.4	7
Kirksville	190	124	5	26.3	5
Balance of county	137	69	2	14.6	2
Andrew	137	137	8	58.4	4
Atchison	192	117	3	15.6	4
Audrain	389	228	16	41.1	8
Barry	385	186	12	31.2	7
Barton	184	150	4	21.7	3
Bates	237	219	9	38.0	4
Benton	132	79	4	30.3	4
Bollinger	154	72	5	32.5	2
Boone	537	379	19	35.4	18
Columbia	322	237	13	40.4	11
White	275	189	9	32.7	7
Nonwhite	47	48	4	85.1	4
Balance of county	215	142	6	27.9	7
Buchanan	1,475	1,335	62	42.0	30
St. Joseph	1,210	1,181	55	45.5	22
Balance of county	265	154	7	26.4	8
Butler	779	294	48	61.6	25
Poplar Bluff	276	147	22	79.7	9
Balance of county	503	147	26	51.7	16
Caldwell	161	129	4	24.8	1
Callaway	286	464	10	35.0	4
White	257	378	8	31.1	4
Nonwhite	29	86	2	69.0	-
Camden	138	72	1	7.2	2
Cape Girardeau	734	380	41	55.9	18
Cape Girardeau	386	231	30	77.7	10
Balance of county	348	149	11	31.6	8
Carroll	229	208	13	56.8	8
Carter	96	38	4	41.7	3
Cass	293	221	9	30.7	5
Cedar	140	144	2	14.3	4
Chariton	229	182	5	21.8	4
Christian	196	122	8	40.8	4
Clark	141	134	2	14.2	5
Clay	641	393	20	31.2	18
Clinton	150	149	4	26.7	1
Cole	488	300	18	36.9	11
Jefferson City	325	211	10	30.8	7
Balance of county	163	89	8	49.1	4
Cooper	238	190	7	29.4	4
White	221	165	6	27.1	4
Nonwhite	17	25	1	58.8	-
Crawford	154	100	7	45.5	6
Dade	99	130	8	80.8	1
Dallas	153	97	7	45.8	3
Daviess	153	132	4	26.1	4
De Kalb	124	115	3	24.2	1
Dent	178	109	10	56.2	4
Douglas	228	88	8	35.1	2
Dunklin	969	328	46	47.5	28
Franklin	598	357	20	33.4	5
Gasconade	184	116	4	21.7	5
Gentry	146	145	3	20.5	1
Greene	1,743	992	53	30.4	31
Springfield	1,252	723	37	29.6	24
Balance of county	491	269	16	32.6	7
Grundy	217	197	8	36.9	6
Harrison	207	170	12	58.0	6
Henry	298	248	9	30.2	7
Hickory	71	46	1	14.1	7
Holt	155	113	5	32.3	2
Howard	184	142	5	27.2	3
White	158	111	1	6.3	2
Nonwhite	26	31	4	153.8	1
Howell	380	223	23	60.5	6
Iron	180	96	5	27.8	2
Jackson	8,668	6,039	326	37.6	216
Independence	512	236	21	41.0	14
Kansas City	7,290	5,228	276	37.9	183
White	6,491	4,401	232	35.7	148
Nonwhite	799	827	44	55.1	35
Balance of county	866	575	29	33.5	19
Jasper	1,589	1,047	95	59.8	35
Carthage	219	152	8	36.5	5
Joplin (part)	792	555	53	(3)	22
Joplin (total)	812	563	54	66.5	22
Balance of county	578	340	34	58.8	8

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
MISSOURI—Continued					
Jefferson	499	309	18	36.1	13
Johnson	317	266	13	41.0	3
Knox	87	75	2	23.0	2
Laclede	353	186	12	34.0	6
Lafayette	436	295	8	18.3	9
Lawrence	350	320	13	37.1	4
Lewis	160	131	5	31.3	4
Lincoln	212	147	4	18.9	4
Linn	333	251	14	42.0	4
Livingston	256	213	15	58.6	6
McDonald	288	151	9	31.3	3
Macon	242	246	4	16.5	3
Madison	217	106	10	46.1	5
Maries	119	60	3	25.2	3
Marion	510	365	16	31.4	4
Hannibal	355	256	13	36.6	4
Balance of county	155	109	3	19.4	-
Mercer	94	97	5	53.2	2
Miller	187	118	7	37.4	8
Mississippi	579	221	36	62.2	19
White	450	148	22	48.9	13
Nonwhite	129	73	14	108.5	6
Moniteau	173	133	4	23.1	5
Monroe	156	153	9	57.7	2
Montgomery	148	155	7	47.3	6
Morgan	154	98	2	13.0	4
New Madrid	894	284	46	51.5	29
White	757	196	33	43.6	24
Nonwhite	137	88	13	94.9	5
Newton	631	298	28	44.4	10
Joplin (part)	20	8	1	(3)	-
Balance of county	611	290	27	44.2	10
Nodaway	349	253	9	25.8	5
Oregon	215	106	11	51.2	2
Osage	198	108	4	20.2	5
Ozark	160	55	3	18.8	3
Pemiscot	981	340	59	60.1	35
White	801	240	45	56.2	30
Nonwhite	180	100	14	77.8	5
Perry	284	114	10	35.2	8
Pettis	530	374	17	32.1	18
Sedalia	362	270	12	33.1	15
Balance of county	168	104	5	29.8	3
Phelps	366	205	21	57.4	7
Pike	260	238	10	38.5	4
White	234	208	9	38.5	4
Nonwhite	26	30	1	38.5	-
Platte	188	156	8	42.6	4
Polk	214	188	7	32.7	4
Pulaski	275	135	11	40.0	5
Putnam	154	115	5	32.5	3
Ralls	123	92	8	65.0	1
Randolph	326	296	11	33.7	2
Moberly	191	181	7	36.6	2
Balance of county	135	115	4	29.6	-
Ray	216	204	5	23.1	6
Reynolds	128	49	2	15.6	6
Ripley	200	100	5	25.0	3
St. Charles	491	271	17	34.6	10
St. Charles	273	139	14	51.3	9
Balance of county	218	132	3	13.8	1
St. Clair	139	111	2	14.4	4
St. Francois	602	415	18	29.9	15
St. Louis	5,942	2,862	131	22.0	119
Clayton	311	295	6	19.3	10
Kirkwood	332	125	4	12.0	4
Maplewood	220	125	6	27.3	8
Richmond Heights	272	140	8	29.4	5
University City	597	251	10	16.8	8
Webster Groves	402	168	4	10.0	3
Balance of county	3,808	1,758	93	24.4	81
St. Louis (city)	15,247	10,675	595	39.0	437
White	12,468	8,776	420	33.7	272
Nonwhite	2,779	1,899	175	63.0	165
Ste. Genevieve	213	83	5	23.5	6
Saline	393	353	16	40.7	13
Schuyler	87	89	5	57.5	3
Scotland	91	95	4	44.0	-
Scott	682	276	41	60.1	14
Shannon	155	63	1	6.5	6
Shelby	149	130	5	33.6	2
Stoddard	753	248	27	35.9	14
Stone	181	82	13	71.8	2
Sullivan	194	135	4	20.6	3
Taney	137	74	4	29.2	5
Texas	341	175	10	29.3	6
Vernon	325	453	11	33.8	5
Warren	88	88	5	56.8	1
Washington	277	127	18	65.0	4
Wayne	177	85	5	28.2	1
Webster	291	158	9	30.9	2
Worth	91	54	1	11.0	1
Wright	285	149	14	49.1	9

[3]Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
MONTANA	10,601	5,414	363	34.2	184
White	9,974	5,169	314	31.5	161
Nonwhite	627	245	49	78.1	23
Beaverhead	96	78	1	10.4	-
Big Horn	221	91	14	63.3	6
White	132	56	4	30.3	4
Nonwhite	89	35	10	112.4	2
Blaine	208	64	6	28.8	4
White	151	46	3	19.9	3
Nonwhite	57	18	3	52.6	1
Broadwater	57	21	-	0	-
Carbon	163	97	6	36.8	2
Carter	58	11	1	17.2	-
Cascade	1,180	449	27	22.9	15
Great Falls	962	378	24	24.9	12
Balance of county	218	71	3	13.8	3
Chouteau	126	60	-	0	-
Custer	208	113	9	43.3	1
Daniels	101	27	1	9.9	-
Dawson	193	75	8	41.5	1
Deer Lodge	278	284	6	21.6	4
Anaconda	253	123	6	23.7	3
Balance of county	25	161	-	0	1
Fallon	75	30	6	80.0	-
Fergus	247	132	13	52.6	5
Flathead	440	239	12	27.3	13
Gallatin	315	179	9	28.6	3
Garfield	51	24	3	58.8	-
Glacier	221	92	27	122.2	6
White	104	46	8	76.9	2
Nonwhite	117	46	19	162.4	4
Golden Valley	21	11	-	0	-
Granite	38	45	-	0	1
Hill	285	112	8	28.1	3
Jefferson	57	49	-	0	-
Judith Basin	53	33	2	37.7	-
Lake	243	114	9	37.0	4
White	191	91	5	26.2	4
Nonwhite	52	23	4	76.9	-
Lewis and Clark	348	268	9	25.9	10
Helena	276	194	6	21.7	8
Balance of county	72	74	3	41.7	2
Liberty	50	12	-	0	-
Lincoln	123	71	3	24.4	1
McCone	67	21	-	0	1
Madison	66	55	-	0	2
Meagher	24	21	-	0	-
Mineral	32	15	1	31.3	-
Missoula	620	283	25	40.3	17
Missoula	516	247	22	42.6	15
Balance of county	104	36	3	28.8	2
Musselshell	80	41	2	25.0	3
Park	200	114	2	10.0	4
Petroleum	15	4	-	0	-
Phillips	118	60	2	16.9	1
Pondera	136	60	7	51.5	1
Powder River	48	26	1	20.8	1
Powell	80	62	4	50.0	6
Prairie	49	16	1	20.4	1
Ravalli	202	124	17	84.2	1
Richland	236	84	8	33.9	7
Roosevelt	256	84	8	31.3	6
White	167	53	3	18.0	1
Nonwhite	89	31	5	56.2	5
Rosebud	174	68	7	40.2	4
White	117	46	4	34.2	2
Nonwhite	57	22	3	52.6	2
Sanders	106	55	1	9.4	3
Sheridan	127	60	1	7.9	3
Silver Bow	771	643	41	53.2	15
Butte	730	557	38	52.1	14
Balance of county	41	86	3	73.2	1
Stillwater	100	28	-	0	1
Sweet Grass	62	41	1	16.1	3
Teton	132	51	2	15.2	-
Toole	123	52	7	56.9	-
Treasure	28	7	-	0	-
Valley	238	84	6	25.2	6
Wheatland	45	26	1	22.2	-
Wibaux	45	14	1	22.2	2
Yellowstone	965	433	37	38.3	17
Billings	677	322	32	47.3	8
Balance of county	288	111	5	17.4	9
Yellowstone National Park (part)	-	1	-	(3)	-
NEBRASKA	24,128	12,500	687	28.5	444
White	23,585	12,188	642	27.2	436
Nonwhite	543	312	45	82.9	8
Adams	713	365	31	43.5	14
Hastings	575	208	23	40.0	12
Balance of county	138	157	8	58.0	2
Antelope	253	104	4	15.8	6
Arthur	19	6	1	52.6	-
Section B (Counties)—Continued					
NEBRASKA—Continued					
Banner	13	7	1	76.9	-
Blaine	25	7	-	0	-
Boone	216	118	1	4.6	5
Box Butte	218	117	13	59.6	12
Boyd	104	55	4	38.5	3
Brown	104	53	-	0	3
Buffalo	478	247	16	33.5	9
Burt	203	86	-	0	2
Butler	223	105	2	9.0	1
Cass	276	182	3	10.9	4
Cedar	322	108	10	31.1	4
Chase	116	46	2	17.2	2
Cherry	182	66	3	16.5	6
Cheyenne	225	93	7	31.1	3
Clay	187	130	3	16.0	4
Colfax	175	95	6	34.3	3
Cuming	259	111	6	23.2	3
Custer	368	178	11	29.9	3
Dakota	178	81	6	33.7	3
Dawes	192	93	8	41.7	5
Dawson	354	191	20	56.5	6
Deuel	45	18	1	22.2	-
Dixon	167	78	2	12.0	6
Dodge	445	255	11	24.7	4
Fremont	225	155	7	31.1	3
Balance of county	220	100	4	18.2	1
Douglas	4,763	2,690	143	30.0	80
Omaha	4,597	2,597	139	30.2	78
White	4,260	2,397	113	26.5	74
Nonwhite	337	200	26	77.2	4
Balance of county	166	93	4	24.1	2
Dundy	106	47	4	37.7	5
Fillmore	159	113	8	50.3	4
Franklin	111	74	2	18.0	-
Frontier	89	51	3	33.7	1
Furnas	209	98	3	14.4	3
Gage	443	362	13	29.3	10
Beatrice	214	153	4	18.7	4
Balance of county	229	209	9	39.3	6
Garden	85	42	5	58.8	2
Garfield	49	23	1	20.4	-
Gosper	56	16	1	17.9	-
Grant	23	10	-	0	2
Greeley	127	53	5	39.4	3
Hall	753	289	31	41.2	19
Grand Island	588	223	28	47.6	17
Balance of county	165	66	3	18.2	2
Hamilton	167	85	3	18.0	3
Harlan	104	49	3	28.8	3
Hayes	56	15	2	35.7	2
Hitchcock	112	47	1	8.9	2
Holt	271	125	8	29.5	9
Hooker	16	13	2	125.0	1
Howard	129	68	4	31.0	5
Jefferson	247	113	2	8.1	8
Johnson	132	81	4	30.3	2
Kearney	102	69	2	19.6	2
Keith	162	59	5	30.9	3
Keya Paha	44	16	-	0	1
Kimball	82	30	2	24.4	-
Knox	278	131	5	18.0	6
Lancaster	1,876	1,104	47	25.1	36
Lincoln	1,677	883	43	25.6	32
Balance of county	199	221	4	20.1	4
Lincoln	531	198	21	45.2	8
North Platte	331	132	19	57.4	5
Balance of county	200	66	5	25.0	3
Logan	28	11	1	35.7	1
Loup	18	4	-	0	-
McPherson	25	2	1	40.0	-
Madison	382	303	9	23.6	7
Norfolk	178	135	7	39.3	5
Balance of county	204	168	2	9.8	2
Merrick	138	86	2	14.5	2
Morrill	167	77	5	29.9	7
Nance	129	53	2	15.5	-
Nemaha	198	104	2	10.1	4
Nuckolls	193	91	5	25.9	1
Otoe	304	159	3	9.9	5
Pawnee	115	71	4	34.8	2
Perkins	115	23	2	17.4	1
Phelps	172	96	6	34.9	3
Pierce	196	68	8	40.8	4
Platte	374	164	9	24.1	6
Polk	140	71	3	21.4	-
Red Willow	326	122	11	33.7	3
Richardson	305	170	9	29.5	6
Rock	57	32	-	0	-
Saline	190	176	5	26.3	5
Sarpy	266	78	2	7.5	-
Saunders	304	166	10	32.9	7
Scotts Bluff	761	247	30	39.4	15
Scottsbluff	248	115	8	32.3	7
Balance of county	513	132	22	42.9	8

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
NEBRASKA—Continued					
Seward	202	120	4	19.8	2
Sheridan	155	78	5	32.3	2
Sherman	105	61	3	28.6	-
Sioux	37	20	-	0	2
Stanton	109	49	2	18.3	1
Thayer	174	97	3	17.2	6
Thomas	26	10	1	38.5	-
Thurston	201	101	13	64.7	5
White	134	62	7	52.2	3
Nonwhite	67	39	6	89.6	2
Valley	151	58	6	39.7	3
Washington	166	123	4	25.6	1
Wayne	166	86	4	24.1	5
Webster	131	79	3	22.9	3
Wheeler	20	14	-	0	1
York	249	164	5	20.1	3
NEVADA	2,851	1,588	132	46.3	76
White	2,640	1,445	114	43.2	65
Nonwhite	211	143	18	85.3	11
Churchill	128	81	10	78.1	-
Clark	803	300	44	54.8	20
Douglas	48	29	3	62.5	-
White	39	19	2	51.3	-
Nonwhite	9	10	1	111.1	-
Elko	180	122	6	33.3	7
White	150	106	4	26.7	5
Nonwhite	30	16	2	66.7	2
Esmeralda	12	15	1	83.3	-
Eureka	19	18	-	0	2
Humboldt	53	57	5	94.3	-
Lander	24	19	1	41.7	-
White	19	17	1	52.6	-
Nonwhite	5	2	-	0	-
Lincoln	90	41	5	55.6	-
Lyon	64	43	-	0	3
Mineral	145	64	10	69.0	6
White	121	52	8	66.1	5
Nonwhite	24	12	2	83.3	1
Nye	122	57	6	49.2	2
White	111	52	6	54.1	2
Nonwhite	11	5	-	0	-
Ormsby	54	37	1	18.5	3
Pershing	37	27	2	54.1	1
Storey	6	14	-	0	-
Washoe	831	562	28	33.7	27
Reno	625	274	20	32.0	21
Balance of county	206	288	8	38.8	6
White Pine	235	102	10	42.6	5
NEW HAMPSHIRE	8,338	5,816	303	36.3	183
White	8,324	5,810	302	36.3	183
Nonwhite	14	6	1	71.4	-
Belknap	398	285	9	22.6	7
Laconia	220	157	7	31.8	2
Balance of county	178	128	2	11.2	5
Carroll	237	168	8	33.8	8
Cheshire	572	420	20	35.0	14
Keene	250	180	6	24.0	3
Balance of county	322	240	14	43.5	11
Coos	572	383	23	40.2	14
Berlin	249	151	12	48.2	5
Balance of county	323	232	11	34.1	9
Grafton	741	473	25	33.7	16
Hillsborough	2,543	1,655	101	39.7	57
Manchester	1,474	874	55	37.3	33
Nashua	547	338	29	53.0	12
Balance of county	522	443	17	32.6	12
Merrimack	804	912	29	36.1	15
Concord	353	548	15	42.5	6
Balance of county	451	364	14	31.0	9
Rockingham	1,226	748	41	33.4	26
Portsmouth	427	206	17	39.8	2
Balance of county	799	542	24	30.0	24
Strafford	791	516	28	35.4	19
Dover	259	206	11	42.5	9
Rochester	215	136	12	55.8	3
Balance of county	317	174	5	15.8	7
Sullivan	454	256	19	41.9	7
Claremont (town)	191	128	9	47.1	4
Balance of county	263	128	10	38.0	3
NEW JERSEY	77,338	47,825	2,476	32.0	1,842
White	71,809	44,348	2,159	30.1	1,626
Nonwhite	5,529	3,477	317	57.3	216
Atlantic	2,055	1,736	81	39.4	57
White	1,753	1,391	61	34.8	44
Nonwhite	302	345	20	66.2	13
Atlantic City	1,070	950	50	46.7	26
White	828	684	34	41.1	16
Nonwhite	242	266	16	66.1	10

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
NEW JERSEY—Continued					
Atlantic—Continued					
Pleasantville	194	112	4	20.6	5
White	171	91	3	17.5	4
Nonwhite	23	21	1	43.5	1
Balance of county	791	674	27	34.1	26
Bergen	7,966	4,156	209	26.2	165
Bergenfield	186	89	9	48.4	6
Cliffside Park	283	133	11	38.9	2
Englewood	367	213	11	30.0	2
White	310	178	11	35.5	1
Nonwhite	57	35	-	0	1
Garfield	531	192	8	15.1	12
Hackensack	439	359	15	34.2	9
White	390	313	12	30.8	9
Nonwhite	49	46	3	61.2	-
Lodi	299	88	12	40.1	5
Lyndhurst (twp.)[2]	348	154	5	14.4	8
Ridgefield Park	188	125	6	31.9	4
Ridgewood	201	174	5	24.9	4
Rutherford	266	163	8	30.1	7
Teaneck (twp.)[2]	420	240	11	26.2	6
Balance of county	4,438	2,226	108	24.3	100
Burlington	1,868	1,189	66	35.3	47
Burlington	242	133	11	45.5	8
White	207	106	9	43.5	6
Nonwhite	35	27	2	57.1	2
Balance of county	1,626	1,056	55	33.8	39
Camden	5,086	3,128	213	41.9	112
Camden	2,279	1,432	116	50.9	55
White	1,919	1,224	83	43.3	44
Nonwhite	360	208	33	91.7	11
Collingswood	262	141	3	11.5	3
Gloucester City	237	160	13	54.9	3
Pennsauken (twp.)[2]	232	167	18	77.6	2
Balance of county	2,076	1,228	63	30.3	49
Cape May	546	514	26	47.6	15
Cumberland	1,474	1,005	56	38.0	35
Bridgeton	353	240	15	42.5	5
White	283	212	12	42.4	5
Nonwhite	70	28	3	42.9	-
Millville	245	191	11	44.9	5
Balance of county	876	574	30	34.2	25
Essex	15,478	9,434	492	31.8	370
Belleville	565	228	20	35.4	11
Bloomfield	792	375	12	15.2	16
East Orange	1,333	745	40	30.0	24
Irvington	1,043	559	24	23.0	16
Maplewood (twp.)[2]	334	213	6	18.0	6
Millburn (twp.)[2]	170	86	2	11.8	4
Montclair	687	475	24	34.9	17
White	569	407	19	33.4	10
Nonwhite	118	68	5	42.4	7
Newark	7,949	4,975	300	37.7	223
White	6,617	4,213	223	33.7	164
Nonwhite	1,332	762	77	57.8	59
Nutley	439	183	10	22.8	9
Orange	737	444	21	28.5	23
White	620	373	19	30.6	20
Nonwhite	117	71	2	17.1	3
South Orange	198	135	4	20.2	3
West Orange	447	253	9	20.1	3
Balance of county	784	763	20	25.5	15
Gloucester	1,479	944	58	39.2	34
Hudson	10,905	7,123	331	30.4	287
Bayonne	1,348	715	45	33.4	31
Harrison	243	138	12	49.4	5
Hoboken	750	630	36	48.0	21
Jersey City	5,319	3,373	144	27.1	137
White	4,925	3,163	122	24.8	130
Nonwhite	394	210	22	55.8	7
Kearny	670	349	19	28.4	13
North Bergen (twp.)[2]	670	361	27	40.3	19
Union City	838	597	25	29.8	22
Weehawken (twp.)[2]	198	194	6	30.3	11
West New York	628	316	13	20.7	17
Balance of county	241	450	4	16.6	11
Hunterdon	530	473	14	26.4	12
Mercer	3,690	2,528	134	36.3	91
Trenton	2,057	1,589	81	39.4	57
Balance of county	1,633	939	53	32.5	34
Middlesex	4,013	2,057	123	30.7	86
Carteret	207	99	6	29.0	3
New Brunswick	628	366	22	35.0	15
Perth Amboy	692	399	24	34.7	16
South River	198	88	6	30.3	7
Woodbridge (twp.)[2]	582	225	12	20.6	10
Balance of county	1,706	890	53	31.1	35
Monmouth	3,350	2,397	102	30.4	84
Asbury Park	338	216	15	44.4	10
White	248	148	9	36.3	4
Nonwhite	90	68	6	66.7	6
Long Branch	410	214	8	19.5	9
Neptune (twp.)[2]	205	151	6	29.3	7
White	166	133	4	24.1	5
Nonwhite	39	18	2	51.3	2

[2]Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
NEW JERSEY—Continued					
Monmouth—Continued					
Red Bank	274	151	6	21.9	7
White	247	133	6	24.3	6
Nonwhite	27	18	-	0	1
Balance of county	2,123	1,665	67	31.6	51
Morris	2,377	1,924	71	29.9	59
Dover	234	135	11	47.0	10
Morristown	293	203	11	37.5	8
Balance of county	1,850	1,586	49	26.5	41
Ocean	750	542	25	33.3	22
Passaic	5,220	3,250	167	32.0	128
Clifton	974	392	33	33.9	18
Hawthorne	198	112	4	20.2	4
Passaic	915	625	32	35.0	30
Paterson	2,262	1,529	70	30.9	62
Balance of county	871	592	28	32.1	14
Salem	981	431	26	26.5	27
White	846	364	19	22.5	21
Nonwhite	135	67	7	51.9	6
Somerset	1,513	823	47	31.1	36
North Plainfield	213	113	2	9.4	5
Balance of county	1,300	710	45	34.6	31
Sussex	588	370	18	30.6	15
Union	6,648	3,185	191	28.7	146
Cranford (twp.)[2]	330	113	10	30.3	4
Elizabeth	2,052	1,118	63	30.7	50
Hillside (twp.)[2]	337	147	4	11.9	4
Linden	568	186	19	33.5	12
Plainfield	723	468	19	26.3	18
White	636	419	15	23.6	11
Nonwhite	87	49	4	46.0	7
Rahway	350	176	9	25.7	4
Roselle	350	104	8	22.9	6
White	297	92	4	13.5	2
Nonwhite	53	12	4	75.5	4
Summit	295	176	7	23.7	9
Union (twp.)[2]	486	202	16	32.9	8
Westfield	365	148	15	41.1	9
Balance of county	792	347	21	26.5	22
Warren	821	616	26	31.7	14
Phillipsburg	340	227	10	29.4	4
Balance of county	481	389	16	33.3	10
NEW MEXICO	15,306	5,520	1,543	100.8	372
White	14,041	4,871	1,316	93.7	345
Nonwhite	1,265	649	227	179.4	27
Bernalillo	2,246	828	188	83.7	54
Albuquerque	992	393	58	58.5	25
Balance of county	1,254	435	130	103.7	29
Catron	74	23	6	81.1	2
Chaves	807	251	79	97.9	14
Roswell	518	181	60	115.8	13
Balance of county	289	70	19	65.7	1
Colfax	471	176	52	110.4	8
Curry	588	179	28	47.6	11
Clovis	405	141	27	66.7	8
Balance of county	183	38	1	5.5	3
De Baca	118	54	17	144.1	6
Dona Ana	882	288	87	98.6	31
Eddy	978	254	71	72.6	20
Grant	507	212	52	102.6	12
Guadalupe	219	75	21	95.9	4
Harding	83	26	6	72.3	2
Hidalgo	121	54	7	57.9	3
Lea	475	111	19	40.0	10
Hobbs	294	72	13	44.2	5
Balance of county	181	39	6	33.1	5
Lincoln	213	78	14	65.7	7
Luna	214	85	13	60.7	6
McKinley	845	399	159	188.2	14
White	342	112	32	93.6	5
Nonwhite	503	287	127	252.5	9
Mora	231	92	29	125.5	4
Otero	357	128	28	78.4	10
Quay	337	105	25	74.2	10
Rio Arriba	731	268	115	157.3	25
Roosevelt	335	88	13	38.8	9
Sandoval	497	167	64	128.8	10
White	371	105	43	115.9	10
Nonwhite	126	62	21	166.7	-
San Juan	340	164	40	117.6	9
White	173	73	9	52.0	4
Nonwhite	167	91	31	185.6	5
San Miguel	804	389	106	131.8	25
Santa Fe	832	299	85	102.2	15
Santa Fe	607	211	63	103.8	10
Balance of county	225	88	22	97.8	5
Sierra	92	69	9	97.8	-
Socorro	274	111	27	98.5	9
Taos	525	153	55	104.8	9
Torrance	295	102	44	149.2	15
Section B (Counties)—Continued					
NEW MEXICO—Continued					
Union	175	72	11	62.9	1
Valencia	640	220	73	114.1	17
White	560	187	62	110.7	14
Nonwhite	80	33	11	137.5	3
NEW YORK	234,754	153,654	7,461	31.8	6,348
White	221,326	145,141	6,748	30.5	5,584
Nonwhite	13,428	8,513	713	53.1	764
Albany	3,655	2,734	127	34.7	85
Albany	2,097	1,689	86	41.0	53
Cohoes	378	252	13	34.4	9
Watervliet	285	168	5	17.5	7
Balance of county	895	625	23	25.7	16
Allegany	776	455	30	38.7	21
Broome	3,166	1,948	100	31.6	69
Binghamton	1,478	1,155	50	33.8	28
Endicott	392	173	18	45.9	18
Johnson City	332	170	10	30.1	11
Balance of county	964	450	22	22.8	12
Cattaraugus	1,353	790	48	35.5	33
Olean	434	242	19	43.8	15
Balance of county	919	548	29	31.6	18
Cayuga	1,070	845	33	30.8	25
Auburn	578	455	19	32.9	14
Balance of county	492	390	14	28.5	11
Chautauqua	2,063	1,451	78	37.8	37
Dunkirk	336	216	12	35.7	4
Jamestown	724	472	29	40.1	11
Balance of county	1,003	763	37	36.9	22
Chemung	1,592	889	53	33.3	32
Elmira	909	630	35	38.5	20
Balance of county	683	259	18	26.4	12
Chenango	700	498	24	34.3	18
Clinton	962	501	40	41.6	26
Plattsburgh	297	193	20	67.3	9
Balance of county	665	308	20	30.1	17
Columbia	545	526	22	40.4	10
Hudson	151	165	2	13.2	1
Balance of county	394	361	20	50.8	9
Cortland	651	432	23	35.3	14
Cortland	320	222	15	46.9	4
Balance of county	331	210	8	24.2	10
Delaware	869	560	32	36.8	24
Dutchess	1,722	2,124	66	38.3	38
Beacon	219	193	8	36.5	3
Poughkeepsie	724	512	29	40.1	24
Balance of county	779	1,419	29	37.2	11
Erie	15,506	9,336	547	35.3	383
Buffalo	10,242	6,612	381	37.2	280
White	9,671	6,279	355	36.7	247
Nonwhite	571	333	26	45.5	33
Kenmore	391	177	7	17.9	11
Lackawanna	561	257	28	49.9	14
Tonawanda	289	188	20	69.2	9
Balance of county	4,023	2,102	111	27.6	69
Essex	632	432	29	45.9	13
Franklin	860	546	34	39.5	26
Fulton	763	613	24	31.5	23
Gloversville	387	318	10	25.8	6
Johnstown	144	153	2	13.9	7
Balance of county	232	142	12	51.7	10
Genesee	879	538	23	26.2	10
Batavia	368	218	11	29.9	2
Balance of county	511	320	12	23.5	8
Greene	397	403	24	60.5	7
Hamilton	58	51	2	34.5	1
Herkimer	989	723	30	30.3	21
Little Falls	147	125	5	34.0	2
Balance of county	842	598	25	29.7	19
Jefferson	1,527	1,065	59	38.6	31
Watertown	631	487	32	50.7	14
Balance of county	896	578	27	30.1	17
Lewis	454	244	17	37.4	10
Livingston	628	545	17	27.1	15
Madison	789	477	33	41.8	14
Oneida	217	130	15	69.1	4
Balance of county	572	347	18	31.5	10
Monroe	7,974	5,072	235	29.5	164
Irondequoit (town)	558	147	7	12.5	17
Rochester	5,427	3,748	178	32.8	115
Balance of county	1,989	1,177	50	25.1	32
Montgomery	865	736	31	35.8	21
Amsterdam	468	424	18	38.5	12
Balance of county	397	312	13	32.7	9
Nassau	8,345	4,223	239	28.6	204
Floral Park	237	140	5	21.1	2
Freeport	409	246	12	29.3	13
Garden City	184	129	4	21.7	5
Glen Cove	226	137	8	35.4	4
Hempstead	479	258	28	58.5	47
Lynbrook	321	136	5	15.6	5

[2] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
NEW YORK—Continued					
Nassau—Continued					
Mineola	181	112	2	11.0	5
Rockville Centre	297	241	6	20.2	8
Valley Stream	395	159	11	27.8	12
Balance of county	5,616	2,665	158	28.1	103
New York City[5]	126,374	79,408	3,810	30.1	3,897
White	115,528	72,833	3,240	28.0	3,244
Nonwhite	10,846	6,575	570	52.6	653
Niagara	3,565	1,675	118	33.1	85
Lockport	443	331	18	40.6	12
Niagara Falls	1,817	705	61	33.6	47
North Tonawanda	497	185	14	28.2	8
Balance of county	808	454	25	30.9	18
Oneida	3,815	3,043	168	44.0	87
Rome	836	441	25	29.9	15
Utica	1,754	1,499	76	43.3	44
Balance of county	1,225	1,103	67	54.7	28
Onondaga	5,180	3,385	192	37.1	129
Syracuse	3,473	2,372	134	38.6	81
Balance of county	1,707	1,013	58	34.0	48
Ontario	1,061	696	36	33.9	30
Geneva	362	192	14	38.7	13
Balance of county	699	504	22	31.5	17
Orange	2,351	1,822	77	32.8	53
Middletown	289	438	2	6.9	8
Newburgh	584	450	23	39.4	16
Balance of county	1,478	934	52	35.2	29
Orleans	446	333	12	26.9	11
Oswego	1,346	851	39	29.0	31
Fulton	266	146	7	26.3	7
Oswego	413	270	16	38.7	7
Balance of county	667	435	16	24.0	17
Otsego	883	608	32	36.2	14
Oneonta	239	164	4	16.7	2
Balance of county	644	444	28	43.5	12
Putnam	191	220	11	57.6	5
Rensselaer	1,870	1,706	55	29.4	45
Rensselaer	173	137	9	52.0	3
Troy	1,040	1,050	29	27.9	28
Balance of county	657	519	17	25.9	14
Rockland	1,109	1,267	46	41.5	29
St. Lawrence	1,836	1,235	92	50.1	55
Massena	283	104	19	67.1	10
Ogdensburg	251	318	11	43.8	13
Balance of county	1,302	813	62	47.6	32
Saratoga	1,128	818	34	30.1	19
Saratoga Springs	214	208	9	42.1	5
Balance of county	914	610	25	27.4	14
Schenectady	2,355	1,512	81	34.4	42
Schenectady	1,596	1,083	54	33.8	31
Balance of county	759	429	27	35.6	11
Schoharie	378	254	6	15.9	5
Schuyler	213	169	7	32.9	5
Seneca	488	639	22	45.1	10
Steuben	1,626	1,100	61	37.5	38
Corning	337	200	10	29.7	6
Hornell	279	217	17	60.9	7
Balance of county	1,010	683	34	33.7	25
Suffolk	3,415	3,754	107	31.3	70
Sullivan	536	465	12	22.4	12
Tioga	553	401	25	45.2	12
Tompkins	871	501	22	25.3	6
Ithaca	421	240	9	21.4	5
Balance of county	450	261	13	28.9	1
Ulster	1,116	1,173	43	38.5	25
Kingston	390	434	13	33.3	6
Balance of county	726	739	30	41.3	19
Warren	633	487	24	37.9	18
Glens Falls	336	277	16	47.6	8
Balance of county	297	210	8	26.9	10
Washington	749	531	24	32.0	21
Wayne	847	659	27	31.9	14
Westchester	9,206	5,615	232	25.2	182
Mamaroneck	211	114	7	33.2	2
Mount Vernon	1,127	627	32	28.4	30
New Rochelle	922	631	30	32.5	10
White	826	564	26	31.5	7
Nonwhite	96	67	4	41.7	3
Ossining	188	163	8	42.6	2
White	176	154	8	45.5	1
Nonwhite	12	9	-	0	1
Peekskill	252	189	8	31.7	10
Port Chester	396	232	10	25.3	9
Scarsdale	211	102	7	33.2	4
White Plains	666	416	10	15.0	15
Yonkers	2,270	1,357	54	23.8	47
Balance of county	2,963	1,784	66	22.3	53
Wyoming	516	323	15	29.1	17
Yates	307	247	11	35.8	6
NORTH CAROLINA	87,401	28,897	3,782	43.3	2,232
White	59,503	18,982	2,234	37.5	1,198
Nonwhite	27,898	9,915	1,548	55.5	1,034
Alamance	1,361	370	41	30.1	37
White	1,066	300	32	30.0	29
Nonwhite	295	70	9	30.5	8
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Alamance—Continued					
Burlington	429	131	16	37.3	8
Balance of county	932	239	25	26.8	29
White	696	191	21	30.2	21
Nonwhite	236	48	4	16.9	8
Alexander	293	122	17	58.0	7
Alleghany	112	42	3	26.8	2
Anson	744	212	27	36.3	19
White	313	109	10	31.9	7
Nonwhite	431	103	17	39.4	12
Ashe	420	124	17	40.5	6
Avery	387	81	16	41.3	12
Beaufort	895	357	60	67.0	20
White	525	201	28	53.3	7
Nonwhite	370	155	32	86.5	13
Bertie	709	229	35	49.4	18
White	224	88	8	35.7	4
Nonwhite	485	141	27	55.7	14
Bladen	821	194	35	42.6	17
White	425	104	18	42.4	7
Nonwhite	396	90	17	42.9	10
Brunswick	508	157	23	45.3	12
White	263	83	7	26.6	5
Nonwhite	245	74	16	65.3	7
Buncombe	2,302	987	86	37.4	45
White	2,046	776	74	36.2	38
Nonwhite	256	211	12	46.9	7
Asheville	1,038	531	43	41.4	25
White	822	358	33	40.1	19
Nonwhite	216	173	10	46.3	6
Balance of county	1,264	456	43	34.0	20
Burke	864	363	17	19.7	14
Cabarrus	1,175	380	47	40.0	41
White	995	291	39	39.2	32
Nonwhite	180	89	8	44.4	9
Concord	195	109	12	61.5	9
White	150	76	10	66.7	5
Nonwhite	45	33	2	44.4	4
Balance of county	980	271	35	35.7	32
White	845	215	29	34.3	27
Nonwhite	135	56	6	44.4	5
Caldwell	989	290	48	48.5	21
Camden	114	58	8	70.2	3
White	55	32	3	54.5	1
Nonwhite	59	26	5	64.7	2
Carteret	513	157	16	31.2	7
White	422	136	15	35.5	6
Nonwhite	91	21	1	11.0	1
Caswell	452	133	14	31.0	13
White	171	68	-	0	6
Nonwhite	281	65	14	49.8	7
Catawba	1,278	383	41	32.1	33
White	1,122	346	32	28.5	29
Nonwhite	156	37	9	57.7	4
Hickory	384	104	9	23.4	13
White	329	89	5	15.2	12
Nonwhite	55	15	4	72.7	1
Balance of county	894	279	32	35.8	20
Chatham	494	194	17	34.4	9
White	283	123	10	35.3	4
Nonwhite	211	71	7	33.2	5
Cherokee	467	107	21	45.0	21
Chowan	303	102	12	39.6	9
White	144	52	8	55.6	2
Nonwhite	159	50	4	25.2	7
Clay	117	32	6	51.3	-
Cleveland	1,492	344	58	38.9	26
White	1,089	267	41	37.6	15
Nonwhite	403	77	17	42.2	11
Shelby	352	123	19	54.0	7
White	280	95	16	57.1	4
Nonwhite	72	28	3	41.7	3
Balance of county	1,140	221	39	34.2	19
White	809	172	25	30.9	11
Nonwhite	331	49	14	42.3	8
Columbus	1,369	356	64	46.7	33
White	885	208	29	32.8	16
Nonwhite	484	148	35	72.3	17
Craven	919	406	52	56.6	37
White	522	182	23	44.1	11
Nonwhite	397	224	29	73.0	26
New Bern	345	181	20	58.0	15
White	187	68	9	48.1	3
Nonwhite	158	113	11	69.6	12
Balance of county	574	225	32	55.7	22
White	335	114	14	41.8	8
Nonwhite	239	111	18	75.3	14
Cumberland	1,632	551	82	50.2	34
White	961	332	45	46.8	14
Nonwhite	671	219	37	55.1	20
Fayetteville	634	260	37	58.4	13
White	379	152	25	66.0	4
Nonwhite	255	108	12	47.1	9
Balance of county	998	291	45	45.1	21
White	582	180	20	34.4	10
Nonwhite	416	111	25	60.1	11

[5] Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Currituck	123	51	7	56.9	3
White	73	37	3	41.1	3
Nonwhite	50	14	4	80.0	-
Dare	90	59	12	133.3	7
Davidson	1,106	391	51	46.1	39
White	989	327	41	41.5	28
Nonwhite	117	64	10	85.5	11
Lexington	274	87	8	29.2	16
White	236	67	6	25.4	11
Nonwhite	38	20	2	52.6	5
Thomasville	231	84	11	47.6	7
White	197	59	7	35.5	5
Nonwhite	34	25	4	117.6	2
Balance of county	601	220	32	53.2	16
Davie	308	98	18	58.4	3
White	257	91	16	62.3	2
Nonwhite	51	7	2	39.2	1
Duplin	953	288	35	36.7	23
White	562	181	20	35.6	10
Nonwhite	391	107	15	38.4	13
Durham	2,095	694	70	33.4	51
White	1,381	415	31	22.4	25
Nonwhite	714	279	39	54.6	26
Durham	1,642	538	58	35.3	37
White	1,077	320	27	25.1	17
Nonwhite	565	218	31	54.9	20
Balance of county	453	156	12	26.5	14
White	304	95	4	13.2	8
Nonwhite	149	61	8	53.7	6
Edgecombe	1,358	374	67	49.3	44
White	553	155	25	45.2	12
Nonwhite	805	219	42	52.2	32
Rocky Mount (part)	309	90	13	(3)	6
White	153	44	8	(3)	2
Nonwhite	141	46	5	(3)	4
Balance of county	1,049	284	54	51.5	38
White	385	111	17	44.2	10
Nonwhite	664	173	37	55.7	28
Forsyth	2,562	1,081	107	41.8	56
White	1,762	662	63	35.8	31
Nonwhite	800	419	44	55.0	25
Winston-Salem	1,596	739	82	51.4	44
White	902	367	44	48.8	23
Nonwhite	694	372	38	54.8	21
Balance of county	966	342	25	25.9	12
White	860	295	19	22.1	8
Nonwhite	106	47	6	56.6	4
Franklin	634	244	40	63.1	16
White	297	129	19	64.0	8
Nonwhite	337	115	21	62.3	8
Gaston	2,143	672	132	61.6	45
White	1,866	554	112	60.0	38
Nonwhite	277	118	20	72.2	7
Gastonia	539	213	47	87.2	17
White	449	161	41	91.3	13
Nonwhite	90	52	6	66.7	4
Balance of county	1,604	459	85	53.0	28
White	1,417	393	71	50.1	25
Nonwhite	187	66	14	74.9	3
Gates	208	95	14	67.3	5
White	80	45	2	25.0	3
Nonwhite	128	50	12	93.8	2
Graham	217	40	10	46.1	7
Granville	698	266	29	41.5	15
White	320	133	11	34.4	8
Nonwhite	378	133	18	47.6	7
Greene	497	100	12	24.1	10
White	228	47	4	17.5	3
Nonwhite	269	53	8	29.7	7
Guilford	3,368	1,259	118	35.0	100
White	2,717	904	81	29.8	57
Nonwhite	651	355	37	56.8	43
Greensboro	1,322	563	46	34.8	49
White	1,024	375	29	28.3	24
Nonwhite	298	188	17	57.0	25
High Point	848	298	28	33.0	21
White	701	211	19	27.1	15
Nonwhite	147	87	9	61.2	6
Balance of county	1,198	398	44	36.7	30
White	992	318	33	33.3	18
Nonwhite	206	80	11	53.4	12
Halifax	1,497	18	61	40.7	48
White	500	177	16	32.0	13
Nonwhite	997	241	45	45.1	35
Harnett	1,119	286	37	33.1	31
White	765	183	20	26.1	17
Nonwhite	354	103	17	48.0	14
Haywood	896	222	27	30.1	12
Henderson	557	217	25	44.9	14
Hertford	415	154	18	43.4	1
White	140	73	6	42.9	-
Nonwhite	275	81	12	43.6	1
Hoke	400	133	21	52.5	12
White	121	42	1	8.3	5
Nonwhite	279	91	20	71.7	7
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Hyde	123	81	4	32.5	4
White	46	48	2	43.5	-
Nonwhite	77	33	2	26.0	4
Iredell	1,021	427	52	50.9	33
White	799	301	32	40.1	20
Nonwhite	222	126	20	90.1	13
Statesville	245	134	19	77.6	13
White	208	99	14	67.3	7
Nonwhite	37	35	5	135.1	6
Balance of county	776	293	33	42.5	20
White	591	202	18	30.5	13
Nonwhite	185	91	15	81.1	7
Jackson	420	128	22	52.4	12
Johnston	1,673	396	48	28.7	29
White	1,268	303	33	26.0	16
Nonwhite	405	93	15	37.0	13
Jones	313	81	19	60.7	11
White	165	41	6	36.4	3
Nonwhite	148	40	13	87.8	8
Lee	531	158	21	39.5	13
White	386	105	13	33.7	10
Nonwhite	145	53	8	55.2	3
Lenoir	1,179	396	53	45.0	39
White	622	213	31	49.8	16
Nonwhite	557	183	22	39.5	23
Kinston	405	171	19	46.9	23
White	249	82	13	52.2	10
Nonwhite	156	89	6	38.5	13
Balance of county	774	225	34	43.9	16
White	373	131	18	48.3	6
Nonwhite	401	94	16	39.9	10
Lincoln	531	171	26	49.0	8
White	434	145	17	39.2	6
Nonwhite	97	26	9	92.8	2
McDowell	521	149	17	32.6	2
Macon	408	106	10	24.5	12
Madison	439	124	22	50.1	9
Martin	739	229	42	56.8	27
White	331	117	18	54.4	11
Nonwhite	408	112	24	58.8	16
Mecklenburg	3,732	1,357	159	42.6	111
White	2,630	826	94	35.7	50
Nonwhite	1,102	531	65	59.0	61
Charlotte	2,581	973	108	41.8	83
White	1,813	585	66	36.4	37
Nonwhite	768	388	42	54.7	46
Balance of county	1,151	384	51	44.3	28
White	817	241	28	34.3	13
Nonwhite	334	143	23	68.9	15
Mitchell	373	82	9	24.1	6
Montgomery	383	128	14	36.6	6
White	278	96	7	25.2	1
Nonwhite	105	32	7	66.7	5
Moore	669	237	21	31.4	6
White	471	168	13	27.6	4
Nonwhite	198	69	8	40.4	2
Nash	1,538	474	83	54.0	59
White	781	239	35	44.8	19
Nonwhite	757	235	48	63.4	40
Rocky Mount (part)	343	122	18	(3)	14
White	224	65	11	(3)	2
Nonwhite	119	57	7	(3)	12
Rocky Mount (total)	652	212	31	47.5	20
White	392	109	19	48.5	4
Nonwhite	260	103	12	46.2	16
Balance of county	1,195	352	65	54.4	45
White	557	174	24	43.1	17
Nonwhite	638	178	41	64.3	28
New Hanover	2,044	608	110	53.8	62
White	1,404	314	50	35.6	25
Nonwhite	640	294	60	93.8	37
Wilmington	1,208	428	70	57.9	56
White	699	190	22	31.5	22
Nonwhite	509	238	48	94.3	34
Balance of county	836	180	40	47.8	6
White	705	124	28	39.7	3
Nonwhite	131	56	12	91.6	3
Northampton	658	194	31	47.1	21
White	147	65	6	40.8	4
Nonwhite	511	129	25	48.9	17
Onslow	642	168	21	32.7	28
White	488	129	18	36.9	19
Nonwhite	154	39	3	19.5	9
Orange	487	187	19	39.0	13
White	307	130	6	19.5	4
Nonwhite	180	57	13	72.2	9
Pamlico	236	90	12	50.8	9
White	135	56	8	59.3	4
Nonwhite	101	40	4	39.6	5
Pasquotank	612	243	33	53.9	18
White	381	136	17	44.6	8
Nonwhite	231	107	16	69.3	10
Elizabeth City	370	141	18	48.6	9
White	259	84	12	46.3	7
Nonwhite	111	57	6	54.1	2

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Pasquotank—Continued					
Balance of county	242	102	15	62.0	9
White	122	52	5	41.0	1
Nonwhite	120	50	10	83.3	8
Pender	458	183	26	56.8	10
White	189	95	6	31.7	4
Nonwhite	269	88	20	74.3	6
Perquimans	226	77	9	39.8	4
White	95	41	2	21.1	1
Nonwhite	131	36	7	53.4	3
Person	665	162	25	37.6	10
White	369	116	18	48.8	3
Nonwhite	296	46	7	23.6	7
Pitt	1,513	501	67	44.3	57
White	707	225	18	25.5	21
Nonwhite	806	276	49	60.8	36
Greenville	256	138	20	78.1	6
White	154	60	7	45.5	1
Nonwhite	102	78	13	127.5	5
Balance of county	1,257	363	47	37.4	51
White	553	165	11	19.9	20
Nonwhite	704	198	36	51.1	31
Polk	268	85	11	41.0	6
White	231	72	8	34.6	3
Nonwhite	37	13	3	81.1	3
Randolph	1,037	295	27	26.0	21
Richmond	899	340	56	62.3	30
White	603	197	36	59.7	21
Nonwhite	296	143	20	67.6	9
Robeson	2,543	690	125	49.2	80
White	920	293	36	39.1	24
Nonwhite	1,623	397	89	54.8	56
Rockingham	1,253	444	51	40.7	32
White	972	324	33	34.0	21
Nonwhite	281	120	18	64.1	11
Reidsville	192	104	12	62.5	6
White	132	48	4	30.3	2
Nonwhite	60	56	8	133.3	4
Balance of county	1,061	340	39	36.8	26
White	840	276	29	34.5	19
Nonwhite	221	64	10	45.2	7
Rowan	1,360	518	42	30.9	28
White	1,123	417	33	29.4	19
Nonwhite	237	101	9	38.0	9
Salisbury	364	170	7	19.2	6
White	294	131	3	10.2	3
Nonwhite	70	39	4	57.1	3
Balance of county	996	348	35	35.1	22
White	829	286	30	36.2	16
Nonwhite	167	62	5	29.9	6
Rutherford	980	271	30	30.6	22
White	818	226	22	26.9	18
Nonwhite	162	45	8	49.4	4
Sampson	1,239	325	52	42.0	37
White	735	201	26	35.4	19
Nonwhite	504	124	26	51.6	18
Scotland	653	223	39	59.7	9
White	272	90	17	62.5	5
Nonwhite	381	133	22	57.7	4
Stanly	798	243	35	43.9	15
White	687	203	29	42.2	11
Nonwhite	111	40	6	54.1	4
Stokes	464	137	22	47.4	5
White	424	123	21	49.5	3
Nonwhite	40	14	1	25.0	2
Surry	1,028	313	48	46.7	31
Swain	283	38	6	21.2	6
White	231	27	2	8.7	5
Nonwhite	52	11	4	76.9	1
Transylvania	341	95	11	32.3	5
Tyrrell	146	52	6	41.1	6
White	67	32	3	44.8	1
Nonwhite	79	20	3	38.0	5
Union	986	307	44	44.6	32
White	693	231	31	44.7	17
Nonwhite	293	76	13	44.4	15
Vance	731	242	37	50.6	27
White	369	128	15	40.7	13
Nonwhite	362	114	22	60.8	14
Wake	2,497	1,033	111	44.5	60
White	1,583	666	58	36.6	26
Nonwhite	914	367	53	58.0	34
Raleigh	1,023	649	47	45.9	27
White	739	448	31	41.9	16
Nonwhite	284	201	16	56.3	11
Balance of county	1,474	384	64	43.4	33
White	844	218	27	32.0	10
Nonwhite	630	166	37	58.7	23
Warren	637	234	44	69.1	34
White	155	79	13	83.9	6
Nonwhite	482	155	31	64.3	28
Washington	317	115	17	53.6	9
White	144	55	6	41.7	3
Nonwhite	173	60	11	63.6	6
Watauga	375	113	9	24.0	8
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Wayne	1,269	672	47	37.0	12
White	712	162	24	33.7	7
Nonwhite	557	510	23	41.3	5
Goldsboro	427	136	13	30.4	1
White	229	57	4	17.5	-
Nonwhite	198	79	9	45.5	1
Balance of county	842	536	34	40.4	11
White	483	105	20	41.4	7
Nonwhite	359	431	14	39.0	4
Wilkes	981	352	53	54.0	16
Wilson	1,378	512	88	63.9	35
White	704	252	34	48.3	8
Nonwhite	674	260	54	80.1	27
Wilson	502	256	34	67.7	14
White	259	108	12	46.3	5
Nonwhite	243	148	22	90.5	9
Balance of county	876	256	54	61.6	21
White	445	144	22	49.4	3
Nonwhite	431	112	32	74.2	18
Yadkin	455	128	9	19.8	5
Yancey	375	104	13	34.7	4
NORTH DAKOTA	13,147	5,109	385	29.3	251
White	12,819	5,001	370	28.9	240
Nonwhite	328	108	15	45.7	11
Adams	90	30	2	22.2	4
Barnes	365	140	7	19.2	5
Benson	237	90	6	25.3	2
White	200	77	4	20.0	2
Nonwhite	37	13	2	54.1	-
Billings	43	6	-	0	1
Bottineau	290	97	10	34.5	7
Bowman	71	33	4	56.3	1
Burke	155	60	2	12.9	6
Burleigh	488	181	14	28.7	12
Bismarck	366	147	13	35.5	10
Balance of county	122	34	1	8.2	2
Cass	1,017	491	38	37.4	19
Fargo	670	349	32	47.8	16
Balance of county	347	142	6	17.3	3
Cavalier	317	118	17	53.6	7
Dickey	169	58	4	23.7	4
Divide	118	49	2	16.9	3
Dunn	185	56	6	32.4	2
Eddy	119	46	4	33.6	1
Emmons	236	68	3	12.7	4
Foster	115	38	1	8.7	4
Golden Valley	81	24	1	12.3	2
Grand Forks	709	360	21	29.6	12
Grand Forks	443	228	10	22.6	11
Balance of county	266	132	11	41.4	1
Grant	198	41	3	15.2	1
Griggs	115	36	1	8.7	-
Hettinger	189	52	6	31.7	3
Kidder	129	32	2	15.5	5
La Moure	221	91	6	27.1	6
Logan	180	42	4	22.2	3
McHenry	304	77	2	6.6	11
McIntosh	177	41	5	28.2	6
McKenzie	159	65	2	12.6	-
McLean	387	105	8	20.7	4
Mercer	232	63	8	34.5	3
Morton	463	152	20	43.2	10
Mountrail	214	79	9	42.1	3
Nelson	149	80	6	40.3	3
Oliver	70	8	-	0	-
Pembina	288	112	5	17.4	5
Pierce	217	87	10	46.1	6
Ramsey	332	139	7	21.1	8
Ransom	175	82	8	45.7	-
Renville	112	32	6	53.6	1
Richland	405	143	2	4.9	9
Rolette	332	116	18	54.2	10
White	187	78	8	42.8	4
Nonwhite	145	38	10	69.0	6
Sargent	171	68	2	11.7	5
Sheridan	143	38	4	28.0	3
Sioux	90	33	6	66.7	2
White	45	12	4	88.9	-
Nonwhite	45	21	2	44.4	2
Slope	52	19	1	19.2	1
Stark	344	129	9	26.2	6
Steele	117	33	1	8.5	2
Stutsman	412	330	10	24.3	6
Towner	145	45	2	13.8	1
Traill	191	89	4	20.9	6
Walsh	353	180	18	51.0	8
Ward	687	315	27	39.3	7
Minot	375	210	15	40.0	4
Balance of county	312	105	12	38.5	3
Wells	239	67	4	16.7	7
Williams	350	143	17	48.6	4

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
OHIO	132,496	78,835	4,630	36.5	3,213
White	124,619	73,411	4,400	35.3	2,889
Nonwhite	7,877	5,424	430	54.6	324
Adams	298	226	13	43.6	12
Allen	1,664	898	45	27.0	38
Lima	1,085	562	27	24.9	27
Balance of county	579	336	18	31.1	11
Ashland	476	359	21	44.1	14
Ashland	201	171	13	64.7	5
Balance of county	275	188	8	29.1	9
Ashtabula	1,195	841	43	36.0	18
Ashtabula	439	278	20	45.6	6
Balance of county	756	563	23	30.4	12
Athens	624	560	39	62.5	23
Auglaize	508	320	14	27.6	10
Belmont	1,396	927	50	35.8	41
Bellaire	182	145	6	33.0	7
Martins Ferry	221	158	9	40.7	9
Balance of county	993	624	35	35.2	25
Brown	301	270	8	26.6	15
Butler	2,545	1,289	126	49.5	62
Hamilton	1,098	617	65	59.2	25
Middletown	761	354	32	42.0	19
Balance of county	686	318	29	42.3	18
Carroll	277	190	11	39.7	2
Champaign	491	352	25	50.9	11
Clark	1,969	1,215	81	41.1	47
Springfield	1,485	905	57	38.4	36
White	1,331	794	52	39.1	26
Nonwhite	154	111	5	32.5	10
Balance of county	484	310	24	49.6	11
Clermont	534	428	29	54.3	18
Clinton	410	270	18	43.9	10
Columbiana	1,653	1,017	68	41.1	35
East Liverpool	440	291	20	45.5	9
Salem	225	139	9	40.0	1
Balance of county	988	587	39	39.5	25
Coshocton	482	388	22	45.6	3
Coshocton	170	174	5	29.4	2
Balance of county	312	214	17	54.5	1
Crawford	666	449	28	42.0	13
Cuyahoga	23,094	13,051	755	32.7	594
Cleveland	16,436	9,922	614	37.4	471
White	14,268	8,553	489	34.3	387
Nonwhite	2,168	1,369	125	57.7	84
Cleveland Heights	689	418	6	8.7	13
East Cleveland	667	405	16	24.0	13
Euclid	729	193	14	19.2	10
Garfield Heights	296	123	8	27.0	5
Lakewood	1,187	672	20	16.8	17
Parma	346	130	11	31.8	6
Shaker Heights	457	178	4	8.8	3
Balance of county	2,287	1,010	62	27.1	56
Darke	670	459	26	38.8	16
Defiance	467	263	21	45.0	5
Delaware	462	306	16	34.6	7
Erie	840	604	28	33.3	16
Sandusky	519	351	19	36.6	10
Balance of county	321	253	9	28.0	6
Fairfield	836	557	39	46.7	18
Lancaster	413	284	25	60.5	8
Balance of county	423	273	14	33.1	10
Fayette	436	269	19	43.6	6
Franklin	8,060	4,941	274	34.0	189
White	7,302	4,361	251	34.4	159
Nonwhite	758	580	23	30.3	30
Columbus	6,573	4,107	212	32.3	156
White	5,857	3,586	193	33.0	129
Nonwhite	716	521	19	26.5	27
Balance of county	1,487	834	62	41.7	33
Fulton	441	279	12	27.2	10
Gallia	404	350	14	34.7	8
Geauga	397	193	13	32.7	8
Greene	964	467	47	48.8	22
Xenia	220	160	14	63.6	8
White	188	109	9	47.9	8
Nonwhite	32	51	5	156.3	-
Balance of county	744	307	33	44.4	14
Guernsey	542	460	24	44.3	15
Cambridge	234	200	11	47.0	11
Balance of county	308	260	13	42.2	4
Hamilton	11,993	8,180	429	35.8	311
White	10,555	7,056	359	34.0	245
Nonwhite	1,438	1,124	70	48.7	66
Cincinnati	8,482	6,443	332	39.1	229
White	7,209	5,469	267	37.0	170
Nonwhite	1,283	974	65	50.7	59
Norwood	660	285	21	31.8	15
Balance of county	2,841	1,452	76	26.8	67
Hancock	748	528	21	28.1	20
Findlay	380	314	12	31.6	13
Fostoria (part)	48	35	3	(3)	1
Balance of county	320	179	6	18.8	6
Hardin	514	333	30	58.4	14
Harrison	272	191	5	18.4	11
Henry	358	212	12	33.5	5
Section B (Counties)—Continued					
OHIO—Continued					
Highland	427	350	17	39.8	24
Hocking	309	195	16	51.8	4
Holmes	385	157	9	23.4	5
Huron	674	480	27	40.1	15
Jackson	486	302	27	55.6	11
Jefferson	1,547	938	76	49.1	27
Steubenville	662	439	37	55.9	6
Balance of county	885	499	39	44.1	21
Knox	540	395	15	27.8	10
Mount Vernon	222	182	9	40.5	5
Balance of county	318	213	6	18.9	5
Lake	1,135	587	46	40.5	24
Painesville	324	207	14	43.2	1
Balance of county	811	380	32	39.5	23
Lawrence	894	429	57	63.8	24
Ironton	336	176	18	53.6	10
Balance of county	558	253	39	69.9	14
Licking	1,076	826	39	36.2	29
Newark	613	458	27	44.0	18
Balance of county	463	368	12	25.9	11
Logan	568	381	19	33.5	21
Lorain	2,194	1,287	82	37.4	56
Elyria	499	307	18	36.1	13
Lorain	838	487	40	47.7	21
Balance of county	857	493	24	28.0	22
Lucas	6,725	4,101	264	39.3	119
Toledo	5,809	3,750	237	40.8	100
White	5,391	3,460	204	37.8	89
Nonwhite	418	290	33	78.9	11
Balance of county	916	351	27	29.5	19
Madison	330	254	13	39.4	7
Mahoning	4,045	2,347	133	32.9	113
Campbell	222	88	10	45.0	3
White	183	72	7	38.3	2
Nonwhite	39	16	3	76.9	1
Struthers	168	57	3	17.9	7
Youngstown (part)	2,963	1,787	95	(3)	80
White	2,677	1,573	79	(3)	57
Nonwhite	286	214	16	(3)	23
Youngstown (total)	2,964	1,789	95	32.1	80
White	2,678	1,575	79	29.5	57
Nonwhite	286	214	16	55.9	23
Balance of county	692	415	25	36.1	23
Marion	897	549	37	41.2	36
Marion	639	372	28	43.8	27
Balance of county	258	177	9	34.9	9
Medina	602	387	18	29.9	15
Meigs	320	216	18	56.3	7
Mercer	548	270	22	40.1	5
Miami	1,177	663	36	30.6	21
Piqua	321	220	15	46.7	7
Balance of county	856	443	21	24.5	14
Monroe	239	213	13	54.4	6
Montgomery	7,280	3,604	235	32.3	162
Dayton	6,140	2,736	186	30.3	148
White	5,585	2,422	164	29.4	132
Nonwhite	555	314	22	39.6	16
Balance of county	1,140	868	49	43.0	34
Morgan	162	150	2	12.3	-
Morrow	248	174	4	16.1	7
Muskingum	1,217	868	48	39.4	30
Zanesville	744	575	36	48.4	17
Balance of county	473	293	12	25.4	13
Noble	131	128	6	45.8	5
Ottawa	486	288	8	16.5	12
Paulding	265	137	9	34.0	10
Perry	447	326	15	33.6	13
Pickaway	444	397	22	49.5	11
Pike	267	162	15	57.0	8
Portage	958	478	26	27.3	22
Preble	373	290	18	48.3	8
Putnam	441	240	14	31.7	11
Richland	1,487	792	65	43.7	32
Mansfield	791	423	29	36.7	17
Balance of county	696	369	36	51.7	15
Ross	1,025	588	53	51.7	30
Chillicothe	412	245	22	53.4	17
Balance of county	613	343	31	50.6	13
Sandusky	735	486	29	39.5	20
Fremont	305	178	16	52.5	2
Balance of county	430	308	13	30.2	18
Scioto	1,588	814	100	63.0	45
Portsmouth	680	471	51	75.0	18
Balance of county	908	343	49	64.0	27
Seneca	897	510	31	34.6	14
Fostoria (part)	217	96	7	(3)	2
Fostoria (total)	265	131	10	37.7	3
Tiffin	301	240	19	63.1	6
Balance of county	379	174	5	13.2	6
Shelby	539	285	18	33.4	15
Stark	4,792	2,756	146	30.5	112
Alliance	486	317	23	47.3	7
Canton	2,253	1,158	65	28.9	57
Massillon	562	324	13	23.1	14
Balance of county	1,491	957	45	30.2	34

[3]Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
OHIO—Continued					
Summit	7,774	3,289	243	31.3	186
Akron	5,556	2,326	158	28.4	136
White	5,175	2,161	139	26.9	125
Nonwhite	381	165	19	49.9	11
Barberton	591	245	30	50.8	11
Cuyahoga Falls	527	176	18	34.2	8
Balance of county	1,100	542	37	33.6	31
Trumbull	2,633	1,289	102	38.7	75
Niles	275	123	16	58.2	7
Warren	1,043	518	41	39.3	33
Youngstown (part)	1	2	-	(3)	-
White	1	2	-	(3)	-
Nonwhite	-	-	-	(3)	-
Balance of county	1,314	646	45	34.2	35
Tuscarawas	1,126	745	42	37.3	31
New Philadelphia	216	150	7	32.4	8
Balance of county	910	595	35	38.5	23
Union	316	227	6	19.0	10
Van Wert	516	330	19	36.8	8
Vinton	172	92	8	46.5	3
Warren	654	362	27	41.3	17
Washington	679	476	23	33.9	21
Marietta	265	202	9	34.0	7
Balance of county	414	274	14	33.8	14
Wayne	1,089	518	31	28.5	24
Wooster	202	142	10	49.5	2
Balance of county	887	376	21	23.7	22
Williams	436	307	16	36.7	8
Wood	901	537	24	26.6	14
Wyandot	322	221	15	46.6	3
OKLAHOMA	43,165	18,921	1,727	40.0	1,030
White	38,366	16,519	1,431	37.3	860
Nonwhite	4,799	2,402	296	61.7	170
Adair	297	147	24	80.8	7
White	186	87	12	64.5	4
Nonwhite	111	60	12	108.1	3
Alfalfa	185	107	7	37.8	2
Atoka	399	123	25	62.7	10
Beaver	147	68	8	54.4	1
Beckham	388	161	6	15.5	9
Blaine	298	116	18	60.4	6
White	236	83	9	38.1	3
Nonwhite	62	33	9	145.2	3
Bryan	605	257	21	34.7	17
Durant	204	102	9	44.1	8
Balance of county	401	155	12	29.9	9
Caddo	808	297	30	37.1	33
Canadian	495	231	22	44.4	10
El Reno	273	130	11	40.3	6
Balance of county	222	101	11	49.5	4
Carter	724	324	28	38.7	20
White	630	268	21	33.3	12
Nonwhite	94	56	7	74.5	8
Ardmore	372	199	16	43.0	9
White	317	159	12	37.9	4
Nonwhite	55	40	4	72.7	5
Balance of county	352	125	12	34.1	11
Cherokee	379	142	15	39.6	12
White	288	107	12	41.7	10
Nonwhite	91	35	3	33.0	2
Choctaw	499	199	21	42.1	17
White	355	140	14	39.4	10
Nonwhite	144	59	7	48.6	7
Cimarron	65	35	2	30.8	-
Cleveland	486	378	20	41.2	16
Norman	290	309	14	48.3	9
Balance of county	196	69	6	30.6	7
Coal	180	85	8	44.4	6
Comanche	1,251	313	42	33.6	34
Lawton	849	189	26	30.6	23
Balance of county	402	124	16	39.8	11
Cotton	227	86	3	13.2	5
Craig	247	300	5	20.2	6
Creek	892	399	42	47.1	25
White	759	337	35	46.1	17
Nonwhite	133	62	7	52.6	8
Sapulpa	273	138	20	73.3	10
White	230	113	15	65.2	8
Nonwhite	43	25	5	116.3	2
Balance of county	619	261	22	35.5	15
White	529	224	20	37.8	9
Nonwhite	90	37	2	22.2	6
Custer	472	227	25	53.0	12
Delaware	233	113	11	47.2	6
White	188	93	7	37.2	4
Nonwhite	45	20	4	88.9	2
Dewey	159	65	5	31.4	2
Ellis	138	69	5	36.2	2
Garfield	879	464	37	42.1	22
Enid	668	351	31	46.4	11
Balance of county	211	113	6	28.4	11
Garvin	571	205	15	26.3	15
Section B (Counties)—Continued					
OKLAHOMA—Continued					
Grady	767	276	23	30.0	18
Chickasha	337	140	15	44.5	10
White	300	116	13	43.3	9
Nonwhite	37	24	2	54.1	1
Balance of county	430	136	8	18.6	8
Grant	145	80	6	41.4	3
Greer	197	113	10	50.8	7
Harmon	173	57	4	23.1	5
Harper	107	53	5	46.7	-
Haskell	265	107	15	56.6	4
Hughes	534	197	24	44.9	15
White	445	163	15	33.7	13
Nonwhite	89	34	9	101.1	2
Jackson	404	152	18	44.6	10
Jefferson	244	125	9	36.9	4
Johnston	210	91	12	57.1	3
Kay	897	444	25	27.9	18
Ponca City	378	158	11	29.1	5
Balance of county	519	286	14	27.0	13
Kingfisher	218	111	4	18.3	5
White	194	90	3	15.5	4
Nonwhite	24	21	1	41.7	1
Kiowa	438	161	6	13.7	12
Latimer	203	64	9	44.3	4
Le Flore	711	296	27	38.0	17
Lincoln	391	215	16	40.9	9
Logan	421	260	15	35.6	12
White	326	197	8	24.5	9
Nonwhite	95	63	7	73.7	3
Guthrie	189	143	6	31.7	7
White	155	105	1	6.5	5
Nonwhite	34	38	5	147.1	2
Balance of county	232	117	9	38.8	5
White	171	92	7	40.9	4
Nonwhite	61	25	2	32.8	1
Love	157	43	2	12.7	4
McClain	340	86	6	17.6	6
McCurtain	687	247	34	49.5	24
White	514	191	24	46.7	21
Nonwhite	173	56	10	57.8	3
McIntosh	418	155	26	62.2	19
White	305	108	18	59.0	12
Nonwhite	113	47	8	70.8	7
Major	178	59	1	5.6	3
Marshall	203	92	8	39.4	7
Mayes	457	189	26	56.9	13
Murray	198	135	7	35.4	6
Muskogee	1,280	741	61	47.7	32
White	1,000	472	44	44.0	19
Nonwhite	280	269	17	60.7	13
Muskogee	734	420	38	51.8	19
White	585	305	27	46.2	9
Nonwhite	149	115	11	73.8	10
Balance of county	546	321	23	42.1	13
White	415	167	17	41.0	10
Nonwhite	131	154	6	45.8	3
Noble	186	126	8	43.0	4
Nowata	229	128	15	65.5	1
White	204	99	12	58.8	1
Nonwhite	25	29	3	120.0	-
Okfuskee	442	170	28	63.3	10
White	304	109	17	55.9	5
Nonwhite	138	61	11	79.7	5
Oklahoma	5,680	2,348	244	43.0	112
Oklahoma City	4,767	1,947	210	44.1	89
White	4,279	1,721	188	43.9	70
Nonwhite	488	226	22	45.1	19
Balance of county	913	401	34	37.2	23
Okmulgee	878	431	38	43.3	18
White	636	329	21	33.0	11
Nonwhite	242	102	17	70.2	7
Okmulgee	334	183	16	47.9	8
White	235	134	9	38.3	4
Nonwhite	99	49	7	70.7	4
Balance of county	544	248	22	40.4	10
White	401	195	12	29.9	7
Nonwhite	143	53	10	69.9	3
Osage	551	279	14	25.4	12
Ottawa	731	356	29	39.7	16
Pawnee	254	142	8	31.5	4
Payne	607	278	13	21.4	10
Stillwater	208	92	4	19.2	2
Balance of county	399	186	9	22.6	8
Pittsburg	1,067	412	35	32.8	29
White	958	365	31	32.4	28
Nonwhite	109	47	4	36.7	1
McAlester	393	191	14	35.6	8
White	336	166	12	35.7	7
Nonwhite	57	25	2	35.1	1
Balance of county	674	221	21	31.2	21
White	622	199	19	30.5	21
Nonwhite	52	22	2	38.5	-
Pontotoc	610	277	36	59.0	11
Ada	327	153	20	61.2	3
Balance of county	283	124	16	56.5	8

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
OKLAHOMA—Continued					
Pottawatomie	902	423	43	47.7	18
Shawnee	494	237	24	48.6	12
Balance of county	408	186	19	46.6	6
Pushmataha	221	157	10	45.2	9
Roger Mills	126	52	6	47.6	-
Rogers	314	162	20	63.7	15
Seminole	769	316	26	33.8	20
White	619	228	14	22.6	16
Nonwhite	150	88	12	80.0	4
Seminole	222	100	10	45.0	5
Wewoka	162	76	4	24.7	3
White	133	56	1	7.5	3
Nonwhite	29	20	3	103.4	-
Balance of county	385	140	12	31.2	12
White	290	81	3	10.3	8
Nonwhite	95	59	9	94.7	4
Sequoyah	507	145	16	31.6	10
White	453	124	16	35.3	10
Nonwhite	54	21	-	0	-
Stephens	683	225	24	35.1	11
Texas	219	67	9	41.1	5
Tillman	409	149	15	36.7	16
White	351	128	12	34.2	13
Nonwhite	58	21	3	51.7	3
Tulsa	4,649	1,831	172	37.0	95
White	4,255	1,614	152	35.7	77
Nonwhite	394	217	20	50.8	18
Tulsa	3,646	1,470	140	38.4	73
White	3,297	1,285	122	37.0	57
Nonwhite	349	185	18	51.6	16
Balance of county	1,003	361	32	31.9	22
Wagoner	466	160	25	53.6	15
White	363	106	18	49.6	11
Nonwhite	103	54	7	68.0	4
Washington	557	279	24	43.1	10
Bartlesville	370	154	14	37.8	7
Balance of county	187	125	10	53.5	3
Washita	336	130	11	32.7	10
Woods	266	122	7	26.3	10
Woodward	239	296	7	29.3	4
OREGON	24,140	13,022	692	28.7	413
White	23,563	12,764	657	27.9	400
Nonwhite	577	258	35	60.7	13
Baker	244	196	10	41.0	9
Benton	414	207	16	38.6	7
Clackamas	1,184	601	33	27.9	21
Clatsop	489	308	15	30.7	9
Astoria	215	195	12	55.8	4
Balance of county	274	113	3	10.9	5
Columbia	383	163	10	26.1	4
Coos	575	319	17	29.6	12
Crook	137	45	6	43.8	-
Curry	63	41	3	47.6	1
Deschutes	311	137	11	35.4	6
Bend	183	104	9	49.2	5
Balance of county	128	33	2	15.6	1
Douglas	551	396	17	30.9	11
Gilliam	36	20	1	27.8	-
Grant	134	58	1	7.5	2
Harney	93	53	9	96.8	-
Hood River	237	99	11	46.4	3
Jackson	751	437	24	32.0	19
Medford	311	225	15	48.2	9
Balance of county	440	212	9	20.5	10
Jefferson	44	26	6	136.4	4
White	24	9	1	41.7	3
Nonwhite	20	17	5	250.0	1
Josephine	307	205	7	22.8	12
Klamath	955	307	44	46.1	11
Klamath Falls	625	209	28	44.8	5
Balance of county	330	98	16	48.5	6
Lake	111	53	2	18.0	3
Lane	1,658	803	38	22.9	28
Eugene	570	437	11	19.3	11
Balance of county	1,088	366	27	24.8	17
Lincoln	264	161	4	15.2	4
Linn	734	381	17	23.2	14
Malheur	431	153	15	34.8	6
Marion	1,412	1,168	42	29.7	19
Salem	605	754	17	28.1	8
Balance of county	807	414	25	31.0	11
Morrow	64	45	3	46.9	-
Multnomah	9,157	4,890	227	24.8	155
Portland	7,839	4,258	198	25.3	138
Balance of county	1,318	632	29	22.0	17
Polk	351	150	13	37.0	6
Sherman	34	14	1	29.4	-
Tillamook	285	124	6	21.1	7
Umatilla	541	394	29	53.6	5
Union	342	159	8	23.4	6
Wallowa	120	54	3	25.0	2
Wasco	241	161	10	41.5	3
Section B (Counties)—Continued					
OREGON—Continued					
Washington	823	382	20	24.3	13
Wheeler	46	18	1	21.7	2
Yamhill	618	294	12	19.4	9
PENNSYLVANIA	173,799	109,193	6,590	37.9	4,077
White	162,177	101,972	5,880	36.3	3,590
Nonwhite	11,622	7,221	710	61.1	487
Adams	756	401	33	43.7	13
Allegheny	24,480	15,275	820	33.5	614
Bellevue	176	130	3	17.0	-
Braddock	310	182	16	51.6	6
White	261	165	15	57.5	4
Nonwhite	49	27	1	20.4	2
Carnegie	308	155	10	32.5	9
Clairton	361	113	7	19.4	12
White	295	92	4	13.6	8
Nonwhite	66	21	3	45.5	4
Coraopolis	284	117	11	38.7	11
Dormont	114	101	2	17.5	1
Duquesne	364	155	10	27.5	8
Harrison (twp.)[2]	153	92	7	45.8	4
Homestead	220	126	5	22.7	6
White	198	105	3	15.2	5
Nonwhite	22	21	2	90.9	1
McKeesport	1,032	532	45	43.6	20
McKees Rocks	516	228	15	29.1	9
Mount Lebanon (twp.)[2]	197	149	5	25.4	2
Munhall	217	132	5	23.0	6
North Braddock	242	132	3	12.4	9
Pittsburgh	12,452	7,654	417	33.5	323
White	11,058	6,727	348	31.5	259
Nonwhite	1,394	927	69	49.5	64
Shaler (twp.)[2]	154	41	3	19.5	3
Stowe (twp.)[2]	19	17	-	0	-
Swissvale	274	136	9	32.8	12
Wilkinsburg	566	334	15	26.5	13
Balance of county	6,521	4,739	232	35.6	160
White	6,305	4,455	218	34.6	155
Nonwhite	216	284	14	64.8	5
Armstrong	1,447	753	70	48.4	37
Beaver	3,059	1,445	112	36.6	90
Aliquippa	518	223	24	46.3	15
White	422	182	15	35.5	7
Nonwhite	96	41	9	93.8	8
Ambridge	375	154	9	24.0	9
Beaver Falls	414	193	14	33.8	9
Ellwood City (part)	14	11	-	(3)	1
Balance of county	1,738	864	65	37.4	56
Bedford	721	420	27	37.4	25
Berks	3,438	2,819	122	35.5	84
Reading	1,527	1,272	52	34.1	41
Balance of county	1,911	1,547	70	36.6	43
Blair	2,517	1,594	96	38.1	47
Altoona	1,438	935	61	42.4	31
Balance of county	1,079	659	35	32.4	16
Bradford	975	625	48	49.2	20
Bucks	2,084	1,210	68	32.6	49
Bristol	281	125	11	39.1	10
Balance of county	1,803	1,085	57	31.6	39
Butler	1,640	868	50	30.5	30
Butler	450	247	17	37.8	4
Balance of county	1,190	621	33	27.7	26
Cambria	3,891	1,858	151	38.8	108
Johnstown	1,457	722	54	37.1	42
Balance of county	2,434	1,136	97	39.9	66
Cameron	151	66	4	26.5	4
Carbon	957	643	32	33.4	21
Centre	896	480	28	31.3	15
Chester	2,503	1,628	115	45.9	55
Coatesville	290	151	12	41.4	6
White	226	129	8	35.4	3
Nonwhite	64	22	4	62.5	3
Phoenixville	233	129	10	42.9	4
West Chester	255	212	20	78.4	7
White	198	172	12	60.6	5
Nonwhite	57	40	8	140.4	2
Balance of county	1,725	1,136	73	42.3	38
Clarion	674	350	23	34.1	17
Clearfield	1,596	806	75	47.0	40
Du Bois	236	147	10	42.4	6
Balance of county	1,360	659	65	47.8	34
Clinton	652	375	18	27.6	14
Lock Haven	236	136	4	16.9	1
Balance of county	416	239	14	33.7	13
Columbia	878	550	39	44.4	20
Berwick	244	158	12	49.2	6
Balance of county	634	392	27	42.6	14
Crawford	1,374	826	53	38.6	30
Meadville	419	219	16	38.2	6
Balance of county	955	607	37	38.7	24
Cumberland	1,567	863	55	35.1	28
Carlisle	320	180	14	43.8	2
Balance of county	1,247	683	41	32.9	26

[2] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Dauphin	3,179	2,237	126	39.6	90
Harrisburg	1,583	1,121	63	39.8	45
Steelton	228	138	11	48.2	6
White	171	93	5	29.2	2
Nonwhite	57	45	6	105.3	4
Balance of county	1,368	978	52	38.0	39
Delaware	6,771	3,422	254	37.5	140
Chester	1,466	828	94	64.1	38
White	1,115	641	64	57.4	22
Nonwhite	351	187	30	85.5	16
Darby	271	128	13	48.0	9
White	237	109	13	54.9	7
Nonwhite	34	19	-	0	2
Haverford (twp.)[2]	361	194	10	27.7	9
Lansdowne	272	119	7	25.7	3
Upper Darby (twp.)[2]	1,392	591	40	28.7	22
Balance of county	3,009	1,562	90	29.9	59
Elk	539	290	19	35.3	11
Erie	3,848	2,137	112	29.1	107
Erie	2,605	1,316	59	22.6	62
Balance of county	1,243	821	53	42.6	45
Fayette	3,383	1,880	168	49.7	75
Connellsville	215	162	13	60.5	9
Uniontown	481	285	17	35.3	12
Balance of county	2,687	1,433	138	51.4	54
Forest	94	50	-	0	2
Franklin	1,411	808	61	43.2	34
Chambersburg	272	183	13	47.8	10
Waynesboro	207	139	10	48.3	4
Balance of county	932	486	38	40.8	20
Fulton	203	101	12	59.1	10
Greene	730	362	33	45.2	16
Huntingdon	772	455	44	57.0	22
Indiana	1,454	718	63	43.3	30
Indiana	210	115	7	33.3	6
Balance of county	1,244	603	56	45.0	24
Jefferson	839	532	19	22.6	18
Juniata	308	177	14	45.5	8
Lackawanna	3,883	3,155	160	41.2	102
Carbondale	283	207	15	53.0	8
Dickson City	135	68	1	7.4	2
Dunmore	269	229	14	52.0	8
Old Forge	176	97	5	28.4	6
Scranton	1,899	1,526	82	43.2	50
Balance of county	1,121	1,028	43	38.4	28
Lancaster	4,133	2,429	135	32.7	82
Columbia	200	145	18	90.0	6
Lancaster	1,129	804	39	34.5	28
Balance of county	2,804	1,480	78	27.8	48
Lawrence	1,799	950	48	26.7	50
Ellwood City (part)	239	97	6	(3)	4
Ellwood City (total)	253	108	6	23.7	5
New Castle	917	520	22	24.0	22
Balance of county	643	333	20	31.1	24
Lebanon	1,462	779	37	25.3	28
Lebanon	617	345	11	17.8	15
Balance of county	845	434	26	30.8	13
Lehigh	2,859	2,002	123	43.0	75
Allentown	1,568	1,184	70	44.6	44
Bethlehem (part)	282	153	8	(3)	4
Balance of county	1,009	665	45	44.6	27
Luzerne	6,198	4,234	231	37.3	136
Hanover (twp.)[2]	63	39	2	31.7	-
Hazleton	588	392	32	54.4	13
Kingston	362	240	14	38.7	5
Nanticoke	319	215	13	40.8	8
Pittston	315	191	9	28.6	5
Plains (twp.)[2]	166	107	5	30.1	3
Plymouth	273	175	9	33.0	10
Wilkes-Barre	1,328	979	48	36.1	38
Balance of county	2,784	1,896	99	35.6	54
Lycoming	1,700	1,055	55	32.4	33
Williamsport	930	542	26	28.0	14
Balance of county	770	513	29	37.7	19
McKean	969	540	31	32.0	26
Bradford	342	191	8	23.4	6
Balance of county	627	349	23	36.7	20
Mercer	1,967	1,075	75	38.1	40
Farrell	239	114	11	46.0	7
White	207	105	10	48.3	7
Nonwhite	32	9	1	31.3	-
Sharon	521	260	17	32.6	11
Balance of county	1,207	701	47	38.9	22
Mifflin	841	415	45	53.5	31
Lewistown	304	179	18	59.2	14
Balance of county	537	236	27	50.3	17
Monroe	465	361	19	40.9	6
Montgomery	5,580	3,429	170	30.5	96
Abington (twp.)[2]	288	170	7	24.3	3
Cheltenham (twp.)[2]	292	196	4	13.7	3
Conshohocken	258	107	6	23.3	7
Lower Merion (twp.)[2]	689	381	15	21.8	15
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Montgomery—Continued					
Norristown	676	753	28	41.4	9
Pottstown	346	224	7	20.2	8
Balance of county	3,031	1,598	103	34.0	51
Montour	201	283	9	44.8	5
Northampton	2,897	1,745	108	37.3	61
Bethlehem (part)	871	424	32	(3)	20
Bethlehem (total)	1,153	577	40	34.7	24
Easton	672	478	29	43.2	17
Balance of county	1,354	843	47	34.7	24
Northumberland	1,913	1,389	85	44.4	22
Mount Carmel	228	175	9	39.5	5
Shamokin	497	352	22	44.3	5
Sunbury	265	215	17	64.2	2
Balance of county	923	647	37	40.1	10
Perry	441	269	17	38.5	7
Philadelphia, coextensive with Philadelphia (city)	35,317	24,486	1,413	40.0	809
White	28,380	20,468	999	35.2	531
Nonwhite	6,937	4,018	414	59.7	278
Pike	77	103	3	39.0	1
Potter	309	193	15	48.5	-
Schuylkill	3,165	2,451	143	45.2	89
Mahanoy City	174	149	5	28.7	3
Pottsville	417	330	42	100.7	12
Shenandoah	246	229	9	36.6	4
Tamaqua	195	115	5	25.6	6
Balance of county	2,133	1,628	82	38.4	64
Snyder	333	257	7	21.0	11
Somerset	1,416	734	49	34.6	27
Sullivan	102	71	5	49.0	3
Susquehanna	551	385	18	32.7	16
Tioga	602	380	17	28.2	15
Union	322	240	14	43.5	3
Venango	1,083	771	68	62.8	34
Oil City	396	273	30	75.8	13
Balance of county	687	498	38	55.3	21
Warren	659	682	23	34.9	17
Warren	264	165	10	37.9	7
Balance of county	395	517	13	32.9	10
Washington	3,597	1,879	138	38.4	101
Canonsburg	236	122	8	33.9	5
Charleroi	160	87	3	18.8	7
Donora	243	121	7	28.8	5
Washington	588	323	27	45.9	11
Balance of county	2,370	1,226	93	39.2	73
Wayne	421	396	19	45.1	6
Westmoreland	5,230	2,962	208	39.8	148
Arnold	153	82	13	85.0	9
Greensburg	412	225	19	46.1	9
Jeannette	275	161	9	32.7	7
Latrobe	219	127	11	50.2	6
Monessen	274	141	9	32.8	7
New Kensington	510	199	19	37.3	22
Vandergrift	149	83	7	47.0	3
Balance of county	3,238	1,944	121	37.4	85
Wyoming	276	178	9	32.6	10
York	3,244	1,891	129	39.8	63
Hanover	269	171	14	52.0	7
York	1,258	736	55	43.7	26
Balance of county	1,717	984	60	34.9	30
RHODE ISLAND	13,635	7,985	384	28.2	279
White	13,302	7,794	363	27.3	273
Nonwhite	333	191	21	63.1	6
Bristol	503	227	11	21.9	10
Bristol (town)	228	93	6	26.3	5
Balance of county	275	134	5	18.2	5
Kent	1,228	677	40	32.6	26
Warwick	629	351	19	30.2	13
West Warwick (town)	371	188	14	37.7	8
Balance of county	228	138	7	30.7	5
Newport	1,332	535	31	23.3	18
Newport	805	363	19	23.6	14
Balance of county	527	172	12	22.8	4
Providence	9,779	6,125	284	29.0	208
Central Falls	440	191	15	34.1	13
Cranston	858	821	27	31.5	16
Cumberland (town)	178	112	5	28.1	4
East Providence (town)	590	262	13	22.0	7
Johnston (town)	205	87	4	19.5	8
Lincoln (town)	143	96	-	0	6
North Providence (town)	262	118	10	38.2	1
Pawtucket	1,279	843	47	36.7	37
Providence	4,457	2,830	122	27.4	88
Woonsocket	941	455	34	36.1	20
Balance of county	426	310	7	16.4	8
Washington	793	421	18	22.7	17
Westerly (town)	248	140	4	16.1	3
Balance of county	545	281	14	25.7	14

[2] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
SOUTH CAROLINA	49,431	16,904	2,469	49.9	1,664
White	26,745	8,613	1,083	40.5	589
Nonwhite	22,686	8,291	1,386	61.1	1,075
Abbeville	380	138	10	26.3	12
White	189	81	6	31.7	4
Nonwhite	191	57	4	20.9	8
Aiken	1,208	414	57	47.2	46
White	723	213	30	41.5	22
Nonwhite	485	201	27	55.7	24
Allendale	334	125	15	44.9	22
White	38	34	1	26.3	2
Nonwhite	296	91	14	47.3	20
Anderson	1,795	636	87	48.5	29
White	1,343	422	56	41.7	15
Nonwhite	452	214	31	68.6	14
Anderson	579	244	29	50.1	9
White	491	171	22	44.8	4
Nonwhite	88	73	7	79.5	5
Balance of county	1,216	392	58	47.7	20
White	852	251	34	39.9	11
Nonwhite	364	141	24	65.9	9
Bamberg	372	150	23	61.8	24
White	117	59	7	59.8	3
Nonwhite	255	91	16	62.7	21
Barnwell	471	138	15	31.8	30
White	128	65	6	46.9	3
Nonwhite	343	73	9	26.2	27
Beaufort	662	224	28	42.3	28
White	273	44	3	11.0	5
Nonwhite	389	180	25	64.3	23
Berkeley	895	270	45	50.3	47
White	239	53	8	33.5	9
Nonwhite	656	217	37	56.4	38
Calhoun	306	101	10	32.7	17
White	62	27	-	0	-
Nonwhite	244	74	10	41.0	17
Charleston	5,193	1,650	237	45.6	179
White	2,916	742	97	33.3	64
Nonwhite	2,277	908	140	61.5	115
Charleston	2,442	953	118	48.3	87
White	1,384	463	59	42.6	32
Nonwhite	1,058	490	59	55.8	55
Balance of county	2,751	697	119	43.3	92
White	1,532	279	38	24.8	32
Nonwhite	1,219	418	81	66.4	60
Cherokee	760	252	27	35.5	15
White	593	189	21	35.4	11
Nonwhite	167	63	6	35.9	4
Chester	695	264	35	50.4	28
White	325	125	16	49.2	4
Nonwhite	370	139	19	51.4	24
Chesterfield	980	278	50	51.0	31
White	509	146	18	35.4	16
Nonwhite	471	132	32	67.9	15
Clarendon	790	246	55	69.6	18
White	184	51	3	16.3	4
Nonwhite	606	195	52	85.8	14
Colleton	804	246	46	57.2	28
White	284	97	16	56.3	6
Nonwhite	520	149	30	57.7	22
Darlington	1,262	443	79	62.6	43
White	623	225	30	48.2	14
Nonwhite	639	218	49	76.7	29
Dillon	788	254	61	77.4	29
White	373	111	28	75.1	9
Nonwhite	415	143	33	79.5	20
Dorchester	614	236	43	70.0	28
White	291	107	15	51.5	5
Nonwhite	323	129	28	86.7	23
Edgefield	440	155	23	52.3	13
White	119	62	4	33.6	3
Nonwhite	321	93	19	59.2	10
Fairfield	582	147	20	34.4	15
White	176	54	6	34.1	3
Nonwhite	406	93	14	34.5	12
Florence	2,168	669	110	50.7	83
White	1,109	338	50	45.1	33
Nonwhite	1,059	331	60	56.7	50
Florence	656	275	51	77.7	28
White	429	152	27	62.9	11
Nonwhite	227	123	24	105.7	17
Balance of county	1,512	394	59	39.0	55
White	680	186	23	33.8	22
Nonwhite	832	208	36	43.3	33
Georgetown	817	210	38	46.5	15
White	322	72	11	34.2	4
Nonwhite	495	138	27	54.5	11
Greenville	3,381	1,152	132	39.0	99
White	2,714	839	98	36.1	64
Nonwhite	667	313	34	51.0	35
Greenville	1,353	419	53	39.2	58
White	1,009	246	30	29.7	36
Nonwhite	344	173	23	66.9	22
Balance of county	2,028	733	79	39.0	41
White	1,705	593	68	39.9	28
Nonwhite	323	140	11	34.1	13
Section B (Counties)—Continued					
SOUTH CAROLINA—Continued					
Greenwood	778	332	38	48.8	26
White	538	167	18	33.5	14
Nonwhite	240	165	20	83.3	12
Greenwood	320	141	11	34.4	9
White	261	71	7	26.8	6
Nonwhite	59	70	4	67.8	3
Balance of county	458	191	27	59.0	17
White	277	96	11	39.7	8
Nonwhite	181	95	16	88.4	9
Hampton	468	178	29	62.0	32
White	151	73	5	33.1	3
Nonwhite	317	105	24	75.7	29
Horry	1,413	405	97	68.6	59
White	991	267	65	65.6	30
Nonwhite	422	138	32	75.8	29
Jasper	268	84	11	41.0	11
White	72	26	1	13.9	1
Nonwhite	196	58	10	51.0	10
Kershaw	768	231	23	29.9	13
White	298	110	7	23.5	4
Nonwhite	470	121	16	34.0	9
Lancaster	781	227	45	57.6	21
White	551	138	25	45.4	10
Nonwhite	230	89	20	87.0	11
Laurens	717	372	28	39.1	22
White	387	220	20	51.7	8
Nonwhite	330	152	8	24.2	14
Lee	602	189	30	49.8	26
White	128	60	6	46.9	1
Nonwhite	474	129	24	50.6	25
Lexington	917	322	48	52.3	29
White	647	229	31	47.9	15
Nonwhite	270	93	17	63.0	14
McCormick	250	99	16	64.0	9
White	44	26	1	22.7	-
Nonwhite	206	73	15	72.8	9
Marion	819	262	57	69.6	30
White	385	104	20	51.9	10
Nonwhite	434	158	37	85.3	20
Marlboro	839	317	60	71.5	30
White	361	142	21	58.2	9
Nonwhite	478	175	39	81.6	21
Newberry	678	236	30	44.2	19
White	365	121	9	24.7	8
Nonwhite	313	115	21	67.1	11
Oconee	766	246	36	47.0	16
White	676	197	27	39.9	13
Nonwhite	90	49	9	100.0	3
Orangeburg	1,946	623	119	61.2	80
White	605	193	22	36.4	14
Nonwhite	1,341	430	97	72.3	66
Orangeburg	399	146	26	65.2	13
White	238	61	10	42.0	5
Nonwhite	161	85	16	99.4	8
Balance of county	1,547	477	93	60.1	67
White	367	132	12	32.7	9
Nonwhite	1,180	345	81	68.6	58
Pickens	776	247	32	41.2	17
White	683	199	28	41.0	11
Nonwhite	93	48	4	43.0	6
Richland	2,808	1,496	129	45.9	88
White	1,683	761	60	35.7	30
Nonwhite	1,125	735	69	61.3	58
Columbia	1,911	902	87	45.5	58
White	1,309	579	46	35.1	20
Nonwhite	602	323	41	68.1	38
Balance of county	897	594	42	46.8	30
White	374	182	14	37.4	10
Nonwhite	523	412	28	53.5	20
Saluda	322	121	10	31.1	3
White	151	53	2	13.2	-
Nonwhite	171	68	8	46.8	3
Spartanburg	3,038	987	136	44.8	94
White	2,238	681	87	38.9	62
Nonwhite	800	306	49	61.3	32
Spartanburg	924	354	52	56.3	26
White	651	222	38	58.4	15
Nonwhite	273	132	14	51.3	11
Balance of county	2,114	633	84	39.7	68
White	1,587	459	49	30.9	47
Nonwhite	527	174	35	66.4	21
Sumter	1,463	457	81	55.4	49
White	528	164	24	45.5	11
Nonwhite	935	293	57	61.0	38
Sumter	571	204	26	45.5	23
White	364	94	13	35.7	8
Nonwhite	207	110	13	62.8	15
Balance of county	892	253	55	61.7	26
White	164	70	11	67.1	3
Nonwhite	728	183	44	60.4	23
Union	606	249	31	51.2	12
White	413	143	19	46.0	8
Nonwhite	193	106	12	62.2	4
Williamsburg	1,334	356	72	54.0	74
White	353	95	12	33.8	7
Nonwhite	979	261	60	61.3	67

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
SOUTH CAROLINA—Continued					
York	1,377	470	65	47.2	25
White	845	288	43	50.9	17
Nonwhite	532	182	22	41.4	8
Rock Hill	457	158	17	37.2	11
White	359	115	13	36.2	10
Nonwhite	98	43	4	40.8	1
Balance of county	920	312	48	52.2	14
White	486	173	30	61.7	7
Nonwhite	434	139	18	41.5	7
SOUTH DAKOTA	12,460	5,481	388	31.1	193
White	11,786	5,168	329	27.9	174
Nonwhite	674	313	59	87.5	19
Armstrong	1	-	-	0	-
White	-	-	-	-	-
Nonwhite	1	-	-	0	-
Aurora	83	41	5	60.2	4
Beadle	373	161	7	18.8	7
Huron	226	108	4	17.7	4
Balance of county	147	53	3	20.4	3
Bennett	78	18	-	0	-
White	52	11	-	0	-
Nonwhite	26	7	-	0	-
Bon Homme	174	71	8	46.0	1
Brookings	302	128	8	26.5	1
Brown	541	296	18	33.3	8
Aberdeen	309	182	10	32.4	6
Balance of county	232	114	8	34.5	2
Brule	112	59	3	26.8	4
Buffalo	20	9	1	50.0	-
White	13	4	-	0	-
Nonwhite	7	5	1	142.9	-
Butte	164	70	8	48.8	2
Campbell	95	24	2	21.1	3
Charles Mix	242	102	10	41.3	5
White	208	81	4	19.2	5
Nonwhite	34	21	6	176.5	-
Clark	165	68	7	42.4	5
Clay	148	89	-	0	2
Codington	393	164	15	38.2	9
Watertown	257	133	10	38.9	5
Balance of county	136	51	5	36.8	4
Corson	142	52	4	28.2	-
White	96	22	1	10.4	-
Nonwhite	46	30	3	65.2	-
Custer	85	61	1	11.8	-
Davidson	296	164	13	43.9	1
Mitchell	211	130	12	56.9	1
Balance of county	85	34	1	11.8	-
Day	258	101	9	34.9	4
Deuel	136	52	2	14.7	2
Dewey	125	55	3	24.0	-
White	76	27	1	13.2	-
Nonwhite	49	28	2	40.8	-
Douglas	126	47	5	39.7	1
Edmunds	154	38	1	6.5	-
Fall River	191	113	7	36.6	3
Faulk	98	33	3	30.6	2
Grant	203	96	4	19.7	6
Gregory	190	69	6	31.6	2
Haakon	68	34	1	14.7	1
Hamlin	128	57	4	31.3	1
Hand	126	50	-	0	-
Hanson	105	36	3	28.6	-
Harding	49	21	6	122.4	-
Hughes	114	56	4	35.1	1
Hutchinson	235	73	5	21.3	4
Hyde	52	30	2	38.5	-
Jackson	31	10	-	0	-
Jerauld	94	39	1	10.6	-
Jones	42	22	2	47.6	3
Kingsbury	206	74	8	38.8	2
Lake	217	110	7	32.3	1
Lawrence	251	133	12	47.8	3
Lincoln	253	110	3	11.9	3
Lyman	103	31	3	29.1	2
McCook	171	87	7	40.9	4
McPherson	180	63	6	33.3	5
Marshall	166	78	10	60.2	3
Meade	167	81	5	29.9	5
Mellette	74	41	6	81.1	-
White	42	17	-	0	-
Nonwhite	32	24	6	187.5	-
Miner	117	59	2	17.1	-
Minnehaha	1,405	525	36	25.6	25
Sioux Falls	1,087	392	29	26.7	16
Balance of county	318	133	7	22.0	9
Moody	191	62	3	15.7	2
Pennington	620	224	17	27.4	13
Rapid City	483	165	17	35.2	8
Balance of county	137	59	-	0	5
Perkins	123	54	2	16.3	1
Potter	86	42	2	23.3	1
Roberts	328	138	11	33.5	5
Section B (Counties)—Continued					
SOUTH DAKOTA—Continued					
Sanborn	106	59	1	9.4	1
Shannon	175	50	11	62.9	4
White	25	6	2	80.0	-
Nonwhite	150	44	9	60.0	4
Spink	209	112	6	28.7	7
Stanley	27	18	2	74.1	1
Sully	38	18	1	26.3	-
Todd	136	50	10	73.5	6
White	47	8	2	42.6	1
Nonwhite	89	42	8	89.9	5
Tripp	220	77	7	31.8	2
Turner	234	89	3	12.8	3
Union	221	88	2	9.0	2
Walworth	130	61	5	38.5	1
Washabaugh	43	17	3	69.8	2
White	17	6	1	58.8	-
Nonwhite	26	11	2	76.9	2
Washington	24	10	-	0	1
White	3	1	-	0	-
Nonwhite	21	9	-	0	1
Yankton	242	266	12	49.6	5
Ziebach	58	25	7	120.7	1
White	31	8	1	32.3	-
Nonwhite	27	17	6	222.2	1
TENNESSEE	64,966	27,946	3,096	47.7	1,546
White	54,218	21,285	2,448	45.2	1,101
Nonwhite	10,748	6,661	648	60.3	445
Anderson	1,469	300	78	53.1	25
Bedford	460	228	25	54.3	6
White	402	190	22	54.7	5
Nonwhite	58	38	3	51.7	1
Benton	218	101	13	59.6	1
Bledsoe	228	61	10	43.9	7
Blount	1,203	360	48	39.9	33
Bradley	684	252	46	67.3	16
Cleveland	318	127	24	75.5	7
White	290	115	23	79.3	5
Nonwhite	28	12	1	35.7	2
Balance of county	366	125	22	60.1	9
Campbell	952	253	54	56.7	17
Cannon	164	76	8	48.8	4
Carroll	466	248	19	40.8	14
White	405	199	17	42.0	12
Nonwhite	61	49	2	32.8	2
Carter	882	220	45	51.0	19
Cheatham	143	76	3	21.0	6
Chester	211	87	6	28.4	5
White	187	74	4	21.4	4
Nonwhite	24	13	2	83.3	1
Claiborne	496	152	14	28.2	6
Clay	184	56	6	32.6	2
Cocke	561	231	46	82.0	20
Coffee	443	262	21	47.4	10
Crockett	367	142	13	35.4	9
White	274	107	9	32.8	6
Nonwhite	93	35	4	43.0	3
Cumberland	418	102	17	40.7	7
Davidson	5,323	3,005	251	47.2	136
White	4,276	2,121	178	41.6	85
Nonwhite	1,047	884	73	69.7	51
Nashville	4,044	2,270	221	54.6	98
White	3,113	1,511	154	49.5	53
Nonwhite	931	759	67	72.0	45
Balance of county	1,279	735	30	23.5	38
White	1,163	610	24	20.6	32
Nonwhite	116	125	6	51.7	6
Decatur	181	86	9	49.7	7
De Kalb	215	112	9	41.9	7
Dickson	391	142	22	56.3	5
Dyer	710	304	32	45.1	17
White	623	240	27	43.3	12
Nonwhite	87	64	5	57.5	5
Dyersburg	224	129	19	84.8	9
White	175	87	15	85.7	5
Nonwhite	49	42	4	81.6	4
Balance of county	486	175	13	26.7	8
Fayette	745	238	27	36.2	23
White	160	66	4	25.0	3
Nonwhite	585	172	23	39.3	20
Fentress	408	85	11	27.0	6
Franklin	508	204	19	37.4	6
White	458	165	18	39.3	6
Nonwhite	50	39	1	20.0	-
Gibson	943	441	42	44.5	13
White	758	336	36	47.5	6
Nonwhite	185	105	6	32.4	7
Giles	590	254	25	42.4	6
White	452	185	14	31.0	5
Nonwhite	138	69	11	79.7	1
Grainger	242	116	12	49.6	3
Greene	878	362	46	52.4	12
Grundy	345	84	18	52.2	3
Hamblen	419	221	30	71.6	13

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	Deaths under 1 year		Stillbirths
			Number	Rate	
Section B (Counties)—Continued					
TENNESSEE—Continued					
Hamilton	4,008	2,034	222	55.4	114
White	3,247	1,390	167	51.4	70
Nonwhite	761	644	55	72.3	44
Chattanooga	3,182	1,657	176	55.3	90
White	2,452	1,059	124	50.6	47
Nonwhite	730	598	52	71.2	43
Balance of county	826	377	46	55.7	24
Hancock	188	59	6	31.9	3
Hardeman	478	471	28	58.6	11
White	238	252	14	58.8	3
Nonwhite	240	219	14	58.3	8
Hardin	379	106	10	26.4	8
Hawkins	652	225	31	47.5	12
Haywood	664	278	33	49.7	17
White	176	85	6	34.1	4
Nonwhite	488	193	27	55.3	13
Henderson	328	174	20	61.0	10
Henry	392	240	22	56.1	9
White	327	183	17	52.0	7
Nonwhite	65	57	5	76.9	2
Hickman	307	117	11	35.8	7
Houston	121	63	8	66.1	1
Humphreys	203	95	7	34.5	3
Jackson	278	82	3	10.8	10
Jefferson	366	155	18	49.2	6
Johnson	312	96	13	41.7	7
Knox	4,274	1,981	205	48.0	122
White	3,896	1,660	172	44.1	89
Nonwhite	378	321	33	87.3	33
Knoxville	2,873	1,242	147	51.2	82
White	2,515	981	118	46.9	52
Nonwhite	358	261	29	81.0	30
Balance of county	1,401	739	58	41.4	40
Lake	277	83	11	39.7	6
White	219	62	8	36.5	5
Nonwhite	58	21	3	51.7	1
Lauderdale	574	245	28	48.8	20
White	334	149	14	41.9	11
Nonwhite	240	96	14	58.3	9
Lawrence	699	236	18	25.8	7
Lewis	123	44	6	48.8	-
Lincoln	484	217	20	41.3	16
White	410	175	17	41.5	12
Nonwhite	74	42	3	40.5	4
Loudon	562	187	29	51.6	13
McMinn	760	250	37	48.7	13
McNairy	397	163	20	50.4	7
Macon	270	123	15	55.6	4
Madison	1,172	553	60	51.2	35
White	669	319	31	46.3	13
Nonwhite	503	234	29	57.7	22
Jackson	550	343	28	50.9	20
White	348	206	13	37.4	6
Nonwhite	202	137	15	74.3	14
Balance of county	622	210	32	51.4	15
White	321	113	18	56.1	7
Nonwhite	301	97	14	46.5	8
Marion	446	161	21	47.1	14
Marshall	337	172	13	38.6	4
White	297	148	8	26.9	2
Nonwhite	40	24	5	125.0	2
Maury	782	372	39	49.9	20
White	608	251	25	41.1	12
Nonwhite	174	121	14	80.5	8
Columbia	239	123	16	66.9	2
White	193	86	12	62.2	1
Nonwhite	46	37	4	87.0	1
Balance of county	543	249	23	42.4	18
White	415	165	13	31.3	11
Nonwhite	128	84	10	78.1	7
Meigs	150	43	8	53.3	4
Monroe	630	210	29	46.0	25
Montgomery	585	347	28	47.9	6
White	446	219	17	38.1	5
Nonwhite	139	128	11	79.1	1
Clarksville	211	159	10	47.4	4
White	168	94	4	23.8	3
Nonwhite	43	65	6	139.5	1
Balance of county	374	188	18	48.1	2
White	278	125	13	46.8	2
Nonwhite	96	63	5	52.1	-
Moore	61	20	3	49.2	1
Morgan	378	87	3	7.9	7
Obion	491	261	19	38.7	8
White	445	214	18	40.4	7
Nonwhite	46	47	1	21.7	1
Overton	335	78	3	9.0	4
Perry	165	55	3	18.2	1
Pickett	124	18	1	8.1	2
Polk	346	128	24	69.4	6
Putnam	543	184	22	40.5	11
Rhea	398	150	15	37.7	17
Roane	866	267	58	67.0	23
Robertson	552	250	23	41.7	8
White	445	200	20	44.9	7
Nonwhite	107	50	3	28.0	1
Section B (Counties)—Continued					
TENNESSEE—Continued					
Rutherford	723	362	30	41.5	15
White	595	257	24	40.3	12
Nonwhite	128	105	6	46.9	3
Scott	417	116	20	48.0	3
Sequatchie	139	32	8	57.6	2
Sevier	520	145	29	55.8	11
Shelby	8,257	4,160	440	53.3	250
White	4,722	2,061	220	46.6	94
Nonwhite	3,535	2,099	220	62.2	156
Memphis	6,455	3,392	373	57.8	210
White	3,863	1,728	192	49.7	81
Nonwhite	2,592	1,664	181	69.8	129
Balance of county	1,802	768	67	37.2	40
White	859	333	28	32.6	13
Nonwhite	943	435	39	41.4	27
Smith	253	117	8	31.6	8
Stewart	197	98	12	60.9	3
Sullivan	1,918	572	100	52.1	44
Bristol[6]	355	125	12	33.8	8
Kingsport	605	166	31	51.2	16
Balance of county	958	281	57	59.5	20
Sumner	570	290	25	43.9	8
White	510	249	22	43.1	8
Nonwhite	60	41	3	50.0	-
Tipton	726	247	30	41.3	15
White	405	144	21	51.9	8
Nonwhite	321	103	9	28.0	7
Trousdale	114	65	6	52.6	4
White	94	52	5	53.2	3
Nonwhite	20	13	1	50.0	1
Unicoi	343	113	12	35.0	13
Union	175	54	10	57.1	1
Van Buren	94	35	5	53.2	2
Warren	427	177	15	35.1	7
Washington	1,215	454	48	39.5	36
Johnson City	556	226	24	43.2	10
White	512	192	21	41.0	9
Nonwhite	44	34	3	68.2	1
Balance of county	659	228	24	36.4	26
Wayne	279	104	14	50.2	4
Weakley	404	270	16	39.6	9
White	362	175	16	44.2	7
Williamson	470	210	19	40.4	10
White	349	157	12	34.4	5
Nonwhite	121	53	7	57.9	5
Wilson	459	209	15	32.7	8
White	371	165	11	29.6	5
Nonwhite	88	44	4	45.5	3
TEXAS	157,915	58,853	7,703	48.8	4,027
White	138,286	48,783	6,533	47.2	3,108
Nonwhite	19,629	10,070	1,170	59.6	919
Anderson	667	268	14	21.0	12
White	458	164	8	17.5	7
Nonwhite	209	104	6	28.7	5
Palestine	228	129	6	26.3	6
White	172	78	2	11.6	3
Nonwhite	56	51	4	71.4	3
Balance of county	439	139	8	18.2	6
White	286	86	6	21.0	4
Nonwhite	153	53	2	13.1	2
Andrews	56	12	3	53.6	1
Angelina	698	231	25	35.8	21
White	588	184	17	28.9	12
Nonwhite	110	47	8	72.7	9
Aransas	53	37	5	94.3	1
Archer	103	35	4	38.8	3
Armstrong	33	12	-	0	-
Atascosa	585	158	41	70.1	9
Austin	276	160	13	47.1	8
White	188	112	5	26.6	6
Nonwhite	88	48	8	90.9	2
Bailey	153	27	2	13.1	5
Bandera	55	30	1	18.2	-
Bastrop	542	234	35	64.6	21
White	380	162	24	63.2	9
Nonwhite	162	72	11	67.9	12
Baylor	135	51	3	22.2	4
Bee	467	168	33	70.7	7
Bell	1,338	448	48	35.9	33
White	1,205	399	44	36.5	28
Nonwhite	133	49	4	30.1	5
Temple	541	166	14	25.9	12
White	459	133	14	30.5	11
Nonwhite	82	33	-	0	1
Balance of county	797	282	34	42.7	21
Bexar	11,085	4,356	691	62.3	323
San Antonio	10,137	3,730	649	64.0	302
White	9,624	3,401	617	64.1	281
Nonwhite	513	329	32	62.4	21
Balance of county	948	626	42	44.3	21
Blanco	79	40	3	38.0	2
Borden	7	1	-	0	1
Bosque	199	118	2	10.1	5

[6] Includes data for Bristol, Tenn., only.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
TEXAS—Continued					
Bowie	1,414	462	37	26.2	43
White	1,036	307	22	21.2	28
Nonwhite	378	155	15	39.7	15
Texarkana[7]	573	239	26	45.4	14
White	438	161	15	34.2	9
Nonwhite	135	78	11	81.5	5
Balance of county	841	223	11	13.1	29
White	598	146	7	11.7	19
Nonwhite	243	77	4	16.5	10
Brazoria	1,016	260	39	38.4	23
White	907	196	33	36.4	16
Nonwhite	109	64	6	55.0	7
Brazos	766	252	35	45.7	13
White	512	163	22	43.0	9
Nonwhite	254	89	13	51.2	4
Bryan	463	149	27	58.3	7
White	309	97	16	51.8	5
Nonwhite	154	52	11	71.4	2
Balance of county	303	103	8	26.4	6
White	203	66	6	29.6	4
Nonwhite	100	37	2	20.0	2
Brewster	201	59	12	59.7	5
Briscoe	67	20	2	29.9	1
Brooks	249	62	13	52.2	5
Brown	759	277	25	32.9	17
Brownwood	565	179	19	33.6	17
Balance of county	194	98	6	30.9	-
Burleson	294	139	11	37.4	3
White	187	76	6	32.1	2
Nonwhite	107	63	5	46.7	1
Burnet	198	77	5	25.3	8
Caldwell	565	250	38	67.3	17
White	503	208	36	71.6	15
Nonwhite	62	42	2	32.3	2
Calhoun	162	49	6	37.0	3
Callahan	141	86	4	28.4	2
Cameron	3,523	1,017	298	84.6	105
Brownsville	839	324	85	101.3	41
Harlingen	458	157	46	100.4	17
Balance of county	2,226	536	167	75.0	47
Camp	209	89	3	14.4	6
White	140	59	3	21.4	2
Nonwhite	69	30	-	0	4
Carson	142	35	8	56.3	-
Cass	602	222	17	28.2	10
White	347	140	11	31.7	5
Nonwhite	255	82	6	23.5	5
Castro	88	25	5	56.8	-
Chambers	121	59	3	24.8	5
White	80	42	1	12.5	2
Nonwhite	41	17	2	48.8	3
Cherokee	725	476	25	34.5	17
White	508	317	16	31.5	10
Nonwhite	217	159	9	41.5	7
Childress	324	87	11	34.0	14
Clay	145	69	5	34.5	2
Cochran	99	18	5	50.5	2
Coke	62	19	1	16.1	-
Coleman	339	145	13	38.3	10
Collin	875	369	36	41.1	19
Collingsworth	194	63	10	51.5	4
Colorado	285	154	14	49.1	9
White	189	90	8	42.3	5
Nonwhite	96	64	6	62.5	4
Comal	381	153	26	68.2	14
Comanche	259	141	6	23.2	4
Concho	107	39	3	28.0	3
Cooke	512	230	19	37.1	9
Coryell	375	150	16	42.7	4
Cottle	172	59	10	58.1	5
Crane	54	14	2	37.0	-
Crockett	71	16	3	42.3	1
Crosby	170	60	8	47.1	3
Culberson	36	9	3	83.3	2
Dallam	222	40	5	22.5	4
Dallas	10,256	4,119	430	41.9	225
White	8,875	3,181	308	34.7	155
Nonwhite	1,381	938	122	88.3	70
Dallas	7,189	3,076	320	44.5	161
White	6,077	2,319	230	37.8	105
Nonwhite	1,112	757	90	80.9	56
Highland Park	151	97	5	33.1	-
White	144	92	3	20.8	-
Nonwhite	7	5	2	285.7	-
University Park	312	93	2	6.4	4
Balance of county	2,604	853	103	39.6	60
White	2,346	682	74	31.5	46
Nonwhite	258	171	29	112.4	14
Dawson	413	124	32	77.5	9
Deaf Smith	157	52	11	70.1	2
Delta	178	69	2	11.2	1
Denton	638	276	13	20.4	11
Denton	295	120	7	23.7	5
White	271	107	5	18.5	5
Nonwhite	24	13	2	83.3	-
Balance of county	343	156	6	17.5	6

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
TEXAS—Continued					
De Witt	533	243	32	60.0	13
White	465	199	29	62.4	12
Nonwhite	68	44	3	44.1	1
Dickens	169	44	5	29.6	4
Dimmit	369	110	41	111.1	18
Donley	124	57	5	40.3	4
Duval	486	107	26	53.5	10
Eastland	439	263	15	34.2	4
Ector	533	96	17	31.9	15
Edwards	54	18	6	111.1	2
Ellis	854	403	35	41.0	15
White	627	293	25	39.9	11
Nonwhite	227	110	10	44.1	4
El Paso	4,464	1,490	276	61.8	97
El Paso	3,394	1,166	202	59.5	72
Balance of county	1,070	324	74	69.2	25
Erath	302	183	12	39.7	8
Falls	572	280	37	64.7	14
White	378	163	19	50.3	8
Nonwhite	194	117	18	92.8	6
Fannin	583	345	17	29.2	11
White	532	303	15	28.2	10
Nonwhite	51	42	2	39.2	1
Fayette	415	243	18	43.4	14
White	312	184	10	32.1	8
Nonwhite	103	59	8	77.7	6
Fisher	226	77	9	39.8	7
Floyd	183	52	8	43.7	3
Foard	83	39	6	72.3	5
Fort Bend	657	296	58	88.3	19
White	499	205	48	96.2	17
Nonwhite	158	91	10	63.3	2
Franklin	100	63	3	30.0	2
Freestone	332	153	13	39.2	8
White	175	99	6	34.3	3
Nonwhite	157	54	7	44.6	5
Frio	367	130	49	133.5	11
Gaines	192	54	11	57.3	6
Galveston	2,300	881	78	33.9	37
White	1,877	654	64	34.1	22
Nonwhite	423	227	14	33.1	15
Galveston	1,635	696	57	34.9	26
White	1,288	505	45	34.9	14
Nonwhite	347	191	12	34.6	12
Balance of county	665	185	21	31.6	11
White	589	149	19	32.3	8
Nonwhite	76	36	2	26.3	3
Garza	139	34	7	50.4	2
Gillespie	197	116	14	71.1	2
Glasscock	8	4	-	0	-
Goliad	147	62	10	68.0	2
White	130	56	10	76.9	2
Nonwhite	17	6	-	0	-
Gonzales	483	232	28	58.0	14
White	386	184	21	54.4	11
Nonwhite	97	48	7	72.2	3
Gray	541	160	17	31.4	10
Pampa	418	117	17	40.7	8
Balance of county	123	43	-	0	2
Grayson	1,444	610	50	34.6	42
Denison	438	181	19	43.4	13
White	381	145	13	34.1	10
Nonwhite	57	36	6	105.3	3
Sherman	409	194	15	36.7	12
White	368	162	11	29.9	10
Nonwhite	41	32	4	97.6	2
Balance of county	597	235	16	26.8	17
Gregg	1,203	449	35	29.1	38
White	891	296	20	22.4	21
Nonwhite	312	153	15	48.1	17
Longview	415	172	8	19.3	12
White	306	104	4	13.1	4
Nonwhite	109	68	4	36.7	8
Balance of county	788	277	27	34.3	26
White	585	192	16	27.4	17
Nonwhite	203	85	11	54.2	9
Grimes	284	178	16	56.3	13
White	157	107	9	57.3	4
Nonwhite	127	71	7	55.1	9
Guadalupe	615	231	25	40.7	14
White	514	185	20	38.9	11
Nonwhite	101	46	5	49.5	3
Hale	430	145	17	39.5	8
Hall	272	87	15	55.1	5
Hamilton	196	107	7	35.7	2
Hansford	56	20	3	53.6	1
Hardeman	224	87	9	40.2	6
Hardin	358	140	15	41.9	8
White	312	114	12	38.5	5
Nonwhite	46	26	3	65.2	3
Harris	13,980	5,098	561	40.1	353
White	11,477	3,751	377	32.8	223
Nonwhite	2,503	1,347	184	73.5	130
Houston	11,322	4,386	431	38.1	287
White	9,150	3,163	281	30.7	185
Nonwhite	2,172	1,223	150	69.1	102

[7] Includes data for Texarkana, Tex., only.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
TEXAS—Continued					
Harris—Continued					
Balance of county	2,658	712	130	48.9	66
White	2,327	588	96	41.3	38
Nonwhite	331	124	34	102.7	28
Harrison	968	397	38	39.3	31
White	397	158	13	32.7	9
Nonwhite	571	239	25	43.8	22
Marshall	431	204	18	41.8	13
White	271	101	7	25.8	5
Nonwhite	160	103	11	68.8	8
Balance of county	537	193	20	37.2	18
White	126	57	6	47.6	4
Nonwhite	411	136	14	34.1	14
Hartley	25	31	3	120.0	1
Haskell	250	92	6	24.0	3
Hays	456	157	33	72.4	15
Hemphill	78	32	3	38.5	1
Henderson	440	189	17	38.6	11
White	322	142	12	37.3	9
Nonwhite	118	47	5	42.4	2
Hidalgo	4,801	1,354	488	101.6	163
McAllen	714	178	55	77.0	22
Balance of county	4,087	1,176	433	105.9	141
Hill	550	316	27	49.1	16
White	440	261	18	40.9	6
Nonwhite	110	55	9	81.8	10
Hockley	414	92	17	41.1	7
Hood	93	43	3	32.3	2
Hopkins	434	242	20	46.1	15
White	394	219	17	43.1	12
Nonwhite	40	23	3	75.0	3
Houston	488	188	13	26.6	13
White	273	98	7	25.6	3
Nonwhite	215	90	6	27.9	10
Howard	669	240	37	55.3	16
Big Spring	530	157	30	56.6	11
Balance of county	139	83	7	50.4	5
Hudspeth	112	23	5	44.6	1
Hunt	865	364	32	37.0	13
White	731	310	26	35.6	9
Nonwhite	134	54	6	44.8	4
Greenville	394	160	18	45.7	2
White	310	123	14	45.2	1
Nonwhite	84	37	4	47.6	1
Balance of county	471	204	14	29.7	11
White	421	187	12	28.5	8
Nonwhite	50	17	2	40.0	3
Hutchinson	645	115	14	21.7	7
Borger	425	85	9	21.2	6
Balance of county	220	30	5	22.7	1
Irion	45	15	2	44.4	-
Jack	127	80	-	0	2
Jackson	294	94	7	23.8	11
White	254	69	6	23.6	10
Nonwhite	40	25	1	25.0	1
Jasper	391	166	11	28.1	9
White	274	114	7	25.5	5
Nonwhite	117	52	4	34.2	4
Jeff Davis	46	12	1	21.7	1
Jefferson	4,145	1,320	184	44.4	124
White	3,143	866	116	36.9	66
Nonwhite	1,002	454	68	67.9	58
Beaumont	1,878	652	75	39.9	67
White	1,345	389	44	32.7	30
Nonwhite	533	263	31	58.2	37
Port Arthur	1,421	434	76	53.5	34
White	1,158	309	51	44.0	17
Nonwhite	263	125	25	95.1	17
Balance of county	846	234	33	39.0	23
White	640	168	21	32.8	19
Nonwhite	206	66	12	58.3	4
Jim Hogg	154	26	9	58.4	5
Jim Wells	654	153	36	55.0	10
Johnson	506	263	25	49.4	10
Cleburne	234	123	16	68.4	3
Balance of county	272	140	9	33.1	7
Jones	503	180	28	55.7	15
Karnes	489	166	28	57.3	20
Kaufman	632	455	33	52.2	19
White	439	346	21	47.8	6
Nonwhite	193	109	12	62.2	13
Terrell	186	271	11	59.1	8
White	130	212	6	46.2	4
Nonwhite	56	59	5	89.3	4
Balance of county	446	184	22	49.3	11
White	309	134	15	48.5	2
Nonwhite	137	50	7	51.1	9
Kendall	98	65	3	30.6	1
Kenedy	11	7	1	90.9	-
Kent	39	14	1	25.6	4
Kerr	231	139	7	30.3	4
Kimble	90	23	4	44.4	1
King	6	3	1	166.7	-
Kinney	85	22	2	23.5	4
Kleberg	610	145	24	39.3	10
Section B (Counties)—Continued					
TEXAS—Continued					
Knox	215	48	5	23.3	4
Lamar	1,136	453	35	30.8	38
White	918	354	26	28.3	27
Nonwhite	218	99	9	41.3	11
Paris	582	246	15	25.8	26
White	488	184	11	22.5	18
Nonwhite	94	62	4	42.6	8
Balance of county	554	207	20	36.1	12
White	430	170	15	34.9	9
Nonwhite	124	37	5	40.3	3
Lamb	379	101	10	26.4	11
Lampasas	194	100	10	51.5	6
La Salle	298	76	27	90.6	9
Lavaca	472	217	18	38.1	12
White	402	185	12	29.9	9
Nonwhite	70	32	6	85.7	3
Lee	186	94	5	26.9	7
White	117	64	2	17.1	3
Nonwhite	69	30	3	43.5	4
Leon	279	101	10	35.8	8
White	146	58	6	41.1	4
Nonwhite	133	43	4	30.1	4
Liberty	551	195	15	27.2	16
White	427	141	10	23.4	7
Nonwhite	124	54	5	40.3	9
Limestone	440	245	16	36.4	18
White	299	174	10	33.4	10
Nonwhite	141	71	6	42.6	8
Lipscomb	85	25	3	35.3	2
Live Oak	203	62	7	34.5	3
Llano	92	40	-	0	1
Loving	1	1	-	0	-
Lubbock	1,486	442	71	47.8	24
Lubbock	1,004	317	56	55.8	16
Balance of county	482	125	15	31.1	8
Lynn	244	56	3	12.3	5
McCulloch	305	77	10	32.8	8
McLennan	2,352	1,096	82	34.9	79
White	1,892	830	50	26.4	42
Nonwhite	460	266	32	69.6	37
Waco	1,546	665	52	33.6	50
White	1,233	497	31	25.1	27
Nonwhite	313	168	21	67.1	23
Balance of county	806	431	30	37.2	29
White	659	333	19	28.8	15
Nonwhite	147	98	11	74.8	14
McMullen	28	8	-	0	-
Madison	169	69	7	41.4	4
White	94	48	6	63.8	-
Nonwhite	75	21	1	13.3	4
Marion	209	99	10	47.8	5
White	76	38	1	13.2	1
Nonwhite	133	61	9	67.7	4
Martin	93	25	7	75.3	1
Mason	88	49	1	11.4	2
Matagorda	518	195	27	52.1	14
White	394	146	21	53.3	11
Nonwhite	124	49	6	48.4	3
Maverick	383	105	27	70.5	5
Medina	609	194	38	62.4	7
Menard	89	36	4	44.9	2
Midland	445	122	24	53.9	5
Milam	543	228	24	44.2	13
White	421	160	19	45.1	10
Nonwhite	122	68	5	41.0	3
Mills	84	75	6	71.4	2
Mitchell	292	88	14	47.9	10
Montague	344	125	12	34.9	3
Montgomery	427	187	23	53.9	18
White	313	116	14	44.7	8
Nonwhite	114	71	9	78.9	10
Moore	183	33	7	38.3	5
Morris	187	75	7	37.4	2
White	118	44	3	25.4	1
Nonwhite	69	31	4	58.0	1
Motley	92	28	2	21.7	5
Nacogdoches	623	257	18	28.9	15
White	398	176	8	20.1	8
Nonwhite	225	81	10	44.4	7
Navarro	768	416	37	48.2	32
White	567	295	20	35.3	16
Nonwhite	201	121	17	84.6	16
Corsicana	330	221	22	66.7	17
White	255	151	13	51.0	9
Nonwhite	75	70	9	120.0	8
Balance of county	438	195	15	34.2	15
White	312	144	7	22.4	7
Nonwhite	126	51	8	63.5	8
Newton	188	78	11	58.5	5
White	99	46	5	50.5	1
Nonwhite	89	32	6	67.4	4
Nolan	375	130	10	26.7	9
Sweetwater	253	88	6	23.7	6
Balance of county	122	42	4	32.8	3

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
TEXAS—Continued					
Nueces	4,691	1,141	300	64.0	172
Corpus Christi	3,054	698	153	50.1	113
Balance of county	1,637	443	147	89.8	59
Ochiltree	87	38	6	69.0	3
Oldham	45	4	-	0	-
Orange	1,251	280	59	47.2	37
White	1,124	237	47	41.8	27
Nonwhite	127	43	12	94.5	10
Palo Pinto	537	213	12	22.3	7
Panola	293	125	8	27.3	6
White	174	71	3	17.2	2
Nonwhite	119	54	5	42.0	4
Parker	392	145	7	18.3	7
Parmer	100	24	1	10.0	2
Pecos	238	68	12	50.4	2
Polk	363	145	13	35.8	9
White	224	88	9	40.2	6
Nonwhite	139	57	4	28.8	3
Potter	1,563	483	58	37.1	15
Amarillo (part)	1,458	450	55	(3)	15
Amarillo (total)	1,462	452	56	38.3	15
Balance of county	105	33	3	28.6	-
Presidio	272	64	17	62.5	7
Rains	70	34	3	42.9	-
Randall	90	41	5	55.6	-
Amarillo (part)	4	2	1	(3)	-
Balance of county	86	39	4	46.5	-
Reagan	39	9	-	0	-
Real	35	19	6	171.4	-
Red River	507	208	16	31.6	12
White	376	140	12	31.9	9
Nonwhite	131	68	4	30.5	3
Reeves	321	74	20	62.3	12
Refugio	255	70	15	58.8	2
White	217	63	13	59.9	1
Nonwhite	38	7	2	52.6	1
Roberts	22	11	-	0	-
Robertson	469	179	35	74.6	17
White	236	93	23	97.5	7
Nonwhite	233	86	12	51.5	10
Rockwall	114	44	6	52.6	2
White	76	35	5	65.8	-
Nonwhite	38	9	1	26.3	2
Runnels	445	157	11	24.7	8
Rusk	713	311	20	28.1	22
White	492	210	11	22.4	9
Nonwhite	221	101	9	40.7	13
Sabine	157	61	5	31.8	2
White	126	42	3	23.8	2
Nonwhite	31	19	2	64.5	-
San Augustine	210	74	4	19.0	4
White	116	45	2	17.2	2
Nonwhite	94	29	2	21.3	2
San Jacinto	114	57	6	52.6	7
White	40	19	2	50.0	2
Nonwhite	74	38	4	54.1	5
San Patricio	1,082	299	95	87.8	36
San Saba	194	66	10	51.5	5
Schleicher	62	20	4	64.5	-
Scurry	179	59	3	16.8	2
Shackelford	68	32	1	14.7	3
Shelby	546	184	16	29.3	13
White	400	149	11	27.5	8
Nonwhite	146	35	5	34.2	5
Sherman	32	15	1	31.3	9
Smith	1,451	561	59	40.7	35
White	996	391	38	38.2	19
Nonwhite	455	170	21	46.2	16
Tyler	757	280	38	50.2	23
White	612	197	26	42.5	12
Nonwhite	145	83	12	82.8	11
Balance of county	694	281	21	30.3	12
White	384	194	12	31.3	7
Nonwhite	310	87	9	29.0	5
Somervell	50	18	3	60.0	-
Starr	417	79	19	45.6	11
Stephens	137	77	6	43.8	1
Sterling	25	9	1	40.0	2
Stonewall	56	21	1	17.9	2
Sutton	96	32	9	93.8	6
Swisher	136	48	6	44.1	1
Tarrant	6,120	2,435	212	34.6	130
White	5,468	2,042	175	32.0	97
Nonwhite	652	393	37	56.7	33
Fort Worth	5,136	2,021	176	34.1	115
White	4,529	1,641	139	30.7	84
Nonwhite	607	380	36	59.3	31
Balance of county	984	414	37	37.6	15
Taylor	1,168	490	48	41.1	20
Abilene	894	296	37	41.4	14
Balance of county	274	194	11	40.1	6
Terrell	54	19	2	37.0	2
Terry	322	97	24	74.5	7
Throckmorton	42	19	1	23.8	-
Section B (Counties)—Continued					
TEXAS—Continued					
Titus	323	128	11	34.1	10
White	278	94	8	29.0	6
Nonwhite	47	34	3	63.8	4
Tom Green	1,159	405	52	44.9	21
San Angelo	987	321	45	45.6	15
Balance of county	172	84	7	40.7	6
Travis	2,791	1,445	137	49.1	76
White	2,377	1,127	115	48.4	65
Nonwhite	414	318	22	53.1	11
Austin	2,411	1,309	108	44.8	69
White	2,099	1,018	91	43.4	59
Nonwhite	312	291	17	54.5	10
Balance of county	380	136	29	76.3	7
White	278	109	24	86.3	6
Nonwhite	102	27	5	49.0	1
Trinity	169	90	8	47.3	9
White	113	61	3	26.5	7
Nonwhite	56	29	5	89.3	2
Tyler	195	103	9	46.2	6
White	146	74	7	47.9	5
Nonwhite	49	29	2	40.8	1
Upshur	365	136	10	27.4	9
White	242	90	5	20.7	6
Nonwhite	123	46	5	40.7	3
Upton	69	21	2	29.0	3
Uvalde	416	136	35	84.1	10
Val Verde	574	192	53	92.3	21
Del Rio	549	174	51	92.9	21
Balance of county	25	18	2	80.0	-
Van Zandt	329	146	7	21.3	10
Victoria	863	295	43	49.8	25
White	787	247	39	49.6	22
Nonwhite	76	48	4	52.6	3
Victoria	604	198	35	57.9	17
White	548	167	31	56.6	14
Nonwhite	56	31	4	71.4	3
Balance of county	259	97	8	30.9	8
White	239	80	8	33.5	8
Nonwhite	20	17	-	0	-
Walker	290	150	7	24.1	7
White	160	66	3	18.8	3
Nonwhite	130	84	4	30.8	4
Waller	157	87	4	25.5	2
White	80	36	1	12.5	-
Nonwhite	77	51	3	39.0	2
Ward	388	83	16	41.2	9
Washington	443	241	18	40.6	17
White	253	126	8	31.6	3
Nonwhite	190	115	10	52.6	14
Webb	1,832	566	162	88.4	63
Laredo	1,725	513	155	89.9	60
Balance of county	107	53	7	65.4	3
Wharton	902	290	44	48.8	18
White	688	207	33	48.0	9
Nonwhite	214	83	11	51.4	9
Wheeler	229	82	11	48.0	9
Wichita	1,803	691	54	30.0	32
Wichita Falls	1,338	362	43	32.1	24
Balance of county	465	329	11	23.7	8
Wilbarger	373	134	20	53.6	6
Willacy	653	172	67	102.6	24
Williamson	786	360	33	42.0	24
White	630	284	21	33.3	13
Nonwhite	156	76	12	76.9	11
Wilson	358	134	26	72.6	12
Winkler	159	30	7	44.0	3
Wise	264	134	5	18.9	3
Wood	409	182	9	22.0	6
Yoakum	63	9	2	31.7	-
Young	305	148	14	45.9	9
Zapata	89	38	8	89.9	8
Zavala	429	128	58	135.2	12
UTAH	15,680	4,859	488	31.1	268
White	15,406	4,733	472	30.6	262
Nonwhite	274	126	16	58.4	6
Beaver	128	51	4	31.3	-
Box Elder	523	146	13	24.9	7
Cache	746	229	23	30.8	10
Logan	328	117	11	33.5	6
Balance of county	418	112	12	28.7	4
Carbon	598	195	26	43.5	11
Daggett	10	1	-	0	-
Davis	691	151	24	34.7	16
Duchesne	201	53	7	34.8	1
Emery	127	43	4	31.5	3
Garfield	102	30	10	98.0	3
Grand	41	24	1	24.4	1
Iron	198	60	10	50.5	2
Juab	114	59	3	26.3	3
Kane	54	16	1	18.5	1
Millard	240	104	6	25.0	2
Morgan	63	19	-	0	1

[3]Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
UTAH—Continued					
Piute	40	14	-	0	2
Rich	49	13	-	0	1
Salt Lake	6,255	1,912	196	31.3	95
Salt Lake City	4,417	1,471	136	30.8	61
Balance of county	1,838	441	60	32.6	34
San Juan	63	16	2	31.7	2
White	61	14	1	16.4	2
Nonwhite	2	2	1	500.0	-
Sanpete	331	139	9	27.2	8
Sevier	301	113	9	29.9	4
Summit	137	62	4	29.2	4
Tooele	278	99	12	43.2	6
Uintah	194	69	10	51.5	5
White	194	64	10	51.5	5
Nonwhite	-	5	-	-	-
Utah	1,728	532	38	22.0	30
Provo	529	220	12	22.7	6
Balance of county	1,199	312	26	21.7	24
Wasatch	144	43	3	20.8	5
Washington	240	66	9	37.5	6
Wayne	46	14	3	65.2	-
Weber	2,038	586	61	29.9	39
Ogden	1,422	455	48	33.8	22
Balance of county	616	131	13	21.1	17
VERMONT	6,873	4,007	238	34.6	151
White	6,868	4,005	238	34.7	151
Nonwhite	5	2	-	0	-
Addison	361	167	8	22.2	8
Bennington	386	251	11	28.5	11
Caledonia	425	264	18	42.4	12
Chittenden	1,141	515	34	29.8	26
Burlington	642	302	21	32.7	16
Balance of county	499	213	13	26.1	10
Essex	114	59	8	70.2	3
Franklin	608	322	29	47.7	23
Grand Isle	67	41	1	14.9	3
Lamoille	210	109	4	19.0	5
Orange	309	173	10	32.4	7
Orleans	461	238	26	56.4	8
Rutland	804	553	31	38.6	17
Rutland	357	218	12	33.6	4
Balance of county	447	335	19	42.5	13
Washington	719	546	26	36.2	7
Barre	214	129	6	28.0	1
Balance of county	505	417	20	39.6	6
Windham	493	368	14	28.4	9
Windsor	775	401	18	23.2	12
VIRGINIA[8]	67,068	28,641	3,178	47.4	2,017
White	50,246	19,475	2,025	40.3	1,185
Nonwhite	16,822	9,166	1,153	68.5	832
Accomack	602	406	42	69.8	24
White	306	244	10	32.7	8
Nonwhite	296	162	32	108.1	16
Albemarle	409	228	16	39.1	15
White	323	162	9	27.9	7
Nonwhite	86	66	7	81.4	8
Alexandria (city)	1,599	399	51	31.9	42
White	1,457	320	41	28.1	37
Nonwhite	142	79	10	70.4	5
Alleghany	427	187	26	60.9	18
Amelia	164	78	10	61.0	6
White	55	33	2	36.4	-
Nonwhite	109	45	8	73.4	6
Amherst	363	189	18	49.6	5
White	237	143	8	33.8	2
Nonwhite	126	46	10	79.4	3
Appomattox	157	99	17	108.3	6
White	99	59	6	60.6	4
Nonwhite	58	40	11	189.7	2
Arlington[9]	3,392	528	56	16.5	54
Augusta	880	399	27	50.7	23
Bath	130	64	8	61.5	4
White	119	56	7	58.8	3
Nonwhite	11	8	1	90.9	1
Bedford	501	314	21	41.9	24
White	364	232	11	30.2	14
Nonwhite	137	82	10	73.0	10
Bland	132	58	4	30.3	3
Botetourt	306	144	14	45.8	8
White	274	118	13	47.4	6
Nonwhite	32	26	1	31.3	2
Bristol (city)[10]	251	126	15	59.8	7
White	228	103	12	52.6	7
Nonwhite	23	23	3	130.4	-
Brunswick	460	193	27	58.7	12
White	142	79	7	49.3	3
Nonwhite	318	114	20	62.9	9
Buchanan	1,028	230	74	72.0	29
Buckingham	275	124	15	54.5	8
White	112	55	5	44.6	2
Nonwhite	163	69	10	61.3	6

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
VIRGINIA[8]—Continued					
Buena Vista (city)	102	43	7	68.6	6
Campbell	537	210	23	42.8	18
White	377	146	12	31.8	5
Nonwhite	160	64	11	68.8	13
Caroline	292	122	13	44.5	9
White	98	53	-	0	1
Nonwhite	194	69	13	67.0	8
Carroll	460	175	20	43.5	15
Charles City	122	53	9	73.8	9
White	22	14	1	45.5	3
Nonwhite	100	39	8	80.0	6
Charlotte	263	132	14	53.2	9
White	128	62	5	39.1	3
Nonwhite	135	70	9	66.7	6
Charlottesville (city)	460	218	23	50.0	8
White	381	156	18	47.2	5
Nonwhite	79	62	5	63.3	3
Chesterfield	639	254	18	28.2	17
White	476	172	11	23.1	9
Nonwhite	163	82	7	42.9	8
Clarke	135	79	6	44.4	4
White	106	60	5	47.2	3
Nonwhite	29	19	1	34.5	1
Clifton Forge (city)	116	82	9	77.6	1
White	97	67	8	82.5	-
Nonwhite	19	15	1	52.6	1
Craig	51	33	3	58.8	1
Culpeper	264	132	9	34.1	14
White	157	95	6	38.2	8
Nonwhite	107	37	3	28.0	6
Cumberland	159	85	12	75.5	4
White	48	31	3	62.5	1
Nonwhite	111	54	9	81.1	3
Danville (city)	685	358	56	81.8	29
White	481	211	25	52.0	8
Nonwhite	204	147	31	152.0	21
Dickenson	663	130	26	39.2	21
Dinwiddie	346	523	19	54.9	7
White	130	63	6	46.2	2
Nonwhite	216	460	13	60.2	5
Elizabeth City	525	256	30	57.1	18
White	420	156	20	47.6	7
Nonwhite	105	100	10	95.2	11
Essex	142	69	3	21.1	7
White	70	32	2	28.6	3
Nonwhite	72	37	1	13.9	4
Fairfax	1,367	385	55	40.2	38
White	1,226	317	45	36.7	31
Nonwhite	141	68	10	70.9	7
Fauquier	396	221	15	37.9	12
White	266	161	10	37.6	6
Nonwhite	130	60	5	38.5	6
Floyd	198	96	8	40.4	6
Fluvanna	144	71	5	34.7	2
White	79	44	2	25.3	-
Nonwhite	65	27	3	46.2	2
Franklin	518	190	20	38.6	22
White	440	157	19	43.2	14
Nonwhite	78	33	1	12.8	8
Frederick	289	161	8	27.7	4
Fredericksburg (city)	249	121	14	56.2	5
White	208	90	9	43.3	5
Nonwhite	41	31	5	122.0	-
Giles	407	168	33	81.1	12
Gloucester	186	110	6	32.3	2
White	131	68	5	38.2	-
Nonwhite	55	42	1	18.2	2
Goochland	147	80	9	61.2	6
White	47	36	2	42.6	2
Nonwhite	100	44	7	70.0	3
Grayson	424	161	26	61.3	13
Greene	117	61	9	76.9	6
White	107	46	7	65.4	4
Nonwhite	10	15	2	200.0	2
Greensville	402	139	27	67.2	20
White	102	44	3	29.4	3
Nonwhite	300	95	24	80.0	17
Halifax	951	376	56	58.9	30
White	438	178	23	52.5	14
Nonwhite	513	198	33	64.3	16
Hampton (city)	610	113	15	24.6	23
White	478	72	13	27.2	14
Nonwhite	132	41	2	15.2	9
Hanover	428	185	18	42.1	9
White	255	122	10	39.2	3
Nonwhite	173	63	8	46.2	6
Harrisonburg (city)	194	109	10	51.5	5
Henrico	635	263	16	25.2	19
White	524	210	11	21.0	13
Nonwhite	111	53	5	45.0	6
Henry	718	194	28	39.0	19
White	465	107	16	34.4	8
Nonwhite	253	87	12	47.4	11

[8] Cities of Virginia are independent, each having the same status as a county. Places having populations of 10,000 or more include: Alexandria, Arlington County,[9] Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[9] Classified as urban under a special rule in the 1940 census.

[10] Includes data for Bristol, Va., only.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
VIRGINIA[8]—Continued					
Highland	68	43	3	44.1	5
Hopewell (city)	233	71	9	38.6	3
White	207	55	8	38.6	2
Nonwhite	26	16	1	38.5	1
Isle of Wight	342	154	18	52.6	13
White	119	69	4	33.6	3
Nonwhite	223	85	14	62.8	10
James City	130	52	9	69.2	4
White	49	21	1	20.4	2
Nonwhite	81	31	8	98.8	2
King and Queen	117	67	10	85.5	7
White	44	33	1	22.7	2
Nonwhite	73	34	9	123.3	5
King George	160	47	4	25.0	4
White	116	26	3	25.9	2
Nonwhite	44	21	1	22.7	2
King William	151	70	7	46.4	4
White	78	37	3	38.5	-
Nonwhite	73	33	4	55.6	4
Lancaster	143	95	11	76.9	9
White	77	53	4	51.9	2
Nonwhite	66	42	7	106.1	7
Lee	848	270	56	66.0	24
Loudoun	397	198	18	45.3	7
White	300	146	10	33.3	3
Nonwhite	97	52	8	82.5	4
Louisa	253	140	9	35.6	11
White	133	78	4	30.1	2
Nonwhite	120	62	5	41.7	9
Lunenburg	320	115	16	50.0	5
White	142	68	9	63.4	1
Nonwhite	178	47	7	39.3	4
Lynchburg (city)	903	471	41	45.4	17
White	679	332	30	44.2	12
Nonwhite	224	139	11	49.1	5
Madison	175	90	15	85.7	5
White	129	72	14	108.5	5
Nonwhite	46	18	1	21.7	-
Martinsville (city)	264	65	8	30.3	6
White	204	47	4	19.6	6
Nonwhite	60	18	4	66.7	-
Mathews	104	91	4	38.5	3
White	71	60	3	42.3	1
Nonwhite	33	31	1	30.3	2
Mecklenburg	783	272	39	49.8	12
White	326	116	14	42.9	2
Nonwhite	457	156	25	54.7	10
Middlesex	121	93	6	49.6	2
White	62	48	1	16.1	-
Nonwhite	59	45	5	84.7	2
Montgomery	644	222	32	49.7	8
Nansemond	569	245	44	77.3	17
White	166	66	11	66.3	2
Nonwhite	403	179	33	81.9	15
Nelson	297	146	16	53.9	12
White	202	95	8	39.6	6
Nonwhite	95	51	8	84.2	6
New Kent	71	38	2	28.2	3
White	27	16	-	0	2
Nonwhite	44	22	2	45.5	1
Newport News (city)	1,485	538	76	51.2	46
White	959	257	39	40.7	23
Nonwhite	526	281	37	70.3	23
Norfolk	2,996	591	91	30.4	108
White	2,449	359	68	27.8	69
Nonwhite	547	232	23	42.0	39
Norfolk (city)	3,891	2,197	236	60.7	147
White	2,634	1,235	138	52.4	68
Nonwhite	1,257	962	98	78.0	79
Northampton	358	214	21	58.7	16
White	145	106	5	34.5	3
Nonwhite	213	108	16	75.1	13
Northumberland	162	95	10	61.7	5
White	74	52	4	54.1	1
Nonwhite	88	43	6	68.2	4
Nottoway	351	154	17	48.4	16
White	169	64	5	29.6	4
Nonwhite	182	90	12	65.9	12
Orange	239	132	11	46.0	7
White	156	94	5	32.1	7
Nonwhite	83	38	6	72.3	-
Page	327	143	14	42.8	8
Patrick	358	130	16	44.7	8
Petersburg (city)	776	429	39	50.3	31
White	457	195	12	26.3	15
Nonwhite	319	234	27	84.6	16
Pittsylvania	1,493	525	81	54.3	40
White	942	323	45	47.8	21
Nonwhite	551	202	36	65.3	19
Portsmouth (city)	1,524	666	72	47.2	73
White	859	333	35	40.7	26
Nonwhite	665	333	37	55.6	47
Powhatan	99	76	8	80.8	11
White	44	32	-	0	1
Nonwhite	55	44	8	145.5	10
Section B (Counties)—Continued					
VIRGINIA[8]—Continued					
Prince Edward	262	141	8	30.5	5
White	120	71	2	16.7	1
Nonwhite	142	70	6	42.3	4
Prince George	263	117	18	68.4	10
White	117	55	1	8.5	1
Nonwhite	146	62	17	116.4	9
Prince William	463	164	21	45.4	11
White	410	139	14	34.1	6
Nonwhite	53	25	7	132.1	5
Princess Anne	678	273	24	35.4	16
White	434	171	10	23.0	9
Nonwhite	244	102	14	57.4	7
Pulaski	631	214	35	55.5	21
Radford (city)	209	75	11	52.6	7
Rappahannock	127	68	7	55.1	4
White	101	45	4	39.6	4
Nonwhite	26	23	3	115.4	-
Richmond	142	71	10	70.4	5
White	83	33	1	12.0	2
Nonwhite	59	38	9	152.5	3
Richmond (city)	4,142	2,569	152	36.7	130
White	2,847	1,629	84	29.5	69
Nonwhite	1,295	940	68	52.5	61
Roanoke	828	419	24	29.0	26
Roanoke (city)	1,366	785	69	50.5	26
White	1,098	594	40	36.4	17
Nonwhite	268	191	29	108.2	9
Rockbridge	397	209	22	55.4	4
White	358	178	19	53.1	3
Nonwhite	39	31	3	76.9	1
Rockingham	696	280	25	35.9	15
Russell	694	186	25	36.0	15
Scott	530	202	29	54.7	11
Shenandoah	435	235	20	46.0	9
Smyth	670	314	39	58.2	19
Southampton	661	274	40	60.5	25
White	182	94	5	27.5	6
Nonwhite	479	180	35	73.1	19
South Norfolk (city)	212	59	6	28.3	6
White	170	37	3	17.6	5
Nonwhite	42	22	3	71.4	1
Spotsylvania	212	86	13	61.3	7
White	154	48	5	32.5	3
Nonwhite	58	38	8	137.9	4
Stafford	185	119	13	70.3	6
White	154	89	10	64.9	3
Nonwhite	31	30	3	96.8	3
Staunton (city)	210	361	14	66.7	3
White	177	336	12	67.8	3
Nonwhite	33	25	2	60.6	-
Suffolk (city)	275	157	16	58.2	16
White	181	85	7	38.7	9
Nonwhite	94	72	9	95.7	7
Surry	139	58	8	57.6	4
White	45	23	-	0	-
Nonwhite	94	35	8	85.1	4
Sussex	342	152	27	78.9	15
White	66	42	-	0	1
Nonwhite	276	110	27	97.8	14
Tazewell	1,248	390	88	70.5	32
Warren	286	115	13	45.5	9
Warwick	707	152	26	36.8	22
White	434	111	19	43.8	8
Nonwhite	273	41	7	25.6	14
Washington	811	319	48	59.2	22
Westmoreland	200	87	14	70.0	10
White	85	56	3	35.3	2
Nonwhite	115	31	11	95.7	8
Williamsburg (city)	84	185	1	11.9	1
White	64	172	-	0	1
Nonwhite	20	13	1	50.0	-
Winchester (city)	259	166	15	57.9	13
Wise	1,380	466	85	61.6	47
Wythe	513	182	12	23.4	8
York	242	122	12	49.6	3
White	170	71	7	41.2	1
Nonwhite	72	51	5	69.4	2
WASHINGTON	44,573	21,890	1,539	34.5	693
White	43,191	21,264	1,448	33.5	662
Nonwhite	1,382	626	91	65.8	31
Adams	105	57	7	66.7	2
Asotin	131	105	5	38.2	4
Benton	323	115	21	65.0	3
Chelan	694	364	29	41.8	17
Wenatchee	204	185	10	49.0	6
Balance of county	490	179	19	38.8	11
Clallam	494	209	12	24.3	13
Clark	2,211	688	73	33.0	31
Vancouver	650	361	33	50.8	10
Balance of county	1,561	327	40	25.6	21
Columbia	87	65	2	23.0	-

[8]See footnote, p. 50.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
WASHINGTON—Continued					
Cowlitz	971	339	31	31.9	12
Longview	406	146	18	44.3	6
Balance of county	565	193	13	23.0	6
Douglas	103	54	2	19.4	1
Ferry	55	25	-	0	2
White	47	24	-	0	2
Nonwhite	8	1	-	0	-
Franklin	265	120	23	86.8	5
Garfield	48	32	2	41.7	1
Grant	176	60	6	34.1	-
Grays Harbor	926	589	41	44.3	21
Aberdeen	357	322	10	28.0	10
Hoquiam	204	75	9	44.1	4
Balance of county	365	192	22	60.3	7
Island	180	92	1	5.6	4
Jefferson	222	82	7	31.5	4
King	14,414	6,875	427	29.6	228
Seattle	11,843	5,473	332	28.0	184
White	11,390	5,268	315	27.7	168
Nonwhite	453	205	17	37.5	16
Balance of county	2,571	1,402	95	37.0	44
Kitsap	3,028	710	96	31.7	46
Bremerton	1,394	371	55	39.5	28
Balance of county	1,634	339	41	25.1	18
Kittitas	388	177	21	54.1	6
Klickitat	184	111	11	59.8	4
Lewis	771	511	28	36.3	10
Lincoln	184	102	3	16.3	2
Mason	246	107	7	28.5	3
Okanogan	499	199	17	34.1	5
Pacific	263	168	6	22.8	6
Pend Oreille	98	58	4	40.8	3
Pierce	4,792	2,804	183	38.2	65
Tacoma	3,137	1,761	114	36.3	40
Balance of county	1,655	1,043	69	41.7	25
San Juan	39	35	1	25.6	1
Skagit	729	642	27	37.0	11
Skamania	42	38	1	23.8	-
Snohomish	1,998	991	54	27.0	19
Everett	851	449	24	28.2	9
Balance of county	1,147	542	30	26.2	10
Spokane	3,894	2,288	125	32.1	58
Spokane	3,031	1,633	101	33.3	46
Balance of county	863	655	24	27.8	12
Stevens	275	180	14	50.9	5
Thurston	799	382	21	26.3	13
Olympia	358	223	14	39.1	10
Balance of county	441	159	7	15.9	3
Wahkiakum	59	31	3	50.8	-
Walla Walla	786	436	25	31.8	5
Walla Walla	559	308	16	28.6	4
Balance of county	227	128	9	39.6	1
Whatcom	1,185	696	38	32.1	37
Bellingham	664	417	29	43.7	26
Balance of county	521	279	9	17.3	11
Whitman	435	216	16	36.8	3
Yakima	2,474	1,137	149	60.2	43
Yakima	809	479	48	59.3	12
Balance of county	1,665	658	101	60.7	31
WEST VIRGINIA	39,039	16,630	2,030	52.0	1,228
White	36,902	15,372	1,903	51.6	1,120
Nonwhite	2,137	1,258	127	59.4	108
Barbour	368	188	16	43.5	15
Berkeley	547	317	34	62.2	17
Martinsburg	352	208	22	62.5	11
Balance of county	195	109	12	61.5	6
Boone	702	186	41	58.4	27
Braxton	380	139	12	31.6	10
Brooke	408	226	21	51.5	4
Cabell	1,954	1,055	106	54.2	57
Huntington (part)	1,604	895	91	(3)	47
Huntington (total)	1,667	933	98	58.8	49
Balance of county	350	160	15	42.9	10
Calhoun	181	92	9	49.7	7
Clay	356	88	12	33.7	9
Doddridge	154	50	3	19.5	11
Fayette	1,757	547	110	62.6	67
White	1,517	424	89	58.7	51
Nonwhite	240	123	21	87.5	16
Gilmer	146	97	14	95.9	3
Grant	182	75	8	44.0	5
Greenbrier	823	333	38	46.2	30
Hampshire	223	103	7	31.4	4
Hancock	613	242	19	31.0	11
Hardy	186	81	8	43.0	4
Harrison	1,553	771	66	42.5	60
Clarksburg	748	371	38	50.8	23
Balance of county	805	400	28	34.8	37
Jackson	234	139	12	51.3	10
Jefferson	318	182	13	40.9	11
White	268	151	11	41.0	10
Nonwhite	50	31	2	40.0	1
Section B (Counties)—Continued					
WEST VIRGINIA—Continued					
Kanawha	4,790	1,743	305	63.7	151
Charleston	1,776	821	127	71.5	60
White	1,685	707	122	72.4	56
Nonwhite	91	114	5	54.9	4
South Charleston	330	81	21	63.6	8
Balance of county	2,684	841	157	58.5	83
Lewis	328	336	9	27.4	4
Lincoln	400	149	32	80.0	18
Logan	1,849	466	108	58.4	71
White	1,698	430	107	63.0	64
Nonwhite	151	56	1	6.6	7
McDowell	2,669	750	147	55.1	87
White	2,071	510	121	58.4	66
Nonwhite	598	240	26	43.5	21
Marion	1,204	572	49	40.7	35
Fairmont	525	284	26	49.5	15
Balance of county	679	288	23	33.9	20
Marshall	572	341	25	43.7	18
Moundsville	268	150	10	37.3	8
Balance of county	304	191	15	49.3	10
Mason	467	229	17	36.4	9
Mercer	1,463	558	72	49.2	47
White	1,330	464	66	49.6	40
Nonwhite	133	94	6	45.1	7
Bluefield[11]	509	207	26	51.1	8
White	429	160	23	53.6	7
Nonwhite	80	47	3	37.5	1
Balance of county	954	351	46	48.2	39
Mineral	440	246	23	52.3	15
Mingo	1,153	307	57	49.4	30
Monongalia	996	486	42	42.1	37
Morgantown	524	261	21	40.1	22
Balance of county	474	225	21	44.3	15
Monroe	193	121	13	67.4	11
Morgan	122	69	3	24.6	3
Nicholas	559	157	30	53.7	16
Ohio	1,217	888	55	45.2	17
Wheeling	1,064	795	47	44.2	14
Balance of county	153	93	8	52.3	3
Pendleton	171	84	10	58.5	10
Pleasants	89	58	3	33.7	5
Pocahontas	242	126	7	28.9	4
Preston	580	266	23	39.7	14
Putnam	345	132	13	37.7	14
Raleigh	1,984	674	152	76.6	80
White	1,770	575	138	78.0	61
Nonwhite	214	99	14	65.4	19
Beckley	336	176	35	104.2	10
White	296	149	30	101.4	8
Nonwhite	40	27	5	125.0	2
Balance of county	1,648	498	117	71.0	70
White	1,474	426	108	73.3	53
Nonwhite	174	72	9	51.7	17
Randolph	663	276	30	45.2	17
Ritchie	187	121	5	26.7	5
Roane	337	229	14	41.5	6
Summers	366	177	22	60.1	19
Taylor	325	221	16	49.2	11
Tucker	191	114	10	52.4	6
Tyler	177	114	6	33.9	2
Upshur	353	200	16	45.3	7
Wayne	646	257	37	57.3	16
Huntington (part)	63	38	7	(3)	2
Balance of county	583	219	30	51.5	14
Webster	428	128	17	39.7	12
Wetzel	365	201	12	32.9	9
Wirt	83	52	8	96.4	1
Wood	1,223	653	59	48.2	49
Parkersburg	928	474	46	49.6	25
Balance of county	295	179	13	44.1	24
Wyoming	775	198	34	43.9	10
WISCONSIN	61,437	32,066	1,913	31.1	1,164
White	60,704	31,716	1,861	30.7	1,146
Nonwhite	733	350	52	70.9	18
Adams	109	66	5	45.9	3
Ashland	420	256	21	50.0	9
Ashland	213	157	10	46.9	4
Balance of county	207	99	11	53.1	5
White	181	89	9	49.7	3
Nonwhite	26	10	2	76.9	2
Barron	650	345	18	27.7	13
Bayfield	242	170	12	49.6	6
Brown	1,924	731	87	45.2	33
Green Bay	1,124	455	48	42.7	23
Balance of county	800	276	39	48.8	10
Buffalo	295	167	8	27.1	6
Burnett	184	99	2	10.9	3
Calumet	325	158	7	21.5	3
Chippewa	836	414	35	41.9	15
Chippewa Falls	210	146	12	57.1	3
Balance of county	626	268	23	36.7	12
Clark	619	302	15	24.2	19

[3] Rate not computed for part of an area.
[11] Includes data for Bluefield, W. Va., only.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, AND INFANT MORTALITY RATES, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[See headnote on page 8]

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate	
Section B (Counties)—Continued					
WISCONSIN—Continued					
Columbia	661	395	26	39.3	7
Crawford	391	190	15	38.4	7
Dane	3,041	1,117	87	28.6	63
Madison	1,812	688	54	29.8	40
Balance of county	1,229	729	33	26.9	23
Dodge	998	548	25	25.1	18
Beaver Dam	192	104	4	20.8	3
Watertown (part)	33	26	-	(3)	1
Balance of county	773	418	21	27.2	14
Door	487	162	16	32.9	8
Douglas	925	578	44	47.6	23
Superior	727	446	32	44.0	18
Balance of county	198	132	12	60.6	5
Dunn	508	264	20	39.4	7
Eau Claire	991	433	26	26.2	16
Eau Claire	636	285	12	18.9	10
Balance of county	355	148	14	39.4	6
Florence	54	25	1	18.5	1
Fond du Lac	1,093	666	34	31.1	17
Fond du Lac	444	311	15	33.8	10
Balance of county	649	355	19	29.3	7
Forest	184	82	10	54.3	3
Grant	821	438	22	26.8	18
Green	434	255	8	18.4	10
Green Lake	216	144	3	13.9	2
Iowa	382	206	10	26.2	1
Iron	137	114	4	29.2	5
Jackson	354	167	15	42.4	6
Jefferson	707	462	17	24.0	14
Watertown (part)	151	112	4	(3)	4
Watertown (total)	184	138	4	21.7	5
Balance of county	556	350	13	23.4	10
Juneau	375	191	9	24.0	8
Kenosha	1,388	581	36	25.9	24
Kenosha	1,090	444	26	23.9	19
Balance of county	298	137	10	33.6	5
Kewaunee	346	154	9	26.0	7
La Crosse	1,207	630	35	29.0	16
La Crosse	839	452	24	28.6	16
Balance of county	368	178	11	29.9	-
Lafayette	353	171	7	19.8	3
Langlade	441	206	23	52.2	5
Lincoln	403	239	14	34.7	11
Manitowoc	1,309	605	33	25.2	25
Manitowoc	530	264	13	24.5	9
Two Rivers	181	90	8	44.2	3
Balance of county	598	251	12	20.1	13
Marathon	1,559	643	57	36.6	39
Wausau	572	316	14	24.5	9
Balance of county	987	327	43	43.6	24
Marinette	691	339	15	21.7	11
Marinette	290	153	8	27.6	4
Balance of county	401	186	7	17.5	7
Marquette	140	101	4	28.6	3
Milwaukee	14,347	8,045	421	29.3	259
Cudahy	219	58	8	36.5	4
Milwaukee	10,780	6,446	338	31.4	194
Shorewood	242	98	2	8.3	4
South Milwaukee	221	87	2	9.0	6
Wauwatosa	531	242	14	26.4	9
West Allis	754	284	23	30.5	16
Balance of county	1,600	830	34	21.3	26
Monroe	635	349	26	40.9	12
Oconto	510	235	19	37.3	10
Oneida	326	158	8	24.5	3
Outagamie	1,582	659	40	25.3	29
Appleton	616	329	15	24.4	13
Balance of county	966	330	25	25.9	16
Ozaukee	411	194	14	34.1	9
Pepin	152	64	4	26.3	9
Pierce	391	238	7	17.9	8
Polk	469	250	16	34.1	14
Portage	659	318	28	42.5	12
Stevens Point	313	154	14	44.7	7
Balance of county	346	164	14	40.5	5
Price	280	171	12	42.9	10
Racine	1,924	1,001	51	26.5	41
Racine	1,413	712	38	26.9	29
Balance of county	511	289	13	25.4	12
Section B (Counties)—Continued					
WISCONSIN—Continued					
Richland	408	183	15	36.8	9
Rock	1,528	883	56	36.6	27
Beloit	575	288	20	34.8	13
Janesville	400	254	15	37.5	7
Balance of county	553	341	21	38.0	7
Rusk	374	142	11	29.4	12
St. Croix	463	263	15	32.4	8
Sauk	806	387	21	26.1	18
Sawyer	167	118	6	35.9	3
White	135	111	5	37.0	2
Nonwhite	32	7	1	31.3	1
Shawano	692	350	26	37.6	16
Sheboygan	1,334	704	38	28.5	20
Sheboygan	702	381	20	28.5	15
Balance of county	632	323	18	28.5	5
Taylor	418	148	19	45.5	9
Trempealeau	482	239	18	37.3	9
Vernon	582	266	28	48.1	11
Vilas	139	69	6	43.2	2
White	113	53	2	17.7	2
Nonwhite	26	16	4	153.8	-
Walworth	598	444	16	26.8	12
Washburn	217	86	4	18.4	3
Washington	603	318	19	31.5	8
Waukesha	1,409	747	41	29.1	37
Waukesha	392	219	15	38.3	9
Balance of county	1,017	528	26	25.6	28
Waupaca	620	398	22	35.5	17
Waushara	233	157	10	42.9	1
Winnebago	1,533	970	32	20.9	30
Menasha	234	82	3	12.8	4
Neenah	242	125	7	28.9	3
Oshkosh	653	440	16	24.5	16
Balance of county	404	323	6	14.9	7
Wood	945	408	29	30.7	14
Marshfield	219	107	7	32.0	3
Wisconsin Rapids	240	118	11	45.8	4
Balance of county	486	183	11	22.6	7
WYOMING	5,481	2,234	219	40.0	97
White	5,239	2,113	206	39.3	91
Nonwhite	242	121	13	53.7	6
Albany	272	148	17	62.5	4
Laramie	234	124	16	68.4	4
Balance of county	38	24	1	26.3	-
Big Horn	281	88	7	24.9	4
Campbell	107	39	1	9.3	3
Carbon	273	136	16	58.6	7
Converse	119	49	4	33.6	2
Crook	74	37	3	40.5	2
Fremont	330	142	13	39.4	7
White	240	110	5	20.8	2
Nonwhite	90	32	8	88.9	5
Goshen	236	82	8	33.9	4
Hot Springs	97	46	5	51.5	1
Johnson	82	41	5	61.0	2
Laramie	983	268	45	45.8	19
Cheyenne	852	208	34	39.9	17
Balance of county	131	60	11	84.0	2
Lincoln	267	80	4	15.0	2
Natrona	425	228	17	40.0	9
Casper	381	203	15	39.4	6
Balance of county	44	25	2	45.5	3
Niobrara	99	35	6	60.6	3
Park	390	118	6	15.4	6
Platte	156	78	8	51.3	2
Sheridan	330	176	5	15.2	6
Sheridan	214	124	2	9.3	6
Balance of county	116	52	3	25.9	-
Sublette	42	22	2	47.6	-
Sweetwater	511	210	31	60.7	6
Teton	45	13	2	44.4	2
Uinta	158	110	6	38.5	4
Washakie	108	51	6	55.6	2
Weston	94	36	2	21.3	-
Yellowstone National Park (part)	4	1	-	(3)	-
Yellowstone National Park (total)	4	2	-	0	-

[3] Rate not computed for part of an area.

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
UNITED STATES	2,735,456	2,395,563	2,169,733	89,590	47,051	48,864	36,991	795	728	40	1,771	324,264	15,629
Male	1,404,587	1,232,972	1,116,671	46,001	24,387	25,110	19,070	396	395	21	921	163,640	7,975
Female	1,330,869	1,162,591	1,053,062	43,589	22,664	23,754	17,921	399	333	19	850	160,621	7,654
10 to 14 years Male	1,809	619	342	7	266	2	-	-	-	-	2	1,177	13
Female	1,764	565	319	5	237	1	1	1	-	-	1	1,187	12
15 to 19 years Male	144,154	107,422	96,721	1,442	8,414	517	182	35	49	1	61	35,811	921
Female	136,843	100,991	90,990	1,382	7,826	490	162	57	42	-	42	34,964	888
20 to 24 years Male	409,866	358,032	333,363	8,050	9,708	5,209	1,405	112	104	-	81	49,474	2,360
Female	386,983	336,146	312,728	7,704	9,097	5,002	1,337	115	82	3	78	48,529	2,308
25 to 29 years Male	388,457	351,845	326,123	12,597	3,417	6,765	2,725	85	85	6	42	34,422	2,190
Female	366,908	331,147	307,016	11,073	3,111	6,295	2,546	73	88	4	41	33,717	2,044
30 to 34 years Male	272,658	248,192	220,070	13,633	1,442	7,109	5,765	62	66	7	38	23,133	1,333
Female	259,581	235,810	209,411	12,867	1,380	6,655	5,352	57	50	5	33	22,496	1,275
35 to 39 years Male	143,840	128,928	109,116	8,188	834	4,349	6,292	72	51	4	22	14,133	779
Female	136,801	121,746	103,019	7,680	741	4,179	6,010	58	37	2	20	14,230	765
40 to 44 years Male	37,710	33,343	27,644	1,915	223	1,061	2,451	25	15	3	6	4,074	293
Female	36,010	31,744	26,390	1,806	207	1,025	2,266	32	9	2	7	3,971	295
45 to 49 years Male	2,781	2,342	1,923	118	21	70	205	3	1	-	1	393	46
Female	2,773	2,312	1,875	125	16	80	208	5	2	-	1	428	33
50 to 54 years Male	83	63	47	4	1	4	7	-	-	-	-	18	2
Female	78	56	41	7	-	4	4	-	-	-	-	20	2
55 years and over Male	31	22	20	-	-	-	1	-	1	-	-	9	-
Female	36	26	20	2	-	1	3	-	-	-	-	9	1
Not stated Male	3,198	2,164	1,302	47	61	24	37	2	23	-	668	996	38
Female	3,092	2,048	1,253	38	49	22	32	1	23	3	627	1,013	31
ALABAMA	70,321	44,091	43,006	170	796	71	18	-	18	1	11	26,204	26
Male	35,717	22,558	22,011	82	405	37	11	-	8	-	4	13,146	13
Female	34,604	21,533	20,995	88	391	34	7	-	10	1	7	13,058	13
10 to 14 years Male	126	21	14	-	7	-	-	-	-	-	-	105	-
Female	103	31	23	-	8	-	-	-	-	-	-	72	-
15 to 19 years Male	5,883	3,024	2,844	10	169	-	-	-	1	-	-	2,857	2
Female	5,777	2,913	2,745	5	158	3	-	-	2	-	-	2,862	2
20 to 24 years Male	10,355	6,570	6,397	18	142	9	2	-	2	-	-	3,782	3
Female	10,003	6,335	6,148	23	149	13	1	-	1	-	-	3,664	4
25 to 29 years Male	8,333	5,619	5,538	28	41	7	3	-	1	-	1	2,709	5
Female	8,008	5,303	5,235	23	33	5	1	-	5	1	-	2,703	2
30 to 34 years Male	5,977	4,058	4,007	12	23	11	4	-	-	-	1	1,917	2
Female	5,829	3,880	3,821	24	22	10	1	-	1	-	1	1,947	2
35 to 39 years Male	3,750	2,447	2,409	6	18	10	2	-	2	-	-	1,302	1
Female	3,551	2,257	2,223	12	16	2	4	-	-	-	-	1,291	3
40 to 44 years Male	1,052	706	691	6	4	-	-	-	2	-	-	346	-
Female	1,073	688	681	-	5	1	-	-	1	-	-	385	-
45 to 49 years Male	95	55	53	2	-	-	-	-	-	-	-	40	-
Female	101	56	55	1	-	-	-	-	-	-	-	45	-
50 to 54 years Male	4	1	1	-	-	-	-	-	-	-	-	3	-
Female	4	3	3	-	-	-	-	-	-	-	-	1	-
55 years and over Female	2	-	-	-	-	-	-	-	-	-	-	2	-
Not stated Male	142	57	54	-	1	-	-	-	-	-	2	85	-
Female	153	67	61	-	-	-	-	-	-	-	6	86	-
ARIZONA	13,348	11,549	9,421	908	203	494	503	14	6	-	-	406	1,393
Male	6,915	5,983	4,892	452	111	267	249	9	3	-	-	202	730
Female	6,433	5,566	4,529	456	92	227	254	5	3	-	-	204	663
10 to 14 years Male	6	1	1	-	-	-	-	-	-	-	-	1	4
Female	7	4	2	-	2	-	-	-	-	-	-	2	1
15 to 19 years Male	846	692	599	35	39	9	10	-	-	-	-	46	108
Female	795	643	571	39	25	6	1	-	1	-	-	54	98
20 to 24 years Male	2,179	1,923	1,664	130	40	59	24	3	3	-	-	73	183
Female	2,063	1,844	1,598	133	45	43	24	1	-	-	-	52	167
25 to 29 years Male	1,807	1,579	1,305	132	13	90	36	3	-	-	-	39	189
Female	1,630	1,430	1,171	120	12	69	54	3	1	-	-	47	153
30 to 34 years Male	1,145	1,007	798	89	12	51	56	1	-	-	-	25	113
Female	1,098	936	721	94	2	47	71	-	1	-	-	28	134
35 to 39 years Male	697	604	410	52	6	16	89	1	-	-	-	13	80
Female	616	533	356	52	5	47	72	1	-	-	-	13	70
40 to 44 years Male	189	154	99	13	1	11	29	1	-	-	-	5	30
Female	178	147	92	15	1	13	26	-	-	-	-	5	26
45 to 49 years Male	19	10	6	1	-	-	3	-	-	-	-	-	9
Female	21	17	7	3	-	1	6	-	-	-	-	-	4
50 to 54 years Male	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated Male	26	12	9	-	-	1	2	-	-	-	-	-	14
Female	25	12	11	-	-	1	-	-	-	-	-	3	10
ARKANSAS	39,628	29,495	28,901	69	440	37	19	-	23	-	6	10,093	40
Male	20,318	15,190	14,895	31	219	17	11	-	16	-	1	5,108	20
Female	19,310	14,305	14,006	38	221	20	8	-	7	-	5	4,985	20
10 to 14 years Male	54	11	8	-	3	-	-	-	-	-	-	43	-
Female	67	21	17	-	4	-	-	-	-	-	-	46	-
15 to 19 years Male	3,511	2,263	2,146	-	109	1	1	-	5	-	1	1,242	6
Female	3,400	2,191	2,080	3	106	-	-	-	-	-	2	1,207	2
20 to 24 years Male	6,019	4,615	4,534	8	64	3	-	-	6	-	-	1,395	9
Female	5,654	4,347	4,249	14	76	5	2	-	-	-	1	1,302	5
25 to 29 years Male	4,593	3,656	3,614	10	26	3	2	-	1	-	-	936	1
Female	4,374	3,401	3,365	7	20	6	1	-	2	-	-	966	7
30 to 34 years Male	3,292	2,518	2,494	9	7	4	2	-	2	-	-	772	2
Female	3,027	2,309	2,288	6	9	4	2	-	-	-	-	715	3
35 to 39 years Male	1,994	1,483	1,463	2	6	5	5	-	2	-	-	509	2
Female	2,017	1,459	1,441	6	4	3	2	-	3	-	-	557	1
40 to 44 years Male	672	515	508	2	3	1	1	-	-	-	-	157	-
Female	593	459	454	2	-	2	1	-	-	-	-	132	2

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
ARKANSAS—Continued													
45 to 49 years.....Male....	48	30	30	-	-	-	-	-	-	-	-	18	-
Female..	65	50	48	-	1	-	-	-	1	-	-	15	-
50 to 54 years.....Female..	1	-	-	-	-	-	-	-	-	-	-	1	-
55 years and over.....Male....	2	-	-	-	-	-	-	-	-	-	-	2	-
Not stated.....Male....	133	99	98	-	1	-	-	-	-	-	-	34	-
Female..	112	68	64	-	1	-	-	-	1	-	2	44	-
CALIFORNIA.....	184,380	173,687	150,608	10,395	2,022	5,860	4,690	65	21	9	17	7,442	3,251
Male....	94,493	88,992	77,145	5,356	1,043	2,971	2,416	37	8	6	10	3,788	1,713
Female..	89,887	84,695	73,163	5,039	979	2,889	2,274	28	13	3	7	3,654	1,538
10 to 14 years.....Male....	65	47	32	2	12	1	-	-	-	-	-	17	1
Female..	57	35	24	2	9	-	-	-	-	-	-	21	1
15 to 19 years.....Male....	9,725	8,823	8,060	320	301	98	35	4	1	-	1	759	143
Female..	9,306	8,136	7,698	303	324	71	35	3	1	-	1	724	146
20 to 24 years.....Male....	30,996	29,091	26,359	1,344	442	684	246	10	3	-	3	1,405	500
Female..	29,535	27,708	25,069	1,250	421	717	237	8	3	1	2	1,359	474
25 to 29 years.....Male....	26,906	25,514	22,420	1,555	160	932	435	8	2	1	1	848	544
Female..	25,599	24,321	21,330	1,505	149	901	429	3	4	-	-	807	471
30 to 34 years.....Male....	17,121	16,339	13,451	1,326	67	780	704	8	1	2	-	479	303
Female..	16,252	15,529	12,858	1,228	44	735	654	4	3	2	1	466	257
35 to 39 years.....Male....	7,825	7,431	5,620	664	42	397	698	7	1	2	-	237	157
Female..	7,351	7,000	5,339	608	25	368	655	7	-	-	-	216	135
40 to 44 years.....Male....	1,696	1,599	1,109	133	14	74	268	-	-	1	-	41	56
Female..	1,640	1,535	1,066	131	7	89	240	2	-	-	-	59	46
45 to 49 years.....Male....	95	88	49	7	1	3	28	-	-	-	-	-	7
Female..	93	79	46	8	-	6	18	1	-	-	-	6	8
50 to 54 years.....Male....	7	5	5	-	-	-	-	-	-	-	-	-	2
Female..	6	6	4	-	-	1	1	-	-	-	-	-	-
55 years and over.....Male....	2	2	2	-	-	-	-	-	-	-	-	-	-
Female..	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	55	53	38	5	1	2	2	-	-	-	5	2	-
Female..	46	44	27	6	-	1	5	-	2	-	3	2	-
COLORADO.....	23,511	22,864	21,191	699	189	210	264	2	5	-	4	328	319
Male....	12,022	11,693	10,810	362	271	103	139	2	3	-	3	165	164
Female..	11,489	11,171	10,381	337	218	107	125	-	2	-	1	163	155
10 to 14 years.....Male....	14	11	7	-	4	-	-	-	-	-	-	3	-
Female..	10	5	3	-	2	-	-	-	-	-	-	3	2
15 to 19 years.....Male....	1,272	1,222	1,114	22	83	2	-	-	-	-	1	41	9
Female..	1,187	1,151	1,059	17	72	2	-	-	1	-	-	31	5
20 to 24 years.....Male....	3,795	3,704	3,490	67	111	24	9	-	2	-	1	45	46
Female..	3,694	3,563	3,367	63	103	30	5	-	-	-	1	63	62
25 to 29 years.....Male....	3,213	3,115	2,951	83	42	26	13	-	-	-	-	33	65
Female..	3,109	3,034	2,870	89	22	33	20	-	-	-	-	19	56
30 to 34 years.....Male....	2,166	2,114	1,943	88	12	23	46	1	-	-	1	18	34
Female..	2,032	1,992	1,846	83	11	21	31	-	-	-	-	27	13
35 to 39 years.....Male....	1,233	1,204	1,043	75	18	25	42	1	-	-	-	23	6
Female..	1,141	1,111	977	62	7	17	47	-	1	-	-	17	13
40 to 44 years.....Male....	290	285	233	22	1	3	26	-	-	-	-	2	3
Female..	284	279	236	19	-	4	20	-	-	-	-	3	2
45 to 49 years.....Male....	35	34	26	5	-	-	3	-	-	-	-	-	1
Female..	25	24	17	4	1	-	2	-	-	-	-	-	1
50 to 54 years.....Female..	1	-	-	-	-	-	-	-	-	-	-	-	1
55 years and over.....Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	4	4	3	-	-	-	-	-	1	-	-	-	-
Female..	5	5	5	-	-	-	-	-	-	-	-	-	-
CONNECTICUT.....	33,765	32,832	27,576	2,309	579	1,390	937	27	9	1	4	915	18
Male....	17,381	16,908	14,197	1,209	320	705	456	13	5	-	3	464	9
Female..	16,384	15,924	13,379	1,100	259	685	481	14	4	1	1	451	9
10 to 14 years.....Male....	1	1	-	-	1	-	-	-	-	-	-	-	-
Female..	2	-	-	-	-	-	-	-	-	-	-	2	-
15 to 19 years.....Male....	711	642	529	15	95	9	2	1	1	-	-	69	-
Female..	622	543	467	14	49	11	1	1	-	-	-	79	-
20 to 24 years.....Male....	4,245	4,075	3,623	163	127	128	28	2	3	-	1	165	5
Female..	3,979	3,812	3,382	152	114	127	30	7	-	-	-	164	3
25 to 29 years.....Male....	5,800	5,674	5,047	335	65	167	55	3	1	-	1	123	3
Female..	5,459	5,358	4,737	307	55	175	79	3	2	-	-	98	3
30 to 34 years.....Male....	4,161	4,108	3,288	431	20	223	142	4	-	-	-	53	-
Female..	4,051	3,990	3,244	363	24	206	148	2	1	1	1	60	1
35 to 39 years.....Male....	2,023	1,980	1,440	217	16	140	164	3	-	-	-	42	1
Female..	1,838	1,802	1,279	219	17	139	148	-	-	-	-	36	-
40 to 44 years.....Male....	382	374	234	45	4	33	58	-	-	-	-	8	-
Female..	382	371	238	38	-	26	68	1	-	-	-	9	2
45 to 49 years.....Male....	22	22	11	3	-	3	5	-	-	-	-	-	-
Female..	20	19	12	2	-	1	4	-	-	-	-	1	-
50 to 54 years.....Male....	2	2	1	-	-	-	1	-	-	-	-	-	-
Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
55 years and over.....Female..	1	1	-	1	-	-	-	-	-	-	-	-	-
Not stated.....Male....	34	30	24	-	2	2	1	-	-	-	1	4	-
Female..	29	27	19	4	-	-	3	-	1	-	-	2	-
DELAWARE.....	5,984	5,067	4,702	136	125	62	41	1	-	-	-	901	16
Male....	3,093	2,635	2,458	63	62	31	20	1	-	-	-	450	8
Female..	2,891	2,432	2,244	73	63	31	21	-	-	-	-	451	8
10 to 14 years.....Male....	4	-	-	-	-	-	-	-	-	-	-	4	-
Female..	6	1	-	-	1	-	-	-	-	-	-	5	-
15 to 19 years.....Male....	317	203	176	3	24	-	-	-	-	-	-	112	2
Female..	297	192	165	2	23	1	1	-	-	-	-	105	-
20 to 24 years.....Male....	926	772	729	9	25	8	1	-	-	-	-	153	1
Female..	847	707	662	10	27	5	3	-	-	-	-	139	1

TABLE 3.–LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945–Continued

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTRER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
DELAWARE—Continued													
25 to 29 years.....Male....	899	813	769	22	7	9	6	-	-	-	-	83	3
Female..	859	758	721	22	6	7	2	-	-	-	-	98	3
30 to 34 years.....Male....	558	507	476	13	4	8	5	1	-	-	-	49	2
Female..	546	489	454	17	5	9	4	-	-	-	-	55	2
35 to 39 years.....Male....	314	281	253	15	2	4	7	-	-	-	-	33	-
Female..	272	235	197	21	1	8	8	-	-	-	-	35	2
40 to 44 years.....Male....	67	53	49	1	-	2	1	-	-	-	-	14	-
Female..	60	48	43	1	-	1	3	-	-	-	-	12	-
45 to 49 years.....Male....	4	2	2	-	-	-	-	-	-	-	-	2	-
Female..	1	-	-	-	-	-	-	-	-	-	-	1	-
50 to 54 years.....Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	4	4	4	-	-	-	-	-	-	-	-	-	-
Female..	2	1	1	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA.....	16,141	10,862	9,563	391	372	258	239	7	5	-	27	5,242	37
Male....	8,216	5,561	4,907	195	192	131	118	2	2	-	14	2,632	23
Female..	7,925	5,301	4,656	196	180	127	121	5	3	-	13	2,610	14
10 to 14 years.....Male....	28	1	-	-	1	-	-	-	-	-	-	27	-
Female..	17	1	-	-	1	-	-	-	-	-	-	16	-
15 to 19 years.....Male....	878	319	274	2	38	2	2	-	-	-	1	559	-
Female..	837	319	274	6	37	1	-	1	-	-	-	516	2
20 to 24 years.....Male....	2,636	1,760	1,566	38	96	35	20	1	1	-	3	872	4
Female..	2,530	1,663	1,485	38	85	35	18	1	-	-	1	865	2
25 to 29 years.....Male....	2,328	1,709	1,542	59	34	47	26	1	-	-	-	612	7
Female..	2,191	1,609	1,456	47	35	42	24	2	3	-	-	577	5
30 to 34 years.....Male....	1,493	1,148	996	64	14	35	38	-	-	-	1	341	4
Female..	1,452	1,080	918	69	14	33	46	-	-	-	-	368	4
35 to 39 years.....Male....	677	505	435	28	7	9	25	-	1	-	-	167	5
Female..	699	506	426	33	7	15	24	1	-	-	-	192	1
40 to 44 years.....Male....	141	95	82	4	1	2	6	-	-	-	-	43	3
Female..	149	97	83	3	1	1	9	-	-	-	-	52	-
45 to 49 years.....Male....	6	6	5	-	-	1	-	-	-	-	-	-	-
Female..	11	3	3	-	-	-	-	-	-	-	-	8	-
50 to 54 years.....Male....	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated.....Male....	28	18	7	-	1	-	1	-	-	-	9	10	-
Female..	39	23	11	-	-	-	-	-	-	-	12	16	-
FLORIDA.....	47,791	35,207	33,086	682	720	519	169	5	10	1	15	12,551	33
Male....	24,429	18,192	17,049	339	354	273	97	5	7	-	8	6,283	14
Female..	23,362	17,075	16,037	343	366	246	72	-	3	1	7	6,268	19
10 to 14 years.....Male....	74	13	10	-	3	-	-	-	-	-	-	61	-
Female..	77	17	13	-	4	-	-	-	-	-	-	60	-
15 to 19 years.....Male....	3,820	2,294	2,129	20	129	13	1	-	1	-	1	1,524	2
Female..	3,727	2,216	2,078	10	117	9	-	-	1	-	1	1,510	1
20 to 24 years.....Male....	7,800	6,030	5,729	79	127	84	8	3	-	-	-	1,769	1
Female..	7,447	5,631	5,325	82	144	70	7	-	1	-	2	1,811	5
25 to 29 years.....Male....	6,139	4,846	4,598	93	52	75	21	1	4	-	2	1,289	4
Female..	5,722	4,467	4,229	92	60	69	17	-	-	-	-	1,248	7
30 to 34 years.....Male....	3,882	2,981	2,791	84	23	53	28	-	2	-	-	896	5
Female..	3,817	2,892	2,695	92	24	62	17	-	1	-	1	921	4
35 to 39 years.....Male....	2,087	1,534	1,401	53	16	37	26	1	-	-	-	552	1
Female..	1,986	1,456	1,331	55	12	34	24	-	-	-	-	528	2
40 to 44 years.....Male....	513	365	332	9	2	11	11	-	-	-	-	147	1
Female..	468	333	311	10	4	2	6	-	-	-	-	135	-
45 to 49 years.....Male....	42	25	22	1	1	-	1	-	-	-	-	17	-
Female..	39	19	18	-	-	-	1	-	-	-	-	20	-
50 to 54 years.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Female..	2	1	-	1	-	-	-	-	-	-	-	1	-
55 years and over.....Female..	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated.....Male....	71	43	36	-	1	-	1	-	-	-	5	28	-
Female..	76	43	37	1	1	-	-	-	-	1	3	33	-
GEORGIA.....	74,852	47,493	45,133	228	819	123	31	1	26	2	1,130	27,347	12
Male....	38,266	24,319	23,100	106	444	62	19	-	11	-	577	13,939	8
Female..	36,586	23,174	22,033	122	375	61	12	1	15	2	553	13,408	4
10 to 14 years.....Male....	126	29	20	-	8	-	-	-	-	-	1	97	-
Female..	118	17	11	-	6	-	-	-	-	-	-	101	-
15 to 19 years.....Male....	6,046	3,043	2,847	8	180	4	-	-	3	-	1	3,003	-
Female..	5,781	2,865	2,707	4	153	1	-	-	-	-	-	2,915	1
20 to 24 years.....Male....	11,154	7,233	7,040	19	151	19	2	-	1	-	1	3,918	3
Female..	10,713	6,910	6,732	31	117	25	3	1	-	-	1	3,803	-
25 to 29 years.....Male....	9,024	6,144	6,023	35	59	19	5	-	1	-	2	2,880	-
Female..	8,499	5,816	5,702	43	42	18	4	-	2	-	-	2,683	-
30 to 34 years.....Male....	6,183	4,205	4,129	27	26	13	8	-	1	-	1	1,976	2
Female..	5,869	4,014	3,953	25	24	9	2	-	-	-	1	1,855	-
35 to 39 years.....Male....	3,585	2,393	2,356	13	14	6	4	-	-	-	-	1,191	1
Female..	3,485	2,312	2,266	11	21	8	2	-	3	-	1	1,172	1
40 to 44 years.....Male....	921	605	597	4	2	1	-	-	1	-	-	316	-
Female..	904	597	584	3	9	-	1	-	-	-	-	306	1
45 to 49 years.....Male....	85	44	44	-	-	-	-	-	-	-	-	40	1
Female..	77	45	44	-	1	-	-	-	-	-	-	32	-
50 to 54 years.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Female..	2	1	1	-	-	-	-	-	-	-	-	1	-
55 years and over.....Male....	2	1	1	-	-	-	-	-	-	-	-	1	-
Female..	2	-	-	-	-	-	-	-	-	-	-	2	-
Not stated.....Male....	1,139	621	42	-	4	-	-	-	4	-	571	517	1
Female..	1,136	597	33	-	2	-	-	-	10	2	550	538	1
IDAHO.....	11,501	11,288	10,676	251	166	154	30	2	7	-	2	8	205
Male....	5,791	5,679	5,370	121	88	84	12	-	4	-	-	5	107
Female..	5,710	5,609	5,306	130	78	70	18	2	3	-	2	3	98

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
IDAHO—Continued													
10 to 14 years.....Male....	4	4	4	-	-	-	-	-	-	-	-	-	-
Female..	2	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years.....Male....	605	597	544	11	39	3	-	-	-	-	-	2	6
Female..	565	548	517	6	21	4	-	-	-	-	-	1	6
20 to 24 years.....Male....	1,805	1,767	1,686	25	32	22	2	-	-	-	-	2	36
Female..	1,785	1,752	1,662	26	38	23	1	-	2	-	-	1	32
25 to 29 years.....Male....	1,634	1,592	1,536	26	9	19	1	-	1	-	-	-	42
Female..	1,566	1,526	1,461	34	11	14	2	1	1	-	2	-	40
30 to 34 years.....Male....	1,025	1,014	957	27	7	21	1	-	1	-	-	-	11
Female..	1,013	1,004	952	29	4	12	7	-	-	-	-	-	9
35 to 39 years.....Male....	543	539	491	25	1	11	7	-	1	-	-	1	3
Female..	606	598	546	31	4	9	7	1	-	-	-	1	7
40 to 44 years.....Male....	159	152	139	6	-	5	1	-	1	-	-	-	7
Female..	152	148	137	4	-	6	1	-	-	-	-	-	4
45 to 49 years.....Male....	11	10	9	1	-	-	-	-	-	-	-	-	1
Female..	17	17	17	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	5	4	4	-	-	-	-	-	-	-	-	-	1
Female..	14	14	12	-	-	2	-	-	-	-	-	-	-
ILLINOIS.....	138,705	128,577	115,195	5,736	2,634	2,606	2,038	42	14	1	111	9,792	336
Male....	71,357	66,218	59,358	2,943	1,462	1,324	1,038	18	9	-	66	4,975	164
Female..	67,348	62,359	55,837	2,793	1,372	1,282	1,000	24	5	1	45	4,817	172
10 to 14 years.....Male....	50	15	4	-	11	-	-	-	-	-	-	35	-
Female..	49	20	9	-	10	1	-	-	-	-	-	29	-
15 to 19 years.....Male....	5,407	4,263	3,709	50	464	18	1	2	1	-	18	1,134	10
Female..	5,139	4,046	3,483	58	468	18	6	1	-	-	12	1,083	10
20 to 24 years.....Male....	19,614	17,920	16,534	399	613	286	62	3	2	-	21	1,616	78
Female..	18,513	16,838	15,546	388	564	260	53	8	1	-	18	1,617	58
25 to 29 years.....Male....	21,435	20,326	18,811	832	221	329	119	5	2	-	7	1,055	54
Female..	20,113	19,010	17,616	745	189	332	117	5	2	-	4	1,025	78
30 to 34 years.....Male....	15,298	14,511	12,850	981	81	381	306	4	2	-	6	671	16
Female..	14,655	14,026	12,322	958	83	354	301	3	-	-	5	615	14
35 to 39 years.....Male....	7,577	7,199	5,983	547	49	236	378	2	1	-	3	374	4
Female..	7,093	6,733	5,553	507	41	256	369	4	2	-	1	350	10
40 to 44 years.....Male....	1,840	1,756	1,378	127	17	69	161	2	1	-	1	82	2
Female..	1,674	1,577	1,238	128	11	55	140	3	-	1	1	95	2
45 to 49 years .....Male....	115	108	84	6	3	5	10	-	-	-	-	7	-
Female..	93	90	60	8	2	6	14	-	-	-	-	3	-
50 to 54 years.....Male....	1	1	-	-	-	-	1	-	-	-	-	-	-
Female..	1	1	-	1	-	-	-	-	-	-	-	-	-
55 years and over.....Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	20	19	5	1	3	-	-	-	-	-	10	1	-
Female..	17	17	9	-	4	-	-	-	-	-	4	-	-
INDIANA.....	68,444	65,623	63,130	806	940	428	228	6	55	-	30	2,800	21
Male....	35,336	33,920	32,614	418	480	229	128	3	33	-	15	1,405	11
Female..	33,108	31,703	30,516	388	460	199	100	3	22	-	15	1,395	10
10 to 14 years.....Male....	22	15	9	-	6	-	-	-	-	-	-	7	-
Female..	21	12	10	-	2	-	-	-	-	-	-	9	-
15 to 19 years.....Male....	3,765	3,448	3,244	15	176	7	2	-	2	-	2	317	-
Female..	3,393	3,080	2,901	16	156	3	-	-	3	-	1	312	1
20 to 24 years.....Male....	10,683	10,237	9,896	85	190	48	4	1	11	-	2	440	6
Female..	9,993	9,563	9,232	76	198	37	10	-	6	-	4	428	2
25 to 29 years.....Male....	9,779	9,508	9,249	101	59	71	23	-	5	-	-	268	3
Female..	9,313	9,011	8,757	114	53	63	12	1	9	-	2	296	6
30 to 34 years.....Male....	6,617	6,445	6,181	127	29	56	40	1	8	-	3	202	-
Female..	6,138	5,949	5,748	97	27	55	18	1	1	-	2	189	-
35 to 39 years.....Male....	3,340	3,219	3,061	74	11	32	32	1	4	-	4	119	2
Female..	3,206	3,053	2,929	67	17	32	34	1	1	-	2	122	1
40 to 44 years.....Male....	930	887	830	13	7	13	24	-	-	-	-	43	-
Female..	862	836	786	15	5	8	20	-	1	-	1	26	-
45 to 49 years.....Male....	68	65	62	2	-	1	-	-	-	-	-	3	-
Female..	69	66	60	3	-	-	3	-	-	-	-	3	-
50 to 54 years.....Male....	2	2	2	-	-	-	-	-	-	-	-	-	-
Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
55 years and over.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Female..	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	99	93	79	1	2	1	3	-	3	-	4	6	-
Female..	110	100	90	-	2	1	3	-	1	-	3	10	-
IOWA.....	44,934	44,584	42,611	672	878	298	112	3	8	-	2	292	58
Male....	22,940	22,781	21,749	357	447	154	68	2	3	-	1	137	22
Female..	21,994	21,803	20,862	315	431	144	44	1	5	-	1	155	36
10 to 14 years.....Male....	7	7	2	-	5	-	-	-	-	-	-	-	-
Female..	5	4	1	-	3	-	-	-	-	-	-	1	-
15 to 19 years.....Male....	1,848	1,814	1,619	7	183	3	-	1	1	-	-	33	1
Female..	1,782	1,747	1,562	6	175	2	-	1	1	-	-	33	2
20 to 24 years.....Male....	6,767	6,708	6,454	48	174	29	1	1	1	-	-	52	7
Female..	6,569	6,513	6,264	54	167	25	2	-	1	-	-	45	11
25 to 29 years.....Male....	6,634	6,607	6,426	83	52	42	4	-	-	-	-	23	4
Female..	6,191	6,145	5,965	72	61	42	3	-	1	-	1	39	7
30 to 34 years.....Male....	4,475	4,448	4,260	114	19	40	14	-	1	-	-	18	9
Female..	4,393	4,355	4,203	92	12	39	7	-	2	-	-	25	13
35 to 39 years.....Male....	2,448	2,440	2,285	76	11	35	33	-	-	-	-	8	-
Female..	2,273	2,263	2,115	66	8	24	20	-	-	-	-	7	3
40 to 44 years.....Male....	680	677	631	29	-	5	12	-	-	-	-	2	1
Female..	688	684	639	22	3	11	9	-	-	-	-	4	-
45 to 49 years.....Male....	40	39	37	-	-	-	2	-	-	-	-	1	-
Female..	62	61	54	2	1	1	3	-	-	-	-	1	-
50 to 54 years.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Female..	3	3	3	-	-	-	-	-	-	-	-	-	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
IOWA—Continued													
55 years and over.....Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	40	40	34	-	3	-	2	-	-	-	1	-	-
Female..	27	27	25	1	1	-	-	-	-	-	-	-	-
KANSAS.....	33,624	32,383	31,124	368	556	181	130	1	14	1	8	1,170	71
Male....	17,410	16,787	16,144	187	279	98	65	1	6	1	6	589	34
Female..	16,214	15,596	14,980	181	277	83	65	-	8	-	2	581	37
10 to 14 years.....Male....	8	7	3	-	4	-	-	-	-	-	-	1	-
Female..	8	5	1	1	3	-	-	-	-	-	-	3	-
15 to 19 years.....Male....	1,719	1,580	1,456	9	113	1	-	-	-	-	1	135	4
Female..	1,685	1,540	1,406	10	123	-	-	-	1	-	-	138	7
20 to 24 years.....Male....	5,139	5,256	5,075	47	107	22	2	1	1	-	1	171	9
Female..	5,075	4,883	4,705	44	105	24	2	-	2	-	1	178	14
25 to 29 years.....Male....	4,785	4,649	4,524	52	35	25	12	-	1	-	-	127	9
Female...	4,352	4,224	4,132	40	27	16	8	-	1	-	-	120	8
30 to 34 years.....Male....	3,163	3,072	2,979	39	11	22	20	-	1	-	-	84	7
Female..	2,999	2,917	2,824	41	14	20	16	-	2	-	-	79	3
35 to 39 years.....Male....	1,715	1,662	1,585	32	6	20	19	-	-	-	-	51	2
Female..	1,554	1,502	1,424	30	3	18	25	-	2	-	-	48	4
40 to 44 years.....Male....	488	473	447	8	1	8	8	-	-	1	-	14	1
Female..	444	433	401	13	1	5	13	-	-	-	-	10	1
45 to 49 years.....Male....	38	38	35	-	-	-	3	-	-	-	-	-	-
Female..	46	44	42	2	-	-	-	-	-	-	-	2	-
Not stated.....Male....	55	50	40	-	2	-	1	-	3	-	4	3	2
Female..	51	48	45	-	1	-	1	-	-	-	1	3	-
KENTUCKY.....	60,892	57,654	56,632	159	712	87	31	2	20	-	11	3,236	2
Male....	31,356	29,712	29,201	71	365	39	21	1	10	-	1	1,642	2
Female..	29,536	27,942	27,431	88	347	48	10	1	10	-	7	1,594	-
10 to 14 years.....Male....	46	34	25	-	9	-	-	-	-	-	-	12	-
Female..	35	23	18	-	5	-	-	-	-	-	-	12	-
15 to 19 years.....Male....	4,181	3,832	3,673	9	147	-	-	-	1	-	2	349	-
Female..	3,832	3,510	3,371	4	130	5	-	-	-	-	-	322	-
20 to 24 years.....Male....	9,327	8,827	8,665	12	128	14	2	1	4	-	1	500	-
Female..	8,693	8,199	8,012	26	143	12	-	1	2	-	3	494	-
25 to 29 years.....Male....	7,540	7,228	7,150	14	47	10	4	-	3	-	-	311	1
Female..	7,044	6,716	6,646	18	36	10	2	-	4	-	-	328	-
30 to 34 years.....Male....	5,384	5,130	5,083	19	12	10	5	-	1	-	-	253	1
Female..	5,294	5,065	4,997	21	27	12	3	-	3	-	2	229	-
35 to 39 years.....Male....	3,534	3,373	3,327	17	19	3	7	-	-	-	-	161	-
Female..	3,295	3,141	3,117	12	5	6	1	-	-	-	-	154	-
40 to 44 years.....Male....	1,221	1,169	1,163	-	2	1	2	-	1	-	-	52	-
Female..	1,213	1,166	1,150	6	1	3	4	-	1	-	1	47	-
45 to 49 years.....Male....	113	109	105	-	1	1	1	-	-	-	1	4	-
Female..	118	110	109	1	-	-	-	-	-	-	-	8	-
50 to 54 years.....Male....	2	2	2	-	-	-	-	-	-	-	-	-	-
Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
55 years and over.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	7	7	7	-	-	-	-	-	-	-	-	-	-
Female..	10	10	9	-	-	-	-	-	-	-	1	-	-
LOUISIANA.....	57,838	35,240	34,235	290	460	183	63	-	6	-	3	22,494	104
Male....	29,332	18,041	17,517	154	243	86	35	-	3	-	3	11,243	48
Female..	28,506	17,199	16,718	136	217	97	28	-	3	-	-	11,251	56
10 to 14 years.....Male....	68	10	10	-	-	-	-	-	-	-	-	58	-
Female..	72	7	6	-	1	-	-	-	-	-	-	64	1
15 to 19 years.....Male....	4,445	2,039	1,951	6	78	2	-	-	1	-	1	2,399	7
Female..	4,319	2,041	1,948	6	82	1	2	-	2	-	-	2,271	6
20 to 24 years.....Male....	8,971	5,651	5,481	34	99	31	5	-	-	-	1	3,305	15
Female..	8,638	5,308	5,158	36	83	28	3	-	-	-	-	3,313	17
25 to 29 years.....Male....	7,126	4,720	4,610	37	34	25	13	-	-	-	1	2,339	7
Female..	7,000	4,546	4,458	32	24	29	3	-	-	-	-	2,441	13
30 to 34 years.....Male....	4,948	3,264	3,188	36	15	14	11	-	-	-	-	1,674	10
Female..	4,757	3,103	3,028	29	15	20	10	-	1	-	-	1,646	8
35 to 39 years.....Male....	2,849	1,793	1,737	33	9	11	2	-	1	-	-	1,047	0
Female..	2,816	1,682	1,633	23	8	13	5	-	-	-	-	1,127	7
40 to 44 years.....Male....	805	501	484	7	5	3	2	-	-	-	-	304	-
Female..	782	463	445	10	-	5	3	-	-	-	-	316	3
45 to 49 years.....Male....	74	41	37	1	2	-	-	-	1	-	-	33	-
Female..	75	32	29	-	1	-	2	-	-	-	-	42	1
50 to 54 years.....Male....	3	-	-	-	-	-	-	-	-	-	-	3	-
Female..	3	1	1	-	-	-	-	-	-	-	-	2	-
Not stated.....Male....	43	22	19	-	1	-	2	-	-	-	-	21	-
Female..	45	16	12	-	3	1	-	-	-	-	-	29	-
MAINE.....	16,687	16,638	13,857	943	685	815	307	28	1	-	2	28	21
Male....	8,693	8,665	7,207	470	369	439	162	15	1	-	2	20	8
Female..	7,994	7,973	6,650	473	316	376	145	13	-	-	-	8	13
10 to 14 years.....Male....	7	7	4	-	3	-	-	-	-	-	-	-	-
Female..	5	5	1	-	4	-	-	-	-	-	-	-	-
15 to 19 years.....Male....	930	926	753	27	127	13	4	2	-	-	-	2	2
Female..	824	817	664	18	108	17	3	7	-	-	-	3	4
20 to 24 years.....Male....	2,678	2,664	2,303	101	149	81	25	4	-	-	1	11	3
Female..	2,475	2,470	2,129	106	141	69	22	3	-	-	-	2	3
25 to 29 years.....Male....	2,371	2,366	2,031	122	52	122	33	4	1	-	1	2	3
Female..	2,193	2,190	1,898	121	40	102	26	3	-	-	-	1	2
30 to 34 years.....Male....	1,527	1,523	1,239	110	17	109	45	3	-	-	-	4	-
Female..	1,442	1,441	1,173	125	14	89	40	-	-	-	-	1	-
35 to 39 years.....Male....	907	906	682	90	17	82	33	2	-	-	-	1	-
Female..	775	772	579	74	6	73	40	-	-	-	-	1	2

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
MAINE—Continued													
40 to 44 years.....Male....	242	242	176	16	3	25	22	-	-	-	-	-	-
Female..	242	240	177	26	2	23	12	-	-	-	-	-	2
45 to 49 years.....Male....	24	24	19	1	-	7	-	-	-	-	-	-	-
Female..	30	30	23	3	-	3	1	-	-	-	-	-	-
50 to 54 years.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	6	6	5	-	1	-	-	-	-	-	-	-	-
Female..	7	7	5	-	1	-	1	-	-	-	-	-	-
MARYLAND.....	42,791	34,647	32,819	762	438	413	197	4	9	-	5	8,122	22
Male....	21,964	17,809	16,853	408	226	213	100	4	4	-	1	4,144	11
Female..	20,827	16,838	15,966	354	212	200	97	-	5	-	4	3,978	11
10 to 14 years.....Male....	45	7	3	-	4	-	-	-	-	-	-	38	-
Female..	48	9	4	1	4	-	-	-	-	-	-	39	-
15 to 19 years.....Male....	2,560	1,552	1,458	14	76	1	-	2	1	-	-	1,007	1
Female..	2,425	1,446	1,365	14	63	3	1	-	-	-	-	977	2
20 to 24 years.....Male....	6,579	5,314	5,100	70	90	41	11	-	1	-	1	1,261	4
Female..	6,290	5,015	4,802	59	100	35	15	-	3	-	1	1,271	4
25 to 29 years.....Male....	6,105	5,269	5,063	93	32	64	15	1	1	-	-	834	2
Female..	5,679	4,910	4,723	88	27	55	17	-	-	-	-	765	4
30 to 34 years.....Male....	4,121	3,567	3,321	123	13	68	35	1	-	-	-	550	4
Female..	3,950	3,447	3,220	113	10	70	33	-	1	-	-	503	-
35 to 39 years.....Male....	1,953	1,636	1,485	86	2	32	30	-	1	-	-	317	-
Female..	1,903	1,588	1,460	65	6	27	23	-	1	-	-	314	1
40 to 44 years.....Male....	529	418	381	19	2	7	9	-	-	-	-	111	-
Female..	468	377	349	14	2	10	2	-	-	-	-	91	-
45 to 49 years.....Male....	37	26	23	3	-	-	-	-	-	-	-	11	-
Female..	34	27	27	-	-	-	-	-	-	-	-	7	-
50 to 54 years.....Male....	3	2	2	-	-	-	-	-	-	-	-	1	-
Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
55 years and over.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	31	17	16	-	1	-	-	-	-	-	-	14	-
Female..	29	18	15	-	-	-	-	-	-	-	3	11	-
MASSACHUSETTS.....	77,064	75,805	62,398	5,385	1,848	3,720	2,359	66	18	4	7	1,190	69
Male....	39,826	39,188	32,361	2,753	927	1,898	1,196	35	11	2	5	598	40
Female..	37,238	36,617	30,037	2,632	921	1,822	1,163	31	7	2	2	592	29
10 to 14 years.....Male....	11	10	1	1	8	-	-	-	-	-	-	1	-
Female..	10	9	1	-	8	-	-	-	-	-	-	1	-
15 to 19 years.....Male....	1,728	1,647	1,312	48	254	27	5	-	-	-	1	79	2
Female..	1,631	1,549	1,247	53	224	20	3	2	-	-	-	80	2
20 to 24 years.....Male....	10,014	9,779	8,630	396	395	299	44	9	4	-	2	218	17
Female..	9,309	9,052	7,323	377	398	308	62	11	2	-	1	218	9
25 to 29 years.....Male....	12,480	12,317	10,816	733	160	466	129	12	1	-	-	151	12
Female..	11,654	11,507	10,020	730	167	465	115	6	3	1	-	139	8
30 to 34 years.....Male....	9,375	9,283	7,412	881	66	571	345	4	3	1	-	89	3
Female..	8,816	8,725	7,050	781	74	524	287	5	-	1	-	85	6
35 to 39 years.....Male....	4,862	4,822	3,372	556	33	408	443	8	1	-	1	37	3
Female..	4,651	4,598	3,119	562	32	390	438	6	1	-	-	52	1
40 to 44 years.....Male....	1,251	1,230	758	139	9	113	214	1	1	1	-	19	2
Female..	1,065	1,048	619	117	15	103	192	1	1	-	-	14	3
45 to 49 years.....Male....	59	56	31	3	1	9	12	-	-	-	-	2	1
Female..	56	56	22	6	-	12	16	-	-	-	-	-	-
50 to 54 years.....Male....	5	5	2	1	-	1	1	-	-	-	-	-	-
55 years and over.....Male....	1	1	-	-	-	-	-	-	1	-	-	-	-
Not stated.....Male....	40	38	27	1	1	4	3	1	-	-	1	2	-
Female..	46	43	36	3	3	-	-	-	-	-	1	3	-
MICHIGAN.....	112,655	105,810	92,086	6,035	1,865	3,703	2,047	41	37	3	23	6,607	208
Male....	57,758	54,316	47,272	3,024	989	1,926	1,077	23	18	2	15	3,322	90
Female..	54,897	51,494	44,814	3,011	876	1,777	970	18	19	1	8	3,285	118
10 to 14 years.....Male....	42	24	4	1	19	-	-	-	-	-	-	18	-
Female..	31	15	3	-	12	-	-	-	-	-	-	16	-
15 to 19 years.....Male....	4,663	3,978	3,485	85	367	27	5	4	3	-	2	678	7
Female..	4,631	3,945	3,471	88	324	47	6	8	1	-	-	673	13
20 to 24 years.....Male....	16,880	15,788	14,300	557	381	437	102	8	2	-	1	1,065	27
Female..	15,910	14,755	13,361	573	340	393	77	3	6	-	2	1,117	38
25 to 29 years.....Male....	16,956	16,119	14,396	871	133	513	164	2	4	-	3	802	35
Female..	16,187	15,411	13,749	375	108	510	159	2	6	-	2	745	31
30 to 34 years.....Male....	11,732	11,252	9,469	889	44	513	318	3	5	1	4	467	13
Female..	11,099	10,615	8,977	870	48	465	279	1	3	-	2	434	20
35 to 39 years.....Male....	5,784	5,543	4,352	488	34	315	345	4	3	1	1	234	7
Female..	5,401	5,163	4,053	472	33	283	316	2	2	1	1	227	11
40 to 44 years.....Male....	1,523	1,475	1,141	115	9	77	131	2	-	-	-	48	-
Female..	1,447	1,379	1,060	118	10	70	120	1	-	-	-	63	5
45 to 49 years.....Male....	113	110	79	12	1	7	11	-	-	-	-	3	-
Female..	115	112	81	12	-	6	12	1	-	-	-	3	-
50 to 54 years.....Female..	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated.....Male....	65	57	46	3	1	1	1	-	1	-	4	7	1
Female..	75	69	59	3	1	3	1	-	1	-	1	6	-
MINNESOTA.....	54,656	53,921	49,737	1,629	1,386	858	226	16	6	-	3	142	593
Male....	27,998	27,628	25,478	846	735	433	124	7	3	-	2	79	291
Female..	26,658	26,293	24,319	783	651	425	102	9	3	-	1	63	302
10 to 14 years.....Male....	6	4	-	-	4	-	-	-	-	-	-	-	2
Female..	1	1	-	-	1	-	-	-	-	-	-	-	-
15 to 19 years.....Male....	1,651	1,614	1,362	10	233	7	-	2	-	-	-	12	25
Female..	1,501	1,454	1,230	15	202	6	1	-	-	-	-	13	34
20 to 24 years.....Male....	7,481	7,368	6,863	120	316	61	7	1	-	-	-	29	84
Female..	7,075	6,938	6,485	102	273	71	5	2	-	-	-	25	112

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
MINNESOTA—Continued													
25 to 29 years.....Male....	8,317	8,213	7,749	214	108	119	18	2	2	-	1	19	85
Female..	7,970	7,875	7,467	181	108	102	14	1	2	-	-	11	81
30 to 34 years.....Male....	6,117	6,047	5,608	233	46	126	32	1	1	-	-	16	54
Female..	5,857	5,818	5,371	247	43	123	31	3	-	-	-	4	35
35 to 39 years.....Male....	3,296	3,266	2,922	183	22	90	48	1	-	-	-	1	29
Female..	3,269	3,230	2,909	170	19	94	35	2	1	-	-	5	34
40 to 44 years.....Male....	1,043	1,030	899	81	4	28	18	-	-	-	-	2	11
Female..	911	903	803	58	5	25	12	-	-	-	-	2	6
45 to 49 years.....Male....	84	83	74	5	2	1	1	-	-	-	-	-	1
Female..	68	68	50	10	-	3	4	1	-	-	-	-	-
Not stated.....Male....	3	3	1	-	-	1	-	-	-	-	1	-	-
Female..	6	6	4	-	-	1	-	-	-	-	1	-	-
MISSISSIPPI.....	54,263	24,103	23,571	114	318	59	21	-	13	-	7	30,031	129
Male....	27,607	12,285	12,012	67	166	20	8	-	7	-	5	15,259	63
Female..	26,656	11,818	11,559	47	152	39	13	-	6	-	2	14,772	66
10 to 14 years.....Male....	133	8	3	-	5	-	-	-	-	-	-	124	1
Female..	129	10	9	-	1	-	-	-	-	-	-	119	-
15 to 19 years.....Male....	5,029	1,574	1,503	3	66	-	-	-	2	-	-	3,445	10
Female..	4,918	1,462	1,385	5	68	2	1	-	1	-	-	3,445	11
20 to 24 years.....Male....	7,810	3,593	3,498	21	60	9	-	-	2	-	3	4,203	14
Female..	7,457	3,476	3,386	19	50	15	2	-	4	-	-	3,960	21
25 to 29 years.....Male....	6,215	3,090	3,041	21	17	7	2	-	2	-	-	3,109	16
Female..	6,029	2,944	2,905	12	16	8	1	-	1	-	1	3,071	14
30 to 34 years.....Male....	4,521	2,303	2,278	9	10	-	5	-	-	-	1	2,210	8
Female..	4,317	2,233	2,200	8	14	7	4	-	-	-	-	2,073	11
35 to 39 years.....Male....	2,951	1,334	1,313	10	6	4	1	-	-	-	-	1,609	8
Female..	2,862	1,253	1,239	2	2	7	3	-	-	-	-	1,603	6
40 to 44 years.....Male....	820	344	341	2	-	-	-	-	1	-	-	473	3
Female..	815	400	397	1	-	-	2	-	-	-	-	412	3
45 to 49 years.....Male....	69	23	22	1	-	-	-	-	-	-	-	44	2
Female..	70	21	21	-	-	-	-	-	-	-	-	49	-
50 to 54 years.....Male....	3	-	-	-	-	-	-	-	-	-	-	3	-
Female..	3	1	1	-	-	-	-	-	-	-	-	2	-
55 years and over.....Male....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female..	3	1	1	-	-	-	-	-	-	-	-	2	-
Not stated.....Male....	55	16	13	-	2	-	-	-	-	-	1	38	1
Female..	53	17	15	-	1	-	-	-	-	-	1	36	-
MISSOURI.....	65,659	60,474	57,878	735	1,326	322	196	3	11	-	3	5,150	35
Male....	33,736	31,103	29,723	373	725	169	105	1	5	-	2	2,613	20
Female..	31,923	29,371	28,155	362	601	153	91	2	6	-	1	2,537	15
10 to 14 years.....Male....	36	13	7	-	6	-	-	-	-	-	-	23	-
Female..	35	14	10	-	4	-	-	-	-	-	-	21	-
15 to 19 years.....Male....	4,027	3,365	3,029	10	322	3	-	-	1	-	-	660	2
Female..	3,555	2,934	2,676	8	248	1	-	-	1	-	-	617	4
20 to 24 years.....Male....	9,957	9,201	8,855	61	242	36	5	1	1	-	-	753	3
Female..	9,535	8,791	8,441	65	239	36	6	1	3	-	-	739	5
25 to 29 years.....Male....	8,790	8,249	7,996	107	84	48	13	-	1	-	-	531	7
Female..	8,408	7,878	7,665	118	53	36	4	1	1	-	-	526	4
30 to 34 years.....Male....	6,205	5,852	5,631	105	46	48	22	-	-	-	-	348	5
Female..	6,018	5,668	5,449	100	30	48	41	-	-	-	-	349	1
35 to 39 years.....Male....	3,549	3,333	3,182	65	16	27	42	-	1	-	-	215	1
Female..	3,316	3,100	2,970	54	21	26	28	-	1	-	-	215	1
40 to 44 years.....Male....	1,036	964	906	23	8	7	20	-	-	-	-	70	2
Female..	967	907	867	17	6	6	11	-	-	-	-	60	-
45 to 49 years.....Male....	85	82	78	1	-	-	3	-	-	-	-	3	-
Female..	58	51	50	-	-	-	1	-	-	-	-	7	-
50 to 54 years.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Female..	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated.....Male....	50	43	38	1	1	-	-	-	1	-	2	7	-
Female..	30	28	27	-	-	-	-	-	-	-	1	2	-
MONTANA.....	10,601	9,974	9,059	471	94	256	92	1	1	-	-	12	615
Male....	5,484	5,151	4,662	266	44	127	50	1	1	-	-	5	328
Female..	5,117	4,823	4,397	205	50	129	42	-	-	-	-	7	287
10 to 14 years.....Male....	2	1	1	-	-	-	-	-	-	-	-	-	1
15 to 19 years.....Male....	442	389	358	12	16	3	-	-	-	-	-	2	51
Female..	417	377	356	8	9	4	-	-	-	-	-	1	39
20 to 24 years.....Male....	1,669	1,565	1,467	51	16	26	5	-	-	-	-	2	102
Female..	1,562	1,490	1,395	44	22	25	4	-	-	-	-	2	70
25 to 29 years.....Male....	1,602	1,531	1,422	69	6	29	3	1	1	-	-	-	71
Female..	1,497	1,427	1,316	55	13	39	4	-	-	-	-	1	69
30 to 34 years.....Male....	1,056	1,006	876	77	4	39	10	-	-	-	-	-	50
Female..	974	909	812	57	2	25	13	-	-	-	-	2	63
35 to 39 years.....Male....	536	500	416	42	2	22	18	-	-	-	-	1	35
Female..	501	475	403	29	3	27	13	-	-	-	-	1	25
40 to 44 years.....Male....	163	147	115	13	-	7	12	-	-	-	-	-	16
Female..	150	130	101	12	-	9	8	-	-	-	-	-	20
45 to 49 years.....Male....	8	7	3	2	-	-	2	-	-	-	-	-	1
Female..	13	12	11	-	1	-	-	-	-	-	-	-	1
50 to 54 years.....Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	6	5	4	-	-	1	-	-	-	-	-	-	1
Female..	2	2	2	-	-	-	-	-	-	-	-	-	-
NEBRASKA.....	24,128	23,585	22,396	456	409	202	119	2	-	-	1	358	185
Male....	12,450	12,205	11,599	224	209	112	60	-	-	-	1	175	79
Female..	11,669	11,380	10,797	232	200	90	59	2	-	-	-	183	106
10 to 14 years.....Male....	7	6	2	-	4	-	-	-	-	-	-	1	-
Female..	2	1	-	-	1	-	-	-	-	-	-	1	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
NEBRASKA—Continued													
15 to 19 years.....Male....	987	935	846	12	74	2	1	-	-	-	-	45	7
Female..	950	901	821	6	72	2	-	-	-	-	-	42	7
20 to 24 years.....Male....	3,799	3,718	3,555	39	91	26	6	-	-	-	1	54	27
Female..	3,478	3,386	3,244	33	84	21	3	1	-	-	-	56	36
25 to 29 years.....Male....	3,615	3,552	3,446	47	23	31	5	-	-	-	-	34	29
Female..	3,258	3,181	3,071	58	28	15	9	-	-	-	-	45	32
30 to 34 years.....Male....	2,383	2,346	2,239	66	5	21	15	-	-	-	-	26	11
Female..	2,335	2,301	2,180	76	8	25	11	1	-	-	-	22	12
35 to 39 years.....Male....	1,301	1,287	1,192	42	11	23	19	-	-	-	-	12	2
Female..	1,241	1,215	1,124	45	5	18	23	-	-	-	-	13	13
40 to 44 years.....Male....	326	321	284	16	1	8	12	-	-	-	-	3	2
Female..	359	349	316	11	2	9	11	-	-	-	-	4	6
45 to 49 years.....Male....	29	29	24	2	-	1	2	-	-	-	-	-	-
Female..	35	35	31	2	-	-	2	-	-	-	-	-	-
50 to 54 years.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Female..	1	1	-	1	-	-	-	-	-	-	-	-	-
Not stated.....Male....	11	10	10	-	-	-	-	-	-	-	-	-	1
Female..	10	10	10	-	-	-	-	-	-	-	-	-	-
NEVADA.....	2,851	2,640	2,400	101	63	56	20	-	-	-	-	60	151
Male....	1,445	1,338	1,217	45	36	29	11	-	-	-	-	36	71
Female..	1,406	1,302	1,183	56	27	27	9	-	-	-	-	24	80
15 to 19 years.....Male....	152	140	128	4	7	1	-	-	-	-	-	6	6
Female..	170	154	141	4	7	1	1	-	-	-	-	6	10
20 to 24 years.....Male....	487	454	418	7	21	8	-	-	-	-	-	11	22
Female..	440	403	375	11	11	5	1	-	-	-	-	10	27
25 to 29 years.....Male....	331	368	335	19	6	7	1	-	-	-	-	5	18
Female..	406	385	350	19	6	10	-	-	-	-	-	1	20
30 to 34 years.....Male....	251	228	206	11	1	8	2	-	-	-	-	11	12
Female..	251	235	218	10	2	4	1	-	-	-	-	6	10
35 to 39 years.....Male....	135	122	106	4	1	3	8	-	-	-	-	3	10
Female..	114	106	87	8	1	7	3	-	-	-	-	-	8
40 to 44 years.....Male....	27	25	23	-	-	2	-	-	-	-	-	-	2
Female..	20	15	9	4	-	-	2	-	-	-	-	1	4
45 to 49 years.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	1
Female..	4	3	2	-	-	-	1	-	-	-	-	-	1
Not stated.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE.....	8,338	8,324	7,018	496	294	356	152	7	-	-	1	14	-
Male....	4,359	4,352	3,663	262	158	185	81	3	-	-	-	7	-
Female..	3,979	3,972	3,355	234	136	171	71	4	-	-	1	7	-
10 to 14 years.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Female..	1	1	-	-	1	-	-	-	-	-	-	-	-
15 to 19 years.....Male....	310	310	249	12	48	1	-	-	-	-	-	-	-
Female..	282	279	222	8	46	3	-	-	-	-	-	3	-
20 to 24 years.....Male....	1,307	1,303	1,143	47	70	32	10	1	-	-	-	4	-
Female..	1,159	1,157	1,021	48	53	30	4	1	-	-	-	2	-
25 to 29 years.....Male....	1,194	1,192	1,032	63	21	52	16	2	-	-	-	2	-
Female..	1,114	1,114	933	56	20	41	12	2	-	-	-	-	-
30 to 34 years.....Male....	921	920	768	74	8	50	20	-	-	-	-	1	-
Female..	862	861	717	63	11	45	25	-	-	-	-	1	-
35 to 39 years.....Male....	481	481	369	44	5	38	25	-	-	-	-	-	-
Female..	423	422	323	39	2	38	20	-	-	-	-	1	-
40 to 44 years.....Male....	137	137	97	14	6	12	8	-	-	-	-	-	-
Female..	126	126	83	19	2	12	9	1	-	-	-	-	-
45 to 49 years.....Male....	5	5	1	2	-	-	2	-	-	-	-	-	-
Female..	7	7	4	1	-	1	1	-	-	-	-	-	-
Not stated.....Male....	3	3	3	-	-	-	-	-	-	-	-	-	-
Female..	5	5	2	-	1	1	-	-	-	-	1	-	-
NEW JERSEY.....	77,338	71,803	62,081	4,725	778	2,370	1,810	24	6	2	13	5,481	48
Male....	39,670	36,839	31,791	2,449	385	1,276	915	12	2	2	7	2,810	21
Female..	37,668	34,970	30,290	2,276	393	1,094	895	12	4	-	6	2,671	27
10 to 14 years.....Male....	23	6	1	-	5	-	-	-	-	-	-	17	-
Female..	23	4	1	-	3	-	-	-	-	-	-	19	-
15 to 19 years.....Male....	2,065	1,488	1,322	20	127	17	1	-	-	-	1	576	1
Female..	1,896	1,405	1,258	30	102	10	2	2	-	-	1	490	1
20 to 24 years.....Male....	10,089	9,177	8,400	335	148	238	48	6	-	-	2	909	3
Female..	9,685	8,752	8,019	288	148	235	54	4	2	-	2	927	6
25 to 29 years.....Male....	12,756	12,136	10,899	639	61	357	115	1	1	1	2	611	3
Female..	12,296	11,689	10,547	668	87	291	95	-	1	-	-	599	8
30 to 34 years.....Male....	9,460	9,046	7,556	802	30	391	266	-	-	1	-	410	4
Female..	8,765	8,400	7,013	760	32	326	266	2	1	-	-	358	7
35 to 39 years.....Male....	4,325	4,099	3,040	489	11	223	331	4	-	-	1	222	4
Female..	4,101	3,888	2,908	443	14	183	336	4	-	-	-	212	1
40 to 44 years.....Male....	875	817	532	94	3	46	141	1	-	-	-	58	-
Female..	824	761	500	80	6	47	128	-	-	-	-	60	3
45 to 49 years.....Male....	58	55	31	7	-	4	13	-	-	-	-	3	-
Female..	53	49	29	5	-	2	13	-	-	-	-	3	1
50 to 54 years.....Male....	1	1	-	1	-	-	-	-	-	-	-	-	-
Female..	4	3	2	-	-	-	1	-	-	-	-	1	-
Not stated.....Male....	18	14	10	2	-	-	-	-	1	-	1	4	-
Female..	21	19	13	2	1	-	-	-	-	-	3	2	-
NEW MEXICO.....	15,306	14,041	12,609	461	581	206	174	5	4	-	1	130	1,135
Male....	7,840	7,233	6,478	251	294	106	103	1	-	-	-	67	540
Female..	7,466	6,808	6,131	210	287	100	71	4	4	-	1	63	595
10 to 14 years.....Male....	11	10	5	-	5	-	-	-	-	-	-	-	1
Female..	12	9	5	-	4	-	-	-	-	-	-	-	3

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
NEW MEXICO—Continued													
15 to 19 years.....Male....	904	816	714	17	84	1	-	-	-	-	-	14	74
Female..	885	789	661	14	109	3	1	-	1	-	-	19	77
20 to 24 years.....Male....	2,305	2,137	1,948	54	112	18	4	1	-	-	-	20	149
Female..	2,243	2,062	1,898	46	92	18	6	-	1	-	1	14	167
25 to 29 years.....Male....	1,873	1,755	1,602	68	43	21	21	-	-	-	-	12	106
Female..	1,714	1,580	1,456	17	33	33	10	1	-	-	-	16	118
30 to 34 years.....Male....	1,464	1,355	1,217	59	28	30	21	-	-	-	-	9	100
Female..	1,391	1,274	1,164	48	25	22	14	-	1	-	-	11	106
35 to 39 years.....Male....	951	872	744	43	19	29	37	-	-	-	-	9	70
Female..	889	812	705	37	20	19	23	1	1	-	-	1	76
40 to 44 years.....Male....	291	260	227	10	2	4	17	-	-	-	-	2	29
Female..	285	253	220	14	4	3	10	2	-	-	-	2	30
45 to 49 years.....Male....	27	21	15	-	-	3	3	-	-	-	-	-	6
Female..	37	27	20	4	-	2	1	-	-	-	-	-	10
50 to 54 years.....Male....	2	2	1	-	1	-	-	-	-	-	-	-	-
Female..	1	-	-	-	-	-	-	-	-	-	-	-	1
55 years and over.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	10	4	4	-	-	-	-	-	-	-	-	1	5
Female..	9	2	2	-	-	-	-	-	-	-	-	-	7
NEW YORK.....	234,754	221,326	177,830	18,618	3,930	9,725	11,055	148	2	-	18	13,009	419
Male....	120,811	114,092	91,641	9,609	2,050	5,033	5,679	70	1	-	9	6,508	211
Female..	113,943	107,234	86,189	9,009	1,880	4,692	5,376	78	1	-	9	6,501	208
10 to 14 years.....Male....	37	18	3	-	15	-	-	-	-	-	-	19	-
Female..	53	16	2	-	14	-	-	-	-	-	-	37	-
15 to 19 years.....Male....	6,248	4,903	4,035	159	555	63	25	6	-	-	-	1,331	14
Female..	5,753	4,466	3,750	126	506	59	15	10	-	-	-	1,273	14
20 to 24 years.....Male....	30,420	28,108	24,488	1,348	921	982	345	23	-	-	1	2,255	57
Female..	28,513	26,172	22,805	1,275	819	929	319	25	-	-	-	2,288	53
25 to 29 years.....Male....	37,424	35,919	30,726	2,747	327	1,325	781	12	1	-	-	1,440	65
Female..	35,190	33,629	28,894	2,532	316	1,179	694	14	-	-	-	1,502	59
30 to 34 years.....Male....	29,160	28,230	21,370	3,229	123	1,556	1,940	11	-	-	1	892	39
Female..	27,890	26,980	20,502	3,022	124	1,468	1,852	12	-	-	-	864	46
35 to 39 years.....Male....	14,363	13,907	9,138	1,791	38	917	1,363	10	-	-	-	431	25
Female..	13,532	13,089	8,572	1,720	81	866	1,841	8	-	-	1	422	21
40 to 44 years.....Male....	2,979	2,839	1,722	321	20	184	584	8	-	-	-	129	11
Female..	2,815	2,701	1,563	319	15	180	616	8	-	-	-	102	13
45 to 49 years.....Male....	152	142	87	11	1	4	39	-	-	-	-	9	1
Female..	151	137	79	11	2	9	35	1	-	-	-	12	2
50 to 54 years.....Male....	3	2	-	-	-	2	-	-	-	-	-	1	-
Female..	2	2	-	1	-	1	-	-	-	-	-	-	-
55 years and over.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Female..	2	2	1	-	-	1	-	-	-	-	-	-	-
Not stated.....Male....	24	23	11	3	-	-	2	-	-	-	7	1	-
Female..	41	40	21	3	3	-	4	-	1	-	8	1	-
NORTH CAROLINA.....	87,401	59,503	57,624	160	1,573	98	27	1	1	-	19	26,848	1,050
Male....	44,921	30,725	29,743	69	838	51	16	1	-	-	7	13,664	532
Female..	42,480	28,778	27,881	91	735	47	11	-	1	-	12	13,184	518
10 to 14 years.....Male....	125	22	15	-	7	-	-	-	-	-	-	103	-
Female..	121	26	13	-	12	-	-	-	-	-	1	95	-
15 to 19 years.....Male....	6,938	3,912	3,534	5	368	2	-	1	-	-	2	2,947	79
Female..	6,171	3,581	3,263	5	308	1	-	-	-	-	4	2,811	79
20 to 24 years.....Male....	13,479	9,322	9,003	16	287	14	1	-	-	-	1	4,007	150
Female..	12,823	8,711	8,389	31	269	17	1	-	1	-	3	3,946	166
25 to 29 years.....Male....	10,764	7,663	7,518	18	106	18	3	-	-	-	-	2,980	121
Female..	10,188	7,230	7,112	24	79	12	2	-	-	-	1	2,841	117
30 to 34 years.....Male....	7,459	5,416	5,349	16	33	11	6	-	-	-	1	1,952	91
Female..	7,161	5,192	5,124	21	36	7	4	-	-	-	-	1,885	84
35 to 39 years.....Male....	4,540	3,273	3,220	10	30	5	6	-	-	-	2	1,195	72
Female..	4,247	3,012	2,967	8	24	8	3	-	-	-	2	1,183	52
40 to 44 years.....Male....	1,336	977	968	4	4	1	-	-	-	-	-	395	14
Female..	1,280	904	895	2	4	2	1	-	-	-	-	357	19
45 to 49 years.....Male....	121	80	80	-	-	-	-	-	-	-	-	37	4
Female..	108	74	74	-	-	-	-	-	-	-	-	34	-
50 to 54 years.....Male....	10	6	6	-	-	-	-	-	-	-	-	4	-
Female..	2	1	1	-	-	-	-	-	-	-	-	1	-
55 years and over.....Male....	6	3	3	-	-	-	-	-	-	-	-	3	-
Female..	3	3	3	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	93	51	47	-	3	-	-	-	-	-	1	41	1
Female..	76	44	40	-	3	-	-	-	-	-	1	31	1
NORTH DAKOTA.....	13,147	12,813	11,798	512	205	236	63	2	3	-	-	1	327
Male....	6,644	6,468	5,960	255	101	116	35	-	1	-	-	1	175
Female..	6,503	6,351	5,838	257	104	120	28	2	2	-	-	-	152
10 to 14 years.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Female..	1	1	-	-	1	-	-	-	-	-	-	-	-
15 to 19 years.....Male....	443	418	376	8	31	2	-	-	1	-	-	-	25
Female..	419	401	367	2	31	1	-	-	-	-	-	-	18
20 to 24 years.....Male....	1,823	1,778	1,678	31	51	15	3	-	-	-	-	-	45
Female..	1,802	1,758	1,649	36	43	25	2	2	1	-	-	-	44
25 to 29 years.....Male....	1,867	1,826	1,742	41	12	28	3	-	-	-	-	-	41
Female..	1,776	1,744	1,653	50	17	22	2	-	-	-	-	-	32
30 to 34 years.....Male....	1,414	1,375	1,274	63	4	31	3	-	-	-	-	-	39
Female..	1,370	1,341	1,239	61	9	29	2	-	1	-	-	-	29
35 to 39 years.....Male....	791	771	659	75	1	26	10	-	-	-	-	1	19
Female..	847	831	717	73	3	27	11	-	-	-	-	-	16
40 to 44 years.....Male....	266	260	201	32	1	13	13	-	-	-	-	-	6
Female..	245	236	179	32	-	15	10	-	-	-	-	-	9
45 to 49 years.....Male....	18	18	13	3	-	-	2	-	-	-	-	-	-
Female..	24	24	19	3	-	1	1	-	-	-	-	-	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
NORTH DAKOTA—Continued													
50 to 54 years.....Male....	1	1	-	1	-	-	-	-	-	-	-	-	-
Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
55 years and over.....Female..	1	-	-	-	-	-	-	-	-	-	-	-	1
Not stated.....Male....	20	20	16	1	1	1	1	-	-	-	-	-	-
Female..	17	14	14	-	-	-	-	-	-	-	-	-	3
OHIO.....	132,496	124,619	115,379	3,494	2,989	1,728	972	17	19	-	21	7,782	35
Male....	68,207	64,213	59,406	1,813	1,575	877	506	10	10	-	16	3,955	39
Female..	64,289	60,406	55,973	1,681	1,414	851	466	7	9	-	5	3,827	56
10 to 14 years.....Male....	41	24	3	-	21	-	-	-	-	-	-	17	-
Female..	53	24	9	-	15	-	-	-	-	-	-	29	-
15 to 19 years.....Male....	5,793	4,952	4,343	28	559	13	-	1	-	-	2	844	2
Female..	5,473	4,698	4,130	24	526	14	-	3	1	-	-	769	6
20 to 24 years.....Male....	19,744	18,430	17,248	284	667	195	29	3	4	-	-	1,295	19
Female..	18,411	17,141	16,145	236	555	178	22	2	3	-	-	1,247	23
25 to 29 years.....Male....	19,804	18,923	17,978	488	196	136	59	2	3	-	1	868	13
Female..	18,814	17,935	17,020	470	190	139	54	1	1	-	-	865	14
30 to 34 years.....Male....	13,886	13,336	12,258	590	78	281	126	1	2	-	-	548	2
Female..	13,136	12,599	11,548	511	78	284	144	1	1	-	2	529	8
35 to 39 years.....Male....	6,954	6,673	5,946	351	41	143	192	-	-	-	-	281	-
Female..	6,163	5,174	5,485	335	34	149	170	-	1	-	-	286	3
40 to 44 years.....Male....	1,719	1,629	1,418	66	3	13	91	2	-	-	-	87	3
Female..	1,706	1,612	1,438	70	12	26	66	-	-	-	-	92	2
45 to 49 years.....Male....	122	118	103	1	1	6	6	1	-	-	-	4	-
Female..	109	105	96	2	-	1	6	-	-	-	-	4	-
50 to 54 years.....Male....	2	2	2	-	-	-	-	-	-	-	-	-	-
Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
55 years and over.....Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	137	126	101	5	3	-	3	-	1	-	13	11	-
Female..	122	116	100	3	4	-	4	-	2	-	3	6	-
OKLAHOMA.....	43,165	38,366	37,304	194	633	118	21	4	24	-	8	3,025	1,774
Male....	22,207	19,790	19,235	101	364	59	13	1	12	-	5	1,513	904
Female..	20,958	18,576	18,069	93	329	59	8	3	12	-	3	1,512	870
10 to 14 years.....Male....	44	29	22	-	7	-	-	-	-	-	-	13	2
Female..	35	12	10	-	1	-	-	1	-	-	-	20	3
15 to 19 years.....Male....	3,242	2,757	2,615	10	127	2	-	-	2	-	1	331	154
Female..	3,250	2,733	2,581	10	131	4	-	-	4	-	-	381	136
20 to 24 years.....Male....	7,254	6,509	6,309	37	144	16	1	-	2	-	-	459	286
Female..	6,526	5,861	5,715	22	110	9	1	1	2	-	1	422	243
25 to 29 years.....Male....	5,243	4,740	4,655	15	41	20	4	-	4	-	1	313	190
Female..	4,952	4,470	4,387	22	40	17	1	-	2	-	1	272	210
30 to 34 years.....Male....	3,660	3,295	3,229	20	31	9	4	-	-	-	2	221	144
Female..	3,423	3,071	3,012	19	26	11	-	1	2	-	-	216	136
35 to 39 years.....Male....	2,057	1,831	1,789	17	9	9	3	1	3	-	-	132	94
Female..	2,070	1,810	1,759	18	15	10	6	-	2	-	-	153	107
40 to 44 years.....Male....	638	568	559	2	2	3	1	-	1	-	-	39	31
Female..	624	553	541	2	3	6	-	-	-	-	1	40	31
45 to 49 years.....Male....	46	40	40	-	-	-	-	-	-	-	-	4	2
Female..	49	45	42	-	1	2	-	-	-	-	-	3	1
Not stated.....Male....	23	21	17	-	3	-	-	-	-	-	1	1	1
Female..	29	21	19	-	2	-	-	-	-	-	-	5	3
OREGON.....	24,140	23,563	21,707	817	312	564	150	5	6	-	2	268	309
Male....	12,556	12,237	11,279	438	156	291	71	1	1	-	-	146	173
Female..	11,584	11,326	10,428	379	156	273	79	4	5	-	2	122	136
10 to 14 years.....Male....	7	6	1	-	5	-	-	-	-	-	-	1	-
Female..	8	5	2	-	3	-	-	-	-	-	-	3	-
15 to 19 years.....Male....	1,232	1,184	1,103	20	55	6	-	-	-	-	-	26	22
Female..	1,110	1,080	999	18	54	8	-	-	1	-	-	15	15
20 to 24 years.....Male....	3,970	3,852	3,609	99	63	74	7	-	-	-	-	62	56
Female..	3,619	3,524	3,300	79	62	69	9	3	2	-	-	51	44
25 to 29 years.....Male....	3,495	3,419	3,196	117	17	84	5	-	-	-	-	26	50
Female..	3,323	3,247	3,001	110	22	95	16	1	1	-	1	32	44
30 to 34 years.....Male....	2,425	2,379	2,146	117	8	77	30	-	1	-	-	21	25
Female..	2,218	2,184	2,001	88	11	61	22	-	1	-	-	17	17
35 to 39 years.....Male....	1,136	1,118	986	68	7	38	18	1	-	-	-	8	10
Female..	1,023	1,007	883	65	3	34	21	-	-	-	1	4	12
40 to 44 years.....Male....	250	240	204	15	1	11	9	-	-	-	-	2	8
Female..	252	243	212	18	1	6	11	-	-	-	-	-	4
45 to 49 years.....Male....	24	23	21	-	-	-	2	-	-	-	-	-	1
Female..	12	12	11	1	-	-	-	-	-	-	-	-	-
55 years and over.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	16	15	12	2	-	1	-	-	-	-	-	-	1
Female..	19	19	19	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA.....	173,799	162,177	149,416	5,759	2,614	2,525	1,821	22	12	-	8	11,569	53
Male....	89,641	83,822	77,244	2,993	1,356	1,257	951	11	9	-	1	5,795	24
Female..	84,158	78,355	72,172	2,766	1,258	1,268	870	11	3	-	7	5,774	29
10 to 14 years.....Male....	76	25	15	-	10	-	-	-	-	-	-	51	-
Female..	71	28	15	-	13	-	-	-	-	-	-	43	-
15 to 19 years.....Male....	6,409	5,159	4,655	62	418	23	-	-	1	-	-	1,250	-
Female..	6,080	4,840	4,360	41	420	13	2	1	-	-	3	1,238	2
20 to 24 years.....Male....	25,110	23,172	21,871	397	611	241	43	4	4	-	1	1,928	10
Female..	23,538	21,654	20,488	358	527	238	34	5	-	-	4	1,870	14
25 to 29 years.....Male....	27,121	25,885	24,572	729	192	303	87	1	1	-	-	1,226	10
Female..	25,363	24,117	22,867	698	171	298	82	1	-	-	-	1,242	4
30 to 34 years.....Male....	18,843	18,052	16,354	950	81	386	274	4	3	-	-	790	1
Female..	17,632	16,843	15,228	887	79	395	251	1	2	-	-	784	5
35 to 39 years.....Male....	9,414	8,994	7,719	664	33	248	329	1	-	-	-	418	2
Female..	8,997	8,543	7,312	608	35	253	332	2	1	-	-	450	4

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
PENNSYLVANIA—Continued													
40 to 44 years.....Male....	2,470	2,348	1,903	182	10	52	201	-	-	-	-	121	1
Female..	2,300	2,160	1,774	163	12	64	146	1	-	-	-	140	-
45 to 49 years.....Male....	163	154	125	9	-	4	15	1	-	-	-	9	-
Female..	142	139	101	10	1	5	22	-	-	-	-	3	-
50 to 54 years.....Male....	11	11	9	-	-	-	2	-	-	-	-	-	-
Female..	8	8	5	1	-	1	1	-	-	-	-	-	-
55 years and over.....Male....	2	2	2	-	-	-	-	-	-	-	-	-	-
Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	22	20	19	-	1	-	-	-	-	-	-	2	-
Female..	26	22	21	-	-	1	-	-	-	-	-	4	-
RHODE ISLAND.....	13,635	13,302	11,069	902	390	640	297	14	-	-	-	325	8
Male....	6,964	6,802	5,669	458	179	332	159	5	-	-	-	157	5
Female..	6,671	6,500	5,400	444	201	308	138	9	-	-	-	168	3
10 to 14 years.....Male....	1	1	-	-	1	-	-	-	-	-	-	-	-
15 to 19 years.....Male....	336	299	255	5	36	2	1	-	-	-	-	37	-
Female..	330	301	244	6	49	1	-	1	-	-	-	28	1
20 to 24 years.....Male....	1,868	1,818	1,635	45	78	55	4	1	-	-	-	48	2
Female..	1,828	1,767	1,561	65	82	52	3	4	-	-	-	60	1
25 to 29 years.....Male....	2,195	2,155	1,888	125	35	87	18	2	-	-	-	39	1
Female..	2,027	1,993	1,732	119	38	83	19	2	-	-	-	34	-
30 to 34 years.....Male....	1,569	1,546	1,255	138	14	81	57	1	-	-	-	23	-
Female..	1,510	1,489	1,206	136	20	84	42	1	-	-	-	21	-
35 to 39 years.....Male....	789	777	516	118	10	88	44	1	-	-	-	10	2
Female..	776	754	526	92	7	77	51	1	-	-	-	21	1
40 to 44 years.....Male....	193	193	114	24	4	19	32	-	-	-	-	-	-
Female..	187	183	120	26	1	10	23	-	-	-	-	4	-
45 to 49 years.....Male....	12	12	6	3	-	-	3	-	-	-	-	-	-
Female..	8	8	7	-	-	1	-	-	-	-	-	-	-
Not stated.....Male....	1	1	-	-	1	-	-	-	-	-	-	-	-
Female..	5	5	4	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA.....	49,431	26,745	25,651	111	755	74	16	2	50	-	86	22,668	18
Male....	25,095	13,847	13,293	41	395	33	11	1	26	-	47	11,239	9
Female..	24,336	12,898	12,358	70	360	41	5	1	24	-	39	11,429	9
10 to 14 years.....Male....	81	15	9	-	5	-	-	-	-	-	1	66	-
Female..	86	14	10	-	4	-	-	-	-	-	-	72	-
15 to 19 years.....Male....	4,085	1,755	1,598	4	141	-	-	-	4	-	8	2,330	-
Female..	4,015	1,584	1,443	5	126	3	-	-	5	-	2	2,431	-
20 to 24 years.....Male....	8,080	4,539	4,366	8	140	9	1	-	6	-	9	3,537	4
Female..	7,700	4,082	3,907	14	136	15	1	-	5	-	4	3,616	2
25 to 29 years.....Male....	5,960	3,518	3,413	13	59	12	2	1	7	-	11	2,440	2
Female..	5,462	3,033	2,936	20	47	11	1	-	5	-	13	2,425	4
30 to 34 years.....Male....	3,860	2,323	2,258	10	30	8	6	-	6	-	5	1,534	3
Female..	3,991	2,495	2,419	22	32	8	-	1	5	-	8	1,493	3
35 to 39 years.....Male....	2,258	1,261	1,229	6	12	4	2	-	2	-	6	997	-
Female..	2,325	1,287	1,257	7	3	4	3	-	2	-	5	1,038	-
40 to 44 years.....Male....	597	357	350	-	5	-	-	-	1	-	1	240	-
Female..	605	348	340	2	4	-	-	-	-	-	2	257	-
45 to 49 years.....Male....	59	32	32	-	-	-	-	-	-	-	-	27	-
Female..	64	25	24	-	-	-	-	-	1	-	-	39	-
50 to 54 years.....Male....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female..	3	-	-	-	-	-	-	-	-	-	-	3	-
55 years and over.....Male....	1	-	-	-	-	-	-	-	-	-	-	1	-
Female..	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated.....Male....	113	47	38	-	3	-	-	-	-	-	6	66	-
Female..	84	30	22	-	2	-	-	-	1	-	5	54	-
SOUTH DAKOTA.....	12,460	11,786	11,032	270	323	111	26	3	6	-	9	15	659
Male....	6,432	6,077	5,685	154	156	58	14	1	5	-	4	10	345
Female..	6,028	5,709	5,347	116	173	53	12	2	1	-	5	5	314
10 to 14 years.....Male....	1	1	-	-	1	-	-	-	-	-	-	-	-
Female..	2	2	-	-	2	-	-	-	-	-	-	-	-
15 to 19 years.....Male....	474	432	373	2	53	1	-	1	1	-	1	-	42
Female..	440	405	337	7	59	1	-	-	-	-	1	-	35
20 to 24 years.....Male....	1,871	1,782	1,684	24	67	6	-	-	-	-	1	4	85
Female..	1,753	1,657	1,559	15	71	10	1	-	-	-	1	3	93
25 to 29 years.....Male....	1,805	1,712	1,645	25	20	16	3	-	3	-	-	2	91
Female..	1,712	1,646	1,590	24	25	6	1	-	-	-	-	-	66
30 to 34 years.....Male....	1,293	1,226	1,158	44	10	11	2	-	1	-	-	2	65
Female..	1,182	1,118	1,057	35	9	12	3	-	1	-	1	1	63
35 to 39 years.....Male....	713	673	616	33	4	16	4	-	-	-	-	1	39
Female..	660	620	575	21	7	14	3	-	-	-	-	1	39
40 to 44 years.....Male....	233	215	178	26	-	6	5	-	-	-	-	-	18
Female..	227	212	185	12	-	9	4	2	-	-	-	-	15
45 to 49 years.....Male....	20	18	17	-	-	1	-	-	-	-	-	-	2
Female..	21	20	18	2	-	-	-	-	-	-	-	-	1
50 to 54 years.....Male....	1	1	-	-	-	1	-	-	-	-	-	-	-
Not stated.....Male....	21	17	14	-	1	-	-	-	-	-	2	1	3
Female..	31	29	26	-	-	1	-	-	-	-	2	-	2
TENNESSEE.....	64,966	54,218	52,375	151	1,522	85	21	3	41	-	20	10,740	8
Male....	33,252	27,844	26,923	80	758	42	9	1	24	-	7	5,402	6
Female..	31,714	26,374	25,452	71	764	43	12	2	17	-	13	5,338	2
10 to 14 years.....Male....	107	40	28	-	12	-	-	-	-	-	-	67	-
Female..	77	19	13	-	6	-	-	-	-	-	-	58	-
15 to 19 years.....Male....	4,836	3,593	3,295	1	291	2	-	-	2	-	2	1,242	1
Female..	4,492	3,262	2,963	1	291	2	1	-	2	-	2	1,230	-
20 to 24 years.....Male....	9,795	8,247	7,950	17	258	14	1	1	6	-	-	1,548	-
Female..	9,381	7,932	7,580	24	306	11	1	1	6	-	3	1,448	1

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
TENNESSEE—Continued													
25 to 29 years.....Male....	7,985	6,884	6,740	26	101	12	-	-	4	-	1	1,099	2
Female..	7,658	6,511	6,386	18	93	10	-	1	2	-	1	1,147	-
30 to 34 years.....Male....	5,711	4,926	4,833	17	58	8	3	-	7	-	-	782	3
Female..	5,555	4,746	4,668	18	33	13	6	-	6	-	2	809	-
35 to 39 years.....Male....	3,564	3,074	3,018	15	26	4	5	-	5	-	1	490	-
Female..	3,368	2,865	2,821	9	25	4	4	-	1	-	1	502	1
40 to 44 years.....Male....	1,111	955	939	4	9	2	-	-	-	-	1	156	-
Female..	1,038	919	907	1	9	2	-	-	-	-	-	119	-
45 to 49 years.....Male....	97	84	83	-	1	-	-	-	-	-	-	13	-
Female..	99	83	82	-	-	1	-	-	-	-	-	16	-
50 to 54 years.....Male....	5	4	4	-	-	-	-	-	-	-	-	1	-
Female..	8	6	6	-	-	-	-	-	-	-	-	2	-
55 years and over.....Male....	2	2	2	-	-	-	-	-	-	-	-	-	-
Female..	4	3	3	-	-	-	-	-	-	-	-	1	-
Not stated.....Male....	39	35	31	-	2	-	-	-	-	-	2	4	-
Female..	34	28	23	-	1	-	-	-	-	-	4	6	-
TEXAS.....	157,915	138,286	121,216	6,617	2,817	3,192	4,066	148	146	14	70	19,477	152
Male....	81,098	71,242	62,470	3,375	1,445	1,643	2,106	73	86	8	36	9,766	90
Female..	76,817	67,044	58,746	3,242	1,372	1,549	1,960	75	60	6	34	9,711	62
10 to 14 years.....Male....	163	79	47	3	28	1	-	-	-	-	-	84	-
Female..	165	87	54	1	31	-	1	-	-	-	-	78	-
15 to 19 years.....Male....	11,444	9,247	8,282	252	525	30	82	6	11	1	8	2,192	5
Female...	11,027	8,805	7,840	278	510	77	74	11	9	-	6	2,218	4
20 to 24 years.....Male....	25,484	22,568	20,583	843	492	365	232	13	27	-	13	2,894	22
Female..	23,900	20,985	19,094	826	433	298	232	14	16	2	10	2,897	18
25 to 29 years.....Male....	19,956	17,992	16,109	832	222	389	354	15	15	4	2	1,938	26
Female..	18,755	16,842	15,100	814	193	364	331	12	19	2	7	1,894	19
30 to 34 years.....Male....	13,869	12,411	10,558	744	101	410	566	11	12	2	7	1,442	16
Female..	13,054	11,608	9,887	720	82	403	494	15	5	-	2	1,433	13
35 to 39 years.....Male....	7,695	6,814	5,332	438	49	301	608	21	13	1	1	867	14
Female..	7,529	6,659	5,230	470	47	308	581	13	5	1	4	865	5
40 to 44 years.....Male....	2,107	1,816	1,346	134	19	82	224	6	4	-	1	286	5
Female..	1,994	1,732	1,306	109	10	81	211	9	4	1	1	260	2
45 to 49 years.....Male....	147	123	79	8	4	7	25	-	-	-	-	23	1
Female..	165	141	96	10	2	10	23	-	-	-	-	23	1
50 to 54 years.....Male....	4	4	1	1	-	-	2	-	-	-	-	-	-
Female..	7	4	1	1	-	1	1	-	-	-	-	3	-
55 years and over.....Male....	5	4	3	-	-	-	1	-	-	-	-	1	-
Female..	6	6	2	1	-	-	3	-	-	-	-	-	-
Not stated.....Male....	224	184	130	20	5	8	12	1	4	-	4	39	1
Female..	215	175	136	12	4	7	9	1	2	-	4	40	-
UTAH.....	15,680	15,406	14,532	389	153	254	77	1	-	-	-	49	225
Male....	8,108	7,960	7,537	183	74	125	34	1	-	-	-	24	124
Female..	7,572	7,446	6,995	200	79	129	43	-	-	-	-	25	101
10 to 14 years.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Female..	3	3	1	-	2	-	-	-	-	-	-	-	-
15 to 19 years.....Male....	630	621	583	5	30	3	-	-	-	-	-	4	5
Female..	627	619	582	5	30	1	1	-	-	-	-	4	4
20 to 24 years.....Male....	2,413	2,358	2,281	32	26	16	3	-	-	-	-	7	48
Female..	2,182	2,128	2,032	31	31	34	-	-	-	-	-	11	43
25 to 29 years.....Male....	2,317	2,268	2,179	49	9	25	6	-	-	-	-	6	43
Female..	2,182	2,140	2,048	58	8	23	3	-	-	-	-	7	35
30 to 34 years.....Male....	1,576	1,550	1,433	46	6	49	16	-	-	-	-	3	23
Female..	1,531	1,516	1,402	62	4	36	12	-	-	-	-	2	13
35 to 39 years.....Male....	877	875	802	42	3	19	8	1	-	-	-	2	-
Female..	776	773	700	31	3	24	15	-	-	-	-	1	2
40 to 44 years.....Male....	249	244	220	11	-	12	1	-	-	-	-	1	4
Female..	226	224	193	12	-	9	10	-	-	-	-	-	2
45 to 49 years.....Male....	19	18	15	3	-	-	-	-	-	-	-	-	1
Female..	21	21	16	1	-	2	2	-	-	-	-	-	-
50 to 54 years.....Female..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	26	25	23	1	-	1	-	-	-	-	-	1	-
Female..	23	21	20	-	1	-	-	-	-	-	-	-	2
VERMONT.....	6,873	6,868	5,741	379	226	295	217	7	1	-	2	5	-
Male....	3,542	3,539	2,959	202	110	148	118	2	-	-	-	3	-
Female..	3,331	3,329	2,782	177	116	147	99	5	1	-	2	2	-
10 to 14 years.....Male....	2	2	-	-	2	-	-	-	-	-	-	-	-
Female..	2	2	1	-	1	-	-	-	-	-	-	-	-
15 to 19 years.....Male....	333	333	279	8	40	5	1	-	-	-	-	-	-
Female..	290	290	224	10	44	7	2	2	-	-	1	-	-
20 to 24 years.....Male....	1,045	1,044	891	58	48	32	13	2	-	-	-	1	-
Female..	1,013	1,012	870	44	47	34	16	-	-	-	1	1	-
25 to 29 years.....Male....	1,032	1,031	878	65	11	44	33	-	-	-	-	1	-
Female..	925	925	807	48	15	37	17	-	1	-	-	-	-
30 to 34 years.....Male....	631	631	522	40	4	35	30	-	-	-	-	-	-
Female..	629	629	515	43	6	37	27	1	-	-	-	-	-
35 to 39 years.....Male....	380	379	301	23	3	24	28	-	-	-	-	1	-
Female..	367	367	292	24	3	24	24	-	-	-	-	-	-
40 to 44 years.....Male....	114	114	84	8	2	8	12	-	-	-	-	-	-
Female..	103	103	73	8	-	8	13	1	-	-	-	-	-
45 to 49 years.....Male....	4	4	3	-	-	-	1	-	-	-	-	-	-
Female..	2	1	-	-	-	-	-	1	-	-	-	1	-
Not stated.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
VIRGINIA.....	67,068	50,246	48,244	378	1,217	303	84	3	9	-	8	16,806	16
Male....	34,371	25,809	24,810	181	602	148	51	3	7	-	7	8,551	11
Female..	32,697	24,437	23,434	197	615	155	33	-	2	-	1	8,255	5

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
VIRGINIA—Continued													
10 to 14 years.....Male....	70	13	9	-	4	-	-	-	-	-	-	57	-
Female..	94	13	5	-	8	-	-	-	-	-	-	81	-
15 to 19 years.....Male....	4,423	2,540	2,311	5	220	3	1	-	-	-	-	1,879	4
Female..	4,172	2,440	2,200	5	232	2	1	-	-	-	-	1,732	-
20 to 24 years.....Male....	10,452	7,756	7,136	37	237	38	6	1	1	-	-	2,693	3
Female..	8,952	7,415	7,084	16	236	43	5	-	-	-	1	2,535	2
25 to 29 years.....Male....	8,983	7,108	6,917	57	74	45	10	1	3	-	1	1,869	3
Female..	8,279	6,581	6,399	53	71	52	6	-	-	-	-	1,698	-
30 to 34 years.....Male....	5,985	4,884	4,747	51	32	33	19	-	1	-	1	1,100	1
Female..	5,780	4,630	4,490	52	39	41	7	-	1	-	-	1,149	1
35 to 39 years.....Male....	3,320	2,645	2,556	27	22	25	13	-	2	-	-	675	-
Female..	3,254	2,515	2,438	36	17	13	11	-	-	-	-	737	2
40 to 44 years.....Male....	948	737	716	4	10	4	2	1	-	-	-	211	-
Female..	987	725	706	5	9	3	2	-	-	-	-	262	-
45 to 49 years.....Male....	95	63	62	-	1	-	-	-	-	-	-	32	-
Female..	104	72	69	-	1	1	1	-	-	-	-	32	-
Not stated.....Male....	98	63	56	-	2	-	-	-	-	-	5	35	-
Female..	75	46	43	-	2	-	-	-	1	-	-	29	-
WASHINGTON.....	44,573	43,191	38,398	2,012	669	1,723	351	24	8	1	5	646	736
Male....	22,731	22,016	19,570	1,018	316	888	174	13	4	-	3	341	371
Female..	21,842	21,175	18,828	994	323	835	177	11	4	1	2	302	365
10 to 14 years.....Male....	7	5	3	-	2	-	-	-	-	-	-	1	1
Female..	12	9	4	-	5	-	-	-	-	-	-	2	1
15 to 19 years.....Male....	2,212	2,107	1,924	33	121	26	1	2	-	-	-	60	45
Female..	2,080	1,966	1,767	42	119	33	1	2	2	-	-	64	50
20 to 24 years.....Male....	7,319	7,048	6,429	234	137	223	18	6	-	-	1	143	128
Female..	7,016	6,772	6,188	224	130	209	17	3	-	-	1	121	123
25 to 29 years.....Male....	6,620	6,432	5,775	289	49	284	30	3	2	-	-	81	107
Female..	6,411	6,250	5,625	289	33	251	47	4	1	-	-	65	96
30 to 34 years.....Male....	4,231	4,139	3,534	271	26	256	51	1	-	-	-	46	46
Female..	3,954	3,860	3,311	253	23	229	42	-	1	1	-	34	60
35 to 39 years.....Male....	1,864	1,825	1,539	146	6	76	55	-	2	-	1	10	29
Female..	1,843	1,812	1,521	142	11	89	47	2	-	-	-	12	19
40 to 44 years.....Male....	430	418	333	42	3	22	17	1	-	-	-	2	10
Female..	468	451	370	39	2	21	19	-	-	-	-	2	15
45 to 49 years.....Male....	24	22	17	2	-	1	2	-	-	-	-	-	2
Female..	31	30	22	4	-	1	3	-	-	-	-	1	-
50 to 54 years.....Female..	2	2	1	1	-	-	-	-	-	-	-	-	-
Not stated.....Male....	24	20	16	1	2	-	-	-	-	-	1	1	3
Female..	25	23	19	-	-	2	1	-	-	-	1	1	1
WEST VIRGINIA.....	39,039	36,902	34,298	356	1,986	84	88	4	42	-	44	2,134	3
Male....	20,219	19,130	17,757	190	1,049	44	43	1	24	-	22	1,087	2
Female..	18,820	17,772	16,541	166	937	40	45	3	18	-	22	1,047	1
10 to 14 years.....Male....	15	10	4	-	6	-	-	-	-	-	-	5	-
Female..	19	13	6	-	7	-	-	-	-	-	-	6	-
15 to 19 years.....Male....	2,523	2,325	1,878	4	437	1	-	-	2	-	3	198	-
Female..	2,359	2,169	1,796	5	363	-	-	-	1	-	4	190	-
20 to 24 years.....Male....	6,272	5,948	5,522	30	370	12	3	-	4	-	7	324	-
Female..	5,767	5,451	5,040	28	352	13	4	1	6	-	7	315	1
25 to 29 years.....Male....	4,964	4,752	4,542	49	138	12	2	1	5	-	3	211	1
Female..	4,721	4,487	4,310	39	116	6	7	-	4	-	5	234	-
30 to 34 years.....Male....	3,457	3,277	3,147	54	49	12	9	-	3	-	3	179	1
Female..	3,172	3,002	2,883	53	49	4	9	1	1	-	2	170	-
35 to 39 years.....Male....	2,106	1,990	1,887	38	35	6	18	-	5	-	1	116	-
Female..	1,966	1,874	1,780	31	34	10	12	1	5	-	1	92	-
40 to 44 years.....Male....	708	667	629	15	8	1	11	-	1	-	2	41	-
Female..	677	649	610	9	12	7	10	-	1	-	-	28	-
45 to 49 years.....Male....	79	75	74	-	1	-	-	-	-	-	-	4	-
Female..	75	72	66	1	1	-	3	-	-	-	1	3	-
50 to 54 years.....Female..	2	2	2	-	-	-	-	-	-	-	-	-	-
55 years and over.....Male....	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	94	85	73	-	5	-	-	-	4	-	3	9	-
Female..	62	53	48	-	3	-	-	-	-	-	2	9	-
WISCONSIN.....	61,437	60,704	56,433	1,724	1,438	746	344	12	4	-	3	323	410
Male....	31,752	31,398	29,211	863	759	387	170	5	2	-	1	152	202
Female..	29,685	29,306	27,222	861	679	359	174	7	2	-	2	171	208
10 to 14 years.....Male....	2	2	-	-	2	-	-	-	-	-	-	-	-
Female..	8	7	-	-	7	-	-	-	-	-	-	1	-
15 to 19 years.....Male....	1,855	1,799	1,544	13	234	7	1	-	-	-	-	28	28
Female..	1,691	1,620	1,386	10	217	5	-	1	-	-	1	46	25
20 to 24 years.....Male....	8,782	8,671	8,132	107	343	80	8	1	-	-	-	59	52
Female..	8,060	7,949	7,466	115	290	70	6	1	-	-	1	58	53
25 to 29 years.....Male....	9,519	9,425	9,004	209	104	94	12	1	1	-	-	32	62
Female..	8,987	8,896	8,473	223	95	89	13	3	-	-	-	36	55
30 to 34 years.....Male....	7,049	6,993	6,481	287	47	123	53	1	1	-	-	26	30
Female..	6,616	6,566	6,084	282	45	103	50	1	1	-	-	15	35
35 to 39 years.....Male....	3,531	3,502	3,168	183	24	64	62	1	-	-	-	6	23
Female..	3,250	3,209	2,899	168	17	65	58	1	1	-	-	11	30
40 to 44 years.....Male....	928	922	813	57	5	18	29	-	-	-	-	1	5
Female..	990	978	844	60	8	25	41	-	-	-	-	3	9
45 to 49 years.....Male....	68	67	53	7	-	1	5	1	-	-	-	-	1
Female..	70	69	58	3	-	2	6	-	-	-	-	1	-
50 to 54 years.....Male....	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated.....Male....	16	15	14	-	-	-	-	-	-	-	1	-	1
Female..	13	12	12	-	-	-	-	-	-	-	-	-	1

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE											Negro	Other
		Total	Mother native			Mother foreign			Mother's nativity not stated					
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated			
WYOMING	5,481	5,239	4,927	165	47	66	32	-	1	-	1		28	214
Male	2,825	2,710	2,546	88	26	34	15	-	-	-	1		15	100
Female	2,656	2,529	2,381	77	21	32	17	-	1	-	-		13	114
10 to 14 years: Male	1	1	-	-	1	-	-	-	-	-	-		-	-
Female	1	1	-	-	1	-	-	-	-	-	-		-	-
15 to 19 years: Male	266	254	239	2	12	1	-	-	-	-	-		5	7
Female	246	238	226	2	9	1	-	-	-	-	-		2	6
20 to 24 years: Male	918	882	846	19	9	5	2	-	-	-	1		4	32
Female	850	816	781	18	8	8	1	-	-	-	-		5	29
25 to 29 years: Male	766	737	705	21	2	9	-	-	-	-	-		1	28
Female	749	705	675	19	1	3	6	-	1	-	-		5	39
30 to 34 years: Male	529	506	473	21	1	7	4	-	-	-	-		3	20
Female	478	454	419	23	1	9	2	-	-	-	-		-	24
35 to 39 years: Male	266	258	221	22	1	10	4	-	-	-	-		1	7
Female	263	250	224	9	1	9	7	-	-	-	-		1	12
40 to 44 years: Male	75	63	58	3	-	2	5	-	-	-	-		1	6
Female	60	57	49	6	-	2	-	-	-	-	-		-	3
45 to 49 years: Male	2	2	2	-	-	-	-	-	-	-	-		-	-
Female	5	4	3	-	-	-	1	-	-	-	-		-	1
Not stated: Male	2	2	2	-	-	-	-	-	-	-	-		-	-
Female	4	4	4	-	-	-	-	-	-	-	-		-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES	2,735,456	3,573	280,997	796,849	755,365	532,239	280,641	73,720	5,554	161	67	6,290
White, mother native	2,306,374	1,176	206,775	680,650	664,237	458,803	229,578	58,185	4,078	100	42	2,750
White, mother foreign	86,650	5	1,443	13,180	18,489	25,000	20,960	6,860	571	19	5	118
White, mother's nativity not stated	2,539	3	195	348	266	199	136	42	5	-	1	1,344
Negro	324,264	2,364	70,775	98,003	68,139	45,629	28,423	8,045	821	38	18	2,009
Other	15,629	25	1,809	4,668	4,234	2,608	1,544	588	79	4	1	69
Urban	1,618,128	1,779	148,334	478,249	469,171	324,364	156,374	35,218	2,144	79	30	2,386
White, mother native	1,382,069	585	110,810	414,437	418,160	281,159	127,420	26,772	1,486	51	20	1,169
White, mother foreign	69,646	3	996	10,506	14,884	20,600	16,808	5,348	410	12	5	74
White, mother's nativity not stated	1,026	2	93	178	127	88	49	12	1	-	1	475
Negro	159,830	1,185	35,969	51,307	34,213	21,654	11,665	2,928	229	14	4	662
Other	5,557	4	466	1,821	1,787	863	432	158	18	2	-	6
Places of 100,000 or more	772,275	883	64,519	223,961	228,119	161,575	75,434	16,201	908	39	14	622
White, mother native	635,526	229	43,672	186,906	198,709	135,628	58,133	11,284	581	21	10	353
White, mother foreign	42,833	2	478	6,078	8,856	13,253	10,678	3,235	216	6	2	29
White, mother's nativity not stated	258	-	25	56	37	27	18	5	-	-	1	89
Negro	90,491	652	20,143	29,868	19,454	12,160	6,361	1,591	100	10	1	151
Other	3,167	-	201	1,053	1,063	507	244	86	11	2	-	-
Places of 25,000 to 100,000	334,378	332	31,345	101,201	97,198	64,808	31,458	6,970	442	17	6	601
White, mother native	291,619	113	24,264	89,619	87,774	57,302	26,469	5,464	296	13	3	302
White, mother foreign	12,410	1	202	1,962	2,859	3,424	2,857	986	94	3	2	20
White, mother's nativity not stated	276	2	37	67	39	24	16	4	-	-	-	87
Negro	29,414	216	6,779	9,350	6,329	3,947	2,060	491	50	1	1	190
Other	659	-	63	203	197	111	56	25	2	-	-	2
Places of 10,000 to 25,000	228,475	216	22,096	67,606	66,002	44,693	21,905	5,196	319	9	5	428
White, mother native	202,274	69	17,760	60,476	60,276	40,166	18,840	4,241	236	6	4	200
White, mother foreign	6,940	-	125	1,169	1,523	1,915	1,593	554	48	2	-	11
White, mother's nativity not stated	172	-	8	17	19	11	5	2	-	-	-	110
Negro	18,513	146	4,134	5,746	4,018	2,516	1,428	383	34	1	1	106
Other	576	1	69	198	166	85	39	16	1	-	-	1
Places of 2,500 to 10,000	283,000	348	30,374	85,481	77,852	53,288	27,577	6,851	475	14	6	735
White, mother native	252,650	174	25,114	77,436	71,401	48,063	23,978	5,783	373	11	3	314
White, mother foreign	7,463	-	191	1,297	1,646	2,008	1,680	573	52	1	1	14
White, mother's nativity not stated	320	-	23	38	32	26	10	1	1	-	-	189
Negro	21,412	171	4,913	6,343	4,412	3,031	1,816	463	45	2	1	215
Other	1,155	3	133	367	361	160	93	31	4	-	-	3
Rural	1,117,328	1,794	132,663	318,600	286,194	207,875	124,267	38,502	3,410	82	37	3,904
White, mother native	924,305	591	95,965	266,213	246,077	177,644	102,158	31,413	2,592	49	22	1,581
White, mother foreign	17,004	2	447	2,674	3,605	4,400	4,152	1,512	161	7	-	44
White, mother's nativity not stated	1,513	1	102	170	139	111	87	30	4	-	-	869
Negro	164,434	1,179	34,806	46,696	33,926	23,975	16,758	5,117	592	24	14	1,347
Other	10,072	21	1,343	2,847	2,447	1,745	1,112	430	61	2	1	63
ALABAMA	70,321	229	11,660	20,358	16,341	11,806	7,301	2,125	196	8	2	295
White, mother native	43,972	52	5,931	12,877	10,898	7,909	4,684	1,390	111	4	-	116
White, mother foreign	89	-	3	25	16	26	18	1	-	-	-	-
White, mother's nativity not stated	30	-	3	3	8	3	2	3	-	-	-	8
Negro	26,204	177	5,719	7,446	5,412	3,864	2,593	731	85	4	2	171
Other	26	-	4	7	7	4	4	-	-	-	-	-
Urban	23,064	81	3,782	7,223	5,789	3,793	1,881	429	35	-	1	50
White, mother native	14,424	16	1,822	4,673	3,912	2,505	1,181	278	19	-	-	18
White, mother foreign	60	-	3	17	10	16	13	1	-	-	-	-
White, mother's nativity not stated	8	-	1	1	2	-	-	-	-	-	-	4
Negro	8,569	65	1,956	2,531	1,863	1,272	687	150	16	-	1	28
Other	3	-	-	1	2	-	-	-	-	-	-	-
Places of 100,000 or more	6,058	29	1,000	1,833	1,570	1,023	479	103	8	-	-	13
White, mother native	3,296	2	370	1,037	967	605	261	46	4	-	-	4
White, mother foreign	18	-	1	5	3	3	6	-	-	-	-	-
White, mother's nativity not stated	2	-	-	-	-	-	-	-	-	-	-	2
Negro	2,742	27	629	791	600	415	212	57	4	-	-	7
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	7,283	23	1,141	2,382	1,807	1,216	576	124	7	-	1	6
White, mother native	4,614	6	522	1,546	1,242	829	381	83	3	-	-	2
White, mother foreign	28	-	2	7	4	9	5	1	-	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	2,638	17	617	827	560	378	190	40	4	-	1	4
Other	1	-	-	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,692	16	645	1,125	947	589	277	74	9	-	-	10
White, mother native	2,289	2	301	760	628	372	164	53	5	-	-	4
White, mother foreign	8	-	-	1	3	2	2	-	-	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	1,394	14	343	364	316	215	111	21	4	-	-	6
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,031	13	996	1,883	1,465	965	549	128	11	-	-	21
White, mother native	4,225	6	629	1,330	1,075	699	375	96	7	-	-	8
White, mother foreign	6	-	-	4	-	2	-	-	-	-	-	-
White, mother's nativity not stated	3	-	-	-	1	-	-	-	-	-	-	2
Negro	1,795	7	367	549	387	264	174	32	4	-	-	11
Other	2	-	-	-	2	-	-	-	-	-	-	-
Rural	47,257	148	7,878	13,135	10,552	8,013	5,420	1,696	161	8	1	245
White, mother native	29,548	36	4,109	8,204	6,986	5,404	3,503	1,112	92	4	-	98
White, mother foreign	29	-	-	8	6	10	5	-	-	-	-	-
White, mother's nativity not stated	22	-	2	2	6	3	2	3	-	-	-	4
Negro	17,635	112	3,763	4,915	3,549	2,592	1,906	581	69	4	1	143
Other	23	-	4	6	5	4	4	-	-	-	-	-
ARIZONA	13,348	13	1,641	4,242	3,437	2,243	1,313	367	40	1	-	51
White, mother native	10,532	5	1,308	3,610	2,753	1,716	881	221	17	1	-	20
White, mother foreign	1,011	-	26	154	255	226	256	80	10	-	-	4
White, mother's nativity not stated	6	-	1	3	1	1	-	-	-	-	-	-
Negro	406	3	100	125	86	53	26	10	-	-	-	3
Other	1,393	5	206	350	342	247	150	56	13	-	-	24

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
ARIZONA—Continued												
Urban	7,620	7	891	2,511	2,009	1,276	719	176	16	1	-	14
White, mother native	6,515	3	785	2,272	1,721	1,058	537	119	9	1	-	10
White, mother foreign	634	-	16	104	166	144	151	46	6	-	-	1
White, mother's nativity not stated	6	-	1	3	1	1	-	-	-	-	-	-
Negro	317	3	71	99	71	45	18	8	-	-	-	2
Other	148	1	18	33	50	28	13	3	1	-	-	1
Places of 25,000 to 100,000	4,862	4	558	1,560	1,326	826	470	103	7	1	-	7
White, mother native	4,221	1	489	1,421	1,159	700	368	73	3	1	-	6
White, mother foreign	295	-	2	42	82	68	76	22	3	-	-	-
White, mother's nativity not stated	3	-	-	2	-	1	-	-	-	-	-	-
Negro	261	3	57	79	60	40	15	6	-	-	-	1
Other	82	-	10	16	25	17	11	2	1	-	-	-
Places of 2,500 to 10,000	2,758	3	333	951	683	450	249	73	9	-	-	7
White, mother native	2,294	2	296	851	562	358	169	46	6	-	-	4
White, mother foreign	339	-	14	62	84	76	75	24	3	-	-	1
White, mother's nativity not stated	3	-	1	1	1	-	-	-	-	-	-	-
Negro	56	-	14	20	11	5	3	2	-	-	-	1
Other	66	1	8	17	25	11	2	1	-	-	-	1
Rural	5,728	6	750	1,731	1,428	967	594	191	24	-	-	37
White, mother native	4,017	2	523	1,338	1,032	658	344	102	8	-	-	10
White, mother foreign	377	-	10	50	89	82	105	34	4	-	-	3
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	89	-	29	26	15	8	8	2	-	-	-	1
Other	1,245	4	188	317	292	219	137	53	12	-	-	23
ARKANSAS	39,628	121	6,911	11,673	8,967	6,319	4,011	1,265	113	1	2	245
White, mother native	29,410	32	4,444	8,945	7,042	4,813	2,922	969	79	-	-	164
White, mother foreign	56	-	2	10	12	12	15	5	-	-	-	-
White, mother's nativity not stated	29	-	8	7	3	2	5	-	1	-	-	3
Negro	10,093	89	2,449	2,697	1,902	1,487	1,066	289	33	1	2	78
Other	40	-	8	14	8	5	3	2	-	-	-	-
Urban	12,029	34	1,938	3,881	2,975	1,893	1,004	231	21	-	1	51
White, mother native	9,439	10	1,323	3,146	2,452	1,524	760	184	13	-	-	27
White, mother foreign	33	-	1	6	11	8	5	2	-	-	-	-
White, mother's nativity not stated	7	-	3	2	1	-	-	-	-	-	-	1
Negro	2,532	24	607	720	508	360	237	44	8	-	1	23
Other	18	-	4	7	3	1	2	1	-	-	-	-
Places of 25,000 to 100,000	3,087	3	448	1,040	811	487	243	42	1	-	-	12
White, mother native	2,524	1	322	873	683	407	194	35	1	-	-	8
White, mother foreign	18	-	-	2	6	5	4	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	542	2	126	163	121	75	45	6	-	-	-	4
Other	3	-	-	2	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,374	11	562	1,089	839	547	242	65	7	-	-	12
White, mother native	2,604	3	373	852	668	434	184	48	5	-	-	7
White, mother foreign	8	-	-	3	3	1	-	1	-	-	-	-
White, mother's nativity not stated	4	-	2	1	1	-	-	-	-	-	-	-
Negro	751	8	184	200	167	111	56	16	2	-	-	5
Other	7	-	3	3	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	5,568	20	928	1,752	1,325	859	519	124	13	-	1	27
White, mother native	4,311	6	628	1,391	1,101	683	382	101	7	-	-	12
White, mother foreign	7	-	1	1	2	2	1	-	-	-	-	-
White, mother's nativity not stated	3	-	1	1	-	-	-	-	-	-	-	1
Negro	1,239	14	297	357	220	174	134	22	6	-	1	14
Other	8	-	1	2	2	-	2	1	-	-	-	-
Rural	27,599	87	4,973	7,792	5,992	4,426	3,007	1,034	92	1	1	194
White, mother native	19,971	22	3,121	5,799	4,590	3,289	2,162	785	66	-	-	137
White, mother foreign	23	-	1	4	1	4	10	3	-	-	-	-
White, mother's nativity not stated	22	-	5	5	2	2	5	-	1	-	-	2
Negro	7,561	65	1,842	1,977	1,394	1,127	829	245	25	1	1	55
Other	22	-	4	7	5	4	1	1	-	-	-	-
CALIFORNIA	184,380	122	19,031	60,531	52,505	33,373	15,176	3,336	188	13	4	101
White, mother native	163,025	81	17,009	54,885	47,119	28,974	12,296	2,460	111	9	4	77
White, mother foreign	10,615	1	246	1,902	2,708	2,885	2,132	673	56	2	-	10
White, mother's nativity not stated	47	-	4	12	8	9	3	1	-	-	-	10
Negro	7,442	38	1,483	2,758	1,655	945	453	100	6	-	-	4
Other	3,251	2	289	974	1,015	560	292	102	15	2	-	-
Urban	140,949	93	13,853	46,631	40,909	25,632	11,287	2,330	135	9	3	67
White, mother native	123,846	58	12,177	41,965	36,586	22,141	9,091	1,690	81	7	3	47
White, mother foreign	8,250	1	189	1,524	2,146	2,257	1,597	489	40	-	-	7
White, mother's nativity not stated	37	-	3	11	6	6	1	1	-	-	-	9
Negro	6,666	33	1,326	2,496	1,480	830	406	85	6	-	-	4
Other	2,150	1	158	635	691	398	192	65	8	2	-	-
Places of 100,000 or more	74,386	54	6,834	25,592	20,848	13,798	5,914	1,239	69	4	-	34
White, mother native	63,685	28	5,733	22,595	18,146	11,632	4,613	876	38	2	-	22
White, mother foreign	4,710	1	104	885	1,245	1,300	885	264	22	-	-	4
White, mother's nativity not stated	24	-	3	7	3	4	1	1	-	-	-	5
Negro	4,645	25	920	1,740	1,018	600	277	58	4	-	-	3
Other	1,322	-	74	365	436	262	138	40	5	2	-	-
Places of 25,000 to 100,000	26,170	16	2,590	8,670	7,655	4,702	2,092	411	23	2	2	7
White, mother native	23,482	11	2,330	7,992	6,980	4,150	1,703	297	10	2	2	5
White, mother foreign	1,376	-	32	239	351	371	283	88	11	-	-	1
White, mother's nativity not stated	4	-	-	2	1	-	-	-	-	-	-	1
Negro	1,015	5	207	347	233	129	79	14	1	-	-	-
Other	293	-	21	90	90	52	27	12	1	-	-	-
Places of 10,000 to 25,000	19,354	9	2,151	5,362	6,496	3,425	1,545	329	19	2	1	15
White, mother native	17,498	7	1,962	4,820	6,021	3,066	1,335	256	16	2	1	12
White, mother foreign	869	-	21	168	220	242	160	56	2	-	-	-
White, mother's nativity not stated	5	-	-	-	1	2	-	-	-	-	-	2

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
CALIFORNIA—Continued												
Places of 10,000 to 25,000—Continued												
Negro	785	2	149	316	188	81	38	9	1	-	-	1
Other	197	-	19	58	66	34	12	8	-	-	-	-
Places of 2,500 to 10,000	21,039	14	2,278	7,007	5,910	3,707	1,736	351	24	1	-	11
White, mother native	19,181	12	2,152	6,558	5,439	3,293	1,440	261	17	1	-	8
White, mother foreign	1,295	-	32	232	390	344	269	81	5	-	-	2
White, mother's nativity not stated	4	-	-	2	1	-	-	-	-	-	-	1
Negro	221	1	50	93	41	20	12	4	-	-	-	-
Other	338	1	44	122	99	50	15	5	2	-	-	-
Rural	43,431	29	5,178	13,900	11,596	7,741	3,889	1,006	53	4	1	34
White, mother native	39,179	23	4,832	12,920	10,533	6,833	3,205	770	30	2	1	30
White, mother foreign	2,365	-	57	378	562	628	535	184	16	2	-	3
White, mother's nativity not stated	10	-	1	1	2	3	2	-	-	-	-	1
Negro	776	5	157	262	175	115	47	15	-	-	-	-
Other	1,101	1	131	339	324	162	100	37	7	-	-	-
COLORADO	23,511	24	2,459	7,489	6,322	4,198	2,374	574	60	1	1	9
White, mother native	22,379	16	2,367	7,201	6,057	3,983	2,182	511	53	-	1	8
White, mother foreign	476	-	4	68	92	122	132	53	5	-	-	-
White, mother's nativity not stated	9	-	2	4	-	1	1	-	-	-	-	1
Negro	328	6	72	108	52	45	40	5	-	-	-	-
Other	319	2	14	108	121	47	19	5	2	1	-	-
Urban	14,655	18	1,577	4,784	3,991	2,590	1,359	299	30	-	1	6
White, mother native	13,866	12	1,497	4,565	3,809	2,437	1,249	265	26	-	1	5
White, mother foreign	285	-	2	52	58	78	63	28	4	-	-	-
White, mother's nativity not stated	5	-	1	3	-	-	-	-	-	-	-	1
Negro	319	6	72	104	50	44	38	5	-	-	-	-
Other	180	-	5	60	74	31	9	1	-	-	-	-
Places of 100,000 or more	7,619	13	757	2,494	2,175	1,364	668	129	17	-	1	1
White, mother native	7,104	7	699	2,340	2,052	1,267	607	114	16	-	1	1
White, mother foreign	136	-	1	26	29	40	28	11	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	242	6	54	81	37	34	27	3	-	-	-	-
Other	137	-	3	47	57	23	6	1	-	-	-	-
Places of 25,000 to 100,000	2,477	3	268	822	674	434	218	52	5	-	-	1
White, mother native	2,351	3	251	788	654	406	200	44	4	-	-	1
White, mother foreign	54	-	1	12	7	19	8	6	1	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	63	-	15	18	10	8	10	2	-	-	-	-
Other	8	-	1	3	3	1	-	-	-	-	-	-
Places of 10,000 to 25,000	1,638	-	185	563	411	282	152	41	3	-	-	1
White, mother native	1,584	-	184	549	399	275	138	36	2	-	-	1
White, mother foreign	34	-	-	7	7	3	11	5	1	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	4	-	1	2	-	1	-	-	-	-	-	-
Other	15	-	-	4	5	3	3	-	-	-	-	-
Places of 2,500 to 10,000	2,921	2	367	905	731	510	321	77	5	-	-	3
White, mother native	2,827	2	363	888	704	489	304	71	4	-	-	2
White, mother foreign	61	-	-	7	15	16	16	6	1	-	-	-
White, mother's nativity not stated	3	-	1	1	-	-	-	-	-	-	-	1
Negro	10	-	2	3	3	1	1	-	-	-	-	-
Other	20	-	1	6	9	4	-	-	-	-	-	-
Rural	8,856	6	882	2,705	2,331	1,608	1,015	275	30	1	-	3
White, mother native	8,513	4	870	2,636	2,248	1,546	933	246	27	-	-	3
White, mother foreign	191	-	2	16	34	44	69	25	1	-	-	-
White, mother's nativity not stated	4	-	1	1	-	1	1	-	-	-	-	-
Negro	9	-	-	4	2	1	2	-	-	-	-	-
Other	139	2	9	48	47	16	10	4	2	1	-	-
CONNECTICUT	33,765	3	1,333	8,224	11,259	8,212	3,861	764	42	3	1	63
White, mother native	30,464	1	1,159	7,561	10,546	7,370	3,188	559	28	2	1	49
White, mother foreign	2,354	-	25	322	482	725	594	186	13	1	-	6
White, mother's nativity not stated	14	-	1	4	4	3	-	-	-	-	-	2
Negro	915	2	148	329	221	113	78	17	1	-	-	6
Other	18	-	-	8	6	1	1	2	-	-	-	-
Urban	23,041	3	932	5,774	7,725	5,539	2,473	513	32	3	-	47
White, mother native	20,505	1	776	5,238	7,174	4,904	2,001	352	22	2	-	35
White, mother foreign	1,702	-	21	235	342	533	409	148	9	1	-	4
White, mother's nativity not stated	10	-	1	2	2	3	-	-	-	-	-	2
Negro	811	2	134	294	201	99	62	12	1	-	-	6
Other	13	-	-	5	6	-	1	1	-	-	-	-
Places of 100,000 or more	9,169	3	418	2,324	3,098	2,155	958	190	14	-	-	9
White, mother native	7,949	1	313	2,032	2,856	1,872	731	127	11	-	-	6
White, mother foreign	696	-	9	100	113	224	190	57	2	-	-	1
White, mother's nativity not stated	5	-	1	2	2	-	-	-	-	-	-	-
Negro	512	2	95	187	123	59	37	6	1	-	-	2
Other	7	-	-	3	4	-	-	-	-	-	-	-
Places of 25,000 to 100,000	9,038	-	310	2,230	3,019	2,247	976	212	13	3	-	28
White, mother native	8,126	-	271	2,048	2,830	2,001	800	145	7	2	-	22
White, mother foreign	695	-	7	101	138	216	162	62	6	1	-	2
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	-	1
Negro	211	-	32	79	50	29	14	4	-	-	-	3
Other	4	-	-	2	1	-	-	1	-	-	-	-
Places of 10,000 to 25,000	3,725	-	152	915	1,239	917	407	86	4	-	-	5
White, mother native	3,403	-	142	867	1,143	836	349	59	4	-	-	3
White, mother foreign	234	-	4	21	68	70	46	25	-	-	-	-
White, mother's nativity not stated	3	-	-	-	-	2	-	-	-	-	-	1
Negro	83	-	6	27	27	9	11	2	-	-	-	1
Other	2	-	-	-	1	-	1	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
CONNECTICUT—Continued												
Places of 2,500 to 10,000	1,109	-	52	305	369	220	132	25	1	-	-	5
White, mother native	1,027	-	50	291	345	195	121	21	-	-	-	4
White, mother foreign	77	-	1	13	23	23	11	4	1	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	5	-	1	1	1	2	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	10,724	-	401	2,450	3,534	2,673	1,388	251	10	-	1	16
White, mother native	9,959	-	383	2,323	3,372	2,466	1,187	207	6	-	1	14
White, mother foreign	652	-	4	87	140	192	185	38	4	-	-	2
White, mother's nativity not stated	4	-	-	2	2	-	-	-	-	-	-	-
Negro	104	-	14	35	20	14	16	5	-	-	-	-
Other	5	-	-	3	-	1	-	1	-	-	-	-
DELAWARE	5,984	10	614	1,773	1,758	1,104	586	127	5	1	-	6
White, mother native	4,963	1	393	1,462	1,547	969	459	94	2	1	-	5
White, mother foreign	104	-	2	17	24	27	27	7	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	901	9	217	292	181	104	68	26	3	-	-	1
Other	16	-	2	2	6	4	2	-	-	-	-	-
Urban	3,021	3	308	920	878	561	297	48	3	1	-	2
White, mother native	2,524	-	196	768	784	488	250	34	1	1	-	2
White, mother foreign	57	-	-	10	11	16	16	4	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	436	3	111	141	83	56	30	10	2	-	-	-
Other	4	-	1	1	-	1	1	-	-	-	-	-
Places of 100,000 or more	2,337	3	220	722	693	415	239	40	3	1	-	1
White, mother native	1,934	-	128	604	619	355	197	28	1	1	-	1
White, mother foreign	52	-	-	10	10	13	15	4	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	348	3	91	107	64	47	26	8	2	-	-	-
Other	3	-	1	1	-	-	1	-	-	-	-	-
Places of 2,500 to 10,000	684	-	88	198	185	146	58	8	-	-	-	1
White, mother native	590	-	68	164	165	133	53	6	-	-	-	1
White, mother foreign	5	-	-	-	1	3	1	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	88	-	20	34	19	9	4	2	-	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-	-
Rural	2,963	7	306	853	880	543	289	79	2	-	-	4
White, mother native	2,439	1	197	694	763	481	239	60	1	-	-	3
White, mother foreign	47	-	2	7	13	11	11	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	465	6	106	151	98	48	38	16	1	-	-	1
Other	12	-	1	1	6	3	1	-	-	-	-	-
DISTRICT OF COLUMBIA	16,141	45	1,715	5,166	4,519	2,945	1,376	290	17	1	-	67
White, mother native	10,326	2	631	3,308	3,173	2,075	936	174	8	-	-	19
White, mother foreign	504	-	6	110	142	152	74	18	1	-	-	1
White, mother's nativity not stated	32	-	1	5	3	1	1	-	-	-	-	21
Negro	5,242	43	1,075	1,737	1,189	709	359	95	8	1	-	26
Other	37	-	2	6	12	8	6	3	-	-	-	-
FLORIDA	47,791	151	7,547	15,247	11,861	7,699	4,073	981	81	3	1	147
White, mother native	34,488	30	4,483	11,486	9,124	5,709	2,868	668	42	2	-	76
White, mother foreign	693	-	23	172	183	160	122	30	2	-	-	1
White, mother's nativity not stated	26	-	4	3	6	4	-	-	-	-	-	9
Negro	12,551	121	3,034	3,580	2,537	1,817	1,080	282	37	1	1	61
Other	33	-	3	6	11	9	3	1	-	-	-	-
Urban	27,557	74	4,170	9,252	7,115	4,389	2,113	437	27	2	-	78
White, mother native	19,998	10	2,374	7,045	5,518	3,255	1,476	274	14	1	-	31
White, mother foreign	540	-	17	133	133	132	95	28	1	-	-	1
White, mother's nativity not stated	12	-	-	1	3	2	-	-	-	-	-	6
Negro	7,092	64	1,777	2,070	1,456	997	541	134	12	1	-	40
Other	15	-	2	3	5	3	1	1	-	-	-	-
Places of 100,000 or more	11,705	25	1,693	3,949	3,091	1,864	856	177	8	2	-	40
White, mother native	8,615	8	1,024	3,035	2,428	1,393	597	117	3	1	-	9
White, mother foreign	261	-	6	59	68	63	51	12	1	-	-	1
White, mother's nativity not stated	5	-	-	-	1	1	-	-	-	-	-	3
Negro	2,814	17	661	854	591	404	208	47	4	1	-	27
Other	10	-	2	1	3	3	-	1	-	-	-	-
Places of 25,000 to 100,000	5,103	12	679	1,752	1,348	839	380	81	3	-	-	9
White, mother native	3,814	-	388	1,379	1,062	647	276	54	2	-	-	6
White, mother foreign	128	-	3	33	33	28	21	10	-	-	-	-
White, mother's nativity not stated	3	-	-	-	-	1	-	-	-	-	-	2
Negro	1,155	12	288	339	251	163	83	17	1	-	-	1
Other	3	-	-	1	2	-	-	-	-	-	-	-
Places of 10,000 to 25,000	4,653	12	725	1,536	1,185	738	371	69	8	-	-	9
White, mother native	3,324	1	403	1,131	916	552	273	39	3	-	-	6
White, mother foreign	68	-	6	22	12	18	7	3	-	-	-	-
White, mother's nativity not stated	3	-	-	1	1	-	-	-	-	-	-	1
Negro	1,257	11	316	381	256	168	91	27	5	-	-	2
Other	1	-	-	1	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,196	25	1,073	2,015	1,491	948	506	110	8	-	-	20
White, mother native	4,245	1	559	1,500	1,112	663	330	64	6	-	-	10
White, mother foreign	83	-	2	19	20	23	16	3	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	1,866	24	512	496	358	262	159	43	2	-	-	10
Other	1	-	-	-	-	-	1	-	-	-	-	-
Rural	20,134	77	3,377	5,995	4,746	3,310	1,960	544	54	1	1	69
White, mother native	14,490	20	2,109	4,441	3,606	2,454	1,392	394	28	1	-	45
White, mother foreign	153	-	6	39	50	28	27	2	1	-	-	-
White, mother's nativity not stated	14	-	4	2	3	2	-	-	-	-	-	3

747801 O - 47 - 6

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
FLORIDA—Continued												
Rural—Continued												
Negro	5,459	57	1,257	1,510	1,081	820	539	148	25	-	1	21
Other	18	-	1	3	6	6	2	-	-	-	-	-
GEORGIA	74,852	244	11,827	21,867	17,523	12,052	7,070	1,825	162	3	4	2,275
White, mother native	46,180	45	5,899	14,090	11,909	8,184	4,681	1,199	89	2	1	81
White, mother foreign	155	-	5	50	46	32	20	2	-	-	-	-
White, mother's nativity not stated	1,158	1	4	3	5	3	4	1	-	-	-	1,137
Negro	27,347	198	5,918	7,721	5,563	3,831	2,363	622	72	1	3	1,055
Other	12	-	1	3	-	2	2	1	1	-	-	2
Urban	30,541	100	4,685	9,497	7,713	4,898	2,446	467	24	2	-	709
White, mother native	20,667	16	2,473	6,741	5,690	3,600	1,780	328	12	1	-	26
White, mother foreign	116	-	2	40	31	26	15	2	-	-	-	-
White, mother's nativity not stated	351	-	2	1	3	-	1	-	-	-	-	344
Negro	9,400	84	2,208	2,712	1,989	1,270	649	136	12	1	-	339
Other	7	-	-	3	-	2	1	1	-	-	-	-
Places of 100,000 or more	7,416	29	1,101	2,225	1,939	1,308	667	117	5	-	-	25
White, mother native	5,216	4	553	1,622	1,463	974	509	81	4	-	-	6
White, mother foreign	38	-	-	7	12	10	7	2	-	-	-	-
White, mother's nativity not stated	8	-	1	-	-	-	-	-	-	-	-	7
Negro	2,153	25	547	595	464	324	151	34	1	-	-	12
Other	1	-	-	1	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	9,360	29	1,503	3,035	2,395	1,369	676	139	4	1	-	209
White, mother native	6,175	3	761	2,101	1,734	995	455	98	3	1	-	4
White, mother foreign	55	-	2	25	13	10	5	-	-	-	-	-
White, mother's nativity not stated	76	-	1	1	1	-	1	-	-	-	-	72
Negro	3,048	26	719	906	647	362	214	40	1	-	-	133
Other	6	-	-	2	-	2	1	1	-	-	-	-
Places of 10,000 to 25,000	5,956	12	878	1,915	1,454	987	450	85	7	-	-	168
White, mother native	4,052	1	481	1,379	1,075	719	322	63	4	-	-	8
White, mother foreign	15	-	-	6	1	5	3	-	-	-	-	-
White, mother's nativity not stated	96	-	-	-	1	-	-	-	-	-	-	95
Negro	1,793	11	397	530	377	263	125	22	3	-	-	65
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	7,809	30	1,203	2,322	1,925	1,234	653	126	8	1	-	307
White, mother native	5,224	8	658	1,639	1,418	912	494	86	1	-	-	8
White, mother foreign	8	-	-	2	5	1	-	-	-	-	-	-
White, mother's nativity not stated	171	-	-	-	1	-	-	-	-	-	-	170
Negro	2,406	22	545	681	501	321	159	40	7	1	-	129
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	44,311	144	7,142	12,370	9,810	7,154	4,624	1,358	138	1	4	1,566
White, mother native	25,513	29	3,426	7,349	6,219	4,584	2,901	871	77	1	1	55
White, mother foreign	39	-	3	10	15	6	5	-	-	-	-	-
White, mother's nativity not stated	807	1	2	2	2	3	3	1	-	-	-	793
Negro	17,947	114	3,710	5,009	3,574	2,561	1,714	486	60	-	3	716
Other	5	-	1	-	-	-	1	-	1	-	-	2
IDAHO	11,501	6	1,160	3,590	3,200	2,038	1,149	311	28	-	-	19
White, mother native	11,093	6	1,138	3,469	3,077	1,976	1,098	286	27	-	-	16
White, mother foreign	186	-	7	48	37	41	38	13	-	-	-	2
White, mother's nativity not stated	9	-	-	2	4	1	1	1	-	-	-	-
Negro	8	-	3	3	-	-	2	-	-	-	-	-
Other	205	-	12	68	82	20	10	11	1	-	-	1
Urban	4,932	3	536	1,638	1,334	849	441	112	11	-	-	8
White, mother native	4,762	3	528	1,587	1,282	821	420	104	10	-	-	7
White, mother foreign	102	-	5	25	26	22	17	6	-	-	-	1
White, mother's nativity not stated	2	-	-	-	-	1	1	-	-	-	-	-
Negro	5	-	2	1	-	-	2	-	-	-	-	-
Other	61	-	1	25	26	5	1	2	1	-	-	-
Places of 25,000 to 100,000	769	-	67	253	239	130	66	13	1	-	-	-
White, mother native	746	-	66	247	232	125	63	12	1	-	-	-
White, mother foreign	20	-	1	4	6	5	3	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	3	-	-	2	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,095	2	246	698	544	357	193	49	5	-	-	1
White, mother native	2,031	2	241	677	528	347	184	47	4	-	-	1
White, mother foreign	40	-	3	10	12	6	7	2	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-	-
Negro	3	-	1	-	-	-	2	-	-	-	-	-
Other	20	-	1	11	4	3	-	-	1	-	-	-
Places of 2,500 to 10,000	2,068	1	223	687	551	362	182	50	5	-	-	7
White, mother native	1,985	1	221	663	522	349	173	45	5	-	-	6
White, mother foreign	42	-	1	11	8	11	7	3	-	-	-	1
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-	-
Negro	2	-	1	1	-	-	-	-	-	-	-	-
Other	38	-	-	12	21	2	1	2	-	-	-	-
Rural	6,569	3	624	1,952	1,866	1,189	708	199	17	-	-	11
White, mother native	6,331	3	610	1,882	1,795	1,155	678	182	17	-	-	9
White, mother foreign	84	-	2	23	11	19	21	7	-	-	-	1
White, mother's nativity not stated	7	-	-	2	4	-	-	1	-	-	-	-
Negro	3	-	1	2	-	-	-	-	-	-	-	-
Other	144	-	11	43	56	15	9	9	-	-	-	1
ILLINOIS	138,705	99	10,546	38,127	41,548	29,953	14,670	3,514	208	2	1	37
White, mother native	123,765	34	8,232	34,044	38,414	27,275	12,680	2,899	163	1	1	22
White, mother foreign	4,686	1	46	672	907	1,349	1,245	430	35	1	-	-
White, mother's nativity not stated	126	-	31	42	15	13	7	4	-	-	-	14
Negro	9,792	64	2,217	3,233	2,080	1,286	724	177	10	-	-	1
Other	336	-	20	136	132	30	14	4	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
ILLINOIS—Continued												
Urban	106,201	84	7,731	29,027	32,376	23,375	11,022	2,427	130	1	1	27
White, mother native	92,072	24	5,523	25,131	29,402	20,859	9,157	1,872	89	-	1	14
White, mother foreign	4,366	-	45	623	847	1,263	1,167	388	32	1	-	-
White, mother's nativity not stated	96	-	23	32	10	11	7	1	-	-	-	12
Negro	9,340	60	2,121	3,107	1,989	1,213	677	163	9	-	-	1
Other	327	-	19	134	128	29	14	3	-	-	-	-
Places of 100,000 or more	62,017	52	4,147	16,544	19,430	14,077	6,328	1,346	74	1	-	18
White, mother native	50,693	11	2,368	13,387	17,047	12,072	4,846	907	47	-	-	8
White, mother foreign	3,416	-	33	462	670	1,012	909	306	23	1	-	-
White, mother's nativity not stated	21	-	3	3	2	-	3	1	-	-	-	9
Negro	7,584	41	1,725	2,568	1,591	968	557	129	4	-	-	1
Other	303	-	18	124	120	25	13	3	-	-	-	-
Places of 25,000 to 100,000	19,247	17	1,554	5,460	5,693	4,019	2,040	441	22	-	-	1
White, mother native	17,633	6	1,274	5,008	5,343	3,750	1,858	379	14	-	-	1
White, mother foreign	426	-	4	76	84	107	112	38	5	-	-	-
White, mother's nativity not stated	60	-	19	24	7	9	1	-	-	-	-	-
Negro	1,114	11	256	345	254	152	69	24	3	-	-	-
Other	14	-	1	7	5	1	-	-	-	-	-	-
Places of 10,000 to 25,000	10,459	5	832	2,971	3,134	2,208	1,045	247	14	-	1	2
White, mother native	9,797	-	746	2,803	2,980	2,088	946	220	12	-	1	1
White, mother foreign	255	-	5	44	50	67	66	21	2	-	-	-
White, mother's nativity not stated	3	-	-	-	1	-	1	-	-	-	-	1
Negro	400	5	81	123	100	53	32	6	-	-	-	-
Other	4	-	-	1	3	-	-	-	-	-	-	-
Places of 2,500 to 10,000	14,478	10	1,198	4,052	4,119	3,071	1,609	393	20	-	-	6
White, mother native	13,949	7	1,135	3,933	4,032	2,949	1,507	366	16	-	-	4
White, mother foreign	269	-	3	41	43	77	80	23	2	-	-	-
White, mother's nativity not stated	12	-	1	5	-	2	2	-	-	-	-	2
Negro	242	3	59	71	44	40	19	4	2	-	-	-
Other	6	-	-	2	-	3	1	-	-	-	-	-
Rural	32,504	15	2,815	9,100	9,172	6,578	3,648	1,087	76	1	-	10
White, mother native	31,693	10	2,709	8,913	9,012	6,416	3,523	1,027	74	1	-	8
White, mother foreign	320	1	1	49	60	86	78	42	3	-	-	-
White, mother's nativity not stated	30	-	8	10	5	2	-	3	-	-	-	2
Negro	452	4	96	126	91	73	47	14	1	-	-	-
Other	9	-	1	2	4	1	-	1	-	-	-	-
INDIANA	68,444	43	7,158	20,676	19,092	12,785	6,546	1,792	137	3	3	209
White, mother native	64,876	27	6,508	19,677	18,333	12,209	6,159	1,656	127	3	3	174
White, mother foreign	662	-	12	100	170	171	132	65	4	-	-	8
White, mother's nativity not stated	85	-	8	23	16	14	11	2	-	-	-	11
Negro	2,800	16	629	868	564	391	241	69	6	-	-	16
Other	21	-	1	8	9	-	3	-	-	-	-	-
Urban	41,476	32	4,566	12,960	11,696	7,643	3,542	869	53	2	2	111
White, mother native	38,202	18	3,931	12,031	11,009	7,123	3,209	749	43	2	2	85
White, mother foreign	509	-	11	73	131	137	96	51	4	-	-	6
White, mother's nativity not stated	43	-	5	13	7	7	4	2	-	-	-	5
Negro	2,707	14	619	838	541	376	231	67	6	-	-	15
Other	15	-	-	5	8	-	2	-	-	-	-	-
Places of 100,000 or more	16,297	16	1,649	4,900	4,713	3,166	1,482	322	17	2	2	28
White, mother native	14,116	4	1,204	4,267	4,259	2,828	1,271	248	13	2	2	18
White, mother foreign	269	-	6	33	69	75	53	31	2	-	-	-
White, mother's nativity not stated	7	-	-	2	2	-	2	-	-	-	-	1
Negro	1,897	12	439	597	377	263	155	43	2	-	-	9
Other	8	-	-	1	6	-	1	-	-	-	-	-
Places of 25,000 to 100,000	13,354	9	1,545	4,298	3,732	2,323	1,111	265	24	-	-	47
White, mother native	12,469	7	1,372	4,047	3,553	2,193	1,013	231	18	-	-	35
White, mother foreign	160	-	3	26	44	37	31	13	2	-	-	4
White, mother's nativity not stated	17	-	1	5	3	2	1	2	-	-	-	3
Negro	703	2	169	217	130	91	66	19	4	-	-	5
Other	5	-	-	3	2	-	-	-	-	-	-	-
Places of 10,000 to 25,000	5,319	2	623	1,683	1,493	988	405	110	5	-	-	10
White, mother native	5,212	2	616	1,658	1,464	966	390	101	5	-	-	10
White, mother foreign	45	-	1	9	8	13	9	5	-	-	-	-
White, mother's nativity not stated	5	-	1	4	-	-	-	-	-	-	-	-
Negro	56	-	5	12	21	9	5	4	-	-	-	-
Other	1	-	-	-	-	-	1	-	-	-	-	-
Places of 2,500 to 10,000	6,506	5	749	2,079	1,758	1,166	544	172	7	-	-	26
White, mother native	6,405	5	739	2,059	1,733	1,136	535	169	7	-	-	22
White, mother foreign	35	-	1	5	10	12	3	2	-	-	-	2
White, mother's nativity not stated	14	-	3	2	2	5	1	-	-	-	-	1
Negro	51	-	6	12	13	13	5	1	-	-	-	1
Other	1	-	-	1	-	-	-	-	-	-	-	-
Rural	26,968	11	2,592	7,716	7,396	5,142	3,004	923	84	1	1	98
White, mother native	26,674	9	2,577	7,646	7,324	5,086	2,950	907	84	1	1	89
White, mother foreign	153	-	1	27	39	34	36	14	-	-	-	2
White, mother's nativity not stated	42	-	3	10	9	7	7	-	-	-	-	6
Negro	93	2	10	30	23	15	10	2	-	-	-	1
Other	6	-	1	3	1	-	1	-	-	-	-	-
IOWA	44,934	12	3,630	13,336	12,825	8,868	4,721	1,368	102	4	1	67
White, mother native	44,181	11	3,552	13,161	12,659	8,700	4,591	1,324	94	4	1	64
White, mother foreign	413	-	7	58	91	100	112	37	6	-	-	2
White, mother's nativity not stated	10	-	2	2	2	3	-	-	-	-	-	1
Negro	292	1	66	97	62	43	15	6	2	-	-	-
Other	58	-	3	18	11	22	3	1	-	-	-	-
Urban	19,865	6	1,837	6,258	5,611	3,710	1,863	511	33	1	-	35
White, mother native	19,325	5	1,763	6,118	5,493	3,604	1,793	488	27	1	-	33
White, mother foreign	216	-	5	33	49	53	54	16	4	-	-	2
White, mother's nativity not stated	4	-	1	1	1	1	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
IOWA—Continued												
Urban—Continued												
Negro	279	1	65	93	58	40	14	6	2	-	-	-
Other	41	-	3	13	10	12	2	1	-	-	-	-
Places of 100,000 or more	3,114	1	312	1,071	809	568	273	66	7	-	-	7
White, mother native	2,922	1	280	1,013	769	530	254	61	7	-	-	7
White, mother foreign	38	-	-	6	9	13	8	2	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	146	-	32	49	27	24	11	3	-	-	-	-
Other	7	-	-	2	4	1	-	-	-	-	-	-
Places of 25,000 to 100,000	8,779	3	822	2,735	2,570	1,581	838	203	11	1	-	15
White, mother native	8,561	2	787	2,682	2,521	1,542	808	195	9	1	-	14
White, mother foreign	100	-	4	17	21	19	28	8	2	-	-	1
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-	-
Negro	94	1	27	27	23	14	2	-	-	-	-	-
Other	22	-	3	9	4	6	-	-	-	-	-	-
Places of 10,000 to 25,000	2,781	1	275	909	753	536	227	70	6	-	-	4
White, mother native	2,722	1	270	892	739	524	222	66	4	-	-	4
White, mother foreign	28	-	-	4	8	11	3	1	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-	-
Negro	27	-	5	13	4	-	1	3	1	-	-	-
Other	3	-	-	-	2	-	1	-	-	-	-	-
Places of 2,500 to 10,000	5,191	1	428	1,543	1,479	1,025	525	172	9	-	-	9
White, mother native	5,120	1	426	1,531	1,464	1,008	509	166	7	-	-	8
White, mother foreign	50	-	1	6	11	10	15	5	1	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	12	-	1	4	4	2	-	-	1	-	-	-
Other	9	-	-	2	-	5	1	1	-	-	-	-
Rural	25,069	6	1,793	7,078	7,214	5,158	2,858	857	69	3	1	32
White, mother native	24,836	6	1,789	7,043	7,166	5,096	2,798	836	67	3	1	31
White, mother foreign	197	-	2	25	42	47	58	21	2	-	-	-
White, mother's nativity not stated	6	-	1	1	1	2	-	-	-	-	-	1
Negro	13	-	1	4	4	3	1	-	-	-	-	-
Other	17	-	-	5	1	10	1	-	-	-	-	-
KANSAS	33,624	16	3,404	10,514	9,137	6,162	3,269	932	84	-	-	106
White, mother native	32,048	12	3,117	10,083	8,810	5,908	3,080	871	79	-	-	88
White, mother foreign	312	-	1	51	61	78	82	34	3	-	-	2
White, mother's nativity not stated	23	-	2	5	2	3	2	1	-	-	-	8
Negro	1,170	4	273	352	247	163	99	24	2	-	-	6
Other	71	-	11	23	17	10	6	2	-	-	-	2
Urban	18,040	12	2,140	6,102	4,855	3,027	1,449	380	30	-	-	45
White, mother native	16,717	8	1,879	5,715	4,572	2,823	1,315	342	26	-	-	37
White, mother foreign	198	-	1	38	45	50	47	13	2	-	-	2
White, mother's nativity not stated	8	-	1	2	-	1	2	1	-	-	-	1
Negro	1,069	4	250	329	225	149	83	23	2	-	-	4
Other	48	-	9	18	13	4	2	1	-	-	-	1
Places of 100,000 or more	6,619	6	721	2,156	1,894	1,171	522	127	8	-	-	14
White, mother native	5,892	3	570	1,944	1,737	1,060	452	108	7	-	-	11
White, mother foreign	80	-	1	12	19	19	21	5	1	-	-	2
White, mother's nativity not stated	2	-	1	-	-	-	1	-	-	-	-	-
Negro	630	3	147	191	135	91	48	14	-	-	-	1
Other	15	-	2	9	3	1	-	-	-	-	-	-
Places of 25,000 to 100,000	2,395	-	311	851	595	396	198	34	3	-	-	7
White, mother native	2,233	-	278	803	565	367	179	33	3	-	-	5
White, mother foreign	40	-	-	10	7	11	12	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-	-
Negro	106	-	29	35	20	16	5	-	-	-	-	1
Other	15	-	4	3	3	2	1	1	-	-	-	1
Places of 10,000 to 25,000	4,438	5	550	1,475	1,180	735	367	112	10	-	-	4
White, mother native	4,146	4	498	1,386	1,116	691	339	103	7	-	-	2
White, mother foreign	27	-	-	5	9	10	2	-	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	1	-	-	-	-
Negro	255	1	51	80	52	33	26	8	2	-	-	2
Other	9	-	1	4	3	1	-	-	-	-	-	-
Places of 2,500 to 10,000	4,588	1	558	1,620	1,186	725	362	107	9	-	-	20
White, mother native	4,446	1	533	1,582	1,154	705	345	98	9	-	-	19
White, mother foreign	51	-	-	11	10	10	12	8	-	-	-	-
White, mother's nativity not stated	4	-	-	2	-	1	-	-	-	-	-	1
Negro	78	-	23	23	18	9	4	1	-	-	-	-
Other	9	-	2	2	4	-	1	-	-	-	-	-
Rural	15,584	4	1,264	4,412	4,282	3,135	1,820	552	54	-	-	61
White, mother native	15,331	4	1,238	4,368	4,238	3,085	1,765	529	53	-	-	51
White, mother foreign	114	-	-	13	16	28	35	21	1	-	-	-
White, mother's nativity not stated	15	-	1	3	2	2	-	-	-	-	-	7
Negro	101	-	23	23	22	14	16	1	-	-	-	2
Other	23	-	2	5	4	6	4	1	-	-	-	1
KENTUCKY	60,892	81	8,013	18,020	14,584	10,678	6,829	2,434	231	3	2	17
White, mother native	57,503	57	7,334	16,986	13,911	10,159	6,497	2,322	216	3	2	16
White, mother foreign	120	-	5	30	26	30	17	10	2	-	-	-
White, mother's nativity not stated	31	-	3	10	7	6	-	3	1	-	-	1
Negro	3,236	24	671	994	639	482	315	99	12	-	-	-
Other	2	-	-	-	1	1	-	-	-	-	-	-
Urban	19,502	29	2,549	6,191	4,996	3,406	1,783	505	37	1	2	3
White, mother native	17,521	15	2,127	5,584	4,599	3,118	1,599	442	31	1	2	3
White, mother foreign	78	-	2	19	16	24	12	5	-	-	-	-
White, mother's nativity not stated	6	-	-	2	1	3	-	-	-	-	-	-
Negro	1,896	14	420	586	379	261	172	58	6	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KENTUCKY—Continued												
Places of 100,000 or more	7,852	11	961	2,445	2,071	1,434	744	178	6	-	-	2
White, mother native	6,879	6	748	2,127	1,865	1,302	661	162	6	-	-	2
White, mother foreign	42	-	1	11	8	13	7	2	-	-	-	-
White, mother's nativity not stated	4	-	-	2	1	1	-	-	-	-	-	-
Negro	926	5	212	305	196	118	76	14	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-	-
Places of 25,000 to 100,000	5,090	5	635	1,657	1,342	843	457	144	7	-	-	-
White, mother native	4,703	2	558	1,550	1,269	784	412	124	4	-	-	-
White, mother foreign	21	-	1	5	6	4	4	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	366	3	76	102	67	55	41	19	3	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,509	4	217	494	365	262	126	38	2	-	1	-
White, mother native	1,323	1	168	440	328	237	114	32	2	-	1	-
White, mother foreign	6	-	-	-	2	3	1	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	180	3	49	54	35	22	11	6	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,051	9	736	1,595	1,218	867	456	145	22	1	1	1
White, mother native	4,616	6	653	1,467	1,137	795	412	124	19	1	1	1
White, mother foreign	9	-	-	3	-	4	-	2	-	-	-	-
White, mother's nativity not stated	2	-	-	-	-	2	-	-	-	-	-	-
Negro	424	3	83	125	81	66	44	19	3	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	41,390	52	5,464	11,829	9,588	7,272	5,046	1,929	194	2	-	14
White, mother native	39,982	42	5,207	11,402	9,312	7,041	4,898	1,880	185	2	-	13
White, mother foreign	42	-	3	11	10	6	5	5	2	-	-	-
White, mother's nativity not stated	25	-	3	8	6	3	-	3	1	-	-	1
Negro	1,340	10	251	408	260	221	143	41	6	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA	57,838	140	8,763	17,609	14,126	9,705	5,665	1,587	149	6	-	88
White, mother native	34,985	17	4,071	10,891	9,195	6,311	3,443	951	70	1	-	35
White, mother foreign	246	-	5	67	70	55	31	13	2	-	-	3
White, mother's nativity not stated	9	-	4	1	1	1	1	-	1	-	-	-
Negro	22,494	122	4,670	6,618	4,840	3,320	2,174	620	75	5	-	50
Other	104	1	13	32	20	18	16	3	1	-	-	-
Urban	26,066	47	3,661	8,477	6,719	4,397	2,231	479	30	2	-	23
White, mother native	17,395	4	1,763	5,769	4,835	3,153	1,529	313	19	-	-	10
White, mother foreign	196	-	4	53	59	46	21	10	-	-	-	3
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-	-
Negro	8,448	43	1,890	2,644	1,821	1,194	678	155	11	2	-	10
Other	26	-	4	11	4	4	2	1	-	-	-	-
Places of 100,000 or more	11,758	20	1,519	3,834	3,053	2,058	1,037	215	9	1	-	12
White, mother native	7,626	1	640	2,489	2,179	1,472	702	132	5	-	-	6
White, mother foreign	142	-	3	35	36	39	18	8	-	-	-	3
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	3,973	19	874	1,304	835	543	316	74	4	1	-	3
Other	17	-	2	6	3	4	1	1	-	-	-	-
Places of 25,000 to 100,000	5,630	10	866	1,939	1,420	868	424	90	9	-	-	4
White, mother native	3,582	1	369	1,293	996	593	270	52	7	-	-	1
White, mother foreign	35	-	1	10	14	6	2	2	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-	-
Negro	2,009	9	495	634	410	269	151	36	2	-	-	3
Other	3	-	1	2	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,317	3	334	733	605	412	179	48	2	-	-	1
White, mother native	1,615	-	191	513	443	308	125	33	1	-	-	1
White, mother foreign	3	-	-	2	1	-	-	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	699	3	143	218	161	104	54	15	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,361	14	942	1,971	1,641	1,059	591	126	10	1	-	6
White, mother native	4,572	2	563	1,474	1,217	780	432	96	6	-	-	2
White, mother foreign	16	-	-	6	8	1	1	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1,767	12	378	488	415	278	157	30	4	1	-	4
Other	6	-	1	3	1	-	1	-	-	-	-	-
Rural	31,772	93	5,102	9,132	7,407	5,308	3,434	1,108	119	4	-	65
White, mother native	17,590	13	2,308	5,122	4,360	3,158	1,914	638	51	1	-	25
White, mother foreign	50	-	1	14	11	9	10	3	2	-	-	-
White, mother's nativity not stated	8	-	4	1	1	1	-	-	1	-	-	-
Negro	14,046	79	2,780	3,974	3,019	2,126	1,496	465	64	3	-	40
Other	78	1	9	21	16	14	14	2	1	-	-	-
MAINE	16,687	12	1,754	5,153	4,564	2,969	1,682	484	54	2	-	13
White, mother native	15,485	12	1,697	4,929	4,264	2,678	1,448	400	43	2	-	12
White, mother foreign	1,150	-	46	204	290	286	230	82	11	-	-	1
White, mother's nativity not stated	3	-	-	1	2	-	-	-	-	-	-	-
Negro	28	-	5	13	3	5	2	-	-	-	-	-
Other	21	-	6	6	5	-	2	2	-	-	-	-
Urban	6,499	5	618	2,069	1,861	1,177	592	151	20	1	-	5
White, mother native	5,920	5	592	1,958	1,706	1,035	489	114	15	1	-	5
White, mother foreign	549	-	20	98	149	138	102	37	5	-	-	-
White, mother's nativity not stated	2	-	-	-	2	-	-	-	-	-	-	-
Negro	24	-	4	12	3	4	1	-	-	-	-	-
Other	4	-	2	1	1	-	-	-	-	-	-	-
Places of 25,000 to 100,000	2,787	4	263	874	775	514	282	64	8	1	-	2
White, mother native	2,520	4	251	826	715	443	227	45	6	1	-	2
White, mother foreign	246	-	8	37	57	69	54	19	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MAINE—Continued												
Places of 25,000 to 100,000—Continued												
Negro	20	-	4	10	3	2	1	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,111	-	179	652	636	386	196	55	6	-	-	1
White, mother native	1,944	-	172	621	588	350	161	45	6	-	-	1
White, mother foreign	161	-	5	29	46	36	35	10	-	-	-	-
White, mother's nativity not stated	2	-	-	-	2	-	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-	-
Other	2	-	2	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,601	1	176	543	450	277	114	32	6	-	-	2
White, mother native	1,456	1	169	511	403	242	101	24	3	-	-	2
White, mother foreign	142	-	7	32	46	33	13	8	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	-	-	2	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-	-
Rural	10,188	7	1,136	3,084	2,703	1,792	1,090	333	34	1	-	8
White, mother native	9,565	7	1,105	2,971	2,558	1,643	959	286	28	1	-	7
White, mother foreign	601	-	26	106	141	148	128	45	6	-	-	1
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	4	-	1	1	-	1	1	-	-	-	-	-
Other	17	-	4	5	4	-	2	2	-	-	-	-
MARYLAND	42,791	93	4,985	12,869	11,784	8,071	3,856	997	71	4	1	60
White, mother native	34,019	16	2,990	10,221	10,026	6,806	3,104	767	53	3	1	32
White, mother foreign	614	-	7	102	152	207	118	28	-	-	-	-
White, mother's nativity not stated	14	-	1	6	1	1	2	-	-	-	-	3
Negro	8,122	77	1,984	2,532	1,599	1,053	631	202	18	1	-	25
Other	22	-	3	8	6	4	1	-	-	-	-	-
Urban	23,812	62	2,895	7,438	6,604	4,383	1,941	430	22	4	1	32
White, mother native	18,242	10	1,554	5,708	5,498	3,593	1,518	322	16	3	1	19
White, mother foreign	416	-	4	66	103	140	81	22	-	-	-	-
White, mother's nativity not stated	5	-	-	2	1	-	-	-	-	-	-	2
Negro	5,133	52	1,335	1,655	998	648	341	86	6	1	-	11
Other	16	-	2	7	4	2	1	-	-	-	-	-
Places of 100,000 or more	18,115	52	2,311	5,639	4,941	3,348	1,455	332	17	1	-	24
White, mother native	13,256	6	1,111	4,149	3,974	2,656	1,090	244	12	-	-	14
White, mother foreign	318	-	4	42	75	112	66	19	-	-	-	-
White, mother's nativity not stated	3	-	-	1	-	-	-	-	-	-	-	2
Negro	4,526	46	1,194	1,442	890	573	298	69	5	1	-	8
Other	12	-	2	5	2	2	1	-	-	-	-	-
Places of 25,000 to 100,000	1,458	2	164	472	424	235	123	32	3	-	1	2
White, mother native	1,409	2	158	457	409	228	119	30	3	-	1	2
White, mother foreign	7	-	-	3	1	-	2	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	42	-	6	12	14	7	2	1	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,818	7	218	577	512	331	138	31	1	1	-	2
White, mother native	1,401	2	128	423	441	277	109	19	-	1	-	1
White, mother foreign	21	-	-	6	5	8	2	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	394	5	90	147	65	46	27	12	1	-	-	1
Other	2	-	-	1	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	2,421	1	202	750	727	474	225	35	1	2	-	4
White, mother native	2,176	-	157	679	674	432	200	29	1	2	-	2
White, mother foreign	70	-	-	15	22	20	11	2	-	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	171	1	45	54	29	22	14	4	-	-	-	2
Other	2	-	-	1	1	-	-	-	-	-	-	-
Rural	18,979	31	2,090	5,431	5,180	3,688	1,915	567	49	-	-	28
White, mother native	15,777	6	1,436	4,513	4,528	3,213	1,586	445	37	-	-	13
White, mother foreign	198	-	3	36	49	67	37	6	-	-	-	-
White, mother's nativity not stated	9	-	1	4	-	1	2	-	-	-	-	1
Negro	2,989	25	649	877	601	405	290	116	12	-	-	14
Other	6	-	1	1	2	2	-	-	-	-	-	-
MASSACHUSETTS	77,064	21	3,359	19,323	24,134	18,191	9,513	2,316	115	5	1	86
White, mother native	69,631	19	3,138	18,119	22,626	16,267	7,674	1,651	63	3	-	71
White, mother foreign	6,145	-	57	733	1,193	1,736	1,743	624	49	2	-	8
White, mother's nativity not stated	29	-	1	9	5	5	3	3	-	-	1	2
Negro	1,190	2	159	436	290	174	89	33	2	-	-	5
Other	69	-	4	26	20	9	4	5	1	-	-	-
Urban	69,103	21	2,955	17,369	21,705	16,281	8,528	2,062	104	5	1	72
White, mother native	62,192	19	2,746	16,256	20,301	14,499	6,808	1,445	55	3	-	60
White, mother foreign	5,722	-	51	678	1,119	1,609	1,633	578	46	2	-	6
White, mother's nativity not stated	28	-	1	8	5	5	3	3	-	-	1	2
Negro	1,099	2	155	405	260	160	80	31	2	-	-	4
Other	62	-	2	22	20	8	4	5	1	-	-	-
Places of 100,000 or more	29,657	12	1,358	7,763	9,113	6,867	3,559	887	49	3	1	25
White, mother native	25,899	10	1,198	7,101	8,389	5,950	2,649	554	28	2	-	18
White, mother foreign	2,750	-	21	304	487	765	851	301	19	1	-	1
White, mother's nativity not stated	17	-	1	5	1	3	2	2	-	-	1	2
Negro	941	2	137	353	222	142	54	26	1	-	-	4
Other	50	-	1	20	14	7	3	4	1	-	-	-
Places of 25,000 to 100,000	21,206	5	808	5,111	6,941	5,058	2,590	631	27	2	-	33
White, mother native	19,320	5	779	4,863	6,519	4,549	2,112	450	11	1	-	31
White, mother foreign	1,767	-	16	208	384	498	465	177	16	1	-	2
White, mother's nativity not stated	7	-	-	3	3	1	-	-	-	-	-	-
Negro	105	-	13	36	30	10	13	3	-	-	-	-
Other	7	-	-	1	5	-	-	1	-	-	-	-
Places of 10,000 to 25,000	13,233	3	538	3,186	4,139	3,185	1,736	410	24	-	-	12
White, mother native	12,256	3	522	3,057	3,935	2,902	1,491	324	13	-	-	9
White, mother foreign	947	-	13	123	197	278	239	84	10	-	-	3
White, mother's nativity not stated	2	-	-	-	1	-	-	1	-	-	-	-
Negro	25	-	2	6	5	4	6	1	1	-	-	-
Other	3	-	1	-	1	1	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MASSACHUSETTS—Continued												
Places of 2,500 to 10,000	6,007	1	251	1,289	1,512	1,171	643	134	4	-	-	2
White, mother native	4,717	1	247	1,235	1,458	1,098	556	117	3	-	-	2
White, mother foreign	258	-	1	43	51	68	78	16	1	-	-	-
White, mother's nativity not stated	2	-	-	-	-	1	1	-	-	-	-	-
Negro	28	-	3	10	3	4	7	1	-	-	-	-
Other	2	-	-	1	-	-	1	-	-	-	-	-
Rural	7,961	-	404	1,954	2,429	1,910	985	254	11	-	-	14
White, mother native	7,439	-	392	1,863	2,325	1,768	866	206	8	-	-	11
White, mother foreign	423	-	6	55	74	127	110	46	3	-	-	2
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	91	-	4	31	30	14	9	2	-	-	-	1
Other	7	-	2	4	-	1	-	-	-	-	-	-
MICHIGAN	112,655	73	9,294	32,790	33,143	22,831	11,185	2,970	228	1	-	140
White, mother native	99,986	39	7,820	29,512	30,135	20,297	9,432	2,453	185	-	-	113
White, mother foreign	5,791	-	97	1,020	1,380	1,585	1,265	401	37	-	-	6
White, mother's nativity not stated	63	-	6	11	15	15	9	-	-	-	-	7
Negro	6,607	34	1,351	2,182	1,547	901	461	111	6	1	-	13
Other	208	-	20	65	66	33	18	5	-	-	-	1
Urban	81,110	54	6,636	23,741	24,337	16,475	7,754	1,900	133	1	-	79
White, mother native	69,683	22	5,234	20,676	21,610	14,260	6,246	1,473	104	-	-	58
White, mother foreign	4,919	-	86	908	1,194	1,325	1,058	320	23	-	-	5
White, mother's nativity not stated	42	-	3	9	7	12	6	-	-	-	-	5
Negro	6,346	32	1,306	2,103	1,485	860	437	105	6	1	-	11
Other	120	-	7	45	41	18	7	2	-	-	-	-
Places of 100,000 or more	41,071	31	3,282	11,927	12,493	8,389	3,939	916	66	1	-	27
White, mother native	33,063	6	2,242	9,739	10,586	6,867	2,917	641	46	-	-	19
White, mother foreign	3,177	-	45	587	773	872	686	197	15	-	-	2
White, mother's nativity not stated	23	-	2	5	5	7	3	-	-	-	-	1
Negro	4,753	25	992	1,573	1,105	638	332	77	5	1	-	5
Other	55	-	1	23	24	5	1	1	-	-	-	-
Places of 25,000 to 100,000	19,385	13	1,680	5,851	5,770	3,814	1,763	450	26	-	-	18
White, mother native	17,807	9	1,503	5,455	5,392	3,506	1,524	380	22	-	-	16
White, mother foreign	879	-	23	166	222	210	191	62	4	-	-	1
White, mother's nativity not stated	8	-	-	2	1	3	2	-	-	-	-	-
Negro	658	4	151	218	144	89	43	8	-	-	-	1
Other	33	-	3	10	11	6	3	-	-	-	-	-
Places of 10,000 to 25,000	9,179	7	770	2,725	2,715	1,844	852	228	21	-	-	17
White, mother native	8,149	4	655	2,443	2,456	1,640	737	188	16	-	-	10
White, mother foreign	407	-	8	75	105	109	76	28	4	-	-	2
White, mother's nativity not stated	6	-	1	-	1	1	1	-	-	-	-	2
Negro	605	3	104	203	152	91	36	12	1	-	-	3
Other	12	-	2	4	1	3	2	-	-	-	-	-
Places of 2,500 to 10,000	11,475	3	904	3,238	3,359	2,428	1,200	306	20	-	-	17
White, mother native	10,664	3	834	3,039	3,176	2,247	1,068	264	20	-	-	13
White, mother foreign	456	-	10	80	94	134	105	33	-	-	-	-
White, mother's nativity not stated	5	-	-	2	-	1	-	-	-	-	-	2
Negro	330	-	59	109	84	42	26	8	-	-	-	2
Other	20	-	1	8	5	4	1	1	-	-	-	-
Rural	31,545	19	2,658	9,049	8,806	6,356	3,431	1,070	95	-	-	61
White, mother native	30,303	17	2,586	8,836	8,525	6,037	3,186	980	81	-	-	55
White, mother foreign	872	-	11	112	186	260	207	81	14	-	-	1
White, mother's nativity not stated	21	-	3	2	8	3	3	-	-	-	-	2
Negro	261	2	45	79	62	41	24	6	-	-	-	2
Other	88	-	13	20	25	15	11	3	-	-	-	1
MINNESOTA	54,656	7	3,152	14,556	16,287	11,974	6,565	1,954	152	-	-	9
White, mother native	52,812	5	3,052	14,159	15,827	11,548	6,225	1,850	141	-	-	5
White, mother foreign	1,100	-	16	147	256	316	270	83	10	-	-	2
White, mother's nativity not stated	9	-	-	-	5	1	1	-	-	-	-	2
Negro	142	-	25	54	33	20	6	4	-	-	-	-
Other	593	2	59	196	166	89	63	17	1	-	-	-
Urban	27,949	4	1,527	7,607	8,557	6,193	3,194	806	56	-	-	5
White, mother native	26,945	4	1,481	7,378	8,298	5,960	3,017	755	50	-	-	2
White, mother foreign	684	-	9	98	161	202	162	45	6	-	-	1
White, mother's nativity not stated	3	-	-	-	1	-	-	-	-	-	-	2
Negro	136	-	25	50	32	19	6	4	-	-	-	-
Other	181	-	12	81	65	12	9	2	-	-	-	-
Places of 100,000 or more	17,363	3	903	4,862	5,387	3,794	1,906	481	25	-	-	2
White, mother native	16,589	3	864	4,661	5,189	3,629	1,780	441	21	-	-	1
White, mother foreign	479	-	7	75	106	136	116	35	4	-	-	-
White, mother's nativity not stated	2	-	-	-	1	-	-	-	-	-	-	1
Negro	135	-	24	50	32	19	6	4	-	-	-	-
Other	158	-	8	76	59	10	4	1	-	-	-	-
Places of 25,000 to 100,000	473	-	35	136	144	86	64	7	1	-	-	-
White, mother native	454	-	35	135	134	81	61	7	1	-	-	-
White, mother foreign	19	-	-	1	10	5	3	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,517	1	234	924	1,053	768	417	109	10	-	-	1
White, mother native	3,457	1	234	915	1,033	757	402	106	9	-	-	-
White, mother foreign	59	-	-	9	20	11	14	3	1	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	1	-	-	-	-	-	1	-	-	-	-	-
Places of 2,500 to 10,000	6,596	-	355	1,685	1,973	1,545	807	209	20	-	-	2
White, mother native	6,445	-	348	1,667	1,942	1,493	774	201	19	-	-	1
White, mother foreign	127	-	2	13	25	50	29	7	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-	1

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MINNESOTA—Continued												
Places of 2,500 to 10,000—Continued												
Negro	1	-	1	-	-	-	-	-	-	-	-	-
Other	22	-	4	5	6	2	4	1	-	-	-	-
Rural	26,707	3	1,625	6,949	7,730	5,781	3,371	1,148	96	-	-	4
White, mother native	25,867	1	1,571	6,781	7,529	5,588	3,208	1,095	91	-	-	3
White, mother foreign	416	-	7	49	95	114	108	38	4	-	-	1
White, mother's nativity not stated	6	-	-	-	4	1	1	-	-	-	-	-
Negro	6	-	-	4	1	1	-	-	-	-	-	-
Other	412	2	47	115	101	77	54	15	1	-	-	-
MISSISSIPPI	54,263	262	9,947	15,267	12,244	8,838	5,813	1,635	139	6	4	108
White, mother native	24,003	18	3,030	7,034	6,012	4,519	2,572	741	44	1	1	31
White, mother foreign	80	-	3	26	18	16	15	2	-	-	-	-
White, mother's nativity not stated	20	-	3	9	4	1	-	1	-	-	-	2
Negro	30,031	243	6,890	8,163	6,180	4,283	3,212	885	93	5	3	74
Other	129	1	21	35	30	19	14	6	2	-	-	1
Urban	12,394	50	1,934	3,921	3,125	2,029	1,076	225	17	1	1	15
White, mother native	7,913	5	916	2,595	2,182	1,377	684	140	8	-	-	6
White, mother foreign	47	-	2	18	12	7	8	-	-	-	-	-
White, mother's nativity not stated	5	-	-	2	2	-	-	-	-	-	-	1
Negro	4,410	45	1,014	1,299	923	642	383	85	9	1	1	8
Other	19	-	2	7	6	3	1	-	-	-	-	-
Places of 25,000 to 100,000	2,581	10	387	824	653	438	220	40	5	1	-	3
White, mother native	1,634	1	174	539	454	305	141	19	1	-	-	-
White, mother foreign	14	-	1	3	6	2	2	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	933	9	212	282	193	131	77	21	4	1	-	3
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	5,180	25	819	1,689	1,310	803	441	82	6	-	1	4
White, mother native	3,319	2	413	1,133	914	524	270	57	4	-	-	2
White, mother foreign	20	-	1	9	3	2	5	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	1,834	23	404	544	392	275	166	25	2	-	1	2
Other	6	-	1	3	-	2	-	-	-	-	-	-
Places of 2,500 to 10,000	4,633	15	728	1,408	1,162	788	415	103	6	-	-	8
White, mother native	2,960	2	329	923	814	548	273	64	3	-	-	4
White, mother foreign	13	-	-	6	3	3	1	-	-	-	-	-
White, mother's nativity not stated	4	-	-	2	1	-	-	-	-	-	-	1
Negro	1,643	13	398	473	338	236	140	39	3	-	-	3
Other	13	-	1	4	6	1	1	-	-	-	-	-
Rural	41,869	212	8,013	11,346	9,119	6,809	4,737	1,410	122	5	3	93
White, mother native	16,090	13	2,114	4,439	3,830	3,142	1,888	601	36	1	1	25
White, mother foreign	33	-	1	8	6	9	7	2	-	-	-	-
White, mother's nativity not stated	15	-	3	7	2	1	-	1	-	-	-	1
Negro	25,621	198	5,876	6,864	5,257	3,641	2,829	800	84	4	2	66
Other	110	1	19	28	24	16	13	6	2	-	-	1
MISSOURI	65,659	71	7,582	19,492	17,198	12,223	6,865	2,003	143	2	-	80
White, mother native	59,939	27	6,293	17,903	16,023	11,361	6,308	1,827	129	1	-	67
White, mother foreign	521	-	4	85	102	159	123	44	4	-	-	-
White, mother's nativity not stated	14	-	2	4	2	-	2	-	-	-	-	4
Negro	5,150	44	1,277	1,492	1,060	697	430	130	10	1	-	9
Other	35	-	6	8	11	6	2	2	-	-	-	-
Urban	37,721	55	4,466	11,660	10,115	6,920	3,572	848	48	-	-	17
White, mother native	33,004	16	3,395	10,341	9,129	6,227	3,125	716	41	-	-	14
White, mother foreign	444	-	3	65	95	140	103	36	2	-	-	-
White, mother's nativity not stated	5	-	-	1	1	-	1	-	-	-	-	2
Negro	4,242	39	1,066	1,265	879	550	342	95	5	-	-	1
Other	26	-	2	8	11	3	1	1	-	-	-	-
Places of 100,000 or more	22,537	39	2,767	6,935	6,010	4,158	2,106	490	27	-	-	5
White, mother native	18,620	8	1,867	5,812	5,194	3,576	1,752	388	20	-	-	3
White, mother foreign	337	-	1	44	64	115	81	30	2	-	-	-
White, mother's nativity not stated	2	-	-	-	-	-	-	-	-	-	-	2
Negro	3,558	31	897	1,073	745	464	272	71	5	-	-	-
Other	20	-	2	6	7	3	1	1	-	-	-	-
Places of 25,000 to 100,000	3,871	1	425	1,317	1,025	654	354	87	6	-	-	2
White, mother native	3,728	-	400	1,286	992	627	337	78	6	-	-	2
White, mother foreign	52	-	-	8	11	15	13	5	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-	-
Negro	87	1	25	22	20	12	3	4	-	-	-	-
Other	3	-	-	1	2	-	-	-	-	-	-	-
Places of 10,000 to 25,000	4,948	7	496	1,444	1,369	992	532	104	2	-	-	2
White, mother native	4,622	3	424	1,346	1,299	960	491	95	2	-	-	2
White, mother foreign	27	-	1	6	9	4	6	1	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	297	4	71	92	59	28	35	8	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,365	8	778	1,984	1,711	1,116	580	167	13	-	-	8
White, mother native	6,034	5	704	1,897	1,644	1,064	545	155	13	-	-	7
White, mother foreign	28	-	1	7	11	6	3	-	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	300	3	73	78	55	46	32	12	-	-	-	1
Other	2	-	-	1	1	-	-	-	-	-	-	-
Rural	27,938	16	3,116	7,812	7,083	5,303	3,293	1,155	95	2	-	63
White, mother native	26,935	11	2,898	7,562	6,894	5,134	3,183	1,111	88	1	-	53
White, mother foreign	77	-	1	20	7	19	20	8	2	-	-	-
White, mother's nativity not stated	9	-	2	3	1	-	1	-	-	-	-	2
Negro	908	5	211	227	181	147	88	35	5	1	-	8
Other	9	-	4	-	-	3	1	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MONTANA	10,601	2	859	3,231	3,099	2,030	1,037	313	21	1	-	8
White, mother native	9,624	1	759	2,995	2,881	1,828	895	241	17	1	-	6
White, mother foreign	349	-	7	60	76	87	80	36	2	-	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	12	-	3	4	1	2	2	-	-	-	-	-
Other	615	1	90	172	140	113	60	36	2	-	-	1
Urban	5,194	1	416	1,675	1,539	975	438	137	8	1	-	4
White, mother native	4,959	-	407	1,615	1,483	920	401	120	8	1	-	4
White, mother foreign	176	-	3	39	41	47	31	15	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	8	-	2	3	1	1	1	-	-	-	-	-
Other	51	1	4	18	14	7	5	2	-	-	-	-
Places of 25,000 to 100,000	1,692	-	113	598	488	321	140	29	3	-	-	-
White, mother native	1,608	-	111	579	464	299	127	25	3	-	-	-
White, mother foreign	73	-	1	14	22	22	11	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	1	1	1	-	1	-	-	-	-	-
Other	7	-	-	4	1	-	1	1	-	-	-	-
Places of 10,000 to 25,000	1,722	1	144	544	514	326	147	43	2	-	-	1
White, mother native	1,659	-	142	527	502	317	131	37	2	-	-	1
White, mother foreign	48	-	-	9	10	8	15	6	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	1	2	-	1	-	-	-	-	-	-
Other	11	1	1	6	2	-	1	-	-	-	-	-
Places of 2,500 to 10,000	1,780	-	159	533	537	328	151	65	3	1	-	3
White, mother native	1,692	-	154	509	517	304	143	58	3	1	-	3
White, mother foreign	55	-	2	16	9	17	5	6	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	33	-	3	8	11	7	3	1	-	-	-	-
Rural	5,407	1	443	1,656	1,560	1,055	599	176	13	-	-	4
White, mother native	4,665	1	352	1,380	1,398	908	494	121	9	-	-	2
White, mother foreign	173	-	4	21	35	40	49	21	2	-	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	4	-	1	1	-	1	1	-	-	-	-	-
Other	564	-	86	154	126	106	55	34	2	-	-	1
NEBRASKA	24,128	9	1,937	7,277	6,873	4,718	2,542	685	64	2	-	21
White, mother native	23,261	7	1,831	7,046	6,673	4,574	2,419	630	59	2	-	20
White, mother foreign	323	-	5	57	60	73	83	40	5	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	358	2	87	110	79	48	25	7	-	-	-	-
Other	185	-	14	63	61	23	15	8	-	-	-	1
Urban	11,106	5	1,004	3,536	3,179	2,064	1,022	269	22	-	-	5
White, mother native	10,506	3	914	3,360	3,034	1,979	949	242	20	-	-	5
White, mother foreign	176	-	3	34	40	34	44	19	2	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	351	2	85	110	77	46	24	7	-	-	-	-
Other	72	-	2	31	28	5	5	1	-	-	-	-
Places of 100,000 or more	4,587	3	361	1,424	1,373	882	429	121	4	-	-	-
White, mother native	4,184	1	290	1,313	1,270	823	382	101	4	-	-	-
White, mother foreign	76	-	-	11	14	15	24	12	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	294	2	69	82	72	41	21	7	-	-	-	-
Other	43	-	2	18	17	3	2	1	-	-	-	-
Places of 25,000 to 100,000	1,677	-	129	548	519	318	130	27	4	-	-	2
White, mother native	1,617	-	122	526	508	310	120	25	4	-	-	2
White, mother foreign	26	-	1	4	5	7	7	2	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	27	-	6	14	4	1	2	-	-	-	-	-
Other	6	-	-	3	2	-	1	-	-	-	-	-
Places of 10,000 to 25,000	2,359	-	266	783	623	411	210	57	8	-	-	1
White, mother native	2,276	-	255	755	601	399	205	53	7	-	-	1
White, mother foreign	49	-	2	15	15	8	4	4	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	23	-	9	9	1	3	1	-	-	-	-	-
Other	11	-	-	4	6	1	-	-	-	-	-	-
Places of 2,500 to 10,000	2,473	2	248	781	664	453	253	64	6	-	-	2
White, mother native	2,429	2	247	766	655	447	242	63	5	-	-	2
White, mother foreign	25	-	-	4	6	4	9	1	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	7	-	1	5	-	1	-	-	-	-	-	-
Other	12	-	-	6	3	1	2	-	-	-	-	-
Rural	13,022	4	933	3,741	3,694	2,654	1,520	416	42	2	-	16
White, mother native	12,755	4	917	3,686	3,639	2,595	1,470	388	39	2	-	15
White, mother foreign	147	-	2	23	20	39	39	21	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	7	-	2	-	2	2	1	-	-	-	-	-
Other	113	-	12	32	33	18	10	7	-	-	-	1
NEVADA	2,851	-	322	927	797	502	249	47	5	-	-	2
White, mother native	2,564	-	291	843	735	448	207	36	2	-	-	2
White, mother foreign	76	-	3	14	18	15	21	4	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	60	-	12	21	6	17	3	1	-	-	-	-
Other	151	-	16	49	38	22	18	6	2	-	-	-
Urban	1,395	-	151	439	416	249	122	18	-	-	-	-
White, mother native	1,284	-	137	410	392	222	108	15	-	-	-	-
White, mother foreign	35	-	-	7	8	10	8	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	43	-	11	15	5	9	3	-	-	-	-	-
Other	33	-	3	7	11	8	3	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEVADA —Continued												
Places of 10,000 to 25,000	625	-	59	196	185	124	54	7	-	-	-	-
White, mother native	578	-	54	186	172	112	49	5	-	-	-	-
White, mother foreign	20	-	-	5	3	6	4	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	10	-	4	3	3	-	-	-	-	-	-	-
Other	17	-	1	2	7	6	1	-	-	-	-	-
Places of 2,500 to 10,000	770	-	92	243	231	125	68	11	-	-	-	-
White, mother native	706	-	83	224	220	110	59	10	-	-	-	-
White, mother foreign	15	-	-	2	5	4	4	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	33	-	7	12	2	9	3	-	-	-	-	-
Other	16	-	2	5	4	2	2	1	-	-	-	-
Rural	1,456	-	171	488	381	253	127	29	5	-	-	2
White, mother native	1,280	-	154	433	343	226	99	21	2	-	-	2
White, mother foreign	41	-	3	7	10	5	13	2	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	17	-	1	6	1	8	-	1	-	-	-	-
Other	118	-	13	42	27	14	15	5	2	-	-	-
NEW HAMPSHIRE	8,338	2	592	2,466	2,308	1,783	904	263	12	-	-	8
White, mother native	7,808	2	585	2,382	2,181	1,641	782	221	8	-	-	6
White, mother foreign	515	-	4	78	125	140	121	42	4	-	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	14	-	3	6	2	2	1	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Urban	4,939	-	322	1,474	1,405	1,034	525	168	7	-	-	4
White, mother native	4,575	-	317	1,418	1,319	935	437	141	5	-	-	3
White, mother foreign	350	-	2	50	84	97	87	27	2	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	14	-	3	6	2	2	1	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	2,374	-	139	680	690	512	268	77	6	-	-	2
White, mother native	2,189	-	138	657	648	464	212	65	4	-	-	1
White, mother foreign	176	-	-	19	41	46	55	12	2	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	9	-	1	4	1	2	1	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,811	-	121	591	509	353	173	62	-	-	-	2
White, mother native	1,678	-	118	564	473	318	148	55	-	-	-	2
White, mother foreign	128	-	1	25	35	35	25	7	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	5	-	2	2	1	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	754	-	62	203	206	169	84	29	1	-	-	-
White, mother native	708	-	61	197	198	153	77	21	1	-	-	-
White, mother foreign	46	-	1	6	8	16	7	8	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	3,399	2	270	992	903	749	379	95	5	-	-	4
White, mother native	3,233	2	268	964	862	706	345	80	3	-	-	3
White, mother foreign	165	-	2	28	41	43	34	15	2	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY	77,338	46	3,961	19,774	25,052	18,225	8,426	1,699	111	5	-	39
White, mother native	67,584	10	2,859	17,338	22,961	16,193	6,905	1,215	72	3	-	28
White, mother foreign	4,204	-	32	585	859	1,251	1,081	363	32	1	-	-
White, mother's nativity not stated	21	-	2	6	5	2	1	-	-	-	-	5
Negro	5,481	36	1,066	1,836	1,210	768	434	118	6	1	-	6
Other	48	-	2	9	17	11	5	3	1	-	-	-
Urban	62,651	38	3,108	15,835	20,453	14,944	6,827	1,329	81	3	-	33
White, mother native	54,323	8	2,163	13,737	18,690	13,185	5,538	923	52	2	-	25
White, mother foreign	3,629	-	25	501	734	1,102	930	312	25	-	-	-
White, mother's nativity not stated	18	-	2	5	4	1	1	-	-	-	-	5
Negro	4,655	30	917	1,587	1,017	650	354	92	4	1	-	3
Other	26	-	1	5	8	6	4	2	-	-	-	-
Places of 100,000 or more	21,918	25	1,342	5,954	6,964	4,966	2,203	436	20	2	-	4
White, mother native	17,972	4	801	4,847	6,169	4,205	1,656	277	10	1	-	2
White, mother foreign	1,297	-	8	195	227	394	341	122	10	-	-	-
White, mother's nativity not stated	4	-	1	1	-	1	-	-	-	-	-	1
Negro	2,629	21	531	908	564	362	203	38	-	1	-	1
Other	16	-	1	3	4	4	3	1	-	-	-	-
Places of 25,000 to 100,000	17,482	3	695	4,229	5,943	4,344	1,919	315	21	-	-	13
White, mother native	15,358	1	506	3,757	5,482	3,840	1,565	206	13	-	-	8
White, mother foreign	1,169	-	10	151	271	362	285	85	5	-	-	-
White, mother's nativity not stated	12	-	-	4	3	-	1	-	-	-	-	4
Negro	937	2	179	316	205	140	68	23	3	-	-	1
Other	6	-	-	1	2	2	-	1	-	-	-	-
Places of 10,000 to 25,000	11,476	5	516	2,780	3,691	2,837	1,337	281	19	1	-	0
White, mother native	10,155	1	389	2,469	3,403	2,557	1,112	200	15	1	-	8
White, mother foreign	626	-	4	77	119	184	176	62	4	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	692	4	123	233	167	96	49	19	-	-	-	1
Other	2	-	-	1	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	11,775	5	555	2,872	3,855	2,797	1,368	295	21	-	-	7
White, mother native	10,838	2	467	2,664	3,656	2,583	1,205	240	14	-	-	7
White, mother foreign	537	-	3	78	117	162	128	43	6	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEW JERSEY—Continued												
Places of 2,500 to 10,000—Continued												
Negro	397	3	84	130	81	52	34	12	1	-	-	-
Other	2	-	-	-	1	-	1	-	-	-	-	-
Rural	14,687	8	853	3,939	4,599	3,281	1,599	370	30	2	-	6
White, mother native	13,261	2	696	3,601	4,271	3,008	1,367	292	20	1	-	3
White, mother foreign	575	-	7	84	125	149	151	51	7	1	-	-
White, mother's nativity not stated	3	-	-	1	1	1	-	-	-	-	-	-
Negro	826	6	149	249	193	118	80	26	2	-	-	3
Other	22	-	1	4	9	5	1	1	1	-	-	-
NEW MEXICO	15,306	23	1,789	4,549	3,587	2,855	1,840	576	64	3	1	19
White, mother native	13,651	19	1,599	4,150	3,249	2,541	1,568	477	39	2	1	6
White, mother foreign	385	-	5	47	86	87	115	36	9	-	-	-
White, mother's nativity not stated	5	-	1	2	-	1	1	-	-	-	-	-
Negro	130	-	33	34	28	20	10	4	-	-	-	1
Other	1,135	4	151	316	224	206	146	59	16	1	-	12
Urban	6,039	9	732	1,971	1,444	1,080	602	168	18	1	-	4
White, mother native	5,714	9	697	1,889	1,379	1,029	542	154	12	1	-	2
White, mother foreign	171	-	2	32	35	36	49	12	5	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	87	-	23	27	15	13	7	1	-	-	-	1
Other	66	-	9	23	15	12	4	1	1	-	-	1
Places of 25,000 to 100,000	992	-	97	360	233	179	103	19	1	-	-	-
White, mother native	948	-	95	348	223	172	92	17	1	-	-	-
White, mother foreign	27	-	-	7	6	3	9	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	-	1	1	-	-	-	-	-	-
Other	15	-	2	5	3	3	2	-	-	-	-	-
Places of 10,000 to 25,000	1,824	1	236	615	431	303	187	47	2	-	-	2
White, mother native	1,729	1	220	591	412	278	178	46	2	-	-	1
White, mother foreign	32	-	-	8	6	11	6	1	-	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	49	-	13	14	9	10	2	-	-	-	-	1
Other	13	-	2	2	4	4	1	-	-	-	-	-
Places of 2,500 to 10,000	3,223	8	399	996	780	608	312	102	15	1	-	2
White, mother native	3,037	8	382	950	744	579	272	91	9	1	-	1
White, mother foreign	112	-	2	17	23	22	34	9	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	36	-	10	13	5	2	5	1	-	-	-	-
Other	38	-	5	16	8	5	1	1	1	-	-	1
Rural	9,267	14	1,057	2,578	2,143	1,765	1,238	408	46	2	1	15
White, mother native	7,937	10	902	2,261	1,870	1,512	1,026	323	27	1	1	4
White, mother foreign	214	-	3	15	51	51	66	24	4	-	-	-
White, mother's nativity not stated	4	-	-	2	-	1	1	-	-	-	-	-
Negro	43	-	10	7	13	7	3	3	-	-	-	-
Other	1,069	4	142	293	209	194	142	58	15	1	-	11
NEW YORK	234,754	90	12,001	58,933	72,614	57,050	27,895	5,795	303	5	3	65
White, mother native	200,378	34	9,191	51,656	65,542	48,370	21,390	3,960	191	1	2	41
White, mother foreign	20,928	-	178	2,623	4,005	6,839	5,605	1,580	88	3	1	6
White, mother's nativity not stated	20	-	-	1	1	1	1	-	-	-	-	16
Negro	13,009	56	2,604	4,543	2,942	1,756	853	231	21	1	-	2
Other	419	-	28	110	124	84	46	24	3	-	-	-
Urban	193,614	81	9,436	48,033	60,656	47,642	22,903	4,577	222	4	3	57
White, mother native	161,571	27	6,726	41,202	54,066	39,560	16,953	2,880	120	1	2	34
White, mother foreign	19,093	-	150	2,325	3,651	6,321	5,099	1,459	79	2	1	6
White, mother's nativity not stated	18	-	-	1	1	-	1	-	-	-	-	15
Negro	12,649	54	2,545	4,421	2,855	1,706	824	221	20	1	-	2
Other	283	-	15	84	83	55	26	17	3	-	-	-
Places of 100,000 or more	151,637	66	7,181	36,696	47,799	38,066	18,088	3,532	162	4	2	41
White, mother native	123,146	20	4,687	30,628	41,971	30,865	12,812	2,060	79	1	1	22
White, mother foreign	16,690	-	126	1,939	3,166	5,617	4,508	1,259	66	2	1	6
White, mother's nativity not stated	13	-	-	1	1	-	-	-	-	-	-	11
Negro	11,535	46	2,360	4,051	2,584	1,535	742	200	14	1	-	2
Other	253	-	8	77	77	49	26	13	3	-	-	-
Places of 25,000 to 100,000	14,490	5	815	3,993	4,610	3,211	1,503	332	19	-	-	2
White, mother native	12,991	-	706	3,650	4,261	2,844	1,272	242	12	-	-	2
White, mother foreign	928	-	10	158	199	274	200	84	3	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-	-
Negro	562	5	96	184	148	89	30	6	4	-	-	-
Other	8	-	1	1	2	4	-	-	-	-	-	-
Places of 10,000 to 25,000	14,996	6	812	4,046	4,430	3,449	1,811	406	27	-	-	9
White, mother native	13,734	3	738	3,761	4,181	3,136	1,547	324	18	-	-	6
White, mother foreign	851	-	9	120	162	255	228	69	8	-	-	-
White, mother's nativity not stated	3	-	-	-	-	-	-	-	-	-	-	3
Negro	400	3	62	143	87	57	36	11	1	-	-	-
Other	8	-	3	2	-	1	-	2	-	-	-	-
Places of 2,500 to 10,000	12,491	4	628	3,298	3,817	2,916	1,501	307	14	-	1	5
White, mother native	11,700	4	593	3,143	3,653	2,715	1,322	254	11	-	1	4
White, mother foreign	624	-	5	108	124	175	163	47	2	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	152	-	27	43	36	25	16	4	1	-	-	-
Other	14	-	3	4	4	1	-	2	-	-	-	-
Rural	41,140	9	2,565	10,900	11,958	9,408	4,992	1,218	81	1	-	8
White, mother native	38,807	7	2,485	10,454	11,476	8,810	4,437	1,080	71	-	-	7
White, mother foreign	1,835	-	28	298	354	518	506	121	9	1	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	-	1
Negro	360	2	59	122	87	50	29	10	1	-	-	-
Other	136	-	13	26	41	29	20	7	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NORTH CAROLINA	87,401	246	13,409	26,302	20,952	14,620	8,787	2,666	229	12	9	169
White, mother native	59,357	47	7,483	17,995	14,857	10,579	6,259	1,877	154	7	6	93
White, mother foreign	126	-	4	33	35	28	22	4	-	-	-	-
White, mother's nativity not stated	20	1	6	5	1	1	4	-	-	-	-	2
Negro	26,848	198	5,758	7,953	5,821	3,837	2,376	752	71	5	3	72
Other	1,050	-	158	316	238	175	124	33	4	-	-	2
Urban	23,917	66	3,644	7,735	5,998	3,945	2,019	464	14	2	1	29
White, mother native	17,052	12	2,021	5,629	4,486	2,991	1,547	339	9	2	1	15
White, mother foreign	68	-	3	13	20	16	14	2	-	-	-	-
White, mother's nativity not stated	8	1	5	2	-	-	-	-	-	-	-	-
Negro	6,773	53	1,615	2,085	1,489	936	455	121	5	-	-	14
Other	16	-	-	6	3	2	3	2	-	-	-	-
Places of 100,000 or more	2,581	8	386	863	652	432	186	52	-	1	-	1
White, mother native	1,805	3	216	616	468	333	136	32	-	1	-	-
White, mother foreign	8	-	-	-	2	2	3	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	768	5	170	247	182	97	47	19	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	9,329	31	1,368	3,042	2,398	1,536	775	168	5	1	-	5
White, mother native	6,317	2	668	2,101	1,715	1,123	589	114	2	1	-	2
White, mother foreign	32	-	2	5	13	8	3	1	-	-	-	-
White, mother's nativity not stated	7	1	5	1	-	-	-	-	-	-	-	-
Negro	2,970	28	693	934	669	404	183	53	3	-	-	3
Other	3	-	-	1	1	1	-	-	-	-	-	-
Places of 10,000 to 25,000	6,144	15	1,002	2,015	1,512	986	501	101	5	-	1	6
White, mother native	4,345	1	558	1,474	1,115	747	366	76	3	-	1	4
White, mother foreign	16	-	-	5	3	2	6	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1,779	14	444	535	394	237	127	24	2	-	-	2
Other	4	-	-	1	-	-	2	1	-	-	-	-
Places of 2,500 to 10,000	5,863	12	888	1,815	1,436	991	557	143	4	-	-	17
White, mother native	4,565	6	579	1,438	1,188	788	456	117	4	-	-	9
White, mother foreign	12	-	1	3	2	4	2	-	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	1,256	6	308	369	244	198	98	25	-	-	-	8
Other	9	-	-	4	2	1	1	1	-	-	-	-
Rural	63,484	180	9,765	18,567	14,954	10,675	6,768	2,202	215	10	8	140
White, mother native	42,305	35	5,462	12,366	10,371	7,588	4,712	1,538	145	5	5	78
White, mother foreign	58	-	1	20	15	12	8	2	-	-	-	-
White, mother's nativity not stated	12	-	1	3	1	1	4	-	-	-	-	2
Negro	20,075	145	4,143	5,868	4,332	2,901	1,923	631	66	5	3	78
Other	1,034	-	158	310	235	173	121	31	4	-	-	2
NORTH DAKOTA	13,147	2	862	3,625	3,643	2,784	1,638	511	42	2	1	37
White, mother native	12,515	2	815	3,488	3,515	2,650	1,528	445	38	2	-	32
White, mother foreign	301	-	3	47	55	65	74	51	4	-	-	2
White, mother's nativity not stated	3	-	1	1	-	1	-	-	-	-	-	-
Negro	1	-	-	-	-	-	1	-	-	-	-	-
Other	327	-	43	89	73	68	35	15	-	-	1	3
Urban	2,921	1	186	883	839	591	326	80	11	-	-	4
White, mother native	2,842	1	181	858	825	575	313	74	11	-	-	4
White, mother foreign	56	-	-	14	10	15	11	6	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	23	-	5	11	4	1	2	-	-	-	-	-
Places of 25,000 to 100,000	670	-	32	200	204	135	78	18	3	-	-	-
White, mother native	652	-	31	197	196	130	77	18	3	-	-	-
White, mother foreign	16	-	-	2	8	5	1	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	2	-	1	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,184	1	91	371	307	243	135	33	1	-	-	2
White, mother native	1,150	1	88	359	303	238	128	30	1	-	-	2
White, mother foreign	20	-	-	6	1	4	6	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	14	-	3	6	3	1	1	-	-	-	-	-
Places of 2,500 to 10,000	1,067	-	63	312	328	213	113	29	7	-	-	2
White, mother native	1,040	-	62	302	326	207	108	26	7	-	-	2
White, mother foreign	20	-	-	6	1	6	4	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	7	-	1	4	1	-	1	-	-	-	-	-
Rural	10,226	1	676	2,742	2,804	2,193	1,312	431	31	2	1	33
White, mother native	9,673	1	634	2,630	2,690	2,075	1,215	371	27	2	-	28
White, mother foreign	245	-	3	33	45	50	63	45	4	-	-	2
White, mother's nativity not stated	3	-	1	1	-	1	-	-	-	-	-	-
Negro	1	-	-	-	-	-	1	-	-	-	-	-
Other	304	-	38	78	69	67	33	15	-	-	1	3
OHIO	132,496	94	11,271	38,155	38,618	27,022	13,417	3,425	231	3	1	259
White, mother native	121,862	48	9,616	35,135	36,342	25,093	12,192	3,013	203	3	1	216
White, mother foreign	2,717	-	31	429	511	837	654	228	20	-	-	7
White, mother's nativity not stated	40	-	3	7	5	5	1	-	-	-	-	19
Negro	7,782	46	1,613	2,542	1,733	1,077	567	179	8	-	-	17
Other	95	-	8	42	27	10	3	5	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
OHIO —Continued												
Urban	82,715	75	7,963	27,101	27,556	18,846	8,892	2,000	118	2	1	161
White, mother native	82,965	29	6,407	24,281	25,466	17,106	7,784	1,666	100	2	1	123
White, mother foreign	2,352	-	23	363	445	743	579	180	13	-	-	6
White, mother's nativity not stated	28	-	3	6	2	2	-	-	-	-	-	15
Negro	7,281	46	1,522	2,412	1,617	985	526	151	5	-	-	17
Other	89	-	8	39	26	10	3	3	-	-	-	-
Places of 100,000 or more	54,223	57	4,781	16,053	16,210	10,890	4,980	1,085	67	1	1	98
White, mother native	46,654	17	3,494	13,816	14,588	9,622	4,145	844	57	1	1	69
White, mother foreign	1,598	-	13	246	312	483	408	127	6	-	-	3
White, mother's nativity not stated	23	-	3	4	1	1	-	-	-	-	-	14
Negro	5,867	40	1,264	1,949	1,286	776	425	111	4	-	-	12
Other	81	-	7	38	23	8	2	3	-	-	-	-
Places of 25,000 to 100,000	14,703	10	1,311	4,289	4,317	2,987	1,423	316	22	-	-	18
White, mother native	13,611	5	1,167	3,965	4,062	2,778	1,303	277	18	-	-	16
White, mother foreign	319	-	2	49	62	112	67	22	4	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	770	5	141	275	171	107	53	17	-	-	-	1
Other	3	-	1	-	2	-	-	-	-	-	-	-
Places of 10,000 to 25,000	10,910	3	867	3,123	3,259	2,262	1,118	249	9	-	-	20
White, mother native	10,335	2	797	2,992	3,137	2,127	1,036	221	7	-	-	16
White, mother foreign	257	-	7	35	50	89	60	14	1	-	-	1
White, mother's nativity not stated	2	-	-	1	-	-	-	-	-	-	-	1
Negro	314	1	63	95	71	45	22	14	1	-	-	2
Other	2	-	-	-	1	1	-	-	-	-	-	-
Places of 2,500 to 10,000	12,879	5	1,004	3,636	3,770	2,697	1,371	350	20	1	-	25
White, mother native	12,365	5	949	3,508	3,659	2,579	1,300	324	18	1	-	22
White, mother foreign	178	-	1	33	21	59	44	17	2	-	-	1
White, mother's nativity not stated	3	-	-	1	1	1	-	-	-	-	-	-
Negro	330	-	54	93	89	57	26	9	-	-	-	2
Other	3	-	-	1	-	1	1	-	-	-	-	-
Rural	39,781	19	3,308	11,054	11,062	8,176	4,525	1,425	113	1	-	98
White, mother native	38,897	19	3,209	10,854	10,876	7,987	4,408	1,347	103	1	-	93
White, mother foreign	365	-	8	66	66	94	75	48	7	-	-	1
White, mother's nativity not stated	12	-	-	1	3	3	1	-	-	-	-	4
Negro	501	-	91	130	116	92	41	28	3	-	-	-
Other	6	-	-	3	1	-	-	2	-	-	-	-
OKLAHOMA	43,165	79	6,492	13,780	10,195	7,083	4,127	1,262	95	-	-	52
White, mother native	38,191	40	5,477	12,337	9,160	6,337	3,607	1,109	83	-	-	41
White, mother foreign	143	1	6	28	42	25	29	10	2	-	-	-
White, mother's nativity not stated	32	-	7	5	8	4	5	2	-	-	-	1
Negro	3,025	33	712	881	585	437	285	79	7	-	-	6
Other	1,774	5	290	529	400	280	201	62	3	-	-	4
Urban	21,391	43	3,198	7,293	5,281	3,345	1,765	416	29	-	-	21
White, mother native	19,005	23	2,691	6,566	4,741	3,027	1,552	362	25	-	-	18
White, mother foreign	104	1	4	19	36	17	18	7	2	-	-	-
White, mother's nativity not stated	12	-	2	2	4	2	1	1	-	-	-	-
Negro	1,735	18	416	531	368	227	137	33	2	-	-	3
Other	535	1	85	175	132	72	57	13	-	-	-	-
Places of 100,000 or more	8,413	13	1,181	2,840	2,108	1,426	684	151	6	-	-	4
White, mother native	7,524	5	1,013	2,556	1,898	1,298	605	139	6	-	-	4
White, mother foreign	47	1	2	7	17	7	12	1	-	-	-	-
White, mother's nativity not stated	5	-	1	1	2	-	-	1	-	-	-	-
Negro	719	7	143	232	171	104	54	8	-	-	-	-
Other	118	-	22	44	20	17	13	2	-	-	-	-
Places of 25,000 to 100,000	1,402	3	210	523	320	195	115	28	7	-	-	1
White, mother native	1,211	1	166	473	283	161	96	26	4	-	-	1
White, mother foreign	12	-	-	3	2	3	2	-	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	165	2	42	41	34	28	15	2	1	-	-	-
Other	14	-	2	6	1	3	2	-	-	-	-	-
Places of 10,000 to 25,000	5,675	8	896	1,913	1,441	834	454	110	10	-	-	9
White, mother native	5,028	4	742	1,700	1,300	769	407	90	10	-	-	6
White, mother foreign	33	-	-	9	13	5	2	4	-	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	480	4	130	149	98	44	39	13	-	-	-	3
Other	132	-	24	54	29	16	6	3	-	-	-	-
Places of 2,500 to 10,000	5,901	19	911	2,017	1,412	890	512	127	6	-	-	7
White, mother native	5,242	13	770	1,837	1,260	799	444	107	5	-	-	7
White, mother foreign	12	-	2	-	4	2	2	2	-	-	-	-
White, mother's nativity not stated	5	-	1	-	1	2	1	-	-	-	-	-
Negro	371	5	101	109	65	51	29	10	1	-	-	-
Other	271	1	37	71	82	36	36	8	-	-	-	-
Rural	21,774	36	3,294	6,487	4,914	3,738	2,362	846	66	-	-	31
White, mother native	19,186	17	2,786	5,771	4,419	3,310	2,055	747	58	-	-	23
White, mother foreign	39	-	2	9	6	8	11	3	-	-	-	-
White, mother's nativity not stated	20	-	5	3	4	2	4	1	-	-	-	1
Negro	1,290	15	296	350	217	210	148	46	5	-	-	3
Other	1,239	4	205	354	268	208	144	49	3	-	-	4
OREGON	24,140	15	2,342	7,589	6,818	4,643	2,159	502	36	-	1	35
White, mother native	22,836	11	2,249	7,212	6,463	4,371	2,012	451	33	-	1	33
White, mother foreign	719	-	14	162	201	190	112	37	2	-	-	1
White, mother's nativity not stated	8	-	1	2	2	2	1	-	-	-	-	-
Negro	268	4	41	113	58	38	12	2	-	-	-	-
Other	309	-	37	100	94	42	22	12	1	-	-	1
Urban	13,427	7	1,231	4,302	3,884	2,616	1,132	230	13	-	-	12
White, mother native	12,699	5	1,197	4,092	3,672	2,458	1,053	202	10	-	-	10
White, mother foreign	474	-	8	113	133	128	67	22	2	-	-	1
White, mother's nativity not stated	6	-	1	2	1	1	1	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
OREGON —Continued												
Urban—Continued												
Negro	136	2	17	61	31	17	7	1	-	-	-	-
Other	112	-	8	34	47	12	4	5	1	-	-	1
Places of 100,000 or more	7,839	5	622	2,414	2,344	1,642	663	137	10	-	-	2
White, mother native	7,312	3	597	2,264	2,196	1,519	605	120	7	-	-	1
White, mother foreign	321	-	3	62	89	99	51	14	2	-	-	1
White, mother's nativity not stated	3	-	1	1	1	-	-	-	-	-	-	-
Negro	132	2	17	60	31	16	5	1	-	-	-	-
Other	71	-	4	27	27	8	2	2	1	-	-	-
Places of 25,000 to 100,000	605	-	57	180	175	122	57	11	1	-	-	2
White, mother native	587	-	56	175	169	119	55	10	1	-	-	2
White, mother foreign	16	-	-	5	6	3	2	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	2	-	1	-	-	-	-	1	-	-	-	-
Places of 10,000 to 25,000	1,904	1	213	670	524	315	147	30	1	-	-	3
White, mother native	1,838	1	211	643	510	306	137	26	1	-	-	3
White, mother foreign	58	-	1	24	13	8	8	4	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-	-
Other	6	-	1	2	1	1	1	-	-	-	-	-
Places of 2,500 to 10,000	3,079	1	339	1,038	841	537	265	52	1	-	-	5
White, mother native	2,962	1	333	1,010	797	514	256	46	1	-	-	4
White, mother foreign	79	-	4	22	25	18	6	4	-	-	-	-
White, mother's nativity not stated	2	-	-	1	-	1	-	-	-	-	-	-
Negro	3	-	-	-	-	1	2	-	-	-	-	-
Other	33	-	2	5	19	3	1	2	-	-	-	1
Rural	10,713	8	1,111	3,287	2,934	2,027	1,027	272	23	-	1	23
White, mother native	10,137	6	1,052	3,120	2,791	1,913	959	249	23	-	1	23
White, mother foreign	245	-	6	49	68	62	45	15	-	-	-	-
White, mother's nativity not stated	2	-	-	-	1	1	-	-	-	-	-	-
Negro	132	2	24	52	27	21	5	1	-	-	-	-
Other	197	-	29	66	47	30	18	7	-	-	-	-
PENNSYLVANIA	173,799	147	12,489	48,648	52,484	36,475	18,411	4,770	305	19	3	48
White, mother native	157,789	53	9,956	44,252	49,229	33,579	16,371	4,044	246	15	3	41
White, mother foreign	4,368	-	39	565	772	1,311	1,165	464	47	4	-	1
White, mother's nativity not stated	20	-	4	9	1	5	1	-	-	-	-	-
Negro	11,569	94	2,488	3,798	2,468	1,574	868	261	12	-	-	6
Other	53	-	2	24	14	6	6	1	-	-	-	-
Urban	118,520	117	7,934	33,383	36,682	25,343	12,075	2,779	159	13	1	34
White, mother native	104,119	29	5,573	29,340	33,740	22,753	10,339	2,191	117	9	1	27
White, mother foreign	3,626	-	26	476	646	1,134	950	358	31	4	-	1
White, mother's nativity not stated	12	-	2	7	-	2	1	-	-	-	-	-
Negro	10,719	88	2,331	3,543	2,282	1,449	780	229	11	-	-	6
Other	44	-	2	17	14	5	5	1	-	-	-	-
Places of 100,000 or more	53,800	83	3,912	15,007	16,382	11,696	5,467	1,153	74	4	1	21
White, mother native	43,163	13	2,031	11,912	14,231	9,857	4,239	817	44	3	1	15
White, mother foreign	2,182	-	17	258	376	717	603	189	20	1	-	1
White, mother's nativity not stated	8	-	1	4	-	2	1	-	-	-	-	-
Negro	8,414	70	1,861	2,820	1,765	1,115	621	147	10	-	-	5
Other	33	-	2	13	10	5	3	-	-	-	-	-
Places of 25,000 to 100,000	22,447	17	1,513	6,420	7,019	4,635	2,263	537	34	4	-	5
White, mother native	20,807	6	1,267	5,975	6,671	4,326	2,087	439	28	3	-	5
White, mother foreign	492	-	3	77	94	145	104	63	5	1	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-	-
Negro	1,142	11	243	365	253	164	71	34	1	-	-	-
Other	4	-	-	1	1	-	1	1	-	-	-	-
Places of 10,000 to 25,000	20,283	5	1,213	5,686	6,356	4,412	2,081	507	17	3	-	3
White, mother native	19,030	2	1,057	5,376	6,090	4,159	1,903	426	13	1	-	3
White, mother foreign	484	-	3	72	84	146	118	55	4	2	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	763	3	153	235	180	107	59	26	-	-	-	-
Other	5	-	-	2	2	-	1	-	-	-	-	-
Places of 2,500 to 10,000	21,990	12	1,296	6,270	6,925	4,600	2,264	582	34	2	-	5
White, mother native	21,119	8	1,219	6,077	6,748	4,411	2,110	509	32	2	-	4
White, mother foreign	468	-	3	69	92	126	125	51	2	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	400	4	74	123	84	63	29	22	-	-	-	1
Other	2	-	-	1	1	-	-	-	-	-	-	-
Rural	55,279	30	4,555	15,265	15,802	11,132	6,336	1,991	146	6	2	14
White, mother native	53,670	24	4,383	14,912	15,489	10,826	6,032	1,853	129	6	2	14
White, mother foreign	742	-	13	89	126	177	215	106	16	-	-	-
White, mother's nativity not stated	8	-	2	2	1	3	-	-	-	-	-	-
Negro	850	6	157	255	186	125	88	32	1	-	-	-
Other	9	-	-	7	-	1	1	-	-	-	-	-
RHODE ISLAND	13,635	1	666	3,696	4,222	3,079	1,565	380	20	-	-	6
White, mother native	12,351	1	595	3,466	3,937	2,769	1,269	292	16	-	-	6
White, mother foreign	951	-	5	119	211	266	262	84	4	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	325	-	65	108	73	44	31	4	-	-	-	-
Other	8	-	1	3	1	-	3	-	-	-	-	-
Urban	12,111	-	583	3,238	3,735	2,781	1,415	339	17	-	-	3
White, mother native	10,919	-	515	3,031	3,470	2,497	1,136	254	13	-	-	3
White, mother foreign	884	-	4	108	195	244	248	81	4	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	302	-	63	97	70	40	28	4	-	-	-	-
Other	6	-	1	2	-	-	3	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
RHODE ISLAND—Continued												
Places of 100,000 or more	4,457	-	242	1,188	1,349	1,057	505	113	3	-	-	-
White, mother native	3,982	-	202	1,086	1,261	944	403	83	3	-	-	-
White, mother foreign	276	-	-	36	41	88	84	27	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	195	-	39	64	47	25	17	3	-	-	-	-
Other	4	-	1	2	-	-	1	-	-	-	-	-
Places of 25,000 to 100,000	5,542	-	260	1,490	1,723	1,236	665	157	8	-	-	3
White, mother native	5,004	-	235	1,410	1,584	1,110	539	117	6	-	-	3
White, mother foreign	442	-	3	51	117	114	116	39	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	95	-	22	29	22	12	9	1	-	-	-	-
Other	1	-	-	-	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000	1,635	-	64	437	501	383	196	50	4	-	-	-
White, mother native	1,469	-	63	417	474	342	155	36	2	-	-	-
White, mother foreign	135	-	-	17	26	38	38	14	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	10	-	1	3	1	3	2	-	-	-	-	-
Other	1	-	-	-	-	-	1	-	-	-	-	-
Places of 2,500 to 10,000	477	-	17	123	162	105	49	19	2	-	-	-
White, mother native	444	-	15	118	151	101	39	18	2	-	-	-
White, mother foreign	31	-	1	4	11	4	10	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	1	1	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	1,524	1	83	458	487	298	150	41	3	-	-	3
White, mother native	1,432	1	80	435	467	272	133	38	3	-	-	3
White, mother foreign	67	-	1	11	16	22	14	3	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	23	-	2	11	3	4	3	-	-	-	-	-
Other	2	-	-	1	1	-	-	-	-	-	-	-
SOUTH CAROLINA	49,431	167	8,100	15,780	11,422	7,851	4,583	1,202	123	4	2	197
White, mother native	26,517	28	3,317	8,571	6,488	4,771	2,520	701	56	-	-	65
White, mother foreign	92	-	3	26	27	23	13	-	-	-	-	-
White, mother's nativity not stated	136	1	19	24	36	24	15	4	1	-	-	12
Negro	22,668	138	4,761	7,153	4,865	3,027	2,035	497	66	4	2	120
Other	18	-	-	6	6	6	-	-	-	-	-	-
Urban	15,333	43	2,408	5,214	3,772	2,422	1,187	233	20	-	-	34
White, mother native	10,472	10	1,309	3,586	2,685	1,839	847	168	11	-	-	17
White, mother foreign	55	-	2	14	19	11	9	-	-	-	-	-
White, mother's nativity not stated	31	1	3	7	8	6	2	1	1	-	-	2
Negro	4,770	32	1,094	1,605	1,057	566	329	64	8	-	-	15
Other	5	-	-	2	3	-	-	-	-	-	-	-
Places of 25,000 to 100,000	6,630	21	1,051	2,295	1,716	1,004	462	69	6	-	-	6
White, mother native	4,304	7	499	1,530	1,170	726	317	51	2	-	-	2
White, mother foreign	38	-	1	9	17	6	5	-	-	-	-	-
White, mother's nativity not stated	11	1	2	2	4	1	1	-	-	-	-	-
Negro	2,277	13	549	754	525	271	139	18	4	-	-	4
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,982	7	433	1,072	690	475	235	54	4	-	-	12
White, mother native	2,126	2	243	761	513	388	175	32	3	-	-	9
White, mother foreign	8	-	1	2	-	3	2	-	-	-	-	-
White, mother's nativity not stated	8	-	1	2	3	1	1	-	-	-	-	-
Negro	837	5	188	305	173	83	57	22	1	-	-	3
Other	3	-	-	2	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,721	15	924	1,847	1,366	943	490	110	10	-	-	16
White, mother native	4,042	1	567	1,295	1,002	725	355	85	6	-	-	6
White, mother foreign	9	-	-	3	2	2	2	-	-	-	-	-
White, mother's nativity not stated	12	-	-	3	1	4	-	1	1	-	-	2
Negro	1,656	14	357	546	359	212	133	24	3	-	-	8
Other	2	-	-	-	2	-	-	-	-	-	-	-
Rural	34,098	124	5,692	10,566	7,650	5,429	3,396	969	103	4	2	163
White, mother native	16,045	18	2,008	4,985	3,803	2,932	1,673	533	45	-	-	48
White, mother foreign	37	-	1	12	8	12	4	-	-	-	-	-
White, mother's nativity not stated	105	-	16	17	28	18	13	3	-	-	-	10
Negro	17,898	106	3,667	5,548	3,808	2,461	1,706	433	58	4	2	105
Other	13	-	-	4	3	6	-	-	-	-	-	-
SOUTH DAKOTA	12,460	3	914	3,624	3,517	2,475	1,373	460	41	1	-	52
White, mother native	11,631	3	831	3,420	3,329	2,313	1,256	401	37	-	-	41
White, mother foreign	140	-	3	17	26	28	37	26	1	1	-	1
White, mother's nativity not stated	15	-	3	2	3	3	-	-	-	-	-	4
Negro	15	-	-	7	2	3	2	-	-	-	-	1
Other	659	-	77	178	157	128	78	33	3	-	-	5
Urban	3,697	1	291	1,211	1,053	674	341	106	6	-	-	14
White, mother native	3,573	1	283	1,178	1,020	657	320	95	6	-	-	13
White, mother foreign	47	-	1	11	13	8	6	8	-	-	-	-
White, mother's nativity not stated	5	-	1	-	2	1	-	-	-	-	-	1
Negro	13	-	-	6	2	3	2	-	-	-	-	-
Other	59	-	6	16	16	5	13	3	-	-	-	-
Places of 25,000 to 100,000	1,087	1	81	385	303	208	83	21	1	-	-	4
White, mother native	1,062	1	81	375	296	203	80	21	1	-	-	4
White, mother foreign	13	-	-	3	5	3	2	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	10	-	-	5	2	2	1	-	-	-	-	-
Other	2	-	-	2	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,486	-	121	495	420	247	146	49	-	-	-	8
White, mother native	1,443	-	120	483	409	239	141	44	-	-	-	7
White, mother foreign	20	-	-	6	3	5	2	4	-	-	-	-
White, mother's nativity not stated	4	-	1	-	1	1	-	-	-	-	-	1

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
SOUTH DAKOTA —Continued												
Places of 10,000 to 25,000—Continued												
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	19	-	-	6	7	2	3	1	-	-	-	-
Places of 2,500 to 10,000	1,124	-	89	331	330	219	112	36	5	-	-	2
White, mother native	1,068	-	82	320	315	215	99	30	5	-	-	2
White, mother foreign	14	-	1	2	5	-	2	4	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	3	-	-	1	-	1	1	-	-	-	-	-
Other	38	-	6	8	9	3	10	2	-	-	-	-
Rural	8,763	2	623	2,413	2,464	1,801	1,032	354	35	1	-	39
White, mother native	8,058	2	548	2,242	2,309	1,656	936	306	31	-	-	28
White, mother foreign	93	-	2	6	13	20	31	18	1	1	-	1
White, mother's nativity not stated	10	-	2	2	1	2	-	-	-	-	-	3
Negro	2	-	-	1	-	-	-	-	-	-	-	1
Other	600	-	71	162	141	123	65	30	3	-	-	5
TENNESSEE	64,966	184	9,328	19,176	15,643	11,266	6,932	2,149	196	13	6	73
White, mother native	54,048	59	6,842	16,135	13,364	9,627	5,914	1,869	166	10	5	57
White, mother foreign	109	-	5	29	23	30	17	4	1	-	-	-
White, mother's nativity not stated	61	-	8	15	8	15	8	1	-	-	-	6
Negro	10,740	125	2,472	2,996	2,246	1,591	992	275	29	3	1	10
Other	8	-	1	1	2	3	1	-	-	-	-	-
Urban	25,057	97	3,862	7,960	6,222	4,161	2,172	521	36	6	4	16
White, mother native	19,206	26	2,503	6,266	4,971	3,302	1,699	398	25	3	3	10
White, mother foreign	83	-	2	26	19	19	15	1	1	-	-	-
White, mother's nativity not stated	7	-	-	1	1	2	2	-	-	-	-	1
Negro	5,758	71	1,357	1,666	1,230	837	456	122	10	3	1	5
Other	3	-	-	1	1	1	-	-	-	-	-	-
Places of 100,000 or more	16,554	75	2,650	5,299	4,016	2,734	1,406	336	21	6	4	7
White, mother native	11,872	15	1,555	3,966	3,013	2,029	1,041	232	13	3	3	2
White, mother foreign	66	-	1	19	18	14	13	1	-	-	-	-
White, mother's nativity not stated	5	-	-	1	-	1	2	-	-	-	-	1
Negro	4,610	60	1,094	1,313	984	690	350	103	8	3	1	4
Other	1	-	-	-	1	-	-	-	-	-	-	-
Places of 25,000 to 100,000	556	2	69	197	142	89	46	9	1	-	-	1
White, mother native	511	1	59	183	129	84	44	9	1	-	-	1
White, mother foreign	1	-	-	-	1	-	-	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	44	1	10	14	12	5	2	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,502	10	361	785	629	426	221	64	5	-	-	1
White, mother native	2,096	3	269	656	552	374	182	55	4	-	-	1
White, mother foreign	8	-	1	4	-	2	1	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-	-
Negro	395	7	91	124	77	48	38	9	1	-	-	-
Other	2	-	-	1	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	5,445	10	782	1,679	1,435	912	499	112	9	-	-	7
White, mother native	4,727	7	620	1,461	1,277	815	432	102	7	-	-	6
White, mother foreign	8	-	-	3	-	3	1	-	1	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	709	3	162	215	157	94	66	10	1	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	39,909	87	5,466	11,216	9,421	7,105	4,760	1,628	160	7	2	57
White, mother native	34,842	33	4,339	9,869	8,393	6,325	4,215	1,471	141	7	2	47
White, mother foreign	26	-	3	3	4	11	2	3	-	-	-	-
White, mother's nativity not stated	54	-	8	14	7	13	6	1	-	-	-	5
Negro	4,982	54	1,115	1,330	1,016	754	536	153	19	-	-	5
Other	5	-	1	-	1	2	1	-	-	-	-	-
TEXAS	157,915	328	22,471	49,384	38,711	26,923	15,224	4,101	312	11	11	439
White, mother native	130,650	164	17,687	42,331	33,320	22,092	11,616	2,924	199	4	6	307
White, mother foreign	7,406	2	330	1,154	1,465	1,899	1,832	613	65	4	4	38
White, mother's nativity not stated	230	-	35	68	49	28	25	11	-	-	-	14
Negro	19,477	162	4,410	5,791	3,832	2,875	1,732	546	46	3	1	79
Other	152	-	9	40	45	29	19	7	2	-	-	1
Urban	95,922	179	13,870	31,718	23,920	15,777	8,132	1,959	140	6	6	215
White, mother native	80,614	93	11,074	27,610	20,880	13,110	6,233	1,369	81	3	2	159
White, mother foreign	4,609	1	167	723	924	1,225	1,134	370	42	2	4	17
White, mother's nativity not stated	109	-	23	33	28	10	7	2	-	-	-	6
Negro	10,535	85	2,600	3,364	2,069	1,425	755	217	16	1	-	33
Other	55	-	6	18	19	7	3	1	1	-	-	-
Places of 100,000 or more	33,784	58	4,690	11,053	8,770	5,750	2,752	624	38	3	2	44
White, mother native	28,121	29	3,599	9,396	7,612	4,835	2,154	441	20	2	1	32
White, mother foreign	1,230	-	25	173	242	344	333	99	9	1	1	3
White, mother's nativity not stated	29	-	5	10	9	3	1	-	-	-	-	1
Negro	4,383	29	1,060	1,467	898	565	264	84	8	-	-	8
Other	21	-	1	7	9	3	-	-	1	-	-	-
Places of 25,000 to 100,000	23,506	39	3,362	8,011	5,819	3,776	1,948	443	35	-	2	71
White, mother native	19,523	21	2,687	6,997	5,054	3,000	1,412	281	18	-	-	53
White, mother foreign	1,511	1	45	227	312	421	364	117	15	-	2	7
White, mother's nativity not stated	30	-	7	11	7	1	1	2	-	-	-	1
Negro	2,428	17	621	771	443	352	169	43	2	-	-	10
Other	14	-	2	5	3	2	2	-	-	-	-	-
Places of 10,000 to 25,000	11,337	19	1,588	3,855	2,845	1,812	948	220	14	2	-	34
White, mother native	9,499	8	1,248	3,351	2,482	1,518	703	156	7	1	-	25
White, mother foreign	521	-	23	105	105	116	127	37	5	-	-	3
White, mother's nativity not stated	7	-	-	2	2	-	1	-	-	-	-	2
Negro	1,304	11	317	396	252	178	117	26	2	1	-	4
Other	6	-	-	1	4	-	-	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
TEXAS—Continued												
Places of 2,500 to 10,000	27,295	63	4,230	8,799	6,486	4,439	2,484	672	53	1	2	66
White, mother native	23,471	35	3,540	7,866	5,732	3,757	1,964	491	36	-	1	49
White, mother foreign	1,347	-	74	218	265	344	310	117	13	1	1	4
White, mother's nativity not stated	43	-	11	10	10	6	4	-	-	-	-	2
Negro	2,420	28	602	700	476	330	205	64	4	-	-	11
Other	14	-	3	5	3	2	1	-	-	-	-	-
Rural	61,993	149	8,601	17,666	14,791	11,146	7,092	2,142	172	5	5	224
White, mother native	50,036	71	6,613	14,721	12,440	8,982	5,383	1,555	118	1	4	148
White, mother foreign	2,797	1	163	431	541	674	698	243	23	2	-	21
White, mother's nativity not stated	121	-	12	35	21	18	18	9	-	-	-	8
Negro	8,942	77	1,810	2,457	1,763	1,450	977	329	30	2	1	46
Other	97	-	3	22	26	22	16	6	1	-	-	1
UTAH	15,680	4	1,257	4,595	4,499	3,107	1,653	475	40	1	-	49
White, mother native	15,074	4	1,235	4,433	4,351	2,953	1,581	436	35	1	-	45
White, mother foreign	332	-	5	53	57	113	67	32	4	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	49	-	8	18	13	5	3	1	-	-	-	1
Other	225	-	9	91	78	36	2	6	1	-	-	2
Urban	9,321	3	768	2,760	2,718	1,857	916	246	23	1	-	29
White, mother native	8,941	3	754	2,671	2,625	1,755	863	222	19	1	-	28
White, mother foreign	234	-	3	32	44	82	50	20	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	34	-	5	12	7	5	3	1	-	-	-	1
Other	112	-	6	45	42	15	-	3	1	-	-	-
Places of 100,000 or more	4,417	2	375	1,357	1,274	856	420	109	10	-	-	14
White, mother native	4,187	2	365	1,304	1,217	792	392	93	8	-	-	14
White, mother foreign	145	-	2	20	29	52	26	14	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	20	-	4	7	6	1	2	-	-	-	-	-
Other	65	-	4	26	22	11	-	2	-	-	-	-
Places of 25,000 to 100,000	1,422	-	106	469	412	264	127	35	3	-	-	6
White, mother native	1,365	-	104	456	392	252	120	33	3	-	-	5
White, mother foreign	18	-	-	1	5	6	6	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	14	-	1	5	1	4	1	1	-	-	-	1
Other	25	-	1	7	14	2	-	1	-	-	-	-
Places of 10,000 to 25,000	857	-	59	231	260	187	96	19	3	-	-	2
White, mother native	834	-	58	227	257	180	89	18	3	-	-	2
White, mother foreign	20	-	-	2	3	7	7	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	3	-	1	2	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	2,625	1	228	703	772	550	273	83	7	1	-	7
White, mother native	2,555	1	227	684	759	531	262	78	5	1	-	7
White, mother foreign	51	-	1	9	7	17	11	5	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	19	-	-	10	6	2	-	-	1	-	-	-
Rural	6,359	1	489	1,835	1,781	1,250	737	229	17	-	-	20
White, mother native	6,133	1	481	1,762	1,726	1,198	718	214	16	-	-	17
White, mother foreign	98	-	2	21	13	31	17	12	1	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	15	-	3	6	6	-	-	-	-	-	-	-
Other	113	-	3	46	36	21	2	3	-	-	-	2
VERMONT	6,873	4	623	2,058	1,957	1,260	747	217	6	-	-	1
White, mother native	6,346	4	605	1,958	1,824	1,130	646	175	3	-	-	1
White, mother foreign	519	-	17	97	131	130	100	42	2	-	-	-
White, mother's nativity not stated	3	-	1	1	1	-	-	-	-	-	-	-
Negro	5	-	-	2	1	-	1	-	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Urban	2,698	-	210	820	800	506	293	68	1	-	-	-
White, mother native	2,512	-	207	775	763	458	259	50	-	-	-	-
White, mother foreign	180	-	3	42	36	48	33	18	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	5	-	-	2	1	-	1	-	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	642	-	50	209	191	113	67	11	1	-	-	-
White, mother native	600	-	49	199	182	105	59	6	-	-	-	-
White, mother foreign	39	-	1	9	9	8	7	5	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	-	1	-	-	1	-	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	571	-	41	155	156	119	80	20	-	-	-	-
White, mother native	528	-	41	145	151	107	68	16	-	-	-	-
White, mother foreign	41	-	-	8	5	12	12	4	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,485	-	119	456	453	274	146	37	-	-	-	-
White, mother native	1,384	-	117	431	430	246	132	28	-	-	-	-
White, mother foreign	100	-	2	25	22	28	14	9	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	1	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	4,175	4	413	1,238	1,157	754	454	149	5	-	-	1
White, mother native	3,834	4	398	1,183	1,061	672	387	125	3	-	-	1
White, mother foreign	339	-	14	55	95	82	67	24	2	-	-	-
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-	-

747801 O - 47 - 7

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
VERMONT—Continued												
Rural—Continued												
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	67,068	164	8,595	20,404	17,259	11,765	6,574	1,935	199	-	-	173
White, mother native	49,839	26	4,973	15,076	13,571	9,411	5,096	1,450	133	-	-	103
White, mother foreign	390	-	7	93	114	100	62	12	2	-	-	-
White, mother's nativity not stated	17	-	-	2	4	3	2	-	-	-	-	6
Negro	16,806	138	3,611	5,228	3,567	2,249	1,412	473	64	-	-	64
Other	16	-	4	5	3	2	2	-	-	-	-	-
Urban	26,358	70	3,197	8,455	7,181	4,701	2,215	452	34	-	-	53
White, mother native	20,005	6	1,720	6,371	5,854	3,878	1,766	363	18	-	-	29
White, mother foreign	288	-	5	70	86	73	45	7	2	-	-	-
White, mother's nativity not stated	15	-	-	2	4	2	2	-	-	-	-	5
Negro	6,039	64	1,470	2,008	1,235	746	401	82	14	-	-	19
Other	11	-	2	4	2	2	1	-	-	-	-	-
Places of 100,000 or more	8,033	37	1,192	2,663	2,002	1,362	619	122	12	-	-	24
White, mother native	5,387	2	532	1,816	1,487	1,003	444	86	7	-	-	10
White, mother foreign	90	-	2	20	24	30	10	3	1	-	-	-
White, mother's nativity not stated	4	-	-	-	-	-	-	-	-	-	-	4
Negro	2,547	35	658	824	490	329	164	33	4	-	-	10
Other	5	-	-	3	1	-	1	-	-	-	-	-
Places of 25,000 to 100,000	11,730	25	1,238	3,630	3,372	2,205	1,053	176	14	-	-	17
White, mother native	9,070	1	648	2,741	2,784	1,870	861	147	7	-	-	11
White, mother foreign	162	-	3	44	51	38	23	3	-	-	-	-
White, mother's nativity not stated	9	-	-	1	4	2	2	-	-	-	-	-
Negro	2,485	24	587	843	532	293	167	26	7	-	-	6
Other	4	-	-	1	1	2	-	-	-	-	-	-
Places of 10,000 to 25,000	1,717	-	228	569	456	298	126	37	1	-	-	2
White, mother native	1,376	-	146	466	379	256	102	26	-	-	-	1
White, mother foreign	7	-	-	-	1	1	4	1	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	333	-	82	102	76	41	20	10	1	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	4,878	8	539	1,593	1,351	836	417	117	7	-	-	10
White, mother native	4,172	3	394	1,348	1,204	749	359	104	4	-	-	7
White, mother foreign	29	-	-	6	10	4	8	-	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	674	5	143	239	137	83	50	13	2	-	-	2
Other	2	-	2	-	-	-	-	-	-	-	-	-
Rural	40,710	94	5,398	11,949	10,078	7,064	4,359	1,483	165	-	-	120
White, mother native	29,834	20	3,253	8,705	7,717	5,533	3,330	1,087	115	-	-	74
White, mother foreign	102	-	2	23	28	27	17	5	-	-	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	-	1
Negro	10,767	74	2,141	3,220	2,332	1,503	1,011	391	50	-	-	45
Other	5	-	2	1	1	-	1	-	-	-	-	-
WASHINGTON	44,573	19	4,292	14,335	13,031	8,185	3,707	898	55	2	-	49
White, mother native	41,079	14	4,006	13,342	12,060	7,418	3,365	789	45	2	-	38
White, mother foreign	2,098	-	65	476	619	579	269	80	7	-	-	3
White, mother's nativity not stated	14	-	2	2	3	2	3	-	-	-	-	2
Negro	646	3	124	264	146	80	22	4	1	-	-	2
Other	736	2	95	251	203	106	48	25	2	-	-	4
Urban	27,747	7	2,510	9,054	8,349	5,124	2,209	454	23	2	-	15
White, mother native	25,521	5	2,337	8,409	7,707	4,622	2,006	402	20	2	-	11
White, mother foreign	1,404	-	44	328	426	392	168	42	2	-	-	2
White, mother's nativity not stated	8	-	1	1	3	1	1	-	-	-	-	1
Negro	473	2	92	196	103	57	19	3	1	-	-	-
Other	341	-	36	120	110	52	15	7	-	-	-	1
Places of 100,000 or more	18,011	5	1,461	5,827	5,517	3,416	1,465	297	16	1	-	6
White, mother native	16,424	3	1,342	5,359	5,070	3,049	1,323	259	13	1	-	5
White, mother foreign	977	-	26	225	288	289	116	31	2	-	-	-
White, mother's nativity not stated	4	-	-	-	1	1	1	-	-	-	-	1
Negro	348	2	66	153	74	39	11	2	1	-	-	-
Other	258	-	27	90	84	38	14	5	-	-	-	-
Places of 25,000 to 100,000	2,324	-	249	728	713	410	184	36	2	-	-	2
White, mother native	2,154	-	234	688	661	371	164	33	2	-	-	1
White, mother foreign	139	-	6	31	44	37	19	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	24	-	6	8	7	2	1	-	-	-	-	-
Other	7	-	3	1	1	-	-	1	-	-	-	1
Places of 10,000 to 25,000	4,132	-	408	1,389	1,186	767	315	64	1	-	-	2
White, mother native	3,879	-	387	1,314	1,112	717	290	57	1	-	-	1
White, mother foreign	154	-	5	40	50	34	18	6	-	-	-	1
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	82	-	14	28	18	14	7	1	-	-	-	-
Other	16	-	2	6	6	2	-	-	-	-	-	-
Places of 2,500 to 10,000	3,280	2	392	1,110	933	531	245	57	4	1	-	5
White, mother native	3,064	2	374	1,048	864	485	229	53	4	1	-	4
White, mother foreign	134	-	7	32	44	32	15	3	-	-	-	1
White, mother's nativity not stated	3	-	1	-	2	-	-	-	-	-	-	-
Negro	19	-	6	7	4	2	-	-	-	-	-	-
Other	60	-	4	23	19	12	1	1	-	-	-	-
Rural	16,826	12	1,782	5,281	4,682	3,061	1,498	444	32	-	-	34
White, mother native	15,558	9	1,669	4,933	4,353	2,796	1,359	387	25	-	-	27
White, mother foreign	694	-	21	148	193	187	101	38	5	-	-	1
White, mother's nativity not stated	6	-	1	1	-	1	2	-	-	-	-	1
Negro	173	1	32	68	43	23	3	1	-	-	-	2
Other	395	2	59	131	93	54	33	18	2	-	-	3

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
WEST VIRGINIA	39,039	34	4,862	12,039	9,685	6,629	4,072	1,385	154	2	1	156
White, mother native	36,640	23	4,483	11,312	9,194	6,235	3,805	1,283	143	2	1	129
White, mother foreign	176	-	1	33	28	35	47	29	3	-	-	-
White, mother's nativity not stated	86	-	10	24	17	9	12	4	1	-	-	9
Negro	2,134	11	388	639	445	349	208	69	7	-	-	18
Other	3	-	-	1	1	1	-	-	-	-	-	-
Urban	13,156	9	1,561	4,277	3,509	2,211	1,166	327	24	-	-	52
White, mother native	12,438	5	1,464	4,084	3,360	2,092	1,074	299	21	-	-	39
White, mother foreign	94	-	1	15	14	23	29	11	1	-	-	-
White, mother's nativity not stated	21	-	2	5	8	2	1	-	-	-	-	3
Negro	602	4	114	172	127	94	62	17	2	-	-	10
Other	1	-	-	1	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	6,183	6	744	2,063	1,610	1,041	532	152	12	-	-	23
White, mother native	5,888	3	694	1,975	1,552	998	494	147	10	-	-	15
White, mother foreign	45	-	-	10	4	11	16	3	1	-	-	-
White, mother's nativity not stated	14	-	1	4	3	2	1	-	-	-	-	3
Negro	235	3	49	73	51	30	21	2	1	-	-	5
Other	1	-	-	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,844	1	342	890	816	481	233	66	6	-	-	9
White, mother native	2,650	-	314	844	777	440	210	52	5	-	-	8
White, mother foreign	25	-	-	-	7	7	7	4	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	169	1	28	46	32	34	16	10	1	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	4,129	2	495	1,324	1,083	689	401	109	6	-	-	20
White, mother native	3,900	2	456	1,265	1,031	654	370	100	6	-	-	16
White, mother foreign	24	-	1	5	3	5	6	4	-	-	-	-
White, mother's nativity not stated	7	-	1	1	5	-	-	-	-	-	-	-
Negro	198	-	37	53	44	30	25	5	-	-	-	4
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	25,883	25	3,301	7,762	6,176	4,418	2,906	1,058	130	2	1	104
White, mother native	24,202	18	3,019	7,258	5,834	4,143	2,731	984	122	2	1	90
White, mother foreign	82	-	-	18	14	12	18	18	2	-	-	-
White, mother's nativity not stated	65	-	8	19	9	7	11	4	1	-	-	6
Negro	1,532	7	274	467	318	255	146	52	5	-	-	8
Other	2	-	-	-	1	1	-	-	-	-	-	-
WISCONSIN	61,437	10	3,546	16,842	18,506	13,665	6,781	1,918	138	2	-	29
White, mother native	59,595	9	3,404	16,453	18,108	13,226	6,459	1,787	121	2	-	26
White, mother foreign	1,102	-	14	166	212	331	251	113	15	-	-	-
White, mother's nativity not stated	7	-	1	1	1	2	1	-	-	-	-	1
Negro	323	1	74	117	68	41	17	4	1	-	-	-
Other	410	-	53	105	117	65	53	14	1	-	-	2
Urban	32,919	5	1,594	8,881	10,341	7,626	3,517	887	53	-	-	15
White, mother native	31,749	4	1,504	8,628	10,090	7,325	3,329	813	43	-	-	13
White, mother foreign	778	-	9	119	158	247	168	68	9	-	-	-
White, mother's nativity not stated	6	-	-	1	1	2	1	-	-	-	-	1
Negro	308	1	71	110	67	39	15	4	1	-	-	-
Other	78	-	10	23	25	13	4	2	-	-	-	1
Places of 100,000 or more	10,780	2	475	2,922	3,512	2,503	1,059	286	19	-	-	2
White, mother native	10,113	1	405	2,765	3,366	2,339	971	251	13	-	-	2
White, mother foreign	367	-	4	54	73	126	74	31	5	-	-	-
White, mother's nativity not stated	2	-	-	-	1	1	-	-	-	-	-	-
Negro	263	1	62	94	59	30	13	3	1	-	-	-
Other	35	-	4	9	13	7	1	1	-	-	-	-
Places of 25,000 to 100,000	12,488	-	597	3,393	3,923	2,878	1,356	319	17	-	-	5
White, mother native	12,136	-	581	3,323	3,850	2,789	1,293	291	14	-	-	5
White, mother foreign	281	-	3	48	58	76	67	26	3	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-	-
Negro	41	-	8	15	7	8	2	1	-	-	-	-
Other	29	-	5	7	8	5	3	1	-	-	-	-
Places of 10,000 to 25,000	4,522	1	223	1,164	1,406	1,064	516	134	8	-	-	6
White, mother native	4,446	1	223	1,148	1,390	1,040	501	132	7	-	-	4
White, mother foreign	65	-	-	12	14	21	15	2	1	-	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	-	1
Negro	2	-	-	1	-	1	-	-	-	-	-	-
Other	7	-	-	3	2	1	-	-	-	-	-	1
Places of 2,500 to 10,000	5,129	2	299	1,402	1,500	1,181	586	148	9	-	-	2
White, mother native	5,054	2	295	1,392	1,484	1,157	574	139	9	-	-	2
White, mother foreign	65	-	2	5	13	24	12	9	-	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	2	-	1	-	1	-	-	-	-	-	-	-
Other	7	-	1	4	2	-	-	-	-	-	-	-
Rural	28,518	5	1,952	7,961	8,165	6,039	3,264	1,031	85	2	-	14
White, mother native	27,846	5	1,900	7,825	8,018	5,901	3,130	974	78	2	-	13
White, mother foreign	324	-	5	47	54	84	83	45	6	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	15	-	3	7	1	2	2	-	-	-	-	-
Other	332	-	43	82	92	52	49	12	1	-	-	1
WYOMING	5,481	2	512	1,768	1,515	1,007	529	135	7	-	-	6
White, mother native	5,139	2	490	1,681	1,423	938	478	116	5	-	-	6
White, mother foreign	98	-	2	16	18	22	30	9	1	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	28	-	7	9	6	3	2	1	-	-	-	-
Other	214	-	13	61	67	44	19	9	1	-	-	-
Urban	2,592	-	233	884	725	459	220	66	1	-	-	4
White, mother native	2,502	-	223	863	707	445	202	57	1	-	-	4
White, mother foreign	53	-	1	6	11	10	17	8	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	22	-	7	7	3	3	1	1	-	-	-	-
Other	14	-	2	8	3	1	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
WYOMING—Continued												
Places of 10,000 to 25,000	1,681	-	163	566	476	287	140	44	1	-	-	4
White, mother native	1,625	-	155	552	467	277	131	38	1	-	-	4
White, mother foreign	32	-	-	4	6	9	8	5	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	16	-	7	5	1	1	1	1	-	-	-	-
Other	8	-	1	5	2	-	-	-	-	-	-	-
Places of 2,500 to 10,000	911	-	70	318	249	172	80	22	-	-	-	-
White, mother native	877	-	68	311	240	168	71	19	-	-	-	-
White, mother foreign	21	-	1	2	5	1	9	3	-	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	6	-	-	2	2	2	-	-	-	-	-	-
Other	6	-	1	3	1	1	-	-	-	-	-	-
Rural	2,889	2	279	884	790	548	309	69	6	-	-	2
White, mother native	2,637	2	267	818	716	493	276	59	4	-	-	2
White, mother foreign	45	-	1	10	7	12	13	1	1	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	6	-	-	2	3	-	1	-	-	-	-	-
Other	200	-	11	53	64	43	19	9	1	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945

[By place of residence. Birth order refers to number of children ever born alive to mother. Figures on birth order for Massachusetts are included in the "total" and "not stated" classifications only; they are not given by birth order because this State does not require the reporting of such information]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
UNITED STATES						
TOTAL BIRTHS	2,735,456	2,395,563	2,306,374	86,650	324,264	15,629
Male	1,404,587	1,232,972	1,187,059	44,576	163,640	7,975
10 to 14 years	1,809	619	615	2	1,177	13
15 to 19 years	144,154	107,422	106,577	734	35,811	921
20 to 24 years	409,866	358,032	351,121	6,726	49,474	2,360
25 to 29 years	388,457	351,845	342,137	9,575	34,422	2,190
30 to 34 years	272,658	248,192	235,145	12,936	23,133	1,333
35 to 39 years	143,840	128,928	118,138	10,713	14,133	779
40 to 44 years	37,710	33,343	29,782	3,537	4,074	293
45 to 49 years	2,781	2,342	2,062	278	393	46
50 to 54 years	83	63	52	11	18	2
55 years and over	31	22	20	1	9	-
Not stated	3,198	2,164	1,410	63	996	38
Female	1,330,869	1,162,591	1,119,315	42,074	160,624	7,654
10 to 14 years	1,764	565	561	3	1,187	12
15 to 19 years	136,843	100,991	100,198	709	34,964	888
20 to 24 years	386,983	336,146	329,529	6,454	48,529	2,308
25 to 29 years	366,908	331,147	322,100	8,914	33,717	2,044
30 to 34 years	259,581	235,810	223,658	12,064	22,496	1,275
35 to 39 years	136,801	121,746	111,440	10,247	14,290	765
40 to 44 years	36,010	31,744	28,403	3,323	3,971	295
45 to 49 years	2,773	2,312	2,016	293	428	33
50 to 54 years	78	56	48	8	20	2
55 years and over	36	26	22	4	9	1
Not stated	3,092	2,048	1,340	55	1,013	31
First child	876,689	789,167	767,955	20,772	83,420	4,102
Male	451,360	407,003	396,117	10,655	42,250	2,107
10 to 14 years	1,789	605	601	2	1,171	13
15 to 19 years	105,225	82,649	82,024	542	21,908	668
20 to 24 years	189,810	176,452	172,764	3,624	12,472	886
25 to 29 years	95,752	91,320	88,400	2,887	4,036	396
30 to 34 years	40,408	38,549	36,421	2,116	1,764	95
35 to 39 years	15,187	14,470	13,259	1,200	679	38
40 to 44 years	2,599	2,475	2,212	263	119	5
45 to 49 years	109	102	88	14	7	-
50 to 54 years	11	11	10	1	-	-
55 years and over	3	3	3	-	-	-
Not stated	467	367	335	6	94	6
Female	425,329	382,164	371,838	10,117	41,170	1,995
10 to 14 years	1,749	555	551	3	1,182	12
15 to 19 years	99,521	77,678	77,079	541	21,215	628
20 to 24 years	178,503	165,358	161,811	3,477	12,271	874
25 to 29 years	90,071	85,773	83,065	2,676	3,943	355
30 to 34 years	38,306	36,525	34,509	2,005	1,692	89
35 to 39 years	14,228	13,539	12,396	1,139	658	31
40 to 44 years	2,380	2,271	2,012	259	104	5
45 to 49 years	97	90	79	11	7	-
50 to 54 years	9	8	7	1	1	-
55 years and over	4	4	4	-	-	-
Not stated	461	363	325	5	97	1
Second child	692,620	629,966	607,875	21,842	59,625	3,029
Male	356,513	324,876	313,482	11,255	30,094	1,543
10 to 14 years	9	4	4	-	5	-
15 to 19 years	27,140	17,597	17,466	109	9,345	198
20 to 24 years	112,697	99,362	97,627	1,688	12,667	668
25 to 29 years	116,976	111,593	108,541	3,015	4,901	482
30 to 34 years	70,942	68,629	64,746	3,867	2,180	133
35 to 39 years	24,869	24,004	21,824	2,173	817	48
40 to 44 years	3,370	3,255	2,869	385	103	12
45 to 49 years	120	115	107	8	5	-
50 to 54 years	9	9	8	1	-	-
55 years and over	2	2	2	-	-	-
Not stated	379	306	288	9	71	2
Female	336,107	305,090	294,393	10,587	29,531	1,486
10 to 14 years	3	1	1	-	2	-
15 to 19 years	25,805	16,428	16,314	95	9,176	201
20 to 24 years	106,230	93,081	91,443	1,601	12,475	674
25 to 29 years	110,063	104,876	101,995	2,849	4,744	443
30 to 34 years	67,014	64,733	61,112	3,611	2,154	127
35 to 39 years	23,900	22,502	20,462	2,035	766	32
40 to 44 years	3,190	3,060	2,694	365	124	6
45 to 49 years	108	98	81	17	10	-
50 to 54 years	9	9	7	2	-	-
55 years and over	7	6	4	2	1	-
Not stated	378	296	280	10	79	3
Third child	403,121	357,947	344,241	13,534	43,018	2,156
Male	206,426	183,501	176,396	7,018	21,834	1,091
15 to 19 years	5,200	2,572	2,547	24	2,593	35
20 to 24 years	52,540	41,710	41,142	540	10,411	419
25 to 29 years	68,953	63,298	61,852	1,428	5,268	387
30 to 34 years	52,127	49,586	47,018	2,542	2,362	179
35 to 39 years	23,216	22,209	20,217	1,986	956	51
40 to 44 years	3,944	3,762	3,287	473	168	14
45 to 49 years	153	142	125	17	9	2
50 to 54 years	7	6	6	-	1	-
55 years and over	3	3	3	-	-	-
Not stated	283	213	199	8	66	4
Female	196,695	174,446	167,845	6,516	21,184	1,065
15 to 19 years	5,162	2,556	2,530	22	2,566	40
20 to 24 years	49,924	39,446	38,902	515	10,060	418
UNITED STATES—Con.						
Third child—Continued						
Female—Continued						
25 to 29 years	65,334	59,794	58,504	1,268	5,151	389
30 to 34 years	50,101	47,694	45,317	2,360	2,258	149
35 to 39 years	22,019	21,035	19,132	1,895	930	54
40 to 44 years	3,705	3,546	3,117	429	153	6
45 to 49 years	178	166	144	22	11	1
50 to 54 years	11	9	9	-	2	-
55 years and over	2	2	2	-	-	-
Not stated	259	198	188	5	53	8
Fourth child	223,236	188,850	181,624	7,129	32,731	1,655
Male	114,462	97,157	93,467	3,643	16,420	885
15 to 19 years	926	340	337	3	581	5
20 to 24 years	22,486	15,620	15,405	202	6,642	224
25 to 29 years	38,795	33,034	32,386	630	5,398	363
30 to 34 years	31,132	28,463	27,319	1,140	2,463	206
35 to 39 years	17,070	15,931	14,678	1,246	1,071	68
40 to 44 years	3,697	3,480	3,098	382	204	13
45 to 49 years	179	161	128	33	17	1
50 to 54 years	9	6	5	1	2	1
55 years and over	2	2	2	-	-	-
Not stated	166	120	109	6	42	4
Female	108,774	91,693	88,157	3,486	16,311	770
15 to 19 years	904	293	287	6	604	7
20 to 24 years	21,544	14,798	14,592	198	6,558	188
25 to 29 years	36,675	31,000	30,389	592	5,361	314
30 to 34 years	29,732	27,108	25,969	1,126	2,438	186
35 to 39 years	16,057	14,898	13,683	1,207	1,097	62
40 to 44 years	3,521	3,331	2,997	334	181	9
45 to 49 years	159	146	124	22	13	-
50 to 54 years	7	5	4	1	2	-
Not stated	175	114	112	-	57	4
Fifth child	131,558	105,430	101,261	4,099	24,918	1,210
Male	67,560	54,367	52,216	2,117	12,570	623
15 to 19 years	161	53	52	1	107	1
20 to 24 years	8,175	4,842	4,766	70	3,257	76
25 to 29 years	22,720	17,352	17,046	298	5,129	239
30 to 34 years	20,335	17,488	16,823	654	2,644	203
35 to 39 years	12,589	11,356	10,586	762	1,155	78
40 to 44 years	3,225	2,999	2,691	307	204	23
45 to 49 years	188	169	148	21	19	-
50 to 54 years	4	3	3	-	1	-
55 years and over	1	-	-	-	1	-
Not stated	161	105	101	4	53	3
Female	63,998	51,063	49,045	1,982	12,348	587
15 to 19 years	152	50	50	-	101	1
20 to 24 years	7,879	4,571	4,516	51	3,246	62
25 to 29 years	21,310	16,189	15,886	294	4,892	229
30 to 34 years	19,412	16,618	15,994	615	2,614	180
35 to 39 years	11,881	10,589	9,875	708	1,206	86
40 to 44 years	3,025	2,775	2,482	291	228	22
45 to 49 years	196	172	155	17	20	4
50 to 54 years	3	3	3	-	-	-
55 years and over	5	4	4	-	1	-
Not stated	135	92	80	6	40	3
Sixth child	83,256	63,876	61,160	2,675	18,431	949
Male	42,052	32,305	30,933	1,351	9,307	440
15 to 19 years	36	13	13	-	22	1
20 to 24 years	2,515	1,206	1,175	27	1,287	22
25 to 29 years	12,206	8,271	8,092	174	3,779	156
30 to 34 years	14,430	11,620	11,212	403	2,666	144
35 to 39 years	9,723	8,384	7,875	504	1,258	81
40 to 44 years	2,868	2,586	2,368	217	251	31
45 to 49 years	174	159	139	20	13	2
50 to 54 years	2	1	-	1	1	-
55 years and over	3	3	3	-	-	-
Not stated	95	62	56	5	30	3
Female	41,204	31,571	30,227	1,324	9,124	509
15 to 19 years	33	9	8	1	24	-
20 to 24 years	2,385	1,140	1,120	19	1,211	34
25 to 29 years	12,081	8,175	7,999	173	3,773	133
30 to 34 years	13,930	11,197	10,801	386	2,539	194
35 to 39 years	9,537	8,173	7,712	458	1,249	115
40 to 44 years	2,905	2,622	2,358	263	255	28
45 to 49 years	217	185	163	22	30	2
50 to 54 years	8	4	4	-	3	1
55 years and over	2	2	2	-	-	-
Not stated	106	64	60	2	40	2
Seventh child	56,029	41,557	39,686	1,839	13,775	697
Male	28,631	21,317	20,381	917	6,970	344
20 to 24 years	730	292	285	7	430	8
25 to 29 years	6,045	3,610	3,527	83	2,369	66
30 to 34 years	10,479	7,825	7,545	271	2,505	149
35 to 39 years	8,375	6,956	6,592	358	1,334	85
40 to 44 years	2,725	2,413	2,223	187	280	32
45 to 49 years	197	173	162	11	21	3
50 to 54 years	4	2	2	-	2	-
55 years and over	2	-	-	-	2	-
Not stated	74	46	45	-	27	1

[1] Includes mother's nativity not stated.

Table 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
UNITED STATES—Con.						
Seventh child—Continued						
Female	27,398	20,240	19,305	922	6,805	353
20 to 24 years	819	352	344	8	460	7
25 to 29 years	5,720	3,395	3,309	84	2,246	79
30 to 34 years	10,068	7,469	7,215	249	2,460	139
35 to 39 years	7,842	6,437	6,073	362	1,315	90
40 to 44 years	2,661	2,358	2,166	190	272	31
45 to 49 years	208	178	154	23	25	5
50 to 54 years	4	4	2	2	-	-
Not stated	76	47	42	4	27	2
Eighth child	38,565	27,819	26,391	1,404	10,226	520
Male	19,573	14,287	13,552	721	5,026	260
20 to 24 years	220	90	85	5	127	3
25 to 29 years	2,614	1,406	1,367	39	1,178	30
30 to 34 years	6,944	4,787	4,616	167	2,057	100
35 to 39 years	7,086	5,647	5,338	300	1,348	91
40 to 44 years	2,422	2,129	1,942	186	264	29
45 to 49 years	215	182	165	17	28	5
50 to 54 years	7	4	2	2	3	-
55 years and over	1	1	1	-	-	-
Not stated	64	41	36	5	21	2
Female	18,992	13,532	12,839	683	5,200	260
20 to 24 years	249	86	82	3	162	1
25 to 29 years	2,483	1,273	1,235	36	1,184	26
30 to 34 years	6,692	4,562	4,392	168	2,037	93
35 to 39 years	6,829	5,295	4,996	295	1,436	98
40 to 44 years	2,470	2,103	1,946	156	329	38
45 to 49 years	212	181	157	24	28	3
50 to 54 years	10	7	7	-	3	-
55 years and over	4	1	1	-	3	-
Not stated	43	24	23	1	18	1
Ninth child	26,654	18,727	17,728	983	7,572	355
Male	13,540	9,519	8,984	526	3,831	190
20 to 24 years	87	33	32	1	54	-
25 to 29 years	1,020	464	450	13	546	10
30 to 34 years	4,085	2,577	2,459	115	1,442	66
35 to 39 years	5,601	4,163	3,923	239	1,366	72
40 to 44 years	2,467	2,066	1,926	136	370	31
45 to 49 years	228	181	161	20	38	9
50 to 54 years	8	5	3	2	2	1
55 years and over	1	1	1	-	-	-
Not stated	43	29	29	-	13	1
Female	13,114	9,208	8,744	457	3,741	165
20 to 24 years	79	29	29	-	49	1
25 to 29 years	1,023	440	422	18	571	12
30 to 34 years	3,869	2,506	2,401	103	1,315	48
35 to 39 years	5,601	4,140	3,940	197	1,399	62
40 to 44 years	2,299	1,906	1,781	123	355	38
45 to 49 years	207	166	154	12	38	3
50 to 54 years	2	1	-	1	1	-
55 years and over	1	-	-	-	-	1
Not stated	33	20	17	3	13	-
Tenth child	18,348	12,462	11,704	749	5,643	243
Male	9,308	6,406	6,005	398	2,784	118
20 to 24 years	32	17	17	-	15	-
25 to 29 years	378	179	171	8	198	1
30 to 34 years	2,244	1,322	1,248	72	899	23
35 to 39 years	4,201	2,912	2,748	164	1,224	65
40 to 44 years	2,169	1,746	1,608	138	396	27
45 to 49 years	260	216	202	13	42	2
50 to 54 years	3	3	3	-	-	-
55 years and over	1	1	1	-	-	-
Not stated	20	10	7	3	10	-
Female	9,040	6,056	5,699	351	2,859	125
20 to 24 years	36	12	12	-	23	1
25 to 29 years	382	147	139	8	231	4
30 to 34 years	2,195	1,221	1,160	59	948	26
35 to 39 years	4,039	2,763	2,589	170	1,227	49
40 to 44 years	2,130	1,707	1,617	90	384	39
45 to 49 years	230	191	168	23	35	4
50 to 54 years	4	3	3	-	-	1
55 years and over	1	1	1	-	-	-
Not stated	23	11	10	1	11	1
Eleventh child	11,799	7,862	7,336	518	3,784	153
Male	6,012	4,023	3,754	263	1,908	81
20 to 24 years	16	5	5	-	11	-
25 to 29 years	159	61	58	2	98	-
30 to 34 years	1,086	581	545	36	492	13
35 to 39 years	2,659	1,752	1,618	131	868	39
40 to 44 years	1,866	1,440	1,355	83	402	24
45 to 49 years	213	177	167	10	31	5
55 years and over	3	1	1	-	2	-
Not stated	10	6	5	1	4	-
Female	5,787	3,839	3,582	255	1,876	72
20 to 24 years	17	7	7	-	10	-
25 to 29 years	134	51	47	4	82	1
30 to 34 years	1,000	522	503	19	470	8
35 to 39 years	2,656	1,709	1,584	124	916	41
40 to 44 years	1,762	1,381	1,284	96	363	18
45 to 49 years	195	164	152	12	27	4
Not stated	13	5	5	-	8	-

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
UNITED STATES—Con.						
Twelfth child	7,282	4,790	4,393	389	2,395	97
Male	3,689	2,439	2,224	212	1,198	52
25 to 29 years	58	21	20	1	35	2
30 to 34 years	461	220	202	18	237	4
35 to 39 years	1,630	1,040	942	97	565	25
40 to 44 years	1,357	1,017	934	82	322	18
45 to 49 years	167	131	118	13	33	3
50 to 54 years	4	1	1	-	3	-
55 years and over	1	-	-	-	1	-
Not stated	11	9	7	1	2	-
Female	3,593	2,351	2,169	177	1,197	45
25 to 29 years	76	35	31	4	41	-
30 to 34 years	470	231	218	13	233	6
35 to 39 years	1,520	952	873	78	551	17
40 to 44 years	1,318	981	906	72	317	20
45 to 49 years	189	143	133	9	44	2
50 to 54 years	2	1	1	-	1	-
55 years and over	1	-	-	-	1	-
Not stated	17	8	7	1	9	-
Thirteenth child	4,392	2,805	2,533	269	1,536	51
Male	2,207	1,402	1,264	138	779	26
25 to 29 years	24	8	8	-	16	-
30 to 34 years	190	101	94	7	86	3
35 to 39 years	891	513	461	51	366	12
40 to 44 years	927	655	594	61	265	7
45 to 49 years	166	121	104	16	42	3
50 to 54 years	1	-	-	-	1	-
55 years and over	1	1	1	-	-	-
Not stated	7	3	2	1	3	1
Female	2,185	1,403	1,269	133	757	25
25 to 29 years	31	12	11	1	19	-
30 to 34 years	213	100	89	11	111	2
35 to 39 years	871	525	472	53	340	6
40 to 44 years	931	663	604	59	253	15
45 to 49 years	134	102	92	9	31	1
55 years and over	1	-	-	-	1	-
Not stated	4	1	1	-	2	1
Fourteenth child	2,435	1,475	1,328	145	925	35
Male	1,223	752	684	67	453	18
25 to 29 years	13	5	5	-	8	-
30 to 34 years	81	32	28	4	49	-
35 to 39 years	468	271	244	27	191	6
40 to 44 years	564	370	336	33	184	10
45 to 49 years	89	70	67	3	17	2
50 to 54 years	2	1	1	-	1	-
55 years and over	2	-	-	-	2	-
Not stated	4	3	3	-	1	-
Female	1,212	723	644	78	472	17
25 to 29 years	14	2	2	-	12	-
30 to 34 years	82	31	26	5	51	-
35 to 39 years	484	264	234	29	214	6
40 to 44 years	534	361	322	39	165	8
45 to 49 years	95	64	59	5	28	3
50 to 54 years	2	1	1	-	1	-
Not stated	1	-	-	-	1	-
Fifteenth child	1,341	801	708	92	515	25
Male	677	404	363	40	260	13
25 to 29 years	6	3	3	-	3	-
30 to 34 years	46	11	9	-	35	-
35 to 39 years	227	133	119	14	91	3
40 to 44 years	333	219	196	23	107	7
45 to 49 years	62	36	34	2	23	3
55 years and over	1	-	-	-	1	-
Not stated	2	2	2	-	-	-
Female	664	397	345	52	255	12
25 to 29 years	6	-	-	-	6	-
30 to 34 years	49	16	14	2	29	4
35 to 39 years	223	121	104	17	97	5
40 to 44 years	312	209	182	27	100	3
45 to 49 years	73	50	44	6	23	-
Not stated	1	1	1	-	-	-
Sixteenth child	692	390	326	63	293	9
Male	369	210	170	39	155	4
25 to 29 years	4	1	1	-	3	-
30 to 34 years	21	8	8	-	13	-
35 to 39 years	105	60	47	13	44	1
40 to 44 years	204	118	95	23	83	3
45 to 49 years	31	22	19	3	9	-
50 to 54 years	1	-	-	-	1	-
Not stated	3	1	-	-	2	-
Female	323	180	156	24	138	5
25 to 29 years	2	-	-	-	2	-
30 to 34 years	16	4	4	-	12	-
35 to 39 years	99	55	46	9	43	1
40 to 44 years	174	102	90	12	68	4
45 to 49 years	31	19	16	3	12	-
Not stated	1	-	-	-	1	-

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
UNITED STATES—Con.						
Seventeenth child	359	200	179	20	155	4
Male	175	91	78	12	80	4
30 to 34 years	9	3	3	-	5	1
35 to 39 years	48	25	20	5	22	1
40 to 44 years	99	56	50	5	42	1
45 to 49 years	17	7	5	2	9	1
Not stated	2	-	-	-	2	-
Female	184	109	101	8	75	-
30 to 34 years	8	2	2	-	6	-
35 to 39 years	51	25	22	3	26	-
40 to 44 years	89	59	57	2	30	-
45 to 49 years	35	23	20	3	12	-
Not stated	1	-	-	-	1	-
Eighteenth child	191	115	98	17	74	2
Male	93	56	47	9	36	1
30 to 34 years	4	4	3	1	-	-
35 to 39 years	27	13	12	1	14	-
40 to 44 years	49	29	24	5	20	-
45 to 49 years	13	10	8	2	2	1
Female	98	59	51	8	38	1
30 to 34 years	5	1	1	-	4	-
35 to 39 years	24	11	10	1	13	-
40 to 44 years	51	36	31	5	14	1
45 to 49 years	17	11	9	2	6	-
55 years and over	1	-	-	-	1	-
Nineteenth child	78	41	38	3	37	-
Male	38	19	18	1	19	-
30 to 34 years	3	-	-	-	3	-
35 to 39 years	10	5	5	-	5	-
40 to 44 years	22	11	10	1	11	-
45 to 49 years	3	3	3	-	-	-
Female	40	22	20	2	18	-
30 to 34 years	5	4	2	2	1	-
35 to 39 years	12	6	6	-	6	-
40 to 44 years	16	6	6	-	10	-
45 to 49 years	7	6	6	-	1	-
Twentieth child	50	24	21	3	26	-
Male	27	15	13	2	12	-
30 to 34 years	2	1	1	-	1	-
35 to 39 years	6	3	3	-	3	-
40 to 44 years	16	9	8	1	7	-
45 to 49 years	3	2	1	1	1	-
Female	23	9	8	1	14	-
30 to 34 years	2	2	2	-	-	-
35 to 39 years	7	1	1	-	6	-
40 to 44 years	9	5	4	1	4	-
45 to 49 years	5	1	1	-	4	-
Twenty-first child	23	13	11	2	10	-
Male	10	7	6	1	3	-
30 to 34 years	2	1	1	-	1	-
35 to 39 years	1	1	1	-	-	-
40 to 44 years	6	4	4	-	2	-
45 to 49 years	1	1	-	1	-	-
Female	13	6	5	1	7	-
30 to 34 years	1	1	1	-	-	-
35 to 39 years	2	1	1	-	1	-
40 to 44 years	9	4	3	1	5	-
50 to 54 years	1	-	-	-	1	-
Twenty-second child and over	38	17	14	3	21	-
Male	14	7	5	2	7	-
35 to 39 years	6	2	2	-	4	-
40 to 44 years	7	5	3	2	2	-
45 to 49 years	1	-	-	-	1	-
Female	24	10	9	1	14	-
35 to 39 years	7	3	3	-	4	-
40 to 44 years	13	6	5	1	7	-
45 to 49 years	4	1	1	-	3	-
Birth order not stated	156,700	141,229	129,764	10,100	15,134	337
Male	80,628	72,809	66,900	5,191	7,644	175
10 to 14 years	11	10	10	-	1	-
15 to 19 years	5,466	4,198	4,138	55	1,255	13
20 to 24 years	20,558	18,403	17,818	562	2,101	54
25 to 29 years	22,734	21,219	20,210	997	1,457	58
30 to 34 years	17,627	16,384	14,844	1,521	1,229	14
35 to 39 years	9,845	9,078	7,624	1,442	752	15
40 to 44 years	2,773	2,499	1,949	545	268	6
45 to 49 years	192	162	111	51	26	4
50 to 54 years	11	11	8	3	-	-
55 years and over	4	4	2	1	-	-
Not stated	1,407	841	186	14	555	11
Female	76,072	68,420	62,864	4,909	7,490	162
10 to 14 years	12	9	9	-	3	-
15 to 19 years	5,266	3,977	3,930	44	1,278	11
Birth order not stated—Continued						
Female—Continued						
20 to 24 years	19,318	17,266	16,671	582	2,004	48
25 to 29 years	21,503	19,985	19,066	907	1,459	59
30 to 34 years	16,411	15,263	13,926	1,330	1,124	24
35 to 39 years	9,502	8,702	7,226	1,467	790	10
40 to 44 years	2,506	2,252	1,739	508	250	4
45 to 49 years	176	155	104	51	20	1
50 to 54 years	6	1	-	1	5	-
55 years and over	7	6	4	2	1	-
Not stated	1,365	804	189	17	556	5
ALABAMA						
Total births	70,321	44,091	43,972	89	26,204	26
10 to 14 years	229	52	52	-	177	-
15 to 19 years	11,660	5,937	5,931	3	5,719	4
20 to 24 years	20,358	12,905	12,877	25	7,446	7
25 to 29 years	16,341	10,822	10,898	16	5,412	7
30 to 34 years	11,906	7,938	7,909	26	3,864	4
35 to 39 years	7,301	4,704	4,684	18	2,593	4
40 to 44 years	2,125	1,394	1,390	1	731	-
45 to 49 years	196	111	111	-	85	-
50 to 54 years	8	4	4	-	4	-
55 years and over	2	-	-	-	2	-
Not stated	295	124	116	-	171	-
First child	15,772	11,614	11,574	36	4,155	3
10 to 14 years	228	51	51	-	177	-
15 to 19 years	6,058	3,694	3,690	2	2,363	1
20 to 24 years	5,830	4,761	4,745	16	1,067	2
25 to 29 years	2,277	1,952	1,945	5	325	-
30 to 34 years	923	787	780	7	136	-
35 to 39 years	367	306	300	6	61	-
40 to 44 years	52	44	44	-	8	-
45 to 49 years	2	2	2	-	-	-
Not stated	35	17	17	-	18	-
Second child	14,164	9,799	9,768	28	4,362	3
10 to 14 years	1	1	1	-	-	-
15 to 19 years	3,244	1,384	1,382	1	1,858	2
20 to 24 years	5,293	3,656	3,651	4	1,636	1
25 to 29 years	3,292	2,744	2,734	9	548	-
30 to 34 years	1,649	1,436	1,426	10	213	-
35 to 39 years	550	479	476	3	71	-
40 to 44 years	89	77	76	1	12	-
45 to 49 years	2	2	2	-	-	-
Not stated	44	20	20	-	24	-
Third child	9,631	6,381	6,362	15	3,244	6
15 to 19 years	873	292	292	-	580	1
20 to 24 years	3,636	2,088	2,086	-	1,545	3
25 to 29 years	2,667	2,014	2,010	2	652	1
30 to 34 years	1,669	1,368	1,360	8	301	-
35 to 39 years	651	522	517	5	128	1
40 to 44 years	89	73	73	-	16	-
45 to 49 years	6	3	3	-	3	-
50 to 54 years	2	2	2	-	-	-
Not stated	38	19	19	-	19	-
Fourth child	6,745	4,110	4,108	1	2,630	5
15 to 19 years	169	41	41	-	128	-
20 to 24 years	2,061	893	893	-	1,167	1
25 to 29 years	2,299	1,517	1,516	-	779	3
30 to 34 years	1,445	1,088	1,088	-	357	-
35 to 39 years	634	474	473	1	159	1
40 to 44 years	107	84	84	-	23	-
45 to 49 years	5	3	3	-	2	-
50 to 54 years	2	1	1	-	1	-
Not stated	23	9	9	-	14	-
Fifth child	4,943	2,804	2,804	-	2,139	-
15 to 19 years	43	6	6	-	37	-
20 to 24 years	950	308	308	-	642	-
25 to 29 years	1,836	1,015	1,015	-	821	-
30 to 34 years	1,277	852	852	-	425	-
35 to 39 years	653	489	489	-	164	-
40 to 44 years	147	115	115	-	32	-
45 to 49 years	10	4	4	-	6	-
Not stated	27	15	15	-	12	-
Sixth child	3,584	1,930	1,930	-	1,652	2
15 to 19 years	5	1	1	-	4	-
20 to 24 years	376	98	98	-	278	-
25 to 29 years	1,229	527	527	-	701	1
30 to 34 years	1,171	740	740	-	430	1
35 to 39 years	627	433	433	-	194	-
40 to 44 years	149	116	116	-	33	-
45 to 49 years	8	6	6	-	2	-
Not stated	19	9	9	-	10	-
Seventh child	2,686	1,366	1,363	2	1,317	3
20 to 24 years	143	28	28	-	115	-
25 to 29 years	760	263	263	-	496	1

[1] Includes mother's nativity not stated.

Table 5.–LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945–Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
ALABAMA—Continued						
Seventh child—Continued						
30 to 34 years	923	503	501	1	418	2
35 to 39 years	681	447	446	1	234	-
40 to 44 years	153	112	112	-	41	-
45 to 49 years	11	8	8	-	3	-
Not stated	15	5	5	-	10	-
Eighth child	2,044	965	963	1	1,078	1
20 to 24 years	44	7	7	-	37	-
25 to 29 years	364	86	85	-	278	-
30 to 34 years	722	309	309	-	412	1
35 to 39 years	658	392	391	1	266	-
40 to 44 years	220	156	156	-	64	-
45 to 49 years	17	13	13	-	4	-
55 years and over	1	-	-	-	1	-
Not stated	18	2	2	-	16	-
Ninth child	1,487	702	700	-	785	-
20 to 24 years	14	3	3	-	11	-
25 to 29 years	179	30	30	-	149	-
30 to 34 years	473	170	170	-	303	-
35 to 39 years	588	343	342	-	245	-
40 to 44 years	209	145	144	-	64	-
45 to 49 years	15	9	9	-	6	-
50 to 54 years	2	-	-	-	2	-
Not stated	7	2	2	-	5	-
Tenth child and over	2,886	1,069	1,066	-	1,814	3
20 to 24 years	6	1	1	-	5	-
25 to 29 years	119	13	13	-	105	1
30 to 34 years	620	146	145	-	474	-
35 to 39 years	1,263	465	465	-	796	2
40 to 44 years	759	389	387	-	370	-
45 to 49 years	106	53	53	-	53	-
50 to 54 years	1	-	-	-	1	-
55 years and over	1	-	-	-	1	-
Not stated	11	2	2	-	9	-
Birth order not stated	6,379	3,351	3,334	6	3,028	-
15 to 19 years	1,268	519	519	-	749	-
20 to 24 years	2,005	1,062	1,057	5	943	-
25 to 29 years	1,319	761	760	-	558	-
30 to 34 years	934	539	538	-	395	-
35 to 39 years	629	354	352	1	275	-
40 to 44 years	151	83	83	-	68	-
45 to 49 years	14	8	8	-	6	-
50 to 54 years	1	1	1	-	-	-
Not stated	58	24	16	-	34	-
ARIZONA						
Total births	13,348	11,549	10,532	1,011	406	1,393
10 to 14 years	13	5	5	-	3	5
15 to 19 years	1,641	1,335	1,308	26	100	206
20 to 24 years	4,242	3,767	3,610	154	125	350
25 to 29 years	3,437	3,009	2,753	255	86	342
30 to 34 years	2,243	1,943	1,716	226	53	247
35 to 39 years	1,313	1,137	881	256	26	150
40 to 44 years	367	301	221	80	10	56
45 to 49 years	40	27	17	10	-	13
50 to 54 years	1	1	1	-	-	-
Not stated	51	24	20	4	3	24
First child	3,960	3,552	3,403	146	124	284
10 to 14 years	13	5	5	-	3	5
15 to 19 years	1,234	1,007	993	13	71	156
20 to 24 years	1,664	1,534	1,471	62	37	93
25 to 29 years	634	607	566	40	7	20
30 to 34 years	289	278	259	19	4	7
35 to 39 years	105	102	91	11	2	1
40 to 44 years	11	11	10	1	-	-
Not stated	10	8	8	-	-	2
Second child	3,082	2,785	2,643	140	91	206
15 to 19 years	343	281	269	12	25	37
20 to 24 years	1,339	1,204	1,164	38	30	105
25 to 29 years	829	763	723	40	22	44
30 to 34 years	389	367	337	30	9	13
35 to 39 years	161	153	133	20	3	5
40 to 44 years	12	11	11	-	-	1
45 to 49 years	1	1	1	-	-	-
Not stated	8	5	5	-	2	1
Third child	1,978	1,750	1,615	135	56	172
15 to 19 years	50	37	36	1	4	9
20 to 24 years	696	590	561	29	32	74
25 to 29 years	668	593	550	43	10	65
30 to 34 years	372	351	314	37	5	16
35 to 39 years	165	155	135	20	5	5
40 to 44 years	22	22	18	4	-	-
Not stated	5	2	1	1	-	3
Fourth child	1,414	1,175	1,051	123	44	195
15 to 19 years	9	6	6	-	-	3
20 to 24 years	348	284	270	14	17	47
ARIZONA—Continued						
Fourth child—Continued						
25 to 29 years	537	435	386	49	16	86
30 to 34 years	330	282	250	31	7	41
35 to 39 years	144	127	105	22	2	15
40 to 44 years	39	37	30	7	2	-
50 to 54 years	1	1	1	-	-	-
Not stated	6	3	3	-	-	3
Fifth child	902	766	653	113	22	114
20 to 24 years	125	107	101	6	5	13
25 to 29 years	370	305	267	38	7	58
30 to 34 years	246	206	173	33	8	32
35 to 39 years	123	113	84	29	1	9
40 to 44 years	31	30	25	5	1	-
45 to 49 years	4	3	3	-	-	1
Not stated	3	2	-	2	-	1
Sixth child	635	494	423	71	20	121
20 to 24 years	44	32	30	2	2	10
25 to 29 years	224	175	155	20	12	37
30 to 34 years	204	151	131	20	4	49
35 to 39 years	130	108	84	24	2	20
40 to 44 years	31	26	21	5	-	5
45 to 49 years	2	2	2	-	-	-
Seventh child	408	306	242	64	15	87
20 to 24 years	15	9	7	2	2	4
25 to 29 years	98	73	57	16	7	18
30 to 34 years	160	119	99	20	3	38
35 to 39 years	99	80	58	22	2	17
40 to 44 years	33	22	19	3	1	10
45 to 49 years	2	2	1	1	-	-
Not stated	1	1	1	-	-	-
Eighth child	293	217	165	52	7	69
20 to 24 years	2	1	-	1	-	1
25 to 29 years	41	33	26	7	3	5
30 to 34 years	100	74	64	10	2	24
35 to 39 years	110	77	59	18	1	32
40 to 44 years	37	31	16	15	1	5
45 to 49 years	2	-	-	-	-	2
Not stated	1	1	-	1	-	-
Ninth child	225	160	113	47	9	56
25 to 29 years	17	10	9	1	2	5
30 to 34 years	74	56	44	12	3	15
35 to 39 years	89	66	43	23	3	20
40 to 44 years	37	25	16	9	1	11
45 to 49 years	7	3	1	2	-	4
Not stated	1	-	-	-	-	1
Tenth child and over	386	311	196	115	18	57
20 to 24 years	1	1	1	-	-	-
25 to 29 years	9	9	8	1	-	-
30 to 34 years	67	52	38	14	8	7
35 to 39 years	174	147	84	63	5	22
40 to 44 years	112	85	55	30	4	23
45 to 49 years	21	16	9	7	-	5
Not stated	2	1	1	-	1	-
Birth order not stated	65	33	28	5	-	32
15 to 19 years	5	4	4	-	-	1
20 to 24 years	8	5	5	-	-	3
25 to 29 years	10	6	6	-	-	4
30 to 34 years	12	7	7	-	-	5
35 to 39 years	13	9	5	4	-	4
40 to 44 years	2	1	-	1	-	1
45 to 49 years	1	-	-	-	-	1
Not stated	14	1	1	-	-	13
ARKANSAS						
Total births	39,628	29,495	29,410	56	10,093	40
10 to 14 years	121	32	32	-	89	-
15 to 19 years	6,911	4,454	4,444	2	2,449	8
20 to 24 years	11,673	8,962	8,945	10	2,697	14
25 to 29 years	8,967	7,057	7,042	12	1,902	8
30 to 34 years	6,319	4,827	4,813	12	1,487	5
35 to 39 years	4,011	2,942	2,922	15	1,066	3
40 to 44 years	1,265	974	969	5	289	2
45 to 49 years	113	80	79	-	33	-
50 to 54 years	1	-	-	-	1	-
55 years and over	2	-	-	-	2	-
Not stated	245	167	164	-	78	-
First child	10,573	8,830	8,803	17	1,729	14
10 to 14 years	121	32	32	-	89	-
15 to 19 years	4,200	3,166	3,160	1	1,027	7
20 to 24 years	3,888	3,484	3,475	7	398	6
25 to 29 years	1,475	1,355	1,349	5	119	1
30 to 34 years	607	546	545	1	61	-
35 to 39 years	202	176	173	3	26	-
40 to 44 years	38	34	34	-	4	-
45 to 49 years	3	3	3	-	-	-
Not stated	39	34	32	-	5	-

[1] Includes mother's navitity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
ARKANSAS—Continued						
Second child	7,947	6,413	6,398	11	1,528	6
15 to 19 years	1,503	820	820	-	682	1
20 to 24 years	3,218	2,663	2,659	2	552	3
25 to 29 years	1,924	1,740	1,734	4	183	1
30 to 34 years	882	810	808	2	71	1
35 to 39 years	328	301	298	3	27	-
40 to 44 years	50	47	47	-	3	-
Not stated	42	32	32	-	10	-
Third child	5,286	4,106	4,095	9	1,177	3
15 to 19 years	392	140	138	1	252	-
20 to 24 years	1,961	1,433	1,433	-	528	-
25 to 29 years	1,528	1,326	1,323	3	200	2
30 to 34 years	929	814	809	5	114	1
35 to 39 years	355	307	306	-	48	-
40 to 44 years	64	57	57	-	7	-
45 to 49 years	3	3	3	-	-	-
Not stated	34	26	26	-	8	-
Fourth child	3,681	2,707	2,702	4	969	5
15 to 19 years	110	23	23	-	87	-
20 to 24 years	1,013	614	613	-	397	2
25 to 29 years	1,333	1,048	1,048	-	284	1
30 to 34 years	716	599	597	2	116	1
35 to 39 years	406	337	337	-	68	1
40 to 44 years	79	69	67	2	10	-
45 to 49 years	3	3	3	-	-	-
Not stated	21	14	14	-	7	-
Fifth child	2,634	1,848	1,845	2	781	5
15 to 19 years	16	3	3	-	13	-
20 to 24 years	475	230	229	-	245	-
25 to 29 years	890	633	633	-	255	2
30 to 34 years	730	564	563	1	165	1
35 to 39 years	411	324	323	1	86	1
40 to 44 years	84	75	75	-	8	1
45 to 49 years	5	4	4	-	1	-
Not stated	23	15	15	-	8	-
Sixth child	1,881	1,290	1,286	3	589	2
15 to 19 years	3	-	-	-	3	-
20 to 24 years	150	43	41	1	106	1
25 to 29 years	603	358	358	-	244	1
30 to 34 years	607	473	472	1	134	-
35 to 39 years	388	307	306	1	81	-
40 to 44 years	104	92	92	-	12	-
45 to 49 years	7	6	6	-	1	-
Not stated	19	11	11	-	8	-
Seventh child	1,414	912	906	3	502	-
20 to 24 years	46	8	8	-	38	-
25 to 29 years	362	164	164	-	198	-
30 to 34 years	520	347	346	-	173	-
35 to 39 years	357	291	288	2	66	-
40 to 44 years	110	89	88	1	21	-
45 to 49 years	9	6	5	-	3	-
Not stated	10	7	7	-	3	-
Eighth child	986	628	625	2	358	-
20 to 24 years	15	4	4	-	11	-
25 to 29 years	138	50	50	-	88	-
30 to 34 years	343	203	202	-	140	-
35 to 39 years	369	271	270	1	98	-
40 to 44 years	105	90	89	1	15	-
45 to 49 years	4	3	3	-	1	-
50 to 54 years	1	-	-	-	1	-
Not stated	11	7	7	-	4	-
Ninth child	769	460	458	1	308	1
20 to 24 years	7	1	1	-	6	-
25 to 29 years	68	15	15	-	53	-
30 to 34 years	226	113	113	-	112	1
35 to 39 years	302	195	193	1	107	-
40 to 44 years	149	125	125	-	24	-
45 to 49 years	12	8	8	-	4	-
Not stated	5	3	3	-	2	-
Tenth child and over	1,460	658	652	4	800	2
20 to 24 years	7	1	1	-	6	-
25 to 29 years	54	7	7	-	47	-
30 to 34 years	297	82	82	-	215	-
35 to 39 years	621	274	269	3	346	1
40 to 44 years	407	249	248	1	157	1
45 to 49 years	64	43	43	-	21	-
55 years and over	2	-	-	-	2	-
Not stated	8	2	2	-	6	-
Birth order not stated	2,997	1,643	1,640	-	1,352	2
15 to 19 years	687	302	300	-	385	-
20 to 24 years	873	481	481	-	390	2
25 to 29 years	592	361	361	-	231	-
30 to 34 years	462	276	276	-	186	-
35 to 39 years	272	159	159	-	113	-
40 to 44 years	75	47	47	-	28	-

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
ARKANSAS—Continued						
Birth order not stated—Continued						
45 to 49 years	3	1	1	-	2	-
Not stated	33	16	15	-	17	-
CALIFORNIA						
Total births	184,380	173,687	163,025	10,615	7,442	3,251
10 to 14 years	122	82	81	1	38	2
15 to 19 years	19,031	17,259	17,009	246	1,483	289
20 to 24 years	60,531	56,799	54,885	1,902	2,758	974
25 to 29 years	52,505	49,835	47,119	2,708	1,655	1,015
30 to 34 years	33,373	31,868	28,974	2,885	945	560
35 to 39 years	15,176	14,431	12,296	2,132	453	292
40 to 44 years	3,336	3,134	2,460	673	100	102
45 to 49 years	188	167	111	56	6	15
50 to 54 years	13	11	9	2	-	2
55 years and over	4	4	4	-	-	-
Not stated	101	97	77	10	4	-
First child	74,136	70,633	67,724	2,896	2,563	940
10 to 14 years	122	82	81	1	38	2
15 to 19 years	14,906	13,710	13,517	189	1,002	194
20 to 24 years	32,369	30,939	29,919	1,018	998	432
25 to 29 years	16,604	16,074	15,228	843	305	225
30 to 34 years	7,097	6,892	6,363	528	140	65
35 to 39 years	2,558	2,472	2,206	265	67	19
40 to 44 years	421	406	361	47	10	3
45 to 49 years	20	18	15	3	2	-
50 to 54 years	3	3	3	-	-	-
55 years and over	1	1	1	-	-	-
Not stated	35	34	30	2	1	-
Second child	55,170	52,597	49,873	2,715	1,788	785
15 to 19 years	3,438	2,981	2,939	42	377	80
20 to 24 years	17,764	16,684	16,121	563	792	288
25 to 29 years	18,647	17,965	17,131	831	386	296
30 to 34 years	10,983	10,732	9,911	821	167	84
35 to 39 years	3,803	3,716	3,322	393	54	33
40 to 44 years	493	480	414	66	9	4
45 to 49 years	12	12	9	3	-	-
50 to 54 years	4	4	3	1	-	-
55 years and over	1	1	1	-	-	-
Not stated	25	22	22	-	3	-
Third child	26,992	25,287	23,738	1,543	1,142	563
15 to 19 years	488	404	392	12	75	9
20 to 24 years	6,691	6,020	5,845	172	510	161
25 to 29 years	9,239	8,686	8,227	459	321	232
30 to 34 years	7,002	6,720	6,219	499	162	120
35 to 39 years	3,022	2,921	2,600	320	64	37
40 to 44 years	519	505	430	75	10	4
45 to 49 years	14	14	11	3	-	-
55 years and over	1	1	1	-	-	-
Not stated	16	16	13	3	-	-
Fourth child	12,013	10,961	10,085	872	723	329
15 to 19 years	62	46	44	2	15	1
20 to 24 years	2,319	1,984	1,892	92	271	64
25 to 29 years	4,062	3,687	3,459	228	246	129
30 to 34 years	3,377	3,158	2,871	284	127	92
35 to 39 years	1,768	1,682	1,478	204	54	32
40 to 44 years	404	386	324	62	9	9
45 to 49 years	14	12	12	-	1	1
50 to 54 years	2	1	1	-	-	1
Not stated	5	5	4	-	-	-
Fifth child	5,942	5,246	4,676	567	457	239
15 to 19 years	6	6	6	-	-	-
20 to 24 years	715	578	549	29	118	19
25 to 29 years	1,993	1,741	1,612	128	177	75
30 to 34 years	1,810	1,617	1,416	200	103	90
35 to 39 years	1,077	984	834	150	51	42
40 to 44 years	314	295	237	58	7	12
45 to 49 years	24	22	20	2	1	1
55 years and over	1	1	1	-	-	-
Not stated	2	2	1	-	-	-
Sixth child	3,309	2,910	2,479	429	276	123
15 to 19 years	2	2	2	-	-	-
20 to 24 years	211	173	156	17	34	4
25 to 29 years	949	815	711	103	107	27
30 to 34 years	1,126	997	840	156	82	47
35 to 39 years	781	707	596	111	46	28
40 to 44 years	225	203	166	37	7	15
45 to 49 years	13	11	6	5	-	2
Not stated	2	2	2	-	-	-
Seventh child	1,965	1,737	1,386	350	146	82
20 to 24 years	51	43	37	6	7	1
25 to 29 years	467	400	340	60	58	9
30 to 34 years	678	605	496	109	47	26
35 to 39 years	558	499	384	115	26	33
40 to 44 years	195	175	121	53	7	13
45 to 49 years	11	10	5	5	1	-

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
CALIFORNIA—Continued						
Seventh child—Continued						
50 to 54 years	1	1	-	1	-	-
Not stated	4	4	3	1	-	-
Eighth child	1,349	1,178	884	294	114	57
20 to 24 years	24	19	13	6	5	-
25 to 29 years	191	157	130	27	27	7
30 to 34 years	499	439	336	103	44	16
35 to 39 years	463	417	298	119	25	21
40 to 44 years	162	139	101	38	13	10
45 to 49 years	10	7	6	1	-	3
Ninth child	868	762	537	225	70	36
20 to 24 years	2	1	1	-	1	-
25 to 29 years	72	63	51	12	8	1
30 to 34 years	311	270	191	79	35	6
35 to 39 years	340	300	201	99	22	18
40 to 44 years	126	115	88	27	4	7
45 to 49 years	14	11	5	6	-	3
50 to 54 years	1	-	-	-	-	1
Not stated	2	2	-	2	-	-
Tenth child and over	1,620	1,449	766	683	101	70
20 to 24 years	6	6	6	-	-	-
25 to 29 years	52	45	35	10	6	1
30 to 34 years	302	260	169	91	30	12
35 to 39 years	736	668	326	342	40	28
40 to 44 years	466	417	207	210	24	25
45 to 49 years	54	49	21	28	1	4
50 to 54 years	2	2	2	-	-	-
Not stated	2	2	-	2	-	-
Birth order not stated	1,016	927	877	41	62	27
15 to 19 years	129	110	109	1	14	5
20 to 24 years	379	352	346	4	22	5
25 to 29 years	229	202	195	7	14	13
30 to 34 years	188	178	162	15	8	2
35 to 39 years	70	65	51	14	4	1
40 to 44 years	11	11	11	-	-	-
45 to 49 years	2	1	1	-	-	1
Not stated	8	8	2	-	-	-
COLORADO						
Total births	23,511	22,864	22,379	476	328	319
10 to 14 years	24	16	16	-	6	2
15 to 19 years	2,459	2,373	2,367	4	72	14
20 to 24 years	7,489	7,273	7,201	68	108	108
25 to 29 years	6,322	6,149	6,057	92	52	121
30 to 34 years	4,198	4,106	3,983	122	45	47
35 to 39 years	2,374	2,315	2,182	132	40	19
40 to 44 years	574	564	511	53	5	5
45 to 49 years	60	58	53	5	-	2
50 to 54 years	1	-	-	-	-	1
55 years and over	1	1	1	-	-	-
Not stated	9	9	8	-	-	-
First child	8,127	7,868	7,766	97	131	128
10 to 14 years	23	15	15	-	6	2
15 to 19 years	1,916	1,856	1,851	4	50	10
20 to 24 years	3,644	3,534	3,498	34	47	63
25 to 29 years	1,582	1,524	1,496	28	13	45
30 to 34 years	649	633	611	21	9	7
35 to 39 years	262	255	246	9	6	1
40 to 44 years	40	40	39	1	-	-
45 to 49 years	7	7	7	-	-	-
Not stated	4	4	3	-	-	-
Second child	6,151	5,985	5,910	73	76	90
10 to 14 years	1	1	1	-	-	-
15 to 19 years	451	430	429	-	18	3
20 to 24 years	2,255	2,194	2,174	19	36	25
25 to 29 years	1,933	1,875	1,854	21	11	47
30 to 34 years	1,052	1,036	1,017	19	6	10
35 to 39 years	399	392	384	8	2	5
40 to 44 years	55	52	46	6	3	-
45 to 49 years	4	4	4	-	-	-
55 years and over	1	1	1	-	-	-
Third child	3,614	3,538	3,482	56	35	41
15 to 19 years	67	64	64	-	2	1
20 to 24 years	967	940	929	11	15	12
25 to 29 years	1,246	1,223	1,209	14	7	16
30 to 34 years	853	835	821	14	6	12
35 to 39 years	416	411	398	13	5	-
40 to 44 years	64	64	60	4	-	-
45 to 49 years	1	1	1	-	-	-
Fourth child	2,006	1,964	1,923	39	22	20
15 to 19 years	13	12	12	-	1	-
20 to 24 years	395	385	382	2	5	5
25 to 29 years	732	719	710	9	7	6
30 to 34 years	518	503	493	10	7	8
35 to 39 years	284	281	262	18	2	1
40 to 44 years	61	61	61	-	-	-

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
COLORADO—Continued						
Fourth child—Continued						
45 to 49 years	2	2	2	-	-	-
Not stated	1	1	1	-	-	-
Fifth child	1,177	1,143	1,112	31	20	14
15 to 19 years	3	3	3	-	-	-
20 to 24 years	143	138	137	1	4	1
25 to 29 years	424	414	408	6	5	5
30 to 34 years	355	343	332	11	6	6
35 to 39 years	207	200	189	11	5	2
40 to 44 years	42	42	40	2	-	-
45 to 49 years	3	3	3	-	-	-
Sixth child	779	759	726	33	11	9
20 to 24 years	48	47	46	1	-	1
25 to 29 years	214	208	205	3	5	1
30 to 34 years	276	271	256	15	2	3
35 to 39 years	181	176	165	11	4	1
40 to 44 years	55	53	50	3	-	2
45 to 49 years	4	4	4	-	-	-
50 to 54 years	1	-	-	-	-	1
Seventh child	494	482	451	31	10	2
20 to 24 years	14	14	14	-	-	-
25 to 29 years	114	110	104	6	3	1
30 to 34 years	188	183	173	10	5	-
35 to 39 years	139	137	126	11	2	-
40 to 44 years	32	32	29	3	-	-
45 to 49 years	7	6	5	1	-	1
Eighth child	335	325	306	19	7	4
20 to 24 years	2	2	2	-	-	-
25 to 29 years	36	36	35	1	-	-
30 to 34 years	123	119	116	3	3	1
35 to 39 years	130	124	116	8	4	2
40 to 44 years	37	36	31	5	-	1
45 to 49 years	6	6	4	2	-	-
Not stated	2	2	2	-	-	-
Ninth child	282	274	250	24	6	2
25 to 29 years	24	23	20	3	1	-
30 to 34 years	87	86	79	7	1	-
35 to 39 years	121	116	105	11	3	2
40 to 44 years	44	43	40	3	1	-
45 to 49 years	6	6	6	-	-	-
Tenth child and over	491	476	404	72	8	7
25 to 29 years	5	5	4	1	-	-
30 to 34 years	89	89	78	11	-	-
35 to 39 years	234	222	190	32	7	5
40 to 44 years	144	141	115	26	1	2
45 to 49 years	19	19	17	2	-	-
Birth order not stated	54	50	49	1	2	2
15 to 19 years	9	8	8	-	1	-
20 to 24 years	21	19	19	-	1	1
25 to 29 years	12	12	12	-	-	-
30 to 34 years	8	8	7	1	-	-
35 to 39 years	1	1	1	-	-	-
45 to 49 years	1	-	-	-	-	1
Not stated	2	2	2	-	-	-
CONNECTICUT						
Total births	33,765	32,832	30,464	2,354	915	18
10 to 14 years	3	1	1	-	2	-
15 to 19 years	1,333	1,185	1,159	25	148	-
20 to 24 years	8,224	7,887	7,561	322	329	8
25 to 29 years	11,259	11,032	10,546	482	221	6
30 to 34 years	8,212	8,098	7,370	725	113	1
35 to 39 years	3,861	3,782	3,188	594	78	1
40 to 44 years	764	745	559	186	17	2
45 to 49 years	42	41	28	13	1	-
50 to 54 years	3	3	2	1	-	-
55 years and over	1	1	1	-	-	-
Not stated	63	57	49	8	6	-
First child	12,101	11,798	11,188	606	296	7
10 to 14 years	3	1	1	-	2	-
15 to 19 years	1,104	995	972	23	109	-
20 to 24 years	4,919	4,805	4,612	191	110	4
25 to 29 years	3,711	3,658	3,505	152	50	3
30 to 34 years	1,630	1,611	1,480	131	19	-
35 to 39 years	600	595	520	75	5	-
40 to 44 years	105	104	77	27	1	-
45 to 49 years	5	5	3	2	-	-
50 to 54 years	1	1	-	1	-	-
Not stated	23	23	19	4	-	-
Second child	11,036	10,826	10,101	722	204	6
15 to 19 years	180	148	145	2	32	-
20 to 24 years	2,204	2,100	2,010	89	102	2
25 to 29 years	4,412	4,366	4,174	192	44	2
30 to 34 years	3,044	3,024	2,767	256	19	1
35 to 39 years	1,036	1,029	880	149	6	1

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
CONNECTICUT—Continued						
Second child—Continued						
40 to 44 years	138	137	104	33	1	-
45 to 49 years	6	6	6	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	15	15	14	1	-	-
Third child	5,536	5,396	4,919	476	139	1
15 to 19 years	18	13	13	-	5	-
20 to 24 years	679	618	592	25	60	1
25 to 29 years	1,841	1,792	1,711	81	49	-
30 to 34 years	1,928	1,920	1,732	188	8	-
35 to 39 years	921	908	758	150	13	-
40 to 44 years	132	129	97	32	3	-
45 to 49 years	5	5	5	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	11	10	10	-	1	-
Fourth child	2,287	2,202	1,964	235	85	-
15 to 19 years	1	1	1	-	-	-
20 to 24 years	197	164	161	3	33	-
25 to 29 years	702	676	640	34	26	-
30 to 34 years	768	753	679	73	15	-
35 to 39 years	508	500	400	100	8	-
40 to 44 years	95	94	74	20	1	-
45 to 49 years	10	10	5	5	-	-
Not stated	6	4	4	-	2	-
Fifth child	1,053	996	874	122	56	1
15 to 19 years	1	-	-	-	1	-
20 to 24 years	51	39	35	4	12	-
25 to 29 years	262	240	226	14	21	1
30 to 34 years	355	347	313	34	8	-
35 to 39 years	299	289	241	48	10	-
40 to 44 years	80	77	56	21	3	-
45 to 49 years	2	2	1	1	-	-
55 years and over	1	1	1	-	-	-
Not stated	2	1	1	-	1	-
Sixth child	524	484	405	78	38	2
20 to 24 years	18	11	10	1	6	1
25 to 29 years	104	89	83	6	15	-
30 to 34 years	159	149	129	19	10	-
35 to 39 years	168	161	133	28	7	-
40 to 44 years	70	69	48	21	-	1
45 to 49 years	4	4	1	3	-	-
Not stated	1	1	1	-	-	-
Seventh child	273	245	209	36	28	-
20 to 24 years	2	1	1	-	1	-
25 to 29 years	43	33	33	-	10	-
30 to 34 years	95	85	74	11	10	-
35 to 39 years	89	84	70	14	5	-
40 to 44 years	39	38	29	9	1	-
45 to 49 years	3	3	2	1	-	-
Not stated	2	1	-	1	1	-
Eighth child	162	141	123	18	21	-
25 to 29 years	18	15	15	-	3	-
30 to 34 years	52	43	41	2	9	-
35 to 39 years	64	56	46	10	8	-
40 to 44 years	26	25	20	5	1	-
45 to 49 years	2	2	1	1	-	-
Ninth child	103	86	75	11	16	1
20 to 24 years	1	-	-	-	1	-
25 to 29 years	4	2	2	-	2	-
30 to 34 years	29	23	20	3	6	-
35 to 39 years	48	44	37	7	4	-
40 to 44 years	19	16	15	1	2	1
45 to 49 years	2	1	1	-	1	-
Tenth child and over	170	144	120	24	26	-
25 to 29 years	2	1	1	-	1	-
30 to 34 years	40	31	29	2	9	-
35 to 39 years	77	65	58	7	12	-
40 to 44 years	48	44	29	15	4	-
45 to 49 years	3	3	3	-	-	-
Birth order not stated	520	514	486	26	6	-
15 to 19 years	29	28	28	-	1	-
20 to 24 years	153	149	140	9	4	-
25 to 29 years	160	160	156	3	-	-
30 to 34 years	112	112	106	6	-	-
35 to 39 years	51	51	45	6	-	-
40 to 44 years	12	12	10	2	-	-
Not stated	3	2	1	-	1	-
DELAWARE						
Total births	5,984	5,067	4,963	104	901	16
10 to 14 years	10	1	1	-	9	-
15 to 19 years	614	395	393	2	217	2
20 to 24 years	1,773	1,479	1,462	17	292	2
25 to 29 years	1,758	1,571	1,547	24	181	6

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
DELAWARE—Continued						
Total births—Continued						
30 to 34 years	1,104	996	969	27	104	4
35 to 39 years	586	516	489	27	68	2
40 to 44 years	127	101	94	7	26	-
45 to 49 years	5	2	2	-	3	-
50 to 54 years	1	1	1	-	-	-
Not stated	6	5	5	-	1	-
First child	2,118	1,853	1,822	31	265	-
10 to 14 years	10	1	1	-	9	-
15 to 19 years	456	313	311	2	143	-
20 to 24 years	878	801	791	10	77	-
25 to 29 years	484	463	454	9	21	-
30 to 34 years	189	176	171	5	13	-
35 to 39 years	94	92	87	5	2	-
40 to 44 years	7	7	7	-	-	-
Second child	1,699	1,543	1,507	36	151	5
15 to 19 years	119	68	68	-	50	1
20 to 24 years	505	440	434	6	63	2
25 to 29 years	583	563	554	9	19	1
30 to 34 years	356	341	329	12	14	1
35 to 39 years	122	118	110	8	4	-
40 to 44 years	10	9	8	1	1	-
Not stated	4	4	4	-	-	-
Third child	870	745	732	13	123	2
15 to 19 years	30	12	12	-	18	-
20 to 24 years	212	150	149	1	62	-
25 to 29 years	306	280	277	3	25	1
30 to 34 years	206	193	189	4	12	1
35 to 39 years	97	93	89	4	4	-
40 to 44 years	18	16	15	1	2	-
50 to 54 years	1	1	1	-	-	-
Fourth child	536	413	404	9	122	1
15 to 19 years	7	1	1	-	6	-
20 to 24 years	119	67	67	-	52	-
25 to 29 years	187	139	137	2	47	1
30 to 34 years	137	127	124	3	10	-
35 to 39 years	68	66	63	3	2	-
40 to 44 years	16	12	11	1	4	-
45 to 49 years	1	1	1	-	-	-
Not stated	1	-	-	-	1	-
Fifth child	278	212	204	8	66	-
15 to 19 years	1	1	1	-	-	-
20 to 24 years	38	16	16	-	22	-
25 to 29 years	96	70	70	-	26	-
30 to 34 years	77	68	67	1	9	-
35 to 39 years	47	41	36	5	6	-
40 to 44 years	18	15	13	2	3	-
Not stated	1	1	1	-	-	-
Sixth child	140	91	88	3	48	1
15 to 19 years	1	-	-	-	-	1
20 to 24 years	10	2	2	-	8	-
25 to 29 years	44	27	27	-	17	-
30 to 34 years	34	23	21	2	11	-
35 to 39 years	43	34	33	1	9	-
40 to 44 years	8	5	5	-	3	-
Seventh child	96	59	59	-	34	3
20 to 24 years	6	1	1	-	5	-
25 to 29 years	26	14	14	-	11	1
30 to 34 years	35	23	23	-	11	1
35 to 39 years	25	17	17	-	7	1
40 to 44 years	4	4	4	-	-	-
Eighth child	75	47	46	1	26	2
20 to 24 years	2	-	-	-	2	-
25 to 29 years	11	3	3	-	6	2
30 to 34 years	25	18	18	-	7	-
35 to 39 years	26	16	15	1	10	-
40 to 44 years	11	10	10	-	1	-
Ninth child	51	37	36	1	14	-
20 to 24 years	1	1	1	-	-	-
25 to 29 years	9	4	4	-	5	-
30 to 34 years	15	10	10	-	5	-
35 to 39 years	18	14	14	-	4	-
40 to 44 years	8	8	7	1	-	-
Tenth child and over	101	50	49	1	49	2
25 to 29 years	3	-	-	-	3	-
30 to 34 years	26	14	14	-	11	1
35 to 39 years	42	21	21	-	20	1
40 to 44 years	27	15	14	1	12	-
45 to 49 years	3	-	-	-	3	-
Birth order not stated	20	17	16	1	3	-
20 to 24 years	2	1	1	-	1	-
25 to 29 years	9	8	7	1	1	-
30 to 34 years	4	3	3	-	1	-

[1] Includes mother's nativity not stated.

TABLE 5.–LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945–Continued

[See headnote on page 91.]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
DELAWARE—Continued						
Birth order not stated—Continued						
35 to 39 years	4	4	4	-	-	-
45 to 49 years	1	1	1	-	-	-
DISTRICT OF COLUMBIA						
Total births	16,141	10,862	10,326	504	5,242	37
10 to 14 years	45	2	2	-	43	-
15 to 19 years	1,715	638	631	6	1,075	2
20 to 24 years	5,166	3,423	3,308	110	1,737	6
25 to 29 years	4,519	3,318	3,173	142	1,189	12
30 to 34 years	2,945	2,228	2,075	152	709	8
35 to 39 years	1,376	1,011	936	74	359	6
40 to 44 years	290	192	174	18	95	3
45 to 49 years	17	9	8	1	8	-
50 to 54 years	1	-	-	-	1	-
Not stated	67	41	19	1	26	-
First child	7,122	5,242	5,006	221	1,866	14
10 to 14 years	45	2	2	-	43	-
15 to 19 years	1,205	484	479	4	719	2
20 to 24 years	2,901	2,242	2,163	77	655	4
25 to 29 years	1,766	1,503	1,421	80	260	3
30 to 34 years	802	676	634	42	122	4
35 to 39 years	320	272	259	13	47	1
40 to 44 years	44	36	31	5	8	-
45 to 49 years	1	1	1	-	-	-
Not stated	38	26	16	-	12	-
Second child	4,142	3,093	2,952	138	1,044	5
15 to 19 years	322	101	101	-	221	-
20 to 24 years	1,194	765	745	19	428	1
25 to 29 years	1,339	1,095	1,057	37	243	1
30 to 34 years	891	784	727	57	107	-
35 to 39 years	341	305	284	21	34	2
40 to 44 years	51	40	36	4	10	1
45 to 49 years	1	1	1	-	-	-
Not stated	3	2	1	-	1	-
Third child	1,853	1,191	1,122	67	658	4
15 to 19 years	55	9	9	-	46	-
20 to 24 years	469	184	177	5	285	-
25 to 29 years	562	361	354	7	198	3
30 to 34 years	478	395	363	32	82	1
35 to 39 years	246	207	186	21	39	-
40 to 44 years	35	30	30	-	5	-
45 to 49 years	4	2	1	1	2	-
Not stated	4	3	2	1	1	-
Fourth child	928	484	452	31	439	5
15 to 19 years	13	1	1	-	12	-
20 to 24 years	202	51	51	-	151	-
25 to 29 years	274	132	126	6	139	3
30 to 34 years	262	169	159	9	92	1
35 to 39 years	128	95	84	11	33	-
40 to 44 years	45	36	31	5	8	1
Not stated	4	-	-	-	4	-
Fifth child	474	177	167	10	292	5
15 to 19 years	1	-	-	-	1	-
20 to 24 years	65	9	9	-	56	-
25 to 29 years	175	55	53	2	118	2
30 to 34 years	130	53	50	3	76	1
35 to 39 years	78	43	39	4	34	1
40 to 44 years	23	16	15	1	6	1
45 to 49 years	1	1	1	-	-	-
Not stated	1	-	-	-	1	-
Sixth child	260	86	80	6	173	1
20 to 24 years	30	3	3	-	27	-
25 to 29 years	84	25	24	1	59	-
30 to 34 years	79	28	26	2	50	1
35 to 39 years	48	21	20	1	27	-
40 to 44 years	16	8	6	2	8	-
45 to 49 years	3	1	1	-	2	-
Seventh child	212	60	56	3	151	1
20 to 24 years	8	2	2	-	6	-
25 to 29 years	56	8	8	-	48	-
30 to 34 years	73	25	23	2	48	-
35 to 39 years	51	11	10	-	39	1
40 to 44 years	21	13	12	1	8	-
45 to 49 years	1	1	1	-	-	-
Not stated	2	-	-	-	2	-
Eighth child	121	27	27	-	94	-
25 to 29 years	32	5	5	-	27	-
30 to 34 years	49	11	11	-	38	-
35 to 39 years	28	8	8	-	20	-
40 to 44 years	12	3	3	-	9	-
Ninth child	70	13	13	-	57	-
25 to 29 years	12	-	-	-	12	-
30 to 34 years	21	3	3	-	18	-
35 to 39 years	25	5	5	-	20	-

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
DISTRICT OF COLUMBIA—Continued						
Ninth child—Continued						
40 to 44 years	10	4	4	-	6	-
45 to 49 years	1	1	1	-	-	-
50 to 54 years	1	-	-	-	1	-
Tenth child and over	127	20	20	-	106	1
25 to 29 years	10	1	1	-	9	-
30 to 34 years	37	6	6	-	31	-
35 to 39 years	47	7	7	-	39	1
40 to 44 years	26	5	5	-	21	-
45 to 49 years	5	1	1	-	4	-
Not stated	2	-	-	-	2	-
Birth order not stated	832	469	431	28	362	1
15 to 19 years	119	43	41	2	76	-
20 to 24 years	297	167	158	9	129	1
25 to 29 years	209	133	124	9	76	-
30 to 34 years	123	78	73	5	45	-
35 to 39 years	64	37	34	3	27	-
40 to 44 years	7	1	1	-	6	-
Not stated	13	10	-	-	3	-
FLORIDA						
Total births	47,791	35,207	34,488	693	12,551	33
10 to 14 years	151	30	30	-	121	-
15 to 19 years	7,547	4,510	4,483	23	3,034	3
20 to 24 years	15,247	11,661	11,486	172	3,580	6
25 to 29 years	11,861	9,313	9,124	183	2,537	11
30 to 34 years	7,699	5,873	5,709	160	1,817	9
35 to 39 years	4,073	2,990	2,868	122	1,080	3
40 to 44 years	981	698	668	30	282	1
45 to 49 years	81	44	42	2	37	-
50 to 54 years	3	2	2	-	1	-
55 years and over	1	-	-	-	1	-
Not stated	147	86	76	1	61	-
First child	17,664	14,348	14,023	320	3,308	8
10 to 14 years	150	30	30	-	120	-
15 to 19 years	5,316	3,525	3,503	20	1,790	1
20 to 24 years	7,036	6,207	6,088	117	825	4
25 to 29 years	3,257	2,923	2,834	89	331	3
30 to 34 years	1,331	1,173	1,115	58	158	-
35 to 39 years	464	403	374	29	61	-
40 to 44 years	69	60	54	6	9	-
45 to 49 years	5	4	3	1	1	-
50 to 54 years	1	1	1	-	-	-
Not stated	35	22	21	-	13	-
Second child	11,739	9,334	9,126	202	2,396	9
10 to 14 years	1	-	-	-	1	-
15 to 19 years	1,621	794	790	3	825	2
20 to 24 years	4,223	3,336	3,292	43	885	2
25 to 29 years	3,316	2,931	2,859	69	384	1
30 to 34 years	1,811	1,600	1,551	48	209	2
35 to 39 years	660	589	555	34	70	1
40 to 44 years	80	69	64	5	10	1
45 to 49 years	5	4	4	-	1	-
Not stated	22	11	11	-	11	-
Third child	6,563	4,807	4,705	99	1,753	3
15 to 19 years	381	115	114	-	266	-
20 to 24 years	2,119	1,333	1,324	9	786	-
25 to 29 years	2,010	1,638	1,621	17	369	3
30 to 34 years	1,322	1,108	1,077	30	214	-
35 to 39 years	602	515	483	32	87	-
40 to 44 years	95	79	69	10	16	-
45 to 49 years	4	2	1	1	2	-
50 to 54 years	1	-	-	-	1	-
Not stated	29	17	16	1	12	-
Fourth child	3,817	2,533	2,498	34	1,278	6
15 to 19 years	92	18	18	-	74	-
20 to 24 years	1,031	498	496	2	533	-
25 to 29 years	1,250	867	862	5	379	4
30 to 34 years	898	702	689	12	194	2
35 to 39 years	458	375	365	10	83	-
40 to 44 years	74	66	61	5	8	-
45 to 49 years	3	-	-	-	3	-
Not stated	11	7	7	-	4	-
Fifth child	2,378	1,413	1,396	16	962	3
15 to 19 years	14	2	2	-	12	-
20 to 24 years	395	127	127	-	268	-
25 to 29 years	838	476	474	2	362	-
30 to 34 years	701	491	485	5	208	2
35 to 39 years	339	255	247	8	83	1
40 to 44 years	78	55	54	1	23	-
45 to 49 years	4	2	2	-	2	-
Not stated	9	5	5	-	4	-
Sixth child	1,569	814	804	9	753	2
20 to 24 years	138	22	22	-	116	-
25 to 29 years	533	216	213	2	317	-
30 to 34 years	497	296	293	3	200	1

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
FLORIDA—Continued						
Sixth child—Continued						
35 to 39 years	310	212	208	4	97	1
40 to 44 years	72	56	56	-	16	-
45 to 49 years	14	12	12	-	2	-
Not stated	5	-	-	-	5	-
Seventh child	1,074	542	535	7	531	1
20 to 24 years	55	10	10	-	45	-
25 to 29 years	271	107	107	-	164	-
30 to 34 years	384	187	184	3	196	1
35 to 39 years	271	171	169	2	100	-
40 to 44 years	91	66	64	2	25	-
45 to 49 years	1	1	1	-	-	-
Not stated	1	-	-	-	1	-
Eighth child	738	375	373	2	362	1
20 to 24 years	14	3	3	-	11	-
25 to 29 years	123	32	32	-	91	-
30 to 34 years	277	132	132	-	144	1
35 to 39 years	254	157	155	2	97	-
40 to 44 years	61	47	47	-	14	-
45 to 49 years	4	2	2	-	2	-
Not stated	5	2	2	-	3	-
Ninth child	541	237	237	-	304	-
20 to 24 years	5	1	1	-	4	-
25 to 29 years	57	4	4	-	53	-
30 to 34 years	169	64	64	-	105	-
35 to 39 years	225	120	120	-	105	-
40 to 44 years	77	44	44	-	33	-
45 to 49 years	6	2	2	-	4	-
Not stated	2	2	2	-	-	-
Tenth child and over	931	343	342	1	588	-
20 to 24 years	4	-	-	-	4	-
25 to 29 years	44	9	9	-	35	-
30 to 34 years	190	47	47	-	143	-
35 to 39 years	407	139	139	-	268	-
40 to 44 years	251	133	132	1	118	-
45 to 49 years	34	15	15	-	19	-
Not stated	1	-	-	-	1	-
Birth order not stated	777	461	449	3	316	-
15 to 19 years	123	56	56	-	67	-
20 to 24 years	227	124	123	1	103	-
25 to 29 years	162	110	109	-	52	-
30 to 34 years	119	73	72	1	46	-
35 to 39 years	83	54	53	1	29	-
40 to 44 years	33	23	23	-	10	-
45 to 49 years	1	-	-	-	1	-
50 to 54 years	1	1	1	-	-	-
55 years and over	1	-	-	-	1	-
Not stated	27	20	12	-	7	-
GEORGIA						
Total births	74,852	47,493	46,180	153	27,347	12
10 to 14 years	244	46	45	-	198	-
15 to 19 years	11,827	5,908	5,899	5	5,918	1
20 to 24 years	21,867	14,143	14,090	50	7,721	3
25 to 29 years	17,523	11,960	11,909	46	5,563	-
30 to 34 years	12,052	8,219	8,184	32	3,831	2
35 to 39 years	7,070	4,705	4,681	20	2,363	2
40 to 44 years	1,825	1,202	1,199	2	622	1
45 to 49 years	162	89	89	-	72	1
50 to 54 years	3	2	2	-	1	-
55 years and over	4	1	1	-	3	-
Not stated	2,275	1,218	81	-	1,055	2
First child	22,943	16,271	16,183	66	6,670	2
10 to 14 years	243	46	45	-	197	-
15 to 19 years	8,428	4,649	4,642	4	3,778	1
20 to 24 years	8,408	6,626	6,595	31	1,782	-
25 to 29 years	3,600	3,079	3,059	18	521	-
30 to 34 years	1,488	1,252	1,242	10	235	1
35 to 39 years	627	517	514	3	110	-
40 to 44 years	82	63	63	-	19	-
45 to 49 years	3	2	2	-	1	-
Not stated	64	37	21	-	27	-
Second child	15,974	11,276	11,215	55	4,698	-
10 to 14 years	1	-	-	-	1	-
15 to 19 years	2,575	1,035	1,033	1	1,540	-
20 to 24 years	6,272	4,234	4,215	16	2,038	-
25 to 29 years	4,035	3,335	3,317	18	700	-
30 to 34 years	2,194	1,895	1,883	12	299	-
35 to 39 years	775	678	669	8	97	-
40 to 44 years	91	81	81	-	10	-
45 to 49 years	1	1	1	-	-	-
55 years and over	1	1	1	-	-	-
Not stated	29	16	15	-	13	-
Third child	10,503	6,907	6,880	21	3,593	3
15 to 19 years	603	154	154	-	449	-
20 to 24 years	3,870	2,108	2,107	1	1,759	3
GEORGIA—Continued						
Third child—Continued						
25 to 29 years	3,236	2,370	2,361	7	866	-
30 to 34 years	1,889	1,533	1,524	7	356	-
35 to 39 years	772	635	630	5	137	-
40 to 44 years	110	92	91	1	18	-
45 to 49 years	9	4	4	-	5	-
50 to 54 years	1	1	1	-	-	-
Not stated	13	10	8	-	3	-
Fourth child	6,990	4,146	4,138	8	2,844	-
15 to 19 years	88	14	14	-	74	-
20 to 24 years	1,929	774	773	1	1,155	-
25 to 29 years	2,568	1,588	1,586	2	980	-
30 to 34 years	1,513	1,089	1,087	2	424	-
35 to 39 years	737	564	562	2	173	-
40 to 44 years	133	107	106	1	26	-
45 to 49 years	4	4	4	-	-	-
Not stated	18	6	6	-	12	-
Fifth child	4,766	2,508	2,500	3	2,257	1
15 to 19 years	21	2	2	-	19	-
20 to 24 years	804	221	221	-	583	-
25 to 29 years	1,781	844	843	-	937	-
30 to 34 years	1,331	851	850	1	480	-
35 to 39 years	683	490	487	2	192	1
40 to 44 years	120	90	90	-	30	-
45 to 49 years	9	3	3	-	6	-
Not stated	17	7	4	-	10	-
Sixth child	3,340	1,641	1,638	-	1,698	1
15 to 19 years	3	1	1	-	2	-
20 to 24 years	277	55	55	-	222	-
25 to 29 years	1,114	420	420	-	694	-
30 to 34 years	1,134	627	627	-	507	-
35 to 39 years	652	428	427	-	223	1
40 to 44 years	136	95	95	-	41	-
45 to 49 years	14	11	11	-	3	-
Not stated	10	4	2	-	6	-
Seventh child	2,559	1,194	1,193	-	1,364	1
20 to 24 years	95	14	14	-	81	-
25 to 29 years	605	167	167	-	438	-
30 to 34 years	977	467	467	-	509	1
35 to 39 years	681	414	414	-	267	-
40 to 44 years	178	121	120	-	57	-
45 to 49 years	9	6	6	-	3	-
50 to 54 years	1	1	1	-	-	-
Not stated	13	4	4	-	9	-
Eighth child	1,742	794	793	-	947	1
20 to 24 years	29	3	3	-	26	-
25 to 29 years	273	55	55	-	218	-
30 to 34 years	672	269	269	-	403	-
35 to 39 years	584	342	341	-	242	-
40 to 44 years	167	116	116	-	51	-
45 to 49 years	12	8	8	-	4	-
55 years and over	1	-	-	-	1	-
Not stated	4	1	1	-	2	1
Ninth child	1,241	500	500	-	741	-
20 to 24 years	14	3	3	-	11	-
25 to 29 years	121	18	18	-	103	-
30 to 34 years	383	110	110	-	273	-
35 to 39 years	533	252	252	-	281	-
40 to 44 years	171	107	107	-	64	-
45 to 49 years	17	9	9	-	8	-
Not stated	2	1	1	-	1	-
Tenth child and over	2,189	823	823	-	1,364	2
20 to 24 years	14	1	1	-	13	-
25 to 29 years	81	12	12	-	69	-
30 to 34 years	396	83	83	-	313	-
35 to 39 years	981	360	360	-	621	-
40 to 44 years	629	326	326	-	302	1
45 to 49 years	82	40	40	-	41	1
50 to 54 years	1	-	-	-	1	-
55 years and over	2	-	-	-	2	-
Not stated	3	1	1	-	2	-
Birth order not stated	2,605	1,433	317	2	1,171	1
15 to 19 years	109	53	53	-	56	-
20 to 24 years	155	104	103	1	51	-
25 to 29 years	109	72	71	1	37	-
30 to 34 years	75	43	42	-	32	-
35 to 39 years	45	25	25	-	20	-
40 to 44 years	8	4	4	-	4	-
45 to 49 years	2	1	1	-	1	-
Not stated	2,102	1,131	18	-	970	1
IDAHO						
Total births	11,501	11,288	11,093	186	8	205
10 to 14 years	6	6	6	-	-	-
15 to 19 years	1,160	1,145	1,138	7	3	12
20 to 24 years	3,590	3,519	3,469	48	3	68

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
IDAHO—Continued						
Total births—Continued						
25 to 29 years	3,200	3,118	3,077	37	-	82
30 to 34 years	2,038	2,018	1,976	41	-	20
35 to 39 years	1,149	1,137	1,098	38	2	10
40 to 44 years	311	300	286	13	-	11
45 to 49 years	28	27	27	-	-	1
Not stated	19	18	16	2	-	1
First child	2,209	2,162	2,126	35	2	45
10 to 14 years	6	6	6	-	-	-
15 to 19 years	594	586	582	4	1	7
20 to 24 years	1,030	1,005	987	17	1	24
25 to 29 years	365	352	345	7	-	13
30 to 34 years	132	132	128	4	-	-
35 to 39 years	66	65	63	2	-	1
40 to 44 years	12	12	11	1	-	-
45 to 49 years	1	1	1	-	-	-
Not stated	3	3	3	-	-	-
Second child	1,894	1,854	1,823	29	3	37
15 to 19 years	114	110	109	1	2	2
20 to 24 years	760	742	737	5	1	17
25 to 29 years	599	584	576	7	-	15
30 to 34 years	300	297	285	11	-	3
35 to 39 years	103	103	100	3	-	-
40 to 44 years	15	15	14	1	-	-
Not stated	3	3	2	1	-	-
Third child	1,359	1,342	1,320	21	-	17
15 to 19 years	20	19	18	1	-	1
20 to 24 years	363	356	352	4	-	7
25 to 29 years	516	508	501	6	-	8
30 to 34 years	299	299	295	4	-	-
35 to 39 years	142	141	135	6	-	1
40 to 44 years	17	17	17	-	-	-
Not stated	2	2	2	-	-	-
Fourth child	839	824	804	19	-	15
15 to 19 years	4	4	4	-	-	-
20 to 24 years	153	149	149	-	-	4
25 to 29 years	303	296	291	4	-	7
30 to 34 years	234	231	225	6	-	3
35 to 39 years	113	112	105	7	-	1
40 to 44 years	31	31	29	2	-	-
45 to 49 years	1	1	1	-	-	-
Fifth child	483	471	459	11	-	12
15 to 19 years	3	2	2	-	-	1
20 to 24 years	48	47	45	2	-	1
25 to 29 years	163	157	153	3	-	6
30 to 34 years	161	159	154	5	-	2
35 to 39 years	84	83	83	-	-	1
40 to 44 years	20	19	18	1	-	1
45 to 49 years	3	3	3	-	-	-
Not stated	1	1	1	-	-	-
Sixth child	323	314	303	11	1	8
15 to 19 years	2	2	2	-	-	-
20 to 24 years	20	20	16	4	-	-
25 to 29 years	85	79	77	2	-	6
30 to 34 years	91	91	90	1	-	-
35 to 39 years	91	89	87	2	1	1
40 to 44 years	33	32	30	2	-	1
Not stated	1	1	1	-	-	-
Seventh child	177	171	166	5	-	6
20 to 24 years	1	1	1	-	-	-
25 to 29 years	25	25	25	-	-	-
30 to 34 years	70	67	67	-	-	3
35 to 39 years	62	62	57	5	-	-
40 to 44 years	16	14	14	-	-	2
45 to 49 years	2	2	2	-	-	-
Not stated	1	-	-	-	-	1
Eighth child	135	128	124	4	-	7
20 to 24 years	1	1	1	-	-	-
25 to 29 years	17	17	17	-	-	-
30 to 34 years	42	38	38	-	-	4
35 to 39 years	48	46	43	3	-	2
40 to 44 years	20	19	19	-	-	1
45 to 49 years	6	6	6	-	-	-
Not stated	1	1	-	1	-	-
Ninth child	80	76	73	3	-	4
25 to 29 years	5	4	4	-	-	1
30 to 34 years	22	22	22	-	-	-
35 to 39 years	36	36	36	-	-	-
40 to 44 years	14	12	9	3	-	2
45 to 49 years	3	2	2	-	-	1
Tenth child and over	135	129	125	3	-	6
25 to 29 years	8	7	7	-	-	1
30 to 34 years	19	18	18	-	-	1
35 to 39 years	50	49	47	2	-	1
IDAHO—Continued						
Tenth child and over—Continued						
40 to 44 years	51	48	46	1	-	3
45 to 49 years	7	7	7	-	-	-
Birth order not stated	3,867	3,817	3,770	45	2	48
15 to 19 years	423	422	421	1	-	1
20 to 24 years	1,214	1,198	1,181	16	1	15
25 to 29 years	1,114	1,089	1,081	8	-	25
30 to 34 years	668	664	654	10	-	4
35 to 39 years	354	351	342	8	1	2
40 to 44 years	82	81	79	2	-	1
45 to 49 years	5	5	5	-	-	-
Not stated	7	7	7	-	-	-
ILLINOIS						
Total births	138,705	128,577	123,765	4,686	9,792	336
10 to 14 years	99	35	34	1	64	-
15 to 19 years	10,546	8,309	8,232	46	2,217	20
20 to 24 years	38,127	34,758	34,044	672	3,233	136
25 to 29 years	41,548	39,336	38,414	907	2,080	132
30 to 34 years	29,953	28,637	27,275	1,349	1,286	30
35 to 39 years	14,670	13,932	12,680	1,245	724	14
40 to 44 years	3,514	3,333	2,899	430	177	4
45 to 49 years	208	198	163	35	10	-
50 to 54 years	2	2	1	1	-	-
55 years and over	1	1	1	-	-	-
Not stated	37	36	22	-	1	-
First child	49,091	45,632	44,297	1,260	3,278	181
10 to 14 years	99	35	34	1	64	-
15 to 19 years	8,511	6,959	6,894	38	1,536	16
20 to 24 years	20,838	19,692	19,223	440	1,054	92
25 to 29 years	12,051	11,603	11,270	328	385	63
30 to 34 years	5,297	5,121	4,878	239	169	7
35 to 39 years	1,930	1,871	1,702	167	57	2
40 to 44 years	339	325	282	43	13	1
45 to 49 years	13	13	9	4	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	12	12	4	-	-	-
Second child	41,893	39,621	38,128	1,468	2,186	86
15 to 19 years	1,711	1,168	1,158	7	539	4
20 to 24 years	10,862	9,860	9,677	175	970	32
25 to 29 years	15,252	14,824	14,451	369	390	38
30 to 34 years	10,106	9,891	9,386	502	205	10
35 to 39 years	3,451	3,374	3,035	337	76	1
40 to 44 years	480	474	395	77	5	1
45 to 49 years	24	24	22	2	-	-
Not stated	7	6	4	-	1	-
Third child	22,791	21,286	20,402	876	1,471	34
15 to 19 years	270	153	151	1	117	-
20 to 24 years	4,199	3,527	3,487	38	663	9
25 to 29 years	7,767	7,350	7,218	131	396	21
30 to 34 years	6,854	6,645	6,295	347	207	2
35 to 39 years	3,135	3,057	2,776	280	76	2
40 to 44 years	535	523	446	77	12	-
45 to 49 years	26	26	24	2	-	-
Not stated	5	5	5	-	-	-
Fourth child	10,715	9,731	9,285	438	968	16
15 to 19 years	37	16	16	-	21	-
20 to 24 years	1,510	1,150	1,136	12	358	2
25 to 29 years	3,362	3,026	2,976	46	330	6
30 to 34 years	3,280	3,113	2,975	137	162	5
35 to 39 years	2,014	1,930	1,754	175	81	3
40 to 44 years	493	477	414	63	16	-
45 to 49 years	17	17	12	5	-	-
Not stated	2	2	2	-	-	-
Fifth child	5,530	4,866	4,633	229	655	9
15 to 19 years	3	2	2	-	1	-
20 to 24 years	459	322	319	2	136	1
25 to 29 years	1,600	1,321	1,306	15	276	3
30 to 34 years	1,804	1,653	1,592	60	148	3
35 to 39 years	1,287	1,207	1,103	103	79	1
40 to 44 years	352	337	293	44	14	1
45 to 49 years	23	22	17	5	1	-
Not stated	2	2	1	-	-	-
Sixth child	3,157	2,722	2,598	122	433	2
15 to 19 years	3	-	-	-	3	-
20 to 24 years	114	74	71	3	40	-
25 to 29 years	825	656	648	8	169	-
30 to 34 years	1,077	941	918	23	135	1
35 to 39 years	849	785	727	58	63	1
40 to 44 years	276	254	224	28	22	-
45 to 49 years	12	11	9	2	1	-
Not stated	1	1	1	-	-	-
Seventh child	1,887	1,618	1,530	87	265	4
20 to 24 years	29	18	18	-	11	-
25 to 29 years	325	245	240	5	79	1

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
ILLINOIS—Continued						
Seventh child—Continued						
30 to 34 years	646	550	530	19	95	1
35 to 39 years	646	584	548	36	60	2
40 to 44 years	224	205	182	23	19	-
45 to 49 years	16	15	11	4	1	-
Not stated	1	1	1	-	-	-
Eighth child	1,199	1,014	961	53	183	2
20 to 24 years	5	5	5	-	-	-
25 to 29 years	123	84	81	3	39	-
30 to 34 years	409	335	331	4	73	1
35 to 39 years	445	391	361	30	53	1
40 to 44 years	203	186	172	14	17	-
45 to 49 years	13	12	10	2	1	-
Not stated	1	1	1	-	-	-
Ninth child	816	679	629	50	137	-
25 to 29 years	46	36	35	1	10	-
30 to 34 years	217	165	157	8	52	-
35 to 39 years	370	307	285	22	63	-
40 to 44 years	164	153	140	13	11	-
45 to 49 years	18	17	12	5	1	-
50 to 54 years	1	1	-	1	-	-
Tenth child and over	1,147	930	837	93	215	2
20 to 24 years	1	-	-	-	1	-
25 to 29 years	23	18	17	1	5	-
30 to 34 years	153	113	107	6	40	-
35 to 39 years	484	367	332	35	116	1
40 to 44 years	439	390	343	47	48	1
45 to 49 years	46	41	37	4	5	-
55 years and over	1	1	1	-	-	-
Birth order not stated	479	478	465	10	1	-
15 to 19 years	11	11	11	-	-	-
20 to 24 years	110	110	108	2	-	-
25 to 29 years	174	173	172	1	1	-
30 to 34 years	110	110	106	4	-	-
35 to 39 years	59	59	57	2	-	-
40 to 44 years	9	9	8	1	-	-
Not stated	6	6	3	-	-	-
INDIANA						
Total births	68,444	65,623	64,876	662	2,800	21
10 to 14 years	43	27	27	-	16	-
15 to 19 years	7,158	6,528	6,508	12	629	1
20 to 24 years	20,676	19,800	19,677	100	868	8
25 to 29 years	19,092	18,519	18,333	170	564	9
30 to 34 years	12,785	12,394	12,209	171	391	-
35 to 39 years	6,546	6,302	6,159	132	241	3
40 to 44 years	1,792	1,723	1,656	65	69	-
45 to 49 years	137	131	127	4	6	-
50 to 54 years	3	3	3	-	-	-
55 years and over	3	3	3	-	-	-
Not stated	209	193	174	8	16	-
First child	20,948	20,112	19,916	167	827	9
10 to 14 years	43	27	27	-	16	-
15 to 19 years	5,253	4,820	4,802	11	432	1
20 to 24 years	9,118	8,855	8,791	56	259	4
25 to 29 years	4,094	4,017	3,960	52	73	4
30 to 34 years	1,634	1,607	1,583	22	27	-
35 to 39 years	651	633	612	18	18	-
40 to 44 years	100	99	93	6	1	-
45 to 49 years	4	4	3	1	-	-
Not stated	51	50	45	1	1	-
Second child	17,206	16,687	16,515	159	519	2
15 to 19 years	1,165	1,028	1,026	1	137	-
20 to 24 years	5,943	5,719	5,685	30	224	-
25 to 29 years	5,673	5,585	5,521	59	87	1
30 to 34 years	3,196	3,153	3,103	48	43	-
35 to 39 years	1,045	1,020	1,005	14	24	1
40 to 44 years	142	140	134	6	2	-
45 to 49 years	5	4	4	-	1	-
55 years and over	1	1	1	-	-	-
Not stated	38	37	36	1	1	-
Third child	10,490	10,131	10,005	114	353	6
15 to 19 years	177	159	159	-	18	-
20 to 24 years	2,660	2,485	2,478	4	172	3
25 to 29 years	3,799	3,706	3,671	31	91	2
30 to 34 years	2,609	2,563	2,515	46	46	-
35 to 39 years	1,029	1,008	981	25	20	1
40 to 44 years	177	172	165	7	5	-
45 to 49 years	6	6	6	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	32	31	29	1	1	-
Fourth child	5,889	5,643	5,593	45	245	1
15 to 19 years	24	21	21	-	3	-
20 to 24 years	1,092	1,002	997	4	90	-
25 to 29 years	2,119	2,023	2,011	10	95	1
30 to 34 years	1,631	1,595	1,578	17	36	-

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
INDIANA—Continued						
Fourth child—Continued						
35 to 39 years	806	794	784	10	12	-
40 to 44 years	189	184	180	4	5	-
45 to 49 years	10	9	9	-	1	-
Not stated	18	15	13	-	3	-
Fifth child	3,420	3,233	3,199	30	187	-
15 to 19 years	2	2	2	-	-	-
20 to 24 years	360	316	314	-	44	-
25 to 29 years	1,138	1,073	1,069	4	65	-
30 to 34 years	1,093	1,052	1,047	5	41	-
35 to 39 years	637	609	592	15	28	-
40 to 44 years	172	165	160	5	7	-
45 to 49 years	8	8	8	-	-	-
Not stated	10	8	7	1	2	-
Sixth child	2,064	1,909	1,879	27	154	1
15 to 19 years	1	1	1	-	-	-
20 to 24 years	93	75	74	-	17	1
25 to 29 years	626	561	560	1	65	-
30 to 34 years	686	643	630	11	43	-
35 to 39 years	473	451	443	8	22	-
40 to 44 years	162	157	151	6	5	-
45 to 49 years	11	11	11	-	-	-
55 years and over	1	1	1	-	-	-
Not stated	11	9	8	1	2	-
Seventh child	1,401	1,293	1,267	23	108	-
20 to 24 years	23	19	19	-	4	-
25 to 29 years	274	246	244	2	28	-
30 to 34 years	511	465	460	3	46	-
35 to 39 years	429	409	396	12	20	-
40 to 44 years	146	137	132	5	9	-
45 to 49 years	11	10	10	-	1	-
Not stated	7	7	6	1	-	-
Eighth child	928	857	841	13	70	1
20 to 24 years	1	1	1	-	-	-
25 to 29 years	132	119	117	2	13	-
30 to 34 years	320	286	284	2	34	-
35 to 39 years	336	318	312	4	19	1
40 to 44 years	113	111	105	5	2	-
45 to 49 years	18	17	17	-	1	-
Not stated	6	5	5	-	1	-
Ninth child	658	611	596	13	47	-
20 to 24 years	2	2	2	-	-	-
25 to 29 years	47	45	45	-	2	-
30 to 34 years	199	179	177	1	20	-
35 to 39 years	272	251	246	5	21	-
40 to 44 years	125	121	113	7	4	-
45 to 49 years	9	9	9	-	-	-
Not stated	4	4	4	-	-	-
Tenth child and over	1,096	990	966	24	106	-
25 to 29 years	23	19	19	-	4	-
30 to 34 years	165	142	138	4	23	-
35 to 39 years	476	427	420	7	49	-
40 to 44 years	374	347	339	8	27	-
45 to 49 years	50	48	45	3	2	-
50 to 54 years	1	1	1	-	-	-
55 years and over	1	1	1	-	-	-
Not stated	6	5	3	2	1	-
Birth order not stated	4,342	4,157	4,099	47	184	1
15 to 19 years	536	497	497	-	39	-
20 to 24 years	1,384	1,326	1,316	6	58	-
25 to 29 years	1,167	1,125	1,116	9	41	1
30 to 34 years	741	709	694	12	32	-
35 to 39 years	390	382	368	14	8	-
40 to 44 years	92	90	84	6	2	-
45 to 49 years	5	5	5	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	26	22	18	-	4	-
IOWA						
Total births	44,934	44,584	44,161	413	292	58
10 to 14 years	12	11	11	-	1	-
15 to 19 years	3,630	3,561	3,552	7	66	3
20 to 24 years	13,336	13,221	13,161	58	97	18
25 to 29 years	12,825	12,752	12,659	91	62	11
30 to 34 years	8,868	8,803	8,700	100	43	22
35 to 39 years	4,721	4,703	4,591	112	15	3
40 to 44 years	1,368	1,361	1,324	37	6	1
45 to 49 years	102	100	94	6	2	-
50 to 54 years	4	4	4	-	-	-
55 years and over	1	1	1	-	-	-
Not stated	67	67	64	2	-	-
First child	14,287	14,176	14,084	90	94	17
10 to 14 years	12	11	11	-	1	-
15 to 19 years	2,957	2,910	2,903	6	44	3
20 to 24 years	6,675	6,630	6,599	30	36	9
25 to 29 years	2,980	2,967	2,940	27	10	3

[1] Includes mother's nativity not stated.

TABLE 5.–LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945–Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
IOWA—Continued						
First child—Continued						
30 to 34 years	1,141	1,137	1,127	10	2	2
35 to 39 years	418	417	402	15	1	-
40 to 44 years	80	80	78	2	-	-
45 to 49 years	4	4	4	-	-	-
55 years and over	1	1	1	-	-	-
Not stated	19	19	19	-	-	-
Second child	11,913	11,836	11,744	89	62	15
15 to 19 years	541	523	521	1	18	-
20 to 24 years	4,063	4,030	4,011	19	27	6
25 to 29 years	4,202	4,185	4,161	23	11	6
30 to 34 years	2,196	2,189	2,164	25	4	3
35 to 39 years	759	758	741	17	1	-
40 to 44 years	133	133	131	2	-	-
45 to 49 years	3	2	1	1	1	-
50 to 54 years	1	1	1	-	-	-
Not stated	15	15	13	1	-	-
Third child	7,751	7,708	7,628	77	36	7
15 to 19 years	70	68	68	-	2	-
20 to 24 years	1,602	1,582	1,575	6	17	3
25 to 29 years	2,881	2,873	2,854	19	7	1
30 to 34 years	2,118	2,106	2,076	28	9	3
35 to 39 years	904	903	882	21	1	-
40 to 44 years	156	156	153	3	-	-
45 to 49 years	7	7	7	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	12	12	12	-	-	-
Fourth child	4,250	4,217	4,179	38	29	4
15 to 19 years	7	7	7	-	-	-
20 to 24 years	535	528	527	1	7	-
25 to 29 years	1,378	1,368	1,361	7	10	-
30 to 34 years	1,379	1,365	1,350	15	10	4
35 to 39 years	730	728	719	9	2	-
40 to 44 years	206	206	200	6	-	-
45 to 49 years	9	9	9	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	5	5	5	-	-	-
Fifth child	2,333	2,306	2,276	28	21	6
15 to 19 years	1	1	1	-	-	-
20 to 24 years	162	159	159	-	3	-
25 to 29 years	684	675	669	5	9	-
30 to 34 years	771	761	753	7	5	5
35 to 39 years	541	537	525	12	3	1
40 to 44 years	162	161	157	4	1	-
45 to 49 years	9	9	9	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	2	2	2	-	-	-
Sixth child	1,351	1,327	1,302	25	21	3
20 to 24 years	38	31	30	1	7	-
25 to 29 years	291	283	280	3	8	-
30 to 34 years	486	478	473	5	5	3
35 to 39 years	383	383	375	8	-	-
40 to 44 years	135	134	128	6	1	-
45 to 49 years	12	12	11	1	-	-
Not stated	6	6	5	1	-	-
Seventh child	815	805	788	17	6	4
20 to 24 years	2	2	2	-	-	-
25 to 29 years	115	110	108	2	4	1
30 to 34 years	307	303	300	3	2	2
35 to 39 years	284	283	275	8	-	1
40 to 44 years	99	99	96	3	-	-
45 to 49 years	8	8	7	1	-	-
Eighth child	583	575	558	17	6	2
25 to 29 years	54	51	50	1	3	-
30 to 34 years	178	176	172	4	2	-
35 to 39 years	241	239	231	8	1	1
40 to 44 years	103	102	98	4	-	1
45 to 49 years	5	5	5	-	-	-
Not stated	2	2	2	-	-	-
Ninth child	359	354	349	5	5	-
25 to 29 years	21	21	20	1	-	-
30 to 34 years	88	86	85	1	2	-
35 to 39 years	160	157	156	1	3	-
40 to 44 years	80	80	78	2	-	-
45 to 49 years	7	7	7	-	-	-
Not stated	3	3	3	-	-	-
Tenth child and over	541	532	511	21	9	-
25 to 29 years	5	5	4	1	-	-
30 to 34 years	74	73	72	1	1	-
35 to 39 years	235	232	220	12	3	-
40 to 44 years	190	186	182	4	4	-
45 to 49 years	37	36	33	3	1	-
Birth order not stated	751	748	742	6	3	-
15 to 19 years	54	52	52	-	2	-
20 to 24 years	259	259	258	1	-	-
IOWA—Continued						
Birth order not stated—Continued						
25 to 29 years	214	214	212	2	-	-
30 to 34 years	130	129	128	1	1	-
35 to 39 years	66	66	65	1	-	-
40 to 44 years	24	24	23	1	-	-
45 to 49 years	1	1	1	-	-	-
Not stated	3	3	3	-	-	-
KANSAS						
Total births	33,624	32,383	32,048	312	1,170	71
10 to 14 years	16	12	12	-	4	-
15 to 19 years	3,404	3,120	3,117	1	273	11
20 to 24 years	10,514	10,139	10,083	51	352	23
25 to 29 years	9,137	8,873	8,810	61	247	17
30 to 34 years	6,162	5,989	5,908	78	163	10
35 to 39 years	3,269	3,164	3,080	82	99	6
40 to 44 years	932	906	871	34	24	2
45 to 49 years	84	82	79	3	2	-
Not stated	106	98	88	2	6	2
First child	11,681	11,296	11,235	56	359	26
10 to 14 years	16	12	12	-	4	-
15 to 19 years	2,731	2,542	2,541	-	178	11
20 to 24 years	5,274	5,149	5,118	29	115	10
25 to 29 years	2,325	2,276	2,260	16	44	5
30 to 34 years	901	887	882	5	14	-
35 to 39 years	324	320	316	4	4	-
40 to 44 years	73	73	71	2	-	-
45 to 49 years	6	6	6	-	-	-
Not stated	31	31	29	-	-	-
Second child	8,791	8,559	8,501	53	222	10
15 to 19 years	496	431	429	1	65	-
20 to 24 years	3,056	2,957	2,945	11	93	6
25 to 29 years	2,937	2,899	2,882	16	36	2
30 to 34 years	1,619	1,598	1,585	12	20	1
35 to 39 years	585	579	566	13	6	-
40 to 44 years	76	75	75	-	1	-
45 to 49 years	1	1	1	-	-	-
Not stated	21	19	18	-	1	1
Third child	5,281	5,096	5,047	46	173	12
15 to 19 years	63	47	47	-	16	-
20 to 24 years	1,279	1,201	1,195	6	72	6
25 to 29 years	1,866	1,817	1,805	12	45	4
30 to 34 years	1,363	1,337	1,319	17	26	-
35 to 39 years	586	575	564	10	11	-
40 to 44 years	104	101	100	1	2	1
45 to 49 years	5	5	5	-	-	-
Not stated	15	13	12	-	1	1
Fourth child	2,805	2,698	2,670	27	103	4
15 to 19 years	11	9	9	-	2	-
20 to 24 years	417	383	379	4	34	-
25 to 29 years	958	925	921	4	31	2
30 to 34 years	872	850	839	11	21	1
35 to 39 years	426	414	406	8	11	1
40 to 44 years	104	101	101	-	3	-
45 to 49 years	9	9	9	-	-	-
Not stated	8	7	6	-	1	-
Fifth child	1,584	1,493	1,473	19	84	7
15 to 19 years	1	1	1	-	-	-
20 to 24 years	131	110	110	-	21	-
25 to 29 years	464	428	426	2	34	2
30 to 34 years	514	495	486	9	17	2
35 to 39 years	353	342	338	3	8	3
40 to 44 years	106	105	100	5	1	-
45 to 49 years	3	2	2	-	1	-
Not stated	12	10	10	-	2	-
Sixth child	898	829	815	13	62	7
20 to 24 years	37	33	32	-	4	-
25 to 29 years	211	178	175	3	32	1
30 to 34 years	316	296	291	5	16	4
35 to 39 years	243	232	229	3	9	2
40 to 44 years	80	79	78	1	1	-
45 to 49 years	8	8	7	1	-	-
Not stated	3	3	3	-	-	-
Seventh child	578	537	518	19	39	2
20 to 24 years	13	11	11	-	2	-
25 to 29 years	81	70	66	4	11	-
30 to 34 years	208	189	184	5	17	2
35 to 39 years	191	184	179	5	7	-
40 to 44 years	79	77	72	5	2	-
45 to 49 years	4	4	4	-	-	-
Not stated	2	2	2	-	-	-
Eighth child	353	329	318	11	24	-
20 to 24 years	3	3	3	-	-	-
25 to 29 years	27	24	23	1	3	-
30 to 34 years	108	100	98	2	8	-
35 to 39 years	135	126	121	5	9	-

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
KANSAS—Continued						
Eighth child—Continued						
40 to 44 years	67	63	60	3	4	-
45 to 49 years	11	11	11	-	-	-
Not stated	2	2	2	-	-	-
Ninth child	256	236	222	13	19	1
20 to 24 years	2	1	1	-	1	-
25 to 29 years	5	4	4	-	-	1
30 to 34 years	63	56	53	2	7	-
35 to 39 years	126	116	108	8	10	-
40 to 44 years	49	49	47	2	-	-
45 to 49 years	8	7	7	-	1	-
Not stated	3	3	2	1	-	-
Tenth child and over	462	425	377	47	36	1
25 to 29 years	5	4	3	1	1	-
30 to 34 years	53	46	38	8	7	-
35 to 39 years	203	185	164	21	18	-
40 to 44 years	172	162	147	14	9	1
45 to 49 years	26	26	24	2	-	-
Not stated	3	2	1	1	1	-
Birth order not stated	935	885	872	8	49	1
15 to 19 years	102	90	90	-	12	-
20 to 24 years	302	291	289	1	10	1
25 to 29 years	258	248	245	2	10	-
30 to 34 years	145	135	133	2	10	-
35 to 39 years	97	91	89	2	6	-
40 to 44 years	22	21	20	1	1	-
45 to 49 years	3	3	3	-	-	-
Not stated	6	6	3	-	-	-
KENTUCKY						
Total births	60,892	57,654	57,503	120	3,236	2
10 to 14 years	81	57	57	-	24	-
15 to 19 years	8,013	7,342	7,334	5	671	-
20 to 24 years	18,020	17,026	16,996	30	994	-
25 to 29 years	14,584	13,944	13,911	26	639	1
30 to 34 years	10,678	10,195	10,159	30	482	1
35 to 39 years	6,829	6,514	6,497	17	315	-
40 to 44 years	2,434	2,335	2,322	10	99	-
45 to 49 years	231	219	216	2	12	-
50 to 54 years	3	3	3	-	-	-
55 years and over	2	2	2	-	-	-
Not stated	17	17	16	-	-	-
First child	20,220	19,159	19,088	60	1,060	1
10 to 14 years	80	56	56	-	24	-
15 to 19 years	6,446	5,977	5,970	5	469	-
20 to 24 years	8,266	7,906	7,878	24	360	-
25 to 29 years	3,277	3,164	3,146	14	112	1
30 to 34 years	1,471	1,406	1,393	13	65	-
35 to 39 years	564	541	538	3	23	-
40 to 44 years	103	96	95	1	7	-
45 to 49 years	4	4	4	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	8	8	7	-	-	-
Second child	11,808	11,161	11,138	19	647	-
10 to 14 years	1	1	1	-	-	-
15 to 19 years	1,315	1,159	1,158	-	156	-
20 to 24 years	4,838	4,540	4,534	4	298	-
25 to 29 years	3,240	3,126	3,119	7	114	-
30 to 34 years	1,647	1,598	1,593	4	49	-
35 to 39 years	651	626	622	4	25	-
40 to 44 years	106	103	103	-	3	-
45 to 49 years	7	5	5	-	2	-
50 to 54 years	2	2	2	-	-	-
55 years and over	1	1	1	-	-	-
Third child	8,190	7,795	7,779	11	395	-
15 to 19 years	208	177	177	-	31	-
20 to 24 years	2,870	2,701	2,700	-	169	-
25 to 29 years	2,814	2,696	2,690	4	118	-
30 to 34 years	1,491	1,443	1,435	6	48	-
35 to 39 years	667	644	643	1	23	-
40 to 44 years	126	121	121	-	5	-
45 to 49 years	12	11	11	-	1	-
Not stated	2	2	2	-	-	-
Fourth child	5,932	5,631	5,621	9	301	-
15 to 19 years	28	19	19	-	9	-
20 to 24 years	1,427	1,324	1,321	2	103	-
25 to 29 years	2,229	2,129	2,128	1	100	-
30 to 34 years	1,441	1,385	1,382	3	56	-
35 to 39 years	652	625	623	2	27	-
40 to 44 years	146	141	140	1	5	-
45 to 49 years	6	5	5	-	1	-
Not stated	3	3	3	-	-	-
Fifth child	4,142	3,919	3,911	3	222	1
15 to 19 years	4	3	3	-	1	-
20 to 24 years	435	399	398	-	36	-
25 to 29 years	1,549	1,471	1,470	-	78	-

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
KENTUCKY—Continued						
Fifth child—Continued						
30 to 34 years	1,328	1,259	1,257	-	68	1
35 to 39 years	692	662	660	2	30	-
40 to 44 years	124	115	113	1	9	-
45 to 49 years	10	10	10	-	-	-
Sixth child	3,068	2,882	2,874	8	186	-
20 to 24 years	116	102	102	-	14	-
25 to 29 years	851	793	793	-	58	-
30 to 34 years	1,211	1,133	1,131	2	78	-
35 to 39 years	679	651	647	4	28	-
40 to 44 years	195	187	185	2	8	-
45 to 49 years	14	14	14	-	-	-
55 years and over	1	1	1	-	-	-
Not stated	1	1	1	-	-	-
Seventh child	2,348	2,222	2,220	2	126	-
20 to 24 years	29	23	23	-	6	-
25 to 29 years	383	349	349	-	34	-
30 to 34 years	891	849	849	-	42	-
35 to 39 years	758	725	725	-	33	-
40 to 44 years	271	262	260	2	9	-
45 to 49 years	16	14	14	-	2	-
Eighth child	1,749	1,653	1,649	2	96	-
20 to 24 years	9	7	7	-	2	-
25 to 29 years	154	140	140	-	14	-
30 to 34 years	603	568	566	1	35	-
35 to 39 years	703	668	668	-	35	-
40 to 44 years	253	244	242	1	9	-
45 to 49 years	27	26	26	-	1	-
Ninth child	1,289	1,216	1,214	1	73	-
20 to 24 years	7	6	6	-	1	-
25 to 29 years	42	33	33	-	9	-
30 to 34 years	334	311	311	-	23	-
35 to 39 years	571	546	545	1	25	-
40 to 44 years	306	293	292	-	13	-
45 to 49 years	27	25	25	-	2	-
Not stated	2	2	2	-	-	-
Tenth child and over	2,088	1,969	1,963	5	119	-
20 to 24 years	3	3	3	-	-	-
25 to 29 years	31	29	29	-	2	-
30 to 34 years	257	239	238	1	18	-
35 to 39 years	887	822	822	-	65	-
40 to 44 years	801	770	768	2	31	-
45 to 49 years	108	105	102	2	3	-
Not stated	1	1	1	-	-	-
Birth order not stated	58	47	46	-	11	-
15 to 19 years	12	7	7	-	5	-
20 to 24 years	20	15	14	-	5	-
25 to 29 years	14	14	14	-	-	-
30 to 34 years	4	4	4	-	-	-
35 to 39 years	5	4	4	-	1	-
40 to 44 years	3	3	3	-	-	-
LOUISIANA						
Total births	57,838	35,240	34,985	246	22,494	104
10 to 14 years	140	17	17	-	122	1
15 to 19 years	8,763	4,080	4,071	5	4,670	13
20 to 24 years	17,609	10,959	10,891	67	6,618	32
25 to 29 years	14,126	9,253	9,195	70	4,840	20
30 to 34 years	9,705	6,367	6,311	55	3,320	18
35 to 39 years	5,665	3,475	3,443	31	2,174	16
40 to 44 years	1,537	964	951	13	620	3
45 to 49 years	149	73	70	2	75	1
50 to 54 years	6	1	1	-	5	-
Not stated	88	38	35	3	50	-
First child	17,401	11,951	11,847	101	5,432	18
10 to 14 years	140	17	17	-	122	1
15 to 19 years	6,214	3,226	3,218	5	2,982	6
20 to 24 years	6,782	5,184	5,139	45	1,588	10
25 to 29 years	2,654	2,208	2,173	35	446	-
30 to 34 years	1,061	866	854	12	195	-
35 to 39 years	461	388	384	4	72	1
40 to 44 years	70	53	53	-	17	-
45 to 49 years	4	2	2	-	2	-
Not stated	15	7	7	-	8	-
Second child	12,960	9,081	9,012	68	3,880	19
15 to 19 years	1,888	694	693	-	1,189	5
20 to 24 years	4,994	3,310	3,294	16	1,674	10
25 to 29 years	3,532	2,900	2,880	20	629	3
30 to 34 years	1,809	1,549	1,531	18	259	1
35 to 39 years	641	542	533	9	99	-
40 to 44 years	91	72	69	3	19	-
45 to 49 years	4	-	-	-	4	-
Not stated	21	14	12	2	7	-
Third child	8,589	5,467	5,436	30	3,107	15
15 to 19 years	508	123	123	-	383	2
20 to 24 years	3,047	1,542	1,537	4	1,499	6

[1] Includes mother's nativity not stated.

747801 O - 47 - 8

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
LOUISIANA—Continued						
Third child—Continued						
25 to 29 years	2,626	1,866	1,859	7	757	3
30 to 34 years	1,621	1,317	1,303	14	300	4
35 to 39 years	652	519	516	3	133	-
40 to 44 years	111	89	87	2	22	-
45 to 49 years	8	6	6	-	2	-
Not stated	16	5	5	-	11	-
Fourth child	5,711	3,250	3,234	14	2,452	9
15 to 19 years	77	20	20	-	57	-
20 to 24 years	1,638	625	623	2	1,009	4
25 to 29 years	1,930	1,112	1,107	4	817	1
30 to 34 years	1,300	942	936	6	355	3
35 to 39 years	625	449	446	2	175	1
40 to 44 years	132	100	100	-	32	-
45 to 49 years	4	1	1	-	3	-
Not stated	5	1	1	-	4	-
Fifth child	3,866	1,841	1,829	12	2,013	12
15 to 19 years	20	3	3	-	17	-
20 to 24 years	658	159	159	-	497	2
25 to 29 years	1,471	629	627	2	838	4
30 to 34 years	1,015	594	591	3	418	3
35 to 39 years	584	364	359	5	217	3
40 to 44 years	107	86	84	2	21	-
45 to 49 years	7	4	4	-	3	-
Not stated	4	2	2	-	2	-
Sixth child	2,662	1,148	1,137	10	1,506	8
15 to 19 years	5	1	1	-	4	-
20 to 24 years	223	47	47	-	176	-
25 to 29 years	920	287	286	1	627	6
30 to 34 years	853	416	413	2	437	-
35 to 39 years	521	310	305	5	209	2
40 to 44 years	124	81	80	1	43	-
45 to 49 years	7	4	4	-	3	-
50 to 54 years	2	-	-	-	2	-
Not stated	7	2	1	1	5	-
Seventh child	1,923	761	758	3	1,156	6
20 to 24 years	73	11	11	-	62	-
25 to 29 years	491	123	122	1	365	3
30 to 34 years	725	279	279	-	445	1
35 to 39 years	479	243	242	1	235	1
40 to 44 years	142	101	100	1	40	1
45 to 49 years	8	3	3	-	5	-
50 to 54 years	2	1	1	-	1	-
Not stated	3	-	-	-	3	-
Eighth child	1,363	527	525	2	831	5
20 to 24 years	29	2	2	-	27	-
25 to 29 years	206	42	42	-	164	-
30 to 34 years	481	170	170	-	307	4
35 to 39 years	492	223	223	-	268	1
40 to 44 years	131	79	77	2	52	-
45 to 49 years	20	9	9	-	11	-
50 to 54 years	1	-	-	-	1	-
Not stated	3	2	2	-	1	-
Ninth child	986	352	349	3	632	2
20 to 24 years	13	4	4	-	9	-
25 to 29 years	93	15	15	-	78	-
30 to 34 years	333	91	91	-	241	1
35 to 39 years	400	169	167	2	231	-
40 to 44 years	130	66	65	1	63	1
45 to 49 years	15	7	7	-	8	-
Not stated	2	-	-	-	2	-
Tenth child and over	1,754	562	558	3	1,182	10
20 to 24 years	5	1	1	-	4	-
25 to 29 years	56	11	11	-	45	-
30 to 34 years	365	73	73	-	291	1
35 to 39 years	738	226	226	-	505	7
40 to 44 years	514	215	214	1	298	1
45 to 49 years	71	36	33	2	34	1
50 to 54 years	1	-	-	-	1	-
Not stated	4	-	-	-	4	-
Birth order not stated	603	300	300	-	303	-
15 to 19 years	51	13	13	-	38	-
20 to 24 years	147	74	74	-	73	-
25 to 29 years	147	73	73	-	74	-
30 to 34 years	142	70	70	-	72	-
35 to 39 years	72	42	42	-	30	-
40 to 44 years	35	22	22	-	13	-
45 to 49 years	1	1	1	-	-	-
Not stated	8	5	5	-	3	-
MAINE						
Total births	16,687	16,638	15,485	1,150	28	21
10 to 14 years	12	12	12	-	-	-
15 to 19 years	1,754	1,743	1,697	46	5	6
20 to 24 years	5,153	5,134	4,929	204	13	6
25 to 29 years	4,564	4,556	4,264	290	3	5
MAINE—Continued						
Total births—Continued						
30 to 34 years	2,969	2,964	2,678	286	5	-
35 to 39 years	1,682	1,678	1,448	230	2	2
40 to 44 years	484	482	400	82	-	2
45 to 49 years	54	54	43	11	-	-
50 to 54 years	2	2	2	-	-	-
Not stated	13	13	12	1	-	-
First child	5,234	5,219	4,971	247	11	4
10 to 14 years	12	12	12	-	-	-
15 to 19 years	1,370	1,364	1,327	37	3	3
20 to 24 years	2,273	2,266	2,172	94	7	-
25 to 29 years	991	989	927	61	1	1
30 to 34 years	401	401	373	28	-	-
35 to 39 years	155	155	136	19	-	-
40 to 44 years	27	27	19	8	-	-
45 to 49 years	1	1	1	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	3	3	3	-	-	-
Second child	4,151	4,139	3,887	250	7	5
15 to 19 years	311	308	303	5	2	1
20 to 24 years	1,542	1,537	1,473	63	3	2
25 to 29 years	1,296	1,292	1,203	88	2	2
30 to 34 years	669	669	611	58	-	-
35 to 39 years	283	283	249	34	-	-
40 to 44 years	46	46	44	2	-	-
45 to 49 years	2	2	2	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	1	1	1	-	-	-
Third child	2,665	2,661	2,483	178	-	4
15 to 19 years	53	51	50	1	-	2
20 to 24 years	756	755	735	20	-	1
25 to 29 years	952	951	900	51	-	1
30 to 34 years	581	581	520	61	-	-
35 to 39 years	274	274	235	39	-	-
40 to 44 years	41	41	36	5	-	-
45 to 49 years	6	6	5	1	-	-
Not stated	2	2	2	-	-	-
Fourth child	1,616	1,607	1,457	150	4	5
15 to 19 years	4	4	3	1	-	-
20 to 24 years	346	341	325	16	2	3
25 to 29 years	581	580	537	43	-	1
30 to 34 years	427	425	370	55	2	-
35 to 39 years	205	204	176	28	-	1
40 to 44 years	47	47	41	6	-	-
45 to 49 years	6	6	5	1	-	-
Fifth child	990	989	901	88	1	-
20 to 24 years	131	131	125	6	-	-
25 to 29 years	330	330	307	23	-	-
30 to 34 years	290	290	261	29	-	-
35 to 39 years	197	196	171	25	1	-
40 to 44 years	35	35	30	5	-	-
45 to 49 years	4	4	4	-	-	-
Not stated	3	3	3	-	-	-
Sixth child	584	581	521	60	3	-
20 to 24 years	37	36	34	2	1	-
25 to 29 years	191	191	179	12	-	-
30 to 34 years	205	203	181	22	2	-
35 to 39 years	107	107	89	18	-	-
40 to 44 years	37	37	32	5	-	-
45 to 49 years	6	6	5	1	-	-
Not stated	1	1	1	-	-	-
Seventh child	410	409	366	43	1	-
20 to 24 years	12	12	12	-	-	-
25 to 29 years	98	98	94	4	-	-
30 to 34 years	137	136	126	10	1	-
35 to 39 years	119	119	99	20	-	-
40 to 44 years	39	39	31	8	-	-
45 to 49 years	4	4	3	1	-	-
Not stated	1	1	1	-	-	-
Eighth child	248	247	219	28	-	1
20 to 24 years	6	6	6	-	-	-
25 to 29 years	43	43	40	3	-	-
30 to 34 years	79	79	74	5	-	-
35 to 39 years	76	76	69	7	-	-
40 to 44 years	43	42	30	12	-	1
45 to 49 years	1	1	-	1	-	-
Ninth child	195	194	167	27	1	-
20 to 24 years	2	2	2	-	-	-
25 to 29 years	23	23	22	1	-	-
30 to 34 years	61	61	55	6	-	-
35 to 39 years	73	72	62	10	1	-
40 to 44 years	32	32	23	9	-	-
45 to 49 years	4	4	3	1	-	-
Tenth child and over	438	436	369	67	-	2
25 to 29 years	19	19	17	2	-	-
30 to 34 years	89	89	79	10	-	-

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
MAINE—Continued						
Tenth child and over—Continued						
35 to 39 years	176	175	146	29	-	1
40 to 44 years	135	134	112	22	-	1
45 to 49 years	19	19	15	4	-	-
Birth order not stated	156	156	144	12	-	-
15 to 19 years	16	16	14	2	-	-
20 to 24 years	48	48	45	3	-	-
25 to 29 years	40	40	38	2	-	-
30 to 34 years	30	30	28	2	-	-
35 to 39 years	17	17	16	1	-	-
40 to 44 years	2	2	2	-	-	-
45 to 49 years	1	1	-	1	-	-
Not stated	2	2	1	1	-	-
MARYLAND						
Total births	42,791	34,647	34,019	614	8,122	22
10 to 14 years	93	16	16	-	77	-
15 to 19 years	4,985	2,996	2,990	7	1,984	3
20 to 24 years	12,869	10,329	10,221	102	2,532	8
25 to 29 years	11,784	10,179	10,026	152	1,599	6
30 to 34 years	8,071	7,014	6,806	207	1,053	4
35 to 39 years	3,856	3,224	3,104	118	631	1
40 to 44 years	997	795	767	28	202	-
45 to 49 years	71	53	53	-	18	-
50 to 54 years	4	3	3	-	1	-
55 years and over	1	1	1	-	-	-
Not stated	60	35	32	-	25	-
First child	14,984	12,641	12,441	197	2,333	10
10 to 14 years	93	16	16	-	77	-
15 to 19 years	3,620	2,371	2,364	6	1,246	3
20 to 24 years	6,089	5,448	5,379	67	637	4
25 to 29 years	3,231	3,007	2,949	58	222	2
30 to 34 years	1,387	1,272	1,234	38	114	1
35 to 39 years	477	449	425	24	28	-
40 to 44 years	76	71	67	4	5	-
45 to 49 years	1	1	1	-	-	-
Not stated	10	6	6	-	4	-
Second child	11,590	10,009	9,797	207	1,575	6
15 to 19 years	991	491	491	-	500	-
20 to 24 years	3,568	2,911	2,887	21	655	2
25 to 29 years	3,782	3,535	3,479	56	244	3
30 to 34 years	2,372	2,248	2,154	93	123	1
35 to 39 years	763	717	683	33	46	-
40 to 44 years	100	95	91	4	5	-
45 to 49 years	4	4	4	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	9	7	7	-	2	-
Third child	6,264	5,144	5,027	117	1,119	1
15 to 19 years	222	83	82	1	139	-
20 to 24 years	1,747	1,194	1,183	11	553	-
25 to 29 years	1,978	1,732	1,707	25	246	-
30 to 34 years	1,539	1,418	1,374	44	120	1
35 to 39 years	647	599	570	29	48	-
40 to 44 years	121	112	105	7	9	-
45 to 49 years	2	2	2	-	-	-
Not stated	8	4	4	-	4	-
Fourth child	3,474	2,629	2,591	37	841	4
15 to 19 years	50	9	9	-	41	-
20 to 24 years	784	434	432	1	348	2
25 to 29 years	1,148	905	896	9	243	1
30 to 34 years	899	762	748	14	136	1
35 to 39 years	491	435	423	12	56	-
40 to 44 years	87	74	73	1	13	-
45 to 49 years	7	5	5	-	2	-
50 to 54 years	1	1	1	-	-	-
Not stated	6	4	4	-	2	-
Fifth child	1,970	1,364	1,339	24	606	-
15 to 19 years	7	1	1	-	6	-
20 to 24 years	324	141	140	1	183	-
25 to 29 years	679	443	441	1	236	-
30 to 34 years	548	444	438	6	104	-
35 to 39 years	311	255	244	11	56	-
40 to 44 years	93	74	69	5	19	-
45 to 49 years	5	5	5	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	2	-	-	-	2	-
Sixth child	1,268	866	860	6	402	-
20 to 24 years	96	31	31	-	65	-
25 to 29 years	410	252	252	-	158	-
30 to 34 years	409	302	301	1	107	-
35 to 39 years	255	197	196	1	58	-
40 to 44 years	92	80	76	4	12	-
45 to 49 years	4	3	3	-	1	-
55 years and over	1	1	1	-	-	-
Not stated	1	-	-	-	1	-

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
MARYLAND—Continued						
Seventh child	830	510	504	6	320	-
20 to 24 years	33	10	10	-	23	-
25 to 29 years	204	95	95	-	109	-
30 to 34 years	281	180	177	3	101	-
35 to 39 years	231	165	163	2	66	-
40 to 44 years	72	53	52	1	19	-
45 to 49 years	7	7	7	-	-	-
50 to 54 years	1	-	-	-	1	-
Not stated	1	-	-	-	1	-
Eighth child	611	371	370	1	240	-
20 to 24 years	11	6	6	-	5	-
25 to 29 years	115	48	48	-	67	-
30 to 34 years	214	124	124	-	90	-
35 to 39 years	190	125	125	-	65	-
40 to 44 years	72	61	60	1	11	-
45 to 49 years	8	6	6	-	2	-
Not stated	1	1	1	-	-	-
Ninth child	395	241	237	3	154	-
20 to 24 years	2	1	1	-	1	-
25 to 29 years	36	16	16	-	20	-
30 to 34 years	134	83	82	1	51	-
35 to 39 years	153	91	88	2	62	-
40 to 44 years	68	49	49	-	19	-
45 to 49 years	2	1	1	-	1	-
Tenth child and over	690	355	351	4	335	-
25 to 29 years	26	9	9	-	17	-
30 to 34 years	153	65	64	1	88	-
35 to 39 years	275	143	141	2	132	-
40 to 44 years	200	116	115	1	84	-
45 to 49 years	30	18	18	-	12	-
Not stated	6	4	4	-	2	-
Birth order not stated	715	517	502	12	197	1
15 to 19 years	95	43	43	-	52	-
20 to 24 years	215	153	152	1	62	-
25 to 29 years	174	137	134	3	37	-
30 to 34 years	135	116	110	6	19	-
35 to 39 years	63	48	46	2	14	1
40 to 44 years	16	10	10	-	6	-
45 to 49 years	1	1	1	-	-	-
Not stated	16	9	6	-	7	-
MASSACHUSETTS[2]						
Not stated	77,064	75,805	69,631	6,145	1,190	69
10 to 14 years	21	19	19	-	2	-
15 to 19 years	3,359	3,196	3,138	57	159	4
20 to 24 years	19,323	18,861	18,119	733	436	26
25 to 29 years	24,134	23,824	22,626	1,193	290	20
30 to 34 years	18,191	18,008	16,267	1,736	174	9
35 to 39 years	9,513	9,420	7,674	1,743	89	4
40 to 44 years	2,316	2,278	1,651	624	33	5
45 to 49 years	115	112	63	49	2	1
50 to 54 years	5	5	3	2	-	-
55 years and over	1	1	-	-	-	-
Not stated	86	81	71	8	5	-
MICHIGAN						
Total births	112,655	105,840	99,986	5,791	6,607	208
10 to 14 years	73	39	39	-	34	-
15 to 19 years	9,294	7,923	7,820	97	1,351	20
20 to 24 years	32,790	30,543	29,512	1,020	2,182	65
25 to 29 years	33,143	31,530	30,135	1,380	1,547	66
30 to 34 years	22,831	21,897	20,297	1,585	901	33
35 to 39 years	11,185	10,706	9,432	1,265	461	18
40 to 44 years	2,970	2,854	2,453	401	111	5
45 to 49 years	228	222	185	37	6	-
50 to 54 years	1	-	-	-	1	-
Not stated	140	126	113	6	13	1
First child	30,394	28,611	27,378	1,213	1,719	64
10 to 14 years	72	39	39	-	33	-
15 to 19 years	6,278	5,494	5,415	75	769	15
20 to 24 years	13,669	13,092	12,589	497	551	26
25 to 29 years	6,565	6,311	5,997	310	237	17
30 to 34 years	2,630	2,534	2,323	207	91	5
35 to 39 years	965	933	820	112	31	1
40 to 44 years	185	181	170	11	4	-
45 to 49 years	11	10	9	1	1	-
Not stated	19	17	16	-	2	-
Second child	27,039	25,616	24,090	1,515	1,391	32
10 to 14 years	1	-	-	-	1	-
15 to 19 years	1,479	1,121	1,109	11	354	4
20 to 24 years	8,427	7,813	7,518	295	597	17
25 to 29 years	9,681	9,391	8,882	502	282	8
30 to 34 years	5,280	5,163	4,750	412	115	2
35 to 39 years	1,840	1,803	1,552	249	36	1
40 to 44 years	302	296	252	44	6	-

[1] Includes mother's nativity not stated.
[2] This State does not require the reporting of birth order.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
MICHIGAN—Continued						
Second child—Continued						
45 to 49 years	9	9	8	1	-	-
Not stated	20	20	19	1	-	-
Third child	17,341	16,422	15,398	1,014	901	18
15 to 19 years	239	157	154	3	82	-
20 to 24 years	3,871	3,450	3,352	95	412	9
25 to 29 years	6,167	5,930	5,676	253	233	4
30 to 34 years	4,775	4,652	4,302	346	120	3
35 to 39 years	1,944	1,897	1,637	259	45	2
40 to 44 years	311	305	250	55	6	-
45 to 49 years	19	19	16	3	-	-
Not stated	15	12	11	-	3	-
Fourth child	9,380	8,701	8,118	581	658	21
15 to 19 years	25	12	11	1	13	-
20 to 24 years	1,487	1,257	1,233	24	225	5
25 to 29 years	3,180	2,912	2,813	98	258	10
30 to 34 years	2,816	2,702	2,505	197	109	5
35 to 39 years	1,486	1,444	1,247	196	41	1
40 to 44 years	359	349	287	62	10	-
45 to 49 years	14	14	12	2	-	-
Not stated	13	11	10	1	2	-
Fifth child	5,123	4,673	4,385	287	432	18
15 to 19 years	7	3	3	-	4	-
20 to 24 years	519	401	395	5	116	2
25 to 29 years	1,588	1,407	1,377	30	172	9
30 to 34 years	1,661	1,569	1,466	103	88	4
35 to 39 years	1,013	969	870	99	43	1
40 to 44 years	306	296	250	46	9	1
45 to 49 years	20	20	16	4	-	-
Not stated	9	8	8	-	-	1
Sixth child	2,866	2,590	2,413	174	266	10
20 to 24 years	129	97	96	1	32	-
25 to 29 years	811	706	684	22	101	4
30 to 34 years	953	859	806	50	90	4
35 to 39 years	708	671	612	59	36	1
40 to 44 years	244	238	198	40	5	1
45 to 49 years	15	15	13	2	-	-
50 to 54 years	1	-	-	-	1	-
Not stated	5	4	4	-	1	-
Seventh child	1,757	1,586	1,466	118	164	7
20 to 24 years	38	30	30	-	8	-
25 to 29 years	365	304	298	6	59	2
30 to 34 years	660	599	567	31	59	2
35 to 39 years	486	452	397	55	32	2
40 to 44 years	182	176	154	22	5	1
45 to 49 years	22	21	17	4	1	-
Not stated	4	4	3	-	-	-
Eighth child	1,135	997	904	93	130	8
20 to 24 years	9	7	7	-	1	1
25 to 29 years	155	126	124	2	28	1
30 to 34 years	400	342	318	24	56	2
35 to 39 years	397	354	319	35	39	4
40 to 44 years	155	149	123	26	6	-
45 to 49 years	18	18	12	6	-	-
Not stated	1	1	1	-	-	-
Ninth child	759	657	593	64	97	5
20 to 24 years	1	1	1	-	-	-
25 to 29 years	58	40	39	1	18	-
30 to 34 years	246	213	202	11	31	2
35 to 39 years	302	258	229	29	41	3
40 to 44 years	131	125	105	20	6	-
45 to 49 years	21	20	17	3	1	-
Tenth child and over	1,387	1,210	1,095	112	171	6
20 to 24 years	2	1	1	-	1	-
25 to 29 years	41	30	30	-	11	-
30 to 34 years	241	200	184	16	39	2
35 to 39 years	584	507	461	43	75	2
40 to 44 years	465	420	375	45	43	2
45 to 49 years	52	50	42	8	2	-
Not stated	2	2	2	-	-	-
Birth order not stated	15,474	14,777	14,146	620	678	19
15 to 19 years	1,266	1,136	1,128	7	129	1
20 to 24 years	4,638	4,394	4,290	103	239	5
25 to 29 years	4,532	4,373	4,215	156	148	11
30 to 34 years	3,169	3,064	2,874	188	103	2
35 to 39 years	1,460	1,418	1,288	129	42	-
40 to 44 years	330	319	289	30	11	-
45 to 49 years	27	26	23	3	1	-
Not stated	52	47	39	4	5	-
MINNESOTA						
Total births	54,656	53,921	52,812	1,100	142	593
10 to 14 years	7	5	5	-	-	2
15 to 19 years	3,152	3,068	3,052	16	25	59
20 to 24 years	14,556	14,306	14,159	147	54	196

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
MINNESOTA—Continued						
Total births—Continued						
25 to 29 years	16,287	16,088	15,827	256	33	166
30 to 34 years	11,974	11,865	11,548	316	20	89
35 to 39 years	6,565	6,496	6,225	270	6	63
40 to 44 years	1,954	1,933	1,850	83	4	17
45 to 49 years	152	151	141	10	-	1
Not stated	9	9	5	2	-	-
First child	16,750	16,510	16,271	237	59	181
10 to 14 years	7	5	5	-	-	2
15 to 19 years	2,643	2,580	2,565	15	18	45
20 to 24 years	7,782	7,668	7,583	85	26	88
25 to 29 years	3,934	3,888	3,820	67	8	38
30 to 34 years	1,615	1,607	1,561	46	3	5
35 to 39 years	633	627	605	21	3	3
40 to 44 years	130	129	126	3	1	-
45 to 49 years	4	4	4	-	-	-
Not stated	2	2	2	-	-	-
Second child	14,734	14,607	14,341	265	32	95
15 to 19 years	450	432	432	-	6	12
20 to 24 years	4,254	4,186	4,145	41	16	52
25 to 29 years	5,396	5,365	5,286	78	7	24
30 to 34 years	3,212	3,203	3,116	87	3	6
35 to 39 years	1,215	1,214	1,167	47	-	1
40 to 44 years	201	201	191	10	-	-
45 to 49 years	4	4	3	1	-	-
Not stated	2	2	1	1	-	-
Third child	9,918	9,834	9,611	221	18	66
15 to 19 years	52	49	48	1	1	2
20 to 24 years	1,755	1,718	1,703	15	8	29
25 to 29 years	3,658	3,626	3,568	56	5	27
30 to 34 years	2,836	2,828	2,749	79	3	5
35 to 39 years	1,335	1,332	1,278	54	1	2
40 to 44 years	267	266	252	14	-	1
45 to 49 years	14	14	13	1	-	-
Not stated	1	1	-	1	-	-
Fourth child	5,498	5,434	5,305	129	10	54
15 to 19 years	1	1	1	-	-	-
20 to 24 years	554	534	530	4	3	17
25 to 29 years	1,841	1,810	1,777	33	6	23
30 to 34 years	1,838	1,829	1,787	42	-	9
35 to 39 years	1,009	1,006	964	42	-	3
40 to 44 years	244	243	236	7	1	-
45 to 49 years	10	10	9	1	-	-
Not stated	1	1	1	-	-	-
Fifth child	3,091	3,032	2,946	85	10	49
20 to 24 years	163	153	151	2	1	9
25 to 29 years	890	863	846	17	5	22
30 to 34 years	1,031	1,016	990	25	3	12
35 to 39 years	752	746	712	34	-	6
40 to 44 years	238	237	230	7	1	-
45 to 49 years	17	17	17	-	-	-
Sixth child	1,699	1,653	1,610	42	6	40
20 to 24 years	25	24	24	-	-	1
25 to 29 years	361	345	342	2	1	15
30 to 34 years	632	613	598	15	5	14
35 to 39 years	480	471	454	17	-	9
40 to 44 years	184	183	175	8	-	1
45 to 49 years	17	17	17	-	-	-
Seventh child	1,086	1,050	1,018	32	2	34
20 to 24 years	6	6	6	-	-	-
25 to 29 years	133	125	123	2	1	7
30 to 34 years	377	358	350	8	1	18
35 to 39 years	384	376	359	17	-	8
40 to 44 years	166	165	161	4	-	1
45 to 49 years	20	20	19	1	-	-
Eighth child	654	624	594	30	1	29
20 to 24 years	1	1	1	-	-	-
25 to 29 years	45	39	38	1	-	6
30 to 34 years	222	211	205	6	-	11
35 to 39 years	243	234	221	13	1	8
40 to 44 years	132	128	119	9	-	4
45 to 49 years	11	11	10	1	-	-
Ninth child	450	431	415	16	2	17
25 to 29 years	18	16	16	-	-	2
30 to 34 years	121	114	109	5	1	6
35 to 39 years	200	193	186	7	-	7
40 to 44 years	107	104	101	3	1	2
45 to 49 years	4	4	3	1	-	-
Tenth child and over	727	697	654	43	2	28
25 to 29 years	2	2	2	-	-	-
30 to 34 years	82	78	75	3	1	3
35 to 39 years	307	290	272	18	1	16
40 to 44 years	265	277	259	18	-	8
45 to 49 years	51	50	46	4	-	1

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
MINNESOTA—Continued						
Birth order not stated..	49	49	47	-	-	-
15 to 19 years.....	6	6	6	-	-	-
20 to 24 years.....	16	16	16	-	-	-
25 to 29 years.....	9	9	9	-	-	-
30 to 34 years.....	8	8	8	-	-	-
35 to 39 years.....	7	7	7	-	-	-
Not stated.....	3	3	1	-	-	-
MISSISSIPPI						
Total births.....	54,263	24,103	24,003	80	30,031	129
10 to 14 years.....	262	18	18	-	243	1
15 to 19 years.....	9,947	3,036	3,030	3	6,890	21
20 to 24 years.....	15,267	7,069	7,034	26	8,163	35
25 to 29 years.....	12,244	6,034	6,012	18	6,180	30
30 to 34 years.....	8,838	4,536	4,519	16	4,283	19
35 to 39 years.....	5,813	2,587	2,572	15	3,212	14
40 to 44 years.....	1,635	744	741	2	885	6
45 to 49 years.....	139	44	44	-	93	2
50 to 54 years.....	6	1	1	-	5	-
55 years and over....	4	1	1	-	3	-
Not stated.....	108	33	31	-	74	1
First child.....	13,915	7,716	7,681	30	6,178	21
10 to 14 years.....	261	18	18	-	242	1
15 to 19 years.....	6,108	2,312	2,308	2	3,784	12
20 to 24 years.....	4,691	3,189	3,173	14	1,498	4
25 to 29 years.....	1,735	1,348	1,338	9	385	2
30 to 34 years.....	752	585	582	3	166	1
35 to 39 years.....	293	219	217	2	73	1
40 to 44 years.....	51	37	37	-	14	-
45 to 49 years.....	2	1	1	-	1	-
Not stated.....	22	7	7	-	15	-
Second child.....	10,726	5,737	5,719	15	4,960	29
10 to 14 years.....	1	-	-	-	1	-
15 to 19 years.....	2,721	613	611	1	2,100	8
20 to 24 years.....	4,016	2,088	2,079	7	1,916	12
25 to 29 years.....	2,262	1,687	1,683	4	567	8
30 to 34 years.....	1,213	965	964	1	248	-
35 to 39 years.....	443	340	338	2	102	1
40 to 44 years.....	49	35	35	-	14	-
45 to 49 years.....	3	2	2	-	1	-
Not stated.....	18	7	7	-	11	-
Third child.....	7,491	3,610	3,596	9	3,867	14
15 to 19 years.....	799	83	83	-	715	1
20 to 24 years.....	2,952	1,083	1,079	1	1,859	10
25 to 29 years.....	2,057	1,245	1,242	2	811	1
30 to 34 years.....	1,131	815	813	2	315	1
35 to 39 years.....	457	317	313	4	140	-
40 to 44 years.....	81	61	61	-	20	-
45 to 49 years.....	2	2	2	-	-	-
Not stated.....	12	4	3	-	7	1
Fourth child.....	5,805	2,379	2,366	10	3,412	14
15 to 19 years.....	230	17	17	-	213	-
20 to 24 years.....	1,961	485	481	3	1,473	3
25 to 29 years.....	1,949	848	844	2	1,092	9
30 to 34 years.....	1,053	651	648	3	400	2
35 to 39 years.....	505	315	313	2	190	-
40 to 44 years.....	88	58	58	-	30	-
45 to 49 years.....	4	3	3	-	1	-
50 to 54 years.....	1	-	-	-	1	-
Not stated.....	14	2	2	-	12	-
Fifth child.....	4,308	1,461	1,455	5	2,832	15
15 to 19 years.....	30	1	1	-	29	-
20 to 24 years.....	934	139	138	-	790	5
25 to 29 years.....	1,653	490	489	1	1,158	5
30 to 34 years.....	1,033	490	488	2	539	4
35 to 39 years.....	528	267	265	2	260	1
40 to 44 years.....	108	65	65	-	43	-
45 to 49 years.....	10	6	6	-	4	-
50 to 54 years.....	1	1	1	-	-	-
55 years and over....	1	-	-	-	1	-
Not stated.....	10	2	2	-	8	-
Sixth child.....	3,262	1,046	1,044	2	2,203	13
15 to 19 years.....	8	-	-	-	8	-
20 to 24 years.....	401	29	29	-	372	-
25 to 29 years.....	1,167	243	243	-	920	4
30 to 34 years.....	958	412	410	2	543	3
35 to 39 years.....	586	283	283	-	299	4
40 to 44 years.....	128	73	73	-	53	2
45 to 49 years.....	8	3	3	-	5	-
Not stated.....	6	3	3	-	3	-
Seventh child.....	2,423	719	714	3	1,698	6
20 to 24 years.....	149	14	14	-	135	-
25 to 29 years.....	679	93	93	-	585	1
30 to 34 years.....	878	272	270	1	605	1
35 to 39 years.....	573	258	257	1	313	2
40 to 44 years.....	125	75	74	1	49	1

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
MISSISSIPPI—Continued						
Seventh child—Continued						
45 to 49 years.....	9	3	3	-	5	1
55 years and over....	1	-	-	-	1	-
Not stated.....	9	4	3	-	5	-
Eighth child.....	1,787	467	466	1	1,312	8
20 to 24 years.....	50	2	2	-	48	-
25 to 29 years.....	371	39	39	-	332	-
30 to 34 years.....	703	170	170	-	528	5
35 to 39 years.....	531	185	184	1	346	-
40 to 44 years.....	116	69	69	-	45	2
45 to 49 years.....	8	-	-	-	7	1
50 to 54 years.....	2	-	-	-	2	-
55 years and over....	1	-	-	-	1	-
Not stated.....	5	2	2	-	3	-
Ninth child.....	1,365	315	314	1	1,047	3
20 to 24 years.....	16	1	1	-	15	-
25 to 29 years.....	184	9	9	-	175	-
30 to 34 years.....	439	75	75	-	362	2
35 to 39 years.....	557	153	153	-	403	1
40 to 44 years.....	153	71	70	1	82	-
45 to 49 years.....	14	6	6	-	8	-
Not stated.....	2	-	-	-	2	-
Tenth child and over....	2,851	531	527	3	2,315	5
20 to 24 years.....	8	-	-	-	8	-
25 to 29 years.....	123	6	6	-	117	-
30 to 34 years.....	601	71	69	2	530	-
35 to 39 years.....	1,311	239	238	1	1,068	4
40 to 44 years.....	725	196	195	-	528	1
45 to 49 years.....	78	18	18	-	60	-
50 to 54 years.....	2	-	-	-	2	-
Not stated.....	3	1	1	-	2	-
Birth order not stated..	330	122	121	1	207	1
15 to 19 years.....	51	10	10	-	41	-
20 to 24 years.....	89	39	38	1	49	1
25 to 29 years.....	64	26	26	-	38	-
30 to 34 years.....	77	30	30	-	47	-
35 to 39 years.....	29	11	11	-	18	-
40 to 44 years.....	11	4	4	-	7	-
45 to 49 years.....	1	-	-	-	1	-
55 years and over....	1	1	1	-	-	-
Not stated.....	7	1	1	-	6	-
MISSOURI						
Total births.....	65,659	60,474	59,939	521	5,150	35
10 to 14 years.....	71	27	27	-	44	-
15 to 19 years.....	7,582	6,299	6,293	4	1,277	6
20 to 24 years.....	19,492	17,992	17,903	85	1,492	8
25 to 29 years.....	17,198	16,127	16,023	102	1,060	11
30 to 34 years.....	12,223	11,520	11,361	159	697	6
35 to 39 years.....	6,865	6,433	6,308	123	430	2
40 to 44 years.....	2,003	1,871	1,827	44	130	2
45 to 49 years.....	143	133	129	4	10	-
50 to 54 years.....	2	1	1	-	1	-
Not stated.....	80	71	67	-	9	-
First child.....	22,620	20,959	20,816	140	1,645	16
10 to 14 years.....	71	27	27	-	44	-
15 to 19 years.....	5,880	5,000	4,996	3	874	6
20 to 24 years.....	9,313	8,876	8,815	60	431	6
25 to 29 years.....	4,428	4,261	4,222	38	164	3
30 to 34 years.....	1,968	1,889	1,864	25	78	1
35 to 39 years.....	791	750	741	9	41	-
40 to 44 years.....	147	137	132	5	10	-
45 to 49 years.....	4	3	3	-	1	-
Not stated.....	18	16	16	-	2	-
Second child.....	17,267	16,247	16,091	155	1,016	4
15 to 19 years.....	1,407	1,097	1,096	1	310	-
20 to 24 years.....	5,850	5,443	5,425	17	407	-
25 to 29 years.....	5,323	5,147	5,109	38	172	4
30 to 34 years.....	3,198	3,119	3,062	57	79	-
35 to 39 years.....	1,292	1,250	1,214	36	42	-
40 to 44 years.....	178	173	167	6	5	-
45 to 49 years.....	4	4	4	-	-	-
Not stated.....	15	14	14	-	1	-
Third child.....	10,135	9,385	9,279	103	745	5
15 to 19 years.....	238	168	167	-	70	-
20 to 24 years.....	2,655	2,326	2,323	1	329	-
25 to 29 years.....	3,393	3,196	3,179	17	194	3
30 to 34 years.....	2,499	2,413	2,372	41	85	1
35 to 39 years.....	1,123	1,071	1,033	38	51	1
40 to 44 years.....	210	197	191	6	13	-
45 to 49 years.....	8	7	7	-	1	-
Not stated.....	9	7	7	-	2	-
Fourth child.....	5,701	5,204	5,156	44	494	3
15 to 19 years.....	36	21	21	-	15	-
20 to 24 years.....	1,149	944	939	5	204	1
25 to 29 years.....	1,921	1,777	1,772	4	144	-

[1] Includes mother's nativity not stated.

TABLE 5.–LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945–Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
MISSOURI—Continued						
Fourth child—Continued						
30 to 34 years	1,520	1,440	1,426	14	78	2
35 to 39 years	848	805	787	16	43	-
40 to 44 years	209	200	196	4	9	-
45 to 49 years	8	8	7	1	-	-
Not stated	10	9	8	-	1	-
Fifth child	3,415	3,028	3,011	17	383	4
15 to 19 years	4	2	2	-	2	-
20 to 24 years	350	273	273	-	77	-
25 to 29 years	1,107	939	937	2	167	1
30 to 34 years	1,070	981	975	6	87	2
35 to 39 years	671	633	629	4	38	-
40 to 44 years	193	180	175	5	12	1
45 to 49 years	12	12	12	-	-	-
Not stated	8	8	8	-	-	-
Sixth child	2,036	1,809	1,788	21	227	-
20 to 24 years	81	55	54	1	26	-
25 to 29 years	550	459	459	-	91	-
30 to 34 years	701	639	634	5	62	-
35 to 39 years	533	493	484	9	40	-
40 to 44 years	156	148	144	4	8	-
45 to 49 years	13	13	11	2	-	-
Not stated	2	2	2	-	-	-
Seventh child	1,467	1,285	1,275	10	182	-
20 to 24 years	24	14	14	-	10	-
25 to 29 years	271	205	204	1	66	-
30 to 34 years	551	485	481	4	66	-
35 to 39 years	442	413	411	2	29	-
40 to 44 years	168	158	155	3	10	-
45 to 49 years	7	7	7	-	-	-
Not stated	4	3	3	-	1	-
Eighth child	981	835	829	6	146	-
20 to 24 years	10	6	6	-	4	-
25 to 29 years	96	67	66	1	29	-
30 to 34 years	334	265	264	1	69	-
35 to 39 years	372	339	338	1	33	-
40 to 44 years	161	152	149	3	9	-
45 to 49 years	5	3	3	-	2	-
50 to 54 years	1	1	1	-	-	-
Not stated	2	2	2	-	-	-
Ninth child	719	622	615	7	97	-
20 to 24 years	2	1	1	-	1	-
25 to 29 years	38	21	21	-	17	-
30 to 34 years	182	150	147	3	32	-
35 to 39 years	325	292	291	1	33	-
40 to 44 years	150	136	133	3	14	-
45 to 49 years	18	18	18	-	-	-
Not stated	4	4	4	-	-	-
Tenth child and over	1,142	941	924	17	199	2
20 to 24 years	3	3	3	-	-	-
25 to 29 years	25	10	9	1	15	-
30 to 34 years	169	112	109	3	57	-
35 to 39 years	452	373	366	7	78	1
40 to 44 years	425	384	379	5	40	1
45 to 49 years	64	58	57	1	6	-
50 to 54 years	1	-	-	-	1	-
Not stated	3	1	1	-	2	-
Birth order not stated	176	159	155	1	16	1
15 to 19 years	17	11	11	-	6	-
20 to 24 years	55	51	50	1	3	1
25 to 29 years	46	45	45	-	1	-
30 to 34 years	31	27	27	-	4	-
35 to 39 years	16	14	14	-	2	-
40 to 44 years	6	6	6	-	-	-
Not stated	5	5	2	-	-	-
MONTANA						
Total births	10,601	9,974	9,624	349	12	615
10 to 14 years	2	1	1	-	-	1
15 to 19 years	859	766	759	7	3	90
20 to 24 years	3,231	3,055	2,995	60	4	172
25 to 29 years	3,099	2,958	2,881	76	1	140
30 to 34 years	2,030	1,915	1,828	87	2	113
35 to 39 years	1,037	975	895	80	2	60
40 to 44 years	313	277	241	36	-	36
45 to 49 years	21	19	17	2	-	2
50 to 54 years	1	1	1	-	-	-
Not stated	8	7	6	1	-	1
First child	3,311	3,184	3,096	88	1	126
10 to 14 years	2	1	1	-	-	1
15 to 19 years	693	626	619	7	1	66
20 to 24 years	1,526	1,477	1,448	29	-	49
25 to 29 years	701	697	668	29	-	4
30 to 34 years	258	256	244	12	-	2
35 to 39 years	112	108	98	10	-	4
40 to 44 years	15	15	14	1	-	-

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
MONTANA—Continued						
First child—Continued						
45 to 49 years	2	2	2	-	-	-
Not stated	2	2	2	-	-	-
Second child	2,814	2,720	2,657	62	3	91
15 to 19 years	140	121	121	-	1	18
20 to 24 years	1,024	975	961	14	1	48
25 to 29 years	976	959	936	22	1	16
30 to 34 years	508	500	486	14	-	8
35 to 39 years	139	138	129	9	-	1
40 to 44 years	24	24	22	2	-	-
45 to 49 years	1	1	1	-	-	-
Not stated	2	2	1	1	-	-
Third child	1,912	1,816	1,752	64	4	92
15 to 19 years	20	13	13	-	1	6
20 to 24 years	458	410	398	12	3	45
25 to 29 years	718	691	678	13	-	27
30 to 34 years	470	460	436	24	-	10
35 to 39 years	207	204	192	12	-	3
40 to 44 years	38	37	34	3	-	1
45 to 49 years	1	1	1	-	-	-
Fourth child	1,002	933	902	31	-	69
15 to 19 years	5	5	5	-	-	-
20 to 24 years	164	142	138	4	-	22
25 to 29 years	368	334	330	4	-	34
30 to 34 years	296	286	278	8	-	10
35 to 39 years	133	130	118	12	-	3
40 to 44 years	34	34	31	3	-	-
Not stated	2	2	2	-	-	-
Fifth child	576	531	504	27	-	45
15 to 19 years	1	1	1	-	-	-
20 to 24 years	46	42	41	1	-	4
25 to 29 years	173	150	145	5	-	23
30 to 34 years	190	173	162	11	-	17
35 to 39 years	125	125	117	8	-	-
40 to 44 years	39	38	36	2	-	1
45 to 49 years	1	1	1	-	-	-
Not stated	1	1	1	-	-	-
Sixth child	332	281	269	12	2	49
20 to 24 years	6	2	2	-	-	4
25 to 29 years	90	74	71	3	-	16
30 to 34 years	124	108	104	4	1	15
35 to 39 years	80	67	64	3	1	12
40 to 44 years	29	27	25	2	-	2
45 to 49 years	2	2	2	-	-	-
50 to 54 years	1	1	1	-	-	-
Seventh child	206	164	153	11	1	41
20 to 24 years	2	2	2	-	-	-
25 to 29 years	43	30	30	-	-	13
30 to 34 years	71	51	46	5	1	19
35 to 39 years	65	59	56	3	-	6
40 to 44 years	23	20	17	3	-	3
45 to 49 years	2	2	2	-	-	-
Eighth child	144	110	100	10	-	34
25 to 29 years	11	8	8	-	-	3
30 to 34 years	55	40	36	4	-	15
35 to 39 years	55	46	43	3	-	9
40 to 44 years	22	16	13	3	-	6
45 to 49 years	1	-	-	-	-	1
Ninth child	95	69	61	8	-	26
25 to 29 years	7	5	5	-	-	2
30 to 34 years	26	15	15	-	-	11
35 to 39 years	42	37	30	7	-	5
40 to 44 years	19	11	10	1	-	8
45 to 49 years	1	1	1	-	-	-
Tenth child and over	184	143	108	35	1	40
25 to 29 years	2	1	1	-	-	1
30 to 34 years	23	17	13	4	-	6
35 to 39 years	79	61	48	13	1	17
40 to 44 years	70	55	39	16	-	15
45 to 49 years	10	9	7	2	-	1
Birth order not stated	25	23	22	1	-	2
20 to 24 years	5	5	5	-	-	-
25 to 29 years	10	9	9	-	-	1
30 to 34 years	9	9	8	1	-	-
Not stated	1	-	-	-	-	1
NEBRASKA						
Total births	24,128	23,585	23,261	323	358	185
10 to 14 years	9	7	7	-	2	-
15 to 19 years	1,937	1,836	1,831	5	87	14
20 to 24 years	7,277	7,104	7,046	57	110	63
25 to 29 years	6,873	6,733	6,673	60	79	61
30 to 34 years	4,718	4,647	4,574	73	48	23

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
NEBRASKA—Continued						
Total births—Continued						
35 to 39 years	2,542	2,502	2,419	83	25	15
40 to 44 years	685	670	630	40	7	8
45 to 49 years	64	64	59	5	-	-
50 to 54 years	2	2	2	-	-	-
Not stated	21	20	20	-	-	1
First child	8,032	7,886	7,820	65	104	42
10 to 14 years	9	7	7	-	2	-
15 to 19 years	1,570	1,507	1,502	5	55	8
20 to 24 years	3,850	3,793	3,762	30	32	25
25 to 29 years	1,657	1,642	1,628	14	6	9
30 to 34 years	658	652	643	9	6	-
35 to 39 years	248	245	240	5	3	-
40 to 44 years	33	33	31	2	-	-
45 to 49 years	3	3	3	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	3	3	3	-	-	-
Second child	6,656	6,523	6,460	63	87	46
15 to 19 years	308	275	275	-	27	6
20 to 24 years	2,173	2,110	2,090	20	42	21
25 to 29 years	2,406	2,381	2,363	18	12	13
30 to 34 years	1,255	1,247	1,231	16	4	4
35 to 39 years	446	442	435	7	2	2
40 to 44 years	58	58	56	2	-	-
45 to 49 years	4	4	4	-	-	-
Not stated	6	6	6	-	-	-
Third child	4,203	4,129	4,080	49	50	24
15 to 19 years	46	44	44	-	2	-
20 to 24 years	868	838	831	7	21	9
25 to 29 years	1,500	1,471	1,458	13	19	10
30 to 34 years	1,190	1,182	1,170	12	5	3
35 to 39 years	509	505	489	16	3	1
40 to 44 years	81	81	80	1	-	-
45 to 49 years	6	6	6	-	-	-
Not stated	3	2	2	-	-	1
Fourth child	2,209	2,140	2,105	35	41	28
15 to 19 years	2	1	1	-	1	-
20 to 24 years	264	247	247	-	12	5
25 to 29 years	760	724	718	6	19	17
30 to 34 years	670	661	652	9	3	4
35 to 39 years	419	414	403	11	4	1
40 to 44 years	86	85	76	9	-	1
45 to 49 years	6	6	6	-	-	-
Not stated	2	2	2	-	-	-
Fifth child	1,109	1,075	1,055	20	21	13
20 to 24 years	71	67	67	-	2	2
25 to 29 years	304	289	286	3	9	6
30 to 34 years	396	386	378	8	6	4
35 to 39 years	252	247	243	4	4	1
40 to 44 years	79	79	75	4	-	-
45 to 49 years	5	5	4	1	-	-
Not stated	2	2	2	-	-	-
Sixth child	713	685	664	21	21	7
20 to 24 years	16	16	16	-	-	-
25 to 29 years	136	127	126	1	8	1
30 to 34 years	260	247	241	6	10	3
35 to 39 years	223	219	208	11	2	2
40 to 44 years	73	71	68	3	1	1
45 to 49 years	4	4	4	-	-	-
Not stated	1	1	1	-	-	-
Seventh child	396	377	362	15	10	9
20 to 24 years	4	4	4	-	-	-
25 to 29 years	58	49	48	1	5	4
30 to 34 years	119	112	107	5	5	2
35 to 39 years	149	147	141	6	-	2
40 to 44 years	59	58	56	2	-	1
45 to 49 years	7	7	6	1	-	-
Eighth child	249	239	230	9	4	6
25 to 29 years	13	13	12	1	-	-
30 to 34 years	71	68	64	4	2	1
35 to 39 years	103	100	98	2	1	2
40 to 44 years	56	52	50	2	1	3
45 to 49 years	6	6	6	-	-	-
Ninth child	172	163	153	10	4	5
25 to 29 years	10	9	8	1	1	-
30 to 34 years	51	48	46	2	1	2
35 to 39 years	57	55	52	3	1	1
40 to 44 years	46	43	40	3	1	2
45 to 49 years	7	7	6	1	-	-
Not stated	1	1	1	-	-	-
Tenth child and over	289	272	237	35	13	4
25 to 29 years	4	3	2	1	-	1
30 to 34 years	29	25	23	2	4	-
35 to 39 years	128	120	102	18	5	3
NEBRASKA—Continued						
Tenth child and over—Continued						
40 to 44 years	109	105	93	12	4	-
45 to 49 years	16	16	14	2	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	2	2	2	-	-	-
Birth order not stated	100	96	95	1	3	1
15 to 19 years	11	9	9	-	2	-
20 to 24 years	31	29	29	-	1	1
25 to 29 years	25	25	24	1	-	-
30 to 34 years	19	19	19	-	-	-
35 to 39 years	8	8	8	-	-	-
40 to 44 years	5	5	5	-	-	-
Not stated	1	1	1	-	-	-
NEVADA						
Total births	2,851	2,640	2,564	76	60	151
15 to 19 years	322	294	291	3	12	16
20 to 24 years	927	857	843	14	21	49
25 to 29 years	797	753	735	18	6	38
30 to 34 years	502	463	448	15	17	22
35 to 39 years	249	228	207	21	3	18
40 to 44 years	47	40	36	4	1	6
45 to 49 years	5	3	2	1	-	2
Not stated	2	2	2	-	-	-
First child	1,128	1,071	1,048	23	20	37
15 to 19 years	269	247	247	-	11	11
20 to 24 years	489	466	457	9	5	18
25 to 29 years	236	226	218	8	3	7
30 to 34 years	90	89	86	3	-	1
35 to 39 years	37	36	36	-	1	-
40 to 44 years	5	5	2	3	-	-
Not stated	2	2	2	-	-	-
Second child	740	709	692	17	10	21
15 to 19 years	49	43	40	3	1	5
20 to 24 years	260	242	239	3	5	13
25 to 29 years	239	235	230	5	1	3
30 to 34 years	130	128	125	3	2	-
35 to 39 years	51	50	47	3	1	-
40 to 44 years	10	10	10	-	-	-
45 to 49 years	1	1	1	-	-	-
Third child	457	433	417	16	9	15
15 to 19 years	4	4	4	-	-	-
20 to 24 years	116	105	103	2	5	6
25 to 29 years	163	158	155	3	1	4
30 to 34 years	123	117	112	5	3	3
35 to 39 years	47	45	40	5	-	2
40 to 44 years	4	4	3	1	-	-
Fourth child	226	201	197	4	7	18
20 to 24 years	39	30	30	-	2	7
25 to 29 years	77	71	70	1	1	5
30 to 34 years	75	67	67	-	3	5
35 to 39 years	32	30	27	3	1	1
40 to 44 years	3	3	3	-	-	-
Fifth child	126	101	94	7	5	20
20 to 24 years	17	10	10	-	3	4
25 to 29 years	44	35	34	1	-	9
30 to 34 years	31	26	25	1	2	3
35 to 39 years	31	27	22	5	-	4
40 to 44 years	3	3	3	-	-	-
Sixth child	67	54	50	4	2	11
20 to 24 years	4	3	3	-	1	-
25 to 29 years	22	18	18	-	-	4
30 to 34 years	21	15	13	2	1	5
35 to 39 years	16	15	13	2	-	1
40 to 44 years	4	3	3	-	-	1
Seventh child	39	28	26	2	3	8
20 to 24 years	1	-	-	-	-	1
25 to 29 years	8	5	5	-	-	3
30 to 34 years	15	10	9	1	3	2
35 to 39 years	10	9	8	1	-	1
40 to 44 years	5	4	4	-	-	1
Eighth child	27	18	17	1	-	9
25 to 29 years	2	1	1	-	-	1
30 to 34 years	8	6	6	-	-	2
35 to 39 years	11	7	6	1	-	4
40 to 44 years	5	3	3	-	-	2
45 to 49 years	1	1	1	-	-	-
Ninth child	16	11	10	1	1	4
25 to 29 years	2	1	1	-	-	1
30 to 34 years	4	2	2	-	1	1
35 to 39 years	9	8	7	1	-	1
40 to 44 years	1	-	-	-	-	1

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
NEVADA—Continued						
Tenth child and over....	20	9	8	1	3	8
25 to 29 years.....	1	-	-	-	-	1
30 to 34 years.....	4	2	2	-	2	-
35 to 39 years.....	5	1	1	-	-	4
40 to 44 years.....	7	5	5	-	1	1
45 to 49 years.....	3	1	-	1	-	2
Birth order not stated..	5	5	5	-	-	-
20 to 24 years.....	1	1	1	-	-	-
25 to 29 years.....	3	3	3	-	-	-
30 to 34 years.....	1	1	1	-	-	-
NEW HAMPSHIRE						
Total births.....	8,338	8,324	7,808	515	14	-
10 to 14 years.....	2	2	2	-	-	-
15 to 19 years.....	592	589	585	4	3	-
20 to 24 years.....	2,466	2,460	2,382	78	6	-
25 to 29 years.....	2,308	2,306	2,181	125	2	-
30 to 34 years.....	1,783	1,781	1,641	140	2	-
35 to 39 years.....	904	903	782	121	1	-
40 to 44 years.....	263	263	221	42	-	-
45 to 49 years.....	12	12	8	4	-	-
Not stated.....	8	8	6	1	-	-
First child.....	2,575	2,570	2,465	105	5	-
10 to 14 years.....	2	2	2	-	-	-
15 to 19 years.....	451	448	444	4	3	-
20 to 24 years.....	1,202	1,200	1,159	41	2	-
25 to 29 years.....	561	561	538	23	-	-
30 to 34 years.....	250	250	232	18	-	-
35 to 39 years.....	87	87	74	13	-	-
40 to 44 years.....	18	18	12	6	-	-
Not stated.....	4	4	4	-	-	-
Second child.....	2,186	2,184	2,061	122	2	-
15 to 19 years.....	91	91	91	-	-	-
20 to 24 years.....	686	685	670	15	1	-
25 to 29 years.....	738	737	690	47	1	-
30 to 34 years.....	454	454	417	37	-	-
35 to 39 years.....	181	181	161	20	-	-
40 to 44 years.....	31	31	30	1	-	-
45 to 49 years.....	3	3	2	1	-	-
Not stated.....	2	2	-	1	-	-
Third child.....	1,343	1,340	1,241	99	3	-
15 to 19 years.....	11	11	11	-	-	-
20 to 24 years.....	294	292	278	14	2	-
25 to 29 years.....	434	433	405	28	1	-
30 to 34 years.....	393	393	365	28	-	-
35 to 39 years.....	171	171	148	23	-	-
40 to 44 years.....	38	38	32	6	-	-
45 to 49 years.....	1	1	1	-	-	-
Not stated.....	1	1	1	-	-	-
Fourth child.....	776	776	722	54	-	-
15 to 19 years.....	4	4	4	-	-	-
20 to 24 years.....	123	123	119	4	-	-
25 to 29 years.....	240	240	228	12	-	-
30 to 34 years.....	238	238	217	21	-	-
35 to 39 years.....	136	136	120	16	-	-
40 to 44 years.....	35	35	34	1	-	-
Fifth child.....	440	440	395	45	-	-
20 to 24 years.....	45	45	45	-	-	-
25 to 29 years.....	124	124	118	6	-	-
30 to 34 years.....	152	152	134	18	-	-
35 to 39 years.....	82	82	68	14	-	-
40 to 44 years.....	36	36	29	7	-	-
45 to 49 years.....	1	1	1	-	-	-
Sixth child.....	251	250	227	23	1	-
20 to 24 years.....	9	9	9	-	-	-
25 to 29 years.....	65	65	60	5	-	-
30 to 34 years.....	81	81	78	3	-	-
35 to 39 years.....	73	72	60	12	1	-
40 to 44 years.....	23	23	20	3	-	-
Seventh child.....	158	158	137	21	-	-
20 to 24 years.....	5	5	4	1	-	-
25 to 29 years.....	33	33	32	1	-	-
30 to 34 years.....	61	61	52	9	-	-
35 to 39 years.....	39	39	35	4	-	-
40 to 44 years.....	20	20	14	6	-	-
Eighth child.....	105	104	93	11	1	-
25 to 29 years.....	13	13	12	1	-	-
30 to 34 years.....	34	33	30	3	1	-
35 to 39 years.....	37	37	34	3	-	-
40 to 44 years.....	18	18	16	2	-	-
45 to 49 years.....	3	3	1	2	-	-
Ninth child.....	44	44	41	3	-	-
25 to 29 years.....	2	2	2	-	-	-
30 to 34 years.....	15	15	15	-	-	-
NEW HAMPSHIRE—Con.						
Ninth child—Continued						
35 to 39 years.....	22	22	19	3	-	-
40 to 44 years.....	4	4	4	-	-	-
Not stated.....	1	1	1	-	-	-
Tenth child and over....	104	103	87	16	1	-
25 to 29 years.....	2	2	2	-	-	-
30 to 34 years.....	29	28	28	-	1	-
35 to 39 years.....	39	39	33	6	-	-
40 to 44 years.....	31	31	22	9	-	-
45 to 49 years.....	3	3	2	1	-	-
Birth order not stated..	356	355	339	16	1	-
15 to 19 years.....	35	35	35	-	-	-
20 to 24 years.....	102	101	98	3	1	-
25 to 29 years.....	96	96	94	2	-	-
30 to 34 years.....	76	76	73	3	-	-
35 to 39 years.....	37	37	30	7	-	-
40 to 44 years.....	9	9	8	1	-	-
45 to 49 years.....	1	1	1	-	-	-
NEW JERSEY						
Total births.....	77,338	71,809	67,584	4,204	5,481	48
10 to 14 years.....	46	10	10	-	36	-
15 to 19 years.....	3,961	2,893	2,859	32	1,066	2
20 to 24 years.....	19,774	17,929	17,338	585	1,836	9
25 to 29 years.....	25,052	23,825	22,961	859	1,210	17
30 to 34 years.....	18,225	17,446	16,193	1,251	768	11
35 to 39 years.....	8,426	7,887	6,905	1,081	434	5
40 to 44 years.....	1,699	1,578	1,215	363	118	3
45 to 49 years.....	111	104	72	32	6	1
50 to 54 years.....	5	4	3	1	1	-
Not stated.....	39	33	28	-	6	-
First child.....	27,329	25,729	24,598	1,125	1,583	17
10 to 14 years.....	46	10	10	-	36	-
15 to 19 years.....	3,045	2,339	2,311	27	704	2
20 to 24 years.....	11,426	10,880	10,494	383	539	7
25 to 29 years.....	7,953	7,760	7,443	315	187	6
30 to 34 years.....	3,445	3,362	3,132	230	81	2
35 to 39 years.....	1,211	1,184	1,042	142	27	-
40 to 44 years.....	185	178	151	27	7	-
45 to 49 years.....	5	5	4	1	-	-
50 to 54 years.....	1	-	-	-	1	-
Not stated.....	12	11	11	-	1	-
Second child.....	23,511	22,395	21,172	1,218	1,103	13
15 to 19 years.....	575	345	340	5	230	-
20 to 24 years.....	4,811	4,304	4,178	126	506	1
25 to 29 years.....	9,169	8,951	8,639	310	212	6
30 to 34 years.....	6,496	6,387	5,930	455	106	3
35 to 39 years.....	2,180	2,137	1,866	271	41	2
40 to 44 years.....	258	249	199	50	8	1
45 to 49 years.....	8	8	7	1	-	-
Not stated.....	14	14	13	-	-	-
Third child.....	11,196	10,464	9,723	741	721	11
15 to 19 years.....	92	40	40	-	52	-
20 to 24 years.....	1,568	1,250	1,219	31	317	1
25 to 29 years.....	3,713	3,510	3,394	116	199	4
30 to 34 years.....	3,734	3,628	3,352	274	103	5
35 to 39 years.....	1,786	1,745	1,500	245	40	1
40 to 44 years.....	285	277	209	68	8	-
45 to 49 years.....	13	13	6	7	-	-
50 to 54 years.....	1	1	1	-	-	-
Not stated.....	4	2	2	-	2	-
Fourth child.....	4,792	4,246	3,896	350	546	-
15 to 19 years.....	17	5	5	-	12	-
20 to 24 years.....	572	363	352	11	209	-
25 to 29 years.....	1,379	1,194	1,173	21	185	-
30 to 34 years.....	1,513	1,429	1,329	100	84	-
35 to 39 years.....	1,078	1,025	869	156	53	-
40 to 44 years.....	217	215	159	56	2	-
45 to 49 years.....	15	14	9	5	1	-
50 to 54 years.....	1	1	-	1	-	-
Fifth child.....	2,318	1,948	1,768	178	369	1
15 to 19 years.....	1	-	-	-	1	-
20 to 24 years.....	181	96	94	2	85	-
25 to 29 years.....	615	466	451	14	148	1
30 to 34 years.....	765	671	624	47	94	-
35 to 39 years.....	570	536	465	70	34	-
40 to 44 years.....	175	169	124	45	6	-
45 to 49 years.....	10	9	9	-	1	-
50 to 54 years.....	1	1	1	-	-	-
Sixth child.....	1,154	905	800	105	245	4
15 to 19 years.....	1	-	-	-	1	-
20 to 24 years.....	60	29	29	-	31	-
25 to 29 years.....	247	166	163	3	81	-
30 to 34 years.....	394	316	293	23	77	1
35 to 39 years.....	336	293	237	56	42	1
40 to 44 years.....	103	90	70	20	12	1
45 to 49 years.....	13	11	8	3	1	1

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
NEW JERSEY—Continued						
Seventh child	697	523	469	54	174	-
20 to 24 years	27	11	11	-	16	-
25 to 29 years	129	73	71	2	56	-
30 to 34 years	213	153	146	7	60	-
35 to 39 years	221	190	165	25	31	-
40 to 44 years	103	92	74	18	11	-
45 to 49 years	4	4	2	2	-	-
Eighth child	465	323	288	35	142	-
20 to 24 years	2	-	-	-	2	-
25 to 29 years	66	32	32	-	34	-
30 to 34 years	152	104	103	1	48	-
35 to 39 years	175	130	112	18	45	-
40 to 44 years	62	50	36	14	12	-
45 to 49 years	6	6	4	2	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	1	-	-	-	1	-
Ninth child	270	191	169	22	79	-
20 to 24 years	2	-	-	-	2	-
25 to 29 years	20	13	13	-	7	-
30 to 34 years	90	52	47	5	38	-
35 to 39 years	104	78	74	4	26	-
40 to 44 years	51	45	34	11	6	-
45 to 49 years	3	3	1	2	-	-
Tenth child and over	472	316	277	39	155	1
20 to 24 years	1	-	-	-	1	-
25 to 29 years	20	9	9	-	11	-
30 to 34 years	88	52	49	3	36	-
35 to 39 years	195	131	121	10	64	-
40 to 44 years	145	105	83	22	39	1
45 to 49 years	22	19	15	4	3	-
Not stated	1	-	-	-	1	-
Birth order not stated	5,134	4,769	4,424	337	364	1
15 to 19 years	230	164	163	-	66	-
20 to 24 years	1,124	996	961	32	128	-
25 to 29 years	1,741	1,651	1,573	78	90	-
30 to 34 years	1,335	1,294	1,188	106	41	-
35 to 39 years	570	538	454	84	31	1
40 to 44 years	115	108	76	32	7	-
45 to 49 years	12	12	7	5	-	-
Not stated	7	6	2	-	1	-
NEW MEXICO						
Total births	15,306	14,041	13,651	385	130	1,135
10 to 14 years	23	19	19	-	-	4
15 to 19 years	1,789	1,605	1,599	5	33	151
20 to 24 years	4,549	4,199	4,150	47	34	316
25 to 29 years	3,587	3,335	3,249	86	28	224
30 to 34 years	2,855	2,629	2,541	87	20	206
35 to 39 years	1,840	1,684	1,568	115	10	146
40 to 44 years	576	513	477	36	4	59
45 to 49 years	64	48	39	9	-	16
50 to 54 years	3	2	2	-	-	1
55 years and over	1	1	1	-	-	-
Not stated	19	6	6	-	1	12
First child	3,911	3,654	3,607	46	35	222
10 to 14 years	23	19	19	-	-	4
15 to 19 years	1,333	1,206	1,204	2	22	105
20 to 24 years	1,643	1,546	1,525	21	5	92
25 to 29 years	587	571	556	15	4	12
30 to 34 years	236	228	222	6	3	5
35 to 39 years	75	73	70	2	-	2
40 to 44 years	10	9	9	-	-	1
45 to 49 years	1	1	1	-	-	-
Not stated	3	1	1	-	1	1
Second child	2,985	2,773	2,728	44	26	186
15 to 19 years	375	330	328	2	10	35
20 to 24 years	1,335	1,227	1,215	11	10	98
25 to 29 years	744	701	686	15	3	40
30 to 34 years	375	362	353	9	3	10
35 to 39 years	132	130	123	7	-	2
40 to 44 years	23	23	23	-	-	-
Not stated	1	-	-	-	-	1
Third child	2,226	2,040	2,007	33	22	164
15 to 19 years	56	49	49	-	-	7
20 to 24 years	865	777	769	8	12	76
25 to 29 years	695	640	628	12	4	51
30 to 34 years	411	385	380	5	4	22
35 to 39 years	171	162	154	8	2	7
40 to 44 years	25	25	25	-	-	-
45 to 49 years	1	1	1	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	1	-	-	-	-	1
Fourth child	1,621	1,490	1,452	37	12	119
15 to 19 years	12	9	8	1	-	3
20 to 24 years	413	383	380	2	2	28
NEW MEXICO—Continued						
Fourth child—Continued						
25 to 29 years	589	527	515	12	9	53
30 to 34 years	392	366	352	14	1	25
35 to 39 years	184	176	169	7	-	8
40 to 44 years	27	27	26	1	-	-
45 to 49 years	1	1	1	-	-	-
Not stated	3	1	1	-	-	2
Fifth child	1,191	1,071	1,038	33	11	109
15 to 19 years	3	3	3	-	-	-
20 to 24 years	178	161	158	3	4	13
25 to 29 years	444	408	398	10	4	32
30 to 34 years	352	312	300	12	1	39
35 to 39 years	164	144	139	5	2	18
40 to 44 years	45	40	38	2	-	5
45 to 49 years	4	3	2	1	-	1
Not stated	1	-	-	-	-	1
Sixth child	935	822	782	40	6	107
15 to 19 years	1	1	1	-	-	-
20 to 24 years	64	60	60	-	-	4
25 to 29 years	276	248	235	13	2	26
30 to 34 years	355	312	299	13	1	42
35 to 39 years	189	164	153	11	1	24
40 to 44 years	47	37	34	3	2	8
Not stated	3	-	-	-	-	3
Seventh child	690	618	592	25	3	69
20 to 24 years	22	19	18	1	1	2
25 to 29 years	139	131	126	5	-	8
30 to 34 years	276	244	237	6	2	30
35 to 39 years	185	167	158	9	-	18
40 to 44 years	55	49	46	3	-	6
45 to 49 years	8	4	3	1	-	4
Not stated	5	4	4	-	-	1
Eighth child	501	456	435	21	2	43
20 to 24 years	8	7	6	1	-	1
25 to 29 years	58	57	56	1	-	1
30 to 34 years	194	173	165	8	1	20
35 to 39 years	187	168	160	8	1	18
40 to 44 years	54	51	48	3	-	3
Ninth child	372	335	321	14	5	32
20 to 24 years	2	2	2	-	-	-
25 to 29 years	21	21	21	-	-	-
30 to 34 years	128	118	116	2	3	7
35 to 39 years	166	148	136	12	2	16
40 to 44 years	49	42	42	-	-	7
45 to 49 years	5	3	3	-	-	2
50 to 54 years	1	1	1	-	-	-
Tenth child and over	796	714	631	83	4	78
25 to 29 years	20	20	18	2	-	-
30 to 34 years	121	114	105	9	1	6
35 to 39 years	373	340	297	43	1	32
40 to 44 years	235	204	182	22	2	29
45 to 49 years	44	35	28	7	-	9
50 to 54 years	1	-	-	-	-	1
55 years and over	1	1	1	-	-	-
Not stated	1	-	-	-	-	1
Birth order not stated	78	68	58	9	4	6
15 to 19 years	9	7	6	-	1	1
20 to 24 years	19	17	17	-	-	2
25 to 29 years	14	11	10	1	2	1
30 to 34 years	15	15	12	3	-	-
35 to 39 years	14	12	9	3	1	1
40 to 44 years	6	6	4	2	-	-
Not stated	1	-	-	-	-	1
NEW YORK						
Total births	234,754	221,326	200,378	20,928	13,009	419
10 to 14 years	90	34	34	-	56	-
15 to 19 years	12,001	9,369	9,191	178	2,604	28
20 to 24 years	58,933	54,280	51,656	2,623	4,543	110
25 to 29 years	72,614	69,548	65,542	4,005	2,942	124
30 to 34 years	57,050	55,210	48,370	6,839	1,756	84
35 to 39 years	27,895	26,996	21,390	5,605	853	46
40 to 44 years	5,795	5,540	3,960	1,580	231	24
45 to 49 years	303	279	191	88	21	3
50 to 54 years	5	4	1	3	1	-
55 years and over	3	3	2	1	-	-
Not stated	65	63	41	6	2	-
First child	88,414	83,190	77,019	6,170	5,086	138
10 to 14 years	90	34	34	-	56	-
15 to 19 years	9,922	7,985	7,826	159	1,915	22
20 to 24 years	36,230	34,250	32,474	1,775	1,926	54
25 to 29 years	25,191	24,386	22,766	1,620	764	41
30 to 34 years	11,666	11,344	9,840	1,504	311	11
35 to 39 years	4,504	4,401	3,499	902	95	8
40 to 44 years	770	751	549	202	17	2

[1] Includes mother's nativity not stated.

TABLE 5.–LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945–Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
NEW YORK—Continued						
First child—Continued						
45 to 49 years	23	22	16	6	1	-
50 to 54 years	2	2	1	1	-	-
Not stated	16	15	14	1	1	-
Second child	76,431	73,162	66,066	7,096	3,200	69
15 to 19 years	1,778	1,207	1,193	14	566	5
20 to 24 years	15,214	13,807	13,180	627	1,380	27
25 to 29 years	28,313	27,564	25,938	1,626	727	22
30 to 34 years	22,160	21,788	18,942	2,846	362	10
35 to 39 years	7,968	7,821	6,139	1,682	143	4
40 to 44 years	965	944	655	289	20	1
45 to 49 years	23	21	13	8	2	-
50 to 54 years	1	1	-	1	-	-
55 years and over	1	1	-	1	-	-
Not stated	8	8	6	2	-	-
Third child	36,100	34,318	30,372	3,945	1,728	54
15 to 19 years	254	147	142	5	107	-
20 to 24 years	4,996	4,287	4,129	158	694	15
25 to 29 years	11,011	10,485	9,977	508	507	19
30 to 34 years	12,330	12,029	10,494	1,535	288	13
35 to 39 years	6,374	6,267	4,875	1,392	104	3
40 to 44 years	1,082	1,052	718	334	28	2
45 to 49 years	47	45	32	13	-	2
55 years and over	2	2	2	-	-	-
Not stated	4	4	3	-	-	-
Fourth child	15,722	14,573	12,886	1,686	1,107	42
15 to 19 years	24	14	14	-	10	-
20 to 24 years	1,701	1,345	1,296	49	348	8
25 to 29 years	4,408	4,022	3,854	168	374	12
30 to 34 years	5,200	4,953	4,435	518	232	15
35 to 39 years	3,561	3,446	2,717	728	111	4
40 to 44 years	781	748	549	199	30	3
45 to 49 years	42	41	18	23	1	-
50 to 54 years	2	1	-	1	1	-
Not stated	3	3	3	-	-	-
Fifth child	7,496	6,768	5,908	859	694	34
15 to 19 years	4	2	2	-	2	-
20 to 24 years	522	383	377	6	135	4
25 to 29 years	1,974	1,687	1,639	48	273	14
30 to 34 years	2,508	2,315	2,079	235	181	12
35 to 39 years	1,920	1,834	1,444	390	85	1
40 to 44 years	542	521	353	168	18	3
45 to 49 years	26	26	14	12	-	-
Sixth child	4,079	3,634	3,166	468	420	25
20 to 24 years	145	98	95	3	45	2
25 to 29 years	935	765	748	17	161	9
30 to 34 years	1,277	1,156	1,059	97	117	4
35 to 39 years	1,227	1,142	933	209	77	8
40 to 44 years	475	456	320	136	18	1
45 to 49 years	20	17	11	6	2	1
Seventh child	2,371	2,086	1,836	250	265	20
20 to 24 years	41	30	29	1	11	-
25 to 29 years	413	339	332	7	69	5
30 to 34 years	829	716	665	51	108	5
35 to 39 years	763	693	585	108	64	6
40 to 44 years	304	288	208	80	12	4
45 to 49 years	21	20	17	3	1	-
Eighth child	1,459	1,284	1,103	181	164	11
20 to 24 years	6	5	5	-	1	-
25 to 29 years	197	158	154	4	37	2
30 to 34 years	451	389	365	24	61	1
35 to 39 years	558	509	420	89	44	5
40 to 44 years	220	199	140	59	18	3
45 to 49 years	26	23	18	5	3	-
Not stated	1	1	1	-	-	-
Ninth child	898	768	663	105	122	8
25 to 29 years	53	36	34	2	17	-
30 to 34 years	265	217	205	12	43	5
35 to 39 years	354	307	253	54	45	2
40 to 44 years	202	186	152	34	15	1
45 to 49 years	24	22	19	3	2	-
Tenth child and over	1,466	1,261	1,112	149	208	17
25 to 29 years	39	29	28	1	10	-
30 to 34 years	307	247	234	13	52	8
35 to 39 years	647	559	510	49	83	5
40 to 44 years	442	384	307	77	54	4
45 to 49 years	51	42	33	9	9	-
Birth order not stated	298	282	247	19	15	1
15 to 19 years	19	14	14	-	4	1
20 to 24 years	78	75	71	4	3	-
25 to 29 years	80	77	72	4	3	-
30 to 34 years	57	56	52	4	1	-
35 to 39 years	19	17	15	2	2	-
40 to 44 years	12	11	9	2	1	-
Not stated	33	32	14	3	1	-

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
NORTH CAROLINA						
Total births	87,401	59,503	59,357	126	26,848	1,050
10 to 14 years	246	48	47	-	198	-
15 to 19 years	13,409	7,493	7,483	4	5,758	158
20 to 24 years	25,302	18,033	17,995	33	7,953	316
25 to 29 years	20,952	14,893	14,857	35	5,821	238
30 to 34 years	14,620	10,608	10,579	28	3,837	175
35 to 39 years	8,787	6,285	6,259	22	2,378	124
40 to 44 years	2,666	1,881	1,877	4	752	33
45 to 49 years	229	154	154	-	71	4
50 to 54 years	12	7	7	-	5	-
55 years and over	9	6	6	-	3	-
Not stated	169	95	93	-	72	2
First child	25,291	19,076	19,000	65	6,017	198
10 to 14 years	246	48	47	-	198	-
15 to 19 years	9,160	5,717	5,708	3	3,349	94
20 to 24 years	9,663	7,960	7,903	24	1,651	72
25 to 29 years	3,806	3,248	3,224	23	540	18
30 to 34 years	1,637	1,438	1,426	12	190	9
35 to 39 years	621	553	550	3	64	4
40 to 44 years	93	84	84	-	8	1
45 to 49 years	1	1	1	-	-	-
50 to 54 years	1	1	1	-	-	-
55 years and over	2	2	2	-	-	-
Not stated	41	24	24	-	17	-
Second child	19,062	14,120	14,086	33	4,775	167
15 to 19 years	3,180	1,458	1,457	1	1,678	44
20 to 24 years	7,515	5,404	5,396	8	2,031	80
25 to 29 years	4,777	4,042	4,035	7	705	30
30 to 34 years	2,516	2,244	2,237	7	264	8
35 to 39 years	910	835	827	8	73	2
40 to 44 years	135	116	114	2	17	2
45 to 49 years	5	5	5	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	23	15	15	-	7	1
Third child	12,828	9,038	9,019	17	3,664	126
15 to 19 years	824	267	267	-	542	15
20 to 24 years	4,741	2,845	2,843	1	1,823	73
25 to 29 years	3,881	3,014	3,009	5	839	28
30 to 34 years	2,216	1,903	1,896	6	305	8
35 to 39 years	989	859	854	5	129	1
40 to 44 years	147	129	129	-	18	-
45 to 49 years	5	5	5	-	-	-
Not stated	25	16	16	-	8	1
Fourth child	8,756	5,661	5,655	6	2,954	141
15 to 19 years	164	33	33	-	129	2
20 to 24 years	2,568	1,232	1,232	-	1,280	56
25 to 29 years	3,100	2,106	2,106	-	940	54
30 to 34 years	1,837	1,411	1,409	2	406	20
35 to 39 years	890	720	717	3	161	9
40 to 44 years	180	149	148	1	31	-
45 to 49 years	6	4	4	-	2	-
50 to 54 years	1	1	1	-	-	-
Not stated	10	5	5	-	5	-
Fifth child	6,199	3,664	3,662	2	2,449	86
15 to 19 years	32	6	6	-	26	-
20 to 24 years	1,137	410	410	-	710	17
25 to 29 years	2,328	1,294	1,294	-	1,002	32
30 to 34 years	1,683	1,158	1,158	-	496	29
35 to 39 years	816	638	636	2	171	7
40 to 44 years	172	142	142	-	29	1
45 to 49 years	11	7	7	-	4	-
50 to 54 years	1	-	-	-	1	-
55 years and over	2	1	1	-	1	-
Not stated	17	8	8	-	9	-
Sixth child	4,480	2,517	2,514	2	1,875	89
15 to 19 years	11	2	2	-	9	-
20 to 24 years	375	105	105	-	257	13
25 to 29 years	1,540	705	705	-	800	35
30 to 34 years	1,512	941	940	1	546	25
35 to 39 years	810	588	586	1	210	12
40 to 44 years	200	156	156	-	41	3
45 to 49 years	12	10	10	-	2	-
Not stated	20	10	10	-	10	-
Seventh child	3,282	1,826	1,826	-	1,390	66
20 to 24 years	128	24	24	-	102	2
25 to 29 years	842	307	307	-	514	21
30 to 34 years	1,215	692	692	-	493	30
35 to 39 years	824	593	593	-	223	8
40 to 44 years	242	190	190	-	47	5
45 to 49 years	20	17	17	-	3	-
55 years and over	1	-	-	-	1	-
Not stated	10	3	3	-	7	-
Eighth child	2,369	1,191	1,191	-	1,116	63
20 to 24 years	45	9	9	-	35	1
25 to 29 years	375	89	89	-	275	11
30 to 34 years	844	395	395	-	431	18
35 to 39 years	840	512	512	-	300	28

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
NORTH CAROLINA—Con.						
Eighth child—Continued						
40 to 44 years	237	165	165	-	69	3
45 to 49 years	22	16	16	-	5	1
50 to 54 years	2	1	1	-	1	-
55 years and over	1	1	1	-	-	-
Not stated	3	3	3	-	-	-
Ninth child	1,699	875	875	-	785	39
20 to 24 years	20	3	3	-	16	1
25 to 29 years	141	38	38	-	98	5
30 to 34 years	508	220	220	-	275	13
35 to 39 years	707	391	391	-	300	16
40 to 44 years	292	205	205	-	83	4
45 to 49 years	22	13	13	-	9	-
50 to 54 years	2	2	2	-	-	-
55 years and over	1	1	1	-	-	-
Not stated	6	2	2	-	4	-
Tenth child and over	3,151	1,400	1,397	1	1,685	66
20 to 24 years	8	4	4	-	4	-
25 to 29 years	103	22	22	-	80	1
30 to 34 years	607	184	184	-	410	13
35 to 39 years	1,343	578	576	-	730	35
40 to 44 years	958	536	535	1	408	14
45 to 49 years	122	74	74	-	45	3
50 to 54 years	4	1	1	-	3	-
55 years and over	2	1	1	-	1	-
Not stated	4	-	-	-	4	-
Birth order not stated	284	135	132	-	138	11
15 to 19 years	38	10	10	-	25	3
20 to 24 years	82	37	37	-	44	1
25 to 29 years	59	28	28	-	28	3
30 to 34 years	45	22	22	-	21	2
35 to 39 years	37	18	17	-	17	2
40 to 44 years	10	9	9	-	1	-
45 to 49 years	3	2	2	-	1	-
Not stated	10	9	7	-	1	-
NORTH DAKOTA						
Total births	13,147	12,819	12,515	301	1	327
10 to 14 years	2	2	2	-	-	-
15 to 19 years	862	819	815	3	-	43
20 to 24 years	3,625	3,536	3,488	47	-	89
25 to 29 years	3,643	3,570	3,515	55	-	73
30 to 34 years	2,784	2,716	2,650	65	-	68
35 to 39 years	1,638	1,602	1,528	74	1	35
40 to 44 years	511	496	445	51	-	15
45 to 49 years	42	42	38	4	-	-
50 to 54 years	2	2	2	-	-	-
55 years and over	1	-	-	-	-	1
Not stated	37	34	32	2	-	3
First child	3,588	3,521	3,471	48	-	67
10 to 14 years	2	2	2	-	-	-
15 to 19 years	706	671	667	3	-	35
20 to 24 years	1,751	1,722	1,696	25	-	29
25 to 29 years	729	726	715	11	-	3
30 to 34 years	279	279	274	5	-	-
35 to 39 years	92	92	88	4	-	-
40 to 44 years	18	18	18	-	-	-
45 to 49 years	3	3	3	-	-	-
Not stated	8	8	8	-	-	-
Second child	3,134	3,096	3,043	53	-	38
15 to 19 years	136	132	132	-	-	4
20 to 24 years	1,153	1,131	1,119	12	-	22
25 to 29 years	1,043	1,035	1,014	21	-	8
30 to 34 years	560	556	543	13	-	4
35 to 39 years	205	205	201	4	-	-
40 to 44 years	31	31	28	3	-	-
45 to 49 years	2	2	2	-	-	-
Not stated	4	4	4	-	-	-
Third child	2,277	2,231	2,190	41	-	46
15 to 19 years	17	13	13	-	-	4
20 to 24 years	495	473	466	7	-	22
25 to 29 years	839	824	814	10	-	15
30 to 34 years	594	590	574	16	-	4
35 to 39 years	270	270	263	7	-	-
40 to 44 years	48	48	48	-	-	-
45 to 49 years	2	2	2	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	11	10	9	1	-	1
Fourth child	1,452	1,411	1,385	26	-	41
15 to 19 years	2	2	2	-	-	-
20 to 24 years	169	156	154	2	-	13
25 to 29 years	488	470	465	5	-	18
30 to 34 years	476	469	460	9	-	7
35 to 39 years	261	259	249	10	-	2
40 to 44 years	48	48	48	-	-	-
45 to 49 years	3	3	3	-	-	-
Not stated	5	4	4	-	-	1

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
NORTH DAKOTA—Continued						
Fifth child	905	878	843	34	-	27
20 to 24 years	37	36	36	-	-	1
25 to 29 years	306	294	286	8	-	12
30 to 34 years	299	292	282	9	-	7
35 to 39 years	213	206	194	12	-	7
40 to 44 years	44	44	39	5	-	-
45 to 49 years	3	3	3	-	-	-
Not stated	3	3	3	-	-	-
Sixth child	594	567	542	25	-	27
20 to 24 years	8	8	7	1	-	-
25 to 29 years	146	138	138	-	-	8
30 to 34 years	242	225	220	5	-	17
35 to 39 years	134	132	121	11	-	2
40 to 44 years	59	59	52	7	-	-
45 to 49 years	4	4	3	1	-	-
Not stated	1	1	1	-	-	-
Seventh child	379	348	332	16	-	31
20 to 24 years	3	1	1	-	-	2
25 to 29 years	48	41	41	-	-	7
30 to 34 years	155	141	137	4	-	14
35 to 39 years	124	118	112	6	-	6
40 to 44 years	46	44	38	6	-	2
45 to 49 years	3	3	3	-	-	-
Eighth child	261	245	230	15	-	16
25 to 29 years	28	26	26	-	-	2
30 to 34 years	91	84	81	3	-	7
35 to 39 years	106	101	92	9	-	5
40 to 44 years	28	26	24	2	-	2
45 to 49 years	7	7	7	-	-	-
Not stated	1	1	-	1	-	-
Ninth child	183	168	159	9	1	14
25 to 29 years	7	7	7	-	-	-
30 to 34 years	48	42	41	1	-	6
35 to 39 years	87	80	78	2	1	6
40 to 44 years	36	35	30	5	-	1
45 to 49 years	2	2	1	1	-	-
55 years and over	1	-	-	-	-	1
Not stated	2	2	2	-	-	-
Tenth child and over	342	322	288	34	-	20
25 to 29 years	1	1	1	-	-	-
30 to 34 years	32	30	30	-	-	2
35 to 39 years	142	135	126	9	-	7
40 to 44 years	152	142	119	23	-	10
45 to 49 years	13	13	11	2	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	1	-	-	-	-	1
Birth order not stated	32	32	32	-	-	-
15 to 19 years	1	1	1	-	-	-
20 to 24 years	9	9	9	-	-	-
25 to 29 years	8	8	8	-	-	-
30 to 34 years	8	8	8	-	-	-
35 to 39 years	4	4	4	-	-	-
40 to 44 years	1	1	1	-	-	-
Not stated	1	1	1	-	-	-
OHIO						
Total births	132,496	124,619	121,862	2,717	7,782	95
10 to 14 years	94	48	48	-	46	-
15 to 19 years	11,271	9,650	9,616	31	1,613	8
20 to 24 years	38,155	35,571	35,135	429	2,542	42
25 to 29 years	38,618	36,858	36,342	511	1,733	27
30 to 34 years	27,022	25,935	25,093	837	1,077	10
35 to 39 years	13,417	12,847	12,192	654	567	3
40 to 44 years	3,425	3,241	3,013	228	179	5
45 to 49 years	231	223	203	20	8	-
50 to 54 years	3	3	3	-	-	-
55 years and over	1	1	1	-	-	-
Not stated	259	242	216	7	17	-
First child	45,121	42,501	41,781	712	2,573	47
10 to 14 years	92	47	47	-	45	-
15 to 19 years	9,005	7,834	7,803	28	1,165	6
20 to 24 years	19,933	18,976	18,717	256	933	24
25 to 29 years	10,106	9,837	9,644	192	257	12
30 to 34 years	4,119	4,000	3,860	140	115	4
35 to 39 years	1,531	1,483	1,407	76	47	1
40 to 44 years	261	255	237	18	6	-
45 to 49 years	12	12	10	2	-	-
50 to 54 years	2	2	2	-	-	-
Not stated	60	55	54	-	5	-
Second child	36,899	35,254	34,462	787	1,612	33
10 to 14 years	2	1	1	-	1	-
15 to 19 years	1,872	1,513	1,510	3	357	2
20 to 24 years	10,797	10,074	9,945	127	708	15
25 to 29 years	13,045	12,726	12,542	182	307	12
30 to 34 years	8,048	7,868	7,572	296	176	4

[1] Includes mother's nativity not stated.

TABLE 5.–LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945–Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
OHIO—Continued						
Second child—Continued						
35 to 39 years	2,712	2,661	2,510	151	51	-
40 to 44 years	345	337	312	25	8	-
45 to 49 years	12	12	11	1	-	-
Not stated	66	62	59	2	4	-
Third child	21,910	20,783	20,223	557	1,121	6
15 to 19 years	279	206	206	-	73	-
20 to 24 years	4,629	4,144	4,109	34	482	3
25 to 29 years	7,726	7,389	7,294	94	334	3
30 to 34 years	6,142	5,974	5,771	203	168	-
35 to 39 years	2,675	2,622	2,438	183	53	-
40 to 44 years	402	393	354	39	9	-
45 to 49 years	16	16	14	2	-	-
Not stated	41	39	37	2	2	-
Fourth child	11,487	10,710	10,447	258	776	1
15 to 19 years	42	31	31	-	11	-
20 to 24 years	1,795	1,542	1,534	7	253	-
25 to 29 years	3,912	3,620	3,589	31	292	-
30 to 34 years	3,417	3,282	3,190	88	135	-
35 to 39 years	1,873	1,809	1,706	103	63	1
40 to 44 years	411	390	364	26	21	-
45 to 49 years	16	16	14	2	-	-
Not stated	21	20	19	1	1	-
Fifth child	6,254	5,745	5,612	133	508	1
15 to 19 years	7	6	6	-	1	-
20 to 24 years	600	485	484	1	115	-
25 to 29 years	1,978	1,753	1,747	6	225	-
30 to 34 years	1,984	1,880	1,825	55	104	-
35 to 39 years	1,281	1,231	1,190	41	49	1
40 to 44 years	366	352	324	28	14	-
45 to 49 years	23	23	21	2	-	-
Not stated	15	15	15	-	-	-
Sixth child	3,646	3,249	3,147	101	397	-
20 to 24 years	143	114	112	2	29	-
25 to 29 years	987	808	807	1	179	-
30 to 34 years	1,263	1,159	1,136	23	104	-
35 to 39 years	893	828	790	38	65	-
40 to 44 years	332	314	282	32	18	-
45 to 49 years	19	19	15	4	-	-
55 years and over	1	1	1	-	-	-
Not stated	8	6	4	1	2	-
Seventh child	2,345	2,102	2,060	41	240	3
20 to 24 years	49	40	40	-	9	-
25 to 29 years	434	356	352	3	78	-
30 to 34 years	894	793	780	13	99	2
35 to 39 years	727	684	667	17	43	-
40 to 44 years	223	213	205	8	9	1
45 to 49 years	10	9	9	-	1	-
Not stated	8	7	7	-	1	-
Eighth child	1,613	1,430	1,387	43	181	2
20 to 24 years	12	10	10	-	2	-
25 to 29 years	180	146	146	-	34	-
30 to 34 years	542	464	456	8	78	-
35 to 39 years	587	531	513	18	56	-
40 to 44 years	261	249	233	16	10	2
45 to 49 years	24	23	22	1	1	-
Not stated	7	7	7	-	-	-
Ninth child	962	848	821	27	114	-
20 to 24 years	4	3	3	-	1	-
25 to 29 years	66	51	51	-	15	-
30 to 34 years	264	222	219	3	42	-
35 to 39 years	401	361	349	12	40	-
40 to 44 years	204	190	179	11	14	-
45 to 49 years	23	21	20	1	2	-
Tenth child and over	1,665	1,432	1,383	48	231	2
20 to 24 years	4	3	3	-	1	-
25 to 29 years	32	26	26	-	6	-
30 to 34 years	249	197	189	7	52	-
35 to 39 years	691	592	578	14	99	-
40 to 44 years	605	535	514	21	68	2
45 to 49 years	76	72	67	5	4	-
50 to 54 years	1	1	1	-	-	-
Not stated	7	6	5	1	1	-
Birth order not stated	594	565	539	10	29	-
15 to 19 years	66	60	60	-	6	-
20 to 24 years	189	180	178	2	9	-
25 to 29 years	152	146	144	2	6	-
30 to 34 years	100	96	95	1	4	-
35 to 39 years	46	45	44	1	1	-
40 to 44 years	15	13	9	4	2	-
Not stated	26	25	9	-	1	-
OKLAHOMA						
Total births	43,165	38,366	38,191	143	3,025	1,774
10 to 14 years	79	41	40	1	33	5
15 to 19 years	6,492	5,490	5,477	6	712	290

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
OKLAHOMA—Continued						
Total births—Continued						
20 to 24 years	13,780	12,370	12,337	28	881	529
25 to 29 years	10,195	9,210	9,160	42	585	400
30 to 34 years	7,083	6,366	6,337	25	437	290
35 to 39 years	4,127	3,641	3,607	29	285	201
40 to 44 years	1,262	1,121	1,109	10	79	62
45 to 49 years	95	85	83	2	7	3
Not stated	52	42	41	-	6	4
First child	14,585	13,175	13,112	52	923	487
10 to 14 years	79	41	40	1	33	5
15 to 19 years	5,060	4,313	4,301	6	512	235
20 to 24 years	5,870	5,461	5,440	20	242	167
25 to 29 years	2,196	2,066	2,050	15	78	52
30 to 34 years	916	865	858	6	35	16
35 to 39 years	366	342	337	4	15	9
40 to 44 years	76	68	68	-	6	2
45 to 49 years	4	4	4	-	-	-
Not stated	18	15	14	-	2	1
Second child	10,559	9,664	9,621	37	537	358
15 to 19 years	1,219	1,013	1,012	-	156	50
20 to 24 years	4,379	3,959	3,951	6	232	188
25 to 29 years	2,895	2,723	2,702	18	89	83
30 to 34 years	1,463	1,397	1,390	7	38	28
35 to 39 years	522	499	494	5	17	6
40 to 44 years	66	62	61	1	2	2
Not stated	15	11	11	-	3	1
Third child	6,643	5,983	5,967	13	405	255
15 to 19 years	186	146	146	-	36	4
20 to 24 years	2,327	2,005	2,004	-	210	112
25 to 29 years	2,162	1,979	1,974	4	98	85
30 to 34 years	1,277	1,202	1,200	2	41	34
35 to 39 years	565	532	524	7	15	18
40 to 44 years	117	111	111	-	5	1
45 to 49 years	6	6	6	-	-	-
Not stated	3	2	2	-	-	1
Fourth child	3,894	3,414	3,402	9	295	185
15 to 19 years	19	11	11	-	7	1
20 to 24 years	819	656	655	-	119	44
25 to 29 years	1,404	1,226	1,223	2	103	75
30 to 34 years	1,035	953	950	3	39	43
35 to 39 years	517	472	469	2	26	19
40 to 44 years	97	93	92	1	1	3
45 to 49 years	3	3	2	1	-	-
Fifth child	2,445	2,097	2,081	11	209	139
15 to 19 years	1	1	1	-	-	-
20 to 24 years	261	201	199	2	46	14
25 to 29 years	828	690	687	1	83	55
30 to 34 years	768	680	675	2	56	32
35 to 39 years	466	416	412	4	19	31
40 to 44 years	110	99	98	1	4	7
45 to 49 years	4	4	3	1	-	-
Not stated	7	6	6	-	1	-
Sixth child	1,609	1,336	1,329	7	156	117
15 to 19 years	2	2	2	-	-	-
20 to 24 years	71	49	49	-	20	2
25 to 29 years	407	319	318	1	56	32
30 to 34 years	626	528	527	1	49	49
35 to 39 years	391	339	336	3	23	29
40 to 44 years	103	91	89	2	7	5
45 to 49 years	6	5	5	-	1	-
Not stated	3	3	3	-	-	-
Seventh child	1,169	950	947	1	136	83
20 to 24 years	21	12	12	-	8	1
25 to 29 years	186	129	129	-	44	13
30 to 34 years	441	354	354	-	51	36
35 to 39 years	383	327	326	-	28	28
40 to 44 years	131	122	120	1	5	4
45 to 49 years	6	6	6	-	-	-
Not stated	1	-	-	-	-	1
Eighth child	767	616	609	7	101	50
20 to 24 years	9	5	5	-	4	-
25 to 29 years	64	42	41	1	17	5
30 to 34 years	274	204	201	3	45	25
35 to 39 years	306	266	264	2	26	14
40 to 44 years	106	91	90	1	9	6
45 to 49 years	8	8	8	-	-	-
Ninth child	530	408	405	3	84	38
25 to 29 years	21	9	9	-	12	-
30 to 34 years	157	109	108	1	36	12
35 to 39 years	236	189	188	1	31	16
40 to 44 years	102	88	87	1	5	9
45 to 49 years	13	12	12	-	-	1
Not stated	1	1	1	-	-	-
Tenth child and over	878	641	636	3	177	60
25 to 29 years	8	3	3	-	5	-
30 to 34 years	113	62	62	-	46	5

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
OKLAHOMA—Continued						
Tenth child and over—Continued						
35 to 39 years	363	247	245	1	85	31
40 to 44 years	348	291	288	2	35	22
45 to 49 years	44	36	36	-	6	2
Not stated	2	2	2	-	-	-
Birth order not stated	86	82	82	-	2	2
15 to 19 years	5	4	4	-	1	-
20 to 24 years	23	22	22	-	-	1
25 to 29 years	24	24	24	-	-	-
30 to 34 years	13	12	12	-	1	-
35 to 39 years	12	12	12	-	-	-
40 to 44 years	6	5	5	-	-	1
45 to 49 years	1	1	1	-	-	-
Not stated	2	2	2	-	-	-
OREGON						
Total births	24,140	23,563	22,836	719	268	309
10 to 14 years	15	11	11	-	4	-
15 to 19 years	2,342	2,264	2,249	14	41	37
20 to 24 years	7,589	7,376	7,212	162	113	100
25 to 29 years	6,818	6,666	6,463	201	58	94
30 to 34 years	4,643	4,563	4,371	190	38	42
35 to 39 years	2,159	2,125	2,012	112	12	22
40 to 44 years	502	488	451	37	2	12
45 to 49 years	36	35	33	2	-	1
55 years and over	1	1	1	-	-	-
Not stated	35	34	33	1	-	1
First child	8,411	8,228	7,993	232	103	80
10 to 14 years	15	11	11	-	4	-
15 to 19 years	1,912	1,863	1,851	11	30	19
20 to 24 years	3,659	3,580	3,485	94	46	33
25 to 29 years	1,678	1,641	1,575	66	13	24
30 to 34 years	787	776	732	43	8	3
35 to 39 years	306	303	288	15	2	1
40 to 44 years	46	46	43	3	-	-
45 to 49 years	1	1	1	-	-	-
Not stated	7	7	7	-	-	-
Second child	7,263	7,115	6,911	201	72	76
15 to 19 years	339	319	316	3	8	12
20 to 24 years	2,451	2,378	2,334	43	36	37
25 to 29 years	2,452	2,412	2,345	66	16	24
30 to 34 years	1,463	1,452	1,396	55	9	2
35 to 39 years	457	454	427	27	3	-
40 to 44 years	85	84	78	6	-	1
45 to 49 years	4	4	4	-	-	-
Not stated	12	12	11	1	-	-
Third child	4,239	4,160	4,003	155	34	45
15 to 19 years	59	51	51	-	3	5
20 to 24 years	982	950	937	13	16	16
25 to 29 years	1,479	1,453	1,402	50	12	14
30 to 34 years	1,122	1,116	1,063	53	-	6
35 to 39 years	502	497	466	30	3	2
40 to 44 years	84	83	74	9	-	1
45 to 49 years	5	4	4	-	-	1
Not stated	6	6	6	-	-	-
Fourth child	1,982	1,922	1,857	65	24	36
15 to 19 years	5	5	5	-	-	-
20 to 24 years	316	298	291	7	8	10
25 to 29 years	691	672	660	12	6	13
30 to 34 years	580	561	541	20	9	10
35 to 39 years	313	310	291	19	1	2
40 to 44 years	65	64	58	6	-	1
45 to 49 years	5	5	4	1	-	-
Not stated	7	7	7	-	-	-
Fifth child	923	887	865	22	15	21
15 to 19 years	2	1	1	-	-	1
20 to 24 years	88	82	80	2	4	2
25 to 29 years	288	276	273	3	7	5
30 to 34 years	280	271	263	8	3	6
35 to 39 years	200	197	191	6	-	3
40 to 44 years	58	54	51	3	1	3
45 to 49 years	5	5	5	-	-	-
Not stated	2	1	1	-	-	1
Sixth child	497	478	470	8	7	12
15 to 19 years	4	4	4	-	-	-
20 to 24 years	28	26	25	1	2	-
25 to 29 years	118	111	111	-	3	4
30 to 34 years	183	178	173	5	1	4
35 to 39 years	120	116	114	2	-	4
40 to 44 years	41	40	40	-	1	-
45 to 49 years	2	2	2	-	-	-
55 years and over	1	1	1	-	-	-
Seventh child	238	224	216	8	4	10
20 to 24 years	2	2	2	-	-	-
25 to 29 years	38	35	33	2	-	1
30 to 34 years	85	75	73	2	4	6
OREGON—Continued						
Seventh child—Continued						
35 to 39 years	82	79	76	3	-	3
40 to 44 years	28	28	27	1	-	-
45 to 49 years	5	5	5	-	-	-
Eighth child	156	142	134	8	5	9
20 to 24 years	2	2	2	-	-	-
25 to 29 years	17	16	16	-	1	-
30 to 34 years	49	42	40	2	3	4
35 to 39 years	62	58	53	5	1	3
40 to 44 years	22	20	20	-	-	2
45 to 49 years	4	4	3	1	-	-
Ninth child	100	97	93	4	-	3
20 to 24 years	1	1	1	-	-	-
25 to 29 years	5	4	4	-	-	1
30 to 34 years	32	32	31	1	-	-
35 to 39 years	35	33	32	1	-	2
40 to 44 years	25	25	23	2	-	-
45 to 49 years	1	1	1	-	-	-
Not stated	1	1	1	-	-	-
Tenth child and over	149	141	133	8	2	6
25 to 29 years	2	2	2	-	-	-
30 to 34 years	31	30	30	-	-	1
35 to 39 years	66	63	61	2	2	1
40 to 44 years	46	42	36	6	-	4
45 to 49 years	4	4	4	-	-	-
Birth order not stated	182	169	161	8	2	11
15 to 19 years	21	21	21	-	-	-
20 to 24 years	60	57	55	2	1	2
25 to 29 years	52	44	42	2	-	8
30 to 34 years	31	30	29	1	1	-
35 to 39 years	16	15	13	2	-	1
40 to 44 years	2	2	1	1	-	-
PENNSYLVANIA						
Total births	173,799	162,177	157,789	4,368	11,569	53
10 to 14 years	147	53	53	-	94	-
15 to 19 years	12,489	9,999	9,956	39	2,488	2
20 to 24 years	48,648	44,826	44,252	565	3,798	24
25 to 29 years	52,484	50,002	49,229	772	2,468	14
30 to 34 years	36,475	34,895	33,579	1,311	1,574	6
35 to 39 years	18,411	17,537	16,371	1,165	868	6
40 to 44 years	4,770	4,508	4,044	464	261	1
45 to 49 years	305	293	246	47	12	-
50 to 54 years	19	19	15	4	-	-
55 years and over	3	3	3	-	-	-
Not stated	48	42	41	1	6	-
First child	59,356	55,514	54,486	1,018	3,827	15
10 to 14 years	147	53	53	-	94	-
15 to 19 years	8,831	8,144	8,106	34	1,686	1
20 to 24 years	26,118	24,824	24,477	341	1,286	8
25 to 29 years	14,766	14,299	14,043	256	464	3
30 to 34 years	5,904	5,699	5,472	227	203	2
35 to 39 years	2,192	2,107	1,975	132	84	1
40 to 44 years	366	359	332	27	7	-
45 to 49 years	11	11	10	1	-	-
50 to 54 years	4	4	4	-	-	-
55 years and over	1	1	1	-	-	-
Not stated	16	13	13	-	3	-
Second child	48,988	46,358	45,159	1,196	2,611	19
15 to 19 years	2,235	1,600	1,596	4	634	1
20 to 24 years	13,701	12,588	12,422	165	1,102	11
25 to 29 years	18,033	17,520	17,206	314	508	5
30 to 34 years	10,904	10,657	10,222	434	246	1
35 to 39 years	3,621	3,516	3,285	230	104	1
40 to 44 years	457	441	400	41	16	-
45 to 49 years	21	21	15	6	-	-
50 to 54 years	3	3	2	1	-	-
55 years and over	1	1	1	-	-	-
Not stated	12	11	10	1	1	-
Third child	28,002	26,323	25,514	806	1,673	6
15 to 19 years	357	222	221	1	135	-
20 to 24 years	5,582	4,853	4,811	41	727	2
25 to 29 years	9,970	9,493	9,379	114	475	2
30 to 34 years	8,034	7,809	7,486	321	223	2
35 to 39 years	3,457	3,368	3,101	267	89	-
40 to 44 years	581	558	499	59	23	-
45 to 49 years	16	15	12	3	1	-
50 to 54 years	2	2	2	-	-	-
Not stated	3	3	3	-	-	-
Fourth child	14,777	13,658	13,157	500	1,116	3
15 to 19 years	49	26	26	-	23	-
20 to 24 years	2,153	1,742	1,730	12	410	1
25 to 29 years	4,924	4,566	4,515	50	358	-
30 to 34 years	4,590	4,356	4,189	167	233	1
35 to 39 years	2,473	2,399	2,204	195	73	1
40 to 44 years	558	541	469	72	17	-

[1] Includes mother's nativity not stated.

Table 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
PENNSYLVANIA—Con.						
Fourth child—Continued						
45 to 49 years	27	25	21	4	2	-
Not stated	3	3	3	-	-	-
Fifth child	8,323	7,578	7,321	256	741	4
15 to 19 years	9	4	4	-	5	-
20 to 24 years	748	566	560	5	180	2
25 to 29 years	2,537	2,244	2,223	21	293	-
30 to 34 years	2,629	2,465	2,393	72	164	-
35 to 39 years	1,908	1,823	1,716	107	83	2
40 to 44 years	464	449	400	49	15	-
45 to 49 years	22	21	19	2	1	-
50 to 54 years	2	2	2	-	-	-
55 years and over	1	1	1	-	-	-
Not stated	3	3	3	-	-	-
Sixth child	5,006	4,514	4,355	159	489	3
15 to 19 years	4	1	1	-	3	-
20 to 24 years	208	148	148	-	60	-
25 to 29 years	1,273	1,090	1,080	10	181	2
30 to 34 years	1,751	1,597	1,561	36	154	-
35 to 39 years	1,339	1,270	1,197	73	69	-
40 to 44 years	408	385	346	39	22	1
45 to 49 years	19	19	18	1	-	-
Not stated	4	4	4	-	-	-
Seventh child	3,114	2,784	2,655	128	329	1
20 to 24 years	61	40	40	-	21	-
25 to 29 years	569	466	464	2	102	1
30 to 34 years	1,103	1,004	975	28	99	-
35 to 39 years	957	877	819	58	80	-
40 to 44 years	390	364	332	32	26	-
45 to 49 years	30	29	22	7	1	-
50 to 54 years	2	2	1	1	-	-
Not stated	2	2	2	-	-	-
Eighth child	2,051	1,797	1,702	95	253	1
20 to 24 years	19	12	12	-	7	-
25 to 29 years	231	183	181	2	47	1
30 to 34 years	705	600	584	16	105	-
35 to 39 years	755	675	644	31	80	-
40 to 44 years	307	293	254	39	14	-
45 to 49 years	31	31	25	6	-	-
50 to 54 years	3	3	2	1	-	-
Ninth child	1,390	1,224	1,166	57	166	-
20 to 24 years	8	6	6	-	2	-
25 to 29 years	82	59	58	1	23	-
30 to 34 years	388	325	322	2	63	-
35 to 39 years	591	534	512	22	57	-
40 to 44 years	306	285	257	28	21	-
45 to 49 years	14	14	11	3	-	-
50 to 54 years	1	1	-	1	-	-
Tenth child and over	2,655	2,302	2,152	150	352	1
20 to 24 years	4	3	3	-	1	-
25 to 29 years	53	36	35	1	17	-
30 to 34 years	446	364	357	7	82	-
35 to 39 years	1,108	961	911	50	146	1
40 to 44 years	926	827	749	78	99	-
45 to 49 years	114	107	93	14	7	-
50 to 54 years	2	2	2	-	-	-
Not stated	2	2	2	-	-	-
Birth order not stated	137	125	122	3	12	-
15 to 19 years	4	2	2	-	2	-
20 to 24 years	46	44	43	1	2	-
25 to 29 years	46	46	45	1	-	-
30 to 34 years	21	19	18	1	2	-
35 to 39 years	10	7	7	-	3	-
40 to 44 years	7	6	6	-	1	-
Not stated	3	1	1	-	2	-
RHODE ISLAND						
Total births	13,635	13,302	12,351	951	325	8
10 to 14 years	1	1	1	-	-	-
15 to 19 years	666	600	595	5	65	1
20 to 24 years	3,696	3,585	3,466	119	108	3
25 to 29 years	4,222	4,148	3,937	211	73	1
30 to 34 years	3,079	3,035	2,769	266	44	-
35 to 39 years	1,565	1,531	1,269	262	31	3
40 to 44 years	380	376	292	84	4	-
45 to 49 years	20	20	16	4	-	-
Not stated	6	6	6	-	-	-
First child	5,069	4,958	4,728	230	110	1
10 to 14 years	1	1	1	-	-	-
15 to 19 years	555	503	498	5	51	1
20 to 24 years	2,234	2,195	2,123	72	39	-
25 to 29 years	1,411	1,397	1,335	62	14	-
30 to 34 years	612	609	553	56	3	-
35 to 39 years	214	212	184	28	2	-
40 to 44 years	39	38	32	6	1	-
RHODE ISLAND—Con.						
First child—Continued						
45 to 49 years	2	2	1	1	-	-
Not stated	1	1	1	-	-	-
Second child	3,819	3,764	3,494	270	52	3
15 to 19 years	63	56	56	-	7	-
20 to 24 years	886	858	823	35	25	3
25 to 29 years	1,444	1,430	1,360	70	14	-
30 to 34 years	984	980	902	78	4	-
35 to 39 years	391	389	314	75	2	-
40 to 44 years	49	49	37	12	-	-
45 to 49 years	1	1	1	-	-	-
Not stated	1	1	1	-	-	-
Third child	2,054	2,012	1,837	175	42	-
15 to 19 years	17	14	14	-	3	-
20 to 24 years	288	265	259	6	23	-
25 to 29 years	672	663	620	43	9	-
30 to 34 years	685	680	621	59	5	-
35 to 39 years	340	338	284	54	2	-
40 to 44 years	45	45	33	12	-	-
45 to 49 years	5	5	4	1	-	-
Not stated	2	2	2	-	-	-
Fourth child	974	942	854	88	31	1
15 to 19 years	1	-	-	-	1	-
20 to 24 years	97	85	82	3	12	-
25 to 29 years	278	268	255	13	10	-
30 to 34 years	325	320	298	22	5	-
35 to 39 years	213	209	173	36	3	1
40 to 44 years	58	58	45	13	-	-
45 to 49 years	2	2	1	1	-	-
Fifth child	463	443	389	54	19	1
20 to 24 years	21	18	18	-	3	-
25 to 29 years	118	108	100	8	9	1
30 to 34 years	161	157	134	23	4	-
35 to 39 years	120	118	103	15	2	-
40 to 44 years	43	42	34	8	1	-
Sixth child	265	244	216	28	21	-
20 to 24 years	5	3	3	-	2	-
25 to 29 years	57	54	51	3	3	-
30 to 34 years	84	77	71	6	7	-
35 to 39 years	80	72	57	15	8	-
40 to 44 years	38	37	33	4	1	-
45 to 49 years	1	1	1	-	-	-
Seventh child	151	130	104	26	21	-
20 to 24 years	2	-	-	-	2	-
25 to 29 years	27	17	17	-	10	-
30 to 34 years	48	41	35	6	7	-
35 to 39 years	50	48	34	14	2	-
40 to 44 years	23	23	17	6	-	-
45 to 49 years	1	1	1	-	-	-
Eighth child	95	84	68	16	11	-
25 to 29 years	13	10	10	-	3	-
30 to 34 years	28	24	19	5	4	-
35 to 39 years	35	31	26	5	4	-
40 to 44 years	18	18	12	6	-	-
45 to 49 years	1	1	1	-	-	-
Ninth child	62	56	43	13	6	-
25 to 29 years	7	6	6	-	1	-
30 to 34 years	16	13	10	3	3	-
35 to 39 years	24	22	19	3	2	-
40 to 44 years	14	14	7	7	-	-
45 to 49 years	1	1	1	-	-	-
Tenth child and over	97	88	73	15	7	2
25 to 29 years	3	3	3	-	-	-
30 to 34 years	19	17	16	1	2	-
35 to 39 years	36	30	25	5	4	2
40 to 44 years	35	34	26	8	1	-
45 to 49 years	4	4	3	1	-	-
Birth order not stated	586	581	545	36	5	-
15 to 19 years	30	27	27	-	3	-
20 to 24 years	163	161	158	3	2	-
25 to 29 years	192	192	180	12	-	-
30 to 34 years	117	117	110	7	-	-
35 to 39 years	62	62	50	12	-	-
40 to 44 years	18	18	16	2	-	-
45 to 49 years	2	2	2	-	-	-
Not stated	2	2	2	-	-	-
SOUTH CAROLINA						
Total births	49,431	26,745	26,517	92	22,669	18
10 to 14 years	167	29	28	-	138	-
15 to 19 years	8,100	3,339	3,317	3	4,761	-
20 to 24 years	15,780	8,621	8,571	26	7,153	6

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
SOUTH CAROLINA—Con.						
Total births—Continued						
25 to 29 years	11,422	6,551	6,488	27	4,865	6
30 to 34 years	7,851	4,818	4,771	23	3,027	6
35 to 39 years	4,583	2,548	2,520	13	2,035	-
40 to 44 years	1,202	705	701	-	497	-
45 to 49 years	123	57	56	-	66	-
50 to 54 years	4	-	-	-	4	-
55 years and over	2	-	-	-	2	-
Not stated	197	77	65	-	120	-
First child	15,060	9,378	9,304	39	5,677	5
10 to 14 years	166	29	28	-	137	-
15 to 19 years	5,866	2,624	2,607	2	3,242	-
20 to 24 years	5,637	3,982	3,956	18	1,653	2
25 to 29 years	2,100	1,664	1,664	12	415	1
30 to 34 years	868	728	722	4	138	2
35 to 39 years	324	266	262	3	58	-
40 to 44 years	60	47	47	-	13	-
45 to 49 years	4	4	4	-	-	-
Not stated	35	14	14	-	21	-
Second child	10,214	6,367	6,315	29	3,846	1
10 to 14 years	1	-	-	-	1	-
15 to 19 years	1,728	592	587	1	1,136	-
20 to 24 years	4,420	2,528	2,516	7	1,891	1
25 to 29 years	2,305	1,755	1,737	10	550	-
30 to 34 years	1,255	1,076	1,066	8	179	-
35 to 39 years	416	351	347	3	65	-
40 to 44 years	57	50	50	-	7	-
45 to 49 years	4	4	4	-	-	-
Not stated	28	11	8	-	17	-
Third child	7,046	4,005	3,965	15	3,037	4
15 to 19 years	366	96	96	-	270	-
20 to 24 years	2,959	1,298	1,290	-	1,660	1
25 to 29 years	2,046	1,311	1,299	4	732	3
30 to 34 years	1,150	897	882	8	253	-
35 to 39 years	421	332	329	3	89	-
40 to 44 years	74	58	57	-	16	-
45 to 49 years	2	1	1	-	1	-
50 to 54 years	1	-	-	-	1	-
Not stated	27	12	11	-	15	-
Fourth child	4,950	2,440	2,420	6	2,507	3
15 to 19 years	89	17	17	-	72	-
20 to 24 years	1,657	570	569	-	1,086	1
25 to 29 years	1,714	844	837	1	869	1
30 to 34 years	944	633	627	2	310	1
35 to 39 years	461	314	308	3	147	-
40 to 44 years	61	50	50	-	11	-
45 to 49 years	8	5	5	-	3	-
Not stated	16	7	7	-	9	-
Fifth child	3,411	1,490	1,482	1	1,919	2
15 to 19 years	9	1	1	-	8	-
20 to 24 years	624	147	147	-	476	1
25 to 29 years	1,364	528	525	-	835	1
30 to 34 years	864	473	471	1	391	-
35 to 39 years	436	266	263	-	170	-
40 to 44 years	89	66	66	-	23	-
45 to 49 years	5	4	4	-	1	-
Not stated	20	5	5	-	15	-
Sixth child	2,493	982	974	-	1,511	-
15 to 19 years	3	-	-	-	3	-
20 to 24 years	211	34	32	-	177	-
25 to 29 years	943	264	262	-	679	-
30 to 34 years	800	389	387	-	411	-
35 to 39 years	435	239	237	-	196	-
40 to 44 years	78	49	49	-	29	-
45 to 49 years	8	2	2	-	6	-
Not stated	15	5	5	-	10	-
Seventh child	1,886	681	677	1	1,203	2
20 to 24 years	80	11	11	-	69	-
25 to 29 years	456	78	77	-	378	-
30 to 34 years	730	283	281	-	445	2
35 to 39 years	482	228	227	1	264	-
40 to 44 years	108	74	74	-	34	-
45 to 49 years	14	6	6	-	8	-
Not stated	6	1	1	-	5	-
Eighth child	1,317	468	463	-	848	1
20 to 24 years	34	4	4	-	30	-
25 to 29 years	227	42	42	-	185	-
30 to 34 years	506	167	165	-	338	1
35 to 39 years	441	202	199	-	239	-
40 to 44 years	98	51	51	-	45	-
45 to 49 years	5	1	1	-	4	-
Not stated	8	1	1	-	7	-
Ninth child	934	294	293	-	640	-
20 to 24 years	12	-	-	-	12	-
25 to 29 years	109	9	9	-	100	-
30 to 34 years	297	72	72	-	225	-
SOUTH CAROLINA—Con.						
Ninth child—Continued						
35 to 39 years	366	137	137	-	229	-
40 to 44 years	127	67	66	-	60	-
45 to 49 years	15	6	6	-	9	-
Not stated	8	3	3	-	5	-
Tenth child and over	1,662	481	478	-	1,181	-
20 to 24 years	4	2	2	-	2	-
25 to 29 years	59	7	7	-	52	-
30 to 34 years	353	62	62	-	291	-
35 to 39 years	743	195	195	-	548	-
40 to 44 years	438	188	186	-	250	-
45 to 49 years	55	24	23	-	31	-
55 years and over	2	-	-	-	2	-
Not stated	8	3	3	-	5	-
Birth order not stated	458	159	146	1	299	-
15 to 19 years	39	9	9	-	30	-
20 to 24 years	142	45	44	1	97	-
25 to 29 years	99	29	29	-	70	-
30 to 34 years	84	38	36	-	46	-
35 to 39 years	48	18	16	-	30	-
40 to 44 years	14	5	5	-	9	-
45 to 49 years	3	-	-	-	3	-
50 to 54 years	3	-	-	-	3	-
Not stated	26	15	7	-	11	-
SOUTH DAKOTA						
Total births	12,460	11,786	11,631	140	15	659
10 to 14 years	3	3	3	-	-	-
15 to 19 years	914	837	831	3	-	77
20 to 24 years	3,624	3,439	3,420	17	7	178
25 to 29 years	3,517	3,358	3,329	26	2	157
30 to 34 years	2,475	2,344	2,313	28	3	128
35 to 39 years	1,373	1,293	1,256	37	2	78
40 to 44 years	460	427	401	26	-	33
45 to 49 years	41	38	37	1	-	3
50 to 54 years	1	1	-	1	-	-
Not stated	52	46	41	1	1	5
First child	3,884	3,729	3,704	20	4	151
10 to 14 years	3	3	3	-	-	-
15 to 19 years	757	699	695	3	-	58
20 to 24 years	1,844	1,769	1,763	5	2	73
25 to 29 years	845	830	820	9	1	14
30 to 34 years	304	303	301	2	-	1
35 to 39 years	97	93	93	-	1	3
40 to 44 years	16	16	15	1	-	-
45 to 49 years	1	1	1	-	-	-
Not stated	17	15	13	-	-	2
Second child	3,150	3,039	3,009	26	6	105
15 to 19 years	126	112	110	-	-	14
20 to 24 years	1,105	1,050	1,043	6	4	51
25 to 29 years	1,109	1,077	1,071	6	1	31
30 to 34 years	558	549	544	4	1	8
35 to 39 years	196	195	189	6	-	1
40 to 44 years	43	43	39	4	-	-
45 to 49 years	2	2	2	-	-	-
Not stated	11	11	11	-	-	-
Third child	2,028	1,944	1,918	24	2	82
15 to 19 years	20	18	18	-	-	2
20 to 24 years	444	417	414	3	-	27
25 to 29 years	769	737	730	5	-	32
30 to 34 years	512	500	491	9	1	11
35 to 39 years	237	228	225	3	1	8
40 to 44 years	42	40	36	4	-	2
45 to 49 years	1	1	1	-	-	-
Not stated	3	3	3	-	-	-
Fourth child	1,295	1,205	1,184	21	1	89
15 to 19 years	4	3	3	-	-	1
20 to 24 years	154	134	132	2	-	20
25 to 29 years	436	404	399	5	-	32
30 to 34 years	415	388	381	7	1	26
35 to 39 years	227	218	212	6	-	9
40 to 44 years	53	53	52	1	-	-
45 to 49 years	1	1	1	-	-	-
Not stated	5	4	4	-	-	1
Fifth child	731	666	658	7	-	65
20 to 24 years	44	40	40	-	-	4
25 to 29 years	215	187	187	-	-	28
30 to 34 years	261	237	234	2	-	24
35 to 39 years	161	154	151	3	-	7
40 to 44 years	38	37	35	2	-	1
45 to 49 years	6	6	6	-	-	-
Not stated	6	5	5	-	-	1
Sixth child	425	380	375	5	-	45
20 to 24 years	3	3	3	-	-	-
25 to 29 years	78	66	66	-	-	12
30 to 34 years	171	151	150	1	-	20

[1] Includes mother's nativity not stated.

TABLE 5.–LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945–Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
SOUTH DAKOTA—Con.						
Sixth child—Continued						
35 to 39 years	123	113	111	2	-	10
40 to 44 years	47	45	43	2	-	2
45 to 49 years	2	2	2	-	-	-
Not stated	1	-	-	-	-	1
Seventh child	295	257	244	12	2	36
20 to 24 years	2	1	1	-	1	-
25 to 29 years	29	26	26	-	-	3
30 to 34 years	100	83	81	1	-	17
35 to 39 years	108	97	88	9	-	11
40 to 44 years	48	44	42	2	-	4
45 to 49 years	6	5	5	-	-	1
Not stated	2	1	1	-	1	-
Eighth child	224	199	189	10	-	25
25 to 29 years	11	8	8	-	-	3
30 to 34 years	77	71	71	-	-	6
35 to 39 years	83	73	71	2	-	10
40 to 44 years	48	42	35	7	-	6
45 to 49 years	3	3	3	-	-	-
50 to 54 years	1	1	-	1	-	-
Not stated	1	1	1	-	-	-
Ninth child	115	95	94	1	-	20
25 to 29 years	3	3	3	-	-	-
30 to 34 years	34	24	24	-	-	10
35 to 39 years	51	44	43	1	-	7
40 to 44 years	25	22	22	-	-	3
45 to 49 years	2	2	2	-	-	-
Tenth child and over	227	193	183	10	-	34
25 to 29 years	3	2	2	-	-	1
30 to 34 years	30	25	24	1	-	5
35 to 39 years	80	68	63	5	-	12
40 to 44 years	97	83	80	3	-	14
45 to 49 years	15	13	12	1	-	2
Not stated	2	2	2	-	-	-
Birth order not stated	86	79	73	4	-	7
15 to 19 years	7	5	5	-	-	2
20 to 24 years	28	25	24	1	-	3
25 to 29 years	19	18	17	1	-	1
30 to 34 years	13	13	12	1	-	-
35 to 39 years	10	10	10	-	-	-
40 to 44 years	3	2	2	-	-	1
45 to 49 years	2	2	2	-	-	-
Not stated	4	4	1	1	-	-
TENNESSEE						
Total births	64,966	54,218	54,048	109	10,740	8
10 to 14 years	184	59	59	-	125	-
15 to 19 years	9,328	6,855	6,842	5	2,472	1
20 to 24 years	19,176	16,179	16,135	29	2,996	1
25 to 29 years	15,643	13,395	13,364	23	2,246	2
30 to 34 years	11,266	9,672	9,627	30	1,591	3
35 to 39 years	6,932	5,939	5,914	17	992	1
40 to 44 years	2,149	1,874	1,869	4	275	-
45 to 49 years	196	167	166	1	29	-
50 to 54 years	13	10	10	-	3	-
55 years and over	6	5	5	-	1	-
Not stated	73	63	57	-	10	-
First child	19,481	16,509	16,455	44	2,971	1
10 to 14 years	184	59	59	-	125	-
15 to 19 years	6,899	5,295	5,286	4	1,603	1
20 to 24 years	7,593	6,844	6,825	17	749	-
25 to 29 years	2,910	2,610	2,595	14	300	-
30 to 34 years	1,322	1,179	1,173	5	143	-
35 to 39 years	475	431	427	3	44	-
40 to 44 years	76	73	72	1	3	-
45 to 49 years	4	4	4	-	-	-
55 years and over	2	2	2	-	-	-
Not stated	16	12	12	-	4	-
Second child	13,946	12,027	11,982	31	1,918	1
15 to 19 years	1,864	1,261	1,257	1	603	-
20 to 24 years	5,487	4,726	4,714	8	761	-
25 to 29 years	3,761	3,432	3,423	6	328	1
30 to 34 years	1,994	1,839	1,825	12	155	-
35 to 39 years	721	659	654	4	62	-
40 to 44 years	105	99	99	-	6	-
50 to 54 years	2	2	2	-	-	-
55 years and over	1	-	-	-	1	-
Not stated	11	9	8	-	2	-
Third child	9,593	8,124	8,098	17	1,469	-
15 to 19 years	336	176	176	-	160	-
20 to 24 years	3,424	2,728	2,719	3	696	-
25 to 29 years	3,071	2,723	2,719	3	348	-
30 to 34 years	1,885	1,704	1,695	7	181	-
35 to 39 years	713	642	639	3	71	-
40 to 44 years	151	140	139	1	11	-
45 to 49 years	2	1	1	-	1	-

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
TENNESSEE—Continued						
Third child—Continued						
50 to 54 years	1	1	1	-	-	-
Not stated	10	9	9	-	1	-
Fourth child	6,445	5,317	5,311	4	1,125	3
15 to 19 years	59	22	22	-	37	-
20 to 24 years	1,593	1,168	1,167	-	424	1
25 to 29 years	2,373	1,993	1,992	-	379	1
30 to 34 years	1,532	1,352	1,351	1	179	1
35 to 39 years	728	638	635	3	90	-
40 to 44 years	138	125	125	-	13	-
45 to 49 years	10	8	8	-	2	-
50 to 54 years	3	2	2	-	1	-
55 years and over	1	1	1	-	-	-
Not stated	8	8	8	-	-	-
Fifth child	4,504	3,616	3,604	6	887	1
15 to 19 years	13	5	5	-	8	-
20 to 24 years	602	383	382	-	219	-
25 to 29 years	1,752	1,417	1,416	-	335	-
30 to 34 years	1,264	1,063	1,056	3	201	-
35 to 39 years	705	603	601	2	104	1
40 to 44 years	152	133	132	1	19	-
45 to 49 years	8	7	7	-	1	-
Not stated	5	5	5	-	-	-
Sixth child	3,078	2,487	2,481	-	591	-
15 to 19 years	1	-	-	-	1	-
20 to 24 years	155	94	94	-	61	-
25 to 29 years	870	637	637	-	233	-
30 to 34 years	1,103	914	911	-	189	-
35 to 39 years	760	672	669	-	88	-
40 to 44 years	169	153	153	-	16	-
45 to 49 years	14	12	12	-	2	-
50 to 54 years	2	1	1	-	1	-
Not stated	4	4	4	-	-	-
Seventh child	2,229	1,789	1,787	1	440	-
20 to 24 years	39	21	21	-	18	-
25 to 29 years	386	253	253	-	133	-
30 to 34 years	853	679	679	-	174	-
35 to 39 years	704	615	613	1	89	-
40 to 44 years	227	203	203	-	24	-
45 to 49 years	15	14	14	-	1	-
50 to 54 years	1	1	1	-	-	-
Not stated	4	3	3	-	1	-
Eighth child	1,643	1,285	1,278	4	357	1
20 to 24 years	11	7	6	-	4	-
25 to 29 years	182	96	96	-	86	-
30 to 34 years	591	438	436	1	152	1
35 to 39 years	632	539	537	1	93	-
40 to 44 years	208	188	187	1	20	-
45 to 49 years	12	11	10	1	1	-
50 to 54 years	4	3	3	-	1	-
55 years and over	1	1	1	-	-	-
Not stated	2	2	2	-	-	-
Ninth child	1,186	921	918	1	264	1
20 to 24 years	5	3	3	-	2	-
25 to 29 years	74	34	34	-	40	-
30 to 34 years	301	215	213	1	85	1
35 to 39 years	558	457	457	-	101	-
40 to 44 years	228	197	196	-	31	-
45 to 49 years	17	13	13	-	4	-
Not stated	3	2	2	-	1	-
Tenth child and over	1,930	1,432	1,430	-	498	-
20 to 24 years	6	4	4	-	2	-
25 to 29 years	44	21	21	-	23	-
30 to 34 years	277	171	170	-	106	-
35 to 39 years	835	604	603	-	231	-
40 to 44 years	658	537	537	-	121	-
45 to 49 years	108	94	94	-	14	-
Not stated	2	1	1	-	1	-
Birth order not stated	931	711	704	1	220	-
15 to 19 years	156	96	96	-	60	-
20 to 24 years	261	201	200	1	60	-
25 to 29 years	220	179	178	-	41	-
30 to 34 years	144	118	118	-	26	-
35 to 39 years	98	79	79	-	19	-
40 to 44 years	37	26	26	-	11	-
45 to 49 years	6	3	3	-	3	-
55 years and over	1	1	1	-	-	-
Not stated	8	8	3	-	-	-
TEXAS						
Total births	157,915	138,286	130,650	7,406	19,477	152
10 to 14 years	328	166	164	2	162	-
15 to 19 years	22,471	18,052	17,687	330	4,410	9
20 to 24 years	49,384	43,553	42,331	1,154	5,791	40
25 to 29 years	38,711	34,834	33,320	1,465	3,832	45
30 to 34 years	26,923	24,019	22,092	1,899	2,875	29

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
TEXAS—Continued						
Total births—Continued						
35 to 39 years	15,224	13,473	11,616	1,832	1,732	19
40 to 44 years	4,101	3,548	2,924	613	546	7
45 to 49 years	312	264	199	65	46	2
50 to 54 years	11	8	4	4	3	-
55 years and over	11	10	6	4	1	-
Not stated	439	359	307	38	79	1
First child	52,165	46,790	45,663	1,068	5,344	31
10 to 14 years	327	166	164	2	161	-
15 to 19 years	16,472	13,600	13,357	222	2,865	7
20 to 24 years	21,337	19,786	19,368	395	1,541	10
25 to 29 years	8,859	8,394	8,175	211	454	11
30 to 34 years	3,585	3,370	3,234	134	212	3
35 to 39 years	1,287	1,205	1,124	78	82	-
40 to 44 years	207	193	171	22	14	-
45 to 49 years	9	8	7	1	1	-
Not stated	82	68	63	3	14	-
Second child	36,190	32,809	31,929	838	3,353	28
10 to 14 years	1	-	-	-	1	-
15 to 19 years	4,115	3,124	3,051	61	990	1
20 to 24 years	13,964	12,498	12,199	284	1,449	17
25 to 29 years	10,323	9,772	9,546	216	541	10
30 to 34 years	5,556	5,300	5,133	165	256	-
35 to 39 years	1,907	1,816	1,721	94	91	-
40 to 44 years	225	215	201	14	10	-
45 to 49 years	9	6	6	-	3	-
55 years and over	1	1	-	1	-	-
Not stated	89	77	72	3	12	-
Third child	19,751	17,501	16,727	744	2,231	19
15 to 19 years	635	470	453	17	165	-
20 to 24 years	6,304	5,218	5,027	178	1,082	4
25 to 29 years	6,476	5,879	5,646	227	588	9
30 to 34 years	4,273	4,008	3,810	188	261	4
35 to 39 years	1,749	1,646	1,532	113	101	2
40 to 44 years	242	221	202	19	21	-
45 to 49 years	17	16	16	-	1	-
50 to 54 years	1	-	-	-	1	-
55 years and over	2	2	2	-	-	-
Not stated	52	41	39	2	11	-
Fourth child	10,714	9,183	8,584	582	1,515	16
15 to 19 years	69	51	48	3	17	1
20 to 24 years	2,371	1,816	1,731	81	552	3
25 to 29 years	3,818	3,274	3,091	173	538	6
30 to 34 years	2,700	2,419	2,254	165	276	5
35 to 39 years	1,422	1,321	1,192	128	100	1
40 to 44 years	287	265	237	28	22	-
45 to 49 years	13	12	11	1	1	-
Not stated	34	25	20	3	9	-
Fifth child	6,186	5,190	4,720	459	986	10
15 to 19 years	10	9	9	-	1	-
20 to 24 years	744	537	503	33	207	-
25 to 29 years	2,110	1,728	1,595	130	382	-
30 to 34 years	1,911	1,646	1,498	146	259	6
35 to 39 years	1,103	1,002	875	124	101	-
40 to 44 years	268	238	218	19	28	2
45 to 49 years	14	11	9	2	2	1
Not stated	26	19	13	5	6	1
Sixth child	3,735	3,039	2,685	350	685	11
20 to 24 years	147	99	95	4	48	-
25 to 29 years	1,021	768	692	73	251	2
30 to 34 years	1,414	1,167	1,006	161	244	3
35 to 39 years	883	763	674	88	115	5
40 to 44 years	237	212	195	17	24	1
45 to 49 years	14	12	9	3	2	-
50 to 54 years	3	3	2	1	-	-
Not stated	16	15	12	3	1	-
Seventh child	2,315	1,840	1,569	267	473	2
20 to 24 years	45	35	32	3	10	-
25 to 29 years	381	262	233	29	119	-
30 to 34 years	909	707	601	106	202	-
35 to 39 years	721	605	511	92	114	2
40 to 44 years	234	208	169	37	26	-
45 to 49 years	14	13	13	-	1	-
Not stated	11	10	10	-	1	-
Eighth child	1,462	1,149	933	216	308	5
20 to 24 years	7	5	5	-	2	-
25 to 29 years	124	79	67	12	45	-
30 to 34 years	508	369	302	67	138	1
35 to 39 years	593	496	391	105	94	3
40 to 44 years	206	177	153	24	28	1
45 to 49 years	18	17	12	5	1	-
Not stated	6	6	3	3	-	-
Ninth child	842	650	512	135	188	4
20 to 24 years	1	1	-	1	-	-
25 to 29 years	27	17	13	4	10	-
30 to 34 years	213	155	122	32	57	1
35 to 39 years	405	313	250	62	91	1
TEXAS—Continued						
Ninth child—Continued						
40 to 44 years	181	151	117	33	28	2
45 to 49 years	11	9	7	2	2	-
50 to 54 years	1	1	-	1	-	-
Not stated	3	3	3	-	-	-
Tenth child and over	1,045	770	574	195	275	-
20 to 24 years	2	2	2	-	-	-
25 to 29 years	14	7	4	3	7	-
30 to 34 years	150	103	83	19	47	-
35 to 39 years	506	361	267	94	145	-
40 to 44 years	318	255	187	68	63	-
45 to 49 years	46	37	28	9	9	-
55 years and over	1	-	-	-	1	-
Not stated	8	5	3	2	3	-
Birth order not stated	23,510	19,365	16,754	2,552	4,119	26
15 to 19 years	1,170	798	769	27	372	-
20 to 24 years	4,462	3,556	3,369	175	900	6
25 to 29 years	5,558	4,654	4,258	387	897	7
30 to 34 years	5,704	4,775	4,049	716	923	6
35 to 39 years	4,648	3,945	3,079	854	698	5
40 to 44 years	1,696	1,413	1,074	332	282	1
45 to 49 years	147	123	81	42	23	1
50 to 54 years	6	4	2	2	2	-
55 years and over	7	7	4	3	-	-
Not stated	112	90	69	14	22	-
UTAH						
Total births	15,680	15,406	15,074	332	49	225
10 to 14 years	4	4	4	-	-	-
15 to 19 years	1,257	1,240	1,235	5	8	9
20 to 24 years	4,596	4,486	4,433	53	18	91
25 to 29 years	4,499	4,408	4,351	57	13	78
30 to 34 years	3,107	3,066	2,953	113	5	36
35 to 39 years	1,653	1,648	1,581	67	3	2
40 to 44 years	475	468	436	32	1	6
45 to 49 years	40	39	35	4	-	1
50 to 54 years	1	1	1	-	-	-
Not stated	49	46	45	1	1	2
First child	4,345	4,234	4,169	65	18	93
10 to 14 years	4	4	4	-	-	-
15 to 19 years	1,024	1,011	1,007	4	5	8
20 to 24 years	2,079	2,013	1,985	28	7	59
25 to 29 years	800	774	759	15	2	24
30 to 34 years	281	277	263	14	2	2
35 to 39 years	117	116	114	2	1	-
40 to 44 years	26	26	24	2	-	-
Not stated	14	13	13	-	1	-
Second child	3,925	3,856	3,796	60	12	57
15 to 19 years	188	185	184	1	3	-
20 to 24 years	1,521	1,501	1,485	16	3	17
25 to 29 years	1,369	1,333	1,319	14	6	30
30 to 34 years	603	594	572	22	-	9
35 to 39 years	200	200	194	6	-	-
40 to 44 years	31	30	29	1	-	1
45 to 49 years	1	1	1	-	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	11	11	11	-	-	-
Third child	3,108	3,068	2,988	80	8	32
15 to 19 years	19	18	18	-	-	1
20 to 24 years	642	626	620	6	6	10
25 to 29 years	1,190	1,176	1,157	19	1	13
30 to 34 years	873	867	832	35	1	5
35 to 39 years	310	310	294	16	-	-
40 to 44 years	65	63	59	4	-	2
45 to 49 years	1	1	1	-	-	-
Not stated	8	7	7	-	-	1
Fourth child	1,887	1,868	1,827	41	3	16
20 to 24 years	219	217	216	1	1	1
25 to 29 years	647	640	633	7	2	5
30 to 34 years	600	591	578	13	-	9
35 to 39 years	338	337	323	14	-	1
40 to 44 years	80	80	75	5	-	-
45 to 49 years	1	1	1	-	-	-
Not stated	2	2	1	1	-	-
Fifth child	974	960	929	31	3	11
15 to 19 years	2	2	2	-	-	-
20 to 24 years	54	53	53	-	1	-
25 to 29 years	266	261	259	2	1	4
30 to 34 years	334	328	316	12	1	5
35 to 39 years	251	250	240	10	-	1
40 to 44 years	56	55	51	4	-	1
45 to 49 years	6	6	3	3	-	-
Not stated	5	5	5	-	-	-
Sixth child	512	506	490	16	-	6
20 to 24 years	7	6	6	-	-	1
25 to 29 years	106	105	105	-	-	1
30 to 34 years	197	194	188	6	-	3

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
UTAH—Continued						
Sixth child—Continued						
35 to 39 years	142	142	138	4	-	-
40 to 44 years	51	51	45	6	-	-
45 to 49 years	6	6	6	-	-	-
Not stated	3	2	2	-	-	1
Seventh child	314	309	302	7	4	1
20 to 24 years	1	1	1	-	-	-
25 to 29 years	52	50	50	-	1	1
30 to 34 years	96	95	90	5	1	-
35 to 39 years	108	107	105	2	1	-
40 to 44 years	46	45	45	-	1	-
45 to 49 years	7	7	7	-	-	-
Not stated	4	4	4	-	-	-
Eighth child	166	165	160	5	-	1
25 to 29 years	16	16	16	-	-	-
30 to 34 years	45	44	43	1	-	1
35 to 39 years	64	64	63	1	-	-
40 to 44 years	38	38	36	2	-	-
45 to 49 years	3	3	2	1	-	-
Ninth child	105	103	98	5	-	2
25 to 29 years	3	3	3	-	-	-
30 to 34 years	28	27	27	-	-	1
35 to 39 years	41	41	37	4	-	-
40 to 44 years	28	28	27	1	-	-
45 to 49 years	5	4	4	-	-	1
Tenth child and over	142	139	126	13	1	2
30 to 34 years	22	22	20	2	-	-
35 to 39 years	63	62	56	6	1	-
40 to 44 years	48	46	41	5	-	2
45 to 49 years	9	9	9	-	-	-
Birth order not stated	202	198	189	9	-	4
15 to 19 years	24	24	24	-	-	-
20 to 24 years	72	69	67	2	-	3
25 to 29 years	50	50	50	-	-	-
30 to 34 years	28	27	24	3	-	1
35 to 39 years	19	19	17	2	-	-
40 to 44 years	6	6	4	2	-	-
45 to 49 years	1	1	1	-	-	-
Not stated	2	2	2	-	-	-
VERMONT						
Total births	6,873	6,868	6,346	519	5	-
10 to 14 years	4	4	4	-	-	-
15 to 19 years	623	623	605	17	-	-
20 to 24 years	2,058	2,056	1,958	97	2	-
25 to 29 years	1,957	1,956	1,824	131	1	-
30 to 34 years	1,260	1,260	1,130	130	-	-
35 to 39 years	747	746	646	100	1	-
40 to 44 years	217	217	175	42	-	-
45 to 49 years	6	5	3	2	1	-
Not stated	1	1	1	-	-	-
First child	1,974	1,974	1,854	118	-	-
10 to 14 years	4	4	4	-	-	-
15 to 19 years	455	455	443	11	-	-
20 to 24 years	884	884	834	49	-	-
25 to 29 years	406	406	378	28	-	-
30 to 34 years	141	141	124	17	-	-
35 to 39 years	68	68	58	10	-	-
40 to 44 years	15	15	12	3	-	-
45 to 49 years	1	1	1	-	-	-
Second child	1,514	1,513	1,428	85	1	-
15 to 19 years	86	86	84	2	-	-
20 to 24 years	550	550	527	23	-	-
25 to 29 years	494	493	469	24	1	-
30 to 34 years	268	268	242	26	-	-
35 to 39 years	103	103	97	6	-	-
40 to 44 years	13	13	9	4	-	-
Third child	1,132	1,130	1,040	89	2	-
15 to 19 years	28	28	28	-	-	-
20 to 24 years	297	295	281	14	2	-
25 to 29 years	401	401	373	27	-	-
30 to 34 years	257	257	232	25	-	-
35 to 39 years	122	122	104	18	-	-
40 to 44 years	27	27	22	5	-	-
Fourth child	689	689	625	64	-	-
15 to 19 years	2	2	1	1	-	-
20 to 24 years	129	129	126	3	-	-
25 to 29 years	257	257	232	25	-	-
30 to 34 years	173	173	157	16	-	-
35 to 39 years	107	107	92	15	-	-
40 to 44 years	20	20	16	4	-	-
Not stated	1	1	1	-	-	-
VERMONT—Continued						
Fifth child	360	360	329	31	-	-
15 to 19 years	1	1	1	-	-	-
20 to 24 years	42	42	41	1	-	-
25 to 29 years	128	128	121	7	-	-
30 to 34 years	104	104	91	13	-	-
35 to 39 years	64	64	56	8	-	-
40 to 44 years	21	21	19	2	-	-
Sixth child	244	243	210	33	1	-
15 to 19 years	1	1	-	1	-	-
20 to 24 years	6	6	6	-	-	-
25 to 29 years	83	83	72	11	-	-
30 to 34 years	80	80	70	10	-	-
35 to 39 years	57	57	48	9	-	-
40 to 44 years	15	15	14	1	-	-
45 to 49 years	2	1	-	1	1	-
Seventh child	133	132	112	20	1	-
20 to 24 years	1	1	1	-	-	-
25 to 29 years	30	30	30	-	-	-
30 to 34 years	46	46	37	9	-	-
35 to 39 years	37	36	29	7	1	-
40 to 44 years	18	18	14	4	-	-
45 to 49 years	1	1	1	-	-	-
Eighth child	120	120	109	11	-	-
20 to 24 years	1	1	1	-	-	-
25 to 29 years	19	19	18	1	-	-
30 to 34 years	43	43	42	1	-	-
35 to 39 years	39	39	34	5	-	-
40 to 44 years	17	17	13	4	-	-
45 to 49 years	1	1	1	-	-	-
Ninth child	77	77	66	11	-	-
25 to 29 years	3	3	2	1	-	-
30 to 34 years	25	25	23	2	-	-
35 to 39 years	32	32	26	6	-	-
40 to 44 years	17	17	15	2	-	-
Tenth child and over	136	136	113	23	-	-
25 to 29 years	2	2	2	-	-	-
30 to 34 years	24	24	20	4	-	-
35 to 39 years	66	66	56	10	-	-
40 to 44 years	44	44	35	9	-	-
Birth order not stated	494	494	460	34	-	-
15 to 19 years	50	50	48	2	-	-
20 to 24 years	148	148	141	7	-	-
25 to 29 years	134	134	127	7	-	-
30 to 34 years	99	99	92	7	-	-
35 to 39 years	52	52	46	6	-	-
40 to 44 years	10	10	6	4	-	-
45 to 49 years	1	1	-	1	-	-
VIRGINIA						
Total births	67,068	50,246	49,839	390	16,806	16
10 to 14 years	164	26	26	-	138	-
15 to 19 years	8,595	4,980	4,973	7	3,611	4
20 to 24 years	20,404	15,171	15,076	93	5,228	5
25 to 29 years	17,259	13,689	13,571	114	3,567	3
30 to 34 years	11,765	9,514	9,411	100	2,249	2
35 to 39 years	6,574	5,160	5,096	62	1,412	2
40 to 44 years	1,935	1,462	1,450	12	473	-
45 to 49 years	199	135	133	2	64	-
Not stated	173	109	103	-	64	-
First child	21,462	17,445	17,269	173	4,011	6
10 to 14 years	164	26	26	-	138	-
15 to 19 years	5,912	3,798	3,792	6	2,112	2
20 to 24 years	8,576	7,367	7,299	68	1,208	1
25 to 29 years	4,202	3,861	3,803	57	339	2
30 to 34 years	1,814	1,668	1,640	27	145	1
35 to 39 years	674	622	607	15	52	-
40 to 44 years	94	85	85	-	9	-
45 to 49 years	2	-	-	-	2	-
Not stated	24	18	17	-	6	-
Second child	15,621	12,636	12,515	117	2,980	5
15 to 19 years	1,899	919	918	1	978	2
20 to 24 years	5,458	4,215	4,194	21	1,241	2
25 to 29 years	4,411	3,965	3,921	41	446	-
30 to 34 years	2,708	2,498	2,462	35	209	1
35 to 39 years	949	867	850	17	82	-
40 to 44 years	159	147	145	2	12	-
45 to 49 years	5	5	5	-	-	-
Not stated	32	20	20	-	12	-
Third child	9,425	7,162	7,115	46	2,262	1
15 to 19 years	479	181	181	-	298	-
20 to 24 years	3,147	2,016	2,016	-	1,131	-
25 to 29 years	2,903	2,357	2,354	13	536	-

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
VIRGINIA—Continued						
Third child—Continued						
30 to 34 years	1,853	1,658	1,635	23	195	-
35 to 39 years	860	773	763	9	86	1
40 to 44 years	152	142	141	1	10	-
45 to 49 years	5	5	5	-	-	-
Not stated	26	20	20	-	6	-
Fourth child	5,833	4,120	4,094	23	1,711	2
15 to 19 years	113	26	26	-	87	-
20 to 24 years	1,645	917	913	3	727	1
25 to 29 years	2,035	1,479	1,477	2	556	-
30 to 34 years	1,252	1,028	1,018	9	224	-
35 to 39 years	637	545	536	8	91	1
40 to 44 years	127	109	108	1	18	-
45 to 49 years	8	5	5	-	3	-
Not stated	16	11	11	-	5	-
Fifth child	3,901	2,565	2,554	11	1,336	-
15 to 19 years	17	5	5	-	12	-
20 to 24 years	737	350	350	-	387	-
25 to 29 years	1,450	901	901	-	549	-
30 to 34 years	1,014	777	776	1	237	-
35 to 39 years	520	401	395	6	119	-
40 to 44 years	131	110	106	4	21	-
45 to 49 years	14	10	10	-	4	-
Not stated	18	11	11	-	7	-
Sixth child	2,793	1,711	1,703	8	1,081	1
15 to 19 years	4	-	-	-	4	-
20 to 24 years	255	71	71	-	184	-
25 to 29 years	989	546	546	-	442	1
30 to 34 years	863	584	584	-	279	-
35 to 39 years	521	389	384	5	132	-
40 to 44 years	140	110	107	3	30	-
45 to 49 years	12	6	6	-	6	-
Not stated	9	5	5	-	4	-
Seventh child	2,008	1,254	1,251	3	754	-
20 to 24 years	80	27	27	-	53	-
25 to 29 years	537	250	250	-	287	-
30 to 34 years	759	514	512	2	245	-
35 to 39 years	482	346	346	-	136	-
40 to 44 years	130	103	103	-	27	-
45 to 49 years	15	11	10	1	4	-
Not stated	5	3	3	-	2	-
Eighth child	1,464	884	881	3	580	-
20 to 24 years	26	7	7	-	19	-
25 to 29 years	231	90	89	1	141	-
30 to 34 years	550	305	305	-	245	-
35 to 39 years	489	355	353	2	134	-
40 to 44 years	150	113	113	-	37	-
45 to 49 years	13	10	10	-	3	-
Not stated	5	4	4	-	1	-
Ninth child	1,052	626	626	-	426	-
20 to 24 years	10	4	4	-	6	-
25 to 29 years	86	21	21	-	65	-
30 to 34 years	350	175	175	-	175	-
35 to 39 years	428	295	295	-	133	-
40 to 44 years	157	117	117	-	40	-
45 to 49 years	16	13	13	-	3	-
Not stated	5	1	1	-	4	-
Tenth child and over	2,069	1,141	1,140	1	928	-
20 to 24 years	5	-	-	-	5	-
25 to 29 years	63	19	19	-	44	-
30 to 34 years	350	160	160	-	190	-
35 to 39 years	876	487	487	-	389	-
40 to 44 years	660	404	404	-	256	-
45 to 49 years	107	70	69	1	37	-
Not stated	8	1	1	-	7	-
Birth order not stated	1,440	702	691	5	737	1
15 to 19 years	171	51	51	-	120	-
20 to 24 years	465	197	195	1	267	1
25 to 29 years	352	190	190	-	162	-
30 to 34 years	252	147	144	3	105	-
35 to 39 years	138	80	80	-	58	-
40 to 44 years	35	22	21	1	13	-
45 to 49 years	2	-	-	-	2	-
Not stated	25	15	10	-	10	-
WASHINGTON						
Total births	44,573	43,191	41,079	2,098	646	736
10 to 14 years	19	14	14	-	3	2
15 to 19 years	4,292	4,073	4,006	65	124	95
20 to 24 years	14,335	13,820	13,342	476	264	251
25 to 29 years	13,001	12,682	12,060	619	146	203
30 to 34 years	8,185	7,999	7,418	579	80	106
35 to 39 years	3,707	3,637	3,365	269	22	48
40 to 44 years	898	869	789	80	4	25
45 to 49 years	55	52	45	7	1	2

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
WASHINGTON—Continued						
Total births—Continued						
50 to 54 years	2	2	2	-	-	-
Not stated	49	43	38	3	2	4
First child	16,542	16,068	15,396	670	267	207
10 to 14 years	18	13	13	-	3	2
15 to 19 years	3,485	3,325	3,271	53	90	70
20 to 24 years	7,310	7,101	6,844	257	119	90
25 to 29 years	3,630	3,553	3,355	197	41	36
30 to 34 years	1,501	1,485	1,377	108	10	6
35 to 39 years	495	488	445	43	4	3
40 to 44 years	88	88	77	11	-	-
45 to 49 years	4	4	3	1	-	-
Not stated	11	11	11	-	-	-
Second child	13,438	13,158	12,443	712	148	132
10 to 14 years	1	1	1	-	-	-
15 to 19 years	635	593	582	10	23	19
20 to 24 years	4,497	4,365	4,211	153	75	57
25 to 29 years	4,719	4,652	4,416	236	26	41
30 to 34 years	2,598	2,569	2,337	231	19	10
35 to 39 years	859	851	779	72	4	4
40 to 44 years	116	115	105	10	-	1
45 to 49 years	3	3	3	-	-	-
Not stated	10	9	9	-	1	-
Third child	7,222	7,028	6,685	338	95	99
15 to 19 years	99	89	88	1	9	1
20 to 24 years	1,654	1,556	1,513	43	46	52
25 to 29 years	2,560	2,508	2,406	101	22	30
30 to 34 years	1,912	1,888	1,765	122	14	10
35 to 39 years	829	823	765	56	4	2
40 to 44 years	157	154	140	14	-	3
45 to 49 years	3	3	2	1	-	-
50 to 54 years	1	1	1	-	-	-
Not stated	7	6	5	-	-	1
Fourth child	3,239	3,129	2,970	159	50	60
15 to 19 years	10	10	10	-	-	-
20 to 24 years	492	465	456	9	14	13
25 to 29 years	1,087	1,040	994	46	24	23
30 to 34 years	957	931	873	58	9	17
35 to 39 years	553	549	515	34	1	3
40 to 44 years	130	126	114	12	-	4
45 to 49 years	6	5	5	-	1	-
50 to 54 years	1	1	1	-	-	-
Not stated	3	2	2	-	1	-
Fifth child	1,555	1,469	1,398	70	27	59
15 to 19 years	4	4	3	1	-	-
20 to 24 years	142	125	122	3	6	11
25 to 29 years	496	461	444	17	10	25
30 to 34 years	494	468	448	20	9	17
35 to 39 years	321	314	293	20	2	5
40 to 44 years	87	86	79	7	-	1
45 to 49 years	6	6	6	-	-	-
Not stated	5	5	3	2	-	-
Sixth child	838	787	746	41	20	31
15 to 19 years	1	1	1	-	-	-
20 to 24 years	34	28	28	-	1	5
25 to 29 years	229	209	200	9	9	11
30 to 34 years	276	263	250	13	7	6
35 to 39 years	211	202	193	9	3	6
40 to 44 years	82	79	70	9	-	3
45 to 49 years	4	4	3	1	-	-
Not stated	1	1	1	-	-	-
Seventh child	445	403	373	30	12	30
20 to 24 years	9	6	6	-	2	1
25 to 29 years	90	73	71	2	6	11
30 to 34 years	156	140	132	8	4	12
35 to 39 years	126	122	110	12	-	4
40 to 44 years	55	53	46	7	-	2
45 to 49 years	6	6	6	-	-	-
Not stated	3	3	2	1	-	-
Eighth child	327	299	281	18	9	19
20 to 24 years	3	3	3	-	-	-
25 to 29 years	38	29	27	2	4	5
30 to 34 years	110	99	93	6	3	8
35 to 39 years	117	112	105	7	2	3
40 to 44 years	51	50	49	1	-	1
45 to 49 years	5	5	3	2	-	-
Not stated	3	1	1	-	-	2
Ninth child	164	151	135	16	1	12
20 to 24 years	2	2	2	-	-	-
25 to 29 years	10	10	9	1	-	-
30 to 34 years	52	45	38	7	1	6
35 to 39 years	66	63	59	4	-	3
40 to 44 years	31	28	24	4	-	3
45 to 49 years	3	3	3	-	-	-

[1] Includes mother's nativity not stated.

TABLE 5.–LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945–Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
WASHINGTON—Continued						
Tenth child and over....	245	206	190	16	9	30
20 to 24 years.....	1	-	-	-	-	1
25 to 29 years.....	2	1	1	-	1	-
30 to 34 years.....	37	28	26	2	2	7
35 to 39 years.....	95	81	72	9	2	12
40 to 44 years.....	94	83	80	3	4	7
45 to 49 years.....	15	13	11	2	-	2
Not stated.....	1	-	-	-	-	1
Birth order not stated..	558	493	462	28	8	57
15 to 19 years.....	58	51	51	-	2	5
20 to 24 years.....	191	169	157	11	1	21
25 to 29 years.....	170	146	137	8	3	21
30 to 34 years.....	92	83	79	4	2	7
35 to 39 years.....	35	32	29	3	-	3
40 to 44 years.....	7	7	5	2	-	-
Not stated.....	5	5	4	-	-	-
WEST VIRGINIA						
Total births.....	39,039	36,902	36,640	176	2,134	3
10 to 14 years.....	34	23	23	-	11	-
15 to 19 years.....	4,882	4,494	4,483	1	388	-
20 to 24 years.....	12,039	11,399	11,342	33	639	1
25 to 29 years.....	9,685	9,239	9,194	28	445	1
30 to 34 years.....	6,629	6,279	6,235	35	349	1
35 to 39 years.....	4,072	3,864	3,805	47	208	-
40 to 44 years.....	1,385	1,316	1,283	29	69	-
45 to 49 years.....	154	147	143	3	7	-
50 to 54 years.....	2	2	2	-	-	-
55 years and over....	1	1	1	-	-	-
Not stated.....	156	138	129	-	18	-
First child.....	10,779	10,264	10,188	50	514	1
10 to 14 years.....	34	23	23	-	11	-
15 to 19 years.....	3,579	3,323	3,316	1	256	-
20 to 24 years.....	4,537	4,380	4,347	23	156	1
25 to 29 years.....	1,658	1,613	1,599	9	45	-
30 to 34 years.....	653	630	621	7	23	-
35 to 39 years.....	239	225	219	6	14	-
40 to 44 years.....	43	42	38	4	1	-
45 to 49 years.....	3	2	2	-	1	-
Not stated.....	33	26	23	-	7	-
Second child.....	7,928	7,578	7,540	23	350	-
15 to 19 years.....	969	881	878	-	88	-
20 to 24 years.....	3,438	3,279	3,266	4	159	-
25 to 29 years.....	2,066	2,012	2,001	8	54	-
30 to 34 years.....	1,011	980	975	5	31	-
35 to 39 years.....	352	338	333	5	14	-
40 to 44 years.....	57	56	55	1	1	-
45 to 49 years.....	8	8	8	-	-	-
Not stated.....	27	24	24	-	3	-
Third child.....	5,616	5,333	5,299	26	283	-
15 to 19 years.....	203	175	174	-	28	-
20 to 24 years.....	2,122	1,983	1,981	-	139	-
25 to 29 years.....	1,848	1,772	1,766	5	76	-
30 to 34 years.....	979	952	943	8	27	-
35 to 39 years.....	364	353	342	11	11	-
40 to 44 years.....	76	75	72	2	1	-
45 to 49 years.....	2	2	2	-	-	-
Not stated.....	22	21	19	-	1	-
Fourth child.....	4,030	3,818	3,790	20	210	2
15 to 19 years.....	30	23	23	-	7	-
20 to 24 years.....	1,140	1,049	1,043	3	91	-
25 to 29 years.....	1,510	1,450	1,443	4	59	1
30 to 34 years.....	873	842	836	6	30	1
35 to 39 years.....	388	368	361	5	20	-
40 to 44 years.....	71	68	66	2	3	-
45 to 49 years.....	4	4	4	-	-	-
55 years and over....	1	1	1	-	-	-
Not stated.....	13	13	13	-	-	-
Fifth child.....	2,859	2,665	2,648	15	194	-
15 to 19 years.....	9	8	8	-	1	-
20 to 24 years.....	446	394	392	2	52	-
25 to 29 years.....	1,141	1,061	1,060	-	80	-
30 to 34 years.....	759	722	717	5	37	-
35 to 39 years.....	415	397	393	4	18	-
40 to 44 years.....	75	72	67	4	3	-
45 to 49 years.....	4	4	4	-	-	-
Not stated.....	10	7	7	-	3	-
Sixth child.....	2,171	2,012	2,000	10	159	-
15 to 19 years.....	3	2	2	-	1	-
20 to 24 years.....	157	132	132	-	25	-
25 to 29 years.....	746	689	688	1	57	-
30 to 34 years.....	716	665	661	2	51	-
35 to 39 years.....	422	405	401	4	17	-
40 to 44 years.....	109	103	101	2	6	-
45 to 49 years.....	9	9	8	1	-	-
Not stated.....	9	7	7	-	2	-
WEST VIRGINIA—Con.						
Seventh child.....	1,590	1,454	1,446	5	136	-
20 to 24 years.....	36	30	30	-	6	-
25 to 29 years.....	385	350	350	-	35	-
30 to 34 years.....	626	569	566	1	57	-
35 to 39 years.....	398	368	364	3	30	-
40 to 44 years.....	129	122	121	1	7	-
45 to 49 years.....	8	7	7	-	1	-
Not stated.....	8	8	8	-	-	-
Eighth child.....	1,216	1,129	1,115	6	87	-
20 to 24 years.....	13	9	9	-	4	-
25 to 29 years.....	147	128	127	-	19	-
30 to 34 years.....	466	434	432	1	32	-
35 to 39 years.....	446	422	414	2	24	-
40 to 44 years.....	127	121	118	3	6	-
45 to 49 years.....	12	10	10	-	2	-
50 to 54 years.....	1	1	1	-	-	-
Not stated.....	4	4	4	-	-	-
Ninth child.....	872	812	807	4	60	-
20 to 24 years.....	7	7	7	-	-	-
25 to 29 years.....	66	56	54	1	10	-
30 to 34 years.....	278	253	253	-	25	-
35 to 39 years.....	357	340	340	-	17	-
40 to 44 years.....	146	138	135	3	8	-
45 to 49 years.....	13	13	13	-	-	-
Not stated.....	5	5	5	-	-	-
Tenth child and over....	1,560	1,447	1,422	16	113	-
20 to 24 years.....	6	5	5	-	1	-
25 to 29 years.....	31	26	25	-	5	-
30 to 34 years.....	219	188	188	-	31	-
35 to 39 years.....	657	617	607	7	40	-
40 to 44 years.....	542	511	502	7	31	-
45 to 49 years.....	90	87	84	2	3	-
50 to 54 years.....	1	1	1	-	-	-
Not stated.....	14	12	10	-	2	-
Birth order not stated..	418	390	385	1	28	-
15 to 19 years.....	89	82	82	-	7	-
20 to 24 years.....	137	131	130	1	6	-
25 to 29 years.....	87	82	81	-	5	-
30 to 34 years.....	49	44	43	-	5	-
35 to 39 years.....	34	31	31	-	3	-
40 to 44 years.....	10	8	8	-	2	-
45 to 49 years.....	1	1	1	-	-	-
Not stated.....	11	11	9	-	-	-
WISCONSIN						
Total births.....	61,437	60,704	59,595	1,102	323	410
10 to 14 years.....	10	9	9	-	1	-
15 to 19 years.....	3,546	3,419	3,404	14	74	53
20 to 24 years.....	16,842	16,620	16,453	166	117	105
25 to 29 years.....	18,506	18,321	18,108	212	68	117
30 to 34 years.....	13,665	13,559	13,226	331	41	65
35 to 39 years.....	6,781	6,711	6,459	251	17	53
40 to 44 years.....	1,918	1,900	1,787	113	4	14
45 to 49 years.....	138	136	121	15	1	1
50 to 54 years.....	2	2	2	-	-	-
Not stated.....	29	27	26	-	-	2
First child.....	19,027	18,819	18,562	255	112	96
10 to 14 years.....	10	9	9	-	1	-
15 to 19 years.....	2,956	2,865	2,852	12	53	38
20 to 24 years.....	8,847	8,769	8,676	93	39	39
25 to 29 years.....	4,507	4,486	4,422	64	10	11
30 to 34 years.....	1,877	1,866	1,811	54	6	5
35 to 39 years.....	667	662	640	22	3	2
40 to 44 years.....	150	150	140	10	-	-
45 to 49 years.....	5	5	5	-	-	-
50 to 54 years.....	1	1	1	-	-	-
Not stated.....	7	6	6	-	-	1
Second child.....	17,023	16,868	16,571	294	77	78
15 to 19 years.....	495	464	462	2	17	14
20 to 24 years.....	5,046	4,981	4,927	53	35	30
25 to 29 years.....	6,248	6,210	6,125	84	14	24
30 to 34 years.....	3,776	3,762	3,660	101	8	6
35 to 39 years.....	1,224	1,218	1,173	45	3	3
40 to 44 years.....	217	216	207	9	-	1
45 to 49 years.....	9	9	9	-	-	-
Not stated.....	8	8	8	-	-	-
Third child.....	10,728	10,648	10,470	178	45	35
15 to 19 years.....	71	66	66	-	4	1
20 to 24 years.....	1,901	1,869	1,856	13	18	14
25 to 29 years.....	3,950	3,921	3,895	26	16	13
30 to 34 years.....	3,197	3,188	3,117	71	3	6
35 to 39 years.....	1,332	1,327	1,274	53	4	1
40 to 44 years.....	261	261	246	15	-	-
45 to 49 years.....	13	13	13	-	-	-
50 to 54 years.....	1	1	1	-	-	-
Not stated.....	2	2	2	-	-	-

[1] Includes mother's nativity not stated.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 91]

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
WISCONSIN—Continued						
Fourth child	5,885	5,817	5,667	150	26	42
15 to 19 years	7	7	7	-	-	-
20 to 24 years	668	642	638	4	13	13
25 to 29 years	1,928	1,901	1,879	22	6	21
30 to 34 years	1,966	1,954	1,894	60	5	7
35 to 39 years	1,053	1,052	1,004	48	1	-
40 to 44 years	243	242	228	14	1	-
45 to 49 years	14	14	12	2	-	-
Not stated	6	5	5	-	-	1
Fifth child	3,236	3,179	3,107	71	25	32
20 to 24 years	207	194	192	2	8	5
25 to 29 years	974	948	941	7	8	18
30 to 34 years	1,125	1,113	1,098	15	6	6
35 to 39 years	725	721	686	34	3	1
40 to 44 years	191	189	178	11	-	2
45 to 49 years	13	13	11	2	-	-
Not stated	1	1	1	-	-	-
Sixth child	1,901	1,855	1,805	50	12	34
20 to 24 years	64	58	58	-	2	4
25 to 29 years	465	441	436	5	6	18
30 to 34 years	645	636	629	7	3	6
35 to 39 years	513	508	488	20	1	4
40 to 44 years	190	188	174	14	-	2
45 to 49 years	22	22	18	4	-	-
Not stated	2	2	2	-	-	-
Seventh child	1,192	1,155	1,129	26	9	28
20 to 24 years	18	18	17	1	-	-
25 to 29 years	189	177	175	2	4	8
30 to 34 years	435	421	415	6	5	9
35 to 39 years	396	386	379	7	-	10
40 to 44 years	143	142	132	10	-	1
45 to 49 years	11	11	11	-	-	-
Eighth child	719	698	674	24	3	18
20 to 24 years	3	3	3	-	-	-
25 to 29 years	60	59	59	-	1	-
30 to 34 years	252	252	244	8	2	8
35 to 39 years	272	263	255	8	-	9
40 to 44 years	115	114	107	7	-	1
45 to 49 years	7	7	6	1	-	-
Ninth child	502	480	465	15	3	19
20 to 24 years	1	1	1	-	-	-
25 to 29 years	33	30	30	-	-	3
30 to 34 years	145	139	135	4	1	5
35 to 39 years	205	197	194	3	1	7
40 to 44 years	111	106	99	7	1	4
45 to 49 years	7	7	6	1	-	-
Tenth child and over	813	779	745	34	7	27
25 to 29 years	11	10	9	1	1	-
30 to 34 years	132	123	119	4	2	7
35 to 39 years	345	328	319	9	1	16
40 to 44 years	289	284	268	16	2	3
45 to 49 years	36	34	30	4	1	1
Birth order not stated	411	406	400	5	4	1
15 to 19 years	17	17	17	-	-	-
20 to 24 years	87	85	85	-	2	-
25 to 29 years	141	138	137	1	2	1
30 to 34 years	105	105	104	1	-	-
35 to 39 years	49	49	47	2	-	-
40 to 44 years	8	8	8	-	-	-
45 to 49 years	1	1	-	1	-	-
Not stated	3	3	2	-	-	-
WYOMING						
Total births	5,481	5,239	5,139	98	28	214
10 to 14 years	2	2	2	-	-	-
15 to 19 years	512	492	490	2	7	13
20 to 24 years	1,768	1,698	1,681	16	9	61
25 to 29 years	1,515	1,442	1,423	18	6	67
30 to 34 years	1,007	960	938	22	3	44
35 to 39 years	529	508	478	30	2	19
40 to 44 years	135	125	116	9	1	9
45 to 49 years	7	6	5	1	-	1
Not stated	6	6	6	-	-	-
First child	1,599	1,547	1,524	22	11	41
10 to 14 years	2	2	2	-	-	-
15 to 19 years	401	389	387	2	5	7

AREA, AGE OF MOTHER, AND BIRTH ORDER (EXCLUDING STILLBIRTHS)	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
WYOMING—Continued						
First child—Continued						
20 to 24 years	718	692	685	7	4	22
25 to 29 years	306	296	288	7	1	9
30 to 34 years	116	112	108	4	1	3
35 to 39 years	49	49	47	2	-	-
40 to 44 years	7	7	7	-	-	-
Second child	1,526	1,473	1,456	16	6	47
16 to 19 years	95	88	88	-	2	5
20 to 24 years	616	596	591	4	2	18
25 to 29 years	475	455	453	2	1	19
30 to 34 years	245	240	236	4	-	5
35 to 39 years	81	81	75	6	-	-
40 to 44 years	12	11	11	-	1	-
Not stated	2	2	2	-	-	-
Third child	991	945	930	15	3	43
15 to 19 years	8	7	7	-	-	1
20 to 24 years	285	272	269	3	1	12
25 to 29 years	333	315	311	4	2	16
30 to 34 years	252	241	237	4	-	11
35 to 39 years	93	92	89	3	-	1
40 to 44 years	20	18	17	1	-	2
Fourth child	567	544	531	13	1	22
15 to 19 years	3	3	3	-	-	-
20 to 24 years	102	97	96	1	-	5
25 to 29 years	203	193	193	-	-	10
30 to 34 years	154	148	146	2	1	5
35 to 39 years	85	83	75	8	-	2
40 to 44 years	20	20	18	2	-	-
Fifth child	271	255	249	6	2	14
20 to 24 years	25	23	23	-	1	1
25 to 29 years	92	84	84	-	1	7
30 to 34 years	88	82	81	1	-	6
35 to 39 years	51	51	48	3	-	-
40 to 44 years	14	14	12	2	-	-
Not stated	1	1	1	-	-	-
Sixth child	179	163	157	6	1	15
20 to 24 years	7	5	4	1	-	2
25 to 29 years	61	57	55	2	-	4
30 to 34 years	57	53	51	2	-	4
35 to 39 years	46	40	39	1	1	5
40 to 44 years	8	8	8	-	-	-
Seventh child	104	96	91	5	-	8
20 to 24 years	3	2	2	-	-	1
25 to 29 years	19	18	16	2	-	1
30 to 34 years	37	34	32	2	-	3
35 to 39 years	31	29	28	1	-	2
40 to 44 years	11	11	11	-	-	-
45 to 49 years	3	2	2	-	-	1
Eighth child	73	63	58	5	1	9
20 to 24 years	1	1	1	-	-	-
25 to 29 years	9	8	8	-	-	1
30 to 34 years	25	20	18	2	1	4
35 to 39 years	25	22	21	1	-	3
40 to 44 years	13	12	10	2	-	1
Ninth child	48	46	42	4	2	-
25 to 29 years	6	5	5	-	1	-
30 to 34 years	12	12	11	1	-	-
35 to 39 years	24	23	21	2	1	-
40 to 44 years	5	5	4	1	-	-
Not stated	1	1	1	-	-	-
Tenth child and over	92	77	71	6	-	15
25 to 29 years	2	2	1	1	-	-
30 to 34 years	18	15	15	-	-	3
35 to 39 years	43	37	34	3	-	6
40 to 44 years	25	19	18	1	-	6
45 to 49 years	4	4	3	1	-	-
Birth order not stated	31	30	30	-	1	-
15 to 19 years	5	5	5	-	-	-
20 to 24 years	11	10	10	-	1	-
25 to 29 years	9	9	9	-	-	-
30 to 34 years	3	3	3	-	-	-
35 to 39 years	1	1	1	-	-	-
Not stated	2	2	2	-	-	-

[1] Includes mother's nativity not stated.

Table 6.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1945

[By place of residence]

Area, race, and sex of child	Total births	Age of father: 10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES	2,735,456	32	60,744	457,361	690,547	638,838	428,943	218,247	89,785	31,865	18,806	100,288
White	2,395,563	14	45,564	395,439	624,641	584,601	386,895	193,040	76,546	26,569	14,763	47,491
Male	1,232,972	4	23,471	204,459	321,826	300,767	198,661	98,921	39,093	13,596	7,580	24,694
Female	1,162,591	10	22,093	190,980	302,815	283,834	188,234	94,119	37,453	12,973	7,183	22,897
Nonwhite	339,893	18	15,180	61,922	65,906	54,237	42,048	25,207	13,239	5,296	4,043	52,797
Male	171,615	8	7,671	31,372	33,222	27,465	21,239	12,682	6,623	2,618	1,968	26,727
Female	168,278	10	7,509	30,550	32,684	26,772	20,809	12,525	6,616	2,678	2,055	26,070
ALABAMA	70,321	1	2,246	12,369	15,038	13,746	10,348	5,569	2,579	1,060	888	6,477
White	44,091	-	1,394	8,149	10,580	9,800	6,957	3,661	1,520	610	511	909
Male	22,558	-	728	4,218	5,301	5,052	3,585	1,876	782	317	248	451
Female	21,533	-	666	3,931	5,279	4,748	3,372	1,785	738	293	263	458
Nonwhite	26,230	1	852	4,220	4,458	3,946	3,391	1,908	1,059	450	377	5,568
Male	13,159	-	432	2,132	2,250	1,957	1,714	949	513	213	177	2,822
Female	13,071	1	420	2,088	2,208	1,989	1,677	959	546	237	200	2,746
ARIZONA	13,348	-	412	2,456	3,356	2,809	2,024	1,101	503	206	155	336
White	11,549	-	301	2,185	3,031	2,484	1,736	929	410	167	119	187
Male	5,983	-	166	1,118	1,552	1,282	940	483	207	81	54	100
Female	5,566	-	135	1,067	1,479	1,202	796	446	203	86	65	87
Nonwhite	1,799	-	111	271	325	325	288	172	93	39	36	139
Male	932	-	53	149	168	158	148	93	45	22	21	75
Female	867	-	58	122	157	167	140	79	48	17	15	64
ARKANSAS	39,628	-	1,418	7,596	8,987	7,475	5,697	3,264	1,604	728	601	2,258
White	29,495	-	957	5,870	7,276	5,988	4,419	2,384	1,090	517	393	601
Male	15,190	-	480	3,049	3,695	3,171	2,284	1,196	539	270	197	309
Female	14,305	-	477	2,821	3,581	2,817	2,135	1,188	551	247	196	292
Nonwhite	10,133	-	461	1,726	1,711	1,487	1,278	880	514	211	208	1,657
Male	5,128	-	251	888	894	744	642	438	262	108	87	814
Female	5,005	-	210	838	817	743	636	442	252	103	121	843
CALIFORNIA	184,380	4	4,153	36,761	52,148	43,656	26,267	12,450	4,861	1,599	810	1,671
White	173,687	4	3,673	34,529	49,568	41,476	24,739	11,524	4,471	1,461	734	1,508
Male	88,992	-	1,939	17,537	25,535	21,275	12,574	5,877	2,309	762	385	799
Female	84,695	4	1,734	16,992	24,033	20,201	12,165	5,647	2,162	699	349	709
Nonwhite	10,693	-	480	2,232	2,580	2,180	1,528	926	390	138	76	163
Male	5,501	-	232	1,162	1,321	1,111	808	473	202	71	38	83
Female	5,192	-	248	1,070	1,259	1,069	720	453	188	67	38	80
COLORADO	23,511	-	572	4,575	6,138	5,231	3,500	1,809	845	343	192	306
White	22,864	-	552	4,435	5,978	5,097	3,417	1,745	824	338	184	294
Male	11,693	-	290	2,272	2,998	2,629	1,770	897	427	148	104	158
Female	11,171	-	262	2,163	2,980	2,468	1,647	848	397	190	80	136
Nonwhite	647	-	20	140	160	134	83	64	21	5	8	12
Male	329	-	9	71	74	72	45	35	11	4	2	6
Female	318	-	11	69	86	62	38	29	10	1	6	6
CONNECTICUT	33,765	-	230	4,064	9,310	9,619	5,869	2,613	885	251	93	831
White	32,832	-	195	3,893	9,098	9,471	5,759	2,545	853	244	87	687
Male	16,908	-	109	2,000	4,734	4,767	2,967	1,361	427	122	45	376
Female	15,924	-	86	1,893	4,364	4,704	2,792	1,184	426	122	42	311
Nonwhite	933	-	35	171	212	148	110	68	32	7	6	144
Male	473	-	16	79	111	85	51	36	16	4	4	71
Female	460	-	19	92	101	63	59	32	16	3	2	73
DELAWARE	5,984	-	119	977	1,574	1,393	898	399	157	58	24	385
White	5,067	-	87	827	1,407	1,262	808	341	133	50	14	138
Male	2,635	-	45	428	733	660	416	180	68	26	7	72
Female	2,432	-	42	399	674	602	392	161	65	24	7	66
Nonwhite	917	-	32	150	167	131	90	58	24	8	10	247
Male	458	-	20	83	71	56	48	29	15	6	6	124
Female	459	-	12	67	96	75	42	29	9	2	4	123
DISTRICT OF COLUMBIA	16,141	-	314	2,757	4,184	3,439	2,271	1,017	367	160	49	1,583
White	10,862	-	107	1,845	3,134	2,596	1,681	736	238	105	29	391
Male	5,561	-	48	951	1,616	1,345	819	390	118	55	22	197
Female	5,301	-	59	894	1,518	1,251	862	346	120	50	7	194
Nonwhite	5,279	-	207	912	1,050	843	590	281	129	55	20	1,192
Male	2,655	-	110	464	533	408	299	133	50	32	10	616
Female	2,624	-	97	448	517	435	291	148	79	23	10	576
FLORIDA	47,791	-	1,230	9,435	11,869	9,351	6,463	3,511	1,653	659	485	3,135
White	35,207	-	712	7,382	9,608	7,437	4,875	2,571	1,147	434	293	748
Male	18,132	-	356	3,806	5,047	3,792	2,498	1,310	592	216	143	372
Female	17,075	-	356	3,576	4,561	3,645	2,377	1,261	555	218	150	376
Nonwhite	12,584	-	518	2,053	2,261	1,914	1,588	940	506	225	192	2,387
Male	6,297	-	265	996	1,162	968	770	448	255	113	103	1,217
Female	6,287	-	253	1,057	1,099	946	818	492	251	112	89	1,170
GEORGIA	74,852	2	2,453	13,631	17,500	14,232	10,397	5,140	2,379	978	754	7,396
White	47,493	-	1,309	8,735	12,235	10,213	7,091	3,474	1,482	609	419	1,936
Male	24,319	-	678	4,512	6,201	5,274	3,575	1,789	734	331	210	1,015
Female	23,174	-	631	4,223	6,034	4,939	3,516	1,685	748	278	209	911
Nonwhite	27,359	2	1,144	4,896	5,265	4,019	3,306	1,666	897	369	335	5,460
Male	13,947	-	587	2,507	2,678	2,012	1,714	847	455	191	165	2,791
Female	13,412	2	557	2,389	2,587	2,007	1,592	819	442	178	170	2,669
IDAHO	11,501	-	244	2,030	3,059	2,752	1,780	884	397	161	71	123
White	11,288	-	239	2,011	3,005	2,682	1,757	872	382	155	70	115
Male	5,679	-	128	1,013	1,513	1,373	874	446	187	63	32	50
Female	5,609	-	111	998	1,492	1,309	883	426	195	92	38	65
Nonwhite	213	-	5	19	54	70	23	12	15	6	1	8
Male	112	-	4	7	30	40	10	5	8	3	1	4
Female	101	-	1	12	24	30	13	7	7	3	-	4

TABLE 6.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND SEX OF CHILD	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
ILLINOIS	138,705	-	2,185	20,365	35,227	35,415	23,249	11,200	4,327	1,309	560	4,868
White	128,577	-	1,767	18,482	33,301	33,826	22,126	10,500	3,952	1,195	503	2,925
Male	66,218	-	912	9,491	17,077	17,452	11,468	5,343	2,063	639	251	1,522
Female	62,359	-	855	8,991	16,224	16,374	10,658	5,157	1,889	556	252	1,403
Nonwhite	10,128	-	418	1,883	1,926	1,589	1,123	700	375	114	57	1,943
Male	5,139	-	219	943	944	821	582	369	170	52	30	1,009
Female	4,989	-	199	940	982	768	541	331	205	62	27	934
INDIANA	68,444	1	2,027	12,719	17,970	16,088	10,372	5,148	2,053	653	382	1,031
White	65,623	1	1,783	12,092	17,418	15,604	10,005	4,935	1,940	612	358	875
Male	33,920	1	911	6,274	9,105	7,979	5,217	2,510	954	315	188	466
Female	31,703	-	872	5,818	8,313	7,625	4,788	2,425	986	297	170	409
Nonwhite	2,821	-	244	627	552	484	367	213	113	41	24	156
Male	1,416	-	112	329	277	236	186	110	59	21	10	76
Female	1,405	-	132	298	275	248	181	103	54	20	14	80
IOWA	44,934	-	827	7,998	11,755	10,594	7,025	3,647	1,442	483	199	964
White	44,584	-	816	7,947	11,673	10,541	6,988	3,620	1,426	475	194	904
Male	22,781	-	380	4,112	5,981	5,352	3,517	1,894	740	248	96	461
Female	21,803	-	436	3,835	5,692	5,189	3,471	1,726	686	227	98	443
Nonwhite	350	-	11	51	82	53	37	27	16	8	5	60
Male	159	-	4	29	34	26	19	8	5	3	2	29
Female	191	-	7	22	48	27	18	19	11	5	3	31
KANSAS	33,624	-	829	6,535	8,979	7,613	4,884	2,505	1,068	380	247	584
White	32,383	-	745	6,254	8,728	7,403	4,747	2,420	997	351	233	505
Male	16,787	-	386	3,219	4,537	3,845	2,460	1,273	489	180	121	257
Female	15,596	-	359	3,035	4,191	3,558	2,267	1,147	508	171	112	248
Nonwhite	1,241	-	84	281	251	210	137	85	71	29	14	79
Male	623	-	38	137	139	96	74	49	39	11	7	33
Female	618	-	46	144	112	114	63	36	32	18	7	46
KENTUCKY	60,892	-	2,146	11,276	14,325	12,589	9,450	5,653	2,745	1,082	870	756
White	57,654	-	1,873	10,585	13,717	12,064	9,020	5,354	2,583	1,012	813	633
Male	29,712	-	1,017	5,532	7,107	6,162	4,584	2,766	1,283	513	429	319
Female	27,942	-	856	5,053	6,610	5,902	4,436	2,588	1,300	499	384	314
Nonwhite	3,238	-	273	691	608	525	430	299	162	70	57	123
Male	1,644	-	137	352	313	256	228	143	84	42	20	69
Female	1,594	-	136	339	295	269	202	156	78	28	37	54
LOUISIANA	57,838	-	1,822	10,580	13,541	11,829	8,656	4,571	2,104	761	551	3,423
White	35,240	-	779	6,477	9,156	8,213	5,558	2,769	1,156	394	262	476
Male	18,041	-	379	3,318	4,696	4,199	2,858	1,410	587	197	131	266
Female	17,199	-	400	3,159	4,460	4,014	2,700	1,359	569	197	131	210
Nonwhite	22,598	-	1,043	4,103	4,385	3,616	3,098	1,802	948	367	289	2,947
Male	11,291	-	506	2,062	2,238	1,802	1,579	882	459	177	139	1,447
Female	11,307	-	537	2,041	2,147	1,814	1,519	920	489	190	150	1,500
MAINE	16,687	-	443	2,970	4,185	3,771	2,434	1,277	584	220	107	696
White	16,638	-	442	2,958	4,175	3,763	2,424	1,276	583	218	107	692
Male	8,665	-	247	1,579	2,115	1,955	1,263	667	306	106	61	366
Female	7,973	-	195	1,379	2,060	1,808	1,161	609	277	112	46	326
Nonwhite	49	-	1	12	10	8	10	1	1	2	-	4
Male	28	-	-	8	8	4	5	1	-	-	-	2
Female	21	-	1	4	2	4	5	-	1	2	-	2
MARYLAND	42,791	4	1,400	7,692	11,364	10,365	6,439	3,058	1,173	406	194	696
White	34,647	-	586	5,818	9,589	8,981	5,452	2,494	886	310	145	386
Male	17,809	-	310	2,989	4,957	4,640	2,786	1,235	427	157	83	195
Female	16,838	-	276	2,829	4,632	4,341	2,666	1,229	459	153	62	191
Nonwhite	8,144	4	814	1,874	1,775	1,384	987	564	287	96	49	310
Male	4,155	3	398	952	895	739	482	299	151	49	27	160
Female	3,989	1	416	922	880	645	505	265	136	47	22	150
MASSACHUSETTS	77,064	-	592	10,310	20,945	20,070	13,550	6,215	2,243	652	243	2,244
White	75,805	-	554	10,064	20,647	19,874	13,432	6,138	2,180	623	234	2,059
Male	39,188	-	259	5,278	10,738	10,200	6,942	3,172	1,115	328	127	1,029
Female	36,617	-	295	4,786	9,909	9,674	6,490	2,966	1,065	295	107	1,030
Nonwhite	1,259	-	38	246	298	196	118	77	63	29	9	185
Male	638	-	19	132	152	107	69	31	27	16	2	83
Female	621	-	19	114	146	89	49	46	36	13	7	102
MICHIGAN	112,655	2	2,309	18,188	29,360	28,250	17,958	9,236	3,655	1,122	497	2,078
White	105,840	1	1,904	16,732	27,752	26,982	17,141	8,691	3,412	1,050	454	1,721
Male	54,346	1	948	8,616	14,291	13,908	8,681	4,443	1,764	548	238	908
Female	51,494	-	956	8,116	13,461	13,074	8,460	4,248	1,648	502	216	813
Nonwhite	6,815	1	405	1,456	1,608	1,268	817	545	243	72	43	357
Male	3,412	-	195	727	802	639	417	281	128	29	17	177
Female	3,403	1	210	729	806	629	400	264	115	43	26	180
MINNESOTA	54,656	-	513	7,412	13,621	13,558	9,516	5,244	2,230	713	326	1,523
White	53,921	-	502	7,317	13,475	13,413	9,439	5,170	2,194	707	318	1,386
Male	27,628	-	270	3,799	6,895	6,828	4,808	2,639	1,124	372	159	734
Female	26,293	-	232	3,518	6,580	6,585	4,631	2,531	1,070	335	159	652
Nonwhite	735	-	11	95	146	145	77	74	36	6	8	137
Male	370	-	4	45	70	73	37	43	15	6	5	72
Female	365	-	7	50	76	72	40	31	21	-	3	65
MISSISSIPPI	54,263	2	1,936	9,136	11,074	10,067	7,829	4,537	2,234	963	799	5,686
White	24,103	-	629	4,321	5,766	5,534	3,929	2,078	903	353	268	322
Male	12,285	-	315	2,245	3,006	2,800	1,962	1,040	445	184	118	170
Female	11,818	-	314	2,076	2,760	2,734	1,967	1,038	458	169	150	152
Nonwhite	30,160	2	1,307	4,815	5,308	4,533	3,900	2,459	1,331	610	531	5,364
Male	15,322	1	645	2,482	2,664	2,327	1,983	1,273	674	321	269	2,683
Female	14,838	1	662	2,333	2,644	2,206	1,917	1,186	657	289	262	2,681

TABLE 6.–LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1945–Continued

[By place of residence]

AREA, RACE, AND SEX OF CHILD	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MISSOURI	65,659	-	1,755	11,332	15,856	14,773	10,293	5,440	2,341	905	567	2,397
White	60,474	-	1,483	10,504	14,955	14,032	9,687	5,030	2,110	815	509	1,349
Male	31,103	-	752	5,483	7,714	7,107	5,013	2,513	1,094	423	267	737
Female	29,371	-	731	5,021	7,241	6,925	4,674	2,517	1,016	392	242	612
Nonwhite	5,185	-	272	828	901	741	606	410	231	90	58	1,048
Male	2,633	-	139	416	457	370	304	203	134	42	31	537
Female	2,552	-	133	412	444	371	302	207	97	48	27	511
MONTANA	10,601	-	150	1,663	2,838	2,513	1,687	900	410	200	125	115
White	9,974	-	120	1,563	2,715	2,399	1,595	835	375	179	108	85
Male	5,151	-	70	788	1,401	1,234	847	409	208	91	62	41
Female	4,823	-	50	775	1,314	1,165	748	426	167	88	46	44
Nonwhite	627	-	30	100	123	114	92	65	35	21	17	30
Male	333	-	20	52	69	60	49	32	15	6	7	23
Female	294	-	10	48	54	54	43	33	20	15	10	7
NEBRASKA	24,128	1	420	4,346	5,274	5,696	3,883	1,929	777	286	146	370
White	23,585	-	396	4,229	6,164	5,580	3,818	1,896	750	274	138	340
Male	12,205	-	207	2,216	3,190	2,882	1,987	966	384	138	66	169
Female	11,380	-	189	2,013	2,974	2,698	1,831	930	366	136	72	171
Nonwhite	543	1	24	117	110	116	65	33	27	12	8	30
Male	254	1	12	51	50	54	33	13	16	3	6	15
Female	289	-	12	66	60	62	32	20	11	9	2	15
NEVADA	2,851	-	42	534	735	657	408	235	112	42	26	60
White	2,640	-	37	504	685	615	380	214	95	38	24	50
Male	1,338	-	17	255	356	310	184	115	45	16	10	30
Female	1,302	-	20	249	329	305	196	99	50	20	14	20
Nonwhite	211	-	5	30	50	42	28	21	17	6	2	10
Male	107	-	3	12	21	25	11	16	9	3	1	6
Female	104	-	2	18	29	17	17	5	8	3	1	4
NEW HAMPSHIRE	8,338	-	156	1,333	2,172	2,025	1,314	636	277	87	63	275
White	8,324	-	156	1,330	2,167	2,024	1,312	635	276	87	63	274
Male	4,352	-	79	681	1,127	1,078	675	330	149	45	36	152
Female	3,972	-	77	649	1,040	946	637	305	127	42	27	122
Nonwhite	14	-	-	3	5	1	2	1	1	-	-	1
Male	7	-	-	-	4	1	1	-	-	-	-	1
Female	7	-	-	3	1	-	1	1	1	-	-	-
NEW JERSEY	77,338	1	789	10,027	20,722	21,747	13,618	6,244	2,074	620	195	1,301
White	71,809	-	486	8,847	19,518	20,805	12,981	5,830	1,867	556	162	757
Male	36,839	-	264	4,545	9,958	10,731	6,636	2,999	965	288	82	370
Female	34,970	-	222	4,302	9,560	10,074	6,345	2,831	901	268	80	387
Nonwhite	5,529	1	303	1,180	1,204	942	637	414	207	64	33	544
Male	2,831	-	160	576	617	478	331	219	104	30	15	301
Female	2,698	1	143	604	587	464	306	195	103	34	18	243
NEW MEXICO	15,306	-	325	2,577	3,391	3,077	2,401	1,469	781	321	215	749
White	14,041	-	297	2,406	3,197	2,867	2,211	1,331	697	277	182	576
Male	7,233	-	150	1,256	1,639	1,481	1,131	692	369	134	97	284
Female	6,808	-	147	1,150	1,558	1,386	1,080	639	328	143	85	292
Nonwhite	1,265	-	28	171	194	210	190	138	84	44	33	173
Male	607	-	13	81	85	111	103	57	44	17	16	80
Female	658	-	15	90	109	99	87	81	40	27	17	93
NEW YORK	234,754	-	2,193	28,549	58,412	63,578	44,290	21,480	7,228	2,103	755	6,166
White	221,326	-	1,595	25,781	55,669	61,429	42,722	20,511	6,789	1,947	696	4,187
Male	114,092	-	822	13,217	28,946	31,664	21,967	10,523	3,464	987	331	2,171
Female	107,234	-	773	12,564	26,723	29,765	20,755	9,988	3,325	960	365	2,016
Nonwhite	13,428	-	598	2,768	2,743	2,149	1,568	969	439	156	59	1,979
Male	6,719	-	313	1,379	1,397	1,099	772	486	221	75	28	959
Female	6,709	-	285	1,389	1,346	1,050	796	483	218	81	31	1,020
NORTH CAROLINA	87,401	1	2,621	16,779	20,382	17,291	12,036	6,488	2,985	1,241	844	6,733
White	59,503	-	1,686	11,772	14,869	12,710	8,714	4,605	2,051	846	569	1,681
Male	30,725	-	887	6,060	7,690	6,568	4,474	2,339	1,072	427	304	904
Female	28,778	-	799	5,712	7,179	6,142	4,240	2,236	979	419	265	777
Nonwhite	27,898	1	935	5,007	5,513	4,581	3,322	1,883	934	395	275	5,052
Male	14,196	-	494	2,560	2,791	2,324	1,663	945	488	192	156	2,583
Female	13,702	1	441	2,447	2,722	2,257	1,659	938	446	203	119	2,469
NORTH DAKOTA	13,147	-	146	1,805	2,996	3,207	2,413	1,362	608	230	97	283
White	12,819	-	140	1,765	2,929	3,162	2,358	1,326	585	226	93	235
Male	6,468	-	63	893	1,489	1,623	1,186	642	299	113	47	113
Female	6,351	-	77	872	1,440	1,539	1,172	684	286	113	46	122
Nonwhite	328	-	6	40	67	45	55	36	23	4	4	48
Male	176	-	4	17	39	27	27	19	14	1	3	25
Female	152	-	2	23	28	18	28	17	9	3	1	23
OHIO	132,496	2	2,907	21,324	34,412	32,656	20,987	10,215	3,927	1,339	639	4,088
White	124,619	2	2,540	19,776	32,836	31,275	20,084	9,612	3,631	1,235	582	3,046
Male	64,213	-	1,268	10,192	16,951	16,022	10,420	4,945	1,838	644	306	1,627
Female	60,406	2	1,272	9,584	15,885	15,253	9,664	4,667	1,793	591	276	1,419
Nonwhite	7,877	-	367	1,548	1,576	1,381	903	603	296	104	57	1,042
Male	3,994	-	206	807	764	697	469	310	143	51	21	526
Female	3,883	-	161	741	812	684	434	293	153	53	36	516
OKLAHOMA	43,165	1	1,637	9,071	10,731	8,769	6,007	3,343	1,486	619	486	1,015
White	38,366	-	1,350	8,180	9,809	7,982	5,399	2,921	1,276	521	380	548
Male	19,790	-	673	4,217	5,086	4,145	2,774	1,493	661	259	199	283
Female	18,576	-	677	3,963	4,723	3,837	2,625	1,428	615	262	181	265
Nonwhite	4,799	1	287	891	922	787	608	422	210	98	106	467
Male	2,417	1	129	451	480	406	303	208	107	50	53	229
Female	2,382	-	158	440	442	381	305	214	103	48	53	238

TABLE 6.—LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, RACE, AND SEX OF CHILD	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
OREGON	24,140	[illegible]	[illegible]	4,254	6,548	6,064	3,652	1,794	739	274	105	231
White	[illegible]	[illegible]	[illegible]	4,151	6,394	5,943	3,568	1,754	714	263	96	217
Male	[illegible]	[illegible]	[illegible]	2,182	3,289	3,102	1,862	900	345	145	54	109
Female	[illegible]	[illegible]	214	1,969	3,105	2,841	1,706	854	369	118	42	108
Nonwhite	[illegible]	[illegible]	16	103	154	121	84	40	25	11	9	14
Male	[illegible]	-	11	61	90	61	41	22	11	9	5	8
Female	[illegible]	-	5	42	64	60	43	18	14	2	4	6
PENNSYLVANIA	173,799	5	3,391	26,396	46,394	44,722	28,041	13,905	5,279	1,739	768	3,159
White	162,177	3	2,571	23,879	43,910	42,845	26,675	13,024	4,823	1,599	694	2,154
Male	83,822	2	1,351	12,369	22,724	22,248	13,607	6,752	2,477	815	370	1,107
Female	78,355	1	1,220	11,510	21,186	20,597	13,068	6,272	2,346	784	324	1,047
Nonwhite	11,622	2	820	2,517	2,484	1,877	1,366	881	456	140	74	1,005
Male	5,819	1	417	1,292	1,209	968	663	419	235	66	41	508
Female	5,803	1	403	1,225	1,275	909	703	462	221	74	33	497
RHODE ISLAND	13,635	-	107	2,143	3,643	3,534	2,240	1,006	358	98	41	465
White	13,302	-	100	2,079	3,576	3,489	2,200	990	344	94	35	395
Male	6,802	-	48	1,069	1,845	1,734	1,158	513	183	46	22	184
Female	6,500	-	52	1,010	1,731	1,755	1,042	477	161	48	13	211
Nonwhite	333	-	7	64	67	45	40	16	14	4	6	70
Male	162	-	2	33	33	22	18	4	7	2	2	39
Female	171	-	5	31	34	23	22	12	7	2	4	31
SOUTH CAROLINA	49,431	-	1,259	9,730	11,730	8,961	6,461	3,333	1,612	650	495	5,200
White	26,745	-	715	5,438	7,106	5,609	3,794	1,906	852	344	244	737
Male	13,847	-	374	2,871	3,698	2,884	1,959	977	428	173	112	371
Female	12,898	-	341	2,567	3,408	2,725	1,835	929	424	171	132	366
Nonwhite	22,686	-	544	4,292	4,624	3,352	2,667	1,427	760	306	251	4,463
Male	11,248	-	254	2,090	2,240	1,717	1,330	705	367	145	122	2,278
Female	11,438	-	290	2,202	2,384	1,635	1,337	722	393	161	129	2,185
SOUTH DAKOTA	12,460	-	144	1,978	3,100	2,827	1,999	1,202	531	186	93	400
White	11,785	-	136	1,899	2,985	2,694	1,906	1,128	492	174	75	297
Male	6,077	-	66	976	1,543	1,393	987	594	254	92	35	137
Female	5,709	-	70	923	1,442	1,301	919	534	238	82	40	160
Nonwhite	674	-	8	79	115	133	93	74	39	12	18	103
Male	355	-	7	44	55	70	56	35	20	7	10	51
Female	319	-	1	35	60	63	37	39	19	5	8	52
TENNESSEE	64,966	-	2,221	11,425	14,735	13,193	9,777	5,503	2,538	1,006	837	3,731
White	54,218	-	1,753	9,746	12,863	11,543	8,497	4,699	2,090	830	686	1,511
Male	27,844	-	924	5,092	6,535	5,881	4,379	2,422	1,075	430	354	752
Female	26,374	-	829	4,654	6,328	5,662	4,118	2,277	1,015	400	332	759
Nonwhite	10,748	-	468	1,679	1,872	1,650	1,280	804	448	176	151	2,220
Male	5,408	-	229	840	962	819	625	409	233	91	72	1,128
Female	5,340	-	239	839	910	831	655	395	215	85	79	1,092
TEXAS	157,915	4	4,989	30,471	38,092	33,190	23,511	12,542	5,580	2,002	1,394	6,140
White	138,286	3	4,064	26,963	34,571	30,069	21,040	11,023	4,766	1,683	1,133	2,951
Male	71,242	-	2,043	14,114	17,750	15,524	10,850	5,582	2,461	846	558	1,514
Female	67,044	3	2,021	12,849	16,821	14,565	10,190	5,441	2,305	837	575	1,437
Nonwhite	19,629	1	925	3,508	3,521	3,101	2,471	1,519	814	319	261	3,189
Male	9,856	1	464	1,756	1,756	1,567	1,241	768	413	159	123	1,608
Female	9,773	-	461	1,752	1,765	1,534	1,230	751	401	160	138	1,581
UTAH	15,680	-	282	2,716	4,247	3,812	2,574	1,195	468	147	75	164
White	15,406	-	279	2,675	4,166	3,749	2,541	1,162	458	145	73	158
Male	7,960	-	148	1,409	2,141	1,905	1,337	595	236	74	37	78
Female	7,446	-	131	1,266	2,025	1,844	1,204	567	222	71	36	80
Nonwhite	274	-	3	41	81	63	33	33	10	2	2	6
Male	148	-	2	16	45	35	18	19	6	2	2	3
Female	126	-	1	25	36	28	15	14	4	-	-	3
VERMONT	6,873	-	130	1,109	1,766	1,558	1,140	586	219	87	51	227
White	6,868	-	130	1,109	1,766	1,556	1,140	585	218	87	50	227
Male	3,539	-	75	563	909	811	583	304	119	41	25	109
Female	3,329	-	55	546	857	745	557	281	99	46	25	118
Nonwhite	5	-	-	-	-	2	-	1	1	-	1	-
Male	3	-	-	-	-	2	-	-	1	-	-	-
Female	2	-	-	-	-	-	-	1	-	-	1	-
VIRGINIA	67,068	1	1,850	12,065	16,496	14,668	9,831	5,129	2,203	867	642	3,318
White	50,246	-	946	8,716	12,979	11,903	7,884	3,949	1,587	593	437	1,252
Male	25,809	-	488	4,513	6,681	6,144	4,026	1,996	806	322	213	620
Female	24,437	-	458	4,203	6,298	5,759	3,858	1,953	781	271	224	632
Nonwhite	16,822	1	904	3,349	3,517	2,765	1,947	1,180	616	274	205	2,064
Male	8,562	-	484	1,743	1,806	1,421	960	602	268	125	104	1,049
Female	8,260	1	420	1,606	1,711	1,344	987	578	348	149	101	1,015
WASHINGTON	44,573	-	777	8,273	12,888	10,851	6,389	3,021	1,161	414	198	601
White	43,191	-	735	7,977	12,551	10,563	6,184	2,917	1,123	396	188	557
Male	22,016	-	379	4,075	6,434	5,376	3,134	1,489	530	204	109	286
Female	21,175	-	356	3,902	6,117	5,187	3,050	1,428	593	192	79	271
Nonwhite	1,382	-	42	296	337	288	205	104	38	18	10	44
Male	715	-	21	160	165	151	107	59	20	6	7	19
Female	667	-	21	136	172	137	98	45	18	12	3	25
WEST VIRGINIA	39,039	-	873	6,365	9,012	8,098	5,875	3,427	1,737	705	503	2,444
White	36,902	-	822	6,107	8,659	7,748	5,609	3,214	1,601	640	467	2,035
Male	19,130	-	430	3,225	4,458	3,986	2,903	1,661	813	311	262	1,081
Female	17,772	-	392	2,882	4,201	3,762	2,706	1,553	788	329	205	954
Nonwhite	2,137	-	51	258	353	350	266	213	136	65	36	409
Male	1,089	-	22	131	173	170	136	114	76	32	19	216
Female	1,048	-	29	127	180	180	130	99	60	33	17	193

TABLE 6.–LIVE BIRTHS BY RACE, SEX, AND AGE OF FATHER: UNITED STATES AND EACH STATE, 1945–Continued

[By place of residence]

AREA, RACE, AND SEX OF CHILD	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
WISCONSIN	61,437	–	561	8,370	16,008	16,106	10,412	[illegible]	2,052	674	305	1,598
White	60,704	–	543	8,259	15,878	15,975	10,303	[illegible]	2,019	662	297	1,454
Male	31,398	–	281	4,382	8,119	8,303	5,31[illegible]	[illegible]	[illegible]	323	149	759
Female	29,306	–	262	3,887	7,759	7,672	4,98[illegible]	[illegible]	[illegible]	339	148	695
Nonwhite	733	–	18	101	130	131	109	[illegible]	[illegible]	12	8	134
Male	354	–	6	50	62	64	52	[illegible]	[illegible]	6	1	68
Female	379	–	12	51	68	67	57	[illegible]	[illegible]	6	7	66
WYOMING	5,481	–	120	894	1,458	1,353	828	454	214	76	44	40
White	5,239	–	115	866	1,407	1,311	793	412	195	70	40	30
Male	2,710	–	62	460	723	691	398	207	100	31	24	14
Female	2,529	–	53	406	684	620	395	205	95	39	16	16
Nonwhite	242	–	5	28	51	42	35	42	19	6	4	10
Male	115	–	3	18	24	19	16	19	7	4	1	4
Female	127	–	2	10	27	23	19	23	12	2	3	6

TABLE 7.—LIVE BIRTHS BY SPECIFIED RACE: UNITED STATES AND EACH STATE, 1945

[By place of residence]

AREA	Total births	White	Negro	Indian	Chinese	Japanese	All other
UNITED STATES	2,735,456	2,395,563	324,264	10,172	1,382	2,936	1,139
Alabama	70,321	44,091	26,204	24	1	1	-
Arizona	13,348	11,549	406	1,318	28	30	17
Arkansas	39,628	29,495	10,093	16	14	8	2
California	184,380	173,687	7,442	518	749	1,227	757
Colorado	23,511	22,864	328	39	10	268	2
Connecticut	33,765	32,832	915	4	7	3	4
Delaware	5,984	5,067	901	5	3	-	8
District of Columbia	16,141	10,862	5,242	2	22	2	11
Florida	47,791	35,207	12,551	21	7	3	2
Georgia	74,852	47,493	27,347	6	5	1	-
Idaho	11,501	11,288	8	98	2	103	2
Illinois	138,705	128,577	9,792	26	33	233	44
Indiana	68,444	65,623	2,800	6	6	8	1
Iowa	44,934	44,584	292	35	4	14	5
Kansas	33,624	32,383	1,170	63	3	-	5
Kentucky	60,892	57,654	3,236	1	-	1	-
Louisiana	57,838	35,240	22,494	79	11	2	12
Maine	16,687	16,638	28	18	2	-	1
Maryland	42,791	34,647	8,122	2	11	5	4
Massachusetts	77,054	75,805	1,190	14	45	5	5
Michigan	112,655	105,840	6,807	131	16	54	7
Minnesota	54,656	53,921	142	460	12	111	10
Mississippi	54,263	24,103	30,031	110	17	1	1
Missouri	65,659	60,474	5,150	20	4	5	6
Montana	10,601	9,974	12	581	11	19	4
Nebraska	24,128	23,585	358	150	6	27	2
Nevada	2,851	2,640	60	134	2	14	1
New Hampshire	8,338	8,324	14	-	-	-	-
New Jersey	77,338	71,809	5,481	3	18	25	2
New Mexico	15,306	14,041	130	1,122	2	4	7
New York	234,754	221,326	13,009	204	171	34	10
North Carolina	87,401	59,503	26,848	1,045	2	1	2
North Dakota	13,147	12,819	1	323	3	1	-
Ohio	132,496	124,619	7,782	5	19	65	6
Oklahoma	43,165	38,366	3,025	1,756	4	7	7
Oregon	24,140	23,563	268	174	30	79	26
Pennsylvania	173,799	162,177	11,569	7	19	7	20
Rhode Island	13,635	13,302	325	4	2	1	1
South Carolina	49,431	26,745	22,668	16	1	-	1
South Dakota	12,460	11,786	15	656	2	-	1
Tennessee	64,966	54,218	10,740	4	2	-	2
Texas	157,915	138,286	19,477	45	18	84	5
Utah	15,680	15,406	49	25	5	188	7
Vermont	6,873	6,868	5	-	-	-	-
Virginia	67,068	50,246	16,806	4	5	1	6
Washington	44,573	43,191	646	416	41	162	117
West Virginia	39,039	36,902	2,134	2	1	-	-
Wisconsin	61,437	60,704	323	385	5	16	4
Wyoming	5,481	5,239	28	95	1	116	2

TABLE 8.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1945

[By place of residence]

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
UNITED STATES	2,735,456	236,566	214,692	230,989	215,029	221,984	224,512	240,951	243,155	236,448	230,965	218,052	222,113
Male	1,404,587	121,250	110,059	119,023	110,785	114,144	115,475	123,586	124,902	121,273	118,536	111,660	113,894
Female	1,330,869	115,316	104,633	111,966	104,244	107,840	109,037	117,365	118,253	115,175	112,429	106,392	108,219
White	2,395,563	205,725	186,741	201,783	188,114	194,969	197,495	211,396	213,401	207,437	203,426	190,997	194,079
Male	1,232,972	105,595	95,938	104,230	97,149	100,502	101,772	108,706	109,893	106,574	104,743	98,242	99,526
Female	1,162,591	100,130	90,803	97,553	90,965	94,467	95,723	102,688	103,508	100,863	98,683	92,755	94,453
Nonwhite	339,893	30,841	27,951	29,206	26,915	27,015	27,017	29,555	29,754	29,011	27,539	27,055	28,034
Male	171,615	15,655	14,121	14,793	13,636	13,642	13,703	14,878	15,009	14,699	13,793	13,418	14,268
Female	168,278	15,186	13,830	14,413	13,279	13,373	13,314	14,677	14,745	14,312	13,746	13,637	13,766
ALABAMA	70,321	6,536	5,815	6,087	5,497	5,577	5,488	6,081	6,163	5,959	5,756	5,510	5,853
Male	35,717	3,291	2,986	3,101	2,832	2,843	2,758	3,080	3,140	3,039	2,877	2,769	3,001
Female	34,604	3,245	2,829	2,986	2,665	2,734	2,730	3,001	3,023	2,920	2,879	2,741	2,851
White	44,091	4,115	3,449	3,746	3,393	3,522	3,490	3,834	3,942	3,793	3,664	3,517	3,626
Male	22,558	2,059	1,772	1,926	1,769	1,800	1,779	1,950	2,007	2,001	1,836	1,781	1,878
Female	21,533	2,056	1,677	1,820	1,624	1,722	1,711	1,884	1,935	1,792	1,828	1,736	1,748
Nonwhite	26,230	2,421	2,366	2,341	2,104	2,055	1,998	2,247	2,221	2,166	2,092	1,993	2,226
Male	13,159	1,232	1,214	1,175	1,063	1,043	979	1,130	1,133	1,038	1,041	988	1,123
Female	13,071	1,189	1,152	1,166	1,041	1,012	1,019	1,117	1,088	1,128	1,051	1,005	1,103
ARIZONA	13,348	1,197	1,059	1,132	1,099	1,059	1,047	1,149	1,194	1,204	1,067	1,081	1,060
Male	6,915	621	536	621	574	542	559	585	600	621	578	558	520
Female	6,433	576	523	511	525	517	488	564	594	583	489	523	540
White	11,549	1,024	889	951	925	901	923	1,001	1,034	1,074	953	929	945
Male	5,983	535	443	515	476	464	497	507	516	562	514	487	467
Female	5,566	489	446	436	449	437	426	494	518	512	439	442	478
Nonwhite	1,799	173	170	181	174	158	124	148	160	130	114	152	115
Male	932	86	93	106	98	78	62	78	84	59	64	71	53
Female	867	87	77	75	76	80	62	70	76	71	50	81	62
ARKANSAS	39,628	3,608	3,192	3,176	2,883	2,926	3,163	3,620	3,684	3,583	3,240	3,264	3,289
Male	20,318	1,874	1,625	1,593	1,448	1,512	1,659	1,799	1,935	1,858	1,646	1,670	1,690
Female	19,310	1,734	1,567	1,583	1,435	1,414	1,504	1,821	1,749	1,725	1,594	1,594	1,590
White	29,495	2,666	2,343	2,252	2,045	2,200	2,367	2,701	2,793	2,731	2,474	2,475	2,448
Male	15,190	1,387	1,211	1,126	1,037	1,135	1,267	1,322	1,485	1,429	1,252	1,271	1,268
Female	14,305	1,279	1,132	1,126	1,008	1,065	1,100	1,379	1,308	1,302	1,222	1,204	1,180
Nonwhite	10,133	942	849	924	838	726	796	919	891	852	766	789	841
Male	5,128	487	414	467	411	377	392	477	450	429	394	399	431
Female	5,005	455	435	457	427	349	404	442	441	423	372	390	410
CALIFORNIA	184,380	15,346	13,887	15,436	14,967	15,127	15,181	16,479	16,242	16,042	15,857	14,730	15,086
Male	94,493	7,733	7,210	7,941	7,721	7,777	7,774	8,524	8,166	8,250	8,120	7,556	7,721
Female	89,887	7,613	6,677	7,495	7,246	7,350	7,407	7,955	8,076	7,792	7,737	7,174	7,365
White	173,687	14,467	13,097	14,581	14,063	14,283	14,340	15,478	15,320	15,118	14,925	13,830	14,185
Male	88,992	7,293	6,807	7,498	7,258	7,362	7,350	7,998	7,692	7,745	7,655	7,066	7,248
Female	84,695	7,174	6,290	7,083	6,805	6,921	6,990	7,480	7,628	7,373	7,270	6,744	6,937
Nonwhite	10,693	879	790	855	904	844	841	1,001	922	924	932	900	901
Male	5,501	440	403	443	463	415	424	526	474	505	465	470	473
Female	5,192	439	387	412	441	429	417	475	448	419	467	430	428
COLORADO	23,511	1,974	1,805	1,964	1,901	1,952	2,012	1,990	2,063	2,036	1,921	1,941	1,953
Male	12,022	1,013	919	1,016	969	998	1,044	1,003	1,055	1,035	971	960	1,019
Female	11,489	961	886	948	932	954	968	987	1,008	1,001	950	961	933
White	22,864	1,926	1,752	1,904	1,850	1,905	1,967	1,949	2,004	1,977	1,858	1,877	1,895
Male	11,693	986	891	988	948	970	1,018	986	1,028	1,009	928	949	992
Female	11,171	940	861	916	902	935	949	963	976	968	930	928	903
Nonwhite	647	48	53	60	51	47	45	41	59	59	63	64	57
Male	329	27	28	28	21	28	26	17	27	26	43	31	27
Female	318	21	25	32	30	19	19	24	32	33	20	33	30
CONNECTICUT	33,765	2,812	2,510	2,964	2,816	2,744	2,850	2,857	2,991	2,943	2,882	2,678	2,718
Male	17,381	1,448	1,325	1,513	1,438	1,434	1,447	1,502	1,535	1,476	1,452	1,351	1,460
Female	16,384	1,364	1,185	1,451	1,378	1,310	1,403	1,355	1,456	1,467	1,430	1,327	1,258
White	32,832	2,741	2,442	2,885	2,751	2,675	2,752	2,780	2,912	2,857	2,791	2,598	2,648
Male	16,908	1,406	1,286	1,475	1,407	1,395	1,392	1,468	1,490	1,434	1,414	1,317	1,424
Female	15,924	1,335	1,156	1,410	1,344	1,280	1,360	1,312	1,422	1,423	1,377	1,281	1,224
Nonwhite	933	71	68	79	65	69	98	77	79	86	91	80	70
Male	473	42	39	38	31	39	55	34	45	42	38	34	36
Female	460	29	29	41	34	30	43	43	34	44	53	46	34
DELAWARE	5,984	523	448	492	482	480	487	531	602	488	477	496	478
Male	3,093	272	220	282	244	262	248	270	302	229	252	260	253
Female	2,891	251	228	210	238	218	239	261	300	259	225	236	226
White	5,067	436	380	423	394	410	411	440	511	426	413	424	399
Male	2,635	232	187	247	205	226	207	225	261	200	216	221	208
Female	2,432	204	193	176	189	184	204	215	250	226	197	203	191
Nonwhite	917	87	68	69	88	70	76	91	91	62	64	72	79
Male	458	40	33	35	39	36	41	45	41	29	36	39	44
Female	459	47	35	34	49	34	35	46	50	33	28	33	35
DISTRICT OF COLUMBIA	16,141	1,436	1,262	1,339	1,158	1,296	1,362	1,422	1,397	1,441	1,356	1,336	1,336
Male	8,216	726	666	656	574	676	687	725	699	739	701	666	701
Female	7,925	710	596	683	584	620	675	697	698	702	655	670	635
White	10,862	911	842	905	738	882	933	994	943	1,005	932	869	908
Male	5,561	470	440	451	364	454	457	508	480	521	490	449	477
Female	5,301	441	402	454	374	428	476	486	463	484	442	420	431
Nonwhite	5,279	525	420	434	420	414	429	428	454	436	424	467	428
Male	2,655	256	226	205	210	222	230	217	219	218	211	217	224
Female	2,624	269	194	229	210	192	199	211	235	218	213	250	204
FLORIDA	47,791	4,274	3,781	3,847	3,353	3,371	3,250	3,986	4,768	4,649	4,379	4,065	4,068
Male	24,429	2,137	1,941	1,959	1,679	1,762	1,722	2,015	2,456	2,366	2,255	2,069	2,068
Female	23,362	2,137	1,840	1,888	1,674	1,609	1,528	1,971	2,312	2,283	2,124	1,996	2,000
White	35,207	3,139	2,770	2,804	2,488	2,510	2,394	2,925	3,490	3,456	3,261	2,999	2,971
Male	18,132	1,581	1,439	1,420	1,268	1,314	1,265	1,501	1,841	1,781	1,684	1,520	1,518
Female	17,075	1,558	1,331	1,384	1,220	1,196	1,129	1,424	1,649	1,675	1,577	1,479	1,453
Nonwhite	12,584	1,135	1,011	1,043	865	861	856	1,061	1,278	1,193	1,118	1,066	1,097
Male	6,297	556	502	539	411	448	457	514	615	585	571	549	550
Female	6,287	579	509	504	454	413	399	547	663	608	547	517	547

TABLE 8.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
GEORGIA	74,852	6,700	6,124	6,278	5,923	5,982	5,737	6,264	6,467	6,668	6,404	6,010	6,295
Male	38,266	3,494	3,112	3,241	3,052	3,004	2,952	3,203	3,330	3,403	3,267	3,013	3,165
Female	36,586	3,206	3,012	3,037	2,871	2,948	2,785	3,061	3,137	3,265	3,137	2,997	3,130
White	47,493	4,264	3,830	3,895	3,692	3,769	3,645	4,076	4,171	4,215	4,072	3,865	3,999
Male	24,319	2,260	1,947	2,048	1,893	1,898	1,880	2,130	2,151	2,142	2,064	1,956	1,950
Female	23,174	2,004	1,883	1,847	1,799	1,871	1,765	1,946	2,020	2,073	2,008	1,909	2,049
Nonwhite	27,359	2,436	2,294	2,383	2,231	2,213	2,092	2,188	2,296	2,453	2,332	2,145	2,296
Male	13,947	1,234	1,165	1,193	1,159	1,136	1,072	1,073	1,179	1,261	1,203	1,057	1,215
Female	13,412	1,202	1,129	1,190	1,072	1,077	1,020	1,115	1,117	1,192	1,129	1,088	1,081
IDAHO	11,501	934	857	1,022	959	993	960	948	1,026	982	925	924	971
Male	5,791	475	452	496	492	500	472	471	520	494	473	458	488
Female	5,710	459	405	526	467	493	488	477	506	488	452	466	483
White	11,288	915	846	991	942	979	943	925	1,012	966	908	908	953
Male	5,679	468	444	479	485	493	462	458	513	484	467	449	477
Female	5,609	447	402	512	457	486	481	467	499	482	441	459	476
Nonwhite	213	19	11	31	17	14	17	23	14	16	17	16	18
Male	112	7	8	17	7	7	10	13	7	10	6	9	11
Female	101	12	3	14	10	7	7	10	7	6	11	7	7
ILLINOIS	138,705	11,795	10,625	11,254	10,590	11,593	11,699	12,597	12,638	11,737	11,759	11,087	11,331
Male	71,357	6,023	5,505	5,814	5,487	5,885	5,987	6,445	6,532	6,104	6,093	5,662	5,820
Female	67,348	5,772	5,120	5,440	5,103	5,708	5,712	6,152	6,106	5,633	5,666	5,425	5,511
White	128,577	10,905	9,818	10,446	9,825	10,786	10,870	11,679	11,707	10,889	10,944	10,244	10,464
Male	66,218	5,578	5,113	5,412	5,081	5,504	5,554	5,975	6,057	5,670	5,672	5,209	5,393
Female	62,359	5,327	4,705	5,034	4,744	5,282	5,316	5,704	5,650	5,219	5,272	5,035	5,071
Nonwhite	10,128	890	807	808	765	807	829	918	931	848	815	843	867
Male	5,139	445	392	402	406	381	433	470	475	434	421	453	427
Female	4,989	445	415	406	359	426	396	448	456	414	394	390	440
INDIANA	68,444	5,935	5,306	5,690	5,256	5,431	5,764	6,266	6,148	5,915	5,732	5,389	5,612
Male	35,336	3,051	2,757	3,028	2,703	2,858	2,957	3,237	3,155	2,953	2,936	2,803	2,898
Female	33,108	2,884	2,549	2,662	2,553	2,573	2,807	3,029	2,993	2,962	2,796	2,586	2,714
White	65,623	5,693	5,105	5,452	5,013	5,201	5,529	6,016	5,886	5,697	5,494	5,171	5,366
Male	33,920	2,919	2,665	2,898	2,576	2,748	2,830	3,109	3,036	2,848	2,823	2,693	2,775
Female	31,703	2,774	2,440	2,554	2,437	2,453	2,699	2,907	2,850	2,849	2,671	2,478	2,591
Nonwhite	2,821	242	201	238	243	230	235	250	262	218	238	218	246
Male	1,416	132	92	130	127	110	127	128	119	105	113	110	123
Female	1,405	110	109	108	116	120	108	122	143	113	125	108	123
IOWA	44,934	3,833	3,595	3,670	3,518	3,858	3,643	3,983	3,979	3,761	3,815	3,594	3,685
Male	22,940	1,986	1,798	1,904	1,813	1,998	1,871	2,013	2,022	1,929	1,890	1,825	1,901
Female	21,994	1,847	1,797	1,766	1,705	1,860	1,772	1,970	1,957	1,832	1,935	1,769	1,784
White	44,584	3,809	3,570	3,641	3,486	3,829	3,620	3,948	3,943	3,731	3,787	3,564	3,656
Male	22,781	1,975	1,783	1,886	1,801	1,985	1,860	1,997	2,008	1,917	1,871	1,812	1,886
Female	21,803	1,834	1,787	1,755	1,685	1,844	1,760	1,951	1,935	1,814	1,916	1,752	1,770
Nonwhite	350	24	25	29	32	29	23	35	36	30	28	30	29
Male	159	11	15	18	12	13	11	16	14	12	9	13	15
Female	191	13	10	11	20	16	12	19	22	18	19	17	14
KANSAS	33,624	2,954	2,644	2,777	2,697	2,588	2,722	3,030	3,036	2,875	2,924	2,677	2,700
Male	17,410	1,537	1,347	1,480	1,374	1,339	1,414	1,580	1,605	1,499	1,529	1,311	1,395
Female	16,214	1,417	1,297	1,297	1,323	1,249	1,308	1,450	1,431	1,376	1,395	1,366	1,305
White	32,383	2,843	2,544	2,683	2,593	2,491	2,618	2,920	2,928	2,773	2,813	2,579	2,598
Male	16,787	1,482	1,298	1,432	1,321	1,283	1,371	1,524	1,547	1,443	1,472	1,273	1,341
Female	15,596	1,361	1,246	1,251	1,272	1,208	1,247	1,396	1,381	1,330	1,341	1,306	1,257
Nonwhite	1,241	111	100	94	104	97	104	110	108	102	111	98	102
Male	623	55	49	48	53	56	43	56	58	56	57	38	54
Female	618	56	51	46	51	41	61	54	50	46	54	60	48
KENTUCKY	60,892	5,292	4,943	5,184	4,830	5,158	4,973	5,375	5,353	5,302	4,889	4,736	4,857
Male	31,356	2,722	2,571	2,657	2,486	2,649	2,579	2,750	2,776	2,749	2,496	2,404	2,517
Female	29,536	2,570	2,372	2,527	2,344	2,509	2,394	2,625	2,577	2,553	2,393	2,332	2,340
White	57,654	5,033	4,665	4,913	4,582	4,862	4,691	5,096	5,063	5,022	4,649	4,473	4,605
Male	29,712	2,591	2,425	2,515	2,359	2,511	2,434	2,608	2,633	2,611	2,382	2,269	2,374
Female	27,942	2,442	2,240	2,398	2,223	2,351	2,257	2,488	2,430	2,411	2,267	2,204	2,231
Nonwhite	3,238	259	278	271	248	296	282	279	290	280	240	263	252
Male	1,644	131	146	142	127	138	145	142	143	138	114	135	143
Female	1,594	128	132	129	121	158	137	137	147	142	126	128	109
LOUISIANA	57,838	5,498	4,674	4,628	3,853	3,929	4,241	5,038	5,631	5,426	5,186	4,869	4,865
Male	29,332	2,787	2,375	2,343	1,986	1,983	2,157	2,511	2,862	2,745	2,654	2,430	2,499
Female	28,506	2,711	2,299	2,285	1,867	1,946	2,084	2,527	2,769	2,681	2,532	2,439	2,366
White	35,240	3,337	2,833	2,759	2,258	2,307	2,512	3,062	3,483	3,412	3,292	2,989	2,996
Male	18,041	1,650	1,460	1,431	1,176	1,179	1,276	1,533	1,797	1,762	1,719	1,496	1,562
Female	17,199	1,687	1,373	1,328	1,082	1,128	1,236	1,529	1,686	1,650	1,573	1,493	1,434
Nonwhite	22,598	2,161	1,841	1,869	1,595	1,622	1,729	1,976	2,148	2,014	1,894	1,880	1,869
Male	11,291	1,137	915	912	810	804	881	978	1,065	983	935	934	937
Female	11,307	1,024	926	957	785	818	848	998	1,083	1,031	959	946	932
MAINE	16,687	1,448	1,307	1,487	1,353	1,377	1,395	1,450	1,381	1,495	1,389	1,269	1,336
Male	8,693	762	666	778	691	696	712	749	759	785	721	673	701
Female	7,994	686	641	709	662	681	683	701	622	710	668	596	635
White	16,638	1,441	1,301	1,481	1,353	1,370	1,390	1,448	1,380	1,492	1,386	1,265	1,331
Male	8,665	758	661	774	691	693	711	747	759	784	719	670	698
Female	7,973	683	640	707	662	677	679	701	621	708	667	595	633
Nonwhite	49	7	6	6	-	7	5	2	1	3	3	4	5
Male	28	4	5	4	-	3	1	2	-	1	2	3	3
Female	21	3	1	2	-	4	4	-	1	2	1	1	2
MARYLAND	42,791	3,723	3,399	3,769	3,229	3,430	3,506	3,867	3,883	3,701	3,573	3,289	3,422
Male	21,964	1,887	1,754	1,903	1,636	1,809	1,816	1,986	1,984	1,909	1,827	1,707	1,746
Female	20,827	1,836	1,645	1,866	1,593	1,621	1,690	1,881	1,899	1,792	1,746	1,582	1,676
White	34,647	3,024	2,748	3,052	2,593	2,811	2,875	3,124	3,141	2,971	2,934	2,670	2,704
Male	17,809	1,533	1,425	1,540	1,329	1,476	1,489	1,613	1,624	1,518	1,496	1,379	1,387
Female	16,838	1,491	1,323	1,512	1,264	1,335	1,386	1,511	1,517	1,453	1,438	1,291	1,317
Nonwhite	8,144	699	651	717	636	619	631	743	742	730	639	619	718
Male	4,155	354	329	363	307	333	327	373	360	391	331	328	359
Female	3,989	345	322	354	329	286	304	370	382	339	308	291	359

TABLE 8.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
MASSACHUSETTS	77,064	6,498	5,999	6,938	6,400	6,313	6,451	6,673	6,597	6,465	6,565	6,016	6,149
Male	39,826	3,410	3,016	3,641	3,288	3,280	3,289	3,390	3,471	3,347	3,396	3,113	3,185
Female	37,238	3,088	2,983	3,297	3,112	3,033	3,162	3,283	3,126	3,118	3,169	2,903	2,964
White	75,805	6,409	5,878	6,821	6,302	6,213	6,341	6,561	6,496	6,350	6,454	5,919	6,061
Male	39,188	3,363	2,954	3,581	3,244	3,227	3,233	3,336	3,419	3,290	3,335	3,066	3,140
Female	36,617	3,046	2,924	3,240	3,058	2,986	3,108	3,225	3,077	3,060	3,119	2,853	2,921
Nonwhite	1,259	89	121	117	98	100	110	112	101	115	111	97	88
Male	638	47	62	60	44	53	56	54	52	57	61	47	45
Female	621	42	59	57	54	47	54	58	49	58	50	50	43
MICHIGAN	112,655	9,538	8,773	9,446	8,863	9,605	9,645	10,104	9,939	9,367	9,370	8,916	9,089
Male	57,758	4,912	4,503	4,865	4,487	5,032	4,932	5,172	5,056	4,837	4,760	4,621	4,581
Female	54,897	4,626	4,270	4,581	4,376	4,573	4,713	4,932	4,883	4,530	4,610	4,295	4,508
White	105,840	8,972	8,241	8,894	8,345	9,038	9,082	9,503	9,291	8,776	8,824	8,336	8,538
Male	54,346	4,624	4,233	4,603	4,236	4,731	4,660	4,893	4,718	4,544	4,487	4,315	4,302
Female	51,494	4,348	4,008	4,291	4,109	4,307	4,422	4,610	4,573	4,232	4,337	4,021	4,236
Nonwhite	6,815	566	532	552	518	567	563	601	648	591	546	580	551
Male	3,412	288	270	262	251	301	272	279	338	293	273	306	279
Female	3,403	278	262	290	267	266	291	322	310	298	273	274	272
MINNESOTA	54,656	4,492	4,157	4,711	4,509	4,701	4,649	4,710	4,816	4,597	4,607	4,336	4,371
Male	27,998	2,303	2,139	2,414	2,300	2,403	2,361	2,379	2,461	2,388	2,367	2,249	2,234
Female	26,658	2,189	2,018	2,297	2,209	2,298	2,288	2,331	2,355	2,209	2,240	2,087	2,137
White	53,921	4,419	4,105	4,637	4,453	4,642	4,589	4,643	4,744	4,542	4,551	4,277	4,319
Male	27,628	2,275	2,113	2,374	2,277	2,373	2,331	2,344	2,417	2,358	2,335	2,222	2,209
Female	26,293	2,144	1,992	2,263	2,176	2,269	2,258	2,299	2,327	2,184	2,216	2,055	2,110
Nonwhite	735	73	52	74	56	59	60	67	72	55	56	59	52
Male	370	28	26	40	23	30	30	35	44	30	32	27	25
Female	365	45	26	34	33	29	30	32	28	25	24	32	27
MISSISSIPPI	54,263	5,091	4,587	4,597	4,033	4,208	4,104	4,694	4,856	4,644	4,487	4,283	4,679
Male	27,607	2,645	2,346	2,350	2,071	2,109	2,057	2,454	2,470	2,386	2,260	2,104	2,355
Female	26,656	2,446	2,241	2,247	1,962	2,099	2,047	2,240	2,386	2,258	2,227	2,179	2,324
White	24,103	2,207	2,083	1,943	1,616	1,781	1,754	2,148	2,324	2,131	2,047	1,989	2,060
Male	12,285	1,149	1,076	993	805	877	870	1,142	1,228	1,058	1,044	1,013	1,030
Female	11,818	1,058	1,007	950	811	904	884	1,006	1,096	1,073	1,003	976	1,050
Nonwhite	30,160	2,884	2,504	2,654	2,417	2,427	2,350	2,546	2,532	2,513	2,440	2,294	2,590
Male	15,322	1,496	1,270	1,357	1,266	1,232	1,187	1,312	1,242	1,328	1,216	1,091	1,325
Female	14,838	1,388	1,234	1,297	1,151	1,195	1,163	1,234	1,290	1,185	1,224	1,203	1,274
MISSOURI	65,659	5,790	5,182	5,351	4,951	5,196	5,373	5,859	5,948	5,697	5,581	5,230	5,501
Male	33,736	2,967	2,635	2,701	2,578	2,689	2,732	3,070	3,042	2,901	2,870	2,708	2,843
Female	31,923	2,823	2,547	2,650	2,373	2,507	2,641	2,789	2,906	2,796	2,711	2,522	2,658
White	60,474	5,342	4,748	4,894	4,557	4,769	4,944	5,401	5,476	5,284	5,160	4,827	5,072
Male	31,103	2,749	2,422	2,464	2,358	2,484	2,502	2,813	2,820	2,691	2,663	2,519	2,618
Female	29,371	2,593	2,326	2,430	2,199	2,285	2,442	2,588	2,656	2,593	2,497	2,308	2,454
Nonwhite	5,185	448	434	457	394	427	429	458	472	413	421	403	429
Male	2,633	218	213	237	220	205	230	257	222	210	207	189	225
Female	2,552	230	221	220	174	222	199	201	250	203	214	214	204
MONTANA	10,601	880	777	931	882	934	905	969	897	938	836	835	817
Male	5,484	451	432	479	458	492	476	495	503	477	416	406	399
Female	5,117	429	345	452	424	442	429	474	394	461	420	429	418
White	9,974	814	705	880	835	877	855	913	857	881	792	788	777
Male	5,151	414	387	452	422	463	448	469	483	451	399	382	381
Female	4,823	400	318	428	413	414	407	444	374	430	393	406	396
Nonwhite	627	66	72	51	47	57	50	56	40	57	44	47	40
Male	333	37	45	27	36	29	28	26	20	26	17	24	18
Female	294	29	27	24	11	28	22	30	20	31	27	23	22
NEBRASKA	24,128	2,090	1,884	2,049	1,887	1,964	2,011	2,114	2,050	2,035	2,094	1,908	2,042
Male	12,459	1,078	961	1,049	1,006	1,002	1,027	1,081	1,095	1,021	1,087	1,003	1,049
Female	11,669	1,012	923	1,000	881	962	984	1,033	955	1,014	1,007	905	993
White	23,585	2,046	1,841	2,001	1,853	1,920	1,961	2,063	2,004	2,004	2,040	1,859	1,993
Male	12,205	1,059	940	1,028	985	986	1,002	1,051	1,072	1,007	1,064	983	1,028
Female	11,380	987	901	973	868	934	959	1,012	932	997	976	876	965
Nonwhite	543	44	43	48	34	44	50	51	46	31	54	49	49
Male	254	19	21	21	21	16	25	30	23	14	23	20	21
Female	289	25	22	27	13	28	25	21	23	17	31	29	28
NEVADA	2,851	225	193	226	219	239	243	274	268	240	229	237	258
Male	1,445	121	102	123	107	127	129	136	134	111	103	119	133
Female	1,406	104	91	103	112	112	114	138	134	129	126	118	125
White	2,640	207	172	214	207	226	227	255	245	217	209	219	242
Male	1,338	111	91	116	101	121	121	124	123	104	96	107	123
Female	1,302	96	81	98	106	105	106	131	122	113	113	112	119
Nonwhite	211	18	21	12	12	13	16	19	23	23	20	18	16
Male	107	10	11	7	6	6	8	12	11	7	7	12	10
Female	104	8	10	5	6	7	8	7	12	16	13	6	6
NEW HAMPSHIRE	8,338	719	596	738	659	702	700	719	726	684	742	657	696
Male	4,359	382	285	405	347	375	392	364	377	352	384	334	362
Female	3,979	337	311	333	312	327	308	355	349	332	358	323	334
White	8,324	716	595	738	657	700	699	717	725	683	741	657	696
Male	4,352	379	285	405	346	374	392	363	377	351	384	334	362
Female	3,972	337	310	333	311	326	307	354	348	332	357	323	334
Nonwhite	14	3	1	-	2	2	1	2	1	1	1	-	-
Male	7	3	-	-	1	1	-	1	-	1	-	-	-
Female	7	-	1	-	1	1	1	1	1	-	1	-	-
NEW JERSEY	77,338	6,463	6,034	6,597	6,180	6,280	6,565	6,876	6,742	6,747	6,545	6,197	6,112
Male	39,670	3,353	3,017	3,386	3,189	3,163	3,420	3,540	3,459	3,423	3,394	3,187	3,139
Female	37,668	3,110	3,017	3,211	2,991	3,117	3,145	3,336	3,283	3,324	3,151	3,010	2,973
White	71,809	6,030	5,630	6,127	5,762	5,849	6,107	6,350	6,274	6,243	6,053	5,707	5,677
Male	36,839	3,132	2,802	3,150	2,970	2,954	3,173	3,277	3,232	3,175	3,130	2,921	2,923
Female	34,970	2,898	2,828	2,977	2,792	2,895	2,934	3,073	3,042	3,068	2,923	2,786	2,754
Nonwhite	5,529	433	404	470	418	431	458	526	468	504	492	490	435
Male	2,831	221	215	236	219	209	247	263	227	248	264	266	216
Female	2,698	212	189	234	199	222	211	263	241	256	228	224	219

TABLE 8.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
NEW MEXICO	15,306	1,383	1,211	1,319	1,257	1,309	1,277	1,380	1,328	1,297	1,187	1,151	1,207
Male	7,840	708	628	717	615	646	664	708	654	655	615	607	623
Female	7,466	675	583	602	642	663	613	672	674	642	572	544	584
White	14,041	1,257	1,107	1,204	1,155	1,180	1,184	1,273	1,218	1,192	1,098	1,053	1,120
Male	7,233	642	582	663	567	590	623	659	606	602	562	561	576
Female	6,808	615	525	541	588	590	561	614	612	590	536	492	544
Nonwhite	1,265	126	104	115	102	129	93	107	110	105	89	98	87
Male	607	66	46	54	48	56	41	49	48	53	53	46	47
Female	658	60	58	61	54	73	52	58	62	52	36	52	40
NEW YORK	234,754	19,295	18,304	20,397	19,140	19,677	20,174	20,420	20,262	19,682	19,746	18,608	19,049
Male	120,811	9,827	9,487	10,554	9,895	10,191	10,444	10,495	10,280	10,114	10,152	9,618	9,754
Female	113,943	9,468	8,817	9,843	9,245	9,486	9,730	9,925	9,982	9,568	9,594	8,990	9,295
White	221,326	18,205	17,244	19,300	18,114	18,588	19,010	19,277	19,137	18,490	18,618	17,475	17,868
Male	114,032	9,304	8,993	9,987	9,352	9,639	9,845	9,940	9,696	9,505	9,604	9,072	9,155
Female	107,234	8,901	8,251	9,313	8,762	8,949	9,165	9,337	9,441	8,985	9,014	8,403	8,713
Nonwhite	13,428	1,090	1,060	1,097	1,026	1,089	1,164	1,143	1,125	1,192	1,128	1,133	1,181
Male	6,719	523	494	567	543	552	599	555	584	609	548	546	599
Female	6,709	567	566	530	483	537	565	588	541	583	580	587	582
NORTH CAROLINA	87,401	7,784	7,116	7,614	7,196	7,243	7,000	7,411	7,616	7,691	7,070	6,756	6,904
Male	44,921	3,996	3,629	3,970	3,709	3,716	3,576	3,856	3,913	3,880	3,639	3,437	3,600
Female	42,480	3,788	3,487	3,644	3,487	3,527	3,424	3,555	3,703	3,811	3,431	3,319	3,304
White	59,503	5,156	4,795	5,086	4,895	4,842	4,724	4,995	5,377	5,331	4,928	4,657	4,717
Male	30,725	2,666	2,441	2,652	2,547	2,508	2,446	2,589	2,770	2,683	2,556	2,390	2,477
Female	28,778	2,490	2,354	2,434	2,348	2,334	2,278	2,406	2,607	2,648	2,372	2,267	2,240
Nonwhite	27,898	2,628	2,321	2,528	2,301	2,401	2,276	2,416	2,239	2,360	2,142	2,099	2,187
Male	14,196	1,330	1,188	1,318	1,162	1,208	1,130	1,267	1,143	1,197	1,083	1,047	1,123
Female	13,702	1,298	1,133	1,210	1,139	1,193	1,146	1,149	1,096	1,163	1,059	1,052	1,064
NORTH DAKOTA	13,147	1,108	1,010	1,179	1,093	1,143	1,138	1,028	1,120	1,098	1,157	1,041	1,032
Male	6,644	572	503	610	552	602	544	501	558	557	585	511	549
Female	6,503	536	507	569	541	541	594	527	562	541	572	530	483
White	12,819	1,082	986	1,143	1,062	1,121	1,106	1,005	1,091	1,073	1,133	1,018	999
Male	6,468	562	489	593	532	590	526	488	546	541	573	497	531
Female	6,351	520	497	550	530	531	580	517	545	532	560	521	468
Nonwhite	328	26	24	36	31	22	32	23	29	25	24	23	33
Male	176	10	14	17	20	12	18	13	12	16	12	14	18
Female	152	16	10	19	11	10	14	10	17	9	12	9	15
OHIO	132,496	11,042	10,084	10,889	10,494	10,856	11,330	11,977	12,071	11,493	11,082	10,567	10,611
Male	68,207	5,625	5,212	5,610	5,441	5,552	5,812	6,261	6,127	5,974	5,751	5,414	5,428
Female	64,289	5,417	4,872	5,279	5,053	5,304	5,518	5,716	5,944	5,519	5,331	5,153	5,183
White	124,619	10,385	9,463	10,229	9,859	10,212	10,671	11,304	11,362	10,796	10,452	9,904	9,982
Male	64,213	5,284	4,878	5,272	5,130	5,213	5,492	5,916	5,753	5,624	5,449	5,081	5,121
Female	60,406	5,101	4,585	4,957	4,729	4,999	5,179	5,388	5,609	5,172	5,003	4,823	4,861
Nonwhite	7,877	657	621	660	635	644	659	673	709	697	630	663	629
Male	3,994	341	334	338	311	339	320	345	374	350	302	333	307
Female	3,883	316	287	322	324	305	339	328	335	347	328	330	322
OKLAHOMA	43,165	4,016	3,583	3,424	3,118	3,150	3,407	3,930	3,927	3,764	3,704	3,592	3,550
Male	22,207	1,991	1,843	1,807	1,646	1,629	1,739	1,992	2,038	1,951	1,930	1,796	1,845
Female	20,958	2,025	1,740	1,617	1,472	1,521	1,668	1,938	1,889	1,813	1,774	1,796	1,705
White	38,366	3,554	3,181	2,997	2,749	2,791	3,002	3,461	3,519	3,357	3,355	3,217	3,183
Male	19,790	1,766	1,640	1,587	1,478	1,453	1,528	1,751	1,829	1,741	1,750	1,613	1,654
Female	18,576	1,788	1,541	1,410	1,271	1,338	1,474	1,710	1,690	1,616	1,605	1,604	1,529
Nonwhite	4,799	462	402	427	369	359	405	469	408	407	349	375	367
Male	2,417	225	203	220	168	176	211	241	209	210	180	183	191
Female	2,382	237	199	207	201	183	194	228	199	197	169	192	176
OREGON	24,140	2,016	1,889	2,057	2,029	2,130	2,044	2,089	2,057	1,998	1,941	1,846	2,044
Male	12,556	1,053	983	1,071	1,033	1,099	1,064	1,059	1,087	1,047	1,038	987	1,035
Female	11,584	963	906	986	996	1,031	990	1,030	970	951	903	859	1,009
White	23,563	1,960	1,847	2,008	1,986	2,072	1,998	2,032	2,007	1,966	1,896	1,794	1,997
Male	12,237	1,019	957	1,049	1,009	1,065	1,039	1,025	1,064	1,028	1,019	953	1,010
Female	11,326	941	890	959	977	1,007	959	1,007	943	938	877	841	987
Nonwhite	577	56	42	49	43	58	46	57	50	32	45	52	47
Male	319	34	26	22	24	34	25	34	23	19	19	34	25
Female	258	22	16	27	19	24	21	23	27	13	26	18	22
PENNSYLVANIA	173,799	14,708	13,515	14,823	13,687	14,257	14,755	15,340	15,317	14,882	14,745	13,796	13,974
Male	89,641	7,497	6,908	7,656	7,098	7,339	7,608	7,966	7,942	7,671	7,595	7,086	7,275
Female	84,158	7,211	6,607	7,167	6,589	6,918	7,147	7,374	7,375	7,211	7,150	6,710	6,699
White	162,177	13,718	12,616	13,898	12,790	13,347	13,707	14,297	14,257	13,957	13,768	12,828	12,994
Male	83,822	6,996	6,463	7,174	6,659	6,884	7,095	7,451	7,403	7,205	7,105	6,608	6,779
Female	78,355	6,722	6,153	6,724	6,131	6,463	6,612	6,846	6,854	6,752	6,663	6,220	6,215
Nonwhite	11,622	990	899	925	897	910	1,048	1,043	1,060	925	977	968	980
Male	5,819	501	445	482	439	455	513	515	539	466	490	478	496
Female	5,803	489	454	443	458	455	535	528	521	459	487	490	484
RHODE ISLAND	13,635	1,143	1,067	1,154	1,146	1,131	1,137	1,168	1,147	1,182	1,117	1,125	1,118
Male	6,964	596	558	605	578	569	586	604	589	594	565	584	536
Female	6,671	547	509	549	568	562	551	564	558	588	552	541	582
White	13,302	1,121	1,043	1,126	1,123	1,101	1,114	1,138	1,116	1,148	1,085	1,093	1,094
Male	6,802	587	548	587	568	553	575	590	577	576	551	568	522
Female	6,500	534	495	539	555	548	539	548	539	572	534	525	572
Nonwhite	333	22	24	28	23	30	23	30	31	34	32	32	24
Male	162	9	10	18	10	16	11	14	12	18	14	16	14
Female	171	13	14	10	13	14	12	16	19	16	18	16	10
SOUTH CAROLINA	49,431	4,650	4,008	4,238	4,104	4,059	3,936	4,287	4,479	4,238	3,910	3,757	3,765
Male	25,095	2,349	2,000	2,141	2,057	2,058	2,021	2,174	2,345	2,139	1,956	1,811	1,944
Female	24,336	2,301	2,008	2,097	2,047	2,001	1,915	2,113	2,134	2,099	1,954	1,846	1,821
White	26,745	2,387	2,090	2,277	2,134	2,165	2,125	2,364	2,459	2,407	2,193	2,111	2,033
Male	13,847	1,231	1,061	1,172	1,084	1,110	1,135	1,237	1,299	1,219	1,132	1,108	1,059
Female	12,898	1,156	1,029	1,105	1,050	1,055	990	1,127	1,160	1,188	1,061	1,003	974
Nonwhite	22,686	2,263	1,918	1,961	1,970	1,894	1,811	1,923	2,020	1,831	1,717	1,646	1,732
Male	11,248	1,118	939	969	973	948	886	937	1,046	920	824	803	885
Female	11,438	1,145	979	992	997	946	925	986	974	911	893	843	847

TABLE 8.—LIVE BIRTHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence]

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
SOUTH DAKOTA	12,460	1,058	987	1,157	994	1,067	992	1,128	1,051	1,070	982	971	1,003
Male	6,432	526	517	615	535	554	491	577	548	553	514	500	502
Female	6,028	532	470	542	459	513	501	551	503	517	468	471	501
White	11,786	993	927	1,091	928	1,007	934	1,069	986	1,020	939	934	958
Male	6,077	498	481	578	500	517	466	550	509	523	495	483	477
Female	5,709	495	446	513	428	490	468	519	477	497	444	451	481
Nonwhite	674	65	60	66	66	60	58	59	65	50	43	37	45
Male	355	28	36	37	35	37	25	27	39	30	19	17	25
Female	319	37	24	29	31	23	33	32	26	20	24	20	20
TENNESSEE	64,966	5,672	5,196	5,578	5,147	5,330	5,399	5,586	5,625	5,613	5,442	5,212	5,166
Male	33,252	2,961	2,676	2,846	2,663	2,725	2,791	2,791	2,854	2,857	2,782	2,696	2,610
Female	31,714	2,711	2,520	2,732	2,484	2,605	2,608	2,795	2,771	2,756	2,660	2,516	2,556
White	54,218	4,708	4,308	4,624	4,274	4,407	4,501	4,622	4,756	4,744	4,596	4,357	4,321
Male	27,844	2,462	2,224	2,361	2,223	2,278	2,319	2,298	2,437	2,412	2,363	2,291	2,176
Female	26,374	2,246	2,084	2,263	2,051	2,129	2,182	2,324	2,319	2,332	2,233	2,066	2,145
Nonwhite	10,748	964	888	954	873	923	898	964	869	869	846	855	845
Male	5,408	499	452	485	440	447	472	493	417	445	419	405	434
Female	5,340	465	436	469	433	476	426	471	452	424	427	450	411
TEXAS	157,915	14,620	12,720	12,598	10,981	10,950	12,002	13,959	14,831	14,549	14,170	13,339	13,196
Male	81,098	7,603	6,442	6,437	5,727	5,619	6,239	7,128	7,638	7,403	7,287	6,903	6,672
Female	76,817	7,017	6,278	6,161	5,254	5,331	5,763	6,831	7,193	7,146	6,883	6,436	6,524
White	138,286	12,753	11,056	11,026	9,633	9,549	10,477	12,205	13,001	12,760	12,518	11,765	11,543
Male	71,242	6,642	5,605	5,652	5,046	4,937	5,479	6,268	6,698	6,486	6,461	6,112	5,856
Female	67,044	6,111	5,451	5,374	4,587	4,612	4,998	5,937	6,303	6,274	6,057	5,653	5,687
Nonwhite	19,629	1,867	1,664	1,572	1,348	1,401	1,525	1,754	1,830	1,789	1,652	1,574	1,653
Male	9,856	961	837	785	681	682	760	860	940	917	826	791	816
Female	9,773	906	827	787	667	719	765	894	890	872	826	783	837
UTAH	15,680	1,224	1,201	1,445	1,375	1,420	1,329	1,381	1,293	1,267	1,336	1,201	1,208
Male	8,108	598	664	724	695	707	682	737	711	635	707	603	645
Female	7,572	626	537	721	680	713	647	644	582	632	629	598	563
White	15,406	1,204	1,171	1,422	1,352	1,402	1,314	1,361	1,269	1,239	1,313	1,175	1,184
Male	7,960	588	642	712	684	697	674	726	696	620	698	590	633
Female	7,446	616	529	710	668	705	640	635	573	619	615	585	551
Nonwhite	274	20	30	23	23	18	15	20	24	28	23	26	24
Male	148	10	22	12	11	10	8	11	15	15	9	13	12
Female	126	10	8	11	12	8	7	9	9	13	14	13	12
VERMONT	6,873	607	538	586	570	604	558	630	604	565	578	530	503
Male	3,542	323	276	286	306	315	271	311	339	283	279	287	266
Female	3,331	284	262	300	264	289	287	319	265	282	299	243	237
White	6,868	606	536	586	569	604	558	630	604	565	578	529	503
Male	3,539	323	275	286	305	315	271	311	339	283	279	286	266
Female	3,329	283	261	300	264	289	287	319	265	282	299	243	237
Nonwhite	5	1	2	-	1	-	-	-	-	-	-	1	-
Male	3	-	1	-	1	-	-	-	-	-	-	1	-
Female	2	1	1	-	-	-	-	-	-	-	-	-	-
VIRGINIA	67,068	5,874	5,219	5,736	5,409	5,541	5,494	5,816	5,980	5,800	5,472	5,352	5,375
Male	34,371	3,037	2,622	2,936	2,781	2,846	2,886	2,950	3,077	3,001	2,782	2,760	2,693
Female	32,697	2,837	2,597	2,800	2,628	2,695	2,608	2,866	2,903	2,799	2,690	2,592	2,682
White	50,246	4,433	3,876	4,232	3,978	4,173	4,175	4,305	4,530	4,405	4,159	3,964	4,016
Male	25,809	2,281	1,929	2,193	2,056	2,136	2,183	2,181	2,334	2,288	2,125	2,093	2,010
Female	24,437	2,152	1,947	2,039	1,922	2,037	1,992	2,124	2,196	2,117	2,034	1,871	2,006
Nonwhite	16,822	1,441	1,343	1,504	1,431	1,368	1,319	1,511	1,450	1,395	1,313	1,388	1,359
Male	8,562	756	693	743	725	710	703	769	743	713	657	667	683
Female	8,260	685	650	761	706	658	616	742	707	682	656	721	676
WASHINGTON	44,573	3,656	3,465	3,935	3,754	3,912	3,602	3,925	3,746	3,773	3,740	3,469	3,596
Male	22,731	1,821	1,784	1,947	1,973	1,967	1,891	2,009	1,882	1,934	1,889	1,785	1,849
Female	21,842	1,835	1,681	1,988	1,781	1,945	1,711	1,916	1,864	1,839	1,851	1,684	1,747
White	43,191	3,542	3,367	3,827	3,625	3,787	3,506	3,805	3,621	3,633	3,626	3,362	3,490
Male	22,016	1,767	1,727	1,891	1,898	1,896	1,845	1,944	1,823	1,865	1,836	1,731	1,793
Female	21,175	1,775	1,640	1,936	1,727	1,891	1,661	1,861	1,798	1,768	1,790	1,631	1,697
Nonwhite	1,382	114	98	108	129	125	96	120	125	140	114	107	106
Male	715	54	57	56	75	71	46	65	59	69	53	54	56
Female	667	60	41	52	54	54	50	55	66	71	61	53	50
WEST VIRGINIA	39,039	3,494	3,094	3,368	3,173	3,345	3,227	3,425	3,442	3,208	3,292	2,987	2,984
Male	20,219	1,827	1,605	1,768	1,631	1,742	1,668	1,760	1,808	1,673	1,723	1,489	1,525
Female	18,820	1,667	1,489	1,600	1,542	1,603	1,559	1,665	1,634	1,535	1,569	1,498	1,459
White	36,902	3,285	2,914	3,178	2,980	3,152	3,068	3,249	3,278	3,064	3,113	2,816	2,805
Male	19,130	1,725	1,515	1,660	1,540	1,643	1,581	1,680	1,720	1,596	1,623	1,413	1,434
Female	17,772	1,560	1,399	1,518	1,440	1,509	1,487	1,569	1,558	1,468	1,490	1,403	1,371
Nonwhite	2,137	209	180	190	193	193	159	176	164	144	179	171	179
Male	1,089	102	90	108	91	99	87	80	88	77	100	76	91
Female	1,048	107	90	82	102	94	72	96	76	67	79	95	88
WISCONSIN	61,437	5,113	4,678	5,253	4,954	5,370	5,081	5,600	5,348	5,200	5,229	4,787	4,824
Male	31,752	2,650	2,341	2,755	2,565	2,799	2,606	2,897	2,792	2,676	2,713	2,463	2,495
Female	29,685	2,463	2,337	2,498	2,389	2,571	2,475	2,703	2,556	2,524	2,516	2,324	2,329
White	60,704	5,051	4,626	5,189	4,897	5,306	5,014	5,531	5,302	5,132	5,175	4,728	4,753
Male	31,398	2,620	2,318	2,720	2,539	2,767	2,568	2,866	2,769	2,643	2,693	2,432	2,463
Female	29,306	2,431	2,308	2,469	2,358	2,539	2,446	2,665	2,533	2,489	2,482	2,296	2,290
Nonwhite	733	62	52	64	57	64	67	69	46	68	54	59	71
Male	354	30	23	35	26	32	38	31	23	33	20	31	32
Female	379	32	29	29	31	32	29	38	23	35	34	28	39
WYOMING	5,481	499	392	459	461	477	504	546	426	457	478	405	377
Male	2,825	229	180	229	255	240	262	281	219	250	269	214	197
Female	2,656	270	212	230	206	237	242	265	207	207	209	191	180
White	5,239	474	366	427	440	455	478	523	412	442	462	393	367
Male	2,710	214	170	214	244	231	251	267	211	244	258	211	195
Female	2,529	260	196	213	196	224	227	256	201	198	204	182	172
Nonwhite	242	25	26	32	21	22	26	23	14	15	16	12	10
Male	115	15	10	15	11	9	11	14	8	6	11	3	2
Female	127	10	16	17	10	13	15	9	6	9	5	9	8

TABLE 9.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1945

[By place of residence. Includes only stillbirths for which the period of uterogestation was 5 months or more and those for which the period was not stated]

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
Cases of Twins				
UNITED STATES	29,456	25,087	4,199	170
2 males	10,060	8,648	1,342	70
Both living	9,286	8,049	1,172	65
1 living	416	323	90	3
Both stillborn	358	276	80	2
1 male, 1 female	9,697	8,162	1,481	54
Both living	9,132	7,776	1,309	47
1 living....Male	180	133	44	3
Female	208	148	57	3
Both stillborn	177	105	71	1
2 females	9,699	8,277	1,376	46
Both living	8,975	7,706	1,226	43
1 living	407	321	84	2
Both stillborn	317	250	66	1
ALABAMA				
2 males	236	146	90	-
Both living	216	136	80	-
1 living	9	3	6	-
Both stillborn	11	7	4	-
1 male, 1 female	293	158	135	-
Both living	272	150	122	-
1 living....Male	9	4	5	-
Female	6	2	4	-
Both stillborn	6	2	4	-
2 females	266	176	90	-
Both living	250	164	86	-
1 living	9	9	-	-
Both stillborn	7	3	4	-
ARIZONA				
2 males	52	38	2	12
Both living	46	35	1	10
1 living	4	2	1	1
Both stillborn	2	1	-	1
1 male, 1 female	53	43	4	6
Both living	51	42	4	5
1 living....Male	2	1	-	1
2 females	48	41	4	3
Both living	46	40	3	3
1 living	1	1	-	-
Both stillborn	1	-	1	-
ARKANSAS				
2 males	157	114	43	-
Both living	148	108	40	-
1 living	5	4	1	-
Both stillborn	4	2	2	-
1 male, 1 female	189	131	58	-
Both living	178	125	53	-
1 living....Male	1	1	-	-
Female	5	3	2	-
Both stillborn	5	2	3	-
2 females	154	111	43	-
Both living	135	100	35	-
1 living	15	8	7	-
Both stillborn	4	3	1	-
CALIFORNIA				
2 males	664	615	33	16
Both living	601	559	26	16
1 living	38	33	5	-
Both stillborn	25	23	2	-
1 male, 1 female	643	601	38	4
Both living	595	559	33	3
1 living....Male	16	14	2	-
Female	20	17	3	-
Both stillborn	12	11	-	1
2 females	660	612	36	12
Both living	622	576	34	12
1 living	20	18	2	-
Both stillborn	18	18	-	-
COLORADO				
2 males	90	84	4	2
Both living	81	77	3	1
1 living	5	4	1	-
Both stillborn	4	3	-	1
1 male, 1 female	92	88	3	1
Both living	92	88	3	1
2 females	73	71	1	1
Both living	72	70	1	1
Both stillborn	1	1	-	-
CONNECTICUT				
2 males	110	107	3	-
Both living	105	102	3	-
1 living	3	3	-	-
Both stillborn	2	2	-	-
1 male, 1 female	119	115	4	-
Both living	114	111	3	-
1 living....Male	3	2	1	-
Female	1	1	-	-
Both stillborn	1	1	-	-
2 females	106	99	7	-
Both living	98	94	4	-
1 living	4	2	2	-
Both stillborn	4	3	1	-
Cases of Twins—Con.				
DELAWARE				
2 males	18	11	7	-
Both living	18	11	7	-
1 male, 1 female	16	13	3	-
Both living	14	11	3	-
1 living....Male	2	2	-	-
2 females	32	30	2	-
Both living	29	27	2	-
1 living	3	3	-	-
DISTRICT OF COLUMBIA				
2 males	65	42	22	1
Both living	61	39	21	1
1 living	4	3	1	-
1 male, 1 female	62	40	22	-
Both living	60	40	20	-
1 living....Female	2	-	2	-
2 females	59	40	19	-
Both living	53	35	18	-
1 living	4	3	1	-
Both stillborn	2	2	-	-
FLORIDA				
2 males	180	143	37	-
Both living	164	137	27	-
1 living	10	4	6	-
Both stillborn	6	2	4	-
1 male, 1 female	149	101	48	-
Both living	135	92	43	-
1 living....Male	5	2	3	-
Female	5	4	1	-
Both stillborn	4	3	1	-
2 females	162	106	56	-
Both living	146	102	44	-
1 living	12	4	8	-
Both stillborn	4	-	4	-
GEORGIA				
2 males	248	151	97	-
Both living	230	141	89	-
1 living	7	4	3	-
Both stillborn	11	6	5	-
1 male, 1 female	236	124	112	-
Both living	207	115	92	-
1 living....Male	7	3	4	-
Female	11	4	7	-
Both stillborn	11	2	9	-
2 females	242	163	79	-
Both living	220	149	71	-
1 living	5	3	2	-
Both stillborn	17	11	6	-
IDAHO				
2 males	40	39	-	1
Both living	38	37	-	1
1 living	1	1	-	-
Both stillborn	1	1	-	-
1 male, 1 female	46	45	-	1
Both living	43	42	-	1
1 living....Male	2	2	-	-
Female	1	1	-	-
2 females	54	53	-	1
Both living	50	49	-	1
1 living	2	2	-	-
Both stillborn	2	2	-	-
ILLINOIS				
2 males	556	512	43	1
Both living	511	475	35	1
1 living	34	27	7	-
Both stillborn	11	10	1	-
1 male, 1 female	447	404	43	-
Both living	422	388	34	-
1 living....Male	9	7	2	-
Female	10	5	5	-
Both stillborn	6	4	2	-
2 females	433	397	35	1
Both living	402	367	34	1
1 living	20	19	1	-
Both stillborn	11	11	-	-
INDIANA				
2 males	262	252	10	-
Both living	244	236	8	-
1 living	13	11	2	-
Both stillborn	5	5	-	-
1 male, 1 female	258	241	15	-
Both living	248	233	15	-
1 living....Male	6	6	-	-
Female	1	1	-	-
Both stillborn	1	1	-	-
2 females	205	194	11	-
Both living	195	184	11	-
1 living	6	6	-	-
Both stillborn	4	4	-	-
Cases of Twins—Con.				
IOWA				
2 males	184	183	1	-
Both living	167	166	1	-
1 living	7	7	-	-
Both stillborn	10	10	-	-
1 male, 1 female	142	142	-	-
Both living	139	139	-	-
1 living....Male	1	1	-	-
Female	1	1	-	-
Both stillborn	1	1	-	-
2 females	180	175	3	2
Both living	173	168	3	2
1 living	3	3	-	-
Both stillborn	4	4	-	-
KANSAS				
2 males	139	132	7	-
Both living	133	127	6	-
1 living	2	1	1	-
Both stillborn	4	4	-	-
1 male, 1 female	117	113	4	-
Both living	114	110	4	-
1 living....Male	2	2	-	-
Female	1	1	-	-
2 females	115	108	5	2
Both living	111	105	5	1
1 living	1	-	-	1
Both stillborn	3	3	-	-
KENTUCKY				
2 males	230	216	14	-
Both living	217	204	13	-
1 living	4	4	-	-
Both stillborn	9	8	1	-
1 male, 1 female	258	239	19	-
Both living	238	221	17	-
1 living....Male	10	8	2	-
Female	6	6	-	-
Both stillborn	4	4	-	-
2 females	240	223	17	-
Both living	221	206	15	-
1 living	11	9	2	-
Both stillborn	8	8	-	-
LOUISIANA				
2 males	226	124	102	-
Both living	216	122	94	-
1 living	3	-	3	-
Both stillborn	7	2	5	-
1 male, 1 female	246	140	106	-
Both living	230	134	96	-
1 living....Male	2	1	1	-
Female	1	-	1	-
Both stillborn	13	5	8	-
2 females	205	114	91	-
Both living	197	112	85	-
1 living	2	-	2	-
Both stillborn	6	2	4	-
MAINE				
2 males	66	65	1	-
Both living	60	59	1	-
1 living	3	3	-	-
Both stillborn	3	3	-	-
1 male, 1 female	64	64	-	-
Both living	61	61	-	-
1 living....Male	1	1	-	-
Female	1	1	-	-
Both stillborn	1	1	-	-
2 females	58	58	-	-
Both living	52	52	-	-
1 living	6	6	-	-
MARYLAND				
2 males	157	126	31	-
Both living	144	116	28	-
1 living	5	4	1	-
Both stillborn	8	6	2	-
1 male, 1 female	120	90	30	-
Both living	108	86	22	-
1 living....Female	3	2	1	-
Both stillborn	9	2	7	-
2 females	146	107	39	-
Both living	135	101	34	-
1 living	5	3	2	-
Both stillborn	6	3	3	-
MASSACHUSETTS				
2 males	286	279	7	-
Both living	266	260	6	-
1 living	13	12	1	-
Both stillborn	7	7	-	-
1 male, 1 female	250	236	14	-
Both living	238	225	13	-
1 living....Male	5	4	1	-
Female	5	5	-	-
Both stillborn	2	2	-	-

747801 O - 47 - 10

TABLE 9.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Includes only stillbirths for which the period of uterogestation was 5 months or more and those for which the period was not stated]

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
Cases of Twins—Con.				
MASSACHUSETTS—Con.				
2 females	269	264	5	-
Both living	254	249	5	-
1 living	10	10	-	-
Both stillborn	5	5	-	-
MICHIGAN				
2 males	366	346	19	1
Both living	342	325	16	1
1 living	6	5	1	-
Both stillborn	18	16	2	-
1 male, 1 female	363	340	23	-
Both living	352	331	21	-
1 living....Male	1	1	-	-
Female	2	2	-	-
Both stillborn	8	6	2	-
2 females	333	310	22	1
Both living	319	300	18	1
1 living	3	3	-	-
Both stillborn	11	7	4	-
MINNESOTA				
2 males	233	228	2	3
Both living	216	211	2	3
1 living	9	9	-	-
Both stillborn	8	8	-	-
1 male, 1 female	234	230	-	4
Both living	223	219	-	4
1 living....Male	2	2	-	-
Female	7	7	-	-
Both stillborn	2	2	-	-
2 females	208	205	-	3
Both living	190	188	-	2
1 living	12	11	-	1
Both stillborn	6	6	-	-
MISSISSIPPI				
2 males	201	82	118	1
Both living	185	79	105	1
1 living	8	3	5	-
Both stillborn	8	-	8	-
1 male, 1 female	269	103	166	-
Both living	249	97	152	-
1 living....Male	3	2	1	-
Female	8	2	6	-
Both stillborn	9	2	7	-
2 females	230	101	129	-
Both living	212	97	115	-
1 living	10	2	8	-
Both stillborn	8	2	6	-
MISSOURI				
2 males	247	217	30	-
Both living	213	191	22	-
1 living	14	12	2	-
Both stillborn	20	14	6	-
1 male, 1 female	217	195	22	-
Both living	206	186	20	-
1 living....Male	3	2	1	-
Female	6	5	1	-
Both stillborn	2	2	-	-
2 females	231	210	21	-
Both living	205	187	18	-
1 living	14	12	2	-
Both stillborn	12	11	1	-
MONTANA				
2 males	40	38	-	2
Both living	38	36	-	2
1 living	1	1	-	-
Both stillborn	1	1	-	-
1 male, 1 female	43	39	-	4
Both living	42	39	-	3
1 living....Male	1	-	-	1
2 females	37	35	-	2
Both living	32	31	-	1
1 living	3	3	-	-
Both stillborn	2	1	-	1
NEBRASKA				
2 males	89	87	2	-
Both living	86	84	2	-
1 living	2	2	-	-
Both stillborn	1	1	-	-
1 male, 1 female	96	91	4	1
Both living	90	85	4	1
1 living....Male	1	1	-	-
Female	3	3	-	-
Both stillborn	2	2	-	-
2 females	79	76	1	2
Both living	76	73	1	2
1 living	1	1	-	-
Both stillborn	2	2	-	-
NEVADA				
2 males	14	13	-	1
Both living	13	12	-	1
Both stillborn	1	1	-	-
Cases of Twins—Con.				
NEVADA—Con.				
1 male, 1 female	9	8	1	-
Both living	7	6	1	-
1 living....Male	2	2	-	-
2 females	6	6	-	-
Both living	5	5	-	-
1 living	1	1	-	-
NEW HAMPSHIRE				
2 males	25	25	-	-
Both living	24	24	-	-
1 living	1	1	-	-
1 male, 1 female	32	32	-	-
Both living	32	32	-	-
2 females	26	26	-	-
Both living	21	21	-	-
1 living	3	3	-	-
Both stillborn	2	2	-	-
NEW JERSEY				
2 males	314	284	30	-
Both living	292	266	26	-
1 living	17	13	4	-
Both stillborn	5	5	-	-
1 male, 1 female	255	241	14	-
Both living	239	230	9	-
1 living....Male	5	4	1	-
Female	7	5	2	-
Both stillborn	4	2	2	-
2 females	277	250	27	-
Both living	249	225	24	-
1 living	21	18	3	-
Both stillborn	7	7	-	-
NEW MEXICO				
2 males	62	60	-	2
Both living	56	54	-	2
1 living	4	4	-	-
Both stillborn	2	2	-	-
1 male, 1 female	64	58	1	5
Both living	57	51	1	5
1 living....Male	5	5	-	-
Female	2	2	-	-
2 females	60	59	-	1
Both living	56	55	-	1
1 living	2	2	-	-
Both stillborn	2	2	-	-
NEW YORK				
2 males	820	766	54	-
Both living	746	700	46	-
1 living	36	36	-	-
Both stillborn	38	30	8	-
1 male, 1 female	778	713	61	4
Both living	741	680	57	4
1 living....Male	14	12	2	-
Female	10	10	-	-
Both stillborn	13	11	2	-
2 females	829	767	62	-
Both living	751	696	55	-
1 living	50	48	2	-
Both stillborn	28	23	5	-
NORTH CAROLINA				
2 males	316	192	118	6
Both living	293	182	105	6
1 living	13	5	8	-
Both stillborn	10	5	5	-
1 male, 1 female	325	202	121	2
Both living	294	191	101	2
1 living....Male	11	6	5	-
Female	12	3	9	-
Both stillborn	8	2	6	-
2 females	342	218	122	2
Both living	319	207	110	2
1 living	13	4	9	-
Both stillborn	10	7	3	-
NORTH DAKOTA				
2 males	53	49	-	4
Both living	51	48	-	3
1 living	1	-	-	1
Both stillborn	1	1	-	-
1 male, 1 female	53	53	-	-
Both living	53	53	-	-
2 females	56	55	-	1
Both living	51	50	-	1
1 living	1	1	-	-
Both stillborn	4	4	-	-
OHIO				
2 males	475	432	43	-
Both living	457	415	42	-
1 living	1	1	-	-
Both stillborn	17	16	1	-
1 male, 1 female	378	351	25	2
Both living	364	339	24	1
1 living....Female	5	3	1	1
Both stillborn	9	9	-	-
Cases of Twins—Con.				
OHIO—Con.				
2 females	428	393	35	-
Both living	408	375	33	-
1 living	5	3	2	-
Both stillborn	15	15	-	-
OKLAHOMA				
2 males	155	139	11	5
Both living	145	131	9	5
1 living	7	6	1	-
Both stillborn	3	2	1	-
1 male, 1 female	159	137	16	6
Both living	152	131	16	5
1 living....Female	4	3	-	1
Both stillborn	3	3	-	-
2 females	153	132	15	6
Both living	141	124	11	6
1 living	4	3	1	-
Both stillborn	8	5	3	-
OREGON				
2 males	95	92	2	1
Both living	91	88	2	1
Both stillborn	4	4	-	-
1 male, 1 female	59	56	1	2
Both living	58	56	-	2
1 living....Male	1	-	1	-
2 females	78	78	-	-
Both living	72	72	-	-
1 living	3	3	-	-
Both stillborn	3	3	-	-
PENNSYLVANIA				
2 males	610	570	40	-
Both living	551	520	31	-
1 living	34	28	6	-
Both stillborn	25	22	3	-
1 male, 1 female	552	507	45	-
Both living	529	488	41	-
1 living....Male	8	7	1	-
Female	7	6	1	-
Both stillborn	8	6	2	-
2 females	631	580	51	-
Both living	576	530	46	-
1 living	28	25	3	-
Both stillborn	27	25	2	-
RHODE ISLAND				
2 males	37	36	1	-
Both living	34	33	1	-
1 living	3	3	-	-
1 male, 1 female	49	48	1	-
Both living	48	47	1	-
1 living....Female	1	1	-	-
2 females	51	48	3	-
Both living	46	43	3	-
1 living	4	4	-	-
Both stillborn	1	1	-	-
SOUTH CAROLINA				
2 males	209	109	100	-
Both living	186	103	83	-
1 living	13	3	10	-
Both stillborn	10	3	7	-
1 male, 1 female	176	80	96	-
Both living	163	77	86	-
1 living....Male	4	2	2	-
Female	5	1	4	-
Both stillborn	4	-	4	-
2 females	202	90	112	-
Both living	189	87	102	-
1 living	9	2	7	-
Both stillborn	4	1	3	-
SOUTH DAKOTA				
2 males	30	26	-	4
Both living	28	24	-	4
1 living	1	1	-	-
Both stillborn	1	1	-	-
1 male, 1 female	54	45	-	9
Both living	52	45	-	7
1 living....Male	1	-	-	1
Female	1	-	-	1
2 females	52	50	-	2
Both living	51	49	-	2
1 living	1	1	-	-
TENNESSEE				
2 males	271	208	63	-
Both living	250	196	54	-
1 living	13	7	6	-
Both stillborn	8	5	3	-
1 male, 1 female	242	202	40	-
Both living	227	193	34	-
1 living....Male	4	2	2	-
Female	8	5	3	-
Both stillborn	3	2	1	-

TABLE 9.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Includes only stillbirths for which the period of uterogestation was 5 months or more and those for which the period was not stated]

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
Cases of Twins—Con.				
TENNESSEE—Con.				
2 females	228	190	38	-
Both living	209	177	32	-
1 living	12	8	4	-
Both stillborn	7	5	2	-
TEXAS				
2 males	574	498	76	-
Both living	523	456	67	-
1 living	29	26	3	-
Both stillborn	22	16	6	-
1 male, 1 female	577	471	106	-
Both living	535	438	97	-
1 living....Male	13	10	3	-
Female	16	15	1	-
Both stillborn	13	8	5	-
2 females	597	486	111	-
Both living	545	448	97	-
1 living	28	21	7	-
Both stillborn	24	17	7	-
UTAH				
2 males	61	61	-	-
Both living	58	58	-	-
1 living	1	1	-	-
Both stillborn	2	2	-	-
1 male, 1 female	51	51	-	-
Both living	48	48	-	-
1 living....Female	3	3	-	-
2 females	57	55	1	1
Both living	56	54	1	1
Both stillborn	1	1	-	-
VERMONT				
2 males	23	23	-	-
Both living	21	21	-	-
1 living	2	2	-	-
1 male, 1 female	32	32	-	-
Both living	32	32	-	-
2 females	23	23	-	-
Both living	22	22	-	-
1 living	1	1	-	-
VIRGINIA				
2 males	251	177	73	1
Both living	233	168	64	1
1 living	12	7	5	-
Both stillborn	6	2	4	-
1 male, 1 female	266	203	63	-
Both living	243	189	54	-
1 living....Male	9	6	3	-
Female	7	5	2	-
Both stillborn	7	3	4	-
2 females	244	169	75	-
Both living	218	155	63	-
1 living	17	10	7	-
Both stillborn	9	4	5	-
WASHINGTON				
2 males	158	154	1	3
Both living	155	151	1	3
1 living	3	3	-	-
1 male, 1 female	167	164	3	-
Both living	162	159	3	-
1 living....Male	1	1	-	-
Female	4	4	-	-
2 females	177	175	-	2
Both living	173	171	-	2
1 living	3	3	-	-
Both stillborn	1	1	-	-
WEST VIRGINIA				
2 males	164	159	5	-
Both living	145	140	5	-
1 living	8	8	-	-
Both stillborn	11	11	-	-
1 male, 1 female	159	147	12	-
Both living	146	138	8	-
1 living....Male	5	4	1	-
Female	3	2	1	-
Both stillborn	5	3	2	-
2 females	134	127	7	-
Both living	120	114	6	-
1 living	7	7	-	-
Both stillborn	7	6	1	-
WISCONSIN				
2 males	186	185	-	1
Both living	175	174	-	1
1 living	5	5	-	-
Both stillborn	6	6	-	-
1 male, 1 female	218	214	2	2
Both living	207	203	2	2
1 living....Male	3	3	-	-
Female	7	7	-	-
Both stillborn	1	1	-	-
2 females	198	196	1	1
Both living	180	178	1	1
1 living	10	10	-	-
Both stillborn	8	8	-	-
Cases of Twins—Con.				
WYOMING				
2 males	15	13	-	2
Both living	13	12	-	1
1 living	2	1	-	1
1 male, 1 female	22	21	-	1
Both living	22	21	-	1
2 females	25	25	-	-
Both living	22	22	-	-
1 living	2	2	-	-
Both stillborn	1	1	-	-
Cases of Triplets				
UNITED STATES	268	228	39	1
3 males	72	61	11	-
All living	63	52	11	-
2 living	1	1	-	-
1 living	3	3	-	-
All stillborn	5	5	-	-
2 males, 1 female	65	52	12	1
All living	56	44	11	1
2 living...2 males	1	1	-	-
1 male, 1 female	2	2	-	-
1 living....Male	1	1	-	-
Female	2	2	-	-
All stillborn	3	2	1	-
1 male, 2 females	64	58	6	-
All living	58	54	4	-
2 living; 1 male, 1 female	4	2	2	-
1 living....Female	1	1	-	-
All stillborn	1	1	-	-
3 females	67	57	10	-
All living	60	51	9	-
2 living	4	3	1	-
1 living	1	1	-	-
All stillborn	2	2	-	-
ALABAMA				
2 males, 1 female	4	3	1	-
All living	2	1	1	-
2 living; 1 male, 1 female	1	1	-	-
1 living....Female	1	1	-	-
3 females	1	-	1	-
All living	1	-	1	-
ARIZONA				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	2	1	-	1
All living	2	1	-	1
1 male, 2 females	1	1	-	-
All living	1	1	-	-
ARKANSAS				
3 males	3	1	2	-
All living	3	1	2	-
2 males, 1 female	4	4	-	-
All living	3	3	-	-
All stillborn	1	1	-	-
1 male, 2 females	3	3	-	-
All living	3	3	-	-
3 females	2	1	1	-
All living	1	-	1	-
All stillborn	1	1	-	-
CALIFORNIA				
3 males	4	4	-	-
All living	4	4	-	-
2 males, 1 female	2	2	-	-
All living	2	2	-	-
1 male, 2 females	5	5	-	-
All living	4	4	-	-
All stillborn	1	1	-	-
3 females	2	2	-	-
All living	1	1	-	-
All stillborn	1	1	-	-
COLORADO				
3 males	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
CONNECTICUT				
3 males	2	2	-	-
All living	1	1	-	-
All stillborn	1	1	-	-
3 females	2	1	1	-
All living	1	-	1	-
2 living	1	1	-	-
DELAWARE				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
DISTRICT OF COLUMBIA				
3 males	1	1	-	-
2 living	1	1	-	-
Cases of Triplets—Con.				
FLORIDA				
2 males, 1 female	1	-	1	-
All living	1	-	1	-
1 male, 2 females	1	-	1	-
2 living; 1 male, 1 female	1	-	1	-
3 females	2	2	-	-
All living	2	2	-	-
GEORGIA				
3 males	1	1	-	-
1 living	1	1	-	-
2 males, 1 female	3	2	1	-
All living	3	2	1	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	3	2	1	-
All living	2	2	-	-
2 living	1	-	1	-
IDAHO				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
ILLINOIS				
3 males	4	4	-	-
All living	4	4	-	-
2 males, 1 female	4	4	-	-
All living	4	4	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	1	1	-	-
All living	1	1	-	-
INDIANA				
3 males	6	4	2	-
All living	5	3	2	-
All stillborn	1	1	-	-
1 male, 2 females	5	5	-	-
All living	5	5	-	-
3 females	1	1	-	-
All living	1	1	-	-
IOWA				
3 males	2	2	-	-
All living	1	1	-	-
All stillborn	1	1	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	2	2	-	-
All living	2	2	-	-
KANSAS				
3 males	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
KENTUCKY				
3 males	3	3	-	-
All living	3	3	-	-
2 males, 1 female	3	3	-	-
All living	2	2	-	-
All stillborn	1	1	-	-
LOUISIANA				
3 males	1	-	1	-
All living	1	-	1	-
2 males, 1 female	1	-	1	-
All living	1	-	1	-
3 females	2	1	1	-
All living	2	1	1	-
MAINE				
1 male, 2 females	1	1	-	-
1 living....Female	1	1	-	-
MARYLAND				
3 males	1	1	-	-
All stillborn	1	1	-	-
2 males, 1 female	2	2	-	-
All living	2	2	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
MASSACHUSETTS				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	4	4	-	-
All living	4	4	-	-
3 females	2	2	-	-
All living	2	2	-	-
MICHIGAN				
3 males	5	4	1	-
All living	5	4	1	-

TABLE 9.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN, AND BY RACE AND SEX: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Includes only stillbirths for which the period of uterogestation was 5 months or more and those for which the period was not stated]

AREA AND SEX	PLURAL BIRTHS			
	Total	White	Negro	Other
Cases of Triplets—Con.				
MICHIGAN—Con.				
2 males, 1 female	4	4	-	-
All living	4	4	-	-
1 male, 2 females	2	1	1	-
All living	2	1	1	-
3 females	3	3	-	-
All living	3	3	-	-
MINNESOTA				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	2	2	-	-
All living	1	1	-	-
2 living; 1 male, 1 female	1	1	-	-
3 females	4	4	-	-
All living	3	3	-	-
1 living	1	1	-	-
MISSISSIPPI				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	1	1	-	-
2 living...2 males	1	1	-	-
1 male, 2 females	2	1	1	-
All living	1	1	-	-
2 living; 1 male, 1 female	1	-	1	-
3 females	2	-	2	-
All living	2	-	2	-
MISSOURI				
3 males	2	1	1	-
All living	2	1	1	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	4	4	-	-
All living	4	4	-	-
NEBRASKA				
2 males, 1 female	1	1	-	-
All living	1	1	-	-
3 females	2	2	-	-
All living	2	2	-	-
NEVADA				
3 males	1	1	-	-
All living	1	1	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
NEW JERSEY				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	2	1	1	-
All living	2	1	1	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	3	3	-	-
All living	3	3	-	-
NEW MEXICO				
2 males, 1 female	1	1	-	-
2 living; 1 male, 1 female	1	1	-	-
NEW YORK				
3 males	8	6	2	-
All living	7	5	2	-
1 living	1	1	-	-
Cases of Triplets—Con.				
NEW YORK—Con.				
2 males, 1 female	5	4	1	-
All living	5	4	1	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	4	4	-	-
All living	4	4	-	-
NORTH CAROLINA				
2 males, 1 female	1	-	1	-
All living	1	-	1	-
1 male, 2 females	5	2	3	-
All living	5	2	3	-
3 females	1	-	1	-
All living	1	-	1	-
NORTH DAKOTA				
3 females	1	1	-	-
2 living	1	1	-	-
OHIO				
3 males	3	2	1	-
All living	3	2	1	-
2 males, 1 female	2	1	1	-
All living	2	1	1	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
3 females	4	4	-	-
All living	4	4	-	-
OKLAHOMA				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	2	1	1	-
All living	1	-	1	-
1 living....Male	1	1	-	-
PENNSYLVANIA				
2 males, 1 female	6	6	-	-
All living	6	6	-	-
1 male, 2 females	4	4	-	-
All living	3	3	-	-
2 living; 1 male, 1 female	1	1	-	-
3 females	4	4	-	-
All living	3	3	-	-
2 living	1	1	-	-
SOUTH CAROLINA				
3 males	2	1	1	-
All living	2	1	1	-
2 males, 1 female	2	-	2	-
All living	1	-	1	-
All stillborn	1	-	1	-
3 females	1	-	1	-
All living	1	-	1	-
SOUTH DAKOTA				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
TENNESSEE				
3 males	3	3	-	-
All living	3	3	-	-
2 males, 1 female	2	1	1	-
All living	2	1	1	-
Cases of Triplets—Con.				
TENNESSEE—Con.				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	3	2	1	-
All living	3	2	1	-
TEXAS				
3 males	4	4	-	-
All living	3	3	-	-
1 living	1	1	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	8	8	-	-
All living	8	8	-	-
3 females	5	5	-	-
All living	5	5	-	-
UTAH				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
VERMONT				
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
VIRGINIA				
3 males	1	1	-	-
All stillborn	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
WASHINGTON				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	2	2	-	-
All living	2	2	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
3 females	1	1	-	-
All living	1	1	-	-
WEST VIRGINIA				
2 males, 1 female	2	2	-	-
All living	1	1	-	-
1 living....Female	1	1	-	-
1 male, 2 females	2	2	-	-
All living	2	2	-	-
WISCONSIN				
3 males	2	2	-	-
All living	2	2	-	-
2 males, 1 female	1	1	-	-
All living	1	1	-	-
1 male, 2 females	1	1	-	-
All living	1	1	-	-
Cases of Quintuplets				
UNITED STATES	1	-	1	-
5 females	1	-	1	-
4 living	1	-	1	-
DISTRICT OF COLUMBIA				
5 females	1	-	1	-
4 living	1	-	1	-

TABLE 10.—STILLBIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1945

[Includes only stillbirths for which the period of uterogestation was 5 months or more and those for which the period was not stated]

STATE OF OCCURRENCE	Total stillbirths occurring in State	Stillbirths to residents occurring in place of residence	STILLBIRTHS TO NONRESIDENTS[1]														
			Total	Intrastate nonresidents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	65,513	45,171	20,342	18,603	1,739	63	8	34	43	11	24	6	20	28	39	8	102
Alabama	1,998	1,528	470	447	23	...	-	-	-	-	-	-	-	9	4	-	-
Arizona	326	231	95	73	22	-	...	-	8	-	-	-	-	-	-	1	-
Arkansas	818	565	253	217	36	-	-	...	1	-	-	-	-	-	-	-	-
California	3,460	2,142	1,318	1,268	50	-	2	-	...	1	2	-	-	2	-	-	2
Colorado	523	347	176	158	18	-	-	-	2	...	-	-	-	-	1	2	1
Connecticut	564	426	138	134	4	-	-	-	1	-	...	-	-	-	-	-	-
Delaware	149	94	55	48	7	-	-	-	-	-	-	...	-	-	-	-	1
District of Columbia	520	354	166	...	166	1	-	-	-	-	-	-	...	-	-	-	-
Florida	1,553	1,051	502	420	82	11	-	1	2	-	1	-	-	...	11	-	5
Georgia	2,220	1,683	537	477	60	33	-	-	1	-	-	-	1	6	...	-	2
Idaho	211	116	95	76	19	-	-	-	-	-	-	-	-	-	-	...	1
Illinois	2,896	2,090	806	759	47	-	-	-	1	-	-	-	-	-	-	-	...
Indiana	1,345	877	468	426	42	1	-	-	-	-	-	-	-	-	-	-	24
Iowa	881	476	405	367	38	-	-	-	2	-	-	-	-	-	-	-	12
Kansas	632	388	244	208	36	1	1	-	2	2	-	-	-	1	-	-	-
Kentucky	1,417	1,110	307	278	29	-	-	-	-	-	-	-	-	-	1	-	1
Louisiana	1,678	1,170	508	493	15	3	-	2	-	-	-	-	-	-	-	-	1
Maine	296	185	111	108	3	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	1,114	842	272	215	57	1	-	-	1	-	-	5	14	1	-	-	1
Massachusetts	1,765	1,098	667	633	34	-	-	-	-	-	4	-	-	-	-	-	-
Michigan	2,685	1,757	928	907	21	-	-	-	-	-	-	-	-	-	-	-	1
Minnesota	1,136	714	422	389	33	-	-	-	-	-	-	-	1	-	-	-	1
Mississippi	1,847	1,508	339	311	28	4	-	-	-	-	-	-	-	-	2	-	-
Missouri	1,593	1,056	537	446	91	-	-	4	-	1	1	-	-	-	-	-	27
Montana	170	112	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	450	277	173	141	32	-	-	-	3	1	-	-	-	1	-	-	-
Nevada	79	34	45	37	8	-	-	-	1	-	-	-	-	-	-	-	-
New Hampshire	187	115	72	53	19	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,800	953	847	824	23	-	-	-	-	-	1	-	1	1	-	-	-
New Mexico	376	279	97	75	22	-	3	-	-	-	-	-	-	-	-	-	-
New York	6,373	4,777	1,596	1,522	74	2	-	-	-	-	10	-	-	-	-	-	2
North Carolina	2,236	1,589	647	608	39	-	-	-	-	2	2	-	-	1	5	-	1
North Dakota	250	141	109	91	18	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	3,211	2,165	1,046	976	70	-	-	-	1	-	1	-	-	-	1	-	2
Oklahoma	1,010	693	317	292	25	1	-	-	2	-	1	-	-	2	-	-	1
Oregon	417	254	163	144	19	-	1	-	5	-	-	-	-	-	-	2	-
Pennsylvania	4,044	2,436	1,608	1,549	59	-	-	-	2	-	-	1	-	1	-	-	-
Rhode Island	273	164	109	98	11	-	-	-	-	1	1	-	-	-	-	-	-
South Carolina	1,664	1,266	398	382	16	-	-	-	-	-	-	-	-	-	1	-	-
South Dakota	198	106	92	77	15	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	1,593	1,103	490	401	89	3	-	20	-	-	-	-	1	3	13	-	3
Texas	4,005	3,197	808	766	42	-	-	7	1	-	-	-	-	-	-	-	-
Utah	277	143	134	117	17	2	1	-	1	-	-	-	-	-	-	-	1
Vermont	137	77	60	56	4	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	1,955	1,376	579	519	60	-	-	-	2	-	-	-	1	-	-	-	2
Washington	697	454	243	214	29	-	-	-	3	1	-	-	-	-	-	3	-
West Virginia	1,244	894	350	291	59	-	-	-	-	-	-	-	1	-	-	-	-
Wisconsin	1,150	690	460	437	23	-	-	-	1	-	-	-	-	-	-	-	10
Wyoming	90	68	22	17	5	-	-	-	-	2	-	-	-	-	-	-	-

STATE OF OCCURRENCE	STILLBIRTHS TO NONRESIDENTS[1]—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
UNITED STATES	38	37	46	48	20	10	96	27	36	38	25	48	14	26	5	15	65	18	49
Alabama	-	-	-	-	-	-	-	2	-	-	3	-	-	-	-	-	-	-	1
Arizona	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-
Arkansas	1	-	-	-	1	-	-	-	-	-	-	7	-	1	-	-	-	-	-
California	1	2	1	1	-	-	-	1	2	2	1	1	-	3	1	-	-	-	1
Colorado	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	3	-
Connecticut	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2
Delaware	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-
District of Columbia	-	-	-	-	-	-	78	1	-	-	-	-	-	-	-	-	-	-	-
Florida	1	4	-	3	2	-	1	2	2	3	-	3	-	1	-	-	1	-	4
Georgia	1	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	1
Idaho	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
Illinois	11	5	-	5	-	-	-	1	3	2	1	10	-	-	-	-	-	-	1
Indiana	...	1	-	5	-	-	-	-	4	-	-	-	-	1	-	-	1	-	-
Iowa	-	...	-	-	-	-	-	-	1	6	-	5	-	6	-	-	-	-	-
Kansas	1	1	...	-	-	-	1	-	1	-	-	6	-	3	1	-	-	-	1
Kentucky	3	-	-	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Louisiana	-	1	-	-	...	-	-	1	-	-	3	-	-	-	-	-	1	-	-
Maine	-	-	-	-	-	...	-	1	-	-	-	-	-	-	-	-	-	-	1
Maryland	1	-	-	-	-	-	...	-	1	-	-	-	-	-	-	-	-	-	-
Massachusetts	-	-	-	-	-	3	-	...	-	-	-	-	-	-	-	9	1	-	1
Michigan	3	-	-	-	-	-	-	-	...	1	-	-	1	-	-	-	-	-	-
Minnesota	-	3	-	-	-	-	-	1	1	...	-	-	-	1	-	-	-	-	-
Mississippi	1	-	1	-	11	-	-	-	-	-	...	-	-	-	-	-	-	-	-
Missouri	3	1	29	3	-	-	-	1	1	2	-	...	1	1	-	-	1	-	1
Montana	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-
Nebraska	-	8	5	-	-	-	-	-	1	1	-	-	-	...	-	-	-	-	1
Nevada	-	-	1	-	-	-	-	-	-	-	-	1	-	1	...	-	-	-	1
New Hampshire	-	-	-	-	-	5	-	3	-	-	-	-	-	-	-	...	-	-	1

[1] See discussion in text for definition of nonresident.

TABLE 10.—STILLBIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1945—Continued

[Includes only stillbirths for which the period of uterogestation was 5 months or more and those for which the period was not stated]

STATE OF OCCURRENCE	STILLBIRTHS TO NONRESIDENTS[1]—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
New Jersey	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	...	-	5
New Mexico	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	...	1
New York	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	26	-	...
North Carolina	2	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	1	-	3
North Dakota	-	-	-	-	-	-	-	-	-	11	-	-	4	-	-	-	-	-	-
Ohio	5	-	-	12	-	1	-	1	5	-	-	-	-	-	-	-	-	-	3
Oklahoma	-	1	3	-	-	-	-	-	3	1	-	-	-	1	-	-	-	-	-
Oregon	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Pennsylvania	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	30	1	11
Rhode Island	-	-	-	-	-	-	-	6	-	-	-	-	-	-	-	-	1	-	1
South Carolina	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
South Dakota	-	4	-	-	-	-	-	-	-	2	-	-	-	4	-	-	-	-	-
Tennessee	1	1	-	6	2	-	-	1	2	-	8	5	-	-	-	-	1	-	2
Texas	-	-	2	-	3	-	-	-	-	-	3	1	-	-	-	-	-	12	1
Utah	1	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	2
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
Virginia	1	1	1	3	-	-	1	1	-	-	-	4	1	-	-	1	-	-	3
Washington	-	1	1	2	-	-	-	-	-	1	2	1	4	-	-	-	-	-	-
West Virginia	-	-	-	8	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-
Wisconsin	-	2	-	-	-	-	-	-	1	5	-	-	-	1	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-

STATE OF OCCURRENCE	STILLBIRTHS TO NONRESIDENTS[1]—Continued																		Total stillbirths to residents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W.Va.	Wis.	Wyo.	
UNITED STATES	35	19	72	45	15	92	17	16	10	42	64	8	18	122	25	43	37	12	65,513
Alabama	-	-	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	2,038
Arizona	-	-	2	1	-	-	-	-	-	-	3	1	-	2	-	-	-	-	312
Arkansas	-	-	-	10	-	-	-	-	-	4	11	-	-	-	-	-	-	-	816
California	-	-	2	5	1	2	-	1	-	-	7	-	-	-	3	-	3	-	3,453
Colorado	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	3	516
Connecticut	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	584
Delaware	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	148
District of Columbia	3	-	1	-	-	1	-	1	-	-	-	1	-	75	-	3	1	-	374
Florida	2	-	2	-	1	5	1	1	1	2	3	-	1	1	1	3	-	-	1,499
Georgia	2	-	-	-	-	-	-	6	-	2	-	-	-	1	-	-	-	-	2,199
Idaho	-	-	-	-	2	-	-	-	-	-	5	1	-	-	8	-	-	-	200
Illinois	-	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	3	-	2,951
Indiana	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,341
Iowa	-	1	-	1	-	2	-	-	1	-	-	-	-	-	-	-	1	-	880
Kansas	-	-	2	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	642
Kentucky	-	-	8	-	-	1	-	-	-	13	-	-	-	-	-	1	-	-	1,436
Louisiana	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1,683
Maine	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	303
Maryland	-	-	1	-	-	14	-	-	-	1	-	-	-	6	1	9	-	-	1,153
Massachusetts	-	-	-	-	-	-	14	-	-	-	-	-	2	-	-	-	-	-	1,758
Michigan	-	-	3	-	1	-	-	1	-	-	2	-	-	-	-	-	8	-	2,700
Minnesota	-	8	-	-	-	-	-	-	2	-	1	-	-	-	1	-	13	-	1,141
Mississippi	-	-	-	1	-	-	-	-	1	1	2	-	-	3	-	-	1	-	1,844
Missouri	-	2	1	2	1	-	-	1	-	-	1	1	-	3	-	-	2	-	1,550
Montana	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	184
Nebraska	-	-	-	1	-	2	-	-	2	-	-	1	-	2	-	-	1	2	444
Nevada	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	76
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-	-	-	153
New Jersey	-	-	-	-	-	12	-	-	-	-	-	-	-	-	-	-	-	-	1,842
New Mexico	-	-	1	-	-	-	-	-	-	-	10	1	-	-	-	-	2	-	372
New York	2	-	4	-	-	22	-	-	-	-	1	-	2	1	-	-	-	-	6,348
North Carolina	...	-	2	-	-	1	-	2	-	4	1	-	-	7	-	1	-	-	2,232
North Dakota	-	...	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	251
Ohio	-	-	...	-	1	15	1	-	-	1	1	-	-	-	-	19	-	-	3,213
Oklahoma	-	1	1	...	-	2	-	-	-	1	4	-	-	-	-	-	-	-	1,090
Oregon	-	-	-	1	...	-	-	-	-	-	-	-	-	-	8	-	-	-	413
Pennsylvania	1	-	5	-	-	...	-	1	-	-	1	-	-	-	-	1	-	-	4,077
Rhode Island	-	-	-	-	-	-	...	1	-	-	-	-	-	-	-	-	-	-	279
South Carolina	8	-	1	-	-	2	-	...	-	-	1	1	-	1	-	-	-	-	1,664
South Dakota	-	4	-	-	-	-	-	-	...	-	-	-	-	-	-	-	-	1	193
Tennessee	4	-	1	1	-	-	-	-	-	...	3	-	-	6	1	-	-	1	1,546
Texas	1	-	-	9	-	1	-	-	-	1	...	-	-	-	-	-	-	-	4,027
Utah	-	-	-	1	-	-	-	-	-	-	1	...	-	-	-	-	-	3	268
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	151
Virginia	12	-	3	-	1	2	-	-	-	9	1	-	2	...	1	6	1	-	2,017
Washington	-	1	-	-	6	1	-	-	-	-	-	-	-	1	...	-	1	-	693
West Virginia	-	-	24	-	-	3	-	-	1	1	-	-	1	11	-	...	-	1	1,228
Wisconsin	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	...	-	1,164
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	...	97

[1]See discussion in text for definition of nonresident.

TABLE 11.—STILLBIRTHS BY SEX, RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES, 1945

[By place of residence. Includes only stillbirths for which the period of uterogestation was 5 months or more and those for which the period was not stated]

AREA, SEX, RACE, AND NATIVITY OF WHITE MOTHER	Total stillbirths	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
TOTAL	65,513	148	6,566	14,637	14,612	13,265	9,885	3,725	409	10	2	2,244
White, mother native	48,413	41	3,868	10,902	11,573	10,316	7,325	2,684	284	3	1	1,416
White, mother foreign	2,409	-	26	236	326	592	752	382	43	2	-	50
White, mother's nativity not stated	420	-	14	28	24	16	14	10	-	-	-	314
Negro	13,913	107	2,627	3,392	2,608	2,273	1,750	618	75	4	1	458
Other	358	-	31	79	81	68	54	31	7	1	-	6
Urban	39,149	69	3,597	9,062	9,176	8,203	5,662	1,914	167	2	1	1,296
White, mother native	29,270	22	2,110	6,841	7,476	6,463	4,202	1,335	111	1	1	708
White, mother foreign	1,942	-	19	174	265	497	614	301	37	1	-	34
White, mother's nativity not stated	317	-	11	14	16	6	8	6	-	-	-	256
Negro	7,517	47	1,452	2,006	1,390	1,219	822	267	18	-	-	296
Other	103	-	5	27	29	18	16	5	1	-	-	2
Places of 100,000 or more	19,269	31	1,625	4,386	4,582	4,253	2,828	944	60	1	1	558
White, mother native	13,697	7	820	3,146	3,650	3,258	1,968	594	33	1	1	219
White, mother foreign	1,235	-	12	98	149	333	407	207	18	-	-	11
White, mother's nativity not stated	206	-	7	6	9	2	5	2	-	-	-	175
Negro	4,076	24	783	1,122	758	651	440	139	8	-	-	151
Other	55	-	3	14	16	9	8	2	1	-	-	2
Places of 25,000 to 100,000	7,806	18	757	1,827	1,846	1,615	1,052	370	41	-	-	280
White, mother native	5,968	8	463	1,401	1,507	1,312	816	276	27	-	-	158
White, mother foreign	306	-	3	30	53	68	91	41	11	-	-	9
White, mother's nativity not stated	50	-	-	4	2	2	-	1	-	-	-	41
Negro	1,459	10	291	385	277	229	142	50	3	-	-	72
Other	23	-	-	7	7	4	3	2	-	-	-	-
Places of 10,000 to 25,000	5,404	4	518	1,340	1,255	1,079	753	255	26	-	-	174
White, mother native	4,261	1	343	1,068	1,039	868	601	195	19	-	-	127
White, mother foreign	175	-	1	22	28	45	47	25	4	-	-	3
White, mother's nativity not stated	20	-	1	-	2	1	1	-	-	-	-	15
Negro	933	3	172	247	180	162	102	35	3	-	-	29
Other	15	-	1	3	6	3	2	-	-	-	-	-
Places of 2,500 to 10,000	6,670	16	697	1,509	1,493	1,256	1,029	345	40	1	-	284
White, mother native	5,344	6	484	1,226	1,280	1,025	817	270	32	-	-	204
White, mother foreign	226	-	3	24	35	51	69	28	4	1	-	11
White, mother's nativity not stated	41	-	3	4	3	1	2	3	-	-	-	25
Negro	1,049	10	206	252	175	177	138	43	4	-	-	44
Other	10	-	1	3	-	2	3	1	-	-	-	-
Rural	26,364	79	2,969	5,575	5,436	5,062	4,233	1,811	242	8	1	948
White, mother native	19,143	19	1,758	4,061	4,097	3,853	3,123	1,349	173	2	-	708
White, mother foreign	467	-	7	62	61	95	138	81	6	1	-	16
White, mother's nativity not stated	103	-	3	14	8	10	6	4	-	-	-	58
Negro	6,396	60	1,175	1,386	1,218	1,054	928	351	57	4	1	162
Other	255	-	26	52	52	50	38	26	6	1	-	4
MALE	35,225	87	3,649	7,744	7,877	7,018	5,377	2,042	206	4	1	1,220
White, mother native	25,948	24	2,117	5,774	6,256	5,442	3,969	1,449	144	-	-	773
White, mother foreign	1,237	-	19	116	162	287	391	209	24	1	-	28
White, mother's nativity not stated	224	-	8	14	14	10	4	6	-	-	-	168
Negro	7,614	63	1,483	1,792	1,410	1,240	981	360	33	2	1	249
Other	202	-	22	48	35	39	32	18	5	1	-	2
Urban	20,558	40	1,960	4,685	4,852	4,269	2,965	1,014	81	-	-	682
White, mother native	15,338	14	1,143	3,529	3,977	3,365	2,190	691	54	-	-	375
White, mother foreign	981	-	13	82	125	241	321	161	19	-	-	19
White, mother's nativity not stated	164	-	6	5	8	4	1	2	-	-	-	138
Negro	4,027	26	794	1,052	733	652	446	158	7	-	-	159
Other	48	-	4	17	9	7	7	2	1	-	-	1
Places of 100,000 or more	9,924	18	876	2,219	2,380	2,210	1,417	490	27	-	-	287
White, mother native	6,997	4	444	1,556	1,913	1,693	973	295	15	-	-	104
White, mother foreign	621	-	9	48	69	159	207	114	9	-	-	6
White, mother's nativity not stated	108	-	4	4	5	2	1	-	-	-	-	92
Negro	2,172	14	416	601	389	353	234	79	2	-	-	84
Other	26	-	3	10	4	3	2	2	1	-	-	1
Places of 25,000 to 100,000	4,132	10	397	943	998	848	575	195	23	-	-	143
White, mother native	3,163	4	237	737	818	695	437	141	15	-	-	79
White, mother foreign	155	-	2	12	19	37	51	23	6	-	-	5
White, mother's nativity not stated	25	-	-	-	1	1	-	-	-	-	-	23
Negro	779	6	158	191	157	113	85	31	2	-	-	36
Other	10	-	-	3	3	2	2	-	-	-	-	-
Places of 10,000 to 25,000	2,919	2	289	721	678	573	413	125	12	-	-	106
White, mother native	2,308	1	186	577	555	464	339	97	8	-	-	81
White, mother foreign	92	-	-	13	20	23	21	10	2	-	-	3
White, mother's nativity not stated	10	-	1	-	1	1	-	-	-	-	-	7
Negro	502	1	101	129	100	84	52	18	2	-	-	15
Other	7	-	1	2	2	1	1	-	-	-	-	-
Places of 2,500 to 10,000	3,583	10	398	802	796	638	560	204	19	-	-	156
White, mother native	2,870	5	276	659	691	513	441	158	16	-	-	111
White, mother foreign	113	-	2	9	17	22	42	14	2	-	-	5
White, mother's nativity not stated	21	-	1	1	1	-	-	2	-	-	-	16
Negro	574	5	119	131	87	102	75	30	1	-	-	24
Other	5	-	-	2	-	1	2	-	-	-	-	-
Rural	14,667	47	1,689	3,059	3,025	2,749	2,412	1,028	125	4	1	528
White, mother native	10,610	10	974	2,245	2,279	2,077	1,779	758	90	-	-	398
White, mother foreign	256	-	6	34	37	46	70	48	5	1	-	9
White, mother's nativity not stated	60	-	2	9	6	6	3	4	-	-	-	30
Negro	3,587	37	689	740	677	588	535	202	26	2	1	90
Other	154	-	18	31	26	32	25	16	4	1	-	1

TABLE 11.—STILLBIRTHS BY SEX, RACE, NATIVITY OF WHITE MOTHER, AND AGE OF MOTHER, URBAN AND RURAL: UNITED STATES, 1945—Continued

[By place of residence. Includes only stillbirths for which the period of uterogestation was 5 months or more and those for which the period was not stated]

AREA, SEX, RACE, AND NATIVITY OF WHITE MOTHER	Total stillbirths	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
FEMALE	29,152	57	2,823	6,681	6,490	5,933	4,328	1,624	194	6	1	935
White, mother native	21,681	16	1,707	4,988	5,117	4,683	3,228	1,195	135	3	1	608
White, mother foreign	1,075	-	7	114	151	276	330	157	17	1	-	22
White, mother's nativity not stated	167	-	5	13	10	6	8	4	-	-	-	121
Negro	6,075	41	1,096	1,535	1,166	999	741	255	40	2	-	200
Other	154	-	8	31	46	29	21	13	2	-	-	4
Urban	17,678	27	1,576	4,210	4,118	3,718	2,537	849	82	2	1	558
White, mother native	13,275	8	940	3,196	3,326	2,929	1,900	610	55	1	1	309
White, mother foreign	865	-	6	86	128	227	262	124	16	1	-	15
White, mother's nativity not stated	134	-	5	8	8	2	6	4	-	-	-	101
Negro	3,350	19	624	910	636	549	361	108	11	-	-	132
Other	54	-	1	10	20	11	8	3	-	-	-	1
Places of 100,000 or more	8,593	12	709	2,031	2,036	1,848	1,271	410	30	1	1	244
White, mother native	6,171	3	363	1,495	1,599	1,415	902	271	17	1	1	104
White, mother foreign	520	-	3	44	68	146	169	78	7	-	-	5
White, mother's nativity not stated	82	-	3	1	4	-	3	2	-	-	-	69
Negro	1,792	9	340	487	353	281	192	59	6	-	-	65
Other	28	-	-	4	12	6	5	-	-	-	-	1
Places of 25,000 to 100,000	3,624	8	352	872	836	759	473	172	17	-	-	135
White, mother native	2,765	4	220	655	680	609	375	132	11	-	-	79
White, mother foreign	151	-	1	18	34	31	40	18	5	-	-	4
White, mother's nativity not stated	24	-	-	4	1	1	-	1	-	-	-	17
Negro	671	4	131	191	117	116	57	19	1	-	-	35
Other	13	-	-	4	4	2	1	2	-	-	-	-
Places of 10,000 to 25,000	2,440	2	224	610	568	503	331	129	14	-	-	59
White, mother native	1,914	-	152	483	477	401	254	97	11	-	-	39
White, mother foreign	83	-	1	9	8	22	26	15	2	-	-	-
White, mother's nativity not stated	9	-	-	-	1	-	1	-	-	-	-	7
Negro	426	2	71	117	78	78	49	17	1	-	-	13
Other	8	-	-	1	4	2	1	-	-	-	-	-
Places of 2,500 to 10,000	3,021	5	291	697	678	608	462	138	21	1	-	120
White, mother native	2,425	1	205	563	570	504	369	110	16	-	-	87
White, mother foreign	111	-	1	15	18	28	27	13	2	1	-	6
White, mother's nativity not stated	19	-	2	3	2	1	2	1	-	-	-	8
Negro	461	4	82	115	88	74	63	13	3	-	-	19
Other	5	-	1	1	-	1	1	1	-	-	-	-
Rural	11,474	30	1,247	2,471	2,372	2,275	1,791	775	112	4	-	397
White, mother native	8,406	8	767	1,782	1,791	1,754	1,328	585	80	2	-	299
White, mother foreign	210	-	1	28	23	49	68	33	1	-	-	7
White, mother's nativity not stated	33	-	-	5	2	4	2	-	-	-	-	20
Negro	2,725	22	472	625	530	450	380	147	29	2	-	68
Other	100	-	7	21	26	18	13	10	2	-	-	3
NOT STATED	1,136	4	94	212	245	254	190	59	9	-	-	69
White, mother native	784	1	44	140	200	191	128	40	5	-	-	35
White, mother foreign	97	-	-	6	13	29	31	16	2	-	-	-
White, mother's nativity not stated	29	-	1	1	-	-	2	-	-	-	-	25
Negro	224	3	48	65	32	34	28	3	2	-	-	9
Other	2	-	1	-	-	-	1	-	-	-	-	-
Urban	913	2	61	167	206	216	160	51	4	-	-	46
White, mother native	657	-	27	116	173	169	112	34	2	-	-	24
White, mother foreign	96	-	-	6	12	29	31	16	2	-	-	-
White, mother's nativity not stated	19	-	-	1	-	-	1	-	-	-	-	17
Negro	140	2	34	44	21	18	15	1	-	-	-	5
Other	1	-	-	-	-	-	1	-	-	-	-	-
Places of 100,000 or more	752	1	40	136	166	195	140	44	3	-	-	27
White, mother native	529	-	13	95	138	150	93	28	1	-	-	11
White, mother foreign	94	-	-	6	12	28	31	15	2	-	-	-
White, mother's nativity not stated	16	-	-	1	-	-	1	-	-	-	-	14
Negro	112	1	27	34	16	17	14	1	-	-	-	2
Other	1	-	-	-	-	-	1	-	-	-	-	-
Places of 25,000 to 100,000	50	-	8	12	12	8	4	3	1	-	-	2
White, mother native	40	-	6	9	9	8	4	3	1	-	-	-
White, mother foreign	-	-	-	-	-	-	-	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	9	-	2	3	3	-	-	-	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	45	-	5	9	9	3	9	1	-	-	-	9
White, mother native	39	-	5	8	7	3	8	1	-	-	-	7
White, mother foreign	-	-	-	-	-	-	-	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	5	-	-	1	2	-	1	-	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	66	1	8	10	19	10	7	3	-	-	-	8
White, mother native	49	-	3	4	19	8	7	2	-	-	-	6
White, mother foreign	2	-	-	-	-	1	-	1	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	14	1	5	6	-	1	-	-	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	223	2	3	45	39	38	30	8	5	-	-	23
White, mother native	127	1	47	24	27	22	16	6	3	-	-	11
White, mother foreign	1	-	-	-	1	-	-	-	-	-	-	-
White, mother's nativity not stated	10	-	1	-	-	-	1	-	-	-	-	8
Negro	84	1	14	21	11	16	13	2	2	-	-	4
Other	1	-	1	-	-	-	-	-	-	-	-	-

TABLE 12.—STILLBIRTHS BY RACE AND BIRTH ORDER: UNITED STATES AND EACH STATE, 1945

[By place of residence. Includes only stillbirths for which the period of uterogestation was 5 months or more and those for which the period was not stated. Birth order refers to number of children ever born to mother, including children born dead]

AREA AND BIRTH ORDER	Total stillbirths	White	Nonwhite
UNITED STATES	65,513	51,242	14,271
First	19,974	16,330	3,644
Second	11,230	9,214	2,016
Third	8,041	6,534	1,507
Fourth	5,375	4,174	1,201
Fifth	3,732	2,811	921
Sixth	2,711	1,935	776
Seventh	2,075	1,420	655
Eighth	1,500	945	555
Ninth	1,154	715	439
Tenth	908	557	351
Eleventh	690	381	309
Twelfth	491	284	207
Thirteenth	288	157	131
Fourteenth	173	93	80
Fifteenth	112	58	54
Sixteenth and over	166	75	91
Not stated[1]	6,893	5,559	1,334
ALABAMA	2,038	970	1,068
First	454	256	198
Second	266	136	130
Third	202	101	101
Fourth	152	85	67
Fifth	102	49	53
Sixth	113	55	58
Seventh	85	32	53
Eighth	70	32	38
Ninth	61	24	37
Tenth and over	147	33	114
Not stated	386	167	219
ARIZONA	312	246	66
First	72	55	17
Second	43	35	8
Third	40	31	9
Fourth	32	29	3
Fifth	30	24	6
Sixth	17	12	5
Seventh	18	9	9
Eighth	7	6	1
Ninth	2	1	1
Tenth and over	20	18	2
Not stated	31	26	5
ARKANSAS	816	527	289
First	178	134	44
Second	98	72	26
Third	78	51	27
Fourth	66	48	18
Fifth	46	30	16
Sixth	45	30	15
Seventh	24	13	11
Eighth	27	13	14
Ninth	13	7	6
Tenth and over	61	28	33
Not stated	180	101	79
CALIFORNIA	3,453	3,112	341
First	1,335	1,206	129
Second	777	707	70
Third	506	462	44
Fourth	269	231	38
Fifth	147	136	11
Sixth	93	85	8
Seventh	79	69	10
Eighth	49	41	8
Ninth	45	37	8
Tenth and over	86	78	8
Not stated	67	60	7
COLORADO	516	497	19
First	174	165	9
Second	72	71	1
Third	73	71	2
Fourth	41	40	1
Fifth	39	36	3
Sixth	26	25	1
Seventh	12	11	1
Eighth	13	13	-
Ninth	7	7	-
Tenth and over	25	24	1
Not stated	34	34	-
CONNECTICUT	584	557	27
First	239	231	8
Second	132	129	3
Third	91	90	1
Fourth	46	38	8
Fifth	27	23	4
Sixth	15	15	-
Seventh	9	8	1
Eighth	10	9	1
Ninth	2	2	-
Tenth and over	5	4	1
Not stated	8	8	-
DELAWARE	148	109	39
First	45	38	7
Second	32	27	5
Third	20	12	8
Fourth	14	10	4
Fifth	9	6	3
Sixth	3	2	1
Seventh	8	6	2
Eighth	4	2	2
Ninth	2	2	-
Tenth and over	8	2	6
Not stated	3	2	1
DISTRICT OF COLUMBIA	374	202	172
First	105	61	44
Second	38	23	15
Third	33	23	10
Fourth	16	4	12
Fifth	13	5	8
Sixth	10	1	9
Seventh	3	2	1
Eighth	2	-	2
Ninth	7	1	6
Tenth and over	2	-	2
Not stated	145	82	63
FLORIDA	1,499	830	669
First	504	325	179
Second	258	168	90
Third	189	106	83
Fourth	120	66	54
Fifth	84	39	45
Sixth	66	34	32
Seventh	48	19	29
Eighth	44	15	29
Ninth	26	7	19
Tenth and over	88	24	64
Not stated	72	27	45
GEORGIA	2,199	1,050	1,149
First	665	359	306
Second	297	166	131
Third	265	142	123
Fourth	212	94	118
Fifth	158	63	95
Sixth	141	68	73
Seventh	100	41	59
Eighth	109	37	72
Ninth	54	12	42
Tenth and over	144	39	105
Not stated	54	29	25
IDAHO	200	198	2
First	55	55	-
Second	26	25	1
Third	28	28	-
Fourth	24	24	-
Fifth	17	17	-
Sixth	11	11	-
Seventh	7	7	-
Eighth	1	1	-
Ninth	3	3	-
Tenth and over	10	10	-
Not stated	18	17	1
ILLINOIS	2,951	2,605	346
First	1,136	1,010	126
Second	602	539	63
Third	397	358	39
Fourth	263	237	26
Fifth	155	136	19
Sixth	105	89	16
Seventh	70	59	11
Eighth	49	39	10
Ninth	50	37	13
Tenth and over	74	52	22
Not stated	50	49	1
INDIANA	1,341	1,229	112
First	405	374	31
Second	207	192	15
Third	148	136	12
Fourth	110	100	10
Fifth	67	58	9
Sixth	50	48	2
Seventh	32	25	7
Eighth	27	23	4
Ninth	23	22	1
Tenth and over	54	48	6
Not stated	218	203	15
IOWA	880	879	1
First	289	289	-
Second	194	193	1
Third	136	136	-
IOWA—Continued			
Fourth	74	74	-
Fifth	58	58	-
Sixth	49	49	-
Seventh	29	29	-
Eighth	11	11	-
Ninth	11	11	-
Tenth and over	16	16	-
Not stated	13	13	-
KANSAS	642	590	52
First	215	198	17
Second	117	107	10
Third	80	76	4
Fourth	40	38	2
Fifth	35	32	3
Sixth	24	23	1
Seventh	22	20	2
Eighth	14	12	2
Ninth	9	9	-
Tenth and over	33	25	8
Not stated	53	50	3
KENTUCKY	1,436	1,328	108
First	486	448	38
Second	191	182	9
Third	154	146	8
Fourth	115	104	11
Fifth	101	96	5
Sixth	88	76	12
Seventh	75	69	6
Eighth	47	43	4
Ninth	46	43	3
Tenth and over	113	101	12
Not stated	20	20	-
LOUISIANA	1,683	720	963
First	449	224	225
Second	251	117	134
Third	186	78	108
Fourth	145	49	96
Fifth	127	59	68
Sixth	79	33	46
Seventh	83	26	57
Eighth	60	23	37
Ninth	52	17	35
Tenth and over	124	24	100
Not stated	127	70	57
MAINE	303	303	-
First	87	87	-
Second	64	64	-
Third	36	36	-
Fourth	28	28	-
Fifth	16	16	-
Sixth	19	19	-
Seventh	13	13	-
Eighth	7	7	-
Ninth	6	6	-
Tenth and over	19	19	-
Not stated	8	8	-
MARYLAND	1,153	767	386
First	332	239	93
Second	215	157	58
Third	150	98	52
Fourth	89	65	24
Fifth	47	33	14
Sixth	38	21	17
Seventh	34	18	16
Eighth	14	11	3
Ninth	23	10	13
Tenth and over	61	25	36
Not stated	150	90	60
MASSACHUSETTS[2]	1,758	1,716	42
Not stated	1,758	1,716	42
MICHIGAN	2,700	2,406	294
First	763	680	83
Second	474	434	40
Third	378	342	36
Fourth	233	213	20
Fifth	179	168	11
Sixth	110	91	19
Seventh	77	66	11
Eighth	47	40	7
Ninth	32	26	6
Tenth and over	69	56	13
Not stated	338	290	48
MINNESOTA	1,141	1,122	19
First	381	374	7
Second	237	235	2
Third	165	160	5

[1] Includes all stillbirths for Massachusetts; they are not given by birth order because this State does not require the reporting of such information.
[2] Reporting of birth order is not required by this State.

TABLE 12.—STILLBIRTHS BY RACE AND BIRTH ORDER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 143]

AREA AND BIRTH ORDER	Total still-births	White	Non-white
MINNESOTA—Continued			
Fourth	104	102	2
Fifth	84	84	-
Sixth	55	55	-
Seventh	34	33	1
Eighth	24	23	1
Ninth	20	19	1
Tenth and over	31	31	-
Not stated	6	6	-
MISSISSIPPI	1,844	555	1,289
First	454	178	276
Second	259	101	158
Third	213	81	132
Fourth	176	44	132
Fifth	153	36	117
Sixth	133	27	106
Seventh	107	27	80
Eighth	71	16	55
Ninth	60	12	48
Tenth and over	177	23	154
Not stated	41	10	31
MISSOURI	1,550	1,285	265
First	562	486	76
Second	288	242	46
Third	214	175	39
Fourth	114	93	21
Fifth	84	68	16
Sixth	71	55	16
Seventh	55	42	13
Eighth	44	32	12
Ninth	27	22	5
Tenth and over	70	52	18
Not stated	21	18	3
MONTANA	184	161	23
First	58	54	4
Second	30	30	-
Third	29	25	4
Fourth	22	17	5
Fifth	11	9	2
Sixth	7	7	-
Seventh	5	5	-
Eighth	6	2	4
Ninth	6	4	2
Tenth and over	8	6	2
Not stated	2	2	-
NEBRASKA	444	436	8
First	90	89	1
Second	105	103	2
Third	64	63	1
Fourth	52	52	-
Fifth	42	42	-
Sixth	23	23	-
Seventh	15	14	1
Eighth	12	12	-
Ninth	9	8	1
Tenth and over	19	18	1
Not stated	13	12	1
NEVADA	76	65	11
First	30	29	1
Second	17	16	1
Third	6	5	1
Fourth	10	8	2
Fifth	5	4	1
Seventh	1	-	1
Ninth	1	-	1
Tenth and over	5	2	3
Not stated	1	1	-
NEW HAMPSHIRE	183	183	-
First	51	51	-
Second	32	32	-
Third	31	31	-
Fourth	20	20	-
Fifth	11	11	-
Sixth	3	3	-
Seventh	3	3	-
Eighth	5	5	-
Ninth	2	2	-
Tenth and over	6	6	-
Not stated	19	19	-
NEW JERSEY	1,842	1,626	216
First	596	536	60
Second	328	302	26
Third	204	182	22
Fourth	126	116	10
Fifth	67	55	12
Sixth	44	32	12
Seventh	35	29	6
Eighth	21	13	8
Ninth	15	13	2
Tenth and over	35	20	15
Not stated	371	328	43
NEW MEXICO	372	345	27
First	99	97	2
Second	44	39	5
Third	43	40	3
Fourth	34	30	4
Fifth	28	26	2
Sixth	27	26	1
Seventh	23	20	3
Eighth	19	17	2
Ninth	14	12	2
Tenth and over	32	31	1
Not stated	9	7	2
NEW YORK	6,348	5,584	764
First	2,092	1,853	239
Second	1,423	1,269	154
Third	993	890	103
Fourth	585	520	65
Fifth	363	311	52
Sixth	197	171	26
Seventh	130	114	16
Eighth	87	72	15
Ninth	67	54	13
Tenth and over	139	103	36
Not stated	272	227	45
NORTH CAROLINA	2,232	1,198	1,034
First	670	420	250
Second	341	181	160
Third	215	135	80
Fourth	192	106	86
Fifth	171	88	83
Sixth	126	60	66
Seventh	124	60	64
Eighth	90	34	56
Ninth	76	28	48
Tenth and over	192	66	126
Not stated	35	20	15
NORTH DAKOTA	251	240	11
First	61	60	1
Second	44	42	2
Third	34	32	2
Fourth	34	33	1
Fifth	16	16	-
Sixth	13	12	1
Seventh	14	14	-
Eighth	8	7	1
Ninth	5	5	-
Tenth and over	14	12	2
Not stated	8	7	1
OHIO	3,213	2,889	324
First	1,049	945	104
Second	602	543	59
Third	469	426	43
Fourth	326	293	33
Fifth	203	179	24
Sixth	134	114	20
Seventh	92	82	10
Eighth	63	55	8
Ninth	34	31	3
Tenth and over	115	103	12
Not stated	126	118	8
OKLAHOMA	1,030	860	170
First	347	294	53
Second	152	140	12
Third	127	108	19
Fourth	86	75	11
Fifth	54	47	7
Sixth	46	40	6
Seventh	38	27	11
Eighth	24	16	8
Ninth	23	15	8
Tenth and over	66	41	25
Not stated	67	57	10
OREGON	413	400	13
First	146	143	3
Second	83	80	3
Third	60	59	1
Fourth	41	40	1
Fifth	31	29	2
Sixth	11	10	1
Seventh	9	9	-
Eighth	1	1	-
Ninth	6	5	1
Tenth and over	5	4	1
Not stated	20	20	-
PENNSYLVANIA	4,077	3,590	487
First	1,477	1,322	155
Second	799	688	111
Third	560	512	48
Fourth	370	321	49
Fifth	241	220	21
PENNSYLVANIA—Continued			
Sixth	179	155	24
Seventh	129	116	13
Eighth	94	75	19
Ninth	58	45	13
Tenth and over	162	128	34
Not stated	8	8	-
RHODE ISLAND	279	273	6
First	96	94	2
Second	64	63	1
Third	46	44	2
Fourth	25	25	-
Fifth	9	9	-
Sixth	6	6	-
Seventh	10	9	1
Eighth	3	3	-
Ninth	2	2	-
Tenth and over	3	3	-
Not stated	15	15	-
SOUTH CAROLINA	1,664	589	1,075
First	485	222	263
Second	264	100	164
Third	182	66	116
Fourth	153	54	99
Fifth	115	41	74
Sixth	97	32	65
Seventh	94	17	77
Eighth	60	10	50
Ninth	63	21	42
Tenth and over	135	21	114
Not stated	16	5	11
SOUTH DAKOTA	193	174	19
First	60	56	4
Second	28	27	1
Third	24	22	2
Fourth	19	17	2
Fifth	20	17	3
Sixth	18	14	4
Seventh	7	7	-
Eighth	4	4	-
Ninth	1	1	-
Tenth and over	7	5	2
Not stated	5	4	1
TENNESSEE	1,546	1,101	445
First	471	351	120
Second	242	180	62
Third	185	133	52
Fourth	124	83	41
Fifth	109	70	39
Sixth	72	47	25
Seventh	66	47	19
Eighth	59	35	24
Ninth	41	27	14
Tenth and over	83	55	28
Not stated	94	73	21
TEXAS	4,027	3,108	919
First	1,217	951	266
Second	581	463	118
Third	359	275	84
Fourth	245	195	50
Fifth	154	117	37
Sixth	102	68	34
Seventh	84	65	19
Eighth	63	44	19
Ninth	44	36	8
Tenth and over	68	47	21
Not stated	1,110	847	263
UTAH	268	262	6
First	70	68	2
Second	60	59	1
Third	43	42	1
Fourth	27	26	1
Fifth	20	20	-
Sixth	16	16	-
Seventh	15	14	1
Eighth	6	6	-
Ninth	2	2	-
Tenth and over	4	4	-
Not stated	5	5	-
VERMONT	151	151	-
First	48	48	-
Second	23	23	-
Third	18	18	-
Fourth	11	11	-
Fifth	5	5	-
Sixth	9	9	-
Seventh	7	7	-
Eighth	2	2	-
Ninth	2	2	-
Tenth and over	5	5	-
Not stated	21	21	-

TABLE 12.—STILLBIRTHS BY RACE AND BIRTH ORDER: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 143]

AREA AND BIRTH ORDER	Total still-births	White	Non-white
VIRGINIA	2,017	1,185	832
First	483	319	164
Second	294	193	101
Third	200	135	65
Fourth	147	84	63
Fifth	101	53	48
Sixth	94	48	46
Seventh	65	36	29
Eighth	57	24	33
Ninth	55	24	31
Tenth and over	145	61	84
Not stated	376	208	168
WASHINGTON	693	662	31
First	226	217	9
Second	147	144	3
Third	98	94	4
Fourth	65	61	4
Fifth	30	29	1
Sixth	24	21	3
Seventh	10	9	1
WASHINGTON—Continued			
Eighth	8	8	-
Ninth	4	4	-
Tenth and over	14	12	2
Not stated	67	63	4
WEST VIRGINIA	1,228	1,120	108
First	276	256	20
Second	147	137	10
Third	96	89	7
Fourth	73	66	7
Fifth	64	58	6
Sixth	49	44	5
Seventh	44	41	3
Eighth	36	33	3
Ninth	34	30	4
Tenth and over	82	74	8
Not stated	327	292	35
WISCONSIN	1,164	1,146	18
First	357	350	7
Second	226	225	1
WISCONSIN—Continued			
Third	155	151	4
Fourth	97	97	-
Fifth	81	80	1
Sixth	50	50	-
Seventh	27	27	-
Eighth	17	16	1
Ninth	8	6	2
Tenth and over	47	46	1
Not stated	99	98	1
WYOMING	97	91	6
First	34	33	1
Second	16	13	3
Third	18	18	-
Fourth	8	8	-
Fifth	3	3	-
Sixth	3	3	-
Seventh	4	4	-
Eighth	4	2	2
Ninth	1	1	-
Not stated	6	6	-

TABLE 13.—STILLBIRTHS BY RACE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945

[By place of residence. Includes only stillbirths for which the period of uterogestation was 5 months or more and those for which the period was not stated]

AREA AND RACE	Total stillbirths	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNITED STATES	65,513	39,149	19,269	7,806	5,404	6,670	26,364
White	51,242	31,529	15,138	6,324	4,456	5,611	19,713
Nonwhite	14,271	7,620	4,131	1,482	948	1,059	6,651
Alabama	2,038	741	188	240	131	182	1,297
White	970	340	74	111	53	102	630
Nonwhite	1,068	401	114	129	78	80	667
Arizona	312	168	...	116	...	52	144
White	246	147	...	98	...	49	99
Nonwhite	66	21	...	18	...	3	45
Arkansas	816	237	...	30	87	120	579
White	527	161	...	24	60	77	366
Nonwhite	289	76	...	6	27	43	213
California	3,453	2,634	1,491	469	331	343	819
White	3,112	2,337	1,280	424	297	336	775
Nonwhite	341	297	211	45	34	7	44
Colorado	516	312	177	44	34	57	204
White	497	297	166	43	32	56	200
Nonwhite	19	15	11	1	2	1	4
Connecticut	584	445	187	173	58	27	139
White	557	423	175	164	57	27	134
Nonwhite	27	22	12	9	1	-	5
Delaware	148	79	60	...	...	19	69
White	109	63	47	...	...	16	46
Nonwhite	39	16	13	...	...	3	23
District of Columbia	374	374	374	...	...	...	...
White	202	202	202	...	...	...	...
Nonwhite	172	172	172	...	...	...	...
Florida	1,499	836	355	168	145	168	663
White	830	445	199	95	71	80	385
Nonwhite	669	391	156	73	74	88	278
Georgia	2,199	984	198	335	224	227	1,215
White	1,050	470	93	152	111	114	580
Nonwhite	1,149	514	105	183	113	113	635
Idaho	200	92	...	13	36	43	108
White	198	92	...	13	36	43	106
Nonwhite	2	-	...	-	-	-	2
Illinois	2,951	2,312	1,432	374	213	293	639
White	2,605	1,987	1,176	334	191	286	618
Nonwhite	346	325	256	40	22	7	21
Indiana	1,341	817	346	268	99	104	524
White	1,229	709	262	246	97	104	520
Nonwhite	112	108	84	22	2	-	4
Iowa	880	420	62	177	54	127	460
White	879	419	61	177	54	127	460
Nonwhite	1	1	1	-	-	-	-
Kansas	642	367	127	42	103	95	275
White	590	321	103	36	89	93	269
Nonwhite	52	46	24	6	14	2	6
Kentucky	1,436	453	133	149	43	128	983
White	1,328	389	110	134	36	109	930
Nonwhite	108	64	23	15	7	19	44
Louisiana	1,683	841	333	188	79	241	842
White	720	394	182	71	27	114	326
Nonwhite	963	447	151	117	52	127	516
Maine	303	121	...	57	35	29	182
White	303	121	...	57	35	29	182
Nonwhite	-	-	...	-	-	-	-
Maryland	1,153	697	559	36	44	58	456
White	767	444	332	35	31	46	323
Nonwhite	386	253	227	1	13	12	133
Massachusetts	1,758	1,579	703	473	302	101	179
White	1,716	1,542	670	470	302	100	174
Nonwhite	42	37	33	3	-	1	5
Michigan	2,700	1,941	1,057	425	217	242	759
White	2,406	1,660	837	395	194	234	746
Nonwhite	294	281	220	30	23	8	13
Minnesota	1,141	610	408	5	71	126	531
White	1,122	598	396	5	71	126	524
Nonwhite	19	12	12	-	-	-	7
Mississippi	1,844	460	...	93	206	161	1,384
White	555	188	...	33	90	65	367
Nonwhite	1,289	272	...	60	116	96	1,017
Missouri	1,550	949	620	76	121	132	601
White	1,285	718	420	74	104	120	567
Nonwhite	265	231	200	2	17	12	34
Montana	184	86	...	26	34	26	98
White	161	83	...	26	31	26	78
Nonwhite	23	3	...	-	3	-	20

TABLE 13.—STILLBIRTHS BY RACE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Includes only stillbirths for which the period of uterogestation was 5 months or more and those for which the period was not stated]

AREA AND RACE	Total stillbirths	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
Nebraska	444	211	78	32	53	48	233
White	436	205	74	31	53	47	231
Nonwhite	8	6	4	1	-	1	2
Nevada	76	45	...	...	21	24	31
White	65	41	...	...	19	22	24
Nonwhite	11	4	...	...	2	2	7
New Hampshire	183	97	...	51	28	18	86
White	183	97	...	51	28	18	86
Nonwhite	-	-	...	-	-	-	-
New Jersey	1,842	1,491	584	393	237	277	351
White	1,626	1,299	484	351	208	256	327
Nonwhite	216	192	100	42	29	21	24
New Mexico	372	134	....	25	36	73	238
White	345	127	...	23	34	70	218
Nonwhite	27	7	...	2	2	3	20
New York	6,348	5,526	4,517	321	395	293	822
White	5,584	4,780	3,815	296	383	286	804
Nonwhite	764	746	702	25	12	7	18
North Carolina	2,232	745	83	279	183	200	1,487
White	1,198	418	37	140	100	141	780
Nonwhite	1,034	327	46	139	83	59	707
North Dakota	251	64	...	16	25	23	187
White	240	64	...	16	25	23	176
Nonwhite	11	-	...	-	-	-	11
Ohio	3,213	2,278	1,377	349	224	328	935
White	2,889	1,978	1,139	312	213	314	911
Nonwhite	324	300	238	37	11	14	24
Oklahoma	1,030	501	162	30	135	174	529
White	860	413	127	20	114	152	447
Nonwhite	170	88	35	10	21	22	82
Oregon	413	244	138	8	34	64	169
White	400	238	132	8	34	64	162
Nonwhite	13	6	6	-	-	-	7
Pennsylvania	4,077	2,760	1,285	522	485	468	1,317
White	3,590	2,320	938	477	449	456	1,270
Nonwhite	487	440	347	45	36	12	47
Rhode Island	279	251	88	120	35	8	28
White	273	245	84	118	35	8	28
Nonwhite	6	6	4	2	-	-	-
South Carolina	1,664	506	...	229	93	184	1,158
White	589	240	...	103	44	93	349
Nonwhite	1,075	266	...	126	49	91	809
South Dakota	193	54	...	16	24	14	139
White	174	51	...	16	24	11	123
Nonwhite	19	3	...	-	-	3	16
Tennessee	1,546	685	480	10	66	129	861
White	1,101	384	233	9	44	98	717
Nonwhite	445	301	247	1	22	31	144
Texas	4,027	2,495	865	598	320	712	1,532
White	3,108	1,959	655	456	258	590	1,149
Nonwhite	919	536	210	142	62	122	383
Utah	268	154	61	22	12	59	114
White	262	149	58	20	12	59	113
Nonwhite	6	5	3	2	-	-	1
Vermont	151	53	...	16	5	32	98
White	151	53	...	16	5	32	98
Nonwhite	-	-	...	-	-	-	-
Virginia	2,017	791	277	318	51	145	1,226
White	1,185	474	137	185	39	113	711
Nonwhite	832	317	140	133	12	32	515
Washington	693	451	270	47	78	56	242
White	662	430	253	46	75	56	232
Nonwhite	31	21	17	1	3	-	10
West Virginia	1,228	375	...	171	82	122	853
White	1,120	342	...	160	77	105	778
Nonwhite	108	33	...	11	5	17	75
Wisconsin	1,164	638	194	256	82	106	526
White	1,146	627	187	253	81	106	519
Nonwhite	18	11	7	3	1	-	7
Wyoming	97	45	...	...	33	12	52
White	91	45	...	...	33	12	46
Nonwhite	6	-	...	...	-	-	6

TABLE 14.—STILLBIRTHS BY RACE AND PERSON IN ATTENDANCE: UNITED STATES AND EACH STATE, 1945

[By place of residence. Includes only stillbirths for which the period of uterogestation was 5 months or more and those for which the period was not stated]

AREA AND RACE	Total stillbirths	STILLBIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
UNITED STATES	65,513	48,280	12,163	4,171	899
White	51,242	41,722	8,339	623	558
Nonwhite	14,271	6,558	3,824	3,548	341
Alabama	2,038	877	590	523	48
White	970	595	322	33	20
Nonwhite	1,068	282	268	490	28
Arizona	312	246	48	11	7
White	246	193	40	9	4
Nonwhite	66	53	8	2	3
Arkansas	816	395	238	174	9
White	527	344	171	7	5
Nonwhite	289	51	67	167	4
California	3,453	3,190	204	1	58
White	3,112	2,897	168	1	46
Nonwhite	341	293	36	-	12
Colorado	516	425	85	-	6
White	497	409	83	-	5
Nonwhite	19	16	2	-	1
Connecticut	584	554	30	-	-
White	557	533	24	-	-
Nonwhite	27	21	6	-	-
Delaware	148	116	23	7	2
White	109	92	15	2	-
Nonwhite	39	24	8	5	2
District of Columbia	374	327	38	-	9
White	202	187	9	-	6
Nonwhite	172	140	29	-	3
Florida	1,499	936	241	316	6
White	830	700	108	20	2
Nonwhite	669	236	133	296	4
Georgia	2,199	1,074	623	469	33
White	1,050	734	286	22	8
Nonwhite	1,149	340	337	447	25
Idaho	200	184	14	-	2
White	198	182	14	-	2
Nonwhite	2	2	-	-	-
Illinois	2,951	2,526	376	3	46
White	2,605	2,288	274	2	41
Nonwhite	346	238	102	1	5
Indiana	1,341	1,070	264	-	7
White	1,229	1,002	220	-	7
Nonwhite	112	68	44	-	-
Iowa	880	765	109	1	5
White	879	764	109	1	5
Nonwhite	1	1	-	-	-
Kansas	642	544	97	-	1
White	590	516	73	-	1
Nonwhite	52	28	24	-	-
Kentucky	1,436	622	723	69	22
White	1,328	588	653	66	21
Nonwhite	108	34	70	3	1
Louisiana	1,683	1,091	283	222	87
White	720	591	96	13	20
Nonwhite	963	500	187	209	67
Maine	303	248	54	-	1
White	303	248	54	-	1
Nonwhite	-	-	-	-	-
Maryland	1,153	786	306	14	47
White	767	578	161	2	26
Nonwhite	386	208	145	12	21
Massachusetts	1,758	1,653	102	-	3
White	1,716	1,615	98	-	3
Nonwhite	42	38	4	-	-
Michigan	2,700	2,345	343	5	7
White	2,406	2,134	263	3	6
Nonwhite	294	211	80	2	1
Minnesota	1,141	1,042	96	2	1
White	1,122	1,025	94	2	1
Nonwhite	19	17	2	-	-
Mississippi	1,844	650	473	712	9
White	555	390	138	25	2
Nonwhite	1,289	260	335	687	7
Missouri	1,550	1,132	366	8	44
White	1,285	954	305	3	23
Nonwhite	265	178	61	5	21
Montana	184	174	8	-	2
White	161	152	8	-	1
Nonwhite	23	22	-	-	1
Nebraska	444	384	56	-	4
White	436	379	55	-	2
Nonwhite	8	5	1	-	2
Nevada	76	72	4	-	-
White	65	62	3	-	-
Nonwhite	11	10	1	-	-
New Hampshire	183	164	19	-	-
White	183	164	19	-	-
Nonwhite	-	-	-	-	-
New Jersey	1,842	1,648	180	1	13
White	1,626	1,483	129	1	13
Nonwhite	216	165	51	-	-
New Mexico	372	210	104	48	10
White	345	187	101	47	10
Nonwhite	27	23	3	1	-
New York	6,348	5,755	502	3	88
White	5,584	5,105	410	2	67
Nonwhite	764	650	92	1	21
North Carolina	2,232	1,295	682	217	38
White	1,198	900	257	32	9
Nonwhite	1,034	395	425	185	29
North Dakota	251	216	33	1	1
White	240	207	33	-	-
Nonwhite	11	9	-	1	1
Ohio	3,213	2,648	525	-	40
White	2,889	2,413	442	-	34
Nonwhite	324	235	83	-	6
Oklahoma	1,030	705	301	15	9
White	860	616	236	2	6
Nonwhite	170	89	65	13	3
Oregon	413	389	20	2	2
White	400	377	20	2	1
Nonwhite	13	12	-	-	1
Pennsylvania	4,077	3,445	613	6	13
White	3,590	3,043	532	3	12
Nonwhite	487	402	81	3	1
Rhode Island	279	248	31	-	-
White	273	244	29	-	-
Nonwhite	6	4	2	-	-
South Carolina	1,664	714	365	580	5
White	589	443	128	18	-
Nonwhite	1,075	271	237	562	5
South Dakota	193	175	14	-	4
White	174	160	13	-	1
Nonwhite	19	15	1	-	3
Tennessee	1,546	891	661	67	27
White	1,101	699	358	24	20
Nonwhite	445	192	203	43	7
Texas	4,027	2,460	1,061	429	77
White	3,108	2,032	789	228	59
Nonwhite	919	428	272	201	18
Utah	268	245	23	-	-
White	262	239	23	-	-
Nonwhite	6	6	-	-	-
Vermont	151	128	22	-	1
White	151	128	22	-	1
Nonwhite	-	-	-	-	-
Virginia	2,017	1,142	571	248	56
White	1,185	831	299	36	19
Nonwhite	832	311	272	212	37
Washington	693	666	26	-	1
White	662	640	21	-	1
Nonwhite	31	26	5	-	-
West Virginia	1,228	603	588	17	20
White	1,120	572	512	17	19
Nonwhite	108	31	76	-	1
Wisconsin	1,164	1,020	118	-	26
White	1,146	1,007	113	-	26
Nonwhite	18	13	5	-	-
Wyoming	97	85	10	-	2
White	91	80	9	-	2
Nonwhite	6	5	1	-	-

TABLE 15.—DEATHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1945

[Exclusive of stillbirths and of deaths among armed forces overseas]

STATE OF OCCURRENCE	Total deaths occurring in State	Deaths of residents occurring in place of residence	DEATHS OF NONRESIDENTS[1]														
			Total	Intrastate nonresidents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D.C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES..	1,401,719	1,146,926	254,793	216,531	38,262	769	240	818	1,201	370	650	132	595	839	763	339	2,627
Alabama	25,313	20,734	4,579	4,010	569	...	-	2	6	-	2	-	2	134	113	-	7
Arizona	6,711	5,107	1,604	744	860	7	...	24	194	19	3	-	1	7	5	4	70
Arkansas	14,470	11,727	2,743	2,158	585	10	1	...	22	-	1	-	1	3	1	-	25
California	93,157	72,098	21,059	19,270	1,789	25	113	29	...	51	9	-	4	23	21	34	104
Colorado	12,661	10,220	2,441	1,799	642	7	3	11	47	...	-	-	9	1	2	1	35
Connecticut	18,595	15,315	3,280	2,868	412	2	1	-	6	-	...	1	7	6	1	1	2
Delaware	3,305	2,693	612	449	163	-	-	-	-	-	-	...	-	2	1	-	2
District of Columbia	8,965	7,837	1,128	...	1,128	6	1	2	7	1	4	3	...	13	6	-	11
Florida	23,676	17,831	5,845	4,106	1,739	95	2	5	22	3	48	-	12	...	174	1	110
Georgia	28,596	23,533	5,063	4,263	800	240	-	7	5	-	3	-	10	183	...	1	12
Idaho	4,553	3,318	1,235	945	290	3	2	-	23	4	-	-	1	-	1	...	4
Illinois	89,112	74,350	14,762	13,139	1,623	11	2	8	34	12	2	-	3	23	11	2	...
Indiana	39,325	32,234	7,091	6,187	904	3	1	5	8	4	1	-	2	3	3	-	352
Iowa	25,878	20,328	5,550	4,677	873	2	1	2	29	11	-	-	3	2	2	3	327
Kansas	18,497	15,303	3,194	2,437	757	1	3	17	17	29	-	-	2	-	5	-	27
Kentucky	27,295	23,091	4,204	3,583	621	10	2	3	8	1	3	-	1	12	8	-	48
Louisiana	22,354	17,762	4,592	3,945	647	37	-	70	17	1	4	1	1	25	9	-	17
Maine	9,953	7,743	2,210	1,975	235	-	-	-	-	-	14	-	3	9	2	-	1
Maryland	22,824	19,031	3,793	2,695	1,198	5	-	2	9	2	6	42	364	22	10	-	5
Massachusetts	51,181	44,115	7,066	6,021	1,045	4	-	2	9	-	179	-	5	13	7	1	11
Michigan	53,687	44,892	8,795	8,047	748	6	2	6	10	2	-	-	5	12	4	1	132
Minnesota	27,321	21,085	6,236	5,007	1,229	4	5	3	43	10	2	-	3	12	2	6	81
Mississippi	19,093	16,339	2,754	2,335	419	75	1	21	7	1	-	-	-	15	18	-	15
Missouri	42,707	35,743	6,964	5,460	1,504	10	3	89	32	11	-	1	4	11	1	1	651
Montana	5,390	4,209	1,171	978	193	-	-	1	17	2	-	-	-	1	1	18	1
Nebraska	12,446	10,011	2,435	2,007	428	1	-	1	16	21	1	-	-	2	-	1	12
Nevada	1,649	1,265	384	203	181	-	4	1	111	4	1	-	-	-	-	3	-
New Hampshire	5,846	4,857	989	657	332	-	-	-	1	-	10	-	2	3	-	-	-
New Jersey	46,656	36,398	10,458	9,240	1,218	-	1	-	5	2	20	13	10	22	6	-	7
New Mexico	5,721	4,403	1,318	708	610	3	58	15	67	60	4	-	2	4	4	-	27
New York	154,233	133,472	20,761	17,890	2,871	18	2	3	48	6	236	3	30	87	32	1	50
North Carolina	29,025	22,849	6,176	5,357	819	30	-	6	8	3	6	-	20	58	58	-	11
North Dakota	5,080	3,758	1,322	1,037	285	-	1	-	5	1	-	-	-	-	1	2	4
Ohio	78,507	66,783	11,724	10,430	1,294	4	-	5	9	1	2	1	5	19	8	-	43
Oklahoma	18,437	14,486	3,951	3,560	391	3	6	43	27	5	1	-	2	4	1	1	9
Oregon	13,198	10,976	2,222	1,628	594	4	3	4	83	5	2	-	1	1	-	51	7
Pennsylvania	108,670	87,279	21,391	19,812	1,579	2	1	-	14	2	13	61	11	15	4	-	19
Rhode Island	7,943	6,395	1,548	1,278	270	1	-	2	-	1	45	-	-	4	3	-	3
South Carolina	16,848	13,639	3,209	2,827	382	7	-	-	5	1	2	-	5	36	73	-	2
South Dakota	5,358	4,034	1,324	1,112	212	-	-	-	6	5	1	-	-	2	-	1	3
Tennessee	28,713	23,426	5,287	3,840	1,447	111	-	347	12	1	3	1	2	16	139	-	32
Texas	58,604	49,095	9,509	8,584	925	6	10	66	72	11	1	-	2	5	7	3	42
Utah	4,979	3,816	1,163	878	285	1	8	3	43	29	1	-	-	-	-	65	9
Vermont	3,943	3,097	846	706	140	-	-	-	-	-	7	-	1	3	-	-	-
Virginia	28,430	23,342	5,088	4,189	899	9	-	4	11	2	9	3	51	17	12	-	11
Washington	21,884	18,303	3,581	2,943	638	4	-	5	57	2	4	1	2	1	2	129	24
West Virginia	16,529	12,778	3,751	3,112	639	1	-	-	5	-	-	1	4	4	2	-	3
Wisconsin	31,905	24,038	7,867	7,205	662	-	2	-	5	-	-	-	1	3	2	1	251
Wyoming	2,206	1,788	418	230	188	-	1	4	19	44	-	-	1	1	1	7	9

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS[1]—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
UNITED STATES..	1,165	871	767	916	418	267	858	997	1,027	671	681	1,399	227	482	120	302	2,187	409	2,292
Alabama	6	-	-	8	18	-	3	5	3	2	83	4	-	-	-	2	3	-	15
Arizona	23	19	14	9	7	1	5	6	29	9	2	23	6	8	6	-	3	125	28
Arkansas	12	4	11	9	27	-	-	1	9	3	15	114	-	2	-	-	1	1	7
California	28	50	45	17	24	9	10	25	54	44	8	72	26	30	74	-	34	31	112
Colorado	8	12	66	6	4	-	6	2	11	7	4	24	4	70	1	-	8	39	21
Connecticut	2	2	-	1	1	8	2	87	2	1	-	1	1	-	-	5	21	1	199
Delaware	1	-	-	1	-	-	44	1	1	-	1	-	-	-	-	-	32	-	17
District of Columbia	5	-	-	6	2	2	463	12	10	2	1	2	1	2	-	2	12	1	49
Florida	56	13	2	21	11	14	22	121	88	14	5	20	-	2	-	15	116	-	299
Georgia	5	3	3	4	5	1	3	13	14	2	8	4	-	1	-	-	13	-	16
Idaho	1	3	6	2	3	-	-	1	1	4	1	4	19	6	3	-	1	-	5
Illinois	376	116	27	68	23	1	4	12	150	44	15	233	2	17	-	1	9	3	20
Indiana	...	6	4	100	3	-	1	3	109	7	1	15	1	4	-	-	1	1	17
Iowa	11	...	13	1	3	-	-	-	10	49	2	127	2	129	1	1	1	1	7
Kansas	4	12	...	1	1	2	-	-	2	5	-	395	-	28	1	-	2	5	3
Kentucky	147	2	1	...	1	1	3	2	21	3	4	16	1	-	-	-	1	1	7
Louisiana	6	1	4	4	...	-	1	6	6	1	148	6	1	14	-	-	4	1	7
Maine	-	-	1	-	1	...	1	89	3	-	1	-	-	-	-	42	4	-	33
Maryland	3	2	-	6	5	4	...	20	9	5	1	7	-	4	-	-	34	-	73
Massachusetts	3	1	1	5	5	96	4	...	5	4	3	10	-	1	-	157	44	1	155
Michigan	104	11	3	11	1	1	2	8	...	16	3	21	1	3	-	-	6	-	24
Minnesota	32	178	13	8	4	1	4	5	48	...	3	15	28	17	-	-	-	1	11
Mississippi	9	2	2	5	134	1	4	1	2	2	...	6	-	-	-	-	3	1	4
Missouri	20	79	323	21	10	-	4	-	11	5	5	...	3	25	3	2	1	2	10
Montana	1	3	-	1	-	-	1	1	1	10	-	3	...	4	-	-	-	-	2
Nebraska	2	168	66	-	-	1	1	1	5	8	1	17	4	...	2	-	-	-	4
Nevada	-	3	2	-	-	-	-	1	-	2	1	6	-	1	...	-	1	2	4
New Hampshire	-	-	-	-	-	71	1	120	1	-	-	-	-	-	-	...	10	-	11

[1] See discussion in text for definition of nonresident.

TABLE 15.–DEATHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1945–Continued

[Exclusive of stillbirths and of deaths among armed forces overseas]

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS[1]—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N.H.	N.J.	N. Mex.	N.Y.
New Jersey	4	2	1	2	2	4	28	25	9	1	3	5	-	1	1	3	...	-	523
New Mexico	7	6	25	4	6	-	1	4	10	2	4	20	-	3	1	-	3	...	16
New York	15	9	3	6	13	26	34	185	66	15	6	17	4	7	2	10	1,049	1	...
North Carolina	8	3	3	12	6	1	16	8	5	-	20	3	-	-	-	2	11	1	33
North Dakota	-	2	-	2	-	-	-	-	5	132	-	1	42	-	-	-	2	-	5
Ohio	178	6	4	282	2	2	5	13	136	10	2	19	1	2	-	-	14	1	58
Oklahoma	3	5	70	2	5	-	3	2	6	3	-	46	1	4	-	-	4	9	3
Oregon	9	10	7	1	-	-	1	7	3	6	2	5	19	4	-	-	4	1	8
Pennsylvania	10	3	4	10	3	2	79	20	26	2	2	4	-	3	2	2	677	-	274
Rhode Island	2	4	-	-	1	8	-	133	2	1	1	2	-	-	1	3	5	-	19
South Carolina	2	1	-	2	7	2	4	4	5	1	2	1	1	-	-	1	13	-	24
South Dakota	2	29	3	-	2	-	-	-	-	37	-	3	4	47	1	-	1	1	-
Tennessee	19	3	4	138	8	-	5	7	23	2	291	53	-	2	-	-	3	-	15
Texas	9	13	22	6	64	-	6	5	16	7	25	36	-	7	2	2	4	162	17
Utah	2	2	3	1	-	1	-	1	3	8	1	7	2	2	19	-	2	8	6
Vermont	1	1	-	-	-	2	-	26	2	-	-	-	-	-	-	50	3	-	38
Virginia	6	5	3	25	1	-	50	10	4	5	3	10	1	3	-	-	18	-	62
Washington	6	11	4	2	4	1	1	3	10	17	3	5	40	7	-	2	4	1	14
West Virginia	3	-	1	102	-	1	35	1	4	1	-	-	-	-	-	-	4	-	6
Wisconsin	13	56	2	4	1	1	1	-	86	164	-	8	2	4	-	-	1	1	9
Wyoming	1	10	1	-	-	-	-	-	1	8	-	9	10	18	-	-	-	6	4

STATE OF OCCURRENCE	DEATHS OF NONRESIDENTS[1]—Continued																		Total deaths of residents
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	N.C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R.I.	S.C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W.Va.	Wis.	Wyo.	
UNITED STATES	691	314	1,622	875	418	2,102	312	438	335	680	1,174	165	204	1,110	644	740	823	216	1,401,719
Alabama	12	-	17	2	-	11	-	12	1	61	13	-	1	5	2	10	4	-	23,513
Arizona	4	1	38	32	7	20	-	2	-	11	43	9	-	4	16	6	10	3	6,091
Arkansas	-	-	2	130	2	3	-	2	4	29	121	-	-	2	-	4	4	2	14,703
California	15	15	61	48	105	63	12	7	11	13	119	45	5	14	105	11	22	12	92,569
Colorado	6	3	16	26	5	18	1	3	9	8	37	13	-	5	5	3	5	70	12,389
Connecticut	4	-	4	-	-	13	15	-	-	2	4	-	6	2	-	-	-	1	18,833
Delaware	-	-	2	-	-	48	2	-	-	-	1	-	-	7	-	-	-	-	3,274
District of Columbia	11	-	11	4	1	49	1	8	2	2	4	-	3	385	-	20	1	-	8,432
Florida	23	1	126	3	3	125	17	17	1	32	12	-	7	30	6	21	23	1	22,776
Georgia	35	-	22	-	1	12	-	99	-	53	4	1	-	12	1	3	1	-	28,559
Idaho	1	4	1	2	36	2	-	-	1	1	3	26	-	3	105	1	1	5	4,602
Illinois	8	8	77	24	2	21	2	2	11	25	43	3	-	4	5	10	147	2	90,116
Indiana	1	-	184	5	2	14	-	-	2	13	8	-	-	4	1	5	10	-	39,586
Iowa	-	7	2	2	4	3	-	1	54	1	6	1	1	1	7	1	41	1	25,876
Kansas	1	2	5	145	-	4	-	-	3	1	22	1	-	-	4	-	7	-	18,507
Kentucky	3	-	117	6	1	8	1	3	-	116	7	-	1	27	1	24	1	-	27,590
Louisiana	4	-	10	5	2	4	-	-	1	11	210	-	-	2	-	2	4	-	22,125
Maine	1	-	4	-	-	8	6	-	-	-	-	-	8	2	1	1	-	-	9,965
Maryland	26	-	25	3	2	214	2	13	-	10	10	1	2	118	5	117	8	-	22,584
Massachusetts	2	1	23	1	-	31	189	2	1	4	9	1	40	4	2	6	1	-	51,133
Michigan	1	2	165	1	-	23	-	1	3	11	17	2	3	5	5	5	109	-	53,966
Minnesota	1	164	12	6	5	5	-	3	110	5	23	2	-	4	12	3	324	11	26,763
Mississippi	-	-	4	-	-	3	-	1	-	47	31	-	-	2	-	1	1	-	19,355
Missouri	2	-	11	77	1	13	-	1	4	19	25	-	1	1	4	3	3	1	42,602
Montana	-	28	2	2	20	-	-	-	1	-	7	5	-	-	26	1	3	30	5,414
Nebraska	1	2	3	4	1	3	1	-	36	2	7	-	-	1	3	1	6	22	12,500
Nevada	1	-	3	1	2	1	-	-	-	-	4	19	-	-	1	-	2	-	1,588
New Hampshire	1	-	1	1	-	4	7	-	-	2	1	-	85	-	-	-	-	-	5,816
New Jersey	9	-	10	-	1	456	4	10	-	5	2	-	3	12	1	3	2	-	47,825
New Mexico	5	-	16	60	1	12	-	2	1	3	136	9	-	2	2	3	1	1	5,520
New York	39	2	85	9	7	538	33	18	2	15	32	2	31	46	2	14	12	-	153,654
North Carolina	...	1	16	4	5	19	4	189	1	49	16	1	1	153	1	21	5	1	28,897
North Dakota	-	...	2	-	3	3	-	-	48	-	3	-	1	-	11	1	8	-	5,109
Ohio	9	3	...	6	1	171	-	3	-	19	9	2	-	8	3	220	8	-	78,835
Oklahoma	-	1	8	...	1	4	-	1	-	1	101	1	-	-	1	-	3	1	18,921
Oregon	3	7	6	7	...	7	-	2	5	4	7	4	-	2	282	1	6	3	13,022
Pennsylvania	11	-	179	3	2	...	4	4	2	5	6	-	-	20	4	63	8	3	109,193
Rhode Island	3	-	4	2	-	9	...	-	1	1	3	-	1	4	-	1	-	-	7,985
South Carolina	136	1	2	1	-	11	2	...	-	6	5	-	-	13	-	2	2	-	16,904
South Dakota	-	40	-	1	2	-	-	-	...	-	2	1	-	-	2	1	4	11	5,481
Tennessee	67	-	24	8	-	9	-	9	1	...	17	1	1	58	-	10	4	1	27,946
Texas	4	-	14	224	1	12	1	3	5	6	...	2	1	4	3	3	13	1	58,853
Utah	1	1	3	4	-	-	-	-	4	-	9	...	-	1	6	-	1	28	4,859
Vermont	2	-	-	-	-	1	2	-	-	-	-	-	...	1	-	-	-	-	4,007
Virginia	229	1	27	3	3	56	3	16	-	75	12	-	1	...	-	134	2	2	28,641
Washington	3	10	10	7	185	8	1	4	5	4	9	9	-	8	...	4	2	3	21,890
West Virginia	5	-	256	-	-	54	-	-	-	6	7	-	-	131	1	...	1	-	16,630
Wisconsin	1	8	11	1	-	6	2	-	2	1	7	-	1	1	2	-	...	1	32,066
Wyoming	-	1	1	5	4	3	-	-	3	1	-	4	-	2	6	-	3	...	2,234

[1]See discussion in text for definition of nonresident.

TABLE 16.—DEATHS BY SPECIFIED RACE: UNITED STATES AND EACH STATE, 1945

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	White	Negro	Indian	Chinese	Japanese	All other
UNITED STATES	1,401,719	1,233,889	160,733	4,415	1,317	971	394
Alabama	25,513	14,725	10,783	3	1	1	-
Arizona	6,091	4,982	224	750	21	110	4
Arkansas	14,703	10,493	4,168	3	3	35	1
California	92,569	88,130	2,961	322	547	328	281
Colorado	12,389	12,048	220	28	1	91	1
Connecticut	18,833	18,334	487	1	8	2	1
Delaware	3,274	2,671	600	1	-	-	2
District of Columbia	8,432	5,307	3,096	1	23	2	3
Florida	22,776	15,847	6,910	12	2	4	1
Georgia	28,559	16,495	12,056	5	3	-	-
Idaho	4,602	4,471	18	48	8	54	3
Illinois	90,116	83,049	6,937	14	72	37	7
Indiana	39,586	37,448	2,133	-	5	-	-
Iowa	25,876	25,602	256	17	-	1	-
Kansas	18,507	17,510	972	23	-	-	2
Kentucky	27,590	24,095	3,491	4	-	-	-
Louisiana	22,125	12,657	9,441	18	5	1	3
Maine	9,985	9,951	20	13	-	1	-
Maryland	22,584	17,776	4,785	-	20	2	1
Massachusetts	51,133	50,226	839	15	44	4	5
Michigan	53,966	50,557	3,272	114	17	5	1
Minnesota	26,763	26,395	185	168	5	6	4
Mississippi	19,355	8,781	10,542	29	3	-	-
Missouri	42,602	38,397	4,186	6	6	4	3
Montana	5,414	5,169	22	210	7	6	-
Nebraska	12,500	12,188	235	70	2	5	-
Nevada	1,588	1,445	37	97	6	2	1
New Hampshire	5,816	5,810	5	1	-	-	-
New Jersey	47,825	44,348	3,439	6	25	2	5
New Mexico	5,520	4,871	74	554	2	18	1
New York	153,654	145,141	8,052	99	300	42	20
North Carolina	28,897	18,982	9,723	191	-	1	-
North Dakota	5,109	5,001	6	101	1	-	-
Ohio	78,835	73,411	5,393	1	22	5	3
Oklahoma	18,821	16,519	1,782	613	4	2	1
Oregon	13,022	12,764	109	97	32	17	3
Pennsylvania	109,193	101,972	7,163	9	45	3	1
Rhode Island	7,985	7,794	179	4	7	-	1
South Carolina	16,904	8,613	8,283	6	1	-	1
South Dakota	5,481	5,168	11	300	2	-	-
Tennessee	27,946	21,285	6,660	-	-	-	1
Texas	58,853	48,783	10,034	13	10	10	3
Utah	4,859	4,733	33	14	3	74	2
Vermont	4,007	4,005	2	-	-	-	-
Virginia	28,641	19,475	9,157	2	5	-	2
Washington	21,890	21,264	277	246	38	39	26
West Virginia	16,630	15,372	1,257	-	1	-	-
Wisconsin	32,066	31,716	180	150	9	11	-
Wyoming	2,234	2,113	38	36	1	46	-

TABLE 17.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1945

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
UNITED STATES	1,401,719	127,687	115,587	122,458	113,800	117,181	112,051	108,350	107,626	104,136	115,397	114,265	143,181
Male	788,063	71,910	64,764	67,943	63,817	65,897	62,915	61,319	60,737	59,041	65,265	64,522	79,933
Female	613,656	55,777	50,823	54,515	49,983	51,284	49,136	47,031	46,889	45,095	50,132	49,743	63,248
White	1,233,889	112,195	101,188	108,032	100,521	103,336	98,406	95,207	94,313	91,676	101,808	100,867	126,340
Male	697,698	63,521	57,079	60,287	56,625	58,466	55,522	54,111	53,514	52,351	57,958	57,319	70,945
Female	536,191	48,674	44,109	47,745	43,896	44,870	42,884	41,096	40,799	39,325	43,850	43,548	55,395
Nonwhite	167,830	15,492	14,399	14,426	13,279	13,845	13,645	13,143	13,313	12,460	13,589	13,398	16,841
Male	90,365	8,389	7,685	7,656	7,192	7,431	7,393	7,208	7,223	6,690	7,307	7,203	8,988
Female	77,465	7,103	6,714	6,770	6,087	6,414	6,252	5,935	6,090	5,770	6,282	6,195	7,853
ALABAMA	25,513	2,363	2,293	2,217	2,048	2,107	1,984	1,977	2,078	1,848	1,990	2,002	2,606
Male	14,037	1,320	1,282	1,188	1,121	1,129	1,104	1,102	1,112	1,019	1,091	1,110	1,459
Female	11,476	1,043	1,011	1,029	927	978	880	875	966	829	899	892	1,147
White	14,725	1,414	1,296	1,235	1,136	1,207	1,107	1,149	1,228	1,108	1,164	1,163	1,518
Male	8,407	813	759	683	652	675	629	673	679	633	662	683	866
Female	6,318	601	537	552	484	532	478	476	549	475	502	480	652
Nonwhite	10,788	949	997	982	912	900	877	828	850	740	826	839	1,088
Male	5,630	507	523	505	469	454	475	429	433	386	429	427	593
Female	5,158	442	474	477	443	446	402	399	417	354	397	412	495
ARIZONA	6,091	515	475	535	490	520	478	539	542	435	453	486	623
Male	3,867	330	308	349	303	325	297	343	354	281	287	298	392
Female	2,224	185	167	186	187	195	181	196	188	154	166	188	231
White	4,982	441	392	446	396	435	386	437	411	345	352	407	534
Male	3,215	286	257	295	252	282	243	285	275	222	221	249	348
Female	1,767	155	135	151	144	153	143	152	136	123	131	158	186
Nonwhite	1,109	74	83	89	94	85	92	102	131	90	101	79	89
Male	652	44	51	54	51	43	54	58	79	59	66	49	44
Female	457	30	32	35	43	42	38	44	52	31	35	30	45
ARKANSAS	14,703	1,290	1,276	1,296	1,235	1,239	1,125	1,228	1,147	1,074	1,223	1,092	1,478
Male	8,321	747	712	714	723	695	650	699	653	605	688	588	847
Female	6,382	543	564	582	512	544	475	529	494	469	535	504	631
White	10,493	930	900	910	897	894	819	864	798	753	895	800	1,033
Male	6,089	543	514	513	537	513	488	505	464	433	514	448	617
Female	4,404	387	386	397	360	381	331	359	334	320	381	352	416
Nonwhite	4,210	360	376	386	338	345	306	364	349	321	328	292	445
Male	2,232	204	198	201	186	182	162	194	189	172	174	140	230
Female	1,978	156	178	185	152	163	144	170	160	149	154	152	215
CALIFORNIA	92,569	8,605	7,247	8,278	7,509	7,400	7,181	7,473	7,390	7,326	7,517	7,738	8,905
Male	54,188	5,015	4,259	4,832	4,332	4,301	4,250	4,427	4,357	4,291	4,397	4,561	5,166
Female	38,381	3,590	2,988	3,446	3,177	3,099	2,931	3,046	3,033	3,035	3,120	3,177	3,739
White	88,130	8,165	6,926	7,920	7,151	7,072	6,821	7,120	7,041	6,966	7,150	7,310	8,488
Male	51,369	4,733	4,056	4,613	4,104	4,104	4,016	4,201	4,129	4,052	4,156	4,292	4,913
Female	36,761	3,432	2,870	3,307	3,047	2,968	2,805	2,919	2,912	2,914	2,994	3,018	3,575
Nonwhite	4,439	440	321	358	358	328	360	353	349	360	367	428	417
Male	2,819	282	203	219	228	197	234	226	228	239	241	269	253
Female	1,620	158	118	139	130	131	126	127	121	121	126	159	164
COLORADO	12,389	1,082	960	1,056	989	1,000	996	978	937	1,001	1,097	1,014	1,279
Male	7,224	644	560	603	577	588	560	569	553	579	645	596	750
Female	5,165	438	400	453	412	412	436	409	384	422	452	418	529
White	12,048	1,063	937	1,029	963	972	960	950	908	976	1,067	973	1,250
Male	7,040	634	553	588	560	570	540	554	540	565	631	574	731
Female	5,008	429	384	441	403	402	420	396	368	411	436	399	519
Nonwhite	341	19	23	27	26	28	36	28	29	25	30	41	29
Male	184	10	7	15	17	18	20	15	13	14	14	22	19
Female	157	9	16	12	9	10	16	13	16	11	16	19	10
CONNECTICUT	18,833	1,758	1,559	1,642	1,563	1,595	1,497	1,341	1,403	1,439	1,603	1,601	1,832
Male	10,383	964	870	900	836	869	845	745	743	812	905	888	1,006
Female	8,450	794	689	742	727	726	652	596	660	627	698	713	826
White	18,334	1,713	1,512	1,586	1,521	1,562	1,461	1,301	1,364	1,396	1,568	1,563	1,787
Male	10,102	938	845	871	813	853	824	722	720	786	885	868	977
Female	8,232	775	667	715	708	709	637	579	644	610	683	695	810
Nonwhite	499	45	47	56	42	33	36	40	39	43	35	38	45
Male	281	26	25	29	23	16	21	23	23	26	20	20	29
Female	218	19	22	27	19	17	15	17	16	17	15	18	16
DELAWARE	3,274	328	275	290	291	270	253	207	238	251	259	253	359
Male	1,771	180	151	138	175	144	131	113	138	146	130	139	186
Female	1,503	148	124	152	116	126	122	94	100	105	129	114	173
White	2,671	266	221	244	240	215	209	169	189	208	214	206	290
Male	1,430	146	122	120	147	117	103	88	103	122	99	111	152
Female	1,241	120	99	124	93	98	106	81	86	86	115	95	138
Nonwhite	603	62	54	46	51	55	44	38	49	43	45	47	69
Male	341	34	29	18	28	27	28	25	35	24	31	28	34
Female	262	28	25	28	23	28	16	13	14	19	14	19	35
DISTRICT OF COLUMBIA	8,432	750	747	798	642	693	706	641	623	612	657	718	845
Male	4,521	395	428	421	320	370	377	342	335	335	339	384	475
Female	3,911	355	319	377	322	323	329	299	288	277	318	334	370
White	5,307	465	462	498	396	427	443	415	401	378	422	462	538
Male	2,889	252	269	258	214	240	247	209	214	215	218	248	305
Female	2,418	213	193	240	182	187	196	206	187	163	204	214	233
Nonwhite	3,125	285	285	300	246	266	263	226	222	234	235	256	307
Male	1,632	43	159	163	106	130	130	133	121	120	121	136	170
Female	1,493	42	126	137	140	136	133	93	101	114	114	120	137
FLORIDA	22,776	2,173	1,908	1,813	1,860	1,844	1,895	1,776	1,746	1,802	1,823	1,906	2,230
Male	13,633	1,291	1,129	1,084	1,108	1,131	1,112	1,075	1,057	1,103	1,095	1,129	1,319
Female	9,143	882	779	729	752	713	783	701	689	699	728	777	911
White	15,847	1,520	1,346	1,245	1,268	1,276	1,302	1,237	1,214	1,262	1,255	1,331	1,591
Male	9,776	950	816	770	787	803	782	773	755	801	770	817	952
Female	6,071	570	530	475	481	473	520	464	459	461	485	514	639
Nonwhite	6,929	653	562	568	592	568	593	539	532	540	568	575	639
Male	3,857	341	313	314	321	328	330	302	302	302	325	312	367
Female	3,072	312	249	254	271	240	263	237	230	238	243	263	272

TABLE 17.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
GEORGIA	28,559	2,710	2,521	2,314	2,094	2,403	2,310	2,095	2,238	2,128	2,304	2,423	3,019
Male	15,842	1,530	1,388	1,266	1,161	1,340	1,323	1,136	1,238	1,185	1,279	1,333	1,663
Female	12,717	1,180	1,133	1,048	933	1,063	987	959	1,000	943	1,025	1,090	1,356
White	16,495	1,564	1,488	1,344	1,176	1,370	1,303	1,240	1,288	1,220	1,313	1,453	1,736
Male	9,575	919	858	787	661	810	783	712	748	718	763	814	1,002
Female	6,920	645	630	557	515	560	520	528	540	502	550	639	734
Nonwhite	12,064	1,146	1,033	970	918	1,033	1,007	855	950	908	991	970	1,283
Male	6,267	611	530	479	500	530	540	424	490	467	516	519	661
Female	5,797	535	503	491	418	503	467	431	460	441	475	451	622
IDAHO	4,602	420	369	423	376	392	339	353	352	357	372	387	462
Male	2,838	261	222	254	232	248	194	206	207	224	243	254	293
Female	1,764	159	147	169	144	144	145	147	145	133	129	133	169
White	4,471	407	355	407	362	377	329	346	345	344	364	378	457
Male	2,755	257	212	240	223	242	187	202	201	215	238	249	289
Female	1,716	150	143	167	139	135	142	144	144	129	126	129	168
Nonwhite	131	13	14	16	14	15	10	7	7	13	8	9	5
Male	83	4	10	14	9	6	7	4	6	9	5	5	4
Female	48	9	4	2	5	9	3	3	1	4	3	4	1
ILLINOIS	90,116	7,795	7,205	7,794	7,216	7,772	7,099	7,229	6,864	6,605	7,435	7,246	9,856
Male	50,418	4,403	4,007	4,294	4,050	4,358	3,953	4,059	3,866	3,712	4,276	4,014	5,426
Female	39,698	3,392	3,198	3,500	3,166	3,414	3,146	3,170	2,998	2,893	3,159	3,232	4,430
White	83,049	7,195	6,608	7,186	6,660	7,157	6,560	6,665	6,296	6,066	6,834	6,707	9,115
Male	46,629	4,069	3,683	3,956	3,747	4,025	3,666	3,748	3,572	3,435	3,958	3,745	5,025
Female	36,420	3,126	2,925	3,230	2,913	3,132	2,894	2,917	2,724	2,631	2,876	2,962	4,090
Nonwhite	7,067	600	597	608	556	615	539	564	568	539	601	539	741
Male	3,789	334	324	338	303	333	287	311	294	277	318	269	401
Female	3,278	266	273	270	253	282	252	253	274	262	283	270	340
INDIANA	39,586	3,540	3,392	3,487	3,082	3,352	3,104	3,077	2,934	2,884	3,263	3,147	4,324
Male	21,955	1,953	1,883	1,879	1,721	1,847	1,734	1,711	1,652	1,591	1,847	1,737	2,400
Female	17,631	1,587	1,509	1,608	1,361	1,505	1,370	1,366	1,282	1,293	1,416	1,410	1,924
White	37,448	3,327	3,234	3,311	2,933	3,169	2,922	2,914	2,778	2,714	3,095	2,975	4,076
Male	20,785	1,848	1,791	1,776	1,634	1,741	1,633	1,624	1,569	1,503	1,760	1,645	2,256
Female	16,663	1,484	1,443	1,535	1,299	1,428	1,289	1,290	1,209	1,211	1,335	1,330	1,810
Nonwhite	2,138	213	158	176	149	183	182	163	156	170	168	172	248
Male	1,170	110	92	103	87	106	101	87	83	88	87	92	134
Female	968	103	66	73	62	77	81	76	73	82	81	80	114
IOWA	25,876	2,266	2,042	2,317	2,205	2,206	1,994	2,061	1,886	1,818	2,168	2,075	2,818
Male	14,477	1,275	1,124	1,281	1,227	1,240	1,113	1,129	1,048	1,046	1,275	1,192	1,527
Female	11,399	991	918	1,036	978	966	881	952	838	772	893	883	1,291
White	25,602	2,237	2,021	2,294	2,182	2,179	1,971	2,058	1,866	1,800	2,149	2,053	2,792
Male	14,321	1,258	1,117	1,264	1,216	1,225	1,102	1,120	1,040	1,037	1,259	1,175	1,508
Female	11,281	979	904	1,030	966	954	869	938	826	763	890	878	1,284
Nonwhite	274	29	21	23	23	27	23	23	20	18	19	22	26
Male	156	17	7	17	11	15	11	9	8	9	16	17	19
Female	118	12	14	6	12	12	12	14	12	9	3	5	7
KANSAS	18,507	1,762	1,601	1,623	1,511	1,530	1,358	1,462	1,413	1,289	1,484	1,525	1,949
Male	10,406	1,001	894	921	843	880	710	815	816	749	840	849	1,088
Female	8,101	761	707	702	668	650	648	647	597	540	644	676	861
White	17,510	1,649	1,504	1,526	1,442	1,458	1,289	1,378	1,335	1,230	1,408	1,443	1,848
Male	9,990	935	847	877	810	842	677	774	780	714	803	801	1,040
Female	7,610	714	657	649	632	616	612	604	555	516	605	642	808
Nonwhite	997	113	97	97	69	72	69	84	78	59	76	82	101
Male	506	66	47	44	33	38	33	41	36	35	37	48	48
Female	491	47	50	53	36	34	36	43	42	24	39	34	53
KENTUCKY	27,590	2,509	2,407	2,392	2,139	2,208	2,131	2,130	2,162	2,026	2,261	2,234	2,991
Male	15,353	1,396	1,327	1,383	1,199	1,258	1,195	1,205	1,175	1,158	1,227	1,191	1,637
Female	12,237	1,111	1,080	1,009	940	950	936	925	987	868	1,034	1,043	1,354
White	24,095	2,186	2,089	2,096	1,844	1,933	1,848	1,859	1,903	1,792	1,966	1,979	2,600
Male	13,510	1,237	1,158	1,214	1,030	1,107	1,046	1,069	1,036	1,037	1,090	1,054	1,442
Female	10,585	949	931	882	814	826	802	790	867	755	886	925	1,158
Nonwhite	3,495	323	318	296	295	275	283	271	259	234	295	255	391
Male	1,843	161	169	169	169	151	149	136	139	121	147	137	195
Female	1,652	162	149	127	126	124	134	135	120	113	148	118	196
LOUISIANA	22,125	2,143	1,864	1,783	1,672	1,869	1,792	1,707	1,737	1,673	1,773	1,757	2,345
Male	12,378	1,205	1,013	978	935	1,038	965	963	1,014	938	1,012	1,022	1,295
Female	9,747	938	851	815	737	831	827	744	723	735	761	735	1,050
White	12,657	1,265	1,064	992	948	1,035	1,033	954	969	981	1,008	1,007	1,401
Male	7,410	727	612	582	541	597	593	552	566	598	612	612	818
Female	5,247	538	452	410	407	438	440	402	403	383	396	395	583
Nonwhite	9,468	878	800	801	724	834	759	753	768	692	765	750	944
Male	4,968	478	401	396	394	441	372	411	448	340	400	410	477
Female	4,500	400	399	405	330	393	387	342	320	352	365	340	467
MAINE	9,985	974	771	895	902	848	806	752	787	731	825	792	902
Male	5,555	556	429	491	497	485	431	400	417	416	456	448	529
Female	4,430	418	342	404	405	363	375	352	370	315	369	344	373
White	9,951	968	764	892	898	846	805	751	787	728	823	788	901
Male	5,532	552	424	489	495	483	431	399	417	413	456	445	528
Female	4,419	416	340	403	403	363	374	352	370	315	367	343	373
Nonwhite	34	6	7	3	4	2	1	1	-	3	2	4	1
Male	23	4	5	2	2	2	-	1	-	3	-	3	1
Female	11	2	2	1	2	-	1	-	-	-	2	1	-
MARYLAND	22,584	2,142	2,045	2,002	1,798	1,876	1,822	1,672	1,669	1,600	1,812	1,776	2,370
Male	12,302	1,145	1,124	1,094	985	1,021	998	933	940	888	972	965	1,247
Female	10,282	997	921	918	813	855	824	739	729	712	840	811	1,123
White	17,776	1,689	1,598	1,601	1,431	1,466	1,426	1,294	1,300	1,265	1,421	1,431	1,854
Male	9,649	900	874	865	765	806	777	725	731	699	766	776	965
Female	8,127	789	724	736	666	660	649	569	569	566	655	655	889
Nonwhite	4,808	453	447	401	367	410	396	378	369	335	391	345	516
Male	2,653	245	250	219	220	215	221	208	209	189	206	189	282
Female	2,155	208	197	182	147	195	175	170	160	146	185	156	234

TABLE 17.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
MASSACHUSETTS	51,133	4,820	4,180	4,590	4,430	4,275	4,151	3,741	3,981	3,738	4,341	4,066	4,820
Male	27,202	2,606	2,217	2,422	2,350	2,285	2,136	2,039	2,153	2,008	2,279	2,156	2,551
Female	23,931	2,214	1,963	2,168	2,080	1,990	2,015	1,702	1,828	1,730	2,062	1,910	2,269
White	50,226	4,752	4,110	4,499	4,344	4,211	4,074	3,669	3,920	3,656	4,264	4,011	4,716
Male	26,691	2,569	2,181	2,361	2,304	2,252	2,089	2,002	2,121	1,962	2,233	2,128	2,489
Female	23,535	2,183	1,929	2,138	2,040	1,959	1,985	1,667	1,799	1,694	2,031	1,883	2,227
Nonwhite	907	68	70	91	86	64	77	72	61	82	77	55	104
Male	511	37	36	61	46	33	47	37	32	46	46	28	62
Female	396	31	34	30	40	31	30	35	29	36	31	27	42
MICHIGAN	53,966	4,812	4,253	4,774	4,517	4,686	4,357	4,242	4,157	4,022	4,682	4,375	5,069
Male	30,674	2,769	2,396	2,621	2,561	2,618	2,496	2,380	2,400	2,355	2,645	2,510	2,923
Female	23,292	2,043	1,857	2,153	1,956	2,068	1,861	1,862	1,757	1,667	2,037	1,865	2,166
White	50,557	4,518	3,987	4,511	4,215	4,371	4,062	3,956	3,906	3,765	4,406	4,105	4,755
Male	28,780	2,590	2,251	2,494	2,385	2,443	2,336	2,220	2,267	2,218	2,493	2,356	2,727
Female	21,777	1,928	1,736	2,017	1,830	1,928	1,726	1,736	1,639	1,547	1,913	1,749	2,028
Nonwhite	3,409	294	266	263	302	315	295	286	251	257	276	270	334
Male	1,894	179	145	127	176	175	160	160	133	137	152	154	196
Female	1,515	115	121	136	126	140	135	126	118	120	124	116	138
MINNESOTA	26,763	2,327	2,148	2,374	2,242	2,275	2,142	2,098	1,925	1,997	2,268	2,295	2,672
Male	15,560	1,353	1,276	1,365	1,288	1,298	1,275	1,238	1,152	1,166	1,294	1,359	1,496
Female	11,203	974	872	1,009	954	977	867	860	773	831	974	936	1,176
White	26,395	2,299	2,121	2,350	2,221	2,242	2,097	2,070	1,887	1,979	2,242	2,265	2,622
Male	15,360	1,342	1,257	1,351	1,273	1,280	1,247	1,221	1,134	1,157	1,281	1,339	1,478
Female	11,035	957	864	999	948	962	850	849	753	822	961	926	1,144
Nonwhite	368	28	27	24	21	33	45	28	38	18	26	30	50
Male	200	11	19	14	15	18	28	17	18	9	13	20	18
Female	168	17	8	10	6	15	17	11	20	9	13	10	32
MISSISSIPPI	19,355	1,836	1,770	1,735	1,494	1,586	1,450	1,479	1,516	1,420	1,555	1,560	1,954
Male	10,619	990	967	943	812	873	769	811	847	777	878	845	1,107
Female	8,736	846	803	792	682	713	681	668	669	643	677	715	847
White	8,781	845	826	795	669	731	620	662	616	655	705	745	912
Male	5,152	489	474	464	387	431	342	378	378	379	437	437	556
Female	3,629	356	352	331	282	300	278	284	238	276	268	308	356
Nonwhite	10,574	991	944	940	825	855	830	817	900	765	850	815	1,042
Male	5,467	501	493	479	425	442	427	433	469	398	441	408	551
Female	5,107	490	451	461	400	413	403	384	431	367	409	407	491
MISSOURI	42,602	3,797	3,594	3,652	3,510	3,558	3,162	3,583	3,110	3,105	3,561	3,457	4,513
Male	23,816	2,100	2,001	2,010	1,936	1,988	1,788	2,043	1,743	1,789	2,008	1,923	2,487
Female	18,786	1,697	1,593	1,642	1,574	1,570	1,374	1,540	1,367	1,316	1,553	1,534	2,026
White	38,397	3,455	3,263	3,313	3,148	3,208	2,844	3,194	2,781	2,793	3,209	3,118	4,071
Male	21,549	1,916	1,831	1,842	1,734	1,803	1,610	1,817	1,560	1,612	1,816	1,753	2,257
Female	16,848	1,539	1,432	1,471	1,414	1,405	1,234	1,377	1,221	1,181	1,393	1,365	1,816
Nonwhite	4,205	342	331	339	362	350	318	389	329	312	352	339	442
Male	2,267	184	170	168	202	185	178	226	183	177	192	170	232
Female	1,938	158	161	171	160	165	140	163	146	135	160	169	210
MONTANA	5,414	505	417	474	470	465	430	419	413	385	452	483	501
Male	3,438	309	259	295	310	308	270	262	273	239	295	310	308
Female	1,976	196	158	179	160	157	160	157	140	146	157	173	193
White	5,169	477	389	451	450	446	414	404	399	362	434	463	480
Male	3,303	293	244	282	301	293	266	256	264	223	284	302	295
Female	1,866	184	145	169	149	153	148	148	135	139	150	161	185
Nonwhite	245	28	28	23	20	19	16	15	14	23	18	20	21
Male	135	16	15	13	9	15	4	6	9	16	11	8	13
Female	110	12	13	10	11	4	12	9	5	7	7	12	8
NEBRASKA	12,500	1,106	1,038	1,130	1,045	1,065	966	954	939	886	1,000	1,064	1,317
Male	7,174	645	588	647	583	599	528	571	552	510	597	628	726
Female	5,326	461	450	483	462	466	438	383	387	376	403	426	591
White	12,188	1,080	1,012	1,107	1,017	1,041	942	924	911	863	971	1,033	1,287
Male	7,006	632	571	636	570	586	513	556	536	494	585	618	709
Female	5,182	448	441	471	447	455	429	368	375	369	386	415	578
Nonwhite	312	26	26	23	28	24	24	30	28	23	29	21	30
Male	168	13	17	11	13	13	15	15	16	16	12	10	17
Female	144	13	9	12	15	11	9	15	12	7	17	11	13
NEVADA	1,588	146	112	141	136	127	160	137	103	111	120	129	166
Male	1,109	110	69	87	93	86	117	81	82	71	88	91	134
Female	479	36	43	54	43	41	43	56	21	40	32	38	32
White	1,445	131	101	125	122	114	143	125	97	100	111	122	154
Male	1,025	101	61	80	84	78	107	75	77	65	83	87	127
Female	420	30	40	45	38	36	36	50	20	35	28	35	27
Nonwhite	143	15	11	16	14	13	17	12	6	11	9	7	12
Male	84	9	8	7	9	8	10	6	5	6	5	4	7
Female	59	6	3	9	5	5	7	6	1	5	4	3	5
NEW HAMPSHIRE	5,816	539	446	549	479	500	469	405	449	451	503	490	536
Male	3,149	289	253	300	243	252	251	221	254	254	267	273	292
Female	2,667	250	193	249	236	248	218	184	195	197	236	217	244
White	5,810	539	445	549	479	499	469	405	448	449	503	490	535
Male	3,145	289	252	300	243	252	251	221	254	252	267	273	291
Female	2,665	250	193	249	236	247	218	184	194	197	236	217	244
Nonwhite	6	-	1	-	-	1	-	-	1	2	-	-	1
Male	4	-	1	-	-	-	-	-	-	2	-	-	1
Female	2	-	-	-	-	1	-	-	1	-	-	-	-
NEW JERSEY	47,825	4,330	3,954	4,268	3,899	3,962	3,907	3,499	3,605	3,459	3,976	3,942	5,024
Male	25,987	2,366	2,123	2,280	2,176	2,157	2,090	1,957	1,934	1,907	2,109	2,172	2,716
Female	21,838	1,964	1,831	1,988	1,723	1,805	1,817	1,542	1,671	1,552	1,867	1,770	2,308
White	44,348	4,024	3,645	3,955	3,648	3,695	3,645	3,223	3,326	3,210	3,686	3,639	4,652
Male	24,149	2,194	1,971	2,116	2,042	2,018	1,954	1,797	1,789	1,776	1,960	2,013	2,519
Female	20,199	1,830	1,674	1,839	1,606	1,677	1,691	1,426	1,537	1,434	1,726	1,626	2,133
Nonwhite	3,477	306	309	313	251	267	262	276	279	249	290	303	372
Male	1,838	172	152	164	134	139	136	160	145	131	149	159	197
Female	1,639	134	157	149	117	128	126	116	134	118	141	144	175

TABLE 17.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
NEW MEXICO	5,520	438	421	458	443	393	420	442	532	571	459	461	482
Male	3,137	252	243	252	245	215	242	268	293	315	267	270	275
Female	2,383	186	178	206	198	178	178	174	239	256	192	191	207
White	4,871	397	369	411	387	333	367	400	466	493	401	408	439
Male	2,762	228	213	230	220	184	210	245	246	273	231	233	249
Female	2,109	169	156	181	167	149	157	155	220	220	170	175	190
Nonwhite	649	41	52	47	56	60	53	42	66	78	58	53	43
Male	375	24	30	22	25	31	32	23	47	42	36	37	26
Female	274	17	22	25	31	29	21	19	19	36	22	16	17
NEW YORK	153,654	14,024	12,468	13,457	12,497	13,049	12,957	11,415	11,869	11,262	12,738	12,401	15,517
Male	83,919	7,665	6,777	7,230	6,799	7,157	7,049	6,289	6,471	6,132	7,070	6,835	8,445
Female	69,735	6,359	5,691	6,227	5,698	5,892	5,908	5,126	5,398	5,130	5,668	5,566	7,072
White	145,141	13,306	11,802	12,705	11,809	12,351	12,238	10,750	11,147	10,560	12,040	11,745	14,688
Male	79,417	7,305	6,409	6,831	6,434	6,777	6,670	5,928	6,086	5,756	6,721	6,484	8,016
Female	65,724	6,001	5,393	5,874	5,375	5,574	5,568	4,822	5,061	4,804	5,319	5,261	6,672
Nonwhite	8,513	718	666	752	688	698	719	665	722	702	698	656	829
Male	4,502	360	368	399	365	380	379	361	385	376	349	351	429
Female	4,011	358	298	353	323	318	340	304	337	326	349	305	400
NORTH CAROLINA	28,897	2,796	2,552	2,444	2,174	2,319	2,349	2,313	2,110	2,194	2,333	2,458	2,855
Male	16,314	1,518	1,407	1,399	1,248	1,290	1,321	1,300	1,167	1,292	1,325	1,462	1,585
Female	12,583	1,278	1,145	1,045	926	1,029	1,028	1,013	943	902	1,008	996	1,270
White	18,982	1,824	1,657	1,608	1,442	1,540	1,541	1,491	1,358	1,484	1,557	1,595	1,885
Male	11,077	1,018	949	957	848	884	884	855	786	885	915	994	1,102
Female	7,905	806	708	651	594	656	657	636	572	599	642	601	783
Nonwhite	9,915	972	895	836	732	779	808	822	752	710	776	863	970
Male	5,237	500	458	442	400	406	437	445	381	407	410	468	483
Female	4,678	472	437	394	332	373	371	377	371	303	366	395	487
NORTH DAKOTA	5,109	421	385	450	384	454	418	399	419	391	427	442	519
Male	3,114	261	232	274	218	258	245	251	255	254	263	279	324
Female	1,995	160	153	176	166	196	173	148	164	137	164	163	195
White	5,001	412	376	440	378	444	410	385	410	388	417	437	504
Male	3,059	257	225	270	215	254	239	242	251	252	258	277	319
Female	1,942	155	151	170	163	190	171	143	159	136	159	160	185
Nonwhite	108	9	9	10	6	10	8	14	9	3	10	5	15
Male	55	4	7	4	3	4	6	9	4	2	5	2	5
Female	53	5	2	6	3	6	2	5	5	1	5	3	10
OHIO	78,835	7,161	6,567	6,952	6,432	6,731	6,316	5,920	5,816	5,724	6,532	6,343	8,338
Male	43,855	3,984	3,708	3,795	3,615	3,740	3,517	3,294	3,237	3,173	3,634	3,545	4,613
Female	34,980	3,180	2,859	3,157	2,817	2,991	2,799	2,626	2,579	2,551	2,898	2,798	3,725
White	73,411	6,643	6,150	6,457	6,022	6,264	5,874	5,510	5,378	5,323	6,101	5,894	7,795
Male	40,802	3,682	3,464	3,527	3,385	3,477	3,270	3,062	2,980	2,962	3,396	3,283	4,314
Female	32,609	2,961	2,686	2,930	2,637	2,787	2,604	2,448	2,398	2,361	2,705	2,611	3,481
Nonwhite	5,424	521	417	495	410	467	442	410	438	401	431	449	543
Male	3,053	302	244	268	230	263	247	232	257	211	238	262	299
Female	2,371	219	173	227	180	204	195	178	181	190	193	187	244
OKLAHOMA	18,921	1,749	1,525	1,723	1,530	1,523	1,485	1,470	1,474	1,400	1,523	1,548	1,971
Male	11,079	1,011	871	1,003	898	897	888	853	880	817	908	932	1,121
Female	7,842	738	654	720	632	626	597	617	594	583	615	616	850
White	16,519	1,522	1,319	1,492	1,340	1,339	1,288	1,282	1,272	1,215	1,337	1,371	1,742
Male	9,767	891	766	877	801	791	779	745	758	725	797	826	1,011
Female	6,752	631	553	615	539	548	509	537	514	490	540	545	731
Nonwhite	2,402	227	206	231	190	184	197	188	202	185	186	177	229
Male	1,312	120	105	126	97	106	109	108	122	92	111	106	110
Female	1,090	107	101	105	93	78	88	80	80	93	75	71	119
OREGON	13,022	1,217	1,055	1,146	1,066	1,094	1,065	976	950	995	1,084	1,025	1,349
Male	8,060	761	635	696	666	679	682	602	582	613	676	630	838
Female	4,962	456	420	450	400	415	383	374	368	382	408	395	511
White	12,764	1,193	1,031	1,124	1,053	1,068	1,048	953	928	978	1,058	1,003	1,327
Male	7,893	743	620	680	657	661	675	585	563	604	658	621	826
Female	4,871	450	411	444	396	407	373	368	365	374	400	382	501
Nonwhite	258	24	24	22	13	26	17	23	22	17	26	22	22
Male	167	18	15	16	9	18	7	17	19	9	18	9	12
Female	91	6	9	6	4	8	10	6	3	8	8	13	10
PENNSYLVANIA	109,193	9,850	9,016	9,852	9,092	9,065	8,685	8,093	8,185	7,916	8,831	9,012	11,596
Male	60,159	5,560	4,965	5,365	5,008	5,000	4,835	4,487	4,526	4,331	4,861	4,882	6,339
Female	49,034	4,290	4,051	4,487	4,084	4,065	3,850	3,606	3,659	3,585	3,970	4,130	5,257
White	101,972	9,173	8,339	9,159	8,486	8,457	8,094	7,576	7,633	7,438	8,262	8,469	10,886
Male	56,174	5,182	4,592	4,980	4,657	4,653	4,485	4,206	4,236	4,079	4,558	4,607	5,939
Female	45,798	3,991	3,747	4,179	3,829	3,804	3,609	3,370	3,397	3,359	3,704	3,862	4,947
Nonwhite	7,221	677	677	693	606	608	591	517	552	478	569	543	710
Male	3,985	378	373	385	351	347	350	281	290	252	303	275	400
Female	3,236	299	304	308	255	261	241	236	262	226	266	268	310
RHODE ISLAND	7,985	721	674	753	694	704	648	560	599	581	677	614	760
Male	4,244	384	375	372	381	380	345	299	306	314	363	342	383
Female	3,741	337	299	381	313	324	303	261	293	267	314	272	377
White	7,794	705	659	739	678	691	637	544	583	562	655	598	743
Male	4,138	374	368	366	372	373	339	288	297	306	346	336	373
Female	3,656	331	291	373	306	318	298	256	286	256	309	262	370
Nonwhite	191	16	15	14	16	13	11	16	16	19	22	16	17
Male	106	10	7	6	9	7	6	11	9	8	17	6	10
Female	85	6	8	8	7	6	5	5	7	11	5	10	7
SOUTH CAROLINA	16,904	1,680	1,472	1,411	1,262	1,412	1,332	1,329	1,267	1,309	1,349	1,354	1,727
Male	9,367	944	782	761	690	760	735	737	713	720	780	773	972
Female	7,537	736	690	650	572	652	597	592	554	589	569	581	755
White	8,613	843	731	735	654	731	673	705	676	658	684	655	868
Male	5,049	504	418	425	358	407	389	410	409	390	423	393	523
Female	3,564	339	313	310	296	324	284	295	267	268	261	262	345
Nonwhite	8,291	837	741	676	608	681	659	624	591	651	665	699	859
Male	4,318	440	364	336	332	353	346	327	304	330	357	380	449
Female	3,973	397	377	340	276	328	313	297	287	321	308	319	410

TABLE 17.—DEATHS BY SEX, RACE, AND MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
SOUTH DAKOTA	5,481	481	413	472	459	477	435	427	421	417	472	500	507
Male	3,253	271	246	284	273	298	248	267	241	257	267	296	305
Female	2,228	210	167	188	186	179	187	160	180	160	205	204	202
White	5,168	445	390	441	430	458	415	394	403	388	442	479	483
Male	3,077	254	232	267	258	284	237	243	235	241	252	284	290
Female	2,091	191	158	174	172	174	178	151	168	147	190	195	193
Nonwhite	313	36	23	31	29	19	20	33	18	29	30	21	24
Male	176	17	14	17	15	14	11	24	6	16	15	12	15
Female	137	19	9	14	14	5	9	9	12	13	15	9	9
TENNESSEE	27,946	2,618	2,390	2,436	2,220	2,346	2,196	2,147	2,155	2,065	2,280	2,255	2,838
Male	15,474	1,484	1,315	1,338	1,261	1,260	1,211	1,204	1,202	1,116	1,275	1,243	1,565
Female	12,472	1,134	1,075	1,098	959	1,086	985	943	953	949	1,005	1,012	1,273
White	21,285	1,984	1,806	1,856	1,696	1,769	1,637	1,630	1,652	1,582	1,745	1,713	2,215
Male	11,989	1,134	1,002	1,023	988	962	939	927	945	875	1,007	952	1,235
Female	9,296	850	804	833	708	807	698	703	707	707	738	761	980
Nonwhite	6,661	634	584	580	524	577	559	517	503	483	535	542	623
Male	3,485	350	313	315	273	296	272	277	257	241	268	291	330
Female	3,176	284	271	265	251	279	287	240	246	242	267	251	293
TEXAS	58,853	5,214	4,781	4,786	4,711	4,881	4,813	4,897	4,927	4,378	4,706	4,849	5,910
Male	34,270	3,001	2,749	2,788	2,724	2,874	2,743	2,881	2,913	2,620	2,714	2,841	3,422
Female	24,583	2,213	2,032	1,998	1,987	2,007	2,070	2,016	2,014	1,758	1,992	2,008	2,488
White	48,783	4,324	3,961	3,955	3,881	4,065	3,974	4,061	4,116	3,632	3,874	4,014	4,926
Male	28,848	2,525	2,325	2,337	2,289	2,433	2,299	2,406	2,455	2,204	2,279	2,405	2,891
Female	19,935	1,799	1,636	1,618	1,592	1,632	1,675	1,655	1,661	1,428	1,595	1,609	2,035
Nonwhite	10,070	890	820	831	830	816	839	836	811	746	832	835	984
Male	5,422	476	424	451	435	441	444	475	458	416	435	436	531
Female	4,648	414	396	380	395	375	395	361	353	330	397	399	453
UTAH	4,859	400	367	412	403	441	398	410	348	412	410	395	463
Male	2,821	232	220	230	226	254	231	235	206	243	242	226	276
Female	2,038	168	147	182	177	187	167	175	142	169	168	169	187
White	4,733	383	352	399	396	425	392	402	340	403	396	388	457
Male	2,733	219	208	221	222	245	225	229	200	236	234	222	272
Female	2,000	164	144	178	174	180	167	173	140	167	162	166	185
Nonwhite	126	17	15	13	7	16	6	8	8	9	14	7	6
Male	88	13	12	9	4	9	6	6	6	7	8	4	4
Female	38	4	3	4	3	7	-	2	2	2	6	3	2
VERMONT	4,007	392	321	363	353	363	313	327	305	282	316	313	359
Male	2,178	218	165	198	186	198	184	183	165	149	174	166	192
Female	1,829	174	156	165	167	165	129	144	140	133	142	147	167
White	4,005	390	321	363	353	363	313	327	305	282	316	313	359
Male	2,177	217	165	198	186	198	184	183	165	149	174	166	192
Female	1,828	173	156	165	167	165	129	144	140	133	142	147	167
Nonwhite	2	2	-	-	-	-	-	-	-	-	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	28,641	2,701	2,474	2,438	2,156	2,234	2,310	2,229	2,346	2,149	2,318	2,309	2,977
Male	16,288	1,554	1,388	1,324	1,213	1,316	1,320	1,286	1,346	1,228	1,316	1,325	1,672
Female	12,353	1,147	1,086	1,114	943	918	990	943	1,000	921	1,002	984	1,305
White	19,475	1,810	1,679	1,675	1,467	1,550	1,533	1,526	1,561	1,512	1,549	1,538	2,015
Male	11,246	1,058	955	930	856	921	875	891	915	880	873	936	1,156
Female	8,229	752	724	745	611	629	658	635	646	632	676	602	859
Nonwhite	9,166	891	795	763	689	684	777	703	785	637	769	711	962
Male	5,042	496	433	394	357	395	445	395	431	348	443	389	516
Female	4,124	395	362	369	332	289	332	308	354	289	326	322	446
WASHINGTON	21,890	1,955	1,711	1,914	1,823	1,861	1,813	1,735	1,712	1,707	1,818	1,807	2,004
Male	13,257	1,172	1,054	1,175	1,076	1,158	1,098	1,045	1,029	1,021	1,114	1,059	1,256
Female	8,633	783	657	739	747	703	715	690	683	686	704	748	778
White	21,264	1,902	1,659	1,870	1,771	1,819	1,758	1,680	1,652	1,640	1,763	1,761	1,969
Male	12,859	1,134	1,020	1,146	1,046	1,133	1,056	1,009	993	981	1,081	1,003	1,227
Female	8,405	768	639	724	725	686	702	671	659	659	682	723	762
Nonwhite	626	53	52	44	52	42	55	55	60	67	55	46	45
Male	398	38	34	29	30	25	42	36	36	40	33	[illegible]	29
Female	228	15	18	15	22	17	13	19	24	27	[illegible]	20	16
WEST VIRGINIA	16,630	1,499	1,417	1,410	1,329	1,303	1,279	1,262	1,293	1,359	[illegible]	1,376	1,717
Male	9,518	836	815	786	748	751	761	717	729	787	867	825	[illegible]
Female	7,112	663	602	624	581	552	518	545	564	572	579	551	[illegible]
White	15,372	1,378	1,294	1,295	1,236	1,187	1,192	1,178	1,193	1,259	1,232	1,269	1,594
Male	8,800	766	746	713	696	696	709	667	681	735	742	777	832
Female	6,572	612	548	582	540	491	483	511	517	524	550	512	762
Nonwhite	1,258	121	123	115	93	116	87	84	95	100	94	107	123
Male	718	70	69	73	52	55	52	50	48	52	65	68	64
Female	540	51	54	42	41	61	35	34	47	48	29	39	59
WISCONSIN	32,066	2,818	2,523	2,743	2,753	2,725	2,576	2,555	2,391	2,377	2,757	2,587	3,261
Male	18,129	1,522	1,434	1,523	1,536	1,570	1,479	1,442	1,308	1,400	1,606	1,502	1,807
Female	13,937	1,296	1,089	1,220	1,217	1,155	1,097	1,113	1,083	977	1,151	1,085	1,454
White	31,716	2,783	2,499	2,710	2,726	2,700	2,550	2,523	2,367	2,353	2,725	2,555	3,225
Male	17,929	1,497	1,421	1,504	1,526	1,556	1,462	1,418	1,295	1,385	1,592	1,481	1,793
Female	13,787	1,286	1,078	1,206	1,200	1,144	1,088	1,105	1,072	968	1,133	1,074	1,433
Nonwhite	350	35	24	33	27	25	26	32	24	24	32	32	36
Male	200	25	13	19	10	14	17	24	13	15	14	21	15
Female	150	10	11	14	17	11	9	8	11	9	18	11	21
WYOMING	2,234	206	186	186	175	183	179	169	163	174	204	193	216
Male	1,430	130	124	120	109	111	119	104	103	105	139	124	142
Female	804	76	62	66	66	72	60	65	60	69	65	69	74
White	2,113	194	178	181	159	174	168	157	156	162	195	182	207
Male	1,359	126	121	118	100	106	114	94	99	97	131	117	136
Female	754	68	57	63	59	68	54	63	57	65	64	65	71
Nonwhite	121	12	8	5	16	9	11	12	7	12	9	11	9
Male	71	4	3	2	9	5	5	10	4	8	8	7	6
Female	50	8	5	3	7	4	6	2	3	4	1	4	3

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES, all causes	1,401,719	127,687	115,587	122,458	113,800	117,181	112,051	108,350	107,626	104,136	115,397	114,265	143,181
Typhoid and paratyphoid fever 1,2	534	26	35	33	30	43	52	71	62	76	56	31	19
Cerebrospinal (meningococcus) meningitis 6	1,728	208	223	222	141	167	128	90	88	100	96	96	169
Scarlet fever 8	303	37	42	48	29	26	23	16	12	11	14	21	24
Whooping cough 9	1,752	130	127	173	137	143	135	211	171	131	120	125	149
Diphtheria 10	1,598	157	123	69	64	62	57	63	91	136	254	253	269
Tuberculosis (all forms) 13-22	52,916	4,440	4,269	4,740	4,669	4,778	4,469	4,433	4,245	3,981	4,328	3,985	4,579
Tuberculosis of respiratory system, etc.* 13	48,879	4,114	3,946	4,365	4,300	4,384	4,098	4,095	3,892	3,676	4,018	3,687	4,304
Tuberculosis (other forms) 14-22	4,037	326	323	375	369	394	371	338	353	305	310	298	275
Dysentery 27	1,599	77	66	72	88	127	144	208	277	215	154	91	80
Malaria 28	443	16	13	21	19	36	60	61	51	72	37	36	21
Syphilis 30	14,062	1,330	1,183	1,182	1,153	1,224	1,203	1,070	1,070	1,003	1,170	1,095	1,379
Measles 35	307	19	23	33	37	45	28	27	10	9	11	15	50
Poliomyelitis, polioencephalitis (acute) 36	1,186	23	28	39	19	25	57	127	243	289	182	100	54
Cancer and other malignant tumors 45-55	177,464	14,738	13,223	14,785	14,439	15,044	14,753	14,620	15,079	14,598	15,545	14,837	15,803
Cancer of the digestive organs and peritoneum 46	80,204	6,671	6,010	6,747	6,591	6,852	6,685	6,619	6,859	6,554	7,038	6,662	6,916
Cancer of female genital organs 48,49	22,345	1,813	1,658	1,889	1,821	1,939	1,908	1,796	2,018	1,839	1,926	1,819	1,919
Cancer of the breast 50	17,133	1,448	1,304	1,441	1,350	1,448	1,435	1,389	1,464	1,382	1,506	1,359	1,607
Cancer (other sites) 45,47,51-55	57,782	4,806	4,251	4,708	4,677	4,805	4,725	4,816	4,738	4,823	5,075	4,997	5,361
Acute rheumatic fever 58	1,341	133	124	125	117	140	125	95	98	98	75	114	97
Diabetes mellitus 61	35,160	3,232	2,962	3,111	2,871	2,942	2,794	2,585	2,585	2,399	2,865	2,920	3,894
Exophthalmic goiter 63b	2,468	227	190	228	221	209	223	202	189	189	181	175	234
Pellagra (except alcoholic) 69	914	94	77	81	82	75	70	70	67	81	61	73	83
Alcoholism (ethylism) 77	2,293	224	155	186	146	189	196	210	187	166	189	205	240
Intracranial lesions of vascular origin 83	129,144	11,913	10,494	11,153	11,164	11,109	10,436	9,924	9,616	9,346	10,544	10,606	12,839
Diseases of the heart 90-95	424,328	39,963	35,603	37,620	34,859	35,831	33,625	31,428	30,569	30,060	34,768	34,716	45,286
Chronic rheumatic diseases of the heart 90a,92b,c,93c,95b	24,782	2,328	2,116	2,201	2,095	2,166	1,934	1,818	1,711	1,747	2,076	2,029	2,561
Diseases of coronary arteries and angina pectoris 94	131,437	12,541	10,604	11,057	10,479	10,836	10,359	9,959	9,842	9,727	11,231	11,139	13,663
Diseases of the heart (other forms) 90b,91,92a,d,e,93a,b,d,e,95a,c	268,109	25,094	22,883	24,362	22,285	22,829	21,332	19,651	19,016	18,586	21,461	21,548	29,062
Pneumonia (all forms) and influenza 107-109,33	68,386	8,306	7,941	7,274	5,259	4,780	3,800	3,042	3,002	3,304	4,294	5,430	11,954
Bronchopneumonia 107	28,794	3,270	3,123	3,120	2,297	2,077	1,811	1,503	1,490	1,599	2,066	2,331	4,107
Lobar pneumonia 108	23,299	3,073	2,836	2,437	1,861	1,786	1,369	1,043	1,005	1,103	1,423	1,829	3,534
Pneumonia (unspecified) 109	6,103	702	738	641	476	402	312	298	314	327	413	511	969
Influenza 33	10,190	1,261	1,244	1,076	625	515	308	198	193	275	392	759	3,344
Ulcer of stomach or duodenum 117	8,958	839	704	795	746	770	754	776	706	639	718	678	833
Diarrhea, enteritis, etc.* 119,120	11,465	702	625	628	693	806	1,032	1,239	1,542	1,578	1,138	804	678
Appendicitis 121	6,697	569	525	590	537	552	625	655	618	557	503	452	514
Hernia and intestinal obstruction 122	11,621	1,044	910	1,015	890	959	964	994	1,052	893	940	943	1,017
Cirrhosis of the liver 124	12,541	1,070	950	1,091	981	1,059	1,000	999	1,015	1,008	1,093	1,040	1,235
Biliary calculi, etc.* 126,127	6,702	565	537	632	586	581	557	593	587	527	535	534	468
Nephritis 130-132	88,078	8,467	7,651	8,022	7,287	7,823	7,101	6,641	6,364	6,067	6,980	6,932	8,743
Diseases of the prostate 137	7,443	638	579	641	647	655	590	593	609	591	690	603	607
Diseases of pregnancy, etc.* 140-150	5,668	498	508	532	476	469	445	471	515	478	457	402	417
Puerperal septicemia 140,142a,145A,147	2,000	171	180	190	182	180	159	176	159	174	147	138	144
Puerperal toxemia 141a,c,144,148	1,405	139	112	124	123	119	121	104	138	118	116	96	95
Hemorrhage, trauma and shock* 141b,142b,143,146,149	1,729	147	172	165	122	116	125	152	182	142	143	131	132
Other puerperal causes 141d,e,f,145B,150	534	41	44	53	49	54	40	39	36	44	51	37	46
Congenital malformations 157	16,187	1,475	1,392	1,441	1,234	1,274	1,338	1,271	1,339	1,293	1,323	1,353	1,454
Diseases peculiar to first year 158-161	50,779	4,265	3,804	4,233	4,112	4,352	4,358	4,300	4,487	4,295	4,265	4,084	4,224
Premature birth 159	31,614	2,576	2,301	2,599	2,588	2,771	2,706	2,659	2,777	2,642	2,692	2,596	2,707
Other diseases peculiar to first year 158,160,161	19,165	1,689	1,503	1,634	1,524	1,581	1,652	1,641	1,710	1,653	1,573	1,488	1,517
Suicide 163,164	14,782	1,084	1,053	1,367	1,219	1,320	1,279	1,224	1,266	1,177	1,286	1,253	1,254
Homicide 165-168	7,412	525	437	548	578	604	592	681	723	688	694	601	741
Accidental deaths 169-195	95,918	7,984	7,105	7,405	7,131	7,283	7,894	8,457	8,336	7,692	8,409	8,472	9,750
Motor-vehicle accidents 170	28,076	1,935	1,728	1,950	1,830	1,835	1,922	2,071	2,521	2,691	3,128	3,193	3,272
Other accidents 169,171-195	67,842	6,049	5,377	5,455	5,301	5,448	5,972	6,386	5,815	5,001	5,281	5,279	6,478
Senility, ill-defined and unknown causes 162,199,200	28,981	2,742	2,614	2,383	2,201	2,348	2,100	2,126	2,189	2,062	2,347	2,387	3,482
All other causes	110,561	9,927	9,292	9,940	8,938	9,331	9,044	8,777	8,566	8,327	9,075	8,803	10,541
ALABAMA, all causes	25,513	2,363	2,293	2,217	2,048	2,107	1,984	1,977	2,078	1,848	1,990	2,002	2,606
Typhoid and paratyphoid fever 1,2	18	-	2	2	1	1	2	2	1	3	1	2	1
Cerebrospinal (meningococcus) meningitis 6	57	4	6	7	3	9	7	7	3	-	2	3	6
Scarlet fever 8	1	-	-	-	-	-	-	-	-	-	1	-	-
Whooping cough 9	85	7	3	10	10	16	6	14	5	4	4	1	5
Diphtheria 10	59	6	-	-	1	1	-	2	5	6	18	7	13
Tuberculosis (all forms) 13-22	1,218	121	91	132	108	92	111	95	95	89	103	94	87
Dysentery 27	82	7	6	2	6	8	10	17	11	4	8	1	2
Malaria 28	37	-	2	3	1	4	6	8	3	6	2	1	1
Syphilis 30	357	31	31	30	28	26	33	34	25	24	28	30	37
Measles 35	5	-	-	-	1	2	-	-	1	-	-	-	1
Poliomyelitis, poliocencephalitis (acute) 36	26	-	1	5	2	2	3	2	5	2	2	-	2
Cancer and other malignant tumors 45-55	2,235	188	160	176	180	187	180	208	209	185	178	184	200
Acute rheumatic fever 58	43	5	5	4	3	5	2	3	6	3	1	4	2
Diabetes mellitus 61	359	31	36	34	28	27	26	22	31	21	31	33	39
Exophthalmic goiter 63b	32	2	2	-	2	5	2	2	4	3	1	6	3
Pellagra (except alcoholic) 69	96	5	10	5	7	9	7	9	10	8	6	9	11
Alcoholism (ethylism) 77	24	1	-	4	2	-	1	3	3	3	3	2	2
Intracranial lesions of vascular origin 83	2,446	249	199	188	219	229	208	198	195	175	150	188	248
Diseases of the heart 90-95	5,153	458	483	452	419	452	359	342	432	375	435	413	533
Pneumonia (all forms) and influenza 107-109,33	1,708	226	255	195	108	87	82	76	61	63	94	150	311
Ulcer of stomach or duodenum 117	131	12	12	11	8	14	10	8	16	7	12	8	13
Diarrhea, enteritis, etc.* 119,120	315	7	14	21	12	24	41	44	50	42	30	18	12
Appendicitis 121	175	12	10	23	15	17	21	18	11	16	7	10	15
Hernia and intestinal obstruction 122	198	19	9	19	15	18	19	22	16	15	13	16	17
Cirrhosis of the liver 124	107	7	6	13	9	8	6	3	6	12	9	13	15
Biliary calculi, etc.* 126,127	80	10	4	7	4	11	5	8	9	5	6	5	6
Nephritis 130-132	2,089	203	193	193	178	181	161	174	146	145	155	164	196
Diseases of the prostate 137	95	9	7	10	9	7	6	4	13	6	7	6	11
Diseases of pregnancy, etc.* 140-150	240	29	19	22	20	21	16	23	23	17	20	13	17

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA—Continued													
Congenital malformations....157	299	22	24	21	29	20	26	26	32	31	19	21	28
Diseases peculiar to first year....158-161	1,378	128	113	129	122	104	106	114	125	106	121	101	109
Premature birth....159	882	87	73	81	75	66	66	73	75	60	77	73	76
Other diseases peculiar to first year....158,160,161	496	41	40	48	47	38	40	41	50	46	44	28	33
Suicide....163,164	161	13	8	17	8	15	12	14	13	17	15	13	16
Homicide....165-168	343	18	26	31	35	27	25	38	38	25	31	21	28
Accidental deaths....169-195	1,850	152	174	112	125	139	164	141	161	146	172	171	193
Motor-vehicle accidents....170	618	43	34	33	39	40	41	37	62	59	73	82	75
Other accidents....169,171-195	1,232	109	140	79	86	99	123	104	99	87	99	89	118
Senility, ill-defined and unknown causes....162,199,200	2,054	218	234	173	181	182	153	131	132	120	126	163	241
All other causes....	1,957	163	148	166	149	157	168	165	182	164	179	131	185
ARIZONA, all causes....	6,091	515	475	535	490	520	478	539	542	435	453	486	623
Typhoid and paratyphoid fever....1,2	10	-	-	2	-	1	1	1	2	1	2	-	-
Cerebrospinal (meningococcus) meningitis....6	8	1	1	1	1	-	1	-	1	1	-	-	1
Scarlet fever....8	1	-	-	-	1	-	-	-	-	-	-	-	-
Whooping cough....9	18	1	2	1	2	-	3	4	1	2	1	1	-
Diphtheria....10	13	3	-	-	1	-	1	2	1	-	-	5	-
Tuberculosis (all forms)....13-22	776	72	67	75	64	80	55	70	60	44	63	52	74
Dysentery....27	33	1	-	-	-	4	3	6	4	7	2	5	1
Malaria....28	1	-	-	-	-	-	1	-	-	-	-	-	-
Syphilis....30	84	7	5	8	4	3	9	6	13	3	11	7	8
Measles....35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	3	-	1	-	-	-	-	1	-	-	1	-	-
Cancer and other malignant tumors....45-55	492	36	40	48	35	35	42	37	53	41	42	42	41
Acute rheumatic fever....58	3	-	-	-	-	-	2	1	-	-	-	-	-
Diabetes mellitus....61	87	10	6	3	7	12	8	5	15	2	5	8	6
Exophthalmic goiter....63b	6	-	-	1	-	1	-	-	2	-	-	1	1
Pellagra (except alcoholic)....69	1	-	1	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)....77	27	2	3	2	1	-	1	3	7	2	3	1	2
Intracranial lesions of vascular origin....83	339	29	28	30	20	27	25	36	20	24	31	26	43
Diseases of the heart....90-95	1,191	109	101	119	125	99	90	91	91	63	82	92	129
Pneumonia (all forms) and influenza....107-109,33	422	37	31	47	30	34	21	27	21	25	23	36	90
Ulcer of stomach or duodenum....117	30	5	-	1	2	4	2	5	1	1	4	3	2
Diarrhea, enteritis, etc.*....119,120	249	15	5	3	8	18	38	34	30	39	20	23	16
Appendicitis....121	24	1	4	1	1	3	3	2	1	1	4	1	2
Hernia and intestinal obstruction....122	38	6	3	4	-	2	5	4	4	4	1	2	3
Cirrhosis of the liver....124	40	1	2	1	8	3	2	3	-	2	3	8	7
Biliary calculi, etc.*....126,127	14	-	2	1	2	1	-	1	3	-	2	1	1
Nephritis....130-132	243	22	24	25	22	21	20	21	15	23	11	18	21
Diseases of the prostate....137	16	2	1	1	1	1	1	1	3	2	-	1	2
Diseases of pregnancy, etc.*....140-150	40	3	3	1	5	6	4	3	5	1	2	5	2
Congenital malformations....157	73	6	10	6	6	8	4	2	11	8	4	4	4
Diseases peculiar to first year....158-161	309	19	24	24	19	32	34	37	32	27	26	18	17
Premature birth....159	192	14	15	14	11	18	17	26	23	13	19	10	12
Other diseases peculiar to first year....158,160,161	117	5	9	10	8	14	17	11	9	14	7	8	5
Suicide....163,164	62	4	4	6	5	7	4	5	1	8	6	5	7
Homicide....165-168	46	5	3	2	3	2	3	3	8	5	4	4	4
Accidental deaths....169-195	644	59	48	57	57	54	42	64	70	39	47	48	59
Motor-vehicle accidents....170	219	19	16	21	19	21	11	12	20	14	24	19	23
Other accidents....169,171-195	425	40	32	36	38	33	31	52	50	25	23	29	36
Senility, ill-defined and unknown causes....162,199,200	308	20	21	30	24	24	20	30	32	29	22	33	23
All other causes....	440	39	35	35	36	38	33	34	35	31	31	36	57
ARKANSAS, all causes....	14,703	1,290	1,276	1,296	1,235	1,239	1,125	1,228	1,147	1,074	1,223	1,092	1,478
Typhoid and paratyphoid fever....1,2	15	-	-	1	-	-	2	2	2	3	4	1	-
Cerebrospinal (meningococcus) meningitis....6	28	2	6	4	-	2	4	2	-	1	4	2	1
Scarlet fever....8	2	-	-	-	-	1	-	-	-	-	-	1	-
Whooping cough....9	27	1	2	4	4	2	1	1	-	3	3	2	4
Diphtheria....10	56	8	4	3	-	1	3	1	1	7	9	8	11
Tuberculosis (all forms)....13-22	817	75	69	97	70	66	58	70	69	54	66	55	68
Dysentery....27	42	-	3	1	1	1	3	7	11	2	6	6	1
Malaria....28	43	2	1	1	1	3	2	5	9	8	5	5	1
Syphilis....30	191	15	13	18	21	15	21	14	18	16	6	12	23
Measles....35	7	1	1	2	-	1	1	-	-	-	-	1	-
Poliomyelitis, polioencephalitis (acute)....36	16	1	1	2	-	1	-	-	-	4	5	-	2
Cancer and other malignant tumors....45-55	1,487	114	109	114	123	124	116	149	123	117	131	137	130
Acute rheumatic fever....58	17	2	-	3	1	1	1	5	1	-	2	-	1
Diabetes mellitus....61	205	19	17	17	17	21	13	20	9	16	21	16	19
Exophthalmic goiter....63b	19	-	1	1	3	2	2	3	2	1	1	1	2
Pellagra (except alcoholic)....69	39	1	4	8	2	5	4	2	2	3	2	4	2
Alcoholism (ethylism)....77	18	5	-	2	2	1	-	1	-	2	-	3	2
Intracranial lesions of vascular origin....83	1,429	129	110	131	118	136	123	127	97	101	121	105	131
Diseases of the heart....90-95	3,195	278	282	302	282	292	227	241	227	247	276	224	317
Pneumonia (all forms) and influenza....107-109,33	1,009	129	145	131	80	49	50	35	35	45	56	75	179
Ulcer of stomach or duodenum....117	60	4	8	5	5	5	4	4	5	1	10	3	6
Diarrhea, enteritis, etc.*....119,120	152	8	-	1	14	11	11	28	28	23	18	7	3
Appendicitis....121	113	8	12	10	11	12	12	9	13	6	8	5	7
Hernia and intestinal obstruction....122	144	13	12	7	7	9	9	24	21	14	10	9	9
Cirrhosis of the liver....124	100	2	6	9	9	6	3	14	10	10	7	11	13
Biliary calculi, etc.*....126,127	54	4	4	6	4	5	5	5	5	1	8	3	4
Nephritis....130-132	1,206	118	113	95	87	111	104	87	118	73	99	91	110
Diseases of the prostate....137	94	9	10	6	7	12	7	7	5	9	6	10	6
Diseases of pregnancy, etc.*....140-150	116	9	16	9	9	10	5	7	8	10	9	12	12
Congenital malformations....157	147	10	11	7	16	12	17	11	14	12	10	13	14
Diseases peculiar to first year....158-161	510	38	35	45	33	47	39	50	52	48	43	37	43
Premature birth....159	305	17	20	25	21	28	25	30	37	27	29	24	22
Other diseases peculiar to first year....158,160,161	205	21	15	20	12	19	14	20	15	21	14	13	21
Suicide....163,164	108	5	9	10	11	6	12	7	12	8	7	6	15
Homicide....165-168	131	8	12	9	12	4	11	13	11	13	9	9	20
Accidental deaths....169-195	1,164	112	87	72	100	91	125	93	88	82	105	87	122

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARKANSAS—Continued													
Accidental deaths—Continued													
Motor-vehicle accidents....170	271	28	21	8	18	21	18	18	19	23	27	32	38
Other accidents....169,171-195	893	84	66	64	82	70	107	75	69	59	78	55	84
Senility, ill-defined and unknown causes....162,199,200	743	62	60	64	84	71	40	72	45	39	60	42	104
All other causes....	1,199	98	113	99	101	103	90	112	106	95	96	89	97
CALIFORNIA, all causes....	92,569	8,605	7,247	8,278	7,509	7,400	7,181	7,473	7,390	7,326	7,517	7,738	8,905
Typhoid and paratyphoid fever....1,2	21	1	4	1	1	-	1	2	2	3	3	3	-
Cerebrospinal (meningococcus) meningitis....6	127	17	14	15	9	12	8	14	8	5	7	9	9
Scarlet fever....8	20	2	1	4	4	1	1	2	1	-	1	2	1
Whooping cough....9	79	3	6	3	5	7	13	13	11	8	2	3	5
Diphtheria....10	105	9	12	10	5	7	5	8	3	5	9	14	18
Tuberculosis (all forms)....13-22	3,827	338	282	344	348	304	346	318	290	284	315	313	345
Dysentery....27	41	5	2	1	2	2	1	6	6	7	3	5	1
Malaria....28	3	1	-	-	-	1	1	-	-	-	-	-	-
Syphilis....30	1,120	119	84	98	85	95	97	94	81	80	85	95	107
Measles....35	38	5	2	3	7	6	4	6	1	-	-	2	2
Poliomyelitis, polioencephalitis (acute)....36	56	-	-	1	3	-	2	4	8	15	6	15	2
Cancer and other malignant tumors....45-55	12,214	1,020	903	1,018	1,003	1,033	957	992	1,022	1,077	1,062	1,022	1,105
Acute rheumatic fever....58	45	6	3	4	3	3	5	-	7	5	2	3	4
Diabetes mellitus....61	1,931	206	141	201	157	161	147	140	156	138	139	166	179
Exophthalmic goiter....63b	139	20	9	12	9	11	11	10	10	14	9	15	9
Pellagra (except alcoholic)....69	16	-	-	-	4	-	1	3	2	2	1	1	2
Alcoholism (ethylism)....77	207	21	21	17	16	10	16	18	23	17	19	14	15
Intracranial lesions of vascular origin....83	7,368	672	593	673	637	615	567	595	555	580	588	609	684
Diseases of the heart....90-95	29,679	2,967	2,414	2,776	2,455	2,339	2,290	2,253	2,213	2,211	2,304	2,466	2,991
Pneumonia (all forms) and influenza....107-109,33	3,997	471	375	418	295	301	267	242	284	230	278	305	531
Ulcer of stomach or duodenum....117	756	76	76	78	57	53	72	66	58	57	48	56	59
Diarrhea, enteritis, etc.*....119,120	574	41	29	25	29	29	51	52	84	71	67	53	43
Appendicitis....121	389	32	35	23	37	22	34	46	34	44	32	22	28
Hernia and intestinal obstruction....122	722	70	57	58	40	61	56	59	81	57	67	59	57
Cirrhosis of the liver....124	1,489	127	104	126	116	132	112	137	117	137	115	123	143
Biliary calculi, etc.*....126,127	397	33	31	35	31	32	32	34	32	46	35	30	26
Nephritis....130-132	4,180	386	359	388	378	326	324	358	319	307	326	332	377
Diseases of the prostate....137	450	44	42	43	33	45	34	32	27	23	46	41	40
Diseases of pregnancy, etc.*....140-150	298	27	31	27	20	26	25	33	30	23	22	16	18
Congenital malformations....157	1,005	79	80	104	81	86	62	76	70	93	82	88	104
Diseases peculiar to first year....158-161	3,252	289	239	252	275	285	243	277	289	269	282	293	259
Premature birth....159	1,998	182	135	151	175	168	148	160	184	169	175	182	169
Other diseases peculiar to first year....158,160,161	1,254	107	104	101	100	117	95	117	105	100	107	111	90
Suicide....163,164	1,410	109	93	127	108	123	126	124	108	113	112	129	138
Homicide....165-168	498	41	26	28	35	36	38	40	54	48	50	46	56
Accidental deaths....169-195	8,004	655	571	634	559	598	623	700	723	706	729	711	795
Motor-vehicle accidents....170	3,548	249	224	261	225	218	235	253	353	333	384	389	424
Other accidents....169,171-195	4,456	406	347	373	334	380	388	447	370	373	345	322	371
Senility, ill-defined and unknown causes....162,199,200	540	46	46	42	45	30	53	48	52	29	53	50	46
All other causes....	7,572	667	562	689	617	608	556	671	629	622	618	627	706
COLORADO, all causes....	12,389	1,082	960	1,056	989	1,000	996	978	937	1,001	1,097	1,014	1,279
Typhoid and paratyphoid fever....1,2	8	1	-	-	-	1	-	2	1	2	-	1	-
Cerebrospinal (meningococcus) meningitis....6	12	1	-	2	1	1	1	-	1	-	-	3	2
Scarlet fever....8	9	1	2	-	-	1	2	1	-	-	-	1	1
Whooping cough....9	24	-	-	1	4	1	1	4	6	3	2	2	-
Diphtheria....10	24	2	4	1	3	2	-	2	1	-	5	1	3
Tuberculosis (all forms)....13-22	426	20	31	43	36	43	36	43	36	29	36	34	39
Dysentery....27	18	1	1	2	2	1	-	-	4	4	2	1	-
Malaria....28	1	-	-	-	-	1	-	-	-	-	-	-	-
Syphilis....30	99	14	8	8	9	5	7	10	9	7	12	3	7
Measles....35	1	-	1	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	14	-	-	-	1	-	-	-	6	5	1	1	-
Cancer and other malignant tumors....45-55	1,485	135	105	136	134	130	118	128	101	132	123	113	130
Acute rheumatic fever....58	12	-	-	-	-	2	-	3	-	2	-	1	4
Diabetes mellitus....61	200	14	13	25	15	17	18	21	10	10	15	16	26
Exophthalmic goiter....63b	23	1	-	4	1	2	4	2	2	3	2	-	2
Pellagra (except alcoholic)....69	2	-	-	-	-	-	2	-	-	-	-	-	-
Alcoholism (ethylism)....77	27	6	3	1	5	2	-	3	1	3	1	1	1
Intracranial lesions of vascular origin....83	1,001	88	57	92	79	81	91	80	74	78	74	92	115
Diseases of the heart....90-95	3,268	320	273	263	248	267	256	275	245	242	288	269	322
Pneumonia (all forms) and influenza....107-109,33	890	73	95	83	75	50	66	43	51	50	64	82	158
Ulcer of stomach or duodenum....117	121	13	6	10	7	8	9	13	10	11	14	7	13
Diarrhea, enteritis, etc.*....119,120	211	13	10	8	6	13	9	8	23	60	40	16	5
Appendicitis....121	80	4	10	10	5	6	6	8	11	7	6	3	4
Hernia and intestinal obstruction....122	132	10	12	7	13	10	16	18	9	6	9	14	8
Cirrhosis of the liver....124	108	8	8	3	9	14	12	4	9	10	13	9	9
Biliary calculi, etc.*....126,127	90	12	12	6	9	7	4	6	6	7	10	7	4
Nephritis....130-132	811	81	61	82	60	73	71	39	56	57	71	74	86
Diseases of the prostate....137	74	7	5	11	8	4	7	5	6	7	5	2	7
Diseases of pregnancy, etc.*....140-150	56	7	2	2	2	4	6	3	2	3	7	5	13
Congenital malformations....157	141	11	11	14	7	14	9	13	11	13	15	10	13
Diseases peculiar to first year....158-161	518	41	37	32	44	39	40	39	42	43	57	55	49
Premature birth....159	317	26	15	22	27	23	27	25	25	28	38	28	33
Other diseases peculiar to first year....158,160,161	201	15	22	10	17	16	13	14	17	15	19	27	16
Suicide....163,164	128	10	20	6	10	13	10	9	11	11	11	7	10
Homicide....165-168	52	3	1	1	3	3	5	8	6	6	8	5	3
Accidental deaths....169-195	1,032	69	69	86	80	84	90	81	92	77	101	76	127
Motor-vehicle accidents....170	310	20	10	29	22	23	19	21	23	23	41	35	44
Other accidents....169,171-195	722	49	59	57	58	61	71	60	69	54	60	41	83
Senility, ill-defined and unknown causes....162,199,200	236	19	16	13	17	19	21	20	12	19	23	24	33
All other causes....	1,055	97	87	104	96	82	79	87	83	94	82	79	85
CONNECTICUT, all causes....	18,833	1,758	1,559	1,642	1,563	1,595	1,497	1,341	1,403	1,439	1,603	1,601	1,832
Typhoid and paratyphoid fever....1,2	3	-	-	1	-	-	-	-	1	1	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT—Continued													
Cerebrospinal (meningococcus) meningitis.....6	11	3	2	-	-	1	1	-	2	-	-	2	-
Scarlet fever.....8	2	1	-	1	-	-	-	-	-	-	-	-	-
Whooping cough.....9	9	-	1	-	1	-	1	-	2	-	2	1	1
Diphtheria.....10	2	-	-	-	-	-	-	-	-	-	-	1	1
Tuberculosis (all forms).....13-22	664	51	53	56	71	57	68	58	67	38	49	46	50
Dysentery.....27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria.....28	1	-	-	-	-	-	-	-	-	-	-	1	-
Syphilis.....30	133	10	18	15	9	12	8	8	7	12	10	10	14
Measles.....35	4	-	1	1	1	-	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	10	-	-	-	-	-	1	2	2	2	2	1	-
Cancer and other malignant tumors.....45-55	2,966	237	210	247	239	278	221	226	250	257	274	257	270
Acute rheumatic fever.....58	9	2	-	-	1	2	-	2	1	-	-	1	-
Diabetes mellitus.....61	607	48	40	49	41	58	51	42	52	46	55	54	71
Exophthalmic goiter.....63b	23	1	2	3	1	-	3	3	1	1	1	5	2
Pellagra (except alcoholic).....69	1	-	-	1	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	68	4	3	5	8	4	9	4	5	4	9	6	7
Intracranial lesions of vascular origin.....83	1,698	146	145	170	149	145	122	110	133	123	151	136	168
Diseases of the heart.....90-95	6,481	668	556	581	534	519	513	456	426	492	508	575	653
Pneumonia (all forms) and influenza.....107-109,33	596	81	52	63	51	39	43	21	35	30	37	51	93
Ulcer of stomach or duodenum.....117	164	17	13	9	19	13	14	14	11	9	19	15	11
Diarrhea, enteritis, etc.*.....119,120	74	4	8	7	4	8	5	7	5	7	9	7	3
Appendicitis.....121	69	5	5	5	4	5	9	6	11	7	3	3	6
Hernia and intestinal obstruction.....122	153	15	12	14	11	17	14	10	13	15	10	10	12
Cirrhosis of the liver.....124	212	21	17	17	17	17	10	19	19	18	20	21	16
Biliary calculi, etc.*.....126,127	103	8	8	13	10	8	4	10	8	10	11	7	6
Nephritis.....130-132	955	98	90	83	78	88	81	61	58	69	90	71	88
Diseases of the prostate.....137	72	5	11	8	6	9	3	4	2	8	10	3	3
Diseases of pregnancy, etc.*.....140-150	39	4	5	5	5	2	1	3	2	5	3	3	1
Congenital malformations.....157	262	22	28	27	19	19	26	16	22	22	19	21	21
Diseases peculiar to first year.....158-161	569	48	46	38	57	49	46	47	46	48	50	56	39
Premature birth.....159	339	36	31	14	38	27	22	31	31	29	32	27	21
Other diseases peculiar to first year.....158,160,161	230	12	15	24	19	22	24	16	15	19	18	29	17
Suicide.....163,164	249	22	25	20	22	20	17	21	23	20	24	23	12
Homicide.....165-168	27	1	2	4	3	2	1	3	-	2	5	2	2
Accidental deaths.....169-195	1,117	97	81	72	80	96	98	90	95	83	99	97	129
Motor-vehicle accidents.....170	275	18	23	14	19	18	23	22	23	22	31	37	25
Other accidents.....169,171-195	842	79	58	58	61	78	75	68	72	61	68	60	104
Senility, ill-defined and unknown causes.....162,199,200	140	16	12	14	9	12	11	6	5	11	14	17	13
All other causes.....	1,340	123	113	113	113	115	115	92	99	99	119	98	141
DELAWARE, all causes.....	3,274	328	275	290	291	270	253	207	238	251	259	253	359
Typhoid and paratyphoid fever.....1,2	1	-	-	-	-	-	-	-	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	1	-	-	-	-	-	-	-	-	1	-	-	-
Scarlet fever.....8	2	-	-	1	1	-	-	-	-	-	-	-	-
Whooping cough.....9	6	1	-	1	2	1	-	-	-	1	-	-	-
Diphtheria.....10	4	-	1	1	-	-	-	-	-	-	1	1	-
Tuberculosis (all forms).....13-22	109	9	5	7	12	6	5	5	11	14	14	8	13
Dysentery.....27	1	-	-	-	-	-	-	-	-	-	1	-	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	41	7	2	3	7	3	4	2	2	4	4	2	1
Measles.....35	3	-	-	2	1	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	3	-	-	-	-	-	1	-	-	2	-	-	-
Cancer and other malignant tumors.....45-55	352	28	30	34	30	26	25	29	31	28	27	26	38
Acute rheumatic fever.....58	4	1	-	-	1	-	-	-	1	-	1	-	-
Diabetes mellitus.....61	101	13	5	13	6	12	13	6	3	4	6	7	13
Exophthalmic goiter.....63b	1	1	-	-	-	-	-	-	-	-	-	-	-
Pellagra (except alcoholic).....69	1	-	-	1	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	8	1	1	-	-	2	1	-	-	1	1	-	1
Intracranial lesions of vascular origin.....83	304	19	30	30	32	26	29	17	18	23	18	28	34
Diseases of the heart.....90-95	1,026	120	78	85	87	78	79	66	83	72	70	82	126
Pneumonia (all forms) and influenza.....107-109,33	170	20	28	14	11	11	10	3	6	7	7	15	38
Ulcer of stomach or duodenum.....117	22	1	3	1	1	4	6	-	1	2	-	2	1
Diarrhea, enteritis, etc.*.....119,120	22	-	3	2	2	2	1	2	2	6	1	1	-
Appendicitis.....121	15	1	2	2	1	2	-	1	1	-	3	1	1
Hernia and intestinal obstruction.....122	24	2	3	1	2	2	4	-	1	2	5	1	1
Cirrhosis of the liver.....124	26	4	1	2	-	2	4	1	5	-	2	4	1
Biliary calculi, etc.*.....126,127	13	1	1	1	1	3	2	1	2	1	-	-	-
Nephritis.....130-132	298	25	22	30	37	31	15	12	18	20	32	25	31
Diseases of the prostate.....137	20	2	3	3	2	2	2	3	-	1	2	-	-
Diseases of pregnancy, etc.*.....140-150	19	2	1	2	2	2	1	2	4	2	-	-	1
Congenital malformations.....157	42	5	2	6	6	2	5	1	-	6	5	-	4
Diseases peculiar to first year.....158-161	98	14	8	11	4	7	8	7	10	6	11	2	10
Premature birth.....159	68	11	5	9	4	5	5	5	4	2	10	1	7
Other diseases peculiar to first year.....158,160,161	30	3	3	2	-	2	3	2	6	4	1	1	3
Suicide.....163,164	33	-	2	1	3	-	-	7	2	2	5	7	4
Homicide.....165-168	14	-	1	-	-	1	2	1	3	2	2	2	-
Accidental deaths.....169-195	222	26	21	10	20	18	15	25	13	20	15	20	19
Motor-vehicle accidents.....170	61	5	5	4	4	6	4	7	-	7	4	8	7
Other accidents.....169,171-195	161	21	16	6	16	12	11	18	13	13	11	12	12
Senility, ill-defined and unknown causes.....162,199,200	18	2	1	3	-	1	2	2	1	1	4	1	-
All other causes.....	250	23	21	23	20	26	19	14	20	22	22	18	22
DISTRICT OF COLUMBIA, all causes.....	8,432	750	747	798	642	693	706	641	623	612	657	718	845
Typhoid and paratyphoid fever.....1,2	1	-	-	-	-	1	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	7	-	2	-	1	-	2	1	-	-	-	-	1
Scarlet fever.....8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	3	-	1	-	-	-	-	1	-	-	1	-	-
Diphtheria.....10	1	-	-	-	-	-	-	-	-	-	-	1	-
Tuberculosis (all forms).....13-22	541	39	48	44	45	47	46	42	50	44	46	51	39
Dysentery.....27	1	-	-	-	-	-	-	-	1	-	-	-	-
Malaria.....28	1	-	-	-	-	-	-	-	1	-	-	-	-
Syphilis.....30	162	22	9	15	16	5	16	9	11	13	20	11	15

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DISTRICT OF COLUMBIA—Continued													
Measles....35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	10	-	-	-	1	-	-	1	5	2	-	1	-
Cancer and other malignant tumors....45-55	1,099	89	92	96	72	101	106	90	77	95	83	92	106
Acute rheumatic fever....58	11	1	1	1	1	1	-	1	-	1	1	2	1
Diabetes mellitus....61	188	22	16	18	17	16	15	18	9	16	15	11	15
Exophthalmic goiter....63b	16	3	1	2	2	-	1	1	1	-	2	2	1
Pellagra (except alcoholic)....69	3	-	-	-	-	-	1	-	2	-	-	-	-
Alcoholism (ethylism)....77	13	1	5	-	-	3	-	1	-	-	-	1	2
Intracranial lesions of vascular origin....83	638	73	50	54	46	56	55	45	40	42	42	54	81
Diseases of the heart....90-95	2,345	219	218	241	163	183	198	159	172	153	185	208	246
Pneumonia (all forms) and influenza....107-109,33	371	45	45	42	30	26	27	22	15	15	28	24	52
Ulcer of stomach or duodenum....117	36	1	3	3	3	1	-	1	2	2	3	9	8
Diarrhea, enteritis, etc.*....119,120	97	3	3	17	13	9	10	6	9	14	9	3	1
Appendicitis....121	38	3	2	3	2	4	4	2	2	5	3	2	6
Hernia and intestinal obstruction....122	67	5	6	6	5	6	4	9	6	5	6	4	5
Cirrhosis of the liver....124	115	3	14	6	14	9	12	12	7	12	10	8	8
Biliary calculi, etc.*....126,127	28	-	4	6	1	1	3	1	2	3	2	4	1
Nephritis....130-132	689	59	65	64	52	60	48	48	53	49	56	57	78
Diseases of the prostate....137	32	2	3	6	4	2	3	2	1	1	2	4	2
Diseases of pregnancy, etc.*....140-150	24	2	3	3	2	1	1	1	4	2	-	4	1
Congenital malformations....157	98	7	8	4	11	10	6	10	7	5	12	10	8
Diseases peculiar to first year....158-161	468	40	42	47	34	40	46	43	36	43	30	37	30
Premature birth....159	297	26	22	35	20	25	24	27	20	33	17	28	20
Other diseases peculiar to first year....158,160,161	171	14	20	12	14	15	22	16	16	10	13	9	10
Suicide....163,164	132	14	11	9	9	13	8	12	8	11	10	15	12
Homicide....165-168	59	7	4	9	3	4	2	9	11	-	1	4	5
Accidental deaths....169-195	437	27	46	33	31	27	36	40	38	29	33	47	50
Motor-vehicle accidents....170	106	6	8	7	9	5	10	6	11	6	8	15	15
Other accidents....169,171-195	331	21	38	26	22	22	26	34	27	23	25	32	35
Senility, ill-defined and unknown causes....162,199,200	21	2	-	2	1	4	-	2	-	-	5	2	3
All other causes....	680	61	45	67	63	63	56	52	53	50	52	50	68
FLORIDA, all causes....	22,776	2,173	1,908	1,813	1,860	1,844	1,895	1,776	1,746	1,802	1,823	1,906	2,230
Typhoid and paratyphoid fever....1,2	15	2	1	1	1	1	2	4	1	1	-	-	1
Cerebrospinal (meningococcus) meningitis....6	32	4	9	6	1	2	2	1	-	1	-	1	5
Scarlet fever....8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough....9	29	3	5	5	-	3	2	5	2	1	1	-	2
Diphtheria....10	30	8	3	2	-	1	-	1	3	2	2	4	4
Tuberculosis (all forms)....13-22	739	64	57	57	61	63	68	62	56	63	78	48	62
Dysentery....27	34	5	2	4	3	-	6	6	3	1	-	2	2
Malaria....28	21	-	1	1	2	3	5	3	1	2	1	2	-
Syphilis....30	313	26	28	24	26	27	28	26	19	25	37	22	25
Measles....35	6	-	2	1	-	1	-	1	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute)....36	15	1	-	-	-	-	2	2	2	3	2	2	1
Cancer and other malignant tumors....45-55	2,252	198	162	169	201	195	186	191	197	200	193	171	189
Acute rheumatic fever....58	26	2	2	2	2	2	3	2	4	1	2	3	1
Diabetes mellitus....61	379	43	37	37	25	25	29	22	23	30	29	41	38
Exophthalmic goiter....63b	19	3	-	2	2	3	4	1	1	-	-	-	3
Pellagra (except alcoholic)....69	35	3	4	3	5	4	2	3	1	4	2	1	3
Alcoholism (ethylism)....77	58	5	3	6	3	5	8	6	5	3	4	4	6
Intracranial lesions of vascular origin....83	2,326	218	204	180	191	192	195	192	157	163	189	199	246
Diseases of the heart....90-95	5,371	529	445	423	440	420	423	409	363	413	437	495	574
Pneumonia (all forms) and influenza....107-109,33	1,126	157	140	88	81	72	61	49	67	76	65	101	169
Ulcer of stomach or duodenum....117	146	15	13	17	8	8	11	9	7	16	11	18	13
Diarrhea, enteritis, etc.*....119,120	245	21	28	26	29	28	19	12	17	22	16	17	10
Appendicitis....121	119	15	12	8	14	4	7	10	16	13	8	6	6
Hernia and intestinal obstruction....122	249	11	24	21	18	24	26	14	17	22	26	23	23
Cirrhosis of the liver....124	201	15	15	16	19	17	21	17	13	17	16	15	20
Biliary calculi, etc.*....126,127	95	12	6	6	10	6	8	13	9	8	5	5	7
Nephritis....130-132	1,581	158	139	128	138	145	143	101	131	115	119	107	157
Diseases of the prostate....137	129	8	8	17	8	10	7	12	12	13	16	9	9
Diseases of pregnancy, etc.*....140-150	141	10	10	11	16	12	6	13	20	15	10	9	9
Congenital malformations....157	245	29	14	17	19	16	20	18	25	20	18	27	22
Diseases peculiar to first year....158-161	1,074	90	77	76	78	96	92	97	117	91	79	85	96
Premature birth....159	685	44	51	57	51	54	59	64	74	60	50	56	65
Other diseases peculiar to first year....158,160,161	389	46	26	19	27	42	33	33	43	31	29	29	31
Suicide....163,164	231	20	21	23	24	16	25	19	15	16	20	17	15
Homicide....165-168	360	31	28	39	28	32	32	27	33	39	21	21	29
Accidental deaths....169-195	2,137	193	155	184	164	164	201	195	163	173	157	180	208
Motor-vehicle accidents....170	610	58	44	48	40	40	41	37	47	44	46	69	96
Other accidents....169,171-195	1,527	135	111	136	124	124	160	158	116	129	111	111	112
Senility, ill-defined and unknown causes....162,199,200	953	94	74	62	62	75	64	70	91	78	84	101	98
All other causes....	2,044	180	179	151	181	172	187	163	155	155	175	170	176
GEORGIA, all causes....	28,559	2,710	2,521	2,314	2,094	2,403	2,310	2,095	2,238	2,128	2,304	2,423	3,019
Typhoid and paratyphoid fever....1,2	28	-	1	3	1	3	3	7	6	2	1	-	1
Cerebrospinal (meningococcus) meningitis....6	43	5	4	2	4	1	4	3	4	7	4	1	4
Scarlet fever....8	3	-	1	-	-	-	-	1	-	-	-	1	-
Whooping cough....9	64	3	3	5	5	6	4	7	11	5	6	6	3
Diphtheria....10	72	9	4	2	-	-	-	2	6	10	11	18	10
Tuberculosis (all forms)....13-22	1,108	102	88	91	87	99	107	91	85	101	91	73	93
Dysentery....27	55	5	1	3	4	15	3	8	7	-	4	2	3
Malaria....28	24	-	-	1	2	3	5	2	-	6	2	2	1
Syphilis....30	370	30	40	24	32	27	39	26	28	26	30	32	36
Measles....35	9	-	-	1	-	3	-	1	2	-	-	1	1
Poliomyelitis, polioencephalitis (acute)....36	13	1	-	-	-	1	1	1	2	3	2	-	2
Cancer and other malignant tumors....45-55	2,445	217	190	204	185	210	192	192	206	220	211	196	218
Acute rheumatic fever....58	40	5	6	4	5	4	5	1	2	1	1	3	3
Diabetes mellitus....61	374	42	30	27	19	30	25	19	29	28	40	40	45
Exophthalmic goiter....63b	32	1	3	4	4	4	1	3	5	4	1	2	-
Pellagra (except alcoholic)....69	107	11	6	8	8	12	5	9	10	5	8	7	18
Alcoholism (ethylism)....77	67	8	2	7	2	8	4	3	6	4	4	8	11

* Refer to International List for complete title, table V, Part I.

Table 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157].

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA—Continued													
Intracranial lesions of vascular origin....83	3,265	313	268	271	255	302	267	259	233	211	280	256	350
Diseases of the heart....90-95	5,690	530	471	443	434	518	464	407	435	397	479	488	624
Pneumonia (all forms) and influenza....107-109,33	1,961	251	264	158	121	127	107	71	93	97	118	180	374
Ulcer of stomach or duodenum....117	167	16	18	15	9	15	15	14	10	10	14	15	16
Diarrhea, enteritis, etc.*....119,120	390	15	28	14	26	46	46	43	58	47	31	19	17
Appendicitis....121	173	20	14	16	10	17	17	13	19	15	7	16	9
Hernia and intestinal obstruction....122	259	19	22	28	17	16	31	26	21	12	21	20	26
Cirrhosis of the liver....124	158	10	14	12	15	12	10	8	14	17	18	16	12
Biliary calculi, etc.*....126,127	85	5	6	10	6	5	6	8	9	10	6	9	5
Nephritis....130-132	2,811	279	279	249	206	234	190	188	214	206	222	259	285
Diseases of the prostate....137	155	16	10	5	17	16	11	10	17	15	15	14	9
Diseases of pregnancy, etc.*....140-150	242	31	22	25	15	22	15	14	27	20	23	17	11
Congenital malformations....157	302	30	24	31	21	16	35	26	27	19	23	25	25
Diseases peculiar to first year....158-161	1,464	151	137	122	102	124	130	117	119	115	116	114	117
Premature birth....159	927	97	92	77	68	72	84	68	69	73	79	60	79
Other diseases peculiar to first year....158,160,161	537	54	45	45	34	52	46	49	50	42	37	45	38
Suicide....163,164	220	21	14	15	17	21	18	24	14	19	17	20	20
Homicide....165-168	480	29	20	38	37	34	47	35	49	48	39	43	61
Accidental deaths....169-195	2,118	190	182	175	151	147	189	180	189	159	153	191	212
Motor-vehicle accidents....170	713	56	56	68	43	42	46	52	71	73	51	85	70
Other accidents....169,171-195	1,405	134	126	107	108	105	143	128	118	86	102	106	142
Senility, ill-defined and unknown causes....162,199,200	1,343	128	136	92	106	109	109	109	80	100	93	103	178
All other causes....	2,422	217	213	209	171	196	205	167	199	189	213	224	219
IDAHO, all causes....	4,602	420	369	423	376	392	339	353	352	357	372	387	462
Typhoid and paratyphoid fever....1,2	1	-	1	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	3	-	-	-	-	1	1	-	-	-	-	-	1
Scarlet fever....8	3	1	-	1	-	-	-	-	-	1	-	-	-
Whooping cough....9	6	-	1	1	-	-	2	1	-	-	-	1	-
Diphtheria....10	6	-	1	-	-	-	-	1	2	1	-	1	-
Tuberculosis (all forms)....13-22	81	5	6	9	9	8	5	7	6	9	6	6	5
Dysentery....27	6	-	1	1	-	-	-	1	1	-	1	-	1
Malaria....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis....30	25	3	3	3	3	1	-	1	1	3	1	3	3
Measles....35	2	-	-	-	-	-	-	-	-	-	1	-	1
Poliomyelitis, polioencephalitis (acute)....36	4	-	-	-	-	-	-	1	-	-	3	-	-
Cancer and other malignant tumors....45-55	508	49	46	42	34	44	44	31	46	38	48	52	34
Acute rheumatic fever....58	8	2	1	-	-	1	-	-	-	-	2	-	2
Diabetes mellitus....61	95	7	9	7	10	10	7	12	2	7	9	1	14
Exophthalmic goiter....63b	12	1	2	2	1	-	2	1	1	-	-	1	1
Pellagra (except alcoholic)....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)....77	14	1	1	1	-	1	2	1	1	1	1	3	1
Intracranial lesions of vascular origin....83	422	44	30	36	35	40	33	37	29	30	38	36	34
Diseases of the heart....90-95	1,340	126	120	122	126	123	91	93	82	96	100	107	154
Pneumonia (all forms) and influenza....107-109,33	198	21	14	19	18	14	12	11	8	13	18	15	35
Ulcer of stomach or duodenum....117	43	1	2	3	6	7	6	7	2	1	3	2	3
Diarrhea, enteritis, etc.*....119,120	23	1	1	3	3	1	2	2	3	2	-	1	4
Appendicitis....121	31	4	1	2	4	1	2	4	2	1	4	4	2
Hernia and intestinal obstruction....122	49	8	4	6	4	2	2	7	1	3	4	4	4
Cirrhosis of the liver....124	20	-	1	3	-	3	2	1	2	4	1	1	2
Biliary calculi, etc.*....126,127	27	2	5	1	3	-	2	2	5	1	2	2	2
Nephritis....130-132	262	31	16	35	12	17	17	21	19	24	24	17	29
Diseases of the prostate....137	25	-	-	2	2	1	2	1	3	3	3	4	4
Diseases of pregnancy, etc.*....140-150	23	1	2	6	1	-	2	3	3	2	2	1	-
Congenital malformations....157	64	6	2	7	3	6	3	4	4	14	8	4	3
Diseases peculiar to first year....158-161	227	18	19	18	19	21	17	17	16	20	13	25	24
Premature birth....159	138	9	10	10	13	13	11	10	12	9	8	13	20
Other diseases peculiar to first year....158,160,161	89	9	9	8	6	8	6	7	4	11	5	12	4
Suicide....163,164	66	7	7	8	6	3	3	3	7	7	5	6	4
Homicide....165-168	14	-	-	1	1	1	-	-	6	-	1	3	1
Accidental deaths....169-195	465	27	30	34	28	37	39	44	42	44	37	44	58
Motor-vehicle accidents....170	163	11	10	6	16	9	10	13	11	22	17	15	25
Other accidents....169,171-195	302	16	20	28	12	28	29	31	31	22	20	29	33
Senility, ill-defined and unknown causes....162,199,200	133	12	13	14	10	16	4	7	19	10	10	10	8
All other causes....	396	42	30	36	38	33	37	32	39	22	23	33	27
ILLINOIS, all causes....	90,116	7,795	7,205	7,794	7,216	7,772	7,099	7,229	6,864	6,605	7,435	7,246	9,5[illegible]6
Typhoid and paratyphoid fever....1,2	11	-	1	2	1	-	-	2	1	2	2	-	-
Cerebrospinal (meningococcus) meningitis....6	135	19	20	17	14	13	13	4	4	4	7	10	10
Scarlet fever....8	29	8	5	3	2	3	1	3	2	1	-	-	1
Whooping cough....9	57	7	9	11	2	1	2	6	4	7	4	2	2
Diphtheria....10	15	2	-	-	-	-	-	2	1	-	4	3	3
Tuberculosis (all forms)....13-22	3,184	241	264	272	264	275	255	285	269	263	265	235	296
Dysentery....27	29	2	3	-	3	3	2	2	4	5	3	1	1
Malaria....28	9	-	-	-	1	-	1	3	-	-	1	1	2
Syphilis....30	812	68	85	63	73	69	74	68	57	47	64	66	78
Measles....35	11	-	-	-	-	2	4	3	-	-	-	1	1
Poliomyelitis, polioencephalitis (acute)....36	107	1	1	-	-	1	-	7	38	31	19	4	5
Cancer and other malignant tumors....45-55	12,772	1,019	952	1,043	999	1,061	1,033	1,101	1,128	1,057	1,142	1,083	1,154
Acute rheumatic fever....58	70	8	5	8	8	6	9	9	4	2	-	9	2
Diabetes mellitus....61	2,737	228	209	246	220	244	202	222	211	186	241	218	310
Exophthalmic goiter....63b	230	22	12	24	15	18	21	27	18	19	16	18	20
Pellagra (except alcoholic)....69	2	-	-	-	-	1	-	-	-	1	-	-	-
Alcoholism (ethylism)....77	52	1	2	7	2	5	1	8	4	5	4	4	9
Intracranial lesions of vascular origin....83	7,326	617	595	625	610	648	586	582	549	518	594	600	602
Diseases of the heart....90-95	32,147	2,844	2,632	2,803	2,646	2,828	2,536	2,438	2,292	2,255	2,621	2,517	3,735
Pneumonia (all forms) and influenza....107-109,33	3,303	346	295	330	281	255	186	166	134	158	228	265	659
Ulcer of stomach or duodenum....117	610	53	45	52	38	58	47	46	46	52	52	58	63
Diarrhea, enteritis, etc.*....119,120	314	21	27	21	19	13	25	34	41	41	23	17	32
Appendicitis....121	418	33	33	38	21	25	37	48	41	45	28	30	39
Hernia and intestinal obstruction....122	761	78	54	67	59	64	62	67	66	49	66	67	62
Cirrhosis of the liver....124	923	73	70	80	82	75	60	68	75	63	78	87	112

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ILLINOIS—Continued													
Biliary calculi, etc.* 126,127	551	62	37	53	65	45	54	53	35	35	44	34	34
Nephritis 130-132	6,169	576	472	537	480	556	500	535	417	441	480	501	674
Diseases of the prostate 137	577	39	47	52	49	46	48	39	42	46	67	52	50
Diseases of pregnancy, etc.* 140-150	235	19	19	20	20	19	22	21	20	19	17	24	15
Congenital malformations 157	945	80	94	86	73	75	74	65	83	75	72	79	89
Diseases peculiar to first year 158-161	2,285	211	177	222	178	185	190	179	206	176	195	155	211
Premature birth 159	1,369	123	105	146	119	117	112	102	121	103	107	95	119
Other diseases peculiar to first year 158,160,161	916	88	72	76	59	68	78	77	85	73	88	60	92
Suicide 163,164	865	67	62	94	58	74	67	66	80	66	80	68	83
Homicide 165-168	363	20	19	30	33	33	28	34	34	37	32	18	45
Accidental deaths 169-195	5,284	420	377	395	385	433	399	480	490	425	431	466	583
Motor-vehicle accidents 170	1,540	101	115	83	118	119	116	112	153	149	138	150	186
Other accidents 169,171-195	3,744	319	262	312	267	314	283	368	337	276	293	316	397
Senility, ill-defined and unknown causes 162,199,200	469	49	40	40	36	45	47	33	28	34	30	39	48
All other causes	6,309	561	542	553	479	593	513	523	440	440	525	514	626
INDIANA, all causes	39,586	3,540	3,392	3,487	3,082	3,352	3,104	3,077	2,934	2,884	3,263	3,147	4,324
Typhoid and paratyphoid fever 1,2	6	-	-	1	2	-	-	-	-	-	1	2	-
Cerebrospinal (meningococcus) meningitis 6	45	7	3	6	3	2	3	2	2	5	3	3	6
Scarlet fever 8	13	1	5	1	1	-	-	-	2	1	1	-	1
Whooping cough 9	37	3	3	6	3	2	-	3	3	5	3	3	3
Diphtheria 10	31	-	2	2	1	1	-	3	-	2	7	5	8
Tuberculosis (all forms) 13-22	1,133	92	93	108	89	102	95	90	99	93	96	89	87
Dysentery 27	19	4	1	-	2	1	3	2	1	2	1	1	1
Malaria 28	4	-	-	-	1	1	1	-	-	1	-	-	-
Syphilis 30	400	43	30	22	27	32	38	28	24	25	37	37	57
Measles 35	4	-	-	-	1	1	-	-	-	-	-	-	2
Poliomyelitis, polioencephalitis (acute) 36	25	1	1	2	-	-	-	1	12	6	-	-	2
Cancer and other malignant tumors 45-55	4,813	410	372	428	358	384	402	392	399	402	409	400	457
Acute rheumatic fever 58	31	2	5	4	1	7	1	2	1	2	1	-	5
Diabetes mellitus 61	976	81	117	81	71	89	83	64	68	51	77	84	110
Exophthalmic goiter 63b	87	16	6	6	3	9	7	3	6	8	8	6	9
Pellagra (except alcoholic) 69	2	-	-	-	-	-	1	-	-	1	-	-	-
Alcoholism (ethylism) 77	41	5	6	3	5	4	1	2	1	3	5	1	5
Intracranial lesions of vascular origin 83	4,408	408	383	372	378	384	359	332	311	325	372	350	434
Diseases of the heart 90-95	11,755	1,031	1,007	1,029	943	1,019	926	929	847	820	956	922	1,326
Pneumonia (all forms) and influenza 107-109,33	1,937	234	215	227	134	161	83	79	63	74	131	147	389
Ulcer of stomach or duodenum 117	205	22	16	22	17	12	14	20	17	15	15	19	16
Diarrhea, enteritis, etc.* 119,120	242	13	11	13	16	9	12	23	31	44	32	20	18
Appendicitis 121	183	17	10	15	12	20	16	16	19	11	18	20	9
Hernia and intestinal obstruction 122	307	29	24	24	15	15	23	31	31	39	30	19	27
Cirrhosis of the liver 124	309	35	18	34	14	19	22	29	28	24	24	18	44
Biliary calculi, etc.* 126,127	185	14	12	18	18	14	17	13	12	18	15	21	13
Nephritis 130-132	3,095	306	274	249	260	292	265	269	215	197	217	231	320
Diseases of the prostate 137	199	22	17	21	23	7	20	11	15	15	14	15	19
Diseases of pregnancy, etc.* 140-150	113	4	7	11	10	6	9	14	6	14	11	13	8
Congenital malformations 157	472	39	37	36	28	42	40	46	34	34	37	41	58
Diseases peculiar to first year 158-161	1,223	94	97	110	100	107	97	97	103	110	115	84	109
Premature birth 159	759	58	64	75	68	63	55	60	68	60	70	46	72
Other diseases peculiar to first year 158,160,161	464	36	33	35	32	44	42	37	35	50	45	38	37
Suicide 163,164	467	32	28	36	34	44	43	47	51	31	40	40	41
Homicide 165-168	138	5	7	12	6	13	15	10	14	20	7	16	13
Accidental deaths 169-195	2,736	220	223	202	211	217	222	223	214	209	262	230	303
Motor-vehicle accidents 170	859	49	61	64	59	61	70	68	53	79	99	84	102
Other accidents 169,171-195	1,877	171	162	138	152	156	152	155	151	130	163	146	201
Senility, ill-defined and unknown causes 162,199,200	430	32	54	37	26	41	31	32	31	33	32	41	40
All other causes	3,515	318	308	349	269	295	255	264	274	244	286	269	384
IOWA, all causes	25,876	2,266	2,042	2,317	2,205	2,206	1,994	2,081	1,886	1,818	2,168	2,075	2,818
Typhoid and paratyphoid fever 1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis 6	26	3	5	3	3	1	2	1	2	1	-	3	2
Scarlet fever 8	11	-	-	4	-	1	2	1	-	-	-	2	1
Whooping cough 9	11	2	2	1	1	-	-	1	1	-	-	2	1
Diphtheria 10	12	4	-	2	-	-	2	-	-	-	2	-	2
Tuberculosis (all forms) 13-22	355	31	30	31	39	43	29	20	27	21	23	20	41
Dysentery 27	3	-	-	-	-	-	-	-	-	1	-	2	-
Malaria 28	3	-	-	-	-	-	1	2	-	-	-	-	-
Syphilis 30	164	11	10	22	15	10	19	11	9	12	16	13	16
Measles 35	7	-	1	1	1	2	1	-	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute) 36	25	-	1	-	-	-	-	2	1	7	12	-	2
Cancer and other malignant tumors 45-55	3,734	304	268	315	342	325	316	352	288	284	314	295	331
Acute rheumatic fever 58	26	3	1	4	2	2	3	1	4	3	-	2	1
Diabetes mellitus 61	660	66	64	57	59	56	44	50	33	56	55	53	67
Exophthalmic goiter 63b	38	3	-	5	5	3	4	3	2	4	5	-	4
Pellagra (except alcoholic) 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) 77	18	3	1	-	-	3	2	2	1	2	1	3	-
Intracranial lesions of vascular origin 83	3,101	261	247	268	286	251	244	251	224	228	241	239	361
Diseases of the heart 90-95	8,027	718	631	739	675	707	616	627	603	544	666	616	885
Pneumonia (all forms) and influenza 107-109,33	1,213	136	123	125	116	91	53	51	44	37	69	99	269
Ulcer of stomach or duodenum 117	158	18	4	18	10	19	14	18	8	11	16	11	11
Diarrhea, enteritis, etc.* 119,120	70	10	6	8	6	3	4	4	5	3	15	4	2
Appendicitis 121	123	15	5	9	8	14	6	8	8	12	7	12	19
Hernia and intestinal obstruction 122	213	16	14	17	15	20	14	18	30	17	15	13	24
Cirrhosis of the liver 124	138	9	12	7	14	14	11	16	10	12	11	9	13
Biliary calculi, etc.* 126,127	146	11	12	13	12	8	10	15	11	13	12	18	11
Nephritis 130-132	1,557	155	153	133	121	127	110	122	91	108	133	149	155
Diseases of the prostate 137	176	16	9	18	12	17	13	15	16	12	18	11	19
Diseases of pregnancy, etc.* 140-150	79	3	7	4	5	12	4	8	9	9	7	6	5
Congenital malformations 157	308	29	29	38	24	17	30	28	37	13	21	20	22
Diseases peculiar to first year 158-161	790	53	46	68	76	73	73	71	64	49	84	78	55
Premature birth 159	544	30	31	43	56	59	48	53	40	26	59	59	40
Other diseases peculiar to first year 158,160,161	246	23	15	25	20	14	25	18	24	23	25	19	15

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IOWA—Continued													
Suicide....163,164	341	24	21	34	36	45	27	26	20	23	26	37	22
Homicide....165-168	37	-	5	2	7	4	2	3	1	2	3	5	3
Accidental deaths....169-195	1,726	163	123	126	121	122	145	152	152	135	153	147	187
Motor-vehicle accidents....170	419	34	23	20	16	29	34	32	32	39	58	38	64
Other accidents....169,171-195	1,307	129	100	106	105	93	111	120	120	96	95	109	123
Senility, ill-defined and unknown causes....162,199,200	464	36	43	41	38	42	30	32	25	31	42	45	59
All other causes....	2,116	163	169	204	156	174	163	170	160	168	201	161	227
KANSAS, all causes....	18,507	1,762	1,601	1,623	1,511	1,530	1,358	1,462	1,413	1,289	1,484	1,525	1,949
Typhoid and paratyphoid fever....1,2	1	-	-	-	1	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	20	5	3	2	3	2	2	2	-	-	-	1	-
Scarlet fever....8	6	1	-	1	1	-	1	-	-	-	-	-	2
Whooping cough....9	17	-	2	3	-	2	2	1	1	4	-	-	2
Diphtheria....10	20	2	4	2	2	1	1	1	1	1	2	1	2
Tuberculosis (all forms)....13-22	339	34	24	26	25	30	29	36	24	19	35	22	35
Dysentery....27	9	-	1	1	1	-	-	1	1	1	-	1	2
Malaria....28	3	-	-	2	-	-	-	-	-	1	-	-	-
Syphilis....30	187	16	16	18	17	21	8	16	17	16	16	12	14
Measles....35	5	-	-	-	-	-	-	1	1	-	-	-	3
Poliomyelitis, polioencephalitis (acute)....36	17	-	-	2	-	-	1	-	2	5	5	1	1
Cancer and other malignant tumors....45-55	2,408	203	193	201	194	202	185	225	186	205	196	212	206
Acute rheumatic fever....58	13	1	1	2	-	1	2	2	-	1	2	-	1
Diabetes mellitus....61	480	39	48	40	27	36	39	44	36	38	37	43	53
Exophthalmic goiter....63b	30	2	5	5	3	5	1	3	-	2	1	1	2
Pellagra (except alcoholic)....69	7	-	-	2	-	1	1	-	1	-	1	1	-
Alcoholism (ethylism)....77	15	-	1	3	-	1	1	5	1	-	-	1	2
Intracranial lesions of vascular origin....83	2,132	186	194	208	190	168	162	151	172	123	169	198	211
Diseases of the heart....90-95	5,347	532	486	440	436	424	408	377	387	374	429	445	609
Pneumonia (all forms) and influenza....107-109,33	772	105	110	89	53	44	23	30	18	27	53	49	171
Ulcer of stomach or duodenum....117	111	11	9	9	10	9	8	13	8	6	10	7	11
Diarrhea, enteritis, etc.*....119,120	117	8	10	7	5	11	11	11	13	8	14	10	9
Appendicitis....121	95	9	6	11	8	10	8	9	7	6	5	9	7
Hernia and intestinal obstruction....122	177	16	11	24	16	14	12	14	8	12	12	23	15
Cirrhosis of the liver....124	95	15	5	11	8	9	3	5	8	9	8	6	8
Biliary calculi, etc.*....126,127	112	9	13	10	5	12	8	9	8	10	14	7	7
Nephritis....130-132	1,340	145	110	145	126	113	100	104	109	80	100	86	122
Diseases of the prostate....137	153	21	7	10	13	16	9	10	13	11	17	10	16
Diseases of pregnancy, etc.*....140-150	63	8	1	6	7	4	2	6	6	6	6	7	4
Congenital malformations....157	199	19	24	20	13	13	18	18	15	14	14	17	14
Diseases peculiar to first year....158-161	554	46	36	44	41	53	47	45	53	42	41	52	54
Premature birth....159	311	28	16	18	24	29	32	25	30	21	22	29	37
Other diseases peculiar to first year....158,160,161	243	18	20	26	17	24	15	20	23	21	19	23	17
Suicide....163,164	197	16	11	18	17	21	18	25	14	12	16	11	18
Homicide....165-168	40	5	3	2	3	3	3	8	2	2	2	4	3
Accidental deaths....169-195	1,396	121	111	84	114	127	97	124	124	106	115	134	139
Motor-vehicle accidents....170	324	22	28	21	18	17	21	15	34	35	36	44	33
Other accidents....169,171-195	1,072	99	83	63	96	110	76	109	90	71	79	90	106
Senility, ill-defined and unknown causes....162,199,200	330	28	22	28	34	29	20	32	20	22	28	27	40
All other causes....	1,700	159	134	147	138	148	128	134	157	126	136	127	166
KENTUCKY, all causes....	27,590	2,509	2,407	2,392	2,139	2,208	2,131	2,130	2,162	2,026	2,261	2,234	2,991
Typhoid and paratyphoid fever....1,2	30	1	1	1	1	5	2	5	-	7	4	3	-
Cerebrospinal (meningococcus) meningitis....6	48	9	8	7	6	2	2	2	3	1	1	1	6
Scarlet fever....8	8	2	-	2	-	-	2	1	1	-	-	-	-
Whooping cough....9	80	6	7	5	8	5	7	6	5	5	14	6	6
Diphtheria....10	63	4	4	4	1	-	1	-	5	9	11	12	12
Tuberculosis (all forms)....13-22	1,605	128	143	154	142	148	134	129	105	118	140	117	147
Dysentery....27	97	3	-	6	3	1	6	11	33	18	10	5	1
Malaria....28	5	-	-	1	-	-	1	-	2	-	-	1	-
Syphilis....30	223	16	13	16	24	21	21	15	18	18	22	16	23
Measles....35	17	1	-	-	-	3	-	-	-	-	2	1	10
Poliomyelitis, polioencephalitis (acute)....36	12	-	2	2	-	-	-	1	1	3	-	2	1
Cancer and other malignant tumors....45-55	2,734	242	206	218	213	218	221	202	253	236	255	229	250
Acute rheumatic fever....58	29	2	1	2	4	2	3	4	4	1	3	1	2
Diabetes mellitus....61	459	48	45	40	28	38	37	39	33	28	33	41	49
Exophthalmic goiter....63b	50	5	2	5	6	4	6	2	2	2	5	6	5
Pellagra (except alcoholic)....69	26	2	3	5	2	-	4	-	2	3	-	2	3
Alcoholism (ethylism)....77	44	5	2	5	6	2	6	5	3	-	4	1	5
Intracranial lesions of vascular origin....83	2,738	261	206	225	221	222	205	226	213	207	234	251	267
Diseases of the heart....90-95	6,856	633	600	576	579	569	554	533	485	455	517	554	801
Pneumonia (all forms) and influenza....107-109,33	2,049	269	242	252	151	114	81	64	68	80	142	168	419
Ulcer of stomach or duodenum....117	150	4	10	13	10	9	17	16	8	18	10	12	23
Diarrhea, enteritis, etc.*....119,120	427	13	28	16	10	13	20	45	106	81	50	31	14
Appendicitis....121	123	15	12	11	7	7	11	11	11	12	9	6	11
Hernia and intestinal obstruction....122	212	21	18	20	15	22	15	16	22	18	12	17	16
Cirrhosis of the liver....124	162	12	13	15	12	13	12	13	16	12	13	16	15
Biliary calculi, etc.*....126,127	100	9	12	9	8	15	8	3	6	4	6	11	9
Nephritis....130-132	1,793	171	175	157	142	161	141	154	148	115	126	136	167
Diseases of the prostate....137	140	8	7	12	21	13	16	7	10	11	12	9	14
Diseases of pregnancy, etc.*....140-150	155	15	22	19	8	10	11	14	11	11	13	8	13
Congenital malformations....157	280	31	26	26	14	25	15	19	29	17	29	23	26
Diseases peculiar to first year....158-161	1,299	113	124	100	100	113	121	91	102	127	105	102	101
Premature birth....159	740	61	71	58	52	71	76	54	47	69	65	54	62
Other diseases peculiar to first year....158,160,161	559	52	53	42	48	42	45	37	55	58	40	48	39
Suicide....163,164	232	20	12	20	24	18	27	14	17	20	22	23	15
Homicide....165-168	266	21	21	16	14	16	32	21	21	28	22	21	33
Accidental deaths....169-195	2,083	181	167	159	161	178	145	196	182	153	191	154	216
Motor-vehicle accidents....170	592	28	51	35	47	49	29	40	59	53	74	61	66
Other accidents....169,171-195	1,491	153	116	124	114	129	116	156	123	100	117	93	150
Senility, ill-defined and unknown causes....162,199,200	630	42	52	59	38	54	47	59	57	39	37	59	87
All other causes....	2,365	196	223	214	160	187	200	206	180	169	207	198	225

*Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA, all causes	22,125	2,143	1,864	1,793	1,672	1,869	1,792	1,707	1,737	1,673	1,773	1,757	2,345
Typhoid and paratyphoid fever 1,2	20	2	1	-	-	2	3	3	3	1	5	-	-
Cerebrospinal (meningococcus) meningitis 6	27	1	3	4	2	2	1	4	1	2	1	2	4
Scarlet fever 8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough 9	24	2	1	2	5	2	5	1	3	-	-	2	1
Diphtheria 10	53	6	4	1	4	2	1	3	1	5	9	7	10
Tuberculosis (all forms) 13-22	1,092	93	93	96	112	101	83	82	89	78	89	87	89
Dysentery 27	38	3	4	4	4	2	2	8	6	1	2	-	2
Malaria 28	33	2	1	-	1	2	2	4	8	7	4	1	1
Syphilis 30	464	49	38	35	33	36	45	38	36	28	30	39	57
Measles 35	18	3	2	3	2	-	3	1	2	-	-	-	2
Poliomyelitis, polioencephalitis (acute) 36	12	-	1	-	-	1	-	1	3	1	3	2	-
Cancer and other malignant tumors 45-55	2,381	197	165	198	188	211	197	214	169	207	192	197	246
Acute rheumatic fever 58	12	-	2	2	-	2	-	-	1	2	-	1	2
Diabetes mellitus 61	378	36	43	23	31	35	35	28	31	29	27	26	34
Exophthalmic goiter 63b	35	3	2	1	1	5	5	5	-	3	1	2	7
Pellagra (except alcoholic) 69	24	-	3	1	4	2	3	2	1	3	2	2	1
Alcoholism (ethylism) 77	21	2	2	2	1	1	2	3	1	-	2	1	4
Intracranial lesions of vascular origin 83	1,848	166	150	156	141	160	152	124	141	135	159	144	220
Diseases of the heart 90-95	5,930	594	522	465	466	513	452	433	446	419	499	499	622
Pneumonia (all forms) and influenza 107-109,33	1,373	197	191	134	90	78	66	56	83	88	104	87	199
Ulcer of stomach or duodenum 117	97	9	5	8	11	8	9	6	5	6	9	10	11
Diarrhea, enteritis, etc.* 119,120	222	16	19	20	13	15	29	22	22	20	17	16	13
Appendicitis 121	123	15	8	13	5	8	10	14	13	11	9	8	9
Hernia and intestinal obstruction 122	204	24	15	16	9	18	20	17	19	18	19	16	13
Cirrhosis of the liver 124	197	18	9	23	10	12	17	17	21	18	15	15	22
Biliary calculi, etc.* 126,127	91	8	6	13	3	9	2	11	12	10	3	10	4
Nephritis 130-132	1,631	180	141	124	117	152	148	121	115	103	128	124	178
Diseases of the prostate 137	102	17	7	8	2	6	12	11	11	8	7	9	4
Diseases of pregnancy, etc.* 140-150	145	10	12	18	8	7	14	19	13	19	7	6	12
Congenital malformations 157	244	22	21	18	14	23	19	29	26	18	14	12	28
Diseases peculiar to first year 158-161	1,224	88	82	87	91	120	99	116	128	101	108	100	104
Premature birth 159	785	53	50	50	61	84	67	76	89	63	70	61	61
Other diseases peculiar to first year 158,160,161	439	35	32	37	30	36	32	40	39	38	38	39	43
Suicide 163,164	171	12	12	17	16	12	19	10	15	15	7	17	19
Homicide 165-168	241	16	16	21	16	20	16	18	22	20	25	23	28
Accidental deaths 169-195	1,541	149	104	119	117	119	142	120	124	127	111	127	182
Motor-vehicle accidents 170	426	51	22	25	33	26	35	25	33	37	43	43	53
Other accidents 169,171-195	1,115	98	82	94	84	93	107	95	91	90	68	84	129
Senility, ill-defined and unknown causes 162,199,200	450	37	37	37	29	40	36	29	39	28	35	31	72
All other causes	1,659	166	142	124	126	143	143	137	127	142	130	134	145
MAINE, all causes	9,985	974	771	895	902	848	806	752	787	731	825	792	902
Typhoid and paratyphoid fever 1,2	2	1	-	-	-	-	-	-	-	-	1	-	-
Cerebrospinal (meningococcus) meningitis 6	12	-	1	4	-	1	-	-	-	1	2	1	2
Scarlet fever 8	6	-	4	-	1	1	-	-	-	-	-	-	-
Whooping cough 9	26	-	2	3	2	4	1	4	1	3	1	-	5
Diphtheria 10	15	-	2	-	-	-	-	-	1	-	-	8	4
Tuberculosis (all forms) 13-22	244	21	21	25	24	19	28	23	13	17	20	25	8
Dysentery 27	3	-	1	-	-	-	1	1	-	-	-	-	-
Malaria 28	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis 30	58	9	12	2	7	5	2	2	2	3	5	6	3
Measles 35	2	-	-	1	-	-	-	-	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute) 36	6	-	-	-	-	-	-	2	3	1	-	-	-
Cancer and other malignant tumors 45-55	1,363	137	102	117	108	124	115	127	136	98	103	87	109
Acute rheumatic fever 58	12	1	-	1	2	1	1	-	3	1	1	1	-
Diabetes mellitus 61	217	18	26	13	14	13	14	20	28	18	13	21	19
Exophthalmic goiter 63b	7	-	1	1	-	-	1	1	-	-	-	2	1
Pellagra (except alcoholic) 69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism) 77	24	6	1	2	-	1	2	4	1	-	3	2	2
Intracranial lesions of vascular origin 83	1,099	86	82	104	106	104	87	96	79	75	95	94	91
Diseases of the heart 90-95	2,932	285	215	279	275	235	244	203	233	210	250	236	267
Pneumonia (all forms) and influenza 107-109,33	490	67	35	55	60	50	29	20	21	21	25	32	75
Ulcer of stomach or duodenum 117	39	2	2	1	5	1	7	4	3	7	4	1	2
Diarrhea, enteritis, etc.* 119,120	73	5	6	4	6	1	3	6	10	13	11	4	4
Appendicitis 121	46	4	3	5	4	5	4	5	4	6	2	1	3
Hernia and intestinal obstruction 122	67	10	5	8	6	4	3	4	5	6	5	6	5
Cirrhosis of the liver 124	78	5	7	8	8	10	12	2	5	6	8	2	5
Biliary calculi, etc.* 126,127	48	8	4	2	4	2	6	3	4	-	5	5	5
Nephritis 130-132	625	56	41	60	58	60	44	49	47	48	52	58	52
Diseases of the prostate 137	57	4	5	2	5	4	5	4	7	3	10	5	3
Diseases of pregnancy, etc.* 140-150	41	5	5	3	6	3	4	1	4	5	2	1	2
Congenital malformations 157	141	13	16	17	13	12	9	9	10	8	10	12	12
Diseases peculiar to first year 158-161	368	29	23	46	27	28	31	26	37	27	34	21	39
Premature birth 159	209	18	14	25	13	12	21	12	25	15	18	12	24
Other diseases peculiar to first year 158,160,161	159	11	9	21	14	16	10	14	12	12	16	9	15
Suicide 163,164	125	2	8	8	12	15	16	16	8	14	9	8	9
Homicide 165-168	7	3	-	-	-	1	-	-	-	2	-	-	1
Accidental deaths 169-195	694	79	50	34	56	45	77	47	65	64	64	59	54
Motor-vehicle accidents 170	156	11	9	7	8	7	11	10	9	23	20	19	22
Other accidents 169,171-195	538	68	41	27	48	38	66	37	56	41	44	40	32
Senility, ill-defined and unknown causes 162,199,200	226	28	21	21	24	13	14	10	14	15	19	19	28
All other causes	831	90	70	69	69	86	46	63	43	59	71	75	90
MARYLAND, all causes	22,584	2,142	2,045	2,002	1,798	1,876	1,822	1,672	1,669	1,600	1,812	1,776	2,370
Typhoid and paratyphoid fever 1,2	4	-	1	-	-	1	-	-	1	-	1	-	-
Cerebrospinal (meningococcus) meningitis 6	28	7	2	1	2	2	4	1	2	1	2	1	3
Scarlet fever 8	5	1	2	-	-	-	-	1	-	-	-	1	-
Whooping cough 9	32	1	4	2	1	6	5	3	3	1	1	1	4
Diphtheria 10	27	2	2	-	1	3	-	1	2	3	3	3	7
Tuberculosis (all forms) 13-22	1,267	98	109	121	123	114	98	94	110	96	110	88	106
Dysentery 27	17	-	-	3	2	-	1	1	2	5	2	1	-
Malaria 28	1	-	-	-	-	-	-	-	-	-	-	1	-

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND—Continued													
Syphilis....30	352	33	36	31	32	26	28	22	27	30	25	20	42
Measles....35	2	-	-	1	-	-	-	-	-	1	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	5	-	-	-	-	-	-	2	-	2	1	-	-
Cancer and other malignant tumors....45-55	2,711	220	220	246	233	236	218	226	234	208	232	186	252
Acute rheumatic fever....58	27	2	4	4	1	1	1	2	1	2	3	3	3
Diabetes mellitus....61	619	50	46	61	56	55	48	46	46	29	55	62	65
Exophthalmic goiter....63b	38	2	5	2	4	3	3	5	-	-	3	1	10
Pellagra (except alcoholic)....69	4	1	-	-	1	-	-	-	-	1	-	-	1
Alcoholism (ethylism)....77	41	9	7	5	1	3	2	1	1	5	-	4	3
Intracranial lesions of vascular origin....83	1,814	180	145	163	147	155	152	137	146	114	154	148	173
Diseases of the heart....90-95	6,977	686	686	615	557	559	551	483	446	439	579	603	773
Pneumonia (all forms) and influenza....107-109,33	1,102	154	151	87	75	67	72	49	34	58	66	83	206
Ulcer of stomach or duodenum....117	111	14	8	11	9	9	10	12	9	6	9	5	9
Diarrhea, enteritis, etc.*....119,120	202	4	7	8	5	8	10	18	40	53	29	13	7
Appendicitis....121	88	5	9	8	8	11	8	8	6	6	7	4	8
Hernia and intestinal obstruction....122	193	16	15	9	17	19	20	21	19	11	16	12	18
Cirrhosis of the liver....124	186	20	12	21	14	12	12	16	16	13	13	15	22
Biliary calculi, etc.*....126,127	70	6	1	11	7	6	10	7	6	2	7	4	3
Nephritis....130-132	2,011	179	174	199	155	195	175	155	148	134	145	151	201
Diseases of the prostate....137	88	10	8	10	8	7	4	9	3	11	7	7	4
Diseases of pregnancy, etc.*....140-150	64	2	4	4	9	5	2	8	9	4	7	6	4
Congenital malformations....157	259	36	26	22	19	18	23	19	15	15	25	14	27
Diseases peculiar to first year....158-161	785	74	62	52	59	70	64	66	74	77	66	51	70
Premature birth....159	483	52	35	27	39	40	35	43	51	48	43	30	40
Other diseases peculiar to first year....158,160,161	302	22	27	25	20	30	29	23	23	29	23	21	30
Suicide....163,164	242	14	19	28	20	19	21	12	20	24	21	23	21
Homicide....165-168	148	8	7	14	15	15	10	16	10	13	10	15	15
Accidental deaths....169-195	1,447	147	128	119	104	108	132	118	122	111	97	122	139
Motor-vehicle accidents....170	407	33	36	31	26	24	35	28	36	42	33	38	45
Other accidents....169,171-195	1,040	114	92	88	78	84	97	90	86	69	64	84	94
Senility, ill-defined and unknown causes....162,199,200	92	7	3	6	3	7	8	6	8	11	8	11	14
All other causes....	1,525	154	142	138	110	136	130	107	109	114	108	117	160
MASSACHUSETTS, all causes....	51,133	4,820	4,180	4,590	4,430	4,275	4,151	3,741	3,981	3,738	4,341	4,066	4,820
Typhoid and paratyphoid fever....1,2	5	-	-	-	-	-	1	-	-	1	2	1	-
Cerebrospinal (meningococcus) meningitis....6	25	-	8	1	2	3	2	1	2	4	-	1	1
Scarlet fever....8	7	-	3	1	1	2	-	-	-	-	-	-	-
Whooping cough....9	23	-	-	2	1	4	-	4	2	3	4	1	2
Diphtheria....10	12	-	-	3	-	-	3	-	-	1	1	1	3
Tuberculosis (all forms)....13-22	1,643	141	123	155	159	156	150	127	133	132	121	117	129
Dysentery....27	10	2	1	-	-	-	-	-	2	1	2	1	1
Malaria....28	3	1	-	1	-	-	-	-	-	-	1	-	-
Syphilis....30	260	24	22	29	13	25	17	19	21	18	25	19	28
Measles....35	10	-	2	-	2	2	1	-	-	-	2	1	-
Poliomyelitis, polioencephalitis (acute)....36	23	-	-	-	-	-	-	3	4	5	6	3	2
Cancer and other malignant tumors....45-55	7,813	664	576	648	695	663	679	620	635	659	693	646	635
Acute rheumatic fever....58	27	2	2	2	3	1	5	1	-	4	3	4	-
Diabetes mellitus....61	1,486	156	129	131	136	126	107	90	113	97	133	126	142
Exophthalmic goiter....63b	51	6	4	2	5	4	6	4	6	2	4	2	6
Pellagra (except alcoholic)....69	4	1	-	-	-	1	-	-	-	1	-	-	1
Alcoholism (ethylism)....77	137	17	6	10	7	17	8	11	17	8	6	17	13
Intracranial lesions of vascular origin....83	4,946	512	389	412	421	425	414	333	396	349	437	402	456
Diseases of the heart....90-95	18,500	1,787	1,553	1,687	1,628	1,554	1,446	1,299	1,387	1,263	1,562	1,446	1,888
Pneumonia (all forms) and influenza....107-109,33	2,097	240	212	244	203	155	138	119	99	109	149	177	252
Ulcer of stomach or duodenum....117	401	32	37	30	38	36	29	40	38	35	28	22	36
Diarrhea, enteritis, etc.*....119,120	180	13	12	12	14	13	16	19	15	20	13	15	18
Appendicitis....121	185	12	24	19	13	11	21	14	18	20	11	9	13
Hernia and intestinal obstruction....122	388	35	33	36	29	31	34	28	31	26	31	41	33
Cirrhosis of the liver....124	567	53	45	43	45	44	55	47	59	38	40	48	50
Biliary calculi, etc.*....126,127	253	23	21	22	22	23	23	19	14	15	28	22	21
Nephritis....130-132	2,372	237	219	226	197	192	182	162	183	175	204	164	231
Diseases of the prostate....137	227	16	13	18	20	25	31	20	11	20	24	16	13
Diseases of pregnancy, etc.*....140-150	141	16	14	11	17	11	8	10	11	6	15	10	12
Congenital malformations....157	551	55	46	48	41	46	46	34	52	57	32	43	51
Diseases peculiar to first year....158-161	1,329	129	83	129	116	93	99	123	104	117	117	90	129
Premature birth....159	781	68	51	71	65	59	58	59	58	71	83	50	88
Other diseases peculiar to first year....158,160,161	548	61	32	58	51	34	41	64	46	46	34	40	41
Suicide....163,164	482	41	41	40	32	52	36	25	54	32	42	45	42
Homicide....165-168	62	5	6	7	6	6	6	7	4	4	2	6	3
Accidental deaths....169-195	2,840	246	218	244	213	199	257	247	245	217	246	249	259
Motor-vehicle accidents....170	561	37	34	61	25	35	35	40	49	63	68	67	47
Other accidents....169,171-195	2,279	209	184	183	188	164	222	207	196	154	178	182	212
Senility, ill-defined and unknown causes....162,199,200	188	21	23	10	13	18	18	11	15	13	13	14	19
All other causes....	3,885	333	315	367	338	337	313	304	310	286	344	307	331
MICHIGAN, all causes....	53,966	4,812	4,253	4,774	4,517	4,686	4,357	4,242	4,157	4,022	4,682	4,375	5,089
Typhoid and paratyphoid fever....1,2	5	-	-	1	-	-	-	2	-	1	1	-	-
Cerebrospinal (meningococcus) meningitis....6	42	3	8	3	4	5	3	2	1	2	3	3	5
Scarlet fever....8	9	-	1	2	-	2	2	1	-	-	-	-	1
Whooping cough....9	36	3	3	6	4	3	-	3	2	2	4	1	5
Diphtheria....10	46	8	2	4	-	4	7	2	3	1	7	5	3
Tuberculosis (all forms)....13-22	1,816	160	132	153	168	167	157	151	141	151	144	146	146
Dysentery....27	31	1	1	1	2	-	1	-	6	7	3	5	4
Malaria....28	10	-	-	1	1	-	2	1	1	-	3	1	-
Syphilis....30	533	56	32	44	38	53	39	40	45	44	46	41	55
Measles....35	10	1	-	1	1	1	1	-	-	-	-	1	4
Poliomyelitis, polioencephalitis (acute)....36	24	1	1	-	-	1	1	1	5	9	3	1	1
Cancer and other malignant tumors....45-55	7,251	590	527	626	591	638	592	597	596	577	680	620	617
Acute rheumatic fever....58	46	3	2	6	4	6	9	1	3	3	1	6	2
Diabetes mellitus....61	1,556	131	115	131	130	150	114	127	112	93	133	130	190
Exophthalmic goiter....63b	129	9	19	9	12	10	8	8	14	9	13	8	10
Pellagra (except alcoholic)....69	2	-	1	-	-	-	-	-	-	-	1	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN—Continued													
Alcoholism (ethylism) 77	41	-	1	3	3	4	4	5	5	5	2	7	2
Intracranial lesions of vascular origin 83	5,285	472	423	448	517	476	438	433	420	367	428	414	449
Diseases of the heart 90-95	17,488	1,605	1,394	1,515	1,441	1,474	1,419	1,350	1,273	1,271	1,590	1,417	1,739
Pneumonia (all forms) and influenza 107-109,33	2,130	208	243	265	168	183	138	93	80	95	139	159	359
Ulcer of stomach or duodenum 117	394	42	28	37	36	41	40	32	30	27	33	20	28
Diarrhea, enteritis, etc.* 119,120	333	29	16	31	30	25	22	18	20	49	43	21	29
Appendicitis 121	235	25	18	23	22	14	20	16	27	16	20	17	17
Hernia and intestinal obstruction 122	464	40	46	33	34	46	27	47	34	33	46	40	38
Cirrhosis of the liver 124	535	50	44	39	44	51	42	41	41	43	50	43	47
Biliary calculi, etc.* 126,127	257	25	21	24	20	20	28	19	19	14	14	36	17
Nephritis 130-132	2,632	240	223	218	226	275	216	195	199	175	212	208	245
Diseases of the prostate 137	279	24	17	28	25	23	23	30	24	16	17	31	21
Diseases of pregnancy, etc.* 140-150	165	8	14	18	10	13	12	18	18	10	21	13	10
Congenital malformations 157	853	73	76	71	72	75	71	72	73	73	69	61	67
Diseases peculiar to first year 158-161	2,036	156	165	159	167	213	186	166	168	168	163	160	165
Premature birth 159	1,351	105	110	97	106	153	116	110	112	121	107	107	107
Other diseases peculiar to first year 158,160,161	685	51	55	62	61	60	70	56	56	47	56	53	58
Suicide 163,164	556	41	38	61	52	54	40	48	49	42	54	41	36
Homicide 165-168	205	18	12	14	22	17	9	26	20	13	23	15	16
Accidental deaths 169-195	3,512	287	212	305	254	235	249	328	349	311	345	301	336
Motor-vehicle accidents 170	1,218	73	64	104	86	76	73	95	93	112	173	133	136
Other accidents 169,171-195	2,294	214	148	201	168	159	176	233	256	199	172	168	200
Senility, ill-defined and unknown causes 162,199,200	708	75	52	76	40	45	45	55	61	69	65	69	56
All other causes	4,312	428	366	418	379	362	392	314	318	326	306	334	369
MINNESOTA, all causes	26,763	2,327	2,148	2,374	2,242	2,275	2,142	2,098	1,925	1,997	2,268	2,295	2,672
Typhoid and paratyphoid fever 1,2	1	-	-	-	-	-	-	1	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis 6	18	1	-	-	3	3	1	1	2	2	2	1	2
Scarlet fever 8	11	1	-	5	1	-	-	1	2	-	1	-	-
Whooping cough 9	26	1	-	7	5	-	1	2	2	2	1	4	1
Diphtheria 10	20	1	1	1	1	2	1	1	3	2	2	3	2
Tuberculosis (all forms) 13-22	621	56	54	49	63	51	63	46	40	51	47	41	60
Dysentery 27	7	-	-	1	1	-	3	-	-	-	1	1	-
Malaria 28	1	-	-	-	-	-	-	-	-	-	-	1	-
Syphilis 30	173	21	16	13	17	13	18	11	11	6	19	13	15
Measles 35	5	2	2	-	-	-	-	-	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute) 36	29	1	-	1	-	-	1	-	2	10	7	6	1
Cancer and other malignant tumors 45-55	3,893	314	299	353	300	315	312	337	341	309	337	328	348
Acute rheumatic fever 58	28	1	3	6	2	3	2	2	1	3	2	1	2
Diabetes mellitus 61	782	65	54	73	69	63	56	56	37	58	71	73	107
Exophthalmic goiter 63b	51	6	3	3	6	5	8	2	6	5	7	3	7
Pellagra (except alcoholic) 69	1	-	-	-	-	-	-	-	-	-	1	-	-
Alcoholism (ethylism) 77	38	4	3	4	4	1	4	6	2	3	2	2	3
Intracranial lesions of vascular origin 83	2,782	231	209	263	247	241	221	218	186	208	231	247	280
Diseases of the heart 90-95	8,336	741	659	752	719	727	661	624	555	614	694	724	866
Pneumonia (all forms) and influenza 107-109,33	1,363	145	128	150	116	123	109	83	47	62	103	109	188
Ulcer of stomach or duodenum 117	175	15	17	9	11	14	12	20	15	15	14	18	15
Diarrhea, enteritis, etc.* 119,120	121	9	16	7	3	11	10	8	11	5	17	16	5
Appendicitis 121	119	13	18	8	7	11	8	7	13	6	10	6	12
Hernia and intestinal obstruction 122	221	14	21	18	22	25	18	13	17	26	16	15	16
Cirrhosis of the liver 124	193	18	12	19	17	15	18	12	23	9	16	16	18
Biliary calculi, etc.* 126,127	198	23	14	27	12	18	15	16	23	7	20	11	12
Nephritis 130-132	978	105	107	74	80	75	74	60	69	73	78	78	105
Diseases of the prostate 137	197	23	18	16	14	13	14	15	22	15	20	14	13
Diseases of pregnancy, etc.* 140-150	75	8	5	7	11	8	6	3	4	6	4	4	9
Congenital malformations 157	385	41	37	30	29	28	33	23	26	28	34	41	35
Diseases peculiar to first year 158-161	948	83	63	82	86	87	79	75	69	80	79	83	82
Premature birth 159	576	48	38	42	58	52	45	55	45	47	45	49	52
Other diseases peculiar to first year 158,160,161	372	35	25	40	28	35	34	20	24	33	34	34	30
Suicide 163,164	269	12	21	27	18	29	17	26	31	28	23	24	13
Homicide 165-168	47	3	4	3	3	1	6	8	2	4	7	4	2
Accidental deaths 169-195	1,883	140	132	150	132	153	146	200	169	148	177	180	156
Motor-vehicle accidents 170	480	37	21	28	24	29	34	46	44	54	57	62	44
Other accidents 169,171-195	1,403	103	111	122	108	124	112	154	125	94	120	118	112
Senility, ill-defined and unknown causes 162,199,200	288	39	21	25	18	25	26	28	14	21	13	21	37
All other causes	2,470	190	211	191	222	215	199	193	180	191	212	207	259
MISSISSIPPI, all causes	19,355	1,836	1,770	1,735	1,494	1,586	1,450	1,479	1,516	1,420	1,555	1,560	1,954
Typhoid and paratyphoid fever 1,2	18	2	3	-	1	2	2	3	2	2	1	-	-
Cerebrospinal (meningococcus) meningitis 6	28	3	5	5	3	3	-	1	3	1	1	1	2
Scarlet fever 8	2	-	-	-	-	-	-	-	-	1	1	-	-
Whooping cough 9	45	5	1	5	8	3	5	5	2	3	1	2	5
Diphtheria 10	41	-	4	-	-	1	1	-	1	4	12	11	7
Tuberculosis (all forms) 13-22	720	72	59	48	54	61	70	62	69	62	58	50	55
Dysentery 27	36	2	2	1	2	1	5	11	4	3	1	1	3
Malaria 28	37	1	-	4	3	3	3	4	6	6	4	1	2
Syphilis 30	262	21	19	21	12	25	21	20	22	17	29	29	26
Measles 35	22	1	3	4	4	1	3	2	-	-	1	1	2
Poliomyelitis, polioencephalitis (acute) 36	11	2	-	-	1	1	-	2	-	1	1	2	1
Cancer and other malignant tumors 45-55	1,675	129	146	142	141	131	129	148	160	141	124	143	141
Acute rheumatic fever 58	12	2	-	1	1	-	-	1	1	4	-	1	1
Diabetes mellitus 61	290	25	29	20	28	27	26	18	23	21	19	21	33
Exophthalmic goiter 63b	26	5	4	5	2	1	-	1	2	2	2	1	1
Pellagra (except alcoholic) 69	56	8	8	4	3	5	2	2	3	6	3	8	4
Alcoholism (ethylism) 77	14	2	1	1	-	1	-	2	3	1	1	2	-
Intracranial lesions of vascular origin 83	1,843	191	158	148	162	155	155	128	119	135	146	151	195
Diseases of the heart 90-95	3,546	329	325	364	291	293	258	290	252	249	283	305	307
Pneumonia (all forms) and influenza 107-109,33	1,150	172	192	148	89	62	32	40	47	51	48	83	186
Ulcer of stomach or duodenum 117	85	11	5	8	3	9	3	8	1	7	13	8	9
Diarrhea, enteritis, etc.* 119,120	191	6	7	11	6	19	29	35	34	12	13	14	5
Appendicitis 121	113	10	8	7	11	13	13	10	8	5	10	11	7

* Refer to International List for complete title, table V, Part I.

747801 O - 47 - 12

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSISSIPPI—Continued													
Hernia and intestinal obstruction....122	190	21	9	12	14	17	16	16	17	12	15	20	21
Cirrhosis of the liver....124	98	7	8	8	10	9	5	6	8	15	11	7	4
Biliary calculi, etc.*....126,127	62	7	2	4	3	6	3	9	4	7	5	9	3
Nephritis....130-132	1,797	154	157	167	147	149	177	124	144	133	141	129	175
Diseases of the prostate....137	105	5	9	6	5	9	11	10	10	8	12	12	8
Diseases of pregnancy, etc.*....140-150	206	29	18	19	20	19	16	13	13	17	16	11	15
Congenital malformations....157	145	13	16	16	10	14	10	16	13	8	10	10	9
Diseases peculiar to first year....158-161	821	74	60	81	45	75	60	74	84	72	78	61	57
Premature birth....159	496	36	35	50	24	43	34	50	50	45	49	39	41
Other diseases peculiar to first year....158,160,161	325	38	25	31	21	32	26	24	34	27	29	22	16
Suicide....163,164	76	4	9	5	4	6	8	6	12	6	6	5	5
Homicide....165-168	251	18	16	21	29	19	15	20	32	27	18	18	18
Accidental deaths....169-195	1,275	101	93	108	92	99	98	96	98	91	105	126	168
Motor-vehicle accidents....170	352	24	11	29	22	27	24	23	35	46	30	35	46
Other accidents....169,171-195	923	77	82	79	70	72	74	73	63	45	75	91	122
Senility, ill-defined and unknown causes....162,199,200	2,732	287	263	226	188	219	183	199	207	197	240	188	335
All other causes....	1,374	117	131	115	102	128	91	97	112	93	126	118	144
MISSOURI, all causes....	42,602	3,797	3,594	3,652	3,510	3,558	3,162	3,583	3,110	3,105	3,561	3,457	4,513
Typhoid and paratyphoid fever....1,2	21	-	2	-	-	2	4	2	4	3	2	2	-
Cerebrospinal (meningococcus) meningitis....6	42	6	4	3	2	6	2	2	3	4	2	2	6
Scarlet fever....8	9	-	1	3	-	1	1	1	-	-	-	-	2
Whooping cough....9	31	4	3	2	2	3	1	3	3	3	1	2	4
Diphtheria....10	43	4	5	1	3	2	3	-	-	1	5	13	6
Tuberculosis (all forms)....13-22	1,424	112	112	114	136	141	128	131	111	93	112	108	126
Dysentery....27	30	2	2	2	2	3	1	1	2	5	5	2	3
Malaria....28	13	-	1	-	-	2	3	2	2	1	-	1	1
Syphilis....30	497	33	39	52	51	46	42	44	45	43	38	28	36
Measles....35	5	-	-	-	-	2	-	-	-	-	-	1	2
Poliomyelitis, polioencephalitis (acute)....36	30	2	1	-	-	-	-	3	6	3	8	7	-
Cancer and other malignant tumors....45-55	5,494	459	399	443	467	463	436	465	449	462	505	475	471
Acute rheumatic fever....58	31	2	4	4	1	2	4	4	-	4	-	3	3
Diabetes mellitus....61	910	88	92	83	86	64	60	73	53	58	71	67	115
Exophthalmic goiter....63b	85	7	4	10	10	3	11	7	8	5	9	4	7
Pellagra (except alcoholic)....69	10	-	3	1	1	-	-	2	-	-	2	-	1
Alcoholism (ethylism)....77	48	3	3	3	2	7	4	3	4	5	4	3	7
Intracranial lesions of vascular origin....83	4,133	376	315	328	395	363	308	353	280	294	321	355	445
Diseases of the heart....90-95	12,871	1,149	1,149	1,120	1,040	1,112	955	1,094	886	892	1,077	1,012	1,385
Pneumonia (all forms) and influenza....107-109,33	2,585	307	327	287	168	181	118	117	96	121	181	191	491
Ulcer of stomach or duodenum....117	277	25	16	21	28	29	20	33	24	22	22	19	18
Diarrhea, enteritis, etc.*....119,120	342	22	26	22	13	17	13	40	49	68	36	19	17
Appendicitis....121	240	21	18	13	24	23	20	17	25	24	22	15	18
Hernia and intestinal obstruction....122	356	31	27	38	22	33	27	31	35	25	33	33	21
Cirrhosis of the liver....124	413	36	27	30	29	30	35	49	33	24	44	35	41
Biliary calculi, etc.*....126,127	221	18	15	16	24	28	7	25	24	13	18	13	20
Nephritis....130-132	3,311	329	281	312	275	298	240	267	228	204	277	267	333
Diseases of the prostate....137	250	22	20	18	19	25	19	25	18	20	16	19	29
Diseases of pregnancy, etc.*....140-150	150	11	14	16	17	14	10	11	9	7	10	15	16
Congenital malformations....157	424	37	42	47	24	24	27	42	41	32	39	30	39
Diseases peculiar to first year....158-161	1,115	87	83	86	83	87	100	90	90	102	87	112	108
Premature birth....159	656	54	43	49	44	55	65	46	59	59	50	66	66
Other diseases peculiar to first year....158,160,161	459	33	40	37	39	32	35	44	31	43	37	46	42
Suicide....163,164	459	28	45	39	41	38	41	36	31	37	48	38	37
Homicide....165-168	210	10	15	12	15	19	6	16	23	21	27	26	20
Accidental deaths....169-195	2,807	240	182	212	216	228	224	250	245	229	237	255	289
Motor-vehicle accidents....170	702	55	42	53	42	47	53	51	54	70	71	83	81
Other accidents....169,171-195	2,105	185	140	159	174	181	171	199	191	159	166	172	208
Senility, ill-defined and unknown causes....162,199,200	432	34	44	33	39	29	40	39	33	34	29	27	51
All other causes....	3,283	292	273	281	275	233	252	305	250	246	273	258	345
MONTANA, all causes....	5,414	505	417	474	470	465	430	419	413	385	452	483	501
Typhoid and paratyphoid fever....1,2	2	-	-	-	1	-	-	-	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis....6	3	-	-	-	-	-	-	1	-	-	1	1	-
Scarlet fever....8	1	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough....9	2	-	-	-	1	-	-	-	-	-	-	-	1
Diphtheria....10	4	-	1	-	-	-	1	-	-	-	-	1	1
Tuberculosis (all forms)....13-22	171	18	16	12	15	18	14	11	15	8	16	11	17
Dysentery....27	2	-	-	-	-	-	-	1	1	-	-	-	-
Malaria....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis....30	54	8	4	4	4	2	3	6	3	4	8	2	6
Measles....35	1	-	-	-	-	-	-	-	-	-	-	1	-
Poliomyelitis, polioencephalitis (acute)....36	10	-	-	-	-	-	-	-	-	6	4	-	-
Cancer and other malignant tumors....45-55	658	63	42	60	49	52	58	47	57	46	58	63	63
Acute rheumatic fever....58	6	1	-	-	2	-	-	-	-	2	-	1	-
Diabetes mellitus....61	129	11	13	15	14	11	10	8	9	11	7	7	13
Exophthalmic goiter....63b	15	3	-	2	4	2	-	-	1	2	-	1	-
Pellagra (except alcoholic)....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)....77	13	1	2	-	-	3	3	-	1	1	1	-	1
Intracranial lesions of vascular origin....83	489	52	41	44	46	36	34	38	37	24	42	47	48
Diseases of the heart....90-95	1,603	149	123	129	143	135	149	117	122	106	133	149	148
Pneumonia (all forms) and influenza....107-109,33	243	31	28	22	26	10	9	7	9	13	24	26	38
Ulcer of stomach or duodenum....117	31	5	5	2	2	2	6	1	4	-	2	1	1
Diarrhea, enteritis, etc.*....119,120	20	-	-	8	1	-	1	3	3	1	2	-	1
Appendicitis....121	27	1	3	3	3	3	3	3	2	1	2	3	-
Hernia and intestinal obstruction....122	44	3	2	5	2	6	3	6	2	4	4	3	4
Cirrhosis of the liver....124	36	1	4	6	3	2	4	4	4	3	2	1	2
Biliary calculi, etc.*....126,127	32	1	5	1	4	1	1	1	2	7	7	1	1
Nephritis....130-132	279	31	16	20	21	26	24	27	19	18	13	32	32
Diseases of the prostate....137	21	2	4	2	1	1	-	3	3	3	1	-	1
Diseases of pregnancy, etc.*....140-150	17	2	3	1	2	2	-	4	-	-	1	-	2
Congenital malformations....157	70	4	5	8	5	8	3	5	5	8	7	6	6

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA—Continued													
Diseases peculiar to first year....158-161	198	14	17	21	15	24	17	17	11	21	10	11	20
Premature birth....159	122	8	11	12	10	14	13	8	5	11	10	7	13
Other diseases peculiar to first year....158,160,161	76	6	6	9	5	10	4	9	6	10	-	4	7
Suicide....163,164	79	5	5	8	10	6	12	9	3	2	4	7	8
Homicide....165-168	19	3	-	1	2	4	-	1	1	1	3	2	1
Accidental deaths....169-195	498	36	30	36	33	42	31	47	51	46	57	58	31
Motor-vehicle accidents....170	118	4	5	11	6	6	6	11	11	12	17	23	6
Other accidents....169,171-195	380	32	25	25	27	36	25	36	40	34	40	35	25
Senility, ill-defined and unknown causes....162,199,200	164	17	5	20	10	23	9	16	7	9	11	17	20
All other causes....	473	43	43	44	51	46	35	36	41	37	32	30	35
NEBRASKA, all causes....	12,500	1,106	1,038	1,130	1,045	1,065	966	954	939	886	1,000	1,054	1,317
Typhoid and paratyphoid fever....1,2	1	-	-	-	-	-	-	-	1	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	15	3	-	3	1	1	1	-	3	1	1	-	1
Scarlet fever....8	6	-	1	1	-	-	1	-	1	-	1	-	1
Whooping cough....9	4	-	-	1	1	-	1	-	1	-	-	-	-
Diphtheria....10	13	1	4	-	-	1	1	1	2	-	2	1	-
Tuberculosis (all forms)....13-22	185	15	18	10	19	19	13	13	22	15	15	7	19
Dysentery....27	1	-	-	-	1	-	-	-	-	-	-	-	-
Malaria....28	1	-	-	-	-	-	-	-	-	-	-	1	-
Syphilis....30	68	2	10	6	6	5	7	9	4	4	4	6	5
Measles....35	4	-	-	-	-	1	-	-	-	1	1	1	-
Poliomyelitis, polioencephalitis (acute)....36	12	-	-	-	-	-	-	-	4	2	3	2	1
Cancer and other malignant tumors....45-55	1,746	151	129	135	151	122	144	159	146	153	140	158	158
Acute rheumatic fever....58	10	1	1	-	2	1	-	2	2	-	1	-	-
Diabetes mellitus....61	346	34	25	36	31	30	26	28	22	22	30	21	41
Exophthalmic goiter....63b	23	2	1	2	1	2	2	-	3	1	3	4	2
Pellagra (except alcoholic)....69	1	-	-	-	-	-	-	1	-	-	-	-	-
Alcoholism (ethylism)....77	25	-	3	2	3	2	-	3	4	2	4	-	2
Intracranial lesions of vascular origin....83	1,388	123	113	128	122	121	116	92	104	90	96	126	157
Diseases of the heart....90-95	3,584	326	317	322	285	327	255	260	267	240	281	307	397
Pneumonia (all forms) and influenza....107-109,33	597	50	56	82	58	38	32	21	22	21	36	55	126
Ulcer of stomach or duodenum....117	75	9	3	1	9	4	6	6	8	5	8	9	7
Diarrhea, enteritis, etc.*....119,120	56	11	8	-	5	1	3	8	7	4	5	4	-
Appendicitis....121	86	6	2	11	6	8	7	16	10	6	6	2	6
Hernia and intestinal obstruction....122	135	13	18	10	13	10	13	10	6	7	12	14	9
Cirrhosis of the liver....124	90	6	9	8	7	7	8	8	4	5	17	6	5
Biliary calculi, etc.*....126,127	84	12	10	5	11	6	6	5	7	9	6	5	2
Nephritis....130-132	851	76	79	84	70	102	69	58	51	64	69	62	67
Diseases of the prostate....137	81	10	6	12	7	6	5	6	6	3	6	6	8
Diseases of pregnancy, etc.*....140-150	36	2	4	4	2	2	2	4	3	4	1	5	3
Congenital malformations....157	134	13	13	15	12	8	9	8	6	11	14	12	13
Diseases peculiar to first year....158-161	394	40	29	30	34	29	29	29	34	32	32	37	39
Premature birth....159	246	27	19	18	20	20	17	15	25	22	20	20	23
Other diseases peculiar to first year....158,160,161	148	13	10	12	14	9	12	14	9	10	12	17	16
Suicide....163,164	160	10	14	14	15	14	15	14	21	10	10	14	9
Homicide....165-168	14	-	1	-	-	2	2	2	2	-	2	1	2
Accidental deaths....169-195	910	66	56	75	63	85	82	77	80	70	92	78	86
Motor-vehicle accidents....170	220	16	12	9	19	21	25	17	16	20	28	21	16
Other accidents....169,171-195	690	50	44	66	44	64	57	60	64	50	64	57	70
Senility, ill-defined and unknown causes....162,199,200	266	25	20	33	22	17	17	24	14	19	19	22	34
All other causes....	1,098	99	88	100	88	94	94	90	72	85	83	88	117
NEVADA, all causes....	1,588	146	112	141	136	127	160	137	103	111	120	129	166
Typhoid and paratyphoid fever....1,2	1	-	-	1	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	1	1	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever....8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough....9	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria....10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)....13-22	89	7	9	9	8	5	13	6	5	5	6	5	11
Dysentery....27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis....30	18	-	1	1	5	4	1	2	-	1	-	-	3
Measles....35	1	-	-	-	-	1	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	2	-	-	-	-	-	1	-	-	1	-	-	-
Cancer and other malignant tumors....45-55	164	16	5	17	20	11	9	18	11	22	16	8	11
Acute rheumatic fever....58	1	-	-	-	-	1	-	-	-	-	-	-	-
Diabetes mellitus....61	22	2	2	1	1	2	3	2	2	1	1	2	3
Exophthalmic goiter....63b	3	1	-	2	-	-	-	-	-	-	-	-	-
Pellagra (except alcoholic)....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)....77	21	2	-	1	1	1	1	3	1	1	3	2	5
Intracranial lesions of vascular origin....83	122	9	7	12	13	11	15	11	9	5	9	6	15
Diseases of the heart....90-95	384	39	34	31	32	33	34	26	15	30	31	42	37
Pneumonia (all forms) and influenza....107-109,33	85	7	9	9	4	4	6	5	5	3	5	9	19
Ulcer of stomach or duodenum....117	21	-	1	2	3	2	3	1	2	1	2	-	4
Diarrhea, enteritis, etc.*....119,120	9	-	1	-	-	1	1	-	3	-	-	1	2
Appendicitis....121	9	1	1	1	1	1	3	-	-	-	-	-	1
Hernia and intestinal obstruction....122	19	4	-	2	-	1	2	1	3	2	1	-	3
Cirrhosis of the liver....124	22	-	4	3	3	2	-	6	1	2	-	-	1
Biliary calculi, etc.*....126,127	8	-	-	1	1	-	-	1	2	-	-	2	1
Nephritis....130-132	71	5	4	15	10	3	5	1	2	3	5	11	7
Diseases of the prostate....137	5	-	-	-	-	-	1	1	1	-	-	2	-
Diseases of pregnancy, etc.*....140-150	5	-	-	1	1	1		-	-	1	-	-	1
Congenital malformations....157	26	4	3	2	-	3	[illegible]	3	-	3	3	1	1
Diseases peculiar to first year....158-161	53	2	-	6	2	10	6	6	7	2	5	4	3
Premature birth....159	37	2	-	4	1	7	3	4	7	-	3	3	3
Other diseases peculiar to first year....158,160,161	16	-	-	2	1	3	3	2	-	2	2	1	-
Suicide....163,164	27	2	6	1	2	1	2	2	3	3	2	1	2
Homicide....165-168	13	2	-	1	2	1	1	-	2	-	2	1	1
Accidental deaths....169-195	220	23	11	12	13	14	30	28	22	17	17	16	17
Motor-vehicle accidents....170	58	4	3	4	-	3	3	8	5	6	7	6	9
Other accidents....169,171-195	162	19	8	8	13	11	27	20	17	11	10	10	8

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA—Continued													
Senility, ill-defined and unknown causes.....162,199,200	45	4	3	2	4	5	6	5	1	4	2	4	5
All other causes.....	121	15	11	8	10	9	14	9	6	4	10	12	13
NEW HAMPSHIRE, all causes.....	5,816	539	446	549	479	500	469	405	449	451	503	490	536
Typhoid and paratyphoid fever.....1,2	2	-	-	-	-	1	-	-	-	-	1	-	-
Cerebrospinal (meningococcus) meningitis.....6	6	1	2	1	-	-	1	-	1	-	-	-	-
Scarlet fever.....8	2	-	-	-	-	-	2	-	-	-	-	-	-
Whooping cough.....9	2	1	1	-	-	-	-	-	-	-	-	-	-
Diphtheria.....10	2	-	-	-	-	-	-	-	-	-	-	1	1
Tuberculosis (all forms).....13-22	99	9	6	11	12	16	6	6	6	8	10	2	7
Dysentery.....27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	29	4	3	2	2	1	3	1	2	3	2	4	2
Measles.....35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	5	-	-	-	-	1	-	-	2	-	1	-	1
Cancer and other malignant tumors.....45-55	854	80	71	66	71	75	69	63	66	75	71	82	65
Acute rheumatic fever.....58	2	-	-	-	-	-	-	-	-	-	1	1	-
Diabetes mellitus.....61	175	14	11	17	11	14	18	8	12	11	25	12	22
Exophthalmic goiter.....63b	4	-	-	1	-	1	-	-	-	1	-	1	-
Pellagra (except alcoholic).....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	16	-	-	-	-	5	3	-	-	-	1	4	3
Intracranial lesions of vascular origin.....83	593	59	52	53	56	56	42	38	51	48	46	43	49
Diseases of the heart.....90-95	2,047	220	146	189	180	163	165	145	144	153	161	187	194
Pneumonia (all forms) and influenza.....107-109,33	276	20	28	41	20	22	20	15	13	16	22	21	38
Ulcer of stomach or duodenum.....117	37	2	3	3	3	5	2	2	4	2	5	4	2
Diarrhea, enteritis, etc.*.....119,120	17	4	3	-	-	2	-	-	2	3	3	-	-
Appendicitis.....121	20	5	2	1	1	1	3	2	3	-	1	-	1
Hernia and intestinal obstruction.....122	48	9	3	4	3	4	4	3	7	3	3	3	2
Cirrhosis of the liver.....124	41	4	2	7	4	4	3	3	-	2	4	2	6
Biliary calculi, etc.*.....126,127	27	2	2	4	4	3	-	4	-	3	4	1	-
Nephritis.....130-132	299	23	23	28	24	20	32	20	23	22	33	21	30
Diseases of the prostate.....137	32	3	1	4	1	5	3	1	2	5	4	-	3
Diseases of pregnancy, etc.*.....140-150	16	-	-	1	1	3	2	-	3	2	-	2	1
Congenital malformations.....157	82	11	5	10	7	6	8	6	6	5	5	7	6
Diseases peculiar to first year.....158-161	151	10	7	16	10	18	10	8	17	18	17	9	11
Premature birth.....159	95	-	3	10	5	14	6	4	12	14	12	6	9
Other diseases peculiar to first year.....158,160,161	56	10	4	6	5	4	4	4	5	4	5	3	2
Suicide.....163,164	65	5	6	4	7	6	3	5	4	9	9	7	-
Homicide.....165-168	3	-	-	-	-	-	-	-	-	1	1	-	1
Accidental deaths.....169-195	299	19	19	21	17	20	21	36	38	20	22	30	36
Motor-vehicle accidents.....170	71	1	4	5	2	2	9	6	10	5	7	11	9
Other accidents.....169,171-195	228	18	15	16	15	18	12	30	28	15	15	19	27
Senility, ill-defined and unknown causes.....162,199,200	46	5	7	3	5	2	3	1	2	3	6	-	9
All other causes.....	520	29	43	62	40	46	46	38	41	38	45	46	46
NEW JERSEY, all causes.....	47,825	4,330	3,954	4,268	3,899	3,962	3,907	3,499	3,605	3,459	3,976	3,942	5,024
Typhoid and paratyphoid fever.....1,2	12	-	1	2	-	2	-	-	3	2	2	-	-
Cerebrospinal (meningococcus) meningitis.....6	71	10	4	8	3	13	3	1	1	6	7	5	10
Scarlet fever.....8	6	-	2	1	1	-	1	-	-	-	-	1	-
Whooping cough.....9	25	1	2	3	-	1	1	5	5	2	-	3	2
Diphtheria.....10	6	-	1	-	-	1	1	1	-	-	1	-	1
Tuberculosis (all forms).....13-22	1,737	141	134	140	151	179	140	152	149	115	134	142	160
Dysentery.....27	10	-	-	-	1	1	-	-	2	1	3	-	2
Malaria.....28	4	1	-	1	-	1	-	-	-	-	-	1	-
Syphilis.....30	310	28	24	28	32	20	27	35	19	17	27	24	29
Measles.....35	4	1	-	1	-	1	-	-	-	1	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	102	-	-	2	-	2	4	20	28	24	12	8	2
Cancer and other malignant tumors.....45-55	7,011	581	513	610	582	587	613	519	603	544	635	551	673
Acute rheumatic fever.....58	48	5	6	6	3	7	3	3	3	5	2	4	1
Diabetes mellitus.....61	1,414	123	133	129	123	131	112	75	100	101	118	123	146
Exophthalmic goiter.....63b	83	7	9	9	8	7	8	5	6	4	4	8	8
Pellagra (except alcoholic).....69	7	2	-	1	-	2	1	-	-	1	-	-	-
Alcoholism (ethylism).....77	89	10	11	11	5	4	6	9	5	5	6	5	12
Intracranial lesions of vascular origin.....83	4,321	408	341	380	368	381	360	295	314	307	375	343	449
Diseases of the heart.....90-95	16,756	1,594	1,379	1,545	1,374	1,331	1,313	1,251	1,193	1,168	1,396	1,365	1,847
Pneumonia (all forms) and influenza.....107-109,33	1,822	204	215	193	127	126	114	84	82	87	123	148	319
Ulcer of stomach or duodenum.....117	334	28	22	29	30	27	30	38	26	23	29	21	31
Diarrhea, enteritis, etc.*.....119,120	167	14	14	14	12	9	13	23	17	13	10	13	15
Appendicitis.....121	215	18	15	20	21	19	20	15	21	16	19	16	15
Hernia and intestinal obstruction.....122	358	24	28	36	33	20	29	20	42	31	31	31	33
Cirrhosis of the liver.....124	499	38	42	39	32	49	40	34	45	52	35	43	50
Biliary calculi, etc.*.....126,127	229	12	12	25	31	15	31	23	22	12	16	15	15
Nephritis.....130-132	3,046	289	291	250	275	298	233	199	212	206	219	257	317
Diseases of the prostate.....137	211	18	20	12	20	16	13	20	19	20	24	15	14
Diseases of pregnancy, etc.*.....140-150	124	13	15	6	4	6	10	14	13	11	12	13	7
Congenital malformations.....157	491	54	47	42	28	35	47	27	35	47	36	49	44
Diseases peculiar to first year.....158-161	1,398	102	113	102	99	118	128	125	115	110	114	101	111
Premature birth.....159	835	56	71	62	56	62	79	74	77	74	72	81	71
Other diseases peculiar to first year.....158,160,161	503	46	42	40	43	56	49	51	38	36	42	20	40
Suicide.....163,164	536	29	52	46	44	36	46	50	38	53	55	38	49
Homicide.....165-168	124	9	5	11	4	14	9	5	12	12	15	12	16
Accidental deaths.....169-195	2,558	225	201	219	200	193	209	195	176	179	230	247	284
Motor-vehicle accidents.....170	662	60	48	48	47	35	46	50	51	41	72	90	74
Other accidents.....169,171-195	1,896	165	153	171	153	158	163	145	125	138	158	157	210
Senility, ill-defined and unknown causes.....162,199,200	291	29	22	24	20	19	26	18	21	15	23	33	41
All other causes.....	3,466	312	280	323	268	291	316	238	278	269	263	307	321
NEW MEXICO, all causes.....	5,520	438	421	458	443	393	420	442	532	571	459	461	482
Typhoid and paratyphoid fever.....1,2	7	-	1	-	-	-	-	2	-	1	3	-	-
Cerebrospinal (meningococcus) meningitis.....6	3	1	-	-	2	-	-	-	-	-	-	-	-
Scarlet fever.....8	4	1	-	-	1	1	-	-	1	-	-	-	-
Whooping cough.....9	22	-	4	6	3	1	1	2	-	2	2	1	-

*Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO—Continued													
Diphtheria....10	21	1	2	2	4	-	1	2	2	2	4	1	-
Tuberculosis (all forms)....13-22	386	32	32	38	39	35	31	32	28	31	28	26	34
Dysentery....27	95	3	-	1	-	2	2	16	18	33	12	4	4
Malaria....28	1	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis....30	64	4	2	4	8	4	6	4	6	4	7	10	5
Measles....35	4	-	-	1	1	-	-	1	1	-	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	2	-	-	-	-	-	-	-	-	1	1	-	-
Cancer and other malignant tumors....45-55	358	32	30	30	22	34	30	33	28	37	28	36	18
Acute rheumatic fever....58	9	1	1	-	-	-	-	2	1	1	2	1	-
Diabetes mellitus....61	48	4	1	3	4	1	3	6	5	3	7	4	7
Exophthalmic goiter....63b	11	-	-	4	1	-	1	2	2	-	-	1	-
Pellagra (except alcoholic)....69	7	-	-	-	1	1	-	2	1	-	1	1	-
Alcoholism (ethylism)....77	12	1	-	1	-	2	-	-	1	3	1	-	3
Intracranial lesions of vascular origin....83	229	17	20	17	16	11	24	14	25	19	21	19	26
Diseases of the heart....90-95	698	69	65	54	57	62	43	47	48	47	44	67	95
Pneumonia (all forms) and influenza....107-109,33	469	46	50	51	47	30	37	12	18	29	46	52	51
Ulcer of stomach or duodenum....117	17	2	1	1	1	3	1	2	-	1	2	1	2
Diarrhea, enteritis, etc.*....119,120	308	8	5	3	5	8	17	29	75	91	39	23	5
Appendicitis....121	40	2	2	2	-	2	6	4	8	5	1	5	3
Hernia and intestinal obstruction....122	40	2	3	4	4	3	2	3	6	6	1	2	4
Cirrhosis of the liver....124	35	2	4	2	1	4	4	5	3	2	2	3	3
Biliary calculi, etc.*....126,127	31	2	3	2	5	3	3	3	1	2	4	2	1
Nephritis....130-132	229	24	15	25	12	19	21	22	17	13	15	21	25
Diseases of the prostate....137	18	2	1	2	2	1	2	5	-	-	2	-	1
Diseases of pregnancy, etc.*....140-150	57	5	4	5	4	4	7	1	10	7	1	3	6
Congenital malformations....157	85	7	5	5	6	6	8	8	6	11	5	11	7
Diseases peculiar to first year....158-161	402	34	36	38	26	27	38	37	39	37	33	24	33
Premature birth....159	268	27	26	25	15	14	25	26	23	28	14	18	27
Other diseases peculiar to first year....158,160,161	134	7	10	13	11	13	13	11	16	9	19	6	6
Suicide....163,164	53	2	3	4	4	3	7	4	5	3	3	9	6
Homicide....165-168	24	2	1	-	3	1	3	2	5	2	-	2	3
Accidental deaths....169-195	482	30	34	41	42	44	42	56	44	37	43	35	34
Motor-vehicle accidents....170	153	6	12	18	10	5	7	11	17	20	17	18	12
Other accidents....169,171-195	329	24	22	23	32	39	35	45	27	17	26	17	22
Senility, ill-defined and unknown causes....162,199,200	906	74	73	80	81	50	51	60	97	112	78	69	81
All other causes....	343	27	23	32	41	31	29	24	31	29	23	28	25
NEW YORK, all causes....	153,554	14,024	12,468	13,457	12,497	13,049	12,957	11,415	11,869	11,262	12,738	12,401	15,517
Typhoid and paratyphoid fever....1,2	20	1	-	1	1	3	1	-	5	3	4	-	1
Cerebrospinal (meningococcus) meningitis....6	172	14	24	27	17	18	10	10	7	10	10	11	14
Scarlet fever....8	11	-	3	1	2	-	1	-	-	1	1	1	1
Whooping cough....9	88	7	6	7	3	2	4	5	9	6	9	11	19
Diphtheria....10	27	5	1	1	3	3	1	3	1	1	2	3	3
Tuberculosis (all forms)....13-22	6,032	470	487	558	528	548	512	510	489	449	481	442	558
Dysentery....27	26	2	4	3	1	4	1	2	1	3	1	1	3
Malaria....28	7	-	1	-	1	-	-	-	2	1	1	1	-
Syphilis....30	1,480	133	127	128	122	128	125	106	112	131	105	115	148
Measles....35	8	-	-	1	-	-	1	-	-	-	1	-	5
Poliomyelitis, polioencephalitis (acute)....36	89	2	3	6	3	1	7	10	18	19	13	6	1
Cancer and other malignant tumors....45-55	23,446	1,919	1,783	1,990	1,864	2,015	2,061	1,860	2,032	1,855	2,048	1,927	2,092
Acute rheumatic fever....58	122	13	9	9	11	15	14	7	8	5	9	10	12
Diabetes mellitus....61	5,424	506	428	455	449	430	472	385	433	379	465	438	584
Exophthalmic goiter....63b	280	22	23	22	29	22	23	22	23	20	22	20	32
Pellagra (except alcoholic)....69	11	1	1	1	1	1	1	1	-	2	1	1	-
Alcoholism (ethylism)....77	298	30	12	22	20	26	35	28	21	22	31	27	24
Intracranial lesions of vascular origin....83	10,443	995	827	867	903	862	891	745	842	782	846	851	1,032
Diseases of the heart....90-95	58,766	5,617	4,902	5,222	4,746	5,053	4,806	4,137	4,241	4,106	4,875	4,798	6,263
Pneumonia (all forms) and influenza....107-109,33	5,615	618	550	530	476	447	381	308	292	318	366	428	901
Ulcer of stomach or duodenum....117	1,235	131	120	101	107	117	90	79	114	81	88	94	113
Diarrhea, enteritis, etc.*....119,120	581	48	33	46	43	38	49	55	65	52	60	40	52
Appendicitis....121	711	70	49	65	62	53	66	70	59	55	53	52	57
Hernia and intestinal obstruction....122	1,261	120	96	103	101	108	117	105	112	93	89	105	112
Cirrhosis of the liver....124	1,762	163	129	157	140	155	161	128	130	126	140	171	162
Biliary calculi, etc.*....126,127	814	61	57	83	66	82	69	69	78	66	69	56	58
Nephritis....130-132	6,639	645	565	656	562	593	532	508	429	475	519	508	647
Diseases of the prostate....137	805	56	68	65	75	78	61	66	58	77	71	70	60
Diseases of pregnancy, etc.*....140-150	412	34	28	38	35	35	47	33	39	29	33	27	34
Congenital malformations....157	1,583	126	124	127	124	118	163	128	125	123	131	144	150
Diseases peculiar to first year....158-161	4,225	329	302	350	346	358	380	354	390	353	370	324	369
Premature birth....159	2,614	199	185	214	206	219	235	211	256	221	231	209	228
Other diseases peculiar to first year....158,160,161	1,611	130	117	136	140	139	145	143	134	132	139	115	141
Suicide....163,164	1,654	125	111	137	147	147	150	145	138	119	147	152	136
Homicide....165-168	383	22	17	23	24	40	28	42	39	48	38	30	32
Accidental deaths....169-195	8,151	724	633	688	590	645	719	653	687	629	717	693	773
Motor-vehicle accidents....170	1,802	121	88	135	130	120	141	131	181	169	193	211	182
Other accidents....169,171-195	6,349	603	545	553	460	525	578	522	506	460	524	482	591
Senility, ill-defined and unknown causes....162,199,200	607	69	37	46	52	44	42	56	47	59	59	35	61
All other causes....	10,466	946	908	921	843	860	936	785	823	764	863	809	1,008
NORTH CAROLINA, all causes....	28,897	2,795	2,552	2,444	2,174	2,319	2,349	2,313	2,110	2,194	2,333	2,458	2,855
Typhoid and paratyphoid fever....1,2	13	-	2	1	-	1	1	1	3	2	1	1	-
Cerebrospinal (meningococcus) meningitis....6	63	6	4	11	5	4	3	3	3	4	5	1	4
Scarlet fever....8	6	3	-	-	1	-	-	-	-	-	1	-	1
Whooping cough....9	97	12	6	8	5	14	10	10	6	7	4	11	4
Diphtheria....10	96	8	4	2	2	4	-	1	7	10	23	22	13
Tuberculosis (all forms)....13-22	1,262	105	103	104	114	96	95	114	95	94	117	117	108
Dysentery....27	38	3	1	2	-	4	4	10	7	3	3	1	-
Malaria....28	24	-	1	2	-	-	4	4	4	5	1	3	-
Syphilis....30	293	34	23	27	30	35	22	11	23	24	20	22	22
Measles....35	7	1	1	1	2	-	1	-	-	-	-	1	-
Poliomyelitis, polioencephalitis (acute)....36	13	-	1	1	-	1	-	-	-	3	3	2	2
Cancer and other malignant tumors....45-55	2,504	194	166	239	210	232	197	195	215	196	233	206	221

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH CAROLINA—Continued													
Acute rheumatic fever....58	43	6	4	6	3	5	5	2	4	3	1	2	2
Diabetes mellitus....61	465	41	50	42	21	43	44	34	38	21	28	44	59
Exophthalmic goiter....63b	27	3	-	4	3	2	3	3	3	4	-	1	1
Pellagra (except alcoholic)....69	72	9	2	6	7	5	4	6	8	6	3	5	11
Alcoholism (ethylism)....77	57	9	4	4	6	2	5	4	2	4	6	6	5
Intracranial lesions of vascular origin....83	3,162	310	258	251	272	268	270	257	217	222	266	270	291
Diseases of the heart....90-95	6,456	611	584	520	488	526	524	529	439	514	518	554	649
Pneumonia (all forms) and influenza....107-109,33	1,874	328	315	175	95	89	86	56	45	85	105	165	330
Ulcer of stomach or duodenum....117	153	12	18	11	15	13	14	20	12	12	11	7	8
Diarrhea, enteritis, etc.*....119,120	476	17	15	14	21	40	68	72	71	78	36	25	19
Appendicitis....121	160	16	15	14	15	14	20	15	7	14	11	11	8
Hernia and intestinal obstruction....122	210	23	17	22	19	16	19	14	22	14	19	14	11
Cirrhosis of the liver....124	136	11	10	9	6	12	9	13	8	7	17	15	19
Biliary calculi, etc.*....126,127	75	5	5	5	6	4	10	9	4	10	8	7	2
Nephritis....130-132	2,910	275	239	248	223	259	262	220	199	230	240	236	279
Diseases of the prostate....137	115	8	9	8	7	7	12	11	10	10	10	11	12
Diseases of pregnancy, etc.*....140-150	248	15	33	18	23	23	28	17	25	17	24	13	12
Congenital malformations....157	405	58	40	39	27	31	31	26	18	28	31	43	33
Diseases peculiar to first year....158-161	1,656	159	144	143	158	142	140	127	143	138	103	139	120
Premature birth....159	1,089	102	89	101	106	87	89	83	85	95	65	102	85
Other diseases peculiar to first year....158,160,161	567	57	55	42	52	55	51	44	58	43	38	37	35
Suicide....163,164	246	20	14	17	18	24	21	23	28	24	19	18	20
Homicide....165-168	307	24	22	24	24	29	15	27	30	13	33	28	38
Accidental deaths....169-195	2,085	173	165	149	143	133	168	205	170	187	177	203	212
Motor-vehicle accidents....170	767	56	47	46	39	60	46	63	68	89	82	90	81
Other accidents....169,171-195	1,318	117	118	103	104	73	122	142	102	98	95	113	131
Senility, ill-defined and unknown causes....162,199,200	894	88	88	82	54	65	65	52	70	51	74	82	123
All other causes....	2,259	209	189	225	151	176	189	222	174	154	182	172	216
NORTH DAKOTA, all causes....	5,109	421	385	450	384	454	418	399	419	391	427	442	519
Typhoid and paratyphoid fever....1,2	2	-	-	-	1	-	1	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	4	-	1	-	1	1	-	-	-	-	-	-	1
Scarlet fever....8	3	-	1	-	-	1	-	-	1	-	-	-	-
Whooping cough....9	3	-	-	-	1	1	-	-	-	-	-	1	-
Diphtheria....10	11	5	2	-	-	-	-	-	-	1	-	3	-
Tuberculosis (all forms)....13-22	117	11	13	13	6	15	7	12	9	3	9	6	13
Dysentery....27	1	-	-	-	1	-	-	-	-	-	-	-	-
Malaria....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis....30	25	1	4	3	4	2	2	-	-	-	-	5	4
Measles....35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, poliencephalitis (acute)....36	3	1	-	1	-	-	-	-	1	-	-	-	-
Cancer and other malignant tumors....45-55	638	39	52	66	42	57	49	52	52	50	69	55	55
Acute rheumatic fever....58	10	-	1	1	-	-	5	-	-	1	1	-	1
Diabetes mellitus....61	157	15	9	11	14	13	14	9	19	9	15	9	20
Exophthalmic goiter....63b	9	1	-	1	1	1	1	-	-	-	-	2	2
Pellagra (except alcoholic)....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)....77	19	1	-	-	2	-	-	2	4	2	2	5	1
Intracranial lesions of vascular origin....83	518	40	34	47	47	39	35	57	44	36	31	55	53
Diseases of the heart....90-95	1,430	131	99	100	109	145	109	110	123	108	120	132	144
Pneumonia (all forms) and influenza....107-109,33	205	20	24	17	13	13	16	9	11	13	22	13	34
Ulcer of stomach or duodenum....117	23	4	-	-	2	1	4	3	1	2	1	3	2
Diarrhea, enteritis, etc.*....119,120	42	3	1	3	3	2	4	-	2	10	2	8	4
Appendicitis....121	30	3	2	5	1	3	2	-	3	3	2	2	4
Hernia and intestinal obstruction....122	50	3	6	7	5	1	4	2	5	1	3	6	7
Cirrhosis of the liver....124	36	4	4	3	3	3	3	3	7	3	1	1	1
Biliary calculi, etc.*....126,127	38	5	2	4	3	2	3	3	4	4	2	2	4
Nephritis....130-132	247	20	20	25	18	21	26	13	15	18	19	22	30
Diseases of the prostate....137	37	3	3	3	4	3	3	4	3	5	2	2	2
Diseases of pregnancy, etc.*....140-150	14	1	2	1	-	1	1	-	2	3	1	-	2
Congenital malformations....157	77	7	8	8	4	7	6	2	8	8	5	8	6
Diseases peculiar to first year....158-161	189	19	14	24	12	18	15	13	15	8	21	11	19
Premature birth....159	119	12	6	15	9	10	10	9	12	5	13	6	12
Other diseases peculiar to first year....158,160,161	70	7	8	9	3	8	5	4	3	3	8	5	7
Suicide....163,164	56	5	4	5	8	3	6	7	2	5	3	2	6
Homicide....165-168	5	-	-	-	-	-	-	1	-	2	1	-	1
Accidental deaths....169-195	361	15	18	32	26	26	32	37	32	37	40	35	31
Motor-vehicle accidents....170	98	2	1	8	4	8	6	17	11	12	19	4	6
Other accidents....169,171-195	263	13	17	24	22	18	26	20	21	25	21	31	25
Senility, ill-defined and unknown causes....162,199,200	175	16	16	11	11	23	13	19	11	6	12	17	20
All other causes....	574	48	45	59	42	52	57	41	45	53	43	37	53
OHIO, all causes....	78,835	7,164	6,567	6,952	6,432	6,731	6,316	5,920	5,816	5,724	6,532	6,343	8,338
Typhoid and paratyphoid fever....1,2	16	-	-	1	1	1	1	4	-	5	1	-	2
Cerebrospinal (meningococcus) meningitis....6	100	11	14	15	10	9	11	3	4	6	8	2	7
Scarlet fever....8	19	3	2	4	4	1	1	1	-	1	1	-	1
Whooping cough....9	109	6	8	12	11	3	7	14	11	8	4	13	12
Diphtheria....10	69	3	1	1	3	3	3	2	3	5	18	9	18
Tuberculosis (all forms)....13-22	2,631	236	210	234	208	248	220	234	207	212	208	185	229
Dysentery....27	44	-	3	2	2	2	3	5	4	9	10	2	2
Malaria....28	5	-	-	1	-	-	-	-	-	-	2	-	2
Syphilis....30	804	79	67	68	63	79	57	63	74	51	67	53	83
Measles....35	4	1	-	-	-	1	1	-	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute)....36	29	-	3	-	-	1	-	1	8	10	4	1	1
Cancer and other malignant tumors....45-55	10,340	886	808	843	830	904	876	824	843	816	886	887	937
Acute rheumatic fever....58	78	7	10	4	3	9	6	3	4	11	6	10	5
Diabetes mellitus....61	2,178	221	197	169	170	198	186	156	137	165	185	174	220
Exophthalmic goiter....63b	193	19	18	21	25	14	14	13	9	18	16	10	16
Pellagra (except alcoholic)....69	11	3	2	3	1	1	-	-	-	-	-	1	-
Alcoholism (ethylism)....77	88	12	10	6	3	6	9	5	6	8	6	9	8
Intracranial lesions of vascular origin....83	8,624	810	751	767	733	745	693	619	597	624	721	707	857
Diseases of the heart....90-95	24,486	2,341	2,059	2,172	2,031	2,068	1,969	1,758	1,737	1,686	2,001	1,975	2,669
Pneumonia (all forms) and influenza....107-109,33	3,513	386	346	382	275	275	187	141	142	183	196	257	743
Ulcer of stomach or duodenum....117	433	37	28	53	41	32	48	30	36	32	32	21	43

*Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO—Continued													
Diarrhea, enteritis, etc.*.....119,120	430	29	33	23	25	20	30	39	60	55	56	30	30
Appendicitis.....121	297	26	24	28	18	26	27	30	19	21	32	21	25
Hernia and intestinal obstruction.....122	640	52	55	64	56	42	54	57	54	52	50	39	65
Cirrhosis of the liver.....124	706	61	57	58	62	67	53	54	56	61	53	54	70
Biliary calculi, etc.*.....126,127	366	27	33	35	28	26	22	41	38	36	29	26	25
Nephritis.....130-132	4,764	451	413	426	411	417	366	346	351	303	399	371	510
Diseases of the prostate.....137	419	33	32	37	35	38	36	35	36	23	35	39	40
Diseases of pregnancy, etc.*.....140-150	235	16	26	22	13	31	14	19	20	21	24	18	11
Congenital malformations.....157	910	99	74	78	62	72	73	75	82	59	77	78	81
Diseases peculiar to first year.....158-161	2,471	172	168	208	225	206	203	218	208	209	223	221	204
Premature birth.....159	1,515	107	105	133	140	138	135	128	116	116	132	132	133
Other diseases peculiar to first year.....158,160,161	956	65	63	75	85	68	74	90	92	93	91	89	71
Suicide.....163,164	892	61	70	93	73	68	77	73	67	79	84	70	77
Homicide.....165-168	340	34	17	23	20	29	29	35	35	35	36	17	30
Accidental deaths.....169-195	5,127	390	391	439	381	426	417	461	421	380	433	457	531
Motor-vehicle accidents.....170	1,543	71	107	100	95	119	108	136	131	139	158	192	187
Other accidents.....169,171-195	3,584	319	284	339	286	307	309	325	290	241	275	265	344
Senility, ill-defined and unknown causes.....162,199,200	1,102	100	102	78	89	84	85	69	78	74	91	105	147
All other causes.....	6,362	552	535	582	520	559	532	492	469	466	538	481	636
OKLAHOMA, all causes.....	18,921	1,749	1,525	1,723	1,530	1,523	1,485	1,470	1,474	1,400	1,523	1,548	1,971
Typhoid and paratyphoid fever.....1,2	12	1	1	-	-	3	1	1	2	1	1	-	1
Cerebrospinal (meningococcus) meningitis.....6	25	1	3	4	3	2	2	-	2	2	2	-	4
Scarlet fever.....8	7	1	1	-	-	-	1	1	-	-	1	-	2
Whooping cough.....9	47	4	2	5	1	5	8	3	5	4	3	1	6
Diphtheria.....10	53	4	5	3	3	1	-	2	8	1	11	9	6
Tuberculosis (all forms).....13-22	830	71	61	76	60	67	91	89	67	53	58	69	68
Dysentery.....27	53	1	2	-	3	1	4	4	15	9	8	5	1
Malaria.....28	19	1	-	1	-	2	2	4	2	6	-	-	1
Syphilis.....30	176	12	17	16	12	18	12	12	19	15	17	14	12
Measles.....35	4	-	1	-	-	-	-	1	1	-	-	-	1
Poliomyelitis, polioencephalitis (acute).....36	14	1	-	-	-	-	-	6	3	2	-	1	1
Cancer and other malignant tumors.....45-55	2,215	178	148	160	183	174	179	218	161	192	210	200	212
Acute rheumatic fever.....58	20	1	3	1	1	2	1	1	3	1	2	-	4
Diabetes mellitus.....61	349	32	25	28	34	25	35	32	30	27	17	25	39
Exophthalmic goiter.....63b	24	2	2	3	3	1	2	3	1	3	2	1	1
Pellagra (except alcoholic).....69	31	5	5	1	3	1	2	1	2	2	2	6	1
Alcoholism (ethylism).....77	16	2	2	2	-	4	1	2	-	1	2	-	-
Intracranial lesions of vascular origin.....83	1,911	179	144	190	173	157	133	135	166	137	163	154	180
Diseases of the heart.....90-95	4,338	399	355	426	328	372	349	321	298	319	353	355	463
Pneumonia (all forms) and influenza.....107-109,33	1,097	143	149	141	75	70	44	39	40	53	52	81	210
Ulcer of stomach or duodenum.....117	89	7	6	12	9	10	8	8	4	3	4	4	14
Diarrhea, enteritis, etc.*.....119,120	153	19	6	5	6	6	10	17	13	24	21	19	7
Appendicitis.....121	133	12	9	8	12	11	10	19	15	10	7	9	11
Hernia and intestinal obstruction.....122	197	15	11	17	13	18	12	19	23	11	18	18	22
Cirrhosis of the liver.....124	99	11	7	8	5	12	8	10	4	7	7	5	15
Biliary calculi, etc.*.....126,127	115	7	8	15	9	12	10	9	11	11	5	7	11
Nephritis.....130-132	1,117	123	103	102	81	82	81	90	96	85	89	86	99
Diseases of the prostate.....137	115	8	10	7	10	6	14	6	11	8	13	5	17
Diseases of pregnancy, etc.*.....140-150	97	5	8	13	4	12	8	5	10	9	11	5	7
Congenital malformations.....157	242	28	18	18	19	20	18	17	17	19	21	25	22
Diseases peculiar to first year.....158-161	813	63	65	65	56	72	67	75	70	67	58	74	81
Premature birth.....159	541	31	35	47	44	56	48	50	54	39	37	47	53
Other diseases peculiar to first year.....158,160,161	272	32	30	18	12	16	19	25	16	28	21	27	28
Suicide.....163,164	154	9	14	22	10	11	20	9	5	15	10	14	15
Homicide.....165-168	128	5	6	9	8	16	10	10	11	9	16	16	12
Accidental deaths.....169-195	1,639	139	109	119	208	121	146	110	148	119	131	136	153
Motor-vehicle accidents.....170	443	33	25	26	32	24	29	24	48	47	50	47	58
Other accidents.....169,171-195	1,196	106	84	93	176	97	117	86	100	72	81	89	95
Senility, ill-defined and unknown causes.....162,199,200	885	89	73	87	62	81	63	57	66	60	83	64	100
All other causes.....	1,704	171	146	159	136	128	133	134	145	115	125	140	172
OREGON, all causes.....	13,022	1,217	1,055	1,146	1,066	1,094	1,065	976	950	995	1,084	1,025	1,349
Typhoid and paratyphoid fever.....1,2	6	-	-	-	-	-	-	2	-	1	2	1	-
Cerebrospinal (meningococcus) meningitis.....6	10	-	-	1	3	-	-	1	1	-	-	1	3
Scarlet fever.....8	2	-	-	-	-	-	2	-	-	-	-	-	-
Whooping cough.....9	3	-	-	1	-	-	-	1	1	-	-	-	-
Diphtheria.....10	18	3	-	3	-	2	1	1	2	-	2	3	1
Tuberculosis (all forms).....13-22	308	26	31	27	26	26	21	25	22	28	28	18	30
Dysentery.....27	11	-	1	4	1	-	-	1	1	-	3	-	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	109	12	8	10	8	9	10	12	3	11	7	10	9
Measles.....35	1	-	-	-	-	1	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	7	-	-	-	-	-	1	-	-	2	-	2	2
Cancer and other malignant tumors.....45-55	1,676	163	108	127	123	125	146	139	143	149	163	116	174
Acute rheumatic fever.....58	5	-	1	1	1	2	-	-	-	-	-	-	-
Diabetes mellitus.....61	279	19	25	27	28	23	17	15	27	24	17	32	25
Exophthalmic goiter.....63b	26	1	2	2	4	3	3	1	-	-	3	2	5
Pellagra (except alcoholic).....69	1	-	-	-	1	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	34	3	2	1	1	3	2	5	-	2	3	7	5
Intracranial lesions of vascular origin.....83	1,278	122	116	105	115	104	119	117	75	94	101	107	103
Diseases of the heart.....90-95	3,692	359	282	346	301	291	305	278	259	268	327	290	386
Pneumonia (all forms) and influenza.....107-109,33	527	90	64	45	38	39	34	21	14	28	30	49	75
Ulcer of stomach or duodenum.....117	81	4	7	12	3	7	5	6	2	8	8	7	12
Diarrhea, enteritis, etc.*.....119,120	45	3	6	3	3	5	3	5	3	1	7	4	2
Appendicitis.....121	35	3	4	3	3	2	2	3	3	2	7	1	3
Hernia and intestinal obstruction.....122	84	14	7	8	13	4	3	7	9	2	4	4	9
Cirrhosis of the liver.....124	77	6	8	8	9	1	3	3	8	5	6	9	11
Biliary calculi, etc.*.....126,127	50	2	8	7	2	7	1	7	1	3	2	4	6
Nephritis.....130-132	1,052	91	93	104	93	100	83	68	82	67	77	77	117
Diseases of the prostate.....137	80	14	9	8	4	10	4	2	7	6	3	9	4

*Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON—Continued													
Diseases of pregnancy, etc.* 140-150	32	2	2	1	6	1	3	4	5	4	2	2	-
Congenital malformations....157	164	6	11	19	14	18	12	10	14	18	8	16	18
Diseases peculiar to first year....158-161	383	31	29	31	34	40	32	31	28	35	31	31	30
Premature birth....159	225	18	11	21	18	27	18	19	13	23	18	18	21
Other diseases peculiar to first year....158,160,161	158	13	18	10	16	13	14	12	15	12	13	13	9
Suicide....163,164	221	11	19	22	15	27	21	10	20	18	10	15	33
Homicide....165-168	53	3	5	6	5	3	7	2	7	1	4	4	6
Accidental deaths....169-195	1,153	80	82	74	85	93	92	102	103	102	111	94	135
Motor-vehicle accidents....170	350	28	29	23	18	35	17	16	23	30	44	42	45
Other accidents....169,171-195	803	52	53	51	67	58	75	86	80	72	67	52	90
Senility, ill-defined and unknown causes....162,199,200	349	36	37	33	28	30	25	19	17	27	28	37	32
All other causes....	1,170	113	88	107	100	118	108	78	93	89	90	73	113
PENNSYLVANIA, all causes....	109,193	9,850	9,016	9,852	9,092	9,065	8,685	8,093	8,185	7,916	8,831	9,012	11,596
Typhoid and paratyphoid fever....1,2	46	9	6	3	3	5	6	3	2	3	-	2	4
Cerebrospinal (meningococcus) meningitis....6	130	17	16	18	8	18	9	7	8	6	5	4	14
Scarlet fever....8	24	4	2	2	5	4	2	-	-	-	-	1	4
Whooping cough....9	129	8	10	6	5	10	8	14	22	4	18	12	11
Diphtheria....10	39	5	5	2	2	2	3	2	5	3	2	3	5
Tuberculosis (all forms)....13-22	3,832	315	282	368	319	371	315	306	312	309	311	294	330
Dysentery....27	20	1	-	-	2	1	1	1	2	7	1	2	2
Malaria....28	8	-	1	-	-	1	-	-	1	-	1	1	3
Syphilis....30	954	82	80	83	85	103	87	58	80	63	76	71	86
Measles....35	21	-	2	3	2	1	2	6	1	-	1	1	2
Poliomyelitis, polioencephalitis (acute)....36	58	1	2	-	1	-	2	5	14	17	13	3	-
Cancer and other malignant tumors....45-55	14,535	1,163	1,098	1,211	1,193	1,245	1,191	1,124	1,313	1,168	1,198	1,284	1,347
Acute rheumatic fever....58	138	14	16	12	18	15	11	8	10	8	4	7	15
Diabetes mellitus....61	3,457	315	320	336	286	272	277	264	236	221	248	273	409
Exophthalmic goiter....63b	200	17	20	18	12	22	22	18	13	20	14	12	12
Pellagra (except alcoholic)....69	6	1	-	-	1	-	-	-	1	1	-	2	-
Alcoholism (ethylism)....77	126	8	9	10	5	13	13	11	8	6	11	15	17
Intracranial lesions of vascular origin....83	9,482	811	785	797	838	774	772	724	724	679	771	792	1,015
Diseases of the heart....90-95	35,964	3,497	3,043	3,211	2,939	3,082	2,816	2,529	2,446	2,505	2,912	2,993	3,991
Pneumonia (all forms) and influenza....107-109,33	5,271	564	584	609	463	369	325	221	250	235	294	400	937
Ulcer of stomach or duodenum....117	604	47	45	55	59	51	48	47	45	42	52	51	62
Diarrhea, enteritis, etc.* 119,120	608	55	40	61	47	38	39	57	69	67	56	36	43
Appendicitis....121	462	27	36	46	47	37	41	58	27	36	36	29	42
Hernia and intestinal obstruction....122	893	65	70	86	72	73	72	77	70	80	67	76	85
Cirrhosis of the liver....124	923	80	75	80	83	70	58	60	80	77	99	69	92
Biliary calculi, etc.* 126,127	590	47	45	52	45	59	57	51	55	47	35	47	50
Nephritis....130-132	7,773	725	670	751	637	646	651	543	546	528	643	639	794
Diseases of the prostate....137	508	47	34	48	47	51	26	54	63	33	36	31	38
Diseases of pregnancy, etc.* 140-150	384	32	29	41	38	37	30	34	17	29	28	31	38
Congenital malformations....157	1,184	93	100	112	99	103	103	89	86	92	123	91	93
Diseases peculiar to first year....158-161	3,377	279	251	294	287	300	280	271	307	284	284	283	257
Premature birth....159	2,069	168	155	167	182	200	180	170	175	161	172	175	164
Other diseases peculiar to first year....158,160,161	1,308	111	96	127	105	100	100	101	132	123	112	108	93
Suicide....163,164	1,081	84	62	102	102	97	95	96	97	88	86	82	90
Homicide....165-168	255	14	15	13	21	17	20	21	22	29	32	27	24
Accidental deaths....169-195	6,343	542	464	542	494	397	512	557	548	510	565	559	653
Motor-vehicle accidents....170	1,613	103	89	112	104	81	115	133	158	163	179	188	188
Other accidents....169,171-195	4,730	439	375	430	390	316	397	424	390	347	386	371	465
Senility, ill-defined and unknown causes....162,199,200	1,036	93	88	86	77	82	73	85	73	62	77	71	169
All other causes....	8,732	787	711	794	750	699	718	692	632	657	732	718	842
RHODE ISLAND, all causes....	7,985	721	674	753	694	704	648	560	599	581	677	614	760
Typhoid and paratyphoid fever....1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	6	-	2	1	-	1	-	-	-	-	-	1	1
Scarlet fever....8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough....9	5	1	-	1	-	-	1	-	1	-	-	1	-
Diphtheria....10	2	-	-	-	1	-	-	-	-	-	-	-	1
Tuberculosis (all forms)....13-22	252	24	23	24	30	27	17	14	16	22	23	16	16
Dysentery....27	1	-	-	1	-	-	-	-	-	-	-	-	-
Malaria....28	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis....30	80	6	8	7	6	8	7	2	5	6	8	9	8
Measles....35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors....45-55	1,079	93	77	90	107	105	89	80	93	78	99	75	93
Acute rheumatic fever....58	6	-	1	1	-	-	1	2	-	-	1	-	-
Diabetes mellitus....61	289	24	21	37	26	19	26	26	17	18	22	23	30
Exophthalmic goiter....63b	5	-	-	1	2	1	-	-	-	-	-	1	-
Pellagra (except alcoholic)....69	2	1	-	-	-	1	-	-	-	-	-	-	-
Alcoholism (ethylism)....77	6	-	1	-	-	1	-	1	1	1	-	-	1
Intracranial lesions of vascular origin....83	760	71	74	72	58	65	53	54	57	61	57	62	76
Diseases of the heart....90-95	2,980	262	266	285	241	249	268	199	223	210	249	220	308
Pneumonia (all forms) and influenza....107-109,33	295	34	29	44	35	27	21	10	8	18	21	24	24
Ulcer of stomach or duodenum....117	66	5	6	4	7	9	6	6	6	4	3	5	5
Diarrhea, enteritis, etc.* 119,120	22	3	-	1	1	4	1	-	1	3	4	3	1
Appendicitis....121	32	1	3	7	2	5	5	1	1	-	4	1	2
Hernia and intestinal obstruction....122	71	6	9	6	3	5	2	5	7	7	5	12	4
Cirrhosis of the liver....124	101	8	6	11	1	12	16	7	8	12	10	5	5
Biliary calculi, etc.* 126,127	42	1	3	2	3	4	4	3	4	4	1	10	3
Nephritis....130-132	509	52	34	58	47	45	32	32	44	42	42	38	43
Diseases of the prostate....137	48	4	5	-	1	6	7	5	3	4	6	4	3
Diseases of pregnancy, etc.* 140-150	19	4	1	-	-	2	3	1	2	-	3	2	1
Congenital malformations....157	101	11	13	11	9	8	3	7	7	6	10	9	7
Diseases peculiar to first year....158-161	195	18	10	13	19	17	16	15	13	15	16	19	24
Premature birth....159	126	9	7	11	10	12	10	10	10	10	10	12	15
Other diseases peculiar to first year....158,160,161	69	9	3	2	9	5	6	5	3	5	6	7	9
Suicide....163,164	61	4	7	5	6	4	2	6	4	4	5	6	8
Homicide....165-168	8	-	-	-	2	1	1	1	1	1	-	-	1

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RHODE ISLAND—Continued													
Accidental deaths.....169-195	372	44	30	24	29	31	27	34	22	27	33	30	41
Motor-vehicle accidents.....170	95	12	4	5	6	2	7	3	5	10	16	10	15
Other accidents.....169,171-195	277	32	26	19	23	29	20	31	17	17	17	20	26
Senility, ill-defined and unknown causes.....162,199,200	38	1	5	4	4	5	1	3	2	1	4	1	7
All other causes.....	531	43	40	43	54	42	39	46	53	37	51	37	46
SOUTH CAROLINA, all causes.....	16,904	1,680	1,472	1,411	1,262	1,412	1,332	1,329	1,267	1,309	1,349	1,354	1,727
Typhoid and paratyphoid fever.....1,2	36	1	3	3	5	1	3	4	3	8	2	1	2
Cerebrospinal (meningococcus) meningitis.....6	25	5	2	4	2	1	2	2	-	1	2	2	2
Scarlet fever.....8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	62	6	4	3	4	5	8	9	4	5	4	8	2
Diphtheria.....10	56	7	1	1	-	1	-	1	1	15	10	7	12
Tuberculosis (all forms).....13-22	663	59	60	46	57	75	52	51	56	43	55	63	46
Dysentery.....27	33	1	2	-	4	7	5	1	3	2	4	2	2
Malaria.....28	41	1	1	-	1	2	9	7	1	10	6	3	-
Syphilis.....30	262	28	20	18	18	21	28	19	20	22	27	16	25
Measles.....35	6	1	-	-	1	-	-	-	-	2	1	-	1
Poliomyelitis, polioencephalitis (acute).....36	25	-	-	1	-	3	2	6	5	3	1	3	1
Cancer and other malignant tumors.....45-55	1,260	89	92	105	103	113	120	103	122	104	109	99	101
Acute rheumatic fever.....58	27	6	2	2	4	4	2	4	1	-	1	-	1
Diabetes mellitus.....61	276	22	18	29	23	20	18	15	24	21	26	25	35
Exophthalmic goiter.....63b	18	-	-	3	2	1	1	1	4	-	1	-	5
Pellagra (except alcoholic).....69	43	3	5	4	4	3	-	3	3	6	4	3	5
Alcoholism (ethylism).....77	29	1	3	1	3	2	5	3	1	2	2	3	3
Intracranial lesions of vascular origin.....83	1,766	191	132	170	133	166	138	139	116	131	144	131	175
Diseases of the heart.....90-95	3,399	352	294	303	269	282	270	272	239	256	261	229	362
Pneumonia (all forms) and influenza.....107-109,33	1,223	181	197	121	67	69	43	43	45	50	66	119	222
Ulcer of stomach or duodenum.....117	74	9	4	9	3	7	8	6	10	3	3	6	6
Diarrhea, enteritis, etc.*.....119,120	334	16	14	7	36	38	45	36	45	44	30	15	8
Appendicitis.....121	81	4	3	5	4	8	9	14	15	8	5	4	2
Hernia and intestinal obstruction.....122	104	14	5	8	9	8	13	6	11	5	8	9	8
Cirrhosis of the liver.....124	100	11	6	6	9	9	7	13	10	7	10	8	4
Biliary calculi, etc.*.....126,127	49	4	7	3	3	2	3	3	8	1	4	4	7
Nephritis.....130-132	1,621	165	133	145	127	135	132	124	117	119	126	141	157
Diseases of the prostate.....137	76	7	4	7	8	7	2	6	3	11	8	9	4
Diseases of pregnancy, etc.*.....140-150	169	15	17	16	19	9	16	16	16	22	4	10	9
Congenital malformations.....157	177	12	14	17	18	17	9	18	15	20	14	13	10
Diseases peculiar to first year.....158-161	933	97	72	80	71	84	57	85	80	85	84	68	70
Premature birth.....159	666	71	51	53	52	64	41	56	51	68	61	51	47
Other diseases peculiar to first year.....158,160,161	267	26	21	27	19	20	16	29	29	17	23	17	23
Suicide.....163,164	100	8	6	10	9	12	9	11	14	4	6	8	3
Homicide.....165-168	205	20	11	18	18	16	18	18	19	16	20	18	13
Accidental deaths.....169-195	1,387	110	123	101	80	103	111	129	93	113	115	144	165
Motor-vehicle accidents.....170	491	48	29	30	20	31	32	38	29	40	53	62	79
Other accidents.....169,171-195	896	62	94	71	60	72	79	91	64	73	62	82	86
Senility, ill-defined and unknown causes.....162,199,200	963	114	102	72	66	58	70	60	81	68	73	73	126
All other causes.....	1,291	120	115	93	82	123	117	101	82	102	113	110	133
SOUTH DAKOTA, all causes.....	5,481	481	413	472	459	477	435	427	421	417	472	500	507
Typhoid and paratyphoid fever.....1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	8	-	1	1	-	2	-	-	-	1	1	-	2
Scarlet fever.....8	5	1	-	1	-	-	-	-	-	2	-	1	-
Whooping cough.....9	6	-	-	2	-	-	1	2	-	1	-	-	-
Diphtheria.....10	10	1	4	-	1	1	1	-	-	1	1	-	-
Tuberculosis (all forms).....13-22	156	16	17	12	13	10	8	13	10	17	18	12	10
Dysentery.....27	2	-	1	-	1	-	-	-	-	-	-	-	-
Malaria.....28	1	-	-	-	-	-	-	1	-	-	-	-	-
Syphilis.....30	31	5	2	-	3	1	2	2	3	1	5	3	4
Measles.....35	1	-	-	1	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	1	-	-	-	-	-	-	-	-	1	-	-	-
Cancer and other malignant tumors.....45-55	715	65	46	63	60	59	58	62	66	62	53	76	45
Acute rheumatic fever.....58	6	2	1	-	2	-	-	-	-	-	-	1	-
Diabetes mellitus.....61	144	11	8	10	10	14	15	11	15	14	8	16	12
Exophthalmic goiter.....63b	5	1	-	-	-	1	-	1	2	-	-	-	-
Pellagra (except alcoholic).....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	4	-	1	-	-	-	-	1	-	-	1	1	-
Intracranial lesions of vascular origin.....83	548	42	46	44	45	59	47	39	42	37	52	42	53
Diseases of the heart.....90-95	1,468	119	126	128	129	119	114	104	102	108	142	123	154
Pneumonia (all forms) and influenza.....107-109,33	236	36	23	32	34	19	22	14	9	9	17	33	48
Ulcer of stomach or duodenum.....117	29	2	3	3	2	2	6	2	3	1	1	2	2
Diarrhea, enteritis, etc.*.....119,120	27	2	1	1	1	-	3	1	5	3	1	4	5
Appendicitis.....121	33	2	5	2	1	2	3	3	5	3	3	3	1
Hernia and intestinal obstruction.....122	58	6	1	4	2	3	5	3	10	5	5	4	10
Cirrhosis of the liver.....124	32	5	1	2	1	6	1	-	3	2	6	4	1
Biliary calculi, etc.*.....126,127	41	1	5	4	4	3	6	-	4	2	4	3	5
Nephritis.....130-132	289	33	12	31	26	37	22	22	13	16	20	27	30
Diseases of the prostate.....137	47	3	3	7	3	5	6	2	5	2	4	3	4
Diseases of pregnancy, etc.*.....140-150	16	-	2	3	-	-	5	2	1	2	-	-	1
Congenital malformations.....157	76	8	3	4	6	8	7	10	8	5	4	9	4
Diseases peculiar to first year.....158-161	193	16	17	20	10	20	16	21	16	16	15	16	10
Premature birth.....159	108	8	7	14	5	14	6	12	10	9	7	11	5
Other diseases peculiar to first year.....158,160,161	85	8	10	6	5	6	10	9	6	7	8	5	5
Suicide.....163,164	56	5	2	5	5	7	4	4	6	7	8	1	2
Homicide.....165-168	11	3	1	-	-	-	-	1	-	1	1	1	3
Accidental deaths.....169-195	380	24	20	22	29	25	28	41	39	36	35	45	36
Motor-vehicle accidents.....170	105	5	3	4	6	4	6	11	16	10	12	16	12
Other accidents.....169,171-195	275	19	17	18	23	21	22	30	23	26	23	29	24
Senility, ill-defined and unknown causes.....162,199,200	265	28	20	25	26	24	19	23	9	22	28	24	17
All other causes.....	521	44	41	45	45	50	36	42	45	40	39	46	48
TENNESSEE, all causes.....	27,946	2,618	2,390	2,436	2,220	2,346	2,196	2,147	2,155	2,065	2,280	2,255	2,838
Typhoid and paratyphoid fever.....1,2	23	-	1	-	2	1	3	4	4	3	4	1	-
Cerebrospinal (meningococcus) meningitis.....6	57	6	6	5	4	8	10	2	1	4	4	2	5

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TENNESSEE—Continued													
Scarlet fever....8	9	1	-	3	-	1	-	-	-	-	2	1	1
Whooping cough....9	81	6	5	7	2	7	4	14	8	6	11	7	4
Diphtheria....10	105	6	4	2	2	-	1	-	6	14	18	24	28
Tuberculosis (all forms)....13-22	1,776	155	143	168	154	170	154	139	142	113	146	134	159
Dysentery....27	60	2	2	3	1	5	1	10	11	13	8	2	2
Malaria....28	20	-	1	1	-	1	4	7	3	-	-	2	1
Syphilis....30	287	40	25	20	16	30	14	26	22	14	30	22	28
Measles....35	6	-	-	-	1	3	-	-	-	1	-	1	-
Poliomyelitis, polioencephalitis (acute)....36	45	1	3	2	1	2	1	5	6	7	10	5	2
Cancer and other malignant tumors....45-55	2,647	206	197	227	213	218	229	215	216	226	257	221	222
Acute rheumatic fever....58	47	6	7	5	2	6	4	3	1	1	1	8	3
Diabetes mellitus....61	357	24	31	29	33	25	36	26	30	20	24	31	48
Exophthalmic goiter....63b	41	1	4	1	5	3	5	4	4	6	1	2	5
Pellagra (except alcoholic)....69	71	8	4	7	10	5	8	5	7	4	6	2	5
Alcoholism (ethylism)....77	41	8	1	3	6	3	3	5	3	-	4	1	4
Intracranial lesions of vascular origin....83	2,806	266	231	243	254	260	205	187	205	209	235	230	281
Diseases of the heart....90-95	5,989	568	528	545	505	536	509	454	440	420	452	445	587
Pneumonia (all forms) and influenza....107-109,33	2,020	271	268	220	125	119	86	78	81	91	126	169	386
Ulcer of stomach or duodenum....117	172	22	11	12	17	13	11	17	12	12	14	18	13
Diarrhea, enteritis, etc.*....119,120	435	23	6	22	12	19	32	75	82	77	40	26	21
Appendicitis....121	128	10	8	12	8	12	13	18	12	4	13	10	8
Hernia and intestinal obstruction....122	203	9	18	21	18	22	11	24	11	16	15	24	14
Cirrhosis of the liver....124	166	19	15	16	8	12	12	14	10	12	21	12	15
Biliary calculi, etc.*....126,127	90	3	7	8	7	4	6	10	11	13	7	7	7
Nephritis....130-132	1,864	171	158	171	180	183	159	142	134	104	161	143	158
Diseases of the prostate....137	185	11	19	16	22	16	12	13	13	17	14	18	14
Diseases of pregnancy, etc.*....140-150	153	15	14	12	15	16	12	9	14	12	10	8	16
Congenital malformations....157	318	35	26	27	24	27	28	23	28	34	21	17	28
Diseases peculiar to first year....158-161	1,244	121	99	118	90	80	107	101	114	108	94	107	105
Premature birth....159	769	65	59	74	51	46	68	60	73	67	57	72	77
Other diseases peculiar to first year....158,160,161	475	56	40	44	39	34	39	41	41	41	37	35	28
Suicide....163,164	206	14	11	14	20	19	19	21	16	16	19	22	15
Homicide....165-168	310	24	20	15	22	22	27	30	37	32	23	25	33
Accidental deaths....169-195	1,810	193	121	124	131	137	139	168	170	135	139	160	193
Motor-vehicle accidents....170	559	43	30	39	38	44	29	52	53	44	60	61	66
Other accidents....169,171-195	1,251	150	91	85	93	93	110	116	117	91	79	99	127
Senility, ill-defined and unknown causes....162,199,200	1,864	171	181	139	133	170	136	110	130	124	163	163	244
All other causes....	2,310	202	215	218	177	191	195	188	171	197	187	185	184
TEXAS, all causes....	58,853	5,214	4,781	4,786	4,711	4,881	4,813	4,897	4,927	4,378	4,706	4,849	5,910
Typhoid and paratyphoid fever....1,2	54	2	-	3	4	4	8	8	6	6	3	6	4
Cerebrospinal (meningococcus) meningitis....6	60	6	8	6	4	3	1	6	6	7	1	3	9
Scarlet fever....8	5	-	2	-	-	-	-	-	-	-	1	1	1
Whooping cough....9	97	7	4	11	11	9	8	18	6	7	5	2	9
Diphtheria....10	160	19	17	11	11	11	6	8	5	9	20	17	26
Tuberculosis (all forms)....13-22	2,966	246	261	264	274	262	259	259	230	205	238	230	238
Dysentery....27	393	15	12	22	24	47	63	55	48	29	26	22	30
Malaria....28	52	5	2	-	4	6	6	4	5	11	3	5	1
Syphilis....30	702	61	53	65	59	50	62	61	58	44	54	64	71
Measles....35	21	1	1	3	7	3	2	3	-	1	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	129	-	4	6	4	6	21	23	26	19	8	7	5
Cancer and other malignant tumors....45-55	6,011	505	423	454	480	507	517	511	534	472	562	518	528
Acute rheumatic fever....58	54	3	4	5	3	4	6	3	5	5	6	8	2
Diabetes mellitus....61	936	96	71	79	72	77	62	85	67	70	80	66	111
Exophthalmic goiter....63b	55	10	1	3	5	4	7	4	2	5	4	4	6
Pellagra (except alcoholic)....69	175	25	10	16	14	13	18	12	9	16	14	14	14
Alcoholism (ethylism)....77	71	5	2	7	5	5	4	6	10	7	5	8	7
Intracranial lesions of vascular origin....83	5,023	440	415	414	411	450	404	414	411	385	416	440	423
Diseases of the heart....90-95	13,045	1,216	1,117	1,128	1,029	1,077	1,001	1,000	1,059	938	1,005	1,112	1,363
Pneumonia (all forms) and influenza....107-109,33	3,442	494	455	336	257	204	165	159	162	165	192	263	590
Ulcer of stomach or duodenum....117	284	25	17	22	26	16	31	27	29	19	17	26	29
Diarrhea, enteritis, etc.*....119,120	1,416	89	58	62	127	183	185	166	124	91	86	109	136
Appendicitis....121	346	25	20	27	36	37	35	38	29	30	24	22	23
Hernia and intestinal obstruction....122	495	45	37	41	34	35	50	46	56	31	39	35	46
Cirrhosis of the liver....124	420	39	35	34	26	30	41	33	24	39	45	29	45
Biliary calculi, etc.*....126,127	244	14	16	18	13	21	25	27	22	25	20	24	19
Nephritis....130-132	3,297	299	305	276	291	302	262	274	251	222	267	237	311
Diseases of the prostate....137	333	26	21	31	32	29	20	21	28	33	33	33	26
Diseases of pregnancy, etc.*....140-150	358	32	34	41	20	21	30	21	40	33	30	27	29
Congenital malformations....157	717	52	66	68	50	44	61	59	57	67	64	71	58
Diseases peculiar to first year....158-161	3,259	252	202	217	258	252	331	327	321	289	258	268	284
Premature birth....159	2,066	149	121	131	160	179	202	228	186	171	173	188	178
Other diseases peculiar to first year....158,160,161	1,193	103	81	86	98	73	129	99	135	118	85	80	106
Suicide....163,164	551	49	28	51	37	46	55	37	66	49	44	40	49
Homicide....165-168	666	48	35	52	53	54	55	76	51	58	65	53	66
Accidental deaths....169-195	5,145	391	361	376	394	405	409	464	492	417	455	442	539
Motor-vehicle accidents....170	1,524	98	96	102	98	103	97	98	137	138	194	159	204
Other accidents....169,171-195	3,621	293	265	274	296	302	312	366	355	279	261	283	335
Senility, ill-defined and unknown causes....162,199,200	2,691	219	222	196	211	229	196	217	258	178	219	230	316
All other causes....	5,180	453	462	441	425	435	407	425	430	396	397	413	496
UTAH, all causes....	4,859	400	367	412	403	441	398	410	348	412	410	395	463
Typhoid and paratyphoid fever....1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	7	1	-	-	-	1	-	-	-	-	1	2	2
Scarlet fever....8	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough....9	4	-	-	-	3	-	-	-	-	-	-	1	-
Diphtheria....10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)....13-22	79	5	6	9	7	4	4	4	11	10	8	4	7
Dysentery....27	7	-	-	-	-	1	-	1	-	3	-	1	1
Malaria....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis....30	27	1	3	2	1	3	3	2	2	3	1	3	3
Measles....35	2	-	-	-	-	1	-	-	-	1	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	20	-	-	1	-	-	1	1	7	6	2	2	-

*Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH—Continued													
Cancer and other malignant tumors....45-55	516	43	31	43	38	52	45	50	40	40	43	38	53
Acute rheumatic fever....58	10	1	-	1	1	3	-	-	-	3	-	-	1
Diabetes mellitus....61	126	13	13	8	13	9	9	11	13	13	5	7	12
Exophthalmic goiter....63b	18	1	1	2	1	2	1	1	1	2	3	3	-
Pellagra (except alcoholic)....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)....77	6	-	-	-	-	1	1	1	1	2	-	-	-
Intracranial lesions of vascular origin....83	399	29	31	31	42	31	35	26	31	36	40	32	35
Diseases of the heart....90-95	1,422	120	105	135	114	117	121	109	86	110	114	134	157
Pneumonia (all forms) and influenza....107-109,33	209	31	22	18	20	11	13	11	10	12	9	13	30
Ulcer of stomach or duodenum....117	42	5	4	4	1	4	3	3	2	2	5	4	5
Diarrhea, enteritis, etc.*....119,120	47	12	11	1	1	1	2	3	1	7	2	3	3
Appendicitis....121	33	1	3	1	1	2	7	5	5	3	3	-	2
Hernia and intestinal obstruction....122	37	4	1	4	2	2	2	5	2	3	3	2	7
Cirrhosis of the liver....124	28	1	2	6	1	3	2	1	1	2	2	6	1
Biliary calculi, etc.*....126,127	29	-	2	-	4	6	1	2	5	1	2	4	2
Nephritis....130-132	259	19	22	18	19	34	28	25	13	17	24	18	22
Diseases of the prostate....137	24	2	1	2	2	3	4	3	2	1	3	1	-
Diseases of pregnancy, etc.*....140-150	21	2	3	3	2	1	1	-	3	1	2	1	2
Congenital malformations....157	92	9	13	4	9	10	9	7	10	5	5	6	5
Diseases peculiar to first year....158-161	258	13	21	18	30	24	22	22	18	24	24	20	22
Premature birth....159	157	8	13	13	22	13	10	15	9	20	10	13	11
Other diseases peculiar to first year....158,160,161	101	5	8	5	8	11	12	7	9	4	14	7	11
Suicide....163,164	43	4	5	7	4	3	3	2	3	8	1	3	-
Homicide....165-168	20	1	-	1	3	2	1	10	-	-	1	-	1
Accidental deaths....169-195	516	32	24	37	41	56	39	63	44	50	54	39	37
Motor-vehicle accidents....170	178	11	7	15	10	6	12	20	13	28	21	16	19
Other accidents....169,171-195	338	21	17	22	31	50	27	43	31	22	33	23	18
Senility, ill-defined and unknown causes....162,199,200	171	13	11	20	12	9	16	12	10	14	16	20	18
All other causes....	395	37	32	35	31	45	25	30	27	33	37	28	35
VERMONT, all causes....	4,007	392	321	363	353	363	313	327	305	282	316	313	359
Typhoid and paratyphoid fever....1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	4	-	1	1	-	1	-	-	-	-	1	-	-
Scarlet fever....8	1	-	-	-	-	1	-	-	-	-	-	-	-
Whooping cough....9	8	3	1	2	-	1	-	-	-	-	1	-	-
Diphtheria....10	2	-	-	-	-	-	-	-	-	1	1	-	-
Tuberculosis (all forms)....13-22	110	10	12	16	8	5	11	15	7	7	3	9	7
Dysentery....27	3	1	1	-	-	1	-	-	-	-	-	-	-
Malaria....28	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis....30	16	5	1	1	5	2	1	-	-	-	-	1	-
Measles....35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	3	1	-	-	-	-	-	-	1	-	1	-	-
Cancer and other malignant tumors....45-55	530	45	38	46	37	48	43	54	45	47	41	44	42
Acute rheumatic fever....58	1	-	-	-	1	-	-	-	-	-	-	-	-
Diabetes mellitus....61	101	10	7	10	9	12	9	6	7	5	6	7	13
Exophthalmic goiter....63b	4	-	1	-	1	1	-	-	-	-	-	1	-
Pellagra (except alcoholic)....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)....77	6	1	-	1	1	-	-	-	-	1	-	-	2
Intracranial lesions of vascular origin....83	449	42	34	33	50	48	27	30	33	36	35	37	46
Diseases of the heart....90-95	1,310	131	97	119	126	114	103	101	98	78	116	107	120
Pneumonia (all forms) and influenza....107-109,33	168	34	19	14	17	17	9	5	10	8	10	11	14
Ulcer of stomach or duodenum....117	28	1	2	2	2	4	2	3	2	2	5	1	2
Diarrhea, enteritis, etc.*....119,120	14	-	-	3	-	1	1	-	1	3	2	2	1
Appendicitis....121	18	2	4	-	-	3	-	-	2	1	-	3	3
Hernia and intestinal obstruction....122	42	3	3	5	3	7	1	3	3	5	3	3	3
Cirrhosis of the liver....124	27	2	2	4	1	3	1	4	2	2	2	-	4
Biliary calculi, etc.*....126,127	14	2	-	1	3	2	1	-	1	-	2	1	1
Nephritis....130-132	215	13	22	20	19	18	26	20	12	14	18	13	20
Diseases of the prostate....137	30	1	1	4	2	1	1	3	2	3	4	6	2
Diseases of pregnancy, etc.*....140-150	12	1	1	1	2	-	2	1	1	1	1	1	-
Congenital malformations....157	62	9	6	4	3	4	7	3	6	2	7	4	7
Diseases peculiar to first year....158-161	115	11	9	13	8	5	12	12	9	14	7	7	8
Premature birth....159	72	6	3	10	3	4	9	6	6	11	3	4	7
Other diseases peculiar to first year....158,160,161	43	5	6	3	5	1	3	6	3	3	4	3	1
Suicide....163,164	43	3	2	8	3	2	4	1	7	-	5	5	3
Homicide....165-168	9	1	-	-	-	2	-	-	4	-	-	-	2
Accidental deaths....169-195	236	23	15	14	13	19	21	29	25	20	21	19	17
Motor-vehicle accidents....170	63	6	5	2	5	1	6	4	6	9	7	5	7
Other accidents....169,171-195	173	17	10	12	8	18	15	25	19	11	14	14	10
Senility, ill-defined and unknown causes....162,199,200	51	4	7	3	7	2	5	5	3	2	5	2	6
All other causes....	374	33	35	38	32	41	26	32	24	30	19	29	35
VIRGINIA, all causes....	28,641	2,701	2,474	2,438	2,156	2,234	2,310	2,229	2,346	2,149	2,318	2,309	2,977
Typhoid and paratyphoid fever....1,2	19	1	-	-	1	1	2	2	6	2	1	2	1
Cerebrospinal (meningococcus) meningitis....6	52	8	10	8	6	5	2	2	2	3	2	-	4
Scarlet fever....8	12	4	1	2	1	1	-	-	-	-	-	2	1
Whooping cough....9	74	5	5	4	7	6	5	11	7	5	2	7	10
Diphtheria....10	43	4	3	-	2	-	3	-	1	7	7	8	8
Tuberculosis (all forms)....13-22	1,366	130	128	109	114	123	99	107	126	114	107	95	114
Dysentery....27	60	4	2	1	-	4	4	9	25	16	9	4	2
Malaria....28	2	-	-	-	-	-	1	-	-	1	-	-	-
Syphilis....30	368	34	35	25	26	34	31	21	29	22	35	26	50
Measles....35	3	-	1	-	1	-	-	-	-	1	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	27	-	1	3	-	-	1	5	2	7	3	2	3
Cancer and other malignant tumors....45-55	2,754	212	195	242	225	198	223	262	236	225	266	244	226
Acute rheumatic fever....58	36	5	4	2	7	3	3	1	2	1	2	4	2
Diabetes mellitus....61	559	57	51	54	30	36	47	31	45	40	50	40	78
Exophthalmic goiter....63b	44	5	4	4	5	4	3	4	3	3	5	3	1
Pellagra (except alcoholic)....69	29	2	3	3	2	2	3	5	1	5	1	2	-
Alcoholism (ethylism)....77	59	6	6	2	5	4	6	3	5	8	5	4	5
Intracranial lesions of vascular origin....83	3,020	291	251	237	246	251	275	229	259	219	209	235	318
Diseases of the heart....90-95	7,358	693	644	636	565	624	626	548	552	519	582	589	782

* Refer to International List for complete title, table V, Part I.

Table 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA—Continued													
Pneumonia (all forms) and influenza.....107-109,33	1,709	206	236	163	86	120	81	65	81	73	99	148	349
Ulcer of stomach or duodenum.....117	159	18	12	11	12	6	10	18	15	7	15	10	25
Diarrhea, enteritis, etc.*.....119,120	435	13	14	16	26	8	34	58	82	90	55	30	9
Appendicitis.....121	161	10	11	12	12	13	30	17	15	15	7	8	11
Hernia and intestinal obstruction.....122	206	15	11	11	29	15	14	23	16	17	24	13	18
Cirrhosis of the liver.....124	154	12	13	13	7	18	13	8	7	11	24	15	13
Biliary calculi, etc.*.....126,127	87	11	15	7	5	5	8	4	9	3	6	9	5
Nephritis.....130-132	2,284	250	212	216	181	182	187	163	166	140	167	189	231
Diseases of the prostate.....137	131	11	17	9	8	9	14	8	13	8	15	7	12
Diseases of pregnancy, etc.*.....140-150	142	13	11	17	13	12	8	12	12	9	18	10	7
Congenital malformations.....157	364	34	33	32	30	28	29	23	37	28	29	26	35
Diseases peculiar to first year.....158-161	1,441	130	118	131	110	110	133	113	134	125	116	110	111
Premature birth.....159	875	69	69	74	75	65	86	66	81	80	72	70	68
Other diseases peculiar to first year.....158,160,161	566	61	49	57	35	45	47	47	53	45	44	40	43
Suicide.....163,164	313	32	20	39	17	28	21	25	28	22	25	29	27
Homicide.....165-168	240	17	16	20	18	23	22	21	14	25	20	25	19
Accidental deaths.....169-195	2,061	191	144	147	145	151	173	202	178	174	177	179	200
Motor-vehicle accidents.....170	639	53	32	38	54	41	39	41	66	57	81	78	59
Other accidents.....169,171-195	1,422	138	112	109	91	110	134	161	112	117	96	101	141
Senility, ill-defined and unknown causes.....162,199,200	661	72	62	50	44	48	42	39	58	49	53	53	91
All other causes.....	2,188	203	185	212	170	162	157	190	180	156	182	182	209
WASHINGTON, all causes.....	21,890	1,955	1,711	1,914	1,823	1,861	1,813	1,735	1,712	1,707	1,818	1,807	2,034
Typhoid and paratyphoid fever.....1,2	4	-	1	-	-	-	-	-	-	-	-	2	1
Cerebrospinal (meningococcus) meningitis.....6	22	2	4	5	1	1	-	-	3	1	1	3	1
Scarlet fever.....8	3	-	1	1	-	-	-	1	-	-	-	-	-
Whooping cough.....9	6	1	-	-	-	1	2	-	1	-	-	-	1
Diphtheria.....10	38	5	2	2	3	2	4	4	3	5	4	1	3
Tuberculosis (all forms).....13-22	706	54	55	65	57	65	50	62	57	52	58	72	59
Dysentery.....27	17	-	1	-	5	4	2	-	3	1	1	-	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	190	19	15	18	15	23	20	16	10	10	16	16	12
Measles.....35	9	-	-	1	-	2	2	1	-	-	-	-	3
Poliomyelitis, polioencephalitis (acute).....36	25	3	-	-	1	-	2	2	6	6	2	1	2
Cancer and other malignant tumors.....45-55	2,732	263	190	206	236	248	213	217	232	231	218	242	236
Acute rheumatic fever.....58	16	-	3	2	1	1	3	2	-	1	2	1	-
Diabetes mellitus.....61	465	36	39	41	42	28	39	37	43	34	38	42	46
Exophthalmic goiter.....63b	40	1	2	5	2	5	6	4	2	2	5	-	6
Pellagra (except alcoholic).....69	4	1	1	-	-	-	-	2	-	-	-	-	-
Alcoholism (ethylism).....77	98	6	6	10	7	11	8	7	10	6	7	5	15
Intracranial lesions of vascular origin.....83	2,075	181	182	204	191	172	148	192	137	164	167	154	183
Diseases of the heart.....90-95	6,781	599	505	607	554	557	564	523	501	528	592	572	679
Pneumonia (all forms) and influenza.....107-109,33	962	123	114	108	87	74	64	43	54	56	74	59	106
Ulcer of stomach or duodenum.....117	155	12	11	10	13	11	10	11	14	15	14	18	16
Diarrhea, enteritis, etc.*.....119,120	116	10	6	5	7	12	15	18	11	11	10	4	7
Appendicitis.....121	98	8	8	11	10	8	7	7	10	9	4	10	6
Hernia and intestinal obstruction.....122	190	17	13	22	14	19	18	12	15	20	9	14	17
Cirrhosis of the liver.....124	139	13	15	16	8	8	12	11	13	11	9	8	15
Biliary calculi, etc.*.....126,127	91	12	11	8	7	9	7	4	8	6	8	7	4
Nephritis.....130-132	1,120	79	90	107	97	128	89	101	83	88	95	80	83
Diseases of the prostate.....137	111	13	4	11	13	7	3	9	11	7	11	12	10
Diseases of pregnancy, etc.*.....140-150	76	10	4	6	11	4	7	9	6	7	5	3	4
Congenital malformations.....157	254	29	17	19	21	23	23	18	21	19	20	19	25
Diseases peculiar to first year.....158-161	877	78	57	80	75	84	79	74	66	64	72	75	73
Premature birth.....159	546	46	29	51	48	54	51	38	46	42	55	44	42
Other diseases peculiar to first year.....158,160,161	331	32	28	29	27	30	28	36	20	22	17	31	31
Suicide.....163,164	303	17	24	26	26	23	33	26	17	16	32	32	31
Homicide.....165-168	78	9	3	8	3	3	13	4	6	9	7	4	9
Accidental deaths.....169-195	1,903	133	168	115	134	136	168	163	184	157	170	181	194
Motor-vehicle accidents.....170	579	36	27	30	44	27	40	36	55	61	71	83	69
Other accidents.....169,171-195	1,324	97	141	85	90	109	128	127	129	96	99	98	125
Senility, ill-defined and unknown causes.....162,199,200	415	27	28	41	37	35	45	30	37	33	32	36	34
All other causes.....	1,771	194	131	154	145	157	157	125	148	138	135	134	153
WEST VIRGINIA, all causes.....	16,630	1,499	1,417	1,410	1,329	1,303	1,279	1,262	1,293	1,359	1,386	1,376	1,717
Typhoid and paratyphoid fever.....1,2	8	1	-	1	-	-	2	1	-	3	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	29	5	4	5	1	2	1	1	-	1	4	3	2
Scarlet fever.....8	8	-	-	1	-	-	-	-	1	1	1	3	1
Whooping cough.....9	60	4	6	7	3	4	3	9	9	6	1	1	7
Diphtheria.....10	38	2	5	-	4	-	-	2	4	1	7	5	8
Tuberculosis (all forms).....13-22	719	63	53	58	70	70	63	60	53	54	53	46	76
Dysentery.....27	51	1	1	-	-	1	3	2	25	9	8	1	-
Malaria.....28	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis.....30	213	18	22	19	11	18	22	22	15	15	14	15	22
Measles.....35	4	-	-	-	1	2	-	-	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute).....36	11	2	-	1	-	-	1	2	1	-	3	1	-
Cancer and other malignant tumors.....45-55	1,714	131	128	123	138	148	143	137	146	157	170	135	158
Acute rheumatic fever.....58	28	2	1	2	4	3	1	1	5	2	3	1	3
Diabetes mellitus.....61	355	33	21	30	29	23	23	33	22	24	29	48	40
Exophthalmic goiter.....63b	37	2	4	2	3	2	2	4	5	4	1	4	4
Pellagra (except alcoholic).....69	1	-	-	-	-	-	-	-	-	-	-	1	-
Alcoholism (ethylism).....77	33	2	-	1	-	1	4	3	5	3	2	6	6
Intracranial lesions of vascular origin.....83	1,586	156	126	135	133	148	136	139	117	117	133	125	121
Diseases of the heart.....90-95	3,900	350	339	347	340	303	290	287	270	298	310	335	431
Pneumonia (all forms) and influenza.....107-109,33	1,010	131	122	131	78	67	50	46	30	36	42	90	187
Ulcer of stomach or duodenum.....117	83	7	1	8	8	12	10	7	6	5	6	7	8
Diarrhea, enteritis, etc.*.....119,120	375	13	20	11	5	11	21	46	86	85	40	23	14
Appendicitis.....121	64	6	2	5	4	5	3	6	8	4	7	7	7
Hernia and intestinal obstruction.....122	124	18	10	11	9	9	8	6	9	16	13	3	12
Cirrhosis of the liver.....124	106	6	7	8	6	6	16	9	13	11	5	9	10
Biliary calculi, etc.*.....126,127	61	4	6	8	8	3	3	5	5	4	4	7	4
Nephritis.....130-132	1,036	110	104	86	90	78	74	65	77	75	84	73	120

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WEST VIRGINIA—Continued													
Diseases of the prostate....137	62	6	5	4	6	8	6	3	3	5	7	6	3
Diseases of pregnancy, etc.*....140-150	66	6	2	5	12	4	2	5	3	9	5	5	8
Congenital malformations....157	240	15	15	18	21	14	20	32	20	14	19	28	24
Diseases peculiar to first year....158-161	841	58	73	69	74	68	72	63	70	86	77	69	62
Premature birth....159	542	36	49	47	52	50	46	45	33	53	49	45	37
Other diseases peculiar to first year....158,160,161	299	22	24	22	22	18	26	18	37	33	28	24	25
Suicide....163,164	151	6	9	14	10	16	12	12	13	11	17	16	15
Homicide....165-168	97	7	5	5	10	7	13	6	11	8	10	4	11
Accidental deaths....169-195	1,436	130	118	97	97	105	118	109	117	144	127	143	141
Motor-vehicle accidents....170	320	16	16	28	16	27	20	18	28	48	40	37	26
Other accidents....169,171-195	1,116	104	102	69	81	78	98	91	89	96	87	106	115
Senility, ill-defined and unknown causes....162,199,200	737	72	71	64	50	52	44	51	47	53	76	56	101
All other causes....	1,343	142	137	134	104	113	113	88	97	98	108	100	109
WISCONSIN, all causes....	32,066	2,818	2,523	2,743	2,753	2,725	2,576	2,555	2,391	2,377	2,757	2,587	3,261
Typhoid and paratyphoid fever....1,2	2	-	-	1	-	-	-	1	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	32	6	3	4	3	2	5	-	1	2	-	3	3
Scarlet fever....8	9	-	1	1	1	3	-	-	-	2	-	1	-
Whooping cough....9	17	3	1	1	1	2	-	1	4	2	-	2	-
Diphtheria....10	13	-	2	-	-	1	1	1	1	-	1	2	4
Tuberculosis (all forms)....13-22	668	46	55	59	69	51	49	60	52	46	66	54	61
Dysentery....27	5	-	1	-	-	-	-	1	1	1	-	1	-
Malaria....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis....30	188	27	16	11	10	20	16	15	12	13	21	13	14
Measles....35	1	-	-	-	-	1	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	56	-	-	-	1	-	-	2	4	29	9	6	5
Cancer and other malignant tumors....45-55	4,540	409	363	352	377	356	405	384	368	389	392	368	377
Acute rheumatic fever....58	32	3	1	1	1	4	2	3	4	2	2	6	3
Diabetes mellitus....61	994	79	69	83	96	97	72	73	67	64	81	93	120
Exophthalmic goiter....63b	111	9	11	7	7	10	8	13	11	7	6	7	15
Pellagra (except alcoholic)....69	3	1	1	-	-	-	-	-	1	-	-	-	-
Alcoholism (ethylism)....77	49	3	1	8	2	4	6	6	3	2	6	4	4
Intracranial lesions of vascular origin....83	3,296	320	261	312	283	282	260	258	207	241	289	261	322
Diseases of the heart....90-95	10,413	888	840	869	918	898	855	802	763	731	856	867	1,126
Pneumonia (all forms) and influenza....107-109,33	1,341	151	126	128	124	132	73	53	54	65	83	104	248
Ulcer of stomach or duodenum....117	231	24	18	35	19	25	13	22	13	13	17	9	23
Diarrhea, enteritis, etc.*....119,120	131	10	9	9	9	11	16	6	7	15	16	17	6
Appendicitis....121	143	9	13	17	15	10	6	8	16	14	12	10	13
Hernia and intestinal obstruction....122	293	29	23	20	27	30	28	21	23	15	21	23	33
Cirrhosis of the liver....124	322	18	22	39	31	26	26	26	28	21	29	18	38
Biliary calculi, etc.*....126,127	201	20	22	20	29	16	16	16	16	16	11	7	12
Nephritis....130-132	1,725	192	128	169	128	152	143	124	140	114	131	121	183
Diseases of the prostate....137	216	16	16	10	22	21	24	18	15	22	21	10	21
Diseases of pregnancy, etc.*....140-150	85	10	8	7	4	5	5	8	9	12	4	7	6
Congenital malformations....157	409	34	27	31	40	34	26	43	40	19	38	31	46
Diseases peculiar to first year....158-161	1,025	93	63	80	92	92	107	82	91	84	89	78	74
Premature birth....159	644	60	41	43	58	62	63	50	60	47	64	52	44
Other diseases peculiar to first year....158,160,161	381	33	22	37	34	30	44	32	31	37	25	26	30
Suicide....163,164	417	30	17	41	40	49	25	29	40	27	55	32	32
Homicide....165-168	47	1	2	1	5	2	4	2	10	4	12	-	4
Accidental deaths....169-195	2,184	139	161	161	168	143	182	235	176	189	238	192	200
Motor-vehicle accidents....170	637	31	37	51	48	38	41	60	47	61	87	69	67
Other accidents....169,171-195	1,547	108	124	110	120	105	141	175	129	128	151	123	133
Senility, ill-defined and unknown causes....162,199,200	382	39	40	29	24	30	25	32	27	33	27	34	42
All other causes....	2,485	209	202	237	207	216	178	210	187	183	224	206	226
WYOMING, all causes....	2,234	206	186	186	175	183	179	169	163	174	204	193	216
Typhoid and paratyphoid fever....1,2	3	-	1	-	1	-	-	-	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis....6	8	3	-	1	-	-	1	-	-	1	-	1	1
Scarlet fever....8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough....9	6	1	1	-	-	-	1	1	1	1	-	-	-
Diphtheria....10	2	-	-	-	-	1	-	-	-	-	-	-	1
Tuberculosis (all forms)....13-22	27	1	-	3	2	-	1	2	4	5	5	1	3
Dysentery....27	4	-	-	-	1	-	-	-	1	2	-	-	-
Malaria....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis....30	34	3	4	2	3	3	1	1	1	5	3	5	3
Measles....35	2	-	-	-	-	-	-	-	-	-	1	-	1
Poliomyelitis, polioencephalitis (acute)....36	2	-	-	-	-	-	-	-	-	2	-	-	-
Cancer and other malignant tumors....45-55	244	13	18	18	20	25	24	15	20	29	26	18	18
Acute rheumatic fever....58	4	1	-	-	1	-	-	1	-	1	-	-	-
Diabetes mellitus....61	39	4	7	2	5	4	4	5	2	1	3	-	2
Exophthalmic goiter....63b	3	-	-	-	-	-	-	2	1	-	-	-	-
Pellagra (except alcoholic)....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)....77	12	1	1	-	1	-	2	2	-	-	1	2	2
Intracranial lesions of vascular origin....83	165	22	12	15	14	13	6	15	9	15	16	15	13
Diseases of the heart....90-95	618	55	54	60	47	43	51	49	43	49	50	55	62
Pneumonia (all forms) and influenza....107-109,33	114	14	4	11	8	15	8	9	5	5	8	10	17
Ulcer of stomach or duodenum....117	11	2	-	1	1	1	-	2	1	-	1	1	1
Diarrhea, enteritis, etc.*....119,120	15	3	1	3	2	1	2	1	1	-	1	-	-
Appendicitis....121	18	2	2	1	1	2	-	1	2	2	1	2	2
Hernia and intestinal obstruction....122	31	2	7	1	1	3	1	-	4	-	5	2	5
Cirrhosis of the liver....124	14	-	1	2	1	2	1	2	1	1	2	1	-
Biliary calculi, etc.*....126,127	14	-	-	-	1	1	2	2	1	2	1	2	2
Nephritis....130-132	146	13	12	18	13	11	16	7	12	10	7	12	15
Diseases of the prostate....137	21	3	2	1	2	1	3	1	1	1	4	-	2
Diseases of pregnancy, etc.*....140-150	5	-	1	-	-	-	-	1	-	-	3	-	-
Congenital malformations....157	40	2	2	4	4	1	4	1	5	7	5	3	2
Diseases peculiar to first year....158-161	104	11	10	6	15	6	8	10	5	7	12	6	8
Premature birth....159	60	9	4	3	8	4	4	8	3	4	10	2	1
Other diseases peculiar to first year....158,160,161	44	2	6	3	7	2	4	2	2	3	2	4	7

* Refer to International List for complete title, table V, Part I.

TABLE 18.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[See headnote on page 157]

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING—Continued													
Suicide.....163,164	32	6	1	3	-	4	2	1	5	3	1	2	4
Homicide.....165-168	14	1	1	1	2	3	-	-	-	-	3	-	3
Accidental deaths.....169-195	248	21	23	14	4	15	23	22	23	13	27	35	28
Motor-vehicle accidents.....170	58	3	4	1	1	3	7	4	2	4	9	11	9
Other accidents.....169,171-195	190	18	19	13	3	12	16	18	21	9	18	24	19
Senility, ill-defined and unknown causes.....162,199,200	49	3	6	7	7	11	1	1	2	1	3	2	5
All other causes.....	185	19	15	12	18	17	17	15	13	10	15	18	16

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA																											
	ALL CAUSES	25,513	3,141	306	174	120	90	280	262	518	680	707	838	1,007	1,129	1,431	1,789	1,923	2,042	2,324	2,200	1,956	1,268	768	322	93	59	86
	White.....Male	8,407	971	90	54	46	34	97	98	180	177	170	202	258	311	391	523	674	760	894	878	793	439	263	83	7	2	12
	Female	6,318	738	73	55	29	20	68	42	81	122	138	168	201	219	266	303	348	491	644	672	659	486	326	122	33	4	10
	Nonwhite..Male	5,630	818	78	32	23	19	53	68	138	165	193	231	246	295	373	509	484	402	459	362	269	181	101	52	22	21	36
	Female	5,158	614	65	33	22	17	62	54	119	216	206	237	302	304	401	454	417	389	327	288	235	162	78	65	31	32	28
1,2	Typhoid and paratyphoid fever	18	1	1	1	-	-	-	1	2	2	1	1	2	2	1	1	-	-	-	2	-	-	-	-	-	-	-
	White.....Male	9	-	-	-	-	-	-	1	1	1	-	1	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	4	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	4	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	57	12	12	2	1	1	2	4	6	3	1	3	3	-	3	2	-	1	1	-	-	-	-	-	-	-	-
	White.....Male	26	3	8	1	-	1	1	1	2	2	1	-	1	-	2	2	-	-	1	-	-	-	-	-	-	-	-
	Female	9	4	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	14	2	-	1	-	-	-	2	3	1	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	3	2	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	85	55	14	4	3	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....Male	17	13	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	20	13	2	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..Male	24	14	7	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	24	15	4	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	59	6	12	11	9	10	9	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	25	2	6	6	5	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	23	2	4	4	4	2	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	6	-	1	1	-	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,218	5	11	8	3	1	10	21	74	154	144	124	109	107	103	76	74	51	52	37	31	16	2	1	-	-	4
	White.....Male	315	-	1	2	-	-	1	2	3	14	17	27	25	34	30	31	43	24	20	16	15	7	2	-	-	-	1
	Female	222	1	3	1	2	-	2	1	13	20	22	26	17	16	7	13	10	20	17	14	10	7	-	-	-	-	-
	Nonwhite..Male	337	2	4	2	-	1	3	7	26	38	46	40	37	31	34	25	14	2	10	5	5	1	-	1	-	-	3
	Female	344	2	3	3	1	-	4	11	32	82	59	31	30	26	32	7	7	5	5	2	1	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,121	3	4	2	1	-	2	16	65	139	139	118	106	102	96	72	71	48	50	35	30	16	1	1	-	-	4
	White.....Male	296	-	-	1	-	-	-	2	3	11	16	26	24	33	27	30	42	23	20	15	14	7	1	-	-	-	1
	Female	207	1	1	1	-	-	-	1	12	20	20	25	17	16	7	13	10	18	15	13	10	7	-	-	-	-	-
	Nonwhite..Male	304	1	3	-	-	-	2	4	22	31	44	37	36	29	34	22	12	2	10	5	5	1	-	1	-	-	3
	Female	314	1	-	-	1	-	-	9	28	77	59	30	29	24	28	7	7	5	5	2	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	97	2	7	6	2	1	8	5	9	15	5	6	3	5	7	4	3	3	2	2	1	-	1	-	-	-	-
	White.....Male	19	-	1	1	-	-	1	-	-	3	1	1	1	1	3	1	1	1	-	1	1	-	1	-	-	-	-
	Female	15	-	2	-	2	-	2	-	1	-	2	1	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-
	Nonwhite..Male	33	1	1	2	-	1	1	3	4	7	2	3	1	2	-	3	2	-	-	-	-	-	-	-	-	-	-
	Female	30	1	3	3	-	-	4	2	4	5	-	1	1	2	4	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	82	15	4	1	-	-	1	-	-	2	2	1	6	9	5	2	4	6	8	5	2	5	1	1	-	-	2
	White.....Male	17	7	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	2	-	2	-	-	-	-	-
	Female	47	2	-	-	-	-	1	-	-	1	2	1	5	7	4	2	2	5	6	2	2	2	1	1	-	-	1
	Nonwhite..Male	9	3	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1
	Female	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-
28	Malaria	37	1	1	1	-	-	2	2	3	2	2	4	1	1	4	2	3	1	1	6	-	-	-	-	-	-	-
	White.....Male	8	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	1	1	-	-	-	-	3	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite..Male	13	1	1	-	-	-	-	-	2	-	-	3	1	1	1	-	1	1	-	1	-	-	-	-	-	-	-
	Female	9	-	-	1	-	-	-	1	-	1	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-
30	Syphilis	357	37	-	1	1	-	-	2	7	13	19	17	30	36	46	37	41	26	24	11	2	2	3	-	-	-	2
	White.....Male	64	2	-	-	-	-	-	-	-	1	-	1	3	5	9	13	9	8	6	6	-	-	1	-	-	-	-
	Female	22	4	-	1	-	-	-	-	-	1	-	2	2	2	2	1	2	1	2	1	1	-	-	-	-	-	-
	Nonwhite..Male	164	16	-	-	-	-	-	2	4	1	9	6	14	17	25	18	22	10	11	3	1	1	2	-	-	-	2
	Female	107	15	-	-	1	-	-	-	3	10	10	8	11	12	10	5	8	7	5	1	-	1	-	-	-	-	-
35	Measles	5	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	26	1	-	3	3	-	2	3	9	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	11	1	-	1	-	-	-	-	5	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female	5	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	6	-	-	1	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Continued																											
45-55	Cancer and other malignant tumors....	2,235	-	2	4	1	1	5	11	13	15	28	62	109	124	215	246	242	263	284	236	196	100	51	15	1	1	10
	White.....Male....	701	-	1	3	-	-	4	7	5	2	5	11	26	15	34	53	71	97	101	100	90	43	21	8	-	-	4
	Female..	879	-	1	-	-	-	-	2	4	3	11	21	42	62	91	92	93	93	129	94	73	40	23	3	1	-	1
	Nonwhite..Male....	237	-	-	-	-	-	1	1	3	6	-	1	9	16	21	42	29	35	24	17	16	9	4	2	-	-	1
	Female..	418	-	-	1	1	1	-	1	1	4	12	29	32	31	69	59	49	38	30	25	17	8	3	2	-	1	4
46	Cancer of digestive organs, peritoneum..	825	-	-	-	-	-	-	1	3	2	4	6	29	25	53	99	95	115	120	111	100	40	12	5	-	-	5
	White.....Male....	305	-	-	-	-	-	-	-	2	-	1	3	10	5	13	21	32	42	49	51	51	19	1	2	-	-	3
	Female..	292	-	-	-	-	-	-	-	-	-	2	2	6	11	15	32	35	38	49	43	36	15	6	1	-	-	1
	Nonwhite..Male....	118	-	-	-	-	-	-	-	-	-	-	-	4	7	11	23	19	21	9	9	7	4	3	1	-	-	-
	Female..	110	-	-	-	-	-	-	1	1	2	1	1	9	2	14	23	9	14	13	8	6	2	2	1	-	-	1
48,49	Cancer of female genital organs.....	453	-	-	-	-	-	-	-	-	3	12	33	41	50	66	54	45	39	38	30	22	13	5	-	-	1	1
	White.....Female..	262	-	-	-	-	-	-	-	-	2	4	12	25	32	35	34	21	24	30	16	15	8	4	-	-	-	-
	Nonwhite..Female..	191	-	-	-	-	-	-	-	-	1	8	21	16	18	31	20	24	15	8	14	7	5	1	-	-	1	1
50	Cancer of breast.....	204	-	-	-	-	-	-	-	-	2	3	4	12	18	38	21	25	18	22	18	9	5	6	-	1	-	2
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	142	-	-	-	-	-	-	-	-	1	2	1	6	11	23	14	16	15	18	16	7	5	6	-	1	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	61	-	-	-	-	-	-	-	-	1	1	3	6	7	15	7	9	3	4	1	2	-	-	-	-	-	2
45,47, 51-55	Cancer (other sites)..	753	-	2	4	1	1	5	10	10	8	9	19	27	31	58	72	77	91	104	77	65	42	28	10	-	-	2
	White.....Male....	395	-	1	3	-	-	4	7	3	2	4	8	16	10	21	32	39	55	52	48	39	24	20	6	-	-	1
	Female..	183	-	1	-	-	-	-	2	4	-	3	6	5	8	18	12	21	16	32	19	15	12	7	2	-	-	-
	Nonwhite..Male....	119	-	-	-	-	-	1	1	3	6	-	1	5	9	10	19	10	14	15	8	9	5	1	1	-	-	1
	Female..	56	-	-	1	1	1	-	-	-	-	2	4	1	4	9	9	7	6	5	2	2	1	-	1	-	-	-
58	Acute rheumatic fever.....	43	-	-	-	1	1	8	7	5	1	-	1	1	2	2	-	4	-	5	2	1	-	2	-	-	-	-
	White.....Male....	8	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	2	-	2	1	-	-	-	-	-	-	-
	Female..	9	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-
	Nonwhite..Male....	14	-	-	-	-	-	2	4	3	-	-	-	1	1	-	-	1	-	1	1	-	-	-	-	-	-	-
	Female..	12	-	-	-	1	1	3	-	2	-	-	1	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-
61	Diabetes mellitus....	359	-	1	-	2	1	4	4	7	5	5	9	13	14	14	23	44	56	49	40	44	13	4	6	-	-	1
	White.....Male....	109	-	1	-	2	-	2	1	3	2	1	2	-	4	1	5	11	12	17	18	19	6	1	1	-	-	-
	Female..	132	-	-	-	-	1	2	1	2	1	-	2	9	1	2	4	12	29	22	17	18	5	3	1	-	-	-
	Nonwhite..Male....	40	-	-	-	-	-	-	2	2	1	3	1	1	1	2	3	6	7	3	3	3	-	-	2	-	-	-
	Female..	78	-	-	-	-	-	-	-	-	1	1	4	3	8	9	11	15	8	7	2	4	2	-	2	-	-	1
63b	Exophthalmic goiter..	32	-	-	-	-	-	-	-	-	5	1	2	4	5	2	1	5	4	1	1	1	-	-	-	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	16	-	-	-	-	-	-	-	-	3	-	1	2	3	1	-	2	1	1	1	1	-	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	Female..	12	-	-	-	-	-	-	-	-	2	1	1	2	2	-	-	2	2	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	96	-	-	-	1	-	-	-	-	3	2	-	4	2	4	8	10	6	18	12	16	6	3	-	-	1	-
	White.....Male....	16	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	2	4	1	4	-	1	-	-	-	-
	Female..	42	-	-	-	-	-	-	-	-	-	-	-	2	-	1	5	2	2	7	9	8	5	1	-	-	-	-
	Nonwhite..Male....	13	-	-	-	-	-	-	-	-	1	-	-	-	2	-	3	1	1	3	1	1	-	-	-	-	-	-
	Female..	25	-	-	-	-	-	-	-	-	2	1	-	2	-	3	-	5	1	4	1	3	1	1	-	-	1	-
77	Alcoholism (ethylism).....	24	-	-	-	-	-	-	-	-	3	-	3	5	5	3	1	1	1	2	-	-	-	-	-	-	-	-
	White.....Male....	16	-	-	-	-	-	-	-	-	1	-	2	4	5	1	-	1	1	1	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	2,446	7	1	1	1	-	2	2	5	8	12	25	45	77	153	240	242	283	346	359	301	184	88	47	6	4	7
	White.....Male....	714	1	-	1	-	-	-	1	4	2	2	3	5	12	32	48	56	83	119	131	109	63	29	12	1	-	-
	Female..	635	4	1	-	-	-	1	-	-	1	3	2	3	10	22	39	35	68	93	121	106	72	36	17	-	-	1
	Nonwhite..Male....	489	1	-	-	-	-	1	1	1	5	4	6	17	30	43	61	64	48	73	48	44	19	10	6	2	2	3
	Female..	608	1	-	-	1	-	-	-	-	-	3	14	20	25	56	92	87	84	61	59	42	30	13	12	3	2	3
90-95	Diseases of the heart.....	5,153	2	2	2	2	1	14	17	26	33	50	88	133	208	305	494	521	609	690	662	592	375	213	67	16	11	20
	White.....Male....	2,089	-	1	-	1	1	4	9	14	7	13	23	39	71	117	191	234	284	311	277	248	146	72	22	2	-	2
	Female..	1,281	2	-	1	-	-	3	2	6	8	14	19	22	24	41	49	68	139	178	201	210	150	105	28	7	2	2
	Nonwhite..Male....	941	-	-	1	1	-	1	1	3	7	12	24	28	49	70	142	128	94	121	102	60	47	25	8	4	6	7
	Female..	842	-	1	-	-	-	6	5	3	11	11	22	44	64	77	112	91	92	60	82	74	32	11	9	3	3	9
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	409	-	-	-	-	-	6	7	13	7	13	14	19	16	23	35	20	40	37	53	49	30	21	1	-	2	3
	White.....Male....	122	-	-	-	-	-	1	6	8	4	5	5	5	2	5	6	6	12	12	15	16	8	5	-	-	-	1
	Female..	112	-	-	-	-	-	1	1	2	2	6	5	7	2	2	2	5	11	13	15	17	11	9	1	-	-	-
	Nonwhite..Male....	93	-	-	-	-	-	-	-	1	-	-	2	2	7	7	14	7	7	7	12	11	7	6	-	-	2	1
	Female..	82	-	-	-	-	-	4	-	2	1	2	2	5	5	9	13	2	10	5	11	5	4	1	-	-	-	1
94	Diseases of coronary arteries, angina pectoris.....	1,403	-	-	-	1	-	-	-	1	6	7	24	50	79	118	177	169	189	188	158	125	63	31	12	1	2	2
	White.....Male....	799	-	-	-	-	-	-	-	-	1	3	8	17	40	72	110	110	117	114	84	76	29	12	5	-	-	1
	Female..	310	-	-	-	-	-	-	-	1	1	2	6	7	7	17	15	24	41	49	55	38	26	17	3	1	-	-
	Nonwhite..Male....	162	-	-	-	1	-	-	-	-	1	1	8	9	12	18	27	19	16	17	16	6	3	2	4	-	1	1
	Female..	132	-	-	-	-	-	-	-	-	3	1	2	17	20	11	25	16	15	8	3	5	5	-	-	-	1	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	3,341	2	2	2	1	1	8	10	12	20	30	50	64	113	164	282	332	380	465	451	418	282	161	54	15	7	15
	White.....Male....	1,168	-	1	-	1	1	3	3	6	2	5	10	17	29	40	75	118	155	185	178	156	109	55	17	2	-	-
	Female..	859	2	-	1	-	-	2	1	3	5	6	8	8	15	22	32	39	87	116	131	155	113	79	24	6	2	2
	Nonwhite..Male....	686	-	-	1	-	-	1	1	2	6	11	14	17	30	45	101	102	71	97	74	43	37	17	4	4	3	5
	Female..	628	-	1	-	-	-	2	5	1	7	8	18	22	39	57	74	73	67	67	68	64	23	10	9	3	2	8

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,708	438	80	23	18	11	34	23	30	30	36	39	48	53	64	82	100	86	102	102	114	82	66	27	12	1	7
	White.....Male	465	121	22	2	3	4	8	3	3	5	5	6	11	17	10	19	20	26	36	41	40	28	25	7	3	-	-
	Female	403	79	15	8	2	1	5	8	5	6	3	7	6	9	6	11	14	19	27	27	47	40	34	16	7	-	1
	Nonwhite..Male	465	133	20	6	7	3	7	8	12	11	15	14	18	15	29	34	40	21	22	19	13	5	5	2	1	1	4
	Female	375	105	23	7	6	3	14	4	10	8	13	12	13	12	19	18	26	20	17	15	14	9	2	2	1	-	2
107	Bronchopneumonia	525	231	28	10	7	1	5	2	7	5	7	8	8	4	11	20	17	16	27	25	30	26	17	9	4	-	-
	White.....Male	147	61	7	-	2	1	1	-	-	-	2	2	4	2	3	4	4	5	8	10	10	13	5	2	1	-	-
	Female	139	49	4	5	-	-	-	1	-	-	-	2	1	2	2	2	4	4	11	6	16	10	12	6	2	-	-
	Nonwhite..Male	131	70	9	4	2	-	-	1	2	4	2	2	2	-	2	10	4	5	5	4	-	1	-	1	1	-	-
	Female	108	51	8	1	3	-	4	-	5	1	3	2	1	-	4	4	5	2	3	5	4	2	-	-	-	-	-
108	Lobar pneumonia	642	87	17	5	6	5	13	14	13	15	21	19	28	24	37	42	53	44	43	43	49	29	20	9	2	1	3
	White.....Male	184	20	4	-	1	2	4	2	2	4	3	2	5	12	4	11	12	15	16	20	20	11	10	3	1	-	-
	Female	117	12	3	1	1	-	4	3	3	2	3	3	3	1	2	5	5	7	8	7	16	16	7	4	1	-	-
	Nonwhite..Male	211	32	5	1	2	1	2	6	6	6	9	9	14	6	22	18	24	10	12	11	7	2	2	1	-	1	2
	Female	130	23	5	3	2	2	3	3	2	3	6	5	6	5	9	8	12	12	7	5	6	-	1	1	-	-	1
109	Pneumonia (unspecified)	125	45	7	3	-	-	5	2	2	2	3	1	3	5	5	4	7	3	8	6	5	3	3	1	1	-	1
	White.....Male	37	15	4	1	-	-	1	-	-	-	-	-	-	-	2	2	2	-	4	2	2	-	1	1	-	-	-
	Female	23	4	1	1	-	-	-	1	-	1	-	-	1	1	1	1	1	-	1	2	1	3	2	-	1	-	-
	Nonwhite..Male	34	13	-	-	-	-	4	1	1	-	3	-	1	3	1	1	1	2	1	-	1	-	-	-	-	-	1
	Female	31	13	2	1	-	-	-	-	1	1	-	1	1	1	1	-	3	1	2	2	1	-	-	-	-	-	-
33	Influenza	416	75	28	5	5	5	11	5	8	8	5	11	9	20	11	16	23	23	24	28	30	24	26	8	5	-	3
	White.....Male	97	25	7	1	-	1	2	1	1	1	-	2	2	3	1	2	2	6	8	9	8	4	9	1	1	-	-
	Female	124	14	7	1	1	1	1	3	2	3	-	2	1	5	1	3	4	8	7	12	14	11	13	6	3	-	1
	Nonwhite..Male	89	18	6	1	3	2	1	-	3	1	1	3	1	6	4	5	11	4	4	4	5	2	3	-	-	-	1
	Female	106	18	8	2	1	1	7	1	2	3	4	4	5	6	5	6	6	5	5	3	3	7	1	1	1	-	1
117	Ulcer of stomach or duodenum	131	-	-	-	-	-	-	-	1	4	5	4	6	10	8	19	20	18	14	10	5	6	1	-	-	-	-
	White.....Male	61	-	-	-	-	-	-	-	-	2	1	1	2	5	3	10	12	11	5	4	2	2	1	-	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	2	1	1	3	-	-	-	-	-
	Nonwhite..Male	45	-	-	-	-	-	-	-	1	2	2	1	3	4	1	7	6	7	6	5	-	-	-	-	-	-	-
	Female	14	-	-	-	-	-	-	-	-	-	2	1	1	-	3	2	1	-	1	-	2	1	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	315	223	27	9	5	1	2	-	2	1	1	1	6	3	2	5	3	1	2	5	3	5	3	3	2	-	-
	White.....Male	88	69	6	1	1	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	2	2	1	1	-	-	-
	Female	85	58	9	3	2	1	2	-	-	1	1	-	1	2	-	-	-	1	-	1	-	2	-	1	-	-	-
	Nonwhite..Male	82	57	9	3	1	-	-	-	2	-	-	-	-	1	1	3	2	-	1	-	1	-	-	1	-	-	-
	Female	60	39	3	2	1	-	-	-	-	-	-	-	5	-	1	1	-	-	-	3	-	1	2	-	2	-	-
121	Appendicitis	175	1	2	1	3	3	8	17	13	11	8	12	14	11	14	14	19	5	10	5	3	-	-	-	-	-	1
	White.....Male	54	1	-	-	3	1	3	6	6	1	1	2	2	2	5	4	7	1	6	2	1	-	-	-	-	-	-
	Female	49	-	2	1	-	1	4	7	5	3	2	2	1	-	4	3	7	2	1	2	2	-	-	-	-	-	-
	Nonwhite..Male	38	-	-	-	-	1	-	3	-	3	3	5	6	4	1	3	5	2	1	-	-	-	-	-	-	-	1
	Female	34	-	-	-	-	-	1	1	2	4	2	3	5	5	4	4	-	-	2	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	198	13	5	3	3	-	3	-	4	5	6	7	9	13	23	18	19	16	25	8	9	3	2	3	-	1	-
	White.....Male	51	6	2	2	2	-	-	-	-	1	-	1	1	-	1	3	8	4	7	3	8	-	-	1	-	1	-
	Female	50	5	1	-	1	-	1	-	2	1	2	1	4	3	4	6	3	1	8	4	1	1	1	-	-	-	-
	Nonwhite..Male	43	1	2	-	-	-	1	-	-	2	-	2	2	4	8	4	4	5	5	-	-	1	1	1	-	-	-
	Female	54	1	-	1	-	-	1	-	2	1	4	3	2	6	10	5	4	6	5	1	-	1	-	1	-	-	-
124	Cirrhosis of the liver	107	-	-	-	-	-	-	1	-	-	1	5	7	9	12	6	16	14	13	9	2	7	4	-	-	-	1
	White.....Male	45	-	-	-	-	-	-	-	-	-	-	-	3	4	5	1	12	7	7	3	-	2	1	-	-	-	-
	Female	28	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	1	7	2	3	1	4	2	-	-	-	-
	Nonwhite..Male	21	-	-	-	-	-	-	-	-	-	-	3	1	2	3	3	3	-	2	1	1	1	-	-	-	-	1
	Female	13	-	-	-	-	-	-	1	-	-	1	1	2	1	1	1	-	-	2	2	-	-	1	-	-	-	-
126,127	Biliary calculi, etc.*	80	-	-	-	-	-	1	-	-	2	4	4	2	4	6	9	10	17	8	4	6	2	1	-	-	-	-
	White.....Male	22	-	-	-	-	-	-	-	-	-	2	1	-	2	2	-	2	5	1	1	4	1	1	-	-	-	-
	Female	45	-	-	-	-	-	1	-	-	-	-	3	1	1	3	6	7	11	7	2	2	1	-	-	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-
130-132	Nephritis	2,089	2	4	6	6	1	8	6	14	21	30	38	62	84	106	164	190	205	251	305	270	170	90	38	8	3	7
	White.....Male	636	-	1	1	4	-	4	2	4	2	6	9	9	9	17	25	48	66	77	127	126	60	31	7	-	1	-
	Female	482	-	-	3	2	1	2	-	2	5	8	7	8	16	18	21	31	37	57	78	74	59	33	16	3	-	1
	Nonwhite..Male	524	1	2	1	-	-	1	2	3	5	5	11	15	27	32	65	60	50	76	66	40	31	16	10	1	-	4
	Female	447	1	1	1	-	-	1	2	5	9	11	11	30	32	39	53	51	52	41	34	30	20	10	5	4	2	2
137	Diseases of the prostate	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	9	22	21	16	9	9	2	-	-	-
	White.....Male	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	10	15	13	6	7	2	-	-	-
	Nonwhite..Male	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	12	6	3	3	2	-	-	-	-

* Refer to International List for complete title, table V, Part I.

747801 O - 47 - 13

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Continued																											
140-150	Diseases of pregnancy, etc.*....	240	-	-	-	-	-	-	1	25	47	40	63	44	18	1	-	-	-	-	-	-	-	-	-	-	-	1
	White.....Female..	107	-	-	-	-	-	-	-	10	25	17	22	22	11	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	133	-	-	-	-	-	-	1	15	22	23	41	22	7	1	-	-	-	-	-	-	-	-	-	-	-	1
140,142a, 145A,147	Puerperal septicemia	81	-	-	-	-	-	-	-	13	18	16	17	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	34	-	-	-	-	-	-	-	5	9	8	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	47	-	-	-	-	-	-	-	8	9	8	12	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	74	-	-	-	-	-	-	1	9	16	7	22	13	4	1	-	-	-	-	-	-	-	-	-	-	-	1
	White.....Female..	37	-	-	-	-	-	-	-	4	9	3	10	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	37	-	-	-	-	-	-	1	5	7	4	12	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1
141b,142b, 143,146, 149	Hemorrhage, trauma and shock.....	58	-	-	-	-	-	-	-	1	8	13	17	12	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	24	-	-	-	-	-	-	-	-	5	5	4	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	34	-	-	-	-	-	-	-	1	3	8	13	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	27	-	-	-	-	-	-	-	2	5	4	7	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	12	-	-	-	-	-	-	-	1	2	1	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	15	-	-	-	-	-	-	-	1	3	3	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	299	251	13	9	1	6	10	2	2	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	121	104	6	1	-	2	6	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	109	96	4	4	-	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	36	-	2	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	33	23	3	2	-	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	1,378	1,378	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	502	502	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	355	355	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	306	306	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	215	215	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	882	882	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	325	325	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	235	235	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	187	187	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	135	135	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	496	496	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	177	177	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	120	120	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	119	119	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	80	80	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	161	-	-	-	-	-	-	1	5	12	11	14	28	12	15	19	15	8	12	3	5	-	-	-	-	-	1
	White.....Male....	110	-	-	-	-	-	-	1	2	6	8	9	20	9	11	17	10	3	9	-	4	-	-	-	-	-	1
	Female..	38	-	-	-	-	-	-	-	2	4	1	3	7	2	3	2	5	4	2	2	1	-	-	-	-	-	-
	Nonwhite..Male....	9	-	-	-	-	-	-	-	1	1	1	2	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	343	3	-	-	-	-	2	3	30	49	52	52	51	33	25	12	9	8	6	4	1	-	-	-	-	1	2
	White.....Male....	76	1	-	-	-	-	1	1	5	5	9	8	12	9	9	5	1	4	4	2	-	-	-	-	-	-	-
	Female..	20	1	-	-	-	-	1	-	1	2	4	4	1	3	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	199	-	-	-	-	-	-	1	17	30	31	37	29	20	15	5	5	3	1	2	1	-	-	-	-	1	1
	Female..	48	1	-	-	-	-	-	1	7	12	8	3	9	1	1	1	2	-	1	-	-	-	-	-	-	-	1
169-195	Accidental deaths....	1,850	54	54	39	26	19	87	91	150	175	142	138	110	111	95	81	98	66	84	58	54	47	47	14	3	3	4
	White.....Male....	913	15	17	18	12	6	41	48	94	106	82	72	59	65	51	38	53	22	44	20	17	12	16	3	-	-	2
	Female..	324	12	16	15	8	5	14	11	12	25	22	14	8	6	5	9	11	7	23	19	22	27	22	10	1	-	-
	Nonwhite..Male....	447	8	14	2	2	5	17	22	34	36	34	44	35	33	32	24	27	28	13	14	11	4	5	-	2	-	1
	Female..	166	19	7	4	4	3	15	10	10	8	4	8	8	7	7	10	7	9	4	5	4	4	4	1	-	3	1
170	Motor-vehicle accidents.....	618	1	9	10	8	4	28	34	73	77	65	49	40	39	39	29	33	21	25	16	12	6	-	-	-	-	-
	White.....Male....	378	-	5	5	4	3	17	18	46	50	41	35	29	27	26	15	17	7	13	8	7	5	-	-	-	-	-
	Female..	84	-	4	4	2	1	4	7	8	15	9	5	3	3	3	3	4	1	5	2	1	-	-	-	-	-	-
	Nonwhite..Male....	130	-	-	1	1	-	4	8	16	9	14	8	7	7	8	9	11	12	6	4	4	1	-	-	-	-	-
	Female..	26	1	-	-	1	-	3	1	3	3	1	1	1	2	2	2	1	1	1	2	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	1,232	53	45	29	18	15	59	57	77	98	77	89	70	72	56	52	65	45	59	42	42	41	47	14	3	3	4
	White.....Male....	535	15	12	13	8	3	24	30	48	56	41	37	30	38	25	23	36	15	31	12	10	7	16	3	-	-	2
	Female..	240	12	12	11	6	4	10	4	4	10	13	9	5	3	2	6	7	6	18	17	21	27	22	10	1	-	-
	Nonwhite..Male....	317	8	14	1	1	5	13	14	18	27	20	36	28	26	24	15	16	16	7	10	7	3	5	-	2	-	1
	Female..	140	18	7	4	3	3	12	9	7	5	3	7	7	5	5	8	6	8	3	3	4	4	4	1	-	3	1
162,199, 200	Senility, ill-defined and unknown causes..	2,054	485	18	15	3	10	17	9	15	15	29	28	38	65	70	107	106	139	130	172	162	154	110	82	36	30	9
	White.....Male....	380	69	1	3	-	4	1	2	3	1	2	4	5	13	14	19	27	31	35	45	38	29	18	14	1	-	1
	Female..	299	61	3	4	1	-	1	1	-	-	3	1	5	4	3	6	11	11	18	32	31	33	39	20	8	2	1
	Nonwhite..Male....	737	217	8	2	2	2	9	1	6	4	13	10	12	18	28	42	37	56	39	53	56	51	28	19	11	9	4
	Female..	638	138	6	6	-	4	6	5	6	10	11	13	16	30	25	40	31	41	38	42	37	41	25	29	16	19	3
	All other causes.....	1,957	151	40	29	27	18	46	32	70	55	74	92	116	110	127	118	121	142	164	121	120	82	68	16	9	3	6
	White.....Male....	677	54	14	11	12	9	15	11	26	15	12	17	27	29	34	35	42	65	67	58	53	30	35	5	-	-	1
	Female..	557	39	8	8	5	5	14	6	15	8	23	28	31	33	40	32	30	30	40	39	47	35	25	9	6	-	1
	Nonwhite..Male....	317	28	10	7	6	3	7	8	12	7	13	18	14	18	21	21	23	25	33	13	13	8	3	-	1	2	3
	Female..	406	30	8	3	4	1	10	7	17	25	26	29	44	30	32	30	26	22	24	11	7	9	5	2	2	1	1

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA																											
	ALL CAUSES.....	6,091	917	143	58	32	24	64	66	143	215	211	210	261	279	320	387	397	438	514	453	401	265	153	76	14	9	21
	White.....Male....	3,215	375	33	20	13	13	30	23	70	105	110	98	136	155	196	242	251	264	313	278	201	150	78	39	1	5	16
	Female..	1,767	291	34	9	6	6	13	18	33	55	48	64	92	77	81	95	84	112	142	134	161	114	61	28	6	2	1
	Nonwhite..Male....	652	125	37	16	6	1	10	12	23	31	35	24	18	28	29	35	37	44	46	31	28	14	7	7	4	1	3
	Female..	457	126	39	13	7	4	11	13	17	24	18	24	15	19	14	15	25	18	13	10	11	7	7	2	3	1	1
1,2	Typhoid and paratyphoid fever.....	10	-	1	-	-	-	2	-	3	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White.....Male....	5	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	8	3	1	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	5	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever.....	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough.....	18	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	13	-	1	-	-	3	3	1	1	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White.....Male....	5	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	776	20	26	7	8	2	11	16	39	47	78	68	84	76	79	60	51	43	24	19	9	5	3	-	-	-	1
	White.....Male....	410	3	7	1	2	1	4	2	10	11	32	31	46	42	61	51	38	28	19	10	7	1	2	-	-	-	1
	Female..	170	3	3	2	1	-	-	1	13	19	26	20	27	22	10	5	7	6	1	1	1	2	-	-	-	-	-
	Nonwhite..Male....	108	6	10	2	2	-	3	5	8	11	9	6	6	8	6	4	1	7	4	7	-	2	1	-	-	-	-
	Female..	88	8	6	2	3	1	4	8	8	6	11	11	5	4	2	-	5	2	-	1	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*.....	725	10	16	5	5	1	5	14	37	46	76	68	80	75	76	60	49	41	24	19	9	5	3	-	-	-	1
	White.....Male....	392	2	4	1	2	-	1	2	10	11	31	31	43	41	58	51	38	26	19	10	7	1	2	-	-	-	1
	Female..	161	1	-	1	-	-	-	1	13	19	26	20	26	22	10	5	6	6	1	1	1	2	-	-	-	-	-
	Nonwhite..Male....	97	4	8	2	1	-	1	4	7	10	8	6	6	8	6	4	1	7	4	7	-	2	1	-	-	-	-
	Female..	75	3	4	1	2	1	3	7	7	6	11	11	5	4	2	-	4	2	-	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms).....	51	10	10	2	3	1	6	2	2	1	2	-	4	1	3	-	2	2	-	-	-	-	-	-	-	-	-
	White.....Male....	18	1	3	-	-	1	3	-	-	-	1	-	3	1	3	-	-	2	-	-	-	-	-	-	-	-	-
	Female..	9	2	3	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	11	2	2	-	1	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	13	5	2	1	1	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	33	20	5	2	1	-	1	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-
	White.....Male....	10	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	13	9	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	7	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	84	14	1	1	-	-	-	-	1	-	-	3	3	7	4	7	7	14	7	4	6	2	1	1	-	-	1
	White.....Male....	46	3	-	1	-	-	-	-	1	-	-	1	2	5	3	5	5	5	4	4	4	1	-	1	-	-	1
	Female..	13	2	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	1	-	1	-	1	-	-	-	-
	Nonwhite..Male....	14	2	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	5	2	-	1	-	-	-	-	-	-
	Female..	11	7	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
35	Measles.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute).....	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Continued																											
45-55	Cancer and other malignant tumors....	492	-	1	-	1	-	1	1	2	3	3	8	15	26	40	54	55	57	78	63	42	30	5	5	1	-	1
	White.....Male....	231	-	1	-	1	-	-	-	1	-	3	2	7	12	17	23	27	23	40	34	23	15	1	1	-	-	-
	Female..	210	-	-	-	-	-	1	-	1	3	-	5	7	12	19	29	17	25	28	26	15	11	3	4	1	-	-
	Nonwhite..Male....	31	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	7	8	9	2	1	1	1	-	-	-	-
	Female..	20	-	-	-	-	-	-	1	-	-	-	1	1	2	2	2	1	1	1	1	3	-	-	-	-	-	1
46	Cancer of digestive organs, peritoneum..	227	-	-	-	-	-	-	-	-	-	-	3	3	8	17	24	27	35	38	32	23	13	2	2	-	-	-
	White.....Male....	115	-	-	-	-	-	-	-	-	-	-	1	2	6	8	15	12	16	18	19	10	6	1	1	-	-	-
	Female..	81	-	-	-	-	-	-	-	-	-	-	2	1	1	7	9	7	12	13	10	11	6	1	1	-	-	-
	Nonwhite..Male....	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	6	6	2	1	1	-	-	-	-	-
	Female..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	1	1	1	1	-	-	-	-	-	-
48,49	Cancer of female genital organs.....	67	-	-	-	-	-	1	-	-	1	-	3	6	4	9	10	9	6	7	3	1	4	1	2	-	-	-
	White.....Female..	62	-	-	-	-	-	1	-	-	1	-	2	5	4	9	9	8	6	7	3	-	4	1	2	-	-	-
	Nonwhite..Female..	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
50	Cancer of breast.....	30	-	-	-	-	-	-	-	-	-	-	-	1	3	2	6	-	3	5	6	1	2	1	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	29	-	-	-	-	-	-	-	-	-	-	-	1	2	2	6	-	3	5	6	1	2	1	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	168	-	1	-	1	-	-	1	2	2	3	2	5	11	12	14	19	13	28	22	17	11	1	1	1	-	1
	White.....Male....	116	-	1	-	1	-	-	-	1	-	3	1	5	6	9	8	15	7	22	15	13	9	-	-	-	-	-
	Female..	38	-	-	-	-	-	-	-	1	2	-	1	-	5	1	5	2	4	3	7	3	2	-	1	1	-	-
	Nonwhite..Male....	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	3	-	-	-	1	-	-	-	-
	Female..	5	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	1
58	Acute rheumatic fever.....	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	87	-	-	-	1	-	-	-	-	1	1	-	2	3	5	10	11	14	11	13	9	5	1	-	-	-	-
	White.....Male....	39	-	-	-	-	-	-	-	-	1	1	-	2	1	2	4	6	4	4	6	4	4	-	-	-	-	-
	Female..	33	-	-	-	1	-	-	-	-	-	-	-	-	1	2	2	3	7	6	5	4	1	1	-	-	-	-
	Nonwhite..Male....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-	-	-	-
	Female..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	6	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-	1	-	-	-	-	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	27	-	-	-	-	-	-	-	-	1	-	1	5	3	4	4	3	4	2	-	-	-	-	-	-	-	-
	White.....Male....	17	-	-	-	-	-	-	-	-	-	-	-	3	1	4	3	2	3	1	-	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	339	-	1	-	1	-	-	-	2	-	-	6	2	5	15	23	26	39	55	55	47	33	20	9	-	-	-
	White.....Male....	157	-	-	-	1	-	-	-	-	-	-	3	1	1	7	11	10	17	29	27	22	16	8	4	-	-	-
	Female..	149	-	1	-	-	-	-	-	1	-	-	2	1	3	8	7	12	19	19	24	22	16	10	4	-	-	-
	Nonwhite..Male....	18	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	2	6	2	2	1	-	1	-	-	-
	Female..	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	1	1	2	1	-	2	-	-	-	-
90-95	Diseases of the heart.....	1,191	2	3	1	-	-	3	6	15	11	4	15	35	39	59	95	111	128	171	156	150	99	55	22	5	3	3
	White.....Male....	751	1	1	-	-	-	2	3	6	3	2	5	19	22	40	75	80	96	115	104	69	53	34	15	1	3	2
	Female..	343	-	1	-	-	-	1	3	5	5	2	8	12	11	12	14	20	22	39	45	72	42	19	6	3	-	1
	Nonwhite..Male....	71	1	1	1	-	-	-	-	1	2	-	1	1	4	4	6	9	6	15	7	6	3	1	1	1	-	-
	Female..	26	-	-	-	-	-	-	-	3	1	-	1	3	2	3	-	2	4	2	-	3	1	1	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	93	-	-	-	-	-	2	2	9	4	1	6	11	7	9	4	4	5	10	9	5	2	1	1	-	-	1
	White.....Male....	43	-	-	-	-	-	2	-	4	1	1	1	7	3	4	1	3	2	7	5	1	-	1	-	-	-	-
	Female..	39	-	-	-	-	-	-	2	2	2	-	3	3	4	3	3	1	3	2	4	3	2	-	1	-	-	1
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	3	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	343	-	-	-	-	-	-	-	-	-	-	4	7	8	19	40	50	50	54	48	38	20	3	1	-	1	-
	White.....Male....	239	-	-	-	-	-	-	-	-	-	-	2	5	6	15	32	38	42	39	30	17	9	2	1	-	1	-
	Female..	82	-	-	-	-	-	-	-	-	-	-	2	1	1	3	6	6	6	11	13	21	11	1	-	-	-	-
	Nonwhite..Male....	19	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	1	4	5	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	755	2	3	1	-	-	1	4	6	7	3	5	17	24	31	51	57	73	107	99	107	77	51	20	5	2	2
	White.....Male....	469	1	1	-	-	-	-	3	2	2	1	2	7	13	21	42	39	52	69	69	51	44	31	14	1	2	2
	Female..	222	-	1	-	-	-	1	1	3	3	2	3	8	6	6	5	13	13	26	28	48	29	18	5	3	-	-
	Nonwhite..Male....	48	1	1	1	-	-	-	-	1	1	-	-	-	4	2	4	4	5	10	2	6	3	1	1	1	-	-
	Female..	16	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	1	3	2	-	2	1	1	-	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza.....	422	162	22	6	3	3	3	4	8	5	3	11	6	9	11	11	17	19	19	24	28	21	16	8	-	2	1
	White.....Male....	183	65	3	3	1	1	1	1	1	2	1	5	2	6	5	5	8	9	13	17	12	6	10	5	-	-	1
	Female..	142	52	8	-	1	1	-	2	4	2	2	4	3	1	2	3	4	9	5	5	15	12	5	1	-	1	-
	Nonwhite..Male....	44	20	4	2	-	1	-	-	2	-	-	-	1	1	4	2	2	-	-	2	1	-	1	1	-	-	-
	Female..	53	25	7	1	1	-	2	1	1	1	-	2	-	1	-	1	3	1	1	-	-	3	-	1	-	1	-
107	Bronchopneumonia.....	198	99	10	4	3	1	1	-	1	-	2	2	3	3	5	3	4	10	8	6	12	10	6	5	-	-	-
	White.....Male....	76	35	-	1	1	1	-	-	-	-	-	-	1	1	1	2	2	6	5	4	6	3	5	2	-	-	-
	Female..	59	23	5	-	1	-	-	-	-	-	2	1	1	1	2	1	1	3	3	2	5	6	1	1	-	-	-
	Nonwhite..Male....	29	19	2	2	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	1	-	-	1	-	-	-
	Female..	34	22	3	1	1	-	1	-	1	-	-	1	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-
108	Lobar pneumonia.....	96	27	2	2	-	-	1	1	4	1	1	4	1	2	2	3	8	2	5	14	7	3	5	1	-	-	-
	White.....Male....	47	12	1	2	-	-	1	-	-	-	1	2	-	2	2	1	3	-	4	10	2	-	3	1	-	-	-
	Female..	37	13	1	-	-	-	-	1	2	-	-	2	1	-	-	1	2	2	1	2	5	2	2	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-
	Female..	7	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-
109	Pneumonia (unspecified).....	56	15	7	-	-	-	1	2	1	1	-	4	-	3	2	4	1	3	3	2	1	1	3	-	-	1	1
	White.....Male....	26	6	2	-	-	-	-	1	-	1	-	2	-	2	1	2	1	1	3	1	1	-	1	-	-	-	1
	Female..	14	8	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-
	Nonwhite..Male....	7	1	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-
	Female..	9	-	3	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
33	Influenza.....	72	21	3	-	-	2	-	1	2	3	-	1	2	1	2	1	4	4	3	2	8	7	2	2	-	1	-
	White.....Male....	34	12	-	-	-	-	-	-	1	1	-	1	1	1	1	-	2	2	1	2	3	3	1	2	-	-	-
	Female..	32	8	2	-	-	1	-	1	1	2	-	-	1	-	-	1	1	2	1	-	5	4	1	-	-	1	-
	Nonwhite..Male....	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum.....	30	-	-	-	-	-	-	-	-	-	1	-	3	6	2	2	6	4	4	1	1	-	-	-	-	-	-
	White.....Male....	26	-	-	-	-	-	-	-	-	-	1	-	3	5	2	2	4	3	4	1	1	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	249	198	27	8	1	-	-	-	-	1	1	1	-	-	1	1	-	3	3	1	1	-	-	2	-	-	-
	White.....Male....	87	78	2	2	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-
	Female..	70	61	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-
	Nonwhite..Male....	46	30	11	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Female..	46	29	10	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
121	Appendicitis.....	24	-	-	-	-	-	2	1	1	1	1	3	3	4	-	2	3	1	1	1	-	-	-	-	-	-	-
	White.....Male....	14	-	-	-	-	-	1	1	1	-	1	3	2	-	-	-	3	1	-	1	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction.....	38	4	-	-	-	-	-	-	1	2	1	1	2	1	1	4	2	6	4	-	5	1	2	1	-	-	-
	White.....Male....	14	2	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	5	2	-	-	-	2	-	-	-	-
	Female..	15	1	-	-	-	-	-	-	-	2	1	1	2	-	-	2	-	-	2	-	2	1	-	1	-	-	-
	Nonwhite..Male....	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver.....	40	-	-	-	-	-	-	-	-	-	-	-	1	4	5	4	8	5	6	3	2	2	-	-	-	-	-
	White.....Male....	21	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	5	1	4	2	1	1	-	-	-	-	-
	Female..	16	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	3	1	2	1	1	1	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	14	-	-	-	-	-	-	-	-	-	-	1	-	1	2	5	2	1	1	1	-	-	-	-	-	-	-
	White.....Male....	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
	Female..	8	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	243	3	-	2	2	-	1	4	-	5	8	3	8	12	9	19	18	24	32	33	21	22	12	5	-	-	-
	White.....Male....	138	1	-	1	2	-	-	2	-	2	4	2	5	7	3	9	10	18	18	20	12	13	7	2	-	-	-
	Female..	83	2	-	-	-	-	-	2	-	2	2	-	3	5	6	8	3	6	10	11	7	8	5	3	-	-	-
	Nonwhite..Male....	14	-	-	1	-	-	-	-	-	1	1	-	-	-	-	2	5	-	1	1	1	1	-	-	-	-	-
	Female..	8	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-
137	Diseases of the prostate.....	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	4	4	-	-	-	-	-
	White.....Male....	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	4	4	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Continued																											
140-150	Diseases of pregnancy, etc.*....	40	-	-	-	-	-	-	-	2	12	2	7	9	5	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	27	-	-	-	-	-	-	-	1	8	1	6	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	13	-	-	-	-	-	-	-	1	4	1	1	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	11	-	-	-	-	-	-	-	-	4	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	7	-	-	-	-	-	-	-	-	2	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	8	-	-	-	-	-	-	-	-	2	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	-	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	14	-	-	-	-	-	-	-	-	4	-	2	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	9	-	-	-	-	-	-	-	-	2	-	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	5	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	7	-	-	-	-	-	-	-	2	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	6	-	-	-	-	-	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	73	64	1	3	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	27	26	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	30	24	1	1	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	9	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	7	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	309	309	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	147	147	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	31	31	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	192	192	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	92	92	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	55	55	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	62	-	-	-	-	-	-	1	4	2	4	8	5	6	4	2	6	7	8	2	3	-	-	-	-	-	-
	White.....Male....	39	-	-	-	-	-	-	-	2	2	1	3	3	4	3	1	4	7	4	2	3	-	-	-	-	-	-
	Female..	11	-	-	-	-	-	-	1	-	-	2	2	2	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	11	-	-	-	-	-	-	-	2	-	1	2	-	1	-	1	1	-	3	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	46	-	-	-	-	-	-	2	2	7	4	5	4	8	3	4	6	-	-	-	1	-	-	-	-	-	-
	White.....Male....	22	-	-	-	-	-	-	1	2	3	1	1	1	3	2	3	4	-	-	-	1	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	16	-	-	-	-	-	-	1	-	2	1	3	1	5	1	1	1	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	644	22	25	15	5	7	21	22	42	95	77	38	39	36	38	30	25	20	19	14	15	17	8	5	1	-	8
	White.....Male....	441	11	15	7	3	5	15	12	34	70	55	29	28	27	27	15	19	16	12	9	8	7	6	3	-	-	8
	Female..	98	7	7	4	1	-	4	6	3	9	4	4	3	5	3	6	4	2	4	3	6	9	2	2	-	-	-
	Nonwhite..Male....	80	3	-	1	1	-	1	3	5	12	16	5	5	3	8	8	2	1	3	2	1	-	-	-	-	-	-
	Female..	25	1	3	3	-	2	1	1	-	4	2	-	3	1	-	1	-	1	-	-	-	1	-	-	1	-	-
170	Motor-vehicle accidents.....	219	3	3	5	1	2	7	9	15	33	26	16	10	17	15	11	10	12	8	6	7	1	1	-	-	-	1
	White.....Male....	149	2	3	4	1	2	5	5	10	20	18	12	7	10	8	4	8	11	6	4	6	1	1	-	-	-	1
	Female..	32	-	-	1	-	-	2	3	3	7	3	2	1	4	1	2	1	-	-	2	-	-	-	-	-	-	-
	Nonwhite..Male....	30	-	-	-	-	-	-	1	2	3	4	2	1	2	6	4	1	1	2	-	1	-	-	-	-	-	-
	Female..	8	1	-	-	-	-	-	-	-	3	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	425	19	22	10	4	5	14	13	27	62	51	22	29	19	23	19	15	8	11	8	8	16	7	5	1	-	7
	White.....Male....	292	9	12	3	2	3	10	7	24	50	37	17	21	17	19	11	11	5	6	5	2	6	5	3	-	-	7
	Female..	66	7	7	3	1	-	2	3	-	2	1	2	2	1	2	4	3	2	4	1	6	9	2	2	-	-	-
	Nonwhite..Male....	50	3	-	1	1	-	1	2	3	9	12	3	4	1	2	4	1	-	1	2	-	-	-	-	-	-	-
	Female..	17	-	3	3	-	2	1	1	-	1	1	-	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-
162,199, 200	Senility, ill-defined and unknown causes..	308	44	15	7	4	1	5	2	7	5	7	5	4	4	10	12	10	16	30	28	32	19	15	12	7	3	4
	White.....Male....	105	9	1	-	1	-	1	-	2	-	-	-	1	2	7	4	6	5	21	13	13	10	3	4	-	1	1
	Female..	53	5	1	-	-	-	1	-	-	1	2	-	1	-	1	2	-	3	3	6	8	3	8	5	2	1	-
	Nonwhite..Male....	96	15	8	6	1	-	3	2	2	-	4	3	2	1	1	5	2	8	2	5	10	5	1	3	3	1	3
	Female..	54	15	5	1	2	1	-	-	3	4	1	2	-	1	1	1	2	-	4	4	1	1	3	-	2	-	-
	All other causes.....	440	39	9	5	4	8	7	6	13	11	15	19	29	22	24	36	25	29	35	30	25	25	15	6	-	1	2
	White.....Male....	243	12	1	3	2	4	4	1	6	7	8	10	9	11	11	25	18	21	21	22	17	19	5	3	-	1	2
	Female..	138	10	5	2	1	4	2	3	5	2	3	7	19	8	9	8	5	4	14	6	7	5	7	2	-	-	-
	Nonwhite..Male....	33	6	1	-	1	-	1	1	2	-	3	2	1	1	2	2	1	2	-	2	1	1	2	1	-	-	-
	Female..	26	11	2	-	-	-	-	1	-	2	1	-	-	2	2	1	1	2	-	-	-	-	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS																											
	ALL CAUSES	14,703	1,256	172	116	72	52	176	181	288	309	337	391	509	606	715	936	1,122	1,277	1,459	1,587	1,384	895	553	218	65	22	5
	White.....Male	6,069	510	61	40	37	14	73	87	94	109	108	122	158	208	263	384	489	585	678	737	626	392	219	79	14	1	1
	Female	4,404	416	63	40	18	24	55	48	76	73	88	116	121	157	161	209	267	326	403	506	529	350	232	102	23	-	1
	Nonwhite..Male	2,232	200	22	15	10	8	28	26	61	57	54	65	90	108	132	179	207	199	238	209	143	85	53	21	14	6	2
	Female	1,978	130	26	21	7	6	20	20	57	70	87	88	140	133	159	164	159	167	140	135	86	68	49	16	14	15	1
1,2	Typhoid and paratyphoid fever	15	-	-	-	-	-	2	3	2	-	-	2	1	1	1	2	-	-	-	-	-	1	-	-	-	-	-
	White.....Male	8	-	-	-	-	-	-	1	1	-	-	1	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-
	Female	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	28	3	2	1	2	-	2	5	4	3	-	1	1	1	-	-	1	-	1	-	-	1	-	-	-	-	-
	White.....Male	15	2	1	1	1	-	2	2	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	1	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	27	20	5	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	11	8	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	56	2	15	10	7	8	10	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	26	1	8	4	4	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	21	1	6	5	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	7	-	1	-	1	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	817	5	5	3	1	1	6	7	50	71	75	64	73	63	59	70	59	71	45	44	29	10	3	2	-	-	1
	White.....Male	302	3	2	1	-	-	2	2	2	15	14	14	21	26	27	30	31	38	25	27	15	4	1	1	-	-	1
	Female	202	2	1	1	-	-	2	-	11	16	18	17	22	15	7	13	15	21	13	11	10	5	2	-	-	-	-
	Nonwhite..Male	144	-	1	-	-	-	-	2	11	14	12	17	12	13	12	23	7	7	3	6	2	1	-	1	-	-	-
	Female	169	-	1	1	1	1	2	3	26	26	31	16	18	9	13	4	6	5	4	-	2	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	770	1	1	2	-	1	3	4	45	70	69	61	67	61	58	70	58	69	43	43	28	10	3	2	-	-	1
	White.....Male	285	1	-	1	-	-	2	1	2	14	12	14	19	26	28	30	30	36	24	26	14	4	1	1	-	-	1
	Female	192	-	-	-	-	-	-	-	11	16	17	17	20	15	7	13	15	21	12	11	10	5	2	-	-	-	-
	Nonwhite..Male	136	-	-	-	-	-	-	1	9	14	11	15	11	13	12	23	7	7	3	6	2	1	-	1	-	-	-
	Female	157	-	1	1	-	1	1	2	23	26	29	15	17	7	13	4	6	5	4	-	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	47	4	4	1	1	-	3	3	5	1	6	3	6	2	1	-	1	2	2	1	1	-	-	-	-	-	-
	White.....Male	17	2	2	-	-	-	-	1	-	1	2	-	2	-	1	-	1	2	1	1	1	-	-	-	-	-	-
	Female	10	2	1	1	-	-	2	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	8	-	1	-	-	-	-	1	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	12	-	-	-	1	-	1	1	3	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	42	16	6	2	-	-	1	-	2	1	-	-	1	-	1	-	1	4	-	1	2	3	1	-	-	-	-
	White.....Male	13	7	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-
	Female	16	5	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
	Nonwhite..Male	9	3	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	1	1	-	-	-	-	-
	Female	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
28	Malaria	43	1	-	-	1	1	6	2	1	1	1	1	4	-	2	5	2	2	3	3	3	1	2	1	-	-	-
	White.....Male	9	-	-	-	-	-	3	-	-	-	1	-	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-
	Female	7	-	-	-	-	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite..Male	10	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	-	-	2	1	1	1	-	-	-	-	-
	Female	17	1	-	-	1	-	1	1	-	1	-	1	2	-	-	2	1	2	-	2	1	-	1	-	-	-	-
30	Syphilis	191	7	1	-	1	-	2	1	3	1	7	12	13	17	24	24	24	16	16	9	9	2	1	-	-	1	-
	White.....Male	63	-	-	-	-	-	-	-	-	-	1	3	3	3	8	12	7	8	8	4	4	1	1	-	-	-	-
	Female	17	3	-	-	-	-	-	1	-	1	1	2	-	3	-	2	1	-	-	-	2	1	-	-	-	-	-
	Nonwhite..Male	76	4	1	-	1	-	1	-	2	-	2	3	3	10	12	9	12	4	5	4	3	-	-	-	-	-	-
	Female	35	-	-	-	-	-	1	-	1	-	3	4	7	1	4	1	4	4	3	1	-	-	-	-	-	1	-
35	Measles	7	-	3	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	-	1	-	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	16	2	2	4	1	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	6	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	1	1	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Continued																											
45-55	Cancer and other malignant tumors....	1,487	-	-	4	2	-	4	2	4	14	18	24	64	91	115	150	168	190	198	195	125	63	39	12	4	-	1
	White.....Male....	587	-	-	1	-	-	1	1	2	9	6	5	15	25	28	54	59	86	93	95	51	33	15	5	3	-	-
	Female..	603	-	-	-	2	-	3	1	1	3	10	11	26	45	50	66	72	71	70	71	55	22	17	6	-	-	1
	Nonwhite..Male....	104	-	-	1	-	-	-	-	1	1	-	2	4	-	6	10	13	14	20	17	6	4	2	1	-	-	-
	Female..	193	-	-	2	-	-	-	-	-	1	2	6	19	21	31	20	24	19	15	12	11	4	5	-	1	-	-
46	Cancer of digestive organs, peritoneum..	598	-	-	-	1	-	1	-	-	1	6	9	18	23	38	52	67	73	103	93	61	33	14	2	3	-	-
	White.....Male....	281	-	-	-	-	-	1	-	-	1	4	3	6	12	15	25	28	35	49	50	28	17	5	-	2	-	-
	Female..	214	-	-	-	1	-	-	-	-	-	2	3	5	8	15	18	23	24	35	32	26	13	7	2	-	-	-
	Nonwhite..Male....	50	-	-	-	-	-	-	-	-	-	-	1	1	-	3	5	6	8	11	9	4	2	-	-	-	-	-
	Female..	53	-	-	-	-	-	-	-	-	-	-	2	6	3	5	4	10	6	8	2	3	1	2	-	1	-	-
48,49	Cancer of female genital organs.....	272	-	-	-	-	-	-	1	1	4	7	6	23	33	41	31	30	30	22	20	15	6	1	1	-	-	-
	White.....Female..	177	-	-	-	-	-	-	1	1	3	5	3	11	21	22	22	20	19	17	15	10	5	1	1	-	-	-
	Nonwhite..Female..	95	-	-	-	-	-	-	-	-	1	2	3	12	12	19	9	10	11	5	5	5	1	-	-	-	-	-
50	Cancer of breast.....	118	-	-	-	-	-	1	-	-	-	1	4	4	13	14	15	19	16	6	8	11	4	2	-	-	-	-
	White.....Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-
	Female..	93	-	-	-	-	-	1	-	-	-	1	3	3	9	8	14	14	15	6	6	9	3	1	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	19	-	-	-	-	-	-	-	-	-	-	1	1	3	5	1	2	1	-	1	2	1	1	-	-	-	-
45,47, 51-55	Cancer (other sites)..	499	-	-	4	1	-	2	1	3	9	4	5	19	22	22	52	52	71	67	74	38	20	22	9	1	-	1
	White.....Male....	301	-	-	1	-	-	-	1	2	8	2	2	9	12	12	29	29	51	44	44	23	16	10	5	1	-	-
	Female..	119	-	-	-	1	-	2	-	-	-	2	2	7	7	5	12	15	13	12	18	10	1	8	3	-	-	1
	Nonwhite..Male....	53	-	-	1	-	-	-	-	1	1	-	1	3	-	3	5	6	6	9	8	4	2	2	1	-	-	-
	Female..	26	-	-	2	-	-	-	-	-	-	-	-	-	3	2	6	2	1	2	4	1	1	2	-	-	-	-
58	Acute rheumatic fever.....	17	-	-	1	-	-	2	1	3	-	2	-	-	-	-	-	-	2	-	3	1	1	-	1	-	-	-
	White.....Male....	5	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
61	Diabetes mellitus....	205	-	-	-	1	-	-	2	5	4	5	7	7	3	16	10	18	26	29	31	28	9	3	-	1	-	-
	White.....Male....	81	-	-	-	1	-	-	2	2	1	1	4	3	-	5	2	7	12	6	11	15	6	3	-	-	-	-
	Female..	82	-	-	-	-	-	-	-	3	1	2	3	3	2	3	5	6	7	16	16	13	2	-	-	-	-	-
	Nonwhite..Male....	14	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	2	2	1	-	1	-	-	1	-	-
	Female..	28	-	-	-	-	-	-	-	-	1	2	-	1	-	7	1	3	5	5	3	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	19	-	-	-	-	-	-	-	1	1	-	-	3	1	3	1	1	5	1	2	-	-	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	11	-	-	-	-	-	-	-	-	1	-	-	2	-	3	1	-	2	1	1	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	39	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	4	3	3	11	8	1	-	-	-	-	-
	White.....Male....	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	4	1	-	-	-	-	-	-
	Female..	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	3	5	1	-	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-
	Female..	13	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	2	-	3	2	-	-	-	-	-	-
77	Alcoholism (ethylism).....	18	-	-	-	-	-	-	-	-	-	-	2	6	1	4	1	3	1	-	-	-	-	-	-	-	-	-
	White.....Male....	14	-	-	-	-	-	-	-	-	-	-	2	5	1	4	-	2	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	1,429	1	2	1	-	-	1	2	2	5	3	12	21	39	71	88	147	152	198	242	206	132	80	13	8	3	-
	White.....Male....	556	-	1	-	-	-	1	2	1	-	3	3	5	7	15	20	51	69	94	105	79	64	31	3	2	-	-
	Female..	429	-	-	-	-	-	-	-	-	2	-	1	3	6	20	15	34	34	62	73	82	53	34	8	2	-	-
	Nonwhite..Male....	209	1	-	1	-	-	-	-	1	2	-	3	5	9	13	23	27	23	24	33	25	6	8	2	2	1	-
	Female..	235	-	1	-	-	-	-	-	-	1	-	5	8	17	23	30	35	26	18	31	20	9	7	-	2	2	-
90-95	Diseases of the heart.....	3,195	1	1	6	1	1	5	17	10	11	17	37	68	105	151	246	291	385	462	478	408	271	143	63	12	4	1
	White.....Male....	1,502	-	-	2	1	-	1	8	2	2	5	17	26	44	67	124	153	198	237	232	192	114	51	22	4	-	-
	Female..	915	1	-	3	-	-	1	4	3	7	7	3	11	23	24	43	53	84	101	168	157	119	73	36	3	-	-
	Nonwhite..Male....	454	-	1	-	-	1	2	3	3	2	3	6	13	15	32	39	60	61	76	49	38	29	12	3	4	1	1
	Female..	324	-	-	1	-	-	1	2	2	-	2	11	18	23	28	40	25	42	48	29	21	18	7	2	1	3	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	219	-	-	1	-	-	2	4	4	1	6	9	9	7	10	13	19	22	26	27	21	22	8	8	-	-	-
	White.....Male....	82	-	-	-	-	-	-	3	1	-	3	4	2	-	1	6	8	12	9	11	10	7	2	3	-	-	-
	Female..	74	-	-	-	-	-	-	1	2	1	2	1	-	4	4	2	5	4	6	10	9	13	5	5	-	-	-
	Nonwhite..Male....	35	-	-	-	-	-	1	-	1	-	1	2	3	1	2	2	4	2	10	2	2	1	1	-	-	-	-
	Female..	28	-	-	1	-	-	1	-	-	-	-	2	4	2	3	3	2	4	1	4	-	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	915	-	-	-	-	-	-	1	-	5	3	7	26	35	60	102	106	131	154	130	79	37	27	9	3	-	-
	White.....Male....	567	-	-	-	-	-	-	-	-	1	1	3	14	22	39	73	72	81	99	77	45	17	15	7	1	-	-
	Female..	196	-	-	-	-	-	-	-	-	3	2	1	4	6	5	13	13	30	33	35	26	14	9	2	-	-	-
	Nonwhite..Male....	99	-	-	-	-	-	-	-	-	1	-	2	2	2	12	10	15	16	11	14	7	2	3	-	2	-	-
	Female..	53	-	-	-	-	-	-	1	-	-	-	1	6	5	4	6	6	4	11	4	1	4	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	2,061	1	1	5	1	1	3	12	6	5	8	21	33	63	81	131	166	232	282	321	308	212	108	46	9	4	1
	White.....Male....	853	-	-	2	1	-	1	5	1	1	1	10	10	22	27	45	73	105	129	144	137	90	34	12	3	-	-
	Female..	645	1	-	3	-	-	1	3	1	3	3	1	7	13	15	28	35	50	62	123	122	83	59	29	3	-	-
	Nonwhite..Male....	320	-	1	-	-	1	1	3	2	1	2	2	8	12	18	27	41	43	55	33	29	26	8	3	2	1	1
	Female..	243	-	-	-	-	-	-	1	2	-	2	8	8	16	21	31	17	34	36	21	20	13	7	2	1	3	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,009	230	40	7	11	6	16	18	16	11	11	14	21	22	23	38	49	55	89	97	91	64	54	16	6	1	1
	White.....Male	352	72	14	3	5	1	5	7	4	2	3	2	3	7	7	12	15	21	32	34	45	29	21	8	-	-	-
	Female	312	61	16	1	3	3	6	6	7	4	1	7	2	4	2	3	10	13	31	44	34	25	20	8	5	-	-
	Nonwhite..Male	195	62	3	1	2	2	2	2	2	6	2	2	7	4	8	15	15	11	17	11	9	4	7	1	-	-	-
	Female	150	35	7	2	1	-	3	3	3	3	5	3	9	7	6	8	9	10	9	8	3	6	6	1	1	1	1
107	Bronchopneumonia	318	115	15	5	7	2	7	3	1	4	3	4	1	6	6	8	12	12	22	27	20	16	12	7	2	-	1
	White.....Male	109	38	4	2	4	-	2	1	-	-	1	2	-	3	1	5	4	4	10	6	9	8	3	2	-	-	-
	Female	92	31	6	1	1	2	3	1	1	-	1	1	-	1	1	1	1	4	4	12	6	5	5	3	1	-	-
	Nonwhite..Male	70	34	2	-	2	-	-	-	-	3	-	1	1	1	1	1	4	2	5	4	4	1	3	1	-	-	-
	Female	47	12	3	2	-	-	2	1	-	1	1	-	-	1	3	1	3	2	3	5	1	2	1	1	1	-	1
108	Lobar pneumonia	367	50	12	2	-	2	8	11	3	5	3	4	13	8	8	19	18	26	35	43	43	29	21	3	1	-	-
	White.....Male	139	15	7	1	-	1	2	4	-	1	1	-	1	3	3	5	6	11	14	18	21	13	9	3	-	-	-
	Female	109	11	5	-	-	-	3	3	2	-	-	2	2	2	-	1	4	6	11	19	18	13	6	-	1	-	-
	Nonwhite..Male	72	12	-	1	-	1	2	2	1	2	1	1	6	1	4	10	5	4	7	4	3	1	4	-	-	-	-
	Female	47	12	-	-	-	-	1	2	-	2	1	1	4	2	1	3	3	5	3	2	1	2	2	-	-	-	-
109	Pneumonia (unspecified)	88	24	6	-	2	1	-	1	4	-	1	4	1	2	2	2	8	3	8	6	5	5	3	-	-	-	-
	White.....Male	29	7	2	-	1	-	-	1	2	-	-	-	-	1	-	1	2	-	3	2	2	2	3	-	-	-	-
	Female	28	9	1	-	1	-	-	-	1	-	-	2	-	-	1	1	2	1	3	3	2	1	-	-	-	-	-
	Nonwhite..Male	16	5	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	2	2	-	1	2	-	-	-	-	-
	Female	15	3	3	-	-	-	-	-	1	-	1	2	1	1	-	-	2	-	-	1	-	-	-	-	-	-	-
33	Influenza	236	41	7	-	2	1	1	3	8	2	4	2	6	6	7	9	11	14	24	21	23	14	18	8	3	1	-
	White.....Male	75	12	1	-	-	-	1	1	2	1	1	-	2	-	3	1	3	6	5	8	13	6	6	3	-	-	-
	Female	83	10	4	-	1	1	-	2	3	-	-	2	-	1	-	-	3	2	13	10	8	6	9	5	3	-	-
	Nonwhite..Male	37	11	1	-	-	-	-	-	1	1	1	-	-	2	2	4	4	3	3	3	1	-	-	-	-	-	-
	Female	41	8	1	-	1	-	-	-	2	-	2	-	4	3	2	4	1	3	3	-	1	2	3	-	-	1	-
117	Ulcer of stomach or duodenum	60	1	-	-	-	-	-	-	-	-	-	2	2	2	5	5	7	5	14	6	4	4	3	-	-	-	-
	White.....Male	39	-	-	-	-	-	-	-	-	-	-	1	2	2	3	4	4	3	9	4	3	3	1	-	-	-	-
	Female	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	2	-	-	-	-
	Nonwhite..Male	10	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	3	2	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	152	105	13	4	2	-	2	-	2	3	1	1	1	-	-	-	3	1	5	2	3	2	1	-	-	1	-
	White.....Male	57	46	4	-	1	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-
	Female	40	22	5	1	1	-	-	-	1	1	-	-	-	-	-	-	2	-	2	1	3	-	1	-	-	-	-
	Nonwhite..Male	28	22	1	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	Female	27	15	3	2	-	-	-	-	1	1	1	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
121	Appendicitis	113	-	-	2	1	3	8	10	8	6	7	7	7	7	7	6	9	7	6	5	7	-	-	-	-	-	-
	White.....Male	55	-	-	1	1	1	4	4	5	3	1	4	3	3	3	3	5	4	3	3	4	-	-	-	-	-	-
	Female	31	-	-	1	-	1	2	4	2	1	3	2	2	1	2	2	1	2	2	1	2	-	-	-	-	-	-
	Nonwhite..Male	15	-	-	-	-	1	1	1	-	1	2	-	1	1	2	-	1	1	1	1	1	-	-	-	-	-	-
	Female	12	-	-	-	-	-	1	1	1	1	1	1	1	2	-	1	2	-	-	-	-	-	-	-	-	-	-
123	Hernia, intestinal obstruction	144	4	2	3	-	1	2	3	3	2	4	10	7	11	12	7	17	11	11	12	11	7	2	2	-	-	-
	White.....Male	43	2	2	1	-	-	2	1	-	-	1	2	1	2	-	2	5	6	4	4	4	3	1	-	-	-	-
	Female	47	-	-	-	-	1	-	1	1	1	2	7	2	1	5	2	6	2	2	2	6	3	1	2	-	-	-
	Nonwhite..Male	27	1	-	2	-	-	-	1	-	-	-	-	1	6	2	1	3	2	4	4	-	-	-	-	-	-	-
	Female	27	1	-	-	-	-	-	-	2	1	1	1	3	2	5	2	3	1	1	2	1	1	-	-	-	-	-
124	Cirrhosis of the liver	100	-	-	-	-	-	-	-	2	-	1	4	4	5	12	9	16	9	11	13	6	6	2	-	-	-	-
	White.....Male	58	-	-	-	-	-	-	-	1	-	1	3	2	3	6	5	10	7	7	7	3	1	2	-	-	-	-
	Female	19	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	1	2	4	1	3	-	-	-	-	-
	Nonwhite..Male	12	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	2	2	1	2	-	-	-	-	-
	Female	11	-	-	-	-	-	-	-	1	-	-	-	2	2	1	2	1	1	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	54	-	-	-	-	-	-	-	-	1	1	3	1	1	2	7	10	11	10	2	4	-	1	-	-	-	-
	White.....Male	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	2	6	1	2	-	-	-	-	-	-
	Female	26	-	-	-	-	-	-	-	-	-	1	1	-	-	1	4	5	8	3	-	2	-	1	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	1	1	1	-	-	-	-	-	-	-
130-132	Nephritis	1,206	2	1	5	1	-	5	4	9	13	11	17	26	36	60	86	104	130	151	183	166	112	60	20	3	1	-
	White.....Male	453	-	-	3	1	-	3	2	2	1	5	7	5	3	15	26	40	43	57	82	74	45	28	9	1	1	-
	Female	339	1	1	1	-	-	2	2	4	4	1	4	7	9	11	17	21	32	43	48	61	45	19	6	-	-	-
	Nonwhite..Male	228	1	-	1	-	-	-	-	2	4	2	1	4	5	14	23	25	29	35	38	21	10	8	3	2	-	-
	Female	186	-	-	-	-	-	-	-	1	4	3	5	10	19	20	20	18	26	16	15	10	12	5	2	-	-	-
137	Diseases of the prostate	94	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	7	6	12	18	19	18	10	2	1	-	-
	White.....Male	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	9	11	16	13	10	2	1	-	-
	Nonwhite..Male	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	3	7	3	5	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Continued																											
140-150	Diseases of pregnancy, etc.*....	116	-	-	-	-	-	-	1	12	21	16	26	23	14	2	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	69	-	-	-	-	-	-	-	6	11	11	17	12	10	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	47	-	-	-	-	-	-	1	6	10	5	9	11	4	-	1	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	35	-	-	-	-	-	-	-	4	5	6	9	3	5	2	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	22	-	-	-	-	-	-	-	-	4	5	6	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	13	-	-	-	-	-	-	-	4	1	1	3	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	32	-	-	-	-	-	-	-	4	11	3	6	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	20	-	-	-	-	-	-	-	3	6	-	4	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	12	-	-	-	-	-	-	-	1	5	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	32	-	-	-	-	-	-	-	2	2	3	10	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	19	-	-	-	-	-	-	-	2	1	3	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	13	-	-	-	-	-	-	-	-	1	-	4	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	17	-	-	-	-	-	-	1	2	3	4	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	8	-	-	-	-	-	-	-	1	-	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	9	-	-	-	-	-	-	1	1	3	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	147	124	6	3	1	2	4	3	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	65	58	-	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	60	50	4	1	-	-	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	12	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	10	6	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	510	510	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	240	240	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	193	193	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	41	41	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	305	305	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	149	149	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	113	113	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	25	25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	18	18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	205	205	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	80	80	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	16	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	18	18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	108	-	-	-	-	-	-	-	2	6	6	15	9	10	8	13	14	4	12	4	4	-	-	1	-	-	-
	White.....Male....	80	-	-	-	-	-	-	-	-	5	5	10	7	7	5	10	9	3	10	4	4	-	-	1	-	-	-
	Female..	27	-	-	-	-	-	-	-	2	1	1	5	1	3	3	3	5	1	2	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	131	-	-	-	-	-	-	4	6	13	24	15	22	20	8	4	3	4	2	3	2	-	-	-	-	-	1
	White.....Male....	35	-	-	-	-	-	-	1	2	3	3	3	4	8	3	2	1	-	1	3	1	-	-	-	-	-	-
	Female..	7	-	-	-	-	-	-	1	1	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	71	-	-	-	-	-	-	2	1	7	16	8	15	10	2	2	2	4	1	-	-	-	-	-	-	-	1
	Female..	18	-	-	-	-	-	-	-	2	3	4	4	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-
169-195	Accidental deaths....	1,164	45	34	30	19	15	49	67	96	78	76	52	60	72	63	48	58	49	39	53	64	47	30	14	4	2	-
	White.....Male....	609	14	13	8	9	5	17	41	50	54	49	26	35	42	39	32	41	25	18	26	28	20	11	5	1	-	-
	Female..	287	18	11	10	4	8	16	15	16	11	8	11	6	10	10	2	10	15	11	20	28	22	16	8	1	-	-
	Nonwhite..Male....	181	7	6	4	3	-	11	7	28	7	12	11	12	16	11	10	6	8	7	4	4	4	1	-	2	-	-
	Female..	87	6	4	8	3	2	5	4	2	6	7	4	7	4	3	4	1	1	3	3	4	1	2	1	-	2	-
170	Motor-vehicle accidents.....	271	2	6	6	4	2	13	15	26	31	18	12	21	21	21	12	16	12	9	9	11	4	-	-	-	-	-
	White.....Male....	154	1	-	3	2	1	5	11	14	20	12	5	12	13	12	7	10	6	6	7	4	3	-	-	-	-	-
	Female..	51	-	3	1	-	1	5	3	5	6	2	4	3	4	2	-	3	3	-	2	3	1	-	-	-	-	-
	Nonwhite..Male....	49	-	3	1	1	-	1	1	6	3	2	2	4	4	5	4	2	3	3	-	4	-	-	-	-	-	-
	Female..	17	1	-	1	1	-	2	-	1	2	2	1	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	893	43	28	24	15	13	36	52	70	47	58	40	39	51	42	36	42	37	30	44	53	43	30	14	4	2	-
	White.....Male....	455	13	13	5	7	4	12	30	36	34	37	21	23	29	27	25	31	19	12	19	24	17	11	5	1	-	-
	Female..	236	18	8	9	4	7	11	12	11	5	6	7	3	6	8	2	7	12	11	18	25	21	16	8	1	-	-
	Nonwhite..Male....	132	7	3	3	2	-	10	6	22	4	10	9	8	12	6	6	4	5	4	4	-	4	1	-	2	-	-
	Female..	70	5	4	7	2	2	3	4	1	4	5	3	5	4	1	3	-	1	3	3	4	1	2	1	-	2	-
162,199, 200	Senility, ill-defined and unknown causes..	743	110	10	3	3	3	9	4	5	6	9	12	4	11	19	25	28	50	49	73	83	77	72	48	22	8	-
	White.....Male....	239	31	5	1	1	-	1	1	4	1	-	2	1	3	7	5	9	18	19	31	32	26	23	16	2	-	-
	Female..	202	28	1	1	2	1	6	1	-	-	5	4	2	3	-	5	1	9	10	11	29	29	26	19	9	-	-
	Nonwhite..Male....	171	33	2	1	-	1	1	1	1	4	1	4	1	3	7	7	10	11	11	19	17	12	12	7	2	3	-
	Female..	131	18	2	-	-	1	1	1	-	1	3	2	-	2	5	8	8	12	9	12	5	10	11	6	9	5	-
	All other causes.....	1,199	67	24	27	15	10	33	20	37	36	41	49	58	72	43	86	78	78	92	97	101	63	46	21	4	1	-
	White.....Male....	466	29	6	12	8	3	19	6	12	11	7	11	14	18	19	37	30	34	36	48	52	27	20	7	-	-	-
	Female..	388	20	9	10	3	4	9	6	14	11	15	21	20	20	11	21	19	21	30	31	36	28	18	8	3	-	-
	Nonwhite..Male....	160	11	4	2	3	2	2	4	6	6	2	5	7	15	2	10	14	17	20	8	9	4	3	3	1	-	-
	Female..	185	7	5	3	1	1	3	4	5	8	17	12	17	19	11	18	15	6	6	10	4	4	5	3	-	1	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA																											
	ALL CAUSES	92,569	5,991	503	318	230	163	561	476	1,044	1,754	1,721	2,023	2,654	3,530	4,844	6,008	7,717	8,937	10,060	10,444	9,730	7,571	4,308	1,465	367	72	78
	White.....Male	51,369	3,148	237	158	130	80	309	268	600	1,060	940	1,054	1,359	2,080	2,962	3,747	4,921	5,607	5,840	5,693	4,825	3,721	1,839	564	140	20	67
	Female	36,761	2,374	221	130	82	76	211	171	338	490	598	743	1,001	1,130	1,558	1,904	2,447	2,974	3,833	4,492	4,723	3,743	2,397	867	215	38	5
	Nonwhite..Male	2,819	256	22	16	13	4	27	17	61	117	111	137	185	214	230	236	236	244	261	164	120	73	41	19	4	6	6
	Female	1,620	213	23	15	5	3	14	20	45	87	72	89	109	106	94	121	113	112	126	95	62	34	31	15	8	8	-
1,2	Typhoid and paratyphoid fever	21	-	-	-	1	-	1	-	3	-	1	1	1	2	3	1	1	4	-	2	-	-	-	-	-	-	-
	White.....Male	10	-	-	-	-	-	1	-	1	-	1	1	-	-	1	1	-	3	-	1	-	-	-	-	-	-	-
	Female	8	-	-	-	1	-	-	-	1	-	-	-	-	1	2	-	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	127	25	11	8	3	4	9	5	9	2	7	5	5	3	4	8	6	4	3	4	2	-	-	-	-	-	-
	White.....Male	71	13	6	4	2	1	1	4	7	2	3	4	4	2	3	3	4	3	1	2	2	-	-	-	-	-	-
	Female	46	11	4	3	1	3	7	1	1	-	2	1	-	1	-	5	2	-	2	2	-	-	-	-	-	-	-
	Nonwhite..Male	7	-	-	1	-	-	1	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
8	Scarlet fever	20	-	-	2	2	-	6	2	4	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	11	-	-	-	1	-	2	1	4	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	9	-	-	2	1	-	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	79	56	14	3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	35	25	7	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	37	25	7	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	105	1	9	16	12	11	27	4	1	2	3	3	-	3	-	5	3	1	1	1	2	-	-	-	-	-	-
	White.....Male	61	-	3	8	10	7	14	4	1	2	2	1	-	1	-	3	2	1	1	-	1	-	-	-	-	-	-
	Female	39	1	6	7	2	4	11	-	-	-	1	1	-	1	-	2	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	3,827	29	43	25	20	13	34	37	148	313	292	286	298	367	379	375	328	285	234	153	102	45	15	5	-	-	1
	White.....Male	2,229	12	15	13	8	5	16	15	39	101	106	113	146	239	260	275	243	225	181	112	67	28	7	2	-	-	1
	Female	1,049	13	19	9	10	8	14	15	70	120	132	110	98	79	72	62	58	42	38	28	27	15	7	3	-	-	-
	Nonwhite..Male	354	2	5	1	1	-	3	4	19	46	22	35	40	35	39	27	26	16	12	12	6	2	1	-	-	-	-
	Female	195	2	4	2	1	-	1	3	20	46	32	28	14	14	8	11	1	2	3	1	2	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	3,526	14	18	11	10	5	14	24	132	279	269	273	278	350	366	360	314	276	226	149	96	44	14	3	-	-	1
	White.....Male	2,092	6	8	6	2	1	6	8	36	91	96	108	133	232	254	267	234	218	177	109	63	27	7	2	-	-	1
	Female	944	4	4	4	6	4	7	12	64	107	124	105	94	75	68	59	56	41	35	28	25	15	6	1	-	-	-
	Nonwhite..Male	325	2	4	-	1	-	-	3	15	42	20	34	38	32	38	26	23	15	12	11	6	2	1	-	-	-	-
	Female	165	2	2	1	1	-	1	1	17	39	29	26	13	11	6	8	1	2	2	1	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	301	15	25	14	10	8	20	13	16	34	23	13	20	17	13	15	14	9	8	4	6	1	1	2	-	-	-
	White.....Male	137	6	7	7	6	4	10	7	3	10	10	5	13	7	6	8	9	7	4	3	4	1	-	-	-	-	-
	Female	105	9	15	5	4	4	7	3	6	13	8	5	4	4	4	3	2	1	3	-	2	-	1	2	-	-	-
	Nonwhite..Male	29	-	1	1	-	-	3	1	4	4	2	1	2	3	1	1	3	1	-	1	-	-	-	-	-	-	-
	Female	30	-	2	1	-	-	-	2	3	7	3	2	1	3	2	3	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery	41	18	4	3	-	1	-	1	-	3	-	-	2	1	1	-	-	2	2	1	-	1	1	-	-	-	-
	White.....Male	20	11	1	-	-	-	-	-	-	3	-	-	-	1	-	-	-	1	1	1	-	-	1	-	-	-	-
	Female	20	7	2	3	-	1	-	1	-	-	-	-	2	-	1	-	-	1	1	-	-	1	-	-	-	-	-
	Nonwhite..Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,120	28	-	-	-	-	1	1	3	11	17	28	64	98	129	134	164	148	130	93	40	19	10	1	-	-	1
	White.....Male	720	12	-	-	-	-	1	1	3	2	6	6	30	54	81	93	113	116	93	64	26	13	4	1	-	-	1
	Female	226	8	-	-	-	-	-	-	-	4	5	11	20	16	29	21	30	21	23	19	9	6	4	-	-	-	-
	Nonwhite..Male	127	4	-	-	-	-	-	-	-	5	4	7	8	21	14	14	16	8	11	8	5	-	2	-	-	-	-
	Female	47	4	-	-	-	-	-	-	-	-	2	4	6	7	5	6	5	3	3	2	-	-	-	-	-	-	-
35	Measles	38	7	11	4	3	-	5	2	1	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	14	2	3	-	2	-	1	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	20	4	7	4	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	56	1	-	1	-	-	5	6	8	12	9	8	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	29	-	-	1	-	-	4	4	4	3	5	3	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	Female	26	1	-	-	-	-	1	2	4	9	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Continued																											
45-55	Cancer and other malignant tumors....	12,214	6	14	18	12	6	26	27	30	50	89	146	315	497	808	1,120	1,422	1,682	1,785	1,600	1,292	806	353	84	21	2	3
	White.....Male....	5,704	4	7	11	5	2	18	17	16	30	38	60	81	183	307	484	662	823	885	801	644	424	153	40	6	-	3
	Female..	6,053	2	7	7	6	3	7	9	12	19	44	79	209	275	461	577	699	790	840	759	623	372	195	43	15	-	-
	Nonwhite..Male....	258	-	-	-	1	-	-	-	1	-	2	2	6	19	23	30	32	47	41	24	16	9	4	1	-	-	-
	Female..	199	-	-	-	-	1	1	1	1	1	5	5	19	20	17	29	29	22	19	16	9	1	1	-	-	2	-
46	Cancer of digestive organs, peritoneum..	5,299	2	3	3	1	-	1	3	4	9	19	35	87	163	262	447	582	725	881	812	649	407	160	36	6	1	1
	White.....Male....	2,794	-	2	2	1	-	1	3	1	4	9	18	32	84	139	234	316	409	492	433	323	207	66	16	1	-	1
	Female..	2,295	2	1	1	-	-	-	-	3	4	8	13	49	63	108	188	238	275	357	359	315	195	92	19	5	-	-
	Nonwhite..Male....	152	-	-	-	-	-	-	-	-	-	1	2	2	9	9	17	20	34	26	14	10	5	2	1	-	-	-
	Female..	58	-	-	-	-	-	-	-	-	1	1	2	4	7	6	8	8	7	6	6	1	-	-	-	-	1	-
48,49	Cancer of female genital organs.....	1,425	-	-	-	-	-	1	1	2	5	18	25	84	95	159	165	188	182	170	143	107	47	24	5	3	1	-
	White.....Female..	1,354	-	-	-	-	-	1	-	2	5	15	24	74	88	151	156	177	177	167	137	102	46	24	5	3	-	-
	Nonwhite..Female..	71	-	-	-	-	-	-	1	-	-	3	1	10	7	8	9	11	5	3	6	5	1	-	-	-	1	-
50	Cancer of breast.....	1,400	-	-	-	-	-	-	-	-	1	8	23	50	82	132	155	188	192	203	148	105	61	41	6	5	-	-
	White.....Male....	20	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	2	4	4	2	-	-	-	-	-	-
	Female..	1,345	-	-	-	-	-	-	-	-	1	7	22	47	79	128	147	182	184	192	142	101	61	41	6	5	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	34	-	-	-	-	-	-	-	-	-	1	1	3	1	3	5	4	5	7	2	2	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	4,090	4	11	15	11	6	24	23	24	35	44	63	94	157	255	353	464	583	531	497	431	291	128	37	7	-	2
	White.....Male....	2,890	4	5	9	4	2	17	14	15	26	29	42	49	97	167	247	344	412	389	364	319	217	87	24	5	-	2
	Female..	1,059	-	6	6	6	3	6	9	7	9	14	20	39	45	74	86	102	154	124	121	105	70	38	13	2	-	-
	Nonwhite..Male....	105	-	-	-	1	-	-	-	1	-	1	-	4	10	14	13	12	12	15	10	6	4	2	-	-	-	-
	Female..	36	-	-	-	-	1	1	-	1	-	-	1	2	5	-	7	6	5	3	2	1	-	1	-	-	-	-
58	Acute rheumatic fever.....	45	2	-	1	1	-	6	6	7	6	1	4	3	3	1	1	1	1	1	-	-	-	-	-	-	-	-
	White.....Male....	16	1	-	1	-	-	2	1	3	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	25	1	-	-	-	-	4	4	4	2	-	2	1	2	1	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	1,931	-	-	-	1	-	2	7	17	16	14	25	32	46	64	114	224	258	338	317	251	148	45	10	2	-	-
	White.....Male....	784	-	-	-	-	-	1	-	7	5	5	9	11	20	29	51	84	105	125	127	111	72	18	3	1	-	-
	Female..	1,044	-	-	-	1	-	1	7	9	8	7	14	15	18	29	54	128	139	195	182	134	73	22	7	1	-	-
	Nonwhite..Male....	48	-	-	-	-	-	-	-	-	1	1	1	2	3	3	3	6	8	10	3	3	3	1	-	-	-	-
	Female..	55	-	-	-	-	-	-	-	1	2	1	1	4	5	3	6	6	6	8	5	3	-	4	-	-	-	-
63b	Exophthalmic goiter..	139	-	-	-	-	-	-	1	2	4	2	6	8	10	10	14	15	23	15	18	8	3	-	-	-	-	-
	White.....Male....	30	-	-	-	-	-	-	-	-	1	1	-	1	1	3	4	4	5	4	5	1	-	-	-	-	-	-
	Female..	97	-	-	-	-	-	-	-	2	1	1	4	6	8	6	9	11	17	9	13	7	3	-	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	7	-	-	-	-	-	-	1	-	1	-	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	16	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	1	1	-	3	4	-	-	1	-	-
	White.....Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	2	-	-	-	-	-
	Female..	11	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	3	2	-	-	1	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	207	-	-	-	-	-	-	1	1	1	4	18	28	34	26	26	20	22	11	7	5	2	1	-	-	-	-
	White.....Male....	153	-	-	-	-	-	-	1	1	-	1	14	14	22	20	21	18	19	10	6	4	1	1	-	-	-	-
	Female..	44	-	-	-	-	-	-	-	-	1	1	4	11	12	4	4	2	3	1	1	-	-	-	-	-	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	-	-	-	-	1	1	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	7,368	11	4	2	4	2	3	2	3	8	13	26	69	107	241	383	535	767	1,038	1,230	1,210	992	530	157	25	4	2
	White.....Male....	3,340	9	2	1	3	2	2	1	1	5	5	11	35	48	98	182	278	401	512	569	517	408	197	43	7	2	1
	Female..	3,808	1	2	1	1	-	1	1	2	3	7	13	22	52	130	175	225	345	487	637	678	572	322	112	16	2	1
	Nonwhite..Male....	121	1	-	-	-	-	-	-	-	-	-	1	5	1	8	14	18	9	27	11	11	8	7	-	-	-	-
	Female..	99	-	-	-	-	-	-	-	-	-	1	1	7	6	5	12	14	12	12	13	4	4	4	2	2	-	-
90-95	Diseases of the heart.....	29,679	6	3	2	2	7	12	29	52	68	94	207	371	701	1,331	1,922	2,806	3,440	4,070	4,346	4,218	3,263	1,917	614	165	25	8
	White.....Male....	17,544	3	2	1	1	2	5	14	27	38	43	126	244	504	955	1,395	2,045	2,374	2,528	2,431	2,101	1,594	788	242	66	8	7
	Female..	11,290	3	1	1	1	4	5	12	23	28	44	69	98	149	308	442	683	948	1,407	1,821	2,048	1,624	1,102	361	93	14	1
	Nonwhite..Male....	543	-	-	-	-	1	-	1	1	1	5	3	16	31	51	53	53	78	90	58	44	31	14	6	3	3	-
	Female..	302	-	-	-	-	-	2	2	1	1	2	9	13	17	17	32	25	40	45	36	25	14	13	5	3	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	1,501	-	-	-	1	2	8	17	21	31	42	73	84	94	146	144	138	134	141	116	133	98	55	21	2	-	-
	White.....Male....	747	-	-	-	-	-	3	10	10	18	16	40	43	47	69	87	73	86	73	60	48	39	17	7	1	-	-
	Female..	708	-	-	-	1	2	3	7	10	13	25	32	34	42	71	52	64	46	63	53	83	55	37	14	1	-	-
	Nonwhite..Male....	23	-	-	-	-	-	-	-	-	-	-	-	4	3	4	2	1	1	4	1	-	2	1	-	-	-	-
	Female..	23	-	-	-	-	-	2	-	1	-	1	1	3	2	2	3	-	1	1	2	2	2	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	9,850	1	-	-	1	-	-	2	5	6	16	54	137	333	621	903	1,274	1,452	1,509	1,400	1,063	649	295	98	26	3	2
	White.....Male....	6,842	1	-	-	1	-	-	1	3	3	10	43	115	277	520	732	1,027	1,083	1,027	872	579	343	146	43	14	1	1
	Female..	2,808	-	-	-	-	-	-	1	1	2	5	6	15	42	76	147	227	344	448	513	468	300	146	52	12	2	1
	Nonwhite..Male....	141	-	-	-	-	-	-	-	1	-	1	2	6	9	21	17	17	21	21	8	9	5	1	2	-	-	-
	Female..	59	-	-	-	-	-	-	-	-	1	-	3	1	5	4	7	3	4	13	7	7	1	2	1	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	18,328	5	3	2	-	5	4	10	26	31	36	80	150	274	564	875	1,394	1,854	2,420	2,830	3,022	2,516	1,567	495	137	22	6
	White.....Male....	9,955	2	2	1	-	2	2	3	14	17	17	43	86	180	366	576	945	1,205	1,428	1,499	1,474	1,212	625	192	51	7	6
	Female..	7,774	3	1	1	-	2	2	4	12	13	14	31	49	65	161	243	392	558	896	1,255	1,497	1,269	919	295	80	12	-
	Nonwhite..Male....	379	-	-	-	-	1	-	1	-	1	4	1	6	19	26	34	35	56	65	49	35	24	12	4	3	3	-
	Female..	220	-	-	-	-	-	-	2	-	-	1	5	9	10	11	22	22	35	31	27	16	11	11	4	3	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	3,997	748	102	48	26	19	30	16	31	58	73	87	112	179	205	224	241	229	268	314	314	332	203	93	30	14	1
	White.....Male	2,284	358	44	18	15	6	12	6	20	27	37	57	69	121	140	150	173	146	181	182	173	188	102	43	14	1	1
	Female	1,449	310	44	18	9	11	17	10	10	22	29	26	31	44	46	52	55	71	78	124	135	138	95	48	16	10	-
	Nonwhite..Male	167	36	4	6	-	1	1	-	-	7	5	2	8	11	15	20	10	11	6	7	5	5	4	1	-	2	-
	Female	97	44	10	6	2	1	-	-	1	2	2	2	4	3	4	2	3	1	3	1	1	1	2	1	-	1	-
107	Bronchopneumonia	2,335	541	64	27	15	14	15	7	15	35	31	33	53	68	75	87	103	97	144	210	205	237	151	73	23	12	-
	White.....Male	1,280	252	30	13	9	6	8	3	9	16	14	25	33	40	53	59	73	60	98	120	110	129	75	33	11	1	
	Female	927	232	24	10	5	7	7	4	5	13	14	5	18	27	16	19	29	34	44	86	91	104	74	39	12	8	-
	Nonwhite..Male	71	27	2	3	-	1	-	-	-	4	2	1	1	1	4	7	1	2	2	4	3	3	1	-	-	2	-
	Female	57	30	8	1	1	-	-	-	1	2	1	2	1	-	2	2	-	1	-	-	1	1	1	1	-	1	-
108	Lobar pneumonia	1,368	154	25	13	7	4	10	4	11	19	40	38	51	97	120	118	118	115	108	89	88	76	44	10	7	2	-
	White.....Male	856	79	10	3	3	-	2	1	9	7	23	25	30	72	83	81	88	77	73	53	57	49	24	4	3	-	-
	Female	395	56	12	5	3	3	7	3	2	9	13	12	11	13	25	25	21	32	28	32	30	25	16	6	4	2	-
	Nonwhite..Male	86	9	2	2	-	-	1	-	-	3	3	1	7	9	10	12	8	6	4	3	1	2	3	-	-	-	-
	Female	31	10	1	3	1	1	-	-	-	-	1	-	3	3	2	-	1	-	3	1	-	-	1	-	-	-	-
109	Pneumonia (unspecified)	97	23	2	4	3	-	-	-	2	4	-	9	3	7	3	7	7	4	7	-	7	2	2	-	-	-	1
	White.....Male	55	10	1	2	2	-	-	-	2	4	-	5	3	4	1	4	5	3	4	-	3	-	1	-	-	-	1
	Female	36	11	1	1	1	-	-	-	-	-	-	4	-	2	2	2	1	1	3	-	4	2	1	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
33	Influenza	197	30	11	4	1	1	5	5	3	-	2	7	5	7	7	12	13	13	9	15	14	17	6	10	-	-	-
	White.....Male	93	17	3	-	1	-	2	2	-	-	-	2	3	5	3	6	7	6	6	9	3	10	2	6	-	-	-
	Female	91	11	7	2	-	1	3	3	3	-	2	5	2	2	3	6	4	4	3	6	10	7	4	3	-	-	-
	Nonwhite..Male	8	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	-	1	-	-	1	-	-	-
	Female	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	756	2	-	-	-	-	-	1	2	2	7	23	24	55	58	86	105	119	98	78	52	27	15	2	-	-	-
	White.....Male	593	2	-	-	-	-	-	1	1	-	6	17	15	43	46	67	85	100	84	59	36	19	11	1	-	-	-
	Female	127	-	-	-	-	-	-	-	-	1	-	3	7	9	8	12	15	15	12	16	16	8	4	1	-	-	-
	Nonwhite..Male	28	-	-	-	-	-	-	-	1	-	-	3	1	3	1	5	5	4	2	3	-	-	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	1	1	-	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	574	420	30	10	2	-	3	2	3	6	6	10	7	4	8	3	12	6	7	9	9	8	6	1	-	1	1
	White.....Male	289	215	12	3	2	-	3	-	2	2	3	7	3	3	2	3	4	5	3	4	7	4	1	-	-	1	-
	Female	236	164	15	7	-	-	-	2	1	4	2	1	4	1	5	-	8	1	4	5	2	4	5	-	-	-	1
	Nonwhite..Male	26	23	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	23	18	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
121	Appendicitis	389	2	1	5	3	7	19	32	18	17	22	19	28	18	34	23	39	25	36	21	10	6	4	-	-	-	-
	White.....Male	224	1	1	4	2	3	6	17	9	7	10	10	14	13	21	19	26	14	22	11	7	4	3	-	-	-	-
	Female	140	1	-	-	-	3	13	12	8	10	11	8	9	3	10	4	9	11	12	10	3	2	1	-	-	-	-
	Nonwhite..Male	15	-	-	-	1	1	-	-	1	-	-	-	5	1	2	-	3	-	1	-	-	-	-	-	-	-	-
	Female	10	-	-	1	-	-	-	3	-	-	1	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	722	27	4	5	1	2	4	4	5	7	13	11	39	35	36	45	61	69	86	87	65	60	42	10	4	-	-
	White.....Male	312	12	2	3	1	-	3	1	1	-	4	2	10	11	17	22	27	31	45	40	29	26	20	3	2	-	-
	Female	362	13	2	2	-	2	1	3	2	7	8	8	25	22	17	21	32	37	37	46	35	31	22	7	2	-	-
	Nonwhite..Male	15	1	-	-	-	-	-	-	-	-	1	1	2	2	1	1	-	-	1	1	1	3	-	-	-	-	-
	Female	13	1	-	-	-	-	-	-	2	-	-	-	2	-	1	1	2	1	3	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	1,489	1	2	-	1	-	1	-	1	3	16	65	114	166	211	206	185	154	128	107	76	36	12	2	2	-	-
	White.....Male	910	-	-	-	-	-	-	-	1	2	8	28	60	98	130	131	128	110	81	62	42	24	4	1	-	-	-
	Female	519	1	2	-	1	-	1	-	-	1	5	36	50	55	75	66	50	38	42	42	31	12	8	1	2	-	-
	Nonwhite..Male	42	-	-	-	-	-	-	-	-	-	1	-	2	9	4	8	7	5	4	-	2	-	-	-	-	-	-
	Female	18	-	-	-	-	-	-	-	-	-	2	1	2	4	2	1	-	1	1	3	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	397	-	-	-	-	-	-	1	1	3	1	5	16	17	29	36	46	46	53	52	47	29	11	3	1	-	-
	White.....Male	121	-	-	-	-	-	-	-	1	1	-	1	4	5	13	6	14	18	10	23	12	10	3	-	-	-	-
	Female	263	-	-	-	-	-	-	1	-	2	-	3	10	12	12	30	30	28	42	29	34	18	8	3	1	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	1	1	1	-	4	-	1	-	1	-	1	1	-	-	-	-	-
130-132	Nephritis	4,180	12	1	5	3	3	8	10	19	37	35	70	108	130	192	256	361	452	465	550	570	478	292	94	21	5	3
	White.....Male	2,179	9	1	2	2	2	2	1	8	27	24	35	49	69	106	148	207	281	233	284	269	227	141	38	10	1	3
	Female	1,789	2	-	2	-	1	5	7	6	8	11	29	46	44	63	88	129	149	210	249	288	242	144	55	10	1	-
	Nonwhite..Male	116	1	-	1	1	-	1	1	3	1	-	4	6	8	14	13	16	11	12	10	6	3	3	1	-	-	-
	Female	96	-	-	-	-	-	-	1	2	1	-	2	7	9	9	7	9	11	10	7	7	6	4	-	1	3	-
137	Diseases of the prostate	450	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	20	41	67	79	91	79	47	20	-	1	-
	White.....Male	437	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	19	39	65	77	88	79	46	20	-	1	-
	Nonwhite..Male	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	3	-	1	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Continued																											
140-150	Diseases of pregnancy, etc.*....	298	-	-	-	-	-	-	1	22	49	69	80	53	19	3	2	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	274	-	-	-	-	-	-	1	19	44	65	72	50	18	3	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	24	-	-	-	-	-	-	-	3	5	4	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	102	-	-	-	-	-	-	-	8	18	20	27	17	8	2	2	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	93	-	-	-	-	-	-	-	6	15	18	26	17	7	2	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	9	-	-	-	-	-	-	-	2	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	69	-	-	-	-	-	-	-	8	12	16	16	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	62	-	-	-	-	-	-	-	8	11	16	12	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	7	-	-	-	-	-	-	-	-	1	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma and shock*.....	103	-	-	-	-	-	-	-	5	10	29	30	23	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	95	-	-	-	-	-	-	-	4	9	27	27	22	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	8	-	-	-	-	-	-	-	1	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	24	-	-	-	-	-	-	1	1	9	4	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	24	-	-	-	-	-	-	1	1	9	4	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	1,005	794	51	22	7	7	25	12	10	8	10	6	8	10	5	14	-	8	5	2	-	1	-	-	-	-	-
	White.....Male....	532	424	24	10	3	5	18	8	4	4	6	3	5	6	2	6	-	2	1	1	-	-	-	-	-	-	-
	Female..	418	330	23	10	2	2	5	4	6	4	3	3	1	4	3	8	-	5	3	1	-	1	-	-	-	-	-
	Nonwhite..Male....	34	22	3	1	2	-	1	-	-	-	1	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Female..	21	18	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	3,252	3,252	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	1,751	1,751	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	1,258	1,258	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	138	138	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	105	105	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	1,998	1,998	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	1,050	1,050	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	787	787	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	70	70	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	1,254	1,254	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	701	701	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	471	471	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	35	35	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	1,410	-	-	-	-	-	1	3	26	53	79	133	133	144	168	160	118	111	97	80	58	29	11	4	1	-	1
	White.....Male....	963	-	-	-	-	-	1	1	17	34	46	79	86	84	116	121	80	87	72	61	40	24	11	3	-	-	-
	Female..	393	-	-	-	-	-	-	2	7	13	30	47	43	57	48	36	33	18	23	16	15	4	-	-	1	-	-
	Nonwhite..Male....	46	-	-	-	-	-	-	-	2	1	3	6	4	2	4	3	5	6	2	3	3	-	-	1	-	-	1
	Female..	8	-	-	-	-	-	-	-	-	5	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
165-168	Homicide.....	498	10	3	-	1	-	7	7	24	55	74	62	52	52	42	34	24	14	16	10	5	2	1	2	-	-	1
	White.....Male....	276	5	2	-	-	-	3	4	15	31	32	27	15	31	28	23	20	11	12	9	4	1	1	1	-	-	1
	Female..	76	3	1	-	-	-	2	-	3	8	12	9	13	3	8	8	1	-	1	1	1	1	-	1	-	-	-
	Nonwhite..Male....	122	1	-	-	-	-	2	2	3	12	26	20	22	16	6	3	3	3	3	-	-	-	-	-	-	-	-
	Female..	24	1	-	-	1	-	-	1	3	4	4	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	8,004	189	117	85	85	48	218	188	481	802	568	453	481	492	482	402	483	452	389	406	384	381	236	112	17	4	40
	White.....Male....	5,480	95	71	50	52	28	140	125	351	648	445	342	349	362	378	307	379	340	268	249	179	153	86	30	9	1	43
	Female..	2,120	80	41	30	30	19	64	50	106	110	91	75	101	94	81	68	84	90	100	150	197	225	147	77	7	2	1
	Nonwhite..Male....	324	5	4	4	3	1	10	9	19	36	27	28	27	30	21	22	17	20	18	5	7	1	1	4	-	-	5
	Female..	80	9	1	1	-	-	4	4	5	8	5	8	4	6	2	5	3	2	3	2	1	2	2	1	1	1	-
170	Motor-vehicle accidents.....	3,548	15	29	41	41	20	92	90	280	422	294	242	244	257	245	210	262	213	204	152	106	53	29	4	1	-	2
	White.....Male....	2,588	7	18	26	28	13	60	58	196	317	220	178	165	174	189	162	203	167	159	117	67	36	22	4	1	-	1
	Female..	785	7	10	12	11	7	27	27	73	80	55	48	62	64	44	38	49	40	37	34	36	17	7	-	-	-	-
	Nonwhite..Male....	143	1	1	2	2	-	4	4	8	18	16	13	15	15	11	7	9	6	6	1	3	-	-	-	-	-	1
	Female..	32	-	-	1	-	-	1	1	3	7	3	3	2	4	1	3	1	-	2	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	4,456	174	88	44	44	28	126	98	201	380	274	211	237	235	237	192	221	239	185	254	278	328	207	108	16	4	47
	White.....Male....	2,892	88	53	24	24	15	80	67	155	331	225	154	154	188	189	145	176	173	109	132	112	117	64	26	8	1	43
	Female..	1,335	73	31	18	19	12	37	23	33	30	36	27	39	30	37	30	35	50	63	116	161	208	140	77	7	2	1
	Nonwhite..Male....	181	4	3	2	1	1	6	5	11	18	11	15	12	15	10	15	8	14	12	4	4	1	1	4	-	-	4
	Female..	48	9	1	-	-	-	3	3	2	1	2	5	2	2	1	2	2	2	1	2	1	2	2	1	1	1	-
162,199, 200	Senility, ill-defined and unknown causes..	540	13	3	3	1	-	5	2	6	8	10	8	15	19	12	19	25	15	20	46	54	101	67	58	20	4	6
	White.....Male....	276	6	2	-	1	-	4	1	4	4	6	5	8	15	8	15	21	9	14	18	27	46	28	23	4	1	6
	Female..	232	4	-	2	-	-	1	1	2	2	3	2	4	4	3	3	3	4	5	24	24	52	39	34	15	1	-
	Nonwhite..Male....	17	1	-	-	-	-	-	-	-	1	-	1	2	-	1	1	-	2	-	3	2	2	-	-	-	1	-
	Female..	15	2	1	1	-	-	-	-	-	1	1	-	1	-	-	-	1	-	1	1	1	1	-	1	1	1	-
	All other causes.....	7,572	331	76	50	37	32	101	65	106	147	191	227	264	315	358	385	471	556	696	831	862	719	489	193	57	12	1
	White.....Male....	3,963	178	32	27	20	17	48	38	51	76	95	91	102	141	194	211	284	337	408	493	438	374	213	70	21	4	-
	Female..	3,233	131	38	20	14	14	43	24	40	59	81	107	124	145	133	152	157	198	259	315	412	337	272	114	35	8	1
	Nonwhite..Male....	229	17	4	1	3	-	7	-	10	3	8	19	22	19	20	16	17	11	18	15	5	5	3	5	1	-	-
	Female..	147	5	2	2	-	1	3	3	5	9	7	10	16	10	11	6	13	10	11	8	7	3	1	4	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO																											
	ALL CAUSES	12,389	1,188	120	64	36	29	124	110	158	201	193	213	300	366	472	648	878	1,019	1,208	1,394	1,549	1,111	703	238	57	7	3
	White.....Male	7,040	692	71	33	24	14	68	65	99	96	111	111	159	219	265	396	546	613	720	821	827	592	352	114	27	4	1
	Female	5,008	469	45	29	11	13	54	38	56	88	70	96	124	133	187	229	302	372	441	547	699	508	343	121	28	3	2
	Nonwhite..Male	184	15	2	2	-	1	2	3	1	12	6	4	8	9	5	10	16	21	31	13	11	7	3	2	-	-	-
	Female	157	12	2	-	1	1	-	4	2	5	6	2	9	5	15	13	14	13	16	13	12	4	5	1	2	-	-
1,2	Typhoid and paratyphoid fever	8	-	-	-	1	-	1	1	1	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	White.....Male	4	-	-	-	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	12	3	1	-	-	-	1	-	1	1	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-
	White.....Male	6	-	1	-	-	-	1	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	-	1	-	-	3	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	-	-	1	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	24	15	5	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	10	6	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	13	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	24	1	3	2	4	1	4	4	-	1	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	12	1	1	1	2	-	3	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	11	-	2	1	2	1	-	2	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	426	2	3	2	1	1	7	3	14	25	37	38	43	39	35	40	50	23	24	18	12	6	3	-	-	-	-
	White.....Male	259	2	1	-	-	-	5	1	4	9	20	17	22	27	21	31	39	17	19	16	6	1	1	-	-	-	-
	Female	134	-	2	1	1	1	2	-	7	11	10	20	16	9	14	8	8	5	5	2	6	4	2	-	-	-	-
	Nonwhite..Male	20	-	-	1	-	-	-	2	1	4	3	1	2	2	-	1	1	1	-	-	-	1	-	-	-	-	-
	Female	13	-	-	-	-	-	-	-	2	1	4	-	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	386	1	1	1	-	-	1	2	11	23	32	37	41	37	34	39	47	21	22	18	10	6	2	-	-	-	-
	White.....Male	243	1	-	-	-	-	1	1	3	8	18	17	20	25	21	31	37	17	19	16	6	1	1	-	-	-	-
	Female	116	-	1	-	-	-	-	-	7	10	10	19	16	9	13	7	7	3	3	2	4	4	1	-	-	-	-
	Nonwhite..Male	17	-	-	1	-	-	-	1	-	4	2	1	2	2	-	1	1	1	-	-	-	1	-	-	-	-	-
	Female	10	-	-	-	-	-	-	-	1	1	2	-	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	40	1	2	1	1	1	6	1	3	2	5	1	2	2	1	1	3	2	2	-	2	-	1	-	-	-	-
	White.....Male	16	1	1	-	-	-	4	-	1	1	2	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	Female	18	-	1	1	1	1	2	-	-	1	-	1	-	-	1	1	1	2	2	-	2	-	1	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	18	11	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-
	White.....Male	11	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Female	7	4	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	99	4	-	-	-	-	-	-	-	-	-	3	1	10	10	13	11	13	15	8	5	3	2	1	-	-	-
	White.....Male	68	1	-	-	-	-	-	-	-	-	-	2	-	4	8	9	8	10	13	6	2	3	2	-	-	-	-
	Female	23	2	-	-	-	-	-	-	-	-	-	1	1	5	1	3	2	1	2	1	3	-	-	1	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-
	Female	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
35	Measles	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	14	-	2	1	2	1	3	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	7	-	2	-	2	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	-	-	1	-	-	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Continued																											
45-55	Cancer and other malignant tumors	1,485	-	-	-	1	-	4	4	4	5	8	14	28	42	70	115	161	187	223	212	205	126	60	11	3	1	1
	White.....Male	714	-	-	-	1	-	2	-	3	4	5	3	7	14	22	52	75	92	110	115	113	58	34	2	1	1	-
	Female	737	-	-	-	-	-	2	4	1	1	3	10	19	28	45	62	83	90	103	91	90	68	26	8	2	-	1
	Nonwhite..Male	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	4	1	-	-	1	-	-	-
	Female	16	-	-	-	-	-	-	-	-	-	-	1	2	-	3	1	2	2	2	2	1	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	716	-	-	-	-	-	1	-	1	-	2	3	10	16	30	45	67	84	122	122	119	57	30	5	1	-	1
	White.....Male	377	-	-	-	-	-	1	-	1	-	1	-	3	7	13	22	40	50	70	66	64	24	14	-	1	-	-
	Female	316	-	-	-	-	-	-	-	-	-	1	2	7	9	16	22	25	31	45	50	54	33	16	4	-	-	1
	Nonwhite..Male	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	4	1	-	-	1	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	2	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	144	-	-	-	-	-	-	-	1	-	2	2	8	8	11	18	25	17	15	15	8	10	2	2	-	-	-
	White.....Female	140	-	-	-	-	-	-	-	1	-	2	2	7	8	10	18	24	17	14	15	8	10	2	2	-	-	-
	Nonwhite..Female	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
50	Cancer of breast	140	-	-	-	-	-	-	-	-	-	-	6	3	6	13	10	16	20	20	10	16	16	2	1	1	-	-
	White.....Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	Female	135	-	-	-	-	-	-	-	-	-	-	6	3	6	13	9	16	18	20	9	15	16	2	1	1	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	485	-	-	-	1	-	3	4	2	5	4	3	7	12	16	42	53	66	66	65	62	43	26	3	1	1	-
	White.....Male	334	-	-	-	1	-	1	-	2	4	4	3	4	7	9	29	35	41	40	48	49	34	20	2	-	1	-
	Female	146	-	-	-	-	-	2	4	-	1	-	-	2	5	6	13	18	24	24	17	13	9	6	1	1	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	12	-	-	-	-	-	3	3	1	-	-	1	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White.....Male	8	-	-	-	-	-	1	2	1	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	200	-	-	-	-	1	2	-	1	4	-	2	5	7	7	14	16	26	30	28	32	22	1	2	-	-	-
	White.....Male	93	-	-	-	-	-	-	-	1	1	-	2	5	3	1	7	6	11	10	13	18	15	-	-	-	-	-
	Female	101	-	-	-	-	1	2	-	-	3	-	-	-	4	6	7	9	13	18	15	13	7	1	2	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	23	-	-	-	-	-	-	-	-	-	1	1	-	1	2	4	5	2	5	1	-	1	-	-	-	-	-
	White.....Male	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	Female	19	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	4	2	4	1	-	1	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	27	-	-	-	-	-	-	-	-	-	-	3	4	1	5	3	3	2	5	1	-	-	-	-	-	-	-
	White.....Male	22	-	-	-	-	-	-	-	-	-	-	2	2	1	5	3	3	1	4	1	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,001	4	-	-	-	1	-	1	1	1	3	2	7	11	26	45	57	107	129	169	198	123	79	26	8	2	1
	White.....Male	517	4	-	-	-	1	-	1	-	-	2	2	2	8	10	26	27	56	75	91	100	58	40	8	5	1	-
	Female	447	-	-	-	-	-	-	-	1	1	1	-	5	3	13	16	27	45	43	74	95	61	39	18	3	1	1
	Nonwhite..Male	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	3	-	2	-	-	-	-	-
	Female	22	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	3	6	1	3	2	-	-	-	-	-
90-95	Diseases of the heart	3,268	3	1	2	-	-	9	18	12	15	20	26	42	62	123	172	266	336	413	507	561	361	238	62	18	1	-
	White.....Male	2,002	1	-	1	-	-	5	10	6	10	9	10	27	42	82	127	186	223	266	315	310	197	130	34	11	-	-
	Female	1,199	2	1	1	-	-	4	7	6	4	11	15	14	18	36	39	70	104	135	186	242	163	105	28	7	1	-
	Nonwhite..Male	42	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	7	5	11	2	6	1	2	-	-	-	-
	Female	25	-	-	-	-	-	-	1	-	-	-	1	-	1	3	3	3	4	1	4	3	-	1	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart	285	-	-	-	-	-	5	14	7	10	9	8	19	14	16	25	27	26	24	22	22	22	11	3	1	-	-
	White.....Male	147	-	-	-	-	-	4	8	4	6	4	3	8	6	10	14	15	12	12	9	9	14	8	1	-	-	-
	Female	129	-	-	-	-	-	1	6	3	3	5	5	11	8	5	9	10	14	11	12	13	8	2	2	1	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,141	2	-	-	-	-	-	-	1	1	3	5	14	30	58	88	107	151	185	206	152	83	41	9	5	-	-
	White.....Male	802	1	-	-	-	-	-	-	-	-	-	2	13	22	44	77	87	113	123	145	92	52	21	6	4	-	-
	Female	318	1	-	-	-	-	-	-	1	1	3	3	1	6	12	11	18	36	56	59	57	30	19	3	1	-	-
	Nonwhite..Male	17	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	6	-	2	1	1	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	1,842	1	1	2	-	-	4	4	4	4	8	13	9	18	49	59	132	159	204	279	387	256	186	50	12	1	-
	White.....Male	1,053	-	-	1	-	-	1	2	2	4	5	5	6	14	28	36	84	98	131	161	209	131	101	27	7	-	-
	Female	752	1	1	1	-	-	3	1	2	-	3	7	2	4	19	19	42	54	68	115	172	125	84	23	5	1	-
	Nonwhite..Male	21	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	3	5	1	4	-	1	-	-	-	-
	Female	16	-	-	-	-	-	-	1	-	-	-	1	-	-	2	3	1	4	-	2	2	-	-	-	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	890	218	31	11	2	3	19	9	4	14	5	9	12	25	18	27	37	42	57	82	95	75	59	30	4	2	-
	White.....Male	502	113	18	4	1	1	9	5	2	9	-	4	6	16	14	15	24	28	34	53	56	41	28	17	3	1	-
	Female	371	102	12	6	1	2	10	2	2	5	5	5	6	8	4	11	12	14	22	29	37	31	31	12	1	1	-
	Nonwhite..Male	9	3	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	1	-	-	-	-	-
	Female	8	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-
107	Bronchopneumonia	433	140	18	5	1	1	9	6	3	5	3	1	3	6	2	10	14	16	26	37	47	34	29	15	1	1	-
	White.....Male	252	77	9	3	1	-	4	4	2	5	-	1	1	5	2	7	11	9	16	23	28	17	14	11	1	1	-
	Female	174	62	8	1	-	1	5	2	1	-	3	-	2	1	-	3	3	7	9	14	18	15	15	4	-	-	-
	Nonwhite..Male	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-
108	Lobar pneumonia	259	37	4	2	-	1	5	1	1	6	2	1	6	15	11	12	18	18	21	31	25	19	16	4	2	1	-
	White.....Male	150	17	2	-	-	-	3	-	-	2	-	1	4	9	9	5	12	13	12	21	16	14	7	2	1	-	-
	Female	104	20	2	2	-	1	2	-	1	4	2	-	2	5	2	6	5	5	9	10	9	5	9	1	1	1	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
109	Pneumonia (unspecified)	72	24	4	1	-	-	1	-	-	1	-	2	3	2	4	1	2	1	4	4	10	3	3	2	-	-	-
	White.....Male	36	13	3	-	-	-	1	-	-	-	-	-	1	1	2	-	1	1	1	2	4	2	3	1	-	-	-
	Female	34	10	1	1	-	-	-	-	-	1	-	2	2	1	2	1	1	-	3	2	5	1	-	1	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
33	Influenza	126	17	5	3	1	1	4	2	-	2	-	5	-	2	1	4	3	7	6	10	13	19	11	9	1	-	-
	White.....Male	64	6	4	1	-	1	1	1	-	2	-	2	-	1	1	3	-	5	5	7	8	8	4	3	1	-	-
	Female	59	10	1	2	1	-	3	-	-	-	-	3	-	1	-	1	3	2	1	3	5	10	7	6	-	-	-
	Nonwhite..Male	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	121	-	-	-	-	-	-	-	1	1	2	2	5	10	8	7	19	16	16	9	15	6	4	-	-	-	-
	White.....Male	96	-	-	-	-	-	-	-	-	-	2	2	4	8	7	7	16	11	14	7	12	5	1	-	-	-	-
	Female	20	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	3	3	1	2	3	1	3	-	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	211	167	14	4	1	2	2	-	1	-	-	1	1	1	1	3	1	1	3	3	2	1	2	-	-	-	-
	White.....Male	126	104	9	1	1	1	2	-	-	-	-	-	1	1	1	1	1	-	1	2	-	-	-	-	-	-	-
	Female	83	62	5	3	-	-	-	-	1	-	-	1	-	-	-	2	-	1	2	1	2	1	2	-	-	-	-
	Nonwhite..Male	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	80	-	2	1	3	-	6	8	5	2	3	6	5	4	8	5	5	4	2	8	2	1	-	-	-	-	-
	White.....Male	52	-	1	1	2	-	4	3	4	-	3	5	1	3	5	4	2	3	1	8	1	1	-	-	-	-	-
	Female	26	-	1	-	1	-	2	5	1	2	-	1	2	1	3	1	3	1	1	-	1	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	132	2	1	2	2	1	2	-	1	2	4	2	5	1	9	12	16	15	8	13	19	8	4	3	-	-	-
	White.....Male	65	1	1	2	2	1	2	-	1	-	-	2	2	-	4	3	11	7	1	6	12	4	3	-	-	-	-
	Female	64	1	-	-	-	-	-	-	-	1	3	-	3	1	5	8	5	8	7	7	7	4	1	3	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	108	-	-	-	-	-	-	-	2	1	1	3	7	11	9	15	13	15	13	8	5	3	2	-	-	-	-
	White.....Male	66	-	-	-	-	-	-	-	-	-	1	1	4	7	4	8	12	8	9	7	2	2	1	-	-	-	-
	Female	42	-	-	-	-	-	-	-	2	1	-	2	3	4	5	7	1	7	4	1	3	1	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	90	-	-	-	-	-	-	-	1	1	-	-	4	3	8	10	11	9	13	10	9	6	4	1	-	-	-
	White.....Male	37	-	-	-	-	-	-	-	1	-	-	-	1	2	2	3	8	2	7	3	4	3	-	1	-	-	-
	Female	52	-	-	-	-	-	-	-	-	1	-	-	3	1	6	7	2	7	6	7	5	3	4	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	811	1	-	-	-	-	-	4	4	8	11	6	19	19	22	31	50	74	102	109	131	115	78	22	5	-	-
	White.....Male	425	-	-	-	-	-	-	1	2	5	6	3	9	7	8	15	26	41	60	51	62	71	40	17	1	-	-
	Female	358	1	-	-	-	-	-	2	2	3	5	3	9	10	11	14	21	28	39	56	66	44	35	5	4	-	-
	Nonwhite..Male	15	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	2	3	2	1	1	-	1	-	-	-	-
	Female	13	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	1	1	2	-	2	-	-	-	-
137	Diseases of the prostate	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	10	19	12	15	5	2	1	-	-
	White.....Male	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	8	10	19	12	15	5	2	1	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

747801 O - 47 - 14

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Continued																											
140-150	Diseases of pregnancy, etc.*....	56	-	-	-	-	-	-	-	2	14	10	8	18	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	54	-	-	-	-	-	-	-	2	14	10	8	16	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	21	-	-	-	-	-	-	-	-	8	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	21	-	-	-	-	-	-	-	-	8	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	9	-	-	-	-	-	-	-	2	-	1	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	8	-	-	-	-	-	-	-	2	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	20	-	-	-	-	-	-	-	-	5	1	5	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	20	-	-	-	-	-	-	-	-	5	1	5	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	6	-	-	-	-	-	-	-	-	1	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	141	124	5	1	2	1	-	-	4	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male....	80	72	2	-	2	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	59	50	3	1	-	1	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	518	518	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	306	306	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	198	198	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	317	317	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	187	187	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	122	122	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	201	201	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	119	119	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	76	76	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	128	-	-	-	-	-	-	-	3	6	7	5	12	16	9	17	18	14	4	6	7	3	-	1	-	-	-
	White.....Male....	85	-	-	-	-	-	-	-	2	3	4	4	9	12	6	10	10	10	1	4	6	3	-	1	-	-	-
	Female..	41	-	-	-	-	-	-	-	1	2	3	1	3	3	3	7	8	4	3	2	1	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	52	1	-	1	-	-	-	-	5	7	5	3	5	9	5	5	-	2	2	1	1	-	-	-	-	-	-
	White.....Male....	37	1	-	1	-	-	-	-	3	5	2	2	3	6	5	3	-	2	2	1	1	-	-	-	-	-	-
	Female..	8	-	-	-	-	-	-	-	2	1	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,032	29	33	21	5	13	37	38	59	59	52	43	45	48	50	48	57	54	43	61	84	80	49	16	6	1	1
	White.....Male....	662	14	20	14	3	8	27	32	49	36	44	34	36	38	39	34	41	40	29	36	31	31	20	3	1	1	1
	Female..	348	15	12	7	1	4	9	5	10	18	7	9	8	9	10	12	16	14	10	25	52	49	29	13	4	-	-
	Nonwhite..Male....	13	-	1	-	-	-	1	-	-	4	1	-	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-
	Female..	9	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	3	-	1	-	-	-	1	-	-
170	Motor-vehicle accidents.....	310	3	6	5	2	5	18	16	26	25	19	17	17	19	21	16	22	20	15	20	9	3	5	-	-	-	1
	White.....Male....	236	2	3	4	1	4	13	14	18	19	17	15	14	13	15	11	15	15	11	17	8	3	3	-	-	-	1
	Female..	69	1	3	1	-	1	4	2	8	6	2	2	3	6	5	4	7	5	3	3	1	-	2	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	722	26	27	16	3	8	19	22	33	34	33	26	28	29	29	32	35	34	28	41	75	77	44	16	6	1	-
	White.....Male....	426	12	17	10	2	4	14	18	31	17	27	19	22	25	24	23	26	25	18	19	23	28	17	3	1	1	-
	Female..	279	14	9	6	1	3	5	3	2	12	5	7	5	3	5	8	9	9	7	22	51	49	27	13	4	-	-
	Nonwhite..Male....	10	-	1	-	-	-	-	-	-	4	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	Female..	7	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-
162,199, 200	Senility, ill-defined and unknown causes..	236	14	1	-	-	-	1	-	-	1	2	3	1	-	3	1	4	3	11	25	28	61	40	31	6	-	-
	White.....Male....	110	7	1	-	-	-	1	-	-	-	-	2	1	-	1	1	3	3	6	12	13	24	15	17	3	-	-
	Female..	114	4	-	-	-	-	-	-	-	1	1	1	-	-	2	-	1	-	4	11	13	35	25	14	2	-	-
	Nonwhite..Male....	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
	Female..	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-
	All other causes.....	1,055	70	16	13	11	4	19	13	29	32	17	29	28	39	38	61	73	63	79	94	124	95	72	30	6	-	-
	White.....Male....	576	51	10	8	6	1	6	8	14	13	8	12	14	18	19	36	42	39	46	55	66	60	31	12	1	-	-
	Female..	448	16	5	5	5	3	13	5	15	18	9	16	14	18	16	21	27	22	31	35	58	35	39	17	5	-	-
	Nonwhite..Male....	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	1	2	-	-	-	1	-	-	-
	Female..	21	3	1	-	-	-	-	-	-	1	-	-	-	2	3	4	1	1	1	2	-	-	2	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT																											
	ALL CAUSES	18,833	1,011	69	43	42	19	93	65	120	159	233	299	396	565	885	1,349	1,692	1,994	2,249	2,440	2,232	1,601	866	317	66	12	15
	White.....Male	10,102	578	33	17	22	12	63	33	69	78	117	155	211	329	500	819	1,016	1,168	1,284	1,281	1,042	755	358	131	14	4	13
	Female	8,232	396	31	22	16	6	26	27	48	56	93	123	161	206	341	491	630	780	917	1,132	1,165	831	495	180	50	7	2
	Nonwhite..Male	281	23	4	1	2	-	2	2	-	13	13	15	16	16	27	17	28	24	23	20	17	7	5	4	2	-	-
	Female	218	14	1	3	2	1	2	3	3	12	10	6	8	14	18	22	18	22	25	7	8	8	8	2	-	1	-
1,2	Typhoid and paratyphoid fever	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	11	2	-	1	1	-	1	-	-	1	-	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	9	2	-	1	1	-	1	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	9	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	664	4	5	5	1	1	2	2	18	44	59	58	51	60	64	68	57	55	39	27	20	14	5	1	-	-	1
	White.....Male	410	1	2	2	1	1	1	-	9	14	22	26	26	44	44	57	44	44	27	19	14	7	4	-	-	-	1
	Female	174	1	1	1	-	-	1	1	6	17	28	23	19	10	9	10	9	8	9	8	5	6	1	1	-	-	-
	Nonwhite..Male	54	1	2	-	-	-	-	-	-	6	7	7	8	3	8	1	4	3	3	-	1	-	-	-	-	-	-
	Female	26	1	-	2	-	-	-	1	3	7	2	2	1	3	3	-	-	-	-	-	-	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	612	3	1	3	-	-	1	1	16	40	54	54	50	57	60	66	53	52	37	26	20	13	3	1	-	-	1
	White.....Male	389	1	1	1	-	-	-	-	9	12	21	25	24	43	42	56	42	43	26	19	14	6	3	-	-	-	1
	Female	156	1	-	-	-	-	1	-	5	15	26	22	19	9	8	9	7	7	8	7	5	6	-	1	-	-	-
	Nonwhite..Male	46	1	-	-	-	-	-	-	-	6	5	6	6	3	8	1	4	2	3	-	1	-	-	-	-	-	-
	Female	21	-	-	2	-	-	-	1	2	7	2	1	1	2	2	-	-	-	-	-	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	52	1	4	2	1	1	1	1	2	4	5	4	4	3	4	2	4	3	2	1	-	1	2	-	-	-	-
	White.....Male	21	-	1	1	1	1	1	-	-	2	1	1	2	1	2	1	2	1	1	-	-	1	1	-	-	-	-
	Female	18	-	1	1	-	-	-	1	1	2	2	1	-	1	1	1	2	1	1	1	-	-	1	-	-	-	-
	Nonwhite..Male	8	-	2	-	-	-	-	-	-	-	2	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	5	1	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	133	-	-	-	-	-	-	1	1	2	1	5	4	6	14	18	19	19	17	15	7	2	2	-	-	-	-
	White.....Male	90	-	-	-	-	-	-	-	1	1	1	3	3	3	10	11	13	14	11	12	4	2	1	-	-	-	-
	Female	19	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	2	3	2	3	-	1	-	-	-	-
	Nonwhite..Male	14	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	2	3	2	1	-	-	-	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	2	-	1	-	-	-	-	-	-	-	-
35	Measles	4	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	10	-	-	-	-	-	1	3	2	-	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	7	-	-	-	-	-	1	2	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Continued																											
45-55	Cancer and other malignant tumors....	2,966	1	-	1	5	1	3	1	1	7	14	27	52	97	176	276	392	418	431	424	337	190	89	18	4	-	1
	White.....Male....	1,503	-	-	-	3	1	1	-	1	4	7	10	11	34	66	125	221	226	241	231	176	93	40	10	1	-	1
	Female..	1,420	1	-	1	2	-	1	1	-	3	7	16	39	59	105	144	168	184	188	189	158	95	49	7	3	-	-
	Nonwhite..Male....	22	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	2	5	1	4	1	1	-	1	-	-	-
	Female..	21	-	-	-	-	-	1	-	-	-	-	-	2	3	2	5	1	3	1	-	2	1	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	1,425	-	-	-	1	-	-	1	-	-	5	12	11	29	60	120	187	219	235	221	189	83	45	7	-	-	-
	White.....Male....	812	-	-	-	-	-	-	-	-	-	4	4	4	12	29	72	112	135	146	132	107	35	16	4	-	-	-
	Female..	595	-	-	-	1	-	-	1	-	-	1	7	6	16	28	47	74	80	89	86	80	47	29	3	-	-	-
	Nonwhite..Male....	12	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	1	3	-	3	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	2	1	-	-	-	-	-
48,49	Cancer of female genital organs.....	303	-	-	-	-	-	-	-	-	-	4	3	11	22	28	45	43	39	33	33	24	11	6	-	1	-	-
	White.....Female..	295	-	-	-	-	-	-	-	-	-	4	3	10	20	28	41	43	39	32	33	24	11	6	-	1	-	-
	Nonwhite..Female..	8	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	-	-	1	-	-	-	-	-	-	-	-
50	Cancer of breast.....	291	-	-	-	-	-	-	-	-	-	1	4	14	17	36	34	28	37	37	33	27	16	6	1	-	-	-
	White.....Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
	Female..	285	-	-	-	-	-	-	-	-	-	1	4	14	17	34	33	27	35	37	33	27	16	6	1	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	947	1	-	1	4	1	3	-	1	7	4	8	16	29	52	77	134	123	126	137	97	80	32	10	3	-	1
	White.....Male....	687	-	-	-	3	1	1	-	1	4	3	6	7	22	37	52	108	89	95	99	69	58	24	6	1	-	1
	Female..	245	1	-	1	1	-	1	-	-	3	1	2	9	6	15	23	24	30	30	37	27	21	8	3	2	-	-
	Nonwhite..Male....	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	1	-	1	-	-	-
	Female..	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	9	-	-	-	-	-	1	2	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male....	4	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	607	-	-	-	-	-	-	-	1	1	3	2	5	10	18	41	79	104	106	111	81	28	14	2	-	1	-
	White.....Male....	216	-	-	-	-	-	-	-	-	-	2	1	2	6	9	12	26	39	32	41	30	12	3	-	-	1	-
	Female..	374	-	-	-	-	-	-	-	1	-	-	1	3	4	6	26	47	65	72	69	51	16	11	2	-	-	-
	Nonwhite..Male....	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-
	Female..	11	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	4	-	1	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	23	-	-	-	-	-	-	-	-	-	-	-	1	4	2	2	4	4	2	2	-	2	-	-	-	-	-
	White.....Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-
	Female..	18	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	3	3	2	2	-	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	68	-	-	-	-	-	-	-	-	1	2	5	14	12	3	11	9	6	4	1	-	-	-	-	-	-	-
	White.....Male....	62	-	-	-	-	-	-	-	-	1	2	4	14	9	2	11	8	6	4	1	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	1,698	2	1	-	-	-	-	-	3	1	4	7	19	21	48	107	119	164	230	311	295	225	102	30	7	1	1
	White.....Male....	755	2	-	-	-	-	-	-	1	1	2	3	9	8	28	37	59	77	125	145	108	101	35	11	2	-	1
	Female..	904	-	1	-	-	-	-	-	2	-	1	3	9	10	20	64	57	82	103	161	180	120	67	19	5	-	-
	Nonwhite..Male....	22	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	1	1	1	4	6	3	-	-	-	-	-
	Female..	17	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	2	4	1	1	1	1	-	-	-	1	-
90-95	Diseases of the heart.....	6,481	3	-	1	1	1	4	5	12	18	32	41	76	146	263	452	610	742	913	966	954	676	398	133	23	4	7
	White.....Male....	3,594	1	-	-	1	-	2	2	4	10	21	21	44	101	164	317	401	466	532	500	455	318	170	52	6	1	5
	Female..	2,761	2	-	1	-	1	2	2	8	8	10	20	28	39	83	124	196	258	356	459	491	356	218	79	15	3	2
	Nonwhite..Male....	64	-	-	-	-	-	-	-	-	-	1	-	2	3	9	5	9	6	11	5	6	1	3	1	2	-	-
	Female..	62	-	-	-	-	-	-	1	-	-	-	-	2	3	7	6	4	12	14	2	2	1	7	1	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	311	-	-	-	-	-	3	5	8	13	15	18	21	23	31	28	32	25	26	25	20	15	3	-	-	-	-
	White.....Male....	136	-	-	-	-	-	2	2	2	7	9	5	9	9	13	10	17	12	13	11	11	4	-	-	-	-	-
	Female..	170	-	-	-	-	-	1	2	6	6	5	13	12	14	18	17	15	12	13	14	8	11	3	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female...	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	2,124	1	-	-	-	-	-	-	1	1	7	9	30	84	127	227	290	326	301	304	243	104	45	18	2	1	3
	White.....Male....	1,460	-	-	-	-	-	-	-	-	-	6	8	24	75	96	190	214	245	202	181	130	55	22	8	2	-	2
	Female..	636	1	-	-	-	-	-	-	1	1	1	1	6	6	26	34	73	77	93	123	111	49	21	10	-	1	1
	Nonwhite..Male....	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	-	1	-	1	-	-	-	-
	Female..	18	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	1	3	4	-	1	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	4,046	2	-	1	1	1	1	-	3	4	10	14	25	39	105	197	288	391	586	637	691	557	350	115	21	3	4
	White.....Male....	1,998	1	-	-	1	-	-	-	2	3	6	8	11	17	55	117	170	209	317	308	314	259	148	44	4	1	3
	Female..	1,955	1	-	1	-	1	1	-	1	1	4	6	10	19	39	73	108	169	250	322	372	296	194	69	15	2	1
	Nonwhite..Male....	52	-	-	-	-	-	-	-	-	-	-	-	2	2	8	4	7	4	9	5	5	1	2	1	2	-	-
	Female..	41	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	3	9	10	2	-	1	6	1	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	596	58	11	9	4	2	7	5	11	2	10	5	12	11	21	25	28	41	54	76	69	71	36	23	4	1	-
	White.....Male	326	37	4	4	2	1	6	2	4	-	3	1	9	8	14	19	15	29	35	42	33	29	17	12	-	-	-
	Female	251	19	7	4	1	-	1	3	7	2	6	3	1	3	7	6	11	12	19	31	35	41	17	10	4	1	-
	Nonwhite..Male	9	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	1	1	1	1	-	-	-
	Female	10	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	2	-	-	2	-	-	1	-	-	-	-
107	Bronchopneumonia	264	43	6	2	1	2	4	2	2	2	4	-	2	4	6	4	6	14	22	28	40	34	20	13	3	-	-
	White.....Male	131	28	2	2	1	1	4	-	1	-	1	-	2	2	3	3	3	10	12	11	16	13	10	6	-	-	-
	Female	127	14	4	-	-	-	-	2	1	2	3	-	-	2	3	1	2	4	10	16	23	20	10	7	3	-	-
	Nonwhite..Male	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Female	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
108	Lobar pneumonia	264	11	2	1	1	-	-	2	3	-	4	4	8	5	13	19	19	27	26	42	23	30	14	9	-	1	-
	White.....Male	158	7	1	-	-	-	-	1	2	-	1	1	6	4	9	14	10	19	18	27	14	12	7	5	-	-	-
	Female	96	4	1	1	-	-	-	1	1	-	2	2	-	1	4	5	9	8	8	13	9	18	5	3	-	1	-
	Nonwhite..Male	6	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	-	-	1	1	-	-	-
	Female	4	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
109	Pneumonia (unspecified)	41	1	-	2	1	-	2	1	4	-	1	1	2	2	2	1	1	-	6	4	4	2	2	1	1	-	-
	White.....Male	23	1	-	-	-	-	2	1	1	-	1	-	1	2	2	1	1	-	5	2	2	-	-	1	-	-	-
	Female	18	-	-	2	1	-	-	-	3	-	-	1	1	-	-	-	-	-	1	2	2	2	2	-	1	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	27	3	3	4	1	-	1	-	2	-	1	-	-	-	-	1	2	-	-	2	2	5	-	-	-	-	-
	White.....Male	14	1	1	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	4	-	-	-	-	-
	Female	10	1	2	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	164	1	-	-	-	-	-	-	-	-	3	1	7	10	13	23	26	21	21	17	10	7	2	2	-	-	-
	White.....Male	136	1	-	-	-	-	-	-	-	-	2	1	6	8	8	22	23	18	18	12	7	6	2	2	-	-	-
	Female	23	-	-	-	-	-	-	-	-	-	1	-	-	1	4	-	3	3	2	5	3	1	-	-	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	74	46	3	1	-	-	1	-	-	-	1	-	2	2	1	2	1	1	3	3	4	-	3	-	-	-	-
	White.....Male	36	24	1	-	-	-	1	-	-	-	1	-	-	2	1	1	-	-	1	1	1	-	2	-	-	-	-
	Female	37	22	1	1	-	-	-	-	-	-	-	-	2	-	-	1	1	1	2	2	3	-	1	-	-	-	-
	Nonwhite..Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	69	-	-	-	3	1	1	2	1	2	1	6	3	4	3	9	3	5	12	4	3	2	1	1	2	-	-
	White.....Male	33	-	-	-	2	1	-	1	-	-	-	3	2	2	2	4	2	2	6	3	1	1	-	1	-	-	-
	Female	36	-	-	-	1	-	1	1	1	2	1	3	1	2	1	5	1	3	6	1	2	1	1	-	2	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
123	Hernia, intestinal obstruction	153	7	2	-	-	-	-	-	1	1	1	2	6	3	12	10	12	22	16	24	16	12	6	-	-	-	-
	White.....Male	76	5	1	-	-	-	-	-	1	-	-	1	5	-	6	5	3	8	10	13	10	6	2	-	-	-	-
	Female	72	2	1	-	-	-	-	-	-	-	1	1	1	3	6	4	9	12	6	11	6	5	4	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
124	Cirrhosis of the liver	212	-	-	-	-	-	-	-	-	-	1	9	9	16	27	32	24	31	28	18	7	8	1	1	-	-	-
	White.....Male	134	-	-	-	-	-	-	-	-	-	-	6	6	9	16	20	17	21	17	13	4	4	1	-	-	-	-
	Female	77	-	-	-	-	-	-	-	-	-	1	3	3	7	11	12	7	10	11	5	2	4	-	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	103	1	-	-	-	-	-	-	-	-	1	3	1	2	5	12	11	16	17	16	11	5	1	1	-	-	-
	White.....Male	32	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	4	3	7	6	4	3	-	-	-	-	-
	Female	71	1	-	-	-	-	-	-	-	-	-	3	-	2	5	9	7	13	10	10	7	2	1	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	955	1	1	-	-	-	4	1	1	7	5	11	10	27	34	50	78	103	119	153	154	117	48	25	5	1	-
	White.....Male	466	1	-	-	-	-	2	1	1	5	3	4	4	14	12	25	34	56	60	82	71	61	16	12	2	-	-
	Female	455	-	1	-	-	-	1	-	-	2	1	6	5	10	19	22	41	44	51	68	83	54	31	12	3	1	-
	Nonwhite..Male	14	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	2	1	3	2	-	-	1	-	-	-	-
	Female	20	-	-	-	-	-	-	-	-	-	-	1	-	3	1	3	1	2	5	1	-	2	-	1	-	-	-
137	Diseases of the prostate	72	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	6	5	6	19	13	8	4	5	-	-	-
	White.....Male	71	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	6	5	6	19	13	8	4	5	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Continued																											
140-150	Diseases of pregnancy, etc.*....	39	-	-	-	-	-	-	-	2	8	14	6	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	33	-	-	-	-	-	-	-	2	6	11	5	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	6	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	9	-	-	-	-	-	-	-	1	1	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	7	-	-	-	-	-	-	-	1	-	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	9	-	-	-	-	-	-	-	1	1	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	9	-	-	-	-	-	-	-	1	1	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	15	-	-	-	-	-	-	-	-	4	2	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	12	-	-	-	-	-	-	-	-	3	1	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	6	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	262	212	12	3	5	-	5	6	3	2	1	1	3	3	-	1	5	-	-	-	-	-	-	-	-	-	-
	White.....Male....	130	107	7	-	1	-	2	3	3	1	-	-	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	Female..	122	100	4	3	2	-	3	3	-	-	1	1	1	1	-	-	3	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	6	2	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	569	569	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	334	334	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	213	213	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	18	18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	339	339	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	182	182	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	142	142	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	230	230	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	152	152	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	249	-	-	-	-	-	-	-	3	1	11	20	27	23	32	26	29	26	21	19	7	2	2	-	-	-	-
	White.....Male....	173	-	-	-	-	-	-	-	2	1	8	12	19	15	18	18	22	19	18	14	3	2	2	-	-	-	-
	Female..	76	-	-	-	-	-	-	-	1	-	3	8	8	8	14	8	7	7	3	5	4	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	27	1	-	-	-	-	1	-	1	3	4	3	2	1	5	3	1	1	-	1	-	-	-	-	-	-	-
	White.....Male....	19	-	-	-	-	-	1	-	1	2	2	2	-	1	4	3	1	1	-	1	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,117	38	15	14	11	8	40	20	34	35	32	45	42	53	61	76	71	85	88	91	88	92	50	21	2	1	4
	White.....Male....	710	26	7	4	6	4	27	15	28	30	26	37	31	42	46	63	54	60	62	52	34	33	13	6	-	-	4
	Female..	383	10	8	10	5	4	11	3	6	5	3	6	10	10	14	11	14	23	26	37	54	58	37	15	2	1	-
	Nonwhite..Male....	17	1	-	-	-	-	1	1	-	-	2	2	-	1	-	2	2	2	-	2	-	1	-	-	-	-	-
	Female..	7	1	-	-	-	-	1	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	275	1	3	6	2	7	10	7	14	16	16	18	8	20	21	24	13	27	22	22	8	7	3	-	-	-	-
	White.....Male....	216	1	1	1	1	3	6	4	11	12	14	14	7	15	19	21	12	24	19	17	7	5	2	-	-	-	-
	Female..	56	-	2	5	1	4	4	3	3	4	2	3	1	4	2	3	1	2	3	5	1	2	1	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	842	37	12	8	9	1	30	13	20	19	16	27	34	33	40	52	58	58	66	69	80	85	47	21	2	1	4
	White.....Male....	494	25	6	3	5	1	21	11	17	18	12	23	24	27	27	42	42	36	43	35	27	28	11	6	-	-	4
	Female..	327	10	6	5	4	-	7	-	3	1	1	3	9	6	12	8	13	21	23	32	53	56	36	15	2	1	-
	Nonwhite..Male....	14	1	-	-	-	-	1	1	-	-	2	1	-	-	-	2	2	1	-	2	-	1	-	-	-	-	-
	Female..	7	1	-	-	-	-	1	1	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	140	12	1	1	-	-	-	-	1	-	-	2	1	3	3	8	9	8	7	10	15	18	20	11	9	1	-
	White.....Male....	70	8	-	1	-	-	-	-	-	-	-	2	1	-	3	8	4	5	5	6	6	8	7	4	2	-	-
	Female..	62	3	1	-	-	-	-	-	1	-	-	-	-	2	-	-	3	2	2	4	8	9	13	6	7	1	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	1	-	-	-
	Female..	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	All other causes.....	1,340	46	17	7	9	4	19	17	20	20	31	37	36	49	76	93	97	115	114	132	141	122	82	43	10	2	1
	White.....Male....	687	27	11	5	3	3	14	6	10	6	14	16	14	21	42	53	54	67	66	68	68	60	39	16	1	2	1
	Female..	625	17	5	1	5	1	5	11	10	9	16	19	19	26	33	40	40	48	46	63	70	62	43	27	9	-	-
	Nonwhite..Male....	18	-	-	1	1	-	-	-	-	4	1	2	2	1	1	-	2	-	-	1	2	-	-	-	-	-	-
	Female..	10	2	1	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	2	-	1	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE																											
	ALL CAUSES	3,274	233	19	13	2	9	21	21	32	42	49	74	98	120	157	209	263	307	340	364	369	303	165	51	12	1	-
	White.....Male	1,430	88	6	4	1	6	16	9	15	9	22	28	37	50	76	99	112	152	166	155	160	134	62	19	4	-	-
	Female	1,241	80	8	5	1	1	3	7	7	16	15	24	30	34	42	54	93	96	125	160	174	142	92	27	5	-	-
	Nonwhite..Male	341	30	2	2	-	2	-	4	2	5	4	8	18	23	23	38	34	38	27	29	20	23	4	3	2	-	-
	Female	262	35	3	2	-	-	2	1	8	12	8	14	13	13	16	18	24	21	22	20	15	4	7	2	1	1	-
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	4	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	109	3	-	-	-	-	-	-	6	9	11	17	8	9	9	10	6	7	6	4	2	1	1	-	-	-	-
	White.....Male	36	-	-	-	-	-	-	-	4	-	4	4	2	6	3	3	2	4	1	3	-	-	-	-	-	-	-
	Female	31	2	-	-	-	-	-	-	-	4	3	5	1	1	1	2	1	2	4	1	2	1	1	-	-	-	-
	Nonwhite..Male	20	-	-	-	-	-	-	-	-	1	1	3	4	2	3	4	1	1	-	-	-	-	-	-	-	-	-
	Female	22	1	-	-	-	-	-	-	2	4	3	5	1	-	2	1	2	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	93	1	-	-	-	-	-	-	4	8	9	16	7	5	8	9	6	7	6	4	1	1	1	-	-	-	-
	White.....Male	31	-	-	-	-	-	-	-	2	-	4	3	2	4	3	3	2	4	1	3	-	-	-	-	-	-	-
	Female	27	1	-	-	-	-	-	-	-	4	2	5	1	1	1	1	1	2	4	1	1	1	1	-	-	-	-
	Nonwhite..Male	14	-	-	-	-	-	-	-	-	-	-	3	3	-	2	4	1	1	-	-	-	-	-	-	-	-	-
	Female	21	-	-	-	-	-	-	-	2	4	3	5	1	-	2	1	2	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	16	2	-	-	-	-	-	-	2	1	2	1	1	4	1	1	-	-	-	-	1	-	-	-	-	-	-
	White.....Male	5	-	-	-	-	-	-	-	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	6	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	41	4	-	-	-	-	-	-	-	-	-	2	2	6	5	3	5	4	6	2	-	2	-	-	-	-	-
	White.....Male	10	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	-	1	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	19	-	-	-	-	-	-	-	-	-	-	1	-	5	2	1	3	1	3	2	-	1	-	-	-	-	-
	Female	8	2	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-
35	Measles	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Continued																											
45-55	Cancer and other malignant tumors	352	-	-	1	-	-	-	-	1	4	2	4	12	15	25	30	56	46	31	41	46	29	7	2	-	-	-
	White.....Male	134	-	-	-	-	-	-	-	-	2	-	1	1	4	11	9	19	21	12	19	15	17	2	1	-	-	-
	Female	175	-	-	-	-	-	-	-	1	2	2	3	8	10	9	17	32	14	16	18	27	10	5	1	-	-	-
	Nonwhite..Male	27	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	9	3	3	4	2	-	-	-	-	-
	Female	16	-	-	1	-	-	-	-	-	-	-	-	3	1	3	3	2	2	-	1	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	166	-	-	-	-	-	-	-	-	1	1	1	1	5	9	10	27	29	20	21	22	15	3	1	-	-	-
	White.....Male	75	-	-	-	-	-	-	-	-	-	-	1	-	1	6	6	11	14	7	10	8	9	1	1	-	-	-
	Female	71	-	-	-	-	-	-	-	-	1	1	-	1	3	1	3	15	8	12	8	11	5	2	-	-	-	-
	Nonwhite..Male	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	6	1	2	3	1	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	54	-	-	-	-	-	-	-	1	-	1	2	5	4	6	6	11	5	2	3	6	1	1	-	-	-	-
	White.....Female	46	-	-	-	-	-	-	-	1	-	1	2	4	4	4	4	9	4	2	3	6	1	1	-	-	-	-
	Nonwhite..Female	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-	-	-	-	-	-	-	-	-
50	Cancer of breast	28	-	-	-	-	-	-	-	-	-	-	-	5	1	3	4	6	2	1	2	3	-	1	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	26	-	-	-	-	-	-	-	-	-	-	-	3	1	3	4	6	2	1	2	3	-	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	104	-	-	1	-	-	-	-	-	3	-	1	1	5	7	10	12	10	8	15	15	13	2	1	-	-	-
	White.....Male	59	-	-	-	-	-	-	-	-	2	-	-	1	3	5	3	8	7	5	9	7	8	1	-	-	-	-
	Female	32	-	-	-	-	-	-	-	-	1	-	1	-	2	1	6	2	-	1	5	7	4	1	1	-	-	-
	Nonwhite..Male	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	1	1	-	-	-	-	-
	Female	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	4	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	101	-	-	-	-	-	-	-	1	1	-	1	7	4	3	8	11	19	16	12	12	3	3	-	-	-	-
	White.....Male	26	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	1	6	6	3	5	1	-	-	-	-	-
	Female	60	-	-	-	-	-	-	-	-	-	-	1	4	1	2	7	8	11	9	6	6	2	3	-	-	-	-
	Nonwhite..Male	6	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	-	2	1	-	-	-	-	-	-
63b	Exophthalmic goiter	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	8	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-	-	1	-	-	-	-	-	-
	White.....Male	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	304	-	-	1	1	-	-	-	1	-	-	1	5	8	9	11	23	28	49	46	48	40	26	6	1	-	-
	White.....Male	119	-	-	-	1	-	-	-	1	-	-	-	1	1	4	3	7	13	18	23	14	17	10	5	1	-	-
	Female	137	-	-	1	-	-	-	-	-	-	-	-	2	6	3	4	8	10	23	18	31	18	13	-	-	-	-
	Nonwhite..Male	23	-	-	-	-	-	-	-	-	-	-	1	2	1	-	3	2	3	4	1	1	4	-	1	-	-	-
	Female	25	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	2	4	4	2	1	3	-	-	-	-
90-95	Diseases of the heart	1,026	-	-	-	-	1	-	-	2	2	3	5	16	24	51	74	91	128	134	148	136	119	64	20	7	1	-
	White.....Male	520	-	-	-	-	-	-	-	1	1	2	2	12	12	30	42	51	71	74	57	68	56	31	9	1	-	-
	Female	352	-	-	-	-	-	-	-	-	1	-	1	3	4	12	8	23	37	42	66	56	54	31	9	5	-	-
	Nonwhite..Male	92	-	-	-	-	1	-	-	-	-	-	-	1	5	5	15	12	13	7	14	8	9	1	1	-	-	-
	Female	62	-	-	-	-	-	-	-	1	-	1	2	-	3	4	9	5	7	11	11	4	-	1	1	1	1	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart	58	-	-	-	-	-	-	-	-	1	-	1	4	3	7	6	5	8	9	3	2	7	2	-	-	-	-
	White.....Male	20	-	-	-	-	-	-	-	-	-	-	-	2	1	4	4	2	1	3	-	-	3	-	-	-	-	-
	Female	30	-	-	-	-	-	-	-	-	1	-	1	2	2	3	1	2	5	5	2	2	3	1	-	-	-	-
	Nonwhite..Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	1	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	314	-	-	-	-	-	-	-	-	-	-	1	10	12	24	39	40	49	39	37	30	20	10	3	-	-	-
	White.....Male	206	-	-	-	-	-	-	-	-	-	-	1	9	9	17	28	28	35	27	16	16	11	7	2	-	-	-
	Female	77	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	8	11	9	17	12	8	3	-	-	-	-
	Nonwhite..Male	20	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	4	3	2	1	1	1	-	1	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	1	3	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	654	-	-	-	-	1	-	-	2	1	3	3	2	9	20	29	46	71	86	108	104	92	52	17	7	1	-
	White.....Male	294	-	-	-	-	-	-	-	1	1	2	1	1	2	9	10	21	35	44	41	52	42	24	7	1	-	-
	Female	245	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	13	21	28	47	42	43	27	9	5	-	-
	Nonwhite..Male	65	-	-	-	-	1	-	-	-	-	-	-	-	4	4	10	7	9	4	12	7	7	-	-	-	-	-
	Female	50	-	-	-	-	-	-	-	1	-	1	2	-	2	2	6	5	6	10	8	3	-	1	1	1	1	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	170	45	2	-	1	-	3	3	1	2	2	3	6	5	5	8	13	12	10	14	12	12	8	3	-	-	-
	White.....Male	61	11	-	-	-	-	2	-	-	1	1	1	3	1	-	5	7	5	5	7	5	5	2	-	-	-	-
	Female	67	18	2	-	1	-	-	3	1	-	1	-	2	-	1	2	5	4	4	6	3	6	6	2	-	-	-
	Nonwhite..Male	20	5	-	-	-	-	-	-	-	-	-	1	1	1	3	1	-	3	1	-	4	-	-	-	-	-	-
	Female	22	11	-	-	-	-	1	-	-	1	-	1	-	3	1	-	1	-	-	1	-	1	-	1	-	-	-
107	Bronchopneumonia	65	25	1	-	1	-	3	1	1	1	1	1	-	2	-	3	1	1	5	5	5	3	4	1	-	-	-
	White.....Male	23	5	-	-	-	-	2	-	-	1	-	-	-	1	-	2	1	1	3	2	2	1	2	-	-	-	-
	Female	29	12	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	2	3	2	2	2	1	-	-	-
	Nonwhite..Male	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Female	8	6	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	72	8	-	-	-	-	-	1	-	1	1	1	5	3	4	3	10	8	4	8	6	5	3	1	-	-	-
	White.....Male	29	2	-	-	-	-	-	-	-	-	1	1	2	-	-	2	6	4	2	5	3	1	-	-	-	-	-
	Female	23	2	-	-	-	-	-	1	-	-	-	-	2	-	1	1	3	3	2	2	-	3	3	-	-	-	-
	Nonwhite..Male	10	2	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	3	-	-	-	-	-	-
	Female	10	2	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	1	-	1	-	1	-	-	-
109	Pneumonia (unspecified)	19	7	1	-	-	-	-	1	-	-	-	-	1	-	1	1	-	2	1	-	-	3	-	1	-	-	-
	White.....Male	8	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	3	-	-	-	-	-
	Female	6	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	14	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	1	1	1	1	-	-	-	-
	White.....Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	1	1	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	22	-	-	-	-	-	1	-	-	1	-	1	-	-	4	5	1	3	3	-	1	2	-	-	-	-	-
	White.....Male	15	-	-	-	-	-	1	-	-	-	-	-	-	-	2	4	1	2	3	-	1	1	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	22	13	-	1	-	-	-	-	-	-	-	1	-	1	2	-	-	1	1	-	2	-	-	-	-	-	-
	White.....Male	9	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Female	7	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	15	-	-	1	-	1	-	-	1	1	1	-	-	1	4	1	1	3	-	-	-	-	-	-	-	-	-
	White.....Male	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Female	8	-	-	1	-	-	-	-	1	1	-	-	-	-	3	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	24	-	-	-	-	-	-	-	-	-	-	3	2	1	-	2	1	3	4	4	3	1	-	-	-	-	-
	White.....Male	10	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	2	2	1	-	-	-	-	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	2	2	1	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	26	-	-	-	-	-	-	-	1	-	-	-	-	6	5	2	5	-	4	1	1	1	-	-	-	-	-
	White.....Male	16	-	-	-	-	-	-	-	-	-	-	-	-	4	3	1	2	-	3	1	1	1	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	3	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	13	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	1	2	3	2	1	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Female	9	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	3	1	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	298	-	-	-	-	-	-	-	1	1	2	4	4	5	8	12	19	24	38	55	46	43	27	6	3	-	-
	White.....Male	123	-	-	-	-	-	-	-	1	1	2	1	1	3	4	5	6	7	14	25	26	17	9	-	1	-	-
	Female	122	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	4	10	16	26	14	23	16	6	-	-	-
	Nonwhite..Male	28	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	7	3	4	3	1	2	1	-	2	-	-
	Female	25	-	-	-	-	-	-	-	-	-	-	2	1	-	1	3	2	4	4	1	5	1	1	-	-	-	-
137	Diseases of the prostate	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	5	5	4	-	-	-	-
	White.....Male	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	5	3	-	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Continued																											
140-150	Diseases of pregnancy, etc.*	19	-	-	-	-	-	-	-	2	5	4	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	14	-	-	-	-	-	-	-	-	4	3	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	5	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	7	-	-	-	-	-	-	-	-	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*	10	-	-	-	-	-	-	-	2	-	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	7	-	-	-	-	-	-	-	-	-	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	3	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	42	35	3	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	20	17	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	18	15	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	42	42	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	32	32	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	16	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth	68	68	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	25	25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	24	24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide	33	-	-	-	-	-	-	-	1	-	2	5	5	4	3	2	3	3	1	2	1	1	-	-	-	-	-
	White.....Male....	20	-	-	-	-	-	-	-	1	-	-	3	2	2	2	2	2	2	1	1	1	1	-	-	-	-	-
	Female..	10	-	-	-	-	-	-	-	-	-	2	2	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide	14	1	-	-	-	-	1	1	1	1	3	-	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	1	1	2	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	222	7	8	2	-	3	10	13	7	9	13	12	14	17	13	9	8	11	14	13	15	14	6	4	-	-	-
	White.....Male....	122	1	-	1	-	3	9	6	4	4	11	11	7	8	10	4	5	8	12	5	8	4	-	1	-	-	-
	Female..	58	2	4	1	-	-	1	2	1	1	1	-	1	4	-	3	1	2	2	7	7	9	6	3	-	-	-
	Nonwhite..Male....	30	1	2	-	-	-	-	4	1	1	1	1	5	4	3	2	2	1	-	1	-	1	-	-	-	-	-
	Female..	12	3	2	-	-	-	-	1	1	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents	61	-	2	1	-	3	5	4	-	6	6	3	3	2	3	4	4	1	4	5	2	3	-	-	-	-	-
	White.....Male....	39	-	-	1	-	3	5	2	-	1	6	3	2	1	2	1	3	1	3	2	1	2	-	-	-	-	-
	Female..	11	-	1	-	-	-	-	1	-	1	-	-	-	1	-	2	-	-	1	3	1	-	-	-	-	-	-
	Nonwhite..Male....	7	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-
	Female..	4	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents	161	7	6	1	-	-	5	9	7	3	7	9	11	15	10	5	4	10	10	8	13	11	6	4	-	-	-
	White.....Male....	83	1	-	-	-	-	4	4	4	3	5	8	5	7	8	3	2	7	9	3	7	2	-	1	-	-	-
	Female..	47	2	3	1	-	-	1	1	1	-	1	-	1	3	-	1	1	2	1	4	6	9	6	3	-	-	-
	Nonwhite..Male....	23	1	2	-	-	-	-	3	1	-	1	1	4	4	2	1	1	1	-	1	-	-	-	-	-	-	-
	Female..	8	3	1	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	-	2	3	2	4	-	-	-
	White.....Male....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	2	-	-	-
	Female..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	2	1	2	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	All other causes	250	16	5	5	-	4	3	2	3	3	4	8	10	9	10	27	14	12	17	17	33	25	16	6	1	-	-
	White.....Male....	102	8	4	2	-	3	2	1	2	-	-	2	5	5	4	14	5	7	9	6	10	7	4	1	1	-	-
	Female..	97	4	-	1	-	1	1	1	-	1	2	5	2	2	2	8	4	3	5	8	20	14	9	4	-	-	-
	Nonwhite..Male....	23	1	-	2	-	-	-	-	-	1	-	-	-	-	2	5	3	-	1	3	-	3	1	1	-	-	-
	Female..	28	3	1	-	-	-	-	-	1	1	2	1	3	2	2	-	2	2	2	-	3	1	2	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA																											
	ALL CAUSES	8,432	780	29	15	11	13	40	45	77	161	183	249	321	452	521	692	702	827	848	850	742	468	249	119	26	6	6
	White.....Male	2,889	237	9	2	2	2	10	7	19	39	36	40	80	139	178	273	258	360	336	337	262	143	86	26	3	2	3
	Female	2,418	165	6	2	4	3	3	7	12	31	35	54	67	85	90	129	156	204	261	335	318	238	130	67	15	1	-
	Nonwhite..Male	1,632	215	7	9	2	3	16	18	20	42	51	78	100	134	149	150	160	132	122	93	69	36	13	7	2	2	2
	Female	1,493	163	7	2	3	5	11	13	26	49	61	77	74	94	104	140	128	131	129	85	93	51	20	19	6	1	1
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	7	-	-	-	-	-	1	-	-	-	-	-	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	541	3	3	6	1	3	5	4	22	52	60	59	62	54	43	31	39	37	22	15	12	7	1	-	-	-	-
	White.....Male	137	-	-	1	-	1	-	-	1	2	4	7	14	21	15	13	15	16	11	8	4	3	1	-	-	-	-
	Female	58	-	1	-	-	-	-	-	2	7	12	-	9	5	5	1	3	4	2	2	2	3	-	-	-	-	-
	Nonwhite..Male	217	2	2	3	1	1	3	3	3	20	17	29	29	25	19	17	15	11	8	5	[illegible]	1	-	-	-	-	-
	Female	129	1	-	2	-	1	2	1	16	23	27	23	10	3	4	-	6	6	1	-	3	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	485	1	1	5	-	1	3	2	20	44	55	57	57	51	41	28	35	35	19	14	9	6	1	-	-	-	-
	White.....Male	131	-	-	1	-	-	-	-	1	1	4	7	14	21	15	13	13	16	11	7	3	3	1	-	-	-	-
	Female	52	-	-	-	-	-	-	-	2	6	11	-	9	5	4	1	3	4	1	2	2	2	-	-	-	-	-
	Nonwhite..Male	188	1	1	3	-	-	2	2	3	17	15	27	25	23	18	14	13	9	7	5	2	1	-	-	-	-	-
	Female	114	-	-	1	-	1	1	-	14	20	25	23	9	2	4	-	6	6	-	-	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	56	2	2	1	1	2	2	2	2	8	5	2	5	3	2	3	4	2	3	1	3	1	-	-	-	-	-
	White.....Male	6	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
	Female	6	-	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite..Male	29	1	1	-	1	1	1	1	-	3	2	2	4	2	1	3	2	2	1	-	1	-	-	-	-	-	-
	Female	15	1	-	1	-	-	1	1	2	3	2	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	162	6	-	-	-	-	-	1	1	1	2	9	13	18	11	24	25	18	17	7	9	-	-	-	-	-	-
	White.....Male	39	-	-	-	-	-	-	-	-	1	-	-	1	1	2	8	5	7	7	5	2	-	-	-	-	-	-
	Female	12	3	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	2	-	1	-	-	-	-	-	-
	Nonwhite..Male	85	3	-	-	-	-	-	1	-	-	2	3	8	14	6	13	17	5	8	1	4	-	-	-	-	-	-
	Female	26	-	-	-	-	-	-	-	1	-	-	4	2	3	3	3	2	5	-	1	2	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	10	-	-	-	-	-	1	2	-	-	2	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	2	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945–Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																											
45-55	Cancer and other malignant tumors....	1,099	-	-	1	-	1	-	1	3	3	9	24	24	63	87	114	133	161	156	138	100	56	19	5	1	-	-
	White.....Male....	351	-	-	-	-	-	-	-	1	1	2	4	4	12	16	40	43	60	49	51	38	20	8	2	-	-	-
	Female..	446	-	-	-	-	1	-	1	-	-	2	11	10	32	34	29	43	64	74	63	45	24	10	2	1	-	-
	Nonwhite..Male....	120	-	-	1	-	-	-	-	2	-	1	-	2	3	18	19	19	20	13	9	7	5	1	-	-	-	-
	Female..	182	-	-	-	-	-	-	-	-	2	4	9	8	16	19	26	28	17	20	15	10	7	-	1	-	-	-
46	Cancer of digestive organs, peritoneum..	406	-	-	-	-	-	-	-	1	-	2	3	4	17	31	34	52	71	65	48	44	23	10	1	-	-	-
	White.....Male....	154	-	-	-	-	-	-	-	-	-	-	2	2	6	7	16	19	31	20	17	23	8	3	-	-	-	-
	Female..	145	-	-	-	-	-	-	-	-	-	1	1	-	7	7	3	15	25	31	22	15	11	6	1	-	-	-
	Nonwhite..Male....	57	-	-	-	-	-	-	-	1	-	-	-	-	2	12	8	10	9	5	3	4	2	1	-	-	-	-
	Female..	50	-	-	-	-	-	-	-	-	-	1	-	2	2	5	7	8	6	9	6	2	2	-	-	-	-	-
48,49	Cancer of female genital organs.....	195	-	-	-	-	-	-	-	-	2	4	9	8	24	20	22	25	19	20	17	15	7	2	1	-	-	-
	White.....Female..	121	-	-	-	-	-	-	-	-	-	1	5	5	14	13	11	12	14	14	14	12	3	2	1	-	-	-
	Nonwhite..Female..	74	-	-	-	-	-	-	-	-	2	3	4	3	10	7	11	13	5	6	3	3	4	-	-	-	-	-
50	Cancer of breast.....	129	-	-	-	-	-	-	-	-	-	-	6	5	9	11	11	16	15	20	18	11	3	2	1	1	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Female..	95	-	-	-	-	-	-	-	-	-	-	3	3	7	6	7	13	13	18	13	8	2	1	-	1	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	32	-	-	-	-	-	-	-	-	-	-	3	2	2	4	4	3	2	2	5	3	1	-	1	-	-	-
45,47, 51-55	Cancer (other sites)..	369	-	-	1	-	1	-	1	2	1	3	6	7	13	25	47	40	56	51	55	30	23	5	2	-	-	-
	White.....Male....	195	-	-	-	-	-	-	-	1	1	2	2	2	6	8	24	24	29	29	34	15	12	4	2	-	-	-
	Female..	85	-	-	-	-	1	-	1	-	-	-	2	2	4	8	8	3	12	11	14	10	8	1	-	-	-	-
	Nonwhite..Male....	63	-	-	1	-	-	-	-	1	-	1	-	2	1	6	11	9	11	8	6	3	3	-	-	-	-	-
	Female..	26	-	-	-	-	-	-	-	-	-	-	2	1	2	3	4	4	4	3	1	2	-	-	-	-	-	-
58	Acute rheumatic fever.....	11	-	-	-	-	-	2	3	1	-	1	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	188	-	-	-	-	-	-	-	-	1	2	1	3	3	13	16	19	33	33	23	26	12	1	1	1	-	-
	White.....Male....	54	-	-	-	-	-	-	-	-	1	-	-	1	1	1	5	2	12	14	6	7	4	-	-	-	-	-
	Female..	78	-	-	-	-	-	-	-	-	-	1	1	-	2	2	2	11	9	9	15	15	8	1	1	1	-	-
	Nonwhite..Male....	15	-	-	-	-	-	-	-	-	-	1	-	-	-	4	3	2	2	3	-	-	-	-	-	-	-	-
	Female..	41	-	-	-	-	-	-	-	-	-	-	-	2	-	6	6	4	10	7	2	4	-	-	-	-	-	-
63b	Exophthalmic goiter..	16	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	2	4	2	2	-	-	-	-	-	-
	White.....Male....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	13	-	-	-	-	-	-	-	-	-	-	1	1	3	4	3	-	-	-	-	1	-	-	-	-	-	-
	White.....Male....	8	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	-	-	-	1	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	638	3	-	1	-	-	1	1	-	1	4	2	8	20	35	56	75	91	74	95	85	45	30	8	1	1	1
	White.....Male....	177	-	-	-	-	-	1	-	-	-	1	1	1	4	10	11	14	33	23	29	28	13	7	1	-	-	-
	Female..	232	1	-	-	-	-	-	1	-	-	1	-	1	7	6	12	20	25	29	47	33	22	20	6	1	-	-
	Nonwhite..Male....	96	1	-	1	-	-	-	-	-	-	2	1	2	3	12	9	19	13	7	13	7	4	1	-	-	-	1
	Female..	133	1	-	-	-	-	-	-	-	1	-	-	4	6	7	24	22	20	15	6	17	6	2	1	-	1	-
90-95	Diseases of the heart.....	2,345	-	-	-	-	1	4	7	5	12	10	28	68	108	136	204	222	285	311	339	265	174	97	50	9	-	-
	White.....Male....	941	-	-	-	-	-	-	2	3	3	-	3	19	33	60	101	102	142	131	146	82	49	39	14	2	-	-
	Female..	651	-	-	-	-	-	-	-	-	5	3	6	9	11	11	40	36	55	84	119	111	87	47	23	4	-	-
	Nonwhite..Male....	384	-	-	-	-	-	1	3	1	2	5	11	22	36	34	36	48	52	48	35	29	15	4	2	-	-	-
	Female..	369	-	-	-	-	1	3	2	1	2	2	8	18	28	31	27	36	46	48	39	33	23	7	11	3	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	141	-	-	-	-	1	3	6	2	4	6	3	13	10	10	9	12	11	13	16	9	8	4	1	-	-	-
	White.....Male....	45	-	-	-	-	-	-	2	-	1	-	-	6	2	5	2	8	4	2	6	4	1	2	-	-	-	-
	Female..	53	-	-	-	-	-	-	-	-	1	2	3	4	2	1	7	2	3	8	8	4	5	2	1	-	-	-
	Nonwhite..Male....	20	-	-	-	-	-	1	3	1	-	3	-	1	2	1	-	2	3	2	1	-	-	-	-	-	-	-
	Female..	23	-	-	-	-	1	2	1	1	2	1	-	2	4	3	-	-	1	1	1	1	2	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	638	-	-	-	-	-	-	-	2	1	1	6	13	28	39	77	80	99	90	91	57	28	20	6	-	-	-
	White.....Male....	384	-	-	-	-	-	-	-	2	-	-	1	6	18	27	55	55	75	51	52	20	12	8	2	-	-	-
	Female..	161	-	-	-	-	-	-	-	-	1	-	1	3	2	1	13	13	12	24	34	28	15	10	4	-	-	-
	Nonwhite..Male....	57	-	-	-	-	-	-	-	-	-	1	2	3	7	8	5	6	8	13	2	2	-	-	-	-	-	-
	Female..	36	-	-	-	-	-	-	-	-	-	-	2	1	1	3	4	6	4	2	3	7	1	2	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	1,566	-	-	-	-	-	1	1	1	7	3	19	42	70	87	118	130	185	208	232	199	138	73	43	9	-	-
	White.....Male....	512	-	-	-	-	-	-	-	1	2	-	2	7	13	28	44	39	63	78	88	68	36	29	12	2	-	-
	Female..	437	-	-	-	-	-	-	-	-	3	1	2	2	7	9	20	21	40	52	77	79	67	35	18	4	-	-
	Nonwhite..Male....	307	-	-	-	-	-	-	-	-	2	1	9	18	27	25	31	40	41	33	32	27	15	4	2	-	-	-
	Female..	310	-	-	-	-	-	1	1	-	-	1	6	15	23	25	23	30	41	45	35	25	20	5	11	3	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																											
107-109, 33	Pneumonia (all forms) and influenza	371	66	5	1	2	-	5	1	2	7	10	10	13	18	19	30	21	18	30	36	30	18	16	10	3	-	-
	White.....Male	127	24	2	-	-	-	2	-	1	1	2	1	1	5	6	11	7	7	13	20	10	6	6	1	1	-	-
	Female	85	8	1	-	-	-	1	-	1	-	1	-	4	2	3	3	1	4	9	7	16	9	5	8	2	-	-
	Nonwhite..Male	86	20	1	1	-	-	1	1	-	1	3	6	7	9	7	6	6	7	2	3	1	1	2	1	-	-	-
	Female	73	14	1	-	2	-	1	-	-	5	4	3	1	2	3	10	7	-	6	6	3	2	3	-	-	-	-
107	Bronchopneumonia	181	48	3	1	1	-	3	-	1	2	3	1	3	5	6	15	9	10	14	15	19	5	10	5	2	-	-
	White.....Male	68	16	2	-	-	-	1	-	1	-	-	-	1	2	2	3	5	4	6	10	6	3	4	1	1	-	-
	Female	38	8	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	5	1	9	1	3	4	1	-	-
	Nonwhite..Male	42	14	-	1	-	-	1	-	-	-	-	1	2	3	3	5	3	4	-	1	1	1	2	-	-	-	-
	Female	33	10	-	-	1	-	1	-	-	2	2	-	-	-	-	6	1	-	3	3	3	-	1	-	-	-	-
108	Lobar pneumonia	144	8	-	-	1	-	-	-	1	3	6	8	8	11	9	10	10	6	13	19	11	9	5	5	1	-	-
	White.....Male	44	3	-	-	-	-	-	-	-	1	2	-	-	2	2	6	2	3	7	9	4	1	2	-	-	-	-
	Female	37	-	-	-	-	-	-	-	1	-	-	-	3	1	1	2	-	1	3	5	7	6	2	4	1	-	-
	Nonwhite..Male	34	2	-	-	-	-	-	-	-	-	3	5	5	6	3	-	3	2	2	2	-	-	-	1	-	-	-
	Female	29	3	-	-	1	-	-	-	-	2	1	3	-	2	3	2	5	-	1	3	-	2	1	-	-	-	-
109	Pneumonia (unspecified)	38	9	-	-	-	-	2	1	-	2	1	-	2	1	1	5	2	2	3	2	-	4	1	-	-	-	-
	White.....Male	13	5	-	-	-	-	1	-	-	-	-	-	-	1	1	2	-	-	-	1	-	2	-	-	-	-	-
	Female	8	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	1	1	-	2	-	-	-	-	-
	Nonwhite..Male	7	3	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Female	10	1	-	-	-	-	-	-	-	1	1	-	1	-	-	2	1	-	2	-	-	-	1	-	-	-	-
33	Influenza	8	1	2	-	-	-	-	-	-	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	36	-	-	-	-	-	-	-	1	-	-	-	1	5	2	4	2	2	7	4	6	2	-	-	-	-	-
	White.....Male	26	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	2	7	3	5	1	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	1	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	97	86	3	-	-	-	-	-	-	3	-	1	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-
	White.....Male	23	18	2	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	12	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite..Male	38	35	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female	24	22	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	38	-	-	-	-	-	1	3	3	1	1	-	1	4	3	5	5	4	5	-	2	-	-	-	-	-	-
	White.....Male	14	-	-	-	-	-	-	1	-	1	-	-	-	2	2	2	2	2	2	-	-	-	-	-	-	-	-
	Female	10	-	-	-	-	-	-	1	1	-	1	-	-	-	1	1	1	1	2	-	1	-	-	-	-	-	-
	Nonwhite..Male	9	-	-	-	-	-	1	-	1	-	-	-	1	1	-	1	1	1	1	-	1	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	67	8	-	-	1	1	-	-	-	3	2	1	1	5	4	4	6	3	7	6	9	2	4	-	-	-	-
	White.....Male	24	3	-	-	-	-	-	-	-	2	-	-	-	1	-	-	3	2	3	3	5	-	2	-	-	-	-
	Female	17	3	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	-	2	1	1	2	2	-	-	-	-
	Nonwhite..Male	12	2	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	2	2	2	-	-	-	-	-	-
	Female	14	-	-	-	-	-	-	-	-	1	2	1	-	3	1	3	1	1	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	115	2	1	-	-	1	-	-	-	-	1	5	10	17	26	16	14	6	5	8	1	2	-	-	-	-	-
	White.....Male	60	-	-	-	-	-	-	-	-	-	-	3	4	10	11	11	9	3	4	4	1	-	-	-	-	-	-
	Female	28	1	-	-	-	1	-	-	-	-	-	1	4	2	6	2	4	3	1	2	-	1	-	-	-	-	-
	Nonwhite..Male	19	-	1	-	-	-	-	-	-	-	1	1	-	4	7	1	1	-	-	2	-	1	-	-	-	-	-
	Female	8	1	-	-	-	-	-	-	-	-	-	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	28	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	2	4	4	3	5	-	1	1	-	-	-
	White.....Male	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	1	2	-	1	-	-	-	-
	Female	12	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	1	1	2	2	-	-	1	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
130-132	Nephritis	689	-	-	-	1	-	-	1	2	7	4	24	20	36	41	86	54	61	69	82	77	67	34	19	3	1	-
	White.....Male	206	-	-	-	1	-	-	-	-	1	-	3	6	7	9	36	22	25	25	24	20	17	7	3	-	-	-
	Female	221	-	-	-	-	-	-	-	1	1	-	9	2	4	5	8	11	13	18	35	39	39	21	13	1	1	-
	Nonwhite..Male	120	-	-	-	-	-	-	1	1	4	1	4	6	13	14	16	12	9	9	14	7	5	3	1	-	-	-
	Female	142	-	-	-	-	-	-	-	-	1	3	8	6	12	13	26	9	14	17	9	11	6	3	2	2	-	-
137	Diseases of the prostate	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	4	4	8	6	-	-	-	-	1
	White.....Male	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	4	7	6	-	-	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	1

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																											
140-150	Diseases of pregnancy, etc.*....	24	-	-	-	-	-	-	1	-	3	8	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	8	-	-	-	-	-	-	-	-	1	1	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	16	-	-	-	-	-	-	1	-	2	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	5	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	7	-	-	-	-	-	-	-	-	-	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	5	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma and shock.....	8	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	6	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	4	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	98	83	6	1	2	-	1	1	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male....	42	37	2	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	31	24	3	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	16	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	9	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	468	468	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	139	139	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	101	101	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	120	120	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	297	297	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	59	59	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	66	66	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	78	78	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year...	171	171	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	45	45	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	42	42	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide.....	132	-	-	-	-	-	-	-	1	12	10	16	15	27	10	15	7	7	4	6	1	1	-	-	-	-	-
	White.....Male....	76	-	-	-	-	-	-	-	-	6	7	7	7	16	7	5	6	6	3	5	1	-	-	-	-	-	-
	Female..	45	-	-	-	-	-	-	-	-	5	1	8	8	9	2	9	-	1	-	1	-	1	-	-	-	-	-
	Nonwhite..Male....	9	-	-	-	-	-	-	-	1	1	1	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	59	3	-	-	-	-	-	-	4	9	9	11	8	3	5	5	1	-	1	-	-	-	-	-	-	-	-
	White.....Male....	12	1	-	-	-	-	-	-	-	2	1	-	1	-	3	2	1	-	1	-	-	-	-	-	-	-	-
	Female..	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	34	-	-	-	-	-	-	-	3	5	6	8	5	3	2	2	-	-	-	-	-	-	-	-	-	-	-
	Female..	10	1	-	-	-	-	-	-	1	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	437	22	4	3	1	1	14	10	17	21	23	17	20	25	31	26	25	22	33	22	44	30	16	4	2	1	3
	White.....Male....	167	5	1	-	-	-	4	2	8	10	12	5	7	10	14	9	11	14	15	7	16	9	4	-	-	1	3
	Female..	132	5	-	1	-	-	2	1	2	6	5	4	4	1	2	9	6	4	11	11	24	17	11	4	2	-	-
	Nonwhite..Male....	96	7	1	2	-	-	6	7	3	3	4	7	9	10	11	7	6	2	3	2	3	2	1	-	-	-	-
	Female..	42	5	2	-	1	1	2	-	4	2	2	1	-	4	4	1	2	2	4	2	1	2	-	-	-	-	-
170	Motor-vehicle accidents.....	106	-	-	1	1	-	7	1	5	7	11	5	6	11	8	5	11	5	5	4	5	5	3	-	-	-	-
	White.....Male....	44	-	-	-	-	-	4	-	3	2	5	-	3	1	5	2	6	5	1	-	3	2	2	-	-	-	-
	Female..	24	-	-	1	-	-	1	-	1	4	3	2	-	-	-	2	2	-	1	3	1	2	1	-	-	-	-
	Nonwhite..Male....	29	-	-	-	-	-	2	1	-	-	2	2	3	7	3	1	3	-	2	1	1	1	-	-	-	-	-
	Female..	9	-	-	-	1	-	-	-	1	1	1	1	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-
189, 171-195	Other accidents.....	331	22	4	2	-	1	7	9	12	14	12	12	14	14	23	21	14	17	28	18	39	25	13	4	2	1	3
	White.....Male....	123	5	1	-	-	-	-	2	5	8	7	5	4	9	9	7	5	9	14	7	13	7	2	-	-	1	3
	Female..	108	5	-	-	-	-	1	1	1	2	2	2	4	1	2	7	4	4	10	8	23	15	10	4	2	-	-
	Nonwhite..Male....	67	7	1	2	-	-	4	6	3	3	2	5	6	3	8	6	3	2	1	1	2	1	1	-	-	-	-
	Female..	33	5	2	-	-	1	2	-	3	1	1	-	-	1	4	1	2	2	3	2	1	2	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes..	21	2	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	1	-	1	2	2	4	2	2	-	-
	White.....Male....	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-
	Nonwhite..Male....	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-
	Female..	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	-	-
	All other causes.....	680	26	5	2	3	5	5	8	12	25	25	29	38	38	42	47	48	54	59	57	57	43	25	19	4	3	1
	White.....Male....	210	9	2	1	1	1	1	1	4	6	7	5	8	12	15	13	11	20	20	20	23	14	11	4	-	1	-
	Female..	210	6	1	-	2	1	-	1	3	6	5	7	9	6	9	8	18	18	16	26	23	23	10	9	3	-	-
	Nonwhite..Male....	128	8	-	1	-	1	2	2	3	6	5	5	8	10	8	15	11	8	15	7	4	2	1	3	1	2	-
	Female..	132	3	2	-	-	2	2	4	2	7	8	12	13	10	10	11	8	8	8	4	7	4	3	3	-	-	1

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA																											
	ALL CAUSES	22,776	2,093	174	97	59	53	183	148	388	772	668	718	907	1,105	1,366	1,640	1,752	1,816	2,169	2,244	1,961	1,346	751	241	62	24	39
	White.....Male	9,776	748	52	34	24	21	71	55	200	443	235	185	250	341	505	614	756	847	1,095	1,165	998	667	334	96	21	3	16
	Female	6,071	570	50	20	12	14	45	27	61	96	93	129	177	177	258	317	360	496	651	742	735	549	350	106	27	3	6
	Nonwhite..Male	3,857	443	39	26	12	14	35	42	76	118	182	212	263	301	359	406	353	257	223	199	133	80	38	19	6	10	11
	Female	3,072	332	33	17	11	4	32	24	51	115	158	192	217	286	244	303	283	216	200	138	95	50	29	20	8	8	6
1,2	Typhoid and paratyphoid fever	15	1	1	1	-	-	1	1	1	1	-	2	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	White.....Male	6	-	-	-	-	-	1	-	1	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	32	2	4	1	-	1	1	2	6	2	-	4	2	1	1	2	2	-	-	1	-	-	-	-	-	-	-
	White.....Male	17	1	2	1	-	-	-	1	5	1	-	1	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-
	Female	6	-	2	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	8	1	-	-	-	-	1	-	1	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	29	22	4	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	13	11	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	30	5	7	4	1	2	10	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	12	1	4	2	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	10	3	1	1	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	7	1	2	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	739	3	1	3	1	-	4	3	22	50	67	92	85	75	74	72	50	37	37	32	19	8	2	-	-	-	2
	White.....Male	257	1	-	-	1	-	2	-	-	4	8	16	21	23	31	36	27	19	28	22	10	8	-	-	-	-	-
	Female	92	1	1	1	-	-	1	1	3	4	8	12	11	7	5	6	6	6	7	5	6	-	1	-	-	-	-
	Nonwhite..Male	241	-	-	2	-	-	-	-	10	15	26	39	35	30	29	22	16	8	1	3	3	-	1	-	-	-	1
	Female	149	1	-	-	-	-	1	2	9	27	25	25	18	15	9	8	1	4	1	2	-	-	-	-	-	-	1
13	Tuberculosis of respiratory system, etc.*	700	2	-	2	-	-	2	3	20	48	66	88	81	72	70	68	48	34	35	30	19	8	2	-	-	-	2
	White.....Male	238	1	-	-	-	-	-	-	-	4	7	16	19	22	27	34	25	17	27	21	10	8	-	-	-	-	-
	Female	88	-	-	1	-	-	1	1	3	4	8	11	11	7	5	6	6	5	7	5	6	-	1	-	-	-	-
	Nonwhite..Male	233	-	-	1	-	-	-	-	10	13	26	38	33	28	29	22	16	8	1	3	3	-	1	-	-	-	1
	Female	141	1	-	-	-	-	1	2	7	27	25	23	18	15	9	6	1	4	-	1	-	-	-	-	-	-	1
14-22	Tuberculosis (other forms)	39	1	1	1	1	-	2	-	2	2	1	4	4	3	4	4	2	3	2	2	-	-	-	-	-	-	-
	White.....Male	19	-	-	-	1	-	2	-	-	-	1	-	2	1	4	2	2	2	1	1	-	-	-	-	-	-	-
	Female	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	8	-	-	1	-	-	-	-	-	2	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	2	-	-	2	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-
27	Dysentery	34	16	1	2	-	-	1	-	1	-	-	2	2	1	1	2	-	2	2	-	1	-	-	-	-	-	-
	White.....Male	8	1	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-
	Female	4	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	7	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	15	7	-	1	-	-	-	-	-	-	-	2	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-
28	Malaria	21	1	-	-	-	1	-	1	1	2	2	1	-	1	-	2	2	-	1	3	3	-	-	-	-	-	-
	White.....Male	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
30	Syphilis	313	19	-	-	-	-	-	-	3	5	19	24	30	35	43	43	26	27	18	11	4	2	2	-	1	-	1
	White.....Male	66	2	-	-	-	-	-	-	-	-	-	-	1	5	6	10	11	11	7	9	2	1	1	-	-	-	-
	Female	22	2	-	-	-	-	-	-	-	1	-	1	4	-	3	-	2	3	3	1	1	-	-	-	1	-	-
	Nonwhite..Male	168	5	-	-	-	-	-	-	3	2	12	16	19	17	32	29	12	10	7	1	1	-	1	-	-	-	1
	Female	57	10	-	-	-	-	-	-	-	2	7	7	6	13	2	4	1	3	1	-	-	1	-	-	-	-	-
35	Measles	6	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	15	1	-	-	1	1	3	-	5	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	1	-	-	1	-	1	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Continued																											
45-55	Cancer and other malignant tumors....	2,252	1	1	1	-	2	5	2	6	11	21	44	73	115	170	232	258	282	308	258	246	143	53	17	1	-	2
	White.....Male....	967	-	1	-	-	2	1	2	3	2	8	10	14	29	45	80	112	121	161	135	130	79	24	7	1	-	-
	Female..	914	1	-	-	-	-	3	-	2	5	6	18	29	44	76	88	94	125	125	101	104	61	23	8	-	-	1
	Nonwhite..Male....	147	-	-	1	-	-	-	-	-	1	1	3	9	11	17	22	26	13	11	15	9	2	3	2	-	-	1
	Female..	224	-	-	-	-	-	1	-	1	3	6	13	21	31	32	42	26	23	11	7	3	1	3	-	-	-	-
46	Cancer of digestive organs, peritoneum..	887	-	-	-	-	-	1	-	2	1	3	8	21	33	50	89	115	124	123	115	120	55	19	7	-	-	1
	White.....Male....	410	-	-	-	-	-	-	-	-	-	3	5	4	12	18	38	51	65	65	59	56	25	6	3	-	-	-
	Female..	327	-	-	-	-	-	-	-	1	-	-	3	5	4	17	24	34	43	46	49	58	28	12	3	-	-	-
	Nonwhite..Male....	80	-	-	-	-	-	-	-	-	-	-	-	6	8	10	11	16	7	8	5	5	2	-	1	-	-	1
	Female..	70	-	-	-	-	-	1	-	1	1	-	-	6	9	5	16	14	9	4	2	1	-	1	-	-	-	-
48,49	Cancer of female genital organs.....	336	-	-	-	-	-	-	-	-	3	4	17	22	32	50	44	35	41	33	26	10	14	4	1	-	-	-
	White.....Female..	252	-	-	-	-	-	-	-	-	2	2	8	13	21	37	29	28	34	29	23	9	13	3	1	-	-	-
	Nonwhite..Female..	84	-	-	-	-	-	-	-	-	1	2	9	9	11	13	15	7	7	4	3	1	1	1	-	-	-	-
50	Cancer of breast.....	182	-	-	-	-	-	-	-	-	1	2	5	10	19	17	27	21	21	23	18	11	5	2	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	148	-	-	-	-	-	-	-	-	-	-	4	7	10	11	22	20	19	21	16	11	5	2	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	33	-	-	-	-	-	-	-	-	1	2	1	3	9	6	5	-	2	2	2	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	847	1	1	1	-	2	4	2	4	6	12	14	20	31	53	72	87	96	129	99	105	69	28	9	1	-	1
	White.....Male....	557	-	1	-	-	2	1	2	3	2	5	5	10	17	27	42	61	56	96	76	74	54	18	4	1	-	-
	Female..	187	1	-	-	-	-	3	-	1	3	4	3	4	9	11	13	12	29	29	13	26	15	6	4	-	-	1
	Nonwhite..Male....	66	-	-	1	-	-	-	-	-	1	1	3	3	3	7	11	9	6	3	10	4	-	3	1	-	-	-
	Female..	37	-	-	-	-	-	-	-	-	-	2	3	3	2	8	6	5	5	1	-	1	-	1	-	-	-	-
58	Acute rheumatic fever.....	26	-	-	-	-	-	1	3	4	3	1	3	1	1	1	1	1	1	-	1	1	2	1	-	-	-	-
	White.....Male....	6	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite..Male....	9	-	-	-	-	-	1	1	1	2	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	379	1	-	-	-	2	1	-	2	4	5	12	11	17	13	35	43	39	54	69	49	17	5	-	-	-	-
	White.....Male....	137	-	-	-	-	-	-	-	2	2	2	4	4	5	5	8	19	11	23	30	15	4	3	-	-	-	-
	Female..	159	-	-	-	-	1	1	-	-	-	1	1	4	1	4	11	10	18	24	35	33	13	2	-	-	-	-
	Nonwhite..Male....	26	1	-	-	-	1	-	-	-	1	1	2	-	4	1	6	5	1	2	1	-	-	-	-	-	-	-
	Female..	57	-	-	-	-	-	-	-	-	1	1	5	3	7	3	10	9	9	5	3	1	-	-	-	-	-	-
63b	Exophthalmic goiter..	19	-	-	-	-	-	-	-	-	-	-	1	2	1	2	3	2	-	4	2	1	-	1	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Female..	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	3	2	-	-	1	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	35	-	-	-	-	-	-	-	1	1	2	1	2	3	2	6	-	4	1	3	3	3	2	1	-	-	-
	White.....Male....	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	1	-	1	1	-	-	-
	Female..	13	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	2	-	-	2	2	1	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-
	Female..	9	-	-	-	-	-	-	-	1	1	2	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	58	-	-	-	-	-	-	-	-	-	1	2	5	9	15	7	6	4	6	2	-	-	-	-	-	-	1
	White.....Male....	40	-	-	-	-	-	-	-	-	-	-	-	4	7	9	2	6	4	6	2	-	-	-	-	-	-	-
	Female..	12	-	-	-	-	-	-	-	-	-	1	1	-	2	4	3	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	2,326	5	2	2	-	1	3	4	4	5	16	31	60	76	140	184	256	244	319	358	308	188	81	31	3	2	3
	White.....Male....	787	2	-	1	-	1	-	-	1	-	8	3	5	10	23	39	67	83	126	155	137	84	27	13	1	-	1
	Female..	682	-	1	-	-	-	1	1	1	2	3	3	12	16	25	33	51	52	97	130	114	81	45	14	-	-	-
	Nonwhite..Male....	395	1	1	-	-	-	2	1	1	2	1	12	18	19	41	59	65	48	41	36	25	13	3	4	-	1	-
	Female..	462	2	-	1	-	-	-	2	1	1	4	13	25	31	51	53	72	61	55	37	32	10	6	-	2	1	2
90-95	Diseases of the heart.....	5,371	1	2	1	-	-	8	9	19	28	44	57	132	198	335	476	498	610	740	781	673	440	229	64	17	1	8
	White.....Male....	2,757	-	-	-	-	-	2	-	9	6	13	15	52	77	167	225	264	336	419	438	364	222	107	29	7	-	5
	Female..	1,510	-	-	1	-	-	1	2	3	9	8	13	22	27	49	74	102	150	215	260	252	183	107	24	8	-	-
	Nonwhite..Male....	612	-	-	-	-	-	4	3	4	5	9	15	27	49	77	98	66	76	55	55	31	20	10	3	2	-	3
	Female..	492	1	2	-	-	-	1	4	3	8	14	14	31	45	42	79	66	48	51	28	26	15	5	8	-	1	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	301	-	-	-	-	-	3	3	7	12	8	11	15	22	18	28	22	32	24	45	29	13	10	1	-	-	1
	White.....Male....	123	-	-	-	-	-	-	-	3	2	3	4	7	12	7	11	5	14	7	27	8	6	6	-	-	-	1
	Female..	90	-	-	-	-	-	-	-	1	4	-	4	3	4	5	7	8	9	11	13	12	6	3	-	-	-	-
	Nonwhite..Male....	50	-	-	-	-	-	3	1	2	3	2	1	3	1	5	5	5	5	5	3	5	1	-	-	-	-	-
	Female..	41	-	-	-	-	-	-	2	1	3	3	2	2	5	1	5	4	4	1	2	4	-	1	1	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	1,864	-	-	-	-	-	-	-	2	6	12	15	41	78	144	202	212	241	282	272	194	99	49	8	3	1	3
	White.....Male....	1,224	-	-	-	-	-	-	-	1	1	4	6	26	43	102	137	150	163	194	181	121	57	29	4	2	-	3
	Female..	446	-	-	-	-	-	-	-	1	1	1	2	6	6	19	30	38	54	75	81	67	40	20	4	1	-	-
	Nonwhite..Male....	112	-	-	-	-	-	-	-	-	1	3	2	4	21	14	20	14	15	7	6	3	2	-	-	-	-	-
	Female..	82	-	-	-	-	-	-	-	-	3	4	5	5	8	9	15	10	9	6	4	3	-	-	-	-	1	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	3,203	1	2	1	-	-	5	6	10	10	24	31	76	98	173	246	264	337	434	464	450	328	170	55	14	-	4
	White.....Male....	1,410	-	-	-	-	-	2	-	5	3	6	5	19	22	58	77	109	159	218	230	235	159	72	25	5	-	1
	Female..	974	-	-	1	-	-	1	2	1	4	7	7	13	17	25	37	56	87	129	166	173	137	84	20	7	-	-
	Nonwhite..Male....	450	-	-	-	-	-	1	2	2	1	4	12	20	27	58	73	47	56	43	46	23	17	10	3	2	-	3
	Female..	369	1	2	-	-	-	1	2	2	2	7	7	24	32	32	59	52	35	44	22	19	15	4	7	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,126	252	43	21	12	6	14	9	18	22	24	36	48	58	64	52	68	52	60	59	77	71	42	15	2	-	1
	White.....Male	379	72	7	8	3	1	6	3	5	4	4	10	7	18	22	16	20	22	24	27	38	39	16	7	-	-	-
	Female	254	57	8	2	3	2	2	2	3	5	1	5	3	2	8	8	10	11	13	15	32	30	23	6	2	-	1
	Nonwhite..Male	257	65	18	7	5	3	1	3	4	7	11	11	17	17	20	8	21	14	12	6	4	-	2	1	-	-	-
	Female	236	58	10	4	1	-	5	1	6	6	8	10	21	21	14	20	17	5	11	11	3	2	1	1	-	-	-
107	Bronchopneumonia	398	130	16	9	5	4	5	3	5	8	5	4	11	14	9	11	14	14	23	16	31	34	20	5	2	-	-
	White.....Male	165	42	3	2	2	1	3	-	1	3	3	1	3	7	4	6	7	7	14	8	15	21	9	3	-	-	-
	Female	105	32	4	1	2	2	-	-	1	1	-	2	-	-	2	2	3	4	4	3	16	11	11	2	2	-	-
	Nonwhite..Male	66	29	7	4	1	1	-	3	1	2	2	1	4	2	2	-	2	3	1	1	-	-	-	-	-	-	-
	Female	62	27	2	2	-	-	2	-	2	2	-	-	4	5	1	3	2	-	4	4	-	2	-	-	-	-	-
108	Lobar pneumonia	348	47	11	5	3	-	5	5	8	7	9	18	16	25	26	20	31	24	20	21	17	19	8	3	-	-	-
	White.....Male	115	15	-	2	1	-	3	2	2	1	1	9	2	6	11	6	9	9	5	11	7	9	4	-	-	-	-
	Female	66	7	3	1	1	-	-	2	2	2	-	1	1	-	2	3	4	5	4	7	5	10	4	2	-	-	-
	Nonwhite..Male	87	13	4	1	1	-	1	-	2	3	3	5	7	8	8	2	10	8	6	1	3	-	-	1	-	-	-
	Female	80	12	4	1	-	-	1	1	2	1	5	3	6	11	5	9	8	2	5	2	2	-	-	-	-	-	-
109	Pneumonia (unspecified)	121	32	5	2	1	-	2	1	1	2	2	4	10	9	11	6	5	6	2	5	8	4	2	-	-	-	1
	White.....Male	36	7	1	2	-	-	-	1	-	-	-	-	1	4	5	2	3	3	1	-	4	2	-	-	-	-	-
	Female	25	7	-	-	-	-	1	-	-	-	-	1	1	-	1	2	1	-	1	2	4	2	1	-	-	-	1
	Nonwhite..Male	30	7	2	-	1	-	-	-	-	-	1	3	3	5	2	2	-	2	-	1	-	-	1	-	-	-	-
	Female	30	11	2	-	-	-	1	-	1	2	1	-	5	-	3	-	1	1	-	2	-	-	-	-	-	-	-
33	Influenza	259	43	11	5	3	2	2	-	4	5	8	10	11	10	18	15	18	8	15	17	21	14	12	7	-	-	-
	White.....Male	63	8	3	2	-	-	-	-	2	-	-	-	1	1	2	2	1	3	4	8	12	7	3	4	-	-	-
	Female	58	11	1	-	-	-	1	-	-	2	1	1	1	2	3	1	2	2	4	3	7	7	7	2	-	-	-
	Nonwhite..Male	74	16	5	2	2	2	-	-	1	2	5	2	3	2	8	4	9	1	5	3	1	-	1	-	-	-	-
	Female	64	8	2	1	1	-	1	-	1	1	2	7	6	5	5	8	6	2	2	3	1	-	1	1	-	-	-
117	Ulcer of stomach or duodenum	146	1	-	-	-	-	-	-	-	2	4	8	13	9	16	19	21	10	15	13	8	6	-	-	-	-	1
	White.....Male	85	-	-	-	-	-	-	-	-	-	2	4	8	2	7	12	15	7	8	12	5	3	-	-	-	-	-
	Female	23	-	-	-	-	-	-	-	-	1	-	1	1	2	2	2	3	3	3	-	2	2	-	-	-	-	1
	Nonwhite..Male	26	1	-	-	-	-	-	-	-	-	2	3	3	4	4	3	2	-	2	-	1	1	-	-	-	-	-
	Female	12	-	-	-	-	-	-	-	-	1	-	-	1	1	3	2	1	-	2	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	245	164	21	3	1	-	3	-	3	2	6	1	7	9	3	4	2	2	4	2	3	1	4	-	-	-	-
	White.....Male	70	50	6	1	1	-	1	-	1	-	1	-	1	1	-	2	1	-	1	-	2	-	1	-	-	-	-
	Female	57	41	4	-	-	-	1	-	-	-	1	1	2	1	-	-	-	1	1	1	1	-	2	-	-	-	-
	Nonwhite..Male	67	41	6	2	-	-	-	-	1	2	3	-	2	4	1	1	-	1	2	1	-	-	-	-	-	-	-
	Female	51	32	5	-	-	-	1	-	1	-	1	-	2	3	2	1	1	-	-	-	-	1	1	-	-	-	-
121	Appendicitis	119	-	-	2	1	2	1	2	4	5	9	8	11	12	13	10	9	10	6	5	7	1	-	1	-	-	-
	White.....Male	37	-	-	1	-	-	1	-	-	-	1	2	1	3	8	3	3	4	2	3	3	1	-	1	-	-	-
	Female	35	-	-	-	1	1	-	2	-	-	1	1	3	3	2	2	5	5	3	2	4	-	-	-	-	-	-
	Nonwhite..Male	20	-	-	-	-	1	-	-	3	2	2	1	4	3	1	2	-	-	1	-	-	-	-	-	-	-	-
	Female	27	-	-	1	-	-	-	-	1	3	5	4	3	3	2	3	1	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	249	12	1	2	-	2	2	2	4	3	17	11	15	22	15	21	20	23	28	17	12	11	6	3	-	-	-
	White.....Male	76	2	-	1	-	1	-	1	1	-	3	2	1	7	-	2	10	9	13	10	1	8	3	1	-	-	-
	Female	71	2	-	1	-	-	-	-	-	3	5	2	1	3	4	6	3	6	11	6	11	3	2	2	-	-	-
	Nonwhite..Male	54	4	-	-	-	1	1	1	2	-	3	2	8	6	7	5	5	5	2	1	-	-	1	-	-	-	-
	Female	48	4	1	-	-	-	1	-	1	-	6	5	5	6	4	8	2	3	2	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	201	-	-	-	-	-	-	1	-	1	1	7	13	19	20	21	36	19	20	25	6	8	4	-	-	-	-
	White.....Male	107	-	-	-	-	-	-	-	-	1	1	1	6	10	6	10	22	12	14	17	2	4	1	-	-	-	-
	Female	48	-	-	-	-	-	-	1	-	-	-	4	4	4	6	3	5	3	5	4	4	2	3	-	-	-	-
	Nonwhite..Male	24	-	-	-	-	-	-	-	-	-	-	1	1	2	4	4	6	1	1	2	-	2	-	-	-	-	-
	Female	22	-	-	-	-	-	-	-	-	-	-	1	2	3	4	4	3	3	-	2	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	95	-	-	-	-	-	1	-	-	1	3	3	2	5	8	13	6	13	14	11	7	8	-	-	-	-	-
	White.....Male	36	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	1	7	7	6	3	3	-	-	-	-	-
	Female	41	-	-	-	-	-	-	-	-	-	1	2	2	-	2	8	3	3	6	5	4	5	-	-	-	-	-
	Nonwhite..Male	7	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	2	1	-	-	-	-	-	-	-	-	-
	Female	11	-	-	-	-	-	1	-	-	1	1	1	-	1	1	2	-	2	1	-	-	-	-	-	-	-	-
130-132	Nephritis	1,581	3	3	5	4	1	7	4	10	16	24	30	38	68	92	120	146	159	198	195	190	134	92	32	8	2	-
	White.....Male	585	1	-	1	2	-	3	2	3	6	3	3	7	13	24	27	37	62	84	88	99	63	41	14	2	-	-
	Female	406	1	-	-	-	1	1	1	2	6	3	6	7	9	12	21	19	38	50	60	59	47	44	15	4	-	-
	Nonwhite..Male	331	1	1	3	1	-	2	-	4	2	6	9	12	21	28	45	54	33	38	27	20	18	3	-	1	2	-
	Female	259	-	2	1	1	-	1	1	1	2	12	12	12	25	28	27	36	26	26	20	12	6	4	3	1	-	-
137	Diseases of the prostate	129	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	5	7	18	27	24	27	12	3	-	-	1
	White.....Male	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	14	22	21	24	11	3	-	-	-
	Nonwhite..Male	27	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	2	4	5	3	3	1	-	-	-	1

* Refer to International List for complete title, table V, Part I.

747801 O - 47 - 15

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Continued																											
140-150	Diseases of pregnancy, etc.*....	141	-	-	-	-	-	-	2	13	25	29	31	33	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	65	-	-	-	-	-	-	-	6	9	13	15	18	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	76	-	-	-	-	-	-	2	7	16	16	16	15	4	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	45	-	-	-	-	-	-	-	3	11	8	13	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	19	-	-	-	-	-	-	-	2	2	4	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	26	-	-	-	-	-	-	-	1	9	4	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	49	-	-	-	-	-	-	2	8	7	8	8	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	25	-	-	-	-	-	-	-	4	3	3	5	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	24	-	-	-	-	-	-	2	4	4	5	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock....	37	-	-	-	-	-	-	-	1	5	10	10	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	16	-	-	-	-	-	-	-	-	3	5	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	21	-	-	-	-	-	-	-	1	2	5	6	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes....	10	-	-	-	-	-	-	-	1	2	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	5	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations....	245	203	10	3	2	3	7	3	3	2	-	-	3	2	-	3	-	-	-	1	-	-	-	-	-	-	-
	White.....Male....	116	93	5	3	1	1	3	2	2	1	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	97	87	3	-	-	1	2	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	19	16	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	13	7	1	-	1	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year....	1,074	1,074	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	436	436	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	308	308	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	196	196	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	134	134	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth....	685	685	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	271	271	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	217	217	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	86	86	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	389	389	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	165	165	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	85	85	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	48	48	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide....	231	-	-	-	-	-	-	1	6	15	10	23	22	32	24	24	24	15	16	10	7	1	-	-	-	-	1
	White.....Male....	142	-	-	-	-	-	-	1	5	5	4	10	11	17	16	18	16	12	13	6	6	1	-	-	-	-	1
	Female..	70	-	-	-	-	-	-	-	-	9	5	8	9	10	7	6	8	2	3	3	-	-	-	-	-	-	-
	Nonwhite..Male....	13	-	-	-	-	-	-	-	1	1	1	3	1	2	1	-	-	1	-	1	1	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide....	360	2	-	-	-	-	1	1	20	47	73	51	48	45	36	16	7	4	6	2	-	-	-	-	-	-	1
	White.....Male....	67	2	-	-	-	-	-	-	6	3	10	6	6	12	10	5	3	3	1	-	-	-	-	-	-	-	-
	Female..	12	-	-	-	-	-	-	-	-	3	2	2	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	227	-	-	-	-	-	-	1	8	31	45	37	36	27	22	9	3	1	4	2	-	-	-	-	-	-	1
	Female..	54	-	-	-	-	-	1	-	6	10	16	6	4	5	4	1	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	2,137	48	29	22	22	19	70	64	186	439	208	120	115	116	101	91	74	54	66	83	75	63	41	14	5	2	10
	White.....Male....	1,315	13	13	10	6	9	34	30	140	388	152	77	66	53	54	47	36	27	35	41	33	28	12	3	1	-	7
	Female..	370	15	11	6	5	4	16	7	20	19	16	9	13	12	13	9	7	17	25	35	40	32	26	9	3	-	1
	Nonwhite..Male....	348	9	3	3	5	5	10	24	25	27	31	30	29	38	30	30	27	7	4	3	1	3	1	-	-	1	2
	Female..	104	11	2	3	6	1	10	3	1	5	9	4	7	13	4	5	4	3	2	4	1	-	2	2	1	1	-
170	Motor-vehicle accidents....	610	1	3	5	7	8	23	13	58	87	59	51	46	52	39	40	23	20	26	23	14	7	4	-	-	-	1
	White.....Male....	368	-	1	1	2	4	13	6	32	67	36	34	25	23	21	22	13	14	17	16	13	6	2	-	-	-	-
	Female..	107	1	2	1	1	2	6	3	18	10	11	4	8	6	9	6	3	4	5	4	1	1	1	-	-	-	-
	Nonwhite..Male....	112	-	-	2	2	2	1	4	8	9	8	10	11	19	9	12	6	2	3	2	-	-	1	-	-	-	1
	Female..	23	-	-	1	2	-	3	-	-	1	4	3	2	4	-	-	1	-	1	1	-	-	-	-	-	-	-
169, 171-195	Other accidents....	1,527	47	26	17	15	11	47	51	128	352	149	69	69	64	62	51	51	34	40	60	61	56	37	14	5	2	9
	White.....Male....	947	13	12	9	4	5	21	24	108	321	116	43	41	30	33	25	23	13	18	25	20	22	10	3	1	-	7
	Female..	263	14	9	5	4	2	10	4	2	9	5	5	5	6	4	3	4	13	20	31	39	31	25	9	3	-	1
	Nonwhite..Male....	236	9	3	1	3	3	9	20	17	18	23	20	18	19	21	18	21	5	1	1	1	3	-	-	-	1	1
	Female..	81	11	2	2	4	1	7	3	1	4	5	1	5	9	4	5	3	3	1	3	1	-	2	2	1	1	-
162,199, 200	Senility, ill-defined and unknown causes..	953	128	4	3	1	1	4	2	6	13	12	19	27	43	47	57	56	66	72	101	76	78	75	36	11	10	5
	White.....Male....	353	18	1	-	1	1	1	-	2	1	5	3	4	18	20	20	25	33	33	44	43	31	35	10	-	3	1
	Female..	169	11	2	2	-	-	1	-	2	3	2	2	3	4	2	3	4	7	14	20	12	26	30	13	6	-	-
	Nonwhite..Male....	247	54	1	-	-	-	2	1	1	4	3	5	14	12	14	25	14	17	11	24	12	11	6	9	2	4	1
	Female..	184	45	-	1	-	-	-	1	1	5	2	9	6	9	11	9	13	9	14	13	9	10	4	4	3	3	3
	All other causes....	2,044	124	39	20	1	9	35	32	40	66	67	93	104	123	127	121	134	131	155	172	161	134	99	24	14	7	3
	White.....Male....	773	41	11	4	7	3	10	12	11	18	8	16	28	28	45	43	57	57	73	93	78	62	51	7	9	-	1
	Female..	586	32	15	6	2	2	9	8	15	15	15	19	25	21	30	26	28	43	42	57	53	62	39	15	3	3	1
	Nonwhite..Male....	351	38	6	5	-	3	9	6	5	13	21	20	23	30	27	32	22	18	23	13	22	6	6	-	1	2	-
	Female..	334	13	7	5	2	1	7	6	9	20	23	38	28	44	25	20	27	13	17	9	8	4	3	2	1	2	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA																											
	ALL CAUSES	28,559	3,162	295	168	126	101	294	274	543	798	886	1,039	1,281	1,518	1,815	2,150	2,314	2,265	2,579	2,337	1,925	1,293	810	312	90	57	127
	White.....Male	9,575	1,005	81	46	46	28	94	99	161	223	208	240	346	383	530	661	840	883	1,074	976	734	483	294	88	18	4	30
	Female	6,920	716	61	46	33	33	72	58	86	138	143	172	217	215	273	359	437	547	784	785	708	509	339	124	35	1	29
	Nonwhite..Male	6,267	811	84	45	21	16	60	69	157	203	268	311	359	449	555	604	518	422	369	304	266	166	96	41	16	21	36
	Female	5,797	630	69	31	26	24	68	48	139	234	267	316	359	471	457	526	519	413	352	272	217	135	81	59	21	31	32
1,2	Typhoid and paratyphoid fever	28	1	1	-	-	-	3	1	1	3	7	3	1	1	1	-	2	-	2	-	1	-	-	-	-	-	-
	White.....Male	6	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	10	-	-	-	-	-	1	-	1	2	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	1	1	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	43	10	5	4	1	3	-	3	3	2	3	4	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	20	6	1	1	1	-	-	-	1	1	2	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	11	2	2	2	-	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	5	1	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	1	1	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	64	44	10	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	18	16	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	24	13	6	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	17	11	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	72	3	16	13	11	5	23	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	25	2	6	5	4	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	27	1	4	4	2	3	12	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	10	-	3	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	10	-	3	1	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,108	7	7	6	3	1	5	9	62	123	135	146	123	94	112	63	75	47	34	24	14	5	3	2	1	-	7
	White.....Male	256	1	4	-	1	-	2	1	2	10	13	20	24	29	37	20	30	25	15	9	10	2	1	-	-	-	-
	Female	178	2	-	1	-	-	-	1	6	26	19	22	8	8	15	14	10	12	14	13	3	2	-	-	1	-	1
	Nonwhite..Male	315	4	1	4	1	-	1	3	22	30	38	46	46	24	41	17	22	4	5	2	-	-	1	2	-	-	1
	Female	359	-	2	1	1	1	2	4	32	57	65	58	45	33	19	12	13	6	-	-	1	1	1	-	-	-	5
13	Tuberculosis of respiratory system, etc.*	1,008	3	2	3	2	1	1	7	57	116	126	133	115	83	103	60	69	43	32	22	12	5	3	2	1	-	7
	White.....Male	233	-	1	-	-	-	-	1	1	10	11	18	24	26	36	20	28	23	14	9	8	2	1	-	-	-	-
	Female	168	2	-	-	-	-	-	1	6	24	19	20	8	8	14	14	9	11	13	12	3	2	-	-	1	-	1
	Nonwhite..Male	281	1	-	3	1	-	1	3	21	29	35	41	43	19	35	15	20	4	5	1	-	-	1	2	-	-	1
	Female	326	-	1	-	1	1	-	2	29	53	61	54	40	30	18	11	12	5	-	-	1	1	1	-	-	-	5
14-22	Tuberculosis (other forms)	100	4	5	3	1	-	4	2	5	7	9	13	8	11	9	3	6	4	2	2	2	-	-	-	-	-	-
	White.....Male	23	1	3	-	1	-	2	-	1	-	2	2	-	3	1	-	2	2	1	-	2	-	-	-	-	-	-
	Female	10	-	-	1	-	-	-	-	-	2	-	2	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite..Male	34	3	1	1	-	-	-	-	1	1	3	5	3	5	6	2	2	-	-	1	-	-	-	-	-	-	-
	Female	33	-	1	1	-	-	2	2	3	4	4	4	5	3	1	1	1	1	-	-	-	-	-	-	-	-	-
27	Dysentery	55	13	3	1	3	-	-	-	-	1	2	1	4	2	1	2	3	4	2	1	4	4	2	1	-	-	1
	White.....Male	14	2	1	-	1	-	-	-	-	1	-	-	2	-	-	-	-	2	-	-	1	2	2	-	-	-	-
	Female	12	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	3	2	-	-	-	-	1
	Nonwhite..Male	16	5	1	1	1	-	-	-	-	-	1	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	Female	13	5	1	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	2	-	-	-	-	1	-	-	-
28	Malaria	24	2	-	1	1	-	1	1	2	-	-	2	1	3	3	2	2	-	1	-	-	1	1	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	6	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	7	1	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female	8	-	-	-	1	-	1	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	1	-	-	-	-
30	Syphilis	370	25	2	2	-	-	1	2	6	7	17	32	38	47	53	41	38	21	17	6	2	4	3	1	1	-	4
	White.....Male	68	-	-	-	-	-	-	-	-	-	1	3	2	6	19	7	12	7	7	2	1	1	-	-	-	-	-
	Female	30	2	-	-	-	-	-	-	-	-	1	2	5	4	3	3	3	1	1	2	-	1	-	-	1	-	1
	Nonwhite..Male	184	15	2	1	-	-	1	-	2	4	7	20	22	27	20	22	17	10	7	2	-	2	1	1	-	-	1
	Female	88	8	-	1	-	-	-	2	4	3	8	7	9	10	11	9	6	3	2	-	1	-	2	-	-	-	2
35	Measles	9	2	1	1	-	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	13	-	1	-	-	1	2	-	2	3	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	10	-	-	-	-	1	2	-	1	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Continued																											
45-55	Cancer and other malignant tumors	2,445	2	1	1	3	4	8	9	7	22	38	54	120	165	195	270	319	296	317	261	174	103	51	11	3	2	9
	White.....Male	811	-	-	1	2	3	4	4	2	8	13	10	25	22	48	65	92	115	118	128	76	44	24	4	-	-	3
	Female	933	1	1	-	-	-	3	3	2	7	12	18	38	60	74	93	114	112	143	97	77	45	24	6	2	-	1
	Nonwhite..Male	245	-	-	-	-	-	1	1	3	3	5	6	10	18	26	39	41	31	22	17	10	7	1	1	-	-	3
	Female	456	1	-	-	1	1	-	1	-	4	8	20	47	65	47	73	72	38	34	19	11	7	2	-	1	2	2
46	Cancer of digestive organs, peritoneum	883	1	-	-	-	-	1	-	-	4	9	10	27	36	72	100	121	116	128	117	77	41	14	4	-	-	5
	White.....Male	328	-	-	-	-	-	-	-	-	2	2	2	8	11	22	30	38	55	45	56	32	16	8	1	-	-	-
	Female	316	1	-	-	-	-	-	-	-	-	4	3	6	7	26	23	42	34	63	43	35	21	6	2	-	-	-
	Nonwhite..Male	126	-	-	-	-	-	1	-	-	2	2	3	5	4	12	23	21	17	9	13	8	2	-	1	-	-	3
	Female	113	-	-	-	-	-	-	-	-	-	1	2	8	14	12	24	20	10	11	5	2	2	-	-	-	-	2
48,49	Cancer of female genital organs	446	-	-	-	-	-	-	-	1	7	8	13	43	58	45	61	61	45	36	34	18	6	5	2	1	1	1
	White.....Female	249	-	-	-	-	-	-	-	1	4	3	6	16	24	24	32	35	30	28	24	13	2	4	2	-	-	1
	Nonwhite..Female	197	-	-	-	-	-	-	-	-	3	5	7	27	34	21	29	26	15	8	10	5	4	1	-	1	1	-
50	Cancer of breast	232	-	-	-	-	-	-	-	-	-	2	7	12	30	23	29	29	31	27	12	13	9	5	1	1	1	-
	White.....Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	Female	158	-	-	-	-	-	-	-	-	-	2	2	6	16	16	19	12	22	23	11	13	9	5	1	1	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	67	-	-	-	-	-	-	-	-	-	-	5	5	13	6	10	15	7	4	1	-	-	-	-	-	1	-
45,47, 51-55	Cancer (other sites)	884	1	1	1	3	4	7	9	6	11	19	24	38	41	55	80	108	104	126	98	66	47	27	4	1	-	3
	White.....Male	479	-	-	1	2	3	4	4	2	6	11	8	17	11	25	35	53	58	73	72	44	28	16	3	-	-	3
	Female	210	-	1	-	-	-	3	3	1	3	3	7	10	13	8	19	25	26	29	19	16	13	9	1	1	-	-
	Nonwhite..Male	116	-	-	-	-	-	-	1	3	1	3	3	4	13	14	16	19	14	13	4	2	5	1	-	-	-	-
	Female	79	1	-	-	1	1	-	1	-	1	2	6	7	4	8	10	11	6	11	3	4	1	1	-	-	-	-
58	Acute rheumatic fever	40	-	-	-	1	1	6	8	3	2	4	2	4	1	-	2	4	1	-	1	-	-	-	-	-	-	-
	White.....Male	9	-	-	-	1	-	1	3	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	1	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	10	-	-	-	-	-	1	1	2	-	-	-	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Female	15	-	-	-	-	-	2	3	-	2	3	-	-	-	-	1	3	-	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	374	-	1	-	-	1	2	9	5	9	5	9	8	16	16	28	40	49	59	57	30	15	10	2	-	1	2
	White.....Male	127	-	1	-	-	-	2	1	2	4	1	4	2	3	2	8	10	14	23	27	13	4	5	1	-	-	-
	Female	157	-	-	-	-	-	-	4	1	2	1	4	3	4	5	11	16	23	28	25	14	9	5	1	-	-	1
	Nonwhite..Male	31	-	-	-	-	-	-	2	1	3	1	1	2	4	1	1	4	4	1	2	1	1	-	-	-	1	1
	Female	59	-	-	-	-	1	-	2	1	-	2	-	1	5	8	8	10	8	7	3	2	1	-	-	-	-	-
63b	Exophthalmic goiter	32	-	-	-	-	-	-	-	1	1	3	4	-	2	2	1	5	2	6	3	-	2	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	25	-	-	-	-	-	-	-	1	-	2	3	-	2	1	1	4	2	5	2	-	2	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	107	-	-	-	1	-	-	-	2	-	2	2	2	5	6	8	11	5	18	16	15	10	4	-	-	-	-
	White.....Male	22	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	5	4	5	2	-	-	-	-	-
	Female	55	-	-	-	1	-	-	-	-	-	1	-	-	1	2	3	6	2	10	9	9	7	4	-	-	-	-
	Nonwhite..Male	10	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	-	-	2	1	-	-	-	-	-	-	-
	Female	20	-	-	-	-	-	-	-	2	-	1	2	-	1	4	-	3	2	1	2	1	1	-	-	-	-	-
77	Alcoholism (ethylism)	67	-	-	-	-	1	-	-	-	2	10	9	7	4	13	6	9	3	2	-	1	-	-	-	-	-	-
	White.....Male	37	-	-	-	-	-	-	-	-	1	2	4	4	3	10	4	6	2	1	-	-	-	-	-	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite..Male	17	-	-	-	-	-	-	-	-	1	4	4	2	-	1	1	3	1	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,265	7	1	2	1	-	2	2	7	14	25	40	90	190	209	362	349	390	447	425	305	226	107	37	7	9	11
	White.....Male	944	3	-	1	-	-	1	-	2	1	5	5	19	28	37	73	93	101	185	159	102	77	39	9	-	1	3
	Female	771	1	-	-	1	-	-	2	3	1	2	6	3	19	27	49	52	101	110	145	113	78	41	10	3	-	4
	Nonwhite..Male	746	3	-	1	-	-	-	-	1	5	6	13	35	74	72	125	92	82	68	54	53	37	14	9	-	2	-
	Female	804	-	1	-	-	-	1	-	1	7	12	16	33	69	73	115	112	106	84	67	37	34	13	9	4	6	4
90-95	Diseases of the heart	5,690	8	-	1	2	3	10	20	27	43	62	103	183	287	419	543	648	639	746	689	586	344	210	65	18	7	27
	White.....Male	2,364	3	-	1	-	-	2	8	7	8	10	29	45	88	160	220	304	310	358	304	246	141	87	19	4	-	10
	Female	1,381	3	-	-	1	1	1	3	2	7	12	13	34	23	41	62	101	142	233	226	216	138	82	29	4	-	7
	Nonwhite..Male	985	1	-	-	1	-	2	5	8	13	18	22	50	89	114	149	114	97	80	78	68	29	27	6	6	3	5
	Female	960	1	-	-	-	2	5	4	10	15	22	39	54	87	104	112	129	90	75	81	56	36	14	11	4	4	5
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart	353	-	-	-	1	2	4	13	11	9	12	16	14	20	20	32	39	27	31	29	33	21	8	6	3	1	1
	White.....Male	104	-	-	-	-	-	-	4	5	-	2	5	5	8	2	8	7	8	12	10	15	7	3	1	1	-	1
	Female	65	-	-	-	1	-	1	3	1	3	4	1	2	1	1	3	3	4	8	7	10	5	4	3	-	-	-
	Nonwhite..Male	80	-	-	-	-	-	1	3	1	3	1	4	6	3	8	9	11	8	4	6	5	4	1	-	1	1	-
	Female	104	-	-	-	-	2	2	3	4	3	5	6	1	8	9	12	18	7	7	6	3	5	-	2	1	-	-
94	Diseases of coronary arteries, angina pectoris	1,748	1	-	-	-	-	-	-	5	11	9	28	65	84	143	201	241	239	257	187	143	65	51	8	1	-	9
	White.....Male	1,012	-	-	-	-	-	-	-	-	3	5	12	27	41	82	129	160	150	156	104	82	32	20	4	-	-	5
	Female	406	-	-	-	-	-	-	-	-	1	-	6	11	8	12	14	36	68	79	72	40	27	24	4	1	-	3
	Nonwhite..Male	190	-	-	-	-	-	-	-	2	4	3	4	12	21	29	39	28	10	13	8	11	2	4	-	-	-	-
	Female	140	1	-	-	-	-	-	-	3	3	1	6	15	14	20	19	17	11	9	3	10	4	3	-	-	-	1
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	3,589	7	-	1	1	1	6	7	11	23	41	59	104	183	256	310	368	373	458	473	410	258	151	51	14	6	17
	White.....Male	1,248	3	-	1	-	-	2	4	2	5	3	12	13	39	76	83	137	152	190	190	149	102	64	14	3	-	4
	Female	910	3	-	-	-	1	-	-	1	3	8	6	21	14	28	45	62	70	146	147	166	106	54	22	3	-	4
	Nonwhite..Male	715	1	-	-	1	-	1	2	5	6	14	14	32	65	77	101	75	79	63	64	52	23	22	6	5	2	5
	Female	716	-	-	-	-	-	3	1	3	9	16	27	38	65	75	81	94	72	59	72	43	27	11	9	3	4	4

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,961	498	73	28	21	16	36	22	41	44	43	70	74	95	122	99	77	87	101	112	105	90	67	23	9	2	6
	White.....Male	487	121	14	7	6	4	5	4	5	6	5	7	19	22	25	23	14	28	36	43	26	33	26	5	2	-	1
	Female	434	101	7	5	6	5	10	8	4	7	6	10	15	2	8	9	10	17	36	35	48	36	29	14	5	-	1
	Nonwhite..Male	511	145	28	8	4	3	11	7	11	16	13	22	23	36	55	35	31	18	15	21	16	10	7	1	1	1	3
	Female	499	131	24	8	5	4	10	3	21	15	19	31	17	35	34	32	22	24	14	13	15	11	5	3	1	1	1
107	Bronchopneumonia	644	255	33	18	9	4	7	7	10	6	11	9	17	15	23	18	14	18	28	41	30	30	27	8	3	-	3
	White.....Male	161	61	7	3	4	1	-	1	2	-	1	1	3	4	3	6	1	7	13	18	4	11	7	2	-	-	1
	Female	195	66	4	2	1	1	3	2	-	2	2	1	4	1	5	5	5	6	8	15	21	16	17	5	2	-	1
	Nonwhite..Male	148	61	11	7	2	2	1	3	2	3	6	3	5	2	11	4	5	2	4	6	4	1	2	1	-	-	-
	Female	140	67	11	6	2	-	3	1	6	1	2	4	5	8	4	3	3	3	3	2	1	2	1	-	1	-	1
106	Lobar pneumonia	611	97	13	5	5	5	12	3	13	18	18	22	33	46	48	50	28	38	46	29	29	24	19	8	-	1	1
	White.....Male	165	18	1	1	-	1	2	-	1	1	2	3	10	12	15	11	7	14	21	13	10	9	12	1	-	-	-
	Female	99	16	-	2	2	1	2	1	1	3	2	4	5	-	2	2	3	6	15	7	9	8	4	4	-	-	-
	Nonwhite..Male	164	38	6	-	-	1	5	1	3	7	4	6	9	13	17	19	10	4	6	4	5	3	2	-	-	-	1
	Female	183	25	6	2	3	2	3	1	8	7	10	9	9	21	14	18	8	14	4	5	5	4	1	3	-	1	-
109	Pneumonia (unspecified)	245	64	13	-	4	1	5	4	7	8	7	14	10	15	12	10	8	14	10	12	9	11	4	-	1	1	1
	White.....Male	57	16	2	-	2	1	1	1	1	4	1	1	2	2	4	2	1	3	1	1	2	5	3	-	1	-	-
	Female	43	6	1	-	2	-	2	2	1	-	1	2	3	1	-	1	1	2	7	4	3	4	-	-	-	-	-
	Nonwhite..Male	95	25	6	-	-	-	2	-	1	3	2	4	5	9	8	5	5	6	1	6	2	2	1	-	-	1	1
	Female	50	17	4	-	-	-	-	1	4	1	3	7	-	3	-	2	1	3	1	1	2	-	-	-	-	-	-
33	Influenza	461	82	14	5	3	6	12	8	11	12	7	25	14	19	39	21	27	17	17	30	37	25	17	7	5	-	1
	White.....Male	104	26	4	3	-	1	2	2	1	1	1	2	4	4	3	4	5	4	1	11	10	8	4	2	1	-	-
	Female	97	13	2	1	1	3	3	3	2	2	1	3	3	-	1	1	1	3	6	9	15	8	8	5	3	-	-
	Nonwhite..Male	134	21	5	1	2	-	3	3	5	3	1	9	4	12	19	7	11	6	4	5	5	4	2	-	1	-	1
	Female	126	22	3	-	-	2	4	-	3	6	4	11	3	3	16	9	10	4	6	5	7	5	3	-	-	-	-
117	Ulcer of stomach or duodenum	167	-	-	-	-	-	-	-	1	3	6	10	10	24	18	21	22	15	18	10	5	3	1	-	-	-	-
	White.....Male	78	-	-	-	-	-	-	-	-	1	3	3	4	7	9	15	10	9	6	8	2	1	-	-	-	-	-
	Female	15	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	2	3	-	3	1	-	-	-	-	-
	Nonwhite..Male	44	-	-	-	-	-	-	-	1	-	3	3	2	11	4	5	5	1	5	2	-	1	1	-	-	-	-
	Female	30	-	-	-	-	-	-	-	-	2	-	3	2	5	4	1	6	3	4	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	390	256	45	8	10	2	2	2	2	2	3	1	3	1	8	10	6	2	5	7	4	5	1	2	2	-	1
	White.....Male	106	73	14	2	2	-	2	-	-	-	1	-	-	-	2	1	2	1	1	1	2	1	1	-	-	-	-
	Female	96	60	8	3	3	2	-	-	1	-	-	-	2	1	1	2	1	-	2	2	1	3	-	2	2	-	-
	Nonwhite..Male	91	63	14	3	1	-	-	1	1	-	1	-	-	-	2	1	2	-	1	1	-	-	-	-	-	-	-
	Female	97	60	9	-	4	-	-	1	-	2	1	1	1	-	3	6	1	1	1	3	1	1	-	-	-	-	1
121	Appendicitis	173	-	-	2	1	5	4	9	19	11	15	10	17	19	15	9	14	9	3	4	2	5	-	-	-	-	-
	White.....Male	53	-	-	1	-	1	-	2	5	1	3	1	5	5	3	4	7	7	2	2	2	2	-	-	-	-	-
	Female	37	-	-	1	1	1	1	3	5	2	1	5	2	1	2	2	3	2	1	2	-	2	-	-	-	-	-
	Nonwhite..Male	35	-	-	-	-	2	1	2	4	1	2	3	7	4	5	2	2	-	-	-	-	-	-	-	-	-	-
	Female	48	-	-	-	-	1	2	2	5	7	9	1	3	9	5	1	2	-	-	-	-	1	-	-	-	-	-
122	Hernia, intestinal obstruction	259	12	3	2	2	1	3	3	6	7	14	14	17	25	18	28	25	16	14	22	14	6	4	1	-	-	2
	White.....Male	77	6	2	1	1	-	-	2	-	1	2	3	3	3	5	9	10	5	3	9	6	3	2	-	-	-	1
	Female	66	2	1	1	-	-	2	-	2	2	2	6	3	4	2	4	5	5	8	11	3	1	1	1	-	-	-
	Nonwhite..Male	56	4	-	-	1	-	-	1	1	1	4	3	4	10	5	6	5	2	1	2	3	2	1	-	-	-	-
	Female	60	-	-	-	-	1	1	-	3	3	6	2	7	8	6	9	5	4	2	-	2	-	-	-	-	-	1
124	Cirrhosis of the liver	158	-	-	1	-	-	-	-	-	2	3	8	8	16	13	21	26	22	20	8	7	3	-	-	-	-	-
	White.....Male	86	-	-	-	-	-	-	-	-	-	-	2	4	6	8	12	15	16	14	3	5	1	-	-	-	-	-
	Female	28	-	-	-	-	-	-	-	-	1	2	2	1	1	-	4	4	3	3	4	1	2	-	-	-	-	-
	Nonwhite..Male	27	-	-	-	-	-	-	-	-	1	1	4	1	5	2	2	6	1	2	1	1	-	-	-	-	-	-
	Female	17	-	-	1	-	-	-	-	-	-	-	-	2	4	3	3	1	2	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	85	-	1	-	-	-	-	-	1	-	1	1	3	4	9	14	11	10	12	6	8	3	1	-	-	-	-
	White.....Male	31	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	4	5	5	3	4	2	-	-	-	-	-
	Female	39	-	1	-	-	-	-	-	-	-	-	-	2	1	6	7	4	4	6	2	4	1	1	-	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-
	Female	10	-	-	-	-	-	-	-	1	-	1	-	-	1	2	2	2	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	2,811	2	7	3	1	5	10	8	8	20	28	62	93	137	191	235	258	326	349	326	309	215	139	47	12	10	10
	White.....Male	853	-	-	-	1	2	3	3	5	5	4	7	17	30	34	55	71	96	132	122	106	91	49	14	3	1	2
	Female	687	-	1	-	-	2	4	2	3	5	3	15	14	18	30	30	41	61	86	103	102	83	61	17	4	1	1
	Nonwhite..Male	662	2	5	3	-	1	1	1	-	1	9	18	28	42	72	74	71	92	68	54	59	27	18	5	3	4	4
	Female	609	-	1	-	-	-	2	2	-	9	12	22	34	47	55	76	75	77	63	47	42	14	11	11	2	4	3
137	Diseases of the prostate	155	-	-	-	-	-	-	-	-	-	1	-	-	-	6	5	17	17	29	25	21	21	10	3	-	-	-
	White.....Male	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	9	19	15	16	17	8	3	-	-	-
	Nonwhite..Male	61	-	-	-	-	-	-	-	-	-	1	-	-	-	6	4	11	8	10	10	5	4	2	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Continued																											
140-150	Diseases of pregnancy, etc.*....	242	-	-	-	-	-	-	2	39	52	50	37	46	15	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....Female..	98	-	-	-	-	-	-	-	13	23	21	13	22	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	144	-	-	-	-	-	-	2	26	29	29	24	24	9	-	-	-	-	-	-	-	-	-	-	-	-	1
140,142a, 145A,147	Puerperal septicemia	74	-	-	-	-	-	-	1	13	23	17	6	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	30	-	-	-	-	-	-	-	3	9	9	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	44	-	-	-	-	-	-	1	10	14	8	3	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	84	-	-	-	-	-	-	1	16	15	17	11	16	7	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....Female..	32	-	-	-	-	-	-	-	5	9	5	4	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	52	-	-	-	-	-	-	1	11	6	12	7	11	3	-	-	-	-	-	-	-	-	-	-	-	-	1
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	64	-	-	-	-	-	-	-	7	12	13	18	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	29	-	-	-	-	-	-	-	3	5	7	6	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	35	-	-	-	-	-	-	-	4	7	6	12	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	20	-	-	-	-	-	-	-	3	2	3	2	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	7	-	-	-	-	-	-	-	2	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	13	-	-	-	-	-	-	-	1	2	3	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	302	254	12	9	1	3	6	5	2	2	3	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White.....Male....	128	111	5	3	-	-	1	2	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	124	102	5	3	1	1	4	3	1	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	29	23	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	21	18	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	1,464	1,464	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	535	535	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	332	332	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	340	340	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	257	257	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	927	927	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	348	348	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	228	228	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	193	193	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	158	158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	537	537	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	187	187	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	104	104	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	147	147	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	99	99	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	220	-	-	-	-	-	-	1	5	18	20	21	28	17	22	17	22	21	9	8	5	2	-	-	-	-	4
	White.....Male....	156	-	-	-	-	-	-	-	2	8	11	16	22	14	18	13	17	16	7	7	3	1	-	-	-	-	1
	Female..	43	-	-	-	-	-	-	1	3	6	7	3	4	2	4	3	3	3	1	-	1	-	-	-	-	-	2
	Nonwhite..Male....	14	-	-	-	-	-	-	-	-	2	2	1	1	1	-	1	-	2	1	1	1	1	-	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	1
165-168	Homicide.....	480	4	-	2	-	-	1	1	39	69	85	77	70	44	38	24	7	4	7	3	2	-	-	-	-	-	3
	White.....Male....	82	-	-	-	-	-	-	-	1	7	6	6	19	11	9	7	3	3	7	3	-	-	-	-	-	-	-
	Female..	20	2	-	1	-	-	-	1	1	3	2	4	1	1	3	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	316	2	-	1	-	-	-	-	32	44	63	56	46	25	22	16	4	-	-	-	2	-	-	-	-	-	3
	Female..	62	-	-	-	-	-	1	-	5	15	14	11	4	7	4	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	2,118	87	48	35	33	24	97	101	173	228	165	151	158	117	102	101	68	66	82	74	79	55	36	19	5	3	11
	White.....Male....	1,014	23	15	10	17	9	44	47	102	139	100	78	91	60	46	54	40	27	29	25	29	10	5	7	1	-	6
	Female..	382	19	13	7	5	5	11	11	23	27	14	7	28	16	8	10	3	9	23	34	37	32	27	9	3	-	1
	Nonwhite..Male....	506	30	13	8	4	3	17	35	42	42	45	53	29	32	35	25	20	26	13	7	7	10	2	-	-	2	4
	Female..	216	15	7	10	7	7	25	8	6	20	6	13	10	9	13	12	5	4	17	8	6	3		1	1	1	-
170	Motor-vehicle accidents.....	713	3	6	6	10	10	30	23	75	102	73	62	73	49	51	39	21	25	23	11	9	6	-	2	-	-	4
	White.....Male....	387	-	3	4	7	5	11	12	40	53	44	37	47	27	22	23	14	9	13	7	4	1	-	2	-	-	2
	Female..	114	2	1	-	1	3	5	3	18	22	11	3	11	8	5	5	-	4	4	2	2	4	-	-	-	-	-
	Nonwhite..Male....	172	1	1	1	2	1	8	7	15	20	16	20	12	13	19	9	6	10	5	1	2	1	-	-	-	-	2
	Female..	40	-	1	1	-	1	6	1	2	7	2	2	3	1	5	2	1	2	1	1	1	-	-	-	-	-	-
169, 171-195	Other accidents.....	1,405	84	42	29	23	14	67	78	98	126	92	89	85	68	51	62	47	41	59	63	70	49	36	17	5	3	7
	White.....Male....	627	23	12	6	10	4	33	35	62	86	56	41	44	33	24	31	26	18	16	18	25	9	5	5	1	-	4
	Female..	268	17	12	7	4	2	6	8	5	5	3	4	17	8	3	5	3	5	19	32	35	28	27	9	3	-	1
	Nonwhite..Male....	334	29	12	7	2	2	9	28	27	22	29	33	17	19	16	16	14	16	8	6	5	9	2	2	-	2	2
	Female..	176	15	6	9	7	6	19	7	4	13	4	11	7	8	8	10	4	2	16	7	5	3	2	1	1	1	-
162,199, 200	Senility, ill-defined and unknown causes..	1,343	309	22	7	3	2	13	5	12	13	25	32	26	40	71	68	71	62	92	85	92	88	89	64	27	20	5
	White.....Male....	306	53	4	1	1	-	1	-	2	1	2	6	6	11	20	18	14	17	31	28	21	19	24	16	8	2	-
	Female..	228	40	1	3	1	-	2	1	1	1	1	-	3	6	6	10	8	8	13	16	26	25	29	21	6	-	-
	Nonwhite..Male....	431	127	9	3	-	2	6	2	4	4	11	11	8	12	28	23	28	16	30	20	23	25	14	10	6	7	2
	Female..	378	89	8	-	1	-	4	2	5	7	11	15	9	11	17	17	21	21	18	21	22	19	22	17	7	11	3
	All other causes.....	2,422	152	35	33	24	21	56	51	65	94	110	129	145	144	149	169	184	151	187	164	140	83	71	34	5	3	23
	White.....Male....	749	49	13	12	7	4	17	20	20	16	19	24	32	29	35	46	77	67	68	74	58	28	21	10	-	-	3
	Female..	657	30	10	10	9	10	18	13	14	16	30	34	25	33	30	38	44	36	56	56	45	39	35	14	4	-	8
	Nonwhite..Male....	509	41	5	7	6	3	14	8	17	28	29	23	34	27	42	49	37	25	38	28	17	10	7	4	-	1	9
	Female..	507	32	7	4	2	4	7	10	14	34	32	48	54	55	42	36	26	23	25	6	20	6	8	6	1	2	3

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO																											
	ALL CAUSES	4,602	403	53	32	20	18	68	63	85	77	75	90	98	132	173	245	323	414	463	549	487	388	236	82	19	2	7
	White.....Male	2,755	216	23	18	11	6	37	35	48	47	41	59	55	78	105	155	210	277	299	335	287	231	128	42	7	-	5
	Female	1,716	169	27	12	8	12	28	26	33	25	31	29	38	51	58	80	99	127	152	208	198	153	102	38	10	1	1
	Nonwhite..Male	83	10	2	2	-	-	2	1	1	3	2	1	2	2	3	5	12	7	12	5	2	3	3	1	-	1	1
	Female	48	8	1	-	1	-	1	1	3	2	1	1	3	1	7	5	2	3	-	1	-	1	3	1	2	-	-
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	6	-	-	1	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	81	2	-	2	-	-	-	1	4	4	2	10	2	4	11	8	6	9	11	3	1	-	1	-	-	-	-
	White.....Male	47	1	-	-	-	-	-	-	-	2	1	7	2	1	8	6	1	7	7	3	1	-	-	-	-	-	-
	Female	19	-	-	1	-	-	-	-	1	1	-	3	-	2	3	2	1	1	4	-	-	-	-	-	-	-	-
	Nonwhite..Male	9	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	4	-	-	-	-	-	1	-	-	-	-
	Female	6	1	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	72	2	-	1	-	-	-	1	2	4	1	10	2	3	10	7	6	8	10	3	1	-	1	-	-	-	-
	White.....Male	46	1	-	-	-	-	-	-	-	2	1	7	2	1	8	6	1	6	7	3	1	-	-	-	-	-	-
	Female	13	-	-	-	-	-	-	-	-	1	-	3	-	1	2	1	1	1	3	-	-	-	-	-	-	-	-
	Nonwhite..Male	8	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	4	-	-	-	-	-	1	-	-	-	-
	Female	5	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	9	-	-	1	-	-	-	-	2	-	1	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	6	-	-	1	-	-	-	-	1	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	6	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	3	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	25	1	-	-	-	-	-	-	-	-	-	-	1	2	1	7	3	3	5	-	1	1	-	-	-	-	-
	White.....Male	17	-	-	-	-	-	-	-	-	-	-	-	-	2	-	6	1	3	4	-	1	-	-	-	-	-	-
	Female	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	1	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
35	Measles	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	4	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
45-55	Cancer and other malignant tumors....	508	-	1	-	2	1	3	2	1	3	3	5	7	17	30	42	53	52	66	80	62	50	23	4	1	-	-
	White.....Male....	269	-	1	-	2	-	3	-	1	1	1	2	-	6	10	18	23	27	34	45	42	35	14	3	1	-	-
	Female..	229	-	-	-	-	1	-	2	-	2	2	3	7	10	18	24	28	24	30	34	20	14	9	1	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	236	-	-	-	1	-	2	-	-	1	1	2	3	8	10	22	24	24	35	45	24	27	7	-	-	-	-
	White.....Male....	133	-	-	-	1	-	2	-	-	-	-	1	-	5	5	12	16	14	17	23	15	17	5	-	-	-	-
	Female..	96	-	-	-	-	-	-	-	-	1	1	1	3	3	4	10	7	9	16	21	9	9	2	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.....	53	-	-	-	-	-	-	1	-	1	1	1	2	3	5	5	10	7	7	4	2	2	1	1	-	-	-
	White.....Female..	53	-	-	-	-	-	-	1	-	1	1	1	2	3	5	5	10	7	7	4	2	2	1	1	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.....	38	-	-	-	-	-	-	-	-	-	-	1	1	2	4	4	6	4	5	3	5	1	2	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	37	-	-	-	-	-	-	-	-	-	-	1	1	2	4	4	5	4	5	3	5	1	2	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	181	-	1	-	1	1	1	1	1	1	1	1	1	4	11	11	13	17	19	28	31	20	13	3	1	-	-
	White.....Male....	136	-	1	-	1	-	1	-	1	1	1	1	-	1	5	6	7	13	17	22	27	18	9	3	1	-	-
	Female..	43	-	-	-	-	1	-	1	-	-	-	-	1	2	5	5	6	4	2	6	4	2	4	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	8	-	-	-	-	-	3	2	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	White.....Male....	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	95	-	-	-	-	-	1	-	-	1	-	1	2	-	5	4	8	17	14	21	13	5	2	1	-	-	-
	White.....Male....	44	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	9	10	8	7	3	1	1	-	-	-
	Female..	49	-	-	-	-	-	1	-	-	1	-	-	-	-	3	3	8	7	4	13	6	2	1	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	12	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	1	3	3	-	-	-	-	-	-	-	-
	White.....Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	3	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	14	-	-	-	-	-	-	-	-	1	-	1	1	-	1	4	5	1	-	-	-	-	-	-	-	-	-
	White.....Male....	14	-	-	-	-	-	-	-	-	1	-	1	1	-	1	4	5	1	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	422	1	1	-	-	1	-	-	1	1	3	2	-	5	11	19	25	55	61	74	69	52	30	9	1	-	1
	White.....Male....	238	1	1	-	-	-	-	-	-	-	3	2	-	1	8	9	15	27	35	46	41	28	16	3	1	-	1
	Female..	175	-	-	-	-	1	-	-	1	1	-	-	-	4	3	9	8	28	24	28	27	23	12	6	-	-	-
	Nonwhite..Male....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	1	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
90-95	Diseases of the heart.....	1,340	-	1	-	2	1	5	4	8	8	8	17	14	33	41	68	114	157	184	210	201	130	94	30	10	-	-
	White.....Male....	857	-	-	-	2	-	1	-	3	3	4	12	6	26	28	49	89	115	128	126	114	78	55	15	3	-	-
	Female..	457	-	1	-	-	1	4	4	5	3	4	5	6	7	11	17	22	37	50	83	87	51	39	15	5	-	-
	Nonwhite..Male....	20	-	-	-	-	-	-	-	-	2	-	-	1	-	1	1	3	4	6	1	-	1	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	2	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	96	-	-	-	1	-	2	4	4	4	3	10	4	2	8	5	7	8	7	12	8	3	3	1	-	-	-
	White.....Male....	51	-	-	-	1	-	1	-	1	1	2	7	1	1	2	2	5	5	4	8	5	3	2	-	-	-	-
	Female..	43	-	-	-	-	-	1	4	3	3	1	3	3	1	4	3	2	3	3	4	3	-	1	1	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	420	-	-	-	-	-	1	-	-	2	1	6	2	16	20	37	52	58	71	61	46	32	12	3	-	-	-
	White.....Male....	307	-	-	-	-	-	-	-	-	1	-	4	2	13	18	30	43	46	56	38	25	22	7	2	-	-	-
	Female..	108	-	-	-	-	-	1	-	-	-	1	2	-	3	2	6	8	12	14	23	21	9	5	1	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	824	-	1	-	1	1	2	-	4	2	4	1	8	15	13	26	55	91	106	137	147	95	79	26	10	-	-
	White.....Male....	499	-	-	-	1	-	-	-	2	1	2	1	3	12	8	17	41	64	68	80	84	53	46	13	3	-	-
	Female..	306	-	1	-	-	1	2	-	2	-	2	-	3	3	5	8	12	22	33	56	63	42	33	13	5	-	-
	Nonwhite..Male....	14	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	4	5	1	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	2	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	198	53	13	4	1	-	4	6	1	2	1	1	2	1	5	4	8	14	9	15	18	18	12	5	1	-	-
	White.....Male	110	25	4	2	1	-	3	3	1	2	-	1	2	1	4	3	5	11	6	7	13	13	1	2	-	-	-
	Female	79	26	8	2	-	-	1	2	-	-	1	-	-	-	1	1	3	3	3	7	4	5	8	3	1	-	-
	Nonwhite..Male	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	Female	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
107	Bronchopneumonia	78	33	4	2	-	-	2	1	1	-	-	-	-	-	1	1	2	2	2	9	3	8	5	1	1	-	-
	White.....Male	32	13	2	-	-	-	2	-	1	-	-	-	-	-	1	-	1	2	-	2	2	5	1	-	-	-	-
	Female	43	18	2	2	-	-	-	1	-	-	-	-	-	-	-	1	1	-	2	6	1	3	4	1	1	-	-
	Nonwhite..Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
108	Lobar pneumonia	43	6	2	-	-	-	-	1	-	1	-	-	1	1	4	1	3	6	6	1	4	4	2	-	-	-	-
	White.....Male	31	3	-	-	-	-	-	1	-	1	-	-	1	1	3	1	2	4	5	1	4	4	-	-	-	-	-
	Female	12	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	2	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	34	10	1	-	-	-	-	1	-	-	-	1	-	-	-	1	3	1	-	-	7	4	3	2	-	-	-
	White.....Male	19	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	4	2	-	1	-	-	-
	Female	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	2	1	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Female	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	43	4	6	2	1	-	2	3	-	1	1	-	1	-	-	1	-	5	1	5	4	2	2	2	-	-	-
	White.....Male	28	2	2	2	1	-	1	2	-	1	-	-	1	-	-	1	-	4	1	4	3	2	-	1	-	-	-
	Female	13	2	4	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	43	-	-	-	-	-	-	-	-	-	-	1	3	4	-	6	8	6	5	8	1	1	-	-	-	-	-
	White.....Male	34	-	-	-	-	-	-	-	-	-	-	1	3	4	-	4	7	5	4	6	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	1	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	23	13	1	-	-	1	-	-	-	-	1	2	1	-	-	-	1	1	-	-	1	-	-	1	-	-	-
	White.....Male	11	5	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
	Female	7	4	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	31	-	-	-	-	1	2	5	7	-	2	-	-	-	1	4	1	3	-	3	1	1	-	-	-	-	-
	White.....Male	17	-	-	-	-	-	1	3	3	-	-	-	-	-	1	2	-	3	-	3	1	-	-	-	-	-	-
	Female	14	-	-	-	-	1	1	2	4	-	2	-	-	-	-	2	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	49	2	-	-	-	1	-	1	-	1	3	1	4	2	2	3	2	6	4	6	4	4	1	2	-	-	-
	White.....Male	27	-	-	-	-	1	-	1	-	-	2	1	-	1	-	1	1	5	2	5	3	2	1	1	-	-	-
	Female	21	2	-	-	-	-	-	-	-	1	1	-	4	1	2	1	1	1	2	1	1	2	-	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	20	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	1	3	2	4	1	-	1	1	-	-	-
	White.....Male	15	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	2	3	1	-	1	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	27	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	5	3	5	1	4	-	2	-	-	-	-
	White.....Male	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	2	-	2	-	-	-	-
	Female	15	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	2	1	4	1	2	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	262	-	-	1	1	-	3	1	-	2	3	3	4	10	7	13	19	24	34	47	36	32	15	5	-	-	2
	White.....Male	147	-	-	-	1	-	1	1	-	1	2	1	2	3	5	6	10	14	24	25	15	21	10	4	-	-	1
	Female	110	-	-	1	-	-	2	-	-	1	1	2	1	7	2	5	9	9	10	21	21	11	5	1	-	-	1
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	5	6	4	5	-	-	-	-
	White.....Male	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	5	6	4	5	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																											
140-150	Diseases of pregnancy, etc.*....	23	-	-	-	-	-	-	-	4	5	8	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	21	-	-	-	-	-	-	-	4	4	7	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	5	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	3	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	3	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	11	-	-	-	-	-	-	-	1	1	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	9	-	-	-	-	-	-	-	1	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	4	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	4	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	64	57	3	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	33	28	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	30	28	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	227	227	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	133	133	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	88	88	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	138	138	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	79	79	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	55	55	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	89	89	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	66	-	-	-	-	-	-	-	1	4	5	5	7	6	7	7	7	5	4	4	2	1	1	-	-	-	-
	White.....Male....	51	-	-	-	-	-	-	-	1	2	3	2	6	5	5	5	5	5	4	4	2	1	1	-	-	-	-
	Female..	12	-	-	-	-	-	-	-	-	2	2	2	1	1	1	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	14	-	-	-	-	-	-	-	1	1	2	-	-	3	3	3	-	-	1	-	-	-	-	-	-	-	-
	White.....Male....	11	-	-	-	-	-	-	-	1	-	2	-	-	3	1	3	-	-	1	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	465	13	16	18	9	7	28	27	44	31	22	23	28	20	17	26	21	20	22	21	12	18	14	6	-	-	2
	White.....Male....	340	7	5	11	4	5	20	20	34	30	16	20	24	16	13	22	19	18	15	16	6	11	4	2	-	-	2
	Female..	115	5	10	6	5	2	6	7	10	1	5	3	3	4	3	3	2	2	7	5	6	7	10	3	-	-	-
	Nonwhite..Male....	8	-	1	1	-	-	2	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
170	Motor-vehicle accidents.....	163	2	2	3	2	2	13	7	23	16	11	13	13	7	4	6	3	8	10	11	4	2	1	-	-	-	-
	White.....Male....	117	1	-	2	1	1	9	4	16	15	7	11	10	5	2	4	1	8	7	10	2	-	1	-	-	-	-
	Female..	43	1	1	1	1	1	4	3	7	1	3	2	2	2	2	2	2	-	3	1	2	2	-	-	-	-	-
	Nonwhite..Male....	3	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	302	11	14	15	7	5	15	20	21	15	11	10	15	13	13	20	18	12	12	10	8	16	13	6	-	-	2
	White.....Male....	223	6	5	9	3	4	11	16	18	15	9	9	14	11	11	18	18	10	8	6	4	11	3	2	-	-	2
	Female..	72	4	9	5	4	1	2	4	3	-	2	1	1	2	1	1	-	2	4	4	4	5	10	3	-	-	-
	Nonwhite..Male....	5	-	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	133	4	1	-	-	-	-	-	-	-	1	1	1	1	4	4	7	6	9	14	19	25	19	9	4	2	2
	White.....Male....	76	3	-	-	-	-	-	-	-	-	-	1	1	1	4	4	5	4	5	8	8	14	10	5	2	-	1
	Female..	53	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	4	5	11	11	9	3	2	1	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.....	396	18	14	6	3	3	13	13	12	11	9	14	16	15	23	15	26	25	21	32	34	46	16	9	2	-	-
	White.....Male....	208	10	7	4	-	-	5	6	3	4	5	4	6	6	13	7	18	16	14	24	23	21	7	5	-	-	-
	Female..	178	8	7	2	2	3	7	7	8	7	4	10	10	8	7	7	8	9	7	7	11	24	9	4	2	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	Female..	6	-	-	-	1	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS																											
	ALL CAUSES	90,116	4,377	415	252	183	132	465	509	829	1,067	1,223	1,616	2,185	3,204	4,485	6,560	8,226	9,309	10,005	10,686	10,381	7,862	4,423	1,330	311	37	24
	White.....Male	46,629	2,234	213	117	97	71	244	275	445	473	500	723	1,004	1,605	2,308	3,642	4,791	5,330	5,431	5,547	5,217	3,777	1,945	519	98	9	14
	Female	36,420	1,614	152	105	64	52	176	179	235	360	472	570	772	1,031	1,568	2,164	2,777	3,325	3,966	4,686	4,852	3,928	2,387	766	194	17	8
	Nonwhite..Male	3,789	300	24	13	11	5	30	27	78	118	128	163	193	284	331	445	390	357	335	262	158	74	41	13	3	4	2
	Female	3,278	229	26	17	11	4	15	28	71	136	123	160	216	284	278	309	268	297	273	191	154	83	50	32	16	7	-
1,2	Typhoid and paratyphoid fever	11	-	-	-	-	-	1	-	1	2	1	1	1	-	-	1	-	1	2	-	-	-	-	-	-	-	-
	White.....Male	5	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	135	11	9	6	6	7	5	6	7	8	3	12	6	12	5	4	9	10	7	-	1	-	-	-	-	1	-
	White.....Male	65	5	7	3	4	4	2	4	3	1	1	3	3	7	2	3	4	3	5	-	1	-	-	-	-	-	-
	Female	33	5	1	2	2	2	2	2	1	3	1	1	2	2	-	-	4	2	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	25	-	1	1	-	1	1	-	3	4	-	7	-	1	1	-	1	3	-	-	-	-	-	-	-	1	-
	Female	12	1	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	2	1	-	-	-	-	-	-	-	-
8	Scarlet fever	29	3	-	1	-	1	7	2	7	1	1	2	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	18	-	-	1	-	-	4	1	5	1	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	11	3	-	-	-	1	3	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	57	46	6	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	27	25	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	21	14	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	15	-	1	1	2	3	4	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male	8	-	1	1	1	1	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female	7	-	-	-	1	2	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	3,184	23	12	11	11	5	15	31	123	276	285	280	284	300	311	310	294	208	163	112	74	34	16	5	1	-	-
	White.....Male	1,585	8	5	2	5	1	4	7	20	65	76	99	118	160	193	203	215	149	109	72	40	21	10	2	1	-	-
	Female	772	4	4	3	3	1	5	9	32	80	102	90	72	57	53	51	46	42	39	30	29	11	6	3	-	-	-
	Nonwhite..Male	461	6	1	3	1	2	3	4	28	45	45	56	50	61	47	46	29	10	13	8	2	1	-	-	-	-	-
	Female	366	5	2	3	2	1	3	11	43	86	62	35	44	22	18	10	4	7	2	2	3	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	2,916	7	2	3	4	2	6	19	104	249	259	263	269	277	291	297	284	195	155	106	70	33	15	5	1	-	-
	White.....Male	1,495	2	1	2	1	1	2	5	17	59	70	93	115	151	182	201	208	142	103	69	38	20	10	2	1	-	-
	Female	699	2	1	1	2	1	1	5	28	73	91	85	67	55	48	45	44	38	37	28	28	11	5	3	-	-	-
	Nonwhite..Male	411	1	-	-	-	-	1	3	23	42	41	53	46	53	44	43	28	10	13	8	1	1	-	-	-	-	-
	Female	311	2	-	-	1	-	2	6	36	75	57	32	41	18	17	8	4	5	2	1	3	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	268	16	10	8	7	3	9	12	19	27	26	17	15	23	20	13	10	13	8	6	4	1	1	-	-	-	-
	White.....Male	90	6	4	-	4	-	2	2	3	6	6	6	3	9	11	2	7	7	6	3	2	1	-	-	-	-	-
	Female	73	2	3	2	1	-	4	4	4	7	11	5	5	2	5	6	2	4	2	2	1	-	1	-	-	-	-
	Nonwhite..Male	50	5	1	3	1	2	2	1	5	3	4	3	4	8	3	3	1	-	-	-	1	-	-	-	-	-	-
	Female	55	3	2	3	1	1	1	5	7	11	5	3	3	4	1	2	-	2	-	1	-	-	-	-	-	-	-
27	Dysentery	29	11	1	1	1	1	2	-	-	-	1	-	1	-	-	2	2	-	3	1	-	-	1	-	1	-	-
	White.....Male	11	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	-	1	-	-	-	-
	Female	18	5	1	1	1	1	2	-	-	-	1	-	-	-	-	2	1	-	2	-	-	-	-	-	1	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	9	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	3	1	1	-	-	-	-	-	-
	White.....Male	6	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-
	Female	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	812	19	-	1	-	-	1	2	5	3	14	24	47	67	94	121	120	114	75	54	36	12	2	1	-	-	-
	White.....Male	467	4	-	-	-	-	-	2	1	-	6	4	14	34	56	71	83	76	53	38	19	6	-	-	-	-	-
	Female	149	1	-	1	-	-	1	-	1	2	2	7	9	9	11	24	21	16	15	10	13	4	1	1	-	-	-
	Nonwhite..Male	136	9	-	-	-	-	-	-	2	-	4	4	15	16	18	23	14	19	5	5	1	1	-	-	-	-	-
	Female	60	5	-	-	-	-	-	-	1	1	2	9	9	8	9	3	2	3	2	1	3	1	1	-	-	-	-
35	Measles	11	2	1	1	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	107	1	3	-	4	5	30	23	12	5	4	7	4	5	-	1	-	-	2	-	1	-	-	-	-	-	-
	White.....Male	61	1	1	-	2	3	16	14	9	2	1	3	4	4	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	43	-	2	-	2	2	14	9	3	3	3	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Continued																											
45-55	Cancer and other malignant tumors....	12,772	8	5	3	11	3	10	22	24	45	68	168	278	521	841	1,311	1,647	1,783	1,744	1,714	1,390	805	291	65	10	3	2
	White.....Male....	6,087	6	2	2	5	1	5	11	13	19	28	59	77	148	250	572	799	948	901	877	785	411	135	29	3	-	1
	Female..	5,996	1	3	-	4	1	3	11	8	20	35	85	169	305	505	642	763	754	759	773	576	381	153	36	6	2	1
	Nonwhite..Male....	316	-	-	-	1	-	2	-	2	3	2	7	7	17	35	52	42	42	43	40	16	4	1	-	-	-	-
	Female..	373	1	-	1	1	1	-	-	1	3	3	17	25	51	51	45	43	39	41	24	13	9	2	-	1	1	-
46	Cancer of digestive organs, peritoneum..	5,978	-	1	-	-	-	-	1	2	9	25	45	80	153	268	532	768	878	939	931	732	438	139	30	6	1	-
	White.....Male....	3,176	-	-	-	-	-	-	1	2	3	14	21	31	64	119	287	427	519	519	492	398	206	58	14	1	-	-
	Female..	2,523	-	1	-	-	-	-	-	-	4	10	18	39	69	119	197	301	317	381	418	322	226	80	16	5	-	-
	Nonwhite..Male....	160	-	-	-	-	-	-	-	-	1	1	4	3	10	15	34	24	24	23	13	6	2	-	-	-	-	-
	Female..	119	-	-	-	-	-	-	-	-	1	-	2	7	10	15	14	16	18	16	8	6	4	1	-	-	1	-
48,49	Cancer of female genital organs.....	1,542	-	-	1	-	-	-	4	1	7	10	47	72	131	209	217	215	175	158	130	94	51	17	2	1	-	-
	White.....Female..	1,405	-	-	-	-	-	-	4	1	7	8	38	62	105	188	200	200	164	145	125	91	48	17	2	-	-	-
	Nonwhite..Female..	137	-	-	1	-	-	-	-	-	-	2	9	10	26	21	17	15	11	13	5	3	3	-	-	1	-	-
50	Cancer of breast.....	1,217	-	-	-	-	-	-	-	-	-	7	21	48	100	140	166	164	152	125	118	83	61	22	8	-	1	1
	White.....Male....	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	2	1	1	3	2	-	-	-	-	-
	Female..	1,125	-	-	-	-	-	-	-	-	-	6	16	41	88	130	153	151	146	118	110	76	59	21	8	-	1	1
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	73	-	-	-	-	-	-	-	-	-	1	5	7	11	10	11	7	4	6	6	4	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites)..	4,035	8	4	2	11	3	10	17	21	29	26	55	78	137	224	396	500	578	522	535	481	255	113	25	3	1	1
	White.....Male....	2,893	6	2	2	5	1	5	10	11	16	14	38	46	83	131	283	366	427	381	384	384	203	77	15	2	-	1
	Female..	943	1	2	-	4	1	3	7	7	9	11	13	27	43	68	92	111	127	115	120	87	48	35	10	1	1	-
	Nonwhite..Male....	155	-	-	-	1	-	2	-	2	2	1	3	4	7	20	18	18	18	20	26	10	2	1	-	-	-	-
	Female..	44	1	-	-	1	1	-	-	1	2	-	1	1	4	5	3	5	6	6	5	-	2	-	-	-	-	-
58	Acute rheumatic fever.....	70	2	-	1	2	3	13	14	11	3	5	5	6	-	1	1	2	-	-	-	1	-	-	-	-	-	-
	White.....Male....	20	-	-	1	-	1	3	6	4	-	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Female..	39	1	-	-	2	2	8	5	5	3	4	3	4	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male....	4	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	7	-	-	-	-	-	2	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	2,737	4	2	1	-	2	4	11	22	25	21	23	27	52	82	201	317	453	437	464	364	158	57	10	-	-	-
	White.....Male....	907	1	1	-	-	-	3	4	5	9	7	14	11	23	26	74	103	132	148	146	121	51	26	2	-	-	-
	Female..	1,705	2	1	1	-	2	1	7	16	14	11	9	12	21	48	105	202	300	270	306	236	102	31	8	-	-	-
	Nonwhite..Male....	36	-	-	-	-	-	-	-	1	2	2	-	-	2	2	4	2	7	5	4	2	3	-	-	-	-	-
	Female..	89	1	-	-	-	-	-	-	-	-	1	-	4	6	6	18	10	14	14	8	5	2	-	-	-	-	-
63b	Exophthalmic goiter..	230	-	-	-	-	-	-	-	1	5	9	6	5	12	19	35	24	36	38	19	12	5	2	2	-	-	-
	White.....Male....	33	-	-	-	-	-	-	-	-	-	1	3	2	4	5	6	4	3	3	1	1	-	-	-	-	-	-
	Female..	187	-	-	-	-	-	-	-	1	5	7	2	3	5	13	27	20	31	35	18	11	5	2	2	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	9	-	-	-	-	-	-	-	-	-	1	1	-	3	1	2	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	52	-	-	-	-	-	-	-	-	1	2	-	6	8	9	6	5	5	5	2	3	-	-	-	-	-	-
	White.....Male....	44	-	-	-	-	-	-	-	-	-	1	-	5	6	8	6	4	5	4	2	3	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	7,326	6	2	1	-	1	6	4	11	8	20	36	60	149	260	433	577	827	1,020	1,183	1,223	888	463	126	19	-	3
	White.....Male....	3,276	4	-	1	-	-	4	3	6	3	12	13	24	57	96	177	274	408	457	535	580	379	187	48	5	-	3
	Female..	3,547	2	1	-	-	1	2	1	4	4	7	20	22	57	117	194	238	356	479	590	602	498	265	71	13	-	-
	Nonwhite..Male....	231	-	1	-	-	-	-	-	1	1	-	1	4	9	22	26	36	30	39	32	20	3	6	-	-	-	-
	Female..	272	-	-	-	-	-	-	-	-	-	1	2	10	26	25	36	29	33	45	26	21	8	7	4	1	-	-
90-95	Diseases of the heart.....	32,147	8	6	5	4	2	19	57	66	84	138	233	447	856	1,463	2,290	3,113	3,601	4,136	4,459	4,584	3,668	2,109	615	159	17	8
	White.....Male....	17,629	4	5	-	4	2	9	26	35	37	66	115	243	472	905	1,429	2,039	2,238	2,410	2,393	2,245	1,749	897	243	54	4	5
	Female..	12,378	3	1	5	-	-	8	23	25	30	50	77	124	217	349	566	811	1,093	1,464	1,878	2,198	1,848	1,158	346	93	8	3
	Nonwhite..Male....	1,103	1	-	-	-	-	2	2	3	8	15	16	39	80	113	165	140	142	143	105	65	35	22	3	2	2	-
	Female..	1,037	-	-	-	-	-	-	6	3	9	7	25	41	87	96	130	123	128	119	83	76	36	32	23	10	3	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	1,696	-	-	-	1	1	8	32	39	38	43	60	80	110	139	151	146	144	168	156	175	123	58	18	5	-	1
	White.....Male....	780	-	-	-	1	1	2	18	18	18	24	25	32	43	66	70	77	82	80	73	71	45	25	7	1	-	1
	Female..	772	-	-	-	-	-	5	11	18	16	15	28	33	51	50	63	56	47	82	76	100	75	32	11	3	-	-
	Nonwhite..Male....	70	-	-	-	-	-	1	-	2	-	2	-	7	7	13	12	6	5	4	5	2	3	1	-	-	-	-
	Female..	74	-	-	-	-	-	-	3	1	4	2	7	8	9	10	6	7	10	2	2	2	-	-	-	1	-	-
94	Diseases of coronary arteries, angina pectoris.....	6,938	3	1	1	-	-	1	1	5	6	16	40	105	203	443	673	915	983	1,017	946	764	524	225	53	9	1	3
	White.....Male....	4,818	1	1	-	-	-	1	-	5	3	10	32	81	159	349	536	716	737	680	605	464	295	108	26	7	-	2
	Female..	1,979	2	-	1	-	-	-	1	-	2	4	8	16	33	64	115	183	234	321	331	293	226	115	26	2	1	1
	Nonwhite..Male....	83	-	-	-	-	-	-	-	-	1	1	-	6	5	19	11	9	8	8	7	5	2	1	-	-	-	-
	Female..	58	-	-	-	-	-	-	-	-	-	1	-	2	6	11	11	7	4	8	3	2	1	1	1	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	23,513	5	5	4	3	1	10	24	22	40	79	133	262	543	881	1,466	2,052	2,474	2,951	3,357	3,645	3,021	1,826	544	145	16	4
	White.....Male....	12,031	3	4	-	3	1	6	8	12	16	32	58	130	270	490	823	1,246	1,419	1,650	1,715	1,710	1,409	764	210	46	4	2
	Female..	9,627	1	1	4	-	-	3	11	7	12	31	41	75	133	235	388	572	812	1,061	1,471	1,805	1,547	1,011	309	88	7	2
	Nonwhite..Male....	950	1	-	-	-	-	1	2	1	7	12	16	26	68	81	142	125	129	131	93	58	30	20	3	2	2	-
	Female..	905	-	-	-	-	-	-	3	2	5	4	18	31	72	75	113	109	114	109	78	72	35	31	22	9	3	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	3,303	550	120	44	33	16	41	46	52	42	64	67	113	148	153	193	233	246	224	273	225	200	149	54	13	3	1
	White.....Male	1,747	243	62	24	14	10	23	23	23	13	22	31	67	80	89	122	150	153	130	157	115	91	74	25	5	1	-
	Female	1,099	185	39	16	12	5	13	19	22	19	31	16	23	28	33	39	47	60	72	103	102	104	73	27	8	2	1
	Nonwhite..Male	270	71	9	3	2	1	4	-	2	5	6	13	11	25	20	23	22	19	15	6	8	3	1	1	-	-	-
	Female	187	51	10	1	5	-	1	4	5	5	5	7	12	15	11	9	14	14	7	7	-	2	1	1	-	-	-
107	Bronchopneumonia	1,557	393	76	24	21	11	26	23	20	11	16	15	42	52	56	58	77	95	92	126	92	106	79	33	9	3	1
	White.....Male	794	165	37	12	10	6	15	12	10	4	6	9	25	26	33	37	47	60	49	76	49	51	38	13	3	1	-
	Female	540	125	25	9	6	4	8	10	8	6	9	3	11	10	12	12	21	22	36	41	41	53	40	19	6	2	1
	Nonwhite..Male	124	59	8	2	2	1	2	-	-	1	1	2	3	7	5	3	7	8	3	5	2	1	1	1	-	-	-
	Female	99	44	6	1	3	-	1	1	2	-	-	1	3	9	6	6	2	5	-	4	-	1	-	-	-	-	-
108	Lobar pneumonia	1,191	66	21	7	5	-	8	11	21	19	34	41	54	74	83	109	132	122	100	101	87	56	31	7	2	-	-
	White.....Male	655	31	13	5	2	-	4	3	8	5	11	17	33	41	45	71	89	73	63	52	44	23	19	3	-	-	-
	Female	334	24	5	2	1	-	3	5	8	7	16	8	7	12	18	16	18	30	24	45	37	30	12	4	2	-	-
	Nonwhite..Male	130	6	1	-	-	-	1	-	2	3	5	11	7	15	15	19	15	11	10	1	6	2	-	-	-	-	-
	Female	72	5	2	-	2	-	-	3	3	4	2	5	7	6	5	3	10	8	3	3	-	1	-	-	-	-	-
109	Pneumonia (unspecified)	206	40	9	4	2	-	1	4	2	8	2	5	7	8	9	9	8	13	11	12	15	15	16	6	-	-	-
	White.....Male	118	22	5	3	1	-	-	3	1	3	2	2	4	6	7	5	7	10	6	8	5	8	5	5	-	-	-
	Female	78	16	4	1	1	-	1	1	1	3	-	2	2	-	2	4	1	3	4	4	10	7	10	1	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	6	2	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
33	Influenza	349	51	14	9	5	5	6	8	9	4	12	6	10	14	5	17	16	16	21	34	31	23	23	8	2	-	-
	White.....Male	180	25	7	4	1	4	4	5	4	1	3	3	5	7	4	9	7	10	12	21	17	9	12	4	2	-	-
	Female	147	20	5	4	4	1	1	3	5	3	6	3	3	6	1	7	7	5	8	13	14	14	11	3	-	-	-
	Nonwhite..Male	12	6	-	1	-	-	1	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	Female	10	-	2	-	-	-	-	-	-	-	3	-	1	-	-	-	2	1	-	-	-	-	-	1	-	-	-
117	Ulcer of stomach or duodenum	610	4	-	-	1	-	-	-	2	3	10	14	31	38	50	87	94	91	68	51	34	19	10	2	-	-	1
	White.....Male	494	2	-	-	-	-	-	-	2	2	5	11	24	33	40	76	87	70	53	41	24	15	6	2	-	-	1
	Female	92	1	-	-	1	-	-	-	-	1	3	1	5	3	6	8	5	19	13	9	10	3	4	-	-	-	-
	Nonwhite..Male	21	-	-	-	-	-	-	-	-	-	2	2	2	2	4	3	2	1	2	1	-	-	-	-	-	-	-
	Female	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	314	192	23	4	7	1	1	3	2	2	2	5	8	7	1	6	5	5	8	6	11	3	7	4	1	-	-
	White.....Male	153	96	11	1	4	-	1	2	-	2	1	1	3	3	1	3	4	2	5	2	8	1	1	1	-	-	-
	Female	139	81	11	3	3	1	-	1	1	-	1	3	4	3	-	3	-	3	3	4	3	2	5	3	1	-	-
	Nonwhite..Male	11	10	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	11	5	1	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-
121	Appendicitis	418	1	3	10	5	2	20	20	24	16	21	21	21	22	33	36	45	42	34	20	16	6	-	-	-	-	-
	White.....Male	237	1	2	6	1	2	12	10	17	8	7	11	10	13	19	20	27	25	17	12	11	6	-	-	-	-	-
	Female	144	-	1	3	4	-	5	9	6	6	10	4	9	6	11	11	17	15	14	8	5	-	-	-	-	-	-
	Nonwhite..Male	21	-	-	1	-	-	1	-	1	2	2	5	-	2	-	4	1	1	1	-	-	-	-	-	-	-	-
	Female	16	-	-	-	-	-	2	1	-	-	2	1	2	1	3	1	-	1	2	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	761	26	7	3	1	-	4	3	1	10	12	20	27	44	52	56	91	101	79	74	71	44	27	6	1	1	-
	White.....Male	357	10	5	2	1	-	2	2	1	3	2	6	4	10	27	24	44	55	41	35	37	26	14	4	1	1	-
	Female	351	12	1	1	-	-	1	1	-	7	7	12	20	22	20	27	42	42	35	38	31	18	12	2	-	-	-
	Nonwhite..Male	28	2	1	-	-	-	1	-	-	-	1	-	2	5	3	3	4	1	3	-	1	-	1	-	-	-	-
	Female	25	2	-	-	-	-	-	-	-	-	2	2	1	7	2	2	1	3	-	1	2	-	-	-	-	-	-
124	Cirrhosis of the liver	923	-	1	1	-	-	2	1	1	4	2	19	31	65	93	127	128	147	107	75	63	32	17	7	-	-	-
	White.....Male	608	-	-	1	-	-	1	-	1	3	1	15	16	38	57	92	92	108	76	45	36	16	7	3	-	-	-
	Female	285	-	1	-	-	-	1	1	-	1	1	4	13	26	31	28	32	35	30	25	26	16	10	4	-	-	-
	Nonwhite..Male	17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	3	1	3	-	-	-	-	-	-	-
	Female	13	-	-	-	-	-	-	-	-	-	-	-	2	1	3	3	-	1	-	2	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	551	3	-	-	-	-	-	1	1	2	6	11	17	26	47	74	74	80	59	63	41	30	12	4	-	-	-
	White.....Male	154	1	-	-	-	-	-	1	1	-	-	2	4	6	11	20	18	33	22	18	6	7	1	3	-	-	-
	Female	379	1	-	-	-	-	-	-	-	2	6	9	13	18	35	51	54	41	36	44	35	22	11	1	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-
	Female	13	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	5	1	1	-	1	-	-	-	-	-
130-132	Nephritis	6,169	7	3	7	5	1	11	9	25	50	48	69	110	173	236	368	465	565	685	900	969	810	485	128	34	5	1
	White.....Male	2,926	4	1	4	3	1	5	1	15	25	19	29	46	76	103	181	228	284	314	426	451	410	236	50	11	3	-
	Female	2,767	3	2	2	1	-	6	8	8	13	22	27	36	56	96	134	177	225	326	425	481	380	243	73	21	1	1
	Nonwhite..Male	225	-	-	-	1	-	-	-	1	5	3	3	10	16	15	28	35	30	23	22	19	8	1	3	1	1	-
	Female	251	-	-	1	-	-	-	-	1	7	4	10	18	25	22	25	25	26	22	27	18	12	5	2	1	-	-
137	Diseases of the prostate	577	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	29	39	92	127	115	90	60	16	3	-	-
	White.....Male	537	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	25	31	86	118	108	85	59	16	3	-	-
	Nonwhite..Male	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	6	9	7	5	1	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Continued																											
140-150	Diseases of pregnancy, etc.*....	235	-	-	-	-	-	-	2	12	36	49	61	50	23	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	200	-	-	-	-	-	-	-	8	30	43	51	45	22	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	35	-	-	-	-	-	-	2	4	6	6	10	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	93	-	-	-	-	-	-	-	3	18	19	26	17	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	83	-	-	-	-	-	-	-	2	15	16	23	17	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	10	-	-	-	-	-	-	-	1	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	44	-	-	-	-	-	-	1	1	6	12	12	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	36	-	-	-	-	-	-	-	1	5	10	11	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	8	-	-	-	-	-	-	1	-	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	78	-	-	-	-	-	-	1	6	8	15	20	20	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	64	-	-	-	-	-	-	-	3	6	14	14	20	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	14	-	-	-	-	-	-	1	3	2	1	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	20	-	-	-	-	-	-	-	2	4	3	3	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	17	-	-	-	-	-	-	-	2	4	3	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	3	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	945	778	54	15	13	4	19	16	10	11	4	2	5	6	2	1	1	1	2	1	-	-	-	-	-	-	-
	White.....Male....	471	390	26	6	9	2	7	8	6	3	4	2	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-
	Female..	414	339	25	6	2	2	11	8	4	6	-	-	3	4	-	1	-	-	2	1	-	-	-	-	-	-	-
	Nonwhite..Male....	23	20	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	37	29	2	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	2,285	2,285	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	1,220	1,220	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	827	827	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	139	139	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	99	99	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	1,369	1,369	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	699	699	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	518	518	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	88	88	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	64	64	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	916	916	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	521	521	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	309	309	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	51	51	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	35	35	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	865	-	-	-	-	-	-	3	9	27	46	60	69	81	78	118	103	90	62	51	39	20	9	-	-	-	-
	White.....Male....	643	-	-	-	-	-	-	3	4	14	27	42	47	68	53	90	79	71	43	42	36	18	6	-	-	-	-
	Female..	196	-	-	-	-	-	-	-	5	10	13	16	18	12	23	23	24	19	18	8	3	2	2	-	-	-	-
	Nonwhite..Male....	17	-	-	-	-	-	-	-	-	1	3	-	3	1	2	4	-	-	1	1	-	-	1	-	-	-	-
	Female..	9	-	-	-	-	-	-	-	-	2	3	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	363	6	2	3	1	-	3	3	21	48	37	52	39	42	35	23	19	9	8	8	2	2	-	-	-	-	-
	White.....Male....	142	3	1	1	-	-	3	-	11	10	14	18	13	14	20	9	6	8	4	5	-	2	-	-	-	-	-
	Female..	40	3	-	2	1	-	-	-	2	6	4	3	2	5	3	2	5	-	-	-	2	-	-	-	-	-	-
	Nonwhite..Male....	150	-	-	-	-	-	-	2	7	25	15	25	19	20	10	12	8	1	4	2	-	-	-	-	-	-	-
	Female..	31	-	1	-	-	-	-	1	1	7	4	6	5	3	2	-	-	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths....	5,284	104	68	63	43	47	148	154	267	233	193	216	249	275	275	335	359	339	364	385	383	409	257	92	17	3	6
	White.....Male....	3,369	47	32	32	26	24	93	113	194	173	129	155	190	225	202	273	269	239	238	232	198	172	93	26	1	-	3
	Female..	1,584	32	26	27	12	21	38	26	52	47	44	38	44	37	51	46	62	77	111	144	176	230	162	63	15	2	1
	Nonwhite..Male....	247	12	8	1	4	1	12	14	18	11	17	17	18	11	17	13	23	19	11	8	5	2	1	2	-	-	2
	Female..	84	13	2	3	1	1	5	1	3	2	3	6	7	2	5	3	5	4	4	1	4	5	1	1	1	1	-
170	Motor-vehicle accidents.....	1,540	3	8	19	19	25	68	45	123	101	85	88	88	101	89	121	110	111	117	101	69	30	15	4	-	-	-
	White.....Male....	1,119	2	4	6	13	16	40	36	89	69	59	63	62	79	65	100	77	83	88	78	51	26	10	3	-	-	-
	Female..	333	1	3	13	4	8	19	7	30	29	23	19	15	17	16	17	23	23	21	20	16	4	5	-	-	-	-
	Nonwhite..Male....	66	-	1	-	2	1	5	2	3	2	3	5	7	3	6	3	9	4	4	3	2	-	-	1	-	-	-
	Female..	22	-	-	-	-	-	4	-	1	1	-	1	4	2	2	1	1	1	4	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	3,744	101	60	44	24	22	80	109	144	132	108	128	161	174	186	214	249	228	247	284	314	379	242	88	17	3	6
	White.....Male....	2,250	45	28	26	13	8	53	77	105	104	70	92	118	146	137	173	192	156	150	154	147	146	83	23	1	-	3
	Female..	1,251	31	23	14	8	13	19	19	22	18	21	19	29	20	35	29	39	54	90	124	160	226	157	63	15	2	1
	Nonwhite..Male....	181	12	7	1	2	-	7	12	15	9	14	12	11	8	11	10	14	15	7	5	3	2	1	1	-	-	2
	Female..	62	13	2	3	1	1	1	1	2	1	3	5	3	-	3	2	4	3	-	1	4	5	1	1	1	1	-
162,199, 200	Senility, ill-defined and unknown causes..	469	19	2	1	-	1	6	3	5	4	6	10	10	10	11	21	14	25	22	43	61	73	76	33	11	1	1
	White.....Male....	235	9	1	-	-	1	2	1	2	3	3	6	3	6	7	13	13	16	12	31	31	34	30	9	2	-	-
	Female..	199	5	-	1	-	-	4	2	3	1	2	3	6	2	1	7	1	6	9	10	25	37	42	24	7	-	1
	Nonwhite..Male....	18	4	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	1	-	4	1	2	-	-	-	-
	Female..	17	1	1	-	-	-	-	-	-	-	1	-	1	-	2	-	-	2	-	2	1	1	2	-	2	1	-
	All other causes.....	6,309	257	84	65	30	27	87	72	107	133	150	190	232	261	328	395	454	490	556	599	661	553	373	160	41	3	1
	White.....Male....	3,084	144	48	29	17	18	41	32	67	76	65	75	81	115	133	173	220	271	295	317	359	277	162	56	13	-	1
	Female..	2,785	83	28	29	12	8	41	36	26	45	62	85	113	114	160	171	204	188	230	262	287	264	207	99	29	2	-
	Nonwhite..Male....	233	21	2	3	-	-	3	4	7	6	11	6	12	12	18	33	20	18	18	15	8	8	4	4	-	-	-
	Female..	207	9	6	4	1	1	2	-	7	6	12	24	26	20	17	18	10	13	13	5	7	4	-	1	-	1	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA																											
	ALL CAUSES	39,586	2,462	243	106	88	63	249	245	398	491	492	663	907	1,177	1,633	2,306	2,837	3,636	4,194	4,934	5,147	3,926	2,409	759	149	29	43
	White.....Male	20,785	1,327	126	63	40	25	135	131	237	216	233	302	444	609	870	1,290	1,604	2,086	2,257	2,595	2,720	1,924	1,141	334	51	8	17
	Female	16,663	933	96	38	45	30	96	93	124	208	206	270	355	424	587	816	1,012	1,388	1,757	2,184	2,315	1,917	1,236	411	86	17	19
	Nonwhite..Male	1,170	114	12	2	3	3	11	11	19	23	31	47	50	80	96	122	127	89	98	86	61	47	17	6	7	1	7
	Female	968	88	9	3	-	5	7	10	18	44	22	44	58	64	80	78	94	73	82	69	51	38	15	8	5	3	-
1,2	Typhoid and paratyphoid fever	6	1	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	6	1	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	45	10	5	1	1	2	5	4	2	3	1	2	1	-	1	2	2	2	1	-	-	-	-	-	-	-	-
	White.....Male	27	7	4	1	1	2	3	2	1	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	11	2	1	-	-	-	2	-	1	-	-	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Female	4	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
8	Scarlet fever	13	-	-	-	1	1	4	3	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	-	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	-	-	-	-	1	3	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	37	26	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	11	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	21	16	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	31	1	-	5	4	2	8	4	2	1	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	White.....Male	15	-	-	1	1	2	3	3	2	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Female	13	1	-	4	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,133	9	21	3	2	3	1	8	44	85	93	98	107	92	104	86	89	93	61	49	53	24	5	1	-	1	1
	White.....Male	550	4	9	1	-	1	-	3	15	20	35	31	53	49	65	51	52	63	35	24	25	12	-	1	-	-	1
	Female	412	5	10	1	2	1	1	1	18	40	40	42	37	27	23	26	25	25	25	21	26	11	5	-	-	-	-
	Nonwhite..Male	101	-	1	-	-	-	-	2	5	7	11	15	10	10	15	8	7	4	1	4	1	-	-	-	-	-	-
	Female	70	-	1	1	-	1	-	2	6	18	7	10	7	6	1	1	5	1	-	-	1	1	-	-	-	1	-
13	Tuberculosis of respiratory system, etc.*	1,013	3	2	1	-	3	-	5	37	82	86	95	99	83	99	83	77	85	52	44	50	20	4	1	-	1	1
	White.....Male	502	1	-	1	-	1	-	2	11	19	33	30	49	48	63	50	47	59	31	22	24	9	-	1	-	-	1
	Female	360	2	2	-	-	1	-	1	16	39	36	41	35	21	21	26	20	22	21	18	24	10	4	-	-	-	-
	Nonwhite..Male	89	-	-	-	-	-	-	1	5	7	10	14	9	8	14	6	7	3	-	4	1	-	-	-	-	-	-
	Female	62	-	-	-	-	1	-	1	5	17	7	10	6	6	1	1	3	1	-	-	1	1	-	-	-	1	-
14-22	Tuberculosis (other forms)	120	6	19	2	2	-	1	3	7	3	7	3	8	9	5	3	12	8	9	5	3	4	1	-	-	-	-
	White.....Male	48	3	9	-	-	-	-	1	4	1	2	1	4	1	2	1	5	4	4	2	1	3	-	-	-	-	-
	Female	52	3	8	1	2	-	1	-	2	1	4	1	2	6	2	-	5	3	4	3	2	1	1	-	-	-	-
	Nonwhite..Male	12	-	1	-	-	-	-	1	-	-	1	1	1	2	1	2	-	1	1	-	-	-	-	-	-	-	-
	Female	8	-	1	1	-	-	-	1	1	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
27	Dysentery	19	5	1	-	1	-	-	-	1	1	-	-	-	-	1	3	1	1	-	1	3	-	-	-	-	-	-
	White.....Male	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	-	-	-	-	-	-
	Female	10	3	1	-	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	4	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	400	13	1	-	-	-	-	2	1	1	5	20	22	55	38	52	53	43	36	26	21	4	3	2	1	-	1
	White.....Male	248	7	-	-	-	-	-	2	-	-	2	12	13	28	19	29	40	32	26	20	12	2	1	1	-	-	-
	Female	77	3	-	-	-	-	-	-	1	1	2	2	4	12	7	8	8	7	6	3	7	2	2	1	1	-	-
	Nonwhite..Male	55	1	-	-	-	-	-	-	-	-	1	4	2	14	8	14	3	1	1	3	2	-	-	-	-	-	1
	Female	20	2	1	-	-	-	-	-	-	-	-	2	3	1	4	1	2	3	1	-	-	-	-	-	-	-	-
35	Measles	4	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White.....Male	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	25	-	1	-	-	1	4	4	6	2	4	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	15	-	-	-	-	1	2	3	2	2	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	9	-	1	-	-	-	1	1	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945–Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Continued																											
45-55	Cancer and other malignant tumors	4,813	5	2	3	3	5	5	7	17	23	24	61	123	169	264	394	508	653	646	656	624	387	174	43	11	-	6
	White.....Male	2,144	3	2	2	1	1	3	1	9	12	5	17	31	56	92	144	225	298	296	320	325	187	87	22	3	-	2
	Female	2,504	2	-	1	2	4	2	6	8	10	16	41	82	100	155	230	256	335	328	321	293	193	86	21	8	-	4
	Nonwhite..Male	67	-	-	-	-	-	-	-	-	-	-	-	1	5	7	11	12	10	9	4	2	6	-	-	-	-	-
	Female	98	-	-	-	-	-	-	-	-	1	3	3	9	8	10	9	15	10	13	11	4	1	1	-	-	-	-
46	Cancer of digestive organs, peritoneum	2,194	-	-	-	-	1	1	-	3	5	6	20	29	56	100	127	231	297	329	354	332	188	91	14	7	-	3
	White.....Male	1,080	-	-	-	-	1	1	-	1	2	2	6	12	19	48	65	111	164	151	186	181	81	38	8	2	-	1
	Female	1,043	-	-	-	-	-	-	-	2	3	3	13	15	30	47	54	106	125	165	159	150	106	52	6	5	-	2
	Nonwhite..Male	38	-	-	-	-	-	-	-	-	-	-	-	1	4	2	5	10	5	7	2	1	1	-	-	-	-	-
	Female	33	-	-	-	-	-	-	-	-	-	1	1	1	3	3	3	4	3	6	7	-	-	1	-	-	-	-
48,49	Cancer of female genital organs	586	-	-	-	1	-	-	-	4	3	11	15	35	31	56	77	76	78	60	50	42	29	14	2	1	-	1
	White.....Female	549	-	-	-	1	-	-	-	4	2	9	13	31	28	50	77	69	73	56	48	42	28	14	2	1	-	1
	Nonwhite..Female	37	-	-	-	-	-	-	-	-	1	2	2	4	3	6	-	7	5	4	2	-	1	-	-	-	-	-
50	Cancer of breast	422	-	-	-	-	-	-	-	-	-	2	6	22	20	34	66	39	56	49	49	46	22	5	4	2	-	-
	White.....Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	2	-	-	-	-	-
	Female	402	-	-	-	-	-	-	-	-	-	2	6	20	19	33	62	36	54	48	46	45	20	5	4	2	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	13	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	3	1	-	2	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,611	5	2	3	2	4	4	7	10	15	5	20	37	62	74	124	162	222	208	203	204	148	64	23	1	-	2
	White.....Male	1,057	3	2	2	1	-	2	1	8	10	3	11	19	37	43	78	114	133	144	133	144	104	49	14	1	-	1
	Female	510	2	-	1	1	4	2	6	2	5	2	9	16	23	25	37	45	83	59	68	56	39	15	9	-	-	1
	Nonwhite..Male	29	-	-	-	-	-	-	-	-	-	-	-	-	1	5	6	2	5	2	2	1	5	-	-	-	-	-
	Female	15	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	1	1	3	-	3	-	-	-	-	-	-
58	Acute rheumatic fever	31	-	-	-	2	2	5	5	6	1	3	-	1	-	1	1	-	1	-	2	-	-	1	-	-	-	-
	White.....Male	15	-	-	-	-	-	3	3	3	-	1	-	-	-	1	1	-	1	-	1	-	-	1	-	-	-	-
	Female	13	-	-	-	2	1	1	2	2	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	976	-	2	-	-	1	3	8	6	6	12	9	12	19	38	76	85	137	171	170	114	73	31	2	-	-	1
	White.....Male	340	-	1	-	-	-	-	2	2	2	3	1	7	9	11	22	27	47	57	60	41	30	17	1	-	-	-
	Female	591	-	1	-	-	1	2	5	3	4	9	7	4	9	22	48	53	82	111	102	71	42	14	1	-	-	-
	Nonwhite..Male	16	-	-	-	-	-	-	1	1	-	-	-	1	-	1	1	1	3	1	3	1	1	-	-	-	-	1
	Female	29	-	-	-	-	-	1	-	-	-	-	1	-	1	4	5	4	5	2	5	1	-	-	-	-	-	-
63b	Exophthalmic goiter	87	-	-	-	-	-	-	-	-	2	3	-	2	6	8	10	16	8	12	6	12	2	-	-	-	-	-
	White.....Male	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	3	-	2	-	-	-	-	-	-
	Female	67	-	-	-	-	-	-	-	-	2	1	-	1	5	6	7	13	6	8	6	10	2	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	41	-	-	-	-	-	-	-	-	-	2	3	6	6	4	6	5	3	3	3	-	-	-	-	-	-	-
	White.....Male	33	-	-	-	-	-	-	-	-	-	1	2	3	5	2	6	5	3	3	3	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,408	3	4	2	-	1	3	1	3	6	8	20	31	73	131	209	284	442	591	722	829	595	331	96	16	-	7
	White.....Male	2,143	1	3	-	-	1	1	-	2	2	3	8	9	33	53	90	126	223	301	365	415	313	151	34	7	-	2
	Female	2,070	2	1	2	-	-	1	1	1	4	4	12	18	25	67	92	133	199	283	335	397	267	173	61	8	-	4
	Nonwhite..Male	85	-	-	-	-	-	1	-	-	-	-	-	-	6	5	9	11	10	11	13	10	4	3	-	1	-	1
	Female	110	-	-	-	-	-	-	-	-	-	1	-	4	9	6	18	14	10	16	9	7	11	4	1	-	-	-
90-95	Diseases of the heart	11,755	5	5	1	3	1	15	13	26	39	55	80	133	267	454	747	942	1,210	1,515	1,842	1,807	1,399	873	249	50	13	11
	White.....Male	6,739	1	2	1	2	-	7	5	13	15	26	41	80	171	296	519	632	785	907	1,023	1,001	666	419	103	18	2	4
	Female	4,523	4	3	-	1	-	7	8	11	17	23	30	41	69	118	175	236	375	542	762	770	702	446	138	28	10	7
	Nonwhite..Male	265	-	-	-	-	1	1	-	-	4	4	2	7	15	17	30	42	25	38	31	20	17	5	3	2	1	-
	Female	228	-	-	-	-	-	-	-	2	3	2	7	5	12	23	23	32	25	28	26	16	14	3	5	2	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart	726	-	1	-	-	-	9	6	12	12	22	27	28	29	36	47	64	54	76	96	92	63	36	12	3	-	1
	White.....Male	353	-	-	-	-	-	4	1	7	4	14	15	12	12	19	25	34	29	38	45	45	28	13	7	1	-	-
	Female	319	-	1	-	-	-	4	5	3	6	7	10	14	13	13	15	23	23	28	47	46	31	23	4	2	-	1
	Nonwhite..Male	27	-	-	-	-	-	1	-	-	1	-	1	2	2	1	4	4	1	6	3	-	1	-	-	-	-	-
	Female	27	-	-	-	-	-	-	-	2	1	1	1	-	2	3	3	3	1	4	1	1	3	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	4,150	3	-	-	-	-	1	-	2	6	10	29	52	127	227	403	462	559	600	681	532	268	149	33	2	-	4
	White.....Male	2,868	1	-	-	-	-	-	-	-	1	5	17	40	101	172	318	358	417	411	445	325	149	87	19	1	-	1
	Female	1,178	2	-	-	-	-	1	-	2	4	4	9	9	19	44	71	81	135	175	229	203	112	61	13	1	-	3
	Nonwhite..Male	70	-	-	-	-	-	-	-	-	-	1	1	2	6	7	10	15	4	11	4	2	5	1	1	-	-	-
	Female	34	-	-	-	-	-	-	-	-	1	-	2	1	1	4	4	8	3	3	3	2	2	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	6,879	2	4	1	3	1	5	7	12	21	23	24	53	111	191	297	416	597	839	1,065	1,183	1,068	688	204	45	13	6
	White.....Male	3,518	-	2	1	2	-	3	4	6	10	7	9	28	58	105	176	240	339	458	533	631	489	319	77	16	2	3
	Female	3,026	2	2	-	1	-	2	3	6	7	12	11	18	37	61	89	132	217	339	486	521	559	362	121	25	10	3
	Nonwhite..Male	168	-	-	-	-	1	-	-	-	3	3	-	3	7	9	16	23	20	21	24	18	11	4	2	2	1	-
	Female	167	-	-	-	-	-	-	-	-	1	1	4	4	9	16	16	21	21	21	22	13	9	3	4	2	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,937	399	68	18	10	10	26	19	17	16	18	37	39	27	63	78	111	119	115	179	207	168	133	45	12	2	1
	White.....Male	1,024	223	37	14	4	4	10	10	9	5	5	11	17	20	37	51	62	76	59	84	109	84	68	21	3	1	-
	Female	725	137	23	4	4	4	13	8	4	9	8	14	14	3	11	13	23	32	50	88	89	80	62	23	8	-	1
	Nonwhite..Male	109	22	4	-	2	-	-	-	1	-	2	8	2	2	12	9	21	7	4	4	5	1	3	-	-	-	-
	Female	79	17	4	-	-	2	3	1	3	2	3	4	6	2	3	5	5	4	2	3	4	3	-	1	1	1	-
107	Bronchopneumonia	702	208	33	6	7	4	9	7	5	3	5	9	14	9	20	21	25	21	38	50	73	60	51	17	4	2	1
	White.....Male	359	109	18	3	3	2	4	4	1	1	-	2	7	8	12	13	15	9	19	21	38	31	29	7	2	1	-
	Female	267	69	10	3	3	1	3	3	2	2	2	5	4	1	5	3	2	10	18	27	32	29	21	9	2	-	1
	Nonwhite..Male	43	17	3	-	1	-	-	-	-	-	1	-	2	-	3	4	7	1	-	1	2	-	1	-	-	-	-
	Female	33	13	2	-	-	1	2	-	2	-	2	2	1	-	-	1	1	1	1	1	1	-	-	1	-	1	-
108	Lobar pneumonia	598	68	12	3	1	3	8	6	4	8	8	17	17	11	21	38	58	55	43	63	68	46	29	10	1	-	-
	White.....Male	313	40	4	3	-	1	2	3	3	3	3	7	5	6	12	23	32	35	22	33	35	20	15	5	1	-	-
	Female	212	22	7	-	1	1	6	2	1	4	4	5	9	2	2	6	14	12	17	26	29	23	14	5	-	-	-
	Nonwhite..Male	42	3	1	-	-	-	-	-	-	-	1	4	-	1	5	5	8	5	3	3	2	1	-	-	-	-	-
	Female	31	3	-	-	-	1	-	1	-	1	-	1	3	2	2	4	4	3	1	1	2	2	-	-	-	-	-
109	Pneumonia (unspecified)	274	76	10	6	1	-	5	1	2	3	2	6	4	2	7	6	9	20	23	20	27	20	17	7	-	-	-
	White.....Male	154	48	7	5	-	-	2	-	-	1	1	-	3	1	5	5	5	15	14	9	18	8	6	3	-	-	-
	Female	108	28	2	1	-	-	3	1	1	2	1	3	1	-	1	1	3	5	9	10	9	12	11	4	-	-	-
	Nonwhite..Male	8	1	-	-	1	-	-	-	1	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	Female	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
33	Influenza	363	47	13	3	1	3	4	5	6	2	3	5	4	5	15	13	19	23	11	46	39	42	36	11	7	-	-
	White.....Male	198	28	8	3	1	1	2	3	5	-	1	2	2	5	8	10	10	17	4	21	18	25	18	6	-	-	-
	Female	138	18	4	-	-	2	1	2	-	1	1	1	-	-	3	3	4	5	6	25	19	16	16	5	6	-	-
	Nonwhite..Male	16	1	-	-	-	-	-	-	-	-	-	2	-	-	3	-	5	1	1	-	1	-	2	-	-	-	-
	Female	11	-	1	-	-	-	1	-	1	1	1	-	2	-	1	-	-	-	-	-	1	1	-	-	1	-	-
117	Ulcer of stomach or duodenum	205	2	-	-	-	-	-	-	-	2	1	7	10	11	18	27	32	22	22	24	9	11	5	2	-	-	-
	White.....Male	158	2	-	-	-	-	-	-	-	2	1	6	9	8	12	22	25	20	16	15	7	9	4	-	-	-	-
	Female	38	-	-	-	-	-	-	-	-	-	-	1	-	3	4	5	5	1	5	7	2	2	1	2	-	-	-
	Nonwhite..Male	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	1	2	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	242	153	19	6	4	-	5	-	1	1	2	4	7	3	1	-	3	1	1	8	9	6	7	1	-	-	-
	White.....Male	121	85	7	4	2	-	1	-	-	-	1	2	5	1	-	-	2	1	-	3	1	2	3	1	-	-	-
	Female	103	54	12	1	2	-	4	-	1	1	1	1	1	2	1	-	1	-	1	4	8	4	4	-	-	-	-
	Nonwhite..Male	13	11	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
121	Appendicitis	183	-	3	4	4	2	4	13	8	9	5	13	9	7	13	21	13	19	18	8	4	3	2	1	-	-	-
	White.....Male	96	-	1	3	3	-	1	6	3	2	4	9	3	4	10	11	4	14	9	4	3	2	-	-	-	-	-
	Female	69	-	1	1	1	2	1	5	5	4	1	3	5	2	3	9	8	4	7	3	1	1	1	1	-	-	-
	Nonwhite..Male	13	-	1	-	-	-	2	2	-	1	-	1	-	1	-	1	-	1	1	1	-	-	1	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	307	14	2	2	2	-	2	2	1	2	7	7	17	19	14	17	23	42	39	36	23	21	13	2	-	-	-
	White.....Male	135	8	1	2	2	-	1	-	-	1	1	1	2	5	5	6	10	18	21	20	10	12	7	2	-	-	-
	Female	144	2	1	-	-	-	-	2	1	1	6	5	12	11	4	6	11	20	18	16	13	9	6	-	-	-	-
	Nonwhite..Male	18	4	-	-	-	-	1	-	-	-	-	1	1	2	4	2	2	1	-	-	-	-	-	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	3	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	309	1	-	-	-	-	1	-	-	1	3	7	15	20	29	34	33	40	52	33	17	18	4	1	-	-	-
	White.....Male	192	1	-	-	-	-	-	-	-	-	1	5	5	10	17	19	22	28	37	23	10	11	2	1	-	-	-
	Female	103	-	-	-	-	-	1	-	-	1	2	1	10	7	9	12	11	11	14	10	5	7	2	-	-	-	-
	Nonwhite..Male	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	-	-	1	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	1	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	185	-	-	-	-	-	-	-	-	3	1	1	6	7	10	14	27	19	23	23	26	18	6	1	-	-	-
	White.....Male	58	-	-	-	-	-	-	-	-	3	-	1	2	4	5	4	5	6	5	6	10	6	-	1	-	-	-
	Female	127	-	-	-	-	-	-	-	-	-	1	-	4	3	5	10	22	13	18	17	16	12	6	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	3,095	4	3	1	1	1	11	9	17	12	12	26	39	54	93	140	168	281	368	463	568	455	276	75	14	3	1
	White.....Male	1,569	2	1	-	1	1	6	2	10	4	8	13	17	15	43	75	75	156	188	228	308	236	135	38	5	2	-
	Female	1,362	2	2	1	-	-	5	7	6	7	4	7	19	30	34	47	72	111	158	220	242	205	138	35	9	1	-
	Nonwhite..Male	88	-	-	-	-	-	-	-	1	-	-	3	1	3	7	11	11	8	12	11	8	8	1	2	-	-	1
	Female	76	-	-	-	-	-	-	-	-	1	-	3	2	6	9	7	10	6	10	4	10	6	2	-	-	-	-
137	Diseases of the prostate	199	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	12	19	42	48	41	27	3	2	-	1
	White.....Male	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	10	18	38	43	41	25	3	1	-	1
	Nonwhite..Male	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	5	-	2	-	1	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Continued																											
140-150	Diseases of pregnancy, etc.*....	113	-	-	-	-	-	-	-	9	24	22	34	11	9	4	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	103	-	-	-	-	-	-	-	9	20	20	32	10	8	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	10	-	-	-	-	-	-	-	-	4	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	43	-	-	-	-	-	-	-	4	8	9	14	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	36	-	-	-	-	-	-	-	4	5	7	12	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	7	-	-	-	-	-	-	-	-	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	31	-	-	-	-	-	-	-	4	6	6	7	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	29	-	-	-	-	-	-	-	4	6	6	7	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	34	-	-	-	-	-	-	-	1	7	6	12	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	33	-	-	-	-	-	-	-	1	6	6	12	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	5	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	472	410	21	4	7	1	6	6	5	2	1	2	1	3	-	2	1	-	-	-	-	-	-	-	-	-	-
	White.....Male....	252	218	14	1	1	1	4	2	5	1	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	205	180	6	3	6	-	2	3	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	7	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	8	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	1,223	1,223	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	662	662	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	450	450	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	63	63	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	48	48	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	759	759	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	401	401	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	284	284	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	38	38	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	464	464	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	261	261	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	166	166	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	25	25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	467	-	-	-	-	-	-	1	11	23	22	34	39	41	49	43	52	45	37	31	22	9	5	1	1	-	1
	White.....Male....	348	-	-	-	-	-	-	1	6	13	17	23	27	26	33	34	42	35	28	27	20	8	5	1	1	-	1
	Female..	107	-	-	-	-	-	-	-	4	5	4	11	10	14	15	9	10	10	9	4	2	-	-	-	-	-	-
	Nonwhite..Male....	10	-	-	-	-	-	-	-	1	3	1	-	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	138	3	1	-	-	-	1	-	11	14	10	9	27	15	12	7	7	11	6	1	1	1	1	-	-	-	-
	White.....Male....	63	2	-	-	-	-	1	-	7	2	4	2	13	8	6	1	4	8	3	-	-	1	1	-	-	-	-
	Female..	32	1	1	-	-	-	-	-	2	6	2	3	2	1	2	4	2	2	2	1	1	-	-	-	-	-	-
	Nonwhite..Male....	30	-	-	-	-	-	-	-	1	1	4	3	7	6	3	2	1	1	1	-	-	-	-	-	-	-	-
	Female..	13	-	-	-	-	-	-	-	1	5	-	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths.....	2,736	52	39	29	24	19	86	89	158	142	112	103	120	128	122	132	143	151	155	203	254	244	154	61	8	-	8
	White.....Male....	1,671	25	20	17	13	5	52	68	122	98	82	82	89	91	94	101	114	100	98	121	117	79	60	16	2	-	5
	Female..	963	24	15	9	10	12	31	16	27	40	26	14	25	32	22	18	26	46	50	78	134	164	93	44	6	-	1
	Nonwhite..Male....	81	2	4	1	1	1	3	4	8	3	4	6	5	4	6	11	2	3	6	1	2	1	-	1	-	-	2
	Female..	21	1	-	2	-	1	-	1	1	1	-	1	1	1	-	2	1	2	1	3	1	-	1	-	-	-	-
170	Motor-vehicle accidents.....	859	4	8	6	11	8	34	38	86	86	60	40	51	67	46	59	51	50	47	47	40	14	3	-	-	-	3
	White.....Male....	633	1	3	3	7	2	22	30	66	55	44	32	35	46	35	48	40	35	40	42	31	12	2	-	-	-	2
	Female..	201	3	5	3	4	5	12	7	17	29	14	6	14	19	10	9	10	14	6	4	7	2	1	-	-	-	-
	Nonwhite..Male....	21	-	-	-	-	-	-	1	3	1	2	1	2	2	1	2	-	1	1	1	2	-	-	-	-	-	1
	Female..	4	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
160, 171-195	Other accidents.....	1,877	48	31	23	13	11	52	51	72	56	52	63	69	61	76	73	92	101	108	156	214	230	151	61	8	-	5
	White.....Male....	1,038	24	17	14	6	3	30	38	56	43	38	50	54	45	59	53	74	65	58	79	86	67	58	16	2	-	3
	Female..	762	21	10	6	6	7	19	9	10	11	12	8	11	13	12	9	16	32	44	74	127	162	92	44	6	-	1
	Nonwhite..Male....	60	2	4	1	1	1	3	3	5	2	2	5	3	2	5	9	2	2	5	-	-	1	-	1	-	-	1
	Female..	17	1	-	2	-	-	-	1	1	-	-	-	1	1	-	2	-	2	1	3	1	-	1	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	430	7	5	-	-	-	1	-	-	-	-	1	5	7	11	14	21	21	24	43	58	66	82	44	13	6	1
	White.....Male....	210	3	4	-	-	-	1	-	-	-	-	-	5	4	6	7	14	13	14	26	33	23	28	21	4	3	1
	Female..	200	1	1	-	-	-	-	-	-	-	-	1	-	-	3	5	7	7	10	15	22	42	54	22	7	3	-
	Nonwhite..Male....	9	2	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	1	1	-	-	1	-	-
	Female..	11	1	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	2	-	-	1	1	-	-
	All other causes.....	3,515	115	34	24	17	11	53	45	44	70	65	83	119	135	149	188	215	260	279	362	436	378	276	129	21	4	3
	White.....Male....	1,726	62	19	14	8	6	35	15	25	28	28	33	51	57	61	87	113	146	131	182	226	198	127	67	7	-	-
	Female..	1,593	44	14	10	9	4	15	26	15	33	31	38	52	58	69	89	89	101	131	170	203	171	143	62	11	3	2
	Nonwhite..Male....	98	2	1	-	-	-	2	1	1	4	4	3	7	7	7	9	9	10	11	5	3	7	2	-	2	-	1
	Female..	98	7	-	-	-	1	1	3	3	5	2	9	9	13	12	3	4	3	6	5	4	2	4	-	1	1	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA																											
	ALL CAUSES	25,876	1,363	122	82	56	36	145	127	200	243	280	346	426	584	805	1,222	1,702	2,192	2,749	3,442	3,770	3,210	1,957	667	130	15	5
	White.....Male	14,321	782	68	46	31	25	81	78	124	128	152	184	222	309	453	744	1,030	1,298	1,617	1,941	2,060	1,637	955	297	53	3	3
	Female	11,281	559	51	34	25	10	64	48	71	108	121	155	196	256	337	445	643	871	1,109	1,472	1,692	1,562	996	368	75	11	2
	Nonwhite..Male	156	10	1	2	-	-	-	-	4	2	2	3	4	16	12	22	15	14	12	19	7	6	3	1	1	-	-
	Female	118	12	2	-	-	1	-	1	1	5	5	4	4	3	3	11	14	9	11	10	11	5	3	1	1	1	-
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	26	1	3	3	-	1	2	1	3	1	1	1	1	2	-	1	2	2	-	-	1	-	-	-	-	-	-
	White.....Male	14	-	2	3	-	-	-	-	1	-	1	-	-	2	-	1	2	2	-	-	-	-	-	-	-	-	-
	Female	12	1	1	-	-	1	2	1	2	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	11	1	-	-	1	1	1	1	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	-	-	-	1	-	1	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	11	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	12	1	3	-	2	-	2	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	4	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	1	1	-	2	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	355	2	4	3	2	-	-	1	8	25	35	29	27	26	31	25	37	25	26	24	14	9	2	-	-	-	-
	White.....Male	195	1	1	2	2	-	-	-	1	10	15	12	12	19	17	20	28	15	16	12	6	6	-	-	-	-	-
	Female	147	1	2	1	-	-	-	1	7	14	17	15	14	6	12	4	8	10	10	12	8	3	2	-	-	-	-
	Nonwhite..Male	8	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	Female	5	-	1	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	328	1	2	1	1	-	-	1	7	24	33	29	23	24	29	23	35	25	24	24	12	8	2	-	-	-	-
	White.....Male	177	-	1	-	1	-	-	-	1	10	13	12	10	17	16	18	26	15	15	12	5	5	-	-	-	-	-
	Female	139	1	1	1	-	-	-	1	6	13	17	15	12	6	11	4	8	10	9	12	7	3	2	-	-	-	-
	Nonwhite..Male	8	-	-	-	-	-	-	-	-	-	1	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	27	1	2	2	1	-	-	-	1	1	2	-	4	2	2	2	2	-	2	-	2	1	-	-	-	-	-
	White.....Male	18	1	-	2	1	-	-	-	-	-	2	-	2	2	1	2	2	-	1	-	1	1	-	-	-	-	-
	Female	8	-	1	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	164	-	-	-	-	-	-	-	-	-	3	2	6	14	17	28	24	21	16	17	10	5	1	-	-	-	-
	White.....Male	112	-	-	-	-	-	-	-	-	-	-	2	4	5	9	19	17	14	13	16	7	5	1	-	-	-	-
	Female	39	-	-	-	-	-	-	-	-	-	3	-	2	6	5	6	5	6	3	-	3	-	-	-	-	-	-
	Nonwhite..Male	13	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	2	1	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	7	1	2	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White.....Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	25	-	-	-	-	1	2	4	7	2	3	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male	14	-	-	-	-	1	1	3	4	-	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	11	-	-	-	-	-	1	1	3	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																											
45-55	Cancer and other malignant tumors....	3,734	2	2	1	4	2	6	2	6	11	23	48	74	108	172	259	350	420	548	540	583	361	172	32	7	1	-
	White.....Male....	1,805	1	2	-	3	-	5	1	3	7	8	18	28	31	58	118	149	188	278	289	317	199	79	18	4	1	-
	Female..	1,894	1	-	1	1	2	1	1	2	4	15	30	46	73	112	136	199	226	261	250	263	160	93	14	3	-	-
	Nonwhite..Male....	17	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	-	3	4	1	1	1	-	-	-	-	-
	Female..	18	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	2	3	5	-	2	1	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	1,765	1	-	-	-	-	4	-	1	2	5	7	23	33	60	102	159	200	294	284	308	177	89	13	3	-	-
	White.....Male....	932	1	-	-	-	-	4	-	-	2	2	3	14	16	28	59	81	108	160	154	172	81	37	8	2	-	-
	Female..	816	-	-	-	-	-	-	-	1	-	3	4	9	16	31	40	78	89	129	129	135	94	52	5	1	-	-
	Nonwhite..Male....	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	1	1	1	-	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	-	1	-	-	-	-	-
48,49	Cancer of female genital organs.....	404	-	-	-	-	-	-	-	1	1	9	16	22	29	28	42	50	56	39	41	46	17	6	1	-	-	-
	White.....Female..	398	-	-	-	-	-	-	-	1	1	9	16	22	29	28	41	48	55	38	41	45	17	6	1	-	-	-
	Nonwhite..Female..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-	-	-
50	Cancer of breast.....	378	-	-	-	-	-	-	-	-	-	2	5	6	20	35	37	50	45	43	47	46	26	14	2	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Female..	374	-	-	-	-	-	-	-	-	-	2	5	6	20	34	37	50	44	42	46	46	26	14	2	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	1,187	1	2	1	4	2	2	2	4	8	7	20	23	26	49	78	91	119	172	168	183	141	63	16	4	1	-
	White.....Male....	871	-	2	-	3	-	1	1	3	5	6	15	14	15	30	59	68	79	118	134	145	118	42	10	2	1	-
	Female..	306	1	-	1	1	2	1	1	-	3	1	5	9	8	19	18	23	38	52	34	37	23	21	6	2	-	-
	Nonwhite..Male....	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	2	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
58	Acute rheumatic fever.....	26	-	1	-	-	-	7	3	-	1	-	4	3	1	1	1	-	2	-	-	1	1	-	-	-	-	-
	White.....Male....	16	-	1	-	-	-	3	2	-	1	-	3	2	1	-	-	-	1	-	-	1	1	-	-	-	-	-
	Female..	8	-	-	-	-	-	4	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	660	-	-	1	-	1	1	4	6	8	6	5	12	9	14	24	52	76	94	129	118	77	17	6	-	-	-
	White.....Male....	278	-	-	-	-	-	-	-	3	2	3	5	9	4	5	11	22	33	28	57	55	32	7	2	-	-	-
	Female..	380	-	-	1	-	1	1	4	3	6	2	-	3	4	9	13	30	43	66	72	63	45	10	4	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	38	-	-	-	-	-	-	-	-	1	2	-	3	2	2	3	3	4	7	8	2	1	-	-	-	-	-
	White.....Male....	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Female..	35	-	-	-	-	-	-	-	-	1	1	-	3	2	2	3	3	4	6	7	2	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	18	-	-	-	-	-	-	-	1	-	1	1	1	3	1	1	1	4	3	-	-	1	-	-	-	-	-
	White.....Male....	17	-	-	-	-	-	-	-	1	-	1	1	1	3	1	1	1	3	3	-	-	1	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	3,101	2	-	-	-	-	2	4	1	3	8	20	8	32	50	99	154	251	357	564	626	542	277	85	13	3	-
	White.....Male....	1,529	1	-	-	-	-	2	-	1	1	3	7	2	13	25	48	67	125	162	305	305	257	131	37	6	1	-
	Female..	1,551	1	-	-	-	-	-	4	-	2	5	13	6	19	25	49	84	125	171	251	319	274	146	48	7	2	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	-	1	-	-	-	-	-
	Female..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	4	2	-	-	-	-	-	-
90-95	Diseases of the heart.....	8,027	1	2	1	1	-	7	14	21	22	26	35	71	111	213	384	602	788	1,032	1,243	1,369	1,134	674	214	47	5	-
	White.....Male....	4,803	1	1	-	1	-	3	6	16	12	8	19	45	80	148	277	428	544	670	750	776	579	338	80	21	-	-
	Female..	3,154	-	1	1	-	-	4	7	5	10	18	16	25	28	62	97	163	246	358	479	587	552	333	133	25	4	-
	Nonwhite..Male....	47	-	-	-	-	-	-	-	-	-	-	-	-	3	3	8	6	6	4	9	4	2	1	1	-	-	-
	Female..	23	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	5	2	-	5	2	1	2	-	1	1	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	473	-	-	-	-	-	3	4	7	6	3	5	13	9	18	26	32	44	52	69	74	66	34	6	2	-	-
	White.....Male....	242	-	-	-	-	-	1	1	4	3	2	3	3	5	7	14	20	30	24	37	35	33	16	3	1	-	-
	Female..	225	-	-	-	-	-	2	2	3	3	1	2	10	4	11	12	10	14	27	30	39	33	18	3	1	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	3,384	1	1	1	-	-	1	1	2	4	4	10	31	56	128	208	351	433	529	524	519	348	175	48	9	-	-
	White.....Male....	2,321	1	1	-	-	-	1	1	2	4	3	7	24	45	106	164	268	325	381	351	313	210	99	12	3	-	-
	Female..	1,040	-	-	1	-	-	-	-	-	-	1	3	7	9	21	39	80	104	148	168	204	137	76	36	6	-	-
	Nonwhite..Male....	20	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	3	3	-	4	1	1	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	4,170	-	1	-	1	-	3	9	12	12	19	20	27	46	67	150	219	321	451	650	776	720	465	160	36	5	-
	White.....Male....	2,240	-	-	-	1	-	1	4	10	5	3	9	18	30	35	99	140	189	265	362	428	336	223	65	17	-	-
	Female..	1,889	-	1	-	-	-	2	5	2	7	16	11	8	15	30	46	73	128	183	281	344	382	239	94	18	4	-
	Nonwhite..Male....	23	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	3	3	3	3	1	1	1	-	-	-
	Female..	18	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	1	-	4	1	1	2	-	1	1	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. . Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza.....	1,213	143	28	21	5	4	14	7	11	16	8	14	16	19	28	39	42	58	57	123	175	158	161	56	7	3	-
	White.....Male....	667	75	14	13	4	2	6	3	6	7	5	8	10	7	19	21	32	32	42	65	104	85	78	27	2	-	-
	Female..	523	60	14	7	1	2	8	4	5	8	3	6	6	9	7	16	8	26	14	58	68	73	83	29	5	3	-
	Nonwhite..Male....	12	2	-	1	-	-	-	-	-	1	-	-	-	2	2	1	1	-	1	-	1	-	-	-	-	-	-
	Female..	11	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-
107	Bronchopneumonia.....	526	83	9	11	4	3	4	1	2	6	2	7	6	3	11	10	10	21	21	47	81	72	78	28	4	2	-
	White.....Male....	288	39	4	6	3	2	2	1	1	4	1	4	4	2	9	7	6	13	15	19	52	39	43	12	-	-	-
	Female..	230	38	5	4	1	1	2	-	1	2	1	3	2	1	2	3	4	8	6	28	28	33	35	16	4	2	-
	Nonwhite..Male....	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
106	Lobar pneumonia.....	355	19	7	2	-	-	6	1	5	3	5	4	6	10	7	18	20	21	21	51	56	49	37	7	-	-	-
	White.....Male....	208	11	5	2	-	-	2	-	3	-	3	3	4	4	5	9	14	13	17	34	30	28	17	4	-	-	-
	Female..	137	8	2	-	-	-	4	1	2	2	2	1	2	4	1	8	4	8	3	17	24	21	20	3	-	-	-
	Nonwhite..Male....	6	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-
109	Pneumonia (unspecified).....	46	9	3	3	-	-	-	2	-	2	1	-	-	-	-	1	2	3	2	8	2	2	5	1	-	-	-
	White.....Male....	28	5	2	1	-	-	-	1	-	1	1	-	-	-	-	1	2	1	1	5	2	-	4	1	-	-	-
	Female..	18	4	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	2	1	3	-	2	1	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	286	32	9	5	1	1	4	3	4	5	-	3	4	6	10	10	10	13	13	17	36	35	41	20	3	1	-
	White.....Male....	143	20	3	4	1	-	2	1	2	2	-	1	2	1	5	4	10	5	9	7	20	18	14	10	2	-	-
	Female..	138	10	6	1	-	1	2	2	2	3	-	2	2	4	4	5	-	8	4	10	16	17	27	10	1	1	-
	Nonwhite..Male....	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum.....	158	-	-	-	-	-	-	-	-	-	3	4	3	10	14	10	15	21	29	17	15	12	5	-	-	-	-
	White.....Male....	130	-	-	-	-	-	-	-	-	-	3	4	3	9	13	7	13	20	27	10	13	6	2	-	-	-	-
	Female..	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	2	7	2	6	3	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	70	31	6	4	2	-	1	-	-	1	2	2	-	1	1	2	2	4	1	2	2	2	1	2	1	-	-
	White.....Male....	37	20	3	2	2	-	-	-	-	-	-	1	-	-	-	2	2	2	-	1	1	-	-	-	1	-	-
	Female..	31	10	3	2	-	-	1	-	-	1	2	1	-	1	1	-	-	2	-	1	1	2	1	2	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	123	1	-	3	2	4	13	4	7	3	5	6	3	6	11	9	12	7	11	9	4	2	-	1	-	-	-
	White.....Male....	84	-	-	1	-	2	9	2	5	2	3	6	2	2	8	8	7	5	10	6	4	2	-	-	-	-	-
	Female..	37	1	-	2	2	2	4	2	2	1	1	-	1	4	3	1	5	2	1	2	-	-	-	1	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction.....	213	2	2	2	-	1	1	2	1	2	1	3	10	11	10	16	17	17	28	33	30	12	7	4	1	-	-
	White.....Male....	107	1	2	2	-	1	1	1	1	-	-	1	5	4	7	8	8	6	12	15	19	6	3	4	-	-	-
	Female..	105	1	-	-	-	-	-	1	-	2	1	2	5	7	3	8	9	11	16	17	11	6	4	-	1	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	138	1	-	-	-	-	-	-	1	-	2	4	5	2	12	8	17	19	18	18	13	13	3	1	1	-	-
	White.....Male....	92	-	-	-	-	-	-	-	-	-	-	2	4	2	11	4	13	14	11	12	9	9	-	-	1	-	-
	Female..	44	1	-	-	-	-	-	-	1	-	1	2	1	-	1	4	3	5	7	6	4	4	3	1	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	146	-	-	-	-	-	1	-	-	-	-	2	4	3	9	17	16	18	17	17	20	15	5	2	-	-	-
	White.....Male....	48	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	4	10	6	8	7	1	1	1	-	-	-
	Female..	96	-	-	-	-	-	1	-	-	-	-	2	3	3	5	10	12	8	11	9	13	14	4	1	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	1,557	1	2	-	1	-	4	3	7	5	12	14	12	35	47	82	90	133	164	234	241	260	145	48	13	2	2
	White.....Male....	866	1	1	-	1	-	2	-	4	2	8	9	4	17	22	52	55	79	92	126	131	137	90	28	3	1	1
	Female..	667	-	1	-	-	-	2	3	3	3	4	5	7	18	23	27	33	51	68	107	107	120	55	19	9	1	1
	Nonwhite..Male....	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	1	1	-	-	1	-	-
	Female..	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	4	1	2	2	-	1	-	-	-
137	Diseases of the prostate.....	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	24	35	46	34	22	8	2	-	-
	White.....Male....	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	24	35	46	34	22	8	2	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																											
140-150	Diseases of pregnancy, etc.*....	79	-	-	-	-	-	-	-	6	16	13	19	21	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	75	-	-	-	-	-	-	-	6	15	13	16	21	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	4	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	35	-	-	-	-	-	-	-	1	6	5	9	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	34	-	-	-	-	-	-	-	1	6	5	8	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	17	-	-	-	-	-	-	-	3	6	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	16	-	-	-	-	-	-	-	3	5	3	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	23	-	-	-	-	-	-	-	2	4	3	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	21	-	-	-	-	-	-	-	2	4	3	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	4	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	4	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	308	263	12	7	5	-	6	4	3	1	1	-	2	1	-	1	-	-	-	1	1	-	-	-	-	-	-
	White.....Male....	159	137	4	2	1	-	4	4	2	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	147	125	8	5	4	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	790	790	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	471	471	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	309	309	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	544	544	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	312	312	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	225	225	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	246	246	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	159	159	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	84	84	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	341	-	-	-	-	-	-	1	4	11	15	20	25	37	25	40	41	42	25	21	17	10	7	-	-	-	-
	White.....Male....	267	-	-	-	-	-	-	1	3	10	11	16	14	27	20	33	32	32	22	16	14	9	7	-	-	-	-
	Female..	74	-	-	-	-	-	-	-	1	1	4	4	11	10	5	7	9	10	3	5	3	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	37	1	1	-	1	1	2	1	2	3	1	7	4	5	-	3	3	-	1	1	-	-	-	-	-	-	-
	White.....Male....	24	1	1	-	-	1	1	1	1	2	-	5	2	3	-	2	2	-	1	1	-	-	-	-	-	-	-
	Female..	8	-	-	-	1	-	1	-	1	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,726	42	30	15	13	10	48	50	72	69	69	62	57	72	59	63	87	106	103	130	146	202	144	64	11	-	2
	White.....Male....	1,076	25	19	11	9	8	29	43	56	57	58	45	46	53	42	49	69	77	73	72	64	90	51	27	2	-	1
	Female..	632	16	10	3	4	2	19	7	14	10	11	17	10	16	17	13	17	28	30	56	82	111	92	37	9	-	1
	Nonwhite..Male....	16	1	-	1	-	-	-	-	2	1	-	-	1	3	-	1	1	1	-	2	-	1	1	-	-	-	-
	Female..	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	419	2	1	3	3	3	22	11	32	40	20	26	22	30	24	22	29	36	32	27	13	15	4	2	-	-	-
	White.....Male....	313	2	-	2	3	2	12	10	22	32	17	14	18	21	17	17	23	27	27	21	9	12	3	2	-	-	-
	Female..	98	-	1	1	-	1	10	1	8	7	3	12	4	8	7	4	5	9	5	4	4	3	1	-	-	-	-
	Nonwhite..Male....	7	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	1,307	40	29	12	10	7	26	39	40	29	49	36	35	42	35	41	58	70	71	103	133	187	140	62	11	-	2
	White.....Male....	763	23	19	9	6	6	17	33	34	25	41	31	28	32	25	32	46	50	46	51	55	78	48	25	2	-	1
	Female..	534	16	9	2	4	1	9	6	6	3	8	5	6	8	10	9	12	19	25	52	78	108	91	37	9	-	1
	Nonwhite..Male....	9	1	-	1	-	-	-	-	-	1	-	-	1	2	-	-	-	1	-	-	-	1	1	-	-	-	-
	Female..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	464	7	1	1	-	-	1	-	1	-	1	-	5	5	1	4	10	8	15	50	68	105	110	56	14	-	1
	White.....Male....	242	4	1	-	-	-	1	-	1	-	-	-	3	3	1	1	8	5	11	26	36	51	56	26	7	-	1
	Female..	218	3	-	1	-	-	-	-	-	-	-	-	2	2	-	2	2	3	4	24	32	53	53	30	7	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
	All other causes.....	2,116	61	20	20	16	10	22	19	29	41	36	39	51	65	87	102	123	151	172	225	268	254	203	88	13	1	-
	White.....Male....	1,074	38	12	10	8	9	14	9	15	14	22	16	23	23	44	55	71	86	94	117	145	117	89	39	4	-	-
	Female..	1,025	22	7	10	8	-	8	10	13	25	14	23	26	42	43	45	48	64	78	108	122	137	113	49	9	1	-
	Nonwhite..Male....	6	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-
	Female..	11	1	-	-	-	1	-	-	-	2	-	-	1	-	-	2	3	-	-	-	1	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I..

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS																											
	ALL CAUSES	18,507	1,109	105	52	39	32	117	112	183	238	252	255	337	438	668	886	1,187	1,554	2,004	2,432	2,431	2,033	1,410	491	110	21	11
	White.....Male	9,900	607	54	36	21	18	70	66	110	152	146	140	176	232	369	467	701	877	1,103	1,329	1,276	1,032	659	206	39	7	7
	Female	7,610	428	42	14	14	11	41	35	59	63	90	96	132	163	239	318	396	576	799	1,009	1,082	945	711	270	67	7	3
	Nonwhite..Male	506	35	2	-	2	2	1	4	5	8	7	11	17	23	31	55	45	51	57	47	44	32	14	6	3	3	1
	Female	491	39	7	2	2	1	5	7	9	15	9	8	12	20	29	46	45	50	45	47	29	24	26	9	1	4	-
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	20	4	1	2	1	-	1	-	1	1	-	2	1	2	-	-	1	1	-	1	1	-	-	-	-	-	-
	White.....Male	16	2	1	2	1	-	1	-	-	1	-	1	1	2	-	-	1	1	-	1	1	-	-	-	-	-	-
	Female	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	1	-	-	1	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	17	14	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	20	-	2	4	2	1	4	2	1	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	8	-	2	1	1	-	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Female	12	-	-	3	1	1	2	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	339	2	4	1	-	-	1	3	8	26	24	33	25	34	37	36	29	19	18	19	7	6	5	1	-	-	1
	White.....Male	177	-	3	1	-	-	1	1	4	11	10	15	8	21	22	19	21	12	10	9	3	2	2	1	-	-	1
	Female	124	2	-	-	-	-	-	1	2	11	9	15	13	10	11	11	7	5	7	10	4	4	2	-	-	-	-
	Nonwhite..Male	22	-	-	-	-	-	-	-	1	1	1	2	4	2	2	6	1	1	1	-	-	-	-	-	-	-	-
	Female	16	-	1	-	-	-	-	1	1	3	4	1	-	1	2	-	-	1	-	-	-	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	314	-	3	-	-	-	1	3	8	25	23	31	22	31	34	36	28	18	14	18	7	6	4	1	-	-	1
	White.....Male	164	-	2	-	-	-	1	1	4	11	10	14	5	19	20	19	20	12	8	9	3	2	2	1	-	-	1
	Female	114	-	-	-	-	-	-	1	2	10	9	14	13	9	10	11	7	4	6	9	4	4	1	-	-	-	-
	Nonwhite..Male	20	-	-	-	-	-	-	-	1	1	-	2	4	2	2	6	1	1	-	-	-	-	-	-	-	-	-
	Female	16	-	1	-	-	-	-	1	1	3	4	1	-	1	2	-	-	1	-	-	-	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	25	2	1	1	-	-	-	-	-	1	1	2	3	3	3	-	1	1	4	1	-	-	1	-	-	-	-
	White.....Male	13	-	1	1	-	-	-	-	-	-	-	1	3	2	2	-	1	-	2	-	-	-	-	-	-	-	-
	Female	10	2	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	1	1	-	-	1	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	9	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-		1	1	-	-
	White.....Male	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-		1	1	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1		-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-		-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	187	3	-	-	-	1	-	-	2	1	2	2	7	22	13	18	22	27	31	22	10	3	1	-	-	-	-
	White.....Male	115	-	-	-	-	-	-	-	-	-	1	-	4	13	7	9	16	18	19	18	7	2	1	-	-	-	-
	Female	42	2	-	-	-	-	-	-	1	-	1	1	1	5	4	3	5	7	8	1	2	1	-	-	-	-	-
	Nonwhite..Male	17	-	-	-	-	1	-	-	-	-	-	-	1	4	1	3	1	2	2	2	-	-	-	-	-	-	-
	Female	13	1	-	-	-	-	-	-	1	1	-	1	1	-	1	3	-	-	2	1	1	-	-	-	-	-	-
35	Measles	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	17	-	-	1	-	2	2	3	6	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	11	-	-	-	-	2	1	2	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	-	-	1	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Continued																											
45-55	Cancer and other malignant tumors....	2,406	1	1	6	4	2	9	3	4	11	15	28	44	61	121	166	225	290	361	406	320	191	109	22	7	1	-
	White.....Male....	1,086	-	1	5	3	2	3	3	2	8	9	5	10	16	39	56	94	123	164	205	162	112	50	10	4	-	-
	Female..	1,219	1	-	1	1	-	6	-	2	2	6	21	32	41	75	98	116	152	183	192	147	76	55	10	2	-	-
	Nonwhite..Male....	43	-	-	-	-	-	-	-	-	-	-	-	-	1	4	6	9	5	6	4	5	1	1	-	1	-	-
	Female..	60	-	-	-	-	-	-	-	-	1	-	2	2	3	3	6	6	10	8	5	6	2	3	2	-	1	-
46	Cancer of digestive organs, peritoneum..	1,077	-	-	-	-	-	1	-	-	1	3	2	13	18	42	53	100	131	183	194	178	95	48	13	2	-	-
	White.....Male....	515	-	-	-	-	-	-	-	-	-	2	-	4	11	17	28	54	63	86	102	80	45	17	4	2	-	-
	Female..	514	-	-	-	-	-	1	-	-	-	1	2	8	6	22	18	36	60	91	90	92	49	30	8	-	-	-
	Nonwhite..Male....	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	7	3	3	-	4	-	-	-	-	-	-
	Female..	25	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	3	5	3	2	2	1	1	1	-	-	-
48,49	Cancer of female genital organs.....	306	-	-	-	-	-	-	-	-	-	4	13	13	17	26	37	31	49	37	44	18	8	9	-	-	-	-
	White.....Female..	291	-	-	-	-	-	-	-	-	-	4	11	12	15	26	35	29	47	35	43	17	8	9	-	-	-	-
	Nonwhite..Female..	15	-	-	-	-	-	-	-	-	-	-	2	1	2	-	2	2	2	2	1	1	-	-	-	-	-	-
50	Cancer of breast.....	246	-	-	-	-	-	-	-	1	-	-	7	10	14	17	32	30	23	36	38	20	11	6	-	1	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Female..	232	-	-	-	-	-	-	-	1	-	-	7	10	14	16	31	29	22	35	35	18	9	4	-	1	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	2	1	2	-	-	-	-
45,47, 51-55	Cancer (other sites)..	779	1	1	6	4	2	8	3	3	10	8	6	8	12	36	44	64	87	105	130	104	77	46	9	4	1	-
	White.....Male....	569	-	1	5	3	2	3	3	2	8	7	5	6	5	22	28	40	60	78	102	82	66	33	6	2	-	-
	Female..	182	1	-	1	1	-	5	-	1	2	1	1	2	6	11	14	22	23	22	24	20	10	12	2	1	-	-
	Nonwhite..Male....	20	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	2	3	4	1	1	1	-	1	-	-
	Female..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	-	-	1	-	1	-
58	Acute rheumatic fever.....	13	-	-	-	-	-	5	3	-	1	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	White.....Male....	4	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	480	-	1	-	-	-	-	8	6	2	2	5	4	7	19	18	44	67	67	102	66	45	14	2	1	-	-
	White.....Male....	179	-	-	-	-	-	-	1	3	2	-	3	1	2	9	9	17	20	19	35	29	18	10	1	-	-	-
	Female..	277	-	1	-	-	-	-	5	2	-	2	2	3	4	6	7	22	46	43	65	37	27	3	1	1	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-
	Female..	20	-	-	-	-	-	-	2	1	-	-	-	-	-	4	2	5	1	3	1	-	-	1	-	-	-	-
63b	Exophthalmic goiter..	30	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	-	5	7	3	1	2	1	-	-	-	-
	White.....Male....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	-	-	-	-	-	-	-	-
	Female..	21	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	-	2	4	3	1	2	1	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	-	1	-	-	-	-
	White.....Male....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	15	-	-	-	-	-	-	-	-	-	-	2	1	4	1	1	1	2	1	2	-	-	-	-	-	-	-
	White.....Male....	14	-	-	-	-	-	-	-	-	-	-	2	1	4	1	1	1	2	1	1	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	2,132	-	-	2	-	-	1	1	1	4	6	7	12	21	48	69	122	189	278	382	384	324	210	62	8	-	1
	White.....Male....	998	-	-	2	-	-	-	1	-	2	3	3	4	7	30	25	56	86	151	183	186	158	75	24	1	-	1
	Female..	1,025	-	-	-	-	-	1	-	1	1	2	3	6	13	15	32	48	91	112	181	190	158	127	37	7	-	-
	Nonwhite..Male....	42	-	-	-	-	-	-	-	-	1	-	-	-	-	1	4	6	8	4	5	5	4	3	1	-	-	-
	Female..	67	-	-	-	-	-	-	-	-	-	1	1	2	1	2	8	12	4	11	13	3	4	5	-	-	-	-
90-95	Diseases of the heart.....	5,347	5	1	1	1	2	3	8	7	13	13	24	49	91	163	248	369	510	692	847	860	711	511	174	37	6	1
	White.....Male....	3,129	3	1	-	-	-	1	3	3	9	5	14	36	55	111	167	264	354	420	497	483	358	244	83	16	2	-
	Female..	1,959	1	-	1	-	1	2	4	2	3	8	8	9	23	38	57	83	124	241	316	354	325	251	87	20	-	1
	Nonwhite..Male....	151	1	-	-	-	1	-	-	1	-	-	1	2	6	11	15	17	16	21	17	15	18	4	2	-	3	-
	Female..	108	-	-	-	1	-	-	1	1	1	-	1	2	7	3	9	5	16	10	17	8	10	12	2	1	1	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	371	-	-	-	1	-	1	7	3	2	7	8	10	20	16	17	22	36	39	48	48	39	35	10	1	1	-
	White.....Male....	177	-	-	-	-	-	1	3	1	1	2	6	6	7	9	8	13	19	16	23	22	16	19	3	1	1	-
	Female..	169	-	-	-	-	-	-	3	1	1	5	2	3	10	6	8	6	14	20	22	26	20	15	7	-	-	-
	Nonwhite..Male....	11	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	3	1	2	1	-	-	-	-	-	-	-
	Female..	14	-	-	-	1	-	-	1	1	-	-	-	-	1	-	1	-	2	1	2	-	3	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	2,038	2	-	-	-	-	-	-	-	2	1	10	25	43	90	133	185	260	344	329	282	198	103	26	5	-	-
	White.....Male....	1,395	1	-	-	-	-	-	-	-	2	-	6	23	37	72	103	148	208	226	214	176	108	59	10	2	-	-
	Female..	590	1	-	-	-	-	-	-	-	-	1	3	2	2	13	23	30	46	110	112	100	86	42	16	3	-	-
	Nonwhite..Male....	34	-	-	-	-	-	-	-	-	-	-	1	-	1	5	5	5	3	6	1	3	3	1	-	-	-	-
	Female..	19	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	2	3	2	2	3	1	1	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	2,938	3	1	1	-	2	2	1	4	9	5	6	14	28	57	98	162	214	309	470	530	474	373	138	31	5	1
	White.....Male....	1,557	2	1	-	-	-	-	-	2	6	3	2	7	11	30	56	103	127	178	260	285	234	166	70	13	1	-
	Female..	1,200	-	-	1	-	1	2	1	1	2	2	3	4	11	19	26	47	64	111	182	228	219	194	64	17	-	1
	Nonwhite..Male....	106	1	-	-	-	1	-	-	1	-	-	-	1	3	5	10	9	12	13	15	12	15	3	2	-	3	-
	Female..	75	-	-	-	-	-	-	-	-	1	-	1	2	3	3	6	3	11	7	13	5	6	10	2	1	1	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Continued																											
107-109, 33	Pneumonia (all forms) and influenza.....	772	157	35	8	3	1	12	6	9	4	3	6	12	6	23	28	28	45	46	49	98	81	66	34	10	2	-
	White.....Male....	383	73	15	7	3	1	7	3	4	-	1	4	7	2	10	17	16	24	23	25	47	43	32	13	4	2	-
	Female..	319	59	14	-	-	-	3	1	3	3	1	1	5	3	11	7	9	18	19	22	44	36	34	20	6	-	-
	Nonwhite..Male....	35	12	-	-	-	-	1	1	-	-	1	1	-	1	1	3	2	1	4	2	3	2	-	-	-	-	-
	Female..	35	13	6	1	-	-	1	1	2	1	-	-	-	-	1	1	1	2	-	-	4	-	-	1	-	-	-
107	Bronchopneumonia.....	323	94	13	5	2	-	5	1	3	1	1	3	5	2	8	7	7	9	18	13	43	39	29	12	2	1	-
	White.....Male....	152	44	5	5	2	-	4	1	2	-	-	2	4	-	5	2	3	4	9	5	19	22	11	2	-	1	-
	Female..	143	34	5	-	-	-	1	-	1	1	1	-	1	1	3	5	2	5	7	8	22	17	18	9	2	-	-
	Nonwhite..Male....	14	8	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-
	Female..	14	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
108	Lobar pneumonia.....	227	26	5	1	-	1	5	3	4	2	1	3	4	2	6	15	13	24	19	20	28	21	14	9	1	-	-
	White.....Male....	129	13	1	-	-	1	2	1	1	-	1	2	2	1	2	10	10	13	11	11	17	14	10	5	1	-	-
	Female..	69	7	3	-	-	-	1	-	1	1	-	1	2	1	4	1	2	8	7	7	9	6	4	4	-	-	-
	Nonwhite..Male....	14	2	-	-	-	-	1	1	-	-	-	-	-	-	-	3	1	1	1	2	1	1	-	-	-	-	-
	Female..	15	4	1	1	-	-	1	1	2	1	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-
109	Pneumonia (unspecified).....	36	10	5	1	-	-	1	1	1	1	1	-	-	1	3	1	1	1	2	1	1	-	2	2	-	-	-
	White.....Male....	14	5	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
	Female..	20	5	2	-	-	-	1	1	-	1	-	-	-	1	1	1	1	-	1	-	1	-	2	2	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	186	27	12	1	1	-	1	1	1	-	-	-	3	1	6	5	7	11	7	15	26	21	21	11	7	1	-
	White.....Male....	88	11	6	1	1	-	1	1	-	-	-	-	1	1	2	5	3	6	2	8	11	7	11	6	3	1	-
	Female..	87	13	4	-	-	-	-	-	1	-	-	-	2	-	3	-	4	5	4	7	12	13	10	5	4	-	-
	Nonwhite..Male....	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	Female..	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-
117	Ulcer of stomach or duodenum.....	111	1	-	-	-	-	-	-	-	-	1	1	3	7	6	13	10	14	22	13	11	6	3	-	-	-	-
	White.....Male....	87	1	-	-	-	-	-	-	-	-	1	-	3	7	6	9	9	11	18	10	5	5	2	-	-	-	-
	Female..	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	4	3	6	1	1	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	117	61	5	-	2	1	2	-	2	-	-	1	-	1	3	2	4	3	2	5	5	10	3	5	-	-	-
	White.....Male....	59	34	3	-	1	-	1	-	1	-	-	-	-	-	1	2	1	3	-	3	3	3	2	1	-	-	-
	Female..	49	21	2	-	1	1	1	-	1	-	-	1	-	1	1	-	2	-	2	1	2	7	1	4	-	-	-
	Nonwhite..Male....	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
121	Appendicitis.....	95	-	-	3	-	-	5	6	6	2	3	9	6	4	10	3	9	7	13	3	2	2	2	-	-	-	-
	White.....Male....	59	-	-	3	-	-	3	4	4	-	-	5	5	2	8	1	5	5	7	2	2	2	1	-	-	-	-
	Female..	29	-	-	-	-	-	1	1	2	1	3	3	1	1	2	2	3	2	5	1	-	-	1	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction.....	177	9	1	-	-	-	1	-	5	5	1	2	3	8	5	8	11	20	24	22	23	14	9	3	2	-	1
	White.....Male....	94	3	-	-	-	-	1	-	4	1	1	2	-	4	2	3	6	10	13	13	17	7	4	1	1	-	1
	Female..	71	3	1	-	-	-	-	-	1	3	-	-	2	2	2	5	5	9	9	9	6	6	5	2	1	-	-
	Nonwhite..Male....	9	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	-	1	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	95	-	-	-	-	-	-	-	-	1	-	-	2	4	8	8	10	16	12	11	12	6	5	-	-	-	-
	White.....Male....	57	-	-	-	-	-	-	-	-	-	-	-	2	3	7	5	7	9	5	8	6	3	2	-	-	-	-
	Female..	32	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	3	5	5	3	5	3	3	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
128,127	Biliary calculi, etc.*.....	112	-	-	-	-	-	-	-	-	-	2	2	3	6	8	11	7	17	18	10	15	9	4	-	-	-	-
	White.....Male....	37	-	-	-	-	-	-	-	-	-	1	-	-	3	2	2	2	8	6	4	4	3	2	-	-	-	-
	Female..	74	-	-	-	-	-	-	-	-	-	1	2	3	3	5	9	5	9	12	6	11	6	2	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	1,340	3	1	2	1	1	1	6	3	10	12	12	20	27	35	66	77	113	142	192	235	188	130	49	10	1	3
	White.....Male....	677	3	1	1	-	1	1	3	1	4	5	7	6	11	19	27	41	55	75	105	108	109	68	21	3	-	2
	Female..	530	-	-	1	1	-	-	2	2	5	5	3	11	13	10	22	20	38	49	72	116	74	56	23	6	-	1
	Nonwhite..Male....	60	-	-	-	-	-	-	-	-	-	-	2	2	-	2	5	5	10	10	10	5	2	4	2	1	-	-
	Female..	73	-	-	-	-	-	-	1	-	1	2	-	1	3	4	12	11	10	8	5	6	3	2	3	-	1	-
137	Diseases of the prostate.....	153	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	9	14	34	27	38	20	5	-	-	-
	White.....Male....	148	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	9	13	32	26	38	20	5	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Continued																											
140-150	Diseases of pregnancy, etc.*....	63	-	-	-	-	-	-	-	2	15	17	9	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	59	-	-	-	-	-	-	-	2	11	17	9	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	4	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	23	-	-	-	-	-	-	-	1	5	5	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	22	-	-	-	-	-	-	-	1	4	5	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	12	-	-	-	-	-	-	-	1	3	4	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	12	-	-	-	-	-	-	-	1	3	4	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	23	-	-	-	-	-	-	-	-	7	6	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	20	-	-	-	-	-	-	-	-	4	6	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	5	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	199	173	10	3	-	1	1	4	1	-	1	1	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	White.....Male....	103	92	4	1	-	1	1	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Female..	90	77	6	1	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male....	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	554	554	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	321	321	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	209	209	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	11	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	311	311	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	183	183	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	120	120	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	243	243	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	138	138	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	89	89	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	197	-	-	-	-	-	-	-	4	7	16	14	15	14	21	21	23	16	15	19	7	2	2	1	-	-	-
	White.....Male....	151	-	-	-	-	-	-	-	3	3	12	13	10	11	13	16	18	11	15	15	6	2	2	1	-	-	-
	Female..	43	-	-	-	-	-	-	-	1	4	4	1	4	2	7	5	5	5	-	4	1	-	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	40	1	-	-	1	-	1	-	3	8	4	4	5	6	3	2	-	-	2	-	-	-	-	-	-	-	-
	White.....Male....	18	-	-	-	-	-	-	-	3	3	1	2	1	4	2	1	-	-	1	-	-	-	-	-	-	-	-
	Female..	7	1	-	-	1	-	1	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	11	-	-	-	-	-	-	-	-	4	2	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,396	35	26	9	9	10	40	43	84	100	93	46	64	54	59	56	78	62	72	91	114	117	88	36	2	4	4
	White.....Male....	896	14	13	8	6	6	26	38	60	89	80	38	53	42	45	36	60	46	48	52	50	47	28	7	1	1	2
	Female..	449	17	11	1	2	4	12	3	20	11	11	6	9	9	13	13	14	13	23	36	62	67	58	20	1	3	1
	Nonwhite..Male....	34	1	2	-	-	-	-	2	3	-	2	2	2	3	1	6	3	2	-	2	1	1	-	-	-	-	1
	Female..	17	3	-	-	1	-	2	-	1	-	-	-	-	-	-	1	1	1	1	1	1	2	2	-	-	-	-
170	Motor-vehicle accidents.....	324	2	4	-	1	2	13	9	40	26	25	16	18	16	19	19	23	18	22	19	19	10	3	-	-	-	-
	White.....Male....	236	-	2	-	1	2	7	7	25	20	16	12	15	11	15	8	17	15	19	17	15	9	3	-	-	-	-
	Female..	79	2	2	-	-	-	6	2	13	6	8	4	3	3	3	9	5	3	3	2	4	1	-	-	-	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	2	-	1	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	1,072	33	22	9	8	8	27	34	44	74	68	30	46	38	40	37	55	44	50	72	95	107	85	36	2	4	4
	White.....Male....	660	14	11	8	5	4	19	31	35	69	64	26	38	31	30	28	43	31	29	35	35	38	25	7	1	1	2
	Female..	370	15	9	1	2	4	6	1	7	5	3	2	6	6	10	4	9	10	20	34	58	66	58	29	1	3	1
	Nonwhite..Male....	26	1	2	-	-	-	-	2	1	-	1	2	2	1	-	5	2	2	-	2	1	1	-	-	-	-	1
	Female..	16	3	-	-	1	-	2	-	1	-	-	-	-	-	-	-	1	1	1	1	1	2	2	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	330	11	1	-	-	1	-	-	-	-	-	1	1	2	3	4	7	13	15	29	36	68	74	44	16	4	-
	White.....Male....	144	8	1	-	-	-	-	-	-	-	-	1	-	1	2	3	6	5	8	14	18	23	29	16	2	1	-
	Female..	171	3	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	6	7	12	16	36	44	27	13	2	-
	Nonwhite..Male....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	1	-	-
	Female..	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	2	-	1	-	1	-
	All other causes.....	1,700	67	12	9	14	8	26	16	27	27	35	42	43	47	78	96	107	106	152	166	190	209	152	52	16	3	-
	White.....Male....	896	43	6	4	5	4	17	4	13	19	16	23	24	20	32	55	57	61	84	95	109	90	85	22	7	1	-
	Female..	740	18	6	5	7	3	9	11	13	7	17	17	17	22	35	34	47	40	65	70	75	116	66	29	9	2	-
	Nonwhite..Male....	35	2	-	-	2	-	-	-	-	1	1	1	-	3	4	3	1	4	3	-	6	2	1	1	-	-	-
	Female..	29	4	-	-	-	1	-	1	1	-	1	1	2	2	7	4	2	1	-	1	-	1	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY																											
	ALL CAUSES	27,590	2,858	282	138	112	75	289	254	458	555	563	651	798	993	1,154	1,503	1,710	2,095	2,638	3,146	3,011	2,296	1,379	471	123	26	12
	White.....Male	13,510	1,519	148	70	55	28	159	153	231	256	277	330	368	467	533	731	854	1,060	1,321	1,582	1,488	1,078	580	173	36	4	9
	Female	10,585	1,111	108	62	46	44	110	77	165	188	191	226	285	322	370	443	528	725	986	1,244	1,273	1,059	710	243	59	9	1
	Nonwhite..Male	1,843	120	12	3	8	1	12	15	31	56	57	43	62	98	140	181	184	153	197	171	123	90	41	28	13	3	1
	Female	1,652	108	14	3	3	2	8	9	31	55	38	52	83	106	111	148	144	157	134	149	127	69	48	27	15	10	1
1,2	Typhoid and paratyphoid fever	30	-	1	-	1	-	1	5	2	1	2	1	4	2	1	2	2	2	-	2	1	-	-	-	-	-	-
	White.....Male	16	-	1	-	-	-	-	3	1	-	2	-	2	1	1	1	-	1	-	2	1	-	-	-	-	-	-
	Female	11	-	-	-	1	-	1	2	1	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	48	8	6	3	2	3	5	2	6	2	-	3	2	2	-	2	-	2	-	-	-	-	-	-	-	-	-
	White.....Male	23	3	2	1	1	1	1	2	5	1	-	-	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-
	Female	21	4	4	2	1	2	4	-	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	8	1	-	-	1	-	2	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	80	53	16	4	1	-	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	36	24	9	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	37	24	5	4	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	63	4	9	11	14	8	16	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	34	4	5	4	8	4	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	28	-	4	7	5	4	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,605	15	17	9	6	8	7	8	71	137	154	148	142	126	125	128	108	100	95	93	67	35	6	-	-	-	-
	White.....Male	704	9	6	3	-	3	3	4	15	37	56	72	61	64	54	80	55	50	51	38	31	11	1	-	-	-	-
	Female	603	4	9	5	3	5	4	2	32	55	68	51	57	34	40	27	25	37	35	50	33	22	5	-	-	-	-
	Nonwhite..Male	170	2	1	-	2	-	-	1	11	15	13	14	11	18	24	17	21	7	8	2	2	1	-	-	-	-	-
	Female	128	-	1	1	1	-	-	1	13	30	17	11	13	10	7	4	7	6	1	3	1	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,472	6	5	2	2	2	2	4	61	132	150	136	134	120	117	123	102	97	88	89	61	33	6	-	-	-	-
	White.....Male	647	1	2	1	-	-	1	1	12	36	56	63	58	61	52	78	53	48	47	37	28	11	1	-	-	-	-
	Female	546	3	1	1	-	2	1	1	29	53	65	49	55	31	36	25	23	36	33	47	30	20	5	-	-	-	-
	Nonwhite..Male	161	2	1	-	2	-	-	1	8	15	13	14	9	18	23	16	20	7	7	2	2	1	-	-	-	-	-
	Female	118	-	1	-	-	-	-	1	12	28	16	10	12	10	6	4	6	6	1	3	1	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	133	9	12	7	4	6	5	4	10	5	4	12	8	6	8	5	6	3	7	4	6	2	-	-	-	-	-
	White.....Male	57	8	4	2	-	3	2	3	3	1	-	9	3	3	2	2	2	2	4	1	3	-	-	-	-	-	-
	Female	57	1	8	4	3	3	3	1	3	2	3	2	2	3	4	2	2	1	2	3	3	2	-	-	-	-	-
	Nonwhite..Male	9	-	-	-	-	-	-	-	3	-	-	-	2	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	Female	10	-	-	1	1	-	-	-	1	2	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	97	58	8	2	3	-	1	1	-	1	-	1	-	-	2	2	2	1	2	2	1	3	6	1	-	-	-
	White.....Male	51	32	6	1	1	-	-	1	-	-	-	-	-	-	1	-	1	-	1	1	-	3	3	-	-	-	-
	Female	41	25	2	1	2	-	1	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	3	1	-	-	-
	Nonwhite..Male	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
30	Syphilis	223	6	-	-	-	1	1	-	3	2	4	12	16	27	30	25	31	25	15	12	9	3	1	-	-	-	-
	White.....Male	106	5	-	-	-	-	1	-	1	-	-	4	5	12	15	11	11	17	9	10	4	1	-	-	-	-	-
	Female	38	1	-	-	-	-	-	-	1	2	1	5	2	1	5	6	6	2	3	-	2	1	-	-	-	-	-
	Nonwhite..Male	53	-	-	-	-	-	-	-	-	-	3	2	6	12	5	5	8	5	3	2	1	-	1	-	-	-	-
	Female	26	-	-	-	-	1	-	-	1	-	-	1	3	2	5	3	6	1	-	-	2	1	-	-	-	-	-
35	Measles	17	7	4	1	1	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	7	2	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	3	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	12	2	-	1	-	-	4	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	9	1	-	1	-	-	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Continued																											
45-55	Cancer and other malignant tumors....	2,734	2	2	5	5	3	7	9	7	15	20	48	81	127	179	220	294	328	348	399	335	185	87	21	6	-	1
	White.....Male....	1,132	1	-	-	2	2	5	4	3	7	13	18	19	37	41	73	127	132	146	205	155	92	38	7	4	-	1
	Female..	1,375	1	2	5	3	1	1	3	3	5	7	24	54	75	108	118	141	161	179	172	164	85	48	14	1	-	-
	Nonwhite..Male....	81	-	-	-	-	-	-	2	-	1	-	-	1	3	13	6	8	11	13	12	7	2	1	-	1	-	-
	Female..	146	-	-	-	-	-	1	-	1	2	-	6	7	12	17	23	18	24	10	10	9	6	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	1,228	-	-	-	-	-	2	-	2	3	4	11	18	46	52	92	138	162	177	200	171	91	47	10	2	-	-
	White.....Male....	604	-	-	-	-	-	1	-	1	2	3	6	10	20	19	42	70	84	86	111	80	45	20	2	2	-	-
	Female..	541	-	-	-	-	-	1	-	-	1	1	4	6	22	25	41	57	61	81	81	81	44	27	8	-	-	-
	Nonwhite..Male....	41	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	5	7	8	7	5	-	-	-	-	-	-
	Female..	42	-	-	-	-	-	-	-	1	-	-	1	1	3	3	7	6	10	2	1	5	2	-	-	-	-	-
48,49	Cancer of female genital organs.....	431	-	-	-	-	-	1	-	-	2	4	17	32	32	55	52	49	62	47	38	23	13	4	-	-	-	-
	White.....Female..	374	-	-	-	-	-	-	-	-	1	4	14	28	27	45	42	41	60	42	35	21	10	4	-	-	-	-
	Nonwhite..Female..	57	-	-	-	-	-	1	-	-	1	-	3	4	5	10	10	8	2	5	3	2	3	-	-	-	-	-
50	Cancer of breast.....	239	-	-	-	-	-	-	-	-	-	1	2	13	17	26	22	31	35	24	27	25	12	4	-	-	-	-
	White.....Male....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Female..	209	-	-	-	-	-	-	-	-	-	1	2	13	14	23	20	28	26	22	22	22	12	4	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	26	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	2	8	2	4	2	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	836	2	2	5	5	3	4	9	5	10	11	18	18	32	46	54	76	69	100	134	116	69	32	11	4	-	1
	White.....Male....	525	1	-	-	2	2	4	4	2	5	10	12	9	17	22	31	57	47	60	93	74	47	18	5	2	-	1
	Female..	251	1	2	5	3	1	-	3	3	3	1	4	7	12	15	15	15	14	34	34	40	19	13	6	1	-	-
	Nonwhite..Male....	39	-	-	-	-	-	-	2	-	1	-	-	-	2	8	4	2	4	5	5	2	2	1	-	1	-	-
	Female..	21	-	-	-	-	-	-	-	-	1	-	2	2	1	1	4	2	4	1	2	-	1	-	-	-	-	-
58	Acute rheumatic fever.....	29	-	-	-	-	-	9	4	4	1	1	-	2	-	1	2	1	1	1	-	1	-	1	-	-	-	-
	White.....Male....	12	-	-	-	-	-	4	2	1	-	-	-	2	-	-	1	-	-	1	-	-	-	1	-	-	-	-
	Female..	11	-	-	-	-	-	3	1	2	-	1	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	459	-	1	1	-	-	4	9	8	5	4	6	11	9	17	26	41	66	78	74	56	26	15	1	-	-	1
	White.....Male....	180	-	1	1	-	-	3	3	3	3	2	1	5	3	10	12	13	21	25	34	20	11	9	-	-	-	-
	Female..	227	-	-	-	-	-	1	5	4	2	1	4	4	4	2	9	19	38	47	34	32	13	6	1	-	-	1
	Nonwhite..Male....	17	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	3	1	4	2	1	1	-	-	-	-	-
	Female..	35	-	-	-	-	-	-	-	-	-	1	1	2	1	5	3	6	6	2	4	3	1	-	-	-	-	-
63b	Exophthalmic goiter..	50	-	-	-	-	-	-	1	2	1	1	5	3	5	5	4	6	4	3	5	2	2	-	1	-	-	-
	White.....Male....	8	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	1	2	-	-	-	-	-	-	-	-
	Female..	34	-	-	-	-	-	-	1	2	1	-	4	2	1	4	2	5	2	1	5	1	2	-	1	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	8	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	1	-	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	26	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	4	4	6	3	-	1	-	-	-	-
	White.....Male....	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	1	-	-	-	-	-	-
	Female..	13	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	3	2	-	1	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	44	-	-	-	-	-	-	-	-	1	1	3	5	14	5	5	4	1	-	4	-	-	1	-	-	-	-
	White.....Male....	35	-	-	-	-	-	-	-	-	-	1	3	5	12	3	4	4	1	-	2	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	2,738	3	4	1	-	-	2	1	4	6	8	14	29	60	83	166	183	234	376	461	500	337	194	58	10	3	1
	White.....Male....	1,194	-	2	-	-	-	-	-	1	1	6	8	11	20	33	64	73	103	171	207	257	138	76	18	4	-	1
	Female..	1,155	3	2	1	-	-	-	1	1	3	1	3	12	23	24	61	64	89	147	202	205	171	103	34	3	2	-
	Nonwhite..Male....	170	-	-	-	-	-	-	-	2	-	-	-	2	5	11	17	25	16	26	28	16	15	5	2	-	-	-
	Female..	219	-	-	-	-	-	2	-	-	2	1	3	4	12	15	24	21	26	32	24	22	13	10	4	3	1	-
90-95	Diseases of the heart.....	6,856	3	6	1	2	3	19	23	25	33	35	61	104	189	311	431	525	704	935	1,116	1,012	750	435	106	21	2	4
	White.....Male....	3,544	2	5	-	1	2	8	11	7	10	12	30	59	92	160	237	299	396	511	582	525	360	187	39	6	-	3
	Female..	2,428	1	1	1	1	1	9	10	17	16	15	19	25	51	83	94	122	207	310	415	401	336	225	59	9	-	-
	Nonwhite..Male....	471	-	-	-	-	-	1	-	1	3	2	5	7	18	34	60	61	50	65	61	50	34	9	6	3	-	1
	Female..	413	-	-	-	-	-	1	2	-	4	6	7	13	28	34	40	43	51	49	58	36	20	14	2	3	2	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	434	-	-	-	2	1	10	11	11	12	10	11	13	20	19	19	28	37	51	57	66	32	19	5	-	-	-
	White.....Male....	184	-	-	-	1	1	4	5	4	5	3	5	6	7	8	8	13	17	18	29	28	11	9	2	-	-	-
	Female..	188	-	-	-	1	-	4	6	7	4	6	5	6	8	6	6	11	14	22	20	33	17	9	3	-	-	-
	Nonwhite..Male....	31	-	-	-	-	-	1	-	-	2	-	1	-	1	2	4	1	4	6	3	2	4	-	-	-	-	-
	Female..	31	-	-	-	-	-	1	-	-	1	1	-	1	4	3	1	3	2	5	5	3	-	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	1,993	1	1	-	-	-	1	2	2	6	10	23	38	84	140	172	212	262	283	285	245	143	69	12	2	-	-
	White.....Male....	1,256	1	1	-	-	-	1	2	1	1	3	13	24	56	98	120	151	178	183	172	138	75	32	5	1	-	-
	Female..	533	-	-	-	-	-	-	-	1	2	4	4	6	12	24	20	31	63	82	98	87	57	34	7	1	-	-
	Nonwhite..Male....	120	-	-	-	-	-	-	-	-	-	1	2	3	8	11	25	19	9	10	10	12	8	2	-	-	-	-
	Female..	84	-	-	-	-	-	-	-	-	3	2	4	5	8	7	7	11	12	8	5	8	3	1	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	4,429	2	5	1	-	2	8	10	12	15	15	27	53	85	152	240	285	405	601	774	701	575	347	89	19	2	4
	White.....Male....	2,104	1	4	-	-	1	3	4	2	4	6	12	29	29	54	109	135	201	310	381	359	274	146	32	5	-	3
	Female..	1,707	1	1	1	-	1	5	4	9	10	5	10	13	31	53	68	80	130	206	297	281	262	182	49	8	-	-
	Nonwhite..Male....	320	-	-	-	-	-	-	-	1	1	1	2	4	9	21	31	41	37	49	48	36	22	7	6	3	-	1
	Female..	298	-	-	-	-	-	-	2	-	-	3	3	7	16	24	32	29	37	36	48	25	17	12	2	3	2	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	2,049	530	82	28	27	9	28	15	24	29	33	41	38	44	56	69	75	90	114	131	201	180	133	49	19	4	-
	White.....Male	898	246	48	17	14	2	12	4	10	9	12	15	10	17	26	22	33	44	50	62	82	84	49	25	4	1	-
	Female	840	222	24	10	10	6	11	9	9	12	9	18	18	19	9	19	24	31	46	49	94	88	72	20	11	-	-
	Nonwhite..Male	178	30	6	1	3	-	3	-	3	4	10	6	7	6	14	17	9	9	14	13	9	5	6	-	2	1	-
	Female	133	32	4	-	-	1	2	2	2	4	2	2	3	2	7	11	9	6	4	7	16	3	6	4	2	2	-
107	Bronchopneumonia	800	295	39	13	12	5	11	1	9	13	4	14	8	6	13	15	28	30	32	42	61	70	49	21	7	2	-
	White.....Male	374	142	22	7	5	2	5	1	5	4	2	5	3	3	6	4	17	14	12	21	28	34	19	11	1	1	-
	Female	303	114	11	5	6	2	3	-	1	5	1	6	3	3	5	4	3	9	14	13	25	31	26	9	4	-	-
	Nonwhite..Male	65	19	2	1	1	-	2	-	2	2	1	3	1	-	2	3	3	4	5	6	2	3	2	-	1	-	-
	Female	58	20	4	-	-	1	1	-	1	2	-	-	1	-	-	4	5	3	1	2	6	2	2	1	1	1	-
108	Lobar pneumonia	521	64	15	5	6	1	7	4	7	9	18	15	14	19	22	29	21	34	39	39	61	44	31	11	5	1	-
	White.....Male	222	27	11	3	3	-	2	1	2	4	6	6	2	6	9	10	6	20	22	20	24	23	11	3	1	-	-
	Female	189	24	1	2	1	1	4	3	3	3	4	6	6	7	1	6	10	10	10	14	27	21	14	7	4	-	-
	Nonwhite..Male	73	7	3	-	2	-	-	-	1	1	7	1	5	4	9	9	4	2	5	4	4	-	4	-	-	1	-
	Female	37	6	-	-	-	-	1	-	1	1	1	2	1	2	3	4	1	2	2	1	6	-	2	1	-	-	-
109	Pneumonia (unspecified)	346	114	19	9	7	2	4	6	2	3	5	4	7	9	11	10	10	12	19	18	25	23	17	6	3	1	-
	White.....Male	163	52	10	7	4	-	2	2	-	1	2	1	2	6	7	4	5	5	9	7	11	13	8	4	1	-	-
	Female	158	54	9	2	3	2	2	4	2	2	3	3	5	3	1	4	4	4	9	9	13	9	9	1	1	-	-
	Nonwhite..Male	12	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	1	1	-	-	-	-	-
	Female	13	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	-	-	1	1	1	-
33	Influenza	382	57	9	1	2	1	6	4	6	4	6	8	9	10	10	15	16	14	24	32	54	43	36	11	4	-	-
	White.....Male	139	25	5	-	2	-	3	-	3	-	2	3	3	2	4	4	5	5	7	14	19	14	11	7	1	-	-
	Female	190	30	3	1	-	1	2	2	3	2	1	3	4	6	2	5	7	8	13	13	29	27	23	3	2	-	-
	Nonwhite..Male	28	-	1	-	-	-	1	-	-	1	2	2	1	2	1	4	2	1	3	3	2	1	-	-	1	-	-
	Female	25	2	-	-	-	-	-	2	-	1	1	-	1	-	3	2	2	-	1	2	4	1	2	1	-	-	-
117	Ulcer of stomach or duodenum	150	1	-	-	-	-	-	-	1	5	3	6	7	17	16	8	15	17	18	17	9	5	4	1	-	-	-
	White.....Male	99	1	-	-	-	-	-	-	-	2	3	4	4	10	11	8	11	14	14	8	4	3	2	-	-	-	-
	Female	38	-	-	-	-	-	-	-	1	2	-	1	1	4	3	-	2	2	3	9	5	2	2	1	-	-	-
	Nonwhite..Male	6	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	427	307	39	8	6	-	2	1	1	1	-	-	4	3	3	3	6	4	7	6	13	7	4	2	-	-	-
	White.....Male	218	155	21	5	5	-	2	-	1	-	-	-	1	2	1	2	4	2	4	2	6	3	2	-	-	-	-
	Female	168	123	14	3	1	-	-	-	-	1	-	-	2	1	1	-	2	2	3	2	5	4	2	2	-	-	-
	Nonwhite..Male	16	14	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	25	15	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	2	-	-	-	-	-	-
121	Appendicitis	123	1	-	3	-	1	12	17	12	5	6	2	9	10	8	6	8	3	11	6	2	-	1	-	-	-	-
	White.....Male	65	1	-	2	-	-	9	11	6	3	3	2	4	5	4	1	5	1	5	1	1	-	1	-	-	-	-
	Female	42	-	-	1	-	1	3	3	4	2	2	-	2	3	4	4	3	-	4	5	1	-	-	-	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	Female	12	-	-	-	-	-	-	2	2	-	1	-	3	2	-	-	-	2	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	212	17	-	-	-	-	2	1	1	3	2	8	8	5	14	14	18	20	33	17	21	19	8	1	-	-	-
	White.....Male	97	9	-	-	-	-	1	1	-	1	-	2	2	-	8	2	10	13	14	10	13	7	4	-	-	-	-
	Female	82	7	-	-	-	-	-	-	-	1	1	5	5	4	5	3	6	6	13	3	7	11	4	1	-	-	-
	Nonwhite..Male	18	1	-	-	-	-	-	-	-	-	1	-	-	-	1	5	1	-	4	3	1	1	-	-	-	-	-
	Female	15	-	-	-	-	-	1	-	1	1	-	1	1	1	-	4	1	1	2	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	162	1	-	-	-	-	1	-	2	3	2	5	8	11	9	27	19	20	17	19	10	2	5	1	-	-	-
	White.....Male	113	1	-	-	-	-	1	-	2	1	-	4	7	8	6	24	14	11	15	10	5	2	2	-	-	-	-
	Female	35	-	-	-	-	-	-	-	-	2	2	1	1	2	-	2	3	7	1	6	5	-	2	1	-	-	-
	Nonwhite..Male	10	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	1	1	-	-	1	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	100	-	-	-	-	-	-	-	1	-	2	3	4	4	5	11	10	16	12	16	10	5	-	1	-	-	-
	White.....Male	25	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	5	4	1	5	2	1	-	-	-	-	-
	Female	70	-	-	-	-	-	-	-	1	-	1	3	2	3	4	7	3	12	11	10	8	4	-	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis	1,793	3	2	2	2	-	5	11	19	6	11	23	31	49	51	77	134	143	219	302	274	248	116	53	12	1	2
	White.....Male	845	-	1	1	1	-	-	7	10	3	6	10	13	16	31	27	55	68	100	153	136	124	57	21	3	-	2
	Female	603	2	1	1	1	-	4	4	8	2	4	7	8	14	7	19	41	40	71	106	97	99	43	19	5	-	-
	Nonwhite..Male	175	1	-	-	-	-	1	-	1	-	1	1	4	5	5	17	22	19	27	22	17	14	8	8	2	-	-
	Female	170	-	-	-	-	-	-	-	-	1	-	2	6	14	8	14	16	16	21	21	24	11	8	5	2	1	-
137	Diseases of the prostate	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	7	11	27	33	29	7	5	1	-	1
	White.....Male	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	17	26	29	26	6	3	-	-	1
	Nonwhite..Male	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	1	4	3	1	2	1	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Continued																											
140-150	Diseases of pregnancy, etc.*....	155	-	-	-	-	-	-	-	15	24	30	35	33	15	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	136	-	-	-	-	-	-	-	13	20	26	30	30	14	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	19	-	-	-	-	-	-	-	2	4	4	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	58	-	-	-	-	-	-	-	4	16	16	14	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	47	-	-	-	-	-	-	-	3	13	12	12	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	11	-	-	-	-	-	-	-	1	3	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	38	-	-	-	-	-	-	-	7	6	7	9	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	34	-	-	-	-	-	-	-	6	5	7	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	4	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	47	-	-	-	-	-	-	-	3	-	5	9	17	11	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	43	-	-	-	-	-	-	-	3	-	5	7	15	11	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	4	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	12	-	-	-	-	-	-	-	1	2	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	12	-	-	-	-	-	-	-	1	2	2	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	280	241	10	4	2	2	9	5	2	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White.....Male....	152	134	2	2	2	-	6	2	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Female..	115	95	7	2	-	2	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	1,299	1,299	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	726	726	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	482	482	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	44	44	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	740	740	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	406	406	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	283	283	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	559	559	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	320	320	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	199	199	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	19	19	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	21	21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	232	-	-	-	-	-	-	2	12	11	22	13	17	21	20	25	19	21	12	21	7	8	1	-	-	-	-
	White.....Male....	165	-	-	-	-	-	-	1	7	6	15	8	11	15	15	18	14	16	9	16	5	8	1	-	-	-	-
	Female..	66	-	-	-	-	-	-	1	5	5	7	5	6	6	5	6	5	5	3	5	2	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	266	2	-	-	1	-	1	1	15	36	30	42	32	40	26	15	9	9	3	2	1	1	-	-	-	-	-
	White.....Male....	151	-	-	-	-	-	-	1	11	18	15	26	18	23	13	8	5	7	2	2	1	1	-	-	-	-	-
	Female..	26	1	-	-	1	-	1	-	1	4	2	8	2	2	1	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	71	1	-	-	-	-	-	-	2	12	11	7	7	10	10	6	4	1	-	-	-	-	-	-	-	-	-
	Female..	18	-	-	-	-	-	-	-	1	2	2	1	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	2,083	70	29	32	17	22	82	88	160	155	128	110	116	104	90	86	70	113	95	126	125	114	103	30	13	4	1
	White.....Male....	1,282	39	17	22	6	6	52	68	117	121	103	87	91	85	53	61	52	64	50	64	42	36	31	11	3	-	1
	Female..	618	26	11	6	8	15	26	14	33	21	15	16	13	11	23	10	9	27	31	53	78	76	67	16	10	3	-
	Nonwhite..Male....	137	3	-	2	1	1	4	6	8	13	9	5	11	6	12	12	6	15	10	5	3	2	3	-	-	-	-
	Female..	46	2	1	2	2	-	-	-	2	-	1	2	1	2	2	3	3	7	4	4	2	-	2	3	-	1	-
170	Motor-vehicle accidents.....	592	3	-	6	4	11	39	29	67	74	55	42	41	34	26	19	19	46	26	28	17	5	1	-	-	-	-
	White.....Male....	421	1	-	5	2	3	26	24	45	56	45	30	34	25	15	13	15	30	18	20	10	3	1	-	-	-	-
	Female..	126	2	-	1	2	8	12	3	18	13	8	8	5	5	8	3	3	9	3	8	5	2	-	-	-	-	-
	Nonwhite..Male....	41	-	-	-	-	-	1	2	4	5	2	2	2	4	3	3	1	7	3	-	2	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	1,491	67	29	26	13	11	43	59	93	81	73	68	75	70	64	67	51	67	69	98	108	109	102	30	13	4	1
	White.....Male....	861	38	17	17	4	3	26	44	72	65	58	57	57	60	38	48	37	34	32	44	32	33	30	11	3	-	1
	Female..	492	24	11	5	6	7	14	11	15	8	7	8	8	6	15	7	6	18	28	45	73	74	67	16	10	3	-
	Nonwhite..Male....	96	3	-	2	1	1	3	4	4	8	7	3	9	2	9	9	5	8	7	5	1	2	3	-	-	-	-
	Female..	42	2	1	2	2	-	-	-	2	-	1	-	1	2	2	3	3	7	2	4	2	-	2	3	-	1	-
182,199, 200	Senility, ill-defined and unknown causes..	630	82	7	2	1	1	3	4	2	5	2	3	5	10	4	14	7	8	29	38	63	123	98	82	30	7	1
	White.....Male....	292	47	3	2	1	1	-	1	1	2	2	1	3	6	3	10	4	5	10	16	36	59	43	24	10	2	-
	Female..	268	27	2	-	-	-	2	3	1	2	-	2	1	1	1	3	2	3	12	17	24	54	48	47	14	2	-
	Nonwhite..Male....	36	4	1	-	-	-	-	-	-	1	-	-	1	2	-	1	1	-	5	3	1	5	3	5	2	1	-
	Female..	34	4	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	2	2	4	4	6	4	2	1
	All other causes.....	2,365	142	39	20	20	13	65	38	54	65	58	61	85	97	87	131	115	150	186	244	255	215	151	58	11	5	-
	White.....Male....	1,159	76	16	8	12	7	37	23	28	30	24	35	30	35	41	57	54	78	110	124	132	108	66	25	2	1	-
	Female..	953	59	19	12	7	6	27	11	20	28	26	16	37	46	32	50	42	49	62	97	105	91	78	25	6	2	-
	Nonwhite..Male....	134	5	3	-	1	-	1	3	2	4	7	2	5	8	8	11	8	17	7	13	11	7	3	5	2	1	-
	Female..	119	2	1	-	-	-	-	1	4	3	1	8	13	8	6	13	11	6	7	10	7	9	4	3	1	1	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA																											
	ALL CAUSES	22,125	2,488	224	141	81	77	217	211	386	431	508	606	862	981	1,287	1,564	1,815	2,011	2,196	2,131	1,671	1,102	659	281	100	66	29
	White.....Male	7,410	695	76	40	17	26	73	70	102	131	144	169	214	285	431	543	671	799	829	781	605	383	223	76	14	4	9
	Female	5,247	475	46	25	13	10	47	35	74	75	86	121	172	159	231	253	342	436	558	675	559	415	284	109	37	5	5
	Nonwhite..Male	4,968	733	44	44	31	21	42	60	115	94	130	139	234	265	305	403	418	435	456	395	277	151	76	46	22	22	10
	Female	4,500	585	58	32	20	20	55	46	95	131	148	177	242	272	320	365	384	341	353	280	230	153	76	50	27	35	5
1,2	Typhoid and paratyphoid fever	20	-	-	-	1	-	2	2	3	2	1	3	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	9	-	-	-	1	-	-	2	-	-	-	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	6	-	-	-	-	-	1	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	27	1	3	1	-	4	3	2	3	-	2	1	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	9	1	1	-	-	2	1	-	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	2	1	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	6	-	1	-	-	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	-	1	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	24	19	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	8	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	53	4	12	13	7	5	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	14	-	4	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	14	2	4	3	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	12	-	2	4	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	13	2	2	2	1	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,092	7	4	3	4	3	7	10	53	85	107	100	122	125	94	85	88	60	70	36	20	6	2	-	1	-	-
	White.....Male	343	-	1	1	1	1	2	2	3	7	12	22	26	33	45	43	44	28	37	22	9	2	2	-	-	-	-
	Female	125	-	-	-	-	-	-	1	3	11	14	16	19	13	12	5	7	5	10	3	5	1	-	-	-	-	-
	Nonwhite..Male	336	2	-	-	3	1	2	2	18	24	32	25	45	47	27	25	30	21	19	6	5	1	-	-	1	-	-
	Female	288	5	3	2	-	1	3	5	29	43	49	37	32	32	10	12	7	6	4	5	1	2	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,030	5	2	1	3	3	6	9	49	80	102	94	118	117	88	83	84	57	66	35	19	6	2	-	1	-	-
	White.....Male	328	-	1	-	1	1	2	2	3	7	12	21	24	32	42	42	42	28	34	21	9	2	2	-	-	-	-
	Female	120	-	-	-	-	-	-	1	3	11	13	15	19	13	11	5	7	4	10	3	4	1	-	-	-	-	-
	Nonwhite..Male	313	1	-	-	2	1	2	1	15	21	30	24	43	42	25	25	30	19	19	6	5	1	-	-	1	-	-
	Female	269	4	1	1	-	1	2	5	28	41	47	34	32	30	10	11	5	6	3	5	1	2	-	-	-	-	-
14-22	Tuberculosis (other forms)	62	2	2	2	1	-	1	1	4	5	5	6	4	8	6	2	4	3	4	1	1	-	-	-	-	-	-
	White.....Male	15	-	-	1	-	-	-	-	-	-	-	1	2	1	3	1	2	-	3	1	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	23	1	-	-	1	-	-	1	3	3	2	1	2	5	2	-	-	2	-	-	-	-	-	-	-	-	-
	Female	19	1	2	1	-	-	1	-	1	2	2	3	-	2	-	1	2	-	1	-	-	-	-	-	-	-	-
27	Dysentery	38	10	1	-	1	-	1	-	1	1	1	-	1	3	2	1	4	-	2	1	4	-	1	2	1	-	-
	White.....Male	10	2	1	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	1	1	-	1	-	-	-	-
	Female	10	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	3	-	-	1	-	-	-
	Nonwhite..Male	9	3	-	-	1	-	1	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-
	Female	9	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	1	-	-	-	-	-	1	-	-
28	Malaria	33	1	1	1	-	-	4	-	-	1	1	2	1	3	2	1	4	2	1	3	2	1	-	1	-	1	-
	White.....Male	9	-	1	-	-	-	1	-	-	-	1	-	-	1	1	-	-	1	1	1	-	1	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-
	Nonwhite..Male	10	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	3	-	-	1	1	-	-	-	-	1	-
	Female	10	-	-	-	-	-	2	-	-	1	-	2	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-
30	Syphilis	464	42	-	-	1	-	-	-	3	8	14	19	48	44	48	54	59	43	26	29	12	7	1	1	1	-	4
	White.....Male	79	4	-	-	1	-	-	-	-	-	-	-	4	7	5	8	13	10	8	12	5	2	-	-	-	-	-
	Female	21	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	3	3	-	5	1	-	-	-	-	-	-
	Nonwhite..Male	247	22	-	-	-	-	-	-	1	3	6	14	27	23	27	32	28	24	16	11	3	4	1	1	-	-	4
	Female	117	16	-	-	-	-	-	-	2	5	8	5	16	12	12	12	15	6	2	1	3	1	-	-	1	-	-
35	Measles	18	5	3	2	2	-	1	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	6	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	2	2	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	12	-	-	1	-	2	3	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	6	-	-	-	-	2	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Continued																											
45-55	Cancer and other malignant tumors....	2,381	1	3	2	2	1	4	6	6	10	22	54	93	123	219	252	315	308	340	264	189	95	55	13	3	-	1
	White.....Male....	805	1	2	-	-	1	-	1	2	2	5	19	20	22	61	78	99	118	144	98	75	34	19	4	-	-	-
	Female..	791	-	-	1	1	-	3	2	2	2	11	16	39	38	77	61	99	97	107	98	73	37	25	5	1	-	-
	Nonwhite..Male....	358	-	-	-	1	-	-	1	1	2	2	4	11	18	23	52	58	53	49	41	20	10	7	3	2	-	-
	Female..	427	-	1	1	-	-	1	2	1	4	4	13	29	45	58	61	59	40	40	27	21	14	4	1	-	-	1
46	Cancer of digestive organs, peritoneum..	939	-	-	-	-	1	1	1	2	1	5	19	30	31	57	102	119	141	162	121	82	33	27	3	-	-	1
	White.....Male....	342	-	-	-	-	1	-	-	1	-	-	11	9	8	21	34	44	51	75	42	28	10	6	1	-	-	-
	Female..	282	-	-	-	-	-	1	-	-	-	2	5	8	4	13	15	32	41	51	47	34	14	14	1	-	-	-
	Nonwhite..Male....	195	-	-	-	-	-	-	1	-	-	1	1	10	9	13	36	24	31	27	20	12	5	4	1	-	-	-
	Female..	120	-	-	-	-	-	-	-	1	1	2	2	3	10	10	17	19	18	9	12	8	4	3	-	-	-	1
48,49	Cancer of female genital organs.....	378	-	-	1	1	-	1	-	1	4	8	13	30	32	65	48	44	31	42	24	20	10	3	-	-	-	-
	White.....Female..	214	-	-	1	1	-	1	-	1	2	6	5	15	16	34	23	24	18	25	18	13	8	3	-	-	-	-
	Nonwhite..Female..	164	-	-	-	-	-	-	-	-	2	2	8	15	16	31	25	20	13	17	6	7	2	-	-	-	-	-
50	Cancer of breast.....	191	-	-	-	-	-	-	-	-	1	1	5	11	18	24	26	27	23	18	15	12	8	1	1	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	126	-	-	-	-	-	-	-	-	-	-	4	6	9	15	13	20	20	13	10	10	5	1	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	63	-	-	-	-	-	-	-	-	1	-	1	5	9	9	13	7	3	5	4	2	3	-	1	-	-	-
45,47, 51-55	Cancer (other sites)..	873	1	3	1	1	-	2	5	3	4	8	17	22	42	73	76	125	113	118	104	75	44	24	9	3	-	-
	White.....Male....	462	1	2	-	-	-	-	1	1	2	5	8	11	14	40	44	55	67	69	55	47	24	13	3	-	-	-
	Female..	169	-	-	-	-	-	1	2	1	-	3	4	4	9	15	10	23	18	18	23	16	10	7	4	1	-	-
	Nonwhite..Male....	162	-	-	-	1	-	-	-	1	2	-	3	1	9	10	16	34	22	22	21	8	5	3	2	2	-	-
	Female..	80	-	1	1	-	-	1	2	-	-	-	2	6	10	8	6	13	6	9	5	4	5	1	-	-	-	-
58	Acute rheumatic fever.....	12	-	-	-	-	-	5	2	2	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	White.....Male....	3	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Female..	4	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	378	-	-	-	-	1	-	2	4	2	-	2	5	15	23	30	53	49	64	66	34	15	8	4	-	1	-
	White.....Male....	88	-	-	-	-	1	-	1	-	-	-	-	-	6	1	8	12	12	12	20	6	6	2	1	-	-	-
	Female..	176	-	-	-	-	-	-	1	1	-	-	-	1	2	6	10	19	29	37	39	21	4	5	1	-	-	-
	Nonwhite..Male....	31	-	-	-	-	-	-	-	1	2	-	1	-	1	5	1	1	3	6	2	3	3	-	1	-	1	-
	Female..	83	-	-	-	-	-	-	-	2	-	-	1	4	6	11	11	21	5	9	5	4	2	1	1	-	-	-
63b	Exophthalmic goiter..	35	-	-	-	-	-	-	-	-	-	3	3	6	6	3	2	3	2	3	3	1	-	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	12	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	2	2	1	2	1	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	20	-	-	-	-	-	-	-	-	-	3	1	4	6	1	2	1	-	1	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	24	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	-	6	3	5	2	2	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	2	-	-	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	1	-	-	-	-	-
	Female..	11	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	4	2	1	-	1	-	-	-	-	-
77	Alcoholism (ethylism).....	21	-	-	-	-	-	-	-	-	1	2	2	1	2	4	2	1	3	1	1	-	-	1	-	-	-	-
	White.....Male....	14	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	1	3	-	1	-	-	1	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	1,848	3	1	1	-	-	4	1	2	4	8	15	38	73	121	155	184	247	268	257	210	127	82	31	8	4	4
	White.....Male....	492	-	-	-	-	-	1	-	-	1	-	4	5	16	27	41	45	68	84	80	57	34	23	5	-	-	1
	Female..	465	-	-	1	-	-	1	1	-	-	2	5	7	10	23	21	30	54	60	85	66	50	30	15	4	-	-
	Nonwhite..Male....	404	2	1	-	-	-	1	-	1	2	3	1	10	18	22	47	41	58	61	47	50	16	13	5	2	1	2
	Female..	487	1	-	-	-	-	1	-	1	1	3	5	16	29	49	46	68	67	63	45	37	27	16	6	2	3	1
90-95	Diseases of the heart.....	5,930	4	-	1	2	2	16	18	22	29	49	78	128	196	340	503	617	756	812	840	686	429	240	99	37	20	6
	White.....Male....	2,401	1	-	-	1	-	5	3	3	6	14	26	41	78	141	199	278	361	357	338	268	163	83	24	7	1	3
	Female..	1,440	2	-	-	1	-	5	4	6	4	8	10	23	27	35	58	102	123	197	266	238	171	105	42	10	1	2
	Nonwhite..Male....	1,070	1	-	-	-	2	2	6	5	6	11	18	31	46	89	130	117	150	129	134	98	45	23	11	9	7	-
	Female..	1,019	-	-	1	-	-	4	5	8	13	16	24	33	45	75	116	120	122	129	102	82	50	29	22	11	11	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	346	-	-	-	1	1	10	12	4	8	14	8	21	14	19	26	29	34	39	43	32	18	8	-	4	1	-
	White.....Male....	94	-	-	-	-	-	3	1	1	3	5	3	8	5	2	8	7	11	12	9	7	4	4	-	1	-	-
	Female..	71	-	-	-	1	-	2	2	1	1	6	1	3	4	2	2	-	5	10	14	9	6	1	-	1	-	-
	Nonwhite..Male....	77	-	-	-	-	1	2	5	1	1	1	1	2	2	4	7	11	9	5	10	9	3	2	-	-	1	-
	Female..	104	-	-	-	-	-	3	4	1	3	2	3	8	3	11	9	11	9	12	10	7	5	1	-	2	-	-
94	Diseases of coronary arteries, angina pectoris.....	1,362	2	-	-	-	-	-	-	6	1	13	23	38	66	109	163	192	203	183	152	107	52	35	12	1	2	2
	White.....Male....	788	1	-	-	-	-	-	-	2	-	6	8	19	36	75	96	119	137	104	86	58	21	16	2	-	1	1
	Female..	252	1	-	-	-	-	-	-	-	-	1	2	5	8	6	16	30	26	39	49	29	19	12	7	-	1	1
	Nonwhite..Male....	190	-	-	-	-	-	-	-	2	-	3	6	4	15	18	26	33	25	27	8	11	6	4	1	1	-	-
	Female..	132	-	-	-	-	-	-	-	2	1	3	7	10	7	10	25	10	15	13	9	9	6	3	2	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	4,222	2	-	1	1	1	6	6	12	20	22	47	69	116	212	314	396	519	590	645	547	359	197	87	32	17	4
	White.....Male....	1,519	-	-	-	1	-	2	2	-	3	3	15	14	37	64	95	152	213	241	243	203	138	63	22	6	-	2
	Female..	1,117	1	-	-	-	-	3	2	5	3	1	7	15	15	27	40	72	92	148	203	200	146	92	35	9	-	1
	Nonwhite..Male....	803	1	-	-	-	1	-	1	2	5	7	11	25	29	67	97	73	116	97	116	78	36	17	10	8	6	-
	Female..	783	-	-	1	-	-	1	1	5	9	11	14	15	35	54	82	99	98	104	83	66	39	25	20	9	11	1

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,373	458	76	35	14	10	22	17	12	22	20	26	24	34	38	66	46	59	90	79	74	58	48	28	10	7	-
	White.....Male	339	84	19	10	2	1	6	5	2	2	3	4	5	6	10	14	15	22	35	26	24	18	15	8	3	-	-
	Female	291	65	14	6	1	2	4	5	5	7	1	4	2	6	6	5	8	14	24	22	27	20	27	11	2	3	-
	Nonwhite..Male	386	170	20	14	4	5	4	3	2	5	5	5	8	10	15	23	12	13	15	19	12	9	3	5	3	2	-
	Female	357	139	23	5	7	2	8	4	3	8	11	13	9	12	7	24	11	10	16	12	11	11	3	4	2	2	-
107	Bronchopneumonia	617	274	31	20	8	4	8	6	1	6	7	13	9	14	11	21	13	22	32	30	28	21	19	10	5	4	-
	White.....Male	146	46	7	5	-	-	-	3	-	1	1	1	-	-	3	6	5	8	13	14	11	11	6	3	2	-	-
	Female	131	38	6	2	1	1	2	1	-	1	-	2	-	4	3	1	2	7	14	7	12	7	12	5	2	1	-
	Nonwhite..Male	182	110	7	10	3	2	2	1	-	1	3	4	5	3	4	8	2	4	3	4	2	2	-	1	-	1	-
	Female	158	80	11	3	4	1	4	1	1	3	3	6	4	7	1	6	4	3	2	5	3	1	1	1	1	2	-
108	Lobar pneumonia	308	53	10	1	2	2	7	4	6	10	4	8	10	12	16	21	16	21	33	19	21	15	10	5	1	1	-
	White.....Male	77	11	3	1	-	-	3	-	1	1	2	2	3	3	4	6	4	8	14	3	5	1	1	1	-	-	-
	Female	64	10	2	-	-	-	-	1	2	2	-	-	1	1	1	1	5	6	5	5	8	7	6	-	-	1	-
	Nonwhite..Male	86	14	3	-	1	2	1	1	2	4	-	1	3	4	5	6	6	5	9	6	4	3	2	3	1	-	-
	Female	81	18	2	-	1	-	3	2	1	3	2	5	3	4	6	8	1	2	5	5	4	4	1	1	-	-	-
109	Pneumonia (unspecified)	167	47	16	3	1	1	2	3	2	3	6	3	4	5	6	6	6	8	8	10	12	6	5	4	-	-	-
	White.....Male	44	11	4	2	1	-	1	1	-	-	-	-	2	3	2	1	3	4	1	3	3	-	2	-	-	-	-
	Female	38	5	2	-	-	-	1	2	1	3	-	2	-	1	1	1	-	1	3	4	3	2	2	4	-	-	-
	Nonwhite..Male	43	13	5	1	-	-	-	-	-	-	2	-	-	1	3	3	1	2	2	3	4	3	-	-	-	-	-
	Female	42	18	5	-	-	1	-	-	1	-	4	1	2	-	-	1	2	1	2	-	2	1	1	-	-	-	-
33	Influenza	281	84	19	11	3	3	5	4	3	3	3	2	1	3	5	18	11	8	17	20	13	16	14	9	4	2	-
	White.....Male	72	16	5	2	1	1	2	1	1	-	-	1	-	-	1	1	3	2	7	6	5	6	6	4	1	-	-
	Female	58	12	4	4	-	1	1	1	2	1	1	-	1	-	1	2	1	-	2	6	4	4	7	2	-	1	-
	Nonwhite..Male	75	33	5	3	-	1	1	1	-	-	-	-	-	2	3	6	3	2	1	6	2	1	1	1	2	1	-
	Female	76	23	5	2	2	-	1	1	-	2	2	1	-	1	-	9	4	4	7	2	2	5	-	2	1	-	-
117	Ulcer of stomach or duodenum	97	1	-	-	-	-	-	-	1	2	3	3	6	6	6	14	16	15	10	10	1	2	1	-	-	-	-
	White.....Male	51	1	-	-	-	-	-	-	-	1	-	1	2	1	2	11	10	8	6	7	-	1	-	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	1	1	1	-	1	-	-	-	-
	Nonwhite..Male	26	-	-	-	-	-	-	-	1	1	1	-	2	4	3	1	3	6	2	1	-	1	-	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	1	1	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	222	163	18	5	-	1	2	1	1	-	2	2	3	1	2	1	2	2	3	2	3	2	5	1	-	-	-
	White.....Male	56	39	9	2	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-
	Female	40	26	3	1	-	-	-	1	-	-	-	1	-	1	1	-	-	-	1	-	1	1	3	-	-	-	-
	Nonwhite..Male	59	47	2	1	-	-	1	-	-	-	1	-	1	-	1	-	-	1	1	1	1	1	-	-	-	-	-
	Female	67	51	4	1	-	1	1	-	1	-	-	-	2	-	-	1	1	1	1	1	1	-	-	-	-	-	-
121	Appendicitis	123	2	-	2	3	1	5	6	8	5	8	7	13	11	9	8	11	8	6	7	-	2	1	-	-	-	-
	White.....Male	49	-	-	1	1	-	3	4	3	3	3	1	4	5	3	3	4	4	3	2	-	1	1	-	-	-	-
	Female	25	-	-	1	1	-	1	-	1	1	2	1	4	2	2	1	1	2	1	3	-	1	-	-	-	-	-
	Nonwhite..Male	30	1	-	-	1	1	-	2	2	-	2	2	3	2	2	2	5	2	2	1	-	-	-	-	-	-	-
	Female	19	1	-	-	-	-	1	-	2	1	1	3	2	2	2	2	1	-	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	204	12	6	1	-	2	2	1	2	3	2	4	10	9	16	12	18	22	27	21	17	13	-	3	-	-	1
	White.....Male	50	6	3	-	-	1	-	-	-	-	-	-	-	1	5	2	4	6	6	5	8	3	-	-	-	-	-
	Female	68	2	-	1	-	-	1	-	1	1	1	3	5	1	4	5	6	9	9	8	3	6	-	1	-	-	1
	Nonwhite..Male	50	3	1	-	-	1	-	1	1	1	1	1	3	1	2	4	8	3	7	6	2	2	-	2	-	-	-
	Female	36	1	2	-	-	-	1	-	-	1	-	-	2	6	5	1	-	4	5	2	4	2	-	-	-	-	-
124	Cirrhosis of the liver	197	2	1	-	-	1	2	2	3	3	1	3	12	10	22	23	27	17	19	27	10	7	4	-	1	-	-
	White.....Male	102	2	-	-	-	-	-	1	1	1	-	-	8	8	10	13	13	7	12	10	8	5	3	-	-	-	-
	Female	36	-	-	-	-	1	2	-	1	1	-	-	1	-	3	5	4	1	3	9	2	2	1	-	-	-	-
	Nonwhite..Male	33	-	1	-	-	-	-	-	-	-	-	1	3	1	7	2	6	6	1	5	-	-	-	-	-	-	-
	Female	26	-	-	-	-	-	-	1	1	1	1	2	-	1	2	3	4	3	3	3	-	-	-	-	1	-	-
126,127	Biliary calculi, etc.*	91	-	-	-	-	-	-	-	-	-	-	4	3	7	14	12	15	4	11	9	7	3	1	1	-	-	-
	White.....Male	28	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	4	2	6	3	3	1	-	-	-	-	-
	Female	42	-	-	-	-	-	-	-	-	-	-	3	2	3	5	4	8	2	3	5	4	1	1	1	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-
	Female	16	-	-	-	-	-	-	-	-	-	-	-	1	1	5	2	3	-	2	1	-	1	-	-	-	-	-
130-132	Nephritis	1,631	5	3	4	2	-	7	11	17	18	14	36	59	57	97	117	137	190	197	217	198	132	71	29	9	3	1
	White.....Male	402	-	-	2	-	-	3	3	6	5	4	8	7	9	24	24	37	45	39	50	57	44	27	8	-	-	-
	Female	423	2	1	2	1	-	1	1	6	6	4	6	15	14	11	26	17	53	49	69	54	49	26	6	4	-	-
	Nonwhite..Male	416	2	1	-	-	-	2	3	3	4	4	6	16	14	25	28	50	48	69	57	48	19	10	7	2	-	-
	Female	390	1	1	-	1	-	1	4	2	3	2	16	21	20	37	39	33	44	40	41	41	20	8	8	3	3	1
137	Diseases of the prostate	102	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	4	14	28	21	16	9	3	-	-	-
	White.....Male	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	16	13	11	7	3	-	-	-
	Nonwhite..Male	43	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	11	12	8	5	2	-	-	-	-

* Refer to International List for complete title, table V, Part I.

747801 O - 47 - 17

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Continued																											
140-150	Diseases of pregnancy, etc.*....	145	-	-	-	-	-	-	-	15	26	31	25	34	13	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	67	-	-	-	-	-	-	-	6	9	13	13	18	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	78	-	-	-	-	-	-	-	9	17	18	12	16	5	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	51	-	-	-	-	-	-	-	8	9	11	9	6	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	23	-	-	-	-	-	-	-	3	3	5	5	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	28	-	-	-	-	-	-	-	5	6	6	4	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	46	-	-	-	-	-	-	-	5	11	11	4	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	16	-	-	-	-	-	-	-	2	4	3	-	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	30	-	-	-	-	-	-	-	3	7	8	4	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	40	-	-	-	-	-	-	-	-	4	9	11	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	24	-	-	-	-	-	-	-	-	1	5	8	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	16	-	-	-	-	-	-	-	-	3	4	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	8	-	-	-	-	-	-	-	2	2	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	4	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	4	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	244	204	8	5	3	2	3	6	2	2	2	-	1	1	2	-	3	-	-	-	-	-	-	-	-	-	-
	White.....Male....	100	84	3	3	-	1	2	3	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	60	52	3	-	2	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	53	41	2	1	1	-	-	2	1	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	Female..	31	27	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	1,224	1,224	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	390	390	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	257	257	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	318	318	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	249	249	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	785	785	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	238	238	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	173	173	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	202	202	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	172	172	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	439	439	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	152	152	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	116	116	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	77	77	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	171	-	-	-	-	-	-	1	6	8	20	14	15	19	19	16	17	17	8	8	2	1	-	-	-	-	-
	White.....Male....	114	-	-	-	-	-	-	1	2	5	12	4	8	14	14	11	13	15	7	5	2	1	-	-	-	-	-
	Female..	34	-	-	-	-	-	-	-	4	2	5	4	5	2	2	5	3	-	1	1	-	-	-	-	-	-	-
	Nonwhite..Male....	19	-	-	-	-	-	-	-	-	1	3	4	2	2	2	-	1	2	-	2	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	241	3	1	2	-	-	1	2	23	29	36	33	36	24	17	13	11	3	7	-	-	-	-	-	-	-	-
	White.....Male....	51	1	1	1	-	-	-	-	2	3	7	7	6	6	6	6	4	-	1	-	-	-	-	-	-	-	-
	Female..	15	-	-	-	-	-	1	-	-	2	1	3	3	1	1	-	1	-	2	-	-	-	-	-	-	-	-
	Nonwhite..Male....	133	1	-	1	-	-	-	2	14	18	21	18	20	13	8	5	5	3	4	-	-	-	-	-	-	-	-
	Female..	42	1	-	-	-	-	-	-	7	6	7	5	7	4	2	2	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,541	68	37	32	19	23	78	85	137	119	104	92	91	92	69	75	69	61	66	64	62	41	28	15	5	1	8
	White.....Male....	721	19	14	11	4	8	31	35	58	83	71	50	55	42	43	32	30	32	26	24	27	9	7	5	-	-	5
	Female..	243	10	10	2	2	2	15	10	21	14	5	12	3	6	7	9	7	9	12	16	20	22	17	7	4	1	-
	Nonwhite..Male....	386	26	4	10	8	8	11	30	47	15	22	22	23	35	11	27	21	13	20	14	9	6	1	-	-	-	3
	Female..	191	13	9	9	5	5	21	10	11	7	6	8	10	9	8	7	11	7	8	10	6	4	3	3	1	-	-
170	Motor-vehicle accidents.....	426	3	3	5	2	7	30	18	51	43	38	35	20	22	21	24	23	23	19	17	12	7	-	1	-	-	2
	White.....Male....	230	1	1	2	-	5	15	9	26	31	25	19	11	11	14	12	11	12	7	7	7	1	-	1	-	-	2
	Female..	69	1	1	1	1	1	8	3	14	7	2	8	1	-	4	5	3	2	2	2	1	2	-	-	-	-	-
	Nonwhite..Male....	97	1	-	1	1	1	3	5	7	5	7	6	7	10	1	6	7	8	8	6	4	3	-	-	-	-	-
	Female..	30	-	1	1	-	-	4	1	4	-	4	2	1	1	2	1	2	1	2	2	-	1	-	-	-	-	-
169, 171-195	Other accidents.....	1,115	65	34	27	17	16	48	67	86	76	66	57	71	70	48	51	46	38	47	47	50	34	28	14	5	1	6
	White.....Male....	491	18	13	9	4	3	16	26	32	52	46	31	44	31	29	20	19	20	19	17	20	8	7	4	-	-	3
	Female..	174	9	9	1	1	1	7	7	7	7	3	4	2	6	3	4	4	7	10	14	19	20	17	7	4	1	-
	Nonwhite..Male....	289	25	4	9	7	7	8	25	40	10	15	16	16	25	10	21	14	5	12	8	5	3	1	-	-	-	3
	Female..	161	13	8	8	5	5	17	9	7	7	2	6	9	8	6	6	9	6	6	8	6	3	3	3	1	-	-
162,199, 200	Senility, ill-defined and unknown causes..	450	87	5	2	3	1	4	2	2	5	4	3	5	11	14	9	14	17	26	31	35	55	52	29	11	21	2
	White.....Male....	103	15	-	1	-	-	-	-	1	1	-	-	1	2	4	5	2	5	3	12	8	19	14	8	2	1	-
	Female..	84	5	1	-	-	-	2	-	-	-	-	1	-	-	2	-	-	7	4	5	8	16	22	10	6	-	2
	Nonwhite..Male....	127	35	-	-	2	-	2	-	-	1	1	-	2	5	5	3	4	5	12	7	6	13	7	8	1	8	-
	Female..	136	32	4	1	1	1	-	2	1	3	3	2	2	4	3	1	8	7	7	7	13	8	9	3	2	12	-
	All other causes.....	1,659	162	37	28	17	17	31	29	56	45	49	71	100	93	100	108	94	116	122	123	81	88	48	21	13	8	2
	White.....Male....	502	40	15	4	3	6	11	9	14	10	10	14	20	22	23	37	36	49	39	48	34	29	16	9	2	2	-
	Female..	452	34	9	7	2	4	7	4	15	14	13	18	25	21	24	35	23	30	35	34	29	34	21	8	6	-	-
	Nonwhite..Male....	365	49	8	11	7	1	8	5	16	7	10	14	24	22	25	16	20	23	29	27	13	15	8	2	2	2	1
	Female..	340	39	5	6	5	6	5	11	11	14	16	25	31	28	28	20	15	14	19	14	5	10	3	2	3	4	1

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE																											
	ALL CAUSES	9,985	773	58	49	22	17	82	65	104	99	93	158	192	240	333	485	633	814	1,087	1,275	1,318	1,075	699	242	64	8	-
	White.....Male	5,532	435	28	22	18	9	43	44	63	54	56	87	110	144	190	282	396	492	644	700	726	565	315	85	21	3	-
	Female	4,419	332	30	27	4	8	38	20	41	44	36	69	79	95	142	201	236	320	441	571	589	509	382	157	43	5	-
	Nonwhite..Male	23	4	-	-	-	-	-	1	-	1	1	1	2	1	1	1	1	1	1	3	2	1	1	-	-	-	-
	Female	11	2	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	1	1	1	1	-	1	-	-	-	-
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	12	2	2	-	-	-	2	-	-	1	1	1	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	White.....Male	7	-	2	-	-	-	1	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	Female	4	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	-	-	1	-	-	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	26	21	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	15	12	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	11	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	15	-	-	2	1	2	6	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	10	-	-	1	1	2	2	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	5	-	-	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	244	2	4	-	-	-	3	3	13	19	12	20	22	25	20	19	19	23	16	13	8	2	1	-	-	-	-
	White.....Male	131	1	1	-	-	-	1	-	5	6	4	12	12	14	13	14	11	16	11	5	4	-	1	-	-	-	-
	Female	112	1	3	-	-	-	2	3	8	13	8	8	10	10	7	5	8	7	5	8	4	2	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	225	-	1	-	-	-	2	1	12	18	12	18	21	25	20	17	18	22	16	13	6	2	1	-	-	-	-
	White.....Male	125	-	-	-	-	-	1	-	5	6	4	10	11	14	13	14	11	16	11	5	3	-	1	-	-	-	-
	Female	99	-	1	-	-	-	1	1	7	12	8	8	10	10	7	3	7	6	5	8	3	2	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	19	2	3	-	-	-	1	2	1	1	-	2	1	-	-	2	1	1	-	-	2	-	-	-	-	-	-
	White.....Male	6	1	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	13	1	2	-	-	-	1	2	1	1	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	58	1	-	-	-	-	-	-	-	2	-	2	2	1	5	8	11	11	10	3	2	-	-	-	-	-	-
	White.....Male	43	-	-	-	-	-	-	-	-	1	-	2	1	1	5	6	7	7	9	3	1	-	-	-	-	-	-
	Female	15	1	-	-	-	-	-	-	-	1	-	-	1	-	-	2	4	4	1	-	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	6	-	-	-	-	-	1	-	3	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	-	-	-	-	-	1	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Continued																											
45-55	Cancer and other malignant tumors....	1,363	-	-	1	-	-	1	-	10	6	10	17	22	37	60	112	123	169	207	208	195	117	50	14	4	-	-
	White.....Male....	608	-	-	-	-	-	-	-	7	3	3	5	4	10	24	41	62	76	99	99	99	51	19	4	2	-	-
	Female..	752	-	-	1	-	-	1	-	3	3	7	12	16	27	36	70	61	93	108	109	96	66	31	10	2	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	666	-	-	-	-	-	-	-	1	-	2	3	4	8	20	44	57	92	111	135	105	53	26	4	1	-	-
	White.....Male....	330	-	-	-	-	-	-	-	1	-	1	1	2	2	12	20	28	46	65	69	54	22	7	-	-	-	-
	Female..	336	-	-	-	-	-	-	-	-	-	1	2	2	6	8	24	29	46	46	66	51	31	19	4	1	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.....	191	-	-	-	-	-	-	-	-	1	5	5	10	13	17	19	17	22	23	17	19	15	6	2	-	-	-
	White.....Female..	190	-	-	-	-	-	-	-	-	1	5	5	10	13	17	18	17	22	23	17	19	15	6	2	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.....	122	-	-	-	-	-	-	-	-	-	1	3	1	6	8	19	7	12	21	13	16	9	2	3	1	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Female..	120	-	-	-	-	-	-	-	-	-	1	3	1	6	8	19	7	11	21	12	16	9	2	3	1	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	384	-	-	1	-	-	1	-	9	5	2	6	7	10	15	30	42	43	52	43	55	40	16	5	2	-	-
	White.....Male....	276	-	-	-	-	-	-	-	6	3	2	4	2	8	12	21	34	29	34	29	45	29	12	4	2	-	-
	Female..	106	-	-	1	-	-	1	-	3	2	-	2	3	2	3	9	8	14	18	14	10	11	4	1	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	12	-	-	1	-	1	3	2	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White.....Male....	5	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	7	-	-	-	-	1	2	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	217	-	-	-	-	1	2	1	1	-	-	2	1	-	6	9	21	32	39	43	29	17	11	2	-	-	-
	White.....Male....	85	-	-	-	-	-	1	-	-	-	-	2	1	-	2	3	8	13	16	15	12	6	5	1	-	-	-
	Female..	132	-	-	-	-	1	1	1	1	-	-	-	-	-	4	6	13	19	23	28	17	11	6	1	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	7	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-
	White.....Male....	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	24	-	-	-	-	-	-	-	-	-	-	-	3	7	6	3	3	2	-	-	-	-	-	-	-	-	-
	White.....Male....	18	-	-	-	-	-	-	-	-	-	-	-	1	6	5	2	3	1	-	-	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	1,099	1	-	-	-	1	-	1	-	1	1	6	6	8	18	38	56	71	144	206	228	167	108	32	6	-	-
	White.....Male....	566	-	-	-	-	1	-	1	-	1	-	3	5	5	7	20	29	43	84	113	125	74	39	14	2	-	-
	Female..	531	1	-	-	-	-	-	-	-	-	1	3	1	3	11	18	27	28	60	91	103	93	69	18	4	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
90-95	Diseases of the heart.....	2,932	-	-	1	-	-	1	3	6	5	8	7	27	55	83	140	182	284	409	480	483	404	255	78	17	4	-
	White.....Male....	1,736	-	-	1	-	-	1	2	3	3	6	2	23	39	58	101	137	194	263	262	262	222	127	23	5	2	-
	Female..	1,188	-	-	-	-	-	-	1	3	2	2	5	4	16	24	39	44	89	145	216	220	182	127	55	12	2	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	179	-	-	1	-	-	-	1	3	2	2	1	7	4	7	9	8	17	23	35	20	19	14	6	-	-	-
	White.....Male....	116	-	-	1	-	-	-	1	3	1	2	-	4	1	3	6	6	12	17	21	17	10	9	2	-	-	-
	Female..	63	-	-	-	-	-	-	-	-	1	-	1	3	3	4	3	2	5	6	14	3	9	5	4	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	1,084	-	-	-	-	-	-	-	-	1	3	4	16	33	46	72	101	134	173	162	158	112	52	15	2	-	-
	White.....Male....	729	-	-	-	-	-	-	-	-	-	3	1	15	25	34	58	80	105	118	95	94	67	31	2	1	-	-
	Female..	354	-	-	-	-	-	-	-	-	1	-	3	1	8	12	14	21	29	55	67	63	45	21	13	1	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	1,669	-	-	-	-	-	1	2	3	2	3	2	4	18	30	59	73	133	213	283	305	273	189	57	15	4	-
	White.....Male....	891	-	-	-	-	-	1	1	-	2	1	1	4	13	21	37	51	77	128	146	151	145	87	19	4	2	-
	Female..	771	-	-	-	-	-	-	1	3	-	2	1	-	5	8	22	21	55	84	135	154	128	101	38	11	2	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	490	116	10	9	3	1	4	3	3	2	5	8	9	12	13	12	26	27	23	50	49	50	32	15	8	-	-
	White.....Male	297	61	5	5	2	-	1	2	2	-	5	5	7	9	4	7	20	17	16	31	33	38	17	6	4	-	-
	Female	191	55	5	4	1	1	2	1	1	2	-	3	2	3	9	5	6	9	7	19	16	12	15	9	4	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	219	57	5	4	3	1	2	-	1	-	2	2	2	6	5	4	13	9	8	20	21	26	12	10	6	-	-
	White.....Male	126	25	2	3	2	-	-	-	1	-	2	2	1	3	2	4	11	6	6	12	15	19	4	3	3	-	-
	Female	91	32	3	1	1	1	1	-	-	-	-	-	1	3	3	-	2	2	2	8	6	7	8	7	3	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	171	25	4	4	-	-	2	1	-	1	3	3	5	4	6	5	9	11	12	24	19	14	13	4	2	-	-
	White.....Male	119	17	3	1	-	-	1	1	-	-	3	3	4	4	1	3	7	7	8	16	14	12	10	3	1	-	-
	Female	52	8	1	3	-	-	1	-	-	1	-	-	1	-	5	2	2	4	4	8	5	2	3	1	1	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	36	9	1	-	-	-	-	1	-	1	-	1	-	1	1	2	3	2	1	4	2	4	3	-	-	-	-
	White.....Male	19	6	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	2	-	2	1	3	1	-	-	-	-
	Female	17	3	1	-	-	-	-	-	-	1	-	1	-	-	1	2	1	-	1	2	1	1	2	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	64	25	-	1	-	-	-	1	2	-	-	2	2	1	1	1	1	5	2	2	7	6	4	1	-	-	-
	White.....Male	33	13	-	1	-	-	-	-	1	-	-	-	2	1	1	-	-	2	2	1	3	4	2	-	-	-	-
	Female	31	12	-	-	-	-	-	1	1	-	-	2	-	-	-	1	1	3	-	1	4	2	2	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	39	-	-	-	-	-	-	-	-	-	1	1	1	4	3	3	8	4	6	6	-	1	1	-	-	-	-
	White.....Male	32	-	-	-	-	-	-	-	-	-	1	1	-	3	2	3	8	3	5	4	-	1	1	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	73	58	3	-	1	-	-	-	1	-	-	-	1	1	-	1	3	2	-	-	-	2	-	-	-	-	-
	White.....Male	42	34	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	-	-	-	-	-
	Female	31	24	1	-	-	-	-	-	1	-	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	46	1	1	1	2	1	3	2	3	1	2	4	4	1	3	2	2	3	3	3	3	1	-	-	-	-	-
	White.....Male	28	-	1	1	1	-	2	1	2	1	2	2	3	1	2	1	2	2	1	1	1	1	-	-	-	-	-
	Female	18	1	-	-	1	1	1	1	1	-	-	2	1	-	1	1	-	1	2	2	2	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	67	1	2	-	1	-	-	-	-	1	1	2	4	-	3	1	6	4	7	12	10	7	5	-	-	-	-
	White.....Male	39	1	2	-	1	-	-	-	-	-	-	1	1	-	1	-	2	3	4	9	7	5	2	-	-	-	-
	Female	28	-	-	-	-	-	-	-	-	1	1	1	3	-	2	1	4	1	3	3	3	2	3	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	78	-	-	-	-	-	1	-	-	-	-	2	3	8	5	7	9	9	8	8	12	5	1	-	-	-	-
	White.....Male	47	-	-	-	-	-	-	-	-	-	-	2	2	4	4	6	8	5	5	4	4	2	1	-	-	-	-
	Female	30	-	-	-	-	-	1	-	-	-	-	-	1	4	1	1	1	4	2	4	8	3	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	48	-	-	-	-	-	-	-	-	-	-	1	2	-	1	9	5	10	7	4	3	5	1	-	-	-	-
	White.....Male	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	3	1	1	-	-	-	-	-
	Female	33	-	-	-	-	-	-	-	-	-	-	1	2	-	1	7	3	6	5	1	2	4	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	625	-	-	1	1	-	2	2	1	3	6	6	6	10	18	32	48	45	73	84	91	110	62	19	5	-	-
	White.....Male	325	-	-	-	1	-	-	-	1	1	3	5	2	6	4	21	24	25	38	42	50	67	25	8	2	-	-
	Female	297	-	-	1	-	-	2	2	-	2	3	1	3	4	14	11	24	20	35	42	40	43	36	11	3	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	13	14	7	9	2	-	-	-
	White.....Male	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	8	13	14	7	9	2	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Continued																											
140-150	Diseases of pregnancy, etc.*....	41	-	-	-	-	-	-	-	5	4	8	12	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	40	-	-	-	-	-	-	-	5	4	8	11	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	13	-	-	-	-	-	-	-	1	1	1	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	13	-	-	-	-	-	-	-	1	1	1	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	8	-	-	-	-	-	-	-	2	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	8	-	-	-	-	-	-	-	2	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	17	-	-	-	-	-	-	-	2	1	5	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	16	-	-	-	-	-	-	-	2	1	5	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	141	116	7	3	1	1	3	3	-	1	2	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	White.....Male....	78	63	3	1	1	1	1	3	-	1	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Female..	61	51	4	2	-	-	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	368	368	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	214	214	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	151	151	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	209	209	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	109	109	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	97	97	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	159	159	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	105	105	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	125	-	-	-	-	-	-	-	1	15	2	8	10	6	10	15	10	16	11	6	10	5	-	-	-	-	-
	White.....Male....	93	-	-	-	-	-	-	-	1	11	1	4	7	5	8	10	8	15	9	4	5	5	-	-	-	-	-
	Female..	32	-	-	-	-	-	-	-	-	4	1	4	3	1	2	5	2	1	2	2	5	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	7	1	-	-	-	-	1	-	-	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male....	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	694	29	20	14	7	6	35	29	35	26	23	35	32	27	36	27	45	29	38	33	53	54	40	13	7	1	-
	White.....Male....	446	10	10	7	5	3	24	24	26	22	19	27	27	24	31	19	35	21	26	20	32	18	10	2	4	-	-
	Female..	245	19	10	7	2	3	11	4	9	4	4	7	5	3	5	8	10	8	12	13	21	35	30	11	3	1	-
	Nonwhite..Male....	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	156	1	1	3	3	5	15	9	17	11	7	9	9	7	6	5	10	7	10	10	6	3	2	-	-	-	-
	White.....Male....	124	1	1	2	3	2	11	7	14	10	5	6	7	6	6	3	9	4	9	9	5	2	2	-	-	-	-
	Female..	31	-	-	1	-	3	4	2	3	1	2	2	2	1	-	2	1	3	1	1	1	1	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	538	28	19	11	4	1	20	20	18	15	16	26	23	20	30	22	35	22	28	23	47	51	38	13	7	1	-
	White.....Male....	322	9	9	5	2	1	13	17	12	12	14	21	20	18	25	16	26	17	17	11	27	16	8	2	4	-	-
	Female..	214	19	10	6	2	-	7	2	6	3	2	5	3	2	5	6	9	5	11	12	20	34	30	11	3	1	-
	Nonwhite..Male....	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	226	11	-	-	-	-	-	-	1	-	-	-	1	3	1	5	7	8	13	20	38	35	42	31	7	3	-
	White.....Male....	114	10	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	5	11	14	16	17	20	11	-	1	-
	Female..	111	1	-	-	-	-	-	-	1	-	-	-	-	2	1	3	2	3	2	6	21	18	22	20	7	2	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.....	831	42	7	14	5	2	12	12	15	12	10	23	22	28	39	39	43	59	64	81	89	86	81	36	10	-	-
	White.....Male....	464	27	1	4	5	1	6	8	8	4	8	14	10	15	19	22	19	36	37	57	60	48	39	14	2	-	-
	Female..	364	14	6	10	-	1	6	4	7	8	1	9	12	13	20	16	24	23	27	24	29	38	42	22	8	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND																											
	ALL CAUSES	22,584	1,626	158	100	65	47	132	155	291	418	428	524	754	995	1,280	1,598	1,846	2,104	2,394	2,440	2,245	1,668	919	303	60	10	24
	White.....Male	9,649	618	62	36	25	18	48	58	104	128	137	162	299	398	548	716	903	1,004	1,090	1,131	996	687	359	92	21	2	7
	Female	8,127	492	45	40	21	11	47	45	56	94	130	154	193	217	334	428	536	698	921	1,027	1,048	860	505	188	31	3	3
	Nonwhite..Male	2,653	268	30	13	11	9	13	25	78	97	77	115	130	230	235	261	234	215	225	163	114	58	29	11	2	3	7
	Female	2,155	218	21	11	8	9	24	27	53	99	84	93	132	150	163	193	173	187	158	119	87	63	26	12	6	2	7
1,2	Typhoid and paratyphoid fever	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	28	1	6	1	1	1	1	1	3	-	-	-	2	4	3	1	-	1	-	1	1	-	-	-	-	-	-
	White.....Male	14	-	6	-	-	-	-	-	1	-	-	-	1	3	1	1	-	1	-	-	-	-	-	-	-	-	-
	Female	10	1	-	1	1	1	1	1	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	32	21	7	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	11	7	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	5	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	27	-	2	2	2	6	4	3	4	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	12	-	1	-	1	2	3	-	2	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	11	-	1	2	1	2	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,267	10	12	7	6	4	8	15	73	131	124	124	128	130	126	93	95	57	50	35	30	6	3	-	-	-	-
	White.....Male	410	1	1	2	2	-	1	-	3	11	26	22	41	47	55	47	56	34	26	16	15	2	2	-	-	-	-
	Female	239	1	1	1	-	-	-	-	12	27	34	31	21	20	19	13	8	12	13	11	10	4	1	-	-	-	-
	Nonwhite..Male	357	6	4	3	1	4	3	3	26	43	22	45	40	44	35	28	27	6	8	6	3	-	-	-	-	-	-
	Female	261	2	6	1	3	-	4	12	32	50	42	26	26	19	17	5	4	5	3	2	2	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,168	5	7	5	3	3	7	10	64	121	117	115	118	126	118	88	92	54	47	32	27	6	3	-	-	-	-
	White.....Male	381	-	-	2	1	-	1	-	1	10	23	19	37	46	53	46	53	31	24	16	14	2	2	-	-	-	-
	Female	222	1	1	-	-	-	-	-	12	27	33	31	18	18	16	11	8	12	12	9	8	4	1	-	-	-	-
	Nonwhite..Male	337	3	4	3	-	3	3	2	25	40	19	44	38	44	34	26	27	6	8	5	3	-	-	-	-	-	-
	Female	228	1	2	-	2	-	3	8	26	44	42	21	25	18	15	5	4	5	3	2	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	99	5	5	2	3	1	1	5	9	10	7	9	10	4	8	5	3	3	3	3	3	-	-	-	-	-	-
	White.....Male	29	1	1	-	1	-	-	-	2	1	3	3	4	1	2	1	3	3	2	-	1	-	-	-	-	-	-
	Female	17	-	-	1	-	-	-	-	-	-	1	-	3	2	3	2	-	-	1	2	2	-	-	-	-	-	-
	Nonwhite..Male	20	3	-	-	1	1	-	1	1	3	3	1	2	-	1	2	-	-	-	1	-	-	-	-	-	-	-
	Female	33	1	4	1	1	-	1	4	6	6	-	5	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	17	7	-	1	-	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	2	-	-	-	-	-
	White.....Male	10	3	-	-	-	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	1	-	-	-	-	-
	Female	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..Male	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	352	19	1	-	-	-	-	3	1	4	9	24	28	46	47	43	40	32	23	19	5	3	5	-	-	-	-
	White.....Male	121	5	1	-	-	-	-	1	-	1	-	4	3	9	19	17	17	18	11	10	4	1	-	-	-	-	-
	Female	39	2	-	-	-	-	-	-	-	1	1	3	1	5	2	5	7	2	6	2	-	-	2	-	-	-	-
	Nonwhite..Male	140	5	-	-	-	-	-	1	1	1	4	9	16	24	21	17	13	10	6	6	1	2	3	-	-	-	-
	Female	52	7	-	-	-	-	-	1	-	1	4	8	8	8	5	4	3	2	-	1	-	-	-	-	-	-	-
35	Measles	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	5	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	-	-	-	-	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Continued																											
45-55	Cancer and other malignant tumors....	2,711	-	1	3	5	-	2	5	7	20	22	40	77	135	188	280	319	377	379	319	270	166	76	16	1	1	2
	White.....Male....	1,078	-	-	1	1	-	1	1	3	13	7	7	13	36	60	86	131	152	164	154	127	72	37	7	1	-	1
	Female..	1,266	-	1	1	3	-	1	-	2	6	11	23	46	56	91	140	139	175	179	140	120	83	36	8	-	-	-
	Nonwhite..Male....	181	-	-	-	-	-	-	-	2	1	3	-	5	17	15	27	24	23	22	18	10	7	1	-	-	1	-
	Female..	186	-	-	1	1	-	-	1	-	-	1	5	13	26	22	27	25	22	14	7	13	1	2	1	-	-	1
46	Cancer of digestive organs, peritoneum..	1,184	-	-	-	1	-	-	-	1	1	2	10	13	50	68	111	115	168	180	167	147	94	39	7	-	1	1
	White.....Male....	527	-	-	-	-	-	-	-	-	3	2	3	3	17	26	41	57	74	87	78	74	35	21	3	-	-	-
	Female..	500	-	-	-	-	-	-	-	-	1	-	6	11	15	25	50	42	63	76	75	63	52	17	4	-	-	-
	Nonwhite..Male....	88	-	-	-	-	-	-	-	1	-	-	-	2	5	10	13	8	21	9	10	3	5	-	-	-	1	-
	Female..	69	-	-	-	1	-	-	-	-	-	-	1	2	13	7	4	8	10	8	4	7	2	1	-	-	-	1
48,49	Cancer of female genital organs.....	364	-	-	-	-	-	-	-	-	2	7	13	19	26	35	64	45	47	40	34	22	8	2	-	-	-	-
	White.....Female..	305	-	-	-	-	-	-	-	-	2	6	10	11	19	24	52	39	43	37	32	20	8	2	-	-	-	-
	Nonwhite..Female..	59	-	-	-	-	-	-	-	-	-	1	3	8	7	11	12	6	4	3	2	2	-	-	-	-	-	-
50	Cancer of breast.....	275	-	-	-	-	-	-	-	-	-	1	5	15	23	31	31	33	47	28	19	20	11	8	3	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Female..	238	-	-	-	-	-	-	-	-	-	1	5	13	17	29	23	28	43	26	18	17	9	7	2	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Female..	33	-	-	-	-	-	-	-	-	-	-	-	2	6	2	7	5	4	1	-	3	1	1	1	-	-	-
45,47, 51-55	Cancer (other sites)..	888	-	1	3	4	-	2	5	6	14	12	12	25	36	54	74	126	115	131	99	81	53	27	6	1	-	1
	White.....Male....	549	-	-	1	1	-	1	4	3	10	5	4	10	19	34	41	74	78	77	75	53	37	16	4	1	-	1
	Female..	223	-	1	1	3	-	1	-	2	3	4	7	11	5	13	15	30	26	40	15	20	14	10	2	-	-	-
	Nonwhite..Male....	91	-	-	-	-	-	-	-	1	1	3	-	3	12	5	14	16	7	12	8	7	1	1	-	-	-	-
	Female..	25	-	-	1	-	-	-	1	-	-	-	1	1	-	2	4	6	4	2	1	1	1	-	-	-	-	-
58	Acute rheumatic fever.....	27	-	1	-	1	1	5	1	3	2	1	3	1	1	-	1	1	1	-	1	-	-	-	-	-	-	-
	White.....Male....	5	-	-	-	-	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	9	-	-	-	1	-	1	4	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	10	-	1	-	-	1	2	-	1	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	619	-	1	1	-	-	2	1	5	3	2	6	6	16	23	50	71	88	105	117	63	38	17	3	-	-	1
	White.....Male....	168	-	-	-	-	-	-	-	-	1	1	-	3	3	11	9	17	29	27	37	15	10	3	2	-	-	-
	Female..	366	-	1	1	-	-	1	1	4	1	-	-	3	6	7	22	42	46	71	75	47	23	12	1	-	-	-
	Nonwhite..Male....	23	-	-	-	-	-	-	-	-	-	-	2	-	1	1	6	2	4	3	2	-	2	-	-	-	-	-
	Female..	62	-	-	-	-	-	1	-	1	1	1	4	-	6	4	13	10	9	4	3	1	1	2	-	-	-	1
63b	Exophthalmic goiter..	38	-	-	-	-	-	-	-	-	1	-	-	-	3	3	1	6	6	6	8	3	1	-	-	-	-	-
	White.....Male....	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	Female..	31	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	4	5	5	8	3	1	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	41	-	-	-	-	-	-	1	-	-	1	4	7	6	7	7	4	2	1	-	1	-	-	-	-	-	-
	White.....Male....	23	-	-	-	-	-	-	1	-	-	-	2	3	5	6	2	2	-	1	-	1	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	12	-	-	-	-	-	-	-	-	-	-	2	2	-	1	4	1	2	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	1,814	3	1	-	1	2	3	3	1	2	4	9	26	50	100	137	140	178	253	280	293	180	107	36	3	-	2
	White.....Male....	651	2	-	-	1	-	2	-	1	-	3	2	7	12	27	45	50	62	86	121	121	67	36	6	-	-	-
	Female..	788	1	1	-	-	2	1	-	-	2	-	1	8	10	25	35	49	75	104	126	149	106	64	26	3	-	-
	Nonwhite..Male....	190	-	-	-	-	-	-	3	-	-	1	3	4	15	25	24	25	22	31	17	11	1	3	3	-	-	2
	Female..	185	-	-	-	-	-	-	-	-	-	-	3	7	13	23	33	16	19	32	16	12	6	4	1	-	-	-
90-95	Diseases of the heart.....	6,977	-	2	1	-	2	5	12	15	28	36	60	129	230	344	501	679	800	936	968	938	746	375	130	32	2	6
	White.....Male....	3,415	-	2	-	-	1	2	4	5	8	8	18	64	121	179	282	393	432	481	486	428	310	144	31	12	1	-
	Female..	2,540	-	-	1	-	-	3	3	4	10	16	20	33	34	80	93	159	236	327	385	434	399	212	82	16	1	2
	Nonwhite..Male....	530	-	-	-	-	1	-	2	5	1	7	6	7	43	48	66	63	66	76	54	42	23	12	6	2	-	-
	Female..	492	-	-	-	-	-	-	3	1	9	5	16	25	32	37	60	64	66	52	43	34	24	7	8	2	-	4
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	385	-	-	-	-	1	3	7	10	11	16	18	32	28	19	39	33	31	36	26	36	22	12	4	1	-	-
	White.....Male....	148	-	-	-	-	1	1	3	3	3	3	4	18	12	6	20	9	11	14	14	14	5	5	1	1	-	-
	Female..	158	-	-	-	-	-	2	2	3	5	8	8	13	9	8	10	17	14	12	10	17	12	6	2	-	-	-
	Nonwhite..Male....	46	-	-	-	-	-	-	1	3	-	3	1	-	3	4	4	6	4	7	1	3	4	1	1	-	-	-
	Female..	33	-	-	-	-	-	-	1	1	3	2	5	1	4	1	5	1	2	3	1	2	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	1,853	-	1	-	-	-	-	-	1	3	6	14	36	89	152	212	265	265	259	204	171	108	52	12	1	-	2
	White.....Male....	1,245	-	1	-	-	-	-	-	-	2	2	8	26	66	109	172	196	192	172	120	88	59	26	5	1	-	-
	Female..	482	-	-	-	-	-	-	-	1	-	2	5	7	10	23	25	50	56	74	77	76	45	24	6	-	-	1
	Nonwhite..Male....	75	-	-	-	-	-	-	-	-	1	1	-	3	7	11	9	9	13	7	5	4	3	1	1	-	-	-
	Female..	51	-	-	-	-	-	-	-	-	-	1	1	-	6	9	6	10	4	6	2	3	1	1	-	-	-	1
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	4,739	-	1	1	-	1	2	5	4	14	14	28	61	113	173	250	381	504	641	738	731	616	311	111	30	2	4
	White.....Male....	2,022	-	1	-	-	-	1	1	2	3	3	6	20	43	64	90	188	229	295	352	326	246	113	28	10	1	-
	Female..	1,900	-	-	1	-	-	1	1	-	5	6	7	13	15	49	58	92	166	241	298	341	332	182	74	16	1	1
	Nonwhite..Male....	409	-	-	-	-	1	-	1	2	-	3	5	4	33	33	53	48	49	62	48	35	16	10	4	2	-	-
	Female..	408	-	-	-	-	-	-	2	-	6	2	10	24	22	27	49	53	60	43	40	29	22	6	8	2	-	3

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,102	211	37	17	10	2	12	11	11	18	24	29	42	55	43	58	56	70	73	67	69	77	52	21	3	1	-
	White.....Male	383	70	15	1	3	-	2	2	5	4	10	7	13	18	16	23	20	33	29	34	27	25	19	8	2	-	-
	Female	343	69	8	9	4	-	9	3	3	3	4	9	8	8	5	10	16	14	21	21	32	44	30	11	1	1	-
	Nonwhite..Male	212	57	9	2	2	1	-	2	1	4	7	9	14	20	14	16	10	15	13	6	5	2	2	1	-	-	-
	Female	161	48	5	5	1	1	1	4	2	7	3	4	7	9	8	9	10	8	10	6	5	6	1	1	-	-	-
107	Bronchopneumonia	469	143	21	8	8	1	6	7	2	3	8	9	11	13	11	14	12	20	33	24	32	41	28	11	1	1	-
	White.....Male	172	37	9	1	3	-	2	2	1	1	3	3	6	5	3	5	7	13	14	14	15	15	8	5	-	-	-
	Female	157	39	4	5	2	-	4	3	1	-	2	3	2	3	-	4	4	4	8	7	15	22	18	5	1	1	-
	Nonwhite..Male	75	38	4	1	2	-	-	1	-	1	2	2	3	3	3	3	-	1	6	2	1	1	1	-	-	-	-
	Female	64	29	4	1	1	1	-	1	-	1	1	1	-	2	5	2	1	2	5	1	1	3	1	1	-	-	-
108	Lobar pneumonia	470	61	10	7	-	1	1	4	4	12	11	19	24	36	26	31	37	36	32	33	29	28	17	7	1	-	-
	White.....Male	151	22	5	-	-	-	-	-	1	3	5	3	4	10	10	13	9	13	9	15	10	7	10	1	1	-	-
	Female	134	16	2	3	-	-	4	-	1	2	1	6	5	4	4	5	11	6	12	12	11	18	6	5	-	-	-
	Nonwhite..Male	114	12	3	1	-	1	-	1	1	2	3	7	10	17	9	9	9	13	6	3	4	1	1	1	-	-	-
	Female	71	11	-	3	-	-	-	3	1	5	2	3	5	5	3	4	8	4	5	3	4	2	-	-	-	-	-
109	Pneumonia (unspecified)	75	29	2	1	-	-	-	-	1	2	2	1	4	2	1	6	4	7	3	3	3	3	1	-	-	-	-
	White.....Male	33	8	1	-	-	-	-	-	-	-	1	1	1	1	-	4	3	6	3	1	-	2	1	-	-	-	-
	Female	18	9	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	3	1	-	-	-	-	-
	Nonwhite..Male	12	5	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-
	Female	12	7	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
33	Influenza	89	11	4	1	2	-	2	-	4	1	3	-	3	4	5	7	3	7	5	7	5	5	6	3	1	-	-
	White.....Male	30	3	-	-	-	-	-	-	3	-	1	-	2	2	3	1	1	1	3	4	2	1	-	2	1	-	-
	Female	34	5	1	1	2	-	1	-	-	1	1	-	-	-	1	1	1	3	1	2	3	3	6	1	-	-	-
	Nonwhite..Male	11	2	2	-	-	-	-	-	-	-	1	-	-	-	1	3	-	1	1	-	-	-	-	-	-	-	-
	Female	14	1	1	-	-	-	1	-	1	-	-	-	1	2	-	2	1	2	-	1	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	111	-	-	-	-	-	-	-	1	2	-	5	6	5	13	18	14	16	12	11	6	1	1	-	-	-	-
	White.....Male	72	-	-	-	-	-	-	-	-	1	-	3	5	3	7	10	11	13	7	8	3	1	-	-	-	-	-
	Female	16	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	2	3	2	2	-	1	-	-	-	-
	Nonwhite..Male	21	-	-	-	-	-	-	-	1	-	-	2	-	2	4	5	2	1	2	1	1	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	202	166	9	2	-	-	1	-	-	-	3	2	4	1	1	3	1	1	1	1	4	-	1	1	-	-	-
	White.....Male	61	48	4	1	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	1	1	-	1	-	-	-	-
	Female	69	53	2	1	-	-	1	-	-	-	2	1	2	-	-	2	-	1	-	-	3	-	-	1	-	-	-
	Nonwhite..Male	34	28	2	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female	38	37	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	88	-	-	3	2	-	1	4	5	5	2	7	7	6	3	3	11	7	8	7	3	2	2	-	-	-	-
	White.....Male	41	-	-	-	1	-	-	2	3	2	-	5	3	1	2	3	4	3	4	3	2	2	1	-	-	-	-
	Female	37	-	-	3	1	-	-	2	1	3	1	2	3	2	1	-	6	3	3	4	1	-	1	-	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	193	6	1	2	-	-	-	1	1	1	7	2	5	13	10	16	18	30	20	26	18	10	5	1	-	-	-
	White.....Male	71	3	-	2	-	-	-	-	1	-	1	-	5	5	1	7	8	14	5	12	3	3	1	-	-	-	-
	Female	94	2	1	-	-	-	-	1	-	1	2	1	-	7	6	8	5	13	11	13	12	6	4	1	-	-	-
	Nonwhite..Male	17	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	4	2	2	1	2	1	-	-	-	-	-
	Female	11	1	-	-	-	-	-	-	-	-	3	1	-	-	1	-	1	1	2	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver	186	-	-	-	1	-	-	1	1	-	2	3	11	23	23	35	26	24	17	13	3	3	-	-	-	-	-
	White.....Male	119	-	-	-	1	-	-	1	-	-	-	1	8	14	16	20	18	19	12	7	1	1	-	-	-	-	-
	Female	45	-	-	-	-	-	-	-	1	-	2	2	3	4	3	10	6	2	4	4	2	2	-	-	-	-	-
	Nonwhite..Male	14	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	2	2	1	-	-	-	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	-	2	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	70	-	-	-	-	-	-	-	1	-	3	2	7	2	8	6	7	8	10	5	6	3	2	-	-	-	-
	White.....Male	24	-	-	-	-	-	-	-	1	-	1	1	2	1	3	2	1	1	6	1	2	2	-	-	-	-	-
	Female	37	-	-	-	-	-	-	-	-	-	2	1	2	1	3	4	5	7	2	3	4	1	2	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	2,011	-	1	1	2	1	-	6	6	11	15	28	36	55	122	121	154	205	277	291	275	210	136	42	7	5	4
	White.....Male	768	-	1	-	1	-	-	3	2	4	4	12	16	16	35	42	55	71	109	99	116	100	64	14	2	1	1
	Female	749	-	-	1	1	-	-	3	2	1	5	5	8	15	39	29	42	62	96	141	120	89	61	26	1	1	1
	Nonwhite..Male	240	-	-	-	-	-	-	-	1	1	4	4	3	11	25	25	30	29	39	25	24	10	5	1	-	1	2
	Female	254	-	-	-	-	1	-	-	1	5	2	7	9	13	23	25	27	43	33	26	15	11	6	1	4	2	-
137	Diseases of the prostate	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	8	13	23	18	11	5	-	-	-	1
	White.....Male	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	6	10	22	18	9	4	-	-	-	-
	Nonwhite..Male	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	-	2	1	-	-	-	1

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Continued																											
140-150	Diseases of pregnancy, etc.*....	64	-	-	-	-	-	-	-	5	13	15	12	14	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	45	-	-	-	-	-	-	-	3	9	15	5	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	19	-	-	-	-	-	-	-	2	4	-	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	27	-	-	-	-	-	-	-	3	5	7	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	18	-	-	-	-	-	-	-	2	3	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	9	-	-	-	-	-	-	-	1	2	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	16	-	-	-	-	-	-	-	1	3	4	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	12	-	-	-	-	-	-	-	-	3	4	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	4	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	16	-	-	-	-	-	-	-	-	3	3	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	10	-	-	-	-	-	-	-	-	1	3	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	6	-	-	-	-	-	-	-	-	2	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	5	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	259	202	9	10	2	4	7	3	4	2	6	2	1	3	1	2	-	-	1	-	-	-	-	-	-	-	-
	White.....Male....	110	81	5	7	1	2	2	-	2	-	4	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	107	91	4	2	-	-	2	2	1	2	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	17	15	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	25	15	-	1	1	1	3	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	785	785	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	334	334	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	222	222	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	124	124	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	105	105	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	483	483	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	192	192	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	116	116	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	77	77	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	68	68	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	302	302	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	142	142	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	76	76	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	242	-	-	-	-	-	-	-	6	14	21	26	28	33	26	22	19	17	11	11	7	1	-	-	-	-	-
	White.....Male....	162	-	-	-	-	-	-	-	2	9	11	12	19	18	18	16	14	17	9	9	7	1	-	-	-	-	-
	Female..	69	-	-	-	-	-	-	-	2	2	10	14	7	13	7	6	5	-	1	2	-	-	-	-	-	-	-
	Nonwhite..Male....	11	-	-	-	-	-	-	-	2	3	-	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	148	5	1	1	-	-	2	1	10	32	17	14	20	13	14	9	3	2	2	1	-	-	1	-	-	-	-
	White.....Male....	29	2	-	-	-	-	1	-	-	2	2	1	6	2	4	3	2	1	2	-	-	-	1	-	-	-	-
	Female..	19	3	1	1	-	-	1	1	-	5	1	2	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	78	-	-	-	-	-	-	-	9	18	8	10	10	10	7	5	-	1	-	-	-	-	-	-	-	-	-
	Female..	22	-	-	-	-	-	-	-	1	7	6	1	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,447	43	30	22	15	12	45	51	88	82	67	69	98	87	83	80	79	73	66	92	102	78	49	23	7	-	6
	White.....Male....	763	14	9	6	7	5	18	27	50	54	46	38	62	55	54	46	48	39	37	56	40	30	11	8	-	-	3
	Female..	372	11	10	11	4	4	14	13	12	10	7	9	10	7	5	11	12	21	21	24	54	43	37	15	7	-	-
	Nonwhite..Male....	223	6	7	3	3	-	4	10	23	13	12	16	18	23	17	18	18	10	5	9	6	-	-	-	-	-	2
	Female..	89	12	4	2	1	3	9	1	3	5	2	6	8	2	7	5	1	3	3	3	2	5	1	-	-	-	1
170	Motor-vehicle accidents.....	407	1	4	5	3	4	10	13	34	39	24	28	33	33	25	27	25	33	19	24	14	7	-	-	-	-	2
	White.....Male....	243	-	-	3	2	2	5	7	17	25	16	15	22	16	14	15	16	20	13	16	11	6	-	-	-	-	2
	Female..	61	-	3	2	-	1	3	4	6	6	3	1	2	3	1	5	2	9	4	4	2	-	-	-	-	-	-
	Nonwhite..Male....	84	-	1	-	1	-	1	1	9	5	5	11	7	12	8	7	7	3	2	3	1	-	-	-	-	-	-
	Female..	19	1	-	-	-	1	1	1	2	3	-	1	2	2	2	-	-	1	-	1	-	1	-	-	-	-	-
169, 171-195	Other accidents.....	1,040	42	26	17	12	8	35	38	54	43	43	41	65	54	58	53	54	40	47	68	88	71	49	23	7	-	4
	White.....Male....	520	14	9	3	5	3	13	20	33	29	30	23	40	39	40	31	32	19	24	40	29	24	11	8	-	-	1
	Female..	311	11	7	9	4	3	11	9	6	4	4	8	8	4	4	6	10	12	17	20	52	43	37	15	7	-	-
	Nonwhite..Male....	139	6	6	3	2	-	3	9	14	8	7	5	11	11	9	11	11	7	3	6	5	-	-	-	-	-	2
	Female..	70	11	4	2	1	2	8	-	1	2	2	5	6	-	5	5	1	2	3	2	2	4	1	-	-	-	1
162,199, 200	Senility, ill-defined and unknown causes..	92	13	1	2	-	-	-	2	-	1	2	1	2	2	6	5	1	2	3	7	13	14	9	5	-	-	1
	White.....Male....	40	5	-	1	-	-	-	2	-	-	-	1	2	-	2	3	-	2	2	4	6	3	4	2	-	-	1
	Female..	40	3	1	-	-	-	-	-	-	-	2	-	-	1	3	1	1	-	1	2	7	10	5	3	-	-	-
	Nonwhite..Male....	4	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	8	3	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-
	All other causes.....	1,525	101	34	22	16	9	31	25	37	44	43	51	67	69	84	104	93	99	127	133	114	115	73	25	7	1	1
	White.....Male....	662	42	14	14	6	6	14	10	18	18	10	24	19	23	30	49	47	57	61	49	57	47	31	11	4	-	1
	Female..	540	25	11	4	5	2	12	8	7	9	14	18	22	22	32	34	27	22	52	59	46	55	37	14	3	-	-
	Nonwhite..Male....	179	20	5	3	4	-	3	4	4	9	7	5	7	12	11	15	11	13	10	16	9	8	2	-	-	1	-
	Female..	144	14	4	1	1	1	2	3	8	8	12	4	19	12	11	6	8	7	4	9	2	5	3	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS																											
	ALL CAUSES	51,133	2,436	171	131	76	77	233	203	333	483	538	691	1,007	1,461	2,266	3,373	4,211	5,096	6,204	7,038	6,308	4,897	2,744	923	174	33	26
	White.....Male	26,691	1,383	93	77	41	38	145	123	215	256	270	316	559	835	1,346	1,995	2,572	2,931	3,321	3,546	2,977	2,148	1,125	303	48	9	17
	Female	23,535	988	72	49	33	36	84	75	104	206	249	349	416	590	868	1,292	1,549	2,079	2,766	3,387	3,273	2,707	1,596	613	123	22	9
	Nonwhite..Male	511	35	3	3	1	2	-	2	7	10	9	13	19	19	33	52	59	59	63	58	28	23	11	2	-	-	-
	Female	396	30	3	2	1	1	4	3	7	11	10	11	13	17	19	34	31	27	54	47	30	19	12	5	3	2	-
1,2	Typhoid and paratyphoid fever	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	White.....Male	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	2	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	25	3	2	5	-	-	1	-	2	1	2	4	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-
	White.....Male	15	2	2	4	-	-	-	-	1	-	-	2	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	Female	10	1	-	1	-	-	1	-	1	1	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	7	-	-	-	-	-	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	4	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	23	14	4	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	11	9	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	10	4	4	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	12	-	1	2	-	2	1	1	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	White.....Male	6	-	1	-	-	1	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Female	5	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,643	7	7	8	3	3	3	7	35	99	125	127	130	167	191	163	175	143	109	69	49	17	5	1	-	-	-
	White.....Male	1,071	2	4	4	3	2	2	3	13	29	49	53	80	116	156	131	141	108	84	42	32	11	5	1	-	-	-
	Female	483	3	1	3	-	1	-	4	17	57	68	65	43	41	29	28	29	30	20	22	16	6	-	-	-	-	-
	Nonwhite..Male	53	1	-	1	-	-	-	-	1	7	2	7	5	6	4	3	3	4	4	4	1	-	-	-	-	-	-
	Female	36	1	2	-	-	-	1	-	4	6	6	2	2	4	2	1	2	1	1	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,551	2	4	7	-	2	2	4	31	93	121	122	125	157	183	158	167	134	106	62	48	17	5	1	-	-	-
	White.....Male	1,022	1	1	3	-	2	1	1	11	26	47	50	78	112	152	129	136	103	83	38	31	11	5	1	-	-	-
	Female	448	1	1	3	-	-	-	3	16	54	66	64	41	35	25	25	26	26	18	22	16	6	-	-	-	-	-
	Nonwhite..Male	48	-	-	1	-	-	-	-	1	7	2	6	4	6	4	3	3	4	4	2	1	-	-	-	-	-	-
	Female	33	-	2	-	-	-	1	-	3	6	6	2	2	4	2	1	2	1	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	92	5	3	1	3	1	1	3	4	6	4	5	5	10	8	5	8	9	3	7	1	-	-	-	-	-	-
	White.....Male	49	1	3	1	3	-	1	2	2	3	2	3	2	4	4	2	5	5	1	4	1	-	-	-	-	-	-
	Female	35	2	-	-	-	1	-	1	1	3	2	1	2	6	4	3	3	4	2	-	-	-	-	-	-	-	-
	Nonwhite..Male	5	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	Female	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
27	Dysentery	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	3	1	2	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	1	2	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	260	4	-	-	-	-	-	-	-	1	-	7	5	12	18	33	49	28	41	32	16	8	4	2	-	-	-
	White.....Male	167	1	-	-	-	-	-	-	-	-	-	4	2	8	11	23	32	21	30	21	7	2	4	1	-	-	-
	Female	62	2	-	-	-	-	-	-	-	1	-	-	-	2	4	8	9	5	9	9	7	5	-	1	-	-	-
	Nonwhite..Male	26	1	-	-	-	-	-	-	-	-	-	2	3	1	3	2	8	2	1	1	1	1	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-
35	Measles	10	3	1	-	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	7	3	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	23	1	-	-	-	1	4	3	1	3	2	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	14	-	-	-	-	1	4	2	1	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	9	1	-	-	-	-	-	1	-	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
45-55	Cancer and other malignant tumors....	7,813	1	2	4	6	1	11	6	18	22	31	67	152	250	423	716	853	1,026	1,186	1,210	951	592	213	60	8	2	2
	White.....Male....	3,702	-	-	2	2	1	7	4	11	12	21	25	62	80	164	303	408	517	593	611	464	286	107	18	1	1	2
	Female..	4,018	1	2	2	4	-	4	2	6	9	9	42	88	167	253	403	433	496	576	588	480	300	105	41	7	-	-
	Nonwhite..Male....	50	-	-	-	-	-	-	-	-	1	-	-	-	1	4	4	7	9	9	7	4	4	-	-	-	-	-
	Female..	43	-	-	-	-	-	-	-	1	-	1	-	2	2	2	6	5	4	8	4	3	2	1	1	-	1	-
46	Cancer of digestive organs, peritoneum..	3,769	-	-	-	1	-	3	1	-	6	9	19	51	77	161	310	396	494	608	668	511	331	98	22	2	-	1
	White.....Male....	1,974	-	-	-	1	-	2	1	-	4	7	9	33	40	79	153	233	270	332	353	252	151	47	6	-	-	1
	Female..	1,750	-	-	-	-	-	1	-	-	2	1	10	18	35	80	153	155	218	267	311	254	177	50	16	2	-	-
	Nonwhite..Male....	29	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	6	6	1	4	2	-	-	-	-	-
	Female..	16	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	3	-	3	3	1	1	1	-	-	-	-
48,49	Cancer of female genital organs.....	834	-	-	-	1	-	-	-	1	2	4	14	33	54	70	104	121	96	117	86	72	42	14	2	-	1	-
	White.....Female..	821	-	-	-	1	-	-	-	1	2	4	14	32	53	69	102	120	95	113	86	72	41	14	2	-	-	-
	Nonwhite..Female..	13	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	1	4	-	-	1	-	-	-	1	-
50	Cancer of breast.....	840	-	-	-	-	-	-	-	-	-	-	10	20	54	79	100	94	101	110	105	84	43	26	14	-	-	-
	White.....Male....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	1	1	-	-	-	-	-
	Female..	825	-	-	-	-	-	-	-	-	-	-	10	20	54	76	98	93	99	109	104	81	42	26	13	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	2	-	-	1	-	-	-
45,47, 51-55	Cancer (other sites)..	2,370	1	2	4	4	1	8	5	17	14	18	24	48	65	113	202	242	335	351	351	284	176	75	22	6	1	1
	White.....Male....	1,721	-	-	2	1	1	5	3	11	8	14	16	29	40	84	150	174	245	260	258	211	134	60	12	1	1	1
	Female..	622	1	2	2	3	-	3	2	5	5	4	8	18	25	28	50	65	84	87	87	73	40	15	10	5	-	-
	Nonwhite..Male....	20	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	3	3	6	-	2	-	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	3	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	27	1	-	-	-	-	6	5	4	1	2	1	2	2	-	-	1	-	2	-	-	-	-	-	-	-	-
	White.....Male....	14	-	-	-	-	-	3	4	1	-	1	-	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-
	Female..	12	1	-	-	-	-	3	1	2	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	1,486	-	-	-	-	-	1	2	6	8	10	12	6	12	52	101	134	230	237	272	217	132	42	11	1	-	-
	White.....Male....	520	-	-	-	-	-	1	1	2	4	6	9	6	7	16	41	57	65	67	98	72	49	15	4	-	-	-
	Female..	951	-	-	-	-	-	-	1	4	4	4	3	-	5	35	57	77	162	168	173	142	82	27	7	-	-	-
	Nonwhite..Male....	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	2	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	1	-	-
63b	Exophthalmic goiter..	51	-	-	-	-	-	-	-	1	1	1	2	2	3	5	10	5	8	6	4	3	-	-	-	-	-	-
	White.....Male....	10	-	-	-	-	-	-	-	1	1	1	-	-	-	2	1	-	1	2	-	1	-	-	-	-	-	-
	Female..	40	-	-	-	-	-	-	-	-	-	-	2	1	3	3	9	5	7	4	4	2	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	137	-	-	-	-	-	-	-	2	-	4	10	13	13	18	30	17	6	15	5	3	1	-	-	-	-	-
	White.....Male....	108	-	-	-	-	-	-	-	2	-	2	9	8	9	13	24	15	6	11	5	3	1	-	-	-	-	-
	Female..	23	-	-	-	-	-	-	-	-	-	2	1	3	3	5	5	1	-	3	-	-	-	-	-	-	-	-
	Nonwhite..Male....	6	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	1	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	4,946	6	4	-	-	-	1	5	3	4	4	13	25	76	133	255	364	476	727	912	845	607	356	107	18	3	2
	White.....Male....	2,119	3	2	-	-	-	1	2	2	3	2	5	12	34	54	118	169	223	336	419	326	233	137	36	2	-	-
	Female..	2,735	3	2	-	-	-	-	3	1	-	2	7	12	42	76	127	188	241	373	476	510	366	217	69	16	2	2
	Nonwhite..Male....	33	-	-	-	-	-	-	-	-	1	-	-	-	-	2	5	3	5	4	8	-	4	-	1	-	-	-
	Female..	59	-	-	-	-	-	-	-	-	-	-	1	1	-	1	5	4	7	14	9	9	4	2	1	-	1	-
90-95	Diseases of the heart.....	18,500	1	1	2	1	-	14	19	22	49	69	115	211	367	728	1,174	1,540	1,989	2,558	2,950	2,732	2,179	1,279	409	75	9	7
	White.....Male....	9,982	1	-	1	1	-	5	7	11	26	40	50	135	245	510	801	1,043	1,222	1,449	1,482	1,325	956	500	140	24	2	6
	Female..	8,236	-	-	1	-	-	9	12	11	22	28	61	74	116	202	343	464	733	1,061	1,419	1,384	1,203	767	268	50	7	1
	Nonwhite..Male....	157	-	1	-	-	-	-	-	-	-	1	1	1	1	7	16	19	28	27	27	11	11	6	-	-	-	-
	Female..	125	-	-	-	-	-	-	-	-	1	-	3	1	5	9	14	14	6	21	22	12	9	6	1	1	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	1,000	-	-	1	-	-	9	11	15	25	31	46	64	67	91	111	81	87	93	84	91	47	32	14	-	-	-
	White.....Male....	417	-	-	-	-	-	2	3	9	14	15	14	28	31	45	47	36	42	38	38	29	11	13	2	-	-	-
	Female..	572	-	-	1	-	-	7	8	6	11	16	31	35	34	44	62	44	44	55	46	62	36	18	12	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	5,876	-	-	-	-	-	-	-	1	5	13	26	75	176	344	561	709	818	916	862	680	408	207	62	7	2	4
	White.....Male....	3,989	-	-	-	-	-	-	-	-	4	9	18	65	147	282	455	551	587	611	522	395	215	93	26	4	1	4
	Female..	1,826	-	-	-	-	-	-	-	1	1	3	5	9	29	59	99	149	219	292	334	283	190	113	36	3	1	-
	Nonwhite..Male....	43	-	-	-	-	-	-	-	-	-	1	1	1	-	2	5	6	10	9	3	2	2	1	-	-	-	-
	Female..	18	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	3	2	4	3	-	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	11,624	1	1	1	1	-	5	8	6	19	25	43	72	124	293	502	750	1,084	1,549	2,004	1,961	1,724	1,040	333	68	7	3
	White.....Male....	5,576	1	-	1	1	-	3	4	2	8	16	18	42	67	183	299	456	593	800	922	901	730	394	113	20	1	2
	Female..	5,838	-	-	-	-	-	2	4	4	10	9	25	30	53	99	182	271	470	714	1,039	1,039	977	636	220	47	6	1
	Nonwhite..Male....	109	-	1	-	-	-	-	-	-	-	-	-	-	1	4	9	12	17	18	24	9	9	5	-	-	-	-
	Female..	101	-	-	-	-	-	-	-	-	1	-	-	-	3	7	12	11	4	17	19	12	8	5	1	1	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	2,097	282	39	16	4	9	24	10	18	28	22	32	51	73	66	95	142	155	175	221	204	222	135	61	12	1	-
	White.....Male	1,150	154	18	9	2	5	13	5	14	12	10	16	30	46	48	59	97	105	91	133	107	90	63	19	4	-	-
	Female	901	121	21	7	2	4	10	5	3	15	12	15	16	23	16	30	40	46	78	87	96	132	72	42	7	1	-
	Nonwhite..Male	30	5	-	-	-	-	-	-	1	-	-	-	5	3	1	6	4	1	2	1	1	-	-	-	-	-	-
	Female	16	2	-	-	-	-	1	-	-	1	-	1	-	1	1	-	1	3	4	-	-	-	-	-	1	-	-
107	Bronchopneumonia	1,296	215	25	10	2	4	14	5	11	14	9	15	20	33	30	34	73	80	107	134	136	162	109	44	10	-	-
	White.....Male	663	115	13	6	1	3	9	2	8	10	5	7	9	18	22	19	43	48	52	71	66	66	53	13	4	-	-
	Female	608	94	12	4	1	1	5	3	2	3	4	8	8	14	7	14	28	30	50	62	70	96	56	31	5	-	-
	Nonwhite..Male	15	4	-	-	-	-	-	-	1	-	-	-	3	1	-	1	1	1	2	1	-	-	-	-	-	-	-
	Female	10	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	3	-	-	-	-	-	1	-	-
108	Lobar pneumonia	646	43	8	2	1	3	8	4	6	9	11	12	27	33	28	54	61	60	58	79	58	48	19	12	1	1	-
	White.....Male	406	24	3	1	-	2	3	3	6	1	4	5	18	24	22	36	49	45	36	57	38	19	7	3	-	-	-
	Female	220	18	5	1	1	1	4	1	-	8	7	6	7	7	5	13	9	13	21	22	19	29	12	9	1	1	-
	Nonwhite..Male	15	1	-	-	-	-	-	-	-	-	-	-	2	2	1	5	3	-	-	-	1	-	-	-	-	-	-
	Female	5	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	95	10	4	3	-	-	2	-	1	4	2	5	1	5	3	5	6	9	8	4	6	10	4	3	-	-	-
	White.....Male	47	5	1	1	-	-	1	-	-	1	1	4	1	2	2	2	4	7	3	3	1	5	1	2	-	-	-
	Female	47	5	3	2	-	-	1	-	1	3	1	1	-	2	1	3	2	2	5	1	5	5	3	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	60	14	2	1	1	2	-	1	-	1	-	-	3	2	5	2	2	6	2	4	4	2	3	2	1	-	-
	White.....Male	34	10	1	1	1	-	-	-	-	-	-	-	2	2	2	2	1	5	-	2	2	-	2	1	-	-	-
	Female	26	4	1	-	-	2	-	1	-	1	-	-	1	-	3	-	1	1	2	2	2	2	1	1	1	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	401	-	-	-	-	-	-	-	-	2	3	6	12	31	33	55	55	53	56	41	32	18	4	-	-	-	-
	White.....Male	328	-	-	-	-	-	-	-	-	2	2	6	11	28	29	48	45	43	44	31	21	15	3	-	-	-	-
	Female	67	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	9	9	12	10	11	3	1	-	-	-	-
	Nonwhite..Male	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	180	118	8	1	-	-	-	1	5	2	1	3	4	5	3	3	6	2	4	2	7	3	1	1	-	-	-
	White.....Male	96	67	5	1	-	-	-	-	3	2	1	1	1	2	1	2	3	1	1	2	3	-	-	-	-	-	-
	Female	82	50	2	-	-	-	-	1	2	-	-	2	3	3	2	1	3	1	3	-	4	3	1	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	165	1	3	2	3	5	14	12	12	9	6	3	7	10	18	13	21	11	9	13	9	3	1	-	-	-	-
	White.....Male	104	-	2	1	3	2	9	7	5	4	3	2	4	7	14	6	14	5	1	8	6	1	-	-	-	-	-
	Female	60	-	1	1	-	3	5	5	7	5	3	1	3	3	4	7	7	6	8	5	3	2	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	388	8	-	1	1	1	-	3	1	4	5	4	7	14	12	20	44	51	48	54	47	35	17	9	1	1	-
	White.....Male	206	7	-	1	1	1	-	1	-	3	3	1	2	8	4	12	26	33	23	26	25	16	7	4	1	1	-
	Female	177	1	-	-	-	-	-	2	1	1	2	3	5	5	8	8	17	18	25	28	21	18	9	5	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
124	Cirrhosis of the liver	567	-	-	-	-	-	-	-	1	-	7	12	22	40	68	73	75	82	59	69	29	20	8	2	-	-	-
	White.....Male	379	-	-	-	-	-	-	-	1	-	3	3	11	22	45	49	56	61	40	48	19	11	5	2	-	-	-
	Female	180	-	-	-	-	-	-	-	-	-	4	6	10	18	22	24	17	20	17	20	10	9	3	-	-	-	-
	Nonwhite..Male	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	2	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	253	1	-	-	-	-	-	-	-	-	4	5	1	7	16	26	38	33	49	30	20	17	5	1	-	-	-
	White.....Male	92	-	-	-	-	-	-	-	-	-	-	1	-	4	4	8	12	13	22	13	7	6	2	-	-	-	-
	Female	159	1	-	-	-	-	-	-	-	-	4	4	1	3	11	18	26	20	26	17	13	11	3	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	2,372	-	5	-	1	-	7	6	14	13	19	20	44	57	99	137	184	205	306	375	356	288	176	45	10	1	4
	White.....Male	1,194	-	4	-	-	-	2	1	5	6	10	6	20	30	46	66	114	118	151	181	187	143	83	17	3	-	1
	Female	1,141	-	1	-	1	-	4	5	9	7	8	12	22	26	49	67	66	83	152	189	166	143	92	28	7	1	3
	Nonwhite..Male	21	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	4	3	2	2	2	1	-	-	-	-	-
	Female	16	-	-	-	-	-	1	-	-	-	-	2	2	-	2	1	-	1	1	3	1	1	1	-	-	-	-
137	Diseases of the prostate	227	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	9	20	39	52	42	35	21	4	-	-	-
	White.....Male	221	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	9	20	36	52	41	35	20	3	-	-	-
	Nonwhite..Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	1	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
140-150	Diseases of pregnancy, etc.*....	141	-	-	-	-	-	-	-	6	26	29	37	30	12	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	139	-	-	-	-	-	-	-	6	25	29	37	29	12	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	47	-	-	-	-	-	-	-	1	9	11	13	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	46	-	-	-	-	-	-	-	1	8	11	13	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	27	-	-	-	-	-	-	-	3	7	6	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	27	-	-	-	-	-	-	-	3	7	6	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	49	-	-	-	-	-	-	-	-	6	7	15	15	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	48	-	-	-	-	-	-	-	-	6	7	15	14	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	18	-	-	-	-	-	-	-	2	4	5	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	18	-	-	-	-	-	-	-	2	4	5	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	551	466	21	11	1	7	6	6	6	5	2	3	4	5	3	1	2	-	-	2	-	-	-	-	-	-	-
	White.....Male....	290	245	13	6	-	4	1	3	5	2	1	2	2	2	2	-	1	-	-	1	-	-	-	-	-	-	-
	Female..	260	221	8	5	1	3	5	2	1	3	1	1	2	3	1	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	1,329	1,329	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	780	780	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	501	501	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	26	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	22	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	781	781	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	453	453	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	300	300	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	16	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	548	548	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	327	327	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	201	201	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	482	-	-	-	-	-	-	4	9	19	25	33	37	43	57	69	44	50	34	27	15	8	5	2	-	-	1
	White.....Male....	337	-	-	-	-	-	-	4	8	15	14	18	24	27	40	46	33	38	22	22	13	6	5	2	-	-	-
	Female..	140	-	-	-	-	-	-	-	1	3	10	15	13	16	16	22	11	11	12	5	2	2	-	-	-	-	1
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	62	3	1	2	-	-	1	2	3	8	4	5	9	6	3	3	2	4	3	1	-	1	-	-	-	-	1
	White.....Male....	31	1	-	-	-	-	-	1	2	3	3	2	5	2	2	3	1	3	2	-	-	1	-	-	-	-	-
	Female..	26	2	1	2	-	-	1	-	-	4	1	3	3	3	1	-	1	1	1	1	-	-	-	-	-	-	1
	Nonwhite..Male....	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	2,840	60	39	44	31	27	91	69	97	103	76	72	107	113	128	145	168	183	214	270	277	268	172	68	11	2	5
	White.....Male....	1,747	36	23	30	16	14	64	56	84	88	56	53	82	89	104	120	133	124	150	140	119	93	53	15	-	-	5
	Female..	1,044	21	15	12	14	11	26	11	10	14	20	16	23	21	22	22	32	56	60	124	156	175	117	53	11	2	-
	Nonwhite..Male....	35	2	1	-	1	1	-	1	3	1	-	2	1	3	2	3	2	2	3	4	2	-	1	-	-	-	-
	Female..	14	1	-	2	-	1	1	1	-	-	-	1	1	-	-	-	1	1	1	2	-	-	1	-	-	-	-
170	Motor-vehicle accidents.....	561	-	5	9	13	9	31	19	36	43	29	30	29	22	30	35	41	39	44	38	25	23	7	3	-	-	1
	White.....Male....	446	-	4	8	6	6	18	15	34	37	23	24	23	17	26	31	37	28	32	30	19	18	7	3	-	-	1
	Female..	101	-	1	1	6	2	13	3	2	5	6	5	6	3	4	3	3	11	9	7	5	5	-	1	-	-	-
	Nonwhite..Male....	14	-	-	-	1	1	-	1	-	1	-	1	-	2	-	1	1	-	3	1	1	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	2,279	60	34	35	18	18	60	50	61	60	47	42	78	91	98	110	127	144	170	232	252	245	165	65	11	2	4
	White.....Male....	1,301	36	19	22	10	8	46	41	50	51	33	29	59	72	78	89	96	96	118	110	100	75	46	13	-	-	4
	Female..	943	21	14	11	8	9	13	8	8	9	14	11	17	18	18	19	29	45	51	117	151	170	117	52	11	2	-
	Nonwhite..Male....	21	2	1	-	-	-	-	-	3	-	-	1	1	1	2	2	1	2	-	3	1	-	1	-	-	-	-
	Female..	14	1	-	2	-	1	1	1	-	-	-	1	1	-	-	-	1	1	1	2	-	-	1	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	188	9	2	2	-	-	2	-	1	3	2	5	2	6	8	4	16	13	16	17	16	18	25	10	5	4	2
	White.....Male....	82	4	1	2	-	-	1	-	1	1	1	2	1	2	7	4	10	8	9	6	6	8	3	1	1	1	2
	Female..	104	5	1	-	-	-	1	-	-	2	1	3	1	4	1	-	5	5	7	10	10	10	22	9	4	3	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	All other causes.....	3,885	118	31	31	23	20	37	41	63	69	81	86	117	136	180	242	263	324	310	407	434	424	273	130	33	10	2
	White.....Male....	1,891	68	17	16	13	6	26	22	40	41	39	40	55	65	72	126	149	193	155	202	191	185	113	40	13	4	1
	Female..	1,925	49	13	14	10	13	11	18	21	28	36	45	60	67	103	106	107	128	150	199	238	236	157	83	21	6	1
	Nonwhite..Male....	35	-	1	1	-	1	-	-	-	-	3	1	-	1	4	5	4	1	4	2	3	2	2	-	-	-	-
	Female..	34	1	-	-	-	-	-	1	2	-	3	-	2	3	1	5	3	2	1	4	2	1	1	2	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN																											
	ALL CAUSES	53,966	4,035	320	205	119	122	368	316	563	739	825	1,042	1,397	1,872	2,608	3,692	4,695	5,170	5,757	6,069	5,977	4,361	2,603	859	197	20	35
	White.....Male	28,780	2,064	166	114	60	66	222	180	297	314	369	473	659	941	1,401	2,130	2,851	3,039	3,251	3,249	3,117	2,132	1,200	366	88	10	21
	Female	21,777	1,626	133	74	53	48	125	106	186	270	330	374	495	631	854	1,203	1,566	1,884	2,317	2,667	2,729	2,160	1,366	467	97	6	10
	Nonwhite..Male	1,894	192	10	8	2	5	10	14	34	71	62	95	133	167	205	212	166	142	112	89	80	40	19	14	6	3	3
	Female	1,515	153	11	9	4	3	11	16	46	84	64	100	110	133	148	147	112	105	77	64	51	29	18	12	6	1	1
1,2	Typhoid and paratyphoid fever	5	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	42	10	3	3	-	2	2	4	-	1	2	2	2	2	2	1	4	-	1	-	1	-	-	-	-	-	-
	White.....Male	21	5	1	2	-	1	1	1	-	-	1	-	1	2	2	-	3	-	1	-	-	-	-	-	-	-	-
	Female	15	5	2	1	-	1	1	1	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	-	-	-	1	1	1	1	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	-	-	-	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	36	29	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	15	14	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	18	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	46	2	6	5	5	3	13	5	-	1	1	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-
	White.....Male	24	-	2	5	3	1	7	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Female	21	2	3	-	2	2	6	1	-	1	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,816	14	24	10	5	4	8	23	82	174	171	166	172	139	156	170	155	130	103	65	30	11	2	1	-	-	1
	White.....Male	946	5	10	2	-	1	1	1	13	33	57	72	73	79	97	120	128	100	81	44	19	7	2	1	-	-	-
	Female	418	3	8	3	1	3	5	6	28	62	63	49	39	25	27	17	16	16	16	17	9	4	-	-	-	-	1
	Nonwhite..Male	249	3	1	2	1	-	1	3	15	33	20	26	41	25	24	27	7	12	6	2	-	-	-	-	-	-	-
	Female	203	3	5	3	3	-	1	13	26	46	31	19	19	10	8	6	4	2	-	2	2	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,652	6	9	3	2	2	5	20	72	156	159	148	167	130	148	161	148	124	95	57	27	9	2	1	-	-	1
	White.....Male	884	2	2	-	-	-	1	1	9	30	53	64	73	77	95	115	123	98	76	40	17	5	2	1	-	-	-
	Female	371	1	3	-	1	2	3	5	26	57	58	47	38	24	23	14	15	12	14	14	9	4	-	-	-	-	1
	Nonwhite..Male	222	2	1	2	1	-	1	3	13	26	19	21	38	21	23	26	7	12	5	1	-	-	-	-	-	-	-
	Female	175	1	3	1	-	-	-	11	24	43	29	16	18	8	7	6	3	2	-	2	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	164	8	15	7	3	2	3	3	10	18	12	18	5	9	8	9	7	6	8	8	3	2	-	-	-	-	-
	White.....Male	62	3	8	2	-	1	-	-	4	3	4	8	-	2	2	5	5	2	5	4	2	2	-	-	-	-	-
	Female	47	2	5	3	-	1	2	1	2	5	5	2	1	1	4	3	1	4	2	3	-	-	-	-	-	-	-
	Nonwhite..Male	27	1	-	-	-	-	-	-	2	7	1	5	3	4	1	1	-	-	1	1	-	-	-	-	-	-	-
	Female	28	2	2	2	3	-	1	2	2	3	2	3	1	2	1	-	1	-	-	-	1	-	-	-	-	-	-
27	Dysentery	31	22	-	1	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	White.....Male	18	12	-	1	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	10	-	-	-	-	-	-	-	-	1	1	1	-	-	4	1	1	-	1	-	-	-	-	-	-	-	-
	White.....Male	6	-	-	-	-	-	-	-	-	1	1	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	533	25	3	-	-	-	-	-	3	6	2	11	32	37	60	60	74	86	62	32	27	7	5	-	-	-	1
	White.....Male	296	4	1	-	-	-	-	-	1	1	-	2	12	16	34	28	58	52	38	22	20	4	2	-	-	-	1
	Female	99	7	1	-	-	-	-	-	-	-	2	3	7	5	7	12	9	17	11	8	4	3	3	-	-	-	-
	Nonwhite..Male	102	7	1	-	-	-	-	-	1	4	-	3	12	12	13	16	5	16	9	2	1	-	-	-	-	-	-
	Female	36	7	-	-	-	-	-	-	1	1	-	3	1	4	6	4	2	1	4	-	2	-	-	-	-	-	-
35	Measles	10	5	2	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	24	1	1	1	-	1	3	5	3	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	12	-	1	1	-	1	-	3	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	12	1	-	-	-	-	3	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Continued																											
45-55	Cancer and other malignant tumors....	7,251	6	9	8	4	3	21	6	21	30	52	106	186	317	468	694	940	980	1,013	907	779	411	215	55	9	3	8
	White.....Male....	3,467	1	6	2	2	1	15	4	9	19	20	31	62	100	163	317	470	485	512	492	416	202	105	24	4	1	4
	Female..	3,484	5	2	5	2	2	5	1	12	7	29	62	107	183	268	334	428	464	471	395	355	203	108	27	5	-	4
	Nonwhite..Male....	158	-	1	-	-	-	-	-	-	2	3	2	5	16	20	17	25	19	20	11	8	4	1	2	-	2	-
	Female..	142	-	-	1	-	-	1	1	-	2	-	11	12	18	17	26	17	12	10	9	-	2	1	2	-	-	-
46	Cancer of digestive organs, peritoneum..	3,263	1	1	-	1	-	-	1	2	3	13	21	52	104	158	267	412	476	490	472	418	235	109	20	4	1	2
	White.....Male....	1,789	-	1	-	1	-	-	1	1	2	6	11	28	45	84	147	247	271	272	265	234	117	46	5	3	1	1
	Female..	1,367	1	-	-	-	-	-	-	1	-	7	9	20	46	63	103	143	193	204	201	181	116	63	14	1	-	1
	Nonwhite..Male....	73	-	-	-	-	-	-	-	-	-	-	-	2	8	9	9	17	8	11	4	3	1	-	1	-	-	-
	Female..	34	-	-	-	-	-	-	-	-	1	-	1	2	5	2	8	5	4	3	2	-	1	-	-	-	-	-
48,49	Cancer of female genital organs.....	932	-	-	-	-	-	-	-	-	1	8	33	55	78	104	128	139	119	99	74	64	20	9	-	-	-	1
	White.....Female..	874	-	-	-	-	-	-	-	-	1	8	26	51	69	95	122	132	113	93	70	64	20	9	-	-	-	1
	Nonwhite..Female..	58	-	-	-	-	-	-	-	-	-	-	7	4	9	9	6	7	6	6	4	-	-	-	-	-	-	-
50	Cancer of breast.....	667	-	-	-	-	-	-	-	1	-	2	14	27	52	78	63	90	72	94	63	57	38	11	5	-	-	-
	White.....Male....	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	-	1	-	-	-	-	-	-
	Female..	639	-	-	-	-	-	-	-	1	-	2	13	23	48	76	58	84	72	92	62	56	37	10	5	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	21	-	-	-	-	-	-	-	-	-	-	1	4	3	2	4	3	-	1	1	-	1	1	-	-	-	-
45,47, 51-55	Cancer (other sites)..	2,389	5	8	8	3	3	21	5	18	26	23	38	52	83	128	236	299	313	330	298	240	118	86	30	5	2	5
	White.....Male....	1,671	1	5	2	1	1	15	3	8	17	14	20	34	54	79	169	220	214	239	227	181	85	59	19	1	-	3
	Female..	604	4	2	5	2	2	5	1	10	6	12	14	13	20	34	51	69	86	82	62	54	30	26	8	4	-	3
	Nonwhite..Male....	85	-	1	-	-	-	-	-	-	2	3	2	3	8	11	8	8	11	9	7	5	3	1	1	-	3	-
	Female..	29	-	-	1	-	-	1	1	-	1	-	2	2	1	4	8	2	2	-	2	-	-	-	2	-	-	-
58	Acute rheumatic fever.....	46	-	-	1	-	2	7	6	5	4	9	1	4	1	2	-	1	1	-	-	1	1	-	-	-	-	-
	White.....Male....	22	-	-	1	-	-	2	3	4	1	5	-	2	-	2	-	1	1	-	-	-	-	-	-	-	-	-
	Female..	16	-	-	-	-	1	3	2	1	3	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite..Male....	6	-	-	-	-	1	1	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	1,556	-	1	-	-	2	3	8	7	11	21	15	19	31	53	111	170	226	249	268	217	103	36	4	1	-	-
	White.....Male....	515	-	-	-	-	2	1	3	1	4	12	6	11	13	16	34	62	68	76	76	77	38	13	2	-	-	-
	Female..	969	-	1	-	-	-	2	5	6	7	9	9	5	9	27	61	102	150	166	188	135	63	21	3	1	-	-
	Nonwhite..Male....	21	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	3	-	3	2	2	2	-	-	-	-	-
	Female..	51	-	-	-	-	-	-	-	-	-	-	-	2	7	7	13	3	8	4	2	3	-	2	-	-	-	-
63b	Exophthalmic goiter..	129	-	-	-	-	-	-	-	2	4	3	2	2	6	10	14	18	20	18	16	8	3	2	1	-	-	-
	White.....Male....	23	-	-	-	-	-	-	-	-	3	-	1	-	1	2	4	1	1	5	3	-	1	-	1	-	-	-
	Female..	101	-	-	-	-	-	-	-	2	1	3	-	2	4	8	9	17	18	12	13	8	2	2	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	41	-	-	-	-	-	-	-	-	-	1	-	3	3	10	3	10	8	1	1	1	-	-	-	-	-	-
	White.....Male....	35	-	-	-	-	-	-	-	-	-	-	-	3	2	7	3	9	8	1	1	1	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	5,285	8	1	2	3	2	2	1	8	8	11	29	55	95	156	332	426	509	714	849	914	657	355	117	30	-	1
	White.....Male....	2,480	6	1	2	2	2	1	-	5	3	5	15	22	29	61	138	196	250	345	419	467	289	168	51	12	-	1
	Female..	2,578	2	-	-	1	-	1	1	3	5	6	10	24	43	74	157	199	236	351	403	429	357	196	64	16	-	-
	Nonwhite..Male....	100	-	-	-	-	-	-	-	-	-	-	2	4	10	8	16	12	10	7	10	10	8	1	-	2	-	-
	Female..	127	-	-	-	-	-	-	-	-	-	-	2	5	13	13	21	19	13	11	17	8	3	-	2	-	-	-
90-95	Diseases of the heart.....	17,488	5	5	3	-	4	13	18	44	67	76	135	273	501	834	1,227	1,707	1,984	2,285	2,464	2,488	1,859	1,081	337	63	7	8
	White.....Male....	10,052	3	2	2	-	2	4	8	27	27	32	66	140	307	542	834	1,160	1,299	1,389	1,354	1,279	928	463	151	27	2	4
	Female..	6,571	1	2	1	-	2	8	9	14	28	33	49	91	121	178	275	431	597	824	1,045	1,155	900	594	174	33	4	2
	Nonwhite..Male....	472	-	1	-	-	-	-	1	-	4	4	10	21	30	60	76	76	41	38	41	35	13	13	6	1	-	1
	Female..	393	1	-	-	-	-	1	-	3	8	7	10	21	43	54	42	40	47	34	24	19	18	11	6	2	1	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	999	-	1	1	-	2	6	14	27	35	39	37	62	59	76	89	80	74	99	93	81	69	44	9	1	1	-
	White.....Male....	485	-	-	1	-	2	2	5	15	15	17	18	30	33	33	52	45	31	51	52	42	21	14	6	-	-	-
	Female..	454	-	1	-	-	-	3	8	11	14	18	16	28	24	31	34	28	37	43	39	39	48	28	2	1	1	-
	Nonwhite..Male....	31	-	-	-	-	-	-	1	-	2	2	2	1	1	7	3	4	2	3	1	-	-	1	1	-	-	-
	Female..	29	-	-	-	-	-	1	-	1	4	2	1	3	1	5	-	3	4	2	1	-	-	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	5,911	2	1	-	-	1	1	1	2	6	3	41	103	247	400	590	815	851	860	789	634	364	159	39	1	-	1
	White.....Male....	4,141	2	1	-	-	-	-	-	2	1	2	27	66	186	308	475	645	632	603	506	380	203	84	17	-	-	1
	Female..	1,601	-	-	-	-	1	1	1	-	3	1	10	23	43	69	90	147	205	245	273	242	156	69	21	1	-	-
	Nonwhite..Male....	111	-	-	-	-	-	-	-	-	2	-	2	7	7	16	17	17	9	9	7	7	4	6	1	-	-	-
	Female..	58	-	-	-	-	-	-	-	-	-	-	2	7	11	7	8	6	5	3	3	5	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	10,578	3	3	2	-	1	6	3	15	26	34	57	108	195	358	548	812	1,059	1,326	1,582	1,773	1,426	878	289	61	6	7
	White.....Male....	5,426	1	1	1	-	-	2	3	10	11	13	21	44	88	201	307	470	636	735	796	857	704	365	128	27	2	3
	Female..	4,516	1	1	1	-	1	4	-	3	11	14	23	40	54	78	151	256	355	536	733	874	696	497	151	31	3	2
	Nonwhite..Male....	330	-	1	-	-	-	-	-	-	-	2	6	13	22	37	56	55	30	26	33	28	9	6	4	1	-	1
	Female..	306	1	-	-	-	-	-	-	2	4	5	7	11	31	42	34	31	38	29	20	14	17	10	6	2	1	1

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	2,130	491	74	36	11	13	28	12	24	20	28	46	58	73	78	106	135	140	160	145	172	132	95	41	12	-	-
	White.....Male	1,137	242	45	20	6	5	13	9	14	8	5	17	28	41	43	63	87	84	102	80	91	59	53	18	4	-	-
	Female	773	199	26	13	5	6	12	2	8	6	17	15	20	14	14	21	34	46	48	58	68	70	40	21	7	-	-
	Nonwhite..Male	139	28	2	2	-	1	1	-	-	3	4	10	5	12	13	15	13	8	7	5	6	2	1	1	-	-	-
	Female	81	22	1	1	-	1	2	1	2	3	2	4	5	6	8	4	1	2	3	2	7	1	1	1	1	-	-
107	Bronchopneumonia	876	279	31	18	5	8	13	2	8	6	8	6	11	15	23	35	40	46	57	58	73	56	46	24	8	-	-
	White.....Male	472	134	21	9	2	3	8	2	5	5	3	2	7	6	10	23	21	31	41	33	42	22	27	13	2	-	-
	Female	326	110	8	8	3	4	4	-	3	1	3	2	3	6	6	8	13	13	16	23	27	32	18	10	5	-	-
	Nonwhite..Male	45	18	2	1	-	-	1	-	-	-	1	2	1	2	2	4	6	1	-	1	1	1	1	-	-	-	-
	Female	33	17	-	-	-	1	-	-	-	-	1	-	-	1	5	-	-	1	-	1	3	1	-	1	1	-	-
108	Lobar pneumonia	781	75	11	10	2	4	8	6	9	12	17	24	35	42	43	58	65	73	80	60	60	50	27	10	-	-	-
	White.....Male	415	31	6	7	1	2	2	4	3	3	2	8	18	24	29	33	48	42	50	31	28	24	15	4	-	-	-
	Female	253	34	5	2	1	1	5	1	4	3	12	8	8	4	4	12	11	25	21	24	26	25	12	5	-	-	-
	Nonwhite..Male	75	8	-	-	-	1	-	-	-	3	2	4	4	9	8	10	5	6	6	4	3	1	-	1	-	-	-
	Female	38	2	-	1	-	-	1	1	2	3	1	4	5	5	2	3	1	-	3	1	3	-	-	-	-	-	-
109	Pneumonia (unspecified)	270	102	13	1	2	-	2	1	5	1	2	10	4	14	3	7	15	10	13	14	25	10	11	4	1	-	-
	White.....Male	154	60	6	1	2	-	-	-	4	-	-	6	1	11	3	4	10	5	7	8	14	6	5	-	1	-	-
	Female	103	41	7	-	-	-	1	1	1	1	1	2	3	2	-	2	4	4	6	6	8	4	5	4	-	-	-
	Nonwhite..Male	8	1	-	-	-	-	-	-	-	-	1	2	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-
	Female	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-
33	Influenza	203	35	19	7	2	1	5	3	2	1	1	6	8	2	9	6	15	11	10	13	14	16	11	3	3	-	-
	White.....Male	96	17	12	3	1	-	3	3	2	-	-	1	2	-	1	3	8	6	4	8	7	7	6	1	1	-	-
	Female	91	14	6	3	1	1	2	-	-	1	1	3	6	2	4	2	6	4	5	5	7	9	5	2	2	-	-
	Nonwhite..Male	11	1	-	1	-	-	-	-	-	-	-	2	-	-	3	1	1	1	1	-	-	-	-	-	-	-	-
	Female	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	394	4	-	-	-	-	-	-	1	4	7	11	20	28	31	68	50	68	34	30	20	12	6	-	-	-	-
	White.....Male	323	-	-	-	-	-	-	-	1	3	5	9	18	22	24	59	45	58	30	19	15	11	4	-	-	-	-
	Female	48	3	-	-	-	-	-	-	-	-	2	2	-	3	6	6	2	5	3	10	3	1	2	-	-	-	-
	Nonwhite..Male	19	1	-	-	-	-	-	-	-	1	-	-	-	2	1	3	3	4	1	1	2	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	333	245	13	4	1	1	2	1	3	2	6	-	4	2	2	6	6	6	9	9	6	1	3	-	-	1	-
	White.....Male	183	142	6	2	-	-	1	-	2	1	2	-	2	2	-	4	3	2	3	5	3	1	1	-	-	1	-
	Female	136	91	7	1	1	1	1	1	1	1	4	-	2	-	1	2	3	4	6	4	3	-	2	-	-	-	-
	Nonwhite..Male	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	10	8	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	235	2	2	6	4	1	13	12	15	13	11	16	15	16	17	27	22	13	11	11	3	4	1	-	-	-	-
	White.....Male	123	1	2	1	-	1	7	6	8	4	5	9	6	7	13	19	13	8	6	4	2	1	-	-	-	-	-
	Female	89	1	-	5	4	-	6	4	6	9	4	5	7	7	-	5	6	5	4	6	1	3	1	-	-	-	-
	Nonwhite..Male	16	-	-	-	-	-	-	2	1	-	2	1	1	1	2	3	2	-	1	-	-	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	464	20	2	2	2	2	3	3	3	8	12	18	16	21	20	33	44	39	54	59	40	37	23	2	-	-	1
	White.....Male	231	12	1	1	1	2	3	2	1	4	6	4	5	5	9	19	24	21	29	28	26	17	11	-	-	-	-
	Female	202	7	1	1	1	-	-	1	2	4	5	10	6	12	10	10	19	15	23	29	13	19	12	2	-	-	-
	Nonwhite..Male	13	1	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	3	1	1	1	1	-	-	-	-	1
	Female	18	-	-	-	-	-	-	-	-	-	1	4	3	3	1	3	1	-	1	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver	535	-	1	-	-	-	-	1	2	-	6	15	29	46	67	73	59	66	62	49	33	21	4	1	-	-	-
	White.....Male	348	-	-	-	-	-	-	1	2	-	3	9	19	31	44	45	37	47	44	32	20	11	2	1	-	-	-
	Female	160	-	1	-	-	-	-	-	-	-	3	5	7	10	18	24	20	17	16	16	11	10	2	-	-	-	-
	Nonwhite..Male	17	-	-	-	-	-	-	-	-	-	-	1	-	2	4	4	1	2	1	1	1	-	-	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	3	3	1	-	1	-	1	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	257	-	-	-	-	-	-	-	1	2	1	6	6	13	18	33	35	42	33	22	22	8	11	4	-	-	-
	White.....Male	76	-	-	-	-	-	-	-	-	1	-	-	1	4	4	9	10	12	10	8	7	4	5	1	-	-	-
	Female	174	-	-	-	-	-	-	-	1	1	1	5	4	9	13	22	25	29	23	13	15	4	6	3	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-
130-132	Nephritis	2,632	3	2	8	2	1	3	10	24	26	29	47	60	91	130	175	210	233	309	381	374	282	165	55	9	1	2
	White.....Male	1,394	1	1	7	1	1	1	3	12	12	15	24	25	35	64	85	122	149	151	212	194	149	100	22	6	1	1
	Female	1,076	1	1	1	1	-	2	7	7	11	12	13	27	35	39	77	72	71	144	159	171	129	64	30	1	-	1
	Nonwhite..Male	71	-	-	-	-	-	-	-	3	2	-	1	2	9	13	5	2	6	8	9	5	3	-	2	1	-	-
	Female	91	1	-	-	-	-	-	-	2	1	2	9	6	12	14	8	14	7	6	1	4	1	1	1	1	-	-
137	Diseases of the prostate	279	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	17	23	34	56	59	56	25	3	-	1	-
	White.....Male	268	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	16	20	32	55	58	55	24	3	-	1	-
	Nonwhite..Male	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	1	1	1	-	-	-	-

* Refer to International List for complete title, table V, Part I.

747801 O - 47 - 18

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Continued																											
140-150	Diseases of pregnancy, etc.*....	165	-	-	-	-	-	-	-	15	34	37	38	26	14	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	141	-	-	-	-	-	-	-	13	28	33	29	23	14	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	24	-	-	-	-	-	-	-	2	6	4	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	52	-	-	-	-	-	-	-	5	14	12	11	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	48	-	-	-	-	-	-	-	4	13	12	9	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	4	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	41	-	-	-	-	-	-	-	3	7	11	9	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	34	-	-	-	-	-	-	-	2	6	11	6	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	7	-	-	-	-	-	-	-	1	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	59	-	-	-	-	-	-	-	5	11	12	16	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	47	-	-	-	-	-	-	-	5	8	8	12	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	12	-	-	-	-	-	-	-	-	3	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	13	-	-	-	-	-	-	-	2	2	2	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	12	-	-	-	-	-	-	-	2	1	2	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	853	725	30	15	8	11	15	7	9	6	5	2	7	2	4	2	2	2	1	-	-	-	-	-	-	-	-
	White.....Male....	433	371	13	8	5	5	10	3	5	3	2	1	2	1	2	-	1	1	-	-	-	-	-	-	-	-	-
	Female..	383	329	16	6	2	4	4	4	1	3	2	1	4	1	2	2	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	15	12	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	22	13	1	1	-	1	1	-	2	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	2,036	2,036	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	1,057	1,057	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	793	793	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	107	107	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	79	79	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	1,351	1,351	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	702	702	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	536	536	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	66	66	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	685	685	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	355	355	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	257	257	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	41	41	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	32	32	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	556	-	-	-	-	-	-	-	11	18	29	42	51	48	63	63	63	53	41	25	27	15	4	1	-	-	2
	White.....Male....	407	-	-	-	-	-	-	-	10	9	20	23	38	38	42	45	49	40	35	19	20	13	3	1	-	-	2
	Female..	135	-	-	-	-	-	-	-	1	8	6	14	12	9	21	17	14	13	5	6	6	2	1	-	-	-	-
	Nonwhite..Male....	13	-	-	-	-	-	-	-	-	1	3	4	1	1	-	1	-	-	1	-	1	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	205	2	-	1	1	-	1	2	12	16	28	33	24	34	21	7	8	8	6	-	1	-	-	-	-	-	-
	White.....Male....	68	1	-	1	-	-	-	1	3	3	9	8	5	12	8	2	6	4	4	-	1	-	-	-	-	-	-
	Female..	33	1	-	-	1	-	1	1	-	4	3	7	3	6	3	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	91	-	-	-	-	-	-	-	7	6	16	13	14	15	10	4	2	3	1	-	-	-	-	-	-	-	-
	Female..	13	-	-	-	-	-	-	-	2	3	-	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	3,512	96	74	55	43	38	155	129	196	186	160	163	154	142	164	174	204	209	191	224	248	244	169	72	18	-	4
	White.....Male....	2,267	42	38	33	28	24	110	96	148	129	118	123	112	102	114	133	155	153	143	130	138	105	56	26	7	-	4
	Female..	1,103	38	33	19	15	11	39	29	40	45	36	29	29	28	35	30	42	52	48	93	107	137	113	45	10	-	-
	Nonwhite..Male....	103	7	1	3	-	2	5	4	4	7	6	7	11	12	13	9	6	4	-	-	-	1	-	1	-	-	-
	Female..	39	9	2	-	-	1	1	-	4	5	-	4	2	-	2	2	1	-	-	1	3	1	-	-	1	-	-
170	Motor-vehicle accidents.....	1,218	3	17	9	8	17	67	47	92	109	79	89	64	56	63	89	88	90	72	63	57	30	7	-	-	-	2
	White.....Male....	905	2	10	6	6	11	51	32	63	68	60	68	46	40	43	67	71	72	59	50	50	20	5	-	-	-	2
	Female..	273	-	7	3	2	6	13	15	25	36	17	19	14	11	15	17	16	15	13	12	7	8	2	-	-	-	-
	Nonwhite..Male....	32	-	-	-	-	-	3	-	-	3	2	1	3	5	5	5	1	3	-	-	-	1	-	-	-	-	-
	Female..	8	1	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
169, 171-195	Other accidents.....	2,294	93	57	46	35	21	88	82	104	77	81	74	90	86	101	85	116	119	119	161	191	214	162	72	18	-	2
	White.....Male....	1,362	40	28	27	22	13	59	64	82	61	58	55	66	62	71	66	84	81	84	80	88	85	51	26	7	-	2
	Female..	830	38	26	16	13	5	26	14	15	9	19	10	15	17	20	13	26	37	35	81	100	129	111	45	10	-	-
	Nonwhite..Male....	71	7	1	3	-	2	2	4	4	4	4	6	8	7	8	4	5	1	-	-	-	-	-	1	-	-	-
	Female..	31	8	2	-	-	1	1	-	3	3	-	3	1	-	2	2	1	-	-	-	3	-	-	-	1	-	-
162,199, 200	Senility, ill-defined and unknown causes..	708	18	3	3	1	-	5	2	2	4	8	5	14	16	32	24	32	40	58	64	81	101	103	59	27	3	3
	White.....Male....	371	9	2	1	-	-	3	1	-	1	4	2	5	7	20	13	23	27	40	33	46	46	53	19	13	2	1
	Female..	321	9	1	2	1	-	2	1	2	3	4	3	6	7	8	11	9	12	18	31	33	53	49	40	14	1	1
	Nonwhite..Male....	13	-	-	-	-	-	-	-	-	-	-	-	1	2	4	-	-	1	-	-	2	2	-	-	-	-	1
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	All other causes.....	4,312	266	59	39	27	28	69	59	69	89	105	129	163	190	200	282	300	282	306	392	424	396	297	105	28	4	4
	White.....Male....	2,146	132	32	21	11	14	41	30	29	42	40	49	65	83	83	152	171	147	173	213	217	191	145	45	15	2	3
	Female..	1,882	106	24	15	15	14	24	27	36	31	47	50	70	83	90	103	114	115	126	173	201	199	149	59	10	1	1
	Nonwhite..Male....	142	20	2	1	-	-	2	1	2	8	3	14	10	14	13	12	8	10	5	3	4	3	2	2	2	1	-
	Female..	142	8	1	2	1	-	2	1	2	8	15	16	18	10	14	15	7	10	2	3	2	3	1	-	1	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA																											
	ALL CAUSES	26,763	1,698	129	101	55	62	203	193	224	257	307	367	493	643	973	1,452	1,967	2,444	2,883	3,277	3,436	3,000	1,829	623	123	19	5
	White.....Male	15,360	970	67	53	28	28	120	122	143	134	167	199	273	368	518	911	1,213	1,510	1,720	1,953	1,935	1,585	970	285	46	7	5
	Female	11,035	679	52	38	22	30	79	65	75	109	130	160	210	260	413	514	724	902	1,140	1,286	1,473	1,398	854	336	76	10	-
	Nonwhite..Male	200	27	5	8	2	2	3	4	3	5	7	4	5	8	6	17	21	18	10	14	16	11	1	1	1	1	-
	Female	168	22	5	2	3	2	1	2	3	9	3	4	5	7	6	10	9	14	13	24	12	6	4	1	-	1	-
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	18	3	1	2	2	1	2	-	-	1	-	1	-	4	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	12	2	-	-	1	1	2	-	-	1	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	11	-	-	-	-	1	4	2	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	4	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	7	-	-	-	-	1	2	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	26	18	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	10	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	13	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	20	-	-	1	-	4	5	2	1	-	-	-	2	-	1	-	1	2	-	1	-	-	-	-	-	-	-
	White.....Male	13	-	-	1	-	2	2	1	1	-	-	-	2	-	1	-	1	1	-	1	-	-	-	-	-	-	-
	Female	7	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	621	2	4	2	2	-	4	11	8	33	49	48	48	51	46	60	60	49	62	42	25	14	1	-	-	-	-
	White.....Male	366	2	3	-	1	-	1	4	3	8	20	16	22	31	27	45	46	36	52	26	15	7	1	-	-	-	-
	Female	215	-	-	1	-	-	3	4	3	20	24	29	24	15	18	13	12	12	8	12	10	7	-	-	-	-	-
	Nonwhite..Male	20	-	-	1	-	-	-	2	-	1	3	2	2	2	-	1	2	-	2	2	-	-	-	-	-	-	-
	Female	20	-	1	-	1	-	-	1	2	4	2	1	-	3	1	1	-	1	-	2	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	563	-	3	1	1	-	1	8	8	33	44	45	41	50	41	51	57	44	58	40	23	13	1	-	-	-	-
	White.....Male	333	-	2	-	-	-	-	2	3	8	18	14	19	31	24	40	43	33	49	25	14	7	1	-	-	-	-
	Female	193	-	-	1	-	-	1	3	3	20	22	28	21	14	16	9	12	10	7	11	9	6	-	-	-	-	-
	Nonwhite..Male	17	-	-	-	-	-	-	2	-	1	2	2	1	2	-	1	2	-	2	2	-	-	-	-	-	-	-
	Female	20	-	1	-	1	-	-	1	2	4	2	1	-	3	1	1	-	1	-	2	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	58	2	1	1	1	-	3	3	-	-	5	3	7	1	5	9	3	5	4	2	2	1	-	-	-	-	-
	White.....Male	33	2	1	-	1	-	1	2	-	-	2	2	3	-	3	5	3	3	3	1	1	-	-	-	-	-	-
	Female	22	-	-	-	-	-	2	1	-	-	2	1	3	1	2	4	-	2	1	1	1	1	-	-	-	-	-
	Nonwhite..Male	3	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	7	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-
	White.....Male	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	173	4	-	-	1	-	-	-	1	4	-	2	4	8	18	24	27	37	14	12	9	7	1	-	-	-	-
	White.....Male	119	3	-	-	1	-	-	-	-	1	-	-	2	5	11	20	18	28	11	8	6	4	1	-	-	-	-
	Female	40	-	-	-	-	-	-	-	1	2	-	2	1	2	5	3	5	7	2	4	3	3	-	-	-	-	-
	Nonwhite..Male	11	1	-	-	-	-	-	-	-	1	-	-	-	1	1	1	3	2	1	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
35	Measles	5	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	29	-	-	-	-	-	7	5	9	1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	20	-	-	-	-	-	5	3	7	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	9	-	-	-	-	-	2	2	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Continued																											
45-55	Cancer and other malignant tumors....	3,893	2	4	4	1	6	6	9	10	11	24	38	55	104	210	292	403	520	528	566	526	373	170	26	5	-	-
	White.....Male....	1,998	2	3	-	-	2	4	3	3	4	12	16	14	32	74	119	178	260	292	337	303	219	105	13	3	-	-
	Female..	1,871	-	1	4	1	4	2	6	7	7	11	22	41	71	134	170	222	257	235	225	218	153	65	13	2	-	-
	Nonwhite..Male....	14	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	2	1	-	3	1	-	-	-	-	-
	Female..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	4	2	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	1,883	-	1	-	-	-	-	-	2	3	8	6	16	38	73	107	181	253	282	306	296	207	89	12	3	-	-
	White.....Male....	1,069	-	1	-	-	-	-	-	1	1	5	2	3	20	36	59	96	152	177	185	160	115	48	6	2	-	-
	Female..	804	-	-	-	-	-	-	-	1	2	2	4	13	18	36	46	85	100	104	120	133	92	41	6	1	-	-
	Nonwhite..Male....	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
48,49	Cancer of female genital organs.....	357	-	-	-	-	-	1	-	-	1	4	8	10	21	44	50	49	49	42	32	30	14	1	-	1	-	-
	White.....Female..	354	-	-	-	-	-	1	-	-	1	4	8	10	21	44	50	49	49	42	30	29	14	1	-	1	-	-
	Nonwhite..Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
50	Cancer of breast.....	408	-	-	-	-	-	-	-	-	1	2	7	12	19	38	56	50	64	52	35	29	26	14	3	-	-	-
	White.....Male....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	2	-	-	-	-	-
	Female..	400	-	-	-	-	-	-	-	-	1	2	7	12	19	37	56	49	63	50	34	29	24	14	3	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	1,245	2	3	4	1	6	5	9	8	6	10	17	17	26	55	79	123	154	152	193	171	126	66	11	1	-	-
	White.....Male....	923	2	2	-	-	2	4	3	2	3	7	14	11	12	37	60	82	108	113	151	143	102	57	7	1	-	-
	Female..	313	-	1	4	1	4	1	6	6	3	3	3	6	13	17	18	39	45	39	41	27	23	9	4	-	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	-	1	1	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	28	-	-	1	-	-	7	4	2	4	3	2	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-
	White.....Male....	16	-	-	-	-	-	4	2	2	2	1	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	Female..	12	-	-	1	-	-	3	2	-	2	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	782	-	-	1	-	-	5	2	4	9	8	9	11	13	18	34	67	107	126	138	122	73	31	3	1	-	-
	White.....Male....	306	-	-	1	-	-	4	-	1	2	4	7	6	3	6	13	22	35	51	54	44	37	14	1	1	-	-
	Female..	468	-	-	-	-	-	1	2	3	6	4	2	5	10	12	21	44	70	73	82	78	36	17	2	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	61	-	-	-	-	-	-	-	-	-	1	2	1	3	5	5	6	10	13	10	4	1	-	-	-	-	-
	White.....Male....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	-	2	1	1	-	-	-	-	-
	Female..	47	-	-	-	-	-	-	-	-	-	-	2	1	3	4	4	5	5	12	8	3	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	38	-	-	-	-	-	-	-	-	-	-	2	3	4	6	6	6	8	2	1	-	-	-	-	-	-	-
	White.....Male....	34	-	-	-	-	-	-	-	-	-	-	1	3	4	6	6	5	7	1	1	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	2,782	2	1	-	-	-	3	1	3	-	2	8	11	35	65	136	213	235	357	443	499	434	239	78	14	3	-
	White.....Male....	1,407	2	1	-	-	-	2	-	1	-	2	4	5	12	21	68	120	130	172	259	261	206	106	31	3	1	-
	Female..	1,350	-	-	-	-	-	1	1	2	-	-	4	6	23	44	67	90	103	181	178	234	224	132	47	11	2	-
	Nonwhite..Male....	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	2	2	-	-	-	-	-
	Female..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	4	2	2	1	-	-	-	-
90-95	Diseases of the heart.....	8,336	3	1	2	1	2	9	14	16	21	24	54	84	135	264	459	643	853	1,087	1,231	1,329	1,141	699	226	34	4	-
	White.....Male....	5,156	1	-	2	-	2	4	8	12	13	12	25	55	101	203	346	461	582	705	753	764	622	369	97	17	2	-
	Female..	3,106	2	1	-	1	-	5	6	4	8	12	29	28	29	60	105	172	262	373	463	556	514	330	128	17	1	-
	Nonwhite..Male....	34	-	-	-	-	-	4	2	2	5	3	14	10	6	11	16	25	20	31	21	25	27	17	4	2	-	-
	Female..	40	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	5	4	6	11	4	3	-	-	-	1	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	526	-	-	-	-	1	7	6	8	11	5	24	19	14	33	39	43	42	68	45	59	62	32	6	2	-	-
	White.....Male....	279	-	-	-	-	1	3	4	6	6	2	10	9	8	22	22	17	22	37	24	34	35	15	2	-	-	-
	Female..	245	-	-	-	-	-	4	2	2	5	3	14	10	6	11	16	25	20	31	21	25	27	17	4	2	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	3,511	1	-	-	-	1	1	-	2	2	8	7	30	73	147	261	363	441	538	540	513	340	181	54	8	-	-
	White.....Male....	2,448	-	-	-	-	1	-	-	2	1	4	3	21	62	126	226	285	330	370	353	328	201	103	28	4	-	-
	Female..	1,047	1	-	-	-	-	1	-	-	1	4	4	8	9	21	34	77	110	166	182	183	138	78	26	4	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	2	1	1	-	-	-	-	-
	Female..	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	3	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	4,299	2	1	2	1	-	1	8	6	8	11	23	35	48	84	159	237	370	481	646	757	739	486	166	24	4	-
	White.....Male....	2,429	1	-	2	-	-	1	4	4	6	6	12	25	31	55	98	159	230	298	376	402	386	251	67	13	2	-
	Female..	1,814	1	1	-	1	-	-	4	2	2	5	11	10	14	28	55	70	132	176	260	348	349	235	98	11	1	-
	Nonwhite..Male....	24	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	4	2	2	4	1	-	1	-	-	-
	Female..	32	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	4	5	8	3	3	-	-	-	1	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,363	178	28	15	7	7	14	15	14	12	8	12	26	26	40	41	62	65	101	131	167	186	136	64	5	3	-
	White.....Male	783	95	10	11	5	3	4	8	9	5	4	7	13	15	31	26	50	43	64	87	91	92	73	32	3	2	-
	Female	549	72	16	2	1	3	8	7	5	7	3	5	12	10	8	13	12	22	36	43	75	91	63	32	2	1	-
	Nonwhite..Male	17	6	1	2	-	-	2	-	-	-	-	-	1	-	-	1	-	-	-	1	1	2	-	-	-	-	-
	Female	14	5	1	-	1	1	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-	1	-	-	-	-	-
107	Bronchopneumonia	663	95	16	8	3	4	7	6	3	2	1	3	13	8	10	21	18	24	38	54	93	118	76	37	2	3	-
	White.....Male	355	49	7	6	2	1	2	4	2	1	1	1	6	4	6	13	14	17	21	39	46	56	40	15	-	2	-
	Female	293	40	8	1	-	3	3	2	1	1	-	2	7	4	3	8	4	7	17	14	46	61	36	22	2	1	-
	Nonwhite..Male	10	3	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	Female	5	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	447	36	5	4	2	2	2	2	7	8	4	7	12	11	27	16	35	31	50	52	51	37	32	14	-	-	-
	White.....Male	287	18	1	3	2	1	2	1	5	4	2	5	6	8	23	10	29	20	36	29	33	21	18	10	-	-	-
	Female	148	15	3	-	-	-	-	1	2	4	1	2	5	3	4	4	6	11	13	23	18	15	14	4	-	-	-
	Nonwhite..Male	7	3	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Female	5	-	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	87	20	2	-	1	-	1	1	-	-	-	1	-	2	1	1	-	4	4	13	10	12	10	2	2	-	-
	White.....Male	53	13	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-	4	2	9	6	7	8	2	2	-	-
	Female	28	6	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	2	4	4	5	2	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	166	27	5	3	1	1	4	6	4	2	3	1	1	5	2	3	9	6	9	12	13	19	18	11	1	-	-
	White.....Male	83	15	1	2	1	1	-	3	2	-	1	1	1	1	1	2	7	2	5	10	6	8	7	5	1	-	-
	Female	80	11	4	1	-	-	4	3	2	2	2	-	-	3	1	1	2	4	4	2	7	10	11	6	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	175	1	-	-	1	-	-	-	-	1	-	3	7	11	9	17	28	22	23	16	21	8	7	-	-	-	-
	White.....Male	143	1	-	-	-	-	-	-	-	-	-	3	6	10	9	16	25	19	17	14	14	6	3	-	-	-	-
	Female	28	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	2	2	5	2	7	2	4	-	-	-	-
	Nonwhite..Male	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	121	68	6	1	1	-	1	2	2	-	-	2	2	2	4	2	2	3	4	8	4	3	3	1	-	-	-
	White.....Male	73	42	5	-	1	-	1	1	1	-	-	2	2	-	2	2	-	2	2	5	1	-	3	1	-	-	-
	Female	44	23	1	-	-	-	-	1	1	-	-	-	-	2	2	-	2	1	2	3	3	3	-	-	-	-	-
	Nonwhite..Male	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	119	-	2	2	1	2	6	5	5	5	3	3	6	5	7	2	18	14	9	12	7	2	2	1	-	-	-
	White.....Male	78	-	1	1	1	1	1	4	3	3	1	2	4	3	5	1	11	12	6	8	6	2	1	1	-	-	-
	Female	37	-	1	1	-	1	5	-	2	1	2	1	2	2	2	-	6	2	3	4	1	-	1	-	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	221	11	-	1	1	3	1	1	3	1	-	4	6	7	9	14	20	23	26	25	20	23	14	7	-	1	-
	White.....Male	118	6	-	1	-	2	-	1	3	-	-	2	2	1	2	9	15	10	19	14	11	10	5	5	-	-	-
	Female	101	5	-	-	1	1	1	-	-	1	-	2	4	6	7	5	5	12	7	11	9	12	9	2	-	1	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	193	3	-	-	-	-	1	-	2	1	4	5	7	15	17	25	18	33	23	18	10	9	1	-	1	-	-
	White.....Male	122	-	-	-	-	-	1	-	1	-	1	2	4	10	11	17	15	25	14	11	5	4	1	-	-	-	-
	Female	69	3	-	-	-	-	-	-	1	1	3	3	2	5	6	7	3	8	9	7	5	5	-	-	1	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	198	-	-	-	-	-	-	-	-	-	2	3	2	7	10	14	19	23	31	21	24	27	13	2	-	-	-
	White.....Male	69	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	5	6	12	10	7	11	6	-	-	-	-
	Female	128	-	-	-	-	-	-	-	-	-	2	3	1	6	5	9	14	16	19	11	17	16	7	2	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	978	2	-	2	-	1	1	4	12	11	18	7	17	29	39	53	66	83	101	122	147	131	90	30	10	1	1
	White.....Male	558	1	-	1	-	1	-	1	5	8	16	4	7	17	19	34	34	49	63	71	81	71	56	15	3	-	1
	Female	411	1	-	1	-	-	1	3	7	3	2	2	9	11	19	17	31	32	38	51	66	60	34	15	7	1	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	197	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	14	26	38	41	36	26	11	1	1	-
	White.....Male	197	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	14	26	38	41	36	26	11	1	1	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Continued																											
140-150	Diseases of pregnancy, etc.*....	75	-	-	-	-	-	-	-	5	15	19	7	20	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	73	-	-	-	-	-	-	-	5	14	19	6	20	6	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	31	-	-	-	-	-	-	-	2	7	8	2	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	30	-	-	-	-	-	-	-	2	7	8	1	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	17	-	-	-	-	-	-	-	3	3	3	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	16	-	-	-	-	-	-	-	3	2	3	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	20	-	-	-	-	-	-	-	-	3	6	2	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	20	-	-	-	-	-	-	-	-	3	6	2	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	7	-	-	-	-	-	-	-	-	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	7	-	-	-	-	-	-	-	-	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	385	307	14	7	2	1	12	8	9	1	5	6	-	5	2	2	2	2	-	-	-	-	-	-	-	-	-
	White.....Male....	209	164	7	4	-	-	6	5	6	1	3	4	-	4	1	2	1	1	-	-	-	-	-	-	-	-	-
	Female..	171	139	7	3	2	-	6	3	3	-	2	2	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	4	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	948	948	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	562	562	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	367	367	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	576	576	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	339	339	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	225	225	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	372	372	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	223	223	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	142	142	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	269	-	-	-	-	-	-	2	7	7	15	27	28	16	26	37	23	21	19	16	16	6	1	1	-	-	1
	White.....Male....	209	-	-	-	-	-	-	1	5	4	11	13	21	13	18	30	19	20	18	12	15	6	1	1	-	-	1
	Female..	59	-	-	-	-	-	-	1	2	3	4	13	7	3	8	7	4	1	1	4	1	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	47	3	-	1	-	-	2	-	3	3	5	2	7	4	4	2	3	5	1	1	-	-	-	-	-	-	1
	White.....Male....	35	2	-	-	-	-	1	-	3	2	2	1	7	3	3	2	3	4	-	1	-	-	-	-	-	-	1
	Female..	10	1	-	1	-	-	1	-	-	1	2	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,883	46	27	34	18	18	74	77	78	74	74	72	83	73	58	94	111	128	122	140	146	167	117	38	12	1	1
	White.....Male....	1,249	24	16	18	12	8	51	60	57	56	57	60	69	61	41	81	95	105	82	79	82	74	45	11	4	-	1
	Female..	592	17	8	12	5	10	22	17	17	13	16	12	12	12	16	11	15	20	40	58	60	93	71	27	8	-	-
	Nonwhite..Male....	28	3	3	2	-	-	-	-	3	2	1	-	-	-	1	2	1	3	-	2	3	-	1	-	-	1	-
	Female..	14	2	-	2	1	-	1	-	1	3	-	-	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-
170	Motor-vehicle accidents.....	480	2	2	7	2	6	27	19	31	36	36	36	32	30	20	32	32	34	29	28	23	14	2	-	-	-	-
	White.....Male....	376	2	2	4	1	3	21	15	23	26	26	31	26	25	16	26	25	29	22	21	18	13	1	-	-	-	-
	Female..	95	-	-	3	1	3	6	4	6	6	10	5	6	5	4	6	7	3	7	7	4	1	1	-	-	-	-
	Nonwhite..Male....	6	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents.....	1,403	44	25	27	16	12	47	58	47	38	38	36	51	43	38	62	79	94	93	112	123	153	115	38	12	1	1
	White.....Male....	873	22	14	14	11	5	30	45	34	30	31	29	43	36	25	55	70	76	60	58	64	61	44	11	4	-	1
	Female..	497	17	8	9	4	7	16	13	11	7	6	7	6	7	12	5	8	17	33	51	56	92	70	27	8	-	-
	Nonwhite..Male....	22	3	3	2	-	-	-	-	1	-	1	-	-	-	1	2	1	1	-	2	3	-	1	-	-	1	-
	Female..	11	2	-	2	1	-	1	-	1	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	288	14	4	-	-	1	1	-	-	1	2	1	1	3	2	7	11	17	12	21	30	48	57	38	15	2	-
	White.....Male....	143	5	2	-	-	-	1	-	-	1	1	1	1	2	2	6	7	10	4	14	19	22	24	17	4	-	-
	Female..	128	7	1	-	-	-	-	-	-	-	1	-	-	1	-	-	4	4	7	7	8	25	31	20	10	2	-
	Nonwhite..Male....	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	1	-	-
	Female..	11	1	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	2	1	-	-	-
	All other causes.....	2,470	78	30	24	16	14	38	29	30	40	38	44	59	75	107	123	156	169	193	262	288	310	221	97	25	3	1
	White.....Male....	1,330	45	17	12	6	6	24	19	20	22	19	25	27	34	46	59	79	105	107	148	167	155	130	49	7	1	1
	Female..	1,111	32	11	10	10	8	13	8	10	18	19	17	31	40	59	61	75	62	86	111	119	153	90	48	18	2	-
	Nonwhite..Male....	16	-	1	2	-	-	1	1	-	-	-	-	-	1	2	2	1	-	-	2	1	2	-	-	-	-	-
	Female..	13	1	1	-	-	-	-	1	-	-	-	2	1	-	-	1	1	2	-	1	1	-	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI																											
	ALL CAUSES	13,355	2,204	249	127	89	84	228	209	415	515	520	592	746	858	1,003	1,222	1,454	1,571	1,830	1,803	1,536	993	633	263	106	87	18
	White.....Male	5,152	477	52	27	19	24	61	51	105	122	119	102	150	172	227	318	406	465	559	597	521	306	187	60	18	1	6
	Female	3,629	388	27	21	17	14	29	20	49	62	71	88	114	125	133	175	225	269	365	409	411	286	222	84	15	7	3
	Nonwhite..Male	5,467	773	103	38	28	25	69	72	123	162	144	175	199	231	297	329	434	451	502	464	360	215	134	55	34	37	3
	Female	5,107	566	67	41	25	21	69	66	138	169	186	227	283	330	346	400	389	376	404	333	244	186	90	64	39	42	6
1,2	Typhoid and paratyphoid fever	18	-	-	-	-	-	-	2	2	3	2	1	2	2	1	1	-	-	1	-	1	-	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	8	-	-	-	-	-	-	2	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	28	8	1	-	-	-	5	3	4	3	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White.....Male	10	4	1	-	-	-	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	11	2	-	-	-	-	-	1	4	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	45	28	8	3	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	18	11	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	17	10	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	41	1	9	9	8	4	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	18	1	5	4	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	-	-	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	10	-	3	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	-	1	2	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	720	7	2	-	1	3	3	12	53	103	88	79	85	49	56	38	42	32	24	24	11	5	2	-	-	-	1
	White.....Male	153	-	-	-	-	1	-	1	2	6	8	10	15	11	21	21	17	16	9	8	3	3	1	-	-	-	-
	Female	75	2	-	-	1	1	1	-	4	4	7	10	6	4	3	3	5	5	7	8	3	-	1	-	-	-	-
	Nonwhite..Male	245	3	2	-	-	1	-	3	21	41	34	30	30	16	21	9	12	6	5	5	3	2	-	-	-	-	1
	Female	247	2	-	-	-	-	2	8	26	52	39	29	34	18	11	5	8	5	3	3	2	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	682	1	1	-	-	2	2	11	50	99	88	73	81	48	54	36	40	30	24	24	11	4	2	-	-	-	1
	White.....Male	151	-	-	-	-	1	-	1	2	6	8	10	15	11	21	20	17	15	9	8	3	3	1	-	-	-	-
	Female	69	-	-	-	-	-	-	-	4	4	7	10	6	4	3	3	4	5	7	8	3	-	1	-	-	-	-
	Nonwhite..Male	227	-	1	-	-	1	-	3	19	39	34	26	28	16	19	9	11	6	5	5	3	1	-	-	-	-	1
	Female	235	1	-	-	-	-	2	7	25	50	39	27	32	17	11	4	8	4	3	3	2	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	38	6	1	-	1	1	1	1	3	4	-	6	4	1	2	2	2	2	-	-	-	1	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Female	6	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	18	3	1	-	-	-	-	-	2	2	-	4	2	-	2	-	1	-	-	-	-	1	-	-	-	-	-
	Female	12	1	-	-	-	-	-	1	1	2	-	2	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery	36	17	4	2	-	-	-	-	1	-	1	1	-	1	-	-	3	1	-	2	1	1	-	1	-	-	-
	White.....Male	10	4	1	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Female	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite..Male	14	8	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	1	-	-	-	-	-
	Female	7	3	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
28	Malaria	37	5	-	1	1	-	1	4	2	-	2	2	3	2	-	3	1	-	1	4	2	2	1	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	6	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	14	-	-	-	1	-	-	2	1	-	1	-	1	1	-	1	1	-	1	1	1	1	1	-	-	-	-
	Female	16	2	-	1	-	-	1	2	1	-	1	-	2	1	-	2	-	-	-	1	1	1	-	-	-	-	-
30	Syphilis	262	38	-	-	-	-	2	3	3	8	5	21	21	36	30	23	26	18	10	11	4	1	-	1	-	1	-
	White.....Male	37	2	-	-	-	-	-	-	-	-	-	2	3	4	6	4	5	2	1	6	2	-	-	-	-	-	-
	Female	8	2	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite..Male	141	23	-	-	-	-	1	-	-	2	3	10	9	19	16	15	17	13	7	3	2	-	-	-	-	1	-
	Female	76	11	-	-	-	-	1	3	3	5	2	9	9	12	6	4	4	3	1	1	-	1	-	1	-	-	-
35	Measles	22	8	3	2	2	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	8	4	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	9	2	1	1	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliocencephalitis (acute)	11	-	1	2	-	-	3	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Continued																											
45-55	Cancer and other malignant tumors....	1,675	4	1	3	4	1	5	5	5	15	13	39	73	111	134	166	203	192	226	182	149	72	47	20	3	-	2
	White.....Male....	488	2	1	1	1	1	3	2	1	3	5	8	13	13	26	36	51	63	80	66	63	31	13	4	1	-	-
	Female..	498	-	-	-	1	-	2	2	-	1	2	11	20	33	37	49	61	54	71	61	49	19	18	6	1	-	-
	Nonwhite..Male....	263	1	-	-	-	-	-	-	3	5	1	9	7	13	20	25	42	34	37	25	18	11	8	4	-	-	-
	Female..	426	1	-	2	2	-	-	1	1	6	5	11	33	52	51	56	49	41	38	30	19	11	8	6	1	-	2
46	Cancer of digestive organs, peritoneum..	664	2	-	-	-	-	2	1	-	6	6	15	21	27	49	60	84	92	107	76	63	31	17	4	-	-	1
	White.....Male....	211	1	-	-	-	-	1	-	-	1	1	4	10	6	12	15	22	28	37	29	28	11	5	-	-	-	-
	Female..	179	-	-	-	-	-	1	-	-	1	1	2	3	5	11	14	20	29	35	21	20	9	6	1	-	-	-
	Nonwhite..Male....	144	-	-	-	-	-	-	-	-	3	1	6	3	5	15	14	26	22	19	12	8	6	3	1	-	-	-
	Female..	130	1	-	-	-	-	-	1	-	1	3	3	5	11	11	17	16	13	16	14	7	5	3	2	-	-	1
48,49	Cancer of female genital organs....	303	-	-	-	-	-	-	-	-	2	3	7	22	47	39	37	40	30	24	20	19	7	4	1	1	-	-
	White.....Female..	114	-	-	-	-	-	-	-	-	-	1	3	7	15	12	12	14	11	12	10	12	3	2	-	-	-	-
	Nonwhite..Female..	189	-	-	-	-	-	-	-	-	2	2	4	15	32	27	25	26	19	12	10	7	4	2	1	1	-	-
50	Cancer of breast....	132	-	-	1	-	-	-	-	-	1	-	5	13	9	13	19	19	6	16	13	6	5	3	2	-	-	1
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	75	-	-	-	-	-	-	-	-	-	-	2	7	6	8	9	13	1	10	11	3	4	1	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	Female..	54	-	-	1	-	-	-	-	-	1	-	3	6	3	5	9	6	5	6	2	3	1	1	1	-	-	1
45,47, 51-55	Cancer (other sites)..	576	2	1	2	4	1	3	4	5	6	4	12	17	28	33	50	60	64	79	73	61	29	23	13	2	-	-
	White.....Male....	275	1	1	1	1	1	2	2	1	2	4	4	3	7	14	20	29	35	43	37	35	20	8	4	1	-	-
	Female..	130	-	-	-	1	-	1	2	-	-	-	4	3	7	6	14	14	13	14	19	14	3	9	5	1	-	-
	Nonwhite..Male....	117	1	-	-	-	-	-	-	3	2	-	3	4	8	5	11	16	12	18	13	10	5	4	2	-	-	-
	Female..	53	-	-	1	2	-	-	-	1	2	-	1	7	6	8	5	1	4	4	4	2	1	2	2	-	-	-
58	Acute rheumatic fever.....	12	-	-	-	-	-	2	5	-	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
61	Diabetes mellitus....	290	-	-	-	-	-	2	5	5	3	7	7	7	17	16	25	33	42	38	38	22	17	5	1	-	-	-
	White.....Male....	82	-	-	-	-	-	1	-	-	-	3	4	3	5	2	10	9	12	13	12	3	3	2	-	-	-	-
	Female..	84	-	-	-	-	-	-	1	2	2	3	1	3	3	4	2	8	13	10	12	10	9	1	-	-	-	-
	Nonwhite..Male....	36	-	-	-	-	-	-	1	1	-	-	2	-	2	1	2	6	3	5	5	5	2	-	1	-	-	-
	Female..	88	-	-	-	-	-	1	3	2	1	1	-	1	7	9	11	10	14	10	9	4	3	2	-	-	-	-
63b	Exophthalmic goiter..	26	-	-	-	-	-	-	-	-	2	2	5	-	2	2	-	5	2	3	-	2	1	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	1	-	2	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	15	-	-	-	-	-	-	-	-	1	2	4	-	2	2	-	2	-	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	56	-	-	-	-	-	-	-	1	1	1	-	2	3	5	4	6	7	10	6	4	3	1	1	1	-	-
	White.....Male....	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	4	-	-	-	-	-	-	-
	Female..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	2	1	1	-	-	-	-
	Nonwhite..Male....	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	-	1	2	-	1	1	-	-
	Female..	24	-	-	-	-	-	-	-	1	1	1	-	1	2	4	3	3	2	4	1	1	-	-	-	-	-	-
77	Alcoholism (ethylism).....	14	-	-	-	-	-	-	-	-	-	-	1	2	2	2	2	2	-	2	1	-	-	-	-	-	-	-
	White.....Male....	11	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	-	2	1	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	1,843	1	1	1	-	-	-	1	3	6	14	16	38	74	112	144	194	207	280	262	222	151	72	28	11	4	1
	White.....Male....	466	1	-	1	-	-	-	-	-	1	-	2	5	7	16	24	47	42	79	84	84	43	20	7	3	-	-
	Female..	426	-	-	-	-	-	-	-	1	2	4	1	7	11	15	28	36	48	46	73	70	48	28	6	2	-	-
	Nonwhite..Male....	392	-	-	-	-	-	-	1	-	2	2	1	9	18	28	28	49	58	74	52	28	23	7	5	4	1	-
	Female..	559	-	1	-	-	-	-	-	2	1	8	12	17	38	53	64	62	59	81	53	40	35	17	10	2	3	1
90-95	Diseases of the heart.....	3,546	-	1	1	1	1	14	13	18	21	26	50	80	139	211	296	345	407	515	511	424	238	149	53	21	8	3
	White.....Male....	1,326	-	1	-	-	1	6	6	5	2	3	8	19	42	71	106	130	168	204	209	181	90	51	17	5	1	-
	Female..	748	-	-	-	-	-	-	2	3	4	3	7	16	17	25	39	49	58	127	125	116	71	59	20	4	1	2
	Nonwhite..Male....	749	-	-	1	-	-	1	1	4	6	6	7	21	32	57	62	83	102	100	105	77	41	27	6	6	4	-
	Female..	723	-	-	-	1	-	7	4	6	9	14	28	24	48	58	89	83	79	84	72	50	36	12	10	6	2	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	452	-	-	-	1	-	7	10	10	9	5	9	17	22	21	29	34	48	46	71	49	37	16	9	1	1	-
	White.....Male....	101	-	-	-	-	-	3	5	4	1	-	2	1	1	4	3	6	8	9	19	16	9	6	4	-	-	-
	Female..	90	-	-	-	-	-	-	1	1	1	1	2	5	5	2	2	6	6	9	17	12	9	7	4	-	-	-
	Nonwhite..Male....	135	-	-	-	-	-	1	1	1	3	-	1	5	4	9	9	12	23	16	19	15	12	3	-	1	-	-
	Female..	126	-	-	-	1	-	3	3	4	4	4	4	6	12	6	15	10	11	12	16	6	7	-	1	-	1	-
94	Diseases of coronary arteries, angina pectoris.....	879	-	-	-	-	1	-	-	1	2	8	15	23	41	68	94	118	105	141	105	91	41	18	3	2	1	1
	White.....Male....	497	-	-	-	-	1	-	-	-	-	2	5	12	25	32	55	70	69	85	62	49	17	9	2	2	-	-
	Female..	190	-	-	-	-	-	-	-	1	-	1	3	4	3	11	11	19	13	40	27	29	19	7	1	-	-	1
	Nonwhite..Male....	103	-	-	-	-	-	-	-	-	-	3	3	2	8	12	13	17	12	10	10	9	2	1	-	-	1	-
	Female..	89	-	-	-	-	-	-	-	-	2	2	4	5	5	13	15	12	11	6	6	4	3	1	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	2,215	-	1	1	-	-	7	3	7	10	13	26	40	76	122	173	193	254	328	335	284	160	115	41	18	6	2
	White.....Male....	728	-	1	-	-	-	3	1	1	1	1	1	6	16	35	48	54	91	110	128	116	64	36	11	3	1	-
	Female..	468	-	-	-	-	-	-	1	1	3	1	2	7	9	12	26	24	39	78	81	75	43	45	15	4	1	1
	Nonwhite..Male....	511	-	-	1	-	-	-	-	3	3	3	3	14	20	36	40	54	67	74	76	53	27	23	6	5	3	-
	Female..	508	-	-	-	-	-	4	1	2	3	8	20	13	31	39	59	61	57	66	50	40	26	11	9	6	1	1

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,150	325	76	27	10	14	29	13	20	25	13	15	25	34	42	37	51	59	57	74	69	57	46	21	4	6	1
	White.....Male	227	42	20	3	2	1	5	1	6	1	2	3	2	6	6	5	10	17	17	20	19	17	16	3	2	-	1
	Female	210	49	3	5	2	2	3	2	3	3	2	-	4	4	6	2	6	8	12	17	23	26	16	11	1	-	-
	Nonwhite..Male	385	138	29	7	2	3	13	7	5	12	3	5	6	10	21	14	18	17	16	19	18	7	9	4	-	2	-
	Female	328	96	24	12	4	8	8	3	6	9	6	7	13	14	9	16	17	17	12	18	9	7	5	3	1	4	-
107	Bronchopneumonia	301	133	33	8	2	4	4	1	5	2	1	2	6	8	5	2	6	7	10	12	11	14	16	5	1	2	1
	White.....Male	62	18	9	-	1	-	1	-	-	-	1	-	-	2	-	-	3	3	4	6	3	3	6	1	-	-	1
	Female	67	24	1	1	1	1	-	-	2	1	-	-	2	1	1	2	1	2	1	1	6	8	8	3	-	-	-
	Nonwhite..Male	85	53	14	2	-	-	-	1	-	1	-	1	1	-	3	-	-	1	1	4	1	1	1	-	-	-	-
	Female	87	38	9	5	-	3	3	-	3	-	-	1	3	5	1	-	2	1	4	1	1	2	1	1	1	2	-
108	Lobar pneumonia	380	60	17	5	2	4	6	7	7	14	5	6	11	12	18	19	26	33	26	33	31	21	10	5	1	1	-
	White.....Male	75	9	2	-	-	-	-	1	3	-	-	1	1	2	4	4	6	6	9	7	8	8	3	-	1	-	-
	Female	59	8	1	-	1	-	-	-	1	1	1	-	2	2	1	-	3	5	5	10	7	6	2	3	-	-	-
	Nonwhite..Male	142	29	9	1	-	2	4	4	1	8	1	3	3	7	11	6	8	10	8	7	11	3	4	1	-	1	-
	Female	104	14	5	4	1	2	2	2	2	5	3	2	5	1	2	9	9	12	4	9	5	4	1	1	-	-	-
109	Pneumonia (unspecified)	90	27	8	3	-	3	4	-	2	3	2	3	1	2	5	2	2	5	2	3	6	3	1	2	1	-	-
	White.....Male	23	6	4	-	-	1	-	-	1	1	-	2	-	1	1	-	-	1	-	2	1	2	-	-	-	-	-
	Female	11	2	-	-	-	1	-	-	-	1	1	-	-	-	2	-	-	-	1	-	2	-	-	-	1	-	-
	Nonwhite..Male	30	9	-	1	-	-	3	-	1	-	1	-	-	1	2	1	2	2	1	1	2	1	1	1	-	-	-
	Female	26	10	4	2	-	1	1	-	-	1	-	1	1	-	-	1	-	2	-	-	1	-	-	1	-	-	-
33	Influenza	379	105	18	11	6	3	15	5	6	6	5	4	7	12	14	14	17	14	19	26	21	19	19	9	1	3	-
	White.....Male	67	9	5	3	1	-	4	-	2	-	1	-	1	1	1	1	1	7	4	5	7	4	7	2	1	-	-
	Female	73	15	1	4	-	-	3	2	-	-	-	-	-	1	2	-	2	1	5	6	8	12	6	5	-	-	-
	Nonwhite..Male	128	47	6	3	2	1	6	2	3	3	1	1	2	2	5	7	8	4	6	7	4	2	3	2	-	1	-
	Female	111	34	6	1	3	2	2	1	1	3	3	3	4	8	6	6	6	2	4	8	2	1	3	-	-	2	-
117	Ulcer of stomach or duodenum	85	1	1	-	1	-	1	1	1	2	3	7	3	5	10	11	5	9	11	4	4	3	1	-	1	-	-
	White.....Male	51	1	-	-	1	-	-	-	-	1	1	3	2	5	7	7	1	7	8	3	1	2	1	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	20	-	1	-	-	-	-	1	1	1	1	2	-	-	1	2	2	1	3	-	3	1	-	-	-	-	-
	Female	11	-	-	-	-	-	1	-	-	-	1	1	-	-	2	1	2	1	-	1	-	-	-	-	1	-	-
119,120	Diarrhea, enteritis, etc.*	191	123	27	1	4	2	2	-	-	-	1	1	1	2	4	2	1	-	-	6	7	3	2	1	1	-	-
	White.....Male	41	25	5	-	-	2	-	-	-	-	-	-	-	1	1	2	-	-	-	2	-	1	1	1	-	-	-
	Female	28	15	4	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	3	1	-	-	-	-	-
	Nonwhite..Male	73	48	13	-	2	-	1	-	-	-	1	-	1	-	3	-	-	-	-	1	2	-	1	-	-	-	-
	Female	49	35	5	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	1	-	-
121	Appendicitis	113	[illegible]	1	2	2	1	8	9	15	9	9	3	11	10	4	6	9	4	1	3	2	2	1	-	-	-	-
	White.....Male	25	[illegible]	-	1	-	1	2	3	1	1	1	-	2	1	-	3	4	-	-	1	2	1	-	-	-	-	-
	Female	15	-	-	-	1	-	-	1	1	2	-	1	1	1	-	-	2	1	1	1	-	1	1	-	-	-	-
	Nonwhite..Male	41	-	1	-	1	-	3	3	4	3	5	2	4	4	3	3	1	3	-	1	-	-	-	-	-	-	-
	Female	32	-	-	1	-	-	3	2	9	3	3	-	4	4	1	-	2	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	190	10	1	2	-	1	5	3	2	5	7	11	18	11	18	14	15	14	18	12	10	8	3	1	-	1	-
	White.....Male	36	2	-	2	-	1	3	1	1	-	-	-	-	1	1	2	4	4	6	4	1	2	1	-	-	-	-
	Female	39	1	-	-	-	-	1	-	-	1	2	3	4	3	3	4	2	5	3	2	4	1	-	-	-	-	-
	Nonwhite..Male	69	5	-	-	-	-	1	1	-	2	3	5	3	4	8	4	8	5	7	4	4	3	2	-	-	-	-
	Female	46	2	1	-	-	-	-	1	1	2	2	3	11	3	6	4	1	-	2	2	1	2	-	1	-	1	-
124	Cirrhosis of the liver	98	-	1	-	-	1	-	-	1	-	-	3	6	5	9	6	10	10	16	12	13	1	2	2	-	-	-
	White.....Male	35	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	2	5	7	5	6	1	1	-	-	-	-
	Female	24	-	1	-	-	-	-	-	-	-	-	1	5	-	1	1	3	-	4	3	4	-	-	1	-	-	-
	Nonwhite..Male	24	-	-	-	-	-	-	-	1	-	-	-	1	3	3	1	4	3	2	2	3	-	-	1	-	-	-
	Female	15	-	-	-	-	1	-	-	-	-	-	2	-	-	2	1	1	2	3	2	-	-	1	-	-	-	-
126,127	Biliary calculi, etc.*	62	-	-	-	-	-	-	-	-	1	1	-	6	3	5	4	11	7	3	8	8	2	3	-	-	-	-
	White.....Male	20	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	3	2	2	2	4	1	1	-	-	-	-
	Female	25	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	7	4	-	5	4	1	2	-	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
	Female	12	-	-	-	-	-	-	-	-	-	1	-	2	3	2	3	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,797	3	2	2	2	4	7	4	13	15	18	33	52	68	87	136	149	203	235	244	220	149	96	35	11	8	1
	White.....Male	378	-	-	-	-	-	-	1	4	5	4	2	5	7	15	20	26	42	44	64	64	44	24	5	2	-	-
	Female	327	-	-	-	-	-	1	1	2	2	5	7	8	11	7	19	16	27	38	43	47	40	36	14	1	2	-
	Nonwhite..Male	618	1	2	2	1	3	3	-	3	6	3	5	11	17	27	45	63	78	91	91	78	41	26	11	5	4	1
	Female	474	2	-	-	1	1	3	2	4	2	6	19	28	33	38	52	44	56	62	46	31	24	10	5	3	2	-
137	Diseases of the prostate	105	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	3	8	14	21	18	18	15	1	-	-	-
	White.....Male	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	10	6	12	8	1	-	-	-
	Nonwhite..Male	62	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	2	8	9	11	12	6	7	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Continued																											
140-150	Diseases of pregnancy, etc.*....	206	-	-	-	-	-	-	2	30	34	49	45	33	12	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	59	-	-	-	-	-	-	-	6	10	14	14	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	147	-	-	-	-	-	-	2	24	24	35	31	23	7	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	66	-	-	-	-	-	-	-	10	18	12	8	14	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	16	-	-	-	-	-	-	-	3	4	3	-	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	50	-	-	-	-	-	-	-	7	14	9	8	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	60	-	-	-	-	-	-	2	16	6	13	14	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	11	-	-	-	-	-	-	-	-	1	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	49	-	-	-	-	-	-	2	16	5	8	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	53	-	-	-	-	-	-	-	4	6	16	17	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	25	-	-	-	-	-	-	-	3	3	4	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	28	-	-	-	-	-	-	-	1	3	12	7	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	27	-	-	-	-	-	-	-	-	4	8	6	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	7	-	-	-	-	-	-	-	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	20	-	-	-	-	-	-	-	-	2	6	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	145	118	5	2	3	3	6	1	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	58	46	3	1	1	2	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	42	37	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	22	19	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	23	16	2	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	821	821	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	273	273	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	223	223	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	182	182	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	143	143	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	496	496	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	157	157	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	147	147	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	325	325	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	116	116	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	76	76	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	84	84	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	49	49	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	76	-	-	-	-	-	-	-	1	13	6	7	8	12	6	9	2	6	3	1	1	1	-	-	-	-	-
	White.....Male....	54	-	-	-	-	-	-	-	-	4	6	4	8	10	3	8	1	4	3	1	1	1	-	-	-	-	-
	Female..	16	-	-	-	-	-	-	-	1	7	-	2	-	1	3	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	6	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	251	1	-	-	-	1	-	1	25	34	40	33	35	22	15	18	10	4	5	3	4	-	-	-	-	-	-
	White.....Male....	36	1	-	-	-	-	-	-	1	2	2	5	6	8	1	4	1	1	1	1	2	-	-	-	-	-	-
	Female..	8	-	-	-	-	-	-	-	3	1	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	159	-	-	-	-	1	-	1	13	24	25	22	23	13	12	10	7	1	3	2	2	-	-	-	-	-	-
	Female..	48	-	-	-	-	-	-	-	8	7	13	5	5	1	2	4	1	1	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,275	46	35	30	28	20	62	52	130	130	98	86	84	66	52	58	55	53	34	42	35	30	31	12	4	1	1
	White.....Male....	542	10	7	5	8	6	23	20	71	81	63	35	38	24	19	27	32	23	9	15	9	10	5	1	1	-	-
	Female..	176	4	7	5	4	4	5	4	13	8	6	6	6	8	8	4	6	4	7	5	17	12	23	7	3	-	-
	Nonwhite..Male....	393	19	14	12	12	8	16	20	36	31	23	35	31	28	18	21	13	21	11	13	4	2	1	3	-	-	1
	Female..	164	13	7	8	4	2	18	8	10	10	6	10	9	6	7	6	4	5	7	9	5	6	2	1	-	1	-
170	Motor-vehicle accidents.....	352	1	6	3	4	4	18	12	43	43	25	28	31	22	17	29	18	19	9	11	2	5	-	2	-	-	-
	White.....Male....	197	1	3	1	3	3	11	5	24	26	17	17	19	10	8	12	14	9	3	7	1	3	-	-	-	-	-
	Female..	36	-	1	2	-	-	1	1	6	5	3	2	2	4	2	3	1	1	-	1	-	1	-	-	-	-	-
	Nonwhite..Male....	93	-	1	-	1	1	2	5	11	8	4	7	9	7	4	11	2	9	5	2	1	1	-	2	-	-	-
	Female..	26	-	1	-	-	-	4	1	2	4	1	2	1	1	3	3	1	-	1	1	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	923	45	29	27	24	16	44	40	87	87	73	58	53	44	35	29	37	34	25	31	33	25	31	10	4	1	1
	White.....Male....	345	9	4	4	5	3	12	15	47	55	46	18	19	14	11	15	18	14	6	8	8	7	5	1	1	-	-
	Female..	140	4	6	3	4	4	4	3	7	3	3	4	4	4	6	1	5	3	7	4	17	11	23	7	3	-	-
	Nonwhite..Male....	300	19	13	12	11	7	14	15	25	23	19	28	22	21	14	10	11	12	6	11	3	1	1	1	-	-	1
	Female..	138	13	6	8	4	2	14	7	8	6	5	8	8	5	4	3	3	5	6	8	5	6	2	1	-	1	-
162,199, 200	Senility, ill-defined and unknown causes..	2,732	553	45	19	11	13	24	29	32	27	47	57	77	84	102	130	179	195	219	231	208	156	123	65	44	54	8
	White.....Male....	318	42	2	-	-	-	3	3	2	1	2	3	11	7	7	13	20	30	29	40	28	27	25	14	4	-	5
	Female..	217	30	4	2	1	1	1	1	1	-	7	3	3	4	3	6	7	13	15	21	23	23	30	11	3	3	1
	Nonwhite..Male....	1,158	272	23	10	4	7	12	12	13	10	19	24	23	33	41	56	78	79	101	97	83	58	41	17	17	23	-
	Female..	1,039	209	16	7	6	5	8	13	16	16	19	27	40	40	51	55	74	73	74	73	69	48	27	23	20	28	2
	All other causes.....	1,374	85	24	18	10	11	35	33	41	51	65	68	71	86	75	86	92	91	104	101	94	71	33	20	5	4	-
	White.....Male....	388	15	5	6	2	5	9	10	9	10	18	11	14	16	17	20	37	26	38	38	41	17	17	7	-	-	-
	Female..	318	16	5	7	3	2	7	4	7	12	14	16	16	17	16	17	12	23	18	27	32	32	6	8	-	1	-
	Nonwhite..Male....	320	37	9	2	2	1	10	13	11	11	13	13	15	14	11	25	22	25	28	26	11	12	4	2	1	2	-
	Female..	348	17	5	3	3	3	9	6	14	18	20	28	26	39	31	24	21	17	20	10	10	10	6	3	4	1	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI																											
	ALL CAUSES	42,602	2,464	210	126	91	85	257	237	446	514	538	654	909	1,362	1,754	2,552	3,123	3,802	4,696	5,450	5,306	4,342	2,511	866	218	27	62
	White.....Male	21,549	1,235	101	57	38	44	126	132	229	237	222	294	415	599	839	1,275	1,724	2,084	2,508	2,904	2,668	2,125	1,188	380	72	7	46
	Female	18,848	896	83	49	38	35	104	75	152	184	198	221	315	454	553	841	1,007	1,303	1,839	2,216	2,409	2,060	1,235	441	123	9	8
	Nonwhite..Male	2,267	195	18	8	12	4	16	19	40	47	53	71	81	154	202	236	214	241	187	180	118	90	47	18	6	4	6
	Female	1,938	138	8	12	3	2	11	11	25	46	65	68	98	155	160	200	178	174	162	150	111	67	41	27	17	7	2
1,2	Typhoid and paratyphoid fever	21	-	-	-	-	-	-	1	3	1	1	1	1	3	1	-	-	5	1	-	3	-	-	-	-	-	-
	White.....Male	15	-	-	-	-	-	-	1	1	1	-	1	1	1	1	-	-	4	1	-	3	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	42	4	1	2	-	-	2	3	4	3	1	4	3	2	3	4	1	2	2	1	-	-	-	-	-	-	-
	White.....Male	24	2	-	-	-	-	1	2	4	2	-	3	2	-	2	3	-	1	1	1	-	-	-	-	-	-	-
	Female	12	2	1	2	-	-	1	-	-	-	1	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	-	1	-	-	2	3	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	31	24	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	9	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	16	13	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	43	4	6	8	4	8	10	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	20	2	3	4	2	3	3	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	22	1	3	4	2	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,424	8	4	4	3	3	1	4	57	99	99	91	124	142	137	131	111	113	109	91	52	31	7	2	-	-	1
	White.....Male	719	2	3	2	1	1	-	1	18	27	30	38	52	62	80	82	76	75	61	62	29	13	3	1	-	-	-
	Female	391	2	1	1	1	1	-	1	23	36	31	28	35	33	28	24	20	23	36	25	21	16	4	1	-	-	-
	Nonwhite..Male	183	2	-	-	1	1	-	1	10	14	16	13	20	29	22	15	12	12	8	3	2	1	-	-	-	-	1
	Female	131	2	-	1	-	-	1	1	6	22	22	12	17	18	7	10	3	3	4	1	-	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,342	4	2	2	2	1	1	1	55	94	93	86	119	131	132	127	107	109	103	86	48	29	7	2	-	-	1
	White.....Male	684	1	1	1	1	-	-	-	17	26	27	37	49	56	79	80	75	73	59	58	27	13	3	1	-	-	-
	Female	367	2	1	1	1	-	-	-	23	34	30	26	35	31	27	22	18	21	33	24	19	14	4	1	-	-	-
	Nonwhite..Male	172	1	-	-	-	1	-	-	9	13	15	12	20	28	20	15	12	12	7	3	2	1	-	-	-	-	1
	Female	119	-	-	-	-	-	1	1	6	21	21	11	15	16	6	10	2	3	4	1	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	82	4	2	2	1	2	-	3	2	5	6	5	5	11	5	4	4	4	6	5	4	2	-	-	-	-	-
	White.....Male	35	1	2	1	-	1	-	1	1	1	3	1	3	6	1	2	1	2	2	4	2	-	-	-	-	-	-
	Female	24	-	-	-	-	1	-	1	-	2	1	2	-	2	1	2	2	2	3	1	2	2	-	-	-	-	-
	Nonwhite..Male	11	1	-	-	1	-	-	1	1	1	1	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-
	Female	12	2	-	1	-	-	-	-	-	1	1	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	30	10	1	-	-	-	-	-	-	1	-	1	-	-	-	4	2	4	2	-	1	2	-	-	1	1	-
	White.....Male	13	4	-	-	-	-	-	-	-	1	-	1	-	-	-	3	-	1	-	-	1	1	-	-	-	1	-
	Female	13	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	-	1	-	-	1	-	-
	Nonwhite..Male	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	13	1	-	1	-	1	-	-	1	-	1	-	-	-	-	1	1	1	2	1	1	-	1	-	-	-	-
	White.....Male	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-
	Female	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	497	18	-	-	-	1	-	-	2	7	4	12	31	45	67	56	58	62	67	37	22	14	3	-	-	-	1
	White.....Male	266	5	-	-	-	1	-	-	-	1	-	3	14	13	23	31	33	42	47	26	16	10	1	-	-	-	-
	Female	81	3	-	-	-	-	-	-	1	2	3	3	4	10	12	2	6	10	10	5	4	3	2	-	-	-	1
	Nonwhite..Male	105	5	-	-	-	-	-	-	-	1	-	4	10	19	14	18	14	7	7	3	2	1	-	-	-	-	-
	Female	45	5	-	-	-	-	-	-	1	3	1	2	3	3	8	5	5	3	3	3	-	-	-	-	-	-	-
35	Measles	5	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White.....Male	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	30	3	3	1	1	4	8	4	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	13	1	1	-	-	2	4	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	14	1	2	-	1	2	4	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Continued																											
45-55	Cancer and other malignant tumors....	5,494	1	3	5	3	-	12	10	12	24	30	55	112	207	296	477	610	692	783	780	687	438	203	36	12	-	6
	White.....Male....	2,505	1	1	2	-	-	9	4	7	11	10	18	33	54	97	168	274	328	385	400	343	237	101	13	4	-	5
	Female..	2,631	-	-	3	2	-	3	5	3	11	19	31	61	118	160	261	288	313	367	343	323	193	98	21	7	-	1
	Nonwhite..Male....	149	-	2	-	-	-	-	1	-	1	-	1	1	9	16	19	22	25	17	16	10	5	3	1	-	-	-
	Female..	209	-	-	-	1	-	-	-	2	1	1	5	17	26	23	29	26	26	14	21	11	3	1	1	1	-	-
46	Cancer of digestive organs, peritoneum..	2,471	-	-	1	-	-	3	1	4	12	6	7	29	60	102	176	259	313	388	418	372	229	72	12	4	-	3
	White.....Male....	1,197	-	-	1	-	-	3	-	3	4	3	4	10	26	42	70	136	157	201	216	179	102	34	3	-	-	3
	Female..	1,120	-	-	-	-	-	-	1	-	7	3	3	12	25	45	88	97	133	174	181	181	121	36	9	4	-	-
	Nonwhite..Male....	84	-	-	-	-	-	-	-	-	-	-	-	1	3	9	10	15	13	9	10	8	4	2	-	-	-	-
	Female..	70	-	-	-	-	-	-	-	1	1	-	-	6	6	6	8	11	10	4	11	4	2	-	-	-	-	-
48,49	Cancer of female genital organs.....	676	-	-	-	-	-	-	-	2	1	11	14	27	57	58	88	98	79	85	64	53	22	15	-	2	-	-
	White.....Female..	601	-	-	-	-	-	-	-	1	1	11	12	21	46	50	76	89	67	81	59	50	21	14	-	2	-	-
	Nonwhite..Female..	75	-	-	-	-	-	-	-	1	-	-	2	6	11	8	12	9	12	4	5	3	1	1	-	-	-	-
50	Cancer of breast.....	480	-	-	-	-	-	-	-	-	-	4	7	19	38	44	62	59	66	60	39	32	26	16	6	1	-	1
	White.....Male....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	2	-	1	-	-	-	-
	Female..	436	-	-	-	-	-	-	-	-	-	4	5	16	32	37	58	55	62	58	34	29	26	15	6	-	-	1
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	36	-	-	-	-	-	-	-	-	-	-	2	3	6	7	4	4	4	1	3	1	-	-	-	1	-	-
45,47, 51-55	Cancer (other sites)..	1,867	1	3	4	3	-	9	9	6	11	9	27	37	52	92	151	194	234	250	259	230	161	100	18	5	-	2
	White.....Male....	1,300	1	1	1	-	-	6	4	4	7	7	14	23	28	55	96	138	171	183	182	162	135	66	10	4	-	2
	Female..	474	-	-	3	2	-	3	4	2	3	1	11	12	15	28	41	47	51	54	69	63	25	33	6	1	-	-
	Nonwhite..Male....	65	-	2	-	-	-	-	1	-	1	-	1	-	6	7	9	7	12	8	6	2	1	1	1	-	-	-
	Female..	28	-	-	-	1	-	-	-	-	-	1	1	2	3	2	5	2	-	5	2	3	-	-	1	-	-	-
58	Acute rheumatic fever.....	31	-	-	1	-	1	7	3	7	3	1	-	2	-	1	1	-	-	-	-	2	1	1	-	-	-	-
	White.....Male....	14	-	-	-	-	-	5	1	2	1	1	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-
	Female..	12	-	-	-	-	1	1	2	3	2	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	910	-	-	-	1	-	2	4	9	10	6	7	7	15	32	71	95	121	161	156	127	61	22	2	-	-	1
	White.....Male....	298	-	-	-	-	-	-	2	3	1	1	3	3	7	9	26	27	32	56	56	42	20	9	1	-	-	-
	Female..	540	-	-	-	1	-	2	2	5	8	3	4	3	5	16	32	58	75	97	92	82	41	13	1	-	-	-
	Nonwhite..Male....	24	-	-	-	-	-	-	-	1	1	-	-	-	-	1	4	3	6	3	3	2	-	-	-	-	-	-
	Female..	48	-	-	-	-	-	-	-	-	-	2	-	1	3	6	9	7	8	5	5	1	-	-	-	-	-	1
63b	Exophthalmic goiter..	85	-	-	-	-	-	-	-	-	-	-	3	6	7	8	8	10	14	8	8	9	2	1	1	-	-	-
	White.....Male....	20	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	2	2	2	3	2	-	-	-	-	-	-
	Female..	58	-	-	-	-	-	-	-	-	-	-	2	3	3	6	6	7	10	6	4	7	2	1	1	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	5	1	-	1	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	48	-	-	-	-	-	1	-	-	1	-	3	6	4	7	7	8	5	3	1	1	-	-	-	-	-	1
	White.....Male....	39	-	-	-	-	-	1	-	-	-	-	2	4	4	7	4	7	4	3	1	1	-	-	-	-	-	1
	Female..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	4,133	2	1	1	-	-	2	2	4	3	8	18	25	76	141	208	292	369	562	707	699	578	314	91	20	4	6
	White.....Male....	1,849	2	-	-	-	-	-	-	2	1	3	5	10	29	40	80	131	166	276	343	324	249	136	44	6	-	2
	Female..	1,873	-	-	1	-	-	1	1	2	1	2	5	7	25	56	85	114	144	233	325	340	305	168	43	10	3	3
	Nonwhite..Male....	173	-	1	-	-	-	-	1	-	-	-	6	4	8	19	16	19	29	23	18	12	10	2	3	1	-	1
	Female..	238	-	-	-	-	-	1	-	-	1	3	2	4	14	26	27	28	30	30	21	23	14	8	2	3	1	-
90-95	Diseases of the heart.....	12,871	7	1	-	2	1	8	26	32	34	51	75	133	306	465	730	997	1,298	1,662	2,026	1,975	1,653	973	331	73	8	6
	White.....Male....	6,975	3	-	-	1	-	5	11	13	13	14	39	69	154	263	440	643	773	949	1,117	1,020	805	471	138	25	4	5
	Female..	4,834	3	-	-	1	1	2	11	15	18	27	20	37	94	104	157	232	397	582	792	865	794	468	172	40	2	-
	Nonwhite..Male....	572	1	1	-	-	-	-	1	3	2	4	6	9	24	56	77	70	80	66	74	42	28	19	8	1	-	-
	Female..	490	-	-	-	-	-	1	3	1	1	6	10	18	34	42	56	52	46	65	43	48	26	15	13	7	2	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	959	-	1	-	-	1	5	20	12	16	18	25	37	41	39	60	69	88	114	124	127	93	44	17	8	-	-
	White.....Male....	456	-	-	-	-	-	3	8	1	6	3	12	16	19	21	29	37	45	55	67	62	41	19	7	5	-	-
	Female..	385	-	-	-	-	1	1	9	10	9	10	7	12	16	13	18	21	31	45	48	56	47	21	8	2	-	-
	Nonwhite..Male....	61	-	1	-	-	-	-	1	-	1	2	4	5	3	3	7	7	8	5	4	3	2	3	1	1	-	-
	Female..	57	-	-	-	-	-	1	2	1	-	3	2	4	3	2	6	4	4	9	5	6	3	1	1	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	3,853	2	-	-	-	-	1	-	4	3	8	16	49	132	194	318	391	475	574	619	514	357	142	44	9	-	1
	White.....Male....	2,560	1	-	-	-	-	1	-	3	-	4	10	35	86	140	245	303	330	391	378	318	204	87	20	3	-	1
	Female..	1,115	1	-	-	-	-	-	-	1	2	4	4	10	26	33	50	73	120	170	217	179	144	54	24	3	-	-
	Nonwhite..Male....	99	-	-	-	-	-	-	-	-	1	-	1	1	7	13	15	9	17	7	16	7	5	-	-	-	-	-
	Female..	79	-	-	-	-	-	-	-	-	-	-	1	3	13	8	8	6	8	6	8	10	4	1	-	3	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	8,059	5	-	-	2	-	2	6	16	15	25	34	47	133	232	352	537	733	974	1,283	1,334	1,203	787	270	56	8	5
	White.....Male....	3,959	2	-	-	1	-	1	3	9	7	7	17	18	49	102	168	303	398	503	672	640	560	365	111	17	4	4
	Female..	3,334	2	-	-	1	-	1	2	4	7	13	9	15	52	58	89	138	246	367	527	630	603	393	140	35	2	-
	Nonwhite..Male....	412	1	-	-	-	-	-	-	3	-	2	1	3	14	40	55	54	55	54	54	32	21	16	7	-	-	-
	Female..	354	-	-	-	-	-	-	1	-	1	3	7	11	18	32	42	42	34	50	30	32	19	13	12	4	2	1

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	2,595	381	63	22	13	9	37	20	22	24	26	34	44	77	74	109	113	141	184	281	303	297	205	79	25	-	2
	White.....Male	1,224	179	26	12	4	5	9	10	8	10	9	10	20	32	35	43	63	77	105	143	142	148	97	29	8	-	-
	Female	1,016	133	29	6	8	3	23	7	9	9	13	12	12	18	14	38	22	37	64	114	146	137	98	46	16	-	2
	Nonwhite..Male	182	35	2	3	1	1	3	2	2	2	1	6	6	17	15	14	16	17	8	14	8	4	3	2	-	-	-
	Female	133	34	6	1	-	-	2	1	3	3	3	6	6	10	10	14	12	10	7	10	7	8	7	2	1	-	-
107	Bronchopneumonia	1,082	253	38	12	8	4	14	6	4	10	10	12	10	20	25	32	37	43	72	105	123	116	82	32	14	-	-
	White.....Male	503	107	16	5	4	2	5	2	2	4	5	2	3	7	12	11	22	22	46	57	60	54	37	15	3	-	-
	Female	433	92	17	4	3	1	9	3	2	4	4	6	3	9	5	14	9	11	22	40	55	55	39	16	10	-	-
	Nonwhite..Male	74	28	1	2	1	1	-	1	-	-	1	2	2	2	6	3	3	5	3	6	5	1	1	-	-	-	-
	Female	72	26	4	1	-	-	-	-	-	2	-	2	2	2	2	4	3	5	1	2	3	6	5	1	1	-	-
108	Lobar pneumonia	1,039	78	13	6	4	2	13	12	11	10	11	19	23	45	39	56	56	78	86	129	124	123	70	23	7	-	1
	White.....Male	510	45	3	5	-	1	4	7	3	4	3	7	13	20	17	26	26	44	45	69	58	69	32	6	3	-	-
	Female	389	23	7	1	4	1	6	3	4	3	5	4	5	5	6	14	12	18	31	50	61	50	35	16	4	-	1
	Nonwhite..Male	88	5	1	-	-	-	1	1	2	2	-	4	2	14	9	9	12	11	4	6	2	2	1	-	-	-	-
	Female	72	5	2	-	-	-	2	1	2	1	3	4	3	6	7	7	6	5	6	4	3	2	2	1	-	-	-
109	Pneumonia (unspecified)	91	20	3	1	-	1	2	1	1	1	1	-	5	3	4	1	5	4	3	7	9	11	4	3	1	-	-
	White.....Male	44	11	2	-	-	1	-	-	1	-	-	-	3	1	4	-	4	2	1	2	3	5	1	2	1	-	-
	Female	39	6	1	1	-	-	-	1	-	1	1	-	2	2	-	1	-	2	2	4	6	5	3	1	-	-	-
	Nonwhite..Male	4	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
33	Influenza	373	30	9	3	1	2	8	1	6	3	4	3	6	9	6	20	15	16	23	40	47	47	49	21	3	-	1
	White.....Male	167	16	5	2	-	1	-	1	2	2	1	1	1	4	2	6	11	9	13	15	21	20	27	6	1	-	-
	Female	175	12	4	-	1	1	8	-	3	1	3	2	2	2	3	9	1	6	9	20	24	27	21	13	2	-	1
	Nonwhite..Male	16	1	-	1	-	-	-	-	-	-	-	-	2	1	-	2	1	1	1	2	1	-	1	2	-	-	-
	Female	15	1	-	-	-	-	-	-	1	-	-	-	1	2	1	3	2	-	-	3	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	277	-	-	-	-	-	-	-	1	1	2	4	15	21	23	28	30	41	45	28	22	9	5	1	1	-	-
	White.....Male	204	-	-	-	-	-	-	-	1	1	1	2	11	16	17	19	26	30	34	23	13	6	2	1	1	-	-
	Female	48	-	-	-	-	-	-	-	-	-	-	-	3	2	3	4	4	6	8	4	9	2	3	-	-	-	-
	Nonwhite..Male	22	-	-	-	-	-	-	-	-	-	1	2	1	1	3	5	-	4	3	1	-	1	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	342	271	14	7	3	2	1	-	-	-	1	1	-	2	2	5	1	4	5	6	9	3	4	1	-	-	-
	White.....Male	166	133	7	4	1	2	1	-	-	-	-	1	-	2	-	-	-	2	1	1	3	3	-	-	-	-	-
	Female	136	104	4	2	1	-	-	-	-	-	1	-	-	-	1	3	-	1	4	5	6	-	3	1	-	-	-
	Nonwhite..Male	26	19	3	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-
	Female	14	10	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
121	Appendicitis	240	3	5	2	3	3	15	12	21	7	7	11	12	15	16	24	21	19	18	10	11	4	-	1	-	-	-
	White.....Male	114	2	3	-	2	3	4	5	11	4	-	3	6	7	11	14	7	12	10	5	4	1	-	-	-	-	-
	Female	100	-	2	2	1	-	7	5	10	2	4	5	5	6	3	7	11	7	8	4	7	3	-	1	-	-	-
	Nonwhite..Male	16	1	-	-	-	-	3	1	-	1	2	1	1	2	-	1	2	-	-	1	-	-	-	-	-	-	-
	Female	10	-	-	-	-	-	1	1	-	-	1	2	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-
123	Hernia, intestinal obstruction	356	16	4	1	1	3	2	1	3	4	7	19	10	9	16	23	29	31	41	51	36	34	12	-	1	2	-
	White.....Male	151	9	3	1	-	1	-	1	2	2	2	4	3	-	5	6	14	13	16	28	19	17	4	-	-	1	-
	Female	170	6	1	-	1	2	2	-	1	1	5	10	4	4	9	15	12	14	22	20	14	17	8	-	1	1	-
	Nonwhite..Male	18	1	-	-	-	-	-	-	-	-	-	3	1	2	-	1	-	4	2	1	3	-	-	-	-	-	-
	Female	17	-	-	-	-	-	-	-	-	1	-	2	2	3	2	1	3	-	1	2	-	-	-	-	-	-	-
124	Cirrhosis of the liver	413	-	1	-	-	-	1	-	1	1	2	3	13	23	27	47	57	45	62	53	45	17	7	8	-	-	-
	White.....Male	259	-	1	-	-	-	1	-	1	1	1	1	6	15	19	32	38	31	40	27	28	11	2	4	-	-	-
	Female	127	-	-	-	-	-	-	-	-	-	-	2	6	6	5	11	14	11	21	24	14	6	4	3	-	-	-
	Nonwhite..Male	16	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	4	1	1	2	2	-	-	-	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	2	-	-	1	-	1	1	-	-	-
126,127	Biliary calculi, etc.*	221	1	-	-	-	-	-	-	-	-	-	-	4	10	9	21	34	27	31	25	23	26	9	1	-	-	-
	White.....Male	78	-	-	-	-	-	-	-	-	-	-	-	1	3	1	9	8	9	11	7	11	14	3	1	-	-	-
	Female	134	1	-	-	-	-	-	-	-	-	-	-	3	6	6	10	24	18	18	18	12	12	6	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	3,311	3	2	3	-	2	3	6	6	12	21	28	38	84	92	193	215	319	388	511	545	455	259	93	28	2	4
	White.....Male	1,646	2	2	2	-	-	1	4	4	9	10	14	13	39	46	80	107	167	197	267	270	221	128	50	10	-	3
	Female	1,336	1	-	1	-	2	2	1	2	3	3	8	17	26	26	68	74	105	155	206	250	211	123	40	12	-	-
	Nonwhite..Male	167	-	-	-	-	-	-	1	-	-	3	2	4	6	9	17	20	22	19	18	17	18	5	1	3	1	1
	Female	162	-	-	-	-	-	-	-	-	-	5	4	4	13	11	28	14	25	17	20	8	5	2	2	3	1	-
137	Diseases of the prostate	250	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	12	22	23	49	49	51	31	9	-	-	-
	White.....Male	223	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	17	20	47	46	47	30	9	-	-	-
	Nonwhite..Male	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	5	3	2	3	4	1	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Continued																											
140-150	Diseases of pregnancy, etc.*....	150	-	-	-	-	-	-	1	18	31	31	26	27	14	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	125	-	-	-	-	-	-	-	13	28	26	21	24	11	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	25	-	-	-	-	-	-	1	5	3	5	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	54	-	-	-	-	-	-	-	7	14	11	9	5	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	48	-	-	-	-	-	-	-	5	13	10	8	5	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	6	-	-	-	-	-	-	-	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	23	-	-	-	-	-	-	1	5	5	3	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	18	-	-	-	-	-	-	-	5	5	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	5	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	56	-	-	-	-	-	-	-	5	8	11	11	14	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	45	-	-	-	-	-	-	-	3	6	9	9	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	11	-	-	-	-	-	-	-	2	2	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	17	-	-	-	-	-	-	-	1	4	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	14	-	-	-	-	-	-	-	-	4	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	424	357	16	3	5	2	7	7	3	7	2	3	2	3	3	1	3	-	-	-	-	-	-	-	-	-	-
	White.....Male....	225	189	7	-	3	-	5	3	1	5	2	2	1	2	3	-	2	-	-	-	-	-	-	-	-	-	-
	Female..	180	151	9	2	2	2	2	4	2	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	12	11	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	7	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	1,115	1,115	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	569	569	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	388	388	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	64	64	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	656	656	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	317	317	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	230	230	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	65	65	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	44	44	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	459	459	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	252	252	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	158	158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	29	29	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	459	-	-	-	-	-	-	2	6	13	31	35	39	30	42	55	44	54	43	27	24	7	7	-	-	-	-
	White.....Male....	313	-	-	-	-	-	-	1	1	6	23	17	26	18	23	32	29	46	34	24	19	7	5	-	-	-	-
	Female..	133	-	-	-	-	-	-	1	3	7	6	17	11	11	16	20	14	8	9	3	5	-	2	-	-	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	1	-	1	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	1	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	210	7	-	2	-	-	2	-	12	18	21	24	25	22	26	17	7	7	11	4	4	-	-	-	-	-	1
	White.....Male....	86	2	-	-	-	-	1	-	3	8	5	9	12	9	8	9	4	4	7	3	2	-	-	-	-	-	-
	Female..	18	5	-	1	-	-	1	-	1	1	-	1	2	-	3	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	84	-	-	-	-	-	-	-	5	8	11	13	8	11	11	6	2	3	4	-	1	-	-	-	-	-	1
	Female..	22	-	-	1	-	-	-	-	3	1	5	1	3	2	4	-	-	-	-	1	1	-	-	-	-	-	-
169-195	Accidental deaths....	2,807	73	49	40	33	22	81	89	165	140	117	110	102	112	121	136	146	163	164	213	216	246	160	66	15	1	27
	White.....Male....	1,671	39	25	18	14	10	47	66	118	108	82	87	71	78	82	98	100	109	90	119	93	106	60	21	3	1	26
	Female..	897	23	18	14	11	10	23	13	35	17	23	17	22	17	16	25	29	43	65	77	116	129	99	42	12	-	1
	Nonwhite..Male....	172	7	6	5	7	1	7	7	12	11	10	5	7	11	20	11	10	7	7	10	3	8	-	-	-	-	-
	Female..	67	4	-	3	1	1	4	3	-	4	2	1	2	6	3	2	7	4	2	7	4	3	1	3	-	-	-
170	Motor-vehicle accidents.....	702	1	7	6	13	5	20	22	76	66	53	52	39	34	35	45	46	52	35	39	30	20	5	-	-	-	1
	White.....Male....	497	-	6	2	5	2	11	17	58	53	41	43	29	21	22	34	30	37	20	27	19	16	4	-	-	-	-
	Female..	150	1	1	3	4	3	7	4	18	10	9	7	7	7	6	7	10	11	13	9	9	2	1	-	-	-	1
	Nonwhite..Male....	41	-	-	1	3	-	2	-	-	2	3	1	3	2	6	4	4	2	2	3	1	2	-	-	-	-	-
	Female..	14	-	-	-	1	-	-	1	-	1	-	1	-	4	1	-	2	2	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents.....	2,105	72	42	34	20	17	61	67	89	74	64	58	63	78	86	91	100	111	129	174	186	226	155	66	15	1	26
	White.....Male....	1,174	39	19	16	9	8	36	49	60	55	41	44	42	57	60	64	70	72	70	92	74	90	56	21	3	1	26
	Female..	747	22	17	11	7	7	16	9	17	7	14	10	15	10	10	18	19	32	52	68	107	127	98	42	12	-	-
	Nonwhite..Male....	131	7	6	4	4	1	5	7	12	9	7	4	4	9	14	7	6	5	5	7	2	6	-	-	-	-	-
	Female..	53	4	-	3	-	1	4	2	-	3	2	-	2	2	2	2	5	2	2	7	3	3	1	3	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	432	24	1	1	2	1	-	2	2	1	-	4	3	2	6	12	15	22	22	33	41	79	74	62	16	5	2
	White.....Male....	216	14	-	1	2	-	-	-	1	-	-	1	2	2	3	7	12	12	12	20	17	41	29	31	7	-	2
	Female..	170	4	-	-	-	1	-	2	-	1	-	2	1	-	2	3	-	7	7	8	21	34	37	30	8	2	-
	Nonwhite..Male....	31	6	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	2	3	3	2	3	5	-	1	2	-
	Female..	15	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	2	1	1	3	1	-	1	-
	All other causes.....	3,283	131	29	17	17	21	53	37	51	69	66	80	124	131	145	179	209	222	296	351	394	332	214	81	23	4	4
	White.....Male....	1,609	63	17	9	8	15	27	17	24	24	28	29	51	49	60	85	112	126	150	180	216	166	106	37	8	-	2
	Female..	1,349	51	10	8	6	4	23	16	22	36	28	31	48	56	64	64	75	69	121	147	163	153	98	39	16	1	-
	Nonwhite..Male....	161	9	2	-	2	1	3	3	3	3	3	7	9	10	10	19	9	16	12	11	9	7	7	3	-	1	2
	Female..	164	8	-	-	1	1	-	1	2	6	7	13	16	16	11	11	13	11	13	13	6	6	3	2	2	2	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA																											
	ALL CAUSES	5,414	363	50	26	14	10	50	40	69	67	79	94	106	152	211	294	456	575	633	634	623	503	251	93	14	6	1
	White.....Male	3,303	184	17	14	8	1	27	25	43	35	40	51	60	88	127	193	295	409	408	390	401	278	138	50	4	6	1
	Female	1,866	130	14	7	3	7	16	10	16	23	29	29	39	56	75	88	151	154	210	229	210	219	106	37	8	-	-
	Nonwhite..Male	135	34	12	2	1	2	2	1	3	5	5	1	4	5	4	6	5	12	4	13	6	1	3	3	1	-	-
	Female	110	15	7	3	2	-	5	4	7	4	5	3	3	3	5	7	5	-	11	2	6	5	4	3	1	-	-
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	4	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	171	2	4	-	3	-	1	3	11	8	10	4	7	15	17	18	15	23	10	11	5	4	-	-	-	-	-
	White.....Male	96	1	-	-	-	-	-	-	-	3	3	2	3	7	9	14	13	20	8	8	3	2	-	-	-	-	-
	Female	31	-	-	-	1	-	-	-	3	1	-	1	2	5	4	3	1	3	2	3	-	2	-	-	-	-	-
	Nonwhite..Male	23	1	3	-	-	-	1	1	2	3	4	-	2	2	2	-	1	-	-	-	1	-	-	-	-	-	-
	Female	21	-	1	-	2	-	-	2	6	1	3	1	-	1	2	1	-	-	-	-	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	156	1	2	-	-	-	1	3	10	8	10	4	7	13	17	18	13	22	8	11	5	3	-	-	-	-	-
	White.....Male	92	-	-	-	-	-	-	-	-	3	3	2	3	7	9	14	12	19	7	8	3	2	-	-	-	-	-
	Female	26	-	-	-	-	-	-	-	2	1	-	1	2	4	4	3	1	3	1	3	-	1	-	-	-	-	-
	Nonwhite..Male	20	1	1	-	-	-	1	1	2	3	4	-	2	2	2	-	-	-	-	-	1	-	-	-	-	-	-
	Female	18	-	1	-	-	-	-	2	6	1	3	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	15	1	2	-	3	-	-	-	1	-	-	-	-	2	-	-	2	1	2	-	-	1	-	-	-	-	-
	White.....Male	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	Female	5	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite..Male	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	54	2	1	-	-	-	-	-	-	1	1	1	2	3	3	4	9	12	6	6	2	-	1	-	-	-	-
	White.....Male	34	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	7	11	3	3	2	-	1	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	2	2	-	-	-	-	-	-	-
	Nonwhite..Male	6	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	Female	4	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
35	Measles	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	10	1	-	-	-	1	5	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	-	-	-	-	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Continued																											
45-55	Cancer and other malignant tumors....	658	-	1	-	-	1	-	-	1	2	4	8	10	24	33	51	80	101	110	89	63	54	19	4	3	-	-
	White.....Male....	358	-	1	-	-	-	-	-	1	-	2	5	2	8	12	20	39	64	64	53	42	29	13	1	2	-	-
	Female..	280	-	-	-	-	1	-	-	-	2	2	2	7	15	21	27	39	35	44	34	19	24	5	3	-	-	-
	Nonwhite..Male....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	2	1	-	-	-	1	-	-
	Female..	10	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	-	1	-	1	1	1	-	-	-	-
46	Cancer of digestive organs, peritoneum..	342	-	-	-	-	-	-	-	-	2	1	2	3	9	12	26	37	52	63	50	37	28	16	1	3	-	-
	White.....Male....	219	-	-	-	-	-	-	-	-	-	1	2	2	7	8	14	19	40	43	30	24	15	12	-	2	-	-
	Female..	113	-	-	-	-	-	-	-	-	2	-	-	1	2	4	10	16	12	19	18	12	13	3	1	-	-	-
	Nonwhite..Male....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	1	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-
48,49	Cancer of female genital organs.....	52	-	-	-	-	-	-	-	-	-	1	3	3	4	5	7	8	6	7	4	-	3	-	1	-	-	-
	White.....Female..	48	-	-	-	-	-	-	-	-	-	1	2	3	3	5	6	8	6	6	4	-	3	-	1	-	-	-
	Nonwhite..Female..	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
50	Cancer of breast.....	60	-	-	-	-	-	-	-	-	-	-	-	2	7	8	6	6	7	9	6	3	5	1	-	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female..	58	-	-	-	-	-	-	-	-	-	-	-	2	7	8	6	6	7	9	6	3	3	1	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	204	-	1	-	-	1	-	-	1	-	2	3	2	4	8	12	29	36	31	29	23	18	2	2	-	-	-
	White.....Male....	138	-	1	-	-	-	-	-	1	-	1	3	-	1	4	6	20	24	21	23	18	13	1	1	-	-	-
	Female..	61	-	-	-	-	1	-	-	-	-	1	-	1	3	4	5	9	10	10	6	4	5	1	1	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
58	Acute rheumatic fever.....	6	-	-	-	-	-	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	129	-	-	-	-	-	-	2	1	-	2	1	1	1	4	6	17	13	26	19	18	13	4	1	-	-	-
	White.....Male....	52	-	-	-	-	-	-	1	-	-	-	-	-	-	3	2	7	3	9	6	11	6	3	1	-	-	-
	Female..	74	-	-	-	-	-	-	1	1	-	2	1	-	1	-	4	10	9	17	13	7	7	1	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	15	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	4	1	-	2	-	-	-	-	-	-	-
	White.....Male....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	1	-	-	-	-	-	-	-
	Female..	9	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	13	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	1	3	2	-	1	-	-	-	-	-	-
	White.....Male....	12	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	3	2	-	1	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	489	1	1	1	-	-	-	-	1	1	1	3	4	7	12	21	30	49	66	95	89	63	31	12	-	1	-
	White.....Male....	264	-	-	1	-	-	-	-	1	1	-	1	2	4	5	11	18	31	36	50	49	33	14	6	-	1	-
	Female..	220	1	1	-	-	-	-	-	-	-	1	2	2	3	7	10	12	18	28	43	39	30	17	6	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
90-95	Diseases of the heart.....	1,603	-	-	-	-	-	2	1	1	3	8	6	25	27	55	79	139	214	248	223	248	189	103	27	4	1	-
	White.....Male....	1,064	-	-	-	-	-	1	1	1	1	4	2	14	14	39	63	97	162	173	145	162	115	53	14	2	1	-
	Female..	508	-	-	-	-	-	1	-	-	1	3	4	11	13	15	14	40	48	65	75	84	72	48	13	1	-	-
	Nonwhite..Male....	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	2	1	1	1	-	-	-	-
	Female..	18	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	1	-	8	1	1	1	1	-	1	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	90	-	-	-	-	-	1	-	1	1	4	1	7	1	8	7	15	8	9	11	5	7	2	2	-	-	-
	White.....Male....	49	-	-	-	-	-	-	-	1	1	1	1	3	-	3	4	8	6	7	7	4	2	1	-	-	-	-
	Female..	39	-	-	-	-	-	1	-	-	-	2	-	4	1	5	3	7	2	2	4	1	4	1	2	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	526	-	-	-	-	-	-	-	-	-	2	1	8	12	27	34	55	91	98	69	70	39	16	4	-	-	-
	White.....Male....	384	-	-	-	-	-	-	-	-	-	2	-	6	7	23	29	37	75	69	49	53	23	8	3	-	-	-
	Female..	136	-	-	-	-	-	-	-	-	-	-	1	2	5	4	5	17	15	27	20	16	16	7	1	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	987	-	-	-	-	-	1	1	-	2	2	4	10	14	20	38	69	115	141	143	173	143	85	21	4	1	-
	White.....Male....	631	-	-	-	-	-	1	1	-	-	1	1	5	7	13	30	52	81	97	89	105	90	44	11	2	1	-
	Female..	333	-	-	-	-	-	-	-	-	1	1	3	5	7	6	6	16	31	36	51	67	52	40	10	1	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	2	-	-	-	-	-	-	-
	Female..	15	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	6	1	1	1	1	-	1	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	243	39	11	1	2	-	5	3	1	1	-	7	3	4	6	11	14	17	18	29	22	27	13	7	2	-	-
	White.....Male	145	17	1	-	2	-	-	1	-	1	-	3	2	4	3	5	11	14	13	25	16	16	7	4	-	-	-
	Female	66	7	4	-	-	-	2	1	-	-	-	4	1	-	3	4	2	3	5	3	6	10	6	3	2	-	-
	Nonwhite..Male	20	11	5	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	Female	12	4	1	1	-	-	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
107	Bronchopneumonia	98	21	5	1	-	-	2	1	1	-	-	2	-	2	2	4	3	7	5	9	12	9	7	4	1	-	-
	White.....Male	54	7	-	-	-	-	-	-	-	-	-	1	-	2	1	2	3	6	4	8	8	6	2	4	-	-	-
	Female	27	5	2	-	-	-	-	1	-	-	-	1	-	-	1	1	-	1	1	1	4	3	5	-	1	-	-
	Nonwhite..Male	9	5	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	8	4	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	62	6	1	-	1	-	-	-	-	1	-	5	1	2	1	5	5	4	7	12	4	3	1	2	1	-	-
	White.....Male	46	4	-	-	1	-	-	-	-	1	-	2	1	2	1	3	5	4	5	11	4	1	1	-	-	-	-
	Female	12	-	1	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	2	-	-	2	-	2	1	-	-
	Nonwhite..Male	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	36	9	1	-	-	-	-	1	-	-	-	-	1	-	3	-	4	3	1	2	5	3	3	-	-	-	-
	White.....Male	21	4	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	2	1	2	3	2	3	-	-	-	-
	Female	11	2	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	-	-	2	1	-	-	-	-	-
	Nonwhite..Male	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	47	3	4	-	1	-	3	1	-	-	-	-	1	-	-	2	2	3	5	6	1	12	2	1	-	-	-
	White.....Male	24	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	2	3	4	1	7	1	-	-	-	-
	Female	16	-	1	-	-	-	2	-	-	-	-	-	-	-	-	2	-	1	2	2	-	4	1	1	-	-	-
	Nonwhite..Male	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	31	-	-	-	-	-	-	-	-	-	1	1	2	2	3	4	8	2	5	1	2	-	-	-	-	-	-
	White.....Male	24	-	-	-	-	-	-	-	-	-	-	1	2	2	1	4	7	1	5	1	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	2	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	20	12	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White.....Male	13	8	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	27	-	-	2	-	-	-	2	3	-	1	2	-	1	2	5	2	1	-	3	3	-	-	-	-	-	-
	White.....Male	15	-	-	-	-	-	-	2	1	-	-	-	-	1	1	3	2	1	-	1	3	-	-	-	-	-	-
	Female	11	-	-	2	-	-	-	-	2	-	1	2	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	44	4	-	-	-	-	-	-	1	-	-	1	3	2	4	2	-	2	8	6	7	1	1	1	1	-	-
	White.....Male	28	3	-	-	-	-	-	-	1	-	-	-	2	2	3	1	-	1	6	3	4	-	1	1	-	-	-
	Female	13	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	2	2	2	1	-	-	1	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	36	-	-	1	-	-	-	-	-	-	1	-	3	1	3	2	7	6	3	3	3	1	2	-	-	-	-
	White.....Male	25	-	-	1	-	-	-	-	-	-	-	-	3	1	1	2	5	4	1	2	3	-	2	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	1	2	1	-	1	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	32	-	-	-	-	-	-	-	1	1	-	-	-	2	1	4	4	7	4	5	1	1	1	-	-	-	-
	White.....Male	9	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	2	3	-	-	-	-	-	-	-
	Female	22	-	-	-	-	-	-	-	1	1	-	-	-	1	-	2	4	6	2	2	1	1	1	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	279	-	-	-	-	-	1	1	1	3	3	5	4	5	12	12	32	29	37	38	45	30	13	6	2	-	-
	White.....Male	168	-	-	-	-	-	-	1	-	2	1	4	2	3	4	8	16	22	25	24	29	15	7	5	-	-	-
	Female	105	-	-	-	-	-	1	-	1	1	2	-	2	2	6	4	14	7	12	14	15	15	6	1	2	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	6	3	5	2	1	-	1	-
	White.....Male	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	5	3	5	2	1	-	1	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

747801 O - 47 - 19

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Continued																											
140-150	Diseases of pregnancy, etc.*....	17	-	-	-	-	-	-	-	1	6	5	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	16	-	-	-	-	-	-	-	1	5	5	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	9	-	-	-	-	-	-	-	1	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	8	-	-	-	-	-	-	-	1	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock.....	5	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	70	59	3	-	-	-	3	1	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White.....Male....	42	35	2	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Female..	27	23	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	198	198	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	99	99	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	87	87	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	122	122	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	76	76	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	38	38	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	79	-	-	-	-	-	-	-	4	3	5	11	4	12	7	5	6	10	3	3	2	2	1	1	-	-	-
	White.....Male....	65	-	-	-	-	-	-	-	3	2	3	11	2	10	6	4	6	7	3	2	2	2	1	1	-	-	-
	Female..	14	-	-	-	-	-	-	-	1	1	2	-	2	2	1	1	-	3	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	19	1	2	-	2	-	2	-	-	-	2	-	3	1	3	1	2	-	-	-	-	-	-	-	-	-	-
	White.....Male....	14	1	1	-	1	-	1	-	-	-	-	-	3	1	3	1	2	-	-	-	-	-	-	-	-	-	-
	Female..	5	-	1	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	498	12	15	13	2	4	17	16	30	28	30	22	19	20	20	34	41	28	27	23	36	39	9	11	-	1	1
	White.....Male....	358	5	9	8	2	-	13	12	29	21	23	20	15	16	17	26	32	25	20	18	21	17	2	5	-	1	1
	Female..	118	4	5	2	-	3	2	3	1	4	6	2	4	2	3	6	8	3	7	4	15	22	6	6	-	-	-
	Nonwhite..Male....	12	2	-	2	-	1	1	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female..	10	1	1	1	-	-	1	1	-	1	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	118	-	1	1	-	1	7	4	12	9	10	7	5	6	6	7	14	2	9	6	7	3	1	-	-	-	-
	White.....Male....	93	-	1	-	-	-	7	4	11	6	8	6	2	4	5	6	10	2	7	5	7	2	-	-	-	-	-
	Female..	21	-	-	1	-	1	-	-	1	1	2	1	3	1	1	1	4	-	2	-	-	1	1	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	380	12	14	12	2	3	10	12	18	19	20	15	14	14	14	27	27	26	18	17	29	36	8	11	-	1	1
	White.....Male....	265	5	8	8	2	-	6	8	18	15	15	14	13	12	12	20	22	23	13	13	14	15	2	5	-	1	1
	Female..	97	4	5	1	-	2	2	3	-	3	4	1	1	1	2	5	4	3	5	4	15	21	5	6	-	-	-
	Nonwhite..Male....	10	2	-	2	-	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female..	8	1	1	1	-	-	1	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	164	14	1	1	-	-	2	-	1	1	-	-	-	-	1	7	11	6	15	15	21	27	27	12	1	1	-
	White.....Male....	101	6	-	1	-	-	1	-	1	-	-	-	-	-	1	6	9	5	11	11	13	14	16	5	-	1	-
	Female..	44	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	4	4	5	13	9	3	1	-	-
	Nonwhite..Male....	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Female..	10	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	-	-	-
	All other causes.....	473	14	8	7	-	3	9	7	7	6	3	16	13	20	20	23	33	50	42	54	52	46	24	10	1	1	-
	White.....Male....	274	7	2	3	2	1	5	5	2	1	2	9	8	11	12	16	20	34	25	26	37	23	16	6	-	1	-
	Female..	176	6	2	3	1	1	4	2	4	5	1	7	3	8	7	6	13	15	17	25	15	21	7	2	1	-	-
	Nonwhite..Male....	14	-	2	-	1	1	-	-	-	-	-	-	2	-	1	-	-	1	-	3	-	-	1	2	-	-	-
	Female..	9	1	2	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA																											
	ALL CAUSES	12,500	687	77	43	30	22	82	87	147	175	145	163	228	283	475	626	831	1,063	1,360	1,560	1,633	1,460	890	342	71	5	15
	White.....Male	7,006	393	43	29	15	13	40	56	96	107	82	85	120	158	281	360	503	638	810	876	876	766	448	166	34	1	10
	Female	5,182	249	30	12	13	8	37	30	48	56	55	71	97	112	177	240	296	392	522	662	742	681	433	175	37	3	4
	Nonwhite..Male	168	28	1	2	1	-	3	-	2	5	3	4	8	7	9	9	17	22	15	10	8	8	6	-	-	-	-
	Female	144	17	3	-	1	1	2	1	1	7	5	3	3	6	8	17	15	11	13	12	7	5	3	1	-	1	1
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	15	1	-	2	-	-	-	2	1	2	1	1	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	9	1	-	2	-	-	-	1	-	2	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	-	1	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	4	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	13	-	1	-	-	-	4	-	-	3	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	7	-	1	-	-	-	2	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	2	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	185	3	1	-	1	-	-	4	4	16	13	12	13	10	14	17	24	12	15	10	9	4	2	1	-	-	-
	White.....Male	108	-	1	-	-	-	-	1	2	5	3	6	5	10	10	15	16	8	10	8	4	2	1	1	-	-	-
	Female	50	1	-	-	-	-	-	2	1	6	6	5	6	-	1	2	5	2	3	2	5	2	1	-	-	-	-
	Nonwhite..Male	14	-	-	-	1	-	-	-	1	2	1	-	1	-	2	-	2	2	2	-	-	-	-	-	-	-	-
	Female	13	2	-	-	-	-	-	1	-	3	3	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	163	1	-	-	-	-	-	3	3	14	10	12	9	10	14	16	24	11	14	8	8	3	2	1	-	-	-
	White.....Male	97	-	-	-	-	-	-	1	1	4	2	6	4	10	10	14	16	8	9	6	3	1	1	1	-	-	-
	Female	46	-	-	-	-	-	-	1	1	6	6	5	5	-	1	2	5	1	3	2	5	2	1	-	-	-	-
	Nonwhite..Male	10	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	2	2	2	-	-	-	-	-	-	-	-
	Female	10	1	-	-	-	-	-	1	-	3	2	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	22	2	1	-	1	-	-	1	1	2	3	-	4	-	-	1	-	1	1	2	1	1	-	-	-	-	-
	White.....Male	11	-	1	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	1	2	1	1	-	-	-	-	-
	Female	4	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	4	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	68	3	-	-	-	-	-	-	-	-	2	2	4	4	3	5	7	13	13	6	6	-	-	-	-	-	-
	White.....Male	39	1	-	-	-	-	-	-	-	-	1	-	3	1	1	2	4	9	10	3	4	-	-	-	-	-	-
	Female	12	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	2	1	2	2	-	-	-	-	-	-
	Nonwhite..Male	8	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	1	-	-	-	-	-	-	-
	Female	9	1	-	-	-	-	-	-	-	-	1	-	-	1	-	3	1	1	1	-	-	-	-	-	-	-	-
35	Measles	4	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	12	-	-	-	1	-	1	2	3	1	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	9	-	-	-	-	-	1	1	3	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	3	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Continued																											
45-55	Cancer and other malignant tumors....	1,746	-	-	1	1	2	1	3	8	8	13	18	33	50	91	125	163	200	268	276	214	178	64	22	4	-	3
	White.....Male....	842	-	-	1	-	-	-	3	6	4	10	5	10	12	32	45	78	96	148	143	125	81	28	11	2	-	2
	Female..	874	-	-	-	1	2	1	-	2	3	3	13	22	34	57	77	80	95	119	131	88	96	36	11	2	-	1
	Nonwhite..Male....	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	5	-	1	-	-	-	-	-	-	-
	Female..	16	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	2	4	1	1	1	1	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	877	-	-	-	-	-	-	-	1	2	6	3	13	14	31	46	83	100	149	160	136	90	33	9	1	-	1
	White.....Male....	460	-	-	-	-	-	-	-	1	2	5	2	4	6	13	20	42	58	87	92	78	32	12	4	1	-	1
	Female..	401	-	-	-	-	-	-	-	-	-	1	1	9	7	17	24	36	37	61	66	57	57	21	5	-	-	-
	Nonwhite..Male....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	-	1	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	1	-	-	-	-	-
48,49	Cancer of female genital organs.....	191	-	-	-	-	-	-	-	-	2	-	8	7	17	14	20	17	25	25	24	5	15	6	4	1	-	1
	White.....Female..	184	-	-	-	-	-	-	-	-	1	-	8	6	15	14	20	16	23	25	24	5	15	6	4	1	-	1
	Nonwhite..Female..	7	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	1	2	-	-	-	-	-	-	-	-	-
50	Cancer of breast.....	158	-	-	-	-	-	-	-	-	-	-	3	4	7	17	22	13	22	20	15	15	14	3	2	1	-	-
	White.....Male....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	Female..	154	-	-	-	-	-	-	-	-	-	-	3	4	7	17	22	13	22	18	15	14	13	3	2	1	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	520	-	-	1	1	2	1	3	7	4	7	4	9	12	29	37	50	53	75	77	58	59	22	7	1	-	1
	White.....Male....	379	-	-	1	-	-	-	3	5	2	5	3	6	6	19	25	36	38	60	51	46	48	16	7	1	-	1
	Female..	135	-	-	-	1	2	1	-	2	2	2	1	3	5	9	11	13	13	15	26	12	11	6	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	10	-	-	-	-	-	1	1	2	1	-	1	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	7	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	346	-	-	-	-	-	1	1	2	1	3	6	10	3	10	16	24	36	50	65	55	44	14	5	-	-	-
	White.....Male....	138	-	-	-	-	-	-	-	1	-	3	4	5	2	5	3	6	14	16	26	22	22	7	2	-	-	-
	Female..	200	-	-	-	-	-	1	1	1	1	-	2	5	1	5	11	16	21	34	38	32	21	7	3	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	-	-	-	-
63b	Exophthalmic goiter..	23	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	3	4	3	-	3	3	-	-	-	-	-
	White.....Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
	Female..	19	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	3	3	-	3	3	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	25	-	-	-	-	-	-	-	-	-	-	1	4	2	3	4	2	2	4	3	-	-	-	-	-	-	-
	White.....Male....	21	-	-	-	-	-	-	-	-	-	-	1	3	2	2	2	2	2	4	3	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	1,388	1	-	-	-	-	-	1	2	1	4	4	9	17	31	46	58	127	188	229	267	226	133	36	6	-	2
	White.....Male....	693	-	-	-	-	-	-	-	2	-	2	1	1	9	12	23	33	67	101	116	135	103	67	16	3	-	2
	Female..	665	1	-	-	-	-	-	1	-	1	1	3	7	8	17	23	23	52	82	107	129	121	66	20	3	-	-
	Nonwhite..Male....	14	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	5	2	1	3	1	-	-	-	-	-
	Female..	16	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	3	3	5	-	1	-	-	-	-	-
90-95	Diseases of the heart.....	3,584	1	1	-	1	1	6	6	9	13	19	14	33	55	129	196	249	354	464	518	592	487	300	113	15	3	5
	White.....Male....	2,180	1	-	-	-	1	4	3	4	5	13	6	15	41	97	143	179	243	297	310	331	271	153	55	5	1	2
	Female..	1,345	-	1	-	1	-	-	3	5	6	6	8	16	13	29	46	62	105	160	201	258	210	143	58	10	2	2
	Nonwhite..Male....	30	-	-	-	-	-	1	-	-	-	-	-	2	-	1	2	3	6	3	4	-	5	3	-	-	-	-
	Female..	29	-	-	-	-	-	1	-	-	2	-	-	-	1	2	5	5	-	4	3	3	1	1	-	-	-	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	230	-	-	-	-	-	1	2	6	4	9	4	9	8	19	16	16	20	14	29	23	28	19	2	-	-	1
	White.....Male....	123	-	-	-	-	-	1	1	2	-	4	2	3	4	12	12	9	12	9	9	14	16	12	-	-	-	1
	Female..	104	-	-	-	-	-	-	1	4	3	5	2	6	4	6	4	7	8	4	20	9	12	7	2	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	1,267	1	-	-	-	-	1	-	1	3	4	3	11	32	53	85	120	171	210	198	187	112	53	20	1	-	1
	White.....Male....	881	1	-	-	-	-	-	-	-	2	4	1	8	30	49	69	94	125	145	134	117	66	27	8	-	-	1
	Female..	376	-	-	-	-	-	-	-	1	1	-	2	3	2	4	15	24	44	63	63	69	46	26	12	1	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	2,087	-	1	-	1	1	4	4	2	6	6	7	13	15	57	95	113	163	240	291	382	347	228	91	14	3	3
	White.....Male....	1,176	-	-	-	-	1	3	2	2	3	5	3	4	7	36	62	76	106	143	167	200	189	114	47	5	1	-
	Female..	865	-	1	-	1	-	-	2	-	2	1	4	7	7	19	27	31	53	93	118	180	152	110	44	9	2	2
	Nonwhite..Male....	24	-	-	-	-	-	1	-	-	-	-	-	2	-	-	2	2	4	1	4	-	5	3	-	-	-	-
	Female..	22	-	-	-	-	-	-	-	-	1	-	-	-	1	2	4	4	-	3	2	2	1	1	-	-	-	1

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	597	75	21	5	5	5	6	5	9	5	5	7	7	13	19	28	35	28	27	53	78	63	63	27	7	-	1
	White.....Male	345	44	11	3	3	4	3	3	3	3	-	6	4	8	16	15	23	18	13	33	45	37	31	14	4	-	1
	Female	232	23	10	2	2	-	2	2	6	2	5	1	3	3	3	11	11	9	12	20	31	26	32	13	3	-	-
	Nonwhite..Male	11	5	-	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-	-
	Female	9	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	-	-
107	Bronchopneumonia	205	38	9	4	-	4	-	1	2	-	1	1	2	3	5	4	10	6	9	20	27	20	24	11	4	-	-
	White.....Male	119	23	6	2	-	3	-	1	-	-	-	1	2	2	4	2	7	4	4	11	15	13	12	5	2	-	-
	Female	79	10	3	2	-	-	-	-	2	-	1	-	-	1	1	2	3	2	4	9	12	7	12	6	2	-	-
	Nonwhite..Male	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	169	11	2	-	1	-	3	2	1	1	1	3	2	7	11	14	14	7	10	18	18	19	17	6	-	-	1
	White.....Male	108	7	-	-	-	-	1	-	-	1	-	2	1	4	9	6	9	6	6	14	13	16	7	5	-	-	1
	Female	52	3	2	-	1	-	1	2	1	-	1	1	1	1	2	6	4	1	3	4	4	3	10	1	-	-	-
	Nonwhite..Male	6	1	-	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
109	Pneumonia (unspecified)	85	10	4	-	2	-	2	-	2	1	1	3	3	2	-	4	4	6	3	6	12	7	8	4	1	-	-
	White.....Male	50	6	2	-	1	-	2	-	1	1	-	3	1	2	-	2	4	4	2	1	7	4	5	1	1	-	-
	Female	32	2	2	-	1	-	-	-	1	-	1	-	2	-	-	2	-	1	1	5	5	3	3	3	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
33	Influenza	138	16	6	1	2	1	1	2	4	3	2	-	-	1	3	6	7	9	5	9	21	17	14	6	2	-	-
	White.....Male	68	8	3	1	2	1	-	2	2	1	-	-	-	-	3	5	3	4	1	7	10	4	7	3	1	-	-
	Female	69	8	3	-	-	-	1	-	2	2	2	-	-	1	-	1	4	5	4	2	10	13	7	3	1	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	75	-	-	-	-	-	-	-	-	-	-	2	1	3	4	10	13	14	7	10	6	-	5	-	-	-	-
	White.....Male	60	-	-	-	-	-	-	-	-	-	-	2	1	2	4	7	11	13	4	6	6	-	4	-	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	4	-	-	1	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	56	27	9	1	1	-	-	-	-	-	-	-	2	1	1	2	-	2	2	1	2	3	2	-	-	-	-
	White.....Male	35	16	7	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	1	2	2	1	-	-	-	-
	Female	17	9	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	1	1	-	-	-	-
	Nonwhite..Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	86	-	1	2	-	1	4	7	9	3	4	7	3	1	4	4	4	15	8	5	1	2	-	1	-	-	-
	White.....Male	56	-	1	2	-	1	-	6	8	1	3	2	3	1	2	1	2	11	6	4	1	1	-	-	-	-	-
	Female	29	-	-	-	-	-	4	1	1	2	1	5	-	-	2	2	2	4	2	1	-	1	-	1	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	135	6	-	-	-	1	2	6	3	1	-	1	3	3	7	4	18	18	15	13	9	15	9	1	-	-	-
	White.....Male	72	2	-	-	-	-	2	4	1	-	-	-	2	2	2	2	10	11	8	10	4	6	5	1	-	-	-
	Female	62	4	-	-	-	1	-	2	2	1	-	1	1	1	5	2	7	7	7	3	5	9	4	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	90	-	1	-	-	-	-	-	1	-	-	-	2	5	11	2	10	9	13	10	10	8	6	1	1	-	-
	White.....Male	49	-	-	-	-	-	-	-	-	-	-	-	2	3	5	2	6	6	7	2	5	7	2	1	1	-	-
	Female	39	-	1	-	-	-	-	-	1	-	-	-	-	2	6	-	4	3	5	8	4	1	4	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	84	-	-	-	-	-	-	-	-	-	2	2	2	3	9	6	17	12	7	12	4	8	-	-	-	-	-
	White.....Male	29	-	-	-	-	-	-	-	-	-	-	2	-	1	3	3	5	5	1	3	1	5	-	-	-	-	-
	Female	53	-	-	-	-	-	-	-	-	-	2	-	2	2	6	2	12	7	6	8	3	3	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis	851	-	-	-	1	-	6	3	3	5	6	4	13	20	29	35	55	80	92	103	132	140	86	27	11	-	-
	White.....Male	465	-	-	-	-	-	2	2	2	2	4	-	8	11	15	16	31	47	58	60	73	76	41	10	7	-	-
	Female	364	-	-	-	1	-	3	1	1	2	2	4	4	7	13	15	20	32	31	40	58	64	45	17	4	-	-
	Nonwhite..Male	12	-	-	-	-	-	1	-	-	1	-	-	1	2	1	-	2	-	1	2	1	-	-	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	2	1	-	-	-	-	-	-	-
137	Diseases of the prostate	81	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	10	15	18	11	12	3	2	-	-
	White.....Male	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	10	15	18	11	12	3	2	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Continued																											
140-150	Diseases of pregnancy, etc.*....	36	-	-	-	-	-	-	-	3	5	11	8	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	35	-	-	-	-	-	-	-	3	5	11	8	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	14	-	-	-	-	-	-	-	1	4	3	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	14	-	-	-	-	-	-	-	1	4	3	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia....	6	-	-	-	-	-	-	-	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	6	-	-	-	-	-	-	-	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma and shock*.....	14	-	-	-	-	-	-	-	-	-	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	13	-	-	-	-	-	-	-	-	-	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes.....	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	134	113	9	2	1	-	3	-	2	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male....	80	68	5	1	1	-	2	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	49	41	3	1	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	394	394	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	228	228	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	143	143	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	246	246	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	141	141	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	89	89	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year...	148	148	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	87	87	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	54	54	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide.....	160	-	-	-	-	-	-	-	2	8	1	14	15	10	8	21	22	13	21	12	6	6	1	-	-	-	-
	White.....Male....	120	-	-	-	-	-	-	-	2	5	1	8	14	9	4	11	19	11	18	10	2	5	1	-	-	-	-
	Female..	36	-	-	-	-	-	-	-	-	3	-	4	1	1	4	10	3	1	3	2	3	1	-	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	14	-	-	-	-	-	-	-	1	2	2	-	-	2	3	1	1	-	-	1	-	1	-	-	-	-	-
	White.....Male....	9	-	-	-	-	-	-	-	1	1	-	-	-	1	3	-	1	-	-	1	-	1	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	910	22	21	15	9	5	24	35	62	76	36	36	32	32	37	37	43	46	44	56	76	66	62	27	8	-	3
	White.....Male....	601	10	10	11	6	2	13	27	46	65	31	31	24	26	31	29	33	31	30	34	32	32	28	12	4	-	3
	Female..	294	11	10	4	3	3	10	8	15	10	4	4	7	5	5	8	9	15	11	22	43	34	34	15	4	-	-
	Nonwhite..Male....	9	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	3	-	-	-	-	-	-	-	-
	Female..	6	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
170	Motor-vehicle accidents.....	220	1	6	2	3	-	7	5	32	34	15	12	9	11	10	13	14	12	12	11	5	5	1	-	-	-	-
	White.....Male....	171	-	2	2	2	-	4	5	21	29	12	9	7	8	10	11	11	9	11	8	5	4	1	-	-	-	-
	Female..	46	1	4	-	1	-	3	-	11	5	2	3	1	3	-	2	2	3	1	3	-	1	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	690	21	15	13	6	5	17	30	30	42	21	24	23	21	27	24	29	34	32	45	71	61	61	27	8	-	3
	White.....Male....	430	10	8	9	4	2	9	22	25	36	19	22	17	18	21	18	22	22	19	26	27	28	27	12	4	-	3
	Female..	248	10	6	4	2	3	7	8	4	5	2	1	6	2	5	6	7	12	10	19	43	33	34	15	4	-	-
	Nonwhite..Male....	7	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-
	Female..	5	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes..	266	4	1	1	2	-	-	-	1	-	1	1	1	1	3	9	1	7	19	20	27	60	62	31	13	1	-
	White.....Male....	149	3	1	-	2	-	-	-	-	-	-	1	1	1	2	7	1	6	16	10	15	34	31	15	3	-	-
	Female..	109	1	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	1	3	10	12	23	29	16	10	-	-
	Nonwhite..Male....	5	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-
	All other causes.....	1,098	33	10	13	7	6	21	11	17	23	19	19	33	40	49	53	78	65	90	139	116	135	68	47	4	1	1
	White.....Male....	565	16	6	8	3	5	10	5	11	10	9	8	16	15	29	29	40	32	52	77	50	70	36	25	3	-	-
	Female..	512	14	3	4	4	1	11	6	5	12	10	10	16	25	19	23	37	31	37	61	65	65	29	21	1	1	1
	Nonwhite..Male....	11	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-	2	-	-	-	-
	Female..	10	1	1	-	-	-	-	-	1	1	-	1	-	-	1	1	-	1	-	-	-	-	1	1	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA																											
	ALL CAUSES	1,588	132	10	7	5	2	11	11	24	53	33	41	48	66	91	117	160	131	181	164	139	88	46	14	3	4	7
	White.....Male	1,025	70	5	-	1	1	6	8	16	39	21	21	24	43	62	89	117	96	121	114	85	52	25	4	-	-	5
	Female	420	44	1	4	2	-	3	3	5	6	7	11	16	23	23	24	36	23	50	41	44	31	15	5	1	2	-
	Nonwhite..Male	84	10	1	3	-	1	1	-	1	5	4	4	5	-	5	3	3	9	6	5	6	3	2	3	1	2	1
	Female	59	8	3	-	2	-	1	-	2	3	1	5	3	-	1	1	4	3	4	4	4	2	4	2	1	-	1
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	89	1	1	4	-	1	2	-	1	4	3	8	7	3	6	5	15	6	9	5	6	1	1	-	-	-	-
	White.....Male	54	-	-	-	-	-	-	-	-	1	-	4	3	2	6	3	13	4	8	5	4	1	-	-	-	-	-
	Female	10	-	-	1	-	-	-	-	-	-	1	1	3	1	-	1	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	19	1	1	3	-	1	1	-	-	2	2	2	1	-	-	1	1	1	1	-	1	-	-	-	-	-	-
	Female	6	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	80	1	1	3	-	-	1	-	-	4	3	6	6	3	6	4	15	6	9	4	6	1	1	-	-	-	-
	White.....Male	53	-	-	-	-	-	-	-	-	1	-	4	3	2	6	3	13	4	8	4	4	1	-	-	-	-	-
	Female	8	-	-	1	-	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	15	1	1	2	-	-	1	-	-	2	2	-	1	-	-	1	1	1	1	-	1	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	9	-	-	1	-	1	1	-	1	-	-	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	4	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	18	2	-	-	-	-	-	-	-	-	-	1	2	3	-	3	2	3	1	1	-	-	-	-	-	-	-
	White.....Male	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	3	1	-	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
35	Measles	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.–DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945–Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Continued																											
45-55	Cancer and other malignant tumors....	164	-	-	-	-	-	-	-	-	-	1	1	8	4	14	21	24	17	26	20	13	14	1	-	-	-	-
	White.....Male....	103	-	-	-	-	-	-	-	-	-	-	-	2	2	8	16	17	12	15	15	7	8	1	-	-	-	-
	Female..	58	-	-	-	-	-	-	-	-	-	1	1	5	2	6	5	7	5	11	4	5	6	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	82	-	-	-	-	-	-	-	-	-	-	1	1	1	10	9	12	9	14	12	6	7	-	-	-	-	-
	White.....Male....	56	-	-	-	-	-	-	-	-	-	-	-	-	1	6	8	8	7	10	10	3	3	-	-	-	-	-
	Female..	25	-	-	-	-	-	-	-	-	-	-	1	1	-	4	1	4	2	4	2	2	4	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.....	12	-	-	-	-	-	-	-	-	-	-	-	3	2	-	2	1	1	3	-	-	-	-	-	-	-	-
	White.....Female..	11	-	-	-	-	-	-	-	-	-	-	-	2	2	-	2	1	1	3	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.....	12	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	1	3	1	1	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	11	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	1	2	1	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	58	-	-	-	-	-	-	-	-	-	1	-	3	1	2	9	9	7	8	5	6	6	1	-	-	-	-
	White.....Male....	47	-	-	-	-	-	-	-	-	-	-	-	2	1	2	8	9	5	5	5	4	5	1	-	-	-	-
	Female..	11	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	3	-	2	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	22	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	1	4	5	5	2	1	-	-	-	-	-
	White.....Male....	10	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	2	3	1	-	-	-	-	-	-
	Female..	12	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	3	2	1	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	21	-	-	-	-	-	-	-	-	-	-	2	-	3	5	3	2	3	1	1	-	-	1	-	-	-	-
	White.....Male....	17	-	-	-	-	-	-	-	-	-	-	1	-	2	4	3	2	2	1	1	-	-	1	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	122	-	-	-	-	-	-	1	1	2	-	-	1	4	6	5	10	15	15	27	19	7	8	1	-	-	-
	White.....Male....	61	-	-	-	-	-	-	1	-	2	-	-	-	2	2	2	5	7	6	14	10	4	6	-	-	-	-
	Female..	42	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	4	7	10	7	3	1	-	-	-	-
	Nonwhite..Male....	14	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	2	3	2	2	1	-	-	1	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	1	-	-	-	-
90-95	Diseases of the heart.....	384	-	-	-	-	-	-	1	4	1	1	1	3	11	20	34	48	45	59	53	52	28	13	4	2	2	2
	White.....Male....	274	-	-	-	-	-	-	1	2	1	-	1	3	6	13	26	40	38	45	37	35	17	5	3	-	-	1
	Female..	96	-	-	-	-	-	-	-	2	-	1	-	-	5	7	7	8	6	12	14	14	10	7	-	1	2	-
	Nonwhite..Male....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	3	1	1	-	1	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	16	-	-	-	-	-	-	1	2	-	1	-	1	1	3	1	1	2	-	2	1	-	-	-	-	-	-
	White.....Male....	8	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	2	-	2	-	-	-	-	-	-	-
	Female..	8	-	-	-	-	-	-	-	2	-	1	-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	136	-	-	-	-	-	-	-	-	-	-	-	1	5	9	14	23	16	19	23	11	9	5	-	-	-	1
	White.....Male....	104	-	-	-	-	-	-	-	-	-	-	-	1	4	7	11	20	13	17	16	7	6	2	-	-	-	-
	Female..	26	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	2	6	3	2	3	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	232	-	-	-	-	-	-	-	2	1	-	1	1	5	8	19	24	27	40	28	40	19	8	4	2	2	1
	White.....Male....	162	-	-	-	-	-	-	-	2	1	-	1	1	2	6	14	19	23	28	19	28	11	3	3	-	-	1
	Female..	62	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	5	4	10	8	10	8	4	-	1	2	-
	Nonwhite..Male....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	-	1	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza.....	85	21	2	-	1	-	-	-	-	-	-	3	3	4	2	4	5	8	9	7	9	4	2	1	-	-	-
	White.....Male....	49	6	-	-	-	-	-	-	-	-	-	2	1	3	2	4	4	5	6	6	5	3	2	-	-	-	-
	Female..	19	9	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	1	-	2	1	-	1	-	-	-
	Nonwhite..Male....	6	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Female..	11	3	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	-	-	-	-	-	-
107	Bronchopneumonia.....	31	10	2	-	-	-	-	-	-	-	-	2	-	-	1	3	1	1	1	2	3	2	2	1	-	-	-
	White.....Male....	17	2	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	1	2	2	2	2	-	-	-	-
	Female..	6	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite..Male....	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
108	Lobar pneumonia.....	32	5	-	-	1	-	-	-	-	-	-	-	1	2	1	-	2	2	8	4	4	2	-	-	-	-	-
	White.....Male....	20	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	5	3	3	1	-	-	-	-	-
	Female..	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	-	-	-	-
	Nonwhite..Male....	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	15	4	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	5	-	-	1	-	-	-	-	-	-
	White.....Male....	8	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	-	-	-	-	-	-	-	-	-
	Female..	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	7	2	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-
	White.....Male....	4	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum.....	21	-	-	-	-	-	-	-	-	1	-	-	1	3	1	4	4	2	3	1	1	-	-	-	-	-	-
	White.....Male....	17	-	-	-	-	-	-	-	-	1	-	-	1	3	1	3	3	1	2	1	1	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	9	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	White.....Male....	7	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	Female..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	9	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction.....	19	2	-	-	-	-	-	-	-	-	-	3	1	1	1	1	2	-	1	1	3	2	1	-	-	-	-
	White.....Male....	12	2	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	1	2	2	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	22	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	7	2	2	1	3	1	-	-	-	-	-
	White.....Male....	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	2	1	1	3	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	2	1	-	-	-	-	-	-	-
	White.....Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	71	-	-	1	-	-	1	-	-	1	-	1	1	1	-	5	5	8	12	13	8	9	4	-	-	-	1
	White.....Male....	44	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	8	9	9	3	6	4	-	-	-	1
	Female..	21	-	-	1	-	-	-	-	-	-	-	-	1	1	-	3	3	-	2	4	4	2	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
137	Diseases of the prostate.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-
	White.....Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Continued																											
140-150	Diseases of pregnancy, etc.*....	5	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	4	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a, c, 144, 148	Puerperal toxemia....	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma and shock*.....	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d, e, f, 145B, 150	Other puerperal causes.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	26	25	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	8	7	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	18	18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	24	24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year...	16	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide.....	27	-	-	-	-	-	-	-	-	-	3	2	4	3	4	1	3	1	5	1	-	-	-	-	-	-	-
	White.....Male....	25	-	-	-	-	-	-	-	-	-	3	2	4	3	4	-	3	1	4	1	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	13	-	-	-	-	-	-	-	-	-	2	1	4	-	2	2	-	1	-	-	-	-	-	-	-	-	1
	White.....Male....	6	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	1
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	220	12	3	1	1	1	6	3	15	36	18	8	11	17	12	16	14	6	13	8	4	7	4	1	-	1	2
	White.....Male....	170	5	3	-	-	1	4	3	13	34	16	5	8	13	10	14	10	5	9	6	3	3	3	-	-	-	2
	Female..	37	5	-	1	-	-	2	-	2	-	2	1	2	4	1	2	4	-	4	2	1	3	-	1	-	-	-
	Nonwhite..Male....	7	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-
	Female..	6	1	-	-	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
170	Motor-vehicle accidents.....	58	-	-	1	1	-	3	-	3	9	6	1	3	6	5	6	4	3	3	2	1	-	-	-	-	-	1
	White.....Male....	48	-	-	-	-	-	2	-	3	8	4	1	2	5	4	6	3	3	3	2	1	-	-	-	-	-	1
	Female..	7	-	-	1	-	-	1	-	-	-	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	162	12	3	-	-	1	3	3	12	27	12	7	8	11	7	10	10	3	10	6	3	7	4	1	-	1	1
	White.....Male....	122	5	3	-	-	1	2	3	10	26	12	4	6	8	6	8	7	2	6	4	2	3	3	-	-	-	1
	Female..	30	5	-	-	-	-	1	-	2	-	-	1	1	3	1	2	3	-	4	2	1	3	-	1	-	-	-
	Nonwhite..Male....	6	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-
	Female..	4	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes..	45	2	1	-	-	-	-	-	-	-	-	-	1	2	3	1	4	1	2	4	3	7	8	4	-	1	1
	White.....Male....	22	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	1	2	2	3	4	2	1	-	-	-
	Female..	10	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	4	1	-	-	-
	Nonwhite..Male....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	1	1
	Female..	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-	-
	All other causes.....	121	9	1	1	3	-	2	3	1	2	1	5	-	4	10	9	9	7	15	11	15	6	3	3	1	-	-
	White.....Male....	64	5	-	-	1	-	1	2	-	-	-	2	-	4	5	8	4	5	7	9	7	3	1	-	-	-	-
	Female..	49	3	1	1	2	-	1	1	-	1	1	3	-	-	5	1	5	1	6	2	8	3	2	2	-	-	-
	Nonwhite..Male....	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	Female..	5	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE																											
	ALL CAUSES.....	5,816	303	24	5	14	10	43	27	39	43	52	75	102	133	213	269	405	543	710	782	788	697	355	129	36	4	15
	White.....Male....	3,145	181	16	4	9	8	26	14	25	25	34	33	58	70	103	163	230	336	417	419	393	349	164	47	12	1	8
	Female..	2,665	121	8	1	5	2	17	13	14	18	18	42	44	63	110	106	173	205	293	363	395	348	191	81	24	3	7
	Nonwhite..Male....	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
1,2	Typhoid and paratyphoid fever.....	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	6	3	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever.....	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough.....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	99	-	1	-	-	-	-	1	1	3	8	7	5	8	15	10	4	12	12	4	8	-	-	-	-	-	-
	White.....Male....	71	-	1	-	-	-	-	1	-	1	6	5	4	5	9	10	4	9	8	4	4	-	-	-	-	-	-
	Female..	28	-	-	-	-	-	-	-	1	2	2	2	1	3	6	-	-	3	4	-	4	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*.....	91	-	1	-	-	-	-	1	-	3	6	7	5	8	15	8	4	10	11	4	8	-	-	-	-	-	-
	White.....Male....	65	-	1	-	-	-	-	1	-	1	4	5	4	5	9	8	4	8	7	4	4	-	-	-	-	-	-
	Female..	26	-	-	-	-	-	-	-	-	2	2	2	1	3	6	-	-	2	4	-	4	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms).....	8	-	-	-	-	-	-	-	1	-	2	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-
	White.....Male....	6	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	29	1	-	-	-	-	-	-	-	-	-	-	-	2	2	5	5	5	4	3	1	1	-	-	-	-	-
	White.....Male....	22	1	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	5	4	1	-	1	-	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	2	1	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute).....	5	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																											
45-55	Cancer and other malignant tumors	854	1	1	-	1	-	2	-	1	1	6	9	22	31	50	48	82	97	142	110	119	84	36	7	3	-	1
	White.....Male	381	1	1	-	-	-	-	-	-	-	3	2	10	10	15	15	32	41	70	60	59	43	15	3	1	-	-
	Female	473	-	-	-	1	-	2	-	1	1	3	7	12	21	35	33	50	56	72	50	60	41	21	4	2	-	1
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	390	-	-	-	-	-	-	-	-	-	2	1	11	9	21	20	35	43	62	54	62	38	27	2	2	-	1
	White.....Male	207	-	-	-	-	-	-	-	-	-	1	1	7	7	11	10	15	25	34	29	34	20	11	1	1	-	-
	Female	183	-	-	-	-	-	-	-	-	-	1	-	4	2	10	10	20	18	28	25	28	18	16	1	1	-	1
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	125	-	-	-	-	-	-	-	-	-	1	5	4	6	18	12	15	18	18	8	8	9	2	-	1	-	-
	White.....Female	125	-	-	-	-	-	-	-	-	-	1	5	4	6	18	12	15	18	18	8	8	9	2	-	1	-	-
	Nonwhite..Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	92	-	-	-	-	-	-	-	-	-	-	1	3	8	4	6	9	14	11	11	14	9	2	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	92	-	-	-	-	-	-	-	-	-	-	1	3	8	4	6	9	14	11	11	14	9	2	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	247	1	1	-	1	-	2	-	1	1	3	2	4	8	7	10	23	22	51	37	35	28	5	5	-	-	-
	White.....Male	174	1	1	-	-	-	-	-	-	-	2	1	3	3	4	5	17	16	36	31	25	23	4	2	-	-	-
	Female	73	-	-	-	1	-	2	-	1	1	1	1	1	5	3	5	6	6	15	6	10	5	1	3	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	175	-	-	-	-	-	-	1	-	2	-	1	1	2	2	10	22	27	24	35	28	15	3	-	-	-	2
	White.....Male	53	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	6	10	10	8	7	3	2	-	-	-	-
	Female	121	-	-	-	-	-	-	1	-	1	-	1	1	-	1	7	16	16	14	27	21	12	1	-	-	-	2
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	16	-	-	-	-	-	-	-	-	-	1	1	3	2	1	-	2	-	6	-	-	-	-	-	-	-	-
	White.....Male	14	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	2	-	5	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	593	-	-	-	-	-	2	-	-	-	-	1	6	4	4	19	37	57	81	113	116	95	40	15	3	-	-
	White.....Male	290	-	-	-	-	-	1	-	-	-	-	1	2	1	2	12	20	36	36	48	54	54	18	3	2	-	-
	Female	302	-	-	-	-	-	1	-	-	-	-	-	4	3	2	7	16	21	45	65	62	41	[illegible]	12	1	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart	2,047	1	1	-	-	-	4	1	1	4	4	11	21	26	67	106	154	220	297	322	310	279	138	56	18	1	5
	White.....Male	1,191	-	-	-	-	-	1	1	-	4	3	7	17	19	37	76	97	157	192	184	155	144	67	24	4	-	2
	Female	854	1	1	-	-	-	3	-	1	-	1	4	4	7	30	30	56	62	105	138	155	135	71	32	14	1	3
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart	106	-	-	-	-	-	-	1	1	2	-	2	4	2	8	13	7	9	10	13	15	12	4	2	1	-	-
	White.....Male	65	-	-	-	-	-	-	1	-	2	-	1	3	-	1	10	2	5	9	9	9	8	3	1	1	-	-
	Female	41	-	-	-	-	-	-	-	1	-	-	1	1	2	7	3	5	4	1	4	6	4	1	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	722	-	-	-	-	-	-	-	-	-	-	3	12	20	36	50	71	115	120	120	80	61	25	6	1	-	2
	White.....Male	497	-	-	-	-	-	-	-	-	-	-	3	10	17	27	41	53	90	83	70	51	35	13	3	-	-	1
	Female	224	-	-	-	-	-	-	-	-	-	-	-	2	3	9	9	18	24	37	50	29	26	12	3	1	-	1
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	1,219	1	1	-	-	-	4	-	-	2	4	6	5	4	23	43	76	96	167	189	215	206	109	48	16	1	3
	White.....Male	629	-	-	-	-	-	1	-	-	2	3	3	4	2	9	25	42	62	100	105	95	101	51	20	3	-	1
	Female	589	1	1	-	-	-	3	-	-	-	1	3	1	2	14	18	33	34	67	84	120	105	58	28	13	1	2
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	276	44	7	1	1	2	5	1	1	2	4	3	2	7	6	5	4	19	28	35	22	40	25	11	-	1	-
	White.....Male	137	26	4	1	1	1	4	-	-	1	1	-	1	2	4	1	3	11	17	20	10	18	9	2	-	-	-
	Female	139	18	3	-	-	1	1	1	1	1	3	3	1	5	2	4	1	8	11	15	12	22	16	9	-	1	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	120	22	1	1	-	1	1	-	-	-	1	-	-	3	3	-	2	10	10	13	10	25	9	8	-	-	-
	White.....Male	54	12	1	1	-	1	1	-	-	-	-	-	-	-	1	-	2	4	5	6	4	12	2	2	-	-	-
	Female	66	10	-	-	-	-	-	-	-	-	1	-	-	3	2	-	-	6	5	7	6	13	7	6	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	94	8	4	-	-	1	1	-	1	1	1	-	2	3	2	3	1	7	12	16	7	9	12	2	-	1	-
	White.....Male	54	6	2	-	-	-	1	-	-	1	-	-	1	1	2	-	1	5	9	12	2	5	6	-	-	-	-
	Female	40	2	2	-	-	1	-	-	1	-	1	-	1	2	-	3	-	2	3	4	5	4	6	2	-	1	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	29	9	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	1	3	3	2	4	2	-	-	-	-
	White.....Male	12	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	-	1	-	-	-	-
	Female	17	5	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	2	1	-	4	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	33	5	2	-	1	-	3	-	-	1	1	3	-	-	1	1	-	1	3	3	3	2	2	1	-	-	-
	White.....Male	17	4	1	-	1	-	2	-	-	-	1	-	-	-	1	1	-	1	2	-	2	1	-	-	-	-	-
	Female	16	1	1	-	-	-	1	-	-	1	-	3	-	-	-	-	-	-	1	3	1	1	2	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	37	-	-	-	-	-	-	-	-	1	-	1	-	3	1	3	4	5	6	5	6	-	2	-	-	-	-
	White.....Male	33	-	-	-	-	-	-	-	-	-	-	1	-	3	1	3	3	5	6	5	6	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	17	5	2	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	2	1	1	-	2	-	-	-	-
	White.....Male	12	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	1	1	-	1	-	-	-	-
	Female	5	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	20	-	-	-	-	-	-	1	2	-	2	1	-	1	1	5	1	3	1	1	-	1	-	-	-	-	-
	White.....Male	14	-	-	-	-	-	-	1	2	-	2	-	-	1	-	3	-	2	1	1	-	1	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	48	1	-	-	-	-	-	2	-	1	-	-	1	1	2	4	2	4	3	7	7	9	2	2	-	-	-
	White.....Male	24	1	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	1	2	4	4	3	2	1	-	-	-
	Female	24	-	-	-	-	-	-	2	-	-	-	-	1	1	1	2	-	3	1	3	3	6	-	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	41	-	-	-	-	-	-	-	-	-	-	2	2	3	4	2	5	4	3	9	5	2	-	-	-	-	-
	White.....Male	23	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	3	3	7	2	-	-	-	-	-	-
	Female	18	-	-	-	-	-	-	-	-	-	-	2	2	1	3	1	1	1	-	2	3	2	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	27	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	3	3	3	2	2	4	1	2	-	-	1
	White.....Male	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	1	-	-	-	-	1
	Female	20	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	3	2	1	3	1	2	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	299	-	-	1	-	-	1	1	2	-	2	4	4	6	7	13	20	26	34	51	55	47	18	3	2	-	2
	White.....Male	159	-	-	1	-	-	-	-	-	-	2	1	-	4	3	9	15	16	20	24	29	22	10	1	1	-	1
	Female	140	-	-	-	-	-	1	1	2	-	-	3	4	2	4	4	5	10	14	27	26	25	8	2	1	-	1
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	13	10	1	1	-	-	-
	White.....Male	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	13	10	1	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																											
140-150	Diseases of pregnancy, etc.*....	15	-	-	-	-	-	-	-	-	4	4	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	15	-	-	-	-	-	-	-	-	4	4	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	5	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	5	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	82	73	3	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	49	44	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	33	29	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	151	151	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	60	60	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	95	95	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	37	37	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	56	56	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	65	-	-	-	-	-	-	-	2	3	5	5	6	4	4	4	8	5	5	7	3	3	1	-	-	-	-
	White.....Male....	44	-	-	-	-	-	-	-	2	2	4	1	3	3	2	2	4	3	5	6	3	3	1	-	-	-	-
	Female..	21	-	-	-	-	-	-	-	-	1	1	4	3	1	2	2	4	2	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male....	3	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	299	12	3	1	2	4	15	9	17	18	11	7	12	9	14	10	16	21	14	24	25	22	25	5	-	-	3
	White....Male....	210	7	2	1	1	3	14	7	13	13	10	6	12	7	11	10	14	20	10	13	9	11	12	1	-	-	3
	Female..	88	5	1	-	1	1	1	2	4	5	1	1	-	2	3	-	2	1	4	11	16	11	13	3	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
170	Motor-vehicle accidents.....	71	-	-	-	-	2	5	-	11	7	6	1	3	4	2	2	4	5	3	6	5	3	2	-	-	-	-
	White.....Male....	57	-	-	-	-	2	5	-	8	5	6	-	3	4	1	2	3	5	2	4	4	1	2	-	-	-	-
	Female..	14	-	-	-	-	-	-	-	3	2	-	1	-	-	1	-	1	-	1	2	1	2	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	228	12	3	1	2	2	10	9	6	11	5	6	9	5	12	8	12	16	11	18	20	19	23	5	-	-	3
	White.....Male....	153	7	2	1	1	1	9	7	5	8	4	6	9	3	10	8	11	15	8	9	5	10	10	1	-	-	3
	Female..	74	5	1	-	1	1	1	2	1	3	1	-	-	2	2	-	1	1	3	9	15	9	13	3	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	46	1	1	-	-	-	-	-	-	-	-	-	1	1	2	2	5	1	5	3	4	5	8	4	2	1	-
	White.....Male....	25	1	1	-	-	-	-	-	-	-	-	-	1	1	1	2	3	-	3	3	-	3	4	1	-	1	-
	Female..	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	4	2	4	3	2	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.....	520	8	5	2	7	3	9	3	7	4	3	18	12	19	26	21	30	32	35	47	63	80	53	23	8	1	1
	White.....Male....	251	4	4	1	5	3	4	1	5	2	1	7	5	6	12	10	15	15	19	27	36	32	22	10	4	-	1
	Female..	269	4	1	1	2	-	5	2	2	2	2	11	7	13	14	11	15	17	16	20	27	48	31	13	4	1	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY																											
	ALL CAUSES	47,825	2,476	202	116	81	78	266	235	381	555	659	789	1,144	1,640	2,439	3,558	4,596	5,066	5,768	5,855	5,285	3,722	2,117	645	131	16	5
	White.....Male	24,149	1,217	82	56	31	41	153	123	215	244	273	330	524	842	1,246	1,976	2,641	2,898	3,149	2,939	2,486	1,560	862	217	37	5	2
	Female	20,199	942	88	46	36	28	77	75	102	204	246	308	454	550	896	1,245	1,625	1,892	2,336	2,687	2,607	2,049	1,199	408	87	10	2
	Nonwhite..Male	1,838	179	16	7	7	7	16	18	27	50	72	65	88	132	158	197	177	154	141	125	104	58	30	9	1	-	-
	Female	1,639	138	16	7	7	2	20	19	37	57	68	86	78	116	139	140	153	122	142	104	88	55	26	11	6	1	1
1,2	Typhoid and paratyphoid fever	12	-	-	-	-	-	-	-	-	1	2	-	2	2	-	-	1	1	2	1	-	-	-	-	-	-	-
	White.....Male	8	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	1	2	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	71	11	9	2	3	1	7	5	1	2	3	-	3	1	4	7	7	2	-	1	1	1	-	-	-	-	-
	White.....Male	35	5	6	2	2	1	5	2	-	-	1	-	1	-	-	3	3	1	-	1	1	1	-	-	-	-	-
	Female	24	5	3	-	-	-	2	1	1	2	-	-	-	1	1	4	3	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	7	-	-	-	-	-	-	2	-	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	Female	5	1	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	1	-	-	1	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	25	14	6	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	14	6	3	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	6	-	-	-	1	-	2	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	4	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,737	6	6	2	2	1	9	6	48	122	165	138	172	157	180	175	163	141	112	69	48	11	4	-	-	-	-
	White.....Male	921	3	2	1	-	-	2	-	9	33	42	45	84	88	118	122	112	97	76	47	30	8	2	-	-	-	-
	Female	428	1	2	1	1	1	2	2	13	37	58	47	60	31	26	26	27	26	27	18	17	3	2	-	-	-	-
	Nonwhite..Male	212	-	1	-	-	-	1	1	8	19	27	21	19	28	29	24	18	7	6	2	1	-	-	-	-	-	-
	Female	176	2	1	-	1	-	4	3	18	33	38	25	9	10	7	3	6	11	3	2	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,649	3	4	1	1	-	5	5	45	110	157	133	164	150	173	171	154	136	107	69	47	10	4	-	-	-	-
	White.....Male	888	2	1	1	-	-	2	-	7	31	41	43	79	84	114	120	108	95	74	47	29	8	2	-	-	-	-
	Female	408	1	1	-	-	-	1	1	13	34	56	46	59	30	26	25	25	25	26	18	17	2	2	-	-	-	-
	Nonwhite..Male	194	-	1	-	-	-	-	1	7	17	22	21	18	26	28	23	16	7	4	2	1	-	-	-	-	-	-
	Female	159	-	1	-	1	-	2	3	18	28	38	23	8	10	5	3	5	9	3	2	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	88	3	2	1	1	1	4	1	3	12	8	5	8	7	7	4	9	5	5	-	1	1	-	-	-	-	-
	White.....Male	33	1	1	-	-	-	-	-	2	2	1	2	5	4	4	2	4	2	2	-	1	-	-	-	-	-	-
	Female	20	-	1	1	1	1	1	1	-	3	2	1	1	1	-	1	2	1	1	-	-	1	-	-	-	-	-
	Nonwhite..Male	18	-	-	-	-	-	1	-	1	2	5	-	1	2	1	1	2	-	2	-	-	-	-	-	-	-	-
	Female	17	2	-	-	-	-	2	-	-	5	-	2	1	-	2	-	1	2	-	-	-	-	-	-	-	-	-
27	Dysentery	10	3	-	1	-	-	2	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	6	1	-	-	-	-	2	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	Female	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	310	11	1	-	-	-	-	1	2	3	5	4	13	22	37	44	52	41	37	18	14	4	-	-	-	-	1
	White.....Male	170	1	-	-	-	-	-	1	1	1	1	1	2	13	16	23	37	29	23	13	8	-	-	-	-	-	-
	Female	49	2	-	-	-	-	-	-	-	1	1	-	2	4	7	9	6	4	7	-	3	3	-	-	-	-	-
	Nonwhite..Male	68	5	1	-	-	-	-	-	-	-	1	3	7	4	8	9	7	8	6	5	3	1	-	-	-	-	-
	Female	23	3	-	-	-	-	-	-	1	1	2	-	2	1	6	3	2	-	1	-	-	-	-	-	-	-	1
35	Measles	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	102	2	1	4	4	5	29	24	8	11	6	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	51	1	-	2	1	2	18	13	6	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	40	-	1	1	2	3	7	9	2	6	4	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	4	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	1	-	-	-	-	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Continued																											
45-55	Cancer and other malignant tumors	7,011	1	4	6	4	2	7	11	17	22	47	81	157	270	465	703	941	988	1,043	938	753	369	152	25	4	-	1
	White.....Male	3,378	-	2	3	-	-	3	6	10	14	18	28	52	102	163	319	487	503	557	479	379	180	66	6	1	-	-
	Female	3,335	1	2	3	1	2	3	5	5	7	26	45	95	143	268	341	424	451	445	429	349	187	81	18	3	-	1
	Nonwhite..Male	145	-	-	-	2	-	1	-	1	1	1	2	5	14	6	22	17	17	19	15	16	2	3	1	-	-	-
	Female	153	-	-	-	1	-	-	-	1	-	2	6	5	11	28	21	13	17	22	15	9	-	2	-	-	-	-
46	Cancer of digestive organs, peritoneum	3,419	-	1	-	2	-	1	1	-	8	11	21	56	108	187	293	439	506	547	522	416	208	76	13	2	-	1
	White.....Male	1,807	-	1	-	-	-	-	-	-	5	7	7	24	49	87	169	264	279	312	270	208	90	33	2	-	-	-
	Female	1,473	-	-	-	1	-	-	1	-	3	4	12	26	51	89	104	167	211	213	231	191	116	40	10	2	-	1
	Nonwhite..Male	90	-	-	-	1	-	1	-	-	-	-	1	5	6	4	14	6	10	15	11	11	2	2	1	-	-	-
	Female	49	-	-	-	-	-	-	-	-	-	-	1	1	2	7	6	2	6	7	10	6	-	1	-	-	-	-
48,49	Cancer of female genital organs	779	-	-	-	-	-	-	-	-	-	6	19	29	45	98	108	124	99	92	67	62	21	8	1	-	-	-
	White.....Female	728	-	-	-	-	-	-	-	-	-	6	15	28	42	83	101	118	93	88	64	60	21	8	1	-	-	-
	Nonwhite..Female	51	-	-	-	-	-	-	-	-	-	-	4	1	3	15	7	6	6	4	3	2	-	-	-	-	-	-
50	Cancer of breast	668	-	-	-	-	-	-	-	-	-	5	11	31	44	63	89	81	80	90	78	54	28	11	2	1	-	-
	White.....Male	9	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	4	1	1	-	-	-	-	-	-
	Female	632	-	-	-	-	-	-	-	-	-	5	10	29	39	59	83	79	77	81	76	52	28	11	2	1	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	26	-	-	-	-	-	-	-	-	-	-	1	2	3	4	5	2	2	5	1	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	2,145	1	3	6	2	2	6	10	17	14	25	30	41	73	117	213	297	303	314	271	221	112	57	9	1	-	-
	White.....Male	1,562	-	1	3	-	-	3	6	10	9	11	21	28	51	76	149	223	224	241	208	170	90	33	4	1	-	-
	Female	502	1	2	3	-	2	3	4	5	4	11	8	12	11	37	53	60	70	63	58	46	22	22	5	-	-	-
	Nonwhite..Male	54	-	-	-	1	-	-	-	1	1	1	1	-	8	2	8	11	6	4	4	5	-	1	-	-	-	-
	Female	27	-	-	-	1	-	-	-	1	-	2	-	1	3	2	3	3	3	6	1	-	-	1	-	-	-	-
58	Acute rheumatic fever	48	-	-	1	-	2	5	4	4	4	5	3	6	3	1	1	1	1	2	2	2	1	-	-	-	-	-
	White.....Male	21	-	-	-	-	1	2	-	3	2	1	3	2	1	1	-	-	1	1	1	1	1	-	-	-	-	-
	Female	21	-	-	1	-	1	2	3	1	-	3	-	3	2	-	1	1	-	1	1	1	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,414	1	-	-	-	1	2	3	12	8	8	11	15	27	62	105	178	210	254	219	170	88	33	7	-	-	-
	White.....Male	428	1	-	-	-	-	-	2	6	4	4	4	7	12	18	30	49	60	75	63	49	31	10	3	-	-	-
	Female	910	-	-	-	-	1	2	-	4	4	2	5	4	12	34	64	116	139	174	151	117	55	22	4	-	-	-
	Nonwhite..Male	21	-	-	-	-	-	-	-	1	-	-	-	1	-	3	5	2	6	1	-	2	-	-	-	-	-	-
	Female	55	-	-	-	-	-	-	1	1	-	2	2	3	3	7	6	11	5	4	5	2	2	1	-	-	-	-
63b	Exophthalmic goiter	83	-	-	-	-	-	-	-	-	-	5	2	4	5	4	21	12	13	11	4	2	-	-	-	-	-	-
	White.....Male	15	-	-	-	-	-	-	-	-	-	2	-	-	-	1	5	2	2	3	-	-	-	-	-	-	-	-
	Female	62	-	-	-	-	-	-	-	-	-	2	1	3	5	3	16	10	10	6	4	2	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	7	-	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	1	-	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	Female	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	89	-	-	-	-	-	-	-	-	-	2	1	9	12	15	12	15	11	7	3	1	1	-	-	-	-	-
	White.....Male	67	-	-	-	-	-	-	-	-	-	-	-	5	10	13	8	13	9	6	2	1	-	-	-	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	1	-	3	-	1	1	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite..Male	9	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	1	1	1	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,321	3	1	2	-	-	-	2	4	6	14	18	48	75	160	306	421	497	624	701	649	467	252	59	11	1	-
	White.....Male	1,776	1	-	1	-	-	-	1	1	1	7	8	15	21	47	118	172	239	292	301	265	174	89	22	1	-	-
	Female	2,241	2	1	-	-	-	-	1	3	4	5	6	23	39	90	155	205	218	288	366	356	277	158	33	10	1	-
	Nonwhite..Male	143	-	-	1	-	-	-	-	-	-	1	-	2	3	13	17	22	21	23	18	8	10	2	2	-	-	-
	Female	161	-	-	-	-	-	-	-	-	1	1	4	8	12	10	16	22	19	21	16	20	6	3	2	-	-	-
90-95	Diseases of the heart	16,756	9	1	4	1	2	19	25	35	61	65	109	221	435	772	1,224	1,688	2,013	2,382	2,503	2,242	1,675	912	297	54	5	2
	White.....Male	9,131	4	1	1	-	1	8	9	15	28	21	48	118	273	482	813	1,098	1,251	1,401	1,322	1,068	686	364	97	19	1	2
	Female	6,744	5	-	2	1	1	6	12	14	24	36	41	77	104	208	310	466	660	876	1,109	1,100	943	522	193	31	3	-
	Nonwhite..Male	446	-	-	-	-	-	2	2	2	7	4	6	11	26	41	54	68	55	48	44	40	21	13	2	-	-	-
	Female	435	-	-	1	-	-	3	2	4	2	4	14	15	32	41	47	56	47	57	28	34	25	13	5	4	1	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart	818	-	-	1	1	2	15	15	23	33	36	49	67	61	69	75	76	59	62	52	71	32	14	5	-	-	-
	White.....Male	346	-	-	-	-	1	5	6	8	16	10	20	22	24	30	40	34	34	34	22	26	9	4	1	-	-	-
	Female	397	-	-	1	1	1	5	9	9	13	23	23	43	30	31	24	34	19	27	28	40	22	10	4	-	-	-
	Nonwhite..Male	35	-	-	-	-	-	2	-	2	3	-	2	1	4	3	7	4	3	-	1	3	-	-	-	-	-	-
	Female	40	-	-	-	-	-	3	-	4	1	3	4	1	3	5	4	4	3	1	1	2	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	4,767	1	-	-	-	-	-	1	-	2	11	20	70	204	316	487	672	699	736	664	460	260	125	29	9	1	-
	White.....Male	3,225	1	-	-	-	-	-	-	-	1	5	13	51	156	238	387	499	509	491	417	250	129	60	11	6	1	-
	Female	1,385	-	-	-	-	-	-	-	-	1	3	4	10	31	55	81	151	172	229	240	201	123	64	18	2	-	-
	Nonwhite..Male	95	-	-	-	-	-	-	1	-	-	3	1	5	9	16	10	17	9	9	4	7	4	-	-	-	-	-
	Female	62	-	-	-	-	-	-	-	-	-	-	2	4	8	7	9	5	9	7	3	2	4	1	-	1	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	11,171	8	1	3	-	-	4	9	12	26	18	40	84	170	387	662	940	1,255	1,584	1,787	1,711	1,383	773	263	45	4	2
	White.....Male	5,560	3	1	1	-	-	3	3	7	11	6	15	45	93	214	386	565	708	876	883	792	548	300	85	13	-	2
	Female	4,962	5	-	1	-	-	1	3	5	10	10	14	24	43	122	205	281	469	620	841	859	798	448	171	29	3	-
	Nonwhite..Male	316	-	-	-	-	-	-	1	-	4	1	3	5	13	22	37	47	43	39	39	30	17	13	2	-	-	-
	Female	333	-	-	1	-	-	-	2	-	1	1	8	10	21	29	34	47	35	49	24	30	20	12	5	3	1	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,822	311	57	17	12	11	18	19	27	24	21	39	41	76	91	100	115	132	155	144	164	125	84	31	6	2	-
	White.....Male	887	139	17	10	3	6	8	2	15	6	8	18	18	33	44	57	62	75	98	80	73	58	43	11	1	2	-
	Female	701	109	27	5	7	5	8	12	8	14	8	15	13	23	23	23	36	47	53	57	86	65	36	17	4	-	-
	Nonwhite..Male	140	33	5	1	1	-	1	2	3	2	3	2	6	16	19	16	7	8	3	4	2	1	4	1	-	-	-
	Female	94	30	8	1	1	-	1	3	1	2	2	4	4	4	5	4	10	2	1	3	3	1	1	2	1	-	-
107	Bronchopneumonia	819	216	37	11	6	8	7	6	11	6	5	8	11	27	29	38	40	43	57	56	69	64	47	14	2	1	-
	White.....Male	390	96	11	6	1	4	4	1	6	1	2	5	4	14	15	22	20	20	37	34	31	27	24	4	-	1	-
	Female	329	74	20	4	5	4	3	2	4	4	1	1	5	8	6	11	15	20	18	20	37	36	20	10	1	-	-
	Nonwhite..Male	55	21	2	1	-	-	-	1	1	1	2	1	1	4	7	4	2	2	2	1	-	-	2	-	-	-	-
	Female	45	25	4	-	-	-	-	2	-	-	-	1	1	1	1	1	3	1	-	1	1	1	1	-	1	-	-
108	Lobar pneumonia	772	66	11	5	4	2	7	7	14	13	12	23	17	38	49	47	63	74	82	71	78	48	24	13	3	1	-
	White.....Male	401	30	3	3	1	1	3	-	8	4	5	10	10	14	25	27	37	47	47	40	40	28	11	5	1	1	-
	Female	266	22	3	1	1	1	2	7	3	6	5	9	3	12	10	7	18	20	33	27	35	20	12	7	2	-	-
	Nonwhite..Male	70	11	2	-	1	-	1	-	2	1	1	1	3	11	12	10	3	6	1	2	1	-	1	-	-	-	-
	Female	35	3	3	1	1	-	1	-	1	2	1	3	1	1	2	3	5	1	1	2	2	-	-	1	-	-	-
109	Pneumonia (unspecified)	95	20	1	-	1	-	1	3	1	4	2	3	6	6	7	7	4	6	8	5	3	2	5	-	-	-	-
	White.....Male	44	9	-	-	1	-	-	1	-	1	-	2	3	2	2	5	2	3	7	2	-	-	4	-	-	-	-
	Female	41	8	1	-	-	-	1	-	1	3	2	1	3	1	4	1	2	3	1	3	3	2	1	-	-	-	-
	Nonwhite..Male	4	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	6	2	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	136	9	8	1	1	1	3	3	1	1	2	5	7	5	6	8	8	9	8	12	14	11	8	4	1	-	-
	White.....Male	52	4	3	1	-	1	1	-	1	-	1	1	1	3	2	3	3	5	7	4	2	3	4	2	-	-	-
	Female	65	5	3	-	1	-	2	3	-	1	-	4	2	2	3	4	1	4	1	7	11	7	3	-	1	-	-
	Nonwhite..Male	11	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	1	1	1	1	1	-	-	-
	Female	8	-	1	-	-	-	-	-	-	-	1	-	2	-	1	-	2	-	-	-	-	-	-	1	-	-	-
117	Ulcer of stomach or duodenum	334	1	-	-	-	-	1	-	1	1	11	8	16	19	44	39	58	42	37	26	15	12	3	-	-	-	-
	White.....Male	275	1	-	-	-	-	1	-	-	1	8	8	14	16	37	30	51	37	28	21	11	10	1	-	-	-	-
	Female	44	-	-	-	-	-	-	-	1	-	2	-	-	1	4	6	6	3	8	5	4	2	2	-	-	-	-
	Nonwhite..Male	10	-	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-	1	1	-	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	167	107	5	1	2	-	1	-	1	2	3	4	3	3	4	5	7	6	2	3	3	4	-	1	-	-	-
	White.....Male	75	49	1	1	1	-	1	-	1	-	1	2	-	-	1	4	6	5	-	2	-	-	-	-	-	-	-
	Female	70	37	3	-	1	-	-	-	-	2	2	2	3	3	3	1	1	1	2	1	3	4	-	1	-	-	-
	Nonwhite..Male	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	215	1	2	2	2	1	12	9	5	12	9	10	7	13	13	22	19	29	19	13	13	2	-	-	-	-	-
	White.....Male	120	1	2	2	1	-	5	4	1	3	5	7	3	9	12	11	9	18	12	6	8	1	-	-	-	-	-
	Female	72	-	-	-	1	-	5	4	2	6	2	1	2	3	-	8	8	11	7	6	5	1	-	-	-	-	-
	Nonwhite..Male	13	-	-	-	-	1	2	-	1	1	2	1	2	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	Female	10	-	-	-	-	-	-	1	1	2	-	1	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	358	15	3	3	1	-	1	1	5	2	7	9	11	16	16	37	39	30	40	39	38	21	16	6	2	-	-
	White.....Male	180	11	2	1	-	-	-	-	2	1	1	-	3	9	6	21	24	18	19	17	23	11	9	2	-	-	-
	Female	155	4	1	2	1	-	1	-	3	-	2	6	6	5	6	14	13	12	20	22	15	9	7	4	2	-	-
	Nonwhite..Male	11	-	-	-	-	-	-	-	-	-	4	3	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
	Female	12	-	-	-	-	-	-	1	-	1	-	-	2	2	2	2	-	-	1	-	-	1	-	-	-	-	-
124	Cirrhosis of the liver	499	-	2	-	1	-	1	-	3	3	1	14	15	36	54	63	75	59	61	45	40	17	6	3	-	-	-
	White.....Male	294	-	1	-	-	-	-	-	1	1	-	10	7	15	27	35	53	43	32	24	30	8	4	3	-	-	-
	Female	177	-	1	-	1	-	1	-	1	1	1	3	6	18	25	24	20	15	24	16	9	9	2	-	-	-	-
	Nonwhite..Male	14	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	1	1	3	4	-	-	-	-	-	-	-
	Female	14	-	-	-	-	-	-	-	1	-	-	-	2	3	2	1	1	-	2	1	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	229	1	-	-	-	-	-	-	-	-	3	3	10	12	10	25	28	40	37	23	19	13	2	3	-	-	-
	White.....Male	71	-	-	-	-	-	-	-	-	-	-	1	2	4	3	7	11	16	12	6	5	2	-	2	-	-	-
	Female	154	1	-	-	-	-	-	-	-	-	3	2	8	5	7	17	17	24	25	17	14	11	2	1	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	3,046	2	1	4	1	-	7	6	21	31	29	40	55	91	135	177	250	269	387	422	458	377	213	57	11	2	-
	White.....Male	1,365	1	1	2	-	-	4	3	16	11	12	12	25	41	57	74	113	135	181	189	216	155	95	19	2	1	-
	Female	1,401	1	-	2	1	-	3	2	5	18	13	24	20	32	56	77	101	115	173	198	215	193	108	35	8	1	-
	Nonwhite..Male	131	-	-	-	-	-	-	1	-	-	2	2	4	9	8	11	15	10	13	16	16	15	7	2	-	-	-
	Female	149	-	-	-	-	-	-	-	-	2	2	2	6	9	14	15	21	9	20	19	11	14	3	1	1	-	-
137	Diseases of the prostate	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	5	20	41	37	47	32	18	4	1	-	-
	White.....Male	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	5	20	36	36	45	30	18	4	1	-	-
	Nonwhite..Male	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	2	2	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

747801 O - 47 - 20

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Continued																											
140-150	Diseases of pregnancy, etc.*....	124	-	-	-	-	-	-	-	7	13	20	42	29	12	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	97	-	-	-	-	-	-	-	3	8	17	34	23	11	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	27	-	-	-	-	-	-	-	4	5	3	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	40	-	-	-	-	-	-	-	2	5	10	9	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	30	-	-	-	-	-	-	-	1	2	8	8	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	10	-	-	-	-	-	-	-	1	3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	28	-	-	-	-	-	-	-	2	3	3	12	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	23	-	-	-	-	-	-	-	1	2	3	10	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	5	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock.....	44	-	-	-	-	-	-	-	1	4	6	17	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	34	-	-	-	-	-	-	-	-	3	6	12	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	10	-	-	-	-	-	-	-	1	1	-	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	12	-	-	-	-	-	-	-	2	1	1	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	10	-	-	-	-	-	-	-	1	1	-	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	491	402	25	8	7	2	11	6	3	8	3	2	2	4	1	1	1	2	-	1	1	1	-	-	-	-	-
	White.....Male....	248	203	8	4	3	2	9	3	2	2	3	2	1	2	-	1	-	1	-	1	1	-	-	-	-	-	-
	Female..	213	179	15	3	3	-	2	-	1	5	-	-	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	21	14	2	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	9	6	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
158-161	Diseases peculiar to first year.....	1,338	1,338	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	676	676	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	496	496	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	93	93	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	73	73	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	835	835	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	411	411	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	310	310	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	503	503	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	265	265	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	186	186	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	32	32	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	536	-	-	-	-	-	-	2	7	23	33	43	50	52	57	66	61	36	39	37	20	7	3	-	-	-	-
	White.....Male....	345	-	-	-	-	-	-	2	4	12	18	29	25	33	33	41	42	26	27	27	19	5	2	-	-	-	-
	Female..	179	-	-	-	-	-	-	-	3	9	14	12	24	18	23	24	19	9	12	8	1	2	1	-	-	-	-
	Nonwhite..Male....	10	-	-	-	-	-	-	-	-	2	1	1	1	1	1	1	-	1	-	1	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
165-168	Homicide.....	124	12	-	1	2	-	3	1	9	14	11	19	17	12	10	4	2	2	4	1	-	-	-	-	-	-	-
	White.....Male....	53	6	-	-	1	-	2	1	3	4	4	10	5	6	4	2	-	2	2	1	-	-	-	-	-	-	-
	Female..	28	6	-	1	1	-	-	-	3	2	4	2	2	1	3	-	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	34	-	-	-	-	-	-	-	2	6	-	6	9	5	3	2	-	-	1	-	-	-	-	-	-	-	-
	Female..	9	-	-	-	-	-	1	-	1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	2,558	80	34	32	19	31	77	70	118	105	103	84	105	114	115	146	187	178	187	228	206	152	137	40	9	-	1
	White.....Male....	1,543	39	18	14	12	19	51	52	95	77	72	56	79	76	86	104	143	126	117	113	84	58	39	9	4	-	-
	Female..	826	30	12	15	4	7	17	10	13	19	14	13	15	22	15	31	36	44	60	108	113	94	97	31	5	-	1
	Nonwhite..Male....	143	6	1	2	2	3	6	6	8	8	16	11	10	16	11	8	5	7	7	4	5	-	1	-	-	-	-
	Female..	46	5	3	1	1	2	3	2	2	1	1	4	1	-	3	3	3	1	3	3	4	-	-	-	-	-	-
170	Motor-vehicle accidents.....	662	-	6	5	8	10	39	22	51	45	46	31	39	30	35	44	59	51	49	34	38	11	8	-	-	-	1
	White.....Male....	494	-	2	2	4	6	25	17	40	35	29	22	32	21	28	34	44	43	39	31	27	7	6	-	-	-	-
	Female..	110	-	4	3	2	3	8	4	5	8	9	5	3	3	3	6	12	5	8	2	10	4	2	-	-	-	1
	Nonwhite..Male....	47	-	-	-	1	1	4	1	5	1	8	2	4	6	4	3	1	3	1	1	1	-	-	-	-	-	-
	Female..	11	-	-	-	1	-	2	-	1	1	-	2	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	1,896	80	28	27	11	21	38	48	67	60	57	53	66	84	80	102	128	127	138	194	168	141	129	40	9	-	-
	White.....Male....	1,049	39	16	12	8	13	26	35	55	42	43	34	47	55	58	70	99	83	78	82	57	51	33	9	4	-	-
	Female..	716	30	8	12	2	4	9	6	8	11	5	8	12	19	12	25	24	39	52	106	103	90	95	31	5	-	-
	Nonwhite..Male....	96	6	1	2	1	2	2	5	3	7	8	9	6	10	7	5	4	4	6	3	4	-	1	-	-	-	-
	Female..	35	5	3	1	-	2	1	2	1	-	1	2	1	-	3	2	1	1	2	3	4	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	291	6	-	1	-	-	-	-	2	1	-	1	2	10	7	10	9	6	11	21	34	58	63	35	10	4	-
	White.....Male....	130	3	-	-	-	-	-	-	1	-	-	-	1	6	2	8	7	6	5	8	10	25	30	14	4	-	-
	Female..	145	3	-	1	-	-	-	-	1	1	-	1	1	3	2	-	1	-	5	10	22	32	32	20	6	4	-
	Nonwhite..Male....	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	2	2	-	-	1	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	1	1	-	-	-	-
	All other causes.....	3,466	135	43	22	17	18	52	39	39	74	77	98	128	156	179	258	260	295	274	353	344	284	219	77	23	2	-
	White.....Male....	1,657	63	20	11	7	9	31	21	22	38	40	36	52	67	75	133	140	176	144	177	159	116	90	25	4	1	-
	Female..	1,547	50	16	7	8	6	15	14	14	32	26	45	59	61	87	93	105	99	122	159	174	158	127	51	18	1	-
	Nonwhite..Male....	122	13	6	-	1	3	1	1	1	1	7	5	6	4	9	19	10	11	3	7	7	6	-	-	1	-	-
	Female..	140	9	1	4	1	-	5	3	2	3	4	12	11	24	8	13	5	9	5	10	4	4	2	1	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO																											
	ALL CAUSES	5,520	1,543	142	41	45	18	78	67	131	179	167	157	180	201	196	236	287	287	346	359	341	235	181	65	20	7	11
	White.....Male	2,762	736	40	10	19	8	37	34	73	89	80	84	81	105	89	114	168	163	189	180	188	134	92	31	10	3	5
	Female	2,109	580	58	19	16	8	22	22	40	56	62	52	81	69	87	97	100	106	134	154	134	89	81	29	7	3	5
	Nonwhite..Male	375	137	21	6	4	1	10	6	9	19	13	6	8	15	16	18	13	13	16	16	12	9	2	3	1	-	1
	Female	274	90	25	6	6	1	9	5	9	15	12	15	10	12	4	7	6	5	7	9	7	3	6	2	2	1	-
1,2	Typhoid and paratyphoid fever	7	-	-	-	-	-	1	-	1	-	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male	6	-	-	-	-	-	1	-	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	22	14	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	11	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	21	-	1	2	5	3	4	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White.....Male	5	-	-	-	1	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	13	-	-	2	4	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	386	9	8	3	4	1	11	6	23	38	35	40	39	41	28	31	19	19	11	7	9	3	1	-	-	-	-
	White.....Male	177	3	-	-	1	-	3	-	6	5	8	21	18	25	23	18	17	14	6	3	3	3	-	-	-	-	-
	Female	99	2	-	-	-	-	1	-	4	14	18	9	14	11	4	7	2	5	3	2	2	-	1	-	-	-	-
	Nonwhite..Male	66	3	4	2	3	1	5	4	7	11	5	3	4	2	1	4	-	-	1	2	4	-	-	-	-	-	-
	Female	44	1	4	1	-	-	2	2	6	8	4	7	3	3	-	2	-	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	341	5	3	1	-	1	3	4	20	35	31	36	39	40	27	30	18	18	11	6	9	3	1	-	-	-	-
	White.....Male	164	1	-	-	-	-	1	-	5	5	8	18	18	24	22	17	17	13	6	3	3	3	-	-	-	-	-
	Female	91	1	-	-	-	-	-	-	3	13	15	9	14	11	4	7	1	5	3	2	2	-	1	-	-	-	-
	Nonwhite..Male	47	2	1	-	-	1	-	2	6	10	5	3	4	2	1	4	-	-	1	1	4	-	-	-	-	-	-
	Female	39	1	2	1	-	-	2	2	6	7	3	6	3	3	-	2	-	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	45	4	5	2	4	-	8	2	3	3	4	4	-	1	1	1	1	1	-	1	-	-	-	-	-	-	-
	White.....Male	13	2	-	-	1	-	2	-	1	-	-	3	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	Female	8	1	-	-	-	-	1	-	1	1	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	19	1	3	2	3	-	5	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	5	-	2	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	95	79	5	2	-	-	1	-	1	-	2	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-
	White.....Male	50	41	1	1	-	-	1	-	1	-	2	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	Female	31	25	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..Male	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	64	12	-	-	-	-	-	-	-	-	1	1	3	6	6	5	9	7	7	2	2	-	2	-	-	-	1
	White.....Male	37	3	-	-	-	-	-	-	-	-	-	1	1	5	3	2	7	5	6	1	2	-	1	-	-	-	-
	Female	12	2	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	-	1	-	-	1	-	-	-	1
	Nonwhite..Male	12	5	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-	-	-	-	-	-	-
	Female	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	4	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Continued																											
45-55	Cancer and other malignant tumors....	358	-	1	-	-	-	2	-	-	1	5	6	13	17	28	43	43	40	46	43	37	17	13	2	1	-	-
	White.....Male....	160	-	1	-	-	-	2	-	-	1	2	2	4	5	6	15	18	20	19	21	23	11	8	1	1	-	-
	Female..	179	-	-	-	-	-	-	-	-	-	3	4	9	10	20	23	22	18	25	22	12	5	5	1	-	-	-
	Nonwhite..Male....	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	2	2	-	2	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	1	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	167	-	-	-	-	-	-	-	-	-	3	2	2	5	10	23	16	22	19	28	23	8	5	1	-	-	-
	White.....Male....	84	-	-	-	-	-	-	-	-	-	2	1	2	3	4	10	5	13	5	14	18	5	2	-	-	-	-
	Female..	73	-	-	-	-	-	-	-	-	-	1	1	-	2	5	10	9	8	13	14	4	2	3	1	-	-	-
	Nonwhite..Male....	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	1	-	1	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
48,49	Cancer of female genital organs.....	44	-	-	-	-	-	-	-	-	-	-	2	6	7	6	3	6	1	3	4	4	2	-	-	-	-	-
	White.....Female..	41	-	-	-	-	-	-	-	-	-	-	2	6	5	6	3	5	1	3	4	4	2	-	-	-	-	-
	Nonwhite..Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.....	35	-	-	-	-	-	-	-	-	-	1	1	2	2	8	5	4	5	3	-	2	1	1	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	35	-	-	-	-	-	-	-	-	-	1	1	2	2	8	5	4	5	3	-	2	1	1	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	112	-	1	-	-	-	2	-	-	1	1	1	3	3	4	12	17	12	21	11	8	6	7	1	1	-	-
	White.....Male....	76	-	1	-	-	-	2	-	-	1	-	1	2	2	2	5	13	7	14	7	5	6	6	1	1	-	-
	Female..	30	-	-	-	-	-	-	-	-	-	1	-	1	1	1	5	4	4	6	4	2	-	1	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	9	-	-	-	-	-	-	1	5	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White.....Male....	6	-	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	48	-	-	-	-	-	1	2	2	1	1	3	1	-	-	5	4	5	6	5	6	4	1	1	-	-	-
	White.....Male....	17	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	1	2	3	3	2	2	1	-	-	-	-
	Female..	31	-	-	-	-	-	1	1	2	1	1	2	1	-	-	4	3	3	3	2	4	2	-	1	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	11	-	-	-	-	-	-	-	-	-	-	1	1	1	-	4	2	1	1	-	-	-	-	-	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	10	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	2	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	-	-	-	-	-	-	-
	White.....Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	12	-	-	-	-	-	-	-	-	-	-	-	2	3	-	3	3	-	-	-	-	-	-	-	-	-	1
	White.....Male....	9	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	3	-	-	-	-	-	-	-	-	-	1
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	229	1	2	-	-	1	-	3	1	1	2	3	3	5	10	11	14	18	28	36	40	23	17	7	1	-	2
	White.....Male....	116	-	1	-	-	-	-	2	-	-	1	1	1	4	4	4	6	8	14	22	19	16	7	5	-	-	1
	Female..	104	1	1	-	-	1	-	1	1	-	1	2	2	-	5	6	7	10	13	12	21	7	10	1	1	-	1
	Nonwhite..Male....	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	2	-	-	-	1	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
90-95	Diseases of the heart.....	698	2	1	-	1	-	5	6	7	6	8	10	21	30	40	41	73	75	82	101	76	54	43	12	3	1	-
	White.....Male....	403	1	-	-	-	-	2	2	4	3	2	6	11	16	18	24	48	46	51	54	49	35	21	8	2	-	-
	Female..	262	1	1	-	1	-	3	4	1	2	3	3	9	12	20	14	21	25	29	43	26	18	21	4	1	-	-
	Nonwhite..Male....	16	-	-	-	-	-	-	-	1	-	3	1	-	-	2	-	3	2	1	2	-	1	-	-	-	-	-
	Female..	17	-	-	-	-	-	-	-	1	1	-	-	1	2	-	3	1	2	1	2	1	-	1	-	-	1	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	72	-	1	-	1	-	2	2	2	1	4	1	7	8	3	3	4	4	13	9	4	1	2	-	-	-	-
	White.....Male....	34	-	-	-	-	-	2	-	2	1	1	-	3	2	-	2	3	2	7	5	2	1	1	-	-	-	-
	Female..	34	-	1	-	1	-	-	2	-	-	2	1	3	5	3	1	1	2	6	4	1	-	1	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	212	-	-	-	-	-	-	1	-	1	1	2	5	12	17	14	29	31	26	31	15	12	13	2	-	-	-
	White.....Male....	148	-	-	-	-	-	-	1	-	1	1	1	3	9	12	12	21	22	19	22	8	7	8	1	-	-	-
	Female..	62	-	-	-	-	-	-	-	-	-	-	1	2	2	5	2	8	9	6	9	7	5	5	1	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	414	2	-	-	-	-	3	3	5	4	3	7	9	10	20	24	40	40	43	61	57	41	28	10	3	1	-
	White.....Male....	221	1	-	-	-	-	-	1	2	1	-	5	5	5	6	10	24	22	25	27	39	27	12	7	2	-	-
	Female..	166	1	-	-	-	-	3	2	1	2	1	1	4	5	12	11	12	14	17	30	18	13	15	3	1	-	-
	Nonwhite..Male....	14	-	-	-	-	-	-	-	1	-	2	1	-	-	2	-	3	2	-	2	-	1	-	-	-	-	-
	Female..	13	-	-	-	-	-	-	-	1	1	-	-	-	-	-	3	1	2	1	2	-	-	1	-	-	1	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	469	218	42	8	8	2	4	-	6	10	6	4	7	9	7	11	15	10	20	13	22	26	11	6	2	-	2
	White.....Male	222	101	14	2	4	-	3	-	4	5	3	3	4	3	-	4	9	6	11	7	9	20	5	3	1	-	1
	Female	183	79	17	4	2	1	1	-	1	4	3	1	3	4	5	6	6	4	9	6	11	5	6	3	1	-	1
	Nonwhite..Male	34	25	4	1	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Female	30	13	7	1	1	1	-	-	1	-	-	-	-	2	2	-	-	-	-	-	2	-	-	-	-	-	-
107	Bronchopneumonia	202	115	20	5	2	-	1	-	1	3	1	-	3	2	2	1	2	4	3	5	7	15	4	4	2	-	-
	White.....Male	94	48	9	2	1	-	1	-	1	2	-	-	2	-	-	-	2	4	2	2	2	10	3	2	1	-	-
	Female	69	37	6	3	-	-	-	-	-	-	1	-	1	1	2	1	-	-	1	3	5	4	1	2	1	-	-
	Nonwhite..Male	25	21	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	14	9	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	137	52	10	2	3	2	3	-	2	4	2	3	2	5	2	4	9	5	10	3	7	5	1	-	-	-	1
	White.....Male	61	25	2	-	2	-	2	-	1	1	-	2	1	2	-	1	5	2	6	2	3	4	-	-	-	-	-
	Female	61	22	5	1	1	1	1	-	1	3	2	1	1	2	1	2	4	3	4	1	2	1	1	-	-	-	1
	Nonwhite..Male	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	10	1	3	1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-
109	Pneumonia (unspecified)	43	25	5	1	1	-	-	-	1	2	1	-	1	1	-	-	-	-	1	1	1	1	-	1	-	-	-
	White.....Male	18	12	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-
	Female	18	10	4	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite..Male	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	87	26	7	-	2	-	-	-	2	1	2	1	1	1	3	6	4	1	6	4	7	5	6	1	-	-	1
	White.....Male	49	16	3	-	1	-	-	-	2	1	2	1	1	-	-	3	2	-	2	3	3	5	2	1	-	-	1
	Female	35	10	2	-	1	-	-	-	-	-	-	-	-	1	2	3	2	1	4	1	4	-	4	-	-	-	-
	Nonwhite..Male	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	17	1	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	2	2	4	-	-	-	-	-	-
	White.....Male	13	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	2	-	3	-	-	-	-	-	-
	Female	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	308	272	20	1	1	1	1	-	-	-	1	-	-	1	-	-	-	1	2	-	4	1	-	2	-	-	-
	White.....Male	154	145	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-
	Female	97	83	7	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	2	-	1	-	-	1	-	-	-
	Nonwhite..Male	32	26	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	25	18	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
121	Appendicitis	40	-	1	-	1	-	7	5	3	2	4	5	1	5	1	1	2	-	-	1	1	-	-	-	-	-	-
	White.....Male	25	-	-	-	-	-	3	4	2	2	2	4	1	3	1	1	1	-	-	-	1	-	-	-	-	-	-
	Female	12	-	1	-	1	-	2	1	1	-	2	1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	40	6	-	-	-	1	1	-	-	1	1	2	1	5	-	3	5	3	3	1	5	2	-	-	-	-	-
	White.....Male	19	2	-	-	-	1	-	-	-	1	-	1	-	2	-	2	1	3	1	1	2	2	-	-	-	-	-
	Female	20	4	-	-	-	-	1	-	-	-	1	1	1	2	-	1	4	-	2	-	3	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	35	-	-	-	-	-	-	-	-	1	-	1	-	2	1	6	5	5	5	2	3	2	1	1	-	-	-
	White.....Male	20	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	3	-	3	2	-	1	-	-	-
	Female	15	-	-	-	-	-	-	-	-	1	-	-	-	1	-	4	2	2	2	2	-	-	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	31	-	-	-	-	-	-	-	-	-	1	2	1	-	3	3	5	5	5	3	2	-	1	-	-	-	-
	White.....Male	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	2	-	-	-	-	-	-	-
	Female	18	-	-	-	-	-	-	-	-	-	-	2	-	-	3	2	4	4	1	1	1	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
130-132	Nephritis	229	1	1	-	-	-	1	1	2	2	-	3	7	10	11	12	15	26	32	33	30	20	20	2	-	-	-
	White.....Male	109	1	1	-	-	-	1	1	-	-	-	-	3	2	5	5	10	12	15	12	18	10	12	1	-	-	-
	Female	109	-	-	-	-	-	-	-	2	2	-	1	4	7	6	6	5	13	15	21	12	9	5	1	-	-	-
	Nonwhite..Male	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	1	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-
137	Diseases of the prostate	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	3	6	1	-	-	-	-
	White.....Male	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	3	5	1	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Continued																											
140-150	Diseases of pregnancy, etc.*....	57	-	-	-	-	-	-	-	8	13	8	12	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	46	-	-	-	-	-	-	-	8	10	6	9	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	11	-	-	-	-	-	-	-	-	3	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	20	-	-	-	-	-	-	-	3	5	3	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	19	-	-	-	-	-	-	-	3	5	3	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	14	-	-	-	-	-	-	-	4	3	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	12	-	-	-	-	-	-	-	4	3	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	19	-	-	-	-	-	-	-	1	5	2	4	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	11	-	-	-	-	-	-	-	1	2	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	8	-	-	-	-	-	-	-	-	3	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	4	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	4	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	85	77	1	-	-	-	1	1	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	35	33	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	45	40	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	402	402	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	201	201	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	165	165	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	22	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	268	268	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	140	140	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	113	113	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	134	134	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	53	-	-	-	-	-	-	-	3	4	4	4	8	4	2	8	2	6	4	1	1	1	-	1	-	-	-
	White.....Male....	37	-	-	-	-	-	-	-	3	1	4	2	6	4	2	4	1	3	3	1	1	1	-	1	-	-	-
	Female..	13	-	-	-	-	-	-	-	-	2	-	2	2	-	-	4	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	24	-	-	-	-	-	-	-	1	2	3	2	1	3	5	2	3	-	-	-	1	-	-	-	-	-	1
	White.....Male....	11	-	-	-	-	-	-	-	1	1	1	1	1	1	1	2	2	-	-	-	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	-	-	1	1	-	1	3	-	1	-	-	-	-	-	-	-	-	-	1
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	482	18	10	7	9	5	18	19	49	69	54	35	30	30	17	9	13	20	10	17	13	11	11	4	1	2	1
	White.....Male....	338	13	6	1	4	4	13	12	40	58	42	29	20	19	11	7	7	14	8	9	8	4	6	1	1	1	-
	Female..	104	3	3	5	5	1	3	6	9	7	9	5	7	4	5	-	2	3	2	4	4	7	5	3	-	1	1
	Nonwhite..Male....	35	2	1	1	-	-	1	1	-	3	3	-	3	7	1	2	3	3	-	3	1	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	153	1	2	-	1	3	11	4	23	19	12	17	13	10	8	5	8	8	-	5	1	-	1	-	-	-	1
	White.....Male....	105	1	1	-	1	3	8	2	17	12	6	14	11	4	5	5	4	6	-	3	1	-	1	-	-	-	-
	Female..	33	-	1	-	-	-	2	2	6	5	4	3	1	2	3	-	2	-	-	1	-	-	-	-	-	-	1
	Nonwhite..Male....	13	-	-	-	-	-	-	-	-	2	2	-	1	4	-	-	1	2	-	1	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	329	17	8	7	8	2	7	15	26	50	42	18	17	20	9	4	5	12	10	12	12	11	10	4	1	2	-
	White.....Male....	233	12	5	1	3	1	5	10	23	46	36	15	9	15	6	2	3	8	8	6	7	4	5	1	1	1	-
	Female..	71	3	2	5	5	1	1	4	3	2	5	2	6	2	2	-	-	3	2	3	4	7	5	3	-	1	-
	Nonwhite..Male....	22	2	1	1	-	-	1	1	-	1	1	-	2	3	1	2	2	1	-	2	1	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	906	383	29	11	9	2	10	5	8	8	13	4	11	9	13	18	31	25	49	63	66	53	48	22	11	3	2
	White.....Male....	375	159	5	3	4	1	3	2	4	1	3	1	3	5	2	9	19	13	24	29	31	16	24	7	5	1	1
	Female..	364	154	11	5	1	1	4	1	3	4	5	1	6	3	6	8	8	8	16	23	28	30	21	11	3	2	1
	Nonwhite..Male....	87	37	7	-	-	-	1	1	-	1	1	-	-	1	3	1	2	3	8	7	5	5	1	2	1	-	-
	Female..	80	33	6	3	4	-	2	1	1	2	4	2	2	-	2	-	2	1	1	4	2	2	2	2	2	-	-
	All other causes.....	343	43	14	6	5	1	8	13	9	14	18	16	14	15	22	16	22	18	22	23	14	12	10	5	1	1	1
	White.....Male....	169	23	6	2	3	1	2	7	3	9	10	7	5	6	10	7	12	10	10	12	9	6	5	2	-	1	1
	Female..	147	12	8	2	1	-	4	4	5	5	8	8	9	7	10	7	9	7	10	11	5	6	5	3	1	-	-
	Nonwhite..Male....	15	6	-	2	-	-	-	-	1	-	-	1	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-
	Female..	12	2	-	-	1	-	2	2	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK																											
	ALL CAUSES	153,654	7,461	487	377	276	222	697	624	1,087	1,572	1,930	2,620	3,717	5,563	8,168	11,284	14,691	17,013	18,807	19,088	16,575	12,232	6,566	2,099	398	65	35
	White.....Male	79,417	3,899	233	179	148	116	395	373	546	692	748	1,102	1,697	2,871	4,533	6,482	8,692	9,737	10,215	9,671	7,965	5,385	2,756	783	139	25	25
	Female	65,724	2,849	193	156	102	79	261	191	345	575	787	1,076	1,471	1,960	2,803	3,956	5,216	6,553	7,962	8,916	8,317	6,680	3,697	1,287	246	38	8
	Nonwhite..Male	4,502	377	32	20	16	23	22	27	95	124	177	215	297	408	480	485	446	404	333	252	146	71	38	8	4	1	1
	Female	4,011	336	29	22	10	4	19	33	101	181	218	227	252	324	352	351	337	319	297	249	147	96	75	21	9	1	1
1,2	Typhoid and paratyphoid fever	20	1	-	-	-	-	1	2	2	3	2	1	-	1	2	1	1	1	1	-	-	1	-	-	-	-	-
	White.....Male	7	-	-	-	-	-	-	2	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Female	10	1	-	-	-	-	1	-	1	1	1	-	-	1	-	-	1	1	1	-	-	1	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	172	19	11	11	4	6	9	8	13	3	10	6	7	8	11	10	11	12	5	5	3	-	-	-	-	-	-
	White.....Male	90	10	8	4	3	5	7	4	9	2	4	-	2	7	7	4	4	5	-	3	2	-	-	-	-	-	-
	Female	61	8	3	3	-	1	1	4	2	-	4	4	4	-	3	4	6	6	5	2	1	-	-	-	-	-	-
	Nonwhite..Male	13	1	-	3	1	-	1	-	-	1	1	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	Female	8	-	-	1	-	-	-	-	2	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	11	-	-	1	-	1	4	1	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	6	-	-	-	-	-	2	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	88	62	14	6	2	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White.....Male	41	33	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	35	23	8	1	2	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	27	-	1	-	2	5	6	3	1	2	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	18	-	1	-	-	3	5	3	1	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	-	-	-	1	2	1	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	6,032	30	28	17	7	10	19	31	168	397	490	515	502	617	640	619	582	475	391	233	154	76	25	5	-	-	1
	White.....Male	3,328	11	10	4	4	3	6	9	35	97	142	175	235	352	402	447	444	364	289	159	92	34	11	2	-	-	1
	Female	1,418	15	9	9	2	2	9	6	42	129	153	177	152	135	102	82	84	71	76	59	52	38	11	3	-	-	-
	Nonwhite..Male	754	3	5	1	1	4	2	5	36	67	80	93	75	93	102	73	41	31	20	12	7	2	1	-	-	-	-
	Female	532	1	4	3	-	1	2	11	55	104	115	70	40	37	34	17	13	9	6	3	3	2	2	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	5,593	13	8	6	1	2	8	20	142	360	454	482	471	589	610	584	559	448	369	221	145	71	24	5	-	-	1
	White.....Male	3,164	4	1	2	-	2	2	3	30	88	139	168	222	340	394	429	429	347	280	151	88	32	10	2	-	-	1
	Female	1,232	8	4	2	-	-	5	5	33	118	147	166	146	129	91	69	78	69	67	56	49	36	11	3	-	-	-
	Nonwhite..Male	681	1	-	1	1	-	1	1	32	60	69	85	70	88	98	70	41	25	18	11	6	2	1	-	-	-	-
	Female	456	-	3	1	-	-	-	11	47	94	99	63	33	32	27	16	11	7	4	3	2	1	2	-	-	-	-
14-22	Tuberculosis (other forms)	439	17	20	11	6	8	11	11	26	37	36	33	31	28	30	35	23	27	22	12	9	5	1	-	-	-	-
	White.....Male	164	7	9	2	4	1	4	6	5	9	3	7	13	12	8	18	15	17	9	8	4	2	1	-	-	-	-
	Female	126	7	5	7	2	2	4	1	9	11	6	11	6	6	11	13	6	2	9	3	3	2	-	-	-	-	-
	Nonwhite..Male	73	2	5	-	-	4	1	4	4	7	11	8	5	5	4	3	-	6	2	1	1	-	-	-	-	-	-
	Female	76	1	1	2	-	1	2	-	8	10	16	7	7	5	7	1	2	2	2	-	1	1	-	-	-	-	-
27	Dysentery	26	8	1	-	1	-	1	-	-	1	1	2	1	2	2	2	2	-	-	-	1	1	-	-	-	-	-
	White.....Male	17	7	1	-	-	-	1	-	-	1	-	-	-	2	-	1	2	-	-	-	1	1	-	-	-	-	-
	Female	6	-	-	-	1	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	7	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	1	-	1	-	-	-	-	-	-
	White.....Male	7	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	-	1	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,480	32	-	-	-	-	-	1	5	12	17	32	76	120	188	193	215	226	158	112	58	20	13	2	-	-	-
	White.....Male	819	6	-	-	-	-	-	-	1	3	2	8	28	40	96	104	140	146	105	75	42	16	6	1	-	-	-
	Female	215	3	-	-	-	-	-	-	1	1	6	7	7	17	20	26	31	36	24	21	8	2	4	1	-	-	-
	Nonwhite..Male	305	11	-	-	-	-	-	-	1	3	5	11	26	49	55	43	32	36	18	6	6	2	1	-	-	-	-
	Female	141	12	-	-	-	-	-	1	2	5	4	6	15	14	17	20	12	8	11	10	2	-	2	-	-	-	-
35	Measles	8	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	89	2	-	3	6	1	14	17	11	7	10	10	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	40	-	-	1	1	1	7	10	3	3	4	4	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female	43	2	-	-	4	-	7	7	8	4	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	-	-	2	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Continued																											
45-55	Cancer and other malignant tumors....	23,446	7	10	12	21	15	43	39	54	64	133	288	530	975	1,626	2,343	3,190	3,402	3,550	3,074	2,196	1,271	503	80	18	2	-
	White.....Male....	11,105	4	5	5	12	8	28	22	25	35	60	104	143	318	501	1,038	1,548	1,744	1,849	1,588	1,093	607	235	28	5	-	-
	Female..	11,414	3	5	7	7	6	15	15	28	25	63	155	340	574	907	1,172	1,502	1,526	1,598	1,423	1,070	648	262	49	12	2	-
	Nonwhite..Male....	425	-	-	-	1	1	-	1	-	1	5	5	15	33	49	65	68	68	55	32	15	7	2	1	1	-	-
	Female..	502	-	-	-	1	-	-	1	1	3	5	24	32	50	69	68	72	64	48	31	18	9	4	2	-	-	-
46	Cancer of digestive organs, peritoneum..	10,755	3	1	-	3	3	1	3	3	13	33	91	137	302	622	932	1,401	1,638	1,787	1,663	1,166	661	257	27	8	-	-
	White.....Male....	5,618	2	1	-	1	2	1	2	2	7	15	37	54	143	273	498	745	939	998	877	600	297	113	9	2	-	-
	Female..	4,749	1	-	-	2	1	-	1	1	6	14	47	70	136	295	386	588	645	736	754	552	353	139	17	5	-	-
	Nonwhite..Male....	232	-	-	-	-	-	-	-	-	-	2	2	8	15	33	34	42	30	32	19	8	5	2	1	1	-	-
	Female..	156	-	-	-	-	-	-	-	-	-	2	5	5	8	21	14	26	24	21	13	8	6	3	-	-	-	-
48,49	Cancer of female genital organs.....	2,598	-	-	-	-	1	1	2	5	4	21	52	118	204	260	372	393	340	331	213	153	82	35	9	2	-	-
	White.....Female..	2,407	-	-	-	-	1	1	2	5	3	19	41	102	180	238	336	366	320	319	202	146	81	35	8	2	-	-
	Nonwhite..Female..	191	-	-	-	-	-	-	-	-	1	2	11	16	24	22	36	27	20	12	11	7	1	-	1	-	-	-
50	Cancer of breast.....	2,555	-	-	-	-	1	-	-	-	1	15	37	115	196	256	290	335	329	321	273	203	114	49	15	4	1	-
	White.....Male....	26	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	4	3	5	5	1	4	-	-	-	-	-
	Female..	2,440	-	-	-	-	1	-	-	-	1	13	33	110	182	239	279	318	317	308	263	200	108	49	14	4	1	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Female..	86	-	-	-	-	-	-	-	-	-	1	2	5	12	17	11	13	8	8	4	2	2	-	1	-	-	-
45,47, 51-55	Cancer (other sites)..	7,538	4	9	12	18	10	41	34	46	46	64	108	160	273	488	749	1,061	1,095	1,111	925	674	414	162	29	4	1	-
	White.....Male....	5,461	2	4	5	11	6	27	20	23	28	44	66	89	173	328	540	799	802	846	706	492	306	122	19	3	-	-
	Female..	1,818	2	5	7	5	3	14	12	22	15	17	34	58	76	135	171	230	244	235	204	172	106	39	10	1	1	-
	Nonwhite..Male....	190	-	-	-	1	1	-	1	-	1	3	2	7	18	16	31	26	37	23	12	9	2	-	-	-	-	-
	Female..	69	-	-	-	1	-	-	1	1	2	-	6	6	6	9	7	6	12	7	3	1	-	1	-	-	-	-
58	Acute rheumatic fever.....	122	-	-	4	-	2	26	17	9	10	7	11	4	14	7	5	2	2	-	-	1	-	-	-	1	-	-
	White.....Male....	52	-	-	-	-	-	12	11	6	2	4	4	-	4	5	2	1	-	-	-	1	-	-	-	-	-	-
	Female..	61	-	-	3	-	1	12	5	-	8	3	7	4	9	2	3	1	2	-	-	-	-	-	-	1	-	-
	Nonwhite..Male....	4	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	5	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	5,424	2	3	2	3	1	8	12	23	26	22	26	41	87	178	375	622	896	1,091	936	628	313	103	22	4	-	-
	White.....Male....	1,755	-	2	1	1	-	2	1	8	9	11	14	15	36	60	119	201	282	345	311	203	95	31	6	2	-	-
	Female..	3,464	1	1	1	2	1	5	10	12	16	10	8	19	36	92	231	392	586	721	599	417	216	70	16	2	-	-
	Nonwhite..Male....	54	-	-	-	-	-	-	1	-	-	-	1	1	4	6	8	9	7	6	9	2	-	-	-	-	-	-
	Female..	151	1	-	-	-	-	1	-	3	1	1	3	6	11	20	17	20	21	19	17	6	2	2	-	-	-	-
63b	Exophthalmic goiter..	280	-	-	-	-	-	-	1	2	6	4	5	20	13	26	35	53	47	35	18	11	4	-	-	-	-	-
	White.....Male....	46	-	-	-	-	-	-	1	-	-	3	-	5	5	6	4	7	3	10	2	-	-	-	-	-	-	-
	Female..	224	-	-	-	-	-	-	-	2	3	1	4	15	7	19	30	45	44	23	16	11	4	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	9	-	-	-	-	-	-	-	-	3	-	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	11	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	4	1	-	-	-	-	-
	White.....Male....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	3	-	-	-	-	-	-
	Female..	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	298	-	-	-	-	-	-	-	1	3	5	14	32	39	54	47	44	27	19	8	3	2	-	-	-	-	-
	White.....Male....	234	-	-	-	-	-	-	-	-	2	3	12	22	23	43	43	35	21	18	7	3	2	-	-	-	-	-
	Female..	46	-	-	-	-	-	-	-	-	1	-	-	4	14	11	2	8	5	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	12	-	-	-	-	-	-	-	-	-	1	2	3	1	-	2	1	1	-	1	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	1	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	10,443	8	2	2	4	2	3	5	13	12	20	53	80	189	358	644	868	1,180	1,528	1,676	1,636	1,252	641	196	45	6	-
	White.....Male....	4,557	1	2	-	2	1	3	4	5	6	10	17	31	74	160	267	427	576	718	758	698	487	230	66	14	-	-
	Female..	5,469	4	-	1	2	1	-	1	7	6	8	26	30	86	161	324	412	553	754	873	907	718	403	129	27	6	-
	Nonwhite..Male....	186	2	-	1	-	-	-	-	-	-	-	4	6	10	18	27	26	25	28	20	11	6	1	-	1	-	-
	Female..	231	1	-	-	-	-	-	-	1	-	2	6	13	19	19	26	23	26	28	25	20	11	7	1	3	-	-
90-95	Diseases of the heart.....	58,765	6	10	6	6	4	45	55	111	167	207	372	722	1,417	2,614	4,013	5,618	7,150	8,339	8,958	8,051	6,172	3,377	1,098	199	36	13
	White.....Male....	31,946	5	4	6	3	2	24	23	55	85	95	170	391	888	1,699	2,637	3,675	4,322	4,731	4,553	3,922	2,714	1,426	422	71	17	6
	Female..	24,508	1	6	-	3	2	18	23	47	64	86	156	233	364	697	1,096	1,638	2,530	3,323	4,163	3,983	3,381	1,887	660	123	18	6
	Nonwhite..Male....	1,138	-	-	-	-	-	1	5	6	11	7	19	50	74	93	150	166	150	149	121	77	31	23	3	1	-	1
	Female..	1,174	-	-	-	-	-	2	4	3	7	19	27	48	91	125	130	139	148	136	121	69	46	41	13	4	1	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	2,923	-	2	1	2	3	32	45	87	113	130	184	265	252	289	281	240	207	218	194	172	113	69	19	2	3	-
	White.....Male....	1,271	-	1	1	1	1	17	18	43	56	57	76	111	108	128	129	107	95	104	77	69	38	27	6	-	1	-
	Female..	1,472	-	1	-	1	2	13	18	38	45	59	92	128	122	141	138	120	104	107	112	99	73	42	13	2	2	-
	Nonwhite..Male....	75	-	-	-	-	-	-	5	4	7	3	6	11	7	10	8	4	4	1	2	2	1	-	-	-	-	-
	Female..	105	-	-	-	-	-	2	4	2	5	11	10	15	15	10	6	9	4	6	3	2	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	15,732	-	-	-	-	1	-	-	4	9	14	61	207	581	1,086	1,544	2,119	2,399	2,439	2,176	1,570	932	439	123	17	3	8
	White.....Male....	10,871	-	-	-	-	1	-	-	2	3	10	43	167	472	899	1,238	1,654	1,732	1,644	1,323	910	484	218	57	8	2	4
	Female..	4,530	-	-	-	-	-	-	-	2	5	3	11	27	72	146	262	409	626	760	828	647	439	213	66	9	1	4
	Nonwhite..Male....	222	-	-	-	-	-	-	-	-	-	1	4	10	28	27	27	39	26	24	16	9	6	5	-	-	-	-
	Female..	109	-	-	-	-	-	-	-	-	1	-	3	3	9	14	17	17	15	11	9	4	3	3	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	40,111	6	8	5	4	-	13	10	20	45	63	127	250	584	1,239	2,188	3,259	4,544	5,682	6,588	6,309	5,127	2,869	956	180	30	5
	White.....Male....	19,804	5	3	5	2	-	7	5	10	26	28	51	113	308	672	1,270	1,914	2,495	2,983	3,153	2,943	2,192	1,181	359	63	14	2
	Female..	18,505	1	5	-	2	-	5	5	7	14	24	53	78	170	410	696	1,109	1,800	2,456	3,223	3,237	2,869	1,632	581	112	15	2
	Nonwhite..Male....	841	-	-	-	-	-	1	-	2	4	3	9	29	39	55	115	123	120	124	103	66	24	18	3	1	-	1
	Female..	960	-	-	-	-	-	-	-	1	1	8	14	30	67	101	107	113	129	119	109	63	42	38	13	4	1	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	5,615	780	107	63	39	23	45	40	62	65	77	118	164	227	266	363	393	479	490	538	490	417	244	99	24	1	1
	White.....Male	2,966	388	44	26	23	10	22	22	34	27	24	54	67	127	174	228	258	293	279	286	265	181	85	39	9	-	1
	Female	2,233	273	49	32	12	9	21	16	23	32	41	50	70	73	63	104	108	158	196	233	218	226	154	57	14	1	-
	Nonwhite..Male	248	64	4	2	2	3	1	2	2	1	5	4	19	17	22	23	16	24	10	11	3	6	4	2	1	-	-
	Female	168	55	10	3	2	1	1	-	3	5	7	10	8	10	7	8	11	4	5	8	4	4	1	1	-	-	-
107	Bronchopneumonia	2,583	561	63	35	22	12	22	15	24	24	27	41	57	65	73	114	139	171	195	234	220	238	144	69	16	1	1
	White.....Male	1,275	271	26	11	16	3	9	7	14	11	9	17	26	30	53	71	88	95	106	122	109	96	49	29	6	-	1
	Female	1,112	197	27	20	4	6	11	7	8	10	13	19	19	28	17	39	45	68	85	106	107	136	92	37	10	1	-
	Nonwhite..Male	111	55	2	1	1	2	1	1	1	-	1	1	8	2	3	2	4	8	3	6	2	2	3	2	-	-	-
	Female	85	38	8	3	1	1	1	-	1	3	4	4	4	5	-	2	2	-	1	-	2	4	-	1	-	-	-
108	Lobar pneumonia	2,574	125	20	9	13	7	13	19	29	31	38	66	92	138	172	232	232	278	278	280	241	150	83	22	6	-	-
	White.....Male	1,461	68	9	4	5	4	6	11	15	13	12	34	38	81	114	147	158	180	162	150	141	71	29	7	2	-	-
	Female	916	36	8	4	6	2	7	7	11	16	19	23	42	40	35	61	54	90	105	117	97	76	52	15	3	-	-
	Nonwhite..Male	126	9	2	1	1	1	-	1	1	1	4	3	9	12	17	20	12	14	7	5	1	3	1	-	1	-	-
	Female	71	12	1	-	1	-	-	-	2	1	3	6	3	5	6	4	8	4	4	8	2	-	1	-	-	-	-
109	Pneumonia (unspecified)	141	33	2	4	1	1	3	2	2	5	3	3	9	11	12	5	5	14	3	7	9	6	1	-	-	-	-
	White.....Male	74	21	1	2	1	1	2	2	-	2	-	1	1	8	4	2	4	9	2	4	5	2	-	-	-	-	-
	Female	63	12	1	2	-	-	1	-	2	3	3	2	6	2	8	2	1	5	1	3	4	4	1	-	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	317	61	22	15	3	3	7	4	7	5	9	8	6	13	9	12	17	16	14	17	20	23	16	8	2	-	-
	White.....Male	156	28	8	9	1	2	5	2	5	1	3	2	2	8	3	8	8	9	9	10	10	12	7	3	1	-	-
	Female	142	28	13	6	2	1	2	2	2	3	6	6	3	3	3	2	8	5	5	7	10	10	9	5	1	-	-
	Nonwhite..Male	7	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	2	-	-	-	1	-	-	-	-	-
	Female	12	5	1	-	-	-	-	-	-	1	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	1,235	3	-	-	-	-	-	-	1	5	10	26	53	105	115	166	203	170	162	96	70	30	14	5	-	-	1
	White.....Male	1,016	3	-	-	-	-	-	-	1	5	5	20	44	87	97	142	170	146	135	75	50	23	9	3	-	-	1
	Female	179	-	-	-	-	-	-	-	-	-	3	4	5	11	11	18	29	21	25	19	19	7	5	2	-	-	-
	Nonwhite..Male	29	-	-	-	-	-	-	-	-	-	1	1	2	7	5	5	4	1	2	1	-	-	-	-	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	1	1	2	-	2	1	-	2	-	1	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	581	377	27	3	1	2	4	1	8	16	7	15	11	11	9	13	12	10	14	12	11	10	5	2	-	-	-
	White.....Male	298	202	14	1	1	2	2	1	4	7	2	8	4	2	4	8	7	6	8	7	4	3	-	1	-	-	-
	Female	228	132	9	1	-	-	2	-	4	9	5	5	7	7	5	5	5	4	5	4	6	7	5	1	-	-	-
	Nonwhite..Male	34	30	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	21	13	1	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-
121	Appendicitis	711	1	7	13	13	11	27	35	21	14	22	18	40	43	54	64	78	76	52	56	39	16	10	-	1	-	-
	White.....Male	390	-	4	4	8	6	14	19	9	5	7	15	19	27	32	45	40	47	25	32	21	6	4	-	1	-	-
	Female	286	1	3	8	5	4	12	14	10	8	11	3	17	11	18	18	35	26	26	23	18	10	5	-	-	-	-
	Nonwhite..Male	20	-	-	-	-	1	-	-	1	1	2	-	2	4	3	-	3	2	-	1	-	-	-	-	-	-	-
	Female	15	-	-	1	-	-	1	2	1	-	2	-	2	1	1	1	-	1	1	-	-	-	1	-	-	-	-
122	Hernia, intestinal obstruction	1,261	25	14	3	2	4	9	3	5	14	12	20	40	51	72	111	127	127	156	162	131	101	53	16	2	1	-
	White.....Male	618	15	6	3	1	2	6	1	4	7	4	9	15	22	30	60	69	65	70	77	64	55	23	8	2	-	-
	Female	576	9	6	-	1	1	3	-	1	6	7	10	20	22	32	40	49	59	82	81	66	44	28	8	-	1	-
	Nonwhite..Male	34	1	1	-	-	1	-	-	-	1	1	-	-	4	3	3	6	3	3	3	1	2	1	-	-	-	-
	Female	33	-	1	-	-	-	-	2	-	-	-	1	5	3	7	8	3	-	1	1	-	-	1	-	-	-	-
124	Cirrhosis of the liver	1,762	1	1	2	2	-	4	-	-	6	20	31	79	172	213	262	286	212	175	139	85	45	20	7	-	-	-
	White.....Male	1,031	1	-	1	1	-	2	-	-	3	9	12	39	90	120	154	186	139	116	83	41	21	8	5	-	-	-
	Female	661	-	1	1	1	-	2	-	-	1	10	15	35	67	76	103	91	67	58	54	43	23	11	2	-	-	-
	Nonwhite..Male	47	-	-	-	-	-	-	-	-	1	-	3	3	9	11	3	8	6	1	1	-	1	-	-	-	-	-
	Female	23	-	-	-	-	-	-	-	-	1	1	1	2	6	6	2	1	-	-	1	1	-	1	-	-	-	-
126,127	Biliary calculi, etc.*	814	-	-	1	-	-	-	-	-	2	7	8	17	30	66	88	125	130	97	106	73	37	19	8	-	-	-
	White.....Male	277	-	-	-	-	-	-	-	-	-	1	1	3	9	24	24	40	55	38	34	26	12	8	2	-	-	-
	Female	519	-	-	1	-	-	-	-	-	1	5	7	14	18	40	63	81	73	57	71	47	24	11	6	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-
	Female	14	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	4	1	2	-	-	1	-	-	-	-	-
130-132	Nephritis	6,639	6	7	14	8	3	14	25	38	60	81	96	164	231	335	452	580	640	766	917	925	725	404	128	18	2	-
	White.....Male	3,188	4	7	9	5	2	7	7	16	33	31	42	79	106	152	222	321	381	374	444	411	290	190	44	8	1	-
	Female	3,111	1	-	4	3	1	7	18	21	25	40	38	57	87	127	189	223	232	360	454	501	422	209	82	9	1	-
	Nonwhite..Male	161	1	-	-	-	-	-	-	-	-	5	7	16	14	30	21	18	12	10	13	10	4	-	-	-	-	-
	Female	179	-	-	1	-	-	-	-	1	2	5	9	12	22	26	20	18	15	22	6	3	9	5	2	1	-	-
137	Diseases of the prostate	805	-	-	-	-	-	-	-	-	-	-	-	-	1	5	10	39	95	132	181	161	118	47	14	2	-	-
	White.....Male	789	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	38	92	128	180	161	117	45	14	2	-	-
	Nonwhite..Male	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	4	1	-	1	2	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Continued																											
140-150	Diseases of pregnancy, etc.*....	412	-	-	-	-	-	-	-	15	66	98	116	84	32	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	358	-	-	-	-	-	-	-	11	51	86	105	77	27	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	54	-	-	-	-	-	-	-	4	15	12	11	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	168	-	-	-	-	-	-	-	7	25	47	51	25	12	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	139	-	-	-	-	-	-	-	5	17	40	45	22	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	29	-	-	-	-	-	-	-	2	8	7	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	73	-	-	-	-	-	-	-	3	14	13	18	18	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	68	-	-	-	-	-	-	-	3	13	12	17	16	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	5	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	137	-	-	-	-	-	-	-	3	20	31	40	30	13	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	121	-	-	-	-	-	-	-	1	17	27	36	29	11	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	16	-	-	-	-	-	-	-	2	3	4	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	34	-	-	-	-	-	-	-	2	7	7	7	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	30	-	-	-	-	-	-	-	2	4	7	7	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	4	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	1,583	1,272	61	37	15	18	18	17	20	21	21	13	21	14	4	5	9	6	2	5	3	1	-	-	-	-	-
	White.....Male....	815	666	24	18	7	8	11	10	8	12	7	10	11	6	2	-	6	5	-	3	-	1	-	-	-	-	-
	Female..	700	558	31	18	7	10	6	7	11	6	13	3	8	8	1	4	2	1	1	2	3	-	-	-	-	-	-
	Nonwhite..Male....	30	24	1	1	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	38	24	5	-	-	-	1	-	1	2	1	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	4,225	4,225	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	2,224	2,224	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	1,603	1,603	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	205	205	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	193	193	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	2,614	2,614	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	1,331	1,331	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	1,001	1,001	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	136	136	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	146	146	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	1,611	1,611	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	893	893	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	602	602	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	1,654	-	-	-	-	-	-	7	31	51	82	124	150	165	179	198	194	165	114	90	58	34	7	2	-	1	2
	White.....Male....	1,075	-	-	-	-	-	-	7	23	25	47	67	80	91	108	124	148	124	88	70	42	22	5	2	-	1	1
	Female..	535	-	-	-	-	-	-	-	8	23	33	51	65	64	64	68	44	41	25	20	15	11	2	-	-	-	1
	Nonwhite..Male....	27	-	-	-	-	-	-	-	-	-	1	3	2	6	7	5	1	-	1	-	-	1	-	-	-	-	-
	Female..	17	-	-	-	-	-	-	-	-	3	1	3	3	4	-	1	1	-	-	-	1	-	-	-	-	-	-
165-168	Homicide.....	383	20	1	3	-	-	6	3	31	35	37	56	51	35	31	28	21	11	5	3	2	2	2	-	-	-	-
	White.....Male....	169	6	1	1	-	-	3	-	7	11	12	19	20	14	21	19	15	9	5	2	1	2	1	-	-	-	-
	Female..	52	10	-	1	-	-	3	-	1	3	3	6	9	9	1	2	1	1	-	1	1	-	-	-	-	-	-
	Nonwhite..Male....	132	1	-	1	-	-	-	3	21	16	15	24	18	10	9	7	5	1	-	-	-	-	1	-	-	-	-
	Female..	30	3	-	-	-	-	-	-	2	5	7	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	8,151	195	69	91	75	54	268	193	285	314	236	269	364	418	484	511	574	557	616	720	714	595	388	121	24	2	14
	White.....Male....	4,992	99	34	50	43	31	178	156	209	230	162	185	240	308	361	396	432	379	392	391	306	222	135	33	8	-	12
	Female..	2,713	62	22	31	22	16	71	25	52	64	42	57	74	60	83	92	125	166	214	319	392	370	249	87	15	2	1
	Nonwhite..Male....	318	19	10	6	5	5	13	8	18	13	25	21	39	43	35	16	12	9	6	5	7	1	1	1	-	-	-
	Female..	128	15	3	4	5	2	6	4	6	7	7	6	11	7	5	7	5	3	4	5	9	2	3	-	1	-	1
170	Motor-vehicle accidents.....	1,802	4	6	13	22	19	118	70	106	133	84	85	110	116	114	115	141	125	137	142	68	57	13	2	-	-	2
	White.....Male....	1,310	3	2	9	12	10	73	55	78	96	55	57	73	88	88	86	104	96	110	108	52	41	10	2	-	-	2
	Female..	395	1	3	2	8	7	36	12	23	31	17	20	28	17	19	24	31	27	25	32	13	16	3	-	-	-	-
	Nonwhite..Male....	72	-	-	2	-	2	6	2	2	5	9	6	6	10	6	4	5	2	1	2	2	-	-	-	-	-	-
	Female..	25	-	1	-	2	-	3	1	3	1	3	2	3	1	1	1	1	-	1	-	1	-	-	-	-	-	-
169, 171-195	Other accidents.....	6,349	191	63	78	53	35	150	123	179	181	152	184	254	302	370	396	433	432	479	578	646	538	375	119	24	2	12
	White.....Male....	3,682	96	32	41	31	21	105	101	131	134	107	128	167	220	273	310	328	283	282	283	254	181	125	31	8	-	10
	Female..	2,318	61	19	29	14	9	35	13	29	33	25	37	46	43	64	68	94	139	189	287	379	354	246	87	15	2	1
	Nonwhite..Male....	246	19	10	4	5	3	7	6	16	8	16	15	33	33	29	12	7	7	5	3	5	1	1	1	-	-	-
	Female..	103	15	2	4	3	2	3	3	3	6	4	4	8	6	4	6	4	3	3	5	8	2	3	-	1	-	1
162,199, 200	Senility, ill-defined and unknown causes..	607	26	4	2	1	-	2	-	8	12	22	36	46	45	39	54	46	32	22	19	45	51	43	32	13	4	3
	White.....Male....	307	15	2	1	-	-	-	-	1	4	7	12	21	25	26	36	33	25	17	12	19	24	10	9	2	1	3
	Female..	250	9	1	-	1	-	1	-	3	8	9	19	16	16	8	13	9	5	5	7	25	25	33	23	11	3	-
	Nonwhite..Male....	33	2	1	1	-	-	-	-	1	-	4	2	5	2	4	3	3	2	-	-	1	2	-	-	-	-	-
	Female..	17	-	-	-	-	-	1	-	3	-	2	3	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	All other causes.....	10,466	351	106	79	64	59	118	108	149	177	269	337	413	495	584	668	772	883	886	1,023	1,021	937	648	262	47	10	-
	White.....Male....	5,185	198	58	41	33	32	52	59	82	74	91	139	178	202	293	356	443	506	474	519	493	450	294	98	15	5	-
	Female..	4,725	129	39	33	26	20	60	40	50	80	138	151	188	234	258	264	292	339	382	471	514	472	348	161	32	4	-
	Nonwhite..Male....	264	12	5	3	4	7	4	2	7	7	19	14	15	25	22	27	24	21	19	14	5	5	1	1	-	1	-
	Female..	292	12	4	2	1	-	2	7	10	16	21	33	32	34	11	21	13	17	11	19	9	10	5	2	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA																											
	ALL CAUSES	28,897	3,782	310	165	127	101	362	307	531	760	759	966	1,075	1,251	1,509	1,888	2,090	2,528	2,906	2,684	2,022	1,323	894	375	77	42	63
	White.....Male	11,077	1,334	103	63	35	41	129	122	182	249	217	311	322	414	551	741	880	1,068	1,195	1,197	847	546	372	123	17	2	16
	Female	7,905	900	74	48	44	28	105	75	116	141	150	189	203	241	311	376	463	622	886	921	819	589	385	168	36	8	7
	Nonwhite..Male	5,237	854	67	28	25	18	71	54	101	180	190	248	277	314	356	419	388	437	443	329	199	94	60	41	14	12	18
	Female	4,678	694	66	26	23	14	57	56	132	190	202	218	273	282	291	352	359	401	382	237	157	94	77	43	10	20	22
1,2	Typhoid and paratyphoid fever	13	-	-	-	-	-	-	1	1	2	1	2	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	6	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	53	7	4	2	-	2	11	2	8	5	1	1	2	3	-	1	4	-	-	-	-	-	-	-	-	-	-
	White.....Male	22	1	2	-	-	2	2	-	6	2	1	1	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	Female	17	3	1	2	-	-	5	2	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	10	2	1	-	-	-	2	-	1	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	Female	4	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	-	-	1	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	97	65	17	7	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	23	14	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	28	19	3	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	21	17	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	25	15	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	96	8	13	27	12	14	17	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	48	6	7	13	5	8	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	29	2	2	8	5	3	6	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	13	-	1	5	2	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	-	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,262	7	5	3	2	2	12	15	79	171	144	148	115	114	112	106	74	52	48	29	14	4	2	1	-	-	3
	White.....Male	329	2	2	-	-	1	2	-	4	17	18	26	30	31	37	51	42	23	21	11	7	3	1	-	-	-	-
	Female	205	1	3	-	-	-	2	1	8	28	20	25	9	19	15	14	13	13	13	12	7	1	1	-	-	-	-
	Nonwhite..Male	388	2	-	3	1	1	4	4	21	57	49	55	46	41	35	25	14	13	10	5	-	-	-	-	-	-	1
	Female	340	2	-	-	1	-	4	10	46	69	57	42	30	23	25	15	5	3	4	1	-	-	-	1	-	-	2
13	Tuberculosis of respiratory system, etc.*	1,159	1	1	2	1	2	5	14	70	154	134	141	112	107	106	95	70	49	45	28	13	3	2	1	-	-	3
	White.....Male	305	1	-	-	-	1	-	-	3	15	17	26	29	61	36	46	40	21	18	11	7	2	1	-	-	-	-
	Female	184	-	1	-	-	-	-	1	7	24	18	24	9	19	12	10	13	13	13	12	6	1	1	-	-	-	-
	Nonwhite..Male	356	-	-	2	-	1	2	4	18	52	46	53	44	36	34	25	12	12	10	4	-	-	-	-	-	-	1
	Female	314	-	-	-	1	-	3	9	42	63	53	38	30	21	24	14	5	3	4	1	-	-	-	1	-	-	2
14-22	Tuberculosis (other forms)	103	6	4	1	1	-	7	1	9	17	10	7	3	7	6	11	4	3	3	1	1	1	-	-	-	-	-
	White.....Male	24	1	2	-	-	-	2	-	1	2	1	-	1	-	1	5	2	2	3	-	-	1	-	-	-	-	-
	Female	21	1	2	-	-	-	2	-	1	4	2	1	-	-	3	4	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	32	2	-	1	1	-	2	-	3	5	3	2	2	5	1	1	2	1	-	1	-	-	-	-	-	-	-
	Female	26	2	-	-	-	-	1	1	4	6	4	4	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	38	25	2	1	-	3	2	-	-	1	-	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	White.....Male	12	9	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	7	3	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	9	6	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	10	7	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	24	1	-	-	-	-	-	-	1	2	-	-	6	1	3	5	1	2	-	-	-	1	1	-	-	-	-
	White.....Male	11	-	-	-	-	-	-	-	1	2	-	-	4	1	1	1	-	-	-	-	-	1	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	1	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	1	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-
30	Syphilis	293	31	1	-	-	-	-	2	5	10	17	28	21	28	39	35	22	17	15	11	8	-	3	-	-	-	-
	White.....Male	70	4	-	-	-	-	-	-	-	1	3	5	2	3	14	13	8	6	6	3	2	-	-	-	-	-	-
	Female	22	-	-	-	-	-	-	-	2	2	1	2	-	-	-	2	3	4	2	2	2	-	-	-	-	-	-
	Nonwhite..Male	147	20	1	-	-	-	-	1	2	2	4	13	14	22	21	18	10	5	6	5	2	-	1	-	-	-	-
	Female	54	7	-	-	-	-	-	1	1	5	9	8	5	3	4	2	1	2	1	1	2	-	2	-	-	-	-
35	Measles	7	2	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	13	1	-	1	1	1	2	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	1	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																											
45-55	Cancer and other malignant tumors....	2,504	3	2	4	3	3	12	12	18	24	29	58	113	130	193	257	281	339	357	284	202	96	61	16	2	1	4
	White.....Male....	817	2	1	-	3	-	6	5	9	12	5	15	24	37	49	73	80	123	134	113	69	32	18	6	1	-	-
	Female..	1,107	1	1	3	-	3	5	6	8	4	10	27	53	45	94	109	116	131	155	134	107	54	34	7	-	-	-
	Nonwhite..Male....	230	-	-	1	-	-	-	1	-	5	1	3	5	12	19	24	35	38	31	25	17	4	6	-	1	1	1
	Female..	350	-	-	-	-	-	1	-	1	3	13	13	31	36	31	51	50	47	37	12	9	6	3	3	-	-	3
46	Cancer of digestive organs, peritoneum..	947	1	-	1	-	-	3	2	1	6	2	10	21	36	54	97	106	152	165	132	93	41	22	2	-	-	-
	White.....Male....	365	1	-	-	-	-	2	1	1	3	-	1	8	16	25	36	42	66	69	51	25	10	6	2	-	-	-
	Female..	384	-	-	1	-	-	1	1	-	1	2	7	6	10	15	32	37	50	67	58	56	29	11	-	-	-	-
	Nonwhite..Male....	109	-	-	-	-	-	-	-	-	1	-	1	2	5	9	14	14	19	16	16	7	2	3	-	-	-	-
	Female..	89	-	-	-	-	-	-	-	-	1	-	1	5	5	5	15	13	17	13	7	5	-	2	-	-	-	-
48,49	Cancer of female genital organs.....	453	1	-	1	-	-	-	1	3	3	16	20	48	40	60	60	55	48	39	23	16	10	4	4	-	-	1
	White.....Female..	296	1	-	1	-	-	-	1	2	1	7	14	26	17	47	42	36	28	24	22	15	7	3	2	-	-	-
	Nonwhite..Female..	157	-	-	-	-	-	-	-	1	2	9	6	22	23	13	18	19	20	15	1	1	3	1	2	-	-	1
50	Cancer of breast.....	236	-	-	-	-	-	-	-	-	-	2	6	15	12	30	29	26	27	31	28	20	4	4	2	-	-	-
	White.....Male....	8	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	2	1	1	1	-	-	-	-	-	-
	Female..	170	-	-	-	-	-	-	-	-	-	-	2	12	7	20	16	17	19	26	25	17	3	4	2	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Female..	56	-	-	-	-	-	-	-	-	-	2	3	3	5	8	13	9	5	3	2	2	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	868	1	2	2	3	3	9	9	14	15	9	22	29	42	49	71	94	112	122	101	73	41	31	8	2	1	3
	White.....Male....	444	1	1	-	3	-	4	4	8	9	5	13	16	21	22	37	38	55	64	61	43	22	12	4	1	-	-
	Female..	257	-	1	1	-	3	4	4	6	2	1	4	9	11	12	19	26	34	38	29	19	15	16	3	-	-	-
	Nonwhite..Male....	119	-	-	1	-	-	-	1	-	4	1	2	3	7	10	10	21	18	14	9	10	2	3	-	1	1	1
	Female..	48	-	-	-	-	-	1	-	-	-	2	3	1	3	5	5	9	5	6	2	1	2	-	1	-	-	2
58	Acute rheumatic fever.....	43	-	1	-	-	-	7	13	4	5	-	1	1	2	2	2	1	1	2	-	-	-	1	-	-	-	-
	White.....Male....	12	-	-	-	-	-	3	6	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	16	-	1	-	-	-	1	4	2	2	-	-	1	-	-	2	-	1	1	-	-	-	1	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	10	-	-	-	-	-	2	3	1	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	465	-	-	-	1	1	-	6	7	13	7	7	11	20	19	33	59	64	84	60	46	16	9	-	-	-	2
	White.....Male....	166	-	-	-	-	-	-	1	3	6	3	1	5	5	6	9	18	26	28	28	15	7	4	-	-	-	1
	Female..	183	-	-	-	-	-	-	2	1	6	2	2	1	8	5	10	16	23	41	28	26	7	4	-	-	-	1
	Nonwhite..Male....	46	-	-	-	1	-	-	1	2	-	2	1	3	2	1	6	7	4	9	2	3	1	1	-	-	-	-
	Female..	70	-	-	-	-	1	-	2	1	1	-	3	2	5	7	8	18	11	6	2	2	1	-	-	-	-	-
63b	Exophthalmic goiter..	27	-	-	-	-	-	-	-	-	-	2	1	2	1	-	5	3	8	3	1	1	-	-	-	-	-	-
	White.....Male....	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Female..	16	-	-	-	-	-	-	-	-	-	2	-	-	1	-	4	1	3	3	1	1	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	4	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	72	-	-	-	-	-	-	-	-	-	-	5	2	2	2	5	8	7	12	11	11	5	1	-	-	1	-
	White.....Male....	16	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	1	5	1	1	-	1	-	-	-	-
	Female..	40	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	5	4	4	8	9	5	-	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-	-	-	-
	Female..	12	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	2	-	2	1	-	-	-	-	1	-
77	Alcoholism (ethylism).....	57	-	-	-	-	-	1	-	-	2	4	8	8	14	5	3	2	6	2	1	1	-	-	-	-	-	-
	White.....Male....	38	-	-	-	-	-	-	-	-	-	3	4	6	9	5	1	2	4	2	1	1	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	14	-	-	-	-	-	1	-	-	-	-	3	2	4	-	2	-	2	-	-	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	3,162	8	2	-	1	-	2	2	3	12	12	35	63	122	175	229	326	413	487	477	369	219	137	52	5	4	7
	White.....Male....	1,114	4	-	-	1	-	2	-	2	5	2	7	11	21	43	61	115	160	181	202	152	78	52	14	-	-	1
	Female..	961	2	1	-	-	-	-	1	1	2	3	2	16	20	40	52	72	94	148	170	154	109	66	23	4	1	-
	Nonwhite..Male....	521	-	-	-	-	-	-	1	-	2	3	15	14	41	41	61	62	75	89	51	33	16	9	5	1	1	1
	Female..	546	2	1	-	-	-	-	-	-	3	4	11	22	40	51	55	77	84	69	54	30	16	10	10	-	2	5
90-95	Diseases of the heart.....	6,456	17	5	2	1	3	20	23	26	32	81	98	166	259	384	560	632	800	912	871	671	448	272	123	21	12	17
	White.....Male....	2,977	10	-	-	-	1	1	8	15	8	27	27	65	97	180	271	332	402	427	432	300	193	118	49	6	2	6
	Female..	1,760	2	2	1	1	1	10	8	4	8	12	24	19	40	51	85	106	178	265	290	270	201	114	55	8	2	3
	Nonwhite..Male....	916	4	-	1	-	-	6	5	1	8	16	23	45	69	90	109	106	120	108	82	57	25	16	14	3	3	5
	Female..	803	1	3	-	-	1	3	2	6	8	26	24	37	53	63	95	88	100	112	67	44	29	24	5	4	5	3
90a, 92h,c, 93c,95b	Chronic rheumatic diseases of heart...	439	-	1	-	-	1	11	18	7	14	21	25	14	21	13	23	21	49	43	57	39	30	21	8	2	-	-
	White.....Male....	144	-	-	-	-	1	1	6	3	3	6	6	5	3	3	6	9	13	9	31	17	11	7	4	-	-	-
	Female..	139	-	-	-	-	-	5	6	2	6	5	7	3	5	6	1	5	15	15	16	13	12	11	4	2	-	-
	Nonwhite..Male....	77	-	-	-	-	-	4	4	-	3	4	7	3	8	3	6	3	11	8	4	3	4	2	-	-	-	-
	Female..	79	-	1	-	-	-	1	2	2	2	6	5	3	5	1	10	4	10	11	6	6	3	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	1,850	-	-	-	-	-	1	-	1	3	10	15	40	87	133	212	229	286	287	246	163	72	34	21	4	1	5
	White.....Male....	1,147	-	-	-	-	-	-	-	-	1	6	6	22	52	88	141	178	180	174	150	79	38	17	10	1	-	4
	Female..	452	-	-	-	-	-	1	-	1	-	1	3	4	4	19	32	26	66	87	78	70	30	17	11	2	-	-
	Nonwhite..Male....	143	-	-	-	-	-	-	-	-	1	2	5	7	20	16	24	12	24	13	9	7	2	-	-	-	-	1
	Female..	108	-	-	-	-	-	-	-	-	1	1	1	7	11	10	15	13	16	13	9	7	2	-	-	1	1	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	4,167	17	4	2	1	2	8	5	18	15	50	58	112	151	238	325	382	465	582	568	469	346	217	94	15	11	12
	White.....Male....	1,686	10	-	-	-	-	-	2	12	4	15	15	38	42	89	124	145	209	244	251	204	144	94	35	5	2	2
	Female..	1,169	2	2	1	1	1	4	2	1	2	6	14	12	31	26	52	75	97	163	196	187	159	86	40	4	2	3
	Nonwhite..Male....	696	4	-	1	-	-	2	1	1	4	10	11	35	41	71	79	91	85	87	69	47	19	14	14	3	3	4
	Female..	616	1	2	-	-	1	2	-	4	5	19	18	27	37	52	70	71	74	88	52	31	24	23	5	3	4	3

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,874	667	87	38	19	12	34	26	25	38	31	45	41	55	54	72	65	109	110	98	86	64	63	27	4	3	1
	White.....Male	573	169	20	13	3	2	12	4	8	4	8	12	11	22	19	29	22	34	41	37	36	28	33	6	-	-	-
	Female	478	138	17	13	7	6	7	11	5	13	6	7	5	8	11	12	10	21	36	40	31	29	25	17	2	-	1
	Nonwhite..Male	430	201	29	4	5	1	7	6	5	9	8	12	14	15	14	19	12	20	16	11	9	4	4	2	2	1	-
	Female	393	159	21	8	4	3	8	5	7	12	9	14	11	10	10	12	21	34	17	10	10	3	1	2	-	2	-
107	Bronchopneumonia	625	321	35	14	3	3	8	7	3	10	5	7	7	6	11	15	12	22	30	26	20	14	26	15	2	2	1
	White.....Male	185	82	9	7	-	-	3	1	1	1	1	3	-	3	5	4	5	7	11	9	8	8	13	4	-	-	-
	Female	157	73	7	4	1	2	2	3	1	2	-	-	1	-	-	1	3	2	12	10	9	5	10	8	-	-	1
	Nonwhite..Male	149	93	11	-	2	-	2	2	-	2	2	-	3	1	3	6	3	4	4	4	2	-	2	1	2	-	-
	Female	134	73	8	3	-	1	1	1	1	5	2	4	3	2	3	4	1	9	3	3	1	1	1	2	-	2	-
108	Lobar pneumonia	629	123	21	14	9	6	14	9	14	16	14	22	18	23	23	35	32	51	50	48	35	29	18	4	1	-	-
	White.....Male	199	28	3	1	3	1	6	2	5	2	3	4	3	9	10	15	8	18	19	21	16	11	10	1	-	-	-
	Female	173	30	6	5	3	3	3	2	1	6	5	4	2	5	3	9	5	10	16	18	10	15	8	3	1	-	-
	Nonwhite..Male	134	33	7	4	2	-	2	3	3	5	3	9	10	6	5	8	8	8	8	3	5	2	-	-	-	-	-
	Female	123	32	5	4	1	2	3	2	5	3	3	5	3	3	5	3	11	15	7	6	4	1	-	-	-	-	-
109	Pneumonia (unspecified)	234	106	13	2	4	-	5	2	4	5	5	4	10	7	7	8	8	12	7	6	5	5	7	1	-	1	-
	White.....Male	67	22	2	1	-	-	-	-	-	-	2	1	5	3	1	5	3	5	4	3	4	2	4	-	-	-	-
	Female	43	14	1	1	2	-	1	2	1	2	-	-	1	1	3	-	1	3	2	2	1	2	2	1	-	-	-
	Nonwhite..Male	63	38	7	-	-	-	2	-	2	2	1	-	1	2	1	2	-	1	-	1	-	1	1	-	-	1	-
	Female	61	32	3	-	2	-	2	-	1	1	2	3	3	1	2	1	4	3	1	-	-	-	-	-	-	-	-
33	Influenza	386	117	18	8	3	3	7	8	4	7	7	12	6	19	13	14	13	24	23	18	26	16	12	7	1	-	-
	White.....Male	122	37	6	4	-	1	3	1	2	1	2	4	3	7	3	5	6	4	7	4	8	7	6	1	-	-	-
	Female	105	21	3	3	1	1	1	4	2	3	1	3	1	2	5	2	1	6	6	10	11	7	5	5	1	-	-
	Nonwhite..Male	84	37	4	-	1	1	1	1	-	-	2	3	-	6	5	3	1	7	4	3	2	1	1	1	-	-	-
	Female	75	22	5	1	1	-	2	2	-	3	2	2	2	4	-	4	5	7	6	1	5	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	153	1	-	-	-	-	-	-	1	4	7	10	8	17	13	18	22	14	15	7	13	2	1	-	-	-	-
	White.....Male	89	-	-	-	-	-	-	-	-	2	4	6	3	9	7	11	16	9	10	4	7	-	1	-	-	-	-
	Female	17	-	-	-	-	-	-	-	-	-	1	-	1	3	-	2	2	2	1	2	2	1	-	-	-	-	-
	Nonwhite..Male	34	1	-	-	-	-	-	-	1	1	2	3	4	1	3	4	4	3	3	1	3	-	-	-	-	-	-
	Female	13	-	-	-	-	-	-	-	-	1	-	1	-	4	3	1	-	-	1	-	1	1	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	476	367	40	7	6	3	2	2	-	-	2	4	4	2	5	2	3	1	7	4	5	3	6	-	1	-	-
	White.....Male	159	121	12	3	1	2	1	2	-	-	1	1	-	1	1	1	-	-	2	4	1	3	2	-	-	-	-
	Female	91	67	10	1	1	1	-	-	-	-	1	1	1	-	-	-	2	-	1	-	2	-	3	-	-	-	-
	Nonwhite..Male	124	97	12	1	1	-	1	-	-	-	-	1	2	-	4	-	-	1	3	-	1	-	-	-	-	-	-
	Female	102	82	6	2	3	-	-	-	-	-	-	1	1	1	-	1	1	-	1	-	1	-	1	-	1	-	-
121	Appendicitis	160	1	-	2	3	1	12	15	12	6	12	14	12	16	8	13	17	4	4	4	-	3	1	-	-	-	-
	White.....Male	70	1	-	2	-	1	6	8	6	2	2	6	1	7	3	10	8	2	2	2	-	1	-	-	-	-	-
	Female	34	-	-	-	2	-	2	6	1	-	5	2	-	3	2	-	6	-	1	1	-	2	1	-	-	-	-
	Nonwhite..Male	28	-	-	-	1	-	-	-	-	4	1	6	4	2	3	2	2	2	1	-	-	-	-	-	-	-	-
	Female	28	-	-	-	-	-	4	1	5	-	4	-	7	4	-	1	1	-	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	210	13	2	1	1	1	4	2	8	5	8	11	18	16	14	19	16	16	16	- 25	5	6	3	-	-	-	-
	White.....Male	64	4	-	-	-	-	3	-	2	2	1	4	1	4	5	3	8	8	2	9	3	4	1	-	-	-	-
	Female	53	2	1	1	-	-	-	-	3	-	3	3	9	4	3	4	-	4	6	5	2	1	2	-	-	-	-
	Nonwhite..Male	54	3	-	-	1	1	-	-	3	1	2	-	2	4	3	9	7	3	7	7	-	1	-	-	-	-	-
	Female	39	4	1	-	-	-	1	2	-	2	2	4	6	4	3	3	1	1	1	4	-	-	-	-	-	-	-
124	Cirrhosis of the liver	136	1	1	-	-	-	-	-	1	1	-	6	9	16	16	20	9	14	15	19	5	2	1	-	-	-	-
	White.....Male	78	1	-	-	-	-	-	-	-	-	-	6	4	10	8	14	7	5	9	10	2	2	-	-	-	-	-
	Female	28	-	-	-	-	-	-	-	-	-	-	-	4	3	2	5	2	4	4	3	1	-	-	-	-	-	-
	Nonwhite..Male	21	-	-	-	-	-	-	-	1	-	-	-	1	2	6	1	-	4	-	5	1	-	-	-	-	-	-
	Female	9	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	2	1	1	-	1	-	-	-	-
126,127	Biliary calculi, etc.*	75	-	-	-	-	-	-	1	-	1	2	1	1	4	6	5	9	7	16	11	7	1	2	1	-	-	-
	White.....Male	24	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	1	4	7	3	2	-	-	-	-	-	-
	Female	39	-	-	-	-	-	-	1	-	1	1	-	1	-	3	2	7	1	6	8	4	1	2	1	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	2	1	-	1	-	-	-	-	-	-
130-132	Nephritis	2,910	5	3	2	5	3	5	11	16	12	29	61	79	106	153	215	257	331	413	442	314	225	145	47	15	9	7
	White.....Male	995	4	1	-	-	-	1	2	5	5	4	15	15	22	37	54	89	108	138	188	127	99	62	15	4	-	-
	Female	765	1	-	1	-	1	-	3	5	1	7	14	13	18	29	30	57	72	116	125	118	77	53	18	5	1	-
	Nonwhite..Male	575	-	1	-	2	2	2	2	1	2	9	16	19	28	41	69	56	80	83	74	38	23	11	8	3	2	3
	Female	575	-	1	1	3	-	2	4	5	4	9	16	32	38	46	62	55	71	76	55	31	26	19	6	3	6	4
137	Diseases of the prostate	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11	7	[illegible]	19	23	18	14	8	6	-	-	-
	White.....Male	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	3	11	13	15	11	8	5	-	-	-
	Nonwhite..Male	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	3	6	8	10	3	3	-	1	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																											
140-150	Diseases of pregnancy, etc.*....	248	-	-	-	-	-	-	1	34	56	36	50	43	27	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	111	-	-	-	-	-	-	-	12	25	21	19	17	16	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	137	-	-	-	-	-	-	1	22	31	15	31	26	11	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	68	-	-	-	-	-	-	1	10	19	9	16	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	34	-	-	-	-	-	-	-	4	8	5	8	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	34	-	-	-	-	-	-	1	6	11	4	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	79	-	-	-	-	-	-	-	15	18	12	14	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	37	-	-	-	-	-	-	-	6	10	9	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	42	-	-	-	-	-	-	-	9	8	3	9	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma and shock*.....	75	-	-	-	-	-	-	-	4	14	11	16	17	13	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	28	-	-	-	-	-	-	-	-	5	5	4	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	47	-	-	-	-	-	-	-	4	9	6	12	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	26	-	-	-	-	-	-	-	5	5	4	4	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	12	-	-	-	-	-	-	-	2	2	2	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	14	-	-	-	-	-	-	-	3	3	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	405	345	11	4	8	2	12	6	5	2	4	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male....	175	152	7	2	3	1	3	1	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	149	132	1	1	2	-	5	2	1	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	45	32	3	1	2	1	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	36	29	-	-	1	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	1,656	1,656	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	666	666	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	413	413	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	319	319	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	258	258	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	1,089	1,089	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	442	442	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	261	261	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	222	222	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	164	164	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	567	567	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	224	224	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	152	152	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	97	97	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	246	-	-	-	-	-	-	3	9	21	16	28	30	28	23	16	18	22	16	11	5	-	-	-	-	-	-
	White.....Male....	162	-	-	-	-	-	-	3	4	9	13	14	20	18	13	13	14	15	13	8	5	-	-	-	-	-	-
	Female..	57	-	-	-	-	-	-	-	5	5	3	7	6	7	8	3	3	5	3	2	-	-	-	-	-	-	-
	Nonwhite..Male....	24	-	-	-	-	-	-	-	-	5	-	7	4	2	2	-	1	2	-	1	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	307	4	1	1	-	1	1	-	18	47	61	49	37	27	21	13	8	6	6	3	1	-	-	-	-	-	2
	White.....Male....	83	1	1	-	-	1	-	-	2	7	7	16	9	12	8	6	5	3	3	1	1	-	-	-	-	-	-
	Female..	13	-	-	1	-	-	-	-	2	2	2	1	1	2	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	160	1	-	-	-	-	-	-	10	29	38	25	19	11	13	5	3	2	3	1	-	-	-	-	-	-	-
	Female..	51	2	-	-	-	-	1	-	4	9	14	7	8	2	-	1	-	1	-	-	-	-	-	-	-	-	2
169-195	Accidental deaths....	2,065	131	53	35	32	28	116	101	162	202	138	162	134	96	101	84	70	77	87	68	72	54	44	21	4	2	11
	White.....Male....	1,099	39	19	18	9	10	49	65	87	132	89	104	72	56	61	47	41	45	48	35	30	20	12	5	-	-	6
	Female..	384	24	12	4	12	8	29	10	32	22	17	12	12	6	4	12	7	10	20	20	29	31	29	16	4	2	-
	Nonwhite..Male....	441	35	9	7	6	7	21	18	39	37	29	39	45	30	27	19	18	14	14	11	7	2	2	-	-	-	5
	Female..	161	33	13	6	5	3	17	8	4	11	3	7	5	4	9	6	4	8	5	2	6	1	1	-	-	-	-
170	Motor-vehicle accidents.....	767	5	3	7	9	10	52	38	86	109	70	78	61	40	43	41	33	30	24	14	8	3	-	1	-	-	2
	White.....Male....	470	2	2	4	3	4	28	26	46	71	47	54	41	18	25	25	20	21	18	7	6	1	-	1	-	-	-
	Female..	112	-	1	-	2	3	14	7	22	14	10	6	6	5	4	4	3	1	4	2	2	2	-	-	-	-	-
	Nonwhite..Male....	149	1	-	1	3	3	5	3	17	19	11	14	13	15	11	12	8	4	2	5	-	-	-	-	-	-	2
	Female..	36	2	-	2	1	-	5	2	1	5	2	4	1	2	3	-	2	4	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	1,318	126	50	28	23	18	64	63	76	93	68	84	73	56	58	43	37	47	63	54	64	51	44	20	4	2	9
	White.....Male....	629	37	17	14	6	6	21	39	41	61	42	50	31	38	36	22	21	24	30	28	24	19	12	4	-	-	6
	Female..	272	24	11	4	10	5	15	3	10	8	7	6	6	1	-	8	4	9	16	18	27	29	29	16	4	2	-
	Nonwhite..Male....	292	34	9	6	3	4	16	15	22	18	18	25	32	15	16	7	10	10	12	6	7	2	2	-	-	-	3
	Female..	125	31	13	4	4	3	12	6	3	6	1	3	4	2	6	6	2	4	5	2	6	1	1	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	894	239	13	4	1	1	10	3	4	11	10	13	18	22	27	28	27	48	77	58	55	65	74	53	20	10	3
	White.....Male....	291	57	7	-	-	1	2	-	-	2	6	4	7	9	9	12	11	19	32	16	23	27	26	16	5	-	-
	Female..	219	47	3	3	-	-	3	1	-	1	-	1	3	4	3	1	5	6	10	20	14	29	32	19	11	2	1
	Nonwhite..Male....	217	78	2	1	1	-	3	1	2	3	1	3	4	4	13	7	7	15	20	14	11	6	6	7	3	4	1
	Female..	167	57	1	-	-	-	2	1	2	5	3	5	4	5	2	8	4	8	15	8	7	3	10	11	1	4	1
	All other causes.....	2,259	177	44	22	24	19	77	51	83	75	104	115	126	119	133	129	148	159	183	166	113	94	59	28	5	-	6
	White.....Male....	804	65	16	8	9	10	27	12	24	29	19	36	28	34	42	51	52	66	72	76	48	37	33	7	1	-	2
	Female..	628	42	15	8	10	4	27	13	23	16	32	34	27	33	39	21	28	44	50	49	40	41	17	12	2	-	1
	Nonwhite..Male....	384	36	4	3	1	1	18	13	9	13	22	19	29	20	18	29	38	28	27	24	14	8	4	4	1	-	1
	Female..	443	34	9	3	4	4	5	13	27	17	31	26	42	32	34	28	30	21	34	17	11	8	5	5	1	-	2

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA																											
	ALL CAUSES	5,109	385	38	37	22	7	64	51	70	58	79	79	118	148	190	221	379	448	569	617	606	469	293	111	30	1	19
	White.....Male	3,059	231	11	22	11	3	37	34	44	39	45	48	66	87	101	136	230	294	354	393	372	266	158	48	12	-	17
	Female	1,942	139	22	14	8	4	24	13	17	16	31	28	47	59	83	83	143	152	210	217	226	196	131	62	16	1	-
	Nonwhite..Male	55	8	-	-	2	-	2	1	3	2	3	1	3	1	5	2	2	1	3	6	5	2	2	-	-	-	1
	Female	53	7	5	1	1	-	1	3	6	1	-	2	2	1	1	-	4	1	2	1	3	5	2	1	2	-	1
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White.....Male	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	11	-	-	3	-	-	2	2	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	6	-	-	1	-	-	-	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	117	-	1	-	4	1	2	5	12	6	12	8	8	9	8	6	11	10	3	3	5	1	1	1	-	-	-
	White.....Male	62	-	-	-	-	-	1	2	4	1	4	3	3	6	6	5	10	10	2	2	2	-	1	-	-	-	-
	Female	32	-	-	-	1	1	1	1	1	3	8	4	2	3	1	1	1	-	1	-	2	1	-	-	-	-	-
	Nonwhite..Male	8	-	-	-	2	-	-	-	1	1	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	Female	15	-	1	-	1	-	-	2	6	1	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
13	Tuberculosis of respiratory system, etc.*	108	-	-	-	2	1	2	4	11	6	12	7	8	9	8	6	10	9	3	3	4	1	1	1	-	-	-
	White.....Male	59	-	-	-	-	-	1	1	3	1	4	3	3	6	6	5	10	9	2	2	2	-	1	-	-	-	-
	Female	28	-	-	-	-	1	1	1	1	3	8	3	2	3	1	1	-	-	1	-	1	1	-	-	-	-	-
	Nonwhite..Male	7	-	-	-	1	-	-	-	1	1	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	Female	14	-	-	-	1	-	-	2	6	1	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
14-22	Tuberculosis (other forms)	9	-	1	-	2	-	-	1	1	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	25	1	-	-	-	-	-	-	-	-	-	-	2	3	-	1	4	3	4	4	2	1	-	-	-	-	-
	White.....Male	21	1	-	-	-	-	-	-	-	-	-	-	2	2	-	1	3	2	4	3	2	1	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																											
45-55	Cancer and other malignant tumors....	638	-	-	1	1	-	3	2	1	2	3	7	15	21	31	45	79	65	105	83	88	57	20	7	1	-	1
	White.....Male....	349	-	-	1	1	-	2	1	1	1	-	2	11	6	8	21	39	40	65	46	51	33	14	5	-	-	1
	Female..	284	-	-	-	-	-	1	1	-	1	3	5	4	15	23	24	39	24	39	37	36	24	6	2	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-
46	Cancer of digestive organs, peritoneum..	370	-	-	-	-	-	-	-	1	-	1	1	4	7	9	22	43	39	70	54	63	41	10	4	-	-	1
	White.....Male....	220	-	-	-	-	-	-	-	1	-	-	-	4	3	2	12	24	25	48	32	35	23	7	3	-	-	1
	Female..	147	-	-	-	-	-	-	-	-	-	1	1	-	4	7	10	19	13	21	22	27	18	3	1	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.....	45	-	-	-	-	-	-	-	-	1	-	1	2	5	6	5	10	1	5	2	3	1	2	1	-	-	-
	White.....Female..	45	-	-	-	-	-	-	-	-	1	-	1	2	5	6	5	10	1	5	2	3	1	2	1	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.....	49	-	-	-	-	-	-	-	-	-	1	2	-	6	7	6	6	3	9	5	2	2	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	49	-	-	-	-	-	-	-	-	-	1	2	-	6	7	6	6	3	9	5	2	2	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	174	-	-	1	1	-	3	2	-	1	1	3	9	3	9	12	20	22	21	22	20	13	8	2	1	-	-
	White.....Male....	129	-	-	1	1	-	2	1	-	1	-	2	7	3	6	9	15	15	17	14	16	10	7	2	-	-	-
	Female..	43	-	-	-	-	-	1	1	-	-	1	1	2	-	3	3	4	7	4	8	4	3	1	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
58	Acute rheumatic fever.....	10	-	-	-	-	-	-	2	2	-	3	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male....	6	-	-	-	-	-	-	2	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	157	-	-	-	-	1	-	1	1	1	5	1	-	1	4	10	21	18	24	30	15	15	8	-	1	-	-
	White.....Male....	69	-	-	-	-	1	-	-	1	-	5	1	-	-	3	5	6	6	9	15	6	7	4	-	-	-	-
	Female..	88	-	-	-	-	-	-	1	-	1	-	-	-	1	1	5	15	12	15	15	9	8	4	-	1	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	9	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	2	-	1	1	-	-	-	-	-	-
	White.....Male....	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	19	-	-	-	-	-	-	-	-	-	1	-	1	3	2	2	4	2	1	1	1	-	-	-	-	-	1
	White.....Male....	17	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	4	1	1	1	1	-	-	-	-	-	1
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	518	-	-	-	-	-	1	1	-	2	-	1	3	6	13	18	24	64	77	88	89	77	40	11	2	-	1
	White.....Male....	276	-	-	-	-	-	-	-	-	2	-	1	2	3	6	11	13	29	42	57	53	38	16	2	-	-	1
	Female..	237	-	-	-	-	-	1	1	-	-	-	-	1	2	6	7	11	35	34	31	35	39	23	9	2	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
90-95	Diseases of the heart.....	1,430	1	1	-	1	-	3	3	3	4	6	8	23	32	59	62	111	158	201	231	220	164	91	32	8	1	7
	White.....Male....	919	1	-	-	-	-	2	2	1	2	4	3	13	20	34	44	73	117	132	154	142	100	51	12	5	-	7
	Female..	493	-	1	-	1	-	1	-	1	2	2	4	9	12	23	17	36	41	68	75	76	61	39	20	3	1	-
	Nonwhite..Male....	11	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	1	1	1	2	1	-	-	-	-
	Female..	7	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	1	1	1	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	62	-	-	-	-	-	-	1	-	3	3	-	7	5	5	7	7	7	2	7	2	4	2	-	-	-	-
	White.....Male....	40	-	-	-	-	-	-	1	-	1	3	-	5	2	-	4	5	6	2	7	1	2	1	-	-	-	-
	Female..	22	-	-	-	-	-	-	-	-	2	-	-	2	3	5	3	2	1	-	-	1	2	1	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	548	-	-	-	-	-	-	-	-	1	-	3	5	12	27	32	57	86	76	95	84	43	17	7	-	-	3
	White.....Male....	397	-	-	-	-	-	-	-	-	1	-	1	4	9	17	25	44	69	53	68	59	33	8	3	-	-	3
	Female..	147	-	-	-	-	-	-	-	-	-	-	1	1	3	8	6	13	17	23	27	25	10	9	4	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	820	1	1	-	1	-	3	2	3	-	3	5	11	15	27	23	47	65	123	129	134	117	72	25	8	1	4
	White.....Male....	482	1	-	-	-	-	2	1	1	-	1	2	4	9	17	15	24	42	77	79	82	65	42	9	5	-	4
	Female..	324	-	1	-	1	-	1	-	1	-	2	3	6	6	10	8	21	23	45	49	50	49	29	16	3	1	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	1	2	1	-	-	-	-
	Female..	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	205	44	10	5	-	-	6	6	3	-	1	1	3	4	7	7	10	14	10	16	18	17	11	8	3	-	1
	White.....Male	120	20	2	4	-	-	4	4	2	-	1	1	3	2	5	6	7	7	8	12	10	8	6	6	1	-	1
	Female	77	18	7	1	-	-	2	2	1	-	-	-	-	2	2	1	3	7	2	4	8	8	5	2	2	-	-
	Nonwhite..Male	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
107	Bronchopneumonia	97	27	1	2	-	-	5	1	2	-	-	-	-	2	5	1	6	3	4	7	9	10	6	3	2	-	1
	White.....Male	56	13	-	2	-	-	4	1	1	-	-	-	-	1	4	1	3	2	3	5	4	4	4	3	-	-	1
	Female	38	11	1	-	-	-	1	-	1	-	-	-	-	1	1	-	3	1	1	2	5	6	2	-	2	-	-
	Nonwhite..Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	55	6	5	-	-	-	-	1	-	-	1	1	2	2	-	4	3	6	4	5	5	4	2	3	1	-	-
	White.....Male	38	3	1	-	-	-	-	1	-	-	1	1	2	1	-	3	3	5	4	4	3	2	1	2	1	-	-
	Female	15	1	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	2	2	1	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	19	7	2	1	-	-	1	1	-	-	-	-	-	-	-	-	1	3	-	1	1	1	-	-	-	-	-
	White.....Male	9	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	Female	8	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
33	Influenza	34	4	2	2	-	-	-	3	1	-	-	-	1	-	2	2	-	2	2	3	3	2	3	2	-	-	-
	White.....Male	17	1	-	1	-	-	-	1	1	-	-	-	1	-	1	2	-	-	1	2	2	2	1	1	-	-	-
	Female	16	3	1	1	-	-	-	2	-	-	-	-	-	-	1	-	-	2	1	1	1	-	2	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	23	-	-	-	-	-	-	-	-	-	2	-	1	-	2	2	4	2	5	-	2	1	1	1	-	-	-
	White.....Male	15	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	3	1	4	-	1	1	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	1	1	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	42	33	-	1	-	-	-	-	-	-	1	2	-	-	-	-	2	-	1	-	-	1	-	1	-	-	-
	White.....Male	24	20	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Female	16	11	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	30	-	-	1	1	-	2	3	1	-	-	3	1	2	2	1	2	2	1	2	5	-	1	-	-	-	-
	White.....Male	19	-	-	-	-	-	1	2	-	-	-	2	-	2	1	1	1	2	1	2	3	-	1	-	-	-	-
	Female	11	-	-	1	1	-	1	1	1	-	-	1	1	-	1	-	1	-	-	-	2	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	50	4	-	-	-	-	2	-	-	-	-	2	3	3	-	2	4	6	8	2	6	3	3	-	1	-	1
	White.....Male	32	3	-	-	-	-	-	-	-	-	-	2	-	1	-	1	4	6	5	2	3	1	3	-	-	-	1
	Female	17	1	-	-	-	-	1	-	-	-	-	-	3	2	-	1	-	-	3	-	3	2	-	-	1	-	-
	Nonwhite..Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	36	-	-	-	-	-	-	-	-	1	1	2	-	3	2	4	2	3	7	4	5	1	1	-	-	-	-
	White.....Male	23	-	-	-	-	-	-	-	-	-	1	2	-	3	1	1	1	3	3	3	3	1	1	-	-	-	-
	Female	12	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	1	-	4	-	2	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	38	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	4	6	10	4	2	6	1	-	-	-	-
	White.....Male	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	6	1	2	2	-	-	-	-	-
	Female	23	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	6	4	3	-	4	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	247	-	1	-	-	-	5	1	3	3	6	3	7	10	10	4	25	23	29	33	33	29	17	4	1	-	-
	White.....Male	145	-	-	-	-	-	3	-	2	3	4	1	1	2	5	1	18	13	13	20	23	21	11	3	1	-	-
	Female	100	-	1	-	-	-	1	1	1	-	2	2	6	8	4	3	7	10	16	13	10	8	6	1	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	8	10	7	6	-	-	-	-
	White.....Male	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	10	7	6	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

747801 O - 47 - 21

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																											
140-150	Diseases of pregnancy, etc.*....	14	-	-	-	-	-	-	-	-	1	3	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....Female..	13	-	-	-	-	-	-	-	-	1	3	2	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
140,142a, 145A,147	Puerperal septicemia	4	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	4	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	7	-	-	-	-	-	-	-	-	-	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	7	-	-	-	-	-	-	-	-	-	1	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....Female..	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
141d,e,f, 145B,150	Other puerperal causes.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	77	59	3	3	2	-	4	-	3	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male....	44	36	-	1	-	-	2	-	2	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	32	23	3	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	189	189	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	115	115	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	72	72	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	119	119	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	75	75	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	42	42	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	70	70	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	40	40	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	30	30	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	56	-	-	-	-	-	-	-	2	-	3	2	4	7	5	6	8	6	4	3	3	1	-	-	-	-	2
	White.....Male....	49	-	-	-	-	-	-	-	2	-	3	1	4	6	4	5	7	6	4	2	3	1	-	-	-	-	1
	Female..	6	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-
	White.....Male....	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	361	11	15	12	7	4	15	16	23	25	16	18	16	17	12	18	21	17	20	23	17	18	12	6	1	-	1
	White.....Male....	260	6	7	9	5	2	11	12	18	21	12	17	10	17	11	15	18	16	13	15	7	10	3	3	1	-	1
	Female..	91	3	7	3	2	2	4	3	4	3	4	-	5	-	-	3	3	1	6	8	10	8	9	3	-	-	-
	Nonwhite..Male....	7	1	-	-	-	-	-	1	1	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	3	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	98	-	3	-	3	-	2	6	11	9	12	9	6	8	5	4	7	3	5	3	-	2	-	-	-	-	-
	White.....Male....	79	-	1	-	3	-	2	4	7	7	9	8	4	8	5	3	7	2	4	3	-	2	-	-	-	-	-
	Female..	16	-	2	-	-	-	-	1	4	1	3	-	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	263	11	12	12	4	4	13	10	12	16	4	9	10	9	7	14	14	14	15	20	17	16	12	6	1	-	1
	White.....Male....	181	6	6	9	2	2	9	8	11	14	3	9	6	9	6	12	11	14	9	12	7	8	3	3	1	-	1
	Female..	75	3	5	3	2	2	4	2	-	2	1	-	3	-	-	2	3	-	5	8	10	8	9	3	-	-	-
	Nonwhite..Male....	5	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	175	7	2	1	-	-	-	-	2	-	1	1	1	3	4	1	9	7	12	15	18	29	30	22	7	-	3
	White.....Male....	92	3	-	-	-	-	-	-	1	-	-	1	-	3	3	1	7	5	11	10	9	13	13	7	2	-	3
	Female..	65	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	1	1	3	6	13	16	15	4	-	-
	Nonwhite..Male....	8	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	-
	Female..	10	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	-	-
	All other causes....	574	33	5	8	5	1	17	9	11	11	14	15	20	18	24	28	31	39	42	65	65	40	50	18	5	-	-
	White.....Male....	329	24	2	5	4	-	11	7	6	8	7	7	10	10	7	15	13	27	25	40	40	21	28	10	2	-	-
	Female..	239	9	3	3	1	1	6	2	5	3	5	8	10	8	17	13	17	12	16	24	25	19	21	8	3	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO																											
	ALL CAUSES	78,835	4,830	390	232	166	148	436	443	769	912	1,129	1,403	1,887	2,455	3,548	5,015	6,294	7,585	8,781	9,694	9,475	7,270	4,249	1,412	241	41	30
	White.....Male	40,802	2,510	198	113	88	79	235	236	388	414	490	613	884	1,219	1,837	2,700	3,651	4,363	4,811	5,086	4,877	3,470	1,873	536	98	12	23
	Female	32,609	1,890	163	95	59	52	161	154	262	308	433	538	677	826	1,204	1,722	2,142	2,805	3,594	4,255	4,358	3,636	2,277	842	131	20	5
	Nonwhite..Male	3,053	253	16	17	8	8	29	34	61	76	100	132	161	206	312	368	290	256	219	206	145	85	47	13	5	4	2
	Female	2,371	177	15	7	11	9	11	19	58	114	106	120	165	204	195	225	211	161	157	147	95	79	52	21	7	5	-
1,2	Typhoid and paratyphoid fever	16	1	-	-	-	-	1	2	-	-	2	1	1	-	1	-	-	2	4	1	-	-	-	-	-	-	-
	White.....Male	6	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	3	1	-	-	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	100	20	4	8	4	1	8	7	4	4	2	5	7	2	7	4	3	4	1	4	1	-	-	-	-	-	-
	White.....Male	58	12	-	3	3	1	4	3	2	3	2	1	6	1	6	2	2	2	-	4	1	-	-	-	-	-	-
	Female	30	8	2	3	1	-	3	1	2	1	-	2	-	-	1	2	1	2	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	9	-	-	2	-	-	1	2	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	19	-	-	3	-	-	4	3	3	1	-	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	15	-	-	3	-	-	4	2	2	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	109	82	20	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	41	32	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	54	42	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	8	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	69	2	5	7	8	8	24	4	1	3	-	1	2	1	-	1	1	-	-	1	-	-	-	-	-	-	-
	White.....Male	35	1	2	5	4	5	12	3	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Female	34	1	3	2	4	3	12	1	1	3	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	2,631	22	25	13	2	6	12	19	123	200	248	242	235	235	226	243	239	177	161	114	55	24	6	2	-	-	2
	White.....Male	1,283	6	10	6	-	2	1	3	20	50	75	89	111	110	122	147	174	122	106	56	36	13	2	1	-	-	1
	Female	724	8	11	5	1	1	5	8	37	67	98	85	64	58	47	42	31	38	41	46	17	9	4	-	-	-	1
	Nonwhite..Male	376	4	2	2	-	1	5	5	27	27	31	43	35	45	44	46	23	13	13	9	-	-	-	1	-	-	-
	Female	268	4	2	-	1	2	1	3	39	56	44	25	25	22	13	8	11	4	1	3	2	2	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	2,394	11	10	2	-	3	4	14	108	181	233	231	216	222	210	221	224	163	149	111	53	18	6	2	-	-	2
	White.....Male	1,173	4	2	-	-	1	-	2	19	48	72	88	104	105	114	136	164	115	97	54	35	9	2	1	-	-	1
	Female	657	3	8	1	-	1	2	6	36	59	90	79	60	56	43	39	28	34	39	45	16	7	4	-	-	-	1
	Nonwhite..Male	322	1	-	1	-	-	2	3	21	24	27	39	30	41	40	39	22	10	12	9	-	-	-	1	-	-	-
	Female	242	3	-	-	-	1	-	3	32	50	44	25	22	20	13	7	10	4	1	3	2	2	-	-	-	-	-
14-22	Tuberculosis (other forms)	237	11	15	11	2	3	8	5	15	19	15	11	19	13	16	22	15	14	12	3	2	6	-	-	-	-	-
	White.....Male	90	2	8	6	-	1	1	1	1	2	3	1	7	5	8	11	10	7	9	2	1	4	-	-	-	-	-
	Female	67	5	3	4	1	-	3	2	1	8	8	6	4	2	4	3	3	4	2	1	1	2	-	-	-	-	-
	Nonwhite..Male	54	3	2	1	-	1	3	2	6	3	4	4	5	4	4	7	1	3	1	-	-	-	-	-	-	-	-
	Female	26	1	2	-	1	1	1	-	7	6	-	-	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	44	19	1	1	-	1	-	-	-	1	1	1	2	2	3	2	1	1	-	3	4	-	1	-	-	-	-
	White.....Male	26	12	1	1	-	1	-	-	-	-	1	1	1	1	1	1	1	1	-	1	1	-	1	-	-	-	-
	Female	18	7	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	-	-	2	3	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	5	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	804	33	-	-	-	-	1	2	3	7	9	26	53	61	96	108	103	113	92	50	29	12	6	-	-	-	-
	White.....Male	474	18	-	-	-	-	-	1	-	2	4	5	20	21	55	60	70	83	67	41	18	8	1	-	-	-	-
	Female	153	6	-	-	-	-	1	-	3	2	2	10	12	15	13	19	14	16	16	7	10	4	3	-	-	-	-
	Nonwhite..Male	125	5	-	-	-	-	-	-	-	-	3	4	13	18	23	26	11	10	7	2	1	-	2	-	-	-	-
	Female	52	4	-	-	-	-	-	1	-	3	-	7	8	7	5	3	8	4	2	-	-	-	-	-	-	-	-
35	Measles	4	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	29	-	1	-	-	-	7	9	4	-	4	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	16	-	1	-	-	-	4	5	2	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	12	-	-	-	-	-	3	4	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																											
45-55	Cancer and other malignant tumors....	10,340	9	4	8	9	4	14	9	25	38	74	137	252	382	628	924	1,232	1,393	1,499	1,470	1,140	723	295	59	11	1	-
	White.....Male....	4,721	4	4	5	3	3	11	6	12	19	28	47	68	116	215	355	556	646	753	751	584	366	141	22	5	1	-
	Female..	5,144	5	-	3	6	1	3	2	10	14	38	75	155	228	351	501	597	691	705	689	539	346	145	35	5	-	-
	Nonwhite..Male....	217	-	-	-	-	-	-	1	3	3	2	4	8	6	32	38	36	29	18	14	11	7	5	-	-	-	-
	Female..	258	-	-	-	-	-	-	-	-	2	6	11	21	32	30	30	43	27	23	16	6	4	4	2	1	-	-
46	Cancer of digestive organs, peritoneum..	4,683	-	1	-	-	-	2	2	2	7	22	33	58	112	226	347	517	665	746	793	610	368	139	27	5	1	-
	White.....Male....	2,448	-	1	-	-	-	2	1	1	5	12	17	25	54	104	178	279	354	423	420	317	181	63	8	2	1	-
	Female..	2,056	-	-	-	-	-	-	1	1	2	7	15	25	49	92	145	208	289	306	358	283	181	73	19	2	-	-
	Nonwhite..Male....	105	-	-	-	-	-	-	-	-	-	1	-	4	4	20	15	17	15	8	8	6	5	2	-	-	-	-
	Female..	74	-	-	-	-	-	-	-	-	-	2	1	4	5	10	9	13	7	9	7	4	1	1	-	1	-	-
48,49	Cancer of female genital organs.....	1,354	-	-	-	-	-	-	-	1	4	14	38	75	113	124	183	183	183	168	109	81	56	16	6	-	-	-
	White.....Female..	1,258	-	-	-	-	-	-	-	1	4	10	30	67	98	113	172	167	175	159	106	80	55	15	6	-	-	-
	Nonwhite..Female..	96	-	-	-	-	-	-	-	-	-	4	8	8	15	11	11	16	8	9	3	1	1	1	-	-	-	-
50	Cancer of breast.....	961	-	-	-	-	-	-	-	-	2	6	16	37	59	100	114	127	121	122	95	81	56	22	2	1	-	-
	White.....Male....	11	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	1	1	1	-	1	-	-	-	-
	Female..	897	-	-	-	-	-	-	-	-	1	6	14	32	50	90	109	119	114	117	91	79	54	19	1	1	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Female..	51	-	-	-	-	-	-	-	-	1	-	2	5	7	7	5	7	5	4	3	1	1	2	1	-	-	-
45,47, 51-55	Cancer (other sites)..	3,342	9	3	8	9	4	12	7	22	25	32	50	82	98	178	280	405	424	463	473	368	243	118	24	5	-	-
	White.....Male....	2,262	4	3	5	3	3	9	5	11	14	16	30	43	60	109	177	276	290	329	330	266	185	77	14	3	-	-
	Female..	933	5	-	3	6	1	3	1	8	7	15	16	31	31	56	75	103	113	123	134	97	56	38	9	2	-	-
	Nonwhite..Male....	110	-	-	-	-	-	-	1	3	3	1	4	4	2	11	23	19	14	10	6	5	1	3	-	-	-	-
	Female..	37	-	-	-	-	-	-	-	-	1	-	-	4	5	2	5	7	7	1	3	-	1	-	1	-	-	-
58	Acute rheumatic fever.....	78	1	-	-	-	-	9	12	11	4	2	8	6	6	3	2	2	4	1	-	2	5	-	-	-	-	-
	White.....Male....	34	-	-	-	-	-	1	6	3	1	1	4	3	4	1	2	-	2	1	-	-	5	-	-	-	-	-
	Female..	36	1	-	-	-	-	7	6	7	1	1	4	2	1	1	-	1	2	-	-	2	-	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	-	1	-	-	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	2,178	1	-	1	1	2	6	13	18	15	31	18	22	39	65	158	242	304	386	374	293	132	46	10	1	-	-
	White.....Male....	773	1	-	1	-	-	4	8	9	8	11	10	11	18	30	51	71	101	131	126	115	42	20	5	-	-	-
	Female..	1,313	-	-	-	-	1	2	4	9	5	16	7	7	18	24	92	157	198	246	237	171	90	25	4	-	-	-
	Nonwhite..Male....	32	-	-	-	-	1	-	1	-	2	2	1	2	1	4	4	5	1	2	1	3	-	1	-	1	-	-
	Female..	60	-	-	-	1	-	-	-	-	-	2	-	2	2	7	11	9	4	7	10	4	-	-	1	-	-	-
63b	Exophthalmic goiter..	193	-	-	-	1	-	-	1	-	1	2	5	6	7	14	20	28	35	23	24	21	3	2	-	-	-	-
	White.....Male....	36	-	-	-	1	-	-	1	-	-	-	1	2	2	6	4	5	5	3	5	1	-	-	-	-	-	-
	Female..	149	-	-	-	-	-	-	-	-	1	1	4	3	5	7	16	22	30	20	17	18	3	2	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	2	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	3	2	-	-	1	1	-	-	-
	White.....Male....	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	88	-	-	-	-	-	-	-	-	-	-	3	8	22	12	8	11	12	7	2	1	1	1	-	-	-	-
	White.....Male....	80	-	-	-	-	-	-	-	-	-	-	3	6	19	11	8	10	11	7	2	1	1	1	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	8,624	6	4	3	-	4	3	3	8	12	17	40	70	119	255	415	588	863	1,168	1,461	1,550	1,181	624	193	30	5	2
	White.....Male....	4,015	4	3	1	-	1	3	2	2	6	5	14	25	54	96	164	279	461	573	708	743	528	251	80	13	1	-
	Female..	4,109	2	1	2	-	2	-	1	5	5	6	19	31	41	110	188	239	341	546	696	761	628	358	108	15	4	-
	Nonwhite..Male....	242	-	-	-	-	1	-	-	1	-	4	3	8	11	19	24	36	36	22	28	27	14	3	2	1	-	2
	Female..	258	-	-	-	-	-	-	-	-	1	2	4	6	13	30	39	34	25	27	29	19	13	12	3	1	-	-
90-95	Diseases of the heart.....	24,486	6	6	5	1	2	24	41	44	72	111	173	338	565	1,003	1,596	2,109	2,776	3,276	3,657	3,626	2,819	1,633	517	73	11	4
	White.....Male....	13,774	2	1	2	-	2	7	14	21	38	47	87	186	352	638	1,017	1,415	1,762	1,921	2,024	1,949	1,346	711	194	32	3	3
	Female..	9,404	4	4	2	1	-	15	23	19	26	46	59	98	122	233	390	562	869	1,199	1,498	1,585	1,404	883	317	38	6	1
	Nonwhite..Male....	759	-	-	1	-	-	1	4	3	3	10	12	21	38	80	113	82	89	96	93	58	33	17	3	1	1	-
	Female..	549	-	1	-	-	-	1	-	1	5	8	15	31	53	52	76	50	56	60	42	34	36	22	3	2	1	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	1,545	-	-	1	-	2	11	23	20	31	35	50	71	74	89	112	123	135	174	175	192	123	86	13	4	-	1
	White.....Male....	725	-	-	1	-	2	3	6	8	17	14	23	30	38	44	50	62	57	97	92	88	54	34	3	1	-	1
	Female..	715	-	-	-	-	-	7	16	10	10	18	21	35	28	31	52	54	67	69	72	99	66	49	9	2	-	-
	Nonwhite..Male....	48	-	-	-	-	-	-	1	1	-	2	2	3	1	7	4	2	7	4	6	3	3	1	1	-	-	-
	Female..	57	-	-	-	-	-	1	-	1	4	1	4	3	7	7	6	5	4	4	5	2	-	2	-	1	-	-
94	Diseases of coronary arteries, angina pectoris.....	8,307	1	1	1	-	-	1	2	4	12	27	55	143	296	521	773	973	1,149	1,237	1,187	953	588	295	78	8	-	2
	White.....Male....	5,534	-	-	-	-	-	1	1	2	6	11	32	98	229	392	568	750	829	827	726	565	296	157	39	4	-	1
	Female..	2,436	1	1	-	-	-	-	-	2	3	9	17	25	34	80	140	185	285	381	437	378	282	132	39	4	-	1
	Nonwhite..Male....	215	-	-	1	-	-	-	1	-	3	4	3	11	16	36	43	28	22	19	15	4	5	4	-	-	-	-
	Female..	122	-	-	-	-	-	-	-	-	-	3	3	9	17	13	22	10	13	10	9	6	5	2	-	-	-	-
90b,91, 92x,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	14,634	5	5	3	1	-	12	16	20	29	49	68	122	195	393	711	1,013	1,492	1,865	2,295	2,481	2,108	1,252	426	61	11	1
	White.....Male....	7,515	2	1	1	-	-	3	7	11	15	22	32	58	85	202	399	603	876	997	1,206	1,296	996	520	152	27	3	1
	Female..	6,253	3	3	2	1	-	8	7	7	13	19	21	38	60	122	198	323	517	749	989	1,108	1,056	702	269	32	6	-
	Nonwhite..Male....	496	-	-	-	-	-	1	2	2	-	4	7	7	21	37	66	52	60	73	72	51	25	12	2	1	1	-
	Female..	370	-	1	-	-	-	-	-	-	1	1	8	19	29	32	48	35	39	46	28	26	31	18	3	1	1	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	3,513	610	101	40	15	14	37	29	41	40	52	62	72	108	133	182	186	223	262	324	355	308	207	89	17	4	2
	White.....Male	1,744	300	50	19	7	5	18	13	15	11	19	25	30	42	65	92	114	131	154	168	189	141	91	37	5	1	2
	Female	1,405	238	43	15	8	6	16	13	16	19	22	23	22	38	34	51	47	75	93	139	157	156	111	50	11	2	-
	Nonwhite..Male	232	44	6	2	-	1	1	2	6	3	4	7	11	19	25	28	15	17	10	12	8	7	2	1	1	-	-
	Female	132	28	2	4	-	2	2	1	4	7	7	7	9	9	9	11	10	-	5	5	1	4	3	1	-	1	-
107	Bronchopneumonia	1,527	391	52	17	8	5	16	7	12	17	17	15	24	24	29	57	40	53	97	147	180	151	108	51	6	2	1
	White.....Male	731	191	26	6	4	1	9	1	4	5	6	6	14	10	19	24	22	30	57	64	96	64	48	20	3	-	1
	Female	664	149	21	8	4	2	7	5	6	10	9	6	9	9	8	22	14	21	33	70	78	81	58	30	3	1	-
	Nonwhite..Male	88	34	4	1	-	-	-	1	2	-	-	1	1	4	1	8	4	2	4	10	6	3	1	1	-	-	-
	Female	44	17	1	2	-	2	-	-	-	2	2	2	-	1	1	3	-	-	3	3	-	3	1	-	-	1	-
108	Lobar pneumonia	1,178	99	22	13	2	1	9	13	16	13	18	26	23	51	67	93	97	124	103	123	101	90	46	21	5	1	1
	White.....Male	622	45	10	7	1	-	2	8	5	3	6	10	6	20	35	50	62	78	64	74	60	40	22	11	2	-	1
	Female	393	41	10	5	1	1	5	4	7	6	5	7	4	15	9	20	18	33	35	47	38	48	22	9	2	1	-
	Nonwhite..Male	104	7	1	1	-	-	-	1	1	2	3	6	6	10	18	15	8	13	4	2	2	2	1	-	1	-	-
	Female	59	6	1	-	-	-	2	-	3	2	4	3	7	6	5	8	9	-	-	-	1	-	1	1	-	-	-
109	Pneumonia (unspecified)	211	46	8	4	1	4	1	3	4	3	4	10	9	6	14	8	11	9	15	13	11	15	7	3	2	-	-
	White.....Male	110	22	6	3	-	2	-	1	3	1	2	6	2	3	7	3	7	5	9	6	4	11	6	1	-	-	-
	Female	86	22	2	-	1	1	1	2	-	1	2	4	3	3	4	4	4	4	5	7	7	4	1	2	2	-	-
	Nonwhite..Male	12	2	-	-	-	1	-	-	1	1	-	-	3	-	2	1	-	-	1	-	-	-	-	-	-	-	-
	Female	3	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	597	74	19	6	4	4	11	6	9	7	13	11	16	27	23	24	38	37	47	41	63	52	46	14	4	1	-
	White.....Male	281	42	8	3	2	2	7	3	3	2	5	3	8	9	4	15	23	18	24	24	29	26	15	5	-	1	-
	Female	262	26	10	2	2	2	3	2	3	2	6	6	6	11	13	5	11	17	20	15	34	23	30	9	4	-	-
	Nonwhite..Male	28	1	1	-	-	-	1	-	2	-	1	-	1	5	4	4	3	2	1	-	-	2	-	-	-	-	-
	Female	26	5	-	1	-	-	-	1	1	3	1	2	1	2	2	-	1	-	2	2	-	1	1	-	-	-	-
117	Ulcer of stomach or duodenum	433	1	-	-	-	1	1	-	-	4	1	13	27	29	47	59	54	53	51	42	25	15	7	2	-	-	1
	White.....Male	326	1	-	-	-	-	1	-	-	4	1	8	19	27	35	48	40	47	37	28	15	11	3	-	-	-	1
	Female	78	-	-	-	-	1	-	-	-	-	-	4	2	1	8	6	7	5	13	13	9	3	4	2	-	-	-
	Nonwhite..Male	25	-	-	-	-	-	-	-	-	-	-	1	5	1	2	5	6	1	1	1	1	1	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	430	306	22	4	6	2	3	1	1	5	5	2	5	3	4	8	9	7	5	12	7	5	6	1	1	-	-
	White.....Male	221	157	14	3	3	1	3	-	-	2	2	1	-	2	3	3	6	5	3	3	4	2	4	-	-	-	-
	Female	181	128	7	1	2	1	-	1	1	3	1	1	5	1	-	5	3	2	1	8	3	3	2	1	1	-	-
	Nonwhite..Male	16	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female	12	7	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
121	Appendicitis	297	-	2	6	6	3	11	12	11	9	11	19	17	18	24	36	24	28	26	18	11	4	1	-	-	-	-
	White.....Male	160	-	1	1	4	1	8	4	4	4	2	15	6	11	17	22	16	14	16	9	2	2	1	-	-	-	-
	Female	119	-	1	5	2	1	3	7	6	4	8	3	6	7	6	12	7	13	10	7	9	2	-	-	-	-	-
	Nonwhite..Male	12	-	-	-	-	1	-	1	1	-	1	1	3	-	1	2	-	-	-	1	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	1	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	640	24	4	4	1	2	1	6	5	5	5	13	23	26	30	56	69	73	71	77	72	34	28	10	1	-	-
	White.....Male	317	16	3	3	1	1	-	5	1	2	1	6	5	9	6	34	31	38	33	44	36	21	18	3	-	-	-
	Female	272	7	1	1	-	1	1	1	2	2	3	5	15	14	16	17	28	27	36	31	35	12	9	7	1	-	-
	Nonwhite..Male	24	1	-	-	-	-	-	-	2	-	-	-	-	1	5	2	4	6	1	1	-	1	-	-	-	-	-
	Female	27	-	-	-	-	-	-	-	-	1	1	2	3	2	3	3	6	2	1	1	1	-	1	-	-	-	-
124	Cirrhosis of the liver	706	-	1	-	-	-	-	2	1	2	4	15	33	34	69	107	90	92	75	89	54	19	17	2	-	-	-
	White.....Male	427	-	1	-	-	-	-	2	1	-	-	4	17	18	46	72	59	58	45	53	36	6	8	1	-	-	-
	Female	248	-	-	-	-	-	-	-	-	2	3	10	15	15	19	29	25	27	29	38	17	11	9	1	-	-	-
	Nonwhite..Male	20	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	5	4	1	-	1	1	-	-	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	1	3	-	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	366	-	-	-	-	-	1	-	1	3	6	8	12	15	22	32	40	41	41	50	37	38	13	3	3	-	-
	White.....Male	107	-	-	-	-	-	-	-	-	1	1	1	5	3	9	9	12	13	13	13	14	10	3	-	-	-	-
	Female	251	-	-	-	-	-	1	-	1	2	4	4	5	12	13	23	27	27	28	37	23	28	10	3	3	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	4,764	3	1	4	1	4	6	13	37	33	34	76	69	135	204	241	324	454	557	706	772	608	338	121	15	4	4
	White.....Male	2,312	2	-	2	1	2	3	4	21	18	18	33	27	48	78	116	166	238	294	336	396	287	154	56	8	1	3
	Female	2,112	-	1	2	-	2	2	6	16	12	14	28	26	56	95	83	124	179	229	331	355	310	174	59	5	2	1
	Nonwhite..Male	179	1	-	-	-	-	1	2	-	-	1	9	8	17	16	26	14	20	18	19	8	8	8	2	-	1	-
	Female	161	-	-	-	-	-	-	1	-	3	1	6	8	14	15	16	20	17	16	20	13	3	2	4	2	-	-
137	Diseases of the prostate	419	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	13	41	61	85	83	82	42	5	1	-	-
	White.....Male	407	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	11	41	57	83	82	81	41	5	1	-	-
	Nonwhite..Male	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	4	2	1	1	1	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																											
140-150	Diseases of pregnancy, etc.*....	235	-	-	-	-	-	-	1	13	46	39	61	49	21	4	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Female..	196	-	-	-	-	-	-	1	9	35	35	53	39	20	3	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	39	-	-	-	-	-	-	-	4	11	4	8	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	110	-	-	-	-	-	-	1	8	25	15	32	19	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	90	-	-	-	-	-	-	1	6	19	12	29	13	8	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	20	-	-	-	-	-	-	-	2	6	3	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	34	-	-	-	-	-	-	-	1	7	6	6	9	4	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Female..	32	-	-	-	-	-	-	-	1	6	6	6	8	4	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock.....	65	-	-	-	-	-	-	-	3	10	14	16	13	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	56	-	-	-	-	-	-	-	2	8	14	13	11	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	9	-	-	-	-	-	-	-	1	2	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	26	-	-	-	-	-	-	-	1	4	4	7	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	18	-	-	-	-	-	-	-	-	2	3	5	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	8	-	-	-	-	-	-	-	1	2	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	910	786	36	9	2	5	13	13	9	8	8	3	3	2	4	3	4	-	1	-	1	-	-	-	-	-	-
	White.....Male....	451	398	18	4	2	3	4	3	3	4	3	1	2	-	1	2	3	-	-	-	-	-	-	-	-	-	-
	Female..	409	345	16	5	-	2	9	8	6	3	5	1	1	2	3	1	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite..Male....	30	26	1	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	20	17	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	2,471	2,471	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	1,322	1,322	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	937	937	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	122	122	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	1,515	1,515	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	784	784	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	588	588	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	81	81	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	956	956	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	538	538	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	349	349	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	41	41	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	892	-	-	-	-	-	1	2	16	33	34	68	84	78	76	112	98	74	89	60	42	18	5	1	-	-	1
	White.....Male....	642	-	-	-	-	-	1	1	12	19	18	36	60	56	53	81	73	55	64	54	36	18	3	1	-	-	1
	Female..	228	-	-	-	-	-	-	1	3	12	16	27	23	21	21	29	22	18	22	6	5	-	2	-	-	-	-
	Nonwhite..Male....	19	-	-	-	-	-	-	-	1	2	-	3	1	-	2	2	3	1	3	-	1	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	340	12	2	3	-	3	3	5	17	38	42	34	37	43	35	21	13	11	9	6	2	2	-	-	-	-	2
	White.....Male....	136	9	1	3	-	1	2	4	3	11	11	7	14	15	15	10	8	8	6	4	2	1	-	-	-	-	1
	Female..	57	2	1	-	-	2	1	1	6	5	11	6	3	6	3	3	2	1	3	-	-	-	-	-	-	-	1
	Nonwhite..Male....	112	1	-	-	-	-	-	-	6	16	13	18	13	16	15	8	1	2	-	2	-	1	-	-	-	-	-
	Female..	35	-	-	-	-	-	-	-	2	6	7	3	7	6	2	-	2	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	5,127	115	71	53	66	56	164	174	272	212	232	195	225	210	249	259	297	316	341	353	432	393	301	107	22	3	9
	White.....Male....	3,206	55	40	25	35	32	105	118	207	156	167	150	161	158	184	207	229	250	235	185	185	170	112	22	8	2	8
	Female..	1,634	41	24	20	20	20	39	40	58	41	41	29	44	32	46	37	54	56	98	157	232	218	188	83	14	1	1
	Nonwhite..Male....	204	9	3	5	5	1	16	14	4	10	17	9	15	18	17	15	13	6	6	8	9	3	1	-	-	-	-
	Female..	83	10	4	3	6	3	4	2	3	5	7	7	5	2	2	-	1	4	2	3	6	2	-	2	-	-	-
170	Motor-vehicle accidents.....	1,543	6	10	9	24	20	62	58	133	112	120	86	85	81	98	99	105	117	101	82	75	41	17	-	-	1	1
	White.....Male....	1,139	1	4	4	16	13	37	34	101	79	86	70	59	60	74	80	84	96	83	58	58	28	13	-	-	1	-
	Female..	330	5	6	5	6	6	17	21	29	26	24	12	20	16	18	17	15	20	15	20	15	12	4	-	-	-	1
	Nonwhite..Male....	62	-	-	-	1	-	8	2	1	6	7	4	5	4	5	2	6	1	3	4	2	1	-	-	-	-	-
	Female..	12	-	-	-	1	1	-	1	2	1	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	3,584	109	61	44	42	36	102	116	139	100	112	109	140	129	151	160	192	199	240	271	357	352	284	107	22	2	8
	White.....Male....	2,067	54	36	21	19	19	68	84	106	77	81	80	102	98	110	127	145	154	152	127	127	142	99	22	8	1	8
	Female..	1,304	36	18	15	14	14	22	19	29	15	17	17	24	16	28	20	39	36	83	137	217	206	184	83	14	1	-
	Nonwhite..Male....	142	9	3	5	4	1	8	12	3	4	10	5	10	14	12	13	7	5	3	4	7	2	1	-	-	-	-
	Female..	71	10	4	3	5	2	4	1	1	4	4	7	4	1	1	-	1	4	2	3	6	2	-	2	-	-	-
163,199, 200	Senility, ill-defined and unknown causes..	1,102	65	6	5	3	2	4	5	1	3	8	6	10	17	25	39	33	32	42	72	154	223	212	97	26	9	3
	White.....Male....	509	27	3	2	1	2	1	2	-	1	2	3	4	9	16	20	21	22	19	42	70	101	92	36	9	1	3
	Female..	501	21	2	3	2	-	3	3	1	1	2	2	3	3	3	10	9	7	19	27	77	114	111	57	16	5	-
	Nonwhite..Male....	44	11	1	-	-	-	-	-	-	1	1	1	3	-	2	4	3	1	2	1	5	1	5	1	-	1	-
	Female..	48	6	-	-	-	-	-	-	-	-	3	-	-	5	4	5	-	2	2	2	2	7	4	3	1	2	-
	All other causes.....	6,362	234	72	49	40	27	78	55	99	113	144	163	219	273	305	374	479	454	529	636	706	620	457	192	40	4	-
	White.....Male....	3,138	129	36	23	23	15	38	25	47	54	68	56	92	121	125	169	279	245	271	343	361	312	214	73	17	2	-
	Female..	2,777	87	35	23	12	8	35	21	42	40	67	75	91	106	142	164	159	179	235	270	329	294	237	114	22	-	-
	Nonwhite..Male....	227	11	1	3	3	2	4	1	6	8	8	13	13	12	21	22	29	20	13	12	11	7	2	3	1	1	-
	Female..	220	7	-	-	2	2	1	8	4	11	11	19	23	34	17	19	12	10	10	11	5	7	4	2	-	1	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA																											
	ALL CAUSES	18,921	1,727	161	109	83	54	238	202	310	370	333	432	571	646	746	1,016	1,257	1,497	1,938	2,195	2,108	1,527	947	339	74	30	11
	White.....Male	9,767	847	60	41	40	21	110	105	162	190	162	176	259	306	393	562	668	837	1,070	1,191	1,102	784	484	156	25	8	8
	Female	6,752	584	61	45	37	24	97	65	79	97	101	171	185	218	242	287	398	502	644	819	842	647	415	151	38	3	-
	Nonwhite..Male	1,312	161	23	13	3	7	12	21	31	39	31	37	58	58	68	85	112	88	126	125	98	62	22	12	7	10	3
	Female	1,090	135	17	10	3	2	19	11	38	44	39	48	69	64	43	82	79	70	98	60	66	34	26	20	4	9	-
1,2	Typhoid and paratyphoid fever	12	1	1	1	-	-	1	1	1	-	-	-	2	-	2	-	1	1	-	-	-	-	-	-	-	-	-
	White.....Male	5	1	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	25	-	-	4	2	2	2	2	2	1	1	-	2	2	-	-	-	-	1	4	-	-	-	-	-	-	-
	White.....Male	8	-	-	-	-	-	1	1	1	-	1	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-
	Female	12	-	-	4	1	1	1	1	-	1	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	7	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	47	38	3	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	18	14	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	14	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	10	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	53	2	4	10	9	2	19	5	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	18	2	2	1	3	1	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	31	-	2	7	6	1	10	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	830	12	4	5	3	1	2	10	42	66	59	65	93	83	64	71	62	43	52	41	31	16	4	-	1	-	-
	White.....Male	340	3	2	2	2	1	1	3	9	8	16	17	40	36	42	43	32	27	22	13	13	6	1	-	1	-	-
	Female	221	3	-	-	1	-	1	5	9	19	16	24	23	23	10	10	15	6	23	16	10	7	-	-	-	-	-
	Nonwhite..Male	132	1	-	1	-	-	-	1	8	18	10	9	15	12	10	11	11	5	3	9	3	3	2	-	-	-	-
	Female	137	5	2	2	-	-	-	1	16	21	17	15	15	12	2	7	4	5	4	3	5	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	781	6	1	2	1	-	1	9	37	65	55	64	89	82	61	67	59	41	51	40	30	15	4	-	1	-	-
	White.....Male	316	1	-	-	-	-	1	2	6	8	16	16	39	36	42	41	29	25	21	13	12	6	1	-	1	-	-
	Female	210	1	-	-	1	-	-	5	9	18	14	24	22	22	8	10	15	6	23	15	10	7	-	-	-	-	-
	Nonwhite..Male	125	1	-	-	-	-	-	1	6	18	10	9	14	12	9	10	11	5	3	9	3	2	2	-	-	-	-
	Female	130	3	1	2	-	-	-	1	16	21	15	15	14	12	2	6	4	5	4	3	5	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	49	6	3	3	2	1	1	1	5	1	4	1	4	1	3	4	3	2	1	1	1	1	-	-	-	-	-
	White.....Male	24	2	2	2	2	1	-	1	3	-	-	1	1	-	-	2	3	2	1	-	1	-	-	-	-	-	-
	Female	11	2	-	-	-	-	1	-	-	1	2	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	7	-	-	1	-	-	-	-	2	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	Female	7	2	1	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	53	36	3	1	2	2	1	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	-	1	-	-	-
	White.....Male	19	14	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-
	Female	13	8	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite..Male	7	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	14	10	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
28	Malaria	19	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	3	4	1	2	1	-	-	-	-
	White.....Male	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	1	-	-	-	-
	Female	9	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-
	Nonwhite..Male	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	176	11	-	1	-	-	-	-	2	2	1	4	17	18	16	21	22	21	11	19	5	4	1	-	-	-	-
	White.....Male	103	3	-	1	-	-	-	-	1	-	1	1	7	11	11	12	11	17	8	14	2	2	1	-	-	-	-
	Female	23	4	-	-	-	-	-	-	-	-	-	3	3	3	1	3	4	-	1	1	-	-	-	-	-	-	-
	Nonwhite..Male	31	2	-	-	-	-	-	-	-	-	-	-	3	3	3	4	4	2	2	4	2	2	-	-	-	-	-
	Female	19	2	-	-	-	-	-	-	1	2	-	-	4	1	1	2	3	2	-	-	1	-	-	-	-	-	-
35	Measles	4	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	14	1	1	-	-	-	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	8	1	-	-	-	-	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	-	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Continued																											
45-55	Cancer and other malignant tumors....	2,215	-	4	1	4	-	5	4	9	12	27	58	63	105	143	199	246	253	308	314	239	134	72	12	1	1	1
	White.....Male....	1,004	-	-	-	1	-	4	2	6	8	14	20	14	29	42	70	100	122	161	164	132	68	40	6	-	-	1
	Female..	1,020	-	3	1	3	-	1	2	3	4	9	33	37	65	90	105	116	110	116	133	94	57	32	5	1	-	-
	Nonwhite..Male....	92	-	-	-	-	-	-	-	-	-	1	3	2	1	6	9	17	8	16	14	9	5	-	-	-	1	-
	Female..	99	-	1	-	-	-	-	-	-	-	3	2	10	10	5	15	13	13	15	3	4	4	-	1	-	-	-
46	Cancer of digestive organs, peritoneum..	975	-	-	-	-	-	1	-	3	3	7	18	18	30	42	74	117	127	148	166	126	56	32	5	-	1	1
	White.....Male....	505	-	-	-	-	-	1	-	2	2	2	10	6	14	22	30	50	66	84	92	74	30	17	2	-	-	1
	Female..	383	-	-	-	-	-	-	-	1	1	3	5	7	12	16	32	50	55	49	67	44	23	15	3	-	-	-
	Nonwhite..Male....	56	-	-	-	-	-	-	-	-	-	1	3	2	-	3	8	12	4	9	6	6	1	-	-	-	1	-
	Female..	31	-	-	-	-	-	-	-	-	-	1	-	3	4	1	4	5	2	6	1	2	2	-	-	-	-	-
48,49	Cancer of female genital organs.....	316	-	-	-	-	-	-	-	-	1	3	18	24	38	34	39	41	32	28	27	15	12	4	-	-	-	-
	White.....Female..	279	-	-	-	-	-	-	-	-	1	1	16	20	33	32	32	37	28	24	25	15	11	4	-	-	-	-
	Nonwhite..Female..	37	-	-	-	-	-	-	-	-	-	2	2	4	5	2	7	4	4	4	2	-	1	-	-	-	-	-
50	Cancer of breast.....	154	-	-	-	-	-	-	-	1	-	3	1	8	8	25	21	14	16	22	18	9	6	2	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	134	-	-	-	-	-	-	-	-	-	3	1	7	7	23	19	12	9	20	17	8	6	2	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Female..	16	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	7	2	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	770	-	4	1	4	-	4	4	5	8	14	21	13	29	42	65	74	78	110	103	89	60	34	7	1	-	-
	White.....Male....	497	-	-	-	1	-	3	2	3	6	12	10	8	15	20	40	49	56	77	72	58	38	23	4	-	-	-
	Female..	224	-	3	1	3	-	1	2	2	2	2	11	3	13	19	22	17	18	23	24	27	17	11	2	1	-	-
	Nonwhite..Male....	34	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	5	4	7	7	2	4	-	-	-	-	-
	Female..	15	-	1	-	-	-	-	-	-	-	-	-	2	-	-	2	3	-	3	-	2	1	-	1	-	-	-
58	Acute rheumatic fever.....	20	-	-	1	-	-	6	1	1	-	-	-	-	1	-	1	-	1	2	-	3	2	-	1	-	-	-
	White.....Male....	7	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
	Female..	10	-	-	1	-	-	4	-	1	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	349	1	-	-	-	-	2	2	4	6	6	4	10	3	12	19	18	46	49	65	64	30	5	3	-	-	-
	White.....Male....	131	1	-	-	-	-	1	1	2	1	2	-	4	1	4	7	6	11	22	26	23	16	3	-	-	-	-
	Female..	181	-	-	-	-	-	1	1	1	4	4	4	5	1	4	8	9	28	24	32	38	13	1	3	-	-	-
	Nonwhite..Male....	16	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	1	3	2	2	2	-	1	-	-	-	-
	Female..	21	-	-	-	-	-	-	-	1	-	-	-	1	1	2	2	2	4	1	5	1	1	-	-	-	-	-
63b	Exophthalmic goiter..	24	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	7	3	2	3	1	-	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Female..	19	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	4	1	2	3	1	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	31	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	5	10	6	2	-	-	-	-	-
	White.....Male....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	6	1	1	-	-	-	-	-
	Female..	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	4	4	4	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
77	Alcoholism (ethylism).....	16	-	-	-	-	-	-	-	-	-	-	-	1	7	1	1	2	1	1	-	-	1	1	-	-	-	-
	White.....Male....	9	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	-	1	1	-	-	-	1	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	1,911	6	1	-	-	-	3	1	2	5	5	2	13	27	54	88	125	193	289	353	368	216	121	34	4	1	-
	White.....Male....	916	4	1	-	-	-	3	1	-	2	-	1	5	8	18	42	59	100	139	183	172	105	57	14	1	1	-
	Female..	783	2	-	-	-	-	-	-	1	2	3	-	7	8	25	34	44	73	104	137	170	102	56	15	-	-	-
	Nonwhite..Male....	102	-	-	-	-	-	-	-	-	-	2	1	1	5	5	5	8	6	28	19	13	6	1	1	1	-	-
	Female..	110	-	-	-	-	-	-	-	1	1	-	-	-	6	6	7	14	14	18	14	13	3	7	4	2	-	-
90-95	Diseases of the heart.....	4,338	4	1	2	2	1	11	10	17	13	22	41	72	107	192	265	366	458	621	694	618	450	263	84	18	6	-
	White.....Male....	2,635	3	-	-	2	-	3	4	10	5	11	20	39	75	139	187	236	308	403	408	347	231	145	51	8	-	-
	Female..	1,358	-	1	2	-	-	8	4	5	4	7	14	21	19	31	43	89	123	166	249	235	192	110	28	7	-	-
	Nonwhite..Male....	200	1	-	-	-	1	-	1	1	2	3	1	7	6	10	18	27	17	28	26	22	16	6	1	3	3	-
	Female..	145	-	-	-	-	-	-	1	1	2	1	6	5	7	12	17	14	10	24	11	14	11	2	4	-	3	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	253	-	-	-	-	-	3	6	3	7	8	8	12	9	6	8	20	24	33	32	32	19	16	4	1	2	-
	White.....Male....	130	-	-	-	-	-	2	1	2	4	7	4	8	5	5	1	12	7	18	17	16	11	6	4	-	-	-
	Female..	82	-	-	-	-	-	1	3	-	2	1	3	1	4	1	2	4	11	11	10	13	5	10	-	-	-	-
	Nonwhite..Male....	24	-	-	-	-	-	-	1	1	1	-	-	1	-	-	3	2	4	1	4	2	2	-	-	1	1	-
	Female..	17	-	-	-	-	-	-	1	-	-	-	1	2	-	-	2	2	2	3	1	1	1	-	-	-	1	-
94	Diseases of coronary arteries, angina pectoris.....	1,665	-	-	-	-	-	1	-	3	3	4	12	29	52	98	137	170	206	263	270	198	139	64	13	2	1	-
	White.....Male....	1,159	-	-	-	-	-	-	-	2	-	3	9	18	39	88	113	129	153	181	179	115	79	42	9	-	-	-
	Female..	448	-	-	-	-	-	1	-	-	2	1	2	9	7	7	20	35	50	70	85	74	57	22	4	2	-	-
	Nonwhite..Male....	39	-	-	-	-	-	-	-	-	1	-	-	1	3	1	4	4	3	9	4	6	2	-	-	-	1	-
	Female..	19	-	-	-	-	-	-	-	1	-	-	1	1	3	2	-	2	-	3	2	3	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	2,420	4	1	2	2	1	7	4	11	3	10	21	31	46	88	120	176	228	325	392	388	292	183	67	15	3	-
	White.....Male....	1,346	3	-	-	2	-	1	3	6	1	1	7	13	31	46	73	95	148	204	212	216	141	97	38	8	-	-
	Female..	828	-	1	2	-	-	6	1	5	-	5	9	11	8	23	21	50	62	85	154	148	130	78	24	5	-	-
	Nonwhite..Male....	137	1	-	-	-	1	-	-	-	-	3	1	5	3	9	11	21	10	18	18	14	12	6	1	2	1	-
	Female..	109	-	-	-	-	-	-	-	-	2	1	4	2	4	10	15	10	8	18	8	10	9	2	4	-	2	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,097	243	48	22	4	10	18	15	13	14	11	12	24	22	19	25	39	44	72	100	120	116	66	32	5	3	-
	White.....Male	468	96	12	6	2	3	7	5	8	6	3	2	12	9	8	9	21	23	27	50	57	56	31	13	2	-	-
	Female	413	76	23	9	1	5	5	8	3	4	5	8	4	11	6	7	7	13	31	34	50	51	33	16	3	-	-
	Nonwhite..Male	130	51	7	5	1	2	3	1	-	1	-	1	5	-	3	2	8	6	7	8	9	5	2	1	-	2	-
	Female	86	20	6	2	-	-	3	1	2	3	3	1	3	2	2	7	3	2	7	8	4	4	-	2	-	1	-
107	Bronchopneumonia	357	120	23	12	1	7	5	5	4	1	3	4	5	6	4	6	5	6	17	25	31	31	28	8	-	-	-
	White.....Male	149	49	7	2	1	2	2	3	2	1	1	-	1	1	1	3	2	3	8	14	13	14	14	5	-	-	-
	Female	140	38	10	7	-	4	1	2	1	-	2	4	2	4	2	1	1	1	7	9	13	15	13	3	-	-	-
	Nonwhite..Male	48	28	2	2	-	1	2	-	-	-	-	-	1	-	1	-	2	1	1	1	4	1	1	-	-	-	-
	Female	20	5	4	1	-	-	-	-	1	-	-	-	1	1	-	2	-	1	1	1	1	1	-	-	-	-	-
108	Lobar pneumonia	237	26	2	3	2	2	4	3	5	3	3	4	7	3	4	9	10	21	29	32	31	21	5	7	1	-	-
	White.....Male	111	10	1	2	1	1	1	1	3	-	-	2	4	1	3	3	7	12	8	18	14	12	2	4	1	-	-
	Female	79	8	1	1	-	-	2	2	1	1	1	1	-	1	-	3	2	4	15	8	14	8	3	3	-	-	-
	Nonwhite..Male	25	7	-	-	1	1	-	-	-	-	-	-	2	-	-	1	-	4	3	3	2	1	-	-	-	-	-
	Female	22	1	-	-	-	-	1	-	1	2	2	1	1	1	1	2	1	1	3	3	1	-	-	-	-	-	-
109	Pneumonia (unspecified)	278	73	16	3	-	1	5	4	-	4	2	3	6	5	6	3	16	9	16	23	27	27	20	7	2	-	-
	White.....Male	119	26	3	1	-	-	3	1	-	1	1	-	4	3	3	-	8	2	9	10	17	15	10	1	1	-	-
	Female	98	21	8	1	-	1	1	1	-	1	-	2	1	2	1	1	3	6	5	8	8	11	9	6	1	-	-
	Nonwhite..Male	38	14	3	1	-	-	-	1	-	1	-	1	1	-	2	1	3	1	2	4	1	1	1	-	-	-	-
	Female	23	12	2	-	-	-	1	1	-	1	1	-	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-
33	Influenza	225	24	7	4	1	-	4	3	4	6	3	1	6	8	5	7	8	8	10	20	31	37	13	10	2	3	-
	White.....Male	89	11	1	1	-	-	1	-	3	4	1	-	3	4	1	3	4	6	2	8	13	15	5	3	-	-	-
	Female	96	9	4	-	1	-	1	3	1	2	2	1	1	4	3	2	1	2	4	9	15	17	8	4	2	-	-
	Nonwhite..Male	19	2	2	2	-	-	1	-	-	-	-	-	1	-	-	-	3	-	1	-	2	2	-	1	-	2	-
	Female	21	2	-	1	-	-	1	-	-	-	-	-	1	-	1	2	-	-	3	3	1	3	-	2	-	1	-
117	Ulcer of stomach or duodenum	89	-	-	-	-	-	-	-	-	1	2	3	9	3	6	13	14	9	11	7	4	4	2	1	-	-	-
	White.....Male	68	-	-	-	-	-	-	-	-	-	2	2	9	2	5	13	11	6	7	4	1	4	1	1	-	-	-
	Female	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	4	2	3	-	1	-	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	153	95	13	2	2	2	4	2	-	-	-	-	1	3	-	6	1	4	2	3	5	1	4	2	1	-	-
	White.....Male	73	52	4	1	2	-	2	-	-	-	-	-	-	1	-	3	1	1	-	1	2	-	2	1	-	-	-
	Female	47	27	3	-	-	2	-	1	-	-	-	-	-	2	-	-	-	1	2	2	3	1	2	1	-	-	-
	Nonwhite..Male	15	8	4	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Female	18	8	2	-	-	-	2	1	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	1	-	-
121	Appendicitis	133	-	2	2	3	2	6	16	6	10	8	7	8	3	7	11	9	11	8	3	8	1	1	1	-	-	-
	White.....Male	64	-	2	2	2	2	3	7	4	2	4	2	4	2	1	7	6	4	4	1	4	-	-	1	-	-	-
	Female	49	-	-	-	1	-	3	5	2	7	3	3	1	1	3	2	2	6	4	1	4	-	1	-	-	-	-
	Nonwhite..Male	13	-	-	-	-	-	-	3	-	-	-	1	1	-	3	1	1	1	-	1	-	1	-	-	-	-	-
	Female	7	-	-	-	-	-	-	1	-	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	197	10	1	1	2	-	3	4	3	1	11	5	7	10	10	15	10	20	21	22	13	13	10	2	2	1	-
	White.....Male	82	7	1	-	-	-	1	2	2	-	1	1	2	4	1	7	6	9	13	11	2	6	6	-	-	-	-
	Female	94	2	-	-	2	-	2	1	1	1	6	4	5	3	7	4	4	10	7	10	11	7	4	1	2	-	-
	Nonwhite..Male	16	1	-	1	-	-	-	1	-	-	3	-	-	3	2	1	-	1	1	1	-	-	-	1	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-
124	Cirrhosis of the liver	99	-	-	-	-	-	-	-	1	1	1	2	5	9	5	9	15	10	16	6	9	8	-	2	-	-	-
	White.....Male	55	-	-	-	-	-	-	-	1	1	1	-	4	5	5	7	12	3	9	1	3	3	-	-	-	-	-
	Female	31	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	5	6	3	5	5	-	2	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	1	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	115	-	-	-	-	-	-	-	-	-	-	7	3	11	3	8	14	12	22	12	13	8	2	-	-	-	-
	White.....Male	35	-	-	-	-	-	-	-	-	-	-	3	-	1	-	2	2	5	5	6	7	3	1	-	-	-	-
	Female	73	-	-	-	-	-	-	-	-	-	-	4	1	10	2	6	10	7	15	6	6	5	1	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis	1,117	2	2	2	2	2	7	6	7	12	10	12	17	29	31	48	64	110	151	180	174	121	93	25	4	5	1
	White.....Male	566	2	-	2	-	1	2	2	5	5	4	4	8	10	12	24	23	46	94	102	88	69	51	9	1	2	-
	Female	366	-	1	-	2	1	5	2	-	6	5	4	4	7	10	12	24	36	30	59	63	42	36	12	3	2	-
	Nonwhite..Male	116	-	1	-	-	-	-	1	-	1	-	3	3	4	7	7	8	18	17	15	18	6	3	2	-	1	1
	Female	69	-	-	-	-	-	-	1	2	-	1	1	2	8	2	5	9	10	10	4	5	4	3	2	-	-	-
137	Diseases of the prostate	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	13	14	23	35	15	9	3	-	-	-
	White.....Male	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	10	13	22	33	14	9	3	-	-	-
	Nonwhite..Male	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	2	1	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Continued																											
140-150	Diseases of pregnancy, etc.*....	97	-	-	-	-	-	-	-	15	14	15	20	21	10	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	67	-	-	-	-	-	-	-	7	10	12	13	16	7	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	30	-	-	-	-	-	-	-	8	4	3	7	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	41	-	-	-	-	-	-	-	9	5	6	8	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	23	-	-	-	-	-	-	-	5	3	5	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	18	-	-	-	-	-	-	-	4	2	3	3	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	22	-	-	-	-	-	-	-	3	4	3	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	15	-	-	-	-	-	-	-	1	3	3	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	7	-	-	-	-	-	-	-	2	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	26	-	-	-	-	-	-	-	1	5	3	5	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	23	-	-	-	-	-	-	-	-	4	3	4	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	8	-	-	-	-	-	-	-	2	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	6	-	-	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	242	214	7	2	4	-	3	1	3	-	2	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male....	124	112	3	2	2	-	-	-	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	101	89	2	-	2	-	3	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	8	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	9	7	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	813	813	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	426	426	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	297	297	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	40	40	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	50	50	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	541	541	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	285	285	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	207	207	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	17	17	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	32	32	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	272	272	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	141	141	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	23	23	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	18	18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	154	-	-	-	-	-	-	1	-	10	16	14	15	11	14	17	16	17	7	8	4	3	-	1	-	-	-
	White.....Male....	114	-	-	-	-	-	-	1	-	7	11	8	8	8	11	12	14	14	4	8	4	3	-	1	-	-	-
	Female..	32	-	-	-	-	-	-	-	-	3	5	6	4	3	2	4	2	2	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	-	1	2	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	128	3	-	-	-	-	2	1	9	15	12	16	22	14	10	10	6	4	2	1	1	-	-	-	-	-	-
	White.....Male....	55	3	-	-	-	-	-	1	4	7	4	7	6	5	2	7	3	2	2	1	1	-	-	-	-	-	-
	Female..	10	-	-	-	-	-	2	-	2	1	-	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	49	-	-	-	-	-	-	-	2	6	8	5	11	6	5	3	2	1	-	-	-	-	-	-	-	-	-
	Female..	14	-	-	-	-	-	-	-	1	1	-	2	4	3	3	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,639	57	35	28	19	15	75	78	136	159	93	93	83	79	67	74	85	67	71	72	82	76	64	18	4	2	7
	White.....Male....	1,015	35	18	11	9	8	42	45	91	123	74	63	59	57	49	46	58	51	38	31	32	38	24	6	1	-	6
	Female..	452	12	7	14	10	6	28	22	28	24	15	19	16	13	13	18	17	10	23	30	41	35	36	12	3	-	-
	Nonwhite..Male....	113	6	7	1	-	-	3	9	14	8	3	9	3	6	4	7	8	4	4	8	4	1	3	-	-	-	1
	Female..	59	4	3	2	-	1	2	2	3	4	1	2	5	3	1	3	2	2	6	3	5	2	1	-	-	2	-
170	Motor-vehicle accidents.....	443	4	6	5	5	6	20	24	59	47	25	32	36	27	17	23	33	24	14	14	7	10	5	-	-	-	-
	White.....Male....	299	3	5	3	3	3	13	13	36	31	18	22	25	17	10	15	23	20	12	10	5	8	4	-	-	-	-
	Female..	110	1	-	2	2	3	7	9	16	14	7	7	10	6	5	6	7	3	2	2	-	1	-	-	-	-	-
	Nonwhite..Male....	27	-	1	-	-	-	-	2	6	1	-	2	-	3	1	2	3	1	-	1	2	1	1	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	1,196	53	29	23	14	9	55	54	77	112	68	61	47	52	50	51	52	43	57	58	75	66	59	18	4	2	7
	White.....Male....	716	32	13	8	6	5	29	32	55	92	56	41	34	40	39	31	35	31	26	21	27	30	20	6	1	-	6
	Female..	342	11	7	12	8	3	21	13	12	10	8	12	6	7	8	12	10	7	21	28	41	34	36	12	3	-	-
	Nonwhite..Male....	86	6	6	1	-	-	3	7	8	7	3	7	3	3	3	5	5	3	4	7	2	-	2	-	-	-	1
	Female..	52	4	3	2	-	1	2	2	2	3	1	1	4	2	-	3	2	2	6	2	5	2	1	-	-	2	-
162,199, 200	Senility, ill-defined and unknown causes..	885	76	4	1	4	-	4	4	6	3	5	6	8	11	7	24	32	32	56	72	122	153	129	83	31	11	1
	White.....Male....	410	25	1	-	1	-	2	2	2	1	2	3	3	3	3	17	14	19	24	38	70	73	57	35	9	5	1
	Female..	326	18	3	1	2	-	1	1	3	-	1	1	4	3	1	1	12	7	19	24	37	68	60	40	18	1	-
	Nonwhite..Male....	88	17	-	-	1	-	-	-	1	1	-	1	1	4	2	3	4	5	9	7	8	10	4	4	3	3	-
	Female..	61	16	-	-	-	-	1	1	-	1	2	1	-	1	1	3	2	1	4	3	7	2	8	4	1	2	-
	All other causes.....	1,704	97	26	20	18	15	52	32	30	24	26	55	70	75	78	85	96	120	139	178	181	150	99	34	3	-	1
	White.....Male....	862	41	11	12	12	5	24	21	15	13	10	21	31	33	37	46	48	54	69	99	105	85	53	15	2	-	-
	Female..	653	32	13	4	5	7	18	6	10	7	10	24	29	31	32	25	33	58	59	67	66	58	42	16	1	-	-
	Nonwhite..Male....	90	14	2	2	-	2	4	4	4	1	1	1	1	6	5	7	8	5	5	7	5	4	-	1	-	-	1
	Female..	99	10	-	2	1	1	6	1	1	3	5	9	9	5	4	7	7	3	6	5	5	3	4	2	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON																											
	ALL CAUSES	13,022	692	73	67	28	25	93	89	151	153	196	232	313	435	554	739	1,029	1,295	1,430	1,577	1,562	1,284	875	260	42	5	18
	White.....Male	7,893	388	38	44	11	14	61	52	94	82	117	133	185	286	340	496	690	849	891	958	920	737	357	114	22	1	13
	Female	4,871	269	26	19	16	11	30	36	50	64	68	90	115	135	201	237	317	422	525	602	629	531	313	144	18	3	-
	Nonwhite..Male	167	20	4	3	1	-	1	1	2	6	7	6	7	12	9	5	15	20	11	10	9	11	2	1	1	-	3
	Female	91	15	5	1	-	-	1	-	5	6	4	3	6	2	4	1	7	4	3	7	4	5	3	1	1	1	2
1,2	Typhoid and paratyphoid fever	6	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	1	-	1	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	10	2	-	1	2	-	-	-	1	1	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White.....Male	7	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	18	-	2	4	1	2	4	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	10	-	1	2	1	1	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	-	1	2	-	1	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	308	4	4	9	-	1	4	-	11	15	19	32	29	30	19	31	22	25	23	9	11	6	3	-	-	-	1
	White.....Male	194	1	2	6	-	1	1	-	3	3	10	18	13	20	14	24	20	21	15	7	9	4	1	-	-	-	1
	Female	85	1	2	2	-	-	1	-	5	9	6	13	10	7	4	6	2	2	7	4	4	4	4	-	-	-	-
	Nonwhite..Male	14	1	-	1	-	-	1	-	-	-	1	1	3	2	1	1	-	1	1	-	-	-	-	-	-	-	-
	Female	15	1	-	-	-	-	1	-	3	3	2	-	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	272	1	1	1	-	-	3	-	10	14	16	32	26	26	19	29	21	24	19	9	11	6	3	-	-	-	1
	White.....Male	175	-	1	1	-	-	-	-	2	3	8	18	12	19	14	23	19	20	13	7	9	4	1	-	-	-	1
	Female	74	-	-	-	-	-	1	-	5	9	5	13	9	6	4	5	2	2	5	2	2	2	2	-	-	-	-
	Nonwhite..Male	10	-	-	-	-	-	1	-	-	-	1	1	2	1	1	1	-	1	1	-	-	-	-	-	-	-	-
	Female	13	1	-	-	-	-	1	-	3	2	2	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	36	3	3	8	-	1	1	-	1	1	3	-	3	4	-	2	1	1	4	-	-	-	-	-	-	-	-
	White.....Male	19	1	1	5	-	1	1	-	1	-	2	-	1	1	-	1	1	1	2	-	-	-	-	-	-	-	-
	Female	11	1	2	2	-	-	-	-	-	-	1	-	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite..Male	4	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	11	2	-	-	1	-	-	2	1	1	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-
	White.....Male	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Female	8	1	-	-	1	-	-	2	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	109	2	-	1	-	-	-	-	1	-	1	-	4	4	7	14	14	21	13	9	12	3	2	-	-	-	1
	White.....Male	79	2	-	-	-	-	-	-	1	-	-	-	2	4	6	8	10	17	10	7	10	1	1	-	-	-	-
	Female	20	-	-	-	-	-	-	-	-	-	1	-	2	-	-	4	3	2	2	1	2	2	1	-	-	-	-
	Nonwhite..Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	-	-	-	-	-	-	-
	Female	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1
35	Measles	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	7	-	-	-	-	-	1	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	4	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Continued																											
45-55	Cancer and other malignant tumors....	1,676	1	1	2	1	-	4	4	6	4	13	16	34	69	110	130	178	258	230	239	184	121	57	11	1	1	1
	White.....Male....	854	-	-	1	-	-	2	2	5	3	5	5	11	28	35	63	77	133	127	142	111	70	27	4	1	1	1
	Female..	804	1	1	1	1	-	2	2	-	1	8	10	23	41	73	66	97	123	100	96	70	51	30	7	-	-	-
	Nonwhite..Male....	15	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	2	3	-	3	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	738	-	-	-	-	-	-	1	-	-	2	7	8	15	37	48	67	125	117	130	94	62	21	4	-	-	-
	White.....Male....	407	-	-	-	-	-	-	1	-	-	1	3	5	8	16	29	28	68	73	75	56	34	8	2	-	-	-
	Female..	320	-	-	-	-	-	-	-	-	-	1	3	3	7	21	19	36	55	42	54	36	28	13	2	-	-	-
	Nonwhite..Male....	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	2	-	2	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.....	190	-	-	-	-	-	-	-	1	1	2	3	8	13	21	23	24	21	22	19	12	8	10	2	-	-	-
	White.....Female..	189	-	-	-	-	-	-	-	-	1	2	3	8	13	21	23	24	21	22	19	12	8	10	2	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.....	162	-	-	-	-	-	-	-	-	-	-	3	10	11	23	15	29	19	17	12	10	7	4	2	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Female..	160	-	-	-	-	-	-	-	-	-	-	3	10	11	23	15	29	19	17	12	8	7	4	2	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	586	1	1	2	1	-	4	3	5	3	9	3	8	30	29	44	58	93	74	78	68	44	22	3	1	1	1
	White.....Male....	445	-	-	1	-	-	2	1	5	3	4	2	6	20	19	34	49	65	54	67	53	36	19	2	1	1	1
	Female..	135	1	1	1	1	-	2	2	-	-	5	1	2	10	8	9	8	28	19	11	14	8	3	1	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	5	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	279	-	-	-	-	-	-	1	2	7	6	4	11	2	11	14	21	37	51	29	48	24	8	2	-	-	1
	White.....Male....	124	-	-	-	-	-	-	-	1	4	5	4	6	1	6	5	9	13	21	12	17	13	7	-	-	-	-
	Female..	151	-	-	-	-	-	-	1	1	3	1	-	5	1	5	9	12	22	30	17	30	11	1	2	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter..	26	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5	2	3	7	2	1	1	-	-	-	-
	White.....Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
	Female..	22	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	3	6	2	1	1	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	34	-	-	-	-	-	-	-	-	-	-	2	3	4	10	2	5	6	1	1	-	-	-	-	-	-	-
	White.....Male....	31	-	-	-	-	-	-	-	-	-	-	2	3	3	9	2	5	5	1	1	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	1,278	1	1	2	1	-	-	-	2	1	3	4	10	16	32	58	92	123	173	222	223	182	99	29	2	-	2
	White.....Male....	668	1	1	1	-	-	-	-	-	-	2	2	5	7	15	30	60	71	91	127	117	91	50	15	1	-	1
	Female..	578	-	-	1	1	-	-	-	2	1	1	2	5	9	16	28	31	50	82	94	104	88	48	14	1	-	-
	Nonwhite..Male....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	-	-	-	-	-
	Female..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	1	-	-	-	1
90-95	Diseases of the heart.....	3,692	-	-	-	-	1	2	7	9	6	11	24	50	95	142	208	355	431	504	583	553	398	219	73	14	1	6
	White.....Male....	2,425	-	-	-	-	1	1	4	6	1	4	15	34	75	107	161	264	311	347	375	337	226	109	33	8	-	6
	Female..	1,231	-	-	-	-	-	1	3	3	4	7	9	16	18	32	47	85	116	153	202	210	169	110	39	6	1	-
	Nonwhite..Male....	25	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	4	4	2	5	4	2	-	1	-	-	-
	Female..	11	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	2	-	2	1	2	1	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	236	-	-	-	-	-	2	5	3	3	7	7	11	18	17	14	16	21	22	29	26	23	10	-	1	-	1
	White.....Male....	124	-	-	-	-	-	1	3	1	1	2	3	5	10	7	7	9	11	16	15	13	16	3	-	-	-	1
	Female..	109	-	-	-	-	-	1	2	2	1	5	4	6	8	9	7	7	10	6	13	13	7	7	-	1	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	1,625	-	-	-	-	-	-	-	-	2	-	8	24	47	81	137	219	225	263	243	204	106	45	16	2	-	3
	White.....Male....	1,213	-	-	-	-	-	-	-	-	-	-	8	22	42	78	115	177	171	188	171	136	65	31	5	1	-	3
	Female..	401	-	-	-	-	-	-	-	-	2	-	-	2	5	3	22	40	51	74	72	66	39	14	10	1	-	-
	Nonwhite..Male....	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	-	2	2	-	1	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	1,831	-	-	-	-	1	-	2	6	1	4	9	15	30	44	57	120	185	219	311	323	269	164	57	11	1	2
	White.....Male....	1,088	-	-	-	-	1	-	1	5	-	2	4	7	23	22	39	78	129	143	189	188	145	75	28	7	-	2
	Female..	721	-	-	-	-	-	-	1	1	1	2	5	8	5	20	18	38	55	73	117	131	123	89	29	4	1	-
	Nonwhite..Male....	13	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	1	4	2	-	-	-	-	-	-
	Female..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	2	1	-	-	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	527	75	11	7	1	3	4	5	8	5	3	12	13	17	22	23	34	33	47	34	58	66	31	14	1	-	-
	White.....Male	326	42	3	5	1	2	3	2	5	3	2	9	7	12	15	19	24	25	35	20	33	39	14	6	-	-	-
	Female	173	27	5	1	-	1	1	3	3	-	-	3	4	2	4	3	8	7	12	13	25	25	17	8	1	-	-
	Nonwhite..Male	24	6	1	1	-	-	-	-	-	2	1	-	1	3	3	-	2	1	-	1	-	2	-	-	-	-	-
	Female	4	-	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	248	47	6	3	1	-	1	1	4	1	-	3	6	4	4	8	10	12	17	14	32	43	21	9	1	-	-
	White.....Male	147	25	1	3	1	-	-	-	2	-	-	3	3	3	2	7	7	9	14	8	19	29	8	3	-	-	-
	Female	91	19	3	-	-	-	1	1	2	-	-	-	2	1	1	1	3	2	3	6	13	13	13	6	1	-	-
	Nonwhite..Male	9	3	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	181	17	2	1	-	1	-	1	1	2	2	4	6	11	13	10	16	16	22	17	15	14	7	3	-	-	-
	White.....Male	118	11	1	1	-	1	-	1	-	1	2	4	4	7	9	9	11	13	16	10	6	6	4	1	-	-	-
	Female	53	5	1	-	-	-	-	-	1	-	-	-	1	1	2	1	4	3	6	6	9	8	3	2	-	-	-
	Nonwhite..Male	9	1	-	-	-	-	-	-	-	1	-	-	-	3	2	-	1	-	-	1	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	45	9	1	1	-	1	2	2	2	1	1	1	-	2	4	4	2	1	3	1	2	4	1	-	-	-	-
	White.....Male	30	4	-	-	-	1	2	1	2	1	-	-	-	2	4	2	2	1	2	1	2	2	1	-	-	-	-
	Female	8	3	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite..Male	5	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	53	2	2	2	-	1	1	1	1	1	-	4	1	-	1	1	6	4	5	2	9	5	2	2	-	-	-
	White.....Male	31	2	1	1	-	-	1	-	1	1	-	2	-	-	-	1	4	2	3	1	6	2	1	2	-	-	-
	Female	21	-	1	1	-	1	-	1	-	-	-	2	1	-	1	-	1	2	2	1	3	3	1	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	81	-	-	-	-	-	-	-	-	1	-	3	5	3	7	11	11	15	9	8	5	2	1	-	-	-	-
	White.....Male	64	-	-	-	-	-	-	-	-	-	-	3	2	2	6	10	11	12	5	6	4	2	1	-	-	-	-
	Female	15	-	-	-	-	-	-	-	-	1	-	-	3	-	1	1	-	2	4	2	1	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	45	12	2	-	2	-	-	-	1	2	1	3	2	3	3	-	3	2	1	2	-	2	4	-	-	-	-
	White.....Male	20	4	2	-	1	-	-	-	-	1	1	1	1	1	1	-	-	1	1	-	-	2	3	-	-	-	-
	Female	23	6	-	-	1	-	-	-	1	1	-	2	1	2	2	-	3	1	-	2	-	-	1	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	35	-	2	1	-	-	1	1	1	3	-	2	1	1	1	-	5	4	4	2	2	4	-	-	-	-	-
	White.....Male	21	-	-	1	-	-	-	1	-	-	-	1	1	-	1	-	4	3	2	2	2	3	-	-	-	-	-
	Female	14	-	2	-	-	-	1	-	1	3	-	1	-	1	-	-	1	1	2	-	-	1	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	84	3	-	-	-	-	-	1	-	-	-	3	-	2	5	9	13	12	8	6	11	8	3	-	-	-	-
	White.....Male	50	2	-	-	-	-	-	1	-	-	-	2	-	2	2	4	4	9	6	5	7	5	1	-	-	-	-
	Female	33	1	-	-	-	-	-	-	-	-	-	1	-	-	3	5	9	2	2	1	4	3	2	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	77	-	-	1	-	-	-	1	-	1	-	3	5	2	10	12	7	7	7	9	9	3	-	-	-	-	-
	White.....Male	49	-	-	-	-	-	-	1	-	-	-	1	2	1	8	11	4	6	3	5	6	1	-	-	-	-	-
	Female	26	-	-	1	-	-	-	-	-	1	-	2	3	1	2	1	2	1	4	4	3	1	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	50	-	-	-	-	-	-	-	-	-	-	3	1	2	2	4	2	7	9	11	4	2	2	1	-	-	-
	White.....Male	16	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	5	3	2	1	1	-	-	-	-
	Female	30	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	1	6	4	6	2	1	1	1	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
130-132	Nephritis	1,052	-	1	-	2	-	1	1	5	2	5	5	12	18	33	52	66	107	119	178	164	151	89	33	6	-	2
	White.....Male	596	-	1	-	-	-	1	-	4	-	3	1	7	9	21	26	43	69	71	100	91	86	48	12	2	-	1
	Female	448	-	-	-	2	-	-	1	1	2	2	4	5	8	12	25	23	37	47	78	73	63	40	21	4	-	-
	Nonwhite..Male	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	2	1	-	-	-	1
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
137	Diseases of the prostate	80	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	6	8	13	13	20	10	5	-	-	-
	White.....Male	80	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	6	8	13	13	20	10	5	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Continued																											
140-150	Diseases of pregnancy, etc.*....	32	-	-	-	-	-	-	-	3	6	7	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	31	-	-	-	-	-	-	-	3	6	6	8	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	9	-	-	-	-	-	-	-	-	1	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	8	-	-	-	-	-	-	-	-	1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	11	-	-	-	-	-	-	-	3	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	11	-	-	-	-	-	-	-	3	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma and shock*.....	12	-	-	-	-	-	-	-	-	3	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	12	-	-	-	-	-	-	-	-	3	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	164	128	8	3	-	-	4	2	5	3	2	1	1	2	-	1	2	1	-	-	1	-	-	-	-	-	-
	White.....Male....	90	66	3	3	-	-	2	1	3	3	2	1	1	1	-	1	2	-	-	-	1	-	-	-	-	-	-
	Female..	68	58	3	-	-	-	2	1	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	383	383	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	219	219	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	149	149	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	11	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	225	225	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	129	129	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	88	88	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	158	158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	90	90	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	61	61	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	221	-	-	-	-	-	-	-	5	9	16	17	21	26	25	19	25	19	18	6	8	4	3	-	-	-	-
	White.....Male....	166	-	-	-	-	-	-	-	4	4	10	11	14	20	18	16	21	15	13	6	7	4	3	-	-	-	-
	Female..	52	-	-	-	-	-	-	-	1	3	6	6	7	6	7	3	4	3	5	-	1	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	53	1	-	-	-	-	2	1	2	4	8	2	8	8	1	2	6	6	1	-	1	-	-	-	-	-	-
	White.....Male....	34	1	-	-	-	-	2	1	1	4	2	2	3	6	1	2	5	3	-	-	1	-	-	-	-	-	-
	Female..	8	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	-	-	3	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,153	33	20	17	12	9	52	40	71	62	73	53	67	78	53	71	67	69	61	56	64	70	31	18	5	-	1
	White.....Male....	819	17	16	12	5	5	34	26	47	46	59	41	52	63	44	62	57	54	41	40	38	41	14	2	2	-	1
	Female..	311	15	4	5	6	4	18	13	22	14	14	9	13	13	8	9	7	12	18	16	26	29	17	16	3	-	-
	Nonwhite..Male....	18	1	-	-	1	-	-	1	1	2	-	2	1	2	-	-	2	3	2	-	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	350	2	4	2	2	1	12	9	39	28	25	26	22	21	20	24	17	24	29	18	12	9	4	-	-	-	-
	White.....Male....	259	1	4	1	1	-	10	7	23	19	19	20	14	16	17	17	13	19	24	13	9	8	4	-	-	-	-
	Female..	87	1	-	1	-	1	2	2	16	9	6	4	7	5	3	7	4	5	5	5	3	1	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	803	31	16	15	10	8	40	31	32	34	48	27	45	57	33	47	50	45	32	38	52	61	27	18	5	-	1
	White.....Male....	560	16	12	11	4	5	24	19	24	27	40	21	38	47	27	45	44	35	17	27	29	33	10	2	2	-	1
	Female..	224	14	4	4	6	3	16	11	6	5	8	5	6	8	5	2	3	7	13	11	23	28	17	16	3	-	-
	Nonwhite..Male....	16	1	-	-	-	-	-	1	1	2	-	1	1	2	-	-	2	3	2	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	349	8	3	-	-	-	-	-	1	-	1	2	2	2	6	13	11	16	21	38	52	78	50	33	8	3	1
	White.....Male....	203	4	-	-	-	-	-	-	1	-	1	1	1	2	2	11	9	15	15	21	24	40	31	19	5	-	1
	Female..	127	1	1	-	-	-	-	-	-	-	-	1	1	-	4	2	2	1	5	16	27	33	16	13	2	2	-
	Nonwhite..Male....	9	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	-	-	-	-
	Female..	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-
	All other causes.....	1,170	35	18	18	4	9	12	19	14	21	25	32	30	43	50	62	77	85	118	114	137	137	62	41	5	-	2
	White.....Male....	710	25	9	11	1	4	11	12	11	9	10	13	19	26	26	40	51	58	73	65	90	88	36	18	3	-	1
	Female..	438	8	7	6	3	5	1	7	2	11	13	17	11	17	24	22	23	26	44	45	47	49	26	23	1	-	-
	Nonwhite..Male....	14	-	1	1	-	-	-	-	1	1	2	1	-	-	-	-	3	-	1	1	-	-	-	-	1	-	1
	Female..	8	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA																											
	ALL CAUSES	109,193	6,590	546	314	232	179	717	661	982	1,305	1,519	1,949	2,651	3,576	5,282	7,518	9,603	11,222	12,930	13,578	12,157	8,756	4,977	1,605	296	31	17
	White.....Male	56,174	3,400	254	160	118	97	395	355	516	561	685	863	1,291	1,789	2,755	4,182	5,480	6,432	6,984	7,032	6,036	4,036	2,079	568	87	7	12
	Female	45,798	2,480	222	124	92	64	263	242	322	521	593	780	975	1,265	1,854	2,569	3,411	4,187	5,427	6,062	5,798	4,527	2,817	993	192	15	3
	Nonwhite..Male	3,965	395	35	22	12	11	32	37	60	88	111	150	189	263	333	471	422	358	305	291	185	89	45	18	10	1	2
	Female	3,236	315	35	8	10	7	27	27	84	135	130	156	196	259	290	296	290	245	214	193	138	104	36	26	7	8	-
1,2	Typhoid and paratyphoid fever	46	3	-	1	-	-	1	3	5	4	2	4	4	6	1	1	2	3	1	2	2	-	-	1	-	-	-
	White.....Male	21	2	-	-	-	-	1	1	1	2	2	2	2	3	-	1	-	2	-	-	1	-	-	1	-	-	-
	Female	20	1	-	1	-	-	-	1	3	1	-	2	1	3	1	-	2	1	-	2	1	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	130	11	7	5	3	3	13	6	19	5	1	7	5	7	8	10	5	5	5	2	-	-	-	-	-	-	-
	White.....Male	68	7	4	2	2	2	7	3	8	2	-	3	3	3	6	7	2	4	2	1	-	-	-	-	-	-	-
	Female	37	3	3	1	1	1	3	3	7	1	-	2	1	3	2	1	2	-	2	1	-	-	-	-	-	-	-
	Nonwhite..Male	12	2	-	2	-	-	1	-	3	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	13	2	-	-	-	-	2	-	1	1	1	2	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
8	Scarlet fever	24	-	-	2	-	1	7	2	2	-	1	2	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	9	-	-	1	-	1	3	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	14	-	-	1	-	-	3	2	2	-	-	1	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	129	95	16	8	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White.....Male	56	42	3	4	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	53	43	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	9	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	11	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	39	1	1	5	5	4	5	4	2	1	-	1	2	-	1	1	1	-	1	-	-	1	-	-	-	-	-
	White.....Male	15	-	4	2	1	2	2	1	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	21	-	-	3	4	2	3	1	2	1	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	3,832	22	24	22	9	6	20	27	157	313	345	352	329	334	344	407	353	270	215	146	87	30	13	5	1	-	1
	White.....Male	1,983	10	6	9	1	5	4	5	35	76	96	136	151	175	216	282	261	196	142	96	55	17	5	2	1	-	1
	Female	1,008	7	7	7	2	-	4	9	54	122	149	119	102	72	57	55	56	45	55	43	25	8	7	3	-	-	-
	Nonwhite..Male	461	2	7	5	3	-	4	7	17	44	43	52	41	52	61	49	28	19	12	5	7	2	1	-	-	-	-
	Female	380	3	4	1	3	1	8	6	51	71	57	45	35	35	10	21	8	10	6	2	-	3	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	3,577	9	12	5	5	-	7	22	145	297	331	327	310	316	322	393	338	262	205	141	85	26	12	5	1	-	1
	White.....Male	1,889	5	2	2	-	-	3	2	32	71	94	127	145	170	210	278	254	190	136	93	54	13	4	2	1	-	1
	Female	934	1	2	1	2	-	1	8	51	118	146	111	95	68	49	51	51	45	51	41	24	8	7	3	-	-	-
	Nonwhite..Male	417	1	4	2	-	-	1	7	15	41	38	49	38	46	58	46	26	18	12	5	7	2	1	-	-	-	-
	Female	337	2	4	-	3	-	2	5	47	67	53	40	32	32	5	18	7	9	6	2	-	3	-	-	-	-	-
14-22	Tuberculosis (other forms)	255	13	12	17	4	6	13	5	12	16	14	25	19	18	22	14	15	8	10	5	2	4	1	-	-	-	-
	White.....Male	94	5	4	7	1	5	1	3	3	5	2	9	6	5	6	4	7	6	6	3	1	4	1	-	-	-	-
	Female	74	6	5	6	-	-	3	1	3	4	3	8	7	4	8	4	5	-	4	2	1	-	-	-	-	-	-
	Nonwhite..Male	44	1	3	3	3	-	3	-	2	3	5	3	3	6	3	3	2	1	-	-	-	-	-	-	-	-	-
	Female	43	1	-	1	-	1	6	1	4	4	4	5	3	3	5	3	1	1	-	-	-	-	-	-	-	-	-
27	Dysentery	20	8	-	1	-	-	1	-	-	-	-	2	-	-	1	-	1	1	2	1	1	-	1	-	-	-	-
	White.....Male	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	Female	8	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-
	Nonwhite..Male	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	8	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	White.....Male	8	-	-	-	-	-	-	-	1	-	2	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	954	24	2	-	1	-	1	1	3	6	15	40	59	103	131	134	129	117	90	53	30	10	4	-	-	-	1
	White.....Male	458	5	2	-	-	-	1	-	1	-	1	8	17	33	56	65	78	74	59	34	16	6	1	-	-	-	1
	Female	160	2	-	-	1	-	-	1	2	3	5	10	9	16	23	21	19	15	15	9	5	2	2	-	-	-	-
	Nonwhite..Male	252	10	-	-	-	-	-	-	-	1	5	15	27	36	41	41	25	24	13	7	5	2	-	-	-	-	-
	Female	84	7	-	-	-	-	-	-	-	2	4	7	6	18	11	7	7	4	3	3	4	-	1	-	-	-	-
35	Measles	21	4	10	2	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	9	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	9	1	4	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	58	1	3	2	-	2	13	13	10	7	1	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	32	-	3	2	-	1	5	7	8	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	26	1	-	-	-	1	8	6	2	4	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																											
45-55	Cancer and other malignant tumors	14,535	8	9	7	16	5	28	27	45	64	106	181	345	553	853	1,349	1,832	2,005	2,248	2,060	1,523	854	338	66	13	-	-
	White.....Male	6,717	4	6	2	7	3	15	11	29	35	48	51	94	165	311	532	852	1,026	1,152	1,049	766	393	135	27	4	-	-
	Female	7,217	4	3	5	8	2	13	15	14	23	50	113	214	338	474	720	885	907	1,033	961	735	452	201	38	9	-	-
	Nonwhite..Male	280	-	-	-	-	-	-	-	1	2	2	3	9	16	30	52	44	38	33	33	12	4	1	-	-	-	-
	Female	321	-	-	-	1	-	-	1	1	4	6	14	28	34	38	45	51	34	30	17	10	5	1	1	-	-	-
46	Cancer of digestive organs, peritoneum	7,011	-	1	-	5	-	1	-	9	11	21	52	107	194	335	575	884	1,012	1,212	1,143	801	446	171	27	4	-	-
	White.....Male	3,615	-	1	-	3	-	-	-	8	5	10	18	45	88	159	288	464	587	667	597	398	194	62	11	-	-	-
	Female	3,144	-	-	-	2	-	1	-	-	2	10	28	51	84	151	235	377	399	516	519	391	249	109	16	4	-	-
	Nonwhite..Male	149	-	-	-	-	-	-	-	1	2	-	1	8	10	14	27	25	16	19	18	8	-	-	-	-	-	-
	Female	103	-	-	-	-	-	-	-	-	2	1	5	3	12	11	15	18	10	10	9	4	3	-	-	-	-	-
48,49	Cancer of female genital organs	1,824	-	1	-	-	-	2	1	3	7	17	50	98	142	159	263	239	229	220	176	128	64	20	3	2	-	-
	White.....Female	1,704	-	1	-	-	-	2	1	3	6	16	44	84	131	146	245	217	214	209	173	125	62	20	3	2	-	-
	Nonwhite..Female	120	-	-	-	-	-	-	-	-	1	1	6	14	11	13	18	22	15	11	3	3	2	-	-	-	-	-
50	Cancer of breast	1,361	-	-	-	-	-	-	-	1	2	6	22	63	84	134	151	177	173	161	160	115	69	34	8	1	-	-
	White.....Male	22	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	2	3	4	1	4	3	1	-	-	-	-
	Female	1,284	-	-	-	-	-	-	-	-	2	5	19	55	75	125	141	171	166	151	156	110	66	33	8	1	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	54	-	-	-	-	-	-	-	-	-	1	3	8	9	8	8	4	3	6	3	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	4,339	8	7	7	11	5	25	26	32	44	62	57	77	133	225	360	532	591	655	581	479	275	113	28	6	-	-
	White.....Male	3,080	4	5	2	4	3	15	11	20	30	38	33	49	77	151	232	386	436	481	451	364	196	72	16	4	-	-
	Female	1,085	4	2	5	6	2	10	14	11	13	19	22	24	48	52	99	120	128	157	113	109	75	39	11	2	-	-
	Nonwhite..Male	130	-	-	-	-	-	-	-	-	-	2	2	1	6	16	25	19	21	14	15	4	4	1	-	-	-	-
	Female	44	-	-	-	1	-	-	1	1	1	3	-	3	2	6	4	7	6	3	2	2	-	1	1	-	-	-
58	Acute rheumatic fever	138	2	-	1	1	7	21	20	18	11	10	3	11	8	5	2	4	6	4	2	1	-	1	-	-	-	-
	White.....Male	64	1	-	1	-	3	12	8	11	6	4	-	3	2	2	-	1	4	4	1	1	-	-	-	-	-	-
	Female	59	1	-	-	1	4	8	10	4	5	5	3	5	4	2	2	1	2	-	1	-	-	1	-	-	-	-
	Nonwhite..Male	8	-	-	-	-	-	1	1	2	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	1	1	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	3,457	-	1	4	-	-	11	14	13	16	25	22	28	70	134	257	376	574	659	604	411	179	51	8	-	-	-
	White.....Male	1,009	-	1	2	-	-	3	6	5	4	9	8	11	22	36	86	87	166	168	185	131	60	15	4	-	-	-
	Female	2,313	-	-	2	-	-	7	6	7	11	13	9	15	37	79	155	274	389	473	408	271	117	36	4	-	-	-
	Nonwhite..Male	45	-	-	-	-	-	1	1	1	1	1	3	-	6	5	3	5	5	4	4	4	1	-	-	-	-	-
	Female	90	-	-	-	-	-	-	1	-	-	2	2	2	5	14	13	10	14	14	7	5	1	-	-	-	-	-
63b	Exophthalmic goiter	200	-	-	-	-	-	-	-	-	3	3	6	13	16	15	23	28	28	26	24	9	2	4	-	-	-	-
	White.....Male	31	-	-	-	-	-	-	-	-	-	1	1	1	3	2	5	4	8	-	5	-	-	1	-	-	-	-
	Female	163	-	-	-	-	-	-	-	-	3	2	5	12	11	13	16	23	20	25	19	9	2	3	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	126	-	-	-	-	-	-	-	2	3	8	11	13	12	15	17	17	10	8	5	4	1	-	-	-	-	-
	White.....Male	89	-	-	-	-	-	-	-	1	1	4	5	10	6	9	14	15	9	6	5	3	1	-	-	-	-	-
	Female	19	-	-	-	-	-	-	-	-	1	3	3	3	4	2	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	12	-	-	-	-	-	-	-	-	-	-	2	-	1	4	2	1	-	1	-	1	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	9,482	4	4	4	2	3	6	3	12	17	20	42	91	163	344	579	774	1,008	1,316	1,649	1,549	1,084	622	162	21	1	2
	White.....Male	4,261	1	2	3	2	2	2	2	6	9	11	22	36	57	140	248	368	490	640	750	708	466	245	45	5	-	1
	Female	4,743	3	2	1	-	1	4	1	5	5	7	16	35	70	165	270	347	460	612	847	809	592	364	111	15	1	-
	Nonwhite..Male	216	-	-	-	-	-	-	-	1	-	-	2	5	13	15	31	28	25	34	27	14	9	6	4	1	-	1
	Female	262	-	-	-	-	-	-	-	-	3	2	2	15	23	24	30	31	33	30	25	18	17	7	2	-	-	-
90-95	Diseases of the heart	35,964	8	10	1	5	3	38	77	104	131	173	270	518	870	1,561	2,423	3,347	4,279	5,048	5,486	4,942	3,686	2,160	691	114	18	1
	White.....Male	19,851	5	4	-	2	2	18	36	58	57	92	131	298	532	947	1,572	2,130	2,656	2,903	2,963	2,495	1,713	944	256	32	4	1
	Female	14,353	3	4	1	3	1	17	32	40	60	70	114	153	236	455	629	972	1,396	1,955	2,326	2,307	1,902	1,181	413	75	8	-
	Nonwhite..Male	987	-	-	-	-	-	2	5	2	9	6	11	30	42	79	133	152	140	115	114	81	35	18	9	4	-	-
	Female	773	-	2	-	-	-	1	4	4	5	5	14	37	60	80	89	93	87	75	83	59	36	17	13	3	6	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart	2,172	-	3	-	2	1	23	53	58	73	76	97	131	125	178	151	180	201	196	211	198	111	78	21	4	1	-
	White.....Male	1,015	-	1	-	-	-	12	27	33	27	35	37	57	57	90	62	86	117	101	95	88	49	29	9	2	1	-
	Female	1,028	-	1	-	2	1	8	20	21	37	38	58	54	55	78	76	86	72	89	109	105	58	46	12	2	-	-
	Nonwhite..Male	65	-	-	-	-	-	2	5	2	6	2	-	11	5	2	11	3	5	3	2	2	2	2	-	-	-	-
	Female	64	-	1	-	-	-	1	1	2	3	1	2	9	8	8	2	5	7	3	5	3	2	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	11,025	-	-	-	-	-	-	2	5	10	33	72	199	428	706	1,096	1,409	1,657	1,731	1,559	1,093	642	296	73	13	1	-
	White.....Male	7,494	-	-	-	-	-	-	2	3	7	20	48	145	320	537	857	1,052	1,171	1,149	998	641	354	155	30	5	-	-
	Female	3,200	-	-	-	-	-	-	-	1	3	12	18	39	74	129	182	303	446	552	536	435	285	136	41	8	-	-
	Nonwhite..Male	208	-	-	-	-	-	-	-	-	-	-	2	6	18	24	37	39	26	20	19	11	2	3	1	-	-	-
	Female	123	-	-	-	-	-	-	-	1	-	1	4	9	16	16	20	15	14	10	6	6	1	2	1	-	1	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	22,767	8	7	1	3	2	15	22	41	48	64	101	188	317	677	1,176	1,758	2,421	3,121	3,716	3,651	2,933	1,786	597	97	16	1
	White.....Male	11,342	5	3	-	2	2	6	7	22	23	37	46	96	155	320	653	992	1,368	1,653	1,870	1,766	1,310	760	217	25	3	1
	Female	10,125	3	3	1	1	-	9	12	18	20	20	38	60	107	248	371	583	878	1,314	1,681	1,767	1,559	999	360	65	8	-
	Nonwhite..Male	714	-	-	-	-	-	-	-	-	3	4	9	13	19	53	85	110	109	92	93	68	31	13	8	4	-	-
	Female	586	-	1	-	-	-	-	3	1	2	3	8	19	36	56	67	73	66	62	72	50	33	14	12	3	5	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	5,271	972	162	50	27	13	40	53	59	66	72	92	128	170	237	319	357	424	398	420	456	405	240	89	18	4	-
	White.....Male	2,736	460	69	27	15	4	12	16	30	27	32	37	67	92	122	186	241	281	252	207	233	203	93	24	5	1	-
	Female	1,963	386	74	17	8	7	25	35	23	24	25	32	36	44	50	75	72	112	124	185	201	187	146	61	13	1	-
	Nonwhite..Male	345	66	8	4	4	2	1	-	2	4	6	13	9	21	43	45	34	21	15	21	13	10	-	2	-	1	-
	Female	227	60	11	2	-	-	2	2	4	11	9	10	16	13	22	13	10	10	7	7	9	5	1	2	-	1	-
107	Bronchopneumonia	2,183	631	82	22	12	6	20	21	12	23	22	27	32	38	60	90	87	134	126	169	198	206	114	43	7	1	-
	White.....Male	1,073	296	39	7	6	2	4	8	5	8	12	11	14	19	30	52	57	79	77	91	98	101	42	13	2	-	-
	Female	889	247	34	11	4	4	13	13	6	7	8	14	12	14	16	25	17	44	41	67	93	93	71	29	5	1	-
	Nonwhite..Male	120	45	4	3	2	-	1	-	-	2	1	-	-	4	8	9	8	5	5	9	5	8	-	1	-	-	-
	Female	101	43	5	1	-	-	2	-	1	6	1	2	6	1	6	4	5	6	3	2	2	4	1	-	-	-	-
108	Lobar pneumonia	2,089	187	37	13	10	3	12	17	27	24	34	53	66	98	135	183	202	216	200	175	181	116	68	27	4	1	-
	White.....Male	1,154	88	13	9	6	1	4	5	15	11	17	23	34	56	70	105	140	155	129	84	96	56	29	8	-	-	-
	Female	652	70	18	3	2	1	8	10	8	8	10	11	16	19	22	37	36	48	57	79	73	57	39	16	4	-	-
	Nonwhite..Male	184	16	3	1	2	1	-	-	1	1	4	11	9	15	29	32	21	10	10	9	6	2	-	1	-	-	-
	Female	99	13	3	-	-	-	-	2	3	4	3	8	7	8	14	9	5	3	4	3	6	1	-	2	-	1	-
109	Pneumonia (unspecified)	293	51	10	4	-	2	2	5	7	4	9	4	10	10	17	19	23	28	20	17	18	22	6	3	2	-	-
	White.....Male	150	24	2	4	-	-	1	2	2	2	2	2	6	6	10	10	16	17	12	7	11	12	2	-	-	-	-
	Female	114	21	5	-	-	1	1	3	5	1	3	2	4	3	3	7	4	7	8	10	7	10	4	3	2	-	-
	Nonwhite..Male	17	4	-	-	-	1	-	-	-	-	-	-	-	-	3	2	3	4	-	-	-	-	-	-	-	-	-
	Female	12	2	3	-	-	-	-	-	-	1	4	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	706	103	33	11	5	2	6	10	13	15	7	8	20	24	25	27	45	46	52	59	59	61	52	16	5	2	-
	White.....Male	359	52	15	7	3	1	3	1	8	6	1	1	13	11	12	19	28	30	34	25	28	34	20	3	3	1	-
	Female	308	48	17	3	2	1	3	9	4	8	4	5	4	8	9	6	15	13	18	29	28	27	32	13	2	-	-
	Nonwhite..Male	24	1	1	-	-	-	-	-	1	1	1	2	-	2	3	2	2	2	-	3	2	-	-	-	-	1	-
	Female	15	2	-	1	-	-	-	-	-	-	1	-	3	3	1	-	-	1	-	2	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	604	2	-	-	-	-	1	-	1	3	10	13	33	35	74	96	78	86	68	51	30	17	5	1	-	-	-
	White.....Male	503	2	-	-	-	-	-	-	1	2	8	10	26	31	63	82	73	72	55	41	21	13	2	1	-	-	-
	Female	72	-	-	-	-	-	-	-	-	1	2	2	3	4	5	7	3	10	12	9	8	4	2	-	-	-	-
	Nonwhite..Male	24	-	-	-	-	-	-	-	-	-	-	1	4	-	5	6	2	2	1	1	1	-	1	-	-	-	-
	Female	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	608	410	31	9	5	3	7	7	2	10	-	8	9	18	9	11	8	8	18	13	11	7	3	1	-	-	-
	White.....Male	333	243	12	5	2	-	2	3	1	2	-	6	4	7	5	6	4	5	13	5	4	2	2	-	-	-	-
	Female	228	132	18	4	2	3	3	3	1	8	-	2	4	7	4	4	3	3	5	8	7	5	1	1	-	-	-
	Nonwhite..Male	31	27	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	16	8	1	-	-	-	2	1	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	462	2	5	9	4	9	21	26	17	16	18	24	23	35	29	43	41	42	51	22	18	6	-	1	-	-	-
	White.....Male	263	2	2	8	4	6	16	17	8	6	7	12	13	23	19	25	21	23	24	12	12	2	-	1	-	-	-
	Female	175	-	2	1	-	3	4	7	8	10	10	9	10	10	9	14	17	16	25	10	6	4	-	-	-	-	-
	Nonwhite..Male	15	-	1	-	-	-	1	1	1	-	1	2	-	2	-	3	1	-	2	-	-	-	-	-	-	-	-
	Female	9	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	2	3	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	893	32	7	5	3	1	5	2	7	9	9	15	18	27	57	69	90	97	109	125	99	56	37	12	1	-	1
	White.....Male	397	18	2	3	2	-	4	2	5	2	1	1	8	7	15	27	45	45	45	57	56	24	21	7	-	-	-
	Female	431	11	5	1	1	-	1	-	1	5	6	11	7	14	32	34	40	49	58	62	39	31	16	5	1	-	1
	Nonwhite..Male	29	2	-	1	-	1	-	-	-	1	2	-	-	1	2	3	1	3	4	4	3	1	-	-	-	-	-
	Female	36	1	-	-	-	-	-	-	1	1	-	3	3	5	8	5	4	-	2	2	1	-	-	-	-	-	-
124	Cirrhosis of the liver	923	-	-	1	-	1	2	3	1	3	6	25	37	68	84	129	107	133	125	90	57	30	17	4	-	-	-
	White.....Male	597	-	-	-	-	1	1	2	-	1	4	15	25	43	59	76	74	89	85	64	35	13	9	1	-	-	-
	Female	297	-	-	1	-	-	-	-	1	1	1	10	11	19	22	48	28	42	39	25	21	17	8	3	-	-	-
	Nonwhite..Male	15	-	-	-	-	-	1	-	-	-	-	-	-	3	1	3	3	2	1	1	-	-	-	-	-	-	-
	Female	14	-	-	-	-	-	-	1	-	1	1	-	1	3	2	2	2	-	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	590	1	1	2	-	-	-	1	-	1	8	12	14	35	49	58	84	84	76	61	60	27	13	3	-	-	-
	White.....Male	189	1	1	2	-	-	-	-	-	-	-	2	4	13	16	20	22	28	27	23	22	3	3	2	-	-	-
	Female	394	-	-	-	-	-	-	-	-	1	8	9	10	22	32	37	61	55	49	37	38	24	10	1	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
130-132	Nephritis	7,773	6	5	3	4	2	12	19	28	48	60	100	108	206	360	476	645	702	977	1,159	1,187	963	515	152	31	3	2
	White.....Male	3,714	5	2	1	3	1	9	9	14	17	34	39	35	86	162	217	316	352	482	592	583	470	222	57	4	1	1
	Female	3,476	1	3	2	1	1	1	9	12	28	16	41	50	82	130	187	253	296	436	498	567	462	283	93	21	2	1
	Nonwhite..Male	275	-	-	-	-	-	2	1	-	1	7	6	15	14	24	32	38	27	31	40	19	12	3	1	2	-	-
	Female	308	-	-	-	-	-	-	-	2	2	3	14	8	24	44	40	38	27	28	29	18	19	7	1	4	-	-
137	Diseases of the prostate	508	-	-	-	-	-	-	-	-	-	-	-	-	2	7	5	19	38	77	99	121	84	44	11	1	-	-
	White.....Male	492	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	19	34	75	98	119	84	42	11	1	-	-
	Nonwhite..Male	16	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	4	2	1	2	-	2	-	-	-	-

* Refer to International List for complete title, table V, Part I.

747801 O - 47 - 22

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																											
140-150	Diseases of pregnancy, etc.*....	384	-	-	-	-	-	-	1	30	71	82	88	77	30	5	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	332	-	-	-	-	-	-	-	24	60	69	79	70	25	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	52	-	-	-	-	-	-	1	6	11	13	9	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	152	-	-	-	-	-	-	-	15	31	32	33	27	12	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	131	-	-	-	-	-	-	-	11	26	27	31	24	10	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	21	-	-	-	-	-	-	-	4	5	5	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	73	-	-	-	-	-	-	1	7	18	13	16	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	66	-	-	-	-	-	-	-	6	15	13	15	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	7	-	-	-	-	-	-	1	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	122	-	-	-	-	-	-	-	6	15	28	29	31	12	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	108	-	-	-	-	-	-	-	5	14	24	26	28	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	14	-	-	-	-	-	-	-	1	1	4	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	37	-	-	-	-	-	-	-	2	7	9	10	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	27	-	-	-	-	-	-	-	2	5	5	7	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	10	-	-	-	-	-	-	-	-	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	1,184	1,010	49	22	8	8	23	9	12	10	8	5	7	1	3	3	1	-	1	2	1	1	-	-	-	-	-
	White.....Male....	624	529	23	14	1	8	13	5	6	5	5	4	5	-	1	3	1	-	-	-	1	-	-	-	-	-	-
	Female..	487	421	21	8	7	-	9	2	6	4	2	1	1	1	1	-	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite..Male....	45	40	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	28	20	4	-	-	-	-	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	3,377	3,377	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	1,763	1,763	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	1,242	1,242	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	198	198	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	174	174	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	2,069	2,069	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	1,049	1,049	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	750	750	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	138	138	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	132	132	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	1,308	1,308	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	714	714	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	492	492	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	60	60	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	42	42	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	1,081	-	-	-	-	-	-	1	20	32	51	86	92	111	125	110	122	104	93	70	40	16	6	1	-	-	1
	White.....Male....	742	-	-	-	-	-	-	1	16	16	27	50	63	68	89	80	90	79	65	51	30	9	6	1	-	-	1
	Female..	315	-	-	-	-	-	-	-	4	12	20	28	27	40	36	29	30	25	28	19	10	7	-	-	-	-	-
	Nonwhite..Male....	16	-	-	-	-	-	-	-	-	2	2	5	1	3	-	1	2	-	-	-	-	-	-	-	-	-	-
	Female..	8	-	-	-	-	-	-	-	-	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	255	8	1	2	2	-	6	6	15	20	30	28	34	23	25	17	15	11	6	4	1	1	-	-	-	-	-
	White.....Male....	104	1	1	-	1	-	3	5	4	7	7	7	12	10	8	9	14	8	2	4	1	-	-	-	-	-	-
	Female..	45	5	-	2	1	-	3	-	1	6	6	4	6	4	3	3	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	87	1	-	-	-	-	-	-	9	5	13	9	14	8	14	5	1	3	3	-	-	1	-	-	-	-	-
	Female..	19	1	-	-	-	-	-	1	1	1	4	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	6,343	136	85	62	73	62	277	225	252	259	257	262	301	299	323	373	438	426	475	479	446	420	264	101	22	-	6
	White.....Male....	4,068	67	43	26	38	34	178	159	189	195	194	208	241	228	242	293	339	325	307	261	210	172	83	24	7	-	5
	Female..	1,944	45	31	31	30	19	83	50	46	49	50	39	39	48	53	56	98	86	150	202	229	242	178	74	15	-	1
	Nonwhite..Male....	244	17	7	5	1	5	10	13	14	10	10	11	18	19	22	19	20	12	11	11	2	4	3	-	-	-	-
	Female..	87	7	4	-	4	4	6	3	3	5	3	4	3	4	6	5	1	3	7	5	5	2	-	3	-	-	-
170	Motor-vehicle accidents.....	1,613	6	13	13	24	24	128	76	112	128	107	92	82	90	94	98	112	117	103	92	49	41	7	2	1	-	2
	White.....Male....	1,187	3	4	7	14	13	79	54	82	99	77	74	66	72	68	78	85	89	82	69	33	30	5	1	1	-	2
	Female..	348	3	8	6	8	7	43	18	29	25	25	14	10	11	21	14	20	24	16	21	13	10	1	1	-	-	-
	Nonwhite..Male....	63	-	1	-	-	3	4	3	1	4	5	4	6	6	4	4	7	4	3	1	1	1	1	-	-	-	-
	Female..	15	-	-	-	2	1	2	1	-	-	-	-	-	1	1	2	-	-	2	1	2	-	-	-	-	-	-
169, 171-195	Other accidents.....	4,730	130	72	49	49	38	149	149	140	131	150	170	219	209	229	275	346	309	372	387	397	379	257	99	21	-	4
	White.....Male....	2,881	64	39	19	24	21	99	105	107	96	117	134	175	156	174	215	254	236	225	192	177	142	78	23	6	-	3
	Female..	1,596	42	23	25	22	12	40	32	17	24	25	25	29	37	32	42	78	62	134	181	216	232	177	73	15	-	1
	Nonwhite..Male....	181	17	6	5	1	2	6	10	13	6	5	7	12	13	18	15	13	8	8	10	1	3	2	-	-	-	-
	Female..	72	7	4	-	2	3	4	2	3	5	3	4	3	3	5	3	1	3	5	4	3	2	-	3	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	1,036	48	5	5	1	3	4	2	4	2	6	14	23	14	42	61	74	88	95	90	125	131	111	64	22	1	1
	White.....Male....	522	19	4	-	1	-	2	1	3	-	3	5	16	11	24	33	45	60	60	56	54	50	42	24	7	1	1
	Female..	425	22	1	4	-	1	1	-	-	2	3	6	5	2	9	18	15	22	27	29	62	74	68	40	14	-	-
	Nonwhite..Male....	66	4	-	-	-	2	1	-	-	-	-	2	1	1	7	8	10	5	6	5	8	4	1	-	1	-	-
	Female..	23	3	-	1	-	-	-	1	1	-	-	1	1	-	2	2	4	1	2	-	1	3	-	-	-	-	-
	All other causes.....	8,732	392	105	79	58	39	151	108	141	174	190	228	324	356	439	544	634	671	737	857	944	744	528	232	52	4	1
	White.....Male....	4,435	208	55	43	32	20	82	54	75	86	91	97	142	165	202	308	376	395	414	470	477	334	208	80	21	-	-
	Female..	3,746	142	37	30	22	16	61	49	53	70	71	105	143	148	187	185	208	234	299	359	447	393	309	146	29	3	-
	Nonwhite..Male....	282	21	8	3	2	1	3	4	6	5	11	12	11	20	25	33	26	28	16	16	13	4	9	2	2	-	1
	Female..	269	21	5	3	2	2	5	1	7	13	17	14	28	23	25	18	24	14	8	12	7	13	2	4	-	1	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND																											
	ALL CAUSES	7,985	384	36	23	14	12	38	39	62	71	82	107	169	205	360	564	700	873	1,000	1,061	959	724	365	110	24	3	-
	White.....Male	4,138	206	17	14	13	7	24	22	38	39	39	58	99	123	214	320	423	498	520	526	446	306	141	38	6	1	-
	Female	3,656	157	19	9	1	4	14	15	19	29	40	45	65	77	131	227	255	350	462	520	500	410	219	69	17	2	-
	Nonwhite..Male	106	13	-	-	-	-	-	-	2	-	2	2	1	2	9	11	15	16	11	8	7	4	2	-	1	-	-
	Female	85	8	-	-	-	1	-	2	3	3	1	2	4	3	6	6	7	9	7	7	6	4	3	3	-	-	-
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	6	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	252	-	2	2	-	-	-	-	12	12	14	29	24	18	34	18	27	21	18	11	6	4	-	-	-	-	-
	White.....Male	157	-	1	1	-	-	-	-	4	4	5	14	18	11	23	14	20	16	14	6	3	3	-	-	-	-	-
	Female	75	-	1	1	-	-	-	-	4	6	7	13	6	5	8	3	5	4	4	4	3	1	-	-	-	-	-
	Nonwhite..Male	12	-	-	-	-	-	-	-	1	-	1	2	-	1	2	1	2	1	-	1	-	-	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	3	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	235	-	-	-	-	-	-	-	11	9	14	27	24	18	33	18	27	20	16	11	3	4	-	-	-	-	-
	White.....Male	150	-	-	-	-	-	-	-	4	3	5	13	18	11	22	14	20	16	13	6	2	3	-	-	-	-	-
	Female	66	-	-	-	-	-	-	-	4	4	7	12	6	5	8	3	5	3	3	4	1	1	-	-	-	-	-
	Nonwhite..Male	11	-	-	-	-	-	-	-	-	-	1	2	-	1	2	1	2	1	-	1	-	-	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	3	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	17	-	2	2	-	-	-	-	1	3	-	2	-	-	1	-	-	1	2	-	3	-	-	-	-	-	-
	White.....Male	7	-	1	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	Female	9	-	1	1	-	-	-	-	-	2	-	1	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	80	-	-	-	-	-	-	-	-	-	-	1	2	1	10	7	10	18	12	7	7	4	-	1	-	-	-
	White.....Male	51	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	6	12	8	4	6	3	-	-	-	-	-
	Female	19	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	3	2	2	3	1	1	-	1	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																											
45-55	Cancer and other malignant tumors	1,079	1	4	3	1	1	1	2	3	6	5	12	23	33	75	129	131	151	166	129	108	70	18	7	-	-	-
	White.....Male	473	1	1	3	1	-	1	2	1	3	3	4	6	12	28	49	64	79	78	55	46	27	7	2	-	-	-
	Female	590	-	3	-	-	1	-	-	2	3	2	8	16	20	44	77	66	69	86	74	61	43	10	5	-	-	-
	Nonwhite..Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	1	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	2	2	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	493	1	1	-	-	-	-	-	1	3	1	3	6	9	25	53	64	54	88	71	62	31	8	2	-	-	-
	White.....Male	241	1	-	-	-	-	-	-	-	2	1	1	1	5	11	22	39	38	45	32	26	12	3	2	-	-	-
	Female	246	-	1	-	-	-	-	-	1	1	-	2	5	4	13	30	24	25	42	39	35	19	5	-	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	101	-	-	-	-	-	-	-	-	-	-	2	6	6	11	15	18	15	11	9	3	3	1	1	-	-	-
	White.....Female	101	-	-	-	-	-	-	-	-	-	-	2	6	6	11	15	18	15	11	9	3	3	1	1	-	-	-
	Nonwhite..Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	145	-	-	-	-	-	-	-	1	-	-	2	4	7	14	19	13	20	19	18	12	13	2	1	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Female	141	-	-	-	-	-	-	-	1	-	-	2	3	7	14	18	12	19	19	18	12	13	2	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	340	-	3	3	1	1	1	2	1	3	4	5	7	11	25	42	36	52	48	31	31	23	7	3	-	-	-
	White.....Male	230	-	1	3	1	-	1	2	1	1	2	3	5	7	17	27	24	40	33	23	20	15	4	-	-	-	-
	Female	102	-	2	-	-	1	-	-	-	2	2	2	2	3	6	14	12	10	14	8	11	8	2	3	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	6	-	-	-	-	-	1	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	4	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	289	-	-	-	-	-	1	2	1	1	-	2	3	1	7	18	24	58	42	54	44	26	4	1	-	-	-
	White.....Male	95	-	-	-	-	-	1	-	-	1	-	2	3	1	2	4	6	13	16	21	13	10	2	-	-	-	-
	Female	187	-	-	-	-	-	-	1	1	-	-	-	-	-	5	13	15	44	26	33	30	16	2	1	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	6	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	1	-	-	-	-	-
	White.....Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	Female	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	760	1	-	1	-	-	-	-	2	-	3	1	2	7	23	46	69	97	109	121	125	99	41	11	1	1	-
	White.....Male	324	1	-	-	-	-	-	-	2	-	1	1	1	3	14	23	31	47	46	40	53	42	15	3	1	-	-
	Female	416	-	-	1	-	-	-	-	-	-	2	-	1	4	8	21	36	47	60	79	68	54	26	8	-	1	-
	Nonwhite..Male	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	2	1	-	-	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	2	2	-	-	-	-	-
90-95	Diseases of the heart	2,980	-	-	-	-	1	4	4	3	9	11	16	37	64	109	189	246	359	419	478	440	339	189	48	14	1	-
	White.....Male	1,629	-	-	-	-	1	2	2	2	7	7	6	23	43	82	133	166	229	222	252	213	139	80	16	3	1	-
	Female	1,294	-	-	-	-	-	2	2	1	2	4	9	13	20	23	53	70	123	189	216	222	197	108	30	10	-	-
	Nonwhite..Male	38	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	7	5	7	6	3	2	-	-	1	-	-
	Female	19	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	2	1	4	2	1	1	2	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart	140	-	-	-	-	-	1	4	1	6	7	5	9	11	5	10	11	16	12	13	14	7	7	1	-	-	-
	White.....Male	61	-	-	-	-	-	1	2	-	5	3	3	2	6	3	3	7	8	4	5	4	1	4	-	-	-	-
	Female	75	-	-	-	-	-	-	2	1	1	4	2	6	5	2	7	3	8	7	8	9	6	3	1	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	878	-	-	-	-	-	-	-	-	1	1	6	19	31	62	100	105	143	140	114	85	44	18	7	1	1	-
	White.....Male	602	-	-	-	-	-	-	-	-	1	1	2	16	25	56	87	81	96	87	70	46	23	8	2	-	1	-
	Female	265	-	-	-	-	-	-	-	-	-	-	3	3	6	6	13	21	45	52	43	38	20	10	4	1	-	-
	Nonwhite..Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	1,962	-	-	-	-	1	3	-	2	2	3	5	9	22	42	79	130	200	267	351	341	288	164	40	13	-	-
	White.....Male	966	-	-	-	-	1	1	-	2	1	3	1	5	12	23	43	78	125	131	177	163	115	68	14	3	-	-
	Female	954	-	-	-	-	-	2	-	-	1	-	4	4	9	15	33	46	70	130	165	175	171	95	25	9	-	-
	Nonwhite..Male	30	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	4	5	5	3	1	-	-	1	-	-
	Female	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	4	-	1	1	1	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	295	44	8	2	4	2	1	1	2	2	4	3	4	7	15	19	21	16	22	36	30	23	17	12	-	-	-
	White.....Male	165	28	6	1	4	1	-	1	1	-	2	2	2	4	7	10	16	13	9	22	16	10	7	3	-	-	-
	Female	121	12	2	1	-	1	1	-	1	2	2	1	2	3	7	6	5	3	13	14	14	13	9	9	-	-	-
	Nonwhite..Male	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	Female	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
107	Bronchopneumonia	151	33	6	1	2	-	1	-	1	1	3	1	1	3	4	5	9	6	9	16	19	12	10	8	-	-	-
	White.....Male	79	22	4	1	2	-	-	-	-	-	2	1	-	1	1	2	7	5	2	8	9	5	4	3	-	-	-
	Female	66	7	2	-	-	-	1	-	1	1	1	-	1	2	3	2	2	1	7	8	10	7	5	5	-	-	-
	Nonwhite..Male	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
108	Lobar pneumonia	119	10	-	-	2	1	-	1	1	1	-	2	2	4	10	10	9	7	10	19	11	10	6	3	-	-	-
	White.....Male	72	6	-	-	2	-	-	1	1	-	-	1	2	3	5	6	8	6	5	13	7	4	2	-	-	-	-
	Female	46	4	-	-	-	1	-	-	-	1	-	1	-	1	4	4	1	1	5	6	4	6	4	3	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	8	-	-	1	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	-	-	-	-	-	-	-
	White.....Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-
	Female	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	17	1	2	-	-	1	-	-	-	-	1	-	-	-	-	2	2	2	2	1	-	1	1	1	-	-	-
	White.....Male	8	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-
	Female	7	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	66	-	-	-	-	-	-	-	-	1	1	3	5	3	4	3	10	10	9	9	3	3	2	-	-	-	-
	White.....Male	51	-	-	-	-	-	-	-	-	1	-	3	4	3	3	3	8	7	9	5	3	-	2	-	-	-	-
	Female	15	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	3	-	4	-	3	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	22	12	1	-	-	-	-	-	1	2	-	1	1	-	1	1	-	-	-	1	1	-	-	-	-	-	-
	White.....Male	11	5	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
	Female	11	7	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	32	-	-	-	1	-	1	3	2	-	2	1	-	-	2	3	3	3	6	2	3	-	-	-	-	-	-
	White.....Male	24	-	-	-	1	-	1	2	2	-	1	1	-	-	2	3	2	2	4	2	1	-	-	-	-	-	-
	Female	8	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	71	-	1	-	-	-	-	-	1	-	1	-	1	2	3	6	9	12	10	9	4	9	2	1	-	-	-
	White.....Male	40	-	-	-	-	-	-	-	1	-	-	-	1	2	2	4	7	6	6	3	2	4	1	1	-	-	-
	Female	30	-	1	-	-	-	-	-	-	-	1	-	-	-	1	2	2	5	4	6	2	5	1	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	101	-	-	-	-	-	-	-	-	1	-	2	4	7	12	15	19	8	8	12	7	6	-	-	-	-	-
	White.....Male	71	-	-	-	-	-	-	-	-	-	-	2	3	5	8	11	12	8	8	9	3	2	-	-	-	-	-
	Female	27	-	-	-	-	-	-	-	-	1	-	-	-	2	4	4	6	-	-	3	3	4	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	42	-	-	-	-	-	-	-	-	-	1	-	-	-	1	7	3	7	6	7	8	2	-	-	-	-	-
	White.....Male	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	1	3	2	2	-	-	-	-	-
	Female	28	-	-	-	-	-	-	-	-	-	1	-	-	-	1	4	1	6	5	4	6	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	509	-	-	-	-	-	-	2	2	2	6	8	11	11	10	35	44	41	80	89	84	49	28	7	-	-	-
	White.....Male	247	-	-	-	-	-	-	1	2	2	2	5	6	5	6	15	29	24	39	40	39	21	8	3	-	-	-
	Female	250	-	-	-	-	-	-	1	-	-	3	3	4	5	3	19	15	15	39	48	45	28	19	3	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	-	1	-	-	-
137	Diseases of the prostate	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	11	11	6	12	1	-	-	-	-
	White.....Male	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	11	11	6	12	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																											
140-150	Diseases of pregnancy, etc.*....	19	-	-	-	-	-	-	-	-	4	4	4	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	18	-	-	-	-	-	-	-	-	3	4	4	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	8	-	-	-	-	-	-	-	-	3	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	8	-	-	-	-	-	-	-	-	3	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	4	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	4	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	6	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	6	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	101	86	3	2	3	2	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	46	35	2	2	2	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	52	48	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	195	195	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	73	73	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	126	126	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	68	68	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	26	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	61	-	-	-	-	-	-	-	3	3	5	2	3	7	7	8	7	1	5	4	4	2	-	-	-	-	-
	White.....Male....	47	-	-	-	-	-	-	-	2	3	3	2	3	7	3	6	4	1	3	4	4	2	-	-	-	-	-
	Female..	14	-	-	-	-	-	-	-	1	-	2	-	-	-	4	2	3	-	2	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	8	2	-	-	-	-	-	-	1	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	White.....Male....	4	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	372	16	9	8	1	6	22	13	18	18	9	6	19	17	17	15	23	15	21	30	28	27	25	8	1	-	-
	White.....Male....	217	8	4	5	1	4	14	10	15	14	7	5	14	13	12	14	17	5	13	14	14	7	3	4	-	-	-
	Female..	142	5	5	3	-	1	8	2	2	4	2	1	4	4	5	1	4	7	8	16	14	19	22	4	1	-	-
	Nonwhite..Male....	7	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
170	Motor-vehicle accidents.....	95	-	1	1	1	-	7	4	6	12	4	4	6	7	6	7	4	4	5	5	7	3	1	-	-	-	-
	White.....Male....	72	-	1	-	1	-	4	4	4	9	3	3	5	6	4	6	3	3	4	4	5	3	-	-	-	-	-
	Female..	23	-	-	1	-	-	3	-	2	3	1	1	1	1	2	1	1	1	1	1	2	-	1	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	277	16	8	7	-	6	15	9	12	6	5	2	13	10	11	8	19	11	16	25	21	24	24	8	1	-	-
	White.....Male....	145	8	3	5	-	4	10	6	11	5	4	2	9	7	8	8	14	2	9	10	9	4	3	4	-	-	-
	Female..	119	5	5	2	-	1	5	2	-	1	1	-	3	3	3	-	3	6	7	15	12	19	21	4	1	-	-
	Nonwhite..Male....	7	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	Female..	6	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	38	1	-	-	1	-	-	-	1	1	1	1	-	-	4	2	4	-	3	2	2	7	2	4	2	-	-
	White.....Male....	23	1	-	-	1	-	-	-	-	-	1	1	-	-	4	1	4	-	1	1	-	4	2	2	-	-	-
	Female..	14	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	2	3	-	2	2	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.....	531	22	6	2	3	-	6	9	8	8	12	14	18	26	22	41	41	52	53	46	48	41	36	10	6	1	-
	White.....Male....	275	13	2	1	3	-	4	4	3	4	5	8	10	13	10	19	23	31	32	32	21	18	13	4	2	-	-
	Female..	249	9	4	1	-	-	2	5	5	4	7	6	8	13	11	21	18	21	20	13	26	22	22	6	4	1	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA																											
	ALL CAUSES	16,904	2,469	212	144	76	77	221	187	372	551	557	602	740	886	1,063	1,265	1,326	1,433	1,378	1,210	915	571	377	136	48	22	66
	White.....Male	5,049	649	37	32	20	18	58	47	97	175	142	151	185	193	283	376	403	485	532	459	361	177	111	32	8	1	17
	Female	3,564	434	39	31	14	13	39	30	43	68	84	79	121	131	157	185	235	306	369	375	333	254	165	38	9	1	11
	Nonwhite..Male	4,318	756	75	40	19	23	64	60	116	135	161	189	214	266	317	359	360	344	272	217	126	79	55	34	11	7	19
	Female	3,973	630	61	41	23	23	60	50	116	173	170	183	220	296	306	345	328	298	205	159	95	61	46	32	20	13	19
1,2	Typhoid and paratyphoid fever	36	1	-	-	1	-	2	2	6	2	3	1	2	4	1	2	3	4	-	-	1	1	-	-	-	-	-
	White.....Male	7	-	-	-	-	-	2	-	2	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	6	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite..Male	12	-	-	-	1	-	-	2	-	-	-	-	2	2	-	1	1	3	-	-	-	-	-	-	-	-	-
	Female	11	-	-	-	-	-	-	-	3	1	3	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	25	4	3	2	1	2	1	1	1	-	2	1	-	1	2	2	-	2	-	-	-	-	-	-	-	-	-
	White.....Male	8	1	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	2	-	-	-	-	-	-	-	-	-
	Female	8	2	1	1	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	6	1	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	62	45	11	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	8	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	9	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	24	17	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	21	15	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	56	3	6	17	7	4	16	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	28	2	3	9	3	2	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	13	1	1	3	2	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	5	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	10	-	1	3	2	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	663	6	2	3	-	2	2	9	45	77	95	83	70	59	42	47	40	27	23	15	8	3	1	2	-	-	2
	White.....Male	143	1	-	1	-	-	-	-	1	7	11	15	17	11	14	18	17	9	12	5	3	1	-	-	-	-	-
	Female	65	2	-	-	-	-	-	1	1	3	9	6	12	4	2	1	3	6	4	5	2	2	-	2	-	-	-
	Nonwhite..Male	221	2	2	1	-	1	2	3	13	24	35	36	18	23	13	15	11	9	5	4	3	-	-	-	-	-	1
	Female	234	1	-	1	-	1	-	5	30	43	40	26	23	21	13	13	9	3	2	1	-	-	1	-	-	-	1
13	Tuberculosis of respiratory system, etc.*	616	1	-	-	-	2	1	7	43	72	89	78	68	56	38	44	38	27	22	14	8	3	1	2	-	-	2
	White.....Male	137	-	-	-	-	-	-	-	1	6	11	14	17	11	13	18	17	9	11	5	3	1	-	-	-	-	-
	Female	61	-	-	-	-	-	-	1	1	3	8	6	12	4	2	-	3	6	4	5	2	2	-	2	-	-	-
	Nonwhite..Male	198	-	-	-	-	1	1	1	12	22	33	32	17	22	12	15	9	9	5	3	3	-	-	-	-	-	1
	Female	220	1	-	-	-	1	-	5	29	41	37	26	22	19	11	11	9	3	2	1	-	-	1	-	-	-	1
14-22	Tuberculosis (other forms)	47	5	2	3	-	-	1	2	2	5	6	5	2	3	4	3	2	-	1	1	-	-	-	-	-	-	-
	White.....Male	6	1	-	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female	4	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	23	2	2	1	-	-	1	2	1	2	2	4	1	1	1	-	2	-	-	1	-	-	-	-	-	-	-
	Female	14	-	-	1	-	-	-	-	1	2	3	-	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	33	17	3	2	-	-	-	-	-	-	1	-	-	-	2	1	1	1	2	-	2	-	1	-	-	-	-
	White.....Male	9	6	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Female	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	12	9	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female	9	1	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-
28	Malaria	41	2	-	1	1	-	3	5	1	2	1	4	-	2	2	2	3	4	1	4	-	3	-	-	-	-	-
	White.....Male	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	Nonwhite..Male	12	-	-	1	-	-	-	2	1	1	1	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	Female	23	-	-	-	1	-	3	3	-	1	-	2	-	1	1	1	1	4	1	1	-	3	-	-	-	-	-
30	Syphilis	262	28	2	-	-	-	-	-	1	11	12	31	27	32	45	26	15	14	12	5	1	-	-	-	-	-	-
	White.....Male	35	-	-	-	-	-	-	-	1	-	1	3	1	2	11	6	4	3	2	1	-	-	-	-	-	-	-
	Female	10	3	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite..Male	161	15	2	-	-	-	-	-	-	6	6	19	16	23	24	18	10	9	9	3	1	-	-	-	-	-	-
	Female	56	10	-	-	-	-	-	-	-	5	3	9	8	7	10	2	1	1	-	-	-	-	-	-	-	-	-
35	Measles	6	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	25	-	-	2	1	2	5	6	3	-	2	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	14	-	-	1	-	1	2	4	1	-	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	4	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	4	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
45-55	Cancer and other malignant tumors	1,260	-	-	5	2	2	1	4	12	13	17	38	69	108	144	129	170	127	146	117	95	39	15	5	-	-	2
	White.....Male	354	-	-	2	-	2	1	2	3	2	3	5	14	16	19	33	46	45	49	49	43	12	7	1	-	-	-
	Female	480	-	-	2	1	-	-	2	2	3	8	20	32	41	47	48	59	50	60	40	37	19	7	2	-	-	-
	Nonwhite..Male	156	-	-	1	1	-	-	-	7	4	-	4	3	9	31	11	29	12	18	10	7	7	1	1	-	-	-
	Female	270	-	-	-	-	-	-	-	-	4	6	9	20	42	47	37	36	20	19	18	8	1	-	1	-	-	2
46	Cancer of digestive organs, peritoneum	457	-	-	1	1	-	-	-	2	4	1	8	9	35	51	42	79	48	59	51	37	20	7	2	-	-	-
	White.....Male	144	-	-	1	-	-	-	-	-	-	-	1	1	6	10	15	19	25	19	24	16	5	2	-	-	-	-
	Female	150	-	-	-	-	-	-	-	-	-	1	2	6	5	7	11	28	12	29	15	16	12	4	2	-	-	-
	Nonwhite..Male	88	-	-	-	1	-	-	-	2	3	-	2	1	8	21	5	21	5	7	6	2	3	1	-	-	-	-
	Female	75	-	-	-	-	-	-	-	-	1	-	3	1	16	13	11	11	6	4	6	3	-	-	-	-	-	-
48,49	Cancer of female genital organs	233	-	-	-	-	-	-	-	-	2	5	13	21	41	34	36	21	23	14	14	6	2	-	1	-	-	-
	White.....Female	133	-	-	-	-	-	-	-	-	1	4	10	11	23	16	21	8	16	10	8	4	1	-	-	-	-	-
	Nonwhite..Female	100	-	-	-	-	-	-	-	-	1	1	3	10	18	18	15	13	7	4	6	2	1	-	1	-	-	-
50	Cancer of breast	129	-	-	-	-	-	-	-	-	-	3	6	13	13	24	16	15	10	11	10	4	1	1	-	-	-	2
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	80	-	-	-	-	-	-	-	-	-	2	4	8	6	12	10	9	8	7	9	3	1	1	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	47	-	-	-	-	-	-	-	-	-	1	2	5	6	11	6	6	2	4	1	1	-	-	-	-	-	2
45,47, 51-55	Cancer (other sites)	441	-	-	4	1	2	1	4	10	7	8	11	26	19	35	35	55	46	62	42	48	16	7	2	-	-	-
	White.....Male	209	-	-	1	-	2	1	2	3	2	3	4	13	9	9	18	27	20	30	25	27	7	5	1	-	-	-
	Female	117	-	-	2	1	-	-	2	2	2	1	4	7	7	12	6	14	14	14	8	14	5	2	-	-	-	-
	Nonwhite..Male	67	-	-	1	-	-	-	-	5	1	-	2	2	1	9	6	8	7	11	4	5	4	-	1	-	-	-
	Female	48	-	-	-	-	-	-	-	-	2	4	1	4	2	5	5	6	5	7	5	2	-	-	-	-	-	-
58	Acute rheumatic fever	27	1	-	-	-	-	3	4	7	3	2	-	-	-	-	-	1	2	2	1	-	-	-	-	1	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	10	1	-	-	-	-	2	1	1	1	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite..Male	8	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-
	Female	9	-	-	-	-	-	1	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	276	-	-	-	-	-	1	3	1	9	5	6	10	14	16	18	40	48	41	31	22	7	2	1	-	-	1
	White.....Male	72	-	-	-	-	-	-	-	1	-	-	1	3	5	4	1	6	15	14	14	7	-	1	-	-	-	-
	Female	103	-	-	-	-	-	-	1	-	4	1	-	-	1	5	5	14	20	20	13	12	6	-	-	-	-	1
	Nonwhite..Male	33	-	-	-	-	-	1	1	-	3	-	3	2	1	5	4	3	1	3	3	2	-	-	1	-	-	-
	Female	68	-	-	-	-	-	-	1	-	2	4	2	5	7	2	8	17	12	4	1	1	1	1	-	-	-	-
63b	Exophthalmic goiter	18	-	-	-	-	-	-	-	1	-	1	3	1	1	1	2	2	2	1	3	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	2	1	3	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	43	-	-	-	-	-	-	-	-	1	2	-	1	2	-	5	2	12	3	7	5	2	1	-	-	-	-
	White.....Male	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	5	-	2	2	-	1	-	-	-	-
	Female	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	4	2	1	-	-	-	-	-
	Nonwhite..Male	8	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	1	1	1	-	-	-	-	-
	Female	11	-	-	-	-	-	-	-	-	1	1	-	-	1	-	2	1	3	2	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	29	-	-	-	-	-	-	-	-	2	5	-	4	4	8	2	3	-	-	-	-	-	-	-	-	-	1
	White.....Male	23	-	-	-	-	-	-	-	-	-	4	-	3	3	7	2	3	-	-	-	-	-	-	-	-	-	1
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,766	3	1	-	1	-	2	-	4	8	19	31	55	91	145	171	199	225	233	213	175	92	66	12	4	3	13
	White.....Male	445	-	-	-	-	-	-	-	2	1	2	4	12	13	22	32	45	58	72	75	55	24	23	2	1	-	2
	Female	427	3	1	-	1	-	-	-	1	1	4	5	8	10	19	25	37	48	60	62	65	43	28	2	1	-	3
	Nonwhite..Male	430	-	-	-	-	-	1	-	1	4	6	8	12	32	46	52	58	62	55	43	20	12	7	6	1	-	4
	Female	464	-	-	-	-	-	1	-	-	2	7	14	23	36	58	62	59	57	46	33	35	13	8	2	1	3	4
90-95	Diseases of the heart	3,389	4	-	2	3	3	13	12	18	27	48	60	130	169	249	355	411	445	438	384	265	179	104	44	9	6	11
	White.....Male	1,321	1	-	-	1	1	1	1	2	7	7	17	36	46	88	146	154	200	214	160	123	63	32	15	1	1	4
	Female	750	-	-	-	-	-	2	5	3	5	5	5	15	22	28	42	59	85	108	131	91	79	51	9	3	1	1
	Nonwhite..Male	662	2	-	2	2	2	5	2	3	3	15	20	42	49	64	79	100	92	58	51	29	19	9	8	2	-	4
	Female	656	1	-	-	-	-	5	4	10	12	21	18	37	52	69	88	98	68	58	42	22	18	12	12	3	4	2
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart	207	-	-	-	2	1	8	11	6	6	6	8	11	6	12	20	18	25	19	22	11	6	6	3	-	-	-
	White.....Male	42	-	-	-	-	-	-	1	1	4	1	3	1	1	2	4	2	3	4	7	4	2	2	-	-	-	-
	Female	44	-	-	-	-	-	2	4	1	-	-	1	1	1	2	1	4	5	8	5	5	2	2	-	-	-	-
	Nonwhite..Male	62	-	-	-	2	1	2	2	1	-	-	2	5	1	4	9	8	10	6	4	1	-	2	2	-	-	-
	Female	59	-	-	-	-	-	4	4	3	2	5	2	4	3	4	6	4	7	1	6	1	2	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,038	-	-	-	-	-	-	1	3	7	6	16	54	61	91	133	138	151	144	107	63	40	15	3	-	1	4
	White.....Male	577	-	-	-	-	-	-	-	-	1	1	5	25	25	52	85	89	88	85	55	29	16	7	1	-	-	3
	Female	239	-	-	-	-	-	-	1	1	3	1	2	8	9	14	15	21	33	39	36	29	19	6	1	-	1	-
	Nonwhite..Male	119	-	-	-	-	-	-	-	-	-	1	7	11	13	12	20	17	14	12	7	1	1	2	-	-	-	1
	Female	103	-	-	-	-	-	-	-	2	3	3	2	10	14	13	13	11	6	8	9	4	4	-	1	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	2,144	4	-	2	1	2	5	-	9	14	36	36	65	102	146	202	255	269	275	255	191	133	83	38	9	5	7
	White.....Male	702	1	-	-	1	1	1	-	1	2	5	9	10	20	34	57	63	99	125	98	90	45	23	14	1	1	1
	Female	467	-	-	-	-	-	-	-	1	2	4	2	6	12	12	26	34	47	61	90	57	58	43	8	3	-	1
	Nonwhite..Male	481	2	-	2	-	1	3	-	2	3	14	11	26	35	48	50	75	68	40	40	27	18	5	6	2	-	3
	Female	494	1	-	-	-	-	1	-	5	7	13	14	23	35	52	69	83	55	49	27	17	12	12	10	3	4	2

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,223	438	51	22	21	14	26	14	27	27	22	29	26	48	48	62	48	65	41	58	41	40	28	17	6	1	3
	White.....Male	259	77	6	3	3	1	8	2	4	5	4	6	4	8	10	17	8	11	15	22	16	12	10	5	1	-	1
	Female	233	58	8	3	3	4	4	1	6	2	3	1	5	4	5	6	8	18	12	20	19	22	13	6	1	-	1
	Nonwhite..Male	349	150	22	7	9	3	5	7	7	1	8	8	8	12	21	18	16	16	8	7	5	3	3	2	2	-	1
	Female	382	153	15	9	6	6	9	4	10	19	7	14	9	24	12	21	16	20	6	9	1	3	2	4	2	1	-
107	Bronchopneumonia	427	219	22	7	7	3	6	-	6	5	8	6	8	7	8	15	10	17	8	12	15	13	16	5	2	1	1
	White.....Male	94	43	-	2	1	1	1	-	1	1	1	2	2	1	3	6	2	2	4	3	6	5	6	-	1	-	-
	Female	89	35	3	1	-	-	1	-	3	1	3	-	2	-	-	-	3	4	2	5	5	8	7	4	1	-	1
	Nonwhite..Male	115	67	11	3	4	-	2	-	-	-	1	1	2	2	3	5	3	3	1	2	4	-	1	-	-	-	-
	Female	129	74	8	1	2	2	2	-	2	3	3	3	2	4	2	4	2	8	1	2	-	-	2	1	-	1	-
108	Lobar pneumonia	418	82	14	7	8	8	8	6	8	13	11	14	10	25	30	30	25	27	18	29	12	16	6	7	2	-	2
	White.....Male	85	11	4	-	1	-	3	2	-	1	2	2	-	4	6	8	3	6	8	11	5	3	1	3	-	-	1
	Female	82	8	3	1	2	4	1	1	2	-	-	1	3	3	3	2	4	7	8	8	7	9	3	2	-	-	-
	Nonwhite..Male	130	36	3	1	4	1	-	2	4	1	6	5	5	9	14	9	9	7	2	4	-	3	2	1	1	-	1
	Female	121	27	4	5	1	3	4	1	2	11	3	6	2	9	7	11	9	7	-	6	-	1	-	1	1	-	-
109	Pneumonia (unspecified)	113	47	4	3	1	-	1	4	3	2	1	3	3	2	3	7	6	3	6	2	7	2	1	2	-	-	-
	White.....Male	16	4	-	1	1	-	-	-	1	1	-	-	2	1	-	2	1	-	-	1	1	-	-	-	-	-	-
	Female	20	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	5	2	1	-	-	-	-
	Nonwhite..Male	32	14	4	1	-	-	1	2	1	-	-	1	-	-	-	2	1	1	3	-	1	-	-	-	-	-	-
	Female	45	22	-	1	-	-	-	2	1	1	1	2	1	1	2	3	3	1	2	-	-	-	-	2	-	-	-
33	Influenza	265	90	11	5	5	3	11	4	10	7	2	6	5	14	7	10	7	18	9	15	7	9	5	3	2	-	-
	White.....Male	64	19	2	-	-	-	4	-	2	2	1	2	-	2	1	1	2	3	3	7	4	4	3	2	-	-	-
	Female	42	8	2	1	1	-	2	-	1	1	-	-	-	1	1	4	-	6	1	6	2	3	2	-	-	-	-
	Nonwhite..Male	72	33	4	2	1	2	2	3	2	-	1	1	1	1	4	2	3	5	2	1	-	-	-	1	1	-	-
	Female	87	30	3	2	3	1	3	1	5	4	-	3	4	10	1	3	2	4	3	1	1	2	-	-	1	-	-
117	Ulcer of stomach or duodenum	74	1	-	-	-	-	-	-	-	3	2	4	8	6	10	9	7	7	6	5	2	2	-	1	-	-	1
	White.....Male	34	-	-	-	-	-	-	-	-	-	1	3	5	3	3	2	3	6	3	3	-	2	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	1	2	-	-	-	-	-	-
	Nonwhite..Male	26	1	-	-	-	-	-	-	-	3	1	-	2	3	6	5	2	-	1	1	-	-	-	1	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	1
119,120	Diarrhea, enteritis, etc.*	334	255	20	8	1	5	8	2	2	-	2	1	-	3	3	3	2	2	1	4	1	5	2	1	1	-	2
	White.....Male	80	68	3	-	1	1	3	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	Female	49	37	3	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	1	3	-	-	-	-	-
	Nonwhite..Male	108	79	8	5	-	-	2	-	-	-	-	-	-	2	1	2	1	1	-	1	-	2	1	-	1	-	2
	Female	97	71	6	2	-	4	2	1	1	-	2	1	-	1	1	1	-	1	-	1	-	-	1	1	-	-	-
121	Appendicitis	81	-	-	2	-	-	2	6	6	10	3	2	14	7	5	9	3	5	2	4	1	-	-	-	-	-	-
	White.....Male	24	-	-	-	-	-	-	-	-	4	1	1	3	3	1	3	1	3	1	3	-	-	-	-	-	-	-
	Female	16	-	-	1	-	-	-	1	3	2	-	-	1	1	1	2	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite..Male	23	-	-	1	-	-	1	4	1	2	-	-	5	1	3	3	1	1	-	-	-	-	-	-	-	-	-
	Female	18	-	-	-	-	-	1	1	2	2	2	1	5	2	-	1	-	-	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	104	8	5	1	1	-	3	1	2	4	3	10	9	11	4	7	9	9	7	3	3	2	1	1	-	-	-
	White.....Male	25	2	2	1	-	-	2	-	-	-	-	1	-	2	-	2	4	3	2	1	1	1	1	-	-	-	-
	Female	24	3	-	-	-	-	-	-	-	-	1	2	3	2	2	1	2	1	3	1	2	-	-	1	-	-	-
	Nonwhite..Male	29	2	2	-	-	-	1	-	1	1	1	3	3	2	1	3	1	4	2	1	-	1	-	-	-	-	-
	Female	26	1	1	-	1	-	-	1	1	3	1	4	3	5	1	1	2	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	100	-	1	1	-	-	-	-	-	2	1	3	5	11	10	17	15	11	12	4	3	3	1	-	-	-	-
	White.....Male	45	-	1	-	-	-	-	-	-	-	-	1	2	5	5	8	6	6	6	1	2	1	1	-	-	-	-
	Female	24	-	-	-	-	-	-	-	-	-	-	-	2	4	2	3	4	2	3	2	-	2	-	-	-	-	-
	Nonwhite..Male	21	-	-	1	-	-	-	-	-	1	1	2	1	1	1	4	4	3	2	-	-	-	-	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	-	1	1	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	49	-	-	-	-	-	1	-	1	1	-	1	1	1	3	6	4	9	6	7	4	2	2	-	-	-	-
	White.....Male	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	-	1	-	-	-	-	-	-
	Female	35	-	-	-	-	-	1	-	-	-	-	1	1	-	2	5	3	6	2	7	3	2	2	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,621	5	3	3	2	5	7	5	16	13	33	43	58	74	106	164	166	201	207	167	147	86	70	17	7	4	12
	White.....Male	375	3	-	-	1	2	-	-	2	-	6	12	6	12	16	26	33	39	61	57	52	27	16	2	1	-	1
	Female	310	-	1	-	1	-	1	-	-	1	6	3	9	9	11	19	21	28	42	36	50	37	27	5	-	-	3
	Nonwhite..Male	497	1	1	3	-	1	4	3	7	5	9	11	20	22	36	56	63	68	60	47	32	11	22	7	1	3	4
	Female	439	1	1	-	-	2	2	2	7	7	12	17	23	31	43	63	49	66	44	27	13	11	5	3	5	1	4
137	Diseases of the prostate	76	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	7	6	13	16	11	9	4	1	-	-	1
	White.....Male	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	9	10	9	7	2	1	-	-	-
	Nonwhite..Male	34	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	5	4	6	2	2	2	-	-	-	1

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																											
140-150	Diseases of pregnancy, etc.*....	169	-	-	-	-	-	-	1	23	31	30	33	31	15	4	-	-	-	-	-	-	-	-	-	-	-	1
	White.....Female..	47	-	-	-	-	-	-	-	-	11	7	12	9	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	122	-	-	-	-	-	-	1	23	20	23	21	22	7	4	-	-	-	-	-	-	-	-	-	-	-	1
140,142a, 145A,147	Puerperal septicemia	44	-	-	-	-	-	-	-	7	5	5	11	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	13	-	-	-	-	-	-	-	-	2	2	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	31	-	-	-	-	-	-	-	7	3	3	7	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	68	-	-	-	-	-	-	1	6	14	14	10	12	7	3	-	-	-	-	-	-	-	-	-	-	-	1
	White.....Female..	21	-	-	-	-	-	-	-	-	6	4	3	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	47	-	-	-	-	-	-	1	6	8	10	7	9	2	3	-	-	-	-	-	-	-	-	-	-	-	1
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	39	-	-	-	-	-	-	-	5	11	7	7	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	10	-	-	-	-	-	-	-	-	3	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	29	-	-	-	-	-	-	-	5	8	6	3	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	18	-	-	-	-	-	-	-	5	1	4	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	15	-	-	-	-	-	-	-	5	1	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	177	146	12	5	-	1	3	1	3	5	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	80	71	4	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	62	48	3	4	-	-	1	1	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	20	16	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	15	11	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	933	933	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	335	335	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	207	207	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	210	210	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	181	181	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	666	666	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	239	239	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	154	154	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	139	139	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	134	134	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	267	267	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	96	96	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female...	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	100	-	-	-	-	-	-	-	4	7	9	8	8	14	12	10	5	8	3	5	3	3	1	-	-	-	-
	White.....Male....	78	-	-	-	-	-	-	-	1	4	6	4	6	11	11	10	5	7	2	5	2	3	1	-	-	-	-
	Female..	18	-	-	-	-	-	-	-	3	1	3	3	2	3	-	-	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	205	2	-	-	-	-	-	1	13	32	42	27	25	25	15	6	7	4	1	1	1	-	1	-	-	-	2
	White.....Male....	50	-	-	-	-	-	-	-	-	4	8	6	7	9	5	3	2	3	-	-	1	-	1	-	-	-	1
	Female..	13	1	-	-	-	-	-	-	2	2	4	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	112	1	-	-	-	-	-	1	9	17	23	16	16	14	8	1	2	1	1	1	-	-	-	-	-	-	1
	Female..	30	-	-	-	-	-	-	-	2	9	7	4	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,387	65	38	32	13	14	68	65	128	178	116	105	89	73	74	72	45	50	41	34	25	22	22	5	4	-	9
	White.....Male....	629	17	6	9	5	1	20	26	62	119	70	51	45	21	36	34	20	23	16	18	10	9	2	3	1	-	5
	Female..	207	16	10	5	2	5	9	5	12	17	11	10	5	8	7	8	6	9	11	9	10	11	17	2	1	-	1
	Nonwhite..Male....	408	14	11	6	1	4	26	24	46	33	31	35	32	37	25	28	19	11	12	4	4	2	2	-	-	-	1
	Female..	143	18	11	12	5	4	13	10	8	9	4	9	7	7	6	2	-	7	2	3	1	-	1	-	2	-	2
170	Motor-vehicle accidents.....	491	-	5	6	4	4	28	19	48	76	59	52	37	33	22	26	16	18	22	4	6	3	1	-	-	-	2
	White.....Male....	263	-	3	2	3	-	11	10	27	47	35	28	24	7	7	15	9	11	12	4	3	2	1	-	-	-	2
	Female..	63	-	2	1	1	2	5	1	6	8	5	7	1	7	4	3	1	3	6	-	-	-	-	-	-	-	-
	Nonwhite..Male....	138	-	-	1	-	1	9	5	13	19	17	14	11	16	9	7	6	3	3	-	3	1	-	-	-	-	-
	Female..	27	-	-	2	-	1	3	3	2	2	2	3	1	3	2	1	-	1	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	896	65	33	26	9	10	40	46	80	102	57	53	52	40	52	46	29	32	19	30	19	19	21	5	4	-	7
	White.....Male....	366	17	3	7	2	1	9	16	35	72	35	23	21	14	29	19	11	12	4	14	7	7	1	3	1	-	3
	Female..	144	16	8	4	1	3	4	4	6	9	6	3	4	1	3	5	5	6	5	9	10	11	17	2	1	-	1
	Nonwhite..Male....	270	14	11	5	1	3	17	19	33	14	14	21	21	21	16	21	13	8	9	4	1	1	2	-	-	-	1
	Female..	116	18	11	10	5	3	10	7	6	7	2	6	6	4	4	1	-	6	1	3	1	-	1	-	2	-	2
162,199, 200	Senility, ill-defined and unknown causes..	963	386	18	14	3	2	7	7	11	16	26	20	27	43	40	64	43	41	32	41	29	25	32	18	10	7	1
	White.....Male....	124	26	1	1	-	-	1	-	4	1	5	6	2	9	9	10	12	6	9	6	7	2	5	1	1	-	-
	Female..	83	28	-	1	-	-	1	1	-	-	3	-	1	2	1	3	1	3	6	6	7	5	8	4	2	-	-
	Nonwhite..Male....	400	193	7	4	-	1	2	3	2	6	10	7	13	10	12	29	15	17	11	17	12	13	6	6	1	3	-
	Female..	356	139	10	8	3	1	3	3	5	9	8	7	11	22	18	22	15	15	6	12	3	5	13	7	6	4	1
	All other causes.....	1,291	114	35	21	16	18	44	37	35	67	53	55	70	66	71	68	74	101	104	81	70	46	23	11	6	1	4
	White.....Male....	377	30	10	5	6	6	9	11	8	18	10	12	19	11	17	17	32	37	40	26	27	13	7	2	2	-	2
	Female..	313	15	8	8	3	2	12	9	5	12	14	10	12	10	21	14	10	23	30	28	27	21	12	5	1	-	1
	Nonwhite..Male....	313	42	10	4	4	8	8	7	14	17	12	12	17	20	16	23	16	24	21	17	8	6	2	2	2	1	-
	Female..	288	27	7	4	3	2	15	10	8	20	17	21	22	25	17	14	16	17	13	10	8	6	2	2	1	-	1

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA																											
	ALL CAUSES	5,481	388	63	22	15	16	54	55	80	82	83	103	98	139	187	247	401	435	569	688	640	600	351	122	37	1	5
	White.....Male	3,077	176	22	9	5	7	25	25	48	41	43	51	48	74	100	154	260	277	356	408	361	314	186	69	14	1	3
	Female	2,091	153	28	8	7	7	17	21	15	28	28	34	38	53	68	81	130	145	196	264	271	270	158	49	21	-	1
	Nonwhite..Male	176	39	7	4	-	2	10	4	7	6	7	7	7	7	6	8	7	6	9	10	5	9	6	3	-	-	-
	Female	137	20	6	1	3	-	2	5	10	7	5	11	5	5	13	4	4	7	8	6	3	7	1	1	2	-	1
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	8	-	2	1	1	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	4	-	-	1	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	-	1	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	6	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	10	-	2	1	-	2	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	6	-	1	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	156	6	3	1	1	1	5	7	13	13	18	16	6	8	12	10	11	7	7	6	3	2	-	-	-	-	-
	White.....Male	51	-	-	1	-	-	-	-	-	3	8	4	3	3	4	7	7	3	1	3	3	1	-	-	-	-	-
	Female	21	-	-	-	-	1	-	1	-	1	4	2	-	1	4	1	1	-	4	1	-	-	-	-	-	-	-
	Nonwhite..Male	33	2	1	-	-	-	3	2	4	4	3	6	-	1	1	1	-	2	1	1	-	1	-	-	-	-	-
	Female	51	4	2	-	1	-	2	4	9	5	3	4	3	3	3	1	3	2	1	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	138	3	2	1	-	1	1	5	13	12	17	15	6	7	10	10	10	7	7	6	3	2	-	-	-	-	-
	White.....Male	49	-	-	1	-	-	-	-	-	3	8	4	3	3	3	7	6	3	1	3	3	1	-	-	-	-	-
	Female	19	-	-	-	-	1	-	-	-	1	3	2	-	1	4	1	1	-	4	1	-	-	-	-	-	-	-
	Nonwhite..Male	27	1	1	-	-	-	-	1	4	3	3	6	-	1	1	1	-	2	1	1	-	1	-	-	-	-	-
	Female	43	2	1	-	-	-	1	4	9	5	3	3	3	2	2	1	3	2	1	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	18	3	1	-	1	-	4	2	-	1	1	1	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	6	1	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	2	1	-	1	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	31	-	1	-	-	-	-	-	-	-	-	1	1	4	1	4	6	2	3	3	2	3	-	-	-	-	-
	White.....Male	19	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	5	2	2	2	1	2	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	1	-	-	-	-	-
	Nonwhite..Male	4	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
35	Measles	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Continued																											
45-55	Cancer and other malignant tumors....	715	-	-	-	2	-	2	1	3	7	5	9	11	32	28	43	79	82	99	100	109	69	27	6	1	-	-
	White.....Male....	358	-	-	-	-	-	1	1	2	4	2	2	3	12	11	24	33	40	50	55	59	39	13	5	-	-	-
	Female..	349	-	-	-	2	-	1	-	1	3	3	6	7	19	17	18	45	39	48	45	50	29	14	1	1	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	1	-	-	1	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	348	-	-	-	-	-	-	-	-	3	1	-	3	11	8	17	39	38	51	53	69	41	11	3	-	-	-
	White.....Male....	188	-	-	-	-	-	-	-	-	2	1	-	1	6	3	12	18	21	29	28	39	20	6	2	-	-	-
	Female..	154	-	-	-	-	-	-	-	-	1	-	-	1	4	5	4	20	16	22	25	30	20	5	1	-	-	-
	Nonwhite..Male....	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	1	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.....	73	-	-	-	1	-	-	-	-	1	1	4	2	6	5	6	9	8	12	8	4	2	4	-	-	-	-
	White.....Female..	72	-	-	-	1	-	-	-	-	1	1	3	2	6	5	6	9	8	12	8	4	2	4	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.....	61	-	-	-	-	-	-	-	-	-	-	1	1	7	6	2	8	9	5	9	9	2	2	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	61	-	-	-	-	-	-	-	-	-	-	1	1	7	6	2	8	9	5	9	9	2	2	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	233	-	-	-	1	-	2	1	3	3	3	4	5	8	9	18	23	27	31	30	27	24	10	3	1	-	-
	White.....Male....	168	-	-	-	-	-	1	1	2	2	1	2	2	6	8	12	15	19	21	27	20	19	7	3	-	-	-
	Female..	62	-	-	-	1	-	1	-	1	1	2	2	3	2	1	6	8	6	9	3	7	5	3	-	1	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	6	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	144	-	1	-	-	-	-	1	-	4	1	2	2	5	3	6	10	17	15	37	20	15	4	-	1	-	-
	White.....Male....	67	-	-	-	-	-	-	-	-	2	1	2	2	4	1	2	4	11	7	14	8	6	2	-	1	-	-
	Female..	74	-	1	-	-	-	-	1	-	2	-	-	-	1	2	3	5	6	8	22	12	9	2	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	5	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	4	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male....	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	548	1	-	-	-	-	-	-	1	2	3	2	1	8	14	22	35	61	63	112	91	75	42	10	4	-	1
	White.....Male....	291	-	-	-	-	-	-	-	-	-	2	1	1	4	5	10	17	34	34	68	55	30	23	6	3	-	-
	Female..	254	1	-	-	-	-	-	-	1	2	1	1	-	4	7	12	18	26	29	46	36	45	19	4	1	-	1
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart.....	1,468	-	1	-	-	-	3	3	5	9	7	12	16	21	41	83	126	131	213	235	201	207	112	30	10	-	2
	White.....Male....	947	-	1	-	-	-	2	2	4	5	3	7	7	15	31	63	104	96	153	138	123	115	54	18	4	-	2
	Female..	495	-	-	-	-	-	1	1	1	4	2	4	8	5	8	18	21	34	56	92	78	88	57	11	6	-	-
	Nonwhite..Male....	16	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	1	1	2	3	-	1	1	1	-	-	-
	Female..	10	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	2	2	-	3	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	82	-	-	-	-	-	1	-	5	4	1	3	5	5	1	5	6	7	11	11	6	7	3	1	-	-	-
	White.....Male....	48	-	-	-	-	-	1	-	4	4	-	-	2	3	-	3	5	6	6	3	4	4	3	-	-	-	-
	Female..	28	-	-	-	-	-	-	-	1	-	-	2	2	1	1	1	1	1	4	8	2	3	-	1	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	548	-	-	-	-	-	-	-	-	1	2	6	6	9	23	47	60	67	94	89	62	46	24	10	1	-	1
	White.....Male....	407	-	-	-	-	-	-	-	-	-	2	6	4	8	21	42	51	49	71	59	42	35	8	7	1	-	1
	Female..	137	-	-	-	-	-	-	-	-	1	-	-	2	1	2	4	8	17	23	29	20	11	16	3	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	838	-	1	-	-	-	2	3	-	4	4	3	5	7	17	31	60	57	108	135	133	154	85	19	9	-	1
	White.....Male....	492	-	1	-	-	-	1	2	-	1	1	1	1	4	10	18	48	41	76	76	77	76	43	11	3	-	1
	Female..	330	-	-	-	-	-	1	1	-	3	2	2	4	3	5	13	12	16	29	55	56	74	41	7	6	-	-
	Nonwhite..Male....	9	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	2	-	1	1	1	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	3	-	-	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	296	56	14	6	1	1	2	3	6	1	5	6	6	6	14	6	8	14	15	23	25	33	32	11	1	1	-
	White.....Male	141	22	2	2	-	-	1	2	4	-	2	1	4	2	7	1	5	9	9	15	13	15	17	6	1	1	-
	Female	120	19	8	4	-	1	1	1	2	1	3	4	2	4	3	5	1	4	5	7	10	16	15	4	-	-	-
	Nonwhite..Male	15	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
	Female	20	6	2	-	1	-	-	-	-	-	-	1	-	-	4	-	-	1	1	-	1	2	-	1	-	-	-
107	Bronchopneumonia	105	29	12	3	-	-	-	-	1	-	1	2	-	1	-	1	1	3	3	9	8	13	13	5	-	-	-
	White.....Male	49	16	2	-	-	-	-	-	1	-	1	-	-	1	-	-	1	1	1	6	4	6	6	3	-	-	-
	Female	46	8	6	3	-	-	-	-	-	-	-	2	-	-	-	1	-	2	2	2	4	7	7	2	-	-	-
	Nonwhite..Male	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	112	12	1	1	-	-	2	3	2	-	2	-	4	4	11	4	4	10	7	9	7	9	14	4	1	1	-
	White.....Male	60	3	-	1	-	-	1	2	1	-	1	-	3	1	6	1	1	7	5	6	4	4	8	3	1	1	-
	Female	40	5	1	-	-	-	1	1	1	-	1	-	1	3	1	3	1	2	1	3	3	5	6	1	-	-	-
	Nonwhite..Male	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Female	7	1	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	24	9	1	-	1	-	-	-	2	1	-	1	-	-	-	1	1	-	-	1	3	2	-	1	-	-	-
	White.....Male	6	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-
	Female	7	2	1	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	7	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-
33	Influenza	55	6	-	2	-	1	-	-	1	-	2	3	2	1	3	-	2	1	5	4	7	9	5	1	-	-	-
	White.....Male	26	2	-	1	-	-	-	-	1	-	-	1	1	-	1	-	2	1	3	2	3	5	3	-	-	-	-
	Female	27	4	-	1	-	1	-	-	-	-	2	1	1	1	2	-	-	-	2	2	3	4	2	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	29	-	-	-	-	-	-	-	-	-	1	2	-	1	4	3	3	5	4	4	-	1	-	1	-	-	-
	White.....Male	26	-	-	-	-	-	-	-	-	-	1	2	-	1	4	3	2	4	4	3	-	1	-	1	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	27	15	1	1	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	2	1	2	2	-	-	-	-
	White.....Male	14	9	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	Female	10	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	33	-	-	1	1	-	2	2	2	1	-	2	-	1	3	2	5	2	3	3	1	2	-	-	-	-	-
	White.....Male	22	-	-	1	-	-	1	-	2	-	-	2	-	1	1	1	5	1	2	2	1	2	-	-	-	-	-
	Female	10	-	-	-	1	-	-	2	-	1	-	-	-	-	2	1	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	58	5	-	-	-	-	1	-	1	-	-	-	3	2	2	4	7	11	12	2	3	2	3	-	-	-	-
	White.....Male	27	1	-	-	-	-	1	-	-	-	-	-	1	-	-	2	4	4	7	2	2	1	2	-	-	-	-
	Female	30	3	-	-	-	-	-	-	1	-	-	-	2	2	2	2	3	7	5	-	1	1	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	32	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	7	3	1	2	4	4	4	-	-	-	-
	White.....Male	19	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	7	1	1	2	1	2	1	-	-	-	-
	Female	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	3	2	3	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	41	-	-	-	-	-	-	-	-	1	-	-	-	2	1	5	6	2	7	9	3	3	1	1	-	-	-
	White.....Male	18	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	1	1	3	4	1	1	-	-	-	-	-
	Female	23	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	5	1	4	5	2	2	1	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	289	-	1	1	-	-	2	2	3	3	9	3	8	8	7	8	15	24	30	38	54	33	30	8	2	-	-
	White.....Male	177	-	1	1	-	-	1	-	3	3	7	1	5	1	4	5	10	14	22	26	28	20	18	7	-	-	-
	Female	103	-	-	-	-	-	-	1	-	-	1	2	3	6	2	2	4	10	8	12	25	13	11	1	2	-	-
	Nonwhite..Male	8	-	-	-	-	-	1	1	-	-	-	-	-	1	1	1	1	-	-	-	1	-	1	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	6	8	8	11	3	4	1	-	-
	White.....Male	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	6	8	7	11	3	4	1	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Continued																											
140-150	Diseases of pregnancy, etc.*....	16	-	-	-	-	-	-	-	2	2	3	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	14	-	-	-	-	-	-	-	2	2	3	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	7	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	7	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	3	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	3	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	6	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	4	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	76	66	3	1	-	1	1	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male....	43	39	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	30	25	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	193	193	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	89	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	88	88	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	11	11	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	50	50	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	48	48	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	85	85	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	39	39	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	40	40	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	56	-	-	-	-	-	-	-	1	3	5	2	1	3	10	9	6	4	5	5	-	-	2	-	-	-	-
	White.....Male....	48	-	-	-	-	-	-	-	1	2	5	2	-	2	10	5	5	4	5	5	-	-	2	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	11	1	-	-	1	-	1	-	1	1	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male....	5	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	380	8	17	5	3	3	20	18	29	22	10	21	19	15	17	13	24	17	19	22	24	31	17	4	1	-	1
	White.....Male....	263	4	8	2	1	2	10	15	24	17	7	17	11	14	12	13	21	15	16	14	10	17	9	2	1	-	1
	Female..	102	2	8	3	2	1	8	3	5	4	2	2	5	1	3	-	2	2	3	8	14	14	8	2	-	-	-
	Nonwhite..Male....	14	2	1	-	-	-	2	-	-	1	1	1	3	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	105	1	1	-	-	-	4	3	11	13	4	9	11	6	9	4	7	5	1	6	5	3	1	-	-	-	1
	White.....Male....	79	-	1	-	-	-	3	1	8	9	2	7	7	5	7	4	6	5	1	4	4	3	1	-	-	-	1
	Female..	20	1	-	-	-	-	-	2	3	3	2	1	1	1	2	-	1	-	-	2	1	-	-	-	-	-	-
	Nonwhite..Male....	6	-	-	-	-	-	1	-	-	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	275	7	16	5	3	3	16	15	18	9	6	12	8	9	8	9	17	12	18	16	19	28	16	4	1	-	-
	White.....Male....	184	4	7	2	1	2	7	14	16	8	5	10	4	9	5	9	15	10	15	10	6	14	8	2	1	-	-
	Female..	82	1	8	3	2	1	8	1	2	1	-	1	4	-	1	-	1	2	3	6	13	14	8	2	-	-	-
	Nonwhite..Male....	8	2	1	-	-	-	1	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	265	15	1	2	-	2	1	1	3	1	1	-	2	1	6	5	8	11	19	23	27	55	43	28	9	-	1
	White.....Male....	124	6	1	-	-	1	-	-	-	-	-	-	1	-	2	1	7	7	11	15	14	22	21	14	1	-	-
	Female..	86	2	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	2	5	9	28	17	12	6	-	-
	Nonwhite..Male....	32	6	-	2	-	1	1	-	2	-	-	-	1	-	-	1	-	1	4	2	2	3	4	2	-	-	-
	Female..	23	1	-	-	-	-	-	-	1	1	1	-	-	1	3	2	-	2	2	1	2	2	1	-	2	-	1
	All other causes.....	521	17	12	2	4	4	10	12	6	10	10	16	17	10	22	21	41	35	47	54	64	52	29	19	7	-	-
	White.....Male....	269	5	5	-	4	2	5	3	6	5	4	8	8	6	6	10	20	25	23	34	35	28	19	6	2	-	-
	Female..	231	8	6	1	-	2	5	8	-	5	5	7	8	4	15	10	21	10	21	17	29	21	10	13	5	-	-
	Nonwhite..Male....	12	4	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	3	-	-	-	-	-
	Female..	9	-	-	1	-	-	-	1	-	-	-	1	1	-	1	-	-	-	2	2	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE																											
	ALL CAUSES	27,946	3,096	244	156	103	96	288	247	463	650	635	776	980	1,177	1,361	1,688	1,971	2,131	2,696	2,992	2,670	1,846	1,166	349	104	42	19
	White.....Male	11,989	1,428	99	62	42	44	142	129	179	281	225	268	376	455	531	690	834	973	1,206	1,334	1,185	800	507	133	36	7	3
	Female	9,296	1,020	82	63	46	38	96	59	131	171	195	206	265	296	345	385	539	644	913	1,123	1,115	815	541	160	34	7	7
	Nonwhite..Male	3,485	362	32	21	8	7	31	40	74	78	100	134	172	201	252	349	323	280	299	294	196	120	52	29	17	9	5
	Female	3,176	286	31	10	7	7	19	19	79	120	115	148	167	225	233	264	275	234	278	241	174	111	66	27	17	19	4
1,2	Typhoid and paratyphoid fever	23	-	-	-	-	1	2	3	1	1	1	2	1	2	3	2	2	1	1	-	-	-	-	-	-	-	-
	White.....Male	12	-	-	-	-	-	1	1	1	1	-	1	1	2	1	1	1	-	1	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	57	12	6	3	1	3	6	3	1	6	3	1	-	1	4	1	3	2	1	-	-	-	-	-	-	-	-
	White.....Male	23	4	3	-	1	1	4	2	-	1	1	-	-	-	3	1	-	2	-	-	-	-	-	-	-	-	-
	Female	19	5	1	2	-	1	2	1	1	2	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	12	-	2	1	-	1	-	-	-	3	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	3	-	-	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	81	61	8	8	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	23	18	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	34	26	2	4	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	10	8	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	14	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	105	10	17	17	16	13	28	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	51	6	8	7	9	7	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	50	3	8	10	6	6	16	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,776	18	16	12	5	4	14	17	90	147	172	162	144	147	130	120	116	109	108	121	80	27	14	3	-	-	-
	White.....Male	683	6	6	2	4	1	4	5	15	38	47	58	60	56	69	57	49	51	53	49	37	7	8	1	-	-	-
	Female	595	8	3	7	-	1	3	6	21	43	59	46	46	39	33	30	43	43	41	57	40	18	6	2	-	-	-
	Nonwhite..Male	258	2	2	2	-	-	4	3	15	21	29	26	23	30	21	26	20	11	9	12	1	1	-	-	-	-	-
	Female	240	2	5	1	1	2	3	3	39	45	37	32	15	22	7	7	4	4	5	3	2	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,652	8	4	2	-	1	10	13	85	144	166	154	138	140	118	117	110	100	103	117	80	26	13	3	-	-	-
	White.....Male	629	-	-	1	-	-	2	2	13	37	46	55	57	51	61	56	49	48	51	48	37	7	7	1	-	-	-
	Female	555	5	1	-	-	-	2	5	19	43	57	45	45	39	30	28	38	38	39	56	40	17	6	2	-	-	-
	Nonwhite..Male	241	2	1	-	-	-	4	3	15	20	26	24	22	28	20	26	19	10	9	10	1	1	-	-	-	-	-
	Female	227	1	2	1	-	1	2	3	38	44	37	30	14	22	7	7	4	4	4	3	2	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	124	10	12	10	5	3	4	4	5	3	6	8	6	7	12	3	6	9	5	4	-	1	1	-	-	-	-
	White.....Male	54	6	6	1	4	1	2	3	2	1	1	3	3	5	8	1	-	3	2	1	-	-	1	-	-	-	-
	Female	40	3	2	7	-	1	1	1	2	-	2	1	1	-	3	2	5	5	2	1	-	1	-	-	-	-	-
	Nonwhite..Male	17	-	1	2	-	-	-	-	-	1	3	2	1	2	1	-	1	1	-	2	-	-	-	-	-	-	-
	Female	13	1	3	-	1	1	1	-	1	1	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
27	Dysentery	60	36	4	1	-	-	-	-	-	-	3	-	1	-	-	1	3	1	1	3	4	2	-	-	-	-	-
	White.....Male	24	15	2	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-
	Female	27	18	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	1	-	-	-	-	-
	Nonwhite..Male	5	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
28	Malaria	20	1	-	1	-	1	1	-	-	-	1	-	-	-	2	3	2	3	-	2	1	1	1	-	-	-	-
	White.....Male	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	-	-	-	-	1	-	-	-	-
	Female	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	Nonwhite..Male	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-
	Female	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
30	Syphilis	287	24	-	-	1	-	-	-	5	3	12	22	27	27	38	42	32	15	13	13	6	4	2	-	1	-	-
	White.....Male	98	6	-	-	-	-	-	-	1	-	1	2	10	9	12	13	17	11	7	5	3	1	-	-	-	-	-
	Female	27	2	-	-	-	-	-	-	1	1	3	3	2	2	4	2	-	-	1	5	-	1	-	-	-	-	-
	Nonwhite..Male	115	8	-	-	1	-	-	-	2	1	4	9	12	11	18	21	12	3	4	2	3	2	2	-	-	-	-
	Female	47	8	-	-	-	-	-	-	1	1	4	8	3	5	4	6	3	1	1	1	-	-	-	-	1	-	-
35	Measles	6	1	1	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	45	4	3	3	1	3	10	7	6	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	22	2	2	2	-	2	5	3	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	19	1	1	1	1	1	4	4	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Continued																											
45-55	Cancer and other malignant tumors....	2,647	3	4	5	3	3	11	5	11	21	22	55	110	152	203	276	313	301	340	335	251	129	67	19	6	1	1
	White.....Male....	959	1	1	2	1	1	10	2	5	8	9	15	23	37	62	90	85	118	135	147	110	57	28	7	4	1	-
	Female..	1,217	2	3	3	-	2	1	2	6	11	10	24	59	74	96	114	151	135	149	148	120	60	35	10	1	-	1
	Nonwhite..Male....	180	-	-	-	2	-	-	1	-	-	1	5	6	9	13	28	29	24	24	23	7	5	2	-	1	-	-
	Female..	291	-	-	-	-	-	-	-	-	2	2	11	22	32	32	44	48	24	32	17	14	7	2	2	-	-	-
46	Cancer of digestive organs, peritoneum..	1,046	-	-	-	-	2	-	1	1	3	6	15	18	46	67	100	110	132	150	169	124	68	30	4	-	-	-
	White.....Male....	440	-	-	-	-	1	-	-	1	2	3	7	8	17	28	46	40	55	68	75	45	31	12	1	-	-	-
	Female..	425	-	-	-	-	1	-	-	-	1	2	5	5	15	23	25	40	51	60	77	70	31	16	3	-	-	-
	Nonwhite..Male....	88	-	-	-	-	-	-	1	-	-	-	2	3	3	7	16	13	16	10	10	4	3	-	-	-	-	-
	Female..	93	-	-	-	-	-	-	-	-	-	1	1	2	11	9	13	17	10	12	7	5	3	2	-	-	-	-
48,49	Cancer of female genital organs.....	486	-	-	-	-	-	-	-	-	3	3	16	48	42	56	60	81	54	51	33	20	12	4	2	-	-	1
	White.....Female..	361	-	-	-	-	-	-	-	-	2	2	10	33	30	42	42	60	45	37	25	16	10	4	2	-	-	1
	Nonwhite..Female..	125	-	-	-	-	-	-	-	-	1	1	6	15	12	14	18	21	9	14	8	4	2	-	-	-	-	-
50	Cancer of breast.....	232	-	-	-	-	-	-	-	1	1	1	9	11	26	19	33	31	17	34	18	14	10	5	2	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	185	-	-	-	-	-	-	-	1	1	1	7	10	18	15	24	23	16	28	16	11	8	5	1	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Female..	44	-	-	-	-	-	-	-	-	-	-	2	1	8	4	8	8	1	4	2	3	2	-	1	-	-	-
45,47, 51-55	Cancer (other sites)..	883	3	4	5	3	1	11	4	9	14	12	15	33	38	61	83	91	98	105	115	93	39	28	11	6	1	-
	White.....Male....	518	1	1	2	1	-	10	2	4	6	6	8	15	20	34	44	45	63	66	72	65	26	16	6	4	1	-
	Female..	246	2	3	3	-	1	1	2	5	7	5	2	11	11	16	23	28	23	24	30	23	11	10	4	1	-	-
	Nonwhite..Male....	90	-	-	-	2	-	-	-	-	-	1	3	3	6	6	11	16	8	13	13	3	2	2	-	1	-	-
	Female..	29	-	-	-	-	-	-	-	-	1	-	2	4	1	5	5	2	4	2	-	2	-	-	1	-	-	-
58	Acute rheumatic fever.....	47	-	1	-	1	1	9	5	7	4	2	2	1	1	-	2	-	5	2	1	1	1	1	-	-	-	-
	White.....Male....	17	-	-	-	1	1	3	2	3	2	1	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-
	Female..	10	-	-	-	-	-	2	-	2	1	-	-	-	1	-	1	-	2	-	-	-	-	1	-	-	-	-
	Nonwhite..Male....	10	-	1	-	-	-	2	1	1	-	-	2	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Female..	10	-	-	-	-	-	2	2	1	1	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
61	Diabetes mellitus....	357	-	-	-	-	-	1	3	6	9	8	8	7	9	12	26	33	41	60	69	37	20	8	-	-	-	-
	White.....Male....	124	-	-	-	-	-	1	2	1	2	4	3	1	1	4	12	9	10	23	29	10	8	4	-	-	-	-
	Female..	173	-	-	-	-	-	-	1	5	5	4	3	5	4	4	8	15	18	27	38	25	8	3	-	-	-	-
	Nonwhite..Male....	21	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	3	6	3	1	1	2	1	-	-	-	-
	Female..	39	-	-	-	-	-	-	-	-	2	-	1	1	4	1	6	6	7	7	1	1	2	-	-	-	-	-
63b	Exophthalmic goiter..	41	-	-	-	-	-	-	-	3	-	-	5	3	4	6	6	2	2	3	5	1	1	-	-	-	-	-
	White.....Male....	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-
	Female..	25	-	-	-	-	-	-	-	3	-	-	1	2	3	3	3	2	2	1	3	1	1	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	8	-	-	-	-	-	-	-	-	-	-	3	1	-	-	2	-	-	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	71	-	-	-	-	-	-	-	-	-	1	-	2	5	3	2	5	2	17	11	14	7	2	-	-	-	-
	White.....Male....	31	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	3	1	4	9	6	3	-	-	-	-	-
	Female..	35	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	1	11	2	8	4	1	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	-	-	-	1	-	-	-	-
77	Alcoholism (ethylism).....	41	-	-	-	-	-	-	-	-	2	1	4	7	7	7	5	5	3	-	-	-	-	-	-	-	-	-
	White.....Male....	36	-	-	-	-	-	-	-	-	2	1	3	5	6	7	4	5	3	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	2,806	6	-	3	3	-	1	1	6	12	5	19	37	69	134	154	260	308	393	485	429	299	146	25	9	1	1
	White.....Male....	1,091	3	-	1	2	-	-	-	2	4	3	6	13	14	38	44	85	134	162	210	190	114	58	6	2	-	-
	Female..	1,024	2	-	2	1	-	1	-	-	1	1	3	9	22	38	38	66	97	150	178	182	150	69	12	2	-	-
	Nonwhite..Male....	313	1	-	-	-	-	-	1	3	5	1	4	5	14	20	33	50	35	37	47	29	15	6	4	2	-	1
	Female..	378	-	-	-	-	-	-	-	1	2	-	6	10	19	38	39	59	42	44	50	28	20	13	3	3	1	-
90-95	Diseases of the heart.....	5,989	3	1	2	-	1	10	18	20	43	41	76	116	205	295	402	558	646	806	928	815	545	322	92	26	11	7
	White.....Male....	2,804	-	1	-	-	1	7	8	9	19	15	28	54	89	127	193	278	333	413	446	375	239	124	32	10	1	2
	Female..	1,946	3	-	1	-	-	2	6	7	15	15	25	22	47	48	71	121	174	243	339	338	241	168	46	10	2	2
	Nonwhite..Male....	641	-	-	-	-	-	1	2	2	3	6	9	16	30	62	87	85	74	74	70	54	38	10	11	3	2	2
	Female..	598	-	-	1	-	-	-	2	2	6	5	14	24	39	58	51	74	65	76	73	48	27	20	3	3	6	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	494	-	-	1	-	-	4	8	6	16	9	17	18	21	26	35	38	45	50	71	64	29	27	5	4	-	-
	White.....Male....	192	-	-	-	-	-	4	3	3	6	4	6	8	9	7	10	14	17	23	26	24	14	10	3	1	-	-
	Female..	167	-	-	-	-	-	-	2	2	6	2	10	4	5	3	7	8	12	14	29	32	12	15	2	2	-	-
	Nonwhite..Male....	71	-	-	-	-	-	-	2	1	3	1	1	2	2	7	10	11	8	8	7	4	2	1	-	1	-	-
	Female..	64	-	-	1	-	-	-	1	-	1	2	-	4	5	9	8	5	8	5	9	4	1	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	1,642	1	-	-	-	-	-	2	-	6	4	20	33	70	96	142	204	232	239	243	191	100	44	11	3	-	1
	White.....Male....	1,021	-	-	-	-	-	-	2	-	5	1	9	22	41	68	100	141	151	155	145	107	51	19	3	1	-	-
	Female..	463	1	-	-	-	-	-	-	-	-	2	2	5	15	15	19	36	64	74	88	73	42	20	5	1	-	1
	Nonwhite..Male....	85	-	-	-	-	-	-	-	-	-	-	4	2	6	9	16	15	8	7	6	5	3	1	3	-	-	-
	Female..	73	-	-	-	-	-	-	-	-	1	1	5	4	8	4	7	12	9	3	4	6	4	4	-	1	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	3,853	2	1	1	-	1	6	8	14	21	28	39	65	114	173	225	316	369	517	614	560	416	251	76	19	11	6
	White.....Male....	1,591	-	1	-	-	1	3	3	6	8	10	13	24	39	52	83	123	165	235	275	244	174	95	26	8	1	2
	Female..	1,316	2	-	1	-	-	2	4	5	9	11	13	13	27	30	45	77	98	155	222	233	187	133	39	7	2	1
	Nonwhite..Male....	485	-	-	-	-	-	1	-	1	-	5	4	12	22	46	61	59	58	59	57	45	33	8	8	2	2	2
	Female..	461	-	-	-	-	-	-	1	2	4	2	9	16	26	45	36	57	48	68	60	38	22	15	3	2	6	1

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	2,020	462	60	36	14	6	26	24	26	25	29	30	43	57	66	103	83	103	133	155	195	154	131	42	11	5	1
	White.....Male	800	199	25	12	6	3	11	8	5	8	5	7	15	18	17	35	31	49	52	58	86	67	66	14	3	-	-
	Female	642	138	17	12	5	1	7	9	6	5	11	9	11	5	12	15	16	22	47	64	82	69	54	19	4	1	1
	Nonwhite..Male	302	67	12	7	1	1	4	4	7	5	3	8	9	14	22	31	22	21	18	12	12	10	3	4	4	1	-
	Female	276	58	6	5	2	1	4	3	8	7	10	6	8	20	15	22	14	11	16	21	15	8	8	5	-	3	-
107	Bronchopneumonia	726	264	28	19	5	1	8	8	5	8	10	11	12	15	10	18	20	28	26	39	66	60	44	16	5	-	-
	White.....Male	290	111	13	8	1	1	2	2	-	3	2	4	6	4	4	4	6	12	10	14	29	25	21	6	2	-	-
	Female	262	82	7	6	2	-	3	2	4	1	2	3	1	2	4	4	4	9	12	19	34	31	21	8	1	-	-
	Nonwhite..Male	98	41	4	2	-	-	2	3	1	1	2	2	1	3	2	6	8	5	3	4	1	4	1	-	2	-	-
	Female	76	30	4	3	2	-	1	1	-	3	4	2	4	6	-	4	2	2	1	2	2	-	1	2	-	-	-
108	Lobar pneumonia	662	81	13	5	3	4	11	8	14	8	9	13	20	20	36	44	38	44	57	65	68	48	37	13	1	2	-
	White.....Male	274	34	7	1	2	2	7	4	4	1	3	3	9	7	7	22	18	21	24	24	34	21	14	5	-	-	-
	Female	178	24	2	3	1	-	1	4	1	2	3	5	3	-	5	4	5	9	20	24	20	21	18	3	-	-	-
	Nonwhite..Male	101	9	4	-	7	1	1	-	3	2	-	3	6	7	11	12	9	9	6	5	6	1	1	3	1	1	-
	Female	109	14	-	1	-	1	2	-	6	3	3	2	2	6	13	6	6	5	7	12	8	5	4	2	-	1	-
109	Pneumonia (unspecified)	141	48	5	3	1	-	2	4	2	1	2	1	3	6	6	12	8	5	8	7	4	7	4	1	-	1	-
	White.....Male	53	17	1	1	-	-	-	1	-	-	-	-	-	3	3	4	4	2	3	3	4	4	3	-	-	-	-
	Female	46	17	3	1	1	-	1	1	1	-	-	-	3	-	1	2	3	2	2	3	-	2	1	1	-	1	-
	Nonwhite..Male	25	7	1	1	-	-	-	1	1	1	1	1	-	2	2	3	-	1	2	1	-	-	-	-	-	-	-
	Female	17	7	-	-	-	-	1	1	-	-	1	-	-	1	-	3	1	-	1	-	-	1	-	-	-	-	-
33	Influenza	491	69	14	9	5	1	5	4	5	8	8	5	8	16	14	29	17	26	42	44	57	39	46	12	5	2	1
	White.....Male	183	37	4	2	3	-	2	1	1	4	-	-	-	4	3	5	3	14	15	17	19	17	28	3	1	-	-
	Female	156	15	5	2	1	1	2	2	-	2	6	1	4	3	2	5	4	2	13	18	28	15	14	7	3	-	1
	Nonwhite..Male	78	10	3	4	1	-	1	-	2	1	-	2	2	2	7	10	5	6	7	2	5	5	1	1	1	-	-
	Female	74	7	2	1	-	-	-	1	2	1	2	2	2	7	2	9	5	4	7	7	5	2	3	1	-	2	-
117	Ulcer of stomach or duodenum	172	-	-	-	-	-	-	1	2	3	5	6	7	18	16	17	14	24	21	11	16	9	2	-	-	-	-
	White.....Male	101	-	-	-	-	-	-	1	1	1	3	3	4	12	9	9	8	16	14	6	9	4	1	-	-	-	-
	Female	27	-	-	-	-	-	-	-	-	1	-	1	2	-	1	2	2	2	2	4	6	3	1	-	-	-	-
	Nonwhite..Male	34	-	-	-	-	-	-	-	1	1	2	1	1	5	4	5	3	4	5	-	-	2	-	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	-	1	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	435	346	25	-	2	3	2	-	1	1	2	1	2	4	4	6	4	1	2	7	9	7	5	1	-	-	-
	White.....Male	183	153	10	-	-	-	1	-	-	-	1	-	1	2	1	1	1	1	-	-	6	3	2	-	-	-	-
	Female	167	127	10	-	2	3	-	-	1	1	1	1	1	-	2	2	1	-	2	4	2	4	3	-	-	-	-
	Nonwhite..Male	42	36	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
	Female	43	30	2	-	-	-	1	-	-	-	-	-	-	2	-	3	1	-	-	3	-	-	-	1	-	-	-
121	Appendicitis	128	1	-	1	2	-	10	8	10	6	5	1	10	8	9	13	16	10	12	3	2	1	-	-	-	-	-
	White.....Male	51	1	-	1	-	-	5	7	2	1	1	-	6	3	4	5	5	4	2	2	1	1	-	-	-	-	-
	Female	43	-	-	-	2	-	5	1	5	2	2	-	1	1	3	3	7	3	6	1	1	-	-	-	-	-	-
	Nonwhite..Male	17	-	-	-	-	-	-	-	-	1	-	-	1	2	1	3	3	2	4	-	-	-	-	-	-	-	-
	Female	17	-	-	-	-	-	-	-	3	2	2	1	2	2	1	2	1	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	203	15	4	2	2	1	1	-	1	5	6	10	6	11	11	21	20	15	25	10	20	10	4	2	1	-	-
	White.....Male	78	11	3	2	2	1	1	-	-	3	2	2	-	3	3	7	4	3	11	5	8	3	2	2	-	-	-
	Female	70	3	-	-	-	-	-	-	1	-	1	4	3	2	4	6	8	7	7	4	11	6	2	-	1	-	-
	Nonwhite..Male	23	1	1	-	-	-	-	-	-	-	2	2	-	2	3	1	4	2	4	1	-	-	-	-	-	-	-
	Female	32	-	-	-	-	-	-	-	-	2	1	2	3	4	1	7	4	3	3	-	1	1	-	-	-	-	-
124	Cirrhosis of the liver	165	-	-	-	-	-	2	-	1	1	3	1	9	13	14	24	27	15	24	19	6	3	3	1	-	-	-
	White.....Male	110	-	-	-	-	-	1	-	-	1	-	1	5	11	7	15	18	11	16	12	6	3	2	1	-	-	-
	Female	33	-	-	-	-	-	1	-	1	-	1	-	3	-	4	3	3	3	6	7	-	-	1	-	-	-	-
	Nonwhite..Male	15	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	5	-	1	-	-	-	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	90	-	-	-	-	-	-	-	-	1	1	4	7	5	6	9	12	9	10	11	6	7	1	1	-	-	-
	White.....Male	32	-	-	-	-	-	-	-	-	1	-	-	1	1	2	4	7	4	3	4	2	2	-	1	-	-	-
	Female	42	-	-	-	-	-	-	-	-	-	1	1	3	3	4	4	4	5	5	5	3	3	1	-	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-
	Female	12	-	-	-	-	-	-	-	-	-	-	2	3	-	-	1	1	-	2	1	1	1	-	-	-	-	-
130-132	Nephritis	1,864	4	-	2	1	1	6	8	16	15	26	21	57	68	81	114	126	163	232	298	248	187	138	32	12	4	4
	White.....Male	705	1	-	1	1	-	1	6	3	8	2	8	12	19	22	31	52	61	84	118	95	90	68	17	4	1	-
	Female	587	2	-	-	-	1	4	1	7	3	13	7	16	17	21	30	31	36	72	107	93	65	50	10	1	-	-
	Nonwhite..Male	304	1	-	1	-	-	-	1	3	-	3	3	9	13	20	25	25	37	40	51	39	15	12	2	-	2	2
	Female	268	-	-	-	-	-	1	-	3	4	8	3	20	19	18	28	18	29	36	22	21	17	8	3	7	1	2
137	Diseases of the prostate	185	-	-	-	-	-	-	-	-	-	-	1	-	-	-	7	7	11	26	43	40	21	20	5	2	2	-
	White.....Male	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	16	31	31	18	19	4	1	-	-
	Nonwhite..Male	54	-	-	-	-	-	-	-	-	-	-	1	-	-	-	5	5	4	10	12	9	3	1	1	1	2	-

*Refer to International List for complete title, table V, Part I.

747801 O - 47 - 23

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Continued																											
140-150	Diseases of pregnancy, etc.*....	153	-	-	-	-	-	-	2	13	33	23	32	30	15	5	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	96	-	-	-	-	-	-	-	9	18	14	20	19	13	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	57	-	-	-	-	-	-	2	4	15	9	12	11	2	2	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	45	-	-	-	-	-	-	-	5	15	7	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	28	-	-	-	-	-	-	-	4	8	5	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	17	-	-	-	-	-	-	-	1	7	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	54	-	-	-	-	-	-	2	7	10	6	8	13	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	30	-	-	-	-	-	-	-	4	6	2	4	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	24	-	-	-	-	-	-	2	3	4	4	4	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	38	-	-	-	-	-	-	-	1	7	6	8	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	30	-	-	-	-	-	-	-	1	4	5	8	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	8	-	-	-	-	-	-	-	-	3	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	16	-	-	-	-	-	-	-	-	1	4	4	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	8	-	-	-	-	-	-	-	-	-	2	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	8	-	-	-	-	-	-	-	-	1	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	318	277	8	4	1	-	5	4	2	4	4	2	2	1	2	1	-	-	-	-	1	-	-	-	-	-	-
	White.....Male....	170	151	3	3	-	-	2	2	1	1	2	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-
	Female..	114	101	3	1	-	-	3	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	18	12	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	16	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	1,244	1,244	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	601	601	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	404	404	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	135	135	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	104	104	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	769	769	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	370	370	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	243	243	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	78	78	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	78	78	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	475	475	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	231	231	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	161	161	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	26	26	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	206	-	-	-	-	-	-	-	13	15	15	23	14	21	17	20	17	14	17	7	7	5	1	-	-	-	-
	White.....Male....	142	-	-	-	-	-	-	-	7	9	8	11	8	17	15	12	13	9	16	7	6	4	-	-	-	-	-
	Female..	50	-	-	-	-	-	-	-	6	4	7	8	5	2	2	5	4	3	1	-	1	1	1	-	-	-	-
	Nonwhite..Male....	12	-	-	-	-	-	-	-	-	2	-	2	1	2	-	3	-	2	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	310	3	1	-	-	-	-	2	20	35	40	44	56	39	29	20	5	7	2	4	3	-	-	-	-	-	-
	White.....Male....	108	1	-	-	-	-	-	1	2	9	12	14	19	16	10	15	3	4	-	1	1	-	-	-	-	-	-
	Female..	20	2	-	-	-	-	-	-	-	5	1	2	3	4	2	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	149	-	1	-	-	-	-	1	13	13	21	24	30	16	15	5	2	3	2	1	2	-	-	-	-	-	-
	Female..	33	-	-	-	-	-	-	-	5	8	6	4	4	3	2	-	-	-	-	1	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,810	63	27	23	23	30	70	88	141	158	126	107	113	105	81	72	65	72	85	90	104	84	62	16	4	-	1
	White.....Male....	1,061	29	12	11	5	13	41	58	95	127	87	75	75	73	57	39	44	45	42	33	44	33	17	4	2	-	-
	Female..	451	24	10	8	14	13	16	13	25	14	22	14	12	10	13	10	6	15	25	38	49	43	44	11	1	-	1
	Nonwhite..Male....	201	8	1	3	3	2	9	16	20	11	13	13	21	14	7	17	9	6	10	10	5	2	-	1	-	-	-
	Female..	97	2	4	1	1	2	4	1	1	6	4	5	5	8	4	6	6	6	8	9	6	6	1	-	1	-	-
170	Motor-vehicle accidents.....	559	2	2	5	7	12	32	25	52	68	59	43	38	48	32	25	24	23	30	18	10	3	1	-	-	-	-
	White.....Male....	385	-	1	3	2	8	17	19	37	54	41	29	27	32	25	13	16	18	21	10	9	3	-	-	-	-	-
	Female..	99	2	1	2	5	4	8	3	12	8	11	7	7	6	5	6	1	4	4	2	-	-	1	-	-	-	-
	Nonwhite..Male....	53	-	-	-	-	-	6	3	3	6	3	5	4	7	1	4	5	-	3	3	-	-	-	-	-	-	-
	Female..	22	-	-	-	-	-	1	-	-	-	4	2	-	3	1	2	2	1	2	3	1	-	-	-	-	-	-
169, 171-195	Other accidents.....	1,251	61	25	18	16	18	38	63	89	90	67	64	75	57	49	47	41	49	55	72	94	81	61	16	4	-	1
	White.....Male....	676	29	11	8	3	5	24	39	58	73	46	46	48	41	32	26	28	27	21	23	35	30	17	4	2	-	-
	Female..	352	22	9	6	9	9	8	10	13	6	11	7	5	4	8	4	5	11	21	36	49	43	43	11	1	-	1
	Nonwhite..Male....	148	8	1	3	3	2	3	13	17	5	10	8	17	7	6	13	4	6	7	7	5	2	-	1	-	-	-
	Female..	75	2	4	1	1	2	3	1	1	6	-	3	5	5	3	4	4	5	6	6	5	6	1	-	1	-	-
162,199, 200	Senility, ill-defined and unknown causes..	1,864	380	22	9	5	8	15	8	14	16	19	30	39	58	52	68	92	99	157	170	170	175	140	79	25	14	-
	White.....Male....	777	165	6	3	3	2	6	2	2	5	2	14	11	21	22	36	51	41	66	73	65	82	60	29	9	1	-
	Female..	570	109	8	3	2	4	6	3	7	5	7	2	13	12	7	7	10	23	48	47	65	71	59	37	11	4	-
	Nonwhite..Male....	268	60	4	2	-	1	3	1	2	2	1	6	8	13	11	15	19	22	25	27	17	9	10	5	4	1	-
	Female..	249	46	4	1		1	-	2	3	4	9	8	7	12	12	10	12	13	18	23	23	13	11	8	1	8	-
	All other causes.....	2,310	119	36	24	20	16	54	36	44	77	58	103	129	125	131	151	149	149	205	191	204	147	96	31	7	4	4
	White.....Male....	923	51	15	14	7	10	26	15	20	28	14	33	52	42	34	60	62	52	86	85	90	60	47	15	1	3	1
	Female..	763	40	15	8	11	1	20	10	13	29	20	28	24	33	37	30	43	50	68	68	86	66	42	13	3	-	2
	Nonwhite..Male....	321	20	4	2	1	1	6	8	4	7	10	15	26	21	26	35	22	23	27	24	15	15	5	1	2	1	-
	Female..	303	8	2	-	1	1	2	3	7	13	14	27	27	29	34	26	22	24	24	14	13	6	2	2	1	-	1

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS																											
	ALL CAUSES	58,853	7,703	735	332	250	200	615	613	1,189	1,647	1,461	1,635	1,968	2,581	2,933	3,634	4,245	4,667	5,324	5,444	4,728	3,375	2,296	844	203	70	161
	White.....Male....	28,848	3,668	350	145	127	88	321	284	596	843	705	641	824	1,179	1,348	1,838	2,227	2,580	2,739	2,789	2,350	1,600	1,073	358	70	22	83
	Female..	19,935	2,865	275	132	82	82	180	201	364	491	412	535	608	685	784	885	1,141	1,381	1,771	1,984	1,912	1,521	1,090	413	96	24	21
	Nonwhite..Male....	5,422	648	59	31	27	21	51	69	122	144	187	216	249	373	420	515	500	397	461	359	264	136	75	34	20	9	35
	Female..	4,648	522	51	24	14	9	63	59	107	169	157	243	287	344	381	396	377	309	353	312	202	118	58	39	17	15	22
1,2	Typhoid and paratyphoid fever.....	54	-	-	2	-	1	1	4	6	6	6	7	5	3	2	6	-	1	1	1	1	1	-	-	-	-	-
	White.....Male....	17	-	-	1	-	-	-	1	3	3	1	4	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-
	Female..	19	-	-	1	-	1	1	2	1	3	2	2	2	-	2	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	9	-	-	-	-	-	-	1	-	-	1	1	-	2	-	2	-	-	1	-	1	-	-	-	-	-	-
	Female..	9	-	-	-	-	-	-	-	2	-	2	-	2	-	-	2	-	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	60	13	3	1	4	2	2	3	6	2	2	5	3	4	1	2	3	1	2	1	-	-	-	-	-	-	-
	White.....Male....	27	4	1	1	2	-	2	-	5	-	2	4	1	1	-	-	3	1	-	-	-	-	-	-	-	-	-
	Female..	21	6	2	-	2	2	-	1	-	2	-	1	1	1	-	-	-	-	2	1	-	-	-	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	7	3	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever.....	5	-	-	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough.....	97	72	21	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	38	31	5	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	37	27	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	7	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	15	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	160	8	30	27	21	16	48	6	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male....	78	4	16	15	13	7	21	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	59	3	11	9	7	7	18	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	10	-	2	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	13	1	1	1	-	-	7	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	2,966	38	24	9	10	3	20	42	197	356	281	283	263	229	238	234	219	161	147	95	69	27	12	1	1	-	7
	White.....Male....	1,403	21	9	5	6	-	10	5	50	114	109	96	119	126	141	138	142	103	96	59	35	8	7	-	1	-	3
	Female..	982	15	8	4	2	3	5	25	93	158	98	108	91	58	51	59	49	38	36	27	30	17	4	1	-	-	2
	Nonwhite..Male....	313	1	4	-	1	-	4	4	25	29	40	34	25	28	32	29	19	14	10	7	4	1	1	-	-	-	1
	Female..	268	1	3	-	1	-	1	8	29	55	34	45	28	17	14	8	9	6	5	2	-	1	-	-	-	-	1
13	Tuberculosis of respiratory system, etc.*.....	2,789	12	7	3	6	2	9	30	192	347	269	267	255	218	232	225	214	157	139	94	68	24	10	1	1	-	7
	White.....Male....	1,327	8	4	1	4	-	2	2	49	111	108	92	115	120	138	132	140	100	90	58	35	7	7	-	1	-	3
	Female..	923	4	1	2	2	2	3	22	90	153	96	103	90	55	49	57	47	37	34	27	29	15	2	1	-	-	2
	Nonwhite..Male....	291	-	2	-	-	-	3	1	24	28	33	33	24	27	31	28	19	14	10	7	4	1	1	-	-	-	1
	Female..	248	-	-	-	-	-	1	5	29	55	32	39	26	16	14	8	8	6	5	2	-	1	-	-	-	-	1
14-22	Tuberculosis (other forms).....	177	26	17	6	4	1	11	12	5	9	12	16	8	11	6	9	5	4	8	1	1	3	2	-	-	-	-
	White.....Male....	76	13	5	4	2	-	8	3	1	3	1	4	4	6	3	6	2	3	6	1	-	1	-	-	-	-	-
	Female..	59	11	7	2	-	1	2	3	3	5	2	5	1	3	2	2	2	1	2	-	1	2	2	-	-	-	-
	Nonwhite..Male....	22	1	2	-	1	-	1	3	1	1	7	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	20	1	3	-	1	-	-	3	-	-	2	6	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	393	263	39	8	4	2	3	1	-	2	3	4	2	6	4	4	4	9	5	6	7	7	8	2	-	-	-
	White.....Male....	191	131	21	3	2	-	1	-	-	-	2	1	-	3	1	2	2	5	1	3	2	5	4	2	-	-	-
	Female..	162	115	17	3	2	2	1	-	-	1	-	2	1	1	1	-	1	2	2	3	3	1	4	-	-	-	-
	Nonwhite..Male....	25	15	-	1	-	-	1	1	-	-	-	-	-	2	1	1	-	1	1	-	1	-	-	-	-	-	-
	Female..	15	2	1	1	-	-	-	-	-	1	1	1	1	-	1	1	1	1	1	-	1	1	-	-	-	-	-
28	Malaria.....	52	7	4	1	3	1	1	3	1	3	3	1	2	1	2	2	1	4	5	3	3	-	1	-	-	-	-
	White.....Male....	23	5	3	-	-	-	1	1	-	2	1	-	-	-	1	1	-	2	3	1	1	-	1	-	-	-	-
	Female..	13	-	1	1	1	-	-	1	-	1	-	-	1	1	-	-	1	1	2	1	1	-	-	-	-	-	-
	Nonwhite..Male....	7	-	-	-	2	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Female..	9	2	-	-	-	-	-	1	1	-	2	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
30	Syphilis.....	702	80	2	-	1	2	1	1	5	13	9	27	56	108	88	70	79	63	38	33	18	3	5	-	-	-	-
	White.....Male....	297	24	1	-	1	1	-	-	1	2	2	4	25	36	33	31	38	35	24	24	11	2	2	-	-	-	-
	Female..	92	20	1	-	-	1	-	-	2	1	1	2	5	10	7	12	5	10	6	2	4	1	2	-	-	-	-
	Nonwhite..Male....	231	23	-	-	-	-	-	1	2	4	4	13	16	50	41	20	29	12	6	7	2	-	1	-	-	-	-
	Female..	82	13	-	-	-	-	1	-	-	6	2	8	10	12	7	7	7	6	2	-	1	-	-	-	-	-	-
35	Measles.....	21	7	5	1	-	4	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	7	2	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	9	1	3	-	-	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute).....	129	8	5	8	8	7	24	21	19	11	6	6	1	-	1	3	-	1	-	-	-	-	-	-	-	-	-
	White.....Male....	66	4	2	3	3	2	13	13	13	3	4	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	48	2	-	3	3	5	8	7	6	6	2	3	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	4	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	11	2	3	1	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Continued																											
45-55	Cancer and other malignant tumors....	6,011	2	8	8	6	8	17	17	25	41	59	123	184	358	451	571	703	788	804	721	540	337	176	47	4	3	10
	White.....Male....	2,630	1	6	6	4	3	11	9	14	23	32	37	43	98	131	218	285	374	385	376	284	172	92	21	2	-	3
	Female..	2,660	1	2	1	2	5	6	4	7	13	16	61	99	180	244	264	317	335	339	294	220	147	72	24	1	2	4
	Nonwhite..Male....	314	-	-	1	-	-	-	2	3	4	2	4	9	24	30	42	55	41	35	27	14	11	7	1	1	-	1
	Female..	407	-	-	-	-	-	-	2	1	1	9	21	33	56	46	47	46	38	45	24	22	7	5	1	-	1	2
46	Cancer of digestive organs, peritoneum..	2,402	-	-	1	-	1	1	3	4	9	23	31	55	132	130	201	274	339	358	344	256	155	63	16	1	1	4
	White.....Male....	1,152	-	-	1	-	-	-	1	3	5	16	14	17	49	50	92	122	163	189	188	133	72	32	4	-	-	1
	Female..	972	-	-	-	-	1	1	-	-	1	4	12	25	50	54	73	108	139	136	136	110	76	29	12	1	1	3
	Nonwhite..Male....	155	-	-	-	-	-	-	-	1	2	1	1	5	12	15	24	27	25	21	12	4	4	1	-	-	-	-
	Female..	123	-	-	-	-	-	-	2	-	1	2	4	8	21	11	12	17	12	12	8	9	3	1	-	-	-	-
48,49	Cancer of female genital organs.....	794	-	-	-	-	1	-	-	1	2	6	29	53	87	109	92	106	96	89	53	43	17	7	1	-	1	1
	White.....Female..	645	-	-	-	-	1	-	-	1	2	4	20	38	63	86	77	85	87	72	48	38	16	6	-	-	-	1
	Nonwhite..Female..	149	-	-	-	-	-	-	-	-	-	2	9	15	24	23	15	21	9	17	5	5	1	1	1	-	1	-
50	Cancer of breast.....	445	-	-	-	-	-	-	-	-	1	2	14	19	43	57	66	67	43	41	39	19	20	10	4	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Female..	381	-	-	-	-	-	-	-	-	1	1	10	13	36	52	58	62	36	33	33	16	17	9	4	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	62	-	-	-	-	-	-	-	-	-	1	4	6	7	5	7	5	7	8	5	3	3	1	-	-	-	-
45,47, 51-55	Cancer (other sites)..	2,370	2	8	7	6	6	16	14	20	29	28	49	57	96	155	212	256	310	316	285	222	145	96	26	3	1	5
	White.....Male....	1,476	1	6	5	4	3	11	8	11	18	16	23	26	49	81	125	163	211	196	187	151	100	60	17	2	-	2
	Female..	662	1	2	1	2	3	5	4	6	9	7	19	23	31	52	56	62	73	98	77	56	38	28	8	-	1	-
	Nonwhite..Male....	159	-	-	1	-	-	-	2	2	2	1	3	4	12	15	18	28	16	14	15	10	7	6	1	1	-	1
	Female..	73	-	-	-	-	-	-	-	1	-	4	4	4	4	7	13	3	10	8	6	5	-	2	-	-	-	2
58	Acute rheumatic fever.....	54	-	-	1	3	-	4	7	4	5	2	1	1	1	1	1	5	3	4	5	3	1	2	-	-	-	-
	White.....Male....	22	-	-	-	1	-	1	2	4	1	1	-	1	-	-	-	-	3	-	4	2	-	2	-	-	-	-
	Female..	18	-	-	1	2	-	1	3	-	1	1	1	-	1	-	1	1	-	2	1	1	1	-	-	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-
	Female..	9	-	-	-	-	-	2	2	-	2	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	936	-	1	1	2	1	5	12	14	8	19	21	21	24	43	65	113	121	132	138	109	57	21	5	-	1	2
	White.....Male....	342	-	1	-	1	-	3	4	3	2	8	4	9	10	16	23	38	41	49	46	48	25	8	2	-	-	1
	Female..	458	-	-	1	1	-	2	7	9	4	10	10	7	6	18	22	57	62	66	79	53	29	12	2	-	-	1
	Nonwhite..Male....	49	-	-	-	-	1	-	1	-	1	1	3	3	1	1	5	5	7	9	4	3	2	1	-	-	1	-
	Female..	87	-	-	-	-	-	-	-	2	1	-	4	2	7	8	15	13	11	8	9	5	1	-	1	-	-	-
63b	Exophthalmic goiter..	55	-	-	-	-	-	1	-	2	2	4	3	4	10	5	6	3	7	2	1	3	2	-	-	-	-	-
	White.....Male....	6	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	Female..	37	-	-	-	-	-	-	-	2	2	1	3	2	8	3	4	2	4	2	1	2	1	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	11	-	-	-	-	-	1	-	-	-	1	-	2	2	-	1	-	2	-	-	1	1	-	-	-	-	-
69	Pellagra (except alcoholic).....	175	1	1	-	-	-	-	-	3	-	3	4	3	9	6	11	11	16	24	32	19	24	5	3	-	-	-
	White.....Male....	35	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	3	7	10	3	7	1	-	-	-	-
	Female..	100	-	-	-	-	-	-	-	2	-	2	1	1	4	3	3	6	11	11	19	15	16	3	3	-	-	-
	Nonwhite..Male....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	-	4	1	-	-	-	-	-	-	-
	Female..	28	-	-	-	-	-	-	-	1	-	1	2	1	5	2	4	3	2	2	2	1	1	1	-	-	-	-
77	Alcoholism (ethylism).....	71	-	-	-	1	-	-	-	-	2	1	4	10	10	12	11	7	5	3	3	2	-	-	-	-	-	-
	White.....Male....	53	-	-	-	1	-	-	-	-	1	1	3	6	7	8	9	6	4	2	3	2	-	-	-	-	-	-
	Female..	15	-	-	-	-	-	-	-	-	-	-	1	4	2	4	2	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	5,023	18	6	3	2	2	8	7	8	13	23	34	90	172	255	358	437	548	724	780	675	462	266	95	23	4	10
	White.....Male....	2,128	8	3	1	1	1	5	5	4	3	12	13	36	47	75	139	184	267	303	372	289	210	106	33	7	2	2
	Female..	1,860	8	2	-	-	1	3	1	2	6	4	12	25	50	71	79	114	185	277	295	312	211	138	53	9	1	1
	Nonwhite..Male....	474	1	-	2	1	-	-	-	-	1	3	2	12	29	42	62	64	48	65	48	45	22	14	4	5	-	4
	Female..	561	1	1	-	-	-	-	1	2	3	4	7	17	46	67	78	75	48	79	65	29	19	8	5	2	1	3
90-95	Diseases of the heart.....	13,045	13	15	4	6	1	33	49	53	52	84	151	274	492	709	1,045	1,318	1,535	1,821	1,782	1,607	1,018	657	223	55	10	38
	White.....Male....	7,208	6	7	2	3	1	16	15	26	24	34	49	119	277	387	653	815	966	1,056	968	838	485	320	100	18	4	19
	Female..	3,933	6	8	-	1	-	9	17	15	18	19	53	68	77	128	169	262	368	538	632	643	458	311	104	23	2	4
	Nonwhite..Male....	998	1	-	-	1	-	3	4	7	3	17	16	42	63	96	124	142	116	124	92	79	31	11	9	8	2	7
	Female..	906	-	-	2	1	-	5	13	5	7	14	33	45	75	98	99	99	85	103	90	47	44	15	10	6	2	8
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	540	-	-	-	-	1	9	29	15	9	22	23	24	26	35	32	52	47	55	50	60	24	14	8	3	-	2
	White.....Male....	240	-	-	-	-	1	4	3	8	5	11	8	13	12	15	16	25	23	27	21	29	8	5	4	-	-	2
	Female..	201	-	-	-	-	-	1	12	5	3	7	10	8	9	11	9	17	16	15	21	28	15	9	3	2	-	-
	Nonwhite..Male....	39	-	-	-	-	-	1	3	2	1	2	1	1	1	1	5	5	4	7	3	1	-	-	-	1	-	-
	Female..	60	-	-	-	-	-	3	11	-	-	2	4	2	4	8	2	5	4	6	5	2	1	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	5,197	3	2	-	1	-	1	-	10	11	21	42	117	237	354	505	626	733	767	689	572	299	151	37	10	1	8
	White.....Male....	3,391	1	1	-	1	-	1	-	5	4	8	20	68	163	244	379	461	522	508	420	336	151	74	15	4	1	4
	Female..	1,359	2	1	-	-	-	-	-	3	5	4	14	23	27	51	72	106	156	220	239	213	132	69	16	5	-	1
	Nonwhite..Male....	242	-	-	-	-	-	-	-	-	1	5	1	12	22	26	29	44	32	22	16	13	10	4	4	-	-	1
	Female..	205	-	-	-	-	-	-	-	2	1	4	7	14	25	33	25	15	23	17	14	10	6	4	2	1	-	2
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	7,308	10	13	4	5	-	23	20	28	32	41	86	133	229	320	508	640	755	999	1,043	975	695	492	178	42	9	28
	White.....Male....	3,577	5	6	2	2	-	11	12	13	15	15	21	38	102	128	258	329	421	521	527	473	326	241	81	14	3	13
	Female..	2,373	4	7	-	1	-	8	5	7	10	8	29	37	41	66	88	139	196	303	372	402	311	233	85	16	2	3
	Nonwhite..Male....	717	1	-	-	1	-	2	1	5	1	10	14	29	40	69	90	93	80	95	73	65	21	7	5	7	2	6
	Female..	641	-	-	2	1	-	2	2	3	6	8	22	29	46	57	72	79	58	80	71	35	37	11	7	5	2	6

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	3,442	1,115	154	48	27	18	36	32	53	62	59	56	86	96	103	126	123	163	195	220	229	198	154	63	18	3	5
	White.....Male	1,496	515	65	20	13	8	17	12	15	15	16	16	31	37	41	57	56	71	89	93	95	98	81	28	5	1	1
	Female	1,255	407	63	20	7	5	13	11	24	26	24	20	25	29	28	25	28	47	59	90	105	94	60	33	10	1	1
	Nonwhite..Male	376	109	17	4	3	2	2	8	6	9	8	10	12	17	13	26	23	26	30	20	15	5	7	1	1	-	2
	Female	315	84	9	4	4	3	4	1	8	12	11	10	18	13	21	18	16	19	17	17	14	1	6	1	2	1	1
107	Bronchopneumonia	1,063	466	57	16	11	9	16	8	7	12	6	11	12	22	21	24	26	28	44	65	67	58	51	20	6	-	-
	White.....Male	502	228	26	3	3	3	7	3	3	5	3	2	6	10	9	13	17	14	20	29	33	26	29	9	1	-	-
	Female	405	174	23	11	5	2	7	4	3	4	1	6	1	7	7	3	6	8	11	30	28	31	19	10	4	-	-
	Nonwhite..Male	85	38	4	2	2	2	1	1	-	2	2	2	1	3	5	4	1	1	7	4	1	1	1	-	-	-	-
	Female	71	26	4	-	1	2	1	-	1	1	-	1	4	2	-	4	2	5	6	2	5	-	2	1	1	-	-
108	Lobar pneumonia	796	181	22	10	5	2	6	8	14	16	19	16	37	34	43	40	38	49	60	51	60	47	24	8	3	1	2
	White.....Male	339	85	6	4	3	1	2	3	4	4	6	4	15	14	15	20	15	21	27	22	24	24	15	3	2	-	-
	Female	273	65	10	3	-	1	2	3	6	8	6	3	9	8	12	8	6	15	22	23	27	21	8	5	1	-	1
	Nonwhite..Male	106	18	5	2	-	-	-	2	1	3	2	6	5	7	6	9	12	8	8	4	5	2	1	-	-	-	-
	Female	78	13	1	1	2	-	2	-	3	1	5	3	8	5	10	3	5	5	3	2	4	-	-	-	-	1	1
109	Pneumonia (unspecified)	932	348	50	15	7	5	9	9	19	21	15	14	25	27	17	32	29	37	44	51	55	47	37	15	2	1	1
	White.....Male	403	149	25	8	4	2	4	5	5	4	4	6	6	10	9	15	11	17	24	21	22	27	15	9	-	-	1
	Female	337	126	19	4	2	2	4	1	10	9	7	4	9	8	4	8	8	12	13	20	25	18	17	5	1	1	-
	Nonwhite..Male	110	40	5	-	-	-	1	3	2	3	1	1	5	6	1	8	4	6	6	7	4	1	4	1	1	-	-
	Female	82	33	1	3	1	1	-	-	2	5	3	3	5	3	3	1	6	2	1	3	4	1	1	-	-	-	-
33	Influenza	651	120	25	7	4	2	5	7	13	13	19	15	12	13	22	30	30	49	47	53	47	46	42	20	7	1	2
	White.....Male	252	53	8	5	3	2	4	1	3	2	3	4	4	3	8	9	13	19	18	21	16	21	22	7	2	1	-
	Female	240	42	11	2	-	-	-	3	5	5	10	7	6	6	5	6	8	12	13	17	25	24	16	13	4	-	-
	Nonwhite..Male	75	13	3	-	1	-	-	2	3	1	3	1	1	1	1	5	6	11	9	5	5	1	1	-	-	-	2
	Female	84	12	3	-	-	-	1	1	2	5	3	3	1	3	8	10	3	7	7	10	1	-	3	-	1	-	-
117	Ulcer of stomach or duodenum	284	1	-	-	-	-	-	-	1	1	3	14	20	29	34	32	33	30	38	21	13	11	2	-	1	-	-
	White.....Male	208	1	-	-	-	-	-	-	-	-	2	6	12	24	27	24	22	26	29	16	9	9	-	-	1	-	-
	Female	42	-	-	-	-	-	-	-	-	1	-	5	3	2	5	1	6	4	4	4	3	2	2	-	-	-	-
	Nonwhite..Male	25	-	-	-	-	-	-	-	1	-	1	2	3	2	2	6	4	-	3	1	-	-	-	-	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	-	2	-	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	1,416	1,113	112	18	10	8	11	4	4	6	2	2	6	9	2	7	6	17	24	14	10	14	8	5	2	-	2
	White.....Male	644	511	57	6	5	1	5	1	1	3	-	1	2	4	1	3	3	7	8	8	2	3	5	3	2	-	2
	Female	624	500	43	6	4	6	5	2	3	3	-	-	3	4	-	2	1	7	9	4	7	10	3	2	-	-	-
	Nonwhite..Male	73	55	7	3	1	1	-	-	-	-	-	1	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-
	Female	75	47	5	3	-	-	1	1	-	-	2	-	1	1	1	2	2	2	5	1	-	1	-	-	-	-	-
121	Appendicitis	346	5	4	4	5	5	23	32	18	21	20	21	28	24	22	25	26	18	13	9	13	6	3	-	-	-	1
	White.....Male	165	2	2	4	2	3	12	16	10	9	5	5	12	14	7	8	17	10	8	5	7	5	1	-	-	-	1
	Female	105	2	2	-	3	2	5	9	3	8	7	9	10	5	8	8	4	6	3	4	4	1	2	-	-	-	-
	Nonwhite..Male	38	-	-	-	-	-	4	4	2	-	6	2	1	2	2	8	3	1	1	-	2	-	-	-	-	-	-
	Female	38	1	-	-	-	-	2	3	3	4	2	5	5	3	5	1	2	1	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	495	33	4	1	1	1	4	5	7	11	19	20	26	25	38	42	42	33	51	43	32	29	19	5	1	-	3
	White.....Male	184	20	3	-	-	1	2	5	3	4	2	5	7	8	7	12	15	12	24	17	13	8	12	3	1	-	-
	Female	205	10	1	1	1	-	1	-	-	6	14	5	15	8	14	13	15	18	19	19	16	19	7	2	-	-	1
	Nonwhite..Male	51	3	-	-	-	-	-	-	1	-	1	3	-	3	8	13	6	1	4	3	3	1	-	-	-	-	1
	Female	55	-	-	-	-	-	1	-	3	1	2	7	4	6	9	4	6	2	4	4	-	1	-	-	-	-	1
124	Cirrhosis of the liver	420	1	2	1	-	-	-	3	2	1	6	8	23	32	40	44	46	56	60	44	28	12	7	2	1	-	1
	White.....Male	244	-	1	1	-	-	-	1	1	-	2	3	13	22	30	29	32	35	33	23	10	5	2	1	-	-	-
	Female	128	1	1	-	-	-	-	2	1	1	2	4	6	5	8	8	11	13	18	17	17	5	5	1	1	-	1
	Nonwhite..Male	24	-	-	-	-	-	-	-	-	-	-	-	1	2	1	6	2	6	4	1	-	1	-	-	-	-	-
	Female	24	-	-	-	-	-	-	-	-	-	2	1	3	3	1	1	1	2	5	3	1	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	244	-	-	1	-	-	-	-	3	-	4	6	13	13	17	24	25	32	28	26	17	18	15	1	1	-	-
	White.....Male	81	-	-	1	-	-	-	-	2	-	1	1	4	2	5	8	7	16	7	11	8	4	4	-	-	-	-
	Female	147	-	-	-	-	-	-	-	-	-	2	2	9	7	10	15	16	15	21	14	9	14	11	1	1	-	-
	Nonwhite..Male	8	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	2	-	3	1	1	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	3,297	9	10	9	3	2	24	17	31	28	37	54	100	119	149	213	266	288	360	494	435	329	221	70	18	5	6
	White.....Male	1,491	3	4	4	1	-	12	2	10	8	19	17	29	37	49	94	123	130	152	232	221	177	117	39	7	2	2
	Female	1,070	5	4	5	1	-	7	11	14	12	12	18	28	36	35	43	67	83	116	168	157	118	96	23	9	2	-
	Nonwhite..Male	386	-	2	-	-	1	4	-	5	4	3	5	14	19	33	37	39	43	60	54	27	25	5	2	-	1	3
	Female	350	1	-	-	1	1	1	4	2	4	3	14	29	27	32	39	37	32	32	40	30	9	3	6	2	-	1
137	Diseases of the prostate	333	-	-	-	-	-	-	-	-	-	-	-	1	1	1	8	16	29	36	68	70	54	36	11	-	-	2
	White.....Male	276	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	20	23	59	64	51	35	10	-	-	2
	Nonwhite..Male	57	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	8	9	13	9	6	3	1	1	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Continued																											
140-150	Diseases of pregnancy, etc.*....	358	-	-	-	-	-	-	1	49	66	73	72	65	30	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	260	-	-	-	-	-	-	1	33	44	57	52	48	24	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	98	-	-	-	-	-	-	-	16	22	16	20	17	6	1	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	109	-	-	-	-	-	-	-	14	22	27	26	16	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	75	-	-	-	-	-	-	-	9	11	21	21	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	34	-	-	-	-	-	-	-	5	11	6	5	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	106	-	-	-	-	-	-	1	22	24	17	16	15	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	78	-	-	-	-	-	-	1	14	15	14	12	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	28	-	-	-	-	-	-	-	8	9	3	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	105	-	-	-	-	-	-	-	8	12	27	21	25	11	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	80	-	-	-	-	-	-	-	7	11	22	13	17	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	25	-	-	-	-	-	-	-	1	1	5	8	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	38	-	-	-	-	-	-	-	5	8	2	9	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	27	-	-	-	-	-	-	-	3	7	-	6	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	11	-	-	-	-	-	-	-	2	1	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	717	619	26	13	8	4	7	8	10	9	2	2	2	2	2	1	-	-	-	2	-	-	-	-	-	-	-
	White.....Male....	368	316	13	6	4	3	3	5	3	5	1	2	2	2	1	1	-	-	-	1	-	-	-	-	-	-	-
	Female..	285	251	11	7	4	1	1	2	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	38	30	1	-	-	-	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	26	22	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	3,259	3,259	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	1,617	1,617	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	1,111	1,111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	288	288	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	243	243	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	2,066	2,066	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	983	983	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	711	711	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	192	192	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	180	180	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	1,193	1,193	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	634	634	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	400	400	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	96	96	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	63	63	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	551	-	-	-	-	-	-	4	16	33	39	48	53	75	61	54	42	42	33	28	15	3	2	-	-	-	3
	White.....Male....	387	-	-	-	-	-	-	3	8	21	21	29	34	58	42	38	29	34	27	22	13	3	2	-	-	-	3
	Female..	137	-	-	-	-	-	-	1	8	10	15	13	18	14	14	13	12	7	5	5	2	-	-	-	-	-	-
	Nonwhite..Male....	23	-	-	-	-	-	-	-	-	2	3	5	1	3	3	2	1	1	1	1	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	666	3	1	-	-	1	2	6	45	86	99	110	82	67	56	51	24	16	4	4	2	-	-	-	-	-	7
	White.....Male....	277	1	1	-	-	1	1	1	17	25	43	40	26	24	29	29	15	13	3	3	1	-	-	-	-	-	4
	Female..	40	1	-	-	-	-	-	1	4	10	1	4	8	6	-	1	3	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	283	1	-	-	-	-	1	2	17	38	45	53	43	29	25	18	4	2	1	1	1	-	-	-	-	-	2
	Female..	66	-	-	-	-	-	-	2	7	13	10	13	5	8	2	3	2	-	-	-	-	-	-	-	-	-	1
169-195	Accidental deaths....	5,145	158	117	93	67	61	201	221	451	630	409	318	275	303	250	242	201	192	166	193	176	152	154	57	14	2	42
	White.....Male....	3,295	68	54	39	33	32	118	139	327	511	316	231	202	214	166	149	136	133	100	100	81	49	41	19	6	-	31
	Female..	1,196	58	35	37	23	22	47	50	80	79	54	46	31	34	43	41	33	38	46	68	80	97	106	[illegible]	8	2	2
	Nonwhite..Male....	479	21	18	11	6	3	16	24	39	31	30	35	35	48	34	42	24	13	13	13	5	3	[illegible]	[illegible]	-	-	8
	Female..	175	11	10	6	5	4	20	8	5	9	9	6	7	7	7	10	8	8	7	12	10	3		1	-	-	1
170	Motor-vehicle accidents.....	1,524	9	24	23	13	18	58	67	169	173	143	126	93	108	100	93	70	77	45	55	22	18		2	-	-	16
	White.....Male....	1,078	6	10	9	7	12	35	42	124	132	102	91	72	78	70	57	57	53	35	42	16	14	2	1	-	-	11
	Female..	311	1	10	11	6	5	18	23	39	32	29	25	13	12	20	16	8	20	6	7	5	4	-	-	-	-	[illegible]
	Nonwhite..Male....	108	1	3	2	-	-	3	1	5	8	10	9	6	15	8	14	5	4	3	6	1	-	-	1	-	-	3
	Female..	27	1	1	1	-	1	2	1	1	1	2	1	2	3	2	6	-	-	1	-	-	-		-			1
169, 171-195	Other accidents.....	3,621	149	93	70	54	43	143	154	282	457	266	192	182	195	150	149	131	115	121	133	154	134	152	55	14	2	26
	White.....Male....	2,217	62	44	30	26	20	83	97	203	379	214	140	130	136	96	92	79	80	65	58	65	35	[illegible]	18	6	-	20
	Female..	885	57	25	26	17	17	29	27	41	47	25	21	18	22	23	25	25	18	40	61	75	93	106	26	8	2	1
	Nonwhite..Male....	371	20	15	9	6	3	13	23	34	23	20	26	29	33	26	28	19	9	10	7	4	3	6		-	-	5
	Female..	148	10	9	5	5	3	18	7	4	8	7	5	5	4	5	4	8	8	6	12	10	3	1	1	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	2,691	383	33	10	8	5	18	15	22	24	18	34	47	67	71	99	126	152	191	253	274	294	280	173	45	35	14
	White.....Male....	1,224	156	17	6	3	2	7	3	13	7	9	8	18	30	42	50	77	91	103	128	123	117	120	64	12	11	7
	Female..	897	136	11	4	2	2	5	7	5	10	4	19	12	16	3	17	23	24	42	72	90	135	133	87	27	11	-
	Nonwhite..Male....	316	52	3	-	3	1	3	4	2	1	2	2	7	13	10	20	16	22	32	32	33	21	15	11	4	3	4
	Female..	254	39	2	-	-	-	3	1	2	6	3	5	10	8	16	12	10	15	14	21	28	21	12	11	2	10	3
	All other causes.....	5,180	474	108	58	49	44	117	92	132	152	164	196	221	261	267	276	366	336	413	423	358	316	242	81	19	7	8
	White.....Male....	2,317	216	55	20	28	19	57	40	62	56	57	58	70	97	106	116	173	177	207	204	188	156	110	33	8	2	2
	Female..	1,908	179	40	26	14	15	41	34	45	63	62	78	85	95	83	78	107	100	145	162	138	144	119	41	7	3	4
	Nonwhite..Male....	488	41	4	6	5	9	9	10	8	12	19	23	22	32	42	42	48	33	41	36	21	10	6	4	1	2	2
	Female..	467	38	9	6	2	1	10	8	17	21	26	37	44	37	36	40	38	26	20	21	11	6	7	3	3	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH																											
	ALL CAUSES	4,859	488	48	30	16	22	57	59	84	82	100	82	118	162	203	305	332	425	495	502	496	434	236	59	19	1	4
	White.....Male	2,733	279	25	15	7	17	30	35	55	54	61	51	72	102	115	183	209	251	286	290	265	182	110	27	7	1	4
	Female	2,000	193	20	13	8	4	26	23	27	22	38	31	44	57	78	116	113	154	191	204	225	246	124	31	12	-	-
	Nonwhite..Male	88	11	1	-	1	-	1	-	2	4	1	-	1	2	6	3	9	18	13	5	3	4	2	1	-	-	-
	Female	38	5	2	2	-	1	-	1	-	2	-	-	1	1	4	3	1	2	5	3	3	2	-	-	-	-	-
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	7	1	-	-	-	-	2	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male	4	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	79	2	1	-	-	-	1	2	1	5	2	7	6	5	9	9	12	7	5	3	-	1	-	1	-	-	-
	White.....Male	49	1	-	-	-	-	-	1	-	2	-	4	4	3	5	7	10	6	2	3	-	1	-	-	-	-	-
	Female	17	1	1	-	-	-	-	-	-	1	1	3	2	1	3	1	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	11	-	-	-	-	-	1	-	1	2	1	-	-	1	1	-	-	1	2	-	-	-	-	1	-	-	-
	Female	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	69	-	-	-	-	-	1	1	1	5	2	7	4	5	8	8	11	7	5	2	-	1	-	1	-	-	-
	White.....Male	43	-	-	-	-	-	-	-	-	2	-	4	2	3	4	7	10	6	2	2	-	1	-	-	-	-	-
	Female	13	-	-	-	-	-	-	-	-	1	1	3	2	1	3	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	11	-	-	-	-	-	1	-	1	2	1	-	-	1	1	-	-	1	2	-	-	-	-	1	-	-	-
	Female	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	10	2	1	-	-	-	-	1	-	-	-	-	2	-	1	1	1	-	-	1	-	-	-	-	-	-	-
	White.....Male	6	1	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Female	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	7	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	27	2	-	-	-	-	-	-	-	-	-	-	1	2	2	3	-	7	4	4	1	1	-	-	-	-	-
	White.....Male	15	1	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	5	1	3	-	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	1	1	-	-	-	-	-
	Nonwhite..Male	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
35	Measles	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	20	-	-	-	-	2	5	4	2	1	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	11	-	-	-	-	1	3	-	2	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	9	-	-	-	-	1	2	4	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																											
45-55	Cancer and other malignant tumors....	516	-	-	-	-	1	2	2	-	6	7	3	11	18	29	56	47	78	69	51	70	45	17	4	-	-	-
	White.....Male....	248	-	-	-	-	-	1	2	-	3	3	-	2	6	11	22	22	29	33	36	40	24	11	3	-	-	-
	Female..	248	-	-	-	-	1	1	-	-	1	4	3	9	11	17	33	20	46	32	14	29	20	6	1	-	-	-
	Nonwhite..Male....	20	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	5	3	4	1	1	1	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	238	-	-	-	-	-	-	-	-	2	1	1	2	8	12	24	21	38	37	26	30	24	11	1	-	-	-
	White.....Male....	125	-	-	-	-	-	-	-	-	-	-	-	1	3	7	15	11	15	18	16	17	15	6	1	-	-	-
	Female..	97	-	-	-	-	-	-	-	-	-	1	1	1	4	4	9	7	21	15	9	12	8	5	-	-	-	-
	Nonwhite..Male....	16	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	3	2	4	1	1	1	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.....	60	-	-	-	-	-	-	-	-	-	1	1	3	3	5	11	4	14	6	3	6	2	-	1	-	-	-
	White.....Female..	60	-	-	-	-	-	-	-	-	-	1	1	3	3	5	11	4	14	6	3	6	2	-	1	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.....	58	-	-	-	-	-	-	-	-	-	-	1	2	2	4	10	6	8	8	2	8	6	1	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	58	-	-	-	-	-	-	-	-	-	-	1	2	2	4	10	6	8	8	2	8	6	1	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	160	-	-	-	-	1	2	2	-	4	5	-	4	5	8	11	16	18	18	20	26	13	5	2	-	-	-
	White.....Male....	123	-	-	-	-	-	1	2	-	3	3	-	1	3	4	7	11	14	15	20	23	9	5	2	-	-	-
	Female..	33	-	-	-	-	1	1	-	-	1	2	-	3	2	4	3	3	3	3	-	3	4	-	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	10	-	-	-	-	1	2	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	3	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	7	-	-	-	-	-	2	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	126	-	-	-	-	1	-	2	-	1	1	1	-	2	5	11	10	9	29	19	23	7	5	-	-	-	-
	White.....Male....	55	-	-	-	-	1	-	1	-	-	-	1	-	2	1	2	5	4	14	10	9	3	2	-	-	-	-
	Female..	70	-	-	-	-	-	-	1	-	1	1	-	-	-	4	9	5	4	15	9	14	4	3	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	18	-	-	-	-	-	-	-	-	1	-	-	-	1	1	3	3	2	2	1	1	3	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	15	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	3	1	2	1	1	3	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	6	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	-	1	-	-	-	-	-	-	-
	White.....Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	1	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	399	1	-	-	-	-	-	-	1	-	2	3	6	5	9	30	26	41	56	74	60	54	22	8	1	-	-
	White.....Male....	186	1	-	-	-	-	-	-	-	-	2	2	5	3	4	11	14	26	27	32	29	17	12	1	-	-	-
	Female..	204	-	-	-	-	-	-	-	1	-	-	1	1	2	5	18	12	14	25	41	30	37	9	7	1	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-
90-95	Diseases of the heart.....	1,422	1	-	-	-	-	1	6	11	10	11	16	21	47	53	98	121	145	189	210	210	171	79	15	6	1	-
	White.....Male....	835	-	-	-	-	-	-	4	6	8	4	11	15	28	36	73	84	95	125	126	113	63	31	10	2	1	-
	Female..	565	1	-	-	-	-	1	2	5	2	7	5	6	19	15	24	35	45	60	83	95	104	47	5	4	-	-
	Nonwhite..Male....	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	1	-	3	1	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	2	1	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	149	-	-	-	-	-	1	5	9	4	6	5	8	16	12	13	18	10	17	7	7	7	4	-	-	-	-
	White.....Male....	76	-	-	-	-	-	-	3	5	4	2	3	6	7	4	7	8	6	11	4	4	-	2	-	-	-	-
	Female..	73	-	-	-	-	-	1	2	4	-	4	2	2	9	8	6	10	4	6	3	3	7	2	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	459	-	-	-	-	-	-	1	-	2	2	5	6	20	19	50	60	66	72	64	51	32	8	-	1	-	-
	White.....Male....	333	-	-	-	-	-	-	1	-	1	-	5	3	17	17	43	50	47	53	45	31	15	4	-	1	-	-
	Female..	119	-	-	-	-	-	-	-	-	1	2	-	3	3	2	7	9	15	18	18	20	17	4	-	-	-	-
	Nonwhite..Male....	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	814	1	-	-	-	-	-	-	2	4	3	6	7	11	22	35	43	69	100	139	152	132	67	15	5	1	-
	White.....Male....	426	-	-	-	-	-	-	-	1	3	2	3	6	4	15	23	26	42	61	77	78	48	25	10	1	1	-
	Female..	373	1	-	-	-	-	-	-	1	1	1	3	1	7	5	11	16	26	36	62	72	80	41	5	4	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	3	1	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	2	1	-	-	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	200	42	14	5	3	1	2	3	3	-	2	9	7	6	3	7	8	16	10	14	19	11	10	3	1	-	1
	White.....Male	116	21	8	1	-	1	2	2	2	-	-	5	3	4	1	4	6	11	8	9	14	5	6	2	-	-	1
	Female	81	20	6	4	3	-	-	1	1	-	2	4	4	2	2	3	2	5	2	4	4	6	4	1	1	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
107	Bronchopneumonia	85	23	12	4	1	1	1	2	2	-	1	3	1	1	2	3	2	2	3	6	6	2	4	3	-	-	-
	White.....Male	43	10	7	-	-	1	1	2	2	-	-	3	-	-	-	2	-	2	2	3	4	-	2	2	-	-	-
	Female	39	12	5	4	1	-	-	-	-	-	1	-	1	1	2	1	2	-	1	2	1	2	2	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
108	Lobar pneumonia	66	8	-	-	-	-	1	-	-	-	1	4	5	2	-	3	4	12	3	6	6	5	5	-	-	-	1
	White.....Male	46	5	-	-	-	-	1	-	-	-	-	1	3	2	-	2	4	8	3	5	4	4	3	-	-	-	1
	Female	20	3	-	-	-	-	-	-	-	-	1	3	2	-	-	1	-	4	-	1	2	1	2	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	19	7	-	1	1	-	-	1	-	-	-	-	-	2	1	-	2	-	1	-	2	-	1	-	-	-	-
	White.....Male	15	5	-	1	-	-	-	-	-	-	-	-	-	2	1	-	2	-	1	-	2	-	1	-	-	-	-
	Female	4	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	30	4	2	-	1	-	-	-	1	-	-	2	1	1	-	1	-	2	3	2	5	4	-	-	1	-	-
	White.....Male	12	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	1	4	1	-	-	-	-	-
	Female	18	3	1	-	1	-	-	-	1	-	-	1	1	1	-	1	-	1	1	1	1	3	-	-	1	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	42	-	-	-	-	-	-	-	-	-	1	2	-	7	5	5	4	4	7	2	1	3	1	-	-	-	-
	White.....Male	33	-	-	-	-	-	-	-	-	-	1	2	-	7	3	4	4	2	4	2	1	3	-	-	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	3	-	-	-	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	47	39	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	2	-	-	-	-
	White.....Male	29	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
	Female	15	11	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite..Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	33	-	1	1	1	2	3	2	3	4	1	1	1	1	3	-	2	4	1	2	-	-	-	-	-	-	-
	White.....Male	22	-	-	1	-	2	2	1	1	1	1	1	1	1	2	-	1	4	1	2	-	-	-	-	-	-	-
	Female	11	-	1	-	1	-	1	1	2	3	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	37	1	-	-	-	1	-	-	-	-	2	-	3	2	4	4	4	-	3	4	2	3	4	-	-	-	-
	White.....Male	14	-	-	-	-	1	-	-	-	-	-	-	2	2	-	1	2	-	1	1	-	2	2	-	-	-	-
	Female	21	1	-	-	-	-	-	-	-	-	2	-	1	-	3	3	2	-	2	2	2	1	2	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	28	-	-	-	-	-	-	-	1	-	1	-	2	1	3	1	4	4	4	5	2	-	-	-	-	-	-
	White.....Male	14	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	4	3	1	2	1	-	-	-	-	-	-
	Female	13	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	1	2	3	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	29	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	3	5	7	2	6	-	-	-	-	-	-
	White.....Male	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	2	-	-	-	-	-	-
	Female	21	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	2	4	6	1	4	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	259	-	-	-	-	-	1	-	2	3	3	2	7	4	17	14	13	26	37	44	27	32	22	3	2	-	-
	White.....Male	144	-	-	-	-	-	1	-	1	3	3	-	5	-	12	6	5	18	26	21	16	18	8	1	-	-	-
	Female	110	-	-	-	-	-	-	-	1	-	-	2	2	3	5	8	8	7	10	22	11	13	14	2	2	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
137	Diseases of the prostate	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	5	3	4	1	-	-	-
	White.....Male	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	5	3	4	1	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																											
140-150	Diseases of pregnancy, etc.*....	21	-	-	-	-	-	-	-	-	2	6	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	20	-	-	-	-	-	-	-	-	2	6	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	8	-	-	-	-	-	-	-	-	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	8	-	-	-	-	-	-	-	-	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	4	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	4	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	5	-	-	-	-	-	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	4	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	4	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	92	80	4	-	-	1	1	2	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	53	47	3	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	36	31	1	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	258	258	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	151	151	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	101	101	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	157	157	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	87	87	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	66	66	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	101	101	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	64	64	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	35	35	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	43	-	-	-	-	-	-	-	3	3	3	1	8	5	5	3	3	5	1	2	1	-	-	-	-	-	-
	White.....Male....	23	-	-	-	-	-	-	-	1	1	2	1	5	2	-	3	2	3	1	1	1	-	-	-	-	-	-
	Female..	19	-	-	-	-	-	-	-	2	2	1	-	3	3	4	-	1	2	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	20	-	-	-	-	-	-	-	-	3	3	3	3	3	3	1	-	1	-	-	-	-	-	-	-	-	-
	White.....Male....	17	-	-	-	-	-	-	-	-	3	3	3	2	2	2	1	-	1	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	516	13	13	15	8	7	22	30	45	29	34	20	25	32	21	31	24	27	23	23	23	31	13	5	-	-	2
	White.....Male....	353	7	8	10	5	6	15	20	35	25	30	18	21	29	14	27	17	19	12	12	8	10	2	1	-	-	2
	Female..	152	6	4	5	2	1	7	10	10	3	4	2	4	3	5	3	6	5	11	10	15	21	11	4	-	-	-
	Nonwhite..Male....	9	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	1	3	-	1	-	-	-	-	-	-	-
	Female..	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	178	2	1	2	2	1	11	15	24	10	13	10	8	13	10	7	6	12	10	6	8	4	1	-	-	-	2
	White.....Male....	127	2	1	2	1	1	7	9	18	9	11	9	4	10	5	4	3	8	5	5	6	4	1	-	-	-	2
	Female..	48	-	-	-	1	-	4	6	6	-	2	1	4	3	4	3	3	3	5	1	2	-	-	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	338	11	12	13	6	6	11	15	21	19	21	10	17	19	11	24	18	15	13	17	15	27	12	5	-	-	-
	White.....Male....	226	5	7	8	4	5	8	11	17	16	19	9	17	19	9	23	14	11	7	7	2	6	1	1	-	-	-
	Female..	104	6	4	5	1	1	3	4	4	3	2	1	-	-	1	-	3	2	6	9	13	21	11	4	-	-	-
	Nonwhite..Male....	7	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-	-	-	-
	Female..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	171	13	1	1	-	-	1	-	1	1	1	-	-	2	5	8	14	7	13	12	15	24	34	11	7	-	-
	White.....Male....	103	8	-	-	-	-	-	-	-	1	1	-	-	2	5	6	10	6	8	8	10	14	17	4	3	-	-
	Female..	65	4	1	-	-	-	1	-	-	-	-	-	-	-	-	2	4	1	5	4	5	10	17	7	4	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.....	395	28	10	7	4	4	13	4	9	9	10	5	10	13	22	20	33	32	29	26	30	43	23	8	2	-	1
	White.....Male....	211	13	4	3	2	3	5	2	4	5	4	3	6	8	14	12	21	14	16	17	16	19	13	4	2	-	1
	Female..	174	14	5	4	2	1	8	2	5	3	6	2	4	5	8	7	10	16	12	9	13	24	10	4	-	-	-
	Nonwhite..Male....	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-
	Female..	5	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

A-3459-d(4)+

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT																											
	ALL CAUSES	4,007	238	20	12	9	10	29	24	35	44	48	59	72	80	139	190	267	338	450	517	584	442	255	109	24	5	7
	White.....Male	2,177	140	14	8	6	6	15	12	24	26	22	33	36	47	78	111	146	206	275	288	299	224	104	43	8	2	4
	Female	1,828	98	6	4	3	4	14	12	11	18	26	26	36	33	61	79	121	132	174	229	285	218	150	66	16	3	3
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	8	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	110	-	-	-	-	-	-	-	4	6	10	8	5	10	8	14	14	9	13	5	3	1	-	-	-	-	-
	White.....Male	72	-	-	-	-	-	-	-	2	3	2	3	3	6	3	12	12	8	12	3	2	1	-	-	-	-	-
	Female	38	-	-	-	-	-	-	-	2	3	8	5	2	4	5	2	2	1	1	2	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	102	-	-	-	-	-	-	-	4	5	8	6	5	8	8	14	14	8	13	5	3	1	-	-	-	-	-
	White.....Male	68	-	-	-	-	-	-	-	2	3	1	3	3	4	3	12	12	7	12	3	2	1	-	-	-	-	-
	Female	34	-	-	-	-	-	-	-	2	2	7	3	2	4	5	2	2	1	1	2	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	8	-	-	-	-	-	-	-	-	1	2	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	4	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	16	1	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	4	4	-	-	-	-	-	-	-	2
	White.....Male	11	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	4	2	-	-	-	-	-	-	-	2
	Female	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	3	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Continued																											
45-55	Cancer and other malignant tumors....	530	-	1	-	-	1	1	1	1	1	7	5	10	14	34	27	52	68	75	83	78	45	21	5	-	-	-
	White.....Male....	254	-	1	-	-	1	-	-	1	1	4	3	2	4	9	11	21	32	48	42	41	21	9	3	-	-	-
	Female..	276	-	-	-	-	-	1	1	-	-	3	2	8	10	25	16	31	36	27	41	37	24	12	2	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	225	-	-	-	-	-	-	-	-	-	2	2	4	4	10	11	16	33	42	35	37	19	9	1	-	-	-
	White.....Male....	118	-	-	-	-	-	-	-	-	-	1	1	1	1	4	9	10	17	28	18	17	8	3	-	-	-	-
	Female..	107	-	-	-	-	-	-	-	-	-	1	1	3	3	6	2	6	16	14	17	20	11	6	1	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.....	64	-	-	-	-	-	-	-	-	-	-	1	2	6	8	4	9	9	4	6	8	5	2	-	-	-	-
	White.....Female..	64	-	-	-	-	-	-	-	-	-	-	1	2	6	8	4	9	9	4	6	8	5	2	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.....	60	-	-	-	-	-	-	-	-	-	1	-	2	1	7	9	9	6	6	8	4	5	1	1	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	59	-	-	-	-	-	-	-	-	-	-	-	2	1	7	9	9	6	6	8	4	5	1	1	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	181	-	1	-	-	1	1	1	1	1	4	2	2	3	9	3	18	20	23	34	29	16	9	3	-	-	-
	White.....Male....	135	-	1	-	-	1	-	-	1	1	2	2	1	3	5	2	11	15	20	24	24	13	6	3	-	-	-
	Female..	46	-	-	-	-	-	1	1	-	-	2	-	1	-	4	1	7	5	3	10	5	3	3	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	101	-	-	-	-	-	-	-	1	1	-	1	1	2	2	5	11	11	14	15	26	7	3	1	-	-	-
	White.....Male....	35	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	5	3	5	14	2	-	-	-	-	-
	Female..	66	-	-	-	-	-	-	-	1	1	-	1	1	1	1	5	7	6	11	10	12	5	3	1	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	6	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-
	White.....Male....	4	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	449	1	-	-	-	-	-	-	-	1	-	-	-	4	11	19	22	42	63	80	83	69	36	13	3	1	1
	White.....Male....	192	1	-	-	-	-	-	-	-	1	-	-	-	1	3	7	6	19	34	40	33	28	11	4	3	1	-
	Female..	256	-	-	-	-	-	-	-	-	-	-	-	-	3	8	12	16	23	28	40	50	41	25	9	-	-	1
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
90-95	Diseases of the heart.....	1310	-	-	-	-	-	1	1	1	3	2	7	14	21	30	59	99	123	181	193	255	169	97	36	14	1	3
	White.....Male....	722	-	-	-	-	-	-	-	-	1	1	3	8	14	23	43	61	73	110	107	128	91	40	13	5	-	1
	Female..	587	-	-	-	-	-	1	1	1	2	1	4	6	7	7	16	38	50	71	86	127	78	56	23	9	1	2
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	66	-	-	-	-	-	1	-	1	1	-	2	3	2	3	5	3	6	9	6	11	7	3	2	-	-	1
	White.....Male....	31	-	-	-	-	-	-	-	-	1	-	1	2	2	1	5	-	2	4	2	8	2	1	-	-	-	-
	Female..	35	-	-	-	-	-	1	-	1	-	-	1	1	-	2	-	3	4	5	4	3	5	2	2	-	-	1
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	414	-	-	-	-	-	-	-	-	-	2	3	6	7	21	30	40	57	61	66	71	31	11	7	-	-	1
	White.....Male....	274	-	-	-	-	-	-	-	-	-	1	1	4	6	19	23	32	37	41	40	42	17	7	4	-	-	-
	Female..	140	-	-	-	-	-	-	-	-	-	1	2	2	1	2	7	8	20	20	26	29	14	4	3	-	-	1
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	830	-	-	-	-	-	-	1	-	2	-	2	5	12	6	24	56	69	111	121	173	131	83	27	14	1	1
	White.....Male....	417	-	-	-	-	-	-	-	-	-	-	1	2	6	3	15	29	34	65	65	78	72	32	9	5	-	1
	Female..	412	-	-	-	-	-	-	1	-	2	-	1	3	6	3	9	27	26	46	56	95	59	50	18	9	1	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	168	30	3	1	-	-	4	1	1	2	2	6	2	6	1	6	7	7	11	11	22	25	13	4	2	1	-
	White.....Male	98	11	3	1	-	-	2	-	-	1	1	5	1	6	1	5	5	6	8	7	12	14	6	2	-	1	-
	Female	70	19	-	-	-	-	2	1	1	1	1	1	1	-	-	1	2	1	3	4	10	11	7	2	2	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	65	22	3	1	-	-	1	-	-	1	2	1	-	2	1	1	1	3	1	2	7	11	2	2	1	-	-
	White.....Male	35	8	3	1	-	-	1	-	-	1	1	1	-	2	1	1	-	3	-	-	4	6	2	-	-	-	-
	Female	30	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	2	3	5	-	2	1	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	68	2	-	-	-	-	1	-	-	1	-	4	2	3	-	5	3	1	9	7	14	8	6	-	1	1	-
	White.....Male	41	-	-	-	-	-	-	-	-	-	-	3	1	3	-	4	2	1	7	6	7	4	2	-	-	1	-
	Female	27	2	-	-	-	-	1	-	-	1	-	1	1	-	-	1	1	-	2	1	7	4	4	-	1	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	12	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	2	1	-	1	-	3	1	-	-	-	-
	White.....Male	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	1	-	2	1	-	-	-	-
	Female	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	23	6	-	-	-	-	2	-	-	-	-	-	-	-	-	-	1	2	1	1	1	3	4	2	-	-	-
	White.....Male	13	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	2	1	2	-	-	-
	Female	10	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	28	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	3	4	1	5	3	3	1	-	-	-	-
	White.....Male	26	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	3	3	1	5	3	3	-	-	-	-	-
	Female	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	14	11	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	White.....Male	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	8	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	18	-	-	-	1	-	2	-	2	1	1	1	4	-	-	1	1	1	2	1	-	-	-	-	-	-	-
	White.....Male	13	-	-	-	-	-	1	-	1	-	1	1	4	-	-	1	1	1	1	1	-	-	-	-	-	-	-
	Female	5	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	42	2	-	-	-	-	2	-	-	1	1	2	-	-	1	4	4	3	3	8	7	3	1	-	-	-	-
	White.....Male	26	1	-	-	-	-	1	-	-	1	1	-	-	-	1	-	2	3	3	6	5	2	-	-	-	-	-
	Female	16	1	-	-	-	-	1	-	-	-	-	2	-	-	-	4	2	-	-	2	2	1	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	27	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	3	4	2	4	4	2	1	-	-	-
	White.....Male	21	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	4	2	4	2	-	1	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	2	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	14	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	4	4	-	-	-	-	-	-
	White.....Male	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	215	-	-	-	-	-	-	1	1	2	2	1	2	6	7	11	13	19	23	36	26	35	24	5	-	-	1
	White.....Male	110	-	-	-	-	-	-	-	1	1	1	-	1	3	3	5	8	11	13	18	13	15	13	3	-	-	1
	Female	105	-	-	-	-	-	-	1	-	1	1	1	1	3	4	6	5	8	10	18	13	20	11	2	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	7	10	4	-	2	-	-	-
	White.....Male	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	7	10	4	-	2	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Continued																											
140-150	Diseases of pregnancy, etc.*....	12	-	-	-	-	-	-	-	1	-	3	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	12	-	-	-	-	-	-	-	1	-	3	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	5	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma and shock*.....	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	62	46	6	-	2	1	3	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	32	26	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	30	20	2	-	1	1	2	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	115	115	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	44	44	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	72	72	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	40	40	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	32	32	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	31	31	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	43	-	-	-	-	-	-	-	-	1	2	6	8	2	6	7	2	3	2	-	2	2	-	-	-	-	-
	White.....Male....	30	-	-	-	-	-	-	-	-	1	-	4	5	2	4	5	1	2	2	-	2	2	-	-	-	-	-
	Female..	13	-	-	-	-	-	-	-	-	-	2	2	3	-	2	2	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	9	1	-	1	-	1	1	-	-	1	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	5	1	-	-	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	236	7	2	6	6	6	11	14	19	14	11	10	6	6	11	3	14	8	14	13	15	16	15	7	2	-	-
	White.....Male....	156	4	-	5	5	4	6	9	15	8	8	8	6	5	11	2	11	8	10	9	6	9	6	1	-	-	-
	Female..	80	3	2	1	1	2	5	5	4	6	3	2	-	1	-	1	3	-	4	4	9	7	9	6	2	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	63	-	-	-	1	2	4	6	9	7	6	3	4	3	5	-	5	3	1	2	1	-	1	-	-	-	-
	White.....Male....	48	-	-	-	1	1	2	4	8	3	4	2	4	2	5	-	4	3	1	2	1	-	1	-	-	-	-
	Female..	15	-	-	-	-	1	2	2	1	4	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	173	7	2	6	5	4	7	8	10	7	5	7	2	3	6	3	9	5	13	11	14	16	14	7	2	-	-
	White.....Male....	108	4	-	5	4	3	4	5	7	5	4	6	2	3	6	2	7	5	9	7	5	9	5	1	-	-	-
	Female..	65	3	2	1	1	1	3	3	3	2	1	1	-	-	-	1	2	-	4	4	9	7	9	6	2	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes.	51	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	4	7	8	9	7	-	2	-
	White.....Male....	26	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	3	3	5	4	2	-	-	-
	Female..	25	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	4	3	5	5	-	2	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.....	374	12	3	2	-	1	3	4	4	7	4	4	11	6	18	24	17	24	31	48	37	51	33	27	3	-	-
	White.....Male....	214	8	2	1	-	-	3	2	4	5	3	2	5	4	11	12	8	20	20	31	21	25	15	12	-	-	-
	Female..	160	4	1	1	-	1	-	2	-	2	1	2	6	2	7	12	9	4	11	17	16	26	18	15	3	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA																											
	ALL CAUSES	28,641	3,178	248	147	125	79	223	233	478	636	645	780	943	1,152	1,503	1,987	2,215	2,583	2,886	2,914	2,443	1,650	975	396	130	34	58
	White.....Male	11,246	1,182	88	56	48	35	90	85	189	249	210	241	342	403	550	763	891	1,012	1,211	1,242	1,060	712	393	134	32	5	23
	Female	8,229	843	71	44	36	26	56	64	80	141	149	174	198	240	311	360	465	673	889	1,012	942	737	467	187	53	6	5
	Nonwhite..Male	5,042	647	49	21	19	10	47	38	119	126	149	182	221	232	359	478	484	483	453	359	258	97	64	34	27	8	18
	Female	4,124	506	40	26	22	8	30	46	90	120	137	183	182	217	283	386	375	415	333	301	183	104	51	41	18	15	12
1,2	Typhoid and paratyphoid fever	19	1	-	-	1	-	1	1	2	2	2	-	-	2	2	1	1	2	1	-	-	-	-	-	-	-	-
	White.....Male	6	-	-	-	1	-	-	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-
	Female	7	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	52	11	7	2	3	1	4	2	5	3	3	1	1	-	-	5	2	-	-	2	-	-	-	-	-	-	-
	White.....Male	22	5	5	2	-	-	1	-	2	2	1	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	Female	14	4	1	-	1	1	1	1	-	-	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	13	2	1	-	1	-	2	-	3	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	Female	3	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	12	-	1	3	-	-	1	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	74	47	15	6	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	19	14	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	17	10	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	20	13	3	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	18	10	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	43	4	7	4	5	7	12	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	20	2	5	1	4	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	18	1	1	3	1	3	8	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,366	15	14	5	4	2	13	12	86	143	125	121	125	97	108	94	91	92	81	77	32	17	7	1	-	-	4
	White.....Male	407	2	2	3	-	-	1	-	16	21	18	25	38	36	37	42	29	38	39	32	18	5	3	1	-	-	1
	Female	295	3	4	-	1	-	2	1	9	33	27	22	25	19	24	14	15	21	20	32	11	10	2	-	-	-	-
	Nonwhite..Male	374	5	5	2	3	1	6	5	27	41	31	35	35	30	35	26	32	26	15	7	1	2	2	-	-	-	2
	Female	290	5	3	-	-	1	4	6	34	48	49	39	27	12	12	12	15	7	7	6	2	-	-	-	-	-	1
13	Tuberculosis of respiratory system, etc.*	1,235	7	2	3	1	1	6	11	71	127	115	113	116	90	105	91	84	85	77	75	30	14	7	-	-	-	4
	White.....Male	375	1	-	3	-	-	-	-	13	18	16	24	35	35	36	42	26	36	36	31	16	3	3	-	-	-	1
	Female	266	1	-	-	-	-	-	1	6	32	24	20	24	15	24	11	14	18	19	32	11	9	2	-	-	-	-
	Nonwhite..Male	331	2	2	-	1	-	4	5	23	34	26	32	33	28	33	23	31	25	15	7	1	2	2	-	-	-	2
	Female	263	3	-	-	-	1	2	5	29	43	49	37	24	12	12	12	13	6	7	5	2	-	-	-	-	-	1
14-22	Tuberculosis (other forms)	131	8	12	2	3	1	7	1	15	16	10	8	9	7	3	3	7	7	4	2	2	3	-	1	-	-	-
	White.....Male	32	1	2	-	-	-	1	-	3	3	2	1	3	1	1	-	3	2	3	1	2	2	-	1	-	-	-
	Female	29	2	4	-	1	-	2	-	3	1	3	2	1	4	-	-	1	3	1	-	-	1	-	-	-	-	-
	Nonwhite..Male	43	3	3	2	2	1	2	-	4	7	5	3	2	2	2	3	1	1	-	-	-	-	-	-	-	-	-
	Female	27	2	3	-	-	-	2	1	5	5	-	2	3	-	-	-	2	1	-	1	-	-	-	-	-	-	-
27	Dysentery	80	55	11	-	1	1	3	-	-	-	-	-	-	-	1	3	-	-	-	1	2	-	1	1	-	-	-
	White.....Male	21	11	4	-	1	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Female	29	21	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	Nonwhite..Male	19	16	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	11	7	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	368	22	-	-	1	-	1	3	4	9	11	18	29	43	43	48	35	37	26	16	14	6	1	-	-	-	1
	White.....Male	82	2	-	-	-	-	-	1	1	1	1	1	2	7	12	6	7	13	7	7	8	4	1	-	-	-	1
	Female	32	2	-	-	-	-	-	1	-	1	1	3	4	4	2	-	5	3	3	-	3	-	-	-	-	-	-
	Nonwhite..Male	190	10	-	-	-	-	-	-	1	4	5	7	22	28	23	34	17	16	13	7	2	1	-	-	-	-	-
	Female	61	8	-	-	1	-	1	1	2	3	4	7	1	4	6	8	6	5	3	2	1	1	-	-	-	-	-
35	Measles	3	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliomyelitis (acute)	27	1	1	1	1	-	4	3	3	4	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....Male	12	1	-	1	1	-	3	-	1	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	10	-	1	-	-	-	1	3	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1

* Refer to International List for complete title, table V, Part I.

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Continued																											
45-55	Cancer and other malignant tumors	2,754	2	3	3	7	2	5	7	16	15	32	60	73	153	196	289	297	357	380	343	292	133	57	21	4	3	4
	White.....Male	1,029	-	3	3	3	2	4	4	9	3	11	12	21	36	54	103	102	125	142	146	140	64	27	10	3	1	1
	Female	1,118	1	-	-	2	-	1	3	3	8	14	33	33	67	83	97	106	138	176	139	118	61	24	9	1	-	1
	Nonwhite..Male	259	-	-	-	2	-	-	-	2	1	2	6	6	17	21	43	39	37	31	23	20	2	4	1	-	1	1
	Female	348	1	-	-	-	-	-	-	2	3	5	9	13	33	38	46	50	57	31	35	14	6	2	1	-	1	1
46	Cancer of digestive organs, peritoneum	1,096	2	-	-	-	2	1	1	2	2	8	13	21	40	67	113	113	155	163	166	134	58	24	7	2	1	1
	White.....Male	435	-	-	-	-	2	1	-	1	-	2	4	11	11	24	43	42	56	70	68	63	25	7	4	1	-	-
	Female	398	1	-	-	-	-	-	1	-	1	3	2	6	11	19	26	35	55	69	67	54	31	13	3	1	-	-
	Nonwhite..Male	149	-	-	-	-	-	-	-	1	-	1	3	3	11	14	31	18	22	16	16	10	-	2	-	-	-	1
	Female	114	1	-	-	-	-	-	-	-	1	2	4	1	7	10	13	18	22	8	15	7	2	2	-	-	1	-
48,49	Cancer of female genital organs	396	-	-	-	-	-	-	-	-	5	7	23	22	46	40	47	49	48	53	31	16	6	2	1	-	-	-
	White.....Female	266	-	-	-	-	-	-	-	-	4	5	20	13	34	25	27	31	30	38	19	13	4	2	1	-	-	-
	Nonwhite..Female	130	-	-	-	-	-	-	-	-	1	2	3	9	12	15	20	18	18	15	12	3	2	-	-	-	-	-
50	Cancer of breast	259	-	-	-	-	-	-	-	-	-	1	8	7	27	30	35	24	28	33	21	25	13	4	1	-	-	2
	White.....Male	5	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	-	-	-	-	-
	Female	201	-	-	-	-	-	-	-	-	-	1	6	5	14	23	25	18	23	27	18	24	12	4	-	-	-	1
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	52	-	-	-	-	-	-	-	-	-	-	1	2	11	7	9	6	5	5	3	-	1	-	1	-	-	1
45,47, 51-55	Cancer (other sites)	1,003	-	3	3	7	-	4	6	14	8	16	16	23	40	59	94	111	126	131	125	117	56	27	12	2	2	1
	White.....Male	589	-	3	3	3	-	3	4	8	3	9	8	10	23	30	59	60	69	71	78	76	39	20	6	2	1	1
	Female	253	-	-	-	2	-	1	2	3	3	5	5	9	8	16	19	22	30	42	35	27	14	5	5	-	-	-
	Nonwhite..Male	109	-	-	-	2	-	-	-	1	1	1	2	3	6	7	12	21	15	15	7	10	2	2	1	-	1	-
	Female	52	-	-	-	-	-	-	-	2	1	1	1	1	3	6	4	8	12	3	5	4	1	-	-	-	-	-
58	Acute rheumatic fever	36	-	-	-	2	1	4	10	2	-	4	3	2	1	1	1	-	1	1	2	1	-	-	-	-	-	-
	White.....Male	10	-	-	-	1	-	1	3	1	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	7	-	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	15	-	-	-	1	1	1	4	1	-	1	2	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	559	1	-	-	-	-	3	3	7	6	8	13	14	21	31	40	52	74	100	89	48	40	5	1	-	-	3
	White.....Male	179	1	-	-	-	-	2	2	1	3	2	3	9	5	9	8	17	19	37	32	17	8	1	-	-	-	3
	Female	248	-	-	-	-	-	1	-	4	2	2	5	2	4	11	10	19	38	45	49	24	28	3	1	-	-	-
	Nonwhite..Male	47	-	-	-	-	-	-	1	1	1	3	2	1	2	2	6	6	5	8	4	3	2	-	-	-	-	-
	Female	85	-	-	-	-	-	-	-	1	-	1	3	2	10	9	16	10	12	10	4	4	2	1	-	-	-	-
63b	Exophthalmic goiter	44	-	1	-	-	-	-	1	-	1	1	3	4	3	3	7	-	7	6	6	1	-	-	-	-	-	-
	White.....Male	12	-	1	-	-	-	-	-	-	1	1	1	1	-	-	3	-	2	1	1	-	-	-	-	-	-	-
	Female	22	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	4	5	5	1	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	9	-	-	-	-	-	-	1	-	-	-	2	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	29	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	4	3	4	4	7	2	-	-	-	-	-
	White.....Male	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	3	-	-	-	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	3	1	-	-	-	-	-
	Nonwhite..Male	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	1	1	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	59	-	-	-	-	-	-	-	-	2	2	11	7	12	10	6	7	2	-	-	-	-	-	-	-	-	-
	White.....Male	33	-	-	-	-	-	-	-	-	1	-	6	2	9	4	4	5	2	-	-	-	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	13	-	-	-	-	-	-	-	-	-	1	2	4	2	4	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	1	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,020	5	1	1	-	-	2	2	2	7	5	33	45	86	158	237	325	386	470	446	368	266	118	36	16	2	3
	White.....Male	918	1	-	1	-	-	1	1	1	1	2	8	14	23	22	52	80	126	153	163	131	93	29	11	3	1	1
	Female	966	2	1	-	-	-	1	1	-	4	1	5	5	12	34	51	70	81	138	175	160	134	69	14	8	-	-
	Nonwhite..Male	532	1	-	-	-	-	-	-	-	-	1	8	11	22	52	64	77	81	86	50	41	17	13	6	2	-	-
	Female	604	1	-	-	-	-	-	-	1	2	1	12	15	29	50	70	98	98	93	58	36	22	7	5	3	1	2
90-95	Diseases of the heart	7,358	1	1	3	3	2	13	19	24	40	54	72	145	241	395	592	777	903	970	1,047	893	596	363	137	42	12	13
	White.....Male	3,373	-	1	1	-	1	3	4	9	13	23	25	60	91	196	283	378	395	493	512	395	271	156	48	9	2	4
	Female	1,966	1	-	2	2	-	3	3	9	11	10	11	24	32	45	68	125	214	248	326	345	247	161	63	15	1	1
	Nonwhite..Male	1,123	-	-	-	-	-	3	3	2	8	9	19	27	73	87	132	167	175	126	118	85	35	22	11	14	2	5
	Female	896	-	-	-	1	1	4	9	4	8	12	17	34	45	67	109	107	119	103	91	68	43	24	16	4	7	3
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart	433	-	-	-	-	1	4	9	9	22	18	16	18	22	16	28	38	52	27	44	58	24	19	7	-	1	-
	White.....Male	170	-	1	-	-	-	-	1	3	9	10	5	7	11	4	9	15	14	13	20	27	12	9	1	-	-	-
	Female	131	-	-	-	-	-	1	2	4	7	6	6	8	7	2	5	9	15	10	12	15	9	9	4	-	-	-
	Nonwhite..Male	70	-	-	-	-	-	-	1	1	3	2	2	1	4	5	8	8	16	2	8	6	2	1	-	-	-	-
	Female	62	-	-	-	-	1	3	5	1	3	-	3	2	-	5	6	6	7	2	4	10	1	-	2	-	1	-
94	Diseases of coronary arteries, angina pectoris	2,155	1	-	-	-	-	1	1	1	2	14	21	51	103	185	229	284	319	322	280	185	91	39	18	3	1	4
	White.....Male	1,349	-	-	-	-	-	-	1	-	1	8	12	31	57	129	161	193	203	212	171	98	51	16	2	1	-	2
	Female	475	1	-	-	-	-	-	-	-	-	-	3	6	10	23	22	37	72	70	89	68	39	22	12	1	-	-
	Nonwhite..Male	196	-	-	-	-	-	1	-	-	1	4	2	5	22	20	30	36	28	19	13	10	-	-	3	1	-	1
	Female	135	-	-	-	-	-	-	-	1	-	2	4	9	14	13	16	18	16	21	7	9	1	1	1	-	1	1
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	4,770	-	1	3	3	1	8	9	14	16	22	35	76	116	194	335	455	532	621	723	650	481	305	112	39	10	9
	White.....Male	1,854	-	1	1	-	1	3	2	6	3	5	8	22	23	63	113	170	178	268	321	270	208	131	45	8	2	2
	Female	1,960	-	-	2	2	-	2	1	5	4	4	2	10	15	20	41	79	127	168	225	262	199	130	46	14	1	1
	Nonwhite..Male	857	-	-	-	-	-	2	2	1	4	3	15	21	47	62	94	123	131	105	97	69	33	21	8	13	2	4
	Female	699	-	-	-	1	-	1	4	2	5	10	10	23	31	49	87	83	96	80	80	49	41	23	13	4	5	2

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,709	485	62	25	23	14	14	18	34	34	23	34	44	60	65	93	72	72	108	103	139	81	60	32	7	2	5
	White.....Male	604	144	19	8	7	6	6	5	9	15	8	6	13	16	26	29	25	37	44	43	65	30	25	12	4	1	1
	Female	456	113	14	10	6	7	2	7	4	8	5	7	7	11	8	9	15	12	37	31	55	44	28	15	1	-	-
	Nonwhite..Male	352	126	13	4	4	-	5	3	11	4	7	12	14	19	17	27	19	13	20	12	10	2	3	4	-	1	2
	Female	297	102	16	3	6	1	1	3	10	7	3	9	10	14	14	28	13	10	7	17	9	5	4	1	2	-	2
107	Bronchopneumonia	649	284	27	8	9	3	7	9	7	11	6	10	8	9	10	24	18	16	35	35	46	28	13	21	3	1	1
	White.....Male	240	82	10	3	4	-	3	4	3	4	2	1	2	4	2	8	7	9	19	18	28	12	5	7	2	1	-
	Female	158	65	7	1	1	2	1	2	1	3	1	3	1	2	1	1	2	2	8	8	13	14	7	11	1	-	-
	Nonwhite..Male	145	79	5	2	1	-	3	2	2	2	2	4	4	1	6	9	5	1	6	4	2	1	1	3	-	-	-
	Female	106	58	5	2	3	1	-	1	1	2	1	2	1	2	1	6	4	4	2	5	3	1	-	-	-	-	1
108	Lobar pneumonia	451	53	13	8	4	3	4	2	10	13	8	15	19	25	23	37	29	32	32	39	43	18	13	5	-	1	2
	White.....Male	155	15	-	2	1	1	1	-	3	4	3	2	6	5	11	11	8	19	12	14	19	7	7	3	-	-	1
	Female	112	7	1	4	-	2	1	1	1	4	1	2	3	4	2	6	6	6	14	13	17	11	4	2	-	-	-
	Nonwhite..Male	97	14	5	1	2	-	1	-	2	1	4	7	6	9	6	8	9	7	4	5	4	-	-	-	-	1	1
	Female	87	17	7	1	1	-	1	1	4	4	-	4	4	7	4	12	6	-	2	7	3	-	2	-	-	-	-
109	Pneumonia (unspecified)	275	88	13	5	3	4	1	1	6	6	3	2	6	12	17	9	6	13	18	14	17	16	11	4	-	-	-
	White.....Male	100	30	6	2	1	2	-	-	-	4	2	1	2	2	11	2	2	7	7	6	5	6	2	-	-	-	-
	Female	84	25	2	2	2	2	-	1	2	-	-	-	1	4	1	2	3	1	5	5	10	7	7	2	-	-	-
	Nonwhite..Male	51	18	2	1	-	-	1	-	4	1	1	-	1	4	2	3	-	4	4	1	2	-	1	1	-	-	-
	Female	40	15	3	-	-	-	-	-	-	1	-	1	2	2	3	2	1	1	2	2	-	3	1	1	-	-	-
33	Influenza	334	60	9	4	7	4	2	6	11	4	6	7	11	14	15	23	19	11	23	15	33	19	23	2	4	-	2
	White.....Male	109	17	3	1	1	3	2	1	3	3	1	2	3	5	2	8	8	2	6	5	13	5	11	2	2	-	-
	Female	102	16	4	3	3	1	-	3	-	1	3	2	2	1	4	-	4	3	10	5	15	12	10	-	-	-	-
	Nonwhite..Male	59	15	1	-	1	-	-	1	3	-	-	1	3	5	3	7	5	1	6	2	2	1	1	-	-	-	1
	Female	64	12	1	-	2	-	-	1	5	-	2	2	3	3	6	8	2	5	1	3	3	1	1	-	2	-	1
117	Ulcer of stomach or duodenum	159	-	-	-	-	-	-	-	1	2	8	10	10	10	26	16	18	16	17	11	10	3	-	1	-	-	-
	White.....Male	82	-	-	-	-	-	-	-	-	-	4	2	4	4	14	12	13	7	8	6	5	2	-	1	-	-	-
	Female	23	-	-	-	-	-	-	-	-	-	2	-	2	3	1	1	2	2	6	2	1	1	-	-	-	-	-
	Nonwhite..Male	37	-	-	-	-	-	-	-	-	2	1	6	2	1	8	2	2	5	3	3	2	-	-	-	-	-	-
	Female	17	-	-	-	-	-	-	-	1	-	1	2	2	2	3	1	1	2	-	-	2	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	435	338	25	4	7	2	1	4	1	-	2	2	2	1	4	5	2	7	6	8	6	2	3	3	-	-	-
	White.....Male	166	135	9	1	3	-	1	1	1	-	1	-	2	-	-	-	-	1	2	3	4	-	1	1	-	-	-
	Female	115	88	5	2	1	2	-	1	-	-	-	1	-	1	1	-	1	2	2	2	2	1	1	2	-	-	-
	Nonwhite..Male	88	69	5	-	1	-	-	1	-	-	-	1	-	-	2	4	-	2	1	2	-	-	-	-	-	-	-
	Female	66	46	6	1	2	-	-	1	-	-	1	-	-	-	1	1	1	2	1	1	-	1	1	-	-	-	-
121	Appendicitis	161	-	1	1	4	1	14	9	18	2	9	15	16	4	12	9	13	8	8	5	5	5	1	-	-	-	1
	White.....Male	60	-	1	-	2	-	3	4	5	-	1	5	6	1	5	4	5	5	8	1	2	1	-	-	-	-	1
	Female	45	-	-	-	2	-	5	2	6	-	5	5	3	1	2	-	3	3	-	2	1	4	1	-	-	-	-
	Nonwhite..Male	31	-	-	1	-	1	3	-	4	1	1	4	4	2	2	3	3	-	-	1	1	-	-	-	-	-	-
	Female	25	-	-	-	-	-	3	3	3	1	2	1	3	-	3	2	2	-	-	1	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	206	9	1	5	2	1	-	2	2	3	6	11	8	11	14	19	17	19	19	21	16	10	5	2	1	-	2
	White.....Male	60	3	-	2	2	1	-	-	1	1	1	3	2	2	4	4	6	2	5	8	6	4	1	1	1	-	-
	Female	63	2	-	1	-	-	-	-	-	1	3	2	1	2	5	4	2	8	8	7	9	4	3	1	-	-	-
	Nonwhite..Male	48	3	-	1	-	-	-	2	1	1	1	2	3	4	3	5	3	4	5	6	-	2	-	-	-	-	2
	Female	35	1	1	1	-	-	-	-	-	-	1	4	2	3	2	6	6	5	1	-	1	-	1	-	-	-	-
124	Cirrhosis of the liver	154	-	-	-	-	-	-	2	1	-	4	2	11	16	18	21	17	13	21	13	8	3	3	-	-	-	1
	White.....Male	82	-	-	-	-	-	-	1	1	-	1	1	5	9	9	16	10	7	7	7	5	2	1	-	-	-	-
	Female	45	-	-	-	-	-	-	1	-	-	1	-	6	4	4	4	4	4	7	5	2	1	1	-	-	-	1
	Nonwhite..Male	18	-	-	-	-	-	-	-	-	-	1	1	-	3	2	1	1	1	7	-	-	-	1	-	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	2	1	-	1	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	87	-	1	-	-	-	-	-	-	-	1	4	-	5	5	14	5	8	11	15	10	4	4	-	-	-	-
	White.....Male	29	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	5	5	7	5	3	1	-	-	-	-
	Female	46	-	-	-	-	-	-	-	-	-	-	2	-	4	3	9	4	2	5	8	5	1	3	-	-	-	-
	Nonwhite..Male	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Female	9	-	-	-	-	-	-	-	-	-	1	2	-	-	2	3	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,284	2	2	2	2	1	6	4	10	19	22	31	56	81	112	180	188	267	319	330	258	199	128	40	20	1	4
	White.....Male	772	-	2	2	-	1	3	1	3	7	5	5	12	22	24	49	74	77	102	116	97	103	50	12	4	-	1
	Female	652	2	-	-	2	-	2	2	4	5	4	3	13	13	19	28	35	69	92	106	93	74	63	15	8	-	-
	Nonwhite..Male	463	-	-	-	-	-	-	1	2	3	4	7	10	24	37	52	43	61	73	63	41	15	11	7	5	1	3
	Female	397	-	-	-	-	-	1	-	1	4	9	16	21	22	32	51	36	60	52	45	27	7	4	6	3	-	-
137	Diseases of the prostate	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	9	11	20	23	23	25	12	3	1	-	-
	White.....Male	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	9	15	18	22	12	3	1	-	-
	Nonwhite..Male	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	8	11	8	5	3	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

747801 O - 47 - 24

Table 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Continued																											
140-150	Diseases of pregnancy, etc.*....	142	-	-	-	-	-	-	3	11	22	30	32	27	15	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	50	-	-	-	-	-	-	-	4	13	16	17	19	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	62	-	-	-	-	-	-	3	7	9	14	15	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	52	-	-	-	-	-	-	1	5	11	11	9	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	35	-	-	-	-	-	-	-	2	7	8	6	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	17	-	-	-	-	-	-	1	3	4	3	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144, 148	Puerperal toxemia....	33	-	-	-	-	-	-	2	5	3	8	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	15	-	-	-	-	-	-	-	2	2	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	18	-	-	-	-	-	-	2	3	1	5	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143, 146, 149	Hemorrhage, trauma and shock*.....	44	-	-	-	-	-	-	-	1	5	8	11	11	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	25	-	-	-	-	-	-	-	-	2	4	6	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	19	-	-	-	-	-	-	-	1	3	4	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B, 150	Other puerperal causes.....	13	-	-	-	-	-	-	-	-	3	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	8	-	-	-	-	-	-	-	-	1	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	364	305	20	4	4	1	9	3	5	4	1	-	3	2	-	-	1	-	1	-	-	-	-	-	-	-	1
	White.....Male....	153	128	6	1	3	-	5	1	3	2	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	137	115	10	2	1	1	-	1	1	2	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..Male....	41	33	3	-	-	-	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	33	29	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	1,441	1,441	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	588	588	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	368	368	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	274	274	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	211	211	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	875	875	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	357	357	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	218	218	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	160	160	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	140	140	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158, 160, 161	Other diseases peculiar to first year...	566	566	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	231	231	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	150	150	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	114	114	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	71	71	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163, 164	Suicide.....	313	-	-	-	-	-	-	1	4	31	18	28	40	42	38	29	16	24	18	14	6	3	1	-	-	-	-
	White.....Male....	210	-	-	-	-	-	-	1	2	17	10	17	25	25	23	22	10	22	13	13	6	3	1	-	-	-	-
	Female..	77	-	-	-	-	-	-	-	2	7	6	10	7	12	14	5	6	2	5	1	-	-	-	-	-	-	-
	Nonwhite..Male....	18	-	-	-	-	-	-	-	-	4	1	1	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-
	Female..	8	-	-	-	-	-	-	-	-	3	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	240	5	-	-	-	-	2	2	26	26	32	32	37	18	21	18	5	3	4	4	1	2	1	-	-	-	1
	White.....Male....	54	2	-	-	-	-	-	1	5	2	5	7	8	5	4	8	1	2	1	1	-	1	-	-	-	-	1
	Female..	16	2	-	-	-	-	1	-	2	-	1	4	1	-	1	1	-	-	-	2	-	1	-	-	-	-	-
	Nonwhite..Male....	129	-	-	-	-	-	1	-	13	15	23	14	21	10	15	9	3	-	2	1	1	-	1	-	-	-	-
	Female..	41	1	-	-	-	-	-	1	6	9	3	7	7	3	1	-	1	1	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	2,061	106	28	44	27	16	57	70	150	185	149	131	144	114	104	102	98	79	91	93	88	84	60	23	5	1	12
	White.....Male....	1,093	41	10	20	12	7	31	31	88	129	80	80	86	67	63	56	55	38	32	35	40	35	21	8	-	-	8
	Female..	422	25	8	11	8	5	12	19	13	21	16	16	17	10	12	11	13	16	23	32	36	45	35	13	3	1	1
	Nonwhite..Male....	403	19	7	5	3	2	10	16	42	28	45	30	35	31	23	28	21	19	11	13	8	2	2	-	2	-	1
	Female..	143	21	3	8	4	2	4	4	7	7	8	5	6	6	6	7	9	6	5	13	4	2	2	2	-	-	2
170	Motor-vehicle accidents.....	639	3	3	13	5	8	24	20	58	90	68	55	64	33	44	36	26	27	29	14	7	7	4	-	-	-	1
	White.....Male....	392	2	1	9	2	5	15	11	32	61	35	35	41	22	24	21	20	14	21	7	6	5	3	-	-	-	-
	Female..	99	1	2	3	1	2	5	5	9	15	9	6	12	2	5	7	-	4	4	4	1	1	1	-	-	-	-
	Nonwhite..Male....	120	-	-	-	-	1	3	4	14	10	22	12	10	7	13	5	5	8	3	2	-	1	-	-	-	-	-
	Female..	28	-	-	1	2	-	1	-	3	4	2	2	1	2	2	3	1	1	1	1	-	-	-	-	-	-	1
169, 171-195	Other accidents.....	1,422	103	25	31	22	8	33	50	92	95	81	76	80	81	60	66	72	52	62	79	81	77	56	23	5	1	11
	White.....Male....	701	39	9	11	10	2	16	20	56	68	45	45	45	45	39	35	35	24	31	28	34	30	18	8	-	-	8
	Female..	323	24	6	8	7	3	7	14	4	6	7	10	5	8	7	4	13	12	19	28	35	44	34	13	3	1	1
	Nonwhite..Male....	283	19	7	5	3	1	7	12	28	18	23	18	25	24	10	23	16	11	8	11	8	1	2	-	2	-	1
	Female..	115	21	3	7	2	2	3	4	4	3	6	3	5	4	4	4	8	5	4	12	4	2	2	2	-	-	1
162, 199, 200	Senility, ill-defined and unknown causes..	661	169	5	4	2	-	-	4	6	6	5	5	10	11	13	20	25	27	38	48	62	55	62	51	23	9	1
	White.....Male....	240	55	-	1	1	-	-	2	3	2	1	2	4	5	6	7	14	12	17	19	21	18	33	14	3	-	-
	Female..	207	45	2	1	-	-	-	-	3	1	3	-	2	1	2	2	2	6	10	10	23	24	25	29	13	3	-
	Nonwhite..Male....	113	35	3	1	1	-	-	2	-	-	1	2	-	2	3	6	6	5	8	11	10	8	1	2	3	2	1
	Female..	101	34	-	1	-	-	-	-	-	3	-	1	4	3	2	5	3	4	3	8	8	5	3	6	4	4	-
	All other causes.....	2,188	153	41	29	24	26	50	44	55	69	84	102	87	99	121	132	138	165	166	193	153	114	83	44	11	4	1
	White.....Male....	807	47	15	8	7	12	17	22	24	26	27	29	25	38	35	50	57	71	63	72	73	43	30	12	4	-	-
	Female..	708	37	17	6	8	7	15	15	14	21	29	25	23	24	35	39	33	47	56	76	48	56	47	25	4	1	-
	Nonwhite..Male....	368	40	5	7	3	5	10	2	8	12	10	23	18	17	22	26	34	24	31	29	27	5	4	3	1	1	1
	Female..	305	29	4	8	6	2	8	5	9	10	18	25	21	20	29	17	14	23	16	16	5	10	2	4	2	2	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON																											
	ALL CAUSES	21,890	1,539	117	87	67	45	132	150	218	386	380	392	524	643	891	1,336	1,765	2,161	2,487	2,592	2,482	1,969	1,090	334	70	10	23
	White.....Male	12,859	858	54	46	26	21	67	96	127	211	210	220	276	399	564	828	1,133	1,409	1,550	1,486	1,403	1,089	580	155	26	6	19
	Female	8,405	590	48	38	32	21	56	44	69	130	138	153	220	215	294	469	587	707	897	1,067	1,046	868	496	175	40	3	4
	Nonwhite..Male	398	61	8	-	4	2	5	7	11	26	15	14	19	20	23	28	29	37	31	22	16	7	8	3	2	-	-
	Female	228	30	7	3	5	1	4	3	11	19	17	5	9	9	10	11	16	8	9	17	17	7	6	1	2	1	-
1,2	Typhoid and paratyphoid fever	4	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	22	3	3	1	-	-	-	2	5	2	-	-	-	-	1	1	1	1	1	-	-	-	1	-	-	-	-
	White.....Male	13	2	2	1	-	-	-	1	2	1	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-
	Female	9	1	1	-	-	-	-	1	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	38	1	5	5	2	2	5	2	1	1	-	-	1	2	1	1	4	2	-	1	1	1	-	-	-	-	-
	White.....Male	17	1	1	2	-	1	1	-	1	1	-	-	1	1	1	-	4	-	-	1	-	1	-	-	-	-	-
	Female	19	-	3	2	2	1	4	2	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	706	6	5	2	4	3	3	9	22	73	61	50	52	68	52	68	64	61	45	20	17	12	8	1	-	-	-
	White.....Male	394	1	-	-	-	-	2	-	4	21	25	23	23	43	29	41	52	50	31	14	11	7	4	1	-	-	-
	Female	207	2	3	-	3	1	-	4	7	23	23	17	19	19	20	19	6	8	14	6	5	5	3	-	-	-	-
	Nonwhite..Male	66	2	2	-	1	1	1	4	4	15	7	4	4	5	3	6	4	3	-	-	-	-	-	-	-	-	-
	Female	39	1	-	2	-	1	-	1	7	14	6	-	-	1	-	2	2	-	-	-	1	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	618	3	2	1	2	2	2	3	18	64	55	45	48	59	46	58	58	57	42	18	16	11	7	1	-	-	-
	White.....Male	355	-	-	-	-	-	2	-	3	17	21	26	27	40	27	34	47	48	29	12	11	6	4	1	-	-	-
	Female	172	-	1	-	1	-	-	1	5	21	21	16	17	14	16	17	6	6	13	6	4	5	2	-	-	-	-
	Nonwhite..Male	59	2	1	-	1	1	-	2	4	14	7	3	4	4	3	6	4	3	-	-	-	-	-	-	-	-	-
	Female	32	1	-	1	-	1	-	-	6	12	6	-	-	1	-	1	1	-	-	-	1	-	1	-	-	-	-
14-22	Tuberculosis (other forms)	88	3	3	1	2	1	1	6	4	9	6	5	4	9	6	10	6	4	3	2	1	1	1	-	-	-	-
	White.....Male	39	1	-	-	-	-	-	-	1	4	4	3	2	3	2	7	5	2	2	2	-	1	-	-	-	-	-
	Female	35	2	2	-	2	1	-	3	2	2	2	1	2	5	4	2	-	2	1	-	1	-	1	-	-	-	-
	Nonwhite..Male	7	-	1	-	-	-	1	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	-	-	1	-	-	-	1	1	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	17	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	190	2	-	-	-	-	-	-	2	-	1	6	6	8	20	18	34	25	34	15	12	5	1	1	-	-	-
	White.....Male	128	1	-	-	-	-	-	-	1	-	1	1	3	4	13	13	23	16	24	13	11	4	-	-	-	-	-
	Female	40	-	-	-	-	-	-	-	-	-	-	4	-	2	2	4	6	8	8	2	1	1	1	1	-	-	-
	Nonwhite..Male	14	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	5	-	2	-	-	-	-	-	-	-	-
	Female	8	1	-	-	-	-	-	-	1	-	-	-	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-
35	Measles	9	1	3	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	-	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	25	-	-	1	1	1	3	4	1	1	5	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	15	-	-	-	1	-	1	3	-	1	4	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	10	-	-	1	-	1	2	1	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Continued																											
45-55	Cancer and other malignant tumors....	2,732	2	3	4	2	1	6	10	7	11	18	33	71	71	145	236	339	345	404	399	325	197	82	15	4	1	1
	White.....Male....	1,327	2	2	-	-	-	3	9	5	3	10	6	23	23	57	86	165	173	214	216	174	102	46	5	3	-	-
	Female..	1,374	-	1	4	2	1	2	1	2	8	8	27	47	47	87	146	171	170	184	177	147	94	36	9	1	1	1
	Nonwhite..Male....	16	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	2	2	3	1	2	1	-	1	-	-	-
	Female..	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	3	5	2	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum..	1,276	1	-	-	-	-	1	-	2	1	-	8	17	27	43	88	147	174	209	217	178	108	46	9	-	-	-
	White.....Male....	733	1	-	-	-	-	1	-	1	-	-	2	10	13	25	48	98	109	116	127	101	56	23	2	-	-	-
	Female..	526	-	-	-	-	-	-	-	1	1	-	6	6	13	17	38	48	64	90	87	75	51	23	6	-	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	-	1	-	1	-	-	-
	Female..	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	2	2	-	-	-	-	-	-
48,49	Cancer of female genital organs.....	324	-	-	-	-	-	-	-	-	3	4	13	19	14	30	44	50	37	31	28	34	13	3	1	-	-	-
	White.....Female..	322	-	-	-	-	-	-	-	-	3	4	13	19	14	30	44	50	37	30	27	34	13	3	1	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
50	Cancer of breast.....	269	-	-	-	-	-	-	-	-	1	-	4	13	9	20	38	39	40	31	35	15	17	4	1	-	1	1
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	266	-	-	-	-	-	-	-	-	1	-	4	13	9	20	38	39	39	30	34	15	17	4	1	-	1	1
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	863	1	3	4	2	1	5	10	5	6	14	8	22	21	52	66	103	94	133	119	98	59	29	4	4	-	-
	White.....Male....	593	1	2	-	-	-	2	9	4	3	10	4	13	10	32	38	67	63	98	89	73	46	23	3	3	-	-
	Female..	260	-	1	4	2	1	2	1	1	3	4	4	9	11	20	26	34	30	34	29	23	13	6	1	1	-	-
	Nonwhite..Male....	8	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	1	-	2	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	16	-	-	-	1	-	1	2	1	2	-	1	2	1	-	1	1	-	-	2	1	-	-	-	-	-	-
	White.....Male....	8	-	-	-	-	-	-	2	1	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	8	-	-	-	1	-	1	-	-	1	-	-	1	-	-	1	-	-	-	2	1	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	465	1	-	2	-	-	3	3	4	7	6	7	4	10	8	18	36	76	80	78	68	43	10	1	-	-	-
	White.....Male....	195	1	-	2	-	-	2	1	3	3	2	2	-	6	4	7	9	30	27	35	33	23	4	1	-	-	-
	Female..	264	-	-	-	-	-	1	2	1	4	4	4	3	4	4	11	26	45	52	43	34	20	6	-	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter..	40	-	-	-	-	-	1	-	-	-	-	-	1	2	2	7	6	7	2	6	3	2	1	-	-	-	-
	White.....Male....	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	-	1	-	-	-	-	-	-	-
	Female..	28	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	3	2	5	3	2	1	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	98	-	-	-	-	-	-	-	-	1	1	3	8	13	14	21	14	8	10	2	1	1	-	-	-	-	1
	White.....Male....	86	-	-	-	-	-	-	-	-	-	1	2	6	12	10	21	13	8	9	2	1	-	-	-	-	-	1
	Female..	11	-	-	-	-	-	-	-	-	1	-	1	2	1	3	-	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	2,075	2	2	-	-	-	2	3	1	6	4	6	23	35	54	100	161	220	299	330	340	281	158	42	5	1	-
	White.....Male....	1,093	2	1	-	-	-	2	3	-	2	3	3	8	20	25	53	83	123	173	175	163	150	81	21	1	1	-
	Female..	944	-	1	-	-	-	-	-	-	4	1	3	14	13	28	44	73	89	121	147	174	131	76	21	4	-	-
	Nonwhite..Male....	25	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	3	7	3	6	-	-	1	-	-	-	-
	Female..	13	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	2	2	3	-	-	-	-	-	-
90-95	Diseases of the heart.....	6,781	1	1	-	1	1	4	9	15	15	40	48	69	145	262	427	579	829	981	1,029	996	759	403	141	20	1	5
	White.....Male....	4,289	-	1	-	-	1	1	5	9	7	23	33	46	104	200	326	424	586	658	590	586	402	225	61	6	1	4
	Female..	2,390	1	-	-	1	-	2	3	4	7	14	14	21	36	55	91	148	234	309	437	394	352	173	80	13	-	1
	Nonwhite..Male....	63	-	-	-	-	-	-	1	2	-	2	1	1	2	3	7	3	8	11	6	10	3	2	-	1	-	-
	Female..	39	-	-	-	-	-	1	-	-	1	1	-	1	3	4	3	4	1	3	6	6	2	3	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	469	-	-	-	-	-	2	5	10	8	17	22	10	14	24	27	39	51	46	60	55	51	24	4	-	-	-
	White.....Male....	252	-	-	-	-	-	1	3	6	4	11	14	3	7	8	16	25	33	24	30	29	21	13	4	-	-	-
	Female..	209	-	-	-	-	-	-	2	3	4	5	8	7	7	15	11	14	17	22	29	25	30	10	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	2,676	-	-	-	-	-	-	-	-	-	3	10	32	84	163	241	322	422	445	356	311	185	76	19	3	-	4
	White.....Male....	2,017	-	-	-	-	-	-	-	-	-	3	10	27	71	144	204	263	337	331	233	206	120	54	8	2	-	4
	Female..	627	-	-	-	-	-	-	-	-	-	-	-	3	11	15	34	57	82	108	120	101	64	21	11	-	-	-
	Nonwhite..Male....	22	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	3	5	2	2	1	-	-	1	-	-
	Female..	10	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	1	2	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	3,636	1	1	-	1	1	2	4	5	7	20	16	27	47	75	159	218	356	490	613	630	523	303	118	17	1	1
	White.....Male....	2,020	-	1	-	-	1	-	2	3	3	9	9	16	26	48	106	136	216	303	317	351	261	158	49	4	1	-
	Female..	1,554	1	-	-	1	-	2	1	1	3	9	6	11	18	25	46	77	135	179	288	268	258	142	69	13	-	1
	Nonwhite..Male....	37	-	-	-	-	-	-	1	1	-	1	1	-	-	1	5	2	4	6	3	8	2	2	-	-	-	-
	Female..	25	-	-	-	-	-	-	-	-	1	1	-	-	3	1	2	3	1	2	5	3	2	1	-	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	962	175	19	13	7	3	7	4	7	11	11	15	18	24	36	46	65	64	76	94	90	89	66	14	8	-	-
	White.....Male	554	89	7	8	3	2	5	1	3	3	6	7	12	19	24	24	41	47	54	50	56	53	32	6	2	-	-
	Female	340	60	8	5	1	1	2	3	4	7	5	7	5	4	11	17	18	10	20	41	33	36	30	8	4	-	-
	Nonwhite..Male	40	15	1	-	-	-	-	-	-	1	-	-	1	1	-	5	3	5	2	1	1	-	3	-	1	-	-
	Female	28	11	3	-	3	-	-	-	-	-	-	1	-	-	1	-	3	2	-	2	-	-	1	-	1	-	-
107	Bronchopneumonia	459	101	7	7	2	2	2	-	-	4	5	5	4	7	17	16	31	26	34	48	44	48	36	8	5	-	-
	White.....Male	264	49	4	5	-	1	2	-	-	1	3	1	4	5	12	8	23	20	25	25	26	32	14	2	2	-	-
	Female	169	39	3	2	1	1	-	-	-	3	2	4	-	2	5	7	6	3	9	21	18	16	19	6	2	-	-
	Nonwhite..Male	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	2	-	-	-	-
	Female	14	8	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	-
108	Lobar pneumonia	296	36	4	2	3	-	4	1	4	4	5	2	8	13	15	18	16	29	26	33	29	26	14	3	1	-	-
	White.....Male	174	19	-	2	3	-	3	1	2	2	3	-	5	10	9	6	10	21	16	17	19	15	9	2	-	-	-
	Female	94	7	2	-	-	-	1	-	2	1	2	2	2	2	5	8	5	4	9	16	9	11	4	1	1	-	-
	Nonwhite..Male	21	7	-	-	-	-	-	-	-	1	-	-	1	1	-	4	-	4	1	-	1	-	1	-	-	-	-
	Female	7	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	103	27	5	2	1	-	-	1	1	2	1	1	4	1	1	7	11	5	7	4	9	6	6	-	1	-	-
	White.....Male	65	17	2	1	-	-	-	-	-	-	-	1	3	1	1	7	4	5	7	3	7	2	4	-	-	-	-
	Female	30	7	2	1	-	-	-	1	1	2	1	-	1	-	-	-	5	-	-	1	2	4	2	-	-	-	-
	Nonwhite..Male	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Female	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
33	Influenza	104	11	3	2	1	1	1	2	2	1	-	7	2	3	3	5	7	4	9	9	8	9	10	3	1	-	-
	White.....Male	51	4	1	-	-	1	-	-	1	-	-	5	-	3	2	3	4	1	6	5	4	4	5	2	-	-	-
	Female	47	7	1	2	-	-	1	2	1	1	-	1	2	-	1	2	2	3	2	3	4	5	5	1	1	-	-
	Nonwhite..Male	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Female	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	155	-	-	-	-	-	-	-	1	-	1	4	9	14	15	19	20	17	23	14	7	9	2	-	-	-	-
	White.....Male	129	-	-	-	-	-	-	-	1	-	1	3	8	12	14	13	18	17	18	11	6	6	1	-	-	-	-
	Female	23	-	-	-	-	-	-	-	-	-	-	1	1	1	1	5	1	-	5	3	1	3	1	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	116	80	9	-	2	1	-	-	2	2	3	2	2	1	2	1	2	1	1	-	2	2	-	1	-	-	-
	White.....Male	59	43	3	-	1	1	-	-	1	-	1	1	-	-	1	-	2	1	1	-	2	1	-	-	-	-	-
	Female	40	25	2	-	-	-	-	-	1	2	2	1	2	1	1	1	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite..Male	10	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	98	1	1	2	1	-	8	6	6	3	4	4	7	4	5	9	10	9	5	5	4	3	1	-	-	-	-
	White.....Male	54	1	1	2	-	-	2	4	3	1	4	2	3	2	4	5	5	5	3	3	2	1	1	-	-	-	-
	Female	40	-	-	-	1	-	5	2	3	2	-	2	3	2	1	4	3	4	2	2	2	2	-	-	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	190	1	1	2	1	-	-	1	-	2	1	5	9	9	10	18	17	18	24	21	25	16	9	-	-	-	-
	White.....Male	85	1	1	1	-	-	-	-	-	1	-	2	5	3	5	7	9	8	10	10	10	9	3	-	-	-	-
	Female	97	-	-	1	-	-	-	1	-	1	1	2	4	5	5	11	7	9	14	10	13	7	6	-	-	-	-
	Nonwhite..Male	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
124	Cirrhosis of the liver	139	1	-	-	-	-	-	-	1	-	1	7	2	11	13	19	20	28	12	12	6	5	1	-	-	-	-
	White.....Male	90	1	-	-	-	-	-	-	-	-	-	2	-	8	7	13	16	17	8	10	4	4	-	-	-	-	-
	Female	48	-	-	-	-	-	-	-	1	-	1	5	2	3	6	6	4	10	4	2	2	1	1	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	91	-	-	-	-	-	-	-	-	2	-	-	3	3	4	10	8	15	13	18	10	4	1	-	-	-	-
	White.....Male	28	-	-	-	-	-	-	-	-	-	-	-	3	1	2	4	3	2	6	3	4	-	-	-	-	-	-
	Female	62	-	-	-	-	-	-	-	-	2	-	-	-	2	2	6	5	13	7	15	6	3	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
130-132	Nephritis	1,120	-	-	1	1	1	2	2	6	11	14	8	19	26	38	51	91	106	136	167	177	139	94	21	7	2	-
	White.....Male	659	-	-	-	1	-	1	1	2	4	8	4	6	10	23	33	56	70	91	102	90	86	54	11	4	2	-
	Female	438	-	-	1	-	1	1	1	4	6	6	3	12	15	12	15	33	32	43	62	87	52	39	10	3	-	-
	Nonwhite..Male	15	-	-	-	-	-	-	-	-	1	-	-	1	-	2	2	1	3	2	2	-	-	1	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	1	-	1	-	-	-	-	-
137	Diseases of the prostate	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	11	12	17	26	19	17	4	-	-	-
	White.....Male	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	10	12	16	25	19	17	4	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Continued																											
140-150	Diseases of pregnancy, etc.*....	76	-	-	-	-	-	-	-	8	12	24	11	16	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	70	-	-	-	-	-	-	-	7	11	21	11	16	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	6	-	-	-	-	-	-	-	1	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	27	-	-	-	-	-	-	-	2	5	10	4	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	24	-	-	-	-	-	-	-	2	5	8	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	19	-	-	-	-	-	-	-	3	2	4	2	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	18	-	-	-	-	-	-	-	2	2	4	2	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b, 142b, 143,146, 149	Hemorrhage, trauma and shock*.....	22	-	-	-	-	-	-	-	2	1	8	4	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	22	-	-	-	-	-	-	-	2	1	8	4	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	8	-	-	-	-	-	-	-	1	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	6	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	254	212	8	7	3	2	1	3	-	4	3	3	5	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	White.....Male....	138	115	4	4	1	1	1	3	-	3	1	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Female..	112	93	4	3	2	1	-	-	-	1	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	877	877	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	507	507	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	340	340	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	24	24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	546	546	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	299	299	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	225	225	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	18	18	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	331	331	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	208	208	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	115	115	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	303	-	-	-	-	-	-	1	3	16	20	20	27	40	22	35	30	27	22	18	13	6	1	-	-	-	2
	White.....Male....	216	-	-	-	-	-	-	1	3	9	10	14	16	27	19	23	24	22	18	12	11	6	-	-	-	-	1
	Female..	78	-	-	-	-	-	-	-	-	5	10	6	9	12	3	11	5	5	4	5	1	-	1	-	-	-	1
	Nonwhite..Male....	8	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	1	-	-	1	1	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	78	4	-	1	-	1	4	3	4	3	7	6	11	4	13	3	5	3	4	1	1	-	-	-	-	-	-
	White.....Male....	40	-	-	-	-	1	-	-	3	2	5	3	3	2	8	2	4	2	3	1	1	-	-	-	-	-	-
	Female..	23	4	-	1	-	-	4	3	1	-	-	2	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	13	-	-	-	-	-	-	-	-	1	1	1	4	1	3	-	-	1	1	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,903	58	30	26	24	16	56	57	95	164	106	95	101	89	83	112	104	111	104	127	120	115	68	28	4	2	8
	White.....Male....	1,339	29	15	14	8	9	35	48	73	128	86	74	77	71	70	91	84	88	66	95	71	63	24	11	2	-	7
	Female..	503	25	14	12	13	6	18	8	18	28	14	15	19	14	11	20	18	21	35	31	48	49	44	17	2	2	1
	Nonwhite..Male....	45	2	1	-	1	1	2	-	3	7	4	5	4	3	2	1	2	1	3	1	-	2	-	-	-	-	-
	Female..	16	2	-	-	2	-	1	1	1	1	2	1	1	1	-	-	-	1	-	-	1	1	-	-	-	-	-
170	Motor-vehicle accidents.....	579	1	8	5	8	8	25	18	49	52	27	38	33	27	27	41	32	44	41	44	18	24	6	1	-	-	2
	White.....Male....	430	-	4	3	3	5	15	15	39	37	21	28	23	19	21	32	22	36	29	37	16	19	3	1	-	-	2
	Female..	134	1	4	2	3	3	10	3	9	13	4	8	9	7	5	8	10	7	11	7	2	5	3	-	-	-	-
	Nonwhite..Male....	11	-	-	-	1	-	-	-	-	2	1	1	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	1,324	57	22	21	16	8	31	39	46	112	79	57	68	62	56	71	72	67	63	83	102	91	62	27	4	2	6
	White.....Male....	909	29	11	11	5	4	20	33	34	91	65	46	54	52	49	59	62	52	37	58	55	44	21	10	2	-	5
	Female..	369	24	10	10	10	3	8	5	9	15	10	7	10	7	6	12	8	14	24	24	46	44	41	17	2	2	1
	Nonwhite..Male....	34	2	1	-	-	1	2	-	3	5	3	4	3	2	1	-	2	-	2	1	-	2	-	-	-	-	-
	Female..	12	2	-	-	1	-	1	1	-	1	1	-	1	1	-	-	-	1	-	-	1	1	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	415	17	1	2	-	-	1	4	1	3	1	-	1	7	17	17	21	33	33	33	51	72	59	25	10	1	5
	White.....Male....	240	7	-	1	-	-	1	2	1	-	-	-	1	6	11	13	17	26	23	22	21	34	34	10	5	-	5
	Female..	154	7	1	1	-	-	-	1	-	3	-	-	-	1	4	4	3	6	9	10	28	35	23	14	4	-	-
	Nonwhite..Male....	12	2	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	1	1	1	-	1	1	1	-	-	-
	Female..	9	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	2	1	-	1	1	-
	All other causes.....	1,771	74	22	18	17	12	22	24	24	34	46	53	54	49	74	98	125	142	165	181	186	189	107	40	12	2	1
	White.....Male....	1,015	40	15	11	11	5	9	11	11	20	19	26	23	22	37	50	70	102	99	112	121	118	53	24	3	2	1
	Female..	718	28	6	7	6	7	12	11	12	13	24	25	30	25	33	46	53	37	63	67	65	71	54	14	9	-	-
	Nonwhite..Male....	24	6	-	-	-	-	-	1	1	-	1	1	-	1	2	1	1	3	3	2	-	-	-	1	-	-	-
	Female..	14	-	1	-	-	-	1	1	-	1	2	1	1	1	2	1	1	-	-	-	-	-	-	1	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA																											
	ALL CAUSES	16,630	2,030	167	88	61	55	195	132	272	301	341	424	534	590	708	931	1,111	1,376	1,623	1,746	1,666	1,193	679	261	55	12	79
	White.....Male	8,800	1,082	77	42	34	30	101	78	141	150	162	232	274	294	371	543	600	772	885	949	888	603	320	104	23	4	41
	Female	6,572	821	77	42	25	22	82	50	106	114	139	146	181	204	219	282	401	490	632	719	719	553	344	147	28	4	25
	Nonwhite..Male	718	65	7	3	2	3	7	-	12	16	22	20	34	61	65	70	65	72	68	50	36	21	8	4	-	2	5
	Female	540	62	6	1	-	-	5	4	13	21	18	26	45	31	53	36	45	42	38	28	23	16	7	6	4	2	8
1,2	Typhoid and paratyphoid fever	8	-	-	-	-	1	1	-	2	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White.....Male	5	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	29	11	1	1	-	3	3	1	1	1	3	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	White.....Male	16	5	1	1	-	2	2	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	12	6	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	8	-	-	-	1	-	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	60	42	11	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	25	21	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	32	19	8	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	38	3	5	5	6	7	6	2	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male	21	2	3	4	2	5	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	16	1	2	1	4	2	2	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	719	7	8	4	3	-	5	7	33	67	66	84	71	61	54	52	47	47	36	29	22	11	2	-	-	-	3
	White.....Male	336	2	6	2	2	-	-	3	9	23	26	29	33	30	32	35	25	27	24	10	12	5	-	-	-	-	1
	Female	266	5	1	2	1	-	3	3	16	28	27	42	28	13	18	11	11	12	9	18	8	6	2	-	-	-	2
	Nonwhite..Male	68	-	-	-	-	-	1	-	3	7	9	3	4	14	1	4	10	7	3	1	1	-	-	-	-	-	-
	Female	49	-	1	-	-	-	1	1	5	9	4	10	6	4	3	2	1	1	-	-	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	663	5	2	1	-	-	1	5	32	63	65	77	70	57	52	49	43	43	34	28	21	10	2	-	-	-	3
	White.....Male	311	2	1	-	-	-	-	1	9	21	26	27	32	29	31	34	23	26	23	9	11	5	-	-	-	-	1
	Female	244	3	1	1	-	-	-	3	15	27	27	38	28	11	17	10	11	9	8	18	8	5	2	-	-	-	2
	Nonwhite..Male	65	-	-	-	-	-	1	-	3	7	9	3	4	14	1	3	8	7	3	1	1	-	-	-	-	-	-
	Female	43	-	-	-	-	-	-	1	5	8	3	9	6	3	3	2	1	1	-	-	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	56	2	6	3	3	-	4	2	1	4	1	7	1	4	2	3	4	4	2	1	1	1	-	-	-	-	-
	White.....Male	25	-	5	2	2	-	-	2	-	2	-	2	1	1	1	1	2	1	1	1	1	-	-	-	-	-	-
	Female	22	2	-	1	1	-	3	-	1	1	-	4	-	2	1	1	-	3	1	-	-	1	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	Female	6	-	1	-	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	51	36	3	1	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	3	1	1	1	1	-	-	-
	White.....Male	26	19	2	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	Female	23	17	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	1	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	213	18	-	-	-	-	1	-	2	8	7	10	24	26	20	24	22	16	20	8	5	-	-	-	-	-	2
	White.....Male	123	8	-	-	-	-	-	-	1	3	1	4	15	12	12	16	10	12	17	7	3	-	-	-	-	-	2
	Female	42	7	-	-	-	-	1	-	-	3	3	3	3	6	3	2	5	2	2	1	1	-	-	-	-	-	-
	Nonwhite..Male	33	3	-	-	-	-	-	-	1	-	1	-	3	8	3	3	7	2	1	-	1	-	-	-	-	-	-
	Female	15	-	-	-	-	-	-	-	-	2	2	3	3	-	2	3	-	-	-	-	-	-	-	-	-	-	-
35	Measles	4	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	11	1	2	-	1	-	2	2	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male	8	1	1	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	3	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																											
45-55	Cancer and other malignant tumors....	1,714	1	-	2	6	3	4	3	7	11	19	24	66	81	97	152	191	214	243	230	178	109	49	16	1	-	7
	White.....Male....	745	1	-	-	4	1	2	2	5	6	4	5	16	24	25	57	83	100	118	118	91	54	22	6	-	-	1
	Female..	864	-	-	2	2	2	2	1	2	5	14	18	43	49	59	83	98	97	113	98	82	53	26	9	1	-	5
	Nonwhite..Male....	50	-	-	-	-	-	-	-	-	-	-	1	1	2	6	6	3	11	6	8	3	1	1	1	-	-	-
	Female..	55	-	-	-	-	-	-	-	-	-	1	-	6	6	7	6	7	6	6	6	2	1	-	-	-	-	1
46	Cancer of digestive organs, peritoneum..	774	-	-	-	-	-	1	-	-	1	5	5	22	26	30	67	96	99	121	123	87	56	22	8	-	-	5
	White.....Male....	369	-	-	-	-	-	1	-	-	1	2	3	9	10	10	33	53	49	61	59	38	26	8	5	-	-	1
	Female..	357	-	-	-	-	-	-	-	-	-	3	1	10	13	14	30	41	39	54	57	47	28	13	3	-	-	4
	Nonwhite..Male....	31	-	-	-	-	-	-	-	-	-	-	1	1	2	5	3	-	8	3	5	1	1	1	-	-	-	-
	Female..	17	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	3	3	2	1	1	-	-	-	-	-
48,49	Cancer of female genital organs.....	256	-	-	-	-	-	-	-	1	3	6	12	21	30	37	27	31	29	20	14	10	9	2	2	-	-	2
	White.....Female..	232	-	-	-	-	-	-	-	1	3	5	12	18	27	33	25	28	27	18	11	10	9	2	2	-	-	1
	Nonwhite..Female..	24	-	-	-	-	-	-	-	-	-	1	-	3	3	4	2	3	2	2	3	-	-	-	-	-	-	1
50	Cancer of breast.....	112	-	-	-	-	-	-	-	-	-	-	2	7	6	5	12	13	15	19	10	9	8	5	1	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female..	104	-	-	-	-	-	-	-	-	-	-	2	7	5	5	11	12	14	18	9	7	8	5	1	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	572	1	-	2	6	3	3	3	6	7	8	5	16	19	25	46	51	71	83	83	72	36	20	5	1	-	-
	White.....Male....	375	1	-	-	4	1	1	2	5	5	2	2	7	14	15	24	30	51	57	59	52	28	14	1	-	-	-
	Female..	171	-	-	2	2	2	2	1	1	2	6	3	8	4	7	17	17	17	23	21	18	8	6	3	1	-	-
	Nonwhite..Male....	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	3	3	2	-	-	1	-	-	-
	Female..	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	28	1	1	-	1	-	6	3	2	3	-	1	2	-	-	1	1	4	-	1	-	-	-	-	1	-	-
	White.....Male....	12	-	-	-	-	-	-	1	1	1	-	1	2	-	-	1	1	3	-	-	-	-	-	-	1	-	-
	Female..	15	1	1	-	1	-	6	2	1	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	355	-	-	-	-	-	1	2	6	5	5	5	6	9	11	13	48	46	70	55	41	24	6	-	1	-	1
	White.....Male....	122	-	-	-	-	-	1	-	2	2	4	4	2	4	3	3	14	16	24	19	14	6	3	-	1	-	-
	Female..	209	-	-	-	-	-	-	2	3	3	1	1	2	5	8	9	28	26	43	33	24	17	3	-	-	-	1
	Nonwhite..Male....	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-	-
	Female..	18	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	5	3	2	3	2	-	-	-	-	-	-
63b	Exophthalmic goiter..	37	-	-	-	-	-	-	-	1	-	1	1	-	4	3	4	4	9	8	1	1	-	-	-	-	-	-
	White.....Male....	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	32	-	-	-	-	-	-	-	-	-	-	1	-	4	1	3	4	9	8	1	1	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	33	-	-	-	-	-	1	-	-	-	2	2	4	9	2	1	4	6	-	1	1	-	-	-	-	-	-
	White.....Male....	28	-	-	-	-	-	1	-	-	-	2	2	3	6	2	1	3	6	-	1	1	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	1,586	3	1	-	-	-	-	3	-	1	4	5	18	23	66	81	115	174	220	236	271	170	107	23	7	2	6
	White.....Male....	765	2	-	-	-	-	-	2	-	1	1	5	9	9	23	33	54	93	115	143	137	84	44	5	2	-	3
	Female..	714	1	1	-	-	-	-	1	-	-	2	-	7	8	25	37	47	74	92	134	123	79	61	16	4	1	1
	Nonwhite..Male....	56	-	-	-	-	-	-	-	-	-	-	-	1	4	10	8	6	3	7	6	4	4	1	1	-	-	1
	Female..	51	-	-	-	-	-	-	-	-	-	1	-	1	2	8	3	8	4	6	3	7	3	1	1	1	1	1
90-95	Diseases of the heart.....	3,900	3	-	2	1	-	13	13	18	16	27	38	64	105	170	256	330	449	553	587	569	381	202	64	17	2	20
	White.....Male....	2,221	3	-	1	1	-	6	6	9	3	8	25	36	46	105	177	210	273	310	345	321	189	101	26	6	-	14
	Female..	1,436	-	-	1	-	-	7	5	6	11	18	9	17	41	39	55	94	140	210	220	234	179	98	38	9	1	4
	Nonwhite..Male....	140	-	-	-	-	-	-	-	1	-	-	-	4	11	14	15	14	20	24	15	10	9	1	-	-	1	1
	Female..	103	-	-	-	-	-	-	2	2	2	1	4	7	7	12	9	12	16	9	7	4	4	2	-	2	-	1
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	232	-	-	1	-	-	5	4	7	5	9	7	11	11	16	11	15	27	18	27	26	18	9	2	1	-	2
	White.....Male....	114	-	-	1	-	-	3	1	3	1	2	4	5	5	9	5	5	15	9	16	11	11	4	1	1	-	2
	Female..	103	-	-	-	-	-	2	3	3	4	7	3	3	5	7	6	10	7	7	10	14	6	5	1	-	-	-
	Nonwhite..Male....	10	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	2	1	1	1	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	1,230	-	-	-	-	-	1	-	2	1	5	13	26	45	68	128	151	174	179	174	139	68	45	5	-	-	6
	White.....Male....	863	-	-	-	-	-	1	-	1	1	4	10	19	29	53	105	114	124	114	121	95	40	27	2	-	-	3
	Female..	320	-	-	-	-	-	-	-	1	-	1	1	6	10	5	20	31	45	58	51	42	26	18	3	-	-	2
	Nonwhite..Male....	27	-	-	-	-	-	-	-	-	-	-	-	1	3	5	1	4	3	5	2	2	-	-	-	-	-	1
	Female..	20	-	-	-	-	-	-	-	-	-	-	2	-	3	5	2	2	2	2	-	-	2	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	2,438	3	-	1	1	-	7	9	9	10	13	18	27	49	86	117	164	248	356	386	404	295	148	57	16	2	12
	White.....Male....	1,244	3	-	-	1	-	2	5	5	1	2	11	12	12	43	67	91	134	187	208	215	138	70	23	5	-	9
	Female..	1,013	-	-	1	-	-	5	2	2	7	10	5	8	26	27	29	53	88	145	159	178	147	75	34	9	1	2
	Nonwhite..Male....	103	-	-	-	-	-	-	-	1	-	-	-	1	7	9	14	10	15	17	12	7	8	1	-	-	1	-
	Female..	78	-	-	-	-	-	-	2	1	2	1	2	6	4	7	7	10	11	7	7	4	2	2	-	2	-	1

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,010	293	36	13	6	5	20	10	18	10	15	18	19	19	25	34	35	34	53	74	92	95	47	31	5	-	3
	White.....Male	514	158	13	1	5	2	10	4	7	6	7	6	13	7	14	19	21	20	27	34	50	45	27	14	2	-	2
	Female	419	108	19	11	1	2	8	5	10	3	6	12	5	9	5	10	11	10	20	36	41	49	19	15	3	-	1
	Nonwhite..Male	43	12	3	1	-	1	2	-	-	-	2	-	-	2	2	4	2	2	4	4	1	-	-	1	-	-	-
	Female	34	15	1	-	-	-	-	1	1	1	-	-	1	1	4	1	1	2	2	-	-	1	1	1	-	-	-
107	Bronchopneumonia	407	163	14	6	5	1	9	3	4	3	2	7	5	6	3	8	9	9	19	29	35	32	17	14	4	-	-
	White.....Male	204	88	6	1	4	-	4	2	1	2	1	2	3	-	1	6	5	5	9	12	16	16	9	9	2	-	-
	Female	176	59	7	5	1	1	4	1	3	1	1	5	1	5	-	1	4	4	9	16	18	15	8	5	2	-	-
	Nonwhite..Male	13	6	1	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-
	Female	14	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-
108	Lobar pneumonia	274	47	10	3	-	1	3	3	8	5	7	6	8	7	11	14	18	10	16	19	32	29	11	5	-	-	1
	White.....Male	132	19	1	-	-	1	2	1	4	2	2	3	6	4	6	7	11	4	8	7	19	15	9	1	-	-	-
	Female	112	21	7	2	-	-	1	1	3	2	3	3	2	2	4	4	6	2	6	10	13	14	2	3	-	-	1
	Nonwhite..Male	20	5	2	1	-	-	-	-	-	-	2	-	-	1	-	2	1	2	2	2	-	-	-	-	-	-	-
	Female	10	2	-	-	-	-	-	1	1	1	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-
109	Pneumonia (unspecified)	141	53	6	2	1	1	5	1	2	1	2	2	3	2	5	8	3	3	7	9	3	11	7	3	-	-	1
	White.....Male	74	33	3	-	1	-	2	-	-	1	1	1	2	1	4	4	3	3	2	6	2	3	1	-	-	-	1
	Female	60	19	3	2	-	1	2	1	2	-	1	1	1	1	-	3	-	-	4	2	1	8	6	2	-	-	-
	Nonwhite..Male	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-
	Female	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	188	30	6	2	-	2	3	3	4	1	4	3	3	4	6	4	5	12	11	17	22	23	12	9	1	-	1
	White.....Male	104	18	3	-	-	1	2	1	2	1	3	-	2	2	3	2	2	8	8	9	13	11	8	4	-	-	1
	Female	71	9	2	2	-	-	1	2	2	-	1	3	1	1	1	2	1	4	1	8	9	12	3	5	1	-	-
	Nonwhite..Male	5	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	Female	8	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	1	-	-	-	-
117	Ulcer of stomach or duodenum	85	-	-	-	-	-	-	-	1	1	4	5	9	4	5	8	7	11	15	9	3	2	1	-	-	-	-
	White.....Male	70	-	-	-	-	-	-	-	1	1	3	4	8	3	4	7	5	10	12	8	3	1	-	-	-	-	-
	Female	10	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	2	1	-	1	1	-	-	-	-
	Nonwhite..Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	375	307	29	12	3	1	2	-	1	1	1	-	2	-	-	1	1	1	1	2	6	2	-	-	-	-	2
	White.....Male	180	150	13	5	-	1	1	-	-	-	1	-	-	-	-	1	-	1	-	1	3	2	-	-	-	-	1
	Female	180	142	16	7	3	-	1	-	1	1	-	-	2	-	-	-	1	-	1	1	3	-	-	-	-	-	1
	Nonwhite..Male	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	64	1	-	-	1	-	4	4	11	4	3	5	7	1	1	3	7	5	5	2	-	-	-	-	-	-	-
	White.....Male	33	1	-	-	1	-	1	4	5	2	-	2	5	1	1	1	4	1	2	2	-	-	-	-	-	-	-
	Female	25	-	-	-	-	-	1	-	5	1	3	1	2	-	-	2	3	4	3	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	124	3	1	1	-	-	-	-	2	4	4	7	10	5	7	5	10	12	10	13	13	5	9	2	-	-	1
	White.....Male	53	1	1	1	-	-	-	-	1	2	-	2	2	2	3	2	5	7	6	5	6	1	6	-	-	-	-
	Female	62	1	-	-	-	-	-	-	1	1	2	5	7	3	3	3	5	4	4	7	7	4	3	2	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	7	1	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	1
124	Cirrhosis of the liver	106	-	-	-	-	-	-	-	-	2	1	1	6	7	6	13	13	14	14	13	11	4	1	-	-	-	-
	White.....Male	74	-	-	-	-	-	-	-	-	-	-	1	4	6	4	8	10	11	10	11	7	2	-	-	-	-	-
	Female	26	-	-	-	-	-	-	-	-	1	1	-	2	-	2	3	2	3	4	1	4	2	1	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	61	-	-	-	-	-	-	-	2	1	2	1	1	2	3	5	8	9	5	11	3	6	1	-	-	-	1
	White.....Male	14	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	1	6	1	-	-	-	-	-	-
	Female	46	-	-	-	-	-	-	-	2	1	2	1	-	2	1	5	7	7	4	5	2	6	1	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
130-132	Nephritis	1,036	2	2	2	1	3	9	7	8	6	10	16	19	35	39	57	74	101	113	140	178	119	69	16	3	-	7
	White.....Male	503	2	-	2	-	1	6	4	4	3	1	8	10	14	14	26	34	43	54	78	87	70	36	4	1	-	1
	Female	426	-	2	-	1	2	2	3	3	3	9	7	4	15	14	17	29	45	48	54	78	45	31	10	2	-	2
	Nonwhite..Male	47	-	-	-	-	-	-	-	-	-	-	1	2	1	2	8	5	9	5	4	7	2	-	-	-	-	1
	Female	60	-	-	-	-	-	1	-	1	-	-	-	3	5	9	6	6	4	6	4	6	2	2	2	-	-	3
137	Diseases of the prostate	62	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	7	4	5	10	17	11	3	1	1	-	-
	White.....Male	56	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	3	5	7	17	10	3	1	1	-	-
	Nonwhite..Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	-	1	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																											
140-150	Diseases of pregnancy, etc.*....	66	-	-	-	-	-	-	-	5	16	12	13	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	62	-	-	-	-	-	-	-	5	15	12	12	14	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	4	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	29	-	-	-	-	-	-	-	-	5	7	6	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	26	-	-	-	-	-	-	-	-	4	7	6	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	14	-	-	-	-	-	-	-	3	2	3	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	14	-	-	-	-	-	-	-	3	2	3	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	14	-	-	-	-	-	-	-	2	5	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	14	-	-	-	-	-	-	-	2	5	-	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	9	-	-	-	-	-	-	-	-	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	8	-	-	-	-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	240	205	11	4	4	3	7	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	132	114	5	2	2	2	3	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	95	82	5	-	1	1	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	9	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	841	841	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	466	466	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	315	315	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	31	31	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	29	29	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	542	542	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	308	308	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	200	200	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	19	19	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	299	299	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	158	158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	115	115	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	16	16	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	151	-	-	-	-	-	-	1	4	12	7	5	16	24	16	15	16	8	9	9	2	4	1	-	-	-	2
	White.....Male....	118	-	-	-	-	-	-	1	3	8	3	4	10	21	11	12	11	8	9	9	2	3	1	-	-	-	2
	Female..	30	-	-	-	-	-	-	-	1	3	4	1	5	3	5	3	4	-	-	-	-	1	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	97	2	-	-	-	-	1	1	5	11	8	15	13	9	12	8	4	1	2	4	-	-	-	-	-	-	1
	White.....Male....	53	-	-	-	-	-	1	1	1	5	4	7	8	5	5	6	3	1	2	3	-	-	-	-	-	-	1
	Female..	19	2	-	-	-	-	-	-	2	4	1	3	2	1	1	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	22	-	-	-	-	-	-	-	1	2	1	5	3	3	6	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	1,436	41	21	19	13	16	58	52	106	80	92	114	95	88	90	96	53	66	74	58	71	61	36	21	3	1	11
	White.....Male....	1,008	21	14	11	8	9	31	34	75	64	79	96	69	72	71	79	43	56	51	32	37	27	12	8	-	-	9
	Female..	326	18	5	8	4	6	24	18	27	12	5	8	13	5	8	8	6	5	16	25	31	33	23	13	2	1	2
	Nonwhite..Male....	82	2	1	-	1	1	2	-	3	3	7	8	10	9	9	9	3	5	4	1	2	1	1	-	-	-	-
	Female..	20	-	1	-	-	-	1	-	1	1	1	2	3	2	2	-	1	-	3	-	1	-	-	-	1	-	-
170	Motor-vehicle accidents.....	320	2	1	3	1	3	24	8	32	33	30	35	22	25	8	26	9	15	10	9	11	8	3	-	-	-	2
	White.....Male....	243	1	-	1	1	3	11	4	20	26	29	31	15	21	5	23	7	13	6	7	11	5	2	-	-	-	1
	Female..	66	1	1	2	-	-	12	4	12	6	-	3	6	3	3	2	2	1	1	2	-	3	1	-	-	-	1
	Nonwhite..Male....	9	-	-	-	-	-	1	-	-	-	1	1	1	1	-	1	-	1	2	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	1,116	39	20	16	12	13	34	44	74	47	62	79	73	63	82	70	44	51	64	49	60	53	33	21	3	1	9
	White.....Male....	765	20	14	10	7	6	20	30	55	38	50	65	54	51	66	56	36	43	45	25	26	22	10	8	-	-	8
	Female..	260	17	4	6	4	6	12	14	15	6	5	5	7	2	5	6	4	4	15	23	31	30	22	13	2	1	1
	Nonwhite..Male....	73	2	1	-	1	1	1	-	3	3	6	7	9	8	9	8	3	4	2	1	2	1	1	-	-	-	-
	Female..	18	-	1	-	-	-	1	-	1	-	1	2	3	2	2	-	1	-	2	-	1	-	-	-	1	-	-
162,199, 200	Senility, ill-defined and unknown causes..	737	118	10	3	-	2	4	-	1	4	7	4	11	19	16	20	24	42	52	74	74	95	78	54	12	5	8
	White.....Male....	380	53	5	2	-	1	3	-	-	2	3	-	4	7	13	15	12	23	25	42	40	52	40	26	7	2	3
	Female..	307	59	4	1	-	1	1	-	1	1	3	3	4	9	3	3	9	16	20	29	32	37	35	27	5	1	3
	Nonwhite..Male....	29	3	-	-	-	-	-	-	-	-	-	-	2	2	-	2	2	2	5	2	2	2	2	-	-	1	2
	Female..	21	3	1	-	-	-	-	-	-	1	1	1	1	1	-	-	1	1	2	1	-	4	1	1	-	1	-
	All other causes.....	1,343	89	25	18	10	10	40	17	31	35	38	48	53	55	61	79	88	100	114	125	107	92	66	32	4	2	4
	White.....Male....	682	51	11	9	6	4	25	9	11	17	12	26	24	25	24	42	42	55	72	67	55	51	25	14	2	2	1
	Female..	550	36	11	8	4	5	14	8	17	15	22	17	18	25	22	27	36	32	33	51	48	40	40	16	2	-	3
	Nonwhite..Male....	70	2	2	1	-	1	-	-	2	2	1	1	2	3	11	7	9	8	7	5	4	-	1	1	-	-	-
	Female..	41	-	1	-	-	-	1	-	1	1	3	4	9	2	4	3	1	5	2	2	-	1	-	1	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN																											
	ALL CAUSES	32,066	1,913	167	87	75	54	230	196	291	342	339	460	575	905	1,288	1,812	2,425	2,960	3,481	3,911	4,214	3,437	2,074	679	131	18	2
	White.....Male	17,929	1,061	88	50	46	26	138	122	179	184	166	251	319	520	756	1,078	1,513	1,758	2,014	2,208	2,223	1,811	1,030	333	43	10	2
	Female	13,787	800	78	34	26	23	90	70	104	147	156	197	241	362	506	704	887	1,179	1,441	1,680	1,979	1,615	1,033	339	88	8	-
	Nonwhite..Male	200	26	1	2	1	2	1	-	4	6	12	7	12	15	16	19	11	15	15	15	6	7	3	4	-	-	-
	Female	150	26	-	1	2	3	1	4	4	5	5	5	3	8	10	11	14	8	11	8	6	4	8	3	-	-	-
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	32	4	4	1	4	1	4	-	2	4	1	1	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-
	White.....Male	24	2	4	1	2	1	3	-	1	3	-	1	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-
	Female	6	1	-	-	2	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	1	-	1	-	1	-	4	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	5	-	1	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	-	1	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	17	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	10	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	13	-	1	-	-	2	3	3	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White.....Male	7	-	1	-	-	1	2	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Female	6	-	-	-	-	1	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	668	5	4	2	4	3	9	5	17	34	36	52	56	58	62	70	72	62	49	34	21	8	5	-	-	-	-
	White.....Male	419	1	-	-	-	1	3	2	3	14	14	25	32	32	39	52	59	47	43	30	13	6	3	-	-	-	-
	Female	210	4	3	2	3	2	6	1	10	19	14	23	22	20	21	16	12	13	4	3	8	2	2	-	-	-	-
	Nonwhite..Male	28	-	1	-	-	-	-	-	3	-	5	3	2	6	2	-	1	2	2	1	-	-	-	-	-	-	-
	Female	11	-	-	-	1	-	-	2	1	1	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	619	2	-	1	2	1	5	4	17	33	35	47	55	54	57	63	69	60	48	33	20	8	5	-	-	-	-
	White.....Male	397	1	-	-	-	-	2	2	3	13	14	22	31	30	35	48	57	46	42	29	13	6	3	-	-	-	-
	Female	185	1	-	1	1	1	3	-	10	19	13	21	22	19	20	13	11	12	4	3	7	2	2	-	-	-	-
	Nonwhite..Male	26	-	-	-	-	-	-	-	3	-	5	3	2	5	2	-	1	2	2	1	-	-	-	-	-	-	-
	Female	11	-	-	-	1	-	-	2	1	1	3	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	49	3	4	1	2	2	4	1	-	1	1	5	1	4	5	7	3	2	1	1	1	-	-	-	-	-	-
	White.....Male	22	-	-	-	-	1	1	-	-	1	-	3	1	2	4	4	2	1	1	1	-	-	-	-	-	-	-
	Female	25	3	3	1	2	1	3	1	-	-	1	2	-	1	1	3	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	188	3	-	-	-	-	1	-	1	3	-	3	9	12	21	19	35	28	27	11	9	5	1	-	-	-	-
	White.....Male	122	2	-	-	-	-	-	-	1	-	-	1	4	8	14	15	24	20	18	4	5	5	1	-	-	-	-
	Female	49	-	-	-	-	-	1	-	-	1	-	2	4	3	4	3	7	7	8	6	3	-	-	-	-	-	-
	Nonwhite..Male	10	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	1	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-
35	Measles	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	56	-	-	-	1	-	10	14	6	10	5	6	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	White.....Male	32	-	-	-	-	-	6	8	5	6	2	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	23	-	-	-	1	-	4	6	1	4	3	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Continued																											
45-55	Cancer and other malignant tumors....	4,540	3	-	3	-	5	8	8	10	20	27	45	82	155	237	364	517	609	626	627	611	378	166	35	4	-	-
	White.....Male....	2,272	-	-	1	-	4	5	3	8	10	12	21	27	53	93	144		299	330	368	329	224	92	18	-	-	-
	Female..	2,233	3	-	2	-	1	3	5	2	10	15	23	55	99	136	215	281	307	292	259	279	152	73	17	4	-	-
	Nonwhite..Male....	20	-	-	-	-	-	-	-	-	-	-	1	-	2	4	5	4	1	2	-	1	-	-	-	-	-	-
	Female..	15	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	1	2	2	-	2	2	1	-	-	-	-
46	Cancer of digestive organs, peritoneum..	2,215	2	-	-	-	-	1	-	-	3	6	11	16	40	73	144	241	310	321	353	351	229	99	14	1	-	-
	White.....Male....	1,238	-	-	-	-	-	1	-	-	1	2	4	8	23	43	67	134	178	181	219	193	129	50	5	-	-	-
	Female..	958	2	-	-	-	-	-	-	-	2	4	6	8	17	26	72	105	129	139	134	157	99	48	9	1	-	-
	Nonwhite..Male....	14	-	-	-	-	-	-	-	-	-	-	1	-	-	4	5	2	1	-	-	1	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	-	-
48,49	Cancer of female genital organs.....	507	-	-	-	-	-	-	-	1	4	-	7	22	42	52	67	89	60	70	39	35	14	4	1	-	-	-
	White.....Female..	501	-	-	-	-	-	-	-	1	4	-	7	22	42	49	67	89	60	69	39	34	13	4	1	-	-	-
	Nonwhite..Female..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	1	1	-	-	-	-	-
50	Cancer of breast.....	426	-	-	-	-	-	-	-	-	-	2	8	17	27	43	45	49	65	51	45	42	16	8	7	1	-	-
	White.....Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	-	1	-	-	-
	Female..	418	-	-	-	-	-	-	-	-	-	2	8	17	26	41	45	48	65	48	45	42	16	8	6	1	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)..	1,392	1	-	3	-	5	7	8	9	13	19	19	27	46	69	108	138	174	184	190	183	119	55	13	2	-	-
	White.....Male....	1,029	-	-	1	-	4	4	3	8	9	10	17	19	30	49	77	97	121	146	149	136	95	42	12	-	-	-
	Female..	356	1	-	2	-	1	3	5	1	4	9	2	8	14	20	31	39	53	36	41	46	24	13	1	2	-	-
	Nonwhite..Male....	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	2	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
58	Acute rheumatic fever.....	32	-	1	-	1	1	3	7	4	2	2	2	-	4	2	-	1	-	-	1	-	1	-	-	-	-	-
	White.....Male....	15	-	1	-	1	-	1	6	1	1	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	Female..	16	-	-	-	-	1	2	1	3	1	1	2	-	2	1	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus....	994	1	1	-	-	-	3	7	8	11	9	12	9	22	21	69	94	143	176	173	130	69	34	1	-	1	-
	White.....Male....	368	1	1	-	-	-	1	3	4	4	5	7	4	13	9	36	30	47	63	61	50	32	16	1	-	-	-
	Female..	600	-	-	-	-	-	1	4	4	7	4	5	5	9	12	33	63	95	112	111	79	37	18	-	-	1	-
	Nonwhite..Male....	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
63b	Exophthalmic goiter..	111	-	-	-	-	-	-	-	-	1	1	2	7	1	6	13	12	20	17	18	5	6	2	-	-	-	-
	White.....Male....	28	-	-	-	-	-	-	-	-	1	-	-	4	-	2	6	4	4	3	2	1	1	-	-	-	-	-
	Female..	82	-	-	-	-	-	-	-	-	-	1	2	3	1	4	7	8	16	13	16	4	5	2	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	White.....Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	49	-	-	-	-	-	-	-	1	-	-	3	7	8	5	6	8	6	3	2	-	-	-	-	-	-	-
	White.....Male....	43	-	-	-	-	-	-	-	1	-	-	3	5	6	4	6	7	6	3	2	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin..	3,296	2	1	3	-	2	3	5	-	4	2	15	14	50	92	158	242	319	447	524	592	466	266	77	12	-	-
	White.....Male....	1,614	-	1	2	-	-	3	1	-	2	2	5	7	24	46	70	132	161	236	260	275	221	124	37	5	-	-
	Female..	1,659	2	-	1	-	2	-	4	-	2	-	9	7	25	45	86	107	156	208	260	317	242	141	38	7	-	-
	Nonwhite..Male....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	-	2	-	2	-	-	-
	Female..	13	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	-	2	3	-	1	1	-	-	-	-
90-95	Diseases of the heart.....	10,413	3	5	-	-	2	10	13	24	20	29	68	101	192	386	529	828	1,014	1,295	1,535	1,742	1,476	831	264	38	8	-
	White.....Male....	6,107	2	2	-	-	-	6	6	9	10	12	39	70	133	260	372	602	658	775	874	949	760	413	139	13	3	-
	Female..	4,235	1	3	-	-	1	4	6	15	9	14	27	28	55	124	150	220	348	513	651	789	712	411	124	25	5	-
	Nonwhite..Male....	41	-	-	-	-	-	-	-	-	1	2	2	3	2	1	5	2	5	3	8	3	3	1	-	-	-	-
	Female..	30	-	-	-	-	1	-	1	-	-	1	-	-	2	1	2	4	3	4	2	1	1	6	1	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart...	644	-	1	-	-	1	7	13	12	7	12	22	34	34	49	41	52	69	61	68	71	50	33	6	1	-	-
	White.....Male....	348	-	1	-	-	-	3	6	4	3	6	14	20	17	20	23	31	39	33	38	43	27	18	2	-	-	-
	Female..	288	-	-	-	-	-	4	6	8	4	5	8	13	17	29	17	21	30	27	30	27	22	15	4	1	-	-
	Nonwhite..Male....	6	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	1	1	-	-	-	-	-
	Female..	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris.....	2,985	-	-	-	-	-	-	-	2	2	4	11	35	78	172	237	352	378	425	456	406	261	131	30	5	-	-
	White.....Male....	2,057	-	-	-	-	-	-	-	1	2	1	8	30	67	144	181	295	281	275	279	246	153	76	15	3	-	-
	Female..	922	-	-	-	-	-	-	-	1	-	2	3	4	11	28	56	56	97	150	175	160	107	55	15	2	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms).....	6,784	3	4	-	-	1	3	-	10	11	13	35	32	80	165	251	424	567	809	1,011	1,265	1,165	667	228	32	8	-
	White.....Male....	3,702	2	1	-	-	-	3	-	4	5	5	17	20	49	96	168	276	338	467	557	660	580	319	122	10	3	-
	Female..	3,025	1	3	-	-	1	-	-	6	5	7	16	11	27	67	77	143	221	336	446	602	583	341	105	22	5	-
	Nonwhite..Male....	32	-	-	-	-	-	-	-	-	1	1	2	1	2	1	4	2	5	2	6	2	2	1	-	-	-	-
	Female..	25	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	3	4	2	1	-	6	1	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	1,341	245	49	16	8	7	14	20	16	14	12	20	22	33	44	46	67	84	66	98	144	165	104	38	7	2	-
	White.....Male	727	120	25	8	4	2	9	10	9	6	5	10	11	20	27	30	46	56	40	49	79	84	56	18	2	1	-
	Female	569	106	24	7	4	3	5	9	7	6	6	9	9	10	16	16	16	27	24	49	64	81	47	18	5	1	-
	Nonwhite..Male	25	10	-	-	-	1	-	-	-	1	1	-	2	2	1	-	2	1	2	-	-	-	1	1	-	-	-
	Female	20	9	-	1	-	1	-	1	-	1	-	1	-	1	-	-	3	-	-	-	1	-	-	1	-	-	-
107	Bronchopneumonia	644	162	21	11	5	4	6	7	10	5	6	11	5	13	15	8	18	32	22	39	66	102	48	23	3	2	-
	White.....Male	343	82	10	5	3	2	4	4	5	3	3	6	3	9	9	2	11	21	11	18	40	54	24	12	1	1	-
	Female	285	70	11	5	2	1	2	3	5	2	3	5	2	4	5	6	6	11	10	21	26	48	24	10	2	1	-
	Nonwhite..Male	8	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-
	Female	8	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	450	38	11	1	2	2	2	5	2	5	3	6	11	16	19	34	38	38	28	43	56	47	33	8	2	-	-
	White.....Male	262	14	4	1	1	-	1	4	2	3	1	4	7	8	13	27	29	27	18	25	26	22	21	4	-	-	-
	Female	169	20	7	-	1	1	1	1	-	-	1	1	2	5	6	7	7	10	10	18	29	25	11	4	2	-	-
	Nonwhite..Male	13	2	-	-	-	1	-	-	-	1	1	-	2	2	-	-	2	1	-	-	-	-	1	-	-	-	-
	Female	6	2	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
109	Pneumonia (unspecified)	45	8	5	-	-	-	-	2	2	1	-	1	-	3	1	1	1	7	2	4	2	-	5	-	-	-	-
	White.....Male	25	5	3	-	-	-	-	1	-	-	-	-	-	2	1	1	1	5	1	2	1	-	2	-	-	-	-
	Female	19	3	2	-	-	-	-	1	2	1	-	1	-	1	-	-	-	2	-	2	1	-	3	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	202	37	12	4	1	1	6	6	2	3	3	2	6	1	9	3	10	7	14	12	20	16	18	7	2	-	-
	White.....Male	97	19	8	2	-	-	4	1	2	-	1	-	1	1	4	-	5	3	10	4	12	8	9	2	1	-	-
	Female	96	13	4	2	1	1	2	4	-	3	2	2	5	-	5	3	3	4	4	8	8	8	9	4	1	-	-
	Nonwhite..Male	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-
117	Ulcer of stomach or duodenum	231	-	-	-	-	-	-	-	1	-	2	2	9	16	23	32	30	31	32	19	12	17	4	1	-	-	-
	White.....Male	185	-	-	-	-	-	-	-	-	-	2	1	7	14	19	27	26	28	23	16	6	12	3	1	-	-	-
	Female	43	-	-	-	-	-	-	-	1	-	-	-	2	2	4	3	4	3	9	3	6	5	1	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	131	74	6	2	2	-	1	1	-	-	2	1	2	1	5	2	2	5	2	5	4	7	5	-	2	-	-
	White.....Male	69	42	5	-	2	-	1	-	-	-	2	-	-	1	3	1	-	3	2	2	1	2	2	-	-	-	-
	Female	57	28	1	1	-	-	-	1	-	-	-	1	2	-	2	1	2	2	-	3	3	5	3	-	2	-	-
	Nonwhite..Male	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	143	1	1	2	4	1	8	10	8	7	8	7	1	9	5	16	12	10	14	9	6	3	1	-	-	-	-
	White.....Male	85	1	1	2	1	-	3	7	2	3	4	4	1	5	2	11	9	8	9	4	5	2	1	-	-	-	-
	Female	56	-	-	-	3	1	5	3	6	4	4	3	-	3	3	5	3	2	5	4	1	1	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	293	9	1	1	2	-	-	2	2	2	2	5	7	15	10	16	29	28	35	39	38	26	19	5	-	-	-
	White.....Male	170	4	-	-	1	-	-	2	1	-	1	2	4	7	5	5	22	19	24	28	19	16	9	1	-	-	-
	Female	123	5	1	1	1	-	-	-	1	2	1	3	3	8	5	11	7	9	11	11	19	10	10	4	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	322	-	-	-	-	-	-	-	-	-	1	6	14	24	33	33	47	44	38	33	27	13	7	1	1	-	-
	White.....Male	230	-	-	-	-	-	-	-	-	-	-	3	10	17	28	21	38	32	30	25	18	8	-	-	-	-	-
	Female	92	-	-	-	-	-	-	-	-	-	1	3	4	7	5	12	9	12	8	8	9	5	7	1	1	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	201	-	-	-	-	-	-	-	1	1	-	5	2	16	13	26	26	23	26	28	18	11	5	-	-	-	-
	White.....Male	58	-	-	-	-	-	-	-	-	-	-	1	-	1	1	9	8	5	12	8	7	5	1	-	-	-	-
	Female	141	-	-	-	-	-	-	-	1	1	-	4	2	15	11	16	18	18	14	20	11	6	4	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,725	4	2	1	3	2	7	5	10	21	23	23	25	44	62	94	96	143	206	258	277	207	164	39	7	2	1
	White.....Male	1,000	1	2	1	3	2	4	4	8	10	8	13	13	23	36	53	60	88	126	161	143	118	95	21	5	1	1
	Female	707	3	-	-	-	-	3	1	2	10	13	10	12	20	24	38	36	54	77	94	134	88	68	17	2	1	-
	Nonwhite..Male	14	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	-	1	2	3	-	1	1	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	1	-	-	-
137	Diseases of the prostate	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	[illegible]	23	48	54	40	22	3	2	-	-
	White.....Male	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	16	23	48	54	40	22	3	2	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Continued																											
140-150	Diseases of pregnancy, etc.*....	85	-	-	-	-	-	-	-	2	20	22	14	15	12	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	85	-	-	-	-	-	-	-	2	20	22	14	15	12	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	34	-	-	-	-	-	-	-	1	9	6	7	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	34	-	-	-	-	-	-	-	1	9	6	7	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	16	-	-	-	-	-	-	-	-	5	3	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	16	-	-	-	-	-	-	-	-	5	3	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock*.....	30	-	-	-	-	-	-	-	-	6	10	5	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	30	-	-	-	-	-	-	-	-	6	10	5	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	5	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	409	342	14	6	5	3	10	5	9	5	1	3	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	White.....Male....	224	191	4	3	3	-	4	4	3	4	1	2	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	Female..	177	144	10	3	2	2	6	1	6	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	1,025	1,025	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	588	588	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	420	420	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	644	644	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	355	355	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	278	278	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	381	381	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	233	233	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	142	142	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	417	-	-	-	-	-	-	2	6	11	17	19	42	40	56	48	44	39	34	20	27	8	4	-	-	-	-
	White.....Male....	304	-	-	-	-	-	-	2	2	9	7	14	29	30	36	37	35	28	27	16	21	7	4	-	-	-	-
	Female..	112	-	-	-	-	-	-	-	3	2	10	5	13	10	20	11	9	11	7	4	6	1	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	47	2	-	-	1	1	2	1	-	5	3	5	2	4	6	5	4	3	1	1	1	-	-	-	-	-	-
	White.....Male....	26	1	-	-	1	1	-	-	-	3	1	2	-	3	4	2	3	2	1	1	1	-	-	-	-	-	-
	Female..	16	1	-	-	-	-	2	1	-	2	1	2	1	1	1	2	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	2,184	63	33	19	26	14	89	68	116	96	79	86	71	84	100	114	94	135	156	170	164	187	148	53	14	2	1
	White.....Male....	1,449	39	19	14	19	9	64	54	90	74	61	70	58	74	79	92	77	111	111	103	80	80	53	14	1	2	1
	Female..	706	23	14	4	5	4	24	14	24	21	16	17	11	10	16	19	17	22	44	66	82	106	95	39	13	-	-
	Nonwhite..Male....	16	-	-	1	1	1	-	-	1	1	1	-	2	-	5	-	-	1	-	-	1	1	-	-	-	-	-
	Female..	13	1	-	-	1	-	1	-	1	-	1	1	-	-	-	3	-	1	1	1	1	-	-	-	-	-	-
170	Motor-vehicle accidents.....	637	3	3	4	7	7	27	20	63	62	39	41	29	41	42	37	30	42	44	45	26	17	7	1	-	-	-
	White.....Male....	489	1	3	2	4	3	21	15	45	42	31	32	24	37	32	31	23	37	38	32	17	13	6	-	-	-	-
	Female..	138	2	-	2	3	4	5	5	17	19	7	8	3	4	9	5	7	4	6	13	9	4	1	1	-	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Female..	5	-	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	1,547	60	30	15	19	7	62	48	53	34	40	47	42	43	58	77	64	93	112	125	138	170	141	52	14	2	1
	White.....Male....	960	38	16	12	15	6	43	39	45	32	30	38	34	37	47	61	54	74	73	71	63	67	47	14	1	2	1
	Female..	568	21	14	2	2	-	19	9	7	2	9	9	8	6	7	14	10	18	38	53	73	102	94	38	13	-	-
	Nonwhite..Male....	11	-	-	1	1	1	-	-	1	-	1	-	-	-	4	-	-	-	-	-	1	1	-	-	-	-	-
	Female..	8	1	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	-	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	382	7	3	-	1	-	-	-	-	2	-	-	-	1	3	4	8	10	15	25	54	80	82	66	20	1	-
	White.....Male....	192	5	2	-	1	-	-	-	-	1	-	-	-	1	3	2	4	7	10	18	26	40	33	32	6	1	-
	Female..	190	2	1	-	-	-	-	-	-	1	-	-	-	-	-	2	4	3	5	7	28	40	49	34	14	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.....	2,485	104	36	31	12	10	43	20	43	48	56	53	74	102	94	142	147	183	189	232	276	264	204	96	24	2	-
	White.....Male....	1,320	56	18	18	8	5	21	9	29	23	26	23	32	52	43	83	87	109	101	127	141	148	102	48	9	2	-
	Female..	1,148	47	18	13	4	5	22	11	13	23	29	30	39	48	51	57	60	72	87	104	135	116	102	47	15	-	-
	Nonwhite..Male....	6	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-
	Female..	11	1	-	-	-	-	-	-	1	1	-	-	2	2	-	2	-	1	-	1	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING																											
	ALL CAUSES	2,234	219	24	12	8	8	20	27	35	37	29	51	72	83	105	136	178	216	217	238	234	160	90	25	8	1	1
	White.....Male	1,359	123	11	6	3	7	12	15	24	22	14	26	44	48	64	81	117	144	149	139	138	95	61	12	2	1	1
	Female	754	83	11	6	5	1	6	10	10	13	13	20	22	30	38	49	48	57	49	85	88	64	27	13	6	-	-
	Nonwhite..Male	71	5	1	-	-	-	1	1	-	2	2	2	4	2	2	2	6	9	13	12	5	-	2	-	-	-	-
	Female	50	8	1	-	-	-	1	1	1	-	-	3	2	3	1	4	7	6	6	2	3	1	-	-	-	-	-
1,2	Typhoid and paratyphoid fever	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	8	1	1	1	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White.....Male	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	4	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	27	-	-	-	1	-	-	-	1	2	2	5	2	3	-	5	1	2	-	1	2	-	-	-	-	-	-
	White.....Male	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	1	1	-	-	-	-	-	-
	Female	13	-	-	-	1	-	-	-	-	2	2	2	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	25	-	-	-	1	-	-	-	1	2	2	4	2	3	-	5	1	2	-	1	1	-	-	-	-	-	-
	White.....Male	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	1	-	-	-	-	-	-	-
	Female	13	-	-	-	1	-	-	-	-	2	2	2	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	34	2	-	-	1	-	-	-	-	-	-	1	1	3	3	5	6	6	3	3	-	-	-	-	-	-	-
	White.....Male	21	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	3	4	2	2	-	-	-	-	-	-	-
	Female	3	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	7	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-
	Female	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
35	Measles	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Continued																											
45-55	Cancer and other malignant tumors	244	1	1	-	-	1	1	1	2	-	2	2	9	10	21	25	26	38	30	31	26	14	2	-	1	-	-
	White.....Male	119	-	-	-	-	-	-	1	-	-	2	2	4	2	7	11	9	21	19	17	16	7	1	-	-	-	-
	Female	106	1	1	-	-	1	1	-	2	-	-	-	5	7	12	12	16	13	7	10	9	7	1	-	1	-	-
	Nonwhite..Male	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	3	-	-	-	-	-	-	-
	Female	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	2	1	1	-	-	-	-	-	-
46	Cancer of digestive organs, peritoneum	129	-	-	-	-	1	-	-	1	-	1	-	3	4	4	13	13	23	15	23	18	7	2	-	1	-	-
	White.....Male	69	-	-	-	-	-	-	-	-	-	1	-	2	1	2	6	6	12	9	13	11	5	1	-	-	-	-
	Female	48	-	-	-	-	1	-	-	1	-	-	-	1	2	2	7	7	8	3	6	6	2	1	-	1	-	-
	Nonwhite..Male	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	16	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	2	1	1	2	-	1	-	-	-	-	-
	White.....Female	15	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	2	1	1	2	-	1	-	-	-	-	-
	Nonwhite..Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	25	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	6	3	4	1	1	3	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	22	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	5	3	3	1	1	3	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	74	1	1	-	-	-	1	1	1	-	1	2	3	4	9	9	5	11	10	5	7	3	-	-	-	-	-
	White.....Male	50	-	-	-	-	-	-	1	-	-	1	2	2	1	5	5	3	9	10	4	5	2	-	-	-	-	-
	Female	21	1	1	-	-	-	1	-	1	-	-	-	1	3	3	3	2	1	-	1	2	1	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	4	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	39	-	-	-	-	-	-	1	1	1	-	-	1	1	2	1	3	6	6	7	6	3	-	-	-	-	-
	White.....Male	16	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	2	4	4	1	-	-	-	-	-	-
	Female	22	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	3	3	2	3	5	3	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	12	-	-	-	-	-	-	-	-	-	-	2	1	1	3	-	-	-	2	1	1	1	-	-	-	-	-
	White.....Male	10	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	2	1	1	1	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	165	1	-	-	-	-	-	-	-	-	-	-	-	2	3	6	18	22	22	27	32	21	10	1	-	-	-
	White.....Male	85	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	11	15	11	12	12	9	8	1	-	-	-
	Female	69	1	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	6	7	14	18	12	2	-	-	-	-
	Nonwhite..Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	-	-	-	-	-	-
	Female	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-
90-95	Diseases of the heart	618	1	1	-	-	-	1	-	1	5	6	6	12	18	27	31	43	94	83	101	88	60	31	7	2	-	-
	White.....Male	432	-	1	-	-	-	-	-	-	3	3	3	9	11	22	21	36	71	63	63	58	43	22	3	-	-	-
	Female	168	1	-	-	-	-	1	-	1	2	2	3	3	6	5	9	7	21	13	34	29	17	8	4	2	-	-
	Nonwhite..Male	12	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	5	4	-	-	1	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	1	-	-	-	-	-	-
90a, 92b,c, 93c,95b	Chronic rheumatic diseases of heart	48	-	1	-	-	-	1	-	1	2	3	1	1	1	6	3	5	5	5	3	4	5	-	1	-	-	-
	White.....Male	27	-	1	-	-	-	-	-	-	-	1	-	1	1	4	1	4	4	4	1	2	2	-	1	-	-	-
	Female	21	-	-	-	-	-	1	-	1	2	2	1	-	-	2	2	1	1	1	2	2	3	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	241	-	-	-	-	-	-	-	-	2	2	1	6	9	14	12	27	46	37	36	27	14	7	1	-	-	-
	White.....Male	195	-	-	-	-	-	-	-	-	2	2	1	5	5	13	11	24	39	27	27	21	13	5	-	-	-	-
	Female	39	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	3	6	7	7	6	1	2	1	-	-	-
	Nonwhito..Male	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b, d,e, 95a,c	Diseases of heart (other forms)	329	1	-	-	-	-	-	-	-	1	1	4	5	8	7	16	11	43	41	62	57	41	24	5	2	-	-
	White.....Male	210	-	-	-	-	-	-	-	-	1	-	2	3	5	5	9	8	28	32	35	35	28	17	2	-	-	-
	Female	108	1	-	-	-	-	-	-	-	-	-	2	2	3	2	6	3	14	5	25	21	13	6	3	2	-	-
	Nonwhite..Male	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	3	2	-	-	1	-	-	-	-
	Female	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Continued																											
107-109, 33	Pneumonia (all forms) and influenza	114	34	6	3	-	1	3	1	4	3	-	3	-	3	4	9	10	5	10	1	7	-	4	2	1	-	-
	White.....Male	73	17	2	1	-	1	2	-	3	3	-	-	-	2	4	5	10	3	8	1	5	-	3	2	1	-	-
	Female	28	12	2	2	-	-	1	-	1	-	-	2	-	-	-	4	-	-	1	-	2	-	1	-	-	-	-
	Nonwhite..Male	6	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	Female	7	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
107	Bronchopneumonia	49	20	5	2	-	-	2	1	1	-	-	1	-	1	1	2	3	2	2	-	3	-	3	-	-	-	-
	White.....Male	31	12	2	1	-	-	2	-	1	-	-	-	-	-	1	2	3	2	1	-	2	-	2	-	-	-	-
	Female	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	Nonwhite..Male	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	6	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	30	4	1	1	-	-	-	-	1	1	-	-	-	1	-	3	5	2	5	-	3	-	1	1	1	-	-
	White.....Male	22	3	-	-	-	-	-	-	1	1	-	-	-	1	-	1	5	1	4	-	2	-	1	1	1	-	-
	Female	5	-	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	11	3	-	-	-	-	1	-	-	-	-	-	-	1	3	2	-	-	-	1	-	-	-	-	-	-	-
	White.....Male	7	1	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	-	-	1	-	-	-	-	-	-	-
	Female	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	24	7	-	-	-	1	-	-	2	2	-	2	-	-	-	2	2	1	3	-	1	-	-	1	-	-	-
	White.....Male	13	1	-	-	-	1	-	-	1	2	-	-	-	-	-	1	2	-	3	-	1	-	-	1	-	-	-
	Female	10	6	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	11	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	2	-	2	-	-	-	-	-	-	-
	White.....Male	8	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	2	-	2	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	15	12	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Male	9	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	5	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	18	-	1	-	-	1	-	2	-	1	-	1	1	4	1	-	2	-	2	2	-	-	-	-	-	-	-
	White.....Male	11	-	1	-	-	1	-	-	-	1	-	-	1	3	-	-	2	-	-	2	-	-	-	-	-	-	-
	Female	7	-	-	-	-	-	-	2	-	-	-	1	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	31	3	-	-	-	-	-	-	1	2	1	3	3	1	1	2	1	1	3	3	4	1	1	-	-	-	-
	White.....Male	18	1	-	-	-	-	-	-	1	1	1	2	2	-	1	-	-	-	3	1	3	1	1	-	-	-	-
	Female	12	2	-	-	-	-	-	-	-	1	-	1	1	1	-	2	-	1	-	2	1	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	14	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	1	1	2	1	1	-	-	-	-	-
	White.....Male	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	1	-	-	-	-	-	-
	Female	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	14	-	-	-	-	-	-	-	-	-	1	-	2	-	1	3	-	-	2	2	2	1	-	-	-	-	-
	White.....Male	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-
	Female	8	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite..Male	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	146	1	-	-	-	-	-	-	-	2	-	-	2	3	5	9	15	10	18	19	16	24	15	5	2	-	-
	White.....Male	79	1	-	-	-	-	-	-	-	1	-	-	-	2	3	5	9	5	10	8	10	14	8	2	1	-	-
	Female	64	-	-	-	-	-	-	-	-	1	-	-	2	1	2	4	4	5	8	11	5	10	7	3	1	-	-
	Nonwhite..Male	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	Female	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	5	7	3	1	-	-	-
	White.....Male	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	5	7	3	1	-	-	-
	Nonwhite..Male	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

747801 O - 47 - 25

TABLE 19.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Continued																											
140-150	Diseases of pregnancy, etc.*....	5	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	5	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140,142a, 145A,147	Puerperal septicemia	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,142b, 143,146, 149	Hemorrhage, trauma and shock.....	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141d,e,f, 145B,150	Other puerperal causes.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	40	36	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....Male....	25	23	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Female..	14	12	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158-161	Diseases peculiar to first year.....	104	104	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	57	57	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	45	45	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
159	Premature birth.....	60	60	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	33	33	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	25	25	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
158,160, 161	Other diseases peculiar to first year...	44	44	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....Male....	24	24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	20	20	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..Male....	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Female..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	32	-	-	-	-	-	-	-	-	2	2	1	4	3	2	7	3	2	3	2	-	1	-	-	-	-	-
	White.....Male....	27	-	-	-	-	-	-	-	-	1	-	1	4	3	1	7	3	2	3	1	-	1	-	-	-	-	-
	Female..	5	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..Male....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	14	-	-	-	-	-	-	-	1	2	1	2	1	4	1	-	1	1	-	-	-	-	-	-	-	-	-
	White.....Male....	7	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-	1	1	-	-	-	-	-	-	-	-	-
	Female..	3	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..Male....	4	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths....	248	3	8	2	3	2	8	13	18	12	7	13	17	17	13	14	22	12	11	15	14	8	11	4	-	1	-
	White.....Male....	193	3	4	1	2	2	7	11	13	11	5	11	13	14	11	10	18	10	11	12	7	4	8	2	-	1	-
	Female..	45	-	4	1	1	-	1	1	3	1	1	2	1	3	2	3	4	1	-	1	7	3	3	2	-	-	-
	Nonwhite..Male....	8	-	-	-	-	-	-	1	-	-	1	-	3	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
170	Motor-vehicle accidents.....	58	-	1	-	1	2	4	1	8	4	1	3	6	5	4	1	5	3	2	4	2	1	-	-	-	-	-
	White.....Male....	47	-	-	-	1	2	4	1	6	4	-	3	5	3	3	-	4	3	2	4	1	1	-	-	-	-	-
	Female..	10	-	1	-	-	-	-	-	2	-	1	-	-	2	1	1	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite..Male....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Female..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents.....	190	3	7	2	2	-	4	12	10	8	6	10	11	12	9	13	17	9	9	11	12	7	11	4	-	1	-
	White.....Male....	146	3	4	1	1	-	3	10	9	7	5	8	8	11	8	10	14	7	9	8	6	3	8	2	-	1	-
	Female..	35	-	3	1	1	-	1	1	1	1	-	2	1	1	1	2	3	1	-	1	6	3	3	2	-	-	-
	Nonwhite..Male....	7	-	-	-	-	-	-	1	-	-	1	-	2	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	Female..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
162,199, 200	Senility, ill-defined and unknown causes..	49	4	-	1	-	-	-	-	-	-	-	-	1	2	1	1	1	1	3	4	6	13	6	4	-	-	1
	White.....Male....	25	4	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	2	2	4	3	1	-	-	1
	Female..	21	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	3	9	3	3	-	-	-
	Nonwhite..Male....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Female..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	All other causes.....	185	6	4	4	2	3	4	6	4	3	4	9	10	4	14	12	20	11	16	11	23	5	7	1	2	-	-
	White.....Male....	95	5	2	2	1	3	3	2	3	1	2	4	6	1	6	5	9	6	9	3	15	3	4	-	-	-	-
	Female..	82	1	2	2	1	-	-	4	1	2	2	5	4	3	8	6	9	5	6	7	7	2	2	1	2	-	-
	Nonwhite..Male....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	-	-	-
	Female..	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	1,401,719	697,698	536,191	90,365	77,465	25,513	8,407	6,318	5,630	5,158
	I.—Infectious and parasitic diseases	92,933	43,403	24,958	14,135	10,437	2,553	650	527	699	677
1	Typhoid fever	471	202	126	80	63	15	8	1	3	3
2	Paratyphoid fever	63	31	20	5	7	3	1	-	1	1
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	94	54	29	7	4	1	-	1	-	-
6	Cerebrospinal (meningococcus) meningitis	1,728	879	538	204	107	57	26	9	14	8
7	Anthrax (infection by Bacillus anthracis)	6	6	-	-	-	-	-	-	-	-
8	Scarlet fever	303	153	136	5	9	1	-	-	1	-
9	Whooping cough	1,752	620	683	202	247	85	17	20	24	24
10	Diphtheria (infection by C. diphtheriae)	1,598	757	648	99	94	59	25	23	6	5
11	Erysipelas	166	83	71	5	7	3	1	1	-	1
12	Tetanus	653	251	151	148	103	28	6	4	8	10
13-22	Tuberculosis (all forms)	52,916	25,055	13,568	7,879	6,414	1,218	315	222	337	344
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	626	591	3	32	-	2	1	-	1	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	48,253	22,965	12,403	7,109	5,776	1,119	295	207	303	314
14	Tuberculosis of meninges and central nervous system	1,193	426	364	224	179	32	5	7	10	10
15	Tuberculosis of intestines and peritoneum	657	168	206	118	165	21	2	2	7	10
16	Tuberculosis of vertebral column	478	201	132	92	53	9	1	-	7	1
17a	Tuberculosis of bones (except vertebral column)	66	32	17	13	4	2	1	-	1	-
17b	Tuberculosis of joints (except vertebral column)	93	40	24	20	9	5	1	1	2	1
18	Tuberculosis of skin, etc.*	30	11	13	3	3	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	89	38	31	9	11	2	-	-	-	2
20	Tuberculosis of genito-urinary system	342	198	96	26	22	3	1	2	-	-
21	Tuberculosis of other organs	87	41	24	14	8	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	891	295	225	202	169	20	6	3	6	5
22b	Disseminated tuberculosis (other and unspecified)	111	49	30	17	15	3	2	-	-	1
23	Leprosy	27	17	6	2	2	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	809	397	263	76	73	23	5	6	4	8
25	Gonococcus infection	212	25	72	28	87	23	1	2	1	19
26	Other diseases due to bacteria (except dysentery)	122	78	20	14	10	2	1	-	-	1
27	Dysentery	1,599	676	595	181	147	82	17	47	9	9
28	Malaria	443	147	88	98	110	37	8	7	13	9
29	Other diseases due to parasitic protozoa (except spirochetes)	15	7	6	2	-	-	-	-	-	-
30	Syphilis (all forms)	14,062	6,765	2,127	3,637	1,533	357	64	22	164	107
30a	Locomotor ataxia (tabes dorsalis)	507	355	88	44	20	3	1	1	1	-
30b	General paralysis of insane	4,374	2,180	642	1,207	345	44	25	5	9	5
30c	Other syphilis of central nervous system	1,461	688	216	401	156	79	5	5	55	14
30d	Aneurysm of aorta	2,904	1,668	440	621	175	43	18	3	15	7
30e	Other syphilis of circulatory system	1,006	447	90	358	111	15	2	-	8	5
30f,g	Congenital, other and unspecified forms of syphilis	3,810	1,427	651	1,006	726	173	13	8	76	76
31	Relapsing fever	3	1	2	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	314	163	106	21	22	11	5	1	2	3
33a	Influenza, with respiratory complications specified	6,033	2,347	2,209	765	712	246	57	72	56	61
33b	Influenza, without respiratory complications specified	4,157	1,759	1,615	369	414	170	40	52	33	45
34	Smallpox	12	6	3	1	2	-	-	-	-	-
35	Measles	307	116	110	43	38	5	1	4	-	-
36	Acute poliomyelitis and acute polioencephalitis	1,186	634	461	37	54	26	11	5	6	4
37a,c	Infectious encephalitis lethargica (acute and unqualified)	501	271	185	27	18	16	8	6	2	-
37b	Sequelae of encephalitis lethargica	234	135	92	7	-	1	-	-	1	-
38	Other diseases due to filtrable viruses	164	88	50	10	16	6	2	2	1	1
39	Typhus fever and typhus-like diseases (due to Rickettsia)	377	208	113	29	27	42	19	16	2	5
40	Ankylostomiasis	6	2	1	-	3	2	1	-	-	1
41	Hydatid disease	12	7	5	-	-	-	-	-	-	-
42	Other diseases caused by helminths	62	24	18	11	9	1	-	-	1	-
43	Mycoses	284	142	78	40	24	6	1	1	2	2
44	Other infectious and parasitic (communicable) diseases	2,242	1,297	761	103	81	27	10	3	8	6
	II.—Cancer and other tumors	183,586	82,285	87,882	5,579	7,840	2,380	734	921	245	480
45-55	Cancer and other malignant tumors	177,464	80,432	84,602	5,394	7,036	2,235	701	879	237	418
45	Cancer of buccal cavity and pharynx	5,478	4,137	1,015	208	118	84	53	17	8	6
45a-e	Cancer of buccal cavity	3,609	2,738	659	126	86	52	30	11	5	6
45f	Cancer of pharynx	1,869	1,399	356	82	32	32	23	6	3	-
46	Cancer of digestive organs and peritoneum	80,204	40,793	34,412	2,887	2,112	825	305	292	118	110
46a	Cancer of esophagus	3,100	2,224	586	237	53	21	13	1	6	1
46b,c	Cancer of stomach and duodenum	26,261	14,843	9,310	1,313	795	305	112	89	52	52
46f	Cancer of liver and biliary passages	11,207	4,682	5,803	398	324	160	55	63	22	20
46g	Cancer of pancreas	6,590	3,532	2,742	206	110	62	29	19	6	8
46d,e,h,m	Cancer of other digestive organs and peritoneum	33,046	15,512	15,971	733	830	277	96	120	32	29
47	Cancer of respiratory system	13,822	10,154	2,899	566	203	138	79	29	17	13
48	Cancer of uterus	17,255	...	14,745	...	2,510	400	...	217	...	183
49	Cancer of other female genital organs	5,090	...	4,843	...	247	53	...	46	...	8
50	Cancer of breast	17,133	208	15,786	29	1,110	204	1	142	-	61
51	Cancer of male genital organs	11,092	10,246	...	846	...	148	98	...	50	...
52	Cancer of urinary organs (male and female)	8,317	4,982	2,843	291	201	81	37	32	7	5
53	Cancer of skin (except vulva and scrotum)	3,390	2,009	1,272	64	45	79	39	34	5	1
54	Cancer of central nervous system*	2,854	1,646	1,111	60	37	43	25	12	4	2
55	Cancer of other and unspecified organs	12,829	6,257	5,676	443	453	180	64	59	28	29
56a	Nonmalignant tumors of ovary	653	...	589	...	64	8	...	3	...	5
56b	Nonmalignant tumors of uterus	1,642	...	1,107	...	535	62	...	13	...	49
56c	Nonmalignant tumors of other female genital organs	34	...	29	...	5	3	...	3	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	1,316	667	541	54	54	29	16	6	5	2

*Refer to International List for complete title, table V, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1945

and of deaths among armed forces overseas]

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,091	3,215	1,767	652	457	14,703	6,089	4,404	2,232	1,978	92,569	51,369	36,761	2,819	1,620	12,389	7,040	5,008	184	157	
1,052	544	253	137	118	1,589	586	407	308	288	6,017	3,521	1,697	530	269	809	474	286	30	19	
10	5	-	1	4	15	8	2	3	2	18	8	7	1	2	8	4	4	-	-	1
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	1	-	-	2	1	-	-	1	6	4	2	-	-	-	-	-	-	-	5
8	2	5	1	-	28	15	7	4	2	127	71	46	7	3	12	6	4	2	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
1	-	1	-	-	2	2	-	-	-	20	11	9	-	-	9	1	7	-	1	8
18	9	5	3	1	27	7	11	4	5	79	35	37	4	3	24	10	13	1	-	9
13	5	3	1	4	56	26	21	7	2	105	61	39	3	2	24	12	11	1	-	10
2	-	1	1	-	3	3	-	-	-	9	8	1	-	-	1	-	1	-	-	11
2	1	1	-	-	21	8	8	2	3	16	12	3	1	-	1	1	-	-	-	12
776	410	170	108	88	817	302	202	144	169	3,827	2,229	1,049	354	195	426	259	134	20	13	13-22
16	15	-	1	-	2	2	-	-	-	46	46	-	-	-	13	13	-	-	-	13a
709	377	161	96	75	768	283	192	136	157	3,480	2,046	944	325	165	373	230	116	17	10	13b,c
27	5	4	7	11	16	8	6	2	-	83	41	29	6	7	11	4	5	2	-	14
5	2	1	2	-	8	1	1	1	5	34	11	15	5	3	8	2	5	-	1	15
5	3	1	1	-	4	2	1	1	-	33	22	3	6	2	6	3	3	-	-	16
-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	17a
-	-	-	-	-	1	1	-	-	-	7	4	2	-	1	-	-	-	-	-	17b
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	18
3	-	2	-	1	-	-	-	-	-	5	2	2	1	-	2	-	2	-	-	19
1	1	-	-	-	7	3	1	1	2	28	15	9	2	2	4	2	2	-	-	20
1	1	-	-	-	-	-	-	-	-	5	5	-	-	-	1	1	-	-	-	21
8	6	-	1	1	7	1	1	3	2	95	30	44	9	12	7	4	-	1	2	22a
1	-	1	-	-	2	-	-	-	2	9	5	1	-	3	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	1	-	-	-	18	6	7	4	1	44	23	18	3	-	6	3	3	-	-	24
-	-	-	-	-	4	-	-	3	1	20	4	11	2	3	3	-	3	-	-	25
-	-	-	-	-	12	10	1	1	-	-	-	-	-	-	1	1	-	-	-	26
33	10	13	3	7	42	13	16	9	4	41	20	20	1	-	18	11	7	-	-	27
1	1	-	-	-	43	9	7	10	17	3	3	-	-	-	1	-	1	-	-	28
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
84	46	13	14	11	191	63	17	76	35	1,120	720	226	127	47	99	68	23	4	4	30
1	1	-	-	-	1	1	-	-	-	43	29	11	2	1	9	5	1	1	2	30a
17	12	3	2	-	66	25	8	20	13	283	187	47	38	11	27	21	3	3	-	30b
10	7	2	1	-	23	8	-	10	5	123	90	20	17	6	8	6	2	-	-	30c
18	10	3	3	2	24	9	1	14	-	301	212	54	27	8	31	23	8	-	-	30d
4	3	-	1	-	7	2	-	4	1	67	44	10	10	3	3	1	1	-	1	30e
34	13	5	7	9	70	18	8	28	16	303	168	84	33	18	21	12	8	-	1	30f,g
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1	1	-	-	-	6	2	4	-	-	19	13	6	-	-	2	1	1	-	-	32
51	24	23	1	3	132	44	41	22	25	116	58	50	6	2	71	36	33	1	1	33a
21	10	9	2	-	104	31	42	15	16	81	35	41	2	3	55	28	26	1	-	33b
-	-	-	-	-	1	-	1	-	-	3	2	1	-	-	-	-	-	-	-	34
-	-	-	-	-	7	5	-	1	1	38	14	20	2	2	1	1	-	-	-	35
3	2	1	-	-	16	6	7	2	1	56	29	26	1	-	14	7	7	-	-	36
4	2	2	-	-	8	8	-	-	-	39	25	12	2	-	2	2	-	-	-	37a,c
1	1	-	-	-	2	-	2	-	-	18	10	7	1	-	3	2	1	-	-	37b
1	-	1	-	-	4	2	-	-	2	9	1	6	1	1	-	-	-	-	-	38
1	-	1	-	-	7	4	3	-	-	3	3	-	-	-	2	2	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	41
-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	1	-	1	-	-	42
10	6	2	2	-	2	1	1	-	-	33	19	2	10	2	4	3	1	-	-	43
7	6	1	-	-	18	9	7	1	1	159	97	56	2	4	21	16	5	-	-	44
510	235	222	33	20	1,564	606	630	106	222	12,530	5,792	6,257	265	216	1,536	730	767	18	21	
492	231	210	31	20	1,487	587	603	104	193	12,214	5,704	6,053	258	199	1,485	714	737	18	16	45-55
9	6	3	-	-	53	31	12	5	5	384	286	77	15	6	35	31	4	-	-	45
4	2	2	-	-	31	19	6	4	2	266	207	50	6	3	21	19	2	-	-	45a-e
5	4	1	-	-	22	12	6	1	3	118	79	27	9	3	14	12	2	-	-	45f
227	115	81	22	9	598	281	214	50	53	5,299	2,794	2,295	152	58	716	377	316	15	8	46
7	4	1	2	-	11	7	2	1	1	196	144	44	7	1	13	9	4	-	-	46a
84	47	21	12	4	220	112	65	25	18	1,796	1,090	621	68	17	263	170	83	7	3	46b,c
34	13	20	1	-	123	55	45	9	14	659	267	362	21	9	74	25	48	1	-	46f
14	5	5	2	2	46	23	20	2	1	490	272	195	20	3	74	34	38	1	1	46g
88	46	34	5	3	198	84	82	13	19	2,158	1,021	1,073	36	28	292	139	143	6	4	46i,e,h,m
44	31	9	2	2	95	73	16	4	2	1,039	784	209	36	10	101	72	26	2	1	47
58	...	53	...	5	249	...	160	...	89	1,043	...	979	...	64	111	...	107	...	4	48
9	...	9	...	-	23	...	17	...	6	382	...	375	...	7	33	...	33	...	-	49
30	-	29	-	1	118	5	93	1	19	1,400	20	1,345	1	34	140	3	135	-	2	50
30	28	...	2	...	107	79	...	28	...	737	715	...	22	...	111	111	...	-	...	51
22	14	5	2	1	45	22	14	4	5	597	377	202	14	4	58	36	22	-	-	52
11	7	4	-	-	43	26	15	2	-	203	126	75	1	1	30	20	10	-	-	53
6	5	1	-	-	23	14	7	2	-	237	127	105	3	2	21	18	3	-	-	54
46	25	16	3	2	133	56	55	8	14	893	475	391	14	13	129	46	81	1	1	55
2	...	2	...	-	6	...	4	...	2	55	...	51	...	4	5	...	5	...	-	56a
2	...	2	...	-	28	...	8	...	20	85	...	76	...	9	10	...	8	...	2	56b
-	...	-	...	-	-	...	-	...	-	5	...	5	...	-	-	...	-	...	-	56c
4	-	3	1	-	14	7	3	-	4	106	55	43	4	4	7	3	4	-	-	56d,e

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	30	...	24	...	6	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	22	...	12	...	10	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	18	...	12	...	6	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	2,407	1,186	966	131	124	43	17	17	3	6
	III.—Rheumatism, diseases of nutrition, etc.*	44,942	15,214	25,959	1,300	2,469	636	168	245	84	139
58a-d	Acute rheumatic heart diseases	824	325	345	67	87	23	1	7	8	7
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	517	187	192	67	71	20	7	2	6	5
59	Chronic rheumatism and other rheumatic diseases	1,940	651	1,142	54	93	38	12	16	6	4
60	Gout	4	4	-	-	-	-	-	-	-	-
61	Diabetes mellitus	35,160	12,071	20,650	803	1,636	359	109	132	40	78
62	Diseases of pituitary gland	129	43	76	2	8	1	1	-	-	-
63a	Simple goiter	171	29	107	9	26	5	-	3	-	2
63b	Exophthalmic goiter	2,468	414	1,830	33	191	32	1	16	3	12
63c-e	Other diseases of thyroid and parathyroid glands	355	84	238	9	24	2	-	2	-	-
64	Diseases of thymus gland	1,159	662	378	67	52	23	11	8	2	2
65	Diseases of adrenal glands (not specified as tuberculous)	485	205	256	13	11	6	1	4	1	-
66	Other general diseases	551	204	227	58	62	18	6	7	2	3
67	Scurvy	18	4	9	-	5	-	-	-	-	-
68	Beriberi	46	24	12	4	6	1	-	1	-	-
69	Pellagra (except alcoholic)	914	231	424	84	175	96	16	42	13	25
70	Rickets	93	35	26	19	13	4	1	-	2	1
71	Other avitaminoses	108	41	47	11	9	8	2	5	1	-
	IV.—Diseases of the blood and blood-forming organs	10,949	5,532	4,744	374	299	156	66	52	23	15
72	Hemorrhagic conditions	626	281	287	36	22	18	8	6	4	-
73a	Pernicious anemia	2,034	915	1,036	40	43	22	2	13	5	2
73b-d	Other anemias (except splenic)	1,203	531	495	87	90	23	11	2	4	6
74a	Leukemias	6,028	3,297	2,444	171	116	74	38	23	8	5
74b	Aleukemias	276	143	116	11	6	2	1	-	1	-
75	Diseases of spleen	515	244	236	20	15	11	3	6	1	1
76	Other diseases of the blood and blood-forming organs	267	121	130	9	7	6	3	2	-	1
	V.—Chronic poisoning and intoxication	2,416	1,848	334	179	55	25	17	2	5	1
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	58	47	10	1	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	2,235	1,731	284	168	52	24	16	2	5	1
78	Lead poisoning	45	28	8	8	1	1	1	-	-	-
79	Chronic poisoning by other mineral or organic substances	78	42	32	2	2	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	145,064	63,327	63,869	8,468	9,400	2,814	830	749	562	673
80	Encephalitis (nonepidemic)	1,387	696	506	101	84	32	11	7	7	7
81	Meningitis (not due to meningococcus)	2,023	981	633	247	162	55	16	9	20	10
82	Diseases of spinal cord (see exceptions)*	2,498	1,317	989	106	86	40	19	10	4	7
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	113,729	48,445	50,973	6,547	7,764	2,323	667	606	467	583
83b	Cerebral embolism and thrombosis	10,949	5,214	5,033	379	323	47	20	16	4	7
83c	Cerebral softening	772	384	318	39	31	10	4	3	2	1
83d	Hemiplegia and other paralysis of unspecified origin	3,694	1,590	1,406	337	361	66	23	10	16	17
84	Mental diseases and deficiency (see exception)*	1,826	628	838	169	191	91	19	39	17	16
85	Epilepsy	2,607	1,230	922	275	180	65	19	16	16	14
86	Convulsions (under 5 years)	423	190	120	61	52	19	6	6	3	5
87	Other diseases of nervous system	4,237	2,158	1,809	159	111	50	20	21	6	3
88	Diseases of organs of vision	51	25	16	4	6	2	-	1	-	1
89a	Otitis and other diseases of the ear	665	343	249	32	41	13	5	6	-	2
89b	Diseases of mastoid process	203	126	57	12	8	1	1	-	-	-
	VII.—Diseases of the circulatory system	457,524	248,732	172,095	19,649	17,048	5,547	2,255	1,392	993	907
90-95	Diseases of the heart (all forms)	424,328	232,466	157,926	18,139	15,797	5,153	2,089	1,281	941	842
90	Pericarditis (except acute rheumatic)	476	237	149	59	31	2	2	-	-	-
91a,b	Bacterial and other acute or subacute endocarditis	1,587	772	552	137	126	36	14	11	2	9
91c	Endocarditis (unspecified, under 45 years)	201	70	74	22	35	-	-	-	-	-
92a-d	Chronic endocarditis and diseases of the valves*	36,568	16,996	15,142	2,281	2,149	870	244	189	221	216
92e	Endocarditis (unspecified, 45 years and over)	2,312	1,080	912	177	143	17	8	5	-	4
93a	Acute myocarditis (except rheumatic)	3,928	1,837	1,469	303	319	139	40	38	33	28
93b	Myocarditis (unspecified, under 45 years)	556	181	166	84	125	12	4	1	5	2
93c,d	Chronic myocarditis and myocardial degeneration	193,505	94,628	83,471	7,943	7,463	1,996	679	579	389	349
93e	Other myocarditis (unspecified)	18,522	9,459	7,072	1,019	972	160	54	30	46	30
94a	Diseases of coronary arteries	126,473	85,834	35,263	3,257	2,119	1,290	730	280	155	125
94b	Angina pectoris	4,964	3,203	1,400	198	163	113	69	30	7	7
95a	Functional diseases of heart, etc.*	1,180	603	506	42	29	19	8	8	2	1
95b,c	Other and unspecified diseases of heart	34,056	17,566	11,750	2,617	2,123	499	237	110	81	71
96	Aneurysm (except of heart and aorta)	1,499	926	411	96	66	14	10	2	2	-
97	Arteriosclerosis (except coronary or renal sclerosis)	25,968	12,791	11,468	975	734	232	103	80	21	28
98	Gangrene	498	236	150	66	46	13	6	-	3	4
99	Other diseases of arteries	1,960	1,009	808	78	65	30	17	5	3	5
100	Diseases of veins	1,097	499	503	36	59	21	7	5	4	5
101	Diseases of lymphatic system	73	34	19	13	7	1	1	-	-	-
102	High blood pressure (idiopathic)	1,864	664	750	213	237	72	18	17	17	20
103	Other diseases of circulatory system	237	107	60	33	37	11	4	2	2	3
	VIII.—Diseases of the respiratory system	72,098	35,236	24,967	6,722	5,173	1,505	451	335	423	296
104a	Diseases of nasal fossae	241	79	73	47	42	3	1	-	1	1
104b	Diseases of accessory sinuses	286	162	79	30	15	6	3	-	2	1
105	Diseases of larynx	352	178	120	27	27	6	3	1	1	1
106a	Acute bronchitis	735	363	278	51	43	10	6	-	1	3

* Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	2	...	1	...	1	57a
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	57b
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	57c
10	4	5	1	-	27	12	12	2	1	63	33	27	3	-	27	13	12	-	2	57d,e
112	49	42	9	12	338	115	134	30	59	2,510	1,015	1,360	66	69	305	142	153	5	5	
-	-	-	-	-	7	5	1	1	-	31	11	16	2	2	6	3	3	-	-	58a-d
3	1	-	1	1	10	-	3	3	4	14	5	9	-	-	6	5	-	-	1	58e,f
6	5	1	-	-	30	11	15	1	3	106	34	71	-	1	11	3	8	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
87	39	33	6	9	205	81	82	14	28	1,931	784	1,044	48	55	200	93	101	4	2	61
-	-	-	-	-	3	-	2	-	1	14	5	7	1	1	1	-	1	-	-	62
-	-	-	-	-	2	-	-	-	2	9	2	6	1	-	4	-	4	-	-	63a
6	1	4	-	1	19	2	11	1	5	139	30	97	5	7	23	4	19	-	-	63b
-	-	-	-	-	5	1	2	-	2	19	4	14	1	-	5	2	3	-	-	63c-e
5	2	2	1	-	3	2	-	1	-	150	93	52	3	2	30	22	8	-	-	64
-	-	-	-	-	4	2	1	1	-	37	19	17	-	1	7	4	3	-	-	65
4	1	2	-	1	9	3	3	3	-	27	13	12	2	-	8	3	3	-	2	66
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	67
-	-	-	-	-	1	-	-	-	1	10	6	2	2	-	-	-	-	-	-	68
1	-	-	1	-	39	8	14	4	13	16	5	11	-	-	2	2	-	-	-	69
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	70
-	-	-	-	-	1	-	-	1	-	4	2	1	1	-	1	-	-	1	-	71
32	16	14	-	2	99	57	28	10	4	743	351	363	21	8	94	51	43	-	-	
2	-	1	-	1	8	5	2	1	-	41	19	20	2	-	3	2	1	-	-	72
8	4	4	-	-	16	7	6	3	-	93	43	48	1	1	18	9	9	-	-	73a
5	4	1	-	-	14	7	4	2	1	51	26	22	2	1	12	7	5	-	-	73b-d
15	7	7	-	1	54	31	16	4	3	476	228	230	13	5	56	31	25	-	-	74a
2	1	1	-	-	1	1	-	-	-	27	15	11	1	-	2	-	2	-	-	74b
-	-	-	-	-	2	2	-	-	-	41	15	23	2	1	3	2	1	-	-	75
-	-	-	-	-	4	4	-	-	-	14	5	9	-	-	-	-	-	-	-	76
27	17	5	4	1	20	15	2	3	-	213	159	44	8	2	27	22	5	-	-	
-	-	-	-	-	-	-	-	-	-	12	7	5	-	-	1	1	-	-	-	77a,b
27	17	5	4	1	18	14	1	3	-	195	146	39	8	2	26	21	5	-	-	77c-e
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	78
-	-	-	-	-	2	1	1	-	-	4	4	-	-	-	-	-	-	-	-	79
403	185	176	21	21	1,608	625	489	236	258	8,242	3,812	4,167	146	117	1,140	593	507	16	24	
9	3	4	1	1	14	6	7	-	1	62	36	22	2	2	16	9	7	-	-	80
12	1	7	1	3	34	15	8	9	2	83	50	29	3	1	20	14	5	-	1	81
12	5	6	1	-	22	10	5	3	4	187	102	76	6	3	22	9	13	-	-	82
293	132	132	15	14	1,276	489	365	195	207	6,173	2,769	3,218	103	83	898	456	406	15	21	83a
30	18	11	1	-	35	22	11	-	2	917	436	465	10	6	74	45	28	-	1	83b
-	-	-	-	-	4	3	1	-	-	209	95	98	7	9	3	1	2	-	-	83c
16	7	6	2	1	114	42	32	14	26	69	40	27	1	1	26	15	11	-	-	83d
4	4	-	-	-	38	9	16	4	9	83	35	43	3	2	7	2	5	-	-	84
6	3	3	-	-	26	11	8	6	1	114	64	41	6	3	22	13	8	-	1	85
3	3	-	-	-	9	3	2	2	2	5	1	4	-	-	6	4	2	-	-	86
14	6	7	-	1	25	11	7	3	4	291	163	122	3	3	36	18	17	1	-	87
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	88
2	1	-	-	1	10	4	6	-	-	31	12	14	2	3	6	3	3	-	-	89a
2	2	-	-	-	1	-	1	-	-	14	6	7	-	1	4	4	-	-	-	89b
1,266	798	364	75	29	3,435	1,591	995	494	355	32,534	19,088	12,504	600	342	3,548	2,158	1,316	43	31	
1,191	751	343	71	26	3,195	1,502	915	454	324	29,679	17,544	11,290	543	302	3,268	2,002	1,199	42	25	90-95
3	2	1	-	-	15	5	3	4	3	22	9	11	1	1	15	9	5	1	-	90
11	5	5	-	1	26	8	6	5	7	88	61	23	4	-	11	7	4	-	-	91a,b
4	1	3	-	-	1	-	1	-	-	6	3	2	1	-	2	1	1	-	-	91c
113	59	43	4	7	499	191	140	94	74	2,033	1,100	880	34	19	388	213	165	3	7	92a-d
6	3	3	-	-	21	6	4	5	6	87	42	41	2	2	23	16	7	-	-	92e
17	9	6	2	-	54	15	19	11	9	164	95	64	2	3	42	19	23	-	-	93a
1	-	1	-	-	6	1	2	1	2	20	9	6	1	4	2	1	1	-	-	93b
486	309	143	26	8	898	375	320	102	101	15,298	8,254	6,569	291	184	1,095	593	474	14	14	93c,d
66	44	18	3	1	106	50	31	14	11	807	441	325	29	12	270	176	91	3	-	93e
330	229	80	18	3	801	502	171	82	46	9,684	6,734	2,753	139	58	1,095	764	311	16	4	94a
13	10	2	1	-	114	65	25	17	7	166	108	55	2	1	46	38	7	1	-	94b
7	2	3	2	-	28	16	9	2	1	59	22	37	-	-	12	5	7	-	-	95a
134	78	35	15	6	626	268	184	117	57	1,245	666	524	37	18	267	160	103	4	-	95b,c
6	5	1	-	-	8	5	1	1	1	252	176	54	14	8	18	9	7	-	2	96
50	33	13	3	1	137	53	50	18	16	2,354	1,239	1,049	37	29	206	116	86	1	3	97
3	2	1	-	-	10	2	4	4	-	9	8	1	-	-	4	2	2	-	-	98
6	3	3	-	-	19	7	8	4	-	106	57	45	2	2	25	15	10	-	-	99
4	3	1	-	-	8	1	2	3	2	57	34	23	-	-	11	6	5	-	-	100
1	-	-	-	1	3	2	1	-	-	2	1	1	-	-	-	-	-	-	-	101
4	1	1	1	1	50	16	13	10	11	69	25	39	4	1	15	8	6	-	1	102
1	-	1	-	-	5	3	1	-	1	6	4	2	-	-	1	-	1	-	-	103
463	223	135	49	56	916	343	273	177	123	4,609	2,678	1,634	192	105	948	554	375	11	8	
8	1	2	2	3	3	1	2	-	-	2	-	2	-	-	2	2	-	-	-	104a
2	2	-	-	-	3	2	1	-	-	26	16	5	5	-	5	5	-	-	-	104b
2	1	1	-	-	9	2	3	3	1	13	10	3	-	-	2	1	1	-	-	105
2	1	1	-	-	1	1	-	-	-	31	20	11	-	-	8	3	5	-	-	106a

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	1,748	1,069	578	68	33	25	13	8	4	-
106c	Bronchitis (unspecified)	658	311	257	52	38	10	4	3	1	2
107	Bronchopneumonia (including capillary bronchitis)	28,794	13,428	10,918	2,417	2,031	525	147	139	131	108
108	Lobar pneumonia	23,299	11,540	7,211	2,636	1,912	642	184	117	211	130
109	Pneumonia (unspecified)	6,103	2,729	2,090	703	581	125	37	23	34	31
	A. Atypical or virus pneumonia	929	482	361	39	47	15	7	2	1	5
	B. Pneumonia (all other, unspecified)	5,174	2,247	1,729	664	534	110	30	21	33	26
110	Pleurisy (not specified as tuberculous)	1,367	791	351	145	80	24	7	4	8	5
111a	Hemorrhagic infarction and thrombosis of lungs	1,431	694	591	75	71	19	3	7	6	3
111b,c	Acute edema, chronic and unspecified congestion of lungs	2,393	1,068	1,132	114	79	33	12	17	3	1
112	Asthma	2,521	1,348	887	148	138	43	21	10	7	5
113	Pulmonary emphysema	260	196	37	20	7	3	1	-	2	-
114	Other diseases of respiratory system (except tuberculosis)	1,910	1,280	365	189	76	31	9	6	11	5
	IX.—Diseases of the digestive system	67,513	34,695	24,465	4,535	3,818	1,206	393	310	270	233
115a,b,d	Diseases of buccal cavity and adnexa	1,116	475	463	86	92	27	11	5	6	5
115c	Diseases of pharynx and tonsils	1,063	489	403	88	83	21	4	4	5	8
116	Diseases of esophagus	242	122	77	26	17	7	5	1	1	-
117a	Ulcer of stomach	5,971	4,442	885	475	169	97	40	5	41	11
117b	Ulcer of duodenum	2,987	2,375	461	121	30	34	21	6	4	3
118	Other diseases of stomach (except cancer)	1,644	728	427	253	236	49	13	11	11	14
119	Diarrhea, enteritis, and ulceration of intestines (under 2 yr.)	9,055	4,109	3,052	1,060	834	250	75	67	66	42
120	Diarrhea, enteritis, and ulceration of intestines (2 yr. and over)	2,410	973	1,020	183	234	65	13	18	16	18
121	Appendicitis	6,697	3,443	2,307	515	432	175	54	49	38	34
122a	Hernia	5,004	2,625	1,910	316	153	57	13	14	15	15
122b	Intestinal obstruction	6,617	2,517	3,044	482	574	141	38	36	28	39
123	Other diseases of intestines	1,752	886	666	103	97	19	7	2	6	4
124a	Cirrhosis of liver (with mention of alcoholism)	1,737	1,211	450	57	19	9	4	2	3	-
124b	Cirrhosis of liver (without mention of alcoholism)	10,804	6,474	3,566	453	311	98	41	26	18	13
125a	Acute yellow atrophy of liver (nonpuerperal)	676	298	294	40	44	15	9	5	-	1
125b	Other diseases of liver	1,099	508	396	98	97	24	10	7	3	4
126	Biliary calculi	3,755	1,117	2,531	21	86	38	8	27	2	1
127	Other diseases of gallbladder and biliary ducts	2,947	1,028	1,735	60	124	42	14	18	3	7
128	Diseases of pancreas (except diabetes mellitus)	917	474	391	20	32	7	5	-	2	-
129	Peritonitis (cause not stated)	1,020	401	387	78	154	31	8	7	2	14
	X.—Diseases of the genito-urinary system	102,813	49,461	37,238	8,643	7,471	2,321	725	523	585	488
130	Acute nephritis	2,855	1,206	860	427	362	68	15	10	22	21
131a	Arteriosclerotic kidney	58,653	26,410	23,486	4,438	4,319	1,293	403	308	299	283
131b	Other chronic nephritis	21,840	10,075	8,104	2,011	1,650	673	204	151	189	129
132	Nephritis unspecified (10 years and over)	4,730	2,156	1,631	489	454	55	14	13	14	14
133	Other diseases of kidneys and ureters, etc.*	3,203	1,476	1,331	237	159	55	13	17	12	13
134	Calculi of urinary passages	1,396	854	442	62	38	23	11	5	2	5
135	Diseases of urinary bladder	691	323	243	102	23	9	3	2	4	-
136	Diseases of urethra (except calculus)	395	224	25	140	6	9	2	1	6	-
137	Diseases of prostate	7,443	6,716	...	727	...	95	59	...	36	...
138	Diseases of other male genital organs (except venereal)	31	21	...	10	...	2	1	...	1	...
139a	Diseases of ovaries, fallopian tubes, and parametria	959	...	577	...	382	29	...	9	...	20
139b	Diseases of uterus	580	...	512	...	68	10	...	7	...	3
139c	Diseases of other and unspecified female genital organs	37	...	27	...	10	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	5,668	...	4,122	...	1,546	240	...	107	...	133
140	Abortion with mention of infection	587	...	395	...	192	31	...	14	...	17
140a,b	Abortion (septic), spontaneous or therapeutic*	462	...	300	...	162	27	...	10	...	17
140c,d	Abortion (septic), self-induced or nontherapeutic*	125	...	95	...	30	4	...	4	...	-
141	Abortion without mention of infection	301	...	207	...	94	8	...	4	...	4
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	80	...	59	...	21	3	...	2	...	1
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	103	...	67	...	36	3	...	1	...	2
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified*	89	...	60	...	29	2	...	1	...	1
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	29	...	21	...	8	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	86	...	61	...	25	2	...	1	...	1
142b	Ectopic gestation, without mention of infection	248	...	169	...	79	6	...	1	...	5
143a	Placenta praevia (death before delivery)	21	...	14	...	7	3	...	1	...	2
143b,c	Other hemorrhages of pregnancy (death before delivery)	39	...	28	...	11	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	382	...	242	...	140	20	...	9	...	11
144c,d	Other toxemias of pregnancy (death before delivery)*	133	...	100	...	33	7	...	6	...	1
145	Other diseases and accidents of pregnancy (death before delivery)	241	...	196	...	45	10	...	4	...	6
	A. With mention of infection	156	...	128	...	28	3	...	-	...	3
	B. Without mention of infection	85	...	68	...	17	7	...	4	...	3
146a	Placenta praevia (with childbirth)	196	...	151	...	45	6	...	3	...	3
146b,c	Other hemorrhages of childbirth and puerperium	691	...	539	...	152	29	...	16	...	13
147a,b	Puerperal pyelitis, other general or local puerperal infection*	508	...	319	...	189	29	...	7	...	22
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	663	...	578	...	85	16	...	12	...	4
148a,b	Puerperal eclampsia and nephritis*	646	...	439	...	207	37	...	15	...	22
148c,d	Other puerperal toxemias	164	...	125	...	39	7	...	5	...	2
149	Other accidents and specified conditions of childbirth	431	...	338	...	93	11	...	2	...	9
150	Other and unspecified conditions of childbirth and puerperium	331	...	221	...	110	18	...	7	...	11
	XII.—Diseases of the skin and cellular tissue	994	401	406	86	101	27	8	8	3	8
151	Carbuncle and furuncle	112	60	37	7	8	5	1	3	-	1
152	Phlegmon and acute abscess	219	108	62	23	26	4	2	-	1	1
153	Other diseases of skin and cellular tissue	663	233	307	56	67	18	5	5	2	6

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
15	11	4	-	-	28	15	8	2	3	118	75	36	4	3	18	11	7	-	-	106b
6	4	1	1	-	10	3	-	5	2	22	8	14	-	-	8	6	2	-	-	106c
198	76	59	29	34	318	109	92	70	47	2,335	1,280	927	71	57	433	252	174	3	4	107
96	47	37	5	7	367	139	109	72	47	1,368	856	395	86	31	259	150	104	3	2	108
56	26	14	7	9	88	29	28	16	15	97	55	36	2	4	72	36	34	1	1	109
4	3	-	-	1	13	4	7	-	2	30	16	13	-	1	12	6	6	-	-	
52	23	14	7	8	75	25	21	16	13	67	39	23	2	3	60	30	28	1	1	
12	6	4	2	-	12	6	3	1	2	109	77	26	5	1	20	13	6	1	-	110
4	3	1	-	-	4	3	1	-	-	71	38	31	1	1	16	9	7	-	-	111a
4	2	-	1	1	28	10	14	2	2	137	69	62	4	2	35	17	18	-	-	111b,c
36	24	9	1	2	25	11	7	4	3	145	76	60	8	1	39	21	15	3	-	112
4	4	-	-	-	2	2	-	-	-	22	18	2	1	1	3	3	-	-	-	113
18	15	2	1	-	18	10	5	2	1	113	80	24	5	4	28	25	2	-	1	114
445	193	132	61	59	777	323	217	122	115	4,943	2,768	1,911	162	102	850	498	335	11	6	
8	1	4	1	2	22	6	10	3	3	55	18	32	3	2	21	10	10	-	1	115a,b,d
6	4	1	1	-	13	8	4	1	-	83	44	32	7	-	13	9	3	-	1	115c
2	1	-	-	1	1	-	1	-	-	16	9	5	2	-	4	-	4	-	-	116
21	18	2	1	-	50	33	7	7	3	461	362	73	20	6	76	59	13	3	1	117a
9	8	1	-	-	10	6	1	3	-	295	231	54	8	2	45	37	7	1	-	117b
13	8	5	-	-	54	9	15	16	14	40	19	18	1	2	14	10	4	-	-	118
225	80	65	41	39	118	50	27	23	18	450	227	179	23	21	181	113	67	1	-	119
24	7	5	5	7	34	7	13	5	9	124	62	57	3	2	30	13	16	1	-	120
24	14	6	-	4	113	55	31	15	12	389	224	140	15	10	80	52	26	2	-	121
15	6	4	3	2	46	14	10	13	9	312	169	131	9	3	42	19	23	-	-	122a
23	8	11	1	3	98	29	37	14	18	410	143	251	6	10	90	46	41	1	2	122b
9	5	2	2	-	18	9	7	1	1	145	71	63	7	4	18	9	9	-	-	123
-	-	-	-	-	8	6	1	-	1	526	350	159	14	3	13	8	5	-	-	124a
40	21	16	3	-	92	52	18	12	10	963	560	360	28	15	95	58	37	-	-	124b
1	-	-	1	-	6	5	-	1	-	81	44	32	4	1	4	1	2	1	-	125a
3	2	-	-	1	14	5	3	4	2	72	43	19	6	4	9	6	3	-	-	125b
9	4	5	-	-	21	10	7	-	4	258	76	172	2	8	45	16	28	-	1	126
5	1	3	1	-	33	9	19	1	4	139	45	91	-	3	45	21	24	-	-	127
5	4	1	-	-	10	7	2	-	1	81	49	28	2	2	8	3	5	-	-	128
3	1	1	1	-	16	3	4	3	6	43	22	15	2	4	17	8	8	1	-	129
284	168	91	16	9	1,417	553	377	266	221	5,097	2,838	2,009	140	110	951	525	396	15	15	
14	9	3	1	1	92	26	30	26	10	96	53	37	5	1	20	11	8	-	1	130
136	77	52	4	3	629	239	189	111	90	2,936	1,510	1,296	68	62	562	296	250	9	7	131a
76	43	23	7	3	377	130	98	85	64	1,028	554	410	40	24	176	96	72	4	4	131b
17	9	5	2	1	108	58	22	6	22	120	62	46	3	9	53	22	28	2	1	132
11	7	3	1	-	47	18	17	4	8	200	109	86	3	2	31	15	16	-	-	133
5	4	-	1	-	10	5	4	1	-	115	84	27	4	-	5	4	1	-	-	134
2	1	1	-	-	13	6	2	3	2	39	17	20	2	-	5	4	1	-	-	135
2	2	-	-	-	5	1	-	4	-	14	10	2	2	-	2	2	-	-	-	136
16	16	...	-	...	94	68	...	26	...	450	437	...	13	...	74	74	...	-	...	137
-	-	...	-	...	2	2	...	-	...	2	2	...	-	...	1	1	...	-	...	138
1	...	-	...	1	34	...	11	...	23	68	...	57	...	11	17	...	16	...	1	139a
3	...	3	...	-	5	...	4	...	1	26	...	25	...	1	4	...	3	...	1	139b
1	...	1	...	-	1	...	-	...	1	3	...	3	...	-	1	...	1	...	-	139c
40	...	27	...	13	116	...	69	...	47	298	...	274	...	24	56	...	54	...	2	
2	...	1	...	1	15	...	9	...	6	25	...	25	...	-	2	...	2	...	-	140
2	...	1	...	1	15	...	9	...	6	12	...	12	...	-	1	...	1	...	-	140a,b
-	...	-	...	-	-	...	-	...	-	13	...	13	...	-	1	...	1	...	-	140c,d
3	...	3	...	-	6	...	2	...	4	20	...	17	...	3	1	...	1	...	-	141
1	...	1	...	-	1	...	-	...	1	9	...	6	...	3	-	...	-	...	-	141a,c
-	...	-	...	-	1	...	-	...	1	4	...	4	...	-	1	...	1	...	-	141b
2	...	2	...	-	4	...	2	...	2	4	...	4	...	-	-	...	-	...	-	141d
-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	2	...	2	...	-	10	...	8	...	2	2	...	2	...	-	142a
1	...	1	...	-	4	...	2	...	2	24	...	22	...	2	4	...	4	...	-	142b
-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	143a
-	...	-	...	-	-	...	-	...	-	2	...	-	...	2	-	...	-	...	-	143b,c
1	...	1	...	-	8	...	5	...	3	10	...	10	...	-	2	...	2	...	-	144a,b
1	...	1	...	-	2	...	2	...	-	1	...	1	...	-	1	...	1	...	-	144c,d
1	...	1	...	-	3	...	2	...	1	11	...	10	...	1	5	...	5	...	-	145
1	...	1	...	-	1	...	-	...	1	8	...	7	...	1	3	...	3	...	-	
-	...	-	...	-	2	...	2	...	-	3	...	3	...	-	2	...	2	...	-	
1	...	-	...	1	4	...	2	...	2	10	...	10	...	-	3	...	3	...	-	146a
9	...	5	...	4	17	...	10	...	7	28	...	28	...	-	9	...	9	...	-	146b,c
6	...	3	...	3	10	...	5	...	5	21	...	19	...	2	5	...	5	...	-	147a,b
2	...	2	...	-	7	...	6	...	1	38	...	34	...	4	9	...	9	...	-	147c,d
4	...	2	...	2	19	...	11	...	8	37	...	34	...	3	6	...	5	...	1	148a,b
1	...	-	...	1	2	...	2	...	-	12	...	11	...	1	-	...	-	...	-	148c,d
3	...	3	...	-	5	...	4	...	1	34	...	30	...	4	3	...	3	...	-	149
5	...	4	...	1	11	...	4	...	7	14	...	14	...	-	4	...	3	...	1	150
8	2	2	1	3	9	4	5	-	-	51	21	23	4	3	9	7	1	-	1	
3	-	1	1	1	1	-	1	-	-	2	1	-	1	-	1	1	-	-	-	151
3	2	-	-	1	2	1	1	-	-	14	9	5	-	-	-	-	-	-	-	152
2	-	1	-	1	6	3	3	-	-	35	11	18	3	3	8	6	1	-	1	153

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII.—Diseases of the bones, etc.*	840	416	321	57	46	14	5	2	3	4
154	Osteomyelitis and periostitis	292	171	65	35	21	7	2	-	2	3
155	Other diseases of bones (except tuberculosis)	182	65	105	1	11	1	1	-	-	-
156	Diseases of joints and other organs of movement	366	180	151	21	14	6	2	2	1	1
157	XIV.—Congenital malformations	16,187	8,191	6,798	650	548	299	121	109	36	33
	XV.—Diseases peculiar to the first year of life	50,779	25,387	17,573	4,378	3,441	1,378	502	355	306	215
158	Congenital debility (cause not stated)	2,202	960	616	372	254	68	19	6	23	20
159	Premature birth (cause not stated)	31,614	15,428	11,140	2,725	2,321	882	325	235	187	135
160a	Intracranial or spinal hemorrhage	4,049	2,272	1,281	294	202	90	42	31	14	3
160b,c	Other injuries at birth	5,713	3,131	2,020	325	237	170	63	43	36	28
161	Other diseases peculiar to the first year of life	7,201	3,596	2,516	662	427	168	53	40	46	29
162	XVI.—Senility	10,815	4,141	5,050	795	829	372	68	119	88	97
	XVII.—Violent or accidental deaths	118,432	72,520	31,578	10,723	3,611	2,358	1,102	382	656	218
163,164	Suicide	14,782	10,374	3,920	380	108	161	110	38	9	4
163	Suicide by poisoning	3,718	1,900	1,717	57	44	22	9	12	-	1
	Suicide by solid or liquid poisons	1,735	739	930	34	32	19	7	11	-	1
	Suicide by poisonous gases	1,983	1,161	787	23	12	3	2	1	-	-
164a	Suicide by hanging or strangulation	3,301	2,454	766	76	5	16	11	4	1	-
164b	Suicide by drowning	713	358	331	17	7	5	-	5	-	-
164c	Suicide by firearms and explosives	5,321	4,465	663	164	29	102	80	15	5	2
164d	Suicide by cutting or piercing instruments	763	614	118	29	2	7	5	2	-	-
164e	Suicide by jumping from high places	634	384	214	22	14	3	3	-	-	-
164f	Suicide by crushing	161	108	44	6	3	1	-	-	1	-
164g	Suicide by other or unspecified means	171	91	67	9	4	5	2	-	2	1
165-168	Homicide[1]	7,412	2,703	791	3,132	786	343	76	20	199	48
166	Homicide by firearms	4,029	1,491	415	1,755	368	199	44	14	120	21
167	Homicide by cutting or piercing instruments	1,837	402	100	1,051	284	101	13	3	66	19
168	Homicide by other means	1,546	810	276	326	134	43	19	3	13	8
169-195	Accidental deaths	95,918	59,208	26,863	7,131	2,716	1,850	913	324	447	166
169	Railway accidents (except collisions with motor vehicles)	3,320	2,562	307	394	57	89	40	6	41	2
170a	Collisions between automobiles and trains	1,703	1,193	412	73	25	30	18	9	3	-
170b	Collisions between automobiles and streetcars	163	107	43	12	1	2	2	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	25,672	18,018	5,170	1,986	498	570	344	73	127	26
170d	Motorcycle accidents (except collisions with automobiles)	538	462	59	16	1	16	14	2	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	618	438	128	40	12	7	4	1	1	1
171b	Other and unspecified road-transport accidents	218	142	36	37	3	3	2	-	1	-
172	Water-transport accidents	1,021	833	77	108	3	25	18	-	6	1
173	Air-transport accidents	3,552	3,402	93	55	2	76	65	2	9	-
174	Accidents in mines and quarries	1,352	1,212	17	122	1	75	34	-	41	-
175a	Accidents involving agricultural machinery and vehicles	1,006	878	56	64	8	21	8	-	11	2
175b,c	Other agricultural accidents, including injury by animals	1,135	980	81	66	8	23	14	1	6	2
175d	Accidents involving forestry machinery and vehicles	40	38	-	2	-	2	1	-	1	-
175e	Other forestry accidents	235	204	1	30	-	5	-	-	5	-
176	Other accidents involving machinery	1,225	1,015	45	162	3	29	15	3	11	-
177	Food poisoning	459	171	151	66	71	20	4	3	4	9
178	Accidental absorption of poisonous gas	2,131	1,313	676	107	35	11	7	4	-	-
179	Acute accidental poisoning by solids or liquids	1,532	727	554	148	103	41	18	7	11	5
180	Conflagration	2,914	1,337	907	374	296	50	23	12	6	9
181	Accidental burns (except conflagration)	5,105	2,079	1,882	560	584	180	52	55	37	36
182	Accidental mechanical suffocation	1,483	738	452	156	137	28	11	4	3	10
183	Accidental drowning	5,676	4,065	776	753	82	88	49	5	32	2
184	Accidental injury by firearms	2,454	1,745	239	368	102	72	30	4	26	12
185	Accidental injury by cutting or piercing instruments	329	169	54	78	28	12	3	3	4	2
186a	Accidental injury by fall	23,333	10,057	12,316	582	378	211	71	106	17	17
186b	Accidental injury by crushing	485	389	22	71	3	8	4	-	4	-
187	Cataclysm, etc.*	300	130	120	20	30	37	7	7	9	14
188	Injury by animals (except in agriculture and forestry)	152	112	22	16	2	2	2	-	-	-
189	Hunger or thirst	29	13	12	3	1	-	-	-	-	-
190	Excessive cold	277	186	37	40	14	5	1	-	3	1
191	Excessive heat	265	164	37	47	17	5	2	-	2	1
192	Lightning	268	185	42	28	13	3	1	-	1	1
193	Accidents due to electric currents (except lightning)	620	544	40	29	7	11	9	-	-	2
194	Poisoning by venomous animals (except in agriculture and forestry)	50	31	9	8	2	3	1	1	1	-
195a,b	Accidents due to medical or surgical intervention	64	27	26	6	5	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	897	470	311	63	53	12	3	3	3	3
195c,e	Other and unspecified accidents	5,297	3,072	1,653	441	131	78	36	13	21	8
196	Deaths of military personnel during operations of war	176	174	-	2	-	1	1	-	-	-
197	Deaths of civilians due to operations of war	9	5	4	-	-	-	-	-	-	-
198	Legal executions	135	56	-	78	1	3	2	-	1	-
	XVIII.—Ill-defined and unknown causes	18,166	6,909	3,832	4,092	3,333	1,682	312	180	649	541
199	Sudden death	1,352	693	292	222	145	106	36	19	33	18
200a	Ill-defined	6,909	3,434	1,612	1,044	819	476	115	53	159	149
200b	Found dead (cause unknown)	777	398	188	129	62	63	20	9	21	13
200c	Unknown or unspecified	9,128	2,384	1,740	2,697	2,307	1,037	141	99	436	361

* Refer to International List for complete title, table V, Part I.
[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2	1	-	1	-	10	2	2	2	4	43	21	21	1	-	5	3	2	-	-	
2	1	-	1	-	4	1	1	-	2	18	12	5	1	-	2	2	-	-	-	154
-	-	-	-	-	3	-	1	-	2	12	4	8	-	-	1	-	1	-	-	155
-	-	-	-	-	3	1	-	2	-	13	5	8	-	-	2	1	1	-	-	156
73	27	30	9	7	147	65	60	12	10	1,005	532	418	34	21	141	80	59	-	2	157
309	147	108	31	23	510	240	193	41	36	3,252	1,751	1,258	138	105	518	306	198	9	5	
19	9	1	5	4	45	25	14	4	2	63	37	23	3	-	34	21	13	-	-	158
192	92	75	17	8	305	149	113	25	18	1,998	1,050	787	91	70	317	187	122	5	3	159
10	5	3	1	1	31	17	12	-	2	215	123	78	7	7	40	28	12	-	-	160a
37	19	15	-	3	70	28	29	8	5	498	291	181	16	10	70	36	29	3	2	160b,c
51	22	14	8	7	59	21	25	4	9	478	250	189	21	18	57	34	22	1	-	161
55	20	23	9	3	289	89	97	56	47	346	144	193	4	5	168	74	89	2	3	162
757	505	113	109	30	1,405	725	321	254	105	9,942	6,746	2,589	495	112	1,216	787	397	20	12	
62	39	11	11	1	108	80	27	1	-	1,410	963	393	46	8	128	85	41	1	1	163,164
12	6	6	-	-	21	12	9	-	-	403	194	201	5	3	36	18	17	-	1	163
11	5	6	-	-	18	11	7	-	-	297	116	173	5	3	22	11	10	-	1	
1	1	-	-	-	3	1	2	-	-	106	78	28	-	-	14	7	7	-	-	
13	4	2	7	-	9	4	5	-	-	233	167	51	15	-	26	16	10	-	-	164a
-	-	-	-	-	7	3	4	-	-	46	19	25	1	1	9	4	5	-	-	164b
35	28	2	4	1	58	51	6	1	-	503	418	66	17	2	48	40	7	1	-	164c
1	1	-	-	-	5	4	1	-	-	102	80	16	6	-	5	5	-	-	-	164d
-	-	-	-	-	-	-	-	-	-	92	64	25	1	2	2	1	1	-	-	164e
-	-	-	-	-	-	-	-	-	-	20	14	5	1	-	-	-	-	-	-	164f
1	-	1	-	-	8	6	2	-	-	11	7	4	-	-	2	1	1	-	-	164g
46	22	4	16	4	131	35	7	71	18	498	276	76	122	24	52	37	8	5	2	165-168
23	15	1	6	1	72	22	3	40	7	218	106	39	62	11	30	21	3	4	2	166
14	5	2	5	2	34	5	-	22	7	123	63	12	41	7	7	5	1	1	-	167
9	2	1	5	1	25	8	4	9	4	157	107	25	19	6	15	11	4	-	-	168
644	441	98	80	25	1,164	609	287	181	87	8,004	5,480	2,120	324	80	1,032	662	348	13	9	169-195
21	14	1	6	-	68	42	7	19	-	223	184	20	18	1	27	24	2	1	-	169
15	6	1	5	3	17	9	2	1	5	199	131	60	5	3	46	31	15	-	-	170a
-	-	-	-	-	-	-	-	-	-	27	16	11	-	-	-	-	-	-	-	170b
202	141	31	25	5	249	140	49	48	12	3,234	2,364	707	134	29	261	202	54	3	2	170c
2	2	-	-	-	5	5	-	-	-	88	77	7	4	-	3	3	-	-	-	170d
-	-	-	-	-	-	-	-	-	-	69	49	17	2	1	5	5	-	-	-	171a
-	-	-	-	-	5	2	2	1	-	10	8	2	-	-	3	3	-	-	-	171b
3	2	-	1	-	9	5	2	2	-	71	64	1	6	-	2	2	-	-	-	172
96	85	-	11	-	22	18	1	2	1	469	450	14	5	-	32	30	1	1	-	173
13	13	-	-	-	6	5	-	1	-	16	13	3	-	-	29	27	2	-	-	174
5	4	-	-	1	8	5	2	1	-	45	40	3	2	-	20	19	1	-	-	175a
7	5	-	2	-	15	11	1	3	-	55	51	4	-	-	21	18	2	1	-	175b,c
1	1	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	175d
1	1	-	-	-	-	-	-	-	-	21	19	-	2	-	1	1	-	-	-	175e
4	4	-	-	-	16	12	1	3	-	104	100	1	3	-	16	11	4	1	-	176
3	1	1	-	1	16	5	7	4	-	29	15	13	-	1	6	1	5	-	-	177
3	1	1	1	-	10	4	3	2	1	96	55	32	6	3	17	10	6	1	-	178
15	8	5	1	1	15	8	2	2	3	151	76	70	3	2	20	10	10	-	-	179
13	12	1	-	-	77	27	19	10	21	187	99	63	17	8	18	11	7	-	-	180
38	22	8	3	5	96	32	32	14	18	256	123	104	17	12	44	19	22	1	2	181
13	7	3	-	3	18	5	10	2	1	109	60	43	3	3	14	10	4	-	-	182
46	29	11	4	2	85	51	14	16	4	378	284	68	23	3	49	38	9	2	-	183
16	11	1	4	-	59	37	4	17	1	139	122	12	4	1	31	26	5	-	-	184
-	-	-	-	-	15	9	3	2	1	15	10	2	3	-	1	-	1	-	-	185
56	28	20	7	1	147	60	65	12	10	1,544	731	767	39	7	292	107	181	-	4	186a
1	1	-	-	-	18	16	-	1	1	42	33	2	7	-	4	4	-	-	-	186b
2	2	-	-	-	25	14	11	-	-	6	5	1	-	-	2	1	-	-	1	187
3	1	-	1	1	5	3	2	-	-	6	5	1	-	-	4	4	-	-	-	188
2	-	1	1	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	189
2	-	-	2	-	2	-	-	2	-	6	6	-	-	-	3	3	-	-	-	190
7	5	2	-	-	6	4	-	2	-	29	20	4	5	-	2	2	-	-	-	191
2	2	-	-	-	11	11	-	-	-	4	4	-	-	-	10	9	1	-	-	192
4	4	-	-	-	13	10	-	2	1	40	36	4	-	-	4	4	-	-	-	193
4	1	1	-	2	3	1	1	1	-	2	1	-	1	-	1	1	-	-	-	194
-	-	-	-	-	1	1	-	-	-	2	-	1	-	1	-	-	-	-	-	195a,b
5	4	-	1	-	14	3	3	1	7	78	38	35	5	-	12	6	6	-	-	195d
39	24	10	5	-	107	54	43	10	-	250	187	48	10	5	32	20	10	2	-	195c,e
2	2	-	-	-	1	1	-	-	-	18	18	-	-	-	1	1	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
3	1	-	2	-	1	-	-	1	-	12	9	-	3	-	3	2	-	1	-	198
253	85	30	87	51	454	150	105	115	84	194	132	39	13	10	68	36	25	4	3	
11	5	4	1	1	44	18	9	12	5	2	2	-	-	-	2	2	-	-	-	199
103	67	18	13	5	143	65	33	28	17	72	58	9	5	-	37	22	14	1	-	200a
4	1	1	2	-	29	8	11	8	2	6	5	1	-	-	-	-	-	-	-	200b
135	12	7	71	45	238	59	52	67	60	114	67	29	8	10	23	12	11	3	3	200c

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	18,833	10,102	8,232	281	218	3,274	1,430	1,241	341	262
	I.—Infectious and parasitic diseases	939	586	243	70	40	197	64	52	42	39
1	Typhoid fever	2	2	-	-	-	1	-	-	-	1
2	Paratyphoid fever	1	1	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	11	9	1	-	1	1	-	1	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	2	-	-	-	2	1	1	-	-
9	Whooping cough	9	3	6	-	-	6	2	2	-	2
10	Diphtheria (infection by C. diphtheriae)	2	2	-	-	-	4	2	1	1	-
11	Erysipelas	1	1	-	-	-	-	-	-	-	-
12	Tetanus	2	1	1	-	-	1	1	-	-	-
13-22	Tuberculosis (all forms)	564	410	174	54	26	109	36	31	20	22
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	15	15	-	-	-	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	597	374	156	46	21	93	31	27	14	21
14	Tuberculosis of meninges and central nervous system	5	3	1	1	-	4	1	2	1	-
15	Tuberculosis of intestines and peritoneum	8	2	3	1	2	-	-	-	-	-
16	Tuberculosis of vertebral column	6	3	3	-	-	5	2	-	3	-
17a	Tuberculosis of bones (except vertebral column)	1	-	1	-	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	2	2	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	2	1	1	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	1	-	1	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	5	3	1	1	-	2	-	2	-	-
21	Tuberculosis of other organs	2	1	1	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	20	6	6	5	3	5	2	-	2	1
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	9	4	5	-	-	-	-	-	-	-
25	Gonococcus infection	1	-	1	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	1	1	-	-	-
28	Malaria	1	1	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	133	90	19	14	10	41	10	4	19	8
30a	Locomotor ataxia (tabes dorsalis)	4	3	1	-	-	1	1	-	-	-
30b	General paralysis of insane	34	23	5	4	2	9	2	1	3	3
30c	Other syphilis of central nervous system	9	6	1	-	2	2	-	-	1	1
30d	Aneurysm of aorta	47	36	7	2	2	6	4	-	1	1
30e	Other syphilis of circulatory system	6	3	1	1	1	5	-	-	5	-
30f,g	Congenital, other and unspecified forms of syphilis	33	19	4	7	3	18	3	3	9	3
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	5	3	2	-	-	-	-	-	-	-
33a	Influenza, with respiratory complications specified	15	8	4	-	3	9	-	7	1	1
33b	Influenza, without respiratory complications specified	12	6	6	-	-	5	1	2	-	2
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	4	3	1	-	-	3	1	-	1	1
36	Acute poliomyelitis and acute polioencephalitis	10	7	3	-	-	3	1	1	-	1
37a,c	Infectious encephalitis lethargica (acute and unqualified)	5	2	3	-	-	2	1	-	-	1
37b	Sequelae of encephalitis lethargica	7	3	4	-	-	2	2	-	-	-
38	Other diseases due to filtrable viruses	1	1	-	-	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	-	-	-	-	-	2	2	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	2	2	-	-	-	-	-	-	-	-
43	Mycoses	7	4	3	-	-	1	-	1	-	-
44	Other infectious and parasitic (communicable) diseases	33	21	10	2	-	4	3	1	-	-
	II.—Cancer and other tumors	3,050	1,537	1,469	22	22	363	135	179	28	21
45-55	Cancer and other malignant tumors	2,966	1,503	1,420	22	21	352	134	175	27	16
45	Cancer of buccal cavity and pharynx	109	82	24	1	2	13	10	3	-	-
45a-e	Cancer of buccal cavity	76	57	16	1	2	10	7	3	-	-
45f	Cancer of pharynx	33	25	8	-	-	3	3	-	-	-
46	Cancer of digestive organs and peritoneum	1,425	812	595	12	6	166	75	71	15	5
46a	Cancer of esophagus	77	63	14	-	-	9	5	1	3	-
46b,c	Cancer of stomach and duodenum	423	270	146	3	4	53	30	17	6	-
46f	Cancer of liver and biliary passages	146	67	79	-	-	28	7	17	2	2
46g	Cancer of pancreas	118	63	53	2	-	15	4	9	1	1
46d,e,h,m	Cancer of other digestive organs and peritoneum	661	349	303	7	2	61	29	27	3	2
47	Cancer of respiratory system	260	205	52	2	1	17	12	3	2	-
48	Cancer of uterus	195	...	187	...	8	36	...	28	...	8
49	Cancer of other female genital organs	108	...	108	...	-	18	...	18	...	-
50	Cancer of breast	291	4	285	-	2	28	-	26	-	2
51	Cancer of male genital organs	177	171	...	6	...	20	17	...	3	...
52	Cancer of urinary organs (male and female)	135	86	47	1	1	22	9	8	4	1
53	Cancer of skin (except vulva and scrotum)	30	16	14	-	-	8	3	4	1	-
54	Cancer of central nervous system*	39	22	17	-	-	4	1	3	-	-
55	Cancer of other and unspecified organs	197	105	91	-	1	20	7	11	2	-
56a	Nonmalignant tumors of ovary	8	...	8	...	-	2	...	2	...	-
56b	Nonmalignant tumors of uterus	18	...	17	...	1	4	...	1	...	3
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	18	13	5	-	-	2	1	1	-	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,432	2,889	2,418	1,632	1,493	22,776	9,776	6,071	3,857	3,072	28,559	9,575	6,920	6,267	5,797	4,602	2,755	1,716	83	48	
768	198	86	320	164	1,668	509	256	561	342	2,472	600	450	736	686	200	119	58	13	10	
1	-	-	1	-	14	6	1	3	4	24	3	6	10	5	-	-	-	-	-	1
-	-	-	-	-	1	-	1	-	-	4	3	-	-	1	1	1	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	2	1	-	-	1	3	2	1	-	-	1	1	-	-	-	5
7	3	-	3	1	32	17	6	8	1	43	20	11	5	7	3	2	1	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	3	1	2	-	-	8
3	-	1	-	2	29	13	7	2	7	64	18	24	5	17	6	2	4	-	-	9
1	-	1	-	-	30	12	10	7	1	72	25	27	10	10	6	2	4	-	-	10
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	11
4	1	-	1	2	41	3	6	21	11	39	5	3	16	15	1	1	-	-	-	12
541	137	58	217	129	739	257	92	241	149	1,108	256	178	315	359	81	47	19	9	6	13-22
2	2	-	-	-	-	-	-	-	-	2	2	-	-	-	7	7	-	-	-	13a
483	129	52	188	114	700	238	88	233	141	1,006	231	168	281	326	65	39	13	8	5	13b,c
14	1	2	8	3	13	10	2	1	-	19	6	3	7	3	2	-	1	1	-	14
9	1	-	4	4	6	3	1	-	2	23	5	4	3	11	2	-	1	-	1	15
6	2	2	1	1	5	2	-	2	1	8	1	-	2	5	-	-	-	-	-	16
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	17a
1	-	-	1	-	1	-	-	-	1	5	2	1	1	1	-	-	-	-	-	17b
-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	18
1	-	-	1	-	1	-	-	-	1	2	-	1	-	1	-	-	-	-	-	19
2	-	-	1	1	1	1	-	-	-	4	1	-	3	-	2	-	2	-	-	20
3	1	-	2	-	1	-	-	-	1	3	1	-	2	-	1	1	-	-	-	21
19	1	1	11	6	8	3	1	4	-	28	5	-	12	11	2	-	2	-	-	22a
1	-	1	-	-	2	-	-	-	2	6	2	-	3	1	-	-	-	-	-	22b
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	23
4	2	-	1	1	20	4	6	4	6	31	8	6	9	8	2	2	-	-	-	24
1	-	-	1	-	6	-	1	1	4	4	-	-	-	4	1	1	-	-	-	25
-	-	-	-	-	1	-	1	-	-	5	3	-	-	2	-	-	-	-	-	26
1	-	-	1	-	34	8	4	7	15	55	14	12	16	13	6	3	1	1	1	27
1	-	-	1	-	21	8	4	5	6	24	3	6	7	8	-	-	-	-	-	28
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	29
162	39	12	85	26	313	66	22	168	57	370	68	30	184	88	25	17	5	1	2	30
2	-	1	1	-	9	7	1	1	-	6	2	-	3	1	3	2	1	-	-	30a
23	7	1	14	1	96	17	6	61	12	159	32	16	79	32	5	5	-	-	-	30b
20	7	3	9	1	27	5	3	17	2	25	6	1	11	7	5	3	2	-	-	30c
58	21	2	25	10	45	14	5	21	5	51	14	5	26	6	6	5	1	-	-	30d
30	1	-	25	4	16	3	-	10	3	18	5	-	12	1	1	-	-	1	-	30e
29	3	5	11	10	120	20	7	58	35	111	9	8	53	41	5	2	1	-	2	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1	1	-	-	-	6	3	2	1	-	10	2	5	2	1	2	2	-	-	-	32
4	-	1	2	1	150	36	33	49	32	283	64	58	85	76	23	17	4	1	1	33a
4	2	1	1	-	109	27	25	25	32	178	40	39	49	50	20	11	9	-	-	33b
-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	34
-	-	-	-	-	6	2	-	2	2	9	1	2	3	3	2	-	1	1	-	35
10	3	6	1	-	15	5	7	1	2	13	10	1	1	1	4	2	2	-	-	36
3	1	2	-	-	8	5	2	1	-	6	3	1	2	-	2	1	1	-	-	37a,c
1	-	1	-	-	3	1	1	1	-	1	-	1	-	-	-	-	-	-	-	37b
-	-	-	-	-	3	3	-	-	-	7	4	1	1	1	3	1	2	-	-	38
-	-	-	-	-	29	15	8	5	1	65	33	18	8	6	1	-	1	-	-	39
-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	41
1	-	-	1	-	7	-	1	4	2	4	-	1	-	3	-	-	-	-	-	42
2	-	-	2	-	4	2	1	-	1	10	4	2	2	2	2	2	-	-	-	43
16	9	3	2	2	41	17	13	4	7	31	6	15	5	5	4	2	2	-	-	44
1,147	362	457	129	199	2,366	993	953	159	261	2,574	837	976	250	511	537	278	248	5	6	
1,099	351	446	120	182	2,252	967	914	147	224	2,445	811	933	245	456	508	269	229	5	5	45-55
34	16	7	7	4	100	70	18	8	4	93	54	23	7	9	21	14	6	-	1	45
25	11	7	4	3	55	37	13	3	2	65	30	23	6	6	20	14	5	-	1	45a-e
9	5	-	3	1	45	33	5	5	2	28	24	-	1	3	1	-	1	-	-	45f
406	154	145	57	50	887	410	327	80	70	883	328	316	126	113	236	133	96	5	2	46
31	10	5	12	4	36	20	9	6	1	34	10	11	12	1	8	7	1	-	-	46a
101	45	25	17	14	306	136	90	51	29	322	126	85	55	56	96	63	28	4	1	46b,c
49	21	18	6	4	143	67	54	7	15	151	52	65	20	14	40	15	24	1	-	46f
39	14	11	8	6	60	33	22	3	2	85	45	30	7	3	17	13	4	-	-	46g
186	64	86	14	22	342	154	152	13	23	291	95	125	32	39	75	35	39	-	1	46i,e,h,m
82	48	14	17	3	179	124	40	7	8	172	108	39	15	10	34	23	10	-	1	47
137	...	73	...	64	280	...	202	...	78	410	...	220	...	190	32	...	32	...	-	48
58	...	48	...	10	56	...	50	...	6	36	...	29	...	7	21	...	21	...	-	49
129	2	95	-	32	182	-	148	1	33	232	4	158	3	67	38	-	37	-	1	50
68	48	...	20	...	156	132	...	24	...	169	124	...	45	...	51	51	...	-	...	51
66	32	18	10	6	114	72	31	8	3	95	38	30	16	11	26	18	8	-	-	52
17	8	7	1	1	59	41	12	4	2	76	40	25	4	7	9	8	1	-	-	53
9	5	4	-	-	36	22	13	1	-	46	26	14	4	2	4	3	1	-	-	54
93	38	35	8	12	203	96	73	14	20	233	89	79	25	40	36	19	17	-	-	55
4	...	1	...	3	10	...	9	...	1	5	...	4	...	1	1	...	1	...	-	56a
8	...	2	...	6	43	...	14	...	29	49	...	12	...	37	11	...	10	...	1	56b
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	56c
9	2	4	2	1	16	7	6	1	2	25	9	11	3	2	2	2	-	-	-	56d,e

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	2	...	-	...	2
57c	Tumors of other female genital organs (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	38	21	17	-	-	1	-	-	1	-
	III.—Rheumatism, diseases of nutrition, etc.*	694	245	427	9	13	123	33	69	8	13
58a-d	Acute rheumatic heart diseases	5	3	2	-	-	4	1	1	-	2
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	4	1	3	-	-	-	-	-	-	-
59	Chronic rheumatism and other rheumatic diseases	20	6	13	1	-	8	2	5	-	1
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	607	216	374	6	11	101	26	60	6	9
62	Diseases of pituitary gland	1	-	1	-	-	-	-	-	-	-
63a	Simple goiter	1	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	23	5	18	-	-	1	1	-	-	-
63c-e	Other diseases of thyroid and parathyroid glands	8	2	6	-	-	-	-	-	-	-
64	Diseases of thymus gland	9	5	2	1	1	2	2	-	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	6	3	3	-	-	1	-	1	-	-
66	Other general diseases	6	2	3	1	-	2	1	1	-	-
67	Scurvy	-	-	-	-	-	1	-	-	-	1
68	Beriberi	1	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	1	1	-	1	-	-
70	Rickets	1	-	1	-	-	1	-	-	1	-
71	Other avitaminoses	1	1	-	-	-	1	-	-	1	-
	IV.—Diseases of the blood and blood-forming organs	165	90	73	2	-	17	9	8	-	-
72	Hemorrhagic conditions	13	3	10	-	-	2	2	-	-	-
73a	Pernicious anemia	19	5	13	1	-	4	2	2	-	-
73b-d	Other anemias (except splenic)	15	6	8	1	-	-	-	-	-	-
74a	Leukemias	90	59	31	-	-	9	5	4	-	-
74b	Aleukemias	11	6	5	-	-	-	-	-	-	-
75	Diseases of spleen	13	10	3	-	-	1	-	1	-	-
76	Other diseases of the blood and blood-forming organs	4	1	3	-	-	1	-	1	-	-
	V.—Chronic poisoning and intoxication	68	62	6	-	-	8	5	1	2	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	1	1	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	67	61	6	-	-	8	5	1	2	-
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	-	-	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,865	835	982	27	21	332	128	150	26	28
80	Encephalitis (nonepidemic)	14	7	7	-	-	2	1	-	-	1
81	Meningitis (not due to meningococcus)	18	8	8	-	2	9	4	3	1	1
82	Diseases of spinal cord (see exceptions)*	28	11	16	1	-	2	-	1	1	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	1,436	641	764	17	14	255	97	114	21	23
83b	Cerebral embolism and thrombosis	233	97	128	5	3	42	18	20	2	2
83c	Cerebral softening	5	3	2	-	-	4	2	2	-	-
83d	Hemiplegia and other paralysis of unspecified origin	24	14	10	-	-	3	2	1	-	-
84	Mental diseases and deficiency (see exception)*	12	5	7	-	-	1	-	1	-	-
85	Epilepsy	15	6	6	2	1	1	-	1	-	-
86	Convulsions (under 5 years)	6	2	3	-	1	3	1	-	1	1
87	Other diseases of nervous system	66	36	29	1	-	8	3	5	-	-
88	Diseases of organs of vision	1	-	1	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	6	4	1	1	-	1	-	1	-	-
89b	Diseases of mastoid process	1	1	-	-	-	1	-	1	-	-
	VII.—Diseases of the circulatory system	6,883	3,803	2,950	65	65	1,112	552	391	101	68
90-95	Diseases of the heart (all forms)	6,481	3,594	2,761	64	62	1,026	520	352	92	62
90	Pericarditis (except acute rheumatic)	5	2	3	-	-	1	-	-	1	-
91a,b	Bacterial and other acute or subacute endocarditis	15	7	7	1	-	3	2	-	1	-
91c	Endocarditis (unspecified, under 45 years)	2	2	-	-	-	1	1	-	-	-
92a-d	Chronic endocarditis and diseases of the valves*	349	162	175	6	6	121	41	39	29	12
92e	Endocarditis (unspecified, 45 years and over)	14	5	9	-	-	-	-	-	-	-
93a	Acute myocarditis (except rheumatic)	38	18	18	1	1	14	3	4	4	3
93b	Myocarditis (unspecified, under 45 years)	4	2	2	-	-	-	-	-	-	-
93c,d	Chronic myocarditis and myocardial degeneration	3,458	1,693	1,692	38	35	468	224	200	18	26
93e	Other myocarditis (unspecified)	160	90	66	3	1	49	18	16	6	9
94a	Diseases of coronary arteries	2,100	1,447	625	10	18	308	202	76	20	10
94b	Angina pectoris	24	13	11	-	-	6	4	1	-	1
95a	Functional diseases of heart, etc.*	6	1	5	-	-	2	1	1	-	-
95b,c	Other and unspecified diseases of heart	306	152	148	5	1	53	24	15	13	1
96	Aneurysm (except of heart and aorta)	15	9	6	-	-	3	3	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	322	163	156	1	2	72	22	37	8	5
98	Gangrene	4	2	2	-	-	1	-	1	-	-
99	Other diseases of arteries	26	16	10	-	-	4	2	1	1	-
100	Diseases of veins	26	14	11	-	1	4	4	-	-	-
101	Diseases of lymphatic system	-	-	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	9	5	4	-	-	2	1	-	-	1
103	Other diseases of circulatory system	-	-	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	725	402	306	10	7	185	74	67	23	21
104a	Diseases of nasal fossae	1	1	-	-	-	-	-	-	-	-
104b	Diseases of accessory sinuses	1	1	-	-	-	-	-	-	-	-
105	Diseases of larynx	4	4	-	-	-	1	1	-	-	-
106a	Acute bronchitis	8	4	4	-	-	1	1	-	-	-

* Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1	...	-	...	1	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	57a
-	...	-	...	-	1	...	-	...	1	1	...	-	...	1	-	...	-	...	-	57b
-	...	-	...	-	1	...	-	...	1	1	...	1	...	-	-	...	-	...	-	57c
26	9	4	7	6	42	19	9	11	3	47	17	15	2	13	15	7	8	-	-	57d,e
248	67	96	23	62	554	180	232	56	86	664	198	281	60	125	143	65	75	2	1	
7	-	1	2	4	16	4	2	6	4	23	6	5	6	6	6	2	4	-	-	58a-d
4	1	1	1	1	10	2	3	3	2	17	3	1	4	9	2	1	1	-	-	58e,f
11	3	4	2	2	34	4	22	4	4	40	12	19	2	7	10	6	4	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
188	54	78	15	41	379	137	159	26	57	374	127	157	31	59	95	44	49	1	1	61
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	4	1	3	-	-	62
-	-	-	-	-	5	-	2	1	2	7	1	1	1	4	-	-	-	-	-	63a
16	3	6	-	7	19	2	10	3	4	32	2	25	-	5	12	4	7	1	-	63b
1	-	1	-	-	8	1	5	1	1	3	-	2	-	1	1	-	1	-	-	63c-e
7	-	3	2	2	22	12	8	2	-	27	16	7	1	3	8	5	3	-	-	64
5	3	-	-	2	5	1	4	-	-	2	2	-	-	-	3	2	1	-	-	65
4	-	1	1	2	18	7	4	4	3	18	3	5	3	7	2	-	2	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	1	-	-	-	-	-	-	-	-	3	1	-	1	1	-	-	-	-	-	68
3	2	-	-	1	35	9	13	4	9	107	22	55	10	20	-	-	-	-	-	69
-	-	-	-	-	1	-	-	1	-	3	-	-	1	2	-	-	-	-	-	70
1	-	1	-	-	2	1	-	1	-	6	2	3	-	1	-	-	-	-	-	71
60	18	25	10	7	158	83	47	13	15	179	70	73	16	20	40	21	19	-	-	
3	1	1	1	-	4	2	1	1	-	13	7	4	1	1	7	2	5	-	-	72
4	1	3	-	-	24	12	6	3	3	21	8	6	2	5	12	8	4	-	-	73a
6	-	4	-	2	27	10	6	3	8	28	9	11	2	6	6	4	2	-	-	73b-d
38	11	16	8	3	85	50	28	4	3	87	38	35	9	5	12	5	7	-	-	74a
-	-	-	-	-	4	2	1	1	-	7	2	4	-	1	1	1	-	-	-	74b
5	3	-	1	1	10	6	3	1	-	9	2	5	1	1	1	1	-	-	-	75
4	2	1	-	1	4	1	2	-	1	14	4	8	1	1	1	-	1	-	-	76
14	8	3	3	-	63	43	14	3	3	72	38	12	18	4	14	14	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	77a,b
13	8	2	3	-	58	40	12	3	3	67	37	9	17	4	14	14	-	-	-	77c-e
-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	78
1	-	1	-	-	4	2	2	-	-	4	1	3	-	-	-	-	-	-	-	79
707	198	249	115	145	2,560	878	752	441	489	3,618	1,039	852	841	886	488	276	201	8	3	
5	1	-	1	3	27	10	8	6	3	38	17	10	5	6	11	7	3	-	1	80
17	3	3	9	2	43	16	6	12	9	44	10	13	15	6	4	2	2	-	-	81
18	8	5	3	2	40	14	19	4	3	31	9	8	4	10	11	8	3	-	-	82
532	143	192	82	115	2,086	686	613	359	428	2,950	837	695	682	736	372	206	157	7	2	83a
90	29	35	11	15	153	80	47	14	12	157	65	43	29	20	24	17	7	-	-	83b
5	1	1	2	1	7	4	2	-	1	8	-	5	2	1	-	-	-	-	-	83c
11	4	4	1	2	80	17	20	22	21	150	42	28	33	47	26	15	11	-	-	83d
3	-	2	-	1	18	1	8	7	2	42	5	8	15	14	5	2	3	-	-	84
5	1	1	2	1	24	9	6	6	3	92	22	15	32	23	19	10	9	-	-	85
1	1	-	-	-	12	1	3	3	5	26	7	2	8	9	1	1	-	-	-	86
15	6	5	3	1	58	35	18	5	-	67	19	22	14	12	14	8	5	1	-	87
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
3	-	1	1	1	9	5	2	-	2	9	6	1	1	1	1	-	1	-	-	89a
1	1	-	-	-	3	-	-	3	-	4	-	2	1	1	-	-	-	-	-	89b
2,502	984	713	412	393	5,861	2,965	1,671	672	553	6,195	2,527	1,508	1,109	1,051	1,429	903	497	20	9	
2,345	941	651	384	369	5,371	2,757	1,510	612	492	5,690	2,364	1,381	985	960	1,340	857	457	20	6	90-95
8	2	-	4	2	7	4	1	1	1	6	2	-	4	-	-	-	-	-	-	90
16	4	4	3	5	26	8	11	4	3	25	7	5	6	7	2	2	-	-	-	91a,b
4	-	3	1	-	6	-	2	1	3	10	-	1	3	6	1	1	-	-	-	91c
161	54	52	23	32	507	209	147	80	71	607	166	116	162	163	125	71	51	3	-	92a-d
5	2	1	1	1	67	22	23	13	9	44	13	8	14	9	8	8	-	-	-	92e
8	3	2	1	2	102	29	23	25	25	128	24	21	36	47	14	11	3	-	-	93a
2	-	-	-	2	30	3	5	11	11	43	8	3	18	14	-	-	-	-	-	93b
1,090	368	330	191	201	1,738	798	595	189	156	1,668	627	478	288	275	486	296	179	6	5	93c,d
303	93	60	80	70	378	176	93	50	59	419	148	114	72	85	120	60	56	3	1	93e
635	383	160	57	35	1,782	1,184	423	105	70	1,609	946	366	171	126	396	288	103	5	-	94a
3	1	1	-	1	82	40	23	7	12	139	66	40	19	14	24	19	5	-	-	94b
3	1	2	-	-	23	10	11	1	1	26	6	12	2	6	9	3	5	1	-	95a
107	30	36	23	18	623	274	153	125	71	966	351	217	190	208	155	98	55	2	-	95b,c
4	1	3	-	-	16	9	3	4	-	16	5	4	2	5	4	3	1	-	-	96
113	31	47	20	15	349	158	129	29	33	337	114	90	84	49	60	30	29	-	1	97
5	-	1	2	2	10	5	-	3	2	14	1	-	7	6	4	3	1	-	-	98
9	5	3	1	-	34	16	10	4	4	43	20	10	9	4	9	8	1	-	-	99
18	6	5	1	6	19	10	7	2	-	17	5	6	2	4	6	1	4	-	1	100
1	-	-	1	-	2	1	-	1	-	2	2	-	-	-	-	-	-	-	-	101
6	-	3	2	1	48	6	12	11	19	60	14	15	17	14	5	1	3	-	1	102
1	-	-	1	-	12	3	-	6	3	16	2	2	3	9	1	-	1	-	-	103
493	177	116	109	91	1,138	451	252	228	207	1,818	497	425	478	418	218	118	91	6	3	
-	-	-	-	-	9	1	1	4	3	9	1	-	7	1	1	1	-	-	-	104a
1	1	-	-	-	10	3	2	3	2	7	4	2	1	-	4	3	1	-	-	104b
1	1	-	-	-	6	1	2	2	1	10	3	2	2	3	2	1	1	-	-	105
5	1	2	-	2	16	8	5	1	2	28	9	3	11	5	2	1	1	-	-	106a

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	22	14	8	-	-	9	6	2	1	-
106c	Bronchitis (unspecified)	6	2	4	-	-	1	-	1	-	-
107	Bronchopneumonia (including capillary bronchitis)	264	131	127	3	3	65	23	29	5	8
108	Lobar pneumonia	264	158	96	6	4	72	29	23	10	10
109	Pneumonia (unspecified)	41	23	18	-	-	19	8	6	4	1
	A. Atypical or virus pneumonia	15	7	8	-	-	4	1	2	1	-
	B. Pneumonia (all other, unspecified)	26	16	10	-	-	15	7	4	3	1
110	Pleurisy (not specified as tuberculous)	20	14	6	-	-	5	2	1	2	-
111a	Hemorrhagic infarction and thrombosis of lungs	27	13	14	-	-	5	3	2	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	21	6	14	1	-	3	1	-	1	1
112	Asthma	22	14	8	-	-	2	-	2	-	-
113	Pulmonary emphysema	2	2	-	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	22	15	7	-	-	2	-	1	-	1
	IX.—Diseases of the digestive system	896	512	369	12	3	142	66	48	15	13
115a,b,d	Diseases of buccal cavity and adnexa	8	4	4	-	-	1	1	-	-	-
115c	Diseases of pharynx and tonsils	6	3	3	-	-	2	1	1	-	-
116	Diseases of esophagus	4	2	2	-	-	1	-	-	-	1
117a	Ulcer of stomach	103	84	15	4	-	14	9	1	2	2
117b	Ulcer of duodenum	61	52	8	1	-	8	6	2	-	-
118	Other diseases of stomach (except cancer)	10	6	3	1	-	3	-	1	1	1
119	Diarrhea, enteritis, and ulceration of intestines (under 2 yr.)	49	25	23	1	-	13	5	4	2	2
120	Diarrhea, enteritis, and ulceration of intestines (2 yr. and over)	25	11	14	-	-	9	4	3	2	-
121	Appendicitis	69	33	36	-	-	15	4	8	2	1
122a	Hernia	79	40	36	2	1	12	5	4	2	1
122b	Intestinal obstruction	74	36	36	1	1	12	5	5	1	1
123	Other diseases of intestines	39	20	19	-	-	1	-	-	1	-
124a	Cirrhosis of liver (with mention of alcoholism)	23	16	7	-	-	2	-	-	2	-
124b	Cirrhosis of liver (without mention of alcoholism)	189	118	70	-	1	24	16	8	-	-
125a	Acute yellow atrophy of liver (nonpuerperal)	9	5	3	1	-	1	-	-	-	1
125b	Other diseases of liver	12	5	7	-	-	1	1	-	-	-
126	Biliary calculi	65	19	46	-	-	7	-	6	-	1
127	Other diseases of gallbladder and biliary ducts	38	13	25	-	-	6	2	3	-	1
128	Diseases of pancreas (except diabetes mellitus)	17	10	6	1	-	6	5	1	-	-
129	Peritonitis (cause not stated)	16	10	6	-	-	4	2	1	-	1
	X.—Diseases of the genito-urinary system	1,113	581	496	15	21	344	151	131	33	29
130	Acute nephritis	19	10	8	1	-	7	4	1	1	1
131a	Arteriosclerotic kidney	747	354	368	10	15	227	86	100	22	19
131b	Other chronic nephritis	167	89	70	3	5	56	32	18	3	3
132	Nephritis unspecified (10 years and over)	22	13	9	-	-	8	1	3	2	2
133	Other diseases of kidneys and ureters, etc.*	43	22	21	-	-	13	7	5	-	1
134	Calculi of urinary passages	18	13	5	-	-	5	2	2	-	1
135	Diseases of urinary bladder	5	3	2	-	-	1	1	-	-	-
136	Diseases of urethra (except calculus)	6	6	-	-	-	3	2	-	1	-
137	Diseases of prostate	72	71	...	1	...	20	16	...	4	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	5	...	4	...	1	3	...	1	...	2
139b	Diseases of uterus	9	...	9	...	-	-	...	-	...	-
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	39	...	33	...	6	19	...	14	...	5
140	Abortion with mention of infection	4	...	2	...	2	-	...	-	...	-
140a,b	Abortion (septic), spontaneous or therapeutic*	2	...	1	...	1	-	...	-	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic*	2	...	1	...	1	-	...	-	...	-
141	Abortion without mention of infection	4	...	3	...	1	1	...	-	...	1
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	2	...	1	...	1	1	...	-	...	1
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified*	1	...	1	...	-	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	1	...	1	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	1	...	1	...	-	2	...	2	...	-
142b	Ectopic gestation, without mention of infection	3	...	2	...	1	1	...	-	...	1
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	...	1	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	4	...	4	...	-	1	...	1	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	-	...	-	...	-	-	...	-	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	3	...	3	...	-	-	...	-	...	-
	A. With mention of infection	1	...	1	...	-	-	...	-	...	-
	B. Without mention of infection	2	...	2	...	-	-	...	-	...	-
146a	Placenta praevia (with childbirth)	1	...	1	...	-	2	...	1	...	1
146b,c	Other hemorrhages of childbirth and puerperium	3	...	3	...	-	4	...	4	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	-	...	-	...	-	2	...	1	...	1
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	3	...	3	...	-	3	...	2	...	1
148a,b	Puerperal eclampsia and nephritis*	4	...	4	...	-	-	...	-	...	-
148c,d	Other puerperal toxemias	1	...	1	...	-	1	...	1	...	-
149	Other accidents and specified conditions of childbirth	5	...	4	...	1	2	...	2	...	-
150	Other and unspecified conditions of childbirth and puerperium	2	...	1	...	1	-	...	-	...	-
	XII.—Diseases of the skin and cellular tissue	11	3	8	-	-	2	-	1	-	1
151	Carbuncle and furuncle	-	-	-	-	-	1	-	-	-	1
152	Phlegmon and acute abscess	1	-	1	-	-	1	-	1	-	-
153	Other diseases of skin and cellular tissue	10	3	7	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
17	6	6	3	2	26	16	6	2	2	29	13	9	1	6	8	5	3	-	-	106b
3	-	2	-	1	15	7	4	3	1	22	5	8	6	3	2	1	1	-	-	106c
181	68	38	42	33	398	165	105	66	62	644	161	195	148	140	78	32	43	2	1	107
144	44	37	34	29	348	115	66	87	80	611	165	99	164	183	43	31	12	-	-	108
38	13	8	7	10	121	36	25	30	30	245	57	43	95	50	34	19	11	2	2	109
3	-	2	-	1	9	5	-	1	3	22	7	7	6	2	1	1	-	-	-	
35	13	6	7	9	112	31	25	29	27	223	50	36	89	48	33	18	11	2	2	
20	7	2	8	3	33	12	6	8	7	36	18	2	11	5	1	1	-	-	-	110
23	8	9	-	6	23	12	2	4	5	19	7	7	2	3	9	5	4	-	-	111a
16	9	3	1	3	30	16	9	4	1	52	15	29	7	1	16	9	6	1	-	111b,c
27	10	8	7	2	63	38	11	6	8	65	20	25	9	11	13	6	7	-	-	112
4	3	-	1	-	6	3	1	1	1	5	3	-	1	1	1	1	-	-	-	113
13	6	1	6	-	34	18	7	7	2	36	16	1	13	6	4	2	1	1	-	114
449	184	104	93	68	1,338	495	339	261	243	1,519	516	354	313	336	228	136	80	9	3	
2	2	-	-	-	33	9	12	4	8	35	12	15	4	4	4	4	-	-	-	115a,b,d
6	3	2	-	1	21	4	7	5	5	38	11	13	8	6	7	2	4	-	1	115c
2	-	1	-	1	2	-	-	2	-	12	1	2	4	5	-	-	-	-	-	116
24	17	1	5	1	114	68	15	20	11	127	52	12	36	27	31	22	6	3	-	117a
12	9	2	-	1	32	17	8	6	1	40	26	3	8	3	12	12	-	-	-	117b
4	1	1	2	-	97	27	10	31	29	64	19	11	19	15	6	3	3	-	-	118
89	20	11	36	22	185	56	45	47	37	301	87	68	77	69	14	5	4	4	1	119
8	3	1	2	2	60	14	12	20	14	89	19	28	14	28	9	6	3	-	-	120
38	14	10	9	5	119	37	35	20	27	173	53	37	35	48	31	17	14	-	-	121
24	15	5	2	2	67	31	11	20	5	84	35	15	22	12	24	16	7	-	1	122a
43	9	12	10	12	182	45	60	34	43	175	42	51	34	48	25	11	14	-	-	122b
16	5	4	2	5	41	20	8	4	9	26	11	5	5	5	10	7	3	-	-	123
9	5	1	3	-	18	15	2	1	-	20	16	1	2	1	2	1	1	-	-	124a
106	55	27	16	8	183	92	46	23	22	138	70	27	25	16	18	14	4	-	-	124b
6	1	2	2	1	17	4	8	2	3	18	7	6	1	4	-	-	-	-	-	125a
11	4	4	2	1	36	12	9	7	8	38	8	9	7	14	4	2	1	1	-	125b
17	8	7	1	1	35	11	22	1	1	35	10	19	1	5	13	4	9	-	-	126
11	4	5	-	2	60	25	19	6	10	50	21	20	4	5	14	7	6	1	-	127
13	8	3	-	2	16	6	4	4	2	14	7	3	-	4	2	2	-	-	-	128
8	1	5	1	1	20	2	6	4	8	42	9	9	7	17	2	1	1	-	-	129
792	250	241	135	166	1,887	735	457	399	296	3,203	1,008	751	781	663	310	179	126	2	3	
8	3	-	3	2	105	24	16	40	25	162	38	34	47	43	13	9	4	-	-	130
600	181	200	103	116	948	372	250	181	145	1,745	584	454	361	346	157	88	65	2	2	131a
55	17	19	8	11	391	153	108	77	53	780	196	175	220	189	72	41	30	-	1	131b
26	5	2	6	13	137	36	32	33	36	124	35	24	34	31	20	9	11	-	-	132
30	12	9	4	5	57	17	16	16	8	80	24	25	21	10	9	4	5	-	-	133
10	2	5	2	1	33	19	10	3	1	46	28	10	4	4	3	2	1	-	-	134
5	1	2	1	1	22	5	4	11	2	25	5	7	10	3	-	-	-	-	-	135
6	2	-	3	1	18	7	-	11	-	28	4	-	23	1	2	1	1	-	-	136
32	27	...	5	...	129	102	...	27	...	155	94	...	61	...	23	25	...	-	...	137
-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	138
16	...	2	...	14	36	...	14	...	22	36	...	16	...	20	4	...	4	...	-	139a
4	...	2	...	2	10	...	7	...	3	20	...	6	...	14	5	...	5	...	-	139b
-	...	-	...	-	1	...	-	...	1	2	...	-	...	2	-	...	-	...	-	139c
24	...	8	...	16	141	...	65	...	76	242	...	98	...	144	23	...	21	...	2	
2	...	1	...	1	11	...	5	...	6	24	...	7	...	17	-	...	-	...	-	140
1	...	-	...	1	10	...	4	...	6	21	...	6	...	15	-	...	-	...	-	140a,b
1	...	1	...	-	1	...	1	...	-	3	...	1	...	2	-	...	-	...	-	140c,d
3	...	1	...	2	6	...	4	...	2	11	...	6	...	5	7	...	6	...	1	141
1	...	-	...	1	3	...	1	...	2	3	...	1	...	2	1	...	1	...	-	141a,c
-	...	-	...	-	2	...	2	...	-	6	...	4	...	2	4	...	3	...	1	141b
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	141d
1	...	-	...	1	-	...	-	...	-	2	...	1	...	1	1	...	1	...	-	141e,f
-	...	-	...	-	1	...	-	...	1	2	...	1	...	1	-	...	-	...	-	142a
3	...	-	...	3	8	...	3	...	5	8	...	2	...	6	1	...	-	...	1	142b
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	1	...	-	...	1	2	...	1	...	1	-	...	-	...	-	143b,c
2	...	-	...	2	11	...	6	...	5	15	...	7	...	8	-	...	-	...	-	144a,b
-	...	-	...	-	5	...	2	...	3	10	...	4	...	6	-	...	-	...	-	144c,d
2	...	-	...	2	2	...	-	...	2	4	...	1	...	3	2	...	2	...	-	145
1	...	-	...	1	2	...	-	...	2	1	...	-	...	1	2	...	2	...	-	
1	...	-	...	1	-	...	-	...	-	3	...	1	...	2	-	...	-	...	-	
1	...	1	...	-	4	...	2	...	2	8	...	2	...	6	-	...	-	...	-	146a
3	...	1	...	2	15	...	6	...	9	27	...	12	...	15	4	...	4	...	-	146b,c
-	...	-	...	-	14	...	4	...	10	30	...	9	...	21	-	...	-	...	-	147a,b
2	...	1	...	1	17	...	10	...	7	17	...	13	...	4	3	...	3	...	-	147c,d
3	...	1	...	2	24	...	13	...	11	50	...	16	...	34	2	...	2	...	-	148a,b
1	...	1	...	-	6	...	3	...	3	6	...	4	...	2	-	...	-	...	-	148c,d
1	...	-	...	1	5	...	2	...	3	13	...	8	...	5	2	...	2	...	-	149
1	...	1	...	-	9	...	4	...	5	15	...	5	...	10	2	...	2	...	-	150
3	1	-	-	2	25	7	6	6	6	34	7	6	11	10	1	1	-	-	-	
-	-	-	-	-	1	1	-	-	-	4	1	1	1	1	-	-	-	-	-	151
-	-	-	-	-	8	4	2	1	1	8	1	1	2	4	-	-	-	-	-	152
3	1	-	-	2	16	2	4	5	5	22	5	4	8	5	1	1	-	-	-	153

747801 O - 47 - 26

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII.—Diseases of the bones, etc.*	18	8	10	-	-	2	1	1	-	-
154	Osteomyelitis and periostitis	3	1	2	-	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	10	3	7	-	-	1	-	1	-	-
156	Diseases of joints and other organs of movement	5	4	1	-	-	1	1	-	-	-
157	XIV.—Congenital malformations	262	130	122	6	4	42	20	18	3	1
	XV.—Diseases peculiar to the first year of life	569	334	213	18	4	98	42	32	16	8
158	Congenital debility (cause not stated)	10	8	-	2	-	4	1	2	1	-
159	Premature birth (cause not stated)	339	182	142	12	3	68	25	24	12	7
160a	Intracranial or spinal hemorrhage	52	33	17	2	-	2	1	-	-	1
160b,c	Other injuries at birth	80	56	22	1	1	9	3	4	2	-
161	Other diseases peculiar to the first year of life	88	55	32	1	-	15	12	2	1	-
162	XVI.—Senility	71	24	45	1	1	11	3	6	2	-
	XVII.—Violent or accidental deaths	1,396	904	463	20	9	270	144	70	42	14
163,164	Suicide	249	173	76	-	-	33	20	10	3	-
163	Suicide by poisoning	86	47	39	-	-	15	7	7	1	-
	Suicide by solid or liquid poisons	20	8	12	-	-	-	-	-	-	-
	Suicide by poisonous gases	66	39	27	-	-	15	7	7	1	-
164a	Suicide by hanging or strangulation	85	65	20	-	-	7	5	1	1	-
164b	Suicide by drowning	14	8	6	-	-	1	-	1	-	-
164c	Suicide by firearms and explosives	40	35	5	-	-	6	5	1	-	-
164d	Suicide by cutting or piercing instruments	11	9	2	-	-	3	2	-	1	-
164e	Suicide by jumping from high places	8	6	2	-	-	-	-	-	-	-
164f	Suicide by crushing	3	3	-	-	-	1	1	-	-	-
164g	Suicide by other or unspecified means	2	-	2	-	-	-	-	-	-	-
165-168	Homicide[1]	27	19	4	2	2	14	2	2	8	2
166	Homicide by firearms	9	8	1	-	-	5	1	1	3	-
167	Homicide by cutting or piercing instruments	7	3	1	2	1	2	-	-	2	-
168	Homicide by other means	11	8	2	-	1	7	1	1	3	2
169-195	Accidental deaths	1,117	710	383	17	7	222	122	58	30	12
169	Railway accidents (except collisions with motor vehicles)	18	16	1	1	-	4	4	-	-	-
170a	Collisions between automobiles and trains	6	5	1	-	-	2	2	-	-	-
170b	Collisions between automobiles and streetcars	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	265	207	55	3	-	59	37	11	7	4
170d	Motorcycle accidents (except collisions with automobiles)	4	4	-	-	-	-	-	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	5	4	1	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	2	2	-	-	-	1	1	-	-	-
172	Water-transport accidents	9	7	-	2	-	3	3	-	-	-
173	Air-transport accidents	16	16	-	-	-	5	5	-	-	-
174	Accidents in mines and quarries	-	-	-	-	-	1	1	-	-	-
175a	Accidents involving agricultural machinery and vehicles	5	4	1	-	-	3	3	-	-	-
175b,c	Other agricultural accidents, including injury by animals	9	9	-	-	-	1	-	-	-	1
175d	Accidents involving forestry machinery and vehicles	1	1	-	-	-	-	-	-	-	-
175e	Other forestry accidents	-	-	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	13	13	-	-	-	3	2	-	1	-
177	Food poisoning	1	1	-	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	70	49	21	-	-	11	8	2	-	1
179	Acute accidental poisoning by solids or liquids	23	13	8	1	1	5	-	4	1	-
180	Conflagration	50	28	21	1	-	10	4	1	2	3
181	Accidental burns (except conflagration)	39	21	16	1	1	19	6	4	6	3
182	Accidental mechanical suffocation	22	12	9	-	1	4	-	3	1	-
183	Accidental drowning	83	66	13	2	2	22	15	1	6	-
184	Accidental injury by firearms	9	8	-	1	-	3	3	-	-	-
185	Accidental injury by cutting or piercing instruments	2	2	-	-	-	1	-	-	1	-
186a	Accidental injury by fall	347	150	192	5	-	49	18	30	1	-
186b	Accidental injury by crushing	4	4	-	-	-	3	3	-	-	-
187	Cataclysm, etc.*	1	-	1	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	6	5	1	-	-	1	-	-	1	-
191	Excessive heat	2	-	2	-	-	2	2	-	-	-
192	Lightning	-	-	-	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	6	6	-	-	-	2	2	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	1	1	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	1	-	-	-	1	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	20	13	7	-	-	-	-	-	-	-
195c,e	Other and unspecified accidents	77	43	33	-	1	8	3	2	3	-
196	Deaths of military personnel during operations of war	2	2	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
196	Legal executions	1	-	-	1	-	1	-	-	1	-
	XVIII.—Ill-defined and unknown causes	69	46	17	4	2	7	3	3	-	1
199	Sudden death	22	14	5	2	1	-	-	-	-	-
200a	Ill-defined	40	29	9	1	1	6	3	3	-	-
200b	Found dead (cause unknown)	-	-	-	-	-	-	-	-	-	-
200c	Unknown or unspecified	7	3	3	1	-	1	-	-	-	1

*Refer to International List for complete title, table V, Part I.
[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
9	1	3	3	2	10	6	1	3	-	20	11	5	3	1	2	1	1	-	-	
2	-	1	1	-	5	3	-	2	-	9	7	1	1	-	2	1	1	-	-	154
1	-	-	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	155
6	1	2	2	1	4	2	1	1	-	10	4	3	2	1	-	-	-	-	-	156
98	42	31	16	9	245	116	97	19	13	302	128	124	29	21	64	33	30	-	1	157
468	139	101	120	108	1,074	436	308	196	134	1,464	535	332	340	257	227	133	88	3	3	
13	1	1	6	5	54	12	6	20	16	156	24	16	65	51	6	4	2	-	-	158
297	94	59	66	78	685	271	217	111	86	927	348	228	193	158	138	79	55	2	2	159
71	20	16	23	12	68	29	22	11	6	100	33	27	25	15	14	9	4	-	1	160a
21	8	8	3	2	107	60	22	15	10	110	55	27	17	11	34	20	13	1	-	160b,c
68	16	17	22	11	160	64	41	39	16	171	75	34	40	22	35	21	14	-	-	161
10	2	3	-	5	240	85	86	36	33	364	85	96	76	107	81	37	41	3	-	162
629	255	180	140	54	2,735	1,526	452	593	164	2,840	1,258	445	851	286	545	402	128	11	4	
132	76	45	9	2	231	142	70	13	6	220	156	43	14	7	66	51	12	1	2	163,164
52	24	26	2	-	63	26	35	-	2	38	16	17	2	3	7	3	4	-	-	163
20	9	9	2	-	37	10	25	-	2	30	12	13	2	3	5	3	2	-	-	
32	15	17	-	-	26	16	10	-	-	8	4	4	-	-	2	-	2	-	-	
30	21	5	4	-	27	16	8	3	-	12	8	3	1	-	7	5	2	-	-	164a
15	8	5	1	1	16	7	7	1	1	11	3	7	1	-	4	3	1	-	-	164b
17	14	2	-	1	97	72	15	7	3	136	111	12	9	4	41	35	4	1	1	164c
4	3	-	1	-	17	16	1	-	-	11	11	-	-	-	5	4	-	-	1	164d
13	5	7	1	-	6	5	-	1	-	5	4	-	1	-	1	-	1	-	-	164e
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	1	1	-	-	-	164f
1	1	-	-	-	5	-	4	1	-	3	1	2	-	-	-	-	-	-	-	164g
59	12	3	34	10	360	67	12	227	54	480	82	20	316	62	14	11	1	2	-	165-168
31	5	1	19	6	165	33	6	115	11	288	58	8	193	29	11	8	1	2	-	166
16	2	1	13	-	148	14	2	96	36	135	9	1	98	27	-	-	-	-	-	167
12	5	1	2	4	47	20	4	16	7	57	15	11	25	6	3	3	-	-	-	168
437	167	132	96	42	2,137	1,315	370	348	104	2,118	1,014	382	506	216	465	340	115	8	2	169-195
6	2	2	2	-	68	35	5	21	7	108	63	10	30	5	10	8	2	-	-	169
2	-	-	1	1	28	17	6	4	1	41	15	13	12	1	6	4	2	-	-	170a
1	-	-	-	1	1	1	-	-	-	4	1	3	-	-	-	-	-	-	-	170b
99	43	23	26	7	551	324	97	108	22	645	353	94	159	39	155	111	41	3	-	170c
4	1	1	2	-	30	26	4	-	-	23	18	4	1	-	2	2	-	-	-	170d
18	10	4	4	-	2	-	1	1	-	3	1	2	-	-	-	-	-	-	-	171a
1	-	1	-	-	3	1	1	1	-	10	4	1	5	-	1	1	-	-	-	171b
3	2	-	1	-	41	29	3	9	-	27	20	-	7	-	2	2	-	-	-	172
11	11	-	-	-	443	440	3	-	-	100	98	-	2	-	16	16	-	-	-	173
-	-	-	-	-	2	1	1	-	-	8	3	-	5	-	7	7	-	-	-	174
-	-	-	-	-	10	4	-	6	-	21	8	1	9	3	21	20	1	-	-	175a
-	-	-	-	-	10	5	-	4	1	21	13	1	6	1	15	15	-	-	-	175b,c
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	6	-	-	6	-	8	4	-	4	-	14	14	-	-	-	175e
2	-	-	2	-	21	13	-	8	-	19	9	2	8	-	7	5	-	2	-	176
2	-	1	-	1	14	2	2	4	6	29	5	5	8	11	1	-	-	-	1	177
20	11	6	2	1	12	9	2	1	-	13	7	5	1	-	7	7	-	-	-	178
9	2	4	2	1	33	14	7	9	3	54	16	10	18	10	9	5	4	-	-	179
8	-	2	4	2	29	14	4	6	5	72	20	13	20	19	21	10	11	-	-	180
25	3	8	5	9	93	24	23	26	20	193	50	37	46	60	16	9	7	-	-	181
16	3	3	7	3	20	10	4	3	3	48	16	6	17	9	6	4	2	-	-	182
23	9	1	13	-	169	94	19	53	3	102	51	13	34	4	36	26	8	2	-	183
3	3	-	-	-	78	45	7	19	7	97	48	9	26	14	32	30	1	1	-	184
1	-	-	-	1	19	3	3	12	1	10	3	-	4	3	-	-	-	-	-	185
151	52	68	19	12	252	102	126	12	12	263	90	129	24	20	57	28	28	-	1	186a
1	-	-	1	-	18	13	-	5	-	9	3	-	6	-	2	2	-	-	-	186b
-	-	-	-	-	3	-	1	1	1	9	4	4	1	-	-	-	-	-	-	187
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	2	-	-	-	188
-	-	-	-	-	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	189
-	-	-	-	-	2	-	1	-	1	5	1	-	2	2	1	1	-	-	-	190
3	1	1	1	-	4	3	-	1	-	12	3	-	8	1	1	1	-	-	-	191
-	-	-	-	-	5	4	-	1	-	13	3	2	4	4	1	1	-	-	-	192
3	2	-	1	-	23	18	1	4	-	17	15	1	1	-	2	2	-	-	-	193
-	-	-	-	-	5	3	1	1	-	1	1	-	-	-	-	-	-	-	-	194
-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	195a,b
10	5	2	1	2	9	6	1	1	1	21	10	3	3	5	5	2	3	-	-	195d
15	7	5	2	1	128	53	45	21	9	110	58	13	34	5	10	5	5	-	-	195c,e
-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
1	-	-	1	-	5	-	-	5	-	21	5	-	15	1	-	-	-	-	-	198
11	3	2	4	2	713	268	83	211	151	979	221	132	355	271	52	39	12	1	-	
-	-	-	-	-	136	87	18	25	6	117	30	29	31	27	8	7	1	-	-	199
9	2	2	3	2	335	128	41	94	72	270	77	43	83	67	38	27	10	1	-	200a
-	-	-	-	-	27	11	1	7	8	50	17	10	16	7	2	1	1	-	-	200b
2	1	-	1	-	215	42	23	85	65	542	97	50	225	170	4	4	-	-	-	200c

TABLE 20.–DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	90,116	46,629	36,420	3,789	3,278	39,586	20,785	16,663	1,170	968
	I.—Infectious and parasitic diseases	5,065	2,612	1,322	660	471	2,252	1,189	763	184	116
1	Typhoid fever	10	4	4	-	2	5	5	-	-	-
2	Paratyphoid fever	1	1	-	-	-	1	1	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	4	4	-	-	-	3	2	1	-	-
6	Cerebrospinal (meningococcus) meningitis	135	65	33	25	12	45	27	11	3	4
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	29	18	11	-	-	13	5	8	-	-
9	Whooping cough	57	27	21	3	6	37	11	21	1	4
10	Diphtheria (infection by C. diphtheriae)	15	8	7	-	-	31	15	13	1	2
11	Erysipelas	7	3	3	1	-	8	5	3	-	-
12	Tetanus	22	13	6	3	-	19	12	7	-	-
13-22	Tuberculosis (all forms)	3,184	1,585	772	461	366	1,133	550	412	101	70
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	13	11	-	2	-	3	3	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	2,903	1,484	699	409	311	1,010	499	360	89	62
14	Tuberculosis of meninges and central nervous system	82	25	23	18	16	42	16	17	5	4
15	Tuberculosis of intestines and peritoneum	51	11	12	10	18	21	8	11	1	1
16	Tuberculosis of vertebral column	32	12	10	4	6	11	3	5	2	1
17a	Tuberculosis of bones (except vertebral column)	3	-	2	1	-	1	-	1	-	-
17b	Tuberculosis of joints (except vertebral column)	8	4	-	3	1	5	3	2	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	1	1	-	-	-
19	Tuberculosis of lymphatic system, etc.*	2	2	-	-	-	3	2	1	-	-
20	Tuberculosis of genito-urinary system	14	10	4	-	-	12	5	6	-	1
21	Tuberculosis of other organs	4	1	2	1	-	1	-	1	-	-
22a	Disseminated tuberculosis (acute miliary)	65	24	15	12	14	20	8	7	4	1
22b	Disseminated tuberculosis (other and unspecified)	7	1	5	1	-	3	2	1	-	-
23	Leprosy	1	-	-	-	1	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	28	17	8	2	1	32	18	13	-	1
25	Gonococcus infection	6	-	3	1	2	4	1	1	2	-
26	Other diseases due to bacteria (except dysentery)	5	4	1	-	-	3	3	-	-	-
27	Dysentery	29	11	18	-	-	19	7	10	1	1
28	Malaria	9	6	2	1	-	4	2	2	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	812	467	149	136	60	400	248	77	55	20
30a	Locomotor ataxia (tabes dorsalis)	40	30	7	1	2	15	12	2	1	-
30b	General paralysis of insane	308	174	45	69	20	177	107	30	32	8
30c	Other syphilis of central nervous system	65	35	14	12	4	48	33	9	5	1
30d	Aneurysm of aorta	177	109	39	20	9	51	34	11	6	-
30e	Other syphilis of circulatory system	65	34	12	13	6	19	13	-	5	1
30f,g	Congenital, other and unspecified forms of syphilis	157	85	32	21	19	90	49	25	6	10
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	17	5	8	1	3	15	7	6	2	-
33a	Influenza, with respiratory complications specified	180	90	76	9	5	203	104	82	11	6
33b	Influenza, without respiratory complications specified	169	90	71	3	5	160	94	56	5	5
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	11	3	4	3	1	4	3	1	-	-
36	Acute poliomyelitis and acute polioencephalitis	107	61	43	1	2	25	15	9	-	1
37a,c	Infectious encephalitis lethargica (acute and unqualified)	23	13	9	1	-	15	9	6	-	-
37b	Sequelae of encephalitis lethargica	25	15	9	1	-	5	2	3	-	-
38	Other diseases due to filtrable viruses	10	6	2	1	1	7	3	4	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	1	1	-	-	-	5	4	1	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	2	2	-	-	-
43	Mycoses	15	9	4	2	-	9	5	3	1	-
44	Other infectious and parasitic (communicable) diseases	153	86	58	5	4	45	29	13	1	2
	II.—Cancer and other tumors	13,147	6,175	6,256	321	395	4,982	2,200	2,602	70	110
45-55	Cancer and other malignant tumors	12,772	6,087	5,996	316	373	4,813	2,144	2,504	67	98
45	Cancer of buccal cavity and pharynx	409	338	54	13	4	133	94	35	4	-
45a-e	Cancer of buccal cavity	256	219	27	7	3	81	58	20	3	-
45f	Cancer of pharynx	153	119	27	6	1	52	36	15	1	-
46	Cancer of digestive organs and peritoneum	5,978	3,176	2,523	160	119	2,194	1,080	1,043	38	33
46a	Cancer of esophagus	340	263	55	21	1	54	45	7	2	-
46b,c	Cancer of stomach and duodenum	1,891	1,060	722	66	43	600	338	241	15	6
46f	Cancer of liver and biliary passages	869	390	446	17	16	447	181	250	7	9
46g	Cancer of pancreas	478	263	197	14	4	221	118	97	4	2
46d,e,h,m	Cancer of other digestive organs and peritoneum	2,400	1,200	1,103	42	55	872	398	448	10	16
47	Cancer of respiratory system	1,083	804	220	49	10	331	244	83	3	1
48	Cancer of uterus	1,177	...	1,061	...	116	481	...	448	...	33
49	Cancer of other female genital organs	365	...	344	...	21	105	...	101	...	4
50	Cancer of breast	1,217	18	1,125	1	73	422	7	402	-	13
51	Cancer of male genital organs	795	756	...	39	...	317	305	...	12	...
52	Cancer of urinary organs (male and female)	609	362	211	27	9	204	125	69	4	6
53	Cancer of skin (except vulva and scrotum)	219	123	93	3	-	100	58	40	2	-
54	Cancer of central nervous system*	183	113	63	4	3	38	25	13	-	-
55	Cancer of other and unspecified organs	737	397	302	20	18	488	206	270	4	8
56a	Nonmalignant tumors of ovary	37	...	36	...	1	23	...	23	...	-
56b	Nonmalignant tumors of uterus	139	...	122	...	17	32	...	23	...	9
56c	Nonmalignant tumors of other female genital organs	2	...	2	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	71	39	30	-	2	20	8	11	-	1

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
25,876	14,321	11,281	156	118	18,507	9,900	7,610	506	491	27,590	13,510	10,585	1,843	1,652	22,125	7,410	5,247	4,968	4,500	
1,002	553	417	25	7	905	486	333	47	39	2,711	1,206	1,035	264	206	2,233	621	284	758	570	
-	-	-	-	-	1	-	-	-	1	29	15	11	1	2	16	6	2	6	2	1
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	4	3	-	-	1	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
2	2	-	-	-	3	2	-	-	1	-	-	-	-	-	1	-	-	-	1	5
26	14	12	-	-	20	16	3	-	1	48	23	21	2	2	27	9	7	6	5	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	7
11	3	8	-	-	6	5	1	-	-	8	2	5	-	1	-	-	-	-	-	8
11	5	6	-	-	17	7	10	-	-	80	36	37	-	7	24	8	6	7	3	9
12	4	8	-	-	20	8	12	-	-	63	34	28	1	-	53	14	14	12	13	10
5	2	3	-	-	4	-	4	-	-	9	5	3	-	1	1	-	1	-	-	11
8	7	1	-	-	4	1	3	-	-	15	8	6	-	1	51	7	5	22	17	12
355	195	147	8	5	339	177	124	22	16	1,605	704	603	170	128	1,092	343	125	336	288	13-22
-	-	-	-	-	5	4	1	-	-	5	4	-	1	-	-	-	-	-	-	13a
328	177	139	8	4	309	160	113	20	16	1,467	643	546	160	118	1,030	328	120	313	269	13b,c
6	3	2	-	1	7	2	4	1	-	53	25	21	4	3	11	3	-	3	5	14
1	1	-	-	-	6	3	2	1	-	22	5	14	1	2	10	2	1	4	3	15
5	4	1	-	-	1	-	1	-	-	15	6	7	1	1	6	2	-	1	3	16
2	2	-	-	-	-	-	-	-	-	4	4	-	-	-	4	2	-	1	1	17a
2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	2	-	-	2	-	17b
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	18
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	19
4	3	1	-	-	4	4	-	-	-	7	5	1	-	1	3	1	1	1	-	20
-	-	-	-	-	-	-	-	-	-	4	-	1	-	3	-	-	-	-	-	21
5	4	1	-	-	3	1	2	-	-	24	11	11	2	-	20	5	3	7	5	22a
1	-	1	-	-	3	3	-	-	-	3	1	1	1	-	5	-	-	4	1	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	22	15	5	2	-	23
16	9	7	-	-	5	5	-	-	-	20	12	5	1	2	14	4	4	1	5	24
2	1	1	-	-	7	2	4	1	-	6	1	3	-	2	3	-	-	1	2	25
-	-	-	-	-	1	1	-	-	-	16	9	5	-	2	8	1	2	5	-	26
3	-	3	-	-	9	4	5	-	-	97	51	41	2	3	38	10	10	9	9	27
3	2	1	-	-	3	2	1	-	-	5	3	1	-	1	33	9	4	10	10	28
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	29
164	112	39	13	-	187	115	42	17	13	223	106	38	53	26	464	79	21	247	117	30
10	9	1	-	-	13	13	-	-	-	5	4	1	-	-	6	3	1	1	1	30a
52	34	11	7	-	61	29	20	8	4	101	40	14	30	17	110	15	7	70	18	30b
15	12	3	-	-	22	13	3	3	3	29	16	6	3	4	52	6	1	33	12	30c
35	26	8	1	-	45	31	9	3	2	34	22	3	7	2	79	24	5	35	15	30d
16	12	2	2	-	5	4	-	1	-	8	3	-	5	-	76	11	3	45	17	30e
36	19	14	3	-	41	25	10	2	4	46	21	14	8	3	141	20	4	63	54	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
2	1	1	-	-	2	1	1	-	-	4	2	2	-	-	9	3	1	2	3	32
140	68	70	2	-	96	45	46	1	4	227	74	113	22	18	193	41	38	55	59	33a
146	75	68	2	1	90	43	41	4	2	155	65	77	6	7	88	31	20	20	17	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	34
7	1	6	-	-	5	4	1	-	-	17	7	8	2	-	18	1	3	6	8	35
25	14	11	-	-	17	11	6	-	-	12	9	3	-	-	12	6	4	1	1	36
8	4	4	-	-	12	2	9	-	1	19	8	7	2	2	5	1	-	2	2	37a,c
-	-	-	-	-	3	2	1	-	-	2	1	1	-	-	-	-	-	-	-	37b
3	1	2	-	-	3	3	-	-	-	7	4	3	-	-	6	2	1	3	-	38
1	1	-	-	-	1	-	1	-	-	5	1	4	-	-	15	11	2	-	2	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	4	2	-	1	1	42
3	1	2	-	-	11	4	7	-	-	5	2	2	1	-	6	2	1	2	1	43
49	31	17	-	1	38	26	10	2	-	31	21	8	1	1	22	11	7	1	3	44
3,827	1,831	1,958	17	21	2,502	1,117	1,274	46	65	2,837	1,161	1,434	82	160	2,487	826	827	366	468	
3,734	1,805	1,894	17	18	2,408	1,086	1,219	43	60	2,734	1,132	1,375	81	146	2,381	805	791	358	427	45-55
101	76	22	2	1	66	55	10	-	1	91	58	28	4	1	95	54	18	14	9	45
56	42	12	2	-	53	44	8	-	1	61	39	18	3	1	65	38	11	8	8	45a-e
45	34	10	-	1	13	11	2	-	-	30	19	10	1	-	30	16	7	6	1	45f
1,765	932	816	10	7	1,077	515	514	23	25	1,228	604	541	41	42	939	342	282	195	120	46
47	37	10	-	-	18	14	3	-	1	20	16	3	1	-	28	15	1	11	1	46a
551	320	225	4	2	369	196	149	13	11	378	214	142	12	10	368	121	85	114	48	46b,c
304	128	175	1	-	152	57	89	3	3	279	134	130	11	4	133	51	45	19	18	46f
132	68	60	3	1	118	64	52	2	-	104	51	48	1	4	96	42	28	21	5	46g
731	379	346	2	4	420	184	221	5	10	447	189	218	16	24	314	113	123	30	48	46d,e,h,m
203	151	48	4	-	141	100	34	5	2	152	95	47	6	4	237	146	39	37	15	47
313	...	307	...	6	240	...	226	...	14	373	...	318	...	55	318	...	169	...	149	48
91	...	91	...	-	66	...	65	...	1	58	...	56	...	2	60	...	45	...	15	49
378	2	374	-	2	246	2	232	-	12	239	3	209	1	26	191	1	126	1	63	50
333	332	...	1	...	207	194	...	13	...	165	147	...	18	...	150	88	...	62	...	51
179	106	72	-	1	99	62	33	1	3	110	53	45	6	6	117	50	28	17	22	52
70	44	26	-	-	54	32	22	-	-	102	59	41	-	2	61	33	23	3	2	53
70	44	25	-	1	38	27	11	-	-	30	19	11	-	-	20	11	4	4	1	54
231	118	113	-	-	174	99	72	1	2	186	94	79	5	8	193	80	57	25	31	55
20	...	20	...	-	7	...	7	...	-	12	...	10	...	2	6	...	2	...	4	56a
26	...	25	...	1	33	...	29	...	4	38	...	28	...	10	36	...	13	...	23	56b
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	56c
24	12	12	-	-	23	11	12	-	-	18	12	4	-	2	9	3	4	2	-	56d,e

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	3	...	3	...	-	4	...	4	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	123	49	67	5	2	90	48	37	3	2
	III.—Rheumatism, diseases of nutrition, etc.*	3,314	1,092	2,059	52	111	1,229	416	752	21	40
58a-d	Acute rheumatic heart diseases	49	17	26	2	4	17	8	6	1	2
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	21	3	13	2	3	14	7	7	-	-
59	Chronic rheumatism and other rheumatic diseases	89	34	54	1	-	60	15	42	1	2
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,737	907	1,705	36	89	976	340	591	16	29
62	Diseases of pituitary gland	8	1	7	-	-	1	-	1	-	-
63a	Simple goiter	9	3	5	-	1	6	-	6	-	-
63b	Exophthalmic goiter	230	33	187	1	9	87	13	67	1	6
63c-e	Other diseases of thyroid and parathyroid glands	20	5	15	-	-	7	3	3	1	-
64	Diseases of thymus gland	91	60	20	8	3	19	12	7	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	35	16	17	1	1	17	5	12	-	-
66	Other general diseases	17	10	7	-	-	15	8	5	1	1
67	Scurvy	1	-	1	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	1	1	-	-	-
69	Pellagra (except alcoholic)	2	-	1	1	-	2	1	1	-	-
70	Rickets	2	1	1	-	-	3	1	2	-	-
71	Other avitaminoses	3	2	-	-	1	4	2	2	-	-
	IV.—Diseases of the blood and blood-forming organs	716	357	322	19	18	277	141	131	3	2
72	Hemorrhagic conditions	32	15	15	2	-	13	8	5	-	-
73a	Pernicious anemia	148	58	83	3	4	80	33	47	-	-
73b-d	Other anemias (except splenic)	81	31	36	7	7	36	17	15	3	1
74a	Leukemias	408	230	168	4	6	125	73	51	-	1
74b	Aleukemias	7	5	1	1	-	7	3	4	-	-
75	Diseases of spleen	31	16	12	2	1	4	2	2	-	-
76	Other diseases of the blood and blood-forming organs	9	2	7	-	-	12	5	7	-	-
	V.—Chronic poisoning and intoxication	60	49	3	3	5	43	34	6	3	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	3	3	-	-	-	2	2	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	49	41	2	2	4	39	31	6	2	-
78	Lead poisoning	5	2	1	1	1	1	-	-	1	-
79	Chronic poisoning by other mineral or organic substances	3	3	-	-	-	1	1	-	-	-
	VI.—Diseases of the nervous system, etc.*	8,261	3,747	3,935	269	310	4,903	2,386	2,291	100	126
80	Encephalitis (nonepidemic)	77	49	22	2	4	58	27	31	-	-
81	Meningitis (not due to meningococcus)	123	68	40	8	7	60	29	24	4	3
82	Diseases of spinal cord (see exceptions)*	161	74	71	6	10	78	43	33	1	1
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	6,344	2,797	3,113	196	238	4,011	1,948	1,890	73	100
83b	Cerebral embolism and thrombosis	698	348	305	20	25	237	121	108	5	3
83c	Cerebral softening	45	22	14	6	3	16	11	4	-	1
83d	Hemiplegia and other paralysis of unspecified origin	239	109	115	9	6	144	63	68	7	6
84	Mental diseases and deficiency (see exception)*	76	23	45	4	4	69	32	30	2	5
85	Epilepsy	126	63	49	11	3	75	42	23	6	4
86	Convulsions (under 5 years)	13	7	5	-	1	5	4	-	-	1
87	Other diseases of nervous system	302	150	141	6	5	129	58	68	1	2
88	Diseases of organs of vision	3	1	2	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	44	26	13	1	4	18	8	9	1	-
89b	Diseases of mastoid process	10	10	-	-	-	3	-	3	-	-
	VII.—Diseases of the circulatory system	34,109	18,663	13,223	1,147	1,076	13,040	7,402	5,099	294	245
90-95	Diseases of the heart (all forms)	32,147	17,629	12,378	1,103	1,037	11,755	6,739	4,523	265	228
90	Pericarditis (except acute rheumatic)	21	13	8	-	-	13	8	3	-	2
91a,b	Bacterial and other acute or subacute endocarditis	125	60	51	8	6	43	23	15	1	4
91c	Endocarditis (unspecified, under 45 years)	12	5	7	-	-	3	1	1	-	1
92a-d	Chronic endocarditis and diseases of the valves*	2,268	1,082	1,069	57	60	1,069	517	488	31	33
92e	Endocarditis (unspecified, 45 years and over)	175	87	84	-	4	86	43	33	4	6
93a	Acute myocarditis (except rheumatic)	266	129	126	6	5	181	102	75	-	4
93b	Myocarditis (unspecified, under 45 years)	35	17	15	2	1	17	11	4	-	2
93c,d	Chronic myocarditis and myocardial degeneration	17,900	9,015	7,513	683	689	4,362	2,159	1,988	110	105
93e	Other myocarditis (unspecified)	1,370	716	601	30	23	633	329	282	12	10
94a	Diseases of coronary arteries	6,678	4,629	1,909	82	58	3,878	2,676	1,105	64	33
94b	Angina pectoris	260	189	70	1	-	272	192	73	6	1
95a	Functional diseases of heart, etc.*	43	25	15	3	-	42	22	20	-	-
95b,c	Other and unspecified diseases of heart	2,994	1,662	910	231	191	1,156	656	436	37	27
96	Aneurysm (except of heart and aorta)	72	38	27	3	4	20	15	4	-	1
97	Arteriosclerosis (except coronary or renal sclerosis)	1,632	865	716	29	22	1,072	560	483	17	12
98	Gangrene	20	12	5	1	2	17	10	7	-	-
99	Other diseases of arteries	104	61	42	1	-	69	37	29	3	-
100	Diseases of veins	62	23	34	3	2	28	10	16	1	1
101	Diseases of lymphatic system	3	2	1	-	-	1	1	-	-	-
102	High blood pressure (idiopathic)	64	29	19	7	9	72	29	32	8	3
103	Other diseases of circulatory system	5	4	1	-	-	6	1	5	-	-
	VIII.—Diseases of the respiratory system	3,653	1,939	1,222	293	199	2,038	1,057	794	106	81
104a	Diseases of nasal fossae	12	5	7	-	-	3	2	1	-	-
104b	Diseases of accessory sinuses	18	7	8	1	2	6	3	3	-	-
105	Diseases of larynx	10	4	5	-	1	19	10	9	-	-
106a	Acute bronchitis	51	28	21	-	2	11	5	4	1	1

* Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	57a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	57b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	57c
23	14	6	-	2	31	20	7	3	1	33	17	15	1	-	51	18	15	6	12	57d,e
806	326	476	3	1	607	215	357	5	30	662	256	330	25	51	529	116	224	54	135	
18	11	5	2	-	9	3	4	1	1	14	7	5	1	1	6	2	-	1	3	58a-d
8	5	3	-	-	4	1	2	-	1	15	5	6	2	2	6	1	-	4	1	58e,f
46	10	36	-	-	25	4	20	-	1	54	26	25	2	1	16	4	10	2	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
660	278	380	1	1	490	179	277	4	20	459	180	227	17	35	378	88	176	31	83	61
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	62
2	1	1	-	-	8	-	7	-	1	2	1	1	-	-	1	-	-	-	1	63a
38	3	35	-	-	30	8	21	-	1	50	8	34	-	8	35	2	12	1	20	63b
5	-	5	-	-	3	1	2	-	-	5	-	5	-	-	11	1	4	-	6	63c-e
13	13	-	-	-	26	12	11	-	3	7	6	-	1	-	28	10	8	6	4	64
14	4	10	-	-	8	3	4	-	1	5	2	3	-	-	2	1	1	-	-	65
1	-	1	-	-	6	1	5	-	-	17	6	10	-	1	14	5	2	4	3	66
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	68
-	-	-	-	-	7	3	4	-	-	26	9	13	1	3	24	-	8	5	11	69
1	1	-	-	-	-	-	-	-	-	4	3	-	1	-	3	2	-	-	1	70
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	3	-	2	-	1	71
296	156	139	-	1	180	113	63	3	1	197	115	69	7	6	120	41	43	18	18	
8	4	3	-	1	15	6	8	1	-	11	4	6	1	-	13	5	2	3	3	72
67	31	36	-	-	57	32	23	1	1	36	20	13	-	3	12	2	8	1	1	73a
19	9	10	-	-	8	3	5	-	-	37	25	11	1	-	21	5	6	6	4	73b-d
183	101	82	-	-	84	60	23	1	-	100	60	33	4	3	62	24	25	6	7	74a
5	4	1	-	-	5	5	-	-	-	1	-	1	-	-	2	2	-	-	-	74b
9	4	5	-	-	10	6	4	-	-	8	3	4	1	-	8	3	2	-	3	75
5	3	2	-	-	1	1	-	-	-	4	3	1	-	-	2	-	-	2	-	76
18	17	-	1	-	17	14	1	2	-	46	36	5	5	-	21	14	2	5	-	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	77a,b
18	17	-	1	-	15	14	-	1	-	43	34	4	5	-	21	14	2	5	-	77c-e
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	78
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	79
3,452	1,731	1,696	10	15	2,386	1,138	1,132	48	68	3,103	1,389	1,296	190	228	2,097	568	534	467	528	
30	16	13	-	1	23	15	7	1	-	35	15	17	3	-	26	9	10	6	1	80
25	17	8	-	-	23	14	8	1	-	65	29	31	5	-	54	18	11	14	11	81
54	34	20	-	-	49	22	27	-	-	43	23	17	2	1	31	13	10	6	2	82
2,810	1,366	1,423	8	13	1,943	909	930	40	64	2,450	1,076	1,024	150	200	1,711	445	431	376	459	83a
250	143	107	-	-	149	70	74	2	3	64	32	44	4	4	68	26	17	13	12	83b
21	8	13	-	-	18	7	11	-	-	11	8	3	-	-	4	1	1	2	-	83c
20	12	8	-	-	22	12	10	-	-	193	78	84	16	15	65	20	16	13	16	83d
54	26	28	-	-	26	8	16	1	1	43	18	22	3	-	27	5	6	8	8	84
59	33	25	1	-	46	25	19	2	-	46	29	10	4	3	38	7	10	13	8	85
6	5	1	-	-	2	1	1	-	-	20	11	7	1	1	11	1	1	7	2	86
104	56	46	1	1	76	47	28	1	-	86	53	27	2	4	40	14	16	6	4	87
1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	88
16	13	3	-	-	6	5	1	-	-	24	15	9	-	-	20	8	5	3	4	89a
2	1	1	-	-	1	1	-	-	-	3	2	1	-	-	2	1	-	-	1	89b
8,746	5,151	3,523	48	24	5,865	3,415	2,179	161	110	7,582	3,875	2,733	525	449	6,234	2,489	1,526	1,146	1,073	
8,027	4,803	3,154	47	23	5,347	3,129	1,959	151	108	6,856	3,544	2,428	471	413	5,930	2,401	1,440	1,070	1,019	90-95
7	4	3	-	-	18	13	5	-	-	16	9	7	-	-	4	-	2	2	-	90
27	21	6	-	-	24	13	10	1	-	33	13	17	2	1	46	7	11	16	12	91a,b
6	4	2	-	-	-	-	-	-	-	5	-	5	-	-	4	3	1	-	-	91c
821	426	390	4	1	732	391	294	23	24	816	372	341	58	45	565	135	131	150	149	92a-d
83	41	42	-	-	19	10	8	1	-	74	36	28	3	7	44	14	12	9	9	92e
30	14	16	-	-	64	29	26	4	5	95	52	21	13	9	62	20	6	14	22	93a
9	5	4	-	-	5	3	2	-	-	24	6	8	3	7	11	-	3	3	5	93b
2,549	1,333	1,191	12	13	1,862	934	805	74	49	2,214	1,006	901	153	154	3,043	1,138	843	523	539	93c,d
470	253	210	5	2	193	113	71	6	3	461	203	170	44	44	236	102	63	38	33	93e
3,228	2,203	1,002	20	3	1,942	1,332	560	32	18	1,829	1,159	477	116	77	1,289	740	240	182	127	94a
156	118	38	-	-	96	63	30	2	1	164	97	56	4	7	73	48	12	8	5	94b
35	18	17	-	-	45	28	17	-	-	22	14	7	-	1	17	4	5	4	4	95a
606	363	233	6	4	347	200	131	8	8	1,103	577	390	75	61	536	190	111	121	114	95b,c
16	9	7	-	-	18	11	4	2	1	15	11	4	-	-	17	5	3	6	3	96
586	291	294	-	1	404	222	175	7	-	592	280	237	45	30	184	64	59	35	26	97
8	5	2	1	-	11	5	5	1	-	18	3	11	2	2	14	3	1	9	1	98
62	29	33	-	-	40	26	14	-	-	30	13	12	5	-	14	7	3	3	1	99
14	8	6	-	-	12	2	10	-	-	20	6	13	-	1	13	-	6	2	5	100
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	-	1	-	101
31	5	26	-	-	26	13	12	-	1	36	13	20	1	2	55	9	10	19	17	102
1	-	1	-	-	7	7	-	-	-	13	3	8	1	1	6	-	4	1	1	103
1,135	650	465	10	10	811	423	323	33	32	1,994	919	785	172	118	1,328	351	295	362	320	
2	2	-	-	-	4	1	2	1	-	5	3	2	-	-	5	1	-	2	2	104a
1	-	1	-	-	3	2	1	-	-	11	9	-	1	1	2	-	-	2	-	104b
4	4	-	-	-	2	1	1	-	-	13	4	8	1	-	6	4	1	-	1	105
11	7	4	-	-	14	6	8	-	-	9	3	1	2	3	15	3	5	2	5	106a

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	90	52	32	6	-	55	29	24	1	1
106c	Bronchitis (unspecified)	47	24	19	3	1	14	7	7	-	-
107	Bronchopneumonia (including capillary bronchitis)	1,557	794	540	124	99	702	359	267	43	33
108	Lobar pneumonia	1,191	655	334	130	72	598	313	212	42	31
109	Pneumonia (unspecified)	206	118	78	4	6	274	154	108	8	4
	A. Atypical or virus pneumonia	53	31	21	1	-	28	23	4	1	-
	B. Pneumonia (all other, unspecified)	153	87	57	3	6	246	131	104	7	4
110	Pleurisy (not specified as tuberculous)	88	60	24	2	2	18	12	4	1	1
111a	Hemorrhagic infarction and thrombosis of lungs	73	43	24	4	2	54	23	30	-	1
111b,c	Acute edema, chronic and unspecified congestion of lungs	89	32	55	-	2	149	66	74	7	2
112	Asthma	116	57	53	1	5	73	37	32	2	2
113	Pulmonary emphysema	12	10	1	1	-	9	7	1	-	1
114	Other diseases of respiratory system (except tuberculosis)	93	50	21	17	5	53	30	18	1	4
	IX.—Diseases of the digestive system	4,026	2,209	1,591	127	99	1,721	901	702	76	42
115a,b,d	Diseases of buccal cavity and adnexa	56	23	31	1	1	52	26	16	6	4
115c	Diseases of pharynx and tonsils	44	24	19	1	-	34	18	14	1	1
116	Diseases of esophagus	16	4	9	3	-	4	2	2	-	-
117a	Ulcer of stomach	406	325	62	18	1	143	109	29	5	-
117b	Ulcer of duodenum	204	169	30	3	2	62	49	9	4	-
118	Other diseases of stomach (except cancer)	57	33	15	7	2	46	25	15	2	4
119	Diarrhea, enteritis, and ulceration of intestines (under 2 yr.)	215	107	92	10	6	172	92	66	11	3
120	Diarrhea, enteritis, and ulceration of intestines (2 yr. and over)	99	46	47	1	5	70	29	37	2	2
121	Appendicitis	418	237	144	21	16	183	96	69	13	5
122a	Hernia	382	200	158	15	9	115	56	52	5	2
122b	Intestinal obstruction	379	157	193	13	16	192	79	92	13	8
123	Other diseases of intestines	82	32	43	3	4	56	24	30	2	-
124a	Cirrhosis of liver (with mention of alcoholism)	128	93	29	5	1	17	13	-	1	3
124b	Cirrhosis of liver (without mention of alcoholism)	795	515	256	12	12	292	179	103	6	4
125a	Acute yellow atrophy of liver (nonpuerperal)	31	12	14	2	3	9	3	6	-	-
125b	Other diseases of liver	65	29	29	3	4	30	12	14	2	2
126	Biliary calculi	297	72	215	3	7	74	18	56	-	-
127	Other diseases of gallbladder and biliary ducts	254	82	164	2	6	111	40	71	-	-
128	Diseases of pancreas (except diabetes mellitus)	54	31	23	-	-	28	15	13	-	-
129	Peritonitis (cause not stated)	44	18	18	4	4	31	16	8	3	4
	X.—Diseases of the genito-urinary system	7,200	3,656	2,970	295	279	3,463	1,817	1,448	110	88
130	Acute nephritis	120	65	42	5	8	94	43	42	7	2
131a	Arteriosclerotic kidney	3,859	1,821	1,778	124	136	2,068	1,032	950	54	52
131b	Other chronic nephritis	1,988	948	858	88	94	692	366	288	20	18
132	Nephritis unspecified (10 years and over)	202	92	89	8	13	221	128	82	7	4
133	Other diseases of kidneys and ureters, etc.*	188	93	79	10	6	74	39	30	4	1
134	Calculi of urinary passages	88	53	31	2	2	27	13	13	1	-
135	Diseases of urinary bladder	44	24	18	1	1	15	10	5	-	-
136	Diseases of urethra (except calculus)	41	22	3	16	-	3	3	-	-	-
137	Diseases of prostate	577	537	...	40	...	199	183	...	16	...
138	Diseases of other male genital organs (except venereal)	2	1	...	1	...	1	-	...	1	...
139a	Diseases of ovaries, fallopian tubes, and parametria	46	...	29	...	17	25	...	16	...	9
139b	Diseases of uterus	45	...	43	...	2	23	...	21	...	2
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	235	...	200	...	35	113	...	103	...	10
140	Abortion with mention of infection	25	...	18	...	7	9	...	8	...	1
140a,b	Abortion (septic), spontaneous or therapeutic*	17	...	11	...	6	5	...	4	...	1
140c,d	Abortion (septic), self-induced or nontherapeutic*	8	...	7	...	1	4	...	4	...	-
141	Abortion without mention of infection	12	...	9	...	3	6	...	5	...	1
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	2	...	1	...	1	1	...	1	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	3	...	2	...	1	4	...	3	...	1
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified*	5	...	4	...	1	1	...	1	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	2	...	2	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	5	...	5	...	-	3	...	1	...	2
142b	Ectopic gestation, without mention of infection	15	...	12	...	3	3	...	3	...	-
143a	Placenta praevia (death before delivery)	1	...	1	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	2	...	-	...	2	1	...	1	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	5	...	4	...	1	11	...	10	...	1
144c,d	Other toxemias of pregnancy (death before delivery)*	5	...	3	...	2	9	...	9	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	8	...	8	...	-	7	...	6	...	1
	A. With mention of infection	6	...	6	...	-	5	...	4	...	1
	B. Without mention of infection	2	...	2	...	-	2	...	2	...	-
146a	Placenta praevia (with childbirth)	4	...	4	...	-	4	...	4	...	-
146b,c	Other hemorrhages of childbirth and puerperium	27	...	22	...	5	12	...	12	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	26	...	23	...	3	11	...	8	...	3
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	31	...	31	...	-	15	...	15	...	-
148a,b	Puerperal eclampsia and nephritis*	26	...	22	...	4	7	...	6	...	1
148c,d	Other puerperal toxemias	6	...	6	...	-	3	...	3	...	-
149	Other accidents and specified conditions of childbirth	26	...	23	...	3	10	...	10	...	-
150	Other and unspecified conditions of childbirth and puerperium	11	...	9	...	2	2	...	2	...	-
	XII.—Diseases of the skin and cellular tissue	47	12	33	2	-	29	16	10	-	3
151	Carbuncle and furuncle	9	3	6	-	-	3	3	-	-	-
152	Phlegmon and acute abscess	11	4	6	1	-	9	6	2	-	1
153	Other diseases of skin and cellular tissue	27	5	21	1	-	17	7	8	-	2

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and di deaths among armed forces overseas]

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
36	26	10	-	-	39	23	16	-	-	40	23	17	-	-	21	15	6	-	-	106b
10	6	4	-	-	12	7	4	-	1	24	9	14	1	-	13	5	4	2	2	106c
526	288	230	2	6	323	152	143	14	14	800	374	303	65	58	617	146	131	182	158	107
355	208	137	6	4	227	129	69	14	15	521	222	189	73	37	308	77	64	86	81	108
46	28	18	-	-	36	14	20	2	-	346	163	158	12	13	167	44	38	43	42	109
20	11	9	-	-	9	3	5	1	-	16	9	5	2	-	17	10	6	1	-	
26	17	9	-	-	27	11	15	1	-	330	154	153	10	13	150	34	32	42	42	
11	8	3	-	-	13	9	4	-	-	22	9	8	3	2	25	9	4	9	3	110
28	14	14	-	-	28	13	13	2	-	24	14	7	2	1	20	5	7	7	1	111a
55	27	28	-	-	55	23	31	-	1	78	34	37	6	1	55	14	18	9	14	111b,c
36	21	13	2	-	37	28	8	-	1	67	32	29	4	2	40	18	10	6	6	112
1	1	-	-	-	3	3	-	-	-	4	3	1	-	-	6	1	3	2	-	113
13	10	3	-	-	15	12	3	-	-	30	17	11	2	-	28	9	4	10	5	114
982	561	408	7	6	828	455	329	25	19	1,400	736	513	65	86	1,126	390	264	249	223	
19	9	10	-	-	19	9	8	1	1	39	19	18	1	1	19	4	5	4	6	115a,b,d
20	4	16	-	-	18	11	7	-	-	29	16	8	2	3	14	2	5	3	4	115c
1	1	-	-	-	5	1	4	-	-	1	1	-	-	-	8	4	1	1	2	116
102	85	16	1	-	81	64	15	1	1	105	69	25	5	6	72	35	6	21	10	117a
56	45	11	-	-	30	23	7	-	-	45	30	13	1	1	25	16	4	5	-	117b
17	10	6	-	1	13	2	8	2	1	52	28	16	5	3	37	3	9	16	9	118
37	23	13	-	1	66	37	23	3	3	346	176	137	14	19	181	48	29	49	55	119
33	14	18	1	-	51	22	26	1	2	81	42	31	2	6	41	8	11	10	12	120
123	84	37	1	1	95	59	29	3	4	123	65	42	4	12	123	49	25	30	19	121
117	61	55	1	-	80	47	31	1	1	88	49	24	8	7	76	23	24	19	10	122a
96	46	50	-	-	97	47	40	8	2	124	48	58	10	8	128	27	44	31	26	122b
27	16	11	-	-	19	13	6	-	-	30	14	11	1	4	40	14	9	10	7	123
12	10	2	-	-	3	3	-	-	-	5	4	1	-	-	12	12	-	-	-	124a
126	82	42	2	-	92	54	32	4	2	157	109	34	10	4	185	90	36	33	26	124b
5	1	4	-	-	6	2	3	-	1	12	9	2	-	1	10	4	2	2	2	125a
19	10	9	-	-	12	6	6	-	-	30	16	9	2	3	23	6	4	6	7	125b
67	20	46	-	1	71	20	51	-	-	53	14	36	-	3	38	13	21	-	4	126
79	28	50	-	1	41	17	23	1	-	47	11	34	-	2	53	15	21	5	12	127
12	7	4	-	1	7	4	3	-	-	11	5	5	-	1	10	8	1	-	1	128
14	5	8	1	-	22	14	7	-	1	22	11	9	-	2	31	9	7	4	11	129
1,834	1,088	721	9	16	1,581	861	576	67	77	2,076	1,026	664	204	182	1,897	505	471	493	428	
31	18	13	-	-	33	19	9	3	2	78	32	24	10	12	72	18	16	22	16	130
1,006	545	445	7	9	833	419	332	36	46	1,008	486	333	88	101	1,079	269	289	249	272	131a
418	253	157	2	6	445	225	176	20	24	506	238	174	54	40	372	91	89	109	83	131b
102	50	52	-	-	29	14	13	1	1	201	89	72	23	17	108	24	29	36	19	132
52	28	24	-	-	34	14	17	1	2	77	41	28	2	6	67	26	16	16	9	133
21	12	9	-	-	21	12	8	1	-	16	5	9	2	-	20	4	6	6	4	134
14	5	9	-	-	13	6	7	-	-	15	11	3	1	-	21	8	2	9	2	135
1	1	-	-	-	4	4	-	-	-	8	6	-	2	-	8	5	-	3	-	136
176	176	...	-	...	153	148	...	5	...	140	118	...	22	...	102	59	...	43	...	137
-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	1	1	...	-	...	138
7	...	6	...	1	10	...	8	...	2	22	...	17	...	5	32	...	11	...	21	139a
6	...	6	...	-	6	...	6	...	-	5	...	4	...	1	14	...	12	...	2	139b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	139c
79	...	75	...	4	63	...	59	...	4	155	...	136	...	19	145	...	67	...	78	
10	...	10	...	-	6	...	6	...	-	21	...	16	...	5	24	...	11	...	13	140
9	...	9	...	-	6	...	6	...	-	16	...	11	...	5	16	...	8	...	8	140a,b
1	...	1	...	-	-	...	-	...	-	5	...	5	...	-	8	...	3	...	5	140c,d
5	...	5	...	-	3	...	3	...	-	3	...	3	...	-	5	...	2	...	3	141
2	...	2	...	-	3	...	3	...	-	-	...	-	...	-	3	...	1	...	2	141a,c
1	...	1	...	-	-	...	-	...	-	3	...	3	...	-	1	...	1	...	-	141b
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	141d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	142a
5	...	5	...	-	4	...	3	...	1	4	...	3	...	1	4	...	4	...	-	142b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	143a
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	2	...	-	...	2	143b,c
5	...	5	...	-	2	...	2	...	-	8	...	8	...	-	18	...	5	...	13	144a,b
-	...	-	...	-	1	...	1	...	-	5	...	4	...	1	2	...	1	...	1	144c,d
2	...	2	...	-	1	...	1	...	-	8	...	8	...	-	7	...	5	...	2	145
2	...	2	...	-	-	...	-	...	-	6	...	6	...	-	5	...	3	...	2	
-	...	-	...	-	1	...	1	...	-	2	...	2	...	-	2	...	2	...	-	
3	...	2	...	1	1	...	-	...	1	7	...	7	...	-	5	...	5	...	-	146a
6	...	6	...	-	12	...	12	...	-	18	...	16	...	2	19	...	10	...	9	146b,c
3	...	3	...	-	7	...	6	...	1	14	...	10	...	4	13	...	3	...	10	147a,b
18	...	17	...	1	9	...	9	...	-	17	...	15	...	2	8	...	5	...	3	147c,d
9	...	8	...	1	5	...	5	...	-	16	...	14	...	2	17	...	9	...	8	148a,b
1	...	1	...	-	1	...	1	...	-	9	...	8	...	1	6	...	-	...	6	148c,d
8	...	7	...	1	6	...	5	...	1	12	...	11	...	1	9	...	4	...	5	149
2	...	2	...	-	4	...	4	...	-	10	...	10	...	-	5	...	2	...	3	150
21	11	10	-	-	11	5	6	-	-	19	11	7	-	1	18	3	4	6	5	
3	1	2	-	-	1	1	-	-	-	4	2	2	-	-	5	1	1	2	1	151
4	3	1	-	-	2	2	-	-	-	3	2	1	-	-	3	-	-	2	1	152
14	7	7	-	-	8	2	6	-	-	12	7	4	-	1	10	2	3	2	3	153

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII.—Diseases of the bones, etc.*	50	17	24	6	3	20	12	5	1	2
154	Osteomyelitis and periostitis	17	7	6	2	2	9	7	-	1	1
155	Other diseases of bones (except tuberculosis)	6	2	4	-	-	3	1	1	-	1
156	Diseases of joints and other organs of movement	27	8	14	4	1	8	4	4	-	-
157	XIV.—Congenital malformations	945	471	414	23	37	472	252	205	7	8
	XV.—Diseases peculiar to the first year of life	2,285	1,220	827	139	99	1,223	662	450	63	48
158	Congenital debility (cause not stated)	31	14	14	2	1	38	23	12	2	1
159	Premature birth (cause not stated)	1,369	699	518	88	64	759	401	284	38	36
160a	Intracranial or spinal hemorrhage	243	140	76	15	12	74	46	20	7	1
160b,c	Other injuries at birth	289	177	103	5	4	132	73	55	2	2
161	Other diseases peculiar to the first year of life	353	190	116	29	18	220	119	79	14	8
162	XVI.—Senility	242	95	134	5	8	241	93	141	2	5
	XVII.—Violent or accidental deaths	6,534	4,175	1,820	415	124	3,351	2,090	1,102	123	36
163,164	Suicide	865	643	196	17	9	467	348	107	10	2
163	Suicide by poisoning	174	93	73	4	4	91	49	41	1	-
	Suicide by solid or liquid poisons	98	41	50	3	4	50	28	21	1	-
	Suicide by poisonous gases	76	52	23	1	-	41	21	20	-	-
164a	Suicide by hanging or strangulation	288	216	68	4	-	125	91	32	2	-
164b	Suicide by drowning	41	27	14	-	-	21	11	8	1	1
164c	Suicide by firearms and explosives	271	245	19	4	3	193	171	16	5	1
164d	Suicide by cutting or piercing instruments	34	29	3	2	-	19	15	3	1	-
164e	Suicide by jumping from high places	42	22	16	2	2	2	-	2	-	-
164f	Suicide by crushing	7	7	-	-	-	6	5	1	-	-
164g	Suicide by other or unspecified means	8	4	3	1	-	10	6	4	-	-
165-168	Homicide[1]	363	142	40	150	31	138	63	32	30	13
166	Homicide by firearms	204	83	18	88	15	83	39	18	18	8
167	Homicide by cutting or piercing instruments	79	19	6	44	10	16	4	3	7	2
168	Homicide by other means	80	40	16	18	6	39	20	11	5	3
169-195	Accidental deaths	5,284	3,369	1,584	247	84	2,736	1,671	963	81	21
169	Railway accidents (except collisions with motor vehicles)	234	191	28	14	1	111	87	16	7	1
170a	Collisions between automobiles and trains	160	114	42	4	-	106	73	31	2	-
170b	Collisions between automobiles and streetcars	26	15	7	4	-	2	-	1	1	-
170c	Automobile accidents (except collisions with trains or streetcars)	1,331	971	280	58	22	731	543	166	18	4
170d	Motorcycle accidents (except collisions with automobiles)	23	19	4	-	-	20	17	3	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	85	69	11	4	1	3	2	1	-	-
171b	Other and unspecified road-transport accidents	12	9	3	-	-	10	7	1	2	-
172	Water-transport accidents	46	39	5	2	-	15	13	1	1	-
173	Air-transport accidents	88	86	-	2	-	50	50	-	-	-
174	Accidents in mines and quarries	85	83	1	1	-	31	31	-	-	-
175a	Accidents involving agricultural machinery and vehicles	48	46	2	-	-	33	31	2	-	-
175b,c	Other agricultural accidents, including injury by animals	29	29	-	-	-	31	28	3	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	4	4	-	-	-	1	1	-	-	-
176	Other accidents involving machinery	97	78	8	11	-	35	29	-	6	-
177	Food poisoning	11	8	3	-	-	14	11	2	-	1
178	Accidental absorption of poisonous gas	81	53	25	2	1	49	34	13	2	-
179	Acute accidental poisoning by solids or liquids	87	42	38	3	4	20	11	7	2	-
180	Conflagration	185	105	52	14	14	65	30	27	6	2
181	Accidental burns (except conflagration)	220	98	103	14	5	128	60	61	3	4
182	Accidental mechanical suffocation	61	29	19	6	7	28	17	9	1	1
183	Accidental drowning	233	173	34	23	3	115	89	17	9	-
184	Accidental injury by firearms	100	76	5	18	1	47	38	6	2	1
185	Accidental injury by cutting or piercing instruments	20	11	2	6	1	10	6	4	-	-
186a	Accidental injury by fall	1,684	777	846	41	20	702	266	422	8	6
186b	Accidental injury by crushing	28	21	4	3	-	23	19	1	3	-
187	Cataclysm, etc.*	3	2	1	-	-	1	-	1	-	-
188	Injury by animals (except in agriculture and forestry)	9	6	1	2	-	3	2	1	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	13	9	3	1	-	6	5	1	-	-
191	Excessive heat	10	8	1	-	1	3	3	-	-	-
192	Lightning	14	13	1	-	-	6	5	1	-	-
193	Accidents due to electric currents (except lightning)	21	19	1	1	-	21	18	3	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	2	2	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	2	1	1	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	27	18	7	1	1	29	16	11	2	-
195c,e	Other and unspecified accidents	209	148	47	12	2	283	126	150	6	1
196	Deaths of military personnel during operations of war	21	21	-	-	-	9	8	-	1	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
196	Legal executions	1	-	-	1	-	1	-	-	1	-
	XVIII.—Ill-defined and unknown causes	227	140	65	13	9	189	117	59	7	6
199	Sudden death	6	3	2	-	1	3	3	-	-	-
200a	Ill-defined	126	87	30	4	5	157	97	51	5	4
200b	Found dead (cause unknown)	11	8	2	1	-	5	4	-	-	1
200c	Unknown or unspecified	84	42	31	8	3	24	13	8	2	1

* Refer to International List for complete title, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

IOWA					KANSAS					KENTUCKY					LOUISIANA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
10	5	5	-	-	18	8	9	1	-	10	7	3	-	-	13	6	3	3	1	
1	-	1	-	-	5	3	2	-	-	6	5	1	-	-	4	2	-	2	-	154
1	-	1	-	-	7	2	5	-	-	2	1	1	-	-	3	-	2	1	-	155
8	5	3	-	-	6	3	2	1	-	2	1	1	-	-	6	4	1	-	1	156
308	159	147	1	1	199	103	90	3	3	280	152	115	9	4	244	100	60	53	31	157
790	471	309	7	3	554	321	209	11	13	1,299	726	482	47	44	1,224	390	267	318	249	
17	14	2	1	-	20	10	7	2	1	149	80	57	7	5	72	12	11	28	21	158
544	312	225	4	3	311	183	120	3	5	740	406	283	28	23	785	238	173	202	172	159
82	58	24	-	-	51	32	15	2	2	93	53	37	1	2	94	36	27	17	14	160a
54	32	21	1	-	84	48	35	1	-	160	96	53	4	7	109	41	27	26	15	160b,c
93	55	37	1	-	88	48	32	3	5	157	91	52	7	7	164	63	29	45	27	161
379	190	187	-	2	242	96	135	5	6	421	174	200	22	25	208	50	61	50	47	162
2,106	1,369	714	18	5	1,650	1,082	499	47	22	2,589	1,603	710	212	64	1,959	887	292	543	237	
341	267	74	-	-	197	151	43	2	1	232	165	66	1	-	171	114	34	19	4	163,164
53	26	27	-	-	38	21	16	1	-	39	19	20	-	-	27	11	14	2	-	163
34	14	20	-	-	25	11	13	1	-	27	10	17	-	-	24	9	14	1	-	
19	12	7	-	-	13	10	3	-	-	12	9	3	-	-	3	2	-	1	-	
107	89	18	-	-	43	30	13	-	-	40	32	8	-	-	21	15	2	4	-	164a
14	7	7	-	-	4	3	1	-	-	9	1	8	-	-	10	6	2	1	1	164b
132	117	15	-	-	100	88	10	1	1	118	89	28	1	-	92	68	13	10	1	164c
22	19	3	-	-	7	6	1	-	-	16	16	-	-	-	9	8	-	1	-	164d
6	6	-	-	-	1	1	-	-	-	9	7	2	-	-	7	4	1	-	2	164e
2	2	-	-	-	3	1	2	-	-	-	-	-	-	-	2	1	1	-	-	164f
5	1	4	-	-	1	1	-	-	-	1	1	-	-	-	3	1	1	1	-	164g
37	24	8	2	3	40	18	7	11	4	266	151	26	71	18	241	51	15	133	42	165-168
20	13	6	-	1	20	10	2	6	2	208	121	22	51	14	137	31	12	70	24	166
1	-	-	1	-	11	5	1	3	2	31	14	1	13	3	68	6	-	51	11	167
16	11	2	1	2	9	3	4	2	-	27	16	3	7	1	36	14	3	12	7	168
1,726	1,076	632	16	2	1,396	896	449	34	17	2,083	1,282	618	137	46	1,541	721	243	386	191	169-195
66	59	6	1	-	59	52	4	3	-	107	90	9	7	1	52	17	4	24	7	169
50	40	9	1	-	40	29	11	-	-	29	22	7	-	-	21	9	8	4	-	170a
2	2	-	-	-	-	-	-	-	-	3	2	1	-	-	1	-	1	-	-	170b
366	270	89	6	1	279	203	67	8	1	546	388	113	41	4	398	215	60	93	30	170c
1	1	-	-	-	5	4	1	-	-	14	9	5	-	-	6	6	-	-	-	170d
2	1	1	-	-	4	4	-	-	-	4	4	-	-	-	11	5	3	2	1	171a
1	1	-	-	-	5	3	2	-	-	4	3	-	1	-	5	2	-	3	-	171b
12	12	-	-	-	4	4	-	-	-	15	13	1	1	-	43	30	3	10	-	172
23	23	-	-	-	106	106	-	-	-	22	16	-	6	-	55	53	2	-	-	173
7	7	-	-	-	8	8	-	-	-	120	110	-	9	1	1	1	-	-	-	174
58	55	3	-	-	42	39	3	-	-	14	11	1	2	-	7	5	-	2	-	175a
49	48	1	-	-	54	49	4	1	-	39	35	3	1	-	14	11	-	3	-	175b,c
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	4	2	-	2	-	175e
13	11	2	-	-	19	17	2	-	-	24	21	-	3	-	41	28	-	13	-	176
2	2	-	-	-	5	1	4	-	-	14	9	4	-	1	21	5	4	8	4	177
32	17	15	-	-	28	22	6	-	-	22	14	7	-	1	6	4	1	-	1	178
17	13	4	-	-	14	9	4	1	-	25	16	7	2	-	25	12	4	3	6	179
45	28	17	-	-	50	28	13	7	2	63	24	20	10	9	42	11	8	12	11	180
73	31	40	2	-	85	45	30	4	6	143	54	70	8	11	150	32	23	38	57	181
30	23	6	1	-	26	12	11	-	3	35	17	15	3	-	29	9	3	11	6	182
85	72	12	1	-	65	51	12	2	-	118	89	19	10	-	167	68	16	76	7	183
37	35	2	-	-	42	36	5	1	-	90	68	10	11	1	62	32	4	18	8	184
6	6	-	-	-	6	3	3	-	-	11	6	4	1	-	10	3	-	3	4	185
663	258	401	4	-	367	117	241	4	5	497	172	300	12	13	196	74	74	18	30	186a
2	2	-	-	-	6	5	1	-	-	11	10	1	-	-	15	7	-	7	1	186b
1	1	-	-	-	2	1	1	-	-	2	1	1	-	-	7	2	-	1	4	187
5	3	2	-	-	-	-	-	-	-	2	2	-	-	-	3	2	1	-	-	188
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	189
8	6	2	-	-	5	2	3	-	-	8	4	1	3	-	3	-	1	1	1	190
2	2	-	-	-	4	4	-	-	-	3	2	-	-	1	3	2	-	-	1	191
5	5	-	-	-	3	3	-	-	-	6	4	1	-	1	9	5	-	-	4	192
12	8	4	-	-	2	2	-	-	-	9	6	2	1	-	17	15	-	2	-	193
1	1	-	-	-	2	1	1	-	-	1	1	-	-	-	1	-	-	1	-	194
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	2	-	1	1	-	195a,b
13	6	7	-	-	9	3	5	1	-	23	15	5	1	2	19	8	5	5	1	195d
37	27	9	-	1	49	32	15	2	-	53	38	11	4	-	95	46	17	25	7	195c,e
1	1	-	-	-	2	2	-	-	-	4	4	-	-	-	1	1	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
1	1	-	-	-	15	15	-	-	-	4	1	-	3	-	5	-	-	5	-	198
85	52	31	-	2	88	48	36	2	2	209	118	68	14	9	242	53	23	77	89	
5	5	-	-	-	5	4	1	-	-	23	12	9	1	1	27	7	3	8	9	199
56	32	23	-	1	53	29	22	1	1	56	31	17	4	4	109	30	12	27	40	200a
5	3	2	-	-	8	6	1	1	-	34	26	7	1	-	9	1	4	2	2	200b
19	12	6	-	1	22	9	12	-	1	96	49	35	8	4	97	15	4	40	38	200c

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	9,985	5,532	4,419	23	11	22,584	9,649	8,127	2,653	2,155
	I.—Infectious and parasitic diseases	477	276	199	2	-	1,906	653	373	534	346
1	Typhoid fever	1	-	1	-	-	4	1	2	1	-
2	Paratyphoid fever	1	1	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	1	1	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	12	7	4	1	-	28	14	10	4	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	6	2	4	-	-	5	2	2	-	1
9	Whooping cough	26	15	11	-	-	32	10	11	5	6
10	Diphtheria (infection by C. diphtheriae)	15	10	5	-	-	27	12	11	1	3
11	Erysipelas	2	1	1	-	-	2	-	1	-	1
12	Tetanus	1	1	-	-	-	1	-	-	1	-
13-22	Tuberculosis (all forms)	244	131	112	1	-	1,267	410	239	357	261
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	2	2	-	-	-	5	3	-	2	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	223	123	99	1	-	1,163	378	222	335	228
14	Tuberculosis of meninges and central nervous system	6	-	6	-	-	34	10	5	5	14
15	Tuberculosis of intestines and peritoneum	7	2	5	-	-	17	1	1	5	10
16	Tuberculosis of vertebral column	-	-	-	-	-	18	8	3	4	3
17a	Tuberculosis of bones (except vertebral column)	1	1	-	-	-	1	-	1	-	-
17b	Tuberculosis of joints (except vertebral column)	-	-	-	-	-	2	1	-	-	1
18	Tuberculosis of skin, etc.*	-	-	-	-	-	2	-	2	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	1	1	-	-	-
20	Tuberculosis of genito-urinary system	3	2	1	-	-	8	5	2	1	-
21	Tuberculosis of other organs	-	-	-	-	-	2	-	1	1	-
22a	Disseminated tuberculosis (acute miliary)	2	1	1	-	-	13	3	1	4	5
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	1	-	1	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	7	5	2	-	-	8	3	2	3	-
25	Gonococcus infection	2	-	2	-	-	3	-	3	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	3	-	-	-	17	10	2	4	1
28	Malaria	1	1	-	-	-	1	1	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	58	43	15	-	-	352	121	39	140	52
30a	Locomotor ataxia (tabes dorsalis)	1	1	-	-	-	11	4	4	3	-
30b	General paralysis of insane	20	17	3	-	-	127	44	11	53	19
30c	Other syphilis of central nervous system	8	6	2	-	-	21	12	2	6	1
30d	Aneurysm of aorta	5	5	-	-	-	98	29	13	45	11
30e	Other syphilis of circulatory system	7	6	1	-	-	26	12	1	11	2
30f,g	Congenital, other and unspecified forms of syphilis	17	8	9	-	-	69	20	8	22	19
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	5	3	2	-	-	4	3	1	-	-
33a	Influenza, with respiratory complications specified	33	19	14	-	-	59	21	20	8	10
33b	Influenza, without respiratory complications specified	31	14	17	-	-	30	9	14	3	4
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	2	-	2	-	-	2	1	1	-	-
36	Acute poliomyelitis and acute polioencephalitis	6	5	1	-	-	5	5	-	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	3	3	-	-	-	-	-	-	-	-
37b	Sequelae of encephalitis lethargica	-	-	-	-	-	2	1	1	-	-
38	Other diseases due to filtrable viruses	-	-	-	-	-	1	-	-	-	1
39	Typhus fever and typhus-like diseases (due to Rickettsia)	-	-	-	-	-	10	3	3	2	2
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	1	-	1	-	-	2	1	1	-	-
43	Mycoses	-	-	-	-	-	5	3	1	1	1
44	Other infectious and parasitic (communicable) diseases	16	11	5	-	-	38	22	9	4	3
	II.—Cancer and other tumors	1,423	622	796	3	2	2,792	1,108	1,303	182	199
45-55	Cancer and other malignant tumors	1,363	608	752	1	2	2,711	1,078	1,266	181	186
45	Cancer of buccal cavity and pharynx	41	33	8	-	-	91	66	19	5	1
45a-e	Cancer of buccal cavity	28	25	3	-	-	62	47	11	4	-
45f	Cancer of pharynx	13	8	5	-	-	29	19	8	1	1
46	Cancer of digestive organs and peritoneum	666	330	336	-	-	1,184	527	500	88	69
46a	Cancer of esophagus	13	9	4	-	-	48	32	4	12	-
46b,c	Cancer of stomach and duodenum	187	105	82	-	-	357	164	126	39	28
46f	Cancer of liver and biliary passages	90	33	57	-	-	171	55	97	9	10
46g	Cancer of pancreas	24	11	13	-	-	93	53	28	7	5
46d,e,h,m	Cancer of other digestive organs and peritoneum	352	172	180	-	-	515	223	245	21	26
47	Cancer of respiratory system	77	55	20	1	1	261	167	52	33	9
48	Cancer of uterus	157	...	156	...	1	303	...	249	...	54
49	Cancer of other female genital organs	34	...	34	...	-	61	...	56	...	5
50	Cancer of breast	122	2	120	-	-	275	2	238	2	33
51	Cancer of male genital organs	87	87	...	-	...	133	114	...	19	...
52	Cancer of urinary organs (male and female)	48	26	22	-	-	125	61	51	9	4
53	Cancer of skin (except vulva and scrotum)	22	14	8	-	-	47	25	20	2	-
54	Cancer of central nervous system*	9	4	5	-	-	51	27	18	3	3
55	Cancer of other and unspecified organs	100	57	43	-	-	180	89	63	20	8
56a	Nonmalignant tumors of ovary	9	...	9	...	-	9	...	9	...	-
56b	Nonmalignant tumors of uterus	16	...	16	...	-	23	...	12	...	11
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	2	...	2	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	4	2	1	1	-	16	10	5	-	1

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
51,133	26,691	23,535	511	396	53,966	28,780	21,777	1,894	1,515	26,763	15,360	11,035	200	168	19,355	5,152	3,629	5,467	5,107	
2,259	1,437	693	84	45	2,977	1,566	770	382	259	1,220	721	434	36	29	1,695	333	206	629	527	
3	3	-	-	-	4	3	1	-	-	1	1	-	-	-	18	3	3	8	4	1
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	3	2	1	-	-	2	-	1	1	-	2	1	-	1	-	5
25	15	10	-	-	42	21	15	3	3	18	12	6	-	-	28	10	5	11	2	6
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
7	4	3	-	-	9	5	4	-	-	11	4	7	-	-	2	1	-	1	-	8
23	11	10	-	2	36	15	18	3	-	26	10	13	1	2	45	3	7	18	17	9
12	6	5	1	-	46	24	21	-	1	20	13	7	-	-	41	18	6	10	7	10
5	3	2	-	-	9	5	4	-	-	11	8	3	-	-	2	-	1	-	1	11
7	4	2	1	-	13	12	-	1	-	11	5	6	-	-	22	5	1	12	4	12
1,643	1,071	483	53	36	1,816	946	418	249	203	621	366	215	20	20	720	153	75	245	247	13-22
13	13	-	-	-	50	47	-	3	-	3	3	-	-	-	-	-	-	-	-	13a
1,538	1,009	448	48	33	1,602	837	371	219	175	560	330	193	17	20	682	151	69	227	235	13b,c
22	14	6	1	1	49	20	15	6	8	13	5	7	1	-	6	-	2	2	2	14
15	5	9	-	1	24	7	6	5	6	8	4	4	-	-	13	-	1	7	5	15
18	6	11	1	-	18	12	4	1	1	9	7	1	1	-	3	-	1	2	-	16
-	-	-	-	-	3	3	-	-	-	1	-	1	-	-	-	-	-	-	-	17a
4	2	2	-	-	3	1	1	1	-	2	1	1	-	-	1	-	-	1	-	17b
1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	18
3	3	-	-	-	3	2	-	-	1	3	3	-	-	-	4	-	-	3	1	19
9	8	1	-	-	10	2	6	1	1	9	5	3	1	-	5	2	2	1	-	20
4	2	2	-	-	6	2	3	1	-	-	-	-	-	-	-	-	-	-	-	21
14	6	4	3	1	47	13	11	12	11	11	7	4	-	-	5	-	-	2	3	22a
2	2	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
23	10	12	1	-	35	17	13	3	2	16	8	8	-	-	9	2	1	2	4	24
-	-	-	-	-	3	1	-	-	2	-	-	-	-	-	8	-	-	1	7	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	-	1	3	26
10	3	7	-	-	31	18	10	1	2	7	4	1	2	-	36	10	5	14	7	27
3	3	-	-	-	10	6	1	3	-	1	1	-	-	-	37	1	6	14	16	28
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	29
260	167	62	26	5	533	296	99	102	36	173	119	40	11	3	262	37	8	141	76	30
17	13	3	-	1	19	12	3	4	-	11	9	2	-	-	1	1	-	-	-	30a
64	42	13	8	1	160	90	35	30	5	35	25	9	1	-	72	17	3	37	15	30b
21	13	3	4	1	41	25	1	9	6	18	13	5	-	-	28	2	1	18	7	30c
95	59	27	8	1	152	95	23	25	9	58	41	13	3	1	22	7	-	11	4	30d
18	14	3	1	-	36	16	7	10	3	5	3	2	-	-	20	3	-	13	4	30e
45	26	13	5	1	125	58	30	24	13	46	28	9	7	2	119	7	4	62	46	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
8	5	3	-	-	22	13	9	-	-	7	5	2	-	-	8	2	2	2	2	32
34	19	15	-	-	103	47	45	7	4	89	47	41	-	1	262	43	51	92	76	33a
26	15	11	-	-	100	49	46	4	1	77	36	39	-	2	117	24	22	36	35	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	34
10	7	3	-	-	10	6	3	-	1	5	3	1	-	1	22	2	3	8	9	35
23	14	9	-	-	24	12	12	-	-	29	20	9	-	-	11	5	1	3	2	36
8	6	2	-	-	15	8	6	-	1	10	7	3	-	-	3	1	2	-	-	37a,c
12	5	7	-	-	11	6	4	1	-	9	6	3	-	-	1	-	1	-	-	37b
1	1	-	-	-	6	3	3	-	-	2	1	1	-	-	5	2	-	1	2	38
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	40
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	3	-	-	2	1	42
7	3	3	1	-	12	4	6	1	1	2	1	1	-	-	3	-	1	1	1	43
102	56	43	1	2	80	46	28	4	2	71	44	26	1	-	19	6	4	5	4	44
8,053	3,789	4,165	51	48	7,496	3,541	3,619	168	168	3,991	2,034	1,932	14	11	1,776	507	519	275	475	
7,813	3,702	4,018	50	43	7,251	3,467	3,484	158	142	3,893	1,998	1,871	14	10	1,675	488	498	263	425	45-55
264	233	27	4	-	218	164	43	8	3	108	92	16	-	-	54	32	11	4	7	45
171	149	18	4	-	125	96	25	2	2	73	65	8	-	-	38	20	11	3	4	45a-e
93	84	9	-	-	93	68	18	6	1	35	27	8	-	-	16	12	-	1	3	45f
3,769	1,974	1,750	29	16	3,263	1,789	1,367	73	34	1,883	1,069	804	6	4	664	211	179	144	130	46
167	125	35	7	-	130	101	22	5	2	74	53	18	2	1	17	4	8	5	-	46a
1,148	646	484	11	7	1,151	738	371	31	11	723	479	243	1	-	262	74	47	80	61	46b,c
336	152	184	-	-	461	206	243	9	3	221	94	124	2	1	121	45	35	19	22	46f
328	178	147	1	2	249	137	102	6	4	173	105	67	-	1	35	16	7	8	4	46g
1,790	873	900	10	7	1,272	607	629	22	14	692	338	352	1	1	229	72	82	32	43	46d,e,h,m
593	453	137	5	-	575	444	101	22	8	247	180	66	1	-	97	55	20	15	7	47
605	...	593	...	12	710	...	659	...	51	232	...	231	...	1	283	...	100	...	183	48
229	...	228	...	1	222	...	215	...	7	125	...	123	...	2	20	...	14	...	6	49
840	7	825	1	7	667	7	639	-	21	408	6	400	-	2	132	1	75	2	54	50
420	413	...	7	...	447	420	...	27	...	329	327	...	2	...	125	70	...	55	...	51
364	238	122	3	1	345	215	116	9	5	197	132	63	1	1	68	26	21	13	8	52
111	64	46	-	1	111	71	37	3	-	57	33	24	-	-	55	33	17	3	2	53
97	62	34	-	1	120	68	50	1	1	80	42	38	-	-	24	7	13	3	1	54
519	258	256	1	4	573	289	257	15	12	227	117	106	4	-	153	53	48	24	28	55
21	...	21	...	-	20	...	18	...	2	17	...	17	...	-	6	...	3	...	3	56a
40	...	38	...	2	63	...	45	...	18	18	...	17	...	1	42	...	7	...	35	56b
1	...	-	...	1	2	...	1	...	1	1	...	1	...	-	-	...	-	...	-	56c
60	31	28	-	1	43	18	22	2	1	37	21	16	-	-	13	5	3	2	3	56d,e

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
67a	Tumors of ovary (nature unspecified)	1	...	1	...	-	-	...	-	...	-
67b	Tumors of uterus (nature unspecified)	1	...	1	...	-	-	...	-	...	-
67c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
67d,e	Tumors of other and unspecified organs (nature unspecified)	29	12	16	1	-	31	20	9	1	1
	III.—Rheumatism, diseases of nutrition, etc.*	268	107	161	-	-	759	198	432	48	81
58a-d	Acute rheumatic heart diseases	7	4	3	-	-	16	5	4	5	2
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	5	1	4	-	-	11	-	5	5	1
59	Chronic rheumatism and other rheumatic diseases	10	4	6	-	-	25	5	12	2	6
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	217	85	132	-	-	619	168	366	23	62
62	Diseases of pituitary gland	2	-	2	-	-	5	3	-	1	1
63a	Simple goiter	-	-	-	-	-	1	-	-	1	-
63b	Exophthalmic goiter	7	1	6	-	-	38	3	31	2	2
63c-e	Other diseases of thyroid and parathyroid glands	4	1	3	-	-	4	-	3	-	1
64	Diseases of thymus gland	9	6	3	-	-	18	5	5	6	2
65	Diseases of adrenal glands (not specified as tuberculous)	2	1	1	-	-	5	3	2	-	-
66	Other general diseases	3	2	1	-	-	6	2	2	2	-
67	Scurvy	-	-	-	-	-	3	-	-	-	3
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	4	1	2	-	1
70	Rickets	2	2	-	-	-	3	2	-	1	-
71	Other avitaminoses	-	-	-	-	-	1	1	-	-	-
	IV.—Diseases of the blood and blood-forming organs	78	44	34	-	-	144	69	58	9	8
72	Hemorrhagic conditions	3	2	1	-	-	13	6	5	-	2
73a	Pernicious anemia	13	6	7	-	-	21	5	16	-	-
73b-d	Other anemias (except splenic)	10	4	6	-	-	13	4	4	3	2
74a	Leukemias	45	27	18	-	-	82	48	26	4	4
74b	Aleukemias	2	1	1	-	-	4	3	1	-	-
75	Diseases of spleen	2	2	-	-	-	11	3	6	2	-
76	Other diseases of the blood and blood-forming organs	3	2	1	-	-	-	-	-	-	-
	V.—Chronic poisoning and intoxication	24	18	6	-	-	43	24	4	13	2
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	1	1	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	24	18	6	-	-	40	22	4	12	2
78	Lead poisoning	-	-	-	-	-	2	1	-	1	-
79	Chronic poisoning by other mineral or organic substances	-	-	-	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,198	626	569	1	2	2,032	738	858	221	215
80	Encephalitis (nonepidemic)	7	7	-	-	-	16	9	5	-	2
81	Meningitis (not due to meningococcus)	17	9	7	-	1	37	16	8	9	4
82	Diseases of spinal cord (see exceptions)*	16	10	6	-	-	28	12	9	3	4
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	995	508	486	-	1	1,584	544	694	172	174
83b	Cerebral embolism and thrombosis	98	54	43	1	-	155	75	62	13	5
83c	Cerebral softening	1	-	1	-	-	8	5	2	1	-
83d	Hemiplegia and other paralysis of unspecified origin	5	4	1	-	-	67	27	30	4	6
84	Mental diseases and deficiency (see exception)*	13	6	7	-	-	26	7	7	4	8
85	Epilepsy	11	5	6	-	-	41	16	11	8	6
86	Convulsions (under 5 years)	7	6	1	-	-	6	2	1	2	1
87	Other diseases of nervous system	22	13	9	-	-	50	19	24	5	2
88	Diseases of organs of vision	-	-	-	-	-	1	-	-	-	1
89a	Otitis and other diseases of the ear	5	3	2	-	-	11	5	4	-	2
89b	Diseases of mastoid process	1	1	-	-	-	2	1	1	-	-
	VII.—Diseases of the circulatory system	3,234	1,916	1,310	5	3	7,421	3,606	2,714	587	514
90-95	Diseases of the heart (all forms)	2,932	1,736	1,188	5	3	6,977	3,415	2,540	530	492
90	Pericarditis (except acute rheumatic)	2	2	-	-	-	8	4	1	-	3
91a,b	Bacterial and other acute or subacute endocarditis	9	6	3	-	-	25	9	4	9	3
91c	Endocarditis (unspecified, under 45 years)	1	-	1	-	-	2	-	2	-	-
92a-d	Chronic endocarditis and diseases of the valves*	344	191	152	1	-	563	212	218	61	72
92e	Endocarditis (unspecified, 45 years and over)	10	3	7	-	-	21	8	8	2	3
93a	Acute myocarditis (except rheumatic)	27	14	13	-	-	77	24	29	9	15
93b	Myocarditis (unspecified, under 45 years)	2	-	2	-	-	8	-	1	2	5
93c,d	Chronic myocarditis and myocardial degeneration	1,167	628	533	4	2	3,952	1,719	1,623	324	286
93e	Other myocarditis (unspecified)	98	46	52	-	-	166	72	58	16	20
94a	Diseases of coronary arteries	985	667	317	-	1	1,792	1,203	464	75	50
94b	Angina pectoris	99	62	37	-	-	61	42	18	-	1
95a	Functional diseases of heart, etc.*	8	5	3	-	-	6	3	2	-	1
95b,c	Other and unspecified diseases of heart	180	112	68	-	-	296	119	112	32	33
96	Aneurysm (except of heart and aorta)	5	4	1	-	-	23	11	6	4	2
97	Arteriosclerosis (except coronary or renal sclerosis)	258	155	103	-	-	353	149	143	45	16
98	Gangrene	2	1	1	-	-	7	3	4	-	-
99	Other diseases of arteries	16	8	8	-	-	15	10	5	-	-
100	Diseases of veins	11	7	4	-	-	20	9	9	2	-
101	Diseases of lymphatic system	-	-	-	-	-	2	1	-	1	-
102	High blood pressure (idiopathic)	10	5	5	-	-	21	6	7	4	4
103	Other diseases of circulatory system	-	-	-	-	-	3	2	-	1	-
	VIII.—Diseases of the respiratory system	521	317	202	1	1	1,213	455	366	223	169
104a	Diseases of nasal fossae	-	-	-	-	-	6	4	1	1	-
104b	Diseases of accessory sinuses	3	3	-	-	-	12	6	2	2	2
105	Diseases of larynx	1	1	-	-	-	13	5	4	2	2
106a	Acute bronchitis	9	4	5	-	-	19	12	6	-	1

* Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	...	3	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	57a
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	1	...	-	...	1	57b
2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	57c
113	56	55	1	1	114	56	47	8	3	25	15	10	-	-	38	14	8	10	6	57d,e
1,716	605	1,090	13	8	2,004	663	1,241	33	67	959	374	583	5	7	447	112	129	62	144	
18	9	8	1	-	28	13	9	5	1	20	10	10	-	-	6	-	-	2	4	58a-d
9	5	4	-	-	18	9	7	1	1	8	6	2	-	-	6	-	2	2	2	58e,f
62	24	36	1	1	82	23	58	1	-	47	16	30	1	-	32	11	13	3	5	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
1,486	520	951	9	6	1,556	515	969	21	51	782	306	468	2	6	290	82	84	36	88	61
9	5	4	-	-	4	2	2	-	-	1	1	-	-	-	-	-	-	-	-	62
5	2	3	-	-	8	-	8	-	-	1	-	1	-	-	1	-	1	-	-	63a
51	10	40	1	-	129	23	101	-	5	61	12	47	1	1	26	2	9	-	15	63b
22	6	16	-	-	19	5	12	-	2	10	4	6	-	-	7	-	3	1	3	63c-e
17	9	7	1	-	91	47	37	4	3	15	8	7	-	-	6	1	3	2	-	64
14	3	11	-	-	26	10	15	-	1	15	9	6	-	-	2	2	-	-	-	65
8	3	4	-	1	28	11	13	1	3	7	2	4	1	-	11	5	2	2	2	66
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	67
5	4	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	68
4	2	2	-	-	2	1	1	-	-	1	-	1	-	-	56	9	12	11	24	69
-	-	-	-	-	8	3	5	-	-	-	-	-	-	-	3	-	-	3	-	70
5	3	2	-	-	3	-	3	-	-	1	-	1	-	-	1	-	-	-	1	71
385	188	196	-	1	488	249	217	14	8	303	168	133	1	1	99	36	34	16	13	
18	8	10	-	-	27	9	14	3	1	16	9	6	1	-	8	2	3	1	2	72
68	30	38	-	-	116	52	64	-	-	75	37	37	-	1	10	2	4	2	2	73a
27	11	16	-	-	55	22	27	3	3	31	18	13	-	-	17	6	5	3	3	73b-d
239	126	113	-	-	247	141	95	7	4	162	99	63	-	-	51	19	19	9	4	74a
8	3	4	-	1	14	5	9	-	-	4	1	3	-	-	3	2	1	-	-	74b
16	9	7	-	-	20	14	6	-	-	13	3	10	-	-	5	3	-	1	1	75
9	1	8	-	-	9	6	2	1	-	2	1	1	-	-	5	2	2	-	1	76
145	113	25	7	-	44	37	7	-	-	40	34	5	1	-	17	12	3	2	-	
2	2	-	-	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	77a,b
135	106	23	6	-	40	34	6	-	-	36	33	2	1	-	14	11	1	2	-	77c-e
4	4	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	78
4	1	2	1	-	2	1	1	-	-	2	-	2	-	-	1	-	1	-	-	79
5,464	2,405	2,958	39	62	5,898	2,804	2,817	134	143	3,114	1,579	1,504	14	17	2,066	539	465	449	613	
19	11	7	1	-	45	23	14	5	3	22	10	11	-	1	22	6	7	5	4	80
53	30	22	-	1	78	45	22	8	3	22	12	10	-	-	30	7	2	13	8	81
80	45	35	-	-	95	53	37	3	2	64	40	23	1	-	12	7	-	3	2	82
4,186	1,803	2,318	23	42	4,639	2,142	2,296	88	113	2,465	1,244	1,201	8	12	1,737	434	397	370	536	83a
686	277	384	9	16	499	258	218	10	13	269	138	126	3	2	37	15	8	8	6	83b
19	8	10	1	-	17	10	6	-	1	28	15	13	-	-	10	3	2	2	3	83c
55	31	23	-	1	130	70	58	2	-	20	10	10	-	-	59	14	19	12	14	83d
39	14	23	1	1	57	20	33	4	-	31	7	23	-	1	40	9	8	5	18	84
108	67	37	4	-	114	57	43	9	5	42	24	18	-	-	47	14	8	17	8	85
13	7	6	-	-	6	5	1	-	-	9	8	-	1	-	10	2	-	4	4	86
188	101	86	-	1	187	99	81	4	3	126	62	63	1	-	48	22	11	8	7	87
1	1	-	-	-	2	2	-	-	-	3	1	2	-	-	1	-	-	1	-	88
12	5	7	-	-	20	12	7	1	-	10	6	3	-	1	10	5	2	-	3	89a
5	5	-	-	-	9	8	1	-	-	3	2	1	-	-	3	1	1	1	-	89b
19,890	10,617	8,970	168	135	18,726	10,689	7,129	488	420	9,200	5,650	3,469	38	43	3,859	1,427	821	823	788	
18,500	9,982	8,236	157	125	17,488	10,052	6,571	472	393	8,336	5,156	3,106	34	40	3,546	1,326	748	749	723	90-95
13	6	6	1	-	24	15	8	1	-	15	11	4	-	-	5	1	-	4	-	90
64	41	22	-	1	51	28	20	1	2	31	22	9	-	-	23	5	6	7	5	91a,b
4	1	3	-	-	7	2	4	1	-	-	-	-	-	-	1	-	-	-	1	91c
1,289	556	718	4	11	1,582	811	698	36	37	811	446	363	-	2	644	157	125	186	176	92a-d
47	18	29	-	-	127	76	43	5	3	24	13	11	-	-	31	9	7	11	4	92e
102	44	58	-	-	187	98	72	3	14	32	21	11	-	-	40	13	5	16	6	93a
9	2	7	-	-	23	10	7	4	2	4	3	1	-	-	9	1	2	-	6	93b
9,463	4,478	4,808	92	85	7,150	3,554	3,121	247	228	2,989	1,627	1,314	22	26	1,304	421	295	289	299	93c,d
444	226	213	1	4	950	509	412	16	13	224	135	88	1	-	138	50	29	30	29	93e
5,781	3,930	1,791	42	18	5,745	4,020	1,557	110	58	3,473	2,420	1,037	8	8	796	452	173	92	79	94a
95	59	35	1	-	166	121	44	1	-	38	28	10	-	-	83	45	17	11	10	94b
15	3	11	-	1	49	25	22	1	1	34	18	16	-	-	27	13	10	3	1	95a
1,174	618	535	16	5	1,427	783	563	46	35	661	412	242	3	4	445	159	79	100	107	95b,c
34	25	9	-	-	48	29	15	2	2	37	22	14	1	-	5	3	-	1	1	96
1,187	530	640	10	7	963	505	438	8	12	706	406	295	3	2	210	70	57	46	37	97
7	4	3	-	-	29	19	7	1	2	12	7	5	-	-	7	1	1	3	2	98
71	33	36	1	1	83	49	33	-	1	49	29	19	-	1	18	8	4	3	3	99
68	32	34	-	2	41	15	24	-	2	27	16	11	-	-	7	3	1	1	2	100
2	2	-	-	-	3	-	2	-	1	-	-	-	-	-	4	-	1	3	-	101
19	8	11	-	-	67	19	36	5	7	32	13	19	-	-	50	13	8	12	17	102
2	1	1	-	-	4	1	3	-	-	1	1	-	-	-	12	3	1	5	3	103
2,444	1,348	1,042	34	20	2,486	1,360	888	153	85	1,476	860	586	19	11	949	219	187	302	241	
4	2	2	-	-	2	2	-	-	-	3	2	1	-	-	5	-	1	2	2	104a
6	3	3	-	-	14	5	4	3	2	3	2	1	-	-	1	-	1	-	-	104b
3	2	1	-	-	14	5	9	-	-	4	2	2	-	-	6	2	-	1	3	105
22	11	10	-	1	31	7	23	1	-	9	4	5	-	-	7	5	-	2	-	106a

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII.—Diseases of the respiratory system—Continued										
105b	Chronic bronchitis	12	7	5	-	-	23	11	9	2	1
106c	Bronchitis (unspecified)	6	2	4	-	-	11	6	3	2	-
107	Bronchopneumonia (including capillary bronchitis)	219	126	91	1	1	468	172	157	75	64
108	Lobar pneumonia	171	119	52	-	-	470	151	134	114	71
109	Pneumonia (unspecified)	36	19	17	-	-	75	33	18	12	12
	A. Atypical or virus pneumonia	11	4	7	-	-	19	8	8	2	1
	B. Pneumonia (all other, unspecified)	25	15	10	-	-	56	25	10	10	11
110	Pleurisy (not specified as tuberculous)	5	3	2	-	-	21	9	5	3	4
111a	Hemorrhagic infarction and thrombosis of lungs	11	5	6	-	-	14	8	5	-	1
111b,c	Acute edema, chronic and unspecified congestion of lungs	19	11	8	-	-	22	9	6	2	5
112	Asthma	22	12	10	-	-	33	14	12	2	5
113	Pulmonary emphysema	3	2	1	-	-	4	4	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	4	3	1	-	-	22	11	4	6	1
	IX.—Diseases of the digestive system	416	246	169	-	1	997	454	344	111	88
115a,b,d	Diseases of buccal cavity and adnexa	10	5	5	-	-	20	7	6	5	2
115c	Diseases of pharynx and tonsils	3	1	2	-	-	23	11	6	4	2
116	Diseases of esophagus	-	-	-	-	-	7	5	-	2	-
117a	Ulcer of stomach	23	20	3	-	-	84	54	10	18	2
117b	Ulcer of duodenum	16	12	4	-	-	27	18	6	3	-
118	Other diseases of stomach (except cancer)	12	8	4	-	-	11	6	2	1	2
119	Diarrhea, enteritis, and ulceration of intestines (under 2 yr.)	61	36	25	-	-	175	52	55	30	38
120	Diarrhea, enteritis, and ulceration of intestines (2 yr. and over)	12	6	6	-	-	27	9	14	4	-
121	Appendicitis	46	28	18	-	-	88	41	37	5	5
122a	Hernia	25	18	7	-	-	97	36	46	10	5
122b	Intestinal obstruction	42	21	21	-	-	96	35	48	7	6
123	Other diseases of intestines	12	7	5	-	-	32	14	12	2	4
124a	Cirrhosis of liver (with mention of alcoholism)	4	4	-	-	-	29	17	8	3	1
124b	Cirrhosis of liver (without mention of alcoholism)	74	43	30	-	1	157	102	37	11	7
125a	Acute yellow atrophy of liver (nonpuerperal)	6	5	1	-	-	11	1	5	1	4
125b	Other diseases of liver	6	5	1	-	-	16	8	6	2	-
126	Biliary calculi	32	9	23	-	-	40	13	21	1	5
127	Other diseases of gallbladder and biliary ducts	16	6	10	-	-	30	11	16	1	2
128	Diseases of pancreas (except diabetes mellitus)	10	8	2	-	-	15	6	7	1	1
129	Peritonitis (cause not stated)	6	4	2	-	-	12	8	2	-	2
	X.—Diseases of the genito-urinary system	729	403	323	3	-	2,206	890	791	264	261
130	Acute nephritis	9	3	6	-	-	37	10	8	6	13
131a	Arteriosclerotic kidney	401	207	192	2	-	1,632	623	618	190	201
131b	Other chronic nephritis	191	101	90	-	-	298	116	112	38	32
132	Nephritis unspecified (10 years and over)	24	14	9	1	-	44	19	11	6	8
133	Other diseases of kidneys and ureters, etc.*	21	10	11	-	-	47	20	21	6	-
134	Calculi of urinary passages	7	7	-	-	-	33	18	10	2	3
135	Diseases of urinary bladder	2	1	1	-	-	10	6	2	1	1
136	Diseases of urethra (except calculus)	3	3	-	-	-	5	2	-	3	-
137	Diseases of prostate	57	57	...	-	...	88	76	...	12	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	4	...	4	...	-	8	...	5	...	3
139b	Diseases of uterus	10	...	10	...	-	3	...	3	...	-
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	41	...	40	...	1	64	...	45	...	19
140	Abortion with mention of infection	3	...	3	...	-	9	...	6	...	3
140a,b	Abortion (septic), spontaneous or therapeutic*	3	...	3	...	-	9	...	6	...	3
140c,d	Abortion (septic), self-induced or nontherapeutic*	-	...	-	...	-	-	...	-	...	-
141	Abortion without mention of infection	3	...	2	...	1	3	...	3	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	2	...	1	...	1	-	...	-	...	-
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified*	1	...	1	...	-	2	...	2	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	1	...	1	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	-	...	-	...	-	7	...	3	...	4
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	1	...	-	...	1
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	1	...	1	...	-	6	...	3	...	3
144c,d	Other toxemias of pregnancy (death before delivery)*	-	...	-	...	-	1	...	1	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	4	...	4	...	-	6	...	5	...	1
	A. With mention of infection	3	...	3	...	-	6	...	5	...	1
	B. Without mention of infection	1	...	1	...	-	-	...	-	...	-
146a	Placenta praevia (with childbirth)	-	...	-	...	-	2	...	2	...	-
146b,c	Other hemorrhages of childbirth and puerperium	9	...	9	...	-	5	...	4	...	1
147a,b	Puerperal pyelitis, other general or local puerperal infection*	1	...	1	...	-	5	...	4	...	1
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	6	...	6	...	-	7	...	3	...	4
148a,b	Puerperal eclampsia and nephritis*	6	...	6	...	-	6	...	5	...	1
148c,d	Other puerperal toxemias	1	...	1	...	-	3	...	3	...	-
149	Other accidents and specified conditions of childbirth	6	...	6	...	-	1	...	1	...	-
150	Other and unspecified conditions of childbirth and puerperium	1	...	1	...	-	2	...	2	...	-
	XII.—Diseases of the skin and cellular tissue	5	-	5	-	-	15	5	6	1	3
151	Carbuncle and furuncle	-	-	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	-	-	-	-	-	3	1	1	-	1
153	Other diseases of skin and cellular tissue	5	-	5	-	-	12	4	5	1	2

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
60	38	21	1	-	73	51	19	2	1	29	22	6	1	-	20	10	7	3	-	106b
20	15	5	-	-	18	11	6	1	-	8	5	3	-	-	20	4	8	4	4	106c
1,296	663	608	15	10	876	472	326	45	33	663	355	293	10	5	301	62	67	85	87	107
646	406	220	15	5	781	415	253	75	38	447	287	148	7	5	380	75	59	142	104	108
95	47	47	-	1	270	154	103	8	5	87	58	28	-	1	90	23	11	30	26	109
30	15	15	-	-	33	25	7	1	-	20	11	8	-	1	5	2	1	-	2	
65	32	32	-	1	237	129	96	7	5	67	47	20	-	-	85	21	10	30	24	
34	21	12	-	1	74	49	19	6	-	28	16	11	1	-	15	6	-	6	3	110
67	28	38	-	1	61	29	27	4	1	36	19	17	-	-	19	4	10	2	3	111a
55	23	30	1	1	98	51	46	1	-	59	24	35	-	-	30	11	10	6	3	111b,c
62	37	25	-	-	105	57	45	1	2	72	43	29	-	-	32	8	9	10	5	112
14	11	3	-	-	7	5	1	-	1	3	2	1	-	-	3	2	1	-	-	113
60	41	17	2	-	62	47	7	6	2	25	19	6	-	-	20	7	3	9	1	114
2,247	1,342	879	17	9	2,568	1,452	959	88	69	1,189	693	476	15	5	893	239	164	272	218	
21	13	8	-	-	34	14	17	2	1	16	9	7	-	-	24	3	7	5	9	115a,b,d
26	14	12	-	-	36	16	17	2	1	18	9	9	-	-	17	1	2	8	6	115c
8	5	3	-	-	7	4	3	-	-	3	2	1	-	-	3	-	2	1	-	116
243	196	42	5	-	259	208	36	13	2	83	63	17	3	-	69	38	2	19	10	117a
158	132	25	1	-	135	115	12	6	2	92	80	11	1	-	16	13	1	1	1	117b
27	19	8	-	-	40	21	16	2	1	15	10	4	-	1	40	8	6	13	13	118
126	72	52	-	2	258	148	98	4	8	74	47	24	2	1	150	30	19	61	40	119
54	24	30	-	-	75	35	38	-	2	47	26	20	1	-	41	11	9	12	9	120
185	104	80	-	1	235	123	89	16	7	119	78	37	4	-	113	25	15	41	32	121
195	117	74	3	1	201	112	79	7	3	103	61	40	2	-	49	12	10	26	1	122a
193	89	103	-	1	263	119	123	6	15	118	57	61	-	-	141	24	29	43	45	122b
66	36	28	1	1	81	40	34	3	4	38	21	17	-	-	18	7	7	1	3	123
126	85	39	2	-	28	23	4	1	-	27	19	8	-	-	4	3	-	1	-	124a
441	294	141	5	1	507	325	156	16	10	166	103	61	2	-	94	32	24	23	15	124b
29	7	22	-	-	27	10	14	2	1	17	9	8	-	-	2	-	1	-	1	125a
32	15	17	-	-	36	22	11	2	1	16	7	9	-	-	24	7	1	9	7	125b
169	55	113	-	1	143	37	104	-	2	157	50	106	-	1	22	5	12	-	5	126
84	37	46	-	1	114	39	70	2	3	41	19	22	-	-	40	15	13	5	7	127
35	14	21	-	-	44	23	20	-	1	20	11	9	-	-	8	2	3	-	3	128
29	14	15	-	-	45	18	18	4	5	19	12	5	-	2	18	3	1	3	11	129
2,872	1,543	1,277	31	21	3,183	1,781	1,200	92	110	1,316	814	490	6	6	2,020	440	358	707	515	
48	24	22	-	2	81	45	26	3	7	24	14	10	-	-	101	20	23	30	28	130
1,709	846	835	16	12	1,665	856	704	43	62	647	358	282	5	2	1,046	226	197	352	271	131a
554	294	254	4	2	692	386	271	20	15	261	163	97	-	1	585	169	91	222	163	131b
61	30	30	1	-	194	107	75	5	7	46	23	22	-	1	65	23	16	14	12	132
140	67	66	3	4	125	70	47	5	3	73	36	36	1	-	44	9	15	12	8	133
56	41	15	-	-	36	19	16	-	1	29	13	16	-	-	10	6	2	2	-	134
12	6	6	-	-	26	14	9	3	-	9	5	4	-	-	12	4	-	7	1	135
16	14	-	1	1	16	14	-	2	-	5	5	-	-	-	5	-	-	5	-	136
227	221	...	6	...	279	268	...	11	...	197	197	...	-	...	105	43	...	62	...	137
-	-	...	-	...	2	2	...	-	...	-	-	...	-	...	1	-	...	1	...	138
19	...	19	...	-	47	...	33	...	14	13	...	12	...	1	32	...	4	...	28	139a
28	...	28	...	-	18	...	17	...	1	12	...	11	...	1	11	...	9	...	2	139b
2	...	2	...	-	2	...	2	...	-	-	...	-	...	-	3	...	1	...	2	139c
141	...	139	...	2	165	...	141	...	24	75	...	73	...	2	206	...	59	...	147	
6	...	5	...	1	15	...	13	...	2	6	...	5	...	1	15	...	3	...	12	140
5	...	4	...	1	9	...	8	...	1	3	...	2	...	1	14	...	3	...	11	140a,b
1	...	1	...	-	6	...	5	...	1	3	...	3	...	-	1	...	-	...	1	140c,d
7	...	6	...	1	11	...	10	...	1	3	...	3	...	-	5	...	3	...	2	141
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	141a,c
3	...	2	...	1	6	...	5	...	1	-	...	-	...	-	2	...	1	...	1	141b
2	...	2	...	-	3	...	3	...	-	1	...	1	...	-	2	...	1	...	1	141d
1	...	1	...	-	2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	141e,f
3	...	3	...	-	3	...	2	...	1	2	...	2	...	-	1	...	-	...	1	142a
5	...	5	...	-	11	...	7	...	4	2	...	2	...	-	6	...	2	...	4	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	143b,c
7	...	7	...	-	6	...	6	...	-	4	...	4	...	-	24	...	5	...	19	144a,b
2	...	2	...	-	3	...	3	...	-	2	...	2	...	-	8	...	1	...	7	144c,d
11	...	11	...	-	5	...	5	...	-	6	...	6	...	-	6	...	2	...	4	145
9	...	9	...	-	2	...	2	...	-	4	...	4	...	-	4	...	1	...	3	
2	...	2	...	-	3	...	3	...	-	2	...	2	...	-	2	...	1	...	1	
4	...	4	...	-	8	...	7	...	1	2	...	2	...	-	9	...	4	...	5	146a
28	...	28	...	-	16	...	12	...	4	12	...	12	...	-	26	...	12	...	14	146b,c
10	...	10	...	-	9	...	8	...	1	3	...	3	...	-	32	...	7	...	25	147a,b
19	...	19	...	-	23	...	23	...	-	16	...	16	...	-	14	...	5	...	9	147c,d
13	...	13	...	-	28	...	22	...	6	9	...	8	...	1	21	...	2	...	19	148a,b
4	...	4	...	-	4	...	3	...	1	1	...	1	...	-	6	...	2	...	4	148c,d
8	...	8	...	-	18	...	15	...	2	3	...	3	...	-	10	...	6	...	4	149
13	...	13	...	-	5	...	4	...	1	3	...	3	...	-	23	...	5	...	18	150
34	17	15	1	1	35	19	13	-	3	21	8	12	1	-	11	2	2	4	3	
-	-	-	-	-	4	4	-	-	-	2	2	-	-	-	-	-	-	-	-	151
7	3	3	1	-	13	9	2	-	2	2	2	-	-	-	5	1	1	1	2	152
27	14	12	-	1	18	6	11	-	1	17	4	12	1	-	6	1	1	3	1	153

747801 O - 47 - 27

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII.—Diseases of the bones, etc.*	6	4	2	-	-	13	7	4	1	1
154	Osteomyelitis and periostitis	3	3	-	-	-	3	1	1	-	1
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	2	-	2	-	-
156	Diseases of joints and other organs of movement	3	1	2	-	-	8	6	1	1	-
157	XIV.—Congenital malformations	141	78	61	1	1	259	110	107	17	25
	XV.—Diseases peculiar to the first year of life	368	214	151	3	-	785	334	222	124	105
158	Congenital debility (cause not stated)	24	17	7	-	-	24	10	4	6	4
159	Premature birth (cause not stated)	209	109	97	3	-	483	192	146	77	68
160a	Intracranial or spinal hemorrhage	34	23	11	-	-	98	48	22	12	16
160b,c	Other injuries at birth	50	32	18	-	-	68	37	22	5	4
161	Other diseases peculiar to the first year of life	51	33	18	-	-	112	47	28	24	13
162	XVI.—Senility	139	57	81	1	-	39	15	23	-	1
	XVII.—Violent or accidental deaths	830	547	280	3	-	1,843	958	460	314	111
163,164	Suicide	125	93	32	-	-	242	162	69	11	-
163	Suicide by poisoning	14	5	9	-	-	94	50	42	2	-
	Suicide by solid or liquid poisons	5	1	4	-	-	25	8	15	2	-
	Suicide by poisonous gases	9	4	5	-	-	69	42	27	-	-
164a	Suicide by hanging or strangulation	30	27	3	-	-	42	31	6	5	-
164b	Suicide by drowning	22	14	8	-	-	11	4	7	-	-
164c	Suicide by firearms and explosives	46	38	8	-	-	77	63	12	2	-
164d	Suicide by cutting or piercing instruments	7	5	2	-	-	6	6	-	-	-
164e	Suicide by jumping from high places	3	2	1	-	-	9	7	-	2	-
164f	Suicide by crushing	1	1	-	-	-	1	-	1	-	-
164g	Suicide by other or unspecified means	2	1	1	-	-	2	1	1	-	-
165-168	Homicide[1]	7	4	3	-	-	148	29	19	78	22
166	Homicide by firearms	3	3	-	-	-	74	14	6	44	10
167	Homicide by cutting or piercing instruments	-	-	-	-	-	45	3	2	30	10
168	Homicide by other means	4	1	3	-	-	29	12	11	4	2
169-195	Accidental deaths	634	446	245	3	-	1,447	763	372	223	89
169	Railway accidents (except collisions with motor vehicles)	22	20	2	-	-	53	41	6	2	4
170a	Collisions between automobiles and trains	8	5	3	-	-	13	8	1	4	-
170b	Collisions between automobiles and streetcars	-	-	-	-	-	6	5	-	1	-
170c	Automobile accidents (except collisions with trains or streetcars)	145	116	28	1	-	383	226	60	79	18
170d	Motorcycle accidents (except collisions with automobiles)	3	3	-	-	-	5	4	-	-	1
171a	Streetcar accidents (except collisions with trains or motor vehicles)	-	-	-	-	-	21	13	4	3	1
171b	Other and unspecified road-transport accidents	3	2	1	-	-	3	1	1	1	-
172	Water-transport accidents	22	21	1	-	-	17	10	3	4	-
173	Air-transport accidents	3	3	-	-	-	19	18	1	-	-
174	Accidents in mines and quarries	1	1	-	-	-	4	3	1	-	-
175a	Accidents involving agricultural machinery and vehicles	7	4	2	1	-	7	7	-	-	-
175b,c	Other agricultural accidents, including injury by animals	9	6	3	-	-	4	1	1	2	-
175d	Accidents involving forestry machinery and vehicles	2	2	-	-	-	-	-	-	-	-
175e	Other forestry accidents	3	3	-	-	-	1	-	-	1	-
176	Other accidents involving machinery	10	8	2	-	-	16	11	-	5	-
177	Food poisoning	4	-	4	-	-	6	3	-	1	2
178	Accidental absorption of poisonous gas	14	8	6	-	-	47	25	15	6	1
179	Acute accidental poisoning by solids or liquids	10	6	4	-	-	14	2	4	4	4
180	Conflagration	52	23	29	-	-	45	21	8	9	7
181	Accidental burns (except conflagration)	28	15	12	1	-	109	42	29	15	23
182	Accidental mechanical suffocation	9	1	8	-	-	23	7	6	4	6
183	Accidental drowning	72	65	7	-	-	135	81	14	37	3
184	Accidental injury by firearms	12	11	1	-	-	17	13	1	3	-
185	Accidental injury by cutting or piercing instruments	2	2	-	-	-	4	3	1	-	-
186a	Accidental injury by fall	190	74	116	-	-	364	146	182	23	13
186b	Accidental injury by crushing	3	3	-	-	-	5	3	-	2	-
187	Cataclysm, etc.	2	2	-	-	-	1	1	-	-	-
188	Injury by animals (except in agriculture and forestry)	-	-	-	-	-	2	2	-	-	-
189	Hunger or thirst	2	2	-	-	-	-	-	-	-	-
190	Excessive cold	5	4	1	-	-	5	1	1	3	-
191	Excessive heat	1	1	-	-	-	6	3	1	1	1
192	Lightning	2	2	-	-	-	7	3	4	-	-
193	Accidents due to electric currents (except lightning)	6	5	1	-	-	13	12	-	1	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	1	1	-	-	-	4	2	2	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	15	8	7	-	-	11	3	3	2	3
195c,e	Other and unspecified accidents	26	19	7	-	-	77	42	23	10	2
196	Deaths of military personnel during operations of war	4	4	-	-	-	2	2	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	4	2	-	2	-
	XVIII.—Ill-defined and unknown causes	87	57	30	-	-	53	25	17	4	7
199	Sudden death	29	22	7	-	-	2	1	-	-	1
200a	Ill-defined	41	24	17	-	-	24	11	8	3	2
200b	Found dead (cause unknown)	7	5	2	-	-	3	2	-	-	1
200c	Unknown or unspecified	10	6	4	-	-	24	11	9	1	3

* Refer to International List for complete title, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
28	17	11	-	-	20	10	8	-	2	21	10	11	-	-	13	3	-	4	6	
5	5	-	-	-	7	1	4	-	2	7	5	2	-	-	9	2	-	3	4	154
9	5	4	-	-	1	1	-	-	-	6	1	5	-	-	1	-	-	-	1	155
14	7	7	-	-	12	8	4	-	-	8	4	4	-	-	3	1	-	1	1	156
551	290	260	-	1	853	433	383	15	22	385	209	171	4	1	145	58	42	22	23	157
1,329	780	501	26	22	2,036	1,057	793	107	79	948	562	367	10	9	821	273	223	182	143	
22	14	7	1	-	48	23	19	4	2	14	9	5	-	-	48	8	8	18	14	158
781	453	300	12	16	1,351	702	536	66	47	576	339	225	7	5	496	157	147	98	94	159
160	95	61	3	1	166	95	51	8	12	80	49	29	2	-	87	41	19	17	10	160a
114	78	31	3	2	179	91	69	10	9	146	90	54	-	2	93	37	21	23	11	160b,c
252	140	102	7	3	232	146	118	19	9	132	75	54	1	2	98	30	28	26	14	161
55	11	44	-	-	368	169	194	4	1	177	77	96	-	4	275	50	61	84	80	162
3,387	2,118	1,210	39	20	4,279	2,748	1,271	207	53	2,207	1,501	661	30	15	1,606	634	200	560	212	
482	337	140	2	3	556	407	135	13	1	269	209	59	1	-	76	54	16	6	-	163,164
176	93	81	-	2	101	57	41	2	1	43	25	18	-	-	12	6	6	-	-	163
45	17	26	-	2	55	22	30	2	1	21	7	14	-	-	12	6	6	-	-	
131	76	55	-	-	46	35	11	-	-	22	18	4	-	-	-	-	-	-	-	
114	99	14	-	1	149	107	39	3	-	94	73	21	-	-	5	3	2	-	-	164a
36	20	16	-	-	25	10	15	-	-	18	11	7	-	-	4	3	1	-	-	164b
91	83	8	-	-	201	173	23	5	-	88	82	5	1	-	41	30	6	5	-	164c
25	21	2	2	-	38	29	9	-	-	16	12	4	-	-	7	7	-	-	-	164d
28	16	12	-	-	25	16	7	2	-	9	6	3	-	-	1	1	-	-	-	164e
7	5	2	-	-	9	8	-	1	-	1	-	1	-	-	-	-	-	-	-	164f
5	-	5	-	-	8	7	1	-	-	-	-	-	-	-	6	4	1	1	-	164g
62	31	26	2	3	205	68	33	91	13	47	35	10	1	1	251	36	8	159	48	165-168
20	10	8	1	1	109	35	21	47	6	19	13	5	1	-	149	26	4	94	25	166
10	6	2	1	1	54	10	5	35	4	7	4	3	-	-	61	1	1	45	14	167
32	15	16	-	1	42	23	7	9	3	21	18	2	-	1	41	9	3	20	9	168
2,840	1,747	1,044	35	14	3,512	2,267	1,103	103	39	1,883	1,249	592	28	14	1,275	542	176	393	164	169-185
56	49	6	1	-	64	55	8	1	-	54	47	6	1	-	43	20	3	20	-	169
6	4	2	-	-	116	95	20	1	-	41	30	11	-	-	7	4	-	3	-	170a
1	1	-	-	-	6	3	3	-	-	3	2	1	-	-	-	-	-	-	-	170b
545	432	99	14	-	1,087	799	249	31	8	430	338	83	6	3	343	192	35	90	26	170c
9	9	-	-	-	9	8	1	-	-	6	6	-	-	-	2	1	1	-	-	170d
25	20	5	-	-	13	11	2	-	-	10	7	3	-	-	-	-	-	-	-	171a
8	6	1	-	1	11	8	3	-	-	2	2	-	-	-	3	1	-	2	-	171b
46	41	5	-	-	24	21	2	1	-	48	45	2	1	-	14	8	-	6	-	172
30	30	-	-	-	69	66	3	-	-	23	23	-	-	-	75	73	-	2	-	173
1	1	-	-	-	18	17	-	1	-	19	19	-	-	-	2	2	-	-	-	174
9	8	-	1	-	30	26	3	1	-	45	43	2	-	-	12	6	-	6	-	175a
17	15	2	-	-	36	35	1	-	-	53	44	9	-	-	14	9	-	4	1	175b,c
1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	175d
1	1	-	-	-	6	6	-	-	-	-	-	-	-	-	4	2	-	2	-	175e
36	35	1	-	-	28	25	1	2	-	18	18	-	-	-	22	10	-	12	-	176
2	2	-	-	-	2	2	-	-	-	4	2	-	-	2	11	1	3	5	2	177
115	64	48	3	-	47	38	8	1	-	47	30	16	1	-	3	2	1	-	-	178
59	30	28	-	1	30	14	14	-	2	24	11	12	1	-	28	4	5	10	9	179
66	34	29	-	3	147	74	60	9	4	71	38	23	6	4	57	6	3	26	22	180
126	77	47	1	1	178	88	77	10	3	74	40	33	-	1	126	17	32	33	44	181
44	28	16	-	-	69	38	23	2	6	18	9	6	2	1	14	1	-	9	4	182
180	150	27	3	-	231	177	37	14	3	95	76	16	2	1	110	49	9	43	9	183
29	23	5	1	-	70	58	9	1	2	37	33	4	-	-	86	33	5	40	8	184
8	6	2	-	-	6	4	1	1	-	5	5	-	-	-	12	1	2	5	4	185
1,187	513	658	10	6	982	437	524	14	7	651	305	339	5	2	113	39	47	17	10	186a
14	13	1	-	-	20	15	2	3	-	9	8	1	-	-	13	8	-	5	-	186b
1	1	-	-	-	2	2	-	-	-	2	-	2	-	-	14	3	4	3	4	187
2	1	1	-	-	6	5	1	-	-	2	2	-	-	-	8	3	1	4	-	188
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	189
9	8	1	-	-	20	17	2	1	-	10	6	3	1	-	2	1	-	1	-	190
-	-	-	-	-	1	1	-	-	-	6	5	1	-	-	5	2	-	3	-	191
-	-	-	-	-	5	3	2	-	-	3	3	-	-	-	8	3	-	5	-	192
15	11	-	1	-	13	12	1	-	-	10	8	2	-	-	3	1	-	1	1	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	194
-	-	-	-	-	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	195a,b
39	28	10	-	1	23	8	12	2	1	19	9	10	-	-	10	6	2	1	1	195d
153	102	50	-	1	136	96	31	6	3	43	34	7	2	-	110	33	23	35	19	195c,e
3	3	-	-	-	6	6	-	-	-	8	8	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-	198
133	71	60	1	1	340	202	127	9	2	111	66	32	6	7	2,457	268	156	1,074	959	
20	11	9	-	-	59	35	23	1	-	9	9	-	-	-	116	28	14	44	30	199
100	52	46	1	1	171	107	61	2	1	64	41	22	1	-	230	66	29	82	53	200a
6	3	3	-	-	25	17	8	-	-	4	2	2	-	-	52	16	9	21	6	200b
7	5	2	-	-	85	43	35	6	1	34	14	8	5	7	2,059	158	104	927	870	200c

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	42,602	21,549	16,848	2,267	1,938	5,414	3,303	1,866	135	110
	I.—Infectious and parasitic diseases	2,693	1,355	805	327	206	314	177	73	35	29
1	Typhoid fever	20	14	5	1	-	1	1	-	-	-
2	Paratyphoid fever	1	1	-	-	-	1	1	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	2	2	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	42	24	12	5	1	3	1	2	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	5	4	-	-	1	1	-	-	-
9	Whooping cough	31	9	16	1	5	2	1	1	-	-
10	Diphtheria (infection by C. diphtheriae)	43	20	22	1	-	4	2	2	-	-
11	Erysipelas	4	1	3	-	-	-	-	-	-	-
12	Tetanus	20	8	11	1	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,424	719	391	183	131	171	96	31	23	21
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	18	17	-	1	-	33	33	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	1,324	667	367	171	119	123	59	26	20	18
14	Tuberculosis of meninges and central nervous system	20	10	4	2	4	5	-	2	2	1
15	Tuberculosis of intestines and peritoneum	18	5	7	2	4	3	2	1	-	-
16	Tuberculosis of vertebral column	16	4	7	3	2	1	-	1	-	-
17a	Tuberculosis of bones (except vertebral column)	2	1	1	-	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	1	1	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	7	4	2	-	1	1	1	-	-	-
21	Tuberculosis of other organs	1	-	1	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	14	7	2	4	1	5	1	1	1	2
22b	Disseminated tuberculosis (other and unspecified)	3	3	-	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	33	18	11	2	2	6	3	3	-	-
25	Gonococcus infection	6	-	4	-	2	1	-	1	-	-
26	Other diseases due to bacteria (except dysentery)	19	14	4	1	-	-	-	-	-	-
27	Dysentery	30	13	13	3	1	2	1	-	1	-
28	Malaria	13	6	4	2	1	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	1	1	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	497	266	81	105	45	54	34	10	6	4
30a	Locomotor ataxia (tabes dorsalis)	23	16	3	3	1	3	2	1	-	-
30b	General paralysis of insane	122	66	27	19	10	13	8	4	-	1
30c	Other syphilis of central nervous system	47	29	7	7	4	7	4	2	-	1
30d	Aneurysm of aorta	125	70	19	29	7	11	9	1	1	-
30e	Other syphilis of circulatory system	58	26	4	20	8	3	1	-	2	-
30f,g	Congenital, other and unspecified forms of syphilis	122	59	21	27	15	17	10	2	3	2
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	2	-	2	-	-	1	1	-	-	-
33a	Influenza, with respiratory complications specified	239	103	117	10	9	31	19	9	2	1
33b	Influenza, without respiratory complications specified	134	64	58	6	6	16	5	7	1	3
34	Smallpox	1	1	-	-	-	-	-	-	-	-
35	Measles	5	3	1	1	-	1	1	-	-	-
36	Acute poliomyelitis and acute polioencephalitis	30	13	14	1	2	10	5	4	1	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	11	7	4	-	-	1	-	-	1	-
37b	Sequelae of encephalitis lethargica	7	3	4	-	-	1	1	-	-	-
38	Other diseases due to filtrable viruses	1	-	1	-	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	2	-	2	-	-	1	1	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	2	2	-	-	-	-	-	-	-	-
43	Mycoses	8	1	4	2	1	-	-	-	-	-
44	Other infectious and parasitic (communicable) diseases	56	37	17	2	-	6	3	3	-	-
	II.—Cancer and other tumors	5,681	2,550	2,740	152	239	687	371	296	10	10
45-55	Cancer and other malignant tumors	5,494	2,505	2,631	149	209	658	358	280	10	10
45	Cancer of buccal cavity and pharynx	202	163	30	4	5	16	11	5	-	-
45a-e	Cancer of buccal cavity	138	111	19	3	5	7	5	2	-	-
45f	Cancer of pharynx	64	52	11	1	-	9	6	3	-	-
46	Cancer of digestive organs and peritoneum	2,471	1,197	1,120	84	70	342	219	113	7	3
46a	Cancer of esophagus	90	59	16	10	5	10	9	1	-	-
46b,c	Cancer of stomach and duodenum	718	409	265	33	11	135	93	37	2	3
46f	Cancer of liver and biliary passages	484	184	278	10	12	45	22	22	1	-
46g	Cancer of pancreas	184	95	73	11	5	40	29	11	-	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	995	450	488	20	37	112	66	42	4	-
47	Cancer of respiratory system	399	273	94	23	9	51	42	8	1	-
48	Cancer of uterus	518	...	455	...	63	42	...	38	...	4
49	Cancer of other female genital organs	158	...	146	...	12	10	...	10	...	-
50	Cancer of breast	480	8	436	-	36	60	1	58	-	1
51	Cancer of male genital organs	403	384	...	19	...	48	47	...	1	...
52	Cancer of urinary organs (male and female)	255	148	94	8	5	30	14	16	-	-
53	Cancer of skin (except vulva and scrotum)	122	75	46	-	1	9	4	3	1	1
54	Cancer of central nervous system*	81	42	38	-	1	6	3	3	-	-
55	Cancer of other and unspecified organs	405	215	172	11	7	44	17	26	-	1
56a	Nonmalignant tumors of ovary	32	...	25	...	7	2	...	2	...	-
56b	Nonmalignant tumors of uterus	52	...	35	...	17	6	...	6	...	-
56c	Nonmalignant tumors of other female genital organs	1	...	1	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	49	25	17	2	5	6	4	2	-	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12,500	7,006	5,182	168	144	1,588	1,025	420	84	59	5,816	3,145	2,665	4	2	47,825	24,149	20,199	1,838	1,639	
513	287	179	23	24	125	75	19	21	10	199	127	72	-	-	2,583	1,357	680	315	231	
1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	8	6	1	1	-	1
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	2	2	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	5
15	9	4	1	1	1	-	-	1	-	6	3	3	-	-	71	35	24	7	5	6
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	7
6	3	3	-	-	-	-	-	-	-	2	1	1	-	-	6	5	1	-	-	8
4	3	1	-	-	-	-	-	-	-	2	2	-	-	-	25	7	14	-	4	9
13	7	6	-	-	-	-	-	-	-	2	1	1	-	-	6	4	2	-	-	10
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	6	5	1	-	-	11
4	2	2	-	-	-	-	-	-	-	2	2	-	-	-	6	4	2	-	-	12
185	108	50	14	13	89	54	10	19	6	99	71	28	-	-	1,737	921	428	212	176	13-22
2	2	-	-	-	12	12	-	-	-	2	2	-	-	-	10	10	-	-	-	13a
161	95	46	10	10	68	41	8	15	4	89	63	26	-	-	1,639	878	408	194	159	13b,c
7	3	2	1	1	5	-	-	3	2	-	-	-	-	-	21	8	6	2	5	14
4	2	-	1	1	-	-	-	-	-	2	1	1	-	-	16	2	5	3	6	15
3	1	2	-	-	1	-	1	-	-	2	2	-	-	-	8	7	-	1	-	16
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	17a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	17b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	18
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	2	-	-	19
5	3	-	2	-	2	1	1	-	-	-	-	-	-	-	4	3	1	-	-	20
2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	21
-	-	-	-	-	1	-	-	1	-	2	2	-	-	-	24	6	5	8	5	22a
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	7	5	1	-	1	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
9	5	4	-	-	1	1	-	-	-	3	1	2	-	-	17	7	5	4	1	24
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	12	2	2	4	4	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	10	6	3	1	-	27
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
68	39	12	8	9	18	10	5	1	2	29	22	7	-	-	310	170	49	68	23	30
6	4	2	-	-	2	1	1	-	-	1	1	-	-	-	11	9	1	1	-	30a
25	17	3	3	2	2	1	1	-	-	6	2	4	-	-	98	49	20	22	7	30b
1	-	1	-	-	2	2	-	-	-	4	2	2	-	-	30	12	9	7	2	30c
17	12	3	2	-	3	3	-	-	-	5	5	-	-	-	66	50	7	9	-	30d
4	1	-	1	2	-	-	-	-	-	2	2	-	-	-	25	16	3	4	2	30e
15	5	3	2	5	9	3	3	1	2	11	10	1	-	-	80	34	9	25	12	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
5	4	1	-	-	-	-	-	-	-	1	-	1	-	-	10	8	2	-	-	32
75	36	39	-	-	6	4	1	-	1	20	11	9	-	-	88	39	36	8	5	33a
63	32	30	-	1	1	-	-	-	1	13	6	7	-	-	48	13	29	3	3	33b
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
4	2	2	-	-	1	1	-	-	-	-	-	-	-	-	4	2	2	-	-	35
12	9	3	-	-	2	1	1	-	-	5	2	3	-	-	102	51	40	4	7	36
6	3	3	-	-	1	-	1	-	-	2	1	1	-	-	18	9	7	1	1	37a,c
3	2	1	-	-	-	-	-	-	-	1	-	1	-	-	8	5	3	-	-	37b
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	38
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	4	4	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	42
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	43
32	16	16	-	-	2	2	-	-	-	5	1	4	-	-	68	45	19	2	2	44
1,792	854	908	14	16	166	103	60	1	2	884	391	493	-	-	7,210	3,428	3,453	151	178	
1,746	842	874	14	16	164	103	58	1	2	854	381	473	-	-	7,011	3,378	3,335	145	153	45-55
53	41	11	-	1	6	5	1	-	-	35	27	8	-	-	208	175	24	6	3	45
38	31	6	-	1	5	4	1	-	-	21	16	5	-	-	134	109	19	3	3	45a-e
15	10	5	-	-	1	1	-	-	-	14	11	3	-	-	74	66	5	3	-	45f
877	460	401	10	6	82	56	25	1	-	390	207	183	-	-	3,419	1,807	1,473	90	49	46
24	21	3	-	-	3	3	-	-	-	8	7	1	-	-	154	125	20	9	-	46a
304	186	109	6	3	30	25	5	-	-	119	74	45	-	-	1,033	599	386	34	14	46b,c
139	64	74	1	-	13	10	2	1	-	44	20	24	-	-	383	175	194	9	5	46f
71	37	34	-	-	9	6	3	-	-	27	18	9	-	-	278	155	117	4	2	46g
339	152	181	3	3	27	12	15	-	-	192	88	104	-	-	1,571	753	756	34	28	46i,e,h,m
87	63	24	-	-	21	16	5	-	-	37	27	10	-	-	645	524	96	17	8	47
159	...	144	...	6	10	...	9	...	1	93	...	93	...	-	554	...	512	...	42	48
41	...	40	...	1	2	...	2	...	-	32	...	32	...	-	225	...	216	...	9	49
158	3	154	-	1	12	-	11	-	1	92	-	92	-	-	668	9	632	1	26	50
124	124	...	-	...	14	14	...	-	...	52	52	...	-	...	318	307	...	11	...	51
71	48	23	-	-	7	4	3	-	-	44	30	14	-	-	357	219	124	8	6	52
39	23	15	1	-	4	4	-	-	-	11	7	4	-	-	87	51	35	1	-	53
36	20	16	-	-	1	-	1	-	-	12	7	5	-	-	124	76	44	2	2	54
110	60	46	3	1	5	4	1	-	-	56	24	32	-	-	406	210	179	9	8	55
6	...	6	...	-	-	...	-	...	-	6	...	6	...	-	20	...	19	...	1	56a
15	...	15	...	-	1	...	1	...	-	7	...	7	...	-	61	...	40	...	21	56b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	56c
11	7	4	-	-	-	-	-	-	-	2	-	2	-	-	53	18	33	1	1	56d,e

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	1	...	1	...	-	1	...	1	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	52	20	30	1	1	14	9	5	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,168	381	684	34	69	170	71	95	2	2
58a-d	Acute rheumatic heart diseases	21	7	9	2	3	5	3	2	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	10	7	3	-	-	1	-	1	-	-
59	Chronic rheumatism and other rheumatic diseases	57	16	34	1	6	9	3	5	1	-
60	Gout	1	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	910	298	540	24	48	129	52	74	1	2
62	Diseases of pituitary gland	3	1	2	-	-	-	-	-	-	-
63a	Simple goiter	2	-	1	-	1	1	1	-	-	-
63b	Exophthalmic goiter	85	20	58	1	6	15	6	9	-	-
63c-e	Other diseases of thyroid and parathyroid glands	11	4	6	1	-	2	-	2	-	-
64	Diseases of thymus gland	25	10	9	3	3	4	3	1	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	17	9	7	-	1	4	3	1	-	-
66	Other general diseases	8	3	5	-	-	-	-	-	-	-
67	Scurvy	1	-	1	-	-	-	-	-	-	-
68	Beriberi	1	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	10	2	6	1	1	-	-	-	-	-
70	Rickets	2	2	-	-	-	-	-	-	-	-
71	Other avitaminoses	4	-	3	1	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	351	186	149	9	7	44	22	20	1	1
72	Hemorrhagic conditions	19	6	11	1	1	5	3	1	-	1
73a	Pernicious anemia	76	41	33	1	1	8	2	6	-	-
73b-d	Other anemias (except splenic)	27	15	12	-	-	5	3	2	-	-
74a	Leukemias	185	105	72	4	4	23	11	11	1	-
74b	Aleukemias	7	2	5	-	-	1	1	-	-	-
75	Diseases of spleen	24	9	11	3	1	2	2	-	-	-
76	Other diseases of the blood and blood-forming organs	13	8	5	-	-	-	-	-	-	-
	V.—Chronic poisoning and intoxication	55	43	6	5	1	13	12	1	-	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	48	39	4	4	1	13	12	1	-	-
78	Lead poisoning	5	3	1	1	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	2	1	1	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	4,593	2,093	2,034	204	262	570	315	245	5	5
80	Encephalitis (nonepidemic)	47	20	21	4	2	9	7	2	-	-
81	Meningitis (not due to meningococcus)	66	37	18	8	3	1	1	-	-	-
82	Diseases of spinal cord (see exceptions)*	83	47	29	3	4	13	10	3	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	3,683	1,615	1,700	147	221	425	225	195	3	2
83b	Cerebral embolism and thrombosis	274	147	99	19	9	37	19	18	-	-
83c	Cerebral softening	28	19	9	-	-	2	2	-	-	-
83d	Hemiplegia and other paralysis of unspecified origin	148	68	65	7	8	25	18	7	-	-
84	Mental diseases and deficiency (see exception)*	36	13	20	1	2	24	12	11	1	-
85	Epilepsy	66	32	26	5	3	7	4	2	-	1
86	Convulsions (under 5 years)	9	5	3	1	-	1	-	-	-	1
87	Other diseases of nervous system	128	76	35	8	9	21	14	6	1	-
88	Diseases of organs of vision	1	1	-	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	17	8	7	1	1	4	2	1	-	1
89b	Diseases of mastoid process	7	5	2	-	-	1	1	-	-	-
	VII.—Diseases of the circulatory system	13,806	7,450	5,219	612	525	1,729	1,141	553	17	19
90-95	Diseases of the heart (all forms)	12,871	6,975	4,834	572	490	1,603	1,064	[illegible]	13	18
90	Pericarditis (except acute rheumatic)	29	15	6	6	2	2	-	1	1	-
91a,b	Bacterial and other acute or subacute endocarditis	40	18	20	2	-	9	6	2	-	1
91c	Endocarditis (unspecified, under 45 years)	6	4	2	-	-	1	-	1	-	-
92a-d	Chronic endocarditis and diseases of the valves*	1,510	750	608	82	70	141	79	57	1	4
92e	Endocarditis (unspecified, 45 years and over)	79	44	30	2	3	16	10	4	-	2
93a	Acute myocarditis (except rheumatic)	146	67	59	8	12	37	28	9	-	-
93b	Myocarditis (unspecified, under 45 years)	11	4	5	-	2	1	-	1	-	-
93c,d	Chronic myocarditis and myocardial degeneration	5,803	2,800	2,442	307	254	567	341	217	3	6
93e	Other myocarditis (unspecified)	568	299	239	13	17	117	80	35	-	2
94a	Diseases of coronary arteries	3,654	2,433	1,050	98	73	510	369	135	4	2
94b	Angina pectoris	199	127	65	1	6	16	15	1	-	-
95a	Functional diseases of heart, etc.*	59	37	22	-	-	7	4	3	-	-
95b,c	Other and unspecified diseases of heart	767	377	286	53	51	179	132	42	4	1
96	Aneurysm (except of heart and aorta)	41	22	13	3	3	4	3	-	1	-
97	Arteriosclerosis (except coronary or renal sclerosis)	745	384	316	24	21	87	55	31	1	-
98	Gangrene	15	9	4	2	-	2	2	-	-	-
99	Other diseases of arteries	63	32	24	2	5	13	9	4	-	-
100	Diseases of veins	29	16	10	2	1	9	3	4	1	1
101	Diseases of lymphatic system	-	-	-	-	-	1	-	1	-	-
102	High blood pressure (idiopathic)	39	11	16	7	5	10	5	4	1	-
103	Other diseases of circulatory system	3	1	2	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	2,633	1,291	992	193	157	285	181	74	20	10
104a	Diseases of nasal fossae	3	1	1	-	1	-	-	-	-	-
104b	Diseases of accessory sinuses	3	3	-	-	-	2	1	1	-	-
105	Diseases of larynx	13	10	3	-	-	5	2	2	1	-
106a	Acute bronchitis	21	11	9	1	-	1	-	-	1	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
14	5	9	-	-	1	-	1	-	-	15	10	5	-	-	65	32	26	5	2	57d,e
424	159	251	5	6	33	11	20	1	1	208	60	147	-	1	1,705	539	1,066	25	75	
6	1	5	-	-	1	-	1	-	-	1	1	-	-	-	31	16	12	-	3	58a-d
4	1	2	1	-	-	-	-	-	-	1	-	1	-	-	17	5	9	2	1	58e,f
26	9	17	-	-	2	-	2	-	-	13	3	10	-	-	48	19	27	-	2	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
346	138	200	3	5	22	10	12	-	-	175	53	121	-	1	1,414	428	910	21	55	61
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	4	1	3	-	-	62
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	8	2	6	-	-	63a
23	4	19	-	-	3	1	1	-	1	4	-	4	-	-	83	15	62	-	6	63b
3	1	2	-	-	2	-	2	-	-	1	-	1	-	-	9	2	5	-	2	63c-e
3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	49	30	12	1	6	64
5	1	3	1	-	3	-	2	1	-	5	1	4	-	-	16	5	11	-	-	65
5	3	1	-	1	-	-	-	-	-	5	1	4	-	-	14	9	5	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	68
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	7	3	3	1	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	3	2	1	-	-	71
160	84	75	-	1	7	3	4	-	-	43	20	23	-	-	342	163	159	11	9	
10	6	4	-	-	2	1	1	-	-	1	1	-	-	-	19	7	11	1	-	72
37	18	19	-	-	1	1	-	-	-	10	3	7	-	-	52	19	31	1	1	73a
15	7	7	-	1	-	-	-	-	-	5	2	3	-	-	40	20	14	3	3	73b-d
82	45	37	-	-	2	1	1	-	-	25	14	11	-	-	185	99	78	5	3	74a
6	3	3	-	-	-	-	-	-	-	1	-	1	-	-	9	4	5	-	-	74b
6	3	3	-	-	2	-	2	-	-	-	-	-	-	-	19	7	11	-	1	75
4	2	2	-	-	-	-	-	-	-	1	-	1	-	-	18	7	9	1	1	76
28	24	3	1	-	21	17	2	1	1	17	15	2	-	-	90	68	9	9	4	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	77a,b
25	21	3	1	-	21	17	2	1	1	16	14	2	-	-	88	66	9	9	4	77c-e
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	78
3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	79
1,542	773	736	15	18	144	71	52	14	7	644	315	328	1	-	4,776	2,007	2,425	166	178	
19	7	11	1	-	5	3	2	-	-	3	2	1	-	-	36	15	14	5	2	80
11	6	4	-	1	1	-	1	-	-	6	4	2	-	-	60	28	16	9	7	81
27	14	12	-	1	4	3	1	-	-	13	8	5	-	-	63	36	24	2	1	82
1,222	595	599	13	15	110	55	37	13	5	510	250	259	1	-	3,692	1,489	1,928	128	147	83a
119	71	46	1	1	10	6	3	1	-	70	34	36	-	-	524	231	267	13	13	83b
4	1	3	-	-	1	-	1	-	-	4	4	-	-	-	9	6	3	-	-	83c
43	26	17	-	-	1	-	1	-	-	9	2	7	-	-	96	50	43	2	1	83d
13	6	7	-	-	2	-	1	-	1	3	-	3	-	-	57	25	31	-	1	84
20	9	11	-	-	3	-	2	-	1	11	5	6	-	-	60	35	23	1	1	85
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	6	2	3	1	-	86
52	30	22	-	-	5	4	1	-	-	11	4	7	-	-	145	72	64	5	4	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	1	-	1	88
8	5	3	-	-	2	-	2	-	-	3	2	1	-	-	13	7	6	-	-	89a
3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	10	8	2	-	-	89b
3,891	2,351	1,478	33	32	411	288	108	12	3	2,264	1,303	959	2	-	17,962	9,668	7,360	470	464	
3,584	2,180	1,345	30	29	384	274	96	12	2	2,047	1,191	854	2	-	16,756	9,131	6,744	446	435	90-95
4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	18	8	7	1	2	90
14	9	4	-	1	3	2	1	-	-	10	3	7	-	-	48	31	12	3	2	91a,b
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	6	3	2	-	1	91c
393	217	165	2	9	41	28	12	1	-	170	97	73	-	-	1,012	444	475	46	47	92a-d
28	16	9	3	-	7	5	1	-	1	7	2	5	-	-	72	24	37	6	5	92e
37	22	15	-	-	8	5	2	1	-	12	8	4	-	-	156	79	67	3	7	93a
1	1	-	-	-	-	-	-	-	-	2	-	2	-	-	8	1	7	-	-	93b
1,202	651	530	13	8	126	88	36	2	-	848	438	410	-	-	8,340	3,993	3,904	214	229	93c,d
245	130	112	1	2	19	12	7	-	-	85	38	47	-	-	1,172	727	386	30	29	93e
1,180	816	354	5	5	130	99	26	4	1	685	473	211	1	-	4,681	3,171	1,357	93	60	94a
87	65	22	-	-	6	5	-	1	-	37	24	13	-	-	86	54	28	2	2	94b
11	4	7	-	-	3	3	-	-	-	7	3	4	-	-	30	14	14	1	1	95a
382	249	123	6	4	41	27	11	3	-	183	105	77	1	-	1,127	582	448	47	50	95b,c
22	12	9	1	-	-	-	-	-	-	4	2	2	-	-	51	35	12	3	1	96
217	121	93	2	1	20	10	10	-	-	193	98	95	-	-	980	417	535	13	15	97
9	6	3	-	-	-	-	-	-	-	3	2	1	-	-	7	4	3	-	-	98
27	13	14	-	-	3	3	-	-	-	7	3	4	-	-	66	33	28	1	4	99
8	3	5	-	-	2	-	1	-	1	6	4	2	-	-	30	16	12	-	2	100
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-	101
27	16	9	-	2	1	1	-	-	-	4	3	1	-	-	70	32	24	7	7	102
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	103
609	355	230	15	9	96	55	24	6	11	306	155	151	-	-	2,095	1,079	761	150	105	
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	4	2	1	-	1	104a
6	3	3	-	-	1	1	-	-	-	2	1	1	-	-	5	3	1	-	1	104b
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	6	3	3	-	-	105
5	3	2	-	-	-	-	-	-	-	2	2	-	-	-	31	14	12	3	2	106a

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	58	33	20	3	2	9	8	1	-	-
106c	Bronchitis (unspecified)	22	11	8	3	-	4	2	2	-	-
107	Bronchopneumonia (including capillary bronchitis)	1,082	503	433	74	72	98	54	27	9	8
108	Lobar pneumonia	1,039	510	369	88	72	62	46	12	4	-
109	Pneumonia (unspecified)	91	44	39	4	4	36	21	11	4	-
	A. Atypical or virus pneumonia	16	10	5	1	-	3	1	2	-	-
	B. Pneumonia (all other, unspecified)	75	34	34	3	4	33	20	9	4	-
110	Pleurisy (not specified as tuberculous)	54	30	18	5	1	1	-	1	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	40	22	14	2	2	12	7	5	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	88	40	46	1	1	20	9	8	1	2
112	Asthma	56	31	21	3	1	8	6	2	-	-
113	Pulmonary emphysema	10	9	-	1	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	53	33	11	8	1	27	25	2	-	-
	IX.—Diseases of the digestive system	2,141	1,121	835	104	81	227	133	77	12	5
115a,b,d	Diseases of buccal cavity and adnexa	30	14	14	-	2	8	4	3	1	-
115c	Diseases of pharynx and tonsils	29	16	11	-	2	5	4	1	-	-
116	Diseases of esophagus	4	2	2	-	-	1	-	1	-	-
117a	Ulcer of stomach	179	129	31	17	2	23	18	4	1	-
117b	Ulcer of duodenum	98	75	17	5	1	8	6	2	-	-
118	Other diseases of stomach (except cancer)	57	34	19	-	4	5	3	-	1	1
119	Diarrhea, enteritis, and ulceration of intestines (under 2 yr.)	285	145	108	22	10	15	9	-	3	3
120	Diarrhea, enteritis, and ulceration of intestines (2 yr. and over)	57	21	28	4	4	5	4	1	-	-
121	Appendicitis	240	114	100	16	10	27	15	11	1	-
122a	Hernia	137	69	58	7	3	23	16	6	1	-
122b	Intestinal obstruction	219	82	112	11	14	21	12	7	2	-
123	Other diseases of intestines	52	27	23	1	1	4	4	-	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	27	21	6	-	-	3	3	-	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	386	238	121	16	11	33	22	10	1	-
125a	Acute yellow atrophy of liver (nonpuerperal)	25	13	12	-	-	2	-	2	-	-
125b	Other diseases of liver	39	23	12	-	4	3	1	2	-	-
126	Biliary calculi	101	32	64	1	4	21	7	13	1	-
127	Other diseases of gallbladder and biliary ducts	120	46	70	1	3	11	2	9	-	-
128	Diseases of pancreas (except diabetes mellitus)	23	10	10	-	3	1	-	1	-	-
129	Peritonitis (cause not stated)	33	10	17	3	3	8	3	4	-	1
	X.—Diseases of the genito-urinary system	3,816	1,964	1,451	219	182	322	199	116	4	3
130	Acute nephritis	39	49	28	3	9	8	6	1	1	-
131a	Arteriosclerotic kidney	2,109	1,043	875	100	91	173	100	70	1	2
131b	Other chronic nephritis	1,042	517	408	60	57	76	48	26	1	1
132	Nephritis unspecified (10 years and over)	71	37	25	4	5	22	14	8	-	-
133	Other diseases of kidneys and ureters, etc.*	123	55	49	15	4	11	4	7	-	-
134	Calculi of urinary passages	40	24	14	1	1	4	3	1	-	-
135	Diseases of urinary bladder	31	14	13	3	1	4	3	1	-	-
136	Diseases of urethra (except calculus)	7	2	-	5	-	1	1	-	-	-
137	Diseases of prostate	250	223	...	27	...	21	20	...	1	...
138	Diseases of other male genital organs (except venereal)	1	-	...	1	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	32	...	22	...	10	-	...	-	...	-
139b	Diseases of uterus	20	...	16	...	4	2	...	2	...	-
139c	Diseases of other and unspecified female genital organs	1	...	1	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	150	...	125	...	25	17	...	16	...	1
140	Abortion with mention of infection	14	...	12	...	2	3	...	2	...	1
140a,b	Abortion (septic), spontaneous or therapeutic*	11	...	9	...	2	3	...	2	...	1
140c,d	Abortion (septic), self-induced or nontherapeutic*	3	...	3	...	-	-	...	-	...	-
141	Abortion without mention of infection	10	...	8	...	2	-	...	-	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	5	...	3	...	2	-	...	-	...	-
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified*	4	...	4	...	-	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	1	...	1	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	2	...	2	...	-	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	9	...	8	...	1	-	...	-	...	-
143a	Placenta praevia (death before delivery)	1	...	1	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	...	1	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	9	...	6	...	3	-	...	-	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	1	...	1	...	-	-	...	-	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	4	...	3	...	1	1	...	1	...	-
	A. With mention of infection	2	...	2	...	-	1	...	1	...	-
	B. Without mention of infection	2	...	1	...	1	-	...	-	...	-
146a	Placenta praevia (with childbirth)	10	...	7	...	3	1	...	1	...	-
146b,c	Other hemorrhages of childbirth and puerperium	19	...	15	...	4	4	...	4	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	17	...	14	...	3	2	...	2	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	19	...	18	...	1	2	...	2	...	-
148a,b	Puerperal eclampsia and nephritis*	12	...	11	...	1	2	...	2	...	-
148c,d	Other puerperal toxemias	1	...	-	...	1	1	...	1	...	-
149	Other accidents and specified conditions of childbirth	11	...	10	...	1	-	...	-	...	-
150	Other and unspecified conditions of childbirth and puerperium	10	...	8	...	2	-	...	-	...	-
	XII.—Diseases of the skin and cellular tissue	28	9	12	4	3	5	1	4	-	-
151	Carbuncle and furuncle	2	1	1	-	-	1	-	1	-	-
152	Phlegmon and acute abscess	4	2	2	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	22	6	9	4	3	4	1	3	-	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
18	10	8	-	-	-	-	-	-	-	11	9	2	-	-	61	39	19	3	-	106b
6	6	-	-	-	-	-	-	-	-	2	1	1	-	-	12	6	4	1	1	106c
205	119	79	5	2	31	17	6	3	5	120	54	66	-	-	819	390	329	55	45	107
169	108	52	6	3	32	20	6	3	3	94	54	40	-	-	772	401	266	70	35	108
85	50	32	-	3	15	8	6	-	1	29	12	17	-	-	95	44	41	4	6	109
14	9	4	-	1	2	1	1	-	-	4	1	3	-	-	46	20	21	2	3	
71	41	28	-	2	13	7	5	-	1	25	11	14	-	-	49	24	20	2	3	
8	4	2	2	-	-	-	-	-	-	3	1	2	-	-	45	27	10	3	5	110
28	15	13	-	-	1	1	-	-	-	14	7	7	-	-	46	25	13	4	4	111a
44	20	23	1	-	6	1	4	-	1	10	4	6	-	-	61	35	24	1	1	111b,c
25	12	11	1	1	4	2	2	-	-	11	7	4	-	-	71	41	25	2	3	112
3	1	2	-	-	2	2	-	-	-	-	-	-	-	-	9	8	1	-	-	113
5	3	2	-	-	4	3	-	-	1	6	2	4	-	-	58	41	12	4	1	114
613	349	247	8	9	107	73	26	4	4	222	130	92	-	-	2,082	1,158	784	79	61	
12	4	8	-	-	3	2	1	-	-	2	1	1	-	-	24	14	7	2	1	115a,b,d
14	6	8	-	-	2	2	-	-	-	2	-	2	-	-	36	18	12	3	3	115c
5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	6	5	1	-	-	116
47	37	8	-	2	14	12	2	-	-	28	25	3	-	-	229	185	31	8	5	117a
28	23	3	2	-	7	5	2	-	-	9	8	1	-	-	105	90	13	2	-	117b
14	10	4	-	-	4	3	-	1	-	4	3	1	-	-	21	13	6	2	-	118
36	23	10	1	2	6	4	1	1	-	7	5	2	-	-	112	50	40	15	7	119
20	12	7	-	1	3	3	-	-	-	10	7	3	-	-	55	25	30	-	-	120
86	56	29	1	-	9	2	4	1	2	20	14	6	-	-	215	120	72	13	10	121
55	38	16	1	-	7	5	-	1	1	26	13	13	-	-	174	101	68	4	1	122a
80	34	46	-	-	12	7	5	-	-	22	11	11	-	-	184	79	87	7	11	122b
16	11	5	-	-	4	3	1	-	-	10	7	3	-	-	71	40	24	4	3	123
6	2	4	-	-	8	4	4	-	-	4	3	1	-	-	42	32	6	3	1	124a
84	47	35	1	1	14	12	1	-	1	37	20	17	-	-	457	262	171	11	13	124b
5	2	2	-	1	2	2	-	-	-	5	1	4	-	-	24	10	11	2	1	125a
8	5	2	1	-	2	1	1	-	-	4	2	2	-	-	26	8	16	1	1	125b
49	17	32	-	-	5	2	3	-	-	18	4	14	-	-	157	45	111	-	1	126
35	12	21	-	2	3	2	1	-	-	9	3	6	-	-	72	26	43	1	2	127
9	4	5	-	-	2	2	-	-	-	1	-	1	-	-	33	15	17	1	-	128
4	3	1	-	-	-	-	-	-	-	4	3	1	-	-	39	20	18	-	1	129
987	569	395	13	10	88	56	25	4	3	361	204	157	-	-	3,452	1,654	1,491	146	161	
22	11	9	2	-	1	1	-	-	-	7	4	3	-	-	74	37	27	5	5	130
587	311	264	6	6	46	26	14	3	3	203	105	98	-	-	2,215	968	1,032	102	113	131a
176	103	67	3	3	19	14	5	-	-	75	43	32	-	-	626	297	289	21	19	131b
66	40	24	1	1	5	3	2	-	-	14	7	7	-	-	131	63	53	3	12	132
22	10	12	-	-	7	4	3	-	-	14	8	6	-	-	84	42	37	2	3	133
5	5	-	-	-	2	2	-	-	-	6	4	2	-	-	48	32	15	-	1	134
10	8	2	-	-	1	-	-	1	-	2	1	1	-	-	23	9	13	1	-	135
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	7	5	1	1	-	136
81	80	...	1	...	5	5	...	-	...	32	32	...	-	...	211	201	...	10	...	137
-	-	...	-	...	1	1	...	-	...	-	-	...	-	...	1	-	...	1	...	138
7	...	7	...	-	1	...	1	...	-	4	...	4	...	-	18	...	12	...	6	139a
9	...	9	...	-	-	...	-	...	-	4	...	4	...	-	14	...	12	...	2	139b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	139c
36	...	35	...	1	5	...	4	...	1	15	...	15	...	-	124	...	97	...	27	
3	...	3	...	-	1	...	1	...	-	1	...	1	...	-	11	...	6	...	5	140
3	...	3	...	-	1	...	1	...	-	1	...	1	...	-	7	...	4	...	3	140a,b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	4	...	2	...	2	140c,d
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	11	...	8	...	3	141
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	5	...	4	...	1	141a,c
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	141b
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	141d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	1	...	2	141e,f
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	142a
4	...	3	...	1	1	...	1	...	-	-	...	-	...	-	8	...	3	...	5	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	143b,c
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	6	...	6	...	-	144a,b
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	144c,d
1	...	1	...	-	-	...	-	...	-	3	...	3	...	-	6	...	5	...	1	145
1	...	1	...	-	-	...	-	...	-	2	...	2	...	-	3	...	2	...	1	
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	3	...	3	...	-	
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	6	...	6	...	-	146a
4	...	4	...	-	1	...	-	...	1	3	...	3	...	-	17	...	14	...	3	146b,c
3	...	3	...	-	-	...	-	...	-	1	...	1	...	-	9	...	7	...	2	147a,b
7	...	7	...	-	-	...	-	...	-	1	...	1	...	-	15	...	14	...	1	147c,d
4	...	4	...	-	1	...	1	...	-	2	...	2	...	-	14	...	11	...	3	148a,b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	2	...	1	...	1	148c,d
4	...	4	...	-	-	...	-	...	-	2	...	2	...	-	10	...	8	...	2	149
1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	5	...	5	...	-	150
14	8	5	-	1	1	1	-	-	-	2	1	1	-	-	19	7	9	3	-	
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	151
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	152
11	6	4	-	1	1	1	-	-	-	1	-	1	-	-	14	4	7	3	-	153

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII.—Diseases of the bones, etc.*	33	21	10	1	1	3	1	2	-	-
154	Osteomyelitis and periostitis	11	8	1	1	1	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	8	5	3	-	-	1	1	-	-	-
156	Diseases of joints and other organs of movement	14	8	6	-	-	2	-	2	-	-
157	XIV.—Congenital malformations	424	225	180	12	7	70	42	27	1	-
	XV.—Diseases peculiar to the first year of life	1,115	569	388	94	64	198	99	87	7	5
158	Congenital debility (cause not stated)	58	33	17	5	3	2	1	1	-	-
159	Premature birth (cause not stated)	656	317	230	65	44	122	61	54	4	3
160a	Intracranial or spinal hemorrhage	82	42	27	7	6	18	9	8	1	-
160b,c	Other injuries at birth	145	89	50	4	2	29	19	9	1	-
161	Other diseases peculiar to the first year of life	174	88	64	13	9	27	9	15	1	2
162	XVI.—Senility	270	125	123	11	11	83	49	27	1	6
	XVII.—Violent or accidental deaths	3,483	2,075	1,048	266	94	596	437	137	12	10
163,164	Suicide	459	313	133	8	5	79	65	14	-	-
163	Suicide by poisoning	95	43	49	-	3	15	11	4	-	-
	Suicide by solid or liquid poisons	79	31	46	-	2	10	7	3	-	-
	Suicide by poisonous gases	16	12	3	-	1	5	4	1	-	-
164a	Suicide by hanging or strangulation	100	71	28	1	-	12	10	2	-	-
164b	Suicide by drowning	23	13	9	-	1	4	1	3	-	-
164c	Suicide by firearms and explosives	192	155	32	5	-	45	40	5	-	-
164d	Suicide by cutting or piercing instruments	25	17	7	1	-	2	2	-	-	-
164e	Suicide by jumping from high places	21	12	7	1	1	1	1	-	-	-
164f	Suicide by crushing	2	2	-	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means	1	-	1	-	-	-	-	-	-	-
165-168	Homicide[1]	210	86	18	84	22	19	14	5	-	-
166	Homicide by firearms	131	55	12	50	14	6	4	2	-	-
167	Homicide by cutting or piercing instruments	43	11	-	27	5	4	3	1	-	-
168	Homicide by other means	36	20	6	7	3	9	7	2	-	-
169-195	Accidental deaths	2,807	1,671	897	172	67	498	358	118	12	10
169	Railway accidents (except collisions with motor vehicles)	113	91	11	11	-	28	23	2	1	2
170a	Collisions between automobiles and trains	40	31	8	1	-	6	4	2	-	-
170b	Collisions between automobiles and streetcars	3	1	1	1	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	645	454	138	39	14	109	86	19	2	2
170d	Motorcycle accidents (except collisions with automobiles)	14	11	3	-	-	3	3	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	34	20	14	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	2	2	-	-	-	1	1	-	-	-
172	Water-transport accidents	16	13	2	1	-	1	1	-	-	-
173	Air-transport accidents	67	67	-	-	-	16	16	-	-	-
174	Accidents in mines and quarries	17	17	-	-	-	16	16	-	-	-
175a	Accidents involving agricultural machinery and vehicles	35	31	4	-	-	16	13	3	-	-
175b,c	Other agricultural accidents, including injury by animals	46	40	5	1	-	19	16	3	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	1	1	-	-	-
175e	Other forestry accidents	2	2	-	-	-	4	4	-	-	-
176	Other accidents involving machinery	31	26	1	4	-	5	5	-	-	-
177	Food poisoning	11	4	6	1	-	2	-	2	-	-
178	Accidental absorption of poisonous gas	34	18	11	4	1	5	3	1	1	-
179	Acute accidental poisoning by solids or liquids	36	20	10	4	2	7	5	2	-	-
180	Conflagration	64	18	18	22	6	17	3	8	2	4
181	Accidental burns (except conflagration)	196	95	74	17	10	26	14	8	3	1
182	Accidental mechanical suffocation	32	17	11	1	3	12	8	3	1	-
183	Accidental drowning	128	96	14	16	2	35	31	3	-	1
184	Accidental injury by firearms	74	56	9	7	2	18	18	-	-	-
185	Accidental injury by cutting or piercing instruments	11	4	2	5	-	-	-	-	-	-
186a	Accidental injury by fall	870	366	462	21	21	104	52	51	1	-
186b	Accidental injury by crushing	6	6	-	-	-	5	5	-	-	-
187	Cataclysm, etc.	14	4	9	1	-	2	2	-	-	-
188	Injury by animals (except in agriculture and forestry)	6	6	-	-	-	2	1	1	-	-
189	Hunger or thirst	1	-	1	-	-	-	-	-	-	-
190	Excessive cold	12	7	1	3	1	11	8	2	1	-
191	Excessive heat	14	10	3	-	1	1	1	-	-	-
192	Lightning	13	10	2	1	-	5	4	1	-	-
193	Accidents due to electric currents (except lightning)	12	12	-	-	-	1	1	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	5	3	2	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	23	14	6	1	2	4	2	2	-	-
195c,e	Other and unspecified accidents	180	99	69	10	2	16	11	5	-	-
196	Deaths of military personnel during operations of war	5	5	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	2	-	-	2	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	162	91	47	20	4	81	52	17	8	4
199	Sudden death	11	8	2	1	-	3	2	1	-	-
200a	Ill-defined	73	42	26	5	-	54	37	15	2	-
200b	Found dead (cause unknown)	20	14	4	2	-	2	2	-	-	-
200c	Unknown or unspecified	58	27	15	12	4	22	11	1	6	4

* Refer to International List for complete title, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8	4	4	-	-	-	-	-	-	-	4	2	2	-	-	38	18	18	1	1	
2	2	-	-	-	-	-	-	-	-	2	2	-	-	-	11	9	1	1	-	154
1	-	1	-	-	-	-	-	-	-	2	-	2	-	-	16	6	9	-	1	155
5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	11	3	8	-	-	156
134	80	49	3	2	26	16	8	2	-	82	49	33	-	-	491	248	213	21	9	157
394	228	143	17	6	53	33	18	-	2	151	90	60	1	-	1,338	676	496	93	73	
12	9	3	-	-	2	1	1	-	-	1	1	-	-	-	39	18	12	7	2	158
246	141	89	13	3	37	24	12	-	1	95	57	37	1	-	835	411	310	61	53	159
45	27	13	2	3	4	2	2	-	-	6	3	3	-	-	105	57	41	5	2	160a
53	32	18	2	-	3	3	-	-	-	29	17	12	-	-	132	72	51	3	6	160b,c
39	19	20	-	-	7	3	3	-	1	20	12	8	-	-	227	118	82	17	10	161
182	91	85	3	3	21	9	5	3	4	21	8	13	-	-	215	87	121	4	3	162
1,086	732	332	16	6	260	201	40	12	7	368	258	109	-	1	3,227	1,949	1,033	188	57	
160	120	36	4	-	27	25	2	-	-	65	44	21	-	-	536	345	179	10	2	163,164
29	19	8	2	-	8	6	2	-	-	23	12	11	-	-	212	104	104	3	1	163
14	8	6	-	-	4	2	2	-	-	3	-	3	-	-	44	21	22	1	-	
15	11	2	2	-	4	4	-	-	-	20	12	8	-	-	168	83	82	2	1	
50	32	17	1	-	2	2	-	-	-	12	10	2	-	-	140	108	28	3	1	164a
4	3	-	1	-	1	1	-	-	-	8	4	4	-	-	20	8	12	-	-	164b
59	51	8	-	-	16	16	-	-	-	17	15	2	-	-	100	84	13	3	-	164c
12	11	1	-	-	-	-	-	-	-	3	2	1	-	-	22	16	6	-	-	164d
3	1	2	-	-	-	-	-	-	-	2	1	1	-	-	36	22	13	1	-	164e
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	164f
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	164g
14	9	2	3	-	13	6	1	5	1	3	3	-	-	-	124	53	28	34	9	165-168
9	5	1	3	-	6	4	1	1	-	-	-	-	-	-	44	19	11	11	3	166
2	2	-	-	-	3	-	-	2	1	-	-	-	-	-	29	5	3	17	4	167
3	2	1	-	-	4	2	-	2	-	3	3	-	-	-	51	29	14	6	2	168
910	601	294	9	6	220	170	37	7	6	299	210	88	-	1	2,558	1,543	826	143	46	169-195
26	24	1	1	-	10	9	1	-	-	5	4	1	-	-	74	58	10	6	-	169
19	15	4	-	-	3	3	-	-	-	1	1	-	-	-	27	22	5	-	-	170a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	170b
196	152	41	2	1	55	45	7	1	2	69	55	14	-	-	621	460	105	45	11	170c
5	4	1	-	-	-	-	-	-	-	1	1	-	-	-	13	11	-	2	-	170d
4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	8	4	2	2	-	171a
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	171b
3	3	-	-	-	2	2	-	-	-	7	7	-	-	-	23	21	1	1	-	172
35	34	1	-	-	40	39	1	-	-	9	8	1	-	-	46	42	3	1	-	173
6	4	2	-	-	4	4	-	-	-	-	-	-	-	-	7	6	1	-	-	174
40	38	2	-	-	4	4	-	-		3	3	-	-	-	9	7	-	2	-	175a
27	25	2	-	-	8	8	-	-	-	4	4	-	-	-	8	7	1	-	-	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	1	1	-	-	-	175e
4	4	-	-	-	-	-	-	-	-	5	5	-	-	-	29	23	-	6	-	176
2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	4	4	-	-	-	177
29	19	9	1	-	2	1	1	-	-	8	6	2	-	-	135	85	45	5	-	178
10	3	7	-	-	5	1	4	-	-	4	3	1	-	-	59	31	23	3	2	179
8	6	2	-	-	3	2	1	-	-	12	7	5	-	-	88	34	31	14	9	180
46	22	20	2	2	12	10	2	-	-	16	10	6	-	-	86	43	27	9	7	181
15	7	7	-	1	6	2	2	1	1	7	4	3	-	-	54	26	19	5	4	182
38	33	4	1	-	15	8	3	3	1	22	18	4	-	-	138	107	13	18	-	183
30	26	4	-	-	6	6	-	-	-	6	6	-	-	-	33	30	1	1	1	184
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	1	1	-	185
275	115	156	2	2	18	8	9	1	-	90	44	45	-	1	905	397	484	14	10	186a
2	2	-	-	-	-	-	-	-	-	2	2	-	-	-	11	10	-	1	-	186b
7	1	6	-	-	-	-	-	-	-	-	-	-	-	-	10	5	4	1	-	187
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	189
6	5	1	-	-	3	1	1	1	-	1	1	-	-	-	3	2	1	-	-	190
5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	8	6	1	1	-	191
7	7	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	192
11	10	1	-	-	1	1	-	-	-	4	4	-	-	-	12	11	-	1	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	194
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	195a,b
8	3	5	-	-	4	3	1	-	-	2	2	-	-	-	29	15	12	1	1	195d
41	25	16	-	-	17	11	4	-	2	16	10	6	-	-	104	66	34	3	1	195c,e
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	6	6	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	198
84	58	24	2	-	24	13	5	3	3	25	17	8	-	-	76	43	24	6	3	
10	9	1	-	-	1	-	1	-	-	3	2	1	-	-	8	6	1	1	-	199
52	36	15	1	-	15	12	2	-	1	18	13	5	-	-	56	29	19	5	3	200a
9	7	2	-	-	2	-	1	1	-	1	-	1	-	-	3	3	-	-	-	200b
13	6	6	1	-	6	1	1	2	2	3	2	1	-	-	9	5	4	-	-	200c

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	5,520	2,762	2,109	375	274	153,654	79,417	65,724	4,502	4,011
	I.—Infectious and parasitic diseases	711	347	214	91	59	8,813	4,847	2,129	1,102	735
1	Typhoid fever	6	6	-	-	-	18	7	8	-	3
2	Paratyphoid fever	1	-	1	-	-	2	-	2	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	6	4	2	-	-
6	Cerebrospinal (meningococcus) meningitis	3	2	1	-	-	172	90	61	13	8
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	2	2	-	-	11	6	4	-	1
9	Whooping cough	22	8	11	1	2	88	41	35	4	8
10	Diphtheria (infection by C. diphtheriae)	21	5	13	1	2	27	18	8	1	-
11	Erysipelas	1	-	1	-	-	9	7	2	-	-
12	Tetanus	-	-	-	-	-	15	6	3	3	3
13-22	Tuberculosis (all forms)	386	177	99	66	44	6,032	3,328	1,418	754	532
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	5	5	-	-	-	29	27	-	2	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	336	159	91	47	39	5,564	3,137	1,293	679	456
14	Tuberculosis of meninges and central nervous system	25	3	4	16	2	112	33	34	19	26
15	Tuberculosis of intestines and peritoneum	4	1	1	-	2	63	16	21	8	18
16	Tuberculosis of vertebral column	5	2	1	1	1	59	23	16	13	7
17a	Tuberculosis of bones (except vertebral column)	-	-	-	-	-	7	2	3	1	1
17b	Tuberculosis of joints (except vertebral column)	3	1	1	1	-	8	5	2	-	1
18	Tuberculosis of skin, etc.*	-	-	-	-	-	1	-	1	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	15	6	9	-	-
20	Tuberculosis of genito-urinary system	3	2	-	1	-	41	25	9	6	1
21	Tuberculosis of other organs	1	1	-	-	-	12	5	5	1	1
22a	Disseminated tuberculosis (acute miliary)	3	2	1	-	-	110	42	23	24	21
22b	Disseminated tuberculosis (other and unspecified)	1	1	-	-	-	11	7	3	1	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	2	-	1	-	1	33	24	6	3	-
25	Gonococcus infection	1	-	1	-	-	20	7	3	3	7
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	95	50	31	8	6	26	17	6	2	1
28	Malaria	1	-	-	1	-	7	7	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	1	-	1	-	-	2	1	1	-	-
30	Syphilis (all forms)	64	37	12	12	3	1,480	819	215	305	141
30a	Locomotor ataxia (tabes dorsalis)	3	3	-	-	-	59	43	6	7	3
30b	General paralysis of insane	7	5	2	-	-	496	310	70	85	31
30c	Other syphilis of central nervous system	16	9	4	3	-	167	78	22	41	26
30d	Aneurysm of aorta	4	3	1	-	-	301	173	47	65	16
30e	Other syphilis of circulatory system	2	2	-	-	-	119	59	7	36	17
30f,g	Congenital, other and unspecified forms of syphilis	32	15	5	9	3	338	156	63	71	48
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	-	-	-	-	-	24	14	9	1	-
33a	Influenza, with respiratory complications specified	59	29	28	1	1	164	78	75	5	6
33b	Influenza, without respiratory complications specified	28	20	7	1	-	153	78	67	2	6
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	4	3	1	-	-	8	3	5	-	-
36	Acute poliomyelitis and acute polioencephalitis	2	2	-	-	-	89	40	43	-	6
37a,c	Infectious encephalitis lethargica (acute and unqualified)	5	3	2	-	-	74	40	27	2	5
37b	Sequelae of encephalitis lethargica	-	-	-	-	-	52	33	19	-	-
38	Other diseases due to filtrable viruses	-	-	-	-	-	9	2	5	1	1
39	Typhus fever and typhus-like diseases (due to Rickettsia)	1	1	-	-	-	3	1	2	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	3	2	1	-	-
42	Other diseases caused by helminths	-	-	-	-	-	3	2	1	-	-
43	Mycoses	1	-	1	-	-	17	11	[illegible]	1	2
44	Other infectious and parasitic (communicable) diseases	3	2	1	-	-	266	161	[illegible]	2	5
	II.—Cancer and other tumors	378	166	193	14	5	24,075	11,336	11,753	435	551
45-55	Cancer and other malignant tumors	358	160	179	14	5	23,446	11,105	11,414	425	503
45	Cancer of buccal cavity and pharynx	6	3	2	1	-	645	528	100	13	4
45a-e	Cancer of buccal cavity	3	2	-	1	-	449	370	70	8	1
45f	Cancer of pharynx	3	1	2	-	-	196	158	30	5	3
46	Cancer of digestive organs and peritoneum	167	84	73	9	1	10,755	5,618	4,749	232	156
46a	Cancer of esophagus	2	-	2	-	-	538	394	104	30	10
46b,c	Cancer of stomach and duodenum	92	54	33	5	-	3,240	1,849	1,231	104	56
46f	Cancer of liver and biliary passages	28	12	14	1	1	1,045	421	591	22	11
46g	Cancer of pancreas	9	5	4	-	-	822	443	359	13	7
46d,e,h,m	Cancer of other digestive organs and peritoneum	36	13	20	3	-	5,110	2,511	2,464	63	72
47	Cancer of respiratory system	25	16	6	3	-	2,461	1,911	462	68	20
48	Cancer of uterus	38	...	35	...	3	1,795	...	1,628	...	167
49	Cancer of other female genital organs	6	...	6	...	-	803	...	779	...	24
50	Cancer of breast	35	-	35	-	-	2,555	26	2,440	3	86
51	Cancer of male genital organs	24	24	...	-	...	1,122	1,079	...	43	...
52	Cancer of urinary organs (male and female)	12	8	3	1	-	1,245	824	382	22	17
53	Cancer of skin (except vulva and scrotum)	9	6	3	-	-	303	172	124	3	4
54	Cancer of central nervous system*	3	2	1	-	-	478	274	188	9	7
55	Cancer of other and unspecified organs	33	17	15	-	1	1,284	673	562	32	17
56a	Nonmalignant tumors of ovary	4	...	4	...	-	74	...	67	...	7
56b	Nonmalignant tumors of uterus	4	...	4	...	-	137	...	105	...	32
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	3	...	3	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	4	1	3	-	-	181	104	65	6	6

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
28,897	11,077	7,905	5,237	4,678	5,109	3,059	1,942	55	53	78,835	40,802	32,609	3,053	2,371	18,921	9,767	6,752	1,312	1,090	
2,440	713	470	704	553	231	139	68	8	16	4,740	2,403	1,409	561	367	1,554	662	462	213	217	
11	2	2	6	1	2	2	-	-	-	14	6	5	2	1	12	5	2	2	3	1
2	-	1	-	1	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	11	4	7	-	-	1	-	1	-	-	5
53	22	17	10	4	4	2	2	-	-	100	58	30	9	3	25	8	12	2	3	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
6	3	1	-	2	3	1	2	-	-	19	15	4	-	-	7	4	3	-	-	8
97	23	28	21	25	3	1	2	-	-	109	41	54	8	6	47	18	14	10	5	9
96	48	29	13	6	11	6	5	-	-	69	35	34	-	-	53	18	31	-	4	10
4	1	1	1	1	-	-	-	-	-	16	8	7	1	-	2	1	1	-	-	11
14	3	1	7	3	1	1	-	-	-	19	11	6	1	1	11	6	5	-	-	12
1,262	329	205	388	340	117	62	32	8	15	2,631	1,263	724	376	268	830	340	221	132	137	13-22
4	3	-	1	-	-	-	-	-	-	58	47	-	11	-	8	8	-	-	-	13a
1,155	302	184	355	314	108	59	28	7	14	2,336	1,126	657	311	242	773	308	210	125	130	13b,c
22	5	5	8	4	5	3	2	-	-	59	21	19	16	3	12	6	3	1	2	14
22	5	4	5	8	1	-	-	-	1	27	6	5	10	6	12	5	3	3	1	15
9	3	2	3	1	-	-	-	-	-	38	14	13	10	1	3	2	-	-	1	16
3	-	1	1	1	-	-	-	-	-	5	3	2	-	-	1	1	-	-	-	17a
4	-	-	3	1	-	-	-	-	-	4	2	1	1	-	1	-	1	-	-	17b
2	-	1	1	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	18
-	-	-	-	-	-	-	-	-	-	4	3	1	-	-	1	1	-	-	-	19
10	4	3	-	3	1	-	1	-	-	22	14	6	1	1	5	3	1	-	1	20
2	-	-	1	1	-	-	-	-	-	4	4	-	-	-	1	1	-	-	-	21
26	6	5	9	6	2	-	1	1	-	63	19	15	15	14	11	3	3	3	2	22a
3	1	-	1	1	-	-	-	-	-	8	2	4	1	1	2	2	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
23	12	5	1	5	2	1	1	-	-	37	24	12	-	1	23	9	8	-	6	24
9	1	1	-	7	-	-	-	-	-	5	-	3	1	1	6	-	4	1	1	25
1	-	-	1	-	-	-	-	-	-	4	4	-	-	-	4	2	-	2	-	26
38	12	7	9	10	1	1	-	-	-	44	26	18	-	-	53	19	13	7	14	27
24	11	6	1	6	-	-	-	-	-	5	3	2	-	-	19	6	9	4	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
293	70	22	147	54	25	21	4	-	-	804	474	163	125	52	176	103	23	31	19	30
6	2	-	1	3	1	1	-	-	-	38	29	8	1	-	3	3	-	-	-	30a
72	12	3	54	3	2	2	-	-	-	266	155	52	44	15	57	40	9	7	1	30b
31	11	1	13	6	5	4	1	-	-	84	50	14	14	6	12	8	-	3	1	30c
42	21	7	9	5	9	9	-	-	-	177	111	29	28	9	33	24	3	4	2	30d
23	6	1	13	3	1	1	-	-	-	51	30	6	11	4	10	6	2	-	2	30e
119	18	10	57	34	7	4	3	-	-	188	99	44	27	18	61	22	9	17	13	30f,g
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
9	4	5	-	-	-	-	-	-	-	17	13	2	-	2	3	2	-	-	1	32
279	85	78	61	55	13	5	8	-	-	342	149	160	18	15	113	42	48	11	12	33a
107	37	27	23	20	21	12	8	-	1	255	132	102	10	11	112	47	48	8	9	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
7	3	1	2	1	-	-	-	-	-	4	2	2	-	-	4	-	2	1	1	35
13	5	4	2	2	3	3	-	-	-	29	16	12	-	1	14	8	5	1	-	36
10	3	3	2	2	7	6	1	-	-	19	6	12	1	-	4	3	1	-	-	37a,c
1	1	-	-	-	-	-	-	-	-	10	8	2	-	-	-	-	-	-	-	37b
4	1	1	-	2	3	3	-	-	-	9	7	1	-	1	-	-	-	-	-	38
33	15	11	4	3	-	-	-	-	-	3	2	1	-	-	10	4	4	-	2	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
1	-	-	-	1	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	42
10	5	1	3	1	1	1	-	-	-	16	7	6	3	-	2	2	-	-	-	43
32	17	12	2	1	14	11	3	-	-	145	89	47	5	4	23	15	7	1	-	44
2,639	849	1,159	243	388	674	362	307	2	3	10,686	4,837	5,330	230	289	2,337	1,049	1,079	95	114	
2,504	817	1,107	230	350	638	349	284	2	3	10,340	4,721	5,144	217	258	2,215	1,004	1,020	92	99	45-55
96	48	35	7	6	17	14	3	-	-	283	210	58	12	3	93	64	26	1	2	45
71	33	28	4	6	10	9	1	-	-	175	132	31	9	3	65	41	21	1	2	45a-e
25	15	7	3	-	7	5	2	-	-	108	78	27	3	-	28	23	5	-	-	45f
947	365	384	109	89	370	220	147	1	2	4,683	2,448	2,056	105	74	975	505	383	56	31	46
32	15	12	1	4	9	5	4	-	-	174	127	31	14	2	18	8	5	5	-	46a
356	132	126	58	40	167	108	57	1	1	1,372	835	481	32	24	333	182	124	17	10	46b,c
149	52	70	16	11	45	23	22	-	-	758	326	417	13	2	199	103	76	12	8	46f
76	38	29	5	4	43	25	18	-	-	330	179	135	9	7	110	65	33	7	5	46g
334	128	147	29	30	106	59	46	-	1	2,049	981	992	37	39	315	147	145	15	8	46d,e,h,m
140	75	35	21	9	31	25	5	1	-	739	535	170	28	6	132	89	41	1	1	47
387	...	241	...	146	36	...	36	...	-	1,058	...	973	...	85	268	...	233	...	35	48
66	...	55	...	11	9	...	9	...	-	296	...	285	...	11	48	...	46	...	2	49
236	8	170	2	56	49	-	49	-	-	961	11	897	2	51	154	2	134	2	16	50
158	116	...	42	...	42	42	...	-	...	699	666	...	33	...	162	145	...	17	...	51
102	37	45	11	9	25	16	9	-	-	452	267	164	14	7	75	40	27	5	3	52
72	34	33	2	3	11	7	3	-	1	200	118	79	2	1	83	53	25	2	3	53
54	31	18	4	1	12	6	6	-	-	135	78	52	2	3	25	14	11	-	-	54
246	103	91	32	20	36	19	17	-	-	834	388	410	19	17	200	92	94	8	6	55
9	...	7	...	2	5	...	5	...	-	30	...	27	...	3	8	...	7	...	1	56a
39	...	20	...	19	8	...	8	...	-	96	...	72	...	24	31	...	23	...	8	56b
1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	56c
20	10	6	3	1	6	5	1	-	-	89	46	36	6	1	12	6	5	-	1	56d,e

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	8	5	3	-	-	232	127	97	4	4
	III.—Rheumatism, diseases of nutrition, etc.*	103	37	60	2	4	6,243	2,007	3,989	72	175
58a-d	Acute rheumatic heart diseases	4	2	2	-	-	97	44	48	3	2
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	5	4	1	-	-	25	8	13	1	3
59	Chronic rheumatism and other rheumatic diseases	7	2	4	-	1	147	41	101	2	3
60	Gout	-	-	-	-	-	1	1	-	-	-
61	Diabetes mellitus	48	17	31	-	-	5,424	1,755	3,464	54	151
62	Diseases of pituitary gland	-	-	-	-	-	16	4	11	-	1
63a	Simple goiter	2	-	1	-	1	13	2	10	1	-
63b	Exophthalmic goiter	11	1	10	-	-	280	46	224	1	9
63c-e	Other diseases of thyroid and parathyroid glands	3	-	3	-	-	42	7	33	1	1
64	Diseases of thymus gland	9	4	3	2	-	75	45	25	3	2
65	Diseases of adrenal glands (not specified as tuberculous)	1	-	1	-	-	60	28	31	1	-
66	Other general diseases	6	3	3	-	-	31	13	14	3	1
67	Scurvy	-	-	-	-	-	2	-	2	-	-
68	Beriberi	-	-	-	-	-	2	1	1	-	-
69	Pellagra (except alcoholic)	7	4	1	-	2	11	6	4	1	-
70	Rickets	-	-	-	-	-	4	-	3	-	1
71	Other avitaminoses	-	-	-	-	-	13	6	5	1	1
	IV.—Diseases of the blood and blood-forming organs	35	20	15	-	-	1,137	595	504	24	14
72	Hemorrhagic conditions	2	1	1	-	-	45	21	24	-	-
73a	Pernicious anemia	7	3	4	-	-	167	72	93	-	2
73b-d	Other anemias (except splenic)	4	2	2	-	-	108	56	41	6	5
74a	Leukemias	18	13	5	-	-	734	399	314	16	5
74b	Aleukemias	-	-	-	-	-	33	17	13	2	1
75	Diseases of spleen	-	-	-	-	-	36	19	16	-	1
76	Other diseases of the blood and blood-forming organs	4	1	3	-	-	14	11	3	-	-
	V.—Chronic poisoning and intoxication	13	9	2	-	2	310	241	50	13	6
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	16	12	4	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	12	9	2	-	1	282	222	42	12	6
78	Lead poisoning	-	-	-	-	-	2	1	1	-	-
79	Chronic poisoning by other mineral or organic substances	1	-	-	-	1	10	6	3	1	-
	VI.—Diseases of the nervous system, etc.*	283	140	127	11	5	11,909	5,267	6,124	242	276
80	Encephalitis (nonepidemic)	6	1	4	1	-	73	34	33	2	4
81	Meningitis (not due to meningococcus)	12	5	4	1	2	148	70	49	19	10
82	Diseases of spinal cord (see exceptions)*	4	1	3	-	-	296	154	128	11	3
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	200	99	93	6	2	8,867	3,826	4,664	162	215
83b	Cerebral embolism and thrombosis	13	10	3	-	-	1,398	651	713	20	14
83c	Cerebral softening	-	-	-	-	-	75	37	33	4	1
83d	Hemiplegia and other paralysis of unspecified origin	16	7	8	1	-	103	43	59	-	1
84	Mental diseases and deficiency (see exception)*	1	1	-	-	-	157	58	88	4	7
85	Epilepsy	14	7	7	-	-	249	121	107	12	9
86	Convulsions (under 5 years)	5	2	2	-	1	10	5	5	-	-
87	Other diseases of nervous system	6	4	2	-	-	425	204	209	5	7
88	Diseases of organs of vision	-	-	-	-	-	4	1	1	-	2
89a	Otitis and other diseases of the ear	6	3	1	2	-	76	44	29	2	1
89b	Diseases of mastoid process	-	-	-	-	-	28	19	6	1	2
	VII.—Diseases of the circulatory system	750	431	282	18	19	62,375	33,688	26,260	1,195	1,232
90-95	Diseases of the heart (all forms)	698	403	262	16	17	58,766	31,946	24,508	1,138	1,174
90	Pericarditis (except acute rheumatic)	2	-	-	2	-	18	8	10	-	-
91a,b	Bacterial and other acute or subacute endocarditis	6	2	3	1	-	94	44	44	1	5
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	3	2	1	-	-
92a-d	Chronic endocarditis and diseases of the valves*	114	53	54	2	5	3,601	1,697	1,787	46	71
92e	Endocarditis (unspecified, 45 years and over)	6	3	3	-	-	93	40	49	3	1
93a	Acute myocarditis (except rheumatic)	9	5	4	-	-	280	156	118	3	3
93b	Myocarditis (unspecified, under 45 years)	3	2	1	-	-	26	15	9	1	1
93c,d	Chronic myocarditis and myocardial degeneration	216	116	88	5	7	35,691	17,450	16,571	775	895
93e	Other myocarditis (unspecified)	37	20	14	1	2	793	447	326	10	10
94a	Diseases of coronary arteries	202	140	60	1	1	15,567	10,758	4,490	222	107
94b	Angina pectoris	10	8	2	-	-	165	113	50	-	2
95a	Functional diseases of heart, etc.*	1	1	-	-	-	34	17	17	-	-
95b,c	Other and unspecified diseases of heart	92	53	33	4	2	2,401	1,199	1,046	77	79
96	Aneurysm (except of heart and aorta)	2	1	1	-	-	246	165	64	9	8
97	Arteriosclerosis (except coronary or renal sclerosis)	30	16	12	2	-	2,944	1,389	1,480	36	39
98	Gangrene	-	-	-	-	-	19	8	11	-	-
99	Other diseases of arteries	8	5	3	-	-	163	83	79	1	-
100	Diseases of veins	3	1	2	-	-	115	53	58	2	2
101	Diseases of lymphatic system	-	-	-	-	-	5	3	1	-	1
102	High blood pressure (idiopathic)	7	4	2	-	1	114	39	58	9	8
103	Other diseases of circulatory system	2	1	-	-	1	3	2	1	-	-
	VIII.—Diseases of the respiratory system	434	208	162	34	30	6,316	3,424	2,436	276	180
104a	Diseases of nasal fossae	2	1	1	-	-	12	6	5	-	1
104b	Diseases of accessory sinuses	-	-	-	-	-	27	19	8	-	-
105	Diseases of larynx	6	5	1	-	-	32	18	11	2	1
106a	Acute bronchitis	1	1	-	-	-	77	44	27	4	2

* Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	2	...	2	...	-	57b
1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57c
64	22	19	10	13	17	8	9	-	-	126	70	46	7	3	68	39	21	3	5	57d,e
719	233	289	71	126	211	98	113	-	-	2,762	957	1,677	42	86	525	192	275	23	35	
18	5	8	1	4	4	3	1	-	-	49	19	24	1	5	10	5	5	-	-	58a-d
25	7	8	4	6	6	3	3	-	-	29	15	12	1	1	10	2	5	1	2	58e,f
36	14	11	3	8	21	11	10	-	-	144	41	93	3	7	44	17	23	1	3	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
465	166	183	46	70	157	69	88	-	-	2,178	773	1,313	32	60	349	131	181	16	21	61
2	1	1	-	-	-	-	-	-	-	11	3	8	-	-	3	2	1	-	-	62
9	-	3	1	5	-	-	-	-	-	16	4	12	-	-	1	-	1	-	-	63a
27	3	16	-	8	9	4	5	-	-	193	36	149	1	7	24	2	19	-	3	63b
2	1	1	-	-	4	1	3	-	-	17	6	11	-	-	10	4	6	-	-	63c-e
16	8	3	4	1	4	4	-	-	-	53	32	17	3	1	20	10	8	1	1	64
10	4	4	2	-	2	1	1	-	-	25	13	12	-	-	3	1	2	-	-	65
26	3	8	6	9	3	2	1	-	-	28	8	18	1	1	13	5	4	2	2	66
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	-	1	-	1	68
72	16	40	4	12	-	-	-	-	-	11	5	3	-	3	31	12	18	-	1	69
5	3	1	-	1	1	-	1	-	-	2	-	2	-	-	3	-	-	2	1	70
5	1	2	-	2	-	-	-	-	-	3	1	2	-	-	2	1	1	-	-	71
219	84	90	20	25	59	32	27	-	-	605	318	258	20	9	173	87	73	8	5	
11	4	3	2	2	1	1	-	-	-	30	18	10	1	1	11	6	3	1	1	72
29	8	17	2	2	16	9	7	-	-	134	67	66	-	1	33	13	19	-	1	73a
36	9	10	7	10	3	-	3	-	-	56	28	29	1	-	31	13	15	1	2	73b-d
119	53	49	8	9	34	22	12	-	-	333	183	128	15	7	87	48	34	4	1	74a
11	5	5	-	1	-	-	-	-	-	8	5	2	1	-	2	1	1	-	-	74b
9	3	4	1	1	5	-	5	-	-	32	15	15	2	-	6	4	1	1	-	75
4	2	2	-	-	-	-	-	-	-	12	4	8	-	-	3	2	-	1	-	76
58	39	-	14	5	19	17	1	-	1	97	84	9	3	1	17	10	2	4	1	
1	1	-	-	-	-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	77a,b
56	37	-	14	5	19	17	1	-	1	84	76	7	1	-	16	9	2	4	1	77c-e
-	-	-	-	-	-	-	-	-	-	3	1	-	2	-	1	1	-	-	-	78
1	1	-	-	-	-	-	-	-	-	6	3	2	-	1	-	-	-	-	-	79
3,578	1,260	1,083	611	624	615	334	274	5	2	9,522	4,474	4,482	276	290	2,151	1,052	866	116	117	
48	22	12	9	5	9	6	3	-	-	78	41	34	1	2	29	21	5	2	1	80
54	31	7	11	5	9	5	4	-	-	90	49	22	8	11	20	14	6	-	-	81
48	24	15	4	5	11	7	4	-	-	141	79	58	-	4	40	23	16	1	-	82
2,901	1,003	905	484	509	448	240	206	2	-	7,855	3,643	3,756	212	244	1,690	807	707	83	93	83a
150	68	49	14	19	44	22	20	1	1	599	274	290	25	10	61	40	20	-	1	83b
8	6	1	1	-	-	-	-	-	-	52	29	20	2	1	3	2	1	-	-	83c
103	37	26	22	18	26	14	11	1	-	118	69	43	3	3	157	67	55	19	16	83d
57	8	13	14	22	5	2	3	-	-	76	28	40	4	4	42	20	15	3	4	84
120	21	29	36	34	23	15	8	-	-	164	86	59	13	6	41	23	16	2	-	85
16	6	4	4	2	7	5	2	-	-	16	14	2	-	-	8	1	3	2	2	86
53	29	15	8	1	29	16	12	1	-	287	137	140	7	3	43	26	17	-	-	87
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	2	1	-	1	-	88
16	3	6	3	4	2	1	1	-	-	32	17	14	-	1	9	4	4	1	-	89a
4	2	1	1	-	2	1	-	-	1	12	8	2	1	1	6	3	1	2	-	89b
6,940	3,151	1,871	1,009	909	1,601	1,016	565	12	8	26,543	14,805	10,325	811	602	4,759	2,861	1,521	213	164	
6,456	2,977	1,760	916	803	1,430	919	493	11	7	24,486	13,774	9,404	759	549	4,338	2,635	1,358	200	145	90-95
11	4	1	3	3	3	1	2	-	-	20	10	6	4	-	8	5	1	1	1	90
29	8	14	3	4	12	4	8	-	-	102	52	38	4	8	17	12	5	-	-	91a,b
3	1	-	1	1	-	-	-	-	-	10	3	3	2	2	3	1	2	-	-	91c
692	236	197	129	130	129	80	47	-	2	2,312	1,159	991	92	70	362	176	126	41	19	92a-d
12	6	1	3	2	22	12	10	-	-	159	89	59	8	3	62	35	22	4	1	92e
84	27	24	14	19	17	10	7	-	-	243	114	112	6	11	42	26	11	3	2	93a
8	1	1	3	3	-	-	-	-	-	25	12	8	1	4	12	5	6	-	1	93b
2,324	946	722	350	306	502	290	203	6	3	10,126	5,099	4,443	328	256	1,099	609	407	41	42	93c,d
167	67	40	23	37	82	49	31	1	1	1,130	603	476	35	16	319	190	95	18	16	93e
1,675	1,052	405	125	93	528	383	141	3	1	8,001	5,332	2,336	213	120	1,561	1,090	417	36	18	94a
175	95	47	18	15	20	14	6	-	-	306	202	100	2	2	104	69	31	3	1	94b
30	13	11	4	2	12	9	3	-	-	66	28	36	1	1	44	28	14	2	-	95a
1,246	521	297	240	188	103	67	35	1	-	1,986	1,071	796	63	56	705	389	221	51	44	95b,c
18	8	6	3	1	6	3	3	-	-	84	53	22	5	4	9	3	6	-	-	96
341	114	77	73	77	114	68	44	1	1	1,651	828	759	36	28	280	165	102	9	4	97
11	2	1	5	3	6	4	2	-	-	32	20	8	3	1	11	4	3	1	3	98
39	16	12	3	8	13	9	4	-	-	134	66	63	1	4	40	20	16	1	3	99
20	9	4	1	6	8	2	6	-	-	72	34	33	3	2	18	9	8	-	1	100
2	1	-	1	-	-	-	-	-	-	3	-	2	-	1	2	-	1	-	1	101
47	21	11	6	9	24	11	13	-	-	74	26	31	4	13	51	20	25	1	5	102
6	3	-	1	2	-	-	-	-	-	7	4	3	-	-	10	5	2	1	2	103
1,814	578	458	400	378	245	153	84	3	5	3,723	1,919	1,437	239	128	1,114	519	399	125	71	
19	3	3	5	8	2	1	1	-	-	12	3	6	3	-	8	2	3	2	1	104a
6	1	2	2	1	1	1	-	-	-	16	12	3	1	-	6	5	-	1	-	104b
14	6	2	3	3	2	2	-	-	-	12	5	6	-	1	4	3	-	-	1	105
16	8	2	2	4	3	2	1	-	-	42	25	16	1	-	11	9	1	1	-	106a

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	2	2	-	-	-	169	123	40	3	3
106c	Bronchitis (unspecified)	4	1	1	1	1	36	20	14	1	1
107	Bronchopneumonia (including capillary bronchitis)	202	94	69	25	14	2,583	1,275	1,112	111	85
108	Lobar pneumonia	137	61	61	5	10	2,574	1,461	916	126	71
109	Pneumonia (unspecified)	43	18	18	2	5	141	74	63	4	-
	A. Atypical or virus pneumonia	13	5	6	-	2	48	18	28	2	-
	B. Pneumonia (all other, unspecified)	30	13	12	2	3	93	56	35	2	-
110	Pleurisy (not specified as tuberculous)	6	3	2	1	-	135	87	37	8	3
111a	Hemorrhagic infarction and thrombosis of lungs	5	2	3	-	-	82	33	44	-	5
111b,c	Acute edema, chronic and unspecified congestion of lungs	5	4	1	-	-	76	40	33	2	1
112	Asthma	11	7	4	-	-	187	93	82	8	4
113	Pulmonary emphysema	1	1	-	-	-	28	21	6	1	-
114	Other diseases of respiratory system (except tuberculosis)	9	8	1	-	-	157	110	38	6	3
	IX.—Diseases of the digestive system	526	269	186	40	31	7,121	4,022	2,763	194	142
115a,b,d	Diseases of buccal cavity and adnexa	11	5	2	3	1	59	31	26	1	1
115c	Diseases of pharynx and tonsils	8	5	2	1	-	89	41	40	5	3
116	Diseases of esophagus	1	1	-	-	-	24	16	5	1	2
117a	Ulcer of stomach	15	11	3	-	1	820	669	125	17	9
117b	Ulcer of duodenum	2	2	-	-	-	415	347	54	12	2
118	Other diseases of stomach (except cancer)	17	10	7	-	-	55	32	21	2	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 yr.)	292	148	90	31	23	404	216	141	33	14
120	Diarrhea, enteritis, and ulceration of intestines (2 yr. and over)	16	6	7	1	2	177	82	87	1	7
121	Appendicitis	40	25	12	2	1	711	390	286	20	15
122a	Hernia	15	8	7	-	-	663	367	265	24	7
122b	Intestinal obstruction	25	11	13	1	-	598	251	311	10	26
123	Other diseases of intestines	6	2	4	-	-	183	113	63	5	2
124a	Cirrhosis of liver (with mention of alcoholism)	2	1	1	-	-	308	198	99	8	3
124b	Cirrhosis of liver (without mention of alcoholism)	33	19	14	-	-	1,454	833	562	39	20
125a	Acute yellow atrophy of liver (nonpuerperal)	5	2	3	-	-	79	28	41	6	4
125b	Other diseases of liver	4	3	1	-	-	89	51	29	3	6
126	Biliary calculi	14	4	9	1	-	544	170	362	2	10
127	Other diseases of gallbladder and biliary ducts	17	5	9	-	3	270	107	157	2	4
128	Diseases of pancreas (except diabetes mellitus)	2	1	1	-	-	111	46	61	2	2
129	Peritonitis (cause not stated)	1	-	1	-	-	68	34	28	1	5
	X.—Diseases of the genito-urinary system	269	134	122	8	5	8,156	4,315	3,425	198	218
130	Acute nephritis	9	7	2	-	-	81	39	35	3	4
131a	Arteriosclerotic kidney	115	55	57	2	1	4,784	2,274	2,260	119	131
131b	Other chronic nephritis	93	43	45	2	3	1,646	813	760	37	36
132	Nephritis unspecified (10 years and over)	12	4	5	2	1	128	62	56	2	8
133	Other diseases of kidneys and ureters, etc.*	8	6	2	-	-	301	143	142	10	6
134	Calculi of urinary passages	1	1	-	-	-	197	140	47	5	5
135	Diseases of urinary bladder	3	1	1	1	-	62	29	33	-	-
136	Diseases of urethra (except calculus)	-	-	-	-	-	32	25	1	5	1
137	Diseases of prostate	18	17	...	1	...	805	789	...	16	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	2	1	...	1	...
139a	Diseases of ovaries, fallopian tubes, and parametria	5	...	5	...	-	69	...	43	...	26
139b	Diseases of uterus	5	...	5	...	-	46	...	45	...	1
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	3	...	3	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	57	...	46	...	11	412	...	358	...	54
140	Abortion with mention of infection	7	...	7	...	-	46	...	30	...	16
140a,b	Abortion (septic), spontaneous or therapeutic*	7	...	7	...	-	41	...	27	...	14
140c,d	Abortion (septic), self-induced or nontherapeutic*	-	...	-	...	-	5	...	3	...	2
141	Abortion without mention of infection	1	...	1	...	-	25	...	21	...	4
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	10	...	9	...	1
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	1	...	1	...	-	7	...	5	...	2
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified*	-	...	-	...	-	8	...	7	...	1
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	1	...	1	...	-	9	...	6	...	3
142b	Ectopic gestation, without mention of infection	5	...	3	...	2	14	...	13	...	1
143a	Placenta praevia (death before delivery)	-	...	-	...	-	1	...	1	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	...	1	...	-	3	...	3	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	4	...	3	...	1	13	...	12	...	1
144c,d	Other toxemias of pregnancy (death before delivery)*	1	...	1	...	-	7	...	6	...	1
145	Other diseases and accidents of pregnancy (death before delivery)	-	...	-	...	-	15	...	14	...	1
	A. With mention of infection	-	...	-	...	-	12	...	11	...	1
	B. Without mention of infection	-	...	-	...	-	3	...	3	...	-
146a	Placenta praevia (with childbirth)	-	...	-	...	-	14	...	12	...	2
146b,c	Other hemorrhages of childbirth and puerperium	8	...	6	...	2	48	...	44	...	4
147a,b	Puerperal pyelitis, other general or local puerperal infection*	6	...	5	...	1	28	...	24	...	4
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	6	...	6	...	-	73	...	68	...	5
148a,b	Puerperal eclampsia and nephritis*	8	...	7	...	1	32	...	30	...	2
148c,d	Other puerperal toxemias	1	...	1	...	-	11	...	11	...	-
149	Other accidents and specified conditions of childbirth	4	...	-	...	4	50	...	43	...	7
150	Other and unspecified conditions of childbirth and puerperium	4	...	4	...	-	23	...	20	...	3
	XII.—Diseases of the skin and cellular tissue	7	2	4	-	1	95	49	39	4	3
151	Carbuncle and furuncle	2	2	-	-	-	4	2	1	-	1
152	Phlegmon and acute abscess	1	-	-	-	1	13	7	3	1	2
153	Other diseases of skin and cellular tissue	4	-	4	-	-	78	40	35	3	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and or deaths among armed forces overseas]

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
37	13	19	1	4	6	6	-	-	-	113	74	38	1	-	28	15	12	1	-	106b
15	3	8	1	3	2	2	-	-	-	24	12	11	1	-	19	8	8	1	2	106c
625	185	157	149	134	97	56	38	2	1	1,527	731	664	88	44	357	149	140	48	20	107
629	199	173	134	123	55	38	15	-	2	1,178	622	393	104	59	237	111	79	25	22	108
234	67	43	63	61	19	9	8	1	1	211	110	86	12	3	278	119	98	38	23	109
38	24	6	1	7	4	3	1	-	-	46	24	21	1	-	23	14	7	1	1	
196	43	37	62	54	15	6	7	1	1	165	86	65	11	3	255	105	91	37	22	
18	7	3	4	4	4	3	1	-	-	74	43	22	7	2	20	9	9	2	-	110
27	12	5	3	7	8	3	5	-	-	103	53	43	3	4	18	12	5	-	1	111a
46	11	17	10	8	14	6	8	-	-	145	58	80	4	3	58	34	21	3	-	111b,c
61	26	16	7	12	24	17	6	-	1	129	74	41	3	11	37	22	13	1	1	112
5	4	-	1	-	2	2	-	-	-	19	11	5	3	-	3	3	-	-	-	113
62	33	8	15	6	6	5	1	-	-	118	86	23	8	1	30	18	10	2	-	114
1,382	538	306	303	235	257	145	105	4	3	3,367	1,791	1,368	117	91	960	453	372	72	63	
31	10	9	6	6	6	4	2	-	-	60	28	27	3	2	29	10	14	2	3	115a,b,d
23	6	10	2	5	5	2	3	-	-	53	19	29	3	2	24	16	6	2	-	115c
8	2	1	5	-	2	2	-	-	-	12	5	6	-	1	3	1	1	1	-	116
112	60	15	27	10	13	9	3	1	-	287	218	50	16	3	58	45	9	3	1	117a
41	29	2	7	3	10	6	4	-	-	146	108	28	9	1	31	23	6	2	-	117b
29	7	5	9	8	3	2	1	-	-	59	28	24	4	3	58	26	11	9	12	118
407	133	77	109	88	33	20	11	-	2	328	171	135	14	8	108	56	30	12	10	119
69	26	14	15	14	9	4	-	-	-	102	50	46	2	4	45	17	17	3	8	120
160	70	34	28	28	30	19	11	-	-	297	160	119	12	6	133	64	49	13	7	121
69	35	13	16	5	27	18	9	-	-	310	177	118	6	9	55	26	21	6	2	122a
141	29	40	38	34	23	14	8	1	-	330	140	154	18	18	142	56	73	10	3	122b
27	12	7	6	2	4	1	3	-	-	107	61	41	1	4	15	5	8	2	-	123
8	6	-	2	-	3	3	-	-	-	80	62	17	-	1	5	4	-	-	1	124a
128	72	28	19	9	33	20	12	1	-	626	365	231	20	10	94	51	31	5	7	124b
10	4	4	-	2	4	1	2	1	-	22	9	12	1	-	2	1	1	-	-	125a
19	7	1	3	8	5	3	2	-	-	59	23	29	4	3	22	7	14	-	1	125b
36	12	20	2	2	24	8	16	-	-	198	57	138	-	3	45	16	27	-	2	126
39	12	19	3	5	14	6	7	-	1	168	50	113	-	5	70	19	46	1	4	127
7	4	3	-	-	2	-	2	-	-	61	33	26	-	2	7	4	3	-	-	128
18	2	4	6	6	7	3	4	-	-	62	27	25	4	6	14	6	5	1	2	129
3,190	1,120	816	640	614	311	197	111	3	-	5,592	2,886	2,306	213	187	1,332	718	406	131	77	
133	39	28	35	31	8	2	6	-	-	147	78	47	14	8	61	31	17	7	6	130
1,984	660	539	399	386	148	93	55	-	-	3,356	1,587	1,525	127	117	590	304	195	55	36	131a
636	227	162	117	130	62	33	28	1	-	1,069	553	458	31	27	275	133	90	31	21	131b
157	69	36	24	28	29	17	11	1	-	192	94	82	7	9	191	98	64	23	6	132
67	29	19	8	11	17	13	4	-	-	194	85	83	16	10	47	25	18	3	1	133
31	17	9	2	3	3	2	1	-	-	88	55	30	2	1	12	9	3	-	-	134
13	3	3	6	1	1	-	1	-	-	23	14	8	1	-	13	7	4	2	-	135
13	2	2	8	1	-	-	-	-	-	14	11	-	3	-	6	6	-	-	-	136
115	74	...	41	...	37	36	...	1	...	419	407	...	12	...	115	105	...	10	...	137
-	-	...	-	...	1	1	...	-	...	2	2	...	-	...	-	-	...	-	...	138
29	...	11	...	18	1	...	1	...	-	47	...	33	...	14	17	...	11	-	6	139a
11	...	7	...	4	4	...	4	...	-	41	...	40	...	1	4	...	3	...	1	139b
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	139c
248	...	111	...	137	14	...	13	...	1	235	...	196	...	39	97	...	67	...	30	
19	...	8	...	11	-	...	-	...	-	32	...	23	...	9	17	...	10	...	7	140
13	...	4	...	9	-	...	-	...	-	23	...	15	...	8	15	...	9	...	6	140a,b
6	...	4	...	2	-	...	-	...	-	9	...	8	...	1	2	...	1	...	1	140c,d
20	...	7	...	13	-	...	-	...	-	12	...	9	...	3	2	...	1	...	1	141
6	...	4	...	2	-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	141a,c
8	...	1	...	7	-	...	-	...	-	4	...	4	...	-	-	...	-	...	-	141b
4	...	1	...	3	-	...	-	...	-	3	...	2	...	1	1	...	-	...	1	141d
2	...	1	...	1	-	...	-	...	-	2	...	-	...	2	1	...	1	...	-	141e,f
1	...	-	...	1	1	...	1	...	-	3	...	2	...	1	1	...	-	...	1	142a
14	...	5	...	9	-	...	-	...	-	6	...	4	...	2	5	...	4	...	1	142b
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
1	...	1	...	-	1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	143b,c
20	...	4	...	16	4	...	4	...	-	13	...	13	...	-	5	...	4	...	1	144a,b
9	...	6	...	3	-	...	-	...	-	8	...	8	...	-	-	...	-	...	-	144c,d
5	...	3	...	2	1	...	1	...	-	15	...	11	...	4	4	...	2	...	2	145
2	...	2	...	-	1	...	1	...	-	9	...	7	...	2	3	...	2	...	1	
3	...	1	...	2	-	...	-	...	-	6	...	4	...	2	1	...	-	...	1	
6	...	2	...	4	-	...	-	...	-	9	...	9	...	-	6	...	5	...	1	146a
28	...	10	...	18	1	...	-	...	1	26	...	25	...	1	10	...	9	...	1	146b,c
21	...	9	...	12	2	...	2	...	-	20	...	19	...	1	10	...	4	...	6	147a,b
25	...	15	...	10	-	...	-	...	-	46	...	39	...	7	10	...	7	...	3	147c,d
29	...	12	...	17	3	...	3	...	-	10	...	8	...	2	15	...	9	...	6	148a,b
15	...	11	...	4	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	148c,d
17	...	8	...	9	1	...	1	...	-	19	...	13	...	6	5	...	5	...	-	149
17	...	9	...	8	-	...	-	...	-	15	...	12	...	3	5	...	5	...	-	150
41	16	14	8	3	4	3	1	-	-	50	25	20	2	3	21	8	8	3	2	
3	2	1	-	-	-	-	-	-	-	4	3	1	-	-	6	3	2	1	-	151
9	4	3	-	2	1	1	-	-	-	11	6	2	2	1	5	1	2	1	1	152
29	10	10	8	1	3	2	1	-	-	35	16	17	-	2	10	4	4	1	1	153

747801 O - 47 - 28

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII.—Diseases of the bones, etc.*	1	1	-	-	-	74	32	40	-	2
154	Osteomyelitis and periostitis	-	-	-	-	-	21	11	9	-	1
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	23	11	11	-	1
156	Diseases of joints and other organs of movement	1	1	-	-	-	30	10	20	-	-
157	XIV.—Congenital malformations	85	35	45	2	3	1,583	815	700	30	38
	XV.—Diseases peculiar to the first year of life	402	201	165	22	14	4,225	2,224	1,603	205	193
158	Congenital debility (cause not stated)	35	10	18	3	4	50	27	18	4	1
159	Premature birth (cause not stated)	268	140	113	8	7	2,614	1,331	1,001	136	146
160a	Intracranial or spinal hemorrhage	11	5	4	2	-	417	248	141	15	13
160b,c	Other injuries at birth	39	22	15	1	1	507	253	193	19	12
161	Other diseases peculiar to the first year of life	49	24	15	8	2	637	335	250	31	21
162	XVI.—Senility	65	29	32	2	2	175	60	113	2	-
	XVII.—Violent or accidental deaths	560	387	122	46	5	10,203	6,248	3,301	479	175
163,164	Suicide	53	37	13	3	-	1,654	1,075	535	27	17
163	Suicide by poisoning	8	3	4	1	-	626	324	281	11	10
	Suicide by solid or liquid poisons	6	2	3	1	-	149	65	79	1	4
	Suicide by poisonous gases	2	1	1	-	-	477	259	202	10	6
164a	Suicide by hanging or strangulation	10	7	1	2	-	406	315	88	3	-
164b	Suicide by drowning	-	-	-	-	-	74	41	32	1	-
164c	Suicide by firearms and explosives	28	21	7	-	-	255	222	28	5	-
164d	Suicide by cutting or piercing instruments	5	5	-	-	-	89	68	19	2	-
164e	Suicide by jumping from high places	1	1	-	-	-	160	76	73	4	7
164f	Suicide by crushing	-	-	-	-	-	32	21	10	1	-
164g	Suicide by other or unspecified means	1	-	1	-	-	12	8	4	-	-
165-168	Homicide[1]	24	11	5	8	-	383	169	52	132	30
166	Homicide by firearms	19	9	4	6	-	141	74	13	44	10
167	Homicide by cutting or piercing instruments	2	-	1	1	-	119	31	11	70	7
168	Homicide by other means	3	2	-	1	-	123	64	28	18	13
169-195	Accidental deaths	482	338	104	35	5	8,151	4,992	2,713	318	128
169	Railway accidents (except collisions with motor vehicles)	17	12	-	4	1	228	199	21	6	2
170a	Collisions between automobiles and trains	8	5	3	-	-	58	43	11	2	2
170b	Collisions between automobiles and streetcars	-	-	-	-	-	12	7	3	2	-
170c	Automobile accidents (except collisions with trains or streetcars)	141	96	30	13	2	1,712	1,245	376	68	23
170d	Motorcycle accidents (except collisions with automobiles)	4	4	-	-	-	20	15	5	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	-	-	-	-	-	130	102	14	11	3
171b	Other and unspecified road-transport accidents	1	-	1	-	-	15	13	2	-	-
172	Water-transport accidents	2	1	1	-	-	101	86	7	8	-
173	Air-transport accidents	91	86	5	-	-	121	106	14	1	-
174	Accidents in mines and quarries	12	12	-	-	-	7	7	-	-	-
175a	Accidents involving agricultural machinery and vehicles	3	3	-	-	-	34	33	1	-	-
175b,c	Other agricultural accidents, including injury by animals	8	7	-	1	-	55	52	3	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	1	1	-	-	-	4	4	-	-	-
176	Other accidents involving machinery	3	3	-	-	-	98	86	3	9	-
177	Food poisoning	1	1	-	-	-	13	4	9	-	-
178	Accidental absorption of poisonous gas	6	3	3	-	-	509	311	175	18	5
179	Acute accidental poisoning by solids or liquids	7	2	5	-	-	134	70	53	4	7
180	Conflagration	11	6	5	-	-	214	106	71	22	15
181	Accidental burns (except conflagration)	26	10	9	5	2	321	157	139	15	10
182	Accidental mechanical suffocation	9	7	1	1	-	109	60	34	9	6
183	Accidental drowning	17	12	5	-	-	524	423	71	28	2
184	Accidental injury by firearms	17	14	2	1	-	71	62	5	4	-
185	Accidental injury by cutting or piercing instruments	1	-	1	-	-	10	7	-	3	-
186a	Accidental injury by fall	47	18	26	3	-	2,910	1,284	1,528	60	38
186b	Accidental injury by crushing	2	2	-	-	-	33	29	-	4	-
187	Cataclysm, etc.	-	-	-	-	-	5	5	-	-	-
188	Injury by animals (except in agriculture and forestry)	5	3	1	1	-	4	3	-	1	-
189	Hunger or thirst	1	-	-	1	-	-	-	-	-	-
190	Excessive cold	3	1	-	2	-	11	11	-	-	-
191	Excessive heat	-	-	-	-	-	9	6	1	1	1
192	Lightning	8	7	1	-	-	6	3	2	1	-
193	Accidents due to electric currents (except lightning)	3	3	-	-	-	31	29	1	1	-
194	Poisoning by venomous animals (except in agriculture and forestry)	2	2	-	-	-	1	1	-	-	-
195a,b	Accidents due to medical or surgical intervention	1	-	1	-	-	2	2	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	4	2	2	-	-	74	37	31	3	3
195c,e	Other and unspecified accidents	20	15	2	3	-	565	384	133	37	11
196	Deaths of military personnel during operations of war	1	1	-	-	-	13	12	-	1	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	1	-	1	-	-
198	Legal executions	-	-	-	-	-	1	-	-	1	-
	XVIII.—Ill-defined and unknown causes	841	346	332	85	78	432	247	137	31	17
199	Sudden death	5	5	-	-	-	13	11	2	-	-
200a	Ill-defined	78	62	15	-	1	314	174	102	24	14
200b	Found dead (cause unknown)	1	-	1	-	-	9	7	2	-	-
200c	Unknown or unspecified	757	279	316	85	77	96	55	31	7	3

* Refer to International List for complete title, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
23	13	3	2	5	5	-	5	-	-	55	25	26	4	-	16	11	4	-	1	
7	4	1	1	1	-	-	-	-	-	11	6	3	2	-	5	4	1	-	-	154
4	2	1	-	1	3	-	3	-	-	14	3	11	-	-	2	-	1	-	1	155
12	7	1	1	3	2	-	2	-	-	30	16	12	2	-	9	7	2	-	-	156
405	175	149	45	36	77	44	32	-	1	910	451	409	30	20	242	124	101	8	9	157
1,656	666	413	319	258	189	115	72	2	-	2,471	1,322	937	122	90	813	426	297	40	50	
81	19	19	24	22	3	3	-	-	-	88	53	27	5	3	52	17	25	7	3	158
1,069	442	261	222	164	119	75	42	2	-	1,515	784	588	81	62	541	285	207	17	32	159
119	62	27	18	12	15	7	8	-	-	183	102	63	9	9	50	34	13	1	2	160a
142	51	51	17	23	28	20	8	-	-	321	187	121	6	7	72	36	23	9	4	160b,c
222	92	55	38	37	24	10	14	-	-	364	196	138	21	9	98	54	29	6	9	161
342	67	90	43	42	97	43	50	1	3	674	279	366	11	18	490	221	213	37	19	162
2,651	1,351	454	631	215	422	312	99	8	3	6,375	3,996	1,919	339	121	1,925	1,185	494	173	73	
246	162	57	24	3	56	49	6	1	-	892	642	228	19	3	154	114	32	8	-	163,164
35	16	18	-	1	5	3	2	-	-	166	94	66	4	2	28	19	8	1	-	163
22	10	11	-	1	4	2	2	-	-	108	47	56	3	2	25	17	7	1	-	
13	6	7	-	-	1	1	-	-	-	58	47	10	1	-	3	2	1	-	-	
33	20	12	-	-	18	18	-	-	-	233	176	56	-	1	21	14	6	1	-	164a
5	3	2	-	-	4	-	3	1	-	51	23	27	1	-	5	1	4	-	-	164b
151	110	22	17	2	27	26	1	-	-	337	277	52	8	-	87	70	11	6	-	164c
14	8	1	5	-	-	-	-	-	-	49	38	8	3	-	11	9	2	-	-	164d
3	2	-	1	-	-	-	-	-	-	31	20	9	2	-	-	-	-	-	-	164e
3	1	1	1	-	-	-	-	-	-	16	11	5	-	-	1	1	-	-	-	164f
3	2	1	-	-	2	2	-	-	-	9	3	5	1	-	1	-	1	-	-	164g
307	82	13	160	51	5	3	2	-	-	340	136	57	112	35	128	55	10	49	14	165-168
191	47	6	109	29	3	2	1	-	-	163	57	31	58	17	83	32	8	32	11	166
67	12	3	38	14	-	-	-	-	-	80	17	10	42	11	22	7	-	13	2	167
49	24	4	13	8	2	1	1	-	-	97	62	16	12	7	23	16	2	4	1	168
2,065	1,099	384	441	161	361	260	91	7	3	5,127	3,206	1,634	204	83	1,639	1,015	452	113	59	169-195
72	49	3	18	2	15	14	-	1	-	211	176	22	10	3	52	36	4	10	2	169
30	25	1	3	1	4	4	-	-	-	135	102	32	-	1	34	24	9	1	-	170a
-	-	-	-	-	-	-	-	-	-	20	18	1	1	-	1	1	-	-	-	170b
710	422	111	142	35	93	75	15	2	1	1,362	995	297	59	11	403	269	101	26	7	170c
27	23	-	4	-	1	-	1	-	-	26	24	-	2	-	5	5	-	-	-	170d
1	-	-	1	-	-	-	-	-	-	26	21	3	-	2	4	2	2	-	-	171a
6	1	1	4	-	-	-	-	-	-	11	8	1	2	-	5	2	2	1	-	171b
35	20	3	11	1	4	4	-	-	-	68	58	9	1	-	6	5	1	-	-	172
59	54	2	3	-	6	6	-	-	-	73	66	5	2	-	126	121	2	3	-	173
5	2	-	3	-	3	3	-	-	-	53	49	1	3	-	21	21	-	-	-	174
32	25	2	4	1	21	19	1	1	-	64	63	1	-	-	20	19	1	-	-	175a
42	32	2	8	-	13	11	2	-	-	52	47	5	-	-	44	34	4	5	1	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
7	3	-	4	-	-	-	-	-	-	1	1	-	-	-	2	1	-	1	-	175e
16	9	-	7	-	5	5	-	-	-	70	59	5	6	-	24	22	1	1	-	176
18	2	4	8	4	1	1	-	-	-	22	11	9	-	2	22	8	3	2	9	177
11	8	2	1	-	3	3	-	-	-	82	49	20	8	5	26	15	9	1	1	178
52	15	5	24	8	4	2	2	-	-	76	42	29	3	2	19	8	6	2	3	179
74	21	17	22	14	16	7	9	-	-	137	63	41	18	15	50	20	22	7	1	180
147	35	40	34	38	25	12	13	-	-	267	115	117	19	16	121	47	53	9	12	181
70	23	13	12	22	7	3	2	1	1	68	34	21	5	8	25	16	7	1	1	182
118	74	5	37	2	26	24	2	-	-	231	183	32	16	-	84	61	8	12	3	183
87	52	8	22	5	9	8	-	1	-	75	58	8	6	3	66	48	5	10	3	184
7	3	-	2	2	1	1	-	-	-	20	13	3	3	1	8	2	1	2	3	185
283	106	136	28	13	81	41	39	1	-	1,527	681	811	26	9	231	93	128	5	5	186a
4	2	1	1	-	-	-	-	-	-	27	24	-	3	-	7	4	2	1	-	186b
-	-	-	-	-	2	1	1	-	-	8	8	-	-	-	104	42	53	3	6	187
6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4	3	-	1	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	189
7	3	-	-	4	5	5	-	-	-	17	12	3	2	-	4	2	-	2	-	190
5	2	-	3	-	2	2	-	-	-	6	5	-	-	1	10	5	2	2	1	191
11	7	4	-	-	3	3	-	-		3	3	-	-	-	9	6	2	1	-	192
16	15	-	1	-	-	-	-	-	-	39	36	3	-	-	16	14	-	1	1	193
3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	194
5	2	2	1	-	-	-	-	-	-	6	1	4	1	-	-	-	-	-	-	195a,b
27	12	6	6	3	5	3	2	-	-	40	26	12	1	1	11	7	3	1	-	195d
92	46	16	24	6	6	3	2	-	1	304	155	139	7	3	73	51	20	2	-	195c,e
4	4	-	-	-	-	-	-	-	-	8	8	-	-	-	1	1	-	-	-	196
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	197
9	3	-	6	-	-	-	-	-	-	7	3	-	4	-	3	-	-	3	-	198
652	224	129	174	125	78	49	15	7	7	428	230	135	33	30	395	189	113	51	42	
84	35	14	21	14	20	16	3	1	-	29	21	8	-	-	27	14	8	3	2	199
238	95	47	54	42	38	26	9	3	-	295	150	93	26	26	191	105	60	15	11	200a
54	19	16	13	6	2	2	-	-	-	7	2	3	2	-	27	18	5	3	1	200b
276	75	52	86	63	18	5	3	3	7	97	57	31	5	4	150	52	40	30	28	200c

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	13,022	7,893	4,871	167	91	109,193	56,174	45,798	3,985	3,236
	I.—Infectious and parasitic diseases	570	366	160	25	19	6,364	3,233	1,816	788	527
1	Typhoid fever	5	3	2	-	-	37	17	17	2	1
2	Paratyphoid fever	1	-	1	-	-	9	4	3	2	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	2	2	-	-	-	7	3	4	-	-
6	Cerebrospinal (meningococcus) meningitis	10	7	2	1	-	130	68	37	12	13
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	1	1	-	-	-
8	Scarlet fever	2	-	2	-	-	24	9	14	1	-
9	Whooping cough	3	2	1	-	-	129	56	53	9	11
10	Diphtheria (infection by C. diphtheriae)	18	10	8	-	-	39	15	21	2	1
11	Erysipelas	1	-	-	-	1	10	3	7	-	-
12	Tetanus	2	2	-	-	-	18	11	3	3	1
13-22	Tuberculosis (all forms)	308	194	85	14	15	3,832	1,963	1,008	461	380
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	-	-	-	-	-	159	154	1	4	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	272	175	74	10	13	3,418	1,735	933	413	337
14	Tuberculosis of meninges and central nervous system	13	9	1	2	1	78	28	24	16	10
15	Tuberculosis of intestines and peritoneum	4	2	2	-	-	57	15	18	11	13
16	Tuberculosis of vertebral column	1	1	-	-	-	39	15	7	6	11
17a	Tuberculosis of bones (except vertebral column)	2	1	1	-	-	6	4	1	1	-
17b	Tuberculosis of joints (except vertebral column)	-	-	-	-	-	5	1	1	3	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	4	3	1	-	-
19	Tuberculosis of lymphatic system, etc.*	1	-	1	-	-	7	4	2	1	-
20	Tuberculosis of genito-urinary system	3	1	1	-	1	27	14	11	-	2
21	Tuberculosis of other organs	-	-	-	-	-	9	5	2	1	1
22a	Disseminated tuberculosis (acute miliary)	11	4	5	2	-	21	4	7	4	6
22b	Disseminated tuberculosis (other and unspecified)	1	1	-	-	-	2	1	-	1	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	8	4	2	2	-	51	26	22	2	1
25	Gonococcus infection	-	-	-	-	-	18	1	8	1	8
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	7	6	1	-	-
27	Dysentery	11	3	8	-	-	20	8	8	3	1
28	Malaria	-	-	-	-	-	8	8	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	1	-	1	-	-
30	Syphilis (all forms)	109	79	20	7	3	954	458	160	252	84
30a	Locomotor ataxia (tabes dorsalis)	4	3	1	-	-	46	32	8	6	-
30b	General paralysis of insane	31	22	5	3	1	338	165	60	95	18
30c	Other syphilis of central nervous system	8	5	2	-	1	98	49	22	19	8
30d	Aneurysm of aorta	40	31	6	3	-	160	68	20	60	12
30e	Other syphilis of circulatory system	7	5	2	-	-	92	48	9	26	9
30f,g	Congenital, other and unspecified forms of syphilis	19	13	4	1	1	220	96	41	46	37
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	-	-	-	-	-	19	7	9	-	3
33a	Influenza, with respiratory complications specified	38	22	15	1	-	424	221	176	17	10
33b	Influenza, without respiratory complications specified	15	9	6	-	-	282	138	132	7	5
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	1	1	-	-	-	21	9	9	2	1
36	Acute poliomyelitis and acute polioencephalitis	7	4	3	-	-	58	32	26	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	8	7	1	-	-	34	17	14	3	-
37b	Sequelae of encephalitis lethargica	1	1	-	-	-	13	7	6	-	-
38	Other diseases due to filtrable viruses	1	1	-	-	-	12	8	4	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	2	2	-	-	-	1	-	1	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	3	1	2	-	-
43	Mycoses	-	-	-	-	-	9	4	4	-	1
44	Other infectious and parasitic (communicable) diseases	17	13	4	-	-	193	112	66	9	6
	II.—Cancer and other tumors	1,726	869	838	16	3	15,023	6,889	7,482	290	362
45-55	Cancer and other malignant tumors	1,676	854	804	15	3	14,535	6,717	7,217	280	321
45	Cancer of buccal cavity and pharynx	38	30	7	1	-	446	353	68	21	4
45a-e	Cancer of buccal cavity	27	24	3	-	-	311	242	49	16	4
45f	Cancer of pharynx	11	6	4	1	-	135	111	19	5	-
46	Cancer of digestive organs and peritoneum	738	407	320	10	1	7,011	3,615	3,144	149	103
46a	Cancer of esophagus	21	13	7	1	-	272	207	41	18	6
46b,c	Cancer of stomach and duodenum	271	170	97	4	-	2,296	1,358	851	53	34
46f	Cancer of liver and biliary passages	98	39	57	2	-	897	363	492	21	21
46g	Cancer of pancreas	79	50	28	1	-	539	276	249	13	1
46d,e,h,m	Cancer of other digestive organs and peritoneum	269	135	131	2	1	3,007	1,411	1,511	44	41
47	Cancer of respiratory system	138	106	29	3	-	1,056	799	212	34	11
48	Cancer of uterus	141	...	141	...	-	1,356	...	1,263	...	93
49	Cancer of other female genital organs	49	...	48	...	1	468	...	441	...	27
50	Cancer of breast	162	2	160	-	-	1,361	22	1,284	1	54
51	Cancer of male genital organs	133	133	...	-	...	862	822	...	40	...
52	Cancer of urinary organs (male and female)	72	52	20	-	-	753	468	260	14	11
53	Cancer of skin (except vulva and scrotum)	21	18	3	-	-	223	130	90	2	1
54	Cancer of central nervous system*	42	27	15	-	-	167	89	72	3	3
55	Cancer of other and unspecified organs	142	79	61	1	1	832	419	383	16	14
56a	Nonmalignant tumors of ovary	8	...	8	...	-	59	...	57	...	2
56b	Nonmalignant tumors of uterus	12	...	12	...	-	120	...	90	...	30
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	2	...	2	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	12	6	5	1	-	99	50	45	2	2

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7,965	4,138	3,656	106	85	16,904	5,049	3,564	4,318	3,973	5,481	3,077	2,091	176	137	27,946	11,989	9,296	3,485	3,176	
392	239	121	18	14	1,595	355	185	563	492	295	117	74	46	58	3,126	1,209	993	517	407	
-	-	-	-	-	31	6	4	11	10	-	-	-	-	-	22	12	5	3	2	1
-	-	-	-	-	5	1	2	1	1	-	-	-	-	-	1	-	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	3	1	1	1	-	5
6	2	4	-	-	25	8	8	6	3	8	2	1	4	1	57	23	19	12	3	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	-	-	-	-	-	5	1	4	-	-	9	5	3	1	-	8
5	2	3	-	-	62	8	9	24	21	6	-	2	2	2	81	23	34	10	14	9
2	-	2	-	-	56	28	13	5	10	10	6	4	-	-	105	51	50	-	4	10
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	5	2	3	-	-	11
-	-	-	-	-	20	1	2	10	7	3	1	2	-	-	23	6	4	8	5	12
252	157	75	12	8	663	143	65	221	234	156	51	21	33	51	1,776	683	595	258	240	13-22
2	2	-	-	-	-	-	-	-	-	4	4	-	-	-	2	2	-	-	-	13a
233	148	66	11	8	616	137	61	198	220	134	45	19	27	43	1,650	627	555	241	227	13b,c
2	1	1	-	-	10	3	-	7	-	13	-	1	6	6	50	21	15	7	7	14
4	1	3	-	-	10	-	1	4	5	2	-	-	-	2	8	3	5	-	-	15
3	-	2	1	-	3	-	-	3	-	1	-	1	-	-	14	7	3	4	-	16
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	-	1	1	-	17a
1	1	-	-	-	2	-	1	1	-	-	-	-	-	-	4	2	2	-	-	17b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
2	-	2	-	-	2	-	-	-	2	-	-	-	-	-	4	1	1	1	1	19
2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	8	4	3	1	-	20
3	2	1	-	-	2	1	-	1	-	-	-	-	-	-	1	-	-	1	-	21
-	-	-	-	-	15	-	2	6	7	2	2	-	-	-	30	16	7	2	5	22a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
4	3	1	-	-	19	3	4	8	4	4	3	1	-	-	18	9	7	1	1	24
-	-	-	-	-	6	1	1	-	4	-	-	-	-	-	4	-	2	1	1	25
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	13	6	4	1	2	26
1	1	-	-	-	33	9	3	12	9	2	-	1	1	-	60	24	27	5	4	27
1	1	-	-	-	41	2	4	12	23	1	1	-	-	-	20	6	4	6	4	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	29
80	51	19	5	5	262	35	10	161	56	31	19	6	4	2	287	98	27	115	47	30
4	3	-	-	1	3	1	1	1	-	3	2	1	-	-	9	5	1	1	2	30a
15	10	3	2	-	76	11	-	55	10	6	4	1	1	-	106	43	10	39	14	30b
7	5	2	-	-	23	1	-	16	6	3	1	2	-	-	25	12	3	7	3	30c
17	8	7	2	-	54	16	2	30	6	6	6	-	-	-	37	14	3	15	5	30d
5	3	-	-	2	18	2	-	14	2	3	1	1	1	-	12	2	-	9	1	30e
32	22	7	1	2	88	4	7	45	32	10	5	1	2	2	98	22	10	44	22	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1	1	-	-	-	9	2	3	1	3	2	1	1	-	-	6	3	2	1	-	32
10	6	3	-	1	171	43	22	51	55	31	12	18	-	1	315	119	95	54	47	33a
7	2	4	1	-	94	21	20	21	32	24	14	9	-	1	176	64	61	24	27	33b
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	6	2	-	2	2	1	-	-	1	-	6	2	1	2	1	35
-	-	-	-	-	25	14	4	4	3	1	-	1	-	-	45	22	19	3	1	36
4	2	2	-	-	2	2	-	-	-	1	1	-	-	-	20	11	4	4	1	37a,c
2	1	1	-	-	1	-	-	1	-	-	-	-	-	-	3	2	1	-	-	37b
1	1	-	-	-	5	3	-	-	2	-	-	-	-	-	1	-	1	-	-	38
-	-	-	-	-	16	13	1	2	-	-	-	-	-	-	11	4	6	1	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	41
-	-	-	-	-	4	1	-	2	1	-	-	-	-	-	5	3	2	-	-	42
-	-	-	-	-	5	1	1	1	2	3	2	1	-	-	10	7	2	-	1	43
16	9	7	-	-	30	8	7	6	9	5	3	2	-	-	42	23	11	6	2	44
1,125	492	617	6	10	1,317	366	496	159	296	742	364	368	8	2	2,782	988	1,278	189	327	
1,079	473	590	6	10	1,260	354	490	156	270	715	356	349	8	2	2,647	959	1,217	180	291	45-55
31	28	3	-	-	61	27	18	6	10	16	10	6	-	-	96	65	23	6	2	45
22	20	2	-	-	38	16	14	2	6	11	9	2	-	-	66	44	16	4	2	45a-e
9	8	1	-	-	23	11	4	4	4	5	1	4	-	-	30	21	7	2	-	45f
483	241	246	4	2	457	144	150	88	75	348	188	154	6	-	1,046	440	425	88	93	46
19	16	1	1	1	29	9	5	8	7	5	2	3	-	-	19	5	6	7	1	46a
138	78	59	1	-	188	64	45	39	40	143	80	60	3	-	366	182	115	42	27	46b,c
51	19	32	-	-	78	21	27	17	13	52	24	27	1	-	209	88	85	15	21	46f
55	25	28	2	-	39	19	18	2	-	31	14	17	-	-	88	40	33	6	9	46g
230	103	126	-	1	123	31	55	22	15	117	68	47	2	-	364	125	186	18	35	46d,e,h,m
76	57	16	-	3	93	58	19	5	11	35	26	8	1	-	174	115	42	14	3	47
71	...	71	...	-	205	...	109	...	96	57	...	56	...	1	430	...	313	...	117	48
30	...	30	...	-	28	...	24	...	4	16	...	16	...	-	56	...	48	...	8	49
145	2	141	-	2	129	1	80	1	47	61	-	61	-	-	232	1	185	2	44	50
52	51	...	1	...	66	40	...	26	...	63	62	...	1	...	178	135	...	43	...	51
67	38	27	1	1	50	19	17	7	7	29	18	11	-	-	96	41	36	11	8	52
15	7	8	-	-	34	16	9	4	5	14	7	7	-	-	82	48	30	4	-	53
9	6	3	-	-	30	16	8	4	2	15	9	6	-	-	44	25	19	-	-	54
90	43	45	-	2	107	33	46	15	13	61	36	24	-	1	213	89	96	12	16	55
3	...	3	...	-	4	...	3	...	1	3	...	3	...	-	12	...	8	...	4	56a
12	...	12	...	-	24	...	4	...	20	5	...	5	...	-	42	...	22	...	20	56b
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	56c
15	11	4	-	-	5	1	3	-	1	6	3	3	-	-	28	7	12	4	5	56d,e

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	17	9	8	-	-	206	122	69	8	7
	III.—Rheumatism, diseases of nutrition, etc.*	351	149	197	2	3	4,213	1,285	2,739	64	125
58a-d	Acute rheumatic heart diseases	3	-	3	-	-	98	43	46	4	5
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	2	1	1	-	-	40	21	13	4	2
59	Chronic rheumatism and other rheumatic diseases	16	9	7	-	-	149	53	93	1	2
60	Gout	-	-	-	-	-	1	1	-	-	-
61	Diabetes mellitus	279	124	151	2	2	3,457	1,009	2,313	45	90
62	Diseases of pituitary gland	1	1	-	-	-	12	5	6	-	1
63a	Simple goiter	3	-	3	-	-	17	5	8	1	3
63b	Exophthalmic goiter	26	4	22	-	-	200	31	163	1	5
63c-e	Other diseases of thyroid and parathyroid glands	3	2	1	-	-	22	6	16	-	-
64	Diseases of thymus gland	9	6	2	-	1	111	71	36	-	4
65	Diseases of adrenal glands (not specified as tuberculous)	4	1	3	-	-	42	17	19	2	4
66	Other general diseases	3	1	2	-	-	37	11	17	3	6
67	Scurvy	-	-	-	-	-	1	1	-	-	-
68	Beriberi	1	-	1	-	-	1	-	1	-	-
69	Pellagra (except alcoholic)	1	-	1	-	-	6	3	3	-	-
70	Rickets	-	-	-	-	-	14	6	3	2	3
71	Other avitaminoses	-	-	-	-	-	5	2	2	1	-
	IV.—Diseases of the blood and blood-forming organs	136	69	64	2	1	778	390	364	13	11
72	Hemorrhagic conditions	1	1	-	-	-	51	22	29	-	-
73a	Pernicious anemia	19	5	14	-	-	165	71	92	1	1
73b-d	Other anemias (except splenic)	12	7	4	1	-	92	39	43	5	5
74a	Leukemias	86	46	38	1	1	387	225	151	6	5
74b	Aleukemias	7	5	2	-	-	18	9	9	-	-
75	Diseases of spleen	6	2	4	-	-	51	19	31	1	-
76	Other diseases of the blood and blood-forming organs	5	3	2	-	-	14	5	9	-	-
	V.—Chronic poisoning and intoxication	36	33	2	1	-	137	96	23	12	6
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	2	2	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	34	31	2	1	-	124	87	19	12	6
78	Lead poisoning	1	1	-	-	-	3	2	1	-	-
79	Chronic poisoning by other mineral or organic substances	1	1	-	-	-	8	5	3	-	-
	VI.—Diseases of the nervous system, etc.*	1,455	804	635	10	6	10,764	4,927	5,262	272	303
80	Encephalitis (nonepidemic)	10	7	3	-	-	103	52	41	4	6
81	Meningitis (not due to meningococcus)	21	15	6	-	-	167	83	54	20	10
82	Diseases of spinal cord (see exceptions)*	26	16	8	2	-	241	130	100	9	2
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	1,126	610	506	4	6	8,084	3,609	4,094	165	216
83b	Cerebral embolism and thrombosis	98	51	46	1	-	1,135	521	539	41	34
83c	Cerebral softening	10	5	5	-	-	44	24	13	4	3
83d	Hemiplegia and other paralysis of unspecified origin	44	22	21	1	-	219	107	97	6	9
84	Mental diseases and deficiency (see exception)*	35	23	12	-	-	95	46	41	4	4
85	Epilepsy	26	17	8	1	-	210	113	83	7	7
86	Convulsions (under 5 years)	2	1	1	-	-	32	16	13	1	2
87	Other diseases of nervous system	49	32	16	1	-	362	182	160	11	9
88	Diseases of organs of vision	-	-	-	-	-	2	1	1	-	-
89a	Otitis and other diseases of the ear	6	4	2	-	-	50	29	20	-	1
89b	Diseases of mastoid process	2	1	1	-	-	20	14	6	-	-
	VII.—Diseases of the circulatory system	4,078	2,682	1,358	26	12	38,828	21,226	15,699	1,070	833
90-95	Diseases of the heart (all forms)	3,692	2,425	1,231	25	11	35,964	19,851	14,353	987	773
90	Pericarditis (except acute rheumatic)	4	4	-	-	-	28	16	8	2	2
91a,b	Bacterial and other acute or subacute endocarditis	13	8	5	-	-	153	83	53	12	5
91c	Endocarditis (unspecified, under 45 years)	3	1	1	1	-	14	6	7	-	1
92a-d	Chronic endocarditis and diseases of the valves*	345	202	141	1	1	3,000	1,413	1,424	86	77
92e	Endocarditis (unspecified, 45 years and over)	18	12	6	-	-	209	101	96	7	5
93a	Acute myocarditis (except rheumatic)	14	8	6	-	-	403	226	151	11	15
93b	Myocarditis (unspecified, under 45 years)	4	2	2	-	-	36	17	16	-	3
93c,d	Chronic myocarditis and myocardial degeneration	1,220	705	500	8	7	17,083	8,352	7,770	530	431
93e	Other myocarditis (unspecified)	149	88	60	1	-	1,620	827	699	45	49
94a	Diseases of coronary arteries	1,580	1,179	390	11	-	10,760	7,320	3,115	203	122
94b	Angina pectoris	45	34	11	-	-	265	174	85	5	1
95a	Functional diseases of heart, etc.*	26	14	12	-	-	62	38	24	-	-
95b,c	Other and unspecified diseases of heart	271	168	97	3	3	2,331	1,278	905	86	62
96	Aneurysm (except of heart and aorta)	11	8	3	-	-	165	95	44	18	8
97	Arteriosclerosis (except coronary or renal sclerosis)	342	232	108	1	1	2,310	1,090	1,123	54	43
98	Gangrene	1	1	-	-	-	43	27	14	1	1
99	Other diseases of arteries	14	7	7	-	-	143	73	65	2	3
100	Diseases of veins	8	4	4	-	-	80	37	41	1	1
101	Diseases of lymphatic system	-	-	-	-	-	6	3	2	-	1
102	High blood pressure (idiopathic)	9	5	4	-	-	108	44	55	6	3
103	Other diseases of circulatory system	1	-	1	-	-	9	6	2	1	-
	VIII.—Diseases of the respiratory system	633	400	202	26	5	5,891	3,232	2,054	372	233
104a	Diseases of nasal fossae	2	-	2	-	-	9	4	4	-	1
104b	Diseases of accessory sinuses	1	1	-	-	-	13	6	7	-	-
105	Diseases of larynx	4	3	1	-	-	21	10	10	1	-
106a	Acute bronchitis	4	3	1	-	-	87	40	41	3	3

* Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	57c
15	8	7	-	-	23	11	6	3	3	13	5	8	-	-	49	22	17	5	5	57d,e
324	109	208	3	4	426	105	152	66	103	178	75	97	3	3	607	212	282	41	72	
6	4	2	-	-	9	-	4	2	3	5	2	2	1	-	23	6	6	5	6	58a-d
-	-	-	-	-	18	-	6	6	6	1	-	1	-	-	24	11	4	5	4	58e,f
6	2	4	-	-	24	9	8	5	2	13	1	11	-	1	55	24	21	4	6	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
289	95	187	3	4	276	72	103	33	68	144	67	74	2	1	357	124	173	21	39	61
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	62
1	1	-	-	-	2	-	1	-	1	1	-	1	-	-	4	1	2	1	-	63a
5	2	3	-	-	18	-	11	2	5	5	-	4	-	1	11	5	25	3	8	63b
4	-	4	-	-	2	1	-	1	-	2	1	1	-	-	4	1	2	-	1	63c-e
5	2	3	-	-	9	5	2	1	1	3	1	2	-	-	4	2	2	-	-	64
3	1	2	-	-	5	2	3	-	-	1	1	-	-	-	4	1	3	-	-	65
1	-	1	-	-	15	3	2	6	4	1	1	-	-	-	14	5	5	2	2	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	68
2	-	2	-	-	43	12	12	8	11	-	-	-	-	-	71	31	35	-	5	69
-	-	-	-	-	2	-	-	1	1	1	1	-	-	-	2	1	1	-	-	70
1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	4	-	3	-	1	71
48	23	25	-	-	97	36	35	17	9	67	44	21	1	1	199	100	75	9	15	
2	1	1	-	-	11	2	3	3	3	4	4	-	-	-	7	3	2	1	1	72
5	1	4	-	-	9	2	5	1	1	22	14	8	-	-	37	18	13	2	4	73a
8	4	4	-	-	21	6	8	7	-	5	2	1	1	1	29	11	13	1	4	73b-d
29	16	13	-	-	47	21	17	5	4	29	19	10	-	-	97	55	32	5	5	74a
-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	6	2	3	-	1	74b
2	1	1	-	-	4	3	-	-	1	2	1	1	-	-	15	8	7	-	-	75
2	-	2	-	-	4	2	1	1	-	3	3	-	-	-	8	3	5	-	-	76
6	3	3	-	-	30	23	1	5	1	4	3	1	-	-	45	38	4	3	-	
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	77a,b
6	3	3	-	-	29	23	-	5	1	3	2	1	-	-	40	35	2	3	-	77c-e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	78
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	79
815	345	450	9	11	1,975	502	469	494	510	641	344	291	2	4	3,206	1,263	1,144	372	427	
2	1	1	-	-	17	7	4	4	2	10	8	2	-	-	36	20	12	3	1	80
4	2	2	-	-	38	12	7	10	9	10	6	4	-	-	48	25	11	5	7	81
9	5	4	-	-	17	3	8	5	1	8	6	2	-	-	45	23	15	5	2	82
603	248	339	6	10	1,561	386	372	379	424	488	261	225	-	2	2,580	1,011	942	285	342	83a
153	75	74	3	1	112	35	47	20	10	44	24	20	-	-	121	43	42	14	22	83b
-	-	-	-	-	3	-	1	1	1	3	2	1	-	-	14	5	7	1	1	83c
4	1	3	-	-	90	24	7	30	29	13	4	8	1	-	91	32	33	13	13	83d
3	-	3	-	-	48	8	6	19	15	21	12	9	-	-	101	28	31	21	21	84
8	1	7	-	-	38	10	7	11	10	17	7	9	-	1	60	20	20	13	7	85
3	1	2	-	-	17	1	3	7	6	1	1	-	-	-	11	6	1	2	2	86
19	8	11	-	-	26	11	7	6	2	22	12	10	-	-	74	35	22	8	9	87
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	88
2	1	1	-	-	5	3	-	1	1	3	-	1	1	1	19	11	6	2	-	89a
4	2	2	-	-	2	1	-	1	-	1	1	-	-	-	5	4	1	-	-	89b
3,155	1,715	1,378	42	20	3,721	1,422	833	742	724	1,617	1,028	558	20	11	6,523	3,013	2,140	710	660	
2,980	1,629	1,294	38	19	3,389	1,321	750	662	656	1,468	947	495	16	10	5,989	2,804	1,946	641	598	90-95
3	1	2	-	-	6	3	-	2	1	5	2	3	-	-	25	9	7	6	3	90
8	4	4	-	-	22	4	3	9	6	6	4	2	-	-	37	17	8	8	4	91a,b
1	1	-	-	-	7	1	1	2	3	2	-	1	1	-	5	1	1	1	2	91c
182	83	92	5	2	374	84	68	123	99	141	84	50	4	3	774	316	243	109	106	92a-d
5	-	5	-	-	30	12	6	8	4	9	4	4	-	1	66	25	15	14	12	92e
28	13	15	-	-	34	10	8	9	7	18	8	10	-	-	62	15	9	20	18	93a
2	1	1	-	-	24	5	2	8	9	-	-	-	-	-	16	4	3	3	6	93b
1,654	812	808	23	11	1,118	399	277	221	221	452	261	184	3	4	1,808	729	687	192	200	93c,d
79	37	38	3	1	301	100	69	54	78	128	77	49	-	2	538	216	193	59	70	93e
861	590	260	6	5	865	489	210	87	79	525	389	133	3	-	1,495	926	415	82	72	94a
17	12	5	-	-	173	88	29	32	24	23	18	4	1	-	147	95	48	3	1	94b
3	1	2	-	-	7	5	-	2	-	7	3	4	-	-	35	19	13	2	1	95a
137	74	62	1	-	428	121	77	105	125	152	97	51	4	-	961	432	304	142	103	95b,c
5	3	2	-	-	8	3	2	1	2	3	3	-	-	-	5	2	1	1	1	96
129	58	67	3	1	256	81	65	60	50	115	63	47	4	1	347	145	133	44	25	97
4	3	1	-	-	8	1	1	3	3	6	5	1	-	-	18	9	4	2	3	98
11	7	3	1	-	22	7	9	2	4	10	5	5	-	-	44	19	18	4	3	99
19	12	7	-	-	4	2	1	-	1	5	2	3	-	-	19	9	8	-	2	100
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	101
7	3	4	-	-	28	6	5	11	6	10	3	7	-	-	91	21	27	17	26	102
-	-	-	-	-	6	1	-	3	2	-	-	-	-	-	9	4	2	1	2	103
329	192	128	5	4	1,098	235	220	317	326	316	153	127	16	20	1,818	747	574	266	231	
1	1	-	-	-	19	1	1	8	9	2	1	1	-	-	7	2	3	1	1	104a
1	1	-	-	-	4	1	-	2	1	-	-	-	-	-	9	4	4	1	-	104b
1	1	-	-	-	4	-	1	1	2	4	1	3	-	-	10	4	3	2	1	105
3	1	2	-	-	8	4	2	1	1	2	1	1	-	-	5	2	2	1	-	106a

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	14	7	7	-	-	147	86	55	5	1
106c	Bronchitis (unspecified)	5	4	1	-	-	55	26	26	2	1
107	Bronchopneumonia (including capillary bronchitis)	248	147	91	9	1	2,183	1,073	889	120	101
108	Lobar pneumonia	181	118	53	9	1	2,089	1,154	652	184	99
109	Pneumonia (unspecified)	45	30	8	5	2	293	150	114	17	12
	A. Atypical or virus pneumonia	13	8	3	1	1	91	43	42	2	4
	B. Pneumonia (all other, unspecified)	32	22	5	4	1	202	107	72	15	8
110	Pleurisy (not specified as tuberculous)	15	11	3	1	-	107	72	26	8	1
111a	Hemorrhagic infarction and thrombosis of lungs	11	8	3	-	-	123	67	45	7	4
111b,c	Acute edema, chronic and unspecified congestion of lungs	50	28	21	1	-	179	80	89	7	3
112	Asthma	32	23	8	1	-	217	140	66	6	5
113	Pulmonary emphysema	2	2	-	-	-	28	23	2	1	-
114	Other diseases of respiratory system (except tuberculosis)	19	15	3	-	1	342	301	28	11	2
	IX.—Diseases of the digestive system	455	269	173	4	9	4,668	2,585	1,839	137	107
115a,b,d	Diseases of buccal cavity and adnexa	10	6	4	-	-	43	19	19	4	1
115c	Diseases of pharynx and tonsils	9	6	2	-	1	63	33	23	4	3
116	Diseases of esophagus	4	1	3	-	-	13	7	6	-	-
117a	Ulcer of stomach	50	37	11	1	1	384	320	41	18	5
117b	Ulcer of duodenum	31	27	4	-	-	220	183	31	6	-
118	Other diseases of stomach (except cancer)	10	9	1	-	-	80	54	18	4	4
119	Diarrhea, enteritis, and ulceration of intestines (under 2 yr.)	14	6	6	1	1	441	255	150	27	9
120	Diarrhea, enteritis, and ulceration of intestines (2 yr. and over)	31	14	17	-	-	167	78	78	4	7
121	Appendicitis	35	21	14	-	-	462	263	175	15	9
122a	Hernia	35	26	9	-	-	431	215	201	8	7
122b	Intestinal obstruction	49	24	24	-	1	462	182	230	21	29
123	Other diseases of intestines	17	12	5	-	-	117	60	51	3	3
124a	Cirrhosis of liver (with mention of alcoholism)	5	4	1	-	-	73	55	15	2	1
124b	Cirrhosis of liver (without mention of alcoholism)	72	45	25	1	1	850	542	282	13	13
125a	Acute yellow atrophy of liver (nonpuerperal)	10	4	6	-	-	47	20	23	1	3
125b	Other diseases of liver	7	4	3	-	-	72	33	32	4	3
126	Biliary calculi	26	7	17	1	1	353	107	245	-	1
127	Other diseases of gallbladder and biliary ducts	24	9	13	-	2	237	82	149	2	4
128	Diseases of pancreas (except diabetes mellitus)	7	2	4	-	1	90	47	40	1	2
129	Peritonitis (cause not stated)	9	5	4	-	-	63	30	30	-	3
	X.—Diseases of the genito-urinary system	1,202	708	485	7	2	8,705	4,390	3,681	306	328
130	Acute nephritis	20	13	7	-	-	207	106	80	13	8
131a	Arteriosclerotic kidney	861	482	372	6	1	5,599	2,624	2,591	165	219
131b	Other chronic nephritis	134	81	52	1	-	1,582	786	677	65	54
132	Nephritis unspecified (10 years and over)	37	20	17	-	-	385	198	128	32	27
133	Other diseases of kidneys and ureters, etc.*	40	22	18	-	-	186	92	83	7	4
134	Calculi of urinary passages	10	8	2	-	-	91	48	38	5	-
135	Diseases of urinary bladder	8	2	6	-	-	36	19	14	1	2
136	Diseases of urethra (except calculus)	-	-	-	-	-	28	21	5	2	-
137	Diseases of prostate	80	80	...	-	...	508	492	...	16	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	4	4	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	7	...	7	...	-	49	...	35	...	14
139b	Diseases of uterus	4	...	3	...	1	27	...	27	...	-
139c	Diseases of other and unspecified female genital organs	1	...	1	...	-	3	...	3	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	32	...	31	...	1	384	...	332	...	52
140	Abortion with mention of infection	1	...	1	...	-	41	...	34	...	7
140a,b	Abortion (septic), spontaneous or therapeutic*	1	...	1	...	-	31	...	28	...	3
140c,d	Abortion (septic), self-induced or nontherapeutic*	-	...	-	...	-	10	...	6	...	4
141	Abortion without mention of infection	-	...	-	...	-	15	...	10	...	5
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	3	...	3	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	-	...	-	...	-	5	...	4	...	1
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified*	-	...	-	...	-	6	...	2	...	4
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	1	...	1	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	4	...	3	...	1
142b	Ectopic gestation, without mention of infection	1	...	1	...	-	22	...	17	...	5
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	1	...	1	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	2	...	2	...	-	10	...	8	...	2
144c,d	Other toxemias of pregnancy (death before delivery)*	1	...	1	...	-	8	...	7	...	1
145	Other diseases and accidents of pregnancy (death before delivery)	3	...	3	...	-	21	...	20	...	1
	A. With mention of infection	3	...	3	...	-	15	...	14	...	1
	B. Without mention of infection	-	...	-	...	-	6	...	6	...	-
146a	Placenta praevia (with childbirth)	1	...	1	...	-	12	...	9	...	3
146b,c	Other hemorrhages of childbirth and puerperium	6	...	6	...	-	49	...	48	...	1
147a,b	Puerperal pyelitis, other general or local puerperal infection*	2	...	1	...	1	38	...	31	...	7
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	3	...	3	...	-	54	...	49	...	5
148a,b	Puerperal eclampsia and nephritis*	6	...	6	...	-	42	...	40	...	2
148c,d	Other puerperal toxemias	2	...	2	...	-	10	...	8	...	2
149	Other accidents and specified conditions of childbirth	4	...	4	...	-	33	...	29	...	4
150	Other and unspecified conditions of childbirth and puerperium	-	...	-	...	-	24	...	18	...	6
	XII.—Diseases of the skin and cellular tissue	6	4	2	-	-	69	33	26	2	8
151	Carbuncle and furuncle	4	3	1	-	-	9	7	2	-	-
152	Phlegmon and acute abscess	2	1	1	-	-	16	10	5	1	-
153	Other diseases of skin and cellular tissue	-	-	-	-	-	44	16	19	1	8

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8	6	1	1	-	11	3	5	2	1	12	6	6	-	-	39	22	14	2	1	106b
1	1	-	-	-	8	2	3	2	1	3	2	-	1	-	20	6	6	3	5	106c
151	79	66	3	3	427	94	89	115	129	105	49	46	6	4	726	290	262	98	76	107
119	72	46	1	-	418	85	82	130	121	112	60	40	5	7	662	274	178	101	109	108
8	6	2	-	-	113	16	20	32	45	24	6	7	4	7	141	53	46	25	17	109
4	3	1	-	-	7	2	1	2	2	6	3	3	-	-	21	12	7	1	1	
4	3	1	-	-	106	14	19	30	43	18	3	4	4	7	120	41	39	24	16	
9	4	5	-	-	13	3	1	3	6	7	3	4	-	-	23	13	3	3	4	110
6	3	2	-	1	12	5	3	4	-	6	4	2	-	-	21	7	7	7	-	111a
5	3	2	-	-	23	8	6	4	5	19	8	10	-	1	34	18	13	2	1	111b,c
10	9	1	-	-	24	7	5	8	4	14	7	7	-	-	78	33	25	9	11	112
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	-	2	-	113
6	5	1	-	-	14	6	2	5	1	6	5	-	-	1	38	16	8	9	5	114
383	244	135	2	2	874	250	188	238	198	258	142	106	5	5	1,457	651	445	185	176	
6	5	1	-	-	25	4	11	5	5	3	2	1	-	-	34	14	16	2	2	115a,b,d
1	1	-	-	-	21	6	5	3	7	3	2	1	-	-	25	13	8	1	3	115c
3	2	1	-	-	6	2	-	1	3	1	1	-	-	-	7	4	3	-	-	116
41	32	9	-	-	58	29	3	20	6	18	16	1	1	-	124	61	23	31	9	117a
25	19	6	-	-	16	5	5	6	-	11	10	1	-	-	48	40	4	3	1	117b
5	3	2	-	-	37	7	6	13	11	13	5	7	1	-	92	25	9	26	32	118
13	6	7	-	-	275	71	40	87	77	16	9	4	1	2	371	163	137	39	32	119
9	5	4	-	-	59	9	9	21	20	11	5	6	-	-	64	20	30	3	11	120
32	24	8	-	-	81	24	16	23	18	33	22	10	1	-	128	51	43	17	17	121
40	27	12	1	-	24	9	3	8	4	24	13	11	-	-	68	29	22	9	8	122a
31	13	18	-	-	80	16	21	21	22	34	14	19	-	1	135	49	48	14	24	122b
14	11	3	-	-	15	6	3	3	3	5	1	4	-	-	33	12	5	9	7	123
18	12	4	1	1	10	6	3	1	-	1	1	-	-	-	12	9	1	2	-	124a
83	59	23	-	1	90	39	21	20	10	31	18	13	-	-	154	101	32	13	8	124b
1	-	1	-	-	7	3	1	2	1	3	2	1	-	-	12	3	2	4	3	125a
7	3	4	-	-	6	2	2	2	-	6	2	2	1	1	24	10	10	3	1	125b
28	9	19	-	-	20	4	13	1	2	18	8	10	-	-	36	13	18	-	5	126
14	5	9	-	-	29	5	22	1	1	23	10	13	-	-	54	19	24	4	7	127
7	5	2	-	-	5	2	2	-	1	1	1	-	-	-	10	5	3	1	1	128
5	3	2	-	-	10	1	2	-	7	3	-	2	-	1	26	10	7	4	5	129
606	324	270	5	7	1,810	448	343	556	463	357	232	115	9	1	2,226	886	639	403	298	
12	8	4	-	-	67	18	4	26	19	14	11	2	1	-	93	36	29	13	15	130
403	188	203	5	7	1,150	279	230	334	307	171	112	57	2	-	1,040	389	336	160	161	131a
88	48	40	-	-	298	56	59	103	80	86	45	35	5	1	516	204	159	86	67	131b
6	3	3	-	-	106	22	17	34	33	18	9	9	-	-	215	82	63	45	25	132
23	15	8	-	-	46	14	14	10	8	9	6	3	-	-	76	22	29	16	9	133
11	5	6	-	-	22	12	8	2	-	2	1	1	-	-	29	16	6	7	-	134
8	6	2	-	-	11	2	2	7	-	2	1	1	-	-	25	9	3	11	2	135
4	3	1	-	-	9	3	-	6	-	1	1	-	-	-	15	3	2	10	-	136
48	48	...	-	...	76	42	...	34	...	47	46	...	1	...	185	131	...	54	...	137
-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	1	-	...	1	...	138
-	...	-	...	-	17	...	3	...	14	6	...	6	...	-	19	...	4	...	15	139a
3	...	3	...	-	7	...	5	...	2	1	...	1	...	-	10	...	7	...	3	139b
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	2	...	1	...	1	139c
19	...	18	...	1	169	...	47	...	122	16	...	14	...	2	153	...	96	...	57	
2	...	2	...	-	10	...	5	...	5	3	...	3	...	-	15	...	8	...	7	140
-	...	-	...	-	10	...	5	...	5	3	...	3	...	-	9	...	4	...	5	140a,b
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	6	...	4	...	2	140c,d
1	...	1	...	-	12	...	1	...	11	-	...	-	...	-	10	...	6	...	4	141
-	...	-	...	-	2	...	-	...	2	-	...	-	...	-	1	...	1	...	-	141a,c
1	...	1	...	-	4	...	-	...	4	-	...	-	...	-	2	...	2	...	-	141b
-	...	-	...	-	6	...	1	...	5	-	...	-	...	-	6	...	2	...	4	141d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	141e,f
1	...	1	...	-	6	...	3	...	3	1	...	1	...	-	2	...	1	...	1	142a
-	...	-	...	-	6	...	1	...	5	-	...	-	...	-	4	...	3	...	1	142b
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	3	...	2	...	1	143a
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	143b,c
1	...	1	...	-	25	...	5	...	20	1	...	1	...	-	12	...	7	...	5	144a,b
-	...	-	...	-	8	...	3	...	5	-	...	-	...	-	3	...	2	...	1	144c,d
-	...	-	...	-	3	...	1	...	2	1	...	1	...	-	5	...	4	...	1	145
-	...	-	...	-	2	...	1	...	1	1	...	1	...	-	2	...	2	...	-	
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	3	...	2	...	1	
1	...	1	...	-	4	...	-	...	4	1	...	1	...	-	6	...	5	...	1	146a
1	...	1	...	-	20	...	9	...	11	2	...	1	...	1	13	...	10	...	3	146b,c
2	...	2	...	-	19	...	3	...	16	-	...	-	...	-	14	...	7	...	7	147a,b
3	...	3	...	-	7	...	1	...	6	2	...	2	...	-	12	...	10	...	2	147c,d
2	...	2	...	-	23	...	7	...	16	1	...	1	...	-	27	...	13	...	14	148a,b
1	...	1	...	-	10	...	6	...	4	1	...	1	...	-	11	...	7	...	4	148c,d
3	...	3	...	-	3	...	-	...	3	3	...	2	...	1	10	...	8	...	2	149
1	...	-	...	1	11	...	2	...	9	-	...	-	...	-	6	...	3	...	3	150
5	1	4	-	-	10	2	2	4	2	2	-	1	1	-	30	10	13	3	4	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	3	-	-	151
1	-	1	-	-	3	-	1	2	-	1	-	1	-	-	8	4	1	2	1	152
4	1	3	-	-	7	2	1	2	2	1	-	-	1	-	18	5	9	1	3	153

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII.—Diseases of the bones, etc.*	10	3	7	-	-	77	49	23	3	2
154	Osteomyelitis and periostitis	3	2	1	-	-	37	24	9	3	1
155	Other diseases of bones (except tuberculosis)	5	-	5	-	-	10	6	3	-	1
156	Diseases of joints and other organs of movement	2	1	1	-	-	30	19	11	-	-
157	XIV.—Congenital malformations	164	90	68	-	6	1,184	624	487	45	28
	XV.—Diseases peculiar to the first year of life	383	219	149	11	4	3,377	1,763	1,242	198	174
158	Congenital debility (cause not stated)	3	-	1	1	1	113	80	48	9	6
159	Premature birth (cause not stated)	225	129	88	6	2	2,069	1,049	750	138	132
160a	Intracranial or spinal hemorrhage	25	15	9	-	1	271	168	86	12	5
160b,c	Other injuries at birth	70	37	31	2	-	372	199	154	9	10
161	Other diseases peculiar to the first year of life	60	38	20	2	-	522	267	204	30	21
162	XVI.—Senility	240	130	98	5	7	419	148	258	9	4
	XVII.—Violent or accidental deaths	1,436	1,025	373	28	10	7,695	4,930	2,304	347	114
163,164	Suicide	221	166	52	1	2	1,081	742	315	16	8
163	Suicide by poisoning	52	38	14	-	-	310	153	147	5	5
	Suicide by solid or liquid poisons	26	21	5	-	-	63	22	37	2	2
	Suicide by poisonous gases	26	17	9	-	-	247	131	110	3	3
164a	Suicide by hanging or strangulation	32	24	7	1	-	285	209	74	2	-
164b	Suicide by drowning	15	9	6	-	-	40	20	18	2	-
164c	Suicide by firearms and explosives	101	79	21	-	1	360	307	48	4	1
164d	Suicide by cutting or piercing instruments	12	12	-	-	-	36	23	11	2	-
164e	Suicide by jumping from high places	7	3	4	-	-	32	24	7	1	-
164f	Suicide by crushing	2	1	-	-	1	9	3	4	-	2
164g	Suicide by other or unspecified means	-	-	-	-	-	9	3	6	-	-
165-168	Homicide[1]	53	34	8	8	3	255	104	45	87	19
166	Homicide by firearms	32	19	4	7	2	117	49	24	34	10
167	Homicide by cutting or piercing instruments	8	4	2	1	1	61	16	7	31	7
168	Homicide by other means	13	11	2	-	-	77	39	14	22	2
169-195	Accidental deaths	1,153	819	311	18	5	6,343	4,068	1,944	244	87
169	Railway accidents (except collisions with motor vehicles)	22	16	3	3	-	290	254	19	15	2
170a	Collisions between automobiles and trains	14	8	6	-	-	77	51	24	2	-
170b	Collisions between automobiles and streetcars	1	1	-	-	-	31	20	9	2	-
170c	Automobile accidents (except collisions with trains or streetcars)	330	246	80	2	2	1,482	1,095	313	59	15
170d	Motorcycle accidents (except collisions with automobiles)	5	4	1	-	-	23	21	2	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	1	1	-	-	-	94	57	31	5	1
171b	Other and unspecified road-transport accidents	-	-	-	-	-	13	7	3	2	1
172	Water-transport accidents	23	23	-	-	-	34	33	-	1	-
173	Air-transport accidents	37	34	2	1	-	66	59	7	-	-
174	Accidents in mines and quarries	5	5	-	-	-	334	326	3	5	-
175a	Accidents involving agricultural machinery and vehicles	16	16	-	-	-	43	41	2	-	-
175b,c	Other agricultural accidents, including injury by animals	22	18	3	1	-	50	43	7	-	-
175d	Accidents involving forestry machinery and vehicles	11	11	-	-	-	1	1	-	-	-
175e	Other forestry accidents	54	54	-	-	-	2	2	-	-	-
176	Other accidents involving machinery	22	21	-	1	-	85	72	4	9	-
177	Food poisoning	1	-	1	-	-	19	10	7	2	-
178	Accidental absorption of poisonous gas	16	14	2	-	-	232	131	75	19	7
179	Acute accidental poisoning by solids or liquids	20	8	11	-	1	85	47	34	1	3
180	Conflagration	60	32	27	1	-	192	97	75	11	9
181	Accidental burns (except conflagration)	34	20	14	-	-	286	131	121	19	15
182	Accidental mechanical suffocation	21	11	10	-	-	73	40	17	13	3
183	Accidental drowning	99	79	14	6	-	299	237	39	20	3
184	Accidental injury by firearms	28	21	7	-	-	91	74	10	6	1
185	Accidental injury by cutting or piercing instruments	-	-	-	-	-	14	7	4	3	-
186a	Accidental injury by fall	225	114	109	1	1	1,971	881	1,045	28	17
186b	Accidental injury by crushing	6	6	-	-	-	29	25	2	1	1
187	Cataclysm, etc.	6	4	2	-	-	3	2	1	-	-
188	Injury by animals (except in agriculture and forestry)	4	4	-	-	-	6	3	3	-	-
189	Hunger or thirst	-	-	-	-	-	1	1	-	-	-
190	Excessive cold	-	-	-	-	-	14	11	2	-	1
191	Excessive heat	3	3	-	-	-	29	15	9	3	2
192	Lightning	-	-	-	-	-	11	8	3	-	-
193	Accidents due to electric currents (except lightning)	12	10	2	-	-	46	42	3	1	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	2	1	-	1	-
195a,b	Accidents due to medical or surgical intervention	1	1	-	-	-	3	2	-	-	1
195d	Obstruction, suffocation, or puncture by ingested objects	8	2	6	-	-	63	38	18	4	3
195c,e	Other and unspecified accidents	46	32	11	2	1	249	183	52	12	2
196	Deaths of military personnel during operations of war	-	-	-	-	-	16	16	-	-	-
197	Deaths of civilians due to operations of war	6	4	2	-	-	-	-	-	-	-
198	Legal executions	3	2	-	1	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	109	73	29	4	3	617	374	167	57	19
199	Sudden death	9	7	2	-	-	17	9	8	-	-
200a	Ill-defined	76	55	20	1	-	469	298	134	40	17
200b	Found dead (cause unknown)	3	2	1	-	-	52	37	7	7	1
200c	Unknown or unspecified	21	9	6	3	3	59	30	18	10	1

* Refer to International List for complete title, table V, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
3	3	-	-	-	11	4	3	3	1	7	3	3	1	-	13	7	3	2	1	
1	1	-	-	-	6	2	1	3	-	3	2	1	-	-	8	5	2	1	-	154
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	155
1	1	-	-	-	5	2	2	-	1	4	1	2	1	-	4	1	1	1	1	156
101	46	52	1	2	177	80	62	20	15	76	43	30	3	-	318	170	114	18	16	157
195	111	73	7	4	933	335	207	210	181	193	89	88	11	5	1,244	601	404	135	104	
3	2	1	-	-	45	10	4	18	13	6	2	1	1	2	93	41	26	19	7	158
126	68	47	7	4	666	239	154	139	134	108	50	48	8	2	769	370	243	78	78	159
16	12	4	-	-	59	30	12	8	9	23	17	5	1	-	111	64	33	9	5	160a
26	16	10	-	-	55	24	10	13	8	31	13	17	1	-	122	56	51	10	5	160b,c
24	13	11	-	-	108	32	27	32	17	25	7	17	-	1	149	70	51	19	9	161
15	8	7	-	-	71	9	22	15	25	153	73	70	8	2	405	141	163	45	56	162
441	268	160	7	6	1,693	762	238	524	174	447	316	111	18	2	2,335	1,317	522	364	132	
61	47	14	-	-	100	78	18	3	1	56	48	7	1	-	206	142	50	12	2	163,164
19	11	8	-	-	20	12	7	1	-	7	6	1	-	-	40	17	22	1	-	163
4	3	1	-	-	15	7	7	1	-	5	4	1	-	-	33	16	16	1	-	
15	8	7	-	-	5	5	-	-	-	2	2	-	-	-	7	1	6	-	-	
21	18	3	-	-	9	9	-	-	-	19	18	1	-	-	25	21	4	-	-	164a
6	3	3	-	-	1	1	-	-	-	2	-	2	-	-	12	7	4	1	-	164b
9	9	-	-	-	60	51	7	2	-	23	19	3	1	-	105	80	16	8	1	164c
4	4	-	-	-	6	4	2	-	-	2	2	-	-	-	11	10	1	-	-	164d
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	3	2	1	-	-	164e
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	164f
1	1	-	-	-	2	1	-	-	1	2	2	-	-	-	10	5	2	2	1	164g
8	4	4	-	-	205	50	13	112	30	11	5	2	3	1	310	108	20	149	33	165-168
2	2	-	-	-	127	39	10	64	14	7	4	2	1	-	196	77	14	90	15	166
2	1	1	-	-	51	4	-	37	10	-	-	-	-	-	74	8	3	46	17	167
4	1	3	-	-	27	7	3	11	6	4	1	-	2	1	40	23	3	13	1	168
372	217	142	7	6	1,387	629	207	408	143	380	263	102	14	1	1,810	1,061	451	201	97	169-195
5	4	1	-	-	48	19	2	21	6	5	3	-	1	1	70	54	6	9	1	169
5	1	4	-	-	21	16	3	1	1	6	5	1	-	-	34	21	8	4	1	170a
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	170b
89	70	19	-	-	462	239	60	137	26	97	72	19	6	-	515	356	90	48	21	170c
-	-	-	-	-	8	8	-	-	-	2	2	-	-	-	10	8	1	1	-	170d
2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	1	171a
-	-	-	-	-	9	3	1	5	-	-	-	-	-	-	7	5	1	1	-	171b
6	6	-	-	-	27	13	1	12	1	-	-	-	-	-	32	23	6	3	-	172
3	3	-	-	-	92	85	4	2	1	4	4	-	-	-	74	71	3	-	-	173
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	25	25	-	-	-	174
-	-	-	-	-	7	1	-	6	-	40	37	3	-	-	11	8	1	1	1	175a
-	-	-	-	-	12	3	-	9	-	15	13	1	1	-	36	30	1	4	1	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	4	2	-	2	-	-	-	-	-	-	4	4	-	-	-	175e
8	6	1	1	-	17	10	-	7	-	1	1	-	-	-	21	15	1	4	1	176
-	-	-	-	-	9	4	1	3	1	2	1	1	-	-	19	3	11	3	2	177
18	10	7	-	1	6	3	-	2	1	8	6	2	-	-	14	11	3	-	-	178
5	4	1	-	-	18	4	3	6	5	7	5	1	1	-	28	7	14	3	4	179
13	8	5	-	-	78	23	11	21	23	11	9	2	-	-	80	33	21	14	12	180
12	7	5	-	-	113	15	22	37	39	23	12	11	-	-	138	40	53	20	25	181
8	4	2	2	-	31	7	8	9	7	4	3	-	1	-	22	11	9	1	1	182
29	22	4	-	3	85	37	7	40	1	25	17	7	1	-	100	65	12	23	-	183
2	1	-	1	-	62	26	6	22	8	12	12	-	-	-	76	43	9	18	6	184
1	1	-	-	-	8	4	-	4	-	1	1	-	-	-	5	2	1	1	1	185
148	57	87	2	2	139	51	54	23	11	99	46	52	1	-	299	114	153	17	15	186a
2	2	-	-	-	3	-	-	3	-	1	1	-	-	-	5	4	-	1	-	186b
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	187
-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	4	3	1	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	189
-	-	-	-	-	4	1	1	-	2	1	-	-	1	-	8	5	1	2	-	190
-	-	-	-	-	8	2	1	5	-	2	2	-	-	-	11	4	1	5	1	191
-	-	-	-	-	13	3	3	6	1	4	4	-	-	-	10	6	2	2	-	192
2	2	-	-	-	6	4	1	1	-	-	-	-	-	-	24	23	1	-	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	194
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	195a,b
3	1	1	1	-	17	6	6	-	5	4	1	2	1	-	15	10	1	2	2	195d
10	6	4	-	-	75	37	12	22	4	4	4	-	-	-	105	52	38	14	1	195c,e
-	-	-	-	-	4	4	-	-	-	-	-	-	-	-	6	6	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	197
-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	2	-	-	2	-	198
23	15	7	1	-	892	115	61	365	331	112	51	16	24	21	1,459	636	407	223	193	
3	2	1	-	-	37	11	5	12	9	9	7	1	-	1	104	54	29	11	10	199
16	9	6	1	-	319	63	24	120	112	45	34	8	3	-	233	101	58	39	35	200a
3	3	-	-	-	5	3	-	1	1	3	3	-	-	-	79	46	22	9	2	200b
1	1	-	-	-	531	38	32	252	209	55	7	7	21	20	1,043	435	298	164	146	200c

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	58,853	28,848	19,935	5,422	4,648	4,859	2,733	2,000	88	38
	I.—Infectious and parasitic diseases	5,741	2,635	1,809	744	553	203	116	66	16	5
1	Typhoid fever	49	16	16	9	8	-	-	-	-	-
2	Paratyphoid fever	5	1	3	-	1	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	15	10	3	2	-	1	1	-	-	-
6	Cerebrospinal (meningococcus) meningitis	60	27	21	5	7	7	4	3	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	3	2	-	-	1	-	1	-	-
9	Whooping cough	97	38	37	7	15	4	3	1	-	-
10	Diphtheria (infection by C. diphtheriae)	160	78	59	10	13	-	-	-	-	-
11	Erysipelas	8	4	4	-	-	-	-	-	-	-
12	Tetanus	136	61	37	24	14	-	-	-	-	-
13-22	Tuberculosis (all forms)	2,966	1,403	982	313	268	79	49	17	11	2
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	2	2	-	-	-	16	16	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	2,787	1,325	923	291	248	53	27	13	11	2
14	Tuberculosis of meninges and central nervous system	64	27	23	6	8	2	1	1	-	-
15	Tuberculosis of intestines and peritoneum	27	7	13	2	5	-	-	-	-	-
16	Tuberculosis of vertebral column	12	4	3	3	2	-	-	-	-	-
17a	Tuberculosis of bones (except vertebral column)	5	3	1	1	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	-	-	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	2	1	-	-	1	-	-	-	-	-
20	Tuberculosis of genito-urinary system	14	10	2	1	1	6	4	2	-	-
21	Tuberculosis of other organs	2	-	2	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	40	19	11	8	2	2	1	1	-	-
22b	Disseminated tuberculosis (other and unspecified)	11	5	4	1	1	-	-	-	-	-
23	Leprosy	3	2	-	-	1	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	73	34	19	10	10	4	4	-	-	-
25	Gonococcus infection	1	-	-	-	1	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	6	5	-	1	-	2	2	-	-	-
27	Dysentery	393	191	162	25	15	7	2	2	2	1
28	Malaria	52	23	13	7	9	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	702	297	92	231	82	27	15	7	3	2
30a	Locomotor ataxia (tabes dorsalis)	12	6	5	1	-	-	-	-	-	-
30b	General paralysis of insane	273	119	32	103	19	11	6	4	1	-
30c	Other syphilis of central nervous system	58	25	8	20	5	3	3	-	-	-
30d	Aneurysm of aorta	118	67	12	29	10	8	4	2	1	1
30e	Other syphilis of circulatory system	41	11	5	23	2	1	1	-	-	-
30f,g	Congenital, other and unspecified forms of syphilis	200	69	30	55	46	4	1	1	1	1
31	Relapsing fever	1	-	1	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	16	8	3	4	1	3	2	1	-	-
33a	Influenza, with respiratory complications specified	355	135	127	41	52	13	6	7	-	-
33b	Influenza, without respiratory complications specified	296	117	113	34	32	17	6	11	-	-
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	21	7	9	2	3	2	1	1	-	-
36	Acute poliomyelitis and acute polioencephalitis	129	66	48	4	11	20	11	9	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	19	8	9	1	1	-	-	-	-	-
37b	Sequelae of encephalitis lethargica	3	2	1	-	-	1	1	-	-	-
38	Other diseases due to filtrable viruses	13	9	3	1	-	2	2	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	57	37	11	5	4	4	3	1	-	-
40	Ankylostomiasis	1	-	-	-	1	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	2	2	-	-	-	1	-	1	-	-
43	Mycoses	9	4	1	2	2	-	-	-	-	-
44	Other infectious and parasitic (communicable) diseases	88	47	33	6	2	8	4	4	-	-
	II.—Cancer and other tumors	6,306	2,727	2,798	330	451	540	256	264	20	-
45-55	Cancer and other malignant tumors	6,011	2,630	2,660	314	407	516	248	248	20	-
45	Cancer of buccal cavity and pharynx	200	138	43	11	8	6	5	1	-	-
45a-e	Cancer of buccal cavity	114	76	29	3	6	3	3	-	-	-
45f	Cancer of pharynx	86	62	14	8	2	3	2	1	-	-
46	Cancer of digestive organs and peritoneum	2,402	1,152	972	155	123	238	125	97	16	-
46a	Cancer of esophagus	69	40	19	9	1	8	7	1	-	-
46b,c	Cancer of stomach and duodenum	848	431	288	77	52	100	58	32	10	-
46f	Cancer of liver and biliary passages	463	213	190	35	25	29	13	15	1	-
46g	Cancer of pancreas	224	122	92	6	4	18	11	7	-	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	798	346	383	28	41	83	36	42	5	-
47	Cancer of respiratory system	449	318	98	29	4	34	23	9	2	-
48	Cancer of uterus	657	...	521	...	136	44	...	44	...	-
49	Cancer of other female genital organs	137	...	124	...	13	16	...	16	...	-
50	Cancer of breast	445	2	381	-	62	58	-	58	-	-
51	Cancer of male genital organs	373	317	...	56	...	47	47	...	-	...
52	Cancer of urinary organs (male and female)	240	121	91	13	15	18	13	4	1	-
53	Cancer of skin (except vulva and scrotum)	218	151	62	5	-	9	7	2	-	-
54	Cancer of central nervous system*	98	53	43	2	-	12	6	6	-	-
55	Cancer of other and unspecified organs	792	378	325	43	46	34	22	11	1	-
56a	Nonmalignant tumors of ovary	18	...	16	...	2	2	...	2	...	-
56b	Nonmalignant tumors of uterus	45	...	22	...	23	2	...	2	...	-
56c	Nonmalignant tumors of other female genital organs	1	...	1	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	47	20	18	5	4	7	2	5	-	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,007	2,177	1,828	1	1	28,641	11,246	8,229	5,042	4,124	21,890	12,859	8,405	398	228	16,630	8,800	6,572	718	540	
186	123	63	-	-	2,528	761	575	709	483	1,213	689	380	90	54	1,377	704	486	112	75	
-	-	-	-	-	19	6	7	5	1	3	1	1	-	1	7	4	3	-	-	1
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	1	-	-	-	3	1	1	1	-	-	-	-	-	-	5
4	2	2	-	-	52	22	14	13	3	22	13	9	-	-	29	16	12	1	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
1	-	1	-	-	12	5	3	1	3	3	2	1	-	-	8	5	3	-	-	8
8	7	1	-	-	74	19	17	20	18	6	2	2	2	-	60	25	32	2	1	9
2	2	-	-	-	43	20	18	2	3	38	17	19	1	1	38	21	16	1	-	10
1	1	-	-	-	3	-	1	1	1	2	1	1	-	-	1	-	1	-	-	11
-	-	-	-	-	13	3	2	2	6	-	-	-	-	-	6	5	1	-	-	12
110	72	38	-	-	1,366	407	295	374	290	706	394	207	66	39	719	336	266	68	49	13-22
20	19	1	-	-	4	3	-	1	-	7	7	-	-	-	7	5	-	2	-	13a
82	49	33	-	-	1,231	372	266	330	263	611	348	172	59	32	656	306	244	63	43	13b,c
3	1	2	-	-	38	9	10	12	7	19	5	9	5	-	22	13	7	-	2	14
1	1	-	-	-	27	8	6	9	4	14	3	7	1	3	8	2	4	1	1	15
2	-	2	-	-	12	6	2	4	-	13	6	6	-	1	6	1	4	-	1	16
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	17a
-	-	-	-	-	3	1	1	-	1	2	1	1	-	-	2	1	1	-	-	17b
-	-	-	-	-	2	-	1	-	1	1	1	-	-	-	1	-	1	-	-	18
-	-	-	-	-	5	1	2	2	-	3	2	1	-	-	1	1	-	-	-	19
1	1	-	-	-	8	4	1	1	2	11	10	1	-	-	7	3	3	-	1	20
-	-	-	-	-	1	-	-	1	-	3	3	-	-	-	-	-	-	-	-	21
1	1	-	-	-	31	3	6	11	11	20	6	10	1	3	5	1	1	2	1	22a
-	-	-	-	-	4	-	-	3	1	1	1	-	-	-	2	1	1	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	1	-	-	-	20	7	8	5	-	17	8	8	-	1	8	5	2	-	1	24
-	-	-	-	-	12	1	3	3	5	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	4	3	1	-	-	1	1	-	-	-	-	-	-	-	-	26
3	2	1	-	-	80	21	29	19	11	17	12	3	1	1	51	26	23	1	1	27
1	1	-	-	-	2	1	-	1	-	-	-	-	-	-	1	1	-	-	-	28
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	29
16	11	5	-	-	368	82	32	190	64	190	128	40	14	8	213	123	42	33	15	30
2	2	-	-	-	13	3	6	3	1	10	9	-	-	1	1	1	-	-	-	30a
5	2	3	-	-	122	22	-	80	20	44	35	7	2	-	70	47	11	8	4	30b
-	-	-	-	-	50	14	3	26	7	23	16	5	2	-	33	16	8	6	3	30c
4	3	1	-	-	62	20	10	28	4	53	40	9	3	1	28	20	5	3	-	30d
-	-	-	-	-	15	4	-	9	2	7	4	-	3	-	11	5	2	2	2	30e
5	4	1	-	-	106	19	13	44	30	53	24	19	4	6	70	34	16	14	6	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	7	3	3	1	-	7	3	3	1	-	2	2	-	-	-	32
13	7	6	-	-	209	68	57	45	39	55	27	23	3	2	119	62	48	3	6	33a
10	6	4	-	-	125	41	45	14	25	49	24	24	-	1	69	42	23	2	2	33b
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	34
-	-	-	-	-	3	2	1	-	-	9	2	6	1	-	4	2	2	-	-	35
3	2	1	-	-	27	12	10	-	5	25	15	10	-	-	11	8	3	-	-	36
1	1	-	-	-	7	3	3	-	1	16	9	7	-	-	2	2	-	-	-	37a,c
3	1	2	-	-	3	1	1	1	-	1	1	-	-	-	1	1	-	-	-	37b
1	1	-	-	-	5	2	2	-	1	1	1	-	-	-	2	1	1	-	-	38
-	-	-	-	-	21	10	9	-	2	1	-	1	-	-	8	5	3	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	41
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	42
1	-	1	-	-	5	1	2	-	2	4	3	1	-	-	2	-	2	-	-	43
7	6	1	-	-	44	17	12	12	3	33	20	13	-	-	15	11	3	1	-	44
549	261	288	-	-	2,878	1,064	1,162	263	389	2,815	1,359	1,425	16	15	1,770	764	894	52	60	
530	254	276	-	-	2,754	1,029	1,118	259	348	2,732	1,327	1,374	16	15	1,714	745	864	50	55	45-55
12	10	2	-	-	80	52	18	5	5	52	37	14	1	-	45	33	9	2	1	45
7	7	-	-	-	55	38	11	4	2	30	24	6	-	-	29	20	7	1	1	45a-e
5	3	2	-	-	25	14	7	1	3	22	13	8	1	-	16	13	2	1	-	45f
225	118	107	-	-	1,096	435	398	149	114	1,276	733	526	8	9	774	369	357	31	17	46
5	3	2	-	-	38	24	7	6	1	31	21	9	1	-	12	8	4	-	-	46a
70	44	26	-	-	402	176	106	77	41	474	317	150	3	4	277	149	106	16	4	46b,c
18	9	9	-	-	176	52	78	21	25	156	68	84	2	2	157	69	79	7	2	46f
18	9	9	-	-	65	34	22	5	4	140	86	52	-	2	54	25	26	2	1	46g
114	53	61	-	-	415	149	183	40	43	475	241	231	2	1	274	118	140	6	10	46d,e,h,m
40	27	13	-	-	223	148	45	22	8	173	134	38	1	-	117	83	30	3	1	47
51	...	51	...	-	342	...	224	...	118	237	...	235	...	2	221	...	199	...	22	48
13	...	13	...	-	54	...	42	...	12	87	...	87	...	-	35	...	33	...	2	49
60	1	59	-	-	259	5	201	1	52	269	1	266	-	2	112	1	104	-	7	50
53	53	...	-	...	189	144	...	45	...	179	177	...	2	...	108	98	...	10	...	51
23	14	9	-	-	120	54	44	14	8	138	81	54	3	-	57	38	16	2	1	52
12	8	4	-	-	72	40	24	3	5	53	31	21	-	1	47	27	20	-	-	53
8	5	3	-	-	64	40	20	3	1	50	27	22	1	-	30	21	9	-	-	54
33	18	15	-	-	255	111	102	17	25	218	106	111	-	1	168	75	87	2	4	55
3	...	3	...	-	9	...	6	...	3	10	...	10	...	-	10	...	9	...	1	56a
-	...	-	...	-	40	...	12	...	28	13	...	13	...	-	9	...	5	...	4	56b
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	56c
-	-	-	-	-	15	7	6	1	1	23	16	7	-	-	8	3	5	-	-	56d,e

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	4	...	4	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	2	...	1	...	1	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	2	...	1	...	1	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	176	77	75	11	13	13	6	7	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,467	493	738	81	155	170	68	99	2	1
58a-d	Acute rheumatic heart diseases	22	8	8	1	5	5	1	4	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	32	14	10	4	4	5	2	3	-	-
59	Chronic rheumatism and other rheumatic diseases	83	27	48	2	6	6	2	4	-	-
60	Gout	1	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	936	342	458	49	87	126	55	70	1	-
62	Diseases of pituitary gland	6	-	6	-	-	-	-	-	-	-
63a	Simple goiter	6	1	3	-	2	1	-	1	-	-
63b	Exophthalmic goiter	55	6	37	1	11	18	2	15	1	-
63c-e	Other diseases of thyroid and parathyroid glands	18	4	11	1	2	1	-	-	-	1
64	Diseases of thymus gland	46	26	15	2	3	5	3	2	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	13	2	10	1	-	1	1	-	-	-
66	Other general diseases	52	20	21	5	6	2	2	-	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	1	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	175	35	100	12	28	-	-	-	-	-
70	Rickets	8	1	5	1	1	-	-	-	-	-
71	Other avitaminoses	13	5	6	2	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	427	219	162	27	19	43	24	15	3	1
72	Hemorrhagic conditions	41	14	24	2	1	7	3	4	-	-
73a	Pernicious anemia	53	26	19	6	2	6	4	2	-	-
73b-d	Other anemias (except splenic)	64	25	22	8	9	1	1	-	-	-
74a	Leukemias	224	133	77	7	7	27	15	8	3	1
74b	Aleukemias	11	4	4	3	-	1	1	-	-	-
75	Diseases of spleen	20	12	8	-	-	1	-	1	-	-
76	Other diseases of the blood and blood-forming organs	14	5	8	1	-	-	-	-	-	-
	V.—Chronic poisoning and intoxication	77	56	18	3	-	6	5	1	-	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	1	1	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	70	52	15	3	-	6	5	1	-	-
78	Lead poisoning	2	1	1	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	4	2	2	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	5,849	2,498	2,182	539	630	459	214	234	5	6
80	Encephalitis (nonepidemic)	126	62	40	11	13	9	5	3	-	1
81	Meningitis (not due to meningococcus)	141	66	53	7	15	10	4	6	-	-
82	Diseases of spinal cord (see exceptions)*	80	44	25	3	8	9	4	4	-	1
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	4,350	1,835	1,624	405	486	352	166	179	3	4
83b	Cerebral embolism and thrombosis	239	108	95	19	17	36	17	19	-	-
83c	Cerebral softening	15	9	5	1	-	-	-	-	-	-
83d	Hemiplegia and other paralysis of unspecified origin	419	176	136	49	58	11	3	6	2	-
84	Mental diseases and deficiency (see exception)*	125	38	59	15	13	5	2	3	-	-
85	Epilepsy	109	57	38	7	7	10	6	4	-	-
86	Convulsions (under 5 years)	30	9	14	6	1	2	-	2	-	-
87	Other diseases of nervous system	157	73	62	13	9	11	6	5	-	-
88	Diseases of organs of vision	5	2	2	1	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	48	18	25	2	3	4	1	3	-	-
89b	Diseases of mastoid process	5	1	4	-	-	-	-	-	-	-
	VII.—Diseases of the circulatory system	14,031	7,673	4,301	1,089	968	1,518	887	609	15	7
90-95	Diseases of the heart (all forms)	13,045	7,208	3,933	998	906	1,422	835	565	15	7
90	Pericarditis (except acute rheumatic)	22	9	5	6	2	2	1	1	-	-
91a,b	Bacterial and other acute or subacute endocarditis	74	31	19	13	11	5	3	2	-	-
91c	Endocarditis (unspecified, under 45 years)	24	10	6	3	5	-	-	-	-	-
92a-d	Chronic endocarditis and diseases of the valves*	825	381	282	81	81	163	79	84	-	-
92e	Endocarditis (unspecified, 45 years and over)	142	59	51	19	13	5	2	3	-	-
93a	Acute myocarditis (except rheumatic)	158	60	56	23	19	16	7	7	1	1
93b	Myocarditis (unspecified, under 45 years)	60	16	14	10	20	-	-	-	-	-
93c,d	Chronic myocarditis and myocardial degeneration	3,448	1,680	1,241	262	265	566	287	271	5	3
93e	Other myocarditis (unspecified)	1,064	512	357	102	93	56	34	20	2	-
94a	Diseases of coronary arteries	4,835	3,174	1,259	212	190	448	326	115	7	-
94b	Angina pectoris	362	217	90	30	25	11	7	4	-	-
95a	Functional diseases of heart, etc.*	99	52	36	5	6	4	2	2	-	-
95b,c	Other and unspecified diseases of heart	1,932	1,007	507	232	186	146	87	56	-	3
96	Aneurysm (except of heart and aorta)	32	18	7	5	2	2	1	1	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	576	289	213	45	29	75	41	34	-	-
98	Gangrene	31	11	9	6	5	-	-	-	-	-
99	Other diseases of arteries	100	41	40	11	8	6	3	3	-	-
100	Diseases of veins	32	13	16	2	1	6	3	3	-	-
101	Diseases of lymphatic system	10	5	3	2	-	-	-	-	-	-
102	High blood pressure (idiopathic)	174	70	74	17	13	5	2	3	-	-
103	Other diseases of circulatory system	31	18	6	3	4	2	2	-	-	-
	VIII.—Diseases of the respiratory system	3,575	1,620	1,287	378	290	223	137	81	1	4
104a	Diseases of nasal fossae	13	5	4	2	2	1	-	1	-	-
104b	Diseases of accessory sinuses	14	9	4	-	1	2	1	1	-	-
105	Diseases of larynx	23	12	5	4	2	5	3	2	-	-
106a	Acute bronchitis	33	16	10	5	2	4	2	2	-	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57b
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	57c
16	7	9	-	-	57	28	19	3	7	36	16	20	-	-	29	16	11	2	-	57d,e
124	44	80	-	-	781	248	332	72	129	613	261	343	3	6	479	165	282	10	22	
1	1	-	-	-	19	6	5	1	7	9	6	3	-	-	15	7	7	-	1	58a-d
-	-	-	-	-	17	4	2	3	8	7	2	5	-	-	13	5	8	-	-	58e,f
11	3	8	-	-	53	20	25	1	7	33	16	17	-	-	23	12	10	-	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
101	35	66	-	-	559	179	248	47	85	465	195	264	2	4	355	122	209	6	18	61
-	-	-	-	-	1	-	-	-	1	2	1	-	-	1	-	-	-	-	-	62
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	1	-	-	1	-	63a
4	-	4	-	-	44	12	22	1	9	40	11	28	-	1	37	2	32	1	2	63b
1	-	1	-	-	8	3	3	1	1	5	2	3	-	-	3	1	2	-	-	63c-e
2	2	-	-	-	21	7	6	4	4	30	17	12	1	-	10	6	3	1	-	64
3	2	1	-	-	8	2	4	2	-	10	4	6	-	-	4	1	3	-	-	65
1	1	-	-	-	12	3	6	2	1	4	3	1	-	-	14	5	8	1	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	67
-	-	-	-	-	3	1	1	-	1	1	1	-	-	-	-	-	-	-	-	68
-	-	-	-	-	29	9	9	7	4	4	2	2	-	-	1	1	-	-	-	69
-	-	-	-	-	5	-	1	3	1	-	-	-	-	-	2	2	-	-	-	70
-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	71
37	27	10	-	-	203	81	82	20	20	214	123	88	2	1	137	70	63	2	2	
1	-	1	-	-	14	6	6	2	-	13	6	7	-	-	9	3	6	-	-	72
10	7	3	-	-	30	11	11	4	4	43	22	21	-	-	29	14	15	-	-	73a
3	1	2	-	-	26	8	8	5	5	18	12	6	-	-	18	8	8	1	1	73b-d
15	12	3	-	-	110	45	50	7	8	114	67	44	2	1	69	36	31	1	1	74a
1	1	-	-	-	7	4	1	1	1	10	7	3	-	-	1	-	1	-	-	74b
7	6	1	-	-	11	4	6	-	1	5	2	3	-	-	7	6	1	-	-	75
-	-	-	-	-	5	3	-	1	1	11	7	4	-	-	4	3	1	-	-	76
7	5	2	-	-	61	34	8	13	6	98	86	11	1	-	36	30	3	3	-	
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	-	1	-	77a,b
6	4	2	-	-	58	32	7	13	6	98	86	11	1	-	31	27	2	2	-	77c-e
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	3	2	1	-	-	79
495	219	275	-	1	3,317	1,043	1,042	599	633	2,325	1,222	1,054	33	16	1,830	880	824	67	59	
-	-	-	-	-	33	13	9	8	3	17	11	6	-	-	23	10	11	1	1	80
6	3	3	-	-	37	9	12	11	5	43	27	11	4	1	53	24	26	2	1	81
4	2	2	-	-	43	24	8	9	2	33	14	19	-	-	34	22	12	-	-	82
373	154	218	-	1	2,690	799	835	491	565	1,852	969	850	22	11	1,401	657	644	50	50	83a
68	36	32	-	-	150	61	58	19	12	145	84	58	1	2	89	53	34	2	-	83b
2	1	1	-	-	19	8	9	-	2	13	9	4	-	-	2	1	1	-	-	83c
6	1	5	-	-	161	50	64	22	25	65	31	32	2	-	94	54	35	4	1	83d
4	-	4	-	-	23	9	7	3	4	20	8	12	-	-	31	7	19	2	3	84
14	9	5	-	-	69	29	15	17	8	31	13	16	1	1	31	10	17	4	-	85
-	-	-	-	-	16	7	3	4	2	7	3	3	1	-	15	11	4	-	-	86
15	10	5	-	-	60	27	19	10	4	82	46	36	-	-	38	23	13	1	1	87
1	1	-	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	88
2	2	-	-	-	14	5	3	5	1	11	4	6	1	-	13	8	3	-	2	89a
-	-	-	-	-	2	2	-	-	-	3	1	1	-	1	6	-	5	1	-	89b
1,452	809	642	1	-	7,892	3,571	2,131	1,230	960	7,377	4,658	2,611	67	41	4,247	2,402	1,571	162	112	
1,310	722	587	1	-	7,358	3,373	1,966	1,123	896	6,781	4,289	2,390	63	39	3,900	2,221	1,436	140	103	90-95
1	-	1	-	-	12	8	-	1	3	8	2	6	-	-	3	1	2	-	-	90
7	4	3	-	-	34	7	8	9	10	31	18	12	-	1	17	5	9	1	2	91a,b
2	1	1	-	-	14	1	1	4	8	3	3	-	-	-	7	2	4	-	1	91c
129	70	58	1	-	699	270	181	128	120	793	447	329	12	5	381	204	155	13	9	92a-d
2	1	1	-	-	72	12	12	26	22	46	26	19	1	-	77	35	38	3	1	92e
6	6	-	-	-	60	17	18	18	7	35	15	19	1	-	37	17	19	1	-	93a
2	-	2	-	-	25	4	3	7	11	2	1	1	-	-	8	2	4	-	2	93b
641	305	336	-	-	2,933	1,142	911	475	405	2,395	1,285	1,077	15	18	1,211	604	516	52	39	93c,d
41	19	22	-	-	533	205	157	96	75	307	179	127	1	-	355	181	148	15	11	93e
371	250	121	-	-	2,012	1,262	444	184	122	2,594	1,958	604	22	10	1,148	805	298	27	18	94a
43	24	19	-	-	143	87	31	12	13	82	59	23	-	-	82	58	22	-	2	94b
1	1	-	-	-	22	16	4	2	-	20	12	7	1	-	23	10	12	1	-	95a
64	41	23	-	-	799	342	196	161	100	465	284	166	10	5	551	297	209	27	18	95b,c
3	1	2	-	-	22	13	6	1	2	28	15	13	-	-	13	6	3	1	3	96
124	77	47	-	-	360	136	121	81	42	461	287	170	4	-	258	137	101	14	6	97
2	-	2	-	-	17	4	4	5	4	8	6	2	-	-	6	1	4	1	-	98
5	4	1	-	-	41	16	17	7	1	28	19	9	-	-	26	15	9	2	-	99
3	1	2	-	-	23	9	10	1	3	22	13	8	-	1	8	3	4	1	-	100
1	1	-	-	-	1	-	-	-	1	2	2	-	-	-	4	1	-	3	-	101
4	3	1	-	-	34	10	7	9	8	42	22	19	-	1	29	16	13	-	-	102
-	-	-	-	-	16	10	-	3	3	5	5	-	-	-	3	2	1	-	-	103
192	111	81	-	-	1,676	603	450	349	274	1,053	626	361	40	26	1,055	547	427	49	32	
2	1	1	-	-	13	1	2	6	4	3	1	1	-	1	7	5	2	-	-	104a
1	-	1	-	-	9	3	2	3	1	1	1	-	-	-	5	2	3	-	-	104b
-	-	-	-	-	14	4	6	1	3	2	2	-	-	-	8	6	2	-	-	105
5	3	2	-	-	23	8	4	7	4	6	3	3	-	-	10	4	6	-	-	106a

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	80	44	27	9	-	6	5	1	-	-
106c	Bronchitis (unspecified)	52	24	25	-	3	4	4	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	1,063	502	405	85	71	85	43	39	-	3
108	Lobar pneumonia	796	339	273	106	78	66	46	20	-	-
109	Pneumonia (unspecified)	832	403	337	110	82	19	15	4	-	-
	A. Atypical or virus pneumonia	50	22	22	3	3	4	3	1	-	-
	B. Pneumonia (all other, unspecified)	882	381	315	107	79	15	12	3	-	-
110	Pleurisy (not specified as tuberculous)	77	34	17	14	12	2	1	-	1	-
111a	Hemorrhagic infarction and thrombosis of lungs	91	41	36	6	8	4	3	1	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	183	84	80	11	8	7	2	5	-	-
112	Asthma	127	62	39	16	10	10	6	3	-	1
113	Pulmonary emphysema	11	9	1	-	1	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	80	36	24	10	10	8	6	2	-	-
	IX.—Diseases of the digestive system	3,881	1,805	1,465	308	303	257	144	106	4	3
115a,b,d	Diseases of buccal cavity and adnexa	64	19	27	6	12	7	4	3	-	-
115c	Diseases of pharynx and tonsils	50	25	14	5	6	11	5	5	1	-
116	Diseases of esophagus	10	8	-	1	1	1	-	1	-	-
117a	Ulcer of stomach	197	137	29	22	9	21	17	4	-	-
117b	Ulcer of duodenum	87	71	13	3	-	21	16	5	-	-
118	Other diseases of stomach (except cancer)	241	102	56	39	44	7	6	1	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 yr.)	1,225	568	543	62	52	40	26	12	2	-
120	Diarrhea, enteritis, and ulceration of intestines (2 yr. and over)	191	76	81	11	23	7	3	3	-	1
121	Appendicitis	346	165	105	38	38	33	22	11	-	-
122a	Hernia	141	73	51	14	3	13	7	6	-	-
122b	Intestinal obstruction	354	111	154	37	52	24	7	15	1	1
123	Other diseases of intestines	83	34	31	11	7	3	2	1	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	11	9	2	-	-	5	5	-	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	409	235	126	24	24	23	9	13	-	1
125a	Acute yellow atrophy of liver (nonpuerperal)	40	18	16	3	3	2	1	1	-	-
125b	Other diseases of liver	84	38	26	13	7	5	3	2	-	-
126	Biliary calculi	77	27	48	-	2	13	4	9	-	-
127	Other diseases of gallbladder and biliary ducts	167	54	99	8	6	16	4	12	-	-
128	Diseases of pancreas (except diabetes mellitus)	29	17	12	-	-	2	2	-	-	-
129	Peritonitis (cause not stated)	75	18	32	11	14	3	1	2	-	-
	X.—Diseases of the genito-urinary system	4,016	1,905	1,226	483	402	312	178	128	3	3
130	Acute nephritis	240	87	72	40	41	7	7	-	-	-
131a	Arteriosclerotic kidney	1,640	753	567	160	160	168	92	71	2	3
131b	Other chronic nephritis	882	411	251	118	102	68	36	32	-	-
132	Nephritis unspecified (10 years and over)	535	240	180	68	47	16	9	7	-	-
133	Other diseases of kidneys and ureters, etc.*	178	77	76	17	8	11	5	6	-	-
134	Calculi of urinary passages	56	29	20	2	5	10	4	6	-	-
135	Diseases of urinary bladder	36	20	7	8	1	2	1	1	-	-
136	Diseases of urethra (except calculus)	24	11	1	12	-	2	1	1	-	-
137	Diseases of prostate	333	276	...	57	...	24	23	...	1	...
138	Diseases of other male genital organs (except venereal)	2	1	...	1	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	47	...	20	...	27	2	...	2	...	-
139b	Diseases of uterus	40	...	31	...	9	2	...	2	...	-
139c	Diseases of other and unspecified female genital organs	3	...	1	...	2	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	358	...	260	...	98	21	...	20	...	1
140	Abortion with mention of infection	49	...	32	...	17	1	...	1	...	-
140a,b	Abortion (septic), spontaneous or therapeutic*	43	...	29	...	14	1	...	1	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic*	6	...	3	...	3	-	...	-	...	-
141	Abortion without mention of infection	19	...	13	...	6	1	...	1	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	2	...	2	...	-	1	...	1	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	9	...	5	...	4	-	...	-	...	-
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified*	6	...	5	...	1	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	2	...	1	...	1	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	3	...	1	...	2	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	8	...	7	...	1	2	...	1	...	1
143a	Placenta praevia (death before delivery)	3	...	2	...	1	1	...	1	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	7	...	7	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	61	...	40	...	21	-	...	-	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	14	...	14	...	-	1	...	1	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	19	...	17	...	2	1	...	1	...	-
	A. With mention of infection	11	...	9	...	2	-	...	-	...	-
	B. Without mention of infection	8	...	8	...	-	1	...	1	...	-
146a	Placenta praevia (with childbirth)	12	...	10	...	2	2	...	2	...	-
146b,c	Other hemorrhages of childbirth and puerperium	44	...	34	...	10	-	...	-	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	29	...	16	...	13	2	...	2	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	17	...	17	...	-	4	...	4	...	-
148a,b	Puerperal eclampsia and nephritis*	26	...	19	...	7	2	...	2	...	-
148c,d	Other puerperal toxemias	3	...	3	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	22	...	15	...	7	-	...	-	...	-
150	Other and unspecified conditions of childbirth and puerperium	22	...	13	...	9	3	...	3	...	-
	XII.—Diseases of the skin and cellular tissue	51	22	15	4	10	2	-	2	-	-
151	Carbuncle and furuncle	11	6	4	1	-	-	-	-	-	-
152	Phlegmon and acute abscess	14	7	3	1	3	-	-	-	-	-
153	Other diseases of skin and cellular tissue	26	9	8	2	7	2	-	2	-	-

*Refer to International List for complete title, table V, Part I.

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
7	4	3	-	-	29	12	12	4	1	25	19	6	-	-	19	11	7	-	1	106b
1	1	-	-	-	20	6	7	4	3	12	9	3	-	-	13	8	3	2	-	106c
65	35	30	-	-	649	240	158	145	106	459	264	169	12	14	407	204	176	13	14	107
68	41	27	-	-	451	155	112	97	87	296	174	94	21	7	274	132	112	20	10	108
12	9	3	-	-	275	100	84	51	40	103	65	30	4	4	141	74	60	5	2	109
4	4	-	-	-	26	12	8	3	3	21	14	7	-	-	12	6	6	-	-	
8	5	3	-	-	249	88	76	48	37	82	51	23	4	4	129	68	54	5	2	
7	6	1	-	-	25	9	8	5	3	16	11	5	-	-	20	15	4	1	-	110
3	-	3	-	-	31	15	9	3	4	24	11	13	-	-	29	15	11	1	2	111a
11	4	7	-	-	38	13	17	7	1	37	18	18	1	-	45	20	22	1	2	111b,c
3	2	1	-	-	65	27	19	7	12	46	31	14	1	-	37	22	12	2	1	112
1	1	-	-	-	2	-	2	-	-	4	3	-	1	-	3	1	1	1	-	113
6	4	2	-	-	32	10	8	9	5	19	14	5	-	-	37	28	6	3	-	114
165	108	57	-	-	1,442	577	399	268	198	920	520	363	22	15	939	486	401	26	26	
2	-	2	-	-	35	20	5	5	5	15	8	7	-	-	12	7	4	-	1	115a,b,d
3	1	2	-	-	32	9	6	9	8	19	9	9	-	1	13	9	3	1	-	115c
1	-	1	-	-	2	2	-	-	-	4	4	-	-	-	2	-	2	-	-	116
17	16	1	-	-	123	64	16	31	12	93	81	10	2	-	62	52	7	3	-	117a
11	10	1	-	-	36	18	7	6	5	62	48	13	1	-	23	18	3	1	1	117b
4	2	2	-	-	44	18	12	9	5	17	13	4	-	-	23	14	8	1	-	118
11	6	5	-	-	363	144	93	74	52	89	46	27	9	7	336	163	158	9	6	119
3	-	3	-	-	72	22	22	14	14	27	13	13	1	-	39	17	22	-	-	120
18	13	5	-	-	161	60	45	31	25	98	54	40	4	-	64	33	25	3	3	121
19	16	3	-	-	79	26	21	22	10	87	40	44	1	2	39	18	19	1	1	122a
23	10	13	-	-	127	34	42	26	25	103	45	53	2	3	85	35	43	1	6	122b
5	5	-	-	-	46	14	17	6	9	18	11	7	-	-	18	10	7	1	-	123
-	-	-	-	-	15	12	2	-	1	15	11	4	-	-	4	3	1	-	-	124a
27	21	6	-	-	139	70	43	18	8	124	79	44	1	-	102	71	25	1	5	124b
3	1	2	-	-	11	8	2	-	1	10	6	4	-	-	10	8	1	-	1	125a
1	-	1	-	-	26	12	6	5	3	18	9	7	1	1	14	7	7	-	-	125b
4	2	2	-	-	45	15	28	-	2	41	9	32	-	-	23	7	16	-	-	126
10	4	6	-	-	42	14	18	3	7	50	19	30	-	1	33	7	30	-	1	127
2	-	2	-	-	19	10	6	3	-	18	9	9	-	-	13	4	6	2	1	128
1	1	-	-	-	25	5	8	6	6	12	6	6	-	-	19	3	14	2	-	129
267	147	120	-	-	2,573	904	723	526	420	1,332	819	482	20	11	1,170	583	460	61	66	
4	4	-	-	-	80	25	15	25	15	27	16	11	-	-	56	26	17	7	6	130
144	81	63	-	-	1,528	525	425	303	275	820	486	319	9	6	588	276	243	29	40	131a
61	23	38	-	-	519	177	172	100	70	228	130	91	5	2	267	134	115	8	10	131b
6	2	4	-	-	157	45	40	35	37	45	27	17	1	-	125	67	51	3	4	132
9	3	6	-	-	68	21	31	8	8	50	26	23	1	-	27	17	6	3	1	133
2	1	1	-	-	27	16	10	1	-	18	14	3	1	-	7	3	3	1	-	134
5	2	3	-	-	20	7	6	4	3	10	9	1	-	-	9	4	3	2	-	135
1	1	-	-	-	7	2	1	4	-	2	2	-	-	-	3	-	-	2	1	136
30	30	...	-	...	131	86	...	45	...	111	108	...	3	...	62	56	...	6	...	137
-	-	...	-	...	1	-	...	1	...	1	1	...	-	...	-	-	...	-	...	138
2	...	2	...	-	20	...	9	...	11	9	...	8	...	1	16	...	13	...	3	139a
3	...	3	...	-	15	...	14	...	1	11	...	9	...	2	9	...	8	...	1	139b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	139c
12	...	12	...	-	142	...	80	...	62	76	...	70	...	6	66	...	62	...	4	
-	...	-	...	-	18	...	12	...	6	10	...	8	...	2	9	...	7	...	2	140
-	...	-	...	-	15	...	10	...	5	6	...	5	...	1	8	...	6	...	2	140a,b
-	...	-	...	-	3	...	2	...	1	4	...	3	...	1	1	...	1	...	-	140c,d
-	...	-	...	-	11	...	4	...	7	4	...	4	...	-	3	...	3	...	-	141
-	...	-	...	-	3	...	1	...	2	1	...	1	...	-	1	...	1	...	-	141a,c
-	...	-	...	-	3	...	1	...	2	2	...	2	...	-	-	...	-	...	-	141b
-	...	-	...	-	5	...	2	...	3	-	...	-	...	-	2	...	2	...	-	141d
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	2	...	-	...	2	-	...	-	...	-	1	...	1	...	-	142a
1	...	1	...	-	2	...	1	...	1	2	...	2	...	-	-	...	-	...	-	142b
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	2	...	1	...	1	1	...	1	...	-	-	...	-	...	-	143b,c
1	...	1	...	-	5	...	2	...	3	9	...	8	...	1	6	...	6	...	-	144a,b
-	...	-	...	-	2	...	1	...	1	2	...	2	...	-	1	...	1	...	-	144c,d
2	...	2	...	-	6	...	2	...	4	3	...	3	...	-	4	...	3	...	1	145
1	...	1	...	-	4	...	2	...	2	2	...	2	...	-	1	...	-	...	1	
1	...	1	...	-	2	...	-	...	2	1	...	1	...	-	3	...	3	...	-	
-	...	-	...	-	5	...	3	...	2	1	...	1	...	-	4	...	4	...	-	146a
1	...	1	...	-	19	...	13	...	6	11	...	11	...	-	5	...	5	...	-	146b,c
1	...	1	...	-	10	...	6	...	4	5	...	5	...	-	10	...	10	...	-	147a,b
3	...	3	...	-	18	...	15	...	3	10	...	9	...	1	8	...	8	...	-	147c,d
-	...	-	...	-	17	...	7	...	10	7	...	7	...	-	6	...	6	...	-	148a,b
2	...	2	...	-	6	...	4	...	2	-	...	-	...	-	-	...	-	...	-	148c,d
-	...	-	...	-	12	...	6	...	6	5	...	5	...	-	5	...	5	...	-	149
1	...	1	...	-	6	...	3	...	3	6	...	4	...	2	4	...	3	...	1	150
2	1	1	-	-	34	6	13	7	8	11	6	5	-	-	15	8	6	1	-	
-	-	-	-	-	6	2	2	-	2	-	-	-	-	-	-	-	-	-	-	151
-	-	-	-	-	8	1	2	4	1	7	5	2	-	-	4	3	1	-	-	152
2	1	1	-	-	20	3	9	3	5	4	1	3	-	-	11	5	5	1	-	153

747801 O - 47 - 29

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

[By place of residence. Exclusive of stillbirths

Int. List No.	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII.—Diseases of the bones, etc.*	35	23	8	3	1	4	3	1	-	-
154	Osteomyelitis and periostitis	14	10	1	3	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	3	1	2	-	-	1	1	-	-	-
156	Diseases of joints and other organs of movement	18	12	5	-	1	3	2	1	-	-
157	XIV.—Congenital malformations	717	368	285	38	26	92	53	36	1	2
	XV.—Diseases peculiar to the first year of life	3,259	1,617	1,111	288	243	258	151	101	5	1
158	Congenital debility (cause not stated)	265	126	98	25	16	4	2	2	-	-
159	Premature birth (cause not stated)	2,066	983	711	192	180	157	87	66	3	1
160a	Intracranial or spinal hemorrhage	220	134	66	14	6	17	11	5	1	-
160b,c	Other injuries at birth	312	168	110	22	12	46	29	17	-	-
161	Other diseases peculiar to the first year of life	396	206	126	35	29	34	22	11	1	-
162	XVI.—Senility	1,074	399	478	102	95	86	41	45	-	-
	XVII.—Violent or accidental deaths	6,372	3,963	1,373	791	245	580	394	172	12	2
163,164	Suicide	551	387	137	23	4	43	23	19	1	-
163	Suicide by poisoning	109	47	60	1	1	13	5	8	-	-
	Suicide by solid or liquid poisons	94	38	54	1	1	8	1	7	-	-
	Suicide by poisonous gases	15	9	6	-	-	5	4	1	-	-
164a	Suicide by hanging or strangulation	87	54	27	6	-	14	6	7	1	-
164b	Suicide by drowning	19	6	11	1	1	2	1	1	-	-
164c	Suicide by firearms and explosives	287	244	30	13	-	12	10	2	-	-
164d	Suicide by cutting or piercing instruments	26	19	4	2	1	1	1	-	-	-
164e	Suicide by jumping from high places	12	9	3	-	-	1	-	1	-	-
164f	Suicide by crushing	4	4	-	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means	7	4	2	-	1	-	-	-	-	-
165-168	Homicide[1]	666	277	40	283	66	20	17	1	2	-
166	Homicide by firearms	384	163	27	167	27	16	14	-	2	-
167	Homicide by cutting or piercing instruments	197	67	2	99	29	-	-	-	-	-
168	Homicide by other means	85	47	11	17	10	4	3	1	-	-
169-195	Accidental deaths	5,145	3,295	1,196	479	175	516	353	152	9	2
169	Railway accidents (except collisions with motor vehicles)	158	114	18	24	2	18	16	1	1	-
170a	Collisions between automobiles and trains	51	32	13	4	2	8	6	2	-	-
170b	Collisions between automobiles and streetcars	4	3	1	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	1,428	1,008	291	104	25	168	119	46	2	1
170d	Motorcycle accidents (except collisions with automobiles)	41	35	6	-	-	2	2	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	5	3	2	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	22	13	3	5	1	1	1	-	-	-
172	Water-transport accidents	28	25	1	2	-	1	1	-	-	-
173	Air-transport accidents	490	480	8	2	-	25	23	2	-	-
174	Accidents in mines and quarries	4	4	-	-	-	49	47	-	2	-
175a	Accidents involving agricultural machinery and vehicles	20	18	-	2	-	7	7	-	-	-
175b,c	Other agricultural accidents, including injury by animals	14	13	-	1	-	6	6	-	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	3	3	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	83	78	-	5	-	5	5	-	-	-
177	Food poisoning	71	23	29	11	8	1	1	-	-	-
178	Accidental absorption of poisonous gas	62	35	16	9	2	5	2	1	2	-
179	Acute accidental poisoning by solids or liquids	97	39	37	15	6	8	5	3	-	-
180	Conflagration	82	32	14	18	18	3	2	1	-	-
181	Accidental burns (except conflagration)	368	154	118	50	46	16	8	8	-	-
182	Accidental mechanical suffocation	65	34	19	7	5	7	5	2	-	-
183	Accidental drowning	383	269	59	47	8	37	25	10	1	1
184	Accidental injury by firearms	286	184	37	52	13	17	13	4	-	-
185	Accidental injury by cutting or piercing instruments	38	18	6	11	3	-	-	-	-	-
186a	Accidental injury by fall	337	154	154	19	10	94	35	59	-	-
186b	Accidental injury by crushing	46	37	3	6	-	2	2	-	-	-
187	Cataclysm, etc.	11	4	7	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	23	20	1	2	-	3	2	1	-	-
189	Hunger or thirst	8	3	4	-	1	-	-	-	-	-
190	Excessive cold	-	-	-	-	-	1	1	-	-	-
191	Excessive heat	20	14	3	3	-	-	-	-	-	-
192	Lightning	21	11	5	4	1	3	2	1	-	-
193	Accidents due to electric currents (except lightning)	51	38	6	6	1	4	4	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	9	6	2	1	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	10	4	5	-	1	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	31	14	13	4	-	9	5	4	-	-
195c,e	Other and unspecified accidents	775	373	315	65	22	16	8	7	1	-
196	Deaths of military personnel during operations of war	4	4	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	6	-	-	6	-	1	1	-	-	-
	XVIII.—Ill-defined and unknown causes	1,617	825	419	214	159	85	62	20	1	2
199	Sudden death	20	13	3	3	1	7	6	1	-	-
200a	Ill-defined	1,120	600	252	154	114	63	47	14	1	1
200b	Found dead (cause unknown)	15	9	4	2	-	3	2	-	-	1
200c	Unknown or unspecified	462	203	160	55	44	12	7	5	-	-

* Refer to International List for complete title, table V, Part I.
[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1945—Continued

and of deaths among armed forces overseas]

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					Int. List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
2	1	1	-	-	21	7	5	4	5	8	6	2	-	-	5	3	1	1	-	
-	-	-	-	-	7	1	1	3	2	3	3	-	-	-	2	1	-	1	-	154
-	-	-	-	-	7	3	3	-	1	-	-	-	-	-	1	1	-	-	-	155
2	1	1	-	-	7	3	1	1	2	5	3	2	-	-	2	1	1	-	-	156
62	32	30	-	-	364	153	137	41	33	254	138	112	1	3	240	132	95	4	9	157
115	71	44	-	-	1,441	588	368	274	211	877	507	340	24	6	841	466	315	31	29	
2	2	-	-	-	119	40	17	40	22	19	9	8	2	-	76	45	27	2	2	158
72	40	32	-	-	875	357	218	160	140	546	299	225	18	4	542	308	200	15	19	159
11	8	3	-	-	103	43	31	20	9	61	41	19	1	-	53	29	22	1	1	160a
15	12	3	-	-	146	73	39	21	13	103	62	40	-	1	70	40	24	3	3	160b,c
15	9	6	-	-	198	75	63	33	27	148	96	48	3	1	100	44	42	10	4	161
28	10	18	-	-	254	77	112	30	35	188	80	98	4	6	224	105	104	8	7	162
289	192	97	-	-	2,627	1,366	515	554	192	2,289	1,599	604	67	19	1,686	1,180	375	108	23	
43	30	13	-	-	313	210	77	18	8	303	216	78	8	1	151	118	30	3	-	163,164
7	3	4	-	-	67	29	35	-	3	86	50	32	4	-	27	12	14	1	-	163
3	3	-	-	-	26	9	15	-	2	35	12	21	2	-	21	10	10	1	-	
4	-	4	-	-	41	20	20	-	1	51	38	11	2	-	6	2	4	-	-	
12	9	3	-	-	30	20	8	1	1	49	30	15	3	1	17	12	4	1	-	164a
5	2	3	-	-	16	10	3	3	-	21	13	8	-	-	4	2	2	-	-	164b
17	15	2	-	-	171	131	24	12	4	108	93	15	-	-	84	75	8	1	-	164c
-	-	-	-	-	13	11	2	-	-	12	11	1	-	-	6	5	1	-	-	164d
-	-	-	-	-	9	5	3	1	-	19	15	3	1	-	5	4	1	-	-	164e
1	-	1	-	-	5	2	2	1	-	3	3	-	-	-	-	-	-	-	-	164f
1	1	-	-	-	2	2	-	-	-	5	1	4	-	-	8	8	-	-	-	164g
9	5	4	-	-	240	54	16	129	41	78	40	23	13	2	97	53	19	22	3	165-168
4	2	2	-	-	130	34	11	68	17	29	13	9	6	1	60	32	10	16	2	166
1	1	-	-	-	65	6	1	41	18	17	8	4	4	1	13	5	3	4	1	167
4	2	2	-	-	44	14	4	20	6	32	19	10	3	-	24	16	6	2	-	168
236	156	80	-	-	2,061	1,093	422	403	143	1,903	1,339	503	45	16	1,436	1,008	326	82	20	169-195
2	2	-	-	-	81	48	5	25	3	63	54	8	1	-	80	66	9	4	1	169
5	5	-	-	-	33	22	5	4	2	17	12	4	1	-	6	6	-	-	-	170a
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	170b
56	42	14	-	-	593	360	91	116	26	551	408	129	10	4	305	229	65	9	2	170c
2	1	1	-	-	11	8	3	-	-	11	10	1	-	-	9	8	1	-	-	170d
-	-	-	-	-	13	8	1	4	-	-	-	-	-	-	3	2	1	-	-	171a
2	2	-	-	-	2	2	-	-	-	1	1	-	-	-	6	5	1	-	-	171b
-	-	-	-	-	27	16	3	8	-	23	20	3	-	-	17	15	2	-	-	172
5	4	1	-	-	58	57	1	-	-	110	107	3	-	-	15	14	1	-	-	173
3	3	-	-	-	43	38	-	5	-	8	7	1	-	-	253	210	-	43	-	174
6	6	-	-	-	21	14	1	6	-	11	10	1	-	-	5	4	1	-	-	175a
8	8	-	-	-	22	20	1	1	-	18	17	-	1	-	17	17	-	-	-	175b,c
-	-	-	-	-	2	1	-	1	-	10	10	-	-	-	-	-	-	-	-	175d
2	2	-	-	-	11	10	-	1	-	33	32	1	-	-	5	5	-	-	-	175e
1	1	-	-	-	19	11	-	7	1	25	21	1	3	-	17	16	-	-	1	176
-	-	-	-	-	9	2	3	2	2	5	5	-	-	-	7	3	3	-	1	177
2	1	1	-	-	24	14	6	3	1	64	43	19	2	-	16	11	5	-	-	178
-	-	-	-	-	41	16	11	8	6	34	22	12	-	-	22	15	6	-	1	179
8	5	3	-	-	67	16	11	22	18	83	47	29	4	3	58	31	17	7	3	180
16	5	11	-	-	142	42	34	34	32	62	33	25	1	3	80	38	39	1	2	181
3	2	1	-	-	51	20	15	10	6	37	21	15	-	1	20	14	5	1	-	182
24	23	1	-	-	171	83	17	64	7	155	125	21	8	1	74	49	20	4	1	183
10	6	4	-	-	52	31	3	15	3	37	27	6	4	-	60	48	7	4	1	184
-	-	-	-	-	6	5	1	-	-	5	5	-	-	-	7	3	2	1	1	185
58	25	33	-	-	352	135	173	24	20	327	168	150	6	3	201	100	94	4	3	186a
-	-	-	-	-	5	3	-	2	-	13	12	1	-	-	9	8	-	1	-	186b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	187
1	-	1	-	-	2	-	1	-	1	3	3	-	-	-	2	2	-	-	-	188
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	189
1	1	-	-	-	9	3	-	5	1	3	3	-	-	-	8	5	3	-	-	190
-	-	-	-	-	8	4	-	1	3	1	1	-	-	-	-	-	-	-	-	191
1	-	1	-	-	10	6	2	2	-	1	-	-	-	1	1	1	-	-	-	192
2	2	-	-	-	28	25	-	2	1	12	10	2	-	-	10	10	-	-	-	193
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	194
-	-	-	-	-	3	1	2	-	-	3	2	-	1	-	-	-	-	-	-	195a,b
3	2	1	-	-	24	13	3	4	4	20	11	7	2	-	14	4	8	2	-	195d
15	8	7	-	-	117	57	28	26	6	156	92	63	1	-	107	68	35	1	3	195c,e
1	1	-	-	-	8	8	-	-	-	4	4	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	5	1	-	4	-	1	-	-	1	-	2	1	-	1	-	198
23	16	7	-	-	407	163	95	83	66	227	160	56	8	3	513	275	203	21	14	
3	1	2	-	-	64	32	14	11	7	24	16	8	-	-	60	45	14	-	1	199
13	11	2	-	-	110	49	25	24	12	109	80	23	5	1	123	66	50	3	4	200a
1	1	-	-	-	38	13	15	2	8	26	16	9	-	1	58	29	21	7	1	200b
6	3	3	-	-	195	69	41	46	39	68	48	16	3	1	272	135	118	11	8	200c

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	ALL CAUSES	32,066	17,929	13,787	200	150	2,234	1,359	754	71	50
	I.—Infectious and parasitic diseases	1,337	805	462	43	27	124	58	44	13	9
1	Typhoid fever	1	-	1	-	-	2	1	1	-	-
2	Paratyphoid fever	1	1	-	-	-	1	-	-	-	1
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	2	1	1	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	32	24	6	2	-	8	3	4	1	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	5	4	-	-	-	-	-	-	-
9	Whooping cough	17	6	10	-	1	6	1	4	-	1
10	Diphtheria (infection by C. diphtheriae)	13	7	6	-	-	2	-	2	-	-
11	Erysipelas	3	1	2	-	-	-	-	-	-	-
12	Tetanus	10	3	7	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	668	419	210	28	11	27	7	13	3	4
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	18	18	-	-	-	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	601	379	185	26	11	25	6	13	2	4
14	Tuberculosis of meninges and central nervous system	28	8	19	1	-	1	1	-	-	-
15	Tuberculosis of intestines and peritoneum	3	3	-	-	-	1	-	-	1	-
16	Tuberculosis of vertebral column	4	2	2	-	-	-	-	-	-	-
17a	Tuberculosis of bones (except vertebral column)	1	-	-	1	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	-	-	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	5	4	1	-	-	-	-	-	-	-
21	Tuberculosis of other organs	4	2	2	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	4	3	1	-	-	-	-	-	-	-
22b	Disseminated tuberculosis (other and unspecified)	-	-	-	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	19	14	5	-	-	3	3	-	-	-
25	Gonococcus infection	2	-	2	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	1	1	-	-	-
27	Dysentery	5	3	2	-	-	4	-	3	1	-
28	Malaria	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	188	122	49	10	7	34	21	3	7	3
30a	Locomotor ataxia (tabes dorsalis)	13	11	2	-	-	-	-	-	-	-
30b	General paralysis of insane	49	26	15	5	3	12	11	-	1	-
30c	Other syphilis of central nervous system	22	12	9	1	-	3	1	-	2	-
30d	Aneurysm of aorta	40	31	6	1	2	3	2	-	1	-
30e	Other syphilis of circulatory system	19	13	5	1	-	4	3	-	-	1
30f,g	Congenital, other and unspecified forms of syphilis	45	29	12	2	2	12	4	3	3	2
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	4	2	2	-	-	-	-	-	-	-
33a	Influenza, with respiratory complications specified	118	49	61	3	5	14	8	6	-	-
33b	Influenza, without respiratory complications specified	84	48	35	-	1	10	5	4	1	-
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	1	-	1	-	-	2	2	-	-	-
36	Acute poliomyelitis and acute polioencephalitis	56	32	23	-	1	2	1	1	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	12	7	5	-	-	1	-	1	-	-
37b	Sequelae of encephalitis lethargica	9	6	3	-	-	1	1	-	-	-
38	Other diseases due to filtrable viruses	2	2	-	-	-	-	-	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	1	1	-	-	-	3	2	1	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-
43	Mycoses	15	14	1	-	1	-	-	-	-	-
44	Other infectious and parasitic (communicable) diseases	54	38	26	-	-	3	2	1	-	-
	II.—Cancer and other tumors	4,676	2,317	2,321	20	18	258	123	116	8	11
45-55	Cancer and other malignant tumors	4,540	2,272	2,233	20	15	244	119	106	8	11
45	Cancer of buccal cavity and pharynx	122	106	15	1	-	7	6	-	1	-
45a-e	Cancer of buccal cavity	80	72	7	1	-	6	5	-	1	-
45f	Cancer of pharynx	42	34	8	-	-	1	1	-	-	-
46	Cancer of digestive organs and peritoneum	2,215	1,238	958	14	5	129	69	48	6	6
46a	Cancer of esophagus	108	88	18	2	-	3	2	1	-	-
46b,c	Cancer of stomach and duodenum	776	500	267	7	2	59	34	18	3	4
46f	Cancer of liver and biliary passages	287	117	167	3	-	13	5	7	-	1
46g	Cancer of pancreas	156	79	77	-	-	14	6	7	1	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	888	454	429	2	3	40	22	15	2	1
47	Cancer of respiratory system	265	199	63	3	-	21	12	7	1	1
48	Cancer of uterus	338	...	333	...	5	13	...	13	...	-
49	Cancer of other female genital organs	169	...	168	...	1	3	...	2	...	1
50	Cancer of breast	426	5	418	-	3	25	-	22	-	3
51	Cancer of male genital organs	334	333	...	1	...	7	7	...	-	...
52	Cancer of urinary organs (male and female)	245	168	77	-	-	8	5	3	-	-
53	Cancer of skin (except vulva and scrotum)	63	40	23	-	-	3	2	1	-	-
54	Cancer of central nervous system*	87	51	35	1	-	3	1	2	-	-
55	Cancer of other and unspecified organs	276	132	143	-	1	25	17	8	-	-
56a	Nonmalignant tumors of ovary	21	...	19	...	2	2	...	2	...	-
56b	Nonmalignant tumors of uterus	31	...	30	...	1	4	...	4	...	-
56c	Nonmalignant tumors of other female genital organs	1	...	1	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	44	26	18	-	-	4	2	2	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	38	19	19	-	-	4	2	2	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,248	477	762	3	6	53	21	31	-	1
58a-d	Acute rheumatic heart diseases	23	10	13	-	-	3	-	3	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	9	5	3	1	-	1	1	-	-	-
59	Chronic rheumatism and other rheumatic diseases	50	22	28	-	-	2	1	1	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	994	388	600	2	4	39	16	22	-	1
62	Diseases of pituitary gland	9	4	5	-	-	-	-	-	-	-
63a	Simple goiter	2	-	2	-	-	-	-	-	-	-
63b	Exophthalmic goiter	111	28	82	-	1	3	-	3	-	-
63c-e	Other diseases of thyroid and parathyroid glands	6	1	5	-	-	1	-	1	-	-
64	Diseases of thymus gland	17	7	10	-	-	3	2	1	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	14	7	7	-	-	1	1	-	-	-
66	Other general diseases	7	5	2	-	-	-	-	-	-	-
67	Scurvy	2	-	1	-	1	-	-	-	-	-
68	Beriberi	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	3	-	-	-	-	-	-	-
70	Rickets	-	-	-	-	-	-	-	-	-	-
71	Other avitaminoses	-	-	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	336	189	147	-	-	26	14	12	-	-
72	Hemorrhagic conditions	15	10	5	-	-	3	2	1	-	-
73a	Pernicious anemia	85	50	35	-	-	7	5	2	-	-
73b-d	Other anemias (except splenic)	28	14	14	-	-	6	1	5	-	-
74a	Leukemias	176	99	77	-	-	7	4	3	-	-
74b	Aleukemias	12	6	6	-	-	2	2	-	-	-
75	Diseases of spleen	10	6	4	-	-	-	-	-	-	-
76	Other diseases of the blood and blood-forming organs	10	4	6	-	-	1	-	1	-	-
	V.—Chronic poisoning and intoxication	53	45	7	-	1	13	10	2	-	1
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	2	2	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	47	41	5	-	1	12	10	1	-	1
78	Lead poisoning	1	-	1	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	3	2	1	-	-	1	-	1	-	-
	VI.—Diseases of the nervous system, etc.*	3,664	1,821	1,818	11	14	191	95	84	8	4
80	Encephalitis (nonepidemic)	26	16	10	-	-	3	-	3	-	-
81	Meningitis (not due to meningococcus)	37	21	16	-	-	4	1	3	-	-
82	Diseases of spinal cord (see exceptions)*	75	41	33	-	1	7	6	1	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	3,043	1,476	1,545	10	12	154	78	66	6	4
83b	Cerebral embolism and thrombosis	218	123	95	-	-	10	6	3	1	-
83c	Cerebral softening	8	3	4	-	1	-	-	-	-	-
83d	Hemiplegia and other paralysis of unspecified origin	27	12	15	-	-	1	1	-	-	-
84	Mental diseases and deficiency (see exception)*	37	17	20	-	-	-	-	-	-	-
85	Epilepsy	61	39	22	-	-	3	1	2	-	-
86	Convulsions (under 5 years)	8	4	4	-	-	-	-	-	-	-
87	Other diseases of nervous system	106	57	50	1	-	7	1	5	1	-
88	Diseases of organs of vision	1	1	-	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	12	10	2	-	-	1	-	1	-	-
89b	Diseases of mastoid process	3	1	2	-	-	1	1	-	-	-
	VII.—Diseases of the circulatory system	11,180	6,519	4,583	45	33	653	450	184	12	7
90-95	Diseases of the heart (all forms)	10,413	6,107	4,235	41	30	618	432	168	12	6
90	Pericarditis (except acute rheumatic)	12	7	5	-	-	-	-	-	-	-
91a,b	Bacterial and other acute or subacute endocarditis	32	16	16	-	-	4	4	-	-	-
91c	Endocarditis (unspecified, under 45 years)	3	3	-	-	-	1	1	-	-	-
92a-d	Chronic endocarditis and diseases of the valves*	949	507	437	4	1	59	34	22	2	1
92e	Endocarditis (unspecified, 45 years and over)	35	22	13	-	-	-	-	-	-	-
93a	Acute myocarditis (except rheumatic)	93	58	34	1	-	10	4	6	-	-
93b	Myocarditis (unspecified, under 45 years)	3	2	-	1	-	1	-	1	-	-
93c,d	Chronic myocarditis and myocardial degeneration	5,271	2,877	2,348	24	22	225	141	78	4	2
93e	Other myocarditis (unspecified)	364	195	168	-	1	32	23	8	1	-
94a	Diseases of coronary arteries	2,924	2,019	900	3	2	235	191	37	4	3
94b	Angina pectoris	61	38	22	-	1	6	4	2	-	-
95a	Functional diseases of heart, etc.*	29	16	13	-	-	1	-	1	-	-
95b,c	Other and unspecified diseases of heart	637	347	279	8	3	44	30	13	1	-
96	Aneurysm (except of heart and aorta)	42	29	11	2	-	7	4	2	-	1
97	Arteriosclerosis (except coronary or renal sclerosis)	596	321	271	1	3	18	10	8	-	-
98	Gangrene	9	2	7	-	-	1	1	-	-	-
99	Other diseases of arteries	49	24	25	-	-	3	1	2	-	-
100	Diseases of veins	32	19	12	1	-	2	-	2	-	-
101	Diseases of lymphatic system	2	2	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	31	13	18	-	-	1	-	1	-	-
103	Other diseases of circulatory system	6	2	4	-	-	3	2	1	-	-
	VIII.—Diseases of the respiratory system	1,379	770	573	22	14	124	80	30	6	8
104a	Diseases of nasal fossae	7	2	5	-	-	1	1	-	-	-
104b	Diseases of accessory sinuses	3	-	3	-	-	3	3	-	-	-
105	Diseases of larynx	7	4	3	-	-	3	2	1	-	-
106a	Acute bronchitis	15	7	8	-	-	-	-	-	-	-

* Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	26	20	6	-	-	-	-	-	-	-
106c	Bronchitis (unspecified)	9	4	5	-	-	1	1	-	-	-
107	Bronchopneumonia (including capillary bronchitis)	644	343	285	8	8	49	31	9	3	6
108	Lobar pneumonia	450	262	169	13	6	30	22	5	2	1
109	Pneumonia (unspecified)	45	25	19	1	-	11	7	4	-	-
	A. Atypical or virus pneumonia	20	9	10	1	-	4	2	2	-	-
	B. Pneumonia (all other, unspecified)	25	16	9	-	-	7	5	2	-	-
110	Pleurisy (not specified as tuberculous)	29	20	9	-	-	3	1	2	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	26	13	13	-	-	5	1	3	1	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	44	25	19	-	-	6	4	2	-	-
112	Asthma	52	31	21	-	-	7	5	2	-	-
113	Pulmonary emphysema	1	1	-	-	-	2	-	1	-	1
114	Other diseases of respiratory system (except tuberculosis)	21	13	8	-	-	3	2	1	-	-
	IX.—Diseases of the digestive system	1,500	900	586	11	3	123	70	44	7	2
115a,b,d	Diseases of buccal cavity and adnexa	36	18	18	-	-	4	3	1	-	-
115c	Diseases of pharynx and tonsils	24	14	10	-	-	1	1	-	-	-
116	Diseases of esophagus	7	6	1	-	-	1	1	-	-	-
117a	Ulcer of stomach	159	124	32	3	-	11	8	1	2	-
117b	Ulcer of duodenum	72	61	11	-	-	-	-	-	-	-
118	Other diseases of stomach (except cancer)	16	8	8	-	-	8	3	3	2	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 yr.)	80	47	29	2	2	12	8	3	1	-
120	Diarrhea, enteritis, and ulceration of intestines (2 yr. and over)	51	22	28	1	-	3	1	2	-	-
121	Appendicitis	143	85	56	2	-	18	11	7	-	-
122a	Hernia	138	88	50	-	-	15	10	4	1	-
122b	Intestinal obstruction	155	82	73	-	-	16	8	8	-	-
123	Other diseases of intestines	35	19	15	-	1	1	1	-	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	46	38	8	-	-	1	-	1	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	276	192	84	-	-	13	7	5	-	1
125a	Acute yellow atrophy of liver (nonpuerperal)	12	12	-	-	-	-	-	-	-	-
125b	Other diseases of liver	14	8	5	1	-	2	2	-	-	-
126	Biliary calculi	145	36	108	1	-	8	3	5	-	-
127	Other diseases of gallbladder and biliary ducts	56	22	33	1	-	6	2	3	1	-
128	Diseases of pancreas (except diabetes mellitus)	20	10	10	-	-	2	1	1	-	-
129	Peritonitis (cause not stated)	15	8	7	-	-	1	-	-	-	1
	X.—Diseases of the genito-urinary system	2,089	1,281	789	14	5	176	103	69	3	1
130	Acute nephritis	49	29	20	-	-	7	3	4	-	-
131a	Arteriosclerotic kidney	1,178	669	496	12	1	100	56	42	1	1
131b	Other chronic nephritis	434	260	169	2	3	29	15	13	1	-
132	Nephritis unspecified (10 years and over)	64	42	22	-	-	10	5	5	-	-
133	Other diseases of kidneys and ureters, etc.*	65	29	36	-	-	2	2	-	-	-
134	Calculi of urinary passages	36	25	11	-	-	1	1	-	-	-
135	Diseases of urinary bladder	12	6	6	-	-	2	-	1	1	-
136	Diseases of urethra (except calculus)	7	5	2	-	-	-	-	-	-	-
137	Diseases of prostate	216	216	...	-	...	21	21	...	-	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	17	...	16	...	1	4	...	4	...	-
139b	Diseases of uterus	11	...	11	...	-	-	...	-	...	-
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	85	...	85	...	-	5	...	5	...	-
140	Abortion with mention of infection	9	...	9	...	-	-	...	-	...	-
140a,b	Abortion (septic), spontaneous or therapeutic*	7	...	7	...	-	-	...	-	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic*	2	...	2	...	-	-	...	-	...	-
141	Abortion without mention of infection	6	...	6	...	-	-	...	-	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	5	...	5	...	-	-	...	-	...	-
141b	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	1	...	1	...	-	-	...	-	...	-
141d	Abortion (nonseptic), spontaneous, therapeutic, unspecified*	-	...	-	...	-	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	1	...	1	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	4	...	4	...	-	1	...	1	...	-
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	...	1	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	3	...	3	...	-	-	...	-	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	-	...	-	...	-	-	...	-	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	3	...	3	...	-	1	...	1	...	-
	A. With mention of infection	2	...	2	...	-	1	...	1	...	-
	B. Without mention of infection	1	...	1	...	-	-	...	-	...	-
146a	Placenta praevia (with childbirth)	5	...	5	...	-	-	...	-	...	-
146b,c	Other hemorrhages of childbirth and puerperium	13	...	13	...	-	-	...	-	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection*	4	...	4	...	-	2	...	2	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	18	...	18	...	-	-	...	-	...	-
148a,b	Puerperal eclampsia and nephritis*	6	...	6	...	-	-	...	-	...	-
148c,d	Other puerperal toxemias	2	...	2	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	6	...	6	...	-	1	...	1	...	-
150	Other and unspecified conditions of childbirth and puerperium	4	...	4	...	-	-	...	-	...	-
	XII.—Diseases of the skin and cellular tissue	24	8	16	-	-	-	-	-	-	-
151	Carbuncle and furuncle	4	3	1	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	2	1	1	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	18	4	14	-	-	-	-	-	-	-

*Refer to International List for complete title, table V, Part I.

TABLE 20.—DEATHS FROM EACH CAUSE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

Int. List No.	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	XIII.—Diseases of the bones, etc.*	27	10	17	-	-	-	-	-	-	-
154	Osteomyelitis and periostitis	8	3	5	-	-	-	-	-	-	-
155	Other diseases of bones (except tuberculosis)	7	1	6	-	-	-	-	-	-	-
156	Diseases of joints and other organs of movement	12	6	6	-	-	-	-	-	-	-
157	XIV.—Congenital malformations	409	224	177	5	3	40	25	14	-	1
	XV.—Diseases peculiar to the first year of life	1,025	588	420	7	10	104	57	45	-	2
158	Congenital debility (cause not stated)	13	11	2	-	-	6	3	3	-	-
159	Premature birth (cause not stated)	644	355	278	4	7	60	33	25	-	2
160a	Intracranial or spinal hemorrhage	58	38	19	-	1	11	8	3	-	-
160b,c	Other injuries at birth	151	93	56	-	2	12	7	5	-	-
161	Other diseases peculiar to the first year of life	159	91	65	3	-	15	6	9	-	-
162	XVI.—Senility	301	134	167	-	-	29	10	17	1	1
	XVII.—Violent or accidental deaths	2,652	1,783	834	19	16	295	228	53	12	2
163,164	Suicide	417	304	112	-	1	32	27	5	-	-
163	Suicide by poisoning	86	42	43	-	1	8	4	4	-	-
	Suicide by solid or liquid poisons	27	12	14	-	1	7	3	4	-	-
	Suicide by poisonous gases	59	30	29	-	-	1	1	-	-	-
164a	Suicide by hanging or strangulation	139	104	35	-	-	3	2	1	-	-
164b	Suicide by drowning	28	14	14	-	-	-	-	-	-	-
164c	Suicide by firearms and explosives	120	112	8	-	-	17	17	-	-	-
164d	Suicide by cutting or piercing instruments	23	21	2	-	-	2	2	-	-	-
164e	Suicide by jumping from high places	12	8	4	-	-	2	2	-	-	-
164f	Suicide by crushing	8	3	5	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means	1	-	1	-	-	-	-	-	-	-
165-168	Homicide[1]	47	26	16	3	2	14	7	3	4	-
166	Homicide by firearms	23	12	9	-	2	9	4	3	2	-
167	Homicide by cutting or piercing instruments	3	1	1	1	-	3	2	-	1	-
168	Homicide by other means	21	13	6	2	-	2	1	-	1	-
169-195	Accidental deaths	2,184	1,449	706	16	13	248	193	45	8	2
169	Railway accidents (except collisions with motor vehicles)	47	41	5	1	-	17	16	-	1	-
170a	Collisions between automobiles and trains	71	57	13	-	1	1	1	-	-	-
170b	Collisions between automobiles and streetcars	2	2	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	551	417	125	5	4	55	44	10	1	-
170d	Motorcycle accidents (except collisions with automobiles)	13	13	-	-	-	2	2	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	3	3	-	-	-	-	-	-	-	-
171b	Other and unspecified road-transport accidents	3	2	1	-	-	-	-	-	-	-
172	Water-transport accidents	34	26	8	-	-	-	-	-	-	-
173	Air-transport accidents	27	27	-	-	-	8	8	-	-	-
174	Accidents in mines and quarries	5	4	1	-	-	17	15	-	2	-
175a	Accidents involving agricultural machinery and vehicles	61	56	5	-	-	6	6	-	-	-
175b,c	Other agricultural accidents, including injury by animals	58	54	4	-	-	5	4	1	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	7	7	-	-	-	3	3	-	-	-
176	Other accidents involving machinery	34	32	1	1	-	4	4	-	-	-
177	Food poisoning	-	-	-	-	-	2	1	1	-	-
178	Accidental absorption of poisonous gas	48	28	18	1	1	5	4	-	1	-
179	Acute accidental poisoning by solids or liquids	24	13	10	-	1	2	-	2	-	-
180	Conflagration	57	35	17	4	1	5	4	1	-	-
181	Accidental burns (except conflagration)	72	36	33	-	3	15	8	7	-	-
182	Accidental mechanical suffocation	41	28	13	-	-	2	2	-	-	-
183	Accidental drowning	116	101	15	-	-	16	11	4	1	-
184	Accidental injury by firearms	45	41	4	-	-	16	15	-	1	-
185	Accidental injury by cutting or piercing instruments	4	3	1	-	-	-	-	-	-	-
186a	Accidental injury by fall	738	332	402	3	1	39	25	14	-	-
186b	Accidental injury by crushing	5	5	-	-	-	1	1	-	-	-
187	Cataclysm, etc.*	1	-	1	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	2	2	-	-	-	2	1	-	1	-
189	Hunger or thirst	1	1	-	-	-	-	-	-	-	-
190	Excessive cold	15	15	-	-	-	3	3	-	-	-
191	Excessive heat	5	3	2	-	-	1	-	-	-	1
192	Lightning	7	6	1	-	-	2	2	-	-	-
193	Accidents due to electric currents (except lightning)	9	9	-	-	-	1	1	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	1	-	1	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	29	18	10	-	1	3	1	2	-	-
195c,e	Other and unspecified accidents	48	32	15	1	-	15	11	3	-	1
196	Deaths of military personnel during operations of war	4	4	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	1	1	-	-	-
	XVIII.—Ill-defined and unknown causes	81	58	23	-	-	20	15	4	1	-
199	Sudden death	28	19	9	-	-	1	1	-	-	-
200a	Ill-defined	41	30	11	-	-	14	10	4	-	-
200b	Found dead (cause unknown)	4	4	-	-	-	-	-	-	-	-
200c	Unknown or unspecified	8	5	3	-	-	5	4	-	1	-

* Refer to International List for complete title, table V, Part I.
[1] Includes figures for infanticide (165).

TABLE 21.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY MONTH: UNITED STATES AND EACH STATE, 1945

[By place of residence. Exclusive of stillbirths]

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
UNITED STATES													
Under 1 year	104,684	9,799	9,271	9,346	8,157	8,225	8,221	8,188	8,898	8,681	8,421	8,117	9,360
Under 1 day	30,674	2,511	2,254	2,617	2,551	2,709	2,734	2,587	2,713	2,587	2,563	2,357	2,491
1 day	9,129	763	658	744	752	772	809	773	817	800	766	707	768
2 days	5,732	487	441	477	467	457	477	502	518	451	449	426	530
3 to 6 days	8,457	779	746	664	633	652	650	692	790	703	671	730	747
7 to 13 days	5,761	579	529	483	438	406	405	429	490	471	514	508	509
14 to 20 days	3,672	376	371	303	255	226	273	253	290	331	334	341	319
21 to 29 days	3,168	340	306	261	212	216	240	210	264	281	288	271	279
Under 1 month	66,593	5,835	5,305	5,549	5,308	5,468	5,588	5,446	5,882	5,624	5,585	5,340	5,663
1 month	7,795	797	790	799	570	547	470	590	628	634	661	591	718
2 months	6,134	644	672	679	441	359	379	407	441	511	501	473	627
3 months	4,951	560	516	474	363	364	318	293	370	382	383	402	526
4 months	3,949	434	390	389	287	293	278	262	336	313	289	261	417
5 months	3,302	356	355	312	247	267	241	246	259	257	226	227	309
6 months	2,947	295	336	288	223	218	226	227	246	214	189	198	287
7 months	2,371	245	248	254	187	177	170	201	204	202	124	158	201
8 months	2,162	193	210	215	191	182	162	183	173	180	139	140	194
9 months	1,741	182	174	156	135	147	142	139	128	147	112	134	145
10 months	1,463	146	134	124	105	110	144	118	115	115	116	100	136
11 months	1,276	112	141	107	100	93	103	76	116	102	96	93	137
Alabama:													
Under 1 year	3,141	299	303	276	251	224	245	263	275	247	249	224	285
Under 1 month	1,962	178	172	184	178	147	148	159	174	155	159	148	160
Arizona:													
Under 1 year	917	72	69	74	51	70	98	107	93	94	64	65	60
Under 1 month	414	28	36	35	25	40	36	49	48	39	27	28	23
Arkansas:													
Under 1 year	1,256	103	125	115	93	97	86	124	111	109	98	89	106
Under 1 month	711	48	56	58	55	66	53	73	74	62	57	55	54
California:													
Under 1 year	5,991	575	478	505	467	482	451	487	512	495	488	526	515
Under 1 month	4,113	351	297	334	345	347	313	352	363	344	349	381	337
Colorado:													
Under 1 year	1,188	92	91	84	92	90	69	76	101	140	136	101	116
Under 1 month	665	56	52	53	53	54	49	53	54	51	73	56	61
Connecticut:													
Under 1 year	1,011	86	96	88	89	80	80	74	77	85	82	94	80
Under 1 month	762	61	71	62	71	61	62	57	63	68	59	74	53
Delaware:													
Under 1 year	233	28	24	27	24	20	18	13	15	18	19	8	19
Under 1 month	131	16	9	15	10	6	14	8	11	11	15	4	12
District of Columbia:													
Under 1 year	780	60	65	88	71	71	72	69	62	63	55	57	47
Under 1 month	565	42	47	58	47	52	52	58	39	45	43	44	38
Florida:													
Under 1 year	2,093	229	171	154	171	171	154	156	203	171	154	169	190
Under 1 month	1,380	132	103	95	107	107	105	114	151	118	110	111	127
Georgia:													
Under 1 year	3,162	345	310	258	234	259	269	228	264	237	227	236	295
Under 1 month	1,903	192	179	160	149	155	170	146	156	150	152	141	153
Idaho:													
Under 1 year	403	39	31	39	32	33	31	27	24	31	34	38	44
Under 1 month	280	20	20	29	22	25	21	22	21	27	18	28	27
Illinois:													
Under 1 year	4,377	405	408	429	341	345	329	329	353	330	347	304	457
Under 1 month	3,001	272	256	278	238	253	242	235	256	234	256	206	275
Indiana:													
Under 1 year	2,462	217	233	240	166	196	185	177	184	211	222	172	259
Under 1 month	1,558	122	128	135	120	137	127	116	135	137	144	107	150
Iowa:													
Under 1 year	1,363	117	107	134	123	112	120	110	110	78	125	120	107
Under 1 month	1,016	81	68	91	93	88	92	87	90	61	104	92	69
Kansas:													
Under 1 year	1,109	105	124	96	83	91	83	83	92	75	72	91	114
Under 1 month	755	70	58	65	53	64	63	54	72	57	62	64	73
Kentucky:													
Under 1 year	2,658	262	299	267	182	198	190	203	287	262	241	211	256
Under 1 month	1,658	158	178	140	118	129	135	111	136	143	138	132	140
Louisiana:													
Under 1 year	2,488	247	237	201	181	215	198	211	227	187	194	173	217
Under 1 month	1,553	132	111	108	108	144	133	141	157	138	134	112	135
Maine:													
Under 1 year	773	83	65	88	70	60	54	51	60	55	60	47	80
Under 1 month	451	39	34	51	37	32	38	27	41	37	36	33	46
Maryland:													
Under 1 year	1,626	170	148	107	110	120	113	124	154	170	142	109	159
Under 1 month	1,009	91	80	66	79	78	76	87	87	105	92	76	92
Massachusetts:													
Under 1 year	2,436	249	183	246	213	181	186	193	189	205	180	178	233
Under 1 month	1,698	170	119	159	142	122	130	151	135	152	138	116	164
Michigan:													
Under 1 year	4,035	349	363	395	339	372	322	281	290	330	331	305	358
Under 1 month	2,685	202	219	221	210	269	243	211	223	229	228	204	226

TABLE 21.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY MONTH: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths]

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
Minnesota:													
Under 1 year	1,698	167	142	153	145	158	148	117	107	127	131	157	146
Under 1 month	1,218	111	88	104	102	112	102	98	88	103	101	109	100
Mississippi:													
Under 1 year	2,204	230	230	224	131	174	156	189	194	164	174	146	192
Under 1 month	1,357	136	126	123	71	105	97	120	130	120	122	92	115
Missouri:													
Under 1 year	2,464	233	247	232	167	158	167	205	194	240	200	205	216
Under 1 month	1,494	130	123	111	106	101	116	120	131	145	127	142	142
Montana:													
Under 1 year	363	27	31	47	24	38	24	28	22	34	27	26	35
Under 1 month	253	19	20	30	17	30	18	18	16	28	16	18	23
Nebraska:													
Under 1 year	687	72	57	65	62	44	54	44	52	55	57	58	67
Under 1 month	488	46	43	41	39	35	38	36	41	38	42	42	47
Nevada:													
Under 1 year	132	8	9	10	7	15	15	10	14	10	11	11	12
Under 1 month	83	3	2	8	3	12	12	9	9	5	9	5	6
New Hampshire:													
Under 1 year	303	29	21	36	22	28	24	17	24	26	25	23	28
Under 1 month	204	19	9	25	14	22	15	12	21	21	19	13	14
New Jersey:													
Under 1 year	2,476	215	236	218	182	196	221	191	194	201	199	195	228
Under 1 month	1,685	149	137	124	118	145	159	146	148	146	131	138	144
New Mexico:													
Under 1 year	1,543	100	107	122	103	75	108	128	198	236	160	119	87
Under 1 month	633	60	56	62	46	30	57	54	62	64	54	45	43
New York:													
Under 1 year	7,461	631	590	687	613	589	649	570	625	597	648	576	686
Under 1 month	5,387	425	383	424	438	431	486	451	478	460	488	433	490
North Carolina:													
Under 1 year	3,782	452	408	308	276	283	303	296	299	302	239	292	324
Under 1 month	2,178	232	214	192	194	183	174	157	178	171	137	179	167
North Dakota:													
Under 1 year	385	40	31	42	26	31	31	23	30	26	39	32	34
Under 1 month	255	27	20	28	16	21	21	15	23	16	24	18	26
Ohio:													
Under 1 year	4,830	420	377	444	401	368	369	383	412	374	407	415	460
Under 1 month	3,208	260	229	263	273	262	269	266	291	257	282	284	272
Oklahoma:													
Under 1 year	1,727	179	152	143	124	135	126	136	137	136	141	152	166
Under 1 month	1,091	93	82	85	79	94	89	86	94	91	90	101	107
Oregon:													
Under 1 year	692	58	54	62	60	63	55	56	53	64	47	59	61
Under 1 month	491	38	36	42	43	50	37	41	40	43	35	41	45
Pennsylvania:													
Under 1 year	6,590	587	587	673	550	548	490	471	555	513	545	516	555
Under 1 month	4,325	376	319	375	365	378	368	332	393	360	355	362	342
Rhode Island:													
Under 1 year	384	40	29	39	35	36	24	28	26	25	32	34	36
Under 1 month	257	25	14	19	24	23	18	20	18	18	23	25	30
South Carolina:													
Under 1 year	2,469	273	268	187	189	191	167	181	196	209	200	185	223
Under 1 month	1,372	139	124	109	106	113	87	107	117	129	121	113	107
South Dakota:													
Under 1 year	388	35	29	39	29	37	32	38	26	29	27	39	28
Under 1 month	245	21	19	25	16	24	22	24	19	19	18	24	14
Tennessee:													
Under 1 year	3,096	297	278	293	210	208	214	254	289	297	249	237	270
Under 1 month	1,770	187	153	162	126	128	147	134	158	156	130	136	153
Texas:													
Under 1 year	7,703	653	608	563	631	641	750	730	688	586	525	608	720
Under 1 month	4,311	333	313	298	326	306	417	424	434	386	360	346	368
Utah:													
Under 1 year	488	50	61	33	53	42	35	32	31	40	38	35	38
Under 1 month	347	32	37	21	33	32	30	25	23	28	31	27	28
Vermont:													
Under 1 year	238	33	23	25	13	17	19	14	20	20	20	19	15
Under 1 month	146	16	14	15	10	6	14	11	15	14	8	12	11
Virginia:													
Under 1 year	3,178	312	311	273	230	203	225	227	327	294	262	242	272
Under 1 month	1,836	165	163	162	153	133	157	137	170	154	147	133	162
Washington:													
Under 1 year	1,539	157	124	145	134	146	135	119	110	103	122	113	131
Under 1 month	1,136	113	78	101	97	111	105	96	81	79	96	91	88
West Virginia:													
Under 1 year	2,030	155	180	191	150	127	137	161	221	216	179	155	158
Under 1 month	1,098	87	108	97	93	83	91	76	95	100	94	88	86
Wisconsin:													
Under 1 year	1,913	189	136	165	183	177	172	140	152	143	164	136	156
Under 1 month	1,311	119	90	96	121	116	128	109	114	98	114	100	106
Wyoming:													
Under 1 year	219	25	15	16	24	10	18	14	19	21	23	15	19
Under 1 month	144	13	12	10	19	6	12	11	9	12	17	11	12

TABLE 22.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1945

[By place of residence. Exclusive of stillbirths]

AREA AND AGE	Total deaths under 1 year	WHITE			NONWHITE		
		Total	Male	Female	Total	Male	Female
UNITED STATES							
Under 1 year	104,684	85,295	49,156	36,139	19,389	10,842	8,547
Under 1 month	66,593	55,715	32,606	23,109	10,878	6,171	4,707
Alabama:							
Under 1 year	3,141	1,709	971	738	1,432	818	614
Under 1 month	1,962	1,117	644	473	845	485	360
Arizona:							
Under 1 year	917	666	375	291	251	125	126
Under 1 month	414	334	184	150	80	44	36
Arkansas:							
Under 1 year	1,256	926	510	416	330	200	130
Under 1 month	711	569	312	257	142	83	59
California:							
Under 1 year	5,991	5,522	3,148	2,374	469	256	213
Under 1 month	4,113	3,813	2,225	1,588	300	169	131
Colorado:							
Under 1 year	1,188	1,161	692	469	27	15	12
Under 1 month	665	647	388	259	18	10	8
Connecticut:							
Under 1 year	1,011	974	578	396	37	23	14
Under 1 month	762	737	446	291	25	17	8
Delaware:							
Under 1 year	233	168	88	80	65	30	35
Under 1 month	131	103	59	44	28	19	9
District of Columbia:							
Under 1 year	780	402	237	165	378	215	163
Under 1 month	565	307	185	122	258	137	121
Florida:							
Under 1 year	2,093	1,318	748	570	775	443	332
Under 1 month	1,380	921	536	385	459	270	189
Georgia:							
Under 1 year	3,162	1,721	1,005	716	1,441	811	630
Under 1 month	1,903	1,098	662	436	805	462	343
Idaho:							
Under 1 year	403	385	216	169	18	10	8
Under 1 month	280	274	158	116	6	3	3
Illinois:							
Under 1 year	4,377	3,848	2,234	1,614	529	300	229
Under 1 month	3,001	2,690	1,575	1,115	311	179	132
Indiana:							
Under 1 year	2,462	2,260	1,327	933	202	114	88
Under 1 month	1,558	1,425	838	587	133	76	57
Iowa:							
Under 1 year	1,363	1,341	782	559	22	10	12
Under 1 month	1,016	1,003	592	411	13	6	7
Kansas:							
Under 1 year	1,109	1,035	607	428	74	35	39
Under 1 month	755	724	441	283	31	13	18
Kentucky:							
Under 1 year	2,858	2,630	1,519	1,111	228	120	108
Under 1 month	1,658	1,542	926	616	116	63	53
Louisiana:							
Under 1 year	2,488	1,170	695	475	1,318	733	585
Under 1 month	1,553	791	468	323	762	442	320
Maine:							
Under 1 year	773	767	435	332	6	4	2
Under 1 month	451	448	256	192	3	3	-
Maryland:							
Under 1 year	1,626	1,110	618	492	516	268	248
Under 1 month	1,009	735	419	316	274	153	121
Massachusetts:							
Under 1 year	2,436	2,371	1,383	988	65	35	30
Under 1 month	1,698	1,651	968	683	47	26	21
Michigan:							
Under 1 year	4,035	3,690	2,064	1,626	345	192	153
Under 1 month	2,685	2,451	1,387	1,064	234	131	103
Minnesota:							
Under 1 year	1,698	1,649	970	679	49	27	22
Under 1 month	1,218	1,196	718	478	22	11	11
Mississippi:							
Under 1 year	2,204	865	477	388	1,339	773	566
Under 1 month	1,357	630	344	286	727	425	302
Missouri:							
Under 1 year	2,464	2,131	1,235	896	333	195	138
Under 1 month	1,494	1,303	768	535	191	118	73
Montana:							
Under 1 year	363	314	184	130	49	34	15
Under 1 month	253	231	129	102	22	14	8
Nebraska:							
Under 1 year	687	642	393	249	45	28	17
Under 1 month	488	459	281	178	29	20	9
Nevada:							
Under 1 year	132	114	70	44	18	10	8
Under 1 month	83	74	50	24	9	5	4
New Hampshire:							
Under 1 year	303	302	181	121	1	1	-
Under 1 month	204	203	116	87	1	1	-
New Jersey:							
Under 1 year	2,476	2,159	1,217	942	317	179	138
Under 1 month	1,685	1,490	847	643	195	111	84
New Mexico:							
Under 1 year	1,543	1,316	736	580	227	137	90
Under 1 month	633	553	301	252	80	52	28
New York:							
Under 1 year	7,461	6,748	3,899	2,849	713	377	336
Under 1 month	5,387	4,933	2,863	2,070	454	231	223
North Carolina:							
Under 1 year	3,782	2,234	1,334	900	1,548	854	694
Under 1 month	2,178	1,377	835	542	801	443	358
North Dakota:							
Under 1 year	385	370	231	139	15	8	7
Under 1 month	255	253	157	96	2	2	-
Ohio:							
Under 1 year	4,830	4,400	2,510	1,890	430	253	177
Under 1 month	3,208	2,941	1,694	1,247	267	159	108
Oklahoma:							
Under 1 year	1,727	1,431	847	584	296	161	135
Under 1 month	1,091	939	560	379	152	76	76
Oregon:							
Under 1 year	692	657	388	269	35	20	15
Under 1 month	491	476	281	195	15	9	6
Pennsylvania:							
Under 1 year	6,590	5,880	3,400	2,480	710	395	315
Under 1 month	4,325	3,890	2,252	1,638	435	243	192
Rhode Island:							
Under 1 year	384	363	206	157	21	13	8
Under 1 month	257	244	138	106	13	8	5
South Carolina:							
Under 1 year	2,469	1,083	649	434	1,386	756	630
Under 1 month	1,372	683	410	273	689	388	301
South Dakota:							
Under 1 year	388	329	176	153	59	39	20
Under 1 month	245	227	121	106	18	15	3
Tennessee:							
Under 1 year	3,096	2,448	1,428	1,020	648	362	286
Under 1 month	1,770	1,406	840	566	364	208	156
Texas:							
Under 1 year	7,703	6,533	3,668	2,865	1,170	648	522
Under 1 month	4,311	3,583	2,114	1,469	728	408	320
Utah:							
Under 1 year	488	472	279	193	16	11	5
Under 1 month	347	336	198	138	11	10	1
Vermont:							
Under 1 year	238	238	140	98	-	-	-
Under 1 month	146	146	89	57	-	-	-
Virginia:							
Under 1 year	3,178	2,025	1,182	843	1,153	647	506
Under 1 month	1,836	1,213	735	478	623	346	277
Washington:							
Under 1 year	1,539	1,448	858	590	91	61	30
Under 1 month	1,136	1,094	659	435	42	30	12
West Virginia:							
Under 1 year	2,030	1,903	1,082	821	127	65	62
Under 1 month	1,098	1,026	602	424	72	36	36
Wisconsin:							
Under 1 year	1,913	1,861	1,061	800	52	26	26
Under 1 month	1,311	1,290	748	542	21	10	11
Wyoming:							
Under 1 year	219	206	123	83	13	5	8
Under 1 month	144	139	87	52	5	1	4

TABLE 23.—DEATHS UNDER 1 YEAR BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1945

[By place of residence. Exclusive of stillbirths]

AREA AND RACE	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mo.	3 mo.	4 mo.	5 mo.	6 mo.	7 mo.	8 mo.	9 mo.	10 mo.	11 mo.
UNITED STATES..	104,684	30,674	9,129	5,732	8,457	5,761	3,672	3,168	66,593	7,795	6,134	4,951	3,949	3,302	2,947	2,371	2,162	1,741	1,463	1,276
White.....	85,295	26,354	7,736	4,853	6,905	4,513	2,888	2,466	55,715	6,059	4,783	3,848	3,050	2,519	2,293	1,824	1,680	1,354	1,169	1,001
Nonwhite..	19,389	4,320	1,393	879	1,552	1,248	784	702	10,878	1,736	1,351	1,103	899	783	654	547	482	387	294	275
Alabama.....	3,141	897	255	146	278	193	96	97	1,962	272	187	151	96	92	101	77	61	54	45	43
White.....	1,709	557	156	85	136	83	48	52	1,117	130	95	64	53	51	44	34	37	35	18	31
Nonwhite..	1,432	340	99	61	142	110	48	45	845	142	92	87	43	41	57	43	24	19	27	12
Arizona.....	917	164	45	36	64	42	37	26	414	71	89	65	72	44	39	37	24	27	19	16
White.....	666	139	39	24	53	32	31	16	334	48	66	42	46	30	28	23	14	13	15	7
Nonwhite..	251	25	6	12	11	10	6	10	80	23	23	23	26	14	11	14	10	14	4	9
Arkansas.....	1,256	279	117	65	90	72	51	37	711	100	87	70	59	48	43	34	27	31	29	17
White.....	926	237	93	52	62	58	40	27	569	74	60	41	35	27	27	22	18	21	22	10
Nonwhite..	330	42	24	13	28	14	11	10	142	26	27	29	24	21	16	12	9	10	7	7
California.....	6,991	2,068	569	378	417	304	191	166	4,113	369	314	243	205	171	140	107	96	100	73	60
White.....	5,522	1,950	519	357	384	276	171	156	3,813	322	288	224	190	164	129	96	87	88	67	54
Nonwhite..	469	138	50	21	33	28	20	10	300	47	26	19	15	7	11	11	9	12	6	6
Colorado.....	1,188	340	61	54	74	42	36	38	665	101	90	63	64	50	37	31	25	30	19	13
White.....	1,161	331	79	52	72	42	35	36	647	101	88	61	64	49	35	31	25	29	18	13
Nonwhite..	27	9	2	2	2	-	1	2	18	-	2	2	-	1	2	-	-	1	1	-
Connecticut.....	1,011	368	109	54	93	59	40	29	762	67	45	28	18	14	17	11	19	16	8	6
White.....	974	357	105	61	89	58	40	27	737	67	42	27	16	14	16	11	19	13	7	5
Nonwhite..	37	11	4	3	4	1	-	2	25	-	3	1	2	-	1	-	-	3	1	1
Delaware.....	233	51	21	13	19	14	3	10	131	13	16	13	16	8	5	8	6	9	3	5
White.....	168	43	13	10	15	10	3	9	103	11	12	10	11	4	3	4	4	3	1	2
Nonwhite..	65	8	8	3	4	4	-	1	28	2	4	3	5	4	2	4	2	6	2	3
District of Columbia...	780	256	67	49	61	53	29	50	565	60	31	27	23	20	18	8	9	8	6	5
White.....	402	157	44	21	36	20	10	19	307	28	12	15	7	7	10	3	3	4	2	4
Nonwhite..	378	99	23	28	25	33	19	31	258	32	19	12	16	13	8	5	6	4	4	1
Florida.....	2,093	673	168	103	174	127	89	46	1,380	150	116	83	70	70	42	50	45	41	23	23
White.....	1,318	475	122	73	95	72	58	26	921	85	62	44	39	39	24	25	23	24	17	15
Nonwhite..	775	198	46	30	79	55	31	20	459	65	54	39	31	31	18	25	22	17	6	8
Georgia.....	3,162	809	256	171	250	209	116	92	1,903	281	194	154	142	119	104	70	57	51	40	47
White.....	1,721	495	166	99	140	100	53	45	1,098	148	88	74	68	54	62	32	29	22	20	26
Nonwhite..	1,441	314	90	72	110	109	63	47	805	133	106	80	74	65	42	38	28	29	20	21
Idaho.....	403	129	38	28	45	26	10	4	280	32	20	7	13	10	8	7	8	10	4	4
White.....	385	127	38	26	45	25	9	4	274	30	18	7	12	7	6	7	7	9	4	4
Nonwhite..	18	2	-	2	-	1	1	-	6	2	2	-	1	3	2	-	1	1	-	-
Illinois.....	4,377	1,481	401	306	386	185	134	108	3,001	288	183	171	127	124	105	101	96	74	61	46
White.....	3,848	1,333	368	267	345	162	120	95	2,690	245	147	144	106	102	89	84	89	62	50	40
Nonwhite..	529	148	33	39	41	23	14	13	311	43	36	27	21	22	16	17	7	12	11	6
Indiana.....	2,462	727	230	136	189	133	70	73	1,558	178	154	118	103	96	63	64	45	27	31	25
White.....	2,260	671	210	129	169	122	61	63	1,425	161	138	113	96	87	60	60	41	27	28	24
Nonwhite..	202	56	20	7	20	11	9	10	133	17	16	5	7	9	3	4	4	-	3	1
Iowa.....	1,363	494	157	97	121	83	38	26	1,016	73	64	41	36	32	21	29	13	18	13	7
White.....	1,341	491	153	96	119	81	37	26	1,003	72	61	41	36	31	21	28	13	16	12	7
Nonwhite..	22	3	4	1	2	2	1	-	13	1	3	-	-	1	-	1	-	2	1	-
Kansas.....	1,109	334	103	78	99	72	37	32	755	75	46	48	38	29	39	22	16	20	14	7
White.....	1,035	324	99	73	95	70	36	27	724	71	40	41	33	26	31	20	15	14	13	7
Nonwhite..	74	10	4	5	4	2	1	5	31	4	6	7	5	3	8	2	1	6	1	-
Kentucky.....	2,858	672	198	139	235	200	115	99	1,658	234	194	173	122	100	85	72	75	52	51	42
White.....	2,630	633	176	133	220	188	104	88	1,542	211	178	152	110	93	73	67	69	49	49	37
Nonwhite..	228	39	22	6	15	12	11	11	116	23	16	21	12	7	12	5	6	3	2	5
Louisiana.....	2,488	736	180	100	177	170	103	87	1,553	200	151	132	90	92	79	56	53	30	34	18
White.....	1,170	431	111	54	80	59	27	29	791	83	65	51	43	37	33	14	17	11	19	6
Nonwhite..	1,318	305	69	46	97	111	76	58	762	117	86	81	47	55	46	42	36	19	15	12
Maine.....	773	231	64	37	45	32	24	18	451	77	60	40	33	30	16	10	21	11	11	13
White.....	767	230	62	37	45	32	24	18	448	76	59	39	33	30	16	10	21	11	11	13
Nonwhite..	6	1	2	-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-
Maryland.....	1,626	415	133	80	135	118	73	55	1,009	140	94	69	64	55	55	31	37	30	24	18
White.....	1,110	321	98	53	93	84	47	39	735	84	64	46	32	26	38	16	20	19	16	14
Nonwhite..	516	94	35	27	42	34	26	16	274	56	30	23	32	29	17	15	17	11	8	4
Massachusetts.....	2,436	808	251	149	217	140	73	60	1,698	142	99	101	76	60	56	50	39	40	37	38
White.....	2,371	781	243	146	212	139	71	59	1,651	139	98	99	74	57	56	48	38	39	36	36
Nonwhite..	65	27	8	3	5	1	2	1	47	3	1	2	2	3	-	2	1	1	1	2
Michigan.....	4,035	1,259	377	259	325	210	136	119	2,685	279	229	170	120	122	120	90	70	60	49	41
White.....	3,690	1,161	340	234	296	191	127	102	2,451	252	215	151	113	114	113	82	60	54	47	38
Nonwhite..	345	98	37	25	29	19	9	17	234	27	14	19	7	8	7	8	10	6	2	3
Minnesota.....	1,698	622	176	98	147	73	62	40	1,218	99	89	53	48	31	40	26	32	19	20	23
White.....	1,649	612	173	98	143	72	60	38	1,196	95	83	50	48	29	39	22	30	17	20	20
Nonwhite..	49	10	3	-	4	1	2	2	22	4	6	3	-	2	1	4	2	2	-	3
Mississippi.....	2,204	616	173	117	193	117	78	63	1,357	169	119	126	109	72	67	40	47	36	29	33
White.....	865	332	82	52	70	41	28	25	630	49	38	36	23	21	15	13	10	12	7	11
Nonwhite..	1,339	284	91	65	123	76	50	38	727	120	81	90	86	51	52	27	37	24	22	22
Missouri.....	2,464	691	178	111	180	147	108	79	1,494	191	169	107	112	74	90	53	59	42	39	34
White.....	2,131	613	157	96	150	125	94	68	1,303	170	150	89	94	65	72	47	45	33	32	31
Nonwhite..	333	78	21	15	30	22	14	11	191	21	19	18	18	9	18	6	14	9	7	3

TABLE 23.–DEATHS UNDER 1 YEAR BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1945–Continued

[By place of residence. Exclusive of stillbirths]

AREA AND RACE	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mo.	3 mo.	4 mo.	5 mo.	6 mo.	7 mo.	8 mo.	9 mo.	10 mo.	11 mo.
Montana	363	102	48	26	34	21	11	11	253	19	20	19	13	8	11	6	3	6	2	3
White	314	97	44	24	33	17	7	9	231	17	19	15	9	4	5	4	2	4	2	2
Nonwhite	49	5	4	2	1	4	4	2	22	2	1	4	4	4	6	2	1	2	-	1
Nebraska	687	250	66	43	67	29	15	18	488	41	28	17	23	20	21	15	15	9	4	6
White	642	233	63	41	64	27	15	16	459	37	27	17	22	19	19	15	10	8	4	5
Nonwhite	45	17	3	2	3	2	-	2	29	4	1	-	1	1	2	-	5	1	-	1
Nevada	132	36	13	3	14	11	4	2	83	13	12	9	2	4	-	2	3	3	1	-
White	114	34	12	3	14	6	3	2	74	10	10	8	2	2	-	2	2	3	1	-
Nonwhite	18	2	1	-	-	5	1	-	9	3	2	1	-	2	-	-	1	-	-	-
New Hampshire	303	104	27	19	26	17	6	5	204	13	20	16	10	3	9	6	6	9	6	1
White	302	104	27	18	26	17	6	5	203	13	20	16	10	3	9	6	6	9	6	1
Nonwhite	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
New Jersey	2,476	829	276	132	204	98	80	66	1,685	193	143	100	76	52	55	47	38	45	21	21
White	2,159	732	249	120	184	87	54	54	1,490	167	114	89	64	46	44	40	34	35	20	16
Nonwhite	317	97	27	12	20	11	16	12	195	26	29	11	12	6	11	7	4	10	1	5
New Mexico	1,543	246	59	46	98	73	58	53	633	133	132	132	113	87	68	70	60	47	36	32
White	1,316	222	54	41	80	62	52	42	553	115	116	121	97	67	54	59	46	36	28	24
Nonwhite	227	24	5	5	18	11	6	11	80	18	16	11	16	20	14	11	14	11	8	8
New York	7,461	2,606	780	459	649	414	253	226	5,387	493	337	267	196	162	168	129	92	80	80	61
White	6,748	2,389	716	426	603	364	230	205	4,933	437	278	238	176	144	145	110	80	74	80	53
Nonwhite	713	217	64	33	46	50	23	21	454	56	59	29	20	18	23	19	12	6	9	8
North Carolina	3,782	879	321	174	304	229	129	142	2,178	343	283	218	158	142	114	91	89	71	48	47
White	2,234	617	214	109	176	116	74	71	1,377	178	149	112	78	77	78	52	49	36	25	23
Nonwhite	1,548	262	107	65	128	113	55	71	801	165	134	106	80	65	36	39	40	35	23	24
North Dakota	385	120	34	24	39	15	11	12	255	25	20	16	17	12	10	9	7	7	3	4
White	370	118	34	24	39	15	11	12	253	24	18	14	15	11	7	9	7	6	3	3
Nonwhite	15	2	-	-	-	-	-	-	2	1	2	2	2	1	3	-	-	1	-	1
Ohio	4,830	1,608	399	276	399	225	137	164	3,208	325	256	198	172	129	127	99	93	82	77	64
White	4,400	1,476	371	253	369	202	123	147	2,941	291	232	187	151	113	108	89	86	75	69	58
Nonwhite	430	132	28	23	30	23	14	17	267	34	24	11	21	16	19	10	7	7	8	6
Oklahoma	1,727	455	184	91	150	81	70	60	1,091	126	95	74	60	53	54	43	55	25	32	19
White	1,431	411	159	74	130	61	59	45	939	105	78	55	44	40	38	30	42	18	28	14
Nonwhite	296	44	25	17	20	20	11	15	152	21	17	19	16	13	16	13	13	7	4	5
Oregon	692	242	73	50	68	30	14	14	491	37	23	29	27	16	13	17	12	9	8	7
White	657	230	72	49	67	30	14	14	476	34	20	29	25	15	14	15	9	7	6	7
Nonwhite	35	12	1	1	1	-	-	-	15	3	3	-	2	1	2	2	3	2	2	-
Pennsylvania	6,590	1,941	560	374	551	426	254	219	4,325	468	402	302	225	173	151	144	134	109	81	76
White	5,880	1,738	492	352	497	395	213	203	3,890	415	353	282	198	152	137	123	116	97	67	70
Nonwhite	710	203	68	22	54	31	41	16	435	53	49	40	27	21	14	21	18	12	14	6
Rhode Island	384	129	39	25	25	22	9	8	257	27	14	16	17	9	7	12	9	3	7	6
White	363	121	37	24	24	22	9	7	244	26	13	14	15	9	7	11	9	3	6	6
Nonwhite	21	8	2	1	1	-	-	1	13	1	1	2	2	-	-	1	-	-	1	-
South Carolina	2,469	577	201	142	180	120	83	69	1,372	221	174	148	122	107	77	69	57	37	41	44
White	1,083	325	93	77	81	45	36	26	683	88	64	51	40	36	28	25	22	12	17	17
Nonwhite	1,386	252	108	65	99	75	47	43	689	133	110	97	82	71	49	44	35	25	24	27
South Dakota	388	132	33	15	26	19	9	11	245	31	28	20	16	5	9	6	13	3	7	5
White	329	126	30	13	22	17	9	10	227	27	19	15	13	1	6	4	8	2	5	2
Nonwhite	59	6	3	2	4	2	-	1	18	4	9	5	3	4	3	2	5	1	2	3
Tennessee	3,096	783	211	135	238	167	144	92	1,770	293	201	183	138	114	95	84	62	49	54	53
White	2,448	625	178	101	186	127	119	70	1,406	242	157	142	109	84	75	67	47	37	42	40
Nonwhite	648	158	33	34	52	40	25	22	364	51	44	41	29	30	20	17	15	12	12	13
Texas	7,703	1,734	677	375	618	424	266	217	4,311	555	492	460	347	331	303	225	234	175	137	133
White	6,533	1,489	579	321	506	317	206	165	3,583	453	426	406	303	296	270	200	205	155	123	113
Nonwhite	1,170	245	98	54	112	107	60	52	728	102	66	54	44	35	33	25	29	20	14	20
Utah	488	158	43	36	41	31	22	16	347	39	16	11	9	17	13	10	6	3	8	9
White	472	153	43	36	40	29	21	14	336	38	15	10	9	17	13	9	6	3	8	8
Nonwhite	16	5	-	-	1	2	1	2	11	1	1	1	-	-	-	1	-	-	-	1
Vermont	238	75	15	11	24	7	4	10	146	22	12	17	7	4	9	5	5	5	2	4
White	238	75	15	11	24	7	4	10	146	22	12	17	7	4	9	5	5	5	2	4
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	3,178	812	240	148	251	164	120	101	1,836	312	244	177	130	127	92	76	62	44	44	34
White	2,025	584	146	107	156	98	67	55	1,213	187	154	116	80	62	57	42	37	27	29	21
Nonwhite	1,153	228	94	41	95	66	53	46	623	125	90	61	50	65	35	34	25	17	15	13
Washington	1,539	548	154	87	129	98	65	55	1,136	91	75	49	38	37	33	24	18	13	16	9
White	1,448	528	151	83	124	94	62	52	1,094	84	71	44	34	32	25	17	16	10	14	7
Nonwhite	91	20	3	4	5	4	3	3	42	7	4	5	4	5	8	7	2	3	2	2
West Virginia	2,030	455	130	90	123	103	106	91	1,098	183	163	128	91	76	74	57	64	41	24	31
White	1,903	430	115	82	113	101	98	87	1,026	172	151	122	88	74	66	53	59	39	22	31
Nonwhite	127	25	15	8	10	2	8	4	72	11	12	6	3	2	8	4	5	2	2	-
Wisconsin	1,913	651	186	121	158	103	46	46	1,311	122	96	78	76	43	33	38	41	27	26	22
White	1,861	638	183	120	157	102	45	45	1,290	117	92	74	71	39	32	36	40	26	24	20
Nonwhite	52	13	3	1	1	1	1	1	21	5	4	4	5	4	1	2	1	1	2	2
Wyoming	219	62	13	16	27	13	7	6	144	9	8	14	10	8	8	3	4	3	7	1
White	206	58	13	16	26	13	7	6	139	8	8	13	8	8	7	2	3	2	7	1
Nonwhite	13	4	-	-	1	-	-	-	5	1	-	1	2	-	1	1	1	1	-	-

TABLE 24.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1945

[By place of residence. Exclusive of stillbirths]

AREA AND AGE	Total deaths under 1 year	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
UNITED STATES													
Under 1 year	104,684	85,295	19,389	24,639	11,195	55,086	7,559	1,416	115	2,107	280	2,047	240
Under 1 day	30,674	26,354	4,320	4,270	1,872	20,538	2,290	729	69	99	25	718	64
1 to 6 days	23,318	19,494	3,824	3,098	2,023	15,171	1,685	459	33	282	44	484	39
7 to 13 days	5,761	4,513	1,248	1,205	723	3,003	486	80	7	146	22	79	10
14 to 29 days	6,840	5,354	1,486	1,779	868	3,195	593	67	3	229	15	84	7
1 to 11 months	38,091	29,580	8,511	14,287	5,709	13,179	2,505	81	3	1,351	174	682	120
ALABAMA													
Under 1 year	3,141	1,709	1,432	756	1,071	849	335	10	14	60	4	34	8
Under 1 day	897	557	340	184	219	354	109	3	11	3	-	13	1
1 to 6 days	679	377	302	140	231	218	63	5	1	4	3	10	4
7 to 13 days	193	83	110	47	85	31	24	-	-	4	1	1	-
14 to 29 days	193	100	93	58	77	28	14	2	2	10	-	2	-
1 to 11 months	1,179	592	587	327	459	218	125	-	-	39	-	8	3
ARIZONA													
Under 1 year	917	666	251	225	74	360	155	21	1	-	-	60	21
Under 1 day	164	139	25	19	7	97	17	11	-	-	-	12	1
1 to 6 days	145	116	29	19	9	72	17	8	1	-	-	17	2
7 to 13 days	42	32	10	7	2	18	8	-	-	-	-	7	-
14 to 29 days	63	47	16	16	4	27	10	1	-	-	-	3	2
1 to 11 months	503	332	171	164	52	146	103	1	-	-	-	21	16
ARKANSAS													
Under 1 year	1,256	926	330	440	281	440	46	-	-	17	-	29	3
Under 1 day	279	237	42	100	33	124	8	-	-	1	-	12	1
1 to 6 days	272	207	65	79	50	119	14	-	-	-	-	9	1
7 to 13 days	72	58	14	34	13	22	1	-	-	2	-	-	-
14 to 29 days	88	67	21	42	21	23	-	-	-	1	-	1	-
1 to 11 months	545	357	188	185	164	152	23	-	-	13	-	7	1
CALIFORNIA													
Under 1 year	5,991	5,522	469	903	102	4,151	339	90	7	138	10	240	11
Under 1 day	2,088	1,950	138	96	13	1,704	115	48	4	3	-	99	4
1 to 6 days	1,364	1,260	104	46	7	1,097	90	31	3	21	1	65	3
7 to 13 days	304	276	28	26	4	217	22	7	-	16	1	10	1
14 to 29 days	357	327	30	67	9	230	21	3	-	18	-	9	-
1 to 11 months	1,878	1,709	169	668	67	903	91	1	-	80	8	57	3
COLORADO													
Under 1 year	1,188	1,161	27	421	8	640	17	-	1	65	1	35	-
Under 1 day	340	331	9	51	-	267	9	-	-	2	-	11	-
1 to 6 days	209	203	6	37	1	149	5	-	-	11	-	6	-
7 to 13 days	42	42	-	14	-	22	-	-	-	4	-	2	-
14 to 29 days	74	71	3	35	1	27	1	-	1	9	-	-	-
1 to 11 months	523	514	9	284	6	175	2	-	-	39	1	16	-
CONNECTICUT													
Under 1 year	1,011	974	37	82	9	855	28	7	-	8	-	22	-
Under 1 day	368	357	11	3	2	348	9	2	-	-	-	4	-
1 to 6 days	266	255	11	2	1	250	10	-	-	2	-	1	-
7 to 13 days	59	58	1	3	-	54	1	-	-	1	-	-	-
14 to 29 days	69	67	2	9	1	55	1	3	-	-	-	-	-
1 to 11 months	249	237	12	65	5	148	7	2	-	5	-	17	-
DELAWARE													
Under 1 year	233	168	65	31	36	136	29	-	-	-	-	1	-
Under 1 day	51	43	8	6	4	36	4	-	-	-	-	1	-
1 to 6 days	53	38	15	7	7	31	8	-	-	-	-	-	-
7 to 13 days	14	10	4	1	1	9	3	-	-	-	-	-	-
14 to 29 days	13	12	1	2	-	10	1	-	-	-	-	-	-
1 to 11 months	102	65	37	15	24	50	13	-	-	-	-	-	-
DISTRICT OF COLUMBIA													
Under 1 year	780	402	378	36	33	273	280	27	9	66	55	-	1
Under 1 day	256	157	99	5	8	134	84	18	7	-	-	-	-
1 to 6 days	177	101	76	-	3	89	68	9	2	3	3	-	-
7 to 13 days	53	20	33	-	1	12	26	-	-	8	6	-	-
14 to 29 days	79	29	50	2	1	18	46	-	-	9	3	-	-
1 to 11 months	215	95	120	29	20	20	56	-	-	46	43	-	1
FLORIDA													
Under 1 year	2,093	1,318	775	281	512	966	246	10	-	2	-	59	17
Under 1 day	673	475	198	57	125	392	63	3	-	-	-	23	10
1 to 6 days	445	290	155	45	104	222	51	7	-	-	-	16	-
7 to 13 days	127	72	55	18	41	52	14	-	-	-	-	2	-
14 to 29 days	135	84	51	12	33	68	18	-	-	1	-	3	-
1 to 11 months	713	397	316	149	209	232	100	-	-	1	-	15	7
GEORGIA													
Under 1 year	3,162	1,721	1,441	664	1,094	953	336	1	-	53	2	50	9
Under 1 day	809	495	314	128	201	337	111	-	-	4	-	26	2
1 to 6 days	677	405	272	99	198	281	71	-	-	10	-	15	3
7 to 13 days	209	100	109	41	91	52	16	-	-	5	-	2	2
14 to 29 days	208	98	110	48	88	44	22	-	-	5	-	1	-
1 to 11 months	1,259	623	636	348	516	239	116	1	-	29	2	6	2

TABLE 24.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths]

AREA AND AGE	Total deaths under 1 year	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
IDAHO													
Under 1 year	403	385	18	71	4	283	12	-	-	1	-	30	2
Under 1 day	129	127	2	13	-	102	1	-	-	-	-	12	1
1 to 6 days	111	109	2	7	-	90	2	-	-	-	-	12	-
7 to 13 days	26	25	1	2	-	21	1	-	-	-	-	2	-
14 to 29 days	14	13	1	2	-	10	1	-	-	-	-	1	-
1 to 11 months	123	111	12	47	4	60	7	-	-	1	-	3	1
ILLINOIS													
Under 1 year	4,377	3,848	529	722	153	2,890	364	75	3	84	2	77	7
Under 1 day	1,481	1,333	148	129	27	1,162	117	38	3	-	-	4	1
1 to 6 days	1,093	980	113	58	17	880	96	29	-	5	-	8	-
7 to 13 days	185	162	23	24	3	133	20	2	-	2	-	1	-
14 to 29 days	242	215	27	53	6	150	20	2	-	7	-	3	1
1 to 11 months	1,376	1,158	218	458	100	565	111	4	-	70	2	61	5
INDIANA													
Under 1 year	2,462	2,260	202	682	77	1,453	118	34	2	77	2	14	3
Under 1 day	727	671	56	126	21	515	34	21	-	2	-	7	1
1 to 6 days	555	508	47	86	14	396	31	10	2	11	-	5	-
7 to 13 days	133	122	11	32	4	84	6	-	-	6	-	-	1
14 to 29 days	143	124	19	44	5	72	14	2	-	6	-	-	-
1 to 11 months	904	835	69	394	33	386	33	1	-	52	2	2	1
IOWA													
Under 1 year	1,363	1,341	22	261	8	1,021	14	4	-	6	-	40	-
Under 1 day	494	491	3	72	-	399	3	2	-	-	-	18	-
1 to 6 days	375	368	7	23	2	324	5	1	-	1	-	19	-
7 to 13 days	83	81	2	11	-	67	2	-	-	-	-	3	-
14 to 29 days	64	63	1	11	1	49	-	1	-	-	-	2	-
1 to 11 months	347	338	9	144	5	182	4	-	-	5	-	7	-
KANSAS													
Under 1 year	1,109	1,035	74	227	46	789	26	-	1	4	-	15	1
Under 1 day	334	324	10	53	3	267	7	-	-	-	-	4	-
1 to 6 days	280	267	13	29	7	231	5	-	1	-	-	7	-
7 to 13 days	72	70	2	7	1	62	1	-	-	1	-	-	-
14 to 29 days	69	63	6	16	4	46	2	-	-	-	-	1	-
1 to 11 months	354	311	43	122	31	183	11	-	-	3	-	3	1
KENTUCKY													
Under 1 year	2,858	2,630	228	1,530	154	986	74	13	-	73	-	28	-
Under 1 day	672	633	39	308	22	300	17	9	-	1	-	15	-
1 to 6 days	572	529	43	255	22	252	21	4	-	13	-	5	-
7 to 13 days	200	188	12	113	7	70	5	-	-	4	-	1	-
14 to 29 days	214	192	22	128	13	56	9	-	-	5	-	3	-
1 to 11 months	1,200	1,088	112	726	90	308	22	-	-	50	-	4	-
LOUISIANA													
Under 1 year	2,488	1,170	1,318	289	700	848	612	1	-	1	-	31	6
Under 1 day	736	431	305	62	99	359	203	-	-	-	-	10	3
1 to 6 days	457	245	212	39	113	195	97	-	-	-	-	11	2
7 to 13 days	170	59	111	17	56	37	55	-	-	-	-	5	-
14 to 29 days	190	56	134	16	68	39	66	-	-	-	-	1	-
1 to 11 months	935	379	556	155	364	218	191	1	-	1	-	4	1
MAINE													
Under 1 year	773	767	6	279	1	455	2	6	-	9	2	18	1
Under 1 day	231	230	1	39	1	183	-	3	-	-	-	5	-
1 to 6 days	146	144	2	32	-	108	2	1	-	-	-	3	-
7 to 13 days	32	32	-	8	-	21	-	-	-	1	-	2	-
14 to 29 days	42	42	-	16	-	24	-	1	-	1	-	-	-
1 to 11 months	322	319	3	184	-	119	-	1	-	7	2	8	1
MARYLAND													
Under 1 year	1,626	1,110	516	281	241	778	265	13	-	24	4	14	6
Under 1 day	415	321	94	66	46	244	48	7	-	-	-	4	-
1 to 6 days	348	244	104	30	31	205	72	5	-	2	1	2	-
7 to 13 days	118	84	34	11	10	71	24	1	-	1	-	-	-
14 to 29 days	128	86	42	22	13	62	28	-	-	2	1	-	-
1 to 11 months	617	375	242	152	141	196	93	-	-	19	2	8	6
MASSACHUSETTS													
Under 1 year	2,436	2,371	65	327	7	1,649	50	126	7	238	1	31	-
Under 1 day	808	781	27	39	1	656	20	66	6	16	-	4	-
1 to 6 days	617	601	16	14	-	475	15	47	1	62	-	3	-
7 to 13 days	140	139	1	8	-	101	1	7	-	22	-	1	-
14 to 29 days	133	130	3	21	-	76	3	4	-	26	-	3	-
1 to 11 months	738	720	18	245	6	341	11	2	-	112	1	20	-
MICHIGAN													
Under 1 year	4,035	3,690	345	749	88	2,612	149	29	4	167	86	133	18
Under 1 day	1,259	1,161	98	117	14	963	63	13	-	15	13	53	8
1 to 6 days	961	870	91	64	12	731	44	14	2	35	28	26	5
7 to 13 days	210	191	19	21	3	145	6	1	1	15	8	9	1
14 to 29 days	255	229	26	51	10	161	13	-	-	10	3	7	-
1 to 11 months	1,350	1,239	111	496	49	612	23	1	1	92	34	38	4

TABLE 24.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths]

AREA AND AGE	Total deaths under 1 year	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
MINNESOTA													
Under 1 year	1,698	1,649	49	281	19	1,284	27	20	1	19	-	45	2
Under 1 day	622	612	10	48	4	537	6	12	-	1	-	14	-
1 to 6 days	421	414	7	20	-	377	6	3	1	1	-	13	-
7 to 13 days	73	72	1	7	-	62	1	1	-	2	-	-	-
14 to 29 days	102	98	4	16	4	75	-	2	-	2	-	3	-
1 to 11 months	480	453	27	190	11	233	14	2	-	13	-	15	2
MISSISSIPPI													
Under 1 year	2,204	865	1,339	353	1,158	492	170	-	-	-	-	20	11
Under 1 day	616	332	284	96	237	226	45	-	-	-	-	10	2
1 to 6 days	483	204	279	66	230	134	45	-	-	-	-	4	4
7 to 13 days	117	41	76	20	68	19	7	-	-	-	-	2	1
14 to 29 days	141	53	88	34	81	19	6	-	-	-	-	-	1
1 to 11 months	847	235	612	137	542	94	67	-	-	-	-	4	3
MISSOURI													
Under 1 year	2,464	2,131	333	686	130	1,253	192	64	7	93	4	35	-
Under 1 day	691	613	78	147	13	421	59	32	5	2	1	11	-
1 to 6 days	469	403	66	82	26	292	38	15	2	7	-	7	-
7 to 13 days	147	125	22	42	8	71	14	8	-	4	-	-	-
14 to 29 days	187	162	25	57	10	86	15	8	-	10	-	1	-
1 to 11 months	970	828	142	358	73	383	66	1	-	70	3	16	-
MONTANA													
Under 1 year	363	314	49	42	28	259	20	-	-	-	-	13	1
Under 1 day	102	97	5	3	-	92	5	-	-	-	-	2	-
1 to 6 days	108	101	7	3	2	96	5	-	-	-	-	2	-
7 to 13 days	21	17	4	2	3	14	1	-	-	-	-	1	-
14 to 29 days	22	16	6	4	4	11	2	-	-	-	-	1	-
1 to 11 months	110	83	27	30	19	46	7	-	-	-	-	7	1
NEBRASKA													
Under 1 year	687	642	45	155	11	455	33	3	-	3	-	26	1
Under 1 day	250	233	17	35	2	188	15	1	-	-	-	9	-
1 to 6 days	176	168	8	22	-	132	7	1	-	-	-	13	1
7 to 13 days	29	27	2	6	-	20	2	-	-	-	-	1	-
14 to 29 days	33	31	2	10	-	21	2	-	-	-	-	-	-
1 to 11 months	199	183	16	82	9	94	7	1	-	3	-	3	-
NEVADA													
Under 1 year	132	114	18	19	9	86	9	-	-	-	-	9	-
Under 1 day	36	34	2	-	-	31	2	-	-	-	-	3	-
1 to 6 days	30	29	1	-	1	26	-	-	-	-	-	3	-
7 to 13 days	11	6	5	-	2	6	3	-	-	-	-	-	-
14 to 29 days	6	5	1	1	1	2	-	-	-	-	-	2	-
1 to 11 months	49	40	9	18	5	21	4	-	-	-	-	1	-
NEW HAMPSHIRE													
Under 1 year	303	302	1	58	-	226	1	11	-	5	-	2	-
Under 1 day	104	104	-	5	-	92	-	5	-	-	-	2	-
1 to 6 days	72	71	1	-	-	67	1	3	-	1	-	-	-
7 to 13 days	17	17	-	2	-	12	-	2	-	1	-	-	-
14 to 29 days	11	11	-	3	-	7	-	-	-	1	-	-	-
1 to 11 months	99	99	-	48	-	48	-	1	-	2	-	-	-
NEW JERSEY													
Under 1 year	2,476	2,159	317	294	69	1,658	220	113	15	43	6	51	7
Under 1 day	829	732	97	39	15	625	71	58	9	1	1	9	1
1 to 6 days	612	553	59	25	5	486	49	32	4	1	-	9	1
7 to 13 days	98	87	11	7	2	73	7	6	2	1	-	-	-
14 to 29 days	146	118	28	15	7	97	20	2	-	3	-	1	1
1 to 11 months	791	669	122	208	40	377	73	15	-	37	5	32	4
NEW MEXICO													
Under 1 year	1,543	1,316	227	852	84	430	142	1	-	1	-	32	1
Under 1 day	246	222	24	87	7	122	17	1	-	-	-	12	-
1 to 6 days	203	175	28	94	18	71	10	-	-	1	-	9	-
7 to 13 days	73	62	11	45	6	17	5	-	-	-	-	-	-
14 to 29 days	111	94	17	61	6	30	11	-	-	-	-	3	-
1 to 11 months	910	763	147	565	47	190	99	-	-	-	-	8	1
NEW YORK													
Under 1 year	7,461	6,748	713	827	121	5,315	569	300	8	163	8	143	7
Under 1 day	2,606	2,389	217	112	11	2,065	201	155	4	21	1	36	-
1 to 6 days	1,888	1,745	143	44	-	1,529	140	110	2	41	1	21	-
7 to 13 days	414	364	50	29	3	304	45	17	1	14	1	-	-
14 to 29 days	479	435	44	62	5	339	37	7	-	21	2	6	-
1 to 11 months	2,074	1,815	259	580	102	1,078	146	11	1	66	3	80	7
NORTH CAROLINA													
Under 1 year	3,782	2,234	1,548	928	1,162	1,232	379	-	-	20	-	54	7
Under 1 day	879	617	262	159	155	429	107	-	-	-	-	29	-
1 to 6 days	799	499	300	154	212	329	87	-	-	-	-	16	1
7 to 13 days	229	116	113	63	92	51	20	-	-	-	-	2	1
14 to 29 days	271	145	126	73	108	69	18	-	-	3	-	-	-
1 to 11 months	1,604	857	747	479	595	354	147	-	-	17	-	7	5

TABLE 24.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths]

AREA AND AGE	Total deaths under 1 year	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
NORTH DAKOTA													
Under 1 year	385	370	15	95	9	255	6	4	-	-	-	16	-
Under 1 day	120	118	2	19	-	91	2	2	-	-	-	6	-
1 to 6 days	97	97	-	13	-	78	-	-	-	-	-	6	-
7 to 13 days	15	15	-	3	-	11	-	-	-	-	-	1	-
14 to 29 days	23	23	-	7	-	14	-	1	-	-	-	1	-
1 to 11 months	130	117	13	53	9	61	4	1	-	-	-	2	-
OHIO													
Under 1 year	4,830	4,400	430	1,148	145	2,838	257	135	6	214	18	65	4
Under 1 day	1,608	1,476	132	195	27	1,164	99	77	3	13	2	27	1
1 to 6 days	1,074	993	81	114	20	812	58	31	1	20	1	16	1
7 to 13 days	225	202	23	47	5	134	14	7	1	11	3	3	-
14 to 29 days	301	270	31	84	9	140	21	13	-	31	1	2	-
1 to 11 months	1,622	1,459	163	708	84	588	65	7	1	139	11	17	2
OKLAHOMA													
Under 1 year	1,727	1,431	296	493	210	893	85	-	-	5	-	40	1
Under 1 day	455	411	44	104	20	290	24	-	-	-	-	17	-
1 to 6 days	425	363	62	86	46	266	16	-	-	-	-	11	-
7 to 13 days	81	61	20	30	15	30	4	-	-	-	-	1	1
14 to 29 days	130	104	26	38	19	66	7	-	-	-	-	-	-
1 to 11 months	636	492	144	235	110	241	34	-	-	5	-	11	-
OREGON													
Under 1 year	692	657	35	94	8	496	19	-	-	41	1	26	7
Under 1 day	242	230	12	7	2	213	5	-	-	-	-	10	5
1 to 6 days	191	188	3	6	-	172	2	-	-	3	-	7	1
7 to 13 days	30	30	-	-	-	26	-	-	-	4	-	-	-
14 to 29 days	28	28	-	5	-	15	-	-	-	6	-	2	-
1 to 11 months	201	181	20	76	6	70	12	-	-	28	1	7	1
PENNSYLVANIA													
Under 1 year	6,590	5,880	710	1,414	155	4,135	490	86	20	155	39	90	6
Under 1 day	1,941	1,738	203	273	30	1,403	157	29	11	-	4	33	1
1 to 6 days	1,485	1,341	144	156	22	1,130	111	22	8	10	3	23	-
7 to 13 days	426	395	31	71	2	303	27	7	1	8	1	6	-
14 to 29 days	473	416	57	101	10	290	44	7	-	17	3	1	-
1 to 11 months	2,265	1,990	275	813	91	1,009	151	21	-	120	28	27	5
RHODE ISLAND													
Under 1 year	384	363	21	53	7	208	9	77	5	3	-	22	-
Under 1 day	129	121	8	9	-	67	4	43	4	-	-	2	-
1 to 6 days	89	85	4	4	1	52	2	26	1	1	-	2	-
7 to 13 days	22	22	-	3	-	11	-	6	-	1	-	1	-
14 to 29 days	17	16	1	2	1	12	-	2	-	-	-	-	-
1 to 11 months	127	119	8	35	5	66	3	-	-	1	-	17	-
SOUTH CAROLINA													
Under 1 year	2,469	1,083	1,386	446	1,141	615	242	3	-	4	-	15	3
Under 1 day	577	325	252	99	191	217	59	1	-	-	-	8	2
1 to 6 days	523	251	272	83	207	166	65	-	-	-	-	2	-
7 to 13 days	120	45	75	22	65	22	10	1	-	-	-	-	-
14 to 29 days	152	62	90	34	76	27	14	1	-	-	-	-	-
1 to 11 months	1,097	400	697	208	602	183	94	-	-	4	-	5	1
SOUTH DAKOTA													
Under 1 year	388	329	59	91	27	226	31	3	-	-	-	9	1
Under 1 day	132	126	6	24	-	96	6	1	-	-	-	5	-
1 to 6 days	74	65	9	5	5	56	4	2	-	-	-	2	-
7 to 13 days	19	17	2	1	1	16	1	-	-	-	-	-	-
14 to 29 days	20	19	1	7	-	11	1	-	-	-	-	1	-
1 to 11 months	143	102	41	54	21	47	19	-	-	-	-	1	1
TENNESSEE													
Under 1 year	3,096	2,448	648	1,236	366	1,070	261	8	-	72	16	62	5
Under 1 day	783	625	158	236	63	355	93	6	-	1	2	27	-
1 to 6 days	584	465	119	185	66	267	52	2	-	2	-	9	1
7 to 13 days	167	127	40	74	24	48	16	-	-	3	-	2	-
14 to 29 days	236	189	47	107	26	65	21	-	-	12	-	5	-
1 to 11 months	1,326	1,042	284	634	187	335	79	-	-	54	14	19	4
TEXAS													
Under 1 year	7,703	6,533	1,170	3,258	704	2,982	430	68	2	74	12	151	22
Under 1 day	1,734	1,489	245	421	98	961	136	33	1	10	1	64	9
1 to 6 days	1,670	1,406	264	518	155	819	102	27	1	4	2	38	4
7 to 13 days	424	317	107	168	59	141	47	3	-	2	1	3	-
14 to 29 days	483	371	112	184	60	170	51	3	-	7	1	7	-
1 to 11 months	3,392	2,950	442	1,967	332	891	94	2	-	51	7	39	9
UTAH													
Under 1 year	488	472	16	92	2	356	13	4	-	5	-	15	1
Under 1 day	158	153	5	18	-	124	4	1	-	2	-	8	1
1 to 6 days	120	119	1	8	-	102	1	3	-	2	-	4	-
7 to 13 days	31	29	2	2	-	27	2	-	-	-	-	-	-
14 to 29 days	38	35	3	3	-	32	3	-	-	-	-	-	-
1 to 11 months	141	136	5	61	2	71	3	-	-	1	-	3	-

TABLE 24.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY DETAILED AGE AND RACE: UNITED STATES AND EACH STATE, 1945—Continued

[By place of residence. Exclusive of stillbirths]

AREA AND AGE	Total deaths under 1 year	TOTAL		NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
		White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
VERMONT													
Under 1 year	238	238	-	69	-	164	-	3	-	2	-	-	-
Under 1 day	75	75	-	7	-	67	-	1	-	-	-	-	-
1 to 6 days	50	50	-	7	-	43	-	-	-	-	-	-	-
7 to 13 days	7	7	-	-	-	6	-	1	-	-	-	-	-
14 to 29 days	14	14	-	4	-	9	-	-	-	1	-	-	-
1 to 11 months	92	92	-	51	-	39	-	1	-	1	-	-	-
VIRGINIA													
Under 1 year	3,178	2,025	1,153	820	800	1,130	321	19	1	35	5	30	26
Under 1 day	812	584	228	165	125	402	97	1	-	1	-	12	6
1 to 6 days	639	409	230	117	154	279	70	3	-	3	1	7	5
7 to 13 days	164	98	66	45	44	47	20	1	1	1	-	4	1
14 to 29 days	221	122	99	57	75	61	21	1	-	3	1	-	2
1 to 11 months	1,342	812	530	436	402	341	113	1	-	27	3	7	12
WASHINGTON													
Under 1 year	1,539	1,448	91	187	26	1,184	51	13	1	6	-	58	13
Under 1 day	548	528	20	16	1	488	15	8	1	-	-	16	3
1 to 6 days	370	358	12	4	2	344	10	3	-	-	-	7	-
7 to 13 days	98	94	4	3	-	86	3	1	-	-	-	4	1
14 to 29 days	120	114	6	18	1	89	5	-	-	-	-	7	-
1 to 11 months	403	354	49	146	22	177	18	1	-	6	-	21	9
WEST VIRGINIA													
Under 1 year	2,030	1,903	127	997	87	898	40	-	-	-	-	8	-
Under 1 day	455	430	25	207	20	221	5	-	-	-	-	2	-
1 to 6 days	343	310	33	140	20	169	13	-	-	-	-	1	-
7 to 13 days	103	101	2	55	2	46	-	-	-	-	-	-	-
14 to 29 days	197	185	12	98	9	87	3	-	-	-	-	-	-
1 to 11 months	932	877	55	497	36	375	19	-	-	-	-	5	-
WISCONSIN													
Under 1 year	1,913	1,861	52	349	14	1,410	36	23	-	47	2	32	-
Under 1 day	651	638	13	61	3	556	10	15	-	-	-	6	-
1 to 6 days	465	460	5	27	1	417	4	5	-	4	-	7	-
7 to 13 days	103	102	1	12	-	87	1	1	-	2	-	-	-
14 to 29 days	92	90	2	19	1	67	1	1	-	2	-	1	-
1 to 11 months	602	571	31	230	9	283	20	1	-	39	2	18	-
WYOMING													
Under 1 year	219	205	13	45	4	149	9	-	-	4	-	8	-
Under 1 day	62	58	4	5	-	52	4	-	-	-	-	1	-
1 to 6 days	56	55	1	4	-	45	1	-	-	1	-	5	-
7 to 13 days	13	13	-	1	-	12	-	-	-	-	-	-	-
14 to 29 days	13	13	-	4	-	9	-	-	-	-	-	-	-
1 to 11 months	75	67	8	31	4	31	4	-	-	3	-	2	-

747801 O - 47 - 30

TABLE 25.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: UNITED STATES, 1945

[Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision]

CAUSE OF DEATH	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
ALL CAUSES	104,684	9,799	9,271	9,346	8,157	8,225	8,221	8,188	8,898	8,681	8,421	8,117	9,360
Cerebrospinal (meningococcus) meningitis.....6	269	36	24	37	18	21	17	17	9	16	22	26	26
Scarlet fever.....8	11	4	2	1	-	1	-	-	-	-	1	1	1
Whooping cough.....9	1,249	99	100	140	96	98	106	146	125	100	85	71	83
Diphtheria (infection by C. diphtheriae).....10	78	10	10	6	4	3	2	2	4	7	9	9	12
Tuberculosis (all forms).....13-22	412	40	38	38	39	45	34	32	38	21	37	30	20
Tuberculosis of the respiratory system, etc.*.....13	174	20	15	19	10	13	15	16	18	6	20	13	9
Tuberculosis of the meninges, etc.*.....14	144	14	14	13	17	22	9	11	8	5	12	12	7
Tuberculosis (other forms).....15-22	94	6	9	6	12	10	10	5	12	10	5	5	4
Dysentery.....27	880	29	32	29	44	65	80	127	176	136	87	45	30
Malaria.....28	28	2	-	-	-	4	5	1	7	7	1	1	-
Syphilis.....30	684	75	54	64	60	66	60	53	56	50	52	47	47
Measles.....35	91	11	9	11	10	10	3	5	4	3	3	6	16
Diseases of the thymus gland.....64	973	107	104	90	85	79	74	80	66	75	76	61	76
Meningitis (not due to meningococcus).....81	483	71	50	60	51	44	23	26	20	26	29	34	49
Intracranial lesions of vascular origin.....83	164	17	7	17	14	9	14	12	5	14	17	19	19
Convulsions.....86	295	23	34	30	27	13	28	21	24	34	18	15	28
Diseases of the ear and mastoid process.....89	194	26	22	28	15	17	13	11	9	13	7	14	19
Diseases of the heart.....90-95	153	16	19	14	16	14	5	9	14	8	9	12	17
Pneumonia (all forms) and influenza...107-109,33	14,540	1,993	2,206	1,829	1,103	959	752	592	639	704	863	1,059	1,841
Bronchopneumonia, etc.*.....107	8,488	1,142	1,239	1,088	660	570	492	380	418	437	534	615	913
Lobar pneumonia.....108	2,491	331	388	311	188	179	134	102	104	119	133	185	317
Pneumonia (unspecified).....109	1,807	234	281	204	139	109	80	78	89	96	117	137	243
Influenza.....33	1,754	286	298	226	116	101	46	32	28	52	79	122	368
Other diseases of respiratory system.....104-106,110-114	974	128	146	126	79	71	63	38	52	37	60	68	106
Ulcer of stomach or duodenum.....117	31	4	7	2	2	3	-	1	3	4	2	2	1
Diarrhea, enteritis, etc.*.....119	8,277	485	425	445	472	546	738	893	1,190	1,205	836	575	467
Intestinal obstruction.....122b	477	43	35	50	34	39	36	46	47	47	35	32	33
Other diseases of digestive system.....115,116,118,121,123-129	601	63	56	65	56	46	51	47	44	53	38	39	43
Nephritis.....130,131	112	13	9	12	8	8	13	8	14	7	4	8	8
Congenital malformations.....157	13,544	1,245	1,169	1,219	1,050	1,047	1,128	1,051	1,148	1,088	1,106	1,114	1,179
Diseases peculiar to first year.....158-161	50,779	4,265	3,804	4,233	4,112	4,352	4,358	4,300	4,487	4,295	4,265	4,084	4,224
Congenital debility.....158	2,202	210	168	184	152	174	149	181	188	231	211	184	170
Premature birth.....159	31,614	2,576	2,301	2,599	2,588	2,771	2,706	2,659	2,777	2,642	2,692	2,596	2,707
Injury at birth.....160	9,762	874	782	826	802	794	887	837	901	800	761	756	742
Other diseases peculiar to the first year of life.....161	7,201	605	553	624	570	613	616	623	621	622	601	548	605
Asphyxia (cause not specified), atelectasis.....161a	4,053	324	309	352	330	323	371	320	363	359	345	286	371
Infection of the umbilicus, etc.*...161b,c	3,148	281	244	272	240	290	245	303	258	263	256	262	234
Homicide.....165-168	149	9	9	19	7	11	17	9	10	15	14	12	17
Accidental deaths.....169-195	2,753	333	279	220	220	190	169	172	173	185	229	236	347
Accidental mechanical suffocation.....182	1,249	164	142	113	91	88	67	51	67	72	95	120	179
Other accidental deaths.....169-181,183-195	1,504	169	137	107	129	102	102	121	106	113	134	116	168
Ill-defined and unknown causes.....199,200	4,350	437	432	351	348	313	283	308	356	349	358	336	479
All other causes.....	2,133	215	189	210	187	151	149	181	178	182	158	161	172

*Refer to International List for complete title, table V, Part I.

TABLE 26.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE AND RACE: UNITED STATES, 1945

[Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision]

RACE AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 day	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mo.	3 mo.	4 mo.	5 mo.	6 mo.	7 mo.	8 mo.	9 mo.	10 mo.	11 mo.
ALL RACES, all causes	104,884	30,674	9,129	5,732	8,457	5,761	3,672	3,168	66,593	7,795	6,134	4,951	3,949	3,302	2,947	2,371	2,162	1,741	1,463	1,276
Cerebrospinal (meningococcus) meningitis...6	269	-	-	1	2	2	3	6	14	20	16	34	16	25	30	25	30	28	16	15
Scarlet fever...8	11	-	-	-	-	-	-	1	1	-	-	-	-	1	2	2	1	1	1	2
Whooping cough...9	1,249	-	-	-	3	5	14	38	60	217	209	140	104	87	102	84	77	74	54	41
Diphtheria (infection by C. diphtheriae)...10	78	-	-	-	1	-	-	-	1	2	3	2	6	6	7	13	8	7	9	14
Tuberculosis (all forms)...13-22	412	1	1	2	-	1	2	2	9	16	12	19	28	42	47	50	48	49	38	54
Tuberculosis of respiratory system, etc.*...13	174	1	-	2	-	1	-	1	5	8	6	8	13	21	17	17	24	20	16	19
Tuberculosis of meninges, etc.*...14	144	-	1	-	-	-	1	-	2	3	1	4	6	14	23	20	15	18	16	21
Tuberculosis (other forms)...15-22	94	-	-	-	-	-	1	1	2	5	5	7	9	7	7	13	8	11	6	14
Dysentery...27	880	1	1	-	7	24	30	27	90	94	92	106	110	100	63	65	49	45	37	29
Malaria...28	28	-	-	-	4	-	-	-	4	4	3	3	2	2	3	3	2	1	-	1
Syphilis...30	684	145	41	25	36	42	21	35	345	119	86	33	33	19	13	11	10	9	2	4
Measles...35	91	-	-	-	-	-	-	2	2	2	6	9	15	3	9	9	13	8	5	10
Diseases of the thymus gland...64	973	87	57	67	65	49	38	39	402	142	117	99	53	45	26	27	20	17	14	11
Meningitis (not due to meningococcus)...81	483	1	-	5	12	17	14	12	61	48	54	40	48	41	35	48	32	19	33	24
Intracranial lesions of vascular origin...83	164	3	1	1	3	3	-	5	16	50	16	15	12	8	10	9	10	8	6	4
Convulsions...86	295	9	15	15	41	25	8	15	128	28	25	18	20	12	12	10	9	12	11	10
Diseases of the ear and mastoid process...89	104	-	-	-	1	2	-	7	10	16	22	23	26	21	21	18	7	10	11	9
Diseases of the heart...90-95	153	9	7	4	3	13	6	11	53	13	15	14	17	14	5	6	5	2	3	6
Pneumonia (all forms) and influenza...107-109,33	14,540	106	153	206	564	620	630	598	2,877	1,939	1,825	1,594	1,325	1,107	982	750	732	582	453	374
Bronchopneumonia, etc.*...107	8,488	81	103	119	360	387	414	381	1,845	1,162	1,086	912	764	618	543	399	409	316	253	161
Lobar pneumonia...108	2,491	5	22	30	93	105	87	82	424	330	302	279	239	217	177	147	126	102	71	77
Pneumonia (unspecified)...109	1,807	17	27	51	96	91	89	81	452	246	225	205	136	124	104	86	84	59	53	33
Influenza...33	1,754	3	1	6	15	37	40	54	156	201	212	198	186	148	158	118	113	105	76	83
Other diseases of respiratory system...104-106,110-114	974	31	14	15	38	37	36	35	206	137	98	113	98	52	65	49	41	43	36	36
Ulcer of stomach or duodenum...117	31	-	1	3	4	2	1	-	11	5	4	4	2	2	1	-	-	2	-	-
Diarrhea, enteritis, etc.*...119	8,277	5	9	11	69	305	561	512	1,472	1,325	1,068	901	750	651	561	441	387	301	234	186
Intestinal obstruction...122b	477	-	-	-	2	2	1	1	6	72	51	61	57	50	56	39	29	31	16	9
Other diseases of digestive system...115,116,118,121,123-129	601	6	4	9	33	35	27	29	143	70	60	61	46	37	52	31	29	28	27	17
Nephritis...130,131	112	3	1	1	7	9	6	6	33	18	11	11	9	7	2	3	9	4	1	4
Congenital malformations...157	13,544	2,920	976	823	1,548	1,186	699	578	8,730	1,230	846	589	450	386	360	269	216	167	159	142
Diseases peculiar to first year...158-161	50,779	26,227	7,443	4,197	5,321	2,814	1,262	836	48,100	1,164	560	305	174	120	102	56	70	45	46	37
Congenital debility...158	2,202	394	145	98	158	146	122	117	1,182	299	228	152	93	64	53	30	38	22	22	19
Premature birth...159	31,614	17,829	4,585	2,214	2,769	1,904	860	533	30,694	593	180	69	30	24	6	7	5	2	3	1
Injury at birth...160	9,762	5,339	1,580	993	1,106	338	117	71	9,546	80	39	22	9	10	12	3	13	11	8	6
Other diseases peculiar to first year...161	7,201	2,665	1,133	892	1,286	424	163	115	6,678	192	113	62	42	22	31	13	14	10	13	11
Asphyxia (cause not specified)*...161a	4,053	2,018	826	472	406	114	41	38	3,915	52	31	18	11	7	7	4	3	3	2	-
Infection of the umbilicus, etc.*...161b,c	3,148	647	307	420	880	310	122	77	2,763	140	82	44	31	15	24	9	11	7	11	11
Homicide...165-168	149	60	14	4	6	4	1	3	112	6	6	3	5	1	4	2	-	5	1	4
Accidental deaths...169-195	2,753	84	29	37	75	60	65	129	479	399	435	316	210	190	144	131	128	106	115	100
Accidental mechanical suffocation...182	1,249	20	6	9	22	35	37	91	220	257	265	177	114	73	56	33	27	11	12	4
Other accidental deaths...169-181,183-195	1,504	64	23	28	53	25	28	38	259	142	170	139	96	117	88	98	101	95	103	96
Ill-defined and unknown causes...199,200	4,350	829	307	236	442	312	163	168	2,459	439	344	275	200	161	119	90	103	56	45	59
All other causes	2,133	127	55	68	170	192	84	73	769	220	150	163	133	112	114	130	97	81	90	74
WHITE, all causes	85,295	26,354	7,736	4,853	6,905	4,513	2,888	2,466	55,715	6,059	4,783	3,848	3,050	2,519	2,293	1,824	1,680	1,354	1,169	1,001
Cerebrospinal (meningococcus) meningitis...6	234	-	-	1	2	2	3	5	13	19	13	28	16	20	27	19	26	23	16	14
Scarlet fever...8	11	-	-	-	-	-	-	1	1	-	-	-	-	1	2	2	1	1	1	2
Whooping cough...9	959	-	-	-	2	5	10	24	41	176	171	107	70	65	75	57	62	56	44	35
Diphtheria (infection by C. diphtheriae)...10	67	-	-	-	1	-	-	-	1	2	2	2	5	6	7	11	7	6	7	11
Tuberculosis (all forms)...13-22	266	1	1	-	-	1	2	1	6	11	9	12	20	24	25	31	34	30	26	38
Tuberculosis of respiratory system, etc.*...13	103	1	-	-	-	1	-	-	2	5	4	3	8	9	8	11	20	10	12	11
Tuberculosis of meninges, etc.*...14	101	-	1	-	-	-	1	-	2	2	1	4	4	10	14	14	9	15	9	17
Tuberculosis (other forms)...15-22	62	-	-	-	-	-	1	1	2	4	4	5	8	5	3	6	5	5	5	10
Dysentery...27	714	1	1	-	6	20	28	23	79	77	73	89	85	75	55	51	35	36	33	23
Malaria...28	17	-	-	-	2	-	-	-	2	4	2	1	1	1	1	3	2	-	-	-
Syphilis...30	256	47	13	9	14	13	9	9	114	55	37	13	10	5	5	5	4	4	2	2
Measles...35	61	-	-	-	-	-	-	1	1	1	4	5	10	3	5	7	9	5	5	6
Diseases of the thymus gland...64	874	79	51	60	61	45	34	37	367	127	108	88	45	39	23	22	18	15	14	8
Meningitis (not due to meningococcus)...81	386	1	-	5	9	14	14	8	51	40	42	27	39	32	26	38	25	16	27	23
Intracranial lesions of vascular origin...83	139	3	-	1	2	3	-	4	13	38	14	13	11	7	10	8	10	7	5	3
Convulsions...86	213	8	13	12	24	11	8	8	84	21	17	14	16	5	8	10	9	11	9	9
Diseases of the ear and mastoid process...89	171	-	-	-	1	2	-	5	8	15	21	19	23	20	20	14	6	8	9	8
Diseases of the heart...90-95	134	9	6	3	3	11	5	8	45	12	14	10	16	11	4	6	5	2	3	6
Pneumonia (all forms) and influenza...107-109,33	10,747	71	120	157	440	446	479	451	2,164	1,400	1,364	1,174	969	824	727	553	536	422	341	273
Bronchopneumonia, etc.*...107	6,363	58	83	92	281	277	322	295	1,408	863	809	684	567	466	403	304	304	231	187	137
Lobar pneumonia...108	1,800	2	19	25	70	73	69	65	323	245	225	198	164	155	131	96	89	73	53	48
Pneumonia (unspecified)...109	1,341	9	18	35	78	69	62	53	324	161	180	149	109	97	78	74	61	44	42	22
Influenza...33	1,243	2	-	5	11	27	26	38	109	131	150	143	129	106	115	79	82	74	59	66
Other diseases of respiratory system...104-106,110-114	749	23	9	8	22	24	27	22	135	108	80	86	83	42	54	39	33	32	27	30
Ulcer of stomach or duodenum...117	26	-	1	2	4	2	1	-	10	4	3	4	2	1	-	-	-	2	-	-
Diarrhea, enteritis, etc.*...119	6,587	5	6	8	53	249	462	420	1,203	1,093	850	714	593	485	423	341	308	245	185	147
Intestinal obstruction...122b	404	-	-	-	2	1	1	1	5	64	42	57	45	43	49	31	21	25	13	9
Other diseases of digestive system...115,116,118,121,123-129	483	5	3	6	25	24	18	22	103	59	49	49	41	34	44	25	22	22	21	14
Nephritis...130,131	91	1	1	1	6	7	5	6	27	16	7	8	7	6	1	2	9	4	-	4
Congenital malformations...157	12,613	2,762	918	769	1,441	1,098	641	541	8,170	1,138	776	541	420	355	332	245	203	158	144	131
Diseases peculiar to first year...158-161	42,960	22,729	6,391	3,608	4,399	2,237	954	615	40,933	850	428	240	136	92	82	46	56	32	36	29
Congenital debility...158	1,576	274	89	65	110	105	81	82	806	224	169	123	70	49	39	26	26	15	15	14
Premature birth...159	26,568	15,332	3,933	1,882	2,235	1,487	652	377	25,898	418	142	53	23	14	4	7	5	1	2	1
Injury at birth...160	8,704	4,817	1,387	895	963	288	96	59	8,505	76	33	20	8	10	11	5	13	10	7	6
Other diseases peculiar to first year...161	6,112	2,306	982	766	1,091	357	125	97	5,724	132	84	44	35	19	28	8	12	6	12	8
Asphyxia (cause not specified)*...161a	3,477	1,722	730	409	346	97	33	32	3,369	41	26	11	8	7	7	2	2	2	2	-
Infection of the umbilicus, etc.*...161b,c	2,635	584	252	357	745	260	92	65	2,355	91	58	33	27	12	21	6	10	4	10	8
Homicide...165-168	125	72	10	3	4	2	1	3	95	6	5	3	4	1	4	1	-	4	1	1
Accidental deaths...169-195	2,146	57	18	28	53	41	46	109	352	306	344	248	165	152	125	95	101	84	96	78
Accidental mechanical suffocation...182	985	13	5	5	12	25	27	77	164	193	207	142	86	61	53	31	25	8	11	4
Other accidental deaths...169-181,183-195	1,161	44	13	23	41	16	19	32	188	113	137	106	79	91	72	64	76	76	85	74
Ill-defined and unknown causes...199,200	2,120	372	129	110	194	138	75	80	1,098	237	180	156	107	78	67	53	53	36	24	31
All other causes	1,742	108	45	62	135	117	65	62	594	180	128	140	111	92	92	109	82	68	80	66

*Refer to International List for complete title, table V, Part I.

TABLE 26.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY DETAILED AGE AND RACE: UNITED STATES, 1945—Continued

[Exclusive of stillbirths. Numbers after causes of death are those of the detailed International List of Causes of Death, 1938 revision]

RACE AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mo.	3 mo.	4 mo.	5 mo.	6 mo.	7 mo.	8 mo.	9 mo.	10 mo.	11 mo.
NEGRO, all causes	18,228	4,162	1,346	840	1,481	1,199	747	662	10,437	1,634	1,256	1,023	819	711	589	496	423	338	262	240
Cerebrospinal (meningococcus) meningitis..6	33	-	-	-	-	-	-	1	1	1	3	6	-	5	2	6	4	4	-	1
Scarlet fever.....8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	273	-	-	-	1	-	4	14	19	40	38	31	31	21	27	25	13	16	9	3
Diphtheria (infection by C. diphtheriae).....10	11	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	2	3
Tuberculosis (all forms).....13-22	106	-	-	2	-	-	-	1	3	4	3	5	5	9	13	16	12	15	10	11
Tuberculosis of respiratory system, etc.*.....13	45	-	-	2	-	-	-	1	3	2	2	3	2	5	3	5	3	8	4	5
Tuberculosis of meninges, etc.*.....14	31	-	-	-	-	-	-	-	-	1	-	-	2	2	6	4	6	2	5	3
Tuberculosis (other forms).....15-22	30	-	-	-	-	-	-	-	-	1	1	2	1	2	4	7	3	5	1	3
Dysentery.....27	134	-	-	-	1	4	2	3	10	11	16	15	21	22	7	13	6	6	2	5
Malaria.....28	10	-	-	-	2	-	-	-	2	-	1	2	1	1	1	-	-	1	-	1
Syphilis.....30	399	89	28	16	21	28	12	25	219	60	45	20	19	10	8	6	5	5	-	2
Measles.....35	29	-	-	-	-	-	-	1	1	1	2	4	5	-	3	2	4	3	-	4
Diseases of the thymus gland.....64	94	8	6	6	4	4	4	2	34	14	8	11	8	5	3	4	2	2	-	3
Meningitis (not due to meningococcus)..81	91	-	-	-	3	3	-	3	9	7	11	13	8	8	9	9	7	3	6	1
Intracranial lesions of vascular origin..83	25	-	1	-	1	-	-	1	3	12	2	2	1	1	-	1	-	1	1	1
Convulsions.....86	80	1	2	3	17	14	-	7	44	6	8	4	4	7	3	-	-	1	2	1
Diseases of the ear and mastoid process.....89	20	-	-	-	-	-	-	2	2	1	-	3	3	1	1	3	1	2	2	1
Diseases of the heart.....90-95	19	-	1	1	-	2	1	3	8	1	1	4	1	3	1	-	-	-	-	-
Pneumonia (all forms) and influenza.....107-109,33	3,533	34	33	46	119	162	142	138	674	505	431	385	330	264	235	182	181	146	104	96
Bronchopneumonia, etc.*.....107	1,956	22	20	25	75	101	86	79	408	279	254	208	181	137	129	85	97	77	59	42
Lobar pneumonia.....108	643	3	3	5	22	32	17	17	99	78	72	73	67	60	41	47	35	27	17	27
Pneumonia (unspecified).....109	437	8	9	15	18	19	25	27	121	82	44	50	26	26	25	11	19	12	11	10
Influenza.....33	497	1	1	1	4	10	14	15	46	66	61	54	56	41	40	39	30	30	17	17
Other diseases of respiratory system.....104-106,110-114	215	8	5	7	16	13	8	12	69	28	17	25	15	10	11	9	7	10	9	5
Ulcer of stomach or duodenum.....117	5	-	-	1	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	1,521	-	3	2	16	54	92	87	254	225	199	174	138	148	118	84	63	45	41	32
Intestinal obstruction.....122b	70	-	-	-	-	1	-	-	1	7	8	3	12	7	7	8	8	6	3	-
Other diseases of digestive system.....115,116,118,121,123-129	105	1	1	3	5	10	6	6	32	10	11	12	5	3	7	6	7	4	5	3
Nephritis.....130,131	21	2	-	-	1	2	1	-	6	2	4	3	2	1	1	1	-	-	1	-
Congenital malformations.....157	863	143	57	50	98	82	56	36	522	84	61	46	29	28	27	24	12	7	14	9
Diseases peculiar to first year...158-161	7,524	3,375	1,012	567	888	563	299	207	6,911	299	122	60	35	27	20	10	13	11	9	7
Congenital debility.....158	597	119	56	33	48	42	40	30	368	70	51	27	22	14	14	4	11	6	6	4
Premature birth.....159	4,883	2,405	635	318	522	410	202	149	4,641	171	36	15	6	10	2	-	-	1	1	-
Injury at birth.....160	1,007	504	178	95	136	48	20	11	992	4	6	2	-	-	1	1	-	-	1	-
Other diseases peculiar to first year.....161	1,037	347	143	121	182	63	37	17	910	54	29	16	7	3	3	5	2	4	1	3
Asphyxia (cause not specified)*..161a	552	287	90	61	56	17	8	5	524	10	5	6	3	-	-	2	1	1	-	-
Infection of the umbilicus, etc.*.....161b,c	485	60	53	60	126	46	29	12	386	44	24	10	4	3	3	3	1	3	1	3
Homicide.....165-168	24	8	4	1	2	2	-	-	17	-	1	-	1	-	-	1	-	1	-	3
Accidental deaths.....169-195	571	25	11	9	20	18	18	19	120	87	89	61	43	37	18	33	22	21	19	21
Accidental mechanical suffocation..182	253	7	1	4	10	9	9	13	53	63	57	34	26	12	3	2	-	2	1	-
Other accidental deaths.....169-181,183-195	318	18	10	5	10	9	9	6	67	24	32	27	17	25	15	31	22	19	18	21
Ill-defined and unknown causes....199,200	2,079	449	173	120	232	165	85	84	1,308	190	152	114	79	72	44	31	40	15	13	21
All other causes.....	373	19	9	6	34	72	17	10	167	38	21	20	22	20	22	20	15	12	10	6
OTHER RACES, all causes.....	1,161	158	47	39	71	49	37	40	441	102	95	80	80	72	65	51	59	49	32	35
Cerebrospinal (meningococcus) meningitis..6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
Scarlet fever.....8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	17	-	-	-	-	-	-	-	-	1	-	2	3	1	-	2	2	2	1	3
Diphtheria (infection by C. diphtheriae).....10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms).....13-22	40	-	-	-	-	-	-	-	-	1	-	2	3	9	9	3	2	4	2	5
Tuberculosis of respiratory system, etc.*.....13	26	-	-	-	-	-	-	-	-	1	-	2	3	7	6	1	1	2	-	3
Tuberculosis of meninges, etc.*.....14	12	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	1	2	1
Tuberculosis (other forms).....15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Dysentery.....27	32	-	-	-	-	-	-	1	1	8	3	2	4	3	1	1	5	3	2	1
Malaria.....28	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Syphilis.....30	29	9	-	-	1	1	-	1	12	4	4	-	4	4	-	-	1	-	-	-
Measles.....35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Diseases of the thymus gland.....64	5	-	-	1	-	-	-	-	1	1	1	-	-	1	-	1	-	-	-	-
Meningitis (not due to meningococcus)...81	6	-	-	-	-	-	-	1	1	1	1	-	1	1	-	1	-	-	-	-
Intracranial lesions of vascular origin..83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions.....86	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
Diseases of the ear and mastoid process.....89	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
Diseases of the heart.....90-95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pneumonia (all forms) and influenza.....107-109,33	260	1	-	3	5	12	9	9	39	34	30	35	26	19	20	15	15	14	8	5
Bronchopneumonia, etc.*.....107	169	1	-	2	4	9	6	7	29	20	23	20	16	15	11	10	8	8	7	2
Lobar pneumonia.....108	48	-	-	-	1	-	1	-	2	7	5	8	8	2	5	4	2	2	1	2
Pneumonia (unspecified).....109	29	-	-	1	-	3	2	1	7	3	1	6	1	1	1	1	4	3	-	1
Influenza.....33	14	-	-	-	-	-	-	1	1	4	1	1	1	1	3	-	1	1	-	-
Other diseases of respiratory system.....104-106,110-114	10	-	-	-	-	-	1	1	2	1	1	2	-	-	-	1	1	1	-	1
Ulcer of stomach or duodenum.....117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	169	-	-	1	-	2	7	5	15	7	19	13	19	18	20	16	16	11	8	7
Intestinal obstruction.....122b	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
Other diseases of digestive system.....115,116,118,121,123-129	13	-	-	-	3	1	3	1	8	1	-	-	-	-	1	-	-	2	1	-
Nephritis.....130,131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations.....157	68	15	1	4	9	6	2	1	38	8	9	2	1	3	1	-	1	2	1	2
Diseases peculiar to first year...158-161	295	123	40	22	34	14	9	14	256	15	10	5	3	1	-	-	1	2	1	1
Congenital debility.....158	29	1	-	-	-	1	1	5	8	5	8	2	1	1	-	-	1	1	1	1
Premature birth.....159	163	92	17	14	12	7	6	7	155	4	2	1	1	-	-	-	-	-	-	-
Injury at birth.....160	51	18	15	3	9	2	1	1	49	-	-	-	1	-	-	-	1	-	-	-
Other diseases peculiar to first year.....161	52	12	8	5	13	4	1	1	44	6	-	2	-	-	-	-	-	-	-	-
Asphyxia (cause not specified)*..161a	24	9	6	2	4	-	-	1	22	1	-	1	-	-	-	-	-	-	-	-
Infection of the umbilicus, etc.*.....161b,c	28	3	2	3	9	4	1	-	22	5	-	1	-	-	-	-	-	-	-	-
Homicide.....165-168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths.....169-195	36	2	-	-	2	1	1	1	7	6	2	7	2	1	1	3	5	1	-	1
Accidental mechanical suffocation..182	11	-	-	-	-	1	1	1	3	1	1	1	2	-	-	-	2	1	-	-
Other accidental deaths.....169-181,183-195	25	2	-	-	2	-	-	-	4	5	1	6	-	1	1	3	3	-	-	1
Ill-defined and unknown causes....199,200	151	8	5	8	16	9	3	4	53	12	12	5	14	11	8	6	10	5	8	7
All other causes.....	18	-	1	-	1	3	2	1	8	2	1	3	-	-	-	1	-	1	-	2

*Refer to International List for complete title, table V, Part I.

TABLE 27.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY RACE, URBAN AND RURAL: UNITED STATES, 1945

[By place of residence. Exclusive of stillbirths]

CAUSE OF DEATH	TOTAL					WHITE					NONWHITE				
	Total deaths under 1 year	Urban			Rural	Total	Urban			Rural	Total	Urban			Rural
		Total	Places of 10,000 or more	Places of 2,500 to 10,000			Total	Places of 10,000 or more	Places of 2,500 to 10,000			Total	Places of 10,000 or more	Places of 2,500 to 10,000	
ALL CAUSES	104,684	61,008	48,729	12,279	43,676	85,295	50,997	40,295	10,702	34,298	19,389	10,011	8,434	1,577	9,378
Cerebrospinal (meningococcus) meningitis..6	269	167	140	27	102	234	150	127	23	84	35	17	13	4	18
Scarlet fever.....8	11	6	5	1	5	11	6	5	1	5	-	-	-	-	-
Whooping cough.....9	1,249	545	379	166	704	959	430	292	138	529	290	115	87	28	175
Diphtheria (infection by C. diphtheriae) 10	78	30	19	11	48	67	25	15	10	42	11	5	4	1	6
Tuberculosis (all forms).....13-22	412	258	214	44	154	266	170	135	35	96	146	88	79	9	58
Tuberculosis of the respiratory system, etc.*.....13	174	105	87	18	69	103	66	53	13	37	71	39	34	5	32
Tuberculosis of the meninges, etc.*..14	144	88	68	20	56	101	64	48	16	37	43	24	20	4	19
Tuberculosis (other forms).....15-22	94	65	59	6	29	62	40	34	6	22	32	25	25	-	7
Dysentery.....27	880	387	178	209	493	714	323	141	182	391	166	64	37	27	102
Malaria.....28	28	6	2	4	22	17	5	2	3	12	11	1	-	1	10
Syphilis.....30	684	425	340	85	259	256	159	123	36	97	428	266	217	49	162
Measles.....35	91	36	25	11	55	61	24	15	9	37	30	12	10	2	18
Diseases of the thymus gland.....64	973	598	482	116	375	874	529	419	110	345	99	69	63	6	30
Meningitis (not due to meningococcus)..81	483	261	209	52	222	386	204	157	47	183	97	57	52	5	40
Intracranial lesions of vascular origin.....83	164	94	69	25	70	139	80	59	21	59	25	14	10	4	11
Convulsions.....86	295	111	75	36	184	213	84	55	29	129	82	27	20	7	55
Diseases of the ear and mastoid process.....89	194	109	83	26	85	171	94	69	25	77	23	15	14	1	8
Diseases of the heart.....90-95	153	82	66	16	71	134	73	60	13	61	19	9	6	3	10
Pneumonia (all forms) and influenza.....107-109,33	14,540	7,386	5,700	1,686	7,154	10,747	5,380	4,221	1,359	5,167	3,793	1,806	1,479	327	1,987
Bronchopneumonia, etc.*.....107	8,488	4,654	3,744	910	3,834	6,363	3,502	2,755	747	2,861	2,125	1,152	989	163	973
Lobar pneumonia.....108	2,491	1,293	973	320	1,198	1,800	963	721	242	837	691	330	252	78	361
Pneumonia (unspecified).....109	1,807	762	539	223	1,045	1,341	604	418	186	737	466	158	121	37	308
Influenza.....33	1,754	677	444	233	1,077	1,243	511	327	184	732	511	166	117	49	345
Other diseases of respiratory system.....104-106,110-114	974	538	436	102	436	749	431	344	87	318	225	107	92	15	118
Ulcer of stomach or duodenum.....117	31	21	16	5	10	26	19	14	5	7	5	2	2	-	3
Diarrhea, enteritis, etc.*.....119	8,277	4,559	3,517	1,042	3,718	6,587	3,742	2,859	883	2,845	1,690	817	658	159	873
Intestinal obstruction.....122b	477	273	219	54	204	404	235	185	50	169	73	38	34	4	35
Other diseases of digestive system.....115,116,118,121,123-129	601	302	226	76	299	483	251	188	63	232	118	51	38	13	67
Nephritis.....130,131	112	62	45	17	50	91	52	36	16	39	21	10	9	1	11
Congenital malformations.....157	13,544	8,514	6,981	1,533	5,030	12,613	7,949	6,484	1,465	4,664	931	565	497	68	366
Diseases peculiar to first year of life.....158-161	50,779	32,430	26,458	5,972	18,349	42,960	27,547	22,169	5,378	15,413	7,819	4,883	4,289	594	2,936
Congenital debility.....158	2,202	917	629	288	1,285	1,576	682	444	238	894	626	235	185	50	391
Premature birth.....159	31,614	20,507	16,851	3,656	11,107	26,568	17,234	13,959	3,275	9,334	5,046	3,273	2,892	381	1,773
Injury at birth.....160	9,762	6,246	5,015	1,231	3,516	8,704	5,568	4,430	1,138	3,136	1,058	678	585	93	380
Other diseases peculiar to the first year of life.....161	7,201	4,760	3,963	797	2,441	6,112	4,063	3,336	727	2,049	1,089	697	627	70	392
Asphyxia (cause not specified), atelectasis.....161a	4,053	2,839	2,403	436	1,214	3,477	2,405	2,000	405	1,072	576	434	403	31	142
Infection of the umbilicus, etc.*.....161b,c	3,148	1,921	1,560	361	1,227	2,635	1,658	1,336	322	977	513	263	224	39	250
Homicide.....165-168	149	102	87	15	47	125	86	73	13	39	24	16	14	2	8
Accidental deaths.....169-195	2,753	1,438	1,142	296	1,315	2,146	1,152	896	256	994	607	286	246	40	321
Accidental mechanical suffocation..182	1,249	691	563	128	558	985	555	442	113	430	264	136	121	15	128
Other accidental deaths.....169-181,183-195	1,504	747	579	168	757	1,161	597	454	143	564	343	150	125	25	193
Ill-defined and unknown causes....199,200	4,350	1,109	711	398	3,241	2,120	630	398	232	1,490	2,230	479	313	166	1,751
All other causes.....	2,133	1,159	905	254	974	1,742	967	754	213	775	391	192	151	41	199

* Refer to International List for complete title, table V, Part I.

TABLE 28.–LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
UNITED STATES	2,735,456	2,155,594	402,890	167,805	9,167
White	2,395,563	2,018,929	329,147	41,128	6,359
Nonwhite	339,893	136,665	73,743	126,677	2,808
Urban	1,618,128	1,469,426	110,305	36,000	2,397
White	1,452,741	1,361,382	77,425	12,141	1,793
Nonwhite	165,387	108,044	32,880	23,859	604
Places of 100,000 or more	772,275	726,979	36,553	7,917	826
White	678,617	652,187	21,177	4,716	537
Nonwhite	93,658	74,792	15,376	3,201	289
Places of 25,000 to 100,000	334,378	306,883	18,879	8,143	473
White	304,305	288,986	12,726	2,194	399
Nonwhite	30,073	17,897	6,153	5,949	74
Places of 10,000 to 25,000	228,475	203,707	16,749	7,690	329
White	209,386	195,769	11,763	1,622	232
Nonwhite	19,089	7,938	4,986	6,068	97
Places of 2,500 to 10,000	283,000	231,857	38,124	12,250	769
White	260,433	224,440	31,759	3,609	625
Nonwhite	22,567	7,417	6,365	8,641	144
Rural	1,117,328	686,168	292,585	131,805	6,770
White	942,822	657,547	251,722	28,987	4,566
Nonwhite	174,506	28,621	40,863	102,818	2,204
Section A (States)					
ALABAMA	70,321	30,300	22,179	17,686	156
White	44,091	25,809	16,255	1,926	101
Nonwhite	26,230	4,491	5,924	15,760	55
Urban	23,064	15,837	4,132	3,078	17
White	14,492	12,698	1,670	116	8
Nonwhite	8,572	3,139	2,462	2,962	9
Places of 10,000 or more	17,033	12,212	2,712	2,095	14
White	10,258	9,437	759	56	6
Nonwhite	6,775	2,775	1,953	2,039	8
Places of 2,500 to 10,000	6,031	3,625	1,420	983	3
White	4,234	3,261	911	60	2
Nonwhite	1,797	364	509	923	1
Rural	47,257	14,463	18,047	14,608	139
White	29,599	13,111	14,585	1,810	93
Nonwhite	17,658	1,352	3,462	12,798	46
ARIZONA	13,348	10,891	1,243	534	680
White	11,549	9,791	1,082	468	208
Nonwhite	1,799	1,100	161	66	472
Urban	7,620	6,714	497	275	134
White	7,155	6,343	450	245	117
Nonwhite	465	371	47	30	17
Places of 10,000 or more	4,862	4,315	325	122	100
White	4,519	4,043	293	36	87
Nonwhite	343	272	32	26	13
Places of 2,500 to 10,000	2,768	2,399	172	153	34
White	2,636	2,300	157	149	30
Nonwhite	122	99	15	4	4
Rural	5,728	4,177	746	259	546
White	4,394	3,448	632	223	91
Nonwhite	1,334	729	114	36	455
ARKANSAS	39,628	18,484	13,230	7,580	334
White	29,495	17,387	11,018	871	219
Nonwhite	10,133	1,097	2,212	6,709	115
Urban	12,029	8,753	2,048	1,199	29
White	9,479	8,034	1,358	73	14
Nonwhite	2,550	719	690	1,126	15
Places of 10,000 or more	6,461	5,414	614	428	5
White	5,158	4,809	317	30	2
Nonwhite	1,303	605	297	398	3
Places of 2,500 to 10,000	5,568	3,339	1,434	771	24
White	4,321	3,225	1,041	43	12
Nonwhite	1,247	114	393	728	12
Rural	27,599	9,731	11,182	6,381	305
White	20,016	9,353	9,660	798	205
Nonwhite	7,583	378	1,522	5,583	100
CALIFORNIA	184,380	177,234	6,189	460	497
White	173,687	167,745	5,095	441	406
Nonwhite	10,693	9,489	1,094	19	91
Urban	140,949	136,473	3,765	378	333
White	132,133	128,610	2,888	371	264
Nonwhite	8,816	7,863	877	7	69
Places of 10,000 or more	119,910	116,300	2,982	362	266
White	111,653	108,969	2,129	356	199
Nonwhite	8,257	7,331	853	6	67
Places of 2,500 to 10,000	21,039	20,173	783	16	67
White	20,480	19,641	759	15	65
Nonwhite	559	532	24	1	2
Rural	43,431	40,761	2,424	82	164
White	41,554	39,135	2,207	70	142
Nonwhite	1,877	1,626	217	12	22
Section A (States)—Continued					
COLORADO	23,511	20,022	3,141	147	201
White	22,861	19,441	3,085	144	194
Nonwhite	647	581	56	3	7
Urban	14,655	13,121	1,402	59	73
White	14,156	12,662	1,364	57	73
Nonwhite	499	459	38	2	-
Places of 10,000 or more	11,734	10,634	1,010	43	47
White	11,265	10,201	976	41	47
Nonwhite	469	433	34	2	-
Places of 2,500 to 10,000	2,921	2,487	392	16	26
White	2,891	2,461	388	16	26
Nonwhite	30	26	4	-	-
Rural	8,856	6,901	1,739	88	128
White	8,708	6,779	1,721	87	121
Nonwhite	148	122	18	1	7
CONNECTICUT	33,765	33,224	522	9	10
White	32,832	32,343	473	7	9
Nonwhite	933	881	49	2	1
Urban	23,041	22,720	307	8	6
White	22,217	21,940	265	6	6
Nonwhite	824	780	42	2	-
Places of 10,000 or more	21,932	21,649	271	8	4
White	21,113	20,872	231	6	4
Nonwhite	819	777	40	2	-
Places of 2,500 to 10,000	1,109	1,071	36	-	2
White	1,104	1,068	34	-	2
Nonwhite	5	3	2	-	-
Rural	10,724	10,504	215	1	4
White	10,615	10,403	208	1	3
Nonwhite	109	101	7	-	1
DELAWARE	5,984	5,137	489	351	7
White	5,067	4,677	334	55	1
Nonwhite	917	460	155	296	6
Urban	3,021	2,841	79	99	2
White	2,581	2,515	52	13	1
Nonwhite	440	326	27	86	1
Places of 10,000 or more	2,337	2,247	38	52	-
White	1,986	1,952	24	10	-
Nonwhite	351	295	14	42	-
Places of 2,500 to 10,000	684	594	41	47	2
White	595	563	28	3	1
Nonwhite	89	31	13	44	1
Rural	2,963	2,296	410	252	5
White	2,486	2,162	282	42	-
Nonwhite	477	134	128	210	5
DISTRICT OF COLUMBIA	16,141	15,404	723	11	3
White	10,862	10,757	103	1	1
Nonwhite	5,279	4,647	620	10	2
FLORIDA	47,791	33,611	5,908	8,078	194
White	35,207	30,153	4,092	904	58
Nonwhite	12,584	3,458	1,816	7,174	136
Urban	27,657	22,106	1,840	3,590	112
White	20,550	19,505	850	179	16
Nonwhite	7,107	2,601	999	3,411	96
Places of 10,000 or more	21,461	17,782	1,079	2,500	100
White	16,221	15,635	444	131	11
Nonwhite	5,240	2,147	635	2,369	89
Places of 2,500 to 10,000	6,196	4,324	770	1,090	12
White	4,329	3,870	406	48	5
Nonwhite	1,867	454	364	1,042	7
Rural	20,134	11,505	4,059	4,488	82
White	14,657	10,648	3,242	725	42
Nonwhite	5,477	857	817	3,763	40
GEORGIA	74,852	39,668	16,281	18,822	81
White	47,493	34,612	11,169	1,662	50
Nonwhite	27,359	5,056	5,112	17,160	31
Urban	30,541	23,125	3,971	3,435	10
White	21,134	19,121	1,823	189	1
Nonwhite	9,407	4,004	2,148	3,246	9
Places of 10,000 or more	22,732	18,546	2,429	1,754	3
White	15,731	14,866	767	97	1
Nonwhite	7,001	3,680	1,662	1,657	2
Places of 2,500 to 10,000	7,809	4,579	1,542	1,681	7
White	5,403	4,255	1,056	92	-
Nonwhite	2,406	324	486	1,589	7
Rural	44,311	16,543	12,310	15,387	71
White	26,359	15,491	9,346	1,473	49
Nonwhite	17,952	1,052	2,964	13,914	22

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
IDAHO	11,501	10,899	570	20	12
White	11,288	10,703	558	19	8
Nonwhite	213	196	12	1	4
Urban	4,932	4,727	195	4	6
White	4,866	4,663	194	3	6
Nonwhite	66	64	1	1	-
Places of 10,000 or more	2,864	2,814	46	3	1
White	2,838	2,788	46	3	1
Nonwhite	26	26	-	-	-
Places of 2,500 to 10,000	2,068	1,913	149	1	5
White	2,028	1,875	148	-	5
Nonwhite	40	38	1	1	-
Rural	6,569	6,172	375	16	6
White	6,422	6,040	364	16	2
Nonwhite	147	132	11	-	4
ILLINOIS	138,705	127,426	11,034	164	81
White	128,577	119,445	8,940	134	58
Nonwhite	10,128	7,981	2,094	30	23
Urban	106,201	100,760	5,252	141	48
White	96,534	92,995	3,381	123	35
Nonwhite	9,667	7,765	1,871	18	13
Places of 10,000 or more	91,723	87,542	4,020	136	25
White	82,304	79,972	2,200	120	12
Nonwhite	9,419	7,570	1,820	16	13
Places of 2,500 to 10,000	14,478	13,218	1,232	5	23
White	14,230	13,023	1,181	3	23
Nonwhite	248	195	51	2	-
Rural	32,504	26,666	5,782	23	33
White	32,043	26,450	5,559	11	23
Nonwhite	461	216	223	12	10
INDIANA	68,444	57,554	10,796	43	51
White	65,623	55,896	9,618	36	43
Nonwhite	2,821	1,658	1,148	7	8
Urban	41,476	37,304	4,124	29	19
White	38,754	35,690	3,031	22	11
Nonwhite	2,722	1,614	1,093	7	8
Places of 10,000 or more	34,970	31,675	3,250	27	18
White	32,300	30,083	2,187	20	10
Nonwhite	2,670	1,592	1,063	7	8
Places of 2,500 to 10,000	6,506	5,629	874	2	1
White	6,454	5,607	844	2	1
Nonwhite	52	22	30	-	-
Rural	26,968	20,250	6,672	14	32
White	26,869	20,206	6,617	14	32
Nonwhite	99	44	55	-	-
IOWA	44,934	39,879	5,014	9	32
White	44,584	39,570	4,973	9	32
Nonwhite	350	309	41	-	-
Urban	19,865	18,955	902	1	7
White	19,545	18,670	867	1	7
Nonwhite	320	285	35	-	-
Places of 10,000 or more	14,674	14,180	487	1	6
White	14,375	13,913	455	1	6
Nonwhite	299	267	32	-	-
Places of 2,500 to 10,000	5,191	4,775	415	-	1
White	5,170	4,757	412	-	1
Nonwhite	21	18	3	-	-
Rural	25,069	20,924	4,112	8	25
White	25,039	20,900	4,106	8	25
Nonwhite	30	24	6	-	-
KANSAS	33,624	29,469	4,125	15	15
White	32,383	28,661	3,696	11	15
Nonwhite	1,241	808	429	4	-
Urban	18,040	16,749	1,281	6	4
White	16,923	16,010	905	4	4
Nonwhite	1,117	739	376	2	-
Places of 10,000 or more	13,452	12,600	846	5	1
White	12,422	11,931	487	3	1
Nonwhite	1,030	669	359	2	-
Places of 2,500 to 10,000	4,588	4,149	435	1	3
White	4,501	4,079	418	1	3
Nonwhite	87	70	17	-	-
Rural	15,584	12,720	2,844	9	11
White	15,460	12,651	2,791	7	11
Nonwhite	124	69	53	2	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
KENTUCKY	60,892	26,666	28,201	5,726	299
White	57,654	25,524	26,271	5,566	293
Nonwhite	3,238	1,142	1,930	160	6
Urban	19,502	14,993	4,418	85	6
White	17,605	14,082	3,457	62	4
Nonwhite	1,897	911	961	23	2
Places of 10,000 or more	14,451	12,104	2,317	26	4
White	12,978	11,271	1,689	15	3
Nonwhite	1,473	833	628	11	1
Places of 2,500 to 10,000	5,051	2,889	2,101	59	2
White	4,627	2,811	1,768	47	1
Nonwhite	424	78	333	12	1
Rural	41,390	11,673	23,783	5,641	293
White	40,049	11,442	22,814	5,504	289
Nonwhite	1,341	231	969	137	4
LOUISIANA	57,838	38,050	7,363	12,361	64
White	35,240	28,472	5,101	1,641	26
Nonwhite	22,598	9,578	2,262	10,720	38
Urban	26,066	22,506	1,401	2,145	14
White	17,592	16,479	797	313	3
Nonwhite	8,474	6,027	604	1,832	11
Places of 10,000 or more	19,705	17,823	827	1,046	9
White	13,004	12,476	373	152	3
Nonwhite	6,701	5,347	454	894	6
Places of 2,500 to 10,000	6,361	4,683	574	1,099	5
White	4,588	4,003	424	161	-
Nonwhite	1,773	680	150	938	5
Rural	31,772	15,544	5,962	10,216	50
White	17,648	11,993	4,304	1,328	23
Nonwhite	14,124	3,551	1,658	8,888	27
MAINE	16,687	13,985	2,612	12	78
White	16,638	13,947	2,601	12	78
Nonwhite	49	38	11	-	-
Urban	6,499	6,095	399	-	5
White	6,471	6,071	395	-	5
Nonwhite	28	24	4	-	-
Places of 10,000 or more	4,898	4,645	251	-	2
White	4,873	4,623	248	-	2
Nonwhite	25	22	3	-	-
Places of 2,500 to 10,000	1,601	1,450	148	-	3
White	1,598	1,448	147	-	3
Nonwhite	3	2	1	-	-
Rural	10,188	7,890	2,213	12	73
White	10,167	7,876	2,206	12	73
Nonwhite	21	14	7	-	-
MARYLAND	42,791	33,330	7,221	2,186	54
White	34,647	29,021	5,039	551	36
Nonwhite	8,144	4,309	2,182	1,635	18
Urban	23,812	19,660	3,261	882	9
White	18,663	16,494	1,904	257	8
Nonwhite	5,149	3,166	1,357	625	1
Places of 10,000 or more	21,391	17,505	3,055	827	4
White	16,415	14,415	1,745	252	3
Nonwhite	4,976	3,090	1,310	575	1
Places of 2,500 to 10,000	2,421	2,155	206	55	5
White	2,248	2,079	159	5	5
Nonwhite	173	76	47	50	-
Rural	18,979	13,670	3,960	1,304	45
White	15,984	12,527	3,135	294	28
Nonwhite	2,995	1,143	825	1,010	17
MASSACHUSETTS	77,064	74,230	2,822	1	11
White	76,805	73,116	2,680	-	9
Nonwhite	1,259	1,114	142	1	2
Urban	69,103	66,719	2,373	1	10
White	67,942	65,674	2,259	-	9
Nonwhite	1,161	1,045	114	1	1
Places of 10,000 or more	64,096	62,004	2,081	1	10
White	62,965	60,983	1,973	-	9
Nonwhite	1,131	1,021	108	1	1
Places of 2,500 to 10,000	5,007	4,715	292	-	-
White	4,977	4,691	286	-	-
Nonwhite	30	24	6	-	-
Rural	7,961	7,511	449	-	1
White	7,863	7,442	421	-	-
Nonwhite	98	69	28	-	1

TABLE 28.–LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945–Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
MICHIGAN	112,655	102,735	9,794	66	60
White	105,840	97,417	8,320	53	50
Nonwhite	6,815	5,318	1,474	13	10
Urban	81,110	76,592	4,480	26	12
White	74,644	71,454	3,168	16	6
Nonwhite	6,466	5,138	1,312	10	6
Places of 10,000 or more	69,635	65,958	3,643	25	9
White	63,519	61,055	2,445	15	4
Nonwhite	6,116	4,903	1,198	10	5
Places of 2,500 to 10,000	11,475	10,634	837	1	3
White	11,125	10,399	723	1	2
Nonwhite	350	235	114	-	1
Rural	31,545	26,143	5,314	40	48
White	31,196	25,963	5,152	37	44
Nonwhite	349	180	162	3	4
MINNESOTA	54,656	50,761	3,477	189	229
White	53,921	50,132	3,445	184	160
Nonwhite	735	629	32	5	69
Urban	27,949	27,219	588	127	15
White	27,632	26,922	573	123	14
Nonwhite	317	297	15	4	1
Places of 10,000 or more	21,353	20,869	367	104	13
White	21,059	20,593	353	101	12
Nonwhite	294	276	14	3	1
Places of 2,500 to 10,000	6,596	6,350	221	23	2
White	6,573	6,329	220	22	2
Nonwhite	23	21	1	1	-
Rural	26,707	23,542	2,889	62	214
White	26,289	23,210	2,872	61	146
Nonwhite	418	332	17	1	68
MISSISSIPPI	54,263	17,865	14,204	22,032	162
White	24,103	15,418	7,788	849	48
Nonwhite	30,160	2,447	6,416	21,183	114
Urban	12,394	8,373	1,643	2,359	19
White	7,965	7,412	470	79	4
Nonwhite	4,429	961	1,173	2,280	15
Places of 10,000 or more	7,761	5,483	817	1,448	13
White	4,988	4,813	133	40	2
Nonwhite	2,773	670	684	1,408	11
Places of 2,500 to 10,000	4,633	2,890	826	911	6
White	2,977	2,599	337	39	2
Nonwhite	1,656	291	489	872	4
Rural	41,869	9,492	12,561	19,673	143
White	16,138	8,006	7,318	770	44
Nonwhite	25,731	1,486	5,243	18,903	99
MISSOURI	65,659	48,456	15,889	872	442
White	60,474	44,918	14,667	538	351
Nonwhite	5,185	3,538	1,222	334	91
Urban	37,721	33,673	3,728	260	60
White	33,453	30,309	2,925	186	33
Nonwhite	4,268	3,364	803	74	27
Places of 10,000 or more	31,356	29,067	2,060	187	42
White	27,390	25,779	1,436	148	27
Nonwhite	3,966	3,288	624	39	15
Places of 2,500 to 10,000	6,365	4,606	1,668	73	18
White	6,063	4,530	1,489	38	6
Nonwhite	302	76	179	35	12
Rural	27,938	14,783	12,161	612	382
White	27,021	14,609	11,742	352	318
Nonwhite	917	174	419	260	64
MONTANA	10,601	10,079	404	56	62
White	9,974	9,574	364	21	15
Nonwhite	627	505	40	35	47
Urban	5,194	5,066	114	7	7
White	5,135	5,012	112	6	5
Nonwhite	59	54	2	1	2
Places of 10,000 or more	3,414	3,367	39	2	6
White	3,388	3,343	39	2	4
Nonwhite	26	24	-	-	2
Places of 2,500 to 10,000	1,780	1,699	75	5	1
White	1,747	1,669	73	4	1
Nonwhite	33	30	2	1	-
Rural	5,407	5,013	290	49	55
White	4,839	4,562	252	15	10
Nonwhite	568	451	38	34	45
Section A (States)—Continued					
NEBRASKA	24,128	21,161	2,944	3	20
White	23,585	20,709	2,866	1	9
Nonwhite	543	452	78	2	11
Urban	11,106	10,525	577	-	4
White	10,683	10,170	509	-	4
Nonwhite	423	355	68	-	-
Places of 10,000 or more	8,633	8,224	406	-	3
White	8,229	7,888	338	-	3
Nonwhite	404	336	68	-	-
Places of 2,500 to 10,000	2,473	2,301	171	-	1
White	2,454	2,282	171	-	1
Nonwhite	19	19	-	-	-
Rural	13,022	10,636	2,367	3	16
White	12,902	10,539	2,357	1	5
Nonwhite	120	97	10	2	11
NEVADA	2,851	2,744	77	10	20
White	2,640	2,567	68	2	3
Nonwhite	211	177	9	8	17
Urban	1,395	1,374	18	-	3
White	1,319	1,301	17	-	1
Nonwhite	76	73	1	-	2
Places of 10,000 or more	625	615	8	-	2
White	598	590	8	-	-
Nonwhite	27	25	-	-	2
Places of 2,500 to 10,000	770	759	10	-	1
White	721	711	9	-	1
Nonwhite	49	48	1	-	-
Rural	1,456	1,370	59	10	17
White	1,321	1,266	51	2	2
Nonwhite	135	104	8	8	15
NEW HAMPSHIRE	8,338	7,926	412	-	-
White	8,324	7,912	412	-	-
Nonwhite	14	14	-	-	-
Urban	4,939	4,777	162	-	-
White	4,925	4,763	162	-	-
Nonwhite	14	14	-	-	-
Places of 10,000 or more	4,185	4,070	115	-	-
White	4,171	4,056	115	-	-
Nonwhite	14	14	-	-	-
Places of 2,500 to 10,000	754	707	47	-	-
White	754	707	47	-	-
Nonwhite	-	-	-	-	-
Rural	3,399	3,149	250	-	-
White	3,399	3,149	250	-	-
Nonwhite	-	-	-	-	-
NEW JERSEY	77,338	72,727	3,757	816	38
White	71,809	68,192	2,827	766	24
Nonwhite	5,529	4,535	930	50	14
Urban	62,651	59,467	2,425	739	20
White	57,970	55,511	1,744	697	18
Nonwhite	4,681	3,956	681	42	2
Places of 10,000 or more	50,876	48,394	1,803	660	19
White	46,594	44,739	1,216	622	17
Nonwhite	4,282	3,655	587	38	2
Places of 2,500 to 10,000	11,775	11,073	622	79	1
White	11,376	10,772	528	75	1
Nonwhite	399	301	94	4	-
Rural	14,687	13,260	1,322	77	18
White	13,839	12,681	1,083	69	6
Nonwhite	848	579	249	8	12
NEW MEXICO	15,306	8,875	3,395	2,336	700
White	14,041	8,144	3,317	2,172	408
Nonwhite	1,265	731	78	164	292
Urban	6,039	4,451	952	565	71
White	5,886	4,319	935	563	69
Nonwhite	153	132	17	2	2
Places of 10,000 or more	2,816	2,275	335	182	24
White	2,737	2,202	329	182	24
Nonwhite	79	73	6	-	-
Places of 2,500 to 10,000	3,223	2,176	617	383	47
White	3,149	2,117	606	381	45
Nonwhite	74	59	11	2	2
Rural	9,267	4,424	2,443	1,771	629
White	8,155	3,825	2,382	1,609	339
Nonwhite	1,112	599	61	162	290

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
NEW YORK	234,754	225,644	8,176	749	185
White	221,326	213,221	7,361	585	159
Nonwhite	13,428	12,423	815	164	26
Urban	193,614	188,413	4,392	708	101
White	180,682	176,376	3,671	548	87
Nonwhite	12,932	12,037	721	160	14
Places of 10,000 or more	181,123	176,551	3,778	699	95
White	168,357	164,659	3,078	539	81
Nonwhite	12,766	11,892	700	160	14
Places of 2,500 to 10,000	12,491	11,862	614	9	6
White	12,325	11,717	593	9	6
Nonwhite	166	145	21	-	-
Rural	41,140	37,231	3,784	41	84
White	40,844	36,845	3,690	37	72
Nonwhite	496	386	94	4	12
NORTH CAROLINA	87,401	48,244	25,207	13,819	131
White	59,503	41,596	15,512	2,291	104
Nonwhite	27,898	6,648	9,695	11,528	27
Urban	23,917	19,354	2,885	1,665	13
White	17,128	15,864	1,202	57	5
Nonwhite	6,789	3,490	1,683	1,608	8
Places of 10,000 or more	18,054	15,135	1,727	1,183	9
White	12,530	12,026	468	33	3
Nonwhite	5,524	3,109	1,259	1,150	6
Places of 2,500 to 10,000	5,863	4,219	1,158	482	4
White	4,598	3,838	734	24	2
Nonwhite	1,265	381	424	458	2
Rural	63,484	28,890	22,322	12,154	118
White	42,375	25,732	14,310	2,234	99
Nonwhite	21,109	3,158	8,012	9,920	19
NORTH DAKOTA	13,147	11,609	1,345	47	146
White	12,819	11,343	1,324	32	120
Nonwhite	328	266	21	15	26
Urban	2,921	2,874	42	1	4
White	2,898	2,852	41	1	4
Nonwhite	23	22	1	-	-
Places of 10,000 or more	1,854	1,825	27	-	2
White	1,838	1,810	26	-	2
Nonwhite	16	15	1	-	-
Places of 2,500 to 10,000	1,067	1,049	15	1	2
White	1,060	1,042	15	1	2
Nonwhite	7	7	-	-	-
Rural	10,226	8,735	1,303	46	142
White	9,921	8,491	1,283	31	116
Nonwhite	305	244	20	15	26
OHIO	132,496	116,057	16,298	43	98
White	124,619	110,024	14,472	31	92
Nonwhite	7,877	6,033	1,826	12	6
Urban	92,715	86,208	6,451	23	33
White	85,345	80,454	4,846	16	29
Nonwhite	7,370	5,754	1,605	7	4
Places of 10,000 or more	79,836	74,955	4,833	21	27
White	72,799	69,420	3,340	14	25
Nonwhite	7,037	5,535	1,493	7	2
Places of 2,500 to 10,000	12,879	11,253	1,618	2	6
White	12,546	11,034	1,506	2	4
Nonwhite	333	219	112	-	2
Rural	39,781	29,849	9,847	20	65
White	39,274	29,570	9,626	15	63
Nonwhite	507	279	221	5	2
OKLAHOMA	43,165	31,234	10,485	1,134	312
White	38,366	29,039	8,856	313	158
Nonwhite	4,799	2,195	1,629	821	154
Urban	21,391	18,428	2,570	322	71
White	19,121	17,243	1,801	43	34
Nonwhite	2,270	1,185	769	279	37
Places of 10,000 or more	15,490	13,886	1,357	213	34
White	13,862	13,016	810	17	19
Nonwhite	1,628	870	547	196	15
Places of 2,500 to 10,000	5,901	4,542	1,213	109	37
White	5,259	4,227	991	26	15
Nonwhite	642	315	222	83	22
Rural	21,774	12,806	7,915	812	241
White	19,245	11,796	7,055	270	124
Nonwhite	2,529	1,010	860	542	117

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
OREGON	24,140	23,657	437	15	31
White	23,563	23,118	421	9	15
Nonwhite	577	539	16	6	16
Urban	13,427	13,330	89	3	5
White	13,179	13,085	87	2	5
Nonwhite	248	245	2	1	-
Places of 10,000 or more	10,348	10,293	52	1	2
White	10,136	10,083	51	-	2
Nonwhite	212	210	1	1	-
Places of 2,500 to 10,000	3,079	3,037	37	2	3
White	3,043	3,002	36	2	3
Nonwhite	36	35	1	-	-
Rural	10,713	10,327	348	12	26
White	10,384	10,033	334	7	10
Nonwhite	329	294	14	5	16
PENNSYLVANIA	173,799	147,731	25,685	286	97
White	162,177	138,335	23,513	240	89
Nonwhite	11,622	9,396	2,172	46	8
Urban	118,520	108,859	9,429	193	39
White	107,757	100,022	7,554	150	31
Nonwhite	10,763	8,837	1,875	43	8
Places of 10,000 or more	96,530	89,684	6,661	149	36
White	86,169	81,163	4,871	107	28
Nonwhite	10,361	8,521	1,790	42	8
Places of 2,500 to 10,000	21,990	19,175	2,768	44	3
White	21,588	18,859	2,683	43	3
Nonwhite	402	316	85	1	-
Rural	55,279	38,872	16,256	93	58
White	54,420	38,313	15,959	90	58
Nonwhite	859	559	297	3	-
RHODE ISLAND	13,635	12,887	691	24	33
White	13,302	12,584	664	24	30
Nonwhite	333	303	27	-	3
Urban	12,111	11,444	616	24	27
White	11,803	11,165	590	24	24
Nonwhite	308	279	26	-	3
Places of 10,000 or more	11,634	11,004	588	16	26
White	11,328	10,726	562	16	24
Nonwhite	306	278	26	-	2
Places of 2,500 to 10,000	477	440	28	8	1
White	475	439	28	8	-
Nonwhite	2	1	-	-	1
Rural	1,524	1,443	75	-	6
White	1,499	1,419	74	-	6
Nonwhite	25	24	1	-	-
SOUTH CAROLINA	49,431	22,095	10,829	16,486	21
White	26,745	19,283	6,508	947	7
Nonwhite	22,686	2,812	4,321	15,539	14
Urban	15,333	11,028	2,271	2,030	4
White	10,558	9,492	998	66	2
Nonwhite	4,775	1,536	1,273	1,964	2
Places of 10,000 or more	9,612	7,446	1,014	1,150	2
White	6,495	6,238	230	25	2
Nonwhite	3,117	1,208	784	1,125	-
Places of 2,500 to 10,000	5,721	3,582	1,257	880	2
White	4,063	3,254	768	41	-
Nonwhite	1,658	328	489	839	2
Rural	34,098	11,067	8,558	14,456	17
White	16,187	9,791	5,510	881	5
Nonwhite	17,911	1,276	3,048	13,575	12
SOUTH DAKOTA	12,460	10,767	1,422	116	155
White	11,786	10,348	1,354	49	35
Nonwhite	674	419	68	67	120
Urban	3,697	3,587	98	8	4
White	3,625	3,526	94	4	1
Nonwhite	72	61	4	4	3
Places of 10,000 or more	2,573	2,520	49	3	1
White	2,542	2,492	48	2	-
Nonwhite	31	28	1	1	1
Places of 2,500 to 10,000	1,124	1,067	49	5	3
White	1,083	1,034	46	2	1
Nonwhite	41	33	3	3	2
Rural	8,763	7,180	1,324	108	151
White	8,161	6,822	1,260	45	34
Nonwhite	602	358	64	63	117

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
TENNESSEE	64,966	34,515	25,131	5,141	179
White	54,218	31,046	20,483	2,593	96
Nonwhite	10,748	3,469	4,648	2,548	83
Urban	25,057	19,312	5,140	632	73
White	19,296	16,472	2,681	136	7
Nonwhite	5,761	2,840	2,459	396	66
Places of 10,000 or more	19,612	15,766	3,413	365	68
White	14,560	13,063	1,422	70	5
Nonwhite	5,052	2,703	1,991	295	63
Places of 2,500 to 10,000	5,445	3,546	1,727	167	5
White	4,736	3,409	1,259	66	2
Nonwhite	709	137	468	101	3
Rural	39,909	15,203	19,991	4,609	106
White	34,922	14,574	17,802	2,457	89
Nonwhite	4,987	629	2,189	2,152	17
TEXAS	157,915	108,520	28,481	18,494	2,420
White	138,286	100,574	23,718	12,093	1,901
Nonwhite	19,629	7,946	4,763	6,401	519
Urban	95,922	74,217	11,808	9,043	854
White	85,332	67,916	9,472	7,210	734
Nonwhite	10,590	6,301	2,336	1,833	120
Places of 10,000 or more	68,627	56,434	5,499	6,207	487
White	60,471	50,952	4,004	5,099	416
Nonwhite	8,156	5,482	1,495	1,108	71
Places of 2,500 to 10,000	27,295	17,783	6,309	2,836	367
White	24,861	16,964	5,468	2,111	318
Nonwhite	2,434	819	841	725	49
Rural	61,993	34,303	16,673	9,451	1,566
White	52,954	32,658	14,246	4,883	1,167
Nonwhite	9,039	1,645	2,427	4,568	399
UTAH	15,680	14,761	893	12	14
White	15,406	14,496	885	12	13
Nonwhite	274	265	8	-	1
Urban	9,321	9,050	267	2	2
White	9,175	8,909	262	2	2
Nonwhite	146	141	5	-	-
Places of 10,000 or more	6,696	6,528	164	2	2
White	6,569	6,406	159	2	2
Nonwhite	127	122	5	-	-
Places of 2,500 to 10,000	2,625	2,522	103	-	-
White	2,606	2,503	103	-	-
Nonwhite	19	19	-	-	-
Rural	6,359	5,711	626	10	12
White	6,231	5,597	623	10	11
Nonwhite	128	124	3	-	1
VERMONT	6,873	5,855	1,012	2	4
White	6,868	5,850	1,012	2	4
Nonwhite	5	5	-	-	-
Urban	2,698	2,545	153	-	-
White	2,693	2,540	153	-	-
Nonwhite	5	5	-	-	-
Places of 10,000 or more	1,213	1,171	42	-	-
White	1,209	1,167	42	-	-
Nonwhite	4	4	-	-	-
Places of 2,500 to 10,000	1,485	1,374	111	-	-
White	1,484	1,373	111	-	-
Nonwhite	1	1	-	-	-
Rural	4,175	3,310	859	2	4
White	4,175	3,310	859	2	4
Nonwhite	-	-	-	-	-
VIRGINIA	67,068	40,720	16,120	9,906	322
White	50,246	36,079	11,941	1,997	229
Nonwhite	16,822	4,641	4,179	7,909	93
Urban	26,358	22,020	2,417	1,882	39
White	20,308	19,041	1,117	134	16
Nonwhite	6,050	2,979	1,300	1,748	23
Places of 10,000 or more	21,480	18,269	1,520	1,658	33
White	16,106	15,572	438	84	12
Nonwhite	5,374	2,697	1,082	1,574	21
Places of 2,500 to 10,000	4,878	3,751	897	224	6
White	4,202	3,469	679	50	4
Nonwhite	676	282	218	174	2
Rural	40,710	18,700	13,703	8,024	283
White	29,938	17,038	10,824	1,863	213
Nonwhite	10,772	1,662	2,879	6,161	70
Section A (States)—Continued					
WASHINGTON	14,573	43,450	1,009	49	65
White	43,191	42,168	947	20	56
Nonwhite	1,382	1,282	62	29	9
Urban	27,747	27,498	220	13	16
White	26,933	26,706	205	7	15
Nonwhite	814	792	15	6	1
Places of 10,000 or more	24,467	24,289	160	4	14
White	23,732	23,569	147	3	13
Nonwhite	735	720	13	1	1
Places of 2,500 to 10,000	3,280	3,209	60	9	2
White	3,201	3,137	58	4	2
Nonwhite	79	72	2	5	-
Rural	16,826	15,952	789	36	49
White	16,258	15,462	742	13	41
Nonwhite	568	490	47	23	8
WEST VIRGINIA	39,039	18,053	19,920	845	221
White	36,902	17,558	18,317	812	215
Nonwhite	2,137	495	1,603	33	6
Urban	13,156	10,109	2,994	28	25
White	12,553	9,803	2,704	23	23
Nonwhite	603	306	290	5	2
Places of 10,000 or more	9,027	7,648	1,352	11	16
White	8,622	7,401	1,198	9	14
Nonwhite	405	247	154	2	2
Places of 2,500 to 10,000	4,129	2,461	1,642	17	9
White	3,931	2,402	1,506	14	9
Nonwhite	198	59	136	3	-
Rural	25,883	7,944	16,926	817	196
White	24,349	7,755	15,613	789	192
Nonwhite	1,534	189	1,313	28	4
WISCONSIN	61,437	55,988	5,297	40	112
White	60,704	55,408	5,161	33	102
Nonwhite	733	580	136	7	10
Urban	32,919	31,631	1,249	14	25
White	32,533	31,321	1,176	13	23
Nonwhite	386	310	73	1	2
Places of 10,000 or more	27,790	26,639	919	13	19
White	27,413	26,538	846	12	17
Nonwhite	377	301	73	1	2
Places of 2,500 to 10,000	5,129	4,792	330	1	6
White	5,120	4,783	330	1	6
Nonwhite	9	9	-	-	-
Rural	28,518	24,357	4,048	26	87
White	28,171	24,087	3,985	20	79
Nonwhite	347	270	63	6	8
WYOMING	5,481	5,015	436	2	28
White	5,239	4,806	411	1	21
Nonwhite	242	209	25	1	7
Urban	2,592	2,440	148	-	4
White	2,556	2,409	143	-	4
Nonwhite	36	31	5	-	-
Places of 10,000 or more	1,681	1,609	70	-	2
White	1,657	1,587	68	-	2
Nonwhite	24	22	2	-	-
Places of 2,500 to 10,000	911	831	78	-	2
White	899	822	75	-	2
Nonwhite	12	9	3	-	-
Rural	2,889	2,575	288	2	24
White	2,683	2,397	268	1	17
Nonwhite	206	178	20	1	7
Section B (Counties)					
ALABAMA	70,321	30,300	22,179	17,686	156
Autauga	500	191	62	247	-
Baldwin	941	341	340	254	6
Barbour	822	167	240	414	1
Bibb	441	96	160	175	10
Blount	581	101	464	14	2
Bullock	478	29	67	382	-
Butler	739	244	210	283	2
Calhoun	1,740	883	709	148	-
Anniston	708	483	136	89	-
Balance of county	1,032	400	573	59	-
Chambers	805	349	215	238	3
Cherokee	393	60	271	49	13
Chilton	598	234	241	120	3
Choctaw	472	152	66	254	-
Clarke	626	111	171	336	8
Clay	319	61	221	35	2
Cleburne	279	36	214	26	3
Coffee	694	182	467	44	1
Colbert	982	582	256	143	1

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
ALABAMA—Continued					
Conecuh	620	79	204	330	7
Coosa	245	73	62	110	-
Covington	966	464	346	154	2
Crenshaw	442	98	214	128	2
Cullman	1,136	628	449	50	9
Dale	562	124	330	107	1
Dallas	1,484	423	101	957	3
Selma	573	296	65	212	-
Balance of county	911	127	36	745	3
De Kalb	939	149	736	50	4
Elmore	709	391	56	262	-
Escambia	847	310	231	306	-
Etowah	1,879	839	955	82	3
Gadsden	982	519	450	12	1
Balance of county	897	320	505	70	2
Fayette	421	79	281	59	2
Franklin	644	207	402	34	1
Geneva	646	181	375	88	2
Greene	422	13	39	370	-
Hale	602	65	55	482	-
Henry	582	99	132	349	2
Houston	1,164	505	419	236	4
Dothan	429	294	81	52	2
Balance of county	735	211	338	184	2
Jackson	1,056	131	769	150	6
Jefferson	10,969	7,327	3,494	136	12
Bessemer	560	259	242	57	2
Birmingham	6,058	4,725	1,311	14	8
Fairfield	285	200	83	2	-
Balance of county	4,066	2,143	1,858	63	2
Lamar	374	49	285	39	1
Lauderdale	1,097	646	330	117	4
Florence	438	371	33	34	-
Balance of county	659	275	297	83	4
Lawrence	739	305	285	149	-
Lee	851	316	153	382	-
Limestone	940	401	353	185	1
Lowndes	522	49	9	464	-
Macon	713	211	67	435	-
Madison	1,714	692	615	406	1
Huntsville	513	357	84	72	-
Balance of county	1,201	335	531	334	1
Marengo	748	109	98	538	3
Marion	584	122	389	72	1
Marshall	985	364	562	59	-
Mobile	6,099	4,404	304	1,390	1
Mobile	3,003	2,364	57	582	-
Balance of county	3,096	2,040	247	808	1
Monroe	707	55	212	439	1
Montgomery	2,686	1,437	91	1,158	-
Montgomery	1,958	1,260	18	680	-
Balance of county	728	177	73	478	-
Morgan	1,123	603	415	101	4
Decatur	399	304	60	35	-
Balance of county	724	299	355	66	4
Perry	522	30	83	408	1
Pickens	611	52	260	296	3
Pike	809	281	217	310	1
Randolph	511	157	213	139	2
Russell	1,106	429	52	620	5
Phenix City	495	328	17	149	1
Balance of county	611	101	35	471	4
St. Clair	580	261	243	75	1
Shelby	604	152	398	54	-
Sumter	709	124	68	516	1
Talladega	1,738	974	391	371	2
Tallapoosa	754	398	224	132	-
Tuscaloosa	1,586	906	362	318	-
Tuscaloosa	632	452	75	105	-
Balance of county	954	454	287	213	-
Walker	1,527	458	1,024	39	6
Washington	431	36	199	195	1
Wilcox	776	50	79	646	1
Winston	430	225	174	31	-
ARIZONA	13,348	10,891	1,243	534	680
Apache	418	232	79	12	95
Cochise	846	650	103	83	10
Coconino	399	299	29	3	68
Gila	584	476	79	-	29
Graham	302	185	77	2	38
Greenlee	268	247	16	2	3
Maricopa	5,399	4,829	261	221	88
Phoenix	2,944	2,759	68	88	29
Balance of county	2,455	2,070	193	133	59
Mohave	143	118	5	8	12
Navajo	668	456	54	10	148
Pima	2,314	1,871	282	41	120
Tucson	1,918	1,556	257	34	71
Balance of county	396	315	25	7	49
Pinal	812	594	119	60	39
Santa Cruz	233	152	31	34	16
Yavapai	464	353	95	6	10
Yuma	498	429	13	52	4

AREA	Total births	BIRTHS ATTENDED BY — Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties—Continued					
ARKANSAS	39,628	18,484	13,230	7,580	334
Arkansas	540	204	217	116	3
Ashley	542	166	214	154	8
Baxter	174	73	87	7	7
Benton	585	405	174	5	1
Boone	303	162	136	3	2
Bradley	349	184	126	36	3
Calhoun	152	17	111	20	4
Carroll	230	110	110	8	2
Chicot	518	155	80	275	8
Clark	455	187	164	98	6
Clay	481	134	328	15	4
Cleburne	272	190	65	14	3
Cleveland	186	53	93	40	-
Columbia	457	200	155	98	4
Conway	454	194	175	79	6
Craighead	1,020	433	547	28	12
Jonesboro	244	208	19	17	-
Balance of county	776	225	528	11	12
Crawford	467	267	167	27	6
Crittenden	1,154	137	249	761	7
Cross	582	233	195	146	8
Dallas	264	79	130	53	2
Desha	566	187	68	302	9
Drew	430	205	60	162	3
Faulkner	508	324	128	53	3
Franklin	244	168	75	1	-
Fulton	131	30	96	4	1
Garland	796	601	122	72	1
Hot Springs	524	420	82	22	-
Balance of county	272	181	40	50	1
Grant	185	54	120	7	4
Greene	557	223	331	2	1
Hempstead	474	230	90	144	10
Hot Spring	410	255	109	44	2
Howard	261	110	109	42	-
Independence	485	280	177	16	12
Izard	179	47	128	4	-
Jackson	664	218	399	35	12
Jefferson	1,777	773	277	721	6
Pine Bluff	754	545	85	124	-
Balance of county	1,023	228	192	597	6
Johnson	311	231	63	12	5
Lafayette	270	58	91	118	3
Lawrence	506	190	308	6	2
Lee	484	29	136	316	3
Lincoln	354	51	118	181	4
Little River	304	45	170	89	-
Logan	428	295	127	3	4
Lonoke	690	211	278	194	7
Madison	223	62	106	44	11
Marion	143	58	77	4	4
Miller	740	447	128	164	1
Texarkana[1]	362	270	40	51	1
Balance of county	378	177	88	113	-
Mississippi	2,027	678	946	392	11
Blytheville	396	201	125	69	1
Balance of county	1,631	477	821	323	10
Monroe	457	65	210	175	7
Montgomery	123	40	78	2	3
Nevada	353	156	109	77	11
Newton	143	23	94	15	11
Ouachita	830	437	161	221	11
Perry	133	32	98	3	-
Phillips	1,062	238	135	684	5
Pike	125	47	70	7	1
Poinsett	1,037	265	711	50	11
Polk	310	191	118	1	-
Pope	432	165	246	18	3
Prairie	228	71	103	53	1
Pulaski	3,964	3,199	508	248	9
Little Rock	2,202	2,008	146	47	1
North Little Rock	705	597	51	55	2
Balance of county	1,057	594	311	146	6
Randolph	337	84	249	1	3
St. Francis	902	199	203	494	6
Saline	393	190	197	6	-
Scott	174	72	100	1	1
Searcy	225	156	39	22	8
Sebastian	1,333	1,133	190	9	1
Fort Smith	885	841	36	8	-
Balance of county	448	292	154	1	1
Sevier	221	159	44	15	3
Sharp	129	42	83	2	2
Stone	98	29	56	10	3
Union	936	618	133	178	7
El Dorado	389	324	30	35	-
Balance of county	547	294	103	143	7
Van Buren	168	49	116	3	-
Washington	762	584	149	26	3
White	663	392	256	13	2
Woodruff	477	112	244	116	5
Yell	280	93	170	15	2

[1] Includes data for Texarkana, Ark., only.

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
CALIFORNIA	184,380	177,234	6,189	460	497
Alameda	15,211	14,901	269	9	32
Alameda	1,814	1,781	30	-	3
Albany	366	363	3	-	-
Berkeley	2,437	2,412	25	-	-
Oakland	8,169	7,988	158	3	20
San Leandro	781	772	8	-	1
Balance of county	1,644	1,585	45	6	8
Alpine	10	9	1	-	-
Amador	99	84	14	-	1
Butte	1,017	985	30	1	1
Calaveras	96	86	10	-	-
Colusa	191	183	8	-	-
Contra Costa	6,073	5,733	322	2	16
Richmond	3,313	3,133	167	1	12
Balance of county	2,760	2,600	155	1	4
Del Norte	74	73	1	-	-
El Dorado	189	164	25	-	-
Fresno	4,883	4,582	286	7	8
Fresno	1,712	1,646	65	1	-
Balance of county	3,171	2,936	221	6	8
Glenn	196	173	23	-	-
Humboldt	888	883	4	-	1
Eureka	413	412	1	-	-
Balance of county	475	471	3	-	1
Imperial	1,578	1,162	377	7	32
Brawley	419	230	181	3	5
El Centro	347	285	61	1	-
Balance of county	812	647	135	3	27
Inyo	160	157	2	1	-
Kern	4,271	4,028	220	1	22
Bakersfield	1,763	1,714	41	-	8
Balance of county	2,508	2,314	179	1	14
Kings	1,041	937	101	2	1
Lake	136	129	3	-	4
Lassen	282	270	11	-	1
Los Angeles	67,836	65,197	2,071	365	203
Alhambra	722	711	11	-	-
Bell	355	354	1	-	-
Belvedere (twp.)[2]	489	274	95	111	9
Beverly Hills	86	86	-	-	-
Burbank	1,584	1,560	24	-	-
Compton	763	758	5	-	-
Glendale	1,645	1,632	13	-	-
Huntington Park	623	615	8	-	-
Inglewood	1,038	1,032	5	-	1
Long Beach	5,274	5,240	30	1	3
Los Angeles	35,387	33,798	1,267	222	100
Lynwood	348	346	2	-	-
Maywood	241	239	2	-	-
Monrovia	280	269	11	-	-
Pasadena	1,880	1,847	30	-	3
Pomona	605	600	5	-	-
Redondo Beach	426	408	14	-	4
San Gabriel	403	392	11	-	-
Santa Monica	1,359	1,306	43	-	10
South Gate	902	891	10	-	1
South Pasadena	215	214	1	-	-
Whittier	428	425	3	-	-
Balance of county	12,783	12,200	480	31	72
Madera	663	651	6	2	4
Marin	1,439	1,426	13	-	-
Mariposa	44	41	3	-	-
Mendocino	475	460	14	1	-
Merced	1,331	1,311	19	1	-
Merced	350	347	3	-	-
Balance of county	981	964	16	1	-
Modoc	146	132	13	-	1
Mono	23	19	3	-	1
Monterey	2,336	2,176	159	-	1
Monterey	427	421	6	-	-
Salinas	777	759	18	-	-
Balance of county	1,132	996	135	-	1
Napa	669	664	5	-	-
Nevada	257	250	7	-	-
Orange	3,952	3,685	266	-	1
Anaheim	285	268	17	-	-
Fullerton	247	242	5	-	-
Santa Ana	1,078	1,006	72	-	-
Balance of county	2,342	2,169	172	-	1
Placer	582	541	39	2	-
Plumas	166	165	1	-	-
Riverside	3,005	2,860	129	2	14
Riverside	1,272	1,240	29	1	2
Balance of county	1,733	1,620	100	1	12
Sacramento	4,308	4,220	73	-	15
Sacramento	2,647	2,625	15	-	7
Balance of county	1,661	1,595	58	-	8
San Benito	283	258	23	-	2
San Bernardino	4,651	4,297	337	8	9
Ontario	449	437	11	-	1
Redlands	347	302	43	-	2
San Bernardino	1,647	1,530	114	-	3
Balance of county	2,208	2,028	169	8	3
Section B (Counties)—Continued					
CALIFORNIA—Continued					
San Diego	11,994	11,772	188	10	24
National City	647	637	9	-	1
San Diego	8,434	8,291	123	1	19
Balance of county	2,913	2,844	56	9	4
San Francisco, coextensive with San Francisco (city)	14,475	14,344	84	14	33
San Joaquin	3,409	3,304	90	1	14
Lodi	232	232	-	-	-
Stockton	1,384	1,357	20	-	7
Balance of county	1,793	1,715	70	1	7
San Luis Obispo	1,047	1,023	23	1	-
San Mateo	3,300	3,271	24	1	4
Burlingame	410	410	-	-	-
Redwood City	451	445	6	-	-
San Mateo	573	571	1	-	1
Balance of county	1,866	1,845	17	1	3
Santa Barbara	1,776	1,732	39	-	5
Santa Barbara	803	784	14	-	5
Balance of county	973	948	25	-	-
Santa Clara	4,352	4,258	83	5	6
Palo Alto	388	383	5	-	-
San Jose	1,932	1,899	27	3	3
Balance of county	2,032	1,976	51	2	3
Santa Cruz	992	978	14	-	-
Santa Cruz	272	271	1	-	-
Balance of county	720	707	13	-	-
Shasta	463	441	20	-	2
Sierra	27	24	3	-	-
Siskiyou	470	459	9	2	-
Solano	2,781	2,711	70	-	-
Vallejo	2,051	2,032	19	-	-
Balance of county	730	679	51	-	-
Sonoma	1,610	1,594	13	1	2
Santa Rosa	618	617	-	-	1
Balance of county	992	977	13	1	1
Stanislaus	2,285	2,220	63	-	2
Modesto	721	718	2	-	1
Balance of county	1,564	1,502	61	-	1
Sutter	414	402	11	-	1
Tehama	274	269	4	1	-
Trinity	37	36	1	-	-
Tulare	2,822	2,492	306	7	17
Tuolumne	141	134	6	1	-
Ventura	2,003	1,779	212	3	9
San Buenaventura	406	399	7	-	-
Balance of county	1,597	1,380	205	3	9
Yolo	656	630	26	-	-
Yuba	491	469	12	2	8
COLORADO	23,511	20,022	3,141	147	201
Adams	476	401	64	3	8
Alamosa	191	179	4	4	4
Arapahoe	972	937	33	2	-
Archuleta	50	32	14	-	4
Baca	179	76	103	-	-
Bent	144	135	9	-	-
Boulder	679	583	92	-	4
Boulder	295	291	1	-	3
Balance of county	384	292	91	-	1
Chaffee	137	122	12	1	2
Cheyenne	62	55	5	-	2
Clear Creek	52	43	9	-	-
Conejos	172	150	14	-	8
Costilla	151	67	22	22	40
Crowley	126	80	45	1	-
Custer	30	28	2	-	-
Delta	286	145	137	3	1
Denver, coextensive with Denver (city)	7,619	7,033	543	27	16
Dolores	32	26	2	1	3
Douglas	43	40	3	-	-
Eagle	99	85	13	-	1
Elbert	83	69	14	-	-
El Paso	1,083	1,050	29	1	3
Colorado Springs	888	866	21	-	1
Balance of county	195	184	8	1	2
Fremont	265	234	31	-	-
Garfield	193	137	56	-	-
Gilpin	11	10	-	-	1
Grand	46	37	9	-	-
Gunnison	73	60	13	-	-
Hinsdale	3	3	-	-	-
Huerfano	222	105	93	14	10
Jackson	39	37	2	-	-
Jefferson	711	657	52	1	1
Kiowa	55	49	4	-	2
Kit Carson	157	136	20	-	1
Lake	126	100	24	1	1
La Plata	263	200	60	3	-
Larimer	610	550	57	-	3
Fort Collins	256	249	5	-	2
Balance of county	354	301	52	-	1

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
COLORADO—Continued					
Las Animas	631	324	288	4	15
Trinidad	340	181	154	2	3
Balance of county	291	143	134	2	12
Lincoln	107	66	39	-	2
Logan	300	287	10	-	3
Mesa	765	595	100	3	7
Grand Junction	332	293	32	2	5
Balance of county	373	302	68	1	2
Mineral	11	10	-	-	1
Moffat	91	67	24	-	-
Montezuma	180	140	32	1	7
Montrose	266	203	61	-	2
Morgan	356	302	52	-	2
Otero	629	510	103	1	15
Ouray	28	26	2	-	-
Park	26	21	5	-	-
Phillips	77	68	8	-	1
Pitkin	16	16	-	-	-
Prowers	295	269	26	-	-
Pueblo	1,817	1,485	284	30	18
Pueblo	1,589	1,348	218	8	15
Balance of county	228	137	66	22	3
Rio Blanco	52	33	19	-	-
Rio Grande	280	189	90	-	1
Routt	175	158	17	-	-
Saguache	98	68	15	13	2
San Juan	17	17	-	-	-
San Miguel	39	28	10	1	-
Sedgwick	109	91	18	-	-
Summit	9	9	-	-	-
Teller	35	34	-	-	1
Washington	136	127	8	-	1
Weld	1,387	1,045	326	10	6
Greeley	415	373	36	4	2
Balance of county	972	672	290	6	4
Yuma	199	183	14	-	2
CONNECTICUT	33,765	33,224	522	9	10
Fairfield	8,266	8,138	125	1	2
Bridgeport	3,053	3,003	50	-	-
Danbury	440	434	6	-	-
Norwalk	737	713	23	1	-
Shelton	186	180	6	-	-
Stamford	1,084	1,075	7	-	2
Stratford (town)	574	569	5	-	-
Balance of county	2,192	2,164	28	-	-
Hartford	9,620	9,504	112	2	2
Bristol	717	712	5	-	-
East Hartford (town)	611	610	1	-	-
Hartford	3,326	3,309	15	1	1
New Britain	1,335	1,322	12	1	-
West Hartford (town)	613	613	-	-	-
Balance of county	3,018	2,938	79	-	1
Litchfield	1,602	1,582	20	-	-
Torrington	460	457	3	-	-
Balance of county	1,142	1,125	17	-	-
Middlesex	952	943	9	-	-
Middletown	424	422	2	-	-
Balance of county	528	521	7	-	-
New Haven	9,055	8,893	154	5	3
Ansonia	331	317	14	-	-
Derby	178	173	5	-	-
Meriden	731	726	5	-	-
Naugatuck	334	332	2	-	-
New Haven	2,790	2,724	63	3	-
Wallingford	278	277	1	-	-
Waterbury	1,872	1,853	17	1	1
West Haven (town)	488	477	11	-	-
Balance of county	2,053	2,014	36	1	2
New London	2,708	2,666	39	1	2
New London	577	567	9	1	-
Norwich	577	569	8	-	-
Balance of county	1,554	1,530	22	-	2
Tolland	595	581	14	-	-
Windham	967	917	49	-	1
Willimantic	216	215	1	-	-
Balance of county	751	702	48	-	1
DELAWARE	5,984	5,137	489	351	7
Kent	626	436	93	95	2
New Castle	4,221	4,022	104	93	2
Wilmington	2,337	2,247	38	52	-
Balance of county	1,884	1,775	66	41	2
Sussex	1,137	679	292	163	3
DISTRICT OF COLUMBIA	16,141	15,404	723	11	3
FLORIDA	47,791	33,611	5,908	8,078	194
Alachua	928	466	188	273	1
Gainesville	367	277	17	73	-
Balance of county	561	189	171	200	1
Baker	140	40	29	71	-
Bay	879	600	118	155	6
Panama City	502	347	70	82	3
Balance of county	377	253	48	73	3
Section B (Counties)—Continued					
FLORIDA—Continued					
Bradford	269	93	91	83	2
Brevard	404	245	48	111	-
Broward	1,145	902	82	160	2
Fort Lauderdale	552	477	35	40	-
Balance of county	594	425	47	120	2
Calhoun	250	53	150	45	2
Charlotte	66	42	18	6	-
Citrus	101	30	31	40	-
Clay	176	96	27	52	1
Collier	62	42	5	15	-
Columbia	486	264	58	162	2
Dade	6,922	6,122	182	609	9
Miami	4,147	3,630	91	421	5
Miami Beach	637	635	2	-	-
Balance of county	2,138	1,857	89	188	4
De Soto	176	171	4	-	1
Dixie	138	24	86	28	-
Duval	5,567	4,610	346	520	91
Jacksonville	4,556	3,827	244	401	84
Balance of county	1,011	783	102	119	7
Escambia	3,055	2,265	379	409	2
Pensacola	1,602	1,138	218	245	1
Balance of county	1,453	1,127	161	164	1
Flagler	58	22	3	33	-
Franklin	158	71	52	34	1
Gadsden	615	164	101	349	1
Gilchrist	70	19	28	23	-
Glades	41	17	12	8	4
Gulf	184	135	12	36	1
Hamilton	240	50	127	63	-
Hardee	185	125	58	2	-
Hendry	110	83	7	19	1
Hernando	142	64	61	17	-
Highlands	292	249	19	23	1
Hillsborough	4,791	4,050	262	473	6
Tampa	3,002	2,578	58	363	3
Balance of county	1,789	1,472	204	110	3
Holmes	391	182	165	42	2
Indian River	156	115	24	17	-
Jackson	1,020	371	309	335	5
Jefferson	293	26	64	201	2
Lafayette	67	10	51	6	-
Lake	615	479	32	103	1
Lee	434	348	17	66	3
Fort Myers	291	230	12	49	-
Balance of county	143	118	5	17	3
Leon	860	457	59	342	2
Tallahassee	496	347	23	125	1
Balance of county	364	110	36	217	1
Levy	229	78	59	92	-
Liberty	72	35	10	26	1
Madison	405	151	43	210	1
Manatee	487	376	10	95	6
Marion	650	293	107	249	1
Martin	109	82	15	12	-
Monroe	319	195	17	107	-
Key West	306	182	17	107	-
Balance of county	13	13	-	-	-
Nassau	344	195	48	101	-
Okaloosa	410	298	89	22	1
Okeechobee	61	29	4	28	-
Orange	1,676	1,214	279	185	-
Orlando	940	719	138	83	-
Balance of county	738	495	141	102	-
Osceola	152	111	18	12	11
Palm Beach	1,704	1,257	71	374	2
West Palm Beach	732	601	7	124	-
Balance of county	972	656	64	250	2
Pasco	292	177	74	39	2
Pinellas	1,870	1,576	103	188	3
Clearwater	308	261	12	35	-
St. Petersburg	1,192	1,033	22	136	1
Balance of county	370	282	69	17	2
Polk	2,181	1,299	616	261	5
Lakeland	547	400	86	61	-
Balance of county	1,634	899	530	200	5
Putnam	400	189	109	102	-
St. Johns	419	341	19	54	5
St. Augustine	287	268	5	12	2
Balance of county	132	73	14	42	3
St. Lucie	357	259	1	97	-
Santa Rosa	509	169	292	47	1
Sarasota	315	288	4	23	-
Sarasota	229	209	2	18	-
Balance of county	86	79	2	5	-
Seminole	558	398	15	143	2
Sanford	276	212	4	60	-
Balance of county	282	186	11	83	2
Sumter	207	121	31	55	-
Suwannee	378	75	175	128	-
Taylor	215	27	112	76	-
Union	126	70	34	21	1
Volusia	1,051	790	74	187	-
Daytona Beach	492	411	16	65	-
Balance of county	559	379	58	122	-

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
FLORIDA—Continued					
Wakulla	135	54	13	68	-
Walton	343	223	42	77	1
Washington	328	139	119	68	2
GEORGIA	74,852	39,668	16,281	18,822	81
Appling	386	117	199	69	1
Atkinson	160	71	70	18	1
Bacon	257	154	78	25	-
Baker	172	32	18	122	-
Baldwin	397	159	28	210	-
Banks	143	30	101	12	-
Barrow	220	108	68	43	1
Bartow	575	346	191	35	3
Ben Hill	317	180	35	102	-
Berrien	351	172	129	49	1
Bibb	2,307	1,935	43	328	1
Macon	1,928	1,666	37	224	1
Balance of county	379	269	6	104	-
Bleckley	244	57	100	86	1
Brantley	168	41	107	20	-
Brooks	461	207	18	235	1
Bryan	134	30	47	57	-
Bulloch	578	234	125	218	1
Burke	676	69	82	524	1
Butts	184	25	113	46	-
Calhoun	276	46	26	204	-
Camden	152	52	9	90	1
Candler	162	46	70	46	-
Carroll	673	253	316	104	-
Catoosa	243	210	24	9	-
Charlton	124	57	17	50	-
Chatham	3,606	2,760	690	156	-
Savannah	2,982	2,293	583	106	-
Balance of county	624	467	107	50	-
Chattahoochee	141	112	16	13	-
Chattooga	491	321	138	30	2
Cherokee	464	223	215	25	1
Clarke	630	395	85	150	-
Athens	496	329	65	102	-
Balance of county	134	66	20	48	-
Clay	194	27	9	158	-
Clayton	270	137	57	76	-
Clinch	124	40	34	50	-
Cobb	1,258	937	253	68	-
Coffee	619	265	191	163	-
Colquitt	895	522	191	181	1
Moultrie	320	213	33	74	-
Balance of county	575	309	158	107	1
Columbia	207	64	21	122	-
Cook	298	86	155	57	-
Coweta	574	238	143	193	-
Crawford	162	45	9	107	1
Crisp	455	144	61	250	-
Dade	154	41	109	4	-
Dawson	59	33	17	9	-
Decatur	546	307	55	183	1
De Kalb	2,090	1,627	249	214	-
Atlanta (part)	808	787	16	5	-
Decatur	438	357	29	52	-
Balance of county	844	483	204	157	-
Dodge	487	129	189	166	3
Dooly	380	66	112	202	-
Dougherty	843	489	153	201	-
Albany	670	428	109	133	-
Balance of county	173	61	44	68	-
Douglas	193	61	80	52	-
Early	516	181	36	299	-
Echols	55	14	16	25	-
Effingham	219	57	71	91	-
Elbert	403	167	94	142	-
Emanuel	472	195	94	183	-
Evans	186	44	84	58	-
Fannin	341	89	226	22	4
Fayette	136	41	27	68	-
Floyd	1,271	1,049	157	65	-
Rome	699	623	37	39	-
Balance of county	572	426	120	26	-
Forsyth	230	77	118	33	2
Franklin	320	114	162	43	1
Fulton	8,708	7,746	787	169	6
Atlanta (part)[5]	6,608	6,088	426	92	2
Atlanta (total)[5]	7,416	6,875	442	97	2
District 1511, Center Hill[5]	------	------	------	------	------
East Point	319	295	16	8	-
Balance of county	1,781	1,363	345	69	4
Gilmer	227	154	23	48	2
Glascock	90	13	37	40	-
Glynn	958	606	233	119	-
Brunswick	770	488	199	83	-
Balance of county	188	118	34	36	-
Gordon	331	241	69	21	-
Grady	499	173	222	100	4
Section B (Counties)—Continued					
GEORGIA—Continued					
Greene	262	49	68	145	-
Gwinnett	463	211	236	16	-
Habersham	362	122	214	23	3
Hall	802	486	241	69	6
Gainesville	304	203	78	23	-
Balance of county	498	283	163	46	6
Hancock	325	27	49	248	1
Haralson	271	128	114	29	-
Harris	248	52	48	147	1
Hart	266	85	146	35	-
Heard	127	44	39	44	-
Henry	382	65	88	228	1
Houston	529	276	120	133	-
Irwin	298	176	15	107	-
Jackson	498	144	320	34	-
Jasper	185	21	81	83	-
Jeff Davis	262	39	178	45	-
Jefferson	406	74	68	263	1
Jenkins	260	117	17	126	-
Johnson	310	105	73	131	1
Jones	215	39	48	128	-
Lamar	201	35	64	102	-
Lanier	114	37	58	19	-
Laurens	833	347	149	337	-
Lee	237	33	26	178	-
Liberty	272	74	60	137	1
Lincoln	130	33	35	62	-
Long	110	23	68	19	-
Lowndes	926	492	76	357	1
Valdosta	540	333	31	176	-
Balance of county	386	159	45	181	1
Lumpkin	145	43	83	19	-
McDuffie	253	99	27	126	1
McIntosh	162	24	21	117	-
Macon	426	100	75	251	-
Madison	272	69	136	67	-
Marion	225	18	72	135	-
Meriwether	560	122	186	252	-
Miller	247	111	25	111	-
Mitchell	552	144	128	278	2
Monroe	231	54	36	141	-
Montgomery	155	41	53	61	-
Morgan	327	52	86	189	-
Murray	256	57	156	43	-
Muscogee	2,538	2,185	117	236	-
Columbus	2,245	1,999	93	153	-
Balance of county	293	186	24	83	-
Newton	455	224	84	147	-
Oconee	109	34	51	23	1
Oglethorpe	266	71	53	142	-
Paulding	239	86	134	18	1
Peach	275	94	42	138	1
Pickens	147	69	67	11	-
Pierce	329	84	164	81	-
Pike	202	42	79	81	-
Polk	613	259	284	70	-
Pulaski	223	59	15	149	-
Putnam	207	26	30	151	-
Quitman	100	32	7	61	-
Rabun	189	167	9	13	-
Randolph	394	82	25	286	1
Richmond	1,893	1,342	459	92	-
Augusta	1,506	1,056	431	19	-
Balance of county	387	286	28	73	-
Rockdale	151	33	60	58	-
Schley	111	13	51	46	1
Screven	427	102	54	271	-
Seminole	135	78	7	50	-
Spalding	575	308	119	148	-
Griffin	356	219	63	71	-
Balance of county	219	89	53	77	-
Stephens	357	250	68	39	-
Stewart	260	27	33	200	-
Sumter	614	214	67	333	-
Talbot	203	29	19	155	-
Taliaferro	120	26	4	90	-
Tattnall	295	132	135	28	-
Taylor	268	95	20	150	3
Telfair	289	95	80	114	-
Terrell	477	67	83	327	-
Thomas	850	420	78	352	-
Thomasville	412	259	11	142	-
Balance of county	438	161	67	210	-
Tift	541	304	109	128	-
Toombs	400	137	147	116	-
Towns	98	45	47	5	1
Treutlen	151	44	52	55	-
Troup	1,043	584	122	336	1
La Grange	492	306	68	118	-
Balance of county	551	278	54	218	1
Turner	183	61	65	57	-
Twiggs	248	37	33	178	-

[5] Figures for District 1511, Center Hill, are included in those for Atlanta.

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
GEORGIA—Continued					
Union	162	32	121	9	-
Upson	532	89	330	113	-
Walker	750	606	129	14	1
Walton	485	263	68	152	2
Ware	759	449	153	156	1
Waycross	488	311	61	116	-
Balance of county	271	138	92	40	1
Warren	243	30	62	150	1
Washington	548	136	50	361	1
Wayne	415	218	101	95	1
Webster	129	11	45	73	-
Wheeler	148	35	83	30	-
White	148	51	71	26	-
Whitfield	671	547	79	44	1
Dalton	351	293	40	18	-
Balance of county	320	254	39	26	1
Wilcox	197	59	90	47	1
Wilkes	353	106	62	185	-
Wilkinson	198	47	63	88	-
Worth	572	103	216	251	2
IDAHO	11,501	10,899	570	20	12
Ada	1,174	1,161	7	5	1
Boise City	769	760	6	2	1
Balance of county	405	401	1	3	-
Adams	74	71	2	1	-
Bannock	997	983	12	1	1
Pocatello	670	663	6	1	-
Balance of county	327	320	6	-	1
Bear Lake	164	161	3	-	-
Benewah	101	85	14	1	1
Bingham	546	536	9	1	-
Blaine	111	106	2	2	1
Boise	30	30	-	-	-
Bonner	300	282	13	-	5
Bonneville	630	622	8	-	-
Idaho Falls	348	343	5	-	-
Balance of county	282	279	3	-	-
Boundary	125	125	-	-	-
Butte	42	39	2	1	-
Camas	18	18	-	-	-
Canyon	967	935	28	4	-
Nampa	289	278	11	-	-
Balance of county	678	657	17	4	-
Caribou	39	38	1	-	-
Cassia	373	269	104	-	-
Clark	16	16	-	-	-
Clearwater	146	137	9	-	-
Custer	48	47	1	-	-
Elmore	134	127	7	-	-
Franklin	284	224	60	-	-
Fremont	195	175	20	-	-
Gem	164	156	8	-	-
Gooding	212	211	1	-	-
Idaho	185	133	52	-	-
Jefferson	277	271	6	-	-
Jerome	258	255	3	-	-
Kootenai	474	463	11	-	-
Coeur d'Alene	261	257	4	-	-
Balance of county	213	206	7	-	-
Latah	313	297	16	-	-
Lemhi	107	94	13	-	-
Lewis	80	62	18	-	-
Lincoln	78	77	-	1	-
Madison	252	233	19	-	-
Minidoka	214	204	10	-	-
Nez Perce	337	317	18	-	2
Lewiston	222	219	3	-	-
Balance of county	115	98	15	-	2
Oneida	119	118	1	-	-
Owyhee	123	108	15	-	-
Payette	194	183	11	-	-
Power	70	67	3	-	-
Shoshone	367	359	8	-	-
Teton	96	96	-	-	-
Twin Falls	817	784	32	1	-
Twin Falls	305	294	11	-	-
Balance of county	512	490	21	1	-
Valley	81	74	6	-	1
Washington	169	150	17	2	-
Yellowstone National Park (part)	-	-	-	-	-
ILLINOIS	138,705	127,426	11,034	164	81
Adams	1,044	1,003	41	-	-
Quincy	725	717	8	-	-
Balance of county	319	286	33	-	-
Alexander	439	248	181	-	10
Cairo	238	149	79	-	10
Balance of county	201	99	102	-	-
Bond	229	183	45	-	1
Boone	260	257	3	-	-
Brown	115	60	55	-	-
Bureau	605	584	20	-	1
Calhoun	111	14	97	-	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
ILLINOIS—Continued					
Carroll	292	260	32	-	-
Cass	246	211	34	-	1
Champaign	1,605	1,556	49	-	-
Champaign	527	514	13	-	-
Urbana	419	417	2	-	-
Balance of county	659	625	34	-	-
Christian	613	552	61	-	-
Clark	233	137	96	-	-
Clay	289	149	140	-	-
Clinton	391	342	49	-	-
Centralia (part)	10	10	-	-	-
Balance of county	381	332	49	-	-
Coles	637	494	143	-	-
Mattoon	335	291	44	-	-
Balance of county	302	203	99	-	-
Cook	72,511	69,201	3,172	127	11
Berwyn	757	757	-	-	-
Blue Island	382	380	1	1	-
Brookfield	220	217	3	-	-
Calumet City	262	251	10	1	-
Chicago	60,045	56,945	2,971	119	10
Chicago Heights	478	448	30	-	-
Cicero	1,084	1,059	22	3	-
Elgin (part)	12	11	1	-	-
Elmwood Park	257	256	-	1	-
Evanston	1,040	1,036	4	-	-
Forest Park	239	236	3	-	-
Harvey	486	477	9	-	-
La Grange	265	265	-	-	-
Maywood	468	462	6	-	-
Melrose Park	326	323	3	-	-
Oak Park	1,001	996	5	-	-
Park Ridge	206	206	-	-	-
Wilmette	276	275	1	-	-
Winnetka	171	170	1	-	-
Balance of county	4,536	4,431	102	2	1
Crawford	309	236	73	-	-
Cumberland	173	108	65	-	-
De Kalb	691	679	12	-	-
De Witt	256	228	27	1	-
Douglas	269	216	53	-	-
Du Page	1,985	1,950	34	-	1
Elmhurst	262	259	3	-	-
Balance of county	1,723	1,691	31	-	1
Edgar	392	350	42	-	-
Edwards	129	99	30	-	-
Effingham	385	302	83	-	-
Fayette	391	248	143	-	-
Ford	257	230	27	-	-
Franklin	741	546	195	-	-
West Frankfort	198	179	19	-	-
Balance of county	543	367	176	-	-
Fulton	699	648	50	-	1
Canton	179	179	-	-	-
Balance of county	520	469	50	-	1
Gallatin	182	110	70	-	2
Greene	295	207	88	-	-
Grundy	391	371	20	-	-
Hamilton	198	144	54	-	-
Hancock	382	310	72	-	-
Hardin	151	77	73	-	1
Henderson	159	124	35	-	-
Henry	633	620	13	-	-
Kewanee	219	215	4	-	-
Balance of county	414	405	9	-	-
Iroquois	562	505	57	-	-
Jackson	608	504	99	1	4
Jasper	173	109	64	-	-
Jefferson	619	382	236	-	1
Mount Vernon	335	231	104	-	-
Balance of county	284	151	132	-	1
Jersey	246	149	95	-	2
Jo Daviess	377	270	107	-	-
Johnson	137	45	92	-	-
Kane	2,304	2,293	11	-	-
Aurora	939	937	2	-	-
Elgin (part)	674	570	4	-	-
Elgin (total)	586	581	5	-	-
Balance of county	791	786	5	-	-
Kankakee	1,004	903	98	3	-
Kankakee	465	441	24	-	-
Balance of county	539	462	74	3	-
Kendall	161	152	9	-	-
Knox	882	846	36	-	-
Galesburg	532	524	8	-	-
Balance of county	350	322	28	-	-
Lake	2,589	2,512	55	3	19
Highland Park	259	258	1	-	-
Waukegan	768	759	7	1	1
Balance of county	1,562	1,495	47	2	18
La Salle	1,746	1,702	44	-	-
La Salle	188	188	-	-	-
Ottawa	323	321	2	-	-
Streator	310	304	6	-	-
Balance of county	925	889	36	-	-

TABLE 28.–LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945–Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
ILLINOIS —Continued					
Lawrence	344	204	139	-	1
Lee	544	518	26	-	-
Dixon	198	196	2	-	-
Balance of county	346	322	24	-	-
Livingston	602	549	52	-	1
Logan	411	386	25	-	-
Lincoln	169	166	3	-	-
Balance of county	242	220	22	-	-
McDonough	445	375	70	-	-
McHenry	699	670	29	-	-
McLean	1,242	1,172	70	-	-
Bloomington	584	573	11	-	-
Balance of county	658	599	59	-	-
Macon	1,664	1,607	57	-	-
Decatur	1,177	1,151	26	-	-
Balance of county	487	456	31	-	-
Macoupin	637	504	132	-	1
Madison	3,054	2,683	359	10	2
Alton	773	664	107	1	1
Granite City	506	487	13	6	-
Balance of county	1,775	1,532	239	3	1
Marion	788	665	122	1	-
Centralia (part)	252	232	20	-	-
Centralia (total)	262	242	20	-	-
Balance of county	536	433	102	1	-
Marshall	202	169	33	-	-
Mason	197	147	49	-	1
Massac	225	131	94	-	-
Menard	148	101	47	-	-
Mercer	282	253	29	-	-
Monroe	194	168	26	-	-
Montgomery	452	396	56	-	-
Morgan	463	391	72	-	-
Jacksonville	228	223	5	-	-
Balance of county	235	168	67	-	-
Moultrie	223	157	66	-	-
Ogle	552	501	51	-	-
Peoria	2,699	2,579	118	1	1
Peoria	1,972	1,928	43	-	1
Balance of county	727	651	75	1	-
Perry	390	321	68	1	-
Piatt	237	214	23	-	-
Pike	359	270	89	-	-
Pope	96	29	67	-	-
Pulaski	231	81	134	7	9
Putnam	86	80	6	-	-
Randolph	486	329	153	1	3
Richland	307	259	47	-	1
Rock Island	2,201	2,139	61	-	1
East Moline	172	169	3	-	-
Moline	646	641	5	-	-
Rock Island	840	807	32	-	1
Balance of county	543	522	21	-	-
St. Clair	3,348	3,081	260	5	2
Belleville	653	646	7	-	-
East St. Louis	1,580	1,422	155	2	1
Balance of county	1,115	1,013	98	3	1
Saline	541	378	162	1	-
Harrisburg	195	157	37	1	-
Balance of county	346	221	125	-	-
Sangamon	2,026	1,924	99	1	2
Springfield	1,489	1,465	24	-	-
Balance of county	537	459	75	1	2
Schuyler	144	115	29	-	-
Scott	106	66	40	-	-
Shelby	353	268	85	-	-
Stark	147	136	11	-	-
Stephenson	655	619	36	-	-
Freeport	368	355	13	-	-
Balance of county	287	264	23	-	-
Tazewell	1,165	1,090	75	-	-
Pekin	329	315	14	-	-
Balance of county	836	775	61	-	-
Union	362	260	101	1	-
Vermilion	1,355	1,239	115	-	1
Danville	642	609	33	-	-
Balance of county	713	630	82	-	1
Wabash	246	166	80	-	-
Warren	365	331	34	-	-
Washington	197	139	58	-	-
Wayne	355	151	204	-	-
White	357	137	220	-	-
Whiteside	826	718	108	-	-
Sterling	207	183	24	-	-
Balance of county	619	535	84	-	-
Will	1,979	1,929	50	-	-
Joliet	1,213	1,200	13	-	-
Balance of county	766	729	37	-	-
Williamson	764	476	288	-	-
Winnebago	2,519	2,448	71	-	-
Rockford	1,750	1,720	30	-	-
Balance of county	769	728	41	-	-
Woodford	339	281	58	-	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
INDIANA	68,444	57,554	10,796	43	51
Adams	448	349	99	-	-
Allen	3,316	3,139	177	-	-
Fort Wayne	2,526	2,471	55	-	-
Balance of county	790	668	122	-	-
Bartholomew	641	558	83	-	-
Columbus	333	315	18	-	-
Balance of county	308	243	65	-	-
Benton	236	189	47	-	-
Blackford	213	195	18	-	-
Boone	420	388	32	-	-
Brown	96	54	29	6	7
Carroll	227	174	53	-	-
Cass	657	608	49	-	-
Logansport	385	373	12	-	-
Balance of county	272	235	37	-	-
Clark	845	631	213	-	1
Jeffersonville	325	288	37	-	-
Balance of county	520	343	176	-	1
Clay	378	306	69	-	1
Clinton	538	505	33	-	-
Frankfort	262	256	6	-	-
Balance of county	276	249	27	-	-
Crawford	162	36	126	-	-
Daviess	574	388	180	2	4
Dearborn	380	274	105	-	1
Decatur	307	240	67	-	-
De Kalb	501	453	48	-	-
Delaware	1,671	1,564	107	-	-
Muncie	1,206	1,133	73	-	-
Balance of county	465	431	34	-	-
Dubois	376	193	183	-	-
Elkhart	1,515	1,413	102	-	-
Elkhart	648	632	16	-	-
Goshen	269	264	5	-	-
Balance of county	598	517	81	-	-
Fayette	436	411	25	-	-
Connersville	356	349	7	-	-
Balance of county	80	62	18	-	-
Floyd	803	660	143	-	-
New Albany	625	539	86	-	-
Balance of county	178	121	57	-	-
Fountain	290	232	58	-	-
Franklin	257	138	118	1	-
Fulton	265	189	76	-	-
Gibson	549	353	196	-	-
Grant	1,147	974	172	-	1
Marion	620	531	89	-	-
Balance of county	527	443	83	-	1
Greene	413	326	87	-	-
Hamilton	448	412	36	-	-
Hancock	322	237	85	-	-
Harrison	317	103	214	-	-
Hendricks	359	284	75	-	-
Henry	801	726	73	-	2
New Castle	381	357	24	-	-
Balance of county	420	369	49	-	2
Howard	1,027	871	156	-	-
Kokomo	798	692	106	-	-
Balance of county	229	179	50	-	-
Huntington	521	443	78	-	-
Huntington	251	217	34	-	-
Balance of county	270	226	44	-	-
Jackson	523	405	118	-	-
Jasper	308	249	55	-	4
Jay	413	368	45	-	-
Jefferson	341	238	102	-	1
Jennings	243	109	134	-	-
Johnson	486	326	160	-	-
Knox	875	752	123	-	-
Vincennes	408	394	14	-	-
Balance of county	467	358	109	-	-
Kosciusko	575	508	67	-	-
Lagrange	322	175	147	-	-
Lake	6,524	5,982	511	26	5
East Chicago	1,023	911	99	13	-
Gary	2,675	2,390	269	12	4
Hammond	1,314	1,251	63	-	-
Whiting	352	346	6	-	-
Balance of county	1,160	1,084	74	1	1
La Porte	1,308	1,240	68	-	-
La Porte	393	388	5	-	-
Michigan City	438	420	18	-	-
Balance of county	477	432	45	-	-
Lawrence	675	465	210	-	-
Bedford	257	215	42	-	-
Balance of county	418	250	168	-	-
Madison	1,973	1,919	53	1	-
Anderson	1,006	987	19	-	-
Elwood	263	261	2	-	-
Balance of county	704	671	32	1	-
Marion	9,900	8,540	1,342	2	16
Indianapolis	8,886	7,637	1,233	2	14
Balance of county	1,014	903	109	-	2

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
INDIANA—Continued					
Marshall	497	466	31	-	-
Martin	227	83	133	-	1
Miami	512	458	54	-	-
Peru	259	248	11	-	-
Balance of county	253	210	43	-	-
Monroe	714	494	217	3	-
Bloomington	414	332	82	-	-
Balance of county	300	162	135	3	-
Montgomery	428	379	49	-	-
Crawfordsville	197	175	22	-	-
Balance of county	231	204	27	-	-
Morgan	407	325	82	-	-
Newton	167	123	44	-	-
Noble	430	389	41	-	-
Ohio	75	44	31	-	-
Orange	273	132	141	-	-
Owen	150	66	84	-	-
Parke	234	144	90	-	-
Perry	320	74	244	1	1
Pike	244	133	111	-	-
Porter	508	490	18	-	-
Posey	345	228	117	-	-
Pulaski	218	146	72	-	-
Putnam	299	263	36	-	-
Randolph	473	451	21	-	1
Ripley	349	263	86	-	-
Rush	331	293	37	1	-
St. Joseph	3,365	3,271	94	-	-
Mishawaka	513	507	6	-	-
South Bend	2,210	2,168	42	-	-
Balance of county	642	596	46	-	-
Scott	247	146	101	-	-
Shelby	472	373	99	-	-
Shelbyville	214	166	48	-	-
Balance of county	258	207	51	-	-
Spencer	274	75	198	-	1
Starke	305	157	146	-	2
Steuben	216	177	39	-	-
Sullivan	390	337	53	-	-
Switzerland	106	54	52	-	-
Tippecanoe	1,114	1,079	35	-	-
Lafayette	664	650	14	-	-
Balance of county	450	429	21	-	-
Tipton	321	280	40	-	1
Union	66	47	19	-	-
Vanderburgh	2,998	2,363	635	-	-
Evansville	2,481	2,005	476	-	-
Balance of county	517	358	159	-	-
Vermillion	316	266	50	-	-
Vigo	1,767	1,452	315	-	-
Terre Haute	1,285	1,103	182	-	-
Balance of county	482	349	133	-	-
Wabash	456	416	40	-	-
Warren	166	131	34	-	1
Warrick	356	210	146	-	-
Washington	305	106	199	-	-
Wayne	1,154	1,083	71	-	-
Richmond	733	704	29	-	-
Balance of county	421	379	42	-	-
Wells	337	313	24	-	-
White	288	203	85	-	-
Whitley	304	269	35	-	-
IOWA	44,934	39,879	5,014	9	32
Adair	186	103	83	-	-
Adams	156	129	27	-	-
Allamakee	327	290	37	-	-
Appanoose	344	292	52	-	-
Audubon	208	122	85	-	1
Benton	380	325	55	-	-
Black Hawk	1,593	1,549	43	-	1
Waterloo	978	961	17	-	-
Balance of county	615	588	26	-	1
Boone	427	410	17	-	-
Boone	189	187	2	-	-
Balance of county	238	223	15	-	-
Bremer	346	294	50	-	2
Buchanan	371	333	34	2	2
Buena Vista	335	317	18	-	-
Butler	314	246	68	-	-
Calhoun	322	294	28	-	-
Carroll	476	443	33	-	-
Cass	298	248	50	-	-
Cedar	268	221	47	-	-
Cerro Gordo	754	727	27	-	-
Mason City	448	435	13	-	-
Balance of county	306	292	14	-	-
Cherokee	325	304	21	-	-
Chickasaw	289	278	11	-	-
Clarke	158	141	17	-	-
Clay	299	291	8	-	-
Clayton	383	213	169	1	-
Clinton	823	780	38	-	5
Clinton	504	488	12	-	4
Balance of county	319	292	26	-	1

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
IOWA—Continued					
Crawford	371	310	60	-	1
Dallas	394	334	59	-	1
Davis	176	124	52	-	-
Decatur	230	208	22	-	-
Delaware	347	296	50	1	-
Des Moines	749	734	15	-	-
Burlington	547	544	3	-	-
Balance of county	202	190	12	-	-
Dickinson	181	158	23	-	-
Dubuque	1,219	1,126	92	1	-
Dubuque	784	768	15	1	-
Balance of county	435	358	77	-	-
Emmet	243	231	12	-	-
Fayette	513	454	58	1	-
Floyd	357	346	11	-	-
Franklin	279	266	13	-	-
Fremont	220	189	30	-	1
Greene	276	263	13	-	-
Grundy	217	194	33	-	-
Guthrie	270	207	63	-	-
Hamilton	361	349	12	-	-
Hancock	281	218	63	-	-
Hardin	343	317	26	-	-
Harrison	371	203	167	-	1
Henry	309	285	24	-	-
Howard	223	195	28	-	-
Humboldt	250	208	42	-	-
Ida	204	174	29	-	1
Iowa	262	186	76	-	-
Jackson	334	277	53	-	4
Jasper	545	476	68	-	1
Newton	187	177	10	-	-
Balance of county	358	299	58	-	1
Jefferson	297	270	27	-	-
Johnson	702	663	39	-	-
Iowa City	396	390	6	-	-
Balance of county	306	273	33	-	-
Jones	342	325	17	-	-
Keokuk	291	209	82	-	-
Kossuth	621	507	113	-	1
Lee	719	689	30	-	-
Fort Madison	239	223	16	-	-
Keokuk	286	282	4	-	-
Balance of county	194	184	10	-	-
Linn	1,621	1,548	72	1	-
Cedar Rapids	1,172	1,156	16	-	-
Balance of county	449	392	56	1	-
Louisa	167	135	31	-	1
Lucas	208	177	31	-	-
Lyon	325	221	104	-	-
Madison	191	138	53	-	-
Mahaska	439	400	38	-	1
Oskaloosa	170	162	8	-	-
Balance of county	269	238	30	-	1
Marion	411	360	51	-	-
Marshall	574	548	26	-	-
Marshalltown	311	301	10	-	-
Balance of county	263	247	16	-	-
Mills	227	177	50	-	-
Mitchell	260	244	16	-	-
Monona	315	245	69	-	1
Monroe	201	104	95	-	2
Montgomery	248	240	8	-	-
Muscatine	566	551	15	-	-
Muscatine	316	312	4	-	-
Balance of county	250	239	11	-	-
O'Brien	338	265	73	-	-
Osceola	196	170	26	-	-
Page	415	387	28	-	-
Palo Alto	330	272	58	-	-
Plymouth	474	415	59	-	-
Pocahontas	283	214	69	-	-
Polk	3,562	3,294	266	-	2
Des Moines	3,114	2,914	199	-	1
Balance of county	448	380	67	-	1
Pottawattamie	1,223	1,135	88	-	-
Council Bluffs	790	764	26	-	-
Balance of county	433	371	62	-	-
Poweshiek	329	295	34	-	-
Ringgold	169	100	69	-	-
Sac	321	292	29	-	-
Scott	1,673	1,624	49	-	-
Davenport	1,209	1,179	30	-	-
Balance of county	464	445	19	-	-
Shelby	296	193	103	-	-
Sioux	493	369	123	1	-
Story	632	616	16	-	-
Ames	287	283	4	-	-
Balance of county	345	333	12	-	-
Tama	341	274	67	-	-
Taylor	193	139	54	-	-
Union	226	205	21	-	-
Van Buren	172	100	71	1	-
Wapello	903	826	75	-	2
Ottumwa	675	637	37	-	1
Balance of county	228	189	38	-	1

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE. 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
IOWA—Continued					
Warren	276	215	61	-	-
Washington	357	304	53	-	-
Wayne	171	138	32	-	1
Webster	725	685	40	-	-
Fort Dodge	400	394	6	-	-
Balance of county	325	291	34	-	-
Winnebago	255	227	28	-	-
Winneshiek	390	355	35	-	-
Woodbury	2,055	1,932	123	-	-
Sioux City	1,672	1,623	49	-	-
Balance of county	383	309	74	-	-
Worth	173	155	18	-	-
Wright	331	264	67	-	-
KANSAS	33,624	29,469	4,125	15	15
Allen	302	235	67	-	-
Anderson	167	142	25	-	-
Atchison	321	302	19	-	-
Atchison	196	190	6	-	-
Balance of county	125	112	13	-	-
Barber	148	129	19	-	-
Barton	578	550	28	-	-
Bourbon	358	325	33	-	-
Fort Scott	183	178	5	-	-
Balance of county	175	147	28	-	-
Brown	256	227	29	-	-
Butler	590	554	36	-	-
El Dorado	218	217	1	-	-
Balance of county	372	337	35	-	-
Chase	79	72	7	-	-
Chautauqua	109	68	41	-	-
Cherokee	528	363	163	1	1
Cheyenne	100	61	39	-	-
Clark	49	43	6	-	-
Clay	211	196	15	-	-
Cloud	294	252	42	-	-
Coffey	213	106	106	-	1
Comanche	65	52	13	-	-
Cowley	684	647	36	1	-
Arkansas City	272	255	16	1	-
Balance of county	412	392	20	-	-
Crawford	672	538	132	1	1
Pittsburg	331	291	39	1	-
Balance of county	341	247	93	-	1
Decatur	119	111	7	-	1
Dickinson	457	423	34	-	-
Doniphan	187	82	105	-	-
Douglas	531	508	22	1	-
Lawrence	366	360	6	-	-
Balance of county	165	148	16	1	-
Edwards	97	83	14	-	-
Elk	92	77	15	-	-
Ellis	414	384	28	2	-
Ellsworth	158	148	9	-	1
Finney	275	222	52	-	1
Ford	432	414	18	-	-
Franklin	338	280	58	-	-
Ottawa	184	159	25	-	-
Balance of county	154	121	33	-	-
Geary	250	247	3	-	-
Gove	87	63	24	-	-
Graham	92	61	31	-	-
Grant	50	43	7	-	-
Gray	97	85	12	-	-
Greeley	29	21	8	-	-
Greenwood	249	201	48	-	-
Hamilton	86	83	3	-	-
Harper	178	171	7	-	-
Harvey	369	364	5	-	-
Newton	187	185	2	-	-
Balance of county	182	179	3	-	-
Haskell	66	58	8	-	-
Hodgeman	57	55	2	-	-
Jackson	166	156	10	-	-
Jefferson	171	113	58	-	-
Jewell	161	120	41	-	-
Johnson	847	780	65	1	1
Kearny	52	48	2	1	1
Kingman	232	213	19	-	-
Kiowa	71	57	14	-	-
Labette	565	474	88	1	2
Parsons	325	3[illegible]	22	1	-
Balance of county	240	172	66	-	2
Lane	56	50	6	-	-
Leavenworth	549	513	33	2	1
Leavenworth	378	367	11	-	-
Balance of county	171	146	22	2	1
Lincoln	102	68	34	-	-
Linn	149	59	89	-	1
Logan	72	52	19	-	1
Lyon	428	407	20	1	-
Emporia	260	257	2	1	-
Balance of county	168	150	18	-	-
McPherson	428	420	8	-	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
KANSAS—Continued					
Marion	301	275	26	-	-
Marshall	309	260	49	-	-
Meade	97	64	33	-	-
Miami	256	194	62	-	-
Mitchell	182	177	5	-	-
Montgomery	938	759	177	2	-
Coffeyville	395	306	89	-	-
Independence	223	207	15	1	-
Balance of county	320	246	73	1	-
Morris	157	131	26	-	-
Morton	74	67	7	-	-
Nemaha	280	232	48	-	-
Neosho	345	215	130	-	-
Chanute	162	107	55	-	-
Balance of county	183	108	75	-	-
Ness	105	89	16	-	-
Norton	136	110	26	-	-
Osage	211	127	84	-	-
Osborne	129	98	31	-	-
Ottawa	111	63	48	-	-
Pawnee	156	151	5	-	-
Phillips	146	68	78	-	-
Pottawatomie	178	156	22	-	-
Pratt	263	252	11	-	-
Rawlins	82	77	5	-	-
Reno	1,130	1,089	41	-	-
Hutchinson	823	816	7	-	-
Balance of county	307	273	34	-	-
Republic	166	142	24	-	-
Rice	296	274	22	-	-
Riley	453	444	9	-	-
Manhattan	342	340	2	-	-
Balance of county	111	104	7	-	-
Rooks	155	127	28	-	-
Rush	153	118	35	-	-
Russell	274	242	32	-	-
Saline	509	488	21	-	-
Salina	416	399	17	-	-
Balance of county	93	89	4	-	-
Scott	92	62	30	-	-
Sedgwick	4,359	4,135	223	-	1
Wichita	3,888	3,771	116	-	1
Balance of county	471	364	107	-	-
Seward	248	241	7	-	-
Shawnee	1,769	1,617	152	-	-
Topeka	1,572	1,475	97	-	-
Balance of county	197	142	55	-	-
Sheridan	91	64	27	-	-
Sherman	113	109	4	-	-
Smith	126	93	33	-	-
Stafford	181	174	7	-	-
Stanton	33	31	2	-	-
Stevens	68	49	19	-	-
Sumner	410	367	43	-	-
Thomas	123	119	4	-	-
Trego	90	76	14	-	-
Wabaunsee	136	107	29	-	-
Wallace	46	43	3	-	-
Washington	187	161	26	-	-
Wichita	57	37	20	-	-
Wilson	273	176	97	-	-
Woodson	96	41	55	-	-
Wyandotte	3,051	2,702	347	1	1
Kansas City	2,731	2,418	313	-	-
Balance of county	320	284	34	1	1
KENTUCKY	60,892	26,666	28,201	5,726	299
Adair	327	30	253	39	5
Allen	263	68	185	10	-
Anderson	159	35	120	4	-
Ballard	152	79	72	1	-
Barren	517	239	235	42	1
Bath	180	48	115	17	-
Bell	1,227	399	699	116	13
Middlesborough	281	170	109	2	-
Balance of county	946	229	590	114	13
Boone	208	115	91	2	-
Bourbon	333	174	159	-	-
Boyd	949	732	198	19	-
Ashland	638	539	95	4	-
Balance of county	311	193	103	15	-
Boyle	345	205	137	3	-
Bracken	143	36	107	-	-
Breathitt	483	30	73	365	15
Breckinridge	349	27	302	18	2
Bullitt	197	63	131	3	-
Butler	247	24	156	67	-
Caldwell	244	84	158	2	-
Calloway	309	192	117	-	-
Campbell	1,311	1,129	181	1	-
Fort Thomas	156	154	2	-	-
Newport	603	496	106	1	-
Balance of county	552	479	73	-	-
Carlisle	90	27	63	-	-

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
KENTUCKY—Continued					
Carroll	143	28	115	-	-
Carter	604	161	295	144	4
Casey	473	33	391	43	6
Christian	595	230	304	59	2
Hopkinsville	194	107	80	7	-
Balance of county	401	123	224	52	2
Clark	369	169	191	9	-
Clay	695	304	154	223	14
Clinton	231	41	151	39	-
Crittenden	214	87	126	1	-
Cumberland	189	41	62	86	-
Daviess	1,300	761	532	6	1
Owensboro	814	557	256	-	1
Balance of county	486	204	276	6	-
Edmonson	254	26	181	47	-
Elliott	178	27	60	88	3
Estill	398	61	255	80	2
Fayette	1,465	1,211	251	3	-
Lexington	1,261	1,040	218	3	-
Balance of county	204	171	33	-	-
Fleming	254	61	184	9	-
Floyd	1,455	270	878	302	5
Franklin	385	285	100	-	-
Frankfort	195	150	45	-	-
Balance of county	190	135	55	-	-
Fulton	320	126	181	12	1
Gallatin	67	17	49	-	1
Garrard	208	78	124	6	-
Grant	196	41	155	-	-
Graves	515	279	235	1	-
Grayson	376	30	313	33	-
Green	223	13	196	14	-
Greenup	529	171	295	53	10
Hancock	118	46	72	-	-
Hardin	674	267	401	4	2
Harlan	1,967	514	1,377	75	1
Harrison	214	142	71	1	-
Hart	323	39	279	3	2
Henderson	608	351	253	4	-
Henderson	318	209	108	1	-
Balance of county	290	142	145	3	-
Henry	232	79	152	1	-
Hickman	144	57	85	2	-
Hopkins	718	297	408	12	1
Jackson	327	102	131	92	2
Jefferson	9,032	7,769	1,255	4	4
Louisville	7,852	6,904	941	4	3
Balance of county	1,180	865	314	-	1
Jessamine	210	85	123	2	-
Johnson	595	253	260	81	1
Kenton	1,798	1,631	167	-	-
Covington	1,224	1,143	81	-	-
Balance of county	574	488	86	-	-
Knott	547	53	237	256	1
Knox	815	86	556	164	9
Larue	177	25	151	1	-
Laurel	637	99	412	117	9
Lawrence	291	122	61	97	11
Lee	166	33	41	89	3
Leslie	447	178	15	148	106
Letcher	1,187	107	889	187	4
Lewis	363	37	245	81	-
Lincoln	440	146	248	45	1
Livingston	148	50	89	8	1
Logan	405	88	307	9	1
Lyon	107	16	86	3	2
McCracken	871	545	320	5	1
Paducah	550	395	152	3	-
Balance of county	321	150	168	2	1
McCreary	429	66	237	125	1
McLean	249	50	186	11	2
Madison	566	320	219	27	-
Magoffin	348	24	225	98	1
Marion	472	163	298	10	1
Marshall	239	95	143	1	-
Martin	286	37	113	136	-
Mason	341	197	143	-	1
Meade	211	47	155	8	1
Menifee	127	41	60	25	1
Mercer	249	179	69	1	-
Metcalfe	204	30	143	26	5
Monroe	331	37	272	21	1
Montgomery	309	154	134	21	-
Morgan	298	46	125	127	-
Muhlenberg	796	269	492	35	-
Nelson	460	98	362	-	-
Nicholas	133	67	65	1	-
Ohio	393	115	266	12	-
Oldham	144	94	49	1	-
Owen	163	25	138	-	-
Owsley	164	36	43	85	-
Pendleton	132	33	99	-	-
Perry	1,383	272	869	233	9
Pike	2,150	562	965	617	6
Section B (Counties)—Continued					
KENTUCKY—Continued					
Powell	163	13	132	18	-
Pulaski	873	80	703	88	2
Robertson	54	11	43	-	-
Rockcastle	390	89	185	116	-
Rowan	268	36	165	66	1
Russell	235	26	192	17	-
Scott	253	157	96	-	-
Shelby	347	232	115	-	-
Simpson	214	125	89	-	-
Spencer	154	27	127	-	-
Taylor	302	50	249	2	1
Todd	260	56	178	26	-
Trigg	212	80	108	23	1
Trimble	111	39	72	-	-
Union	383	148	235	-	-
Warren	746	365	367	14	-
Bowling Green	365	240	124	1	-
Balance of county	381	125	243	13	-
Washington	282	134	143	5	-
Wayne	451	15	327	97	12
Webster	271	72	199	-	-
Whitley	685	148	470	66	1
Wolfe	231	30	87	109	5
Woodford	200	172	28	-	-
LOUISIANA	57,838	38,050	7,363	12,361	64
Acadia	1,105	699	138	268	-
Allen	424	281	80	61	2
Ascension	462	252	110	99	1
Assumption	461	144	182	134	1
Avoyelles	761	414	120	226	1
Beauregard	380	175	181	24	-
Bienville	415	163	102	146	4
Bossier	772	500	71	200	1
Caddo	3,568	3,010	133	421	4
Shreveport	2,490	2,283	73	131	3
Balance of parish	1,078	727	60	290	1
Calcasieu	1,842	1,262	320	260	-
Lake Charles	810	610	82	118	-
Balance of parish	1,032	652	238	142	-
Caldwell	260	161	42	57	-
Cameron	81	42	36	3	-
Catahoula	273	121	50	102	-
Claiborne	538	188	48	301	1
Concordia	305	114	12	179	-
De Soto	694	254	53	384	3
East Baton Rouge	2,692	2,026	90	575	1
Baton Rouge	1,324	1,117	33	174	-
Balance of parish	1,368	909	57	401	1
East Carroll	488	72	127	287	2
East Feliciana	350	120	24	206	-
Evangeline	573	286	91	196	-
Franklin	694	214	204	275	1
Grant	344	209	82	53	-
Iberia	860	464	228	165	3
New Iberia	333	242	48	43	-
Balance of parish	527	222	180	122	3
Iberville	658	342	46	270	-
Jackson	337	228	31	78	-
Jefferson	1,647	1,388	158	100	1
Gretna	284	243	19	21	1
Balance of parish	1,363	1,145	139	79	-
Jefferson Davis	612	304	187	120	1
Lafayette	1,120	678	166	276	1
Lafayette	550	355	111	83	1
Balance of parish	570	323	55	192	-
Lafourche	978	489	217	272	-
La Salle	240	165	57	18	-
Lincoln	494	242	62	190	-
Livingston	450	182	199	69	-
Madison	432	109	33	288	2
Morehouse	668	296	128	244	-
Natchitoches	899	324	154	420	1
Orleans, coextensive with New Orleans	11,758	11,199	319	237	3
Ouachita	1,598	1,238	158	199	3
Monroe	845	698	72	74	1
Balance of parish	753	540	86	125	2
Plaquemines	281	178	28	75	-
Pointe Coupee	611	187	131	292	1
Rapides	2,285	1,816	115	352	2
Alexandria	971	834	29	108	-
Balance of parish	1,314	982	86	244	2
Red River	333	155	68	110	-
Richland	654	215	225	214	-
Sabine	517	353	62	102	-
St. Bernard	173	169	2	2	-
St. Charles	285	188	58	38	1
St. Helena	169	70	26	73	-
St. James	418	87	172	159	-
St. John the Baptist	345	134	105	106	-
St. Landry	2,135	797	264	1,071	3
St. Martin	697	282	131	283	1
St. Mary	940	394	242	297	7

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
LOUISIANA—Continued					
St. Tammany	547	319	97	130	1
Tangipahoa	1,162	856	154	147	5
Tensas	345	91	31	223	-
Terrebonne	1,204	805	146	251	2
Union	358	117	125	116	-
Vermilion	767	585	75	106	1
Vernon	500	326	102	72	-
Washington	877	520	182	175	-
Bogalusa	340	242	41	57	-
Balance of parish	537	278	141	118	-
Webster	838	564	84	190	-
West Baton Rouge	248	92	45	111	-
West Carroll	426	139	212	75	-
West Feliciana	213	38	26	146	3
Winn	277	218	16	43	-
MAINE	16,687	13,985	2,612	12	78
Androscoggin	1,470	1,272	195	-	3
Auburn	309	298	11	-	-
Lewiston	687	588	99	-	-
Balance of county	474	386	85	-	3
Aroostook	2,229	1,353	851	6	19
Cumberland	3,428	3,290	131	1	6
Portland	1,551	1,532	19	-	-
South Portland	472	470	2	-	-
Westbrook	180	170	10	-	-
Balance of county	1,225	1,118	100	1	6
Franklin	364	276	86	-	2
Hancock	500	426	72	-	2
Kennebec	1,399	1,295	98	-	6
Augusta	306	302	4	-	-
Waterville	281	259	20	-	2
Balance of county	812	734	74	-	4
Knox	449	375	69	2	3
Lincoln	300	244	55	-	1
Oxford	693	633	59	-	1
Penobscot	1,806	1,476	321	-	9
Bangor	549	500	49	-	-
Balance of county	1,257	976	272	-	9
Piscataquis	325	269	53	-	3
Sagadahoc	452	422	26	-	4
Bath	211	208	3	-	-
Balance of county	241	214	23	-	4
Somerset	654	520	128	3	3
Waldo	404	259	137	-	8
Washington	541	346	188	-	7
York	1,673	1,529	143	-	1
Biddeford	352	318	34	-	-
Balance of county	1,321	1,211	109	-	1
MARYLAND	42,791	33,330	7,221	2,186	54
Allegany	1,743	1,440	295	5	3
Cumberland	754	661	93	-	-
Balance of county	989	779	202	5	3
Anne Arundel	1,699	1,115	402	180	2
Annapolis	245	171	29	46	-
Balance of county	1,453	944	373	134	2
Baltimore	4,968	3,964	988	13	3
District 12[2]	567	380	185	1	1
District 13[2]	140	112	28	-	-
Balance of county	4,261	3,472	775	12	2
Baltimore (city)	18,115	14,890	2,528	695	2
Calvert	311	181	59	70	1
Caroline	344	203	73	68	-
Carroll	710	379	324	3	4
Cecil	694	544	148	-	2
Charles	608	316	42	249	1
Dorchester	468	311	76	81	-
Cambridge	212	149	15	48	-
Balance of county	256	162	61	33	-
Frederick	1,153	814	319	15	5
Frederick	357	307	48	2	-
Balance of county	796	507	271	13	5
Garrett	424	165	179	78	2
Harford	1,080	859	211	5	5
Howard	395	223	170	1	1
Kent	260	167	74	19	-
Montgomery	2,641	2,412	187	36	6
Prince Georges	3,040	2,730	142	157	11
Queen Annes	249	115	98	36	-
St. Marys	678	439	151	88	-
Somerset	365	181	92	92	-
Talbot	331	243	24	64	-
Washington	1,476	1,040	424	10	2
Hagerstown	704	589	115	-	-
Balance of county	772	451	309	10	2
Wicomico	638	441	81	114	2
Salisbury	296	246	14	35	1
Balance of county	342	195	67	79	1
Worcester	401	158	134	107	2
Section B (Counties)—Continued					
MASSACHUSETTS	77,064	74,230	2,822	1	11
Barnstable	519	456	63	-	-
Berkshire	1,988	1,916	72	-	-
Adams (town)	181	177	4	-	-
North Adams	347	324	23	-	-
Pittsfield	870	861	9	-	-
Balance of county	590	554	36	-	-
Bristol	6,532	5,861	670	-	1
Attleboro	450	442	8	-	-
Fairhaven (town)	195	182	12	-	1
Fall River	2,132	1,833	299	-	-
New Bedford	1,822	1,608	214	-	-
North Attleborough (town)	191	180	11	-	-
Taunton	680	637	43	-	-
Balance of county	1,062	979	83	-	-
Dukes	120	112	8	-	-
Essex	8,398	8,079	315	-	4
Amesbury (town)	181	167	14	-	-
Andover (town)	191	188	3	-	-
Beverly	505	501	4	-	-
Danvers (town)	216	209	7	-	-
Gloucester	453	421	31	-	1
Haverhill	702	651	51	-	-
Lawrence	1,291	1,234	57	-	-
Lynn	1,706	1,649	54	-	3
Marblehead (town)	214	212	2	-	-
Methuen (town)	360	352	8	-	-
Newburyport	234	220	14	-	-
Peabody	324	320	4	-	-
Salem	706	680	26	-	-
Saugus (town)	319	307	12	-	-
Swampscott (town)	195	194	1	-	-
Balance of county	801	774	27	-	-
Franklin	844	772	72	-	-
Greenfield (town)	293	288	5	-	-
Balance of county	551	484	67	-	-
Hampden	6,240	6,092	148	-	-
Chicopee	821	782	39	-	-
Holyoke	978	964	14	-	-
Springfield	2,923	2,862	61	-	-
Westfield	345	338	7	-	-
West Springfield (town)	343	337	6	-	-
Balance of county	830	809	21	-	-
Hampshire	1,222	1,172	50	-	-
Easthampton (town)	178	161	17	-	-
Northampton	405	389	16	-	-
Balance of county	639	622	17	-	-
Middlesex	17,584	17,195	386	-	3
Arlington (town)	652	648	4	-	-
Belmont (town)	451	444	7	-	-
Cambridge	2,219	2,178	41	-	-
Everett	890	871	16	-	3
Framingham (town)	409	404	5	-	-
Lexington (town)	224	220	4	-	-
Lowell	1,641	1,539	102	-	-
Malden	1,046	1,035	11	-	-
Marlborough	237	232	5	-	-
Medford	1,145	1,142	3	-	-
Melrose	455	453	2	-	-
Natick (town)	301	300	1	-	-
Newton	1,231	1,221	10	-	-
Reading (town)	230	217	13	-	-
Somerville	1,867	1,817	50	-	-
Stoneham (town)	234	231	3	-	-
Wakefield (town)	320	313	7	-	-
Waltham	798	780	18	-	-
Watertown (town)	624	619	5	-	-
Winchester (town)	276	275	1	-	-
Woburn	340	338	2	-	-
Balance of county	1,994	1,918	76	-	-
Nantucket	57	56	1	-	-
Norfolk	6,203	6,100	102	-	1
Braintree (town)	370	368	2	-	-
Brookline (town)	804	796	8	-	-
Dedham (town)	287	287	-	-	-
Milton (town)	280	277	3	-	-
Needham (town)	241	240	1	-	-
Norwood (town)	258	256	2	-	-
Quincy	1,622	1,602	20	-	-
Wellesley (town)	252	249	3	-	-
Weymouth (town)	639	634	5	-	-
Balance of county	1,450	1,391	58	-	1
Plymouth	3,198	3,055	142	-	1
Brockton	1,146	1,115	31	-	-
Plymouth (town)	186	184	1	-	1
Balance of county	1,866	1,756	110	-	-
Suffolk	15,497	15,071	425	1	-
Boston	13,790	13,423	366	1	-
Chelsea	689	645	44	-	-
Revere	681	667	14	-	-
Winthrop (town)	337	336	1	-	-
Worcester	8,662	8,293	368	-	1
Athol (town)	207	184	23	-	-
Clinton (town)	204	200	4	-	-

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MASSACHUSETTS—Continued					
Worcester—Continued					
Fitchburg	713	682	31	-	-
Gardner	293	281	12	-	-
Leominster	500	493	6	-	1
Milford (town)	265	261	4	-	-
Northbridge (town)	153	149	4	-	-
Southbridge (town)	329	309	20	-	-
Webster (town)	246	223	23	-	-
Worcester	3,263	3,196	67	-	-
Balance of county	2,489	2,315	174	-	-
MICHIGAN	112,655	102,735	9,794	66	60
Alcona	88	33	54	-	1
Alger	197	125	69	-	3
Allegan	735	632	103	-	-
Alpena	452	420	30	1	1
Alpena	302	298	4	-	-
Balance of county	150	122	26	1	1
Antrim	177	101	74	1	1
Arenac	160	104	53	2	1
Baraga	144	110	31	2	1
Barry	416	397	19	-	-
Bay	1,797	1,531	264	-	2
Bay City	1,184	1,083	101	-	-
Balance of county	613	448	163	-	2
Benzie	144	103	41	-	-
Berrien	2,082	1,852	227	1	2
Benton Harbor	564	525	38	-	1
Niles	296	291	5	-	-
Balance of county	1,222	1,036	184	1	1
Branch	497	434	63	-	-
Calhoun	2,041	1,997	43	-	1
Battle Creek	1,236	1,224	12	-	-
Balance of county	805	773	31	-	1
Cass	423	365	57	1	-
Charlevoix	227	180	47	-	-
Cheboygan	266	218	48	-	-
Chippewa	566	485	75	4	2
Sault Ste. Marie	361	324	37	-	-
Balance of county	205	161	38	4	2
Clare	200	127	72	-	1
Clinton	565	504	59	1	1
Crawford	47	44	3	-	-
Delta	632	555	75	2	-
Escanaba	276	253	23	-	-
Balance of county	356	302	52	2	-
Dickinson	423	355	63	5	-
Iron Mountain	211	182	28	1	-
Balance of county	212	173	35	4	-
Eaton	748	711	37	-	-
Emmet	268	239	28	-	1
Genesee	4,985	4,728	257	-	-
Flint	3,892	3,764	128	-	-
Balance of county	1,093	964	129	-	-
Gladwin	183	140	43	-	-
Gogebic	451	400	48	1	2
Ironwood	188	168	20	-	-
Balance of county	263	232	28	1	2
Grand Traverse	505	453	50	1	1
Traverse City	319	310	9	-	-
Balance of county	186	143	41	1	1
Gratiot	691	579	112	-	-
Hillsdale	528	485	43	-	-
Houghton	704	611	86	5	2
Huron	681	472	209	-	-
Ingham	3,012	2,942	69	1	-
Lansing	2,076	2,053	23	-	-
Balance of county	936	889	46	1	-
Ionia	713	612	100	-	1
Iosco	181	102	77	1	1
Iron	307	298	8	-	1
Isabella	550	438	111	-	1
Jackson	1,810	1,766	42	2	-
Jackson	1,272	1,260	12	-	-
Balance of county	538	506	30	2	-
Kalamazoo	2,084	2,026	57	1	-
Kalamazoo	1,537	1,513	23	1	-
Balance of county	547	513	34	-	-
Kalkaska	73	39	33	-	1
Kent	4,903	4,572	330	-	1
Grand Rapids	3,843	3,677	165	-	1
Balance of county	1,060	895	165	-	-
Keweenaw	38	34	4	-	-
Lake	81	58	23	-	-
Lapeer	575	397	178	-	-
Leelanau	144	107	37	-	-
Lenawee	1,158	1,053	105	-	-
Adrian	372	335	37	-	-
Balance of county	786	718	68	-	-
Livingston	399	360	38	-	1
Luce	135	131	3	1	-
Mackinac	144	73	70	-	1
Section B (Counties)—Continued					
MICHIGAN—Continued					
Macomb	3,073	2,770	302	1	-
Mount Clemens	505	477	28	-	-
St. Clair Shores	265	245	20	-	-
Balance of county	2,303	2,048	254	1	-
Manistee	345	281	62	-	2
Marquette	834	766	64	2	2
Marquette	272	266	6	-	-
Balance of county	562	500	58	2	2
Mason	334	310	24	-	-
Mecosta	305	253	52	-	-
Menominee	462	435	25	-	2
Menominee	247	242	5	-	-
Balance of county	215	193	20	-	2
Midland	743	635	106	2	-
Midland	413	394	19	-	-
Balance of county	330	241	87	2	-
Missaukee	161	62	99	-	-
Monroe	1,304	1,199	105	-	-
Monroe	616	586	30	-	-
Balance of county	688	613	75	-	-
Montcalm	587	469	117	-	1
Montmorency	70	27	42	1	-
Muskegon	2,679	2,555	120	3	1
Muskegon	1,489	1,455	31	3	-
Muskegon Heights	448	437	11	-	-
Balance of county	742	663	78	-	1
Newaygo	414	268	146	-	-
Oakland	6,555	6,145	403	2	5
Birmingham	325	318	7	-	-
Ferndale	619	582	37	-	-
Pontiac	1,613	1,533	76	2	2
Royal Oak	918	888	30	-	-
Balance of county	3,080	2,824	253	-	3
Oceana	273	240	33	-	-
Ogemaw	201	140	60	1	-
Ontonagon	180	134	46	-	-
Osceola	278	207	71	-	-
Oscoda	32	18	14	-	-
Otsego	108	60	47	-	1
Ottawa	1,327	1,142	185	-	-
Holland	334	322	12	-	-
Balance of county	993	820	173	-	-
Presque Isle	225	127	94	1	3
Roscommon	56	26	30	-	-
Saginaw	2,814	2,637	168	7	2
Saginaw	1,850	1,781	63	6	-
Balance of county	964	856	105	1	2
St. Clair	1,625	1,301	320	2	2
Port Huron	805	644	159	2	-
Balance of county	820	657	161	-	2
St. Joseph	595	556	37	1	1
Sanilac	552	402	149	-	1
Schoolcraft	170	150	20	-	-
Shiawassee	885	831	54	-	-
Owosso	354	328	26	-	-
Balance of county	531	503	28	-	-
Tuscola	734	623	111	-	-
Van Buren	648	619	29	-	-
Washtenaw	2,211	2,088	123	-	-
Ann Arbor	841	828	13	-	-
Ypsilanti	591	566	25	-	-
Balance of county	779	694	85	-	-
Wayne	43,182	40,463	2,704	10	5
Dearborn	1,997	1,928	69	-	-
Detroit	33,336	31,260	2,063	8	5
Ecorse	381	312	69	-	-
Grosse Pointe Park	119	117	2	-	-
Hamtramck	876	828	48	-	-
Highland Park	769	751	18	-	-
Lincoln Park	429	413	16	-	-
River Rouge	372	302	70	-	-
Wyandotte	922	895	25	2	-
Balance of county	3,951	3,657	324	-	-
Wexford	363	298	64	-	1
MINNESOTA	54,656	50,761	3,477	189	229
Aitkin	270	242	24	-	4
Anoka	446	410	27	7	2
Becker	548	491	19	3	35
Beltrami	535	441	37	30	27
Benton	352	311	36	5	-
St. Cloud (part)	44	40	4	-	-
Balance of county	308	271	32	5	-
Big Stone	210	191	19	-	-
Blue Earth	674	661	12	-	1
Mankato	338	335	2	-	1
Balance of county	336	326	10	-	-
Brown	534	502	32	-	-
Carlton	420	391	24	-	5
Carver	325	297	28	-	-
Cass	385	332	39	1	13
Chippewa	336	312	24	-	-
Chisago	193	181	12	-	-

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MINNESOTA—Continued					
Clay	501	454	47	-	-
Clearwater	229	212	10	-	7
Cook	36	34	2	-	-
Cottonwood	318	293	25	-	-
Crow Wing	562	512	41	3	6
Brainerd	242	228	14	-	-
Balance of county	320	284	27	3	6
Dakota	847	816	28	2	1
South St. Paul	311	307	4	-	-
Balance of county	536	509	24	2	1
Dodge	249	195	54	-	-
Douglas	396	368	27	-	1
Faribault	478	394	84	-	-
Fillmore	467	402	65	-	-
Freeborn	636	588	47	-	1
Albert Lea	260	253	7	-	-
Balance of county	376	335	40	-	1
Goodhue	592	553	39	-	-
Grant	187	159	28	-	-
Hennepin	11,526	11,340	136	45	5
Minneapolis	9,567	9,432	96	35	4
Balance of county	1,959	1,908	40	10	1
Houston	269	252	16	-	1
Hubbard	196	156	30	4	6
Isanti	169	135	34	-	-
Itasca	672	630	36	2	4
Jackson	324	288	36	-	-
Kanabec	187	162	24	-	1
Kandiyohi	464	440	23	-	1
Kittson	219	204	13	-	2
Koochiching	311	282	20	-	9
Lac qui Parle	289	273	15	-	1
Lake	130	127	1	1	1
Lake of the Woods	87	54	23	-	10
Le Sueur	350	315	35	-	-
Lincoln	205	186	19	-	-
Lyon	471	449	22	-	-
McLeod	428	384	44	-	-
Mahnomen	159	121	32	-	6
Marshall	328	285	41	-	2
Martin	532	480	52	-	-
Meeker	326	313	13	-	-
Mille Lacs	281	244	26	-	11
Morrison	514	448	55	2	9
Mower	875	755	119	-	1
Austin	493	451	42	-	-
Balance of county	382	304	77	-	1
Murray	315	268	47	-	-
Nicollet	300	292	5	1	2
Nobles	511	466	45	-	-
Norman	243	230	13	-	-
Olmsted	828	711	116	-	1
Rochester	473	453	20	-	-
Balance of county	355	258	96	-	1
Otter Tail	920	853	60	3	4
Fergus Falls	158	156	2	-	-
Balance of county	762	697	58	3	4
Pennington	260	254	5	-	1
Pine	334	253	76	-	5
Pipestone	296	283	13	-	-
Polk	680	634	25	-	1
Pope	271	258	13	-	-
Ramsey	6,520	6,344	95	69	12
St. Paul	5,898	5,743	82	65	8
Balance of county	622	601	13	4	4
Red Lake	147	129	16	-	2
Redwood	439	377	62	-	-
Renville	507	376	131	-	-
Rice	575	523	52	-	-
Faribault	236	214	22	-	-
Balance of county	339	309	30	-	-
Rock	248	228	20	-	-
Roseau	324	277	37	1	9
St. Louis	3,730	3,662	56	4	8
Duluth	1,898	1,879	16	3	-
Hibbing	365	362	3	-	-
Virginia	235	232	3	-	-
Balance of county	1,232	1,189	34	1	8
Scott	294	262	32	-	-
Sherburne	158	140	17	1	-
St. Cloud (part)	9	7	2	-	-
Balance of county	149	133	15	1	-
Sibley	288	232	36	-	-
Stearns	1,459	1,198	259	-	2
St. Cloud (part)	418	394	24	-	-
St. Cloud (total)	471	441	30	-	-
Balance of county	1,041	804	235	-	2
Steele	398	376	22	-	-
Stevens	276	250	26	-	-
Swift	318	284	33	-	1
Todd	486	395	89	-	2
Traverse	139	129	10	-	-
Wabasha	335	288	47	-	-
Wadena	278	217	57	2	2
Section B (Counties)—Continued					
MINNESOTA—Continued					
Waseca	276	261	15	-	-
Washington	472	455	13	2	2
Watonwan	283	272	11	-	-
Wilkin	220	198	21	-	1
Winona	688	623	64	1	-
Winona	408	383	24	1	-
Balance of county	280	240	40	-	-
Wright	536	418	118	-	-
Yellow Medicine	306	280	25	-	1
MISSISSIPPI	54,263	17,885	14,204	22,032	162
Adams	667	329	41	295	2
Natchez	445	285	25	135	-
Balance of county	222	44	16	160	2
Alcorn	575	200	293	78	1
Amite	551	140	101	308	2
Attala	696	227	258	211	-
Benton	260	49	76	135	-
Bolivar	1,836	385	388	1,057	6
Calhoun	446	93	310	42	1
Carroll	465	58	140	266	1
Chickasaw	492	91	239	161	1
Choctaw	276	49	144	83	-
Claiborne	276	36	28	212	-
Clarke	462	131	150	180	1
Clay	483	133	87	263	-
Coahoma	1,225	191	247	781	6
Clarksdale	303	129	59	115	-
Balance of county	922	62	188	666	6
Copiah	807	95	357	355	-
Covington	459	144	198	117	-
De Soto	728	85	175	466	2
Forrest	1,001	590	248	161	2
Hattiesburg	680	425	153	101	1
Balance of county	321	165	95	60	1
Franklin	261	61	75	125	-
George	291	46	214	29	2
Greene	274	30	179	60	5
Grenada	534	161	104	266	3
Hancock	247	150	50	47	-
Harrison	1,702	1,404	118	177	3
Biloxi	809	736	18	55	-
Gulfport	474	407	33	34	-
Balance of county	419	261	67	88	3
Hinds	2,747	1,362	332	1,052	1
Jackson	1,615	1,133	189	292	1
Balance of county	1,132	229	143	760	-
Holmes	1,077	107	168	799	3
Humphreys	713	66	141	503	3
Issaquena	142	14	13	113	2
Itawamba	377	108	252	17	-
Jackson	917	673	101	142	1
Jasper	460	71	263	126	-
Jefferson	294	34	37	223	-
Jefferson Davis	419	71	191	155	2
Jones	1,195	849	176	164	6
Laurel	546	399	82	62	3
Balance of county	649	450	94	102	3
Kemper	438	60	124	251	3
Lafayette	431	127	[illegible]	[illegible]	1
Lamar	352	150	[illegible]	44	1
Lauderdale	1,421	944	[illegible]	360	4
Meridian	966	777	[illegible]	147	3
Balance of county	455	167	74	213	1
Lawrence	319	102	95	122	-
Leake	589	89	323	173	4
Lee	798	317	434	[illegible]	1
Leflore	1,452	253	191	1,[illegible]	2
Greenwood	356	205	30	121	-
Balance of county	1,096	48	161	885	2
Lincoln	644	370	109	162	3
Lowndes	944	350	217	373	4
Columbus	470	289	65	113	3
Balance of county	474	61	152	260	1
Madison	1,034	149	133	748	4
Marion	589	271	116	202	-
Marshall	732	59	173	497	3
Monroe	840	208	358	274	-
Montgomery	396	146	69	180	1
Neshoba	647	331	207	102	7
Newton	536	333	120	76	7
Noxubee	636	78	65	495	-
Oktibbeha	497	43	190	264	-
Panola	865	253	205	403	4
Pearl River	529	202	322	5	-
Perry	225	59	90	76	-
Pike	823	352	264	206	1
Pontotoc	440	150	225	63	2
Prentiss	455	200	229	24	2
Quitman	714	216	150	345	3
Rankin	573	193	81	297	2
Scott	516	175	117	217	7
Sharkey	396	50	55	288	3
Simpson	524	207	176	140	1

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MISSISSIPPI—Continued					
Smith	415	132	205	74	4
Stone	111	64	29	17	1
Sunflower	1,542	220	499	821	2
Tallahatchie	981	152	304	523	2
Tate	515	64	165	284	2
Tippah	387	172	182	30	3
Tishomingo	374	72	300	2	-
Tunica	588	23	115	449	1
Union	430	273	91	66	-
Walthall	467	297	29	138	3
Warren	844	458	42	343	1
Vicksburg	508	379	29	100	-
Balance of county	336	79	13	243	1
Washington	1,722	438	291	987	6
Greenville	589	319	95	173	2
Balance of county	1,133	119	196	814	4
Wayne	412	170	94	148	-
Webster	265	64	158	38	5
Wilkinson	496	105	82	308	1
Winston	571	182	172	215	2
Yalobusha	401	71	190	140	-
Yazoo	1,032	237	143	649	3
MISSOURI	65,659	48,456	15,889	872	442
Adair	327	235	92	-	-
Kirksville	190	147	43	-	-
Balance of county	137	88	49	-	-
Andrew	137	75	61	-	1
Atchison	192	127	65	-	-
Audrain	389	274	115	-	-
Barry	385	204	176	3	2
Barton	184	133	50	1	-
Bates	237	159	76	1	1
Benton	132	78	50	4	-
Bollinger	154	48	90	2	14
Boone	537	381	156	-	-
Columbia	322	250	72	-	-
Balance of county	215	131	84	-	-
Buchanan	1,475	1,205	263	7	-
St. Joseph	1,210	1,006	197	7	-
Balance of county	265	199	66	-	-
Butler	779	403	286	41	49
Poplar Bluff	276	203	47	15	11
Balance of county	503	200	239	26	38
Caldwell	161	76	85	-	-
Callaway	286	193	91	2	-
Camden	138	26	102	6	4
Cape Girardeau	734	596	129	1	8
Cape Girardeau	386	354	25	1	6
Balance of county	348	242	104	-	2
Carroll	229	144	85	-	-
Carter	96	46	32	7	11
Cass	293	169	123	-	1
Cedar	140	43	96	-	1
Chariton	229	82	146	1	-
Christian	196	100	93	3	-
Clark	141	104	37	-	-
Clay	641	564	76	1	-
Clinton	150	70	79	1	-
Cole	488	393	95	-	-
Jefferson City	325	295	30	-	-
Balance of county	163	98	65	-	-
Cooper	238	188	50	-	-
Crawford	154	44	101	2	7
Dade	99	53	45	-	1
Dallas	153	47	102	3	1
Daviess	153	56	97	-	-
De Kalb	124	49	74	-	1
Dent	178	55	104	12	7
Douglas	228	40	154	12	22
Dunklin	969	283	669	11	6
Franklin	598	394	203	-	1
Gasconade	184	113	71	-	-
Gentry	146	55	91	-	-
Greene	1,743	1,554	184	1	4
Springfield	1,252	1,183	66	1	2
Balance of county	491	371	118	-	2
Grundy	217	169	48	-	-
Harrison	207	134	73	-	-
Henry	298	231	63	-	4
Hickory	71	23	48	-	-
Holt	155	67	87	1	-
Howard	184	124	56	4	-
Howell	380	168	179	17	16
Iron	180	92	51	27	10
Jackson	8,668	8,093	563	1	11
Independence	512	499	12	-	1
Kansas City	7,290	6,819	460	1	10
Balance of county	866	775	91	-	-
Jasper	1,589	1,421	166	-	2
Carthage	219	210	7	-	2
Joplin (part)	792	735	57	-	-
Joplin (total)	812	752	59	1	-
Balance of county	578	476	102	-	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MISSOURI—Continued					
Jefferson	499	259	237	3	-
Johnson	317	236	79	-	2
Knox	87	43	44	-	-
Laclede	353	226	118	2	7
Lafayette	436	287	149	-	-
Lawrence	350	184	166	-	-
Lewis	160	76	84	-	-
Lincoln	212	91	121	-	-
Linn	333	190	143	-	-
Livingston	256	188	67	-	1
McDonald	288	164	115	6	3
Macon	242	150	91	-	1
Madison	217	56	154	1	6
Maries	119	27	92	-	-
Marion	510	455	54	1	-
Hannibal	355	335	19	1	-
Balance of county	155	120	35	-	-
Mercer	94	53	41	-	-
Miller	187	46	138	-	3
Mississippi	579	123	392	47	17
Moniteau	173	106	67	-	-
Monroe	156	90	66	-	-
Montgomery	148	77	70	1	-
Morgan	154	49	102	3	-
New Madrid	894	208	569	102	15
Newton	631	448	178	2	3
Joplin (part)	20	17	2	1	-
Balance of county	611	431	176	1	3
Nodaway	349	294	54	1	-
Oregon	215	42	146	17	10
Osage	198	100	98	-	-
Ozark	160	23	119	3	15
Pemiscot	981	187	622	130	42
Perry	284	105	178	-	1
Pettis	530	436	94	-	-
Sedalia	362	304	58	-	-
Balance of county	168	132	36	-	-
Phelps	366	215	146	3	2
Pike	260	183	71	5	1
Platte	188	141	45	1	1
Polk	214	83	129	1	1
Pulaski	275	116	159	-	-
Putnam	154	102	52	-	-
Ralls	123	87	36	-	-
Randolph	326	207	116	1	2
Moberly	191	132	57	1	1
Balance of county	135	75	59	-	1
Ray	216	94	122	-	-
Reynolds	128	28	75	14	11
Ripley	200	80	99	12	9
St. Charles	491	409	82	-	-
St. Charles	273	248	25	-	-
Balance of county	218	161	57	-	-
St. Clair	139	64	75	-	-
St. Francois	602	292	291	18	1
St. Louis	5,942	5,561	325	31	5
Clayton	311	307	3	-	1
Kirkwood	332	320	12	-	-
Maplewood	220	213	7	-	-
Richmond Heights	272	270	2	-	-
University City	597	591	6	-	-
Webster Groves	402	397	5	-	-
Balance of county	3,808	3,483	290	31	4
St. Louis (city)	15,247	14,232	848	159	8
Ste. Genevieve	213	64	145	1	3
Saline	393	263	130	-	-
Schuyler	87	45	41	1	-
Scotland	91	70	21	-	-
Scott	682	399	242	36	5
Shannon	155	24	98	21	12
Shelby	149	72	76	-	1
Stoddard	753	185	528	30	10
Stone	181	41	131	4	5
Sullivan	194	101	91	-	2
Taney	137	27	104	3	3
Texas	341	97	231	6	7
Vernon	325	276	47	1	1
Warren	88	48	40	-	-
Washington	277	47	194	18	18
Wayne	177	80	73	4	20
Webster	291	160	127	1	3
Worth	91	29	62	-	-
Wright	285	114	161	10	-
MONTANA	10,601	10,079	404	56	62
Beaverhead	96	81	14	1	-
Big Horn	221	198	6	5	12
Blaine	208	175	28	3	2
Broadwater	57	57	-	-	-
Carbon	163	141	21	-	1
Carter	58	54	3	1	-
Cascade	1,180	1,170	5	2	3
Great Falls	962	958	3	-	1
Balance of county	218	212	2	2	2

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MONTANA—Continued					
Chouteau	126	126	-	-	-
Custer	208	200	8	-	-
Daniels	101	99	1	1	-
Dawson	193	183	10	-	-
Deer Lodge	278	277	1	-	-
Anaconda	253	252	1	-	-
Balance of county	25	25	-	-	-
Fallon	75	73	1	-	1
Fergus	247	243	3	1	-
Flathead	440	418	22	-	-
Gallatin	315	299	15	1	-
Garfield	51	51	-	-	-
Glacier	221	202	8	2	9
Golden Valley	21	20	1	-	-
Granite	38	36	2	-	-
Hill	285	273	4	5	3
Jefferson	57	53	4	-	-
Judith Basin	53	52	1	-	-
Lake	243	216	25	2	-
Lewis and Clark	348	344	4	-	-
Helena	276	273	3	-	-
Balance of county	72	71	1	-	-
Liberty	50	48	2	-	-
Lincoln	123	110	12	1	-
McCone	67	63	1	3	-
Madison	66	56	8	2	-
Meagher	24	19	5	-	-
Mineral	32	31	1	-	-
Missoula	620	614	5	-	1
Missoula	516	511	5	-	-
Balance of county	104	103	-	-	1
Musselshell	80	74	6	-	-
Park	200	183	14	3	-
Petroleum	15	15	-	-	-
Phillips	118	111	6	1	-
Pondera	136	131	5	-	-
Powder River	48	46	1	1	-
Powell	80	79	-	-	1
Prairie	49	45	2	-	2
Ravalli	202	201	1	-	-
Richland	236	224	9	1	2
Roosevelt	256	237	8	9	2
Rosebud	174	145	13	3	13
Sanders	106	93	6	3	4
Sheridan	127	125	1	-	1
Silver Bow	771	755	15	1	-
Butte	730	714	15	1	-
Balance of county	41	41	-	-	-
Stillwater	100	92	8	-	-
Sweet Grass	62	48	14	-	-
Teton	132	123	9	-	-
Toole	123	118	5	-	-
Treasure	28	21	7	-	-
Valley	238	226	11	1	-
Wheatland	45	32	13	-	-
Wibaux	45	40	3	2	-
Yellowstone	965	933	26	1	5
Billings	677	659	12	1	5
Balance of county	288	274	14	-	-
Yellowstone National Park (part)	-	-	-	-	-
NEBRASKA	24,128	21,161	2,944	3	20
Adams	713	673	40	-	-
Hastings	575	553	22	-	-
Balance of county	138	120	18	-	-
Antelope	253	170	83	-	-
Arthur	19	17	2	-	-
Banner	13	13	-	-	-
Blaine	26	10	16	-	-
Boone	216	173	43	-	-
Box Butte	218	211	5	-	2
Boyd	104	93	11	-	-
Brown	104	99	5	-	-
Buffalo	478	431	47	-	-
Burt	203	179	23	-	1
Butler	223	196	26	1	-
Cass	276	232	44	-	-
Cedar	322	187	135	-	-
Chase	116	110	6	-	-
Cherry	182	157	25	-	-
Cheyenne	225	217	7	-	1
Clay	187	142	45	-	-
Colfax	175	139	36	-	-
Cuming	259	225	34	-	-
Custer	368	225	143	-	-
Dakota	178	167	11	-	-
Dawes	192	178	14	-	-
Dawson	354	313	40	-	1
Deuel	45	45	-	-	-
Dixon	167	136	31	-	-
Dodge	445	416	29	-	-
Fremont	225	223	2	-	-
Balance of county	220	193	27	-	-
Section B (Counties)—Continued					
NEBRASKA—Continued					
Douglas	4,763	4,563	198	-	2
Omaha	4,597	4,402	193	-	2
Balance of county	166	161	5	-	-
Dundy	106	94	12	-	-
Fillmore	159	136	23	-	-
Franklin	111	64	47	-	-
Frontier	89	50	39	-	-
Furnas	209	178	31	-	-
Gage	443	414	29	-	-
Beatrice	214	210	4	-	-
Balance of county	229	204	25	-	-
Garden	85	77	8	-	-
Garfield	49	32	17	-	-
Gosper	56	38	18	-	-
Grant	23	11	12	-	-
Greeley	127	94	33	-	-
Hall	753	673	80	-	-
Grand Island	588	546	42	-	-
Balance of county	165	127	38	-	-
Hamilton	167	153	14	-	-
Harlan	104	90	14	-	-
Hayes	56	43	13	-	-
Hitchcock	112	90	22	-	-
Holt	271	182	89	-	-
Hooker	16	8	8	-	-
Howard	129	114	15	-	-
Jefferson	247	224	23	-	-
Johnson	132	123	9	-	-
Kearney	102	90	12	-	-
Keith	162	135	27	-	-
Keya Paha	44	41	3	-	-
Kimball	82	80	2	-	-
Knox	278	141	133	1	3
Lancaster	1,876	1,805	70	-	1
Lincoln	1,677	1,622	54	-	1
Balance of county	199	183	16	-	-
Lincoln	531	435	96	-	-
North Platte	331	272	59	-	-
Balance of county	200	163	37	-	-
Logan	28	14	14	-	-
Loup	18	9	9	-	-
McPherson	25	22	3	-	-
Madison	382	348	34	-	-
Norfolk	178	166	12	-	-
Balance of county	204	182	22	-	-
Merrick	138	119	19	-	-
Morrill	167	97	70	-	-
Nance	129	113	16	-	-
Nemaha	198	177	21	-	-
Nuckolls	193	127	66	-	-
Otoe	304	278	26	-	-
Pawnee	115	113	2	-	-
Perkins	115	110	5	-	-
Phelps	172	165	7	-	-
Pierce	196	155	41	-	-
Platte	374	279	95	-	-
Polk	140	134	5	-	1
Red Willow	326	283	43	-	-
Richardson	305	266	38	-	1
Rock	57	55	1	-	1
Saline	190	145	45	-	-
Sarpy	266	241	25	-	-
Saunders	304	291	13	-	-
Scotts Bluff	761	692	69	-	-
Scottsbluff	248	230	18	-	-
Balance of county	513	462	51	-	-
Seward	202	162	40	-	-
Sheridan	155	148	7	-	-
Sherman	105	91	14	-	-
Sioux	37	33	3	-	1
Stanton	109	86	23	-	-
Thayer	174	121	53	-	-
Thomas	26	15	11	-	-
Thurston	201	179	16	1	5
Valley	151	121	30	-	-
Washington	156	153	3	-	-
Wayne	166	154	12	-	-
Webster	131	73	58	-	-
Wheeler	20	14	6	-	-
York	249	246	3	-	-
NEVADA	2,851	2,744	77	10	20
Churchill	128	126	2	-	-
Clark	803	795	6	1	1
Douglas	48	42	3	-	3
Elko	180	163	14	1	2
Esmeralda	12	11	1	-	-
Eureka	19	17	2	-	-
Humboldt	53	46	1	-	6
Lander	24	22	1	1	-
Lincoln	90	83	7	-	-
Lyon	64	56	8	-	-
Mineral	145	141	2	-	2

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NEVADA—Continued					
Nye	122	119	1	2	-
Ormsby	54	46	7	-	1
Pershing	37	35	1	-	1
Storey	6	6	-	-	-
Washoe	831	812	10	5	4
Reno	625	615	8	-	2
Balance of county	206	197	2	5	2
White Pine	235	224	11	-	-
NEW HAMPSHIRE	8,338	7,926	412	-	-
Belknap	398	386	12	-	-
Laconia	220	218	2	-	-
Balance of county	178	168	10	-	-
Carroll	237	227	10	-	-
Cheshire	572	532	40	-	-
Keene	250	242	8	-	-
Balance of county	322	290	32	-	-
Coos	572	523	49	-	-
Berlin	249	240	9	-	-
Balance of county	323	283	40	-	-
Grafton	741	668	73	-	-
Hillsborough	2,543	2,463	80	-	-
Manchester	1,474	1,431	43	-	-
Nashua	547	534	13	-	-
Balance of county	522	498	24	-	-
Merrimack	804	779	25	-	-
Concord	353	352	1	-	-
Balance of county	451	427	24	-	-
Rockingham	1,226	1,173	53	-	-
Portsmouth	427	410	17	-	-
Balance of county	799	763	36	-	-
Strafford	791	742	49	-	-
Dover	259	257	2	-	-
Rochester	215	205	10	-	-
Balance of county	317	280	37	-	-
Sullivan	454	433	21	-	-
Claremont (town)	191	181	10	-	-
Balance of county	263	252	11	-	-
NEW JERSEY	77,338	72,727	3,757	816	38
Atlantic	2,055	1,693	338	20	4
Atlantic City	1,070	936	128	3	3
Pleasantville	194	151	42	1	-
Balance of county	791	606	168	16	1
Bergen	7,966	7,819	111	36	-
Bergenfield	186	183	3	-	-
Cliffside Park	283	280	-	3	-
Englewood	367	367	-	-	-
Garfield	531	515	3	13	-
Hackensack	439	427	8	4	-
Lodi	299	295	2	2	-
Lyndhurst (twp.)[2]	348	342	6	-	-
Ridgefield Park	188	186	1	1	-
Ridgewood	201	201	-	-	-
Rutherford	266	263	3	-	-
Teaneck (twp.)[2]	420	415	5	-	-
Balance of county	4,438	4,345	80	13	-
Burlington	1,868	1,557	294	17	-
Burlington	242	206	35	1	-
Balance of county	1,626	1,351	259	16	-
Camden	5,086	4,437	563	82	4
Camden	2,279	1,936	267	74	2
Collingswood	262	258	3	-	1
Gloucester City	237	192	45	-	-
Pennsauken (twp.)[2]	232	198	34	-	-
Balance of county	2,076	1,853	214	8	1
Cape May	546	489	57	-	-
Cumberland	1,474	1,294	180	-	-
Bridgeton	353	296	57	-	-
Millville	245	235	10	-	-
Balance of county	876	763	113	-	-
Essex	15,478	14,950	416	110	2
Belleville	565	552	5	8	-
Bloomfield	792	783	8	1	-
East Orange	1,333	1,309	18	5	1
Irvington	1,043	1,029	5	9	-
Maplewood (twp.)[2]	334	334	-	-	-
Millburn (twp.)[2]	170	166	4	-	-
Montclair	687	675	12	-	-
Newark	7,949	7,534	331	83	1
Nutley	439	432	5	2	-
Orange	737	717	20	-	-
South Orange	198	197	1	-	-
West Orange	447	441	4	2	-
Balance of county	784	781	3	-	-
Gloucester	1,479	1,280	195	2	2
Hudson	10,905	10,566	243	93	3
Bayonne	1,348	1,302	26	20	-
Harrison	246	235	6	2	-
Hoboken	750	723	14	12	1
Jersey City	5,319	5,171	130	18	-
Kearny	670	665	4	1	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NEW JERSEY—Continued					
Hudson—Continued					
North Bergen (twp.)[2]	670	639	18	12	1
Union City	838	810	18	10	-
Weehawken (twp.)[2]	198	195	3	-	-
West New York	628	604	8	15	1
Balance of county	241	222	16	3	-
Hunterdon	530	455	74	1	-
Mercer	3,690	3,533	143	13	1
Trenton	2,057	1,956	91	9	1
Balance of county	1,633	1,577	52	4	-
Middlesex	4,013	3,651	186	175	1
Carteret	207	167	10	30	-
New Brunswick	628	592	32	3	1
Perth Amboy	692	599	28	65	-
South River	198	177	14	7	-
Woodbridge (twp.)[2]	582	534	10	38	-
Balance of county	1,706	1,582	92	32	-
Monmouth	3,350	3,220	125	3	2
Asbury Park	338	320	18	-	-
Long Branch	410	406	3	-	1
Neptune (twp.)[2]	205	188	17	-	-
Red Bank	274	271	3	-	-
Balance of county	2,123	2,035	84	3	1
Morris	2,377	2,245	122	9	1
Dover	234	220	12	2	-
Morristown	293	288	5	-	-
Balance of county	1,850	1,737	105	7	1
Ocean	750	681	69	-	-
Passaic	5,220	5,033	132	40	15
Clifton	974	960	9	5	-
Hawthorne	198	189	8	1	-
Passaic	915	892	9	14	-
Paterson	2,262	2,188	54	17	3
Balance of county	871	804	52	3	12
Salem	981	876	105	-	-
Somerset	1,513	1,412	58	43	-
North Plainfield	213	208	5	-	-
Balance of county	1,300	1,204	53	43	-
Sussex	588	510	77	-	1
Union	6,648	6,294	180	172	2
Cranford (twp.)[2]	330	323	4	3	-
Elizabeth	2,052	1,866	56	128	2
Hillside (twp.)[2]	337	334	3	-	-
Linden	568	529	14	25	-
Plainfield	723	689	31	3	-
Rahway	350	340	7	3	-
Roselle	350	334	14	2	-
Summit	295	293	2	-	-
Union (twp.)[2]	486	474	11	1	-
Westfield	365	351	12	2	-
Balance of county	792	761	26	5	-
Warren	821	732	89	-	-
Phillipsburg	340	311	29	-	-
Balance of county	481	421	60	-	-
NEW MEXICO	15,306	8,875	3,395	2,336	700
Bernalillo	2,246	1,537	424	232	53
Albuquerque	992	826	120	38	8
Balance of county	1,254	711	304	194	45
Catron	74	17	42	9	6
Chaves	807	656	96	52	3
Roswell	518	448	28	40	2
Balance of county	289	208	68	12	1
Colfax	471	334	85	39	13
Curry	588	529	33	25	1
Clovis	405	367	15	22	1
Balance of county	183	162	18	3	-
De Baca	118	104	4	9	1
Dona Ana	882	293	463	89	37
Eddy	978	821	53	78	26
Grant	507	349	114	29	15
Guadalupe	219	63	94	55	7
Harding	83	23	37	18	5
Hidalgo	121	67	35	17	2
Lea	475	453	21	-	1
Hobbs	294	292	2	-	-
Balance of county	181	161	19	-	1
Lincoln	213	91	75	45	2
Luna	214	80	129	-	5
McKinley	845	591	33	132	89
Mora	231	47	78	81	25
Otero	357	164	150	21	22
Quay	337	272	23	40	2
Rio Arriba	731	188	261	201	81
Roosevelt	335	303	31	1	-
Sandoval	497	203	94	107	93
San Juan	340	239	36	15	50
San Miguel	804	273	91	410	30
Santa Fe	832	403	273	128	28
Santa Fe	607	342	170	82	13
Balance of county	225	61	103	46	15
Sierra	82	49	31	3	9
Socorro	274	70	153	40	11

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued.					
NEW MEXICO—Continued					
Taos	525	292	29	195	9
Torrance	295	72	123	88	12
Union	175	100	37	34	4
Valencia	640	192	247	143	58
NEW YORK	234,754	225,644	8,176	749	185
Albany	3,655	3,476	127	48	4
Albany	2,097	1,999	54	42	2
Cohoes	378	349	28	-	1
Watervliet	285	264	17	4	-
Balance of county	895	864	28	2	1
Allegany	776	720	53	1	2
Broome	3,165	3,060	98	3	5
Binghampton	1,478	1,452	21	3	2
Endicott	392	390	2	-	-
Johnson City	332	331	1	-	-
Balance of county	964	887	74	-	3
Cattaraugus	1,353	1,252	95	-	6
Olean	434	424	10	-	-
Balance of county	919	828	85	-	6
Cayuga	1,070	1,037	32	-	1
Auburn	578	571	7	-	-
Balance of county	492	466	25	-	1
Chautauqua	2,063	1,989	71	1	2
Dunkirk	336	319	17	-	-
Jamestown	724	715	7	-	2
Balance of county	1,003	955	47	1	-
Chemung	1,592	1,567	24	1	-
Elmira	909	900	9	-	-
Balance of county	683	667	15	1	-
Chenango	700	644	52	1	3
Clinton	962	764	193	1	4
Plattsburgh	297	289	8	-	-
Balance of county	665	475	185	1	4
Columbia	545	519	26	-	-
Hudson	151	144	7	-	-
Balance of county	394	375	19	-	-
Cortland	651	608	36	7	-
Cortland	320	309	6	5	-
Balance of county	331	299	30	2	-
Delaware	869	721	145	-	3
Dutchess	1,722	1,637	63	20	2
Beacon	219	208	3	8	-
Poughkeepsie	724	690	26	8	-
Balance of county	779	739	34	4	2
Erie	15,506	14,619	825	46	16
Buffalo	10,242	9,793	403	37	9
Kenmore	391	388	3	-	-
Lackawanna	561	507	51	1	2
Tonawanda	289	285	4	-	-
Balance of county	4,023	3,646	364	8	5
Essex	632	505	126	-	1
Franklin	860	530	325	-	5
Fulton	763	736	25	-	2
Gloversville	387	381	6	-	-
Johnstown	144	141	3	-	-
Balance of county	232	214	16	-	2
Genesee	879	851	26	1	1
Batavia	368	365	2	-	1
Balance of county	511	486	24	1	-
Greene	397	348	48	1	-
Hamilton	58	49	9	-	-
Herkimer	989	943	44	2	-
Little Falls	147	146	1	-	-
Balance of county	842	797	43	2	-
Jefferson	1,527	1,354	172	-	1
Watertown	631	604	27	-	-
Balance of county	896	750	145	-	1
Lewis	454	380	74	-	-
Livingston	628	586	42	-	-
Madison	789	708	80	-	1
Oneida	217	208	9	-	-
Balance of county	572	500	71	-	1
Monroe	7,974	7,821	137	4	12
Irondequoit (town)	558	551	7	-	-
Rochester	5,427	5,327	85	4	11
Balance of county	1,989	1,943	45	-	1
Montgomery	865	829	31	3	2
Amsterdam	468	456	9	3	-
Balance of county	397	373	22	-	2
Nassau	8,345	8,118	221	4	2
Floral Park	237	236	1	-	-
Freeport	409	393	16	-	-
Garden City	184	180	4	-	-
Glen Cove	226	211	15	-	-
Hempstead	479	461	17	1	-
Lynbrook	321	317	4	-	-
Mineola	181	181	-	-	-
Rockville Centre	297	294	3	-	-
Valley Stream	395	386	9	-	-
Balance of county	5,616	5,459	152	3	2
New York City[4]	126,374	123,378	2,381	565	50

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NEW YORK—Continued					
Niagara	3,565	3,498	64	-	3
Lockport	443	441	2	-	-
Niagara Falls	1,817	1,797	19	-	1
North Tonawanda	497	488	7	-	2
Balance of county	808	772	36	-	-
Oneida	3,815	3,592	219	2	2
Rome	836	801	34	1	-
Utica	1,754	1,704	48	1	1
Balance of county	1,225	1,087	137	-	1
Onondaga	5,180	5,010	160	3	7
Syracuse	3,473	3,389	80	2	2
Balance of county	1,707	1,621	80	1	5
Ontario	1,061	1,037	23	-	1
Geneva	362	356	6	-	-
Balance of county	699	681	17	-	1
Orange	2,351	2,164	183	2	2
Middletown	289	285	4	-	-
Newburgh	584	545	39	-	-
Balance of county	1,478	1,334	140	2	2
Orleans	446	422	22	-	2
Oswego	1,346	1,187	158	-	1
Fulton	266	259	7	-	-
Oswego	413	410	3	-	-
Balance of county	667	518	148	-	1
Otsego	883	823	55	3	2
Oneonta	239	239	-	-	-
Balance of county	644	584	55	3	2
Putnam	191	169	22	-	-
Rensselaer	1,870	1,781	84	5	-
Rensselaer	173	167	3	3	-
Troy	1,040	1,025	15	-	-
Balance of county	657	589	66	2	-
Rockland	1,109	1,077	30	2	-
St. Lawrence	1,836	1,553	281	1	1
Massena	283	251	32	-	-
Ogdensburg	251	248	3	-	-
Balance of county	1,302	1,054	246	1	1
Saratoga	1,128	1,016	110	1	1
Saratoga Springs	214	210	4	-	-
Balance of county	914	806	106	1	1
Schenectady	2,355	2,304	43	8	-
Schenectady	1,596	1,561	30	5	-
Balance of county	759	743	13	3	-
Schoharie	378	269	101	-	8
Schuyler	213	202	11	-	-
Seneca	488	466	19	-	3
Steuben	1,626	1,459	157	1	9
Corning	337	328	7	-	2
Hornell	279	273	6	-	-
Balance of county	1,010	858	144	1	7
Suffolk	3,415	3,258	155	2	-
Sullivan	536	457	75	-	4
Tioga	553	495	58	-	-
Tompkins	871	839	28	-	4
Ithaca	421	415	5	-	1
Balance of county	450	424	23	-	3
Ulster	1,116	1,037	77	-	2
Kingston	390	377	11	-	2
Balance of county	726	660	66	-	-
Warren	633	559	74	-	-
Glens Falls	336	325	11	-	-
Balance of county	297	234	63	-	-
Washington	749	637	112	-	-
Wayne	847	774	73	-	-
Westchester	9,206	9,041	151	9	5
Mamaroneck	211	210	1	-	-
Mount Vernon	1,127	1,077	45	5	-
New Rochelle	922	911	10	-	1
Ossining	188	186	2	-	-
Peekskill	252	231	20	-	1
Port Chester	396	391	4	-	1
Scarsdale	211	211	-	-	-
White Plains	666	660	5	-	1
Yonkers	2,270	2,237	32	1	-
Balance of county	2,963	2,927	32	3	1
Wyoming	516	481	32	1	2
Yates	307	288	18	-	1
NORTH CAROLINA	87,401	48,244	25,207	13,819	131
Alamance	1,361	884	453	23	1
Burlington	429	316	112	-	1
Balance of county	932	568	341	23	-
Alexander	293	108	177	8	-
Alleghany	112	29	80	2	1
Anson	744	199	175	370	-
Ashe	420	176	159	79	6
Avery	387	299	31	56	1
Beaufort	895	542	117	236	-
Bertie	709	250	144	315	-
Bladen	821	140	409	270	2
Brunswick	508	256	27	224	1

[4] Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Buncombe	2,302	1,753	407	142	-
Asheville	1,038	849	87	102	-
Balance of county	1,264	904	320	40	-
Burke	864	707	56	55	46
Cabarrus	1,175	972	141	60	2
Concord	195	176	14	5	-
Balance of county	980	796	127	55	2
Caldwell	989	588	361	39	1
Camden	114	23	32	59	-
Carteret	513	368	80	65	-
Caswell	452	98	253	101	-
Catawba	1,278	1,092	62	121	3
Hickory	384	343	8	33	-
Balance of county	894	749	54	88	3
Chatham	494	204	210	80	-
Cherokee	467	226	47	190	4
Chowan	303	53	174	76	-
Clay	117	60	33	24	-
Cleveland	1,492	866	378	244	4
Shelby	352	311	15	26	-
Balance of county	1,140	555	363	218	4
Columbus	1,369	689	192	482	6
Craven	919	562	77	260	-
New Bern	345	229	12	104	-
Balance of county	574	353	65	156	-
Cumberland	1,632	794	363	474	1
Fayetteville	634	410	80	143	1
Balance of county	998	384	283	331	-
Currituck	123	32	43	48	-
Dare	90	30	50	10	-
Davidson	1,106	820	270	16	-
Lexington	274	221	53	-	-
Thomasville	231	205	16	10	-
Balance of county	601	394	201	6	-
Davie	308	137	164	7	-
Duplin	953	184	651	118	-
Durham	2,095	1,870	126	98	1
Durham	1,642	1,532	51	59	-
Balance of county	453	338	75	39	1
Edgecombe	1,358	528	498	332	-
Rocky Mount (part)	309	186	119	4	-
Balance of county	1,049	342	379	328	-
Forsyth	2,562	2,186	365	10	1
Winston-Salem	1,596	1,378	208	9	1
Balance of county	966	808	157	1	-
Franklin	634	213	257	163	1
Gaston	2,143	1,339	697	105	2
Gastonia	539	457	58	23	1
Balance of county	1,604	882	639	82	1
Gates	208	64	77	67	-
Graham	217	55	99	61	2
Granville	698	231	402	65	-
Greene	497	100	326	70	1
Guilford	3,368	2,894	428	46	-
Greensboro	1,322	1,250	65	7	-
High Point	848	727	118	3	-
Balance of county	1,198	917	245	36	-
Halifax	1,497	477	253	767	-
Harnett	1,119	555	442	122	-
Haywood	896	727	147	20	2
Henderson	557	444	97	14	2
Hertford	415	81	268	66	-
Hoke	400	50	159	191	-
Hyde	123	44	9	69	1
Iredell	1,021	663	269	89	-
Statesville	245	182	43	20	-
Balance of county	776	481	226	69	-
Jackson	420	140	201	77	2
Johnston	1,673	630	823	220	-
Jones	313	101	111	99	2
Lee	531	334	122	75	-
Lenoir	1,179	634	270	275	-
Kinston	405	259	54	92	-
Balance of county	774	375	216	183	-
Lincoln	531	356	123	52	-
McDowell	521	331	174	16	-
Macon	408	118	246	43	1
Madison	439	128	198	109	4
Martin	739	134	398	207	-
Mecklenburg	3,732	3,387	237	105	3
Charlotte	2,581	2,450	78	50	3
Balance of county	1,151	937	159	55	-
Mitchell	373	136	156	70	11
Montgomery	383	198	103	82	-
Moore	669	421	149	99	-
Nash	1,538	605	631	302	-
Rocky Mount (part)	343	236	84	23	-
Rocky Mount (total)	652	422	203	27	-
Balance of county	1,195	369	547	279	-
New Hanover	2,044	1,897	36	110	1
Wilmington	1,208	1,091	30	86	1
Balance of county	836	806	6	24	-
Northampton	658	120	203	335	-
Onslow	642	360	175	107	-
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Orange	487	310	125	52	-
Pamlico	236	25	164	47	-
Pasquotank	612	318	121	173	-
Elizabeth City	370	248	30	92	-
Balance of county	242	70	91	81	-
Pender	458	118	113	227	-
Perquimans	226	40	99	87	-
Person	665	265	343	56	1
Pitt	1,513	430	762	319	2
Greenville	256	137	59	60	-
Balance of county	1,257	293	703	259	2
Polk	268	135	123	10	-
Randolph	1,037	776	212	49	-
Richmond	899	295	392	212	-
Robeson	2,543	916	960	666	1
Rockingham	1,253	712	503	38	-
Reidsville	192	146	42	4	-
Balance of county	1,061	566	461	34	-
Rowan	1,360	981	289	90	-
Salisbury	364	312	30	22	-
Balance of county	996	669	259	68	-
Rutherford	980	240	683	57	-
Sampson	1,239	300	634	305	-
Scotland	653	190	132	330	1
Stanly	798	615	170	13	-
Stokes	464	135	311	18	-
Surry	1,028	471	503	52	2
Swain	283	78	139	63	3
Transylvania	341	166	143	31	1
Tyrrell	146	93	25	28	-
Union	986	446	425	115	-
Vance	731	413	95	223	-
Wake	2,497	1,604	636	256	1
Raleigh	1,023	943	29	50	1
Balance of county	1,474	661	607	206	-
Warren	637	103	113	421	-
Washington	317	79	92	145	1
Watauga	375	292	49	34	-
Wayne	1,269	470	689	110	-
Goldsboro	427	243	159	25	-
Balance of county	842	227	530	85	-
Wilkes	981	446	357	177	1
Wilson	1,378	624	503	250	1
Wilson	502	298	73	131	-
Balance of county	876	326	430	119	1
Yadkin	455	324	120	11	-
Yancey	375	122	91	162	-
NORTH DAKOTA	13,147	11,609	1,345	47	146
Adams	90	73	16	-	1
Barnes	365	351	12	-	2
Benson	237	221	15	-	1
Billings	43	41	1	-	1
Bottineau	290	250	40	-	-
Bowman	71	58	11	-	2
Burke	155	150	5	-	-
Burleigh	488	469	18	-	1
Bismarck	366	351	14	-	1
Balance of county	122	118	4	-	-
Cass	1,017	983	33	-	1
Fargo	670	666	3	-	1
Balance of county	347	317	30	-	-
Cavalier	317	297	19	-	1
Dickey	169	117	50	2	-
Divide	118	117	1	-	-
Dunn	185	150	31	-	4
Eddy	119	116	3	-	-
Emmons	236	159	75	-	2
Foster	115	103	12	-	-
Golden Valley	81	80	1	-	-
Grand Forks	709	703	6	-	-
Grand Forks	443	440	3	-	-
Balance of county	266	263	3	-	-
Grant	198	158	34	2	4
Griggs	115	98	17	-	-
Hettinger	189	89	95	1	4
Kidder	129	91	18	3	17
La Moure	221	149	70	-	2
Logan	180	91	59	8	22
McHenry	304	289	10	-	5
McIntosh	177	82	89	1	5
McKenzie	159	144	13	-	2
McLean	387	315	56	6	10
Mercer	232	218	3	3	8
Morton	463	395	64	-	4
Mountrail	214	197	15	-	2
Nelson	149	147	2	-	-
Oliver	70	60	7	-	3
Pembina	288	241	47	-	-
Pierce	217	211	4	-	2
Ramsey	332	317	15	-	-
Ransom	175	120	55	-	-
Renville	112	103	9	-	-
Richland	405	376	29	-	-

TABLE 28.–LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945–Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NORTH DAKOTA—Continued					
Rolette	332	299	12	5	16
Sargent	171	119	51	1	-
Sheridan	143	107	32	1	3
Sioux	90	67	5	9	9
Slope	52	33	17	-	2
Stark	344	310	28	1	5
Steele	117	115	2	-	-
Stutsman	412	365	24	2	1
Towner	145	124	21	-	-
Traill	191	187	4	-	-
Walsh	353	306	45	-	2
Ward	687	674	13	-	-
Minot	375	368	7	-	-
Balance of county	312	306	6	-	-
Wells	239	213	25	-	1
Williams	350	341	6	2	1
OHIO	132,496	116,057	16,298	43	98
Adams	298	57	236	2	3
Allen	1,664	1,518	146	-	-
Lima	1,085	1,007	78	-	-
Balance of county	579	511	68	-	-
Ashland	476	452	24	-	-
Ashland	201	194	7	-	-
Balance of county	275	258	17	-	-
Ashtabula	1,195	1,020	174	-	1
Ashtabula	439	372	66	-	1
Balance of county	756	648	108	-	-
Athens	624	331	293	-	-
Auglaize	508	391	117	-	-
Belmont	1,396	1,116	277	-	3
Bellaire	182	163	19	-	-
Martins Ferry	221	209	12	-	-
Balance of county	993	744	246	-	3
Brown	301	131	170	-	-
Butler	2,545	2,320	222	3	-
Hamilton	1,098	989	107	2	-
Middletown	761	716	44	1	-
Balance of county	686	615	71	-	-
Carroll	277	146	130	-	1
Champaign	491	385	106	-	-
Clark	1,969	1,726	243	-	-
Springfield	1,485	1,326	159	-	-
Balance of county	484	400	84	-	-
Clermont	534	332	201	-	1
Clinton	410	150	259	-	1
Columbiana	1,653	1,303	350	-	-
East Liverpool	440	369	71	-	-
Salem	225	214	11	-	-
Balance of county	988	720	268	-	-
Coshocton	482	392	90	-	-
Coshocton	170	154	16	-	-
Balance of county	312	238	74	-	-
Crawford	666	598	67	1	-
Cuyahoga	23,094	22,006	1,078	5	5
Cleveland	16,436	15,431	997	5	3
Cleveland Heights	689	685	4	-	-
East Cleveland	667	662	5	-	-
Euclid	729	717	12	-	-
Garfield Heights	296	290	6	-	-
Lakewood	1,187	1,180	7	-	-
Parma	346	337	9	-	-
Shaker Heights	457	456	1	-	-
Balance of county	2,287	2,248	37	-	2
Darke	670	547	123	-	-
Defiance	467	438	29	-	-
Delaware	462	363	99	-	-
Erie	840	814	26	-	-
Sandusky	519	512	7	-	-
Balance of county	321	302	19	-	-
Fairfield	836	634	202	-	-
Lancaster	413	333	80	-	-
Balance of county	423	301	122	-	-
Fayette	436	157	279	-	-
Franklin	8,060	7,362	685	1	12
Columbus	6,573	6,062	511	1	9
Balance of county	1,487	1,310	174	-	3
Fulton	441	384	57	-	-
Gallia	404	269	126	2	7
Geauga	397	299	95	3	-
Greene	964	659	305	-	-
Xenia	220	150	70	-	-
Balance of county	744	509	235	-	-
Guernsey	542	392	149	1	-
Cambridge	234	200	34	-	-
Balance of county	308	192	115	1	-
Hamilton	11,993	11,098	886	9	2
Cincinnati	8,492	7,886	597	8	1
Norwood	660	646	13	-	1
Balance of county	2,841	2,564	276	1	-
Hancock	748	678	68	1	1
Findlay	380	362	18	-	-
Fostoria (part)	48	48	-	-	-
Balance of county	320	268	50	1	1

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
OHIO—Continued					
Hardin	514	435	79	-	-
Harrison	272	201	70	-	1
Henry	358	286	72	-	-
Highland	427	201	225	-	1
Hocking	309	113	195	-	1
Holmes	385	194	191	-	-
Huron	674	599	75	-	-
Jackson	486	124	352	4	6
Jefferson	1,547	1,304	240	-	3
Steubenville	662	618	43	-	1
Balance of county	885	686	197	-	2
Knox	540	497	43	-	-
Mount Vernon	222	221	1	-	-
Balance of county	318	276	42	-	-
Lake	1,135	1,089	46	-	-
Painesville	324	309	15	-	-
Balance of county	811	780	31	-	-
Lawrence	894	698	187	2	7
Ironton	336	319	16	-	1
Balance of county	558	379	171	2	6
Licking	1,076	946	129	-	1
Newark	613	563	49	-	1
Balance of county	463	383	80	-	-
Logan	568	494	74	-	-
Lorain	2,194	2,112	82	-	-
Elyria	499	494	5	-	-
Lorain	838	809	29	-	-
Balance of county	857	809	48	-	-
Lucas	6,725	6,397	325	-	3
Toledo	5,809	5,556	251	-	2
Balance of county	916	841	74	-	1
Madison	330	140	190	-	-
Mahoning	4,045	3,787	254	1	3
Campbell	222	205	16	1	-
Struthers	168	163	5	-	-
Youngstown (part)	2,963	2,816	146	-	1
Youngstown (total)	2,964	2,817	146	-	1
Balance of county	692	603	87	-	2
Marion	897	798	99	-	-
Marion	639	577	62	-	-
Balance of county	258	221	37	-	-
Medina	602	593	9	-	-
Meigs	320	156	163	-	1
Mercer	548	493	55	-	-
Miami	1,177	1,120	57	-	-
Piqua	321	316	5	-	-
Balance of county	856	804	52	-	-
Monroe	239	78	161	-	-
Montgomery	7,280	6,901	376	1	2
Dayton	6,140	5,911	226	1	2
Balance of county	1,140	990	150	-	-
Morgan	162	73	89	-	-
Morrow	248	204	43	-	1
Muskingum	1,217	1,115	102	-	-
Zanesville	744	696	48	-	-
Balance of county	473	419	54	-	-
Noble	131	82	49	-	-
Ottawa	486	442	44	-	-
Paulding	265	223	41	-	1
Perry	447	210	[illegible]	-	-
Pickaway	444	280	[illegible]	1	-
Pike	263	39	218	-	6
Portage	953	885	68	-	-
Preble	373	274	98	-	1
Putnam	441	325	116	-	-
Richland	1,487	1,376	109	1	1
Mansfield	791	748	42	-	1
Balance of county	696	628	67	1	-
Ross	1,025	418	605	-	2
Chillicothe	412	250	162	-	-
Balance of county	613	168	443	-	2
Sandusky	735	672	63	-	-
Fremont	305	294	11	-	-
Balance of county	430	378	52	-	-
Scioto	1,588	975	606	1	6
Portsmouth	680	579	101	-	-
Balance of county	908	396	505	1	6
Seneca	897	808	89	-	-
Fostoria (part)	217	204	13	-	-
Fostoria (total)	265	252	13	-	-
Tiffin	301	278	23	-	-
Balance of county	379	326	53	-	-
Shelby	539	447	92	-	-
Stark	4,792	4,476	314	1	1
Alliance	486	463	22	-	1
Canton	2,253	2,148	105	-	-
Massillon	562	547	15	-	-
Balance of county	1,491	1,318	172	1	-
Summit	7,774	7,334	435	2	3
Akron	5,556	5,265	288	1	2
Barberton	591	547	43	1	-
Cuyahoga Falls	527	510	17	-	-
Balance of county	1,100	1,012	87	-	1

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
OHIO—Continued					
Trumbull	2,633	2,484	148	-	1
Niles	275	248	27	-	-
Warren	1,043	1,024	19	-	-
Youngstown (part)	1	1	-	-	-
Balance of county	1,314	1,211	102	-	1
Tuscarawas	1,126	902	222	-	2
New Philadelphia	216	191	25	-	-
Balance of county	910	711	197	-	2
Union	316	212	104	-	-
Van Wert	516	432	84	-	-
Vinton	172	23	146	1	2
Warren	654	462	190	-	2
Washington	679	487	191	-	1
Marietta	265	234	31	-	-
Balance of county	414	253	160	-	1
Wayne	1,089	844	245	-	-
Wooster	202	191	11	-	-
Balance of county	887	653	234	-	-
Williams	436	344	92	-	-
Wood	901	757	142	-	2
Wyandot	322	230	92	-	-
OKLAHOMA	43,165	31,234	10,485	1,134	312
Adair	297	169	76	38	14
Alfalfa	185	174	10	1	-
Atoka	399	116	238	36	9
Beaver	147	122	25	-	-
Beckham	388	359	29	-	-
Blaine	298	191	98	7	2
Bryan	605	307	290	6	2
Durant	204	149	55	-	-
Balance of county	401	158	235	6	2
Caddo	808	479	316	11	2
Canadian	495	430	63	2	-
El Reno	273	247	26	-	-
Balance of county	222	183	37	2	-
Carter	724	441	271	11	1
Ardmore	372	268	98	6	-
Balance of county	352	173	173	5	1
Cherokee	379	220	109	47	3
Choctaw	499	254	131	86	28
Cimarron	65	55	10	-	-
Cleveland	486	358	122	5	1
Norman	290	246	44	-	-
Balance of county	196	112	78	5	1
Coal	180	78	99	2	1
Comanche	1,251	1,043	187	19	2
Lawton	849	747	83	17	2
Balance of county	402	296	104	2	-
Cotton	227	134	91	2	-
Craig	247	204	40	1	2
Creek	892	597	218	54	23
Sapulpa	273	223	27	22	1
Balance of county	619	374	191	32	22
Custer	472	415	55	-	2
Delaware	233	102	119	8	4
Dewey	159	91	66	-	2
Ellis	138	118	19	-	1
Garfield	879	838	37	4	-
Enid	668	651	14	3	-
Balance of county	211	187	23	1	-
Garvin	571	455	111	4	1
Grady	767	514	241	1	11
Chickasha	337	248	79	-	10
Balance of county	430	266	162	1	1
Grant	145	125	20	-	-
Greer	197	150	46	1	-
Harmon	173	92	81	-	-
Harper	107	75	31	-	1
Haskell	265	29	229	6	1
Hughes	534	326	190	11	7
Jackson	404	323	78	2	1
Jefferson	244	133	111	-	-
Johnston	210	94	115	-	1
Kay	897	843	53	1	-
Ponca City	378	365	13	-	-
Balance of county	519	478	40	1	-
Kingfisher	218	143	70	4	1
Kiowa	438	350	80	-	8
Latimer	203	45	153	4	1
Le Flore	711	205	473	24	9
Lincoln	391	211	157	23	-
Logan	421	266	109	45	1
Guthrie	189	145	31	12	1
Balance of county	232	121	78	33	-
Love	157	38	117	2	-
McClain	340	161	173	1	5
McCurtain	687	173	430	57	27
McIntosh	418	179	151	76	12
Major	178	132	42	3	1
Marshall	203	120	81	2	-
Mayes	457	352	100	3	2
Murray	198	149	48	-	1
Section B (Counties)—Continued					
OKLAHOMA—Continued					
Muskogee	1,280	877	285	100	18
Muskogee	734	613	63	53	5
Balance of county	546	264	222	47	13
Noble	186	126	60	-	-
Nowata	229	146	70	12	1
Okfuskee	442	215	175	33	19
Oklahoma	5,680	5,186	455	25	14
Oklahoma City	4,767	4,409	348	4	6
Balance of county	913	777	107	21	8
Okmulgee	878	572	196	102	8
Okmulgee	334	256	39	39	-
Balance of county	544	316	157	63	8
Osage	551	430	109	12	-
Ottawa	731	454	274	2	1
Pawnee	254	178	74	2	-
Payne	607	494	98	12	3
Stillwater	208	198	9	-	1
Balance of county	399	296	89	12	2
Pittsburg	1,067	684	344	28	11
McAlester	393	344	43	4	2
Balance of county	674	340	301	24	9
Pontotoc	610	467	142	1	-
Ada	327	274	53	-	-
Balance of county	283	193	89	1	-
Pottawatomie	902	727	151	19	5
Shawnee	494	456	28	9	1
Balance of county	408	271	123	10	4
Pushmataha	221	75	133	7	6
Roger Mills	126	103	23	-	-
Rogers	314	229	78	6	1
Seminole	769	637	90	35	7
Seminole	222	204	15	3	-
Wewoka	162	141	10	9	2
Balance of county	385	292	65	23	5
Sequoyah	507	135	330	33	9
Stephens	683	604	74	3	2
Texas	219	156	63	-	-
Tillman	409	348	46	9	6
Tulsa	4,649	4,037	566	40	6
Tulsa	3,646	3,349	262	32	3
Balance of county	1,003	688	304	8	3
Wagoner	466	135	287	42	2
Washington	557	493	63	1	-
Bartlesville	370	353	17	-	-
Balance of county	187	140	46	1	-
Washita	336	289	44	-	3
Woods	266	243	23	-	-
Woodward	239	216	23	-	-
OREGON	24,140	23,657	437	15	31
Baker	244	231	13	-	-
Benton	414	405	7	1	1
Clackamas	1,184	1,147	31	2	4
Clatsop	489	485	3	-	1
Astoria	215	215	-	-	-
Balance of county	274	270	3	-	1
Columbia	383	362	21	-	-
Coos	575	567	8	-	-
Crook	137	137	-	-	-
Curry	63	56	7	-	-
Deschutes	311	309	1	-	1
Bend	183	182	-	-	1
Balance of county	128	127	1	-	-
Douglas	551	508	43	-	-
Gilliam	36	36	-	-	-
Grant	134	132	1	1	-
Harney	93	91	2	-	-
Hood River	237	237	-	-	-
Jackson	751	741	6	1	3
Medford	311	309	2	-	-
Balance of county	440	432	4	1	3
Jefferson	44	37	1	-	6
Josephine	307	298	8	-	1
Klamath	955	938	16	-	1
Klamath Falls	625	622	3	-	-
Balance of county	330	316	13	-	1
Lake	111	109	2	-	-
Lane	1,658	1,610	46	1	1
Eugene	570	565	5	-	-
Balance of county	1,088	1,045	41	1	1
Lincoln	264	254	10	-	-
Linn	734	696	37	-	1
Malheur	431	425	6	-	-
Marion	1,412	1,386	24	2	-
Salem	605	604	1	-	-
Balance of county	807	782	23	2	-
Morrow	64	51	13	-	-
Multnomah	9,157	9,085	69	2	1
Portland	7,839	7,796	41	1	1
Balance of county	1,318	1,289	28	1	-
Polk	351	340	11	-	-
Sherman	34	34	-	-	-
Tillamook	265	275	9	-	1

TABLE 28.–LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945–Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
OREGON—Continued					
Umatilla	541	525	16	-	-
Union	342	341	1	-	-
Wallowa	120	118	2	-	-
Wasco	241	226	2	4	9
Washington	823	813	10	-	-
Wheeler	46	39	6	1	-
Yamhill	618	613	5	-	-
PENNSYLVANIA	173,799	147,731	25,685	286	97
Adams	756	590	165	-	1
Allegheny	24,480	22,672	1,755	44	9
Bellevue	176	174	2	-	-
Braddock	310	287	23	-	-
Carnegie	308	283	25	-	-
Clairton	361	295	63	2	1
Coraopolis	284	268	14	-	2
Dormont	114	114	-	-	-
Duquesne	364	317	39	8	-
Harrison (twp.)[2]	153	143	10	-	-
Homestead	220	214	5	1	-
McKeesport	1,032	919	105	8	-
McKees Rocks	516	492	23	-	1
Mount Lebanon (twp.)[2]	197	193	3	-	1
Munhall	217	212	4	1	-
North Braddock	242	219	23	-	-
Pittsburgh	12,452	11,800	636	13	3
Shaler (twp.)[2]	154	133	21	-	-
Stowe (twp.)[2]	19	18	1	-	-
Swissvale	274	260	13	-	1
Wilkinsburg	566	554	12	-	-
Balance of county	6,521	5,777	733	11	-
Armstrong	1,447	888	553	2	4
Beaver	3,069	2,650	388	20	1
Aliquippa	518	379	122	17	-
Ambridge	375	358	17	-	-
Beaver Falls	414	370	44	-	-
Ellwood City (part)	14	14	-	-	-
Balance of county	1,738	1,529	205	3	1
Bedford	721	347	369	3	2
Berks	3,438	2,800	631	5	2
Reading	1,527	1,414	109	3	1
Balance of county	1,911	1,386	522	2	1
Blair	2,517	2,016	498	1	2
Altoona	1,438	1,244	192	1	1
Balance of county	1,079	772	306	-	1
Bradford	975	895	80	-	-
Bucks	2,084	1,960	124	-	-
Bristol	281	274	7	-	-
Balance of county	1,803	1,686	117	-	-
Butler	1,640	1,275	365	-	-
Butler	450	406	44	-	-
Balance of county	1,190	869	321	-	-
Cambria	3,891	2,807	1,078	3	3
Johnstown	1,457	1,328	127	1	1
Balance of county	2,434	1,479	951	2	2
Cameron	151	131	20	-	-
Carbon	957	626	330	1	-
Centre	896	729	166	-	1
Chester	2,503	2,222	280	-	1
Coatesville	290	254	36	-	-
Phoenixville	233	219	14	-	-
West Chester	255	254	1	-	-
Balance of county	1,725	1,495	229	-	1
Clarion	674	240	432	1	1
Clearfield	1,596	1,148	442	2	4
Du Bois	236	228	8	-	-
Balance of county	1,360	920	434	2	4
Clinton	652	598	54	-	-
Lock Haven	236	223	13	-	-
Balance of county	416	375	41	-	-
Columbia	878	774	104	-	-
Berwick	244	223	21	-	-
Balance of county	634	551	83	-	-
Crawford	1,374	1,287	86	-	1
Meadville	419	416	3	-	-
Balance of county	955	871	83	-	1
Cumberland	1,567	1,299	268	-	-
Carlisle	320	296	24	-	-
Balance of county	1,247	1,003	244	-	-
Dauphin	3,179	2,573	603	3	-
Harrisburg	1,583	1,399	184	-	-
Steelton	228	195	32	1	-
Balance of county	1,368	979	387	2	-
Delaware	6,771	6,521	240	10	-
Chester	1,466	1,335	128	3	-
Darby	271	268	3	-	-
Haverford (twp.)[2]	361	358	3	-	-
Lansdowne	272	272	-	-	-
Upper Darby (twp.)[2]	1,392	1,382	9	1	-
Balance of county	3,009	2,906	97	6	-
Elk	539	494	45	-	-
Erie	3,848	3,591	257	-	-
Erie	2,605	2,506	99	-	-
Balance of county	1,243	1,085	158	-	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Fayette	3,383	2,043	1,307	27	6
Connellsville	215	166	49	-	-
Uniontown	481	404	74	2	1
Balance of county	2,687	1,473	1,184	25	5
Forest	94	55	39	-	-
Franklin	1,411	1,102	308	-	1
Chambersburg	272	261	11	-	-
Waynesboro	207	190	17	-	-
Balance of county	932	651	280	-	1
Fulton	203	56	147	-	-
Greene	730	426	299	5	-
Huntingdon	772	372	396	4	-
Indiana	1,454	898	555	-	1
Indiana	210	199	11	-	-
Balance of county	1,244	699	544	-	1
Jefferson	839	647	191	-	1
Juniata	308	117	190	-	1
Lackawanna	3,883	3,421	423	39	-
Carbondale	283	253	29	1	-
Dickson City	135	119	16	-	-
Dunmore	269	246	23	-	-
Old Forge	176	137	31	8	-
Scranton	1,899	1,736	153	10	-
Balance of county	1,121	930	171	20	-
Lancaster	4,133	2,772	1,360	1	-
Columbia	200	175	25	-	-
Lancaster	1,129	1,031	98	-	-
Balance of county	2,804	1,566	1,237	1	-
Lawrence	1,799	1,677	114	8	-
Ellwood City (part)	239	236	2	1	-
Ellwood City (total)	253	250	2	1	-
New Castle	917	878	32	7	-
Balance of county	643	563	80	-	-
Lebanon	1,462	1,121	341	-	-
Lebanon	617	546	71	-	-
Balance of county	845	575	270	-	-
Lehigh	2,859	2,374	484	1	-
Allentown	1,568	1,412	155	1	-
Bethlehem (part)	282	276	6	-	-
Balance of county	1,009	686	323	-	-
Luzerne	6,198	5,444	731	22	1
Hanover (twp)[2]	63	56	7	-	-
Hazleton	588	565	23	-	-
Kingston	362	347	15	-	-
Nanticoke	319	277	42	-	-
Pittston	315	297	17	1	-
Plains (twp.)[2]	166	138	26	2	-
Plymouth	273	221	52	-	-
Wilkes-Barre	1,328	1,197	125	6	-
Balance of county	2,784	2,346	424	13	1
Lycoming	1,700	1,483	215	-	2
Williamsport	930	855	75	-	-
Balance of county	770	628	140	-	2
McKean	969	925	43	-	1
Bradford	342	337	5	-	-
Balance of county	627	588	38	-	1
Mercer	1,967	1,795	170	-	2
Farrell	239	226	11	-	2
Sharon	521	506	15	-	-
Balance of county	1,207	1,063	144	-	-
Mifflin	841	525	316	-	-
Lewistown	304	265	39	-	-
Balance of county	537	260	277	-	-
Monroe	465	356	109	-	-
Montgomery	5,580	5,270	305	5	-
Abington (twp.)[2]	288	282	6	-	-
Cheltenham (twp.)[2]	292	287	5	-	-
Conshohocken	258	235	21	2	-
Lower Merion (twp.)[2]	689	684	5	-	-
Norristown	676	651	25	-	-
Pottstown	346	329	17	-	-
Balance of county	3,031	2,802	226	3	-
Montour	201	159	42	-	-
Northampton	2,897	2,445	451	-	1
Bethlehem (part)	871	825	46	-	-
Bethlehem (total)	1,153	1,101	52	-	-
Easton	672	630	41	-	1
Balance of county	1,354	990	364	-	-
Northumberland	1,913	1,467	446	-	-
Mount Carmel	228	194	34	-	-
Shamokin	497	391	106	-	-
Sunbury	265	235	30	-	-
Balance of county	923	647	276	-	-
Perry	441	215	226	-	-
Philadelphia, coextensive with Philadelphia (city)	35,317	33,234	2,027	40	16
Pike	77	62	15	-	-
Potter	309	267	42	-	-
Schuylkill	3,165	2,422	734	7	2
Mahanoy City	174	141	32	1	-
Pottsville	417	389	28	-	-
Shenandoah	246	215	30	1	-
Tamaqua	195	157	38	-	-
Balance of county	2,133	1,520	608	5	2

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Snyder	333	188	145	-	-
Somerset	1,416	875	535	1	5
Sullivan	102	71	30	-	1
Susquehanna	551	400	150	-	1
Tioga	602	456	143	-	3
Union	322	245	77	-	-
Venango	1,083	965	117	-	1
Oil City	396	388	8	-	-
Balance of county	687	577	109	-	1
Warren	659	585	74	-	-
Warren	264	259	5	-	-
Balance of county	395	326	69	-	-
Washington	3,597	2,836	736	20	5
Canonsburg	236	206	28	2	-
Charleroi	160	151	8	1	-
Donora	243	225	17	1	-
Washington	588	506	82	-	-
Balance of county	2,370	1,748	601	16	5
Wayne	421	305	115	1	-
Westmoreland	5,230	4,243	964	10	13
Arnold	153	150	3	-	-
Greensburg	412	369	42	1	-
Jeannette	275	248	27	-	-
Latrobe	219	200	18	-	1
Monessen	274	214	56	1	3
New Kensington	510	501	9	-	-
Vandergrift	149	109	40	-	-
Balance of county	3,238	2,452	769	8	9
Wyoming	276	150	126	-	-
York	3,244	2,129	1,114	-	1
Hanover	269	231	38	-	-
York	1,258	986	272	-	-
Balance of county	1,717	912	804	-	1
RHODE ISLAND	13,635	12,887	691	24	33
Bristol	503	449	37	16	1
Bristol (town)	228	186	33	8	1
Balance of county	275	263	4	8	-
Kent	1,228	1,120	102	1	5
Warwick	629	601	26	-	2
West Warwick (town)	371	323	46	1	1
Balance of county	228	196	30	-	2
Newport	1,332	1,304	25	-	3
Newport	805	799	4	-	2
Balance of county	527	505	21	-	1
Providence	9,779	9,240	511	7	21
Central Falls	440	385	54	-	1
Cranston	858	831	23	2	2
Cumberland (town)	178	162	16	-	-
East Providence (town)	590	568	19	-	3
Johnston (town)	205	206	4	1	-
Lincoln (town)	143	128	15	-	-
North Providence (town)	262	257	5	-	-
Pawtucket	1,279	1,196	82	1	-
Providence	4,457	4,312	129	2	14
Woonsocket	941	812	128	1	-
Balance of county	426	389	36	-	1
Washington	793	774	16	-	3
Westerly (town)	248	244	4	-	-
Balance of county	545	530	12	-	3
SOUTH CAROLINA	49,431	22,095	10,829	16,486	21
Abbeville	380	102	152	126	-
Aiken	1,208	507	404	296	1
Allendale	334	22	17	295	-
Anderson	1,795	993	590	212	-
Anderson	579	464	104	11	-
Balance of county	1,216	529	486	201	-
Bamberg	372	55	76	241	-
Barnwell	471	51	99	321	-
Beaufort	662	272	23	367	-
Berkeley	895	176	55	664	-
Calhoun	306	57	5	244	-
Charleston	5,193	3,487	644	1,060	2
Charleston	2,442	1,755	542	145	-
Balance of county	2,751	1,732	102	915	2
Cherokee	760	424	255	81	-
Chester	695	227	204	264	-
Chesterfield	980	178	623	179	-
Clarendon	790	73	88	629	-
Colleton	804	271	92	440	1
Darlington	1,262	449	357	456	-
Dillon	788	304	158	326	-
Dorchester	614	194	132	287	1
Edgefield	440	52	283	105	-
Fairfield	582	113	165	304	-
Florence	2,168	774	591	802	1
Florence	656	447	55	154	-
Balance of county	1,512	327	536	648	1
Georgetown	817	144	179	493	1
Greenville	3,381	2,578	514	289	-
Greenville	1,353	1,188	33	132	-
Balance of county	2,028	1,390	481	157	-
Section B (Counties)—Continued					
SOUTH CAROLINA—Continued					
Greenwood	778	519	103	155	1
Greenwood	320	281	11	27	1
Balance of county	458	238	92	128	-
Hampton	468	68	138	261	1
Horry	1,413	861	294	257	1
Jasper	268	80	24	164	-
Kershaw	768	219	110	439	-
Lancaster	781	510	112	159	-
Laurens	717	232	186	298	1
Lee	602	88	73	441	-
Lexington	917	419	286	212	-
McCormick	250	9	197	44	-
Marion	819	455	180	183	1
Marlboro	839	245	277	317	-
Newberry	678	345	67	266	-
Oconee	766	375	239	152	-
Orangeburg	1,946	418	271	1,256	1
Orangeburg	399	243	39	117	-
Balance of county	1,547	175	232	1,139	1
Pickens	776	238	489	49	-
Richland	2,808	1,917	178	711	2
Columbia	1,911	1,530	94	286	1
Balance of county	897	387	84	425	1
Saluda	322	52	149	120	1
Spartanburg	3,038	1,678	1,065	294	1
Spartanburg	924	725	104	95	-
Balance of county	2,114	953	961	199	1
Sumter	1,463	557	66	837	3
Sumter	571	401	8	162	-
Balance of county	892	156	58	675	3
Union	606	272	188	145	1
Williamsburg	1,334	212	179	943	-
York	1,377	823	252	302	-
Rock Hill	457	412	24	21	-
Balance of county	920	411	228	281	-
SOUTH DAKOTA	12,460	10,767	1,422	116	155
Armstrong	1	1	-	-	-
Aurora	83	57	26	-	-
Beadle	373	344	26	3	-
Huron	226	208	16	2	-
Balance of county	147	136	10	1	-
Bennett	78	60	14	2	2
Bon Homme	174	99	73	1	1
Brookings	302	290	12	-	-
Brown	541	498	42	-	1
Aberdeen	309	304	5	-	-
Balance of county	232	194	37	-	1
Brule	112	90	21	-	1
Buffalo	20	17	3	-	-
Butte	164	146	18	-	-
Campbell	95	80	13	2	-
Charles Mix	242	207	34	1	-
Clark	165	138	27	-	-
Clay	148	133	15	-	-
Codington	393	382	11	-	-
Watertown	257	248	9	-	-
Balance of county	136	134	2	-	-
Corson	142	112	10	15	5
Custer	85	64	17	3	1
Davison	296	286	10	-	-
Mitchell	211	208	3	-	-
Balance of county	85	78	7	-	-
Day	258	233	25	-	-
Deuel	136	112	24	-	-
Dewey	125	96	24	2	3
Douglas	126	87	39	-	-
Edmunds	154	117	21	5	11
Fall River	191	180	11	-	-
Faulk	98	91	7	-	-
Grant	203	192	10	-	1
Gregory	190	182	5	1	2
Haakon	68	68	-	-	-
Hamlin	128	115	13	-	-
Hand	126	111	15	-	-
Hanson	105	82	19	2	2
Harding	49	34	13	-	2
Hughes	114	112	1	-	1
Hutchinson	235	183	47	3	2
Hyde	52	46	6	-	-
Jackson	31	28	-	2	1
Jerauld	94	87	6	1	-
Jones	42	42	-	-	-
Kingsbury	206	165	41	-	-
Lake	217	197	19	1	-
Lawrence	251	233	17	1	-
Lincoln	253	209	44	-	-
Lyman	103	96	6	1	-
McCook	171	114	56	1	-
McPherson	180	146	20	8	6
Marshall	166	66	96	-	4
Meade	167	150	15	2	-
Mellette	74	49	10	4	11

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
SOUTH DAKOTA—Con.					
Miner	117	77	40	-	-
Minnehaha	1,405	1,338	67	-	-
Sioux Falls	1,087	1,073	14	-	-
Balance of county	318	265	53	-	-
Moody	191	116	75	-	-
Pennington	620	603	14	2	1
Rapid City	483	479	2	1	1
Balance of county	137	124	12	1	-
Perkins	123	111	10	2	-
Potter	86	63	22	-	1
Roberts	328	281	37	5	5
Sanborn	106	98	8	-	-
Shannon	175	100	9	18	48
Spink	209	193	13	3	-
Stanley	27	26	1	-	-
Sully	38	34	4	-	-
Todd	136	97	9	12	18
Tripp	220	191	21	5	3
Turner	234	182	52	-	-
Union	221	197	24	-	-
Walworth	130	125	3	1	1
Washabaugh	43	25	-	3	15
Washington	24	21	-	1	2
Yankton	242	226	13	2	1
Ziebach	58	36	18	1	3
TENNESSEE	64,966	34,515	25,131	5,141	179
Anderson	1,469	888	513	68	-
Bedford	460	291	163	5	1
Benton	218	114	74	30	-
Bledsoe	228	32	158	37	1
Blount	1,203	638	544	20	1
Bradley	684	227	396	60	1
Cleveland	318	132	155	31	-
Balance of county	366	95	241	29	1
Campbell	952	371	534	46	1
Cannon	164	107	48	9	-
Carroll	466	150	311	5	-
Carter	882	460	356	65	1
Cheatham	143	37	100	5	1
Chester	211	41	158	12	-
Claiborne	496	143	310	40	3
Clay	184	16	134	34	-
Cocke	561	116	367	78	-
Coffee	443	179	247	17	-
Crockett	367	79	269	19	-
Cumberland	418	143	176	96	3
Davidson	5,323	4,575	725	21	2
Nashville	4,044	3,560	475	7	2
Balance of county	1,279	1,015	250	14	-
Decatur	181	25	144	11	1
De Kalb	215	91	96	28	-
Dickson	391	129	249	13	-
Dyer	710	220	460	30	-
Dyersburg	224	119	89	16	-
Balance of county	486	101	371	14	-
Fayette	745	88	166	490	1
Fentress	408	92	173	141	2
Franklin	508	175	300	33	-
Gibson	943	484	422	37	-
Giles	590	239	278	73	-
Grainger	242	50	170	22	-
Greene	878	506	289	83	-
Grundy	345	126	188	28	3
Hamblen	419	249	144	26	-
Hamilton	4,008	2,888	973	85	62
Chattanooga	3,182	2,527	539	55	61
Balance of county	826	361	434	30	1
Hancock	188	28	97	61	2
Hardeman	478	62	272	142	2
Hardin	379	59	282	37	1
Hawkins	652	265	296	91	-
Haywood	664	115	187	362	-
Henderson	328	43	265	20	-
Henry	392	160	218	13	1
Hickman	307	58	187	59	3
Houston	121	23	84	14	-
Humphreys	203	38	157	8	-
Jackson	278	22	195	61	-
Jefferson	366	139	213	14	-
Johnson	312	133	118	60	1
Knox	4,274	3,1[illegible]	1,063	46	4
Knoxville	2,873	2,3[illegible]	487	13	3
Balance of county	1,401	791	576	33	1
Lake	277	34	196	46	1
Lauderdale	574	124	313	137	-
Lawrence	699	316	342	38	3
Lewis	123	9	73	41	-
Lincoln	484	259	216	9	-
Loudon	562	245	311	5	1
McMinn	760	468	275	17	-
McNairy	397	80	293	21	3
Macon	270	41	210	17	2

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
TENNESSEE—Continued					
Madison	1,172	593	284	294	1
Jackson	550	367	98	85	-
Balance of county	622	226	186	209	1
Marion	446	72	360	14	-
Marshall	337	246	86	5	-
Maury	782	344	384	53	1
Columbia	239	167	57	15	-
Balance of county	543	177	327	38	1
Meigs	150	54	60	36	-
Monroe	630	147	381	102	-
Montgomery	585	232	282	71	-
Clarksville	211	115	83	13	-
Balance of county	374	117	199	58	-
Moore	61	22	39	-	-
Morgan	378	93	242	41	2
Obion	491	218	266	6	1
Overton	335	58	199	77	1
Perry	165	16	128	21	-
Pickett	124	40	72	10	2
Polk	346	147	185	14	-
Putnam	543	196	281	66	-
Rhea	398	136	213	47	2
Roane	866	591	233	42	-
Robertson	552	212	327	13	-
Rutherford	723	477	212	34	-
Scott	417	165	165	87	-
Sequatchie	139	13	115	10	1
Sevier	520	249	170	67	34
Shelby	8,257	6,270	1,503	474	10
Memphis	6,455	5,200	1,137	116	2
Balance of county	1,802	1,070	366	358	8
Smith	253	65	186	2	-
Stewart	197	43	141	13	-
Sullivan	1,918	1,238	639	40	1
Bristol[5]	355	272	79	4	-
Kingsport	605	493	107	5	-
Balance of county	958	473	453	31	1
Sumner	570	268	292	10	-
Tipton	726	128	417	180	1
Trousdale	114	32	80	2	-
Unicoi	343	196	95	52	-
Union	175	38	111	26	-
Van Buren	94	20	56	18	-
Warren	427	201	209	16	1
Washington	1,215	789	408	18	-
Johnson City	556	444	107	5	-
Balance of county	659	345	301	13	-
Wayne	279	84	140	55	-
Weakley	404	258	141	4	1
White	362	119	228	14	1
Williamson	470	277	174	18	1
Wilson	459	317	129	3	10
TEXAS	167,915	108,520	28,481	18,494	2,420
Anderson	667	376	142	129	20
Palestine	228	160	32	34	2
Balance of county	439	216	110	95	18
Andrews	56	53	2	1	-
Angelina	698	543	126	24	5
Aransas	53	20	32	1	-
Archer	103	95	8	-	-
Armstrong	33	23	10	-	-
Atascosa	565	151	300	125	9
Austin	276	164	49	58	5
Bailey	153	145	5	2	1
Bandera	55	37	16	1	1
Bastrop	542	287	116	127	12
Baylor	135	132	3	-	-
Bee	467	217	125	103	22
Bell	1,338	982	316	26	14
Temple	541	432	82	20	7
Balance of county	797	550	234	6	7
Bexar	11,085	7,093	1,046	2,821	125
San Antonio	10,137	6,553	893	2,580	111
Balance of county	948	540	153	241	14
Blanco	79	64	11	3	1
Borden	7	5	-	1	1
Bosque	199	174	24	1	-
Bowie	1,414	791	341	266	16
Texarkana[6]	573	445	57	67	4
Balance of county	841	346	284	199	12
Brazoria	1,016	885	47	74	10
Brazos	766	512	35	205	14
Bryan	463	309	26	118	10
Balance of county	303	203	9	87	4
Brewster	201	49	115	16	21
Briscoe	67	52	14	1	-
Brooks	249	47	88	73	41
Brown	759	704	43	7	5
Brownwood	565	522	32	7	4
Balance of county	194	182	11	-	1
Burleson	294	85	93	114	2
Burnet	198	128	59	8	3

[5] Includes data for Bristol, Tenn., only.
[6] Includes data for Texarkana, Tex., only.

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
TEXAS—Continued					
Caldwell	565	221	200	98	46
Calhoun	162	61	87	9	5
Callahan	141	107	34	-	-
Cameron	3,523	1,037	1,023	1,366	97
Brownsville	839	309	63	456	11
Harlingen	458	364	80	11	3
Balance of county	2,226	364	880	899	83
Camp	209	155	14	36	4
Carson	142	119	23	-	-
Cass	602	277	166	138	21
Castro	88	75	13	-	-
Chambers	121	62	24	33	2
Cherokee	725	418	181	119	7
Childress	324	307	12	4	1
Clay	145	93	52	-	-
Cochran	99	72	26	-	1
Coke	62	32	28	1	1
Coleman	339	286	47	4	2
Collin	875	574	287	14	-
Collingsworth	194	184	8	1	1
Colorado	285	149	41	88	7
Comal	381	181	144	44	12
Comanche	259	233	26	-	-
Concho	107	51	46	9	1
Cooke	512	451	45	14	2
Coryell	375	332	43	-	-
Cottle	172	133	31	7	1
Crane	54	53	1	-	-
Crockett	71	28	33	9	1
Crosby	170	110	60	-	-
Culberson	36	17	18	1	-
Dallam	222	211	10	-	1
Dallas	10,256	9,670	503	37	46
Dallas	7,189	6,852	277	27	33
Highland Park	151	150	1	-	-
University Park	312	311	1	-	-
Balance of county	2,604	2,357	224	10	13
Dawson	413	324	56	30	3
Deaf Smith	157	115	40	-	2
Delta	178	133	39	6	-
Denton	639	491	141	2	4
Denton	295	273	20	-	2
Balance of county	343	218	121	2	2
De Witt	533	247	159	89	38
Dickens	169	115	48	6	-
Dimmit	369	43	251	66	9
Donley	124	89	27	8	-
Duval	486	127	190	135	34
Eastland	439	361	54	2	2
Ector	533	440	90	1	2
Edwards	54	19	30	5	-
Ellis	854	534	256	62	2
El Paso	4,464	3,452	419	531	62
El Paso	3,394	2,805	139	423	27
Balance of county	1,070	647	280	108	35
Erath	302	256	44	1	1
Falls	572	252	147	158	15
Fannin	583	391	179	11	2
Fayette	415	229	97	62	27
Fisher	226	185	35	-	6
Floyd	183	160	23	-	-
Foard	83	69	10	1	3
Fort Bend	657	304	208	131	14
Franklin	100	65	25	10	-
Freestone	332	151	90	79	12
Frio	367	69	161	121	16
Gaines	192	169	20	1	2
Galveston	2,900	2,142	137	2	19
Galveston	1,635	1,549	72	1	13
Balance of county	665	593	65	1	6
Garza	139	61	71	6	1
Gillespie	197	187	6	1	3
Glasscock	8	7	1	-	-
Goliad	147	23	74	35	15
Gonzales	483	138	268	67	10
Gray	541	510	30	1	-
Pampa	418	400	17	1	-
Balance of county	123	110	13	-	-
Grayson	1,444	1,197	221	20	6
Denison	438	410	12	16	-
Sherman	409	373	29	1	6
Balance of county	597	414	180	3	-
Gregg	1,203	1,027	60	102	14
Longview	415	362	16	32	5
Balance of county	788	665	44	70	9
Grimes	284	149	37	94	4
Guadalupe	615	177	334	67	37
Hale	430	360	68	1	1
Hall	272	231	33	8	-
Hamilton	196	166	29	1	-
Hansford	56	46	10	-	-
Hardeman	224	214	9	-	1
Hardin	358	186	154	14	4
Harris	13,980	12,672	652	612	44
Houston	11,322	10,347	472	475	28
Balance of county	2,658	2,325	180	137	16
Harrison	968	399	70	471	28
Marshall	431	283	24	115	9
Balance of county	537	116	46	356	19
Hartley	25	23	2	-	-
Haskell	250	227	16	5	2
Hays	456	245	153	36	22
Hemphill	78	67	11	-	-
Henderson	440	243	137	51	9
Hidalgo	4,801	1,082	1,790	1,720	199
McAllen	714	262	217	220	15
Balance of county	4,087	830	1,573	1,500	184
Hill	550	272	246	30	2
Hockley	414	300	107	5	2
Hood	83	82	11	-	-
Hopkins	434	374	53	7	-
Houston	488	188	185	92	23
Howard	669	579	40	40	10
Big Spring	530	458	33	31	8
Balance of county	139	121	7	9	2
Hudspeth	112	31	65	9	7
Hunt	865	479	349	33	4
Greenville	394	243	123	25	3
Balance of county	471	236	226	8	1
Hutchinson	645	632	10	-	3
Borger	425	414	8	-	3
Balance of county	220	218	2	-	-
Irion	45	26	15	4	-
Jack	127	121	6	-	-
Jackson	294	101	153	37	3
Jasper	391	163	162	61	5
Jeff Davis	46	2	37	6	1
Jefferson	4,145	3,280	564	277	24
Beaumont	1,878	1,597	172	101	8
Port Arthur	1,421	1,163	217	27	14
Balance of county	846	520	175	149	2
Jim Hogg	154	30	60	59	5
Jim Wells	654	305	213	86	50
Johnson	506	366	130	10	-
Cleburne	234	184	43	7	-
Balance of county	272	182	87	3	-
Jones	503	395	89	16	3
Karnes	489	129	243	59	58
Kaufman	632	347	205	67	13
Terrell	186	134	34	16	2
Balance of county	446	213	171	51	11
Kendall	98	59	25	14	-
Kenedy	11	4	2	3	2
Kent	39	21	18	-	-
Kerr	231	134	89	8	-
Kimble	90	21	63	3	3
King	6	5	1	-	-
Kinney	85	21	40	18	6
Kleberg	610	339	211	49	11
Knox	215	172	38	4	1
Lamar	1,136	639	387	101	9
Paris	582	427	129	25	1
Balance of county	554	212	258	76	8
Lamb	379	358	5	8	8
Lampasas	194	148	45	1	-
La Salle	298	44	168	62	24
Lavaca	472	317	103	39	13
Lee	186	53	77	55	1
Leon	279	55	109	108	7
Liberty	551	420	50	77	4
Limestone	440	213	135	84	8
Lipscomb	85	79	6	-	-
Live Oak	203	82	62	42	17
Llano	92	74	13	2	3
Loving	1	-	1	-	-
Lubbock	1,486	1,208	221	53	4
Lubbock	1,004	837	132	31	4
Balance of county	482	371	89	22	-
Lynn	244	170	51	21	2
McCulloch	305	253	29	11	12
McLennan	2,352	1,780	382	168	22
Waco	1,546	1,289	183	72	2
Balance of county	806	491	199	96	20
McMullen	28	5	15	6	2
Madison	169	41	56	72	-
Marion	209	25	109	65	10
Martin	93	62	12	3	16
Mason	88	58	26	3	1
Matagorda	518	302	152	50	14
Maverick	383	63	167	146	7
Medina	609	283	149	120	47
Menard	89	33	45	11	-
Midland	445	369	56	12	8
Milam	543	269	161	93	20
Mills	84	56	28	-	-
Mitchell	292	228	48	13	3

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
TEXAS—Continued					
Montague	344	273	71	-	-
Montgomery	427	288	88	44	7
Moore	183	176	7	-	-
Morris	187	66	77	39	5
Motley	92	53	39	-	-
Nacogdoches	623	340	201	75	7
Navarro	768	479	203	76	10
Corsicana	330	257	63	6	4
Balance of county	438	222	140	70	6
Newton	188	48	82	51	7
Nolan	375	348	22	2	3
Sweetwater	253	236	13	2	2
Balance of county	122	112	9	-	1
Nueces	4,691	3,018	657	956	60
Corpus Christi	3,054	2,424	257	355	18
Balance of county	1,637	594	400	601	42
Ochiltree	87	83	4	-	-
Oldham	45	41	4	-	-
Orange	1,251	1,129	51	67	4
Palo Pinto	537	513	23	1	-
Panola	293	89	97	100	7
Parker	382	321	61	-	-
Parmer	100	97	3	-	-
Pecos	238	70	143	24	1
Polk	363	205	85	70	3
Potter	1,563	1,440	121	1	1
Amarillo (part)	1,458	1,335	121	1	1
Amarillo (total)	1,462	1,339	121	1	1
Balance of county	105	105	-	-	-
Presidio	272	86	76	101	9
Rains	70	20	46	4	-
Randall	90	78	12	-	-
Amarillo (part)	4	4	-	-	-
Balance of county	86	74	12	-	-
Reagan	39	34	5	-	-
Real	35	25	6	3	1
Red River	507	211	188	102	6
Reeves	321	152	145	10	14
Refugio	255	151	45	51	8
Roberts	22	21	1	-	-
Robertson	469	155	77	228	9
Rockwall	114	43	63	5	3
Runnels	445	288	152	3	2
Rusk	713	369	219	118	7
Sabine	157	35	111	10	1
San Augustine	210	95	49	62	4
San Jacinto	114	31	28	46	9
San Patricio	1,082	350	495	212	25
San Saba	194	107	84	2	1
Schleicher	62	23	23	3	13
Scurry	179	152	23	4	-
Shackelford	68	54	14	-	-
Shelby	546	251	229	59	7
Sherman	32	29	3	-	-
Smith	1,451	964	183	290	14
Tyler	757	636	43	74	4
Balance of county	694	328	140	216	10
Somervell	50	45	4	1	-
Starr	417	23	207	90	97
Stephens	137	119	18	-	-
Sterling	25	11	11	3	-
Stonewall	56	40	16	-	-
Sutton	96	25	51	8	12
Swisher	136	129	7	-	-
Tarrant	6,120	5,881	199	27	13
Fort Worth	5,136	4,978	124	23	11
Balance of county	984	903	75	4	2
Taylor	1,168	1,062	100	2	4
Abilene	894	818	73	1	2
Balance of county	274	244	27	1	2
Terrell	54	11	35	7	1
Terry	322	218	91	3	10
Throckmorton	42	35	7	-	-
Titus	323	206	93	21	3
Tom Green	1,159	942	90	115	12
San Angelo	987	796	75	105	11
Balance of county	172	146	15	10	1
Travis	2,791	2,335	255	150	51
Austin	2,411	2,071	203	95	42
Balance of county	380	264	52	55	9
Trinity	169	65	67	33	4
Tyler	195	79	74	36	6
Upshur	365	256	21	83	5
Upton	69	64	4	-	1
Uvalde	416	154	206	45	11
Val Verde	574	212	293	66	3
Del Rio	549	197	284	65	3
Balance of county	25	15	9	1	-
Van Zandt	329	112	204	11	2
Victoria	863	533	179	123	28
Victoria	604	401	113	77	13
Balance of county	259	132	66	48	15
Walker	290	171	41	65	13
Waller	157	71	24	61	1
Ward	388	295	75	11	7
Washington	443	220	93	123	7
Webb	1,832	845	445	501	41
Laredo	1,725	807	420	459	39
Balance of county	107	38	25	42	2
Wharton	902	631	161	85	25
Wheeler	229	221	8	-	-
Wichita	1,803	1,702	92	7	2
Wichita Falls	1,338	1,257	74	5	2
Balance of county	465	445	18	2	-
Wilbarger	373	355	13	4	1
Willacy	653	189	200	240	24
Williamson	786	513	197	72	4
Wilson	358	152	153	41	12
Winkler	159	153	6	-	-
Wise	264	225	38	1	-
Wood	409	203	182	23	1
Yoakum	63	54	9	-	-
Young	305	283	22	-	-
Zapata	89	8	54	26	1
Zavala	429	84	218	117	10
UTAH	15,680	14,761	893	12	14
Beaver	128	82	43	-	3
Box Elder	523	517	6	-	-
Cache	746	717	29	-	-
Logan	328	326	2	-	-
Balance of county	418	391	27	-	-
Carbon	598	572	26	-	-
Daggett	10	9	1	-	-
Davis	691	657	34	-	-
Duchesne	201	191	10	-	-
Emery	127	77	49	1	-
Garfield	102	64	37	1	-
Grand	41	40	1	-	-
Iron	198	198	-	-	-
Juab	114	102	12	-	-
Kane	54	47	7	-	-
Millard	240	225	13	1	1
Morgan	63	62	1	-	-
Piute	40	27	13	-	-
Rich	49	47	2	-	-
Salt Lake	6,255	6,085	165	4	1
Salt Lake City	4,417	4,319	95	2	1
Balance of county	1,838	1,766	70	2	-
San Juan	63	40	21	-	2
Sanpete	331	209	122	-	-
Sevier	301	278	23	-	-
Summit	137	127	10	-	-
Tooele	278	267	11	-	-
Uintah	194	131	62	-	1
Utah	1,728	1,640	87	-	1
Provo	529	493	35	-	1
Balance of county	1,199	1,147	52	-	-
Wasatch	144	126	18	-	-
Washington	240	187	44	4	5
Wayne	46	42	3	1	-
Weber	2,038	1,995	43	-	-
Ogden	1,422	1,390	32	-	-
Balance of county	616	605	11	-	-
VERMONT	6,873	5,855	1,012	2	4
Addison	361	295	65	-	1
Bennington	386	333	53	-	-
Caledonia	425	336	89	-	-
Chittenden	1,141	1,037	104	-	-
Burlington	642	612	30	-	-
Balance of county	499	425	74	-	-
Essex	114	76	38	-	-
Franklin	608	444	164	-	-
Grand Isle	67	49	18	-	-
Lamoille	210	174	35	-	1
Orange	309	277	30	1	1
Orleans	461	317	143	1	-
Rutland	804	730	74	-	-
Rutland	357	351	6	-	-
Balance of county	447	379	68	-	-
Washington	719	676	43	-	-
Barre	214	208	6	-	-
Balance of county	505	468	37	-	-
Windham	493	434	59	-	-
Windsor	775	677	97	-	1
VIRGINIA[7]	67,068	40,720	16,120	9,906	322
Accomack	602	197	195	208	2
Albemarle	409	336	41	31	1
Alexandria (city)	1,599	1,538	34	25	2
Alleghany	427	220	186	17	4
Amelia	164	23	53	87	1
Amherst	363	205	97	60	1

[7]Cities of Virginia are independent, each having the same status as a county. Places having populations of 10,000 or more include: Alexandria, Arlington County[8], Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
VIRGINIA[7]—Continued					
Appomattox	157	76	38	39	4
Arlington[8]	3,392	3,344	38	8	2
Augusta	880	527	331	20	2
Bath	130	51	68	8	3
Bedford	501	264	167	66	4
Bland	132	61	66	1	4
Botetourt	306	117	169	16	4
Bristol (city)[9]	251	192	55	3	1
Brunswick	460	86	142	231	1
Buchanan	1,028	197	569	252	10
Buckingham	275	59	53	161	2
Buena Vista (city)	102	44	53	5	-
Campbell	537	294	172	69	2
Caroline	292	46	169	77	-
Carroll	460	69	355	30	6
Charles City	122	14	26	82	-
Charlotte	263	82	73	108	-
Charlottesville (city)	460	443	17	-	-
Chesterfield	639	480	33	123	3
Clarke	135	80	55	-	-
Clifton Forge (city)	116	86	29	1	-
Craig	51	14	36	1	-
Culpeper	264	76	169	19	-
Cumberland	159	37	33	87	2
Danville (city)	685	537	25	123	-
Dickenson	663	177	392	88	6
Dinwiddie	346	97	82	167	-
Elizabeth City	525	445	35	45	-
Essex	142	46	56	40	-
Fairfax	1,367	1,177	160	29	1
Fauquier	396	234	95	63	4
Floyd	198	62	108	22	6
Fluvanna	144	61	33	50	-
Franklin	518	202	206	106	4
Frederick	289	234	27	28	-
Fredericksburg (city)	249	212	6	31	-
Giles	407	150	249	7	1
Gloucester	186	103	69	14	-
Goochland	147	32	27	84	4
Grayson	424	129	247	31	17
Greene	117	67	37	7	6
Greensville	402	84	172	145	1
Halifax	951	260	385	304	2
Hampton (city)	610	588	9	13	-
Hanover	428	144	170	113	1
Harrisonburg (city)	194	189	5	-	-
Henrico	635	516	67	52	-
Henry	718	256	340	119	3
Highland	68	14	47	6	1
Hopewell (city)	233	179	31	23	-
Isle of Wight	342	88	49	202	3
James City	130	72	6	52	-
King and Queen	117	22	47	48	-
King George	160	107	28	25	-
King William	151	62	46	43	-
Lancaster	143	42	85	13	3
Lee	848	160	496	153	39
Loudoun	397	230	149	14	4
Louisa	253	166	39	48	-
Lunenburg	320	80	136	102	2
Lynchburg (city)	903	854	40	8	1
Madison	175	96	68	10	1
Martinsville (city)	264	192	61	10	1
Mathews	104	55	46	3	-
Mecklenburg	783	205	276	301	1
Middlesex	121	55	34	32	-
Montgomery	644	505	126	12	1
Nansemond	569	141	93	334	1
Nelson	297	155	47	81	14
New Kent	71	22	20	29	-
Newport News (city)	1,485	1,311	44	130	-
Norfolk	2,996	2,410	186	394	6
Norfolk (city)	3,891	3,009	483	394	5
Northampton	358	141	29	188	-
Northumberland	162	35	83	44	-
Nottoway	351	144	59	147	1
Orange	239	158	69	10	2
Page	327	129	170	26	2
Patrick	358	76	228	46	8
Petersburg (city)	776	442	73	261	-
Pittsylvania	1,493	729	386	369	9
Portsmouth (city)	1,524	907	101	514	2
Powhatan	99	29	28	42	-
Prince Edward	262	124	37	100	1
Prince George	263	97	29	135	2
Prince William	463	331	89	43	-
Princess Anne	678	399	98	179	2
Pulaski	631	462	107	59	3
Radford (city)	209	207	1	-	1
Rappahannock	127	49	72	6	-
Richmond	142	21	98	23	-
Richmond (city)	4,142	3,671	366	88	17
Roanoke	828	685	126	16	1
Roanoke (city)	1,366	1,222	138	4	2
Rockbridge	397	223	127	44	3
Rockingham	696	462	230	3	1
Russell	694	197	432	60	5
Scott	530	176	158	172	24
Shenandoah	435	320	90	25	-
Smyth	670	203	442	23	2
Southampton	661	161	104	396	-
South Norfolk (city)	212	151	20	41	-
Spotsylvania	212	136	31	43	2
Stafford	185	129	24	30	2
Staunton (city)	210	173	30	7	-
Suffolk (city)	275	175	54	45	1
Surry	139	29	25	85	-
Sussex	342	66	44	232	-
Tazewell	1,248	381	852	11	4
Warren	286	220	52	14	-
Warwick	707	555	50	102	-
Washington	811	268	466	67	10
Westmoreland	200	47	64	86	3
Williamsburg (city)	84	71	5	8	-
Winchester (city)	259	239	10	10	-
Wise	1,380	427	886	56	11
Wythe	513	179	316	17	1
York	242	182	14	46	-
WASHINGTON	44,573	43,450	1,009	49	65
Adams	105	102	3	-	-
Asotin	131	122	5	-	4
Benton	323	299	23	-	1
Chelan	694	651	42	-	1
Wenatchee	204	202	2	-	-
Balance of county	490	449	40	-	1
Clallam	494	475	11	4	4
Clark	2,211	2,182	27	-	2
Vancouver	650	645	5	-	-
Balance of county	1,561	1,537	22	-	2
Columbia	87	86	1	-	-
Cowlitz	971	968	1	1	1
Longview	406	406	-	-	-
Balance of county	565	562	1	1	1
Douglas	103	94	9	-	-
Ferry	55	52	3	-	-
Franklin	265	264	1	-	-
Garfield	48	39	9	-	-
Grant	176	168	5	-	3
Grays Harbor	928	917	9	-	-
Aberdeen	357	356	1	-	-
Hoquiam	204	204	-	-	-
Balance of county	365	357	8	-	-
Island	180	173	7	-	-
Jefferson	222	217	4	-	1
King	14,414	14,260	139	3	12
Seattle	11,843	11,781	56	2	4
Balance of county	2,571	2,479	83	1	8
Kitsap	3,028	2,887	36	2	3
Bremerton	1,394	1,384	9	-	1
Balance of county	1,634	1,603	27	2	2
Kittitas	388	374	14	-	-
Klickitat	184	180	-	3	1
Lewis	771	742	28	-	1
Lincoln	184	143	41	-	-
Mason	246	241	1	3	1
Okanogan	499	471	27	1	-
Pacific	263	221	42	-	-
Pend Oreille	98	96	2	-	-
Pierce	4,792	4,715	70	1	6
Tacoma	3,137	3,108	26	-	3
Balance of county	1,655	1,607	44	1	3
San Juan	39	27	12	-	-
Skagit	729	715	14	-	-
Skamania	42	40	2	-	-
Snohomish	1,998	1,910	82	2	4
Everett	851	843	8	-	-
Balance of county	1,147	1,067	74	2	4
Spokane	3,894	3,844	38	2	10
Spokane	3,031	2,997	26	2	6
Balance of county	863	847	12	-	4
Stevens	275	268	4	2	1
Thurston	799	712	82	4	1
Olympia	358	351	7	-	-
Balance of county	441	361	75	4	1
Wahkiakum	59	57	2	-	-
Walla Walla	786	777	8	-	-
Walla Walla	559	554	5	-	1
Balance of county	227	223	3	-	1

[7] See footnote, on p. 488.
[8] Classified as urban under a special rule in the 1940 census.
[9] Includes data for Bristol, Va., only.

TABLE 28.–LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945–Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
WASHINGTON—Continued					
Whatcom	1,185	1,159	26	-	-
Bellingham	664	655	9	-	-
Balance of county	521	504	17	-	-
Whitman	435	425	9	-	1
Yakima	2,474	2,277	170	21	6
Yakima	809	803	6	-	-
Balance of county	1,665	1,474	164	21	6
WEST VIRGINIA	39,039	18,053	19,920	845	221
Barbour	368	140	219	6	3
Berkeley	547	450	91	5	1
Martinsburg	352	283	67	1	1
Balance of county	195	167	24	4	-
Boone	702	184	506	10	2
Braxton	380	142	216	18	4
Brooke	408	334	74	-	-
Cabell	1,954	1,559	387	5	3
Huntington (part)	1,604	1,373	227	2	2
Huntington (total)	1,667	1,426	237	2	2
Balance of county	350	186	160	3	1
Calhoun	181	36	135	8	2
Clay	356	88	225	31	12
Doddridge	154	39	115	-	-
Fayette	1,757	344	1,364	39	10
Gilmer	146	20	124	2	-
Grant	182	71	76	33	2
Greenbrier	823	206	595	17	5
Hampshire	223	64	152	6	1
Hancock	613	495	118	-	-
Hardy	186	71	110	3	2
Harrison	1,553	989	561	2	1
Clarksburg	748	588	159	-	1
Balance of county	805	401	402	2	-
Jackson	234	106	115	8	5
Jefferson	318	205	105	7	1
Kanawha	4,790	3,272	1,441	65	12
Charleston	1,776	1,571	198	5	2
South Charleston	330	288	41	1	-
Balance of county	2,684	1,413	1,202	59	10
Lewis	328	208	112	7	1
Lincoln	400	74	269	54	3
Logan	1,849	345	1,452	47	5
McDowell	2,669	472	2,126	65	6
Marion	1,204	744	460	-	-
Fairmont	525	442	83	-	-
Balance of county	679	302	377	-	-
Marshall	572	448	124	-	-
Moundsville	268	230	38	-	-
Balance of county	304	218	86	-	-
Mason	467	188	272	5	2
Mercer	1,463	667	776	16	4
Bluefield[10]	509	376	133	-	-
Balance of county	954	291	643	16	4
Mineral	440	222	195	22	1
Mingo	1,153	251	810	87	5
Monongalia	998	744	235	4	15
Morgantown	524	471	49	-	4
Balance of county	474	273	186	4	11
Monroe	193	29	162	2	-
Morgan	122	54	61	6	1
Nicholas	559	153	390	13	3
Ohio	1,217	1,153	63	-	1
Wheeling	1,064	1,022	41	-	1
Balance of county	153	131	22	-	-
Pendleton	171	39	123	5	4
Pleasants	89	36	53	-	-
Pocahontas	242	74	168	-	-
Preston	580	213	320	24	23
Putnam	345	60	269	12	4
Raleigh	1,984	508	1,433	35	8
Beckley	336	202	131	1	2
Balance of county	1,648	306	1,302	34	6
Randolph	663	231	408	17	7
Ritchie	187	64	122	-	1
Roane	337	121	182	27	7
Summers	366	81	274	4	7
Taylor	325	170	138	14	3
Tucker	191	64	106	17	4
Tyler	177	50	125	1	1
Upshur	353	166	176	5	6
Wayne	646	243	382	17	4
Huntington (part)	63	53	10	-	-
Balance of county	583	190	372	17	4
Webster	428	115	271	32	10
Wetzel	365	152	209	1	3
Wirt	83	42	33	3	5
Wood	1,223	977	234	8	4
Parkersburg	928	749	175	1	3
Balance of county	295	228	59	7	1
Wyoming	775	80	658	30	7
Section B (Counties)—Continued					
WISCONSIN	61,437	55,988	5,297	40	112
Adams	109	84	25	-	-
Ashland	420	378	34	3	5
Ashland	213	213	-	-	-
Balance of county	207	165	34	3	5
Barron	650	568	81	-	1
Bayfield	242	214	25	1	2
Brown	1,924	1,851	73	-	-
Green Bay	1,124	1,101	23	-	-
Balance of county	800	750	50	-	-
Buffalo	295	263	32	-	-
Burnett	184	152	30	-	2
Calumet	325	264	59	-	2
Chippewa	836	672	159	-	5
Chippewa Falls	210	208	2	-	-
Balance of county	626	464	157	-	5
Clark	619	470	149	-	-
Columbia	661	614	46	-	1
Crawford	391	309	82	-	-
Dane	3,041	2,973	65	-	3
Madison	1,812	1,807	4	-	1
Balance of county	1,229	1,166	61	-	2
Dodge	998	923	75	-	-
Beaver Dam	192	190	2	-	-
Watertown (part)	33	30	3	-	-
Balance of county	773	703	70	-	-
Door	487	420	66	-	1
Douglas	925	898	26	-	1
Superior	727	712	14	-	1
Balance of county	198	186	12	-	-
Dunn	506	410	97	-	1
Eau Claire	991	970	20	-	1
Eau Claire	636	635	1	-	-
Balance of county	355	335	19	-	1
Florence	54	38	11	1	4
Fond du Lac	1,093	977	116	-	-
Fond du Lac	444	424	20	-	-
Balance of county	649	553	96	-	-
Forest	184	114	67	-	3
Grant	821	607	211	1	2
Green	434	417	16	-	1
Green Lake	216	197	19	-	-
Iowa	382	344	38	-	-
Iron	137	121	15	-	1
Jackson	354	324	29	-	1
Jefferson	707	643	63	-	1
Watertown (part)	151	145	6	-	-
Watertown (total)	184	175	9	-	-
Balance of county	556	498	57	-	1
Juneau	375	258	112	-	5
Kenosha	1,388	1,372	16	-	-
Kenosha	1,090	1,086	4	-	-
Balance of county	298	286	12	-	-
Kewaunee	346	245	101	-	-
La Crosse	1,207	1,138	66	1	2
La Crosse	839	804	32	1	2
Balance of county	368	334	34	-	-
Lafayette	353	303	48	-	2
Langlade	441	378	60	-	3
Lincoln	403	384	19	-	-
Manitowoc	1,309	1,205	103	-	1
Manitowoc	530	514	15	-	1
Two Rivers	181	177	4	-	-
Balance of county	598	514	84	-	-
Marathon	1,559	1,334	217	4	4
Wausau	572	558	13	-	1
Balance of county	987	776	204	4	3
Marinette	691	613	74	-	4
Marinette	290	284	6	-	-
Balance of county	401	329	68	-	4
Marquette	140	104	35	1	-
Milwaukee	14,347	13,627	693	15	12
Cudahy	219	204	14	-	1
Milwaukee	10,780	10,217	547	9	7
Shorewood	242	240	1	-	1
South Milwaukee	221	204	15	-	2
Wauwatosa	531	523	8	-	-
West Allis	754	728	23	3	-
Balance of county	1,600	1,511	85	3	1
Monroe	635	508	125	-	2
Oconto	510	425	83	-	2
Oneida	326	305	19	-	2
Outagamie	1,582	1,437	144	1	-
Appleton	616	599	17	-	-
Balance of county	966	838	127	1	-
Ozaukee	411	402	8	-	1
Pepin	152	142	10	-	-
Pierce	391	324	66	-	1
Polk	469	392	74	1	2
Portage	659	513	142	-	4
Stevens Point	313	278	34	-	1
Balance of county	346	235	108	-	3
Price	280	224	56	-	-

[10] Includes data for Bluefield, W. Va., only.

TABLE 28.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence]

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
WISCONSIN—Continued					
Racine	1,924	1,896	27	-	1
Racine	1,413	1,403	9	-	1
Balance of county	511	493	18	-	-
Richland	408	337	70	-	1
Rock	1,528	1,470	58	-	-
Beloit	575	562	13	-	-
Janesville	400	395	5	-	-
Balance of county	553	513	40	-	-
Rusk	374	333	38	1	2
St. Croix	463	417	43	-	3
Sauk	806	742	59	1	4
Sawyer	167	102	56	7	2
Shawano	692	611	78	-	3
Sheboygan	1,334	1,282	52	-	-
Sheboygan	702	692	10	-	-
Balance of county	632	590	42	-	-
Taylor	418	291	125	1	1
Trempealeau	482	427	51	-	4
Vernon	582	476	105	-	1
Vilas	139	118	19	1	1
Walworth	598	572	25	-	1
Washburn	217	145	71	-	1
Washington	603	542	61	-	-
Waukesha	1,409	1,327	80	-	2
Waukesha	392	384	8	-	-
Balance of county	1,017	943	72	-	2
Waupaca	620	558	62	-	-
Waushara	233	179	54	-	-
Winnebago	1,533	1,487	46	-	-
Menasha	234	231	3	-	-
Neenah	242	241	1	-	-
Oshkosh	653	629	24	-	-
Balance of county	404	386	18	-	-
Wood	945	828	117	-	-
Marshfield	219	198	21	-	-
Wisconsin Rapids	240	223	17	-	-
Balance of county	486	407	79	-	-

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
WYOMING	5,181	5,015	436	2	28
Albany	272	266	6	-	-
Laramie	234	231	3	-	-
Balance of county	38	35	3	-	-
Big Horn	281	273	7	-	1
Campbell	107	103	4	-	-
Carbon	273	246	27	-	-
Converse	119	112	7	-	-
Crook	74	62	12	-	-
Fremont	330	265	54	1	10
Goshen	236	201	33	1	1
Hot Springs	97	81	14	-	2
Johnson	82	78	3	-	1
Laramie	983	893	88	-	2
Cheyenne	852	787	63	-	2
Balance of county	131	106	25	-	-
Lincoln	267	260	7	-	-
Natrona	425	419	6	-	-
Casper	381	379	2	-	-
Balance of county	44	40	4	-	-
Niobrara	99	98	1	-	-
Park	390	350	36	-	4
Platte	156	132	22	-	2
Sheridan	330	327	3	-	-
Sheridan	214	212	2	-	-
Balance of county	116	115	1	-	-
Sublette	42	36	4	-	2
Sweetwater	511	476	34	-	1
Teton	45	45	-	-	-
Uinta	156	110	46	-	-
Washakie	108	89	17	-	2
Weston	94	89	5	-	-
Yellowstone National Park (part)	4	4	-	-	-
Yellowstone National Park (total)	4	4	-	-	-

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N.C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
1	UNITED STATES	1,401,719	534	1,728	303	1,752	1,598	52,916	1,599	443	14,062	307	1,186	177,464	1,341
2	ALABAMA	25,513	18	57	1	85	59	1,218	82	37	357	5	26	2,235	43
3	Autauga	182	-	1	-	-	-	8	-	-	3	-	1	14	-
4	Baldwin	303	-	-	-	1	-	5	-	2	4	-	-	29	1
5	Barbour	291	-	-	-	-	-	7	5	1	3	-	-	16	-
6	Bibb	146	-	-	-	1	1	6	-	-	-	-	-	13	1
7	Blount	187	-	1	-	-	1	5	-	1	-	-	-	19	-
8	Bullock	186	-	-	-	1	-	6	-	-	-	-	-	14	1
9	Butler	213	-	-	-	1	1	11	1	1	2	-	1	20	1
10	Calhoun	571	-	2	-	3	2	26	1	-	4	1	4	46	1
11	Anniston	254	-	1	-	2	1	11	1	-	4	-	1	19	-
12	Balance of county	317	-	1	-	1	1	15	-	-	-	1	3	27	1
13	Chambers	332	-	-	-	-	-	9	3	-	1	-	1	23	-
14	Cherokee	118	1	-	-	1	-	5	-	-	-	-	-	13	-
15	Chilton	220	-	1	-	-	2	9	-	-	1	-	1	25	1
16	Choctaw	161	-	-	-	-	-	7	1	2	2	-	-	12	-
17	Clarke	204	-	-	-	-	-	11	-	1	-	-	-	16	1
18	Clay	125	-	-	-	-	-	1	-	-	-	-	-	10	2
19	Cleburne	75	-	-	-	1	1	5	-	-	-	-	-	8	-
20	Coffee	154	-	-	-	1	1	2	-	-	2	-	-	15	1
21	Colbert	294	-	-	-	2	1	18	-	1	3	1	1	25	-
22	Conecuh	189	-	-	-	1	-	7	1	-	4	-	1	13	-
23	Coosa	85	-	-	1	-	-	2	-	-	1	-	1	11	-
24	Covington	274	-	-	-	1	-	4	-	1	3	-	-	29	-
25	Crenshaw	150	-	-	-	1	1	6	1	-	1	-	-	15	-
26	Cullman	269	-	-	-	1	1	11	-	-	-	-	-	24	1
27	Dale	189	-	2	-	-	-	4	-	-	-	1	-	15	-
28	Dallas	673	-	5	-	3	2	24	-	5	16	-	-	61	1
29	Selma	282	-	1	-	3	1	10	-	4	9	-	-	36	-
30	Balance of county	391	-	4	-	-	1	14	-	1	7	-	-	25	1
31	De Kalb	286	-	-	-	-	4	8	2	-	1	-	-	26	-
32	Elmore	289	-	-	-	2	-	5	2	1	2	-	-	24	-
33	Escambia	274	-	-	-	-	1	7	-	-	5	-	-	23	-
34	Etowah	585	1	1	-	2	1	25	-	-	5	-	-	46	3
35	Gadsden	345	1	1	-	1	-	14	-	-	4	-	-	31	2
36	Balance of county	240	-	-	-	1	1	11	-	-	1	-	-	15	1
37	Fayette	123	-	-	-	-	-	3	-	-	1	-	-	12	-
38	Franklin	178	-	1	-	2	-	8	-	-	-	-	-	20	2
39	Geneva	165	-	-	-	-	-	2	-	-	1	-	-	18	1
40	Greene	165	-	-	-	-	-	9	-	1	2	-	-	12	1
41	Hale	236	-	-	-	1	2	9	-	1	3	-	-	11	-
42	Henry	159	-	-	-	-	1	3	-	-	5	-	-	12	-
43	Houston	354	2	1	-	2	3	10	1	-	2	-	-	23	-
44	Dothan	161	1	-	-	1	-	5	-	-	1	-	-	8	-
45	Balance of county	193	1	1	-	1	3	5	1	-	1	-	-	15	-
46	Jackson	279	-	-	-	2	1	31	-	-	1	1	-	17	1
47	Jefferson	4,816	2	12	-	14	3	285	3	2	49	-	3	502	9
48	Bessemer	293	-	1	-	1	1	15	-	-	5	-	-	23	-
49	Birmingham	3,026	1	9	-	10	1	170	3	1	30	-	2	319	6
50	Fairfield	99	-	-	-	-	-	9	-	-	1	-	-	10	-
51	Balance of county	1,398	1	2	-	3	1	91	-	1	13	-	1	150	3
52	Lamar	137	-	1	-	-	1	5	-	1	-	-	1	15	-
53	Lauderdale	386	-	-	-	1	3	37	1	-	1	1	-	37	-
54	Florence	185	-	-	-	-	1	15	-	-	-	1	-	17	-
55	Balance of county	201	-	-	-	1	2	22	1	-	1	-	-	20	-
56	Lawrence	171	-	1	-	2	1	13	-	1	-	-	1	11	-
57	Lee	362	-	1	-	-	1	11	-	-	6	-	-	33	-
58	Limestone	260	-	1	-	2	-	16	-	-	1	-	-	24	-
59	Lowndes	196	-	-	-	-	-	8	-	-	1	-	-	14	-
60	Macon	327	1	-	-	2	-	10	1	-	21	-	-	25	1
61	Madison	645	-	1	-	3	-	56	1	2	3	-	1	55	-
62	Huntsville	288	-	1	-	-	-	24	1	-	3	-	-	23	-
63	Balance of county	357	-	-	-	3	-	32	-	2	-	-	1	32	-
64	Marengo	283	-	-	-	-	-	7	1	-	5	-	-	26	2
65	Marion	159	1	1	-	-	1	11	1	-	-	-	1	22	-
66	Marshall	269	-	-	-	1	-	14	1	-	-	-	-	37	-
67	Mobile	2,234	3	14	-	6	5	124	6	4	94	-	1	178	1
68	Mobile	1,187	-	10	-	2	3	45	1	2	22	-	1	110	1
69	Balance of county	1,047	3	4	-	4	2	79	5	2	72	-	-	68	-
70	Monroe	221	-	-	-	-	-	7	-	-	1	-	1	14	1
71	Montgomery	1,314	1	3	-	5	2	75	4	2	22	-	2	102	3
72	Montgomery	976	1	3	-	5	1	47	3	1	15	-	2	85	3
73	Balance of county	338	-	-	-	-	1	28	1	1	7	-	-	17	-
74	Morgan	351	-	2	-	4	3	16	-	-	1	-	-	40	-
75	Decatur	147	-	1	-	-	-	7	-	-	1	-	-	17	-
76	Balance of county	204	-	1	-	4	3	9	-	-	-	-	-	23	-
77	Perry	202	-	-	-	2	1	6	1	1	4	-	1	9	-
78	Pickens	170	-	-	-	-	1	7	-	1	-	-	-	22	-
79	Pike	291	-	-	-	-	-	11	1	-	2	-	-	17	-
80	Randolph	183	-	-	-	1	-	10	-	-	2	-	1	15	1
81	Russell	371	-	-	-	3	1	6	-	1	4	-	1	28	-
82	Phenix City	182	-	-	-	1	-	2	-	1	1	-	1	21	-
83	Balance of county	189	-	-	-	2	1	4	-	-	3	-	-	7	-
84	St. Clair	226	1	-	-	-	2	16	-	-	4	-	-	13	-
85	Shelby	241	-	-	-	1	2	15	-	-	4	-	-	25	-
86	Sumter	284	-	-	-	-	1	10	-	2	5	-	-	15	-
87	Talladega	501	2	2	-	2	-	17	-	-	4	-	-	44	2
88	Tallapoosa	270	-	-	-	-	-	7	-	-	-	-	-	34	-
89	Tuscaloosa	1,035	1	3	-	4	2	59	42	2	42	-	1	66	-
90	Tuscaloosa	597	-	-	-	1	1	33	37	2	31	-	1	33	-
91	Balance of county	438	1	3	-	3	1	26	5	-	11	-	-	33	-
92	Walker	474	2	-	-	1	1	23	-	-	1	-	-	45	-
93	Washington	111	-	-	-	-	-	1	-	-	-	-	-	9	-
94	Wilcox	233	-	-	-	-	-	11	-	-	2	-	-	14	2
95	Winston	106	-	-	-	1	1	5	1	-	-	-	-	14	1

EACH URBAN PLACE HAVING IN 1940 A POPULATION OF 10,000 OR MORE, 1945

Under causes of death are those of the detailed International List of Causes of Death, 1938 revision

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-96	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes (except Premature birth) 157, 158, 160, 161	
35,160	914	129,144	424,326	68,366	11,465	88,078	5,668	66,966	14,782	7,412	28,076	67,842	28,981	169,294	1
359	96	2,446	5,133	1,708	315	2,089	240	1,677	161	343	618	1,232	2,054	2,789	2
1	-	19	29	15	1	15	1	8	1	1	2	5	44	13	3
3	-	22	54	23	5	29	5	21	4	4	11	16	26	38	4
3	1	35	85	17	1	18	3	22	1	2	3	8	35	24	5
3	-	17	26	9	-	10	3	11	1	4	-	8	12	20	6
-	-	30	39	15	3	9	1	19	2	1	6	7	13	15	7
-	2	22	40	12	3	10	1	4	-	2	3	9	36	20	8
5	1	20	49	12	3	10	1	10	1	3	4	12	21	22	9
3	-	49	130	40	8	49	6	46	7	7	33	30	22	51	10
2	-	20	64	18	3	22	4	15	2	5	9	15	8	27	11
1	-	29	66	22	5	27	2	31	5	2	24	15	14	24	12
6	1	51	40	40	4	51	5	19	1	8	6	8	33	22	13
-	1	15	27	7	1	12	-	5	2	1	-	3	12	12	14
2	2	20	38	9	4	20	3	20	-	1	11	7	11	32	15
2	1	17	25	9	3	14	2	15	-	2	-	7	16	24	16
1	1	17	45	5	2	17	-	12	-	4	6	9	43	18	17
2	2	15	29	11	-	7	-	9	-	1	4	3	11	18	18
1	-	10	14	5	1	2	-	8	-	1	-	2	6	10	19
3	2	21	21	3	1	13	-	8	2	2	10	11	21	14	20
3	1	32	56	28	7	19	3	27	-	2	9	19	10	26	21
3	-	18	28	12	-	24	4	12	2	-	6	9	23	21	22
2	-	7	17	1	1	11	1	7	-	1	3	2	8	8	23
6	3	13	48	16	1	27	4	24	4	4	16	10	25	35	24
1	-	14	28	10	3	13	2	11	-	2	5	6	17	13	25
4	1	24	63	20	2	29	5	19	4	1	8	7	10	34	26
6	1	10	41	16	4	23	-	14	1	2	9	10	11	19	27
6	2	48	102	38	5	68	6	38	6	7	8	35	119	70	28
1	1	32	62	20	3	18	2	16	2	3	3	7	14	34	29
5	1	16	40	18	2	50	4	20	4	4	5	28	108	35	30
9	1	26	62	27	3	27	2	14	4	2	9	14	13	32	31
3	3	26	49	15	2	22	6	7	6	5	8	15	54	32	32
4	-	25	56	22	5	24	6	20	-	4	11	9	14	38	33
24	1	51	101	40	2	64	2	60	7	7	15	33	25	79	34
6	-	30	64	21	1	36	-	30	3	6	5	24	13	50	35
6	1	21	37	19	1	28	2	30	4	1	10	9	12	29	36
2	-	14	29	18	-	4	1	10	-	1	1	5	12	10	37
3	-	25	33	15	4	13	1	11	1	-	3	7	6	23	38
-	3	16	41	12	2	12	4	11	2	-	7	4	7	22	39
1	-	12	35	5	1	4	1	12	-	1	2	7	48	11	40
5	-	24	51	28	4	12	4	12	1	4	1	6	35	22	41
2	1	15	27	19	3	13	6	4	2	3	7	6	16	12	42
4	1	34	67	21	5	46	2	38	7	6	15	21	14	39	43
3	-	14	32	10	3	27	-	16	4	4	2	11	7	12	44
1	1	20	35	11	2	19	2	22	3	2	13	10	7	17	45
2	-	32	46	39	6	9	1	17	2	4	12	13	13	39	46
78	12	440	1,053	297	51	302	22	345	26	80	89	251	398	489	47
5	-	27	66	16	5	32	2	26	1	3	6	15	11	38	48
50	7	280	665	184	21	173	11	194	23	54	49	122	307	314	49
3	-	5	24	9	-	15	2	5	-	-	-	5	4	7	50
20	5	128	276	88	25	82	7	120	2	23	34	109	76	135	51
3	2	16	28	9	2	16	2	11	-	-	3	3	7	11	52
7	1	34	79	29	7	32	4	24	3	6	15	15	20	20	53
4	-	16	39	12	2	16	1	15	-	5	9	4	9	19	54
3	1	18	40	17	5	16	3	9	3	1	6	11	11	10	55
2	3	20	21	7	3	17	1	6	-	3	6	11	26	15	56
6	1	40	69	23	7	30	5	14	5	4	8	24	38	35	57
1	-	20	44	20	6	33	2	15	1	3	2	14	17	38	58
1	1	29	36	12	1	8	3	4	-	3	2	5	49	19	59
5	1	42	60	24	5	27	2	18	-	4	2	19	38	29	60
13	1	63	114	55	10	56	5	40	2	14	13	22	46	69	61
7	-	33	48	18	3	32	1	19	2	8	3	12	17	33	62
6	1	30	66	37	7	24	4	21	-	6	10	10	29	36	63
6	-	36	50	18	3	25	7	19	-	1	2	11	34	30	64
5	-	17	26	8	3	10	2	11	1	-	5	5	10	18	65
2	2	17	62	16	4	29	1	24	1	2	8	12	13	24	66
20	11	150	549	134	33	200	26	171	9	30	38	106	41	221	67
13	1	61	317	54	18	115	10	98	7	16	18	64	15	163	68
7	10	69	232	80	14	85	16	73	2	14	20	42	26	119	69
6	3	22	30	18	2	31	2	12	-	1	10	11	32	17	70
13	5	176	313	79	9	71	18	55	7	29	38	89	30	194	71
12	4	140	238	63	6	49	8	45	4	22	23	50	19	127	72
1	1	35	75	16	3	22	6	10	3	7	15	39	11	37	73
3	1	37	86	17	4	29	-	17	4	3	4	25	25	30	74
1	1	19	41	8	1	11	-	3	2	2	1	10	7	14	75
2	-	18	45	9	3	18	-	14	2	1	3	15	18	16	76
1	-	24	32	14	-	19	4	7	-	1	5	6	46	18	77
1	-	18	36	11	2	14	2	13	3	2	2	11	11	14	78
6	6	33	62	21	3	13	2	16	3	3	7	12	27	46	79
6	-	15	83	14	6	25	1	13	1	-	2	5	16	16	80
2	1	50	70	24	11	40	6	19	3	9	7	10	39	35	81
1	1	27	37	10	9	25	-	10	3	4	4	2	5	17	82
1	-	23	33	14	2	15	6	9	-	5	3	8	34	19	83
7	1	28	56	16	1	18	2	12	4	3	7	15	7	19	84
1	3	12	60	12	2	27	-	17	3	1	7	17	12	21	85
2	1	30	24	24	2	43	-	21	1	2	5	17	53	35	86
11	2	48	93	40	8	35	10	38	1	10	14	27	30	61	87
3	3	35	41	15	7	25	4	12	4	3	9	19	25	24	88
17	1	76	228	51	8	74	4	34	6	10	26	40	28	210	89
5	-	39	119	24	5	35	1	16	4	6	8	18	16	108	90
12	1	37	109	27	3	39	3	18	2	4	18	22	12	48	91
12	1	41	75	30	6	33	2	62	1	10	18	32	40	49	92
-	-	8	19	14	5	15	2	8	1	1	2	5	11	19	93
3	-	23	21	12	3	38	4	20	-	3	6	7	48	18	94
1	1	7	13	11	2	6	3	6	-	2	2	3	5	21	95

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
1	ARIZONA	6,091	10	8	1	18	13	776	33	1	84	-	3	492	3
2	Apache	220	1	1	-	-	4	59	2	-	3	-	-	6	-
3	Cochise	348	-	1	-	3	-	11	-	-	3	-	-	40	-
4	Coconino	185	-	-	-	1	-	28	1	-	4	-	-	14	-
5	Gila	250	-	-	-	1	-	21	1	-	2	-	-	26	-
6	Graham	79	-	-	-	3	-	4	-	-	1	-	-	8	-
7	Greenlee	74	-	-	-	1	-	6	1	-	-	-	-	8	-
8	Maricopa	2,517	4	4	1	3	5	326	7	1	50	-	-	206	2
9	Phoenix	1,410	1	2	1	2	3	172	3	-	15	-	-	138	-
10	Balance of county	1,107	3	2	-	1	2	154	4	1	35	-	-	68	2
11	Mohave	87	-	-	-	-	-	3	-	-	1	-	1	2	-
12	Navajo	288	-	-	-	3	1	39	6	-	4	-	-	10	-
13	Pima	991	1	2	-	-	1	169	11	-	8	-	1	73	1
14	Tucson	654	-	2	-	-	1	79	10	-	6	-	1	50	-
15	Balance of county	337	1	-	-	-	-	90	1	-	2	-	-	23	1
16	Pinal	385	-	-	-	2	-	46	4	-	2	-	1	29	-
17	Santa Cruz	83	1	-	-	-	-	4	-	-	-	-	-	7	-
18	Yavapai	280	2	-	-	-	-	31	-	-	3	-	-	29	-
19	Yuma	304	1	-	-	1	2	29	-	-	3	-	-	34	-
20	ARKANSAS	14,703	15	28	2	27	56	817	42	43	191	7	16	1,487	17
21	Arkansas	158	-	1	-	2	1	12	-	-	2	-	-	16	-
22	Ashley	182	-	-	-	-	1	8	1	-	3	-	-	22	2
23	Baxter	67	-	-	-	-	-	2	-	-	-	-	-	11	-
24	Benton	360	-	-	1	-	1	13	1	-	2	-	1	41	1
25	Boone	116	-	1	-	-	-	7	-	1	-	-	-	15	-
26	Bradley	117	-	-	-	-	-	3	1	-	2	-	1	6	-
27	Calhoun	41	-	-	-	-	-	1	-	-	-	-	-	8	-
28	Carroll	120	-	-	-	-	-	6	1	-	1	-	-	17	1
29	Chicot	186	-	-	-	-	-	3	-	1	8	-	-	15	-
30	Clark	189	-	1	-	-	1	7	-	1	2	-	1	15	-
31	Clay	183	1	1	-	-	-	8	-	-	1	-	1	23	-
32	Cleburne	74	-	-	-	1	-	4	-	-	-	-	-	10	-
33	Cleveland	74	-	1	-	-	-	1	-	1	-	-	-	9	-
34	Columbia	178	-	-	-	-	-	8	-	-	-	-	-	23	1
35	Conway	168	2	1	-	-	-	9	1	1	1	-	-	11	-
36	Craighead	341	-	-	-	2	3	7	2	1	1	-	-	41	-
37	Jonesboro	151	-	-	-	-	1	3	-	-	-	-	-	27	-
38	Balance of county	190	-	-	-	2	2	4	2	1	1	-	-	14	-
39	Crawford	173	1	1	-	-	-	6	1	1	1	-	-	25	-
40	Crittenden	392	1	2	-	1	2	26	3	1	5	1	1	22	-
41	Cross	138	1	-	-	1	-	11	1	2	4	1	-	12	-
42	Dallas	95	-	-	-	-	-	10	-	1	-	-	-	7	-
43	Desha	194	-	-	-	-	-	14	-	1	2	-	-	26	1
44	Drew	121	-	-	-	-	1	6	-	-	-	-	-	9	-
45	Faulkner	176	1	-	-	-	-	6	-	-	1	-	-	15	-
46	Franklin	92	-	-	-	1	2	5	-	-	1	-	-	12	-
47	Fulton	49	-	-	-	-	-	5	-	-	-	-	-	5	-
48	Garland	473	-	-	-	-	1	30	-	1	2	1	-	54	-
49	Hot Springs	381	-	-	-	-	1	28	-	1	2	-	-	47	-
50	Balance of county	92	-	-	-	-	-	2	-	-	-	1	-	7	-
51	Grant	59	-	-	-	-	-	2	-	-	-	-	-	9	-
52	Greene	198	-	-	-	-	-	9	-	-	1	-	1	26	-
53	Hempstead	218	-	-	-	1	1	13	1	-	2	-	-	29	-
54	Hot Spring	150	-	-	-	2	-	4	1	-	1	-	-	23	-
55	Howard	87	-	-	-	-	-	4	-	-	-	-	-	12	-
56	Independence	185	-	-	-	-	1	9	-	-	-	-	-	20	-
57	Izard	66	-	-	-	-	-	4	-	-	-	-	-	9	-
58	Jackson	172	-	-	-	-	-	11	-	-	1	-	-	16	-
59	Jefferson	607	-	1	-	2	2	29	1	3	1	-	-	48	-
60	Pine Bluff	352	-	1	-	-	-	16	-	1	1	-	-	32	-
61	Balance of county	255	-	-	-	2	2	13	1	2	-	-	-	16	-
62	Johnson	137	1	-	-	-	-	3	-	-	1	-	-	22	-
63	Lafayette	95	-	-	-	-	2	6	-	1	2	-	-	8	-
64	Lawrence	151	-	-	-	1	-	10	-	-	1	-	-	14	-
65	Lee	169	1	-	-	1	1	14	-	-	-	-	-	7	1
66	Lincoln	93	-	-	-	-	-	3	-	2	1	-	-	12	-
67	Little River	84	-	-	-	-	-	1	-	1	2	-	-	8	1
68	Logan	149	-	-	-	-	-	24	-	-	-	-	-	17	-
69	Lonoke	201	-	-	-	-	-	6	-	-	5	1	-	15	-
70	Madison	73	-	-	-	-	-	1	-	-	-	-	-	3	-
71	Marion	50	-	1	-	-	-	5	-	-	-	-	-	3	-
72	Miller	229	-	-	-	-	3	13	-	1	3	-	-	30	-
73	Texarkana[1]	145	-	-	-	-	1	7	-	1	3	-	-	16	-
74	Balance of county	84	-	-	-	-	2	6	-	-	-	-	-	14	-
75	Mississippi	571	-	1	-	-	7	34	2	1	5	-	2	47	-
76	Blytheville	161	-	-	-	-	1	5	-	-	4	-	1	10	-
77	Balance of county	410	-	1	-	-	6	29	2	1	1	-	1	37	-
78	Monroe	146	-	-	-	-	-	7	2	-	-	-	-	6	-
79	Montgomery	37	-	-	-	1	-	2	-	-	-	-	1	4	-
80	Nevada	112	-	-	-	-	3	3	1	-	1	-	-	10	-
81	Newton	33	-	-	-	-	-	3	1	-	-	-	-	7	-
82	Ouachita	265	-	-	-	1	-	17	-	-	2	-	-	24	-
83	Perry	46	-	-	-	-	-	2	-	-	-	-	-	5	-
84	Phillips	463	2	1	-	2	1	29	-	6	5	-	-	38	1
85	Pike	38	-	-	-	-	-	2	1	-	1	-	-	4	-
86	Poinsett	210	-	2	-	-	3	16	1	-	2	1	-	16	-
87	Polk	118	2	-	-	2	1	12	2	-	1	-	-	11	-
88	Pope	146	-	1	-	-	2	4	3	1	-	-	-	15	-
89	Prairie	70	-	-	-	-	1	2	-	1	-	-	-	6	-

[1] Includes data for Texarkana, Ark., only.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
57	1	339	1,191	422	249	243	40	382	62	46	219	425	308	635	1
2	-	6	10	21	17	4	1	11	4	2	4	13	35	14	2
7	-	25	91	20	8	20	1	23	5	3	13	29	6	39	3
2	-	8	17	14	19	4	1	14	1	-	4	21	18	14	4
2	-	15	59	18	8	7	3	13	5	3	4	17	17	28	5
-	-	3	25	7	-	-	-	6	-	-	3	6	1	12	6
-	-	8	12	9	1	2	-	7	-	-	1	6	6	6	7
38	-	148	527	171	80	111	14	158	23	22	89	177	77	273	8
29	-	91	311	86	40	65	9	83	12	12	60	71	23	181	9
9	-	57	216	85	40	46	5	75	11	10	29	106	54	92	10
-	-	2	25	5	2	5	-	6	1	2	11	11	4	6	11
3	-	8	21	27	40	8	5	28	-	2	3	16	36	28	12
13	1	63	197	68	31	30	5	56	9	2	46	63	24	116	13
10	-	49	149	54	22	24	2	43	7	1	26	30	8	80	14
3	1	14	48	14	9	6	3	13	2	1	20	33	16	36	15
8	-	13	63	25	18	19	6	28	4	5	18	27	44	23	16
3	-	3	15	8	8	4	-	3	2	1	3	3	3	15	17
5	-	12	74	13	11	15	1	8	3	2	5	9	31	26	18
4	-	25	55	16	6	14	3	21	5	2	15	27	6	35	19
205	39	1,429	3,195	1,009	152	1,206	116	657	108	131	271	893	743	1,801	20
1	-	9	26	12	2	12	2	4	-	2	6	8	11	29	21
2	2	16	33	15	5	11	3	11	-	1	1	12	15	18	22
-	-	6	11	7	-	5	-	3	1	-	1	3	7	10	23
7	-	44	96	19	4	17	3	13	1	-	1	13	20	61	24
4	-	18	19	9	-	10	-	5	1	-	-	6	8	12	25
1	-	11	29	9	-	6	1	5	1	3	3	12	8	15	26
2	1	8	9	1	-	1	-	1	-	-	3	1	1	4	27
-	1	14	28	14	-	11	-	4	-	1	1	4	4	12	28
1	-	13	43	5	4	18	2	6	-	3	4	5	24	31	29
2	-	25	43	13	1	28	-	4	1	1	6	8	9	20	30
5	-	20	31	16	-	17	1	8	-	-	-	18	12	20	31
2	-	5	13	4	-	9	-	6	2	-	2	6	2	8	32
-	-	8	15	6	1	5	-	3	3	-	-	5	7	9	33
1	-	21	41	18	3	7	3	10	1	3	2	13	5	18	34
2	-	7	38	10	-	13	-	7	3	1	5	20	12	24	35
3	-	26	94	16	5	21	6	26	4	2	6	20	21	34	36
-	-	14	46	4	-	5	1	12	2	2	1	6	10	17	37
3	-	12	48	12	5	16	5	14	2	-	5	14	11	17	38
6	1	20	40	13	1	9	-	7	-	-	4	13	2	21	39
4	-	48	61	32	4	29	8	16	1	7	17	18	31	51	40
1	1	5	26	8	3	20	-	8	1	-	2	7	8	15	41
-	2	8	20	7	1	15	1	2	1	-	2	5	3	10	42
3	-	21	28	7	-	21	1	5	-	5	5	7	14	33	43
-	-	12	26	11	3	10	2	6	3	3	-	5	7	17	44
4	2	12	40	17	-	14	1	8	3	1	3	8	12	28	45
1	1	11	16	8	1	6	-	2	1	-	3	5	5	11	46
2	-	2	9	3	-	2	1	4	1	-	-	4	2	9	47
10	1	45	124	30	2	52	2	19	5	3	6	23	8	54	48
8	-	36	100	23	2	39	2	16	3	3	4	14	6	46	49
2	1	9	24	7	-	13	-	3	2	-	2	9	2	8	50
-	1	11	11	5	-	5	-	3	-	-	-	6	1	5	51
2	-	17	44	16	-	30	1	10	1	-	5	11	7	17	52
5	1	23	37	18	2	16	6	6	3	1	4	9	11	29	53
1	-	25	28	9	2	8	3	8	2	-	2	11	4	16	54
2	-	9	22	6	-	6	-	3	-	-	1	5	1	16	55
1	-	19	53	17	2	20	2	11	1	1	3	4	7	14	56
-	-	8	12	4	1	8	-	2	-	1	-	7	3	7	57
4	-	6	41	22	3	14	1	9	1	1	3	17	6	16	58
11	6	50	121	46	5	66	5	23	2	9	10	51	37	78	59
7	2	28	79	17	3	40	3	16	-	5	10	33	14	44	60
4	4	22	42	29	2	26	2	7	2	4	-	18	23	34	61
1	-	14	25	11	-	10	-	14	2	1	4	11	1	16	62
1	1	11	28	4	-	3	-	3	-	2	2	9	2	10	63
2	-	10	45	14	2	3	2	6	1	1	2	7	6	24	64
1	1	25	36	8	-	4	1	4	1	4	1	12	19	27	65
1	2	7	18	5	-	6	-	1	-	1	-	10	7	17	66
1	-	7	26	5	1	1	-	1	1	-	3	7	4	14	67
3	-	15	35	6	1	6	1	5	5	-	3	11	6	11	68
1	-	19	39	19	5	22	2	15	2	1	3	14	9	23	69
-	-	2	16	7	1	7	-	2	-	1	1	14	5	13	70
1	-	8	10	1	1	3	-	6	-	1	2	3	1	4	71
5	-	21	35	10	-	12	1	19	2	5	6	17	12	34	72
4	-	13	22	7	-	10	1	14	-	2	3	10	9	22	73
1	-	8	13	3	-	2	-	5	2	3	3	7	3	12	74
8	-	58	93	38	7	44	6	32	4	6	11	50	36	79	75
1	-	19	33	6	3	6	2	6	1	3	3	17	15	25	76
7	-	39	60	32	4	38	4	26	3	3	8	33	21	54	77
2	-	13	37	17	2	8	1	9	1	3	6	12	4	16	78
-	1	2	10	2	1	2	-	-	-	-	1	1	5	4	79
1	-	25	19	9	1	6	-	-	2	3	4	7	6	11	80
-	-	4	6	2	-	1	2	-	-	1	1	3	1	1	81
5	-	25	55	23	7	28	1	11	1	8	3	8	15	31	82
-	1	9	11	-	-	4	1	-	1	-	-	3	1	8	83
6	-	35	84	29	5	55	9	16	3	9	7	21	48	51	84
-	-	2	5	4	-	4	-	5	-	-	-	3	2	5	85
2	-	21	35	19	4	10	5	28	-	-	6	15	11	13	86
2	-	8	27	8	3	6	-	5	1	-	1	3	10	13	87
3	-	14	27	11	-	15	-	5	2	-	1	6	15	21	88
-	-	4	14	7	-	4	1	3	-	-	3	12	4	8	89

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	ARKANSAS—Continued														
1	Pulaski	2,246	-	6	-	-	3	124	1	8	96	-	2	201	2
2	Little Rock	1,651	-	4	-	-	1	84	1	2	86	-	1	147	2
3	North Little Rock	176	-	-	-	-	2	11	-	1	-	-	-	9	-
4	Balance of county	419	-	2	-	-	-	29	-	5	10	-	1	45	-
5	Randolph	103	-	-	-	-	3	3	-	-	-	-	-	13	-
6	St. Francis	283	1	1	-	1	1	16	1	-	5	-	-	35	1
7	Saline	211	-	-	-	-	1	54	-	-	5	-	-	10	-
8	Scott	38	-	-	-	-	-	4	-	-	1	-	1	3	-
9	Searcy	77	-	-	-	-	-	3	2	-	-	-	-	11	-
10	Sebastian	461	-	2	-	2	1	24	1	-	3	-	-	62	2
11	Fort Smith	355	-	1	-	2	1	11	1	-	3	-	-	47	2
12	Balance of county	106	-	1	-	-	-	13	-	-	-	-	-	15	-
13	Sevier	114	-	-	-	-	1	7	-	-	-	1	-	18	2
14	Sharp	58	-	-	-	-	-	1	1	-	-	-	1	5	-
15	Stone	47	1	1	-	1	-	4	1	-	-	-	-	4	-
16	Union	300	-	2	-	-	-	9	2	5	1	-	2	34	1
17	El Dorado	138	-	2	-	-	-	3	1	4	-	-	-	17	-
18	Balance of county	162	-	-	-	-	-	6	1	1	1	-	2	17	1
19	Van Buren	77	-	-	-	1	2	1	-	-	-	-	-	11	-
20	Washington	353	-	-	-	1	-	12	4	-	2	-	1	36	-
21	White	233	-	-	1	-	1	13	-	-	-	1	-	24	-
22	Woodruff	125	-	-	-	-	-	12	1	-	-	-	-	14	-
23	Yell	92	-	-	-	-	2	8	-	-	1	-	-	12	-
24	CALIFORNIA	92,569	21	127	20	79	105	3,827	41	3	1,120	38	56	12,214	45
25	Alameda	7,039	1	17	-	5	2	239	3	-	55	4	10	965	4
26	Alameda	439	-	2	-	-	-	8	-	-	3	-	1	62	1
27	Albany	102	-	-	-	-	-	-	-	-	1	-	-	18	-
28	Berkeley	990	-	-	-	-	-	21	-	-	6	-	-	168	-
29	Oakland	4,227	-	10	-	2	1	158	1	-	39	3	6	571	3
30	San Leandro	229	-	1	-	-	-	3	-	-	1	-	1	33	-
31	Balance of county	1,052	1	4	-	3	1	49	2	-	5	1	2	113	-
32	Alpine	5	-	-	-	-	-	-	-	-	-	-	-	1	-
33	Amador	110	-	-	-	-	-	8	-	-	2	-	-	7	-
34	Butte	578	-	2	-	-	1	20	-	-	3	-	1	78	-
35	Calaveras	86	-	-	-	-	-	6	-	-	2	-	-	9	-
36	Colusa	137	-	-	-	-	-	2	-	-	1	-	-	15	-
37	Contra Costa	1,472	-	4	1	3	3	51	4	-	12	3	3	175	1
38	Richmond	628	-	3	-	2	1	23	1	-	8	2	3	66	1
39	Balance of county	844	-	1	1	1	2	28	3	-	4	1	-	109	-
40	Del Norte	61	-	-	-	1	-	1	-	-	-	-	-	8	-
41	El Dorado	126	-	-	-	-	-	1	-	-	2	-	-	21	-
42	Fresno	2,066	-	5	1	1	5	103	2	-	18	1	2	262	1
43	Fresno	998	-	4	1	-	2	59	-	-	15	-	2	129	1
44	Balance of county	1,068	-	1	-	1	3	44	2	-	3	1	-	133	-
45	Glenn	139	-	-	-	-	-	7	-	-	-	-	-	22	-
46	Humboldt	548	1	1	-	-	-	14	-	-	1	1	-	79	-
47	Eureka	272	-	-	-	-	-	10	-	-	-	-	-	42	-
48	Balance of county	276	1	1	-	-	-	4	-	-	1	1	-	37	-
49	Imperial	490	-	2	-	2	-	32	2	-	5	3	-	31	-
50	Brawley	117	-	-	-	2	-	9	-	-	2	2	-	8	-
51	El Centro	96	-	1	-	-	-	7	-	-	1	-	-	7	-
52	Balance of county	277	-	1	-	-	-	16	2	-	2	1	-	16	-
53	Inyo	118	1	-	-	-	-	7	-	-	2	-	-	12	-
54	Kern	1,426	-	5	1	4	8	68	1	-	8	1	2	169	-
55	Bakersfield	474	-	3	-	1	-	16	-	-	2	-	1	59	-
56	Balance of county	952	-	2	1	3	8	52	1	-	6	1	1	110	-
57	Kings	350	-	-	-	-	1	18	-	-	-	-	1	41	1
58	Lake	107	-	-	-	-	1	2	-	-	-	-	1	14	-
59	Lassen	129	-	-	-	-	1	5	-	-	1	-	-	14	-
60	Los Angeles	36,648	12	29	7	25	16	1,424	8	-	426	9	14	5,217	16
61	Alhambra	465	-	-	-	-	-	9	1	-	1	-	-	79	-
62	Bell	115	1	-	-	-	-	1	-	-	1	-	-	16	-
63	Belvedere (twp.)[2]	290	-	-	-	-	-	37	-	-	4	-	-	31	-
64	Beverly Hills	218	-	-	-	-	-	4	-	-	1	-	-	38	-
65	Burbank	421	-	-	-	2	1	8	-	-	2	-	2	55	-
66	Compton	240	-	-	-	-	-	2	-	-	2	-	1	29	-
67	Glendale	991	-	1	-	1	-	26	-	-	4	-	1	165	-
68	Huntington Park	308	-	-	-	-	1	5	-	-	1	-	-	51	-
69	Inglewood	378	-	-	-	-	-	3	-	-	3	-	-	48	1
70	Long Beach	2,427	-	2	1	1	1	42	-	-	15	1	-	340	3
71	Los Angeles	20,284	8	22	6	13	11	880	5	-	248	4	8	2,948	8
72	Lynwood	117	-	-	-	-	-	1	-	-	1	-	-	10	-
73	Maywood	105	-	-	-	-	-	1	-	-	1	-	-	17	-
74	Monrovia	185	1	-	-	-	1	18	-	-	3	1	-	19	-
75	Pasadena	1,314	-	1	-	-	-	34	-	-	10	-	-	200	1
76	Pomona	346	-	-	-	1	-	6	-	-	-	1	-	49	-
77	Redondo Beach	191	-	1	-	-	-	3	-	-	2	-	-	25	-
78	San Gabriel	158	-	-	-	-	-	5	-	-	1	-	-	25	-
79	Santa Monica	683	-	-	-	-	-	17	-	-	2	-	1	94	-
80	South Gate	256	-	-	-	1	-	9	-	-	2	-	-	58	-
81	South Pasadena	190	-	-	-	-	-	2	-	-	2	-	-	26	-
82	Whittier	238	-	-	-	-	-	3	-	-	2	-	-	40	-
83	Balance of county	6,728	2	2	-	6	1	308	2	-	118	2	1	854	3
84	Madera	267	-	-	-	1	-	19	1	-	2	-	-	27	-
85	Marin	673	-	2	-	-	-	27	-	-	11	-	-	86	-
86	Mariposa	49	-	-	-	1	-	-	-	-	-	-	-	7	-
87	Mendocino	456	-	-	1	-	-	21	-	-	15	-	-	22	-

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
32	6	233	551	135	24	184	10	80	11	20	39	113	80	285	1
24	4	178	415	94	12	140	6	39	9	14	24	70	67	227	2
1	1	12	51	10	2	18	1	16	-	3	7	12	1	18	3
7	1	43	85	31	10	26	3	25	2	3	8	31	12	40	4
1	-	10	15	7	2	15	-	6	-	-	4	11	6	7	5
1	-	22	54	19	2	18	7	7	2	3	4	23	24	35	6
1	-	22	37	6	3	17	1	11	3	1	6	10	4	19	7
-	-	7	3	2	2	5	-	-	-	-	-	2	3	5	8
2	-	7	16	4	-	6	1	3	-	-	1	4	4	13	9
5	2	37	133	18	4	30	1	27	4	1	12	22	6	62	10
5	2	31	105	15	3	26	-	19	1	1	6	18	4	51	11
-	-	6	28	3	1	4	1	8	3	-	6	4	2	11	12
2	-	11	18	7	3	13	1	6	1	-	3	6	2	12	13
2	-	5	15	6	-	8	-	1	-	1	-	2	4	6	14
2	-	1	10	2	-	1	1	1	1	-	1	2	3	10	15
5	1	30	62	31	3	34	2	11	2	4	7	18	4	30	16
2	1	10	30	12	3	17	-	3	2	3	4	8	1	15	17
3	-	20	32	19	-	17	2	8	-	1	3	10	3	15	18
1	-	10	16	3	2	6	3	1	1	-	2	3	6	8	19
8	-	41	102	17	5	29	1	15	7	1	6	20	6	39	20
4	1	17	56	22	2	15	-	8	2	4	2	18	17	25	21
1	2	6	20	13	3	11	-	15	-	-	2	8	4	13	22
2	1	8	23	5	1	8	-	7	1	-	-	2	5	6	23
1,931	16	7,368	29,679	3,997	574	4,180	298	4,257	1,410	498	3,548	4,456	540	12,121	24
157	2	572	2,368	338	25	388	21	329	94	43	188	350	21	838	25
12	-	40	160	18	-	16	3	31	8	2	5	27	3	37	26
-	-	6	37	7	1	8	-	5	-	1	2	5	-	11	27
20	-	93	326	36	1	60	3	52	10	5	21	49	-	119	28
98	2	323	1,476	204	15	222	11	182	61	33	102	166	14	524	29
7	-	19	72	11	1	16	1	15	-	-	8	7	-	33	30
20	-	91	297	62	7	66	3	44	15	2	50	96	4	114	31
-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	32
2	-	12	40	6	-	3	1	1	-	1	6	6	-	15	33
8	1	79	189	18	3	28	2	24	9	3	14	32	11	52	34
1	-	5	36	1	1	5	-	1	1	-	4	4	-	10	35
4	-	10	40	5	1	24	-	-	2	-	6	8	2	17	36
24	-	103	355	93	11	87	12	127	30	10	89	101	6	164	37
9	-	39	145	37	4	33	6	74	11	7	48	45	3	57	38
15	-	64	210	56	7	54	6	53	19	3	41	56	3	107	39
2	-	5	19	2	-	2	-	2	-	-	6	5	2	6	40
3	-	16	47	4	1	5	-	5	-	-	3	4	-	14	41
39	1	146	589	103	42	101	15	126	26	7	118	136	8	208	42
25	1	70	315	42	8	48	6	46	14	4	44	53	3	106	43
14	-	76	274	61	34	53	9	80	12	3	74	83	5	102	44
-	-	13	50	5	-	3	-	2	1	-	5	10	7	14	45
10	-	57	200	11	-	22	2	14	7	2	18	45	6	57	46
3	-	36	106	6	-	5	1	7	2	-	7	12	2	33	47
7	-	21	94	5	-	17	1	7	5	2	11	33	4	24	48
3	-	24	98	40	23	12	3	40	10	5	40	46	12	57	49
-	-	5	18	10	10	3	-	12	1	2	5	10	2	16	50
-	-	4	23	4	4	2	2	11	4	2	5	5	-	14	51
3	-	15	57	26	9	7	1	17	5	1	30	31	10	27	52
3	-	5	29	4	-	6	3	6	3	2	9	9	1	16	53
18	-	87	369	70	29	42	7	93	16	7	130	107	14	170	54
8	-	32	126	23	12	19	2	33	5	3	33	30	4	62	55
10	-	55	243	47	17	23	5	60	11	4	97	77	10	108	56
8	-	39	93	15	5	8	3	23	5	4	15	16	5	49	57
1	-	10	35	3	1	3	-	5	2	-	5	5	2	17	58
1	-	6	37	7	-	6	1	10	2	2	7	10	-	19	59
835	4	2,956	12,212	1,404	161	1,628	111	1,595	564	172	1,188	1,323	122	5,170	60
4	-	44	177	21	1	17	2	14	4	1	12	17	2	59	61
4	-	16	32	2	-	5	-	7	3	-	6	4	1	16	62
6	-	10	70	28	4	14	3	14	3	6	16	3	-	41	63
3	-	16	88	2	-	14	-	3	1	1	2	9	2	34	64
17	-	31	130	14	1	26	1	38	10	-	14	12	1	56	65
8	-	14	71	16	1	21	1	16	3	-	8	10	1	36	66
20	-	95	361	28	3	41	1	42	15	3	29	37	4	114	67
9	-	32	108	8	-	13	1	13	5	1	9	14	3	34	68
7	-	38	158	14	-	17	1	21	5	-	7	9	-	46	69
41	-	206	854	75	12	98	10	128	29	12	82	106	12	356	70
467	2	1,550	6,464	812	101	887	65	874	315	112	648	740	69	3,017	71
3	-	12	47	2	3	7	-	8	1	1	2	5	-	14	72
4	-	6	34	3	-	7	2	3	6	1	5	3	-	12	73
2	-	15	59	7	1	7	2	7	4	-	4	8	-	26	74
30	-	157	460	52	2	53	3	34	19	4	33	36	8	177	75
10	-	34	103	18	2	16	3	15	7	1	17	14	1	48	76
12	-	11	64	10	-	12	-	1	4	2	11	7	1	25	77
5	-	8	59	8	-	12	-	10	-	1	2	9	1	12	78
20	-	73	260	17	1	23	1	31	15	2	18	23	2	83	79
4	-	16	70	14	1	11	1	13	8	1	8	8	1	30	80
1	-	21	73	3	-	9	-	7	5	-	6	6	-	29	81
9	-	26	69	5	1	33	-	8	2	2	7	5	-	26	82
149	2	525	2,401	245	27	285	14	288	100	21	242	238	13	879	83
8	-	24	59	18	-	15	1	17	1	5	21	14	2	32	84
13	-	54	230	17	2	24	2	34	10	7	25	31	2	97	85
-	-	5	19	3	-	1	-	2	-	-	1	4	1	5	86
9	-	64	139	18	4	13	1	10	8	1	10	23	4	93	87

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliocencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	CALIFORNIA—Con.														
1	Merced	472	-	-	-	1	2	25	2	-	4	-	1	65	-
2	Merced	98	-	-	-	1	-	8	1	-	2	-	-	12	-
3	Balance of county	374	-	-	-	-	2	17	1	-	2	-	1	53	-
4	Modoc	190	-	1	-	-	-	15	-	-	-	-	-	30	1
5	Mono	18	-	-	-	1	-	1	-	-	-	-	-	2	-
6	Monterey	814	-	6	-	1	1	44	1	-	13	1	-	91	-
7	Monterey	107	-	3	-	-	-	5	-	-	3	-	-	19	-
8	Salinas	141	-	-	-	-	-	8	-	-	2	-	-	18	-
9	Balance of county	566	-	3	-	1	1	31	1	-	8	1	-	54	-
10	Napa	919	-	1	-	-	-	61	-	-	45	2	1	83	-
11	Nevada	166	-	-	-	-	-	5	-	-	1	-	-	20	-
12	Orange	1,826	1	1	-	1	6	60	4	-	11	1	-	216	1
13	Anaheim	142	-	-	-	-	-	5	-	-	2	-	-	17	-
14	Fullerton	119	1	-	-	-	-	2	-	-	-	-	-	13	-
15	Santa Ana	445	-	-	-	-	2	13	1	-	2	-	-	52	-
16	Balance of county	1,120	-	1	-	1	4	40	3	-	7	1	-	134	1
17	Placer	371	-	-	-	1	2	42	-	-	3	-	-	50	-
18	Plumas	103	-	-	-	-	-	2	-	-	1	-	-	17	-
19	Riverside	1,380	-	3	-	4	3	82	2	1	9	1	1	167	1
20	Riverside	530	-	2	-	1	1	9	1	-	3	-	1	70	1
21	Balance of county	850	-	1	-	3	2	73	1	1	6	1	-	97	-
22	Sacramento	2,255	1	4	-	-	5	102	1	-	18	1	2	279	-
23	Sacramento	1,621	1	2	-	-	5	79	1	-	11	-	-	223	-
24	Balance of county	634	-	2	-	-	-	23	-	-	7	1	2	56	-
25	San Benito	125	-	1	-	-	1	2	-	-	2	-	-	11	-
26	San Bernardino	2,503	-	4	-	3	2	168	1	-	67	-	1	259	2
27	Ontario	168	-	2	-	-	1	5	-	-	-	-	-	20	-
28	Redlands	186	-	-	-	-	-	3	-	-	2	-	-	14	-
29	San Bernardino	767	-	1	-	-	-	56	1	-	8	-	-	98	2
30	Balance of county	1,382	-	1	-	3	1	104	-	-	57	-	1	127	-
31	San Diego	4,217	-	6	5	5	9	139	3	-	23	5	2	517	4
32	National City	184	-	-	-	-	1	5	-	-	1	-	-	26	-
33	San Diego	2,731	-	5	4	2	6	94	2	-	15	2	2	340	3
34	Balance of county	1,302	-	1	1	3	2	40	1	-	7	3	-	151	1
35	San Francisco, coextensive with San Francisco (city)	9,362	1	15	2	2	9	448	1	2	91	2	5	1,422	5
36	San Joaquin	2,262	1	-	-	4	3	125	-	-	81	-	-	243	1
37	Lodi	180	-	-	-	1	1	5	-	-	-	-	-	29	-
38	Stockton	821	-	-	-	2	-	47	-	-	5	-	-	96	1
39	Balance of county	1,261	1	-	-	1	2	73	-	-	76	-	-	118	-
40	San Luis Obispo	464	-	1	-	-	1	7	-	-	5	-	1	49	-
41	San Mateo	1,316	-	2	-	2	1	55	1	-	30	-	-	163	-
42	Burlingame	141	-	1	-	1	-	3	-	-	-	-	-	25	-
43	Redwood City	176	-	-	-	-	-	6	-	-	-	-	-	27	-
44	San Mateo	263	-	-	-	-	-	8	-	-	2	-	-	46	-
45	Balance of county	736	-	1	-	1	1	38	1	-	28	-	-	85	-
46	Santa Barbara	826	-	3	-	-	-	39	-	-	14	-	-	121	1
47	Santa Barbara	455	-	2	-	-	-	14	-	-	10	-	-	72	-
48	Balance of county	371	-	1	-	-	-	25	-	-	4	-	-	49	1
49	Santa Clara	2,701	1	3	-	2	6	90	1	-	58	1	3	296	1
50	Palo Alto	258	-	-	-	-	1	5	-	-	2	-	2	34	-
51	San Jose	876	1	1	-	-	2	27	-	-	9	-	1	107	-
52	Balance of county	1,567	-	2	-	2	3	58	1	-	47	1	-	155	1
53	Santa Cruz	755	-	1	-	-	-	19	-	-	9	-	-	90	-
54	Santa Cruz	316	-	-	-	-	-	3	-	-	2	-	-	38	-
55	Balance of county	439	-	1	-	-	-	16	-	-	7	-	-	52	-
56	Shasta	279	-	-	-	1	3	5	1	-	3	-	-	31	-
57	Sierra	28	-	-	-	-	-	1	-	-	1	-	-	6	-
58	Siskiyou	315	-	-	-	-	-	8	-	-	1	-	1	43	-
59	Solano	768	-	2	-	-	3	21	1	-	3	-	1	83	-
60	Vallejo	338	-	2	-	-	-	10	-	-	1	-	1	42	-
61	Balance of county	430	-	-	-	-	3	11	1	-	2	-	-	41	-
62	Sonoma	1,050	-	-	-	2	-	35	-	-	14	-	1	123	-
63	Santa Rosa	225	-	-	-	-	-	5	-	-	2	-	-	32	-
64	Balance of county	825	-	-	-	2	-	30	-	-	12	-	1	91	-
65	Stanislaus	877	-	2	-	2	2	28	-	-	3	-	-	103	2
66	Modesto	325	-	2	-	2	-	8	-	-	3	-	-	41	-
67	Balance of county	552	-	-	-	-	2	20	-	-	-	-	-	62	2
68	Sutter	200	-	-	-	-	1	10	-	-	1	1	-	23	-
69	Tehama	184	-	-	-	-	-	3	-	-	-	-	1	23	-
70	Trinity	38	-	-	-	-	-	5	-	-	-	-	-	6	-
71	Tulare	1,038	1	3	1	3	5	38	1	-	5	-	-	119	2
72	Tuolumne	165	-	-	1	-	-	5	-	-	-	-	1	16	-
73	Ventura	925	-	-	-	1	2	40	-	-	33	1	-	78	1
74	San Buenaventura	131	-	-	-	-	-	1	-	-	-	-	-	12	-
75	Balance of county	794	-	-	-	1	2	39	-	-	33	1	-	66	1
76	Yolo	333	-	-	-	-	-	15	-	-	3	-	-	33	-
77	Yuba	244	-	1	-	-	-	7	-	-	2	-	-	34	-
78	COLORADO	12,389	8	12	9	24	24	426	18	1	99	1	14	1,485	12
79	Adams	240	-	1	-	-	-	20	-	-	3	-	1	44	-
80	Alamosa	87	-	-	-	2	1	3	-	-	-	-	-	10	1
81	Arapahoe	337	-	-	2	-	1	10	-	-	1	-	1	47	-
82	Archuleta	31	1	-	-	1	-	-	-	-	-	-	-	2	-
83	Baca	47	-	-	-	-	1	-	-	-	-	-	-	5	-
84	Bent	80	-	-	-	-	-	1	-	-	7	-	-	10	-
85	Boulder	389	-	-	-	-	-	16	-	-	3	-	-	55	1
86	Boulder	203	-	-	-	-	-	14	-	-	2	-	-	34	-
87	Balance of county	186	-	-	-	-	-	2	-	-	1	-	-	21	1
88	Chaffee	113	-	-	-	1	-	2	-	-	1	-	-	8	-
89	Cheyenne	23	-	-	1	-	-	-	-	-	-	-	-	5	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
14	-	33	131	16	13	21	4	37	6	3	18	33	4	39	1
2	-	8	25	4	2	5	3	12	1	1	1	5	-	5	2
12	-	25	106	12	11	16	1	25	5	2	17	28	4	34	3
5	-	25	40	11	2	5	-	10	3	1	6	12	-	23	4
-	-	1	3	-	-	1	-	1	-	-	2	3	1	2	5
15	-	63	224	44	9	32	4	33	12	5	52	61	7	95	6
2	-	7	33	6	-	6	1	4	2	-	1	4	-	11	7
4	-	8	45	7	1	7	-	9	-	1	9	8	-	14	8
9	-	48	146	31	8	19	3	20	10	4	42	49	7	70	9
17	1	61	315	49	-	50	-	12	13	1	16	34	21	136	10
2	-	17	51	4	-	14	-	6	4	-	5	13	2	22	11
47	2	171	527	77	11	91	4	104	35	6	92	122	18	217	12
3	-	16	37	4	1	9	-	8	2	-	8	7	-	23	13
4	-	5	43	1	2	10	-	10	1	-	4	8	-	15	14
10	-	43	141	24	3	27	-	26	5	2	12	19	10	53	15
30	2	107	306	48	5	45	4	60	27	4	68	88	8	126	16
8	-	27	107	11	-	17	1	12	2	1	10	26	6	45	17
-	-	3	29	4	-	2	-	5	3	2	8	7	2	18	18
24	-	105	415	64	22	65	4	61	15	6	80	93	9	143	19
9	-	56	180	24	3	21	3	37	2	1	18	23	2	62	20
15	-	49	235	40	19	44	1	24	13	5	62	70	7	81	21
55	-	175	859	82	14	75	2	93	32	21	88	100	10	236	22
43	-	126	614	55	9	58	2	63	20	18	45	61	7	178	23
12	-	49	245	27	5	17	-	30	12	3	43	39	3	58	24
3	-	6	40	6	3	3	1	2	2	3	7	5	1	26	25
32	-	166	732	138	15	101	6	109	29	17	120	148	18	365	26
1	-	12	47	10	1	12	2	12	2	-	8	8	1	24	27
7	-	24	66	10	1	5	-	15	2	-	6	6	1	24	28
8	-	55	210	44	3	33	4	37	11	6	29	37	3	121	29
16	-	75	409	74	10	51	-	45	14	11	77	97	13	196	30
71	1	336	1,239	209	17	287	16	281	76	13	220	215	39	479	31
2	-	8	52	13	1	7	1	18	2	-	10	10	3	24	32
56	1	216	822	140	10	182	11	195	46	11	113	121	25	307	33
13	-	112	365	56	6	98	4	68	28	2	97	84	11	148	34
181	1	633	3,206	447	15	372	18	311	165	66	207	508	19	1,198	35
50	1	196	598	148	28	87	11	70	43	26	100	134	21	291	36
9	-	17	44	6	1	9	-	9	4	2	5	10	1	27	37
15	-	65	245	50	8	38	6	24	20	12	31	52	2	102	38
26	1	114	309	92	19	40	5	37	19	12	64	72	18	162	39
11	-	24	149	9	2	32	2	35	9	4	38	36	4	45	40
24	1	118	453	45	3	48	6	57	25	3	62	46	8	143	41
5	-	15	43	3	1	7	4	7	3	-	3	4	-	16	42
1	-	24	64	6	-	5	1	8	1	-	9	7	2	15	43
6	1	20	99	7	-	7	-	10	7	1	9	7	-	33	44
12	-	59	247	29	2	29	1	32	14	2	41	28	6	79	45
20	-	55	227	28	12	28	4	44	7	1	40	59	9	114	46
8	-	44	119	18	5	13	2	24	4	1	14	25	3	77	47
12	-	11	108	10	7	15	2	20	3	-	26	34	6	37	48
60	1	277	916	70	18	104	7	90	33	9	116	90	9	439	49
6	1	20	103	10	-	9	-	6	3	-	14	12	-	30	50
20	-	105	292	27	3	48	6	37	8	1	34	30	4	113	51
34	-	152	521	33	15	47	1	47	22	8	68	48	5	296	52
25	-	70	261	20	5	32	2	30	14	2	30	32	9	104	53
16	-	39	133	6	1	12	-	9	3	-	9	7	2	36	54
9	-	31	128	14	4	20	2	21	11	2	21	25	7	68	55
1	-	19	90	13	-	14	1	15	5	2	12	28	4	31	56
1	-	-	10	-	-	-	-	1	-	-	1	2	1	4	57
12	-	20	98	10	3	18	-	12	6	2	11	26	-	44	58
10	-	46	206	36	11	35	2	99	8	5	56	43	7	90	59
3	-	13	99	13	7	16	-	54	3	3	14	15	2	40	60
7	-	33	107	23	4	19	2	45	5	2	42	28	5	50	61
21		77	384	71	4	44	3	40	12	2	19	46	19	133	62
11	-	19	87	3	1	7	1	8	-	-	8	8	3	30	63
10	-	58	297	68	3	37	2	32	12	2	11	38	16	103	64
18	-	76	243	32	14	67	3	39	10	2	51	49	25	106	65
8	-	31	95	7	7	24	1	11	4	1	10	16	5	49	66
10	-	45	148	25	7	43	2	28	6	1	41	33	20	57	67
4	-	12	73	10	2	3	-	9	2	4	14	8	1	22	68
3	-	34	61	3	-	5	1	8	5	-	7	9	3	18	69
1	-	4	12	-	-	1	-	2	-	-	4	-	-	3	70
13	-	85	259	47	23	44	8	99	18	7	53	59	7	138	71
2	-	15	69	6	-	13	1	2	5	-	8	6	-	15	72
13	-	76	226	77	13	29	1	41	13	6	46	68	16	144	73
4	-	16	37	9	-	2	-	8	1	-	7	12	3	19	74
9	-	60	189	68	13	27	1	33	12	6	39	56	13	125	75
9	-	38	92	11	3	8	1	14	5	4	27	20	11	39	76
1	-	12	80	13	3	6	-	7	2	3	14	25	1	33	77
200	2	1,001	3,268	890	211	811	56	659	128	52	310	722	236	1,710	78
4	-	13	46	16	9	14	-	14	3	-	13	10	2	27	79
-	-	4	21	6	12	6	-	6	-	-	-	4	-	11	80
2	-	21	82	21	1	16	1	26	8	3	13	25	6	50	81
1	-	1	5	-	-	3	-	6	-	-	-	1	3	7	82
2	-	5	14	-	1	3	-	6	-	-	1	4	1	4	83
1	-	6	23	3	5	4	-	5	-	-	2	2	-	11	84
3	-	38	108	17	2	25	3	18	4	1	10	21	5	59	85
-	-	21	57	6	2	12	2	8	2	-	2	9	5	27	86
3	-	17	51	11	-	13	1	10	2	1	8	12	-	32	87
1	-	8	43	5	1	8	-	3	1	1	6	8	1	15	88
-	-	1	8	1	-	2	-	-	-	-	2	2	-	1	89

TABLE 29.-DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	COLORADO—Continued														
1	Clear Creek	36	-	-	-	-	-	-	-	-	-	-	-	6	-
2	Conejos	88	-	-	-	-	-	2	1	-	1	-	-	1	-
3	Costilla	49	-	-	-	-	-	-	-	-	-	-	-	5	-
4	Crowley	46	-	1	-	-	-	1	-	-	-	-	-	6	-
5	Custer	14	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Delta	158	-	1	-	-	-	2	-	-	-	-	-	20	-
7	Denver, coextensive with Denver (city)	4,112	-	5	-	4	2	148	-	1	32	1	7	562	5
8	Dolores	12	-	-	-	-	-	1	-	-	-	-	-	-	-
9	Douglas	31	-	-	-	-	-	1	-	-	-	-	-	3	-
10	Eagle	41	-	-	-	-	-	-	-	-	-	-	-	3	-
11	Elbert	26	-	-	-	-	-	-	-	-	-	-	-	7	-
12	El Paso	769	-	-	1	2	1	64	2	-	1	-	-	96	1
13	Colorado Springs	682	-	-	1	2	1	61	2	-	1	-	-	90	1
14	Balance of county	87	-	-	-	-	-	3	-	-	-	-	-	6	-
15	Fremont	223	-	-	-	-	-	8	-	-	1	-	-	25	-
16	Garfield	115	1	-	-	-	-	1	-	-	-	-	-	11	-
17	Gilpin	7	-	-	-	-	-	-	-	-	-	-	-	1	-
18	Grand	22	-	-	-	-	-	1	-	-	-	-	-	1	-
19	Gunnison	37	-	-	-	-	-	-	-	-	-	-	-	5	-
20	Hinsdale	6	-	-	-	-	-	1	-	-	-	-	-	-	-
21	Huerfano	138	-	1	-	-	-	7	-	-	-	-	1	12	-
22	Jackson	17	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Jefferson	350	-	2	-	-	-	31	-	-	3	-	-	37	-
24	Kiowa	18	-	-	-	-	-	-	-	-	-	-	-	1	-
25	Kit Carson	66	-	-	-	-	-	2	-	-	-	-	-	4	-
26	Lake	61	-	-	-	-	-	3	-	-	-	-	1	6	1
27	La Plata	143	-	-	1	-	-	4	-	-	-	-	-	11	-
28	Larimer	364	-	-	-	-	-	6	-	-	1	-	-	41	1
29	Fort Collins	98	-	-	-	-	-	3	-	-	-	-	-	10	-
30	Balance of county	266	-	-	-	-	-	3	-	-	1	-	-	31	1
31	Las Animas	311	-	-	-	4	4	14	-	-	1	-	-	25	1
32	Trinidad	200	-	-	-	-	1	11	-	-	1	-	-	17	-
33	Balance of county	111	-	-	-	4	3	3	-	-	-	-	-	8	1
34	Lincoln	46	-	-	-	-	-	1	-	-	-	-	-	8	-
35	Logan	131	-	-	-	1	-	3	-	-	-	-	-	23	-
36	Mesa	348	-	1	-	-	-	3	-	-	1	-	-	49	-
37	Grand Junction	198	-	-	-	-	-	1	-	-	1	-	-	34	-
38	Balance of county	150	-	1	-	-	-	2	-	-	-	-	-	15	-
39	Mineral	5	-	-	-	-	-	-	-	-	-	-	-	1	-
40	Moffat	27	-	-	-	-	-	-	-	-	-	-	-	5	-
41	Montezuma	82	-	-	-	-	-	5	-	-	-	-	-	11	-
42	Montrose	153	2	-	1	2	1	2	-	-	1	-	-	17	-
43	Morgan	156	-	-	1	-	1	2	-	-	1	-	-	22	-
44	Otero	305	1	-	-	1	4	12	2	-	4	-	1	20	-
45	Ouray	20	-	-	-	-	1	-	1	-	-	-	-	-	-
46	Park	14	-	-	-	-	-	-	-	-	1	-	-	2	-
47	Phillips	43	-	-	-	-	-	-	-	-	-	-	-	6	-
48	Pitkin	21	-	-	-	-	-	-	-	-	1	-	-	-	-
49	Prowers	148	-	-	-	-	-	4	1	-	-	-	-	18	1
50	Pueblo	1,138	1	-	-	3	4	26	1	-	27	-	1	117	-
51	Pueblo	977	1	-	-	3	4	23	1	-	27	-	1	91	-
52	Balance of county	161	-	-	-	-	-	3	-	-	-	-	-	26	-
53	Rio Blanco	25	1	-	-	-	-	-	-	-	1	-	-	1	-
54	Rio Grande	154	-	-	1	1	-	2	3	-	-	-	-	11	-
55	Routt	86	-	-	-	-	-	1	-	-	1	-	-	8	-
56	Saguache	55	-	-	-	1	-	-	6	-	-	-	-	5	-
57	San Juan	16	-	-	-	-	-	2	-	-	1	-	-	1	-
58	San Miguel	26	-	-	-	-	-	2	-	-	-	-	-	2	-
59	Sedgwick	41	-	-	-	-	-	-	-	-	-	-	-	5	-
60	Summit	10	-	-	-	-	-	-	-	-	-	-	-	1	-
61	Teller	30	-	-	-	-	-	-	-	-	-	-	-	1	-
62	Washington	67	-	-	-	-	-	-	-	-	-	-	-	8	-
63	Weld	552	1	-	1	1	3	12	1	-	5	-	1	59	-
64	Greeley	250	1	-	1	-	-	5	-	-	3	-	-	31	-
65	Balance of county	302	-	-	-	1	3	7	1	-	2	-	1	28	-
66	Yuma	83	-	-	-	-	-	-	-	-	-	-	-	9	-
67	CONNECTICUT	18,833	3	11	2	9	2	664	-	1	133	4	10	2,966	9
68	Fairfield	4,690	2	1	-	1	-	178	-	-	34	-	4	740	4
69	Bridgeport	1,717	-	1	-	-	-	64	-	-	12	-	2	282	1
70	Danbury	337	-	-	-	-	-	6	-	-	1	-	-	69	-
71	Norwalk	456	-	-	-	-	-	12	-	-	2	-	1	74	2
72	Shelton	101	-	-	-	-	-	25	-	-	-	-	-	11	-
73	Stamford	637	2	-	-	1	-	14	-	-	7	-	-	91	1
74	Stratford (town)	217	-	-	-	-	-	5	-	-	-	-	1	41	-
75	Balance of county	1,225	-	-	-	-	-	52	-	-	12	-	-	172	-
76	Hartford	4,586	1	2	-	-	1	165	-	-	35	1	1	758	1
77	Bristol	278	-	-	-	-	-	12	-	-	3	-	-	39	1
78	East Hartford (town)	192	-	-	-	-	-	2	-	-	-	-	-	24	-
79	Hartford	1,819	1	1	-	-	-	78	-	-	20	1	1	292	-
80	New Britain	617	-	-	-	-	-	24	-	-	3	-	-	111	-
81	West Hartford (town)	329	-	-	-	-	-	3	-	-	1	-	-	60	-
82	Balance of county	1,351	-	1	-	-	1	46	-	-	8	-	-	232	-
83	Litchfield	894	-	2	-	-	-	13	-	-	4	1	-	149	-
84	Torrington	234	-	1	-	-	-	7	-	-	1	-	-	38	-
85	Balance of county	660	-	1	-	-	-	6	-	-	3	1	-	111	-
86	Middlesex	844	-	-	2	-	-	41	-	-	16	-	2	102	-
87	Middletown	484	-	-	1	-	-	30	-	-	15	-	2	43	-
88	Balance of county	360	-	-	1	-	-	11	-	-	1	-	-	59	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1	-	1	8	4	-	3	-	5	1	-	1	2	1	3	1
1	1	6	12	10	9	9	2	6	-	3	3	4	2	15	2
-	-	2	13	8	1	-	2	3	1	1	1	4	2	6	3
-	-	4	18	-	1	2	1	3	-	-	2	2	1	4	4
-	-	2	2	4	-	2	-	-	-	-	-	-	-	4	5
1	-	9	45	9	3	8	-	12	4	-	3	13	3	25	6
78	-	305	1,135	265	30	288	12	174	50	22	82	208	94	602	7
-	-	1	2	1	-	2	-	-	-	-	1	-	1	3	8
2	-	3	4	3	-	2	-	-	-	-	4	4	1	4	9
-	-	1	17	3	-	4	1	3	-	-	2	4	-	3	10
-	-	-	12	2	-	-	-	1	-	-	1	2	-	1	11
10	-	71	209	39	8	44	1	50	8	-	13	41	4	103	12
9	-	66	190	33	5	41	1	40	6	-	7	29	2	94	13
1	-	5	19	6	3	3	-	10	2	-	6	12	2	9	14
3	-	29	70	17	1	19	2	3	-	-	3	12	1	29	15
2	-	15	30	7	2	8	-	3	1	-	2	11	2	19	16
-	-	1	2	-	-	-	-	-	-	-	-	3	-	-	17
-	-	1	8	2	-	-	-	-	3	-	2	2	1	1	18
-	-	1	13	3	-	3	-	-	-	-	1	6	2	3	19
-	-	-	3	-	-	-	-	-	-	-	-	1	-	1	20
1	-	4	30	18	12	3	1	10	-	-	3	12	-	23	21
-	-	-	7	2	-	-	-	2	1	-	-	3	-	2	22
6	-	32	78	18	6	40	-	25	6	3	6	13	1	43	23
1	-	2	5	1	1	2	-	-	-	-	-	1	-	4	24
-	-	7	22	4	-	6	-	4	-	-	1	5	-	11	25
1	-	2	12	4	1	3	-	7	1	-	-	5	2	12	26
1	-	9	30	11	3	18	1	7	5	1	4	17	3	17	27
7	-	39	121	15	3	23	2	19	-	-	16	16	6	48	28
1	-	9	41	-	2	6	-	1	-	-	4	5	1	15	29
6	-	30	80	15	1	17	2	18	-	-	12	11	5	33	30
4	-	25	77	37	15	23	3	27	-	-	4	13	3	31	31
4	-	15	56	19	11	16	1	15	-	-	1	6	2	24	32
-	-	10	21	18	4	7	2	12	-	-	3	7	1	7	33
1	-	5	14	-	-	2	-	1	-	-	4	-	1	9	34
3	-	21	24	5	-	8	3	9	1	-	1	8	4	17	35
10	-	17	100	14	8	20	1	19	3	1	16	28	6	51	36
6	-	5	60	9	4	10	-	9	-	1	3	15	4	36	37
4	-	12	40	5	4	10	1	10	3	-	13	13	2	15	38
-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	39
1	-	1	6	1	-	3	-	1	-	-	-	4	-	5	40
-	-	6	24	3	-	2	2	4	-	-	2	7	6	10	41
3	-	17	37	14	2	9	-	7	1	-	3	5	6	23	42
2	-	11	31	13	4	18	1	15	-	-	4	12	-	18	43
7	-	23	84	21	20	15	1	18	1	3	14	20	1	32	44
-	-	-	8	-	-	1	-	-	2	1	-	2	-	4	45
2	-	4	-	1	1	-	-	-	-	-	1	1	-	1	46
3	-	1	14	3	-	2	-	1	1	-	1	2	-	9	47
-	-	-	9	1	-	2	-	-	-	-	-	2	1	5	48
2	-	23	31	8	-	13	3	6	4	-	6	5	4	19	49
15	-	101	293	150	14	50	5	53	4	4	15	57	34	163	50
13	-	93	250	136	11	42	3	48	3	3	10	41	33	140	51
2	-	8	43	14	3	8	2	5	1	1	5	16	1	23	52
-	-	1	7	2	-	2	-	2	1	-	-	-	2	5	53
2	-	6	22	21	10	12	1	19	1	2	6	19	5	10	54
3	-	10	24	2	-	8	1	4	1	1	1	7	2	12	55
-	-	2	6	11	2	7	2	2	-	-	1	4	2	5	56
-	-	-	2	1	1	1	-	1	1	-	-	4	-	1	57
-	-	2	9	-	-	-	-	-	-	-	1	1	4	5	58
1	-	7	6	1	-	1	-	4	1	3	3	2	1	6	59
-	-	-	4	1	-	1	-	1	-	-	2	-	-	-	60
1	-	3	8	3	-	-	-	1	-	-	4	3	3	3	61
2	1	11	10	4	1	4	-	4	-	1	8	3	-	10	62
6	-	58	137	46	21	28	3	35	9	1	14	33	5	72	63
6	-	32	61	14	9	16	3	10	3	-	7	9	5	34	64
-	-	26	76	32	12	12	-	25	6	1	7	24	-	38	65
3	-	2	23	7	-	8	1	4	-	-	1	12	-	13	66
607	1	1,698	6,481	596	74	955	39	831	249	27	275	842	140	2,204	67
133	-	430	1,666	170	16	193	6	205	81	7	65	230	22	502	68
49	-	139	640	43	10	65	3	87	28	4	25	89	6	167	69
13	-	31	113	15	1	15	-	14	3	-	4	13	3	36	70
9	-	59	157	16	-	24	1	19	5	2	9	15	-	49	71
3	-	7	27	3	-	8	-	3	4	-	3	1	1	5	72
16	-	71	219	20	1	28	-	27	6	1	10	41	1	80	73
5	-	21	73	3	2	11	-	17	5	-	3	4	1	25	74
38	-	102	437	70	2	42	2	38	30	-	11	67	10	140	75
171	1	359	1,602	114	25	233	12	213	51	5	79	219	11	526	76
10	-	29	79	8	1	19	2	20	2	-	6	14	-	33	77
3	-	9	84	4	1	11	-	9	4	-	6	19	-	16	78
71	-	116	666	46	6	76	4	76	24	2	25	98	5	210	79
25	1	49	212	15	3	48	2	32	6	1	9	26	-	50	80
15	-	37	112	9	8	17	-	7	2	-	5	13	1	39	81
47	-	119	449	32	6	62	4	69	13	2	28	49	5	178	82
33	-	72	286	19	4	58	2	36	16	3	14	40	9	133	83
16	-	25	70	7	-	14	-	9	6	1	3	9	2	25	84
17	-	47	216	12	4	44	2	27	10	2	11	31	7	106	85
22	-	93	301	57	3	28	2	18	7	-	11	45	2	92	86
11	-	57	177	44	2	10	-	8	5	-	2	23	-	54	87
11	-	36	124	13	1	18	2	10	2	-	9	22	2	38	88

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	CONNECTICUT—Con.														
1	New Haven	5,268	-	4	-	4	1	167	-	1	34	-	-	821	2
2	Ansonia	186	-	-	-	-	-	6	-	-	-	-	-	34	-
3	Derby	139	-	-	-	-	-	6	-	-	-	-	-	21	-
4	Meriden	446	-	-	-	1	-	36	-	-	5	-	-	58	-
5	Naugatuck	168	-	-	-	-	1	3	-	-	-	-	-	23	-
6	New Haven	1,917	-	3	-	1	-	45	-	-	15	-	-	315	-
7	Wallingford	157	-	-	-	-	-	2	-	-	1	-	-	25	-
8	Waterbury	1,018	-	1	-	2	-	33	-	-	5	-	-	157	1
9	West Haven (town)	267	-	-	-	-	-	10	-	-	3	-	-	39	1
10	Balance of county	970	-	-	-	-	-	26	-	1	5	-	-	149	-
11	New London	1,576	-	2	-	2	-	81	-	-	8	-	3	223	-
12	New London	334	-	1	-	1	-	12	-	-	-	-	2	47	-
13	Norwich	364	-	1	-	-	-	39	-	-	1	-	-	61	-
14	Balance of county	878	-	-	-	1	-	30	-	-	7	-	1	115	-
15	Tolland	357	-	-	-	1	-	4	-	-	-	2	-	61	1
16	Windham	618	-	-	-	1	-	15	-	-	2	-	-	112	1
17	Willimantic	135	-	-	-	1	-	4	-	-	-	-	-	25	-
18	Balance of county	483	-	-	-	-	-	11	-	-	2	-	-	87	1
19	DELAWARE	3,274	1	1	2	6	4	109	1	-	41	3	3	352	4
20	Kent	506	-	-	-	-	-	12	-	-	6	-	1	56	-
21	New Castle	2,137	1	1	2	3	3	79	1	-	26	-	2	242	2
22	Wilmington	1,451	-	-	2	-	2	49	1	-	11	-	-	172	2
23	Balance of county	686	1	1	-	3	1	30	-	-	15	-	2	70	-
24	Sussex	631	-	-	-	3	1	18	-	-	9	3	-	54	2
25	DISTRICT OF COLUMBIA	8,432	1	7	-	3	1	541	1	1	162	-	10	1,099	11
26	FLORIDA	22,776	15	32	-	29	30	739	34	21	313	6	15	2,252	26
27	Alachua	421	-	-	-	-	-	14	-	2	3	1	-	26	1
28	Gainesville	186	-	-	-	-	-	8	-	-	2	-	-	15	-
29	Balance of county	235	-	-	-	-	-	6	-	2	1	1	-	11	1
30	Baker	51	-	-	-	-	-	3	-	-	-	-	-	3	-
31	Bay	314	-	-	-	1	-	2	-	1	-	1	-	12	-
32	Panama City	183	-	-	-	-	-	2	-	1	-	1	-	8	-
33	Balance of county	131	-	-	-	1	-	-	-	-	-	-	-	4	-
34	Bradford	98	-	-	-	-	-	1	-	-	1	1	-	7	-
35	Brevard	243	-	-	-	-	-	6	-	-	2	-	-	23	-
36	Broward	512	-	-	-	-	-	13	6	-	3	-	1	55	-
37	Fort Lauderdale	254	-	-	-	-	-	5	4	-	-	-	1	29	-
38	Balance of county	258	-	-	-	-	-	8	2	-	3	-	-	26	-
39	Calhoun	65	-	-	-	1	-	1	-	1	-	-	-	5	-
40	Charlotte	43	-	-	-	-	-	-	-	-	-	-	-	2	-
41	Citrus	48	-	-	-	-	-	1	-	1	-	-	-	7	-
42	Clay	170	-	2	-	-	-	1	2	-	-	-	-	10	-
43	Collier	42	-	-	-	-	-	-	-	-	-	-	-	6	-
44	Columbia	165	-	-	-	-	-	5	-	-	-	-	-	15	1
45	Dade	3,145	1	1	-	-	4	143	3	-	38	1	3	412	3
46	Miami	1,973	1	-	-	-	1	109	3	-	26	1	-	259	1
47	Miami Beach	283	-	-	-	-	-	5	-	-	3	-	1	48	-
48	Balance of county	889	-	1	-	-	3	29	-	-	9	-	2	105	2
49	De Soto	89	-	-	-	-	-	3	-	-	1	-	-	9	-
50	Dixie	42	-	-	-	-	-	-	-	-	-	-	-	2	-
51	Duval	2,712	1	4	-	5	4	130	-	2	34	-	1	208	3
52	Jacksonville	2,245	1	4	-	4	2	109	-	2	31	-	-	184	2
53	Balance of county	467	-	-	-	1	2	21	-	-	3	-	1	24	1
54	Escambia	881	2	4	-	3	1	31	-	1	4	-	-	87	3
55	Pensacola	529	1	1	-	1	-	22	-	-	4	-	-	59	1
56	Balance of county	352	1	3	-	2	1	9	-	1	-	-	-	28	2
57	Flagler	47	-	-	-	-	-	2	1	-	3	-	-	4	-
58	Franklin	92	-	-	-	1	-	1	-	-	1	-	-	9	1
59	Gadsden	690	1	-	-	1	-	39	3	1	126	1	1	32	-
60	Gilchrist	29	-	-	-	-	-	1	-	-	-	-	-	4	-
61	Glades	11	-	-	-	-	-	-	-	-	1	-	-	1	-
62	Gulf	47	-	-	-	1	-	-	-	-	-	-	-	4	-
63	Hamilton	88	-	-	-	-	-	4	1	1	1	-	-	6	-
64	Hardee	88	-	-	-	-	-	3	-	-	-	-	-	13	-
65	Hendry	40	-	-	-	-	1	-	-	-	1	-	-	5	-
66	Hernando	55	-	-	-	-	-	2	-	-	-	-	-	3	-
67	Highlands	135	-	-	-	-	-	2	-	-	1	-	-	5	1
68	Hillsborough	2,112	2	3	-	7	4	75	-	1	30	-	-	253	3
69	Tampa	1,399	1	3	-	3	3	52	-	-	21	-	-	186	2
70	Balance of county	713	1	-	-	4	1	23	-	1	9	-	-	67	1
71	Holmes	101	-	-	-	-	-	2	-	1	-	-	-	3	-
72	Indian River	110	-	-	-	-	-	5	-	-	-	-	-	13	1
73	Jackson	268	-	2	-	1	3	8	1	1	-	-	-	19	-
74	Jefferson	132	-	-	-	-	-	4	-	1	-	-	-	14	-
75	Lafayette	30	-	-	-	-	-	1	-	-	-	-	-	1	-
76	Lake	281	-	-	-	-	1	8	1	-	1	-	-	32	-
77	Lee	219	-	-	-	1	-	8	-	-	2	1	-	20	-
78	Fort Myers	140	-	-	-	1	-	5	-	-	2	1	-	14	-
79	Balance of county	79	-	-	-	-	-	3	-	-	-	-	-	6	-
80	Leon	316	-	2	-	-	1	8	1	1	4	-	-	20	-
81	Tallahassee	166	-	1	-	-	1	4	-	-	2	-	-	13	-
82	Balance of county	150	-	1	-	-	-	4	1	1	2	-	-	7	-
83	Levy	95	-	-	-	-	1	1	-	-	1	-	-	7	-
84	Liberty	33	1	-	-	-	-	1	-	-	-	-	-	-	-
85	Madison	154	-	-	-	1	-	4	-	-	2	-	1	7	-
86	Manatee	278	-	-	-	-	1	6	3	-	1	-	-	31	-
87	Marion	387	-	-	-	1	1	9	-	-	3	-	1	28	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
185	-	508	1,712	164	19	298	14	247	57	11	71	227	79	642	1
3	-	21	50	11	-	10	1	6	2	1	4	11	-	26	2
4	-	20	49	2	-	13	-	4	-	-	5	6	-	9	3
17	-	44	153	14	-	10	1	17	3	1	3	23	1	59	4
2	-	11	62	3	3	13	2	8	3	-	1	4	4	25	5
75	-	181	595	74	5	126	3	73	13	5	18	80	42	245	6
4	-	18	58	3	-	5	1	7	2	-	2	5	4	20	7
31	-	102	303	28	7	52	2	67	13	2	17	50	6	139	8
12	-	29	97	5	-	16	-	10	4	-	2	8	5	26	9
37	-	82	342	24	4	53	4	55	17	2	19	40	17	93	10
36	-	128	568	46	3	102	2	68	21	1	22	58	8	194	11
8	-	27	132	4	-	15	1	10	7	-	3	14	1	49	12
10	-	28	107	12	-	39	-	6	5	-	7	12	1	35	13
18	-	73	329	30	3	48	1	52	9	1	12	32	6	110	14
9	-	48	114	8	1	14	-	17	11	-	6	12	5	43	15
18	-	60	232	18	3	29	1	27	5	-	7	11	4	72	16
2	-	11	35	3	-	15	-	3	1	-	2	4	3	26	17
16	-	49	197	15	3	14	1	24	4	-	5	7	1	46	18
101	1	304	1,026	170	22	298	19	140	33	14	61	161	18	379	19
19	-	39	183	12	5	51	1	17	3	1	14	30	3	53	20
68	-	212	686	120	9	167	13	84	21	8	31	84	11	261	21
54	-	148	442	87	5	121	11	52	17	5	16	61	6	187	22
14	-	64	244	33	4	46	2	32	4	3	15	23	5	74	23
14	1	53	157	38	8	80	5	39	9	5	16	47	4	65	24
188	3	638	2,345	371	97	689	24	566	132	59	106	331	21	1,025	25
379	35	2,326	5,371	1,126	245	1,581	141	1,319	231	360	610	1,527	953	3,060	26
8	-	74	88	26	5	24	3	29	5	6	16	19	15	56	27
4	-	30	42	11	5	9	1	10	3	3	2	9	5	27	28
4	-	44	46	15	-	15	2	19	2	3	14	10	10	29	29
-	-	4	9	5	-	6	-	2	-	1	4	6	1	7	30
1	-	21	57	31	9	16	3	32	2	7	13	39	32	34	31
1	-	10	42	20	3	5	3	17	2	5	6	9	24	24	32
-	-	11	15	11	6	11	-	15	-	2	7	30	8	10	33
2	-	8	18	21	2	6	1	5	-	2	6	3	7	7	34
3	-	42	62	12	3	10	-	10	2	6	15	15	6	26	35
9	1	58	128	31	5	32	1	38	4	12	13	37	12	53	36
6	-	26	76	9	1	19	-	16	1	3	5	20	3	30	37
3	1	32	52	22	4	13	1	22	3	9	8	17	9	23	38
1	1	12	10	3	2	2	1	9	1	1	2	2	2	8	39
1	-	2	5	-	2	1	-	4	-	1	4	6	4	11	40
-	-	12	7	3	-	3	1	1	1	-	1	1	3	6	41
-	2	14	29	6	2	5	-	9	2	2	9	47	7	21	42
-	-	5	5	2	-	4	1	4	-	2	5	1	5	2	43
9	-	26	19	8	1	15	3	21	2	1	5	14	4	22	44
55	2	254	914	107	27	130	11	183	44	49	83	193	31	453	45
37	2	171	570	62	17	93	6	96	29	31	47	94	20	297	46
7	-	12	117	9	1	7	1	20	3	-	4	7	1	37	47
11	-	71	227	36	9	30	4	67	12	18	32	92	10	119	48
1	-	14	15	2	1	8	1	10	-	3	3	6	1	11	49
-	-	3	11	2	-	1	-	7	-	1	-	5	5	5	50
43	4	297	538	140	29	190	17	156	29	55	84	162	193	383	51
37	4	264	462	118	24	167	15	133	24	47	57	71	155	328	52
0	-	33	76	22	5	23	2	23	5	8	27	91	38	55	53
13	1	71	206	44	19	51	12	72	5	15	30	102	17	87	54
9	-	44	145	23	3	33	7	43	4	12	11	33	8	65	55
4	1	27	61	21	16	18	5	29	1	3	19	69	9	22	56
1	-	1	5	-	1	3	-	4	-	2	2	5	4	9	57
1	-	6	22	7	1	5	-	3	-	-	3	12	6	13	58
8	2	30	208	39	2	57	3	23	3	9	4	23	20	54	59
1	-	3	7	3	-	2	-	2	-	-	-	1	3	2	60
-	-	2	2	1	-	-	-	1	-	1	-	1	-	1	61
-	-	7	9	4	-	2	-	5	1	2	1	2	5	4	62
1	-	13	16	9	-	5	3	3	-	2	1	5	7	10	63
1	-	16	16	3	-	7	1	7	3	-	4	6	3	5	64
1	1	2	8	2	2	1	-	5	-	1	-	2	3	5	65
2	-	7	14	-	1	5	-	1	1	-	2	4	1	12	66
3	-	17	19	5	4	10	2	12	1	4	5	29	3	12	67
43	1	189	436	108	25	152	5	117	23	26	49	144	131	285	68
33	1	134	298	71	11	82	3	74	16	18	28	66	96	197	69
10	-	55	138	37	14	70	2	43	7	8	21	78	35	88	70
-	1	10	15	7	6	10	1	3	1	1	5	7	9	19	71
1	-	11	22	2	-	4	-	8	2	1	4	18	7	11	72
2	-	27	55	16	3	15	4	24	2	4	8	10	21	39	73
1	3	13	18	8	-	10	3	4	1	-	3	9	29	11	74
-	1	3	5	2	1	3	-	-	-	1	-	-	3	9	75
5	-	26	81	11	1	38	3	10	-	2	8	16	7	30	76
2	2	16	53	9	3	16	1	18	2	4	8	27	4	22	77
2	2	14	34	6	1	14	-	12	1	1	4	7	3	16	78
-	-	2	19	3	2	2	1	6	1	3	4	20	1	6	79
2	-	26	43	21	5	57	6	17	3	9	10	21	16	43	80
2	-	14	27	10	4	28	1	11	1	6	4	4	4	29	81
-	-	12	16	11	1	29	5	6	2	3	6	17	12	14	82
3	1	15	21	5	3	8	2	4	-	2	-	6	3	12	83
1	-	1	8	2	-	4	1	3	-	-	2	3	4	2	84
5	-	16	24	10	1	23	1	8	2	2	3	7	13	24	85
4	1	31	83	7	2	25	2	13	1	2	2	10	11	42	86
3	-	53	58	28	8	36	4	19	5	2	13	18	19	48	87

747801 O - 47 - 33

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	FLORIDA—Continued														
1	Martin	69	-	1	-	-	-	3	-	-	-	-	-	6	1
2	Monroe	207	1	-	-	-	-	4	2	-	4	-	-	18	-
3	Key West	185	1	-	-	-	-	4	2	-	4	-	-	16	-
4	Balance of county	22	-	-	-	-	-	-	-	-	-	-	-	2	-
5	Nassau	117	-	-	-	-	-	1	-	-	-	-	-	12	-
6	Okaloosa	150	-	-	-	-	-	2	-	1	-	-	-	9	-
7	Okeechobee	37	-	-	-	-	-	-	-	-	-	-	-	3	-
8	Orange	862	-	-	-	-	1	30	-	-	5	-	-	85	-
9	Orlando	529	-	-	-	-	1	11	-	-	3	-	-	54	-
10	Balance of county	333	-	-	-	-	-	19	-	-	2	-	-	31	-
11	Osceola	142	-	-	-	-	-	1	-	-	-	-	-	19	-
12	Palm Beach	906	2	5	-	1	2	27	3	2	7	-	1	112	2
13	West Palm Beach	432	1	5	-	1	-	11	1	1	5	-	1	61	1
14	Balance of county	474	1	-	-	-	2	16	2	1	2	-	-	51	1
15	Pasco	187	-	-	-	-	1	3	1	-	2	-	-	20	-
16	Pinellas	1,573	1	1	-	1	1	29	-	1	8	-	1	199	1
17	Clearwater	158	-	-	-	1	1	1	-	-	-	-	-	14	-
18	St. Petersburg	1,125	1	1	-	-	-	13	-	1	5	-	1	148	-
19	Balance of county	290	-	-	-	-	-	15	-	-	3	-	-	39	1
20	Polk	918	-	2	-	1	-	20	2	1	3	-	-	87	2
21	Lakeland	283	-	-	-	-	-	10	-	-	-	-	-	35	-
22	Balance of county	635	-	2	-	1	-	10	2	1	3	-	-	52	2
23	Putnam	237	-	1	-	-	-	8	-	-	4	-	-	16	1
24	St. Johns	252	-	1	-	-	-	8	1	-	2	-	1	18	-
25	St. Augustine	184	-	1	-	-	-	7	1	-	1	-	-	14	-
26	Balance of county	68	-	-	-	-	-	1	-	-	1	-	1	4	-
27	St. Lucie	148	3	3	-	-	-	7	-	-	1	-	-	7	-
28	Santa Rosa	137	-	-	-	-	1	-	-	-	-	-	-	18	-
29	Sarasota	266	-	-	-	-	-	8	-	-	2	-	-	28	-
30	Sarasota	195	-	-	-	-	-	7	-	-	2	-	-	20	-
31	Balance of county	71	-	-	-	-	-	1	-	-	-	-	-	8	-
32	Seminole	244	-	-	-	-	1	10	1	-	2	-	1	19	-
33	Sanford	129	-	-	-	-	1	5	1	-	-	-	-	12	-
34	Balance of county	115	-	-	-	-	-	5	-	-	2	-	1	7	-
35	Sumter	88	-	-	-	-	-	2	-	-	2	-	-	9	-
36	Suwannee	156	-	-	-	-	-	1	1	-	-	-	1	10	-
37	Taylor	84	-	-	-	-	-	2	-	-	-	-	-	5	-
38	Union	84	-	-	-	-	1	5	-	-	-	-	-	8	-
39	Volusia	764	-	-	-	2	-	20	1	1	7	-	1	95	2
40	Daytona Beach	349	-	-	-	1	-	11	-	-	3	-	1	37	2
41	Balance of county	415	-	-	-	1	-	9	1	1	4	-	-	58	-
42	Wakulla	46	-	-	-	-	-	-	-	-	-	-	-	3	-
43	Walton	129	-	-	-	-	-	-	-	-	-	-	1	16	-
44	Washington	94	-	-	-	-	-	-	-	-	-	-	-	7	-
45	GEORGIA	28,559	28	43	3	64	72	1,108	55	24	370	9	13	2,445	40
46	Appling	86	-	1	-	-	-	2	-	-	-	-	-	2	-
47	Atkinson	47	-	-	-	-	-	2	-	-	-	-	-	4	-
48	Bacon	60	-	-	1	-	1	1	-	-	1	-	-	4	-
49	Baker	46	-	-	-	-	-	2	1	2	-	-	-	4	-
50	Baldwin	966	1	-	-	1	-	123	3	-	134	-	-	41	1
51	Banks	49	-	1	-	1	-	4	-	-	-	-	-	5	-
52	Barrow	104	-	-	-	1	-	3	-	-	2	-	-	16	-
53	Bartow	227	-	1	-	1	-	13	-	-	3	1	1	16	-
54	Ben Hill	129	1	-	-	-	-	2	-	-	1	-	-	12	-
55	Berrien	91	-	-	-	1	-	2	-	1	-	-	-	5	-
56	Bibb	1,099	1	3	-	-	1	55	2	-	15	-	2	90	4
57	Macon	913	1	2	-	-	1	48	2	-	12	-	2	79	4
58	Balance of county	186	-	1	-	-	-	7	-	-	3	-	-	11	-
59	Bleckley	79	-	-	-	-	-	1	-	-	2	-	1	6	-
60	Brantley	44	-	1	-	-	2	2	-	-	-	-	-	-	-
61	Brooks	154	-	-	-	-	-	3	1	-	2	-	-	13	-
62	Bryan	63	-	-	-	-	-	1	-	-	1	-	-	7	-
63	Bulloch	177	-	1	-	2	-	5	-	-	-	-	-	7	-
64	Burke	228	-	-	-	-	-	11	-	2	11	-	-	19	-
65	Butts	90	-	-	-	-	-	2	-	-	-	-	-	9	-
66	Calhoun	98	-	-	-	1	-	-	-	-	-	-	-	10	-
67	Camden	61	-	-	-	-	-	3	-	-	-	-	-	2	1
68	Candler	71	2	1	-	-	-	1	-	-	-	-	-	3	-
69	Carroll	272	-	-	-	1	1	10	-	-	2	-	-	28	-
70	Catoosa	69	-	-	-	2	-	5	-	-	-	-	-	5	-
71	Charlton	47	-	-	-	-	-	1	-	1	-	-	-	4	-
72	Chatham	1,712	-	1	-	1	1	65	4	-	14	-	1	133	1
73	Savannah	1,423	-	1	-	1	1	53	4	-	12	-	-	120	1
74	Balance of county	289	-	-	-	-	-	12	-	-	2	-	1	13	-
75	Chattahoochee	65	-	-	-	-	-	-	-	-	2	2	-	1	-
76	Chattooga	144	-	-	-	1	-	8	-	-	1	-	-	18	-
77	Cherokee	151	1	-	-	5	-	2	1	-	-	-	-	16	-
78	Clarke	259	-	1	-	-	1	12	-	-	1	-	-	21	-
79	Athens	207	-	1	-	-	1	11	-	-	1	-	-	16	-
80	Balance of county	52	-	-	-	-	-	1	-	-	-	-	-	5	-
81	Clay	47	-	-	-	-	-	-	-	-	-	-	-	6	-
82	Clayton	82	-	-	-	1	-	-	-	-	-	-	-	7	-
83	Clinch	25	-	-	-	-	-	-	-	-	-	-	-	1	-
84	Cobb	342	-	1	-	2	2	9	2	-	-	-	1	23	1
85	Coffee	188	-	-	-	-	-	5	1	-	1	-	-	11	2
86	Colquitt	245	1	1	-	-	1	8	-	-	3	-	-	19	1
87	Moultrie	110	1	-	-	-	-	7	-	-	3	-	-	9	-
88	Balance of county	135	-	1	-	-	1	1	-	-	-	-	-	10	1
89	Columbia	57	-	-	-	-	-	3	-	-	1	-	-	3	-
90	Cook	80	-	-	-	1	-	-	-	-	2	-	-	5	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	-	13	16	-	-	7	-	2	1	1	3	3	2	10	1
3	-	20	46	13	1	15	-	15	1	2	-	19	12	31	2
3	-	19	43	12	1	14	-	15	1	2	-	9	11	28	3
-	-	1	3	1	-	1	-	-	-	-	-	10	1	3	4
1	1	17	22	13	2	4	-	8	1	2	3	8	6	16	5
2	-	8	14	11	-	23	1	25	2	1	8	32	5	6	6
2	-	3	9	3	-	1	-	-	-	2	1	2	4	7	7
10	2	77	274	32	7	59	3	42	14	15	21	49	18	118	8
6	2	48	182	19	1	36	1	23	10	9	9	27	10	77	9
4	-	29	92	13	6	23	2	19	4	6	12	22	8	41	10
4	-	16	35	5	-	16	-	5	-	2	3	11	4	21	11
20	1	92	204	42	10	61	4	60	11	14	20	49	34	120	12
12	1	52	99	15	2	36	1	17	6	3	6	25	9	60	13
8	-	40	105	27	8	25	3	43	5	11	14	24	25	60	14
5	-	20	29	6	3	17	1	10	4	2	7	11	11	34	15
43	-	187	432	63	6	93	8	62	19	17	19	62	28	291	16
7	-	18	39	9	1	5	1	16	1	4	2	3	5	30	17
31	-	140	302	44	5	70	7	38	14	8	12	46	15	225	18
5	-	29	91	10	-	18	-	8	4	5	5	13	8	36	19
7	1	124	209	48	12	53	8	50	8	18	36	52	44	130	20
2	-	35	68	15	5	15	2	10	4	4	10	11	7	50	21
5	1	89	141	33	7	38	6	40	4	14	26	41	37	80	22
2	2	17	70	9	2	41	2	11	1	3	4	12	6	25	23
6	1	31	71	10	1	29	2	13	2	1	3	9	6	36	24
5	1	20	53	9	1	20	2	11	1	-	1	6	3	27	25
1	-	11	18	1	-	9	-	2	1	1	2	3	3	9	26
2	-	15	34	7	7	3	-	10	1	5	6	10	8	19	27
3	-	15	32	9	1	7	1	12	-	2	5	11	5	15	28
6	-	35	67	13	-	14	-	14	-	3	6	30	8	32	29
5	-	28	55	10	-	14	-	10	-	2	3	9	5	25	30
1	-	7	12	3	-	-	-	4	-	1	3	21	3	7	31
8	-	31	43	11	5	26	1	9	1	4	9	23	5	34	32
4	-	19	17	9	3	19	1	3	1	1	2	8	1	22	33
4	-	12	26	2	2	7	-	6	-	3	7	15	4	12	34
5	-	5	27	1	-	7	-	5	1	2	-	5	7	10	35
3	-	21	42	12	2	8	3	3	1	5	1	8	14	20	36
-	2	14	20	5	1	2	-	7	1	-	3	10	5	7	37
-	-	7	12	7	5	6	2	6	-	3	2	5	-	15	38
14	-	70	215	31	3	54	6	34	10	14	13	52	13	106	39
10	-	33	99	17	1	31	4	14	5	6	8	14	4	48	40
4	-	37	116	14	2	23	2	20	5	8	5	38	9	58	41
-	-	3	7	6	-	9	-	1	-	-	2	1	6	8	42
-	-	12	21	12	-	16	1	7	3	1	1	5	14	19	43
2	1	15	21	5	1	5	1	2	1	-	4	4	11	14	44
374	107	3,265	5,690	1,961	390	2,811	242	1,766	220	480	713	1,405	1,343	3,518	45
2	-	18	16	11	-	8	4	-	-	3	2	3	4	10	46
-	-	7	11	2	1	3	3	6	1	1	1	2	1	2	47
-	-	7	16	1	2	4	-	11	-	-	2	3	-	6	48
1	-	3	11	2	1	6	1	4	-	-	2	1	3	2	49
8	2	59	144	58	8	67	-	13	3	1	5	25	18	251	50
-	-	3	9	8	-	2	-	6	-	-	2	2	2	4	51
1	-	5	18	6	-	11	1	6	5	2	6	2	7	12	52
4	1	18	29	17	8	33	1	17	2	3	5	8	19	26	53
1	1	19	24	13	5	8	1	8	-	4	1	4	7	17	54
-	-	15	24	5	1	8	1	4	1	1	1	5	5	11	55
15	3	93	238	62	14	114	7	64	8	36	22	48	83	119	56
12	3	79	199	54	13	104	6	52	6	35	9	27	70	93	57
3	-	14	39	8	1	10	1	12	2	1	13	21	13	26	58
-	-	17	9	7	3	8	-	2	-	3	1	6	2	11	59
-	-	11	8	2	1	7	2	3	-	1	-	1	-	3	60
-	-	17	19	10	-	30	5	8	1	1	3	9	13	19	61
2	1	7	14	4	3	2	-	4	-	1	5	5	1	5	62
2	2	25	52	12	1	7	1	9	2	2	2	5	10	30	63
4	1	26	59	6	4	25	6	2	1	1	7	8	20	15	64
-	-	8	11	6	1	17	1	3	1	4	3	3	12	9	65
-	2	15	23	6	-	6	-	8	1	6	-	3	5	12	66
1	-	3	17	2	2	1	3	3	-	2	-	3	10	8	67
1	1	11	9	4	-	11	1	2	-	4	-	4	3	13	68
4	5	26	57	17	9	33	1	17	2	5	6	12	9	27	69
-	-	7	14	10	1	2	-	5	-	1	3	1	5	8	70
-	-	5	6	2	2	4	1	3	-	1	2	6	3	6	71
22	4	222	355	118	14	160	17	139	14	32	44	116	17	217	72
18	3	187	309	100	7	136	16	115	11	29	34	62	14	189	73
4	1	35	46	18	7	24	1	24	3	3	10	54	3	28	74
-	1	6	8	2	-	1	-	3	-	2	10	18	1	8	75
3	2	11	19	14	6	7	-	10	5	1	2	5	15	16	76
3	-	16	27	18	2	13	2	11	-	-	8	8	8	10	77
3	-	29	49	13	6	44	1	19	2	1	5	11	11	29	78
3	-	21	35	10	3	41	1	17	2	1	4	10	6	23	79
-	-	8	14	3	3	3	-	2	-	-	1	1	5	6	80
1	2	6	3	4	-	3	1	4	-	1	2	4	10	-	81
2	-	8	15	15	-	6	-	5	1	-	3	4	5	10	82
1	-	3	7	2	-	2	-	2	-	2	1	2	-	2	83
6	1	43	91	18	4	33	3	19	5	1	15	27	8	27	84
3	1	26	43	15	7	10	1	24	-	2	3	5	11	17	85
-	2	23	57	24	7	12	2	21	2	4	5	17	8	27	86
-	-	13	17	9	3	8	1	7	1	3	2	5	3	18	87
-	2	10	40	15	4	4	1	14	1	1	3	12	5	9	88
-	-	6	8	5	3	8	-	7	-	1	1	1	2	8	89
5	1	5	13	6	1	3	1	8	-	3	2	3	7	14	90

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	GEORGIA—Continued														
1	Coweta	159	-	-	-	-	-	3	1	-	1	-	-	9	-
2	Crawford	53	-	-	-	-	1	2	-	1	2	-	-	2	-
3	Crisp	148	1	-	-	1	-	6	-	-	2	-	-	3	-
4	Dade	43	-	-	-	-	1	-	-	-	-	-	-	4	-
5	Dawson	14	-	-	-	-	-	1	-	-	-	-	-	2	-
6	Decatur	228	-	-	-	-	-	7	3	-	1	-	-	17	-
7	De Kalb	814	1	1	-	-	-	26	-	-	1	-	-	96	3
8	Atlanta (part)	291	1	-	-	-	-	6	-	-	-	-	-	43	-
9	Decatur	156	-	-	-	-	-	8	-	-	1	-	-	17	-
10	Balance of county	367	-	1	-	-	-	12	-	-	-	-	-	36	3
11	Dodge	90	-	-	-	-	-	2	-	-	-	-	-	7	-
12	Dooly	127	-	-	-	-	2	1	-	-	-	-	-	4	-
13	Dougherty	357	-	-	-	-	2	17	1	-	6	-	1	29	-
14	Albany	279	-	-	-	-	1	14	1	-	3	-	1	24	-
15	Balance of county	78	-	-	-	-	1	3	-	-	3	-	-	5	-
16	Douglas	49	-	-	-	-	1	2	-	-	-	-	-	5	-
17	Early	123	-	-	-	-	3	5	-	-	-	-	-	8	-
18	Echols	25	-	-	-	-	-	1	-	-	-	-	-	2	-
19	Effingham	87	-	1	-	-	-	4	-	-	-	-	-	6	-
20	Elbert	161	-	-	-	-	-	4	-	-	-	-	-	12	-
21	Emanuel	169	2	-	-	1	2	5	-	-	-	-	-	8	-
22	Evans	57	-	-	-	-	-	-	-	-	-	-	-	4	1
23	Fannin	79	-	-	-	-	2	6	-	-	-	-	-	4	-
24	Fayette	57	-	-	-	-	-	-	-	-	-	-	-	4	-
25	Floyd	448	-	-	-	2	1	29	1	-	4	-	1	51	-
26	Rome	284	-	-	-	2	-	15	1	-	4	-	1	32	-
27	Balance of county	164	-	-	-	-	1	14	-	-	-	-	-	19	-
28	Forsyth	38	-	-	-	-	-	-	-	-	-	-	-	5	-
29	Franklin	89	-	-	-	-	-	3	-	-	1	-	-	10	-
30	Fulton	1,486	2	8	-	8	-	210	2	-	35	-	1	513	5
31	Atlanta (part)[3]	3,622	2	6	-	7	-	168	1	-	34	-	1	439	3
32	Atlanta (total)[3]	3,913	3	6	-	7	-	174	1	-	34	-	1	482	3
33	District 1511, Center Hill[3]	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------	-------
34	East Point	75	-	-	-	-	-	2	-	-	-	-	-	7	-
35	Balance of county	789	-	2	-	1	-	40	1	-	1	-	-	67	2
36	Gilmer	63	-	-	-	-	1	6	-	-	-	-	-	4	-
37	Glascock	25	-	-	-	-	-	2	-	-	-	-	-	4	-
38	Glynn	366	-	-	-	1	-	9	-	-	1	1	-	20	-
39	Brunswick	279	-	-	-	1	-	8	-	-	1	1	-	18	-
40	Balance of county	87	-	-	-	-	-	1	-	-	-	-	-	2	-
41	Gordon	105	-	-	-	1	-	3	-	-	2	-	-	10	-
42	Grady	145	-	-	-	-	1	5	-	-	2	-	-	13	1
43	Greene	126	1	-	-	2	-	5	-	-	1	-	-	15	-
44	Gwinnett	237	-	1	-	2	4	6	-	1	1	-	-	26	-
45	Habersham	107	-	-	-	2	1	5	-	-	-	-	-	11	-
46	Hall	219	-	-	-	-	1	4	-	-	1	-	-	24	-
47	Gainesville	97	-	-	-	-	-	3	-	-	1	-	-	11	-
48	Balance of county	122	-	-	-	-	1	1	-	-	-	-	-	13	-
49	Hancock	65	-	-	-	-	-	6	-	-	1	-	1	9	-
50	Haralson	86	1	-	-	-	1	2	-	-	1	-	-	4	-
51	Harris	93	1	-	-	1	-	-	-	-	2	-	-	16	1
52	Hart	69	-	-	-	-	-	-	-	-	-	-	-	4	-
53	Heard	69	-	-	-	-	-	3	-	-	-	-	-	4	-
54	Henry	147	-	-	-	-	-	3	-	-	3	-	-	15	-
55	Houston	129	-	1	-	-	-	1	-	-	1	-	1	4	-
56	Irwin	66	1	-	-	-	1	2	1	-	-	-	-	4	-
57	Jackson	99	-	-	-	-	-	2	-	-	1	-	-	9	-
58	Jasper	71	-	-	-	-	-	1	-	-	1	1	-	8	1
59	Jeff Davis	52	-	-	-	-	1	-	1	-	-	-	-	2	-
60	Jefferson	134	1	-	-	-	1	2	-	-	2	-	-	8	-
61	Jenkins	108	-	1	-	-	1	6	-	-	1	-	-	7	-
62	Johnson	66	1	-	-	-	-	3	-	1	-	-	-	8	-
63	Jones	74	1	-	-	-	2	3	-	-	2	-	-	4	-
64	Lamar	105	-	-	-	-	1	4	-	-	-	-	-	11	-
65	Lanier	33	-	-	-	-	-	1	-	1	-	-	-	3	-
66	Laurens	307	-	-	-	-	1	9	2	-	3	-	-	10	-
67	Lee	69	-	-	-	-	-	3	-	-	1	-	-	2	-
68	Liberty	83	-	-	-	-	-	4	-	-	-	-	-	9	-
69	Lincoln	30	-	-	-	-	-	1	-	-	-	-	-	2	-
70	Long	18	-	-	-	-	-	1	1	-	-	-	-	1	-
71	Lowndes	327	-	-	-	-	-	12	1	1	4	-	-	23	-
72	Valdosta	208	-	-	-	-	-	7	1	1	2	-	-	18	-
73	Balance of county	119	-	-	-	-	-	5	-	-	2	-	-	5	-
74	Lumpkin	33	-	-	-	-	1	-	-	-	-	-	-	5	-
75	McDuffie	78	-	1	-	-	-	2	-	-	-	-	-	7	-
76	McIntosh	79	-	-	-	-	-	3	-	-	-	-	-	7	-
77	Macon	166	-	-	1	-	1	4	-	1	3	-	-	13	-
78	Madison	89	-	-	-	1	1	2	-	-	-	-	-	7	-
79	Marion	69	-	-	-	-	-	-	-	-	1	-	-	2	-
80	Meriwether	189	1	-	-	4	1	5	-	-	1	1	-	9	1
81	Miller	65	-	-	-	-	-	-	-	1	1	-	-	7	-
82	Mitchell	185	-	-	-	-	-	-	1	-	-	-	-	12	-
83	Monroe	107	-	1	-	-	1	3	-	-	1	-	-	10	-
84	Montgomery	33	-	-	-	-	-	-	-	-	1	-	-	3	-
85	Morgan	110	-	-	-	1	-	5	1	-	3	-	-	5	-
86	Murray	65	-	-	-	-	-	2	-	-	-	-	-	6	-
87	Muscogee	796	-	2	-	-	2	37	-	-	4	1	-	78	2
88	Columbus	676	-	1	-	-	2	26	-	-	4	1	-	72	1
89	Balance of county	120	-	1	-	-	-	11	-	-	-	-	-	6	1

[3] Figures for District 1511, Center Hill, are included in those for Atlanta.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
2	-	21	28	10	-	38	-	4	1	1	5	3	9	23	1
1	-	4	9	5	1	2	2	1	1	-	4	2	5	8	2
2	-	14	38	11	1	15	-	8	-	4	2	8	12	20	3
1	-	4	12	7	-	-	-	4	-	1	2	1	1	5	4
-	1	4	2	-	-	2	-	-	-	-	1	-	-	1	5
3	1	43	30	17	5	21	2	18	2	5	3	13	7	30	6
13	4	71	198	45	5	61	4	61	12	10	15	30	32	125	7
3	-	24	85	6	1	18	3	24	6	3	5	8	10	45	8
5	2	18	44	8	2	8	1	9	3	3	1	2	5	19	9
5	2	29	69	31	2	35	-	28	3	4	9	20	17	61	10
1	-	10	21	3	-	9	3	4	-	-	3	8	4	15	11
1	-	16	21	14	2	15	1	7	1	2	2	7	6	25	12
3	2	53	60	28	10	34	4	16	-	5	8	26	15	37	13
3	2	47	50	24	8	30	3	11	-	2	4	11	7	33	14
-	-	6	10	4	2	4	1	5	-	3	4	15	8	4	15
-	-	5	13	4	1	4	-	2	1	-	-	3	1	7	16
2	1	8	27	10	2	16	3	4	1	3	6	8	3	13	17
-	-	4	7	-	-	3	1	-	-	1	-	-	4	2	18
2	-	7	23	6	1	6	1	4	-	2	1	2	5	16	19
2	-	18	32	12	1	25	1	10	1	1	5	4	11	22	20
3	-	23	24	10	4	16	1	14	2	1	5	10	17	21	21
-	1	9	9	5	1	9	2	3	-	2	1	1	-	9	22
2	1	13	8	8	1	2	1	8	-	1	2	6	7	7	23
2	1	4	11	5	1	1	2	4	1	1	1	4	8	7	24
7	3	54	72	32	6	56	3	37	5	2	9	12	11	50	25
5	2	40	49	19	2	33	1	23	4	1	4	9	5	32	26
2	1	14	23	13	4	23	2	14	1	1	5	3	6	18	27
-	-	4	5	2	-	3	-	4	-	-	2	1	4	8	28
1	-	12	16	7	-	14	2	4	-	-	4	4	2	9	29
65	9	513	1,016	239	40	458	17	276	40	114	96	185	74	560	30
56	6	397	831	188	27	376	13	206	26	98	74	142	53	468	31
59	6	421	916	194	28	394	16	230	32	101	79	150	63	513	32
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	33
-	-	9	19	4	-	6	1	13	1	-	-	5	1	7	34
9	3	107	166	47	13	76	3	57	13	16	22	38	20	85	35
1	-	7	12	4	2	9	-	5	1	1	-	1	2	7	36
-	-	1	9	-	-	4	-	-	-	-	1	-	3	1	37
3	1	25	68	52	13	17	6	33	3	8	18	24	15	48	38
3	1	17	45	45	13	12	6	25	3	6	11	17	9	37	39
-	-	8	23	7	-	5	-	8	-	2	7	7	6	11	40
4	1	17	17	7	1	5	2	3	-	1	5	5	8	13	41
1	1	18	25	15	1	16	2	11	3	1	2	9	5	13	42
-	1	15	19	13	1	16	-	11	-	1	4	5	9	7	43
4	2	32	52	19	6	12	1	13	4	5	6	4	7	29	44
-	2	6	28	4	2	11	-	16	1	1	1	4	3	9	45
2	2	25	52	15	3	17	1	14	1	3	2	7	11	34	46
1	-	7	28	7	2	7	-	3	-	2	1	4	3	17	47
1	2	18	24	8	1	10	1	11	1	1	1	3	8	17	48
-	-	8	6	3	1	5	-	4	-	2	4	4	7	4	49
1	-	12	15	8	-	14	-	6	-	-	2	8	3	8	50
1	-	14	17	3	-	5	1	6	-	1	2	7	4	11	51
-	-	8	13	20	-	11	1	-	-	1	4	2	2	3	52
1	-	12	6	3	-	11	1	4	-	1	2	7	7	7	53
4	-	13	30	19	3	11	-	6	-	5	3	8	14	10	54
2	-	13	35	8	6	7	4	13	2	-	3	10	4	14	55
-	1	11	18	1	1	5	-	2	-	3	2	3	3	7	56
2	2	7	19	13	2	13	1	7	-	-	6	5	3	7	57
-	-	12	16	2	2	3	2	6	1	1	3	4	2	5	58
-	-	6	8	5	1	3	1	6	-	-	1	4	3	10	59
2	-	25	21	3	1	11	1	6	1	3	6	4	15	21	60
1	-	13	15	13	4	12	-	8	-	1	5	5	2	13	61
-	-	8	6	6	-	7	-	4	1	4	2	5	2	8	62
-	1	10	14	3	-	8	-	7	-	3	3	2	2	9	63
1	1	10	20	8	3	19	1	4	-	1	3	3	3	12	64
-	-	3	5	1	-	2	1	2	-	-	4	1	5	4	65
1	-	32	40	18	6	45	2	13	2	6	8	13	51	45	66
-	-	7	12	2	-	6	-	7	-	1	-	15	10	3	67
-	-	20	8	4	1	-	5	2	1	2	6	6	1	14	68
-	-	5	7	-	-	3	-	1	-	-	2	4	2	3	69
-	-	6	3	-	-	1	-	-	-	1	-	-	1	3	70
8	-	27	54	14	4	47	3	22	4	6	5	23	39	30	71
4	-	24	37	9	3	26	2	11	2	5	4	5	29	18	72
4	-	3	17	5	1	21	1	11	2	1	1	18	10	12	73
1	-	-	9	4	-	3	-	4	-	-	1	2	-	3	74
-	-	10	12	6	-	4	2	3	1	1	2	7	6	14	75
-	-	9	15	11	2	3	2	2	1	-	-	10	5	9	76
1	-	20	26	12	1	22	1	14	-	1	1	12	12	20	77
3	-	10	23	3	3	17	-	2	3	-	-	2	2	10	78
1	-	23	10	3	1	4	1	2	-	-	3	1	12	5	79
4	-	28	46	18	3	17	1	3	1	4	7	11	12	11	80
-	2	12	12	3	1	11	1	2	-	2	1	-	2	7	81
3	2	26	28	12	4	33	2	9	2	3	4	9	15	20	82
3	-	14	22	4	3	17	-	3	-	1	7	3	9	5	83
-	-	7	9	1	-	2	-	2	-	-	1	-	4	3	84
1	1	6	26	5	1	7	-	8	-	1	5	6	9	19	85
1	-	11	7	6	3	6	1	4	-	-	3	2	4	9	86
10	2	83	156	55	9	84	7	74	8	15	20	32	25	90	87
7	2	73	136	47	7	69	3	63	7	12	14	27	20	82	88
3	-	10	20	8	2	15	4	11	1	3	6	5	5	8	89

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	GEORGIA—Continued														
1	Newton	182	-	-	-	-	1	3	-	-	2	-	-	24	1
2	Oconee	65	-	-	-	1	2	1	-	-	-	-	-	6	-
3	Oglethorpe	115	-	-	-	-	-	4	-	-	-	-	-	11	-
4	Paulding	72	-	-	-	-	-	-	-	-	-	-	-	13	-
5	Peach	119	-	-	-	-	-	1	-	-	2	-	-	13	-
6	Pickens	58	1	-	-	1	-	1	-	-	-	-	-	4	-
7	Pierce	92	-	-	-	-	1	3	1	-	2	-	-	4	-
8	Pike	73	-	-	-	-	-	-	-	-	-	-	-	12	-
9	Polk	206	1	-	-	-	1	12	1	-	3	-	-	26	-
10	Pulaski	59	-	1	-	-	-	1	-	1	-	-	-	-	-
11	Putnam	63	-	1	-	-	-	-	-	-	-	-	-	4	-
12	Quitman	29	-	-	-	-	-	4	-	-	2	-	-	3	-
13	Rabun	29	-	-	-	-	-	1	-	-	-	-	-	1	-
14	Randolph	148	-	-	-	-	-	8	-	-	1	-	-	9	1
15	Richmond	1,103	1	7	1	-	2	57	1	1	30	-	1	93	6
16	Augusta	907	1	5	1	-	2	52	1	1	29	-	-	75	4
17	Balance of county	196	-	2	-	-	-	5	-	-	1	-	1	18	2
18	Rockdale	70	-	-	-	-	-	2	-	-	1	-	-	7	-
19	Schley	36	-	-	-	1	-	1	-	-	-	-	-	4	-
20	Screven	131	-	1	-	1	-	5	-	-	3	-	-	11	-
21	Seminole	70	-	-	-	-	-	-	-	2	-	-	-	7	-
22	Spalding	257	-	-	-	-	1	7	1	-	-	-	-	24	-
23	Griffin	174	-	-	-	-	-	5	1	-	-	-	-	15	-
24	Balance of county	83	-	-	-	-	1	2	-	-	-	-	-	9	-
25	Stephens	62	-	-	-	-	-	1	-	-	1	-	-	7	-
26	Stewart	77	-	-	-	-	-	3	-	-	-	-	-	6	-
27	Sumter	262	-	-	-	-	1	8	3	1	2	-	-	27	-
28	Talbot	76	-	-	-	-	-	3	-	-	-	-	-	6	1
29	Taliaferro	47	-	-	-	-	-	3	-	-	1	-	-	4	-
30	Tattnall	98	-	-	-	-	-	4	-	-	3	-	-	3	-
31	Taylor	73	-	-	-	-	-	1	-	-	1	-	-	3	-
32	Telfair	93	-	-	-	-	-	-	-	-	-	-	-	7	-
33	Terrell	150	1	-	-	-	-	3	1	-	1	-	-	18	-
34	Thomas	347	1	-	-	-	2	4	2	-	3	-	-	26	-
35	Thomasville	200	-	-	-	-	1	3	1	-	2	-	-	13	-
36	Balance of county	147	1	-	-	-	1	1	1	-	1	-	-	13	-
37	Tift	186	-	-	-	-	2	3	2	-	2	-	-	10	-
38	Toombs	128	-	1	-	-	-	2	-	2	-	-	-	11	-
39	Towns	6	-	-	-	-	1	-	-	-	-	-	-	2	-
40	Treutlen	32	-	-	-	-	-	1	1	-	-	-	-	1	-
41	Troup	389	-	1	-	4	1	15	2	-	1	-	-	33	-
42	La Grange	190	-	1	-	3	-	11	1	-	1	-	-	16	-
43	Balance of county	199	-	-	-	1	1	4	1	-	-	-	-	17	-
44	Turner	47	-	-	-	-	-	2	-	-	-	-	-	1	-
45	Twiggs	66	-	-	-	-	-	1	-	1	-	-	-	3	-
46	Union	21	-	-	-	-	-	-	-	-	-	-	-	2	-
47	Upson	183	1	-	-	-	1	6	1	-	1	-	-	13	-
48	Walker	246	-	-	-	4	-	20	-	-	-	-	-	25	-
49	Walton	175	-	-	-	1	-	5	-	-	1	-	-	9	-
50	Ware	284	-	1	-	-	2	7	2	-	3	-	-	26	2
51	Waycross	214	-	1	-	-	1	6	2	-	2	-	-	19	2
52	Balance of county	70	-	-	-	-	1	1	-	-	1	-	-	7	-
53	Warren	93	1	-	-	-	-	3	-	-	2	-	-	7	1
54	Washington	213	-	-	-	-	1	6	3	1	1	-	-	15	-
55	Wayne	88	-	-	-	-	1	1	1	-	-	-	-	12	2
56	Webster	43	-	-	-	-	-	1	-	-	-	-	-	3	-
57	Wheeler	43	-	-	-	-	-	1	-	-	1	-	-	2	-
58	White	51	-	-	-	1	2	-	-	-	-	-	-	2	-
59	Whitfield	190	-	-	-	1	1	11	-	-	-	2	1	18	-
60	Dalton	111	-	-	-	1	1	5	-	-	-	2	1	12	-
61	Balance of county	79	-	-	-	-	-	6	-	-	-	-	-	6	-
62	Wilcox	50	-	-	-	-	-	1	-	2	-	-	-	2	-
63	Wilkes	119	-	-	-	-	-	1	1	-	2	-	-	10	-
64	Wilkinson	84	-	-	-	-	-	1	-	-	-	-	-	3	-
65	Worth	148	-	-	-	-	-	2	1	-	-	-	-	6	-
66	IDAHO	4,602	1	3	3	6	6	81	6	-	25	2	4	508	8
67	Ada	528	-	-	-	-	-	15	1	-	5	-	-	65	-
68	Boise City	425	-	-	-	-	-	12	-	-	5	-	-	53	-
69	Balance of county	103	-	-	-	-	-	3	1	-	-	-	-	12	-
70	Adams	31	-	-	-	1	-	-	-	-	1	-	-	3	-
71	Bannock	308	-	1	-	-	-	2	1	-	3	-	1	27	-
72	Pocatello	245	-	1	-	-	-	1	1	-	3	-	1	22	-
73	Balance of county	63	-	-	-	-	-	1	-	-	-	-	-	5	-
74	Bear Lake	49	-	-	-	-	-	1	-	-	-	-	-	2	-
75	Benewah	65	-	-	-	-	-	2	-	-	-	-	-	2	-
76	Bingham	206	-	-	-	-	-	3	1	-	4	-	2	12	2
77	Blaine	35	-	-	-	-	-	-	-	-	-	-	-	7	-
78	Boise	11	-	-	-	-	-	-	-	-	-	-	-	1	-
79	Bonner	132	-	1	-	-	-	1	-	-	-	-	-	14	-
80	Bonneville	158	-	-	1	-	-	-	-	-	1	-	-	13	1
81	Idaho Falls	118	-	-	-	-	-	-	-	-	1	-	-	9	-
82	Balance of county	40	-	-	1	-	-	-	-	-	-	-	-	4	1
83	Boundary	42	-	-	-	-	-	1	-	-	-	-	-	5	-
84	Butte	11	-	-	-	-	-	-	-	-	-	-	-	1	-
85	Camas	5	-	-	-	-	-	-	-	-	-	-	-	1	-
86	Canyon	403	1	-	-	2	-	7	-	-	-	-	-	42	1
87	Nampa	179	1	-	-	-	-	4	-	-	-	-	-	16	-
88	Balance of county	224	-	-	-	2	-	3	-	-	-	-	-	26	1
89	Caribou	14	-	-	-	-	-	-	-	-	-	-	-	1	-
90	Cassia	89	-	-	-	1	-	-	-	-	2	-	-	10	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1	1	19	37	14	-	13	1	10	-	7	4	9	9	26	1
2	-	9	9	4	-	16	-	2	1	-	1	6	1	4	2
1	-	7	27	6	1	20	3	8	3	-	2	4	5	13	3
-	1	10	6	6	-	10	-	5	2	-	2	3	7	7	4
2	-	16	30	4	-	7	1	7	1	1	2	7	9	16	5
-	1	5	12	4	2	8	1	4	-	-	1	2	5	6	6
3	-	7	18	6	3	7	3	13	-	1	5	3	1	11	7
1	-	10	12	1	1	6	-	7	-	2	2	5	3	11	8
4	1	19	34	13	-	14	5	17	-	-	5	12	10	28	9
-	-	9	9	5	2	17	1	3	-	-	3	-	5	2	10
1	1	13	9	9	2	5	-	3	1	1	2	2	6	3	11
-	-	2	5	2	-	2	-	2	-	1	-	-	4	2	12
2	-	2	4	-	-	5	-	1	1	1	1	2	1	7	13
-	1	24	30	6	3	11	2	6	2	1	2	13	16	12	14
16	3	149	276	82	7	76	7	50	6	18	22	65	6	120	15
13	2	118	244	75	7	49	5	41	3	16	13	43	5	102	16
3	1	31	32	7	-	27	2	9	3	2	9	22	1	18	17
2	-	7	15	8	1	11	-	1	-	-	1	4	1	9	18
2	-	-	7	2	-	5	2	3	-	-	1	-	3	5	19
1	-	18	26	10	-	9	1	8	-	7	-	9	7	14	20
2	-	9	14	10	-	2	3	3	-	-	1	3	2	12	21
4	2	36	53	20	3	23	2	15	1	3	5	13	21	23	22
4	2	26	37	15	2	14	2	9	1	2	3	5	12	19	23
-	-	10	16	5	1	9	-	6	-	1	2	8	9	4	24
1	-	3	19	6	-	5	1	3	2	-	8	4	-	1	25
-	-	7	25	5	-	7	1	1	-	2	2	6	3	9	26
2	1	28	47	25	2	21	2	17	3	3	2	17	18	32	27
1	-	8	19	6	1	5	1	4	1	-	4	2	8	6	28
-	-	3	8	2	1	4	1	5	-	-	3	2	7	3	29
3	-	11	20	7	-	9	3	3	-	1	1	5	1	24	30
-	-	12	14	3	1	7	1	1	1	1	2	5	15	5	31
-	-	6	18	5	3	10	1	5	-	-	5	9	5	19	32
1	1	23	28	9	1	10	1	9	-	1	1	6	17	18	33
3	1	42	64	33	1	36	2	30	1	8	3	20	22	43	34
1	1	28	40	20	-	21	1	16	1	5	3	10	5	28	35
2	-	14	24	13	1	15	1	14	-	3	-	10	17	15	36
6	1	22	29	9	5	22	2	10	2	2	11	7	7	32	37
1	-	10	26	10	3	21	1	3	1	3	3	10	2	18	38
-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	39
1	-	7	9	1	2	-	-	6	-	-	1	-	1	1	40
7	2	49	74	28	6	57	2	22	2	8	9	11	12	43	41
4	-	22	33	10	2	33	-	13	1	2	4	7	6	20	42
3	2	27	41	18	4	24	2	9	1	6	5	4	6	23	43
1	-	2	13	5	4	3	-	2	-	3	-	-	2	9	44
-	-	8	12	7	2	7	1	4	1	-	2	4	5	8	45
2	-	-	3	3	3	-	-	2	-	-	-	-	1	5	46
4	2	17	31	24	3	17	2	11	3	3	8	8	9	18	47
6	1	25	43	16	5	22	2	13	1	2	4	13	11	33	48
3	1	22	32	15	-	16	2	13	2	3	4	11	14	21	49
5	2	28	61	18	7	28	2	12	3	3	16	10	15	31	50
4	2	23	41	16	4	23	2	10	1	1	10	8	12	24	51
1	-	5	20	2	3	5	-	2	2	2	6	2	3	7	52
-	-	10	8	9	3	21	1	5	-	1	2	2	2	15	53
1	1	37	30	12	3	17	1	13	1	2	3	12	35	18	54
-	-	8	16	1	3	5	-	4	1	-	6	7	7	13	55
-	-	6	10	-	-	3	-	8	-	1	-	3	4	4	56
1	-	8	8	2	1	8	1	1	1	-	1	-	1	6	57
-	-	1	13	5	1	8	-	5	1	1	1	-	5	5	58
2	1	10	28	18	3	15	-	12	3	2	8	9	9	36	59
1	1	7	12	12	1	11	-	8	2	1	4	4	2	23	60
1	-	3	16	6	2	4	-	4	1	1	4	5	7	13	61
3	-	7	8	8	-	3	-	2	1	-	3	2	-	8	62
-	-	14	22	5	1	9	2	10	1	-	2	11	13	15	63
1	2	12	10	6	-	9	1	4	3	2	4	11	4	11	64
-	1	18	23	10	6	24	4	11	1	5	3	8	18	7	65
95	-	422	1,340	198	23	262	23	291	66	14	163	302	133	617	66
16	-	48	182	26	2	21	-	22	8	1	21	25	7	63	67
12	-	39	148	21	1	17	-	16	5	1	16	19	7	53	68
4	-	9	34	5	1	4	-	6	3	-	5	6	-	10	69
-	-	4	13	1	-	-	-	1	1	-	-	1	2	3	70
3	-	21	66	16	4	32	8	21	6	1	10	31	9	45	71
3	-	17	57	14	2	28	4	16	5	-	6	20	7	37	72
-	-	4	9	2	2	4	4	5	1	1	4	11	2	8	73
-	-	3	10	1	1	5	-	6	-	-	2	4	3	11	74
1	-	8	14	2	-	4	-	2	3	1	1	8	5	12	75
4	-	21	68	11	3	7	2	10	-	1	9	7	9	30	76
-	-	3	11	1	-	2	1	1	-	-	2	3	-	4	77
-	-	1	3	1	-	-	-	1	1	-	-	2	-	1	78
6	-	14	46	1	-	8	-	8	4	-	2	16	-	11	79
6	-	15	39	10	-	8	1	20	1	-	7	12	2	21	80
4	-	12	33	8	-	6	-	11	1	-	5	9	2	17	81
2	-	3	6	2	-	2	1	9	-	-	2	3	-	4	82
-	-	2	19	1	-	-	-	3	-	-	-	3	-	8	83
-	-	1	5	-	-	-	-	1	-	-	-	2	-	1	84
-	-	-	3	-	-	-	-	-	-	-	-	-	-	1	85
5	-	38	117	26	2	33	-	31	5	-	19	12	14	48	86
1	-	23	52	8	1	13	-	16	1	-	8	6	8	21	87
4	-	15	65	18	1	20	-	15	4	-	11	6	6	27	88
-	-	1	3	1	-	-	-	3	-	-	1	2	1	1	89
4	-	7	27	4	-	5	-	5	2	1	4	9	4	4	90

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	IDAHO—Continued														
1	Clark	6	-	-	-	-	-	-	-	-	-	-	-	1	-
2	Clearwater	130	-	-	-	-	2	4	-	-	3	-	-	17	-
3	Custer	31	-	-	-	-	-	2	-	-	-	-	-	2	-
4	Elmore	49	-	-	-	-	-	-	-	-	-	-	-	6	-
5	Franklin	60	-	-	-	-	-	-	-	-	-	-	-	9	-
6	Fremont	57	-	-	-	-	-	-	-	-	-	-	-	7	-
7	Gem	85	-	-	-	-	-	-	-	-	-	-	1	11	-
8	Gooding	79	-	-	-	-	-	1	-	-	-	-	-	8	-
9	Idaho	114	-	-	-	-	-	2	-	-	-	-	-	13	-
10	Jefferson	77	-	-	-	-	-	1	-	-	-	-	-	9	-
11	Jerome	108	-	-	-	-	-	5	-	-	1	1	-	13	-
12	Kootenai	229	-	-	-	-	1	6	-	-	-	-	-	22	-
13	Coeur d'Alene	147	-	-	-	-	-	3	-	-	-	-	-	14	-
14	Balance of county	82	-	-	-	-	1	3	-	-	-	-	-	8	-
15	Latah	151	-	-	1	-	1	-	-	-	-	-	-	24	-
16	Lemhi	54	-	-	-	-	-	-	-	-	-	-	-	10	-
17	Lewis	48	-	-	-	-	-	1	-	-	-	-	-	5	-
18	Lincoln	35	-	-	-	-	-	-	-	-	-	-	-	5	-
19	Madison	70	-	-	-	-	-	2	-	-	-	-	-	11	1
20	Minidoka	79	-	1	-	-	-	2	-	-	-	-	-	5	-
21	Nez Perce	215	-	-	-	-	2	7	1	-	-	-	-	21	2
22	Lewiston	151	-	-	-	-	2	3	-	-	-	-	-	17	1
23	Balance of county	64	-	-	-	-	-	4	1	-	-	-	-	4	1
24	Oneida	45	-	-	-	-	-	-	-	-	-	-	-	3	-
25	Owyhee	40	-	-	-	-	-	7	-	-	-	-	-	3	-
26	Payette	84	-	-	-	-	-	-	-	-	-	-	-	11	-
27	Power	20	-	-	-	-	-	-	-	-	-	-	-	5	-
28	Shoshone	197	-	-	-	-	-	7	-	-	2	-	-	21	1
29	Teton	15	-	-	-	-	-	-	1	-	-	-	-	2	-
30	Twin Falls	329	-	-	1	1	-	2	-	-	3	1	-	46	-
31	Twin Falls	165	-	-	1	1	-	1	-	-	2	-	-	24	-
32	Balance of county	164	-	-	-	-	-	1	-	-	1	1	-	22	-
33	Valley	37	-	-	-	1	-	-	-	-	-	-	-	2	-
34	Washington	71	-	-	-	-	-	-	1	-	-	-	-	10	-
35	Yellowstone National Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	ILLINOIS	90,116	11	135	29	57	15	3,184	29	9	812	11	107	12,772	70
37	Adams	764	-	4	-	1	-	20	-	-	6	-	-	77	-
38	Quincy	518	-	3	-	-	-	12	-	-	4	-	-	51	-
39	Balance of county	246	-	1	-	1	-	8	-	-	2	-	-	26	-
40	Alexander	304	-	-	-	-	-	25	-	1	2	-	-	25	1
41	Cairo	214	-	-	-	-	-	21	-	1	2	-	-	14	1
42	Balance of county	90	-	-	-	-	-	4	-	-	-	-	-	11	-
43	Bond	157	-	-	-	-	-	3	1	-	-	-	-	31	-
44	Boone	201	-	-	-	-	-	1	-	-	1	-	4	27	-
45	Brown	78	-	-	-	-	-	3	-	-	-	-	-	8	-
46	Bureau	421	-	-	-	1	-	6	-	-	-	-	2	48	-
47	Calhoun	64	-	-	-	-	-	-	-	-	-	-	-	5	-
48	Carroll	207	-	-	-	-	-	1	-	-	1	-	-	26	-
49	Cass	178	-	1	-	-	-	5	-	-	1	-	-	30	-
50	Champaign	687	-	-	-	-	-	10	-	-	8	-	-	101	1
51	Champaign	257	-	-	-	-	-	3	-	-	5	-	-	37	-
52	Urbana	157	-	-	-	-	-	1	-	-	3	-	-	28	-
53	Balance of county	273	-	-	-	-	-	6	-	-	-	-	-	36	1
54	Christian	391	-	-	-	-	-	8	-	-	2	-	-	45	-
55	Clark	187	-	1	-	-	-	2	-	-	-	-	-	20	-
56	Clay	151	-	-	1	-	-	3	-	-	1	-	1	17	-
57	Clinton	194	-	-	-	-	-	2	-	-	2	-	2	38	-
58	Centralia (part)	8	-	-	-	-	-	-	-	-	-	-	-	2	-
59	Balance of county	186	-	-	-	-	-	2	-	-	2	-	2	36	-
60	Coles	429	-	-	-	-	-	10	-	-	2	-	-	60	1
61	Mattoon	184	-	-	-	-	-	6	-	-	-	-	-	30	1
62	Balance of county	245	-	-	-	-	-	4	-	-	2	-	-	30	-
63	Cook	46,529	1	88	10	14	3	2,036	6	1	264	9	29	7,086	36
64	Berwyn	433	-	-	-	-	-	15	-	-	1	-	-	75	-
65	Blue Island	187	-	-	-	-	-	5	-	-	-	-	-	27	-
66	Brookfield	106	-	-	-	-	-	6	-	-	-	-	-	20	-
67	Calumet City	84	-	-	-	-	-	7	-	-	-	-	-	13	-
68	Chicago	38,897	1	83	9	13	3	1,823	4	-	185	8	24	5,957	34
69	Chicago Heights	233	-	-	-	-	-	8	-	-	-	-	-	29	-
70	Cicero	590	-	1	-	-	-	14	-	-	2	-	-	88	-
71	Elgin (part)	5	-	-	-	-	-	-	-	-	-	-	-	-	-
72	Elmwood Park	95	-	1	-	-	-	2	-	-	-	-	-	19	-
73	Evanston	662	-	-	-	-	-	10	-	-	2	-	1	109	-
74	Forest Park	161	-	-	-	-	-	3	-	-	2	-	-	20	1
75	Harvey	185	-	-	-	-	-	5	-	-	-	-	-	32	-
76	La Grange	82	-	-	-	-	-	-	1	-	-	-	-	18	-
77	Maywood	227	-	-	-	-	-	7	-	-	1	-	-	43	-
78	Melrose Park	109	-	-	-	-	-	3	-	-	1	-	-	22	-
79	Oak Park	700	-	1	-	-	-	10	-	-	1	-	-	109	-
80	Park Ridge	112	-	-	-	-	-	1	-	-	-	-	-	17	-
81	Wilmette	166	-	-	-	-	-	-	-	-	-	-	1	33	-
82	Winnetka	106	-	-	-	-	-	1	-	-	2	-	1	16	-
83	Balance of county	3,389	-	2	1	1	-	116	1	1	67	1	2	439	1
84	Crawford	228	-	-	-	1	-	6	-	-	3	-	-	32	-
85	Cumberland	123	-	-	-	-	-	2	-	-	2	-	-	15	-
86	De Kalb	427	-	1	-	-	-	6	-	-	3	-	1	70	-
87	De Witt	193	-	-	-	-	-	-	-	-	1	-	-	35	-
88	Douglas	173	-	-	-	-	-	4	-	-	-	-	-	22	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	-	1	1	-	-	-	-	-	-	-	-	-	2	1	1
2	-	13	34	2	1	14	-	6	-	1	2	8	3	18	2
1	-	3	8	-	-	3	-	1	-	-	4	2	-	5	3
-	-	4	11	3	-	2	-	4	2	-	1	13	-	3	4
2	-	6	12	5	-	3	-	5	-	-	5	4	3	6	5
1	-	7	15	2	-	1	-	8	-	-	-	4	4	8	6
1	-	6	18	2	-	8	2	8	3	-	2	4	3	16	7
1	-	6	26	3	-	4	-	7	1	-	5	5	-	12	8
1	-	15	31	10	1	8	-	3	1	-	3	7	1	18	9
-	-	6	24	3	-	6	-	7	2	-	3	4	2	10	10
2	-	9	38	4	-	2	-	3	1	-	5	8	3	13	11
4	-	22	91	7	2	7	2	14	5	-	7	13	4	22	12
2	-	15	59	5	1	5	-	9	4	-	2	10	3	15	13
2	-	7	32	2	1	2	2	5	1	-	5	3	1	7	14
6	-	18	36	9	-	8	-	4	2	-	2	7	5	28	15
-	-	5	17	2	-	3	-	3	-	-	2	4	1	7	16
2	-	3	10	3	-	5	-	3	-	-	2	3	3	8	17
1	-	4	3	1	-	2	-	4	1	-	4	3	2	5	18
2	-	4	14	2	-	4	-	13	1	-	3	7	2	4	19
3	-	6	31	5	-	3	-	3	2	-	1	3	2	12	20
2	-	18	86	9	4	12	-	4	1	1	10	3	4	28	21
1	-	17	62	3	2	8	-	2	1	-	8	2	3	19	22
1	-	1	24	6	2	4	-	2	-	1	2	1	1	9	23
3	-	5	8	2	1	-	1	3	-	-	4	8	-	7	24
1	-	2	7	-	1	2	2	1	1	-	1	7	2	3	25
4	-	2	21	4	-	4	1	4	3	-	4	5	4	17	26
-	-	2	4	-	-	4	-	-	-	1	-	1	1	2	27
3	-	12	56	10	-	8	1	11	3	2	6	18	7	29	28
-	-	-	3	-	-	1	-	1	-	-	-	2	1	4	29
7	-	45	81	6	1	15	2	34	6	-	5	15	4	54	30
3	-	29	31	4	1	11	-	19	4	-	4	6	3	21	31
4	-	16	50	2	-	4	2	15	2	-	1	9	1	33	32
1	-	5	8	1	-	2	-	2	-	3	3	5	-	4	33
-	-	6	20	1	-	6	-	-	-	1	1	2	14	9	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
2,737	2	7,326	32,147	3,303	314	6,169	235	3,230	865	363	1,540	3,744	469	10,431	36
25	-	87	309	23	1	80	1	26	3	1	8	17	3	72	37
21	-	57	202	19	1	58	1	21	1	-	6	9	1	51	38
4	-	30	107	4	-	22	-	5	2	1	2	8	2	21	39
6	-	30	67	25	9	30	5	17	3	4	5	19	2	28	40
4	-	20	47	19	6	19	3	12	2	3	1	14	2	23	41
2	-	10	20	6	3	11	2	5	1	1	4	5	-	5	42
3	-	14	50	5	1	16	1	4	1	1	1	10	-	15	43
6	-	20	76	4	-	14	-	7	5	-	8	6	1	21	44
2	-	13	27	5	-	8	-	-	2	-	-	3	-	7	45
11	-	50	163	9	1	33	3	16	4	-	9	13	4	48	46
1	-	5	30	3	-	5	-	1	1	-	1	5	-	7	47
10	-	21	73	1	1	22	-	6	3	-	5	9	-	28	48
3	-	28	48	8	1	16	1	7	1	-	1	13	-	14	49
23	-	75	210	20	1	56	1	40	7	2	15	41	1	75	50
9	-	26	82	8	-	17	-	16	2	1	3	19	-	29	51
10	-	15	40	6	-	14	-	12	2	-	1	5	1	19	52
4	-	34	88	6	1	25	1	12	3	1	11	17	-	27	53
5	-	43	113	19	5	35	4	17	9	-	8	23	2	53	54
5	-	21	52	8	-	29	1	4	9	-	5	9	-	21	55
5	-	5	51	8	-	9	-	13	3	-	1	11	1	21	56
5	-	19	51	7	2	11	2	5	2	1	3	9	2	31	57
-	-	1	1	-	-	-	-	-	-	-	-	1	-	3	58
5	-	18	50	7	2	11	2	5	2	1	3	8	2	28	59
11	-	66	103	12	2	57	-	9	3	1	16	15	1	60	60
3	-	31	52	1	1	22	-	4	1	1	4	7	-	20	61
8	-	35	51	11	1	35	-	5	2	-	12	8	1	40	62
1,557	1	3,187	17,969	1,703	80	3,008	112	1,573	404	264	695	1,633	55	4,705	63
23	-	25	172	16	-	22	1	21	2	-	10	10	-	40	64
11	-	11	71	5	-	14	-	9	1	-	6	10	1	16	65
6	-	6	42	3	-	8	1	2	-	-	-	2	-	10	66
2	-	2	25	4	-	4	-	3	3	1	4	2	-	14	67
1,271	1	2,610	15,064	1,481	62	2,542	101	1,289	345	255	569	1,360	29	3,774	68
16	-	24	65	7	-	21	1	14	2	2	2	8	2	32	69
35	-	38	216	28	2	35	1	24	7	2	6	25	2	64	70
-	-	2	1	-	-	2	-	-	-	-	-	-	-	-	71
1	-	6	37	-	-	5	-	5	-	-	1	4	1	13	72
23	-	67	232	17	2	46	-	22	6	2	4	26	1	92	73
7	-	13	62	1	-	16	-	3	2	-	3	6	-	22	74
5	-	12	56	5	3	13	1	12	-	-	10	4	-	27	75
5	-	7	27	4	-	4	-	4	-	-	3	1	1	7	76
9	-	21	79	9	-	8	1	9	2	-	4	7	1	26	77
3	-	7	29	4	1	7	1	4	1	-	4	6	-	16	78
20	-	68	286	13	1	60	1	24	8	-	6	20	1	71	79
3	-	12	42	3	1	15	-	4	1	-	-	2	-	11	80
2	-	12	70	4	1	10	-	7	1	-	2	4	1	18	81
6	-	12	39	5	-	3	-	3	3	-	1	5	-	9	82
109	-	232	1,354	94	7	173	3	114	20	2	60	131	15	443	83
6	-	19	61	9	2	32	1	9	2	-	3	8	-	34	84
1	-	13	34	1	1	17	-	6	-	1	6	7	1	16	85
13	-	47	137	15	2	48	4	8	3	-	3	25	2	39	86
3	-	21	60	6	1	11	-	7	4	1	3	12	-	28	87
3	-	20	52	9	1	24	-	4	1	-	3	8	5	17	88

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliencephalitis, (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	ILLINOIS—Continued														
1	Du Page	964	-	-	-	-	-	34	-	-	4	-	1	132	-
2	Elmhurst	143	-	-	-	-	-	1	-	-	1	-	-	26	-
3	Balance of county	821	-	-	-	-	-	33	-	-	3	-	1	106	-
4	Edgar	261	-	-	-	-	-	6	-	-	2	-	-	35	-
5	Edwards	95	-	-	-	-	-	1	-	-	-	-	-	9	-
6	Effingham	213	-	-	-	1	-	5	-	-	-	-	-	30	-
7	Fayette	239	-	-	-	1	-	4	-	-	1	-	-	24	-
8	Ford	150	-	-	-	-	-	2	-	-	-	-	-	23	-
9	Franklin	518	-	1	1	-	-	19	-	-	1	-	-	60	-
10	West Frankfort	141	-	-	1	-	-	8	-	-	-	-	-	17	-
11	Balance of county	377	-	1	-	-	-	11	-	-	1	-	-	43	-
12	Fulton	478	-	-	-	-	-	3	-	-	7	-	-	58	-
13	Canton	157	-	-	-	-	-	2	-	-	4	-	-	17	-
14	Balance of county	321	-	-	-	-	-	1	-	-	3	-	-	41	-
15	Gallatin	99	-	-	1	1	1	2	-	-	3	-	-	13	-
16	Greene	226	-	-	-	1	-	6	-	-	1	-	-	24	-
17	Grundy	216	-	-	-	-	-	-	-	-	-	-	-	33	-
18	Hamilton	110	-	-	-	-	-	1	-	-	-	-	-	20	-
19	Hancock	319	-	-	-	-	-	1	-	-	-	-	-	44	-
20	Hardin	83	-	-	-	2	-	6	2	-	1	-	-	6	-
21	Henderson	86	-	-	-	1	-	1	-	-	-	-	-	11	-
22	Henry	474	-	1	-	-	-	4	-	-	1	-	-	79	1
23	Kewanee	202	-	-	-	-	-	2	-	-	1	-	-	31	1
24	Balance of county	272	-	1	-	-	-	2	-	-	-	-	-	48	-
25	Iroquois	310	1	-	-	1	-	1	-	-	1	-	-	43	1
26	Jackson	399	-	1	-	-	-	14	3	1	4	1	1	55	-
27	Jasper	117	-	-	-	-	-	1	-	-	-	-	-	10	-
28	Jefferson	361	-	-	1	-	-	14	-	-	2	-	-	43	-
29	Mount Vernon	176	-	-	1	-	-	10	-	-	2	-	-	19	-
30	Balance of county	185	-	-	-	-	-	4	-	-	-	-	-	24	-
31	Jersey	132	-	-	-	-	-	-	-	-	-	-	-	20	-
32	Jo Daviess	268	-	-	-	2	-	3	-	-	1	-	-	38	-
33	Johnson	99	2	-	-	1	-	1	-	-	-	-	-	12	-
34	Kane	1,719	-	-	-	-	-	37	-	-	48	-	4	218	1
35	Aurora	471	-	-	-	-	-	7	-	-	2	-	-	54	1
36	Elgin (part)	842	-	-	-	-	-	21	-	-	45	-	-	107	-
37	Elgin (total)	847	-	-	-	-	-	21	-	-	45	-	-	107	-
38	Balance of county	406	-	-	-	-	-	9	-	-	1	-	4	57	-
39	Kankakee	1,449	-	2	-	1	-	111	-	-	119	-	-	134	-
40	Kankakee	268	-	1	-	1	-	5	-	-	1	-	-	36	-
41	Balance of county	1,181	-	1	-	-	-	106	-	-	118	-	-	98	-
42	Kendall	110	-	-	-	-	-	3	-	-	-	-	-	14	-
43	Knox	602	-	1	-	-	-	7	-	-	5	-	-	73	1
44	Galesburg	364	-	1	-	-	-	7	-	-	3	-	-	46	-
45	Balance of county	238	-	-	-	-	-	-	-	-	2	-	-	27	1
46	Lake	1,373	-	3	4	-	-	45	-	-	31	-	2	194	3
47	Highland Park	118	-	-	-	-	-	2	-	-	2	-	-	18	-
48	Waukegan	351	-	1	-	-	-	16	-	-	5	-	2	45	-
49	Balance of county	904	-	2	4	-	-	27	-	-	24	-	-	131	3
50	La Salle	1,084	-	-	1	-	-	27	-	-	2	-	2	158	2
51	La Salle	133	-	-	-	-	-	3	-	-	-	-	-	17	-
52	Ottawa	190	-	-	1	-	-	5	-	-	-	-	1	32	-
53	Streator	188	-	-	-	-	-	4	-	-	2	-	1	29	2
54	Balance of county	573	-	-	-	-	-	15	-	-	-	-	-	80	-
55	Lawrence	285	-	-	-	-	-	1	-	-	4	-	-	39	1
56	Lee	564	-	1	-	-	-	42	7	-	3	-	4	64	-
57	Dixon	150	-	1	-	-	-	2	-	-	-	-	2	24	-
58	Balance of county	414	-	-	-	-	-	40	7	-	3	-	2	40	-
59	Livingston	384	-	-	-	-	-	7	-	1	1	-	-	51	-
60	Logan	372	-	-	-	-	1	19	-	-	5	-	-	43	-
61	Lincoln	208	-	-	-	-	1	17	-	-	1	-	-	23	-
62	Balance of county	164	-	-	-	-	-	2	-	-	4	-	-	20	-
63	McDonough	340	-	-	-	-	-	6	-	-	-	-	-	54	-
64	McHenry	441	-	-	-	-	-	2	-	-	2	-	2	69	-
65	McLean	803	-	-	-	1	-	21	-	-	3	-	-	120	1
66	Bloomington	427	-	-	-	1	-	10	-	-	2	-	-	62	-
67	Balance of county	376	-	-	-	-	-	11	-	-	1	-	-	58	1
68	Macon	919	-	-	1	1	-	13	2	-	4	-	-	154	1
69	Decatur	704	-	-	1	1	-	12	2	-	4	-	-	117	1
70	Balance of county	215	-	-	-	-	-	1	-	-	-	-	-	37	-
71	Macoupin	485	-	-	1	-	-	11	-	-	4	-	-	74	-
72	Madison	1,774	1	2	-	2	-	63	2	-	29	-	-	205	2
73	Alton	403	-	-	-	1	-	6	1	-	5	-	-	52	1
74	Granite City	211	1	-	-	-	-	9	-	-	-	-	-	33	-
75	Balance of county	1,160	-	2	-	1	-	48	1	-	24	-	-	120	1
76	Marion	408	-	-	-	2	-	11	1	-	-	-	-	53	-
77	Centralia (part)	142	-	-	-	2	-	7	-	-	-	-	-	21	-
78	Centralia (total)	150	-	-	-	2	-	7	-	-	-	-	-	23	-
79	Balance of county	266	-	-	-	-	-	4	1	-	-	-	-	32	-
80	Marshall	144	-	-	-	-	-	-	-	-	-	-	-	27	-
81	Mason	180	-	-	1	-	-	2	-	-	1	-	-	26	-
82	Massac	176	-	1	-	-	-	15	2	-	-	-	-	21	-
83	Menard	94	-	-	-	-	-	2	-	-	-	-	-	8	-
84	Mercer	186	-	-	-	-	-	1	-	-	1	-	-	24	-
85	Monroe	151	-	-	-	2	-	-	-	-	-	-	-	22	-
86	Montgomery	378	-	-	-	2	-	3	-	-	2	-	1	63	-
87	Morgan	693	-	-	-	-	-	19	1	-	14	-	1	48	-
88	Jacksonville	536	-	-	-	-	-	16	1	-	14	-	1	34	-
89	Balance of county	157	-	-	-	-	-	3	-	-	-	-	-	14	-
90	Moultrie	166	-	-	-	1	-	2	-	-	2	-	-	27	2
91	Ogle	330	-	1	-	-	-	2	-	-	2	-	2	45	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
29	-	86	329	41	2	61	2	31	7	-	23	46	4	132	1
2	-	8	50	3	-	12	-	6	-	-	4	3	-	27	2
27	-	78	279	38	2	49	2	25	7	-	19	43	4	105	3
14	-	22	83	6	1	27	2	7	3	-	9	13	-	31	4
4	-	11	30	8	1	6	1	2	-	-	4	1	6	11	5
7	-	16	70	10	2	25	1	9	2	-	5	9	-	21	6
4	-	28	71	13	2	28	1	14	3	1	1	11	2	30	7
13	-	17	49	1	-	14	-	5	2	-	3	2	1	18	8
10	-	46	136	26	5	46	1	33	2	3	9	33	10	76	9
2	-	17	41	8	1	8	-	14	-	1	-	14	-	9	10
8	-	29	95	18	4	38	1	19	2	2	9	19	10	67	11
18	-	54	165	17	-	35	1	11	7	1	3	27	4	67	12
9	-	17	51	5	-	10	-	3	-	1	1	9	-	28	13
9	-	37	114	12	-	25	1	8	7	-	2	18	4	39	14
3	-	10	28	3	1	11	-	6	1	-	2	5	2	6	15
8	-	31	82	7	1	13	-	8	2	-	2	12	8	20	16
11	-	29	53	7	2	11	-	11	1	-	7	13	2	36	17
1	-	4	49	3	1	9	-	3	1	-	4	6	3	5	18
7	-	59	109	14	-	9	-	5	9	-	5	13	3	41	19
1	-	13	12	3	2	6	-	5	1	1	1	10	4	7	20
2	-	15	25	3	-	5	-	2	2	-	-	1	2	16	21
21	-	46	162	21	-	33	2	18	3	1	12	10	1	58	22
11	-	18	76	9	-	14	1	7	1	-	2	2	-	26	23
10	-	28	86	12	-	19	1	11	2	1	10	8	1	32	24
9	-	36	110	6	1	21	1	7	-	-	9	24	3	35	25
4	-	42	126	14	4	37	4	17	8	2	4	14	9	34	26
8	-	6	41	3	-	23	-	1	1	-	-	6	1	16	27
5	-	36	113	16	5	23	1	16	4	-	5	20	17	40	28
3	-	11	53	6	3	8	1	9	2	-	3	12	12	21	29
2	-	25	60	10	2	15	-	7	2	-	2	8	5	19	30
2	-	9	33	2	1	33	-	9	1	1	-	9	-	12	31
7	-	33	90	3	1	21	2	9	2	1	4	13	1	37	32
-	-	17	29	1	2	8	1	1	3	-	1	7	-	13	33
41	-	160	583	84	2	68	3	53	20	6	19	100	16	256	34
12	-	61	167	14	-	27	2	20	4	3	4	18	3	72	35
13	-	61	294	59	1	15	-	14	13	2	6	58	8	125	36
13	-	63	295	59	1	17	-	14	13	2	6	58	8	125	37
16	-	38	122	11	1	26	1	19	3	1	9	24	5	59	38
16	-	81	604	74	3	40	-	30	5	3	14	49	4	159	39
3	-	26	114	9	1	14	-	16	1	-	9	7	2	22	40
13	-	55	490	65	2	26	-	14	4	3	5	42	2	137	41
5	-	4	41	4	-	11	-	3	3	-	1	4	3	14	42
27	-	55	207	20	3	47	-	21	9	1	10	35	7	73	43
17	-	34	122	14	2	29	-	16	7	1	4	19	5	37	44
10	-	21	85	6	1	18	-	5	2	-	6	16	2	36	45
24	-	100	458	55	3	84	6	58	15	1	26	58	12	191	46
1	-	9	49	5	-	6	-	3	-	-	3	1	1	18	47
7	-	21	126	15	1	21	1	24	5	1	5	16	2	37	48
16	-	70	283	35	2	57	5	31	10	-	18	41	9	136	49
40	-	102	387	30	1	75	2	41	6	-	20	41	15	132	50
4	-	11	49	3	-	6	-	9	-	-	4	8	2	17	51
3	-	21	73	1	-	17	1	8	-	-	4	5	-	18	52
9	-	20	56	9	1	11	-	3	-	-	3	5	3	30	53
24	-	50	209	17	-	41	1	21	6	-	9	23	10	67	54
7	-	33	87	8	2	19	2	14	-	-	15	22	-	31	55
11	-	29	121	45	9	41	-	48	8	-	11	14	-	106	56
1	-	9	47	7	3	14	-	4	3	-	4	5	-	24	57
10	-	20	74	38	6	27	-	44	5	-	7	9	-	82	58
16	-	38	130	7	2	34	1	10	4	-	13	16	2	51	59
18	-	21	108	27	1	29	1	27	1	-	4	9	1	57	60
7	-	11	46	23	-	18	1	17	1	-	2	5	-	35	61
11	-	10	62	4	1	11	-	10	-	-	2	4	1	22	62
10	-	31	117	9	1	12	1	12	3	1	11	10	11	51	63
13	-	54	171	10	1	30	1	11	3	-	7	22	5	38	64
33	-	99	273	11	5	48	4	31	11	-	10	31	4	97	65
22	-	49	156	2	4	18	2	17	6	-	7	17	1	51	66
11	-	50	117	9	1	30	2	14	5	-	3	14	3	46	67
27	-	79	315	24	3	50	3	31	10	4	22	49	11	115	68
21	-	66	239	19	3	38	1	17	7	3	17	39	8	88	69
6	-	13	76	5	-	12	2	14	3	1	5	10	3	27	70
16	-	42	167	13	4	33	2	12	4	-	14	22	3	63	71
31	1	153	570	52	18	99	5	90	22	7	44	91	28	257	72
11	-	41	115	10	6	34	2	32	4	1	13	14	6	48	73
2	-	19	54	3	5	8	-	12	7	1	4	12	7	34	74
18	1	93	401	39	7	57	3	46	11	5	27	65	15	175	75
14	-	55	108	15	1	29	2	19	-	2	8	17	6	65	76
6	-	19	38	6	-	11	2	7	-	-	3	3	1	16	77
6	-	20	39	6	-	11	2	7	-	-	3	4	1	19	78
8	-	36	70	9	1	18	-	12	-	2	5	14	5	49	79
6	-	20	44	3	-	8	1	5	-	-	1	7	4	18	80
9	-	18	57	8	-	18	-	2	1	-	2	13	4	18	81
-	-	17	52	14	1	10	1	7	1	1	-	10	7	16	82
1	-	13	38	5	1	4	1	3	2	-	-	3	1	12	83
4	-	21	62	8	-	18	1	12	2	-	3	12	2	15	84
3	-	22	49	4	1	13	-	3	3	-	2	9	-	18	85
11	-	31	120	11	1	42	1	10	1	2	13	18	1	45	86
18	-	86	271	24	2	30	1	13	4	1	10	47	-	103	87
15	-	61	229	16	1	13	1	9	3	1	2	36	-	83	88
3	-	25	42	8	1	17	-	4	1	-	8	11	-	20	89
4	-	15	59	4	-	4	-	4	2	-	6	7	2	25	90
6	-	29	117	16	-	25	1	9	6	-	8	21	3	37	91

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliocencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	ILLINOIS—Continued														
1	Peoria	1,854	-	4	1	2	-	59	-	-	46	-	3	227	1
2	Peoria	1,158	-	3	1	1	-	27	-	-	18	-	3	142	1
3	Balance of county	696	-	1	-	1	-	32	-	-	28	-	-	85	-
4	Perry	231	-	-	-	-	-	6	-	1	-	-	-	33	-
5	Piatt	152	-	-	-	-	-	1	-	-	1	-	-	25	-
6	Pike	257	-	-	-	2	-	4	-	-	-	-	-	33	-
7	Pope	72	1	-	-	-	-	5	-	-	-	-	-	8	-
8	Pulaski	195	1	-	-	1	-	4	-	-	2	-	-	17	-
9	Putnam	59	-	-	1	-	-	3	-	-	-	-	-	9	-
10	Randolph	314	-	-	-	-	-	20	-	1	7	-	1	34	-
11	Richland	167	-	-	-	-	-	1	-	-	-	-	1	22	-
12	Rock Island	1,436	-	7	-	1	2	34	-	-	27	-	1	188	2
13	East Moline	387	-	-	-	1	-	18	-	-	21	-	-	29	1
14	Moline	370	-	4	-	-	1	5	-	-	2	-	-	52	-
15	Rock Island	497	-	3	-	-	1	9	-	-	4	-	1	76	1
16	Balance of county	182	-	-	-	-	-	2	-	-	-	-	-	31	-
17	St. Clair	1,914	1	4	-	4	-	62	-	2	13	-	3	256	5
18	Belleville	364	-	-	-	-	-	4	-	1	3	-	-	52	1
19	East St. Louis	940	1	4	-	2	-	35	-	-	8	-	3	132	3
20	Balance of county	610	-	-	-	2	-	23	-	1	2	-	-	72	1
21	Saline	379	1	-	1	-	2	11	-	-	2	-	-	46	-
22	Harrisburg	154	-	-	-	-	-	2	-	-	2	-	-	19	-
23	Balance of county	225	1	-	1	-	2	9	-	-	-	-	-	27	-
24	Sangamon	1,327	-	3	-	-	1	32	1	-	7	-	1	189	-
25	Springfield	939	-	3	-	-	1	17	1	-	5	-	1	133	-
26	Balance of county	388	-	-	-	-	-	15	-	-	2	-	-	56	-
27	Schuyler	135	-	-	-	1	-	-	-	-	-	-	-	12	-
28	Scott	90	1	-	-	-	-	1	-	-	-	-	-	14	-
29	Shelby	306	-	-	-	-	-	1	-	1	-	-	-	47	-
30	Stark	108	-	-	-	-	-	-	-	-	-	-	-	20	-
31	Stephenson	500	-	-	-	-	-	7	-	-	2	-	8	82	-
32	Freeport	300	-	-	-	-	-	5	-	-	2	-	5	47	-
33	Balance of county	200	-	-	-	-	-	2	-	-	-	-	3	35	-
34	Tazewell	543	-	2	-	1	2	14	-	-	2	-	-	76	-
35	Pekin	210	-	1	-	1	1	3	-	-	-	-	-	32	-
36	Balance of county	333	-	1	-	-	1	11	-	-	2	-	-	44	-
37	Union	481	-	-	-	-	1	32	-	-	23	-	-	11	-
38	Vermilion	1,091	-	2	1	1	1	32	-	-	50	-	1	127	1
39	Danville	483	-	1	1	1	-	15	-	-	5	-	1	70	-
40	Balance of county	608	-	1	-	-	1	17	-	-	45	-	-	57	1
41	Wabash	160	1	-	-	-	-	3	-	-	1	-	-	26	1
42	Warren	249	-	-	-	-	-	1	-	-	1	-	-	26	-
43	Washington	154	-	-	-	-	-	2	-	-	-	-	-	18	-
44	Wayne	196	-	-	-	2	-	6	-	-	2	-	-	18	-
45	White	187	-	-	-	-	-	7	-	-	1	-	1	17	-
46	Whiteside	455	-	1	3	-	-	3	1	-	1	-	-	69	2
47	Sterling	147	-	1	1	-	-	2	-	-	-	-	-	26	-
48	Balance of county	308	-	-	2	-	-	1	1	-	1	-	-	43	2
49	Will	1,199	-	2	-	1	-	40	-	-	6	-	-	173	1
50	Joliet	660	-	-	-	-	-	23	-	-	4	-	-	87	-
51	Balance of county	539	-	2	-	1	-	17	-	-	2	-	-	86	1
52	Williamson	561	-	-	-	1	-	16	-	-	2	1	-	74	-
53	Winnebago	1,259	-	-	-	-	1	21	-	-	5	-	28	181	2
54	Rockford	869	-	-	-	-	-	15	-	-	3	-	15	135	2
55	Balance of county	390	-	-	-	-	1	6	-	-	2	-	13	46	-
56	Woodford	172	-	1	-	-	-	2	-	-	1	-	-	26	-
57	INDIANA	39,586	6	45	13	37	31	1,133	19	4	400	4	25	4,813	31
58	Adams	186	-	-	-	-	-	1	-	-	-	-	-	14	-
59	Allen	1,783	-	4	-	2	-	64	-	-	12	-	1	229	1
60	Fort Wayne	1,402	-	4	-	1	-	48	-	-	12	-	1	175	1
61	Balance of county	381	-	-	-	1	-	16	-	-	-	-	-	54	-
62	Bartholomew	291	-	-	1	-	-	4	-	-	1	-	-	33	-
63	Columbus	132	-	-	-	-	-	1	-	-	1	-	-	16	-
64	Balance of county	159	-	-	1	-	-	3	-	-	-	-	-	17	-
65	Benton	99	-	-	-	-	-	4	-	-	1	-	1	9	1
66	Blackford	158	-	-	-	-	-	1	-	-	-	-	-	20	-
67	Boone	271	-	1	-	-	-	6	-	-	-	-	-	34	-
68	Brown	56	-	-	-	1	-	-	-	-	-	1	-	7	1
69	Carroll	187	-	-	-	-	-	2	-	-	1	-	-	22	-
70	Cass	655	-	1	-	-	-	34	-	-	34	-	-	63	-
71	Logansport	260	-	-	-	-	-	6	-	-	2	-	-	34	-
72	Balance of county	395	-	1	-	-	-	28	-	-	32	-	-	29	-
73	Clark	397	-	1	-	-	-	13	-	-	4	-	-	49	-
74	Jeffersonville	182	-	1	-	-	-	7	-	-	4	-	-	18	-
75	Balance of county	215	-	-	-	-	-	6	-	-	-	-	-	31	-
76	Clay	274	-	-	-	-	-	5	-	-	1	-	-	39	-
77	Clinton	341	-	-	-	-	-	7	-	-	4	-	-	43	-
78	Frankfort	182	-	-	-	-	-	4	-	-	4	-	-	25	-
79	Balance of county	159	-	-	-	-	-	3	-	-	-	-	-	18	-
80	Crawford	101	-	-	1	-	-	2	-	-	-	-	-	14	-
81	Daviess	277	-	-	-	-	-	6	-	-	1	-	-	31	-
82	Dearborn	255	-	-	-	-	-	10	-	-	2	-	-	29	-
83	Decatur	212	-	-	-	-	-	4	-	-	1	-	-	31	-
84	De Kalb	256	-	1	-	-	-	1	-	-	-	-	-	36	1
85	Delaware	899	-	-	-	1	1	29	-	-	10	-	2	100	1
86	Muncie	613	-	-	-	-	-	24	-	-	10	-	-	63	1
87	Balance of county	286	-	-	-	1	1	5	-	-	-	-	2	37	-
88	Dubois	206	-	-	-	-	-	4	-	1	1	1	-	28	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
46	-	121	578	60	20	124	2	46	18	7	27	119	11	332	1
38	-	81	396	42	18	78	1	38	14	7	18	62	1	168	2
8	-	40	182	18	2	46	1	8	4	-	9	57	10	164	3
8	-	22	71	7	2	7	1	11	3	3	3	15	7	31	4
8	-	19	40	2	-	10	1	9	3	-	1	11	1	20	5
3	-	25	87	10	2	18	-	8	3	2	7	13	3	37	6
-	-	5	24	3	-	5	-	4	2	-	3	-	-	12	7
5	-	20	69	9	3	23	1	10	-	-	4	7	-	19	8
3	-	6	21	-	-	3	-	-	-	-	-	3	2	8	9
7	-	28	92	14	3	25	-	11	5	-	6	11	5	44	10
2	-	27	70	3	-	6	-	12	-	-	5	3	2	13	11
34	-	124	505	70	5	65	4	62	21	-	20	66	4	194	12
7	-	43	127	39	1	10	-	6	3	-	2	20	1	58	13
10	-	22	151	6	1	23	-	13	3	-	7	18	1	51	14
12	-	44	159	21	2	17	3	27	11	-	9	24	2	71	15
5	-	15	68	4	1	15	1	16	4	-	2	4	-	14	16
48	-	199	587	85	16	131	7	81	21	16	47	97	20	209	17
12	-	35	118	6	3	27	2	16	2	-	8	20	6	48	18
16	-	98	276	56	10	60	3	36	7	11	19	49	11	100	19
20	-	66	193	23	3	44	2	29	12	5	20	28	3	61	20
5	-	35	98	13	7	42	1	20	2	-	3	28	8	54	21
2	-	16	43	5	4	24	-	5	2	-	1	9	3	17	22
3	-	19	55	8	3	18	1	15	-	-	2	19	5	37	23
35	-	133	408	50	3	112	1	71	14	2	28	68	19	149	24
24	-	96	294	35	3	79	-	49	11	1	19	41	15	111	25
11	-	37	114	15	-	33	1	22	3	1	9	27	4	38	26
7	-	20	38	3	-	15	-	3	-	-	6	6	4	20	27
3	-	8	30	4	-	3	1	4	1	-	1	5	2	12	28
11	-	25	123	3	1	31	1	5	5	2	7	10	1	32	29
5	-	9	36	3	-	11	-	4	2	-	3	3	1	11	30
26	-	35	157	22	-	31	1	25	4	1	7	18	2	72	31
13	-	23	100	14	-	21	-	17	2	1	2	5	1	42	32
13	-	12	57	8	-	10	1	8	2	-	5	13	1	30	33
10	-	45	155	23	3	45	5	29	5	4	20	26	1	75	34
6	-	19	61	7	-	21	3	13	-	2	4	11	-	25	35
4	-	26	94	16	3	24	2	16	5	2	16	15	1	50	36
7	-	35	88	8	6	11	-	10	3	-	7	30	2	207	37
29	-	92	334	37	7	121	4	32	9	1	19	53	7	130	38
16	-	32	154	17	3	61	2	15	6	-	5	22	5	48	39
13	-	60	180	20	4	57	2	17	3	1	14	31	2	82	40
4	-	15	58	4	1	16	-	5	2	-	3	10	-	10	41
4	-	26	108	6	-	21	-	6	5	2	4	13	2	24	42
4	-	25	40	8	-	12	-	1	7	-	8	4	1	24	43
5	-	26	64	14	2	9	-	5	5	1	9	5	1	22	44
6	-	10	62	4	5	23	-	7	1	-	4	11	4	24	45
17	-	51	138	13	5	27	3	16	5	-	11	24	1	64	46
4	-	19	47	5	-	11	1	3	3	-	-	6	-	18	47
13	-	32	91	8	5	16	2	13	2	-	11	18	1	46	48
34	-	85	408	41	3	83	-	53	12	2	30	56	11	158	49
18	-	45	221	22	1	48	-	33	8	2	13	33	3	99	50
16	-	40	187	19	2	35	-	20	4	-	17	23	8	59	51
15	-	57	169	22	4	45	1	20	9	3	10	33	19	60	52
38	-	110	375	48	5	92	5	65	16	1	28	50	9	179	53
25	-	72	262	34	4	66	3	42	10	-	17	33	7	124	54
13	-	38	113	14	1	26	2	23	6	1	11	17	2	55	55
5	-	10	67	1	1	15	-	7	1	-	3	8	4	20	56
976	2	4,408	11,755	1,937	242	3,095	113	1,695	467	138	859	1,877	430	5,031	57
5	-	22	57	11	-	17	2	10	2	-	6	6	2	31	58
41	-	162	551	85	7	186	6	74	23	7	39	75	15	199	59
36	-	136	422	66	3	145	5	60	15	5	32	62	12	161	60
5	-	26	129	19	4	41	1	14	8	2	7	13	3	38	61
8	-	47	88	9	1	8	-	16	2	-	12	15	8	38	62
3	-	17	40	4	-	3	-	6	1	-	5	10	5	20	63
5	-	30	48	5	1	5	-	10	1	-	7	5	3	18	64
2	-	15	27	5	1	4	1	5	-	-	5	5	-	13	65
2	-	12	50	5	1	16	-	2	2	-	3	13	2	29	66
7	-	29	98	11	2	28	1	4	3	-	9	5	6	27	67
1	-	7	21	2	1	2	-	1	-	-	3	3	-	5	68
4	-	15	51	6	1	25	1	8	2	-	7	11	1	30	69
16	-	80	208	27	1	42	-	23	10	2	5	34	4	71	70
9	-	21	86	11	-	23	-	13	3	-	1	18	1	32	71
7	-	59	122	16	1	19	-	10	7	2	4	16	3	39	72
8	-	39	112	33	4	33	4	20	3	5	10	14	4	41	73
4	-	22	47	13	1	20	1	6	1	5	3	7	2	20	74
4	-	17	65	20	3	13	3	14	2	-	7	7	2	21	75
6	-	42	63	14	2	48	1	7	6	-	4	14	2	20	76
11	-	57	79	27	3	31	-	14	3	-	7	18	1	36	77
4	-	37	37	16	2	12	-	8	1	-	4	8	1	19	78
7	-	20	42	11	1	19	-	6	2	-	3	10	-	17	79
1	-	14	30	8	1	4	-	4	-	-	1	5	-	16	80
6	-	28	100	16	1	16	1	19	1	-	10	9	7	25	81
11	-	25	77	9	1	24	-	9	1	1	5	20	2	29	82
7	-	21	59	6	1	19	1	7	1	1	-	18	4	31	83
5	-	26	75	9	-	29	-	4	4	1	5	18	12	29	84
15	-	94	266	52	9	46	1	53	14	2	26	55	12	110	85
11	-	63	193	34	6	24	1	41	10	2	17	39	8	66	86
4	-	31	73	18	3	22	-	12	4	-	9	16	4	44	87
6	-	42	41	4	3	9	-	7	5	-	4	12	2	35	88

TABLE 29.-DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis, (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	INDIANA—Continued														
1	Elkhart	792	-	-	1	2	2	13	-	-	4	-	-	95	-
2	Elkhart	374	-	-	1	-	-	8	-	-	4	-	-	40	-
3	Goshen	142	-	-	-	1	-	1	-	-	-	-	-	19	-
4	Balance of county	276	-	-	-	1	2	4	-	-	-	-	-	36	-
5	Fayette	237	-	-	1	-	-	6	-	-	-	-	-	28	-
6	Connersville	176	-	-	-	-	-	4	-	-	-	-	-	22	-
7	Balance of county	61	-	-	1	-	-	2	-	-	-	-	-	6	-
8	Floyd	466	1	-	-	-	1	23	-	-	3	-	-	50	-
9	New Albany	330	1	-	-	-	-	9	-	-	1	-	-	34	-
10	Balance of county	136	-	-	-	-	1	14	-	-	2	-	-	16	-
11	Fountain	199	-	1	-	1	-	5	-	-	1	-	-	30	-
12	Franklin	170	-	-	-	1	-	9	-	-	-	-	-	22	-
13	Fulton	226	-	-	-	-	-	3	-	-	1	-	-	29	-
14	Gibson	297	-	-	-	-	1	5	-	-	2	-	-	44	-
15	Grant	702	-	1	-	-	1	19	1	-	34	-	-	77	1
16	Marion	340	-	-	-	-	-	5	1	-	6	-	-	44	-
17	Balance of county	362	-	1	-	-	1	14	-	-	28	-	-	33	1
18	Greene	291	-	-	-	-	-	5	-	-	-	-	-	27	-
19	Hamilton	315	-	-	-	-	-	7	-	-	1	-	-	48	-
20	Hancock	222	-	-	-	-	-	1	-	-	1	-	-	23	1
21	Harrison	194	-	-	-	-	-	4	-	-	2	1	-	22	-
22	Hendricks	214	-	-	-	-	-	5	1	-	2	-	-	18	-
23	Henry	466	-	-	-	1	1	13	-	-	2	-	-	51	3
24	New Castle	186	-	-	-	1	-	10	-	-	1	-	-	21	1
25	Balance of county	280	-	-	-	-	1	3	-	-	1	-	-	30	2
26	Howard	539	-	-	-	1	1	8	1	-	3	-	-	69	-
27	Kokomo	406	-	-	-	-	1	7	1	-	2	-	-	53	-
28	Balance of county	133	-	-	-	1	-	1	-	-	1	-	-	16	-
29	Huntington	391	1	1	-	-	-	5	-	-	2	-	-	40	-
30	Huntington	181	1	1	-	-	-	3	-	-	2	-	-	24	-
31	Balance of county	210	-	-	-	-	-	2	-	-	-	-	-	16	-
32	Jackson	275	-	-	-	2	1	10	-	-	-	-	-	27	1
33	Jasper	146	-	-	1	-	-	1	-	-	2	-	-	13	-
34	Jay	260	-	-	-	-	-	6	-	-	2	-	-	30	-
35	Jefferson	410	-	-	-	-	-	12	-	-	22	-	1	30	-
36	Jennings	165	-	-	1	2	-	7	1	-	1	-	-	23	-
37	Johnson	368	-	2	-	-	-	11	-	-	-	-	-	44	-
38	Knox	449	-	-	1	1	-	8	-	-	5	-	-	54	-
39	Vincennes	223	-	-	-	-	-	4	-	-	5	-	-	24	-
40	Balance of county	226	-	-	1	1	-	4	-	-	-	-	-	30	-
41	Kosciusko	366	-	-	-	-	-	6	-	-	2	-	-	59	-
42	Lagrange	141	-	-	-	-	-	-	-	-	-	-	-	19	-
43	Lake	2,720	-	6	-	1	1	128	-	-	27	-	4	319	2
44	East Chicago	514	-	-	-	-	-	28	-	-	9	-	1	43	1
45	Gary	1,150	-	4	-	1	-	67	-	-	9	-	3	152	-
46	Hammond	617	-	2	-	-	1	14	-	-	6	-	-	64	1
47	Whiting	63	-	-	-	-	-	3	-	-	-	-	-	10	-
48	Balance of county	376	-	-	-	-	-	16	-	-	3	-	-	50	-
49	La Porte	751	-	-	-	-	-	13	-	-	11	-	5	113	-
50	La Porte	251	-	-	-	-	-	2	-	-	4	-	-	43	-
51	Michigan City	290	-	-	-	-	-	8	-	-	7	-	4	44	-
52	Balance of county	210	-	-	-	-	-	3	-	-	-	-	1	26	-
53	Lawrence	334	-	-	-	-	-	17	1	-	3	-	-	30	-
54	Bedford	156	-	-	-	-	-	7	-	-	1	-	-	14	-
55	Balance of county	178	-	-	-	-	-	10	1	-	2	-	-	16	-
56	Madison	904	-	2	-	1	-	25	-	-	5	-	2	98	-
57	Anderson	458	-	1	-	-	-	13	-	-	2	-	1	46	-
58	Elwood	132	-	-	-	-	-	1	-	-	-	-	-	26	-
59	Balance of county	314	-	1	-	1	-	11	-	-	3	-	1	26	-
60	Marion	5,929	-	14	4	6	11	218	6	-	87	-	3	727	8
61	Indianapolis	5,341	-	13	4	6	10	187	6	-	80	-	3	652	8
62	Balance of county	588	-	1	-	-	1	31	-	-	7	-	-	75	-
63	Marshall	303	-	-	-	1	-	5	-	-	-	-	-	36	-
64	Martin	108	1	-	-	-	-	3	-	-	-	-	-	12	-
65	Miami	340	-	1	-	-	-	2	-	-	3	-	-	53	-
66	Peru	174	-	1	-	-	-	2	-	-	3	-	-	27	-
67	Balance of county	166	-	-	-	-	-	-	-	-	-	-	-	26	-
68	Monroe	320	-	-	-	-	-	4	-	-	2	-	-	44	1
69	Bloomington	173	-	-	-	-	-	3	-	-	1	-	-	28	1
70	Balance of county	147	-	-	-	-	-	1	-	-	1	-	-	16	-
71	Montgomery	354	-	1	-	-	-	7	-	-	-	-	-	42	-
72	Crawfordsville	181	-	1	-	-	-	5	-	-	-	-	-	23	-
73	Balance of county	173	-	-	-	-	-	2	-	-	-	-	-	19	-
74	Morgan	233	-	-	-	1	1	3	-	1	-	1	-	25	-
75	Newton	116	-	-	-	-	-	1	-	-	1	-	-	13	-
76	Noble	304	-	-	-	1	-	5	-	-	2	-	1	31	-
77	Ohio	38	-	-	-	-	-	-	-	-	-	-	-	9	-
78	Orange	179	-	-	-	-	-	7	-	-	-	-	-	23	-
79	Owen	123	-	-	-	-	-	4	1	-	2	-	-	17	-
80	Parke	177	1	-	-	-	-	8	-	-	1	-	-	21	-
81	Perry	128	-	-	1	-	2	2	-	-	-	-	1	16	1
82	Pike	172	1	-	-	-	-	6	-	-	5	-	-	19	-
83	Porter	275	-	-	-	-	-	5	-	-	1	-	-	30	-
84	Posey	187	-	-	-	1	-	4	-	-	2	-	-	26	-
85	Pulaski	117	-	-	-	-	-	4	-	-	-	-	1	15	-
86	Putnam	244	-	1	-	-	-	4	-	-	2	-	-	31	-
87	Randolph	289	-	1	-	-	-	5	-	-	1	-	-	39	-
88	Ripley	205	-	-	-	-	-	-	-	-	1	-	-	26	-
89	Rush	204	-	-	-	-	-	4	-	-	2	-	-	30	-
90	St. Joseph	1,605	-	2	-	2	1	55	1	-	10	-	-	236	-
91	Mishawaka	264	-	-	-	-	-	7	-	-	-	-	-	41	-
92	South Bend	1,041	-	1	-	1	1	33	-	-	9	-	-	159	-
93	Balance of county	300	-	1	-	1	-	15	1	-	1	-	-	36	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
17	-	97	249	42	1	45	3	50	9	2	23	40	7	90	1
8	-	42	120	17	1	31	1	24	2	1	9	21	2	42	2
4	-	22	43	5	-	5	-	7	3	-	6	10	3	13	3
5	-	33	86	20	-	9	2	19	4	1	8	9	2	35	4
4	-	22	84	12	-	14	1	15	4	1	6	10	12	17	5
1	-	15	63	9	-	12	1	14	4	1	5	5	8	12	6
3	-	7	21	3	-	2	-	1	-	-	1	5	4	5	7
10	-	46	178	18	2	24	1	23	4	4	7	19	1	51	8
6	-	37	127	13	2	15	1	19	3	2	4	14	1	41	9
4	-	9	51	5	-	9	-	4	1	2	3	5	-	10	10
4	-	23	52	11	1	20	1	7	-	-	3	12	2	25	11
7	-	18	49	10	3	18	2	2	2	-	3	9	1	14	12
6	-	23	77	6	-	27	1	5	2	-	6	14	3	23	13
15	-	43	81	21	2	23	-	10	-	-	6	16	1	27	14
19	-	76	230	22	2	47	1	32	9	2	11	25	4	88	15
12	-	42	102	12	1	26	1	17	2	-	4	17	3	45	16
7	-	34	128	10	1	21	-	15	7	2	7	8	1	43	17
7	-	42	91	21	2	33	1	9	4	-	7	14	4	24	18
7	-	30	113	8	2	31	-	5	3	1	6	12	1	40	19
5	-	28	61	6	3	19	-	10	3	-	8	15	4	34	20
7	-	21	44	17	2	27	-	4	5	-	1	9	3	25	21
7	-	22	90	10	-	13	-	5	-	1	6	6	1	27	22
12	-	53	119	19	5	20	-	29	4	3	11	22	17	81	23
6	-	13	46	5	3	11	-	11	1	3	4	8	10	31	24
6	-	40	73	14	2	9	-	18	3	-	7	14	7	50	25
13	-	59	159	32	6	35	1	34	6	2	13	27	6	63	26
8	-	37	121	22	5	29	1	27	6	2	8	21	4	51	27
5	-	22	38	10	1	6	-	7	-	-	5	6	2	12	28
10	-	56	132	12	2	14	4	17	7	-	10	15	8	55	29
2	-	22	61	7	1	7	3	9	3	-	3	4	5	23	30
8	-	34	71	5	1	7	1	8	4	-	7	11	3	32	31
6	-	17	68	19	2	19	2	14	4	-	10	18	5	50	32
6	-	14	50	8	1	15	-	8	2	-	5	6	1	13	33
13	-	31	91	17	2	12	-	11	2	-	3	14	1	25	34
7	-	38	94	11	1	9	2	9	8	1	2	16	3	144	35
2	-	20	39	11	1	9	1	4	1	-	2	15	2	23	36
10	-	47	104	11	2	31	1	13	3	-	6	16	3	64	37
5	-	53	133	27	3	33	1	25	4	2	7	25	8	54	38
4	-	24	66	7	3	23	-	14	2	2	3	17	2	23	39
1	-	29	67	20	-	10	1	11	2	-	4	8	6	31	40
8	-	34	122	9	3	32	3	7	5	1	10	14	5	46	41
12	-	17	50	1	1	17	-	2	1	-	4	6	1	10	42
75	-	264	710	202	20	148	16	167	44	25	65	125	30	341	43
20	-	48	118	58	9	24	4	39	7	9	10	24	9	53	44
27	-	115	289	88	5	58	8	63	19	14	22	51	7	148	45
20	-	56	175	33	1	44	2	41	12	1	21	30	7	86	46
1	-	3	18	7	1	2	-	5	2	-	2	3	1	5	47
7	-	42	110	16	4	20	2	19	4	1	10	17	6	49	48
25	-	74	183	30	5	72	3	30	11	5	18	37	25	91	49
10	-	28	59	11	-	21	-	14	5	3	4	13	4	30	50
11	-	26	72	9	2	28	2	6	5	1	3	13	11	38	51
4	-	20	52	10	3	23	1	10	1	1	11	11	10	23	52
6	-	27	97	17	3	25	-	15	6	1	14	13	4	55	53
4	-	12	53	2	-	11	-	6	2	-	7	10	1	26	54
2	-	15	44	15	3	14	-	9	4	1	7	3	3	29	55
20	-	106	285	53	6	47	1	50	13	-	22	35	13	120	56
5	-	60	156	23	3	22	-	24	8	-	14	15	7	58	57
5	-	14	32	11	2	12	-	5	-	-	3	5	3	13	58
10	-	32	97	19	1	13	1	21	5	-	5	15	3	49	59
132	-	608	1,794	289	42	480	18	263	54	35	131	228	29	742	60
121	-	555	1,615	268	41	427	18	240	46	34	107	204	25	671	61
11	-	53	179	21	1	53	-	23	8	1	24	24	4	71	62
7	-	46	102	10	1	15	-	14	4	-	6	12	2	42	63
-	-	8	26	3	2	18	1	6	-	-	2	11	1	14	64
9	-	47	118	10	2	22	-	9	5	-	3	23	-	33	65
8	-	22	64	2	-	11	-	6	1	-	1	9	-	17	66
1	-	25	54	8	2	11	-	3	4	-	2	14	-	16	67
7	-	44	92	11	4	28	-	19	2	-	6	12	8	36	68
3	-	24	45	7	2	10	-	10	1	-	3	6	3	26	69
4	-	20	47	4	2	18	-	9	1	-	3	6	5	10	70
10	-	51	97	12	-	55	-	8	3	-	8	18	1	41	71
5	-	22	53	3	-	27	-	3	2	-	5	10	-	22	72
5	-	29	44	9	-	28	-	5	1	-	3	8	1	19	73
9	-	29	54	12	2	29	-	6	2	1	6	15	9	27	74
3	-	13	33	8	1	13	-	5	1	1	5	6	-	12	75
9	-	29	90	11	3	36	-	11	3	-	9	10	3	50	76
1	-	2	12	1	-	6	-	2	-	-	1	1	-	3	77
3	-	26	53	11	2	14	-	2	1	-	3	7	5	22	78
4	-	17	30	9	-	20	-	5	2	-	2	4	-	6	79
1	-	25	49	4	1	20	-	8	1	-	4	10	2	21	80
2	-	12	34	12	3	5	2	5	-	-	1	3	6	20	81
3	-	24	56	7	1	9	-	9	3	-	2	10	-	17	82
13	-	38	77	18	2	17	-	12	5	-	9	12	4	32	83
5	-	10	55	8	1	16	2	7	3	1	2	18	-	26	84
2	-	13	33	5	2	15	2	7	2	-	2	4	2	8	85
4	-	38	62	19	-	16	1	7	6	1	-	14	3	35	86
6	-	40	78	13	2	29	-	8	1	1	11	13	6	35	87
9	1	14	71	7	-	20	-	8	4	-	6	12	2	24	88
7	-	34	66	4	-	14	-	3	2	-	3	13	-	22	89
47	-	151	513	73	6	73	3	55	28	8	47	76	18	200	90
8	-	31	87	11	1	8	-	7	3	-	7	18	4	31	91
33	-	92	312	48	3	51	2	38	20	8	28	51	10	141	92
6	-	28	114	14	2	14	1	10	5	-	12	7	4	28	93

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	INDIANA—Continued														
1	Scott	88	-	-	-	-	-	5	-	-	1	-	-	10	-
2	Shelby	312	-	1	-	1	-	9	-	-	2	-	-	29	-
3	Shelbyville	158	-	1	-	1	-	3	-	-	2	-	-	16	-
4	Balance of county	154	-	-	-	-	-	6	-	-	-	-	-	13	-
5	Spencer	194	-	1	-	-	1	6	1	-	-	-	-	21	1
6	Starke	157	-	-	-	1	-	4	-	-	1	-	-	15	1
7	Steuben	176	-	-	-	-	-	3	-	-	1	-	-	23	-
8	Sullivan	320	-	-	-	-	-	5	1	-	-	-	1	41	-
9	Switzerland	90	-	-	-	-	-	2	-	-	1	-	-	9	-
10	Tippecanoe	675	-	-	-	-	-	13	1	-	3	-	-	99	-
11	Lafayette	415	-	-	-	-	-	8	1	-	1	-	-	62	-
12	Balance of county	260	-	-	-	-	-	5	-	-	2	-	-	37	-
13	Tipton	134	-	-	-	-	-	1	-	-	-	-	-	17	1
14	Union	86	-	-	-	-	-	3	-	-	-	-	-	16	-
15	Vanderburgh	1,649	-	1	-	-	4	62	-	-	18	-	-	184	1
16	Evansville	1,395	-	1	-	-	3	46	-	-	12	-	-	164	1
17	Balance of county	254	-	-	-	-	1	16	-	-	6	-	-	20	-
18	Vermillion	243	-	-	-	-	-	6	-	1	3	-	-	37	1
19	Vigo	1,369	-	-	-	2	-	27	-	1	1	-	-	179	1
20	Terre Haute	1,017	-	-	-	1	-	21	-	1	-	-	-	135	1
21	Balance of county	352	-	-	-	1	-	6	-	-	1	-	-	44	-
22	Wabash	318	-	-	-	-	-	7	-	-	2	-	-	36	-
23	Warren	86	-	-	-	-	-	2	-	-	-	-	-	15	-
24	Warrick	203	-	-	-	-	1	6	3	-	1	-	-	19	1
25	Washington	175	-	-	1	1	-	5	-	-	1	-	-	23	-
26	Wayne	884	1	1	-	3	-	28	-	-	29	-	2	88	-
27	Richmond	403	-	-	-	2	-	9	-	-	1	-	1	56	-
28	Balance of county	481	1	1	-	1	-	19	-	-	28	-	1	32	-
29	Wells	188	-	-	-	-	-	4	-	-	-	-	-	18	-
30	White	176	-	-	-	-	-	5	-	-	-	-	-	22	-
31	Whitley	199	-	-	-	-	-	2	-	-	3	-	-	28	-
32	IOWA	25,876	-	26	11	11	12	355	3	3	164	7	25	3,734	26
33	Adair	101	-	-	-	-	-	1	-	-	-	-	-	11	-
34	Adams	77	-	-	-	-	-	-	-	-	-	-	-	11	1
35	Allamakee	174	-	-	1	-	1	1	-	-	-	-	-	32	1
36	Appanoose	242	-	1	-	-	-	2	1	-	-	-	1	29	-
37	Audubon	78	-	-	-	-	-	-	-	-	-	-	-	20	-
38	Benton	222	-	-	-	-	-	-	-	-	2	-	-	35	-
39	Black Hawk	790	-	-	1	-	-	8	-	-	8	-	-	108	-
40	Waterloo	450	-	-	1	-	-	7	-	-	6	-	-	68	-
41	Balance of county	340	-	-	-	-	-	1	-	-	2	-	-	40	-
42	Boone	339	-	-	-	1	-	6	-	-	1	-	-	36	-
43	Boone	172	-	-	-	-	-	-	-	-	-	-	-	23	-
44	Balance of county	167	-	-	-	1	-	6	-	-	1	-	-	13	-
45	Bremer	181	-	-	-	-	-	3	-	-	-	-	-	30	-
46	Buchanan	371	-	-	-	-	-	14	-	-	7	-	1	40	-
47	Buena Vista	187	-	-	-	-	-	-	-	-	2	-	-	20	-
48	Butler	163	-	-	-	-	-	1	-	-	-	-	-	35	-
49	Calhoun	153	-	-	-	-	-	3	-	-	1	-	-	20	-
50	Carroll	196	-	-	-	-	-	1	-	-	-	-	-	30	1
51	Cass	182	-	-	-	-	-	1	-	-	-	1	-	17	-
52	Cedar	190	-	-	-	-	-	2	-	-	1	-	-	28	-
53	Cerro Gordo	426	-	-	3	-	1	3	-	-	3	-	2	52	-
54	Mason City	273	-	-	2	-	1	2	-	-	-	-	2	33	-
55	Balance of county	153	-	-	1	-	-	1	-	-	3	-	-	19	-
56	Cherokee	271	-	-	-	-	-	8	-	-	11	-	-	20	-
57	Chickasaw	147	-	-	-	-	-	3	-	-	-	-	-	23	-
58	Clarke	118	-	-	-	1	1	1	-	-	-	-	-	17	-
59	Clay	130	-	-	-	-	-	-	-	-	-	-	-	23	-
60	Clayton	257	-	-	-	-	-	3	-	-	-	-	-	34	1
61	Clinton	549	-	-	1	-	2	3	-	-	4	-	-	79	-
62	Clinton	354	-	-	1	-	2	2	-	-	2	-	-	56	-
63	Balance of county	195	-	-	-	-	-	1	-	-	2	-	-	23	-
64	Crawford	150	-	-	-	-	-	-	-	-	-	-	-	27	-
65	Dallas	269	-	1	-	-	-	1	1	-	-	1	-	41	-
66	Davis	96	-	-	-	-	-	2	-	-	-	-	-	12	-
67	Decatur	128	-	-	-	-	-	1	-	-	2	-	-	13	-
68	Delaware	163	-	-	-	-	-	1	-	-	1	-	-	23	-
69	Des Moines	449	-	-	-	-	-	5	-	-	3	-	-	66	1
70	Burlington	350	-	-	-	-	-	5	-	-	2	-	-	47	1
71	Balance of county	99	-	-	-	-	-	1	-	-	1	-	-	19	-
72	Dickinson	84	-	-	-	-	-	-	-	-	-	-	-	14	-
73	Dubuque	782	-	2	-	-	-	12	-	-	2	-	-	110	-
74	Dubuque	594	-	2	-	-	-	10	-	-	2	-	-	83	-
75	Balance of county	188	-	-	-	-	-	2	-	-	-	-	-	27	-
76	Emmet	116	-	-	-	-	-	2	-	-	-	-	-	19	1
77	Fayette	273	-	2	-	-	-	3	-	-	1	-	-	51	-
78	Floyd	200	-	-	-	-	-	-	-	-	-	-	2	23	-
79	Franklin	131	-	-	-	-	-	-	-	-	1	-	-	19	-
80	Fremont	167	-	-	-	-	-	-	-	-	-	-	-	24	-
81	Greene	148	-	-	-	-	-	-	-	-	-	-	-	23	-
82	Grundy	107	-	-	-	-	-	1	-	-	-	-	1	17	-
83	Guthrie	155	-	-	-	-	-	2	-	-	-	-	-	23	-
84	Hamilton	153	-	-	-	-	1	-	-	-	-	-	-	22	-
85	Hancock	130	-	1	-	-	-	2	-	-	-	-	-	21	-
86	Hardin	249	-	1	-	-	-	2	-	-	-	-	-	41	-
87	Harrison	224	-	-	-	-	-	1	-	-	-	-	-	35	1
88	Henry	362	-	1	-	3	-	6	-	-	8	-	1	35	-
89	Howard	121	-	-	-	-	-	2	-	-	-	-	-	20	-
90	Humboldt	108	-	-	-	-	-	1	-	-	-	-	-	16	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1	-	10	19	7	-	7	1	5	-	2	2	4	-	14	1
8	-	45	87	16	3	27	2	11	4	-	5	15	7	40	2
4	-	15	47	9	1	11	2	7	2	-	1	11	1	24	3
4	-	30	40	7	2	16	-	4	2	-	4	4	6	16	4
-	-	28	42	13	1	26	1	5	1	-	2	16	4	24	5
5	-	21	56	7	-	4	-	6	6	-	4	8	-	18	6
6	-	24	52	7	-	13	-	5	2	2	3	8	2	25	7
5	-	42	106	16	1	32	1	2	7	-	7	19	3	31	8
3	-	13	25	2	2	4	1	2	3	-	4	5	1	13	9
11	-	96	223	34	1	27	1	30	9	3	11	36	6	71	10
4	-	60	140	17	-	20	1	22	4	3	6	22	4	40	11
7	-	36	83	17	1	7	-	8	5	-	5	14	2	31	12
4	1	15	43	7	1	8	-	3	3	-	1	9	-	20	13
3	-	6	27	3	-	4	-	1	1	-	4	6	-	12	14
34	-	153	457	79	8	160	4	94	10	6	27	75	24	248	15
29	-	133	400	64	6	138	4	79	7	5	25	59	19	200	16
5	-	20	57	15	2	22	-	15	3	1	2	16	5	48	17
8	-	35	53	18	2	33	-	6	1	1	4	17	1	16	18
30	-	144	444	65	10	127	4	59	17	3	20	61	4	170	19
23	-	93	345	46	6	93	3	46	11	3	13	46	4	126	20
7	-	51	99	19	4	34	1	13	6	-	7	15	-	44	21
9	-	57	91	10	1	23	1	7	2	-	6	12	6	48	22
1	-	8	29	1	-	2	-	9	-	-	5	4	1	9	23
4	-	27	65	8	3	20	1	9	3	-	6	7	-	19	24
4	-	18	53	6	-	24	-	4	2	-	4	8	-	21	25
19	-	93	228	36	8	64	1	34	7	2	11	45	5	179	26
8	-	61	122	18	5	33	-	22	2	-	3	19	5	36	27
11	-	32	106	18	3	31	1	12	5	2	8	26	-	143	28
5	-	32	60	12	1	19	-	4	5	-	5	7	1	15	29
3	-	17	55	4	-	17	1	10	2	-	2	11	3	24	30
13	-	27	57	7	-	18	-	11	2	1	1	17	1	11	31
660	-	3,101	8,027	1,213	70	1,557	79	1,098	341	37	419	1,307	464	3,126	32
3	-	14	37	6	-	5	-	1	2	-	1	7	1	12	33
4	-	7	25		-	4	-	2	1	-	3	9	3	7	34
4	-	25	47	3	1	11	-	7	3	-	2	10	3	22	35
5	-	32	76	19	1	19	-	12	3	-	4	14	3	20	36
2	-	3	21	3	-	5	-	2	3	-	2	5	2	10	37
7	-	31	64	4	2	26	-	5	2	-	5	14	2	23	38
18	-	105	240	30	3	56	9	45	5	-	19	41	13	81	39
11	-	52	147	15	2	33	6	23	5	-	9	21	2	42	40
7	-	53	93	15	1	23	3	22	-	-	10	20	11	39	41
8	-	42	104	26	2	14	-	5	4	-	7	19	3	61	42
6	-	30	55	7	1	8	-	2	1	-	3	10	1	25	43
2	-	12	49	19	1	6	-	3	3	-	4	9	2	36	44
8	-	25	51	6	1	7	-	7	2	-	1	7	2	31	45
8	-	27	107	23	-	25	-	8	6	-	3	14	1	87	46
1	-	26	41	14	-	17	-	14	2	-	11	8	4	27	47
2	-	25	48	13	-	-	-	6	5	-	2	3	3	20	48
1	-	29	51	2	-	6	-	5	3	-	1	9	4	18	49
9	-	29	60	14	1	6	1	8	4	-	2	5	2	23	50
5	-	16	62	8	1	18	-	5	2	-	4	17	2	23	51
3	-	17	45	10	-	16	1	7	6	-	6	17	6	25	52
9	-	52	149	17	-	19	3	20	7	1	9	18	9	50	53
4	-	37	95	9	-	12	2	14	4	1	6	10	4	35	54
5	-	15	54	8	-	7	-	6	3	-	3	8	5	15	55
11	-	31	67	32	1	8	-	7	6	-	4	15	20	30	56
3	-	20	43	6	1	10	-	10	-	-	4	6	1	17	57
2	-	17	42	1	-	11	-	4	1	-	2	2	3	13	58
4	-	17	50	3	-	6	-	6	4	-	1	3	1	12	59
11	-	34	83	13	1	25	1	6	2	-	5	16	1	21	60
14	-	63	198	18	-	31	3	19	12	-	10	33	9	50	61
7	-	46	129	13	-	17	1	11	4	-	6	23	3	31	62
7	-	17	69	5	-	14	2	8	8	-	4	10	6	19	63
4	-	27	33	7	-	4	1	9	5	-	2	7	5	19	64
9	-	26	97	13	-	11	-	12	6	1	4	11	8	26	65
4	-	14	33	4	-	6	-	4	1	-	1	1	3	11	66
2	-	18	38	9	-	12	-	6	2	-	1	8	1	15	67
1	-	23	56	9	-	11	-	8	1	-	4	4	1	20	68
10	-	57	132	19	3	36	3	21	6	-	6	18	8	55	69
9	-	48	98	16	3	29	2	16	6	-	6	13	8	41	70
1	-	9	34	3	-	7	1	5	-	-	-	5	-	14	71
3	-	12	21	2	-	2	1	7	1	-	-	4	-	17	72
32	-	85	258	18	-	43	1	33	9	3	14	56	15	89	73
24	-	65	206	14	-	36	-	26	8	3	10	38	4	63	74
8	-	20	52	4	-	7	1	7	1	-	4	18	11	26	75
5	-	12	31	7	-	8	-	4	-	-	1	5	2	19	76
7	-	34	79	20	-	22	-	5	5	-	1	9	3	31	77
6	-	32	75	9	-	8	1	7	3	-	2	11	1	20	78
2	-	17	44	7	-	9	1	9	-	-	1	3	2	16	79
8	-	20	41	6	-	9	1	8	2	1	8	15	3	21	80
7	-	17	45	9	-	8	-	2	3	-	2	8	5	19	81
2	-	9	44	3	-	5	-	3	2	-	1	5	2	12	82
4	-	23	57	4	-	2	-	9	-	-	2	10	3	16	83
11	-	22	49	9	-	7	-	10	2	-	1	6	2	11	84
1	-	13	34	9	1	12	-	4	2	-	2	10	1	17	85
8	-	31	79	7	-	18	1	9	5	-	3	13	4	27	86
7	-	28	64	12	-	17	-	12	2	-	3	12	1	29	87
4	-	31	84	38	1	24	-	8	6	1	2	9	29	71	88
4	-	17	37	6	-	12	1	3	1	-	2	5	1	10	89
4	-	18	25	10	-	3	-	2	2	-	1	7	-	19	90

747801 O - 47 - 34

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	IOWA—Continued														
1	Ida	98	-	-	-	-	-	1	-	-	-	-	-	15	-
2	Iowa	180	-	-	1	-	-	4	-	-	1	-	-	27	-
3	Jackson	207	-	-	-	-	-	-	-	1	-	-	-	34	1
4	Jasper	286	-	1	-	-	-	2	-	-	1	-	-	33	-
5	Newton	109	-	1	-	-	-	2	-	-	1	-	-	21	-
6	Balance of county	177	-	-	-	-	-	-	-	-	-	-	-	12	-
7	Jefferson	180	-	-	1	-	1	2	-	-	1	-	-	27	-
8	Johnson	347	-	-	-	-	-	30	-	-	1	-	-	61	-
9	Iowa City	207	-	-	-	-	-	3	-	-	1	-	-	46	-
10	Balance of county	140	-	-	-	-	-	27	-	-	-	-	-	15	-
11	Jones	207	-	-	-	-	-	3	-	-	-	-	-	33	-
12	Keokuk	165	-	-	-	-	-	3	-	-	1	-	-	25	-
13	Kossuth	222	-	1	-	-	-	2	-	-	-	-	1	36	-
14	Lee	484	-	1	-	1	-	8	-	1	3	-	-	66	-
15	Fort Madison	162	-	-	-	-	-	2	-	-	1	-	-	18	-
16	Keokuk	217	-	-	-	-	-	5	-	1	2	-	-	34	-
17	Balance of county	105	-	1	-	1	-	1	-	-	-	-	-	14	-
18	Linn	990	-	3	-	1	-	10	-	-	10	-	-	139	1
19	Cedar Rapids	707	-	2	-	1	-	9	-	-	9	-	-	116	1
20	Balance of county	283	-	1	-	-	-	1	-	-	1	-	-	23	-
21	Louisa	112	-	-	-	-	-	2	-	-	-	-	-	17	-
22	Lucas	155	-	1	-	-	-	-	-	-	-	-	-	20	-
23	Lyon	131	-	-	-	-	-	-	-	-	-	-	-	15	1
24	Madison	129	-	-	-	-	-	2	-	-	-	-	-	16	-
25	Mahaska	310	-	-	-	-	-	1	-	-	1	-	1	39	-
26	Oskaloosa	165	-	-	-	-	-	1	-	-	-	-	-	21	-
27	Balance of county	145	-	-	-	-	-	-	-	-	1	-	1	18	-
28	Marion	325	-	-	-	-	-	6	-	-	16	-	-	62	-
29	Marshall	389	-	-	-	-	-	3	-	1	6	-	-	50	-
30	Marshalltown	229	-	-	-	-	-	3	-	-	5	-	-	31	-
31	Balance of county	160	-	-	-	-	-	-	-	1	1	-	-	19	-
32	Mills	168	-	-	-	-	-	8	-	-	1	-	-	21	-
33	Mitchell	124	-	-	-	-	-	1	-	-	-	-	1	19	-
34	Monona	133	-	-	-	-	-	1	-	-	-	-	-	22	-
35	Monroe	141	-	-	-	1	-	2	-	-	-	-	-	17	-
36	Montgomery	189	-	1	-	1	-	1	-	-	-	1	-	27	-
37	Muscatine	357	-	-	-	-	-	3	-	-	3	-	-	44	-
38	Muscatine	250	-	-	-	-	-	3	-	-	2	-	-	30	-
39	Balance of county	107	-	-	-	-	-	-	-	-	1	-	-	14	-
40	O'Brien	159	-	-	-	-	-	-	-	-	-	-	1	25	2
41	Osceola	58	-	-	-	-	-	-	-	-	-	-	1	6	-
42	Page	394	-	-	-	-	-	21	-	-	10	-	-	35	1
43	Palo Alto	116	-	-	-	-	-	2	-	-	-	1	-	20	-
44	Plymouth	180	-	-	-	-	-	3	-	-	1	-	-	31	-
45	Pocahontas	142	-	-	-	-	-	-	-	-	-	-	-	21	-
46	Polk	2,060	-	2	-	2	-	37	-	-	21	1	3	337	2
47	Des Moines	1,792	-	2	-	2	-	35	-	-	18	1	3	299	2
48	Balance of county	268	-	-	-	-	-	2	-	-	3	-	-	38	-
49	Pottawattamie	708	-	3	-	-	1	9	-	-	5	-	-	110	4
50	Council Bluffs	497	-	2	-	-	1	6	-	-	3	-	-	77	2
51	Balance of county	211	-	1	-	-	-	3	-	-	2	-	-	33	2
52	Poweshiek	224	-	-	-	-	1	3	-	-	2	-	-	31	-
53	Ringgold	104	-	-	-	-	-	1	-	-	-	-	1	22	1
54	Sac	143	-	-	-	-	-	1	-	-	1	-	-	15	-
55	Scott	1,005	-	1	1	-	2	17	-	-	2	-	4	136	2
56	Davenport	814	-	-	1	-	2	16	-	-	2	-	2	109	1
57	Balance of county	191	-	1	-	-	-	1	-	-	-	-	2	27	1
58	Shelby	113	-	-	-	-	-	-	-	-	-	-	-	16	-
59	Sioux	188	-	-	-	-	-	2	1	-	1	-	-	25	-
60	Story	289	-	-	-	-	-	5	-	-	-	-	-	47	1
61	Ames	101	-	-	-	-	-	2	-	-	-	-	-	12	-
62	Balance of county	188	-	-	-	-	-	3	-	-	-	-	-	35	1
63	Tama	206	-	-	-	-	-	2	-	-	-	-	-	32	1
64	Taylor	138	-	-	-	-	-	4	-	-	-	-	-	12	-
65	Union	165	-	-	-	-	-	3	-	-	-	-	-	26	-
66	Van Buren	125	-	-	-	-	-	1	-	-	-	-	-	21	-
67	Wapello	501	-	1	1	-	-	11	-	-	3	-	1	73	1
68	Ottumwa	366	-	-	1	-	-	7	-	-	1	-	-	49	-
69	Balance of county	135	-	1	-	-	-	4	-	-	2	-	1	24	1
70	Warren	177	-	-	-	-	-	-	-	-	-	-	-	33	-
71	Washington	226	-	-	-	-	-	3	-	-	1	-	-	39	-
72	Wayne	137	-	-	-	-	-	1	-	-	1	-	-	19	-
73	Webster	407	-	-	-	-	-	6	-	-	2	1	-	59	1
74	Fort Dodge	252	-	-	-	-	-	3	-	-	1	-	-	37	1
75	Balance of county	155	-	-	-	-	-	3	-	-	1	1	-	22	-
76	Winnebago	128	-	-	-	-	-	1	-	-	-	-	1	24	-
77	Winneshiek	218	-	-	-	-	-	2	-	-	-	-	-	38	-
78	Woodbury	963	-	2	1	-	1	15	-	-	11	1	1	131	-
79	Sioux City	796	-	-	1	-	1	12	-	-	10	1	1	105	-
80	Balance of county	167	-	2	-	-	-	3	-	-	1	-	-	26	-
81	Worth	96	-	-	-	-	-	2	-	-	-	-	-	14	-
82	Wright	168	-	-	-	-	-	-	-	-	-	-	1	26	-
83	KANSAS	18,507	1	20	6	17	20	339	9	3	187	5	17	2,408	13
84	Allen	225	-	-	1	-	1	4	-	-	2	-	-	21	-
85	Anderson	97	-	-	-	-	-	-	-	-	-	-	-	13	-
86	Atchison	249	-	-	-	-	-	1	-	-	5	-	-	34	-
87	Atchison	175	-	-	-	-	-	1	-	-	3	-	-	27	-
88	Balance of county	74	-	-	-	-	-	-	-	-	2	-	-	7	-
89	Barber	69	-	-	-	-	-	1	-	-	1	-	-	11	-
90	Barton	234	-	-	-	-	-	2	-	-	1	-	-	41	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
3	-	5	35	5	-	2	2	6	2	-	3	4	4	11	1
6	-	19	45	8	-	14	-	4	4	1	3	9	2	32	2
6	-	23	69	9	1	18	-	12	1	-	2	7	-	23	3
2	-	30	105	11	2	8	3	8	3	-	9	18	6	44	4
2	-	9	42	1	1	2	-	3	1	-	1	4	-	18	5
-	-	21	63	10	1	6	3	5	2	-	8	14	6	26	6
2	-	28	55	2	-	5	-	10	3	-	1	8	4	30	7
10	-	39	102	14	-	21	1	10	5	-	7	15	3	28	8
8	-	26	54	9	-	13	-	8	5	-	3	10	2	19	9
2	-	13	48	5	-	8	1	2	-	-	4	5	1	9	10
5	-	25	72	10	-	9	2	6	2	-	4	6	5	25	11
6	-	23	47	7	2	3	-	4	-	-	5	10	10	19	12
4	-	32	56	12	1	15	1	19	-	-	3	13	1	25	13
8	-	53	157	22	1	35	2	26	5	-	6	32	2	55	14
3	-	19	61	3	1	4	-	10	2	-	2	14	-	22	15
3	-	25	58	17	-	20	2	9	2	-	2	14	-	23	16
2	-	9	38	2	-	11	-	7	1	-	2	4	2	10	17
22	-	127	297	35	1	67	1	47	23	2	17	42	28	117	18
17	-	80	208	28	1	49	1	36	16	1	13	29	6	81	19
5	-	47	89	7	-	18	-	11	7	1	4	13	22	33	20
2	-	12	48	4	-	8	-	2	1	-	2	3	1	10	21
4	-	26	45	7	-	9	1	10	3	-	1	8	1	19	22
6	-	16	46	6	-	5	-	13	1	-	3	8	1	10	23
2	-	21	50	3	-	6	1	7	1	-	1	5	1	13	24
13	-	50	86	24	1	29	-	9	2	-	3	14	5	32	25
7	-	33	40	11	1	18	-	5	1	-	1	8	1	17	26
6	-	17	46	13	-	11	-	4	1	-	2	6	4	15	27
2	-	43	91	15	2	23	-	4	6	2	5	6	8	34	28
12	-	58	126	22	1	24	-	18	4	-	4	20	7	33	29
6	-	38	80	7	-	13	-	11	2	-	2	11	7	13	30
6	-	20	46	15	1	11	-	7	2	-	2	9	-	20	31
3	-	15	49	12	-	14	3	5	1	-	2	8	1	25	32
2	-	20	40	8	-	7	-	3	1	-	2	6	-	14	33
3	-	15	38	2	-	8	-	8	-	-	3	12	3	18	34
3	-	23	41	3	-	8	-	5	2	-	2	7	9	18	35
3	-	22	59	13	-	10	-	5	1	-	2	8	5	30	36
8	-	34	127	13	4	30	1	11	1	2	9	23	5	39	37
8	-	27	89	10	4	16	1	6	1	2	7	16	3	25	38
-	-	7	38	3	-	14	-	5	-	-	2	7	2	14	39
3	-	25	44	3	-	10	2	6	3	-	2	10	7	16	40
1	-	5	18	5	-	5	1	4	-	-	1	3	2	6	41
13	-	39	60	16	-	12	-	11	6	1	2	23	41	103	42
5	-	17	31	4	-	1	3	6	-	-	5	8	1	12	43
7	-	24	53	12	-	7	-	8	-	-	5	10	-	19	44
4	-	26	35	6	2	8	-	6	5	-	2	5	-	22	45
44	-	219	692	86	6	87	6	94	22	8	26	96	13	256	46
41	-	189	603	75	5	80	4	77	17	7	16	83	10	223	47
3	-	30	89	11	1	7	2	17	5	1	10	13	3	33	48
15	-	76	214	38	4	42	1	30	12	-	12	49	9	74	49
11	-	61	149	28	2	31	-	23	6	-	6	32	6	51	50
4	-	15	65	10	2	11	1	7	6	-	6	17	3	23	51
3	-	24	64	18	2	12	1	7	3	3	3	11	3	33	52
1	-	19	30	5	1	4	-	3	-	-	2	3	1	10	53
9	-	21	41	6	-	6	1	3	3	-	3	4	3	26	54
35	-	97	354	50	1	58	3	45	14	6	16	30	18	113	55
31	-	79	282	40	1	45	2	37	13	6	12	24	13	96	56
4	-	18	72	10	-	13	1	8	1	-	4	6	5	17	57
4	-	15	45	1	-	3	2	10	2	-	1	2	2	10	58
7	-	19	62	7	1	14	1	10	1	-	3	16	-	18	59
6	-	31	82	17	1	19	1	12	6	-	2	17	5	37	60
1	-	14	29	4	1	5	-	9	2	-	-	8	-	14	61
5	-	17	53	13	-	14	1	3	4	-	2	9	5	23	62
3	-	33	52	12	1	12	-	5	1	-	9	21	2	20	63
5	-	23	46	12	1	6	1	5	4	1	-	2	1	15	64
4	-	26	51	9	-	9	-	5	4	-	1	5	1	21	65
1	-	18	43	3	-	8	1	2	1	-	1	5	5	15	66
11	-	44	157	23	4	46	2	29	3	1	4	29	1	56	67
10	-	35	121	16	3	36	2	20	1	1	3	21	-	39	68
1	-	9	36	7	1	10	-	9	2	-	1	8	1	17	69
5	-	20	65	5	-	9	1	10	-	-	5	4	4	16	70
3	-	29	66	9	-	20	-	10	5	-	4	14	4	19	71
6	-	18	45	2	1	20	-	2	1	-	-	5	2	14	72
9	-	45	134	27	3	19	-	25	9	-	6	19	3	39	73
4	-	29	84	20	2	12	-	11	4	-	2	13	1	28	74
5	-	16	50	7	1	7	-	14	5	-	4	6	2	11	75
1	-	15	33	5	-	12	2	7	1	-	4	5	1	16	76
5	-	25	72	8	1	16	1	8	2	-	3	13	3	21	77
23	-	87	315	38	4	58	3	59	7	3	17	63	13	110	78
19	-	70	266	33	4	52	3	44	7	3	16	48	5	95	79
4	-	17	49	5	-	6	-	15	-	-	1	15	8	15	80
2	-	9	29	1	1	13	-	5	1	-	4	3	1	11	81
1	-	20	41	10	-	9	-	13	2	-	5	11	8	21	82
480	7	2,132	5,347	772	117	1,340	63	753	197	40	324	1,072	330	2,488	83
4	-	24	71	11	3	12	3	11	2	-	3	16	4	32	84
3	-	7	33	6	-	6	-	5	1	-	1	9	3	10	85
4	-	37	79	12	3	25	2	6	1	-	1	12	-	27	86
3	-	28	55	9	2	14	2	3	1	-	-	9	-	18	87
1	-	9	24	3	1	11	-	3	-	-	1	3	-	9	88
1	-	8	17	-	-	5	-	4	-	-	-	8	3	10	89
3	-	17	68	19	6	12	1	12	3	2	7	18	-	22	90

TABLE 29.-DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	KANSAS—Continued														
1	Bourbon	264	-	-	-	-	-	6	-	-	4	-	1	26	-
2	Fort Scott	195	-	-	-	-	-	5	-	-	2	-	-	17	-
3	Balance of county	69	-	-	-	-	-	1	-	-	2	-	1	9	-
4	Brown	172	-	-	-	-	-	-	-	-	1	-	1	15	-
5	Butler	273	-	-	-	-	-	2	-	-	6	-	-	32	-
6	El Dorado	135	-	-	-	-	-	-	-	-	4	-	-	13	-
7	Balance of county	138	-	-	-	-	-	2	-	-	2	-	-	19	-
8	Chase	46	-	-	-	-	-	2	-	-	-	-	-	11	-
9	Chautauqua	73	-	-	-	-	-	-	-	-	2	-	-	6	1
10	Cherokee	290	-	-	-	1	2	23	1	-	1	-	-	41	1
11	Cheyenne	40	-	1	-	-	-	-	-	-	-	-	-	4	-
12	Clark	32	-	-	-	-	-	-	-	-	-	-	1	7	-
13	Clay	171	-	-	-	-	2	3	-	-	1	-	-	26	-
14	Cloud	203	-	-	-	-	-	2	2	-	-	-	-	33	-
15	Coffey	112	-	-	-	-	-	-	-	-	1	-	-	14	-
16	Comanche	32	-	-	-	-	-	1	-	-	-	-	-	1	-
17	Cowley	444	-	-	-	-	-	14	-	-	6	-	-	42	-
18	Arkansas City	145	-	-	-	-	-	2	-	-	1	-	-	12	-
19	Balance of county	299	-	-	-	-	-	12	-	-	5	-	-	30	-
20	Crawford	518	-	2	-	-	-	6	-	-	4	-	-	80	-
21	Pittsburg	176	-	2	-	-	-	3	-	-	-	-	-	30	-
22	Balance of county	342	-	-	-	-	-	3	-	-	4	-	-	50	-
23	Decatur	68	-	-	-	-	-	-	-	-	-	-	-	6	-
24	Dickinson	229	-	-	-	1	-	4	-	-	3	-	-	33	-
25	Doniphan	109	-	-	-	-	-	-	-	-	1	-	-	15	-
26	Douglas	283	-	1	-	-	-	4	-	-	2	-	-	38	-
27	Lawrence	202	-	1	-	-	-	4	-	-	2	-	-	29	-
28	Balance of county	81	-	-	-	-	-	-	-	-	-	-	-	9	-
29	Edwards	62	-	-	-	-	-	1	-	-	-	-	-	7	-
30	Elk	75	-	-	-	-	-	-	-	-	-	-	-	9	-
31	Ellis	129	-	-	-	-	-	-	-	-	2	-	-	13	-
32	Ellsworth	81	-	-	-	-	-	3	-	-	-	-	-	11	-
33	Finney	99	-	-	-	-	1	1	-	-	-	-	-	20	-
34	Ford	180	-	-	-	-	1	2	-	-	2	1	-	19	-
35	Franklin	251	-	-	-	-	-	4	-	-	1	-	-	35	-
36	Ottawa	150	-	-	-	-	-	3	-	-	1	-	-	19	-
37	Balance of county	101	-	-	-	-	-	1	-	-	-	-	-	16	-
38	Geary	163	-	1	-	-	-	4	-	-	2	-	-	13	-
39	Gove	33	-	-	-	-	-	-	-	-	-	-	1	5	-
40	Graham	38	-	-	-	-	-	1	-	-	-	-	-	6	-
41	Grant	14	-	-	-	-	-	-	-	-	-	-	-	1	-
42	Gray	30	-	-	-	-	-	1	-	-	-	-	-	4	-
43	Greeley	19	-	-	-	-	-	-	-	-	-	-	-	1	-
44	Greenwood	138	-	-	-	-	-	1	-	-	1	-	-	16	-
45	Hamilton	37	-	-	-	-	-	2	-	-	-	-	-	4	-
46	Harper	113	-	-	1	-	-	1	-	-	-	-	-	14	1
47	Harvey	219	-	-	-	-	-	2	-	-	1	-	-	26	-
48	Newton	148	-	-	-	-	-	2	-	-	1	-	-	18	-
49	Balance of county	71	-	-	-	-	-	-	-	-	-	-	-	8	-
50	Haskell	8	-	-	-	-	-	-	-	-	-	-	-	2	-
51	Hodgeman	19	-	-	-	-	-	2	-	-	-	-	-	1	-
52	Jackson	136	-	-	-	-	-	1	1	-	1	1	-	23	1
53	Jefferson	127	-	-	-	-	1	1	-	1	1	-	-	10	-
54	Jewell	98	-	1	-	-	-	1	-	-	-	-	-	15	-
55	Johnson	308	-	1	-	-	-	5	-	-	-	-	-	43	-
56	Kearny	24	-	-	-	-	-	-	-	-	-	-	-	2	-
57	Kingman	82	-	-	-	1	-	-	-	-	-	-	-	11	-
58	Kiowa	41	-	-	-	-	-	-	-	-	-	-	-	2	-
59	Labette	376	-	1	-	-	-	11	1	-	2	-	1	52	1
60	Parsons	195	-	-	-	-	-	4	1	-	-	-	1	23	1
61	Balance of county	181	-	1	-	-	-	7	-	-	2	-	-	29	-
62	Lane	18	-	-	-	-	-	-	-	-	-	-	-	5	-
63	Leavenworth	509	-	1	-	-	1	27	-	-	3	-	-	74	-
64	Leavenworth	265	-	-	-	-	-	9	-	-	1	-	-	42	-
65	Balance of county	244	-	1	-	-	1	18	-	-	2	-	-	32	-
66	Lincoln	78	-	-	-	-	-	1	-	-	-	-	-	10	-
67	Linn	126	-	-	1	-	-	2	-	-	1	-	-	17	-
68	Logan	29	-	-	-	-	-	-	-	-	1	-	-	5	-
69	Lyon	314	-	-	-	1	1	3	1	-	1	-	1	41	-
70	Emporia	230	-	-	-	-	-	3	1	-	1	-	1	31	-
71	Balance of county	84	-	-	-	1	1	-	-	-	-	-	-	10	-
72	McPherson	195	-	-	-	1	1	1	-	-	1	-	-	33	-
73	Marion	135	-	-	-	-	-	1	-	-	-	-	-	14	-
74	Marshall	216	-	1	-	-	1	4	-	-	3	-	-	28	-
75	Meade	38	-	-	-	-	-	-	-	-	-	-	-	4	-
76	Miami	350	-	-	-	-	1	8	1	-	25	-	-	31	1
77	Mitchell	125	-	-	-	-	-	-	-	-	1	-	-	13	-
78	Montgomery	556	-	-	-	3	-	8	1	-	4	-	1	76	-
79	Coffeyville	181	-	-	-	2	-	1	-	-	1	-	-	25	-
80	Independence	175	-	-	-	-	-	2	-	-	2	-	-	30	-
81	Balance of county	200	-	-	-	1	-	5	1	-	1	-	1	21	-
82	Morris	87	-	-	-	-	-	1	-	-	-	-	-	11	-
83	Morton	17	-	-	-	-	-	-	-	-	-	-	-	1	-
84	Nemaha	146	-	-	-	-	-	-	-	-	-	-	-	25	-
85	Neosho	239	-	-	-	-	-	3	-	-	1	-	-	34	-
86	Chanute	152	-	-	-	-	-	-	-	-	1	-	-	22	-
87	Balance of county	87	-	-	-	-	-	3	-	-	-	-	-	12	-
88	Ness	46	-	-	-	-	-	-	-	-	-	-	-	9	-
89	Norton	128	-	-	-	-	-	35	-	-	-	-	1	16	-
90	Osage	158	-	-	-	-	-	3	-	-	1	-	-	24	-
91	Osborne	98	-	-	-	-	-	2	-	-	-	-	-	9	-
92	Ottawa	84	-	-	-	-	-	-	-	-	1	-	-	10	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
6	-	22	106	9	2	33	1	7	-	-	-	16	2	23	1
3	-	15	73	8	1	28	1	7	-	-	-	14	1	20	2
3	-	7	33	1	1	5	-	-	-	-	-	2	1	3	3
3	-	31	59	6	1	8	-	8	-	-	4	7	2	26	4
5	-	32	89	9	1	23	2	15	4	1	4	17	-	31	5
4	-	19	44	5	-	12	2	3	3	1	1	9	-	15	6
1	-	13	45	4	1	11	-	12	1	-	3	8	-	16	7
1	-	7	13	1	-	5	-	-	-	-	-	4	1	1	8
2	-	3	23	1	-	16	-	3	-	-	-	4	2	10	9
10	-	28	82	7	1	22	1	6	5	-	8	18	3	29	10
2	-	2	14	3	-	3	-	2	1	-	1	3	-	4	11
-	-	2	13	1	-	1	-	-	-	-	-	1	1	5	12
5	-	18	48	5	-	18	1	7	3	-	4	4	4	22	13
6	-	24	63	6	4	16	-	8	-	-	2	8	-	29	14
3	-	18	30	3	2	11	-	2	2	-	2	5	2	17	15
-	-	5	7	4	-	3	-	-	-	-	1	3	1	6	16
13	-	51	132	11	4	25	1	27	2	1	6	30	8	71	17
3	-	17	43	5	2	12	-	10	-	1	4	13	3	17	18
10	-	34	89	6	2	13	1	17	2	-	2	17	5	54	19
10	-	65	179	14	3	25	3	14	8	2	6	29	5	63	20
4	-	24	57	5	2	6	3	8	4	1	1	5	4	17	21
6	-	41	122	9	1	19	-	6	4	1	5	24	1	46	22
3	-	3	34	5	-	2	-	1	1	-	2	7	2	2	23
5	-	29	83	4	2	12	1	10	1	1	3	11	3	23	24
-	-	16	36	7	-	5	-	1	2	-	-	6	1	19	25
5	-	36	79	2	2	27	-	5	6	-	7	13	5	51	26
5	-	25	52	1	1	20	-	4	3	-	6	8	5	36	27
-	-	11	27	1	1	7	-	1	3	-	1	5	-	15	28
2	-	10	17	2	-	7	-	1	-	-	1	10	-	4	29
1	1	10	20	4	1	8	-	4	-	-	-	3	5	9	30
-	-	6	28	5	2	9	2	15	2	-	4	15	1	25	31
6	-	14	16	3	1	7	-	2	1	-	4	6	-	10	32
2	-	18	20	1	1	6	-	5	2	-	4	2	1	15	33
3	-	8	39	7	1	15	1	12	1	1	2	36	5	24	34
10	-	38	65	8	4	23	2	6	2	-	6	23	5	19	35
8	-	23	42	2	4	8	-	5	2	-	2	16	3	12	36
2	-	15	23	6	-	15	2	1	-	-	4	7	2	7	37
2	-	22	40	4	4	10	1	13	1	-	11	12	2	21	38
1	-	4	7	1	-	-	1	4	-	-	-	3	-	6	39
1	-	5	15	-	-	-	-	1	-	-	1	1	2	5	40
1	-	1	-	-	-	3	-	1	-	-	1	4	-	2	41
1	-	2	6	-	1	3	-	6	-	-	2	3	-	1	42
-	-	4	7	1	1	-	-	-	-	-	1	-	-	4	43
3	-	7	49	2	-	8	1	9	-	1	4	3	5	28	44
2	-	4	10	1	2	-	-	1	-	-	3	5	-	3	45
5	1	17	25	5	-	11	1	5	1	-	2	7	-	16	46
5	-	23	72	9	1	18	1	11	2	-	3	8	3	34	47
5	-	17	42	6	1	16	1	9	1	-	-	5	1	23	48
-	-	6	30	3	-	2	-	2	1	-	3	3	2	11	49
-	-	2	1	2	-	-	-	1	-	-	-	-	-	-	50
1	-	4	6	1	-	2	-	-	-	-	1	-	-	1	51
4	-	15	51	3	-	4	1	-	2	-	1	6	7	14	52
2	-	20	45	6	-	12	-	1	3	-	-	8	-	16	53
4	-	12	31	3	-	5	-	3	-	-	3	3	2	15	54
13	-	29	78	22	2	26	-	11	10	2	9	22	4	31	55
-	-	1	12	1	-	1	-	-	1	1	-	2	-	3	56
3	-	12	30	2	-	9	-	2	-	-	1	4	-	7	57
4	-	6	13	2	-	2	-	4	1	2	1	-	-	4	58
4	-	46	97	22	3	27	-	13	5	-	5	22	3	60	59
4	-	16	59	11	2	10	-	9	4	-	1	8	2	39	60
-	-	30	38	11	1	17	-	4	1	-	4	14	1	21	61
-	-	1	3	1	1	2	-	1	-	-	1	2	-	1	62
13	-	51	137	15	-	42	4	16	4	6	9	22	3	81	63
10	-	28	75	9	-	25	2	11	3	1	6	14	1	28	64
3	-	23	62	6	-	17	2	5	1	5	3	8	2	53	65
5	-	12	22	1	-	7	-	2	-	-	1	5	1	11	66
6	-	19	31	8	-	16	-	1	-	-	1	8	1	14	67
-	-	2	7	-	-	3	-	2	1	-	1	1	-	6	68
10	-	27	89	21	3	29	-	11	6	-	6	17	9	37	69
9	-	25	64	13	2	20	-	8	4	-	3	9	6	30	70
1	-	2	25	8	1	9	-	3	2	-	3	8	3	7	71
3	-	21	57	5	2	16	-	7	3	1	1	11	2	29	72
7	-	13	32	9	-	22	1	7	-	-	1	5	2	21	73
7	1	32	70	7	1	12	-	7	2	-	3	11	2	24	74
2	-	5	9	1	-	5	1	1	-	-	-	4	-	6	75
9	-	34	82	25	2	29	2	4	3	-	3	13	19	58	76
3	-	16	33	5	-	17	-	5	1	-	1	12	2	16	77
12	1	71	163	26	4	29	3	25	11	2	13	26	4	73	78
6	-	17	56	10	1	13	2	8	1	2	5	9	1	21	79
2	-	25	45	7	1	9	1	10	6	-	2	7	2	24	80
4	1	29	62	9	2	7	-	7	4	-	6	10	1	28	81
2	-	19	22	1	-	3	-	1	-	-	-	7	4	16	82
-	-	7	3	-	-	1	-	1	-	-	-	1	2	1	83
1	-	23	39	5	1	7	2	7	2	1	1	7	1	24	84
5	-	37	69	4	2	15	2	7	2	-	3	12	3	40	85
2	-	23	43	2	1	11	2	4	2	-	1	10	3	25	86
3	-	14	26	2	1	4	-	3	-	-	2	2	-	15	87
2	-	12	6	3	-	4	-	1	-	-	1	1	-	7	88
4	-	10	23	2	-	6	1	3	1	-	1	13	2	10	89
2	-	19	58	3	1	8	-	-	1	1	2	5	6	24	90
1	-	16	33	3	-	7	-	3	-	-	1	4	-	19	91
4	-	12	27	2	-	7	-	1	1	-	-	2	4	13	92

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	KANSAS—Continued														
1	Pawnee	230	-	-	-	-	-	15	-	-	15	-	-	13	1
2	Phillips	100	-	-	-	-	-	1	-	-	-	-	-	18	-
3	Pottawatomie	125	-	-	-	-	-	1	-	-	-	-	2	15	-
4	Pratt	111	-	-	-	-	-	3	-	-	-	-	-	16	-
5	Rawlins	34	-	-	-	-	-	-	-	-	-	-	-	4	-
6	Reno	522	-	-	1	1	-	4	-	-	7	-	-	73	-
7	Hutchinson	349	-	-	-	1	-	2	-	-	5	-	-	52	-
8	Balance of county	173	-	-	1	-	-	2	-	-	2	-	-	21	-
9	Republic	118	-	-	-	-	-	1	-	-	-	-	-	17	-
10	Rice	151	-	-	-	1	-	1	-	-	1	-	1	24	-
11	Riley	166	-	1	-	-	-	-	-	-	2	-	4	26	-
12	Manhattan	107	-	1	-	-	-	-	-	-	2	-	2	18	-
13	Balance of county	59	-	-	-	-	-	-	-	-	-	-	2	8	-
14	Rooks	68	-	-	-	1	-	-	-	-	-	-	-	8	-
15	Rush	47	-	-	-	-	-	-	-	-	-	-	-	8	-
16	Russell	91	-	-	-	-	-	1	-	-	-	-	-	11	-
17	Saline	335	-	-	1	-	-	4	-	1	1	-	-	43	-
18	Salina	263	-	-	1	-	-	3	-	1	1	-	-	36	-
19	Balance of county	72	-	-	-	-	-	1	-	-	-	-	-	7	-
20	Scott	15	-	-	-	-	1	-	-	-	-	-	-	4	-
21	Sedgwick	1,591	1	5	-	4	-	28	-	-	17	1	-	206	2
22	Wichita	1,345	1	4	-	4	-	21	-	-	13	1	-	179	2
23	Balance of county	246	-	1	-	-	-	7	-	-	4	-	-	27	-
24	Seward	78	-	-	-	-	-	1	-	-	-	-	-	11	-
25	Shawnee	1,166	-	-	-	-	2	19	1	-	25	-	-	131	-
26	Topeka	820	-	-	-	-	-	14	1	-	7	-	-	109	-
27	Balance of county	346	-	-	-	-	2	5	-	-	18	-	-	22	-
28	Sheridan	24	-	-	-	-	-	-	-	-	-	-	-	5	-
29	Sherman	56	-	-	-	-	-	2	-	-	-	-	-	6	-
30	Smith	94	-	-	-	-	-	-	-	-	1	-	-	9	-
31	Stafford	74	-	-	-	-	-	1	-	-	-	-	-	8	-
32	Stanton	9	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Stevens	24	-	-	-	-	-	-	-	-	-	-	-	3	-
34	Sumner	228	-	-	-	-	-	1	-	-	1	-	-	39	-
35	Thomas	76	-	-	-	-	-	1	-	-	-	-	-	12	-
36	Trego	23	-	-	-	-	-	-	-	-	-	-	-	2	-
37	Wabaunsee	55	-	-	-	-	-	1	-	-	1	-	-	10	-
38	Wallace	9	-	-	-	-	-	-	-	-	-	-	-	2	-
39	Washington	156	-	-	-	1	-	-	-	-	1	1	-	26	-
40	Wichita	13	-	-	-	-	-	-	-	-	-	-	-	3	-
41	Wilson	182	-	-	1	-	-	-	-	-	1	-	1	22	-
42	Woodson	77	-	-	-	-	-	1	-	-	-	-	-	12	-
43	Wyandotte	1,631	-	4	-	1	4	35	-	1	17	1	1	216	4
44	Kansas City	1,434	-	3	-	1	4	32	-	1	15	1	1	198	3
45	Balance of county	197	-	1	-	-	-	3	-	-	2	-	-	18	1
46	KENTUCKY	27,590	30	48	8	80	63	1,605	97	5	223	17	12	2,734	29
47	Adair	163	2	1	-	-	2	15	1	-	-	-	-	18	-
48	Allen	129	-	3	-	-	-	9	-	-	-	-	-	14	1
49	Anderson	94	-	-	-	1	-	4	-	-	-	-	-	9	-
50	Ballard	89	-	-	-	-	-	2	1	-	-	-	-	10	-
51	Barren	274	-	-	-	2	3	10	-	-	2	-	-	33	-
52	Bath	110	-	-	-	2	1	11	-	-	1	-	-	11	-
53	Bell	394	1	3	-	3	9	18	4	-	2	-	-	29	1
54	Middlesborough	129	-	-	-	-	4	5	-	-	-	-	-	12	-
55	Balance of county	265	1	3	-	3	5	13	4	-	2	-	-	17	1
56	Boone	132	-	-	-	-	-	5	-	-	-	-	-	16	-
57	Bourbon	207	1	1	-	1	-	12	-	-	-	-	-	25	-
58	Boyd	389	-	-	1	1	1	30	1	-	3	-	-	44	-
59	Ashland	267	-	-	1	1	1	21	1	-	1	-	-	34	-
60	Balance of county	122	-	-	-	-	-	9	-	-	2	-	-	10	-
61	Boyle	189	-	1	-	-	4	8	-	-	1	-	-	13	-
62	Bracken	104	-	-	-	-	-	6	-	-	1	-	-	6	-
63	Breathitt	134	4	-	-	3	1	17	-	-	-	1	-	11	-
64	Breckinridge	192	2	1	1	-	-	11	-	1	-	-	1	23	-
65	Bullitt	104	-	-	-	-	1	7	-	-	-	-	-	10	-
66	Butler	91	-	-	-	-	-	7	1	-	-	-	-	8	-
67	Caldwell	146	-	-	-	2	-	7	1	-	1	-	-	13	-
68	Calloway	147	-	-	-	-	-	11	-	-	-	-	-	17	-
69	Campbell	883	-	1	-	5	-	28	2	-	5	-	-	132	1
70	Fort Thomas	100	-	-	-	-	-	3	-	-	1	-	-	23	-
71	Newport	419	-	1	-	2	-	15	2	-	2	-	-	55	-
72	Balance of county	364	-	-	-	3	-	10	-	-	2	-	-	54	1
73	Carlisle	74	-	-	-	-	-	3	-	-	-	-	1	8	-
74	Carroll	112	-	1	-	-	-	7	-	-	-	-	-	21	-
75	Carter	171	-	-	-	-	-	9	-	-	-	1	1	12	-
76	Casey	120	-	2	-	1	-	13	-	-	-	-	-	12	-
77	Christian	631	1	-	-	4	-	57	-	-	30	-	-	31	-
78	Hopkinsville	172	-	-	-	1	-	8	-	-	1	-	-	15	-
79	Balance of county	459	1	-	-	3	-	49	-	-	29	-	-	16	-
80	Clark	201	1	-	-	-	-	8	2	-	-	-	-	32	-
81	Clay	146	1	-	-	1	-	9	4	-	2	-	-	9	1
82	Clinton	65	-	-	-	-	-	8	-	-	-	-	1	5	-
83	Crittenden	128	-	-	-	-	-	14	-	-	-	-	-	11	-
84	Cumberland	82	-	-	-	-	-	7	-	-	1	-	-	4	-
85	Daviess	545	-	1	-	-	-	14	-	-	3	-	-	51	1
86	Owensboro	384	-	1	-	-	-	13	-	-	2	-	-	39	-
87	Balance of county	161	-	-	-	-	-	1	-	-	1	-	-	12	1
88	Edmonson	75	-	-	-	-	-	5	-	-	-	-	-	9	-
89	Elliott	40	-	-	-	-	-	5	-	-	-	-	-	3	-
90	Estill	115	-	1	1	1	-	13	-	-	-	-	-	12	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
7	-	15	35	19	2	14	-	3	4	1	4	3	2	77	1
4	-	14	26	2	-	14	-	4	3	-	1	3	-	10	2
2	-	17	39	9	-	13	-	4	3	-	4	1	-	15	3
2	-	9	30	5	-	7	1	12	2	-	1	8	1	14	4
-	-	5	10	-	1	2	-	1	-	-	1	3	1	6	5
18	-	61	153	12	3	32	5	22	6	1	11	42	4	66	6
9	-	45	111	7	1	22	3	15	3	1	8	21	2	41	7
9	-	16	42	5	2	10	2	7	3	-	3	21	2	25	8
6	-	18	40	2	-	8	-	3	2	-	-	3	4	14	9
4	-	25	36	8	-	8	-	5	-	-	4	12	4	17	10
7	-	21	41	4	-	9	-	11	5	-	1	17	6	11	11
6	-	17	22	3	-	6	-	9	1	-	-	13	3	4	12
1	-	4	19	1	-	3	-	2	4	-	1	4	3	7	13
1	-	14	13	-	1	11	-	2	-	-	1	3	2	11	14
1	-	7	11	1	-	6	-	2	-	-	2	2	-	7	15
1	-	12	19	4	-	6	1	7	3	-	5	7	3	11	16
8	1	42	79	10	1	16	-	21	-	-	10	36	12	49	17
7	1	34	61	10	1	13	-	19	-	-	8	18	8	41	18
1	-	8	18	-	-	3	-	2	-	-	2	18	4	8	19
-	-	1	3	2	-	-	-	2	-	-	-	1	-	1	20
34	-	150	470	86	11	90	4	80	23	1	33	71	46	228	21
31	-	124	404	80	7	84	4	70	18	1	24	56	18	199	22
3	-	26	66	6	4	6	-	10	5	-	9	15	28	29	23
2	-	5	30	-	-	3	-	6	1	-	1	10	1	7	24
39	-	141	336	76	8	80	1	38	7	4	18	49	35	156	25
29	-	104	244	45	4	60	-	32	3	4	15	39	12	98	26
10	-	37	92	31	4	20	1	6	4	-	3	10	23	58	27
-	-	3	6	1	-	2	-	2	-	-	-	2	-	3	28
1	-	10	18	1	-	3	-	3	-	-	2	7	2	1	29
4	-	15	32	2	-	10	-	4	1	-	1	4	3	8	30
1	-	10	17	2	-	4	1	4	-	-	-	4	3	19	31
-	-	1	1	-	-	2	1	1	1	-	1	-	-	1	32
-	-	5	7	-	-	3	-	1	-	-	1	2	1	1	33
6	1	27	70	10	-	6	-	11	4	-	3	15	6	28	34
3	-	9	22	5	-	1	-	8	-	-	1	6	1	7	35
1	-	3	10	-	2	-	-	-	2	-	-	-	3	-	36
3	-	4	11	3	1	3	-	3	-	-	-	2	3	10	37
-	-	-	1	-	-	-	-	2	-	-	-	1	2	1	38
8	-	20	51	1	1	13	-	2	3	-	1	8	-	19	39
-	-	1	3	1	-	1	-	1	1	-	1	-	1	-	40
5	-	29	45	6	1	12	-	6	1	-	2	7	5	38	41
2	1	8	28	1	-	5	-	4	1	-	-	3	1	10	42
38	-	146	481	89	10	138	6	80	10	8	32	94	14	201	43
32	-	121	406	75	8	131	5	74	7	8	27	82	11	188	44
6	-	25	75	14	2	7	1	6	3	-	5	12	3	13	45
459	26	2,738	6,856	2,049	427	1,793	155	1,579	232	266	592	1,491	630	3,346	46
2	-	11	45	9	5	15	2	12	1	-	-	4	2	18	47
3	-	13	29	11	3	7	1	8	1	1	3	4	5	13	48
2	-	12	24	17	1	8	-	3	-	-	2	1	2	8	49
2	-	11	22	6	-	3	-	4	-	-	4	4	11	9	50
5	-	32	53	24	2	35	1	20	3	1	7	10	4	27	51
1	-	11	27	14	4	5	-	6	-	-	2	5	-	9	52
2	1	26	66	40	12	21	2	40	6	9	8	33	19	39	53
-	-	10	24	10	1	9	1	15	1	5	3	6	6	17	54
2	1	16	42	30	11	12	1	25	5	4	5	27	13	22	55
1	-	15	43	5	1	6	1	7	4	-	4	1	2	21	56
5	1	19	44	24	-	22	2	8	-	-	7	10	2	23	57
4	-	31	93	28	7	24	2	26	1	1	13	24	8	46	58
4	-	19	58	17	1	18	1	16	1	1	12	17	5	37	59
-	-	12	35	11	6	6	1	10	-	-	1	7	3	9	60
1	-	18	39	19	7	20	2	14	2	-	3	12	1	24	61
-	-	11	38	11	1	4	-	3	4	-	2	7	1	9	62
1	-	22	16	11	3	3	5	8	2	2	3	10	4	7	63
1	-	23	60	10	2	8	3	10	-	1	8	8	-	18	64
2	-	5	26	11	-	10	-	9	1	-	4	9	1	8	65
4	1	9	22	9	-	4	-	4	1	1	-	6	-	14	66
3	-	26	31	2	2	7	-	8	-	1	2	7	8	25	67
3	1	25	36	8	1	5	-	3	1	2	-	5	5	24	68
23	-	106	260	44	13	33	2	43	10	5	3	55	7	105	69
4	-	12	29	1	1	1	-	3	-	-	1	7	2	12	70
11	-	57	119	24	9	17	1	19	5	4	1	26	3	46	71
8	-	37	112	19	3	15	1	21	5	1	1	22	2	47	72
3	-	15	13	5	2	5	1	4	-	-	2	2	4	6	73
2	-	12	39	1	1	1	1	5	-	4	-	10	-	7	74
4	-	15	41	26	2	6	2	20	1	1	1	8	7	14	75
1	1	9	27	7	4	5	1	5	-	-	1	4	6	21	76
8	1	74	95	42	6	56	3	24	3	3	9	24	6	154	77
4	-	22	37	13	-	24	1	8	-	3	4	8	4	19	78
4	1	52	58	29	6	32	2	16	3	-	5	16	2	135	79
1	-	16	37	22	3	23	2	9	4	3	6	7	2	23	80
2	1	5	27	17	3	4	1	17	1	3	9	5	6	18	81
1	-	7	11	2	2	7	1	-	-	-	2	3	2	13	82
1	-	15	31	3	-	12	-	8	1	-	5	6	3	18	83
1	-	7	17	9	4	6	-	5	-	1	-	6	1	13	84
4	1	55	148	34	13	45	2	44	4	1	10	33	14	67	85
4	1	37	106	26	8	27	1	28	1	1	8	27	13	41	86
-	-	18	42	8	5	18	1	16	3	-	2	6	1	26	87
1	-	4	24	6	-	10	-	5	-	1	-	2	2	6	88
-	-	3	6	6	1	-	-	1	-	2	1	3	4	5	89
-	-	11	17	9	2	6	2	7	1	2	5	6	12	7	90

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	KENTUCKY—Continued														
1	Fayette	1,281	-	4	-	2	-	99	2	-	53	-	-	116	-
2	Lexington	1,044	-	3	-	2	-	76	2	-	49	-	-	89	-
3	Balance of county	237	-	1	-	-	-	23	-	-	4	-	-	27	-
4	Fleming	166	-	1	-	-	-	10	-	-	-	-	-	16	-
5	Floyd	336	-	1	-	-	3	31	7	-	1	-	-	29	1
6	Franklin	228	1	1	-	-	-	10	-	-	-	-	-	20	-
7	Frankfort	145	-	-	-	-	-	5	-	-	-	-	-	11	-
8	Balance of county	83	1	1	-	-	-	5	-	-	-	-	-	9	-
9	Fulton	164	-	-	-	-	1	5	-	1	1	-	-	19	1
10	Gallatin	55	-	-	-	-	-	5	-	-	-	-	-	3	-
11	Garrard	88	1	-	-	-	1	6	-	-	1	-	-	14	-
12	Grant	110	-	-	-	-	-	6	-	-	-	-	-	11	-
13	Graves	336	-	2	-	2	-	19	1	-	2	-	1	35	1
14	Grayson	138	-	-	-	-	-	4	-	-	-	1	-	18	-
15	Green	105	-	-	-	2	-	10	-	-	-	-	-	8	1
16	Greenup	166	-	1	-	-	1	10	3	-	-	-	-	27	-
17	Hancock	59	-	-	-	-	1	-	-	-	-	2	-	6	-
18	Hardin	290	-	-	-	-	1	13	-	-	2	-	-	28	-
19	Harlan	485	-	-	-	5	2	21	6	-	5	-	1	29	-
20	Harrison	179	-	-	-	-	-	10	-	-	-	-	-	18	-
21	Hart	139	1	-	-	-	-	9	-	-	-	1	-	11	-
22	Henderson	330	-	-	-	-	-	9	-	-	5	-	-	36	-
23	Henderson	202	-	-	-	-	-	7	-	-	5	-	-	25	-
24	Balance of county	128	-	-	-	-	-	2	-	-	-	-	-	11	-
25	Henry	102	-	-	-	-	-	3	-	-	-	-	-	5	-
26	Hickman	85	-	-	-	-	-	3	-	-	-	-	-	22	-
27	Hopkins	424	-	1	-	1	2	18	-	-	2	-	-	51	-
28	Jackson	98	-	-	-	1	1	8	3	-	1	-	-	8	-
29	Jefferson	5,248	1	11	2	2	2	302	6	-	58	3	-	563	4
30	Louisville	4,351	1	10	2	2	2	237	2	-	21	3	-	487	4
31	Balance of county	897	-	1	-	-	-	65	4	-	37	-	-	76	-
32	Jessamine	116	-	-	-	-	-	-	-	-	-	-	-	13	-
33	Johnson	181	-	2	-	-	-	9	1	-	1	-	-	18	-
34	Kenton	1,089	-	1	1	1	-	46	-	-	7	-	1	125	2
35	Covington	801	-	1	-	1	-	32	-	-	7	-	-	98	1
36	Balance of county	288	-	-	1	-	-	14	-	-	-	-	1	27	1
37	Knott	96	-	-	-	1	1	8	4	-	-	-	-	9	-
38	Knox	228	-	-	-	2	-	8	7	-	1	1	-	15	-
39	Larue	89	-	-	1	-	-	6	-	-	-	-	-	12	1
40	Laurel	219	1	-	-	3	-	12	2	-	1	-	-	16	-
41	Lawrence	143	-	-	-	1	-	10	1	-	-	2	1	9	-
42	Lee	45	1	-	-	-	-	3	-	-	-	-	-	7	-
43	Leslie	69	1	-	-	3	-	7	1	-	-	-	-	2	1
44	Letcher	267	1	-	-	-	2	20	-	-	1	-	1	11	-
45	Lewis	131	-	-	-	-	1	8	1	-	1	-	-	10	-
46	Lincoln	165	-	-	-	2	1	12	-	-	1	-	-	15	-
47	Livingston	94	-	-	-	1	-	8	-	-	-	-	-	8	-
48	Logan	250	-	-	-	2	-	16	1	-	-	-	-	29	1
49	Lyon	65	-	-	-	-	-	7	-	-	-	-	-	6	-
50	McCracken	546	-	-	-	-	-	33	1	1	2	-	1	46	1
51	Paducah	414	-	-	-	-	-	24	1	1	-	-	1	38	-
52	Balance of county	132	-	-	-	-	-	9	-	-	2	-	-	8	1
53	McCreary	119	-	-	-	1	-	5	-	-	-	1	-	7	-
54	McLean	101	-	-	-	-	-	3	-	-	1	-	-	16	1
55	Madison	310	-	-	-	-	2	25	-	-	1	-	-	37	-
56	Magoffin	65	-	-	-	1	1	4	-	-	-	-	-	5	-
57	Marion	167	1	-	-	-	-	12	-	-	1	-	-	12	1
58	Marshall	108	-	-	-	-	-	7	-	-	-	-	-	15	-
59	Martin	57	-	-	-	1	-	5	-	-	-	-	-	4	-
60	Mason	212	-	-	-	-	-	7	1	-	2	-	-	21	-
61	Meade	60	-	-	-	-	-	-	-	-	-	-	-	3	-
62	Menifee	43	-	-	-	-	-	1	-	-	1	-	-	2	-
63	Mercer	149	-	-	-	1	-	7	-	-	-	-	-	13	-
64	Metcalfe	83	1	1	-	-	1	7	-	-	-	-	-	9	-
65	Monroe	89	-	-	-	2	-	6	-	-	-	-	-	7	-
66	Montgomery	140	-	-	-	4	-	8	1	-	-	-	-	9	-
67	Morgan	108	-	-	-	-	2	9	-	-	-	-	-	12	-
68	Muhlenberg	312	-	-	-	-	-	13	3	-	3	-	-	31	-
69	Nelson	165	-	1	-	-	-	7	-	-	-	-	-	19	1
70	Nicholas	85	-	-	1	-	-	3	-	-	-	-	-	9	1
71	Ohio	216	1	1	-	1	-	12	1	2	-	-	-	26	-
72	Oldham	87	-	-	-	-	-	7	-	-	1	-	-	4	-
73	Owen	119	-	-	-	-	-	7	2	-	1	-	-	10	-
74	Owsley	33	-	-	-	-	-	1	-	-	-	-	-	3	-
75	Pendleton	106	-	-	-	-	-	4	-	-	1	-	-	18	1
76	Perry	262	1	1	-	2	3	9	6	-	2	-	-	16	-
77	Pike	482	1	1	-	-	3	30	9	-	3	-	1	23	-
78	Powell	55	-	-	-	-	-	4	-	-	1	-	-	13	-
79	Pulaski	270	-	-	-	2	4	24	2	-	1	-	-	27	1
80	Robertson	39	-	-	-	-	-	1	-	-	-	-	-	6	-
81	Rockcastle	100	-	-	-	2	-	7	-	-	-	-	-	9	-
82	Rowan	82	-	-	-	-	-	11	-	-	-	-	-	8	-
83	Russell	101	1	-	-	-	-	7	-	-	-	-	-	9	-
84	Scott	159	-	1	-	-	-	13	-	-	-	-	-	19	-
85	Shelby	212	-	-	-	-	-	14	-	-	-	1	-	18	-
86	Simpson	122	-	-	-	-	-	3	2	-	-	-	-	10	1
87	Spencer	44	-	-	-	-	-	3	1	-	-	-	-	7	-
88	Taylor	124	-	-	-	1	1	11	-	-	-	2	-	14	-
89	Todd	139	-	-	-	-	-	12	-	-	-	-	-	15	-
90	Trigg	90	-	-	-	-	-	11	-	-	-	1	-	6	-
91	Trimble	46	-	-	-	-	-	-	-	-	-	-	-	3	-
92	Union	169	-	-	-	1	-	6	-	-	-	-	-	23	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
24	-	117	339	60	19	60	3	38	24	11	31	47	42	190	1
19	-	93	272	53	13	51	3	30	18	11	24	38	41	157	2
5	-	24	67	7	6	9	-	8	6	-	7	9	1	33	3
1	-	22	46	10	3	15	1	10	1	2	9	6	1	12	4
4	-	27	46	27	13	24	4	28	-	7	9	34	10	36	5
5	-	23	52	17	3	25	-	9	3	2	5	11	8	33	6
2	-	13	33	12	2	19	-	6	2	2	4	6	6	22	7
3	-	10	19	5	1	6	-	3	1	-	1	5	2	11	8
2	-	19	36	17	1	19	-	7	2	4	2	11	1	15	9
1	-	13	6	6	-	2	-	-	2	-	2	5	-	10	10
1	-	6	14	7	3	11	-	3	-	1	1	3	2	13	11
2	-	19	33	8	-	6	-	4	3	-	3	3	2	10	12
12	2	45	85	28	3	18	3	7	4	1	2	16	9	38	13
1	-	18	24	11	2	15	-	13	1	-	1	8	5	16	14
1	-	9	36	13	3	3	-	7	1	-	1	4	1	5	16
2	1	13	39	11	6	8	1	14	1	1	2	5	3	17	16
1	-	9	21	1	1	5	-	2	-	1	-	2	1	6	17
3	-	22	65	17	4	19	-	17	3	4	24	23	8	37	18
4	1	33	81	35	19	18	6	44	3	23	17	45	26	61	19
2	-	32	57	15	3	8	1	8	1	2	-	7	-	15	20
4	-	17	25	15	1	9	1	8	-	1	5	7	7	17	21
6	-	47	86	21	8	25	1	18	1	2	6	19	2	38	22
2	-	28	49	9	3	19	-	13	-	2	4	12	1	23	23
4	-	19	37	12	5	6	1	5	1	-	2	7	1	15	24
2	-	12	40	4	1	7	1	3	3	1	1	4	1	14	25
-	-	11	26	3	-	6	-	-	1	-	1	4	2	6	26
5	-	57	115	18	14	24	3	15	2	4	9	19	13	51	27
-	-	11	23	16	1	4	1	2	1	1	1	6	2	7	28
89	4	402	1,558	319	52	340	24	290	47	52	117	252	47	701	29
81	3	331	1,329	247	43	312	20	253	38	48	94	211	38	532	30
8	1	71	229	72	9	28	4	37	9	4	23	41	9	169	31
2	-	17	38	9	-	7	1	6	1	2	2	3	6	9	32
3	-	17	38	22	2	6	1	15	1	1	2	12	6	24	33
32	1	109	348	46	9	78	4	47	10	3	11	59	10	138	34
23	1	82	258	30	9	59	3	33	8	3	9	42	6	95	35
9	-	27	90	16	-	19	1	14	2	-	2	17	4	43	36
2	1	2	19	10	-	4	2	8	3	2	2	8	2	8	37
3	-	13	47	41	3	15	-	23	6	1	5	14	3	20	38
1	-	2	24	10	2	8	-	3	1	1	1	3	3	10	39
4	1	33	36	34	6	19	3	6	1	3	5	10	4	19	40
2	-	19	27	10	1	20	1	7	1	-	3	4	8	16	41
1	-	8	12	3	-	-	-	2	1	1	1	4	-	1	42
1	-	4	6	5	1	-	-	12	1	2	3	8	2	9	43
8	-	20	46	24	6	15	3	31	1	4	8	19	24	22	44
2	1	6	32	13	5	5	2	17	-	2	1	5	1	18	45
3	-	12	42	9	-	18	2	13	1	1	7	6	4	16	46
3	-	7	28	4	2	8	1	1	-	1	2	11	2	7	47
2	-	36	60	19	3	13	1	18	1	2	3	8	6	29	48
2	1	5	16	2	-	4	1	2	1	2	-	-	1	15	49
5	-	73	174	34	8	23	1	21	1	7	5	38	10	61	50
5	-	48	146	25	4	20	1	14	1	6	3	30	7	39	51
-	-	25	28	9	4	3	-	7	-	1	2	8	3	22	52
1	-	19	24	9	6	2	1	11	1	3	4	10	6	8	53
1	-	6	29	7	-	16	-	3	1	-	2	5	3	7	54
6	-	25	84	22	5	24	2	10	2	4	4	9	9	39	55
2	-	2	12	12	-	3	-	2	-	-	1	5	8	7	56
5	1	11	30	20	2	9	2	19	2	1	6	10	2	20	57
8	1	15	25	7	2	4	-	3	1	-	-	7	2	11	58
-	-	1	3	8	4	4	-	10	-	-	-	1	3	13	59
5	-	28	53	18	3	8	3	11	4	1	3	14	2	28	60
-	-	9	16	4	1	8	-	4	-	-	1	5	2	7	61
-	-	4	9	4	1	1	-	5	1	2	1	2	3	6	62
3	-	22	37	23	1	4	-	4	-	-	4	5	8	17	63
1	1	2	15	7	-	15	-	7	2	-	2	3	2	7	64
3	-	9	24	8	-	6	-	3	-	-	1	5	3	12	65
2	-	16	27	12	1	16	2	7	-	1	2	10	1	21	66
-	-	7	24	10	-	9	-	4	1	-	8	2	9	11	67
5	-	47	66	29	12	22	3	24	2	3	3	19	3	24	68
3	-	17	47	13	-	6	1	14	1	1	3	10	1	20	69
1	-	13	27	6	-	4	-	4	1	2	3	1	-	9	70
4	-	23	51	11	5	20	2	4	2	-	1	15	3	31	71
3	-	11	26	9	-	2	-	4	-	3	4	5	-	8	72
1	-	15	28	6	-	4	-	9	2	-	-	6	4	24	73
-	-	1	8	8	-	-	-	2	-	1	-	1	4	4	74
2	-	11	39	6	1	7	1	1	1	-	2	5	-	6	75
3	-	9	34	43	6	11	2	26	2	9	11	39	5	22	76
2	-	34	79	56	18	22	10	49	1	8	13	61	7	51	77
1	-	1	3	5	-	-	-	3	-	-	5	3	10	6	78
5	1	24	56	26	6	9	2	20	1	2	5	9	6	37	79
-	-	4	9	3	-	6	-	2	1	-	1	1	-	5	80
3	-	13	17	8	3	7	1	10	-	3	1	4	5	9	81
-	-	5	18	5	2	6	1	4	1	3	2	8	3	7	82
1	-	16	19	5	-	8	2	6	1	-	3	14	-	9	83
3	-	27	34	9	2	8	-	8	1	-	1	8	-	25	84
7	-	32	48	14	5	7	-	7	5	2	6	7	1	38	85
3	-	15	28	14	1	15	-	5	2	3	4	2	1	13	86
2	-	2	11	8	1	-	-	5	-	-	-	1	-	3	87
1	-	15	29	2	-	7	-	4	-	-	-	10	9	18	88
1	-	18	30	12	2	17	-	3	-	-	4	7	3	15	89
3	-	8	19	5	-	3	-	7	-	-	-	10	6	11	90
1	-	4	20	2	-	2	-	2	1	-	1	5	-	5	91
5	-	16	37	11	2	12	2	10	-	-	15	8	4	17	92

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	KENTUCKY—Continued														
1	Warren	459	2	1	-	1	1	17	-	-	1	-	-	37	1
2	Bowling Green	242	1	1	-	-	-	6	-	-	1	-	-	18	-
3	Balance of county	217	1	-	-	1	1	11	-	-	-	-	-	19	1
4	Washington	107	-	-	-	1	-	7	-	-	2	-	-	14	-
5	Wayne	111	-	-	-	-	-	11	1	-	1	-	-	12	-
6	Webster	155	-	-	-	-	-	8	-	-	1	-	-	11	-
7	Whitley	260	1	-	-	1	1	9	1	-	1	-	-	26	1
8	Wolfe	80	-	-	-	-	2	6	1	-	-	-	1	4	-
9	Woodford	107	-	-	-	-	-	7	2	-	-	-	-	12	1
10	LOUISIANA	22,125	20	27	-	24	53	1,092	38	33	464	18	12	2,381	12
11	Acadia	354	-	1	-	1	3	15	-	-	4	-	-	28	-
12	Allen	140	-	-	-	-	-	6	-	-	1	-	-	14	-
13	Ascension	174	-	-	-	1	-	7	-	-	3	-	-	20	-
14	Assumption	159	-	-	-	-	-	4	-	1	3	-	-	19	-
15	Avoyelles	248	-	-	-	-	-	12	1	-	1	-	-	28	-
16	Beauregard	120	-	-	-	-	-	5	4	-	-	-	-	14	-
17	Bienville	170	-	-	-	-	-	3	-	-	4	1	1	19	-
18	Bossier	272	1	-	-	1	1	15	-	1	6	-	-	25	-
19	Caddo	1,394	1	1	-	1	3	58	2	2	30	-	5	147	-
20	Shreveport	1,027	1	1	-	1	2	37	2	1	22	-	3	115	-
21	Balance of parish	367	-	-	-	-	1	21	-	1	8	-	2	32	-
22	Calcasieu	538	-	-	-	-	2	24	-	-	4	-	-	54	1
23	Lake Charles	298	-	-	-	-	2	11	-	-	-	-	-	28	1
24	Balance of parish	240	-	-	-	-	-	13	-	-	4	-	-	26	-
25	Caldwell	79	-	-	-	1	-	3	-	1	1	-	-	9	-
26	Cameron	33	-	-	-	-	1	2	-	-	-	-	-	2	-
27	Catahoula	86	-	-	-	-	1	2	-	-	2	-	-	10	-
28	Claiborne	187	-	1	-	-	-	6	1	-	-	-	-	20	1
29	Concordia	126	-	-	-	-	-	6	-	1	5	2	-	7	1
30	De Soto	258	-	-	-	1	1	4	-	-	3	-	1	24	1
31	East Baton Rouge	836	-	-	-	-	2	52	1	1	14	4	-	84	-
32	Baton Rouge	340	-	-	-	-	1	25	1	-	7	1	-	33	-
33	Balance of parish	496	-	-	-	-	1	27	-	1	7	3	-	51	-
34	East Carroll	163	-	-	-	-	3	10	-	-	6	-	-	16	-
35	East Feliciana	487	1	1	-	1	-	43	2	5	70	2	-	26	-
36	Evangeline	179	2	-	-	-	-	9	-	-	1	-	-	18	-
37	Franklin	213	-	1	-	1	1	8	1	4	3	1	-	26	-
38	Grant	132	-	-	-	-	-	7	-	-	-	-	-	15	-
39	Iberia	344	-	-	-	1	-	20	3	-	5	-	-	42	-
40	New Iberia	179	-	-	-	1	-	14	1	-	2	-	-	20	-
41	Balance of parish	165	-	-	-	-	-	6	2	-	3	-	-	22	-
42	Iberville	308	-	1	-	-	-	4	-	-	6	1	-	22	-
43	Jackson	126	-	-	-	-	-	6	-	-	1	-	1	7	-
44	Jefferson	487	1	1	-	1	-	17	-	-	5	-	1	68	-
45	Gretna	103	-	-	-	-	-	5	-	-	1	-	-	11	-
46	Balance of parish	384	1	1	-	1	-	12	-	-	4	-	1	57	-
47	Jefferson Davis	188	1	-	-	-	-	6	-	-	3	-	-	16	-
48	Lafayette	382	-	2	-	1	-	19	-	-	3	-	-	40	-
49	Lafayette	211	-	-	-	-	-	11	-	-	2	-	-	22	-
50	Balance of parish	171	-	2	-	1	-	8	-	-	1	-	-	18	-
51	Lafourche	269	-	-	-	-	-	8	-	-	6	-	-	30	1
52	La Salle	96	-	-	-	-	-	4	-	-	-	-	-	16	-
53	Lincoln	183	-	-	-	-	-	8	1	1	3	-	-	16	1
54	Livingston	107	1	-	-	-	2	4	-	-	-	-	-	11	-
55	Madison	149	-	-	-	-	-	5	-	-	1	-	1	11	-
56	Morehouse	279	1	-	-	-	1	14	1	-	12	-	-	29	-
57	Natchitoches	302	1	1	-	1	-	8	-	1	1	-	-	38	-
58	Orleans, coextensive with New Orleans	5,993	-	8	-	2	8	372	5	3	129	-	-	782	2
59	Ouachita	612	-	-	-	1	3	31	-	1	4	-	-	72	-
60	Monroe	393	-	-	-	-	1	18	-	1	4	-	-	46	-
61	Balance of parish	219	-	-	-	1	2	13	-	-	-	-	-	26	-
62	Plaquemines	96	-	-	-	-	1	1	-	-	-	1	-	11	-
63	Pointe Coupee	226	-	-	-	-	1	13	-	-	3	-	-	26	-
64	Rapides	929	3	2	-	2	2	49	1	1	50	-	-	77	-
65	Alexandria	327	-	1	-	-	-	11	1	1	10	-	-	36	-
66	Balance of parish	602	3	1	-	2	2	38	-	-	40	-	-	41	-
67	Red River	99	-	-	-	-	1	2	-	1	-	-	-	8	-
68	Richland	224	2	-	-	-	-	14	2	1	3	-	-	26	-
69	Sabine	174	-	-	-	-	2	8	1	3	1	-	-	14	-
70	St. Bernard	69	-	-	-	-	1	2	-	-	1	-	-	9	-
71	St. Charles	91	-	-	-	-	-	3	-	-	3	-	-	14	-
72	St. Helena	60	-	-	-	-	-	-	-	-	-	-	-	7	-
73	St. James	137	-	-	-	-	1	3	1	-	1	-	-	15	-
74	St. John the Baptist	127	-	-	-	-	-	5	-	-	4	-	-	6	-
75	St. Landry	573	-	1	-	3	3	37	2	1	10	-	-	49	2
76	St. Martin	177	-	-	-	-	2	11	1	-	2	-	-	17	-
77	St. Mary	301	1	1	-	-	-	9	1	1	2	1	-	25	-
78	St. Tammany	243	-	1	-	-	-	12	1	-	5	-	-	8	1
79	Tangipahoa	405	1	1	-	-	-	18	2	-	7	1	-	33	-
80	Tensas	138	1	-	-	-	-	3	-	-	5	1	-	12	-
81	Terrebonne	304	1	-	-	-	1	11	-	-	3	-	-	32	-
82	Union	152	-	-	-	-	1	7	-	2	1	-	-	14	-
83	Vermilion	257	-	1	-	1	2	11	2	-	1	-	1	36	-
84	Vernon	203	-	1	-	-	-	4	2	-	3	-	-	12	-
85	Washington	253	-	-	-	-	1	12	-	-	5	3	-	28	-
86	Bogalusa	122	-	-	-	-	-	8	-	-	4	1	-	16	-
87	Balance of parish	131	-	-	-	-	1	4	-	-	1	2	-	12	-
88	Webster	263	-	-	-	1	-	9	-	1	5	-	-	29	-
89	West Baton Rouge	106	1	1	-	-	-	2	-	-	2	-	1	10	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
6	-	52	113	36	8	67	2	27	2	3	5	14	19	44	1
6	-	26	68	14	5	36	1	18	-	3	2	8	6	22	2
-	-	26	45	22	3	31	1	9	2	-	3	6	13	22	3
6	-	7	31	9	1	7	1	3	1	1	2	1	5	8	4
-	-	5	28	12	-	6	3	8	-	2	6	5	4	7	5
2	-	33	41	4	2	15	-	4	-	2	6	9	3	14	6
4	1	30	57	23	7	13	-	24	1	2	5	16	7	29	7
-	-	4	8	4	2	2	-	6	-	3	1	5	16	15	8
2	-	9	30	10	-	9	-	2	1	1	4	4	2	11	9
378	24	1,848	5,930	1,373	222	1,631	145	1,468	171	241	426	1,115	450	2,529	10
4	-	35	103	37	2	26	3	27	2	1	2	17	5	38	11
1	1	7	37	8	6	15	2	11	1	1	3	9	5	12	12
1	-	26	45	9	1	9	1	7	-	1	5	14	3	21	13
6	-	15	40	11	8	3	1	9	2	-	1	10	2	26	14
4	-	19	86	11	1	21	-	9	1	2	1	13	5	33	15
3	-	10	36	4	-	11	2	10	1	-	1	3	6	10	16
3	-	15	33	9	2	19	-	8	-	1	11	7	13	21	17
3	2	28	30	19	5	35	1	25	4	5	15	24	4	22	18
19	-	128	344	79	9	146	8	110	16	17	19	57	14	178	19
16	-	88	274	59	4	104	7	81	9	11	15	38	8	128	20
3	-	40	70	20	5	42	1	29	7	6	4	19	6	50	21
6	-	36	146	16	9	48	4	58	5	7	14	26	19	59	22
4	-	27	91	9	3	31	3	27	1	3	9	11	7	30	23
2	-	9	55	7	6	17	1	31	4	4	5	15	12	29	24
-	-	5	18	5	-	8	-	5	2	2	1	4	5	9	25
-	-	2	6	3	-	3	2	3	-	1	-	2	-	6	26
1	-	13	20	2	-	10	2	6	-	-	1	4	1	11	27
7	-	24	40	21	1	13	2	8	1	4	2	12	5	18	28
1	-	8	24	7	-	27	1	3	1	3	5	8	10	6	29
6	-	29	57	28	2	14	1	7	3	3	5	10	9	49	30
13	-	78	205	60	7	58	5	50	9	6	10	44	31	102	31
2	-	27	89	23	4	26	2	16	7	1	5	18	13	39	32
11	-	51	116	37	3	32	3	34	2	5	5	26	18	63	33
-	-	21	38	10	2	15	-	9	-	5	-	9	1	18	34
3	2	17	161	20	4	37	2	8	4	1	2	9	8	58	35
1	-	12	31	14	7	14	3	9	2	1	5	11	13	26	36
2	-	21	37	17	-	25	2	14	2	5	2	14	-	26	37
1	-	21	34	5	-	8	-	5	1	2	4	14	1	14	38
5	-	20	76	24	3	19	2	24	7	2	6	21	5	59	39
2	-	8	44	12	2	9	2	11	4	-	4	11	2	30	40
3	-	12	32	12	1	10	-	13	3	2	2	10	3	29	41
1	-	39	86	22	6	21	2	15	1	2	4	20	4	51	42
-	1	8	26	8	3	7	-	10	1	2	6	13	8	18	43
12	-	39	143	22	4	26	2	39	7	6	7	37	1	48	44
-	-	11	34	5	1	8	-	11	1	-	1	8	-	6	45
12	-	28	109	17	3	18	2	28	6	6	6	29	1	42	46
2	-	16	55	12	2	14	3	17	-	1	9	4	5	22	47
11	1	27	80	26	5	13	3	34	5	3	11	19	7	72	48
4	-	15	52	12	3	7	2	20	4	2	6	11	4	34	49
7	1	12	28	14	2	6	1	14	1	1	5	8	3	38	50
8	-	8	75	18	8	16	2	31	1	1	16	11	3	26	51
2	1	8	21	5	2	7	1	4	2	-	7	8	-	8	52
1	-	16	47	12	4	14	2	20	1	2	5	7	1	21	53
1	-	10	19	9	-	4	-	15	1	2	8	8	5	9	54
3	1	10	23	5	2	17	1	8	-	3	6	19	17	16	55
3	1	23	58	23	5	27	2	18	-	6	1	10	9	35	56
5	-	21	79	17	3	11	3	26	2	4	12	21	20	27	57
133	3	461	1,965	300	34	388	27	305	41	69	77	238	21	620	58
14	2	56	147	26	4	49	4	48	6	6	12	39	11	76	59
9	1	36	104	13	2	30	2	33	3	2	7	17	7	57	60
5	1	20	43	13	2	19	2	15	3	4	5	22	4	19	61
4	1	11	22	5	2	5	1	11	-	1	-	6	3	10	62
4	-	29	56	15	6	7	1	17	1	1	1	11	10	24	63
18	-	68	231	45	7	81	5	75	7	12	14	57	19	103	64
9	-	25	84	14	2	40	3	26	3	8	6	15	6	26	65
0	-	43	147	31	5	41	2	49	4	4	8	42	13	77	66
1	-	13	9	11	-	7	3	12	-	1	4	6	3	17	67
3	-	24	55	12	3	13	1	18	1	2	8	7	5	24	68
3	-	16	43	8	2	11	3	14	1	5	3	11	9	16	69
-	-	2	27	4	1	3	-	7	1	1	1	5	-	4	70
2	-	10	35	5	-	4	-	3	-	-	2	7	1	2	71
-	1	8	9	5	-	6	-	5	1	1	2	2	6	7	72
3	-	8	33	16	2	13	-	10	-	1	3	4	5	18	73
4	1	14	27	12	3	7	-	14	1	-	1	7	2	19	74
6	-	32	127	66	11	25	6	56	6	1	8	20	34	67	75
3	-	12	39	19	8	7	3	10	3	1	1	15	2	21	76
3	1	30	88	21	2	31	5	16	1	1	4	20	4	33	77
4	-	27	56	15	1	23	2	19	-	5	9	17	4	33	78
9	1	38	108	41	1	20	3	32	1	5	14	23	3	43	79
1	1	21	51	5	2	4	2	3	1	2	1	3	5	14	80
4	-	19	60	19	7	21	1	35	1	2	10	16	16	25	81
-	-	13	41	12	-	19	2	1	2	3	6	7	5	16	82
7	-	27	54	22	6	10	1	10	4	-	9	8	14	30	83
-	1	10	34	22	-	34	1	19	1	4	8	19	5	23	84
4	-	26	71	13	2	23	5	19	3	4	2	11	1	20	85
3	-	13	26	8	2	12	2	7	2	3	1	7	-	7	86
1	-	13	45	5	-	11	3	12	1	1	1	4	1	13	87
3	1	22	43	19	4	24	1	22	1	6	11	19	6	36	88
2	-	11	28	12	2	14	1	7	-	-	2	4	1	5	89

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	LOUISIANA—Continued														
1	West Carroll	122	-	-	-	-	1	7	-	-	-	-	-	13	1
2	West Feliciana	104	-	-	-	2	1	9	-	-	5	-	-	11	-
3	Winn	119	-	-	-	-	-	3	-	-	2	-	-	14	-
4	MAINE	9,985	2	12	6	26	15	244	3	1	58	2	6	1,363	12
5	Androscoggin	914	-	2	-	1	-	17	-	-	1	-	-	144	-
6	Auburn	211	-	-	-	1	-	2	-	-	-	-	-	47	-
7	Lewiston	420	-	-	-	-	-	14	-	-	1	-	-	62	-
8	Balance of county	283	-	2	-	-	-	1	-	-	-	-	-	35	-
9	Aroostook	786	-	2	3	5	1	21	1	-	1	1	-	94	1
10	Cumberland	1,930	2	2	-	1	2	31	-	-	13	1	-	261	5
11	Portland	1,004	-	2	-	-	1	16	-	-	10	1	-	163	3
12	South Portland	169	-	-	-	-	-	5	-	-	1	-	-	25	-
13	Westbrook	126	-	-	-	-	1	2	-	-	-	-	-	19	-
14	Balance of county	631	2	-	-	1	-	8	-	-	2	-	-	74	2
15	Franklin	218	-	-	-	-	-	3	-	1	-	-	-	39	-
16	Hancock	363	-	1	-	3	-	5	1	-	1	-	1	54	-
17	Kennebec	983	-	-	-	1	8	29	1	-	15	-	1	127	1
18	Augusta	248	-	-	-	1	2	11	-	-	11	-	1	33	-
19	Waterville	201	-	-	-	-	6	7	1	-	1	-	-	26	-
20	Balance of county	534	-	-	-	-	-	11	-	-	3	-	-	68	1
21	Knox	353	-	-	1	-	-	7	-	-	-	-	-	62	1
22	Lincoln	246	-	-	-	1	-	2	-	-	-	-	-	32	-
23	Oxford	434	-	-	1	-	-	14	-	-	-	-	-	67	1
24	Penobscot	1,213	-	1	-	5	1	49	-	-	15	-	2	137	-
25	Bangor	501	-	-	-	3	1	28	-	-	14	-	1	56	-
26	Balance of county	712	-	1	-	2	-	21	-	-	1	-	1	81	-
27	Piscataquis	219	-	-	-	-	1	3	-	-	2	-	-	25	-
28	Sagadahoc	267	-	1	-	-	-	5	-	-	1	-	1	33	1
29	Bath	137	-	1	-	-	-	2	-	-	1	-	-	23	1
30	Balance of county	130	-	-	-	-	-	3	-	-	-	-	1	10	-
31	Somerset	401	-	-	1	3	-	23	-	-	1	-	-	44	1
32	Waldo	287	-	1	-	4	-	7	-	-	-	-	-	32	1
33	Washington	405	-	-	-	-	-	7	-	-	3	-	-	46	-
34	York	966	-	2	-	2	2	21	-	-	5	-	1	146	-
35	Biddeford	221	-	1	-	1	-	7	-	-	1	-	1	26	-
36	Balance of county	745	-	1	-	1	2	14	-	-	4	-	-	120	-
37	MARYLAND	22,584	4	28	5	32	27	1,267	17	1	352	2	5	2,711	27
38	Allegany	923	1	-	-	2	-	13	2	-	9	-	-	104	2
39	Cumberland	514	-	-	-	1	-	9	-	-	6	-	-	65	1
40	Balance of county	409	1	-	-	1	-	4	2	-	3	-	-	39	1
41	Anne Arundel	941	-	3	1	3	2	58	2	-	72	-	-	81	-
42	Annapolis	192	-	-	-	-	-	8	2	-	3	-	-	27	-
43	Balance of county	749	-	3	1	3	2	50	-	-	69	-	-	54	-
44	Baltimore	1,849	-	5	1	4	3	72	1	-	20	-	-	225	-
45	District 12[2]	142	-	2	-	1	1	7	1	-	1	-	-	18	-
46	District 13[2]	75	-	-	-	-	-	2	-	-	-	-	-	14	-
47	Balance of county	1,632	-	3	1	3	2	63	-	-	19	-	-	193	-
48	Baltimore (city)	10,996	1	12	1	12	17	682	3	-	153	-	-	1,390	13
49	Calvert	116	-	-	1	-	-	8	-	-	-	-	3	13	-
50	Caroline	201	-	-	-	1	-	9	-	-	1	-	-	27	-
51	Carroll	683	-	2	-	1	2	86	-	-	22	-	-	66	-
52	Cecil	427	-	1	-	3	-	23	-	-	27	-	-	39	-
53	Charles	182	-	-	-	-	-	9	1	-	-	-	-	15	1
54	Dorchester	363	-	-	-	-	-	18	2	-	7	-	-	41	1
55	Cambridge	155	-	-	-	-	-	6	-	-	2	-	-	23	-
56	Balance of county	208	-	-	-	-	-	12	2	-	5	-	-	18	1
57	Frederick	691	-	-	-	-	1	40	1	-	2	-	-	85	3
58	Frederick	202	-	-	-	-	-	3	-	-	1	-	-	27	2
59	Balance of county	489	-	-	-	-	1	37	1	-	1	-	-	58	1
60	Garrett	195	-	-	-	-	-	3	-	-	3	-	-	23	-
61	Harford	427	1	-	-	-	-	13	-	-	2	-	1	51	-
62	Howard	192	1	-	-	1	-	7	-	-	-	-	1	27	-
63	Kent	186	-	-	-	1	-	4	-	-	-	-	-	23	-
64	Montgomery	829	-	2	-	1	-	23	-	1	6	-	-	98	2
65	Prince Georges	1,003	-	2	-	2	-	81	1	-	9	-	-	136	1
66	Queen Annes	131	-	-	-	-	-	9	-	-	2	-	-	15	-
67	St. Marys	181	-	-	-	-	2	14	-	-	1	-	-	15	-
68	Somerset	269	-	-	-	-	-	14	1	-	2	-	-	27	-
69	Talbot	260	-	-	-	1	-	11	1	-	1	-	-	32	-
70	Washington	777	-	1	-	-	-	23	-	-	8	-	-	96	4
71	Hagerstown	418	-	1	-	-	-	13	-	-	6	-	-	58	-
72	Balance of county	359	-	-	-	-	-	10	-	-	2	-	-	38	4
73	Wicomico	493	-	-	1	-	-	31	2	-	4	-	-	49	-
74	Salisbury	246	-	-	1	-	-	15	1	-	2	-	-	21	-
75	Balance of county	247	-	-	-	-	-	16	1	-	2	-	-	28	-
76	Worcester	269	-	-	-	-	-	16	-	-	1	2	-	33	-
77	MASSACHUSETTS	51,133	5	25	7	23	12	1,643	10	3	260	10	23	7,813	27
78	Barnstable	503	-	-	-	-	-	2	-	-	6	-	1	70	-
79	Berkshire	1,329	-	-	-	-	-	18	-	-	3	-	-	239	-
80	Adams (town)	130	-	-	-	-	-	2	-	-	-	-	-	34	-
81	North Adams	260	-	-	-	-	-	4	-	-	-	-	-	36	-
82	Pittsfield	519	-	-	-	-	-	7	-	-	2	-	-	99	-
83	Balance of county	420	-	-	-	-	-	5	-	-	1	-	-	70	-
84	Bristol	4,551	2	2	-	2	3	151	-	-	26	-	-	787	5
85	Attleboro	295	-	-	-	-	-	17	-	-	2	-	-	41	-
86	Fairhaven (town)	118	-	-	-	-	-	1	-	-	-	-	-	18	-
87	Fall River	1,490	-	-	-	2	-	48	-	-	7	-	-	387	4

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
3	-	8	32	10	-	11	1	13	1	1	2	3	3	12	1
1	-	6	23	11	-	3	-	-	-	3	2	9	4	14	2
-	1	11	37	4	1	7	1	5	1	1	2	4	3	22	3
217	-	1,099	2,932	490	73	625	41	509	125	7	156	538	226	1,197	4
18	-	116	252	38	4	55	3	46	8	-	10	73	12	114	5
4	-	19	67	8	1	11	3	7	4	-	2	14	2	19	6
9	-	54	109	20	3	31	-	25	3	-	1	33	4	51	7
5	-	43	76	10	-	13	-	14	1	-	7	26	6	44	8
12	-	68	142	58	26	63	7	71	6	-	24	55	33	91	9
51	-	202	612	87	8	82	3	122	30	1	28	108	39	219	10
32	-	103	321	47	1	39	-	58	18	-	15	56	24	94	11
5	-	17	50	3	1	11	-	19	2	-	1	10	-	19	12
1	-	22	28	9	1	9	-	9	2	1	-	5	2	15	13
13	-	60	213	28	5	23	3	36	8	-	12	37	13	91	14
4	-	39	50	15	1	13	2	10	3	-	2	12	3	21	15
10	-	43	120	6	1	22	-	10	8	-	4	20	5	48	16
23	-	88	292	43	8	82	4	50	15	3	16	44	10	122	17
7	-	22	62	15	2	21	-	9	3	1	4	10	5	28	18
9	-	11	64	7	3	5	1	14	1	1	-	15	1	28	19
7	-	55	166	21	3	56	3	27	11	1	12	19	4	66	20
8	-	40	117	14	-	27	2	10	9	-	-	11	10	34	21
-	-	31	76	16	1	20	1	11	5	-	3	12	7	28	22
9	-	55	134	25	2	11	1	24	1	2	5	15	7	60	23
23	-	124	381	46	8	79	7	50	8	-	19	64	37	157	24
9	-	55	150	16	6	30	1	20	3	-	4	27	10	67	25
14	-	69	231	30	2	49	6	30	5	-	15	37	27	90	26
4	-	19	62	10	2	23	2	12	2	-	1	16	12	23	27
8	-	28	85	24	-	12	2	8	8	-	3	11	7	29	28
4	-	12	48	9	-	8	2	3	2	-	1	3	1	16	29
4	-	16	37	15	-	4	-	5	6	-	2	8	6	13	30
11	-	47	116	19	3	30	2	15	5	-	9	24	2	45	31
4	-	34	79	12	2	26	1	10	5	-	3	14	14	38	32
3	-	51	144	22	1	27	2	18	4	-	6	19	6	46	33
29	-	114	270	55	6	53	2	42	8	1	23	40	22	122	34
5	-	25	58	20	1	14	-	18	-	-	1	10	2	30	35
24	-	89	212	35	5	39	2	24	8	1	22	30	20	92	36
619	4	1,814	6,977	1,102	202	2,011	64	1,044	242	148	407	1,040	92	2,340	37
40	-	62	313	36	8	89	4	48	7	2	13	46	2	120	38
26	-	29	171	20	4	52	2	16	3	2	5	18	-	84	39
14	-	33	142	16	4	37	2	32	4	-	8	28	2	36	40
17	-	67	276	44	6	51	4	44	7	9	19	42	9	124	41
4	-	17	78	8	1	8	-	10	1	1	4	7	-	13	42
13	-	50	198	36	5	43	4	34	6	8	15	35	9	111	43
50	-	132	646	86	15	154	6	95	22	10	34	84	4	180	44
3	-	2	40	6	2	7	2	17	2	3	7	8	-	12	45
2	-	6	27	3	-	6	-	3	1	-	-	3	1	7	46
45	-	124	579	77	13	141	4	75	19	7	27	73	3	161	47
311	1	783	3,568	589	110	900	25	449	115	96	147	475	30	1,113	48
2	-	20	20	2	2	10	4	8	-	1	6	4	2	10	49
5	-	14	53	8	-	30	1	11	2	-	4	12	2	21	50
14	-	68	197	39	3	46	-	19	6	-	12	21	6	73	51
14	-	35	115	22	5	22	1	23	8	1	7	17	2	62	52
6	-	13	46	15	2	17	1	14	1	-	9	12	1	19	53
8	1	34	103	18	2	50	2	16	2	2	3	15	1	37	54
3	1	16	37	10	1	28	1	5	-	1	-	6	-	15	55
5	-	18	66	8	1	22	1	11	2	1	3	9	1	22	56
19	-	89	199	26	8	65	-	37	9	2	19	30	1	55	57
9	-	24	61	8	2	19	-	14	1	-	6	13	-	12	58
10	-	65	138	18	6	46	-	23	8	2	13	17	1	43	59
7	-	18	66	5	4	16	2	9	1	-	5	9	1	23	60
11	-	48	133	12	5	29	3	39	2	-	10	25	5	37	61
2	-	10	79	9	1	17	-	7	2	-	5	3	2	18	62
8	-	18	66	4	1	17	1	3	4	3	2	9	1	21	63
17	-	82	266	37	3	63	3	42	15	4	18	50	4	92	64
18	-	65	182	51	10	149	3	80	21	3	27	52	4	106	65
1	-	20	43	7	2	8	-	3	-	-	2	4	1	14	66
3	-	18	35	10	5	18	-	16	-	1	7	11	-	25	67
8	-	25	52	12	4	49	2	9	2	2	13	16	2	29	68
14	2	25	73	15	1	23	1	10	2	1	8	9	2	28	69
26	-	91	263	15	2	68	-	30	10	4	14	57	8	57	70
15	-	46	158	6	-	34	-	8	8	1	5	30	6	23	71
11	-	45	105	9	2	34	-	22	2	3	9	27	2	34	72
10	-	51	128	27	2	82	1	16	2	4	14	23	1	45	73
6	-	24	72	13	1	40	1	7	-	2	6	11	1	22	74
4	-	27	56	14	1	42	-	9	2	2	8	12	-	23	75
8	-	26	55	13	1	38	-	16	2	3	9	14	1	31	76
1,486	4	4,946	18,500	2,097	180	2,372	141	1,880	482	62	561	2,279	188	6,094	77
19	-	76	177	15	-	27	-	16	7	-	10	17	7	53	78
52	-	126	456	39	1	97	5	46	14	1	21	61	4	146	79
6	-	8	40	2	-	11	1	2	3	-	2	4	-	15	80
18	-	24	90	11	1	27	2	8	2	-	3	12	-	22	81
17	-	47	178	14	-	28	1	27	3	-	10	18	2	66	82
11	-	47	148	12	-	31	1	9	6	1	6	27	2	43	83
141	-	470	1,580	206	16	219	11	189	34	1	56	157	27	466	84
6	-	35	86	7	-	25	1	16	1	-	5	12	4	37	85
3	-	15	42	5	-	2	-	8	1	-	4	4	3	12	86
43	-	146	472	48	4	76	5	66	13	-	15	34	2	118	87

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	MASSACHUSETTS—Con.														
	Bristol—Continued														
1	New Bedford	1,254	1	1	-	-	2	45	-	-	5	-	-	162	1
2	North Attleborough (town)	110	-	-	-	-	-	2	-	-	2	-	-	24	-
3	Taunton	660	1	-	-	-	1	28	-	-	7	-	-	64	-
4	Balance of county	624	-	1	-	-	-	10	-	-	3	-	-	91	-
5	Dukes	90	-	-	-	-	-	-	-	-	1	-	-	8	-
6	Essex	6,041	1	4	-	3	-	158	3	-	21	2	4	937	3
7	Amesbury (town)	147	-	-	-	-	-	2	-	-	-	-	-	20	-
8	Andover (town)	125	-	-	-	-	-	-	-	-	-	-	-	27	-
9	Beverly	298	-	1	-	-	-	3	-	-	3	-	-	50	-
10	Danvers (town)	386	1	1	-	-	-	18	3	-	4	-	-	32	-
11	Gloucester	293	-	-	-	-	-	8	-	-	-	-	-	54	-
12	Haverhill	553	-	-	-	1	-	10	-	-	1	-	-	94	1
13	Lawrence	966	-	-	-	1	-	24	-	-	3	-	1	139	2
14	Lynn	1,177	-	1	-	-	-	30	-	-	4	-	1	202	-
15	Marblehead (town)	143	-	-	-	-	-	3	-	-	-	-	-	27	-
16	Methuen (town)	226	-	-	-	-	-	2	-	-	-	-	-	28	-
17	Newburyport	217	-	-	-	1	-	3	-	-	2	-	-	37	-
18	Peabody	231	-	-	-	-	-	4	-	-	1	-	-	30	-
19	Salem	464	-	1	-	-	-	9	-	-	2	1	-	79	-
20	Saugus (town)	115	-	-	-	-	-	1	-	-	-	-	-	18	-
21	Swampscott (town)	113	-	-	-	-	-	-	-	-	-	-	-	29	-
22	Balance of county	587	-	-	-	-	-	41	-	-	1	1	2	71	-
23	Franklin	605	-	-	-	2	-	8	-	-	1	-	-	90	-
24	Greenfield (town)	176	-	-	-	-	-	3	-	-	1	-	-	29	-
25	Balance of county	429	-	-	-	2	-	5	-	-	-	-	-	61	-
26	Hampden	3,653	-	1	1	2	1	94	1	-	9	1	1	572	1
27	Chicopee	360	-	-	1	-	-	11	1	-	2	1	-	62	-
28	Holyoke	641	-	-	-	1	-	12	-	-	1	-	-	109	-
29	Springfield	1,729	-	1	-	-	1	35	-	-	5	-	1	263	1
30	Westfield	232	-	-	-	-	-	22	-	-	-	-	-	38	-
31	West Springfield (town)	140	-	-	-	-	-	3	-	-	1	-	-	16	-
32	Balance of county	551	-	-	-	1	-	11	-	-	-	-	-	84	-
33	Hampshire	1,047	-	-	-	1	-	38	-	1	19	-	-	140	-
34	Easthampton (town)	81	-	-	-	-	-	3	-	-	-	-	-	15	-
35	Northampton	527	-	-	-	-	-	26	-	1	17	-	-	63	-
36	Balance of county	439	-	-	-	1	-	9	-	-	2	-	-	62	-
37	Middlesex	10,668	-	2	2	6	4	268	3	1	49	5	5	1,690	7
38	Arlington (town)	394	-	-	-	1	-	8	-	-	-	-	-	66	-
39	Belmont (town)	217	-	-	-	-	-	2	-	-	-	-	1	46	-
40	Cambridge	1,489	-	1	-	1	-	41	-	-	4	-	-	260	2
41	Everett	407	-	-	-	1	-	16	-	-	1	-	-	69	-
42	Framingham (town)	250	-	-	-	-	-	2	-	-	1	-	-	39	-
43	Lexington (town)	321	-	-	-	-	-	13	3	-	4	-	-	25	-
44	Lowell	1,286	-	-	2	2	-	31	-	-	7	-	1	208	1
45	Malden	582	-	-	-	-	-	15	-	-	3	-	1	71	-
46	Marlborough	186	-	-	-	-	-	7	-	-	2	-	-	34	-
47	Medford	575	-	1	-	-	-	12	-	-	1	-	1	102	-
48	Melrose	287	-	-	-	-	-	5	-	-	-	-	-	47	-
49	Natick (town)	167	-	-	-	-	-	2	-	-	-	-	-	20	1
50	Newton	706	-	-	-	-	1	7	-	-	1	-	-	118	1
51	Reading (town)	118	-	-	-	-	-	1	-	-	1	-	1	20	-
52	Somerville	1,059	-	-	-	-	-	26	-	-	5	1	-	152	1
53	Stoneham (town)	109	-	-	-	-	-	2	-	-	1	-	-	18	-
54	Wakefield (town)	154	-	-	-	-	-	3	-	-	-	-	-	24	-
55	Waltham	467	-	-	-	-	1	30	-	-	5	3	-	61	-
56	Watertown (town)	263	-	-	-	-	-	5	-	1	-	-	-	51	-
57	Winchester (town)	134	-	-	-	-	-	2	-	-	-	-	-	31	-
58	Woburn	207	-	-	-	-	-	3	-	-	1	-	-	36	-
59	Balance of county	1,290	-	-	-	1	2	35	-	-	12	1	-	192	1
60	Nantucket	46	-	-	-	-	-	-	-	-	-	-	-	5	-
61	Norfolk	3,812	-	5	1	2	-	113	1	-	21	2	2	624	3
62	Braintree (town)	162	-	-	-	-	-	12	-	-	-	-	-	22	-
63	Brookline (town)	682	-	1	-	-	-	13	-	-	3	-	-	132	-
64	Dedham (town)	163	-	-	-	-	-	-	-	-	1	-	1	22	-
65	Milton (town)	201	-	-	-	-	-	-	-	-	-	-	-	43	-
66	Needham (town)	115	-	-	-	-	-	1	-	-	-	-	-	31	-
67	Norwood (town)	173	-	-	-	-	-	2	-	-	-	1	-	25	-
68	Quincy	785	-	3	-	-	-	28	-	-	6	-	1	142	2
69	Wellesley (town)	114	-	-	-	-	-	3	-	-	-	-	-	16	-
70	Weymouth (town)	298	-	1	-	-	-	4	-	-	-	-	-	41	-
71	Balance of county	1,119	-	-	1	2	-	50	1	-	11	1	-	150	1
72	Plymouth	2,086	-	2	-	2	1	51	1	-	7	-	1	308	-
73	Brockton	800	-	1	-	-	-	19	-	-	2	-	-	110	-
74	Plymouth (town)	148	-	-	-	-	-	4	-	-	-	-	-	29	-
75	Balance of county	1,138	-	1	-	2	1	28	1	-	5	-	1	169	-
76	Suffolk	10,740	2	5	-	-	3	520	1	1	64	-	7	1,513	3
77	Boston	9,778	2	5	-	-	3	500	1	1	58	-	7	1,367	2
78	Chelsea	488	-	-	-	-	-	6	-	-	5	-	-	84	1
79	Revere	304	-	-	-	-	-	11	-	-	1	-	-	36	-
80	Winthrop (town)	170	-	-	-	-	-	3	-	-	-	-	-	26	-
81	Worcester	5,962	-	4	3	3	-	222	-	-	33	-	2	830	5
82	Athol (town)	101	-	-	-	-	-	-	-	-	-	-	-	12	-
83	Clinton (town)	163	-	-	-	-	-	3	-	-	-	-	-	25	1
84	Fitchburg	418	-	1	-	1	-	11	-	-	3	-	-	64	-
85	Gardner	264	-	-	-	-	-	7	-	-	1	-	1	19	1
86	Leominster	251	-	-	-	-	-	4	-	-	1	-	-	39	-
87	Milford (town)	184	-	-	-	-	-	4	-	-	2	-	-	34	-
88	Northbridge (town)	77	-	-	-	-	-	1	-	-	-	-	-	16	-
89	Southbridge (town)	150	-	-	-	1	-	4	-	-	-	-	-	18	-
90	Webster (town)	119	-	-	-	-	-	7	-	-	-	-	-	20	-
91	Worcester	2,558	-	2	3	-	-	83	-	-	16	-	1	370	1
92	Balance of county	1,677	-	1	-	1	-	98	-	-	10	-	-	213	2

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
49	-	149	449	51	7	40	2	50	10	-	14	49	8	159	1
2	-	12	38	3	-	5	-	3	1	-	1	4	-	13	2
17	-	42	267	61	3	28	2	21	3	1	6	27	5	76	3
21	-	71	226	31	2	43	1	25	5	-	11	27	5	51	4
1	-	13	32	6	2	5	1	3	1	-	-	5	1	11	5
161	-	674	2,188	198	23	293	15	221	72	9	59	242	30	720	6
5	-	28	46	5	1	17	1	2	2	-	2	5	-	11	7
3	-	9	44	9	-	7	-	9	3	-	-	8	-	6	8
6	-	29	123	3	-	12	-	12	7	1	3	12	-	33	9
7	-	23	182	22	1	5	-	4	2	-	2	15	2	62	10
5	-	16	102	9	-	33	-	12	4	1	4	13	2	30	11
19	-	67	193	20	-	21	2	17	2	2	5	28	6	64	12
26	-	108	353	25	3	45	5	39	13	-	13	46	1	119	13
25	-	148	400	27	5	47	3	42	14	2	17	49	4	156	14
2	-	20	49	3	1	4	-	4	4	-	-	6	3	17	15
4	-	40	79	8	-	11	1	12	4	-	2	4	-	31	16
9	-	21	73	9	3	14	-	12	2	-	2	4	-	25	17
5	-	34	80	13	2	5	-	8	-	2	-	7	2	38	18
19	-	40	170	23	2	20	-	16	2	1	1	19	6	53	19
6	-	13	36	7	1	3	-	9	3	-	1	3	-	14	20
-	-	15	41	2	-	1	1	4	4	-	1	2	1	12	21
20	-	63	217	13	4	48	2	19	6	-	6	21	3	49	22
15	-	87	200	12	4	36	2	26	12	2	10	30	7	61	23
6	-	28	54	3	1	7	1	5	5	2	4	11	3	13	24
9	-	59	146	9	3	29	1	21	7	-	6	19	4	48	25
105	-	320	1,317	112	14	187	16	141	49	5	45	151	22	485	26
8	-	37	112	12	-	29	3	19	6	1	6	11	1	37	27
22	-	52	238	17	2	20	7	34	14	1	7	39	-	65	28
46	-	156	648	52	7	86	2	57	17	3	18	71	14	245	29
7	-	26	71	3	3	12	-	7	7	-	4	10	5	17	30
11	-	12	44	4	1	8	1	7	2	-	3	6	1	20	31
11	-	37	204	24	1	32	3	17	3	-	7	14	1	101	32
33	-	73	424	47	4	46	1	20	14	-	7	50	12	117	33
2	-	7	37	4	-	2	-	1	1	-	-	1	-	8	34
14	-	30	224	28	2	12	-	6	9	-	2	31	7	55	35
17	-	36	163	15	2	32	1	13	4	-	5	18	5	54	36
297	3	1,063	3,937	384	31	525	25	374	90	16	118	475	25	1,263	37
12	-	45	143	16	-	16	1	13	7	-	3	15	-	48	38
9	-	26	83	5	1	7	-	12	1	-	1	6	-	17	39
43	-	139	523	58	6	53	4	49	13	4	15	81	-	192	40
16	-	38	128	20	-	25	3	20	3	1	7	13	1	45	41
14	-	23	99	9	1	10	-	10	2	-	1	14	-	25	42
5	-	19	130	39	-	10	-	6	2	-	4	19	-	42	43
29	-	136	461	37	6	76	4	29	5	1	14	62	4	170	44
17	-	62	209	15	3	36	-	29	8	1	7	17	2	86	45
7	-	15	69	2	-	7	1	6	2	-	4	6	-	24	46
12	-	46	242	20	1	32	2	23	4	2	3	22	-	49	47
8	-	33	109	7	-	12	1	13	3	-	1	8	-	40	48
3	-	26	61	7	1	11	-	7	1	1	2	7	-	17	49
25	-	95	262	16	1	41	2	17	7	-	8	29	4	71	50
1	-	16	46	2	-	7	-	3	-	-	1	5	2	12	51
48	2	102	406	35	7	69	2	45	6	-	10	52	2	118	52
4	-	13	41	5	1	6	-	5	-	-	2	1	1	9	53
2	-	22	63	1	-	6	-	6	2	-	1	10	1	13	54
17	1	55	145	15	-	26	1	17	6	2	5	22	-	55	55
8	-	19	100	9	-	11	1	12	1	-	3	12	-	30	56
5	-	6	48	5	-	5	-	2	-	-	-	10	-	20	57
6	-	21	73	9	-	14	-	11	1	-	2	10	2	18	58
36	-	106	496	52	3	45	3	39	16	4	24	54	6	162	59
1	-	6	17	1	-	1	1	1	-	-	-	4	-	9	60
97	-	372	1,325	183	6	182	15	156	30	3	42	177	4	446	61
4	-	14	67	4	-	3	-	6	3	-	2	5	-	20	62
24	-	84	232	28	-	25	4	12	6	-	8	29	1	80	63
2	-	18	54	5	-	11	1	10	-	1	2	11	-	24	64
6	-	27	83	4	-	8	-	6	2	-	2	6	-	14	65
5	-	13	36	3	-	3	-	9	1	-	-	3	1	9	66
3	-	22	53	9	-	6	2	6	1	-	9	12	-	22	67
23	-	75	267	33	-	41	3	37	6	-	5	34	1	78	68
2	-	7	49	4	-	4	-	13	-	-	-	8	-	8	69
9	-	17	119	9	1	19	3	23	3	-	3	15	-	31	70
19	-	95	365	84	5	62	2	34	8	2	11	54	1	160	71
65	-	235	778	61	6	70	7	69	20	1	32	86	10	273	72
32	-	102	299	24	1	23	4	25	6	-	14	24	4	110	73
1	-	11	63	1	-	10	-	7	-	-	-	10	1	11	74
32	-	122	416	36	5	37	3	37	14	1	18	52	5	152	75
317	-	874	3,847	546	36	369	29	414	94	21	93	543	15	1,423	76
287	-	781	3,492	507	32	329	27	365	89	21	89	500	12	1,301	77
16	-	42	172	24	1	22	-	25	1	-	2	17	-	70	78
11	-	32	115	7	1	10	2	16	3	-	2	20	2	35	79
3	-	19	68	8	2	8	-	8	1	-	-	6	1	17	80
182	1	557	2,222	287	37	315	13	204	45	3	68	281	24	621	81
4	-	9	30	8	2	8	1	10	1	-	-	2	-	14	82
3	-	18	64	8	1	7	-	4	1	-	2	4	-	22	83
16	1	38	156	22	3	23	1	13	3	-	4	20	-	38	84
9	-	17	118	16	-	10	-	6	2	-	2	19	-	36	85
8	-	25	102	11	1	6	2	11	1	1	-	8	2	29	86
3	-	25	57	4	1	15	-	7	-	-	2	5	-	25	87
4	-	4	26	2	-	3	-	4	-	-	2	4	-	11	88
7	-	17	54	4	2	20	-	8	1	-	-	-	-	14	89
5	-	12	44	3	2	4	2	4	-	-	1	3	-	12	90
78	-	227	962	138	21	111	5	83	16	2	25	141	7	266	91
45	-	165	609	71	4	108	2	54	20	-	30	75	15	154	92

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
1	MICHIGAN	53,966	5	42	9	36	46	1,816	31	10	533	10	24	7,251	46
2	Alcona	41	-	-	-	-	-	-	-	-	-	-	-	7	-
3	Alger	122	-	-	-	-	-	5	-	-	1	-	-	12	-
4	Allegan	497	-	-	-	-	-	5	-	-	1	-	-	56	1
5	Alpena	197	-	1	-	-	-	2	-	-	-	1	-	15	-
6	Alpena	147	-	-	-	-	-	2	-	-	-	-	-	14	-
7	Balance of county	50	-	1	-	-	-	-	-	-	-	1	-	1	-
8	Antrim	123	-	-	-	-	-	3	-	-	-	-	1	9	-
9	Arenac	93	-	-	-	-	-	-	-	-	1	-	-	11	-
10	Baraga	91	-	-	-	-	-	3	-	-	1	-	-	15	-
11	Barry	297	-	-	-	-	2	-	-	-	1	-	-	49	-
12	Bay	799	-	-	-	-	2	12	-	-	2	-	-	123	1
13	Bay City	547	-	-	-	-	1	8	-	-	1	-	-	90	1
14	Balance of county	252	-	-	-	-	1	4	-	-	1	-	-	33	-
15	Benzie	75	-	-	-	-	-	2	-	-	-	-	-	10	-
16	Berrien	1,020	-	-	-	-	3	27	2	1	7	-	2	151	-
17	Benton Harbor	230	-	-	-	-	-	7	-	1	2	-	-	35	-
18	Niles	117	-	-	-	-	1	4	-	-	-	-	-	16	-
19	Balance of county	673	-	-	-	-	2	16	2	-	5	-	2	100	-
20	Branch	366	-	-	-	-	-	5	-	-	3	-	1	44	1
21	Calhoun	1,204	-	3	-	-	2	36	-	2	22	-	-	133	-
22	Battle Creek	588	-	2	-	-	2	14	-	2	2	-	-	75	-
23	Balance of county	616	-	1	-	-	-	22	-	-	20	-	-	58	-
24	Cass	232	-	-	-	-	-	5	-	-	2	-	-	40	-
25	Charlevoix	171	-	-	-	1	-	1	2	-	1	-	-	20	1
26	Cheboygan	168	-	-	-	-	1	5	-	1	1	-	-	23	-
27	Chippewa	281	-	-	-	1	-	6	-	-	-	-	-	32	-
28	Sault Ste. Marie	167	-	-	-	1	-	4	-	-	-	-	-	25	-
29	Balance of county	114	-	-	-	-	-	2	-	-	-	-	-	7	-
30	Clare	104	-	-	-	-	-	1	-	-	1	-	-	8	-
31	Clinton	281	-	-	-	1	-	2	-	-	-	-	1	39	-
32	Crawford	44	-	-	-	-	-	1	-	-	-	-	-	1	-
33	Delta	333	-	-	-	2	-	10	-	-	-	-	-	65	-
34	Escanaba	165	-	-	-	2	-	5	-	-	-	-	-	37	-
35	Balance of county	168	-	-	-	-	-	5	-	-	-	-	-	28	-
36	Dickinson	245	-	-	-	1	-	13	2	-	-	-	-	37	1
37	Iron Mountain	106	-	-	-	-	-	5	-	-	-	-	-	16	-
38	Balance of county	139	-	-	-	1	-	8	2	-	-	-	-	21	1
39	Eaton	464	-	2	-	-	-	4	1	-	3	-	1	51	1
40	Emmet	170	-	-	-	-	-	1	2	-	-	-	-	16	-
41	Genesee	1,903	-	-	-	-	1	48	1	-	6	1	1	285	2
42	Flint	1,306	-	-	-	-	-	41	-	-	4	1	1	207	1
43	Balance of county	597	-	-	-	-	1	7	1	-	2	-	-	78	1
44	Gladwin	87	-	-	-	-	-	-	-	-	-	-	-	8	-
45	Gogebic	327	-	-	-	-	-	14	-	-	3	-	-	49	1
46	Ironwood	115	-	-	-	-	-	4	-	-	1	-	-	22	1
47	Balance of county	212	-	-	-	-	-	10	-	-	2	-	-	27	-
48	Grand Traverse	497	-	-	-	-	-	16	-	-	15	-	1	56	1
49	Traverse City	131	-	-	-	-	-	2	-	-	-	-	1	27	-
50	Balance of county	366	-	-	-	-	-	14	-	-	15	-	-	29	1
51	Gratiot	366	-	-	-	1	1	2	-	-	1	-	-	43	-
52	Hillsdale	334	-	-	1	1	-	-	-	-	3	-	-	56	-
53	Houghton	580	-	1	-	-	-	17	-	-	-	-	-	97	1
54	Huron	309	-	-	-	2	-	5	-	-	-	-	-	45	-
55	Ingham	1,260	-	3	-	-	-	22	-	-	9	-	2	178	1
56	Lansing	797	-	3	-	-	-	8	-	-	7	-	-	119	1
57	Balance of county	463	-	-	-	-	-	14	-	-	2	-	2	59	-
58	Ionia	381	-	-	-	-	-	13	-	-	5	-	-	44	-
59	Iosco	67	-	-	-	-	-	-	-	-	-	-	-	9	-
60	Iron	144	-	1	-	-	-	3	-	-	1	-	-	24	-
61	Isabella	252	-	-	-	1	1	5	-	-	1	-	-	30	-
62	Jackson	1,035	-	1	-	-	-	16	-	-	11	-	-	171	-
63	Jackson	672	-	-	-	-	-	7	-	-	7	-	-	113	-
64	Balance of county	363	-	1	-	-	-	9	-	-	4	-	-	58	-
65	Kalamazoo	1,373	1	-	-	-	3	37	-	1	22	-	-	149	-
66	Kalamazoo	986	-	-	-	-	1	25	-	-	21	-	-	108	-
67	Balance of county	387	1	-	-	-	2	12	-	1	1	-	-	41	-
68	Kalkaska	62	-	-	-	-	-	-	-	-	1	-	-	10	-
69	Kent	2,616	-	1	-	-	1	45	-	2	12	-	1	371	2
70	Grand Rapids	1,785	-	1	-	-	1	23	-	1	6	-	1	252	2
71	Balance of county	831	-	-	-	-	-	22	-	1	6	-	-	119	-
72	Keweenaw	23	-	-	-	-	-	-	-	-	-	-	-	3	-
73	Lake	59	-	-	-	-	-	3	-	-	-	-	-	7	-
74	Lapeer	431	-	1	1	-	-	19	1	-	1	-	-	40	-
75	Leelanau	66	-	-	-	-	-	3	-	-	-	-	-	5	-
76	Lenawee	630	-	-	-	-	2	7	1	-	3	-	-	81	-
77	Adrian	205	-	-	-	-	-	4	1	-	1	-	-	26	-
78	Balance of county	425	-	-	-	-	2	3	-	-	2	-	-	55	-
79	Livingston	266	-	-	-	-	-	30	-	-	1	-	-	34	-
80	Luce	187	-	-	-	-	-	7	1	-	6	-	-	9	-
81	Mackinac	75	-	1	-	1	-	1	-	-	-	-	-	11	-
82	Macomb	970	1	1	-	2	-	27	1	-	1	-	-	124	-
83	Mount Clemens	181	-	-	-	-	-	2	-	-	-	-	-	24	-
84	St. Clair Shores	80	1	-	-	-	-	4	-	-	1	-	-	16	-
85	Balance of county	709	-	1	-	2	-	21	1	-	-	-	-	84	-
86	Manistee	205	-	1	-	-	-	3	-	-	1	-	-	36	-
87	Marquette	506	-	-	-	-	1	11	-	-	3	-	-	73	-
88	Marquette	162	-	-	-	-	1	3	-	-	2	-	-	23	-
89	Balance of county	344	-	-	-	-	-	8	-	-	1	-	-	50	-
90	Mason	223	-	-	-	-	-	-	-	-	-	-	-	29	-
91	Mecosta	178	1	-	-	-	-	-	-	-	1	-	-	23	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1,556	2	5,285	17,488	2,130	333	2,632	165	2,889	556	205	1,218	2,294	708	6,646	1
-	-	4	15	2	-	1	-	2	-	-	2	4	1	3	2
1	-	12	22	3	3	4	-	12	2	-	3	15	11	16	3
13	-	60	186	11	1	17	-	25	7	-	13	30	13	58	4
7	-	20	73	8	-	5	1	24	2	-	5	8	4	21	5
4	-	18	60	5	-	3	1	16	1	-	2	4	2	15	6
3	-	2	13	3	-	2	-	8	1	-	3	4	2	6	7
3	-	23	52	2	3	2	-	4	1	-	4	5	2	9	8
-	-	5	32	1	1	8	3	10	-	1	5	7	3	5	9
1	-	4	19	6	-	5	-	3	1	-	4	9	12	8	10
5	-	35	96	5	-	13	1	12	8	1	6	17	5	41	11
24	-	82	247	23	19	41	1	48	7	3	23	35	6	100	12
15	-	60	175	15	11	21	1	34	4	3	13	23	3	68	13
9	-	22	72	8	8	20	-	14	3	-	10	12	3	32	14
4	-	4	27	2	2	8	-	4	-	-	-	5	2	5	15
26	-	106	327	38	9	66	-	48	18	4	28	32	9	116	16
2	-	23	57	11	1	10	-	18	6	1	10	9	4	33	17
6	-	12	36	6	-	7	-	5	4	-	4	3	-	13	18
18	-	71	234	21	8	49	-	25	8	3	14	20	5	70	19
6	-	53	114	24	-	27	2	12	4	2	6	13	7	42	20
23	-	133	448	39	5	37	-	53	19	5	31	44	9	160	21
16	-	56	214	19	2	23	-	29	9	2	15	22	3	81	22
7	-	77	234	20	3	14	-	24	10	3	16	22	6	79	23
8	-	44	84	13	-	23	-	10	1	-	5	17	6	34	24
5	-	23	54	2	-	2	1	6	2	1	2	14	2	31	25
4	-	10	63	7	-	4	-	10	-	-	6	10	2	21	26
12	-	30	84	12	3	10	1	17	4	2	7	18	4	38	27
8	-	13	48	8	2	7	1	11	4	-	4	11	3	17	28
4	-	17	36	4	1	3	-	6	-	2	3	7	1	21	29
4	-	11	36	4	3	8	1	8	1	-	3	7	-	8	30
9	-	31	71	8	2	37	2	5	2	-	17	15	3	36	31
2	-	3	15	4	-	4	-	5	-	-	2	1	1	5	32
7	-	43	105	11	1	10	1	20	5	-	7	16	3	27	33
3	-	25	51	4	-	3	1	10	1	-	2	5	-	16	34
4	-	18	54	7	1	7	-	10	4	-	5	11	3	11	35
11	-	22	75	6	1	13	1	8	-	-	8	9	3	32	36
5	-	8	33	3	-	3	1	5	-	-	4	2	2	19	37
6	-	14	42	5	1	10	-	3	-	-	4	7	1	13	38
8	-	70	117	16	1	21	3	15	6	1	17	25	27	74	39
4	-	20	63	9	1	7	-	10	-	-	2	9	-	26	40
45	-	180	538	86	10	78	8	136	20	5	63	84	23	282	41
28	-	120	378	60	8	50	6	99	12	5	37	51	10	187	42
17	-	60	160	26	2	28	2	37	8	-	26	33	13	95	43
1	-	14	36	3	-	5	-	11	-	-	3	1	-	5	44
6	-	42	92	7	-	12	2	15	2	1	9	21	7	44	45
2	-	17	35	2	-	3	-	5	-	-	3	4	2	14	46
4	-	25	57	5	-	9	2	10	2	1	6	17	5	30	47
13	1	61	180	17	5	22	-	11	3	-	3	25	-	67	48
4	1	19	39	3	2	5	-	6	-	-	2	6	-	14	49
9	-	42	141	14	3	17	-	5	3	-	1	19	-	53	50
16	-	50	130	9	2	19	-	17	7	-	7	13	6	42	51
7	-	47	99	15	1	22	1	8	2	-	12	10	8	41	52
23	-	75	165	17	4	17	3	14	6	3	10	31	14	82	53
14	-	39	91	5	2	17	-	17	4	1	12	11	4	40	54
46	-	126	413	45	5	59	5	66	13	-	35	58	19	155	55
27	-	75	253	29	5	46	4	41	10	-	19	35	7	108	56
19	-	51	160	16	-	13	1	25	3	-	16	23	12	47	57
7	-	47	120	13	-	16	-	21	5	1	7	20	12	50	58
3	-	12	24	2	-	2	-	2	1	-	1	3	-	8	59
6	-	14	32	10	-	9	1	9	4	-	5	8	1	16	60
6	-	25	96	8	4	8	-	18	2	-	9	12	2	24	61
35	-	110	339	32	2	47	5	47	9	1	19	33	21	136	62
26	-	76	222	21	1	24	4	35	3	-	11	22	16	84	63
9	-	34	117	11	1	23	1	12	6	1	8	11	5	52	64
33	-	125	506	60	5	70	-	54	19	3	27	74	46	138	65
25	-	85	386	43	3	44	-	38	11	3	10	55	36	92	66
8	-	40	120	17	2	26	-	16	8	-	17	19	10	46	67
2	-	2	21	3	2	2	1	2	1	-	1	4	-	10	68
89	1	310	910	80	17	157	5	118	28	2	43	99	27	295	69
59	1	208	633	49	13	107	1	91	19	1	20	72	23	201	70
30	-	102	277	31	4	50	4	27	9	1	23	27	4	94	71
-	-	3	7	1	-	-	-	-	-	-	-	-	4	5	72
2	-	6	20	1	1	6	-	2	-	1	-	3	2	5	73
14	-	49	87	48	4	32	-	21	4	1	8	7	17	76	74
1	-	4	32	-	-	5	1	1	2	-	1	4	-	7	75
23	-	72	166	28	6	33	1	37	9	2	33	27	19	80	76
9	-	19	50	12	2	13	-	17	3	1	5	5	7	30	77
14	-	53	116	16	4	20	1	20	6	1	28	22	12	50	78
3	-	22	107	13	-	9	-	10	3	-	5	7	1	21	79
3	-	18	96	3	-	6	-	8	1	-	2	4	1	22	80
1	-	6	24	5	1	1	-	7	1	-	4	5	1	5	81
28	-	100	285	34	4	52	2	78	8	1	34	63	12	112	82
4	-	19	56	5	1	7	-	19	-	-	7	12	2	23	83
3	-	6	17	1	1	3	-	5	2	-	3	5	2	10	84
21	-	75	212	28	2	42	2	54	6	1	24	46	8	79	85
5	-	21	76	5	6	6	-	9	1	-	-	9	4	22	86
15	-	71	149	14	5	31	3	20	3	3	12	26	7	59	87
9	-	26	41	6	3	15	2	7	1	1	1	11	2	8	88
6	-	45	108	8	2	16	1	13	2	2	11	15	5	51	89
5	-	20	92	5	3	10	3	8	2	-	4	7	7	28	90
4	-	17	62	4	1	5	2	11	3	1	3	7	1	32	91

747801 O - 47 - 35

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	MICHIGAN—Continued														
1	Menominee	224	-	-	-	-	-	17	-	-	1	-	-	32	-
2	Menominee	114	-	-	-	-	-	1	-	-	1	-	-	15	-
3	Balance of county	110	-	-	-	-	-	16	-	-	-	-	-	17	-
4	Midland	227	-	-	-	1	-	3	-	-	1	-	-	37	-
5	Midland	89	-	-	-	-	-	2	-	-	1	-	-	18	-
6	Balance of county	138	-	-	-	1	-	1	-	-	-	-	-	19	-
7	Missaukee	74	-	-	-	-	-	-	-	-	-	-	-	3	-
8	Monroe	593	-	-	1	2	-	10	-	-	2	-	-	73	-
9	Monroe	189	-	-	1	-	-	6	-	-	2	-	-	29	-
10	Balance of county	404	-	-	-	2	-	4	-	-	-	-	-	44	-
11	Montcalm	320	-	1	-	-	-	1	-	1	-	-	-	37	-
12	Montmorency	34	-	-	-	-	-	-	2	-	1	1	1	4	-
13	Muskegon	1,043	-	1	-	-	-	21	8	-	11	-	-	126	2
14	Muskegon	616	-	1	-	-	-	8	8	-	6	-	-	74	1
15	Muskegon Heights	117	-	-	-	-	-	2	-	-	1	-	-	13	-
16	Balance of county	310	-	-	-	-	-	11	-	-	4	-	-	39	1
17	Newaygo	235	-	-	-	-	-	4	1	-	3	-	-	29	-
18	Oakland	2,351	1	3	1	5	3	67	-	-	32	3	2	322	3
19	Birmingham	89	-	-	-	-	-	-	-	-	-	-	1	17	-
20	Ferndale	174	-	-	-	-	-	6	-	-	3	-	1	28	2
21	Pontiac	748	-	1	-	1	-	23	-	-	20	1	-	98	-
22	Royal Oak	217	-	1	-	-	-	2	-	-	-	-	-	36	-
23	Balance of county	1,123	1	1	1	4	3	36	-	-	9	2	-	143	1
24	Oceana	176	-	-	1	-	-	-	2	-	1	-	-	21	-
25	Ogemaw	90	-	-	-	-	-	3	-	-	-	-	-	8	-
26	Ontonagon	102	-	-	-	-	1	3	-	-	1	-	-	11	-
27	Osceola	154	-	-	-	-	-	1	-	-	1	-	-	24	-
28	Oscoda	20	-	-	-	-	-	-	-	-	-	-	-	3	-
29	Otsego	65	-	-	-	-	-	2	-	-	-	-	-	9	-
30	Ottawa	588	-	1	-	-	-	2	-	-	2	-	1	81	1
31	Holland	172	-	1	-	-	-	-	-	-	1	-	1	19	-
32	Balance of county	416	-	-	-	-	-	2	-	-	1	-	-	62	1
33	Presque Isle	94	-	-	-	-	-	3	-	-	-	1	-	5	-
34	Roscommon	40	-	-	-	-	-	-	-	-	-	-	-	11	-
35	Saginaw	1,339	-	-	1	1	-	25	-	-	7	1	-	185	-
36	Saginaw	925	-	-	-	-	-	11	-	-	4	1	-	130	-
37	Balance of county	414	-	-	1	1	-	14	-	-	3	-	-	55	-
38	St. Clair	885	-	-	1	6	1	16	1	-	4	-	-	100	-
39	Port Huron	422	-	-	-	2	-	11	-	-	2	-	-	51	-
40	Balance of county	463	-	-	1	4	1	5	1	-	2	-	-	49	-
41	St. Joseph	394	-	-	-	-	-	3	-	-	1	-	1	53	-
42	Sanilac	299	-	-	-	-	-	5	-	-	1	-	-	43	1
43	Schoolcraft	85	-	1	-	-	-	2	-	-	-	-	-	13	-
44	Shiawassee	429	-	-	-	-	-	5	-	-	1	-	-	52	1
45	Owosso	141	-	-	-	-	-	1	-	-	-	-	-	18	-
46	Balance of county	288	-	-	-	-	-	4	-	-	1	-	-	34	1
47	Tuscola	435	-	1	-	-	-	9	-	-	3	-	-	40	-
48	Van Buren	501	-	-	-	-	-	7	-	-	5	-	1	63	-
49	Washtenaw	1,212	-	1	-	1	-	41	1	-	33	-	1	133	-
50	Ann Arbor	372	-	1	-	-	-	5	1	-	3	-	1	52	-
51	Ypsilanti	146	-	-	-	1	-	2	-	-	2	-	-	15	-
52	Balance of county	694	-	-	-	-	-	34	-	-	28	-	-	66	-
53	Wayne	18,869	1	16	2	6	21	1,060	1	2	267	2	6	2,649	23
54	Dearborn	449	-	1	-	-	1	8	-	-	1	-	-	54	-
55	Detroit	14,078	-	13	2	4	18	824	-	2	143	2	5	1,911	20
56	Ecorse	108	-	-	-	-	-	5	-	-	3	-	-	14	-
57	Grosse Pointe Park	72	-	-	-	-	-	1	-	-	-	-	-	11	-
58	Hamtramck	358	-	-	-	-	-	24	-	-	5	-	-	44	-
59	Highland Park	487	1	-	-	-	-	10	-	-	4	-	-	65	-
60	Lincoln Park	77	-	-	-	-	-	-	-	-	-	-	-	8	-
61	River Rouge	125	-	-	-	-	-	5	-	-	2	-	-	16	-
62	Wyandotte	291	-	-	-	-	-	15	-	-	2	-	1	29	-
63	Balance of county	2,824	-	2	-	2	2	168	1	-	107	-	-	497	3
64	Wexford	198	-	-	-	-	-	3	1	-	1	-	-	17	1
65	MINNESOTA	26,763	1	18	11	26	20	621	7	1	173	5	29	3,893	28
66	Aitkin	130	-	-	-	-	-	-	-	-	1	-	-	20	1
67	Anoka	238	-	-	-	-	-	14	-	-	3	-	-	20	-
68	Becker	242	-	-	1	-	1	2	-	-	-	-	-	30	-
69	Beltrami	240	-	-	-	1	4	9	-	-	4	-	-	32	-
70	Benton	106	-	-	-	-	-	2	-	-	-	-	-	17	-
71	St. Cloud (part)	11	-	-	-	-	-	-	-	-	-	-	-	1	-
72	Balance of county	95	-	-	-	-	-	2	-	-	-	-	-	16	-
73	Big Stone	97	-	-	-	1	-	1	-	-	-	-	-	14	-
74	Blue Earth	332	-	-	1	2	-	4	-	-	1	-	-	57	-
75	Mankato	187	-	-	1	-	-	2	-	-	1	-	-	39	-
76	Balance of county	145	-	-	-	2	-	2	-	-	-	-	-	18	-
77	Brown	222	-	-	-	1	-	2	-	-	-	-	-	34	-
78	Carlton	309	-	-	-	-	-	14	-	-	7	-	-	25	-
79	Carver	179	-	-	-	-	-	2	-	-	1	-	1	27	-
80	Cass	208	-	-	-	-	-	25	1	-	-	-	-	23	-
81	Chippewa	143	-	-	-	-	1	5	-	-	-	1	-	35	-
82	Chisago	153	-	-	-	-	-	1	-	-	-	-	-	26	1
83	Clay	227	-	1	-	1	1	2	-	-	1	-	-	31	-
84	Clearwater	87	-	-	-	-	-	1	-	-	-	-	-	7	-
85	Cook	27	-	-	-	-	-	1	-	-	-	-	-	4	-
86	Cottonwood	131	-	-	-	-	-	-	-	-	1	-	-	21	-
87	Crow Wing	274	-	1	-	1	-	3	-	-	1	-	-	37	-
88	Brainerd	133	-	1	-	-	-	1	-	-	-	-	-	16	-
89	Balance of county	141	-	-	-	1	-	2	-	-	1	-	-	21	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
5	-	25	70	8	3	5	-	12	-	-	4	12	2	28	1
1	-	9	39	4	2	3	-	8	-	-	3	8	1	19	2
4	-	16	31	4	1	2	-	4	-	-	1	4	1	9	3
5	-	19	73	12	1	19	1	17	-	-	8	6	3	21	4
2	-	6	31	4	1	6	1	7	-	-	1	2	1	6	5
3	-	13	42	8	-	13	-	10	-	-	7	4	2	15	6
3	-	14	25	3	1	2	2	5	-	-	2	5	-	9	7
21	-	57	190	20	5	35	5	34	5	3	19	45	6	60	8
5	-	12	57	6	2	10	1	16	1	1	7	10	-	23	9
16	-	45	133	14	3	25	4	18	4	2	12	35	6	37	10
11	-	31	105	13	6	25	1	14	1	1	3	14	11	44	11
1	-	3	12	2	-	1	-	1	-	-	-	1	-	4	12
27	-	93	283	57	37	40	5	73	12	5	30	63	32	117	13
18	-	56	160	32	23	27	3	49	5	3	15	41	12	74	14
5	-	8	43	8	3	-	1	9	2	1	4	1	4	12	15
4	-	29	80	17	11	13	1	15	5	1	11	21	16	31	16
7	-	39	76	7	3	15	2	10	1	-	5	9	-	24	17
51	-	210	737	100	22	106	4	150	25	9	56	114	45	280	18
2	-	7	27	2	-	8	-	5	-	-	4	2	1	13	19
3	-	18	53	10	2	3	1	18	3	-	3	5	4	11	20
13	-	68	247	34	11	24	1	32	5	3	17	30	21	98	21
7	-	20	70	9	-	10	-	25	1	1	5	2	4	24	22
26	-	97	340	45	9	61	2	70	16	5	27	75	15	134	23
6	-	27	44	7	-	4	-	14	3	-	5	14	4	23	24
3	-	10	30	2	2	1	1	4	4	-	1	10	5	6	25
2	-	15	29	1	-	2	1	4	3	-	3	8	1	17	26
5	-	17	50	9	1	9	-	7	-	-	2	6	3	19	27
-	-	3	4	-	-	4	-	-	-	-	-	2	-	4	28
2	-	3	18	4	-	4	-	4	1	-	2	6	-	10	29
25	-	65	211	10	-	29	2	28	5	1	12	23	9	80	30
10	-	22	60	3	-	6	1	3	2	-	4	9	4	26	31
15	-	43	151	7	-	23	1	25	3	1	8	14	5	54	32
2	-	12	39	3	-	3	-	6	-	-	-	3	4	13	33
-	-	-	13	1	1	3	-	1	1	-	2	3	-	4	34
47	-	170	390	49	6	70	4	71	9	5	35	64	18	181	35
34	-	130	262	35	4	59	3	53	6	5	15	37	9	127	36
13	-	40	128	14	2	11	1	18	3	-	20	27	9	54	37
33	-	93	309	29	5	63	1	42	8	4	25	46	5	93	38
21	-	39	147	14	1	33	1	27	3	2	9	19	2	38	39
12	-	54	162	15	4	30	-	15	5	2	16	27	3	55	40
7	-	65	124	12	-	28	-	9	3	1	4	19	2	62	41
11	-	49	99	10	2	8	2	6	2	-	5	13	13	29	42
3	-	5	28	-	-	7	-	6	-	-	-	4	4	12	43
13	-	47	138	13	1	41	1	21	3	-	12	17	6	57	44
4	-	20	42	6	-	14	1	6	-	-	1	8	1	19	45
9	-	27	96	7	1	27	-	15	3	-	11	9	5	38	46
4	-	53	136	18	2	33	-	20	7	-	15	23	7	64	47
16	-	57	182	10	-	18	1	22	1	-	16	24	8	70	48
34	-	120	398	60	3	51	3	64	21	1	21	57	16	152	49
10	-	36	107	9	-	19	1	27	9	-	7	19	5	60	50
8	-	17	48	6	-	9	1	11	5	-	4	3	1	13	51
16	-	67	243	45	3	23	1	26	7	1	10	35	10	79	52
564	-	1,420	6,173	833	87	869	67	1,083	186	129	351	630	101	2,320	53
15	-	21	175	19	1	18	-	38	4	2	16	12	6	57	54
423	-	1,063	4,690	595	62	710	56	830	149	111	233	455	64	1,693	55
1	-	8	36	4	-	4	2	14	1	-	3	2	2	9	56
3	-	13	31	-	1	4	-	2	-	-	1	1	-	4	57
10	-	20	115	18	1	17	1	23	6	4	10	11	3	46	58
13	-	43	176	17	2	29	2	26	4	4	14	11	5	61	59
2	-	5	28	5	-	4	-	6	2	-	1	3	1	12	60
6	-	10	37	5	-	1	-	14	-	-	2	8	1	18	61
13	-	18	97	8	3	12	1	24	3	-	10	16	5	34	62
78	-	219	788	162	17	70	5	106	17	8	61	111	14	386	63
5	-	27	82	6	-	6	1	12	2	-	2	12	2	18	64
782	1	2,782	8,336	1,363	121	978	75	1,333	269	47	480	1,403	288	3,672	65
-	-	30	43	5	-	3	1	5	1	-	1	11	-	8	66
7	-	20	74	19	1	5	1	10	1	1	7	12	7	36	67
9	-	30	77	8	3	6	2	19	1	-	1	18	9	25	68
10	-	21	62	15	2	2	-	11	3	-	7	8	20	29	69
6	-	15	23	8	3	2	-	6	2	-	3	6	-	13	70
-	-	3	4	-	1	-	-	1	-	-	-	-	-	1	71
6	-	12	19	8	2	2	-	5	2	-	3	6	-	12	72
-	-	13	32	7	1	5	1	5	-	-	3	4	1	9	73
15	-	25	112	16	-	16	2	10	-	-	5	19	6	41	74
7	-	9	63	10	-	6	1	7	-	-	4	8	1	28	75
8	-	16	49	6	-	10	1	3	-	-	1	11	5	13	76
7	-	11	67	6	-	24	-	25	1	-	4	9	-	31	77
7	-	26	69	6	1	4	1	12	4	5	4	21	3	100	78
3	-	27	57	5	-	2	1	10	-	-	6	5	-	32	79
2	-	33	52	14	2	6	-	6	1	1	3	9	6	24	80
2	-	19	29	6	-	7	-	2	1	-	2	10	-	23	81
4	-	17	52	2	-	8	-	5	-	-	-	8	2	27	82
5	-	43	59	15	2	13	-	12	3	2	4	9	2	21	83
4	-	8	31	7	1	1	-	7	2	-	2	4	1	11	84
-	-	2	7	2	-	-	-	6	-	-	-	-	-	5	85
4	-	10	40	7	2	11	2	12	1	-	-	6	1	13	86
11	-	41	86	10	2	11	-	7	5	-	6	14	6	32	87
8	-	20	48	6	2	2	-	4	2	-	2	6	1	14	88
3	-	21	38	4	-	9	-	3	3	-	4	8	5	18	89

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	MINNESOTA—Continued														
1	Dakota	421	-	-	-	-	-	6	-	-	8	-	1	48	-
2	South St. Paul	98	-	-	-	-	-	2	-	-	1	-	-	9	-
3	Balance of county	323	-	-	-	-	-	4	-	-	7	-	1	39	-
4	Dodge	118	-	-	-	-	-	-	-	-	-	-	-	14	-
5	Douglas	184	-	-	-	-	-	3	-	-	-	-	-	28	-
6	Faribault	212	-	-	1	-	-	1	-	-	1	-	-	30	1
7	Fillmore	256	-	1	1	1	1	5	-	-	1	-	-	32	1
8	Freeborn	259	-	-	-	2	-	6	-	1	2	-	-	40	-
9	Albert Lea	129	-	-	-	1	-	4	-	-	2	-	-	20	-
10	Balance of county	130	-	-	-	1	-	2	-	1	-	-	-	20	-
11	Goodhue	354	-	-	-	-	-	14	-	-	2	-	1	49	1
12	Grant	72	-	-	-	1	-	1	-	-	1	-	-	14	-
13	Hennepin	5,779	-	4	-	1	3	162	-	-	43	-	4	841	3
14	Minneapolis	5,031	-	2	-	1	2	116	-	-	38	-	3	741	2
15	Balance of county	748	-	2	-	-	1	46	-	-	5	-	1	100	1
16	Houston	129	-	-	-	-	-	2	-	-	-	-	-	18	-
17	Hubbard	104	-	1	1	-	-	2	-	-	-	-	-	16	-
18	Isanti	144	-	-	-	-	-	3	-	-	-	-	-	13	-
19	Itasca	291	-	-	-	1	-	7	2	-	-	-	-	46	-
20	Jackson	123	-	-	-	-	-	1	-	-	1	-	-	12	1
21	Kanabec	77	-	-	-	-	-	1	-	-	-	-	-	12	-
22	Kandiyohi	288	-	-	-	-	-	25	-	-	3	-	-	30	1
23	Kittson	78	-	-	-	-	-	-	-	-	-	-	-	8	-
24	Koochiching	147	-	-	-	1	-	1	1	-	2	-	-	16	-
25	Lac qui Parle	127	-	-	-	-	-	1	-	-	-	-	-	16	-
26	Lake	60	-	-	-	-	-	2	-	-	-	-	-	15	-
27	Lake of the Woods	42	-	-	-	-	-	-	-	-	-	-	-	9	-
28	Le Sueur	170	-	-	-	-	-	1	-	-	-	-	-	35	-
29	Lincoln	97	-	-	-	-	-	-	-	-	-	-	-	21	-
30	Lyon	201	-	2	-	-	-	-	-	-	-	-	-	31	1
31	McLeod	190	-	-	-	-	-	-	-	-	-	-	-	25	-
32	Mahnomen	58	-	-	-	-	-	1	-	-	-	-	-	8	-
33	Marshall	137	-	-	-	-	2	4	1	-	-	-	-	17	-
34	Martin	174	-	-	-	-	-	-	-	-	-	-	1	29	2
35	Meeker	184	-	1	-	1	-	2	-	-	-	-	-	20	-
36	Mille Lacs	151	-	-	-	-	-	1	-	-	-	-	1	29	1
37	Morrison	212	-	-	-	1	2	4	-	-	1	-	-	23	-
38	Mower	282	-	-	-	-	-	2	-	-	-	-	2	47	-
39	Austin	158	-	-	-	-	-	-	-	-	-	-	1	22	-
40	Balance of county	124	-	-	-	-	-	2	-	-	-	-	1	25	-
41	Murray	81	-	1	-	-	-	-	-	-	-	-	1	15	-
42	Nicollet	356	-	-	-	-	-	23	-	-	11	1	-	27	1
43	Nobles	151	-	-	-	1	-	1	-	-	-	1	1	26	-
44	Norman	132	-	-	-	-	-	2	-	-	-	-	1	17	2
45	Olmsted	579	-	-	-	-	-	6	-	-	6	-	7	70	-
46	Rochester	455	-	-	-	-	-	5	-	-	6	-	3	54	-
47	Balance of county	124	-	-	-	-	-	1	-	-	-	-	4	16	-
48	Otter Tail	672	-	-	-	1	2	24	-	-	3	-	-	71	2
49	Fergus Falls	330	-	-	-	-	-	18	-	-	2	-	-	20	1
50	Balance of county	342	-	-	-	1	2	6	-	-	1	-	-	51	1
51	Pennington	129	-	-	-	-	-	6	-	-	-	-	1	19	-
52	Pine	172	-	-	-	-	-	3	-	-	-	-	-	22	-
53	Pipestone	96	-	-	-	-	-	-	-	-	-	-	-	16	1
54	Polk	315	-	-	-	-	-	11	-	-	-	1	-	36	1
55	Pope	144	-	-	-	1	-	2	-	-	-	-	-	15	-
56	Ramsey	3,299	1	4	-	3	-	81	1	-	24	-	1	533	1
57	St. Paul	3,068	1	4	-	3	-	77	-	-	24	-	1	511	1
58	Balance of county	231	-	-	-	-	-	4	1	-	-	-	-	22	-
59	Red Lake	42	-	-	-	-	-	1	-	-	1	-	-	4	-
60	Redwood	160	-	-	-	-	-	1	-	-	1	-	-	27	-
61	Renville	185	-	-	1	1	-	3	-	-	-	-	1	23	-
62	Rice	362	-	-	1	-	1	17	-	-	1	1	-	37	-
63	Faribault	213	-	-	-	-	-	13	-	-	1	-	-	16	-
64	Balance of county	149	-	-	1	-	1	4	-	-	-	1	-	21	-
65	Rock	69	-	-	-	-	-	1	-	-	-	-	-	15	1
66	Roseau	113	-	-	-	1	-	1	-	-	-	-	-	7	-
67	St. Louis	1,965	-	1	-	-	2	46	-	-	19	-	4	339	-
68	Duluth	1,080	-	1	-	-	2	16	-	-	10	-	3	176	-
69	Hibbing	128	-	-	-	-	-	1	-	-	1	-	-	23	-
70	Virginia	112	-	-	-	-	-	-	-	-	2	-	-	20	-
71	Balance of county	645	-	-	-	-	-	29	-	-	6	-	1	120	-
72	Scott	161	-	-	-	-	-	3	-	-	-	-	-	24	-
73	Sherburne	95	-	1	-	-	-	1	-	-	1	-	-	13	-
74	St. Cloud (part)	16	-	-	-	-	-	-	-	-	1	-	-	1	-
75	Balance of county	79	-	1	-	-	-	1	-	-	-	-	-	12	-
76	Sibley	121	-	-	-	-	-	-	-	-	-	-	-	14	-
77	Stearns	555	-	-	2	-	-	15	-	-	13	-	-	78	-
78	St. Cloud (part)	176	-	-	-	-	-	9	-	-	2	-	-	27	-
79	St. Cloud (total)	203	-	-	-	-	-	9	-	-	3	-	-	29	-
80	Balance of county	379	-	-	2	-	-	6	-	-	11	-	-	51	-
81	Steele	171	-	-	-	-	-	-	-	-	-	-	-	19	-
82	Stevens	83	-	-	-	-	-	-	-	-	-	-	-	15	-
83	Swift	120	-	-	-	-	-	-	-	-	1	-	-	21	1
84	Todd	236	-	-	1	-	-	2	-	-	1	-	-	48	-
85	Traverse	59	-	-	-	-	-	1	-	-	-	-	-	9	1
86	Wabasha	182	-	-	1	-	-	3	1	-	1	-	-	37	-
87	Wadena	108	-	-	-	1	-	4	-	-	-	-	-	17	-
88	Waseca	138	-	-	-	-	-	-	-	-	-	-	-	27	-
89	Washington	256	-	-	-	1	-	-	-	-	1	-	-	32	1
90	Watonwan	123	-	-	-	-	-	4	-	-	1	-	-	20	-
91	Wilkin	97	-	-	-	-	-	1	-	-	-	-	-	18	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
17	-	45	106	25	2	17	3	28	3	1	13	24	1	73	1
7	-	5	26	4	-	3	1	7	-	-	4	8	-	21	2
10	-	40	80	21	2	14	2	21	3	1	9	16	1	52	3
4	-	18	42	6	-	5	-	7	2	-	2	5	3	10	4
6	-	16	68	8	-	6	1	12	3	-	-	9	3	21	5
5	-	36	61	9	1	8	1	8	4	-	7	7	1	30	6
12	-	30	92	6	3	13	1	5	-	1	2	14	1	33	7
5	-	25	84	4	-	13	1	19	6	-	6	16	3	26	8
2	-	12	41	4	-	7	-	12	1	-	2	6	3	12	9
3	-	13	43	-	-	6	1	7	5	-	4	10	-	14	10
10	-	55	92	19	-	19	-	15	7	-	3	21	5	41	11
-	-	5	22	4	-	4	-	3	-	-	1	3	2	11	12
178	-	574	2,006	269	31	164	7	242	53	17	104	330	29	714	13
157	-	516	1,754	237	27	144	6	216	43	16	88	291	26	605	14
21	-	58	252	32	4	20	1	26	10	1	16	39	3	109	15
8	-	17	34	5	-	7	-	5	3	-	5	5	7	13	16
2	-	9	31	4	2	-	2	6	1	-	2	12	-	13	17
2	-	21	31	11	-	4	1	6	3	1	2	14	1	31	18
8	-	28	83	11	1	6	4	21	2	-	4	22	2	33	19
5	-	15	35	4	-	11	-	9	-	-	2	3	1	23	20
2	-	14	26	1	-	3	-	2	-	1	-	3	1	11	21
8	-	21	95	11	1	14	1	7	-	-	3	17	4	47	22
1	-	6	23	4	-	7	-	2	-	-	2	7	1	17	23
1	-	18	38	11	2	5	1	4	5	-	5	11	2	23	24
2	-	16	38	11	-	7	2	14	-	-	2	3	1	14	25
3	-	2	19	1	-	1	1	1	-	-	2	3	-	10	26
1	-	4	19	1	-	1	-	3	-	-	-	1	2	1	27
7	-	13	54	6	-	5	-	10	1	-	4	11	1	22	28
1	-	8	33	6	-	2	-	4	2	-	1	7	-	12	29
9	-	22	36	12	-	20	1	15	4	-	2	15	1	30	30
10	-	24	59	4	1	17	1	11	-	-	4	9	3	22	31
-	-	8	17	2	-	-	-	6	-	-	2	2	-	12	32
3	-	12	38	9	1	6	1	13	1	-	5	9	2	13	33
2	-	19	52	5	3	11	1	11	1	-	2	9	3	23	34
6	-	19	54	7	-	15	1	9	4	2	3	19	-	21	35
5	-	17	46	6	2	2	-	10	2	-	2	4	5	18	36
7	-	23	67	14	2	6	1	8	4	-	3	15	1	30	37
8	-	32	68	13	-	8	-	10	3	-	7	19	10	53	38
3	-	19	39	6	-	6	-	10	1	-	5	8	6	32	39
5	-	13	29	7	-	2	-	-	2	-	2	11	4	21	40
1	-	9	23	3	-	3	2	5	2	-	1	1	4	10	41
11	-	22	165	20	-	12	-	7	2	-	1	11	-	42	42
8	-	12	32	8	-	9	-	15	2	1	5	6	-	23	43
1	-	15	39	7	-	2	2	4	2	1	2	5	6	24	44
14	-	56	166	83	3	9	-	21	6	-	6	20	10	96	45
9	-	43	125	79	2	5	-	13	4	-	6	12	7	82	46
5	-	13	41	4	1	4	-	8	2	-	-	8	3	14	47
15	-	53	190	70	1	25	-	18	7	1	4	24	13	148	48
8	-	22	77	47	-	9	-	6	1	-	1	10	5	103	49
7	-	31	113	23	1	16	-	12	6	1	3	14	8	45	50
2	-	13	28	10	-	7	-	11	1	-	2	6	2	21	51
6	-	31	58	2	-	6	-	5	5	-	2	7	-	25	52
-	-	12	24	6	-	3	-	6	2	-	2	3	1	20	53
5	-	38	95	19	-	12	2	20	3	1	7	17	2	45	54
2	-	17	50	9	-	3	-	8	2	-	5	7	10	13	55
96	-	304	1,080	167	16	114	11	155	23	5	61	164	20	434	56
86	-	277	1,010	149	15	106	10	142	22	5	57	147	19	401	57
10	-	27	70	18	1	8	1	13	1	-	4	17	1	33	58
-	-	10	12	1	-	-	-	5	-	-	-	3	-	5	59
8	-	13	44	6	-	10	1	12	3	-	8	6	-	20	60
8	-	22	51	13	2	11	1	9	2	-	2	3	2	30	61
8	-	34	81	21	2	26	-	25	3	-	6	25	4	69	62
4	-	17	47	16	1	13	-	20	2	-	2	15	-	46	63
4	-	17	34	5	1	13	-	5	1	-	4	10	4	23	64
2	-	-	26	2	-	2	1	3	1	-	-	4	-	11	65
3	-	10	35	8	-	5	-	7	2	-	2	8	-	24	66
63	1	173	640	84	9	43	5	108	32	2	37	117	8	232	67
31	1	103	354	55	5	22	3	57	17	1	18	58	5	142	68
3	-	9	48	2	-	4	1	8	-	-	3	10	-	15	69
4	-	9	31	7	-	2	-	10	2	-	2	4	-	19	70
25	-	52	207	20	4	15	1	33	13	1	14	45	3	56	71
4	-	14	45	14	-	3	1	11	-	-	4	4	1	33	72
3	-	5	33	2	-	8	-	8	1	-	-	2	1	16	73
-	-	-	8	1	-	1	-	1	-	-	-	-	1	2	74
3	-	5	25	1	-	7	-	7	1	-	-	2	-	14	75
2	-	17	35	12	1	4	-	7	1	-	4	2	5	17	76
14	-	57	153	25	7	23	3	41	5	1	7	24	7	80	77
8	-	12	49	7	6	8	-	19	-	-	2	5	4	18	78
8	-	15	61	8	7	9	-	21	-	-	2	5	5	21	79
6	-	45	104	18	1	15	3	22	5	1	5	19	3	62	80
10	-	16	43	7	-	13	-	10	3	-	9	8	-	33	81
4	-	17	15	3	-	1	-	7	2	-	-	3	4	12	82
5	-	13	38	7	1	7	-	7	1	-	3	2	2	11	83
12	-	21	69	8	1	7	-	15	2	-	4	10	1	34	84
-	-	7	16	2	-	4	-	4	-	-	2	3	1	9	85
6	-	25	53	6	-	5	1	13	-	-	1	6	2	21	86
3	-	14	29	4	1	6	-	8	2	-	1	5	2	11	87
3	-	14	37	7	-	6	1	7	1	-	6	10	1	18	88
5	-	29	94	15	2	9	-	7	4	1	8	12	1	34	89
4	-	16	42	5	-	6	-	3	2	-	3	2	1	14	90
4	-	8	21	5	-	2	-	15	1	-	1	5	-	16	91

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	MINNESOTA—Continued														
1	Winona	389	-	-	-	-	-	9	-	-	3	-	-	64	-
2	Winona	252	-	-	-	-	-	6	-	-	2	-	-	39	-
3	Balance of county	137	-	-	-	-	-	3	-	-	1	-	-	25	-
4	Wright	256	-	-	-	-	-	3	-	-	-	-	-	38	2
5	Yellow Medicine	125	-	-	-	-	-	-	-	-	-	-	1	28	-
6	MISSISSIPPI	19,355	18	28	2	45	41	720	36	37	262	22	11	1,675	12
7	Adams	318	-	-	-	-	-	15	-	-	4	-	-	22	-
8	Natchez	209	-	-	-	-	-	11	-	-	3	-	-	16	-
9	Balance of county	109	-	-	-	-	-	4	-	-	1	-	-	6	-
10	Alcorn	218	-	-	-	1	-	5	-	-	1	-	1	18	-
11	Amite	166	-	-	-	-	1	4	-	-	2	-	-	15	-
12	Attala	252	-	-	-	-	-	8	1	1	6	-	-	21	-
13	Benton	67	-	-	-	-	-	2	-	-	1	1	-	6	-
14	Bolivar	642	1	-	-	2	-	30	-	3	8	1	-	63	-
15	Calhoun	138	-	1	-	-	1	4	-	2	-	-	-	14	-
16	Carroll	141	-	-	-	-	-	3	1	4	-	-	-	13	-
17	Chickasaw	174	-	-	-	-	-	8	-	-	1	-	-	19	-
18	Choctaw	76	1	-	-	-	-	3	-	1	-	-	-	4	-
19	Claiborne	128	-	-	-	1	-	5	-	1	4	-	-	6	-
20	Clarke	182	-	1	-	-	2	3	-	-	1	-	-	19	-
21	Clay	171	-	-	1	-	-	8	-	1	2	-	-	19	-
22	Coahoma	485	-	2	-	-	-	20	-	-	5	4	2	45	-
23	Clarksdale	162	-	-	-	-	-	4	-	-	3	-	1	17	-
24	Balance of county	323	-	2	-	-	-	16	-	-	2	4	1	28	-
25	Copiah	303	-	-	-	-	1	11	1	-	4	-	-	38	-
26	Covington	129	1	1	-	1	-	6	1	-	1	-	-	6	-
27	De Soto	216	-	-	-	5	-	12	4	-	1	1	-	19	1
28	Forrest	411	-	-	-	-	1	15	1	-	3	-	-	52	-
29	Hattiesburg	265	-	-	-	-	1	10	-	-	3	-	-	33	-
30	Balance of county	146	-	-	-	-	-	5	1	-	-	-	-	19	-
31	Franklin	82	-	-	-	-	-	1	-	-	-	-	-	5	-
32	George	84	-	1	-	-	-	2	-	-	-	-	-	9	-
33	Greene	55	-	-	-	-	1	1	1	-	-	-	-	6	-
34	Grenada	157	-	-	-	-	-	3	-	-	1	-	-	14	-
35	Hancock	105	-	-	-	-	1	1	1	-	1	-	-	11	-
36	Harrison	666	1	1	-	-	1	12	-	-	14	3	1	51	-
37	Biloxi	194	-	1	-	-	1	3	-	-	-	-	-	22	-
38	Gulfport	220	1	-	-	-	-	5	-	-	9	2	-	13	-
39	Balance of county	252	-	-	-	-	-	4	-	-	5	1	1	16	-
40	Hinds	1,056	3	2	1	4	2	35	2	1	14	-	1	109	1
41	Jackson	679	-	1	-	1	2	16	2	-	8	-	1	72	-
42	Balance of county	377	3	1	1	3	-	19	-	1	6	-	-	37	1
43	Holmes	376	-	-	-	1	-	13	-	1	4	-	2	22	2
44	Humphreys	205	-	1	-	-	1	10	1	-	2	1	-	16	-
45	Issaquena	46	-	-	-	-	-	2	-	-	2	-	-	2	-
46	Itawamba	128	-	-	-	-	2	3	-	-	-	-	-	13	-
47	Jackson	252	-	-	-	-	-	8	-	1	11	1	-	23	-
48	Jasper	141	-	-	-	-	1	2	1	1	1	-	-	11	-
49	Jefferson	125	-	-	-	2	-	4	-	-	-	-	-	13	-
50	Jefferson Davis	115	-	-	-	-	-	3	2	-	1	-	-	12	-
51	Jones	433	-	3	-	4	-	17	1	-	1	-	-	35	1
52	Laurel	233	-	3	-	1	-	12	-	-	1	-	-	12	-
53	Balance of county	200	-	-	-	3	-	5	1	-	-	-	-	23	1
54	Kemper	160	-	-	-	-	-	4	-	1	-	-	-	14	-
55	Lafayette	159	1	-	-	1	-	9	-	-	2	-	-	13	-
56	Lamar	109	-	-	-	-	1	3	-	-	-	-	-	9	1
57	Lauderdale	672	1	2	-	1	-	15	1	-	8	-	-	39	-
58	Meridian	474	-	2	-	1	-	10	1	-	8	-	-	38	-
59	Balance of county	198	1	-	-	-	-	5	-	-	-	-	-	21	-
60	Lawrence	109	-	-	-	-	-	3	-	-	-	-	-	10	-
61	Leake	159	1	-	-	-	-	6	-	-	-	-	-	17	-
62	Lee	301	-	1	-	2	-	18	1	-	1	-	-	35	-
63	Leflore	439	-	1	-	-	-	21	-	1	10	-	-	35	-
64	Greenwood	179	-	-	-	-	-	8	-	-	4	-	-	19	-
65	Balance of county	260	-	1	-	-	-	13	-	1	6	-	-	16	-
66	Lincoln	227	1	-	-	-	2	4	-	-	2	-	-	22	1
67	Lowndes	330	1	1	-	-	2	19	-	1	-	-	-	16	-
68	Columbus	197	-	1	-	-	1	14	-	-	-	-	-	11	-
69	Balance of county	133	1	-	-	-	1	5	-	1	-	-	-	5	-
70	Madison	334	-	-	-	2	-	19	2	-	2	2	-	33	-
71	Marion	187	-	1	-	-	-	6	1	-	1	-	-	16	-
72	Marshall	240	-	-	-	2	-	11	-	-	4	1	1	19	-
73	Monroe	303	-	1	-	-	-	11	-	-	-	-	-	28	-
74	Montgomery	126	-	-	-	-	-	4	-	-	2	-	-	10	-
75	Neshoba	196	2	-	-	1	1	7	-	-	1	-	-	17	-
76	Newton	177	-	-	-	-	-	5	-	-	2	-	-	13	-
77	Noxubee	210	1	-	-	-	1	3	-	-	1	-	-	15	-
78	Oktibbeha	160	-	1	-	-	-	9	-	1	-	-	-	20	-
79	Panola	299	-	1	-	1	1	15	-	-	-	-	-	22	1
80	Pearl River	177	1	-	-	-	1	2	-	-	-	-	-	13	-
81	Perry	45	-	-	-	-	-	1	-	-	2	-	-	5	-
82	Pike	329	-	-	-	-	-	7	1	-	2	1	-	28	-
83	Pontotoc	150	1	-	-	-	-	9	-	1	-	-	1	19	-
84	Prentiss	173	-	-	-	1	1	5	-	-	2	-	-	11	-
85	Quitman	223	-	-	-	-	1	9	-	1	2	1	-	22	-
86	Rankin	547	-	-	-	-	2	31	1	1	80	-	-	19	-
87	Scott	185	-	-	-	-	2	10	1	-	-	-	-	17	-
88	Sharkey	125	-	-	-	-	-	4	-	2	1	-	-	8	-
89	Simpson	170	-	-	-	-	-	17	1	-	2	-	-	19	-
90	Smith	121	-	-	-	-	-	2	1	-	1	-	-	15	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 182, 199,200	All other causes	
7	-	53	104	21	-	28	1	14	3	2	5	25	13	39	1
7	-	36	67	8	-	22	-	7	2	2	5	19	6	24	2
-	-	17	37	13	-	4	1	7	1	-	-	6	7	15	3
7	-	39	73	13	3	12	-	13	-	-	7	10	2	34	4
2	-	10	46	1	-	1	-	3	1	-	2	11	2	17	5
290	56	1,843	3,546	1,150	191	1,797	206	966	76	251	352	923	2,732	2,067	6
3	-	26	67	23	2	50	3	23	-	1	9	12	29	29	7
3	-	15	41	13	2	35	3	19	-	-	5	8	11	24	8
-	-	11	26	10	-	15	-	4	-	1	4	4	18	5	9
5	-	28	34	17	7	19	3	16	2	3	3	9	18	28	10
2	-	7	34	15	5	14	1	6	-	3	4	7	35	11	11
3	-	27	56	25	2	18	3	23	1	2	3	14	23	15	12
2	-	8	12	4	-	2	3	2	1	-	2	1	17	4	13
15	2	37	89	40	3	59	9	27	1	8	2	30	141	71	14
-	-	9	31	19	2	8	-	3	1	-	5	7	16	15	15
-	-	11	15	7	1	28	-	6	-	-	1	8	34	9	16
2	-	19	33	16	1	16	3	7	-	4	2	3	25	15	17
-	-	11	20	-	1	9	1	2	-	-	-	5	8	10	18
2	-	6	31	7	1	9	1	2	-	1	3	7	25	16	19
2	-	13	36	10	2	28	1	9	-	1	6	8	15	25	20
3	-	15	43	6	2	10	2	12	1	2	1	5	26	12	21
6	-	41	78	27	5	42	7	13	1	7	5	13	126	36	22
1	-	22	36	12	1	18	1	3	1	1	4	6	24	7	23
5	-	19	42	15	4	24	6	10	-	6	1	7	102	29	24
7	-	20	75	17	1	38	4	7	-	3	7	10	25	34	25
2	-	16	20	6	1	8	3	4	2	1	1	8	20	20	26
2	-	39	25	15	1	12	6	6	-	5	5	6	37	14	27
9	2	40	81	23	1	22	2	38	6	10	24	28	16	37	28
7	1	28	58	14	1	17	2	29	1	6	5	14	11	24	29
2	1	12	23	9	-	5	-	9	5	4	19	14	5	13	30
4	1	6	25	4	1	6	4	-	-	2	3	-	10	10	31
1	-	4	9	12	1	15	1	11	1	-	1	4	7	5	32
2	-	9	7	5	1	5	-	7	-	-	1	1	4	4	33
1	1	14	23	13	3	19	-	10	1	4	1	7	31	11	34
2	-	13	29	6	1	7	1	9	-	-	2	4	6	10	35
16	1	60	137	28	6	44	4	50	3	6	19	78	37	93	36
6	-	16	54	7	3	12	1	19	-	-	8	5	8	28	37
7	1	21	41	9	1	20	1	19	2	4	2	15	11	36	38
3	-	23	42	12	2	12	2	12	1	2	9	58	18	29	39
22	3	80	187	45	6	119	12	61	8	16	11	46	129	136	40
18	2	54	130	29	5	77	9	49	5	11	9	21	63	94	41
4	1	26	57	16	1	42	3	12	3	5	2	25	66	42	42
5	3	38	70	31	2	21	2	6	2	3	3	24	77	44	43
3	-	15	19	9	2	25	7	4	-	6	4	12	54	13	44
2	-	5	9	2	-	9	1	1	-	2	-	-	5	4	45
2	2	19	31	9	1	5	1	9	-	1	3	8	9	10	46
2	1	7	59	23	4	31	1	18	3	3	6	11	12	27	47
4	-	28	24	5	-	10	-	5	-	2	3	10	14	19	48
-	-	10	19	6	-	34	2	5	1	1	3	3	14	8	49
-	-	20	19	5	1	10	1	3	-	1	1	4	18	14	50
11	1	69	63	30	2	39	5	28	1	7	9	21	24	61	51
5	-	42	33	21	1	16	1	18	-	5	6	14	11	31	52
6	1	27	30	9	1	23	4	10	1	2	3	7	13	30	53
-	-	23	33	11	7	8	2	5	-	3	1	5	35	8	54
6	-	17	31	12	2	23	-	9	-	2	1	6	12	12	55
1	1	8	18	8	2	15	6	7	3	1	1	8	10	6	56
14	2	59	173	41	14	53	5	29	2	8	16	40	66	63	57
10	1	46	135	29	7	35	3	28	2	7	7	21	36	47	58
4	1	13	38	12	7	18	2	1	-	1	9	19	30	16	59
-	-	17	27	6	1	8	-	3	-	1	8	3	11	11	60
2	-	17	34	6	3	9	-	22	1	1	5	3	13	19	61
7	-	33	62	16	3	23	1	9	5	4	5	16	23	36	62
5	4	40	63	25	1	52	8	18	1	12	7	26	68	41	63
2	-	24	28	10	-	17	2	14	1	3	2	8	18	19	64
3	4	16	35	15	1	35	6	4	-	9	5	18	50	22	65
8	-	10	47	25	1	24	3	20	-	1	5	12	9	30	66
-	1	27	76	12	5	26	1	13	-	1	6	18	63	41	67
-	-	21	51	9	4	13	-	10	-	1	4	6	24	27	68
-	1	6	25	3	1	13	1	3	-	-	2	12	39	14	69
3	1	31	44	23	4	30	2	15	2	5	6	10	70	28	70
2	4	21	24	11	2	17	1	15	-	5	1	10	26	23	71
1	2	26	31	11	5	32	3	9	1	1	2	5	49	24	72
7	-	31	53	23	4	34	3	19	2	6	5	12	35	29	73
2	-	20	21	8	2	20	-	10	2	1	1	5	8	10	74
5	-	18	38	13	3	9	3	13	2	2	7	13	23	18	75
5	1	11	34	16	4	11	2	10	3	-	4	14	26	16	76
-	-	12	24	13	-	17	2	11	-	1	2	4	92	11	77
1	-	10	37	10	-	11	4	9	1	3	1	4	22	16	78
6	1	28	59	17	4	29	5	14	-	5	1	21	40	28	79
3	-	29	32	5	1	22	-	20	-	-	7	9	6	26	80
-	-	3	10	1	-	11	1	2	-	-	1	1	3	4	81
5	3	30	87	20	5	39	2	17	1	2	8	15	21	35	82
2	-	15	42	10	1	13	1	5	1	2	-	3	15	9	83
1	-	16	38	11	4	11	3	16	1	2	2	6	19	23	84
2	-	16	23	20	1	25	3	10	-	10	3	12	44	18	85
1	5	80	88	11	2	19	1	4	1	5	3	19	34	140	86
3	2	22	26	8	-	7	-	10	1	2	5	9	32	28	87
2	-	11	15	3	1	12	5	4	-	4	1	11	18	23	88
1	-	15	31	13	1	9	-	3	-	2	7	8	22	19	89
3	-	17	26	3	-	7	3	8	2	-	3	10	11	9	90

TABLE 29.-DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	MISSISSIPPI—Con.														
1	Stone	40	-	-	-	-	-	-	-	-	-	-	-	3	-
2	Sunflower	483	-	1	-	5	1	25	1	3	9	2	-	28	-
3	Tallahatchie	256	-	-	-	-	-	13	2	2	2	-	-	22	-
4	Tate	167	-	-	-	1	-	8	-	-	2	-	1	13	1
5	Tippah	124	-	-	-	2	-	3	-	-	-	-	-	19	-
6	Tishomingo	106	-	-	-	-	-	4	-	-	-	-	-	7	-
7	Tunica	237	-	-	-	1	2	15	1	1	1	-	-	14	-
8	Union	140	-	-	-	-	2	4	-	1	-	-	-	14	-
9	Walthall	155	-	-	-	2	1	1	-	-	1	-	-	13	-
10	Warren	442	-	-	-	-	-	15	-	1	5	-	-	48	1
11	Vicksburg	322	-	-	-	-	-	9	-	1	4	-	-	40	-
12	Balance of county	120	-	-	-	-	-	6	-	-	1	-	-	8	1
13	Washington	743	-	4	-	-	1	22	4	2	3	1	-	59	2
14	Greenville	325	-	2	-	-	-	16	3	1	2	1	-	30	1
15	Balance of county	418	-	2	-	-	1	6	1	1	1	-	-	29	1
16	Wayne	106	-	-	-	-	2	2	-	-	1	-	-	4	-
17	Webster	107	-	-	-	-	-	5	-	-	1	-	-	19	-
18	Wilkinson	148	-	-	-	-	-	2	-	-	2	-	-	12	-
19	Winston	189	-	-	-	-	-	8	-	-	1	-	-	16	-
20	Yalobusha	156	1	-	-	2	1	10	-	1	7	-	1	13	-
21	Yazoo	371	-	1	-	-	1	15	-	-	3	2	-	22	-
22	MISSOURI	42,602	21	42	9	31	43	1,424	30	13	497	5	30	5,494	31
23	Adair	193	-	-	-	-	-	3	-	-	1	-	-	28	-
24	Kirksville	124	-	-	-	-	-	-	-	-	1	-	-	17	-
25	Balance of county	69	-	-	-	-	-	3	-	-	-	-	-	11	-
26	Andrew	137	-	-	-	-	-	1	-	-	-	-	-	14	-
27	Atchison	117	-	-	-	-	-	4	-	-	3	-	-	14	-
28	Audrain	228	1	-	-	-	-	9	-	-	2	-	-	27	-
29	Barry	186	-	-	-	1	-	6	-	-	1	-	-	25	1
30	Barton	150	-	-	-	-	-	2	-	-	1	-	-	24	-
31	Bates	219	-	-	-	1	-	3	-	-	-	-	-	27	-
32	Benton	79	1	-	-	-	1	-	-	-	-	-	-	14	-
33	Bollinger	72	-	-	-	-	-	3	-	1	-	-	-	6	-
34	Boone	379	1	-	-	1	-	13	-	-	-	-	-	43	-
35	Columbia	237	1	-	-	1	-	8	-	-	-	-	-	29	-
36	Balance of county	142	-	-	-	-	-	5	-	-	-	-	-	14	-
37	Buchanan	1,335	-	2	-	-	1	40	3	-	45	-	1	169	-
38	St. Joseph	1,181	-	2	-	-	-	38	3	-	42	-	1	152	-
39	Balance of county	154	-	-	-	-	1	2	-	-	3	-	-	17	-
40	Butler	294	-	-	-	1	1	6	3	-	3	-	1	34	-
41	Poplar Bluff	147	-	-	-	-	1	4	1	-	3	-	-	17	-
42	Balance of county	147	-	-	-	1	-	2	2	-	-	-	1	17	-
43	Caldwell	129	-	-	-	-	-	3	-	-	1	-	-	17	-
44	Callaway	464	-	-	-	-	-	18	-	-	31	-	-	35	-
45	Camden	72	-	-	-	-	1	4	-	-	-	-	-	5	-
46	Cape Girardeau	380	-	-	-	-	-	10	-	1	6	-	-	42	-
47	Cape Girardeau	231	-	-	-	-	-	7	-	1	5	-	-	28	-
48	Balance of county	149	-	-	-	-	-	3	-	-	1	-	-	14	-
49	Carroll	208	-	-	-	1	-	-	-	-	1	-	-	24	-
50	Carter	38	-	-	-	-	-	1	-	-	-	-	-	4	-
51	Cass	221	-	-	-	-	-	2	-	-	-	-	-	28	-
52	Cedar	144	-	-	-	-	-	5	-	-	-	-	-	17	-
53	Chariton	182	-	-	-	-	-	3	-	-	1	-	-	18	-
54	Christian	122	-	-	-	-	-	1	-	-	1	-	1	18	-
55	Clark	134	-	-	-	-	-	3	-	-	2	-	-	18	-
56	Clay	393	-	-	-	2	-	22	-	-	4	-	-	58	-
57	Clinton	149	-	-	-	-	-	2	-	-	-	-	-	23	1
58	Cole	300	-	-	-	-	-	10	-	-	2	-	-	27	-
59	Jefferson City	211	-	-	-	-	-	7	-	-	2	-	-	17	-
60	Balance of county	89	-	-	-	-	-	3	-	-	-	-	-	10	-
61	Cooper	190	-	-	-	-	-	6	-	-	4	-	-	18	-
62	Crawford	100	-	-	-	1	-	2	-	-	-	-	-	13	-
63	Dade	130	-	-	-	-	-	5	-	-	1	-	-	25	1
64	Dallas	97	-	-	-	-	-	9	-	-	-	-	-	13	-
65	Daviess	132	-	-	-	-	-	3	-	-	1	-	-	18	-
66	De Kalb	115	1	1	-	-	-	-	-	-	-	-	-	20	-
67	Dent	109	1	-	-	-	-	3	-	-	-	-	-	13	-
68	Douglas	88	-	-	-	-	1	4	-	-	1	-	-	11	-
69	Dunklin	328	2	1	-	-	1	12	1	-	3	-	1	35	-
70	Franklin	357	-	-	-	-	1	9	-	-	-	-	-	43	-
71	Gasconade	116	-	-	-	-	-	2	-	-	-	-	-	19	-
72	Gentry	145	-	-	-	-	-	3	-	-	-	-	-	29	-
73	Greene	992	2	1	-	-	6	28	-	1	6	-	-	116	1
74	Springfield	723	2	1	-	-	5	19	-	-	4	-	-	84	1
75	Balance of county	269	-	-	-	-	1	9	-	1	2	-	-	32	-
76	Grundy	197	-	-	-	-	-	8	-	-	-	1	-	27	-
77	Harrison	170	-	-	-	-	-	2	-	-	1	-	-	17	-
78	Henry	248	-	-	-	-	-	1	-	-	1	-	-	27	-
79	Hickory	46	-	-	-	-	-	-	-	-	1	-	-	4	-
80	Holt	113	-	-	-	-	-	-	-	-	1	-	-	10	-
81	Howard	142	-	-	-	-	-	6	-	-	-	-	1	24	-
82	Howell	223	-	-	-	-	-	11	2	-	7	-	-	23	-
83	Iron	96	-	-	-	-	-	5	-	2	-	-	-	8	-
84	Jackson	6,039	1	7	1	1	6	196	2	-	78	1	1	745	8
85	Independence	236	-	-	-	-	-	5	-	-	5	-	1	21	-
86	Kansas City	5,228	1	7	1	1	6	183	2	-	70	1	-	651	8
87	Balance of county	575	-	-	-	-	-	8	-	-	3	-	-	73	-
88	Jasper	1,047	-	1	-	2	3	62	-	-	11	-	-	123	2
89	Carthage	152	-	-	-	-	-	3	-	-	-	-	-	25	1
90	Joplin (part)	555	-	1	-	1	3	26	-	-	7	-	-	69	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 182, 199,200	All other causes	
1	-	6	9	3	-	2	-	2	-	-	1	2	8	3	1
8	1	31	79	24	7	52	7	24	2	7	7	21	84	54	2
4	-	15	41	13	-	27	1	11	-	1	8	15	55	24	3
2	1	15	36	5	5	18	1	10	-	3	4	9	16	16	4
1	1	16	31	6	2	4	-	6	1	1	2	9	14	6	5
-	-	15	26	7	-	12	-	8	-	-	1	6	11	9	6
2	-	20	36	16	2	22	2	5	-	8	2	10	58	19	7
2	-	15	21	9	2	22	1	4	-	-	3	5	11	24	8
4	1	22	38	3	7	11	1	14	1	3	4	8	9	11	9
4	-	57	66	23	-	42	7	17	-	6	10	17	66	57	10
2	-	47	52	16	-	26	4	15	-	4	8	12	30	50	11
2	-	10	14	7	-	14	3	2	-	2	2	5	36	7	12
3	4	66	97	46	6	48	4	21	-	9	10	32	223	76	13
2	1	40	47	26	3	19	3	11	-	-	6	9	54	48	14
1	3	26	50	20	3	29	1	10	-	9	4	23	169	28	15
2	-	10	17	7	2	11	1	8	-	-	1	4	21	13	16
3	-	10	18	10	1	9	2	4	1	-	1	2	8	13	17
4	-	5	37	7	-	12	6	12	-	-	3	5	35	6	18
-	-	15	45	19	2	20	2	13	-	5	8	10	12	13	19
5	1	8	32	8	-	18	1	4	-	3	3	4	17	16	20
5	3	34	60	22	3	50	6	11	3	8	6	12	71	33	21
910	10	4,133	12,871	2,585	342	3,311	150	1,539	459	210	702	2,105	432	5,173	22
6	-	17	49	11	2	21	2	6	5	-	-	8	2	32	23
3	-	12	29	7	1	15	1	5	2	-	-	7	2	22	24
3	-	5	20	4	1	6	1	1	3	-	-	1	-	10	25
2	-	31	40	9	-	4	-	7	3	-	1	7	1	17	26
4	-	15	35	6	-	7	-	3	2	-	1	5	1	17	27
8	-	18	75	16	3	14	2	9	1	-	6	13	5	19	28
1	-	20	53	12	2	16	-	3	2	-	8	9	1	25	29
5	-	21	40	10	-	10	-	4	-	-	5	6	6	16	30
7	-	20	79	9	1	33	-	5	3	-	2	10	1	18	31
3	-	14	20	5	-	5	1	2	1	-	4	3	1	4	32
-	-	9	25	10	3	2	-	1	-	-	1	2	3	6	33
9	-	49	114	34	1	33	-	8	5	-	7	16	6	39	34
6	-	35	69	15	1	18	-	4	3	-	7	10	3	27	35
3	-	14	45	19	-	15	-	4	2	-	-	6	3	12	36
30	-	144	400	109	11	77	4	43	15	6	22	61	4	148	37
26	-	135	349	99	10	67	3	37	11	6	17	53	4	126	38
4	-	9	51	10	1	10	1	6	4	-	5	8	-	22	39
3	1	33	62	25	9	31	2	25	3	1	8	8	3	31	40
3	1	20	23	7	3	22	1	12	3	1	5	3	2	15	41
-	-	13	39	18	6	9	1	13	-	-	3	5	1	16	42
1	-	15	35	7	1	9	1	3	1	-	2	5	7	21	43
7	-	44	164	50	4	35	1	7	3	1	2	17	-	45	44
-	-	7	21	9	-	9	2	1	2	-	2	2	1	6	45
3	-	40	113	16	4	30	1	30	5	2	4	15	3	55	46
1	-	20	67	10	2	16	1	21	4	2	3	14	3	26	47
2	-	20	46	6	2	14	-	9	1	-	1	1	-	29	48
4	-	34	62	7	1	11	1	8	4	1	5	13	3	28	49
-	-	3	6	2	1	9	-	2	-	-	1	1	3	5	50
7	-	39	63	9	-	25	-	5	2	-	11	11	-	19	51
3	-	22	57	4	-	12	-	1	2	-	1	4	3	13	52
6	-	31	62	6	1	18	-	3	3	-	-	10	1	19	53
3	-	19	35	5	-	12	2	5	1	-	-	5	-	14	54
2	-	26	37	5	-	6	-	3	1	-	-	11	5	15	55
7	-	41	106	12	-	21	-	17	6	-	4	25	3	65	56
3	-	19	53	2	1	10	1	8	1	-	2	7	1	20	57
6	-	25	91	23	3	20	1	8	8	4	11	12	4	45	58
4	-	18	69	16	1	10	1	5	6	4	6	11	4	30	59
2	-	7	22	7	2	10	-	3	2	-	5	1	-	15	60
5	-	31	48	12	1	16	1	5	2	-	2	16	-	23	61
-	-	6	33	8	-	8	1	2	-	-	-	7	3	16	62
3	-	14	30	10	-	4	1	4	3	2	1	5	4	17	63
-	-	13	22	6	1	5	2	4	1	-	3	3	3	12	64
2	-	17	43	3	1	17	-	1	1	-	-	6	2	17	65
2	-	18	39	3	-	11	-	-	6	-	-	4	2	8	66
2	-	9	25	5	2	13	2	6	-	1	2	9	2	14	67
1	-	8	29	8	-	3	-	5	2	-	2	2	2	9	68
7	-	30	72	26	12	32	1	22	1	-	7	19	6	37	69
10	-	34	111	19	2	17	1	18	3	1	6	24	2	56	70
2	-	15	42	5	-	13	1	2	3	-	-	4	1	7	71
6	-	22	46	8	1	6	-	-	1	-	3	7	-	13	72
16	-	110	301	55	3	93	1	40	15	2	17	43	12	123	73
12	-	77	230	39	3	67	1	27	6	1	9	35	7	93	74
4	-	33	71	16	-	26	-	13	9	1	8	8	5	30	75
5	-	24	54	8	-	19	2	5	2	1	2	4	-	35	76
3	-	29	48	12	-	19	1	7	1	-	1	6	-	23	77
4	-	31	76	22	-	23	-	5	2	-	2	14	13	27	78
-	-	9	10	3	-	8	-	-	2	1	1	1	2	4	79
3	-	23	35	7	2	8	1	2	1	1	1	3	1	14	80
3	-	17	40	3	-	20	-	2	3	-	2	9	-	12	81
4	-	26	61	10	4	12	1	10	-	1	6	10	5	30	82
5	-	6	24	20	1	2	-	3	2	-	8	4	-	6	83
128	-	514	1,988	441	21	380	19	241	71	49	83	319	49	689	84
3	-	18	77	18	-	18	-	17	3	3	5	13	2	27	85
112	-	445	1,695	389	20	330	17	202	57	43	68	278	29	612	86
13	-	51	216	34	1	32	2	22	11	3	10	28	18	50	87
24	1	86	272	70	12	76	6	63	12	5	27	64	8	117	88
6	-	15	42	8	-	8	1	7	2	-	2	12	2	18	89
13	1	46	130	48	8	40	3	29	5	3	18	40	4	60	90

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	MISSOURI—Continued														
	Jasper—Continued														
1	Joplin (total)	563	-	1	-	1	3	28	-	-	7	-	-	69	-
2	Balance of county	340	-	-	-	1	-	33	-	-	4	-	-	29	1
3	Jefferson	309	-	-	-	2	-	7	1	-	3	-	-	40	2
4	Johnson	266	-	-	-	-	-	3	1	-	-	-	-	35	-
5	Knox	75	-	-	-	-	1	-	-	-	1	-	-	9	-
6	Laclede	186	1	-	-	1	2	9	1	-	-	-	-	26	-
7	Lafayette	295	1	-	2	-	-	3	-	-	1	-	-	43	-
8	Lawrence	320	-	1	-	-	-	43	-	-	1	-	-	34	-
9	Lewis	131	-	-	-	-	-	2	-	-	-	-	-	18	-
10	Lincoln	147	-	1	-	-	-	3	-	-	-	-	-	22	-
11	Linn	251	-	-	-	-	-	3	-	-	2	1	-	28	-
12	Livingston	213	-	-	-	-	-	4	-	-	-	-	-	28	-
13	McDonald	151	1	-	-	-	-	9	-	-	1	-	-	21	-
14	Macon	246	-	-	-	-	-	5	-	-	1	-	-	28	-
15	Madison	106	-	-	-	1	-	4	-	-	-	-	-	12	-
16	Maries	60	-	-	-	-	-	-	-	-	-	-	-	12	-
17	Marion	365	-	-	3	-	-	7	-	-	2	-	-	39	-
18	Hannibal	256	-	-	2	-	-	6	-	-	1	-	-	28	-
19	Balance of county	109	-	-	1	-	-	1	-	-	1	-	-	11	-
20	Mercer	97	-	-	-	-	-	3	-	-	-	-	-	14	-
21	Miller	118	-	-	-	-	-	4	-	-	-	-	-	16	-
22	Mississippi	221	-	-	-	1	1	5	-	-	3	-	3	21	2
23	Moniteau	133	-	1	-		-	2	-	-	1	-	-	20	-
24	Monroe	153	1	-	-	-	-	2	-	-	-	-	-	17	-
25	Montgomery	155	-	-	-	-	-	1	-	-	-	-	-	18	-
26	Morgan	98	-	-	-	-	-	5	-	-	-	-	-	11	-
27	New Madrid	284	-	3	-	2	-	12	-	2	1	-	-	26	-
28	Newton	298	2	2	-	-	-	10	-	-	1	-	-	35	-
29	Joplin (part)	8	-	-	-	-	-	2	-	-	-	-	-	-	-
30	Balance of county	290	2	2	-	-	-	8	-	-	1	-	-	35	-
31	Nodaway	253	-	1	-	-	-	3	-	-	3	-	-	39	-
32	Oregon	106	1	-	-	1	-	4	1	-	-	-	-	14	-
33	Osage	108	-	-	-	-	1	3	-	-	-	-	-	12	-
34	Ozark	55	-	-	-	1	1	5	-	-	-	-	-	7	-
35	Pemiscot	340	-	-	-	-	4	20	1	2	6	-	2	35	-
36	Perry	114	-	-	-	-	-	3	1	-	1	-	-	13	-
37	Pettis	374	1	-	-	-	-	7	-	-	3	-	-	43	-
38	Sedalia	270	1	-	-	-	-	2	-	-	2	-	-	35	-
39	Balance of county	104	-	-	-	-	-	5	-	-	1	-	-	8	-
40	Phelps	205	-	-	1	-	1	4	-	1	1	-	-	18	-
41	Pike	238	-	-	-	-	-	2	-	-	1	-	1	30	1
42	Platte	156	-	-	-	-	-	1	1	-	-	-	-	19	-
43	Polk	188	-	-	-	-	1	2	-	-	1	-	-	33	-
44	Pulaski	135	-	1	-	-	-	4	1	-	1	-	-	14	-
45	Putnam	115	-	-	-	-	-	2	-	-	-	-	-	18	-
46	Ralls	92	-	-	-	-	-	1	-	-	-	-	-	11	-
47	Randolph	296	-	-	-	1	-	8	-	-	1	-	-	36	1
48	Moberly	181	-	-	-	1	-	3	-	-	1	-	-	23	-
49	Balance of county	115	-	-	-	-	-	5	-	-	-	-	-	13	1
50	Ray	204	-	-	-	-	3	3	-	-	1	-	-	22	-
51	Reynolds	49	-	-	-	-	-	4	-	-	-	-	-	5	-
52	Ripley	100	-	-	-	-	-	6	-	-	-	-	-	14	-
53	St. Charles	271	-	1	-	-	-	3	-	-	-	-	-	32	-
54	St. Charles	139	-	1	-	-	-	1	-	-	-	-	-	16	-
55	Balance of county	132	-	-	-	-	-	2	-	-	-	-	-	16	-
56	St. Clair	111	-	-	-	-	-	3	-	-	-	-	-	16	-
57	St. Francois	415	-	-	-	1	-	11	-	-	7	-	-	48	-
58	St. Louis	2,862	-	4	-	-	2	139	3	-	27	-	6	450	2
59	Clayton	295	-	-	-	-	-	-	-	-	6	-	-	56	-
60	Kirkwood	125	-	-	-	-	1	4	-	-	-	-	-	20	-
61	Maplewood	125	-	-	-	-	-	-	-	-	3	-	-	18	-
62	Richmond Heights	140	-	1	-	-	-	3	-	-	1	-	-	20	-
63	University City	251	-	1	-	-	-	1	-	-	3	-	-	56	-
64	Webster Groves	168	-	-	-	-	-	1	-	-	-	-	-	40	-
65	Balance of county	1,758	-	2	-	-	1	130	3	-	14	-	6	240	2
66	St. Louis (city)	10,675	1	14	2	6	1	376	5	1	177	1	9	1,551	6
67	Ste. Genevieve	83	-	-	-	-	-	6	-	-	1	-	-	7	-
68	Saline	353	-	-	-	-	-	18	-	-	3	-	-	42	1
69	Schuyler	89	-	-	-	-	-	3	-	-	2	-	-	11	-
70	Scotland	95	-	-	-	-	-	4	-	-	-	-	1	10	-
71	Scott	276	-	-	-	1	-	10	-	-	1	-	-	23	1
72	Shannon	63	1	-	-	-	-	1	1	-	1	-	-	12	-
73	Shelby	130	-	-	-	-	-	4	-	-	-	-	-	21	-
74	Stoddard	248	-	-	-	-	-	13	-	1	2	-	2	27	-
75	Stone	82	1	-	-	-	1	2	-	-	-	-	-	7	-
76	Sullivan	135	-	-	-	-	-	4	-	-	-	-	-	18	-
77	Taney	74	-	-	-	-	-	3	-	-	-	-	-	6	-
78	Texas	175	-	-	-	-	-	7	-	-	-	-	-	14	-
79	Vernon	453	-	-	-	-	-	21	-	-	17	1	-	36	-
80	Warren	88	-	-	-	-	-	-	-	-	-	-	-	12	-
81	Washington	127	-	-	-	-	-	5	-	-	-	-	-	15	-
82	Wayne	85	-	-	-	1	-	5	-	-	-	-	-	7	-
83	Webster	158	-	-	-	-	-	4	-	1	-	-	-	17	-
84	Worth	54	-	-	-	-	-	2	-	-	-	-	-	6	1
85	Wright	149	-	-	-	1	2	1	2	-	1	-	-	10	-
86	MONTANA	5,414	2	3	1	2	4	171	2	-	54	1	10	658	6
87	Beaverhead	78	-	-	-	-	-	-	-	-	-	-	-	13	-
88	Big Horn	91	-	-	-	-	-	8	-	-	2	-	-	6	-
89	Blaine	64	-	-	-	-	-	3	-	-	-	-	-	2	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
13	1	47	132	48	8	40	3	30	5	3	18	40	4	62	1
5	-	25	100	14	4	28	2	27	5	2	7	12	2	39	2
5	-	25	124	13	1	11	4	10	4	-	5	15	3	34	3
8	-	15	107	3	2	14	1	11	2	2	2	28	-	32	4
-	-	12	25	5	-	5	-	1	-	-	1	1	2	12	5
4	-	14	47	16	-	15	2	6	3	-	6	9	2	22	6
8	-	23	99	14	1	30	-	5	4	1	2	15	3	40	7
2	-	36	82	13	1	23	3	10	2	-	6	15	6	42	8
2	-	17	40	6	1	13	1	4	1	-	2	4	2	18	9
5	-	20	46	10	1	7	-	3	-	-	1	8	2	18	10
8	-	30	68	8	1	47	1	11	2	-	4	13	2	22	11
2	-	34	76	11	2	19	-	7	1	-	1	5	2	21	12
1	-	21	32	11	3	12	-	5	1	2	4	10	2	15	13
3	1	38	76	10	-	24	1	3	6	2	3	11	9	25	14
-	-	8	20	12	2	20	-	3	-	-	3	3	3	15	15
-	-	7	17	4	1	8	-	2	-	1	-	1	1	6	16
6	-	44	123	17	2	43	-	13	2	1	4	14	4	41	17
5	-	28	90	8	2	31	-	9	1	-	4	10	3	28	18
1	-	16	33	9	-	12	-	4	1	1	-	4	1	13	19
2	-	8	27	9	-	14	-	3	-	1	1	6	1	8	20
1	-	12	21	1	1	27	2	6	3	-	1	3	4	16	21
2	-	22	51	23	3	13	1	12	-	1	6	22	2	27	22
6	-	20	38	11	-	8	-	2	1	-	2	5	1	15	23
2	-	25	37	7	1	14	1	5	3	-	2	8	3	25	24
3	1	13	40	5	-	29	-	5	2	2	6	15	1	14	25
3	-	4	32	4	1	9	-	2	2	2	4	6	-	13	26
1	-	25	56	29	10	17	2	23	-	5	7	32	2	29	27
3	-	28	68	16	6	24	-	18	5	1	26	17	4	32	28
-	-	1	2	-	-	-	-	1	-	-	-	-	-	2	29
3	-	27	66	16	6	24	-	17	5	1	26	17	4	30	30
5	-	28	78	12	1	12	1	5	4	-	4	18	7	32	31
3	-	4	25	12	1	4	1	4	2	-	2	5	1	21	32
-	-	10	32	3	-	16	1	3	3	-	2	8	-	14	33
4	-	4	14	4	-	4	-	1	-	1	-	-	1	8	34
-	-	31	47	29	8	20	3	27	4	11	11	29	15	35	35
5	-	7	27	7	3	12	1	8	1	-	5	4	2	14	36
4	-	36	118	21	1	49	4	10	-	-	6	23	5	43	37
3	-	26	80	17	-	37	4	7	-	-	5	17	1	33	38
1	-	10	38	4	1	12	-	3	-	-	1	6	4	10	39
6	-	22	54	12	1	17	2	14	1	2	6	14	2	26	40
7	-	37	56	10	1	23	-	9	4	5	4	6	5	36	41
2	-	22	41	10	-	9	1	5	-	-	4	14	8	19	42
5	-	21	48	4	1	18	-	4	1	-	2	9	5	33	43
3	-	11	31	7	2	8	-	4	3	3	10	18	-	14	44
1	-	11	23	9	-	20	1	3	3	-	2	5	-	17	45
2	-	11	22	6	-	14	-	8	2	-	-	2	1	12	46
7	-	42	93	17	3	18	3	3	-	2	6	9	12	34	47
5	-	23	55	12	3	9	3	2	-	1	3	6	10	21	48
2	-	19	38	5	-	9	-	1	-	1	3	3	2	13	49
1	-	23	74	12	1	22	-	2	5	-	4	9	-	22	50
-	-	9	15	7	-	1	1	2	-	-	-	2	2	1	51
2	-	8	21	19	1	6	-	2	1	-	3	9	-	8	52
11	-	22	89	20	3	17	-	12	-	-	3	14	2	42	53
5	-	9	46	11	2	6	-	10	-	-	2	7	-	23	54
6	-	13	43	9	1	11	-	2	-	-	1	7	2	19	55
2	-	9	33	12	-	16	-	2	-	-	1	6	1	10	56
11	1	49	96	29	2	28	1	11	5	1	12	16	4	82	57
69	-	204	939	106	15	201	5	95	39	7	49	137	26	337	58
11	-	25	85	18	1	8	-	4	4	3	8	24	4	38	59
4	-	15	38	7	-	6	-	5	1	-	1	8	-	15	60
8	-	10	50	1	-	14	-	6	2	-	2	2	-	9	61
4	-	13	46	6	-	11	-	7	5	-	1	2	2	18	62
3	-	19	98	5	3	15	2	6	1	-	3	8	-	27	63
2	-	15	49	3	-	15	1	4	1	-	2	14	3	18	64
37	-	107	573	66	11	132	2	63	25	4	32	79	17	212	65
269	2	869	3,398	540	120	816	33	361	100	74	142	458	29	1,314	66
1	-	7	26	1	-	8	-	5	1	-	3	6	-	11	67
14	-	45	80	26	2	29	2	12	7	-	4	14	7	47	68
-	-	12	16	7	-	3	-	5	2	-	3	6	4	15	69
-	-	6	37	4	-	8	-	2	2	-	-	6	2	13	70
10	-	19	87	25	10	14	-	19	2	-	3	20	3	28	71
-	-	10	7	10	-	5	-	-	1	-	1	-	2	11	72
2	-	14	40	4	1	18	-	5	-	-	1	6	-	14	73
2	-	19	64	22	3	23	2	14	-	-	2	17	5	30	74
3	1	3	13	10	1	5	1	9	-	-	3	7	3	12	75
4	-	15	31	8	1	12	1	3	2	-	-	9	3	24	76
1	-	8	25	6	3	4	-	2	1	-	1	5	1	8	77
-	-	21	43	10	-	23	1	3	2	2	4	8	7	30	78
3	-	37	160	25	-	25	1	5	1	-	4	24	11	82	79
-	-	5	30	6	-	18	-	3	-	-	1	6	-	7	80
1	1	15	37	19	1	5	1	10	-	1	2	2	-	12	81
1	-	8	20	7	1	7	1	2	1	-	3	6	-	15	82
4	1	17	33	29	1	7	-	7	2	1	2	7	4	21	83
2	-	9	17	4	-	3	-	1	-	-	-	1	1	7	84
1	-	24	33	19	3	12	1	8	-	-	2	5	5	19	85
129	-	489	1,603	243	20	279	17	268	79	19	118	380	164	692	86
-	-	12	24	-	-	6	-	1	3	-	-	8	2	9	87
2	-	3	16	7	-	3	-	4	1	1	3	13	12	10	88
1	-	8	18	2	-	7	1	3	1	-	-	9	1	8	89

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	56
	MONTANA—Continued														
1	Broadwater	21	-	-	-	-	-	-	-	-	1	-	-	1	-
2	Carbon	97	-	-	-	-	-	-	-	-	-	-	2	13	-
3	Carter	11	-	-	-	-	-	-	-	-	-	-	-	1	-
4	Cascade	449	-	1	-	-	-	6	-	-	3	-	-	54	-
5	Great Falls	378	-	1	-	-	-	5	-	-	3	-	-	44	-
6	Balance of county	71	-	-	-	-	-	1	-	-	-	-	-	10	-
7	Chouteau	60	-	-	-	-	-	1	-	-	-	-	-	6	-
8	Custer	113	-	-	-	-	-	3	-	-	-	-	-	17	-
9	Daniels	27	-	-	-	-	-	2	-	-	1	-	-	4	-
10	Dawson	75	1	-	1	-	-	-	-	-	-	1	-	10	-
11	Deer Lodge	284	-	1	-	-	-	21	-	-	11	-	-	19	-
12	Anaconda	123	-	1	-	-	-	6	-	-	-	-	-	15	-
13	Balance of county	161	-	-	-	-	-	15	-	-	11	-	-	4	-
14	Fallon	30	-	-	-	-	-	-	-	-	-	-	-	6	-
15	Fergus	132	-	1	-	-	-	-	-	-	1	-	-	16	-
16	Flathead	239	-	-	-	-	-	2	-	-	-	-	-	37	-
17	Gallatin	179	-	-	-	-	-	5	-	-	-	-	-	18	-
18	Garfield	24	-	-	-	-	-	-	-	-	-	-	-	2	-
19	Glacier	92	-	-	-	-	2	13	1	-	2	-	-	9	-
20	Golden Valley	11	-	-	-	-	-	-	-	-	-	-	-	-	-
21	Granite	45	-	-	-	-	-	1	-	-	-	-	-	1	-
22	Hill	112	-	-	-	-	-	7	-	-	-	-	-	17	-
23	Jefferson	49	-	-	-	-	-	2	-	-	-	-	-	4	-
24	Judith Basin	33	-	-	-	-	-	-	-	-	-	-	-	4	-
25	Lake	114	-	-	-	-	-	4	-	-	2	-	-	10	-
26	Lewis and Clark	268	-	-	-	-	-	4	-	-	5	-	-	32	1
27	Helena	194	-	-	-	-	-	2	-	-	4	-	-	19	1
28	Balance of county	74	-	-	-	-	-	2	-	-	1	-	-	13	-
29	Liberty	12	-	-	-	-	-	-	-	-	-	-	-	3	1
30	Lincoln	71	-	-	-	1	-	2	-	-	1	-	-	7	-
31	McCone	21	-	-	-	-	1	-	-	-	1	-	-	1	-
32	Madison	55	-	-	-	-	-	-	-	-	-	-	-	3	-
33	Meagher	21	-	-	-	-	-	-	-	-	-	-	-	1	-
34	Mineral	15	-	-	-	-	-	-	-	-	-	-	-	2	-
35	Missoula	283	-	-	-	-	1	3	-	-	4	-	-	31	-
36	Missoula	247	-	-	-	-	1	3	-	-	3	-	-	28	-
37	Balance of county	36	-	-	-	-	-	-	-	-	1	-	-	3	-
38	Musselshell	41	-	-	-	-	-	-	-	-	-	-	-	2	-
39	Park	114	-	-	-	-	-	-	-	-	1	-	-	13	1
40	Petroleum	4	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Phillips	60	-	-	-	-	-	2	-	-	-	-	-	10	-
42	Pondera	60	-	-	-	-	-	1	-	-	-	-	-	9	-
43	Powder River	26	-	-	-	-	-	-	-	-	-	-	-	4	-
44	Powell	62	-	-	-	-	-	1	-	-	1	-	-	5	-
45	Prairie	16	-	-	-	-	-	2	-	-	-	-	-	1	-
46	Ravalli	124	1	-	-	-	-	2	-	-	1	-	-	15	-
47	Richland	84	-	-	-	-	-	2	-	-	1	-	-	9	-
48	Roosevelt	84	-	-	-	-	-	3	-	-	2	-	1	10	-
49	Rosebud	68	-	-	-	-	-	5	-	-	2	-	-	8	-
50	Sanders	55	-	-	-	-	-	2	-	-	-	-	-	8	-
51	Sheridan	60	-	-	-	-	-	-	-	-	-	-	-	11	-
52	Silver Bow	643	-	-	-	1	-	54	-	-	6	-	-	101	1
53	Butte	557	-	-	-	1	-	49	-	-	5	-	-	81	1
54	Balance of county	86	-	-	-	-	-	5	-	-	1	-	-	20	-
55	Stillwater	28	-	-	-	-	-	-	-	-	-	-	-	3	-
56	Sweetgrass	41	-	-	-	-	-	1	-	-	-	-	-	4	-
57	Teton	51	-	-	-	-	-	-	-	-	-	-	-	6	-
58	Toole	52	-	-	-	-	-	1	-	-	1	-	-	3	1
59	Treasure	7	-	-	-	-	-	-	-	-	-	-	-	-	-
60	Valley	84	-	-	-	-	-	1	-	-	1	-	-	15	-
61	Wheatland	26	-	-	-	-	-	-	-	-	2	-	-	3	-
62	Wibaux	14	-	-	-	-	-	-	-	-	-	-	-	1	-
63	Yellowstone	433	-	-	-	-	-	7	1	-	2	-	7	67	1
64	Billings	322	-	-	-	-	-	6	1	-	2	-	5	48	1
65	Balance of county	111	-	-	-	-	-	1	-	-	-	-	2	19	-
66	Yellowstone National Park (part)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
67	NEBRASKA	12,500	1	15	6	4	13	185	1	1	68	4	12	1,746	10
68	Adams	365	-	1	-	-	-	5	-	-	6	-	-	38	1
69	Hastings	208	-	-	-	-	-	-	-	-	2	-	-	23	1
70	Balance of county	157	-	1	-	-	-	5	-	-	4	-	-	15	-
71	Antelope	104	-	-	-	-	-	-	-	-	-	-	-	21	-
72	Arthur	6	-	-	-	-	-	-	-	-	-	-	-	2	-
73	Barner	7	-	-	-	-	-	-	-	-	-	-	-	1	-
74	Blaine	7	-	-	-	-	-	-	-	-	-	-	-	-	-
75	Boone	118	-	-	-	-	-	1	-	-	-	-	-	24	-
76	Box Butte	117	1	-	-	-	-	2	-	-	1	-	-	13	-
77	Boyd	55	-	-	1	-	-	-	-	-	-	-	-	6	-
78	Brown	53	-	-	-	-	-	-	-	-	-	-	-	7	-
79	Buffalo	247	-	-	-	1	-	10	-	-	-	-	-	40	-
80	Burt	86	-	-	-	-	-	1	-	-	-	-	-	7	-
81	Butler	105	-	-	-	-	-	1	-	-	1	-	-	19	-
82	Cass	182	-	-	1	-	-	4	-	-	-	-	-	23	1
83	Cedar	108	-	-	-	-	-	-	-	-	1	-	-	22	-
84	Chase	46	-	-	-	-	-	-	-	-	1	-	-	7	-
85	Cherry	66	-	-	-	-	1	-	-	-	-	-	-	5	-
86	Cheyenne	93	-	-	-	-	-	-	-	-	-	1	-	10	-
87	Clay	130	-	-	-	-	-	1	-	-	-	-	-	27	-
88	Colfax	95	-	-	-	-	-	1	-	1	1	-	-	14	1
89	Cuming	111	-	-	-	-	-	-	-	-	-	-	1	25	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	-	2	11	1	-	2	-	-	1	-	-	-	1	1	1
2	-	11	27	8	-	1	-	3	-	-	3	6	3	18	2
-	-	3	2	-	-	2	-	1	-	-	-	-	1	1	3
16	-	41	128	30	1	25	4	21	8	-	16	30	5	60	4
16	-	39	104	20	1	21	4	19	6	-	14	26	3	52	5
-	-	2	24	10	-	4	-	2	2	-	2	4	2	8	6
1	-	5	17	5	-	11	-	2	1	-	1	5	-	5	7
4	-	8	30	5	-	3	-	7	3	-	2	10	3	18	8
1	-	1	2	1	-	2	-	1	-	-	1	4	1	6	9
2	-	6	24	3	-	3	-	4	1	-	1	7	2	9	10
6	-	27	86	20	-	5	-	5	3	-	3	15	9	53	11
4	-	17	47	4	-	4	-	3	1	-	2	6	4	9	12
2	-	10	39	16	-	1	-	2	2	-	1	9	5	44	13
-	-	4	4	2	-	1	-	5	-	1	1	-	2	4	14
6	-	8	47	4	-	5	2	8	2	-	1	10	2	19	15
9	-	22	84	11	-	16	-	11	3	1	5	10	4	24	16
3	-	13	58	4	2	19	1	7	-	-	3	12	10	24	17
-	-	4	5	2	-	3	-	3	-	-	-	3	-	2	18
3	-	3	13	11	4	1	-	12	2	-	-	4	1	11	19
-	-	-	8	1	-	-	-	-	-	-	-	-	-	2	20
-	-	4	10	3	1	1	-	1	1	-	2	4	7	9	21
-	-	8	30	6	-	4	-	6	1	2	3	11	6	11	22
1	-	1	22	1	-	2	-	2	-	-	-	3	-	11	23
-	-	2	11	2	-	-	1	2	1	1	-	2	1	6	24
1	-	14	29	11	1	7	1	3	3	-	1	8	4	15	25
7	-	19	114	7	5	30	-	2	2	-	2	18	2	18	26
7	-	14	82	7	5	24	-	-	1	-	2	13	2	11	27
-	-	5	32	-	-	6	-	2	1	-	-	5	-	7	28
-	-	2	4	-	-	-	-	-	-	-	-	1	1	-	29
2	-	14	12	2	-	12	1	1	-	-	-	4	1	11	30
-	-	3	9	-	-	-	-	-	-	-	-	1	1	4	31
1	-	9	15	3	-	4	-	-	-	-	1	7	8	4	32
1	-	2	5	3	-	-	-	-	-	1	1	2	1	4	33
1	-	3	6	-	-	-	-	-	-	-	-	2	-	1	34
9	-	32	80	9	-	9	-	23	3	-	5	20	16	38	35
8	-	28	69	9	-	7	-	22	2	-	2	19	13	33	36
1	-	4	11	-	-	2	-	1	1	-	3	1	3	5	37
1	-	4	24	1	-	-	-	2	-	-	1	2	-	4	38
3	-	11	46	1	-	4	-	2	5	2	4	11	-	10	39
-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	40
2	-	5	13	2	-	2	-	-	-	-	4	9	1	10	41
1	-	5	17	5	1	-	1	5	1	-	-	2	1	11	42
-	-	1	7	1	-	-	-	-	6	1	1	1	-	4	43
1	-	5	20	2	-	2	-	4	1	-	3	4	4	9	44
1	-	1	6	1	-	1	-	1	-	-	-	1	-	1	45
7	-	5	34	-	-	6	-	15	2	-	7	9	5	15	46
3	-	12	18	7	2	2	1	8	1	1	1	3	-	13	47
1	-	6	15	5	2	5	2	4	1	-	2	7	4	14	48
-	-	5	18	3	-	3	-	4	-	-	1	8	2	9	49
3	-	9	15	1	-	1	-	1	1	-	2	5	2	5	50
-	-	8	11	2	1	6	-	-	-	-	1	4	3	13	51
12	-	44	200	17	-	31	-	36	7	3	13	36	13	68	52
12	-	38	171	15	-	24	-	33	6	2	12	34	11	62	53
-	-	6	29	2	-	7	-	3	1	1	1	2	2	6	54
1	-	2	15	1	-	-	-	-	-	-	1	-	1	4	55
1	-	3	18	2	-	2	-	1	1	-	2	2	-	4	56
1	-	6	15	2	-	3	-	2	1	-	1	4	4	6	57
1	-	2	9	5	-	3	-	6	-	-	2	8	2	8	58
-	-	1	2	-	-	1	-	-	-	-	-	-	1	2	59
1	-	8	21	4	-	2	-	5	3	4	2	5	2	10	60
-	-	1	9	3	-	1	-	-	-	-	-	1	1	5	61
-	-	1	7	-	-	-	-	1	1	1	-	1	-	1	62
10	-	49	110	14	-	19	2	33	8	-	15	28	11	49	63
8	-	37	81	9	-	13	2	29	4	-	11	18	7	40	64
2	-	12	29	5	-	6	-	4	4	-	4	10	4	9	65
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	66
346	1	1,388	3,584	597	56	851	36	528	160	14	220	690	266	1,697	67
14	-	42	107	23	1	16	1	24	1	1	1	12	8	63	68
7	-	33	50	12	1	12	1	17	1	-	-	5	6	37	69
7	-	9	57	11	-	4	-	7	-	1	1	7	2	26	70
1	-	12	31	7	-	8	-	3	-	-	-	2	3	16	71
-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	72
-	-	2	-	-	-	-	-	1	-	-	-	1	2	-	73
-	-	1	4	-	-	-	-	-	-	-	-	-	1	1	74
2	-	15	29	7	-	6	-	1	5	-	1	6	3	18	75
2	-	16	33	7	-	3	-	8	2	-	2	7	4	16	76
-	-	8	13	7	1	4	-	2	1	-	2	1	-	9	77
1	-	2	25	4	-	-	-	-	1	-	-	3	-	10	78
5	-	25	60	13	2	15	1	14	2	-	6	14	10	29	79
4	1	9	29	5	-	5	-	-	1	-	-	2	-	22	80
4	-	17	29	3	-	9	-	1	2	-	2	8	2	7	81
6	-	28	59	4	-	7	-	3	4	-	2	8	7	25	82
2	-	7	32	4	-	7	1	9	-	-	1	5	1	16	83
2	-	6	15	-	-	2	-	2	-	-	2	2	-	7	84
1	-	13	22	2	1	2	-	3	-	-	1	1	2	12	85
2	-	3	20	4	1	5	-	6	1	-	13	7	2	18	86
4	-	13	27	5	-	18	-	2	2	-	3	13	4	11	87
2	-	10	26	7	-	5	-	4	4	-	1	6	1	11	88
1	-	21	27	2	1	8	-	4	1	-	2	7	2	9	89

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	NEBRASKA—Continued														
1	Custer	178	-	-	-	-	-	2	-	-	1	-	-	20	-
2	Dakota	81	-	-	-	-	-	2	-	-	-	-	-	8	-
3	Dawes	93	-	-	-	-	1	-	-	-	-	-	-	9	-
4	Dawson	191	-	1	1	-	-	-	-	-	1	-	-	35	-
5	Deuel	18	-	-	-	-	-	-	-	-	-	-	-	2	-
6	Dixon	78	-	1	-	-	-	-	-	-	-	-	-	9	-
7	Dodge	255	-	2	-	-	1	2	-	-	5	-	1	37	-
8	Fremont	155	-	-	-	-	1	2	-	-	4	-	-	20	-
9	Balance of county	100	-	2	-	-	-	-	-	-	1	-	1	17	-
10	Douglas	2,690	-	6	1	1	1	70	-	-	19	1	1	377	2
11	Omaha	2,597	-	6	1	1	1	70	-	-	17	1	1	362	2
12	Balance of county	93	-	-	-	-	-	-	-	-	2	-	-	15	-
13	Dundy	47	-	-	-	-	-	1	-	-	-	-	-	5	-
14	Fillmore	113	-	-	-	-	-	1	-	-	-	-	-	12	-
15	Franklin	74	-	-	-	-	-	1	-	-	-	-	-	17	-
16	Frontier	51	-	-	-	-	-	-	-	-	-	-	-	10	-
17	Furnas	98	-	-	-	-	-	1	-	-	1	-	-	16	-
18	Gage	362	-	-	-	-	4	6	-	-	2	-	-	43	-
19	Beatrice	153	-	-	-	-	4	1	-	-	-	-	-	14	-
20	Balance of county	209	-	-	-	-	-	5	-	-	2	-	-	29	-
21	Garden	42	-	-	-	-	-	-	-	-	-	-	-	3	-
22	Garfield	23	-	-	-	-	-	-	-	-	-	-	-	5	-
23	Gosper	16	-	-	-	-	-	1	-	-	-	-	-	4	-
24	Grant	10	-	-	-	-	-	-	-	-	-	-	-	-	-
25	Greeley	53	-	-	-	-	-	-	-	-	-	-	-	3	-
26	Hall	289	-	-	-	-	1	2	-	-	-	-	-	47	-
27	Grand Island	223	-	-	-	-	-	2	-	-	-	-	-	35	-
28	Balance of county	66	-	-	-	-	1	-	-	-	-	-	-	12	-
29	Hamilton	85	-	-	-	-	-	2	-	-	-	-	-	11	-
30	Harlan	49	-	-	-	-	-	-	-	-	1	-	-	12	-
31	Hayes	15	-	-	-	-	-	-	-	-	-	-	-	2	-
32	Hitchcock	47	-	-	-	-	-	-	-	-	-	-	-	4	-
33	Holt	125	-	-	-	-	1	1	1	-	-	-	1	20	-
34	Hooker	13	-	-	-	-	-	-	-	-	-	-	-	2	-
35	Howard	68	-	-	-	-	-	-	-	-	-	-	-	6	-
36	Jefferson	113	-	-	-	-	-	1	-	-	-	-	1	18	-
37	Johnson	61	-	-	-	-	-	-	-	-	-	-	-	14	-
38	Kearney	69	-	-	-	-	-	2	-	-	1	-	2	13	-
39	Keith	59	-	-	-	-	-	1	-	-	1	-	-	3	-
40	Keya Paha	16	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Kimball	30	-	-	-	-	-	-	-	-	-	-	-	6	-
42	Knox	131	-	1	-	-	-	1	-	-	1	-	-	19	-
43	Lancaster	1,104	-	-	-	-	-	23	-	-	11	-	-	154	-
44	Lincoln	883	-	-	-	-	-	10	-	-	3	-	-	135	-
45	Balance of county	221	-	-	-	-	-	13	-	-	8	-	-	19	-
46	Lincoln	198	-	-	-	-	-	7	-	-	1	-	1	24	-
47	North Platte	132	-	-	-	-	-	6	-	-	-	-	-	15	-
48	Balance of county	66	-	-	-	-	-	1	-	-	1	-	1	9	-
49	Logan	11	-	-	-	-	-	-	-	-	-	-	-	1	-
50	Loup	4	-	-	-	-	-	-	-	-	1	-	-	-	-
51	McPherson	2	-	-	-	-	-	-	-	-	-	-	-	-	-
52	Madison	303	-	1	-	-	1	5	-	-	5	1	-	47	-
53	Norfolk	135	-	1	-	-	1	1	-	-	-	1	-	22	-
54	Balance of county	168	-	-	-	-	-	4	-	-	5	-	-	25	-
55	Merrick	86	-	-	-	-	-	1	-	-	-	-	-	10	1
56	Morrill	77	-	-	-	-	-	-	-	-	-	-	2	11	-
57	Nance	53	-	-	-	-	-	-	-	-	-	-	-	6	-
58	Nemaha	104	-	-	-	-	-	1	-	-	-	-	-	23	-
59	Nuckolls	91	-	-	-	-	-	1	-	-	-	-	-	16	-
60	Otoe	159	-	-	-	-	-	1	-	-	1	-	-	23	-
61	Pawnee	71	-	-	-	-	-	-	-	-	-	-	-	4	-
62	Perkins	23	-	-	-	-	-	-	-	-	-	-	-	3	-
63	Phelps	96	-	-	-	-	-	-	-	-	-	-	-	10	-
64	Pierce	68	-	-	-	-	-	1	-	-	-	-	-	12	-
65	Platte	164	-	-	-	-	-	1	-	-	1	-	1	29	1
66	Polk	71	-	-	1	-	-	-	-	-	-	-	-	12	-
67	Red Willow	122	-	-	-	-	-	-	-	-	-	-	-	20	-
68	Richardson	170	-	1	-	-	-	1	-	-	-	1	-	22	-
69	Rock	32	-	-	-	-	-	-	-	-	-	-	-	3	-
70	Saline	176	-	-	-	-	-	-	-	-	1	-	-	28	-
71	Sarpy	78	-	-	-	-	-	-	-	-	-	-	1	4	-
72	Saunders	166	-	-	1	-	-	-	-	-	-	-	-	21	-
73	Scotts Bluff	247	-	-	-	1	1	5	-	-	-	-	-	23	2
74	Scottsbluff	115	-	-	-	-	1	2	-	-	-	-	-	9	-
75	Balance of county	132	-	-	-	1	-	3	-	-	-	-	-	14	2
76	Seward	120	-	-	-	-	-	-	-	-	1	-	-	17	-
77	Sheridan	78	-	-	-	-	1	1	-	-	-	-	-	11	-
78	Sherman	61	-	-	-	-	-	1	-	-	-	-	-	11	-
79	Sioux	20	-	-	-	-	-	-	-	-	-	-	-	2	-
80	Stanton	49	-	-	-	-	-	1	-	-	-	-	-	8	-
81	Thayer	97	-	-	-	-	-	1	-	-	-	-	-	9	1
82	Thomas	10	-	-	-	-	-	-	-	-	-	-	-	3	-
83	Thurston	101	-	1	-	-	-	10	-	-	1	-	-	9	-
84	Valley	58	-	-	-	-	-	-	-	-	1	-	-	3	-
85	Washington	123	-	-	-	1	-	-	-	-	-	-	-	18	-
86	Wayne	86	-	-	-	-	-	-	-	-	-	-	-	8	-
87	Webster	79	-	-	-	-	-	-	-	-	-	-	-	13	-
88	Wheeler	14	-	-	-	-	-	-	-	-	-	-	-	-	-
89	York	164	-	-	-	-	-	1	-	-	-	-	-	25	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
3	-	22	55	4	4	7	2	10	3	-	1	15	4	25	1
2	-	5	28	7	-	5	-	3	3	-	3	2	1	12	2
3	-	5	34	1	-	9	-	5	1	-	1	10	2	12	3
4	-	14	45	4	-	19	-	17	1	-	5	15	8	21	4
-	-	2	8	1	-	2	-	-	-	-	-	2	-	1	5
2	-	5	26	2	1	1	1	1	2	-	1	8	1	17	6
16	-	23	62	8	1	29	-	9	-	-	4	10	8	37	7
9	-	13	40	6	-	16	-	6	-	-	3	5	7	23	8
7	-	10	22	2	1	13	-	3	-	-	1	5	1	14	9
63	-	305	784	143	9	165	12	118	44	7	39	131	32	359	10
62	-	295	761	133	8	158	12	114	43	7	37	130	32	343	11
1	-	10	23	10	1	7	-	4	1	-	2	1	-	16	12
1	-	4	11	3	-	5	-	4	1	1	1	3	3	4	13
5	-	15	38	4	1	4	-	6	1	-	3	4	4	15	14
3	-	6	24	4	-	3	-	1	1	-	1	5	3	5	15
1	-	7	12	2	-	2	-	2	-	-	-	8	-	7	16
3	-	12	27	7	-	6	-	2	1	-	1	9	1	11	17
12	-	45	89	23	4	27	2	11	3	-	6	21	5	59	18
4	-	27	51	4	-	11	1	5	1	-	4	8	1	17	19
8	-	18	38	19	4	16	1	6	2	-	2	13	4	42	20
1	-	5	10	2	1	6	-	3	-	-	1	2	-	8	21
-	-	1	7	1	-	1	-	1	-	-	-	1	-	6	22
-	-	4	-	1	-	2	-	1	-	-	-	-	2	1	23
1	-	-	5	-	-	-	-	-	-	-	-	1	2	1	24
1	-	3	10	1	-	7	-	5	-	-	2	7	1	13	25
7	-	30	83	22	5	14	1	19	1	-	3	13	5	36	26
7	-	18	64	19	5	12	1	18	1	-	-	6	3	32	27
-	-	12	19	3	-	2	-	1	-	-	3	7	2	4	28
4	-	8	20	4	-	15	-	2	1	-	4	6	-	8	29
2	-	4	15	5	1	1	-	1	-	-	-	1	1	5	30
1	-	3	3	2	-	-	-	1	-	-	1	1	-	1	31
2	-	5	15	2	-	4	-	1	-	-	-	1	4	9	32
2	-	15	35	7	-	8	-	4	-	-	2	9	4	15	33
1	-	-	6	1	-	1	-	2	-	-	-	-	-	-	34
2	-	11	16	4	-	3	-	3	-	-	1	5	3	14	35
3	-	20	32	5	2	14	-	1	-	-	1	4	1	10	36
1	-	13	21	6	-	2	-	3	1	-	2	6	4	8	37
1	-	10	13	3	-	9	-	2	-	-	2	2	1	8	38
1	-	7	14	3	-	7	-	3	2	-	3	8	1	5	39
-	-	4	6	1	1	-	-	1	-	-	-	1	-	2	40
1	-	2	8	1	-	1	1	2	-	-	-	1	-	7	41
5	-	16	36	6	-	10	-	4	2	-	3	8	5	14	42
25	-	121	342	54	2	74	2	36	9	1	26	58	18	148	43
21	-	93	300	31	2	65	2	33	4	-	18	43	12	111	44
4	-	28	42	23	-	9	-	3	5	1	8	15	6	37	45
5	-	19	39	14	1	16	-	19	2	-	4	12	2	32	46
4	-	13	25	7	-	13	-	16	-	-	3	10	1	19	47
1	-	6	14	7	1	3	-	3	2	-	1	2	1	13	48
1	-	-	4	-	-	-	-	1	-	-	-	1	1	2	49
-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	50
-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	51
16	-	26	90	19	1	26	-	6	4	-	-	10	7	38	52
7	-	15	48	3	1	9	-	6	2	-	-	4	1	13	53
9	-	11	42	16	-	17	-	-	2	-	-	6	6	25	54
3	-	10	27	3	1	2	-	1	2	-	1	7	2	15	55
1	-	7	25	3	-	7	1	3	-	-	1	5	-	11	56
1	-	4	16	2	1	5	-	1	1	-	1	2	1	12	57
2	-	9	32	3	-	6	-	2	-	1	4	5	1	15	58
6	-	10	29	8	-	3	1	2	-	-	3	4	1	7	59
3	-	18	52	7	1	5	-	2	2	1	2	9	7	25	60
2	-	5	34	-	-	6	-	4	3	-	-	3	1	9	61
-	-	6	6	-	-	2	-	1	-	-	-	1	-	4	62
3	-	9	32	2	-	5	1	3	3	-	1	9	4	14	63
-	-	5	18	3	1	11	-	8	-	-	1	4	-	4	64
5	-	13	44	7	1	18	-	8	2	-	5	10	-	18	65
2	-	7	28	1	-	6	-	3	1	-	1	1	1	7	66
-	-	19	24	3	-	10	1	10	1	-	5	12	2	15	67
4	-	28	51	5	1	12	-	5	1	-	4	11	3	20	68
1	-	3	17	-	-	1	-	-	-	-	1	-	-	6	69
9	-	19	44	7	1	16	-	6	6	-	1	11	8	19	70
1	-	8	34	5	-	5	-	2	2	-	1	4	1	10	71
5	-	17	36	6	2	28	-	8	1	-	6	8	1	26	72
6	-	31	66	11	2	16	2	22	4	1	-	21	2	31	73
2	-	18	38	7	1	7	2	6	1	-	-	7	2	12	74
4	-	13	28	4	1	9	-	16	3	1	-	14	-	19	75
3	-	10	33	8	1	4	2	1	2	-	4	8	3	20	76
1	-	9	18	1	-	7	-	5	3	-	-	7	1	13	77
3	-	6	15	2	-	1	-	3	1	-	1	5	5	7	78
-	-	2	7	1	-	1	-	-	1	1	1	1	1	2	79
-	-	7	12	2	-	3	-	1	3	-	2	2	1	7	80
8	-	11	27	3	-	10	1	3	1	-	3	3	4	12	81
-	-	1	3	-	-	-	-	-	-	-	-	-	-	3	82
7	-	4	21	9	1	3	1	7	1	-	4	3	5	14	83
1	-	4	24	1	-	2	-	5	1	-	1	3	4	8	84
2	-	15	30	2	1	10	1	3	6	-	-	3	7	24	85
3	-	14	24	2	1	2	-	3	-	-	1	5	9	14	86
4	-	14	21	1	-	7	-	2	-	-	-	4	2	11	87
1	-	1	7	1	-	-	-	-	-	-	-	2	1	1	88
2	-	15	62	7	-	11	1	5	2	-	5	10	2	16	89

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
1	NEVADA	1,588	1	1	-	-	-	89	-	-	18	1	2	164	1
2	Churchill	81	-	-	-	-	-	6	-	-	1	-	-	8	-
3	Clark	300	-	-	-	-	-	16	-	-	4	-	2	37	-
4	Douglas	29	-	-	-	-	-	1	-	-	1	-	-	1	-
5	Elko	122	-	-	-	-	-	4	-	-	2	-	-	13	-
6	Esmeralda	15	-	-	-	-	-	1	-	-	-	-	-	-	-
7	Eureka	18	-	-	-	-	-	-	-	-	1	-	-	1	-
8	Humboldt	57	-	-	-	-	-	6	-	-	1	-	-	7	-
9	Lander	19	-	-	-	-	-	1	-	-	-	-	-	2	-
10	Lincoln	41	-	-	-	-	-	5	-	-	-	-	-	3	-
11	Lyon	43	-	-	-	-	-	5	-	-	-	-	-	9	-
12	Mineral	64	-	1	-	-	-	4	-	-	1	-	-	6	-
13	Nye	57	-	-	-	-	-	5	-	-	-	1	-	2	-
14	Ormsby	37	-	-	-	-	-	2	-	-	-	-	-	8	-
15	Pershing	27	-	-	-	-	-	-	-	-	-	-	-	2	1
16	Storey	14	-	-	-	-	-	2	-	-	-	-	-	3	-
17	Washoe	562	1	-	-	-	-	26	-	-	6	-	-	54	-
18	Reno	274	-	-	-	-	-	10	-	-	3	-	-	29	-
19	Balance of county	288	1	-	-	-	-	16	-	-	3	-	-	25	-
20	White Pine	102	-	-	-	-	-	5	-	-	1	-	-	8	-
21	NEW HAMPSHIRE	5,816	2	6	2	2	2	99	-	-	29	-	5	854	2
22	Belknap	285	-	-	-	-	-	3	-	-	-	-	-	36	-
23	Laconia	157	-	-	-	-	-	2	-	-	-	-	-	17	-
24	Balance of county	128	-	-	-	-	-	1	-	-	-	-	-	19	-
25	Carroll	168	-	-	-	1	-	1	-	-	-	-	-	26	-
26	Cheshire	420	-	1	-	-	-	3	-	-	1	-	2	67	-
27	Keene	180	-	-	-	-	-	1	-	-	-	-	1	30	-
28	Balance of county	240	-	1	-	-	-	2	-	-	1	-	1	37	-
29	Coos	383	-	-	-	1	-	6	-	-	4	-	-	57	-
30	Berlin	151	-	-	-	-	-	1	-	-	-	-	-	30	-
31	Balance of county	232	-	-	-	1	-	5	-	-	4	-	-	27	-
32	Grafton	473	-	-	-	-	-	8	-	-	3	-	1	64	1
33	Hillsborough	1,655	-	2	1	-	-	31	-	-	7	-	1	243	-
34	Manchester	874	-	2	1	-	-	20	-	-	4	-	-	124	-
35	Nashua	338	-	-	-	-	-	8	-	-	-	-	-	55	-
36	Balance of county	443	-	-	-	-	-	3	-	-	3	-	1	64	-
37	Merrimack	912	-	1	1	-	-	30	-	-	10	-	1	114	-
38	Concord	548	-	-	1	-	-	25	-	-	9	-	1	55	-
39	Balance of county	364	-	1	-	-	-	5	-	-	1	-	-	59	-
40	Rockingham	748	-	1	-	-	-	9	-	-	3	-	-	124	-
41	Portsmouth	206	-	1	-	-	-	5	-	-	-	-	-	36	-
42	Balance of county	542	-	-	-	-	-	4	-	-	3	-	-	88	-
43	Strafford	516	1	1	-	-	1	7	-	-	1	-	-	89	-
44	Dover	206	-	-	-	-	-	2	-	-	-	-	-	35	-
45	Rochester	136	-	1	-	-	-	2	-	-	1	-	-	22	-
46	Balance of county	174	1	-	-	-	1	3	-	-	-	-	-	32	-
47	Sullivan	256	1	-	-	-	1	1	-	-	-	-	-	34	1
48	Claremont (town)	128	1	-	-	-	1	1	-	-	-	-	-	17	-
49	Balance of county	128	-	-	-	-	-	-	-	-	-	-	-	17	1
50	NEW JERSEY	47,825	12	71	6	25	6	1,737	10	4	310	4	102	7,011	48
51	Atlantic	1,736	1	1	-	-	-	51	-	-	18	3	5	206	1
52	Atlantic City	950	-	1	-	-	-	33	-	-	10	1	-	102	1
53	Pleasantville	112	-	-	-	-	-	3	-	-	-	-	1	17	-
54	Balance of county	674	1	-	-	-	-	15	-	-	8	2	4	87	-
55	Bergen	4,156	1	6	1	2	1	99	-	1	16	-	14	712	7
56	Bergenfield	89	-	-	-	-	-	3	-	-	-	-	-	16	-
57	Cliffside Park	133	-	-	-	-	-	4	-	-	-	-	-	29	-
58	Englewood	213	-	-	-	-	-	6	-	-	2	-	-	39	-
59	Garfield	192	-	-	-	1	-	11	-	-	-	-	-	32	-
60	Hackensack	359	-	-	-	1	-	6	-	-	2	-	-	56	1
61	Lodi	88	-	-	-	-	-	2	-	-	-	-	1	6	1
62	Lyndhurst (twp.)[2]	154	-	-	-	-	-	3	-	-	-	-	1	29	1
63	Ridgefield Park	125	-	-	-	-	-	2	-	-	2	-	-	27	-
64	Ridgewood	174	-	-	-	-	-	2	-	-	1	-	-	31	-
65	Rutherford	163	-	-	1	-	-	1	-	-	-	-	1	27	-
66	Teaneck (twp.)[2]	240	-	-	-	-	-	3	-	-	-	-	-	39	1
67	Balance of county	2,226	1	6	-	-	1	56	-	1	9	-	11	361	3
68	Burlington	1,189	-	5	1	2	1	30	-	-	6	-	3	187	-
69	Burlington	133	-	1	-	-	-	3	-	-	1	-	1	18	-
70	Balance of county	1,056	-	4	1	2	1	27	-	-	5	-	2	169	-
71	Camden	3,128	2	7	1	4	-	112	-	-	17	1	7	432	3
72	Camden	1,432	1	3	1	4	-	62	-	-	5	1	2	185	2
73	Collingswood	141	-	-	-	-	-	2	-	-	1	-	1	28	-
74	Gloucester City	160	1	-	-	-	-	5	-	-	-	-	-	26	1
75	Pennsauken (twp.)[2]	167	-	1	-	-	-	3	-	-	1	-	1	25	-
76	Balance of county	1,228	-	3	-	-	-	40	-	-	10	-	3	168	-
77	Cape May	514	1	-	1	1	-	10	3	-	1	-	2	70	-
78	Cumberland	1,005	-	1	-	-	-	31	-	-	3	-	3	121	-
79	Bridgeton	240	-	-	-	-	-	6	-	-	1	-	-	21	-
80	Millville	191	-	-	-	-	-	6	-	-	1	-	1	29	-
81	Balance of county	574	-	1	-	-	-	19	-	-	1	-	2	71	-
82	Essex	9,434	5	19	1	3	-	376	3	-	47	-	16	1,427	9
83	Belleville	228	-	2	-	-	-	6	-	-	2	-	4	32	-
84	Bloomfield	375	-	-	-	-	-	7	-	-	3	-	2	74	-
85	East Orange	745	-	1	-	-	-	13	1	-	1	-	-	111	1
86	Irvington	559	3	1	-	-	-	12	-	-	1	-	2	101	2
87	Maplewood (twp.)[2]	213	-	1	-	-	-	2	-	-	1	-	-	37	-

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
22	-	122	384	85	9	71	5	79	27	13	58	162	45	229	1
1	-	5	12	5	-	3	1	7	-	-	2	16	4	10	2
3	-	27	60	18	1	3	1	28	6	3	14	41	7	29	3
-	-	2	6	1	-	1	-	1	-	1	2	5	1	6	4
2	-	6	24	6	-	11	-	4	2	2	4	10	4	28	5
-	-	2	4	-	-	-	-	-	1	-	1	1	1	4	6
-	-	-	3	-	-	2	-	-	1	1	-	3	2	4	7
3	-	4	15	4	-	1	-	3	1	-	1	2	5	4	8
-	-	1	8	-	-	1	-	1	-	1	-	2	1	1	9
2	-	1	9	1	-	2	-	4	-	-	-	7	4	3	10
-	-	5	9	1	-	1	-	-	2	1	1	1	1	7	11
1	-	6	15	2	-	2	-	4	-	2	6	4	2	8	12
-	-	7	9	5	1	-	-	2	-	-	3	9	4	9	13
-	-	4	10	3	-	3	-	-	-	-	-	1	-	6	14
-	-	2	3	3	-	2	-	2	2	-	1	2	1	6	15
-	-	1	2	1	-	1	-	-	-	-	-	2	-	2	16
9	-	43	160	30	4	35	3	16	11	2	16	47	8	91	17
4	-	13	78	14	4	21	1	14	8	-	7	16	4	48	18
5	-	30	82	16	-	14	2	2	3	2	9	31	4	43	19
1	-	6	35	5	3	3	-	7	1	-	7	9	-	11	20
175	-	593	2,047	276	17	299	15	233	65	3	71	228	46	745	21
5	-	29	112	10	-	19	1	10	2	-	2	11	1	44	22
3	-	14	65	3	-	8	1	8	1	-	-	7	1	27	23
2	-	15	47	7	-	11	-	2	1	-	2	4	-	17	24
5	-	17	63	7	-	3	-	6	3	-	1	10	-	25	25
13	-	49	150	22	1	23	1	15	2	1	2	17	2	48	26
8	-	23	63	7	-	10	-	5	1	1	2	3	1	24	27
5	-	26	87	15	1	13	1	10	1	-	-	14	1	24	28
14	-	39	119	13	2	29	1	22	3	1	5	20	4	43	29
9	-	18	41	4	1	7	-	13	1	-	-	7	1	18	30
5	-	21	78	9	1	22	1	9	2	1	5	13	3	25	31
16	-	56	158	13	3	23	-	20	6	-	5	28	15	53	32
53	-	145	620	83	4	70	6	72	15	-	20	52	7	223	33
28	-	68	344	43	1	37	3	42	11	-	12	24	6	104	34
11	-	31	120	14	3	18	3	22	4	-	3	13	-	33	35
14	-	46	156	26	-	15	-	8	-	-	5	15	1	86	36
19	-	96	332	63	-	55	1	23	12	-	15	27	3	109	37
11	-	55	198	47	-	24	-	16	7	-	6	15	1	77	38
8	-	41	134	16	-	31	1	7	5	-	9	12	2	32	39
28	-	70	257	40	3	36	1	28	13	1	9	37	2	86	40
6	-	17	60	10	1	12	-	14	4	-	5	8	1	26	41
22	-	53	197	30	2	24	1	14	9	1	4	29	1	60	42
12	-	66	148	10	3	36	4	22	5	-	5	14	11	80	43
6	-	25	60	6	1	10	2	9	-	-	2	4	2	42	44
3	-	16	41	1	-	13	2	8	2	-	1	5	3	15	45
3	-	25	47	3	2	13	-	5	3	-	2	5	6	23	46
10	-	26	88	15	1	5	-	15	4	-	7	12	1	34	47
6	-	15	36	7	-	3	-	10	2	-	3	3	-	23	48
4	-	11	52	8	1	2	-	5	2	-	4	9	1	11	49
1,414	7	4,321	16,756	1,822	167	3,046	124	1,829	536	124	662	1,896	291	5,484	50
58	-	205	513	90	6	236	3	54	13	2	17	70	8	175	51
36	-	108	283	58	3	106	1	35	7	2	6	39	7	111	52
5	-	7	34	4	-	20	-	3	1	-	3	6	-	8	53
17	-	90	196	28	3	110	2	16	5	-	8	25	1	56	54
129	-	384	1,413	153	6	233	5	172	56	9	52	153	31	500	55
3	-	4	24	3	1	5	-	6	-	-	1	5	3	15	56
5	-	16	40	2	-	5	-	9	1	1	2	5	2	12	57
4	-	21	79	9	-	12	-	10	2	-	4	8	-	17	58
6	-	24	55	8	-	7	-	8	6	3	3	6	1	21	59
16	-	38	120	15	1	25	-	10	2	1	3	16	4	42	60
3	-	9	28	5	1	4	1	9	-	-	2	3	-	13	61
6	-	18	43	3	-	6	-	5	-	-	3	6	4	26	62
2	-	13	47	4	-	4	-	6	2	-	-	4	-	12	63
6	-	18	65	3	-	10	-	5	2	-	1	5	2	23	64
6	-	18	62	4	-	9	-	7	4	-	1	7	-	15	65
8	-	18	91	8	1	9	-	11	5	-	3	11	-	32	66
64	-	187	759	89	2	137	4	86	32	4	29	77	15	272	67
29	1	111	387	25	3	113	1	49	21	3	30	39	5	137	68
4	-	10	36	6	-	16	1	9	-	2	4	4	-	17	69
26	1	101	351	19	3	97	-	40	21	1	26	35	5	120	70
82	-	269	1,062	148	26	290	12	133	30	13	38	123	13	313	71
35	-	119	465	87	18	119	5	70	10	10	12	59	6	151	72
6	-	11	47	5	1	9	-	3	2	-	3	8	1	13	73
4	-	6	53	11	-	13	-	9	2	1	4	7	1	16	74
3	-	20	50	6	3	16	-	11	1	1	3	8	1	13	75
34	-	113	437	39	4	133	7	40	15	1	16	41	4	120	76
16	-	48	163	21	2	36	1	22	5	-	9	30	7	65	77
29	-	110	311	33	9	95	5	32	10	6	34	46	9	117	78
9	-	27	88	2	5	21	1	11	2	1	9	13	1	22	79
3	-	21	58	7	-	10	2	7	3	-	7	12	1	23	80
17	-	62	165	24	4	64	2	14	5	5	18	21	7	72	81
275	2	792	3,426	293	29	567	29	379	114	29	97	375	35	1,086	82
5	-	20	80	4	-	19	3	17	2	-	2	8	-	26	83
13	1	40	109	10	-	32	-	11	10	-	3	13	-	47	84
26	-	75	297	15	1	41	1	35	7	2	5	25	3	84	85
19	-	49	194	17	1	24	4	19	8	-	7	22	1	72	86
4	-	21	87	6	1	20	-	7	2	-	-	7	2	15	87

747801 O - 47 - 36

TABLE 29.-DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	NEW JERSEY—Con.														
	Essex—Continued														
1	Millburn (twp.)[2]	86	-	-	-	-	-	2	-	-	-	-	-	15	-
2	Montclair	475	-	1	-	1	-	8	-	-	1	-	-	75	-
3	Newark	4,975	2	9	1	2	-	235	1	-	18	-	8	729	6
4	Nutley	183	-	1	-	-	-	5	-	-	1	-	2	25	-
5	Orange	444	-	1	-	-	-	14	-	-	1	-	-	78	-
6	South Orange	135	-	-	-	-	-	-	-	-	1	-	-	29	-
7	West Orange	253	-	-	-	-	-	9	-	-	-	-	1	43	-
8	Balance of county	763	-	2	-	-	-	63	1	-	17	-	1	78	-
9	Gloucester	944	-	2	-	1	-	19	-	-	2	-	-	137	3
10	Hudson	7,123	1	10	-	7	2	341	1	-	41	-	3	1,114	9
11	Bayonne	715	1	1	-	1	-	27	-	-	-	-	-	118	2
12	Harrison	138	-	1	-	-	-	9	-	-	1	-	-	13	-
13	Hoboken	630	-	-	-	1	-	37	-	-	5	-	-	86	1
14	Jersey City	3,373	-	5	-	4	1	175	1	-	14	-	1	552	4
15	Kearny	349	-	2	-	1	-	5	-	-	1	-	1	52	-
16	North Bergen (twp.)[2]	361	-	-	-	-	-	8	-	-	2	-	-	62	1
17	Union City	597	-	1	-	-	-	17	-	-	4	-	1	110	-
18	Weehawken (twp.)[2]	194	-	-	-	-	-	5	-	-	1	-	-	26	1
19	West New York	316	-	-	-	-	-	15	-	-	-	-	-	48	-
20	Balance of county	450	-	-	-	-	1	43	-	-	13	-	-	47	-
21	Hunterdon	473	-	-	-	-	-	12	-	-	1	-	-	69	-
22	Mercer	2,528	-	2	1	-	-	112	-	1	26	-	17	301	2
23	Trenton	1,589	-	-	-	-	-	58	-	1	23	-	5	168	2
24	Balance of county	939	-	2	1	-	-	54	-	-	3	-	12	133	-
25	Middlesex	2,057	-	7	-	-	2	84	-	1	11	-	2	309	3
26	Carteret	99	-	-	-	-	-	2	-	-	2	-	-	21	-
27	New Brunswick	366	-	2	-	-	1	24	-	-	4	-	-	52	-
28	Perth Amboy	389	-	3	-	-	-	12	-	-	1	-	2	63	1
29	South River	88	-	-	-	-	-	9	-	-	-	-	-	17	1
30	Woodbridge (twp.)[2]	225	-	1	-	-	-	8	-	-	-	-	-	27	-
31	Balance of county	890	-	1	-	-	1	29	-	1	4	-	-	129	1
32	Monmouth	2,397	-	3	-	1	-	77	2	-	34	-	4	357	5
33	Asbury Park	216	-	-	-	-	-	10	-	-	1	-	-	18	1
34	Long Branch	214	-	-	-	-	-	5	-	-	1	-	-	46	-
35	Neptune (twp.)[2]	151	-	-	-	1	-	3	-	-	1	-	1	31	-
36	Red Bank	151	-	-	-	-	-	4	-	-	2	-	-	27	-
37	Balance of county	1,665	-	3	-	-	-	55	2	-	29	-	3	235	4
38	Morris	1,924	-	1	-	-	-	119	-	-	41	-	2	230	1
39	Dover	135	-	-	-	-	-	4	-	-	-	-	-	17	-
40	Morristown	203	-	-	-	-	-	5	-	-	2	-	-	22	1
41	Balance of county	1,586	-	1	-	-	-	110	-	-	39	-	2	191	-
42	Ocean	542	-	-	-	-	-	12	-	1	1	-	-	79	-
43	Passaic	3,250	-	2	-	2	-	86	-	-	11	-	19	513	3
44	Clifton	392	-	1	-	-	-	8	-	-	-	-	7	81	1
45	Hawthorne	112	-	-	-	-	-	3	-	-	2	-	-	19	-
46	Passaic	625	-	-	-	-	-	13	-	-	1	-	6	89	-
47	Paterson	1,529	-	1	-	1	-	40	-	-	6	-	5	224	1
48	Balance of county	592	-	-	-	1	-	22	-	-	2	-	1	100	1
49	Salem	431	-	-	-	-	-	9	-	-	10	-	-	51	-
50	Somerset	823	-	-	-	-	-	29	-	-	10	-	1	93	1
51	North Plainfield	113	-	-	-	-	-	2	-	-	-	-	-	17	-
52	Balance of county	710	-	-	-	-	-	27	-	-	10	-	1	76	1
53	Sussex	370	-	-	-	-	-	5	-	-	2	-	1	43	-
54	Union	3,185	-	3	-	1	-	113	1	-	9	-	3	496	1
55	Cranford (twp.)[2]	113	-	-	-	-	-	5	-	-	-	-	1	12	-
56	Elizabeth	1,118	-	-	-	-	-	32	-	-	5	-	1	185	1
57	Hillside (twp.)[2]	147	-	-	-	-	-	2	-	-	-	-	-	19	-
58	Linden	186	-	-	-	-	-	11	1	-	-	-	-	26	-
59	Plainfield	468	-	3	-	-	-	6	-	-	1	-	-	68	-
60	Rahway	176	-	-	-	-	-	5	-	-	-	-	1	29	-
61	Roselle	104	-	-	-	1	-	4	-	-	-	-	-	18	-
62	Summit	176	-	-	-	-	-	2	-	-	-	-	-	29	-
63	Union (twp.)[2]	202	-	-	-	-	-	7	-	-	1	-	-	34	-
64	Westfield	148	-	-	-	-	-	3	-	-	1	-	-	25	-
65	Balance of county	347	-	-	-	-	-	36	-	-	1	-	-	51	-
66	Warren	616	1	2	-	1	-	10	-	-	3	-	-	64	-
67	Phillipsburg	227	1	1	-	-	-	1	-	-	1	-	-	25	-
68	Balance of county	389	-	1	-	1	-	9	-	-	2	-	-	39	-
69	NEW MEXICO	5,520	7	3	4	22	21	386	95	1	64	4	2	358	9
70	Bernalillo	828	2	-	-	1	2	88	17	-	6	-	-	60	2
71	Albuquerque	393	1	-	-	1	-	61	5	-	1	-	-	38	-
72	Balance of county	435	1	-	-	-	2	27	12	-	5	-	-	22	2
73	Catron	23	-	-	-	1	-	-	-	-	-	-	-	3	1
74	Chaves	251	-	-	2	1	-	10	2	-	-	-	-	18	1
75	Roswell	181	-	-	2	1	-	8	2	-	-	-	-	15	-
76	Balance of county	70	-	-	-	-	-	2	-	-	-	-	-	3	1
77	Colfax	176	-	-	-	6	1	1	-	-	3	-	-	13	-
78	Curry	179	1	-	-	-	-	7	-	-	-	-	-	18	-
79	Clovis	141	1	-	-	-	-	6	-	-	-	-	-	15	-
80	Balance of county	38	-	-	-	-	-	1	-	-	-	-	-	3	-
81	De Baca	54	1	-	-	-	-	1	-	-	-	-	-	-	-
82	Dona Ana	288	-	1	-	-	1	18	4	-	1	1	-	21	-
83	Eddy	254	-	-	-	-	2	6	1	-	1	-	-	13	-
84	Grant	212	-	1	-	1	1	30	-	-	3	-	-	14	-
85	Guadalupe	75	1	-	-	1	-	-	3	-	-	-	-	4	-
86	Harding	26	-	-	-	-	-	-	-	-	1	-	-	5	-
87	Hidalgo	54	-	-	-	-	-	5	-	-	-	1	-	10	-

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	-	7	36	3	-	4	-	2	2	-	1	4	-	10	1
12	-	40	169	9	1	38	-	22	6	1	4	13	3	71	2
149	-	379	1,775	174	22	275	19	213	52	22	65	230	22	567	3
7	1	15	64	5	-	13	-	7	4	-	1	7	1	24	4
10	-	43	156	13	1	26	1	16	3	1	3	19	1	57	5
6	-	12	52	2	-	8	-	4	2	-	-	1	1	17	6
6	-	24	100	6	1	13	-	7	5	-	3	4	-	31	7
18	-	67	307	29	1	54	1	19	11	3	3	22	1	65	8
33	-	78	334	29	3	95	2	41	10	2	15	32	8	98	9
217	2	523	2,790	274	22	306	13	251	50	15	79	322	21	709	10
21	1	53	255	22	3	49	3	41	7	4	8	23	1	74	11
4	-	14	51	4	-	9	-	9	-	-	4	4	1	14	12
25	-	32	237	27	3	17	2	27	6	3	7	43	1	70	13
88	1	259	1,320	144	11	139	6	111	19	4	37	171	11	295	14
13	-	33	137	15	3	18	1	8	2	-	8	19	1	35	15
12	-	40	137	14	1	10	-	20	2	-	4	8	2	38	16
19	-	35	242	15	-	21	1	18	8	2	4	16	2	61	17
3	-	13	86	11	-	9	-	6	-	1	5	10	1	16	18
17	-	23	114	12	-	18	-	8	4	-	2	10	1	44	19
15	-	21	211	10	1	16	-	3	2	1	-	24	-	42	20
13	-	53	181	21	2	30	-	9	8	-	11	11	4	48	21
75	1	241	936	95	17	135	10	90	35	10	27	89	2	303	22
52	1	153	612	70	8	83	6	53	22	7	15	53	2	195	23
23	-	88	324	25	9	52	4	37	13	3	12	36	-	108	24
43	1	218	689	95	9	103	5	84	24	7	54	79	12	215	25
1	-	10	28	6	1	1	-	4	1	-	3	5	-	14	26
9	-	33	108	15	1	21	3	15	4	1	11	18	3	41	27
10	-	36	135	15	1	21	-	20	7	2	7	12	-	41	28
-	-	7	26	3	-	4	-	5	-	-	4	3	1	8	29
5	-	36	75	14	1	5	2	8	3	-	8	9	1	22	30
18	1	96	317	42	5	51	-	32	9	4	21	32	7	89	31
51	-	200	843	85	2	185	4	72	25	6	29	95	66	251	32
4	-	23	89	11	-	8	-	13	1	2	2	7	1	25	33
7	-	14	67	6	-	24	1	3	-	-	5	12	-	23	34
2	-	24	48	6	-	13	-	3	1	-	1	1	1	14	35
-	-	21	59	3	-	10	-	3	1	-	2	5	-	14	36
38	-	118	590	59	2	130	3	50	22	4	19	70	64	175	37
40	-	200	604	78	3	119	4	53	20	4	17	57	2	329	38
3	-	8	53	4	-	9	-	10	3	2	2	5	-	15	39
6	-	19	65	9	1	22	-	9	2	1	2	8	1	28	40
31	-	173	486	65	2	88	4	34	15	1	13	44	1	286	41
19	-	70	195	18	1	38	2	19	5	1	8	22	1	50	42
140	-	322	1,065	117	11	173	10	139	41	10	36	112	20	418	43
15	-	35	118	11	1	23	1	28	7	4	5	13	-	33	44
5	-	13	35	3	-	9	-	4	2	-	1	6	-	10	45
27	-	57	220	27	4	29	1	24	10	2	5	17	8	85	46
72	-	159	515	55	5	77	7	64	17	2	17	52	10	199	47
21	-	58	177	21	1	35	1	19	5	2	8	24	2	91	48
14	-	39	147	27	1	24	2	15	2	2	11	22	4	51	49
20	-	81	268	42	3	43	2	34	11	1	19	37	16	112	50
3	-	11	42	3	-	7	-	2	2	-	2	5	-	17	51
17	-	70	226	39	3	36	2	32	9	1	17	32	16	95	52
6	-	31	112	14	1	38	1	11	10	1	8	29	5	52	53
105	-	281	1,112	139	9	143	10	157	35	3	59	114	20	371	54
3	-	8	51	3	-	2	-	7	1	-	2	4	1	13	55
38	-	108	368	72	5	44	2	48	9	2	24	34	4	136	56
5	-	17	62	3	1	9	1	4	4	-	4	1	-	15	57
4	-	14	61	8	2	5	2	17	3	-	7	5	2	18	58
16	-	46	161	17	-	28	-	19	5	-	11	20	6	61	59
6	-	25	52	3	-	5	1	8	1	-	3	12	3	22	60
4	-	7	32	5	1	6	-	5	1	-	-	6	1	13	61
7	-	16	54	8	-	28	-	6	3	-	1	6	-	16	62
8	-	8	81	5	-	3	2	17	5	-	1	7	-	23	63
6	-	15	62	3	-	2	-	11	3	-	1	3	-	13	64
8	-	17	128	12	-	11	2	15	-	1	5	16	3	41	65
20	-	65	215	25	2	44	3	13	11	-	12	39	2	84	66
9	-	25	69	13	-	19	1	6	2	-	4	18	1	31	67
11	-	40	146	12	2	25	2	7	9	-	8	21	1	53	68
48	7	229	698	469	308	229	57	487	53	24	153	329	906	547	69
10	2	39	132	52	31	38	7	72	9	1	23	45	91	98	70
5	-	20	66	19	6	18	4	29	4	1	13	18	24	59	71
5	2	19	66	33	25	20	3	43	5	-	10	27	67	39	72
-	-	-	3	1	1	1	1	2	-	-	-	2	6	1	73
2	-	15	39	37	20	12	3	29	4	2	7	17	4	26	74
2	-	10	30	25	17	7	3	21	4	2	5	8	2	17	75
-	-	5	9	12	3	5	-	8	-	-	2	9	2	9	76
3	-	8	31	12	13	10	2	16	2	-	5	7	21	22	77
2	-	7	39	6	4	14	3	16	4	4	8	17	7	22	78
2	-	5	34	3	4	10	3	15	3	3	4	10	4	19	79
-	-	2	5	3	-	4	-	1	1	1	4	7	3	3	80
1	-	1	7	4	3	3	2	10	-	-	2	15	2	2	81
1	-	13	45	28	25	9	3	23	7	2	8	17	22	38	82
3	1	12	32	21	7	9	2	39	4	1	7	28	32	33	83
3	-	11	27	24	16	5	3	19	1	3	4	11	11	24	84
1	-	3	11	10	-	7	1	5	-	1	1	4	17	5	85
-	-	1	5	3	-	1	-	3	1	-	-	-	3	3	86
-	-	-	10	4	3	2	1	1	2	-	2	2	3	8	87

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	NEW MEXICO —Con.														
1	Lea	111	-	-	-	-	-	6	-	-	1	-	1	11	-
2	Hobbs	72	-	-	-	-	-	4	-	-	1	-	1	5	-
3	Balance of county	39	-	-	-	-	-	2	-	-	-	-	-	6	-
4	Lincoln	78	-	-	-	-	1	24	-	-	-	1	-	5	-
5	Luna	85	-	-	-	2	-	4	-	-	-	-	-	7	-
6	McKinley	399	-	-	-	-	1	62	11	-	8	-	-	17	1
7	Mora	92	-	-	-	1	-	3	2	-	-	-	-	4	1
8	Otero	128	-	-	-	1	-	3	-	-	-	-	1	6	-
9	Quay	105	-	1	-	-	-	3	4	-	1	-	-	9	-
10	Rio Arriba	268	-	-	-	3	-	6	6	-	2	-	-	6	-
11	Roosevelt	88	-	-	-	-	-	5	1	-	1	-	-	9	-
12	Sandoval	167	-	-	-	-	-	5	2	-	1	-	-	6	-
13	San Juan	164	-	-	1	2	1	25	1	-	2	-	-	14	-
14	San Miguel	389	-	-	-	-	4	21	15	-	19	-	-	21	1
15	Santa Fe	299	1	-	-	-	4	11	16	-	7	-	-	24	-
16	Santa Fe	211	-	-	-	-	2	6	13	-	7	-	-	22	-
17	Balance of county	88	1	-	-	-	2	5	3	-	-	-	-	2	-
18	Sierra	69	-	-	-	-	-	4	1	-	-	-	-	9	-
19	Socorro	111	-	-	-	-	-	15	-	-	2	-	-	5	-
20	Taos	153	-	-	-	-	1	6	6	-	-	-	-	8	1
21	Torrance	102	1	-	-	-	-	3	2	-	1	-	-	4	-
22	Union	72	-	-	1	2	-	1	-	-	3	-	-	8	-
23	Valencia	220	-	-	-	-	2	13	1	1	1	1	-	6	1
24	NEW YORK	153,654	20	172	11	88	27	6,032	26	7	1,480	8	89	23,446	122
25	Albany	2,734	-	4	-	-	-	84	-	1	17	-	2	433	1
26	Albany	1,689	-	3	-	-	-	68	-	1	9	-	2	269	1
27	Cohoes	252	-	-	-	-	-	4	-	-	-	-	-	44	-
28	Watervliet	168	-	1	-	-	-	3	-	-	-	-	-	30	-
29	Balance of county	625	-	-	-	-	-	9	-	-	8	-	-	90	-
30	Allegany	455	1	3	-	2	-	4	1	-	5	-	1	61	1
31	Broome	1,948	-	4	-	-	-	62	-	-	19	-	1	242	2
32	Binghamton	1,155	-	1	-	-	-	44	-	-	17	-	-	134	1
33	Endicott	173	-	-	-	-	-	4	-	-	2	-	1	25	-
34	Johnson City	170	-	1	-	-	-	2	-	-	-	-	-	27	1
35	Balance of county	450	-	2	-	-	-	12	-	-	-	-	-	56	-
36	Cattaraugus	790	-	-	-	2	1	26	-	-	4	-	1	94	-
37	Olean	242	-	-	-	1	1	2	-	-	3	-	-	31	-
38	Balance of county	548	-	-	-	1	-	24	-	-	1	-	1	63	-
39	Cayuga	845	-	2	-	4	-	12	-	-	5	-	1	92	-
40	Auburn	455	-	2	-	2	-	6	-	-	3	-	-	54	-
41	Balance of county	390	-	-	-	2	-	6	-	-	2	-	1	38	-
42	Chautauqua	1,451	-	2	-	3	-	34	-	-	6	-	3	186	1
43	Dunkirk	216	-	-	-	1	-	7	-	-	1	-	1	24	-
44	Jamestown	472	-	1	-	2	-	12	-	-	3	-	2	66	1
45	Balance of county	763	-	1	-	-	-	15	-	-	2	-	-	96	-
46	Chemung	889	-	-	-	-	-	20	-	-	4	-	-	144	-
47	Elmira	630	-	-	-	-	-	13	-	-	3	-	-	109	-
48	Balance of county	259	-	-	-	-	-	7	-	-	1	-	-	35	-
49	Chenango	498	-	-	-	-	-	4	-	-	-	-	1	54	1
50	Clinton	501	-	-	-	1	-	13	-	-	7	-	-	92	-
51	Plattsburgh	193	-	-	-	1	-	6	-	-	1	-	-	36	-
52	Balance of county	308	-	-	-	-	-	7	-	-	6	-	-	56	-
53	Columbia	526	-	-	-	2	-	15	-	-	3	-	-	82	1
54	Hudson	165	-	-	-	-	-	4	-	-	1	-	-	22	1
55	Balance of county	361	-	-	-	2	-	11	-	-	2	-	-	60	-
56	Cortland	432	-	1	-	-	-	7	-	-	1	-	-	66	2
57	Cortland	222	-	-	-	-	-	2	-	-	1	-	-	34	1
58	Balance of county	210	-	1	-	-	-	5	-	-	-	-	-	32	1
59	Delaware	560	1	-	-	-	-	6	-	-	1	-	-	64	1
60	Dutchess	2,124	1	1	-	1	-	158	1	-	57	-	2	214	-
61	Beacon	193	-	-	-	-	-	13	-	-	5	-	-	16	-
62	Poughkeepsie	512	1	1	-	-	-	9	1	-	5	-	1	66	-
63	Balance of county	1,419	-	-	-	1	-	136	-	-	47	-	1	132	-
64	Erie	9,336	1	5	2	1	5	451	2	-	88	1	7	1,319	3
65	Buffalo	6,612	-	3	1	1	5	340	2	-	55	-	6	974	3
66	Kenmore	177	-	-	-	-	-	4	-	-	-	-	-	28	-
67	Lackawanna	257	-	-	-	-	-	13	-	-	2	-	-	41	-
68	Tonawanda	188	-	-	-	-	-	8	-	-	1	-	-	31	-
69	Balance of county	2,102	1	2	1	-	-	86	-	-	30	1	1	245	-
70	Essex	432	-	-	-	-	-	30	-	-	4	-	2	55	-
71	Franklin	546	-	-	-	2	-	63	-	-	4	-	-	58	-
72	Fulton	613	-	1	-	-	-	4	-	-	3	-	1	75	-
73	Gloversville	318	-	1	-	-	-	1	-	-	2	-	1	35	-
74	Johnstown	153	-	-	-	-	-	-	-	-	1	-	-	24	-
75	Balance of county	142	-	-	-	-	-	3	-	-	-	-	-	16	-
76	Genesee	538	-	-	-	4	-	5	-	-	2	-	-	63	-
77	Batavia	218	-	-	-	1	-	1	-	-	2	-	-	25	-
78	Balance of county	320	-	-	-	3	-	4	-	-	-	-	-	38	-
79	Greene	403	-	1	-	1	-	11	-	-	1	-	-	46	-
80	Hamilton	51	-	-	-	-	-	2	-	-	-	-	-	8	-
81	Herkimer	723	-	-	1	1	-	18	-	-	1	1	1	96	-
82	Little Falls	125	-	-	-	-	-	7	-	-	-	1	-	15	-
83	Balance of county	598	-	-	1	1	-	11	-	-	1	-	1	81	-
84	Jefferson	1,065	-	1	-	-	-	18	-	-	7	-	-	134	-
85	Watertown	487	-	-	-	-	-	10	-	-	6	-	-	55	-
86	Balance of county	578	-	1	-	-	-	8	-	-	1	-	-	79	-
87	Lewis	244	-	-	-	-	-	-	-	-	2	-	-	27	-
88	Livingston	545	-	-	-	1	-	23	1	-	1	-	-	62	-
89	Madison	477	1	-	-	1	-	10	1	-	1	-	2	64	-
90	Oneida	130	1	-	-	-	-	1	1	-	-	-	-	11	-
91	Balance of county	347	-	-	-	1	-	9	-	-	1	-	2	53	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
2	-	2	21	7	1	4	1	8	1	2	10	9	9	15	1
2	-	2	11	7	1	3	1	3	1	2	5	5	6	12	2
-	-	-	10	-	-	1	-	5	-	-	5	4	3	3	3
2	-	1	9	6	3	1	-	3	1	-	2	3	9	7	4
-	-	9	6	5	2	6	3	6	1	-	7	8	9	10	5
1	-	3	22	50	47	3	3	35	-	1	8	24	69	33	6
1	-	3	3	10	2	2	1	6	1	1	1	4	43	3	7
-	-	11	13	12	11	7	-	9	-	1	7	25	3	18	8
1	-	7	18	13	8	6	-	8	4	-	3	4	4	11	9
-	1	3	12	11	22	4	-	24	1	1	9	9	126	22	10
-	-	6	16	1	2	7	2	8	-	-	5	4	12	9	11
1	-	4	7	12	6	6	3	9	1	-	-	4	95	5	12
-	-	9	23	21	14	8	5	14	2	1	5	3	6	7	13
3	-	14	41	48	17	14	2	26	2	1	8	12	89	31	14
4	3	12	37	17	11	15	2	42	3	2	8	12	38	30	15
3	-	9	29	10	10	10	1	33	3	1	5	9	13	25	16
1	3	3	8	7	1	5	1	9	-	1	3	3	25	5	17
-	-	5	19	4	-	4	1	5	1	-	3	5	4	4	18
1	-	5	10	11	6	7	1	3	1	-	2	6	26	10	19
-	-	5	13	7	11	6	2	13	-	-	3	7	51	13	20
1	-	8	8	10	11	5	1	11	-	-	-	4	23	9	21
3	-	5	16	7	-	-	1	4	-	-	1	4	3	13	22
2	-	7	23	15	11	13	1	18	-	-	4	17	68	15	23
5,424	11	10,443	58,766	5,615	581	6,639	412	5,808	1,654	383	1,802	6,349	607	17,632	24
79	-	244	1,067	104	4	127	5	97	26	2	21	114	10	292	25
49	-	144	642	61	2	84	1	64	17	2	9	75	8	178	26
11	-	26	110	7	-	5	1	10	2	-	2	9	-	21	27
2	-	13	73	6	-	10	1	4	2	-	-	5	-	18	28
17	-	61	242	30	2	28	2	19	5	-	10	25	2	75	29
11	-	43	149	14	4	31	3	23	6	-	10	19	5	58	30
65	-	185	792	50	11	97	4	82	23	3	23	79	2	202	31
35	-	98	488	31	6	66	2	40	11	-	9	47	1	124	32
7	-	21	52	5	-	6	1	16	2	1	5	8	-	17	33
7	-	17	66	4	2	3	-	7	3	1	2	4	1	22	34
16	-	49	186	10	3	22	1	19	7	1	7	20	-	39	35
25	-	81	278	23	4	40	3	37	8	1	18	35	-	109	36
10	-	27	81	6	1	15	-	16	3	1	4	8	-	32	37
15	-	54	197	17	3	25	3	21	5	-	14	27	-	77	38
21	-	110	309	18	6	46	-	24	12	1	10	37	5	130	39
7	-	47	171	12	3	25	-	14	5	-	5	21	1	77	40
14	-	63	138	6	3	21	-	10	7	1	5	16	4	53	41
33	-	154	538	40	5	72	4	62	20	1	26	67	8	186	42
5	-	25	74	10	1	7	-	8	3	-	2	14	-	33	43
11	-	44	182	12	1	24	1	24	4	-	7	15	1	59	44
17	-	85	282	18	3	41	3	30	13	1	17	38	7	94	45
27	-	100	277	26	5	51	6	45	7	1	11	56	1	108	46
22	-	66	187	19	4	36	6	29	5	1	6	39	1	84	47
5	-	34	90	7	1	15	-	16	2	-	5	17	-	24	48
16	-	44	177	18	1	78	2	16	5	-	10	17	-	54	49
11	-	41	167	21	4	31	2	28	8	-	6	20	8	41	50
5	-	20	57	9	-	6	1	14	4	-	-	9	5	19	51
6	-	21	110	12	4	25	1	14	4	-	6	11	3	22	52
17	-	54	190	12	-	46	-	18	9	-	4	17	1	55	53
8	-	13	67	3	-	7	-	2	-	-	2	6	-	29	54
9	-	41	123	9	-	39	-	16	9	-	2	11	1	26	55
9	-	51	135	16	3	38	1	15	6	-	12	20	4	45	56
5	-	28	64	12	2	21	1	10	4	-	3	10	4	20	57
4	-	23	71	4	1	17	-	5	2	-	9	10	-	25	58
17	-	61	220	19	1	29	2	28	3	1	10	24	2	70	59
56	-	160	775	71	7	96	4	45	16	2	17	106	-	334	60
6	-	14	76	4	1	11	2	6	2	-	2	10	-	25	61
19	-	61	183	19	3	25	2	19	6	-	5	27	-	69	62
31	-	65	516	48	3	60	-	20	8	2	10	69	-	250	63
331	3	715	3,337	339	39	463	19	424	86	18	135	340	23	1,179	64
243	3	475	2,382	245	27	332	13	294	50	13	81	231	17	816	65
6	-	21	73	1	-	13	-	7	-	-	3	3	1	17	66
7	-	9	85	16	1	6	-	21	1	5	6	11	1	32	67
5	-	14	59	7	1	7	-	18	3	-	4	8	-	22	68
70	-	196	738	70	10	105	6	84	32	-	41	87	4	292	69
13	-	36	149	15	1	23	1	21	6	-	6	20	2	48	70
12	-	67	139	19	5	32	-	26	4	-	18	16	1	80	71
12	-	51	269	16	1	35	1	17	9	-	8	36	3	71	72
7	-	35	151	5	-	11	-	9	3	-	3	14	-	40	73
3	-	8	66	5	-	10	1	-	2	-	1	11	-	21	74
2	-	8	52	6	1	14	-	8	4	-	4	11	3	10	75
24	-	64	174	18	4	48	1	14	2	-	14	27	2	72	76
12	-	22	75	9	2	14	-	7	-	-	6	12	1	29	77
12	-	42	99	9	2	34	1	7	2	-	8	15	1	43	78
9	-	62	149	10	2	26	-	16	3	-	4	20	2	40	79
1	-	4	19	3	-	4	-	2	2	2	-	-	-	4	80
26	-	92	255	17	-	42	3	24	16	1	6	29	5	88	81
2	-	14	44	4	-	7	-	3	2	-	-	4	3	19	82
24	-	78	211	13	-	35	3	21	14	1	6	25	2	69	83
28	-	102	398	31	7	63	3	46	13	-	17	63	7	127	84
10	-	39	178	17	6	25	3	27	7	-	8	27	4	65	85
18	-	63	220	14	1	38	-	19	6	-	9	36	3	62	86
10	-	23	111	7	-	10	1	10	4	-	4	13	1	21	87
12	-	58	153	30	-	28	2	14	10	-	7	20	-	123	88
10	-	52	179	8	5	24	1	26	3	-	8	20	2	59	89
5	-	15	47	5	-	9	-	13	-	-	1	5	-	16	90
5	-	37	132	3	5	15	1	13	3	-	7	15	2	43	91

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	NEW YORK—Continued														
1	Monroe	5,072	-	2	-	2	-	176	1	-	50	-	2	748	5
2	Irondequoit (town)	147	-	-	-	-	-	2	-	-	1	-	-	22	-
3	Rochester	3,748	-	1	-	1	-	135	1	-	39	-	2	534	4
4	Balance of county	1,177	-	1	-	1	-	39	-	-	10	-	-	192	1
5	Montgomery	736	-	-	-	-	-	14	-	-	2	-	-	98	-
6	Amsterdam	424	-	-	-	-	-	9	-	-	2	-	-	65	-
7	Balance of county	312	-	-	-	-	-	5	-	-	-	-	-	33	-
8	Nassau	4,223	-	-	-	1	2	103	1	-	22	-	3	717	3
9	Floral Park	140	-	-	-	-	-	3	-	-	-	-	-	33	-
10	Freeport	246	-	-	-	-	-	5	-	-	2	-	-	39	-
11	Garden City	129	-	-	-	-	-	4	-	-	1	-	-	26	-
12	Glen Cove	137	-	-	-	-	-	-	-	-	3	-	1	21	-
13	Hempstead	258	-	-	-	-	-	6	-	-	1	-	-	34	-
14	Lynbrook	136	-	-	-	-	-	-	-	-	1	-	-	25	-
15	Mineola	112	-	-	-	-	-	2	-	-	1	-	-	24	1
16	Rockville Centre	241	-	-	-	-	-	5	-	-	1	-	-	37	-
17	Valley Stream	159	-	-	-	-	-	3	-	-	-	-	-	21	-
18	Balance of county	2,665	-	-	-	1	2	75	1	-	12	-	2	457	2
19	New York City[4]	79,408	10	108	4	38	13	3,545	9	6	748	3	36	13,336	79
20	Niagara	1,675	-	-	-	-	-	39	-	-	8	2	4	243	1
21	Lockport	331	-	-	-	-	-	2	-	-	-	-	1	47	-
22	Niagara Falls	705	-	-	-	-	-	14	-	-	4	2	2	112	-
23	North Tonawanda	185	-	-	-	-	-	5	-	-	1	-	-	29	-
24	Balance of county	454	-	-	-	-	-	18	-	-	3	-	1	55	1
25	Oneida	3,043	1	2	1	3	-	116	2	-	52	-	1	337	2
26	Rome	441	-	-	1	1	-	20	-	-	9	-	-	41	1
27	Utica	1,499	-	2	-	1	-	49	-	-	28	-	-	171	1
28	Balance of county	1,103	1	-	-	1	-	47	2	-	15	-	1	125	-
29	Onondaga	3,385	1	10	-	1	-	80	1	-	12	1	-	450	4
30	Syracuse	2,372	-	8	-	-	-	49	1	-	11	1	-	334	4
31	Balance of county	1,013	1	2	-	1	-	31	-	-	1	-	-	116	-
32	Ontario	696	-	1	-	1	-	13	-	-	21	-	3	98	1
33	Geneva	192	-	-	-	1	-	6	-	-	3	-	-	32	1
34	Balance of county	504	-	1	-	-	-	7	-	-	18	-	3	66	-
35	Orange	1,822	-	2	-	-	-	44	1	-	22	-	2	316	3
36	Middletown	438	-	1	-	-	-	16	1	-	12	-	-	45	-
37	Newburgh	450	-	-	-	-	-	10	-	-	3	-	-	56	-
38	Balance of county	934	-	1	-	-	-	18	-	-	7	-	2	115	3
39	Orleans	333	-	-	-	-	-	8	-	-	2	-	-	56	-
40	Oswego	851	-	-	-	2	-	16	-	-	6	-	-	91	-
41	Fulton	146	-	-	-	1	-	4	-	-	1	-	-	16	-
42	Oswego	270	-	-	-	-	-	4	-	-	2	-	-	27	-
43	Balance of county	435	-	-	-	1	-	8	-	-	3	-	-	48	-
44	Otsego	608	-	2	-	-	-	17	-	-	2	-	-	85	-
45	Oneonta	164	-	1	-	-	-	3	-	-	1	-	-	28	-
46	Balance of county	444	-	1	-	-	-	14	-	-	1	-	-	57	-
47	Putnam	220	-	2	-	-	-	7	-	-	-	-	-	23	-
48	Rensselaer	1,706	-	-	-	-	-	45	-	-	5	-	1	218	1
49	Rensselaer	137	-	-	-	-	-	2	-	-	-	-	-	24	-
50	Troy	1,050	-	-	-	-	-	31	-	-	2	-	-	129	1
51	Balance of county	519	-	-	-	-	-	12	-	-	3	-	1	65	-
52	Rockland	1,267	-	3	-	1	-	35	1	-	50	-	1	148	-
53	St. Lawrence	1,235	-	3	1	-	1	22	3	-	15	-	1	127	-
54	Massena	104	-	-	1	-	-	2	1	-	-	-	-	8	-
55	Ogdensburg	318	-	1	-	-	-	14	-	-	10	-	-	31	-
56	Balance of county	813	-	2	-	-	1	6	2	-	5	-	1	88	-
57	Saratoga	818	-	-	-	-	-	18	-	-	2	-	2	108	-
58	Saratoga Springs	208	-	-	-	-	-	6	-	-	1	-	-	26	-
59	Balance of county	610	-	-	-	-	-	12	-	-	1	-	2	82	-
60	Schenectady	1,512	-	-	-	-	-	39	1	-	10	-	-	200	1
61	Schenectady	1,083	-	-	-	-	-	24	1	-	8	-	-	148	1
62	Balance of county	429	-	-	-	-	-	15	-	-	2	-	-	52	-
63	Schoharie	254	-	-	-	-	-	4	-	-	3	-	-	32	-
64	Schuyler	169	-	-	-	-	-	2	-	-	2	-	-	23	-
65	Seneca	639	-	2	-	1	-	57	-	-	13	-	-	59	1
66	Steuben	1,100	-	-	-	1	-	15	-	-	6	-	1	152	-
67	Corning	200	-	-	-	-	-	4	-	-	1	-	-	34	-
68	Hornell	217	-	-	-	-	-	3	-	-	-	-	-	32	-
69	Balance of county	683	-	-	-	1	-	8	-	-	5	-	1	86	-
70	Suffolk	3,754	1	-	1	4	1	306	-	-	134	-	3	378	1
71	Sullivan	465	-	-	-	-	-	15	-	-	1	-	-	59	-
72	Tioga	401	-	-	-	1	2	4	-	-	1	-	-	57	-
73	Tompkins	501	-	-	-	1	-	8	-	-	3	-	-	66	1
74	Ithaca	240	-	-	-	1	-	3	-	-	1	-	-	34	-
75	Balance of county	261	-	-	-	-	-	5	-	-	2	-	-	32	1
76	Ulster	1,173	-	1	-	-	1	22	-	-	5	-	1	147	-
77	Kingston	434	-	-	-	-	-	12	-	-	2	-	-	61	-
78	Balance of county	739	-	1	-	-	1	10	-	-	3	-	1	86	-
79	Warren	487	-	-	-	-	-	13	-	-	-	-	-	68	-
80	Glens Falls	277	-	-	-	-	-	7	-	-	-	-	-	38	-
81	Balance of county	210	-	-	-	-	-	6	-	-	-	-	-	30	-
82	Washington	531	-	-	-	-	1	9	-	-	2	-	2	51	-
83	Wayne	659	-	-	1	1	-	6	-	-	4	-	-	93	-
84	Westchester	5,615	2	9	-	3	-	148	-	-	32	-	1	1,043	6
85	Mamaroneck	114	-	-	-	-	-	3	-	-	-	-	-	21	-
86	Mount Vernon	627	-	2	-	-	-	9	-	-	7	-	-	108	1
87	New Rochelle	631	-	-	-	1	-	15	-	-	8	-	-	118	-
88	Ossining	163	-	-	-	-	-	4	-	-	2	-	-	14	-
89	Peekskill	189	-	-	-	-	-	5	-	-	-	-	-	32	-
90	Port Chester	232	-	-	-	-	-	7	-	-	-	-	-	43	-

[4] Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
137	-	436	2,021	146	13	184	9	199	80	5	63	182	5	606	1
3	-	16	53	5	-	3	-	7	8	-	2	4	-	21	2
99	-	308	1,575	105	8	142	7	147	56	4	38	131	4	407	3
35	-	112	393	36	5	39	2	45	16	1	23	47	1	178	4
34	1	58	275	20	2	36	5	28	6	1	8	42	7	99	5
21	1	25	157	15	2	20	2	13	2	1	5	20	3	61	6
13	-	33	118	5	-	16	3	15	4	-	3	22	4	38	7
140	-	303	1,571	144	16	175	15	187	85	4	70	173	17	471	8
5	-	12	44	1	1	8	1	2	3	-	1	9	-	17	9
4	-	24	101	7	1	4	1	10	5	-	2	8	-	33	10
5	-	8	56	5	-	4	-	6	2	-	3	3	-	6	11
13	-	7	52	1	-	6	1	6	-	-	2	6	-	18	12
5	-	14	97	15	2	16	-	22	5	-	5	13	-	23	13
5	-	8	53	4	1	4	-	3	4	-	3	4	2	19	14
2	-	6	35	3	-	2	2	2	4	-	2	2	1	23	15
7	-	15	106	6	-	16	1	5	4	1	3	6	3	25	16
3	-	10	61	11	-	13	1	8	5	-	1	4	1	17	17
91	-	199	966	91	11	102	8	123	53	3	48	118	10	290	18
3,117	2	3,749	31,128	3,195	305	2,792	201	2,984	843	301	742	3,252	338	8,524	19
45	-	133	555	75	8	115	9	90	12	3	31	84	6	212	20
13	-	31	117	7	1	17	4	12	1	-	10	18	1	49	21
18	-	46	226	41	7	36	4	49	3	3	10	30	1	97	22
2	-	22	64	11	-	9	1	12	3	-	2	12	1	11	23
12	-	34	148	16	-	53	-	17	5	-	9	24	3	55	24
82	1	222	1,233	97	14	196	5	124	16	3	40	110	9	374	25
13	-	16	179	21	6	22	-	20	2	-	3	22	-	64	26
47	1	125	589	56	5	100	2	58	6	2	16	47	6	187	27
22	-	81	465	20	3	74	3	46	8	1	21	41	3	123	28
104	1	335	1,346	121	21	128	16	149	33	1	42	156	11	361	29
63	1	248	901	86	19	94	12	106	26	-	27	107	8	266	30
41	-	87	445	35	2	34	4	43	7	1	15	49	3	95	31
14	-	66	214	31	2	34	2	24	8	-	12	38	13	100	32
4	-	23	47	9	1	10	1	11	2	-	4	9	-	28	33
10	-	43	167	22	1	24	1	13	6	-	8	29	13	72	34
70	-	182	603	54	13	110	7	57	18	3	23	63	3	226	35
16	-	62	168	15	2	36	-	1	2	1	1	9	-	50	36
16	-	38	164	12	6	18	1	16	8	2	6	16	-	78	37
38	-	82	371	27	5	56	6	40	8	-	16	38	3	98	38
9	-	53	116	5	-	7	-	10	3	-	8	11	-	45	39
28	-	106	354	34	1	36	-	34	10	-	11	29	8	85	40
5	-	13	71	3	-	5	-	7	1	-	2	5	2	10	41
10	-	29	110	15	1	16	-	13	3	-	-	6	2	32	42
13	-	64	173	16	-	15	-	14	6	-	9	18	4	43	43
16	-	77	196	21	-	31	-	17	17	5	10	29	2	81	44
5	-	23	50	2	-	9	-	2	2	3	1	8	-	26	45
11	-	54	146	19	-	22	-	15	15	2	9	21	2	55	46
14	-	20	79	6	-	18	-	7	4	-	1	7	2	30	47
50	-	161	660	58	9	113	13	36	8	2	29	76	3	198	48
5	-	17	40	5	3	14	2	7	-	-	1	6	-	11	49
31	-	98	431	31	5	61	9	19	5	2	12	43	2	138	50
14	-	46	209	22	1	38	2	10	3	-	16	27	1	49	51
39	-	84	519	53	2	48	4	42	10	1	18	48	2	158	52
32	1	129	497	43	4	49	2	60	6	1	27	61	7	143	53
5	-	16	30	8	1	3	-	8	1	-	5	3	-	12	54
7	-	40	153	2	-	7	-	8	-	-	4	16	1	24	55
20	1	73	314	33	3	39	2	44	5	1	18	42	6	107	56
33	-	77	306	38	1	56	4	24	6	3	22	30	2	86	57
10	-	19	88	9	-	13	1	7	2	1	2	5	-	18	58
23	-	58	218	29	1	43	3	17	4	2	20	25	2	68	59
68	-	144	565	41	5	62	7	59	18	2	22	65	3	200	60
52	-	103	381	31	4	50	5	42	14	2	15	44	2	156	61
16	-	41	184	10	1	12	2	17	4	-	7	21	1	44	62
5	-	29	110	7	1	13	-	3	2	-	3	7	2	33	63
7	-	19	67	1	-	17	1	5	-	-	1	9	-	25	64
18	-	46	215	11	3	31	-	16	8	-	6	33	12	107	65
32	-	93	381	27	3	86	4	50	8	-	18	68	9	146	66
5	-	11	65	5	1	17	1	10	3	-	3	16	-	24	67
9	-	17	63	5	1	25	-	13	1	-	3	12	3	30	68
18	-	65	253	17	1	44	3	27	4	-	12	40	6	92	69
105	-	266	1,486	142	7	144	9	89	41	7	46	108	16	459	70
15	1	45	181	11	2	31	3	14	6	-	7	20	2	52	71
11	-	42	140	7	3	14	1	21	4	-	9	26	4	54	72
20	-	58	158	15	3	41	-	12	7	1	3	34	2	68	73
10	-	28	71	5	1	23	-	6	3	1	1	20	1	31	74
10	-	30	87	10	2	18	-	6	4	-	2	14	1	37	75
37	-	148	430	30	5	82	3	30	7	-	13	59	2	140	76
16	-	56	156	8	3	37	2	9	1	-	2	24	-	45	77
21	-	92	274	22	2	55	1	21	6	-	11	35	2	95	78
18	1	46	186	16	1	33	-	20	1	-	14	15	3	52	79
16	-	26	114	8	-	10	-	12	-	-	6	6	2	32	80
2	1	20	72	8	1	23	-	8	1	-	8	9	1	20	81
17	-	62	215	10	1	34	2	17	5	-	16	15	4	68	82
29	-	67	226	24	1	36	1	23	3	-	9	23	2	110	83
181	-	460	2,025	173	15	258	21	201	61	6	60	234	16	660	84
3	-	6	45	1	-	1	3	6	-	-	1	7	-	17	85
28	-	36	234	21	4	36	3	29	6	1	8	17	1	76	86
24	-	56	235	17	2	26	-	23	7	1	7	24	-	67	87
7	-	15	52	7	1	16	-	7	2	-	1	7	-	28	88
14	-	25	58	4	-	17	-	8	-	-	1	10	2	13	89
10	-	21	84	1	2	8	-	10	2	-	8	9	1	26	90

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	NEW YORK—Continued														
	Westchester—Continued														
1	Scarsdale	102	-	-	-	-	-	1	-	-	-	-	-	19	-
2	White Plains	416	1	1	-	-	-	8	-	-	3	-	-	93	-
3	Yonkers	1,357	-	3	-	-	-	34	-	-	4	-	1	208	2
4	Balance of county	1,784	1	3	-	2	-	62	-	-	8	-	-	387	3
5	Wyoming	323	-	-	-	-	-	4	-	-	1	-	-	52	-
6	Yates	247	-	-	-	1	-	2	-	-	1	-	-	36	-
7	NORTH CAROLINA	28,897	13	53	6	97	96	1,262	38	24	293	7	13	2,504	43
8	Alamance	370	-	-	-	1	-	7	-	-	1	-	-	43	1
9	Burlington	131	-	-	-	-	-	2	-	-	-	-	-	20	-
10	Balance of county	239	-	-	-	1	-	5	-	-	1	-	-	23	1
11	Alexander	122	-	-	-	-	-	5	-	-	-	-	-	10	-
12	Alleghany	42	-	-	-	-	-	1	-	-	-	-	-	3	-
13	Anson	212	-	-	-	-	-	3	-	-	-	-	-	23	-
14	Ashe	124	-	-	-	1	-	2	-	-	-	-	-	9	-
15	Avery	81	-	-	-	-	-	1	-	-	1	-	-	8	-
16	Beaufort	357	-	-	-	1	3	15	-	1	2	-	-	18	2
17	Bertie	229	-	-	-	1	-	13	1	-	2	-	-	15	1
18	Bladen	194	-	-	-	2	1	8	-	-	3	1	-	16	-
19	Brunswick	157	-	-	-	-	-	1	-	1	3	-	-	12	1
20	Buncombe	987	1	2	-	-	1	118	3	-	13	-	1	120	2
21	Asheville	531	1	1	-	-	-	38	1	-	7	-	1	72	-
22	Balance of county	456	-	1	-	-	1	80	2	-	6	-	-	48	2
23	Burke	363	-	1	-	-	-	12	-	-	9	-	1	30	1
24	Cabarrus	380	-	2	-	-	1	8	-	-	1	-	-	38	3
25	Concord	109	-	-	-	-	-	3	-	-	-	-	-	12	-
26	Balance of county	271	-	2	-	-	1	5	-	-	1	-	-	26	3
27	Caldwell	290	-	-	-	1	3	8	-	-	2	-	-	23	2
28	Camden	58	-	-	-	1	-	3	-	-	-	-	-	5	-
29	Carteret	157	-	1	-	-	-	5	-	1	-	-	-	17	-
30	Caswell	133	-	1	-	1	2	5	-	-	-	-	-	14	-
31	Catawba	383	-	2	-	1	1	9	-	-	3	-	1	24	1
32	Hickory	104	-	1	-	-	-	6	-	-	-	-	-	6	-
33	Balance of county	279	-	1	-	1	1	3	-	-	3	-	1	18	1
34	Chatham	194	-	-	-	-	-	8	-	-	2	-	-	20	-
35	Cherokee	107	-	-	-	-	2	4	-	-	-	-	-	5	-
36	Chowan	102	-	-	-	1	-	8	-	-	2	-	-	7	-
37	Clay	32	-	-	-	-	1	1	-	-	-	-	-	-	-
38	Cleveland	344	-	1	-	2	1	10	-	-	1	-	1	33	1
39	Shelby	123	-	1	-	1	-	6	-	-	-	-	-	15	-
40	Balance of county	221	-	-	-	1	1	4	-	-	1	-	1	18	1
41	Columbus	356	-	-	-	-	-	13	-	-	1	-	-	10	1
42	Craven	406	-	1	-	-	-	25	-	2	3	-	-	30	-
43	New Bern	181	-	1	-	-	-	13	-	1	2	-	-	14	-
44	Balance of county	225	-	-	-	-	-	12	-	1	1	-	-	16	-
45	Cumberland	551	-	2	-	-	5	28	-	1	5	-	-	37	-
46	Fayetteville	260	-	1	-	-	2	10	-	1	3	-	-	20	-
47	Balance of county	291	-	1	-	-	3	18	-	-	2	-	-	17	-
48	Currituck	51	-	-	-	-	-	3	-	-	1	-	-	5	-
49	Dare	59	-	-	-	-	-	1	-	-	-	-	-	6	-
50	Davidson	391	-	2	-	2	2	10	1	-	2	-	-	45	-
51	Lexington	87	-	-	-	1	-	2	-	-	2	-	-	15	-
52	Thomasville	84	-	-	-	1	2	4	-	-	-	-	-	7	-
53	Balance of county	220	-	2	-	-	-	4	1	-	-	-	-	23	-
54	Davie	98	-	-	-	-	-	1	-	-	-	-	-	7	-
55	Duplin	288	-	-	-	1	1	9	-	-	3	1	-	20	-
56	Durham	694	1	1	-	1	1	46	-	-	5	-	-	65	1
57	Durham	538	1	1	-	1	-	21	-	-	4	-	-	53	-
58	Balance of county	156	-	-	-	-	1	25	-	-	1	-	-	12	1
59	Edgecombe	374	-	-	-	1	-	18	1	-	3	-	-	27	-
60	Rocky Mount (part)	90	-	-	-	-	-	7	-	-	1	-	-	9	-
61	Balance of county	284	-	-	-	1	-	11	1	-	2	-	-	18	-
62	Forsyth	1,081	-	1	-	1	1	64	-	-	8	-	-	119	1
63	Winston-Salem	739	-	1	-	1	1	49	-	-	3	-	-	85	1
64	Balance of county	342	-	-	-	-	-	15	-	-	5	-	-	34	-
65	Franklin	244	-	-	-	-	-	4	-	-	3	-	-	17	1
66	Gaston	672	-	-	-	5	12	13	-	-	5	-	-	51	3
67	Gastonia	213	-	-	-	3	2	6	-	-	1	-	-	20	-
68	Balance of county	459	-	-	-	2	10	7	-	-	4	-	-	31	3
69	Gates	95	-	-	-	-	-	2	-	-	1	-	-	5	-
70	Graham	40	-	-	-	-	1	1	-	-	-	-	-	2	-
71	Granville	266	1	-	-	1	1	8	-	-	1	-	-	22	-
72	Greene	100	-	-	-	2	-	8	-	-	1	-	-	3	-
73	Guilford	1,259	-	1	-	4	-	39	-	2	13	-	-	148	2
74	Greensboro	563	-	-	-	-	-	14	-	-	6	-	-	62	-
75	High Point	298	-	-	-	3	-	8	-	-	2	-	-	39	-
76	Balance of county	398	-	1	-	1	-	17	-	2	5	-	-	47	2
77	Halifax	418	1	1	1	4	-	24	2	-	5	-	-	27	1
78	Harnett	286	-	-	1	-	1	7	1	1	3	-	-	28	-
79	Haywood	222	-	1	-	-	2	2	-	-	-	-	-	29	-
80	Henderson	217	-	3	-	2	3	7	-	-	1	-	-	19	1
81	Hertford	154	-	-	-	1	1	8	-	-	-	-	-	5	-
82	Hoke	133	-	-	1	1	-	33	-	-	-	-	-	8	-
83	Hyde	81	-	-	-	-	1	1	-	-	-	-	-	8	-
84	Iredell	427	-	1	-	3	5	11	-	-	2	-	-	31	-
85	Statesville	134	-	-	-	2	2	2	-	-	-	-	-	8	-
86	Balance of county	293	-	1	-	1	3	9	-	-	2	-	-	23	-
87	Jackson	128	-	-	-	-	3	3	-	-	3	-	-	12	-
88	Johnston	396	1	1	-	1	-	13	-	-	1	-	-	31	-
89	Jones	81	-	-	-	1	-	4	-	1	1	-	-	5	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,93	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
4	-	10	35	1	-	4	1	7	2	-	2	4	-	12	1
14	-	35	141	6	-	17	3	10	5	-	3	16	1	59	2
38	-	105	514	56	4	53	7	45	13	3	11	76	7	173	3
39	-	151	627	59	2	80	4	56	24	1	18	64	4	189	4
15	-	39	111	9	-	15	-	10	6	-	8	18	1	34	5
7	-	34	81	5	1	24	-	6	5	1	5	9	-	29	6
465	72	3,162	6,456	1,874	476	2,910	248	2,061	246	307	767	1,318	894	3,192	7
5	2	35	84	25	4	41	2	26	4	3	17	16	7	46	8
-	-	15	27	6	2	14	-	12	2	2	7	5	2	15	9
5	2	20	57	19	2	27	2	14	2	1	10	11	5	31	10
-	-	21	19	8	-	13	-	10	2	-	6	8	8	12	11
1	-	7	14	2	-	4	-	2	1	-	1	2	2	2	12
6	1	22	55	10	3	23	4	11	1	-	5	8	20	18	13
-	-	12	31	11	-	8	-	15	-	-	1	5	17	12	14
1	-	6	23	7	1	4	2	8	2	1	1	2	6	7	15
4	-	33	83	30	6	42	3	34	3	6	8	13	19	31	16
5	2	43	41	12	5	19	3	10	-	2	2	9	20	23	17
2	-	22	27	13	7	35	3	12	1	3	5	9	13	11	18
1	-	20	27	17	1	30	1	8	1	4	-	4	7	18	19
17	5	105	220	42	14	76	6	55	6	14	14	38	19	85	20
11	1	63	129	26	7	47	3	26	1	11	8	19	14	44	21
6	4	42	91	16	7	29	3	29	5	3	6	19	5	51	22
10	-	44	118	17	5	25	1	11	3	2	6	17	5	45	23
7	-	45	100	20	15	33	1	22	3	2	15	10	25	29	24
1	-	15	29	6	4	9	-	6	1	2	6	2	11	2	25
6	-	30	71	14	11	24	1	16	2	-	9	8	14	27	26
3	1	38	61	24	8	18	2	19	6	1	8	19	15	28	27
-	-	6	15	-	3	7	1	4	1	-	2	6	-	4	28
3	-	25	31	8	1	18	-	10	2	-	6	7	5	17	29
4	1	17	21	9	-	16	1	5	2	1	5	3	9	16	30
7	1	41	118	16	9	25	3	23	3	6	19	29	15	26	31
2	-	7	38	5	3	5	1	5	1	3	5	6	4	6	32
5	1	34	80	11	6	20	2	18	2	3	14	23	11	20	33
-	-	31	50	8	-	19	-	7	2	1	1	9	9	27	34
2	-	15	33	9	6	6	-	8	-	1	1	3	8	4	35
-	-	21	23	6	3	4	-	3	1	-	3	5	3	12	36
-	-	5	3	4	1	4	-	2	-	-	3	1	3	4	37
7	2	44	65	26	7	26	-	31	1	3	19	21	12	30	38
2	-	17	22	2	1	10	-	15	-	1	5	8	3	14	39
5	2	27	43	24	6	16	-	16	1	2	14	13	9	16	40
3	-	41	56	31	5	55	3	32	3	14	11	25	17	35	41
4	-	44	49	27	6	75	3	34	5	5	18	27	2	46	42
4	-	25	16	16	2	39	-	12	4	4	1	5	1	21	43
-	-	19	33	11	4	36	3	22	1	1	17	22	1	25	44
3	1	68	113	45	6	40	5	48	3	10	21	41	11	58	45
3	-	29	64	14	5	20	4	25	1	4	4	14	4	32	46
-	1	39	49	31	1	20	1	23	2	6	17	27	7	26	47
-	-	5	18	2	1	3	-	3	-	-	4	1	2	3	48
-	-	6	14	2	1	6	-	7	-	-	2	5	3	6	49
9	1	53	70	22	5	52	2	30	3	5	12	14	4	45	50
2	1	9	18	3	-	13	-	6	-	3	1	4	-	7	51
2	-	9	14	6	1	11	1	6	3	-	5	2	1	9	52
5	-	35	38	13	4	28	1	18	-	2	6	8	3	29	53
2	-	14	15	10	5	14	-	8	-	-	2	7	2	11	54
1	1	55	65	16	4	32	4	24	5	5	1	18	4	18	55
18	-	49	179	36	4	83	9	51	9	14	19	30	11	61	56
14	-	45	152	25	4	59	8	43	9	13	13	19	9	44	57
4	-	4	27	11	-	24	1	8	-	1	6	11	2	17	58
7	-	36	80	26	11	48	4	37	3	4	9	20	7	32	59
-	-	11	18	5	1	10	1	11	-	-	3	4	1	8	60
7	-	25	62	21	10	38	3	26	3	4	6	16	6	24	61
17	1	102	302	63	22	91	3	69	13	4	27	36	18	118	62
13	1	63	193	45	17	50	2	53	8	4	19	25	11	94	63
4	-	39	109	18	5	41	1	16	5	-	8	11	7	24	64
4	-	30	42	13	2	46	4	25	2	5	1	10	6	29	65
11	4	76	170	36	9	34	5	83	5	7	20	31	19	73	66
3	1	22	39	11	2	16	-	31	3	3	9	13	4	24	67
8	3	54	131	25	7	18	5	52	2	4	11	18	15	49	68
-	-	21	26	2	-	2	-	8	-	-	3	6	1	18	69
-	-	5	5	5	1	4	1	6	-	-	-	3	-	6	70
6	-	22	56	12	3	48	2	15	3	2	10	14	12	27	71
-	-	9	26	1	1	18	3	7	-	-	4	5	2	10	72
31	3	122	322	44	14	120	15	77	13	20	29	66	14	160	73
11	-	47	150	16	8	67	9	26	6	11	17	25	3	85	74
8	-	34	65	12	1	32	1	21	4	6	7	23	3	29	75
12	3	41	107	16	5	21	5	30	3	3	5	18	8	46	76
7	1	55	80	17	12	48	4	31	5	1	3	21	9	58	77
7	-	40	55	17	6	39	3	23	4	5	11	9	3	22	78
1	4	21	48	29	4	23	-	11	1	-	2	6	7	31	79
2	2	22	46	15	1	22	1	14	1	2	9	13	9	22	80
4	-	20	29	17	1	18	1	8	4	2	8	9	6	12	81
4	-	12	15	7	5	13	-	10	-	1	4	5	4	10	82
1	-	8	17	5	-	3	-	1	1	1	4	7	12	11	83
9	1	30	111	34	2	68	3	24	3	-	11	20	8	50	84
2	-	11	34	16	-	21	-	10	-	-	2	3	2	19	85
7	1	19	77	18	2	47	3	14	3	-	8	17	6	31	86
2	-	10	21	10	2	21	3	12	-	-	3	8	4	11	87
5	2	51	99	21	10	39	2	25	8	4	9	17	20	36	88
-	-	10	17	9	2	6	-	8	-	-	1	5	4	7	89

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	NORTH CAROLINA—Con.														
1	Lee	158	-	1	-	-	3	6	-	1	4	-	-	16	-
2	Lenoir	396	1	-	-	1	-	30	-	-	7	-	-	29	1
3	Kinston	171	-	-	-	-	-	12	-	-	6	-	-	19	-
4	Balance of county	225	1	-	-	1	-	18	-	-	1	-	-	10	1
5	Lincoln	171	-	1	-	1	1	2	-	-	-	-	-	16	-
6	McDowell	149	-	-	-	-	2	3	-	-	2	-	-	13	-
7	Macon	106	-	1	-	-	-	5	2	-	-	-	-	10	-
8	Madison	124	-	-	1	-	-	3	1	-	3	-	-	12	-
9	Martin	229	-	1	-	1	-	24	-	2	1	-	-	18	-
10	Mecklenburg	1,357	-	1	-	5	1	58	1	1	5	-	4	144	-
11	Charlotte	973	-	1	-	4	-	35	1	1	4	-	3	112	-
12	Balance of county	384	-	-	-	1	1	23	-	-	1	-	1	32	-
13	Mitchell	82	-	-	-	-	-	3	-	-	1	-	-	10	-
14	Montgomery	128	-	-	-	-	1	1	-	-	-	-	1	12	-
15	Moore	237	-	1	-	-	-	7	-	1	3	-	-	19	1
16	Nash	474	1	-	-	4	-	23	-	-	9	1	-	36	1
17	Rocky Mount (part)	122	-	-	-	1	-	5	-	-	5	-	-	8	-
18	Rocky Mount (total)	212	-	-	-	1	-	12	-	-	6	-	-	17	-
19	Balance of county	352	1	-	-	3	-	18	-	-	4	1	-	28	1
20	New Hanover	608	-	-	-	2	1	18	-	-	13	-	-	44	2
21	Wilmington	428	-	-	-	2	1	14	-	-	9	-	-	32	1
22	Balance of county	180	-	-	-	-	-	4	-	-	4	-	-	12	1
23	Northampton	194	-	-	-	1	1	9	1	-	2	-	-	16	-
24	Onslow	168	-	-	-	-	-	6	-	2	1	-	-	12	1
25	Orange	187	-	2	-	-	1	4	-	-	-	-	-	17	1
26	Pamlico	96	-	-	-	-	-	2	-	-	1	-	-	7	-
27	Pasquotank	243	1	-	-	-	2	13	1	1	2	-	-	18	-
28	Elizabeth City	141	-	-	-	-	2	6	1	1	1	-	-	15	-
29	Balance of county	102	1	-	-	-	-	7	-	-	1	-	-	3	-
30	Pender	183	-	1	-	1	-	4	-	-	-	-	-	12	-
31	Perquimans	77	-	1	-	-	-	1	-	-	-	-	-	9	-
32	Person	162	-	-	-	1	1	6	1	-	1	-	-	17	-
33	Pitt	501	2	1	-	1	-	34	7	-	5	-	-	45	-
34	Greenville	138	-	-	-	1	-	7	2	-	1	-	-	12	-
35	Balance of county	363	2	1	-	-	-	27	5	-	4	-	-	33	-
36	Polk	85	-	2	-	1	-	3	1	-	-	1	-	9	-
37	Randolph	235	-	2	-	1	-	3	-	-	1	-	1	33	-
38	Richmond	340	1	1	-	3	2	8	1	1	2	-	-	20	1
39	Robeson	690	-	-	-	4	3	19	1	3	8	-	1	46	1
40	Rockingham	444	-	1	-	7	-	17	-	-	5	-	-	48	-
41	Reidsville	104	-	-	-	-	-	4	-	-	1	-	-	13	-
42	Balance of county	340	-	1	-	7	-	13	-	-	4	-	-	35	-
43	Rowan	518	-	-	-	2	3	18	3	-	5	-	-	55	-
44	Salisbury	170	-	-	-	1	-	6	1	-	2	-	-	22	-
45	Balance of county	348	-	-	-	1	3	12	2	-	3	-	-	33	-
46	Rutherford	271	-	-	-	-	2	6	-	-	-	-	1	28	1
47	Sampson	325	-	-	-	2	2	10	-	-	2	-	-	23	1
48	Scotland	223	-	2	-	-	1	12	-	-	-	1	-	21	-
49	Stanly	243	-	-	-	1	1	13	-	-	-	-	-	20	-
50	Stokes	137	-	-	1	2	-	2	-	-	1	-	-	10	-
51	Surry	313	-	3	-	3	1	10	-	-	1	-	-	26	-
52	Swain	38	-	-	-	-	2	3	-	-	-	-	1	3	-
53	Transylvania	95	-	1	-	-	3	-	-	-	-	-	-	11	-
54	Tyrrell	52	-	-	-	-	-	1	-	-	-	-	-	4	-
55	Union	307	-	-	-	-	1	10	1	-	1	-	-	42	-
56	Vance	242	-	1	-	1	-	10	1	-	1	-	-	21	1
57	Wake	1,033	-	-	-	1	2	56	3	1	11	1	-	87	2
58	Raleigh	649	-	-	-	-	-	41	-	1	9	1	-	48	2
59	Balance of county	384	-	-	-	1	2	15	3	-	2	-	-	39	-
60	Warren	234	1	-	-	1	-	5	-	-	4	-	-	18	-
61	Washington	115	-	-	-	-	1	2	-	-	3	-	-	13	-
62	Watauga	113	-	-	-	1	-	-	-	-	-	-	-	15	-
63	Wayne	672	1	2	-	1	-	64	1	1	66	-	-	22	-
64	Goldsboro	136	1	-	-	-	-	4	-	-	1	-	-	8	-
65	Balance of county	536	-	2	-	1	-	60	1	1	65	-	-	14	-
66	Wilkes	352	-	1	-	-	-	6	2	-	1	-	-	31	2
67	Wilson	512	-	1	-	4	2	53	1	-	5	1	-	29	-
68	Wilson	256	-	-	-	1	1	37	1	-	3	1	-	16	-
69	Balance of county	256	-	1	-	3	1	16	-	-	2	-	-	13	-
70	Yadkin	128	-	-	-	-	-	2	-	-	-	-	-	16	-
71	Yancey	104	-	-	1	-	-	6	-	-	-	-	-	7	1
72	NORTH DAKOTA	5,109	2	4	3	3	11	117	1	-	25	-	3	638	10
73	Adams	30	-	-	-	-	-	-	-	-	-	-	-	4	-
74	Barnes	140	-	-	-	1	-	-	-	-	-	-	-	28	-
75	Benson	90	-	-	-	-	-	3	-	-	-	-	-	6	-
76	Billings	6	-	-	-	-	-	-	-	-	-	-	-	2	-
77	Bottineau	97	-	1	-	-	-	2	-	-	1	-	-	14	-
78	Bowman	33	-	-	-	-	-	-	-	-	-	-	-	6	-
79	Burke	60	-	-	-	-	-	-	-	-	-	-	-	7	-
80	Burleigh	181	-	-	-	-	-	2	-	-	1	-	-	20	-
81	Bismarck	147	-	-	-	-	-	1	-	-	1	-	-	19	-
82	Balance of county	34	-	-	-	-	-	1	-	-	-	-	-	1	-
83	Cass	491	-	1	-	-	2	9	-	-	5	-	-	60	-
84	Fargo	349	-	1	-	-	1	7	-	-	4	-	-	43	-
85	Balance of county	142	-	-	-	-	1	2	-	-	1	-	-	17	-
86	Cavalier	118	-	-	-	1	-	1	-	-	1	-	-	15	-
87	Dickey	58	-	-	-	-	-	-	-	-	-	-	-	9	-
88	Divide	49	-	-	-	-	-	2	-	-	-	-	-	3	1
89	Dunn	56	-	-	-	-	-	3	-	-	-	-	-	4	-
90	Eddy	46	1	-	-	-	-	-	-	-	-	-	-	5	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
3	1	11	46	8	-	18	3	11	2	1	7	5	-	11	1
9	-	33	72	29	2	37	4	39	5	3	10	14	10	60	2
6	-	18	23	12	1	18	1	14	-	2	4	6	3	26	3
3	-	15	49	17	1	19	3	25	5	1	6	8	7	34	4
2	-	22	41	14	4	18	2	8	1	-	3	8	11	16	5
5	1	17	28	20	3	13	-	6	-	-	5	9	4	18	6
3	-	11	25	6	1	12	-	6	1	-	2	5	5	11	7
2	-	18	29	11	-	6	2	9	1	2	1	1	6	16	8
1	-	30	34	24	8	24	2	17	1	1	4	9	11	16	9
23	4	117	373	102	25	120	10	97	11	27	28	55	11	134	10
16	3	84	283	77	18	77	7	62	10	22	18	30	5	100	11
7	1	33	90	25	7	43	3	35	1	5	10	25	6	34	12
-	-	6	16	9	4	6	1	4	-	1	1	5	4	11	13
3	1	16	35	8	-	6	1	8	1	-	1	5	15	13	14
6	-	23	59	14	2	25	2	13	2	2	10	15	5	27	15
5	2	57	90	21	12	41	4	51	2	6	14	18	11	65	16
2	-	10	30	3	5	10	1	12	1	1	2	3	-	23	17
2	-	21	48	8	6	20	2	23	1	1	5	7	1	31	18
3	2	47	60	18	7	31	3	39	1	5	12	15	11	42	19
3	-	61	129	61	4	50	5	62	8	6	21	30	16	72	20
2	-	46	90	46	3	35	4	37	4	5	12	24	7	54	21
1	-	15	39	15	1	15	1	25	4	1	9	6	9	18	22
3	-	22	45	13	6	19	3	14	1	1	4	13	7	13	23
4	1	23	26	12	2	13	1	13	4	2	9	13	2	21	24
8	-	23	43	12	1	17	4	15	-	1	11	7	3	17	25
2	-	16	12	6	2	7	-	7	1	2	4	9	2	16	26
4	-	17	55	12	1	34	3	23	2	2	6	21	-	25	27
1	-	8	34	4	-	25	2	13	1	1	1	6	-	19	28
3	-	9	21	8	1	9	1	10	1	1	5	15	-	6	29
3	1	25	36	12	6	14	1	8	4	4	4	6	14	27	30
-	-	15	22	1	1	3	1	4	3	-	2	2	3	9	31
2	-	16	38	13	3	13	1	13	1	3	5	11	1	15	32
5	-	71	113	43	5	47	6	29	6	3	5	20	14	39	33
3	-	17	41	9	2	9	-	10	1	1	-	7	4	11	34
2	-	54	72	34	3	38	6	19	5	2	5	13	10	28	35
4	1	2	19	7	1	6	-	5	-	1	4	6	2	10	36
7	2	44	62	13	4	36	3	18	2	4	9	10	5	35	37
7	-	30	88	28	8	51	3	29	1	4	9	13	6	23	38
9	3	66	133	61	23	79	13	63	-	15	30	24	33	52	39
13	3	44	119	22	2	38	2	30	3	3	12	14	6	55	40
2	-	12	22	6	1	14	1	6	1	1	1	3	2	14	41
11	3	32	97	16	1	24	1	24	2	2	11	11	4	41	42
12	2	53	151	27	4	34	2	24	7	3	11	19	14	69	43
4	-	15	60	6	1	9	-	3	2	2	2	6	6	22	44
8	2	38	91	21	3	25	2	21	5	1	9	13	8	47	45
7	1	29	65	14	6	29	4	13	4	1	2	14	9	35	46
4	-	44	71	18	1	41	2	32	1	5	6	13	11	36	47
-	1	37	42	17	9	7	5	20	-	3	5	16	6	18	48
5	-	36	54	18	6	6	5	15	3	3	10	13	13	21	49
1	-	19	24	16	2	16	1	13	3	-	1	5	1	19	50
3	4	26	70	21	9	23	4	26	2	2	14	12	17	36	51
-	-	1	7	2	-	-	-	4	-	1	3	4	2	5	52
-	1	19	21	10	-	7	-	3	-	1	1	5	5	7	53
2	1	3	6	6	1	17	-	1	1	-	1	2	1	5	54
7	1	27	61	25	8	36	6	19	1	1	9	13	10	28	55
-	-	28	50	18	9	22	2	21	3	3	8	10	10	22	56
20	1	117	248	62	4	102	7	70	11	14	25	44	12	132	57
12	1	76	173	33	1	55	5	36	8	10	10	23	7	97	58
8	-	41	75	29	3	47	2	34	3	4	15	21	5	35	59
10	2	25	32	21	7	39	3	18	2	1	2	12	11	20	60
-	-	13	22	15	2	6	2	6	-	1	3	3	8	15	61
3	-	10	33	8	1	7	2	4	1	1	1	2	6	18	62
5	-	46	81	40	4	37	2	22	2	5	9	24	18	219	63
2	-	15	28	10	1	11	-	6	-	3	5	13	3	25	64
3	-	31	53	30	3	26	2	16	2	2	4	11	15	194	65
1	1	36	84	23	11	39	2	28	2	3	16	9	18	36	66
2	1	47	88	22	14	89	7	42	1	3	9	15	29	47	67
1	-	18	42	5	7	51	4	18	-	1	3	11	14	21	68
1	1	29	46	17	7	38	3	24	1	2	6	4	15	26	69
2	-	6	28	7	3	19	2	5	-	1	4	6	7	20	70
2	-	9	22	4	1	14	-	6	-	-	-	6	11	14	71
157	-	518	1,430	205	42	247	14	266	56	5	98	263	175	816	72
-	-	-	13	1	-	-	-	2	1	-	3	2	-	4	73
2	-	15	50	7	-	8	-	5	1	-	2	8	-	13	74
2	-	5	38	4	-	3	-	2	-	-	1	4	3	19	75
1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	76
1	-	16	25	3	-	2	2	8	2	-	2	3	2	13	77
1	-	4	6	2	-	1	-	4	-	-	-	2	1	6	78
3	-	10	10	2	-	1	1	2	1	-	1	3	3	16	79
7	-	17	58	11	-	7	-	10	6	-	4	9	1	28	80
6	-	13	44	9	-	3	-	8	5	-	3	8	-	27	81
1	-	4	14	2	-	4	-	2	1	-	1	1	1	1	82
17	-	50	138	15	5	13	1	30	2	-	6	28	26	83	83
12	-	41	89	11	4	10	1	25	1	-	6	21	21	51	84
5	-	9	49	4	1	3	-	5	1	-	-	7	5	32	85
3	-	7	31	2	3	7	-	10	5	-	-	8	4	20	86
-	-	5	21	3	-	3	-	4	1	-	-	2	1	9	87
1	-	9	13	-	1	3	-	1	-	-	1	5	4	5	88
2	-	8	8	1	1	4	-	4	-	-	2	7	2	10	89
2	-	5	12	4	-	1	1	3	1	1	1	1	1	7	90

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliocephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	NORTH DAKOTA—Con.														
1	Emmons	68	-	1	-	-	-	-	-	-	-	-	-	14	-
2	Foster	38	-	-	-	1	-	-	-	-	-	-	-	4	-
3	Golden Valley	24	-	-	-	-	-	-	-	-	-	-	-	5	-
4	Grand Forks	360	-	-	-	-	3	6	-	-	3	-	1	43	1
5	Grand Forks	228	-	-	-	-	2	4	-	-	3	-	-	28	-
6	Balance of county	132	-	-	-	-	1	2	-	-	-	-	1	15	1
7	Grant	41	-	-	-	-	-	1	-	-	-	-	-	5	-
8	Griggs	36	-	-	-	-	-	-	-	-	-	-	-	3	-
9	Hettinger	52	-	-	-	-	-	-	-	-	-	-	-	6	-
10	Kidder	32	-	-	-	-	1	1	-	-	-	-	-	3	-
11	La Moure	91	-	-	-	-	1	1	-	-	-	-	-	7	-
12	Logan	42	-	-	1	-	-	-	-	-	-	-	-	9	-
13	McHenry	77	-	-	-	-	-	5	-	-	-	-	-	11	-
14	McIntosh	41	-	-	-	-	-	-	-	-	-	-	-	7	-
15	McKenzie	65	-	-	-	-	-	1	-	-	-	-	-	5	-
16	McLean	105	-	-	-	-	1	5	1	-	-	-	-	13	-
17	Mercer	63	-	-	-	-	-	3	-	-	-	-	-	10	-
18	Morton	152	-	-	-	-	-	-	-	-	-	-	-	23	-
19	Mountrail	79	-	-	1	-	1	1	-	-	-	-	-	9	-
20	Nelson	80	-	-	-	-	-	-	-	-	-	-	1	7	-
21	Oliver	8	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Pembina	112	-	-	-	-	-	-	-	-	-	-	-	23	1
23	Pierce	87	-	1	-	-	1	1	-	-	2	-	-	22	-
24	Ramsey	139	-	-	-	-	-	1	-	-	1	-	-	21	1
25	Ransom	82	-	-	-	-	-	2	-	-	-	-	-	10	-
26	Renville	32	-	-	-	-	-	-	-	-	-	-	-	2	-
27	Richland	143	-	-	-	-	-	3	-	-	-	-	-	20	-
28	Rolette	116	1	-	-	-	-	26	-	-	-	-	-	10	2
29	Sargent	68	-	-	1	-	-	-	-	-	1	-	-	7	-
30	Sheridan	38	-	-	-	-	-	-	-	-	-	-	-	-	1
31	Sioux	33	-	-	-	-	-	7	-	-	-	-	-	2	-
32	Slope	19	-	-	-	-	-	2	-	-	-	-	-	2	-
33	Stark	129	-	-	-	-	-	1	-	-	2	-	-	10	2
34	Steele	33	-	-	-	-	-	-	-	-	-	-	-	3	-
35	Stutsman	330	-	-	-	-	-	9	-	-	6	-	-	37	-
36	Towner	45	-	-	-	-	-	1	-	-	-	-	-	8	-
37	Traill	89	-	-	-	-	-	3	-	-	-	-	-	8	-
38	Walsh	180	-	-	-	-	-	9	-	-	-	-	1	26	-
39	Ward	315	-	-	-	-	1	2	-	-	2	-	-	36	1
40	Minot	210	-	-	-	-	1	-	-	-	2	-	-	26	1
41	Balance of county	105	-	-	-	-	-	2	-	-	-	-	-	10	-
42	Wells	67	-	-	-	-	-	2	-	-	-	-	-	9	-
43	Williams	143	-	-	-	-	-	2	-	-	-	-	-	15	-
44	OHIO	78,835	16	100	19	109	69	2,631	44	5	804	4	29	10,340	78
45	Adams	226	-	-	-	-	-	7	-	-	-	-	-	23	-
46	Allen	898	-	1	-	1	-	36	1	-	15	-	-	105	4
47	Lima	562	-	-	-	1	-	14	-	-	7	-	-	74	1
48	Balance of county	336	-	1	-	-	-	22	1	-	8	-	-	31	3
49	Ashland	359	1	1	-	1	-	5	-	-	1	-	1	43	1
50	Ashland	171	1	1	-	-	-	4	-	-	-	-	-	26	1
51	Balance of county	188	-	-	-	1	-	1	-	-	1	-	1	17	-
52	Ashtabula	841	-	2	-	-	2	21	-	-	-	-	1	106	1
53	Ashtabula	278	-	-	-	-	-	7	-	-	-	-	-	31	-
54	Balance of county	563	-	2	-	-	2	14	-	-	-	-	1	75	1
55	Athens	560	-	1	-	1	1	14	1	-	16	-	1	46	-
56	Auglaize	320	-	-	-	2	-	5	-	-	2	-	-	48	1
57	Belmont	927	-	1	-	1	-	20	1	-	6	1	-	132	2
58	Bellaire	145	-	-	-	-	-	-	-	-	1	1	-	20	-
59	Martins Ferry	158	-	-	-	-	-	5	-	-	1	-	-	30	-
60	Balance of county	624	-	1	-	1	-	15	1	-	4	-	-	82	2
61	Brown	270	-	2	1	-	-	8	-	-	-	-	-	28	-
62	Butler	1,289	1	3	-	2	1	47	-	-	9	1	-	160	2
63	Hamilton	617	-	3	-	-	1	29	-	-	3	1	-	82	-
64	Middletown	354	1	-	-	1	-	12	-	-	2	-	-	40	-
65	Balance of county	318	-	-	-	1	-	6	-	-	4	-	-	38	2
66	Carroll	190	-	-	-	1	-	4	-	-	-	-	-	24	1
67	Champaign	352	-	-	-	1	-	4	-	-	1	-	-	49	-
68	Clark	1,215	1	2	-	-	-	51	-	-	9	-	-	142	-
69	Springfield	905	1	1	-	-	-	37	-	-	5	-	-	109	-
70	Balance of county	310	-	1	-	-	-	14	-	-	4	-	-	33	-
71	Clermont	428	-	2	-	2	1	5	-	-	5	-	-	55	-
72	Clinton	270	-	-	-	-	1	6	-	-	1	-	-	36	-
73	Columbiana	1,017	-	3	-	6	1	33	1	-	7	-	1	118	2
74	East Liverpool	291	-	-	-	5	-	15	1	-	1	-	-	34	-
75	Salem	139	-	2	-	-	-	4	-	-	2	-	-	17	-
76	Balance of county	587	-	1	-	1	1	14	-	-	4	-	1	67	2
77	Coshocton	388	-	1	-	-	3	8	1	-	2	-	-	41	1
78	Coshocton	174	-	-	-	-	-	5	-	-	2	-	-	20	1
79	Balance of county	214	-	1	-	-	3	3	1	-	-	-	-	21	-
80	Crawford	449	-	1	-	2	-	3	-	-	2	-	1	56	1
81	Cuyahoga	13,051	-	23	3	8	4	541	5	1	144	-	3	1,966	9
82	Cleveland	9,922	-	20	3	8	2	500	3	1	123	-	3	1,473	7
83	Cleveland Heights	418	-	-	-	-	-	3	-	-	5	-	-	67	-
84	East Cleveland	405	-	-	-	-	-	4	-	-	1	-	-	60	-
85	Euclid	193	-	2	-	-	-	-	-	-	-	-	-	37	-
86	Garfield Heights	123	-	-	-	-	-	1	-	-	1	-	-	17	-
87	Lakewood	672	-	1	-	-	-	5	1	-	1	-	-	107	-
88	Parma	130	-	-	-	-	-	-	-	-	-	-	-	21	-
89	Shaker Heights	178	-	-	-	-	-	2	-	-	4	-	-	36	-
90	Balance of county	1,010	-	-	-	-	2	26	1	-	9	-	-	148	2

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
5	-	6	13	-	-	9	-	1	2	-	1	4	2	10	1
1	-	3	10	2	-	8	-	1	-	-	-	2	1	5	2
1	-	3	9	-	-	1	-	1	-	-	1	1	-	2	3
18	-	38	76	19	1	29	1	18	4	-	10	19	20	50	4
12	-	25	49	13	1	20	1	9	2	-	6	15	5	33	5
6	-	13	27	6	-	9	-	9	2	-	4	4	15	17	6
5	-	5	9	1	2	4	-	1	-	-	3	-	1	4	7
1	-	8	10	2	-	2	-	-	-	-	-	3	2	5	8
3	-	6	12	3	1	2	-	1	-	-	-	6	3	9	9
1	-	3	12	2	-	-	-	1	-	-	2	4	2	-	10
6	-	12	32	1	-	8	-	3	-	-	-	6	2	12	11
-	-	9	10	2	-	2	-	3	-	-	-	1	2	3	12
4	-	6	24	4	-	4	-	2	4	-	1	3	-	9	13
1	-	7	12	3	-	2	-	2	-	-	-	1	1	5	14
2	-	8	16	1	-	6	-	3	-	-	3	3	2	15	15
1	-	11	26	5	3	2	-	4	-	-	1	6	6	20	16
3	-	-	16	3	-	2	-	6	2	-	1	3	2	12	17
1	-	29	36	8	3	6	-	11	2	-	1	4	4	24	18
1	-	6	21	2	1	4	-	8	1	-	1	6	1	15	19
2	-	6	28	4	-	5	-	5	2	1	-	1	4	14	20
-	-	1	2	-	-	1	-	-	-	-	1	-	-	3	21
3	-	8	31	6	-	10	1	3	1	-	8	6	5	6	22
1	-	3	20	5	1	3	-	6	-	-	1	4	1	15	23
12	-	7	41	-	-	6	1	5	1	-	1	12	-	29	24
1	-	13	27	-	1	4	-	6	-	-	2	3	4	9	25
1	-	3	9	3	1	2	-	4	-	-	-	3	-	4	26
5	-	19	56	3	-	6	-	2	2	-	2	4	1	20	27
2	-	3	24	6	3	-	-	9	1	-	2	6	7	14	28
3	-	6	25	2	1	1	1	1	1	-	4	2	1	11	29
1	-	3	10	4	-	1	-	4	1	-	-	5	-	8	30
-	-	2	2	-	1	-	1	3	-	-	2	1	11	1	31
1	-	1	3	-	-	-	-	-	-	-	1	1	-	8	32
3	-	20	41	3	2	7	-	5	1	-	4	6	-	22	33
2	-	4	6	2	-	4	1	2	2	-	2	1	2	2	34
9	-	26	119	9	3	20	-	6	2	1	1	16	3	63	35
2	-	4	9	1	1	-	-	1	-	-	1	5	4	8	36
2	-	10	26	2	2	5	-	2	-	-	1	4	4	20	37
1	-	12	40	14	2	11	1	16	2	1	5	8	6	25	38
5	-	33	89	19	1	7	2	21	1	-	6	10	13	66	39
2	-	18	62	16	-	4	2	13	1	-	5	6	5	46	40
3	-	15	27	3	1	3	-	8	-	-	1	4	8	20	41
3	-	4	16	3	-	8	-	2	2	1	2	2	-	13	42
2	-	18	38	6	2	2	-	11	2	-	4	9	10	22	43
2,178	11	8,621	24,486	3,513	430	4,764	235	3,381	892	340	1,543	3,584	1,102	9,504	44
6	-	22	77	14	1	17	4	7	2	-	3	13	3	27	45
35	-	88	240	33	7	85	3	25	12	8	28	39	24	108	46
22	-	46	156	19	5	57	2	13	6	7	18	26	16	72	47
13	-	42	84	14	2	28	1	12	6	1	10	13	8	36	48
9	-	46	127	15	2	17	1	15	5	-	5	14	3	46	49
4	-	20	62	6	1	1	1	10	1	-	3	3	1	25	50
5	-	26	65	9	1	16	-	5	4	-	2	11	2	21	51
27	-	109	276	42	-	58	4	30	8	1	18	42	6	87	52
11	-	21	98	15	-	17	2	15	-	1	7	19	-	34	53
16	-	88	178	27	-	41	2	15	8	-	11	23	6	53	54
15	-	51	141	25	7	43	3	22	6	1	14	31	19	101	55
4	-	49	87	11	2	23	2	8	7	1	8	17	1	42	56
25	-	93	322	44	6	74	2	39	9	2	9	42	17	79	57
5	-	14	57	9	1	11	1	6	2	-	-	4	2	11	58
5	-	14	53	11	-	9	-	8	1	-	1	6	-	14	59
15	-	65	212	24	5	54	1	25	6	2	8	32	15	54	60
4	-	62	77	11	2	14	1	4	5	-	6	12	2	31	61
29	-	153	367	67	19	79	5	70	22	8	36	57	25	126	62
12	-	68	174	33	8	44	3	38	6	3	14	24	9	62	63
6	-	44	99	16	5	24	-	18	5	4	12	20	8	37	64
11	-	41	94	18	6	11	2	14	11	1	10	13	8	27	65
12	-	23	49	8	1	22	-	5	2	1	2	9	2	24	66
3	-	44	105	21	5	21	1	14	4	-	8	20	8	43	67
43	-	167	312	54	10	106	2	51	7	2	23	56	9	168	68
30	-	134	222	42	9	79	1	35	5	2	16	42	9	126	69
13	-	33	90	12	1	27	1	16	2	-	7	14	-	42	70
5	1	62	137	20	3	30	-	16	5	2	5	25	6	41	71
3	-	46	82	18	2	14	-	10	2	1	5	11	4	28	72
27	1	108	332	46	1	52	3	45	11	3	21	52	11	132	73
7	1	31	92	12	-	12	-	12	3	1	5	19	4	36	74
2	-	15	42	4	1	6	-	7	1	1	7	3	-	25	75
18	-	62	198	30	-	34	3	26	7	1	9	30	7	71	76
7	-	35	139	18	3	24	1	13	10	1	5	26	4	45	77
4	-	19	60	8	1	8	1	4	2	1	2	11	2	23	78
3	-	16	79	10	2	16	-	9	8	-	3	15	2	22	79
20	-	59	126	14	3	37	-	17	8	-	7	30	3	59	80
420	-	1,151	4,196	592	29	620	41	599	158	72	177	513	214	1,562	81
314	-	778	3,099	468	24	452	38	479	118	69	143	401	184	1,212	82
15	-	53	168	12	-	23	-	6	5	1	-	10	6	44	83
18	-	41	129	20	2	24	-	10	3	-	7	23	3	60	84
3	-	14	66	10	-	11	-	12	5	-	1	10	2	20	85
7	-	13	37	6	-	12	-	8	-	-	1	3	1	16	86
18	-	97	241	22	2	43	-	15	11	-	5	24	3	76	87
6	-	18	43	6	-	4	-	10	1	-	1	2	-	18	88
9	-	16	65	4	-	7	-	4	3	-	4	4	3	17	89
30	-	121	348	44	1	44	3	55	12	2	15	36	12	99	90

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	OHIO—Continued														
1	Darke	459	-	-	-	1	1	5	-	-	2	-	-	70	-
2	Defiance	263	-	-	-	1	-	6	-	-	1	-	-	33	-
3	Delaware	306	-	-	-	-	-	3	-	-	2	-	-	38	-
4	Erie	604	2	2	-	-	-	7	-	-	3	-	-	78	-
5	Sandusky	351	2	1	-	-	-	1	-	-	2	-	-	46	-
6	Balance of county	253	-	1	-	-	-	6	-	-	1	-	-	32	-
7	Fairfield	557	-	1	-	1	1	12	-	-	6	-	-	58	2
8	Lancaster	284	-	1	-	1	1	9	-	-	5	-	-	32	-
9	Balance of county	273	-	-	-	-	-	3	-	-	1	-	-	26	2
10	Fayette	269	-	-	-	-	-	6	-	-	4	-	-	35	-
11	Franklin	4,941	-	6	2	2	8	201	5	1	77	-	4	628	5
12	Columbus	4,107	-	5	1	2	7	165	4	-	74	-	1	522	5
13	Balance of county	834	-	1	1	-	1	36	1	1	3	-	3	106	-
14	Fulton	279	-	-	-	-	-	3	-	-	1	-	-	32	1
15	Gallia	350	-	-	-	-	-	15	2	-	4	-	-	27	-
16	Geauga	193	-	-	-	-	-	4	-	-	1	-	-	26	-
17	Greene	467	-	-	-	2	-	10	1	-	4	-	1	46	-
18	Xenia	160	-	-	-	2	-	5	-	-	-	-	-	16	-
19	Balance of county	307	-	-	-	-	-	5	1	-	4	-	1	30	-
20	Guernsey	460	-	-	-	-	-	14	-	-	3	-	-	44	-
21	Cambridge	200	-	-	-	-	-	5	-	-	2	-	-	20	-
22	Balance of county	260	-	-	-	-	-	9	-	-	1	-	-	24	-
23	Hamilton	8,180	2	14	-	7	3	372	1	1	102	1	2	1,116	5
24	Cincinnati	6,443	2	10	-	6	2	330	-	1	88	1	1	859	4
25	Norwood	285	-	-	-	-	1	3	-	-	1	-	-	48	-
26	Balance of county	1,452	-	4	-	1	-	39	1	-	13	-	1	209	1
27	Hancock	528	-	-	1	1	-	7	1	-	-	-	-	63	-
28	Findlay	314	-	-	1	-	-	5	1	-	-	-	-	35	-
29	Fostoria (part)	35	-	-	-	-	-	-	-	-	-	-	-	1	-
30	Balance of county	179	-	-	-	1	-	2	-	-	-	-	-	27	-
31	Hardin	333	-	-	-	2	-	5	-	-	-	-	-	38	-
32	Harrison	191	-	-	-	-	-	1	-	-	1	-	-	18	-
33	Henry	212	-	-	-	-	-	1	-	-	1	-	-	27	-
34	Highland	350	-	-	-	-	-	6	1	-	1	-	-	30	-
35	Hocking	195	-	1	-	-	-	4	-	-	2	-	-	21	-
36	Holmes	157	-	-	-	-	1	1	-	-	-	-	-	16	-
37	Huron	480	1	-	-	2	-	10	-	-	1	-	1	72	-
38	Jackson	302	-	-	-	3	-	10	1	-	-	-	-	35	1
39	Jefferson	938	-	2	-	-	-	20	1	-	4	-	-	102	-
40	Steubenville	439	-	-	-	-	-	12	1	-	2	-	-	43	-
41	Balance of county	499	-	2	-	-	-	8	-	-	2	-	-	59	-
42	Knox	395	-	-	-	2	-	14	-	-	1	-	1	39	1
43	Mount Vernon	182	-	-	-	1	-	7	-	-	-	-	1	18	1
44	Balance of county	213	-	-	-	1	-	7	-	-	1	-	-	21	-
45	Lake	587	-	-	1	2	2	15	1	-	-	-	-	79	1
46	Painesville	207	-	-	-	1	2	10	1	-	-	-	-	33	-
47	Balance of county	380	-	-	1	1	-	5	-	-	-	-	-	46	1
48	Lawrence	429	-	1	-	4	-	16	1	-	6	-	-	47	-
49	Ironton	176	-	-	-	1	-	6	-	-	6	-	-	24	-
50	Balance of county	253	-	1	-	3	-	10	1	-	-	-	-	23	-
51	Licking	826	-	-	1	1	4	17	-	-	9	-	-	119	1
52	Newark	458	-	-	1	1	3	4	-	-	7	-	-	59	1
53	Balance of county	368	-	-	-	-	1	13	-	-	2	-	-	60	-
54	Logan	381	-	1	-	1	1	9	-	-	2	-	-	50	-
55	Lorain	1,287	-	3	-	-	-	30	-	-	7	-	-	189	3
56	Elyria	307	-	-	-	-	-	8	-	-	1	-	-	37	2
57	Lorain	487	-	2	-	-	-	10	-	-	3	-	-	81	-
58	Balance of county	493	-	1	-	-	-	12	-	-	3	-	-	71	1
59	Lucas	4,101	1	2	2	5	1	186	7	-	53	-	1	541	4
60	Toledo	3,750	-	2	2	3	1	180	6	-	51	-	1	494	4
61	Balance of county	351	1	-	-	2	-	6	1	-	2	-	-	47	-
62	Madison	254	-	-	-	2	1	5	-	-	1	-	-	22	-
63	Mahoning	2,347	-	2	-	4	-	84	1	-	19	-	1	354	2
64	Campbell	88	-	-	-	1	-	-	-	-	2	-	-	11	-
65	Struthers	57	-	-	-	-	-	1	-	-	1	-	-	11	-
66	Youngstown (part)	1,787	-	2	-	3	-	38	1	-	14	-	1	287	2
67	Youngstown (total)	1,789	-	2	-	3	-	38	1	-	14	-	1	287	2
68	Balance of county	415	-	-	-	-	-	45	-	-	2	-	-	45	-
69	Marion	549	1	-	-	-	-	8	2	-	5	-	-	55	-
70	Marion	372	1	-	-	-	-	7	2	-	2	-	-	38	-
71	Balance of county	177	-	-	-	-	-	1	-	-	3	-	-	17	-
72	Medina	387	-	-	1	1	-	4	-	-	3	-	1	50	-
73	Meigs	216	1	-	-	-	-	6	-	-	-	-	-	18	-
74	Mercer	270	-	-	-	-	-	4	-	-	-	-	-	30	-
75	Miami	663	-	-	-	-	-	14	1	-	1	-	-	87	-
76	Piqua	220	-	-	-	-	-	3	1	-	-	-	-	35	-
77	Balance of county	443	-	-	-	-	-	11	-	-	1	-	-	52	-
78	Monroe	213	-	-	-	-	-	4	-	-	2	-	-	32	1
79	Montgomery	3,604	2	7	-	9	5	154	2	-	60	-	2	439	11
80	Dayton	2,736	2	5	-	8	3	105	2	-	48	-	2	352	7
81	Balance of county	868	-	2	-	1	2	49	-	-	12	-	-	87	4
82	Morgan	150	1	-	-	-	-	12	-	-	1	-	-	17	-
83	Morrow	174	-	-	-	-	-	2	-	-	-	-	-	13	-
84	Muskingum	868	-	-	-	2	2	21	1	-	11	-	-	97	-
85	Zanesville	575	-	-	-	2	-	19	-	-	9	-	-	62	-
86	Balance of county	293	-	-	-	-	2	2	1	-	2	-	-	35	-
87	Noble	128	-	-	-	-	-	5	-	-	1	-	-	17	-
88	Ottawa	288	-	1	-	-	-	3	-	-	1	1	-	45	-
89	Paulding	137	-	-	-	-	1	-	-	-	-	-	-	16	-
90	Perry	326	-	-	-	-	1	10	-	-	2	-	-	40	-
91	Pickaway	397	-	1	-	1	2	29	-	-	3	-	-	54	2
92	Pike	162	-	-	-	2	-	9	1	-	4	-	-	11	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
10	-	53	158	14	6	37	-	14	4	-	14	24	5	41	1
9	-	28	76	5	-	35	-	15	3	-	13	11	3	24	2
8	-	45	114	6	2	13	-	11	3	-	6	18	5	32	3
18	-	79	176	19	1	49	1	24	10	2	21	37	9	66	4
13	-	44	92	9	-	29	1	17	9	1	11	24	5	44	5
5	-	35	84	10	1	20	-	7	1	1	10	13	4	22	6
21	-	78	162	24	3	32	1	20	13	1	11	26	4	60	7
11	-	42	84	6	2	16	-	15	7	1	5	10	2	34	8
10	-	36	98	18	1	16	1	5	6	-	6	16	2	26	9
4	-	51	68	11	3	10	1	12	2	1	4	13	8	36	10
124	2	602	1,366	203	13	303	16	207	59	22	100	186	114	685	11
106	2	494	1,150	169	8	235	13	161	53	18	71	157	96	588	12
18	-	108	216	34	5	68	3	46	6	4	29	29	18	97	13
11	-	39	95	12	2	9	1	7	4	5	4	13	1	39	14
7	-	30	71	19	3	28	-	7	1	2	7	21	2	104	15
7	-	14	75	8	-	9	-	8	4	-	2	9	3	23	16
15	-	57	140	11	5	30	4	37	4	2	10	19	3	66	17
8	-	23	44	4	-	8	1	12	1	2	1	4	2	27	18
7	-	34	96	7	5	22	3	25	3	-	9	15	1	39	19
17	-	58	134	35	3	26	1	12	2	1	9	26	12	63	20
8	-	26	55	15	-	15	1	9	-	-	6	10	3	25	21
9	-	32	79	20	3	11	-	3	2	1	3	16	9	38	22
192	5	829	2,728	388	64	399	18	290	72	49	111	345	66	996	23
150	5	640	2,145	320	53	324	15	218	55	45	84	268	59	758	24
8	-	30	89	12	3	14	-	16	8	-	2	12	-	38	25
34	-	159	494	56	8	61	3	56	9	4	25	65	7	202	26
19	-	69	167	19	2	30	-	17	3	-	15	34	14	66	27
12	-	45	99	12	2	15	-	10	1	-	6	24	8	38	28
2	-	2	12	3	-	2	-	3	-	-	-	2	1	7	29
5	-	22	56	4	-	13	-	4	2	-	9	8	5	21	30
8	-	42	109	13	3	21	-	17	1	1	5	14	4	50	31
1	-	31	66	8	-	10	-	2	6	1	4	8	3	31	32
9	-	20	64	4	1	18	-	10	1	1	10	11	5	29	33
7	-	77	104	19	1	25	3	8	3	1	5	14	7	38	34
5	-	23	64	16	3	12	1	8	1	1	3	11	-	19	35
3	-	26	48	9	2	10	-	6	3	-	2	9	1	20	36
10	-	63	152	10	3	30	1	20	6	-	16	19	16	47	37
7	-	47	92	16	3	21	1	15	2	1	4	9	4	30	38
38	-	104	284	44	4	66	4	58	15	3	13	50	3	113	39
15	-	40	147	19	2	29	2	29	6	1	5	25	-	61	40
23	-	64	137	25	2	37	2	29	9	2	8	35	3	52	41
11	-	58	111	20	3	32	-	12	4	-	6	17	12	51	42
3	-	23	52	12	2	14	-	8	2	-	1	7	8	22	43
8	-	35	59	8	1	18	-	4	2	-	5	10	4	29	44
13	-	68	182	24	3	27	-	32	8	3	17	38	8	63	45
3	-	20	66	6	-	8	-	9	1	1	3	20	2	21	46
10	-	48	116	18	3	19	-	23	7	2	14	18	6	42	47
14	1	37	105	30	7	36	-	38	3	4	7	27	2	43	48
5	-	17	43	13	-	14	-	14	-	1	4	7	1	20	49
9	1	20	62	17	7	22	-	24	3	3	3	20	1	23	50
24	-	91	282	36	5	72	1	25	8	1	13	41	6	89	51
12	-	53	143	18	4	45	1	19	4	1	5	25	4	48	52
12	-	38	119	18	1	27	-	6	4	-	8	16	2	41	53
12	-	46	109	20	-	42	-	12	5	-	10	17	6	38	54
44	-	147	398	43	5	92	5	63	16	4	36	76	7	119	55
9	-	40	105	8	1	27	1	14	4	1	10	16	-	23	56
14	-	51	130	17	4	36	2	28	7	3	19	30	2	48	57
21	-	56	163	18	-	29	2	21	5	-	7	30	5	48	58
98	-	383	1,262	154	28	234	13	192	36	21	83	171	74	549	59
91	-	352	1,154	143	26	216	11	171	30	21	68	153	64	506	60
7	-	31	108	11	2	18	2	21	6	-	15	18	10	43	61
10	-	37	68	7	2	25	1	10	3	-	9	14	8	29	62
67	-	264	682	113	6	144	11	106	32	13	53	107	24	258	63
5	-	7	24	4	1	5	1	6	4	2	1	9	1	4	64
3	-	6	20	1	-	2	-	2	2	-	1	3	-	4	65
53	-	199	520	92	5	115	10	74	21	11	39	77	18	205	66
53	-	199	520	92	5	115	10	74	21	11	39	77	19	206	67
6	-	52	118	16	-	22	-	24	5	-	12	18	5	45	68
14	-	80	188	28	5	40	2	23	6	1	5	17	5	64	69
11	-	48	133	20	2	24	2	19	3	1	2	12	3	42	70
3	-	32	55	8	3	16	-	4	3	-	3	5	2	22	71
5	-	46	120	13	-	21	2	12	6	3	9	29	4	57	72
7	-	29	83	9	-	6	1	12	2	-	2	8	8	24	73
8	-	17	92	11	2	21	-	17	4	-	2	13	6	43	74
12	-	71	232	30	3	50	1	24	10	1	12	32	1	81	75
2	-	23	86	4	1	13	-	11	2	1	5	7	-	26	76
10	-	48	146	26	2	37	1	13	8	-	7	25	1	55	77
8	-	33	51	12	2	11	-	4	6	1	3	12	4	27	78
96	-	353	1,163	148	21	217	7	158	46	36	86	161	30	391	79
71	-	245	873	109	16	168	6	129	32	31	69	119	22	312	80
25	-	108	290	39	5	49	1	29	14	5	17	42	8	79	81
3	-	16	54	4	1	6	1	2	1	-	1	4	2	24	82
6	-	24	52	11	-	24	1	3	4	-	4	8	2	20	83
22	-	105	286	38	7	56	1	33	9	3	19	49	16	90	84
18	-	72	171	27	3	39	1	26	5	2	10	36	13	60	85
4	-	33	115	11	4	17	-	7	4	1	9	13	3	30	86
1	-	21	31	6	1	12	-	3	2	-	3	5	6	14	87
11	-	22	105	8	-	24	-	4	7	-	13	14	3	26	88
6	-	10	47	5	1	14	-	7	3	-	3	9	-	15	89
6	-	44	114	16	2	17	3	10	2	2	8	13	3	33	90
9	-	26	100	23	5	44	2	16	5	-	6	13	6	50	91
5	-	11	33	11	2	11	-	6	1	1	8	14	11	21	92

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	OHIO—Continued														
1	Portage	478	-	1	-	1	-	3	-	-	3	-	1	71	-
2	Preble	290	-	-	-	1	-	6	-	-	1	-	-	35	-
3	Putnam	240	-	-	-	1	-	1	-	-	1	-	1	26	1
4	Richland	792	-	1	-	2	1	26	1	-	6	-	-	96	1
5	Mansfield	423	-	-	-	1	-	19	-	-	4	-	-	56	-
6	Balance of county	369	-	1	-	1	1	7	1	-	2	-	-	40	1
7	Ross	588	-	1	1	4	3	19	1	-	30	-	-	79	-
8	Chillicothe	245	-	-	-	2	1	4	1	-	3	-	-	42	-
9	Balance of county	343	-	1	1	2	2	15	-	-	27	-	-	37	-
10	Sandusky	486	2	-	-	-	-	9	-	-	2	-	-	60	-
11	Fremont	178	1	-	-	-	-	4	-	-	1	-	-	22	-
12	Balance of county	308	1	-	-	-	-	5	-	-	1	-	-	38	-
13	Scioto	814	-	1	-	3	15	19	1	-	5	-	-	119	1
14	Portsmouth	471	-	1	-	1	8	10	1	-	4	-	-	70	1
15	Balance of county	343	-	-	-	2	7	9	-	-	1	-	-	49	-
16	Seneca	510	-	-	1	1	1	7	1	-	-	-	-	76	1
17	Fostoria (part)	98	-	-	1	1	-	3	-	-	-	-	-	9	-
18	Fostoria (total)	131	-	-	1	1	-	3	-	-	-	-	-	10	-
19	Tiffin	240	-	-	-	-	-	2	1	-	-	-	-	38	-
20	Balance of county	174	-	-	-	-	1	2	-	-	-	-	-	29	1
21	Shelby	285	-	-	-	-	-	4	-	-	-	-	-	28	-
22	Stark	2,756	-	1	-	1	-	112	-	1	67	-	2	347	5
23	Alliance	317	-	-	-	-	-	7	-	-	3	-	-	46	-
24	Canton	1,158	-	1	-	-	-	16	-	-	7	-	-	179	3
25	Massillon	324	-	-	-	1	-	8	-	-	2	-	-	48	-
26	Balance of county	957	-	-	-	-	-	81	-	1	55	-	2	74	2
27	Summit	3,289	-	3	3	3	-	120	-	1	33	-	2	447	1
28	Akron	2,326	-	2	3	1	-	84	-	1	20	-	2	318	1
29	Barberton	245	-	-	-	1	-	5	-	-	-	-	-	32	-
30	Cuyahoga Falls	176	-	-	-	-	-	1	-	-	1	-	-	23	-
31	Balance of county	542	-	1	-	1	-	30	-	-	12	-	-	74	-
32	Trumbull	1,289	-	2	1	2	-	24	-	-	8	-	-	182	1
33	Niles	123	-	1	-	1	-	1	-	-	-	-	-	9	-
34	Warren	518	-	1	-	-	-	9	-	-	6	-	-	84	-
35	Youngstown (part)	2	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Balance of county	646	-	-	1	1	-	14	-	-	2	-	-	89	1
37	Tuscarawas	745	-	2	1	1	-	10	-	-	3	-	-	92	1
38	New Philadelphia	150	-	-	1	1	-	1	-	-	-	-	-	21	-
39	Balance of county	595	-	2	-	-	-	9	-	-	3	-	-	71	1
40	Union	227	-	1	-	-	-	6	-	-	1	-	-	32	-
41	Van Wert	330	-	-	-	-	-	3	-	-	1	-	1	45	-
42	Vinton	92	-	-	-	1	-	3	-	-	2	-	-	8	-
43	Warren	362	-	-	-	1	-	12	-	-	-	-	-	45	-
44	Washington	476	-	-	-	-	-	8	-	-	2	-	-	49	-
45	Marietta	202	-	-	-	-	-	2	-	-	1	-	-	22	-
46	Balance of county	274	-	-	-	-	-	6	-	-	1	-	-	27	-
47	Wayne	518	-	-	-	1	1	14	-	-	3	-	-	60	1
48	Wooster	142	-	-	-	-	-	6	-	-	1	-	-	15	1
49	Balance of county	376	-	-	-	1	1	8	-	-	2	-	-	45	-
50	Williams	307	-	-	-	-	-	6	-	-	2	-	-	42	-
51	Wood	537	-	-	-	-	-	8	-	-	1	-	-	71	-
52	Wyandot	221	-	-	-	-	-	9	-	-	1	-	-	38	-
53	OKLAHOMA	18,921	12	25	7	47	53	830	53	19	176	4	14	2,215	20
54	Adair	147	-	-	-	-	1	22	4	-	-	-	-	8	-
55	Alfalfa	107	-	-	-	-	-	2	-	-	-	-	-	14	-
56	Atoka	123	-	1	-	-	1	3	-	-	1	-	-	12	-
57	Beaver	68	-	-	-	1	-	-	-	-	-	-	-	6	-
58	Beckham	161	-	-	1	-	1	1	-	-	1	-	-	19	1
59	Blaine	116	-	1	-	3	-	10	1	-	-	-	-	12	-
60	Bryan	257	-	-	-	-	2	10	1	2	2	-	-	29	-
61	Durant	102	-	-	-	-	-	5	-	1	1	-	-	11	-
62	Balance of county	155	-	-	-	-	2	5	1	1	1	-	-	18	-
63	Caddo	297	-	-	-	1	-	24	1	-	4	-	-	31	1
64	Canadian	231	-	-	-	-	3	5	1	-	-	-	-	26	-
65	El Reno	130	-	-	-	-	3	2	1	-	-	-	-	19	-
66	Balance of county	101	-	-	-	-	-	3	-	-	-	-	-	7	-
67	Carter	324	-	1	-	2	-	13	-	-	1	-	-	46	2
68	Ardmore	199	-	1	-	1	-	9	-	-	-	-	-	32	2
69	Balance of county	125	-	-	-	1	-	4	-	-	1	-	-	14	-
70	Cherokee	142	1	-	-	-	4	15	-	1	3	-	-	19	-
71	Choctaw	199	-	-	-	2	-	9	4	1	1	-	-	28	-
72	Cimarron	35	-	-	-	-	-	-	-	-	-	-	-	4	-
73	Cleveland	378	-	-	-	1	-	21	-	-	18	-	-	27	-
74	Norman	309	-	-	-	-	-	19	-	-	18	-	-	22	-
75	Balance of county	69	-	-	-	1	-	2	-	-	-	-	-	5	-
76	Coal	85	-	1	-	1	-	4	2	-	1	-	-	14	-
77	Comanche	313	-	1	-	3	1	6	-	-	1	-	1	25	-
78	Lawton	189	-	-	-	3	1	2	-	-	1	-	-	18	-
79	Balance of county	124	-	1	-	-	-	4	-	-	-	-	1	7	-
80	Cotton	86	-	-	-	-	-	3	-	-	-	-	-	9	-
81	Craig	300	-	-	-	-	-	26	-	-	23	-	-	30	-
82	Creek	399	-	-	-	-	2	18	-	-	2	-	-	42	1
83	Sapulpa	138	-	-	-	-	-	6	-	-	-	-	-	10	-
84	Balance of county	261	-	-	-	-	2	12	-	-	2	-	-	32	1
85	Custer	227	-	-	-	-	-	19	1	-	-	-	-	28	-
86	Delaware	113	2	-	-	1	-	14	-	1	1	-	-	9	-
87	Dewey	65	-	-	-	-	-	1	-	-	-	-	-	6	-
88	Ellis	69	-	-	-	-	-	-	-	-	-	-	1	14	-
89	Garfield	464	-	-	2	-	-	20	-	-	5	-	-	54	-
90	Enid	351	-	-	2	-	-	19	-	-	5	-	-	46	-
91	Balance of county	113	-	-	-	-	-	1	-	-	-	-	-	8	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
14	-	70	157	28	2	21	1	17	5	3	10	16	3	51	1
7	-	40	88	20	3	21	-	8	3	-	3	12	-	42	2
8	-	24	69	6	3	25	1	7	3	-	13	16	9	25	3
20	-	91	228	28	5	83	2	44	9	3	20	38	8	79	4
12	-	53	122	15	4	42	1	22	3	1	10	19	2	37	5
8	-	38	106	13	1	41	1	22	6	2	10	19	6	42	6
15	-	64	154	24	3	26	3	32	4	-	9	26	28	62	7
14	-	26	65	5	1	11	-	14	2	-	4	11	13	26	8
1	-	38	89	19	2	15	3	18	2	-	5	15	15	36	9
14	-	59	158	17	4	27	3	17	8	-	19	18	15	54	10
5	-	19	56	7	1	12	-	12	2	-	6	2	6	22	11
9	-	40	102	10	3	15	3	5	6	-	13	16	9	32	12
17	-	83	203	55	14	47	4	52	5	3	18	48	7	94	13
9	-	49	126	28	8	28	1	34	2	2	5	25	4	54	14
8	-	34	77	27	6	19	3	18	3	1	13	23	3	40	15
10	-	67	171	17	1	17	2	21	1	-	15	21	12	67	16
1	-	11	32	3	-	3	1	4	-	-	4	6	3	14	17
3	-	13	44	6	-	5	1	7	-	-	4	8	4	21	18
6	-	35	82	11	1	7	1	13	-	-	6	6	1	30	19
3	-	21	57	3	-	7	-	4	1	-	5	9	8	23	20
7	-	45	72	18	2	18	2	16	3	-	6	18	7	39	21
76	1	257	961	124	10	126	7	106	21	6	62	106	27	328	22
8	-	21	103	12	-	20	-	19	3	1	10	13	2	49	23
39	1	118	390	61	7	49	5	46	4	5	26	46	11	144	24
12	-	38	106	13	2	23	2	7	2	-	6	18	3	33	25
17	-	80	362	38	1	34	-	36	12	-	20	29	11	102	26
95	-	320	994	161	18	185	9	190	45	21	92	145	15	386	27
67	-	219	707	122	15	139	6	125	34	18	70	95	11	266	28
6	-	25	56	14	1	11	-	21	4	1	10	18	-	40	29
4	-	13	76	8	-	12	1	17	1	-	-	6	-	13	30
18	-	63	155	17	2	23	2	27	6	2	12	26	4	67	31
27	-	152	370	79	7	90	7	80	15	8	26	60	11	137	32
1	-	11	30	7	1	13	-	10	2	-	4	4	4	24	33
10	-	48	143	34	3	42	4	36	8	4	7	26	3	50	34
-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	35
16	-	93	197	38	3	35	3	34	5	4	15	30	3	62	36
24	-	97	231	20	3	43	6	30	9	-	10	39	5	118	37
9	-	22	43	3	2	5	-	4	1	-	2	7	1	27	38
15	-	75	188	17	1	38	6	26	8	-	8	32	4	91	39
7	-	33	58	8	-	17	-	4	2	-	2	17	8	31	40
9	-	38	98	15	2	31	-	12	9	1	5	18	1	41	41
3	-	9	21	6	1	6	-	4	1	-	4	4	8	11	42
11	-	50	114	13	6	25	4	13	6	1	7	19	2	33	43
12	-	62	167	21	1	24	1	15	1	-	5	19	7	62	44
6	-	42	65	10	-	13	-	6	-	-	2	6	3	24	45
6	-	40	102	11	1	11	1	9	1	-	3	13	4	38	46
12	-	46	187	22	1	30	1	25	4	-	9	26	5	70	47
1	-	14	51	6	-	7	-	9	-	-	3	5	1	22	48
11	-	32	136	16	1	23	1	16	4	-	6	21	4	48	49
2	-	56	86	17	-	17	1	15	-	-	4	20	5	34	50
23	-	47	174	17	2	33	3	19	4	3	13	35	8	76	51
9	-	22	70	11	1	15	-	13	-	-	4	8	4	18	52
349	31	1,911	4,338	1,097	153	1,117	97	1,055	154	128	443	1,196	885	2,492	53
5	-	12	17	16	3	5	1	4	-	-	4	5	26	14	54
5	-	10	34	8	-	5	-	4	-	-	4	4	5	12	55
3	-	19	9	10	2	4	-	20	2	1	2	6	2	25	56
1	-	3	21	1	2	5	-	6	-	-	-	3	11	8	57
3	1	25	45	11	-	10	-	3	1	-	5	9	9	15	58
3	-	12	25	6	1	1	-	8	4	1	5	4	6	13	59
2	1	20	57	16	4	20	-	11	5	1	3	14	21	36	60
1	-	10	24	2	2	9	-	5	3	-	1	4	10	13	61
1	1	10	33	14	2	11	-	6	2	1	2	10	11	23	62
2	1	30	67	20	5	13	3	17	1	2	6	19	12	37	63
6	-	21	71	13	-	5	1	12	5	3	4	10	11	34	64
4	-	12	39	4	-	4	1	7	2	2	2	8	6	14	65
2	-	9	32	9	-	1	-	5	3	1	2	2	5	20	66
4	2	27	78	19	1	18	1	17	1	7	8	21	15	40	67
4	2	18	43	13	1	13	1	8	1	5	5	13	5	22	68
-	-	9	35	6	-	5	-	9	-	2	3	8	10	18	69
4	-	16	10	19	2	7	1	6	1	3	3	5	9	13	70
2	-	17	37	12	1	16	1	13	1	6	3	12	13	20	71
1	-	5	2	4	-	2	-	-	1	-	1	7	5	3	72
8	3	45	62	13	1	5	1	13	5	-	2	40	30	83	73
8	3	37	49	12	1	4	-	9	2	-	1	22	27	75	74
-	-	8	13	1	-	1	1	4	3	-	1	18	3	8	75
1	-	7	16	4	1	2	-	1	2	-	2	4	12	10	76
8	-	27	75	19	3	10	4	24	7	6	12	25	14	41	77
5	-	16	52	12	2	7	2	14	4	5	5	8	7	25	78
3	-	11	23	7	1	3	2	10	3	1	7	17	7	16	79
2	-	10	18	7	1	15	-	3	-	-	-	6	6	6	80
3	-	32	63	11	3	15	2	6	2	1	1	16	21	45	81
9	1	46	100	17	3	24	4	29	3	1	6	24	17	50	82
2	1	13	42	5	1	12	1	15	-	-	2	12	6	10	83
7	-	33	58	12	2	12	3	14	3	1	4	12	11	40	84
5	1	17	47	13	2	16	1	18	1	1	3	16	8	30	85
-	-	15	25	7	-	8	3	6	1	-	3	5	5	7	86
2	-	9	16	2	-	2	-	4	-	1	1	4	6	11	87
1	1	8	22	2	1	5	-	4	-	-	1	2	-	7	88
5	-	44	118	23	4	40	1	22	3	3	4	24	15	77	89
3	-	29	88	16	3	33	1	18	1	3	2	13	7	62	90
2	-	15	30	7	1	7	-	4	2	-	2	11	8	15	91

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	OKLAHOMA—Continued														
1	Garvin	205	1	-	-	3	-	6	-	-	1	-	-	22	-
2	Grady	276	-	2	-	1	-	4	1	-	1	-	-	37	1
3	Chickasha	140	-	2	-	-	-	3	-	-	-	-	-	17	1
4	Balance of county	136	-	-	-	1	-	1	1	-	1	-	-	20	-
5	Grant	80	-	1	-	-	-	1	-	-	-	-	-	10	-
6	Greer	113	-	-	-	-	1	1	-	-	2	-	-	12	-
7	Harmon	57	-	-	-	-	2	1	-	-	-	-	1	3	-
8	Harper	53	-	-	-	-	-	1	-	-	-	-	-	6	-
9	Haskell	107	-	2	-	2	-	2	-	-	-	-	-	12	-
10	Hughes	197	-	-	-	1	1	16	2	-	3	-	-	28	-
11	Jackson	152	1	-	-	-	-	5	1	-	-	-	-	21	-
12	Jefferson	125	-	-	-	-	-	2	-	1	-	-	-	19	-
13	Johnston	91	-	-	-	-	-	3	-	-	-	-	-	16	-
14	Kay	444	-	1	-	-	-	17	-	-	4	-	-	61	-
15	Ponca City	158	-	1	-	-	-	10	-	-	2	-	-	24	-
16	Balance of county	286	-	-	-	-	-	7	-	-	2	-	-	37	-
17	Kingfisher	111	-	-	-	-	-	1	-	-	-	-	-	13	1
18	Kiowa	161	-	-	-	-	-	5	-	-	1	-	-	20	-
19	Latimer	64	-	-	-	1	-	9	-	-	1	-	-	2	-
20	Le Flore	296	1	-	-	-	-	11	1	-	2	-	1	34	-
21	Lincoln	215	-	1	-	-	1	7	-	-	2	-	-	22	-
22	Logan	260	-	-	-	2	-	12	-	-	-	-	-	25	-
23	Guthrie	143	-	-	-	2	-	10	-	-	-	-	-	14	-
24	Balance of county	117	-	-	-	-	-	2	-	-	-	-	-	11	-
25	Love	43	-	-	-	-	-	2	-	-	-	-	-	6	-
26	McClain	86	-	-	-	1	-	4	-	-	-	-	1	15	-
27	McCurtain	247	-	-	-	1	-	6	-	3	-	-	-	32	1
28	McIntosh	155	-	-	-	3	1	16	-	1	-	-	-	18	-
29	Major	59	-	-	-	-	-	-	-	-	-	-	-	10	1
30	Marshall	92	-	-	-	-	1	3	-	-	-	-	-	12	-
31	Mayes	189	-	-	-	-	1	8	-	-	2	-	-	16	-
32	Murray	135	-	-	-	-	-	9	-	-	-	-	-	16	-
33	Muskogee	741	2	-	-	2	-	42	2	2	23	-	-	87	-
34	Muskogee	420	1	-	-	1	-	19	1	-	5	-	-	64	-
35	Balance of county	321	1	-	-	1	-	23	1	2	18	-	-	23	-
36	Noble	126	-	-	-	1	-	1	-	-	1	-	1	20	-
37	Nowata	128	-	-	-	-	2	1	1	-	1	1	-	21	2
38	Okfuskee	170	-	-	-	2	-	10	3	-	1	1	-	17	-
39	Oklahoma	2,348	-	4	-	1	5	76	3	-	13	-	3	269	3
40	Oklahoma City	1,947	-	3	-	-	5	64	3	-	8	-	3	232	2
41	Balance of county	401	-	1	-	1	-	12	-	-	5	-	-	37	1
42	Okmulgee	431	-	1	-	1	-	26	-	2	3	-	-	52	-
43	Okmulgee	183	-	-	-	-	-	13	-	-	2	-	-	25	-
44	Balance of county	248	-	1	-	1	-	13	-	2	1	-	-	27	-
45	Osage	279	-	-	-	-	-	15	-	-	-	-	-	32	1
46	Ottawa	356	2	-	1	-	4	48	3	-	1	-	-	40	-
47	Pawnee	142	-	-	1	-	1	5	-	-	3	-	-	22	-
48	Payne	278	-	1	-	-	1	4	-	-	1	-	-	42	-
49	Stillwater	92	-	1	-	-	-	1	-	-	-	-	-	15	-
50	Balance of county	186	-	-	-	-	1	3	-	-	1	-	-	27	-
51	Pittsburg	412	-	-	-	2	3	23	4	-	2	-	-	39	-
52	McAlester	191	-	-	-	2	-	9	3	-	2	-	-	21	-
53	Balance of county	221	-	-	-	-	3	14	1	-	-	-	-	18	-
54	Pontotoc	277	-	-	-	-	-	13	2	-	1	-	1	34	-
55	Ada	153	-	-	-	-	-	6	-	-	1	-	-	22	-
56	Balance of county	124	-	-	-	-	-	7	2	-	-	-	1	12	-
57	Pottawatomie	423	-	1	1	1	-	14	1	-	2	-	-	48	1
58	Shawnee	237	-	-	1	1	-	9	-	-	2	-	-	27	1
59	Balance of county	186	-	1	-	-	-	5	1	-	-	-	-	21	-
60	Pushmataha	157	-	-	-	-	2	4	-	2	-	-	-	13	1
61	Roger Mills	52	-	-	-	-	-	1	-	-	-	-	-	9	-
62	Rogers	162	-	1	-	-	-	2	1	-	2	1	-	19	1
63	Seminole	316	1	-	-	1	1	18	2	-	2	-	-	33	-
64	Seminole	100	-	-	-	1	-	2	-	-	-	-	-	14	-
65	Wewoka	76	-	-	-	-	-	8	-	-	1	-	-	10	-
66	Balance of county	140	1	-	-	-	1	8	2	-	1	-	-	9	-
67	Sequoyah	145	-	-	-	1	2	15	3	1	2	-	-	16	-
68	Stephens	225	-	-	-	1	1	7	1	-	-	-	1	25	1
69	Texas	67	-	-	-	-	-	1	-	-	-	-	-	8	-
70	Tillman	149	-	1	-	-	2	4	-	-	2	1	-	16	-
71	Tulsa	1,831	1	4	-	1	5	73	4	1	19	-	2	241	-
72	Tulsa	1,470	-	3	-	1	1	54	3	-	18	-	2	191	-
73	Balance of county	361	1	1	-	-	4	19	1	1	1	-	-	50	-
74	Wagoner	160	-	-	-	1	-	8	3	1	1	-	1	24	-
75	Washington	279	-	-	1	2	-	6	-	-	3	-	-	33	-
76	Bartlesville	154	-	-	-	1	-	4	-	-	3	-	-	21	-
77	Balance of county	125	-	-	1	1	-	2	-	-	-	-	-	12	-
78	Washita	130	-	-	-	-	-	2	-	-	1	-	-	20	-
79	Woods	122	-	-	-	-	1	1	-	-	-	-	-	18	-
80	Woodward	296	-	-	-	-	-	12	-	-	9	-	-	17	1
81	OREGON	13,022	6	10	2	3	18	308	11	-	109	1	7	1,676	5
82	Baker	196	-	-	-	-	-	1	-	-	1	-	-	27	-
83	Benton	207	-	-	-	-	-	4	-	-	-	-	-	29	-
84	Clackamas	601	-	-	-	-	4	21	-	-	3	-	1	97	-
85	Clatsop	308	-	-	-	-	-	6	-	-	2	-	-	31	-
86	Astoria	195	-	-	-	-	-	3	-	-	1	-	-	25	-
87	Balance of county	113	-	-	-	-	-	3	-	-	1	-	-	6	-
88	Columbia	163	-	1	-	-	-	3	-	-	1	-	1	24	-
89	Coos	319	-	-	-	-	-	6	-	-	-	-	-	42	1
90	Crook	45	-	-	-	-	-	-	-	-	-	-	-	6	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
3	-	33	58	13	-	9	2	7	-	-	4	13	8	22	1
5	1	24	59	21	1	16	2	10	3	2	16	11	18	40	2
3	-	11	30	14	-	10	1	8	2	2	7	7	8	14	3
2	1	13	29	7	1	6	1	2	1	-	9	4	10	26	4
2	-	10	24	7	1	9	-	4	-	-	1	1	1	8	5
2	-	12	22	5	1	7	-	8	-	-	1	6	15	18	6
-	-	11	18	7	-	4	-	3	-	1	-	2	1	3	7
1	-	5	7	4	-	6	-	3	-	-	1	4	5	10	8
1	-	6	24	7	-	12	3	3	-	2	-	5	11	15	9
2	-	14	38	19	1	13	3	12	1	1	8	12	7	15	10
2	-	14	30	16	4	6	-	11	-	1	5	9	6	20	11
3	-	14	27	5	1	8	2	7	1	-	5	6	4	20	12
2	1	11	15	12	-	4	-	10	-	-	1	4	2	10	13
8	-	42	124	23	1	30	1	15	5	1	15	24	8	64	14
2	-	11	46	4	1	7	-	7	1	-	10	9	3	20	15
6	-	31	78	19	-	23	1	8	4	1	5	15	5	44	16
3	-	13	32	3	-	7	2	5	1	2	1	7	5	15	17
3	-	22	46	11	3	4	1	3	1	-	4	8	3	26	18
1	2	6	8	5	-	5	2	7	1	-	3	3	3	5	19
6	-	29	62	17	3	21	3	19	3	-	5	21	9	48	20
3	1	25	55	9	-	11	1	12	2	-	6	14	14	29	21
10	-	34	65	16	2	21	1	9	4	2	-	12	7	38	22
7	-	19	30	7	1	16	-	2	1	2	-	7	2	23	23
3	-	15	35	9	1	5	1	7	3	-	-	5	5	15	24
-	1	3	9	6	-	2	-	2	-	-	-	3	3	6	25
-	-	10	19	11	2	1	-	2	1	-	1	5	3	10	26
2	-	34	47	19	2	16	1	19	2	-	8	12	15	27	27
2	1	12	25	17	6	8	1	9	-	-	2	7	7	19	28
2	-	11	18	1	-	5	-	-	-	-	-	3	-	8	29
4	2	10	23	4	-	5	-	7	-	1	1	2	3	14	30
3	-	14	39	14	4	20	3	17	1	2	8	8	8	21	31
-	-	19	41	14	-	2	2	4	-	-	4	4	5	15	32
14	1	82	134	38	11	60	2	24	3	3	14	57	44	94	33
7	-	46	92	18	6	30	1	17	1	2	6	27	19	57	34
7	1	36	42	20	5	30	1	7	2	1	8	30	25	37	35
4	-	22	26	10	-	8	-	1	-	1	-	5	8	17	36
6	-	13	30	5	1	9	1	9	3	-	-	5	2	15	37
2	-	23	22	14	1	12	-	15	2	-	4	10	6	25	38
36	3	243	614	125	25	103	13	173	24	19	73	159	74	287	39
28	2	199	539	103	22	76	12	151	20	18	61	93	58	245	40
8	1	44	75	22	3	27	1	22	4	1	12	66	16	42	41
14	1	35	102	35	6	31	6	16	2	3	11	19	21	44	42
5	-	12	51	15	3	10	2	8	-	1	5	6	8	17	43
9	1	23	51	20	3	21	4	8	2	2	6	13	13	27	44
7	-	32	81	16	-	15	4	8	5	3	2	17	2	39	45
10	-	28	77	23	4	10	2	13	2	3	8	37	8	32	46
3	1	16	32	9	1	10	-	8	2	-	2	8	4	14	47
4	1	24	77	13	-	28	-	8	2	1	4	17	17	33	48
1	-	7	31	6	-	9	-	2	-	-	1	4	4	10	49
3	1	17	46	7	-	19	-	6	2	1	3	13	13	23	50
8	1	32	98	20	5	17	1	17	4	5	11	35	29	56	51
4	-	14	46	4	-	12	-	9	1	3	9	10	15	27	52
4	1	18	52	16	5	5	1	8	3	2	2	25	14	29	53
4	1	22	47	18	1	12	1	26	3	3	6	15	12	55	54
2	-	12	26	7	1	6	-	15	1	3	4	5	9	33	55
2	1	10	21	11	-	6	1	11	2	-	2	10	3	22	56
8	-	48	100	21	3	24	2	29	1	-	14	29	11	64	57
4	-	28	59	8	2	12	1	16	-	-	11	13	7	35	58
4	-	20	41	13	1	12	1	13	1	-	3	16	4	29	59
-	-	10	8	7	1	12	1	1	-	1	2	72	12	8	60
1	-	7	10	3	-	5	-	4	-	-	3	-	2	7	61
8	-	13	45	14	2	10	-	11	-	-	5	7	2	18	62
7	-	31	61	15	5	19	2	11	1	3	16	28	23	36	63
-	-	10	20	5	2	7	-	5	-	1	5	9	6	13	64
3	-	8	14	4	-	6	-	3	1	1	5	5	2	5	65
4	-	13	27	6	3	6	2	3	-	1	6	14	15	18	66
1	-	13	22	14	1	10	-	7	1	-	4	4	11	17	67
6	-	14	58	10	1	15	2	19	2	1	8	12	6	34	68
-	-	6	16	5	1	5	1	4	-	-	4	4	4	8	69
1	-	21	34	6	1	9	-	9	-	1	5	15	5	16	70
31	-	176	461	83	5	119	1	129	15	26	49	88	53	244	71
25	-	132	379	63	5	95	1	107	15	22	39	74	46	194	72
6	-	44	82	20	-	24	-	22	-	4	10	14	7	50	73
1	1	11	30	9	2	9	-	16	2	2	4	8	7	19	74
6	-	30	66	12	1	29	3	17	3	1	4	17	14	31	75
3	-	21	33	5	-	14	2	8	2	1	2	11	10	13	76
3	-	9	33	7	1	15	1	9	1	-	2	6	4	18	77
2	1	15	31	5	-	8	-	11	1	-	1	12	12	8	78
3	-	5	32	6	1	12	-	3	1	-	5	8	6	20	79
7	-	24	54	2	2	11	1	7	3	-	1	17	40	88	80
279	1	1,278	3,692	527	45	1,052	32	547	221	53	350	803	349	1,637	81
4	-	14	51	5	-	16	-	11	3	1	9	11	19	23	82
3	-	18	57	7	-	25	-	11	1	3	6	18	4	21	83
17	-	44	151	23	2	65	4	28	11	1	18	27	25	59	84
4	-	38	89	11	1	14	2	14	3	-	9	37	6	41	85
3	-	23	55	5	1	8	2	11	1	-	5	17	2	33	86
1	-	15	34	6	-	6	-	3	2	-	4	20	4	8	87
1	-	17	57	6	2	8	1	6	-	-	6	15	2	12	88
4	-	31	119	9	2	24	2	12	4	1	5	23	5	29	89
-	-	6	11	2	-	-	1	6	4	-	1	5	1	2	90

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	OREGON—Continued														
1	Curry	41	-	-	-	-	1	1	-	-	-	-	-	4	-
2	Deschutes	137	-	-	-	-	1	2	1	-	-	-	-	23	-
3	Bend	104	-	-	-	-	-	2	1	-	-	-	-	12	-
4	Balance of county	33	-	-	-	-	1	-	-	-	-	-	-	11	-
5	Douglas	396	1	-	-	-	-	6	-	-	12	-	-	41	-
6	Gilliam	20	-	-	-	-	-	-	-	-	-	-	-	3	-
7	Grant	58	-	-	-	-	-	2	-	-	2	-	-	1	-
8	Harney	53	-	-	-	-	-	1	-	-	-	-	-	8	-
9	Hood River	99	-	-	-	-	-	-	-	-	1	-	-	11	-
10	Jackson	437	-	-	-	-	-	8	-	-	3	-	-	54	-
11	Medford	225	-	-	-	-	-	4	-	-	2	-	-	28	-
12	Balance of county	212	-	-	-	-	-	4	-	-	1	-	-	26	-
13	Jefferson	26	-	-	-	-	-	3	-	-	-	-	1	1	-
14	Josephine	205	-	-	-	-	-	1	-	-	1	-	-	25	-
15	Klamath	307	-	-	-	-	-	7	-	-	4	1	-	31	1
16	Klamath Falls	209	-	-	-	-	-	4	-	-	3	1	-	25	1
17	Balance of county	98	-	-	-	-	-	3	-	-	1	-	-	6	-
18	Lake	53	-	-	-	1	-	-	-	-	-	-	-	4	-
19	Lane	803	-	-	-	-	2	13	-	-	11	-	-	104	1
20	Eugene	437	-	-	-	-	1	6	-	-	6	-	-	65	-
21	Balance of county	366	-	-	-	-	1	7	-	-	5	-	-	39	1
22	Lincoln	161	-	-	-	-	-	2	-	-	-	-	-	16	-
23	Linn	381	-	-	-	-	-	8	-	-	1	-	1	57	1
24	Malheur	153	1	1	-	1	-	2	-	-	1	-	-	19	-
25	Marion	1,168	1	-	1	1	-	37	8	-	21	-	-	99	-
26	Salem	754	1	-	1	-	-	24	3	-	19	-	-	53	-
27	Balance of county	414	-	-	-	1	-	13	5	-	2	-	-	46	-
28	Morrow	45	-	-	-	-	-	-	-	-	-	-	-	6	-
29	Multnomah	4,890	1	6	-	-	9	138	-	-	39	-	-	690	1
30	Portland	4,258	1	6	-	-	7	125	-	-	30	-	-	597	1
31	Balance of county	632	-	-	-	-	2	13	-	-	9	-	-	93	-
32	Polk	150	-	-	-	-	-	2	1	-	-	-	-	21	-
33	Sherman	14	-	-	-	-	-	-	-	-	-	-	-	2	-
34	Tillamook	124	-	-	-	-	-	-	-	-	-	-	1	13	-
35	Umatilla	394	-	-	-	-	-	9	-	-	2	-	1	49	-
36	Union	159	2	1	1	-	-	1	-	-	1	-	-	17	-
37	Wallowa	54	-	-	-	-	-	1	-	-	-	-	-	9	-
38	Wasco	161	-	-	-	-	-	10	-	-	-	-	1	20	-
39	Washington	382	-	1	-	-	-	8	-	-	1	-	-	44	-
40	Wheeler	18	-	-	-	-	-	-	-	-	-	-	-	3	-
41	Yamhill	294	-	-	-	-	1	5	1	-	2	-	-	45	-
42	* PENNSYLVANIA	109,193	46	130	24	129	39	3,832	20	8	954	21	58	14,535	139
43	Adams	401	-	-	-	-	-	4	-	-	2	-	-	68	-
44	Allegheny	15,275	4	19	-	15	7	572	1	2	175	1	5	1,992	15
45	Bellevue	130	-	-	-	-	-	1	-	-	-	-	-	25	-
46	Braddock	192	-	-	-	1	-	5	-	-	-	-	-	22	1
47	Carnegie	155	-	-	-	-	-	10	-	-	1	-	-	16	-
48	Clairton	113	-	1	-	-	1	7	-	-	1	-	-	19	-
49	Coraopolis	117	-	-	-	1	-	2	-	-	1	-	-	13	-
50	Dormont	101	-	-	-	-	-	3	-	-	1	-	-	18	-
51	Duquesne	155	-	1	-	-	-	7	-	-	1	-	-	17	-
52	Harrison (twp.) [2]	92	-	-	-	-	-	2	-	-	-	-	-	8	-
53	Homestead	126	-	-	-	-	-	8	-	-	2	-	-	23	-
54	McKeesport	532	-	1	-	-	3	13	-	-	2	1	-	75	-
55	McKees Rocks	228	-	-	-	-	-	6	-	-	1	-	-	32	1
56	Mount Lebanon (twp.) [2]	149	-	-	-	-	-	3	-	-	-	-	-	28	-
57	Munhall	132	-	-	-	-	-	2	-	-	-	-	-	9	-
58	North Braddock	132	-	1	-	1	-	4	-	-	1	-	-	20	-
59	Pittsburgh	7,654	3	8	-	5	-	326	-	1	55	-	1	977	10
60	Shaler (twp.) [2]	41	-	-	-	-	-	1	-	-	-	-	-	7	-
61	Stowe (twp.) [2]	17	-	-	-	-	-	-	-	-	-	-	-	2	-
62	Swissvale	136	-	1	-	-	-	1	-	-	1	-	-	18	1
63	Wilkinsburg	334	-	1	-	-	-	7	-	-	2	-	-	53	-
64	Balance of county	4,739	1	5	-	7	3	164	1	1	106	-	4	609	2
65	Armstrong	753	-	-	-	2	-	14	-	-	2	-	-	91	1
66	Beaver	1,445	1	4	-	2	-	56	-	-	13	1	-	187	4
67	Aliquippa	223	-	1	-	1	-	13	-	-	2	1	-	31	1
68	Ambridge	154	-	-	-	1	-	7	-	-	1	-	-	19	1
69	Beaver Falls	193	-	1	-	-	-	6	-	-	-	-	-	30	-
70	Ellwood City (part)	11	-	-	-	-	-	2	-	-	1	-	-	-	-
71	Balance of county	864	1	2	-	-	-	28	-	-	9	-	-	107	2
72	Bedford	420	-	-	-	-	1	5	-	-	1	-	-	51	-
73	Berks	2,819	-	1	-	1	-	137	1	-	25	-	2	410	3
74	Reading	1,272	-	-	-	-	-	42	-	-	6	-	-	199	2
75	Balance of county	1,547	-	1	-	1	-	95	1	-	19	-	2	212	1
76	Blair	1,594	1	1	-	2	1	23	-	-	11	-	-	228	1
77	Altoona	935	1	-	-	1	-	11	-	-	4	-	-	142	1
78	Balance of county	659	-	1	-	1	1	12	-	-	7	-	-	86	-
79	Bradford	625	-	1	-	1	-	7	-	-	1	-	-	56	-
80	Bucks	1,210	1	-	-	-	-	29	-	-	6	-	3	166	3
81	Bristol	125	-	-	-	-	-	4	-	-	-	-	-	18	1
82	Balance of county	1,085	1	-	-	-	-	25	-	-	6	-	3	148	2
83	Butler	868	1	1	-	2	-	18	-	-	1	-	-	129	1
84	Butler	247	-	1	-	-	-	11	-	-	-	-	-	35	-
85	Balance of county	621	1	-	-	2	-	7	-	-	1	-	-	94	1
86	Cambria	1,858	-	1	2	3	2	110	-	1	10	-	-	193	3
87	Johnstown	722	-	-	-	1	-	18	-	-	7	-	-	87	-
88	Balance of county	1,136	-	1	2	2	2	92	-	1	3	-	-	106	3
89	Cameron	66	-	-	-	-	-	2	-	-	-	-	-	11	-

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	-	2	11	3	-	1	1	3	-	-	5	4	-	5	1
2	-	17	42	5	-	7	-	6	3	-	4	7	1	16	2
2	-	13	33	5	-	4	-	5	2	-	4	5	1	15	3
-	-	4	9	-	-	3	-	1	1	-	-	2	-	1	4
6	-	43	98	11	-	44	3	18	6	1	10	42	7	47	5
-	-	2	10	-	1	1	-	-	-	-	1	-	2	-	6
-	-	4	17	4	-	8	-	-	4	-	2	8	1	5	7
-	-	6	16	5	-	2	1	6	-	-	-	4	-	4	8
1	-	13	22	5	1	18	-	6	-	-	3	7	-	11	9
10	-	42	135	14	1	24	-	22	13	4	9	32	5	61	10
4	-	21	66	8	1	18	-	13	1	1	6	18	5	29	11
6	-	21	69	6	-	6	-	9	12	3	3	14	-	32	12
1	-	-	2	4	-	-	1	3	-	-	3	1	3	3	13
7	-	22	73	6	-	20	2	6	2	2	2	12	3	21	14
8	-	19	78	10	4	16	1	28	6	1	9	34	5	44	15
6	-	16	59	6	3	9	1	22	5	-	5	14	4	25	16
2	-	3	19	4	1	7	-	6	1	1	4	20	1	19	17
1	-	5	7	3	1	7	-	2	-	-	2	7	2	11	18
13	-	91	231	32	5	61	1	32	11	2	29	46	15	103	19
4	-	58	114	15	4	37	-	10	7	-	13	22	6	69	20
9	-	33	117	17	1	24	1	22	4	2	16	24	9	34	21
2	-	22	51	8	-	16	-	4	5	-	4	15	4	12	22
8	1	36	108	20	-	32	-	15	11	-	13	27	9	33	23
8	-	11	38	5	1	13	-	10	2	3	5	14	3	15	24
27	-	122	257	34	4	97	1	33	11	1	26	50	99	238	25
13	-	88	143	20	1	69	1	15	9	1	10	24	89	170	26
14	-	34	114	14	3	28	-	18	2	-	16	26	10	68	27
1	-	9	8	1	1	3	-	2	1	-	1	4	-	8	28
122	-	481	1,441	229	11	381	9	193	91	28	104	249	86	581	29
108	-	405	1,293	190	9	332	9	172	80	27	93	221	39	513	30
14	-	76	148	39	2	49	-	21	11	1	11	28	47	68	31
7	-	15	38	8	-	15	-	5	5	-	8	10	-	15	32
-	-	-	7	-	-	-	-	1	-	-	1	1	-	2	33
3	-	14	29	4	-	14	-	6	3	-	4	19	4	10	34
4	-	23	91	18	4	22	1	17	6	-	10	21	14	102	35
-	-	14	48	3	-	27	-	8	4	4	7	7	1	13	36
2	-	7	14	1	-	5	-	2	1	-	1	3	3	5	37
3	-	14	40	12	1	15	-	7	1	-	2	9	9	17	38
1	-	52	134	11	2	24	1	15	6	-	17	16	7	42	39
2	-	-	4	-	1	3	-	-	1	-	-	2	1	1	40
7	-	24	107	8	-	24	-	9	2	1	14	16	3	25	41
3,457	6	9,482	35,964	5,271	608	7,773	384	4,561	1,081	255	1,613	4,730	1,036	13,038	42
8	-	50	115	15	4	46	3	24	5	1	12	16	-	28	43
422	1	1,407	4,858	933	51	1,011	59	613	125	40	197	694	306	1,750	44
7	-	12	49	6	1	4	-	2	3	-	1	6	1	12	45
3	-	15	58	14	-	18	-	12	1	-	2	9	2	29	46
2	-	14	51	9	1	7	-	8	1	-	2	10	4	19	47
1	-	13	27	7	1	7	1	4	1	1	1	5	-	15	48
4	-	17	30	7	1	11	-	7	2	-	1	5	2	13	49
4	-	11	35	3	-	8	1	2	-	-	2	1	1	11	50
6	1	10	55	11	-	4	-	3	2	1	3	10	7	16	51
1	-	2	37	5	-	9	-	7	4	-	1	1	1	14	52
7	-	17	28	5	1	6	-	3	-	-	2	9	3	12	53
17	-	50	157	33	4	24	3	36	2	2	8	25	8	68	54
3	-	27	65	19	1	10	2	11	4	1	1	16	2	26	55
5	-	16	58	6	-	7	-	5	3	1	2	3	-	12	56
6	-	16	44	9	-	10	-	5	1	-	2	6	3	19	57
1	-	10	41	6	-	11	-	3	-	-	2	8	2	21	58
208	-	726	2,493	504	27	436	34	317	55	25	96	337	192	818	59
2	-	5	14	3	-	1	-	3	-	-	1	3	-	1	60
1	-	2	4	-	-	2	-	-	2	-	2	-	-	2	61
3	-	16	54	6	-	10	-	7	-	-	1	5	-	11	62
9	-	48	101	13	2	26	-	12	3	-	1	16	8	32	63
132	-	380	1,457	267	12	400	18	166	41	9	66	219	70	599	64
23	-	85	221	45	7	51	2	44	9	1	7	44	11	93	65
57	-	148	370	67	5	110	7	85	13	2	21	92	14	186	66
2	-	18	53	16	-	16	-	20	2	1	5	10	-	30	67
8	-	12	48	6	-	3	3	4	3	-	-	16	1	21	68
8	-	22	40	8	2	25	2	13	3	1	1	9	3	19	69
1	-	-	3	-	-	-	-	-	-	-	-	1	-	3	70
38	-	96	226	37	3	66	2	48	5	-	15	56	10	113	71
13	-	42	138	14	4	51	3	16	4	-	8	25	1	43	72
101	1	315	948	89	11	161	8	81	41	6	42	92	12	331	73
52	1	123	438	41	4	60	1	36	19	4	20	51	4	170	74
49	-	192	510	48	7	101	7	45	22	2	22	41	8	161	75
53	-	156	531	70	8	132	8	68	13	1	26	54	14	192	76
32	-	94	306	43	6	71	6	43	6	1	13	35	8	111	77
21	-	62	225	27	2	61	2	25	7	-	13	19	6	81	78
28	-	58	238	26	6	39	2	37	7	1	8	27	2	80	79
45	-	117	419	27	2	73	3	48	16	1	34	46	12	159	80
8	-	7	43	4	-	5	2	8	-	-	2	5	2	16	81
37	-	110	376	23	2	68	1	40	16	1	32	41	10	143	82
17	-	111	259	39	6	46	-	37	8	1	20	47	4	120	83
5	-	32	71	11	1	14	-	12	1	-	3	13	-	37	84
12	-	79	188	28	5	32	-	25	7	1	17	34	4	83	85
57	-	142	572	113	9	112	7	91	14	5	26	105	10	270	86
31	-	49	227	38	2	44	2	42	5	4	5	28	3	129	87
26	-	93	345	75	7	68	5	49	9	1	21	77	7	141	88
2	-	2	23	1	-	1	-	2	1	-	3	5	2	11	89

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	PENNSYLVANIA—Con.														
1	Carbon	643	-	1	-	1	-	20	-	-	3	-	-	93	-
2	Centre	480	-	-	-	-	-	8	-	-	1	-	1	68	1
3	Chester	1,628	-	3	-	3	1	78	1	-	33	-	-	184	2
4	Coatesville	151	-	1	-	-	-	5	-	-	2	-	-	28	1
5	Phoenixville	129	-	-	-	-	-	7	-	-	-	-	-	18	-
6	West Chester	212	-	-	-	-	-	5	-	-	-	-	-	22	-
7	Balance of county	1,136	-	2	-	3	1	61	1	-	31	-	-	116	1
8	Clarion	350	-	-	-	-	-	2	1	-	-	-	-	35	-
9	Clearfield	806	1	2	-	3	-	10	-	-	2	-	-	83	-
10	Du Bois	147	-	-	-	-	-	4	-	-	-	-	-	18	-
11	Balance of county	659	1	2	-	3	-	6	-	-	2	-	-	65	-
12	Clinton	375	-	-	-	-	-	5	-	-	1	-	-	48	2
13	Lock Haven	136	-	-	-	-	-	1	-	-	1	-	-	11	-
14	Balance of county	239	-	-	-	-	-	4	-	-	-	-	-	37	2
15	Columbia	550	-	-	-	-	-	11	-	-	-	-	-	77	1
16	Berwick	158	-	-	-	-	-	1	-	-	-	-	-	27	-
17	Balance of county	392	-	-	-	-	-	10	-	-	-	-	-	50	1
18	Crawford	826	-	2	-	1	-	11	-	1	-	-	-	119	2
19	Meadville	219	-	-	-	-	-	6	-	-	-	-	-	24	-
20	Balance of county	607	-	2	-	1	-	5	-	1	-	-	-	95	2
21	Cumberland	863	-	-	-	1	-	12	-	-	3	-	-	125	1
22	Carlisle	180	-	-	-	1	-	1	-	-	-	-	-	29	-
23	Balance of county	683	-	-	-	-	-	11	-	-	3	-	-	96	1
24	Dauphin	2,237	-	2	-	2	5	76	-	-	35	1	1	322	1
25	Harrisburg	1,121	-	1	-	1	2	29	-	-	10	-	-	173	1
26	Steelton	138	-	-	-	-	-	11	-	-	3	-	-	19	-
27	Balance of county	978	-	1	-	1	3	36	-	-	22	1	1	130	-
28	Delaware	3,422	3	1	1	1	-	117	2	-	17	2	8	514	3
29	Chester	828	-	1	1	1	-	50	1	-	10	2	-	98	-
30	Darby	128	-	-	-	-	-	5	-	-	1	-	-	12	-
31	Haverford (twp.)[2]	194	-	-	-	-	-	5	-	-	-	-	2	36	-
32	Lansdowne	119	-	-	-	-	-	3	-	-	1	-	-	25	-
33	Upper Darby (twp.)[2]	591	-	-	-	-	-	10	-	-	2	-	2	111	1
34	Balance of county	1,562	3	-	-	-	-	44	1	-	3	-	4	232	2
35	Elk	290	-	1	-	-	-	6	-	1	2	-	-	45	-
36	Erie	2,137	-	2	-	1	1	59	-	-	16	-	2	341	2
37	Erie	1,316	-	1	-	1	1	32	-	-	8	-	-	236	2
38	Balance of county	821	-	1	-	-	-	27	-	-	8	-	2	105	-
39	Fayette	1,880	3	1	-	8	2	35	1	-	5	-	1	246	-
40	Connellsville	162	-	-	-	-	-	1	-	-	-	-	-	18	-
41	Uniontown	285	2	-	-	1	-	3	-	-	1	-	-	38	-
42	Balance of county	1,433	1	1	-	7	2	31	1	-	4	-	1	190	-
43	Forest	50	-	-	-	-	-	-	-	-	-	-	-	3	-
44	Franklin	808	-	-	-	2	-	65	-	-	8	-	-	67	1
45	Chambersburg	183	-	-	-	-	-	4	-	-	2	-	-	21	-
46	Waynesboro	139	-	-	-	-	-	4	-	-	2	-	-	12	-
47	Balance of county	486	-	-	-	2	-	57	-	-	4	-	-	34	1
48	Fulton	101	-	1	-	-	-	2	-	-	-	1	-	9	-
49	Greene	362	2	1	-	3	-	10	-	-	1	-	-	49	-
50	Huntingdon	455	-	1	-	1	-	12	-	-	2	-	-	53	1
51	Indiana	718	1	-	-	1	-	18	-	-	1	1	-	96	2
52	Indiana	115	-	-	-	-	-	3	-	-	-	-	-	17	-
53	Balance of county	603	1	-	-	1	-	15	-	-	1	1	-	79	2
54	Jefferson	532	-	3	-	1	1	10	-	-	1	-	-	63	2
55	Juniata	177	-	-	-	-	-	2	-	-	-	-	-	21	1
56	Lackawanna	3,155	1	4	2	2	-	137	1	-	17	-	1	417	6
57	Carbondale	207	-	-	-	-	-	3	-	-	-	-	-	28	2
58	Dickson City	68	-	-	-	-	-	3	-	-	-	-	-	12	-
59	Dunmore	229	-	1	-	-	-	7	-	-	1	-	-	25	1
60	Old Forge	97	-	-	-	-	-	8	-	-	1	-	-	18	-
61	Scranton	1,526	1	2	2	1	-	59	-	-	11	-	1	209	2
62	Balance of county	1,028	-	1	-	1	-	57	1	-	4	-	-	125	1
63	Lancaster	2,429	2	6	3	1	-	38	1	-	9	1	3	281	2
64	Columbia	145	-	2	-	-	-	1	-	-	1	-	-	11	-
65	Lancaster	804	-	-	1	-	-	19	-	-	5	-	1	114	1
66	Balance of county	1,480	2	4	2	1	-	18	1	-	3	1	2	156	1
67	Lawrence	950	-	-	-	3	-	26	-	-	4	-	1	109	2
68	Ellwood City (part)	97	-	-	-	-	-	2	-	-	1	-	-	17	-
69	Ellwood City (total)	108	-	-	-	-	-	4	-	-	2	-	-	17	-
70	New Castle	520	-	-	-	-	-	16	-	-	-	-	1	56	1
71	Balance of county	333	-	-	-	3	-	8	-	-	3	-	-	36	1
72	Lebanon	779	1	-	-	1	2	12	-	-	5	-	-	94	1
73	Lebanon	345	-	-	-	-	-	4	-	-	4	-	-	41	-
74	Balance of county	434	1	-	-	1	2	8	-	-	1	-	-	53	1
75	Lehigh	2,002	1	1	-	-	1	48	-	-	23	-	1	280	1
76	Allentown	1,184	1	1	-	-	1	29	-	-	16	-	-	161	1
77	Bethlehem (part)	153	-	-	-	-	-	2	-	-	1	-	-	23	-
78	Balance of county	665	-	-	-	-	-	17	-	-	6	-	1	96	-
79	Luzerne	4,234	-	7	-	4	3	177	-	-	22	2	-	575	9
80	Hanover (twp.)[2]	39	-	-	-	-	-	4	-	-	-	-	-	6	-
81	Hazleton	392	-	1	-	-	1	14	-	-	2	-	-	55	-
82	Kingston	240	-	-	-	-	-	8	-	-	-	-	-	27	-
83	Nanticoke	215	-	-	-	-	-	12	-	-	-	-	-	30	-
84	Pittston	191	-	-	-	1	-	3	-	-	1	-	-	26	-
85	Plains (twp.)[2]	107	-	-	-	-	-	9	-	-	2	-	-	9	1
86	Plymouth	175	-	-	-	-	-	9	-	-	-	1	-	17	1
87	Wilkes-Barre	979	-	2	-	2	1	48	-	-	4	-	-	141	4
88	Balance of county	1,896	-	4	-	1	1	70	-	-	13	1	-	264	3
89	Lycoming	1,055	1	-	-	1	-	12	-	-	11	-	-	139	4
90	Williamsport	542	1	-	-	1	-	4	-	-	6	-	-	81	3
91	Balance of county	513	-	-	-	-	-	8	-	-	5	-	-	58	1

[2]Since this area is difficult to identify from information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
28	-	50	200	31	4	52	-	16	3	-	15	33	2	91	1
10	-	44	179	17	2	35	2	16	6	1	11	27	2	49	2
37	-	164	486	96	8	133	6	70	26	6	28	69	11	183	3
2	-	20	38	4	1	11	-	9	3	-	4	3	-	19	4
2	-	17	35	8	-	13	-	10	2	-	1	7	-	9	5
11	-	23	75	7	-	12	-	17	3	2	-	6	1	28	6
22	-	104	338	77	7	97	6	34	18	4	23	53	10	127	7
13	-	43	102	24	3	35	1	15	5	1	9	20	-	41	8
15	-	94	225	49	8	79	2	46	12	1	13	44	8	109	9
2	-	12	42	7	1	19	1	5	3	-	-	7	2	24	10
13	-	82	183	42	7	60	1	41	9	1	13	37	6	85	11
22	-	40	138	10	1	16	3	12	4	-	7	23	2	41	12
12	-	19	55	2	1	2	1	1	2	-	4	6	1	17	13
10	-	21	83	8	-	14	2	11	2	-	3	17	1	24	14
21	-	44	184	22	4	48	3	32	3	-	8	19	1	72	15
9	-	17	52	11	-	7	1	10	1	-	-	6	1	15	16
12	-	27	132	11	4	41	2	22	2	-	8	13	-	57	17
40	-	99	250	29	3	40	3	42	13	1	13	29	8	120	18
8	-	25	76	6	1	8	-	16	5	1	3	9	2	29	19
32	-	74	174	23	2	32	3	26	8	-	10	20	6	91	20
23	-	71	308	42	11	64	1	28	14	-	14	40	5	100	21
5	-	20	62	8	4	13	-	4	4	-	3	4	-	22	22
18	-	51	246	34	7	51	1	24	10	-	11	36	5	78	23
97	-	149	749	95	6	242	8	78	21	5	38	80	11	213	24
50	-	71	389	47	2	117	5	40	13	4	20	36	4	106	25
4	-	10	40	7	-	15	1	7	-	-	4	5	2	10	26
43	-	68	320	41	4	110	2	31	8	1	14	39	5	97	27
80	-	293	1,112	163	25	235	15	165	49	11	69	113	18	405	28
21	-	64	230	54	6	56	6	62	11	4	15	23	5	107	29
2	-	9	46	7	-	10	-	12	2	2	3	4	2	11	30
5	-	14	71	4	2	13	-	6	4	-	4	6	-	22	31
1	-	9	48	4	1	8	-	3	-	1	1	2	1	11	32
13	-	41	194	23	1	31	2	30	13	-	10	25	6	76	33
38	-	156	523	71	15	117	7	52	19	4	36	53	4	178	34
11	-	22	82	9	2	25	2	15	7	-	5	15	2	38	35
65	1	232	680	95	3	102	5	90	19	6	29	121	23	242	36
44	-	124	435	54	3	61	4	51	12	5	15	73	7	147	37
21	1	108	245	41	-	41	1	39	7	1	14	48	16	95	38
63	-	173	545	115	19	127	10	111	22	8	47	101	9	228	39
5	-	14	61	11	1	10	1	10	-	1	3	4	1	21	40
11	-	30	85	17	6	19	1	11	3	2	5	11	3	36	41
47	-	129	399	87	12	98	8	90	19	5	39	86	5	171	42
2	-	6	20	1	1	3	-	-	1	-	-	3	-	10	43
24	-	85	261	41	6	85	3	38	14	-	15	26	3	64	44
5	-	16	66	10	-	19	1	8	2	-	5	6	3	15	45
6	-	15	54	4	-	10	-	7	3	-	1	4	-	17	46
13	-	54	141	27	6	56	2	23	9	-	9	16	-	32	47
3	-	11	25	7	1	12	-	5	1	-	1	7	-	15	48
12	-	46	69	16	2	35	3	17	4	2	6	27	2	35	49
20	-	49	133	20	6	26	2	23	2	3	7	24	7	63	50
20	-	62	232	42	5	42	3	41	4	-	15	37	5	90	51
2	-	9	44	5	1	10	-	7	-	-	2	2	-	13	52
18	-	53	188	37	4	32	3	34	4	-	13	35	5	77	53
23	-	45	174	23	1	58	1	12	6	1	11	25	5	66	54
3	-	17	62	18	-	15	-	11	3	-	3	3	4	14	55
99	-	298	1,107	127	19	227	11	113	21	2	41	154	17	421	56
10	-	10	62	7	1	17	-	10	2	-	1	13	2	39	57
2	-	8	18	2	-	2	-	1	1	-	4	3	-	12	58
7	-	14	74	19	4	22	4	6	3	-	2	7	-	32	59
4	-	6	32	5	1	2	-	4	-	-	1	3	2	10	60
44	-	111	568	58	7	109	4	65	9	1	20	74	2	166	61
32	-	59	353	36	6	75	3	27	6	1	13	54	11	162	62
89	-	279	812	132	11	134	7	97	37	4	38	100	8	334	63
6	-	19	43	8	2	7	1	12	4	-	2	9	-	17	64
28	-	72	274	43	6	37	2	30	19	3	8	38	5	98	65
55	-	188	495	81	3	90	4	55	14	1	28	53	3	219	66
24	-	104	341	49	4	45	7	36	9	2	15	42	10	117	67
1	-	10	36	-	-	7	-	5	1	-	-	2	-	15	68
2	-	10	39	-	-	7	-	5	1	-	-	3	-	18	69
18	-	57	186	24	1	26	5	20	2	1	7	28	4	67	70
5	-	37	119	25	3	12	2	11	6	1	8	12	6	35	71
30	-	66	261	30	7	101	2	24	10	1	14	27	5	85	72
12	-	31	141	8	2	30	1	10	3	-	5	9	3	41	73
18	-	35	120	22	5	71	1	14	7	1	9	18	2	44	74
66	-	173	692	85	22	119	8	74	30	2	28	72	16	259	75
44	-	95	427	43	17	66	5	41	19	1	11	37	10	158	76
3	-	13	60	7	1	11	-	6	3	-	-	8	2	13	77
19	-	65	205	35	4	42	3	27	8	1	17	27	4	88	78
148	-	300	1,427	175	21	320	14	166	32	5	55	190	43	539	79
1	-	2	7	6	-	1	-	1	-	-	2	2	2	5	80
12	-	31	124	15	1	22	1	26	3	-	5	22	5	52	81
12	-	20	91	4	3	23	1	11	-	-	2	6	2	30	82
8	-	14	64	7	2	17	-	9	1	-	4	6	8	33	83
7	-	14	66	17	-	15	1	7	-	-	-	10	1	22	84
4	-	2	45	4	-	9	1	3	1	-	2	6	-	9	85
6	-	10	55	5	-	21	-	7	1	1	3	7	1	28	86
28	-	61	332	42	7	79	4	33	10	3	8	44	4	122	87
68	-	146	643	75	8	133	6	69	16	1	29	87	20	238	88
40	-	114	370	30	3	77	3	40	15	1	17	53	1	123	89
24	-	54	179	15	1	38	-	20	8	1	11	26	-	69	90
16	-	60	191	15	2	39	3	20	7	-	6	27	1	54	91

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	PENNSYLVANIA—Con.														
1	McKean	540	1	-	-	-	-	10	-	-	1	-	-	78	2
2	Bradford	191	1	-	-	-	-	4	-	-	1	-	-	28	1
3	Balance of county	349	-	-	-	-	-	6	-	-	-	-	-	50	1
4	Mercer	1,075	1	1	-	1	-	30	-	-	4	-	-	152	-
5	Farrell	114	-	1	-	-	-	8	-	-	-	-	-	17	-
6	Sharon	260	-	-	-	-	-	8	-	-	2	-	-	41	-
7	Balance of county	701	1	-	-	1	-	14	-	-	2	-	-	94	-
8	Mifflin	415	1	-	-	-	-	13	-	-	3	-	-	40	-
9	Lewistown	179	-	-	-	-	-	7	-	-	2	-	-	19	-
10	Balance of county	236	1	-	-	-	-	6	-	-	1	-	-	21	-
11	Monroe	361	2	-	-	1	-	6	-	-	-	-	-	55	-
12	Montgomery	3,429	2	2	-	2	2	113	1	-	37	-	7	475	6
13	Abington (twp.)[2]	170	1	-	-	-	2	2	-	-	2	-	1	23	-
14	Cheltenham (twp.)[2]	196	-	1	-	-	-	1	-	-	-	-	2	30	-
15	Conshohocken	107	-	-	-	-	-	3	-	-	1	-	1	24	-
16	Lower Merion (twp.)[2]	361	1	-	-	-	-	8	-	-	2	-	1	64	-
17	Norristown	753	-	1	-	-	-	44	1	-	26	-	-	63	3
18	Pottstown	224	-	-	-	-	-	2	-	-	-	-	-	28	-
19	Balance of county	1,598	-	-	-	2	-	53	-	-	6	-	2	243	3
20	Montour	283	-	-	1	-	-	16	-	-	14	-	-	26	-
21	Northampton	1,745	-	1	-	3	-	58	-	-	17	3	-	259	1
22	Bethlehem (part)	424	-	1	-	-	-	14	-	-	5	-	-	59	-
23	Bethlehem (total)	577	-	1	-	-	-	16	-	-	6	-	-	82	-
24	Easton	478	-	-	-	1	-	15	-	-	9	1	-	79	-
25	Balance of county	843	-	-	-	2	-	29	-	-	3	2	-	121	1
26	Northumberland	1,389	-	2	1	2	-	35	-	-	3	-	-	172	2
27	Mount Carmel	175	-	1	-	-	-	6	-	-	1	-	-	25	1
28	Shamokin	352	-	-	-	-	-	19	-	-	1	-	-	44	1
29	Sunbury	215	-	-	-	-	-	2	-	-	-	-	-	22	-
30	Balance of county	647	-	1	1	2	-	8	-	-	1	-	-	81	-
31	Perry	269	-	-	1	1	-	4	-	-	3	-	-	35	-
32	Philadelphia, coextensive with Philadelphia (city)	24,486	12	43	6	28	3	1,169	6	1	307	8	15	3,442	30
33	Pike	103	-	-	-	-	-	-	-	-	-	-	-	12	-
34	Potter	193	-	1	-	-	-	1	-	-	2	-	-	19	-
35	Schuylkill	2,451	-	2	-	2	3	89	-	1	6	-	1	276	6
36	Mahanoy City	149	-	-	-	-	-	3	-	-	-	-	-	13	-
37	Pottsville	330	-	-	-	1	-	7	-	-	2	-	-	45	2
38	Shenandoah	229	-	-	-	-	-	10	-	-	-	-	-	24	-
39	Tamaqua	115	-	-	-	-	-	4	-	-	-	-	-	18	-
40	Balance of county	1,628	-	2	-	1	3	65	-	1	4	-	1	176	4
41	Snyder	257	1	-	1	-	-	12	-	-	-	-	-	22	1
42	Somerset	734	-	2	2	1	2	16	-	-	4	-	-	82	1
43	Sullivan	71	-	-	-	-	-	1	-	-	-	-	-	9	-
44	Susquehanna	385	-	1	2	1	-	12	-	-	1	-	2	56	-
45	Tioga	380	-	-	-	-	-	2	-	-	5	-	1	54	-
46	Union	240	-	-	-	3	1	5	-	-	1	-	-	31	-
47	Venango	771	-	1	-	5	-	34	-	-	3	-	-	84	-
48	Oil City	273	-	-	-	3	-	4	-	-	-	-	-	31	-
49	Balance of county	498	-	1	-	2	-	30	-	-	3	-	-	53	-
50	Warren	692	1	-	1	-	-	32	-	-	13	-	-	61	1
51	Warren	165	-	-	-	-	-	2	-	-	-	-	-	24	-
52	Balance of county	517	1	-	1	-	-	30	-	-	13	-	-	37	1
53	Washington	1,879	-	1	-	3	1	48	2	-	7	-	1	250	3
54	Canonsburg	122	-	-	-	-	-	3	1	-	-	-	-	18	1
55	Charleroi	87	-	-	-	-	-	-	-	-	-	-	-	18	1
56	Donora	121	-	-	-	1	-	2	-	-	-	-	-	13	-
57	Washington	323	-	-	-	1	-	9	-	-	3	-	-	48	1
58	Balance of county	1,226	-	1	-	1	1	34	1	-	4	-	1	153	-
59	Wayne	396	-	-	-	-	-	20	1	-	4	-	-	42	-
60	Westmoreland	2,962	-	2	1	3	-	79	-	1	41	-	2	381	6
61	Arnold	82	-	-	1	-	-	3	-	-	-	-	-	8	-
62	Greensburg	225	-	-	-	1	-	3	-	-	2	-	-	31	-
63	Jeannette	161	-	-	-	-	-	5	-	1	1	-	-	21	-
64	Latrobe	127	-	-	-	-	-	3	-	-	-	-	-	16	-
65	Monessen	141	-	-	-	-	-	3	-	-	-	-	-	36	1
66	New Kensington	199	-	-	-	-	-	4	-	-	2	-	1	25	-
67	Vandergrift	83	-	-	-	-	-	4	-	-	-	-	-	13	-
68	Balance of county	1,944	-	2	-	2	-	54	-	-	36	-	1	231	5
69	Wyoming	178	1	1	-	-	-	5	-	-	1	-	-	23	-
70	York	1,891	-	3	-	4	-	26	1	-	8	-	-	261	1
71	Hanover	171	-	-	-	-	-	4	-	-	-	-	-	26	-
72	York	736	-	1	-	1	-	11	-	-	4	-	-	102	-
73	Balance of county	984	-	2	-	3	-	11	1	-	4	-	-	133	1
74	RHODE ISLAND	7,985	-	6	-	5	2	252	1	1	80	-	-	1,079	6
75	Bristol	227	-	-	-	-	-	10	-	-	1	-	-	31	1
76	Bristol (town)	93	-	-	-	-	-	5	-	-	-	-	-	11	1
77	Balance of county	134	-	-	-	-	-	5	-	-	1	-	-	20	-
78	Kent	677	-	-	-	-	-	9	-	-	5	-	-	99	1
79	Warwick	351	-	-	-	-	-	3	-	-	2	-	-	53	1
80	West Warwick (town)	188	-	-	-	-	-	5	-	-	2	-	-	26	-
81	Balance of county	138	-	-	-	-	-	1	-	-	1	-	-	20	-
82	Newport	535	-	2	-	-	-	19	-	-	4	-	-	75	-
83	Newport	363	-	2	-	-	-	15	-	-	3	-	-	52	-
84	Balance of county	172	-	-	-	-	-	4	-	-	1	-	-	23	-
85	Providence	6,125	-	3	-	4	2	204	1	1	67	-	-	818	3
86	Central Falls	191	-	-	-	-	-	4	-	-	-	-	-	25	-
87	Cranston	821	-	-	-	-	-	26	1	-	29	-	-	89	-
88	Cumberland (town)	112	-	-	-	-	-	3	-	-	2	-	-	15	-
89	East Providence (town)	262	-	-	-	-	-	10	-	-	3	-	-	32	-
90	Johnston (town)	87	-	-	-	-	-	2	-	-	-	-	-	12	1

[2]Since this area is difficult to identify from information given on the transcripts, data may be understated or overstated.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
20	-	61	165	22	2	34	2	23	6	1	11	23	7	71	1
10	-	27	54	7	-	9	-	7	1	1	3	11	3	23	2
10	-	34	111	15	2	25	2	16	5	-	8	12	4	48	3
50	-	103	302	42	3	80	4	66	12	2	24	46	12	140	4
5	-	5	38	6	1	5	-	8	-	-	-	4	-	16	5
12	-	21	79	12	1	10	2	16	2	1	6	14	4	29	6
33	-	77	185	24	1	65	2	42	10	1	18	28	8	95	7
15	-	35	127	22	4	42	2	33	5	1	5	12	6	49	8
8	-	15	57	9	-	16	1	15	3	-	3	6	1	17	9
7	-	20	70	13	4	26	1	18	2	1	2	6	5	32	10
9	1	42	118	7	1	25	1	13	4	-	6	17	1	52	11
113	-	321	1,166	123	14	259	13	125	32	4	61	138	32	381	12
11	-	8	62	7	-	12	1	6	-	-	3	9	1	19	13
7	-	20	67	13	-	17	-	3	2	-	4	9	2	18	14
3	-	6	30	6	-	3	2	6	1	1	1	8	-	11	15
13	-	39	128	13	2	11	-	11	7	-	5	23	3	50	16
14	-	49	298	36	4	45	2	15	2	-	11	34	13	92	17
9	-	27	68	5	-	35	-	7	2	-	4	10	-	27	18
56	-	172	513	43	8	136	8	77	18	3	33	45	13	164	19
4	-	15	129	14	-	10	1	9	3	-	9	6	-	26	20
66	-	194	576	79	20	92	9	62	30	3	21	65	3	183	21
16	-	38	149	17	7	22	2	19	5	1	2	22	1	44	22
19	-	51	209	24	8	33	2	25	8	1	2	30	3	57	23
14	-	47	146	22	3	32	2	18	9	-	8	15	1	56	24
36	-	109	281	40	10	38	5	25	16	2	11	28	1	83	25
54	-	103	495	62	15	124	3	51	15	1	30	64	-	155	26
5	-	11	52	6	1	11	-	8	2	-	5	14	-	26	27
14	-	24	127	25	6	11	1	8	5	-	4	16	-	46	28
12	-	10	69	4	2	46	1	12	-	-	3	7	-	25	29
23	-	58	247	27	6	56	1	23	8	1	18	27	-	58	30
11	-	25	100	11	-	28	-	10	2	-	4	8	2	24	31
723	2	1,590	8,548	1,200	148	1,776	76	983	193	105	228	910	226	2,708	32
2	-	7	40	3	-	20	-	2	1	-	-	5	2	9	33
5	-	10	58	13	2	12	-	14	1	-	3	7	10	35	34
108	-	198	812	93	20	198	8	98	21	-	37	140	23	308	35
4	-	12	51	7	-	15	-	3	2	-	4	13	-	22	36
9	-	31	102	14	2	32	1	34	-	-	4	19	1	24	37
10	-	14	89	9	1	20	-	7	-	-	-	19	2	24	38
13	-	8	40	6	-	7	-	4	-	-	-	7	-	8	39
72	-	133	530	57	17	125	7	50	19	-	29	82	20	230	40
8	-	33	77	10	2	29	1	4	1	-	6	14	11	24	41
18	-	72	235	38	3	40	3	32	10	1	13	43	10	106	42
4	-	13	19	2	-	2	-	4	-	-	5	2	-	10	43
4	-	32	121	18	1	37	1	12	2	-	8	13	5	56	44
12	-	36	137	12	2	19	1	12	4	-	9	17	1	56	45
11	-	23	94	11	1	7	-	10	2	-	4	9	-	27	46
28	-	58	235	28	3	54	3	45	5	-	15	26	8	136	47
10	-	25	93	6	1	17	2	19	1	-	3	8	4	46	48
18	-	33	142	22	2	37	1	26	4	-	12	18	4	90	49
12	-	50	223	47	2	36	1	15	7	1	13	41	10	115	50
6	-	14	60	5	-	9	1	7	2	-	4	9	2	20	51
6	-	36	163	42	2	27	-	8	5	1	9	32	8	95	52
63	-	185	520	105	9	132	7	101	18	7	33	120	22	241	53
5	-	11	34	9	-	8	-	5	-	-	2	6	2	17	54
2	-	9	26	2	-	8	1	3	-	-	3	6	3	5	55
2	-	16	36	5	-	10	1	5	1	-	2	6	5	16	56
14	-	36	85	18	3	26	2	19	2	-	4	17	-	35	57
40	-	113	339	71	6	80	3	69	15	7	22	85	12	168	58
10	-	34	122	29	3	40	-	11	4	-	7	17	1	51	59
78	-	282	932	166	22	176	13	148	28	6	45	140	14	396	60
3	-	12	19	6	-	5	-	11	-	-	2	5	-	7	61
7	-	18	97	5	2	7	-	14	1	-	2	10	1	24	62
3	-	24	41	8	2	16	1	4	1	-	-	10	-	23	63
3	-	16	40	7	1	4	1	9	1	-	2	4	-	20	64
8	-	9	37	8	-	11	1	8	2	-	2	2	1	12	65
8	-	12	55	11	3	15	1	15	-	2	2	10	-	33	66
2	-	5	24	2	1	2	-	5	1	-	2	3	1	18	67
44	-	186	619	119	13	116	9	82	22	4	33	96	11	259	68
4	-	20	64	5	-	8	2	8	1	-	4	6	8	17	69
71	-	224	611	77	10	127	6	91	25	1	36	70	6	232	70
6	-	20	61	3	-	9	-	13	-	-	3	4	-	22	71
26	-	85	241	30	4	53	2	43	13	-	14	26	5	75	72
39	-	119	309	44	6	65	4	35	12	1	19	40	1	135	73
289	2	760	2,980	295	22	509	19	296	61	8	95	277	38	902	74
7	-	26	86	6	1	18	-	9	2	-	2	6	-	21	75
6	-	10	30	3	-	10	-	5	-	-	-	6	-	6	76
1	-	16	56	3	1	8	-	4	2	-	2	-	-	15	77
37	-	81	215	27	4	44	1	31	11	-	10	18	4	80	78
22	-	45	120	18	-	19	1	15	2	-	5	8	3	34	79
6	-	20	55	8	3	15	-	9	4	-	3	4	-	28	80
9	-	16	40	1	1	10	-	7	5	-	2	6	1	18	81
12	-	74	190	14	2	24	2	27	3	-	3	21	-	63	82
5	-	51	130	9	2	14	1	19	3	-	2	14	-	41	83
7	-	23	60	5	-	10	1	8	-	-	1	7	-	22	84
214	1	539	2,327	235	13	400	16	214	39	8	76	222	31	687	85
11	-	13	73	9	1	9	1	10	-	-	1	3	-	31	86
20	-	58	328	50	1	49	-	22	5	1	6	43	1	92	87
4	-	12	45	4	1	11	-	3	-	-	1	3	-	8	88
7	-	28	101	12	1	18	-	11	4	1	4	6	1	23	89
5	-	10	35	3	-	2	-	5	2	-	1	1	1	7	90

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	RHODE ISLAND—Con.														
	Providence—Continued														
1	Lincoln (town)	96	-	-	-	-	-	-	-	-	-	-	-	17	-
2	North Providence (town)	118	-	-	-	-	-	-	-	-	1	-	-	14	-
3	Pawtucket	843	-	1	-	1	1	17	-	-	2	-	-	107	-
4	Providence	2,830	-	2	-	2	-	85	-	1	28	-	-	403	2
5	Woonsocket	455	-	-	-	1	1	16	-	-	1	-	-	69	-
6	Balance of county	310	-	-	-	-	-	41	-	-	1	-	-	35	-
7	Washington	421	-	1	-	1	-	10	-	-	3	-	-	56	1
8	Westerly (town)	140	-	1	-	1	-	1	-	-	2	-	-	23	1
9	Balance of county	281	-	-	-	-	-	9	-	-	1	-	-	33	-
10	SOUTH CAROLINA	16,904	36	25	-	62	56	663	33	41	262	6	25	1,260	27
11	Abbeville	138	-	-	-	-	1	3	2	-	-	-	-	13	-
12	Aiken	414	-	-	-	-	2	16	-	1	3	-	-	30	1
13	Allendale	125	1	-	-	1	-	6	-	-	4	-	-	8	-
14	Anderson	636	-	-	-	1	2	14	3	-	3	-	-	58	1
15	Anderson	244	-	-	-	-	-	8	2	-	3	-	-	33	-
16	Balance of county	392	-	-	-	1	2	6	1	-	-	-	-	25	1
17	Bamberg	150	-	-	-	-	-	4	2	-	2	1	2	8	1
18	Barnwell	138	-	1	-	-	1	8	-	-	-	-	-	5	-
19	Beaufort	224	1	-	-	1	-	6	-	-	1	-	-	12	-
20	Berkeley	270	1	-	-	-	-	13	-	2	2	-	-	13	-
21	Calhoun	101	-	-	-	1	1	2	-	-	2	-	2	12	-
22	Charleston	1,650	6	6	-	4	1	75	1	2	33	1	1	121	2
23	Charleston	953	4	4	-	1	1	46	-	-	22	1	1	78	1
24	Balance of county	697	2	2	-	3	-	29	1	2	11	-	-	43	1
25	Cherokee	252	-	1	-	-	2	8	1	-	2	-	-	29	-
26	Chester	264	2	1	-	-	1	8	-	-	1	-	-	19	2
27	Chesterfield	278	-	-	-	1	5	12	1	1	2	-	1	19	-
28	Clarendon	246	2	-	-	2	-	7	3	2	2	-	-	13	1
29	Colleton	246	1	1	-	1	-	3	-	2	1	-	-	16	-
30	Darlington	443	2	1	-	1	1	15	3	5	5	-	1	36	1
31	Dillon	254	-	-	-	2	-	14	-	-	2	-	-	16	-
32	Dorchester	236	1	-	-	2	-	13	-	-	2	-	1	9	-
33	Edgefield	155	-	-	-	-	-	3	-	-	1	-	-	9	-
34	Fairfield	147	-	-	-	2	-	5	-	-	1	-	-	8	-
35	Florence	669	-	2	-	2	4	20	2	1	6	-	2	46	-
36	Florence	275	-	1	-	-	1	9	-	-	-	-	1	26	-
37	Balance of county	394	-	1	-	2	3	11	2	1	6	-	1	20	-
38	Georgetown	210	-	-	-	5	-	6	1	-	3	-	-	13	-
39	Greenville	1,152	1	4	-	2	4	47	2	-	17	-	2	118	2
40	Greenville	419	-	2	-	1	2	25	1	-	10	-	-	43	1
41	Balance of county	733	1	2	-	1	2	22	1	-	7	-	2	75	1
42	Greenwood	332	-	1	-	-	3	9	1	1	2	-	-	31	-
43	Greenwood	141	-	1	-	-	2	4	-	1	-	-	-	12	-
44	Balance of county	191	-	-	-	-	1	5	1	-	2	-	-	19	-
45	Hampton	178	-	-	-	-	-	10	1	1	2	-	-	15	2
46	Horry	405	1	-	-	2	1	18	-	1	3	-	1	18	-
47	Jasper	84	-	-	-	-	-	-	-	-	-	-	-	5	-
48	Kershaw	231	1	-	-	1	1	10	-	1	2	-	-	11	-
49	Lancaster	227	1	-	-	1	3	4	-	-	2	-	1	24	-
50	Laurens	372	-	-	-	-	2	17	1	-	2	-	1	34	-
51	Lee	189	4	-	-	1	1	12	-	2	2	-	1	13	-
52	Lexington	322	-	-	-	2	-	11	-	-	8	-	-	19	2
53	McCormick	99	-	-	-	2	3	3	-	-	2	-	-	7	-
54	Marion	262	-	-	-	2	-	10	-	-	3	-	-	19	2
55	Marlboro	317	-	1	-	2	1	12	-	1	4	-	-	24	-
56	Newberry	236	2	-	-	1	-	10	-	-	3	-	1	18	1
57	Oconee	246	-	-	-	1	3	4	1	-	-	-	-	19	-
58	Orangeburg	623	1	-	-	5	-	23	3	8	6	-	2	36	3
59	Orangeburg	146	1	-	-	2	-	4	1	4	1	-	1	7	-
60	Balance of county	477	-	-	-	3	-	19	2	4	5	-	1	29	3
61	Pickens	247	1	1	-	-	3	6	-	-	1	-	-	29	-
62	Richland	1,496	1	2	-	2	-	85	-	-	91	1	5	99	-
63	Columbia	902	1	2	-	1	-	47	-	-	22	1	2	76	-
64	Balance of county	594	-	-	-	1	-	38	-	-	69	-	3	23	-
65	Saluda	121	-	-	-	-	-	6	1	-	-	-	-	9	1
66	Spartanburg	987	1	2	-	1	5	36	2	-	13	-	-	71	1
67	Spartanburg	354	1	-	-	-	2	17	-	-	6	-	-	36	-
68	Balance of county	633	-	2	-	1	3	19	2	-	7	-	-	35	1
69	Sumter	457	2	-	-	2	-	23	2	-	5	-	-	38	-
70	Sumter	204	1	-	-	-	-	10	-	-	3	-	-	19	-
71	Balance of county	253	1	-	-	2	-	13	2	-	2	-	-	19	-
72	Union	249	-	-	-	1	-	13	-	-	4	-	1	20	2
73	Williamsburg	356	3	1	-	3	1	13	-	10	8	3	-	21	2
74	York	470	-	-	-	5	4	20	-	-	4	-	-	49	-
75	Rock Hill	158	-	-	-	-	1	11	-	-	-	-	-	14	-
76	Balance of county	312	-	-	-	5	3	9	-	-	4	-	-	35	-
77	SOUTH DAKOTA	5,481	-	8	5	6	10	156	2	1	31	1	1	715	6
78	Armstrong	-	-	-	-	-	-	-	-	-	-	-	-	-	-
79	Aurora	41	-	-	-	-	-	-	-	-	1	-	-	3	-
80	Beadle	161	-	-	-	-	-	2	-	-	-	-	-	27	-
81	Huron	108	-	-	-	-	-	2	-	-	-	-	-	20	-
82	Balance of county	53	-	-	-	-	-	-	-	-	-	-	-	7	-
83	Bennett	18	-	-	-	-	-	3	-	-	-	-	-	2	-
84	Bon Homme	71	-	-	-	-	-	2	-	-	-	-	-	10	-
85	Brookings	128	-	-	-	-	-	-	-	-	-	-	-	16	-
86	Brown	296	-	-	-	-	1	2	-	-	1	-	-	29	-
87	Aberdeen	182	-	-	-	-	1	1	-	-	1	-	-	23	-
88	Balance of county	114	-	-	-	-	-	1	-	-	-	-	-	6	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—*Continued*

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 182, 199,200	All other causes	
3	-	16	32	1	-	5	-	-	2	-	3	4	-	13	1
6	-	9	52	6	1	4	-	7	2	-	-	5	1	10	2
27	-	71	342	24	1	64	6	35	4	1	8	34	1	96	3
110	1	268	1,062	96	4	177	6	91	16	5	36	107	21	307	4
16	-	27	153	13	3	37	3	27	2	-	6	14	-	66	5
5	-	27	104	17	-	24	-	3	2	-	10	2	5	34	6
19	1	40	162	13	2	23	-	15	6	-	4	10	3	51	7
5	-	11	55	3	1	8	-	4	1	-	2	2	2	17	8
14	1	29	107	10	1	15	-	11	5	-	2	8	1	34	9
276	43	1,766	3,389	1,223	334	1,621	169	1,110	100	205	491	896	963	1,822	10
2	-	25	28	16	1	16	-	2	-	2	5	7	4	11	11
6	2	48	93	40	8	33	1	25	2	3	12	17	20	51	12
1	-	19	28	9	5	11	2	6	1	1	2	7	6	7	13
17	7	67	145	55	11	72	5	44	3	7	15	38	7	61	14
8	2	23	50	15	4	27	3	17	-	3	3	9	1	33	15
9	5	44	95	40	7	45	2	27	3	4	12	29	6	28	16
1	-	24	30	11	4	5	2	7	1	2	6	15	13	9	17
2	2	15	27	2	6	26	2	4	-	1	3	10	11	12	18
-	-	17	56	23	7	14	1	4	1	3	4	19	37	17	19
5	1	21	34	25	2	22	3	19	2	3	6	12	53	31	20
-	-	13	12	7	2	14	2	3	-	2	5	5	9	7	21
21	1	142	279	93	22	104	17	128	13	41	44	116	207	169	22
17	1	76	181	45	14	62	7	79	7	29	23	43	97	113	23
4	-	66	98	48	8	42	10	49	6	12	21	73	110	56	24
6	2	29	55	19	3	6	2	12	1	-	17	14	7	36	25
5	-	41	59	9	7	23	2	20	3	3	12	15	6	25	26
2	1	30	59	21	7	33	6	25	2	1	6	10	5	28	27
2	-	23	54	23	4	16	1	20	2	2	3	10	36	18	28
2	-	28	50	15	3	21	3	24	-	4	2	15	35	19	29
8	1	47	79	38	10	47	6	34	1	9	21	24	9	38	30
2	-	32	49	29	10	23	3	26	-	2	6	8	5	25	31
7	-	21	38	26	1	40	3	14	-	1	8	9	14	26	32
5	-	25	38	12	2	9	2	5	-	1	4	8	14	17	33
3	1	10	32	7	4	26	-	7	1	1	7	9	17	6	34
15	1	82	134	39	19	32	11	60	1	7	21	58	36	68	35
6	-	27	61	14	9	11	3	33	-	3	9	17	10	34	36
9	1	55	73	25	10	21	8	27	1	4	12	41	26	34	37
4	1	26	39	16	5	28	4	12	-	-	6	9	15	17	38
26	-	139	259	76	19	98	7	77	11	21	43	58	16	103	39
6	-	39	92	23	7	36	1	34	5	12	17	22	5	35	40
20	-	100	167	53	12	62	6	43	6	9	26	36	11	68	41
10	-	34	78	25	6	51	3	12	1	5	8	9	7	35	42
3	-	15	39	5	2	21	1	6	-	1	3	4	3	18	43
7	-	19	39	20	4	30	2	6	1	4	5	5	4	17	44
2	-	8	38	15	6	22	1	11	2	1	2	6	10	23	45
6	-	52	58	45	11	39	4	50	2	8	23	16	25	21	46
-	-	2	18	2	2	7	2	2	-	4	4	4	21	11	47
5	-	25	54	19	2	23	1	10	5	1	11	7	13	28	48
4	-	9	47	17	4	26	5	20	2	-	4	11	15	27	49
7	-	34	104	29	5	43	1	7	3	6	9	17	15	35	50
2	-	26	37	9	1	8	3	7	1	2	5	12	23	17	51
7	-	39	66	23	3	42	3	25	4	1	11	19	15	22	52
3	1	7	15	4	3	13	3	6	-	3	1	4	4	15	53
3	-	40	34	15	14	27	2	26	2	1	6	15	15	26	54
1	1	33	69	31	15	30	3	24	-	4	7	18	7	29	55
2	-	28	52	14	2	27	1	10	5	6	6	9	11	27	56
5	3	23	50	14	8	41	2	18	3	2	3	8	13	25	57
10	2	69	114	49	16	57	8	33	1	4	21	29	51	72	58
4	1	13	37	11	6	10	2	10	-	1	4	8	3	15	59
6	1	56	77	38	10	47	6	23	1	3	17	21	48	57	60
4	7	26	54	14	6	21	3	18	-	1	8	12	4	28	61
20	2	130	281	80	19	147	10	76	9	16	34	71	14	301	62
12	-	91	187	53	14	81	7	55	8	11	15	39	6	171	63
8	2	39	94	27	5	66	3	21	1	5	19	32	8	130	64
1	-	13	35	13	1	12	4	1	-	2	5	4	5	8	65
20	-	102	194	72	21	128	7	78	5	8	17	53	34	116	66
11	-	38	60	21	4	47	3	34	-	1	4	15	12	42	67
9	-	64	134	51	17	81	4	44	5	7	13	38	22	74	68
5	-	37	86	42	12	41	8	34	1	2	20	25	26	46	69
2	-	17	46	16	6	20	4	16	-	1	7	7	8	21	70
3	-	20	40	26	6	21	4	18	1	1	13	18	18	25	71
5	3	25	64	12	4	26	3	16	2	1	7	12	7	21	72
2	2	24	60	26	4	33	4	22	1	6	6	20	40	41	73
10	2	56	104	42	7	38	3	26	6	4	15	22	6	47	74
7	-	13	39	8	1	19	1	11	5	1	5	4	1	17	75
3	2	43	65	34	6	19	2	15	1	3	10	18	5	30	76
144	-	548	1,468	296	27	289	16	269	56	11	105	275	265	770	77
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	78
-	-	6	12	2	-	2	1	3	1	-	1	3	-	6	79
2	-	15	60	8	1	8	-	4	3	-	2	10	2	17	80
2	-	11	38	3	-	3	-	4	1	-	2	7	1	14	81
-	-	4	22	5	1	5	-	-	2	-	-	3	1	3	82
-	-	2	4	-	-	-	1	-	-	1	-	-	3	2	83
2	-	12	12	2	-	3	-	7	-	-	-	4	7	10	84
2	-	19	38	5	1	8	-	8	1	-	4	6	4	16	85
7	-	43	106	15	-	9	2	15	5	3	8	15	3	32	86
4	-	28	68	7	-	7	-	9	1	1	3	6	3	19	87
3	-	15	38	8	-	2	2	6	4	2	5	9	-	13	88

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	SOUTH DAKOTA—Con.														
1	Brule	59	-	-	-	-	-	-	-	-	-	-	-	7	-
2	Buffalo	9	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Butte	70	-	-	-	-	-	1	-	-	-	-	-	12	-
4	Campbell	24	-	-	-	-	-	-	-	-	-	-	-	3	-
5	Charles Mix	102	-	1	-	-	-	4	1	-	2	-	-	5	-
6	Clark	68	-	-	-	-	-	1	-	-	-	-	-	10	-
7	Clay	89	-	-	-	-	-	-	-	-	-	-	-	13	-
8	Codington	184	-	1	-	-	-	1	-	-	1	-	-	20	-
9	Watertown	133	-	-	-	-	-	1	-	-	1	-	-	14	-
10	Balance of county	51	-	1	-	-	-	-	-	-	-	-	-	6	-
11	Corson	52	-	3	-	-	-	3	-	-	1	-	-	3	-
12	Custer	61	-	-	-	-	-	10	-	-	-	-	-	9	-
13	Davison	164	-	-	1	-	-	1	-	1	1	-	-	24	-
14	Mitchell	130	-	-	1	-	-	1	-	-	1	-	-	17	-
15	Balance of county	34	-	-	-	-	-	-	-	1	-	-	-	7	-
16	Day	101	-	1	-	-	-	1	-	-	-	-	-	18	-
17	Deuel	52	-	-	-	-	2	-	-	-	-	-	-	9	-
18	Dewey	55	-	-	1	-	-	9	-	-	2	-	-	3	-
19	Douglas	47	-	-	1	-	-	-	-	-	-	-	-	10	-
20	Edmunds	38	-	-	-	-	-	1	-	-	-	-	-	8	-
21	Fall River	113	-	-	-	-	1	3	-	-	2	-	-	9	-
22	Faulk	33	-	-	-	-	-	-	-	-	-	-	-	1	-
23	Grant	96	-	-	-	-	-	2	-	-	-	-	-	9	-
24	Gregory	69	-	-	-	-	1	-	-	-	-	-	-	9	-
25	Haakon	34	-	-	-	-	-	1	-	-	-	-	-	5	-
26	Hamlin	57	-	-	-	-	-	-	-	-	-	-	-	7	-
27	Hand	50	-	-	-	-	-	-	-	-	-	-	-	10	-
28	Hanson	36	-	-	-	-	-	-	1	-	-	-	-	7	-
29	Harding	21	-	-	-	-	-	1	-	-	-	-	-	4	-
30	Hughes	56	-	-	-	-	-	-	-	-	-	-	-	7	-
31	Hutchinson	73	-	-	-	-	-	-	-	-	-	-	1	7	-
32	Hyde	30	-	-	-	-	-	1	-	-	-	-	-	2	-
33	Jackson	10	-	-	-	-	-	-	-	-	-	-	-	1	-
34	Jerauld	39	-	-	-	-	-	-	-	-	-	-	-	8	-
35	Jones	22	-	-	-	-	1	-	-	-	-	-	-	3	-
36	Kingsbury	74	-	-	-	-	-	-	-	-	-	-	-	8	-
37	Lake	110	-	-	-	1	-	-	-	-	-	-	-	23	-
38	Lawrence	133	-	-	-	1	1	5	-	-	2	-	-	22	-
39	Lincoln	110	-	-	-	-	-	2	-	-	-	-	-	13	-
40	Lyman	31	-	-	-	-	-	1	-	-	-	-	-	3	-
41	McCook	87	-	-	-	-	-	-	-	-	-	-	-	13	-
42	McPherson	63	-	-	-	-	-	-	-	-	-	-	-	7	-
43	Marshall	78	-	1	-	-	-	1	-	-	-	-	-	11	1
44	Meade	81	-	-	-	-	-	2	-	-	-	-	-	12	-
45	Mellette	41	-	-	-	-	-	8	-	-	-	-	-	-	-
46	Miner	59	-	-	-	-	-	-	-	-	1	-	-	14	-
47	Minnehaha	525	-	1	-	-	-	10	-	-	3	-	-	83	1
48	Sioux Falls	392	-	1	-	-	-	7	-	-	3	-	-	63	1
49	Balance of county	133	-	-	-	-	-	3	-	-	-	-	-	20	-
50	Moody	62	-	-	-	-	-	2	-	-	-	-	-	12	-
51	Pennington	224	-	-	1	-	1	12	-	-	3	-	-	27	1
52	Rapid City	165	-	-	1	-	1	5	-	-	3	-	-	20	1
53	Balance of county	59	-	-	-	-	-	7	-	-	-	-	-	7	-
54	Perkins	54	-	-	-	-	-	2	-	-	-	-	-	5	-
55	Potter	42	-	-	-	-	-	-	-	-	1	-	-	8	-
56	Roberts	138	-	-	1	-	2	10	-	-	1	-	-	20	2
57	Sanborn	59	-	-	-	-	-	-	-	-	-	-	-	11	-
58	Shannon	50	-	-	-	-	-	11	-	-	-	1	-	1	-
59	Spink	112	-	-	-	-	-	2	-	-	-	-	-	12	-
60	Stanley	18	-	-	-	-	-	1	-	-	-	-	-	2	-
61	Sully	18	-	-	-	-	-	-	-	-	-	-	-	3	-
62	Todd	50	-	-	-	3	-	18	-	-	-	-	-	-	-
63	Tripp	77	-	-	-	-	-	1	-	-	-	-	-	10	-
64	Turner	89	-	-	-	-	-	-	-	-	-	-	-	15	-
65	Union	88	-	-	-	-	-	-	-	-	-	-	-	11	-
66	Walworth	61	-	-	-	-	-	-	-	-	1	-	-	13	-
67	Washabaugh	17	-	-	-	-	-	1	-	-	-	-	-	3	-
68	Washington	10	-	-	-	-	-	2	-	-	-	-	-	1	1
69	Yankton	266	-	-	-	-	-	13	-	-	7	-	-	20	-
70	Ziebach	25	-	-	-	1	-	3	-	-	1	-	-	2	-
71	TENNESSEE	27,946	23	57	9	81	105	1,776	60	20	287	6	45	2,647	47
72	Anderson	300	-	1	-	3	2	11	1	-	3	-	1	24	-
73	Bedford	228	1	1	-	2	1	14	3	1	-	-	-	18	-
74	Benton	101	-	-	-	1	1	10	-	-	-	-	2	11	2
75	Bledsoe	61	-	-	-	-	-	4	1	-	-	-	-	8	-
76	Blount	360	-	1	-	1	6	19	1	-	1	-	-	35	-
77	Bradley	252	-	-	-	-	1	16	-	-	-	-	1	19	-
78	Cleveland	127	-	-	-	-	-	8	-	-	-	-	1	13	-
79	Balance of county	125	-	-	-	-	1	8	-	-	-	-	-	6	-
80	Campbell	253	-	1	-	2	4	19	2	-	-	-	1	18	1
81	Cannon	76	1	-	-	-	-	4	-	-	1	-	-	7	-
82	Carroll	248	-	-	-	1	-	13	-	-	1	-	-	31	-
83	Carter	220	-	1	1	1	1	6	-	-	2	-	1	18	1
84	Cheatham	76	-	-	-	-	-	6	-	-	-	-	-	10	-
85	Chester	87	-	-	-	-	-	2	2	-	-	-	1	4	-
86	Claiborne	152	-	2	-	-	3	22	-	-	1	-	-	10	-
87	Clay	56	-	-	-	-	-	8	-	-	-	-	-	5	-
88	Cocke	231	-	1	1	-	1	19	-	-	2	-	-	20	-
89	Coffee	262	-	-	1	1	2	16	2	1	2	-	1	40	-
90	Crockett	142	-	-	-	1	-	8	1	-	1	-	-	16	1

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
3	-	7	12	4	2	4	-	1	2	-	1	-	5	11	1
-	-	-	2	4	-	-	-	-	-	1	-	-	1	1	2
2	-	7	17	3	-	6	-	7	-	-	1	4	5	5	3
1	-	-	6	1	-	5	-	2	-	-	-	2	-	4	4
3	-	5	32	13	1	2	-	5	-	-	2	7	7	12	5
4	-	8	14	4	-	5	-	5	2	-	-	4	3	8	6
3	-	11	23	3	-	14	-	-	-	-	2	8	3	9	7
8	-	21	45	15	3	10	-	11	1	-	4	13	3	27	8
5	-	13	37	8	2	8	-	9	-	-	2	10	3	20	9
3	-	8	8	7	1	2	-	2	1	-	2	3	-	7	10
1	-	1	11	3	1	-	-	1	2	1	-	1	16	4	11
1	-	6	12	3	-	4	-	-	2	1	1	1	4	7	12
6	-	9	47	5	1	9	-	11	2	-	-	12	10	24	13
5	-	8	31	3	1	7	-	10	2	-	-	11	10	22	14
1	-	1	16	2	-	2	-	1	-	-	-	1	-	2	15
3	-	5	41	4	1	2	-	7	-	-	1	4	1	12	16
1	-	6	15	3	-	4	-	2	2	-	-	1	1	6	17
3	-	3	13	4	-	1	-	4	1	-	-	2	2	7	18
3	-	10	9	5	1	1	-	1	-	-	-	1	-	5	19
1	-	6	7	1	-	3	-	2	-	-	1	2	2	4	20
4	-	8	27	12	-	4	-	5	1	1	1	2	7	26	21
-	-	7	7	1	-	1	-	3	1	-	-	4	-	8	22
2	-	10	28	2	-	12	-	4	1	-	-	8	2	16	23
-	-	8	15	7	-	4	-	5	-	-	1	6	4	9	24
3	-	3	8	2	-	5	-	1	-	-	1	1	1	3	25
2	-	8	20	4	-	1	-	2	-	-	1	5	-	7	26
1	-	8	10	4	-	7	-	-	1	-	1	2	1	5	27
2	-	3	8	2	1	3	-	2	-	-	1	2	2	2	28
-	-	-	4	4	1	-	-	3	-	-	-	1	-	3	29
3	-	5	13	4	-	4	-	3	2	-	1	5	-	9	30
2	-	6	22	6	1	5	2	3	-	1	3	2	1	11	31
-	-	2	13	1	-	2	-	1	-	-	1	1	1	5	32
-	-	3	1	-	-	1	-	-	-	-	-	-	1	3	33
4	-	4	18	-	-	-	-	1	-	-	-	1	-	3	34
1	-	2	4	-	-	2	-	2	-	-	1	3	-	3	35
2	-	9	26	5	-	3	1	5	1	-	1	3	2	8	36
1	-	11	37	1	-	4	-	6	1	-	1	6	6	12	37
1	-	13	39	8	-	3	-	10	2	-	-	1	1	24	38
4	-	15	23	3	-	6	-	2	2	-	5	7	4	24	39
-	-	3	8	2	-	1	1	3	-	-	1	5	-	3	40
2	-	12	15	3	-	4	2	6	2	-	1	7	8	12	41
1	-	11	21	5	1	8	-	4	-	-	-	2	-	3	42
1	-	7	28	3	1	2	-	7	-	-	1	6	1	7	43
2	-	6	29	4	-	4	-	3	1	-	4	3	2	9	44
1	-	2	5	6	2	-	-	1	-	-	-	4	5	7	45
-	-	3	22	2	-	3	-	1	1	-	-	3	7	2	46
10	-	48	149	16	1	33	1	32	5	1	17	18	23	73	47
9	-	35	111	12	1	22	1	25	4	-	14	10	16	57	48
1	-	13	38	4	-	11	-	7	1	1	3	8	7	16	49
4	-	5	9	2	-	12	-	1	1	-	-	3	1	10	50
3	-	26	58	8	1	10	1	14	2	-	6	7	9	34	51
3	-	22	44	2	1	6	1	13	1	-	5	5	6	25	52
-	-	4	14	6	-	4	-	1	1	-	1	2	3	9	53
-	-	6	17	4	1	2	-	1	-	-	3	7	-	6	54
4	-	4	11	2	-	3	-	1	-	-	-	2	-	6	55
3	-	12	28	10	-	4	1	6	-	-	5	9	9	15	56
2	-	6	19	3	-	1	-	1	1	-	-	2	2	11	57
1	-	1	3	8	-	-	-	3	-	1	3	3	9	5	58
1	-	16	37	5	-	1	-	6	-	-	4	6	4	18	59
-	-	-	6	2	1	-	-	1	-	-	-	3	-	2	60
1	-	-	7	1	-	3	-	1	1	-	-	-	-	1	61
-	-	1	5	1	-	4	-	2	-	-	-	-	11	5	62
3	-	7	18	5	-	1	-	3	-	-	2	9	2	16	63
4	-	11	24	3	1	3	-	2	-	-	2	5	5	14	64
1	-	8	28	6	-	7	-	2	2	-	4	2	4	13	65
4	-	3	14	2	-	3	-	4	2	-	4	1	1	9	66
-	-	1	4	-	-	-	-	1	-	-	-	-	7	-	67
-	-	-	-	1	-	-	1	-	-	-	-	-	4	-	68
8	-	21	38	15	2	13	1	6	2	-	1	7	34	78	69
-	-	1	4	4	1	-	1	3	-	-	-	1	2	1	70
357	71	2,806	5,989	2,020	435	1,864	153	1,562	206	310	559	1,251	1,864	3,336	71
4	-	21	45	20	9	7	1	50	1	6	12	29	18	31	72
4	-	28	46	13	4	31	-	16	-	3	2	14	5	21	73
-	-	10	15	4	1	3	2	10	-	-	-	3	9	17	74
1	1	1	8	5	-	6	3	8	-	2	1	3	1	8	75
3	4	35	95	34	5	22	-	34	4	3	3	11	8	35	76
6	1	22	47	24	5	16	2	22	4	3	9	12	11	31	77
2	1	9	23	10	2	10	1	10	4	3	4	8	3	15	78
4	-	13	24	14	3	6	1	12	-	-	5	4	8	16	79
1	-	26	32	26	13	14	1	17	-	2	8	13	33	19	80
-	-	9	15	2	1	3	-	4	2	-	4	6	11	6	81
4	1	14	58	11	4	32	4	15	3	1	4	11	15	25	82
4	1	17	40	16	8	15	-	24	3	1	5	7	20	27	83
-	-	12	20	2	-	6	-	3	2	4	1	2	3	5	84
4	-	10	15	12	2	7	-	4	1	1	4	5	2	11	85
1	-	15	25	9	5	7	2	6	-	1	4	8	10	21	86
-	-	1	4	6	1	5	-	4	1	-	1	-	11	9	87
1	3	8	30	14	4	22	-	22	1	1	6	10	36	29	88
5	2	25	49	13	3	10	1	7	5	3	8	11	17	37	89
2	2	22	22	10	3	21	-	5	1	2	3	5	7	9	90

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	TENNESSEE—Con.														
1	Cumberland	102	-	2	1	1	-	7	2	-	-	-	-	8	1
2	Davidson	3,005	-	4	-	2	1	170	5	-	47	-	5	309	3
3	Nashville	2,270	-	2	-	2	1	95	2	-	23	-	4	250	2
4	Balance of county	735	-	2	-	-	-	75	3	-	24	-	1	59	1
5	Decatur	96	-	-	-	2	-	7	1	-	1	-	1	7	-
6	De Kalb	112	-	-	-	-	-	12	-	-	-	-	1	10	-
7	Dickson	142	-	-	-	-	5	3	-	1	1	-	-	12	-
8	Dyer	304	-	-	-	-	1	32	1	2	-	-	1	15	1
9	Dyersburg	129	-	-	-	-	-	18	-	2	-	-	1	6	1
10	Balance of county	175	-	-	-	-	1	14	1	-	-	-	-	9	-
11	Fayette	238	-	-	-	5	-	9	-	-	2	1	-	19	-
12	Fentress	85	1	-	-	-	1	5	-	-	-	-	-	3	-
13	Franklin	204	-	-	-	-	1	14	2	-	-	-	-	15	-
14	Gibson	441	-	1	-	-	1	21	-	2	1	-	-	40	1
15	Giles	254	-	-	-	-	2	26	-	-	1	-	-	23	-
16	Grainger	116	-	1	1	-	-	13	-	-	-	-	1	10	-
17	Greene	362	1	-	1	-	1	30	3	-	1	-	1	31	-
18	Grundy	84	-	-	-	2	-	7	1	-	-	-	-	8	-
19	Hamblen	221	-	-	-	1	1	15	2	-	-	-	-	17	-
20	Hamilton	2,034	-	2	1	5	1	154	1	1	12	-	-	193	5
21	Chattanooga	1,657	-	2	1	4	1	124	1	-	8	-	-	159	4
22	Balance of county	377	-	-	-	1	-	30	-	1	4	-	-	34	1
23	Hancock	59	1	-	-	-	2	5	-	-	-	-	-	2	-
24	Hardeman	471	-	-	-	1	-	26	-	1	49	-	5	30	-
25	Hardin	106	-	-	-	-	1	6	-	-	-	-	2	12	-
26	Hawkins	225	-	-	-	-	3	13	2	-	2	-	-	20	1
27	Haywood	278	1	-	-	4	1	23	1	1	1	1	-	20	1
28	Henderson	174	-	-	-	-	2	13	-	1	2	-	3	16	-
29	Henry	240	1	-	-	-	-	14	-	-	3	-	1	17	-
30	Hickman	117	1	-	-	-	-	15	3	-	-	-	-	9	-
31	Houston	63	-	-	-	-	-	4	-	-	-	-	-	3	-
32	Humphreys	95	-	-	-	-	1	5	1	-	3	-	-	13	-
33	Jackson	82	-	-	-	-	1	6	1	-	-	-	-	5	-
34	Jefferson	155	1	-	-	-	-	20	1	-	1	-	-	14	-
35	Johnson	96	-	-	-	-	1	7	-	-	-	-	-	6	-
36	Knox	1,981	1	2	-	10	17	87	1	-	29	-	3	194	4
37	Knoxville	1,242	-	1	-	5	13	35	1	-	11	-	2	135	2
38	Balance of county	739	1	1	-	5	4	52	-	-	18	-	1	59	2
39	Lake	83	-	-	-	1	-	8	-	-	2	-	-	6	1
40	Lauderdale	245	1	-	-	2	3	15	-	2	1	1	-	20	-
41	Lawrence	236	2	1	-	-	1	10	-	-	1	-	-	18	-
42	Lewis	44	-	-	-	-	-	7	-	-	-	-	-	4	-
43	Lincoln	217	-	-	-	1	1	15	-	-	-	-	1	23	-
44	Loudon	187	-	-	1	-	3	12	1	1	-	-	-	13	-
45	McMinn	250	-	1	-	-	3	14	-	-	-	-	-	29	1
46	McNairy	163	1	-	-	1	1	13	-	-	-	-	-	18	-
47	Macon	123	-	-	-	-	-	23	-	-	-	-	-	13	-
48	Madison	553	1	-	-	-	1	45	2	-	4	-	2	50	1
49	Jackson	343	1	-	-	-	-	31	2	-	3	-	1	40	-
50	Balance of county	210	-	-	-	-	1	14	-	-	1	-	1	10	1
51	Marion	161	-	1	1	3	-	15	-	-	-	-	-	10	2
52	Marshall	172	-	-	-	-	-	9	-	-	2	-	-	29	-
53	Maury	372	-	1	-	-	-	29	-	-	2	-	1	28	2
54	Columbia	123	-	-	-	-	-	10	-	-	-	-	-	11	-
55	Balance of county	249	-	1	-	-	-	19	-	-	2	-	1	17	2
56	Meigs	43	-	-	-	-	-	1	-	-	-	-	-	2	-
57	Monroe	210	-	1	-	1	2	18	-	-	-	-	-	14	1
58	Montgomery	347	1	1	-	-	1	19	-	-	-	-	-	25	1
59	Clarksville	159	-	1	-	-	-	12	-	-	-	-	-	12	1
60	Balance of county	188	1	-	-	-	1	7	-	-	-	-	-	13	-
61	Moore	20	-	-	-	-	-	1	-	-	1	-	-	2	-
62	Morgan	87	-	-	-	1	1	3	-	-	-	-	-	7	-
63	Obion	261	-	3	-	1	1	18	-	1	1	-	1	17	-
64	Overton	78	-	-	-	-	-	8	-	-	-	-	-	6	-
65	Perry	55	-	-	-	-	1	2	-	-	1	-	-	6	-
66	Pickett	18	-	-	-	-	-	-	-	-	-	-	-	2	-
67	Polk	128	1	1	-	-	2	8	-	-	2	-	-	9	-
68	Putnam	184	-	-	-	1	2	19	-	-	1	-	-	22	-
69	Rhea	150	-	-	-	2	-	4	-	-	-	-	-	19	-
70	Roane	267	2	-	-	2	-	15	-	-	1	-	1	15	1
71	Robertson	250	-	1	-	-	1	23	-	-	2	-	-	24	-
72	Rutherford	362	-	-	-	-	-	13	4	-	14	-	1	42	1
73	Scott	116	-	-	-	1	-	7	1	-	-	-	-	13	-
74	Sequatchie	32	-	-	-	-	-	-	-	-	-	-	-	2	-
75	Sevier	145	1	-	-	2	1	8	-	-	1	-	-	10	-
76	Shelby	4,160	-	19	-	5	-	231	5	3	62	3	3	420	14
77	Memphis	3,392	-	15	-	5	-	156	5	3	47	2	2	354	11
78	Balance of county	768	-	4	-	-	-	75	-	-	15	1	1	66	3
79	Smith	117	-	-	-	1	-	12	1	-	1	-	-	10	-
80	Stewart	98	-	-	-	-	-	6	-	-	-	-	-	10	-
81	Sullivan	572	1	1	-	3	6	20	2	-	2	-	-	70	-
82	Bristol[5]	125	-	1	-	1	-	3	-	-	-	-	-	20	-
83	Kingsport	166	-	-	-	1	1	7	-	-	-	-	-	20	-
84	Balance of county	281	1	-	-	1	5	10	2	-	2	-	-	30	-
85	Sumner	290	-	1	-	-	-	19	-	-	-	-	-	32	-
86	Tipton	247	-	2	-	3	-	11	-	1	4	-	-	15	-
87	Trousdale	65	-	-	-	-	-	7	-	-	3	-	-	6	-
88	Unicoi	113	-	-	-	-	2	4	-	-	-	-	1	14	-
89	Union	54	1	1	-	-	-	4	-	-	-	-	-	3	-
90	Van Buren	35	-	-	-	-	1	1	-	-	-	-	-	5	-
91	Warren	177	-	-	-	-	-	16	1	-	-	-	-	24	-

[5]Includes data for Bristol, Tenn., only.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
-	-	9	15	7	-	6	2	5	1	1	3	4	17	10	1
46	3	310	666	180	44	206	10	158	26	49	50	119	189	403	2
39	1	230	506	142	37	166	7	141	22	44	44	98	133	279	3
7	2	80	160	38	7	40	3	17	4	5	6	21	56	124	4
-	1	11	18	6	-	4	1	2	1	-	1	2	11	9	5
1	-	7	28	5	2	13	-	2	3	1	1	2	9	15	6
-	-	25	26	12	-	7	-	14	2	-	5	4	12	13	7
-	-	37	54	21	2	25	-	20	1	4	3	32	18	34	8
-	-	15	21	9	1	12	-	13	1	2	2	3	7	15	9
-	-	22	33	12	1	13	-	7	-	2	1	29	11	19	10
2	1	26	41	31	5	22	1	5	2	2	4	14	24	22	11
-	-	6	20	8	1	10	1	4	-	2	-	7	12	4	12
-	-	28	53	21	1	18	1	8	-	2	6	6	10	18	13
2	1	54	99	40	3	53	3	21	2	2	12	19	14	49	14
3	-	25	51	23	2	20	3	13	4	1	3	15	13	26	15
1	1	14	20	4	2	15	2	4	-	-	-	5	10	12	16
8	-	37	84	34	8	23	3	16	4	1	11	15	24	25	17
1	2	3	16	6	3	5	-	6	-	1	-	8	7	8	18
4	-	27	50	19	9	9	1	12	-	2	4	5	13	30	19
21	1	228	453	155	39	115	5	115	10	39	47	79	115	237	20
16	1	185	374	119	29	89	4	94	9	37	38	60	100	198	21
5	-	43	79	36	10	26	1	21	1	2	9	19	15	39	22
-	-	3	12	7	-	6	-	2	1	-	1	2	10	5	23
8	-	47	47	27	4	17	2	5	1	4	4	13	51	129	24
2	-	11	23	7	1	12	2	4	-	1	2	4	7	9	25
3	2	19	43	17	1	20	1	14	2	1	4	11	17	29	26
1	-	22	42	19	8	43	5	6	1	2	3	8	37	27	27
-	1	22	45	11	-	7	2	12	1	-	1	8	14	13	28
3	-	35	70	20	3	11	2	14	3	3	3	7	6	24	29
-	-	13	28	7	1	7	-	5	3	-	1	13	1	10	30
-	1	8	15	5	1	2	-	5	1	-	2	7	7	2	31
3	-	6	15	7	1	3	-	1	-	-	3	9	7	17	32
1	1	6	27	2	-	4	2	2	1	-	2	3	6	12	33
-	-	26	28	6	3	13	-	12	-	1	1	6	11	11	34
-	-	9	19	14	1	10	-	3	1	-	2	3	12	8	35
34	8	187	499	126	29	102	14	110	9	32	52	90	99	242	36
23	4	117	281	74	16	59	9	83	4	29	35	70	68	165	37
11	4	70	218	52	13	43	5	27	5	3	17	20	31	77	38
1	-	6	13	4	-	2	1	3	-	1	1	6	14	13	39
3	-	18	45	21	2	20	2	15	2	4	6	10	17	35	40
3	-	18	67	12	2	12	2	11	1	-	7	9	17	42	41
1	-	5	9	4	1	2	-	2	-	-	-	1	3	5	42
1	-	24	51	15	3	14	2	11	-	1	5	5	17	27	43
2	3	11	48	15	2	9	1	13	2	-	11	12	11	16	44
6	1	31	49	25	6	8	-	21	3	1	4	11	11	25	45
2	1	21	35	9	3	14	-	8	1	3	1	9	14	8	46
1	-	8	27	10	2	6	-	9	3	-	1	4	7	9	47
4	1	52	123	28	9	40	7	24	4	9	12	25	42	67	48
2	1	35	72	13	6	22	4	11	3	5	7	13	21	50	49
2	-	17	51	15	3	18	3	13	1	4	5	12	21	17	50
-	1	15	32	17	3	3	2	6	2	1	6	10	6	25	51
1	-	17	45	10	1	18	1	6	1	-	1	7	6	18	52
6	1	31	100	25	3	40	2	20	3	2	6	19	17	34	53
2	1	12	34	5	2	16	1	10	1	1	2	2	4	9	54
4	-	19	66	20	1	24	1	10	2	1	4	17	13	25	55
-	-	3	10	8	-	5	-	5	-	-	1	1	1	6	56
3	-	15	57	23	6	6	2	7	-	2	4	11	13	24	57
3	-	46	100	22	7	16	1	18	2	5	7	24	19	29	58
1	-	20	49	6	2	8	1	7	2	3	3	10	7	14	59
2	-	26	51	16	5	8	-	11	-	2	4	14	12	15	60
-	-	2	5	1	1	1	2	-	1	-	-	-	-	3	61
-	-	10	19	7	1	2	-	-	3	3	4	4	10	12	62
3	-	48	60	24	1	17	1	10	4	1	4	18	13	14	63
2	1	4	14	1	-	4	-	2	-	-	2	6	17	11	64
-	-	11	6	7	1	9	-	1	1	-	-	-	3	6	65
-	-	4	3	1	-	1	-	1	-	1	-	3	2	-	66
1	-	9	19	12	3	12	2	10	-	-	2	10	10	15	67
1	-	17	34	9	-	16	-	14	-	3	3	10	14	18	68
2	-	12	27	14	1	19	1	7	1	2	4	14	6	15	69
4	1	28	40	32	9	24	3	24	-	2	6	17	16	24	70
4	1	38	46	21	1	14	1	15	2	1	-	14	13	28	71
5	-	62	67	26	2	24	1	11	3	4	9	10	19	44	72
-	-	9	23	14	2	9	-	5	1	1	5	5	10	10	73
1	-	2	3	3	-	2	-	2	3	1	1	2	4	6	74
-	2	9	31	11	2	7	3	13	-	-	8	6	11	19	75
66	4	379	932	278	59	251	22	252	23	49	69	162	265	584	76
54	2	270	799	233	54	188	21	220	18	40	59	125	203	506	77
12	2	109	133	45	5	63	1	32	5	9	10	37	62	78	78
1	-	10	23	7	-	13	-	5	1	-	-	4	11	17	79
2	-	11	17	9	2	5	1	5	1	-	2	1	15	11	80
11	4	53	103	43	19	43	6	47	5	6	9	27	35	56	81
6	-	14	27	4	4	11	1	5	-	1	2	4	7	14	82
3	1	18	31	12	6	9	4	16	3	1	3	6	9	15	83
2	3	21	45	27	9	23	1	26	2	4	4	17	19	27	84
5	-	35	67	15	2	27	-	16	3	-	8	12	13	35	85
1	-	23	55	14	5	20	2	14	2	4	5	12	33	21	86
-	1	6	14	5	2	9	-	1	-	-	-	3	2	6	87
1	-	14	27	11	2	1	-	4	1	4	1	8	10	8	88
-	-	3	12	3	1	2	-	5	-	-	2	2	9	6	89
-	-	3	5	5	1	1	-	2	-	1	1	-	6	3	90
1	1	18	44	4	5	2	1	6	1	3	-	5	22	23	91

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, poliencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	TENNESSEE—Continued.														
1	Washington	454	-	-	-	1	1	25	-	-	4	-	-	59	-
2	Johnson City	226	-	-	-	1	-	12	-	-	4	-	-	25	-
3	Balance of county	228	-	-	-	-	1	13	-	-	-	-	-	34	-
4	Wayne	104	-	-	-	2	2	8	-	-	-	-	-	8	-
5	Weakley	270	-	-	-	1	-	17	-	1	3	-	-	37	-
6	White	175	-	-	-	-	1	11	-	-	-	-	1	17	-
7	Williamson	210	-	1	-	-	1	14	-	-	-	-	1	24	-
8	Wilson	209	1	1	-	-	-	22	2	-	2	-	-	20	-
9	TEXAS	58,853	54	60	5	97	160	2,966	393	52	702	21	129	6,011	54
10	Anderson	268	1	-	-	-	2	7	1	-	2	-	-	23	-
11	Palestine	129	1	-	-	-	-	1	1	-	1	-	-	12	-
12	Balance of county	139	-	-	-	-	2	6	-	-	1	-	-	11	-
13	Andrews	12	-	-	-	-	-	-	-	-	-	-	-	-	-
14	Angelina	231	-	-	-	1	1	7	1	1	2	-	-	30	-
15	Aransas	37	-	-	-	-	1	1	-	-	1	-	-	1	-
16	Archer	35	-	-	-	-	-	1	-	-	-	-	-	3	-
17	Armstrong	12	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Atascosa	158	1	1	-	-	-	22	3	-	-	-	1	10	-
19	Austin	160	-	-	-	-	-	4	1	-	-	-	-	20	-
20	Bailey	27	-	-	-	-	-	2	-	-	-	-	-	3	-
21	Bandera	30	-	-	-	1	-	1	-	-	-	-	-	5	-
22	Bastrop	234	1	-	-	-	-	13	-	-	1	-	1	29	1
23	Baylor	51	1	-	-	-	-	1	-	-	-	-	-	6	-
24	Bee	168	-	-	-	1	1	11	3	-	-	-	1	14	-
25	Bell	448	-	2	-	3	5	17	3	-	2	-	-	57	-
26	Temple	166	-	-	-	1	-	7	3	-	1	-	-	27	-
27	Balance of county	282	-	2	-	2	5	10	-	-	1	-	-	30	-
28	Bexar	4,356	2	2	-	3	3	357	12	3	78	-	7	418	4
29	San Antonio	3,730	1	2	-	3	2	296	11	3	41	-	7	376	4
30	Balance of county	626	1	-	-	-	1	61	1	-	37	-	-	42	-
31	Blanco	40	-	-	-	-	-	1	-	-	-	-	-	7	-
32	Borden	1	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Bosque	118	-	-	-	1	1	5	-	-	-	-	-	15	-
34	Bowie	462	1	-	-	-	3	20	2	2	3	-	-	54	-
35	Texarkana[6]	239	1	-	-	-	2	7	2	1	1	-	-	24	-
36	Balance of county	223	-	-	-	-	1	13	-	1	2	-	-	30	-
37	Brazoria	260	-	-	-	-	-	3	-	-	1	-	1	28	-
38	Brazos	252	1	-	-	-	1	8	2	-	2	-	-	19	-
39	Bryan	149	1	-	-	-	-	4	2	-	2	-	-	12	-
40	Balance of county	103	-	-	-	-	1	4	-	-	-	-	-	7	-
41	Brewster	59	-	-	-	-	-	2	-	-	-	-	-	1	1
42	Briscoe	20	-	-	-	-	-	1	-	-	-	-	-	1	-
43	Brooks	62	1	-	-	-	-	2	4	1	2	-	-	5	1
44	Brown	277	-	-	-	-	-	10	-	-	1	-	1	31	-
45	Brownwood	179	-	-	-	-	-	7	-	-	-	-	-	25	-
46	Balance of county	98	-	-	-	-	-	3	-	-	1	-	1	6	-
47	Burleson	139	-	-	-	-	-	6	-	1	1	-	-	19	-
48	Burnet	77	-	1	-	-	-	3	-	-	-	-	-	10	-
49	Caldwell	250	-	-	-	-	1	17	5	-	3	-	-	22	1
50	Calhoun	49	-	-	-	-	-	3	-	-	1	-	-	4	-
51	Callahan	86	-	-	-	-	-	1	-	-	-	-	-	14	-
52	Cameron	1,017	5	1	-	1	4	68	18	3	7	3	5	67	-
53	Brownsville	324	1	-	-	-	-	20	1	-	-	3	2	27	-
54	Harlingen	157	2	-	-	-	-	10	7	-	2	-	-	14	-
55	Balance of county	536	2	1	-	1	4	38	10	3	5	-	3	26	-
56	Camp	89	-	-	-	-	-	3	-	-	1	-	-	10	-
57	Carson	35	-	-	-	-	-	-	-	-	-	-	-	1	-
58	Cass	222	-	-	-	-	3	10	-	1	2	-	-	23	1
59	Castro	25	-	-	-	-	-	-	-	-	1	-	-	4	-
60	Chambers	59	-	-	-	-	-	1	-	-	-	-	1	4	-
61	Cherokee	476	-	-	-	-	-	33	-	-	53	-	-	46	-
62	Childress	87	-	-	-	-	-	1	-	-	-	-	-	9	1
63	Clay	69	-	-	-	-	-	1	-	-	-	-	-	4	-
64	Cochran	18	-	-	-	-	-	1	-	-	-	-	-	1	1
65	Coke	19	-	-	-	-	-	1	-	-	-	-	-	4	-
66	Coleman	145	-	-	-	-	-	4	1	-	-	-	1	11	-
67	Collin	369	-	1	1	1	1	13	2	-	1	-	-	36	-
68	Collingsworth	63	-	-	-	-	-	3	-	-	-	-	-	5	-
69	Colorado	154	-	-	-	-	-	4	1	-	1	-	-	20	-
70	Comal	153	-	-	-	-	2	8	1	-	-	-	1	11	-
71	Comanche	141	-	-	-	1	-	6	-	-	-	-	-	22	1
72	Concho	39	-	-	-	-	-	2	1	-	-	-	-	3	-
73	Cooke	230	-	2	-	-	-	3	2	-	-	-	1	26	-
74	Coryell	150	-	1	-	-	1	5	-	-	-	-	-	11	-
75	Cottle	59	-	-	-	-	-	2	-	-	-	-	-	7	-
76	Crane	14	-	1	-	-	-	1	-	-	-	-	-	3	-
77	Crockett	16	-	-	-	-	1	2	1	-	-	-	-	-	-
78	Crosby	60	-	-	-	-	-	1	-	-	-	-	-	5	-
79	Culberson	9	-	-	-	-	-	-	1	-	-	-	-	1	-
80	Dallam	40	-	-	-	-	-	-	1	-	-	-	-	4	-
81	Dallas	4,119	1	4	-	3	5	224	3	3	46	1	6	476	3
82	Dallas	3,076	1	3	-	2	2	133	-	1	39	1	5	368	2
83	Highland Park	97	-	-	-	-	-	2	-	-	-	-	-	16	-
84	University Park	93	-	-	-	-	-	1	-	1	-	-	-	13	-
85	Balance of county	853	-	1	-	1	3	88	3	1	7	-	1	79	1
86	Dawson	124	1	-	-	1	1	7	4	-	-	-	1	17	-
87	Deaf Smith	52	-	-	-	-	1	-	-	-	-	-	-	10	-
88	Delta	69	-	-	-	-	1	3	1	-	-	-	-	10	-

[6] Includes data for Texarkana, Tex., only.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
11	3	34	99	56	4	27	1	23	4	3	10	15	16	58	1
6	-	13	52	25	3	15	-	11	2	2	3	10	10	32	2
5	3	21	47	31	1	12	1	12	2	1	7	5	6	26	3
3	-	8	9	15	5	6	1	4	1	1	4	6	13	8	4
1	3	24	64	17	4	18	1	9	2	2	6	9	15	36	5
1	4	16	39	12	4	6	1	7	4	2	9	8	20	12	6
6	-	26	53	19	2	8	1	9	2	1	1	13	6	22	7
3	-	20	45	8	2	14	-	8	5	2	5	11	10	28	8
936	175	5,023	13,045	3,442	1,416	3,297	358	3,976	551	666	1,524	3,621	2,691	7,428	9
-	1	37	90	13	2	9	2	7	4	4	8	11	12	32	10
-	-	15	46	4	1	6	1	2	1	-	5	7	6	19	11
-	1	22	44	9	1	3	1	5	3	4	3	4	6	13	12
-	-	1	5	3	-	1	-	-	-	-	1	1	-	-	13
5	1	11	51	15	2	26	1	11	2	1	12	15	5	30	14
1	-	2	7	1	-	2	-	2	-	1	1	3	3	10	15
-	-	3	8	-	-	3	-	4	-	-	1	3	2	7	16
1	-	2	7	1	-	1	-	-	-	-	-	-	-	-	17
-	1	12	31	21	7	7	-	17	1	3	3	3	5	9	18
4	1	9	47	10	-	9	-	10	7	1	6	9	4	18	19
-	-	5	6	-	-	-	-	2	-	-	3	1	-	5	20
-	-	5	7	2	-	1	-	1	-	-	1	3	-	3	21
1	-	20	46	16	4	8	2	23	4	1	6	14	9	34	22
1	-	5	11	5	-	2	-	3	-	-	4	6	2	4	23
3	-	15	13	25	5	7	1	11	-	4	6	7	12	28	24
7	-	39	92	25	6	12	2	28	3	5	21	44	15	60	25
5	-	14	39	10	1	3	1	10	1	2	4	9	8	20	26
2	-	25	53	15	5	9	1	18	2	3	17	35	7	40	27
80	5	274	933	241	215	267	29	320	53	48	98	195	97	612	28
71	-	246	810	213	200	210	27	303	42	41	81	146	79	515	29
9	5	28	123	28	15	57	2	17	11	7	17	49	18	97	30
1	-	3	3	1	-	8	-	2	2	-	-	2	-	10	31
-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	32
2	1	18	31	4	1	8	-	2	2	1	1	8	5	12	33
8	-	50	108	26	2	32	3	20	5	5	12	22	20	64	34
5	-	30	62	14	2	13	1	14	3	3	2	14	9	29	35
3	-	20	46	12	-	19	2	6	2	2	10	8	11	35	36
1	-	27	51	12	1	7	1	28	2	12	20	9	24	32	37
4	-	18	56	14	13	32	1	20	1	1	7	22	9	21	38
1	-	11	37	8	12	20	-	12	1	-	6	3	6	11	39
3	-	7	19	6	1	12	1	8	-	1	1	19	3	10	40
1	-	5	9	9	4	-	1	3	-	2	4	4	4	9	41
-	-	4	3	4	-	2	-	1	-	-	2	1	-	1	42
-	-	6	11	1	2	3	1	7	1	-	1	4	2	7	43
2	2	21	66	12	4	16	-	17	3	5	18	22	13	33	44
2	-	11	48	10	1	7	-	14	1	3	6	11	12	21	45
-	2	10	18	2	3	9	-	3	2	2	12	11	1	12	46
3	-	14	47	4	-	9	-	4	1	1	-	9	9	11	47
3	-	10	16	2	1	3	-	4	-	1	3	4	5	11	48
4	4	21	51	18	6	16	2	17	1	-	4	12	18	27	49
3	-	6	9	3	-	5	1	2	1	-	-	5	1	5	50
-	1	10	21	4	1	6	-	2	-	-	1	6	6	13	51
7	2	41	133	95	82	33	6	90	6	15	25	82	106	112	52
3	1	16	42	31	36	13	3	22	-	3	5	16	40	39	53
1	-	8	18	16	7	5	2	19	1	1	6	14	3	21	54
3	1	17	73	48	39	15	1	49	5	11	14	52	63	52	55
2	-	9	36	2	-	1	1	2	1	1	1	6	1	12	56
1	1	2	15	3	-	1	-	6	-	-	-	-	2	3	57
1	1	22	47	14	3	11	-	10	2	1	9	13	20	28	58
-	-	3	5	-	-	-	-	5	-	1	-	3	-	3	59
1	-	6	14	-	-	1	-	3	-	-	-	8	7	13	60
8	2	77	78	20	4	21	1	12	2	2	16	16	28	57	61
1	-	7	15	4	-	7	-	8	-	1	2	7	9	15	62
-	-	8	21	3	-	2	-	5	1	-	-	5	4	15	63
-	-	2	4	-	-	1	1	5	-	-	-	-	-	2	64
-	-	2	6	1	-	2	-	-	-	-	-	1	-	2	65
6	1	13	35	6	2	10	-	10	1	2	5	15	2	20	66
7	-	48	108	17	3	19	1	25	2	-	7	18	8	50	67
1	-	5	15	2	-	1	-	5	1	2	1	-	6	16	68
2	-	17	34	4	1	13	2	6	-	2	4	9	13	21	69
3	-	19	24	11	7	7	1	12	9	-	4	4	7	22	70
3	2	17	32	8	-	5	-	5	4	-	2	2	8	23	71
-	-	3	8	5	-	1	-	2	-	-	3	3	3	5	72
1	1	22	48	9	1	8	5	13	4	3	6	29	14	32	73
1	1	15	39	7	1	8	-	9	1	-	6	11	12	21	74
-	-	2	9	2	3	4	-	6	1	2	2	9	1	9	75
1	-	-	2	-	-	-	-	2	-	1	-	1	1	1	76
-	-	2	3	1	2	-	-	1	1	1	-	1	-	-	77
-	-	7	15	7	1	3	1	4	-	1	2	5	3	5	78
-	-	-	2	-	1	-	1	1	-	-	-	-	-	2	79
-	-	3	13	2	-	2	-	4	-	-	1	4	2	4	80
88	4	385	1,104	168	62	190	20	317	34	87	106	211	71	497	81
70	4	293	836	122	41	144	18	243	27	72	70	146	48	383	82
-	-	13	34	4	1	7	-	4	2	-	1	2	3	8	83
2	-	11	34	6	-	2	-	2	2	-	1	6	2	10	84
16	-	68	196	36	20	37	2	68	3	15	34	57	18	96	85
1	-	4	21	5	4	6	2	16	-	-	6	9	8	10	86
1	-	2	8	3	1	6	-	9	-	-	1	2	1	7	87
1	3	5	22	1	1	3	-	1	2	-	-	6	2	7	88

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	TEXAS—Continued														
1	Denton	276	-	-	-	-	-	5	-	-	2	-	-	32	-
2	Denton	120	-	-	-	-	-	1	-	-	1	-	-	15	-
3	Balance of county	156	-	-	-	-	-	4	-	-	1	-	-	17	-
4	De Witt	243	-	-	-	-	-	12	3	-	2	-	3	20	1
5	Dickens	44	-	-	-	-	1	3	-	-	-	-	-	9	-
6	Dimmit	110	-	-	-	5	-	14	6	-	-	-	-	5	-
7	Donley	57	-	-	-	-	-	1	-	-	-	-	-	14	-
8	Duval	107	-	-	-	-	2	13	3	-	1	-	-	3	-
9	Eastland	263	-	-	-	-	1	4	-	-	2	-	-	35	3
10	Ector	96	-	-	-	-	3	3	1	-	-	-	-	6	-
11	Edwards	18	-	-	-	-	-	-	1	-	-	1	-	1	-
12	Ellis	403	1	-	-	-	1	15	2	-	2	-	2	51	-
13	El Paso	1,490	-	1	-	2	1	128	8	-	11	-	-	118	6
14	El Paso	1,166	-	1	-	2	-	111	3	-	7	-	-	103	4
15	Balance of county	324	-	-	-	-	1	17	5	-	4	-	-	15	1
16	Erath	183	1	-	-	-	-	4	-	-	-	-	-	25	-
17	Falls	280	1	-	-	-	-	9	5	-	1	-	-	28	-
18	Fannin	345	-	-	-	2	1	7	-	1	2	-	-	41	-
19	Fayette	243	-	-	-	-	-	6	1	-	2	-	2	33	-
20	Fisher	77	-	-	-	1	-	5	-	-	1	-	-	10	-
21	Floyd	52	-	-	-	1	-	-	1	-	1	-	-	3	-
22	Foard	39	-	-	-	-	-	-	-	-	-	-	-	4	-
23	Fort Bend	296	-	1	-	1	2	15	11	-	2	-	1	29	-
24	Franklin	63	-	-	1	1	-	5	-	-	-	-	1	6	-
25	Freestone	153	-	-	-	-	-	7	-	-	2	-	-	14	-
26	Frio	130	-	-	-	-	-	16	17	-	3	-	-	7	-
27	Gaines	54	-	-	-	-	-	4	-	-	-	-	1	10	-
28	Galveston	881	-	-	-	-	2	39	-	-	8	-	4	98	2
29	Galveston	696	-	-	-	-	1	32	-	-	7	-	1	81	1
30	Balance of county	185	-	-	-	-	1	7	-	-	1	-	3	17	1
31	Garza	34	-	-	-	-	-	1	-	-	-	-	1	4	-
32	Gillespie	116	-	1	-	-	-	1	-	-	-	-	-	16	-
33	Glasscock	4	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Goliad	62	-	-	-	-	-	4	-	-	-	-	-	4	-
35	Gonzales	232	-	-	-	1	2	18	1	-	2	-	-	24	-
36	Gray	160	-	-	-	-	-	4	-	-	1	-	2	20	-
37	Pampa	117	-	-	-	-	-	4	-	-	1	-	-	16	-
38	Balance of county	43	-	-	-	-	-	-	-	-	-	-	2	4	-
39	Grayson	610	-	-	-	-	2	16	-	-	2	1	-	83	1
40	Denison	181	-	-	-	-	-	6	-	-	2	-	-	23	-
41	Sherman	194	-	-	-	-	2	5	-	-	-	1	-	25	-
42	Balance of county	235	-	-	-	-	-	5	-	-	-	-	-	35	1
43	Gregg	449	-	1	-	-	1	15	3	1	6	-	-	42	-
44	Longview	172	-	-	-	-	-	5	2	1	4	-	-	23	-
45	Balance of county	277	-	1	-	-	1	10	1	-	2	-	-	19	-
46	Grimes	178	-	-	-	1	-	4	-	-	1	-	1	12	2
47	Guadalupe	231	1	-	-	-	-	13	-	-	1	-	3	30	-
48	Hale	145	-	-	-	-	-	1	1	-	-	-	1	12	2
49	Hall	87	-	-	-	-	-	-	-	-	2	-	-	11	-
50	Hamilton	107	-	-	-	-	-	4	-	-	-	-	-	19	-
51	Hansford	20	-	-	-	-	-	-	-	-	1	-	-	4	-
52	Hardeman	87	-	-	-	-	3	-	-	-	2	-	-	11	-
53	Hardin	140	-	-	-	-	-	9	-	-	2	-	-	18	-
54	Harris	5,098	5	11	-	3	7	244	7	2	48	-	18	599	2
55	Houston	4,386	4	9	-	-	6	219	7	2	41	-	11	522	2
56	Balance of county	712	1	2	-	3	1	25	-	-	7	-	7	77	-
57	Harrison	397	3	-	-	-	1	18	-	1	4	-	1	34	1
58	Marshall	204	-	-	-	-	-	4	-	-	1	-	1	18	-
59	Balance of county	193	3	-	-	-	1	14	-	1	3	-	-	16	1
60	Hartley	31	-	-	-	-	-	2	-	-	-	-	-	4	-
61	Haskell	92	-	-	-	-	-	2	1	-	1	-	-	8	-
62	Hays	157	-	-	-	-	1	11	2	-	-	-	2	18	-
63	Hemphill	32	-	-	-	-	-	-	-	-	-	-	-	5	-
64	Henderson	189	-	-	-	1	-	10	1	2	2	-	1	29	-
65	Hidalgo	1,354	1	-	-	6	9	113	88	9	11	2	3	72	2
66	McAllen	178	-	-	-	2	1	14	2	-	-	-	1	10	-
67	Balance of county	1,176	1	-	-	4	8	99	86	9	11	2	2	62	2
68	Hill	316	-	-	-	1	2	7	1	-	1	-	-	31	-
69	Hockley	92	-	-	-	1	-	6	-	-	1	-	-	7	-
70	Hood	43	-	-	-	-	-	-	-	-	1	-	-	6	-
71	Hopkins	242	-	-	-	-	1	6	1	-	-	-	1	20	-
72	Houston	188	-	-	-	-	-	7	1	-	-	-	-	10	-
73	Howard	240	-	-	-	-	3	8	-	-	7	-	4	20	-
74	Big Spring	157	-	-	-	-	3	3	-	-	6	-	3	16	-
75	Balance of county	83	-	-	-	-	-	5	-	-	1	-	1	4	-
76	Hudspeth	23	-	-	-	-	-	-	1	-	-	-	-	1	-
77	Hunt	364	1	-	-	2	1	13	-	-	2	-	1	33	-
78	Greenville	160	-	-	-	2	-	5	-	-	2	-	-	15	-
79	Balance of county	204	1	-	-	-	1	8	-	-	-	-	1	18	-
80	Hutchinson	115	-	-	-	-	-	3	-	-	1	-	-	8	-
81	Borger	85	-	-	-	-	-	3	-	-	1	-	-	6	-
82	Balance of county	30	-	-	-	-	-	-	-	-	-	-	-	2	-
83	Irion	15	-	-	-	-	-	1	-	-	-	-	-	2	-
84	Jack	80	-	-	-	-	-	-	1	-	-	-	-	10	-
85	Jackson	94	-	-	-	1	-	6	-	-	-	-	-	13	-
86	Jasper	166	1	-	-	-	1	7	1	-	2	-	-	16	-
87	Jeff Davis	12	-	-	-	-	-	2	-	-	-	-	-	2	-
88	Jefferson	1,320	1	3	-	1	6	57	1	-	11	2	4	147	2
89	Beaumont	652	1	3	-	-	3	25	-	-	9	2	1	79	-
90	Port Arthur	434	-	-	-	1	3	9	1	-	1	-	1	45	2
91	Balance of county	234	-	-	-	-	-	23	-	-	1	-	2	23	-
92	Jim Hogg	26	-	-	-	-	-	3	-	-	-	-	-	-	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
9	3	36	71	13	-	13	1	9	7	-	4	17	16	38	1
4	1	8	34	5	-	8	-	5	4	-	3	4	10	17	2
5	2	28	37	8	-	5	1	4	3	-	1	13	6	21	3
5	-	20	57	19	5	17	4	18	2	-	6	6	11	32	4
-	-	2	13	3	-	3	-	4	-	2	1	-	-	3	5
-	-	4	11	12	4	5	2	7	-	-	4	2	10	19	6
1	1	3	9	-	-	4	-	4	4	1	4	1	4	6	7
3	-	6	21	3	5	4	2	12	-	-	-	4	7	18	8
9	-	22	81	15	-	10	1	14	1	2	3	12	10	38	9
1	-	8	16	5	2	5	1	8	1	7	5	10	4	10	10
1	-	2	3	-	2	-	-	3	-	-	-	1	-	3	11
8	2	42	117	30	2	16	4	15	6	5	11	18	18	35	12
27	1	81	259	136	77	72	8	131	9	6	43	111	85	170	13
25	1	66	216	92	47	63	5	108	8	5	24	69	68	138	14
2	-	15	43	44	30	9	3	23	1	1	19	42	17	32	15
1	2	14	54	8	-	17	-	11	4	1	2	9	2	28	16
3	3	26	61	24	4	21	2	17	4	-	5	14	15	37	17
4	3	56	80	18	1	28	3	11	2	6	4	18	16	41	18
7	-	35	44	14	1	19	1	10	2	1	4	8	20	33	19
2	-	6	20	1	1	6	-	8	1	1	-	3	-	11	20
2	1	8	7	7	2	2	-	3	-	-	1	5	1	7	21
-	-	6	7	2	1	3	1	5	1	1	1	1	2	4	22
5	2	18	38	25	7	23	3	24	1	7	10	14	18	39	23
-	2	5	15	3	1	6	-	1	-	-	3	3	4	6	24
2	-	15	43	8	2	12	2	7	1	-	1	8	12	17	25
2	1	6	12	6	11	3	2	13	-	2	2	8	11	8	26
-	-	3	4	1	2	3	1	7	1	-	4	6	-	7	27
22	-	60	265	27	5	40	2	61	8	16	23	60	30	109	28
19	-	49	226	24	5	29	2	43	8	14	9	34	22	89	29
3	-	11	39	3	-	11	-	18	-	2	14	26	8	20	30
-	-	2	4	1	-	4	1	5	-	1	3	3	1	3	31
4	-	8	26	5	-	9	-	11	1	-	2	10	3	19	32
1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	33
-	-	7	16	5	-	2	1	6	-	-	-	4	5	8	34
6	2	18	46	15	3	17	-	13	3	3	3	10	18	27	35
3	2	7	37	7	2	11	1	14	1	1	3	18	3	23	36
3	2	4	22	6	2	10	1	14	1	1	2	7	2	19	37
-	-	3	15	1	-	1	-	-	-	-	1	11	1	4	38
10	-	74	138	39	1	41	2	32	9	2	10	45	27	75	39
2	-	22	41	9	-	17	1	16	-	1	2	5	5	29	40
3	-	27	47	11	1	11	1	9	4	1	2	8	10	26	41
5	-	25	50	19	-	13	-	7	5	-	6	32	12	20	42
3	1	36	100	24	4	34	7	17	6	12	16	34	25	61	43
1	-	16	44	3	2	17	3	4	-	4	6	9	8	20	44
2	1	20	56	21	2	17	4	13	6	8	10	25	17	41	45
4	1	24	39	14	1	15	2	8	2	3	4	7	9	24	46
6	-	22	38	12	7	22	2	11	1	-	13	14	13	22	47
5	-	13	42	4	3	8	1	11	3	-	3	9	9	17	48
1	2	6	12	9	2	1	-	11	-	1	2	6	7	14	49
-	-	7	36	6	-	3	1	5	1	-	-	8	3	14	50
1	-	-	6	-	-	1	-	3	-	-	-	2	-	2	51
3	1	14	13	10	1	5	-	4	-	1	2	5	3	9	52
1	-	6	29	12	3	9	2	7	1	4	5	13	9	10	53
87	6	431	1,289	244	54	241	32	386	48	91	128	267	177	671	54
76	5	375	1,155	201	47	224	29	306	40	78	97	206	126	598	55
11	1	56	134	43	7	17	3	80	8	13	31	61	51	73	56
6	3	57	73	37	2	28	2	18	3	5	3	24	18	55	57
3	1	30	42	18	1	17	2	8	-	5	-	13	6	34	58
3	2	27	31	19	1	11	-	10	3	-	3	11	12	21	59
-	-	3	9	-	-	1	1	3	-	-	-	5	-	3	60
-	-	10	25	6	-	4	2	2	1	-	1	10	6	13	61
1	2	13	31	13	12	3	1	11	1	-	5	12	3	15	62
1	-	6	11	1	-	-	1	3	-	-	1	-	-	3	63
1	1	23	38	16	2	15	1	8	-	-	6	11	7	14	64
5	3	56	156	113	133	27	12	142	4	6	48	93	86	154	65
1	-	7	27	15	18	8	1	19	1	-	6	9	12	24	66
4	3	49	129	98	115	19	11	123	3	6	42	84	74	130	67
8	2	34	105	13	2	16	2	18	2	3	1	22	10	35	68
2	-	10	19	2	1	5	-	11	4	1	2	7	4	9	69
1	-	6	7	4	-	8	-	3	1	-	1	1	1	3	70
4	-	28	54	15	2	16	3	10	3	2	10	16	19	31	71
3	-	28	46	14	5	6	3	3	1	3	5	8	13	32	72
4	-	14	46	13	9	7	2	19	2	2	12	29	12	27	73
3	-	8	34	6	8	4	1	15	2	2	7	6	11	19	74
1	-	6	12	7	1	3	1	4	-	-	5	23	1	8	75
-	-	1	3	3	1	1	-	1	-	2	2	-	5	2	76
10	3	35	100	24	3	30	4	21	3	2	8	23	8	37	77
5	-	14	48	10	2	5	2	9	1	2	5	9	3	21	78
5	3	21	52	14	1	25	2	12	2	-	3	14	5	16	79
-	1	8	28	4	1	7	2	12	4	5	6	5	5	15	80
-	1	7	22	3	-	5	2	6	2	5	5	2	3	12	81
-	-	1	6	1	1	2	-	6	2	-	1	3	2	3	82
-	-	2	-	-	-	2	-	1	-	-	-	5	-	2	83
3	-	7	28	4	1	1	1	-	1	-	2	7	4	10	84
1	-	8	27	3	1	4	-	4	1	1	2	8	2	12	85
3	1	24	33	12	-	13	1	9	2	2	4	7	7	20	86
-	-	-	5	-	1	-	-	-	-	1	-	-	-	1	87
27	-	111	274	91	15	101	11	112	12	20	30	69	23	189	88
18	-	57	143	42	5	53	6	49	5	15	12	30	9	85	89
4	-	35	88	26	8	27	5	49	4	4	12	23	8	78	90
5	-	19	43	23	2	21	-	14	3	1	6	16	6	26	91
-	-	2	2	2	2	1	1	4	-	-	-	3	4	2	92

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, poliencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	TEXAS—Continued														
1	Jim Wells	153	-	-	-	-	2	13	4	-	-	-	-	16	1
2	Johnson	263	-	1	-	-	1	5	3	-	2	-	1	40	-
3	Cleburne	123	-	1	-	-	-	2	-	-	2	-	-	21	-
4	Balance of county	140	-	-	-	-	1	3	3	-	-	-	1	19	-
5	Jones	180	1	-	-	1	1	6	1	-	2	-	1	24	-
6	Karnes	166	-	1	-	4	-	16	3	-	-	-	1	8	1
7	Kaufman	455	1	1	-	1	2	29	4	1	25	-	-	35	-
8	Terrell	271	1	1	-	1	-	24	2	1	24	-	-	13	-
9	Balance of county	184	-	-	-	-	2	5	2	-	1	-	-	22	-
10	Kendall	65	-	-	-	-	-	6	-	-	1	-	-	10	-
11	Kenedy	7	-	-	-	-	-	1	-	-	-	-	-	1	-
12	Kent	14	-	-	-	-	-	-	-	-	-	-	-	3	-
13	Kerr	139	-	-	-	-	-	53	-	-	1	-	-	6	-
14	Kimble	23	-	-	-	-	-	1	-	-	-	-	-	6	-
15	King	3	-	-	-	-	-	-	-	-	-	-	-	1	-
16	Kinney	22	-	-	-	-	-	-	1	-	1	-	-	4	-
17	Kleberg	145	-	1	-	-	-	6	4	-	3	-	1	11	-
18	Knox	48	-	-	-	-	-	-	-	-	-	-	-	7	-
19	Lamar	453	-	1	-	1	1	11	3	-	1	-	-	51	-
20	Paris	246	-	1	-	1	1	4	-	-	1	-	-	31	-
21	Balance of county	207	-	-	-	-	-	7	3	-	-	-	-	20	-
22	Lamb	101	-	-	-	-	-	1	-	-	-	2	2	9	-
23	Lampasas	100	-	-	-	-	-	2	-	-	-	-	-	9	-
24	La Salle	76	-	-	-	-	1	8	8	-	1	-	-	4	-
25	Lavaca	217	-	-	-	-	1	9	1	-	-	-	1	30	-
26	Lee	94	-	-	-	-	-	4	1	-	1	-	-	13	-
27	Leon	101	-	-	-	2	1	4	-	-	2	-	-	8	-
28	Liberty	195	-	-	-	-	1	7	1	1	4	-	-	27	1
29	Limestone	245	-	-	-	-	-	11	-	1	2	-	1	26	-
30	Lipscomb	25	-	-	-	-	-	-	1	-	-	-	-	1	-
31	Live Oak	62	-	-	-	1	1	4	-	-	-	-	-	2	-
32	Llano	40	-	-	-	-	-	-	-	-	-	-	-	9	-
33	Loving	1	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Lubbock	442	1	1	-	-	4	11	5	-	3	-	-	53	1
35	Lubbock	317	1	1	-	-	1	8	5	-	2	-	-	36	-
36	Balance of county	125	-	-	-	-	3	3	-	-	1	-	-	17	1
37	Lynn	56	-	-	-	-	-	1	-	-	-	-	-	9	-
38	McCulloch	77	-	-	-	1	-	1	-	-	-	-	1	11	-
39	McLennan	1,096	-	-	-	-	1	53	5	1	38	-	3	112	1
40	Waco	665	-	-	-	-	1	32	5	-	4	-	3	66	-
41	Balance of county	431	-	-	-	-	-	21	-	1	34	-	-	46	1
42	McMullen	8	-	-	-	-	-	1	-	-	-	-	-	-	-
43	Madison	69	-	-	-	-	-	2	-	-	-	-	-	10	-
44	Marion	99	-	-	-	-	-	7	-	1	2	-	-	13	-
45	Martin	25	-	-	-	-	-	3	-	-	1	-	-	3	-
46	Mason	49	-	-	-	-	-	1	-	-	-	-	-	9	-
47	Matagorda	195	-	-	-	-	-	7	1	-	3	-	-	28	1
48	Maverick	105	1	-	-	-	-	18	-	-	-	-	-	6	-
49	Medina	194	-	-	-	1	2	12	2	-	1	-	2	16	-
50	Menard	36	-	-	-	-	-	1	-	-	-	-	-	3	-
51	Midland	122	-	-	-	1	1	5	1	-	-	-	-	4	-
52	Milam	228	-	-	-	-	-	7	-	-	2	-	1	24	1
53	Mills	75	-	-	-	-	-	-	-	-	-	-	-	8	-
54	Mitchell	88	-	-	-	1	-	3	1	-	-	-	-	8	-
55	Montague	125	-	-	-	-	-	2	-	-	1	-	1	18	-
56	Montgomery	187	1	-	-	-	-	6	-	-	1	-	-	9	-
57	Moore	33	-	-	-	-	-	2	-	-	-	-	-	1	-
58	Morris	75	-	1	-	1	-	2	-	-	1	-	2	8	-
59	Motley	28	-	-	-	-	-	-	-	-	-	-	-	3	-
60	Nacogdoches	257	1	-	-	2	1	9	2	-	3	-	-	31	-
61	Navarro	416	1	-	-	1	-	20	4	-	2	1	-	48	-
62	Corsicana	221	1	-	-	-	-	19	3	-	-	1	-	19	-
63	Balance of county	195	-	-	-	1	-	1	1	-	2	-	-	29	-
64	Newton	78	-	1	-	-	-	-	-	-	1	-	-	8	-
65	Nolan	130	-	-	-	-	2	3	1	-	-	-	-	12	-
66	Sweetwater	88	-	-	-	-	-	2	-	-	-	-	-	12	-
67	Balance of county	42	-	-	-	-	2	1	1	-	-	-	-	-	-
68	Nueces	1,141	1	1	-	5	5	82	16	-	4	3	4	95	1
69	Corpus Christi	698	-	1	-	-	-	41	1	-	4	-	2	72	1
70	Balance of county	443	1	-	-	5	5	41	15	-	-	3	2	23	-
71	Ochiltree	38	-	-	-	-	-	2	-	-	-	-	-	5	-
72	Oldham	4	-	-	-	-	-	-	-	-	-	-	-	-	-
73	Orange	280	1	1	-	1	1	6	1	1	1	-	-	22	-
74	Palo Pinto	213	-	-	-	-	-	7	-	-	1	-	-	20	-
75	Panola	125	-	1	-	1	-	-	1	2	3	-	-	11	-
76	Parker	145	-	-	-	-	-	2	-	-	2	-	-	18	-
77	Parmer	24	-	-	-	-	-	-	1	-	-	-	-	4	-
78	Pecos	68	-	-	-	-	-	2	-	-	-	-	-	8	-
79	Polk	145	1	-	-	-	-	4	1	3	1	-	-	14	1
80	Potter	483	1	-	1	-	4	12	-	-	9	-	-	55	1
81	Amarillo (part)	450	1	-	-	-	4	12	-	-	8	-	-	55	1
82	Amarillo (total)	452	1	-	-	-	4	12	-	-	9	-	-	55	1
83	Balance of county	33	-	-	1	-	-	-	-	-	1	-	-	-	-
84	Presidio	64	-	-	-	-	-	2	1	-	-	-	-	6	-
85	Rains	34	-	-	-	-	1	1	-	-	-	-	-	4	-
86	Randall	41	-	-	-	-	-	2	-	-	1	-	-	6	-
87	Amarillo (part)	2	-	-	-	-	-	-	-	-	1	-	-	-	-
88	Balance of county	39	-	-	-	-	-	2	-	-	-	-	-	6	-
89	Reagan	9	-	-	-	-	-	-	-	-	-	-	-	-	-
90	Real	19	-	-	-	-	-	1	-	-	-	-	-	1	-
91	Red River	208	-	-	-	-	-	3	-	3	-	-	-	22	-
92	Reeves	74	-	-	-	-	-	6	2	-	-	-	-	2	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
2	-	10	20	8	5	3	3	15	1	-	6	9	15	20	1
5	-	43	70	17	1	7	1	17	-	3	3	8	10	25	2
2	-	23	29	10	1	2	-	11	-	2	2	4	4	7	3
3	-	20	41	7	-	5	1	6	-	1	1	4	6	18	4
2	1	18	50	5	4	5	-	17	-	-	5	10	7	19	5
3	-	15	30	14	7	3	2	8	1	1	2	5	24	17	6
5	-	42	115	23	3	18	2	18	8	5	6	22	9	80	7
2	-	27	63	12	3	12	-	6	4	1	1	10	1	62	8
3	-	15	52	11	-	6	2	12	4	4	5	12	8	18	9
2	-	5	13	4	-	4	1	1	1	-	-	3	4	10	10
-	-	-	-	2	-	-	-	-	-	1	-	1	-	1	11
-	-	-	4	2	2	-	1	-	-	-	-	1	1	-	12
1	-	8	22	4	-	7	1	3	-	-	2	7	9	15	13
-	-	1	5	2	-	1	-	3	-	1	1	-	1	1	14
-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	15
1	-	-	3	-	1	5	-	1	-	-	1	2	-	2	16
1	-	7	20	15	4	23	2	6	2	2	1	18	4	14	17
-	1	1	9	1	-	6	-	3	1	-	4	4	-	11	18
9	1	66	90	26	6	55	2	19	4	3	8	34	15	46	19
8	1	50	45	11	2	33	-	10	-	2	3	12	7	23	20
1	-	16	45	15	4	22	2	9	4	1	5	22	8	23	21
2	-	6	25	5	1	8	2	5	2	1	6	7	3	14	22
-	-	11	27	13	-	9	-	5	-	-	3	3	-	18	23
1	-	5	6	4	7	7	-	6	1	3	-	2	5	7	24
2	-	13	43	6	-	45	2	15	3	1	3	7	11	24	25
1	1	13	18	6	-	10	-	2	-	1	-	4	6	13	26
3	-	13	28	5	-	8	-	7	-	3	4	2	5	6	27
2	1	14	39	12	1	9	2	3	-	5	5	14	20	26	28
2	-	31	49	11	1	19	-	7	7	-	3	23	23	28	29
-	-	-	13	-	-	2	1	2	-	-	-	4	1	-	30
-	1	2	21	3	1	9	-	2	1	-	1	4	5	4	31
-	-	3	17	-	-	1	-	-	-	1	2	3	2	2	32
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	33
9	2	26	93	31	9	32	4	42	5	8	14	26	10	52	34
3	2	18	71	25	7	22	3	33	2	7	10	15	6	39	35
6	-	8	22	6	2	10	1	9	3	1	4	11	4	13	36
1	1	6	15	5	1	2	-	2	1	-	1	4	5	2	37
3	-	5	15	6	2	5	4	5	1	1	-	2	4	10	38
13	2	125	288	46	5	64	8	52	9	7	15	55	45	148	39
8	1	79	177	32	1	39	5	32	6	3	7	36	30	98	40
5	1	46	111	14	4	25	3	20	3	4	8	19	15	50	41
-	-	2	2	-	-	1	-	-	-	-	-	-	-	2	42
-	1	1	12	5	-	9	-	3	-	-	1	6	9	10	43
2	-	11	21	6	-	7	1	3	-	1	2	4	8	10	44
1	-	2	4	2	-	-	-	6	-	-	1	-	-	2	45
3	-	6	13	2	-	-	-	-	-	-	1	2	3	9	46
2	-	16	30	6	9	6	1	13	3	5	6	9	32	17	47
-	-	7	13	10	16	7	1	5	-	-	1	4	3	13	48
1	-	5	28	13	13	5	-	7	1	2	1	37	22	23	49
-	-	2	9	4	2	3	-	1	-	1	-	1	3	6	50
1	-	7	18	15	3	4	-	11	1	1	-	35	4	10	51
7	-	22	53	11	2	14	1	16	1	3	7	9	19	28	52
2	-	11	15	5	-	9	-	5	-	2	2	4	3	9	53
1	-	10	14	6	3	5	-	3	-	3	5	5	4	16	54
2	3	16	29	4	-	4	-	10	-	-	2	7	9	17	55
1	2	22	37	9	2	9	1	12	5	4	7	13	13	33	56
1	-	1	7	1	-	-	-	8	1	-	-	7	1	3	57
1	-	10	18	4	-	6	1	2	1	-	1	4	2	10	58
-	-	7	7	4	-	1	-	1	-	-	1	2	1	1	59
3	1	25	54	13	-	13	2	9	1	2	10	14	13	48	60
6	3	55	112	17	6	14	-	20	1	2	6	29	24	44	61
5	-	32	59	12	1	5	-	12	-	2	4	15	4	27	62
1	3	23	53	5	5	9	-	8	1	-	2	14	20	17	63
1	-	9	14	5	1	6	1	5	2	2	-	4	3	15	64
2	1	7	30	10	-	5	2	8	-	-	9	14	7	17	65
1	1	7	22	7	-	4	2	5	-	-	5	6	2	12	66
1	-	-	8	3	-	1	-	3	-	-	4	8	5	5	67
13	1	62	152	105	70	43	10	111	9	14	37	136	50	111	68
12	1	44	113	57	29	35	10	77	8	9	21	61	31	68	69
1	-	18	39	48	41	8	-	34	1	5	16	75	19	43	70
1	-	6	4	3	-	6	-	3	-	-	-	3	-	5	71
-	-	-	1	-	-	1	-	-	-	-	-	1	-	1	72
5	-	20	58	23	2	11	3	40	1	3	13	21	12	33	73
4	-	26	62	8	-	5	-	11	2	-	9	20	15	23	74
4	-	6	27	5	1	10	1	4	-	2	3	7	21	15	75
3	1	13	45	4	1	5	-	5	1	1	5	6	12	21	76
-	-	1	8	-	-	3	-	1	1	-	1	2	-	2	77
2	-	5	10	3	3	1	1	6	1	2	4	4	8	8	78
2	2	12	26	9	1	8	2	10	1	-	4	9	12	22	79
8	1	44	105	22	3	23	1	46	8	8	21	42	10	58	80
8	1	42	102	22	3	23	1	43	7	7	10	34	10	56	81
8	1	42	102	22	3	23	1	44	7	7	10	34	10	56	82
-	-	2	3	-	-	-	-	3	1	1	11	8	-	2	83
1	-	2	15	6	10	2	-	4	-	1	-	5	4	5	84
1	-	1	4	12	-	1	-	1	-	-	2	2	1	3	85
-	-	3	11	-	-	1	-	5	-	-	1	2	6	3	86
-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	87
-	-	3	11	-	-	1	-	4	-	-	1	2	6	3	88
-	-	1	2	-	-	1	-	-	-	1	-	1	-	3	89
-	-	4	2	4	1	1	-	2	-	-	-	-	1	2	90
5	-	24	52	16	1	16	-	10	-	1	8	11	17	19	91
1	1	4	9	10	1	4	-	6	2	2	2	9	7	6	92

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	TEXAS—Continued														
1	Refugio	70	-	-	-	3	-	7	1	-	-	-	-	8	-
2	Roberts	11	-	-	-	-	-	-	-	-	-	-	-	3	-
3	Robertson	179	-	-	-	1	-	13	-	1	2	-	-	14	-
4	Rockwall	44	-	-	-	-	-	-	1	-	1	-	1	3	-
5	Runnels	157	-	-	-	-	-	6	-	-	2	-	1	23	-
6	Rusk	311	-	-	-	1	-	10	-	-	3	-	-	14	-
7	Sabine	61	1	-	-	-	-	2	-	-	-	-	-	10	-
8	San Augustine	74	-	-	-	-	2	-	-	-	1	-	-	9	-
9	San Jacinto	57	-	-	-	-	1	-	-	-	-	-	-	2	-
10	San Patricio	299	-	-	-	2	1	26	2	-	2	1	-	25	-
11	San Saba	66	-	-	-	-	-	-	-	-	-	-	-	6	-
12	Schleicher	20	-	-	-	-	-	2	-	-	-	-	-	2	-
13	Scurry	59	-	-	-	-	-	-	-	-	-	-	1	9	-
14	Shackelford	32	-	-	-	-	-	-	-	-	-	-	-	5	-
15	Shelby	184	1	-	-	1	2	3	-	3	-	-	-	24	1
16	Sherman	15	-	-	-	-	-	-	-	-	-	-	1	3	-
17	Smith	561	-	2	-	-	-	17	-	-	7	-	1	44	-
18	Tyler	280	-	1	-	-	-	7	-	-	4	-	-	24	-
19	Balance of county	281	-	1	-	-	-	10	-	-	3	-	1	20	-
20	Somervell	18	-	1	-	-	-	-	-	-	-	-	-	-	-
21	Starr	79	-	-	-	-	-	13	2	-	3	-	-	3	-
22	Stephens	77	-	-	-	-	1	3	1	-	1	-	-	11	-
23	Sterling	9	-	-	-	-	-	-	-	-	1	-	-	2	-
24	Stonewall	21	-	-	-	-	-	-	-	-	1	-	-	4	-
25	Sutton	32	-	-	-	-	-	-	2	-	-	-	-	3	-
26	Swisher	48	-	-	-	-	-	1	-	-	1	-	1	6	-
27	Tarrant	2,435	2	2	2	3	11	91	4	1	18	1	4	284	1
28	Fort Worth	2,021	2	2	1	2	9	63	3	1	16	-	3	243	1
29	Balance of county	414	-	-	1	1	2	28	1	-	2	1	1	41	-
30	Taylor	490	-	2	-	2	1	22	2	-	-	-	1	50	-
31	Abilene	296	-	1	-	1	1	8	1	-	-	-	1	33	-
32	Balance of county	194	-	1	-	1	-	14	1	-	-	-	-	17	-
33	Terrell	19	1	-	-	-	-	2	-	-	-	-	-	-	-
34	Terry	97	-	-	-	-	2	2	-	-	-	-	-	11	-
35	Throckmorton	19	-	-	-	1	-	2	-	-	-	-	-	-	-
36	Titus	128	-	-	-	-	-	6	2	1	-	-	-	12	1
37	Tom Green	405	2	-	-	2	1	37	6	-	6	-	-	35	-
38	San Angelo	321	2	-	-	2	-	26	5	-	6	-	-	30	-
39	Balance of county	84	-	-	-	-	1	11	1	-	-	-	-	5	-
40	Travis	1,445	-	-	-	1	-	83	2	-	86	1	3	117	-
41	Austin	1,309	-	-	-	1	-	72	2	-	85	1	3	105	-
42	Balance of county	136	-	-	-	-	-	11	-	-	1	-	-	12	-
43	Trinity	90	1	-	-	-	-	4	1	1	-	-	-	11	-
44	Tyler	103	-	-	-	-	-	4	3	-	1	-	1	18	-
45	Upshur	136	-	1	-	-	-	4	-	-	3	-	-	16	-
46	Upton	21	-	-	-	-	-	2	-	-	-	-	1	1	-
47	Uvalde	136	1	-	-	-	-	9	5	-	-	-	-	6	-
48	Val Verde	192	-	-	-	-	-	14	-	-	1	-	-	7	-
49	Del Rio	174	-	-	-	-	-	14	-	-	1	-	-	7	-
50	Balance of county	18	-	-	-	-	-	-	-	-	-	-	-	-	-
51	Van Zandt	146	-	-	-	-	1	5	1	-	-	-	-	18	-
52	Victoria	295	-	-	-	-	-	15	4	-	1	-	1	23	-
53	Victoria	198	-	-	-	-	-	6	2	-	1	-	1	17	-
54	Balance of county	97	-	-	-	-	-	9	2	-	-	-	-	6	-
55	Walker	150	-	1	-	-	-	6	3	-	2	-	-	18	-
56	Waller	87	-	-	-	-	-	1	1	-	-	-	-	10	1
57	Ward	83	-	-	-	1	-	1	-	-	-	-	1	7	-
58	Washington	241	1	1	-	-	1	7	-	-	5	-	-	32	-
59	Webb	566	-	-	-	1	5	54	5	-	14	-	1	40	1
60	Laredo	513	-	-	-	1	4	52	5	-	14	-	1	37	1
61	Balance of county	53	-	-	-	-	1	2	-	-	-	-	-	3	-
62	Wharton	290	-	-	-	1	1	14	4	-	6	-	-	36	-
63	Wheeler	82	-	-	-	-	-	2	1	-	1	-	-	9	-
64	Wichita	691	-	4	-	-	1	31	1	-	30	-	-	71	-
65	Wichita Falls	362	-	3	-	-	1	13	-	-	1	-	-	48	-
66	Balance of county	329	-	1	-	-	-	18	1	-	29	-	-	23	-
67	Wilbarger	134	-	-	-	-	1	2	-	-	4	1	-	10	-
68	Willacy	172	-	-	-	-	-	14	6	-	1	1	2	7	-
69	Williamson	360	-	1	-	1	-	15	5	-	-	-	-	44	-
70	Wilson	134	-	-	-	-	1	11	-	-	-	-	-	8	-
71	Winkler	30	-	-	-	-	-	1	-	-	-	-	-	2	-
72	Wise	134	-	-	-	-	-	2	-	-	-	-	-	9	-
73	Wood	182	-	-	-	-	-	7	-	-	1	-	-	24	-
74	Yoakum	9	-	-	-	-	-	-	-	-	-	-	-	1	-
75	Young	148	-	-	-	2	-	7	-	-	1	-	-	16	1
76	Zapata	38	-	-	-	-	-	3	-	-	-	-	1	2	-
77	Zavala	128	1	-	-	1	-	13	4	-	3	-	-	7	-
78	UTAH	4,859	-	7	1	4	-	79	7	-	27	2	20	516	10
79	Beaver	51	-	-	-	-	-	-	-	-	-	-	-	4	-
80	Box Elder	146	-	-	-	1	-	-	-	-	-	-	1	16	-
81	Cache	229	-	-	-	-	-	4	-	-	2	-	1	30	-
82	Logan	117	-	-	-	-	-	1	-	-	2	-	-	17	-
83	Balance of county	112	-	-	-	-	-	3	-	-	-	-	1	13	-
84	Carbon	195	-	1	-	1	-	3	-	-	-	-	-	19	-
85	Daggett	1	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Davis	151	-	1	-	-	-	-	-	-	-	-	-	12	1
87	Duchesne	53	-	-	-	-	-	-	1	-	-	-	-	5	-
88	Emery	43	-	-	-	-	-	-	-	-	-	-	-	5	-
89	Garfield	30	-	-	-	-	-	-	-	-	1	-	-	2	1
90	Grand	24	-	-	-	-	-	-	-	-	-	-	-	5	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
1	1	4	9	4	4	1	-	8	2	1	1	8	-	7	1
-	-	-	2	-	-	1	-	-	-	-	-	-	4	1	2
2	-	11	32	18	6	17	-	17	1	1	2	8	13	20	3
-	-	5	14	5	-	2	1	2	1	-	-	2	-	6	4
2	-	7	32	13	5	14	-	7	2	-	2	7	6	28	5
8	-	24	86	17	2	23	4	14	5	2	7	19	12	60	6
-	-	5	14	-	-	4	-	5	-	1	4	4	3	8	7
1	-	9	15	2	-	10	-	2	1	-	5	4	4	9	8
1	1	7	17	5	-	1	1	3	-	2	-	7	4	5	9
-	-	24	45	19	15	7	2	41	2	2	4	13	33	33	10
1	-	6	14	8	3	4	-	6	-	-	3	2	5	8	11
-	-	-	3	1	2	3	-	-	-	1	-	1	-	5	12
-	-	5	15	2	-	3	1	3	1	-	4	2	7	6	13
3	1	3	9	1	-	2	-	1	-	-	3	3	1	-	14
-	-	24	29	5	2	19	1	11	-	1	5	11	12	29	15
-	-	-	4	1	-	-	1	1	-	-	1	3	-	-	16
8	2	55	137	28	6	55	3	37	5	7	16	34	13	84	17
4	1	26	68	15	3	27	-	26	2	5	5	14	5	43	18
4	1	29	69	13	3	28	3	11	3	2	11	20	8	41	19
-	-	3	6	1	-	1	-	3	-	-	-	1	-	2	20
-	-	1	5	7	7	3	1	3	-	-	4	5	11	11	21
2	1	1	13	2	-	12	-	5	1	-	2	5	6	10	22
-	-	2	-	-	-	-	-	-	-	-	2	-	2	-	23
-	1	1	8	-	1	-	-	-	-	-	2	2	-	1	24
-	-	1	8	2	3	2	1	4	-	-	-	1	1	4	25
1	-	3	15	3	-	-	-	6	-	-	1	3	1	6	26
33	8	235	635	110	30	141	9	157	30	42	66	155	62	298	27
30	8	192	550	87	27	115	7	129	23	41	52	101	52	261	28
3	-	43	85	23	3	26	2	28	7	1	14	54	10	37	29
6	4	34	112	19	18	28	-	26	3	1	9	35	13	102	30
5	-	21	78	13	14	21	-	21	3	-	2	15	11	46	31
1	4	13	34	6	4	7	-	5	-	1	7	20	2	56	32
1	-	1	3	2	-	1	-	-	-	1	-	3	3	1	33
-	1	9	20	2	2	2	2	17	-	1	1	6	7	12	34
-	-	2	4	1	-	-	-	-	-	-	1	-	3	5	35
1	1	13	24	11	1	5	2	5	3	1	4	9	13	13	36
8	2	31	91	26	7	11	1	26	1	1	10	37	12	52	37
6	2	28	76	21	6	9	1	23	1	1	10	17	8	41	38
2	-	3	15	5	1	2	-	3	-	-	-	20	4	11	39
19	8	107	299	90	32	74	2	67	9	11	27	66	112	229	40
18	8	100	274	81	25	64	1	54	8	10	26	50	105	216	41
1	-	7	25	9	7	10	1	13	1	1	1	16	7	13	42
2	-	9	28	2	4	8	-	2	-	1	4	3	3	6	43
1	2	8	14	5	-	8	1	7	-	3	2	9	6	10	44
2	2	16	38	2	2	9	1	5	1	1	7	5	7	14	45
-	-	-	2	-	2	1	1	1	1	2	3	2	-	2	46
2	1	9	24	19	6	6	1	11	1	2	2	10	6	15	47
5	-	15	23	27	27	7	-	15	1	1	6	9	7	27	48
5	-	14	20	27	25	6	-	14	-	1	4	3	7	26	49
-	-	1	3	-	2	1	-	1	1	-	2	6	-	1	50
1	-	13	35	8	-	16	-	4	1	-	5	8	10	20	51
4	-	25	70	16	8	22	2	22	4	3	12	27	12	24	52
3	-	18	56	12	7	16	1	19	1	2	6	9	6	15	53
1	-	7	14	4	1	6	1	3	3	1	6	18	6	9	54
1	-	9	33	5	3	9	1	3	2	2	3	13	14	22	55
1	-	8	26	2	1	4	-	-	1	1	3	1	16	10	56
1	-	6	12	2	1	-	2	9	1	1	4	18	8	8	57
4	1	20	54	4	-	31	3	6	3	2	4	3	17	42	58
6	3	26	68	53	62	16	4	44	5	1	10	36	45	66	59
6	3	25	64	52	60	16	4	39	5	1	6	16	40	61	60
-	-	1	4	1	2	-	-	5	-	-	4	20	5	5	61
9	3	24	57	11	4	23	1	23	8	3	6	17	4	35	62
2	-	2	25	3	-	12	-	8	1	-	1	4	5	6	63
14	9	62	174	42	6	46	1	36	5	4	14	48	12	80	64
8	3	30	93	19	3	23	1	29	1	3	9	28	5	41	65
6	6	32	81	23	3	23	-	7	4	1	5	20	7	39	66
1	1	11	38	8	1	1	-	11	1	-	10	9	6	18	67
-	1	7	9	30	24	3	1	15	2	1	7	11	13	17	68
8	3	34	86	14	7	38	4	15	7	1	11	20	15	31	69
7	-	8	25	9	9	6	2	11	1	1	5	4	9	17	70
-	-	1	6	2	2	-	-	4	-	-	-	5	2	5	71
4	1	15	42	4	-	8	-	5	2	-	3	8	10	21	72
3	2	22	37	11	-	12	2	7	2	-	5	11	13	23	73
-	-	1	1	-	-	-	-	1	1	-	-	1	-	3	74
1	-	12	49	7	1	5	-	12	1	-	4	12	6	11	75
-	-	1	3	3	2	1	-	4	-	-	-	5	8	5	76
1	-	2	14	21	21	3	1	15	-	-	-	6	3	12	77
126	-	399	1,422	200	47	259	21	350	43	20	178	338	171	612	78
1	-	7	13	-	-	2	-	3	2	-	2	9	2	6	79
4	-	12	54	3	-	9	1	12	3	-	5	14	-	11	80
5	-	28	58	7	2	18	-	21	3	-	6	11	4	29	81
2	-	12	32	5	1	11	-	10	1	-	1	7	2	13	82
3	-	16	26	2	1	7	-	11	2	-	5	4	2	16	83
4	-	8	37	6	4	2	3	15	4	3	4	55	6	20	84
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	85
3	-	15	37	7	4	10	2	14	2	-	9	15	4	15	86
-	-	6	16	2	-	4	1	4	-	-	-	7	5	2	87
5	-	1	7	4	1	8	-	2	-	-	1	3	3	3	88
-	-	-	5	-	1	1	1	4	-	-	2	2	2	8	89
-	-	1	10	-	-	3	-	1	-	-	3	-	1	-	90

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	UTAH—Continued														
1	Iron	60	-	-	-	-	-	2	2	-	1	-	-	6	-
2	Juab	59	-	-	-	-	-	3	-	-	-	-	-	5	-
3	Kane	16	-	-	-	-	-	-	-	-	-	-	-	2	-
4	Millard	104	-	-	-	-	-	3	-	-	2	-	-	19	-
5	Morgan	19	-	-	-	-	-	-	-	-	-	-	-	2	-
6	Piute	14	-	-	-	-	-	-	-	-	-	-	-	1	1
7	Rich	13	-	-	-	-	-	-	-	-	-	-	-	4	-
8	Salt Lake	1,912	-	4	1	-	-	39	-	-	12	1	13	212	5
9	Salt Lake City	1,471	-	3	1	-	-	27	-	-	12	1	8	168	3
10	Balance of county	441	-	1	-	-	-	12	-	-	-	-	5	44	2
11	San Juan	16	-	-	-	-	-	1	1	-	-	-	-	1	-
12	Sanpete	139	-	-	-	-	-	-	-	-	-	-	-	13	-
13	Sevier	113	-	-	-	-	-	1	-	-	-	-	1	11	-
14	Summit	62	-	-	-	-	-	1	-	-	-	-	-	4	-
15	Tooele	99	-	-	-	-	-	1	-	-	-	-	-	11	-
16	Uintah	69	-	-	-	1	-	2	-	-	-	-	-	8	-
17	Utah	532	-	1	-	-	-	8	1	-	8	-	2	46	-
18	Provo	220	-	-	-	-	-	7	-	-	7	-	2	20	-
19	Balance of county	312	-	1	-	-	-	1	1	-	1	-	-	26	-
20	Wasatch	43	-	-	-	-	-	1	-	-	-	-	-	3	1
21	Washington	66	-	-	-	-	-	2	-	-	-	-	-	4	-
22	Wayne	14	-	-	-	-	-	-	-	-	-	-	-	2	-
23	Weber	586	-	-	-	1	-	8	2	-	1	1	2	64	1
24	Ogden	455	-	-	-	1	-	7	2	-	1	1	1	49	1
25	Balance of county	131	-	-	-	-	-	1	-	-	-	-	1	15	-
26	VERMONT	4,007	-	4	1	8	2	110	3	1	16	-	3	530	1
27	Addison	167	-	-	-	-	-	1	-	-	-	-	-	29	-
28	Bennington	251	-	1	-	-	-	2	-	-	-	-	-	38	-
29	Caledonia	264	-	-	-	-	1	4	-	-	1	-	-	38	-
30	Chittenden	515	-	1	-	1	-	13	-	-	6	-	-	73	-
31	Burlington	302	-	-	-	1	-	9	-	-	4	-	-	42	-
32	Balance of county	213	-	1	-	-	-	4	-	-	2	-	-	31	-
33	Essex	59	-	-	-	-	-	-	-	-	-	-	-	8	-
34	Franklin	322	-	-	-	1	-	7	-	-	1	-	-	28	-
35	Grand Isle	41	-	-	-	-	-	-	-	1	-	-	-	7	-
36	Lamoille	109	-	-	1	-	1	1	-	-	-	-	-	15	-
37	Orange	173	-	-	-	2	-	-	-	-	-	-	-	19	-
38	Orleans	238	-	-	-	-	-	5	-	-	-	-	1	22	-
39	Rutland	553	-	1	-	-	-	18	-	-	1	-	-	76	1
40	Rutland	218	-	1	-	-	-	6	-	-	-	-	-	25	1
41	Balance of county	335	-	-	-	-	-	12	-	-	1	-	-	51	-
42	Washington	546	-	-	-	2	-	47	1	-	4	-	-	65	-
43	Barre	129	-	-	-	-	-	24	-	-	-	-	-	19	-
44	Balance of county	417	-	-	-	2	-	23	1	-	4	-	-	46	-
45	Windham	368	-	-	-	1	-	7	1	-	1	-	2	55	-
46	Windsor	401	-	1	-	1	-	5	1	-	2	-	-	57	-
47	VIRGINIA[7]	28,641	19	52	12	74	43	1,366	80	2	368	3	27	2,754	36
48	Accomack	406	-	-	1	2	-	19	4	-	3	-	-	39	1
49	Albemarle	228	-	1	-	1	-	12	-	-	-	-	-	28	-
50	Alexandria (city)	399	-	-	-	-	-	17	-	-	5	-	2	57	-
51	Alleghany	187	-	-	-	-	-	6	1	-	5	-	-	17	-
52	Amelia	78	-	-	-	-	-	5	-	-	-	-	-	6	-
53	Amherst	189	-	1	-	-	1	12	1	-	3	-	-	12	-
54	Appomattox	99	-	-	-	-	-	1	1	-	1	-	-	8	-
55	Arlington[8]	528	-	2	1	-	-	18	-	-	4	-	3	78	-
56	Augusta	399	-	-	1	-	-	15	-	-	2	-	1	44	-
57	Bath	64	-	-	-	-	1	2	1	-	-	-	-	10	1
58	Bedford	314	-	-	-	-	1	11	1	-	6	-	-	27	1
59	Bland	58	-	-	-	-	-	2	-	-	1	-	-	9	-
60	Botetourt	144	-	-	-	1	-	8	1	-	3	-	-	15	-
61	Bristol (city)[9]	126	-	-	-	-	1	2	-	-	5	-	-	12	-
62	Brunswick	193	2	-	-	1	-	10	-	-	1	-	-	14	-
63	Buchanan	230	-	-	-	3	3	16	5	-	1	-	1	11	-
64	Buckingham	124	-	-	-	2	-	4	-	-	-	-	-	13	-
65	Buena Vista (city)	43	-	-	-	-	-	1	-	-	-	-	-	9	-
66	Campbell	210	-	-	-	1	1	4	2	-	-	-	-	16	-
67	Caroline	122	-	-	-	-	-	8	-	-	-	-	-	8	1
68	Carroll	175	-	-	-	1	3	6	-	-	-	-	-	20	1
69	Charles City	53	-	-	-	-	-	2	1	-	1	-	-	3	-
70	Charlotte	132	-	-	-	2	-	6	1	-	-	-	-	10	1
71	Charlottesville (city)	218	-	-	1	-	1	10	-	-	2	-	-	23	-
72	Chesterfield	254	-	1	-	-	-	13	-	-	1	-	-	37	-
73	Clarke	79	-	-	1	1	-	5	-	-	-	-	1	13	-
74	Clifton Forge (city)	82	-	-	-	-	-	5	-	-	-	-	-	10	-
75	Craig	33	-	-	-	-	-	2	-	-	-	-	-	2	-
76	Culpeper	132	-	-	-	-	-	6	1	-	1	-	-	17	1
77	Cumberland	85	-	-	-	1	-	5	-	-	2	-	-	7	-
78	Danville (city)	358	-	1	-	2	1	12	-	1	1	-	-	31	-
79	Dickenson	130	-	1	-	-	-	9	1	-	-	-	-	8	-
80	Dinwiddie	523	-	1	-	2	-	51	1	-	94	-	1	15	-
81	Elizabeth City	256	-	1	-	-	-	3	-	-	5	-	-	29	1
82	Essex	69	-	-	-	-	-	-	-	-	1	-	-	8	1
83	Fairfax	385	-	1	-	-	-	11	2	-	3	-	-	43	1
84	Fauquier	221	-	-	-	1	-	10	-	-	1	-	-	18	-

[7] Cities of Virginia are independent, each having the same status as a county. Places having populations of 10,000 or more include: Alexandria, Arlington County,[8] Charlottesville, Danville, Fredericksburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[8] Classified as urban under a special rule in the 1940 census.

[9] Includes data for Bristol, Va., only.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
2	-	7	16	1	2	5	-	5	-	1	1	2	4	3	1
2	-	4	20	2	-	1	-	2	-	-	1	5	1	13	2
1	-	1	7	-	-	2	-	2	-	-	1	-	-	-	3
2	-	13	15	6	-	5	-	6	-	-	3	3	16	11	4
1	-	2	6	-	-	1	-	-	-	-	1	2	-	4	5
-	-	-	5	-	-	2	-	-	-	-	1	-	1	3	6
1	-	1	2	-	-	1	1	-	-	-	1	1	-	1	7
52	-	142	608	69	22	97	5	146	19	4	67	96	72	226	8
39	-	117	501	51	16	68	5	105	15	2	48	66	42	173	9
13	-	25	107	18	6	29	-	41	4	2	19	30	30	53	10
2	-	1	3	1	-	-	-	1	-	-	1	2	1	1	11
3	-	13	48	9	-	12	2	7	-	1	2	8	5	16	12
2	-	13	36	4	-	7	-	6	2	8	5	7	2	8	13
2	-	7	23	2	1	3	-	2	-	-	2	1	1	13	14
3	-	7	26	4	-	9	1	9	-	-	9	6	1	12	15
2	-	5	22	8	1	2	-	5	-	-	1	4	1	7	16
13	-	48	154	34	3	12	3	28	3	1	19	37	8	103	17
4	-	20	62	15	1	6	1	9	1	-	6	11	5	43	18
9	-	28	92	19	2	6	2	19	2	1	13	26	3	60	19
-	-	4	14	-	-	5	-	3	-	-	1	6	-	5	20
2	-	5	16	2	1	14	-	7	-	-	1	5	1	6	21
-	-	2	4	-	-	-	-	3	-	-	2	-	-	1	22
14	-	46	160	28	5	24	1	42	5	2	27	37	30	85	23
13	-	36	124	24	5	18	1	33	4	2	20	26	20	66	24
1	-	10	36	4	-	6	-	9	1	-	7	11	10	19	25
101	-	449	1,310	168	14	215	12	177	43	9	63	173	51	543	26
-	-	18	59	6	1	8	-	5	1	-	4	9	5	21	27
6	-	31	95	10	1	14	-	10	4	-	3	10	-	26	28
9	-	41	65	11	2	16	1	14	2	-	4	14	4	37	29
14	-	48	185	16	2	18	3	26	3	6	3	20	5	72	30
13	-	30	106	6	1	12	2	15	2	2	-	12	1	44	31
1	-	18	79	10	1	6	1	11	1	4	3	8	4	28	32
1	-	6	19	3	1	3	-	5	-	-	1	2	-	10	33
10	-	41	95	20	-	20	-	19	3	1	7	18	5	46	34
-	-	6	15	-	-	2	-	1	1	-	4	2	-	2	35
4	-	15	34	5	1	4	1	4	3	-	1	4	1	14	36
3	-	16	64	7	1	7	-	7	-	1	3	11	2	30	37
2	-	25	59	16	-	24	2	14	-	-	3	13	3	49	38
15	-	71	176	14	2	37	2	26	4	1	7	18	10	73	39
4	-	32	84	3	1	15	1	9	1	1	2	9	5	18	40
11	-	39	92	11	1	22	1	17	3	-	5	9	5	55	41
11	-	51	177	22	2	19	1	23	9	-	9	13	8	82	42
6	-	3	34	2	1	8	1	5	4	-	2	3	1	16	43
5	-	48	143	20	1	11	-	18	5	-	7	10	7	66	44
10	-	44	126	15	-	22	-	11	6	-	5	14	5	43	45
16	-	36	141	23	1	21	2	12	7	-	9	25	3	38	46
559	29	3,020	7,358	1,709	435	2,284	142	1,805	313	240	639	1,422	661	3,189	47
13	-	52	120	23	3	26	2	19	3	1	14	12	5	44	48
8	-	32	71	12	2	7	-	9	2	1	4	13	4	21	49
5	-	28	108	16	8	31	-	34	6	3	5	22	5	47	50
4	-	12	60	10	5	13	-	15	1	-	4	8	6	20	51
2	-	9	13	4	-	21	-	4	-	-	-	4	1	9	52
2	-	23	45	22	1	5	-	11	2	4	4	6	5	29	53
-	-	5	28	5	1	13	2	7	1	2	2	1	7	14	54
12	-	40	150	22	4	23	4	39	9	1	13	29	4	72	55
13	-	38	122	37	4	30	1	15	5	1	11	16	3	40	56
2	-	8	16	3	1	4	-	5	-	1	-	1	-	8	57
5	-	48	96	22	7	21	2	9	-	2	4	17	5	29	58
2	-	9	12	1	-	5	-	5	2	-	2	1	-	7	59
2	-	13	40	14	2	10	-	4	1	1	6	11	1	11	60
3	-	15	29	5	1	12	1	11	3	-	3	5	9	9	61
3	-	18	54	8	3	6	1	11	-	1	3	11	17	29	62
5	-	10	27	20	18	9	2	24	3	4	4	19	28	17	63
1	-	21	36	11	2	2	1	6	-	-	2	4	5	14	64
2	-	2	9	2	-	5	1	5	-	-	-	3	1	3	65
3	1	25	55	15	-	31	-	13	2	-	5	7	5	24	66
3	-	15	27	6	1	11	1	5	-	1	7	5	2	21	67
5	-	16	52	14	2	12	-	9	2	-	6	5	7	14	68
-	-	10	11	3	3	2	-	4	-	-	1	2	5	5	69
5	-	11	30	15	2	18	-	7	-	-	-	6	2	16	70
5	-	31	78	6	2	4	-	17	-	1	3	8	2	24	71
6	-	33	58	13	3	10	1	11	4	2	15	11	2	33	72
3	-	6	16	4	-	7	-	8	2	-	2	1	2	7	73
3	-	7	16	6	1	7	1	5	-	-	3	6	4	8	74
-	-	2	10	3	-	4	-	1	3	-	2	-	-	4	75
5	-	20	31	11	2	13	-	4	-	-	6	6	1	7	76
2	-	13	22	4	-	3	1	5	-	-	3	6	2	9	77
7	-	40	65	32	15	52	1	30	4	3	9	16	5	30	78
2	-	5	20	7	6	9	-	15	2	1	2	18	14	10	79
3	-	62	146	14	5	13	2	12	2	3	4	7	4	81	80
2	-	21	84	15	1	20	2	21	1	4	5	14	-	27	81
-	-	12	21	1	-	5	-	2	1	1	1	5	1	9	82
17	1	32	103	33	12	16	2	31	7	2	13	14	5	36	83
2	1	32	60	12	3	11	2	8	-	-	7	17	7	29	84

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58
	VIRGINIA[7]—Continued														
1	Floyd	96	-	-	-	-	1	5	-	-	1	-	-	8	1
2	Fluvanna	71	-	1	-	-	-	2	-	-	1	-	-	8	-
3	Franklin	190	-	-	-	-	-	2	2	-	-	-	-	21	-
4	Frederick	161	-	-	-	1	-	5	-	-	1	-	-	15	-
5	Fredericksburg (city)	121	-	-	-	-	-	3	1	-	-	1	-	11	-
6	Giles	168	-	-	-	1	-	2	3	-	-	-	-	9	-
7	Gloucester	110	-	-	-	-	-	2	-	-	1	-	-	11	-
8	Goochland	80	-	-	-	2	-	9	1	-	3	-	-	9	-
9	Grayson	161	-	-	-	-	1	6	-	-	1	-	-	13	-
10	Greene	61	2	-	-	-	-	3	-	-	1	-	-	4	-
11	Greensville	139	1	1	-	-	-	10	1	-	-	-	-	16	1
12	Halifax	376	-	-	-	1	-	16	3	-	4	-	-	33	1
13	Hampton (city)	113	-	1	-	-	-	5	-	-	-	-	-	13	-
14	Hanover	185	-	-	-	3	-	6	1	-	1	-	1	22	-
15	Harrisonburg (city)	109	-	-	-	-	-	5	-	-	4	-	-	10	1
16	Henrico	263	-	-	-	-	-	7	-	-	3	-	-	41	-
17	Henry	194	-	2	1	7	-	5	1	-	-	-	-	18	-
18	Highland	43	-	-	-	-	-	2	-	-	-	-	-	6	-
19	Hopewell (city)	71	-	-	-	-	-	2	-	-	-	-	1	4	-
20	Isle of Wight	154	-	-	-	-	-	17	-	-	3	-	-	13	-
21	James City	52	-	-	-	-	-	1	-	-	-	-	-	12	-
22	King and Queen	67	1	-	-	-	-	4	-	-	3	-	-	-	-
23	King George	47	-	-	-	-	-	1	-	-	2	-	-	5	-
24	King William	70	-	-	-	-	-	3	1	-	-	-	-	7	-
25	Lancaster	95	-	-	-	-	-	5	-	-	-	-	-	9	-
26	Lee	270	3	1	-	1	3	15	5	-	-	-	2	13	-
27	Loudoun	198	1	-	-	1	-	5	-	-	1	-	-	26	1
28	Louisa	140	-	-	-	-	-	8	-	-	1	-	-	10	1
29	Lunenburg	115	-	-	-	1	-	2	1	-	-	-	-	8	1
30	Lynchburg (city)	471	-	-	-	-	-	19	5	-	3	-	-	44	-
31	Madison	90	-	-	-	2	-	3	-	-	-	-	-	9	-
32	Martinsville (city)	65	-	-	-	-	-	1	1	-	1	-	-	8	-
33	Mathews	91	-	-	-	-	-	3	-	-	1	-	-	12	-
34	Mecklenburg	272	-	2	-	6	1	12	1	-	-	-	-	27	-
35	Middlesex	93	-	-	-	-	-	2	-	-	-	-	-	11	-
36	Montgomery	222	-	-	-	-	-	11	-	-	3	-	-	21	-
37	Nansemond	245	-	1	-	-	-	22	-	-	2	-	-	17	1
38	Nelson	146	-	-	-	2	1	2	1	-	-	-	-	14	1
39	New Kent	38	-	-	-	-	-	2	-	-	-	-	-	3	-
40	Newport News (city)	538	2	3	-	1	1	34	1	-	8	-	1	42	1
41	Norfolk	591	-	2	-	2	3	14	-	-	6	1	1	48	2
42	Norfolk (city)	2,197	1	3	3	1	-	118	2	1	27	-	-	190	3
43	Northampton	214	-	-	-	-	-	13	-	-	-	-	-	23	1
44	Northumberland	95	-	-	-	-	-	7	-	-	-	-	-	6	-
45	Nottoway	154	-	-	-	-	-	20	-	-	2	-	-	10	-
46	Orange	132	-	-	-	-	-	4	-	-	1	-	-	21	-
47	Page	143	-	-	-	-	1	7	-	-	1	-	-	12	-
48	Patrick	130	-	-	-	2	1	1	-	-	-	-	-	21	-
49	Petersburg (city)	429	-	-	-	-	-	39	1	-	3	-	1	30	-
50	Pittsylvania	525	1	-	-	-	1	16	1	-	5	-	-	40	1
51	Portsmouth (city)	666	-	3	-	-	1	27	-	-	10	-	-	52	-
52	Powhatan	76	-	-	-	-	-	2	-	-	1	-	-	10	1
53	Prince Edward	141	-	-	-	1	-	7	1	-	1	-	-	10	-
54	Prince George	117	-	-	-	-	-	5	1	-	-	-	-	6	-
55	Prince William	164	-	-	-	1	-	5	-	-	1	-	2	14	-
56	Princess Anne	273	-	2	-	-	-	20	1	-	1	-	-	21	-
57	Pulaski	214	-	-	-	1	1	12	-	-	-	-	-	24	-
58	Radford (city)	75	-	1	-	-	-	1	-	-	-	-	-	4	-
59	Rappahannock	68	-	-	-	1	-	4	-	-	-	-	-	6	-
60	Richmond	71	1	-	-	-	-	2	1	-	-	-	-	8	-
61	Richmond (city)	2,569	1	4	1	1	-	126	-	-	38	-	5	304	1
62	Roanoke	419	-	-	2	2	-	33	1	-	17	-	-	45	1
63	Roanoke (city)	785	-	-	-	1	1	23	-	-	6	-	-	86	1
64	Rockbridge	209	-	-	-	-	-	14	-	-	2	-	1	31	1
65	Rockingham	280	-	1	-	-	-	15	-	-	1	-	-	28	1
66	Russell	186	-	3	-	-	-	12	5	-	-	-	-	13	-
67	Scott	202	-	1	-	-	2	9	2	-	1	-	-	16	-
68	Shenandoah	235	-	-	-	2	-	10	-	-	1	-	-	26	-
69	Smyth	314	-	1	-	1	-	9	-	-	5	-	-	29	1
70	Southampton	274	1	1	-	-	-	20	2	-	1	-	-	23	-
71	South Norfolk (city)	59	-	-	-	-	-	2	-	-	-	-	-	10	-
72	Spotsylvania	86	-	-	-	1	-	2	1	-	-	-	-	6	-
73	Stafford	119	-	-	-	-	-	5	1	-	-	-	-	16	-
74	Staunton (city)	361	-	-	-	-	-	31	-	-	10	-	-	26	-
75	Suffolk (city)	157	-	-	-	-	-	7	-	-	3	-	-	13	-
76	Surry	58	-	-	-	-	-	6	-	-	-	-	-	6	-
77	Sussex	152	-	-	-	-	-	14	1	-	1	-	-	10	-
78	Tazewell	390	1	-	-	2	5	14	-	-	1	-	-	30	-
79	Warren	115	-	1	-	-	-	8	-	-	1	-	1	10	-
80	Warwick	152	1	-	-	-	-	5	-	-	2	-	-	14	-
81	Washington	319	-	1	-	2	4	13	-	-	1	-	-	35	-
82	Westmoreland	87	-	-	-	-	-	4	1	-	1	-	-	7	-
83	Williamsburg (city)	185	-	-	-	-	-	17	3	-	11	-	-	14	1
84	Winchester (city)	166	-	-	-	-	-	7	-	-	3	-	-	22	-
85	Wise	466	-	2	-	1	1	19	2	-	1	-	2	40	2
86	Wythe	182	-	-	-	2	1	8	-	-	-	-	-	19	-
87	York	122	-	4	-	-	-	11	-	-	1	1	-	9	-
88	WASHINGTON	21,890	4	22	3	6	38	706	17	-	190	9	25	2,732	16
89	Adams	57	-	-	-	-	1	-	-	-	-	-	-	6	-
90	Asotin	105	-	-	-	-	-	-	-	-	-	-	-	20	-

[7] See footnote on p. 590.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
3	-	12	23	8	1	5	-	3	2	-	1	4	6	12	1
-	-	7	21	6	-	2	-	1	2	-	4	7	5	4	2
1	-	27	54	12	2	14	1	11	4	-	5	7	10	17	3
3	-	16	41	7	1	21	-	6	3	-	4	9	5	23	4
1	-	21	39	4	-	9	1	13	-	1	3	3	1	9	5
1	-	17	36	24	3	11	-	15	1	1	3	18	5	18	6
4	-	18	28	4	1	15	-	5	1	1	3	3	1	12	7
1	2	5	27	3	-	2	-	1	-	-	1	6	3	5	8
3	-	15	50	18	2	12	1	8	3	1	3	3	7	14	9
3	-	13	12	3	3	1	1	3	-	-	1	2	2	7	10
1	-	15	21	9	1	13	1	13	3	2	7	3	5	15	11
6	1	53	82	23	6	36	2	29	-	3	9	20	14	34	12
4	-	11	22	5	1	11	-	8	-	1	1	11	1	18	13
7	-	18	53	2	5	10	1	9	1	1	6	11	-	27	14
-	-	9	28	7	1	18	-	10	-	-	4	3	-	9	15
2	-	27	76	14	-	25	2	10	2	1	9	16	4	24	16
3	-	26	39	20	3	9	2	9	2	4	13	9	6	15	17
1	-	6	12	3	1	-	-	2	2	2	1	3	-	2	18
1	-	9	16	2	-	4	1	7	3	3	3	6	-	9	19
2	-	20	31	4	2	23	1	11	-	-	1	9	1	16	20
-	1	5	5	1	1	10	-	7	-	1	1	3	1	3	21
2	-	9	15	3	1	7	-	5	-	-	2	2	3	10	22
2	-	5	7	3	-	6	1	2	-	-	1	4	2	6	23
3	-	9	20	1	2	7	1	2	-	-	-	3	1	10	24
1	-	13	25	5	2	3	-	9	3	-	1	6	4	9	25
2	2	29	57	15	9	8	1	24	2	1	3	25	19	30	26
1	-	22	59	14	4	10	1	7	-	2	6	9	4	24	27
3	-	19	38	9	2	9	-	6	3	-	5	4	4	18	28
3	-	13	31	5	2	8	1	9	-	3	4	3	2	18	29
10	1	50	143	23	3	39	-	30	6	3	6	20	14	52	30
4	-	16	18	8	2	3	-	7	1	-	1	3	5	8	31
3	-	11	13	5	2	2	1	4	-	-	3	4	2	4	32
1	-	22	30	2	1	4	-	-	-	-	-	1	-	14	33
7	-	31	62	16	2	18	2	16	2	2	8	15	11	31	34
4	-	14	35	4	1	11	-	2	1	-	-	1	-	7	35
5	2	14	50	12	4	31	2	18	2	-	7	13	3	24	36
1	-	32	43	15	10	25	-	23	2	4	4	8	3	32	37
3	-	20	35	6	3	8	1	9	2	-	7	6	6	19	38
2	-	7	6	2	-	7	1	-	-	-	4	2	-	2	39
5	-	36	137	29	6	52	7	48	5	14	14	31	3	57	40
11	-	62	134	37	7	51	4	57	8	9	26	43	3	60	41
41	1	237	614	137	24	122	10	148	21	46	40	151	14	242	42
5	-	30	47	7	3	19	1	15	1	1	5	7	6	30	43
1	-	16	25	3	2	16	-	6	1	1	1	2	1	7	44
1	-	21	31	8	3	10	-	8	2	1	4	3	10	20	45
2	-	15	29	5	1	7	1	11	1	2	3	6	6	17	46
4	-	14	34	3	-	33	1	8	3	1	2	7	3	9	47
1	-	12	22	8	3	7	-	7	6	1	2	4	11	21	48
7	-	50	101	21	9	57	-	21	6	5	6	16	8	48	49
13	2	60	97	34	13	59	6	40	6	8	14	25	17	66	50
16	1	103	168	41	11	39	7	45	4	12	17	34	-	75	51
-	-	12	22	6	2	6	-	1	-	-	1	6	2	5	52
2	-	19	36	11	1	14	2	2	1	-	3	8	1	21	53
3	1	14	30	6	3	15	-	14	-	1	6	4	-	8	54
3	-	5	42	7	2	9	1	11	3	-	7	14	2	35	55
3	1	28	89	17	3	16	-	14	7	1	12	16	2	19	56
2	-	16	49	17	5	25	-	25	-	-	1	12	6	18	57
1	1	10	24	6	4	6	-	6	-	-	-	7	1	3	58
4	-	8	17	1	1	4	1	5	1	1	-	2	3	9	59
3	2	10	22	2	1	6	-	3	2	-	1	2	2	3	60
55	-	253	745	101	14	236	9	117	37	31	30	93	54	313	61
9	-	37	112	19	3	21	-	18	7	3	16	13	7	53	62
25	1	69	194	38	11	72	5	52	5	5	15	35	19	121	63
6	-	19	56	12	1	15	2	12	2	-	-	6	5	24	64
4	-	27	78	23	1	27	2	17	8	1	5	7	8	26	65
6	-	18	45	13	8	9	-	8	2	1	3	11	10	19	66
1	-	20	41	18	5	13	2	17	6	-	3	13	10	22	67
6	-	16	66	15	3	32	1	12	4	-	7	8	3	23	68
4	-	24	81	28	7	25	3	24	4	-	8	18	7	35	69
3	-	34	71	15	4	35	2	16	-	2	4	11	9	20	70
2	-	6	15	7	-	3	-	3	-	1	1	2	-	7	71
3	-	16	17	10	-	5	-	7	1	-	2	3	4	8	72
3	-	6	32	4	1	14	1	9	-	1	3	10	1	12	73
5	2	23	124	46	4	29	1	9	4	-	4	20	3	20	74
2	-	11	38	9	1	14	1	10	5	-	6	10	3	24	75
-	-	5	15	2	-	10	-	7	-	-	1	2	1	3	76
1	1	6	37	8	3	23	3	12	2	-	3	8	5	14	77
10	2	30	88	28	16	19	2	52	-	1	2	23	22	42	78
2	-	13	24	6	2	10	3	9	2	-	3	4	-	16	79
2	-	9	41	5	3	10	1	18	4	1	4	17	1	14	80
2	1	26	63	32	12	32	1	19	6	5	9	16	11	28	81
1	-	11	22	7	1	12	-	6	1	1	-	3	1	8	82
1	-	15	49	21	4	4	-	-	2	1	3	11	1	27	83
6	-	19	39	6	2	17	-	7	4	-	2	7	5	20	84
5	1	35	87	40	18	34	5	40	5	3	9	29	28	57	85
4	-	18	45	3	1	21	-	10	2	2	7	12	3	24	86
2	-	14	19	9	2	21	1	4	1	-	4	8	3	8	87
465	4	2,075	6,781	962	116	1,120	76	1,131	303	78	579	1,324	415	2,693	88
1	-	2	19	7	-	7	-	5	2	-	2	4	-	1	89
6	-	11	32	5	1	7	-	3	1	-	2	2	7	8	90

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	WASHINGTON—Con.														
1	Benton	115	-	-	-	-	-	3	1	-	1	1	-	12	-
2	Chelan	364	-	-	-	-	-	9	-	-	1	-	-	44	-
3	Wenatchee	185	-	-	-	-	-	5	-	-	-	-	-	25	-
4	Balance of county	179	-	-	-	-	-	4	-	-	1	-	-	19	-
5	Clallam	209	-	-	-	-	-	5	-	-	2	-	1	25	1
6	Clark	688	-	1	-	1	2	16	-	-	6	1	-	80	2
7	Vancouver	361	-	1	-	-	2	11	-	-	3	-	-	46	1
8	Balance of county	327	-	-	-	1	-	5	-	-	3	1	-	34	1
9	Columbia	65	-	-	-	-	-	-	-	-	1	-	-	11	-
10	Cowlitz	339	-	-	-	1	-	11	-	-	6	-	-	31	-
11	Longview	146	-	-	-	1	-	5	-	-	3	-	-	12	-
12	Balance of county	193	-	-	-	-	-	6	-	-	3	-	-	19	-
13	Douglas	54	1	-	-	-	1	3	-	-	-	-	-	3	-
14	Ferry	25	-	-	-	-	-	1	-	-	-	-	-	5	-
15	Franklin	120	-	-	-	-	-	-	-	-	1	-	-	8	-
16	Garfield	32	-	-	-	-	-	-	-	-	-	-	-	5	-
17	Grant	60	-	-	-	-	-	-	-	-	-	-	-	8	-
18	Grays Harbor	589	-	-	-	-	1	24	-	-	4	-	-	66	-
19	Aberdeen	322	-	-	-	-	-	9	-	-	3	-	-	43	-
20	Hoquiam	75	-	-	-	-	-	5	-	-	1	-	-	8	-
21	Balance of county	192	-	-	-	-	1	10	-	-	-	-	-	15	-
22	Island	92	-	-	-	-	-	1	-	-	-	-	-	10	-
23	Jefferson	82	-	-	-	-	-	3	-	-	2	-	-	10	-
24	King	6,875	1	10	1	-	14	272	3	-	45	1	8	954	4
25	Seattle	5,473	1	10	1	-	14	211	1	-	39	1	7	768	3
26	Balance of county	1,402	-	-	-	-	-	61	2	-	6	-	1	186	1
27	Kitsap	710	-	1	-	1	2	11	-	-	9	2	2	83	1
28	Bremerton	371	-	-	-	1	1	2	-	-	5	1	1	38	-
29	Balance of county	339	-	1	-	-	1	9	-	-	4	1	1	45	1
30	Kittitas	177	-	-	-	-	-	2	-	-	-	-	-	28	-
31	Klickitat	111	-	-	-	-	-	3	-	-	1	-	-	10	-
32	Lewis	511	-	1	-	-	1	7	-	-	2	-	-	61	2
33	Lincoln	102	-	-	-	-	-	1	-	-	2	-	-	10	-
34	Mason	107	-	-	-	-	-	1	-	-	-	-	-	13	1
35	Okanogan	199	-	-	-	-	-	8	-	-	3	-	-	29	-
36	Pacific	168	-	-	-	-	-	3	-	-	1	-	-	23	1
37	Pend Oreille	58	-	-	-	-	-	-	-	-	-	-	-	10	1
38	Pierce	2,804	-	4	1	1	3	103	2	-	48	4	1	304	-
39	Tacoma	1,761	-	2	-	-	3	44	1	-	17	3	1	231	-
40	Balance of county	1,043	-	2	1	1	-	59	1	-	31	1	-	73	-
41	San Juan	35	-	-	-	-	-	1	-	-	-	-	-	3	-
42	Skagit	642	-	-	-	-	-	24	-	-	16	-	4	59	-
43	Skamania	38	-	-	-	-	-	-	-	-	-	-	-	5	-
44	Snohomish	991	-	-	-	1	-	30	-	-	6	-	1	137	-
45	Everett	449	-	-	-	-	-	7	-	-	2	-	1	62	-
46	Balance of county	542	-	-	-	1	-	23	-	-	4	-	-	75	-
47	Spokane	2,288	-	1	1	-	7	78	-	-	23	-	2	277	1
48	Spokane	1,633	-	1	-	-	6	30	-	-	12	-	2	220	-
49	Balance of county	655	-	-	1	-	1	48	-	-	11	-	-	57	1
50	Stevens	180	-	-	-	-	1	3	-	-	-	-	-	11	-
51	Thurston	382	-	-	-	-	-	8	-	-	1	-	-	55	1
52	Olympia	223	-	-	-	-	-	1	-	-	1	-	-	37	-
53	Balance of county	159	-	-	-	-	-	7	-	-	-	-	-	18	1
54	Wahkiakum	31	-	-	-	-	-	2	-	-	-	-	-	3	-
55	Walla Walla	436	-	1	-	1	-	36	-	-	2	-	-	54	-
56	Walla Walla	308	-	1	-	1	-	33	-	-	2	-	-	41	-
57	Balance of county	128	-	-	-	-	-	3	-	-	-	-	-	13	-
58	Whatcom	696	2	1	-	-	1	11	-	-	4	-	5	80	-
59	Bellingham	417	2	-	-	-	-	8	-	-	4	-	2	57	-
60	Balance of county	279	-	1	-	-	1	3	-	-	-	-	3	23	-
61	Whitman	216	-	-	-	-	1	2	-	-	-	-	-	38	-
62	Yakima	1,137	-	2	-	-	3	24	11	-	3	-	1	141	1
63	Yakima	479	-	2	-	-	1	3	4	-	-	-	-	57	-
64	Balance of county	658	-	-	-	-	2	21	7	-	3	-	1	84	1
65	WEST VIRGINIA	16,630	8	29	8	60	38	719	51	1	213	4	11	1,714	28
66	Barbour	188	-	-	1	1	1	10	-	-	3	-	-	24	-
67	Berkeley	317	-	-	2	2	-	9	-	-	2	-	-	39	1
68	Martinsburg	208	-	-	1	2	-	5	-	-	1	-	-	28	1
69	Balance of county	109	-	-	1	-	-	4	-	-	1	-	-	11	-
70	Boone	186	-	-	-	-	2	7	1	-	1	-	1	14	-
71	Braxton	139	-	-	-	-	-	5	-	-	-	-	-	16	1
72	Brooke	226	-	3	-	-	-	1	-	-	1	-	1	29	-
73	Cabell	1,055	1	3	-	-	3	58	4	-	22	-	-	101	4
74	Huntington (part)	895	1	1	-	-	2	52	4	-	20	-	-	87	3
75	Huntington (total)	933	1	2	-	-	2	53	4	-	20	-	-	89	3
76	Balance of county	160	-	2	-	-	1	6	-	-	2	-	-	14	1
77	Calhoun	92	-	1	-	-	-	4	-	-	1	-	-	9	1
78	Clay	88	-	-	-	-	-	5	-	-	-	-	-	8	-
79	Doddridge	50	-	-	-	-	-	2	-	-	1	-	1	5	-
80	Fayette	547	-	1	1	2	1	27	2	-	3	-	-	52	-
81	Gilmer	97	-	-	-	1	-	6	1	-	-	-	-	11	-
82	Grant	75	-	-	-	-	-	4	-	-	1	-	-	6	-
83	Greenbrier	333	-	-	-	1	-	9	3	-	2	-	-	31	2
84	Hampshire	103	-	-	-	-	4	5	-	-	-	-	1	11	-
85	Hancock	242	-	1	-	-	-	9	2	-	3	-	-	39	-
86	Hardy	81	-	-	-	1	-	2	-	-	-	-	-	9	1
87	Harrison	771	1	2	-	3		26	1	-	2	-	1	91	1
88	Clarksburg	371	1	2	-	1	-	7	1	-	1	-	1	35	-
89	Balance of county	400	-	-	-	2	-	19	-	-	1	-	-	56	1
90	Jackson	139	-	-	-	-	-	9	-	-	-	-	1	14	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
3	-	7	26	7	2	10	-	13	1	1	3	6	3	15	1
7	-	24	97	22	2	30	3	23	-	-	14	24	10	54	2
4	-	11	51	9	1	23	-	9	-	-	4	9	5	29	3
3	-	13	46	13	1	7	3	14	-	-	10	15	5	25	4
4	-	21	58	6	1	18	2	5	4	1	9	20	6	20	5
14	-	57	205	42	3	36	3	51	7	4	25	39	10	83	6
11	-	35	104	21	1	21	-	26	2	2	13	15	3	43	7
3	-	22	101	21	2	15	3	25	5	2	12	24	7	40	8
1	-	9	16	3	1	1	-	2	1	2	1	5	4	7	9
7	-	27	115	10	1	23	1	23	5	2	11	32	7	26	10
4	-	14	49	4	-	7	-	13	3	-	7	9	2	13	11
3	-	13	66	6	1	16	1	10	2	2	4	23	5	13	12
1	-	5	15	2	-	4	-	1	2	-	4	5	3	4	13
-	-	5	8	-	-	1	-	-	1	-	2	-	1	1	14
4	-	8	24	3	3	4	-	20	3	-	3	22	3	14	15
-	-	2	12	1	-	1	1	2	-	-	-	3	1	4	16
-	-	3	15	2	-	4	1	5	-	-	5	3	8	6	17
11	-	67	180	23	1	35	1	32	2	1	12	49	12	68	18
7	-	43	102	12	-	20	-	7	1	1	2	26	5	41	19
1	-	5	24	2	-	3	-	7	1	-	3	7	2	6	20
3	-	19	54	9	1	12	1	18	-	-	7	16	5	21	21
2	-	5	27	2	-	3	-	1	-	-	4	25	-	12	22
2	-	7	32	3	-	5	-	6	-	-	1	5	1	5	23
132	1	612	2,166	312	16	356	30	334	130	41	184	351	42	855	24
107	1	471	1,689	256	13	297	26	271	91	30	142	274	32	717	25
25	-	141	477	56	3	59	4	63	39	11	42	77	10	138	26
13	-	74	193	25	1	26	1	80	11	6	18	48	27	75	27
8	-	43	108	12	1	15	1	46	7	1	7	24	9	40	28
5	-	31	85	13	-	11	-	34	4	5	11	24	18	35	29
4	-	21	37	5	1	6	-	17	4	-	6	15	2	29	30
2	-	8	38	3	2	5	2	9	-	-	4	8	6	10	31
9	-	50	186	21	1	17	2	19	5	1	11	50	8	57	32
3	-	9	33	11	-	10	2	3	2	-	2	4	4	6	33
3	-	16	38	4	1	1	1	3	1	-	5	3	6	10	34
1	-	18	56	11	2	5	1	11	3	2	3	19	4	23	35
1	-	25	60	8	2	8	1	3	3	-	3	11	2	13	36
2	-	3	19	2	-	-	-	4	2	-	1	1	-	13	37
69	2	240	913	114	33	169	6	123	29	6	78	164	58	329	38
53	-	155	543	68	23	133	6	77	15	4	51	103	22	206	39
16	2	85	370	46	10	36	-	46	14	2	27	61	36	123	40
1	-	10	13	1	-	1	-	-	-	-	-	-	2	3	41
9	-	64	169	40	1	23	-	21	7	1	4	32	33	135	42
1	-	1	8	2	-	2	-	1	-	-	3	6	5	4	43
25	-	140	292	39	2	47	2	46	10	-	25	65	18	105	44
15	-	70	128	22	1	18	1	24	3	-	7	23	8	57	45
10	-	70	164	17	1	29	1	22	7	-	18	42	10	48	46
58	-	246	705	98	10	109	8	99	32	4	41	134	19	335	47
45	-	188	522	63	9	92	6	79	23	3	28	93	11	200	48
13	-	58	183	35	1	17	2	20	9	1	13	41	8	135	49
3	-	17	63	13	-	6	-	12	2	-	3	11	5	30	50
10	-	41	127	8	2	13	2	21	2	-	11	21	15	44	51
5	-	22	71	3	2	6	2	14	2	-	5	12	9	31	52
5	-	19	56	5	-	7	-	7	-	-	6	9	6	13	53
1	-	1	7	3	-	1	-	2	-	-	-	7	1	3	54
14	-	30	99	8	2	46	1	17	6	1	10	44	14	50	55
12	-	18	68	7	2	35	-	11	4	1	8	12	10	42	56
2	-	12	31	1	-	11	1	6	2	-	2	32	4	8	57
8	1	92	236	20	5	19	2	30	8	-	15	32	32	92	58
4	-	53	144	9	3	11	1	23	3	-	9	16	18	50	59
4	1	39	92	11	2	8	1	7	5	-	6	16	14	42	60
6	-	20	69	4	-	17	-	13	2	-	4	7	4	29	61
27	-	77	373	72	20	44	3	71	15	5	50	47	32	115	62
17	-	40	170	17	3	16	2	30	10	1	22	14	12	58	63
10	-	37	203	55	17	28	1	41	5	4	28	33	20	57	64
355	1	1,586	3,900	1,010	375	1,036	66	1,081	151	97	320	1,116	737	1,915	65
3	-	27	48	12	1	8	1	6	-	2	2	10	11	17	66
10	-	31	83	19	1	30	1	21	2	-	10	8	20	26	67
6	-	22	61	11	1	22	1	14	1	-	4	3	5	19	68
4	-	9	22	8	-	8	-	7	1	-	6	5	15	7	69
6	1	10	36	12	10	4	2	23	1	-	5	14	19	17	70
2	-	14	31	7	-	9	-	11	1	1	-	11	13	17	71
9	-	25	48	11	5	13	4	11	4	1	5	22	-	33	72
35	-	104	308	60	20	45	5	67	10	10	20	47	16	112	73
28	-	83	264	51	19	34	3	58	9	10	12	38	15	101	74
28	-	87	277	53	20	35	3	64	9	10	12	39	15	107	75
7	-	21	44	9	1	11	2	9	1	-	8	9	1	11	76
-	-	11	16	8	-	1	-	2	-	-	2	6	15	15	77
1	-	3	12	2	6	3	-	4	-	2	5	13	15	9	78
3	-	10	13	3	1	4	-	1	1	-	1	-	3	1	79
8	-	54	98	50	18	33	2	57	3	5	8	55	16	51	80
1	-	7	15	9	-	4	-	10	-	-	-	7	10	15	81
1	-	9	9	3	-	9	-	6	1	-	2	3	15	6	82
6	-	32	80	22	1	38	-	24	3	1	5	19	6	48	83
1	-	10	28	12	3	7	-	1	1	-	3	5	1	10	84
5	-	21	70	11	2	16	3	14	1	2	4	15	5	19	85
-	-	9	17	9	3	9	-	3	-	-	3	3	2	10	86
17	-	84	223	40	11	35	3	45	12	6	12	51	12	92	87
13	-	37	110	19	4	21	1	29	7	4	7	19	7	44	88
4	-	47	113	21	7	14	2	16	5	2	5	32	5	48	89
4	-	18	33	10	1	9	-	4	-	-	3	8	14	11	90

TABLE 29.—DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	WEST VIRGINIA—Con.														
1	Jefferson	182	-	-	-	3	-	13	-	-	1	-	-	19	1
2	Kanawha	1,743	1	5	1	8	2	104	3	-	19	1	1	183	1
3	Charleston	821	1	1	-	3	-	52	-	-	12	1	-	81	1
4	South Charleston	81	-	-	-	-	-	4	-	-	-	-	-	7	-
5	Balance of county	841	-	4	1	5	2	48	3	-	7	-	1	95	-
6	Lewis	336	-	1	-	-	-	31	1	-	26	-	-	40	3
7	Lincoln	149	-	-	-	1	-	5	1	-	2	-	-	9	-
8	Logan	486	-	1	-	6	4	28	-	-	1	1	-	33	-
9	McDowell	750	-	-	-	7	9	43	4	-	14	-	-	59	-
10	Marion	572	-	1	-	-	-	14	1	-	5	-	-	81	-
11	Fairmont	284	-	1	-	-	-	5	-	-	3	-	-	44	-
12	Balance of county	288	-	-	-	-	-	9	1	-	2	-	-	37	-
13	Marshall	341	-	-	-	1	1	10	-	-	3	-	-	42	-
14	Moundsville	150	-	-	-	1	1	6	-	-	1	-	-	18	-
15	Balance of county	191	-	-	-	-	-	4	-	-	2	-	-	24	-
16	Mason	229	-	-	-	2	-	8	-	-	20	-	-	17	1
17	Mercer	558	-	-	1	1	-	16	7	-	6	-	-	45	2
18	Bluefield[10]	207	-	-	1	-	-	6	-	-	3	-	-	19	1
19	Balance of county	351	-	-	-	1	-	10	7	-	3	-	-	26	1
20	Mineral	246	-	-	-	1	-	3	-	-	-	-	-	29	-
21	Mingo	307	-	-	-	3	5	18	-	1	6	1	-	28	-
22	Monongalia	486	1	1	-	2	-	9	-	-	5	-	-	53	-
23	Morgantown	261	-	-	-	-	-	7	-	-	3	-	-	30	-
24	Balance of county	225	1	1	-	2	-	2	-	-	2	-	-	23	-
25	Monroe	121	-	-	-	2	-	7	1	-	-	-	-	16	-
26	Morgan	69	-	-	-	-	-	2	-	-	1	-	-	9	-
27	Nicholas	157	-	-	1	1	-	3	3	-	2	-	-	16	-
28	Ohio	888	-	3	-	-	-	32	-	-	5	-	1	117	3
29	Wheeling	795	-	3	-	-	-	27	-	-	5	-	1	108	3
30	Balance of county	93	-	-	-	-	-	5	-	-	-	-	-	9	-
31	Pendleton	84	1	-	-	-	-	7	-	-	-	-	-	10	1
32	Pleasants	58	-	-	-	-	-	-	-	-	-	-	-	7	-
33	Pocahontas	126	-	-	-	-	-	12	-	-	-	-	-	25	-
34	Preston	266	1	-	-	-	-	18	-	-	-	-	-	27	-
35	Putnam	132	-	-	-	-	-	4	-	-	-	-	-	10	1
36	Raleigh	674	-	3	-	3	1	45	9	-	5	-	-	56	-
37	Beckley	176	-	1	-	-	-	18	2	-	2	-	-	18	-
38	Balance of county	498	-	2	-	3	1	27	7	-	3	-	-	38	-
39	Randolph	276	-	-	-	2	2	9	-	-	-	-	-	25	1
40	Ritchie	121	-	-	-	-	-	5	-	-	1	-	-	20	-
41	Roane	229	-	-	-	-	1	13	-	-	27	-	-	15	-
42	Summers	177	-	-	-	-	-	9	2	-	1	-	-	20	1
43	Taylor	221	-	1	-	-	-	5	-	-	1	-	-	25	-
44	Tucker	114	-	-	-	-	-	1	-	-	-	-	-	12	-
45	Tyler	114	-	-	-	-	1	-	-	-	-	1	-	10	-
46	Upshur	200	-	-	-	-	-	5	1	-	1	-	1	24	1
47	Wayne	257	-	2	1	2	-	11	1	-	6	-	1	16	-
48	Huntington (part)	38	-	1	-	-	-	1	-	-	-	-	-	2	-
49	Balance of county	219	-	1	1	2	-	10	1	-	6	-	1	14	-
50	Webster	128	1	-	-	1	-	1	-	-	3	-	-	15	1
51	Wetzel	201	-	-	-	-	-	2	-	-	2	-	-	25	-
52	Wirt	52	-	-	-	1	-	3	-	-	-	-	-	4	-
53	Wood	653	-	-	-	1	1	17	-	-	4	-	1	54	-
54	Parkersburg	474	-	-	-	-	1	13	-	-	4	-	1	42	-
55	Balance of county	179	-	-	-	1	-	4	-	-	-	-	-	12	-
56	Wyoming	198	1	-	-	1	-	8	3	-	4	-	-	9	-
57	WISCONSIN	32,066	2	32	9	17	13	668	5	-	188	1	56	4,540	32
58	Adams	66	-	-	-	-	-	1	-	-	-	-	-	8	-
59	Ashland	256	-	-	-	1	-	12	-	-	1	-	-	35	-
60	Ashland	157	-	-	-	-	-	4	-	-	-	-	-	21	-
61	Balance of county	99	-	-	-	1	-	8	-	-	1	-	-	14	-
62	Barron	345	-	-	-	-	-	3	-	-	1	-	-	57	-
63	Bayfield	170	-	-	-	-	-	6	-	-	1	-	-	32	-
64	Brown	731	-	1	-	1	-	12	-	-	5	-	-	91	1
65	Green Bay	455	-	-	-	-	-	6	-	-	4	-	-	59	-
66	Balance of county	276	-	1	-	1	-	6	-	-	1	-	-	32	1
67	Buffalo	167	-	-	-	-	1	2	-	-	-	-	-	20	-
68	Burnett	99	-	-	-	-	-	3	-	-	-	-	-	16	-
69	Calumet	158	-	-	-	-	-	-	-	-	1	-	-	28	-
70	Chippewa	414	-	-	2	-	-	8	-	-	2	-	1	47	-
71	Chippewa Falls	146	-	-	2	-	-	1	-	-	1	-	-	19	-
72	Balance of county	268	-	-	-	-	-	7	-	-	1	-	1	28	-
73	Clark	302	-	-	-	-	-	5	-	-	-	-	-	37	-
74	Columbia	395	-	-	-	-	-	6	-	-	-	-	-	60	-
75	Crawford	180	-	-	-	-	-	-	-	-	1	-	-	18	-
76	Dane	1,417	-	-	1	-	-	25	-	-	20	-	-	164	3
77	Madison	688	-	-	1	-	-	13	-	-	3	-	-	88	3
78	Balance of county	729	-	-	-	-	-	12	-	-	17	-	-	76	-
79	Dodge	548	-	-	-	-	-	8	-	-	1	-	-	72	1
80	Beaver Dam	104	-	-	-	-	-	3	-	-	-	-	-	13	-
81	Watertown (part)	26	-	-	-	-	-	-	-	-	-	-	-	5	-
82	Balance of county	418	-	-	-	-	-	5	-	-	1	-	-	54	1
83	Door	162	-	-	1	-	-	1	-	-	-	-	-	24	-
84	Douglas	578	-	-	-	2	-	25	-	-	2	-	-	79	1
85	Superior	446	-	-	-	2	-	10	-	-	-	-	-	62	1
86	Balance of county	132	-	-	-	-	-	15	-	-	2	-	-	17	-
87	Dunn	264	1	-	-	-	1	3	1	-	-	-	-	35	-
88	Eau Claire	433	-	-	-	-	-	1	-	-	4	-	-	69	-
89	Eau Claire	285	-	-	-	-	-	1	-	-	3	-	-	46	-
90	Balance of county	148	-	-	-	-	-	-	-	-	1	-	-	23	-

[10] Includes data for Bluefield, W. Va., only.

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
3	-	16	46	5	5	30	-	1	-	-	7	5	7	20	1
35	-	127	352	125	84	89	5	147	6	8	35	114	86	201	2
20	-	61	179	58	38	44	3	64	3	6	19	42	41	91	3
-	-	8	17	3	10	3	-	9	-	-	2	4	4	10	4
15	-	58	156	64	36	42	2	74	3	2	14	68	41	100	5
3	-	37	65	21	-	13	-	5	8	1	2	9	3	67	6
1	-	10	37	14	2	5	3	15	2	-	-	7	21	14	7
10	-	34	66	28	23	11	1	52	4	7	12	79	33	52	8
10	-	41	131	43	28	34	5	79	4	11	14	82	32	100	9
12	-	49	158	41	10	31	3	35	2	1	11	33	13	71	10
5	-	31	77	19	2	11	3	23	1	-	2	11	8	38	11
7	-	18	81	22	8	20	-	12	1	1	9	22	5	33	12
7	-	44	100	16	-	19	-	15	5	2	11	16	3	46	13
4	-	17	45	6	-	6	-	6	2	1	4	6	2	24	14
3	-	27	55	10	-	13	-	9	3	1	7	10	1	22	15
2	-	17	53	14	4	17	-	7	-	-	4	17	11	35	16
13	-	41	138	41	14	38	2	35	5	6	16	33	37	61	17
6	-	13	53	14	3	15	1	16	3	1	4	12	10	26	18
7	-	28	85	27	11	23	1	19	2	5	12	21	27	35	19
8	-	18	74	15	2	29	-	13	1	-	7	21	2	23	20
4	-	23	48	23	9	11	2	27	2	3	9	35	12	37	21
10	-	57	143	26	8	20	3	24	3	2	7	39	21	52	22
5	-	34	80	12	4	8	3	12	1	1	-	16	13	32	23
5	-	23	63	14	4	12	-	12	2	1	7	23	8	20	24
-	-	10	29	8	1	12	-	8	1	-	2	3	9	12	25
2	-	12	25	5	2	4	-	-	1	-	-	1	-	5	26
1	-	18	29	10	6	12	2	13	1	-	3	7	11	18	27
26	-	101	271	34	21	92	1	34	5	1	14	34	1	92	28
21	-	88	245	28	18	83	1	30	5	1	11	31	1	85	29
5	-	13	26	6	3	9	-	4	-	-	3	3	-	7	30
1	-	4	21	7	-	6	-	7	-	-	-	4	4	11	31
4	-	12	16	2	-	4	1	2	-	-	1	3	-	6	32
-	-	18	24	2	1	9	-	6	3	-	2	7	4	13	33
9	-	30	59	20	3	10	1	13	-	-	4	20	10	41	34
3	-	11	34	12	2	6	-	7	1	1	2	9	7	22	35
18	-	43	111	49	23	42	5	76	15	9	19	56	23	63	36
6	-	10	27	9	3	9	-	24	4	1	5	12	4	21	37
12	-	33	84	40	20	33	5	52	11	8	14	44	19	42	38
5	-	35	64	8	2	21	1	12	5	1	3	17	34	29	39
4	-	10	31	6	2	9	-	2	2	-	-	5	9	15	40
3	-	19	45	12	2	16	1	7	4	2	1	13	16	32	41
2	-	20	40	14	4	20	-	12	1	1	1	5	8	16	42
8	-	29	61	10	2	12	-	11	3	1	4	20	7	21	43
4	-	15	23	5	-	11	-	6	2	-	4	5	7	19	44
5	-	11	35	9	1	14	-	3	1	-	1	4	1	17	45
5	-	27	53	9	1	12	-	10	2	-	3	7	19	19	46
4	-	24	60	10	2	12	4	21	-	2	7	13	33	25	47
-	-	4	13	2	1	1	-	6	-	-	-	1	-	6	48
4	-	20	47	8	1	11	4	15	-	2	7	12	33	19	49
-	-	8	23	6	5	5	1	6	5	2	4	11	18	12	50
7	-	25	41	9	1	17	-	6	3	-	9	19	9	26	51
1	-	8	13	7	-	1	-	3	-	-	1	3	3	4	52
10	-	82	181	31	10	55	3	38	8	3	9	49	18	78	53
9	-	56	124	25	4	33	1	31	7	3	4	38	13	65	54
1	-	26	57	6	6	22	2	7	1	-	5	11	5	13	55
3	-	21	32	13	12	10	1	13	6	3	1	14	12	31	56
994	3	3,296	10,413	1,341	131	1,725	85	1,434	417	47	637	1,547	382	4,051	57
-	-	7	24	7	-	-	-	3	1	-	-	4	1	10	58
10	-	30	73	9	-	14	-	14	4	2	3	9	4	35	59
7	-	21	51	4	-	10	-	11	3	2	1	3	2	17	60
3	-	9	22	5	-	4	-	3	1	-	2	6	2	18	61
15	-	42	103	13	2	10	3	17	2	-	9	17	12	39	62
6	-	11	41	7	1	10	-	9	3	-	5	10	2	26	63
12	-	80	205	24	9	25	3	66	7	-	28	37	11	113	64
7	-	50	133	14	8	15	1	34	5	-	16	23	7	73	65
5	-	30	72	10	1	10	2	32	2	-	12	14	4	40	66
4	-	19	52	13	1	7	1	5	3	-	4	6	2	27	67
2	-	21	25	8	-	1	1	1	1	-	1	2	3	14	68
3	-	17	43	3	3	13	-	4	3	-	1	10	2	27	69
12	-	55	102	30	4	11	2	25	3	-	8	19	9	74	70
7	-	21	37	3	-	4	1	10	2	-	5	5	3	25	71
5	-	34	65	27	4	7	1	15	1	-	3	14	6	49	72
6	-	44	97	12	-	13	1	11	6	-	5	17	7	41	73
12	-	41	116	20	1	25	1	21	5	-	3	22	4	58	74
6	-	16	70	9	-	10	2	11	1	-	7	8	1	20	75
40	1	122	483	75	7	90	3	67	22	3	32	77	10	172	76
19	1	66	210	30	3	45	-	43	9	-	19	35	2	98	77
21	-	56	273	45	4	45	3	24	13	3	13	42	8	74	78
19	-	63	187	18	6	39	1	18	9	1	10	27	8	60	79
5	-	17	27	4	1	9	-	4	4	-	-	5	1	11	80
-	-	2	11	-	-	3	-	-	-	-	1	1	-	3	81
14	-	44	149	14	5	27	1	14	5	1	9	21	7	46	82
6	-	19	48	8	-	11	-	14	1	-	5	6	2	16	83
11	-	61	200	22	1	15	2	35	9	1	18	38	2	54	84
8	-	45	165	18	1	13	1	25	7	-	11	28	2	47	85
3	-	16	35	4	-	2	1	10	2	1	7	10	-	7	86
6	-	28	62	17	1	31	2	15	4	-	1	19	3	34	87
13	-	43	150	26	3	30	2	17	3	-	4	24	6	38	88
10	-	31	104	15	-	18	-	10	3	-	1	17	4	22	89
3	-	12	46	11	3	12	2	7	-	-	3	7	2	16	90

TABLE 29.-DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	59
	WISCONSIN—Continued														
1	Florence	25	-	-	-	-	-	-	-	-	-	-	-	4	2
2	Fond du Lac	666	-	-	-	1	-	8	-	-	2	-	-	110	-
3	Fond du Lac	311	-	-	-	1	-	5	-	-	1	-	-	55	-
4	Balance of county	355	-	-	-	-	-	3	-	-	1	-	-	55	-
5	Forest	82	-	-	-	-	-	2	-	-	-	-	-	10	-
6	Grant	438	-	-	-	1	1	2	-	-	-	-	-	55	2
7	Green	255	-	-	-	-	-	3	-	-	1	-	-	46	-
8	Green Lake	144	-	-	-	-	-	1	-	-	-	-	1	19	-
9	Iowa	206	1	-	-	-	-	-	-	-	-	-	1	33	-
10	Iron	114	-	2	-	-	-	6	-	-	1	-	-	16	-
11	Jackson	167	-	-	-	-	-	1	-	-	-	-	-	26	-
12	Jefferson	462	-	-	-	-	-	7	-	-	2	-	2	63	1
13	Watertown (part)	112	-	-	-	-	-	2	-	-	1	-	-	13	-
14	Watertown (total)	138	-	-	-	-	-	2	-	-	1	-	-	18	-
15	Balance of county	350	-	-	-	-	-	5	-	-	1	-	2	50	1
16	Juneau	191	-	-	-	-	-	2	-	-	-	-	2	26	-
17	Kenosha	581	-	3	-	-	-	12	-	-	2	-	1	63	-
18	Kenosha	444	-	1	-	-	-	11	-	-	1	-	1	48	-
19	Balance of county	137	-	2	-	-	-	1	-	-	1	-	-	15	-
20	Kewaunee	154	-	-	-	-	-	2	-	-	1	-	-	19	-
21	La Crosse	630	-	-	-	-	2	10	-	-	5	-	8	73	1
22	La Crosse	452	-	-	-	-	2	9	-	-	3	-	5	51	-
23	Balance of county	178	-	-	-	-	-	1	-	-	2	-	3	22	1
24	Lafayette	171	-	-	-	-	-	3	-	-	-	-	-	19	-
25	Langlade	206	-	-	-	-	-	2	-	-	-	-	4	30	-
26	Lincoln	239	-	1	-	-	-	5	-	-	1	-	4	40	-
27	Manitowoc	605	-	-	-	-	-	21	-	-	2	-	-	95	1
28	Manitowoc	264	-	-	-	-	-	7	-	-	2	-	-	38	1
29	Two Rivers	90	-	-	-	-	-	5	-	-	-	-	-	12	-
30	Balance of county	251	-	-	-	-	-	9	-	-	-	-	-	45	-
31	Marathon	643	-	-	-	3	-	8	1	-	2	-	-	92	1
32	Wausau	316	-	-	-	-	-	4	-	-	2	-	-	50	1
33	Balance of county	327	-	-	-	3	-	4	1	-	-	-	-	42	-
34	Marinette	339	-	-	-	-	-	7	-	-	2	-	-	42	-
35	Marinette	153	-	-	-	-	-	3	-	-	-	-	-	25	-
36	Balance of county	186	-	-	-	-	-	4	-	-	2	-	-	17	-
37	Marquette	101	-	-	-	-	-	4	-	-	-	-	-	12	-
38	Milwaukee	8,045	-	17	1	-	2	252	-	-	75	-	15	1,287	10
39	Cudahy	58	-	-	-	-	-	3	-	-	1	-	-	7	-
40	Milwaukee	6,446	-	15	1	-	1	216	-	-	49	-	12	1,053	9
41	Shorewood	98	-	-	-	-	-	2	-	-	1	-	1	21	-
42	South Milwaukee	87	-	-	-	-	-	3	-	-	-	-	-	14	-
43	Wauwatosa	242	-	-	-	-	-	1	-	-	-	-	1	40	1
44	West Allis	284	-	1	-	-	1	8	-	-	2	-	1	47	-
45	Balance of county	830	-	1	-	-	-	19	-	-	22	-	-	105	-
46	Monroe	349	-	-	-	-	-	10	-	-	-	1	-	39	-
47	Oconto	235	-	-	-	-	-	2	-	-	1	-	-	28	-
48	Oneida	158	-	-	-	-	-	5	-	-	1	-	-	28	-
49	Outagamie	659	-	-	-	-	1	12	1	-	3	-	-	96	-
50	Appleton	329	-	-	-	-	1	6	1	-	2	-	-	55	-
51	Balance of county	330	-	-	-	-	-	6	-	-	1	-	-	41	-
52	Ozaukee	194	-	-	-	-	-	6	-	-	-	-	2	26	-
53	Pepin	64	-	-	-	-	-	1	-	-	-	-	-	5	-
54	Pierce	238	-	1	-	-	-	3	-	-	-	-	-	34	-
55	Polk	250	-	-	-	-	-	5	-	-	1	-	-	30	-
56	Portage	318	-	-	-	1	1	8	1	-	1	-	-	45	1
57	Stevens Point	154	-	-	-	-	-	4	-	-	1	-	-	21	1
58	Balance of county	164	-	-	-	1	1	4	1	-	-	-	-	24	-
59	Price	171	-	-	-	-	-	1	-	-	2	-	-	21	-
60	Racine	1,001	-	4	2	3	-	23	-	-	7	-	-	137	1
61	Racine	712	-	4	2	2	-	12	-	-	5	-	-	107	-
62	Balance of county	289	-	-	-	1	-	11	-	-	2	-	-	30	1
63	Richland	183	-	-	1	-	-	-	1	-	-	-	-	19	-
64	Rock	883	-	-	-	-	-	16	-	-	4	-	2	124	2
65	Beloit	288	-	-	-	-	-	9	-	-	-	-	1	42	1
66	Janesville	254	-	-	-	-	-	5	-	-	2	-	-	37	-
67	Balance of county	341	-	-	-	-	-	2	-	-	2	-	1	45	1
68	Rusk	142	-	-	-	-	-	4	-	-	-	-	-	19	-
69	St. Croix	263	-	-	-	-	-	1	-	-	-	-	2	37	-
70	Sauk	387	-	-	1	-	-	3	-	-	1	-	-	49	-
71	Sawyer	118	-	-	-	1	-	4	-	-	2	-	-	17	-
72	Shawano	350	-	-	-	-	-	7	-	-	3	-	-	47	-
73	Sheboygan	704	-	-	-	-	-	10	-	-	3	-	-	101	-
74	Sheboygan	381	-	-	-	-	-	8	-	-	2	-	-	49	-
75	Balance of county	323	-	-	-	-	-	2	-	-	1	-	-	52	-
76	Taylor	148	-	1	-	-	-	5	-	-	-	-	-	16	-
77	Trempealeau	239	-	-	-	-	-	5	-	-	1	-	1	26	1
78	Vernon	266	-	-	-	-	2	3	-	-	-	-	-	32	-
79	Vilas	69	-	-	-	1	-	1	-	-	-	-	-	10	-
80	Walworth	444	-	-	-	-	-	5	-	-	1	-	2	54	-
81	Washburn	86	-	-	-	-	-	1	-	-	-	-	1	9	1
82	Washington	318	-	-	-	-	-	6	-	-	2	-	5	58	-
83	Waukesha	747	-	-	-	-	-	15	-	-	3	-	1	112	-
84	Waukesha	219	-	-	-	-	-	11	-	-	1	-	-	31	-
85	Balance of county	528	-	-	-	-	-	4	-	-	2	-	1	81	-
86	Waupaca	398	-	1	-	-	-	5	-	-	1	-	1	50	-
87	Waushara	157	-	-	-	-	-	1	-	-	-	-	-	20	-
88	Winnebago	970	-	-	-	-	1	16	-	-	14	-	-	119	1
89	Menasha	82	-	-	-	-	-	-	-	-	1	-	-	11	-
90	Neenah	125	-	-	-	-	-	3	-	-	-	-	-	16	-
91	Oshkosh	440	-	-	-	-	-	4	-	-	3	-	-	61	1
92	Balance of county	323	-	-	-	-	1	9	-	-	10	-	-	31	-

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
2	-	5	5	-	-	-	-	-	-	-	2	2	-	3	1
18	-	75	220	13	4	52	2	25	9	1	9	28	9	80	2
11	-	41	92	3	2	33	2	12	2	-	5	14	4	28	3
7	-	34	128	10	2	19	-	13	7	1	4	14	5	52	4
2	-	9	25	6	-	4	-	7	1	-	3	4	2	7	5
12	-	43	131	23	1	38	-	17	5	-	6	30	10	51	6
4	-	29	73	8	2	22	-	4	5	-	7	17	1	33	7
6	-	16	32	5	-	16	2	2	2	-	2	4	5	31	8
4	-	21	64	11	2	15	-	5	5	1	2	13	6	22	9
1	-	11	37	2	-	3	-	4	5	-	1	10	5	10	10
4	-	20	52	10	-	8	-	8	-	-	4	4	15	15	11
16	-	45	161	11	3	33	-	13	5	-	5	23	5	67	12
3	-	11	33	2	1	16	-	4	1	-	3	5	1	16	13
3	-	13	44	2	1	19	-	4	1	-	4	6	1	19	14
13	-	34	128	9	2	17	-	9	4	-	2	18	4	51	15
6	-	14	77	13	1	17	-	5	2	-	1	9	2	14	16
25	-	47	188	22	1	50	-	27	17	3	21	22	4	73	17
20	-	36	144	17	1	39	-	19	14	3	11	17	3	58	18
5	-	11	44	5	-	11	-	8	3	-	10	5	1	15	19
6	-	24	40	4	-	13	-	7	5	-	1	8	7	17	20
28	-	78	210	18	2	45	3	27	6	1	6	24	9	74	21
23	-	49	145	15	1	37	2	18	6	-	6	14	8	58	22
5	-	29	65	3	1	8	1	9	-	1	-	10	1	16	23
4	-	27	59	6	-	10	-	5	3	-	1	11	1	22	24
5	-	24	43	20	3	16	-	11	1	2	3	14	5	23	25
2	-	26	68	8	2	9	1	7	3	1	5	11	7	38	26
18	-	68	172	22	3	38	6	29	8	2	13	33	9	65	27
6	-	23	92	9	1	20	2	11	3	-	5	13	4	27	28
2	-	9	23	5	1	4	1	8	-	-	3	3	-	14	29
10	-	36	57	8	1	14	3	10	5	2	5	17	5	24	30
18	-	79	197	20	1	30	4	38	5	1	19	21	12	91	31
8	-	45	95	3	-	19	2	13	4	1	5	13	6	45	32
10	-	34	102	17	1	11	2	25	1	-	14	8	6	46	33
11	-	42	113	11	2	11	-	9	4	-	7	24	8	46	34
6	-	19	38	4	1	7	-	6	2	-	2	10	5	25	35
5	-	23	75	7	1	4	-	3	2	-	5	14	3	21	36
1	-	18	31	4	-	7	-	1	-	-	2	4	2	15	37
293	1	697	2,858	307	28	315	22	347	103	13	112	320	19	951	38
3	-	5	17	3	-	1	-	6	2	-	2	2	-	6	39
233	1	532	2,239	261	22	237	18	279	82	12	83	255	13	793	40
7	-	10	32	2	-	3	-	2	-	-	2	4	2	9	41
2	-	8	33	-	-	1	1	2	4	-	1	4	1	13	42
10	-	28	91	6	2	2	1	12	5	-	4	8	2	28	43
9	-	23	96	9	2	14	2	20	2	-	8	12	-	27	44
29	-	91	350	26	2	27	-	26	8	1	12	35	1	75	45
14	-	37	112	19	1	16	-	23	1	-	6	23	3	44	46
8	-	17	78	18	-	3	-	11	6	-	9	5	11	38	47
8	-	13	39	2	1	20	1	6	3	1	3	9	4	14	48
29	-	73	196	32	4	40	1	29	7	1	17	29	3	85	49
10	-	36	101	13	-	26	1	14	3	-	5	12	2	41	50
19	-	37	95	19	4	14	-	15	4	1	12	17	1	44	51
4	-	20	51	6	1	17	-	11	6	-	9	10	2	23	52
1	-	8	18	6	-	3	-	4	1	-	2	5	1	9	53
6	-	34	67	8	4	18	1	7	3	-	6	8	9	29	54
8	-	40	80	4	-	22	1	14	3	-	1	10	4	27	55
12	-	30	102	12	1	17	1	19	4	-	4	15	2	41	56
8	-	11	52	4	1	7	1	12	2	-	-	8	1	20	57
4	-	19	50	8	-	10	-	7	2	-	4	7	1	21	58
5	-	10	64	6	2	11	1	4	6	-	3	12	1	22	59
25	-	88	328	47	2	60	-	38	15	3	34	46	2	136	60
19	-	68	237	26	1	37	-	29	9	3	26	31	2	92	61
6	-	20	91	21	1	23	-	9	6	-	8	15	-	44	62
8	-	32	59	14	-	9	-	8	2	-	3	9	1	17	63
18	-	86	295	43	4	55	1	40	7	1	13	42	9	121	64
5	-	33	89	14	1	16	-	14	4	1	4	10	2	42	65
4	-	18	96	12	2	17	-	11	2	-	1	9	3	35	66
9	-	35	110	17	1	22	1	15	1	-	8	23	4	44	67
6	-	18	39	5	-	8	-	10	1	-	3	8	4	17	68
6	-	34	68	15	1	10	-	13	3	-	10	11	6	46	69
8	-	32	110	15	2	16	-	15	7	1	11	27	12	77	70
4	-	10	40	4	1	6	-	4	3	1	6	5	1	9	71
15	-	33	101	20	1	26	1	12	3	-	9	20	3	49	72
15	-	88	227	29	4	27	1	28	6	-	13	43	10	99	73
8	-	47	131	12	2	14	-	16	1	-	7	28	8	48	74
7	-	41	96	17	2	13	1	12	5	-	6	15	2	51	75
3	-	17	38	6	1	8	1	12	5	1	3	11	2	18	76
3	-	16	70	19	1	10	1	13	5	-	4	15	9	39	77
5	-	27	74	8	1	17	-	23	2	-	4	15	12	41	78
1	-	2	21	4	-	8	-	2	1	-	2	10	1	5	79
16	-	43	169	11	1	25	-	10	6	-	10	28	4	59	80
2	-	15	27	5	-	4	-	4	1	-	2	5	-	9	81
9	-	31	85	14	1	15	-	14	3	-	10	22	-	43	82
23	1	81	251	31	2	31	2	35	5	3	24	37	10	80	83
9	1	24	70	6	-	9	1	12	-	3	10	10	4	17	84
14	-	57	181	25	2	22	1	23	5	-	14	27	6	63	85
8	-	39	162	17	-	15	1	16	2	-	12	15	12	41	86
3	-	25	43	9	-	12	1	5	-	-	6	5	-	27	87
34	-	116	330	38	1	67	4	29	16	2	15	41	7	119	88
4	-	13	17	2	1	5	1	2	-	-	1	7	1	16	89
5	-	15	48	6	-	1	-	5	3	-	1	10	-	12	90
14	-	59	155	11	-	27	1	15	7	1	7	15	5	54	91
11	-	29	110	19	-	34	2	7	6	1	6	9	1	37	92

747801 O - 47 - 39

TABLE 29.–DEATHS FROM SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY, AND

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas. Numbers

	AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever
			1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58
	WISCONSIN—Continued														
1	Wood	408	-	1	-	2	1	5	-	-	2	-	-	60	1
2	Marshfield	107	-	1	-	-	-	1	-	-	-	-	-	12	1
3	Wisconsin Rapids	118	-	-	-	2	1	1	-	-	-	-	-	20	-
4	Balance of county	183	-	-	-	-	-	3	-	-	2	-	-	28	-
5	WYOMING	2,234	3	8	-	6	2	27	4	-	34	2	2	244	4
6	Albany	148	-	1	-	2	-	1	-	-	-	-	1	18	-
7	Laramie	124	-	1	-	2	-	1	-	-	-	-	1	15	-
8	Balance of county	24	-	-	-	-	-	-	-	-	-	-	-	3	-
9	Big Horn	88	-	1	-	-	-	2	-	-	-	-	-	6	-
10	Campbell	39	-	-	-	-	-	-	-	-	-	-	-	3	-
11	Carbon	136	-	1	-	1	-	-	1	-	2	-	-	8	-
12	Converse	49	-	-	-	-	-	-	-	-	-	-	-	9	-
13	Crook	37	-	-	-	-	-	-	-	-	-	1	-	3	-
14	Fremont	142	-	-	-	1	-	5	1	-	3	-	-	11	-
15	Goshen	82	-	-	-	-	-	-	-	-	-	-	-	16	-
16	Hot Springs	46	-	-	-	-	-	1	-	-	-	1	-	3	-
17	Johnson	41	-	-	-	-	-	-	-	-	-	-	-	2	1
18	Laramie	268	-	1	-	2	1	2	-	-	-	-	1	35	-
19	Cheyenne	208	-	-	-	2	1	2	-	-	-	-	1	27	-
20	Balance of county	60	-	1	-	-	-	-	-	-	-	-	-	8	-
21	Lincoln	80	-	-	-	-	-	1	-	-	-	-	-	8	-
22	Natrona	228	1	-	-	-	-	2	-	-	4	-	-	33	1
23	Casper	203	1	-	-	-	-	2	-	-	3	-	-	30	1
24	Balance of county	25	-	-	-	-	-	-	-	-	1	-	-	3	-
25	Niobrara	35	-	-	-	-	-	1	-	-	-	-	-	5	1
26	Park	118	-	-	-	-	-	2	-	-	2	-	-	21	-
27	Platte	78	-	1	-	-	-	3	-	-	1	-	-	3	-
28	Sheridan	176	-	2	-	-	-	3	-	-	9	-	-	15	-
29	Sheridan	124	-	1	-	-	-	1	-	-	-	-	-	12	-
30	Balance of county	52	-	1	-	-	-	2	-	-	9	-	-	3	-
31	Sublette	22	-	-	-	-	-	-	-	-	-	-	-	3	-
32	Sweetwater	210	2	1	-	-	-	-	2	-	3	-	-	22	-
33	Teton	13	-	-	-	-	-	-	-	-	-	-	-	2	-
34	Uinta	110	-	-	-	-	-	1	-	-	9	-	-	4	1
35	Washakie	51	-	-	-	-	1	2	-	-	1	-	-	10	-
36	Weston	36	-	-	-	-	-	1	-	-	-	-	-	4	-
37	Yellowstone National Park (part)	1	-	-	-	-	-	-	-	-	-	-	-	-	-
38	Yellowstone National Park (total)	2	-	-	-	-	-	-	-	-	-	-	-	-	-

NOTE.—Certain cities listed in this table are located in more than one county. *In these cases, figures for the county include only the figures for that part of the* Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise,

EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

under causes of death are those of the detailed International List of Causes of Death, 1938 revision]

Diabetes mellitus 61	Pellagra (except alcoholic) 69	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Diarrhea, enteritis, and ulceration of intestines 119,120	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162, 199,200	All other causes	
18	-	44	132	9	-	22	2	24	3	1	7	18	5	51	1
7	-	16	27	1	-	6	1	8	-	-	1	2	1	22	2
3	-	13	41	2	-	9	-	8	2	-	1	7	2	6	3
8	-	15	64	6	-	7	1	8	1	1	5	9	2	23	4
39	-	165	618	114	15	146	5	144	32	14	58	190	49	309	5
6	-	9	32	8	-	13	1	13	5	-	3	8	7	20	6
4	-	7	26	7	-	10	1	12	5	-	3	6	5	18	7
2	-	2	6	1	-	3	-	1	-	-	-	2	2	2	8
1	-	6	30	8	-	2	-	4	1	1	1	9	4	12	9
1	-	5	9	-	-	2	-	1	-	-	1	4	4	9	10
3	-	4	44	4	1	7	-	10	4	4	4	15	6	17	11
-	-	3	17	1	-	6	-	3	-	-	1	2	-	7	12
-	-	8	13	4	-	4	-	2	-	-	-	1	-	1	13
5	-	7	30	13	1	7	-	3	2	1	4	19	3	26	14
-	-	13	14	2	-	4	1	6	-	-	2	11	3	10	15
-	-	8	12	-	-	2	-	4	1	-	1	3	2	8	16
-	-	3	19	2	-	3	-	4	1	1	-	2	-	3	17
5	-	12	79	16	4	15	1	30	4	1	7	12	1	39	18
4	-	7	69	12	4	9	-	22	4	-	5	8	1	30	19
1	-	5	10	4	-	6	1	8	-	1	2	4	-	9	20
3	-	11	19	4	-	4	-	2	1	-	2	11	5	9	21
4	-	12	62	4	3	22	-	12	3	1	4	20	1	39	22
4	-	11	59	3	3	20	-	11	3	1	3	12	-	36	23
-	-	1	3	1	-	2	-	1	-	-	1	8	1	3	24
1	-	1	6	-	-	6	-	4	-	-	1	-	-	9	25
3	-	15	27	2	-	11	-	6	1	1	5	9	-	13	26
1	-	4	23	2	2	14	-	5	-	-	2	7	-	10	27
1	-	17	63	9	-	7	-	3	4	1	4	12	-	26	28
-	-	15	44	8	-	5	-	1	3	-	4	7	-	23	29
1	-	2	19	1	-	2	-	2	1	1	-	5	-	3	30
-	-	3	7	-	-	-	-	2	1	-	-	3	-	3	31
2	-	8	57	21	3	2	1	20	2	2	13	26	1	22	32
-	-	1	3	1	-	-	-	1	1	-	-	1	-	3	33
1	-	10	31	4	1	8	1	5	1	1	3	8	6	15	34
1	-	-	11	6	-	4	-	3	-	-	-	3	4	5	35
1	-	5	10	3	-	3	-	1	-	-	-	3	2	3	36
-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	37
-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	38

city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky total figures for Yellowstone National Park are shown under Wyoming.

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES. EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
UNITED STATES	1,401,719	752,510	550,930	78,714	19,565
ALABAMA	25,513	17,918	6,600	752	243
Autauga	182	141	31	8	2
Baldwin	303	228	64	-	11
Barbour	291	249	42	-	-
Bibb	146	102	44	-	-
Blount	187	156	30	1	-
Bullock	186	172	13	-	1
Butler	213	163	47	-	3
Calhoun	571	407	161	-	3
Anniston	254	178	76	-	-
Balance of county	317	229	85	-	3
Chambers	332	267	65	-	-
Cherokee	118	95	21	-	2
Chilton	220	167	51	-	2
Choctaw	161	115	46	-	-
Clarke	204	176	27	-	1
Clay	125	108	17	-	-
Cleburne	75	70	5	-	-
Coffee	154	123	31	-	-
Colbert	294	208	86	-	-
Conecuh	189	161	28	-	-
Coosa	85	65	19	-	1
Covington	274	189	84	-	1
Crenshaw	150	115	32	-	3
Cullman	269	190	78	-	1
Dale	189	134	55	-	-
Dallas	673	505	168	-	-
Selma	282	199	83	-	-
Balance of county	391	306	85	-	-
De Kalb	286	243	38	-	5
Elmore	289	233	53	1	2
Escambia	274	211	48	5	10
Etowah	585	448	118	-	19
Gadsden	345	261	73	-	11
Balance of county	240	187	45	-	8
Fayette	123	104	18	-	1
Franklin	178	140	35	-	3
Geneva	165	130	35	-	-
Greene	155	148	15	-	2
Hale	236	213	22	-	1
Henry	159	134	25	-	-
Houston	354	268	86	-	-
Dothan	161	114	47	-	-
Balance of county	193	154	39	-	-
Jackson	279	232	46	-	1
Jefferson	4,816	2,854	1,887	51	24
Bessemer	293	205	88	-	-
Birmingham	3,026	1,720	1,280	5	21
Fairfield	99	57	42	-	-
Balance of county	1,398	872	477	46	3
Lamar	137	106	31	-	-
Lauderdale	386	278	106	-	2
Florence	185	131	53	-	1
Balance of county	201	147	53	-	1
Lawrence	171	146	25	-	-
Lee	362	314	47	-	1
Limestone	260	209	49	-	2
Lowndes	196	176	16	-	4
Macon	327	192	135	-	-
Madison	645	512	131	-	2
Huntsville	288	219	68	-	1
Balance of county	357	293	63	-	1
Marengo	283	241	25	-	17
Marion	159	125	30	-	4
Marshall	269	215	53	-	1
Mobile	2,234	1,136	816	253	29
Mobile	1,187	641	503	18	25
Balance of county	1,047	495	313	235	4
Monroe	221	192	29	-	-
Montgomery	1,314	910	340	29	35
Montgomery	976	681	269	1	25
Balance of county	338	229	71	28	10
Morgan	351	263	88	-	-
Decatur	147	106	41	-	-
Balance of county	204	157	47	-	-
Perry	202	172	29	-	1
Pickens	170	144	26	-	-
Pike	291	232	59	-	-
Randolph	183	147	34	-	2
Russell	371	280	90	-	1
Phenix City	182	128	53	-	1
Balance of county	189	152	37	-	-
St. Clair	226	172	53	-	1
Shelby	241	195	43	-	3
Sumter	284	249	33	-	2
Talladega	501	333	161	1	6
Tallapoosa	270	215	53	-	2
Tuscaloosa	1,035	425	205	403	2
Tuscaloosa	597	175	113	308	1
Balance of county	438	250	92	95	1
Walker	474	305	169	-	-
Washington	111	100	11	-	-
Wilcox	233	206	27	-	-
Winston	106	64	15	-	27
ARIZONA	6,091	2,850	2,860	186	195
Apache	220	81	138	-	1
Cochise	348	131	215	-	2
Coconino	185	65	110	-	10
Gila	250	124	122	-	4
Graham	79	50	25	-	4
Greenlee	74	39	35	-	-
Maricopa	2,517	1,240	1,085	141	51
Phoenix	1,410	713	683	3	11
Balance of county	1,107	527	402	138	40
Mohave	87	33	52	1	1
Navajo	288	135	124	-	29
Pima	991	489	467	-	35
Tucson	654	395	249	-	10
Balance of county	337	94	218	-	25
Pinal	385	180	176	8	21
Santa Cruz	83	46	35	-	2
Yavapai	280	110	100	36	34
Yuma	304	127	176	-	1
ARKANSAS	14,703	10,036	3,747	701	219
Arkansas	158	121	37	-	-
Ashley	182	153	29	-	-
Baxter	67	53	13	-	1
Benton	360	237	87	6	30
Boone	116	101	15	-	-
Bradley	117	97	20	-	-
Calhoun	41	37	4	-	-
Carroll	120	107	8	-	5
Chicot	186	138	48	-	-
Clark	189	157	29	-	3
Clay	183	147	35	-	1
Cleburne	74	45	27	-	2
Cleveland	74	58	15	-	1
Columbia	178	126	51	-	1
Conway	168	130	37	-	1
Craighead	341	209	131	-	1
Jonesboro	151	83	68	-	-
Balance of county	190	126	63	-	1
Crawford	173	128	43	-	2
Crittenden	392	325	64	-	3
Cross	138	98	36	-	4
Dallas	95	76	19	-	-
Desha	194	108	85	-	1
Drew	121	85	34	-	2
Faulkner	176	131	43	-	2
Franklin	92	70	19	-	3
Fulton	49	41	8	-	-
Garland	473	304	155	-	14
Hot Springs	381	230	137	-	14
Balance of county	92	74	18	-	-
Grant	59	43	16	-	-
Greene	198	148	50	-	-
Hempstead	218	175	41	-	2
Hot Spring	150	113	37	-	-
Howard	87	60	23	-	4
Independence	185	117	67	-	1
Izard	66	58	7	-	1
Jackson	172	121	51	-	-
Jefferson	607	430	171	2	4
Pine Bluff	352	223	126	-	3
Balance of county	255	207	45	2	1
Johnson	137	108	28	-	1
Lafayette	95	81	14	-	-
Lawrence	151	103	33	-	15
Lee	169	144	22	-	3
Lincoln	93	74	15	4	-
Little River	84	70	13	-	1
Logan	149	113	36	-	-
Lonoke	201	167	32	-	2
Madison	73	58	15	-	-
Marion	50	43	7	-	-
Miller	229	160	68	-	1
Texarkana[1]	145	99	46	-	-
Balance of county	84	61	22	-	1
Mississippi	571	435	129	-	7
Blytheville	161	121	38	-	2
Balance of county	410	314	91	-	5
Monroe	146	125	20	-	1
Montgomery	37	31	6	-	-
Nevada	112	95	17	-	-
Newton	33	25	8	-	-
Ouachita	265	187	78	-	-
Perry	46	38	8	-	-
Phillips	463	357	106	-	-
Pike	38	30	8	-	-
Poinsett	210	155	54	-	1
Polk	118	82	15	-	21
Pope	146	114	31	-	1
Prairie	70	54	16	-	-
Pulaski	2,246	934	668	623	21
Little Rock	1,651	553	535	547	16
North Little Rock	176	123	51	-	2
Balance of county	419	258	82	76	3
Randolph	103	91	11	-	1

[1] Includes data for Texarkana, Ark., only.

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
ARKANSAS—Continued					
St. Francis	283	185	74	-	24
Saline	211	96	59	55	1
Scott	38	26	7	1	4
Searcy	77	59	18	-	-
Sebastian	461	236	215	8	2
Fort Smith	355	171	175	7	2
Balance of county	106	65	40	1	-
Sevier	114	78	33	-	3
Sharp	58	45	12	-	1
Stone	47	28	19	-	-
Union	300	222	78	-	-
El Dorado	138	89	49	-	-
Balance of county	162	133	29	-	-
Van Buren	77	66	11	-	-
Washington	353	239	105	2	7
White	233	164	68	-	1
Woodruff	125	93	24	-	8
Yell	92	78	11	-	3
CALIFORNIA	92,569	40,626	45,110	4,683	2,150
Alameda	7,039	3,354	3,345	186	154
Alameda	439	185	244	-	10
Albany	102	55	46	-	1
Berkeley	990	496	450	-	44
Oakland	4,227	2,031	1,996	120	80
San Leandro	229	121	99	-	9
Balance of county	1,052	466	510	66	10
Alpine	5	2	3	-	-
Amador	110	52	21	36	1
Butte	578	250	307	-	21
Calaveras	86	52	20	12	2
Colusa	137	63	74	-	-
Contra Costa	1,472	652	791	1	28
Richmond	628	273	349	-	6
Balance of county	844	379	442	1	22
Del Norte	61	35	22	4	-
El Dorado	126	60	47	17	2
Fresno	2,066	833	1,159	3	71
Fresno	998	332	613	-	53
Balance of county	1,068	501	546	3	18
Glenn	139	90	48	-	1
Humboldt	548	218	303	7	20
Eureka	272	76	174	6	16
Balance of county	276	142	129	1	4
Imperial	490	264	222	-	4
Brawley	117	66	50	-	1
El Centro	96	44	52	-	-
Balance of county	277	154	120	-	3
Inyo	118	44	41	4	29
Kern	1,426	542	851	-	33
Bakersfield	474	170	287	-	17
Balance of county	952	372	564	-	16
Kings	350	150	198	-	2
Lake	107	56	15	24	12
Lassen	129	50	62	17	-
Los Angeles	36,648	17,288	17,258	1,130	972
Alhambra	465	271	184	2	8
Bell	115	55	56	-	4
Belvedere[2]	290	147	136	-	7
Beverly Hills	218	158	57	1	2
Burbank	421	230	181	-	10
Compton	240	110	110	10	10
Glendale	991	498	469	-	24
Huntington Park	308	156	140	-	12
Inglewood	378	177	186	1	14
Long Beach	2,427	1,133	1,255	1	38
Los Angeles	20,284	9,418	10,109	186	571
Lynwood	117	58	56	-	3
Maywood	105	59	42	-	4
Monrovia	185	95	86	-	4
Pasadena	1,314	676	574	10	54
Pomona	346	177	152	-	17
Redondo Beach	191	106	79	-	6
San Gabriel	158	82	70	1	5
Santa Monica	683	365	302	-	16
South Gate	256	143	109	-	4
South Pasadena	190	101	66	16	7
Whittier	238	113	119	-	6
Balance of county	6,728	2,960	2,720	902	146
Madera	267	106	159	-	2
Marin	673	328	277	62	6
Mariposa	49	25	23	-	1
Mendocino	456	165	151	140	-
Merced	472	154	315	-	3
Merced	98	21	75	-	2
Balance of county	374	133	240	-	1
Modoc	190	61	128	-	1
Mono	18	7	10	-	1
Monterey	814	365	425	-	24
Monterey	107	53	53	-	1
Salinas	141	53	82	-	6
Balance of county	566	259	290	-	17
CALIFORNIA—Continued					
Napa	919	176	159	573	11
Nevada	166	64	101	-	1
Orange	1,825	898	897	3	28
Anaheim	142	67	75	-	-
Fullerton	119	54	64	-	1
Santa Ana	445	236	195	-	14
Balance of county	1,120	541	563	3	13
Placer	371	174	194	-	3
Plumas	103	41	62	-	-
Riverside	1,380	638	695	19	28
Riverside	530	217	290	19	4
Balance of county	850	421	405	-	24
Sacramento	2,255	938	1,220	8	89
Sacramento	1,621	613	944	1	63
Balance of county	634	325	276	7	26
San Benito	125	68	43	13	1
San Bernardino	2,503	986	1,097	384	36
Ontario	168	86	70	-	12
Redlands	186	101	83	-	2
San Bernardino	767	262	498	-	7
Balance of county	1,382	537	446	384	15
San Diego	4,217	1,771	2,201	77	168
National City	184	59	118	-	7
San Diego	2,731	1,124	1,518	-	89
Balance of county	1,302	588	565	77	72
San Francisco, coextensive with San Francisco (city)	9,362	3,795	4,943	551	73
San Joaquin	2,262	756	1,055	427	24
Lodi	180	76	104	-	-
Stockton	821	330	482	-	9
Balance of county	1,261	350	469	427	15
San Luis Obispo	464	195	261	5	3
San Mateo	1,316	520	658	120	18
Burlingame	141	69	69	1	2
Redwood City	175	69	105	-	2
San Mateo	263	101	159	2	1
Balance of county	736	281	325	117	13
Santa Barbara	826	353	462	-	11
Santa Barbara	455	191	255	-	9
Balance of county	371	162	207	-	2
Santa Clara	2,701	966	1,233	464	38
Palo Alto	258	114	140	-	4
San Jose	876	409	454	-	13
Balance of county	1,567	443	639	464	21
Santa Cruz	755	324	408	2	21
Santa Cruz	316	152	155	2	7
Balance of county	439	172	253	-	14
Shasta	279	122	111	-	46
Sierra	28	16	12	-	-
Siskiyou	315	140	172	-	3
Solano	769	326	400	-	42
Vallejo	338	112	220	-	6
Balance of county	430	214	180	-	36
Sonoma	1,050	408	476	112	54
Santa Rosa	225	83	120	1	21
Balance of county	825	325	356	111	33
Stanislaus	877	373	496	1	7
Modesto	325	110	213	-	2
Balance of county	552	263	283	1	5
Sutter	200	102	96	-	2
Tehama	184	72	110	-	2
Trinity	38	15	22	-	1
Tulare	1,038	490	500	33	15
Tuolumne	165	67	91	-	7
Ventura	925	317	356	239	13
San Buenaventura	131	68	60	-	3
Balance of county	794	249	296	239	10
Yolo	333	148	169	9	7
Yuba	244	101	135	-	8
COLORADO	12,389	5,403	6,133	646	207
Adams	240	94	146	-	-
Alamosa	87	50	37	-	-
Arapahoe	337	140	195	1	1
Archuleta	31	20	10	-	1
Baca	47	29	11	-	7
Bent	80	21	22	32	5
Boulder	389	140	241	1	7
Boulder	203	66	133	1	3
Balance of county	186	74	108	-	4
Chaffee	113	42	65	-	6
Cheyenne	23	13	4	-	6
Clear Creek	36	20	16	-	-
Conejos	88	54	33	-	1
Costilla	49	35	14	-	-
Crowley	46	24	22	-	-
Custer	14	8	6	-	-
Delta	158	109	38	1	10
Denver, coextensive with Denver (city)	4,112	1,577	2,423	66	46
Dolores	12	6	6	-	-
Douglas	31	20	11	-	-

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In nonresident institutions	In resident institutions	In institutions, type unknown
COLORADO—Continued					
Eagle	41	19	22	-	-
Elbert	26	11	15	-	-
El Paso	769	295	352	105	17
Colorado Springs	682	249	316	103	14
Balance of county	87	46	36	2	3
Fremont	223	107	107	8	1
Garfield	115	53	61	-	1
Gilpin	7	3	4	-	-
Grand	22	18	4	-	-
Gunnison	37	16	21	-	-
Hinsdale	6	4	2	-	-
Huerfano	138	99	39	-	-
Jackson	17	9	8	-	-
Jefferson	350	150	169	11	20
Kiowa	18	8	7	-	3
Kit Carson	66	32	29	-	5
Lake	61	30	31	-	-
La Plata	143	68	75	-	-
Larimer	364	186	169	4	5
Fort Collins	98	71	19	4	4
Balance of county	266	115	150	-	1
Las Animas	311	182	129	-	-
Trinidad	200	104	96	-	-
Balance of county	111	78	33	-	-
Lincoln	46	33	12	-	1
Logan	131	45	86	-	-
Mesa	348	204	125	11	8
Grand Junction	138	91	90	11	6
Balance of county	150	113	35	-	2
Mineral	5	4	1	-	-
Moffat	27	14	12	-	1
Montezuma	82	49	33	-	-
Montrose	153	85	64	-	4
Morgan	156	68	86	1	1
Otero	305	164	137	2	2
Ouray	20	13	6	-	1
Park	14	4	10	-	-
Phillips	43	25	18	-	-
Pitkin	21	17	4	-	-
Prowers	148	74	61	-	13
Pueblo	1,138	334	416	386	2
Pueblo	977	281	312	383	1
Balance of county	161	53	104	3	1
Rio Blanco	25	15	10	-	-
Rio Grande	154	87	65	-	2
Routt	86	40	46	-	-
Saguache	55	33	21	-	1
San Juan	16	5	11	-	-
San Miguel	26	17	8	-	1
Sedgwick	41	30	11	-	-
Summit	10	4	5	-	1
Teller	30	16	12	2	-
Washington	67	28	39	-	-
Weld	552	271	243	15	23
Greeley	250	78	140	15	17
Balance of county	302	193	103	-	6
Yuma	83	32	47	-	4
CONNECTICUT	18,833	8,394	8,900	1,216	323
Fairfield	4,690	1,985	2,386	238	81
Bridgeport	1,717	717	987	1	12
Danbury	337	136	192	3	6
Norwalk	456	201	222	1	32
Shelton	101	49	46	5	1
Stamford	637	234	391	1	11
Stratford (town)	217	120	89	-	8
Balance of county	1,225	528	459	227	11
Hartford	4,586	1,960	2,421	123	82
Bristol	278	101	159	-	18
East Hartford (town)	192	110	77	-	5
Hartford	1,819	662	1,091	37	29
New Britain	617	267	335	14	1
West Hartford (town)	329	156	152	15	6
Balance of county	1,351	664	607	57	23
Litchfield	894	487	369	6	32
Torrington	234	127	96	1	10
Balance of county	660	360	273	5	22
Middlesex	844	265	261	309	9
Middletown	484	98	95	290	1
Balance of county	360	167	166	19	8
New Haven	5,268	2,445	2,527	249	47
Ansonia	186	117	68	-	1
Derby	139	61	77	-	1
Meriden	446	202	241	3	-
Naugatuck	168	88	67	6	7
New Haven	1,917	781	995	128	13
Wallingford	157	60	63	33	1
Waterbury	1,018	414	550	50	4
West Haven (town)	267	156	101	6	4
Balance of county	970	566	365	23	16
New London	1,576	711	572	262	31
New London	334	146	165	15	8
Norwich	364	164	190	4	6
Balance of county	878	401	217	243	17
Tolland	357	197	127	26	7
CONNECTICUT—Continued					
Windham	618	344	237	3	34
Willimantic	135	71	60	-	4
Balance of county	483	273	177	3	30
DELAWARE	3,274	1,733	1,249	259	33
Kent	506	265	108	125	8
New Castle	2,137	1,042	940	130	25
Wilmington	1,451	687	713	30	21
Balance of county	686	355	227	100	4
Sussex	631	426	201	4	-
DISTRICT OF COLUMBIA	8,432	3,218	4,461	704	49
FLORIDA	22,776	12,811	8,509	664	792
Alachua	421	306	106	8	1
Gainesville	186	124	61	1	-
Balance of county	235	182	45	7	1
Baker	51	40	10	-	1
Bay	314	219	94	1	-
Panama City	183	122	61	-	-
Balance of county	131	97	33	1	-
Bradford	98	82	16	-	-
Brevard	243	173	56	4	10
Broward	512	285	212	-	15
Fort Lauderdale	254	142	106	-	6
Balance of county	258	143	106	-	9
Calhoun	65	50	11	-	4
Charlotte	43	32	11	-	-
Citrus	48	36	12	-	-
Clay	170	97	44	21	8
Collier	42	25	16	-	1
Columbia	165	107	57	-	1
Dade	3,145	1,386	1,626	14	119
Miami	1,973	869	999	9	96
Miami Beach	283	127	153	-	3
Balance of county	889	390	474	5	20
De Soto	89	49	40	-	-
Dixie	42	35	6	-	1
Duval	2,712	1,514	1,089	10	99
Jacksonville	2,245	1,207	945	9	84
Balance of county	467	307	144	1	15
Escambia	881	544	312	1	24
Pensacola	529	315	194	1	19
Balance of county	352	229	118	-	5
Flagler	47	28	19	-	-
Franklin	92	65	20	-	7
Gadsden	690	210	53	425	2
Gilchrist	29	24	5	-	-
Glades	11	6	4	-	1
Gulf	47	32	5	-	10
Hamilton	88	79	8	1	-
Hardee	88	59	26	-	3
Hendry	40	23	10	-	7
Hernando	55	43	12	-	-
Highlands	135	86	47	-	2
Hillsborough	2,112	1,082	972	5	53
Tampa	1,399	660	688	5	46
Balance of county	713	422	284	-	7
Holmes	101	75	23	-	3
Indian River	110	76	26	-	8
Jackson	268	195	60	-	13
Jefferson	132	123	9	-	-
Lafayette	30	22	[illegible]	-	-
Lake	281	175	[illegible]	-	24
Lee	219	120	90	3	6
Fort Myers	140	81	54	3	2
Balance of county	79	39	36	-	4
Leon	316	216	97	2	1
Tallahassee	166	103	63	-	-
Balance of county	150	113	34	2	1
Levy	95	70	25	-	-
Liberty	33	23	9	-	1
Madison	154	129	25	-	-
Manatee	278	155	108	6	9
Marion	387	259	128	-	-
Martin	69	34	32	-	3
Monroe	207	137	42	1	27
Key West	185	123	40	1	21
Balance of county	22	14	2	-	6
Nassau	117	78	22	1	16
Okaloosa	150	96	41	-	13
Okeechobee	37	27	10	-	-
Orange	862	407	379	10	66
Orlando	529	232	254	7	36
Balance of county	333	175	125	3	30
Osceola	142	77	52	-	13
Palm Beach	906	446	356	21	83
West Palm Beach	432	200	201	21	10
Balance of county	474	246	156	-	73
Pasco	187	123	61	1	2
Pinellas	1,573	734	779	22	38
Clearwater	158	75	79	-	4
St. Petersburg	1,125	535	571	-	19
Balance of county	290	124	129	22	15

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
FLORIDA—Continued					
Polk	918	512	347	47	12
Lakeland	283	152	123	1	7
Balance of county	635	360	224	46	5
Putnam	237	187	43	1	6
St. Johns	252	158	79	1	14
St. Augustine	184	100	69	1	14
Balance of county	68	58	10	-	-
St. Lucie	148	87	61	-	-
Santa Rosa	137	105	30	-	2
Sarasota	266	129	122	-	15
Sarasota	195	93	89	-	13
Balance of county	71	36	33	-	2
Seminole	244	167	67	4	6
Sanford	129	87	41	-	1
Balance of county	115	80	26	4	5
Sumter	88	65	23	-	-
Suwannee	156	134	22	-	-
Taylor	84	69	15	-	-
Union	84	29	11	44	-
Volusia	764	437	276	10	41
Daytona Beach	349	189	139	-	21
Balance of county	415	248	137	10	20
Wakulla	46	29	17	-	-
Walton	129	108	21	-	-
Washington	94	81	12	-	1
GEORGIA	28,559	19,023	8,184	1,131	221
Appling	86	75	11	-	-
Atkinson	47	29	16	-	2
Bacon	60	42	18	-	-
Baker	46	39	7	-	-
Baldwin	966	119	33	814	-
Banks	49	37	12	-	-
Barrow	104	75	29	-	-
Bartow	227	182	45	-	-
Ben Hill	129	105	24	-	-
Berrien	91	67	23	-	1
Bibb	1,099	623	447	9	20
Macon	913	524	371	-	18
Balance of county	186	99	76	9	2
Bleckley	79	61	17	-	1
Brantley	44	37	7	-	-
Brooks	154	107	42	-	5
Bryan	63	52	11	-	-
Bulloch	177	124	52	-	1
Burke	228	189	38	-	1
Butts	90	79	11	-	-
Calhoun	98	84	10	-	4
Camden	61	41	18	-	2
Candler	71	53	18	-	-
Carroll	272	213	53	1	5
Catoosa	69	41	22	-	6
Charlton	47	34	9	-	4
Chatham	1,712	934	751	20	7
Savannah	1,423	755	641	20	7
Balance of county	289	179	110	-	-
Chattahoochee	65	34	31	-	-
Chattooga	144	123	21	-	-
Cherokee	151	107	43	-	1
Clarke	259	166	91	1	1
Athens	207	128	78	-	1
Balance of county	52	38	13	1	-
Clay	47	41	6	-	-
Clayton	82	67	15	-	-
Clinch	25	15	9	-	1
Cobb	342	240	101	-	1
Coffee	188	139	49	-	-
Colquitt	245	158	82	1	4
Moultrie	110	66	42	-	2
Balance of county	135	92	40	1	2
Columbia	57	41	16	-	-
Cook	80	64	14	-	2
Coweta	159	108	51	-	-
Crawford	53	45	8	-	-
Crisp	148	117	30	-	1
Dade	43	35	8	-	-
Dawson	14	10	4	-	-
Decatur	228	179	44	-	5
De Kalb	814	539	267	3	5
Atlanta (part)	291	192	98	-	1
Decatur	156	109	47	-	-
Balance of county	367	238	122	3	4
Dodge	90	59	31	-	-
Dooly	127	104	20	-	3
Dougherty	357	259	97	-	1
Albany	279	189	89	-	1
Balance of county	78	70	8	-	-
Douglas	49	42	7	-	-
Early	123	95	27	-	1
Echols	25	23	2	-	-
Effingham	87	62	25	-	-
Elbert	161	119	40	-	2
Emanuel	169	121	46	-	2
Evans	57	46	11	-	-
Fannin	79	70	8	-	1
GEORGIA—Continued					
Fayette	57	47	10	-	-
Floyd	448	283	159	5	1
Rome	284	171	113	-	-
Balance of county	164	112	46	5	1
Forsyth	38	29	9	-	-
Franklin	89	68	20	1	-
Fulton	4,486	2,463	1,861	151	11
Atlanta (part)	3,622	1,914	1,591	107	10
Atlanta (total)	3,913	2,106	1,689	107	11
District 1511, Center Hill[3]	----------	----------	----------	----------	----------
East Point	75	51	24	-	-
Balance of county	789	498	246	44	1
Gilmer	63	47	16	-	-
Glascock	25	16	9	-	-
Glynn	366	220	137	-	9
Brunswick	279	152	119	-	8
Balance of county	87	68	18	-	1
Gordon	105	77	28	-	-
Grady	145	118	27	-	-
Greene	126	98	27	-	1
Gwinnett	237	180	54	-	3
Habersham	107	85	18	-	4
Hall	219	159	59	-	1
Gainesville	97	68	28	-	1
Balance of county	122	91	31	-	-
Hancock	65	56	9	-	-
Haralson	86	61	24	-	1
Harris	93	74	17	-	2
Hart	69	52	16	-	1
Heard	69	53	16	-	-
Henry	147	125	22	-	-
Houston	129	89	39	-	1
Irwin	66	52	14	-	-
Jackson	99	78	21	-	-
Jasper	71	61	9	-	1
Jeff Davis	52	38	13	-	1
Jefferson	134	117	16	-	1
Jenkins	108	75	22	-	11
Johnson	66	39	15	-	12
Jones	74	55	18	-	1
Lamar	105	91	14	-	-
Lanier	33	25	7	-	1
Laurens	307	188	119	-	-
Lee	69	60	9	-	-
Liberty	83	61	21	-	1
Lincoln	30	17	13	-	-
Long	18	13	5	-	-
Lowndes	327	241	77	-	9
Valdosta	208	157	51	-	-
Balance of county	119	84	26	-	9
Lumpkin	33	26	7	-	-
McDuffie	78	57	21	-	-
McIntosh	79	68	11	-	-
Macon	166	122	44	-	-
Madison	89	74	15	-	-
Marion	69	68	1	-	-
Meriwether	189	173	14	-	2
Miller	65	59	6	-	-
Mitchell	185	152	32	-	1
Monroe	107	87	16	-	4
Montgomery	33	28	5	-	-
Morgan	110	88	22	-	-
Murray	65	51	14	-	-
Muscogee	795	450	342	3	1
Columbus	676	366	308	1	1
Balance of county	120	84	34	2	-
Newton	182	135	39	-	8
Oconee	65	53	12	-	-
Oglethorpe	115	94	21	-	-
Paulding	72	61	3	-	8
Peach	119	88	31	-	-
Pickens	58	42	16	-	-
Pierce	92	64	28	-	-
Pike	73	62	11	-	-
Polk	206	152	52	2	-
Pulaski	59	43	15	-	1
Putnam	63	55	8	-	-
Quitman	29	24	5	-	-
Rabun	29	22	7	-	-
Randolph	148	132	16	-	-
Richmond	1,103	610	419	73	1
Augusta	907	493	352	61	1
Balance of county	196	117	67	12	-
Rockdale	70	61	9	-	-
Schley	36	29	7	-	-
Screven	131	113	15	1	2
Seminole	70	40	28	-	2
Spalding	257	201	54	1	1
Griffin	174	132	40	1	1
Balance of county	83	69	14	-	-
Stephens	62	43	19	-	-
Stewart	77	65	11	-	1
Sumter	262	198	62	2	-
Talbot	76	69	6	-	1
Taliaferro	47	38	7	2	-
Tattnall	98	45	24	29	-

[3]Figures for District 1511, Center Hill, are included in those for Atlanta.

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In nonresident institutions	In resident institutions	In institutions, type unknown
GEORGIA—Continued					
Taylor	73	68	5	-	-
Telfair	33	73	18	-	2
Terrell	150	134	16	-	-
Thomas	347	262	73	6	6
Thomasville	200	140	57	3	-
Balance of county	147	122	16	3	6
Tift	186	126	59	-	1
Toombs	128	97	26	5	-
Towns	6	3	3	-	-
Treutlen	32	23	9	-	-
Troup	389	278	111	-	-
La Grange	190	124	66	-	-
Balance of county	199	154	45	-	-
Turner	47	36	11	-	-
Twiggs	66	48	18	-	-
Union	21	17	4	-	-
Upson	183	155	26	-	2
Walker	246	178	60	1	7
Walton	175	131	43	-	1
Ware	284	178	103	-	3
Waycross	214	133	78	-	3
Balance of county	70	45	25	-	-
Warren	93	82	11	-	-
Washington	213	179	33	-	1
Wayne	88	64	24	-	-
Webster	43	41	2	-	-
Wheeler	43	34	9	-	-
White	51	47	4	-	-
Whitfield	190	127	62	-	1
Dalton	111	64	46	-	1
Balance of county	79	63	16	-	-
Wilcox	50	36	14	-	-
Wilkes	119	93	26	-	-
Wilkinson	84	63	21	-	-
Worth	148	127	20	-	1
IDAHO	4,602	2,255	2,011	198	138
Ada	528	260	255	1	12
Boise City	425	211	205	-	9
Balance of county	103	49	50	1	3
Adams	31	17	4	1	9
Bannock	308	123	183	-	2
Pocatello	245	92	151	-	2
Balance of county	63	31	32	-	-
Bear Lake	49	28	13	-	8
Benewah	65	36	22	-	7
Bingham	206	80	60	65	1
Blaine	35	17	17	-	1
Boise	11	3	8	-	-
Bonner	132	61	71	-	-
Bonneville	158	66	89	-	3
Idaho Falls	118	54	61	-	3
Balance of county	40	12	28	-	-
Boundary	42	28	13	-	1
Butte	11	7	3	-	1
Camas	5	3	2	-	-
Canyon	403	171	172	46	14
Nampa	179	71	83	15	10
Balance of county	224	100	89	31	4
Caribou	14	5	8	-	1
Cassia	89	64	24	-	1
Clark	6	4	2	-	-
Clearwater	130	45	36	47	2
Custer	31	19	12	-	-
Elmore	49	34	14	-	1
Franklin	60	41	19	-	-
Fremont	57	28	29	-	-
Gem	85	37	45	-	3
Gooding	79	41	36	1	1
Idaho	114	65	47	-	2
Jefferson	77	47	23	-	7
Jerome	108	52	53	-	3
Kootenai	229	117	104	6	2
Coeur d'Alene	147	69	72	6	-
Balance of county	82	48	32	-	2
Latah	151	79	70	1	1
Lemhi	54	32	17	4	1
Lewis	48	26	20	-	2
Lincoln	35	24	11	-	-
Madison	70	38	26	-	6
Minidoka	79	54	24	-	1
Nez Perce	215	87	115	5	8
Lewiston	151	60	85	2	4
Balance of county	64	27	30	3	4
Oneida	45	25	20	-	-
Owyhee	40	21	19	-	-
Payette	84	46	35	-	3
Power	20	7	13	-	-
Shoshone	197	70	110	16	1
Teton	15	7	6	-	2
Twin Falls	329	175	133	5	16
Twin Falls	165	86	68	-	11
Balance of county	164	89	65	5	5
Valley	37	22	4	-	11
Washington	71	43	24	-	4
Yellowstone National Park (part)	-	-	-	-	-
ILLINOIS	90,116	43,653	39,679	6,011	773
Adams	764	338	345	80	1
Quincy	518	214	265	38	1
Balance of county	246	124	80	42	-
Alexander	304	186	117	-	1
Cairo	214	119	95	-	-
Balance of county	90	67	22	-	1
Bond	157	104	53	-	-
Boone	201	89	98	10	4
Brown	78	56	22	-	-
Bureau	421	224	190	3	4
Calhoun	64	47	17	-	-
Carroll	207	134	68	5	-
Cass	178	84	90	4	-
Champaign	687	315	360	1	11
Champaign	257	108	142	-	7
Urbana	157	69	86	-	2
Balance of county	273	138	132	1	2
Christian	391	191	199	-	1
Clark	187	157	26	-	4
Clay	151	110	40	-	1
Clinton	194	105	82	7	-
Centralia (part)	8	-	8	-	-
Balance of county	186	105	74	7	-
Coles	429	267	110	34	18
Mattoon	184	104	45	30	5
Balance of county	245	163	65	4	13
Cook	46,523	22,060	22,084	1,986	399
Berwyn	433	251	178	1	3
Blue Island	187	87	100	-	-
Brookfield	106	63	34	9	-
Calumet City	84	60	24	-	-
Chicago	38,897	18,679	19,230	645	343
Chicago Heights	233	100	124	1	8
Cicero	590	346	244	-	-
Elgin (part)	5	3	2	-	-
Elmwood Park	95	47	48	-	-
Evanston	662	289	343	14	16
Forest Park	161	84	45	32	-
Harvey	185	80	103	-	2
La Grange	82	44	37	-	1
Maywood	227	108	107	11	1
Melrose Park	109	60	49	-	-
Oak Park	700	407	289	-	4
Park Ridge	112	51	61	-	-
Wilmette	166	81	84	-	1
Winnetka	106	51	54	-	1
Balance of county	3,389	1,169	928	1,273	19
Crawford	228	143	68	-	17
Cumberland	123	95	27	-	1
De Kalb	427	209	208	9	2
De Witt	193	91	102	-	-
Douglas	173	95	76	-	2
Du Page	964	516	410	27	11
Elmhurst	143	58	84	1	-
Balance of county	821	458	326	26	11
Edgar	261	170	91	-	-
Edwards	95	73	18	-	4
Effingham	213	116	96	-	1
Fayette	239	176	57	5	1
Ford	150	84	60	-	6
Franklin	518	366	147	3	2
West Frankfort	141	92	49	-	-
Balance of county	377	274	98	3	2
Fulton	478	260	210	3	5
Canton	157	69	88	-	-
Balance of county	321	191	122	3	5
Gallatin	99	79	20	-	-
Greene	226	154	70	-	2
Grundy	216	133	82	1	-
Hamilton	110	94	12	1	3
Hancock	319	214	102	1	2
Hardin	83	64	19	-	-
Henderson	86	48	38	-	-
Henry	474	223	241	4	6
Kewanee	202	73	129	-	-
Balance of county	272	150	112	4	6
Iroquois	310	216	92	2	-
Jackson	399	280	118	-	1
Jasper	117	74	33	-	10
Jefferson	361	294	62	-	5
Mount Vernon	176	132	42	-	2
Balance of county	185	162	20	-	3
Jersey	132	96	36	-	-
Jo Daviess	268	173	91	-	4
Johnson	99	83	16	-	-
Kane	1,719	537	702	470	10
Aurora	471	202	266	3	-
Elgin (part)	842	153	236	446	7
Elgin (total)	847	156	238	446	7
Balance of county	406	182	200	21	3
Kankakee	1,449	328	186	932	3
Kankakee	268	167	95	3	3
Balance of county	1,181	161	91	929	-
Kendall	110	74	36	-	-
Knox	602	280	292	24	6
Galesburg	364	165	199	-	-
Balance of county	238	115	93	24	6

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
ILLINOIS—Continued					
Lake	1,373	518	738	99	18
Highland Park	118	63	53	-	2
Waukegan	351	122	224	-	5
Balance of county	904	333	461	99	11
La Salle	1,084	540	507	29	8
La Salle	133	53	80	-	-
Ottawa	190	99	86	4	1
Streator	188	100	88	-	-
Balance of county	573	288	253	25	7
Lawrence	285	213	55	10	7
Lee	564	206	129	226	3
Dixon	150	86	63	-	1
Balance of county	414	120	66	226	2
Livingston	384	234	131	16	3
Logan	372	106	167	98	1
Lincoln	208	43	95	69	1
Balance of county	164	63	72	29	-
McDonough	340	199	140	-	1
McHenry	441	259	173	3	6
McLean	803	318	476	5	4
Bloomington	427	150	277	-	-
Balance of county	376	168	199	5	4
Macon	919	402	502	13	2
Decatur	704	306	396	-	2
Balance of county	215	96	106	13	-
Macoupin	485	300	176	7	2
Madison	1,774	724	778	267	5
Alton	403	158	244	-	1
Granite City	211	89	121	-	1
Balance of county	1,160	477	413	267	3
Marion	408	240	165	-	3
Centralia (part)	142	71	70	-	1
Centralia (total)	150	71	78	-	1
Balance of county	266	169	95	-	2
Marshall	144	85	51	-	8
Mason	180	112	68	-	-
Massac	176	141	26	-	9
Menard	94	56	38	-	-
Mercer	186	98	86	2	-
Monroe	151	101	46	4	-
Montgomery	378	218	160	-	-
Morgan	693	169	178	346	-
Jacksonville	536	81	113	342	-
Balance of county	157	88	65	4	-
Moultrie	166	86	48	31	1
Ogle	330	188	131	10	1
Peoria	1,854	729	723	383	19
Peoria	1,158	543	591	17	7
Balance of county	696	186	132	366	12
Perry	231	166	65	-	-
Piatt	152	75	77	-	-
Pike	257	168	89	-	-
Pope	72	62	8	-	2
Pulaski	195	156	39	-	-
Putnam	59	27	32	-	-
Randolph	314	202	80	26	6
Richland	167	93	57	-	17
Rock Island	1,436	543	601	287	5
East Moline	387	49	52	286	-
Moline	370	169	200	-	1
Rock Island	497	240	253	1	3
Balance of county	182	85	96	-	1
St. Clair	1,914	955	929	17	13
Belleville	364	159	188	17	-
East St. Louis	940	459	470	-	11
Balance of county	610	337	271	-	2
Saline	379	274	103	2	-
Harrisburg	154	115	38	1	-
Balance of county	225	159	65	1	-
Sangamon	1,327	372	938	10	7
Springfield	939	234	695	3	7
Balance of county	388	138	243	7	-
Schuyler	135	84	49	-	2
Scott	90	56	34	-	-
Shelby	306	222	79	-	5
Stark	108	64	40	-	4
Stephenson	500	224	259	12	5
Freeport	300	120	168	11	1
Balance of county	200	104	91	1	4
Tazewell	543	262	270	-	11
Pekin	210	93	117	-	-
Balance of county	333	169	153	-	11
Union	481	143	36	301	1
Vermilion	1,091	481	469	137	4
Danville	483	212	270	-	1
Balance of county	608	269	199	137	3
Wabash	160	136	14	1	9
Warren	249	122	125	1	1
Washington	154	120	34	-	-
Wayne	196	144	48	1	3
White	187	145	40	-	2
Whiteside	455	263	170	7	15
Sterling	147	74	66	1	6
Balance of county	308	189	104	6	9
ILLINOIS—Continued					
Will	1,199	523	636	39	1
Joliet	660	230	430	-	-
Balance of county	539	293	206	39	1
Williamson	561	384	177	-	-
Winnebago	1,259	519	723	9	8
Rockford	869	355	508	-	6
Balance of county	390	164	215	9	2
Woodford	172	122	47	-	3
INDIANA	39,586	23,810	13,907	2,028	441
Adams	186	125	59	1	1
Allen	1,783	764	900	111	8
Fort Wayne	1,402	575	774	47	6
Balance of county	381	189	126	64	2
Bartholomew	291	179	93	2	17
Columbus	132	70	50	-	12
Balance of county	159	109	43	2	5
Benton	99	64	35	-	-
Blackford	158	110	46	2	-
Boone	271	186	81	-	4
Brown	56	42	13	-	1
Carroll	187	126	52	3	6
Cass	655	254	168	227	6
Logansport	260	139	115	1	5
Balance of county	395	115	53	226	1
Clark	397	227	169	1	-
Jeffersonville	182	88	93	1	-
Balance of county	215	139	76	-	-
Clay	274	201	67	6	-
Clinton	341	218	96	24	3
Frankfort	182	109	53	18	2
Balance of county	159	109	43	6	1
Crawford	101	89	12	-	-
Daviess	277	204	72	-	1
Dearborn	255	186	66	3	-
Decatur	212	130	56	25	1
De Kalb	256	171	76	2	7
Delaware	899	473	390	31	5
Muncie	613	304	301	4	4
Balance of county	286	169	89	27	1
Dubois	206	167	37	1	1
Elkhart	792	563	205	17	7
Elkhart	374	265	107	-	2
Goshen	142	106	35	1	-
Balance of county	276	192	63	16	5
Fayette	237	136	91	5	5
Connersville	176	95	72	4	5
Balance of county	61	41	19	1	-
Floyd	466	316	123	25	2
New Albany	330	238	86	5	1
Balance of county	136	78	37	20	1
Fountain	199	129	65	3	2
Franklin	170	119	30	14	7
Fulton	226	154	53	2	17
Gibson	297	211	65	7	14
Grant	702	393	183	124	2
Marion	340	211	125	3	1
Balance of county	382	182	58	121	1
Greene	291	211	78	1	1
Hamilton	315	222	84	4	5
Hancock	222	164	52	4	2
Harrison	194	171	22	-	1
Hendricks	214	177	30	5	2
Henry	466	243	175	46	2
New Castle	186	94	92	-	-
Balance of county	280	149	83	46	2
Howard	539	392	139	5	3
Kokomo	406	289	113	1	3
Balance of county	133	103	26	4	-
Huntington	391	282	91	15	3
Huntington	181	131	48	-	2
Balance of county	210	151	43	15	1
Jackson	275	197	73	4	1
Jasper	146	78	66	2	-
Jay	260	177	81	2	-
Jefferson	410	181	34	195	-
Jennings	165	102	34	29	-
Johnson	368	240	85	41	2
Knox	449	309	133	3	4
Vincennes	223	143	78	-	2
Balance of county	226	166	55	3	2
Kosciusko	366	255	103	3	5
Lagrange	141	102	36	1	2
Lake	2,720	1,252	1,374	45	49
East Chicago	514	231	283	-	-
Gary	1,150	506	606	1	37
Hammond	617	275	323	8	11
Whiting	63	35	27	-	1
Balance of county	376	205	135	36	-
La Porte	751	358	360	32	1
La Porte	251	91	160	-	-
Michigan City	290	142	124	24	-
Balance of county	210	125	76	8	1

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
INDIANA—Continued					
Lawrence	334	212	116	2	4
Bedford	156	85	70	-	1
Balance of county	178	127	46	2	3
Madison	904	548	321	19	16
Anderson	458	270	176	-	12
Elwood	132	81	49	1	1
Balance of county	314	197	96	18	3
Marion	5,929	3,445	2,149	300	35
Indianapolis	5,341	3,106	1,991	213	31
Balance of county	588	339	158	87	4
Marshall	303	199	92	1	11
Martin	108	84	14	-	-
Miami	340	213	111	7	9
Peru	174	102	69	-	3
Balance of county	166	111	42	7	6
Monroe	320	217	79	6	18
Bloomington	173	107	53	5	8
Balance of county	147	110	26	1	10
Montgomery	354	223	124	1	6
Crawfordsville	181	101	77	1	2
Balance of county	173	122	47	-	4
Morgan	233	166	61	4	2
Newton	116	84	29	3	-
Noble	304	189	91	19	5
Ohio	38	31	7	-	-
Orange	179	147	30	1	1
Owen	123	107	16	-	-
Parke	177	125	51	1	-
Perry	128	107	16	2	3
Pike	172	146	20	1	5
Porter	275	166	98	10	1
Posey	187	137	44	4	2
Pulaski	117	91	26	-	-
Putnam	244	152	84	8	-
Randolph	289	184	87	17	1
Ripley	205	141	62	2	-
Rush	204	146	35	9	14
St. Joseph	1,605	850	692	45	18
Mishawaka	264	123	141	-	-
South Bend	1,041	571	458	-	12
Balance of county	300	156	93	45	6
Scott	88	77	11	-	-
Shelby	312	226	81	5	-
Shelbyville	158	101	57	-	-
Balance of county	154	125	24	5	-
Spencer	194	164	27	2	1
Starke	157	118	33	3	3
Steuben	176	130	39	4	3
Sullivan	320	237	80	2	1
Switzerland	90	69	20	1	-
Tippecanoe	675	263	342	67	3
Lafayette	415	152	237	24	2
Balance of county	260	111	105	43	1
Tipton	134	90	43	1	-
Union	86	62	17	3	4
Vanderburgh	1,649	916	583	108	42
Evansville	1,395	803	515	36	41
Balance of county	254	113	68	72	1
Vermillion	243	143	96	2	2
Vigo	1,369	818	486	59	6
Terre Haute	1,017	631	383	1	2
Balance of county	352	187	103	58	4
Wabash	318	195	99	18	6
Warren	86	58	22	1	5
Warrick	203	143	57	2	1
Washington	175	150	21	3	1
Wayne	884	436	245	198	5
Richmond	403	286	112	2	3
Balance of county	481	150	133	196	2
Wells	188	123	58	7	-
White	176	100	69	4	3
Whitley	199	122	70	3	4
IOWA	25,876	13,963	9,892	1,478	543
Adair	101	77	18	-	6
Adams	77	49	23	-	5
Allamakee	174	120	48	6	-
Appanoose	242	144	88	5	5
Audubon	78	48	30	-	-
Benton	222	124	85	6	7
Black Hawk	790	348	395	38	9
Waterloo	450	228	218	-	4
Balance of county	340	120	177	38	5
Boone	339	155	106	75	3
Boone	172	79	72	21	-
Balance of county	167	76	34	54	3
Bremer	181	122	50	5	4
Buchanan	371	121	66	177	7
Buena Vista	187	102	83	1	1
Butler	163	113	48	2	-
Calhoun	153	103	46	2	2
Carroll	196	128	62	3	3
Cass	182	107	67	-	8
Cedar	190	128	55	5	2
IOWA—Continued					
Cerro Gordo	426	215	178	27	6
Mason City	273	124	123	21	5
Balance of county	153	91	55	6	1
Cherokee	271	83	45	132	11
Chickasaw	147	80	58	1	8
Clarke	118	63	50	-	5
Clay	130	76	46	4	4
Clayton	257	183	61	10	3
Clinton	549	273	259	16	1
Clinton	354	159	192	2	1
Balance of county	195	114	67	14	-
Crawford	150	90	56	-	4
Dallas	269	166	70	9	24
Davis	96	73	13	3	7
Decatur	128	71	51	3	3
Delaware	163	111	37	3	12
Des Moines	449	181	254	10	4
Burlington	350	137	210	-	3
Balance of county	99	44	44	10	1
Dickinson	84	44	38	2	2
Dubuque	782	358	353	70	1
Dubuque	594	255	271	68	-
Balance of county	188	103	82	2	1
Emmet	116	67	32	-	17
Fayette	273	172	76	24	1
Floyd	200	111	82	6	1
Franklin	131	89	42	-	-
Fremont	167	90	69	3	5
Greene	148	85	51	3	9
Grundy	107	67	39	-	1
Guthrie	155	110	35	2	8
Hamilton	153	81	66	1	5
Hancock	130	82	43	3	2
Hardin	249	166	77	3	3
Harrison	224	146	69	-	9
Henry	362	98	89	168	7
Howard	121	86	33	1	1
Humboldt	108	61	45	1	1
Ida	98	70	26	-	2
Iowa	180	114	59	7	-
Jackson	207	129	71	5	2
Jasper	286	158	118	9	1
Newton	109	53	55	-	1
Balance of county	177	105	63	9	-
Jefferson	180	102	65	11	2
Johnson	347	170	168	8	1
Iowa City	207	100	104	2	1
Balance of county	140	70	64	6	-
Jones	207	120	78	9	-
Keokuk	165	122	35	4	4
Kossuth	222	135	79	4	4
Lee	484	195	273	16	-
Fort Madison	162	72	87	3	-
Keokuk	217	69	146	2	-
Balance of county	105	54	40	11	-
Linn	990	494	453	32	11
Cedar Rapids	707	325	376	2	4
Balance of county	283	169	77	30	7
Louisa	112	68	36	4	4
Lucas	155	84	40	6	25
Lyon	131	82	47	-	2
Madison	129	89	35	2	3
Mahaska	310	179	100	13	18
Oskaloosa	165	91	58	1	15
Balance of county	145	88	42	12	3
Marion	325	163	98	54	10
Marshall	389	163	188	35	3
Marshalltown	229	98	131	-	-
Balance of county	160	65	57	35	3
Mills	168	72	52	39	5
Mitchell	124	81	37	4	2
Monona	133	71	60	-	2
Monroe	141	115	25	-	1
Montgomery	189	113	68	2	6
Muscatine	357	199	154	3	1
Muscatine	250	131	118	-	1
Balance of county	107	68	36	3	-
O'Brien	159	112	39	3	5
Osceola	58	36	22	-	-
Page	394	101	73	217	3
Palo Alto	116	78	35	-	3
Plymouth	180	109	70	-	1
Pocahontas	142	95	40	2	5
Polk	2,060	1,027	937	29	67
Des Moines	1,792	881	861	2	48
Balance of county	268	146	76	27	19
Pottawattamie	708	349	351	1	7
Council Bluffs	497	224	266	-	7
Balance of county	211	125	85	1	-
Poweshiek	224	104	106	9	5
Ringgold	104	82	18	-	4
Sac	143	100	39	-	4
Scott	1,005	462	503	34	6
Davenport	814	382	423	4	5
Balance of county	191	80	80	30	1

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
IOWA—Continued					
Shelby	113	66	42	5	-
Sioux	188	125	61	-	2
Story	289	177	106	5	1
Ames	101	49	52	-	-
Balance of county	188	128	54	5	1
Tama	206	121	65	12	8
Taylor	138	95	37	2	4
Union	165	106	56	-	3
Van Buren	125	93	26	1	5
Wapello	501	295	182	16	8
Ottumwa	366	217	143	-	6
Balance of county	135	78	39	16	2
Warren	177	111	37	-	29
Washington	226	144	72	9	1
Wayne	137	100	35	1	1
Webster	407	176	224	6	1
Fort Dodge	252	101	151	-	-
Balance of county	155	75	73	6	1
Winnebago	128	89	20	4	15
Winneshiek	218	135	78	3	2
Woodbury	963	436	497	21	9
Sioux City	796	345	441	1	9
Balance of county	167	91	56	20	-
Worth	96	69	24	1	2
Wright	168	115	47	-	6
KANSAS	18,507	9,918	7,270	981	338
Allen	225	154	66	3	2
Anderson	97	65	18	-	14
Atchison	249	156	81	10	2
Atchison	175	111	63	-	1
Balance of county	74	45	18	10	1
Barber	69	36	31	-	2
Barton	234	73	156	4	1
Bourbon	264	144	110	1	9
Fort Scott	195	93	96	-	6
Balance of county	69	51	14	1	3
Brown	172	99	62	7	4
Butler	273	149	122	-	2
El Dorado	135	55	79	-	1
Balance of county	138	94	43	-	1
Chase	46	36	8	1	1
Chautauqua	73	49	19	2	3
Cherokee	290	203	78	6	3
Cheyenne	40	31	8	-	1
Clark	32	21	11	-	-
Clay	171	122	49	-	-
Cloud	203	107	86	8	2
Coffey	112	85	25	-	2
Comanche	32	15	16	-	1
Cowley	444	203	189	49	3
Arkansas City	145	76	67	-	2
Balance of county	299	127	122	49	1
Crawford	518	313	183	12	10
Pittsburg	176	142	24	-	10
Balance of county	342	171	159	12	-
Decatur	68	46	22	-	-
Dickinson	229	143	76	8	2
Doniphan	109	82	26	-	1
Douglas	283	157	119	-	7
Lawrence	202	98	101	-	3
Balance of county	81	59	18	-	4
Edwards	62	38	23	-	1
Elk	75	57	15	1	2
Ellis	129	58	71	-	-
Ellsworth	84	37	47	-	-
Finney	99	42	57	-	-
Ford	180	73	93	13	1
Franklin	251	126	106	6	13
Ottawa	150	53	82	5	10
Balance of county	101	73	24	1	3
Geary	163	67	96	-	-
Gove	33	16	17	-	-
Graham	38	27	11	-	-
Grant	14	5	9	-	-
Gray	30	11	18	-	1
Greeley	19	16	3	-	-
Greenwood	138	72	57	-	9
Hamilton	37	20	17	-	-
Harper	113	57	54	-	2
Harvey	219	73	143	2	1
Newton	148	38	107	2	1
Balance of county	71	35	36	-	-
Haskell	8	2	6	-	-
Hodgeman	19	13	6	-	-
Jackson	136	97	35	3	1
Jefferson	127	104	23	-	-
Jewell	98	72	21	5	-
Johnson	308	216	78	3	11
Kearny	24	16	8	-	-
Kingman	82	56	26	-	-
Kiowa	41	28	13	-	-
Labette	376	199	128	47	2
Parsons	195	108	44	42	1
Balance of county	181	91	84	5	1
Lane	18	8	6	-	4
KANSAS—Continued					
Leavenworth	509	173	297	31	8
Leavenworth	265	103	141	14	7
Balance of county	244	70	156	17	1
Lincoln	78	58	18	1	1
Linn	126	96	28	-	2
Logan	29	16	13	-	-
Lyon	314	132	181	-	1
Emporia	230	79	150	-	1
Balance of county	84	53	31	-	-
McPherson	195	115	70	6	4
Marion	135	57	69	5	4
Marshall	216	145	59	4	8
Meade	38	27	10	-	1
Miami	350	130	47	154	19
Mitchell	125	77	47	-	1
Montgomery	556	380	162	11	3
Coffeyville	181	141	40	-	-
Independence	175	82	83	9	1
Balance of county	200	157	39	2	2
Morris	87	70	14	-	3
Morton	17	12	5	-	-
Nemaha	146	80	43	5	18
Neosho	239	152	81	4	2
Chanute	152	91	60	-	1
Balance of county	87	61	21	4	1
Ness	46	22	23	-	1
Norton	128	50	68	7	3
Osage	158	124	26	6	2
Osborne	98	75	23	-	-
Ottawa	84	70	10	-	4
Pawnee	230	36	33	153	8
Phillips	100	83	13	1	3
Pottawatomie	125	85	28	-	12
Pratt	111	52	58	-	1
Rawlins	34	24	10	-	-
Reno	522	244	255	20	3
Hutchinson	349	141	207	-	1
Balance of county	173	103	48	20	2
Republic	118	74	44	-	-
Rice	151	91	60	-	-
Riley	166	71	74	20	1
Manhattan	107	41	63	3	-
Balance of county	59	30	11	17	1
Rooks	68	48	19	-	1
Rush	47	26	21	-	-
Russell	91	45	46	-	-
Saline	335	156	179	-	-
Salina	263	104	159	-	-
Balance of county	72	52	20	-	-
Scott	15	12	3	-	-
Sedgwick	1,591	627	868	24	72
Wichita	1,345	509	742	22	72
Balance of county	246	118	126	2	-
Seward	78	34	44	-	-
Shawnee	1,166	530	373	249	14
Topeka	820	438	332	39	11
Balance of county	346	92	41	210	3
Sheridan	24	17	7	-	-
Sherman	56	30	26	-	-
Smith	94	83	7	-	4
Stafford	74	26	47	-	1
Stanton	9	8	1	-	-
Stevens	24	15	7	-	2
Sumner	228	136	83	8	1
Thomas	76	35	41	-	-
Trego	23	19	4	-	-
Wabaunsee	55	35	19	-	1
Wallace	9	6	3	-	-
Washington	156	121	29	2	4
Wichita	13	5	7	-	1
Wilson	182	112	58	12	-
Woodson	77	52	25	-	-
Wyandotte	1,631	824	736	67	4
Kansas City	1,434	735	694	1	4
Balance of county	197	89	42	66	-
KENTUCKY	27,590	19,109	7,207	1,041	233
Adair	163	139	24	-	-
Allen	129	113	15	-	1
Anderson	94	78	16	-	-
Ballard	89	79	10	-	-
Barren	274	207	66	-	1
Bath	110	89	20	-	1
Bell	394	273	121	-	-
Middlesborough	129	75	54	-	-
Balance of county	265	198	67	-	-
Boone	132	98	34	-	-
Bourbon	207	142	65	-	-
Boyd	389	267	120	2	-
Ashland	267	170	97	-	-
Balance of county	122	97	23	2	-
Boyle	189	136	53	-	-
Bracken	104	80	24	-	-
Breathitt	134	116	18	-	-
Breckinridge	192	168	22	1	1
Bullitt	104	83	21	-	-

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
KENTUCKY—Continued					
Butler	91	84	7	-	-
Caldwell	146	124	20	-	2
Calloway	147	111	36	-	-
Campbell	883	520	346	11	6
Fort Thomas	100	63	36	-	1
Newport	419	251	164	-	4
Balance of county	364	206	146	11	1
Carlisle	74	60	14	-	-
Carroll	112	89	23	-	-
Carter	171	141	30	-	-
Casey	120	110	8	2	-
Christian	631	301	84	235	11
Hopkinsville	172	134	32	-	6
Balance of county	459	167	52	235	5
Clark	201	133	67	-	1
Clay	146	115	29	-	2
Clinton	65	52	13	-	-
Crittenden	128	95	17	-	15
Cumberland	82	68	13	-	1
Daviess	545	346	174	-	25
Owensboro	384	241	125	-	18
Balance of county	161	105	49	-	7
Edmonson	75	68	7	-	-
Elliott	40	34	6	-	-
Estill	115	102	13	-	-
Fayette	1,281	546	383	339	13
Lexington	1,044	431	331	272	10
Balance of county	237	115	52	67	3
Fleming	166	138	28	-	-
Floyd	336	235	87	-	14
Franklin	228	130	83	11	4
Frankfort	145	71	61	9	4
Balance of county	83	59	22	2	-
Fulton	164	117	40	-	7
Gallatin	55	42	13	-	-
Garrard	88	70	18	-	-
Grant	110	88	21	1	-
Graves	336	259	73	3	1
Grayson	138	120	17	1	-
Green	105	99	5	-	1
Greenup	166	123	43	-	-
Hancock	59	51	7	-	1
Hardin	290	209	78	1	2
Harlan	485	375	110	-	-
Harrison	179	124	53	2	-
Hart	139	120	19	-	-
Henderson	330	244	82	3	1
Henderson	202	151	50	-	1
Balance of county	128	93	32	3	-
Henry	102	79	21	-	2
Hickman	85	80	4	1	-
Hopkins	424	360	62	2	-
Jackson	98	84	14	-	-
Jefferson	5,248	2,693	2,182	359	14
Louisville	4,351	2,361	1,969	7	14
Balance of county	897	332	213	352	-
Jessamine	116	88	27	-	1
Johnson	181	126	55	-	-
Kenton	1,089	611	449	29	-
Covington	801	420	352	29	-
Balance of county	288	191	97	-	-
Knott	96	75	21	-	-
Knox	228	198	30	-	-
Larue	89	78	11	-	-
Laurel	219	191	27	-	1
Lawrence	143	108	34	-	1
Lee	45	39	6	-	-
Leslie	69	46	23	-	-
Letcher	267	208	57	-	2
Lewis	131	105	24	1	1
Lincoln	165	146	19	-	-
Livingston	94	75	18	-	1
Logan	250	224	22	-	4
Lyon	65	49	7	9	-
McCracken	546	408	135	2	1
Paducah	414	306	106	1	1
Balance of county	132	102	29	1	-
McCreary	119	102	13	-	4
McLean	101	76	22	1	2
Madison	310	201	105	1	3
Magoffin	65	60	5	-	-
Marion	167	130	13	-	24
Marshall	108	99	9	-	-
Martin	57	45	11	-	1
Mason	212	134	65	13	-
Meade	60	48	12	-	-
Menifee	43	35	4	-	4
Mercer	149	119	28	1	1
Metcalfe	83	73	10	-	-
Monroe	89	81	8	-	-
Montgomery	140	103	34	-	3
Morgan	108	94	12	-	2
Muhlenberg	312	261	49	-	2
Nelson	165	127	29	-	9
Nicholas	85	67	17	-	1
Ohio	216	192	21	-	3
Oldham	87	58	24	5	-
KENTUCKY—Continued					
Owen	119	101	18	-	-
Owsley	33	28	5	-	-
Pendleton	106	89	17	-	-
Perry	262	141	121	-	-
Pike	482	339	143	-	-
Powell	55	42	13	-	-
Pulaski	270	241	29	-	-
Robertson	39	33	6	-	-
Rockcastle	100	86	14	-	-
Rowan	82	67	15	-	-
Russell	101	88	13	-	-
Scott	159	113	44	-	2
Shelby	212	154	54	4	-
Simpson	122	101	20	-	1
Spencer	44	36	8	-	-
Taylor	124	109	12	-	3
Todd	139	124	13	-	2
Trigg	90	84	4	-	2
Trimble	46	38	8	-	-
Union	169	142	21	-	6
Warren	459	382	68	1	8
Bowling Green	242	188	48	-	6
Balance of county	217	194	20	1	2
Washington	107	92	9	-	6
Wayne	111	103	8	-	-
Webster	155	135	18	-	2
Whitley	260	219	39	-	2
Wolfe	80	67	12	-	1
Woodford	107	67	40	-	-
LOUISIANA	22,125	12,958	8,279	657	231
Acadia	354	235	115	-	4
Allen	140	86	51	-	3
Ascension	174	131	41	-	2
Assumption	159	123	28	-	8
Avoyelles	248	179	56	-	13
Beauregard	120	95	23	-	2
Bienville	170	111	58	-	1
Bossier	272	148	119	1	4
Caddo	1,394	699	666	-	29
Shreveport	1,027	461	538	-	28
Balance of parish	367	238	128	-	1
Calcasieu	538	345	193	-	-
Lake Charles	298	194	104	-	-
Balance of parish	240	151	89	-	-
Caldwell	79	56	23	-	-
Cameron	33	20	13	-	-
Catahoula	86	60	24	-	2
Claiborne	187	133	53	-	1
Concordia	126	95	28	-	3
De Soto	258	185	67	-	6
East Baton Rouge	836	463	372	-	1
Baton Rouge	340	179	160	-	1
Balance of parish	496	284	212	-	-
East Carroll	163	130	32	-	1
East Feliciana	487	89	45	352	1
Evangeline	179	123	53	-	3
Franklin	213	156	56	-	1
Grant	132	89	43	-	-
Iberia	344	230	110	2	2
New Iberia	179	114	65	-	-
Balance of parish	165	116	45	2	2
Iberville	308	198	106	-	4
Jackson	126	78	45	-	3
Jefferson	487	282	204	-	1
Gretna	103	56	47	-	-
Balance of parish	384	226	157	-	1
Jefferson Davis	188	126	60	-	2
Lafayette	382	241	139	-	2
Lafayette	211	125	86	-	-
Balance of parish	171	116	53	-	2
Lafourche	269	174	94	-	1
La Salle	96	53	36	-	7
Lincoln	183	111	71	-	1
Livingston	107	68	36	-	3
Madison	149	108	41	-	-
Morehouse	279	185	93	-	1
Natchitoches	302	219	83	-	-
Orleans, coextensive with New Orleans	5,993	2,956	2,883	136	18
Ouachita	612	322	289	1	-
Monroe	393	178	214	1	-
Balance of parish	219	144	75	-	-
Plaquemines	96	58	38	-	-
Pointe Coupee	226	178	43	-	5
Rapides	929	434	345	147	3
Alexandria	327	184	143	-	-
Balance of parish	602	250	202	147	3
Red River	99	67	22	-	10
Richland	224	143	81	-	-
Sabine	174	119	54	-	1
St. Bernard	69	42	27	-	-
St. Charles	91	65	26	-	-
St. Helena	60	48	12	-	-
St. James	137	106	31	-	-
St. John the Baptist	127	86	41	-	-

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
LOUISIANA—Continued					
St. Landry	573	434	136	-	3
St. Martin	177	124	52	-	1
St. Mary	301	224	76	-	1
St. Tammany	243	166	76	-	1
Tangipahoa	405	236	158	-	11
Tensas	138	110	27	-	1
Terrebonne	304	204	100	-	-
Union	152	104	46	-	2
Vermilion	257	187	70	-	-
Vernon	203	113	43	-	47
Washington	253	134	115	-	4
Bogalusa	122	58	62	-	2
Balance of parish	131	76	53	-	2
Webster	263	154	104	-	5
West Baton Rouge	106	78	28	-	-
West Carroll	122	90	29	-	3
West Feliciana	104	72	16	16	-
Winn	119	80	34	2	3
MAINE	9,985	5,877	3,442	338	328
Androscoggin	914	440	365	53	56
Auburn	211	103	87	5	16
Lewiston	420	178	172	48	22
Balance of county	283	159	106	-	18
Aroostook	786	522	260	-	4
Cumberland	1,930	968	901	18	43
Portland	1,004	440	530	6	28
South Portland	169	95	72	-	2
Westbrook	126	72	53	-	1
Balance of county	631	361	246	12	12
Franklin	218	165	43	-	10
Hancock	363	267	87	1	8
Kennebec	983	485	353	106	39
Augusta	248	96	68	83	1
Waterville	201	104	85	3	9
Balance of county	534	285	200	20	29
Knox	353	251	65	2	35
Lincoln	246	148	82	2	14
Oxford	434	268	145	-	21
Penobscot	1,213	693	360	144	16
Bangor	501	215	152	128	6
Balance of county	712	478	208	16	10
Piscataquis	219	148	65	-	6
Sagadahoc	267	147	107	4	9
Bath	137	66	63	3	5
Balance of county	130	81	44	1	4
Somerset	401	263	114	-	19
Waldo	287	188	78	1	20
Washington	405	299	105	-	1
York	966	620	312	7	27
Biddeford	221	142	78	-	1
Balance of county	745	478	234	7	26
MARYLAND	22,584	13,036	8,169	1,198	181
Allegany	923	531	354	34	4
Cumberland	514	273	206	33	2
Balance of county	409	258	148	1	2
Anne Arundel	941	488	249	199	5
Annapolis	192	129	60	1	2
Balance of county	749	359	189	198	3
Baltimore	1,849	951	587	281	30
District 12[2]	142	73	69	-	-
District 13[2]	75	43	32	-	-
Balance of county	1,632	835	486	281	30
Baltimore (city)	10,996	6,143	4,531	214	78
Calvert	116	88	28	-	-
Caroline	201	153	44	-	4
Carroll	683	326	131	223	3
Cecil	427	195	137	90	5
Charles	182	122	60	-	-
Dorchester	363	255	70	36	2
Cambridge	155	110	32	12	1
Balance of county	208	145	38	24	1
Frederick	691	399	260	23	9
Frederick	202	115	81	3	3
Balance of county	489	284	179	20	6
Garrett	195	158	33	4	-
Harford	427	262	145	12	8
Howard	192	138	52	-	2
Kent	186	149	33	1	3
Montgomery	829	495	328	-	6
Prince Georges	1,003	498	481	16	8
Queen Annes	131	104	22	1	4
St. Marys	181	132	48	1	-
Somerset	269	194	74	-	1
Talbot	260	182	77	1	-
Washington	777	540	206	25	6
Hagerstown	418	290	113	9	1
Balance of county	359	250	88	16	5
Wicomico	493	324	159	7	3
Salisbury	246	145	92	7	2
Balance of county	247	179	67	-	1
Worcester	269	209	60	-	-
MASSACHUSETTS	51,133	24,744	20,767	4,831	791
Barnstable	503	342	140	12	9
Berkshire	1,329	734	566	6	23
Adams (town)	130	94	25	-	11
North Adams	260	162	93	2	3
Pittsfield	519	225	292	-	2
Balance of county	420	253	156	4	7
Bristol	4,551	2,407	1,417	680	47
Attleboro	295	148	132	12	3
Fairhaven (town)	118	76	36	2	4
Fall River	1,490	720	480	277	13
New Bedford	1,254	758	419	68	9
North Attleborough (town)	110	82	23	3	2
Taunton	660	219	148	288	5
Balance of county	624	404	179	30	11
Dukes	90	47	43	-	-
Essex	6,041	3,035	2,349	548	109
Amesbury (town)	147	70	49	22	6
Andover (town)	125	83	27	14	1
Beverly	298	157	136	4	1
Danvers (town)	386	56	46	282	2
Gloucester	293	145	132	11	5
Haverhill	553	244	221	62	26
Lawrence	966	491	461	7	7
Lynn	1,177	644	460	49	24
Marblehead (town)	143	81	61	-	1
Methuen (town)	226	146	55	25	-
Newburyport	217	103	99	8	7
Peabody	231	113	100	14	4
Salem	464	231	222	8	3
Saugus (town)	115	73	42	-	-
Swampscott (town)	113	69	40	-	4
Balance of county	587	329	198	42	18
Franklin	605	335	258	6	6
Greenfield (town)	176	83	91	2	-
Balance of county	429	252	167	4	6
Hampden	3,653	1,834	1,540	243	36
Chicopee	360	219	111	28	2
Holyoke	641	279	325	37	-
Springfield	1,729	823	782	98	26
Westfield	232	134	95	2	1
West Springfield (town)	140	91	48	-	1
Balance of county	551	288	179	78	6
Hampshire	1,047	403	325	298	21
Easthampton (town)	81	44	34	-	3
Northampton	527	98	140	282	7
Balance of county	439	261	151	16	11
Middlesex	10,668	5,372	4,359	719	218
Arlington (town)	394	248	144	-	2
Belmont (town)	217	150	48	14	5
Cambridge	1,489	597	705	163	24
Everett	407	229	175	3	-
Framingham (town)	250	132	107	7	4
Lexington (town)	321	72	31	212	6
Lowell	1,286	544	659	65	18
Malden	582	293	258	26	5
Marlborough	186	104	77	5	-
Medford	575	325	225	7	18
Melrose	287	158	110	11	8
Natick (town)	167	93	61	11	2
Newton	706	415	265	10	16
Reading (town)	118	79	31	2	6
Somerville	1,059	533	418	53	55
Stoneham (town)	109	57	49	1	2
Wakefield (town)	154	98	46	5	5
Waltham	467	225	197	35	10
Watertown (town)	263	173	73	4	3
Winchester (town)	134	74	58	-	2
Woburn	207	113	93	-	1
Balance of county	1,290	655	524	85	26
Nantucket	46	19	24	3	-
Norfolk	3,812	1,941	1,288	500	83
Braintree (town)	162	93	50	13	6
Brookline (town)	682	341	237	81	23
Dedham (town)	163	117	41	4	1
Milton (town)	201	141	57	1	2
Needham (town)	115	69	43	-	3
Norwood (town)	173	72	93	5	3
Quincy	785	376	365	22	22
Wellesley (town)	114	71	39	-	4
Weymouth (town)	298	152	130	10	6
Balance of county	1,119	509	233	364	13
Plymouth	2,086	1,219	604	192	71
Brockton	800	405	229	126	40
Plymouth (town)	148	92	50	2	4
Balance of county	1,138	722	325	64	27
Suffolk	10,740	4,294	5,504	838	104
Boston	9,778	3,861	5,118	699	97
Chelsea	488	157	198	131	2
Revere	304	173	121	7	3
Winthrop (town)	170	100	67	1	2
Worcester	5,962	2,762	2,350	786	64
Athol (town)	101	67	32	-	2
Clinton (town)	163	87	71	4	1
Fitchburg	418	214	193	3	8
Gardner	264	87	93	83	1

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 30.-DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945-Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions; type unknown
MASSACHUSETTS—Continued					
Worcester—Continued					
Leominster	251	143	89	7	12
Milford (town)	184	84	78	20	2
Northbridge (town)	77	46	31	-	-
Southbridge (town)	150	99	47	2	2
Webster (town)	119	76	43	-	-
Worcester	2,558	949	1,219	375	15
Balance of county	1,677	910	454	292	21
MICHIGAN	53,966	27,497	21,059	4,333	1,077
Alcona	41	33	6	1	1
Alger	122	71	47	3	1
Allegan	497	305	142	45	5
Alpena	197	109	77	11	-
Alpena	147	81	56	10	-
Balance of county	50	28	21	1	-
Antrim	123	95	21	4	3
Arenac	93	66	27	-	-
Baraga	91	58	28	1	4
Barry	297	196	88	3	10
Bay	799	455	291	37	16
Bay City	547	300	223	10	14
Balance of county	252	155	68	27	2
Benzie	75	53	17	1	4
Berrien	1,020	552	331	103	34
Benton Harbor	230	114	112	-	4
Niles	117	57	59	-	1
Balance of county	673	381	160	103	29
Branch	366	224	97	42	3
Calhoun	1,204	574	472	122	36
Battle Creek	588	255	309	2	22
Balance of county	616	319	163	120	14
Cass	292	191	91	5	5
Charlevoix	171	109	59	3	-
Cheboygan	168	93	75	-	-
Chippewa	281	145	130	3	3
Sault Ste. Marie	167	73	94	-	-
Balance of county	114	72	36	3	3
Clare	104	68	32	-	4
Clinton	281	183	70	12	16
Crawford	44	20	24	-	-
Delta	333	176	150	5	2
Escanaba	165	76	89	-	-
Balance of county	168	100	61	5	2
Dickinson	245	164	72	5	4
Iron Mountain	106	68	34	1	3
Balance of county	139	96	38	4	1
Eaton	464	319	124	9	12
Emmet	170	83	86	-	1
Genesee	1,903	924	961	-	18
Flint	1,306	553	740	-	13
Balance of county	597	371	221	-	5
Gladwin	87	66	18	1	2
Gogebic	327	166	161	-	-
Ironwood	115	72	43	-	-
Balance of county	212	94	118	-	-
Grand Traverse	497	123	75	261	38
Traverse City	131	75	49	-	7
Balance of county	366	48	26	261	31
Gratiot	366	250	80	34	2
Hillsdale	334	199	120	7	8
Houghton	580	370	180	29	1
Huron	309	195	93	14	7
Ingham	1,260	640	545	37	38
Lansing	797	355	418	-	24
Balance of county	463	285	127	37	14
Ionia	381	252	94	28	7
Iosco	67	55	11	1	-
Iron	144	70	51	23	-
Isabella	252	157	90	5	-
Jackson	1,035	514	411	62	48
Jackson	672	320	319	2	31
Balance of county	363	194	92	60	17
Kalamazoo	1,373	548	475	333	17
Kalamazoo	986	315	344	316	11
Balance of county	387	233	131	17	6
Kalkaska	62	48	14	-	-
Kent	2,616	1,427	939	211	39
Grand Rapids	1,785	983	711	60	31
Balance of county	831	444	228	151	8
Keweenaw	23	17	6	-	-
Lake	59	48	11	-	-
Lapeer	431	219	82	117	13
Leelanau	66	49	15	1	1
Lenawee	630	390	189	15	36
Adrian	205	116	77	1	11
Balance of county	425	274	112	14	25
Livingston	266	173	89	3	1
Luce	187	25	34	127	1
Mackinac	75	54	21	-	-
Macomb	970	563	363	2	42
Mount Clemens	181	79	87	-	15
St. Clair Shores	80	46	33	-	1
Balance of county	709	438	243	2	26
Manistee	205	136	48	7	14
MICHIGAN—Continued					
Marquette	506	233	260	11	2
Marquette	162	59	97	5	1
Balance of county	344	174	163	6	1
Mason	223	133	89	-	1
Mecosta	178	111	58	5	4
Menominee	224	109	111	3	1
Menominee	114	47	67	-	-
Balance of county	110	62	44	3	1
Midland	227	144	79	3	1
Midland	89	51	38	-	-
Balance of county	138	93	41	3	1
Missaukee	74	51	21	1	1
Monroe	593	371	209	7	6
Monroe	189	83	102	1	3
Balance of county	404	288	107	6	3
Montcalm	320	215	89	3	13
Montmorency	34	30	4	-	-
Muskegon	1,043	502	465	43	33
Muskegon	616	259	325	8	24
Muskegon Heights	117	72	44	-	1
Balance of county	310	171	96	35	8
Newaygo	235	167	58	1	9
Oakland	2,351	1,097	1,012	191	51
Birmingham	89	51	36	-	2
Ferndale	174	95	76	-	3
Pontiac	748	238	324	182	4
Royal Oak	217	104	103	1	9
Balance of county	1,123	609	473	8	33
Oceana	176	91	73	11	1
Ogemaw	90	64	24	2	-
Ontonagon	102	45	43	6	8
Osceola	154	105	43	5	1
Oscoda	20	18	2	-	-
Otsego	65	45	20	-	-
Ottawa	588	366	193	15	14
Holland	172	98	73	-	1
Balance of county	416	268	120	15	13
Presque Isle	94	71	23	-	-
Roscommon	40	30	9	-	1
Saginaw	1,339	677	570	86	6
Saginaw	925	405	437	80	3
Balance of county	414	272	133	6	3
St. Clair	885	609	252	17	7
Port Huron	422	266	155	-	1
Balance of county	463	343	97	17	6
St. Joseph	394	237	138	9	10
Sanilac	299	227	52	2	18
Schoolcraft	85	58	26	-	1
Shiawassee	429	274	125	21	9
Owosso	141	91	46	-	4
Balance of county	288	183	79	21	5
Tuscola	435	269	87	59	20
Van Buren	501	281	201	11	8
Washtenaw	1,212	489	379	338	6
Ann Arbor	372	174	197	-	1
Ypsilanti	146	78	65	1	2
Balance of county	694	237	117	337	3
Wayne	18,869	8,225	8,548	1,749	347
Dearborn	449	241	188	-	20
Detroit	14,078	6,625	7,097	139	17
Ecorse	108	63	42	-	3
Grosse Pointe Park	72	51	19	-	2
Hamtramck	358	188	168	-	2
Highland Park	487	197	279	7	4
Lincoln Park	77	38	38	-	1
River Rouge	125	79	36	-	10
Wyandotte	291	119	164	-	8
Balance of county	2,824	624	517	1,603	80
Wexford	198	133	63	1	1
MINNESOTA	26,763	12,306	12,407	1,746	304
Aitkin	130	94	36	-	-
Anoka	238	90	75	73	-
Becker	242	114	117	-	11
Beltrami	240	124	110	3	3
Benton	106	49	55	-	2
St. Cloud (part)	11	4	6	-	1
Balance of county	95	45	49	-	1
Big Stone	97	54	37	-	6
Blue Earth	332	149	178	3	2
Mankato	187	56	126	3	2
Balance of county	145	93	52	-	-
Brown	222	99	117	1	5
Carlton	309	123	71	115	-
Carver	179	99	72	-	8
Cass	208	93	101	7	7
Chippewa	143	76	60	-	7
Chisago	153	78	58	14	3
Clay	227	119	108	-	-
Clearwater	87	53	32	-	2
Cook	27	14	13	-	-
Cottonwood	131	61	67	-	3
Crow Wing	274	136	114	19	5
Brainerd	133	57	55	19	2
Balance of county	141	79	59	-	3

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
MINNESOTA —Continued					
Dakota	421	165	200	56	-
South St. Paul	98	40	58	-	-
Balance of county	323	125	142	56	-
Dodge	118	81	28	4	5
Douglas	184	89	61	6	28
Faribault	212	143	63	4	2
Fillmore	256	168	61	-	27
Freeborn	259	160	92	-	7
Albert Lea	129	74	52	-	3
Balance of county	130	86	40	-	4
Goodhue	354	171	179	1	3
Grant	72	52	19	-	1
Hennepin	5,779	2,330	3,273	155	21
Minneapolis	5,031	1,987	2,902	126	16
Balance of county	748	343	371	29	5
Houston	129	74	55	-	-
Hubbard	104	64	25	8	7
Isanti	144	66	52	25	1
Itasca	291	134	136	9	12
Jackson	123	79	41	-	3
Kanabec	77	45	32	-	-
Kandiyohi	258	132	96	60	-
Kittson	78	38	40	-	-
Koochiching	147	58	87	-	2
Lac qui Parle	127	51	70	-	6
Lake	60	31	28	-	1
Lake of the Woods	42	34	6	-	2
Le Sueur	170	123	47	-	-
Lincoln	97	55	42	-	-
Lyon	201	96	103	2	-
McLeod	190	111	78	-	1
Mahnomen	58	39	19	-	-
Marshall	137	64	72	-	1
Martin	174	108	66	-	-
Meeker	184	89	95	-	-
Mille Lacs	151	82	64	1	4
Morrison	212	103	96	11	2
Mower	282	161	110	7	4
Austin	158	73	78	7	-
Balance of county	124	88	32	-	4
Murray	81	48	32	-	1
Nicollet	356	56	50	248	2
Nobles	151	72	68	-	11
Norman	132	76	56	-	-
Olmsted	579	176	169	232	2
Rochester	455	95	128	232	-
Balance of county	124	81	41	-	2
Otter Tail	672	252	184	225	11
Fergus Falls	330	46	57	225	2
Balance of county	342	206	127	-	9
Pennington	129	53	74	-	2
Pine	172	98	72	1	1
Pipestone	96	35	59	-	2
Polk	315	163	150	1	1
Pope	144	83	61	-	-
Ramsey	3,299	1,276	1,839	179	5
St. Paul	3,068	1,186	1,719	158	5
Balance of county	231	90	120	21	-
Red Lake	42	18	24	-	-
Redwood	160	95	52	3	10
Renville	185	122	61	-	2
Rice	362	144	127	86	5
Faribault	213	71	60	79	3
Balance of county	149	73	67	7	2
Rock	69	47	21	-	1
Roseau	113	59	54	-	-
St. Louis	1,965	804	1,111	42	8
Duluth	1,080	399	635	41	5
Hibbing	128	58	70	-	-
Virginia	112	42	70	-	-
Balance of county	645	305	336	1	3
Scott	161	82	41	37	1
Sherburne	95	52	31	11	1
St. Cloud (part)	16	2	3	11	-
Balance of county	79	50	28	-	1
Sibley	121	84	37	-	-
Stearns	555	260	243	49	3
St. Cloud (part)	176	55	111	9	1
St. Cloud (total)	203	61	120	20	2
Balance of county	379	205	132	40	2
Steele	171	100	65	6	-
Stevens	83	50	32	-	1
Swift	120	76	41	-	3
Todd	236	142	92	-	2
Traverse	59	34	24	-	1
Wabasha	182	82	99	-	1
Wadena	108	59	43	-	6
Waseca	138	86	52	-	-
Washington	256	127	123	5	1
Watonwan	123	68	20	33	2
Wilkin	97	36	61	-	-
Winona	389	240	144	-	5
Winona	252	145	102	-	5
Balance of county	137	95	42	-	-
Wright	256	155	90	4	7
Yellow Medicine	125	75	48	-	2

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
MISSISSIPPI	19,355	14,273	4,431	530	121
Adams	318	226	80	-	12
Natchez	209	136	61	-	12
Balance of county	109	90	19	-	-
Alcorn	218	181	37	-	-
Amite	166	130	36	-	-
Attala	252	193	58	1	-
Benton	67	53	10	-	4
Bolivar	642	499	138	-	5
Calhoun	138	111	23	-	4
Carroll	141	125	16	-	-
Chickasaw	174	138	36	-	-
Choctaw	76	63	11	-	2
Claiborne	128	103	25	-	-
Clarke	182	135	47	-	-
Clay	171	142	29	-	-
Coahoma	485	384	98	-	3
Clarksdale	162	106	56	-	-
Balance of county	323	278	42	-	3
Copiah	303	256	45	1	1
Covington	129	106	21	-	2
De Soto	216	185	31	-	-
Forrest	411	262	146	1	2
Hattiesburg	265	153	110	-	2
Balance of county	146	109	36	1	-
Franklin	82	58	21	-	3
George	84	71	13	-	-
Greene	55	48	7	-	-
Grenada	157	117	39	-	1
Hancock	105	72	32	1	-
Harrison	666	378	242	44	2
Biloxi	194	107	86	-	1
Gulfport	220	96	80	43	1
Balance of county	252	175	76	1	-
Hinds	1,056	653	387	13	3
Jackson	679	367	303	6	3
Balance of county	377	286	84	7	-
Holmes	376	323	53	-	-
Humphreys	205	175	29	-	1
Issaquena	46	33	12	-	1
Itawamba	128	108	19	-	1
Jackson	252	152	95	-	5
Jasper	141	108	33	-	-
Jefferson	125	104	21	-	-
Jefferson Davis	115	101	14	-	-
Jones	433	286	136	6	5
Laurel	233	145	84	-	4
Balance of county	200	141	52	6	1
Kemper	160	131	29	-	-
Lafayette	159	118	41	-	-
Lamar	109	83	24	-	2
Lauderdale	672	396	200	72	4
Meridian	474	234	166	71	3
Balance of county	198	162	34	1	1
Lawrence	109	89	20	-	-
Leake	159	138	21	-	-
Lee	301	238	61	-	2
Leflore	439	358	79	-	2
Greenwood	179	120	58	-	1
Balance of county	260	238	21	-	1
Lincoln	227	154	72	-	1
Lowndes	330	255	75	-	-
Columbus	197	136	61	-	-
Balance of county	133	119	14	-	-
Madison	334	271	62	-	1
Marion	187	141	46	-	-
Marshall	240	211	29	-	-
Monroe	303	247	56	-	-
Montgomery	126	98	28	-	-
Neshoba	196	134	62	-	-
Newton	177	120	57	-	-
Noxubee	210	183	27	-	-
Oktibbeha	160	142	18	-	-
Panola	299	257	37	-	5
Pearl River	177	107	70	-	-
Perry	45	39	6	-	-
Pike	329	246	83	-	-
Pontotoc	150	131	19	-	-
Prentiss	173	119	43	-	11
Quitman	223	177	46	-	-
Rankin	547	126	40	380	1
Scott	185	148	37	-	-
Sharkey	125	105	20	-	-
Simpson	170	108	60	-	2
Smith	121	93	27	-	1
Stone	40	27	13	-	-
Sunflower	483	382	95	2	4
Tallahatchie	256	210	43	-	3
Tate	167	133	34	-	-
Tippah	124	101	11	-	12
Tishomingo	106	88	17	1	-
Tunica	237	209	27	1	-
Union	140	89	48	-	3
Walthall	155	99	56	-	-
Warren	442	265	175	2	-
Vicksburg	322	173	148	1	-
Balance of county	120	92	27	1	-

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In nonresident institutions	In resident institutions	In institutions, type unknown
MISSISSIPPI—Continued					
Washington	743	557	179	4	3
Greenville	325	213	109	-	3
Balance of county	418	344	70	4	-
Wayne	106	84	21	-	1
Webster	107	89	18	-	-
Wilkinson	148	124	23	-	1
Winston	189	142	42	-	5
Yalobusha	156	131	25	-	-
Yazoo	371	301	69	1	-
MISSOURI	42,602	23,579	16,499	1,955	569
Adair	193	105	88	-	-
Kirksville	124	60	64	-	-
Balance of county	69	45	24	-	-
Andrew	137	95	38	2	2
Atchison	117	72	43	-	2
Audrain	228	122	104	2	-
Barry	186	131	33	-	22
Barton	150	122	22	-	6
Bates	219	156	58	2	3
Benton	79	69	10	-	-
Bollinger	72	54	17	-	1
Boone	379	260	112	4	3
Columbia	237	149	83	2	3
Balance of county	142	111	29	2	-
Buchanan	1,335	610	451	243	31
St. Joseph	1,181	514	398	240	29
Balance of county	154	96	53	3	2
Butler	294	189	105	-	-
Poplar Bluff	147	72	75	-	-
Balance of county	147	117	30	-	-
Caldwell	129	101	23	1	4
Callaway	464	146	64	253	1
Camden	72	55	13	-	4
Cape Girardeau	380	203	171	1	5
Cape Girardeau	231	112	116	-	3
Balance of county	149	91	55	1	2
Carroll	208	149	54	-	5
Carter	38	29	8	1	-
Cass	221	177	41	3	-
Cedar	144	127	9	-	8
Chariton	182	142	35	3	2
Christian	122	95	27	-	-
Clark	134	89	38	4	3
Clay	393	233	106	52	2
Clinton	149	127	18	-	4
Cole	300	168	107	25	-
Jefferson City	211	110	78	23	-
Balance of county	89	58	29	2	-
Cooper	190	103	83	4	-
Crawford	100	66	30	-	4
Dade	130	105	22	-	3
Dallas	97	79	18	-	-
Daviess	132	108	23	-	1
De Kalb	115	89	24	2	-
Dent	109	77	30	1	1
Douglas	88	75	13	-	-
Dunklin	328	233	89	2	4
Franklin	357	237	104	2	14
Gasconade	116	87	28	1	-
Gentry	145	111	26	6	2
Greene	992	638	320	27	7
Springfield	723	463	246	10	4
Balance of county	269	175	74	17	3
Grundy	197	157	35	1	4
Harrison	170	111	49	4	6
Henry	248	167	53	-	28
Hickory	46	40	5	-	1
Holt	113	86	26	-	1
Howard	142	97	42	2	1
Howell	223	173	44	3	3
Iron	96	60	20	16	-
Jackson	6,039	2,789	2,953	200	97
Independence	236	102	121	4	9
Kansas City	5,228	2,338	2,750	58	82
Balance of county	575	349	82	138	6
Jasper	1,047	547	471	8	21
Carthage	152	84	63	-	5
Joplin (part)	555	247	297	-	11
Joplin (total)	563	251	301	-	11
Balance of county	340	216	111	8	5
Jefferson	309	224	84	-	1
Johnson	266	184	75	6	1
Knox	75	62	13	-	-
Laclede	186	121	63	-	2
Lafayette	295	230	54	9	2
Lawrence	320	207	85	6	22
Lewis	131	104	23	4	-
Lincoln	147	107	37	3	-
Linn	251	178	60	5	8
Livingston	213	157	47	6	3
McDonald	151	113	34	-	4
Macon	246	174	69	3	-
Madison	106	86	19	-	1
Maries	60	49	11	-	-
MISSOURI—Continued					
Marion	365	197	154	10	4
Hannibal	256	129	123	-	4
Balance of county	109	68	31	10	-
Mercer	97	77	13	2	5
Miller	118	84	32	2	-
Mississippi	221	156	64	1	-
Moniteau	133	104	28	1	-
Monroe	153	104	39	9	1
Montgomery	155	123	30	2	-
Morgan	98	86	11	-	1
New Madrid	284	216	67	-	1
Newton	298	177	109	4	8
Joplin (part)	8	4	4	-	-
Balance of county	290	173	105	4	8
Nodaway	253	153	83	10	7
Oregon	106	90	15	1	-
Osage	108	77	31	-	-
Ozark	55	52	3	-	-
Pemiscot	340	275	63	2	-
Perry	114	85	29	-	-
Pettis	374	238	132	3	1
Sedalia	270	153	115	1	1
Balance of county	104	85	17	2	-
Phelps	205	122	70	9	4
Pike	238	161	71	1	5
Platte	156	117	38	-	1
Polk	188	154	33	-	1
Pulaski	135	97	26	1	11
Putnam	115	80	34	-	1
Ralls	92	53	38	-	1
Randolph	296	198	94	4	-
Moberly	181	117	64	-	-
Balance of county	115	81	30	4	-
Ray	204	163	36	3	2
Reynolds	49	45	4	-	-
Ripley	100	79	21	-	-
St. Charles	271	156	93	17	5
St. Charles	139	74	60	5	-
Balance of county	132	82	33	12	5
St. Clair	111	85	21	4	1
St. Francois	415	238	74	102	1
St. Louis	2,862	1,202	1,439	186	35
Clayton	295	52	241	-	2
Kirkwood	125	62	50	9	4
Maplewood	125	61	37	27	-
Richmond Heights	140	58	81	-	1
University City	251	133	106	10	2
Webster Groves	168	102	60	2	4
Balance of county	1,758	734	864	138	22
St. Louis (city)	10,675	4,312	5,870	416	77
Ste. Genevieve	83	67	15	1	-
Saline	353	227	78	43	5
Schuyler	89	61	23	-	5
Scotland	95	57	36	-	2
Scott	276	182	93	1	-
Shannon	63	51	12	-	-
Shelby	130	92	26	2	10
Stoddard	248	181	63	4	-
Stone	82	65	16	-	1
Sullivan	135	96	28	2	9
Taney	74	59	10	-	5
Texas	175	136	36	1	2
Vernon	453	181	78	192	2
Warren	88	73	14	1	-
Washington	127	102	24	-	1
Wayne	85	59	26	-	-
Webster	158	117	39	1	1
Worth	54	43	11	-	-
Wright	149	117	29	-	3
MONTANA	5,414	2,208	2,891	224	91
Beaverhead	78	43	28	7	-
Big Horn	91	55	33	-	3
Blaine	64	25	39	-	-
Broadwater	21	12	8	-	1
Carbon	97	59	38	-	-
Carter	11	4	3	-	4
Cascade	449	135	314	-	-
Great Falls	378	103	275	-	-
Balance of county	71	32	39	-	-
Chouteau	60	16	44	-	-
Custer	113	36	77	-	-
Daniels	27	9	18	-	-
Dawson	75	27	48	-	-
Deer Lodge	284	57	90	136	1
Anaconda	123	49	74	-	-
Balance of county	161	8	16	136	1
Fallon	30	10	20	-	-
Fergus	132	37	94	-	1
Flathead	239	142	76	21	-
Gallatin	179	74	100	3	2
Garfield	24	11	13	-	-
Glacier	92	44	48	-	-
Golden Valley	11	7	4	-	-
Granite	45	33	12	-	-

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
MONTANA—Continued					
Hill	112	36	76	-	-
Jefferson	49	20	19	9	1
Judith Basin	33	9	24	-	-
Lake	114	56	58	-	-
Lewis and Clark	268	71	190	5	2
Helena	194	56	137	-	1
Balance of county	74	15	53	5	1
Liberty	12	7	5	-	-
Lincoln	71	28	25	-	18
McCone	21	9	12	-	-
Madison	55	40	14	-	1
Meagher	21	13	8	-	-
Mineral	15	5	10	-	-
Missoula	283	106	172	-	5
Missoula	247	84	159	-	4
Balance of county	36	22	13	-	1
Musselshell	41	26	13	2	-
Park	114	50	56	-	8
Petroleum	4	2	2	-	-
Phillips	60	25	35	-	-
Pondera	60	20	39	-	1
Powder River	26	14	12	-	-
Powell	62	31	28	-	3
Prairie	16	6	6	-	4
Ravalli	124	60	64	-	-
Richland	84	36	44	-	4
Roosevelt	84	37	37	-	10
Rosebud	68	36	32	-	-
Sanders	55	26	28	-	1
Sheridan	60	30	29	-	1
Silver Bow	643	265	378	-	-
Butte	557	219	338	-	-
Balance of county	86	46	40	-	-
Stillwater	28	12	3	13	-
Sweetgrass	41	25	16	-	-
Teton	51	13	36	-	2
Toole	52	25	17	-	10
Treasure	7	4	3	-	-
Valley	84	37	44	-	3
Wheatland	26	16	10	-	-
Wibaux	14	9	5	-	-
Yellowstone	433	166	234	28	5
Billings	322	110	208	1	3
Balance of county	111	56	26	27	2
Yellowstone National Park (part)	1	1	-	-	-
NEBRASKA	12,500	6,908	4,832	483	277
Adams	365	159	97	105	4
Hastings	208	125	76	6	1
Balance of county	157	34	21	99	3
Antelope	104	76	23	-	5
Arthur	6	4	2	-	-
Banner	7	4	3	-	-
Blaine	7	7	-	-	-
Boone	118	75	27	15	1
Box Butte	117	45	72	-	-
Boyd	55	36	19	-	-
Brown	53	32	21	-	-
Buffalo	247	144	95	6	2
Burt	86	64	22	-	-
Butler	105	61	42	-	2
Cass	182	113	40	19	10
Cedar	108	69	39	-	-
Chase	46	25	21	-	-
Cherry	66	37	29	-	-
Cheyenne	93	42	51	-	-
Clay	130	97	26	6	1
Colfax	95	60	35	-	-
Cuming	111	54	57	-	-
Custer	178	126	50	-	2
Dakota	81	47	33	1	-
Dawes	93	51	31	-	11
Dawson	191	122	67	-	2
Deuel	18	10	8	-	-
Dixon	78	45	27	-	6
Dodge	255	134	108	11	2
Fremont	155	74	68	11	2
Balance of county	100	60	40	-	-
Douglas	2,690	1,245	1,362	50	33
Omaha	2,597	1,202	1,316	46	33
Balance of county	93	43	46	4	-
Dundy	47	34	12	-	1
Fillmore	113	74	26	1	12
Franklin	74	60	14	-	-
Frontier	51	39	12	-	-
Furnas	98	59	30	-	9
Gage	362	165	156	39	2
Beatrice	153	71	82	-	-
Balance of county	209	94	74	39	2
Garden	42	21	21	-	-
Garfield	23	21	2	-	-
Gosper	16	11	5	-	-
Grant	10	9	1	-	-
Greeley	53	31	15	-	7
Hall	289	137	128	20	4
Grand Island	223	101	101	20	1
Balance of county	66	36	27	-	3
NEBRASKA—Continued					
Hamilton	85	52	32	-	1
Harlan	49	37	11	-	1
Hayes	15	9	6	-	-
Hitchcock	47	31	15	-	1
Holt	125	92	31	-	2
Hooker	13	9	4	-	-
Howard	68	44	12	-	12
Jefferson	113	73	39	-	1
Johnson	81	62	15	-	4
Kearney	69	45	17	7	-
Keith	59	30	28	1	2
Keya Paha	16	10	6	-	-
Kimball	30	11	19	-	-
Knox	131	84	42	-	5
Lancaster	1,104	544	453	99	8
Lincoln	883	462	407	8	6
Balance of county	221	82	46	91	2
Lincoln	198	93	97	-	8
North Platte	132	58	67	-	7
Balance of county	66	35	30	-	1
Logan	11	8	3	-	-
Loup	4	4	-	-	-
McPherson	2	1	1	-	-
Madison	303	144	79	76	4
Norfolk	135	78	57	-	-
Balance of county	168	66	22	76	4
Merrick	86	45	38	-	3
Morrill	77	48	25	-	4
Nance	53	31	14	-	8
Nemaha	104	52	37	2	13
Nuckolls	91	55	33	-	3
Otoe	159	98	57	1	3
Pawnee	71	38	32	-	1
Perkins	23	14	9	-	-
Phelps	96	57	39	-	-
Pierce	68	44	23	-	1
Platte	164	80	83	-	1
Polk	71	40	22	-	9
Red Willow	122	81	40	-	1
Richardson	170	100	65	1	4
Rock	32	15	17	-	-
Saline	176	113	60	3	-
Sarpy	78	49	29	-	-
Saunders	168	90	72	1	3
Scotts Bluff	247	116	99	-	32
Scottsbluff	115	51	49	-	15
Balance of county	132	65	50	-	17
Seward	120	92	26	-	2
Sheridan	78	44	26	-	8
Sherman	61	43	17	-	1
Sioux	20	12	6	-	2
Stanton	49	38	9	-	2
Thayer	97	77	18	-	2
Thomas	10	6	3	-	1
Thurston	101	53	47	-	1
Valley	58	51	7	-	-
Washington	123	74	41	8	-
Wayne	86	49	34	-	3
Webster	79	63	15	-	1
Wheeler	14	12	1	-	1
York	164	100	51	11	2
NEVADA	1,588	656	838	41	53
Churchill	81	38	9	-	34
Clark	300	123	164	-	13
Douglas	29	18	11	-	-
Elko	122	53	68	-	1
Esmeralda	15	7	4	4	-
Eureka	18	11	3	4	-
Humboldt	57	24	33	-	-
Lander	19	8	11	-	-
Lincoln	41	15	26	-	-
Lyon	43	16	26	-	1
Mineral	64	26	38	-	-
Nye	57	24	33	-	-
Ormsby	37	27	8	2	-
Pershing	27	6	21	-	-
Storey	14	7	7	-	-
Washoe	562	209	321	31	1
Reno	274	132	141	-	1
Balance of county	288	77	180	31	-
White Pine	102	44	55	-	3
NEW HAMPSHIRE	5,816	2,965	2,178	515	158
Belknap	285	155	106	20	4
Laconia	157	73	67	17	-
Balance of county	128	82	39	3	4
Carroll	168	94	70	1	3
Cheshire	420	226	151	34	9
Keene	180	79	94	1	6
Balance of county	240	147	57	33	3
Coos	383	210	140	27	6
Berlin	151	64	83	-	4
Balance of county	232	146	57	27	2
Grafton	473	269	179	19	6

747801 O - 47 - 40

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
NEW HAMPSHIRE—Continued					
Hillsborough	1,655	803	755	71	26
Manchester	874	433	416	13	12
Nashua	338	147	177	7	7
Balance of county	443	223	162	51	7
Merrimack	912	328	251	299	34
Concord	548	117	128	287	16
Balance of county	364	211	123	12	18
Rockingham	748	410	278	14	46
Portsmouth	206	103	85	9	9
Balance of county	542	307	193	5	37
Strafford	516	350	134	11	21
Dover	206	117	70	10	9
Rochester	136	98	32	1	5
Balance of county	174	135	32	-	7
Sullivan	256	120	114	19	3
Claremont (town)	128	55	73	-	-
Balance of county	128	65	41	19	3
NEW JERSEY	47,825	23,861	20,489	3,213	262
Atlantic	1,736	1,040	575	117	4
Atlantic City	950	548	399	1	2
Pleasantville	112	84	28	-	-
Balance of county	674	408	148	116	2
Bergen	4,156	2,226	1,832	54	44
Bergenfield	89	49	38	-	2
Cliffside Park	133	61	71	-	1
Englewood	213	113	97	1	2
Garfield	192	126	64	-	2
Hackensack	359	152	200	1	6
Lodi	88	34	50	3	1
Lyndhurst (twp.)[2]	154	99	55	-	-
Ridgefield Park	125	72	51	-	2
Ridgewood	174	121	53	-	-
Rutherford	163	89	73	1	-
Teaneck (twp.)[2]	240	116	124	-	-
Balance of county	2,226	1,194	956	48	28
Burlington	1,189	722	359	102	6
Burlington	133	78	52	2	1
Balance of county	1,056	644	307	100	5
Camden	3,128	1,680	1,282	138	28
Camden	1,432	737	684	1	10
Collingswood	141	90	44	6	1
Gloucester City	160	78	80	-	2
Pennsauken (twp.)[2]	167	117	49	-	1
Balance of county	1,228	658	425	131	14
Cape May	514	325	128	52	9
Cumberland	1,005	565	328	109	3
Bridgeton	240	148	80	10	2
Millville	191	110	80	-	1
Balance of county	574	307	168	99	-
Essex	9,434	4,340	4,563	494	37
Belleville	228	140	88	-	-
Bloomfield	375	212	157	3	3
East Orange	745	434	305	-	6
Irvington	559	299	254	2	4
Maplewood (twp.)[2]	213	125	81	5	2
Millburn (twp.)[2]	86	52	34	-	-
Montclair	475	278	194	-	3
Newark	4,975	2,040	2,773	153	9
Nutley	183	112	71	-	-
Orange	444	199	236	6	3
South Orange	135	88	47	-	-
West Orange	253	137	113	-	3
Balance of county	763	224	210	325	4
Gloucester	944	628	273	28	15
Hudson	7,123	3,096	3,670	347	10
Bayonne	715	371	343	-	1
Harrison	138	58	80	-	-
Hoboken	630	240	390	-	-
Jersey City	3,373	1,384	1,963	21	5
Kearny	349	177	171	-	1
North Bergen (twp.)[2]	361	201	147	13	-
Union City	597	334	262	-	1
Weehawken (twp.)[2]	194	81	113	-	-
West New York	316	186	129	-	1
Balance of county	450	64	72	313	1
Hunterdon	473	342	112	8	11
Mercer	2,528	1,077	1,058	376	17
Trenton	1,589	655	638	287	9
Balance of county	939	422	420	89	8
Middlesex	2,057	1,071	944	27	15
Carteret	99	58	40	-	1
New Brunswick	366	152	212	-	2
Perth Amboy	389	197	192	-	-
South River	88	49	39	-	-
Woodbridge (twp.)[2]	225	122	88	15	-
Balance of county	890	493	373	12	12
Monmouth	2,397	1,153	843	379	22
Asbury Park	216	111	103	-	2
Long Branch	214	115	98	-	1
Neptune (twp.)[2]	151	77	60	12	2
Red Bank	151	95	56	-	-
Balance of county	1,665	755	526	367	17
NEW JERSEY—Continued					
Morris	1,924	761	536	619	8
Dover	135	67	68	-	-
Morristown	203	103	97	-	3
Balance of county	1,586	591	371	619	5
Ocean	542	311	227	3	1
Passaic	3,250	1,669	1,415	156	10
Clifton	392	231	160	-	1
Hawthorne	112	78	33	-	1
Passaic	625	312	307	2	4
Paterson	1,529	753	733	41	2
Balance of county	592	295	182	113	2
Salem	431	254	162	15	-
Somerset	823	388	280	148	7
North Plainfield	113	59	39	14	1
Balance of county	710	329	241	134	6
Sussex	370	220	136	12	2
Union	3,185	1,617	1,538	18	12
Cranford (twp.)[2]	113	59	39	15	-
Elizabeth	1,118	515	600	1	2
Hillside (twp.)[2]	147	81	63	-	3
Linden	186	100	85	-	1
Plainfield	468	216	250	1	1
Rahway	176	88	88	-	-
Roselle	104	72	32	-	-
Summit	176	84	89	-	3
Union (twp.)[2]	202	108	93	-	1
Westfield	148	100	47	-	1
Balance of county	347	194	152	1	-
Warren	616	376	228	11	1
Phillipsburg	227	129	97	-	1
Balance of county	389	247	131	11	-
NEW MEXICO	5,520	3,286	2,028	85	121
Bernalillo	828	522	285	-	21
Albuquerque	393	191	192	-	10
Balance of county	435	331	93	-	11
Catron	23	19	4	-	-
Chaves	251	125	124	-	2
Roswell	181	79	100	-	2
Balance of county	70	46	24	-	-
Colfax	176	93	83	-	-
Curry	179	97	76	-	6
Clovis	141	66	70	-	5
Balance of county	38	31	6	-	1
De Baca	54	24	30	-	-
Dona Ana	288	192	96	-	-
Eddy	254	130	119	-	5
Grant	212	111	100	-	1
Guadalupe	75	55	20	-	-
Harding	26	23	2	-	1
Hidalgo	54	39	15	-	-
Lea	111	53	38	-	20
Hobbs	72	29	25	-	18
Balance of county	39	24	13	-	2
Lincoln	78	37	40	-	1
Luna	85	54	31	-	-
McKinley	399	135	263	-	1
Mora	92	69	23	-	-
Otero	128	93	34	-	1
Quay	105	63	33	-	9
Rio Arriba	268	215	51	-	2
Roosevelt	88	58	27	-	3
Sandoval	167	139	16	-	12
San Juan	164	58	105	-	1
San Miguel	389	207	97	84	1
Santa Fe	299	161	134	1	3
Santa Fe	211	102	105	1	3
Balance of county	88	59	29	-	-
Sierra	69	43	18	-	8
Socorro	111	90	15	-	6
Taos	153	93	57	-	3
Torrance	102	76	22	-	4
Union	72	43	29	-	-
Valencia	220	169	41	-	10
NEW YORK	153,654	68,599	70,428	12,721	1,906
Albany	2,734	1,435	1,010	203	86
Albany	1,689	840	704	102	43
Cohoes	252	163	86	-	3
Watervliet	168	105	62	-	1
Balance of county	625	327	158	101	39
Allegany	455	262	167	16	10
Broome	1,948	717	901	299	31
Binghamton	1,155	349	517	254	25
Endicott	173	64	109	-	-
Johnson City	170	63	105	-	2
Balance of county	450	241	170	35	4
Cattaraugus	790	432	336	14	8
Olean	242	109	131	1	1
Balance of county	548	323	205	13	7
Cayuga	845	413	335	25	72
Auburn	455	183	224	10	38
Balance of county	390	230	111	15	34

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
NEW YORK—Continued					
Chautauqua	1,451	797	592	51	11
Dunkirk	216	126	89	1	-
Jamestown	472	231	231	5	5
Balance of county	763	440	272	45	6
Chemung	889	393	464	23	9
Elmira	630	250	366	6	8
Balance of county	259	143	98	17	1
Chenango	498	250	175	45	28
Clinton	501	275	174	39	13
Plattsburgh	193	87	98	2	6
Balance of county	308	188	76	37	7
Columbia	526	301	185	38	2
Hudson	165	76	65	24	-
Balance of county	361	225	120	14	2
Cortland	432	255	155	18	4
Cortland	222	136	83	1	2
Balance of county	210	119	72	17	2
Delaware	560	349	193	12	6
Dutchess	2,124	694	609	816	5
Beacon	193	82	66	45	-
Poughkeepsie	512	244	250	15	3
Balance of county	1,419	368	293	756	2
Erie	9,336	4,280	4,102	852	102
Buffalo	6,612	3,015	3,166	358	73
Kenmore	177	98	60	14	5
Lackawanna	257	101	155	-	1
Tonawanda	188	84	104	-	-
Balance of county	2,102	982	617	480	23
Essex	432	266	138	23	5
Franklin	546	311	225	1	9
Fulton	613	378	203	4	28
Gloversville	318	180	115	3	20
Johnstown	153	105	45	-	3
Balance of county	142	93	43	1	5
Genesee	538	258	238	28	14
Batavia	218	81	130	1	6
Balance of county	320	177	108	27	8
Greene	403	237	148	13	5
Hamilton	51	37	14	-	-
Herkimer	723	421	257	11	34
Little Falls	125	69	46	-	10
Balance of county	598	352	211	11	24
Jefferson	1,065	567	452	9	37
Watertown	487	205	275	1	6
Balance of county	578	362	177	8	31
Lewis	244	146	92	3	3
Livingston	545	264	149	121	11
Madison	477	288	152	16	21
Oneida	130	63	55	8	4
Balance of county	347	225	97	8	17
Monroe	5,072	2,171	2,017	742	142
Irondequoit (town)	147	87	56	-	4
Rochester	3,748	1,590	1,660	398	100
Balance of county	1,177	494	301	344	38
Montgomery	736	398	323	6	9
Amsterdam	424	198	218	3	5
Balance of county	312	200	105	3	4
Nassau	4,223	2,257	1,850	65	51
Floral Park	140	90	50	-	-
Freeport	246	176	68	-	2
Garden City	129	87	38	1	3
Glen Cove	137	44	92	-	1
Hempstead	258	116	139	-	3
Lynbrook	136	93	41	-	2
Mineola	112	41	71	-	-
Rockville Centre	241	141	68	29	3
Valley Stream	159	96	51	12	-
Balance of county	2,665	1,373	1,232	23	37
New York City[4]	79,408	32,817	41,370	4,719	502
Niagara	1,675	722	836	91	26
Lockport	331	133	171	20	7
Niagara Falls	705	251	444	-	10
North Tonawanda	185	102	82	-	1
Balance of county	454	236	139	71	8
Oneida	3,043	1,258	1,176	557	52
Rome	441	145	201	94	1
Utica	1,499	568	682	219	30
Balance of county	1,103	545	293	244	21
Onondaga	3,385	1,765	1,480	63	77
Syracuse	2,372	1,186	1,101	40	45
Balance of county	1,013	579	379	23	32
Ontario	696	316	295	78	7
Geneva	192	85	104	3	-
Balance of county	504	231	191	75	7
Orange	1,822	899	601	309	13
Middletown	438	141	94	198	5
Newburgh	450	215	191	39	5
Balance of county	934	543	316	72	3
Orleans	333	185	118	26	4
Oswego	851	578	223	29	21
Fulton	146	106	37	-	3
Oswego	270	158	105	1	6
Balance of county	435	314	81	28	12
Otsego	608	354	214	9	31
Oneonta	164	85	76	-	3
Balance of county	444	269	138	9	28
NEW YORK—Continued					
Putnam	220	135	80	-	5
Rensselaer	1,706	879	679	91	57
Rensselaer	137	87	46	-	4
Troy	1,050	465	469	88	28
Balance of county	519	327	164	3	25
Rockland	1,267	369	370	522	6
St. Lawrence	1,235	601	385	210	39
Massena	104	52	31	-	21
Ogdensburg	318	64	80	172	2
Balance of county	813	485	274	38	16
Saratoga	818	497	264	34	23
Saratoga Springs	208	125	75	-	8
Balance of county	610	372	189	34	15
Schenectady	1,512	823	551	97	41
Schenectady	1,083	604	438	8	33
Balance of county	429	219	113	89	8
Schoharie	254	177	55	1	21
Schuyler	169	94	74	-	1
Seneca	639	189	186	258	6
Steuben	1,100	593	484	16	7
Corning	200	113	87	-	-
Hornell	217	90	125	-	2
Balance of county	683	390	272	16	5
Suffolk	3,754	1,250	826	1,670	8
Sullivan	465	272	173	13	7
Tioga	401	254	130	3	14
Tompkins	501	271	204	19	7
Ithaca	240	106	131	1	2
Balance of county	261	165	73	18	5
Ulster	1,173	570	547	38	18
Kingston	434	170	230	26	8
Balance of county	739	400	317	12	10
Warren	487	310	139	3	35
Glens Falls	277	166	85	1	25
Balance of county	210	144	54	2	10
Washington	531	338	152	13	28
Wayne	659	348	225	84	2
Westchester	5,615	2,527	2,739	265	84
Mamaroneck	114	68	44	-	2
Mount Vernon	627	270	320	5	32
New Rochelle	631	227	384	8	12
Ossining	163	63	86	13	1
Peekskill	189	127	59	2	1
Port Chester	232	102	130	-	-
Scarsdale	102	52	49	-	1
White Plains	416	177	236	-	3
Yonkers	1,357	627	682	34	14
Balance of county	1,784	814	749	203	18
Wyoming	323	202	108	7	6
Yates	247	154	88	3	2
NORTH CAROLINA	28,897	18,686	9,024	965	222
Alamance	370	274	85	4	7
Burlington	131	98	29	-	4
Balance of county	239	176	56	4	3
Alexander	122	93	27	2	-
Alleghany	42	37	5	-	-
Anson	212	174	37	1	-
Ashe	124	104	19	1	-
Avery	81	55	26	-	-
Beaufort	357	260	96	-	1
Bertie	229	193	34	-	2
Bladen	194	156	38	-	-
Brunswick	157	94	63	-	-
Buncombe	987	549	412	11	15
Asheville	531	305	216	-	10
Balance of county	456	244	196	11	5
Burke	363	122	114	127	-
Cabarrus	380	221	156	-	3
Concord	109	68	40	-	1
Balance of county	271	153	116	-	2
Caldwell	290	213	77	-	-
Camden	58	50	7	-	1
Carteret	157	115	41	1	-
Caswell	133	97	35	-	1
Catawba	383	247	135	-	1
Hickory	104	60	44	-	-
Balance of county	279	187	91	-	1
Chatham	194	142	50	-	2
Cherokee	107	75	32	-	-
Chowan	102	85	15	-	2
Clay	32	24	8	-	-
Cleveland	344	203	136	-	5
Shelby	123	51	71	-	1
Balance of county	221	152	65	-	4
Columbus	356	248	103	2	3
Craven	406	268	127	9	2
New Bern	181	118	62	-	1
Balance of county	225	150	65	9	1
Cumberland	551	306	240	3	2
Fayetteville	260	118	139	3	-
Balance of county	291	188	101	-	2
Currituck	51	42	9	-	-
Dare	59	48	9	-	2

[4] Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
NORTH CAROLINA—Continued					
Davidson	391	287	89	2	13
Lexington	87	59	24	-	4
Thomasville	84	53	29	-	2
Balance of county	220	175	36	2	7
Davie	98	68	29	1	-
Duplin	288	236	52	-	-
Durham	694	368	291	34	1
Durham	538	283	252	2	1
Balance of county	156	85	39	32	-
Edgecombe	374	254	114	5	1
Rocky Mount (part)	90	59	31	-	-
Balance of county	284	195	83	5	1
Forsyth	1,081	619	434	25	3
Winston-Salem	739	391	341	4	3
Balance of county	342	228	93	21	-
Franklin	244	164	61	7	12
Gaston	672	454	212	4	2
Gastonia	213	120	92	-	1
Balance of county	459	334	120	4	1
Gates	95	84	11	-	-
Graham	40	28	10	-	2
Granville	266	182	81	3	-
Greene	100	73	27	-	-
Guilford	1,259	688	505	38	28
Greensboro	563	280	268	5	10
High Point	298	178	109	-	11
Balance of county	398	230	128	33	7
Halifax	418	280	131	5	2
Harnett	236	200	84	1	1
Haywood	222	152	66	2	2
Henderson	217	132	82	2	1
Hertford	154	118	34	-	2
Hoke	133	85	48	-	-
Hyde	81	59	22	-	-
Iredell	427	282	138	5	2
Statesville	134	89	44	-	1
Balance of county	293	193	94	5	1
Jackson	128	101	24	1	2
Johnston	396	289	102	3	2
Jones	81	64	17	-	-
Lee	158	104	53	1	-
Lenoir	396	230	153	11	2
Kinston	171	94	75	-	2
Balance of county	225	136	78	11	-
Lincoln	171	115	54	-	2
McDowell	149	105	44	-	-
Macon	106	86	20	-	-
Madison	124	94	28	-	2
Martin	229	178	45	3	3
Mecklenburg	1,357	748	587	15	7
Charlotte	973	536	432	-	5
Balance of county	384	212	155	15	2
Mitchell	82	59	21	-	2
Montgomery	128	99	27	-	2
Moore	237	149	84	2	2
Nash	474	292	169	12	1
Rocky Mount (part)	122	62	59	-	1
Rocky Mount (total)	212	121	90	-	1
Balance of county	352	230	110	12	-
New Hanover	608	239	353	14	2
Wilmington	429	172	255	1	-
Balance of county	180	67	98	13	2
Northampton	194	161	31	2	-
Onslow	168	93	45	1	29
Orange	187	128	59	-	-
Pamlico	96	81	15	-	-
Pasquotank	243	192	47	-	4
Elizabeth City	141	108	30	-	3
Balance of county	102	84	17	-	1
Pender	183	131	52	-	-
Perquimans	77	61	15	-	1
Person	162	110	50	2	-
Pitt	501	106	93	1	1
Greenville	138	107	31	-	-
Balance of county	363	299	62	1	1
Polk	85	52	32	-	1
Randolph	295	183	108	3	1
Richmond	340	252	81	5	2
Robeson	690	500	174	12	4
Rockingham	444	291	143	4	6
Reidsville	104	66	34	-	4
Balance of county	340	225	109	4	2
Rowan	518	320	190	7	1
Salisbury	170	93	77	-	-
Balance of county	348	227	113	7	1
Rutherford	271	198	67	6	-
Sampson	325	256	62	6	1
Scotland	223	165	57	-	1
Stanly	243	152	87	4	-
Stokes	137	105	26	4	2
Surry	313	223	83	4	3
Swain	38	25	13	-	-
Transylvania	95	76	19	-	-
Tyrrell	52	48	4	-	-
Union	307	226	74	6	1
Vance	242	180	61	1	-
Wake	1,033	453	396	182	2
Raleigh	649	198	268	182	1
Balance of county	384	255	128	-	1
NORTH CAROLINA—Continued					
Warren	234	184	47	2	1
Washington	115	94	20	1	-
Watauga	113	72	39	1	1
Wayne	672	217	102	346	7
Goldsboro	136	86	47	1	2
Balance of county	536	131	55	345	5
Wilkes	352	281	67	3	1
Wilson	512	327	178	5	2
Wilson	256	148	107	-	1
Balance of county	256	179	71	5	1
Yadkin	128	94	34	-	-
Yancey	104	89	15	-	-
NORTH DAKOTA	5,109	2,334	2,445	274	56
Adams	30	20	10	-	-
Barnes	140	65	74	1	-
Benson	90	52	30	-	8
Billings	6	5	1	-	-
Bottineau	97	27	70	-	-
Bowman	33	21	12	-	-
Burke	60	35	25	-	-
Burleigh	181	66	109	-	6
Bismarck	147	50	92	-	5
Balance of county	34	16	17	-	1
Cass	491	223	255	5	8
Fargo	349	149	194	-	6
Balance of county	142	74	61	5	2
Cavalier	118	64	54	-	-
Dickey	58	39	17	-	2
Divide	49	24	24	-	1
Dunn	56	32	23	-	1
Eddy	46	20	26	-	-
Emmons	68	43	25	-	-
Foster	38	18	20	-	-
Golden Valley	24	7	17	-	-
Grand Forks	360	122	174	64	-
Grand Forks	228	73	147	8	-
Balance of county	132	49	27	56	-
Grant	41	19	21	-	1
Griggs	36	28	8	-	-
Hettinger	52	33	19	-	-
Kidder	32	17	15	-	-
La Moure	91	65	26	-	-
Logan	42	27	14	-	1
McHenry	77	35	42	-	-
McIntosh	41	26	15	-	-
McKenzie	65	36	27	-	2
McLean	105	60	45	-	-
Mercer	63	33	24	-	6
Morton	152	71	60	20	1
Mountrail	79	50	28	-	1
Nelson	80	43	36	-	1
Oliver	8	5	1	-	2
Pembina	112	84	28	-	-
Pierce	87	18	69	-	-
Ramsey	139	48	89	1	1
Ransom	82	53	29	-	-
Renville	32	17	15	-	-
Richland	143	66	76	-	1
Rolette	116	44	72	-	-
Sargent	68	43	25	-	-
Sheridan	38	17	21	-	-
Sioux	33	21	12	-	-
Slope	19	8	11	-	-
Stark	129	67	57	-	5
Steele	33	20	12	-	1
Stutsman	330	51	137	142	-
Towner	45	25	20	-	-
Traill	89	49	38	-	2
Walsh	180	84	54	41	1
Ward	315	101	212	-	2
Minot	210	65	144	-	1
Balance of county	105	36	68	-	1
Wells	67	38	27	-	2
Williams	143	49	94	-	-
OHIO	78,835	44,616	28,685	3,917	1,617
Adams	226	184	41	-	1
Allen	898	446	389	55	8
Lima	562	256	302	-	4
Balance of county	336	190	87	55	4
Ashland	359	228	106	8	17
Ashland	171	91	69	1	10
Balance of county	188	137	37	7	7
Ashtabula	841	525	248	54	14
Ashtabula	278	173	101	3	1
Balance of county	563	352	147	51	13
Athens	560	349	92	112	7
Auglaize	320	235	69	16	-
Belmont	927	621	265	33	8
Bellaire	145	93	51	-	1
Martins Ferry	158	93	63	-	2
Balance of county	624	435	151	33	5
Brown	270	222	38	1	9
Butler	1,289	643	618	12	16
Hamilton	617	263	340	4	10
Middletown	354	194	157	-	3
Balance of county	318	186	121	8	3

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
OHIO—Continued					
Carroll	190	154	23	13	-
Champaign	352	222	125	2	3
Clark	1,215	697	422	86	10
Springfield	905	517	346	33	9
Balance of county	310	180	76	53	1
Clermont	428	321	88	16	3
Clinton	270	216	38	9	7
Columbiana	1,017	663	312	14	28
East Liverpool	291	181	108	-	2
Salem	139	62	69	1	7
Balance of county	587	420	135	13	19
Coshocton	388	276	99	7	6
Coshocton	174	111	56	3	4
Balance of county	214	165	43	4	2
Crawford	449	254	172	13	10
Cuyahoga	13,051	6,859	5,661	310	221
Cleveland	9,922	4,934	4,569	259	160
Cleveland Heights	418	318	85	9	6
East Cleveland	405	228	171	2	4
Euclid	193	128	56	-	9
Garfield Heights	123	80	39	-	4
Lakewood	672	443	217	4	8
Parma	130	70	30	28	2
Shaker Heights	178	118	58	-	2
Balance of county	1,010	540	436	8	26
Darke	459	309	110	33	7
Defiance	263	165	85	8	5
Delaware	306	204	92	3	7
Erie	604	294	251	49	10
Sandusky	351	142	200	3	6
Balance of county	253	152	51	46	4
Fairfield	557	378	161	15	3
Lancaster	284	189	95	-	-
Balance of county	273	189	66	15	3
Fayette	269	188	36	30	15
Franklin	4,941	2,708	1,838	321	74
Columbus	4,107	2,189	1,584	273	61
Balance of county	834	519	254	48	13
Fulton	279	181	70	24	4
Gallia	350	190	33	126	1
Geauga	193	141	46	1	5
Green	467	316	114	20	17
Xenia	160	117	31	4	8
Balance of county	307	199	83	16	9
Guernsey	460	332	112	8	8
Cambridge	200	142	53	-	5
Balance of county	260	190	59	8	3
Hamilton	8,180	3,984	3,470	545	181
Cincinnati	6,443	2,980	2,950	361	152
Norwood	285	189	93	-	3
Balance of county	1,452	815	427	184	26
Hancock	528	312	180	9	27
Findlay	314	172	118	1	23
Fostoria (part)	35	15	20	-	-
Balance of county	179	125	42	8	4
Hardin	333	179	100	48	6
Harrison	191	147	39	4	1
Henry	212	158	45	4	5
Highland	350	245	74	10	21
Hocking	195	159	25	3	8
Holmes	157	108	42	2	5
Huron	480	295	165	14	6
Jackson	302	245	50	2	5
Jefferson	938	517	377	37	7
Steubenville	439	218	211	5	5
Balance of county	499	299	166	32	2
Knox	395	216	170	6	3
Mount Vernon	182	86	93	2	1
Balance of county	213	130	77	4	2
Lake	587	340	211	18	18
Painesville	207	88	115	-	4
Balance of county	380	252	96	18	14
Lawrence	429	285	144	-	-
Ironton	176	102	74	-	-
Balance of county	253	183	70	-	-
Licking	826	536	248	16	26
Newark	458	285	155	-	18
Balance of county	368	251	93	16	8
Logan	381	280	81	13	7
Lorain	1,287	719	494	23	51
Elyria	307	165	128	6	8
Lorain	487	240	222	-	25
Balance of county	493	314	144	17	18
Lucas	4,101	1,774	1,785	322	220
Toledo	3,750	1,541	1,689	315	205
Balance of county	351	233	96	7	15
Madison	254	186	48	13	7
Mahoning	2,347	1,135	1,171	32	9
Campbell	88	49	38	-	1
Struthers	57	37	20	-	-
Youngstown (part)	1,787	800	980	-	7
Youngstown (total)	1,789	800	981	-	8
Balance of county	415	249	133	32	1
Marion	549	375	164	7	3
Marion	372	247	122	1	2
Balance of county	177	128	42	6	1
Medina	387	216	138	9	24
Meigs	216	175	29	2	10
Mercer	270	171	90	7	2
Miami	663	454	182	18	9
Piqua	220	145	74	-	1
Balance of county	443	309	108	18	8
Monroe	213	167	39	5	2
Montgomery	3,604	1,848	1,477	213	66
Dayton	2,736	1,310	1,234	149	43
Balance of county	868	538	243	64	23
Morgan	150	109	41	-	-
Morrow	174	126	42	5	1
Muskingum	868	504	327	28	9
Zanesville	575	316	234	18	7
Balance of county	293	188	93	10	2
Noble	128	108	19	-	1
Ottawa	288	178	94	10	6
Paulding	137	85	50	2	-
Perry	326	266	44	11	5
Pickaway	397	240	73	80	4
Pike	162	135	24	2	1
Portage	478	305	147	10	16
Preble	290	214	59	10	7
Putnam	240	173	57	3	7
Richland	792	428	335	11	18
Mansfield	423	222	197	-	4
Balance of county	369	206	138	11	14
Ross	588	357	147	77	7
Chillicothe	245	162	80	-	3
Balance of county	343	195	67	77	4
Sandusky	486	310	159	6	11
Fremont	178	114	63	1	-
Balance of county	308	196	96	5	11
Scioto	814	538	270	5	1
Portsmouth	471	288	182	-	1
Balance of county	343	250	88	5	-
Seneca	510	322	127	26	35
Fostoria (part)	96	61	31	-	4
Fostoria (total)	131	76	51	-	4
Tiffin	240	145	56	12	27
Balance of county	174	116	40	14	4
Shelby	285	172	93	16	4
Stark	2,756	1,331	981	410	34
Alliance	317	198	111	-	8
Canton	1,158	602	533	16	7
Massillon	324	170	148	3	3
Balance of county	957	361	189	391	16
Summit	3,289	1,626	1,373	208	82
Akron	2,326	1,140	1,085	53	48
Barberton	245	134	103	-	8
Cuyahoga Falls	176	99	70	1	6
Balance of county	542	253	115	154	20
Trumbull	1,289	725	507	39	18
Niles	123	75	48	-	-
Warren	518	255	252	6	5
Youngstown (part)	2	-	1	-	1
Balance of county	646	395	206	33	12
Tuscarawas	745	486	214	28	17
New Philadelphia	150	98	43	4	5
Balance of county	595	388	171	24	12
Union	227	179	39	8	1
Van Wert	330	222	91	6	11
Vinton	92	75	11	3	3
Warren	362	240	83	35	4
Washington	476	337	123	14	2
Marietta	202	130	67	3	2
Balance of county	274	207	56	11	-
Wayne	518	332	121	50	15
Wooster	142	87	47	-	8
Balance of county	376	245	74	50	7
Williams	307	229	67	5	6
Wood	537	368	127	16	26
Wyandot	221	149	48	12	12
OKLAHOMA	18,921	11,386	6,413	766	356
Adair	147	119	28	-	-
Alfalfa	107	64	42	-	1
Atoka	123	84	24	-	15
Beaver	68	47	21	-	-
Beckham	161	96	63	-	2
Blaine	116	84	32	-	-
Bryan	257	192	62	-	3
Durant	102	71	31	-	-
Balance of county	155	121	31	-	3
Caddo	297	189	107	-	1
Canadian	231	157	71	1	2
El Reno	130	89	40	-	1
Balance of county	101	68	31	1	1
Carter	324	238	64	13	9
Ardmore	199	136	43	13	7
Balance of county	125	102	21	-	2
Cherokee	142	108	33	-	1
Choctaw	199	143	55	-	1
Cimarron	35	24	10	-	1
Cleveland	378	136	55	185	2
Norman	309	86	37	185	1
Balance of county	69	50	18	-	1

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
OKLAHOMA—Continued					
Coal	85	69	14	-	2
Comanche	313	178	133	-	2
Lawton	189	105	82	-	2
Balance of county	124	73	51	-	-
Cotton	86	66	20	-	-
Craig	300	110	47	143	-
Creek	399	265	132	-	2
Sapulpa	138	86	51	-	1
Balance of county	261	179	81	-	1
Custer	227	124	101	-	2
Delaware	113	87	24	-	2
Dewey	65	56	9	-	-
Ellis	69	44	23	-	2
Garfield	464	204	209	41	10
Enid	351	137	169	40	5
Balance of county	113	67	40	1	5
Garvin	205	140	54	7	4
Grady	276	191	84	-	1
Chickasha	140	103	37	-	-
Balance of county	136	88	47	-	1
Grant	80	42	36	-	2
Greer	113	75	37	-	1
Harmon	57	42	12	-	3
Harper	53	33	18	-	2
Haskell	107	92	15	-	-
Hughes	197	135	61	-	1
Jackson	152	128	22	-	2
Jefferson	125	81	40	-	4
Johnston	91	62	21	-	8
Kay	444	236	194	-	14
Ponca City	158	69	86	-	3
Balance of county	286	167	108	-	11
Kingfisher	111	75	31	-	5
Kiowa	161	91	66	-	4
Latimer	64	39	24	-	1
Le Flore	296	229	67	-	-
Lincoln	215	175	40	-	-
Logan	260	165	80	12	3
Guthrie	143	83	46	12	2
Balance of county	117	82	34	-	1
Love	43	31	12	-	-
McClain	86	55	31	-	-
McCurtain	247	193	54	-	-
McIntosh	155	121	26	-	8
Major	59	37	18	-	4
Marshall	92	64	28	-	-
Mayes	189	104	82	1	2
Murray	135	89	29	-	17
Muskogee	741	366	276	90	7
Muskogee	420	214	204	-	2
Balance of county	321	152	74	90	5
Noble	126	89	36	-	1
Nowata	128	81	43	-	4
Okfuskee	170	116	54	-	-
Oklahoma	2,348	1,185	1,076	21	66
Oklahoma City	1,947	962	916	11	58
Balance of county	401	223	160	10	8
Okmulgee	431	277	141	-	13
Okmulgee	183	113	58	-	12
Balance of county	248	164	83	-	1
Osage	279	186	64	24	5
Ottawa	356	244	111	-	1
Pawnee	142	90	50	-	2
Payne	278	179	96	-	3
Stillwater	92	64	28	-	-
Balance of county	186	115	68	-	3
Pittsburg	412	215	159	37	1
McAlester	191	73	82	35	1
Balance of county	221	142	77	2	-
Pontotoc	277	149	127	-	1
Ada	153	70	83	-	-
Balance of county	124	79	44	-	1
Pottawatomie	423	261	157	-	5
Shawnee	237	128	107	-	2
Balance of county	186	133	50	-	3
Pushmataha	157	126	30	-	1
Roger Mills	52	30	22	-	-
Rogers	162	91	68	-	3
Seminole	316	193	122	1	-
Seminole	100	54	46	-	-
Wewoka	76	52	23	1	-
Balance of county	140	87	53	-	-
Sequoyah	145	109	36	-	-
Stephens	225	132	92	-	1
Texas	67	44	22	-	1
Tillman	149	108	41	-	-
Tulsa	1,831	962	789	8	72
Tulsa	1,470	743	661	2	64
Balance of county	361	219	128	6	8
Wagoner	160	130	29	-	1
Washington	279	180	93	3	3
Bartlesville	154	89	63	1	1
Balance of county	125	91	30	2	2
Washita	130	87	42	-	1
Woods	122	78	39	-	5
Woodward	286	69	35	179	13
OREGON	13,022	5,784	5,926	852	460
Baker	196	105	83	3	5
Benton	207	103	98	-	6
Clackamas	601	329	258	7	7
Clatsop	308	132	169	2	5
Astoria	195	59	136	-	-
Balance of county	113	73	33	2	5
Columbia	163	101	56	1	5
Coos	319	129	178	6	6
Crook	45	22	23	-	-
Curry	41	19	22	-	-
Deschutes	137	51	69	10	7
Bend	104	33	60	10	1
Balance of county	33	18	9	-	6
Douglas	396	165	164	45	22
Gillian	20	15	4	-	1
Grant	58	33	25	-	-
Harney	53	19	34	-	-
Hood River	99	46	50	3	-
Jackson	437	204	210	9	14
Medford	225	87	132	3	3
Balance of county	212	117	78	6	11
Jefferson	26	14	12	-	-
Josephine	205	86	112	-	7
Klamath	307	124	171	7	5
Klamath Falls	209	76	128	3	2
Balance of county	98	48	43	4	3
Lake	53	29	20	-	4
Lane	803	382	388	13	20
Eugene	437	141	273	13	10
Balance of county	366	241	115	-	10
Lincoln	161	95	62	-	4
Linn	381	210	140	12	19
Malheur	153	72	75	-	6
Marion	1,168	387	337	398	46
Salem	754	173	198	353	30
Balance of county	414	214	139	45	16
Morrow	45	27	16	1	1
Multnomah	4,890	2,104	2,369	186	231
Portland	4,258	1,855	2,226	67	110
Balance of county	632	249	143	119	121
Polk	150	93	54	-	3
Sherman	14	7	7	-	-
Tillamook	124	68	52	-	4
Umatilla	394	127	158	103	6
Union	159	52	106	-	1
Wallowa	54	30	23	-	1
Wasco	161	53	101	3	4
Washington	382	198	132	43	9
Wheeler	18	12	6	-	-
Yamhill	294	141	142	-	11
PENNSYLVANIA	109,193	59,010	42,033	7,320	830
Adams	401	286	98	16	1
Allegheny	15,275	8,074	5,842	1,257	102
Bellevue	130	82	47	-	1
Braddock	192	103	89	-	-
Carnegie	155	91	64	-	-
Clairton	113	66	47	-	-
Coraopolis	117	72	45	-	-
Dormont	101	63	38	-	-
Duquesne	155	93	62	-	-
Harrison (twp.)[2]	92	42	50	-	-
Homestead	126	53	73	-	-
McKeesport	532	299	223	1	9
McKees Rocks	228	125	103	-	-
Mount Lebanon (twp.)[2]	149	74	58	15	2
Munhall	132	79	53	-	-
North Braddock	132	90	42	-	-
Pittsburgh	7,654	4,169	3,274	153	58
Shaler (twp.)[2]	41	25	14	2	-
Stowe (twp.)[2]	17	12	5	-	-
Swissvale	136	85	42	9	-
Wilkinsburg	334	184	130	13	7
Balance of county	4,739	2,267	1,383	1,064	25
Armstrong	753	515	209	23	6
Beaver	1,445	790	556	93	6
Aliquippa	223	134	88	-	1
Ambridge	154	83	70	-	1
Beaver Falls	193	113	79	-	1
Ellwood City (part)	11	9	2	-	-
Balance of county	864	451	317	93	3
Bedford	420	303	102	14	1
Berks	2,819	1,527	993	292	7
Reading	1,272	699	563	7	3
Balance of county	1,547	828	430	295	4
Blair	1,594	996	506	86	6
Altoona	935	588	344	-	3
Balance of county	659	408	162	86	3
Bradford	625	401	179	26	19
Bucks	1,210	720	428	39	23
Bristol	125	74	50	-	1
Balance of county	1,085	646	378	39	22
Butler	868	546	268	45	9
Butler	247	153	92	-	2
Balance of county	621	393	176	45	7

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
PENNSYLVANIA—Continued					
Cambria	1,858	1,073	678	98	9
Johnstown	722	381	336	-	5
Balance of county	1,136	692	342	98	4
Cameron	66	44	22	-	-
Carbon	643	364	211	67	1
Centre	460	309	140	31	-
Chester	1,628	821	554	223	30
Coatesville	151	94	57	-	-
Phoenixville	129	75	53	-	1
West Chester	212	84	105	13	10
Balance of county	1,136	568	339	210	19
Clarion	350	290	50	10	-
Clearfield	806	494	278	32	2
Du Bois	147	81	65	-	1
Balance of county	659	413	213	32	1
Clinton	375	208	166	-	1
Lock Haven	136	74	62	-	-
Balance of county	239	134	104	-	1
Columbia	550	326	222	-	2
Berwick	158	92	66	-	-
Balance of county	392	234	156	-	2
Crawford	826	440	337	43	6
Meadville	219	84	132	2	1
Balance of county	607	356	205	41	5
Cumberland	863	562	271	25	5
Carlisle	180	113	64	1	2
Balance of county	683	449	207	24	3
Dauphin	2,237	1,306	636	285	10
Harrisburg	1,121	695	418	-	8
Steelton	138	86	50	-	2
Balance of county	978	525	168	285	-
Delaware	3,422	1,891	1,291	197	43
Chester	828	410	411	-	7
Darby	128	72	44	11	1
Haverford (twp.) [2]	194	120	73	-	1
Lansdowne	119	76	42	-	1
Upper Darby (twp.) [2]	591	322	173	87	9
Balance of county	1,562	891	548	99	24
Elk	290	158	117	14	1
Erie	2,137	1,276	710	113	38
Erie	1,316	773	497	25	21
Balance of county	821	503	213	88	17
Fayette	1,880	1,253	539	86	2
Connellsville	162	106	56	-	-
Uniontown	285	183	101	-	1
Balance of county	1,433	964	382	86	1
Forest	50	29	19	1	1
Franklin	808	511	256	37	4
Chambersburg	183	115	63	2	3
Waynesboro	139	94	44	-	1
Balance of county	486	302	149	35	-
Fulton	101	78	23	-	-
Greene	362	244	94	23	1
Huntingdon	455	304	139	10	2
Indiana	718	449	245	21	3
Indiana	115	70	45	-	-
Balance of county	603	379	200	21	3
Jefferson	532	364	155	13	-
Juniata	177	125	51	-	1
Lackawanna	3,155	1,740	1,185	227	3
Carbondale	207	123	84	-	-
Dickson City	68	45	23	-	-
Dunmore	229	121	75	33	-
Old Forge	97	57	40	-	-
Scranton	1,526	869	649	5	3
Balance of county	1,028	525	314	189	-
Lancaster	2,429	1,388	779	251	11
Columbia	145	95	50	-	-
Lancaster	804	411	381	8	4
Balance of county	1,480	882	348	243	7
Lawrence	950	537	361	41	11
Ellwood City (part)	97	45	49	-	3
Ellwood City (total)	108	54	51	-	3
New Castle	520	304	208	5	3
Balance of county	333	188	104	36	5
Lebanon	779	467	275	33	4
Lebanon	345	208	134	3	-
Balance of county	434	259	141	30	4
Lehigh	2,002	951	857	187	7
Allentown	1,184	486	555	138	5
Bethlehem (part)	153	80	73	-	-
Balance of county	665	385	229	49	2
Luzerne	4,234	2,604	1,527	89	14
Hanover (twp.) [2]	39	23	16	-	-
Hazleton	392	225	156	-	11
Kingston	240	145	95	-	-
Nanticoke	215	116	99	-	-
Pittston	191	122	69	-	-
Plains (twp.) [2]	107	70	37	-	-
Plymouth	175	102	73	-	-
Wilkes-Barre	979	618	358	3	-
Balance of county	1,896	1,183	624	86	3
Lycoming	1,055	629	393	31	2
Williamsport	542	313	226	2	1
Balance of county	513	316	167	29	1
PENNSYLVANIA—Continued					
McKean	540	308	221	10	1
Bradford	191	100	90	-	1
Balance of county	349	208	131	10	-
Mercer	1,075	613	409	44	9
Farrell	114	54	59	-	1
Sharon	260	133	123	-	4
Balance of county	701	426	227	44	4
Mifflin	415	236	175	4	-
Lewistown	179	84	95	-	-
Balance of county	236	152	80	4	-
Monroe	361	248	102	7	4
Montgomery	3,429	1,735	1,162	461	71
Abington (twp.) [2]	170	86	76	-	8
Cheltenham (twp.) [2]	196	115	58	18	5
Conshohocken	107	60	45	-	2
Lower Merion (twp.) [2]	381	208	168	1	4
Norristown	753	197	165	385	6
Pottstown	224	125	98	-	1
Balance of county	1,598	944	552	57	45
Montour	283	79	49	153	2
Northampton	1,745	918	771	50	6
Bethlehem (part)	424	188	235	-	1
Bethlehem (total)	577	268	308	-	1
Easton	478	242	234	1	1
Balance of county	843	488	302	49	4
Northumberland	1,389	956	403	29	1
Mount Carmel	175	126	49	-	-
Shamokin	352	256	96	-	-
Sunbury	215	129	86	-	-
Balance of county	647	445	172	29	1
Perry	269	213	51	5	-
Philadelphia, coextensive with Philadelphia (city)	24,486	10,189	12,791	1,296	210
Pike	103	76	26	-	1
Potter	193	96	63	22	12
Schuylkill	2,451	1,514	783	152	2
Mahanoy City	149	92	57	-	-
Pottsville	330	175	155	-	-
Shenandoah	229	154	75	-	-
Tamaqua	115	77	38	-	-
Balance of county	1,628	1,016	458	152	2
Snyder	257	176	50	30	1
Somerset	734	486	211	34	3
Sullivan	71	52	19	-	-
Susquehanna	385	246	124	7	8
Tioga	380	249	118	9	4
Union	240	177	51	11	1
Venango	771	387	292	90	2
Oil City	273	147	125	-	1
Balance of county	498	240	167	90	1
Warren	682	262	153	263	4
Warren	165	103	60	-	2
Balance of county	517	159	93	263	2
Washington	1,879	1,120	629	96	34
Canonsburg	122	71	51	-	-
Charleroi	87	63	23	-	1
Donora	121	79	42	-	-
Washington	323	165	135	-	23
Balance of county	1,226	742	378	96	10
Wayne	396	242	86	67	1
Westmoreland	2,962	1,694	923	329	16
Arnold	82	41	41	-	-
Greensburg	225	122	99	1	3
Jeannette	161	108	53	-	-
Latrobe	127	68	59	-	-
Monessen	141	101	40	-	-
New Kensington	199	99	100	-	-
Vandergrift	83	50	32	-	1
Balance of county	1,944	1,105	499	328	12
Wyoming	178	129	47	-	2
York	1,891	1,216	562	72	41
Hanover	171	97	72	-	2
York	736	436	279	-	21
Balance of county	984	683	211	72	18
RHODE ISLAND	7,985	4,371	3,076	469	69
Bristol	227	149	70	8	-
Bristol (town)	93	62	23	8	-
Balance of county	134	87	47	-	-
Kent	677	440	225	-	12
Warwick	351	217	127	-	7
West Warwick (town)	188	138	49	-	1
Balance of county	138	85	49	-	4
Newport	535	283	241	3	8
Newport	363	186	170	3	4
Balance of county	172	97	71	-	4
Providence	6,125	3,239	2,403	449	34
Central Falls	191	115	76	-	-
Cranston	821	253	248	313	7
Cumberland (town)	112	77	34	-	1
East Providence (town)	262	170	91	-	1
Johnston (town)	87	61	26	-	-
Lincoln (town)	96	70	26	-	-
North Providence (town)	118	77	40	-	1

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
RHODE ISLAND—Continued					
Providence—Continued					
Pawtucket	843	465	339	36	3
Providence	2,830	1,525	1,219	66	20
Woonsocket	455	268	187	-	-
Balance of county	310	158	117	34	1
Washington	421	280	137	9	15
Westerly (town)	140	87	44	-	9
Balance of county	281	173	93	9	6
SOUTH CAROLINA	16,904	11,683	4,694	462	65
Abbeville	138	116	22	-	-
Aiken	414	326	88	-	-
Allendale	125	112	13	-	-
Anderson	636	459	176	1	-
Anderson	244	154	90	-	-
Balance of county	392	305	86	1	-
Bamberg	150	118	32	-	-
Barnwell	138	112	26	-	-
Beaufort	224	194	17	-	13
Berkeley	270	219	51	-	-
Calhoun	101	74	27	-	-
Charleston	1,650	884	764	-	2
Charleston	953	454	498	-	1
Balance of county	697	430	266	-	1
Cherokee	252	168	84	-	-
Chester	264	209	54	1	-
Chesterfield	278	224	53	-	1
Clarendon	246	224	22	-	-
Colleton	246	193	48	-	5
Darlington	443	331	111	-	1
Dillon	254	195	46	-	13
Dorchester	236	173	63	-	-
Edgefield	155	135	20	-	-
Fairfield	147	133	14	-	-
Florence	669	468	200	-	1
Florence	275	148	126	-	1
Balance of county	394	320	74	-	-
Georgetown	210	159	50	-	1
Greenville	1,152	652	498	-	2
Greenville	419	170	249	-	-
Balance of county	733	482	249	-	2
Greenwood	332	273	59	-	-
Greenwood	141	110	31	-	-
Balance of county	191	163	28	-	-
Hampton	178	145	31	-	2
Horry	405	298	101	-	6
Jasper	84	74	10	-	-
Kershaw	231	184	47	-	-
Lancaster	227	182	45	-	-
Laurens	372	304	51	16	1
Lee	189	161	28	-	-
Lexington	322	232	90	-	-
McCormick	99	89	10	-	-
Marion	262	164	97	-	1
Marlboro	317	257	59	-	1
Newberry	236	192	40	2	2
Oconee	246	183	61	1	1
Orangeburg	623	438	184	-	1
Orangeburg	146	75	70	-	1
Balance of county	477	363	114	-	-
Pickens	247	174	68	-	5
Richland	1,496	568	485	440	3
Columbia	902	346	352	201	3
Balance of county	594	222	133	239	-
Saluda	121	104	17	-	-
Spartanburg	987	624	360	1	2
Spartanburg	354	187	165	-	2
Balance of county	633	437	195	1	-
Sumter	457	310	147	-	-
Sumter	204	109	95	-	-
Balance of county	253	201	52	-	-
Union	249	196	53	-	-
Williamsburg	356	309	47	-	-
York	470	344	125	-	1
Rock Hill	158	90	68	-	-
Balance of county	312	254	57	-	1
SOUTH DAKOTA	5,481	2,911	2,234	230	106
Armstrong	-	-	-	-	-
Aurora	41	23	18	-	-
Beadle	161	83	58	-	20
Huron	108	57	37	-	14
Balance of county	53	26	21	-	6
Bennett	18	12	6	-	-
Bon Homme	71	55	16	-	-
Brookings	128	65	62	-	1
Brown	296	161	126	-	9
Aberdeen	182	91	87	-	4
Balance of county	114	70	39	-	5
Brule	59	32	27	-	-
Buffalo	9	5	4	-	-
Butte	70	35	35	-	-
Campbell	24	18	6	-	-
Charles Mix	102	58	44	-	-
Clark	68	50	16	-	2
SOUTH DAKOTA—Continued					
Clay	89	56	29	-	4
Codington	184	78	106	-	-
Watertown	133	55	78	-	-
Balance of county	51	23	28	-	-
Corson	52	36	16	-	-
Custer	61	37	24	-	-
Davison	164	66	97	-	1
Mitchell	130	49	80	-	1
Balance of county	34	17	17	-	-
Day	101	61	37	1	2
Deuel	52	34	18	-	-
Dewey	55	32	23	-	-
Douglas	47	28	19	-	-
Edmunds	38	26	12	-	-
Fall River	113	44	63	6	-
Faulk	33	13	20	-	-
Grant	96	47	47	-	2
Gregory	69	35	33	-	1
Haakon	34	22	7	-	5
Hamlin	57	30	17	10	-
Hand	50	27	20	-	3
Hanson	36	22	14	-	-
Harding	21	14	7	-	-
Hughes	56	23	33	-	-
Hutchinson	73	52	20	-	1
Hyde	30	23	7	-	-
Jackson	10	5	2	-	3
Jerauld	39	26	11	-	2
Jones	22	18	3	-	1
Kingsbury	74	46	21	4	3
Lake	110	72	38	-	-
Lawrence	133	75	52	6	-
Lincoln	110	50	52	8	-
Lyman	31	20	11	-	-
McCook	87	57	30	-	-
McPherson	63	30	24	7	2
Marshall	78	54	23	-	1
Meade	81	51	28	-	2
Mellette	41	33	7	-	1
Miner	59	45	13	1	-
Minnehaha	525	221	288	11	5
Sioux Falls	392	152	227	8	5
Balance of county	133	69	61	3	-
Moody	62	45	16	-	1
Pennington	224	101	112	7	4
Rapid City	165	65	91	7	2
Balance of county	59	36	21	-	2
Perkins	54	33	20	-	1
Potter	42	26	10	-	6
Roberts	138	67	70	-	1
Sanborn	59	23	35	-	1
Shannon	50	31	18	-	1
Spink	112	69	29	13	1
Stanley	18	8	10	-	-
Sully	18	11	5	-	2
Todd	50	22	27	-	1
Tripp	77	42	34	-	1
Turner	89	49	30	-	10
Union	88	45	40	1	2
Walworth	61	45	15	-	1
Washabaugh	17	11	4	-	2
Washington	10	5	5	-	-
Yankton	236	52	59	155	-
Ziebach	25	20	5	-	-
TENNESSEE	27,946	18,418	8,122	1,167	239
Anderson	300	195	100	1	4
Bedford	228	172	56	-	-
Benton	101	84	15	-	2
Bledsoe	61	50	9	-	2
Blount	360	263	96	-	1
Bradley	252	172	78	1	1
Cleveland	127	79	48	-	-
Balance of county	125	93	30	1	1
Campbell	253	192	54	-	7
Cannon	76	58	18	-	-
Carroll	248	218	30	-	-
Carter	220	165	54	-	1
Cheatham	76	63	13	-	-
Chester	87	67	18	-	2
Claiborne	152	108	37	-	7
Clay	56	51	5	-	-
Cocke	231	195	34	1	1
Coffee	262	168	91	1	2
Crockett	142	126	15	-	1
Cumberland	102	80	20	1	1
Davidson	3,005	1,565	1,060	341	39
Nashville	2,270	1,260	934	41	35
Balance of county	735	315	116	300	4
Decatur	86	76	10	-	-
De Kalb	112	91	21	-	-
Dickson	142	120	22	-	-
Dyer	304	259	44	1	-
Dyersburg	129	102	27	-	-
Balance of county	175	157	17	1	-
Fayette	238	220	17	-	1

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
TENNESSEE—Continued					
Pentress	85	69	16	-	-
Franklin	204	181	23	-	-
Gibson	441	353	68	1	19
Giles	254	210	39	1	4
Grainger	116	96	17	1	2
Greene	362	245	116	1	-
Grundy	84	75	9	-	-
Hamblen	221	160	59	-	2
Hamilton	2,034	1,098	872	43	21
Chattanooga	1,657	888	747	6	16
Balance of county	377	210	125	37	5
Hancock	59	49	8	-	2
Hardeman	471	151	27	293	-
Hardin	106	97	9	-	-
Hawkins	225	176	49	-	-
Haywood	278	224	49	1	4
Henderson	174	150	20	-	4
Henry	240	193	45	2	-
Hickman	117	102	14	-	1
Houston	63	55	8	-	-
Humphreys	95	84	11	-	-
Jackson	82	70	12	-	-
Jefferson	155	124	30	1	-
Johnson	96	81	13	-	2
Knox	1,981	1,021	735	220	5
Knoxville	1,242	670	568	2	2
Balance of county	739	351	167	218	3
Lake	83	71	10	-	2
Lauderdale	245	182	61	1	1
Lawrence	236	186	50	-	-
Lewis	44	41	3	-	-
Lincoln	217	172	43	1	1
Loudon	187	129	58	-	-
McMinn	250	172	76	-	2
McNairy	163	145	14	-	4
Macon	123	109	13	1	-
Madison	553	391	138	-	24
Jackson	343	230	103	-	10
Balance of county	210	161	35	-	14
Marion	161	121	39	-	1
Marshall	172	122	50	-	-
Maury	372	305	65	-	2
Columbia	123	93	29	-	1
Balance of county	249	212	36	-	1
Meigs	43	31	11	-	1
Monroe	210	161	48	-	1
Montgomery	347	279	65	2	-
Clarksville	159	125	34	-	-
Balance of county	188	154	32	2	-
Moore	20	18	2	-	-
Morgan	87	72	13	2	-
Obion	261	198	59	4	-
Overton	78	61	16	-	1
Perry	55	49	6	-	-
Pickett	18	17	1	-	-
Polk	128	100	27	-	1
Putnam	184	146	36	-	2
Rhea	150	128	21	-	1
Roane	267	202	61	3	1
Robertson	250	204	44	1	1
Rutherford	362	218	88	54	2
Scott	116	94	10	3	9
Sequatchie	32	26	6	-	-
Sevier	145	108	36	1	-
Shelby	4,160	1,926	2,057	170	7
Memphis	3,392	1,551	1,829	6	6
Balance of county	768	375	228	164	1
Smith	117	97	20	-	-
Stewart	98	81	16	-	1
Sullivan	572	388	171	-	13
Bristol[5]	125	88	31	-	6
Kingsport	166	87	78	-	1
Balance of county	281	213	62	-	6
Sumner	290	232	56	-	2
Tipton	247	194	47	2	4
Trousdale	65	57	8	-	-
Unicoi	113	85	28	-	-
Union	54	40	13	-	1
Van Buren	35	28	7	-	-
Warren	177	149	26	1	1
Washington	454	276	176	2	-
Johnson City	226	106	120	-	-
Balance of county	228	170	56	2	-
Wayne	104	86	8	1	9
Weakley	270	219	47	2	2
White	175	140	30	5	-
Williamson	210	172	35	-	3
Wilson	209	158	50	-	1
TEXAS	58,853	36,775	19,665	1,561	852
Anderson	268	214	53	-	1
Palestine	129	101	27	-	1
Balance of county	139	113	26	-	-
Andrews	12	6	-	-	6
TEXAS—Continued					
Angelina	231	149	82	-	-
Aransas	37	25	12	-	-
Archer	35	21	14	-	-
Armstrong	12	9	3	-	-
Atascosa	158	136	21	-	1
Austin	160	129	31	-	-
Bailey	27	17	9	-	1
Bandera	30	20	10	-	-
Bastrop	234	164	61	-	9
Baylor	51	22	29	-	-
Bee	188	120	46	-	2
Bell	448	291	155	1	1
Temple	166	97	69	-	-
Balance of county	282	194	86	1	1
Bexar	4,356	2,306	1,789	244	17
San Antonio	3,730	2,030	1,680	14	6
Balance of county	626	276	109	230	11
Blanco	40	27	13	-	-
Borden	1	1	-	-	-
Bosque	118	100	18	-	-
Bowie	462	338	124	-	-
Texarkana[6]	239	174	65	-	-
Balance of county	223	164	59	-	-
Brazoria	260	151	86	1	22
Brazos	252	176	76	-	-
Bryan	149	87	62	-	-
Balance of county	103	89	14	-	-
Brewster	59	58	1	-	-
Briscoe	20	17	3	-	-
Brooks	62	49	13	-	-
Brown	277	177	99	-	1
Brownwood	179	107	71	-	1
Balance of county	98	70	28	-	-
Burleson	139	116	22	-	1
Burnet	77	61	16	-	-
Caldwell	250	194	56	-	-
Calhoun	49	32	17	-	-
Callahan	86	66	19	-	1
Cameron	1,017	811	182	1	23
Brownsville	324	261	61	1	1
Harlingen	157	93	53	-	11
Balance of county	536	457	68	-	11
Camp	89	72	16	-	1
Carson	35	19	12	-	4
Cass	222	170	51	-	1
Castro	25	20	5	-	-
Chambers	59	42	16	-	1
Cherokee	476	217	80	177	2
Childress	87	57	28	-	2
Clay	69	53	16	-	-
Cochran	18	11	7	-	-
Coke	19	16	2	-	1
Coleman	145	92	53	-	-
Collin	369	258	105	-	6
Collingsworth	63	33	29	-	1
Colorado	154	124	25	-	5
Comal	153	104	46	-	3
Comanche	141	114	24	-	3
Concho	39	28	10	-	1
Cooke	230	128	100	1	1
Coryell	150	110	39	-	1
Cottle	59	38	21	-	-
Crane	14	5	9	-	-
Crockett	16	10	6	-	-
Crosby	60	50	7	-	3
Culberson	9	5	4	-	-
Dallam	40	25	15	-	-
Dallas	4,119	2,257	1,799	25	28
Dallas	3,076	1,687	1,369	1	19
Highland Park	97	61	36	-	-
University Park	93	55	37	-	1
Balance of county	853	464	357	24	8
Dawson	124	95	28	-	1
Deaf Smith	52	39	12	-	1
Delta	69	57	11	-	1
Denton	276	165	93	-	18
Denton	120	64	47	-	9
Balance of county	156	101	46	-	9
De Witt	243	176	45	-	22
Dickens	44	30	12	-	2
Dimmit	110	102	8	-	-
Donley	57	45	8	-	4
Duval	107	90	17	-	-
Eastland	263	169	79	-	15
Ector	96	53	42	-	1
Edwards	18	13	4	-	1
Ellis	403	308	89	-	6
El Paso	1,490	761	717	2	10
El Paso	1,166	554	606	-	6
Balance of county	324	207	111	2	4
Erath	183	109	67	-	7
Falls	280	215	65	-	-
Fannin	345	257	82	-	6
Fayette	243	173	59	-	11
Fisher	77	38	37	-	2

[5] Includes data for Bristol, Tenn., only.
[6] Includes data for Texarkana, Tex., only.

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
TEXAS—Continued					
Floyd	52	37	10	-	5
Foard	39	32	7	-	-
Fort Bend	296	183	108	3	2
Franklin	63	54	8	-	1
Freestone	153	133	20	-	-
Frio	130	115	15	-	-
Gaines	54	47	5	-	2
Galveston	881	450	414	-	17
Galveston	696	354	339	-	3
Balance of county	185	96	75	-	14
Garza	34	28	6	-	-
Gillespie	116	82	34	-	-
Glasscock	4	4	-	-	-
Goliad	62	54	8	-	-
Gonzales	232	195	30	-	7
Gray	160	81	61	-	18
Pampa	117	55	47	-	15
Balance of county	43	26	14	-	3
Grayson	610	371	216	2	21
Denison	181	99	67	-	15
Sherman	194	100	92	-	2
Balance of county	235	172	57	2	4
Gregg	449	276	152	-	21
Longview	172	98	73	-	1
Balance of county	277	178	79	-	20
Grimes	178	130	48	-	-
Guadalupe	231	193	37	-	1
Hale	145	81	56	-	8
Hall	87	40	46	-	1
Hamilton	107	86	15	-	6
Hansford	20	6	14	-	-
Hardeman	87	54	33	-	-
Hardin	140	111	25	-	4
Harris	5,098	2,486	2,550	12	50
Houston	4,386	2,103	2,236	8	39
Balance of county	712	383	314	4	11
Harrison	397	312	84	-	1
Marshall	204	145	58	-	1
Balance of county	193	167	26	-	-
Hartley	31	11	19	-	1
Haskell	92	50	42	-	-
Hays	157	127	29	-	1
Hemphill	32	21	11	-	-
Henderson	189	157	31	-	1
Hidalgo	1,354	1,094	203	-	57
McAllen	178	126	49	-	3
Balance of county	1,176	968	154	-	54
Hill	316	249	67	-	-
Hockley	92	71	20	-	1
Hood	43	35	8	-	-
Hopkins	242	163	47	-	32
Houston	188	148	39	1	-
Howard	240	117	89	32	2
Big Spring	157	78	74	3	2
Balance of county	83	39	15	29	-
Hudspeth	23	17	6	-	-
Hunt	364	273	90	-	1
Greenville	160	123	37	-	-
Balance of county	204	150	53	-	1
Hutchinson	115	52	61	-	2
Borger	85	35	50	-	-
Balance of county	30	17	11	-	2
Irion	15	4	11	-	-
Jack	80	52	27	-	1
Jackson	94	79	15	-	-
Jasper	166	122	43	-	1
Jeff Davis	12	9	3	-	-
Jefferson	1,320	709	569	-	42
Beaumont	652	336	286	-	30
Port Arthur	434	214	213	-	7
Balance of county	234	159	70	-	5
Jim Hogg	26	22	4	-	-
Jim Wells	153	107	46	-	-
Johnson	263	202	61	-	-
Cleburne	123	93	30	-	-
Balance of county	140	109	31	-	-
Jones	180	117	63	-	-
Karnes	166	135	30	-	1
Kaufman	455	199	81	173	2
Terrell	271	63	34	173	1
Balance of county	184	136	47	-	1
Kendall	65	49	15	-	1
Kenedy	7	4	3	-	-
Kent	14	9	5	-	-
Kerr	139	66	72	1	-
Kimble	23	18	5	-	-
King	3	3	-	-	-
Kinney	22	17	5	-	-
Kleberg	145	106	39	-	-
Knox	48	25	22	-	1
Lamar	453	308	144	-	1
Paris	246	162	84	-	-
Balance of county	207	146	60	-	1
Lamb	101	36	61	-	4
Lampasas	100	76	24	-	-
TEXAS—Continued					
La Salle	76	69	7	-	-
Lavaca	217	138	79	-	-
Lee	94	67	25	-	2
Leon	101	90	10	-	1
Liberty	195	120	63	-	12
Limestone	245	192	53	-	-
Lipscomb	25	23	2	-	-
Live Oak	62	46	15	-	1
Llano	40	37	3	-	-
Loving	1	1	-	-	-
Lubbock	442	231	188	-	23
Lubbock	317	157	140	-	20
Balance of county	125	74	48	-	3
Lynn	56	47	6	-	3
McCulloch	77	38	33	-	6
McLennan	1,096	609	385	100	2
Waco	665	357	301	7	-
Balance of county	431	252	84	93	2
McMullen	8	5	3	-	-
Madison	69	59	10	-	-
Marion	99	85	14	-	-
Martin	25	10	14	-	1
Mason	49	37	11	-	1
Matagorda	195	129	66	-	-
Maverick	105	95	10	-	-
Medina	194	130	62	-	2
Menard	36	28	8	-	-
Midland	122	80	41	-	1
Milam	228	185	38	-	5
Mills	75	58	17	-	-
Mitchell	88	72	15	-	1
Montague	125	90	34	-	1
Montgomery	187	118	69	-	-
Moore	33	11	19	-	3
Morris	75	65	10	-	-
Motley	28	23	4	-	1
Nacogdoches	257	181	71	-	5
Navarro	416	304	109	-	3
Corsicana	221	146	74	-	1
Balance of county	195	158	35	-	2
Newton	78	62	16	-	-
Nolan	130	82	40	-	8
Sweetwater	88	55	29	-	4
Balance of county	42	27	11	-	4
Nueces	1,141	733	396	1	11
Corpus Christi	698	359	328	1	10
Balance of county	443	374	68	-	1
Ochiltree	38	21	17	-	-
Oldham	4	3	1	-	-
Orange	280	145	90	-	45
Palo Pinto	213	147	50	1	15
Panola	125	110	14	-	1
Parker	145	103	42	-	-
Parmer	24	14	10	-	-
Pecos	68	53	13	-	2
Polk	145	106	38	-	1
Potter	483	193	289	-	1
Amarillo (part)	450	181	268	-	1
Amarillo (total)	452	181	270	-	1
Balance of county	33	12	21	-	-
Presidio	64	61	2	-	1
Rains	34	27	7	-	-
Randall	41	25	15	-	1
Amarillo (part)	2	-	2	-	-
Balance of county	39	25	13	-	1
Reagan	9	3	6	-	-
Real	19	13	6	-	-
Red River	208	181	27	-	-
Reeves	74	66	7	-	1
Refugio	70	36	33	-	1
Roberts	11	7	3	-	1
Robertson	179	159	16	-	4
Rockwall	44	31	13	-	-
Runnels	157	100	53	-	4
Rusk	311	216	90	-	5
Sabine	61	51	10	-	-
San Augustine	74	67	5	-	2
San Jacinto	57	45	12	-	-
San Patricio	299	226	68	-	5
San Saba	66	59	4	-	3
Schleicher	20	15	5	-	-
Scurry	59	35	24	-	-
Shackelford	32	27	5	-	-
Shelby	184	147	36	-	1
Sherman	15	8	6	-	1
Smith	561	396	134	-	31
Tyler	280	166	93	-	21
Balance of county	281	230	41	-	10
Somervell	18	11	6	-	1
Starr	79	70	9	-	-
Stephens	77	46	30	-	1
Sterling	9	8	1	-	-
Stonewall	21	15	6	-	-
Sutton	32	23	9	-	-
Swisher	48	38	9	-	1

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
TEXAS—Continued					
Tarrant	2,435	1,213	1,176	36	10
Fort Worth	2,021	971	1,043	-	7
Balance of county	414	242	133	36	3
Taylor	490	226	181	81	2
Abilene	296	146	147	1	2
Balance of county	194	80	34	80	-
Terrell	19	13	3	-	3
Terry	97	54	43	-	-
Throckmorton	19	16	3	-	-
Titus	128	106	22	-	-
Tom Green	405	205	192	7	1
San Angelo	321	159	160	1	1
Balance of county	84	46	32	6	-
Travis	1,445	522	493	425	5
Austin	1,309	443	437	424	5
Balance of county	136	79	56	1	-
Trinity	90	79	11	-	-
Tyler	103	80	22	-	1
Upshur	136	107	28	-	1
Upton	21	14	7	-	-
Uvalde	133	95	41	-	-
Val Verde	192	149	23	-	20
Del Rio	174	138	16	-	20
Balance of county	18	11	7	-	-
Van Zandt	148	121	24	-	1
Victoria	295	216	79	-	-
Victoria	198	138	60	-	-
Balance of county	97	78	19	-	-
Walker	150	98	29	23	-
Waller	87	71	16	-	-
Ward	83	42	41	-	-
Washington	241	200	41	-	-
Webb	566	443	117	6	-
Laredo	513	404	103	6	-
Balance of county	53	39	14	-	-
Wharton	290	175	114	-	1
Wheeler	82	61	21	-	-
Wichita	691	242	246	202	1
Wichita Falls	352	155	193	3	1
Balance of county	329	77	53	199	-
Wilbarger	134	99	34	-	1
Willacy	172	153	16	-	3
Williamson	360	239	118	3	-
Wilson	134	111	23	-	-
Winkler	30	13	16	-	1
Wise	134	97	37	-	-
Wood	182	139	40	-	3
Yoakum	9	5	4	-	-
Young	148	103	45	-	-
Zapata	38	36	2	-	-
Zavala	128	109	18	-	1
UTAH	4,859	2,598	2,039	148	74
Beaver	51	36	13	-	2
Box Elder	146	81	64	-	1
Cache	229	141	85	1	2
Logan	117	71	44	1	1
Balance of county	112	70	41	-	1
Carbon	195	106	82	-	7
Daggett	1	1	-	-	-
Davis	151	92	59	-	-
Duchesne	53	35	9	-	9
Emery	43	33	10	-	-
Garfield	30	27	3	-	-
Grand	24	11	13	-	-
Iron	60	33	27	-	-
Juab	59	42	17	-	-
Kane	16	12	2	-	2
Millard	104	54	41	-	9
Morgan	19	16	2	-	1
Piute	14	13	1	-	-
Rich	13	9	1	-	3
Salt Lake	1,912	910	977	2	23
Salt Lake City	1,471	672	777	2	20
Balance of county	441	238	200	-	3
San Juan	16	8	7	-	1
Sanpete	139	120	17	-	2
Sevier	113	80	33	-	-
Summit	62	34	28	-	-
Tooele	99	50	40	5	4
Uintah	69	40	26	-	3
Utah	532	266	150	114	2
Provo	220	89	48	82	1
Balance of county	312	177	102	32	1
Wasatch	43	31	12	-	-
Washington	66	38	27	-	1
Wayne	14	10	4	-	-
Weber	586	269	289	26	2
Ogden	455	198	255	-	2
Balance of county	131	71	34	26	-

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
VERMONT	4,007	2,208	1,525	238	36
Addison	167	94	71	1	1
Bennington	251	129	106	1	15
Caledonia	234	142	122	-	-
Chittenden	515	265	242	6	2
Burlington	302	148	147	6	1
Balance of county	213	117	95	-	1
Essex	59	43	16	-	-
Franklin	322	210	108	4	-
Grand Isle	41	31	10	-	-
Lamoille	109	67	42	-	-
Orange	173	92	75	5	1
Orleans	236	172	62	2	2
Rutland	553	299	235	14	5
Rutland	218	91	113	10	4
Balance of county	335	208	122	4	1
Washington	546	246	182	116	2
Barre	129	79	49	-	1
Balance of county	417	167	133	116	1
Windham	368	159	119	83	7
Windsor	401	259	135	6	1
VIRGINIA[7]	28,641	18,083	8,907	1,364	287
Accomack	406	338	64	4	-
Albemarle	228	148	79	-	1
Alexandria (city)	399	185	205	-	9
Alleghany	187	113	74	-	-
Amelia	78	65	13	-	-
Amherst	189	102	33	53	1
Appomattox	99	86	13	-	-
Arlington[8]	528	257	263	-	8
Augusta	399	257	82	58	2
Bath	64	50	14	-	-
Bedford	314	201	72	37	4
Bland	58	44	14	-	-
Botetourt	144	99	42	2	1
Bristol (city)[9]	126	84	39	-	3
Brunswick	193	161	31	-	1
Buchanan	230	149	80	-	1
Buckingham	124	100	24	-	-
Buena Vista (city)	43	37	6	-	-
Campbell	210	147	54	-	9
Caroline	122	98	23	-	1
Carroll	175	148	26	-	1
Charles City	53	47	6	-	-
Charlotte	132	96	35	-	1
Charlottesville (city)	218	133	82	-	3
Chesterfield	254	181	69	-	4
Clarke	79	50	29	-	-
Clifton Forge (city)	82	33	49	-	-
Craig	33	27	6	-	-
Culpeper	132	107	24	-	1
Cumberland	85	71	14	-	-
Danville (city)	358	225	132	-	1
Dickenson	130	103	27	-	-
Dinwiddie	523	110	33	379	1
Elizabeth City	256	144	111	1	-
Essex	69	60	9	-	-
Fairfax	385	219	149	8	9
Fauquier	221	147	73	-	1
Floyd	96	74	22	-	-
Fluvanna	71	55	15	-	1
Franklin	190	149	37	-	4
Frederick	161	94	57	2	8
Fredericksburg (city)	121	72	48	-	1
Giles	168	118	50	-	-
Gloucester	110	85	25	-	-
Goochland	80	57	15	8	-
Grayson	161	134	23	-	4
Greene	61	48	13	-	-
Greensville	139	103	35	-	1
Halifax	376	309	66	-	1
Hampton (city)	113	38	74	-	1
Hanover	185	141	44	-	-
Harrisonburg (city)	109	26	80	-	3
Henrico	263	199	62	1	1
Henry	194	143	51	-	-
Highland	43	38	5	-	-
Hopewell (city)	71	44	26	-	1
Isle of Wight	154	124	29	-	1
James City	52	41	8	-	3
King and Queen	67	54	12	-	1
King George	47	35	12	-	-
King William	70	53	17	-	-
Lancaster	95	76	19	-	-
Lee	270	206	64	-	-
Loudoun	198	147	48	2	1
Louisa	140	115	25	-	-
Lunenburg	115	100	15	-	-
Lynchburg (city)	471	275	181	7	8
Madison	90	74	15	-	1

[7]Cities of Virginia are independent, each having the same status as a county. Places having populations of 10,000 or more include: Alexandria, Arlington County,[8] Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[8]Classified as urban under a special rule in the 1940 census.

[9]Includes data for Bristol, Va., only.

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
VIRGINIA[7]—Continued					
Martinsville (city)	65	31	34	-	-
Mathews	91	71	20	-	-
Mecklenburg	272	216	55	-	1
Middlesex	93	74	15	1	3
Montgomery	222	147	74	-	1
Nansemond	245	199	30	1	15
Nelson	146	117	27	-	2
New Kent	38	27	11	-	-
Newport News (city)	538	236	297	1	4
Norfolk	591	390	170	-	31
Norfolk (city)	2,197	1,052	1,105	6	34
Northampton	214	157	54	2	1
Northumberland	95	85	10	-	-
Nottoway	154	111	43	-	-
Orange	132	93	39	-	-
Page	143	106	37	-	-
Patrick	130	110	18	-	2
Petersburg (city)	429	299	112	17	1
Pittsylvania	525	351	153	19	2
Portsmouth (city)	666	365	285	-	16
Powhatan	76	62	11	3	-
Prince Edward	141	111	30	-	-
Prince George	117	84	29	4	-
Prince William	164	91	61	11	1
Princess Anne	273	164	107	-	2
Pulaski	214	134	75	4	1
Radford (city)	75	37	38	-	-
Rappahannock	68	51	16	-	1
Richmond	71	63	8	-	-
Richmond (city)	2,569	1,416	950	188	15
Roanoke	419	230	109	77	3
Roanoke (city)	785	471	296	15	3
Rockbridge	209	149	58	-	2
Rockingham	280	182	97	-	1
Russell	186	135	51	-	-
Scott	202	160	41	1	-
Shenandoah	235	156	66	-	13
Smyth	314	158	70	86	-
Southampton	274	226	47	-	1
South Norfolk (city)	59	35	23	-	1
Spotsylvania	86	68	18	-	-
Stafford	119	68	51	-	-
Staunton (city)	361	119	28	214	-
Suffolk (city)	157	100	46	-	11
Surry	58	50	8	-	-
Sussex	152	118	33	-	1
Tazewell	390	233	156	-	1
Warren	115	74	39	-	2
Warwick	152	87	63	1	1
Washington	319	225	93	1	-
Westmoreland	87	77	10	-	-
Williamsburg (city)	185	25	12	148	-
Winchester (city)	166	96	69	-	1
Wise	466	330	133	2	1
Wythe	182	138	37	-	7
York	122	74	47	-	1
WASHINGTON	21,890	8,945	11,331	1,101	513
Adams	57	28	16	-	13
Asotin	105	45	48	-	12
Benton	115	66	45	-	4
Chelan	364	158	198	3	5
Wenatchee	185	66	115	-	4
Balance of county	179	92	83	3	1
Clallam	209	89	113	1	6
Clark	688	222	423	2	41
Vancouver	361	62	277	2	20
Balance of county	327	160	146	-	21
Columbia	65	32	32	-	1
Cowlitz	339	152	177	-	10
Longview	146	35	109	-	2
Balance of county	193	117	68	-	8
Douglas	54	38	16	-	-
Ferry	25	7	17	-	1
Franklin	120	45	73	-	2
Garfield	32	15	14	-	3
Grant	60	33	15	-	12
Grays Harbor	589	220	351	5	13
Aberdeen	322	78	235	-	9
Hoquiam	75	45	25	4	1
Balance of county	192	97	91	1	3
Island	92	59	31	-	2
Jefferson	82	31	43	-	8
King	6,875	2,922	3,744	132	77
Seattle	5,473	2,139	3,185	107	42
Balance of county	1,402	783	559	25	35
Kitsap	710	248	419	35	8
Bremerton	371	95	273	-	3
Balance of county	339	153	146	35	5
Kittitas	177	57	120	-	-
Klickitat	111	51	59	-	1
Lewis	511	233	228	-	50
Lincoln	102	47	44	-	11
Mason	107	51	54	-	2
Okanogan	199	83	91	2	23
WASHINGTON—Continued					
Pacific	168	84	81	-	3
Pend Oreille	58	25	33	-	-
Pierce	2,804	1,001	1,336	436	31
Tacoma	1,761	629	1,109	4	19
Balance of county	1,043	372	227	432	12
San Juan	35	19	16	-	-
Skagit	642	169	221	237	15
Skamania	38	15	18	-	5
Snohomish	991	486	494	8	3
Everett	449	155	292	2	-
Balance of county	542	331	202	6	3
Spokane	2,288	839	1,134	213	102
Spokane	1,633	647	903	3	80
Balance of county	655	192	231	210	22
Stevens	180	61	118	-	1
Thurston	382	188	192	1	1
Olympia	223	80	141	1	1
Balance of county	159	108	51	-	-
Wahkiakum	31	21	10	-	-
Walla Walla	436	174	237	18	7
Walla Walla	306	93	202	10	3
Balance of county	128	81	35	8	4
Whatcom	696	317	355	8	16
Bellingham	417	168	227	8	14
Balance of county	279	149	128	-	2
Whitman	216	81	134	-	1
Yakima	1,137	533	581	-	23
Yakima	479	182	295	-	2
Balance of county	658	351	286	-	21
WEST VIRGINIA	16,630	10,874	5,282	427	47
Barbour	188	134	54	-	-
Berkely	317	187	129	-	1
Martinsburg	208	115	93	-	-
Balance of county	109	72	36	-	1
Boone	186	147	39	-	-
Braxton	139	108	31	-	-
Brooke	226	133	87	6	-
Cabell	1,055	569	391	91	4
Huntington (part)	895	456	346	89	4
Huntington (total)	933	474	366	89	4
Balance of county	160	113	45	2	-
Calhoun	92	73	19	-	-
Clay	88	68	20	-	-
Doddridge	50	43	7	-	-
Fayette	547	389	155	3	-
Gilmer	97	88	9	-	-
Grant	75	63	12	-	-
Greenbrier	333	257	74	-	2
Hampshire	103	75	27	-	1
Hancock	242	138	102	1	1
Hardy	81	69	12	-	-
Harrison	771	585	182	4	-
Clarksburg	371	250	119	2	-
Balance of county	400	335	63	2	-
Jackson	139	111	26	-	2
Jefferson	182	156	24	1	1
Kanawha	1,743	1,004	733	1	5
Charleston	821	417	402	-	2
South Charleston	81	47	34	-	-
Balance of county	841	540	297	1	3
Lewis	336	133	38	165	-
Lincoln	149	117	32	-	-
Logan	486	325	158	-	3
McDowell	750	452	296	1	1
Marion	572	389	181	1	1
Fairmont	284	179	104	-	1
Balance of county	288	210	77	1	-
Marshall	341	196	129	15	1
Moundsville	150	88	54	8	-
Balance of county	191	108	75	7	1
Mason	229	155	33	40	1
Mercer	558	356	195	3	4
Bluefield[10]	207	115	90	-	2
Balance of county	351	241	105	3	2
Mineral	246	161	85	-	-
Mingo	307	205	102	-	-
Monongalia	486	320	163	3	-
Morgantown	261	169	90	2	-
Balance of county	225	151	73	1	-
Monroe	121	96	25	-	-
Morgan	69	53	16	-	-
Nicholas	157	124	31	-	2
Ohio	888	445	429	6	8
Wheeling	795	388	397	2	8
Balance of county	93	57	32	4	-
Pendleton	84	64	20	-	-
Pleasants	58	47	11	-	-
Pocahontas	126	98	28	-	-
Preston	266	205	60	-	1
Putnam	132	100	32	-	-
Raleigh	674	437	237	-	-
Beckley	176	98	78	-	-
Balance of county	498	339	159	-	-
Randolph	276	178	98	-	-

[7] See footnote on p. 625.
[10] Includes data for Bluefield, W. Va., only.

TABLE 30.—DEATHS IN INSTITUTIONS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE; 1945—Continued

[By place of residence. Exclusive of stillbirths and of deaths among armed forces overseas]

AREA	Total deaths	Not in institutions	In non-resident institutions	In resident institutions	In institutions, type unknown
WEST VIRGINIA—Continued					
Ritchie	121	97	23	-	1
Roane	229	112	37	79	1
Summers	177	147	29	1	-
Taylor	221	156	65	-	-
Tucker	114	94	20	-	-
Tyler	114	100	14	-	-
Upshur	200	150	50	-	-
Wayne	257	194	61	1	1
Huntington (part)	38	18	20	-	-
Balance of county	219	176	41	1	1
Webster	128	104	23	-	1
Wetzel	201	147	53	1	-
Wirt	52	40	12	-	-
Wood	653	346	300	4	3
Parkersburg	474	239	230	2	3
Balance of county	179	107	70	2	-
Wyoming	198	134	63	-	1
WISCONSIN	32,066	15,432	14,530	1,804	300
Adams	66	39	25	1	1
Ashland	256	106	145	5	-
Ashland	157	57	95	5	-
Balance of county	99	49	50	-	-
Barron	345	186	151	5	3
Bayfield	170	84	86	-	-
Brown	731	324	362	42	3
Green Bay	455	197	241	14	3
Balance of county	276	127	121	28	-
Buffalo	167	96	66	-	5
Burnett	99	55	38	-	6
Calumet	158	107	51	-	-
Chippewa	414	167	184	63	-
Chippewa Falls	146	55	86	5	-
Balance of county	268	112	98	58	-
Clark	302	189	92	14	7
Columbia	395	216	148	28	3
Crawford	180	109	70	-	1
Dane	1,417	565	653	174	25
Madison	688	264	415	4	5
Balance of county	729	301	238	170	20
Dodge	548	287	220	41	-
Beaver Dam	104	43	61	-	-
Watertown (part)	26	19	7	-	-
Balance of county	418	225	152	41	-
Door	162	94	64	-	4
Douglas	578	205	341	29	3
Superior	446	161	281	2	2
Balance of county	132	44	60	27	1
Dunn	264	161	86	16	1
Eau Claire	433	153	263	14	3
Eau Claire	285	93	191	-	1
Balance of county	148	60	72	14	2
Florence	25	18	7	-	-
Fond du Lac	666	330	291	43	2
Fond du Lac	311	127	178	5	1
Balance of county	355	203	113	38	1
Forest	82	51	30	-	1
Grant	438	274	125	31	8
Green	255	148	83	23	1
Green Lake	144	86	55	-	3
Iowa	206	93	96	17	-
Iron	114	61	52	-	1
Jackson	167	104	62	1	-
Jefferson	462	268	133	59	2
Watertown (part)	112	54	43	13	2
Watertown (total)	138	73	50	13	2
Balance of county	350	214	90	46	-
Juneau	191	127	55	8	1
Kenosha	581	257	309	7	8
Kenosha	444	195	243	4	2
Balance of county	137	62	66	3	6
Kewaunee	154	107	45	-	2
La Crosse	630	256	329	41	4
La Crosse	452	184	256	8	4
Balance of county	178	72	73	33	-
Lafayette	171	105	62	-	4
Langlade	206	135	65	-	6
Lincoln	239	88	149	1	1
Manitowoc	605	283	301	19	2
Manitowoc	264	116	132	15	1
Two Rivers	90	41	49	-	-
Balance of county	251	126	120	4	1
Marathon	643	310	275	58	-
Wausau	316	116	142	58	-
Balance of county	327	194	133	-	-
Marinette	339	168	139	29	3
Marinette	153	75	73	5	-
Balance of county	186	93	66	24	3
Marquette	101	77	22	-	2
Milwaukee	8,045	3,248	4,287	428	82
Cudahy	58	29	29	-	-
Milwaukee	6,446	2,598	3,654	129	65
WISCONSIN—Continued					
Milwaukee—Continued					
Shorewood	98	48	49	-	1
South Milwaukee	87	45	42	-	-
Wauwatosa	242	126	94	16	6
West Allis	284	146	131	5	2
Balance of county	830	256	288	278	8
Monroe	349	198	124	25	2
Oconto	235	146	85	3	1
Oneida	158	59	97	2	-
Outagamie	659	378	260	19	2
Appleton	329	200	128	1	-
Balance of county	330	178	132	18	2
Ozaukee	194	97	94	-	3
Pepin	64	31	33	-	-
Pierce	238	127	109	-	2
Polk	250	172	68	-	10
Portage	318	154	158	5	1
Stevens Point	154	57	92	5	-
Balance of county	164	97	66	-	1
Price	171	93	73	3	2
Racine	1,001	479	429	89	4
Racine	712	344	355	9	4
Balance of county	289	135	74	80	-
Richland	183	101	69	10	3
Rock	883	413	437	22	11
Beloit	288	125	158	-	5
Janesville	254	109	140	2	3
Balance of county	341	179	139	20	3
Rusk	142	70	70	2	-
St. Croix	263	152	87	18	6
Sauk	387	219	146	20	2
Sawyer	118	56	62	-	-
Shawano	350	195	130	24	1
Sheboygan	704	294	392	16	2
Sheboygan	381	134	247	-	-
Balance of county	323	160	145	16	2
Taylor	148	79	69	-	-
Trempealeau	239	133	97	8	1
Vernon	266	132	121	11	2
Vilas	69	36	33	-	-
Walworth	444	246	171	24	3
Washburn	86	46	37	-	3
Washington	318	151	149	16	2
Waukesha	747	438	230	66	13
Waukesha	219	118	93	3	5
Balance of county	528	320	137	63	8
Waupaca	398	205	125	52	16
Waushara	157	85	64	2	6
Winnebago	970	473	342	152	3
Menasha	82	44	37	-	1
Neenah	125	72	52	-	1
Oshkosh	440	247	176	16	1
Balance of county	323	110	77	136	-
Wood	408	237	152	18	1
Marshfield	107	49	47	10	1
Wisconsin Rapids	118	78	39	1	-
Balance of county	183	110	66	7	-
WYOMING	2,234	923	1,143	100	68
Albany	148	55	89	4	-
Laramie	124	44	76	4	-
Balance of county	24	11	13	-	-
Big Horn	88	51	36	-	1
Campbell	39	14	24	-	1
Carbon	136	67	68	1	-
Converse	49	19	27	-	3
Crook	37	19	10	5	3
Fremont	142	88	40	9	7
Goshen	82	37	42	-	3
Hot Springs	46	18	3	-	25
Johnson	41	17	22	1	1
Laramie	268	102	164	1	1
Cheyenne	208	79	128	-	1
Balance of county	60	23	36	1	-
Lincoln	80	38	41	-	1
Natrona	228	81	141	-	6
Casper	203	69	134	-	6
Balance of county	25	18	7	-	-
Niobrara	35	6	28	-	1
Park	118	45	73	-	-
Platte	78	28	49	-	1
Sheridan	176	60	91	25	-
Sheridan	124	41	83	-	-
Balance of county	62	19	8	25	-
Sublette	22	11	11	-	-
Sweetwater	210	79	131	-	-
Teton	13	6	7	-	-
Uinta	110	45	10	54	1
Washakie	51	24	27	-	-
Weston	36	14	9	-	13
Yellowstone National Park (part)	1	1	-	-	-
Yellowstone National Park (total)	2	2	-	-	-

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N.C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

☆ U S GOVERNMENT PRINTING OFFICE O—1947