DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
SAM. L. ROGERS, DIRECTOR

MORTALITY STATISTICS
1915

SIXTEENTH ANNUAL REPORT

WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

CONTENTS.

TEXT.

	Page.
DEATHS AND CRUDE DEATH RATES	9–18
Growth of the registration area: 1880 to 1915	9
Extent of the registration area in 1915	10
Deaths by color, nativity, parent nativity, age, and sex of decedent	10
Death rates of the registration area	12
Death rates of the registration states	12
Death rates of large cities	13
Death rates of foreign countries	14
Death rates of cities with considerable colored populations	16
Deaths of nonresidents	18
CAUSES OF DEATH	19–31
Detailed and abridged International Lists	19
Changes in the detailed International List	20
Death rates from certain important causes of death in the registration area of the United States for each of the years 1900 to 1915	21
Typhoid fever	21
Measles	23
Scarlet fever	23
Whooping cough	23
Diphtheria and croup	24
Influenza	24
Other epidemic diseases	25
Glanders	25
Anthrax	25
Rabies	25
Pellagra	25
Tuberculosis (all forms)	26
Tuberculosis of the lungs	26
Cancer	27
Organic diseases of the heart	28
Pneumonia (all forms)	29
Diarrhea and enteritis (under 2 years)	29
Bright's disease and nephritis	29
Suicide	30
Violent deaths (excluding suicide)	30
ACCURACY OF STATISTICS OF CAUSES OF DEATH	31–33

SUMMARY AND RATE TABLES.

TABLE IA.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population, in the registration area, its main subdivisions, each registration state (by cities and rural districts), and each group of registration cities in nonregistration states: 1915	37
TABLE IB.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population in each registration city and each rural registration unit: 1915	40
TABLE II.—Deaths (exclusive of stillbirths), and death rates per 100,000 population, by causes, according to the detailed International List, for the registration area: 1912 to 1915	54
TABLE III.—Death rates per 100,000 population in the registration area and its subdivisions, by color of decedent and cause of death: 1915	58
TABLE IV.—Death rates per 100,000 population in cities and rural districts of each registration state, from each cause and class of causes: 1915	144

GENERAL TABLES.

Page.

TABLE 1.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by month of death: 1915 166
TABLE 2.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color, general nativity, and parent nativity of decedent: 1915 175
TABLE 3.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color and age of decedent: 1915 184
TABLE 4.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, each registration state, and each city of 100,000 population or over in 1910, by age and by sex, color, general nativity, and parent nativity of decedent: 1915 .. 212
TABLE 5.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color of decedent and cause of death: 1915 298
TABLE 6.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and in cities and rural districts of each registration state, from each cause and class of causes: 1915 386
TABLE 7.—Deaths (exclusive of stillbirths) in the registration area, from each cause and class of causes, by sex and age of decedent: 1915 406
TABLE 7A.—Deaths of white persons (exclusive of stillbirths) in the registration area, from each cause and class of causes, by sex and age of decedent: 1915 418
TABLE 7B.—Deaths of colored persons (exclusive of stillbirths) in the registration area, from each cause and class of causes, by sex and age of decedent: 1915 430
TABLE 8.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state, from each cause and class of causes, by age of decedent: 1915 442
TABLE 9.—Deaths (exclusive of stillbirths) in each city of 100,000 population or over in 1910, by cause of death (abridged International List), and by age of decedent: 1915 553
TABLE 10.—Deaths (exclusive of stillbirths) from important causes, by months, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1915 608
TABLE 11.—Deaths (exclusive of stillbirths) from important causes, for certain subdivisions of the first year of life, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1915 645

MAPS.

Growth of the registration area for deaths: 1880 to 1915 8

DIAGRAMS.

Percentages which the population and land area of the registration area formed of the total population and land area of the United States for the years 1880, 1890, and 1900 to 1915, inclusive 10
Per cent of deaths in the registration area by color, by nativity of white persons, and by parent nativity of the native white: 1915 .. 11
Number of deaths in the registration area at all ages, under 1 year of age, and from 1 to 4 years of age, for each of the years 1900 to 1915 11
Per cent of deaths in the registration area under 1 year of age, from 1 to 4 years, and 5 years and over, for each of the years 1900 to 1915 11
General death rates of the United States (registration area) and certain foreign countries for each of the years from 1900 to 1914 15
Death rates from certain important causes of death in the registration area of the United States for each of the years from 1900 to 1915 22

SUPPLEMENT.

HAWAII 697
PORTO RICO 700

INDEX 703

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., December 16, 1916.

SIR:

I transmit herewith the annual report on Mortality Statistics for 1915, which is the sixteenth annual compilation of such statistics prepared by the Bureau of the Census. It is based on transcripts received from the registration area for deaths, which in 1915 had an estimated population of 67,336,992, or 67.1 per cent of the total estimated population of the United States. The total number of deaths returned from the registration area for the calendar year 1915 was 909,155, corresponding to a death rate of 13.5 per 1,000 population. This rate is the lowest for any year since the establishment of the registration area in 1880, the lowest previous rate on record, 13.6, being that for 1914.

No new states were added to the registration area in 1915, but I am pleased to announce the admission of North Carolina (the returns for which formerly related only to places having 1,000 inhabitants or more) and South Carolina for the calendar year 1916.

This report was prepared under the direction of Mr. Richard C. Lappin, formerly chief statistician for vital statistics, assisted by Mr. George H. Van Buren, formerly expert chief of division. A portion of the text was written by Dr. William H. Davis, chief statistician for vital statistics. It is expected to issue this report between five and six months in advance of the date on which the report for 1914 was issued.

Respectfully,

SAM. L. ROGERS,
Director of the Census.

To Hon. WILLIAM C. REDFIELD,
Secretary of Commerce.

MORTALITY STATISTICS
1915

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880–1915.

NOTE.—In addition to the registration states (shaded in the cartograms) the registration area included certain cities in nonregistration states.









MORTALITY STATISTICS: 1915.

DEATHS AND CRUDE DEATH RATES.

The total number of deaths returned from the registration area of the United States for the calendar year 1915 was 909,155. The death rate for the year, based on an estimated midyear population of 67,336,992, or 67.1 per cent of the total estimated population of the United States, was 13.5 per 1,000 of population. This rate is the lowest shown for any year since the establishment of the registration area in 1880, the lowest previous rate on record, 13.6, being that for 1914.

The following table shows the number of deaths and the death rate per 1,000 of population for the census years ending May 31, 1880, 1890, and 1900, and for the calendar years 1900 to 1915:

CALENDAR YEAR.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA.		CALENDAR YEAR.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA.	
	Number.	Rate per 1,000 population.		Number.	Rate per 1,000 population.
1915	909,155	13.5	1905	545,533	16.0
1914	898,059	13.6	1904	551,354	16.5
1913	890,848	14.1	1903	524,415	16.0
1912	838,251	13.9	1902	508,640	15.9
1911	839,284	14.2	1901	518,207	16.5
1910	805,412	15.0	1900	539,939	17.6
1909	732,538	14.4	1900 [2]	512,669	17.8
1908	691,574	14.8	1890 [2]	386,212	19.6
1907	687,034	16.0	1880 [2]	169,453	19.8
1906	658,105	15.7			

[1] Exclusive of stillbirths. [2] Census year ending May 31.

GROWTH OF THE REGISTRATION AREA: 1880 TO 1915.

The first mortality statistics published by the Federal Government related to 1850, and were based upon data collected at the decennial census of that year. Thereafter until 1900, inclusive, mortality statistics were collected at each decennial census; and since 1900 such statistics have been gathered and issued annually by the Bureau of the Census. The decennial series of mortality reports related to the entire country. In 1880, however, a death-registration area was established, and for that year and for 1890 and 1900 the decennial census reports presented statistics of mortality for the entire United States, based on data gathered by the census enumerators, and separately for the death-registration area, based on returns made by the registration officials of the several states and cities embraced in the area. Since 1900 the mortality statistics issued by the Census Bureau have been confined to the death-registration area.

The following table shows the growth of the registration area in both population and land area from 1880 to 1915, inclusive:

CALENDAR YEAR—	POPULATION AND LAND AREA OF THE UNITED STATES.		REGISTRATION AREA FOR DEATHS.			
			Population.		Land area.	
	Population.	Land area (square miles).	Number.	Per cent of total.	Square miles.	Per cent of total.
1915	100,399,318	[1] 2,973,890	67,336,992	67.1	1,228,704	41.3
1914	98,781,324	[1] 2,973,890	65,989,295	66.8	1,228,644	41.3
1913	97,163,330	[1] 2,973,890	63,298,718	65.1	1,147,039	38.6
1912	95,545,336	[1] 2,973,890	60,427,247	63.2	1,106,777	37.2
1911	93,927,342	[1] 2,973,890	59,275,977	63.1	1,106,734	37.2
1910	92,309,348	[1] 2,973,890	53,843,896	58.3	997,978	33.6
1909	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
1908	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
1907	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
1906	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
1905	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
1904	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
1903	80,983,390	2,974,159	32,701,083	40.4	212,762	7.2
1902	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
1901	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
1900	75,994,575	2,974,159	30,765,618	40.5	212,621	7.1
1900 [2]			28,807,269	37.9	176,878	5.9
1890 [2]	62,622,250	2,973,965	19,659,440	31.4	90,695	3.0
1880 [2]	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

[1] Net reduction of 269 square miles as compared with area stated by census of 1900, due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
[2] Census year ending May 31.

The registration area in 1880 embraced only two states—Massachusetts and New Jersey—the District of Columbia, and a number of cities in nonregistration states. Its population was 8,538,366, or 17 per cent of the total for the United States. In 1890 Connecticut, Delaware, New Hampshire, New York, Rhode Island, and Vermont were added, increasing the percentage which the population of the registration area represented of the total for the United States to 31.4. At the census of 1900 Maine and Michigan were also added (for the year ending May 31, 1900), and Delaware was dropped, the percentage of population included being thereby increased to 37.9.

For the calendar year 1900 (to which the first of the annual reports related) Indiana was admitted, increasing the percentage of population included in the area to 40.5. No other states were added until 1906, when California, Colorado, Maryland, Pennsylvania, and South Dakota were taken into the area, with the result that the percentage of population included was raised to 48.9. The next change was made in 1908, when Washington and Wisconsin became registration states, and for the first time more than one-half (52.5 per cent) of the estimated population of the United States was included. From that time the growth con-

tinued steadily. Ohio was added in 1909; Minnesota, Montana, Utah, and the North Carolina municipalities which in 1900 had 1,000 or more inhabitants were added and South Dakota was dropped in 1910; and Kentucky and Missouri were added in 1911, Virginia in 1913, and Kansas in 1914. Besides the states named, various cities in nonregistration states were also added from time to time, including several in 1915. The population included in the registration area for deaths in that year amounted to 67.1 per cent of the total for the United States.

The percentages which the population and the land area of the registration area formed of the corresponding totals for the United States in 1880, 1890, and 1900 to 1915, inclusive, are presented in the following diagram:

PERCENTAGES WHICH THE POPULATION AND LAND AREA OF THE REGISTRATION AREA FORMED OF THE TOTAL POPULATION AND LAND AREA OF THE UNITED STATES FOR THE YEARS 1880, 1890, AND 1900 TO 1915, INCLUSIVE.



EXTENT OF THE REGISTRATION AREA IN 1915.

The registration area in 1915 was composed of 25 states, the District of Columbia, and 41 cities in nonregistration states. Included among the registration states, however, is North Carolina, the returns from which relate only to municipalities having 1,000 or more inhabitants in 1910. The states and cities making up this area are those for which the registration of deaths has been accepted as being approximately complete (at least 90 per cent of all deaths being registered) and which were admitted to the registration area only after it was known from the data at hand that the deaths were being recorded properly under state law or for cities, under municipal ordinance.

The following states were included in the registration area for deaths for 1915:

California.
Colorado.
Connecticut.
Indiana.
Kansas.
Kentucky.
Maine.
Maryland.
Massachusetts.
Michigan.
Minnesota.
Missouri.
Montana.
New Hampshire.
New Jersey.
New York.
North Carolina (municipalities of 1,000 population or over in 1910).
Ohio.
Pennsylvania.
Rhode Island.
Utah.
Vermont.
Virginia.
Washington.
Wisconsin.

The entire registration area comprises not only the states named but also the District of Columbia and the following cities in nonregistration states.

Alabama:
- Birmingham.
- Mobile.
- Montgomery.

Delaware:
- Wilmington.

Florida:
- Jacksonville.
- Key West.
- Pensacola.
- Tampa.

Georgia:
- Atlanta.
- Augusta.
- Savannah.

Illinois:
- Aurora.
- Belleville.
- Chicago.

Illinois—Con.
- Decatur.
- Evanston.
- Jacksonville.
- Quincy.
- Springfield.

Louisiana:
- New Orleans.

Mississippi:
- Hattiesburg.
- Jackson.
- Meridian.
- Natchez.
- Vicksburg.

Nebraska:
- Lincoln.
- Omaha.

Oregon:
- Portland.

South Carolina:
- Charleston.
- Columbia.
- Greenville.
- Spartanburg.

Tennessee:
- Chattanooga.
- Jackson.
- Knoxville.
- Memphis.
- Nashville.

Texas:
- El Paso.
- Galveston.
- San Antonio.

West Virginia:
- Wheeling.

DEATHS BY COLOR, NATIVITY, PARENT NATIVITY, AGE, AND SEX OF DECEDENT.

The following table shows, for the registration area as a whole, the deaths in 1915, classified according to sex, color, nativity, and parent nativity of decedent:

COLOR, NATIVITY, AND PARENT NATIVITY.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA: 1915.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
Aggregate	909,155	494,595	414,560	1,000.0	1,000.0	1,000.0
White	831,181	453,537	377,644	914.2	917.0	911.0
Native	608,511	325,789	282,722	669.3	658.7	682.0
Both parents native	328,962	171,853	157,109	361.8	347.5	379.0
One or both parents foreign born	203,392	111,169	92,223	223.7	224.8	222.5
Parentage unknown	76,157	42,767	33,390	83.8	86.5	80.5
Foreign born	211,551	119,008	92,543	232.7	240.6	223.2
Unknown	11,119	8,740	2,379	12.2	17.7	5.7
Colored	77,974	41,058	36,916	85.8	83.0	89.0
Negro	74,363	38,567	35,796	81.8	78.0	86.3
Chinese	1,158	1,073	85	1.3	2.2	0.2
Japanese	987	653	334	1.1	1.3	0.8
Indian	1,429	733	696	1.6	1.5	1.7
Other colored [2]	37	32	5	(3)	0.1	(3)

[1] Exclusive of stillbirths.
[2] Includes 11 East Indians, 7 Hindus, 7 Filipinos, 5 Hawaiians, 5 Koreans, 1 Javanese, and 1 Turk.
[3] Less than one-tenth of 1 per 1,000.

The 909,155 deaths in the registration area in 1915 were distributed between the sexes and between the two racial groups as follows: Of males, 54.4 per cent; of females, 45.6 per cent; of white persons, 91.4 per cent; of colored persons, 8.6 per cent. Of the colored, the great majority, 95.4 per cent (equivalent to 8.2 per cent of the total for all races), were of Negroes.

The percentages of deaths in the registration area by color, by nativity of white persons, and by parent nativity of the native white, for 1915, are shown in the following diagram:

PER CENT OF DEATHS IN THE REGISTRATION AREA BY COLOR, BY NATIVITY OF WHITE PERSONS, AND BY PARENT NATIVITY OF THE NATIVE WHITE: 1915.



The age distribution of decedents is shown in the following table:

AGE OF DECEDENT.	DEATHS FROM ALL CAUSES,[1] REGISTRATION AREA: 1915.					
	Number.			Distribution per 1,000.		
	Total.	Male.	Female.	Total.	Male.	Female.
All ages	909,155	494,595	414,560	1,000.0	1,000.0	1,000.0
Under 1 year	148,561	84,047	64,514	163.4	169.9	155.6
1 year	28,884	15,290	13,594	31.8	30.9	32.8
2 years	12,424	6,647	5,777	13.7	13.4	13.9
3 years	7,691	3,988	3,703	8.5	8.1	8.9
4 years	5,663	3,042	2,621	6.2	6.2	6.3
Under 5 years	203,223	113,014	90,209	223.5	228.5	217.6
5 to 9 years	17,738	9,507	8,231	19.5	19.2	19.9
10 to 14 years	12,583	6,655	5,928	13.8	13.5	14.3
15 to 19 years	21,186	10,683	10,503	23.3	21.6	25.3
20 to 24 years	32,588	16,895	15,693	35.8	34.2	37.9
25 to 29 years	35,623	19,144	16,479	39.2	38.7	39.8
30 to 34 years	36,313	20,274	16,039	39.9	41.0	38.7
35 to 39 years	40,788	23,305	17,483	44.9	47.1	42.2
40 to 44 years	41,505	23,939	17,566	45.7	48.4	42.4
45 to 49 years	44,777	26,366	18,411	49.3	53.3	44.4
50 to 54 years	49,941	28,947	20,994	54.9	58.5	50.6
55 to 59 years	53,232	30,723	22,509	58.6	62.1	54.3
60 to 64 years	57,807	32,283	25,524	63.6	65.3	61.6
65 to 69 years	62,433	33,829	28,604	68.7	68.4	69.0
70 to 74 years	65,879	34,536	31,343	72.5	69.8	75.6
75 to 79 years	57,766	29,044	28,722	63.5	58.7	69.3
80 to 84 years	42,146	20,207	21,939	46.4	40.9	52.9
85 to 89 years	22,299	10,303	11,996	24.5	20.8	28.9
90 to 94 years	7,771	3,160	4,611	8.5	6.4	11.1
95 to 99 years	1,870	774	1,096	2.1	1.6	2.6
100 years and over	547	196	351	0.6	0.4	0.8
Unknown	1,140	811	329	1.3	1.6	0.8

[1] Exclusive of stillbirths.

As in earlier years, large proportions of the deaths reported are of infants under 1 year of age and of children under 5—16.3 per cent and 22.4 per cent, respectively. These percentages, however, are lower than the corresponding ones for 1914, namely, 17.3 and 23.8, respectively.

The following table and diagrams show, for each of the years 1900 to 1915, inclusive, the numbers of deaths in the registration area at all ages, under 1 year of age, and under 5 years of age, and the percentages which the deaths under 1 and under 5 years form of the total.

CALENDAR YEAR.	DEATHS[1] IN THE REGISTRATION AREA.				
	All ages.	Under 1 year.		Under 5 years.	
		Number.	Per cent of total.	Number.	Per cent of total.
1915	909,155	148,561	16.3	203,223	22.4
1914	898,059	155,075	17.3	214,120	23.8
1913	890,848	159,435	17.9	225,129	25.3
1912	838,251	147,455	17.6	204,639	24.4
1911	839,284	149,322	17.8	209,482	25.0
1910	805,412	154,373	19.2	217,319	27.0
1909	732,538	140,057	19.1	196,534	26.8
1908	691,574	136,432	19.7	189,865	27.5
1907	687,034	131,110	19.1	183,774	26.7
1906	658,105	133,105	20.2	186,978	28.4
1905	545,533	105,553	19.3	147,384	27.0
1904	551,354	102,880	18.7	145,902	26.5
1903	524,415	96,857	18.5	139,940	26.7
1902	508,640	98,575	19.4	143,515	28.2
1901	518,207	97,477	18.8	141,678	27.3
1900	539,939	111,687	20.7	164,137	30.4

[1] Exclusive of stillbirths.

NUMBER OF DEATHS IN THE REGISTRATION AREA AT ALL AGES, UNDER 1 YEAR OF AGE, AND FROM 1 TO 4 YEARS OF AGE, FOR EACH OF THE YEARS 1900 TO 1915.



PER CENT OF DEATHS IN THE REGISTRATION AREA UNDER 1 YEAR OF AGE, FROM 1 TO 4 YEARS, AND 5 YEARS AND OVER, FOR EACH OF THE YEARS 1900 TO 1915.



As will be seen from the table, in 1900 the deaths under 1 year of age formed 20.7 per cent, and those under 5, 30.4 per cent, of the total deaths at all ages; but for 1915 the corresponding percentages were only 16.3 and 22.4, respectively.

DEATH RATES OF THE REGISTRATION AREA.

The following table shows the death rates from all causes in the registration area and its main subdivisions for the years 1912 to 1915 and the annual averages for the quinquennial periods 1901 to 1905 and 1906 to1910:

AREA.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
	1915	1914	1913	1912	Annual average. 1906 to 1910	Annual average. 1901 to 1905
The registration area	13.5	13.6	14.1	13.9	15.1	16.2
Registration states [2]	13.3	13.4	13.9	13.6	15.0	15.9
Cities in registration states [2]	14.2	14.5	15.0	14.7	16.3	17.4
Rural part of registration states	12.3	12.3	12.7	12.4	13.4	14.1
Registration cities in other states	16.3	16.0	16.3	16.6	15.9	16.6
All registration cities [2]	14.5	14.7	15.2	15.0	16.2	17.0

[1] Exclusive of stillbirths. [2] Including District of Columbia.

For the area as a whole, for the registration states, for the cities in registration states, and for all registration cities, the death rates in 1915 were lower than for any other year or period shown in the table; and for the rural parts of the registration states the rate for 1915 was the same as that for 1914 and was lower than for any other year or period shown.

In view of the frequent changes which have taken place in the extent of the registration area since 1900, a more satisfactory comparison can be made from the following table, in which figures are presented, with reference to the years and periods shown in the preceding table, for the group of registration states as constituted in 1900.

AREA.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
	1915	1914	1913	1912	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Registration states,[3] 1900	14.3	14.4	14.7	14.6	15.5	15.9
Cities [2]	14.4	14.7	15.1	14.9	16.4	17.4
Rural districts	14.0	14.0	14.1	13.9	14.2	14.1

[1] Exclusive of stillbirths. [2] Including District of Columbia.

This group of states, which embraced Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, Vermont, and the District of Columbia, was that covered by the bureau's first annual mortality report (for the calendar year 1900) and is commonly referred to as "the original registration states." The total population of these states approximated 20,000,000 in 1900 and 26,000,000 in 1915, and represented for each year about the same proportion—26 per cent—of the total population of the United States.

From this considerable portion of the country the registration of deaths should be considered to be somewhat more nearly complete than for the registration area as a whole. It will be noted that the reduction which has taken place in the group as a whole is due almost entirely to the decrease in the rate for the cities, that for the rural portions of the states having remained almost stationary during the entire period covered. The rate for the cities still remains slightly higher, however, than that for the rural districts.

DEATH RATES OF THE REGISTRATION STATES.

The following table presents the general or crude death rates for the registration states for 1915 as compared with those for 1912, 1913, and 1914, and for the quinquennial periods 1901 to 1905 and 1906 to 1910. For the states in which the colored population formed 10 per cent or more of the total the rates are shown separately for the aggregate, the white, and the colored populations.

STATE.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
	1915	1914	1913	1912	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Registration states [2]	13.3	13.4	13.9	13.6	15.0	15.9
California	13.7	13.6	14.5	14.2	13.9	(3)
Colorado	11.3	11.2	11.5	11.6	14.3	(3)
Connecticut	14.9	15.1	15.0	14.9	15.6	15.7
Indiana	12.7	12.9	13.3	13.0	13.0	13.2
Kansas	[4] 10.1	[4] 9.8	(3)	(3)	(3)	(3)
Kentucky (total)	12.3	12.9	13.1	12.9	(3)	(3)
White	11.1	11.8	12.1	11.8	(3)	(3)
Colored	22.0	21.2	21.0	21.0	(3)	(3)
Maine	15.6	15.6	15.3	15.5	16.2	15.9
Maryland (total)	15.8	15.9	16.2	15.5	16.0	(3)
White	14.1	14.3	14.4	14.0	14.4	(3)
Colored	24.1	23.1	24.0	22.4	22.9	(3)
Massachusetts	14.5	14.7	15.0	15.0	16.1	16.6
Michigan	13.4	13.4	13.9	13.4	13.6	13.3
Minnesota	10.1	10.6	10.4	9.5	(5)	(3)
Missouri	12.0	12.3	12.4	12.6	(3)	(3)
Montana	11.4	11.2	12.0	10.1	(5)	(3)
New Hampshire	16.1	16.3	17.1	16.4	17.2	16.6
New Jersey	13.8	14.2	14.3	14.1	15.4	16.1
New York	14.6	14.7	15.0	15.0	16.4	17.1
North Carolina [6] (total)	17.3	19.0	16.8	17.3	(5)	(3)
White	13.5	15.4	13.8	14.4	(5)	(3)
Colored	24.9	25.8	22.5	22.6	(5)	(3)
Ohio	13.0	13.0	13.8	13.4	(5)	(3)
Pennsylvania	13.8	13.9	14.6	14.0	15.5	(3)
Rhode Island	14.8	14.7	15.0	15.2	16.7	17.8
Utah	[4] 9.9	10.1	11.0	9.9	(5)	(3)
Vermont	14.7	15.0	15.8	15.2	16.1	16.2
Virginia (total)	14.2	14.0	13.9	(3)	(3)	(3)
White	11.6	11.7	11.8	(3)	(3)	(3)
Colored	19.8	18.8	18.2	(3)	(3)	(3)
Washington	[4] 8.1	[4] 8.1	[4] 8.5	[4] 7.9	(5)	(3)
Wisconsin	10.8	11.1	11.5	11.3	(5)	(3)

[1] Exclusive of stillbirths.
[2] Including District of Columbia.
[3] Not admitted to registration area until a later date.
[4] These rates are based on estimates of population computed on the assumption that the annual numerical increase since 1910 has been the same as the average annual numerical increase between 1900 and 1910. This method probably results, in the cases of the states and the years indicated, in an exaggeration of the estimated population and a consequent reduction of the apparent death rate below the true figure.
[5] Figures for deaths not available for the entire period.
[6] The figures for the years prior to 1914 relate only to municipalities having 1,000 inhabitants or more in 1900; for the years 1914 and 1915 they relate to municipalities having 1,000 inhabitants or more in 1910.

As in the case of the registration area as a whole, the death rate for the registration states in 1915 was lower than that for any preceding year or period for which figures are given. The highest rate shown for 1915, for both races combined, is that for North Carolina (17.3), which relates only to municipalities having 1,000 population or more in 1910. Next in order are the rates for New Hampshire and Maryland. The lowest rates given are those for Washington and Utah, but it is likely that the estimates of population on which these rates, and possibly a few others, are based are too high. As explained in footnote 4, the estimates of population computed by the Census Bureau are based on the assumption that the annual numerical increase since 1910 has been the same as the average annual numerical increase between 1900 and 1910; and, therefore, in the case of those states which increased in population very rapidly between 1900 and 1910, there is more or less probability that the estimates for recent years are too high. Unfortunately, however, in the absence of any provision for an enumeration of the population of the country more frequently than once in 10 years, the Census Bureau is obliged to make estimates in the manner described.

Moreover, it should be remembered that the rates given are "crude" rates, in the calculation of which no allowance is made for differences in the sex, age, and color distribution of the population. Furthermore, in the different states the registration of deaths may be conducted with varying degrees of thoroughness. This applies especially to those states in which the registration laws have been in operation but a short time.

For these reasons, therefore, the figures shown for certain states should not be given too great weight, and inferences as to one state being more healthful than another should be drawn only after careful investigation of the registration, the constitution of the population, and the probable increase in the population since 1910.

DEATH RATES OF LARGE CITIES.

The following table shows, for each of the four years 1912 to 1915, inclusive, and for the two 5-year periods 1901–1905 and 1906–1910, the death rates for cities which in 1910 had 100,000 inhabitants or more. The rates for the cities with colored populations of 10 per cent or more are shown for the total population and for the white and colored races separately.

City.	Death rate from all causes[1] per 1,000 population.					
	1915	1914	1913	1912	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Birmingham, Ala. (total)	15.6	17.5	17.4	17.4	(2)	(3)
White	11.3	13.1	12.3	13.3	(2)	(3)
Colored	22.7	24.2	25.2	23.6	(2)	(3)
Los Angeles, Cal	12.3	12.9	15.0	14.7	14.8	16.4
Oakland, Cal	11.4	11.6	12.5	12.8	15.4	13.3
San Francisco, Cal	15.9	15.5	15.9	15.6	16.1	20.3
Denver, Colo	13.3	13.2	13.7	14.2	17.5	17.2
Bridgeport, Conn	15.4	15.0	14.9	13.9	15.5	16.0
New Haven, Conn	15.7	16.1	15.9	16.5	17.3	17.3
Washington, D. C. (total)	18.1	16.6	17.3	18.3	19.6	20.5
White	15.1	13.8	14.4	14.8	15.9	16.5
Colored	26.2	23.3	24.4	26.9	28.7	29.5
Atlanta, Ga. (total)	15.1	16.5	17.4	18.0	19.4	21.1
White	11.4	13.2	13.5	14.6	15.6	16.1
Colored	23.3	23.0	25.2	24.7	26.8	29.6
Chicago, Ill	14.3	14.2	15.1	14.8	14.9	14.5
Indianapolis, Ind	14.7	15.9	15.7	15.0	15.2	15.4
Louisville, Ky. (total)	15.0	16.5	16.2	16.4	17.4	19.0
White	13.0	14.8	14.3	14.3	15.1	16.9
Colored	24.2	23.8	24.8	26.1	27.7	28.1
New Orleans, La. (total)	21.2	20.5	19.9	20.1	21.7	22.4
White	16.4	16.5	15.6	16.1	18.0	19.2
Colored	34.6	31.6	31.9	31.4	32.1	31.0
Baltimore, Md. (total)	17.1	18.1	18.5	18.2	19.5	20.0
White	15.2	16.0	16.2	16.3	17.3	17.8
Colored	28.1	29.5	31.0	29.2	31.5	32.0
Boston, Mass	16.1	16.1	16.4	16.4	17.9	18.8
Cambridge, Mass	13.1	13.2	13.5	13.0	15.1	15.1
Fall River, Mass	15.9	17.3	17.2	16.2	19.7	20.3
Lowell, Mass	16.2	15.9	15.9	17.4	19.4	20.2
Worcester, Mass	15.4	15.7	16.4	16.2	17.1	16.8
Detroit, Mich	15.7	15.6	17.3	15.5	14.8	15.1
Grand Rapids, Mich	12.5	12.9	13.3	13.0	13.3	13.5
Minneapolis, Minn	11.5	12.0	11.6	10.4	11.0	10.2
St. Paul, Minn	10.7	11.4	11.0	10.2	11.0	10.0
Kansas City, Mo	14.7	14.0	14.8	15.2	14.6	15.9
St. Louis, Mo	13.8	15.0	14.9	14.9	15.6	17.9
Omaha, Nebr	12.2	13.8	13.9	13.2	13.8	11.5
Jersey City, N. J	14.5	13.8	14.6	14.0	17.7	19.3
Newark, N. J	13.1	14.5	14.4	14.3	17.2	18.7
Paterson, N. J	13.2	13.5	13.5	14.0	15.7	16.9
Albany, N. Y	20.0	19.4	19.8	20.1	18.6	18.4
Buffalo, N. Y	14.9	15.5	15.8	14.8	16.0	15.5
New York, N. Y	13.9	14.1	14.3	14.5	16.9	19.0
Bronx Borough[4]	13.7	13.5	13.9	13.2	17.4	20.9
Brooklyn Borough[4]	13.9	13.8	13.9	14.2	16.3	18.2
Manhattan Borough[4]	14.0	14.3	14.6	14.9	17.4	19.5
Queens Borough[4]	13.9	14.4	13.8	13.4	14.9	16.1
Richmond Borough[4]	15.8	16.2	16.9	16.8	18.6	19.0
Rochester, N. Y	13.9	14.3	14.6	14.6	14.7	14.6
Syracuse, N. Y	13.2	14.8	15.7	15.2	15.2	14.5
Cincinnati, Ohio	15.6	16.0	16.9	16.6	18.1	19.1
Cleveland, Ohio	13.4	12.8	14.2	13.7	14.1	14.9
Columbus, Ohio	14.0	14.8	15.3	14.4	15.1	15.4
Dayton, Ohio	13.6	13.8	16.0	15.1	15.5	15.1
Toledo, Ohio	15.4	15.5	16.2	15.8	14.9	14.3
Portland, Oreg	[5] 8.4	[5] 9.1	[5] 9.5	[5] 9.5	10.3	10.2
Philadelphia, Pa	15.6	16.1	15.7	15.3	17.7	18.1
Pittsburgh, Pa	15.3	15.7	17.1	15.9	[6] 18.0	19.9
Scranton, Pa	14.7	15.8	14.8	14.6	16.3	16.2
Providence, R. I	14.6	15.2	15.2	15.8	17.6	18.8
Memphis, Tenn. (total)	19.8	20.7	20.8	21.7	20.6	19.4
White	13.9	14.8	15.9	16.7	16.1	16.5
Colored	29.9	29.5	28.2	29.1	27.0	22.9
Nashville, Tenn. (total)	17.2	18.4	17.8	19.3	19.3	21.5
White	14.0	14.6	14.7	14.8	15.2	17.0
Colored	24.4	26.1	24.0	28.2	27.2	29.6
Richmond, Va. (total)	18.9	19.7	20.4	20.7	[7] 22.5	23.4
White	15.9	15.2	16.7	16.5	[8] 17.4	18.5
Colored	24.3	27.5	26.8	27.9	[8] 29.9	31.7
Seattle, Wash	[5] 7.4	[5] 8.1	[5] 8.4	[5] 8.1	9.8	9.3
Spokane, Wash	[5] 8.1	[5] 8.6	[5] 8.9	[5] 8.4	12.8	11.3
Milwaukee, Wis	11.4	11.8	12.7	13.0	13.7	13.2

[1] Exclusive of stillbirths. [2] Average not shown for less than 5 years. [3] Not admitted to registration area until 1908.

[4] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911, deaths which occurred in boroughs other than those of residence, were distributed to the boroughs of residence.

[5] These rates are based on estimates of population computed on the assumption that the annual numerical increase since 1910 has been the same as the average annual numerical increase between 1900 and 1910. This method probably results, in the cases of the cities and the years indicated, in an exaggeration of the estimated population and a consequent reduction of the apparent death rate below the true figure.

[6] Includes Allegheny for the 5-year period. [7] Includes Manchester for the years 1908 to 1910. [8] Excludes Manchester for the years 1908 to 1910.

It is necessary to repeat for the cities the caution that was given for the states in respect to inferences as to the relative healthfulness of different places. In fact, this caution is applicable to the cities even more than to the states, since deaths in cities are affected not only, as are those in the states, by migration from one part of the country to another to secure the benefit of better climatic conditions, but also by migration from one city to another within the same state, or from country to city, for the purpose of obtaining hospital treatment.

In the nine large cities for which rates for both white and colored persons are shown the effect of the deaths among the colored persons upon the rates for the total population is very evident. In each case the rate for the colored population was largely in excess of that for the whites, thus emphasizing the fact that the item of color must be given due consideration in making any comparisons of the death rates for these cities with those for other cities having much smaller percentages of colored inhabitants. It will be noted that although the death rates among the white population in several of the cities with large proportions of colored inhabitants was higher than the average for all cities in the registration area, they were lower than those for the total population in some cities in which the percentage of colored inhabitants was very small. For 37 of the 50 registration cities which had 100,000 or more inhabitants in 1910, the rate for 1915 was lower than for the preceding year.

DEATH RATES OF FOREIGN COUNTRIES.

The following table is taken from the latest report of the Registrar-General of England and Wales for 1914. It presents the death rates per 1,000 population of the principal European countries and of certain other countries for each of the six 5-year periods from 1881 to 1910, and for the years 1913 and 1914, together with the rates for the United States for the two 5-year periods between 1901 and 1910 and for the years 1913 and 1914. The percentages of decrease between the rates for the periods 1881–1885 and 1906–1910 are also shown.

COUNTRY.	ANNUAL CRUDE DEATH RATE[1] PER 1,000 PERSONS LIVING.								Decrease per cent between 1881 to 1885 and 1906 to 1910
	1914	1913	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895	1886 to 1890	1881 to 1885	
United States (registration area)	13.6	14.1	15.1	16.2	(2)	(2)	(2)	(2)	(2)
Australian Commonwealth	10.5	10.8	10.7	11.7	12.7	13.3	14.8	15.7	31.8
Austria	(2)	(2)	22.3	24.2	25.6	27.9	28.9	30.1	25.9
Belgium	(2)	(2)	15.9	17.0	18.1	20.1	20.2	20.6	22.8
Bulgaria	(2)	(2)	23.8	22.5	23.9	27.8	18.9	17.7	[3] 34.5
Ceylon	32.2	28.4	30.8	26.7	27.0	28.3	25.1	(2)	(2)
Chile	27.8	30.1	31.3	30.2	28.8	32.6	35.2	26.9	[3] 16.4
Denmark	12.6	12.5	13.7	14.8	16.4	18.6	18.7	18.4	25.5
England and Wales	14.0	13.8	14.7	16.0	17.7	18.7	18.9	19.4	24.2
Finland	(2)	16.1	17.4	18.6	19.0	20.5	20.0	22.2	21.6
France	[4] 19.6	17.7	19.2	19.6	20.7	22.3	22.0	22.2	13.5
German Empire	(2)	[5] 15.0	17.5	19.9	21.2	23.3	24.4	25.3	30.8
Hungary	(2)	(2)	25.0	26.4	27.9	31.8	32.1	33.1	24.5
Ireland	16.3	17.1	17.3	17.6	18.1	18.5	17.9	18.0	3.9
Italy	17.9	18.7	21.0	21.9	22.9	25.5	27.2	27.3	23.1
Jamaica	21.4	21.7	24.4	22.6	22.1	22.0	23.5	(2)	(2)
Japan	(2)	(2)	21.0	20.9	20.7	21.1	20.6	(2)	(2)
Netherlands	12.4	12.3	14.3	16.0	17.2	19.6	20.5	21.4	33.2
New Zealand	9.3	9.5	9.7	9.9	9.6	10.1	9.9	10.9	11.0
Norway	[6] 13.5	13.2	13.8	14.5	15.6	16.8	17.0	17.2	19.8
Ontario, Province of	11.8	12.7	14.0	13.0	11.6	10.6	11.0	11.4	[3] 22.8
Prussia	(2)	[6] 14.9	17.3	19.6	21.0	22.8	24.0	25.4	31.9
Roumania	23.8	25.9	26.0	25.5	27.4	31.0	28.7	26.2	0.8
Russia (European)	(2)	(2)	(2)	30.9	31.9	35.8	33.2	35.4	(2)
Scotland	15.5	15.5	16.1	17.0	18.0	19.0	18.8	19.6	17.9
Serbia	(2)	(2)	24.3	22.4	24.8	28.9	25.9	24.5	0.8
Spain	[6] 22.1	[6] 22.1	24.3	26.0	28.8	30.1	30.9	32.6	25.5
Sweden	[6] 13.8	[6] 13.6	14.3	15.5	16.1	16.6	16.4	17.5	18.3
Switzerland	(2)	14.3	16.0	17.5	18.1	19.8	20.4	21.3	24.9

[1] Exclusive of stillbirths.
[2] Figures not available.
[3] Increase.
[4] Provisional figures relating to 77 "*departements*."
[5] Provisional figures relating to 24 states.
[6] The figures are provisional.

The table on page 15, also taken from the latest report of the Registrar-General of England and Wales, presents the crude death rates per 1,000 of population for the registration area of the United States, and for certain countries for each year 1900–1914. These rates are graphically shown in the diagram.

COUNTRY.	DEATH RATE[1] PER 1,000 POPULATION.														
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914
United States (registration area)	17.6	16.5	15.9	16.0	16.5	16.0	15.7	16.0	14.8	14.4	15.0	14.2	13.9	14.1	13.6
Australia	11.8	12.2	12.5	12.2	11.1	10.9	10.9	11.0	11.1	10.3	10.4	10.7	11.2	10.8	10.5
Austria	25.4	24.0	24.7	23.8	23.8	25.1	22.6	22.7	22.5	22.9	21.2	21.9	20.5	(2)	(2)
Chile	35.6	36.4	28.5	26.2	27.8	34.9	32.7	29.6	31.6	31.2	31.0	31.1	29.7	30.1	27.8
England and Wales	18.2	16.9	16.3	15.5	16.3	15.3	15.5	15.1	14.8	14.6	13.5	14.6	13.3	13.8	14.0
France	21.9	20.1	19.5	19.2	19.4	19.6	19.9	20.2	18.9	19.1	17.8	19.6	17.5	17.7	[3] 19.6
German Empire	22.1	20.7	19.4	20.0	19.6	19.8	18.2	18.0	18.1	17.2	16.2	17.3	15.6	[4] 15.0	(2)
Hungary	26.9	25.4	27.1	26.2	25.0	28.2	25.1	25.7	25.2	25.6	23.6	25.1	23.3	(2)	(2)
Ireland	19.6	17.8	17.5	17.5	18.0	17.1	16.9	17.6	17.5	17.1	17.1	16.5	16.5	17.1	16.3
Italy	23.8	22.0	22.2	22.4	21.2	22.0	20.9	20.9	22.8	21.7	19.9	21.4	18.2	18.7	17.9
Japan	20.4	20.4	20.9	20.0	21.2	21.9	20.0	21.0	20.9	21.9	21.1	20.4	(2)	(2)	(2)
New Zealand	9.4	9.8	10.5	10.4	9.5	9.3	9.3	10.9	9.5	9.2	9.7	9.4	8.9	9.5	9.3
Russia (European)	31.1	32.1	31.5	30.0	29.9	31.1	29.8	28.1	28.0	28.9	(2)	(2)	(2)	(2)	(2)
Spain	28.9	27.7	26.0	25.0	25.7	25.8	26.1	24.5	[5] 23.8	[5] 24.0	[5] 23.3	[5] 23.2	[5] 21.8	[5] 22.1	[5] 22.1
Sweden	16.8	16.1	15.4	15.1	15.3	15.6	14.4	14.6	14.9	13.7	14.0	13.8	14.2	[5] 13.6	[5] 13.8

[1] Exclusive of stillbirths.
[2] Figures not available.
[3] Provisional figures relating to 77 "*departements.*"
[4] Provisional figures relating to 24 states.
[5] The figures are provisional.

GENERAL DEATH RATES OF THE UNITED STATES (REGISTRATION AREA) AND CERTAIN FOREIGN COUNTRIES FOR EACH OF THE YEARS FROM 1900 TO 1914.



DEATH RATES OF CITIES WITH CONSIDERABLE COLORED POPULATIONS.

The following table gives comparative death rates of white and colored persons for each city in the registration area having a population of 10,000 or more at the census of 1910 and in which the colored population at that census constituted at least 10 per cent of the total. The rates for two Kentucky cities, two Maryland cities, and El Paso, Tex., in which less than 10 per cent of the population is colored, are shown in order that the table may cover all Southern registration cities (including all cities in Kentucky and Maryland) having 10,000 or more inhabitants.

City and color.	Per cent of total population, Apr. 15, 1910.	Death rate from all causes [1] per 1,000 population.					
		1915	1914	1913	1912	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Cities in this table (aggregate)	100.0	18.3	18.4	18.3	18.8	19.9	21.1
White	73.3	15.0	15.5	15.3	15.7	16.6	17.7
Colored	26.7	27.5	26.7	26.8	27.8	29.1	29.8
Birmingham, Ala. (total)	100.0	15.6	17.5	17.4	17.4	(2)	(3)
White	60.6	11.3	13.1	12.3	13.3	(2)	(3)
Colored	39.4	22.7	24.2	25.2	23.6	(2)	(3)
Mobile, Ala. (total)	100.0	19.5	21.8	20.8	20.9	23.6	24.8
White	55.8	15.9	18.0	16.9	16.7	18.7	19.7
Colored	44.2	24.1	26.4	25.7	26.0	29.7	31.2
Montgomery, Ala. (total)	100.0	21.0	21.4	21.7	22.9	(2)	(3)
White	49.3	15.6	16.2	15.6	16.1	(2)	(3)
Colored	50.7	26.7	26.4	27.6	29.6	(2)	(3)
Riverside, Cal. (total)	100.0	11.5	11.8	13.2	16.0	(4)	(3)
White	88.8	12.2	12.5	13.5	16.6	(4)	(3)
Colored	11.2	6.1	6.3	10.7	11.7	(4)	(3)
Wilmington, Del. (total)	100.0	16.4	15.9	15.5	16.5	17.0	17.0
White	89.6	15.6	14.7	14.2	15.2	15.9	15.7
Colored	10.4	24.0	25.7	26.7	27.4	26.5	27.2
Washington, D. C. (total)	100.0	18.1	16.6	17.3	18.3	19.6	20.5
White	71.3	15.1	13.8	14.4	14.8	15.9	16.5
Colored	28.7	26.2	23.3	24.4	26.9	28.7	29.5
Jacksonville, Fla. (total)	100.0	18.5	18.6	19.2	19.9	22.1	27.5
White	49.1	14.5	15.1	15.7	15.8	17.9	23.3
Colored	50.9	22.7	21.9	22.6	23.8	25.8	30.5
Key West, Fla. (total)	100.0	13.0	16.0	14.9	17.8	22.0	21.7
White	72.2	11.9	15.5	14.0	17.0	20.1	20.4
Colored	27.8	16.0	17.4	17.1	20.0	26.3	24.4
Pensacola, Fla. (total)	100.0	16.2	17.3	16.2	(3)	(3)	(3)
White	55.5	12.1	13.6	11.7	(3)	(3)	(3)
Colored	44.5	21.7	22.0	21.8	(3)	(3)	(3)
Tampa, Fla. (total)	100.0	14.4	(3)	(3)	(3)	(3)	(3)
White	76.2	12.4	(3)	(3)	(3)	(3)	(3)
Colored	23.8	21.5	(3)	(3)	(3)	(3)	(3)
Atlanta, Ga. (total)	100.0	15.1	16.5	17.4	18.0	19.4	21.1
White	66.4	11.4	13.2	13.5	14.6	15.6	16.1
Colored	33.6	23.3	23.0	25.2	24.7	26.8	29.6
Augusta, Ga. (total)	100.0	22.6	21.5	19.7	(3)	(3)	(3)
White	55.2	17.5	17.6	16.7	(3)	(3)	(3)
Colored	44.8	28.7	26.2	23.4	(3)	(3)	(3)
Savannah, Ga. (total)	100.0	24.6	25.4	25.0	26.6	24.8	27.1
White	48.9	14.5	17.5	17.3	18.4	17.9	19.2
Colored	51.1	34.4	33.0	32.2	34.4	31.3	34.5
Jeffersonville, Ind. (total)	100.0	12.5	15.2	13.5	16.3	17.1	19.9
White	85.2	11.0	13.3	12.4	14.9	16.3	18.1
Colored	14.8	20.8	26.4	19.7	24.2	21.8	29.4
Atchison, Kans. (total)	100.0	11.7	11.8	12.0	11.7	(3)	(3)
White	84.1	11.5	11.2	11.2	11.7	(3)	(3)
Colored	15.9	12.8	15.1	16.3	11.8	(3)	(3)
Coffeyville, Kans. (total)	100.0	9.5	12.1	10.3	12.6	(3)	(3)
White	88.7	8.7	11.6	9.7	11.6	(3)	(3)
Colored	11.3	17.1	16.7	15.2	19.7	(3)	(3)
Fort Scott, Kans. (total)	100.0	16.2	17.1	12.9	15.9	(3)	(3)
White	90.0	15.5	16.6	12.7	13.4	(3)	(3)
Colored	10.0	23.9	21.8	15.2	38.1	(3)	(3)
Kansas City, Kans. (total)	100.0	13.9	13.1	15.3	15.8	(2)	(3)
White	88.7	12.6	11.7	13.9	14.2	(2)	(3)
Colored	11.3	24.6	23.9	25.9	28.5	(2)	(3)
Lawrence, Kans. (total)	100.0	15.3	14.4	14.5	12.4	(3)	(3)
White	80.3	14.4	14.4	13.1	13.0	(3)	(3)
Colored	19.7	18.5	14.4	20.2	10.0	(3)	(3)
Leavenworth, Kans. (total)	100.0	14.4	17.0	18.0	17.6	15.7	14.8
White	87.2	13.4	16.2	17.7	16.9	14.5	13.4
Colored	12.8	21.0	22.9	20.2	22.5	23.9	22.5
Topeka,* Kans. (total)	100.0	14.1	17.4	19.4	18.6	(3)	(3)
White	89.6	13.1	16.9	18.4	17.6	(3)	(3)
Colored	10.4	23.8	21.6	27.6	26.8	(3)	(3)
Covington, Ky. (total)	100.0	15.3	15.0	16.1	16.7	15.5	18.1
White	94.5	14.1	13.7	15.3	15.7	14.9	17.4
Colored [5]	5.5	35.6	37.0	30.5	33.5	25.3	29.0
Frankfort, Ky. (total)	100.0	16.8	17.2	18.1	19.9	(3)	(3)
White	72.8	14.0	15.9	14.4	16.3	(3)	(3)
Colored	27.2	25.7	20.6	27.9	29.5	(3)	(3)
Henderson, Ky. (total)	100.0	18.1	20.1	19.7	21.9	(3)	(3)
White	73.7	14.0	17.4	17.7	18.4	(3)	(3)
Colored	26.3	33.9	27.6	25.3	31.8	(3)	(3)
Lexington,* Ky. (total)	100.0	24.6	26.0	23.5	24.3	(3)	(3)
White	68.6	21.2	22.8	20.4	21.5	(3)	(3)
Colored	31.4	33.1	33.1	30.2	30.3	(3)	(3)
Louisville, Ky. (total)	100.0	15.0	16.5	16.2	16.4	17.4	19.0
White	81.9	13.0	14.8	14.3	14.3	15.1	16.9
Colored	18.1	24.2	23.8	24.8	26.1	27.7	28.1
Newport, Ky. (total)	100.0	11.9	11.6	11.6	12.4	15.6	16.0
White	98.1	11.3	11.5	11.5	12.2	15.5	16.0
Colored [5]	1.9	38.3	16.9	17.0	22.3	21.0	20.1
Owensboro, Ky. (total)	100.0	16.6	19.4	18.6	19.2	(3)	(3)
White	80.5	15.0	17.6	17.5	17.8	(3)	(3)
Colored	19.5	23.8	26.9	22.8	25.0	(3)	(3)
Paducah, Ky. (total)	100.0	17.6	20.0	20.0	19.9	17.5	22.2
White	73.4	13.9	17.0	15.5	15.4	13.5	19.3
Colored	26.6	28.9	28.2	32.4	32.5	28.4	29.2
New Orleans, La. (total)	100.0	21.2	20.5	19.9	20.1	21.7	22.4
White	73.6	16.4	16.5	15.6	16.1	18.0	19.2
Colored	26.4	34.6	31.6	31.9	31.4	32.1	31.0
Baltimore, Md. (total)	100.0	17.1	18.1	18.5	18.2	19.5	20.0
White	84.8	15.2	16.0	16.2	16.3	17.3	17.8
Colored	15.2	28.1	29.5	31.0	29.2	31.5	32.0
Cumberland, Md. (total)	100.0	16.2	17.1	19.3	18.0	18.7	(3)
White	95.1	15.6	16.6	18.7	17.3	17.9	(3)
Colored [5]	4.9	29.8	27.8	31.5	33.1	33.2	(3)
Frederick, Md. (total)	100.0	16.5	16.4	18.9	22.0	20.1	22.0
White	85.9	15.4	17.2	17.9	19.9	17.8	18.4
Colored	14.1	23.7	11.7	25.0	34.6	34.0	41.1
Hagerstown, Md. (total)	100.0	[6] 14.7	[6] 14.5	19.0	19.3	17.5	(3)
White	93.1	[6] 14.1	[6] 14.1	18.5	18.1	16.7	(3)
Colored [5]	6.9	[6] 25.0	[6] 19.4	25.9	35.7	28.6	(3)
Hattiesburg, Miss. (total)	100.0	15.7	(3)	(3)	(3)	(3)	(3)
White	62.8	10.6	(3)	(3)	(3)	(3)	(3)
Colored	37.2	24.5	(3)	(3)	(3)	(3)	(3)
Jackson,* Miss. (total)	100.0	29.8	(3)	(3)	(3)	(3)	(3)
White	50.3	20.0	(3)	(3)	(3)	(3)	(3)
Colored	49.7	40.9	(3)	(3)	(3)	(3)	(3)
Meridian, Miss. (total)	100.0	25.7	(3)	(3)	(3)	(3)	(3)
White	59.9	19.7	(3)	(3)	(3)	(3)	(3)
Colored	40.1	34.9	(3)	(3)	(3)	(3)	(3)
Natchez, Miss. (total)	100.0	20.1	(3)	(3)	(3)	(3)	(3)
White	43.1	11.0	(3)	(3)	(3)	(3)	(3)
Colored	56.9	27.0	(3)	(3)	(3)	(3)	(3)
Vicksburg, Miss. (total)	100.0	32.3	(3)	(3)	(3)	(3)	(3)
White	42.1	21.4	(3)	(3)	(3)	(3)	(3)
Colored	57.9	39.8	(3)	(3)	(3)	(3)	(3)
Hannibal, Mo. (total)	100.0	12.6	12.4	13.4	13.7	(3)	(3)
White	89.9	11.0	11.1	12.1	12.7	(3)	(3)
Colored	10.1	29.7	24.4	24.6	22.3	(3)	(3)
Jefferson City, Mo. (total)	100.0	14.9	13.0	14.6	14.9	(3)	(3)
White	83.8	13.3	12.9	12.5	13.5	(3)	(3)
Colored	16.2	23.7	13.7	25.0	22.0	(3)	(3)

* Areas designated by asterisks contain state insane asylums.
[1] Exclusive of stillbirths.
[2] Average not shown for less than 5 years.
[3] Not admitted to the registration area until a later date.
[4] Average not shown for less than 5 years; included in rural until 1910.
[5] Colored population less than 10 per cent of the total in 1910.
[6] Probably does not include deaths in territory annexed in April, 1914.

City and color.	Per cent of total population, Apr. 15, 1910.	Death rate from all causes[1] per 1,000 population. 1915	1914	1913	1912	Annual average. 1906 to 1910	1901 to 1905
Sedalia, Mo. (total)	100.0	15.2	15.0	14.4	15.0	(2)	(2)
White	89.5	13.9	13.2	13.5	13.2	(2)	(2)
Colored	10.5	26.2	29.7	22.5	30.0	(2)	(2)
Asbury Park, N. J. (total)	100.0	11.7	13.9	13.8	13.9	(3)	(4)
White	80.9	10.7	12.3	12.7	12.2	(3)	(4)
Colored	19.1	15.3	20.5	18.1	20.9	(3)	(4)
Atlantic City, N. J. (total)	100.0	15.2	15.4	15.9	15.3	16.5	16.2
White	78.5	14.8	15.3	16.2	15.2	16.6	16.8
Colored	21.5	16.5	15.7	14.9	15.8	16.1	14.3
Montclair, N. J. (total)	100.0	10.0	14.0	14.1	13.6	14.1	17.6
White	88.4	10.4	13.9	13.7	12.7	13.7	17.1
Colored	11.6	7.1	14.9	17.6	21.1	17.4	21.7
Asheville, N. C. (total)	100.0	22.2	24.3	21.1	21.2	(5)	(2)
White	71.4	20.3	22.7	20.0	20.2	(5)	(2)
Colored	28.6	27.2	28.1	23.8	23.7	(5)	(2)
Charlotte, N. C. (total)	100.0	18.7	21.7	16.0	14.5	(5)	(2)
White	65.4	13.8	16.2	13.9	13.3	(5)	(2)
Colored	34.6	28.8	32.2	20.2	16.8	(5)	(2)
Durham, N. C. (total)	100.0	15.4	15.5	14.1	14.5	(5)	(2)
White	62.3	11.0	10.7	10.0	10.7	(5)	(2)
Colored	37.7	22.4	23.3	20.7	20.8	(5)	(2)
Greensboro, N. C. (total)	100.0	15.2	19.6	17.5	17.1	(5)	(2)
White	64.1	10.9	12.9	15.1	12.8	(5)	(2)
Colored	35.9	23.3	31.6	21.7	24.7	(5)	(2)
Raleigh,* N. C. (total)	100.0	27.5	30.4	24.9	31.2	26.8	25.0
White	61.6	23.6	24.7	22.0	29.8	22.7	21.2
Colored	38.4	34.1	39.6	29.7	33.5	33.3	30.5
Wilmington, N. C. (total)	100.0	20.3	23.5	22.5	23.7	22.7	25.6
White	52.9	15.2	16.8	16.7	16.6	17.4	19.9
Colored	47.1	26.3	31.0	29.1	31.7	28.7	31.6
Winston-Salem, N. C. (total)	100.0	19.6	22.1	20.8	17.2	(5)	(2)
White	60.0	13.6	16.5	13.4	11.1	(5)	(2)
Colored	40.0	28.5	30.5	32.0	24.5	(5)	(2)
Springfield, Ohio (total)	100.0	13.6	13.4	14.1	13.0	(5)	(2)
White	89.5	13.0	12.5	13.4	12.5	(5)	(2)
Colored	10.5	18.9	21.6	20.4	16.8	(5)	(2)
Carlisle, Pa. (total)	100.0	14.3	14.4	14.9	15.5	15.7	16.3
White	89.1	13.1	12.9	13.7	14.4	14.5	15.3
Colored	10.9	24.4	26.9	25.3	24.6	25.0	23.7
Chester, Pa. (total)	100.0	16.1	17.1	18.4	16.7	16.1	(2)
White	87.5	14.7	16.0	17.3	15.5	14.4	(2)
Colored	12.5	25.7	25.1	26.4	25.1	27.5	(2)
Coatesville, Pa. (total)	100.0	9.4	9.8	11.1	14.4	(3)	(2)
White	86.3	9.5	10.2	11.6	14.3	(3)	(2)
Colored	13.7	9.1	7.1	8.5	14.8	(3)	(2)
West Chester, Pa. (total)	100.0	20.9	22.2	17.1	19.8	19.9	(2)
White	84.0	18.6	19.8	16.9	20.4	17.9	(2)
Colored	16.0	34.2	35.0	18.5	16.8	30.3	(2)
Charleston, S. C. (total)	100.0	29.3	27.8	27.0	30.9	27.5	29.7
White	47.2	16.5	17.6	15.7	19.0	17.2	19.3
Colored	52.8	41.6	37.0	37.2	41.4	36.5	38.2
Columbia,* S. C. (total)	100.0	41.0	(2)	(2)	(2)	(2)	(2)
White	56.1	29.4	(2)	(2)	(2)	(2)	(2)
Colored	43.9	56.5	(2)	(2)	(2)	(2)	(2)
Greenville, S. C. (total)	100.0	20.8	(2)	(2)	(2)	(2)	(2)
White	59.9	12.9	(2)	(2)	(2)	(2)	(2)
Colored	40.1	33.5	(2)	(2)	(2)	(2)	(2)
Spartanburg, S. C. (total)	100.0	16.1	(2)	(2)	(2)	(2)	(2)
White	60.7	13.8	(2)	(2)	(2)	(2)	(2)
Colored	39.3	19.5	(2)	(2)	(2)	(2)	(2)
Chattanooga, Tenn. (total)	100.0	17.7	18.4	(2)	(2)	(2)	(2)
White	59.8	14.3	16.5	(2)	(2)	(2)	(2)
Colored	40.2	23.0	21.3	(2)	(2)	(2)	(2)
Jackson, Tenn. (total)	100.0	16.1	18.7	(2)	(2)	(2)	(2)
White	63.7	11.9	15.2	(2)	(2)	(2)	(2)
Colored	36.3	24.6	24.8	(2)	(2)	(2)	(2)
Knoxville, Tenn. (total)	100.0	16.7	19.9	(6)	17.1	(5)	(2)
White	79.0	14.6	17.5	(6)	14.9	(5)	(2)
Colored	21.0	24.9	29.0	(6)	25.7	(5)	(2)
Memphis, Tenn. (total)	100.0	19.8	20.7	20.8	21.7	20.6	19.4
White	59.9	13.9	14.8	15.9	16.7	16.1	16.5
Colored	40.1	29.9	29.5	28.2	29.1	27.0	22.9
Nashville, Tenn. (total)	100.0	17.2	18.4	17.8	19.3	19.3	21.5
White	66.9	14.0	14.6	14.7	14.8	15.2	17.0
Colored	33.1	24.4	26.1	24.0	28.2	27.2	29.6
El Paso, Tex. (total)	100.0	34.3	30.4	34.2	30.1	(2)	(2)
White	95.7	34.4	30.7	(7)	(7)	(2)	(2)
Colored[8]	4.3	28.4	24.4	(7)	(7)	(2)	(2)
Galveston, Tex. (total)	100.0	21.8	19.5	18.8	20.8	(9)	(2)
White	78.1	18.3	17.0	16.7	17.3	(9)	(2)
Colored	21.9	34.3	28.2	26.4	33.1	(9)	(2)
San Antonio, Tex. (total)	100.0	21.5	21.4	20.7	23.1	20.7	21.4
White	88.8	21.4	21.5	20.5	22.8	20.8	21.5
Colored	11.2	23.0	20.7	21.7	25.1	19.9	20.7
Alexandria, Va. (total)	100.0	16.7	19.5	17.4	18.2	21.4	21.9
White	72.6	13.0	15.8	13.6	13.5	17.4	18.4
Colored	27.4	27.2	29.1	27.6	30.9	31.6	30.0
Danville, Va. (total)	100.0	18.3	19.6	19.2	19.9	(5)	(2)
White	67.4	14.6	17.0	16.6	18.2	(5)	(2)
Colored	32.6	27.4	25.0	24.5	23.6	(5)	(2)
Lynchburg, Va. (total)	100.0	18.9	18.8	19.0	18.3	17.5	20.3
White	67.9	14.3	15.0	14.5	14.3	13.2	15.3
Colored	32.1	31.5	26.9	28.5	26.7	25.9	28.1
Newport News, Va. (total)	100.0	17.0	15.6	16.4	(2)	(2)	(2)
White	64.0	12.2	10.6	12.1	(2)	(2)	(2)
Colored	36.0	25.2	24.3	24.1	(2)	(2)	(2)
Norfolk, Va. (total)	100.0	18.7	19.6	19.6	20.1	23.2	19.2
White	62.8	13.2	13.2	13.4	13.9	16.9	14.4
Colored	37.2	27.7	30.3	29.9	30.7	33.4	26.3
Petersburg, Va. (total)	100.0	24.5	24.1	24.0	23.2	27.0	25.5
White	54.3	19.4	16.5	16.9	16.6	19.7	19.9
Colored	45.7	31.0	33.1	32.4	31.0	35.5	31.6
Portsmouth, Va. (total)	100.0	11.6	13.3	13.7	(2)	(2)	(2)
White	65.0	8.5	9.4	9.4	(2)	(2)	(2)
Colored	35.0	17.1	20.5	21.6	(2)	(2)	(2)
Richmond, Va. (total)	100.0	18.9	19.7	20.4	20.7	[10]22.5	23.4
White	63.4	15.9	15.2	16.7	16.5	[11]17.4	18.5
Colored	36.6	24.3	27.5	26.8	27.9	[11]29.9	31.7
Roanoke, Va. (total)	100.0	14.6	15.2	15.4	13.9	(2)	(2)
White	77.3	12.2	12.6	13.3	11.6	(2)	(2)
Colored	22.7	23.4	23.8	22.5	21.6	(2)	(2)
Staunton,* Va. (total)	100.0	21.1	20.1	22.6	(2)	(2)	(2)
White	76.6	20.9	21.5	25.4	(2)	(2)	(2)
Colored	23.4	21.6	15.5	13.4	(2)	(2)	(2)

* Areas designated by asterisks contain state insane asylums.
[1] Exclusive of stillbirths.
[2] Not admitted to the registration area until a later date.
[3] Average not shown for less than 5 years; included in rural until 1910.
[4] Included in rural.
[5] Average not shown for less than 5 years.
[6] Census Bureau unable to procure transcripts for deaths for 1913.
[7] Deaths not shown by color prior to 1914.
[8] Colored population less than 10 per cent of the total in 1910.
[9] Population not estimated.
[10] Including Manchester for the years 1908 to 1910.
[11] Excluding Manchester for the years 1908 to 1910.

For the above group of cities, in which the colored population formed more than one-fourth of the total (26.7 per cent), the death rate of the colored for 1915 was 27.5 per 1,000 population and exceeded the rate for the white population (15) by 12.5, or 83.3 per cent. The corresponding excess for the quinquennial period 1906 to 1910 was 12.5, or 75.3 per cent, and for the quinquennial period 1901 to 1905 it was 12.1, or 68.4 per cent. The rates for both white and colored persons declined considerably during the period covered, the decrease for whites (2.7 per 1,000 population, or a little more than 15 per cent of the average rate for the period 1901–1905) being somewhat greater absolutely and about twice as great relatively as that for colored persons (2.3 per 1,000, or a little less than 8 per cent of the average rate for the period 1901–1905).

In 1915, as in the other years for which figures are given, the death rate for the colored population in nearly every instance was higher than that for the white population, the only four exceptions being Riverside, Cal. (in which the colored population is made up largely of Chinese and Japanese), Montclair, N. J., Coatesville, Pa., and El Paso, Tex.

In addition to the cities in which 10 per cent or more of the inhabitants are colored, there are a number in which the colored populations, although representing less than 10 per cent of the totals, are still so numerous that separate mortality statistics for the two races are significant. The following table shows, for the two 5-year periods from 1901 to 1910 and for the four years from 1912 to 1915, the death rates among white and colored persons in places which in 1910 reported colored populations numbering more than 10,000 but representing less than 10 per cent of the totals:

City and color.	Per cent of total population, Apr. 15, 1910.	Death rate from all causes,[1] per 1,000 population.					
		1915	1914	1913	1912	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Cities in this table (aggregate)	100.0	14.3	14.7	15.1	15.0	16.5	17.8
White	96.5	14.0	14.3	14.8	14.7	16.2	17.4
Colored	3.5	23.6	24.1	24.0	23.5	25.5	28.7
Los Angeles, Cal. (total)	100 0	12.3	12.9	15.0	14.7	14.8	16.4
White	95.7	12.0	12.7	14.8	14.5	14.6	16.2
Colored [2]	4.3	19.4	17.1	20.3	19.5	19.8	19.6
San Francisco, Cal. (total)	100.0	15.9	15.5	15.9	15.6	16.1	20.3
White	96.0	15.6	15.3	15.8	15.4	16.1	19.8
Colored [3]	4.0	24.9	20.5	18.9	21.7	15.9	30.1
Chicago, Ill. (total)	100.0	14.3	14.2	15.1	14.8	14.9	14.5
White	97.9	14.0	14.0	14.9	14.6	14.7	14.3
Colored	2.1	23.9	23.7	24.6	26.0	23.1	24.5
Indianapolis, Ind. (total)	100.0	14.7	15.9	15.7	15.0	15.2	15.4
White	90.6	13.9	15.2	14.8	14.2	14.2	14.6
Colored	9.4	22.5	23.6	24.5	23.1	24.0	23.1
Boston, Mass. (total)	100.0	16.1	16.1	16.4	16.4	17.9	18.8
White	97.8	16.0	15.9	16.2	16.2	17.7	18.6
Colored	2.2	23.0	25.3	24.5	23.0	24.3	26.0
Kansas City, Mo. (total)	100.0	14.7	14.0	14.8	15.2	14.6	15.9
White	90.5	13.5	13.0	13.8	14.0	13.5	14.6
Colored	9.5	26.7	23.6	23.9	26.8	24.9	27.1
St. Louis, Mo. (total)	100.0	13.8	15.0	14.9	14.9	15.6	17.9
White	93.5	13.0	14.2	14.1	14.1	14.8	17.1
Colored	6.5	24.5	26.6	26.7	26.4	26.7	30.3
New York, N. Y. (total)	100.0	13.9	14.1	14.3	14.5	16.9	19.0
White	98.0	13.7	13.9	14.1	14.2	16.7	18.8
Colored	2.0	23.7	24.1	22.9	25.1	26.5	30.0
New York, N. Y.—Continued.							
Bronx Borough [4] (total)	100.0	13.7	13.5	13.9	13.2	17.4	20.9
White	99.0	13.6	13.4	13.8	13.1	17.0	20.5
Colored	1.0	23.6	17.1	19.3	18.1	42.0	46.5
Brooklyn Borough [4] (total)	100.0	13.9	13.8	13.9	14.2	16.3	18.2
White	98.5	13.7	13.6	13.8	14.1	16.2	18.1
Colored	1.5	26.8	24.0	21.9	24.9	23.0	24.5
Manhattan Borough [4] (total)	100.0	14.0	14.3	14.6	14.9	17.4	19.5
White	97.2	13.7	14.0	14.4	14.6	17.2	19.2
Colored	2.8	22.4	24.6	23.6	25.5	26.9	32.2
Queens Borough [4] (total)	100.0	13.9	14.4	13.8	13.4	14.9	16.1
White	98.8	13 7	14.3	13.7	13.2	14.8	15.9
Colored	1.2	30.9	26.4	21.2	30.0	25.1	23.5
Richmond Borough [4] (total)	100.0	15.8	16.2	16.9	16.8	18.6	19.0
White	98.6	15.8	16.1	16.8	16.7	18.5	18.9
Colored	1.4	19.3	24.5	22.8	22.6	24.3	25.9
Cincinnati, Ohio (total)	100.0	15.6	16.0	16.9	16.6	18.1	19.1
White	94.6	14.8	15.2	16.1	15.9	17.3	18.3
Colored	5.4	29.9	29.6	30.9	29.9	31.4	34.8
Columbus, Ohio (total)	100.0	14.0	14.8	15.3	14.4	15.1	15.4
White	92.9	13.6	14.2	14.8	13.8	14.5	14.8
Colored	7.1	19.7	22.0	21.3	21.6	23.1	24.0
Philadelphia, Pa. (total)	100.0	15.6	16.1	15.7	15.3	17.7	18.1
White	94.5	15.1	15.6	15.2	15.0	17.2	17.5
Colored	5.5	23.4	24.9	24.5	19.2	27.8	30.1
Pittsburgh, Pa. (total)	100.0	15.3	15.7	17.1	15.9	[6] 17.9	20.1
White	95.1	15.1	15.4	16.9	15.8	17.5	19.5
Colored	4.9	19.1	21.6	21.9	18.8	24.9	31.0

[1] Exclusive of stillbirths.
[2] About 40 per cent of the deaths of colored persons were those of Chinese and Japanese.
[3] Chiefly Chinese and Japanese.
[4] From 1900 to 1910 all deaths were charged to the boroughs in which they occurred; beginning with 1911, deaths which occurred in boroughs other than those o f residence were distributed to the boroughs of residence.
[6] Excludes Allegheny for the 5-year period.

Most of the cities listed in the preceding table are in the North, and for that reason the death rates among the colored population afford interesting comparisons with those for the cities given in the table on pages 16 and 17. It will be noted that the death rates in this group of cities are lower for both whites and colored persons, and in the case of the latter considerably lower, than those for the group covered by the preceding table. In this group the rate for 1915 was lower for both races than that for 1914; while in the preceding group the rate for whites was lower, but that for colored persons was higher, in 1915.

DEATHS OF NONRESIDENTS.

The report for 1914 presented a table showing the number of deaths (exclusive of stillbirths) and the death rate, including and excluding deaths of nonresidents, for each registration city and the rural part of each registration county, the distinction as to nonresidents being based upon the following definition:

A person who dies in a hospital or other institution and whose previous residence is given on the death certificate as other than in the registration district in which the death occurred.

In the compilation of the present report an attempt was made to segregate the deaths of nonresidents according to the following definition:

A person who dies in a hospital or institution whose previous residence is given but who lived less than one year in the registration unit in which death is compiled.

It was found, however, that in a number of localities the length of residence of the decedent had not been ascertained. It has, therefore, been decided not to include in the report statistics of nonresidents. A further study of the subject will be made, however, with a view to presenting later statistics of this character which will have some significance.

CAUSES OF DEATH.

Summary and rate tables II to IV and General Tables 5 to 11 present statistics on causes of death, as follows:

Table II shows the deaths and death rates per 100,000 population, by causes, according to the detailed International List, for the registration area, for each of the years 1912 to 1915, together with the annual averages for the two 5-year periods 1901 to 1905 and 1906 to 1910.

Table III gives, for 1915, by color and important causes, the death rates per 100,000 population for the registration area and for its main and minor subdivisions.

Table IV presents, for 1915, the death rates per 100,000 population in the urban and rural portions of each registration state, from each cause and class of causes. (In this table, as in all others in which figures for rural localities are given, all places which at the census of 1910 had fewer than 10,000 inhabitants are treated as rural.)

Table 5 shows, for the registration area and for its main and minor subdivisions, the number of deaths in 1915 by color of decedent and important cause of death.

Table 6 gives, for 1915, the number of deaths in the registration area, in its main subdivisions, and in the urban and rural portions of each registration state, from each cause and class of causes.

Table 7 presents the total number of deaths in the registration area from each cause and class of causes, by sex and age of decedent, for 1915.

Table 7A shows, for the registration area, the number of deaths of white persons from each cause and class of causes during 1915, according to sex and age of decedent.

Table 7B gives, for the registration area, the number of deaths of colored persons from each cause and class of causes during 1915, according to sex and age of decedent.

Table 8 shows, for the registration area, for the registration states taken as a group, and for each registration state separately, the number of deaths in 1915 from each cause and class of causes, by age of decedent.

Table 9 presents, by age of decedent and by cause of death according to the abridged International List, the number of deaths which occurred during 1915 in each city having 100,000 or more inhabitants in 1910.

Table 10 gives, for the registration area, for each registration state, and for each city having 100,000 or more inhabitants in 1910, the number of deaths in 1915, by months, from important causes.

Table 11 shows for the first year of life, by days, weeks, and months, the deaths from important causes, which occurred during 1915, in the registration area, the registration states, and the cities of 100,000 or over in 1910.

DETAILED AND ABRIDGED INTERNATIONAL LISTS.

The International List of Causes of Death is made up of (1) a detailed list which serves as a basis for the presentation of deaths from disease and by violence in a very specific way, and (2) an abridged list in which many of the titles are consolidations of the headings of the detailed list. The first is used for tables which show separately causes of death which it is not necessary nor practicable to show in similar detail in other tables.

As mentioned in the text of former reports the distinction between these lists should always be borne in mind in connection with the use of the tables. In some instances, where the title headings are identical in the two lists, the causes of death included are not the same. An example of this is title No. 19 of the detailed list, "Other epidemic diseases." Used in this sense "Other epidemic diseases" includes only those epidemic maladies which are not shown separately in titles 1 to 18 of this detailed classification; but when this same expression, "Other epidemic diseases," is used in reference to the abridged list it signifies a heading of that list which includes titles 3, 11, 14, 15, 16, 17, 18, and 19 of the detailed list. Another example is furnished by the title "Tuberculosis of the lungs." This is title No. 13 of the abridged list and title No. 28 of the detailed list. In the abridged list, however, this caption includes not only title No. 28 of the detailed list, but also title No. 29, "Acute miliary tuberculosis."

In the following table are shown, for the year 1915, the number of deaths in the registration area caused by disease and violence, grouped under the headings of the abridged International List, the corresponding death rates per 100,000 population, and the per cent distribution. In parentheses, after the name of each abridged title, appear the number or numbers corresponding to the title or titles of the detailed International List which it includes.

Abridged Int. List No.	CAUSE OF DEATH.[1]	DEATHS IN REGISTRATION AREA: 1915. Number.	Rate per 100,000 population.	Per cent.
	All causes [2]	909,155	1,350.2	100.0
1	Typhoid fever (1)	8,332	12.4	0.9
2	Typhus fever (2)	2	(3)	(4)
3	Malaria (4)	1,541	2.3	0.2
4	Smallpox (5)	169	0.3	(4)
5	Measles (6)	3,649	5.4	0.4
6	Scarlet fever (7)	2,419	3.6	0.3
7	Whooping cough (8)	5,421	8.1	0.6
8	Diphtheria and croup (9)	10,544	15.7	1.2
9	Influenza (10)	10,768	16.0	1.2
10	Asiatic cholera (12)			
11	Cholera nostras (13)	210	0.3	(4)
12	Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19)	5,108	7.6	0.6
13	Tuberculosis of the lungs (28, 29)	85,993	127.7	9.5
14	Tuberculous meningitis (30)	5,445	8.1	0.6
15	Other forms of tuberculosis (31, 32, 33, 34, 35)	6,756	10.0	0.7
16	Cancer and other malignant tumors (39, 40, 41, 42, 43, 44, 45)	54,584	81.1	6.0
17	Simple meningitis (61)	4,985	7.4	0.5
18	Cerebral hemorrhage and softening (64, 65)	54,438	80.8	6.0
19	Organic diseases of the heart (79)	99,053	147.1	10.9
20	Acute bronchitis (89)	6,505	9.7	0.7
21	Chronic bronchitis (90)	5,177	7.7	0.6
22	Pneumonia (92)	55,825	82.9	6.1
23	Other diseases of the respiratory system (tuberculosis excepted) (86, 87, 88, 91, 93, 94, 95, 96, 97, 98)	41,937	62.3	4.6
24	Diseases of the stomach (cancer excepted) (102, 103)	9,991	14.8	1.1
25	Diarrhea and enteritis (under 2 years) (104)	40,099	59.5	4.4
26	Appendicitis and typhlitis (108)	8,397	12.5	0.9
27	Hernia, intestinal obstruction (109)	7,577	11.3	0.8
28	Cirrhosis of the liver (113)	8,439	12.5	0.9
29	Acute nephritis and Bright's disease (119, 120)	70,500	104.7	7.8
30	Noncancerous tumors and other diseases of the female genital organs (128, 129, 130, 131, 132)	3,859	5.7	0.4
31	Puerperal septicemia (puerperal fever, peritonitis) (137)	4,214	6.3	0.5
32	Other puerperal accidents of pregnancy and labor (134, 135, 136, 138, 139, 140, 141)	6,023	8.9	0.7
33	Congenital debility and malformations (150, 151)	51,101	75.9	5.6
34	Senility (154)	12,392	18.4	1.4
35	Violent deaths (suicide excepted) (164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186)	56,076	83.3	6.2
36	Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163)	11,216	16.7	1.2
37	Other diseases (20, 21, 22, 23, 24, 25, 26, 27, 36, 37, 38, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 62, 63, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 85, 99, 100, 101, 105, 106, 107, 110, 111, 112, 114, 115, 116, 117, 118, 121, 122, 123, 124, 125, 126, 127, 133, 142, 143, 144, 145, 146, 147, 148, 149, 152, 153)	142,729	212.0	15.7
38	Unknown or ill-defined diseases (187, 188, 189)	7,681	11.4	0.8

[1] Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

[2] Exclusive of stillbirths.

[3] Less than one-tenth of 1 per 100,000 population.

[4] Less than one-tenth of 1 per cent.

CHANGES IN THE DETAILED INTERNATIONAL LIST.

In the following table the first column shows the title numbers of the second revision of the International List, in force beginning with the year 1910; the second and third columns show the titles of the second and first revision, respectively, under which the term would have been compiled according to the rules followed during the period 1900 to 1909. In many instances the title numbers of the second revision differ from those of the same titles in the first revision. As an example of this, tetanus, the title number of which is now 24, was, under the first revision, compiled as No. 72 and was included in an entirely separate class, "Diseases of the nervous system," instead of in "General diseases," as at present.

CAUSE OF DEATH. [Titles in roman; terms in italics.]	TITLE OR CLASS (SECOND REVISION) UNDER WHICH INCLUDED— 1910 to 1919	1900 to 1909	Title of first revision under which formerly included.
Tetanus	24	[1] 24	72
Beriberi (new title)	27	19	19
Tuberculosis of the larynx (old title discontinued)	28	[2] I	26
Acute miliary tuberculosis (new title)	29	28	27
Scrofula (old title discontinued)	34	[3] I	35
Rickets (new title)	36	146	146
Rheumatism (unqualified)	47	48	48
Purpura haemorrhagica	55	85	85
Hemophilia	55	85	85
Neuralgia and neuritis (new title)	73	74	74
Endocarditis (unqualified, 60 years of age and over)	79	78	78
Myocarditis (unqualified, 60 years of age and over)	79	78	78
Ankylostomiasis (new title)	106	107	107
Chyluria (new title)	121	122	122
Placenta praevia	135	136	136
Childbirth, parturition, etc. (not otherwise defined)	136	140	140
Puerperal hemorrhage	[4] 135		
Other accidents of labor	[4] 136		
Puerperal phlegmasia alba dolens, embolus, sudden death	[4] 139		
Following childbirth (not otherwise defined)	[4] 140		
"*Inanition*" (from disease, under 1 year)	[5] 151		
(under 3 months); 1900 to 1904		153	153
(under 3 months); 1905 to 1909		151	151
(3 months and over); 1900 to 1909		189	179
(from disease, 1 to 69 years)	189	189	179
(from disease, 70 years and over)	[5] 154	189	179
"*Asthenia*"			
"*Atrophy*" (under 1 year)	[5] 151		
"*Debility*" (under 3 months)		151	151
"*Exhaustion*" (3 months and over)		189	179
"*Malnutrition*" (1 to 69 years)	189	189	179
"*Marasmus*" (70 years and over)	[5] 154	189	179
"*Weakness*"			
Atelectasis (under 3 months)	152	151	151
Injury at birth (various forms)	152	(6)	176
"*Asthenia*"			
"*Atrophy*"			
"*Debility*"			
"*Exhaustion*"			
"*Inanition*" (70 years and over)	[5] 154	189	179
"*Malnutrition*"			
"*Marasmus*"			
"*Weakness*"			
Poisoning by food (new title)	164	165	175
Conflagration (new title; separately compiled by Bureau of the Census since 1903)	166	168	174
Traumatism by cutting or piercing instruments (new title)	171	(7)	166
Traumatism by fall (new title)	172	(7)	166
Traumatism by other crushing (new title)	175	(7)	166
Injuries by animals (new title)	176	(7)	166
Electricity (lightning excepted) (new title)	181	186	176
Homicide by firearms (new title)	182	(6)	176
Homicide by cutting or piercing instruments (new title)	183	(6)	176
Homicide by other means (new title)	184	(6)	176

[1] Transferred from Diseases of nervous system (Class II) to General diseases (Class I), beginning with 1910.

[2] Discontinued as a separate title and included with Tuberculosis of the lungs, beginning with 1910.

[3] Discontinued as a separate title and included with Tuberculosis of other organs, beginning with 1910.

[4] In addition to the changes specified in the table, it should be noted that in the case of the causes classified under titles 135, 136, 139, and 140, numerous changes were made from one title to another in 1910, as the result of which statistics entered under these titles for 1910 and succeeding years are not comparable with earlier years.

[5] Changes not effective until 1911.

[6] Formerly included under old title 176 (Other external violence). In effect, the title—not title-heading or name—has been discontinued, since the present title 186, although having the same title-heading, bears little resemblance to the former title; three out of the four subtitles of the old "Other external violence" are now classified under titles other than the present "Other external violence."

[7] Title under which formerly included (see next column) discontinued.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR EACH OF THE YEARS 1900 TO 1915.

The death rates for 12 important causes of death in the registration area of the United States for each year during the period 1900 to 1915 are shown in the following table:

CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.															
	1900	1901	1902	1903	1904	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915
Typhoid fever	35.9	32.3	34.3	34.1	31.7	27.8	31.3	29.5	24.3	21.1	23.5	21.0	16.5	17.9	15.4	12.4
Measles	12.5	7.3	9.5	9.8	11.0	7.5	12.1	10.0	9.9	9.6	12.3	10.0	7.0	12.8	6.8	5.4
Scarlet fever	10.2	13.1	12.6	12.2	10.8	6.7	7.7	10.0	11.9	11.4	11.6	8.8	6.7	8.7	6.6	3.6
Whooping cough	12.1	9.7	12.0	15.8	6.5	10.6	15.1	11.3	10.6	9.6	11.4	11.3	9.3	10.0	10.3	8.1
Diphtheria and croup	43.3	34.0	30.8	31.7	28.3	23.6	25.7	23.6	21.5	20.4	21.4	18.9	18.2	18.8	17.9	15.7
Tuberculosis (all forms)	201.9	196.9	184.5	188.5	200.7	192.3	180.2	178.5	167.6	160.8	160.3	158.9	149.5	147.6	146.8	145.8
Cancer	63.0	64.3	65.1	68.3	70.2	71.4	69.1	70.9	71.5	73.8	76.2	74.3	77.0	78.9	79.4	81.1
Cerebral hemorrhage, apoplexy	67.5	68.2	68.3	68.2	71.5	71.6	70.1	73.2	69.4	71.7	73.7	74.7	75.7	74.6	77.7	79.3
Organic heart diseases, endocarditis	123.1	123.9	128.8	134.3	145.0	143.8	140.2	151.4	141.1	143.3	150.4	148.5	151.2	147.1	150.8	156.2
Pneumonia (all forms)	180.5	161.4	155.7	155.1	171.4	148.8	145.5	156.5	130.9	137.6	147.7	133.7	132.3	132.4	127.0	132.7
Diarrhea and enteritis (infants under 2 years)	108.8	90.9	84.0	81.6	90.9	97.0	101.4	96.6	95.2	87.8	100.8	77.4	70.3	75.2	66.0	59.5
Nephritis, Bright's disease	89.0	89.3	90.9	97.3	103.1	103.4	97.5	102.4	93.7	95.2	99.0	97.5	103.0	102.9	102.4	104.7

The rates for 5 of the 12 diseases listed in the above table—cancer; cerebral hemorrhage, apoplexy; organic heart diseases, endocarditis; pneumonia (all forms); and nephritis, Bright's disease—show slight increases for 1915 as compared with 1914, while in the case of the remaining seven the rates were lower than for the preceding year. The most pronounced decline was in the rate for scarlet fever, which decreased from 6.6 to 3.6, or by 45.5 per cent. Marked declines, amounting in each case to about 20 per cent of the rate for 1914, are also shown for typhoid fever, measles, and whooping cough. The five diseases which head the list in this table are epidemic in character, and fluctuations in the death rates resulting from them are to be expected.

When comparisons of the rates for the first few years are made with those for the last few years rather pronounced decreases are shown for typhoid fever, scarlet fever, diphtheria and croup, tuberculosis (all forms), pneumonia (all forms), and diarrhea and enteritis in children under 2 years of age. The declines shown by typhoid fever and diphtheria and croup are especially noteworthy, the rate for each of these causes in 1915 being only a little more than one-third as high as that for 1900.

On the other hand, pronounced increases are in evidence for cancer, cerebral hemorrhage and apoplexy, organic heart diseases and endocarditis, and nephritis and Bright's disease.

The diagram on the following page presents graphically the fluctuations from year to year between 1900 and 1915 in the death rates for the several diseases covered by the preceding table.

TYPHOID FEVER.

There were 8,332 deaths from typhoid fever in the registration area in 1915, corresponding to a death rate of 12.4 per 100,000 population, the lowest rate ever recorded for the area as a whole. In 1914 the deaths numbered 10,185 and the rate was 15.4, which was then the record low rate. It will be noted that the typhoid death rate has shown a remarkable decline since 1900, in which year it stood at 35.9; and this decrease, which amounts to 65 per cent, has taken place notwithstanding the addition to the registration area since 1900 of some states having typhoid rates far above the average for the area.

The highest rate shown for any state, as in the case of the preceding two years, is that for North Carolina (40.8 per 100,000 population), but this rate, which pertains only to municipalities that had 1,000 or more inhabitants in 1910, represents a marked decrease from the North Carolina rates for 1913 and 1914, which were, respectively, 57.4 and 56.5. Kentucky reported the second highest mortality from typhoid in both 1915 and 1914, 30.4 and 41.7, respectively, per 100,000. Other states having high rates in 1915 were Maryland and Virginia (each 23.7), Missouri (15.4), and Indiana (14.9). It is encouraging to note, however, that each of these comparatively high rates is lower than the corresponding one for 1914.

Notably low rates are found for Wisconsin (4.8), Massachusetts and New Jersey (each 6.7), Minnesota (6.8), New York (7.6), and New Hampshire (7.7).

When the rates for 1915 and 1914 are compared, it is found that only three states—Connecticut, Rhode Island, and Vermont—show higher rates for 1915. In Connecticut the rate increased from 9.2 to 12.4; in Rhode Island, from 8.1 to 10.1; and in Vermont, from 11.6 to 13. All the other states show lower rates for 1915 than for 1914, the most notable decreases appearing for the following states: North Carolina, from 56.5 to 40.8; Kentucky, from 41.7 to 30.4; Missouri, from 23.9 to 15.4; and Kansas, from 18.9 to 10.2. One of the most encouraging features in connection with the decline in the typhoid rate is the reduction shown for the colored population, especially in the states of North Carolina and Kentucky, where the rates for colored persons decreased, respectively, from 79.3 to 60.1 and from 63.6 to 52.4.

DEATH RATES FROM CERTAIN IMPORTANT CAUSES OF DEATH IN THE REGISTRATION AREA OF THE UNITED STATES FOR EACH OF THE YEARS FROM 1900 TO 1915.



A comparison of the rates for the two years in respect to the main subdivisions of the registration area brings out the interesting fact that in both 1915 and 1914 the highest rates shown are for registration cities in nonregistration states (15.7 for 1915 and 19.2 for 1914), while the lowest rates for both years are for the cities in registration states (10.8 for 1915 and 13.3 for 1914).

Among the registration cities having 100,000 population or more in 1910, the highest rate for typhoid fever in 1915, as in 1914, was that for Nashville (37.1), but this rate was notably lower than the corresponding one for 1914 (51.3). Other high rates for 1915 are shown by Birmingham (36.2), Grand Rapids (27.8), Memphis (26.7), and Toledo (22.9). The lowest rates among these cities were those for Cambridge (1.8), Seattle (2.4), Newark, N. J. (2.8), Paterson (4.4), and Bridgeport, Portland, Oreg., and Milwaukee (each 5.1).

With reference to the extremely low rates registered year after year by certain cities, it is only fair to point out that in some cases these cities are located near larger cities (for example, Cambridge, which adjoins Boston) with the result that some of the typhoid patients in the smaller cities are sent to the hospitals in the larger ones and die there, thus raising the rates for the latter cities and lowering them for the former.

The general decrease in the typhoid death rate throughout the country from year to year is perhaps the best index of the steady progress of public-health work in the United States.

MEASLES.

Measles caused 3,649 deaths in the registration area in 1915, corresponding to a death rate of 5.4 per 100,000 population; in 1914 the deaths numbered 4,461 and the rate was 6.8. The rate for 1915 is the lowest recorded for any year since the beginning of the annual series of mortality reports. This low rate, however, must be ascribed to good luck rather than to any improvements in methods of prevention or treatment, as is plainly indicated by the fact that noted medical centers like New York, Chicago, and Philadelphia all show greatly increased rates for the year, that for New York being 12.1 as against 10.8 in 1914, that for Chicago 10.8 as against 3.2 in 1914, and that for Philadelphia 11.3 as against 4.4 in the preceding year.

Comparison of the mortality for the two years in the main subdivisions of the area shows a decrease in each such subdivision with the exception of registration cities in nonregistration states, for which the rate was 7.6 in 1915 as against 5.4 in 1914. Among the registration states the only increased rates were those for Maryland, Massachusetts, Minnesota, New York, and Rhode Island. The highest rates were those for Rhode Island (10), New York (8.8), New Jersey (7.8), Massachusetts (7.4), and Pennsylvania (6.7); and the lowest were for North Carolina (0.6), Vermont (0.8), Utah (0.9), Washington (1.2), and Montana (1.6).

Among the cities having 100,000 or more inhabitants in 1910, the highest rates for 1915 appear for Jersey City (17.7), Fall River (14.2), Pittsburgh (12.9), New Haven (12.2), and New York (12.1); and the lowest are shown by Paterson (0.7), New Orleans (0.8), Lowell and Nashville (each 0.9), Atlanta (1.1), and Denver and Worcester (each 1.2).

The following are some of the most noteworthy changes which took place from 1914 to 1915 in the cities of 100,000 or more: In Fall River and Jersey City the rates increased from the very low figures of 2.4 and 4.4, respectively, in 1914 to the unusually high ones of 14.2 and 17.7 in 1915. In Bridgeport and Lowell, on the other hand, the rates decreased from 28.6 and 10.8, respectively, in 1914 to 6.8 and 0.9, respectively, in 1915. The cities of Indianapolis, Louisville, Richmond, Grand Rapids, Seattle, and Spokane, for which in 1914 the rates were 8.1, 8.5, 0.7, 4.1, 0.3, and 6.6, respectively, reported no deaths from measles in 1915. On the other hand, the only city of 100,000 or more which reported no deaths from measles in 1914—Cincinnati—shows a rate of 3.7 for 1915.

Such wide variations among the death rates from measles in the several states and cities are to be expected in view of the epidemic character of this disease.

SCARLET FEVER.

The deaths from scarlet fever in the registration area in 1915 numbered 2,419, giving a rate of only 3.6 per 100,000 population, as contrasted with 4,340 deaths and a rate of 6.6 in 1914. The rate for 1915 was the lowest and that for 1914 was the next lowest for any year since and including 1900, to which the first of the annual series of mortality reports related. All the main subdivisions of the area, all the registration states, and 37 of the 50 cities which in 1910 had populations of 100,000 or more, show lower rates from this cause for 1915 than for 1914.

Among the registration states the highest rates for the year were those for Minnesota (6.5), Colorado (6.2), Massachusetts (5.5), Maryland (5.3), and Rhode Island (4.5); and the lowest were those for Washington (0.5), Vermont and Virginia (each 1.1), North Carolina and New Hampshire (each 1.6), Maine (1.7), and Kansas (1.8).

Among the cities of 100,000 or more the highest rates appear for Omaha (14.1), Birmingham (12.6), St. Paul (12.4), Boston and Cleveland (each 11.1), and Pittsburgh (9.6); and the lowest for Seattle (0.3), Portland, Oreg. (0.4), Newark, N. J., Oakland, Atlanta, and New Orleans (each 0.5), Richmond (0.6), and Grand Rapids and Louisville (each 0.8).

WHOOPING COUGH.

A total of 5,421 deaths from whooping cough was reported from the registration area for 1915, corresponding to a death rate of 8.1 per 100,000 population; in 1914 there were 6,816 deaths and the rate was 10.3. The rate for 1915 shows a marked decrease from that for the preceding year, and, with one exception (6.5 for 1904), is the lowest for any of the sixteen years covered by the annual reports. When the rates for 1915 are compared with those for 1914, the most pronounced decrease (5.7, as against 10.8) shown for any of the main subdivisions of the registration area appears for the registration cities in nonregistration states.

Among the registration states the highest mortality in 1915 prevailed in Utah (20.3), and the next highest in Rhode Island (18.7). Other states for which high rates appear are Virginia (14.6), North Carolina (14.4), and Massachusetts (12.8). In the cases of Virginia and North Carolina, however, the rates were affected to a considerable extent by their large colored populations, among whom the mortality from whooping cough is higher than among whites; and if the comparison were based on deaths among whites alone the rates for these two states would be lower than those for several others in the registration area. It may be observed, however, that in the states of Kentucky, Maryland, and Virginia the death rates among colored persons in 1915 show pronounced decreases as compared with those for 1914.

Among the states showing very low rates for this disease in 1915 are Washington (2.9), California (4.7), Indiana (5.9), Vermont (6.3), and Maryland and Pennsylvania (6.8 each).

Among the cities having 100,000 inhabitants or more in 1910 the highest rate shown for whooping cough in 1915 is that for Fall River (21.3); the second highest is for Bridgeport (19.4), and the next in order are Atlanta (17.3), Lowell (16.9), and Providence (16.0). The cities in this group for which markedly low rates appear are Memphis (0.7), Portland, Oreg. (1.1), Seattle (1.5), Grand Rapids (1.6), and Los Angeles (2.5).

The cities showing the most pronounced increases in the rates for 1915 as compared with those for 1914 are Denver (from 3.7 to 6.3), Boston (from 6.4 to 14.9), Lowell (from 8.1 to 16.9), Worcester (from 8.2 to 13.1), Jersey City (from 4.1 to 13), Albany (from 4.9 to 14.5), Rochester (from 2.4 to 9.6), Cleveland (from 6.9 to 11.4), Toledo (from 7.1 to 12.8), Providence (from 9.8 to 16), and Milwaukee (from 3.3 to 12.4).

DIPHTHERIA AND CROUP.

The expression "diphtheria and croup" is used as a title heading in the International List. There are, however, comparatively few deaths now returned from "croup," which term is deservedly falling into very general disuse. Diphtheria is, of course, primarily a children's disease, and the age constitution of populations must, therefore, be considered in connection with the study of these crude rates.

The deaths from diphtheria and croup in 1915 numbered 10,544, corresponding to a rate of 15.7 per 100,000 population. These figures represent a decrease as compared with those for 1914—11,786, with a rate of 17.9. The rate for 1915 is the lowest shown for any year since 1900, when it stood at 43.3. This decline of more than 60 per cent is relatively greater than that shown by any other important cause of death except typhoid fever. The fall has not been continuous, there having been four years—1903, 1906, 1910, and 1913—for which the rates were higher than for the years immediately preceding. This remarkable decrease in the rate from diphtheria during a period of only sixteen years is particularly gratifying in view of the fact that this malady is now regarded as a preventable and curable one.

The decline in the rate for diphtheria in 1915 as compared with 1914 was general throughout the registration area, each of the main subdivisions of which showed a lower rate for the later year than for the earlier. The most marked decrease—from 21.5 to 18—was shown by the group of all registration cities.

The highest rates among the registration states in 1915 were those for Kentucky (24.4), Missouri (20.2), Massachusetts (20), Pennsylvania (19.5), and New Jersey (17.6). Of these five states, however, only two, Kentucky and Massachusetts, show increases as compared with the rates for 1914 (21.9 and 18.2, respectively); and marked decreases appear in the rates for New Jersey and Pennsylvania as compared with those for 1914 (21.8 and 23.3, respectively). Among the very low rates in 1915 were those for Washington (2.7), Montana (4.7), Colorado (5.6), New Hampshire (7.3), and Minnesota (8.5). Each of these five states—of which only two, Washington and Colorado, were included among those showing the lowest five rates for 1914—had a lower rate for 1915 than for the preceding year.

Among the cities having 100,000 inhabitants or more in 1910, the highest mortality in 1915 prevailed in New Orleans (30.8 per 100,000 population). Other cities with notably high rates were Boston (29.3), Scranton (27.8), Chicago (27.5), and Pittsburgh (26.9). Not one of these cities appeared among those for which the highest five rates in 1914 were shown; but the highest rate for 1915 (30.8) is lower than the lowest (33.4) shown for any one of the cities having the highest five rates in 1914. The lowest rates for 1915 appear for Seattle (0.6), Denver (3.2), Richmond (3.9), Newark, N. J. (5.5), and Spokane (5.6). With the exception of Newark, the same cities were included among those having the lowest rates in 1914.

It is a very significant fact that, although during the earlier years of the period 1900 to 1915, a death rate of 40 per 100,000 population from this cause was not unusual—and, in fact, was below that for the registration area as a whole in 1900—not one of the large cities in 1915 even nearly approached this rate, and only two in 1914 showed rates which exceeded it.

INFLUENZA.

There was a pronounced increase in the number of deaths from influenza in 1915 (10,768) as compared with the number in 1914 (6,014), the death rate for the later year (16) representing an increase of 75 per cent as compared with that for the earlier year (9.1). The rate for 1915 is the highest recorded for any year since 1908, when it stood at 21.3. The increase in 1915 as compared with 1914 prevailed in all the main subdivisions of the registration area, but was most pronounced in the rural parts of the registration states (19.9, as against 11.1 for the preceding year).

Among the registration states, the highest rate in 1915 was that for Vermont (31.7), which state also showed the highest rates for 1914, 1913, and 1912 (19.7, 35.3, and 23.7, respectively). Other notably high rates in 1915 were those for New Hampshire (28.8), Kansas (25.6), Maine (25.3), and Missouri (21.3). The lowest rates among the registration states in 1915 were those for California (8.3), Massachusetts (8.5), Montana (9.2), Washington (9.9), and Minnesota (10.5). With the exception of Massachusetts, the same states were included among those showing the lowest five rates for 1914.

Among the registration cities having 100,000 inhabitants or more in 1910, the highest rates were those for New Orleans (51.6), Memphis (37), Washington (28.7), Nashville (25), and Albany (24.1). All these cities,

except Albany, have large proportions of colored inhabitants. New Orleans, Memphis, and Nashville were among the cities which showed the highest five rates for 1914 and 1913. The lowest mortality for any large city was for Fall River (1.6 per 100,000 population); and others having very low rates were San Francisco (2.2), Oakland (2.6), Lowell (3.6), and Syracuse (3.9).

OTHER EPIDEMIC DISEASES.

The causes of death covered by titles 1 to 19, under the class of "General diseases," in the detailed International List of Causes of Death are those which are known as epidemic diseases. While some of these cause many thousands of deaths each year, certain others—typhus fever, relapsing fever, miliary fever, Asiatic cholera, bubonic plague, yellow fever, and leprosy—are of extremely rare occurrence in the United States. In fact, from the registration area deaths were reported for 1915 from only three—typhus fever, bubonic plague, and leprosy—of these seven diseases. Because of the extreme rarity of these causes of death, it is the practice of the bureau to make every possible effort to authenticate the returns before tabulating deaths under the titles by which they are designated. It can be said, therefore, that each case has been made the subject of a special inquiry and that either the existence of the disease has been verified by the attending physician, the hospital, or the registration office, or no reply has been received to the bureau's letter. In the latter case the Bureau of the Census feels that it has taken every possible precaution and has no choice left but to classify the death as reported.

Two deaths were charged to typhus fever in 1915: One in Miami County, Kans., and 1 in Powell County, Ky.

Bubonic plague caused 1 death in Contra Costa County, Cal.

Thirteen deaths were reported from leprosy: Two in San Francisco; 1 in Fresno County, Cal.; 1 in Key West, Fla.; 1 in New Orleans; 3 in Dukes County, Mass.; 1 in Detroit; 1 in Berrien County, Mich.; 1 in Brown County, Minn.; 1 in Pawtucket, R. I.; and 1 in San Antonio, Tex.

The caption of title No. 19 of the International List of Causes of Death is "Other epidemic diseases." Under this heading are included a considerable number of diseases, some of which are almost never fatal, whereas others are very grave indeed. The deaths charged to these diseases in 1915 numbered 235; distributed as follows: Chicken pox, 108; mumps, 82; German measles, 17; Rocky Mountain spotted fever, 17 (4 in Colorado, 8 in Montana, 1 in El Paso, Tex., and 4 in Utah); dengue fever, 5 (4 in Pensacola, Fla., and 1 in Utah); glandular fever, 4; and roseola, 2.

GLANDERS.

Glanders caused 4 deaths in the registration area in 1915, as against 10 in 1914. Of those occurring in 1915, 2 were reported from Manhattan Borough, New York City, and 1 each from Marlborough, Mass., and Providence.

ANTHRAX.

Anthrax was given as the cause of 35 deaths in the registration area in 1915, as against 19 in 1914. The deaths in the later year were distributed as follows: Thirteen in New York; 4 each in Massachusetts and Pennsylvania; 3 in Connecticut; 2 each in California, Minnesota, and New Jersey; 1 each in Colorado, Indiana, Montana, and Utah; and 1 in New Orleans.

RABIES.

Rabies caused 52 deaths in the registration area in 1915, as against 65 in 1914. The deaths in 1915 were distributed as follows: Seven in Ohio; 6 each in California, Massachusetts, and Pennsylvania; 4 in Kentucky; 3 each in Kansas, New Jersey, and New York; 2 each in Missouri and Virginia; 1 each in Indiana, Minnesota, North Carolina, Washington, and the District of Columbia; and 5 in the cities in nonregistration states—2 in Chicago and 1 each in Montgomery, Ala., New Orleans, and Vicksburg, Miss.

PELLAGRA.

Pellagra caused 2,843 deaths in the registration area in 1915. This represents a pronounced increase over the number reported for the preceding year (1,550). The death rate increased from 2.3 per 100,000 population in 1914 to 4.2 in 1915, or by nearly 83 per cent. This increase in the rate, however, would not be so great if the comparison were confined to the same area for both years. The number of deaths due to this cause which took place during the year 1915 in the registration area as constituted in 1914 numbered only 2,107, the remaining 736 having been reported from the nine cities in nonregistration states, which were admitted to the registration area for 1915. On this basis the rate for 1915 would be reduced to 3.1 and would represent an increase of only 35 per cent over that for the preceding year. How much of the increase for 1915 is due to greater prevalence of the disease and how much to more accurate diagnoses can not be told, although undoubtedly the latter factor is an important one.

Deaths from pellagra in 1915 were distributed throughout the registration area as follows: Registration states—California, 28; Colorado, 2; Connecticut, 1; Indiana, 9; Kansas, 28; Kentucky, 149; Maine, 10; Maryland, 16; Massachusetts, 25; Michigan, 12; Minnesota, 1; Missouri, 34; New Hampshire, 5; New Jersey, 5; New York, 12; North Carolina (municipalities having 1,000 or more inhabitants in 1910), 347; Ohio, 5; Pennsylvania, 6; Rhode Island, 9; Vermont, 3; Virginia, 332; Washington, 2; Wisconsin, 1; and the District of Columbia, 16. Registration cities in nonregistration states—Birmingham, Ala., 116; Mobile, Ala., 55; Montgomery, Ala., 54;

Jacksonsville, Fla., 52; Pensacola, Fla., 25; Tampa, Fla., 12; Atlanta, Ga., 134; Augusta, Ga., 56; Savannah, Ga., 54; Chicago, Ill., 9; Jacksonville, Ill., 1; New Orleans, La., 76; Hattiesburg, Miss., 36; Jackson, Miss., 122; Meridian, Miss., 62; Natchez, Miss., 18; Vicksburg, Miss., 52; Portland, Oreg., 1; Charleston, S. C., 139; Columbia, S. C., 384; Greenville, S. C., 31; Spartanburg, S. C., 19; Chattanooga, Tenn., 52; Jackson, Tenn., 7; Knoxville, Tenn., 33; Memphis, Tenn., 104; Nashville, Tenn., 35; El Paso, Tex., 4; Galveston, Tex., 11; and San Antonio, Tex., 31.

About 45 per cent of the total deaths from this disease were of colored persons in the registration cities in nonregistration states.

TUBERCULOSIS (ALL FORMS).

For the year 1915 there were assigned, under the eight titles of the International List of Causes of Death covering tuberculosis of different parts of the body, 98,194 deaths, representing 10.8 per cent of the mortality charged to all causes for that year. This corresponds to a death rate of 145.8 per 100,000 population, the lowest on record for tuberculosis (all forms). As compared with 1914, for which year the rate was 146.8, there was a slight decrease in 1915. The decline in the death rate for all forms of tuberculous diseases has been continuous since 1904, when it was 200.7. This was the highest rate shown for any year since 1900, for which 201.9 deaths per 100,000 population were recorded.

The year 1915 was the third since 1900—the preceding ones having been 1912 and 1914—in which the mortality from tuberculosis in all its forms was exceeded by that from organic diseases of the heart and endocarditis, for which the rates in 1914 and 1915 were 150.8 and 156.2, respectively; and in 1915 the mortality from organic diseases of the heart alone (147.1 per 100,000) for the first time exceeded that from tuberculosis (all forms).

Tuberculosis in its several forms caused 11.5 per cent of all deaths in 1900, but only 10.8 per cent in 1915; on the other hand, organic heart diseases and endocarditis, to which were charged 7 per cent of all deaths recorded for 1900, were the cause of no less than 11.6 per cent of all deaths in the registration area in 1915.

In presenting rates for tuberculous diseases the Bureau of the Census desires to emphasize the fact that crude rates are to be used with extreme caution. In discussions of this subject in reports for prior years attention has been directed to the fact that there are many localities to which consumptives are attracted because of climatic conditions favorable to the treatment of tuberculosis. For this reason states and cities which show exceptionally high death rates are not always those in which conditions are most favorable to the development of tuberculous diseases, but in some instances are those to which patients resort in search of cure. Another fact which must be kept in mind is that the death rates for tuberculosis among the colored population, as well as among some of the foreign white stocks, are much higher than among the native whites of native ancestry. Naturally, therefore, in comparing the rates of different localities the constitution of the populations in respect of color, nativity, and parent nativity, must be considered.

The rates for 1915 exceeded those for 1914 in two of the main subdivisions of the registration area, namely, the rural parts of registration states, which showed a very slight increase—126.2 for 1915, as against 126.1 for 1914—and the registration cities in nonregistration states, the rate for which increased from 192.5 to 197.2.

The following states show the highest five death rates from tuberculosis in all its forms in 1915: North Carolina, the figures for which relate only to municipalities having 1,000 or more inhabitants in 1910 (231.1), Kentucky (201), California (196.1), Maryland (191.2), and Virginia (184.4). These same states showed the highest five rates for 1914, and in the same order, with the exception that California and Maryland ranked fourth and third, respectively, in that year. Especially low rates prevailed in Utah (44.5), Kansas (54.7), Washington (86.7), Vermont (91.1), and Wisconsin (96.4).

Among the cities of 100,000 or over in 1910, the highest rates for tuberculosis (all forms) in 1915 were those for New Orleans (302.9), Memphis (290.9), Albany (289.6), Denver (247.6), and Nashville (238.9). The lowest rates among the large cities appeared for Spokane (62.3), Seattle (64.4), Portland, Oreg. (85.4), Scranton (93), and Grand Rapids and Milwaukee (96.2 each).

TUBERCULOSIS OF THE LUNGS.

Tuberculosis of the lungs, including acute miliary tuberculosis, caused 85,993 deaths in the registration area in 1915. The death rate (127.7 per 100,000 population) was a trifle lower in that year than in 1914 (127.8), but the proportions which the deaths from this cause represented of the totals for all forms of tuberculosis and for all causes combined (87. 6 per cent and 9.5 per cent, respectively) exceeded the corresponding proportions for 1914 (87.1 per cent and 9.4 per cent, respectively).

The highest rate shown by any state for tuberculosis of the lungs in 1915 is that for North Carolina—which, however, relates only to municipalities having 1,000 inhabitants or more in 1910 (207.9); and next in order were Kentucky (178.6), California (172.2), Maryland (171.3), and Virginia (166.2). In two of these states, California and Virginia, the rates for 1915 exceed those for 1914, as they also do for tuberculosis in all its forms. The states showing the lowest five rates were Utah (36. 1), Kansas (47.9), Washington (74.6), Vermont (74.8), and Wisconsin (83). Except in the case

of Washington, all the rates for these states in 1915 were lower than those for 1914; and for all five states the rates for tuberculosis (all forms) showed decreases in 1915 as compared with the preceding year.

Only one state, Montana, showed a pronounced increase in 1915 as compared with 1914 (104.9, as against 92.5). A marked decrease, from 221.7 in 1914 to 207.9 in 1915, appears for the North Carolina municipalities having 1,000 or more inhabitants in 1910. Other decreases took place in Colorado (from 167.8 in 1914 to 158.2 in 1915) and in Maryland (from 181 to 171.3).

Of the cities having 100,000 inhabitants or more in 1910, those showing the highest five rates for pulmonary tuberculosis in 1915 were New Orleans (265), Memphis (262.1), Albany (261.6), Denver (235.4), and Nashville (201.8). Albany was the only one of these cities that showed an increase as compared with 1914. Among the large cities, the lowest five rates appear for Seattle (49), Spokane (51.1), Portland, Oreg. (67.1), Scranton (72.2), and Milwaukee (83.6).

The states showing the highest five death rates from tuberculosis (all forms) in 1915 also showed, in the same order, the highest five rates for tuberculosis of the lungs; and the same is true for the states showing the lowest five rates. The same statement likewise applies to the cities having 100,000 inhabitants or more in 1910, with the following exceptions: For Spokane and Seattle, which show the lowest and the next to the lowest rates, respectively, for tuberculosis (all forms), the ranking with reference to the rates for tuberculosis of the lungs is reversed; and, while Grand Rapids and Milwaukee together occupy fifth place among the cities showing low rates for tuberculosis (all forms), in respect of low rates for tuberculosis of the lungs Milwaukee alone ranks fifth.

A number of noteworthy changes in the rates for 1915 as compared with those for 1914 took place in the cities of 100,000 and over. Rather marked increases appear for the following cities: Oakland, from 101.1 in 1914 to 112.7 in 1915; Bridgeport, from 98 to 120.7; Washington, D. C., from 181.7 to 199.6; Cambridge, from 167.6 to 182.7; Detroit, from 103.6 to 118.6; Grand Rapids, from 68.2 to 85.1; Minneapolis, from 113.5 to 124.2; Kansas City, Mo., from 136.6 to 157; Albany, from 245.7 to 261.6; Dayton, from 121.2 to 152.2; and Toledo, from 159.7 to 171.4. Six of these cities—Oakland, Washington, D. C., Cambridge, Minneapolis, Dayton, and Toledo—showed decreases in 1914 as compared with 1913.

More or less pronounced decreases appear for the following cities: Birmingham, from 211.2 to 178.1; New Haven, from 110.7 to 89.1; Louisville, from 185 to 165.8; Fall River, from 146.7 to 113.5; St. Louis, from 145 to 128.8; Syracuse, from 107.8 to 85.9; Cincinnati, from 219.8 to 200.4; Memphis, from 273 to 262.1; Richmond, from 188.3 to 175.2; and Seattle, from 66.8 to 49.

The same precaution which was enjoined in the comment on tuberculosis (all forms) should be exercised in comparing rates of states and cities for pulmonary tuberculosis. The mortality from this cause among Negroes and among certain elements of the foreign stock (including not only the foreign born themselves but also their American-born children) is markedly high, for which reason the composition of a given population in respect of color, nativity, and parent nativity should be carefully considered, especially in the cases of the Southern states and of those states in which the foreign stock is large.

CANCER.

Cancer and other malignant growths caused 54,584 deaths in the registration area in 1915, corresponding to a rate of 81.1 per 100,000 population. In the preceding year the deaths from this cause numbered 52,420, the rate being 79.4. The increase in the death rate from cancer and other malignant growths has been almost continuous since 1900, for which year it was 63. The rate for 1915 shows a slight increase over that for 1914 in each main subdivision of the registration area, with the exception of the registration cities in nonregistration states, in which it fell from 85.4 to 83.1.

Among the registration states, the highest five death rates for 1915 are shown by New Hampshire (109.4), Maine (106.6), Massachusetts and Vermont (each 104), California (98.1), and Connecticut (92.6). Excluding Connecticut, these states showed the highest five rates in both 1914 and 1913, although not in the same order. The lowest five rates given for the registration states are those for Utah (48.3), Kentucky (49.7), Montana (50), Colorado (53.4), and Virginia (53.7). These states, with the exception of Colorado, were also included, although not in the same order, among those showing the lowest five rates for 1914.

Among the cities of 100,000 population or over in 1910, the highest five death rates for cancer in 1915 appear for Albany (141.9), San Francisco (129.8), Boston (115), Grand Rapids (114. 5), and Washington, D. C. (111.2), and the lowest five for Birmingham (53.4), Seattle (61.4), Atlanta (62.2), Spokane (62.9), and Bridgeport (74.3).

The bureau wishes to repeat in this report the warning which it has made a part of its text comment on cancer in each preceding report, with reference to the danger in comparing the crude death rates for this disease in different localities without considering the age, sex, and color distribution of the population, as well as the fact that a relatively high mortality for a given city may be caused largely by deaths of nonresidents who come to the city for hospital treatment. Furthermore, since colored persons are apparently less susceptible to cancer than are white persons, the states and cities in which the colored population is relatively large do not, as a rule, have as high rates for

cancer and other malignant tumors as those places in which the colored population is small or negligible.

Of the 54,584 deaths caused by cancer and other malignant growths, 21,221, or 38.9 per cent, were assigned to the title heading "Cancer of the stomach and liver," and 8,120, or 14.9 per cent, to the heading "Cancer of the female genital organs." It will thus be seen that well over half of all deaths classified as due to cancer resulted from cancers of the organs named.

The classification, by seat of disease, of the deaths from cancer in the registration area in 1915, with the rate per 100,000 of the population, is shown in the following table:

SEAT OF DISEASE.	DEATHS, REGISTRATION AREA: 1915.		
	Number.	Rate per 100,000 population.	Per cent.
Cancer and other malignant tumors (aggregate)	54,584	81.1	100.0
Cancer of buccal cavity (total)	2,123	3.2	3.9
Cancer of the—			
Lip	358	0.5	0.7
Tongue	564	0.8	1.0
Mouth	238	0.4	0.4
Jaw	781	1.2	1.4
Others of this class	182	0.3	0.3
Cancer of the stomach, liver (total)	21,221	31.5	38.9
Cancer of the—			
Pharynx	102	0.2	0.2
Esophagus	707	1.0	1.3
Stomach	13,656	20.3	25.0
Liver and gall bladder	6,756	10.0	12.4
Cancer of the peritoneum, intestines, rectum (total)	7,332	10.9	13.4
Cancer of the—			
Mesentery and peritoneum	528	0.8	1.0
Intestines (except rectum)	4,657	6.9	8.5
Rectum and anus	2,115	3.1	3.9
Others of this class	32	(1)	0.1
Cancer of the female genital organs (total)	8,120	12.1	14.9
Cancer of the—			
Ovary and fallopian tube	468	0.7	0.9
Uterus	7,417	11.0	13.6
Vagina and vulva	187	0.3	0.3
Others of this class	48	0.1	0.1
Cancer of the breast	5,163	7.7	9.5
Cancer of the skin	1,955	2.9	3.6
Cancer of other organs or of organs not specified (total)	8,670	12.9	15.9
Cancer of the—			
Larynx	311	0.5	0.6
Lung and pleura	501	0.7	0.9
Pancreas	756	1.1	1.4
Kidneys and suprarenals	586	0.9	1.1
Prostate	920	1.4	1.7
Bladder	1,110	1.6	2.0
Brain	186	0.3	0.3
Bones (except jaw)	469	0.7	0.9
Testes	93	0.1	0.2
Others of this class	3,738	5.6	6.8

[1] Less than one-tenth of 1 per 100,000 population.

Of the total deaths from cancer, 32,066, or nearly 60 per cent, were of females, and 22,518 were of males, notwithstanding the fact that deaths of males predominate under four of the seven cancer headings in the International List. Indeed, year after year this same fact appears, that far more than half of those who die from cancer are females, although the male population of the registration area exceeds the female. A little more than half (17,395) of all deaths of females from cancer are found under the headings "Cancer of the peritoneum," "Cancer of the breast," and "Cancer of the female genital organs," while nearly half (10,915) of all deaths of males from cancer are assigned to the one title heading "Cancer of the stomach and liver."

ORGANIC DISEASES OF THE HEART.

Organic diseases of the heart caused more deaths (99,053) in the registration area in 1915 than any other single cause, even exceeding the number returned as due to all forms of tuberculosis (98,194). The deaths charged to organic heart diseases in 1914 numbered 93,588. The rate from this cause in 1915 was 147.1 per 100,000 population, as against 141.8 in the preceding year and 111.2 in 1900. The increase during the 16-year period was not continuous, the rate having fluctuated more or less from year to year. The increase in the mortality from organic diseases of the heart since 1900 is the more noteworthy in view of the decline in the rates from tuberculosis of the lungs and pneumonia (all forms) and the smaller increase in that from Bright's disease and nephritis (these four causes being the only ones for which the death rates in recent years have exceeded 100 per 100,000 population). The deaths from organic heart diseases in 1915 exceeded those from Bright's disease and nephritis by 28,553, those from tuberculosis of the lungs by 13,060, and those from pneumonia (all forms) by 9,727.

A part of the increase in the mortality from organic heart diseases is accounted for by the fact that, pursuant to the revision of the International Classification of causes of death by the International Commission in 1909, deaths of persons 60 years of age and over which formerly had been charged to acute endocarditis without any age limitation were assigned to endocarditis (unqualified) and myocarditis (unqualified) under the title "Organic diseases of the heart." In making comparisons it must not be forgotten that nearly all persons who die from heart diseases have passed middle life, and that therefore the crude death rates should be used with great caution and considered only in connection with the age distribution of the population.

The death rates from organic diseases of the heart showed increases in 1915 as compared with 1914 for all the main subdivisions of the registration area, the most conspicuous being that for registration cities in nonregistration states—from 143.2 to 152.5 per 100,000 population.

The states having the highest five rates in 1915 were New Hampshire (213.8), Vermont (200), Maine (185.4), New York (184.5), and California (181); and those showing the lowest five were Washington (82), Montana (91.2), Colorado (94.4), Kentucky (94.8), and Utah (98).

Among the cities having 100,000 inhabitants or more in 1910, the highest five death rates from this cause are shown by San Francisco (234.9), New Orleans (231.7), Albany (224.9), Worcester (224.3), and Washington, D. C. (224.2); and the lowest five by Spokane

(80.4), Omaha (81.5), Seattle (87.7), Portland, Oreg. (88.7), and Milwaukee (98.1).

PNEUMONIA (ALL FORMS).

In 1915 pneumonia (all forms) caused 89,326 deaths in the registration area, as against 83,804 in 1914. The rate for the later year, 132.7 per 100,000 population, represents an increase of 4.5 per cent over that for the earlier one, 127 per 100,000. Of the total deaths from pneumonia (all forms), 55,825 were reported as due to pneumonia and 33,501 as caused by bronchopneumonia; and of those charged to pneumonia, 44,153 were specifically stated as having been due to lobar or croupous pneumonia, and the remaining 11,672 were reported as having been caused by pneumonia without any qualification.

The death rate for pneumonia has fluctuated greatly since 1900, for which year it was 180.5. The rate for 1914 was the lowest on record, but that for 1915 is the highest for any year since 1911. This increase for 1915 as compared with the previous year prevailed in all the main subdivisions of the registration area except the registration cities in nonregistration states, for which the rate dropped from 159.8 to 154.1.

It has been stated in previous reports, and is here repeated, that in the cases of many deaths reported as due to some form of pneumonia, this disease was in reality only the terminal condition and not the primary cause. It is probable, however, that the practice of thus incorrectly reporting deaths as having resulted from pneumonia is less prevalent to-day than it was during the earlier years of the period covered by the annual reports; and therefore a part of the decrease shown for the later as compared with the earlier years of that period is doubtless apparent rather than real.

The highest five death rates for pneumonia in 1915 are shown by New York (166.9), Rhode Island (164.9), Massachusetts (160.6), Maryland (159.2), and Connecticut (155.4); and the lowest five by Washington (57.1), Kansas (86.3), Minnesota (89.6), California (97.4), and Kentucky (98).

Among the cities which had 100,000 inhabitants or more in 1910, the highest five rates in 1915 appear for Pittsburgh (245.5), Bridgeport (204.3), Boston (202.9), Fall River (200.2), and Baltimore (200.1); and the lowest five for Portland, Oreg. (54.2), Spokane (54.5), Seattle (56.8), Los Angeles (81.2), and Oakland (93.3).

DIARRHEA AND ENTERITIS (UNDER 2 YEARS).

The deaths of children under 2 years of age from the class of causes included under this title numbered 40,099 in the registration area in 1915, corresponding to a rate of 59.5 per 100,000, based on the population at all ages. The rate for 1915 is the lowest reported for any year since and including 1900 and represents a great decrease as compared with the rate for that year (108.8). Because of the great importance of the diseases classified under this head—including cholera infantum, colitis, diarrhea, enteritis, enterocolitis, gastroenteric catarrh, gastroenteritis, gastrointestinal catarrh, ileocolitis, intestinal indigestion, "summer complaint," and many others—as factors in the mortality of children under 2 years of age, this decrease is of especial interest.

The decrease in the rate for 1915 as compared with that for 1914 prevailed in each of the principal subdivisions of the registration area, but was most pronounced in the registration cities in nonregistration states. Only 4 of the 25 registration states show higher rates for 1915 than for 1914, and none of these had a large colored population. For only 7 of the 50 cities which had 100,000 inhabitants or more in 1910 was the rate higher in 1915 than in 1914, and but 2 of these cities had large proportions of colored inhabitants.

These diseases are much more prevalent in urban than in rural localities. The rate for the cities in registration states in 1915 was 68.3, as against 44.7 for the rural parts of the registration states, thus denoting a mortality nearly 53 per cent higher in the urban than in the rural portions of these states. For 1914 and 1913 the corresponding percentages by which the urban exceeded the rural rates were 50 and 42, respectively. The decrease in the urban rate from 1913 to 1915 amounted to about 19 per cent, while that in the rural rate was equivalent to approximately 25 per cent.

Among the registration states, the highest five death rates from these causes in 1915 are shown by North Carolina—municipalities having 1,000 inhabitants or more in 1910—(118.2), Connecticut (94.6), Pennsylvania (90.7), Maryland (84.8), and New Jersey (83.2); and the lowest five by Washington (12.5), Utah (22.4), Kansas and Montana (23.3 each), Colorado (26.1), and Minnesota (26.3).

Among the cities having 100,000 inhabitants or more in 1910, by far the highest rate for 1915 appears for Fall River (226.2). This city has shown the highest rate from diarrhea and enteritis (under 2 years) for every year from 1907 to 1915, inclusive, as well as the highest annual averages for the five-year periods 1901–1905 and 1906–1910. The cities having the four rates next in order of size for 1915 are Lowell (155.2), Scranton (136.7), Chicago (112.7), and Bridgeport (109.8). The lowest five rates shown by the large cities are those for Portland, Oreg. (5.9), Seattle (7.6), Spokane (13.3), Denver (14.6), and San Francisco (20).

In comparing these rates the age distribution of the population should be given due consideration.

BRIGHT'S DISEASE AND NEPHRITIS.

Bright's disease and nephritis, including both the acute and chronic forms, caused 70,500 deaths in 1915, corresponding to a death rate of 104.7 per 100,000 population. Of the deaths enumerated under this general heading, 6,020 were reported from acute

nephritis. The death rate for 1915 represents a slight increase over that for the preceding year (102.4) and is the highest for the period 1900 to 1915. During these 16 years, the death rate from Bright's disease and nephritis seven times exceeded 100. In 1904, 1905, and 1907, it was 103.1, 103.4, and 102.4, respectively. During the four years beginning with 1908 it remained below 100, but during the next four years it kept continuously above 100—in 1912, 103; in 1913, 102.9; in 1914, 102.4; and in 1915, 104.7. The rate during these recent years was thus much higher than that for 1900 (89). For the registration states as a whole, for the rural parts of registration states, and for the registration cities in nonregistration states the death rate from Bright's disease and nephritis showed an increase in 1915 as compared with 1914; but for the cities in registration states and for all registration cities taken together slight declines appear. As in former years, it will be noted that the rate for cities in registration states (116.4) is far in excess of that for the rural parts of the registration states (87.8).

The highest five death rates from these causes in 1915 are shown by Maryland (150.2), New York (124.9), New Jersey (124.7), Vermont (122.5), and Rhode Island (120.8); and the lowest five by Washington (53.5), Wisconsin (64.4), Utah (68.6), Kansas (69.6), and Montana (76).

Among the cities having 100,000 inhabitants or more in 1910, the highest five rates for 1915 appear for New Orleans (239), Richmond (204.3), Albany (189.2), Washington, D. C. (181.5), and Baltimore (171.6); and the lowest five for Seattle (56.5), Portland, Oreg. (60.5), Milwaukee (70.6), Worcester (72.9), and Spokane (74.1).

In making comparison of crude rates for Bright's disease and nephritis, consideration should be given to the fact that the great majority of the deaths from this cause are of persons in middle life and old age.

SUICIDE.

The number of suicides reported from the registration area in 1915 was 11,216; the rate for that year was 16.7 per 100,000 population, as against 16.6 for the preceding year. The International List of Causes of Death devotes nine headings to the various methods or means employed by suicides. In 1915, as in prior years, in the case of considerably more than half of the deaths charged to this heading the means used were poison or firearms. In comparing the death rates for these two most usual methods of self-destruction, for the period 1900 to 1915, it will be noted that the increase in the rate representing suicides by poison is not so great as that representing suicides by the use of firearms. The former rate increased from 3.3 in 1900 to 3.7 in 1915, whereas the latter rose from 2.7 to 5.4—an increase of 100 per cent—during the same period.

In order that a death may be charged to suicide, it must be shown definitely to be due to that cause. For this reason there are many cases each year in which, while death was, in fact, chargeable to suicide, lack of precision of statement necessitated classifying it under a less definite title. There is no question, however, that with each year the bureau's statistics of suicide are becoming more nearly complete and accurate.

Among the registration states, the highest five suicide rates for 1915 were those for California (35.5), Montana (23.1), Washington (20.7), Missouri (19.9), and Connecticut (18.2); and the lowest five were those for North Carolina—municipalities having 1,000 or more inhabitants in 1910—(7), Virginia (8.4), Kansas (10.8), Kentucky (10.9), and Utah (12.7).

Among the registration cities having 100,000 inhabitants or more in 1910, the highest five rates for 1915 are shown by San Francisco (56.6), Omaha (41.7), St. Louis (36.5), Los Angeles (33.7), and Kansas City, Mo. (30.7); and the lowest five appear for Cambridge (9), Buffalo (10.2), Birmingham (10.3), Richmond (11.6), and Worcester (12.5).

VIOLENT DEATHS (EXCLUDING SUICIDE).

Deaths resulting from all forms of violence, suicide excluded, in the registration area in 1915 numbered 56,076. The rate for that year was 83.3 per 100,000 population, which represents a slight decrease as compared with that for the preceding year (85.8). Among the principal causes of death specified under this heading, the one of greatest numerical importance was traumatism by fall, under which 9,979 deaths were compiled. Next in order were accidents on steam railroads, in which 6,652 persons lost their lives; accidental drowning, 6,514; burns (conflagration excepted), 4,804; homicide, 4,670; automobile accidents, 3,978; street-car accidents, 1,555; and injuries by other vehicles, 2,348.

Of all these causes, there are but two whose rates for 1915 exceed the corresponding ones for 1914: Accidental drowning (9.7, as against 8.6), for which the rate is higher than for any preceding year since 1908, with the exception of 1913, and also exceeds the annual average for the period 1906–1910; and automobile accidents and injuries (5.9, as against 4.3), the rate for which has steadily increased since 1910, when it was only 1.8, or less than one-third as high as in 1915. The increase in the death rate from the latter cause, however, has not been so rapid as the increase in the number of automobiles in use.

The death rate in 1915 for railroad accidents (9.9) is the lowest on record, and shows a material decline for the last 10 years of the period covered by the annual reports. The death rate for homicide in 1915 (6.9) was somewhat lower than in the preceding year (7.3). In nearly two-thirds of the cases of homi-

cide reported for 1915, firearms were the means employed; and in every year since 1910, when detailed information as to homicides was obtained for the first time, the homicides by firearms have represented between one-half and two-thirds of the total.

Among the registration states, those showing the highest five rates for violent deaths (excluding suicides) in 1915 were Montana (136.5), California (111.2), Pennsylvania (92.6), North Carolina—municipalities having 1,000 inhabitants or more in 1910—(88.4), and Ohio (86.1); and those for which the lowest five rates appear are Wisconsin (55), Kansas (64.9), Kentucky (66.3), Vermont (67.6), and Minnesota (69.3).

The highest five rates for 1915 for cities having 100,000 or more inhabitants in 1910 are those for Memphis (161.5), Scranton (130.5), Birmingham (127.5), New Orleans (126.6), and Kansas City, Mo. (120.1); and the lowest five are those for Denver (49.8), Milwaukee (50.5), Cambridge (56.4), Portland, Oreg. (58.6), and Fall River (60.7).

ACCURACY OF STATISTICS OF CAUSES OF DEATH.

In the compilation of mortality statistics it is necessary to depend upon physicians for the statements of causes of death which are used as the bases of all tables showing deaths by cause. Even though the greatest possible degree of care may be exercised by the compiler, and even though the system employed may be the most nearly faultless which it is possible to devise, the accuracy of the statistics can be no greater than the accuracy of the material upon which they are based, namely, the returns received from the physicians.

The obstacles which the compiler must surmount before he is able to present statistics showing with reasonable accuracy the mortality resulting from each of the diseases and forms of violence represented by the 189 titles of the International List of Causes of Death are numerous and some of them are serious. In the first place, it is not practicable to attempt the tabulation of each individual cause of death that may be reported on a death certificate. To do so would necessitate the tabulation of thousands, instead of hundreds, of causes of death and their presentation in alphabetical order. Such a method would obviously be altogether impracticable for areas in which hundreds of thousands of deaths occur annually. Furthermore, even if such a compilation were published, it would be necessary for each user carefully to select the various synonymous expressions covering the same or closely related morbid conditions in order to obtain information as to the mortality chargeable to any disease or class of diseases. One of the principal difficulties which confront the bureau in classifying deaths according to the International List is the fact that each year it receives several hundred thousand certificates of deaths on each of which the names of two or more diseases appear. All systems of classification in present use for areas in which large numbers of deaths occur annually are based upon the principle that each death must be charged to a single cause. This means that if two or more morbid conditions are stated on a certificate with no indication as to which was the chief or primary cause, one of them must be selected as the heading under which the death shall be classified. Unfortunately no dependence can be placed upon the order in which the terms are written; nor can the compiler rely upon the statements as to the "cause of death" or the "contributory cause," since these terms are used with different and diametrically opposed meanings not only by physicians but by registration officers.

It is obvious that the cause of death can not be classified correctly unless it has been stated accurately. It is not stated accurately when one or two of several factors are not given in the physician's report. Again, it is not stated accurately when the physician fails to enter on the death certificate a qualifying term which, if given, would modify the classification of the death. For example, the reporting of a death from tuberculous peritonitis as having been caused by "peritonitis" represents an error of omission which, if not corrected, would cause the death to be incorrectly classified, not only with reference to the title of the International List of Causes of Death to which, on the basis of the incomplete statement, it would have to be assigned, but also with reference to the class or group of causes into which the list is divided.

For years the Census Bureau has been endeavoring to obtain a greater degree of accuracy in the basic data from which its statistics of cause of death are compiled. In view of the conditions under which the bureau is obliged to work, it is absolutely necessary, if a reasonable degree of accuracy is to be maintained in its mortality reports, that it receive the hearty cooperation of the state and municipal registration authorities; and it is gratifying to be able to say that these officials have aided the bureau by obtaining information which in thousands of cases, although not given on the original certificates of death, was a determining factor in classifying the causes. To these registration officials who have thus cordially cooperated with the bureau is due much of the credit for the great improvement in the quality of the cause-of-death data which has taken place during the past few years.

In general, in its efforts to obtain accurate and specific descriptions of causes of death the Bureau of the Census has followed the plan of directing the attention of the registration officials to statements which were unsatisfactory by reason of errors of either omission or commission. The registration officials in turn communicate with physicians and coroners for the pur-

pose of obtaining as many additional data as possible, which they forward to the bureau. This work has necessarily been educational in its effect, with the result that certain of the ill-defined returns once most commonly encountered have become far less frequent of late.

The tendency to state causes of death inaccurately and indefinitely, however, is one that is deeply rooted, and it will take considerable time to bring about a substantially complete reform. So many unsatisfactory returns have been received that it has been entirely impracticable to undertake the correction of more than a comparatively small percentage of them, since to attempt to correct them all would result in great delay in the publication of the annual mortality reports. For years, therefore, the plan followed has been that of returning only those statements which were at the same time frequently encountered and easily corrected. For example, reports of deaths from "cancer," "carcinoma," or "malignant tumor" were returned for statements as to the seat of the disease; those of deaths resulting from "operation," "surgical shock," "hysterectomy," etc., were returned for information as to the cause for the relief of which the operation was performed; and returns of deaths due to "gunshot wound," "drowning," etc., were sent back for information as to whether the deaths were accidental or were classifiable as suicides or homicides.

The continual and very gratifying decrease from year to year in the frequency with which reports containing incomplete or ill-defined statements of cause of death have been received by the bureau can be attributed in part to the fact that those who formerly made them are coming to understand that they will not be accepted, and are therefore more precise in their descriptions of conditions, and in part to the further fact that when such reports are received by state and municipal registration authorities these officials often secure from the local registrars the remaining data needed before sending transcripts of the certificates to the Census Bureau.

In its effort to improve the basic cause-of-death data, the Bureau of the Census has sent to every physician in the country two pamphlets bearing upon this subject, namely, "Relation of Physicians to Mortality Statistics" and "Physicians' Pocket Reference to the International List of Causes of Death." The principal objects sought to be attained by the distribution of these pamphlets were, first, to acquaint physicians with the form, scope, and requirements of the International List of Causes of Death, and, second, to emphasize the fact that the value of statistics of cause of death depends so largely upon the lucidity and completeness with which the information is supplied by the medical profession, which is the source of the basic or fundamental data from which these statistics are derived. With these ends in view, the titles of the International List have been included in each pamphlet, together with comments on some of the principal undesirable terms commonly used in reporting causes of death; these comments give the reasons why each such term is unsatisfactory and present suggestions for more precise statements.

In 1912 the bureau decided to make a test inquiry for the purpose of ascertaining, by communicating directly with physicians who had made use of indefinite or inaccurate terms in reporting causes of death, whether it would be possible thus to secure sufficient corrective data to justify the use of this method. Registration officials throughout the registration area were consulted, and nearly all of them agreed that the project would be of value, not merely as a means of supplementing their efforts to obtain specific statements of cause of death, but also from an educational standpoint.

Five of the undesirable terms frequently used in reporting causes of death—"meningitis," "paralysis," "convulsions," "pneumonia," and "peritonitis"—were selected, and, in cases where they had been employed *without qualification*, circular letters were sent to the physicians who had signed the death certificates. These letters requested such additional statements or information relative to the cause of death as might be needed for a more satisfactory classification and with each was inclosed a copy of the Physicians' Pocket Reference to the International List of Causes of Death, the paragraph therein referring to the unsatisfactory nature of the term used being marked. In Mortality Statistics, 1911 (pp. 36–38), is given a discussion of the results of this test. It is sufficient here to say that approximately 2,000 replies were received and that the additional information thus obtained from the physicians enabled the bureau to change the classification in 57 per cent of the cases covered by the replies.

In 1914, and again in 1915, the bureau conducted further and broader tests along these lines; and the following table presents, with reference to the test made in the later year, for each of the principal unsatisfactory terms covered, the number of replies received, the number and percentage of changes in classification made on the basis of the information thus obtained, and the numbers of the International titles chiefly affected.

UNSATISFACTORY TERM.	Number of replies.	Number of changes in classification.	Per cent changed.	International titles and subtitles (detailed list) principally affected.
Septicemia—sepsis	126	67	53.2	18, 137, 152[2], 172
Cerebral abscess	81	51	63.0	30, 37, 76, 146
Meningitis, cerebral; Meningitis, spinal meningitis	562	405	72.1	10, 30, 37, 61[3], 76, 146, 152
Cerebrospinal meningitis (undefined)	286	233	81.5	30, 61[3]
Cerebral softening	140	63	45.0	64, 81, 82
Paralysis, hemiplegia	872	641	73.5	37, 63[2], 64, 67, 82
Convulsions (5 years and over)	24	20	83.3	138
Convulsions (under 5 years)	628	292	46.5	61[1], 91, 104, 151[1], 152[1], 152[2]
Cerebral tumor	232	97	41.8	30, 37, 45
Acute cardiac dilatation	634	167	26.3	10, 56, 78, 81, 103, 120
Bronchopneumonia	5,300	979	18.5	6, 8, 10, 28, 92, 104, 178
Pneumonia (unqualified)	4,142	1,478	35.7	6, 8, 10, 28, 91
Pleurisy	248	137	55.2	10, 28, 47, 92
Pulmonary congestion	481	365	75.9	10, 79, 81, 91, 92, 120
Pulmonary abscess and hemorrhage	110	82	74.5	28, 92
Gastritis, indigestion; Acute indigestion, etc	886	418	47.2	56, 79, 102, 104, 105
Peritonitis	232	174	75.0	31, 38, 108, 132, 137
Bright's disease, acute; Nephritis, acute	1,026	349	34.0	7, 10, 56, 79, 120, 138, 178
Uremia	264	66	25.0	56, 119, 126, 138
Salpingitis, pyosalpinx	194	128	66.0	38, 137
Dropsy, anasarca, ascites	80	64	80.0	79, 120
Debility, inanition. Under 1 year	1,594	783	49.1	28, 37, 103, 104, 151[1], 152[1], 152[2], 153
Marasmus. 1 to 69 years	95	48	50.5	28, 104
Malnutrition, etc. 70 years and over	80	31	38.8	79, 81, 120
Heart failure	136	75	55.1	56, 64, 79
Other unsatisfactory terms covered by letters of inquiry	639	271	42.4	30, 37, 63[2], 104, 120
Total	19,092	7,484	39.2	10, 30, 37, 56, 61[3], 104, 120, 137, and others.

As noted in the comment on this subject in Mortality Statistics, 1911 (pp. 36–38), the effect upon the figures relating to the "definite causes" is a very important consideration in connection with the gathering of corrective cause-of-death data. For example, of the 3,649 deaths charged to measles for 1915, 242 were classified under this title which would have been assigned elsewhere (more than 94 per cent to bronchopneumonia and pneumonia) had not the physicians' replies to the bureau supplied the additional data. Without these 242 deaths, the number charged to measles would have been 3,407; these deaths, therefore, increased by about 7.1 per cent the figure which would have been published if the bureau had not obtained the additional information. Similarly, as a result of the changes in the classification made in the manner described, 192 deaths, representing an increase of 3.7 per cent, were added to those originally classified under whooping cough; of these additional deaths, 181, or 94.3 per cent, would have been assigned to bronchopneumonia and pneumonia. Again, 339 deaths, representing an increase of 3.3 per cent, were added to the number first charged to influenza; of these, 262, or more than 77 per cent, would have been classified under bronchopneumonia and pneumonia.

In making the test for 1915, a considerable proportion of all the transcripts of death certificates were examined, and the cases selected were taken from a large number of registration units in all parts of the area, so as to make them representative of average conditions throughout the area. For the causes of death noted below the figures given show the actual percentages of increase brought about by changes in classification made as a result of correspondence with physicians: Measles, 7.1; whooping cough, 3.7; influenza, 3.3; tuberculous meningitis, 3.1; syphilis, 3.7; gonococcus infection, 45.9; cerebrospinal fever, 49.5; cerebral hemorrhage, apoplexy, 0.9; diseases of ears, 2.7; ulcer of stomach, 0.9; diarrhea and enteritis (under 2 years), 1.9; appendicitis and typhlitis, 0.7; puerperal septicemia, 2; puerperal albuminuria and convulsions, 1.8; diseases of the bones, 1.3; premature birth, 0.7; injuries at birth, 1.7; lack of care, 17.1; traumatism by fall, 0.5; and excessive cold, 19.9.

In regard to bronchopneumonia, the bureau sent out a special form letter (relating, in the great majority of cases, to decedents under 10 years of age) to physicians inquiring if the disease occurred as a complication with or sequel of some other disease or abnormal condition, with the request that if this was the fact the physician state clearly the nature of the primary cause. To this letter 5,300 replies were received, on the basis of which the classification was changed in 979 cases. On the other hand, 1,330 additions to the deaths originally charged to bronchopneumonia were made as a result of inquiries sent out in regard to reports of deaths due to other causes. The net change therefore, indicates that this is one of the causes for which the number of deaths is understated. An estimate of the percentage of understatements is not made, however, for the reason that the inquiries sent out related almost entirely to cases of decedents under 10 years of age.

The indefinite terms given in the table on this page do not represent all the unsatisfactory statements encountered on certificates of death. The inquiry of 1915, however, was along somewhat broader lines than those of 1912 and 1914, and it is expected that future inquiries of this character will be still further extended. It must be borne in mind, moreover, that this work is undertaken not simply because of the effect it will have upon the published statistics for any given year, but also because of its educational value, supplemented as it is by the earnest cooperation of registration officials.

SUMMARY AND RATE TABLES

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1915.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. The term "cities" indicates municipalities of 10,000 or more inhabitants in 1910, smaller places being included with the "rural part of registration states." Groups with very low rates, due possibly to incomplete registration or to overestimates of population, are designated by daggers (†).]

AREA.	POPULATION. Census of April 15, 1910.	POPULATION. Estimated as of July 1, 1915.	Number of deaths, 1915.	Death rate per 1,000 population, 1915.
SUMMARY.				
The registration area (total)	61,578,926	67,336,992	909,155	13.5
White	58,375,826	63,952,588	831,181	13.0
Colored	3,203,100	3,384,404	77,974	23.0
Registration states [1] (total)	56,999,535	62,092,925	823,938	13.3
White	54,456,487	59,439,498	766,631	12.9
Colored	2,543,048	2,653,427	57,307	21.6
Cities in registration states [1] (total)	27,293,135	31,021,270	440,401	14.2
White	26,150,417	29,750,410	409,862	13.8
Colored	1,142,718	1,270,860	30,539	24.0
Rural part of registration states (total)	29,706,400	31,071,655	383,537	12.3
White	28,306,070	29,689,088	356,769	12.0
Colored	1,400,330	1,382,567	26,768	19.4
Registration cities in other states (total)	4,579,391	5,244,067	85,217	16.3
White	3,919,339	4,513,090	64,550	14.3
Colored	660,052	730,977	20,667	28.3
All registration cities [1] (total)	31,872,526	36,265,337	525,618	14.5
White	30,069,756	34,263,500	474,412	13.8
Colored	1,802,770	2,001,837	51,206	25.6
ALABAMA.				
Registration cities [2] (total)	222,342	273,175	4,711	17.2
White	127,908	162,089	2,074	12.8
Colored	94,434	111,086	2,637	23.7
CALIFORNIA.				
Total	2,377,549	2,848,275	39,038	13.7
White	2,259,672	2,711,648	36,867	13.6
Colored	117,877	136,627	2,171	15.9
Cities (total)	1,266,930	1,629,314	22,483	13.8
White	1,211,397	1,557,985	21,114	13.6
Colored	55,533	71,329	1,369	19.2
Rural (total)	1,110,619	1,218,961	16,555	13.6
White	1,048,275	1,153,663	15,753	13.7
Colored	62,344	65,298	802	12.3
COLORADO.				
Total	799,024	935,799	10,602	11.3
White	783,415	917,576	10,319	11.2
Colored	15,609	18,223	283	15.5
Cities (total)	297,058	351,682	4,510	12.8
White	287,704	340,940	4,313	12.7
Colored	9,354	10,742	197	18.3
Rural (total)	501,966	584,117	6,092	10.4
White	495,711	576,636	6,006	10.4
Colored	6,255	7,481	86	11.5
CONNECTICUT.				
Total	1,114,756	1,223,583	18,247	14.9
White	1,098,897	1,207,797	17,845	14.8
Colored	15,859	15,786	402	25.5
Cities (total)	752,224	842,655	12,587	14.9
White	740,623	830,635	12,288	14.8
Colored	11,601	12,020	299	24.9
Rural (total)	362,532	380,928	5,660	14.9
White	358,274	377,162	5,557	14.7
Colored	4,258	3,766	103	27.3
FLORIDA.				
Registration cities [3] (total)	138,408	171,837	2,795	16.3
White	84,286	107,219	1,392	13.0
Colored	54,122	64,618	1,403	21.7
GEORGIA.				
Registration cities [4] (total)	260,943	303,181	5,606	18.5
White	157,293	187,918	2,411	12.8
Colored	103,650	115,263	3,195	27.7
ILLINOIS.				
Registration cities [5] (total)	2,395,921	2,680,978	38,436	14.3
White	2,341,357	2,617,933	36,949	14.1
Colored	54,564	63,045	1,487	23.6
SUMMARY—Continued.				
INDIANA.				
Total	2,700,876	2,798,142	35,403	12.7
White	2,639,961	2,735,666	33,937	12.4
Colored	60,915	62,476	1,466	23.5
Cities (total)	819,067	923,078	12,518	13.6
White	777,968	879,065	11,499	13.1
Colored	41,099	44,013	1,019	23.2
Rural (total)	1,881,809	1,875,064	22,885	12.2
White	1,861,993	1,856,601	22,438	12.1
Colored	19,816	18,463	447	24.2
KANSAS.				
Total	1,690,949	1,807,221	18,209	10.1
White	1,634,352	1,749,348	17,020	9.7
Colored	56,597	57,873	1,189	20.5
Cities (total)	303,843	354,698	4,597	13.0
White	274,369	322,727	3,911	12.1
Colored	29,474	31,971	686	21.5
Rural (total)	1,387,106	1,452,523	13,612	9.4
White	1,359,983	1,426,621	13,109	9.2
Colored	27,123	25,902	503	19.4
KENTUCKY.				
Total	2,289,905	2,365,185	28,986	12.3
White	2,027,951	2,115,315	23,481	11.1
Colored	261,954	249,870	5,505	22.0
Cities (total)	403,294	430,014	6,891	16.0
White	333,219	358,691	4,964	13.8
Colored	70,075	71,323	1,927	27.0
Rural (total)	1,886,611	1,935,171	22,095	11.4
White	1,694,732	1,756,624	18,517	10.5
Colored	191,879	178,547	3,578	20.0
MAINE.				
Total	742,371	767,638	11,990	15.6
White	739,995	765,189	11,970	15.6
Colored	2,376	2,449	20	8.2
Cities (total)	166,433	177,196	3,052	17.2
White	165,747	176,485	3,043	17.2
Colored	686	711	9	12.7
Rural (total)	575,938	590,442	8,938	15.1
White	574,248	588,704	8,927	15.2
Colored	1,690	1,738	11	6.3
MARYLAND.				
Total	1,205,346	1,351,941	21,353	15.8
White	1,062,639	1,120,770	15,773	14.1
Colored	232,707	231,171	5,580	24.1
Cities (total)	607,242	646,401	10,975	17.0
White	518,475	554,416	8,398	15.1
Colored	88,767	91,985	2,577	28.0
Rural (total)	688,104	705,540	10,378	14.7
White	544,164	566,354	7,375	13.0
Colored	143,940	139,186	3,003	21.6
MASSACHUSETTS.				
Total	3,366,416	3,662,339	53,065	14.5
White	3,324,926	3,617,733	52,097	14.4
Colored	41,490	44,606	968	21.7
Cities (total)	2,606,380	2,863,698	41,047	14.3
White	2,571,927	2,826,723	40,251	14.2
Colored	34,453	36,975	796	21.5
Rural (total)	760,036	798,641	12,018	15.0
White	752,999	791,010	11,846	15.0
Colored	7,037	7,631	172	22.5
MICHIGAN.				
Total	2,810,173	3,015,442	40,425	13.4
White	2,785,247	2,989,195	39,816	13.3
Colored	24,926	26,247	609	23.2

[1] Includes District of Columbia.
[2] Includes Birmingham, Mobile, and Montgomery.
[3] Includes Jacksonville, Key West, Pensacola, and Tampa.
[4] Includes Atlanta, Augusta, and Savannah.
[5] Includes Aurora, Belleville, Chicago, Decatur, Evanston, Jacksonville, Quincy, and Springfield.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1915—Continued.

[See note at head of this table.]

AREA.	POPULATION. Census of April 15, 1910.	POPULATION. Estimated as of July 1, 1915.	Number of deaths, 1915.	Death rate per 1,000 population, 1915.
SUMMARY—Continued.				
MICHIGAN—continued.				
Cities (total)	1,043,746	1,199,579	17,666	14.7
White	1,032,893	1,187,544	17,369	14.6
Colored	10,853	12,035	297	24.7
Rural (total)	1,766,427	1,815,863	22,759	12.5
White	1,752,354	1,801,651	22,447	12.5
Colored	14,073	14,212	312	22.0
MINNESOTA.				
Total	2,075,708	2,246,761	22,794	10.1
White	2,059,227	2,229,159	22,400	10.0
Colored	16,481	17,602	394	22.4
Cities (total)	654,837	750,739	8,371	11.2
White	648,272	743,053	8,229	11.1
Colored	6,565	7,686	142	18.5
Rural (total)	1,420,871	1,496,022	14,423	9.6
White	1,410,955	1,486,106	14,171	9.5
Colored	9,916	9,916	252	25.4
MISSISSIPPI.				
Registration cities [1] (total)	88,885	100,145	2,614	26.1
White	45,874	52,500	919	17.5
Colored	43,011	47,645	1,695	35.6
MISSOURI.				
Total	3,293,335	3,391,789	40,757	12.0
White	3,134,932	3,235,189	37,114	11.5
Colored	158,403	156,600	3,643	23.3
Cities (total)	1,150,840	1,252,059	18,029	14.4
White	1,068,828	1,163,569	15,741	13.5
Colored	82,012	88,490	2,288	25.9
Rural (total)	2,142,495	2,139,730	22,728	10.6
White	2,066,104	2,071,620	21,373	10.3
Colored	76,391	68,110	1,355	19.9
MONTANA.				
Total	376,053	446,054	5,072	11.4
White	360,580	431,411	4,740	11.0
Colored	15,473	14,643	332	22.7
Cities (total)	98,662	111,227	1,668	15.0
White	96,499	108,796	1,625	14.9
Colored	2,163	2,431	43	17.7
Rural (total)	277,391	334,827	3,404	10.2
White	264,081	322,615	3,115	9.7
Colored	13,310	12,212	289	23.7
NEBRASKA.				
Registration cities [2] (total)	168,069	209,228	2,596	12.4
White	162,802	202,405	2,469	12.2
Colored	5,267	6,823	127	18.6
NEW HAMPSHIRE.				
Total	430,572	440,584	7,099	16.1
White	429,906	439,987	7,089	16.1
Colored	666	597	10	16.8
Cities (total)	174,112	186,582	3,010	16.1
White	173,787	186,270	3,004	16.1
Colored	325	312	6	19.2
Rural (total)	256,460	254,002	4,089	16.1
White	256,119	253,717	4,085	16.1
Colored	341	285	4	14.0
NEW JERSEY.				
Total	2,537,167	2,881,840	39,787	13.8
White	2,445,894	2,780,059	37,662	13.5
Colored	91,273	101,781	2,125	20.9
Cities (total)	1,635,863	1,874,221	25,494	13.6
White	1,580,229	1,810,229	24,143	13.3
Colored	55,634	63,992	1,351	21.1
Rural (total)	901,304	1,007,619	14,293	14.2
White	865,665	969,830	13,519	13.9
Colored	35,639	37,789	774	20.5
NEW YORK.				
Total	9,113,614	10,086,568	146,938	14.6
White	8,966,845	9,921,466	143,131	14.4
Colored	146,769	165,102	3,807	23.1
SUMMARY—Continued.				
NEW YORK—continued.				
Cities (total)	6,771,142	7,699,556	110,194	14.3
White	6,652,569	7,562,745	106,956	14.1
Colored	118,573	136,811	3,238	23.7
Rural (total)	2,342,472	2,387,012	36,744	15.4
White	2,314,276	2,358,721	36,175	15.3
Colored	28,196	28,291	569	20.1
NORTH CAROLINA.[3]				
Total	413,041	487,359	8,438	17.3
White	270,462	322,668	4,342	13.5
Colored	142,579	164,691	4,096	24.9
Cities (total)	154,578	181,781	3,574	19.7
White	96,299	114,855	1,749	15.2
Colored	58,279	66,926	1,825	27.3
Rural [4] (total)	258,463	305,578	4,864	15.9
White	174,163	207,813	2,593	12.5
Colored	84,300	97,765	2,271	23.2
OHIO.				
Total	4,767,121	5,088,627	66,173	13.0
White	4,654,897	4,968,554	63,404	12.8
Colored	112,224	120,073	2,769	23.1
Cities (total)	2,145,194	2,465,874	34,073	13.8
White	2,078,001	2,389,891	32,225	13.5
Colored	67,193	75,983	1,848	24.3
Rural (total)	2,621,927	2,622,753	32,100	12.2
White	2,576,896	2,578,663	31,179	12.1
Colored	45,031	44,090	921	20.9
PENNSYLVANIA.				
Total	7,665,111	8,383,992	115,284	13.8
White	7,467,713	8,167,105	110,596	13.5
Colored	197,398	216,887	4,688	21.6
Cities (total)	3,653,461	4,030,228	59,954	14.9
White	3,507,631	3,868,320	56,354	14.6
Colored	145,830	161,908	3,600	22.2
Rural (total)	4,011,650	4,353,764	55,330	12.7
White	3,960,082	4,298,785	54,242	12.6
Colored	51,568	54,979	1,088	19.8
RHODE ISLAND.				
Total	542,610	602,765	8,922	14.8
White	532,492	592,324	8,659	14.6
Colored	10,118	10,441	263	25.2
Cities (total)	437,627	489,439	7,313	14.9
White	429,088	480,516	7,088	14.8
Colored	8,539	8,923	225	25.2
Rural (total)	104,983	113,326	1,609	14.2
White	103,404	111,808	1,571	14.1
Colored	1,579	1,518	38	25.0
SOUTH CAROLINA.				
Registration cities [5] (total)	118,410	133,018	3,869	29.1
White	62,599	72,595	1,377	19.0
Colored	55,811	60,423	2,492	41.2
TENNESSEE.				
Registration cities [6] (total)	338,198	376,636	6,851	18.2
White	217,841	250,015	3,496	14.0
Colored	120,357	126,621	3,355	26.5
TEXAS.				
Registration cities [7] (total)	172,874	220,294	5,515	25.0
White	152,282	197,008	4,868	24.7
Colored	20,592	23,286	647	27.8
UTAH.				
Total	373,351	424,300	4,193	9.9
White	366,583	416,224	4,071	9.8
Colored	6,768	8,076	122	15.1
Cities (total)	118,357	144,033	1,497	10.4
White	116,400	141,392	1,445	10.2
Colored	1,957	2,641	52	19.7
Rural (total)	254,994	280,267	2,696	9.6
White	250,183	274,832	2,626	9.6
Colored	4,811	5,435	70	12.9

[1] Includes Hattiesburg, Jackson, Meridian, Natchez, and Vicksburg.
[2] Includes Lincoln and Omaha.
[3] Includes only municipalities having a population of 1,000 or over in 1910.
[4] Includes only municipalities having a population of 1,000 or over, but less than 10,000, in 1910.
[5] Includes Charleston, Columbia, Greenville, and Spartanburg.
[6] Includes Chattanooga, Jackson, Knoxville, Memphis, and Nashville.
[7] Includes El Paso, Galveston, and San Antonio.

TABLE I A.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION, IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH REGISTRATION STATE (BY CITIES AND RURAL DISTRICTS), AND EACH GROUP OF REGISTRATION CITIES IN NONREGISTRATION STATES: 1915—Continued.

[See note at head of this table.]

AREA.	POPULATION.		Number of deaths, 1915.	Death rate per 1,000 population, 1915.
	Census of April 15, 1910.	Estimated as of July 1, 1915.		
SUMMARY—Continued.				
VERMONT.				
Total	355,956	362,452	5,323	14.7
White	354,298	360,377	5,318	14.8
Colored	1,658	2,075	5	2.4
Cities (total)	44,748	47,993	783	16.3
White	44,605	47,873	781	16.3
Colored	143	120	2	16.7
Rural (total)	311,208	314,459	4,540	14.4
White	309,693	312,504	4,537	14.5
Colored	1,515	1,955	3	1.5
VIRGINIA.				
Total	2,061,612	2,171,014	30,727	14.2
White	1,389,809	1,493,687	17,288	11.6
Colored	671,803	677,327	13,439	19.8
Cities (total)	381,923	450,623	8,113	18.0
White	249,872	298,674	4,249	14.2
Colored	132,051	151,949	3,864	25.4
Rural (total)	1,679,689	1,720,391	22,614	13.1
White	1,139,937	1,195,013	13,039	10.9
Colored	539,752	525,378	9,575	18.2
SUMMARY—Continued.				
WASHINGTON.				
Total†	1,141,990	1,471,043	11,895	8.1
White	1,109,111	1,432,320	11,283	7.9
Colored	32,879	38,723	612	15.8
Cities † (total)	521,557	710,620	5,577	7.8
White	507,388	692,781	5,345	7.7
Colored	14,169	17,839	232	13.0
Rural † (total)	620,433	760,423	6,318	8.3
White	601,723	739,539	5,938	8.0
Colored	18,710	20,884	380	18.2
WISCONSIN.				
Total	2,333,860	2,473,533	26,712	10.8
White	2,320,555	2,459,081	26,494	10.8
Colored	13,305	14,452	218	15.1
Cities (total)	752,948	849,301	9,919	11.7
White	750,499	846,585	9,863	11.7
Colored	2,449	2,716	56	20.6
Rural (total)	1,580,912	1,624,232	16,793	10.3
White	1,570,056	1,612,496	16,631	10.3
Colored	10,856	11,736	162	13.8

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915.

[Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates, due possibly to incomplete registration, or to overestimates of population, are designated by daggers (†). Figures for white and colored are shown separately for areas (except as indicated in the footnotes) only when the colored population of the area formed at least 5 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 or more inhabitants in 1910.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
REGISTRATION CITIES.			
ALABAMA.[1]			
Birmingham (total)	174,108	2,714	15.6
White	108,679	1,231	11.3
Colored	65,429	1,483	22.7
Mobile (total)	56,536	1,104	19.5
White	31,565	503	15.9
Colored	24,971	601	24.1
Montgomery (total)	42,531	893	21.0
White	21,845	340	15.6
Colored	20,686	553	26.7
CALIFORNIA.			
Alameda	27,031	299	11.1
Bakersfield (total)	16,206	284	17.5
White	15,262	270	17.7
Colored	944	14	14.8
Berkeley†	54,879	494	9.0
Eureka	14,226	224	15.7
Fresno (total)	33,602	375	11.2
White	31,630	334	10.6
Colored	1,972	41	20.8
Long Beach	26,012	430	16.5
Los Angeles (total)	475,367	5,856	12.3
White	454,791	5,457	12.0
Colored	20,576	399	19.4
Oakland (total)	190,803	2,166	11.4
White	179,722	2,022	11.3
Colored	11,081	144	13.0
Pasadena	43,859	493	11.2
Pomona	12,676	170	13.4
Redlands†	13,428	117	8.7
Riverside (total)	19,030	218	11.5
White	16,746	204	12.2
Colored	2,284	14	6.1
Sacramento (total)	64,806	997	15.4
White	59,232	869	14.7
Colored	5,574	128	23.0
San Bernardino	16,274	356	21.9
San Diego	51,115	1,003	19.6
San Francisco (total)	456,009	7,260	15.9
White	439,379	6,846	15.6
Colored	16,630	414	24.9
San Jose	37,994	463	12.2
Santa Barbara	14,332	233	16.3
Santa Cruz	14,038	190	13.5
Stockton* (total)	34,508	724	21.0
White	31,944	640	20.0
Colored	2,564	84	32.8
Vallejo	13,119	131	10.0
COLORADO.			
Colorado Springs	32,344	500	15.5
Denver	253,161	3,355	13.3
Pueblo	52,840	479	9.1
Trinidad	13,337	176	13.2
CONNECTICUT.			
Ansonia	16,454	213	12.9
Bridgeport	118,434	1,827	15.4
Bristol	15,536	154	9.9
Danbury town	25,627	356	13.9
Greenwich town	18,724	236	12.6
Hartford	108,969	1,917	17.6
Manchester town	15,243	142	9.3
Meriden town	33,842	552	16.3
Middletown town*	22,468	479	21.3
Naugatuck	13,872	153	11.0
New Britain	52,203	576	11.0
New Haven	147,095	2,311	15.7
New London	20,771	399	19.2
REGISTRATION CITIES—Continued.			
CONNECTICUT—continued.			
Norwalk	26,466	346	13.1
Norwich town	29,225	575	19.7
Orange town	13,527	143	10.6
Stamford town	34,107	515	15.1
Torrington town †	19,153	148	7.7
Wallingford town	12,290	127	10.3
Waterbury	84,745	1,173	13.8
Windham town	13,904	245	17.6
DELAWARE.[1]			
Wilmington (total)	93,161	1,528	16.4
White	84,411	1,318	15.6
Colored	8,750	210	24.0
DISTRICT OF COLUMBIA.			
Washington (total)	358,679	6,506	18.1
White	259,650	3,915	15.1
Colored	99,029	2,591	26.2
FLORIDA.[1]			
Jacksonville (total)	73,137	1,355	18.5
White	36,855	533	14.5
Colored	36,282	822	22.7
Key West (total)	21,437	278	13.0
White	15,930	190	11.9
Colored	5,507	88	16.0
Pensacola (total)	25,742	418	16.2
White	14,643	177	12.1
Colored	11,099	241	21.7
Tampa (total)	51,521	744	14.4
White	39,791	492	12.4
Colored	11,730	252	21.5
GEORGIA.[1]			
Atlanta (total)	184,972	2,796	15.1
White	126,990	1,444	11.4
Colored	57,982	1,352	23.3
Augusta (total)	49,848	1,125	22.6
White	27,306	478	17.5
Colored	22,542	647	28.7
Savannah (total)	68,361	1,685	24.6
White	33,622	489	14.5
Colored	34,739	1,196	34.4
ILLINOIS.[1]			
Aurora	33,613	471	14.0
Belleville	21,144	260	12.3
Chicago (total)	2,447,845	34,894	14.3
White	2,393,678	33,601	14.0
Colored	54,167	1,293	23.9
Decatur	38,526	458	11.9
Evanston	28,012	340	12.1
Jacksonville* (total)	15,456	454	29.4
White	14,076	428	30.4
Colored	1,380	26	18.8
Quincy	36,764	564	15.3
Springfield (total)	59,618	995	16.7
White	56,262	913	16.2
Colored	3,356	82	24.4
INDIANA.			
Anderson	23,762	290	12.2
East Chicago	27,200	371	13.6
Elkhart	21,443	259	12.1
Elwood	[2] 11,028	127	11.5
Evansville (total)	72,325	978	13.5
White	66,988	814	12.2
Colored	5,337	164	30.7
Fort Wayne	74,352	883	11.9
Gary	[3] 16,802	385	22.9
REGISTRATION CITIES—Continued.			
INDIANA—continued.			
Hammond	25,326	364	14.4
Huntington	10,529	126	12.0
Indianapolis (total)	265,578	3,911	14.7
White	240,692	3,352	13.9
Colored	24,886	559	22.5
Jeffersonville (total)	[2] 10,412	130	12.5
White	[2] 8,874	98	11.0
Colored	[2] 1,538	32	20.8
Kokomo	20,312	251	12.4
Lafayette	21,091	411	19.5
Laporte	12,832	154	12.0
Logansport	20,755	267	12.9
Marion	19,745	305	15.4
Michigan City	21,111	254	12.0
Mishawaka	15,220	173	11.4
Muncie	25,195	315	12.5
New Albany (total)	23,629	321	13.6
White	22,166	286	12.9
Colored	1,463	35	23.9
Peru	12,280	145	11.8
Richmond (total)	24,314	286	11.8
White	23,019	273	11.9
Colored	1,295	13	10.0
South Bend	67,030	688	10.3
Terre Haute	64,806	903	13.9
Vincennes	17,202	221	12.8
KANSAS.			
Atchison (total)	16,685	196	11.7
White	14,027	162	11.5
Colored	2,658	34	12.8
Coffeyville (total)	16,765	160	9.5
White	15,014	130	8.7
Colored	1,751	30	17.1
Fort Scott (total)	10,536	171	16.2
White	9,572	148	15.5
Colored	964	23	23.9
Hutchinson (total)	20,046	206	10.3
White	18,990	191	10.1
Colored	1,056	15	14.2
Independence (total)	13,901	163	11.7
White	12,903	147	11.4
Colored	998	16	16.0
Kansas City (total)	96,854	1,344	13.9
White	86,207	1,082	12.6
Colored	10,647	262	24.6
Lawrence (total)	13,171	201	15.3
White	10,524	152	14.4
Colored	2,647	49	18.5
Leavenworth (total)	[2] 19,363	278	14.4
White	[2] 16,881	226	13.4
Colored	[2] 2,482	52	21.0
Parsons (total)	14,984	195	13.0
White	13,879	162	11.7
Colored	1,105	33	29.9
Pittsburg	17,356	231	13.3
Topeka* (total)	47,914	674	14.1
White	43,676	573	13.1
Colored	4,238	101	23.8
Wichita	67,847	778	11.5
KENTUCKY.			
Covington (total)	56,520	862	15.3
White	53,539	756	14.1
Colored	2,981	106	35.6
Frankfort (total)	10,981	184	16.8
White	8,375	117	14.0
Colored	2,606	67	25.7

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Population Apr. 15, 1910. Decrease since 1900.
[3] Population Apr. 15, 1910. Incorporated since 1900.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
REGISTRATION CITIES—Continued.			
KENTUCKY—continued.			
Henderson (total)	12,072	218	18.1
White	9,592	134	14.0
Colored	2,480	84	33.9
Lexington* (total)	39,703	977	24.6
White	28,209	597	21.2
Colored	11,494	380	33.1
Louisville (total)	237,012	3,550	15.0
White	195,216	2,538	13.0
Colored	41,796	1,012	24.2
Newport (total)	31,722	377	11.9
White	31,069	352	11.3
Colored [1]	653	25	38.3
Owensboro (total)	17,498	291	16.6
White	14,353	216	15.0
Colored	3,145	75	23.8
Paducah (total)	24,506	432	17.6
White	18,338	254	13.9
Colored	6,168	178	28.9
LOUISIANA.[2]			
New Orleans (total)	366,484	7,752	21.2
White	270,741	4,442	16.4
Colored	95,743	3,310	34.6
MAINE.			
Auburn	16,179	207	12.8
Augusta*	14,015	329	23.5
Bangor*	26,360	559	21.2
Biddeford	17,570	293	16.7
Lewiston	27,557	463	16.8
Portland	63,014	1,014	16.1
Waterville	12,501	187	15.0
MARYLAND.			
Baltimore (total)	584,605	10,008	17.1
White	496,682	7,536	15.2
Colored	87,923	2,472	28.1
Cumberland (total)	25,564	414	16.2
White	24,457	381	15.6
Colored [1]	1,107	33	29.8
Frederick (total)	10,999	181	16.5
White	9,562	147	15.4
Colored	1,437	34	23.7
Hagerstown [3] (total)	25,233	372	14.7
White [3]	23,715	334	14.1
Colored [3]	1,518	38	25.0
MASSACHUSETTS.			
Adams town	14,022	157	11.2
Arlington town	12,549	168	13.4
Attleboro	18,788	197	10.5
Beverly	21,162	282	13.3
Boston (total)	745,139	12,020	16.1
White	729,061	11,651	16.0
Colored	16,078	369	23.0
Brockton	65,746	690	10.5
Brookline town	31,934	328	10.3
Cambridge	111,669	1,461	13.1
Chelsea	43,979	627	14.3
Chicopee	28,688	421	14.7
Clinton town	[4] 13,075	185	14.1
Everett	38,307	364	9.5
Fall River	126,904	2,020	15.9
Fitchburg	41,144	546	13.3
Framingham town	13,815	242	17.5
Gardner town	16,746	208	12.4
Gloucester	[4] 24,398	327	13.4
Greenfield town	11,745	140	11.9
Haverhill	47,774	672	14.1
Holyoke	64,069	956	14.9
Lawrence	98,197	1,407	14.3
Leominster town	20,314	244	12.0
Lowell	112,124	1,820	16.2
Lynn	100,316	1,176	11.7
Malden	50,067	518	10.3
Marlborough	15,089	197	13.1
Medford	25,737	336	13.1
REGISTRATION CITIES—Continued.			
MASSACHUSETTS—continued.			
Melrose	17,166	214	12.5
Methuen town	13,522	154	11.4
Milford town	13,940	197	14.1
New Bedford	114,694	1,724	15.0
Newburyport	15,195	199	13.1
Newton	43,085	529	12.3
North Adams	[4] 22,019	309	14.0
Northampton*	19,846	376	18.9
Peabody town	17,935	232	12.9
Pittsfield	37,580	538	14.3
Plymouth town	13,485	162	12.0
Quincy	37,251	431	11.6
Revere †	22,344	191	8.5
Salem	47,778	501	10.5
Somerville	85,460	1,006	11.8
Southbridge town	13,945	158	11.3
Springfield	103,216	1,513	14.7
Taunton*	35,957	747	20.8
Wakefield town	12,519	158	12.6
Waltham	30,129	430	14.3
Watertown town †	14,546	130	8.9
Webster town	12,936	152	11.8
Westfield town	18,013	305	16.9
Weymouth town	13,723	159	11.6
Winthrop town	12,279	162	13.2
Woburn	15,862	194	12.2
Worcester	160,523	2,467	15.4
MICHIGAN.			
Adrian	11,346	157	13.8
Alpena	13,181	168	12.7
Ann Arbor	14,979	383	25.6
Battle Creek	28,801	450	15.6
Bay City	47,494	658	13.9
Detroit	554,717	8,720	15.7
Escanaba	15,116	195	12.9
Flint	52,159	536	10.3
Grand Rapids	125,759	1,570	12.5
Holland	11,912	118	9.9
Ironwood †	14,463	123	8.5
Ishpeming	[4] 12,448	118	9.5
Jackson	34,730	498	14.3
Kalamazoo*	47,364	773	16.3
Lansing	39,005	473	12.1
Manistee	[4] 12,381	141	11.4
Marquette	12,263	147	12.0
Menominee	[4] 10,507	142	13.5
Muskegon	25,771	390	15.1
Pontiac*	17,042	397	23.3
Port Huron	[4] 18,863	291	15.4
Saginaw	54,815	735	13.4
Sault Ste. Marie	13,709	169	12.3
Traverse City*	13,542	314	23.2
MINNESOTA.			
Duluth	91,913	915	10.0
Mankato	[4] 10,365	175	16.9
Minneapolis	353,460	4,048	11.5
St. Cloud	11,621	150	12.9
St. Paul	241,999	2,598	10.7
Stillwater	[4] 10,198	109	10.7
Virginia †	14,432	129	8.9
Winona	[4] 18,583	247	13.3
MISSISSIPPI.[2]			
Hattiesburg (total)	15,717	246	15.7
White	9,951	105	10.6
Colored	5,766	141	24.5
Jackson* (total)	28,372	846	29.8
White	15,086	302	20.0
Colored	13,286	544	40.9
Meridian (total)	21,812	560	25.7
White	13,220	260	19.7
Colored	8,592	300	34.9
REGISTRATION CITIES—Continued.			
MISSISSIPPI—continued.			
Natchez (total)	[4] 11,791	237	20.1
White	5,087	56	11.0
Colored	6,704	181	27.0
Vicksburg (total)	22,453	725	32.3
White	9,156	196	21.4
Colored	13,297	529	39.8
MISSOURI.			
Hannibal (total)	21,273	269	12.6
White	19,419	214	11.0
Colored	1,854	55	29.7
Jefferson City (total)	13,257	197	14.9
White	11,277	150	13.3
Colored	1,980	47	23.7
Joplin	33,032	601	18.2
Kansas City (total)	289,879	4,255	14.7
White	263,113	3,540	13.5
Colored	26,766	715	26.7
Moberly (total)	12,457	177	14.2
White	11,435	142	12.4
Colored	1,022	35	34.2
St. Joseph* (total)	[5] 83,974	1,154	13.7
White	[5] 79,548	1,056	13.3
Colored	[5] 4,426	98	22.1
St. Louis (total)	745,988	10,293	13.8
White	696,866	9,088	13.0
Colored	49,122	1,205	24.5
Sedalia (total)	19,187	291	15.2
White	17,239	240	13.9
Colored	1,948	51	26.2
Springfield (total)	39,513	569	14.4
White	37,817	509	13.5
Colored	1,696	60	35.4
Webb City	13,560	223	16.4
MONTANA.			
Anaconda	10,493	145	13.8
Billings	13,721	149	10.9
Butte	42,793	708	16.5
Great Falls	[4] 13,948	264	18.9
Helena (total)	13,435	213	15.9
White	12,498	205	16.4
Colored	937	8	8.5
Missoula	17,353	189	10.9
NEBRASKA.[2]			
Lincoln	46,028	610	13.3
Omaha	163,200	1,986	12.2
NEW HAMPSHIRE.			
Berlin	13,306	188	14.1
Concord*	22,480	445	19.8
Dover	13,268	242	18.2
Keene	10,542	157	14.9
Laconia	11,311	184	16.3
Manchester	76,959	1,145	14.9
Nashua	27,114	446	16.4
Portsmouth	11,602	203	17.5
NEW JERSEY.			
Asbury Park (total)	13,385	157	11.7
White	10,322	110	10.7
Colored	3,063	47	15.3
Atlantic City (total)	55,806	847	15.2
White	44,122	654	14.8
Colored	11,684	193	16.5
Bayonne	67,582	818	12.1
Bloomfield †	17,919	158	8.8
Bridgeton (total)	14,365	239	16.6
White	13,511	225	16.7
Colored	854	14	16.4
Camden (total)	104,349	1,605	15.4
White	97,938	1,435	14.7
Colored	6,411	170	26.5
East Orange † (total)	41,155	324	7.9
White	38,957	295	7.6
Colored	2,198	29	13.2

[1] Colored population less than 5 per cent of the total in 1910.
[2] Nonregistration state; cities shown below only those with effective local ordinances.
[3] Probably does not include deaths in territory annexed in April, 1914.
[4] Population Apr. 15, 1910. Decrease since 1900.
[5] Estimate based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
REGISTRATION CITIES—Continued.			
NEW JERSEY—continued.			
Elizabeth	84,550	1,067	12.6
Garfield	13,750	182	13.2
Hackensack (total)	16,478	279	16.9
White	15,555	261	16.8
Colored	923	18	19.5
Harrison	16,555	180	10.9
Hoboken	76,104	1,143	15.0
Irvington	15,368	193	12.6
Jersey City	300,133	4,347	14.5
Kearny	22,753	299	13.1
Long Branch (total)	15,057	316	21.0
White	13,732	272	19.8
Colored	1,325	44	33.2
Millville	13,435	169	12.6
Montclair (total)	25,550	256	10.0
White	22,446	234	10.4
Colored	3,104	22	7.1
Morristown (total)	13,158	238	18.1
White	12,070	222	18.4
Colored	1,088	16	14.7
New Brunswick	25,169	533	21.2
Newark	399,000	5,241	13.1
Orange (total)	32,524	510	15.7
White	29,723	446	15.0
Colored	2,801	64	22.8
Passaic	69,010	908	13.2
Paterson	136,374	1,796	13.2
Perth Amboy	39,725	511	12.9
Phillipsburg	15,331	175	11.4
Plainfield (total)	23,280	347	14.9
White	21,223	308	14.5
Colored	2,057	39	19.0
Trenton*	109,212	1,765	16.2
Union†	24,182	214	8.8
West Hoboken†	41,893	330	7.9
West New York	17,933	246	13.7
West Orange†	13,136	101	7.7
NEW YORK.			
Albany	103,580	2,075	20.0
Amsterdam	36,163	492	13.6
Auburn	36,947	598	16.2
Batavia	13,105	232	17.7
Binghamton*	53,082	1,066	20.1
Buffalo	461,335	6,852	14.9
Cohoes	25,130	386	15.4
Corning	15,136	204	13.5
Cortland	12,817	198	15.4
Dunkirk	20,175	214	10.6
Elmira	37,968	675	17.8
Fulton	11,678	194	16.6
Geneva	13,507	208	15.4
Glens Falls	16,628	287	17.3
Gloversville	21,850	276	12.6
Hornell	14,513	213	14.7
Hudson	12,512	216	17.3
Ithaca	15,679	257	16.4
Jamestown	35,729	435	12.2
Johnstown	10,614	132	12.4
Kingston	26,632	496	18.6
Lackawanna	[1] 15,756	382	24.2
Little Falls	13,269	224	16.9
Lockport	19,730	269	13.6
Middletown*	15,730	382	24.3
Mount Vernon	36,028	415	11.5
New Rochelle (total)	36,326	413	11.4
White	34,029	369	10.8
Colored	2,297	44	19.2
New York (total)	5,468,190	76,241	13.9
Bronx Borough	552,537	7,570	13.7
Brooklyn Borough	1,881,065	26,060	13.9
Manhattan Borough	2,585,470	36,176	14.0
Queens Borough	353,156	4,915	13.9
Richmond Borough	95,962	1,520	15.8
White	5,354,428	73,542	13.7
Bronx Borough	547,285	7,446	13.6
Brooklyn Borough	1,854,990	25,362	13.7
Manhattan Borough	2,507,938	34,436	13.7
Queens Borough	349,495	4,802	13.7
Richmond Borough	94,720	1,496	15.8
REGISTRATION CITIES—Continued.			
NEW YORK—continued.			
New York—Continued.			
Colored	113,762	2,699	23.7
Bronx Borough	5,252	124	23.6
Brooklyn Borough	26,075	698	26.8
Manhattan Borough	77,532	1,740	22.4
Queens Borough	3,661	113	30.9
Richmond Borough	1,242	24	19.3
Newburgh	29,313	475	16.2
Niagara Falls	36,240	580	16.0
North Tonawanda	13,476	166	12.3
Ogdensburg*	16,591	433	26.1
Olean	16,321	239	14.6
Ossining (total)	13,346	173	13.0
White	12,520	155	12.4
Colored	826	18	21.8
Oswego	23,983	359	15.0
Peekskill	18,026	258	14.3
Plattsburg	12,563	201	16.0
Port Chester	15,639	215	13.7
Poughkeepsie	29,994	509	17.0
Rensselaer	11,102	154	13.9
Rochester	250,747	3,488	13.9
Rome	23,215	549	23.6
Saratoga Springs	13,803	323	23.4
Schenectady	95,265	1,019	10.7
Syracuse	152,534	2,011	13.2
Troy	77,738	1,534	19.7
Utica*	83,876	1,423	17.0
Watertown	29,384	428	14.6
Watervliet	15,470	243	15.7
White Plains (total)	20,194	261	12.9
White	19,061	251	13.2
Colored	1,133	10	8.8
Yonkers	96,610	1,121	11.6
NORTH CAROLINA.			
Asheville (total)	20,490	454	22.2
White	14,934	303	20.3
Colored	5,556	151	27.2
Charlotte (total)	38,887	727	18.7
White	26,290	364	13.8
Colored	12,597	363	28.8
Durham (total)	23,962	369	15.4
White	14,706	162	11.0
Colored	9,256	207	22.4
Greensboro (total)	18,984	288	15.2
White	12,418	135	10.9
Colored	6,566	153	23.3
Raleigh* (total)	19,980	549	27.5
White	12,658	299	23.6
Colored	7,322	250	34.1
Wilmington (total)	29,384	597	20.3
White	15,841	241	15.2
Colored	13,543	356	26.3
Winston-Salem (total)	30,094	590	19.6
White	18,008	245	13.6
Colored	12,086	345	28.5
OHIO.			
Akron	82,958	1,177	14.2
Alliance	18,339	222	12.1
Ashtabula	20,988	245	11.7
Bellaire	14,122	185	13.1
Cambridge	13,163	169	12.8
Canton	59,139	717	12.1
Chillicothe (total)	15,315	214	14.0
White	14,387	197	13.7
Colored	928	17	18.3
Cincinnati (total)	406,706	6,360	15.6
White	384,701	5,703	14.8
Colored	22,005	657	29.9
Cleveland	657,311	8,808	13.4
Columbus (total)	209,722	2,945	14.0
White	194,466	2,645	13.6
Colored	15,256	300	19.7
Dayton	125,509	1,709	13.6
East Liverpool	22,231	310	13.9
REGISTRATION CITIES—Continued.			
OHIO—continued.			
Elyria	18,007	222	12.3
Findlay	[2] 14,858	202	13.6
Hamilton	39,655	427	10.8
Ironton (total)	13,819	208	15.1
White	12,708	192	15.1
Colored	1,111	16	14.4
Lakewood	21,417	230	10.7
Lancaster	15,255	192	12.6
Lima	34,644	442	12.8
Lorain†	35,662	316	8.9
Mansfield	22,417	270	12.0
Marietta	14,699	187	12.7
Marion	22,731	269	11.8
Massillon	15,111	202	13.4
Middletown	15,226	198	13.0
Newark	28,953	367	12.7
Norwood†	21,303	160	7.5
Piqua	14,029	182	13.0
Portsmouth	28,126	337	12.0
Sandusky	20,160	293	14.5
Springfield (total)	50,804	693	13.6
White	45,519	593	13.0
Colored	5,285	100	18.9
Steubenville	26,631	483	18.1
Tiffin	12,772	202	15.8
Toledo	187,840	2,892	15.4
Warren	12,810	200	15.6
Youngstown	104,489	1,408	13.5
Zanesville (total)	30,406	430	14.1
White	28,809	393	13.6
Colored	1,597	37	23.2
OREGON.[3]			
Portland† (total)	272,833	2,281	8.4
White	266,439	2,195	8.2
Colored [4]	6,394	86	13.5
PENNSYLVANIA.			
Allentown	61,901	994	16.1
Altoona	57,606	709	12.3
Beaver Falls	13,316	179	13.4
Bethlehem	13,931	158	11.3
Braddock	21,310	387	18.2
Bradford	[2] 14,544	231	15.9
Butler	26,587	255	9.6
Carbondale	18,887	283	15.0
Carlisle (total)	10,657	152	14.3
White	9,551	125	13.1
Colored	1,106	27	24.4
Carnegie	11,421	138	12.1
Chambersburg (total)	12,286	175	14.2
White	11,602	161	13.9
Colored	684	14	20.5
Chester (total)	40,935	658	16.1
White	35,921	529	14.7
Colored	5,014	129	25.7
Coatesville (total)	13,912	131	9.4
White	11,815	112	9.5
Colored	2,097	19	9.1
Columbia	[2] 11,454	157	13.7
Connellsville	15,034	179	11.9
Dubois†	14,336	128	8.9
Dunmore	20,266	359	17.7
Duquesne	19,284	193	10.0
Easton	30,206	472	15.6
Erie	73,798	1,107	15.0
Farrell	[5] 10,390	142	13.7
Greensburg	15,085	209	13.9
Harrisburg (total)	70,754	1,004	14.2
White	66,002	885	13.4
Colored	4,752	119	25.0

[1] Estimate based on Federal census, 1910, and state census, 1915.

[2] Population Apr. 15, 1910. Decrease since 1900.

[3] Nonregistration state; cities shown below only those with effective local ordinances.

[4] Colored population less than 5 per cent of the total in 1910.

[5] Population Apr. 15, 1910, plus 200 annexed in 1911.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
REGISTRATION CITIES—Continued.			
PENNSYLVANIA—continued.			
Hazleton	28,001	523	18.7
Homestead	21,861	235	10.7
Johnstown	66,585	937	14.1
Lancaster	50,269	809	16.1
Lebanon	20,611	326	15.8
McKees Rocks	19,103	198	10.4
McKeesport	46,743	634	13.6
Mahanoy City	17,217	229	13.3
Meadville	13,637	222	16.3
Monessen†	20,191	169	8.4
Mount Carmel	19,827	197	9.9
Nanticoke	22,441	284	12.7
New Castle	40,351	513	12.7
Norristown*	30,833	669	21.7
North Braddock	14,612	162	11.1
Oil City	18,971	216	11.4
Old Forge	14,325	151	10.5
Philadelphia (total)	1,683,664	26,291	15.6
White	1,586,628	24,021	15.1
Colored	97,036	2,270	23.4
Phoenixville	11,557	192	16.6
Pittsburgh (total)	571,984	8,728	15.3
White	544,240	8,197	15.1
Colored	27,744	531	19.1
Pittston	18,223	297	16.3
Plymouth	18,761	175	9.3
Pottstown	16,601	231	13.9
Pottsville	22,028	402	18.2
Reading	107,594	1,455	13.5
Scranton	144,081	2,114	14.7
Shamokin	20,985	244	11.6
Sharon	18,077	252	13.9
Shenandoah	28,649	392	13.7
South Bethlehem	23,522	300	12.8
Steelton (total)	15,337	156	10.2
White	14,250	139	9.8
Colored	1,087	17	15.6
Sunbury	15,859	176	11.1
Uniontown (total)	19,960	266	13.3
White	18,342	227	12.4
Colored	1,618	39	24.1
Warren	14,391	159	11.0
Washington (total)	21,160	294	13.9
White	19,640	264	13.4
Colored	1,520	30	19.7
West Chester (total)	12,949	271	20.9
White	11,020	205	18.6
Colored	1,929	66	34.2
Wilkes-Barre	75,218	1,215	16.2
Wilkinsburg	22,361	285	12.7
Williamsport	33,495	555	16.6
York	50,543	630	12.5
RHODE ISLAND.			
Central Falls	25,171	281	11.2
Cranston [1]	25,201	702	27.9
Cumberland town	10,728	133	12.4
East Providence town	17,741	217	12.2
Newport (total)	29,631	378	12.8
White	27,996	355	12.7
Colored	1,635	23	14.1
Pawtucket	58,156	840	14.4
Providence	250,025	3,660	14.6
Warwick town [2]	29,431	524	17.8
Woonsocket	43,355	578	13.3
SOUTH CAROLINA.[3]			
Charleston (total)	60,427	1,770	29.3
White	29,623	490	16.5
Colored	30,804	1,280	41.6
Columbia* (total)	34,058	1,396	41.0
White	19,485	573	29.4
Colored	14,573	823	56.5
REGISTRATION CITIES—Continued.			
SOUTH CAROLINA—continued.			
Greenville (total)	17,788	370	20.8
White	10,992	142	12.9
Colored	6,796	228	33.5
Spartanburg (total)	20,745	333	16.1
White	12,495	172	13.8
Colored	8,250	161	19.5
TENNESSEE.[3]			
Chattanooga (total)	58,576	1,035	17.7
White	35,665	509	14.3
Colored	22,911	526	23.0
Jackson (total)	17,669	285	16.1
White	11,728	139	11.9
Colored	5,941	146	24.6
Knoxville (total)	38,300	639	16.7
White	30,513	445	14.6
Colored	7,787	194	24.9
Memphis (total)	146,113	2,895	19.8
White	92,252	1,286	13.9
Colored	53,861	1,609	29.9
Nashville (total)	115,978	1,997	17.2
White	79,857	1,117	14.0
Colored	36,121	880	24.4
TEXAS.[3]			
El Paso (total)	59,771	2,048	34.3
White	57,975	1,997	34.4
Colored [4]	1,796	51	28.4
Galveston (total)	41,076	895	21.8
White	32,095	587	18.3
Colored	8,981	308	34.3
San Antonio (total)	119,447	2,572	21.5
White	106,938	2,284	21.4
Colored	12,509	288	23.0
UTAH.			
Ogden	30,466	315	10.3
Salt Lake City	113,567	1,182	10.4
VERMONT.			
Barre	11,937	154	12.9
Burlington	21,432	396	18.5
Rutland	14,624	233	15.9
VIRGINIA.			
Alexandria (total)	17,754	296	16.7
White	13,193	172	13.0
Colored	4,561	124	27.2
Danville (total)	19,859	364	18.3
White	14,009	204	14.6
Colored	5,850	160	27.4
Lynchburg (total)	32,385	612	18.9
White	23,748	340	14.3
Colored	8,637	272	31.5
Newport News (total)	20,504	348	17.0
White	13,011	159	12.2
Colored	7,493	189	25.2
Norfolk (total)	88,076	1,646	18.7
White	54,920	726	13.2
Colored	33,156	920	27.7
Petersburg (total)	25,347	622	24.5
White	14,195	276	19.4
Colored	11,152	346	31.0
Portsmouth (total)	38,610	448	11.6
White	24,653	209	8.5
Colored	13,957	239	17.1
Richmond (total)	154,674	2,921	18.9
White	99,156	1,574	15.9
Colored	55,518	1,347	24.3
Roanoke (total)	41,929	614	14.6
White	32,898	403	12.2
Colored	9,031	211	23.4
Staunton* (total)	11,485	242	21.1
White	8,891	186	20.9
Colored	2,594	56	21.6
REGISTRATION CITIES—Continued.			
WASHINGTON.			
Aberdeen†	19,277	149	7.7
Bellingham†	31,609	262	8.3
Everett†	33,767	279	8.3
North Yakima	19,844	223	11.2
Seattle†	330,834	2,464	7.4
Spokane†	142,990	1,165	8.1
Tacoma†	108,094	857	7.9
Walla Walla†	24,205	178	7.4
WEST VIRGINIA.[3]			
Wheeling (total)	43,097	663	15.4
White	41,817	640	15.3
Colored [4]	1,280	23	18 0
WISCONSIN.			
Appleton	17,663	244	13.8
Ashland	[5] 11,594	202	17.4
Beloit	17,597	188	10.7
Eau Claire	18,727	295	15.8
Fond du Lac	20,740	286	13.8
Green Bay	28,689	429	15.0
Janesville	14,267	174	12.2
Kenosha†	30,319	236	7.8
La Crosse	31,522	404	12.8
Madison	30,084	377	12.5
Manitowoc	13,679	164	12.0
Marinette	[5] 14,610	171	11.7
Milwaukee	428,062	4,901	11.4
Oshkosh	35,581	387	10.9
Racine	45,507	528	11.6
Sheboygan	28,211	346	12.3
Superior†	45,285	398	8.8
Wausau	18,778	189	10.1
RURAL PART OF REGISTRATION STATES.[6]			
CALIFORNIA.			
Alameda County	34,565	718	20.8
Alpine County† (total)	[5] 309	2	6.5
White	[5] 213	2	9.4
Colored	[5] 96	.....	.....
Amador County	[5] 9,086	121	13.3
Butte County (total)	32,672	368	11.3
White	30,931	344	11.1
Colored	1,741	24	13.8
Calaveras County	[5] 9,171	98	10.7
Colusa County (total)	7,926	108	13.6
White	7,321	91	12.4
Colored	605	17	28.1
Contra Costa County (total)	38,863	389	10.0
White	36,673	379	10.3
Colored	2,190	10	4.6
Del Norte County† (total)	2,422	15	6.2
White	2,047	13	6.4
Colored	375	2	5.3
Eldorado County	[5] 7,492	114	15.2
Fresno County (total)	61,988	694	11.2
White	58,914	628	10.7
Colored	3,074	66	21.5
Glenn County†	8,238	70	8.5
Humboldt County† (total)	23,193	145	6.3
White	21,572	142	6.6
Colored	1,621	3	1.9
Inyo County† (total)	8,345	43	5.2
White	7,426	42	5.7
Colored	919	1	1.1
Kern County†	32,708	178	5.4
Kings County (total)	19,584	220	11.2
White	18,633	200	10.7
Colored	951	20	21.0
Lake County (total)	[5] 5,526	81	14.7
White	[5] 5,055	65	12.9
Colored	[5] 471	16	34.0

[1] Includes state institutions.
[2] Includes West Warwick town.
[3] Nonregistration state; cities shown below only those with effective local ordinances.
[4] Colored population less than 5 per cent of the total in 1910.
[5] Population Apr. 15, 1910. Decrease since 1900.
[6] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[1]—Con.			
CALIFORNIA—continued.			
Lassen County (total)	4,954	60	12.1
White	4,514	59	13.1
Colored	440	1	2.3
Los Angeles County	122,290	2,643	21.6
Madera County (total)	9,425	88	9.3
White	8,698	82	9.4
Colored	727	6	8.3
Marin County	30,079	280	9.3
Mariposa County† (total)	[2] 3,956	33	8.3
White	[2] 3,674	30	8.2
Colored	[2] 282	3	10.6
Mendocino County* (total)	25,756	310	12.0
White	24,144	294	12.2
Colored	1,612	16	9.9
Merced County	18,277	218	11.9
Modoc County† (total)	6,780	41	6.0
White	6,192	41	6.6
Colored	588	.....	.....
Mono County† (total)	[2] 2,042	6	2.9
White	[2] 1,621	6	3.7
Colored	[2] 421	.....	.....
Monterey County (total)	26,659	299	11.2
White	24,470	276	11.3
Colored	2,189	23	10.5
Napa County*	21,567	551	25.5
Nevada County	[2] 14,955	219	14.6
Orange County	42,210	621	14.7
Placer County (total)	19,529	250	12.8
White	17,667	226	12.8
Colored	1,862	24	12.9
Plumas County (total)	5,577	69	12.4
White	4,951	62	12.5
Colored	626	7	11.2
Riverside County (total)	24,525	253	10.3
White	22,879	250	10.9
Colored	1,646	3	1.8
Sacramento County (total)	14,544	168	11.6
White	12,421	124	10.0
Colored	2,123	44	20.7
San Benito County	8,782	107	12.2
San Bernardino County* (total)	42,181	676	16.0
White	39,958	658	16.5
Colored	2,223	18	8.1
San Diego County[3] (total)	45,324	626	13.8
White	41,948	598	14.3
Colored	3,376	28	8.3
San Joaquin County (total)	24,280	424	17.5
White	21,462	376	17.5
Colored	2,818	48	17.0
San Luis Obispo County	20,831	231	11.1
San Mateo County	34,226	361	10.5
Santa Barbara County† (total)	18,048	151	8.4
White	16,793	139	8.3
Colored	1,255	12	9.6
Santa Clara County* (total)	57,845	1,103	19.1
White	54,520	1,065	19.5
Colored	3,325	38	11.4
Santa Cruz County (total)	14,541	218	15.0
White	13,748	200	14.5
Colored	793	18	22.7
Shasta County (total)	19,764	228	11.5
White	18,791	214	11.4
Colored	973	14	14.4
Sierra County†	4,140	37	8.9
Siskiyou County† (total)	19,770	177	9.0
White	18,345	170	9.3
Colored	1,425	7	4.9
Solano County (total)	16,242	201	12.4
White	14,547	189	13.0
Colored	1,695	12	7.1
RURAL PART OF REGISTRATION STATES[1]—Con.			
CALIFORNIA—continued.			
Sonoma County	53,622	719	13.4
Stanislaus County	29,362	360	12.3
Sutter County (total)	6,560	72	11.0
White	6,307	71	11.3
Colored	253	1	4.0
Tehama County (total)	11,615	144	12.4
White	11,299	134	11.9
Colored	316	10	31.6
Trinity County (total)	[2] 3,301	43	13.0
White	[2] 2,903	38	13.1
Colored	[2] 398	5	12.6
Tulare County	44,440	444	10.0
Tuolumne County	[2] 9,979	98	9.8
Ventura County (total)	20,446	288	14.1
White	18,876	278	14.7
Colored	1,570	10	6.4
Yolo County (total)	14,088	211	15.0
White	12,598	196	15.6
Colored	1,490	15	10.1
Yuba County (total)	10,792	163	15.1
White	9,572	141	14.7
Colored	1,220	22	18.0
COLORADO.			
Arapahoe County† [4]	23,847	214	9.0
Archuleta County†	3,928	28	7.1
Baca County†	3,444	10	2.9
Bent County	6,096	102	16.7
Boulder County	34,963	384	11.0
Chaffee County	7,904	156	19.7
Cheyenne County†	5,367	20	3.7
Clear Creek County	[2] 5,001	69	13.8
Conejos County† [5]	18,553	140	7.5
Custer County	[2] 1,947	21	10.8
Delta County†	18,012	116	6.4
Dolores County†	[2] 642	4	6.2
Douglas County†	3,230	22	6.8
Eagle County†	[2] 2,985	19	6.4
El Paso County	17,157	246	14.3
Elbert County†	6,507	44	6.8
Fremont County	19,524	237	12.1
Garfield County †	12,416	109	8.8
Gilpin County †	[2] 4,131	33	8.0
Grand County †	2,452	15	6.1
Gunnison County	6,195	60	9.7
Hinsdale County	[2] 646	15	23.2
Huerfano County	15,917	223	14.0
Jefferson County	16,828	228	13.5
Kiowa County †	4,057	2	0.5
Kit Carson County †	10,596	60	5.7
La Plata County	12,813	141	11.0
Lake County	[2] 10,600	223	21.0
Larimer County† [6]	33,728	253	7.5
Las Animas County	26,531	261	9.8
Lincoln County †	8,548	46	5.4
Logan County †	12,848	100	7.8
Mesa County †	29,015	167	5.8
Mineral County	[2] 1,239	15	12.1
Montezuma County † (total)	6,067	52	8.6
White	5,669	52	9.2
Colored	398	.....	.....
Montrose County †	13,325	117	8.8
Morgan County	12,904	123	9.5
Otero County [7]	24,778	305	12.3
Ouray County	[2] 3,514	39	11.1
Park County	[2] 2,492	24	9.6
Phillips County†	4,019	29	7.2
Pitkin County	[2] 4,566	43	9.4
Prowers County†	12,553	80	6.4
Pueblo County*	8,758	322	36.8
Rio Blanco County†	2,671	23	8.6
RURAL PART OF REGISTRATION STATES[1]—Con.			
COLORADO—continued.			
Rio Grande County † (total)	7,870	42	5.3
White	7,324	42	5.7
Colored	546	.....	.....
Routt County [8]	9,617	98	10.2
Saguache County †	4,321	34	7.9
San Juan County	3,443	56	16.3
San Miguel County	[2] 4,700	61	13.0
Sedgwick County †	4,162	20	4.8
Summit County	[2] 2,003	22	11.0
Teller County	[2] 14,351	254	17.7
Washington County †	7,472	50	6.7
Weld County†	50,974	442	8.7
Yuma County †	10,580	73	6.9
CONNECTICUT.			
Fairfield County	54,201	827	15.3
Hartford County	87,081	1,275	14.6
Litchfield County	54,582	769	14.1
Middlesex County	25,213	326	12.9
New Haven County	51,385	792	15.4
New London County *	45,737	785	17.2
Tolland County	27,481	344	12.5
Windham County	35,248	542	15.4
INDIANA.			
Adams County	[2] 21,840	233	10.7
Allen County	27,533	293	10.6
Bartholomew County	24,927	319	12.8
Benton County †	[2] 12,688	108	8.5
Blackford County	[2] 15,820	165	10.4
Boone County	[2] 24,673	274	11.1
Brown County	[2] 7,975	73	9.2
Carroll County	[2] 17,970	189	10.5
Cass County *	16,571	303	18.3
Clark County (total)	[2] 19,848	217	10.9
White	[2] 18,638	195	10.5
Colored	[2] 1,210	22	18.2
Clay County	[2] 32,535	364	11.2
Clinton County	[2] 26,674	317	11.9
Crawford County	[2] 12,057	131	10.9
Daviess County	[2] 27,747	290	10.5
Dearborn County	[2] 21,396	256	12.0
Decatur County	[2] 18,793	228	12.1
Dekalb County	[2] 25,054	311	12.4
Delaware County	27,161	309	11.4
Dubois County	[2] 19,843	235	11.8
Elkhart County	29,648	339	11.4
Fayette County	14,898	203	13.6
Floyd County	6,755	101	15.0
Fountain County	[2] 20,439	22	10.9
Franklin County	[2] 15,335	19	12.8
Fulton County	[2] 16,879	206	12.2
Gibson County	30,155	359	11.9
Grant County [9]	[2] 32,067	507	15.8
Greene County	41,272	387	9.4
Hamilton County	[2] 27,026	323	12.0
Hancock County	[2] 19,030	213	11.2
Harrison County	[2] 20,232	211	10.4
Hendricks County	[2] 20,840	254	12.2
Henry County	32,220	421	13.1
Howard County	15,291	167	10.9
Huntington County	18,494	207	11.2
Jackson County	[2] 24,727	295	11.9
Jasper County †	[2] 13,044	117	9.0
Jay County	[2] 24,961	275	11.0
Jefferson County *	[2] 20,483	390	19.0
Jennings County	[2] 14,203	193	13.6
Johnson County	20,482	251	12.3
Knox County	25,374	284	11.2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Population Apr. 15, 1910. Decrease since 1900.
[3] Includes Imperial County; separate estimated populations not available.
[4] Includes Adams County; separate estimated populations not available.
[5] Includes Alamosa and Costilla Counties; separate estimated populations not available.
[6] Includes Jackson County; separate estimated population not available.
[7] Includes Crowley County; separate estimated populations not available.
[8] Includes Moffat County; separate estimated populations not available.
[9] Includes National Military Home.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[1]—Con.			
INDIANA—continued.			
Kosciusko County	[2] 27,936	310	11.1
Lagrange County	[2] 15,148	192	12.7
Lake County	37,254	353	9.5
Laporte County	15,759	165	10.5
Lawrence County	33,205	377	11.4
Madison County	[2] 31,720	350	11.0
Marion County *	33,119	479	14.5
Marshall County	[2] 24,175	283	11.7
Martin County	[2] 12,950	119	9.2
Miami County	17,599	202	11.5
Monroe County	24,769	287	11.6
Montgomery County	[2] 29,296	412	14.1
Morgan County	21,561	257	11.9
Newton County †	10,530	85	8.1
Noble County	24,258	315	13.0
Ohio County	[2] 4,329	43	9.9
Orange County	17,368	236	13.6
Owen County	[2] 14,053	164	11.7
Parke County	[2] 22,214	273	12.3
Perry County	[2] 18,078	199	11.0
Pike County	[2] 19,684	250	12.7
Porter County	21,259	249	11.7
Posey County	[2] 21,670	233	10.8
Pulaski County	[2] 13,312	133	10.0
Putnam County	[2] 20,520	252	12.3
Randolph County	29,201	358	12.3
Ripley County	[2] 19,452	226	11.6
Rush County	[2] 19,349	241	12.5
St. Joseph County	15,474	251	16.2
Scott County	8,330	92	11.0
Shelby County	26,964	385	14.3
Spencer County	[2] 20,676	220	10.6
Starke County	10,638	114	10.7
Steuben County	[2] 14,274	178	12.5
Sullivan County	35,831	361	10.1
Switzerland County	[2] 9,914	119	12.0
Tippecanoe County	19,712	300	15.2
Tipton County	[2] 17,459	210	12.0
Union County	[2] 6,260	86	13.7
Vanderburg County *	8,103	295	36.4
Vermilion County	20,770	286	13.8
Vigo County	36,780	381	10.4
Wabash County	[2] 26,926	312	11.6
Warren County	[2] 10,899	120	11.0
Warrick County	[2] 21,911	229	10.5
Washington County	[2] 17,445	192	11.0
Wayne County *	21,967	392	17.8
Wells County	[2] 22,418	205	9.1
White County	[2] 17,602	178	10.1
Whitley County	[2] 16,892	198	11.7
KANSAS.			
Allen County †	31,929	261	8.2
Anderson County	[2] 13,829	153	11.1
Atchison County †	[2] 11,678	76	6.5
Barber County †	11,667	83	7.1
Barton County	20,033	195	9.7
Bourbon County †	[2] 13,544	98	7.2
Brown County †	[2] 21,314	190	8.9
Butler County †	[2] 23,059	199	8.6
Chase County	[2] 7,527	86	11.4
Chautauqua County	[2] 11,429	123	10.8
Cherokee County	[2] 38,162	456	11.9
Cheyenne County †	5,096	34	6.7
Clark County †	5,354	25	4.7
Clay County	[2] 15,251	147	9.6
Cloud County	18,556	175	9.4
Coffey County	[2] 15,205	147	9.7
Comanche County †	4,157	30	7.2
Cowley County	32,650	339	10.4
Crawford County	40,345	446	11.1
Decatur County †	[2] 8,976	70	7.8
RURAL PART OF REGISTRATION STATES[1]—Con.			
KANSAS—continued.			
Dickinson County	25,704	241	9.4
Doniphan County	[2] 14,422	154	10.7
Douglas County †	[2] 12,350	89	7.2
Edwards County †	8,800	60	6.8
Elk County	[2] 10,128	95	9.4
Ellis County †	14,040	118	8.4
Ellsworth County	10,875	109	10.0
Finney County †	8,722	71	8.1
Ford County	14,503	144	9.9
Franklin County	[2] 20,884	278	13.3
Geary County †	13,703	99	7.2
Gove County †	7,945	34	4.3
Graham County † (total)	10,560	74	7.0
White	9,930	65	6.5
Colored	630	9	14.3
Grant County †	1,437	10	7.0
Gray County †	4,101	20	4.9
Greeley County †	1,779	2	1.1
Greenwood County †	[2] 16,060	132	8.2
Hamilton County †	4,380	26	5.9
Harper County †	17,088	124	7.3
Harvey County	20,050	219	10.9
Haskell County	1,275	12	9.4
Hodgeman County †	3,405	22	6.5
Jackson County	[2] 16,861	171	10.1
Jefferson County	[2] 15,826	184	11.6
Jewell County †	[2] 18,148	132	7.3
Johnson County	18,384	199	10.8
Kearny County †	4,311	22	5.1
Kingman County †	14,822	103	6.9
Kiowa County †	8,182	66	8.1
Labette County	18,567	217	11.7
Lane County †	3,151	20	6.3
Leavenworth County [3] (total)	22,710	443	19.5
White	21,043	426	20.2
Colored	1,667	17	10.2
Lincoln County †	10,277	72	7.0
Linn County	[2] 14,735	153	10.4
Logan County † (total)	5,439	30	5.5
White	4,995	29	5.8
Colored	444	1	2.3
Lyon County	[2] 24,927	293	11.8
McPherson County	21,573	225	10.4
Marion County †	23,332	206	8.8
Marshall County †	[2] 23,880	190	8.0
Meade County †	6,886	39	5.7
Miami County	[2] 20,038	338	16.9
Mitchell County	[2] 14,089	143	10.1
Montgomery County †	29,584	239	8.1
Morris County †	12,622	101	8.0
Morton County †	1,875	7	3.7
Nemaha County	[2] 19,072	186	9.8
Neosho County †	26,125	222	8.5
Ness County	6,529	61	9.3
Norton County	11,765	111	9.4
Osage County	[2] 19,905	211	10.6
Osborne County †	13,344	116	8.7
Ottawa County	12,141	114	9.4
Pawnee County †	10,849	93	8.6
Phillips County †	[2] 14,150	108	7.6
Pottawatomie County †	[2] 17,522	140	8.0
Pratt County †	13,302	95	7.1
Rawlins County †	6,979	42	6.0
Reno County †	22,461	142	6.3
Republic County †	[2] 17,447	128	7.3
Rice County	15,295	139	9.1
Riley County	16,814	161	9.6
Rooks County †	13,032	67	5.1
Rush County †	8,717	60	6.9
Russell County	12,019	118	9.8
Saline County	22,057	246	11.2
Scott County †	4,073	16	3.9
Sedgwick County †	20,572	125	6.1
RURAL PART OF REGISTRATION STATES[1]—Con.			
KANSAS—continued.			
Seward County †	5,815	40	6.9
Shawnee County (total)	18,257	314	17.2
White	16,882	285	16.9
Colored	1,375	29	21.1
Sheridan County †	6,615	30	4.5
Sherman County †	5,184	32	6.2
Smith County †	[2] 15,365	126	8.2
Stafford County †	13,922	114	8.2
Stanton County †	1,405	3	2.1
Stevens County †	3,418	16	4.7
Sumner County †	33,302	283	8.5
Thomas County †	6,163	39	6.3
Trego County †	6,809	33	4.8
Wabaunsee County † (total)	[2] 12,721	105	8.3
White	[2] 12,009	94	7.8
Colored	[2] 712	11	15.4
Wallace County †	3,592	19	5.3
Washington County †	[2] 20,229	143	7.1
Wichita County †	2,433	15	6.2
Wilson County †	22,018	197	8.9
Woodson County	[2] 9,450	90	9.5
Wyandotte County (total)	17,370	253	14.6
White	15,589	205	13.2
Colored	1,781	48	27.0
KENTUCKY.			
Adair County (total)	17,354	187	10.8
White	15,941	145	9.1
Colored	1,413	42	29.7
Allen County (total)	15,001	171	11.4
White	14,190	156	11.0
Colored	811	15	18.5
Anderson County (total)	10,195	126	12.4
White	9,600	118	12.3
Colored	595	8	13.4
Ballard County (total)	13,707	142	10.4
White	12,079	109	9.0
Colored	1,628	33	20.3
Barren County (total)	26,398	324	12.3
White	22,912	239	10.4
Colored	3,486	85	24.4
Bath County (total)	[2] 13,988	166	11.9
White	[2] 12,652	144	11.4
Colored	[2] 1,336	22	16.5
Bell County (total)	35,169	337	9.6
White	31,633	298	9.4
Colored	3,536	39	11.0
Boone County (total)	[2] 9,420	94	10.0
White	[2] 8,942	85	9.5
Colored	[2] 478	9	18.8
Bourbon County (total)	[2] 17,462	296	17.0
White	11,819	172	14.6
Colored	[2] 5,643	124	22.0
Boyd County (total)	25,875	303	11.7
White	25,010	286	11.4
Colored [4]	865	17	19.7
Boyle County (total)	15,117	214	14.2
White	11,295	131	11.6
Colored	3,822	83	21.7
Bracken County (total)	[2] 10,308	105	10.2
White	[2] 9,969	99	9.9
Colored [4]	[2] 339	6	17.7
Breathitt County † (total)	19,238	89	4.6
White	18,996	88	4.6
Colored [4]	242	1	4.1
Breckinridge County (total)	21,297	285	13.4
White	19,985	243	12.2
Colored	1,312	42	32.0
Bullitt County (total)	[2] 9,487	129	13.6
White	8,808	119	13.5
Colored	[2] 679	10	14.7

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Population Apr. 15, 1910. Decrease since 1900.

[3] Includes National Military Home.

[4] Colored population less than 5 per cent of the total in 1910.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES [1]—Con.			
KENTUCKY—continued.			
Butler County† (total)	[2] 15,805	142	9.0
White	15,244	127	8.3
Colored [3]	[2] 561	15	26.7
Caldwell County (total)	[2] 14,063	156	11.1
White	[2] 11,543	115	10.0
Colored	[2] 2,520	41	16.3
Calloway County† (total)	21,045	187	8.9
White	20,074	173	8.6
Colored	971	14	14.4
Campbell County (total)	30,362	369	12.2
White	30,183	364	12.1
Colored [3]	179	5	27.9
Carlisle County (total)	[2] 9,048	110	12.2
White	[2] 8,655	98	11.3
Colored [3]	[2] 393	12	30.5
Carroll County (total)	[2] 8,110	100	12.3
White	[2] 7,580	94	12.4
Colored	[2] 530	6	11.3
Carter County (total)	22,884	237	10.4
White	22,788	233	10.2
Colored [3]	96	4	(4)
Casey County (total)	15,657	177	11.3
White	15,496	173	11.2
Colored [3]	161	4	24.8
Christian County* (total)	39,310	682	17.3
White	23,695	354	14.9
Colored	15,615	328	21.0
Clark County (total)	18,669	263	14.1
White	14,574	177	12.1
Colored	4,095	86	21.0
Clay County† (total)	19,066	132	6.9
White	18,609	126	6.8
Colored [3]	457	6	13.1
Clinton County † (total)	8,301	31	3.7
White	8,252	30	3.6
Colored [3]	49	1	(4)
Crittenden County † (total)	[2] 13,296	100	7.5
White	[2] 12,708	93	7.3
Colored [3]	[2] 588	7	11.9
Cumberland County † (total)	10,311	84	8.1
White	9,234	74	8.0
Colored	1,077	10	9.3
Daviess County (total)	24,763	278	11.2
White	22,902	243	10.6
Colored	1,861	35	18.8
Edmonson County † (total)	10,673	89	8.3
White	10,240	85	8.3
Colored [3]	433	4	9.2
Elliott County † (total)	[2] 9,814	87	8.9
White	[2] 9,809	87	8.9
Colored [3]	5	.....	.....
Estill County † (total)	12,592	95	7.5
White	12,547	95	7.6
Colored [3]	45	.....	.....
Fayette County (total)	10,988	150	13.7
White	7,866	93	11.8
Colored	3,122	57	18.3
Fleming County (total)	[2] 16,066	209	13.0
White	[2] 15,039	190	12.6
Colored	[2] 1,027	19	18.5
Floyd County † (total)	20,243	159	7.9
White	20,093	157	7.8
Colored [3]	150	2	13.3
Franklin County (total)	10,302	111	10.8
White	9,483	99	10.4
Colored	819	12	14.7
Fulton County (total)	15,468	249	16.1
White	11,840	183	15.5
Colored	3,628	66	18.2
Gallatin County (total)	[2] 4,697	64	13.6
White	[2] 4,423	62	14.0
Colored	[2] 274	2	7.3

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES [1]—Con.			
KENTUCKY—continued.			
Garrard County (total)	[2] 11,894	140	11.8
White	9,610	91	9.5
Colored	[2] 2,284	49	21.5
Grant County (total)	[2] 10,581	147	13.9
White	[2] 10,289	136	13.2
Colored [3]	[2] 292	11	37.7
Graves County (total)	33,716	325	9.6
White	31,050	273	8.8
Colored	2,666	52	19.5
Grayson County (total)	20,000	197	9.9
White	19,717	187	9.5
Colored [3]	283	10	35.3
Green County † (total)	[2] 11,871	106	8.9
White	10,528	86	8.2
Colored	[2] 1,343	20	14.9
Greenup County (total)	20,079	240	12.0
White	19,813	237	12.0
Colored [3]	266	3	11.3
Hancock County (total)	[2] 8,512	99	11.6
White	[2] 7,946	89	11.2
Colored	[2] 566	10	17.7
Hardin County (total)	[2] 22,696	285	12.6
White	20,870	250	12.0
Colored	[2] 1,826	35	19.2
Harlan County (total)	10,948	147	13.4
White	10,205	139	13.6
Colored	743	8	10.8
Harrison County (total)	[2] 16,873	203	12.0
White	[2] 15,122	172	11.4
Colored	[2] 1,751	31	17.7
Hart County (total)	[2] 18,173	227	12.5
White	16,182	190	11.7
Colored	[2] 1,991	37	18.6
Henderson County (total)	[2] 17,900	202	11.3
White	[2] 14,098	142	10.1
Colored	[2] 3,802	60	15.8
Henry County (total)	[2] 13,716	182	13.3
White	[2] 11,924	140	11.7
Colored	[2] 1,792	42	23.4
Hickman County (total)	11,750	126	10.7
White	10,173	99	9.7
Colored	1,547	27	17.1
Hopkins County (total)	36,028	416	11.5
White	28,689	311	10.8
Colored	7,339	105	14.3
Jackson County † (total)	10,823	72	6.7
White	10,801	71	6.6
Colored [3]	22	1	(4)
Jefferson County * (total)	41,925	747	17.8
White	36,929	599	16.2
Colored	4,996	148	29.6
Jessamine County (total)	12,975	177	13.6
White	10,216	122	11.9
Colored	2,759	55	19.9
Johnson County (total)	19,460	184	9.5
White	19,388	183	9.4
Colored [3]	72	1	(4)
Kenton County (total)	17,403	187	10.7
White	17,171	182	10.6
Colored [3]	232	5	21.6
Knott County † (total)	11,890	85	7.1
White	11,736	81	6.9
Colored [3]	154	4	26.0
Knox County (total)	24,616	289	11.7
White	23,387	272	11.6
Colored [3]	1,229	17	13.8
Larue County (total)	[2] 10,701	124	11.6
White	[2] 9,916	112	11.3
Colored	785	12	15.3
Laurel County † (total)	21,074	155	7.4
White	20,409	148	7.3
Colored [3]	665	7	10.5

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES [1]—Con.			
KENTUCKY—continued.			
Lawrence County (total)	20,307	216	10.6
White	20,154	214	10.6
Colored [3]	153	2	13.1
Lee County † (total)	10,344	91	8.8
White	10,130	88	8.7
Colored [3]	214	3	14.0
Leslie County † (total)	10,148	57	5.6
White	9,985	54	5.4
Colored [3]	163	3	18.4
Letcher County (total)	11,388	133	11.7
White	11,386	123	10.8
Colored [3]	2	10	(4)
Lewis County (total)	[2] 16,887	194	11.5
White	[2] 16,746	194	11.6
Colored [3]	[2] 141	.....	.....
Lincoln County (total)	18,338	234	12.8
White	15,677	188	12.0
Colored	2,661	46	17.3
Livingston County (total)	[2] 10,627	106	10.0
White	[2] 9,957	101	10.1
Colored	[2] 670	5	7.5
Logan County (total)	[2] 24,977	295	11.8
White	19,623	208	10.6
Colored	[2] 5,354	87	16.2
Lyon County (total)	9,476	110	11.6
White	7,747	80	10.3
Colored	1,729	30	17.4
McCracken County † (total)	13,897	117	8.4
White	11,792	103	8.7
Colored	2,105	14	6.7
McLean County (total)	13,658	140	10.3
White	12,974	123	9.5
Colored	684	17	24.9
Madison County (total)	27,659	330	11.9
White	22,479	218	9.7
Colored	5,180	112	21.6
Magoffin County (total)	14,523	159	10.9
White	14,414	153	10.6
Colored [3]	109	6	55.0
Marion County (total)	16,351	225	13.8
White	14,371	161	11.2
Colored	1,980	64	32.3
Marshall County † (total)	16,865	130	7.7
White	16,844	129	7.7
Colored [3]	21	1	(4)
Martin County † (total)	8,088	68	8.4
White	8,084	68	8.4
Colored [3]	4	.....	.....
Mason County (total)	[2] 18,611	285	15.3
White	[2] 15,741	220	14.0
Colored	[2] 2,870	65	22.6
Meade County (total)	[2] 9,783	130	13.3
White	[2] 9,128	118	12.9
Colored	[2] 655	12	18.3
Menifee County (total)	[2] 6,153	56	9.1
White	[2] 6,113	56	9.2
Colored [3]	[2] 40	.....	.....
Mercer County (total)	[2] 14,063	180	12.8
White	[2] 11,892	137	11.5
Colored	[2] 2,171	43	19.8
Metcalfe County (total)	10,698	115	10.7
White	10,011	103	10.3
Colored	687	12	17.5
Monroe County (total)	13,984	158	11.3
White	13,235	145	11.0
Colored	749	13	17.4
Montgomery County (total)	12,884	182	14.1
White	9,846	126	12.8
Colored	3,038	56	18.4
Morgan County (total)	18,087	175	9.7
White	18,064	175	9.7
Colored [3]	23	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Population Apr. 15, 1910. Decrease since 1900.
[3] Colored population less than 5 per cent of the total in 1910.
[4] Rate not shown when population is less than 100.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[1]—Con.			
KENTUCKY—continued.			
Muhlenberg County (total)	32,740	422	12.9
White	29,433	366	12.4
Colored	3,307	56	16.9
Nelson County (total)	16,956	237	14.0
White	14,292	180	12.6
Colored	2,664	57	21.4
Nicholas County (total)	[2] 10,601	113	10.7
White	[2] 9,705	101	10.4
Colored	[2] 896	12	13.4
Ohio County (total)	27,830	305	11.0
White	26,595	286	10.8
Colored [3]	1,235	19	15.4
Oldham County (total)	7,337	119	16.2
White	6,545	98	15.0
Colored	792	21	26.5
Owen County (total)	[2] 14,248	167	11.7
White	[2] 13,305	151	11.3
Colored	[2] 943	16	17.0
Owsley County † (total)	8,560	60	7.0
White	8,484	60	7.1
Colored [3]	76	.....	.....
Pendleton County (total)	[2] 11,985	162	13.5
White	[2] 11,724	156	13.3
Colored [3]	[2] 261	6	23.0
Perry County † (total)	12,825	99	7.7
White	12,583	91	7.2
Colored [3]	242	8	33.1
Pike County (total)	36,421	336	9.2
White	36,014	322	8.9
Colored [3]	407	14	34.4
Powell County (total)	[2] 6,268	67	10.7
White	[2] 5,931	63	10.6
Colored	[2] 337	4	11.9
Pulaski County [4] (total)	93,016	898	9.7
White	89,794	845	9.4
Colored [3]	3,222	53	16.4
Robertson County (total)	[2] 4,121	41	9.9
White	[2] 4,051	40	9.9
Colored [3]	[2] 70	1	(5)
Rockcastle County† (total)	15,556	139	8.9
White	15,448	137	8.9
Colored [3]	108	2	18.5
Rowan County (total)	10,049	125	12.4
White	9,988	122	12.2
Colored [3]	61	3	(5)
Russell County (total)	11,476	118	10.3
White	11,313	116	10.3
Colored [3]	163	2	12.3
Scott County (total)	[2] 16,956	205	12.1
White	[2] 12,912	137	10.6
Colored	[2] 4,044	68	16.8
Shelby County (total)	[2] 18,041	258	14.3
White	14,050	186	13.2
Colored	[2] 3,991	72	18.0
Simpson County (total)	[2] 11,460	150	13.1
White	9,295	116	12.5
Colored	[2] 2,165	34	15.7
Spencer County (total)	7,650	98	12.8
White	7,153	83	11.6
Colored	497	15	30.2
Taylor County† (total)	12,428	108	8.7
White	11,110	79	7.1
Colored	1,318	29	22.0
Todd County (total)	[2] 16,488	202	12.3
White	[2] 11,145	116	10.4
Colored	[2] 5,343	86	16.1
Trigg County (total)	14,784	191	12.9
White	11,556	122	10.6
Colored	3,228	69	21.4
Trimble County† (total)	[2] 6,512	32	4.9
White	[2] 6,370	30	4.7
Colored [3]	[2] 142	2	14.1
Union County (total)	[2] 19,886	217	10.9
White	[2] 17,472	165	9.4
Colored	[2] 2,414	52	21.5
RURAL PART OF REGISTRATION STATES[1]—Con.			
KENTUCKY—continued.			
Warren County (total)	30,899	392	12.7
White	25,251	283	11.2
Colored	5,648	109	19.3
Washington County (total)	[2] 13,940	162	11.6
White	[2] 12,161	129	10.6
Colored	[2] 1,779	33	18.5
Webster County (total)	21,436	234	10.9
White	18,660	193	10.3
Colored	2,776	41	14.8
Wolfe County† (total)	10,442	89	8.5
White	10,408	87	8.4
Colored [3]	34	2	(5)
Woodford County (total)	[2] 12,571	172	13.7
White	8,847	103	11.6
Colored	[2] 3,724	69	18.5
MAINE.			
Androscoggin County	19,030	275	14.5
Aroostook County	82,005	1,021	12.5
Cumberland County	54,973	849	15.4
Franklin County	19,474	283	14.5
Hancock County	[2] 35,575	528	14.8
Kennebec County [6]	38,321	762	19.9
Knox County	[2] 28,981	530	18.3
Lincoln County	[2] 18,216	274	15.0
Oxford County	38,375	553	14.4
Penobscot County	63,691	922	14.5
Piscataquis County	21,434	246	11.5
Sagadahoc County	[2] 18,574	286	15.4
Somerset County	37,593	557	14.8
Waldo County	[2] 23,383	410	17.5
Washington County	[2] 42,905	608	14.2
York County	52,876	834	15.8
MARYLAND.			
Allegany County (total)	41,444	407	9.8
White	41,116	391	9.5
Colored [3]	328	16	48.8
Anne Arundel County (total)	[2] 39,553	739	18.7
White	25,396	364	14.3
Colored	[2] 14,157	375	26.5
Baltimore County * (total)	139,012	2,023	14.6
White	125,877	1,790	14.2
Colored	13,135	233	17.7
Calvert County (total)	10,378	154	14.8
White	5,384	55	10.2
Colored	4,994	99	19.8
Caroline County (total)	20,781	284	13.7
White	15,703	184	11.7
Colored	5,078	100	19.7
Carroll County * (total)	33,972	566	16.7
White	32,027	523	16.3
Colored	1,945	43	22.1
Cecil County (total)	[2] 23,759	373	15.7
White	[2] 20,425	313	15.3
Colored	[2] 3,334	60	18.0
Charles County (total)	[2] 16,386	270	16.5
White	[2] 7,813	98	12.5
Colored	[2] 8,573	172	20.1
Dorchester County (total)	29,040	504	17.4
White	19,654	274	13.9
Colored	9,386	230	24.5
Frederick County (total)	42,070	599	14.2
White	38,430	507	13.2
Colored	3,640	92	25.3
Garrett County (total)	21,371	228	10.7
White	21,275	228	10.7
Colored [3]	96	.....	.....
Harford County (total)	[2] 27,965	388	13.9
White	22,849	286	12.5
Colored	[2] 5,116	102	19.9
Howard County (total)	[2] 16,106	198	12.3
White	12,332	124	10.1
Colored	[2] 3,774	74	19.6
RURAL PART OF REGISTRATION STATES[1]—Con.			
MARYLAND—continued.			
Kent County (total)	[2] 16,957	273	16.1
White	[2] 10,795	127	11.8
Colored	[2] 6,162	146	23.7
Montgomery County (total)	32,952	437	13.3
White	24,139	283	11.7
Colored	8,813	154	17.5
Prince Georges County (total)	39,442	522	13.2
White	28,194	296	10.5
Colored	11,248	226	20.1
Queen Annes County (total)	[2] 16,839	274	16.3
White	[2] 11,023	143	13.0
Colored	[2] 5,816	131	22.5
St. Marys County (total)	[2] 17,030	272	16.0
White	9,726	115	11.8
Colored	[2] 7,304	157	21.5
Somerset County (total)	26,735	400	15.0
White	17,290	234	13.5
Colored	9,445	166	17.6
Talbot County (total)	[2] 19,620	312	15.9
White	[2] 12,841	175	13.6
Colored	[2] 6,779	137	20.2
Washington County (total)	26,749	377	14.1
White	26,341	362	13.7
Colored [3]	408	15	36.8
Wicomico County (total)	28,904	424	14.7
White	22,339	285	12.8
Colored	6,565	139	21.2
Worcester County (total)	22,356	354	15.8
White	15,247	218	14.3
Colored	7,109	136	19.1
MASSACHUSETTS.			
Barnstable County	[2] 27,542	494	17.9
Berkshire County	37,846	504	13.3
Bristol County	57,326	783	13.7
Dukes County (total)	[2] 4,504	76	16.9
White	[2] 4,164	66	15.9
Colored	340	10	29.4
Essex County*	93,008	1,344	14.5
Franklin County	33,116	466	14.1
Hampden County	46,796	733	15.7
Hampshire County	45,857	582	12.7
Middlesex County*	126,760	2,311	18.2
Nantucket County	[2] 2,962	72	24.3
Norfolk County*	106,867	1,365	12.8
Plymouth County*	81,113	1,265	15.6
Worcester County*	135,140	2,023	15.0
MICHIGAN.			
Alcona County	5,709	54	9.5
Alger County	8,629	89	10.3
Allegan County	40,351	536	13.3
Alpena County	7,686	72	9.4
Antrim County	[2] 15,692	161	10.3
Arenac County	[2] 9,640	120	12.4
Baraga County† (total)	7,081	64	9.0
White	6,434	47	7.3
Colored	647	17	26.3
Barry County	22,697	293	12.9
Bay County†	23,834	214	9.0
Benzie County	11,139	121	10.9
Berrien County	55,972	716	12.8
Branch County	[2] 25,605	363	14.2
Calhoun County	31,699	453	14.3
Cass County (total)	[2] 20,624	291	14.1
White	[2] 19,048	255	13.4
Colored	[2] 1,576	36	22.8
Charlevoix County	21,900	229	10.5
Cheboygan County	19,114	203	10.6
Chippewa County†	12,415	109	8.8
Clare County†	9,705	81	8.3
Clinton County	[2] 23,129	300	13.0
Crawford County	4,456	62	13.9
Delta County†	18,275	141	7.7

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Population Apr. 15, 1910. Decrease since 1900.

[3] Colored population less than 5 per cent of the total in 1910.

[4] Includes McCreary, Wayne, and Whitley Counties; separate estimated populations not available.

[5] Rate not shown when population is less than 100.

[6] Includes National Military Home.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[1]—Con.			
MICHIGAN—continued.			
Dickinson County†	21,914	194	8.9
Eaton County	[2] 30,499	405	13.3
Emmet County (total)	19,947	235	11.8
White	18,974	211	11.1
Colored	973	24	24.7
Genesee County	24,396	438	18.0
Gladwin County	9,388	91	9.7
Gogebic County	12,348	137	11.1
Grand Traverse County	11,985	116	9.7
Gratiot County	[2] 28,820	373	12.9
Hillsdale County	[2] 29,673	397	13.4
Houghton County†	99,719	817	8.2
Huron County	35,072	367	10.5
Ingham County	21,420	352	16.4
Ionia County*	[2] 33,550	437	13.0
Iosco County†	[2] 9,753	79	8.1
Iron County	18,419	172	9.3
Isabella County	23,157	245	10.6
Jackson County	21,441	319	14.9
Kalamazoo County	21,563	263	12.2
Kalkaska County	8,604	82	9.5
Kent County	48,907	750	15.3
Keweenaw County†	9,233	53	5.7
Lake County	[2] 4,939	70	14.2
Lapeer County	[2] 26,033	400	15.4
Leelanau County	10,634	116	10.9
Lenawee County	[2] 37,144	519	14.0
Livingston County	[2] 17,736	276	15.6
Luce County*	4,541	106	23.3
Mackinac County (total)	10,063	105	10.4
White	8,690	97	11.2
Colored	1,373	8	5.8
Macomb County	[2] 32,606	444	13.6
Manistee County	[2] 14,307	165	11.5
Marquette County	25,352	242	9.5
Mason County †	23,384	209	8.9
Mecosta County	[2] 19,466	272	14.0
Menominee County †	[2] 15,141	122	8.1
Midland County	[2] 14,005	173	12.4
Missaukee County †	11,288	90	8.0
Monroe County	33,001	404	12.2
Montcalm County	[2] 32,069	395	12.3
Montmorency County	4,029	46	11.4
Muskegon County	16,672	214	12.8
Newaygo County	20,034	217	10.8
Oakland County	35,055	500	14.3
Oceana County	19,293	203	10.5
Ogemaw County †	9,508	80	8.4
Ontonagon County	9,942	118	11.9
Osceola County	17,905	182	10.2
Oscoda County †	2,320	16	6.9
Otsego County	6,750	69	10.2
Ottawa County	36,358	413	11.4
Presque Isle County †	12,529	109	8.7
Roscommon County	2,529	23	9.1
Saginaw County	38,730	396	10.2
St. Clair County	[2] 33,478	400	11.9
St. Joseph County	26,348	284	10.8
Sanilac County	[2] 33,930	345	10.2
Schoolcraft County	9,098	104	11.4
Shiawassee County	[2] 33,246	480	14.4
Tuscola County	[2] 34,913	424	12.1
Van Buren County	[2] 33,185	466	14.0
Washtenaw County	[2] 29,897	394	13.2
Wayne County	73,286	1,939	26.5
Wexford County	22,837	235	10.3
MINNESOTA.			
Aitkin County †	12,284	96	7.8
Anoka County*	13,114	163	12.4
Becker County (total)	20,396	230	11.3
White	18,588	177	9.5
Colored	1,808	53	29.3
RURAL PART OF REGISTRATION STATES[1]—Con.			
MINNESOTA—continued.			
Beltrami County †[3]	34,046	300	8.8
Benton County †	11,190	85	7.6
Big Stone County	9,701	114	11.8
Blue Earth County †	[2] 18,972	148	7.8
Brown County	20,317	221	10.9
Carlton County †	21,537	142	6.6
Carver County	[2] 17,455	158	9.1
Cass County † (total)	13,647	123	9.0
White	12,577	114	9.1
Colored	1,070	9	8.4
Chippewa County	13,964	138	9.9
Chisago County	13,689	159	11.6
Clay County †	20,537	166	8.1
Cook County †	1,613	11	6.8
Cottonwood County †	12,958	98	7.6
Crow Wing County	18,237	238	13.1
Dakota County*	26,985	276	10.2
Dodge County †	[2] 12,094	107	8.8
Douglas County	[2] 17,669	178	10.1
Faribault County †	[2] 19,949	163	8.2
Fillmore County	[2] 25,680	246	9.6
Freeborn County	22,516	221	9.8
Goodhue County	31,899	358	11.2
Grant County †	9,208	79	8.6
Hennepin County †	35,473	302	8.5
Houston County	[2] 14,297	158	11.1
Hubbard County †	11,545	101	8.7
Isanti County	13,110	136	10.4
Itasca County †[4]	33,693	287	8.5
Jackson County†	[2] 14,491	127	8.8
Kanabec County †	7,435	61	8.2
Kandiyohi County	19,261	182	9.4
Kittson County †	10,607	76	7.2
Lac qui Parle County †	16,039	119	7.4
Lake County †	9,782	64	6.5
Le Sueur County	[2] 18,609	175	9.4
Lincoln County †	10,352	63	6.1
Lyon County	16,316	148	9.1
McLeod County †	18,691	167	8.9
Mahnomen County (total)	[2] 3,249	56	17.2
White	[2] 1,614	15	9.3
Colored	[2] 1,635	41	25.1
Marshall County	16,675	167	10.0
Martin County †	17,824	158	8.9
Meeker County	[2] 17,022	188	11.0
Mille Lacs County	12,096	113	9.3
Morrison County †	24,665	201	8.1
Mower County †	22,799	198	8.7
Murray County †	[2] 11,755	97	8.3
Nicollet County *	[2] 14,125	210	14.9
Nobles County †	15,356	99	6.4
Norman County	[2] 13,446	129	9.6
Olmsted County *	[2] 22,497	659	29.3
Otter Tail County *	46,385	548	11.8
Pine County †	18,161	115	6.3
Pipestone County †	9,704	79	8.1
Polk County	36,303	341	9.4
Pope County	12,835	134	10.4
Ramsey County	9,692	94	9.7
Red Lake County †[5]	17,914	133	7.4
Redwood County †	19,038	142	7.5
Renville County †	[2] 23,123	166	7.2
Rice County	[2] 25,911	338	13.0
Rock County †	10,514	84	8.0
Roseau County †	13,629	93	6.8
St. Louis County †	99,303	835	8.4
Scott County	[2] 14,888	136	9.1
Sherburne County	7,568	98	12.9
Sibley County †	[2] 15,540	125	8.0
Stearns County †	40,175	342	8.5
Steele County	[2] 16,146	165	10.2
Stevens County †	[2] 8,293	65	7.8
Swift County	[2] 12,949	133	10.3
Todd County	24,035	223	9.3
RURAL PART OF REGISTRATION STATES[1]—Con.			
MINNESOTA—continued.			
Traverse County †	8,299	53	6.4
Wabasha County	[2] 18,554	221	11.9
Wadena County	9,037	101	11.2
Waseca County †	[2] 13,466	116	8.6
Washington County	[2] 15,815	179	11.3
Watonwan County †	[2] 11,382	100	8.8
Wilkin County	9,580	87	9.1
Winona County	[2] 14,815	135	9.1
Wright County	[2] 28,082	270	9.6
Yellow Medicine County †	15,828	113	7.1
MISSOURI.			
Adair County	23,210	213	9.2
Andrew County	[2] 15,282	160	10.5
Atchison County †	[2] 13,604	93	6.8
Audrain County (total)	21,962	212	9.7
White	20,348	186	9.1
Colored	1,614	26	16.1
Barry County†	[2] 23,869	211	8.8
Barton County†	[2] 16,747	151	9.0
Bates County	[2] 25,869	285	11.0
Benton County†	[2] 14,881	123	8.3
Bollinger County†	[2] 14,576	73	5.0
Boone County (total)	31,527	359	11.4
White	27,537	279	10.1
Colored	3,990	80	20.1
Buchanan County	[6] 15,051	178	11.8
Butler County (total)	22,654	365	16.1
White	21,359	322	15.1
Colored	1,295	43	33.2
Caldwell County	[2] 14,605	145	9.9
Callaway County* (total)	[2] 24,400	314	12.9
White	[2] 20,885	246	11.8
Colored	[2] 3,515	68	19.3
Camden County†	[2] 11,582	76	6.6
Cape Girardeau County (total)	29,363	342	11.6
White	27,366	307	11.2
Colored	1,997	35	17.5
Carroll County	[2] 23,098	252	10.9
Carter County	[2] 5,504	54	9.8
Cass County	[2] 22,973	241	10.5
Cedar County	[2] 16,080	148	9.2
Chariton County (total)	[2] 23,503	237	10.1
White	[2] 21,271	207	9.7
Colored	[2] 2,232	30	13.4
Christian County†	[2] 15,832	121	7.6
Clark County	[2] 12,811	118	9.2
Clay County (total)	21,039	328	15.6
White	20,018	308	15.4
Colored	1,021	20	19.6
Clinton County (total)	[2] 15,297	198	12.9
White	[2] 14,526	183	12.6
Colored	[2] 771	15	19.5
Cole County	9,426	94	10.0
Cooper County (total)	[2] 20,311	244	12.0
White	[2] 17,432	201	11.5
Colored	[2] 2,879	43	14.9
Crawford County	13,899	133	9.6
Dade County†	[2] 15,613	126	8.1
Dallas County†	[2] 13,181	79	6.0
Daviess County	[2] 17,605	181	10.3
Dekalb County	[2] 12,531	122	9.7
Dent County†	13,380	92	6.9
Douglas County†	[2] 16,664	123	7.4
Dunklin County	34,875	631	18.1
Franklin County	[2] 29,830	339	11.4
Gasconade County	13,135	127	9.7
Gentry County	[2] 16,820	179	10.6
Greene County	30,181	282	9.3
Grundy County	[2] 16,744	174	10.4
Harrison County	[2] 20,466	193	9.4
Henry County	[2] 27,242	284	10.4
Hickory County†	[2] 8,741	57	6.5

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Population Apr. 15, 1910. Decrease since 1900.

[3] Includes Clearwater County; separate estimated populations not available.

[4] Includes Koochiching County; separate estimated populations not available.

[5] Includes Pennington County; separate estimated populations not available.

[6] Estimates based upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[1]—Con.			
MISSOURI—continued.			
Holt County	[2] 14,539	158	10.9
Howard County (total)	[2] 15,653	167	10.7
White	[2] 12,500	132	10.6
Colored	[2] 3,153	35	11.1
Howell County	[2] 21,065	240	11.4
Iron County	[2] 8,563	122	14.2
Jackson County	40,228	451	11.2
Jasper County	46,061	572	12.4
Jefferson County (total)	29,019	298	10.3
White	27,219	261	9.6
Colored	1,800	37	20.6
Johnson County	[2] 26,297	295	11.2
Knox County†	[2] 12,403	111	8.9
Laclede County†	17,806	133	7.5
Lafayette County (total)	[2] 30,154	370	12.3
White	[2] 27,285	324	11.9
Colored	[2] 2,869	46	16.0
Lawrence County	[2] 26,583	303	11.4
Lewis County† (total)	[2] 15,514	103	6.6
White	[2] 14,736	88	6.0
Colored	[3] 778	15	19.3
Lincoln County† (total)	[2] 17,033	152	8.9
White	[2] 15,671	133	8.5
Colored	[2] 1,362	19	14.0
Linn County	[2] 25,253	277	11.0
Livingston County	[2] 19,453	237	12.2
McDonald County†	[2] 13,539	76	5.6
Macon County	[2] 30,868	305	9.9
Madison County	11,955	141	11.8
Maries County†	10,336	78	7.5
Marion County (total)	11,533	124	10.8
White	10,731	110	10.3
Colored	802	14	17.5
Mercer County	[2] 12,335	118	9.6
Miller County†	17,523	111	6.3
Mississippi County (total)	15,989	162	10.1
White	14,113	146	10.3
Colored	1,876	16	8.5
Moniteau County	[2] 14,375	153	10.6
Monroe County (total)	[2] 18,304	178	9.7
White	[2] 17,081	160	9.4
Colored	[2] 1,223	18	14.7
Montgomery County (total)	[2] 15,604	152	9.7
White	[2] 14,428	138	9.6
Colored	[2] 1,176	14	11.9
Morgan County†	13,225	110	8.3
New Madrid County† (total)	23,816	198	8.3
White	21,680	194	8.9
Colored	2,136	4	1.9
Newton County	27,206	272	10.0
Nodaway County	[2] 28,833	296	10.3
Oregon County†	15,087	90	6.0
Osage County	14,382	164	11.4
Ozark County†	[2] 11,926	85	7.1
Pemiscot County (total)	23,484	321	13.7
White	21,598	279	12.9
Colored	1,886	42	22.3
Perry County†	[2] 14,898	116	7.8
Pettis County† (total)	15,502	118	7.6
White	14,829	110	7.4
Colored	673	8	11.9
Phelps County	16,640	167	10.0
Pike County (total)	[2] 22,556	282	12.5
White	[2] 19,206	216	11.2
Colored	[2] 3,350	66	19.7
Platte County (total)	[2] 14,429	160	11.1
White	[2] 13,707	154	11.2
Colored	[2] 722	6	8.3
Polk County	[2] 21,561	201	9.3
Pulaski County	11,987	129	10.8
Putnam County	[2] 14,308	133	9.3
Ralls County†	13,241	86	6.5
RURAL PART OF REGISTRATION STATES[1]—Con.			
MISSOURI—continued.			
Randolph County (total)	14,642	184	12.6
White	13,409	160	11.9
Colored	1,233	24	19.5
Ray County (total)	[2] 21,451	228	10.6
White	[2] 20,236	208	10.3
Colored	[2] 1,215	20	16.5
Reynolds County†	10,347	73	7.1
Ripley County†	[2] 13,099	82	6.3
St. Charles County (total)	24,810	276	11.1
White	23,313	239	10.3
Colored	1,497	37	24.7
St. Clair County	[2] 16,412	162	9.9
St. Francois County*	41,900	423	10.1
St. Louis County (total)	99,491	1,321	13.3
White	94,829	1,170	12.3
Colored	4,662	151	32.4
Ste. Genevieve County	10,737	113	10.5
Saline County (total)	[2] 29,448	332	11.3
White	[2] 25,664	261	10.2
Colored	[2] 3,784	71	18.8
Schuyler County	[2] 9,062	90	9.9
Scotland County†	[2] 11,869	86	7.2
Scott County	27,265	270	9.9
Shannon County†	11,545	79	6.8
Shelby County†	[2] 14,864	125	8.4
Stoddard County	29,461	355	12.0
Stone County†	12,437	88	7.1
Sullivan County†	[2] 18,598	159	8.5
Taney County†	[2] 9,134	81	8.9
Texas County†	[2] 21,458	174	8.1
Vernon County*	[2] 28,827	358	12.4
Warren County† (total)	[2] 9,123	76	8.3
White	[2] 8,643	65	7.5
Colored	[2] 480	11	22.9
Washington County	[2] 13,378	156	11.7
Wayne County†	[2] 15,181	135	8.9
Webster County†	17,764	149	8.4
Worth County†	[2] 8,007	47	5.9
Wright County†	18,733	134	7.2
MONTANA.			
Beaverhead County	6,885	82	11.9
Broadwater County†	3,940	34	8.6
Cascade County†	17,015	94	5.5
Chouteau County [3]	50,894	663	13.0
Custer County [4]	114,240	1,078	9.4
Deer Lodge County* [5]	9,191	192	20.9
Flathead County† [6]	29,305	260	8.9
Gallatin County	16,465	170	10.3
Granite County	2,942	33	11.2
Jefferson County†	5,743	47	8.2
Lewis and Clark County†	9,832	78	7.9
Madison County†	[2] 7,229	65	9.0
Missoula County † [7]	16,995	150	8.8
Park County†	12,519	109	8.7
Ravalli County†	13,693	90	6.6
Silver Bow County	18,915	259	13.7
NEW HAMPSHIRE.			
Belknap County	10,938	187	17.1
Carroll County	[2] 16,316	271	16.6
Cheshire County	[2] 20,591	288	14.0
Coos County	18,125	276	15.2
Grafton County	42,078	675	16.0
Hillsborough County	29,083	596	20.5
Merrimack County	31,332	465	14.8
Rockingham County	41,149	632	15.4
Strafford County	[2] 25,704	370	14.4
Sullivan County	20,035	329	16.4
NEW JERSEY.			
Atlantic County	29,533	401	13.6
Bergen County	139,188	1,529	11.0
Burlington County (total)	70,957	1,088	15.3
White	67,297	1,024	15.2
Colored	3,660	64	17.5
RURAL PART OF REGISTRATION STATES[1]—Con.			
NEW JERSEY—continued.			
Camden County (total)	55,816	899	16.1
White	52,302	797	15.2
Colored	3,514	102	29.0
Cape May County (total)	23,195	299	12.9
White	21,445	276	12.9
Colored	1,750	23	13.1
Cumberland County (total)	29,443	435	14.8
White	27,634	407	14.7
Colored	1,809	28	15.5
Essex County	49,370	833	16.9
Gloucester County (total)	40,249	580	14.4
White	37,695	526	14.0
Colored	2,554	54	21.1
Hudson County	49,834	1,082	21.7
Hunterdon County	[2] 33,569	460	13.7
Mercer County (total)	32,421	484	14.9
White	29,493	445	15.1
Colored	2,928	39	13.3
Middlesex County	67,814	856	12.6
Monmouth County (total)	72,978	1,152	15.8
White	68,321	1,038	15.2
Colored	4,657	114	24.5
Morris County *	66,581	972	14.6
Ocean County	22,147	284	12.8
Passaic County	42,534	457	10.7
Salem County (total)	27,774	459	16.5
White	24,293	395	16.3
Colored	3,481	64	18.4
Somerset County	41,916	565	13.5
Sussex County	28,178	368	13.1
Union County	53,910	696	12.9
Warren County	30,706	394	12.8
NEW YORK.			
Albany County	33,755	494	14.6
Allegany County	[2] 41,412	608	14.7
Broome County	30,822	634	20.6
Cattaraugus County	49,745	675	13.6
Cayuga County	30,618	525	17.1
Chautauqua County	58,088	829	14.3
Chemung County	17,009	263	15.5
Chenango County	[2] 35,575	614	17.3
Clinton County*	36,090	537	14.9
Columbia County	31,381	470	15.0
Cortland County	17,313	270	15.6
Delaware County	[2] 45,575	679	14.9
Dutchess County *	60,826	1,265	20.8
Erie County *	97,839	1,216	12.4
Essex County	34,908	530	15.2
Franklin County	47,228	714	15.1
Fulton County	12,962	204	15.7
Genesee County	26,120	356	13.6
Greene County	[2] 30,214	492	16.3
Hamilton County	[2] 4,373	49	11.2
Herkimer County	45,885	677	14.8
Jefferson County	52,916	744	14.1
Lewis County	[2] 24,849	381	15.3
Livingston County	38,554	632	16.4
Madison County	[2] 39,289	614	15.6
Monroe County	66,935	926	13.8
Montgomery County	26,719	402	15.0
Nassau County	98,952	1,350	13.6
Niagara County	31,596	438	13.9
Oneida County	58,331	886	15.2
Onondaga County	64,411	985	15.3
Ontario County	40,192	696	17.3
Orange County	77,360	1,032	13.3
Orleans County	32,969	424	12.9
Oswego County	36,416	578	15.9
Otsego County	[2] 47,216	873	18.5
Putnam County	15,129	201	13.3
Rensselaer County	33,741	480	14.2
Rockland County	51,394	696	13.5
St. Lawrence County	72,373	995	13.7

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Population Apr. 15, 1910. Decrease since 1900.

[3] Includes Blaine, Hill, Sheridan, Teton, Toole, Valley, and Phillips Counties, the last named formed from parts of Blaine and Valley Counties, Feb. 5, 1915; separate estimated populations not available.

[4] Includes Big Horn, Carbon, Dawson, Fallon, Fergus, Meagher, Musselshell, Richland, Rosebud, Stillwater, Sweet Grass, Wibaux, Yellowstone, and Prairie Counties, the last named formed from parts of Custer and Dawson Counties, March, 1915; separate estimated populations not available.

[5] Includes Powell County; separate estimated populations not available.

[6] Includes Lincoln County; separate estimated populations not available.

[7] Includes Mineral and Sanders Counties; separate estimated populations not available.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[1]—Con.			
NEW YORK—continued.			
Saratoga County	48,550	717	14.8
Schenectady County	14,794	231	15.6
Schoharie County	[2] 23,855	364	15.3
Schuyler County	[2] 14,004	223	15.9
Seneca County*	[2] 26,972	544	20.2
Steuben County	53,996	1,021	18.9
Suffolk County*	105,924	2,185	20.6
Sullivan County	34,600	672	19.4
Tioga County	[2] 25,624	451	17.6
Tompkins County	17,874	302	16.9
Ulster County	66,902	899	13.4
Warren County	16,797	232	13.8
Washington County	48,913	671	13.7
Wayne County	50,979	743	14.6
Westchester County	98,994	1,334	13.5
Wyoming County	32,652	451	13.8
Yates County	[2] 18,642	270	14.5
OHIO.			
Adams County	[2] 24,755	307	12.4
Allen County	26,474	361	13.6
Ashland County	23,919	287	12.0
Ashtabula County	42,831	594	13.9
Athens County*	52,580	622	11.8
Auglaize County	31,273	308	9.8
Belmont County	71,162	758	10.7
Brown County (total)	[2] 24,832	292	11.8
White	[2] 23,544	262	11.1
Colored	[2] 1,288	30	23.3
Butler County	22,459	315	14.0
Carroll County	[2] 15,761	179	11.4
Champaign County (total)	[2] 26,351	338	12.8
White	[2] 24,934	323	13.0
Colored	[2] 1,417	15	10.6
Clark County	19,585	258	13.2
Clermont County	[2] 29,551	424	14.3
Clinton County	[2] 23,680	263	11.1
Columbiana County	58,623	723	12.3
Coshocton County	30,534	347	11.4
Crawford County	34,100	406	11.9
Cuyahoga County	63,287	865	13.7
Darke County	43,142	518	12.0
Defiance County	[2] 24,498	267	10.9
Delaware County	27,593	348	12.6
Erie County	18,521	339	18.3
Fairfield County	26,550	285	10.7
Fayette County (total)	21,753	257	11.8
White	20,613	237	11.5
Colored	1,140	20	17.5
Franklin County	41,965	580	13.8
Fulton County	24,499	278	11.3
Gallia County (total)	[2] 25,745	351	13.6
White	[2] 23,867	319	13.4
Colored	[2] 1,878	32	17.0
Geauga County	[2] 14,670	206	14.0
Greene County (total)	[2] 29,733	405	13.6
White	[2] 25,760	326	12.7
Colored	[2] 3,973	79	19.9
Guernsey County	33 924	314	9.3
Hamilton County (total)	59,754	698	11.7
White	54,055	642	11.9
Colored	5,699	56	9.8
Hancock County †	[2] 23,002	194	8.4
Hardin County	[2] 30,407	369	12.1
Harrison County	[2] 19,076	232	12.2
Henry County †	[2] 25,119	212	8.4
Highland County	[2] 28,711	365	12.7
Hocking County	[2] 23,650	274	11.6
Holmes County	[2] 17,909	189	10.6
Huron County	35,196	441	12.5
Jackson County	[2] 30,791	331	10.7
Jefferson County	49,901	466	9.3
Knox County	31,452	390	12.4
Lake County	23,583	354	15.0
RURAL PART OF REGISTRATION STATES[1]—Con.			
OHIO—continued.			
Lawrence County	[2] 26,341	319	12.1
Licking County	31,130	349	11.2
Logan County	[2] 30,084	363	12.1
Lorain County	33,538	363	10.8
Lucas County	25,544	315	12.3
Madison County	[2] 19,902	271	13.6
Mahoning County	35,933	478	13.3
Marion County	14,032	177	12.6
Medina County	24,463	296	12.1
Meigs County	[2] 25,594	333	13.0
Mercer County	[2] 27,536	254	9.2
Miami County	32,041	353	11.0
Monroe County	[2] 24,244	224	9.2
Montgomery County [3]	55,983	1,014	18.1
Morgan County	[2] 16,097	215	13.4
Morrow County	[2] 16,815	210	12.5
Muskingum County	29,350	366	12.5
Noble County	[2] 18,601	208	11.2
Ottawa County	22,437	250	11.1
Paulding County†	[2] 22,730	176	7.7
Perry County	37,271	415	11.1
Pickaway County	[2] 26,158	345	13.2
Pike County	[2] 15,723	176	11.2
Portage County	30,864	369	12.0
Preble County	23,897	286	12.0
Putnam County	[2] 29,972	295	9.8
Richland County	27,031	301	11.1
Ross County (total)	25,561	317	12.4
White	24,127	289	12.0
Colored	1,434	28	19.5
Sandusky County	35,624	374	10.5
Scioto County	24,282	317	13.1
Seneca County	30,311	359	11.8
Shelby County	24,682	257	10.4
Stark County*	45,291	697	15.4
Summit County	44,566	712	16.0
Trumbull County	43,211	561	13.0
Tuscarawas County	58,764	689	11.7
Union County	[2] 21,871	242	11.1
Van Wert County†	[2] 29,119	258	8.9
Vinton County	[2] 13,096	127	9.7
Warren County	[2] 24,497	296	12.1
Washington County	[2] 32,499	373	11.5
Wayne County	38,157	494	12.9
Williams County	25,326	292	11.5
Wood County	[2] 46,330	473	10.2
Wyandot County	[2] 20,760	231	11.1
PENNSYLVANIA.			
Adams County	[2] 34,319	415	12.1
Allegheny County	398,161	4,738	11.9
Armstrong County	75,964	863	11.4
Beaver County	76,599	1,019	13.3
Bedford County	[2] 38,879	424	10.9
Berks County*	88,078	1,511	17.2
Blair County	63,784	755	11.8
Bradford County	[2] 54,526	895	16.4
Bucks County	79,346	1,068	13.5
Butler County	54,396	543	10.0
Cambria County	131,875	1,538	11.7
Cameron County	7,958	75	9.4
Carbon County	57,243	838	14.6
Center County	43,702	590	13.5
Chester County (total)	77,926	1,099	14.1
White	70,693	961	13.6
Colored	7,233	138	19.1
Clarion County	37,879	405	10.7
Clearfield County	86,371	944	10.9
Clinton County	32,783	440	13.4
Columbia County	52,989	557	10.5
Crawford County	[2] 48,785	746	15.3
Cumberland County	46,002	577	12.5
Dauphin County *	61,510	886	14.4
RURAL PART OF REGISTRATION STATES[1]—Con.			
PENNSYLVANIA—continued.			
Delaware County (total)	89,177	1,102	12.4
White	81,182	972	12.0
Colored	7,995	130	16.3
Elk County	37,436	343	9.2
Erie County	50,710	661	13.0
Fayette County	162,537	1,793	11.0
Forest County †	[2] 9,435	80	8.5
Franklin County	50,058	760	15.2
Fulton County	[2] 9,703	127	13.1
Greene County	29,199	366	12.5
Huntingdon County	40,232	536	13.3
Indiana County	78,685	900	11.4
Jefferson County	65,187	731	11.2
Juniata County	[2] 15,013	196	13.1
Lackawanna County	96,684	1,465	15.2
Lancaster County	109,906	1,374	12.5
Lawrence County	36,530	411	11.3
Lebanon County	41,980	542	12.9
Lehigh County	65,079	1,124	17.3
Luzerne County	225,933	2,869	12.7
Lycoming County	50,032	527	10.5
McKean County	[2] 33,324	369	11.1
Mercer County	59,945	719	12.0
Mifflin County	30,223	394	13.0
Monroe County	23,879	291	12.2
Montgomery County	138,291	1,781	12.9
Montour County *	[2] 14,868	351	23.6
Northampton County	79,766	1,071	13.4
Northumberland County	65,565	846	12.9
Perry County	[2] 24,136	286	11.8
Pike County	[2] 8,033	125	15.6
Potter County	[2] 29,729	284	9.6
Schuylkill County	158,443	2,489	15.7
Snyder County	[2] 16,800	186	11.1
Somerset County	77,344	981	12.7
Sullivan County	[2] 11,293	121	10.7
Susquehanna County	[2] 37,746	595	15.8
Tioga County	[2] 42,829	562	13.1
Union County	[2] 16,249	187	11.5
Venango County	40,926	472	11.5
Warren County *	25,510	471	18.5
Washington County	149,681	1,768	11.8
Wayne County	[2] 29,236	416	14.2
Westmoreland County	233,543	2,559	11.0
Wyoming County	[2] 15,509	205	13.2
York County	96,404	968	10.0
RHODE ISLAND.			
Bristol County	19,953	318	15.9
Kent County	10,323	139	13.5
Newport County	13,257	198	14.9
Providence County	44,435	528	11.9
Washington County	25,358	426	16.8
UTAH.			
Beaver County	5,299	63	11.9
Box Elder County	15,942	148	9.3
Cache County †	25,657	228	8.9
Carbon County	10,532	101	9.6
Davis County †	11,348	93	8.2
Emery County †	7,854	50	6.4
Garfield County	3,796	45	11.9
Grand County	1,830	23	12.6
Iron County	4,137	45	10.9
Juab County †	11,029	88	8.0
Kane County	[2] 1,652	19	11.5
Millard County	6,348	62	9.8
Morgan County †	2,689	14	5.2
Piute County	[2] 1,734	17	9.8
Rich County	[2] 1,883	20	10.6
Salt Lake County	46,183	495	10.7
San Juan County † (total)	3,092	11	3.6
White	1,217	11	9.0
Colored	1,875	.....	.....

[1] Exclusive of municipalities having a population of 10,000 or over in 1910. [2] Population Apr. 15, 1910. Decrease since 1900. [3] Includes National Military Home.

TABLE 1 B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES [1]—Con.			
UTAH—continued.			
Sanpete County †	16,909	147	8.7
Sevier County †	10,474	92	8.8
Summit County	[2] 8,200	90	11.0
Tooele County †	8,222	69	8.4
Uinta County (total)	7,363	100	13.6
White	6,601	68	10.3
Colored	762	32	42.0
Utah County *	40,834	421	10.3
Wasatch County [3]	11,125	106	9.5
Washington County †	5,391	47	8.7
Wayne County †	[2] 1,749	7	4.0
Weber County	9,954	95	9.5
VERMONT.			
Addison County	[2] 20,010	284	14.2
Bennington County	[2] 21,378	311	14.5
Caledonia County	26,901	391	14.5
Chittenden County	22,515	318	14.1
Essex County	[2] 7,384	106	14.4
Franklin County	[2] 29,866	421	14.1
Grand Isle County	[2] 3,761	36	9.6
Lamoille County	12,741	159	12.5
Orange County	[2] 18,703	271	14.5
Orleans County	24,030	310	12.9
Rutland County	35,587	473	13.3
Washington County *	32,453	512	15.8
Windham County	27,074	437	16.1
Windsor County	34,447	511	14.8
VIRGINIA.			
Accomac County (total)	38,802	515	13.3
White	24,764	275	11.1
Colored	14,038	240	17.1
Albemarle County (total)	30,608	478	15.6
White	21,287	279	13.1
Colored	9,321	199	21.3
Alexandria County (total)	11,035	162	14.7
White	8,622	100	11.6
Colored	2,413	62	25.7
Alleghany County (total)	14,924	151	10.1
White	12,149	115	9.5
Colored	2,775	36	13.0
Amelia County (total)	[2] 8,720	120	13.8
White	3,230	32	9.9
Colored	[2] 5,490	88	16.0
Amherst County (total)	19,496	264	13.5
White	11,805	152	12.9
Colored	7,691	112	14.6
Appomattox County (total)	[2] 8,904	97	10.9
White	5,815	50	8.6
Colored	[2] 3,089	47	15.2
Augusta County (total)	33,352	379	11.4
White	29,192	314	10.8
Colored	4,160	65	15.6
Bath County (total)	7,034	64	9.1
White	5,769	56	9.7
Colored	1,265	8	6.3
Bedford County (total)	[2] 29,549	397	13.4
White	21,094	247	11.7
Colored	[2] 8,455	150	17.7
Bland County (total)	[2] 5,154	52	10.1
White	[2] 5,021	49	9.8
Colored [4]	[2] 133	3	22.6
Botetourt County (total)	18,025	196	10.9
White	14,733	138	9.4
Colored	3,292	58	17.6
Bristol (city) (total)	7,127	86	12.1
White	5,921	62	10.5
Colored	1,206	24	19.9
Brunswick County (total)	19,787	270	13.6
White	8,144	98	12.0
Colored	11,643	172	14.8
RURAL PART OF REGISTRATION STATES [1]—Con.			
VIRGINIA—continued.			
Buchanan County (total)	13,727	129	9.4
White	13,723	128	9.3
Colored [4]	4	1	(5)
Buckingham County (total)	[2] 15,204	184	12.1
White	7,634	80	10.5
Colored	[2] 7,570	104	13.7
Buena Vista (city) (total)	3,696	35	9.5
White	3,277	31	9.5
Colored	419	4	9.5
Campbell County (total)	25,632	294	11.5
White	15,478	185	12.0
Colored	10,154	109	10.7
Caroline County (total)	[2] 16,596	219	13.2
White	7,846	91	11.6
Colored	[2] 8,750	128	14.6
Carroll County (total)	22,071	201	9.1
White	21,834	197	9.0
Colored [4]	237	4	16.9
Charles City County (total)	5,365	82	15.3
White	1,392	23	16.5
Colored	3,973	59	14.9
Charlotte County (total)	16,018	202	12.6
White	7,795	74	9.5
Colored	8,223	128	15.6
Charlottesville (city) (total)	6,932	94	13.6
White	4,446	50	11.2
Colored	2,486	44	17.7
Chesterfield County (total)	18,113	285	15.7
White	11,711	139	11.9
Colored	6,402	146	22.8
Clarke County (total)	[2] 7,468	92	12.3
White	[2] 5,568	57	10.2
Colored	[2] 1,900	35	18.4
Clifton Forge (city) (total)	6,890	73	10.6
White	5,612	43	7.7
Colored	1,278	30	23.5
Craig County (total)	4,931	46	9.3
White	4,753	43	9.0
Colored [4]	178	3	16.9
Culpeper County (total)	[2] 13,472	167	12.4
White	8,210	79	9.6
Colored	[2] 5,262	88	16.7
Cumberland County (total)	9,300	111	11.9
White	3,325	34	10.2
Colored	5,975	77	12.9
Dickenson County † (total)	9,966	63	6.3
White	9,953	61	6.1
Colored [4]	13	2	(5)
Dinwiddie County * (total)	15,477	494	31.9
White	6,179	84	13.6
Colored	9,298	410	44.1
Elizabeth City County [6] (total)	22,155	612	27.6
White	14,530	355	24.4
Colored	7,625	257	33.7
Essex County (total)	[2] 9,105	131	14.4
White	3,790	42	11.1
Colored	[2] 5,315	89	16.7
Fairfax County (total)	20,767	281	13.5
White	16,194	202	12.5
Colored	4,573	79	17.3
Fauquier County (total)	[2] 22,526	292	13.0
White	[2] 15,037	174	11.6
Colored	[2] 7,489	118	15.8
Floyd County (total)	[2] 14,092	133	9.4
White	[2] 13,255	112	8.4
Colored	[2] 837	21	25.1
Fluvanna County (total)	[2] 8,323	115	13.8
White	[2] 4,949	62	12.5
Colored	[2] 3,374	53	15.7
Franklin County (total)	26,757	282	10.5
White	21,593	214	9.9
Colored	5,164	68	13.2
RURAL PART OF REGISTRATION STATES [1]—Con.			
VIRGINIA—continued.			
Frederick County (total)	[2] 12,787	137	10.7
White	[2] 12,093	127	10.5
Colored	[2] 694	10	14.4
Fredericksburg (city) (total)	6,297	109	17.3
White	4,887	71	14.5
Colored	1,410	38	27.0
Giles County † (total)	12,062	108	9.0
White	11,328	100	8.8
Colored	734	8	10.9
Gloucester County (total)	[2] 12,477	181	14.5
White	6,570	71	10.8
Colored	[2] 5,907	110	18.6
Goochland County (total)	[2] 9,237	108	11.7
White	4,007	38	9.5
Colored	[2] 5,230	70	13.4
Grayson County † (total)	21,440	177	8.3
White	20,512	164	8.0
Colored [4]	928	13	14.0
Greene County † (total)	7,318	62	8.5
White	6,027	48	8.0
Colored	1,291	14	10.8
Greensville County (total)	13,015	213	16.4
White	5,075	59	11.6
Colored	7,940	154	19.4
Halifax County (total)	41,545	610	14.7
White	21,143	249	11.8
Colored	20,402	361	17.7
Hanover County (total)	[2] 17,200	284	16.5
White	10,160	145	14.3
Colored	[2] 7,040	139	19.7
Henrico County (total)	14,731	284	19.3
White	10,434	174	16.7
Colored	4,297	110	25.6
Henry County (total)	[2] 18,459	219	11.9
White	10,997	102	9.3
Colored	[2] 7,462	117	15.7
Highland County (total)	[2] 5,317	50	9.4
White	[2] 5,057	49	9.7
Colored [4]	[2] 260	1	3.8
Isle of Wight County (total)	15,894	201	12.6
White	7,724	82	10.6
Colored	8,170	119	14.6
James City County * (total)	6,657	218	32.7
White	3,610	153	42.4
Colored	3,047	65	21.3
King and Queen County (total)	9,739	148	15.2
White	4,307	42	9.8
Colored	5,432	106	19.5
King George County (total)	[2] 6,378	94	14.7
White	[2] 3,465	43	12.4
Colored	[2] 2,913	51	17.5
King William County (total)	8,636	152	17.6
White	3,643	41	11.3
Colored	4,993	111	22.2
Lancaster County (total)	10,175	131	12.9
White	4,906	57	11.6
Colored	5,269	74	14.0
Lee County (total)	25,940	238	9.2
White	24,778	223	9.0
Colored [4]	1,162	15	12.9
Loudoun County (total)	[2] 21,167	319	15.1
White	[2] 15,946	229	14.4
Colored	[2] 5,221	90	17.2
Louisa County (total)	16,610	238	14.3
White	9,117	92	10.1
Colored	7,493	146	19.5
Lunenburg County (total)	13,346	173	13.0
White	6,409	76	11.9
Colored	6,937	97	14.0
Madison County † (total)	[2] 10,055	79	7.9
White	6,791	46	6.8
Colored	[2] 3,264	33	10.1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Population Apr. 15, 1910. Decrease since 1900.
[3] Includes Duchesne County, organized Jan. 4, 1915; separate estimated populations not available.
[4] Colored population less than 5 per cent of the total in 1910.
[5] Rate not shown when population is less than 100.
[6] Includes National Military Home.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES[1]—Con.			
VIRGINIA—continued.			
Mathews County (total)	9,281	130	14.0
White	6,707	74	11.0
Colored	2,574	56	21.8
Mecklenburg County (total)	30,223	374	12.4
White	13,727	139	10.1
Colored	16,496	235	14.2
Middlesex County (total)	9,185	93	10.1
White	4,497	24	5.3
Colored	4,688	69	14.7
Montgomery County (total)	18,013	207	11.5
White	16,009	167	10.4
Colored	2,004	40	20.0
Nansemond County (total)	28,893	426	14.7
White	12,000	154	12.8
Colored	16,893	272	16.1
Nelson County (total)	17,213	168	9.8
White	12,168	106	8.7
Colored	5,045	62	12.3
New Kent County (total)	[2] 4,682	72	15.4
White	1,779	25	14.1
Colored	[2] 2,903	47	16.2
Norfolk County (total)	47,033	770	16.4
White	19,816	228	11.5
Colored	27,217	542	19.9
Northampton County (total)	18,202	259	14.2
White	7,998	77	9.6
Colored	10,204	182	17.8
Northumberland County (total)	11,267	158	14.0
White	6,949	75	10.8
Colored	4,318	83	19.2
Nottoway County (total)	14,040	217	15.5
White	6,720	80	11.9
Colored	7,320	137	18.7
Orange County (total)	13,966	162	11.6
White	8,439	82	9.7
Colored	5,527	80	14.5
Page County (total)	14,332	169	11.8
White	13,310	154	11.6
Colored	1,022	15	14.7
Patrick County † (total)	18,138	152	8.4
White	16,526	137	8.3
Colored	1,612	15	9.3
Pittsylvania County (total)	53,198	706	13.3
White	33,425	377	11.3
Colored	19,773	329	16.6
Powhatan County (total)	[2] 6,039	104	17.1
White	2,466	32	13.0
Colored	[2] 3,633	72	19.8
Prince Edward County (total)	[2] 14,266	214	15.0
White	5,808	56	9.6
Colored	[2] 8,458	158	18.7
Prince George County (total)	7,897	217	27.5
White	3,513	87	24.8
Colored	4,384	130	29.7
Prince William County (total)	12,505	155	12.4
White	9,706	110	11.3
Colored	2,799	45	16.1
Princess Anne County [3] (total)	11,701	291	24.9
White	5,813	100	17.2
Colored	5,888	191	32.4
Pulaski County (total)	18,637	195	10.5
White	15,869	153	9.6
Colored	2,768	42	15.2
Radford (city) † (total)	4,654	25	5.4
White	3,878	24	6.2
Colored	776	1	1.3
Rappahannock County (total)	[2] 8,044	103	12.8
White	[2] 5,896	63	10.7
Colored	[2] 2,148	40	18.6
Richmond County (total)	7,587	93	12.3
White	4,441	44	9.9
Colored	3,146	49	15.6
RURAL PART OF REGISTRATION STATES[1]—Con.			
VIRGINIA—continued.			
Roanoke County (total)	21,618	300	13.9
White	18,263	227	12.4
Colored	3,355	73	21.8
Rockbridge County (total)	[2] 21,171	270	12.8
White	[2] 17,642	208	11.8
Colored	[2] 3,529	62	17.6
Rockingham County (total)	35,627	407	11.4
White	33,449	351	10.5
Colored	2,178	56	25.7
Russell County † (total)	26,344	214	8.1
White	25,179	203	8.1
Colored [4]	1,165	11	9.4
Scott County (total)	24,403	292	12.0
White	23,968	284	11.8
Colored [4]	435	8	18.4
Shenandoah County (total)	21,304	261	12.3
White	20,892	251	12.0
Colored [4]	412	10	24.3
Smyth County * (total)	22,015	287	13.0
White	21,136	270	12.8
Colored [4]	879	17	19.3
Southampton County (total)	28,123	393	14.0
White	10,761	105	9.8
Colored	17,362	288	16.6
Spotsylvania County (total)	10,300	123	11.9
White	6,864	54	7.9
Colored	3,436	69	20.1
Stafford County † (total)	[2] 8,070	61	7.6
White	[2] 6,350	51	8.0
Colored	1,720	10	5.8
Surry County (total)	10,371	140	13.5
White	3,935	39	9.9
Colored	6,436	101	15.7
Sussex County (total)	14,497	198	13.7
White	5,008	38	7.6
Colored	9,489	160	16.9
Tazewell County (total)	25,769	240	9.3
White	23,350	196	8.4
Colored	2,419	44	18.2
Warren County (total)	[2] 8,589	99	11.5
White	7,457	81	10.9
Colored	[2] 1,132	18	15.9
Warwick County (total)	6,648	114	17.1
White	1,994	21	10.5
Colored	4,654	93	20.0
Washington County (total)	34,851	339	9.7
White	32,658	308	9.4
Colored	2,193	31	14.1
Westmoreland County (total)	9,349	136	14.5
White	4,784	72	15.1
Colored	4,565	64	14.0
Winchester (city) (total)	6,234	130	20.9
White	5,232	104	19.9
Colored	1,002	26	25.9
Wise County (total)	41,813	419	10.0
White	38,479	366	9.5
Colored	3,334	53	15.9
Wythe County (total)	[2] 20,372	223	10.9
White	18,183	182	10.0
Colored	[2] 2,189	41	18.7
York County (total)	7,901	127	16.1
White	4,306	52	12.1
Colored	3,595	75	20.9
WASHINGTON.			
Adams County †	14,127	58	4.1
Asotin County †	7,131	55	7.7
Chelan County †	20,997	188	9.0
Clallam County (total)	7,362	133	18.1
White	6,397	103	16.1
Colored	965	30	31.1
Clarke County †	32,812	279	8.5
Columbia County	[2] 7,042	68	9.7
Cowlitz County †	15,032	81	5.4
Douglas County † [5]	[2] 24,782	127	5.1
RURAL PART OF REGISTRATION STATES[1]—Con.			
WASHINGTON—continued.			
Ferry County (total)	4,926	49	9.9
White	4,059	31	7.6
Colored	867	18	20.8
Franklin County †	7,613	44	5.8
Garfield County †	4,346	34	7.8
Grays Harbor County † [6]	27,107	217	8.0
Island County †	6,200	52	8.4
Jefferson County † (total)	9,721	72	7.4
White	9,270	66	7.1
Colored	451	6	13.3
King County	45,883	543	11.8
Kitsap County	23,385	238	10.2
Kittitas County †	23,233	179	7.7
Lewis County †	41,076	307	7.5
Lincoln County †	20,478	165	8.1
Mason County † (total)	5,865	40	6.8
White	5,492	36	6.6
Colored	373	4	10.7
Okanogan County (total)	17,211	181	10.5
White	16,394	139	8.5
Colored	817	42	51.4
Pacific County †	15,986	99	6.2
Pierce County *	47,157	545	11.6
San Juan County † (total)	3,958	35	8.8
White	3,730	32	8.6
Colored	228	3	13.2
Skagit County †	37,136	313	8.4
Skamania County †	3,518	25	7.1
Snohomish County †	44,037	298	6.8
Spokane County *	39,590	383	9.7
Stevens County † [7]	33,079	211	6.4
Thurston County	21,618	198	9.2
Wahkiakum County † (total)	3,531	27	7.6
White	3,279	26	7.9
Colored	252	1	4.0
Walla Walla County †	14,715	129	8.8
Whatcom County †	31,295	210	6.7
Whitman County †	37,458	277	7.4
Yakima County † [8]	[2] 61,059	458	7.5
WISCONSIN.			
Adams County	[2] 8,604	92	10.7
Ashland County † (total)	12,095	75	6.2
White	10,926	75	6.9
Colored	1,169	.....	.....
Barron County	31,981	295	9.2
Bayfield County †	16,827	102	6.1
Brown County	29,490	293	9.9
Buffalo County	[2] 16,006	148	9.2
Burnett County	9,842	99	10.1
Calumet County †	[2] 16,701	149	8.9
Chippewa County [9]	48,656	483	9.9
Clark County †	32,303	246	7.6
Columbia County	31,133	364	11.7
Crawford County	[2] 16,288	205	12.6
Dane County *	51,571	617	12.0
Dodge County	47,859	474	9.9
Door County	19,306	185	9.6
Douglas County †	7,984	51	6.4
Dunn County	25,376	250	9.9
Eau Claire County †	14,537	100	6.9
Florence County	3,477	32	9.2
Fond du Lac County	32,991	329	10.0
Forest County †	9,622	67	7.0
Grant County	39,073	408	10.4
Green County	[2] 21,641	201	9.3
Green Lake County	[2] 15,491	191	12.3
Iowa County	[2] 22,497	247	11.0
Iron County †	9,198	68	7.4
Jackson County	[2] 17,075	184	10.8
Jefferson County	[2] 34,306	374	10.9

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Population Apr. 15, 1910. Decrease since 1900.
[3] Includes Norfolk City Almshouse.
[4] Colored population less than 5 per cent of the total in 1910.
[5] Includes Grant County; separate estimated populations not available.
[6] Prior to June 10, 1915, Chehalis County.
[7] Includes Pend Oreille County; separate estimated populations not available.
[8] Includes Benton and Klickitat Counties; separate estimated populations not available.
[9] Includes Rusk County; separate estimated populations not available.

TABLE I B.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN EACH REGISTRATION CITY AND EACH RURAL REGISTRATION UNIT: 1915—Continued.

[See note at head of this table.]

AREA.	Population estimated as of July 1, 1915.	DEATHS: 1915. Number.	DEATHS: 1915. Rate per 1,000 population.
RURAL PART OF REGISTRATION STATES [1]—Con.			
WISCONSIN—continued.			
Juneau County	[2] 19,569	224	11.4
Kenosha County	8,528	112	13.1
Kewaunee County	[2] 16,784	161	9.6
La Crosse County	13,001	129	9.9
Lafayette County	[2] 20,075	197	9.8
Langlade County †	19,439	160	8.2
Lincoln County †	20,538	173	8.4
Manitowoc County	32,731	305	9.3
Marathon County †	42,497	338	8.0
Marinette County †	21,612	160	7.4
Marquette County †	10,861	97	8.9
Milwaukee County [3]	59,538	1,468	24.7
Monroe County	29,290	318	10.9
Oconto County †	28,178	239	8.5
Oneida County †	12,782	104	8.1
Outagamie County †	32,944	294	8.9
RURAL PART OF REGISTRATION STATES [1]—Con.			
WISCONSIN—continued.			
Ozaukee County	17,523	171	9.8
Pepin County †	[2] 7,577	62	8.2
Pierce County †	[2] 22,079	196	8.9
Polk County †	23,247	209	9.0
Portage County	31,716	349	11.0
Price County †	16,267	136	8.4
Racine County	18,130	212	11.7
Richland County	[2] 18,809	186	9.9
Rock County	25,960	272	10.5
St. Croix County	[2] 25,910	269	10.4
Sauk County	[2] 32,869	321	9.8
Sawyer County † (total)	7,616	53	7.0
White	6,238	41	6.6
Colored	1,378	12	8.7
Shawano County (total)	34,207	339	9.9
White	32,453	288	8.9
Colored	1,754	51	29.1
RURAL PART OF REGISTRATION STATES [1]—Con.			
WISCONSIN—continued.			
Sheboygan County †	29,073	228	7.8
Taylor County †	14,896	131	8.8
Trempealeau County	[2] 22,928	255	11.1
Vernon County †	[2] 28,116	244	8.7
Vilas County † (total)	6,592	25	3.8
White	5,851	25	4.3
Colored	741	.....	.....
Walworth County	29,802	367	12.3
Washburn County	9,605	94	9.8
Washington County	23,886	227	9.5
Waukesha County	38,084	441	11.6
Waupaca County	33,397	359	10.7
Waushara County †	20,422	168	8.2
Winnebago County *	28,587	356	12.5
Wood County	33,070	315	9.5

[1] Exclusive of municipalities having a populationof 10,000 or over in 1910. [2] Population Apr. 15, 1910. Decrease since 1900. [3] Includes National Military Home.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1912 TO 1915.

[The causes of death originally classified according to the first revision of the International List, which was in effect for the years 1900 to 1909, are rearranged, as far as practicable, to correspond with the second revision, in effect Jan. 1, 1910. Changes depending upon new titles, or markedly affecting the comparability of the figures, are indicated by asterisks (*) following the titles, and reference should be made to the statements in the text (p. 20) relative to changes in classification.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1915	1914	1913	1912	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1915	1914	1913	1912	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	All causes	909,155	898,059	890,848	838,251	714,933	529,630	1,350.2	1,360.9	1,407.4	1,387.2	1,511.5	1,619.7
	I.—General diseases *	240,858	238,094	237,400	217,317	191,161	146,137	357.7	360.8	375.0	359.6	404.1	446.9
1	Typhoid fever	8,332	10,185	11,323	9,987	12,120	10,458	12.4	15.4	17.9	16.5	25.6	32.0
2	Typhus fever	2	3	8	6	1	3	(1)	(1)	(1)	(1)	(1)	(1)
3	Relapsing fever	.....	4	4	3	1	2	.....	(1)	(1)	(1)	(1)	(1)
4	Malaria	1,541	1,477	1,565	1,848	1,206	1,568	2.3	2.2	2.5	3.1	2.6	4.8
5	Smallpox	169	212	125	165	108	1,119	0.3	0.3	0.2	0.3	0.2	3.4
6	Measles	3,649	4,461	8,108	4,240	5,092	2,951	5.4	6.8	12.8	7.0	10.8	9.0
7	Scarlet fever	2,419	4,340	5,498	4,038	5,030	3,608	3.6	6.6	8.7	6.7	10.6	11.0
8	Whooping cough	5,421	6,816	6,332	5,619	5,440	3,572	8.1	10.3	10.0	9.3	11.5	10.9
9	Diphtheria and croup	10,544	11,786	11,920	11,013	10,576	9,674	15.7	17.9	18.8	18.2	22.4	29.6
10	Influenza	10,768	6,014	7,725	6,237	7,760	6,506	16.0	9.1	12.2	10.3	16.4	19.9
11	Miliary fever	.....	2	.....	.....	(2)	3	.....	(1)	.....	.....	(1)	(1)
12	Asiatic cholera	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	210	306	399	245	485	460	0.3	0.5	0.6	0.4	1.0	1.4
14	Dysentery	2,519	3,026	3,216	2,635	3,076	2,810	3.7	4.6	5.1	4.4	6.5	8.6
15	Plague	1	10	2	.....	19	18	(1)	(1)	(1)	.....	(1)	0.1
16	Yellow fever	.....	.....	.....	.....	1	92	.....	.....	.....	.....	(1)	0.3
17	Leprosy	13	12	6	11	8	5	(1)	(1)	(1)	(1)	(1)	(1)
18	Erysipelas	2,340	2,472	2,525	2,302	1,977	1,455	3.5	3.7	4.0	3.8	4.2	4.5
19	Other epidemic diseases *	235	293	222	224	156	76	0.3	0.4	0.4	0.4	0.3	0.2
20	Purulent infection and septicemia	1,555	1,737	1,766	1,648	1,798	1,998	2.3	2.6	2.8	2.7	3.8	6.1
21	Glanders	4	10	8	12	7	5	(1)	(1)	(1)	(1)	(1)	(1)
22	Anthrax	35	19	25	18	21	23	0.1	(1)	(1)	(1)	(1)	0.1
23	Rabies	52	65	95	74	72	42	0.1	01.	0.2	0.1	0.2	0.1
24	Tetanus *	1,229	1,354	1,362	1,303	1,276	1,150	1.8	2.1	2.2	2.2	2.7	3.5
25	Mycoses	42	28	32	27	29	14	0.1	(1)	0.1	(1)	0.1	(1)
26	Pellagra	2,843	1,550	1,015	674	101	1	4.2	2.3	1.6	1.1	0.2	(1)
27	Beriberi *	6	5	11	12	(3)	(4)	(1)	(1)	(1)	(1)	(3)	(4)
	Tuberculosis (total)	98,194	96,903	93,421	90,360	79,792	62,978	145.8	146.8	147.6	149.5	168.7	192.6
28	Tuberculosis of the lungs *	82,853	81,247	77,735	75,429	69,436	55,809	123.0	123.1	122.8	124.8	146.8	170.7
29	Acute miliary tuberculosis *	3,140	3,119	3,077	3,036	(3)	(4)	4.7	4.7	4.9	5.0	(3)	(4)
30	Tuberculous meningitis	5,445	5,410	5,467	5,098	4,289	2,905	8.1	8.2	8.6	8.4	9.1	8.9
31	Abdominal tuberculosis	3,410	3,648	3,651	3,525	2,843	1,946	5.1	5.5	5.8	5.8	6.0	6.0
32	Pott's disease	877	914	859	767	692	492	1.3	1.4	1.4	1.3	1.5	1.5
33	White swellings	463	482	435	450	348	234	0.7	0.7	0.7	0.7	0.7	0.7
34	Tuberculosis of other organs *	1,330	1,320	1,355	1,267	988	666	2.0	2.0	2.1	2.1	2.1	2.0
35	Disseminated tuberculosis	676	763	842	788	1,195	926	1.0	1.2	1.3	1.3	2.5	2.8
36	Rickets *	474	530	497	455	(3)	(4)	0.7	0.8	0.8	0.8	(3)	(4)
37	Syphilis	5,819	5,195	4,589	3,941	2,550	1,335	8.6	7.9	7.2	6.5	5.4	4.1
38	Gonococcus infection	340	253	237	219	121	41	0.5	0.4	0.4	0.4	0.3	0.1
	Cancer and other malignant tumors (total)	54,584	52,420	49,928	46,531	34,320	22,214	81.1	79.4	78.9	77.0	72.6	67.9
39	Of the buccal cavity	2,123	2,270	1,966	1,838	1,212	677	3.2	3.4	3.1	3.0	2.6	2.1
40	Of the stomach, liver	21,221	19,889	19,767	18,517	13,395	8,091	31.5	30.1	31.2	30.6	28.3	24.7
41	Of the peritoneum, intestines, rectum	7,332	6,745	6,625	5,923	4,148	2,332	10.9	10.2	10.5	9.8	8.8	7.1
42	Of the female genital organs	8,120	8,152	7,706	7,089	5,118	3,263	12.1	12.4	12.2	11.7	10.8	10.0
43	Of the breast	5,163	5,423	4,592	4,431	3,070	1,845	7.7	8.2	7.3	7.3	6.5	5.6
44	Of the skin	1,955	1,957	1,725	1,743	1,268	740	2.9	3.0	2.7	2.9	2.7	2.3
45	Of other organs or of organs not specified	8,670	7,984	7,547	6,990	6,110	5,266	12.9	12.1	11.9	11.6	12.9	16.1
46	Other tumors (tumors of the female genital organs excepted)	315	336	297	377	489	488	0.5	0.5	0.5	0.6	1.0	1.5
47	Acute articular rheumatism *	3,274	3,539	3,656	3,227	2,551	1,698	4.9	5.4	5.8	5.3	5.4	5.2
48	Chronic rheumatism and gout *	865	811	834	813	1,039	1,191	1.3	1.2	1.3	1.3	2.2	3.6
49	Scurvy	79	92	76	85	67	48	0.1	0.1	0.1	0.1	0.1	0.1
50	Diabetes	11,775	10,666	9,660	9,045	6,494	3,772	17.5	16.2	15.3	15.0	13.7	11.5
51	Exophthalmic goiter	1,067	1,006	966	908	512	218	1.6	1.5	1.5	1.5	1.1	0.7
52	Addison's disease	288	311	261	237	200	149	0.4	0.5	0.4	0.4	0.4	0.5
53	Leukemia	1,325	1,305	1,112	1,054	728	394	2.0	2.0	1.8	1.7	1.5	1.2
54	Anemia, chlorosis	3,521	3,326	3,186	3,078	2,293	1,578	5.2	5.0	5.0	5.1	4.8	4.8
55	Other general diseases *	1,428	1,455	1,190	1,048	476	158	2.1	2.2	1.9	1.7	1.0	0.5
56	Alcoholism (acute or chronic)	2,945	3,257	3,744	3,183	2,734	2,002	4.4	4.9	5.9	5.3	5.8	6.1
57	Chronic lead poisoning	155	149	162	148	101	87	0.2	0.2	0.3	0.2	0.2	0.3
58	Other chronic occupation poisonings	10	10	9	8	5	5	(1)	(1)	(1)	(1)	(1)	(1)
59	Other chronic poisonings	471	343	283	259	233	166	0.7	0.5	0.4	0.4	0.5	0.5
	II.—Diseases of the nervous system and of the organs of special sense *	88,108	87,614	84,755	82,248	72,470	58,890	130.8	132.8	133.9	136.1	153.2	180.1
60	Encephalitis	581	711	780	756	517	630	0.9	1.1	1.2	1.3	1.1	1.9
61	Meningitis (total)	4,985	5,823	6,599	6,928	9,197	10,366	7.4	8.8	10.4	11.5	19.4	31.7
	Simple meningitis	2,841	3,223	3,648	3,782	6,384	7,601	4.2	4.9	5.8	6.3	13.5	23.2
	Cerebrospinal meningitis (undefined)	1,181	1,473	1,771	1,694	2,813	2,765	1.8	2.2	2.8	2.8	5.9	8.5
	Cerebrospinal fever	963	1,127	1,180	1,452			1.4	1.7	1.9	2.4		
62	Locomotor ataxia	1,757	1,699	1,674	1,588	1,249	786	2.6	2.6	2.6	2.6	2.6	2.4
63	Other diseases of the spinal cord (total)	4,183	4,121	3,996	4,108	2,736	1,589	6.2	6.2	6.3	6.8	5.8	4.9
	Acute anterior poliomyelitis	691	720	864	1,136	2,736	1,589	1.0	1.1	1.4	1.9	5.8	4.9
	Other diseases of the spinal cord [5]	3,492	3,401	3,132	2,972			5.2	5.2	4.9	4.9		
64	Cerebral hemorrhage, apoplexy	53,397	51,272	47,220	45,752	33,913	22,756	79.3	77.7	74.6	75.7	71.7	69.6

[1] Less than one-tenth of 1 per 100,000 population.
[2] Less than 1.
[3] Figures for deaths not available for the entire period.
[4] Figures for deaths not tabulated separately prior to 1910.
[5] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1912 TO 1915—Continued.

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1915	1914	1913	1912	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1915	1914	1913	1912	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	II.—Diseases of the nervous system and of the organs of special sense—Con.												
65	Softening of the brain	1,041	1,148	1,158	1,045	1,163	1,198	1.5	1.7	1.8	1.7	2.5	3.7
66	Paralysis without specified cause [1]	6,052	6,382	6,772	6,105	7,606	6,583	9.0	9.7	10.7	10.1	16.1	20.1
67	General paralysis of the insane [1]	5,014	4,690	4,371	4,053	2,588	2,234	7.4	7.1	6.9	6.7	5.5	6.8
68	Other forms of mental alienation	1,464	1,468	1,534	1,482	1,719	1,170	2.2	2.2	2.4	2.5	3.6	3.6
69	Epilepsy	2,582	2,582	2,632	2,476	1,981	1,452	3.8	3.9	4.2	4.1	4.2	4.4
70	Convulsions (nonpuerperal)	109	118	144	157	256	364	0.2	0.2	0.2	0.3	0.5	1.1
71	Convulsions of infants	2,694	3,420	3,697	3,808	6,038	7,000	4.0	5.2	5.8	6.3	12.8	21.4
72	Chorea	109	124	118	118	103	87	0.2	0.2	0.2	0.2	0.2	0.3
73	Neuralgia and neuritis *	391	411	409	411	2,599	2,240	0.6	0.6	0.6	0.7	5.5	6.9
74	Other diseases of the nervous system *	2,435	2,426	2,355	2,316			3.6	3.7	3.7	3.8		
75	Diseases of the eyes and their annexa	66	59	54	46	29	22	0.1	0.1	0.1	0.1	0.1	0.1
76	Diseases of the ears	1,248	1,160	1,242	1,099	776	413	1.9	1.8	2.0	1.8	1.6	1.3
	III.—Diseases of the circulatory system	130,755	123,901	117,645	115,007	84,040	52,696	194.2	187.8	185.9	190.3	177.7	161.2
77	Pericarditis	772	803	715	718	638	677	1.1	1.2	1.1	1.2	1.3	2.1
78	Acute endocarditis*	6,147	5,946	5,387	5,198	5,790	3,665	9.1	9.0	8.5	8.6	12.2	11.2
79	Organic diseases of the heart*	99,053	93,588	87,755	86,179	62,985	40,612	147.1	141.8	138.6	142.6	133.2	124.2
80	Angina pectoris	5,180	4,751	4,592	4,391	3,204	2,143	7.7	7.2	7.3	7.3	6.8	6.6
81	Diseases of the arteries, atheroma, aneurism, etc.	15,685	15,044	15,924	15,481	8,394	3,066	23.3	22.8	25.2	25.6	17.7	9.4
82	Embolism and thrombosis	2,732	2,672	2,179	2,094	1,866	1,367	4.1	4.0	3.4	3.5	3.9	4.2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	441	448	435	333	284	187	0.7	0.7	0.7	0.6	0.6	0.6
84	Diseases of the lymphatic system (lymphangitis, etc.)	452	377	360	324	144	65	0.7	0.6	0.6	0.5	0.3	0.2
85	Hemorrhage; other diseases of the circulatory system*	293	272	298	289	736	915	0.4	0.4	0.5	0.5	1.6	2.8
	IV.—Diseases of the respiratory system	109,444	104,086	103,979	100,210	88,976	72,091	162.5	157.7	164.3	165.8	188.1	220.5
86	Diseases of the nasal fossae	125	127	104	120	99	71	0.2	0.2	0.2	0.2	0.2	0.2
87	Diseases of the larynx	762	814	835	790	781	756	1.1	1.2	1.3	1.3	1.7	2.3
88	Diseases of the thyroid body	447	339	358	297	183	97	0.7	0.5	0.6	0.5	0.4	0.3
89	Acute bronchitis	6,505	6,396	6,602	6,723	7,206	6,996	9.7	9.7	10.4	11.1	15.2	21.4
90	Chronic bronchitis	5,177	5,050	4,786	4,907	5,239	5,031	7.7	7.7	7.6	8.1	11.1	15.4
91	Bronchopneumonia	33,501	32,153	31,094	28,422	19,130	10,768	49.8	48.7	49.1	47.0	40.4	32.9
92	Pneumonia (total)	55,825	51,651	52,684	51,495	48,713	41,044	82.9	78.3	83.2	85.2	103.0	125.5
	Lobar pneumonia	44,153	36,911	32,615	30,003	48,713	41,044	65.6	55.9	51.5	49.7	103.0	125.5
	Pneumonia (undefined)	11,672	14,740	20,069	21,492			17.3	22.3	31.7	35.6		
93	Pleurisy	2,323	2,441	2,211	1,994	1,955	1,520	3.4	3.7	3.5	3.3	4.1	4.6
94	Pulmonary congestion, pulmonary apoplexy	1,630	2,011	2,228	2,376	2,636	2,802	2.4	3.0	3.5	3.9	5.6	8.6
95	Gangrene of the lung	215	194	203	195	177	166	0.3	0.3	0.3	0.3	0.4	0.5
96	Asthma	1,664	1,634	1,578	1,588	1,386	1,220	2.5	2.5	2.5	2.6	2.9	3.7
97	Pulmonary emphysema	185	194	170	173	169	227	0.3	0.3	0.3	0.3	0.4	0.7
98	Other diseases of the respiratory system (tuberculosis excepted)	1,085	1,082	1,126	1,130	1,302	1,393	1.6	1.6	1.8	1.9	2.8	4.3
	V.—Diseases of the digestive system	94,987	99,673	103,276	95,599	91,377	63,834	141.1	151.0	163.2	158.2	193.2	195.2
99	Diseases of the mouth and annexa	552	522	448	431	349	242	0.8	0.8	0.7	0.7	0.7	0.7
100	Diseases of the pharynx	1,569	1,476	1,315	1,086	735	473	2.3	2.2	2.1	1.8	1.6	1.4
101	Diseases of the esophagus	143	151	164	123	132	113	0.2	0.2	0.3	0.2	0.3	0.3
102	Ulcer of the stomach	2,922	2,681	2,536	2,316	1,680	964	4.3	4.1	4.0	3.8	3.6	2.9
103	Other diseases of the stomach (cancer excepted)	7,069	7,856	8,832	9,030	7,939	5,786	10.5	11.9	14.0	14.9	16.8	17.7
104	Diarrhea and enteritis (under 2 years)	40,099	43,532	47,605	42,482	45,516	29,094	59.5	66.0	75.2	70.3	96.2	89.0
105	Diarrhea and enteritis (2 years and over)	8,226	8,875	9,475	8,274	7,891	6,610	12.2	13.4	15.0	13.7	16.7	20.2
106	Ankylostomiasis*	13	32	39	30	67	38	(2)	(2)	0.1	(2)	0.1	0.1
107	Intestinal parasites*	84	115	98	97			0.1	0.2	0.2	0.2		
108	Appendicitis and typhlitis	8,397	8,099	7,648	7,022	5,306	3,589	12.5	12.3	12.1	11.6	11.2	11.0
109	Hernia, intestinal obstruction (total)	7,577	7,706	7,342	7,192	6,089	4,256	11.3	11.7	11.6	11.9	12.9	13.0
	Hernia	2,604	2,646	2,424	2,348	1,927	1,364	3.9	4.0	3.8	3.9	4.1	4.2
	Intestinal obstruction	4,973	5,060	4,918	4,844	4,162	2,892	7.4	7.7	7.8	8.0	8.8	8.8
110	Other diseases of the intestines	1,934	1,899	1,642	1,705	1,311	945	2.9	2.9	2.6	2.8	2.8	2.9
111	Acute yellow atrophy of the liver	274	310	315	273	189	131	0.4	0.5	0.5	0.5	0.4	0.4
112	Hydatid tumor of the liver	20	24	15	25	16	11	(2)	(2)	(2)	(2)	(2)	(2)
113	Cirrhosis of the liver	8,439	8,526	8,497	8,176	6,784	4,694	12.5	12.9	13.4	13.5	14.3	14.4
114	Biliary calculi	2,228	2,149	1,999	1,793	1,301	736	3.3	3.3	3.2	3.0	2.8	2.2
115	Other diseases of the liver	3,276	3,254	3,029	3,120	2,865	2,443	4.9	4.9	4.8	5.2	6.1	7.5
116	Diseases of the spleen	107	144	127	108	95	85	0.2	0.2	0.2	0.2	0.2	0.3
117	Simple peritonitis (nonpuerperal)	1,527	1,848	1,708	1,907	2,899	3,537	2.3	2.8	2.7	3.2	6.1	10.8
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	531	474	442	409	214	88	0.8	0.7	0.7	0.7	0.5	0.3
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	80,808	78,023	75,253	72,059	54,171	37,584	120.0	118.2	118.9	119.2	114.5	114.9
119	Acute nephritis	6,020	5,912	6,568	6,402	4,773	3,138	8.9	9.0	10.4	10.6	10.1	9.6
120	Bright's disease	64,480	61,633	58,538	55,865	41,339	28,565	95.8	93.4	92.5	92.5	87.4	87.4
121	Chyluria*	.....	3	1	.....	1,247	926	.....	(2)	(2)	.....	2.6	2.8
122	Other diseases of the kidneys and annexa*	1,609	1,539	1,372	1,454			2.4	2.3	2.2	2.4		
123	Calculi of the urinary passages	478	442	403	358	265	155	0.7	0.7	0.6	0.6	0.6	0.5

[1] Paresis (unqualified) transferred from List No. 66 to No. 67, beginning with 1911.

[2] Less than one-tenth of 1 per 100,000 population.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1912 TO 1915—Continued.

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1915	1914	1913	1912	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1915	1914	1913	1912	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Con.												
124	Diseases of the bladder	1,335	1,451	1,474	1,504	1,484	1,415	2.0	2.2	2.3	2.5	3.1	4.3
125	Diseases of the urethra, urinary abscess, etc	288	266	264	258	204	136	0.4	0.4	0.4	0.4	0.4	0.4
126	Diseases of the prostate	2,612	2,671	2,465	2,439	1,628	862	3.9	4.0	3.9	4.0	3.4	2.6
127	Nonvenereal diseases of the male genital organs	78	91	104	82	49	35	0.1	0.1	0.2	0.1	0.1	0.1
128	Uterine hemorrhage (nonpuerperal)	49	47	54	48	79	89	0.1	0.1	0.1	0.1	0.2	0.3
129	Uterine tumor (noncancerous)	1,253	1,198	1,173	1,053	837	581	1.9	1.8	1.9	1.7	1.8	1.8
130	Other diseases of the uterus	658	720	721	687	734	564	1.0	1.1	1.1	1.1	1.6	1.7
131	Cysts and other tumors of the ovary	562	592	640	546	472	430	0.8	0.9	1.0	0.9	1.0	1.3
132	Salpingitis and other diseases of the female genital organs	1,337	1,414	1,451	1,324	1,034	671	2.0	2.1	2.3	2.2	2.2	2.1
133	Nonpuerperal diseases of the breast (cancer excepted)	49	44	25	39	26	17	0.1	0.1	(1)	0.1	0.1	0.1
	VII.—The puerperal state	10,237	10,518	10,010	9,035	7,330	4,643	15.2	15.9	15.8	15.0	15.5	14.2
134	Accidents of pregnancy	941	902	861	863	800	549	1.4	1.4	1.4	1.4	1.7	1.7
135	Puerperal hemorrhage*	1,000	1,000	988	923	491	337	1.5	1.5	1.6	1.5	1.0	1.0
136	Other accidents of labor*	979	926	854	842	629	295	1.5	1.4	1.3	1.4	1.3	0.9
137	Puerperal septicemia*	4,214	4,664	4,542	3,905	3,224	2,057	6.3	7.1	7.2	6.5	6.8	6.3
138	Puerperal albuminuria and convulsions*	2,673	2,617	2,397	2,174	1,593	911	4.0	4.0	3.8	3.6	3.4	2.8
139	Puerperal phlegmasia alba dolens, embolus, sudden death*	383	378	310	276	61	4	0.6	0.6	0.5	0.5	0.1	(1)
140	Following childbirth (not otherwise defined)*	41	27	56	44	528	488	0.1	(1)	0.1	0.1	1.1	1.5
141	Puerperal diseases of the breast	6	4	2	8	3	1	(1)	(1)	(1)	(1)	(1)	(1)
	VIII.—Diseases of the skin and of the cellular tissue	3,071	3,057	3,275	3,108	2,869	2,392	4.6	4.6	5.2	5.1	6.1	7.3
142	Gangrene	1,440	1,442	1,591	1,654	1,656	1,457	2.1	2.2	2.5	2.7	3.5	4.5
143	Furuncle	421	371	331	322	221	149	0.6	0.6	0.5	0.5	0.5	0.5
144	Acute abscess	571	600	667	524	512	473	0.8	0.9	1.1	0 9	1.1	1.4
145	Other diseases of the skin and annexa	639	644	686	608	480	312	0.9	1.0	1.1	1.0	1.0	1.0
	IX.—Diseases of the bones and of the organs of locomotion*	1,771	1,697	1,616	1,428	1,335	932	2.6	2.6	2.6	2.4	2.8	2.9
146	Diseases of the bones (tuberculosis excepted)*	1,526	1,478	1,399	1,242	1,190	795	2.3	2.2	2.2	2.1	2.5	2.4
147	Diseases of the joints (tuberculosis and rheumatism excepted)	185	152	166	133	97	75	0.3	0.2	0.3	0.2	0.2	0.2
148	Amputations	3	5	3	3	13	35	(1)	(1)	(1)	(1)	(1)	0.1
149	Other diseases of the organs of locomotion	57	62	48	50	36	27	0.1	0.1	0.1	0.1	0.1	0.1
	X.—Malformations	9,986	10,314	9,401	8,670	7,066	3,978	14.8	15.6	14.9	14.3	14.9	12.2
150	Congenital malformation (stillbirths not included) (total)	9,986	10,314	9,401	8,670	7,066	3,978	14.8	15.6	14.9	14.3	14.9	12.2
	Hydrocephalus	853	860	820	771	669	527	1.3	1.3	1.3	1.3	1.4	1.6
	Congenital malformations of the heart	6,032	6,204	5,745	5,211	4,272	2,190	9.0	9.4	9.1	8.6	9.0	6.7
	Other congenital malformations	3,101	3,250	2,836	2,688	2,125	1,261	4.6	4.9	4.5	4.4	4.5	3.9
	XI.—Early infancy*	51,765	52,535	52,865	48,877	35,456	24,167	76.9	79.6	83.5	80.9	75.0	73.9
151	Congenital debility, icterus, and scelrema (total)*	41,115	42,009	43,198	39,926	30,526	17,646	61.1	63.7	68.2	66.1	64.5	54.0
	Premature birth	29,027	28,270	27,359	25,139	16,899	10,062	43.1	42.8	43.2	41.6	35.7	30.8
	Congenital debility, "atrophy," "marasmus," etc	12,088	13,739	15,839	14,787	13,627	7,585	18.0	20.8	25.0	24.5	28.8	23.2
152	Other causes peculiar to early infancy* (total)	10,424	10,280	9,486	8,801	4,765	2,499	15.5	15.6	15.0	14.6	10.1	7.6
	Injuries at birth	5,914	5,716	5,131	4,712	3,138	1,634	8.8	8.7	8.1	7.8	6.6	5.0
	Other causes peculiar to early infancy [2]	4,510	4,564	4,355	4,089	1,627	864	6.7	6.9	6.9	6.8	3.4	2.6
153	Lack of care*	226	246	181	150	165	4,022	0.3	0.4	0.3	0.2	0.3	12.3
	XII.—Old age*	12,392	13,033	13,914	14,362	13,715	13,400	18.4	19.8	22.0	23.8	29.0	41.0
154	Senility*	12,392	13,033	13,914	14,362	13,715	13,400	18.4	19.8	22.0	23.8	29.0	41.0
	XIII.—External causes*	67,292	67,550	68,566	63,385	51,058	33,251	99.9	102.4	108.3	104.9	107.9	101.7
	Suicide (total)	11,216	10,933	9,988	9,656	7,584	4,548	16.7	16.6	15.8	16.0	16.0	13.9
155	By poison	2,481	3,000	2,824	2,788	2,281	1,549	3.7	4.5	4.5	4.6	4.8	4.7
156	By asphyxia	1,584	1,419	1,262	1,199	785	365	2.4	2.2	2.0	2.0	1.7	1.1
157	By hanging or strangulation	1,749	1,552	1,380	1,437	1,085	684	2.6	2.4	2.2	2.4	2.3	2.1
158	By drowning	670	619	568	476	415	231	1.0	0.9	0.9	0.8	0.9	0.7
159	By firearms	3,608	3,286	2,930	2,796	2,243	1,108	5.4	5.0	4.6	4.6	4.7	3.4
160	By cutting or piercing instruments	681	658	673	644	472	261	1.0	1.0	1.1	1.1	1.0	0 8
161	By jumping from high places	259	225	183	143	128	55	0.4	0.3	0.3	0.2	0.3	0.2
162	By crushing	83	89	90	101	67	20	0.1	0.1	0.1	0.2	0.1	0.1
163	Other suicides	101	85	78	72	118	275	0.1	0.1	0.1	0.1	0.3	0.8
	Accidental or undefined (total)	51,406	51,770	54,011	49,775	40,702	27,753	76.3	78.5	85.3	82.4	86.0	84.9
164	Poisoning by food*	639	689	657	573	1,655	1,412	0.9	1.0	1.0	0.9	3.5	4.3
165	Other acute poisonings*	1,280	1,538	1,453	1,348			1.9	2.3	2.3	2.2		
166	Conflagration*	971	1,029	949	901	545	(3)	1.4	1.6	1.5	1.5	1.2	(3)
167	Burns (conflagration excepted)	4,804	5,021	4,935	4,839	3,885	2,715	7.1	7.6	7.8	8.0	8.2	8.3

[1] Less than one-tenth of 1 per 100,000 population. [2] Exclusive of injuries at birth. [3] Figures for deaths not available for the entire period.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1912 TO 1915—Continued.

[See note at head of this table.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1915	1914	1913	1912	Annual average: 1906 to 1910	Annual average: 1901 to 1905	1915	1914	1913	1912	Annual average: 1906 to 1910	Annual average: 1901 to 1905
	XIII.—External causes—Continued.												
	Accidental or undefined—Continued.												
168	Absorption of deleterious gases (conflagration excepted)*	2,202	2,598	2,271	2,378	1,766	1,519	3.3	3.9	3.6	3.9	3.7	4.6
169	Accidental drowning	6,514	5,703	6,468	5,313	4,551	3,362	9.7	8.6	10.2	8.8	9.6	10.3
170	Traumatism by firearms	1,501	1,579	1,572	1,369	1,012	1,109	2.2	2.4	2.5	2.3	2.1	3.4
171	Traumatism by cutting or piercing instruments*	89	123	95	106	(1)	(2)	0.1	0.2	0.2	0.2	(1)	(2)
172	Traumatism by fall*	9,979	9,904	9,747	9,322	(1)	(2)	14.8	15.0	15.4	15.4	(1)	(2)
173	Traumatism in mines and quarries (total)	2,110	2,190	2,385	2,137	2,010	320	3.1	3.3	3.8	3.5	4.2	1.0
	Traumatism in mines	2,009	2,062	2,280	2,040	2,010	320	3.0	3.1	3.6	3.4	4.2	1.0
	Traumatism in quarries	101	128	105	97			0.1	0.2	0.2	0.2		
174	Traumatism by machines	1,257	1,305	1,526	1,379	1,002	285	1.9	2.0	2.4	2.3	2.1	0.9
175	Traumatism by other crushing* (total)	14,978	14,433	15,680	14,496	(1)	(2)	22.2	21.9	24.8	24.0	(1)	(2)
	Railroad accidents and injuries	6,652	7,062	8,212	8,209	7,076	4,977	9.9	10.7	13.0	13.6	15.0	15.2
	Street-car accidents and injuries	1,555	1,673	1,998	1,832	1,747		2.3	2.5	3.2	3.0	3.7	
	Automobile accidents and injuries	3,978	2,826	2,488	1,758	496	848	5.9	4.3	3.9	2.9	1.0	2.6
	Injuries by other vehicles	2,348	2,418	2,381	2,221	1,870		3.5	3.7	3.8	3.7	4.0	
	Landslide, other crushing*	445	454	601	476	(1)	(2)	0.7	0.7	0.9	0.8	(1)	(2)
176	Injuries by animals*	563	550	540	543	(1)	(2)	0.8	0.8	0.9	0.9	(1)	(2)
177	Starvation	43	57	34	50	36	33	0.1	0.1	0.1	0.1	0.1	0.1
178	Excessive cold	344	412	230	316	243	191	0.5	0.6	0.4	0.5	0.5	0.6
179	Effects of heat	407	757	1,226	779	763	1,188	0.6	1.1	1.9	1.3	1.6	3.6
180	Lightning	221	287	317	243	154	98	0.3	0.4	0.5	0.4	0.3	0.3
181	Electricity (lightning excepted)*	515	553	670	567	(1)	(2)	0.8	0.8	1.1	0.9	(1)	(2)
185	Fractures (cause not specified)	391	418	446	465	1,351	2,785	0.6	0.6	0.7	0.8	2.9	8.5
186	Other external violence*	2,598	2,624	2,810	2,651	8,554	6,527	3.9	4.0	4.4	4.4	18.1	20.0
	Homicide (total)	4,670	4,847	4,567	3,954	2,771	950	6.9	7.3	7.2	6.5	5.9	2.9
182	By firearms*	2,885	3,077	2,821	2,449	2,771	950	4.3	4.7	4.5	4.1	5.9	2.9
183	By cutting or piercing instruments*	663	693	674	592			1.0	1.1	1.1	1.0		
184	By other means*	1,122	1,077	1,072	913			1.7	1.6	1.7	1.5		
	XIV.—Ill-defined diseases*	7,681	7,964	8,893	6,946	13,907	15,633	11.4	12.1	14.0	11.5	29.4	47.8
187	Ill-defined organic disease	427	526	583	564	842	1,311	0.6	0.8	0.9	0.9	1.8	4.0
188	Sudden death	486	513	501	505	233	123	0.7	0.8	0.8	0.8	0.5	0.4
189	Not specified or ill-defined* (total)	6,768	6,925	7,809	5,877	12,833	14,199	10.1	10.5	12.3	9.7	27.1	43.4
	Ill-defined	2,865	3,067	3,328	3,156	11,224	12,580	4.3	4.6	5.3	5.2	23.7	38.5
	Not specified or unknown	3,903	3,858	4,481	2,721	1,609	1,618	5.8	5.8	7.1	4.5	3.4	4.9

[1] Figures for deaths not available for the entire period.

[2] Figures for deaths not tabulated separately prior to 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision under causes of death correspond to those of the abridged International List (see pp. 19 and 20).]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	SUMMARY.															
1	The registration area (total)	1,350.2	12.4	2.3	0.3	5.4	3.6	8.1	15.7	16.0	3.5	127.7	8.1	10.0	6.1	81.1
2	White	1,299.7	11.4	1.6	0.2	5.5	3.7	7.5	15.9	15.5	3.5	114.1	7.8	8.9	6.0	82.0
3	Colored	2,303.9	31.3	15.7	0.7	3.7	1.3	17.8	10.2	25.6	2.2	384.7	13.8	30.7	8.8	62.7
4	Registration states [2] (total)	1,326.9	12.1	1.7	0.1	5.2	3.6	8.3	15.2	15.8	3.5	123.8	8.1	9.6	6.2	80.9
5	White	1,289.8	11.3	1.4	0.1	5.3	3.7	7.8	15.4	15.5	3.5	112.4	7.7	8.8	6.1	81.8
6	Colored	2,159.7	30.4	9.0	0.5	4.1	1.4	19.2	10.1	22.4	2.4	379.8	15.5	26.7	8.9	61.2
7	Cities in registration states [2] (total)	1,419.7	10.8	0.7	0.1	7.1	4.0	7.9	17.5	11.7	4.1	135.9	10.9	10.1	6.1	89.7
8	White	1,377.7	10.3	0.5	0.1	7.2	4.1	7.7	17.9	11.2	4.1	124.0	10.5	9.2	5.9	90.3
9	Colored	2,403.0	23.6	5.4	0.6	5.0	1.7	13.5	9.0	22.3	3.0	412.3	21.6	30.1	9.2	74.9
10	Rural part of registration states (total)	1,234.4	13.4	2.8	0.2	3.4	3.1	8.6	12.9	19.9	2.9	111.8	5.2	9.2	6.3	72.1
11	White	1,201.7	12.3	2.3	0.2	3.4	3.2	7.8	13.0	19.8	3.0	100.7	5.0	8.5	6.2	73.2
12	Colored	1,936.1	36.6	12.4	0.3	3.4	1.0	24.4	11.2	22.6	1.9	350.0	9.9	23.5	8.7	48.5
13	Registration cities in other states (total)	1,625.0	15.7	8.8	1.6	7.6	3.7	5.7	21.1	18.3	3.2	173.8	8.4	15.0	5.7	83.1
14	White	1,430.3	12.7	3.8	1.6	8.6	4.1	4.5	22.8	15.2	3.5	136.8	8.5	10.1	5.2	85.5
15	Colored	2,827.3	34.6	39.8	1.4	1.9	1.0	13.0	10.5	37.3	1.2	402.5	7.7	45.4	8.3	68.3
16	All registration cities [2] (total)	1,449.4	11.5	1.9	0.3	7.2	4.0	7.6	18.0	12.7	3.9	141.3	10.5	10.8	6.0	88.7
17	White	1,384.6	10.6	0.9	0.3	7.4	4.1	7.3	18.5	11.8	4.0	125.7	10.2	9.3	5.9	89.7
18	Colored	2,558.0	27.6	17.9	0.9	3.8	1.4	13.3	9.5	27.8	2.3	408.7	16.5	35.7	8.9	72.5
	REGISTRATION STATES.															
19	California (total)	1,370.6	9.7	1.8	0.1	5.4	2.3	4.7	11.0	8.3	1.6	172.2	11.2	12.7	4.5	98.1
20	White	1,359.6	9.4	1.7	0.1	5.5	2.3	4.6	11.5	8.6	1.6	164.7	10.2	11.9	4.7	100.1
21	Colored	1,589.0	16.1	3.7	.....	4.4	1.5	5.1	1.5	2.9	2.2	321.3	31.5	27.1	1.5	58.6
22	Colorado (total)	1,132.9	12.7	0.2	.....	2.2	6.2	9.4	5.6	13.9	2.8	158.2	4.7	5.1	6.4	53.4
23	White	1,124.6	12.8	0.2	.....	2.3	6.3	9.4	5.7	13.9	2.8	154.4	4.7	5.2	6.2	53.2
24	Colored	1,553.0	11.0	.....	.....	.....	.....	11.0	.....	11.0	.....	345.7	5.5	.....	16.5	65.9
25	Connecticut (total)	1,491.3	12.4	1.4	.....	5.0	3.1	11.7	16.0	18.5	4.7	122.8	10.8	9.7	6.4	92.6
26	White	1,477.5	12.2	1.3	.....	5.0	3.1	11.0	16.0	18.5	4.7	119.1	10.5	9.2	6.1	93.1
27	Colored	2,546.6	31.7	6.3	.....	6.3	.....	63.3	19.0	19.0	.....	399.1	31.7	50.7	25.3	57.0
28	Indiana (total)	1,265.2	14.9	2.1	0.4	2.5	3.6	5.9	10.9	17.0	3.6	122.9	7.1	13.8	6.3	82.8
29	White	1,240.5	14.3	2.0	0.3	2.4	3.7	5.7	10.9	16.9	3.5	114.9	7.0	12.6	6.1	83.3
30	Colored	2,346.5	38.4	4.8	1.6	3.2	.....	12.8	11.2	20.8	6.4	477.0	9.6	64.0	12.8	64.0
31	Kansas (total)	1,007.6	10.2	1.5	0.6	4.0	1.8	10.0	13.2	25.6	2.8	47.9	1.5	5.3	6.0	63.4
32	White	972.9	9.7	1.3	0.5	4.2	1.8	9.5	13.3	24.1	2.8	40.3	1.6	4.6	6.1	62.9
33	Colored	2,054.5	27.6	6.9	1.7	.....	1.7	24.2	10.4	70.8	1.7	276.5	.....	25.9	3.5	77.8
34	Kentucky (total)	1,225.5	30.4	6.4	(3)	3.6	2.3	8.4	24.4	19.7	3.0	178.6	8.6	13.8	7.1	49.7
35	White	1,110.0	27.8	5.5	(3)	3.8	2.5	7.6	25.7	18.1	3.2	147.5	8.2	12.1	6.1	49.2
36	Colored	2,203.1	52.4	13.6	.....	1.6	1.2	15.6	12.8	32.8	1.6	442.2	11.6	28.4	14.8	54.4
37	Maine (total)	1,561.9	13.4	0.1	.....	2.3	1.7	10.4	11.1	25.3	3.6	100.4	9.2	14.9	4.8	106.6
38	White	1,564.3	13.5	0.1	.....	2.4	1.7	10.5	11.1	25.4	3.7	100.2	9.1	14.9	4.8	106.9
39	Colored	816.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	163.3	40.8	.....	.....	.....
40	Maryland (total)	1,579.4	23.7	1.1	.....	2.5	5.3	6.8	13.5	15.1	3.0	171.3	7.8	12.1	5.9	89.7
41	White	1,407.3	18.5	0.6	.....	2.2	5.8	4.7	14.8	13.7	3.3	128.8	7.0	9.1	5.3	96.5
42	Colored	2,413.8	48.9	3.5	.....	3.9	2.6	16.9	7.4	21.6	1.7	377.6	11.7	26.8	9.1	57.1
43	Massachusetts (total)	1,448.9	6.7	0.2	0.3	7.4	5.5	12.8	20.0	8.5	3.9	118.1	12.1	10.0	4.0	104.0
44	White	1,440.0	6.7	0.2	0.1	7.3	5.5	12.6	20.1	8.5	3.9	114.8	11.9	9.5	4.0	104.2
45	Colored	2,170.1	6.7	.....	11.2	13.5	4.5	26.9	11.2	6.7	2.2	392.3	33.6	44.8	6.7	85.2
46	Michigan (total)	1,340.6	11.7	0.4	0.2	3.4	3.6	7.8	12.0	17.5	3.6	84.8	4.8	8.7	6.7	84.7
47	White	1,332.0	11.7	0.4	0.2	3.4	3.6	7.8	11.9	17.5	3.5	82.6	4.8	8.5	6.6	84.7
48	Colored	2,320.3	19.0	.....	.....	11.4	3.8	7.6	15.2	22.9	7.6	335.3	3.8	26.7	11.4	80.0
49	Minnesota (total)	1,014.5	6.8	.....	0.3	3.9	6.5	7.3	8.5	10.5	2.5	84.3	7.7	9.4	6.1	79.2
50	White	1,004.9	6.8	.....	0.3	3.9	6.4	7.3	8.6	10.4	2.6	81.2	7.4	9.3	6.0	79.5
51	Colored	2,238.4	11.4	.....	.....	5.7	11.4	17.0	5.7	34.1	.....	488.6	51.1	28.4	22.7	45.4
52	Missouri (total)	1,201.6	15.4	11.4	0.4	4.5	2.2	8.1	20.2	21.3	3.4	131.0	5.2	8.8	6.0	67.7
53	White	1,147.2	14.8	11.4	0.4	4.6	2.3	7.8	20.5	21.3	3.4	113.1	4.9	7.5	5.8	67.6
54	Colored	2,326.3	28.1	12.8	.....	3.2	1.3	15.3	13.4	21.1	3.8	501.3	10.2	35.1	8.9	69.6
55	Montana (total)	1,137.1	12.8	.....	0.2	1.6	3.6	8.1	4.7	9.2	2.9	104.9	7.6	6.3	6.1	50.0
56	White	1,098.7	12.7	.....	0.2	1.2	3.7	5.3	4.4	9.0	3.0	88.8	7.6	5.6	6.3	49.6
57	Colored	2,267.3	13.7	.....	.....	13.7	.....	88.8	13.7	13.7	.....	580.5	6.8	27.3	.....	61.5
58	New Hampshire (total)	1,611.3	7.7	0.5	.....	2.0	1.6	10.9	7.3	28.8	3.2	101.2	10.2	10.0	7.7	109.4
59	White	1,611.2	7.7	0.5	.....	2.0	1.6	10.9	7.3	28.9	3.2	101.1	10.2	10.0	7.7	109.5
60	Colored	1,675.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	167.5	.....	.....	.....	.....
61	New Jersey (total)	1,380.6	6.7	0.5	(3)	7.8	3.5	8.6	17.6	11.0	3.7	136.2	9.9	7.1	6.5	81.1
62	White	1,354.7	6.3	0.5	(3)	7.9	3.6	8.3	17.8	10.9	3.8	128.8	9.0	6.5	6.5	81.3
63	Colored	2,087.8	17.7	.....	.....	5.9	1.0	16.7	9.8	12.8	1.0	339.9	32.4	23.6	4.9	74.7
64	New York (total)	1,456.8	7.6	0.4	.....	8.8	4.3	7.7	17.4	12.9	5.2	144.3	11.6	8.0	6.3	92.0
65	White	1,442.6	7.5	0.4	.....	8.8	4.3	7.5	17.4	12.8	5.2	138.9	11.3	7.8	6.2	92.2
66	Colored	2,305.8	9.7	1.2	.....	7.9	3.0	21.2	17.6	14.5	3.6	467.6	33.9	22.4	11.5	80.6
67	North Carolina [4] (total)	1,731.4	40.8	14.0	1.2	0.6	1.6	14.4	11.7	19.1	3.5	207.9	4.9	18.3	6.4	59.5
68	White	1,345.7	31.0	7.4	1.2	0.9	2.5	9.9	15.2	17.7	4.0	133.3	4.3	13.0	3.7	62.6
69	Colored	2,487.1	60.1	26.7	1.2	.....	.....	23.1	4.9	21.9	2.4	354.0	6.1	28.5	11.5	53.4

[1] Exclusive of stillbirths.

[2] Includes District of Columbia.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915.

are designated by asterisks (*). Areas with very low rates, due possibly to incomplete registration or to overestimates of population, are designated by daggers (†). formed at least 5 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
17.5	7.4	80.8	147.1	17.3	132.7	12.5	59.5	12.5	11.3	12.5	104.7	6.3	8.9	75.9	83.3	16.7	231.7	11.4	1
17.8	7.2	80.1	143.5	17.0	127.0	11.9	58.2	12.4	10.9	12.5	100.4	6.0	8.6	74.7	80.6	17.1	221.2	8.8	2
10.8	10.9	95.7	214.5	24.7	239.9	24.3	85.0	14.3	17.4	14.0	185.0	11.2	14.7	97.4	134.3	9.1	430.2	61.2	3
17.6	7.5	82.1	146.6	17.5	130.8	12.3	56.5	11.8	10.9	12.1	102.1	6.1	8.8	76.8	80.7	16.2	225.3	11.0	4
17.9	7.2	81.6	144.1	17.1	126.2	11.8	55.3	11.8	10.7	12.1	99.2	5.9	8.6	75.8	78.9	16.5	219.3	9.0	5
11.1	12.2	92.8	204.4	26.4	235.7	23.4	82.2	12.8	15.7	12.9	166.6	10.1	14.2	99.1	123.1	9.5	359.9	56.0	6
19.9	7.6	77.2	154.7	18.6	155.8	12.8	68.3	16.1	12.9	14.4	116.4	7.1	9.4	80.8	82.8	19.1	225.0	4.3	7
20.2	7.4	75.9	150.7	18.1	149.0	12.2	67.4	16.0	12.6	14.3	112.7	6.9	9.3	79.6	80.7	19.4	218.4	3.7	8
13.4	11.6	107.1	246.3	29.7	315.0	27.1	89.4	18.3	19.8	16.9	204.0	12.4	12.6	107.5	130.8	11.4	378.8	18.7	9
15.4	7.3	87.0	138.7	16.5	105.9	11.7	44.7	7.6	9.0	9.8	87.8	5.0	8.2	72.8	78.7	13.3	225.7	17.7	10
15.6	7.1	87.3	137.4	16.2	103.2	11.4	43.3	7.6	8.9	9.8	85.7	4.9	7.9	71.9	77.0	13.5	220.2	14.3	11
9.0	12.7	79.6	165.9	23.4	162.7	20.0	75.7	7.7	11.9	9.3	132.2	8.0	15.7	91.4	116.1	7.7	342.5	90.3	12
15.6	6.8	66.0	152.5	15.1	154.1	15.5	95.7	20.0	15.0	17.5	135.4	8.7	10.6	65.5	113.3	22.3	307.5	16.2	13
16.5	6.9	59.4	136.5	14.6	137.7	13.6	95.9	20.1	13.7	17.4	116.5	7.6	9.6	61.3	103.3	24.7	246.3	5.9	14
9.8	6.3	106.4	251.2	18.6	255.3	27.6	94.9	19.7	23.5	17.9	251.9	15.5	16.7	91.2	174.7	7.7	685.4	80.0	15
19.3	7.5	75.6	154.3	18.1	155.6	13.2	72.3	16.7	13.2	14.9	119.2	7.3	9.6	78.6	87.2	19.6	236.9	6.0	16
19.7	7.4	73.8	148.9	17.6	147.5	12.4	71.1	16.5	12.7	14.7	113.2	7.0	9.3	77.2	83.7	20.1	222.1	3.9	17
12.1	9.7	106.9	248.1	25.6	293.2	27.3	91.4	18.8	21.2	17.3	221.5	13.5	14.1	101.6	146.8	10.0	490.7	41.1	18
18.2	6.2	83.3	181.0	14.1	97.4	11.1	27.8	13.5	11.9	15.0	107.2	4.5	8.3	48.3	111.2	35.5	229.8	2.6	19
18.6	5.8	85.0	182.8	14.2	96.2	11.2	26.0	13.5	11.8	14.7	107.6	4.1	7.9	46.8	108.9	35.3	229.7	2.4	20
9.5	13.9	50.5	144.9	13.9	120.8	8.8	64.4	14.6	14.6	22.0	97.3	11.0	15.4	77.6	158.1	38.1	230.6	5.9	21
11.5	8.5	46.8	94.4	10.4	145.4	19.0	26.1	16.3	10.3	6.8	77.4	7.6	6.9	70.8	85.0	17.5	188.8	2.5	22
11.8	8.4	47.0	92.7	10.2	143.6	19.1	25.9	16.6	10.2	6.8	77.2	7.7	6.8	71.3	84.4	17.7	187.7	2.5	23
.....	16.5	38.4	175.6	16.5	236.0	16.5	32.9	5.5	11.0	11.0	87.8	.....	16.5	49.4	115.2	11.0	246.9	.....	24
22.9	11.9	108.2	153.7	22.0	155.4	13.2	94.6	10.6	11.0	11.8	114.5	5.1	9.8	85.7	84.5	18.2	236.2	7.2	25
23.0	11.8	107.8	151.3	21.9	154.1	12.9	94.1	10.4	11.0	11.8	113.0	5.1	9.8	84.9	84.2	18.1	235.5	7.0	26
12.7	12.7	139.4	342.1	31.7	253.4	31.7	133.0	25.3	6.3	6.3	228.1	6.3	12.7	145.7	107.7	25.3	291.4	25.3	27
18.0	7.0	93.2	147.8	13.8	110.3	9.6	41.5	11.0	11.8	14.0	101.7	7.1	7.5	67.3	73.4	15.2	220.5	1.0	28
18.1	6.7	92.7	143.7	13.6	106.6	9.4	41.3	11.0	11.7	13.7	100.4	7.1	7.6	67.2	71.9	15.3	217.8	1.0	29
16.0	17.6	113.6	324.9	24.0	272.1	19.2	46.4	12.8	12.8	24.0	158.5	6.4	4.8	73.6	142.5	12.8	337.7	.....	30
16.5	4.6	66.8	104.8	11.2	86.3	11.8	23.3	10.2	10.4	7.7	69.6	5.0	7.5	61.1	64.9	10.8	224.0	17.1	31
16.3	4.5	66.0	100.8	10.7	81.4	11.3	22.8	10.2	10.2	7.4	66.3	4.9	7.5	61.3	61.8	11.0	219.6	16.2	32
22.5	8.6	93.3	224.6	25.9	233.3	29.4	39.7	8.6	17.3	17.3	169.3	8.6	8.6	55.3	159.0	3.5	356.0	44.9	33
8.5	13.9	50.7	94.8	14.8	98.0	11.9	37.3	8.8	9.3	6.7	83.7	6.4	7.6	71.7	66.3	10.9	224.0	44.5	34
8.4	14.1	47.5	83.3	12.0	85.4	10.2	36.6	8.4	8.3	6.3	74.2	6.3	7.4	70.9	57.5	11.3	202.5	42.3	35
9.6	11.6	77.6	192.5	38.0	204.9	26.4	43.6	11.6	18.4	10.4	163.7	7.2	8.8	78.4	140.5	7.2	406.2	63.2	36
22.8	8.7	128.2	185.4	23.3	138.2	14.2	50.7	12.1	12.1	8.3	119.2	4.4	9.9	84.3	72.8	15.4	327.2	20.7	37
22.9	8.8	128.3	185.6	23.4	138.4	14.0	50.7	12.2	12.2	8.4	119.3	4.4	9.9	84.6	72.9	15.4	328.0	20.8	38
.....	.....	81.7	122.5	.....	81.7	81.7	40.8	.....	.....	.....	81.7	.....	.....	.....	40.8	.....	81.7	.....	39
14.1	6.7	96.2	156.4	21.7	159.2	15.8	84.8	9.2	10.1	9.3	150.2	6.0	8.5	94.5	82.1	13.6	259.3	23.8	40
16.0	6.3	90.5	144.4	18.5	128.8	14.5	77.1	8.9	9.2	9.5	136.5	5.6	8.0	85.1	78.2	15.3	230.4	14.2	41
4.8	8.7	124.2	215.0	37.2	306.3	21.6	122.0	10.4	14.7	8.7	216.7	7.8	10.8	139.7	100.8	5.6	399.7	70.5	42
21.4	8.8	102.3	180.8	21.9	160.6	9.9	73.8	11.3	10.3	9.2	93.8	4.2	10.3	81.4	77.8	13.8	237.9	5.9	43
21.5	8.7	102.1	180.6	21.8	158.7	9.8	74.1	11.3	10.1	9.3	93.2	4.2	10.3	81.2	77.3	13.8	236.8	5.8	44
15.7	20.2	112.1	195.0	26.9	311.6	13.5	56.0	15.7	22.4	2.2	136.8	9.0	13.5	96.4	125.5	13.5	325.1	13.5	45
18.1	9.2	86.1	161.0	22.9	103.9	15.9	41.4	15.7	13.2	12.8	81.5	6.8	11.1	95.7	80.1	15.4	291.5	8.7	46
18.2	9.2	86.0	159.9	22.9	102.5	15.7	41.3	15.7	13.2	12.7	81.1	6.8	11.1	95.6	79.4	15.3	289.8	8.4	47
15.2	3.8	95.2	285.7	19.0	262.9	34.3	45.7	15.2	19.0	26.7	129.5	7.6	11.4	102.9	156.2	30.5	480.1	34.3	48
16.3	6.1	55.7	101.4	12.3	89.6	9.9	26.3	15.8	9.6	7.6	78.0	4.5	8.2	73.1	69.3	16.1	173.8	7.6	49
16.3	6.0	55.7	101.1	12.2	87.8	9.9	26.0	15.8	9.5	7.5	77.5	4.5	8.1	73.3	68.6	16.1	172.4	7.0	50
11.4	28.4	62.5	147.7	22.7	306.8	11.4	62.5	22.7	22.7	11.4	147.7	5.7	22.7	51.1	153.4	5.7	346.6	73.9	51
14.1	6.4	62.8	103.5	18.0	121.3	9.3	36.4	11.9	10.1	12.7	109.1	7.0	7.3	56.4	72.0	19.9	198.2	19.4	52
14.2	6.2	61.2	97.0	17.6	113.6	8.9	36.1	11.9	9.7	12.1	103.1	6.8	7.2	56.3	68.3	20.2	192.9	18.4	53
12.8	8.9	96.4	237.5	26.2	279.1	19.2	42.8	12.8	16.6	24.9	234.4	12.1	8.9	59.4	147.5	14.0	309.1	39.6	54
14.6	6.9	44.4	91.2	13.2	114.6	12.3	23.3	23.1	11.7	10.3	76.0	8.3	12.1	75.6	136.5	23.1	199.1	22.9	55
14.6	6.7	44.5	91.3	13.4	107.1	12.1	24.1	22.7	11.8	9.7	74.9	7.2	12.1	76.7	138.4	22.3	194.3	17.4	56
13.7	13.7	41.0	88.8	6.8	334.6	20.5	.....	34.1	6.8	27.3	109.3	41.0	13.7	41.0	82.0	47.8	341.5	184.4	57
22.7	12.3	134.8	213.8	32.0	123.2	11.3	66.5	13.8	11.3	12.0	113.9	4.3	9.5	99.4	73.3	16.3	333.9	6.1	58
22.7	12.3	134.8	213.9	32.0	123.2	11.4	66.6	13.9	11.4	12.0	113.9	4.3	9.5	99.5	73.2	16.4	333.6	5.9	59
.....	.....	167.5	167.5	.....	167.5	.....	.....	.....	.....	.....	167.5	.....	.....	.....	167.5	.....	502.5	167.5	60
18.9	8.4	90.2	146.1	15.9	151.7	10.5	83.2	11.1	9.9	15.7	124.7	6.3	8.3	79.9	81.8	17.7	197.9	2.3	61
19.1	8.1	89.6	143.4	15.6	147.6	10.1	82.6	11.1	9.9	15.7	122.6	6.3	8.1	78.5	81.1	18.1	193.7	2.1	62
14.7	15.7	106.1	219.1	24.6	263.3	19.7	101.2	10.8	9.8	16.7	182.7	4.9	11.8	120.8	98.3	6.9	312.4	7.9	63
23.8	6.3	83.4	184.5	19.2	166.9	11.0	67.3	12.5	10.7	15.2	124.9	6.2	7.8	78.0	78.1	17.6	214.9	1.8	64
23.9	6.1	83.5	184.0	19.0	164.1	11.0	66.7	12.4	10.6	15.3	123.8	6.2	7.8	77.2	77.9	17.7	213.4	1.8	65
18.2	12.7	78.1	215.0	29.7	338.0	14.5	101.1	21.8	17.6	11.5	196.2	9.7	10.9	125.4	92.7	9.1	304.1	4.8	66
9.0	13.5	82.9	123.2	14.4	129.5	15.4	118.2	21.5	18.7	8.2	114.5	7.8	18.3	96.0	88.4	7.0	347.6	88.4	67
11.2	12.4	71.0	98.9	10.2	83.4	12.1	88.9	22.6	16.1	7.4	94.2	5.0	15.8	95.5	70.4	9.0	274.6	40.3	68
4.9	15.8	106.3	185.8	22.5	219.8	21.9	175.5	19.4	23.7	9.7	154.2	13.4	23.1	97.2	123.9	3.0	490.6	182.8	69

[3] Less than one-tenth of 1 per 100,000 population.

[4] Includes only municipalities having a population of 1,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION STATES—Contd.															
1	Ohio (total)	1,300.4	14.1	0.5	0.1	4.3	4.4	7.0	13.2	19.3	3.1	113.5	6.2	10.9	6.7	85.0
2	White	1,276.1	13.9	0.4	0.1	4.2	4.5	6.9	13.4	19.1	3.1	104.8	5.9	10.3	6.7	85.0
3	Colored	2,306.1	23.3	3.3	.....	6.7	0.8	11.7	5.0	25.8	4.2	472.2	19.2	33.3	3.3	81.6
4	Pennsylvania (total)	1,375.0	12.3	0.4	.....	6.7	3.6	6.8	19.5	17.4	3.3	110.6	6.8	9.5	6.8	74.0
5	White	1,354.2	12.4	0.4	.....	6.7	3.6	6.7	19.7	17.3	3.3	102.8	6.4	9.0	6.7	73.9
6	Colored	2,161.5	11.1	.....	.....	9.2	2.3	12.0	9.2	22.1	3.7	405.3	21.7	29.5	7.8	77.9
7	Rhode Island (total)	1,480.2	10.1	0.2	.....	10.0	4.5	18.7	16.4	12.6	4.0	132.7	14.3	10.0	4.6	92.1
8	White	1,461.9	9.5	0.2	.....	10.0	4.4	18.2	16.7	12.7	3.9	125.9	13.5	9.5	4.7	92.2
9	Colored	2,518.9	47.9	.....	.....	9.6	9.6	47.9	.....	9.6	9.6	517.2	57.5	38.3	.....	86.2
10	Utah (total)	988.2	9.4	.....	.....	0.9	2.8	20.3	11.5	12.7	5.7	36.1	1.6	6.8	5.7	48.3
11	White	978.1	9.4	.....	.....	0.7	2.9	19.2	11.8	12.7	5.8	33.4	1.4	6.7	5.8	48.5
12	Colored	1,510.6	12.4	.....	.....	12.4	.....	74.3	.....	12.4	.....	173.4	12.4	12.4	.....	37.1
13	Vermont (total)	1,468.6	13.0	0.8	0.3	0.8	1.1	6.3	11.0	31.7	4.4	74.8	8.6	7.7	8.0	104.0
14	White	1,475.7	13.0	0.8	0.3	0.8	1.1	6.4	11.1	31.9	4.4	75.2	8.6	7.8	8.0	104.6
15	Colored	241.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Virginia (total)	1,415.3	23.7	7.0	0.2	2.7	1.1	14.6	17.2	18.9	2.5	166.2	5.5	12.7	7.6	53.7
17	White	1,157.4	19.5	2.8	0.1	2.5	1.4	9.4	19.1	17.3	2.9	103.4	5.2	9.6	6.8	58.4
18	Colored	1,984.1	32.9	16.4	0.4	3.0	0.4	26.3	13.0	22.6	1.6	304.6	6.3	19.5	9.2	43.3
19	Washington † (total)	808.6	8.1	0.3	0.1	1.2	0.5	2.9	2.7	9.9	2.0	74.6	6.3	5.8	4.3	57.2
20	White	787.7	8.2	0.2	0.1	1.1	0.5	2.9	2.8	9.8	2.0	68.5	5.1	5.2	4.2	57.9
21	Colored	1,580.5	5.2	2.6	.....	2.6	.....	5.2	.....	12.9	.....	299.6	49.1	31.0	7.7	31.0
22	Wisconsin (total)	1,079.9	4.8	(2)	0.2	2.1	3.6	7.7	8.6	15.8	2.5	83.0	6.1	7.3	6.8	81.1
23	White	1,077.4	4.8	(2)	0.2	2.2	3.6	7.6	8.6	15.8	2.6	81.8	6.1	7.2	6.8	81.3
24	Colored	1,508.4	.....	.....	.....	.....	.....	27.7	6.9	6.9	.....	290.6	13.8	34.6	13.8	55.4
	REGISTRATION CITIES.															
	ALABAMA.[3]															
25	Registration cities (total)	1,724.5	37.0	17.6	0.4	4.0	8.1	7.7	7.7	24.5	2.2	186.3	7.0	21.2	2.9	58.2
26	White	1,279.5	32.7	6.2	0.6	3.7	13.6	1.2	8.0	20.4	3.1	85.1	4.9	4.9	0.6	66.0
27	Colored	2,373.8	43.2	34.2	.....	4.5	.....	17.1	7.2	30.6	0.9	334.0	9.9	45.0	6.3	46.8
28	Birmingham (total)	1,558.8	36.2	15.5	0.6	6.3	12.6	7.5	10.3	20.1	2.3	178.1	7.5	21.3	3.4	53.4
29	White	1,132.7	27.6	2.8	0.9	5.5	20.2	0.9	9.2	16.6	2.8	75.5	6.4	4.6	0.9	58.9
30	Colored	2,266.6	50.4	36.7	.....	7.6	.....	18.3	12.2	26.0	1.5	348.5	9.2	48.9	7.6	44.3
31	Mobile (total)	1,952.7	33.6	26.5	.....	.....	.....	1.8	.....	42.5	.....	252.9	10.6	23.0	3.5	76.1
32	White	1,593.5	38.0	19.0	.....	.....	.....	.....	.....	44.4	.....	133.1	3.2	3.2	.....	98.2
33	Colored	2,406.8	28.0	36.0	.....	.....	.....	4.0	.....	40.0	.....	404.5	20.0	48.1	8.0	48.1
34	Montgomery (total)	2,099.6	44.7	14.1	.....	.....	.....	16.5	7.1	18.8	4.7	131.7	.....	18.8	.....	54.1
35	White	1,556.4	50.4	4.6	.....	.....	.....	4.6	13.7	4.6	9.2	64.1	.....	9.2	.....	54.9
36	Colored	2,673.3	38.7	24.2	.....	.....	.....	29.0	.....	33.8	.....	203.0	.....	29.0	.....	53.2
	CALIFORNIA.															
37	Registration cities (total)	1,379.9	8.7	0.6	.....	4.4	1.5	4.2	13.5	5.2	1.8	171.2	13.7	13.1	4.4	112.9
38	White	1,355.2	8.2	0.5	.....	4.5	1.5	4.1	14.0	5.4	1.7	161.0	12.1	12.2	4.6	114.4
39	Colored	1,919.3	21.0	1.4	.....	1.4	1.4	5.6	2.8	1.4	4.2	395.4	50.5	32.2	1.4	79.9
40	Alameda	1,106.1	22.2	.....	.....	7.4	.....	.....	.....	.....	.....	114.7	11.1	14.8	11.1	96.2
41	Bakersfield (total)	1,752.4	12.3	12.3	.....	.....	.....	.....	43.2	.....	.....	333.2	12.3	12.3	.....	129.6
42	White	1,769.1	13.1	13.1	.....	.....	.....	.....	45.9	.....	.....	321.1	13.1	13.1	.....	137.6
43	Colored	1,483.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	529.7	.....	.....	.....	.....
44	Berkeley †	900.2	7.3	1.8	.....	5.5	1.8	1.8	3.6	5.5	1.8	62.0	10.9	.....	7.3	116.6
45	Eureka	1,574.6	.....	.....	.....	21.1	.....	.....	.....	.....	.....	98.4	14.1	28.1	14.1	161.7
46	Fresno (total)	1,116.0	6.0	.....	.....	.....	.....	3.0	6.0	14.9	.....	163.7	20.8	11.9	3.0	65.5
47	White	1,056.0	3.2	.....	.....	.....	.....	3.2	6.3	15.8	.....	142.3	19.0	6.3	3.2	66.4
48	Colored	2,079.1	50.7	.....	.....	.....	.....	.....	.....	.....	.....	507.1	50.7	101.4	.....	50.7
49	Long Beach	1,653.1	3.8	.....	.....	11.5	.....	.....	3.8	3.8	3.8	80.7	7.7	7.7	.....	142.2
50	Los Angeles (total)	1,231.9	5.7	0.2	.....	4.0	2.1	2.5	8.2	4.4	1.7	190.0	10.1	13.9	4.8	97.4
51	White	1,199.9	5.5	0.2	.....	4.2	2.2	2.0	8.1	4.6	1.5	180.5	7.9	13.0	4.8	98.9
52	Colored	1,939.2	9.7	.....	.....	.....	.....	14.6	9.7	.....	4.9	398.5	58.3	34.0	4.9	63.2
53	Oakland (total)	1,135.2	6.8	0.5	.....	2.6	0.5	10.0	9.4	2.6	1.6	112.7	15.7	9.4	1.6	104.8
54	White	1,125.1	7.2	0.6	.....	2.2	0.6	10.6	10.0	2.8	1.7	99.0	16.1	9.5	1.7	107.4
55	Colored	1,299.5	.....	.....	.....	9.0	.....	.....	.....	.....	.....	333.9	9.0	9.0	.....	63.2
56	Pasadena	1,124.1	.....	.....	.....	.....	.....	.....	11.4	6.8	2.3	143.6	6.8	4.6	9.1	125.4
57	Pomona	1,341.1	15.8	.....	.....	.....	.....	.....	.....	23.7	.....	94.7	7.9	15.8	7.9	142.0
58	Redlands †	871.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	223.4	22.3	7.4	7.4	44.7
59	Riverside (total)	1,145.6	21.0	5.3	.....	10.5	.....	10.5	5.3	5.3	.....	136.6	5.3	21.0	5.3	57.8
60	White	1,218.2	23.9	6.0	.....	11.9	.....	6.0	6.0	6.0	.....	143.3	6.0	11.9	6.0	65.7
61	Colored	613.0	.....	.....	.....	.....	.....	43.8	.....	.....	.....	87.6	.....	87.6	.....	.....
62	Sacramento (total)	1,538.4	29.3	.....	.....	1.5	.....	.....	9.3	7.7	3.1	191.3	18.5	18.5	4.6	114.2
63	White	1,467.1	21.9	.....	.....	1.7	.....	.....	10.1	8.4	1.7	162.1	8.4	13.5	5.1	118.2
64	Colored	2,296.4	107.6	.....	.....	.....	.....	.....	.....	.....	17.9	502.3	125.6	71.8	.....	71.8
65	San Bernardino	2,187.5	6.1	.....	.....	6.1	.....	30.7	6.1	24.6	.....	534.6	12.3	24.6	.....	98.3
66	San Diego	1,962.2	11.7	2.0	.....	2.0	.....	2.0	23.5	21.5	2.0	258.2	13.7	23.5	11.7	164.3

[1] Exclusive of stillbirths.

[2] Less than one-tenth of 1 per 100,000 population.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32		35	36	(37)	38	
16.7	6.1	100.9	149.9	16.0	121.5	10.2	46.0	10.3	12.4	14.3	92.2	6.0	7.9	68.8	86.1	15.3	223.9	7.6	1
16.6	6.0	100.4	146.3	15.9	119.3	10.1	46.0	10.2	12.3	14.0	90.3	5.9	7.9	68.5	83.9	15.4	220.9	7.6	2
19.2	11.7	120.8	301.5	19.2	215.7	13.3	45.0	15.0	15.0	25.8	170.7	9.2	7.5	80.8	179.1	11.7	345.6	9.2	3
15.5	6.4	81.7	141.3	19.1	148.3	16.6	90.7	9.5	11.3	12.7	103.7	7.0	9.7	92.5	92.6	12.9	217.3	8.4	4
15.6	6.4	81.9	139.2	18.8	144.9	16.3	90.4	9.4	11.1	12.8	101.8	6.9	9.7	92.0	92.5	13.0	214.3	8.4	5
14.8	6.0	73.8	218.5	31.4	278.5	29.5	100.1	14.3	16.6	11.5	174.3	11.5	11.1	111.6	97.7	7.4	331.0	10.1	6
22.9	9.6	95.1	160.1	19.7	164.9	12.3	76.3	10.3	8.3	12.8	120.8	4.3	10.9	88.3	72.7	14.4	238.9	7.5	7
23.1	9.6	94.5	159.2	19.4	160.9	12.3	75.8	10.3	8.3	12.7	120.0	4.1	11.0	88.1	72.1	14.0	237.7	7.4	8
9.6	9.6	124.5	210.7	38.3	392.7	9.6	105.4	9.6	9.6	19.2	162.8	19.2	9.6	95.8	105.4	38.3	306.5	9.6	9
13.0	8.2	43.1	98.0	13.0	103.9	7.5	22.4	21.2	12.3	7.3	68.6	6.1	11.5	84.1	84.6	12.7	182.4	26.2	10
13.0	8.4	43.7	98.3	13.2	100.9	7.7	21.6	21.6	12.3	7.0	68.2	6.2	11.3	84.8	82.6	12.0	181.6	25.2	11
12.4	.....	12.4	86.7	.....	260.0	.....	61.9	.....	12.4	24.8	86.7	.....	24.8	49.5	185.7	49.5	222.9	74.3	12
20.7	7.2	136.0	200.0	26.5	114.8	11.9	44.1	10.5	14.3	13.0	122.5	3.3	9.9	77.3	67.6	16.6	297.4	2.5	13
20.8	7.2	136.8	200.9	26.6	115.2	11.9	44.4	10.5	14.4	13.0	123.2	3.3	10.0	77.7	68.0	16.6	298.3	2.5	14
.....	.....	.....	48.2	.....	48.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	144.6	.....	15
9.7	11.4	69.7	131.1	14.6	113.6	17.5	55.4	8.0	9.0	7.0	109.4	7.4	14.2	86.8	83.1	8.4	272.3	53.1	16
10.4	10.0	60.9	110.1	10.8	86.0	11.9	43.9	7.6	7.2	6.4	94.3	5.8	10.7	79.5	68.0	10.6	227.6	37.4	17
8.3	14.5	89.3	177.5	22.9	174.5	29.7	80.9	8.7	13.1	8.4	142.6	11.1	21.9	102.9	116.3	3.5	370.7	87.8	18
13.1	4.3	46.0	82.0	5.8	57.1	8.2	12.5	11.5	7.5	8.0	53.5	4.4	6.2	44.7	80.3	20.7	155.3	12.0	19
13.0	3.8	46.6	82.0	5.9	53.5	8.0	11.9	11.6	7.4	7.6	54.0	4.4	5.9	43.8	78.1	20.7	152.3	8.9	20
15.5	20.7	23.2	82.6	2.6	191.1	18.1	36.2	7.7	10.3	20.7	36.2	5.2	15.5	77.5	160.1	18.1	266.0	126.5	21
18.4	7.4	69.8	114.4	20.3	104.9	10.3	29.8	14.1	11.3	11.4	64.4	5.3	7.4	74.6	55.0	13.7	214.8	2.7	22
18.3	7.4	69.6	114.2	20.3	104.3	10.3	29.7	14.1	11.3	11.5	64.3	5.3	7.4	74.6	54.7	13.7	215.1	2.5	23
27.7	.....	103.8	138.4	13.8	200.7	6.9	41.5	6.9	20.8	.....	76.1	13.8	6.9	76.1	110.7	6.9	166.1	41.5	24
12.8	8.4	73.6	116.4	7.7	127.8	21.6	63.3	27.5	21.6	11.0	156.3	9.2	8.8	87.1	114.2	9.5	417.3	45.8	25
15.4	6.2	59.8	87.0	4.3	87.6	14.8	60.5	33.3	22.8	9.3	125.9	8.6	10.5	78.4	93.8	15.4	284.4	10.5	26
9.0	11.7	93.6	159.3	12.6	186.3	31.5	67.5	18.9	19.8	13.5	200.7	9.9	6.3	99.9	144.0	0.9	611.2	97.2	27
14.9	6.3	58.6	101.1	8.6	123.5	20.1	65.5	30.4	23.0	8.6	96.5	9.2	9.2	70.6	127.5	10.3	361.3	38.5	28
17.5	5.5	38.6	63.5	5.5	84.7	12.9	62.6	35.0	28.5	7.4	83.7	8.3	11.0	70.9	98.5	16.6	236.5	12.9	29
10.7	7.6	91.7	163.5	13.8	188.0	32.1	70.3	22.9	13.8	10.7	117.7	10.7	6.1	70.3	175.8	.....	568.6	81.0	30
8.8	14.2	93.7	185.7	3.5	111.4	19.5	40.7	21.2	10.6	14.2	260.0	7.1	12.4	111.4	81.4	5.3	451.0	30.1	31
12.7	6.3	98.2	180.6	.....	85.5	6.3	44.4	28.5	12.7	12.7	212.3	9.5	12.7	88.7	76.0	9.5	351.7	6.3	32
4.0	24.0	88.1	192.2	8.0	144.2	36.0	36.0	12.0	8.0	16.0	320.4	4.0	12.0	140.2	88.1	.....	577.7	60.1	33
9.4	9.4	108.2	87.0	9.4	166.9	30.6	84.6	23.5	30.6	16.5	263.3	11.8	2.4	122.3	103.5	11.8	601.9	96.4	34
9.2	9.2	109.9	68.7	4.6	105.3	36.6	73.2	32.0	9.2	13.7	210.6	9.2	4.6	100.7	96.1	18.3	425.7	4.6	35
9.7	9.7	106.4	106.4	14.5	232.0	24.2	96.7	14.5	53.2	19.3	319.1	14.5	.....	145.0	111.2	4.8	788.0	193.4	36
20.8	6.0	83.1	190.1	13.3	100.0	9.3	24.6	17.0	12.7	17.0	115.7	4.8	8.8	45.4	96.3	39.1	220.0	0.8	37
21.2	5.7	83.9	189.9	13.2	98.1	9.4	22.6	16.8	12.5	16.3	114.6	4.2	8.3	43.8	93.5	39.0	217.5	0.8	38
12.6	12.6	65.9	194.9	15.4	141.6	8.4	67.3	22.4	16.8	32.2	140.2	18.2	18.2	79.9	157.0	40.7	274.8	1.4	39
11.1	.....	99.9	222.0	11.1	62.9	14.8	3.7	7.4	18.5	7.4	88.8	7.4	11.1	29.6	66.6	33.3	133.2	.....	40
.....	18.5	80.2	111.1	12.3	135.8	30.9	37.0	24.7	12.3	18.5	117.2	.....	30.9	80.2	209.8	37.0	240.7	.....	41
.....	19.7	78.6	111.4	6.6	137.6	32.8	39.3	26.2	6.6	19.7	104.8	.....	32.8	85.2	222.8	39.3	249.0	.....	42
.....	.....	105.9	105.9	105.9	105.9	.....	.....	.....	105.9	.....	317.8	.....	.....	.....	.....	.....	105.9	.....	43
14.6	1.8	69.2	134.8	12.8	65.6	.....	7.3	7.3	9.1	9.1	85.6	5.5	7.3	41.9	47.4	9.1	145.8	.....	44
28.1	21.1	91.4	267.1	14.1	119.5	7.0	28.1	28.1	7.0	7.0	70.3	7.0	.....	49.2	168.7	56.2	260.1	7.0	45
11.9	3.0	50.6	133.9	.....	83.3	6.0	56.5	32.7	11.9	.....	68.4	3.0	8.9	59.5	116.1	35.7	139.9	.....	46
12.6	3.2	50.6	135.9	.....	75.9	6.3	47.4	34.8	12.6	.....	66.4	3.2	6.3	53.7	110.7	34.8	135.9	.....	47
.....	.....	50.7	101.4	.....	202.8	.....	202.8	.....	.....	.....	101.4	.....	50.7	152.1	202.8	50.7	202.8	.....	48
46.1	7.7	115.3	234.5	23.1	88.4	15.4	30.8	15.4	15.4	11.5	238.4	3.8	3.8	38.4	146.1	26.9	315.2	11.5	49
18.9	6.9	67.3	153.8	12.2	81.2	6.1	27.1	12.0	12.8	11.6	102.7	4.4	9.9	44.6	78.3	33.7	203.2	0.2	50
18.5	6.4	68.2	153.5	12.3	77.6	6.4	24.2	10.8	13.0	11.2	100.3	3.1	9.0	42.9	74.5	33.0	201.4	0.2	51
29.2	19.4	48.6	160.4	9.7	160.4	.....	92.3	38.9	9.7	19.4	155.5	34.0	29.2	82.6	160.4	48.6	243.0	.....	52
19.9	4.7	82.8	184.0	11.5	93.3	5.8	21.5	12.1	8.9	16.2	92.2	3.7	6.8	40.4	71.8	26.7	154.1	0.5	53
20.6	5.0	85.7	182.5	12.2	90.1	6.1	20.0	11.1	8.9	16.1	96.3	3.3	6.7	39.5	71.2	27.3	153.0	.....	54
9.0	.....	36.1	207.6	.....	144.4	.....	45.1	27.1	9.0	18.0	27.1	9.0	9.0	54.1	81.2	18.0	171.5	9.0	55
18.2	2.3	107.2	150.5	6.8	63.8	13.7	4.6	6.8	11.4	13.7	107.2	.....	13.7	18.2	34.2	13.7	228.0	.....	56
23.7	.....	102.6	118.3	23.7	94.7	7.9	23.7	39.4	7.9	7.9	102.6	.....	15.8	39.4	126.2	15.8	284.0	.....	57
22.3	.....	37.2	74.5	14.9	44.7	14.9	14.9	7.4	.....	7.4	67.0	.....	.....	37.2	52.1	29.8	141.5	.....	58
15.8	10.5	63.1	110.4	5.3	63.1	5.3	15.8	26.3	.....	5.3	89.3	.....	21.0	57.8	147.1	5.3	204.9	15.8	59
17.9	11.9	71.7	113.5	6.0	71.7	6.0	17.9	29.9	.....	6.0	101.5	.....	23.9	59.7	143.3	6.0	220.9	17.9	60
.....	.....	.....	87.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	43.8	175.1	.....	87.6	.....	61
17.0	6.2	60.2	194.4	13.9	114.2	10.8	43.2	26.2	15.4	13.9	129.6	10.8	9.3	58.6	143.5	47.8	223.7	1.5	62
18.6	5.1	59.1	204.3	11.8	114.8	11.8	33.8	25.3	15.2	11.8	123.2	8.4	8.4	54.0	140.1	45.6	222.9	1.7	63
.....	17.9	71.8	89.7	35.9	107.6	.....	143.5	35.9	17.9	35.9	197.3	35.9	17.9	107.6	179.4	71.8	233.2	.....	64
12.3	.....	141.3	202.8	12.3	135.2	18.4	104.5	24.6	43.0	12.3	79.9	6.1	18.4	86.0	196.6	43.0	307.2	.....	65
27.4	7.8	135.0	264.1	5.9	70.4	11.7	41.1	25.4	21.5	23.5	180.0	2.0	9.8	60.6	123.3	62.6	352.1	2.0	66

[a] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM— All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	CALIFORNIA—continued.															
1	San Francisco (total)	1,592.1	9.0	0.4		4.8	2.0	4.6	25.2	2.2	2.0	179.8	17.3	13.8	3.9	129.8
2	White	1,558.1	8.2	0.2		5.0	1.8	4.8	26.2	2.0	1.8	166.6	15.7	13.0	4.1	129.3
3	Colored	2,489.5	30.1	6.0			6.0			6.0	6.0	529.2	60.1	36.1		144.3
4	San Jose	1,218.6	5.3			13.2	5.3	7.9	7.9	10.5		110.5	18.4	2.6		105.3
5	Santa Barbara	1,625.7	34.9			14.0		7.0	14.0	20.9		139.5	27.9	27.9		132.6
6	Santa Cruz	1,353.5	7.1						14.2	14.2	7.1	92.6		14.2		92.6
7	Stockton * (total)	2,098.1	14.5			2.9	2.9		8.7	8.7	5.8	231.8	14.5	14.5	5.8	133.3
8	White	2,003.5	12.5			3.1	3.1		9.4	9.4	6.3	197.2	12.5	15.7	6.3	140.9
9	Colored	3,276.1	39.0									663.0	39.0			39.0
10	Vallejo	998.6	7.6			7.6		15.2	7.6	7.6		106.7		7.6		76.2
	COLORADO.															
11	Registration cities (total)	1,282.4	9.1	0.6		1.4	2.8	4.8	3.4	11.9	2.6	226.3	6.8	6.0	8.8	73.9
12	White	1,265.0	9.1	0.6		1.5	2.9	4.4	3.5	12.0	2.6	220.3	6.7	6.2	8.5	73.6
13	Colored	1,833.9	9.3					18.6		9.3		418.9	9.3		18.6	83.8
14	Colorado Springs	1,545.9	3.1	6.2			3.1			27.8	3.1	423.6	9.3	12.4	12.4	108.2
15	Denver	1,325.2	6.3			1.2	3.6	6.3	3.2	10.7	2.8	235.4	7.1	5.1	8.7	79.8
16	Pueblo	906.5	20.8			3.8		1.9	7.6	7.6	1.9	90.8	3.8	5.7	3.8	39.7
17	Trinidad	1,319.6	30.0							15.0		112.5	7.5	7.5	22.5	15.0
	CONNECTICUT.															
18	Registration cities (total)	1,493.7	14.5	1.7		5.0	2.7	12.3	17.4	18.6	5.7	113.2	12.6	9.4	5.3	92.3
19	White	1,479.4	14.2	1.6		4.9	2.8	11.7	17.3	18.5	5.8	109.8	12.3	8.8	4.9	92.7
20	Colored	2,487.5	33.3	8.3		8.3		58.2	25.0	25.0		349.4	33.3	49.9	33.3	66.6
21	Ansonia	1,294.5	12.2			6.1		48.6	12.2	6.1	6.1	91.2		12.2	12.2	30.4
22	Bridgeport	1,542.6	5.1	1.7		6.8	7.6	19.4	26.2	11.8	5.9	120.7	9.3	5.9	0.8	74.3
23	Bristol	991.2						12.9	19.3			77.2	6.4	6.4	12.9	51.5
24	Danbury town	1,389.2	11.7			3.9	19.5	31.2	7.8	23.4	3.9	121.0	3.9	15.6	7.8	81.9
25	Greenwich town	1,260.4	10.7			5.3			5.3	16.0	5.3	80.1	5.3	16.0	16.0	133.5
26	Hartford	1,759.2	19.3	0.9		1.8	0.9	10.1	18.4	15.6	3.7	71.6	13.8	10.1	2.8	123.9
27	Manchester town	931.6						39.4	6.6	13.1		65.6				52.5
28	Meriden town	1,631.1	8.9	5.9				3.0	17.7	73.9	3.0	372.3	8.9	3.0	5.9	118.2
29	Middletown town *	2,131.9	4.5	4.5					4.5	17.8	35.6	186.9	8.9	31.2	4.5	53.4
30	Naugatuck	1,102.9						7.2	36.0	14.4	7.2	100.9	7.2		7.2	64.9
31	New Britain	1,103.4	3.8					11.5	17.2	11.5		88.1	7.7	5.7	1.9	61.3
32	New Haven	1,571.1	19.7	3.4		12.2	3.4	6.8	23.1	12.2	8.8	89.1	22.4	11.6	4.8	101.3
33	New London	1,920.9	53.0			9.6		9.6	24.1	14.4		105.9	9.6	14.4		163.7
34	Norwalk	1,307.3	15.1	3.8				18.9		37.8		98.2	3.8	7.6	11.3	79.3
35	Norwich town	1,967.5	30.8			6.8	6.8	24.0	13.7	47.9	6.8	297.7	17.1	13.7	3.4	109.5
36	Orange town	1,057.1						7.4	7.4		7.4	37.0	7.4	7.4	14.8	103.5
37	Stamford town	1,510.0	2.9	2.9		2.9		8.8	8.8	17.6	8.8	108.5	38.1	8.8	5.9	99.7
38	Torrington town †	772.7	5.2				5.2		15.7	10.4		88.8	5.2		10.4	67.9
39	Wallingford town	1,033.4							16.3	8.1		138.3				48.8
40	Waterbury	1,384.2	29.5	1.2		7.1		11.8	15.3	22.4	5.9	82.6	10.6	8.3	9.4	89.7
41	Windham town	1,762.1	14.4						7.2	28.8		71.9	14.4	21.6	14.4	115.1
	DELAWARE.[2]															
42	Wilmington (total)	1,640.2	18.3	2.1		3.2	2.1	7.5	11.8	21.5	6.4	149.2	9.7	11.8	5.4	84.8
43	White	1,561.4	16.6	1.2		2.4	2.4	5.9	13.0	17.8	7.1	136.2	10.7	13.0	4.7	87.7
44	Colored	2,400.0	34.3	11.4		11.4		22.9		57.1		274.3			11.4	57.1
	DISTRICT OF COLUMBIA.															
45	Washington (total)	1,813.9	12.0	0.6		2.0	2.5	5.3	7.5	28.7	2.5	199.6	8.4	10.3	6.1	111.2
46	White	1,507.8	8.5			2.3	3.1	3.1	7.7	25.4	2.3	114.8	4.6	7.3	6.5	117.1
47	Colored	2,616.4	21.2	2.0		1.0	1.0	11.1	7.1	37.4	3.0	422.1	18.2	18.2	5.0	95.9
	FLORIDA.[2]															
48	Registration cities (total)	1,626.5	23.9	10.5		4.7		5.8	13.4	14.0		187.4	4.7	9.3	2.9	59.9
49	White	1,298.3	25.2	5.6		7.5		6.5	14.0	14.0		96.1	7.5	5.6	2.8	72.7
50	Colored	2,171.2	21.7	18.6				4.6	12.4	13.9		338.9		15.5	3.1	38.7
51	Jacksonville (total)	1,852.7	20.5	6.8				8.2	21.9	20.5		213.3	1.4	6.8	4.1	46.5
52	White	1,446.2	27.1	5.4				10.9	21.7	24.4		89.5	2.7	5.4	5.4	62.4
53	Colored	2,265.6	13.8	8.3				5.5	22.0	16.5		339.0		8.3	2.8	30.3
54	Key West (total)	1,296.8	42.0	4.7								158.6	4.7	18.7		84.0
55	White	1,192.7	31.4									138.1	6.3	6.3		75.3
56	Colored	1,598.0	72.6	18.2								217.9		54.5		109.0
57	Pensacola (total)	1,623.8	27.2	23.3				7.8	3.9	11.7		198.1	3.9		3.9	54.4
58	White	1,208.8	27.3					13.7	6.8	20.5		88.8	6.8			75.1
59	Colored	2,171.4	27.0	54.1								342.4			9.0	27.0
60	Tampa (total)	1,444.1	19.4	11.6		15.5		3.9	11.6	11.6		157.2	9.7	13.6	1.9	71.8
61	White	1,236.5	20.1	10.1		20.1		2.5	15.1	7.5		88.0	12.6	7.5	2.5	80.4
62	Colored	2,148.3	17.1	17.1				8.5		25.6		392.2		34.1		42.6

[1] Exclusive of stillbirths.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
25.7	5.5	88.6	234.9	16.0	130.9	12.1	20.0	22.1	14.3	27.4	137.7	6.8	6.6	45.0	113.4	56.6	233.5	0.2	1
26.4	5.2	86.9	233.3	15.2	130.9	11.6	19.8	22.8	14.1	25.7	135.6	6.6	6.8	43.2	111.5	56.4	226.9	0.2	2
6.0	12.0	132.3	276.6	36.1	132.3	24.1	24.1	6.0	18.0	72.2	192.4	12.0	.....	90.2	162.4	60.1	408.9	.....	3
15.8	2.6	86.9	207.9	18.4	81.6	10.5	13.2	15.8	7.9	18.4	131.6	5.3	7.9	36.8	60.5	15.8	194.8	.....	4
7.0	7.0	167.5	223.3	7.0	83.7	14.0	20.9	14.0	7.0	27.9	125.6	.....	20.9	69.8	104.7	27.9	279.1	.....	5
21.4	.....	149.6	320.6	7.1	57.0	7.1	28.5	28.5	.....	7.1	99.7	.....	.....	42.7	85.5	21.4	228.0	7.1	6
23.2	23.2	113.0	194.2	29.0	205.7	17.4	23.2	14.5	11.6	17.4	115.9	2.9	8.7	49.3	142.0	69.5	594.1	.....	7
25.0	18.8	115.8	191.0	31.3	184.7	18.8	15.7	15.7	9.4	12.5	115.8	.....	6.3	43.8	128.3	68.9	585.4	.....	8
.....	78.0	78.0	234.0	.....	468.0	.....	117.0	.....	39.0	78.0	117.0	39.0	39.0	117.0	312.0	78.0	702.0	.....	9
7.6	.....	68.6	144.8	15.2	99.1	15.2	7.6	15.2	7.6	15.2	83.8	.....	15.2	38.1	83.8	7.6	137.2	.....	10
14.5	7.4	50.9	113.5	10.2	154.7	17.1	18.2	20.2	12.2	9.1	105.8	7.7	7.4	67.7	53.5	25.9	225.2	2.8	11
15.0	7.0	51.0	109.7	10.3	149.9	17.3	17.9	20.5	12.0	8.8	105.0	7.9	7.0	68.0	53.1	26.4	223.2	2.9	12
.....	18.6	46.5	232.7	9.3	307.2	9.3	27.9	9.3	18.6	18.6	130.3	.....	18.6	55.9	65.2	9.3	288.6	.....	13
12.4	3.1	58.7	151.5	3.1	145.3	18.6	9.3	12.4	6.2	.....	123.7	6.2	3.1	55.7	46.4	18.6	262.8	.....	14
17.0	7.9	50.6	118.9	9.5	162.0	17.8	14.6	22.9	11.9	11.9	112.6	7.9	7.1	68.7	49.8	26.5	235.8	2.0	15
3.8	7.6	47.3	73.8	18.9	106.0	7.6	34.1	15.1	20.8	1.9	56.8	3.8	7.6	71.9	60.6	18.9	157.1	5.7	16
15.0	7.5	52.5	75.0	7.5	232.4	37.5	45.0	7.5	.....	7.5	127.5	22.5	22.5	60.0	112.5	60.0	202.4	15.0	17
22.7	12.5	95.4	145.3	20.2	166.4	13.8	99.7	13.6	13.2	12.3	117.5	5.9	12.2	89.6	83.7	19.1	231.4	8.5	18
22.9	12.4	95.3	142.8	19.9	165.3	13.4	98.8	13.4	13.2	12.4	115.8	5.9	12.2	88.7	83.8	19.0	230.5	8.3	19
8.3	16.6	99.8	316.1	41.6	241.3	41.6	158.1	33.3	8.3	8.3	232.9	8.3	16.6	149.8	74.9	25.0	291.2	25.0	20
6.1	66.9	79.0	115.5	42.5	103.3	6.1	200.6	.....	.....	18.2	42.5	.....	.....	79.0	48.6	12.2	170.2	66.9	21
21.1	12.7	85.3	125.0	15.2	204.3	18.6	109.8	16.0	12.7	24.5	157.9	8.4	12.7	93.7	98.8	27.9	194.2	8.4	22
.....	12.9	57.9	83.7	12.9	135.2	19.3	96.5	.....	19.3	.....	45.1	.....	6.4	57.9	38.6	19.3	193.1	6.4	23
42.9	19.5	121.0	179.5	7.8	136.6	3.9	39.0	23.4	7.8	7.8	58.5	7.8	3.9	74.1	85.8	19.5	218.5	.....	24
37.4	10.7	74.8	101.5	10.7	64.1	5.3	26.7	16.0	16.0	10.7	122.8	5.3	21.4	74.8	80.1	21.4	267.0	.....	25
36.7	11.0	126.6	153.3	20.2	217.5	17.4	123.0	24.8	26.6	13.8	123.9	11.9	12.8	121.1	107.4	20.2	292.7	5.5	26
.....	6.6	39.4	137.8	19.7	78.7	13.1	91.8	.....	6.6	.....	59.0	.....	6.6	91.8	72.2	13.1	111.5	6.6	27
23.6	11.8	103.4	159.6	20.7	91.6	11.8	103.4	8.9	8.9	5.9	94.6	3.0	14.8	53.2	62.1	20.7	212.8	.....	28
13.4	13.4	253.7	342.7	8.9	302.7	26.7	80.1	13.4	8.9	4.5	182.5	13.4	4.5	44.5	57.9	17.8	382.8	8.9	29
.....	7.2	79.3	108.1	43.3	122.5	.....	151.4	.....	.....	21.6	86.5	.....	.....	43.3	57.7	14.4	122.5	.....	30
17.2	5.7	59.4	91.9	7.7	111.1	7.7	126.4	3.8	7.7	17.2	69.0	.....	5.7	136.0	57.5	9.6	141.8	19.2	31
21.1	11.6	95.9	182.9	19.0	198.5	17.0	65.9	14.3	10.9	8.8	135.3	4.8	15.0	74.8	88.4	19.0	257.7	11.6	32
24.1	9.6	110.7	221.5	19.3	149.2	24.1	86.7	9.6	9.6	9.6	173.3	19.3	14.4	115.5	149.2	.....	370.7	.....	33
22.7	18.9	128.5	94.5	30.2	102.0	15.1	49.1	15.1	7.6	15.1	117.1	7.6	3.8	94.5	90.7	26.4	188.9	3.8	34
30.8	13.7	89.0	212.1	30.8	191.6	10.3	78.7	17.1	24.0	13.7	133.4	10.3	20.5	99.2	75.3	27.4	304.5	6.8	35
22.2	7.4	103.5	177.4	7.4	103.5	.....	51.7	.....	7.4	7.4	110.9	.....	.....	44.4	96.1	7.4	110.9	7.4	36
46.9	11.7	102.6	152.5	17.6	143.7	8.8	88.0	11.7	20.5	14.7	117.3	2.9	14.7	114.3	93.8	26.4	208.2	.....	37
5.2	.....	41.8	47.0	5.2	52.2	.....	94.0	.....	5.2	.....	57.4	.....	5.2	114.9	15.7	10.4	104.4	5.2	38
40.7	16.3	105.8	122.1	24.4	73.2	16.3	81.4	.....	8.1	.....	48.8	.....	.....	48.8	57.0	16.3	162.7	.....	39
9.4	11.8	62.5	88.5	36.6	167.6	11.8	153.4	14.2	9.4	9.4	93.2	2.4	21.2	73.2	69.6	13.0	233.6	9.4	40
21.6	7.2	79.1	143.8	28.8	158.2	7.2	93.5	28.8	28.8	7.2	215.8	7.2	14.4	107.9	115.1	28.8	374.0	7.2	41
8.6	7.5	102.0	164.2	7.5	210.4	25.8	92.3	8.6	15.0	17.2	158.9	9.7	7.5	95.5	124.5	12.9	231.9	6.4	42
9.5	8.3	94.8	157.6	7.1	183.6	24.9	92.4	7.1	14.2	17.8	156.4	4.7	8.3	91.2	127.9	14.2	215.6	7.1	43
.....	.....	171.4	228.6	11.4	468.6	34.3	91.4	22.9	22.9	11.4	182.9	57.1	.....	137.1	91.4	.....	388.6	.....	44
20.1	7.2	127.1	224.2	22.0	176.8	24.8	47.1	15.6	12.8	14.8	181.5	7.5	6.1	90.6	76.9	24.0	335.7	2.2	45
23.5	7.3	117.1	214.1	16.9	117.1	21.6	28.9	15.0	10.4	16.9	150.6	5.0	5.4	72.8	66.6	28.9	285.0	1.9	46
11.1	7.1	153.5	250.4	35.3	333.2	33.3	94.9	17.2	19.2	9.1	262.5	14.1	8.1	137.3	104.0	11.1	468.5	3.0	47
7.6	8.1	67.5	90.8	9.3	95.4	15.1	76.2	11.1	15.7	21.5	135.6	11.1	18.0	71.0	105.9	18.6	399.2	112.3	48
10.3	11.2	61.6	83.9	7.5	76.5	10.3	78.3	11.2	14.9	12.1	122.2	6.5	15.9	62.5	85.8	26.1	298.5	45.7	49
3.1	3.1	77.4	102.1	12.4	126.9	23.2	72.7	10.8	17.0	37.1	157.9	18.6	21.7	85.1	139.3	6.2	566.4	222.8	50
9.6	5.5	97.1	112.1	5.5	114.9	19.1	49.2	15.0	23.2	20.5	181.9	16.4	26.0	62.9	154.5	15.0	419.8	154.5	51
19.0	10.9	76.0	111.2	8.1	84.1	10.9	40.7	19.0	24.4	2.7	173.7	8.1	24.4	46.1	135.7	27.1	328.3	40.7	52
.....	.....	118.5	113.0	2.8	146.1	27.6	57.9	11.0	22.0	38.6	190.2	24.8	27.6	79.9	173.6	2.8	512.7	270.1	53
4.7	14.0	79.3	51.3	18.7	79.3	.....	130.6	.....	4.7	9.3	144.6	.....	14.0	88.6	28.0	14.0	293.9	9.3	54
6.3	6.3	94.2	56.5	12.6	69.1	.....	87.9	.....	.....	6.3	163.2	.....	18.8	62.8	37.7	18.8	295.0	.....	55
.....	36.3	36.3	36.3	36.3	109.0	.....	254.2	.....	18.2	18.2	90.8	.....	.....	163.4	.....	.....	290.5	36.3	56
.....	.....	54.4	124.3	11.7	81.6	31.1	69.9	11.7	19.4	42.7	81.6	7.8	19.4	66.0	104.9	7.8	512.8	42.7	57
.....	.....	68.3	122.9	6.8	54.6	20.5	68.3	6.8	20.5	27.3	68.3	.....	13.7	54.6	95.6	13.7	286.8	41.0	58
.....	.....	36.0	126.1	18.0	117.1	45.0	72.1	18.0	18.0	63.1	99.1	18.0	27.0	81.1	117.1	.....	810.9	45.0	59
9.7	13.6	27.2	60.2	9.7	81.5	7.8	95.1	9.7	7.8	17.5	93.2	9.7	7.8	77.6	69.9	31.1	357.1	130.0	60
7.5	17.6	32.7	55.3	5.0	80.4	10.1	113.1	10.1	10.1	17.6	77.9	10.1	7.5	80.4	55.3	32.7	276.4	70.4	61
17.1	.....	8.5	76.7	25.6	85.3	.....	34.1	8.5	.....	17.1	144.9	8.5	8.5	68.2	119.4	25.6	630.9	332.5	62

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)	Cancer. 16
	REGISTRATION CITIES—Contd.															
	GEORGIA.[2]															
1	Registration cities (total)	1 849.1	22.8	25.7	.....	1.0	0.3	14.2	8.6	22.8	1.3	182.1	6.6	17.8	5.9	64.6
2	White	1,283.0	20.2	13.3	.....	1.1	0.5	9.0	12.2	15.4	1.6	84.1	5.9	5.9	4.3	73.4
3	Colored	2,771.9	26.9	46.0	.....	0.9	.....	22.6	2.6	34.7	0.9	341.8	7.8	37.3	8.7	50.3
4	Atlanta (total)	1,511.6	15.7	3.2	.....	1.1	0.5	17.3	8.1	19.5	1.1	111.4	8.1	11.9	5.4	62.2
5	White	1,137.1	17.3	2.4	.....	1.6	0.8	8.7	10.2	15.0	1.6	72.4	5.5	5.5	3.9	66.1
6	Colored	2,331.8	12.1	5.2	.....	.....	.....	36.2	3.4	29.3	.....	196.6	13.8	25.9	8.6	53.5
7	Augusta (total)	2,256.9	44.1	58.2	.....	.....	.....	10.0	14.0	12.0	.....	256.8	.....	24.1	8.0	66.2
8	White	1,750.5	33.0	40.3	.....	.....	.....	18.3	25.6	.....	.....	139.2	.....	11.0	7.3	95.2
9	Colored	2,870.2	57.7	79.9	.....	.....	.....	.....	.....	26.6	.....	399.3	.....	39.9	8.9	31.1
10	Savannah (total)	2,464.9	26.3	62.9	.....	1.5	.....	8.8	5.9	39.5	2.9	318.9	7.3	29.3	5.9	70.2
11	White	1,454.4	20.8	32.7	.....	.....	.....	3.0	8.9	29.7	3.0	83.3	11.9	3.0	3.0	83.3
12	Colored	3,442.8	31.7	92.1	.....	2.9	.....	14.4	2.9	48.9	2.9	546.9	2.9	54.7	8.6	57.6
	ILLINOIS.[2]															
13	Registration cities (total)	1,433.7	6.4	0.4	.....	10.9	3.8	3.2	26.5	10.0	4.1	149.8	10.0	10.3	6.0	87.8
14	White	1,411.4	6.2	0.3	.....	11.1	3.7	3.2	26.9	10.0	4.1	141.6	9.9	9.5	6.0	88.0
15	Colored	2,358.6	12.7	3.2	.....	4.8	6.3	4.8	9.5	12.7	3.2	488.5	17.4	44.4	7.9	79.3
16	Aurora	1,401.2	20.8	.....	.....	8.9	3.0	.....	17.9	8.9	6.0	101.2	8.9	11.9	.....	101.2
17	Belleville	1,229.7	9.5	.....	.....	.....	9.5	4.7	37.8	4.7	4.7	137.2	.....	4.7	4.7	99.3
18	Chicago (total)	1,425.5	5.3	0.4	.....	10.8	3.4	2.7	27.5	9.4	4.1	152.6	10.5	10.3	6.0	86.0
19	White	1,403.7	5.1	0.3	.....	10.9	3.3	2.6	27.9	9.4	4.1	144.7	10.2	9.4	6.1	86.1
20	Colored	2,387.1	12.9	1.8	.....	5.5	7.4	5.5	9.2	11.1	3.7	500.3	20.3	46.2	5.5	79.4
21	Decatur	1,188.8	7.8	.....	.....	2.6	20.8	20.8	7.8	2.6	.....	67.5	7.8	5.2	7.8	90.8
22	Evanston	1,213.8	3.6	.....	.....	10.7	.....	3.6	14.3	14.3	7.1	46.4	3.6	17.8	.....	114.2
23	Jacksonville* (total)	2,937.4	6.5	.....	.....	.....	.....	.....	6.5	12.9	19.4	232.9	12.9	25.9	6.5	110.0
24	White	3,040.6	7.1	.....	.....	.....	.....	.....	7.1	14.2	21.3	206.0	14.2	28.4	7.1	120.8
25	Colored	1,884.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	507.2	.....	.....	.....	.....
26	Quincy	1,534.1	27.2	2.7	.....	.....	.....	24.5	8.2	59.8	2.7	157.8	2.7	5.4	8.2	146.9
27	Springfield (total)	1,669.0	28.5	1.7	.....	36.9	10.1	1.7	21.8	10.1	1.7	140.9	5.0	11.7	10.1	95.6
28	White	1,622.8	28.4	.....	.....	39.1	10.7	1.8	21.3	8.9	1.8	131.5	5.3	8.9	7.1	96.0
29	Colored	2,443.4	29.8	29.8	.....	.....	.....	.....	29.8	29.8	.....	298.0	.....	59.6	59.6	89.4
	INDIANA.															
30	Registration cities (total)	1,356.1	16.0	1.6	0.2	3.1	3.8	6.9	11.8	11.9	3.9	132.8	6.8	16.5	6.6	85.9
31	White	1,308.1	14.4	1.5	0.1	3.1	4.0	6.8	11.9	11.7	3.8	117.3	6.8	14.3	6.0	86.6
32	Colored	2,315.2	47.7	4.5	2.3	4.5	.....	9.1	9.1	15.9	6.8	443.1	6.8	59.1	18.2	72.7
33	Anderson	1,220.4	8.4	.....	4.2	.....	4.2	12.6	12.6	.....	4.2	101.0	16.8	33.7	8.4	80.0
34	East Chicago	1,364.0	11.0	.....	.....	29.4	18.4	11.0	18.4	3.7	3.7	80.9	.....	7.4	3.7	18.4
35	Elkhart	1,207.9	9.3	4.7	.....	.....	.....	4.7	18.7	4.7	9.3	102.6	.....	4.7	.....	102.6
36	Elwood	[3] 1,151.6	18.1	18.1	.....	.....	9.1	36.3	9.1	18.1	.....	99.7	.....	9.1	.....	54.4
37	Evansville (total)	1,352.2	23.5	12.4	.....	4.1	1.4	.....	8.3	11.1	11.1	152.1	2.8	27.7	6.9	70.5
38	White	1,215.1	19.4	11.9	.....	4.5	1.5	.....	9.0	11.9	10.4	125.4	3.0	22.4	4.5	68.7
39	Colored	3,072.9	74.9	18.7	.....	.....	.....	.....	.....	.....	18.7	487.2	.....	93.7	37.5	93.7
40	Fort Wayne	1,187.6	6.7	.....	.....	1.3	.....	8.1	10.8	9.4	4.0	92.8	6.7	9.4	4.0	102.2
41	Gary	[4] 2,291.4	6.0	.....	.....	17.9	.....	17.9	.....	17.9	6.0	130.9	11.9	23.8	.....	65.5
42	Hammond	1,437.3	35.5	.....	.....	7.9	11.8	11.8	27.6	15.8	.....	94.8	.....	7.9	3.9	79.0
43	Huntington	1,196.7	9.5	.....	.....	.....	9.5	.....	.....	38.0	.....	95.0	.....	9.5	.....	57.0
44	Indianapolis (total)	1,472.6	14.3	.....	.....	.....	3.0	6.4	7.9	9.0	3.0	174.0	7.9	23.0	4.9	94.1
45	White	1,392.7	12.0	.....	.....	.....	3.3	5.8	8.3	8.7	2.5	140.0	7.5	19.5	4.2	97.2
46	Colored	2,246.2	36.2	.....	.....	.....	.....	12.1	4.0	12.1	8.0	502.3	12.1	56.3	12.1	64.3
47	Jeffersonville (total)	[3] 1,248.6	.....	.....	.....	.....	.....	.....	57.6	9.6	.....	153.7	19.2	28.8	19.2	76.8
48	White	[3] 1,104.4	.....	.....	.....	.....	.....	.....	33.8	.....	.....	124.0	22.5	11.3	22.5	78.9
49	Colored	[3] 2,080.6	.....	.....	.....	.....	.....	.....	195.1	65.0	.....	325.1	.....	130.0	.....	65.0
50	Kokomo	1,235.7	19.7	.....	.....	.....	14.8	4.9	14.8	9.8	9.8	103.4	14.8	14.8	19.7	88.6
51	Lafayette	1,948.7	37.9	.....	.....	.....	4.7	.....	4.7	14.2	14.2	165.9	4.7	9.5	4.7	199.1
52	Laporte	1,200.1	.....	.....	.....	.....	15.6	23.4	.....	31.2	.....	39.0	.....	.....	.....	101.3
53	Logansport	1,286.4	33.7	.....	.....	.....	4.8	4.8	9.6	48.2	.....	67.5	.....	14.5	9.6	81.9
54	Marion	1,544.7	20.3	.....	.....	.....	5.1	20.3	25.3	15.2	5.1	151.9	15.2	20.3	30.4	131.7
55	Michigan City	1,203.2	18.9	.....	.....	4.7	9.5	9.5	4.7	4.7	.....	113.7	9.5	14.2	4.7	75.8
56	Mishawaka	1,136.7	13.1	.....	.....	6.6	6.6	.....	13.1	.....	.....	105.1	6.6	6.6	13.1	72.3
57	Muncie	1,250.2	23.8	.....	.....	.....	4.0	7.9	15.9	35.7	.....	107.2	11.9	15.9	11.9	75.4
58	New Albany (total)	1,358.5	29.6	4.2	.....	.....	.....	.....	16.9	16.9	.....	173.5	8.5	12.7	12.7	76.2
59	White	1,290.3	22.6	.....	.....	.....	.....	.....	18.0	18.0	.....	144.4	9.0	13.5	4.5	81.2
60	Colored	2,392.3	136.7	68.4	.....	.....	.....	.....	.....	.....	.....	615.2	.....	.....	136.7	.....
61	Peru	1,180.8	24.4	.....	.....	.....	.....	8.1	.....	16.3	.....	65.1	8.1	.....	8.1	65.1
62	Richmond (total)	1,176.3	8.2	.....	.....	.....	.....	4.1	.....	16.5	12.3	123.4	4.1	4.1	8.2	106.9
63	White	1,186.0	8.7	.....	.....	.....	.....	4.3	.....	17.4	13.0	117.3	4.3	4.3	8.7	104.3
64	Colored	1,003.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	231.7	.....	.....	.....	154.4
65	South Bend	1,026.4	4.5	.....	.....	6.0	3.0	7.5	20.9	6.0	1.5	88.0	4.5	7.5	4.5	53.7
66	Terre Haute	1,393.4	21.6	.....	.....	9.3	1.5	4.6	12.3	9.3	1.5	162.0	9.3	15.4	4.6	78.7
67	Vincennes	1,284.7	23.3	11.6	5.8	.....	.....	5.8	23.3	17.4	5.8	110.5	5.8	17.4	17.4	104.6

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
12.2	5.9	108.5	163.9	13.5	161.9	23.7	69.9	19.8	18.1	8.6	193.0	8.9	12.9	64.6	108.2	17.2	437.7	26.7	1
14.4	6.9	85.1	101.1	8.0	94.2	18.6	49.0	18.6	12.8	9.0	146.3	6.4	13.3	55.9	74.0	25.0	282.6	14.9	2
8.7	4.3	146.6	266.3	22.6	272.4	32.1	104.1	21.7	26.9	7.8	269.0	13.0	12.1	78.9	164.0	4.3	690.6	46.0	3
13.0	6.5	81.1	130.3	10.3	141.6	21.1	47.0	17.8	15.7	6.5	160.0	8.1	15.7	51.9	103.8	18.4	370.9	26.5	4
14.2	7.1	69.3	84.3	7.1	80.3	14.2	40.9	18.1	9.4	7.9	124.4	7.1	16.5	50.4	65.4	23.6	270.1	15.7	5
10.3	5.2	106.9	231.1	17.2	275.9	36.2	60.4	17.2	29.3	3.4	238.0	10.3	13.8	55.2	188.0	6.9	591.6	50.0	6
12.0	.....	140.4	217.0	16.0	234.7	34.1	86.3	24.1	28.1	10.0	274.8	12.0	6.0	72.2	122.4	18.1	445.4	10.0	7
14.6	.....	117.2	113.5	3.7	164.8	36.6	84.2	25.6	29.3	11.0	252.7	7.3	7.3	54.9	106.2	33.0	307.6	11.0	8
8.9	.....	168.6	341.6	31.1	319.4	31.1	88.7	22.2	26.6	8.9	301.7	17.7	4.4	93.2	142.0	.....	612.2	8.9	9
10.2	8.8	159.4	216.5	20.5	163.8	23.4	120.0	21.9	17.6	13.2	222.3	8.8	10.2	93.6	109.7	13.2	612.9	39.5	10
14.9	11.9	119.0	154.7	14.9	89.2	20.8	50.6	14.9	11.9	11.9	142.8	3.0	5.9	77.3	80.3	23.8	309.3	14.9	11
5.8	5.8	198.6	276.3	25.9	236.0	25.9	187.1	28.8	23.0	14.4	299.4	14.4	14.4	109.4	138.2	2.9	906.8	63.3	12
17.7	6.3	53.9	153.8	14.7	162.3	11.4	105.4	17.9	11.1	19.8	111.6	6.9	8.0	57.2	113.2	25.1	207.1	1.1	13
17.6	6.3	53.4	149.9	14.7	158.4	11.4	106.9	17.9	10.8	19.9	109.5	6.8	8.1	57.4	112.4	25.3	203.2	1.1	14
19.0	9.5	76.1	314.1	12.7	320.4	11.1	42.8	15.9	22.2	15.9	201.4	12.7	6.3	49.2	145.9	19.0	366.4	3.2	15
20.8	6.0	65.5	145.8	26.8	157.7	8.9	38.7	20.8	17.9	17.9	119.0	.....	8.9	32.7	116.0	23.8	285.6	.....	16
23.6	14.2	118.2	89.9	56.8	75.7	9.5	23.6	18.9	23.6	33.1	75.7	4.7	.....	37.8	47.3	37.8	222.3	.....	17
17.7	6.3	51.4	153.9	14.0	164.5	10.8	112.7	17.0	10.3	20.0	111.5	7.0	8.1	56.7	115.8	25.0	193.2	0.8	18
17.7	6.1	50.9	149.9	14.0	160.6	10.8	114.3	17.0	10.0	20.0	109.6	6.9	8.1	57.2	115.1	25.0	189.3	0.8	19
20.3	11.1	73.8	328.6	12.9	336.0	11.1	40.6	16.6	24.0	18.5	197.5	11.1	7.4	35.1	145.8	20.3	365.5	1.8	20
28.6	5.2	70.1	114.2	13.0	111.6	10.4	13.0	5.2	10.4	7.8	116.8	2.6	2.6	59.7	106.4	7.8	254.4	7.8	21
14.3	10.7	67.8	174.9	3.6	124.9	17.8	14.3	21.4	14.3	3.6	67.8	3.6	10.7	92.8	57.1	32.1	242.8	3.6	22
12.9	6.5	148.8	265.3	19.4	226.4	32.3	12.9	97.0	45.3	6.5	148.8	6.5	.....	84.1	58.2	58.2	1,274.6	.....	23
14.2	7.1	149.2	262.9	21.3	234.4	35.5	7.1	99.5	42.6	7.1	149.2	7.1	.....	92.4	56.8	63.9	1,364.0	.....	24
.....	.....	144.9	289.9	.....	144.9	.....	72.5	72.5	72.5	.....	144.9	.....	.....	.....	72.5	.....	362.3	.....	25
8.2	5.4	87.0	168.6	27.2	130.6	24.5	19.0	16.3	13.6	40.8	78.9	2.7	2.7	57.1	46.2	16.3	323.7	19.0	26
13.4	6.7	65.4	154.3	16.8	157.7	20.1	50.3	40.3	25.2	16.8	152.6	15.1	13.4	70.4	112.4	33.5	328.8	.....	27
14.2	7.1	65.8	149.3	16.0	152.9	19.6	49.8	42.7	26.7	17.8	147.5	12.4	14.2	58.7	106.6	35.5	325.3	.....	28
.....	.....	59.6	238.4	29.8	238.4	29.8	59.6	.....	.....	.....	238.4	59.6	.....	268.2	208.6	.....	387.4	.....	29
21.0	8.6	83.1	148.4	14.0	128.8	11.4	59.7	17.2	14.8	17.2	101.7	10.7	8.8	74.2	83.8	17.9	226.0	0.8	30
21.0	8.1	82.4	139.0	13.7	120.0	11.5	60.0	17.3	15.0	16.9	99.3	10.9	8.9	73.7	81.0	18.1	222.2	0.8	31
20.4	18.2	97.7	336.3	20.4	304.5	9.1	54.5	15.9	11.4	22.7	150.0	6.8	6.8	84.1	140.9	13.6	302.2	.....	32
16.8	.....	80.0	113.6	25.3	109.4	16.8	21.0	16.8	16.8	25.3	92.6	12.6	12.6	63.1	50.5	21.0	239.9	.....	33
3.7	3.7	7.4	25.7	18.4	268.4	7.4	400.7	.....	3.7	18.4	44.1	3.7	7.4	125.0	117.6	3.7	99.3	.....	34
14.0	4.7	130.6	158.6	9.3	111.9	9.3	18.7	14.0	18.7	9.3	121.3	9.3	.....	60.6	65.3	9.3	181.9	.....	35
27.2	18.1	36.3	99.7	9.1	27.2	9.1	54.4	18.1	9.1	27.2	163.2	9.1	9.1	99.7	45.3	9.1	208.6	.....	36
22.1	5.5	81.6	165.9	20.7	143.8	9.7	47.0	15.2	11.1	16.6	112.0	13.8	5.5	71.9	65.0	13.8	199.1	.....	37
23.9	3.0	73.1	140.3	20.9	109.0	10.4	44.8	13.4	10.4	16.4	107.5	13.4	4.5	67.2	62.7	13.4	188.1	.....	38
.....	37.5	187.4	487.2	18.7	580.9	.....	74.9	37.5	18.7	18.7	168.6	18.7	18.7	131.2	93.7	18.7	337.3	.....	39
20.2	4.0	99.5	103.6	10.8	114.3	8.1	18.8	16.1	17.5	14.8	108.9	4.0	9.4	63.2	75.3	17.5	226.0	.....	40
6.0	17.9	47.6	95.2	6.0	363.1	6.0	410.7	35.7	41.7	17.9	95.2	35.7	17.9	160.7	273.8	47.6	315.4	.....	41
11.8	3.9	67.1	59.2	11.8	169.8	19.7	173.7	19.7	7.9	35.5	63.2	19.7	23.7	90.8	150.0	39.5	173.7	.....	42
9.5	.....	142.5	208.9	9.5	47.5	9.5	.....	19.0	9.5	28.5	66.5	9.5	19.0	66.5	95.0	28.5	208.9	.....	43
21.1	13.6	84.0	187.1	15.4	142.3	12.4	30.9	19.2	17.3	20.0	106.9	10.5	8.7	76.1	72.3	16.9	269.6	0.8	44
20.8	12.9	85.2	171.6	15.4	126.7	12.5	29.1	19.9	17.9	19.5	101.0	10.8	9.1	76.0	67.3	17.4	269.6	0.8	45
24.1	20.1	72.3	337.5	16.1	293.3	12.1	48.2	12.1	12.1	24.1	164.8	8.0	4.0	76.3	120.5	12.1	269.2	.....	46
28.8	19.2	67.2	163.3	28.8	124.9	9.6	19.2	.....	9.6	9.6	163.3	.....	.....	19.2	57.6	9.6	153.7	.....	47
11.3	22.5	56.3	157.8	33.8	90.2	11.3	22.5	.....	11.3	11.3	157.8	.....	.....	22.5	33.8	11.3	157.8	.....	48
130.0	.....	130.0	195.1	.....	325.1	.....	.....	.....	.....	.....	195.1	.....	.....	.....	195.1	.....	130.0	.....	49
9.8	14.8	59.1	83.7	14.8	93.5	14.8	64.0	34.5	9.8	9.8	88.6	9.8	4.9	98.5	118.2	14.8	177.2	.....	50
75.9	14.2	151.7	241.8	9.5	151.7	14.2	23.7	33.2	9.5	42.7	156.5	19.0	4.7	85.3	132.8	23.7	298.7	.....	51
31.2	15.6	70.1	171.4	7.8	70.1	.....	23.4	23.4	7.8	.....	101.3	.....	7.8	77.9	116.9	7.8	257.2	.....	52
14.5	14.5	115.6	53.0	14.5	91.5	19.3	33.7	24.1	19.3	14.5	130.1	14.5	14.5	72.3	96.4	19.3	250.5	.....	53
15.2	20.3	91.2	197.5	5.1	116.5	15.2	15.2	10.1	20.3	20.3	81.0	10.1	20.3	101.3	91.2	15.2	258.3	.....	54
23.7	4.7	61.6	142.1	9.5	104.2	.....	90.0	9.5	18.9	23.7	80.5	.....	9.5	99.5	66.3	14.2	175.3	.....	55
46.0	6.6	92.0	105.1	26.3	52.6	6.6	111.7	19.7	6.6	6.6	78.8	6.6	13.1	85.4	78.8	6.6	144.5	.....	56
31.8	11.9	75.4	170.7	7.9	67.5	.....	35.7	7.9	11.9	7.9	51.6	11.9	4.0	47.6	103.2	35.7	254.0	4.0	57
29.6	.....	101.6	152.4	33.9	76.2	29.6	21.2	25.4	16.9	12.7	135.4	8.5	8.5	46.6	67.7	8.5	232.8	.....	58
31.6	.....	81.2	162.4	31.6	67.7	31.6	22.6	27.1	18.0	13.5	130.8	9.0	9.0	49.6	67.7	9.0	216.5	.....	59
.....	.....	410.1	.....	68.4	205.1	.....	.....	.....	.....	.....	205.1	.....	.....	.....	68.4	.....	478.5	.....	60
40.7	8.1	154.7	97.7	8.1	154.7	.....	16.3	.....	8.1	.....	146.6	.....	8.1	24.4	81.4	8.1	228.0	.....	61
8.2	4.1	65.8	172.7	12.3	65.8	12.3	45.2	8.2	4.1	20.6	160.4	4.1	8.2	74.0	28.8	16.5	172.7	4.1	62
8.7	4.3	69.5	173.8	13.0	65.2	13.0	43.4	4.3	4.3	21.7	165.1	4.3	8.7	78.2	30.4	17.4	173.8	4.3	63
.....	.....	.....	154.4	.....	77.2	.....	77.2	77.2	.....	.....	77.2	.....	.....	.....	.....	.....	154.4	.....	64
19.4	1.5	59.7	137.3	10.4	76.1	10.4	67.1	7.5	13.4	7.5	59.7	11.9	4.5	67.1	56.7	23.9	182.0	3.0	65
18.5	4.6	81.8	148.1	9.3	151.2	9.3	47.8	18.5	18.5	18.5	98.8	17.0	7.7	58.6	112.6	20.1	220.7	1.5	66
5.8	.....	104.6	116.3	.....	133.7	29.1	69.8	40.7	5.8	.....	98.8	11.6	11.6	46.5	87.2	5.8	168.6	.....	67

[3] Rate based on population Apr. 15, 1910. Decrease since 1900.

[4] Rate based on population Apr. 15, 1910. Incorporated since 1900.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	KANSAS.															
1	Registration cities (total)	1,296.0	18.3	2.8	0.8	3.9	2.3	10.7	18.9	28.2	3.9	84.3	2.0	6.5	7.0	85.4
2	White	1,211.9	17.0	2.5	0.6	4.3	2.2	10.5	19.8	21.4	4.0	62.0	2.2	5.6	7.4	86.8
3	Colored	2,145.7	31.3	6.3	3.1	.....	3.1	12.5	9.4	97.0	3.1	309.7	.....	15.6	3.1	71.9
4	Atchison (total)	1,174.7	18.0	.....	.....	.....	6.0	6.0	12.0	24.0	6.0	42.0	6.0	12.0	18.0	83.9
5	White	1,154.9	21.4	.....	.....	.....	7.1	7.1	14.3	28.5	7.1	21.4	7.1	7.1	21.4	99.8
6	Colored	1,279.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	150.5	.....	37.6	.....	.....
7	Coffeyville (total)	954.4	6.0	6.0	.....	6.0	.....	11.9	23.9	11.9	.....	65.6	.....	6.0	6.0	47.7
8	White	865.9	6.7	.....	.....	6.7	.....	13.3	20.0	6.7	.....	53.3	.....	.....	6.7	46.6
9	Colored	1,713.3	.....	57.1	.....	.....	.....	.....	57.1	57.1	.....	171.3	.....	57.1	.....	57.1
10	Fort Scott (total)	1,623.0	28.5	.....	.....	.....	.....	.....	9.5	19.0	.....	38.0	.....	.....	19.0	123.4
11	White	1,546.2	31.3	.....	.....	.....	.....	.....	10.4	20.9	.....	31.3	.....	.....	20.9	135.8
12	Colored	2,385.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	103.7	.....	.....	.....	.....
13	Hutchinson (total)	1,027.6	20.0	.....	.....	5.0	.....	10.0	.....	20.0	.....	44.9	.....	5.0	.....	49.9
14	White	1,005.8	15.8	.....	.....	5.3	.....	10.5	.....	21.1	.....	36.9	.....	5.3	.....	52.7
15	Colored	1,420.5	94.7	.....	.....	.....	.....	.....	.....	.....	.....	189.4	.....	.....	.....	.....
16	Independence (total)	1,172.6	36.0	7.2	.....	.....	7.2	28.8	28.8	50.4	.....	79.1	.....	7.2	14.4	21.6
17	White	1,139.3	38.8	7.8	.....	.....	7.8	31.0	31.0	46.5	.....	62.0	.....	.....	15.5	23.3
18	Colored	1,603.2	.....	.....	.....	.....	.....	.....	.....	100.2	.....	300.6	.....	100.2	.....	.....
19	Kansas City (total)	1,387.7	15.5	2.1	.....	3.1	5.2	13.4	32.0	34.1	3.1	132.2	3.1	7.2	6.2	87.8
20	White	1,255.1	13.9	2.3	.....	3.5	4.6	11.6	34.8	20.9	3.5	99.8	3.5	7.0	7.0	88.2
21	Colored	2,460.8	28.2	.....	.....	.....	9.4	28.2	9.4	140.9	.....	394.5	.....	9.4	.....	84.5
22	Lawrence (total)	1,526.1	7.6	.....	.....	.....	.....	15.2	7.6	68.3	.....	136.7	.....	7.6	7.6	159.4
23	White	1,444.3	9.5	.....	.....	.....	.....	9.5	9.5	38.0	.....	85.5	.....	9.5	9.5	199.5
24	Colored	1,851.2	.....	.....	.....	.....	.....	37.8	.....	188.9	.....	340.0	.....	.....	.....	.....
25	Leavenworth (total)	[2] 1,435.7	20.7	10.3	.....	.....	5.2	.....	20.7	77.5	5.2	103.3	.....	.....	5.2	87.8
26	White	[2] 1,338.8	11.8	11.8	.....	.....	5.9	.....	23.7	53.3	5.9	94.8	.....	.....	.....	82.9
27	Colored	[2] 2,095.1	80.6	.....	.....	.....	.....	.....	.....	241.7	.....	161.2	.....	.....	40.3	120.9
28	Parsons (total)	1,301.4	6.7	6.7	.....	6.7	.....	6.7	13.3	6.7	6.7	106.8	.....	.....	.....	113.5
29	White	1,167.2	7.2	.....	.....	7.2	.....	7.2	14.4	7.2	7.2	64.8	.....	.....	.....	108.1
30	Colored	2,986.4	.....	90.5	.....	.....	.....	.....	.....	.....	.....	633.5	.....	.....	.....	181.0
31	Pittsburg	1,331.0	23.0	.....	.....	11.5	.....	5.8	23.0	11.5	5.8	46.1	.....	5.8	5.8	51.9
32	Topeka * (total)	1,406.7	29.2	4.2	.....	.....	.....	8.3	25.0	20.9	8.3	73.0	4.2	6.3	2.1	71.0
33	White	1,311.9	25.2	4.6	.....	.....	.....	9.2	25.2	16.0	6.9	48.1	4.6	6.9	2.3	68.7
34	Colored	2,383.2	70.8	.....	.....	.....	.....	.....	23.6	70.8	23.6	330.3	.....	.....	.....	94.4
35	Wichita	1,146.7	14.7	1.5	4.4	8.8	.....	11.8	2.9	16.2	4.4	47.2	1.5	8.8	10.3	106.1
	KENTUCKY.															
36	Registration cities (total)	1,602.5	19.1	6.5	.....	2.6	1.9	7.4	8.8	17.4	2.6	201.6	10.2	15.3	7.7	83.5
37	White	1,383.9	16.2	3.1	.....	3.1	1.7	6.4	9.2	15.1	2.5	147.2	10.3	12.8	5.3	85.6
38	Colored	2,701.8	33.6	23.8	.....	.....	2.8	12.6	7.0	29.4	2.8	475.3	9.8	28.0	19.6	72.9
39	Covington (total)	1,525.1	14.2	1.8	.....	.....	3.5	5.3	5.3	19.5	3.5	199.9	8.8	12.4	3.5	88.5
40	White	1,412.1	14.9	.....	.....	.....	3.7	3.7	5.6	18.7	3.7	179.3	9.3	11.2	.....	87.8
41	Colored	3,555.9	.....	33.5	.....	.....	.....	33.5	.....	33.5	.....	570.3	.....	33.5	67.1	100.6
42	Frankfort (total)	1,675.6	.....	.....	.....	.....	.....	.....	54.6	18.2	.....	373.4	18.2	18.2	9.1	82.0
43	White	1,397.0	.....	.....	.....	.....	.....	.....	59.7	11.9	.....	226.9	11.9	23.9	11.9	95.5
44	Colored	2,571.0	.....	.....	.....	.....	.....	.....	38.4	38.4	.....	844.2	38.4	.....	.....	38.4
45	Henderson (total)	1,805.8	58.0	8.3	.....	24.9	.....	16.6	8.3	41.4	.....	256.8	8.3	8.3	8.3	82.8
46	White	1,397.0	52.1	.....	.....	31.3	.....	20.9	10.4	.....	.....	135.5	10.4	.....	10.4	73.0
47	Colored	3,387.1	80.6	40.3	.....	.....	.....	.....	.....	201.6	.....	725.8	.....	40.3	.....	121.0
48	Lexington * (total)	2,460.8	30.2	.....	.....	7.6	5.0	30.2	10.1	17.6	.....	312.3	20.1	22.7	12.6	125.9
49	White	2,116.3	31.9	.....	.....	10.6	3.5	24.8	10.6	21.3	.....	195.0	24.8	21.3	7.1	141.8
50	Colored	3,306.1	26.1	.....	.....	.....	8.7	43.5	8.7	8.7	.....	600.3	8.7	26.1	26.1	87.0
51	Louisville (total)	1,497.8	13.9	3.0	.....	.....	0.8	4.6	5.9	15.6	3.0	165.8	8.9	11.0	5.9	77.2
52	White	1,300.1	12.3	1.0	.....	.....	0.5	4.1	6.7	13.8	2.6	122.4	8.2	7.2	4.6	78.4
53	Colored	2,421.3	21.5	12.0	.....	.....	2.4	7.2	2.4	23.9	4.8	368.5	12.0	28.7	12.0	71.8
54	Newport (total)	1,188.4	9.5	.....	.....	12.6	3.2	6.3	6.3	6.3	3.2	167.1	6.3	18.9	9.5	53.6
55	White	1,133.0	9.7	.....	.....	12.9	3.2	6.4	6.4	6.4	3.2	151.3	6.4	19.3	9.7	51.5
56	Colored [3]	3,828.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	918.8	.....	.....	.....	153.1
57	Owensboro (total)	1,663.0	45.7	17.1	.....	5.7	5.7	.....	11.4	28.6	.....	222.9	11.4	57.1	22.9	125.7
58	White	1,504.9	34.8	20.9	.....	7.0	7.0	.....	13.9	20.9	.....	195.1	13.9	55.7	7.0	139.3
59	Colored	2,384.7	95.4	.....	.....	.....	.....	.....	.....	63.6	.....	349.8	.....	63.6	95.4	63.6
60	Paducah (total)	1,762.8	44.9	65.3	.....	.....	.....	8.2	24.5	24.5	4.1	297.9	12.2	20.4	12.2	73.5
61	White	1,385.1	21.8	32.7	.....	.....	.....	10.9	21.8	27.3	5.5	169.0	16.4	21.8	10.9	87.3
62	Colored	2,885.9	113.5	162.1	.....	.....	.....	.....	32.4	16.2	.....	680.9	.....	16.2	16.2	32.4
	LOUISIANA.[4]															
63	New Orleans (total)	2,115.2	20.5	9.8	1.4	0.8	0.5	4.9	30.8	51.6	1.9	265.0	6.5	31.4	4.6	103.1
64	White	1,640.7	19.6	5.9	0.7	1.1	0.7	3.3	29.5	46.2	2.2	159.6	7.0	10.0	3.0	95.3
65	Colored	3,457.2	23.0	20.9	3.1	.....	.....	9.4	34.5	66.8	1.0	563.0	5.2	91.9	9.4	125.3
	MAINE.															
66	Registration cities(total)	1,722.4	20.3	.....	.....	4.0	3.4	9.6	9.6	18.6	3.4	114.6	14.1	18.6	6.2	112.9
67	White	1,724.2	20.4	.....	.....	4.0	3.4	9.6	9.6	18.7	3.4	114.5	14.2	18.7	6.2	113.3
68	Colored	1,265.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	140.6	.....	.....	.....	.....
69	Auburn	1,279.4	12.4	.....	.....	.....	.....	.....	.....	37.1	.....	49.4	18.5	.....	6.2	74.2
70	Augusta *	2,347.5	.....	.....	.....	7.1	.....	.....	14.3	14.3	7.1	157.0	.....	21.4	7.1	178.4
71	Bangor *	2,201.6	41.7	.....	.....	.....	.....	3.8	3.8	26.6	15.2	159.3	19.0	19.0	3.8	155.5

[1] Exclusive of stillbirths. [2] Rate based on population Apr. 15, 1910. Decrease since 1900. [3] Colored population less than 5 per cent of the total in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
21.4	5.6	66.5	126.9	13.3	134.2	11.8	25.9	18.6	14.1	11.6	93.9	8.2	8.5	71.9	82.9	14.7	278.0	13.0	1
21.4	5.3	65.7	116.5	12.4	118.4	9.9	23.5	19.5	13.3	10.8	83.4	7.4	8.4	74.1	76.8	15.8	272.1	10.8	2
21.9	9.4	75.1	231.5	21.9	294.0	31.3	50.0	9.4	21.9	18.8	200.2	15.6	9.4	50.0	143.9	3.1	337.8	34.4	3
24.0	.....	71.9	119.9	18.0	131.9	24.0	12.0	6.0	12.0	6.0	59.9	.....	6.0	53.9	113.9	12.0	251.7	18.0	4
21.4	.....	78.4	85.5	21.4	128.3	21.4	7.1	7.1	14.3	7.1	49.9	.....	7.1	57.0	128.3	14.3	256.6	7.1	5
37.6	.....	37.6	301.0	.....	150.5	37.6	37.6	.....	.....	.....	112.9	.....	.....	37.6	37.6	.....	225.7	75.2	6
35.8	11.9	83.5	65.6	6.0	77.5	17.9	23.9	6.0	11.9	11.9	95.4	.....	.....	83.5	47.7	11.9	167.0	6.0	7
40.0	13.3	79.9	46.6	6.7	86.6	6.7	13.3	6.7	6.7	13.3	73.3	.....	.....	93.2	53.3	13.3	153.2	.....	8
.....	.....	114.2	228.4	.....	.....	114.2	114.2	.....	57.1	.....	285.6	.....	.....	.....	.....	.....	285.6	57.1	9
38.0	9.5	113.9	123.4	28.5	113.9	19.0	.....	28.5	.....	19.0	104.4	9.5	9.5	123.4	113.9	28.5	446.1	56.9	10
31.3	10.4	114.9	135.8	20.9	31.3	20.9	.....	31.3	.....	20.9	104.5	10.4	10.4	125.4	114.9	31.3	428.3	52.2	11
103.7	.....	103.7	.....	103.7	933.6	.....	.....	.....	.....	.....	103.7	.....	.....	103.7	103.7	.....	622.4	103.7	12
24.9	5.0	79.8	109.7	5.0	94.8	5.0	20.0	24.9	5.0	20.0	34.9	5.0	24.9	74.8	64.9	24.9	234.5	15.0	13
26.3	5.3	79.0	105.3	5.3	89.5	5.3	21.1	26.3	5.3	15.8	31.6	5.3	26.3	79.0	57.9	26.3	231.7	15.8	14
.....	.....	94.7	189.4	.....	189.4	.....	.....	.....	.....	94.7	94.7	.....	.....	.....	189.4	.....	284.1	.....	15
21.6	14.4	43.2	100.7	14.4	50.4	7.2	36.0	21.6	7.2	.....	79.1	.....	7.2	71.9	64.7	14.4	323.7	14.4	16
23.3	15.5	46.5	100.8	15.5	46.5	7.8	23.3	15.5	7.8	.....	85.3	.....	7.8	69.8	46.5	15.5	333.3	15.5	17
.....	.....	.....	100.2	.....	100.2	.....	200.4	100.2	.....	.....	.....	.....	.....	100.2	300.6	.....	200.4	.....	18
19.6	6.2	50.6	116.7	12.4	202.4	10.3	46.5	5.2	18.6	11.4	111.5	11.4	7.2	76.4	98.1	13.4	221.0	4.1	19
18.6	3.5	49.9	105.6	11.6	182.1	9.3	42.9	5.8	17.4	10.4	87.0	8.1	5.8	81.2	84.7	15.1	214.6	1.2	20
28.2	28.2	56.4	206.6	18.8	366.3	18.8	75.1	.....	28.2	18.8	309.9	37.6	18.8	37.6	206.6	.....	272.4	28.2	21
30.4	.....	106.3	129.1	30.4	144.3	22.8	.....	.....	7.6	7.6	83.5	.....	7.6	60.7	98.7	30.4	341.7	15.2	22
28.5	.....	133.0	114.0	38.0	133.0	19.0	.....	.....	.....	9.5	28.5	.....	9.5	76.0	95.0	38.0	332.6	19.0	23
37.8	.....	.....	188.9	.....	188.9	37.8	.....	.....	37.8	.....	302.2	.....	.....	.....	113.3	.....	377.8	.....	24
15.5	.....	77.5	180.8	36.2	123.9	10.3	20.7	15.5	5.2	5.2	77.5	10.3	5.2	87.8	82.6	10.3	325.4	10.3	25
17.8	.....	65.2	171.8	29.6	118.5	5.9	23.7	17.8	.....	5.9	82.9	5.9	5.9	94.8	82.9	11.8	296.2	11.8	26
.....	.....	161.2	241.7	80.6	161.2	40.3	.....	.....	40.3	.....	40.3	40.3	.....	40.3	80.6	.....	523.8	.....	27
.....	6.7	73.4	113.5	.....	166.8	.....	.....	26.7	26.7	20.0	73.4	13.3	6.7	66.7	86.8	6.7	333.7	6.7	28
.....	7.2	72.1	108.1	.....	129.7	.....	.....	21.6	28.8	21.6	72.1	14.4	7.2	64.8	64.8	.....	324.2	7.2	29
.....	.....	90.5	181.0	.....	633.5	.....	.....	90.5	.....	.....	90.5	.....	.....	90.5	362.0	90.5	452.5	.....	30
5.8	5.8	86.4	109.5	17.3	144.0	5.8	34.6	28.8	11.5	40.3	184.4	17.3	11.5	23.0	115.2	11.5	270.8	17.3	31
27.1	2.1	60.5	179.5	4.2	125.2	18.8	18.8	23.0	10.4	10.4	121.1	4.2	8.3	75.1	71.0	14.6	344.4	35.5	32
29.8	2.3	55.0	158.0	4.6	112.2	16.0	16.0	22.9	11.4	6.9	119.1	4.6	9.2	73.3	68.7	16.0	338.9	29.8	33
.....	.....	118.0	401.1	.....	259.6	47.2	47.2	23.6	.....	47.2	141.6	.....	.....	94.4	94.4	.....	401.1	94.4	34
20.6	7.4	63.4	122.3	13.3	79.6	8.8	19.2	36.8	19.2	5.9	63.4	10.3	8.8	66.3	61.9	13.3	284.5	2.9	35
15.1	10.0	90.0	157.0	24.7	141.2	22.1	34.0	19.8	15.3	15.8	152.3	6.7	7.4	74.2	87.7	24.4	311.6	8.6	36
17.3	10.0	83.4	132.4	17.3	104.0	16.2	32.6	19.8	12.5	15.1	139.1	6.7	7.0	72.2	74.2	28.4	271.5	5.9	37
4.2	9.8	123.4	280.4	61.7	328.1	51.9	40.7	19.6	29.4	19.6	218.7	7.0	9.8	84.1	155.6	4.2	513.2	22.4	38
23.0	10.6	99.1	192.9	10.6	155.7	14.2	26.5	15.9	12.4	28.3	148.6	5.3	14.2	81.4	77.8	15.9	215.9	10.6	39
22.4	11.2	91.5	183.0	11.2	138.2	9.3	28.0	13.1	11.2	29.9	132.6	3.7	14.9	80.3	67.2	16.8	201.7	7.5	40
33.5	.....	234.8	369.0	.....	469.6	100.6	.....	67.1	33.5	.....	436.1	33.5	.....	100.6	268.4	.....	469.6	67.1	41
9.1	.....	63.7	91.1	18.2	118.4	9.1	36.4	27.3	9.1	9.1	154.8	.....	.....	100.2	72.9	18.2	318.7	45.5	42
11.9	.....	59.7	59.7	11.9	59.7	11.9	23.9	23.9	11.9	.....	167.2	.....	.....	83.6	59.7	23.9	310.4	35.8	43
.....	.....	76.7	191.9	38.4	307.0	.....	76.7	38.4	.....	38.4	115.1	.....	.....	153.5	115.1	.....	345.4	76.7	44
.....	24.9	116.0	140.8	33.1	157.4	24.9	91.1	16.6	8.3	16.6	140.8	.....	.....	124.3	91.1	8.3	265.1	24.9	45
.....	31.3	93.8	114.7	10.4	114.7	31.3	83.4	20.9	.....	10.4	104.3	.....	.....	114.7	73.0	10.4	218.9	20.9	46
.....	.....	201.6	241.9	121.0	322.6	.....	121.0	.....	40.3	40.3	282.3	.....	.....	161.3	161.3	.....	443.5	40.3	47
17.6	15.1	138.5	193.9	40.3	186.4	15.1	30.2	47.9	45.3	10.1	158.7	12.6	5.0	60.4	171.3	57.9	637.2	22.7	48
21.3	17.7	131.2	163.1	17.7	120.5	7.1	39.0	49.6	42.5	7.1	106.3	14.2	7.1	49.6	145.3	78.0	588.5	17.7	49
8.7	8.7	156.6	269.7	95.7	348.0	34.8	8.7	43.5	52.2	17.4	287.1	8.7	.....	87.0	234.9	8.7	756.9	34.8	50
16.0	8.4	81.0	156.1	22.4	137.1	24.9	31.6	15.6	13.1	13.5	160.3	5.5	5.1	73.4	79.3	24.0	311.4	3.4	51
19.0	7.2	74.3	128.6	16.4	94.8	19.0	28.2	16.9	11.3	13.3	151.6	5.6	4.1	73.3	69.7	28.7	274.6	2.0	52
2.4	14.4	112.5	284.7	50.2	335.0	52.6	47.9	9.6	21.5	14.4	201.0	4.8	9.6	74.2	124.4	2.4	483.3	9.6	53
12.6	9.5	94.6	141.9	31.5	119.8	9.5	34.7	9.5	6.3	18.9	107.2	6.3	6.3	50.4	69.4	15.8	138.7	3.2	54
12.9	9.7	90.1	122.3	32.2	119.1	9.7	35.4	9.7	6.4	16.1	109.4	6.4	6.4	48.3	61.2	16.1	135.2	.....	55
.....	.....	306.3	1,072.0	.....	153.1	.....	.....	.....	.....	153.1	.....	.....	.....	153.1	459.4	.....	306.3	153.1	56
5.7	5.7	80.0	108.6	17.1	125.7	17.1	45.7	40.0	11.4	5.7	171.4	11.4	17.1	97.2	62.9	17.1	257.2	11.4	57
7.0	7.0	69.7	69.7	13.9	76.6	13.9	48.8	34.8	7.0	7.0	167.2	13.9	20.9	104.5	55.7	13.9	243.9	13.9	58
.....	.....	127.2	286.2	31.8	349.8	31.8	31.8	63.6	31.8	.....	190.8	.....	.....	63.6	95.4	31.8	318.0	.....	59
4.1	16.3	77.5	114.3	49.0	114.3	49.0	40.8	20.4	16.3	24.5	122.4	16.3	20.4	65.3	102.0	20.4	289.7	12.2	60
5.5	21.8	87.3	87.3	27.3	87.3	27.3	43.6	27.3	5.5	16.4	109.1	16.4	10.9	60.0	76.3	27.3	218.1	5.5	61
.....	.....	48.6	194.6	113.5	194.6	113.5	32.4	.....	48.6	48.6	162.1	16.2	48.6	81.1	178.3	.....	502.6	32.4	62
15.6	4.6	106.7	231.7	23.5	193.2	14.7	104.2	24.3	14.7	32.5	239.0	10.1	14.2	56.5	126.6	18.8	351.2	0.3	63
16.6	5.2	90.5	185.0	19.9	117.8	13.7	85.7	24.4	14.8	31.8	199.5	7.0	13.7	44.3	92.7	22.5	271.1	0.4	64
12.5	3.1	152.5	363.5	33.4	406.3	17.8	156.7	24.0	14.6	34.5	350.9	18.8	15.7	90.9	222.5	8.4	577.6	.....	65
22.6	11.9	98.8	183.4	22.6	181.7	16.4	49.1	25.4	18.1	6.2	141.7	6.8	11.9	95.9	82.4	14.7	373.6	24.3	66
22.7	11.9	98.6	183.0	22.7	181.9	15.3	49.3	25.5	18.1	6.2	141.7	6.8	11.9	96.3	82.7	14.7	374.5	24.4	67
.....	.....	140.6	281.3	.....	140.6	281.3	.....	.....	.....	.....	140.6	.....	.....	.....	.....	.....	140.6	.....	68
37.1	.....	142.2	247.2	.....	86.5	6.2	55.6	.....	.....	6.2	129.8	.....	6.2	30.9	43.3	18.5	265.8	6.2	69
28.5	7.1	107.0	271.1	78.5	356.8	14.3	85.6	14.3	14.3	.....	99.9	7.1	.....	92.8	114.2	21.4	606.5	21.4	70
19.0	19.0	163.1	216.2	7.6	159.3	30.3	19.0	26.6	15.2	11.4	132.8	7.6	22.8	117.6	117.6	19.0	512.1	56.9	71

[1]Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	MAINE—continued.															
1	Biddeford	1,667.6	11.4	.....	.....	.....	.....	51.2	22.8	22.8	.....	130.9	28.5	28.5	5.7	74.0
2	Lewiston	1,680.2	10.9	.....	.....	7.3	.....	3.6	.....	7.3	.....	116.1	10.9	18.1	3.6	119.8
3	Portland	1,609.2	23.8	.....	.....	3.2	9.5	6.3	15.9	15.9	1.6	101.6	12.7	22.2	6.3	103.2
4	Waterville	1,495.9	24.0	.....	.....	16.0	.....	16.0	.....	16.0	.....	96.0	8.0	8.0	16.0	88.0
	MARYLAND.															
5	Registration cities (total)	1,697.9	21.8	0.2	.....	3.1	5.9	3.7	13.1	12.5	2.9	187.0	9.7	14.1	7.6	108.6
6	White	1,514.7	18.4	0.2	.....	2.9	6.3	2.7	15.0	11.7	3.2	136.5	8.8	10.1	7.2	114.5
7	Colored	2,801.5	42.4	.....	.....	4.3	3.3	9.8	2.2	17.4	1.1	491.4	15.2	38.0	9.8	72.8
8	Baltimore (total)	1,711.9	20.7	0.2	.....	3.4	5.6	3.6	13.2	12.3	2.7	195.9	10.1	14.2	7.7	107.8
9	White	1,517.3	16.9	0.2	.....	3.2	6.0	2.6	15.1	11.3	3.0	141.5	9.1	10.1	7.2	114.0
10	Colored	2,811.6	42.1	.....	.....	4.5	3.4	9.1	2.3	18.2	1.1	502.7	15.9	37.5	10.2	72.8
11	Cumberland (total)	1,619.5	35.2	.....	.....	.....	15.6	.....	7.8	7.8	7.8	129.1	7.8	11.7	7.8	133.0
12	White	1,557.8	36.8	.....	.....	.....	16.4	.....	8.2	8.2	8.2	110.4	8.2	8.2	8.2	130.8
13	Colored [2]	2,981.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	542.0	.....	90.3	.....	180.7
14	Frederick (total)	1,645.6	.....	.....	.....	.....	.....	9.1	.....	27.3	9.1	54.6	.....	27.3	9.1	136.4
15	White	1,537.3	.....	.....	.....	.....	.....	.....	.....	31.4	10.5	41.8	.....	31.4	10.5	156.9
16	Colored	2,366.0	.....	.....	.....	.....	.....	69.6	.....	.....	.....	139.2	.....	.....	.....	.....
17	Hagerstown [3] (total)	1,474.3	43.6	.....	.....	.....	4.0	7.9	23.8	15.9	.....	99.1	7.9	7.9	4.0	91.2
18	White [3]	1,408.4	38.0	.....	.....	.....	4.2	8.4	25.3	16.9	.....	97.0	8.4	4.2	4.2	92.8
19	Colored [3]	2,503.3	131.8	.....	.....	.....	.....	.....	.....	.....	.....	131.8	.....	65.9	.....	65.9
	MASSACHUSETTS.															
20	Registration cities (total)	1,433.4	7.2	(4)	0.3	8.3	6.2	13.7	22.6	6.6	4.0	111.5	13.5	9.7	3.9	101.1
21	White	1,423.9	7.2	(4)	0.2	8.2	6.2	13.4	22.7	6.6	4.0	108.4	13.2	9.3	3.9	101.3
22	Colored	2,152.8	5.4	.....	13.5	16.2	2.7	32.5	13.5	5.4	2.7	343.5	40.6	40.6	8.1	86.5
23	Adams town	1,119.7	14.3	.....	.....	.....	.....	21.4	.....	21.4	.....	128.4	14.3	7.1	.....	49.9
24	Arlington town	1,338.8	8.0	.....	.....	8.0	.....	.....	8.0	8.0	.....	63.8	8.0	.....	.....	143.4
25	Attleboro	1,048.5	5.3	.....	.....	.....	.....	16.0	10.6	5.3	.....	42.6	10.6	5.3	10.6	69.2
26	Beverly	1,332.6	9.5	.....	.....	4.7	.....	18.9	28.4	4.7	14.2	75.6	9.5	4.7	.....	151.2
27	Boston (total)	1,613.1	5.2	.....	.....	5.5	11.1	14.9	29.3	4.3	5.8	137.8	16.9	9.1	3.6	115.0
28	White	1,598.1	5.2	.....	.....	5.5	11.4	14.7	29.9	4.4	5.9	131.4	16.5	8.4	3.3	115.1
29	Colored	2,295.1	6.2	.....	.....	6.2	.....	24.9	.....	.....	.....	429.2	37.3	43.5	18.7	112.0
30	Brockton	1,049.5	7.6	.....	.....	.....	6.1	1.5	19.8	3.0	4.6	51.7	15.2	10.6	.....	92.8
31	Brookline town	1,027.1	.....	.....	.....	9.4	3.1	.....	12.5	15.7	.....	50.1	3.1	6.3	.....	125.3
32	Cambridge	1,308.3	1.8	.....	.....	5.4	3.6	11.6	25.1	5.4	1.8	182.7	6.3	9.0	7.2	109.3
33	Chelsea	1,425.7	9.1	.....	.....	6.8	2.3	9.1	4.5	4.5	4.5	52.3	11.4	4.5	2.3	118.2
34	Chicopee	1,467.5	7.0	.....	.....	13.9	7.0	24.4	34.9	10.5	.....	177.8	10.5	.....	3.5	62.7
35	Clinton town	[5] 1,414.9	7.6	.....	.....	.....	.....	.....	7.6	7.6	.....	114.7	22.9	15.3	7.6	114.7
36	Everett	950.2	.....	.....	.....	7.8	2.6	15.7	15.7	5.2	5.2	73.1	10.4	7.8	5.2	80.9
37	Fall River	1,591.8	15.0	0.8	.....	14.2	4.7	21.3	26.0	1.6	2.4	113.5	18.1	9.5	6.3	78.8
38	Fitchburg	1,327.0	4.9	.....	.....	.....	21.9	19.4	68.1	9.7	2.4	111.8	12.2	9.7	2.4	94.8
39	Framingham town	1,751.7	14.5	.....	.....	7.2	14.5	14.5	.....	7.2	.....	57.9	.....	7.2	.....	123.1
40	Gardner town	1,242.1	11.9	.....	.....	.....	.....	17.9	17.9	11.9	.....	77.6	11.9	23.9	.....	89.6
41	Gloucester	[5] 1,340.3	.....	.....	.....	.....	.....	.....	8.2	.....	.....	110.7	12.3	4.1	.....	73.8
42	Greenfield town	1,192.0	8.5	.....	.....	.....	.....	8.5	.....	.....	.....	25.5	8.5	.....	.....	119.2
43	Haverhill	1,406.6	6.3	.....	.....	16.7	10.5	2.1	31.4	8.4	4.2	110.9	6.3	6.3	4.2	98.4
44	Holyoke	1,492.1	4.7	.....	.....	9.4	7.8	12.3	23.4	9.4	1.6	104.6	14.0	15.6	7.8	90.5
45	Lawrence	1,432.8	8.1	.....	.....	30.6	8.1	33.6	33.6	8.1	4.1	123.2	20.4	14.3	2.0	73.3
46	Leominster town	1,201.1	4.9	.....	.....	.....	9.8	14.8	49.2	4.9	.....	59.1	9.8	14.8	9.8	98.5
47	Lowell	1,623.2	16.1	.....	.....	0.9	.....	16.9	23.2	3.6	3.6	101.7	13.4	12.5	7.1	79.4
48	Lynn	1,172.3	3.0	.....	.....	2.0	1.0	4.0	21.9	10.0	2.0	89.7	11.0	14.0	5.0	90.7
49	Malden	1,034.6	4.0	.....	.....	8.0	10.0	8.0	41.9	6.0	2.0	53.9	8.0	2.0	2.0	71.9
50	Marlborough	1,305.6	19.9	.....	.....	.....	.....	19.9	13.3	13.3	6.6	86.2	.....	13.3	.....	79.5
51	Medford	1,305.5	.....	.....	.....	3.9	15.5	7.8	3.9	.....	3.9	77.7	11.7	7.8	3.9	139.9
52	Melrose	1,246.7	.....	.....	.....	5.8	5.8	.....	.....	17.5	5.8	69.9	11.7	5.8	5.8	116.5
53	Methuen town	1,138.9	.....	.....	.....	.....	.....	22.2	29.6	7.4	7.4	51.8	.....	7.4	7.4	88.7
54	Milford town	1,413.2	.....	.....	.....	7.2	.....	14.3	28.7	21.5	.....	114.8	35.9	14.3	.....	86.1
55	New Bedford	1,503.1	20.9	.....	8.7	35.7	7.8	17.4	22.7	3.5	4.4	128.2	13.1	13.1	2.6	91.5
56	Newburyport	1,309.6	6.6	.....	.....	.....	.....	.....	6.6	.....	.....	39.5	6.6	6.6	6.6	144.8
57	Newton	1,227.8	2.3	.....	.....	7.0	7.0	20.9	16.2	18.6	.....	67.3	11.6	4.6	2.3	99.8
58	North Adams	[5] 1,403.3	13.6	.....	.....	.....	.....	.....	22.7	9.1	.....	95.4	.....	9.1	.....	140.8
59	Northampton*	1,894.6	10.1	.....	.....	.....	.....	15.1	15.1	15.1	5.0	161.2	20.2	.....	10.1	136.0
60	Peabody town	1,293.6	5.6	.....	.....	11.2	5.6	5.6	11.2	.....	5.6	89.2	27.9	16.7	.....	78.1
61	Pittsfield	1,431.6	.....	.....	.....	18.6	.....	2.7	5.3	2.7	5.3	135.7	18.6	.....	13.3	103.8
62	Plymouth town	1,201.3	14.8	.....	.....	14.8	.....	.....	14.8	14.8	14.8	44.5	29.7	.....	22.2	118.7
63	Quincy	1,157.0	5.4	.....	.....	5.4	2.7	10.7	2.7	5.4	5.4	61.7	21.5	5.4	2.7	110.1
64	Revere†	854.8	4.5	.....	.....	4.5	.....	9.0	22.4	.....	.....	35.8	9.0	.....	9.0	67.1
65	Salem	1,048.6	4.2	.....	.....	14.7	.....	6.3	6.3	8.4	2.1	69.1	6.3	18.8	.....	64.9
66	Somerville	1,177.2	10.5	.....	.....	16.4	8.2	8.2	23.4	4.7	3.5	87.8	5.9	4.7	9.4	100.6
67	Southbridge town	1,133.0	.....	.....	.....	.....	.....	7.2	50.2	.....	7.2	78.9	.....	7.2	.....	50.2
68	Springfield	1,465.9	10.7	.....	.....	3.9	1.0	19.4	10.7	12.6	1.0	78.5	12.6	10.7	1.0	106.6
69	Taunton†	2,077.5	.....	.....	.....	19.5	11.1	25.0	5.6	25.0	5.6	180.8	8.3	11.1	2.8	116.8
70	Wakefield town	1,262.1	.....	.....	.....	24.0	.....	55.9	8.0	.....	.....	71.9	8.0	.....	.....	95.9

[1] Exclusive of stillbirths. [2] Colored population less than 5 per cent of the total in 1910. [3] Probably does not include deaths in territory annexed in April, 1914.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
11.4	17.1	39.8	113.8	17.1	278.9	22.8	62.6	17.1	22.8	.....	102.4	.....	11.4	199.2	39.8	11.4	313.0	11.4	1
21.8	10.9	54.4	101.6	32.7	181.4	10.9	98.0	54.4	43.5	.....	156.0	10.9	7.3	79.8	58.1	10.9	424.6	25.4	2
25.4	6.3	98.4	196.8	17.5	147.6	12.7	31.7	17.5	12.7	11.1	165.0	6.3	12.7	80.9	92.0	12.7	315.8	23.8	3
8.0	40.0	80.0	144.0	32.0	192.0	24.0	24.0	56.0	16.0	.....	128.0	16.0	16.0	104.0	88.0	16.0	224.0	.....	4
17.8	6.5	104.6	175.9	21.0	189.4	15.5	82.6	13.8	12.2	12.7	168.2	8.4	8.2	94.4	86.5	17.5	266.2	6.3	5
20.2	6.5	94.5	157.6	18.4	151.0	14.1	81.5	13.9	11.5	12.8	151.0	7.9	8.3	86.8	82.8	19.5	234.1	4.7	6
3.3	6.5	165.2	285.9	37.0	420.7	23.9	89.1	13.0	16.3	12.0	271.8	10.9	7.6	140.2	108.7	5.4	459.9	16.3	7
18.3	7.0	106.7	173.5	21.4	200.1	15.9	83.0	12.7	11.8	12.0	171.6	7.2	7.9	95.4	81.9	17.4	265.6	5.1	8
20.9	7.0	96.0	153.4	18.7	160.7	14.3	81.7	12.7	11.3	12.5	154.0	6.4	8.1	88.0	77.7	19.5	230.9	3.0	9
3.4	6.8	167.2	286.6	36.4	423.1	25.0	89.9	12.5	14.8	9.1	270.7	11.4	6.8	137.6	105.8	5.7	461.8	17.1	10
15.6	.....	82.1	195.6	11.7	109.5	19.6	97.8	35.2	15.6	19.6	136.9	31.3	11.7	62.6	144.7	11.7	250.4	3.9	11
16.4	.....	77.7	200.4	12.3	90.0	20.4	102.2	36.8	16.4	16.4	122.7	32.7	8.2	53.2	134.9	12.3	257.6	4.1	12
.....	.....	180.7	90.3	.....	542.0	.....	.....	.....	.....	90.3	451.7	.....	90.3	271.0	361.3	.....	90.3	.....	13
18.2	9.1	100.0	172.7	27.3	90.9	.....	45.5	18.2	45.5	18.2	127.3	27.3	18.2	127.3	100.0	18.2	409.1	.....	14
20.9	10.5	115.0	136.0	20.9	41.8	.....	52.3	20.9	31.4	10.5	115.0	31.4	20.9	115.0	104.6	20.9	386.9	.....	15
.....	.....	.....	417.5	69.6	417.5	.....	.....	.....	139.2	69.6	208.8	.....	.....	208.8	69.6	.....	556.7	.....	16
7.9	.....	79.3	214.0	19.8	63.4	7.9	75.3	15.9	4.0	19.8	138.7	4.0	7.9	87.2	126.8	23.8	233.8	39.6	17
8.4	.....	71.7	210.8	16.9	54.8	8.4	67.5	12.7	4.2	16.9	130.7	4.2	8.4	84.3	126.5	25.3	215.1	42.2	18
.....	.....	197.6	263.5	65.9	197.6	.....	197.6	65.9	.....	65.9	263.5	.....	.....	131.8	131.8	.....	527.0	.....	19
21.3	9.1	93.8	169.4	21.9	165.7	10.3	79.9	13.3	11.5	9.1	91.5	4.9	10.9	84.4	77.8	14.2	229.7	6.1	20
21.3	9.0	93.5	169.1	21.9	163.4	10.2	80.3	13.3	11.3	9.2	91.0	4.8	10.9	84.2	77.0	14.3	228.7	6.0	21
18.9	21.6	116.3	194.7	21.6	338.1	16.2	46.0	18.9	24.3	2.7	132.5	10.8	8.1	100.1	137.9	13.5	302.9	16.2	22
.....	14.3	71.3	92.7	21.4	92.7	.....	149.8	.....	.....	.....	64.2	.....	.....	121.2	57.1	7.1	171.2	.....	23
15.9	31.9	103.6	175.3	.....	167.3	.....	55.8	8.0	8.0	.....	79.7	23.9	.....	87.7	87.7	23.9	223.1	.....	24
16.0	5.3	85.2	159.7	16.0	79.8	.....	21.3	10.6	5.3	.....	79.8	10.6	10.6	101.1	37.3	5.3	228.9	.....	25
9.5	.....	99.2	241.0	18.9	127.6	.....	23.6	28.4	9.5	.....	94.5	.....	9.5	80.3	75.6	18.9	174.8	.....	26
26.2	11.3	89.9	194.1	18.1	202.9	12.3	62.9	17.3	15.0	12.7	97.6	7.5	14.4	89.6	95.3	18.8	263.7	4.8	27
26.3	11.2	89.6	194.1	18.2	199.4	12.5	63.1	17.4	14.5	12.9	96.4	7.4	14.3	89.2	94.6	18.8	261.8	4.7	28
18.7	12.4	105.7	192.8	12.4	360.7	6.2	56.0	12.4	37.3	6.2	149.3	12.4	18.7	112.0	124.4	18.7	348.3	12.4	29
22.8	1.5	77.6	121.7	7.6	68.4	9.1	31.9	15.2	12.2	13.7	59.3	3.0	15.2	83.7	56.3	15.2	214.5	7.6	30
25.1	.....	103.3	156.6	12.5	90.8	3.1	3.1	9.4	9.4	12.5	100.2	.....	3.1	47.0	31.3	12.5	181.6	.....	31
20.6	8.1	93.1	157.6	19.7	146.0	7.2	50.1	8.1	9.0	7.2	80.6	3.6	8.1	75.2	56.4	9.0	177.3	2.7	32
20.5	9.1	102.3	222.8	15.9	120.5	9.1	63.7	20.5	18.2	4.5	116.0	4.5	9.1	88.7	100.0	27.3	222.8	20.5	33
20.9	17.4	59.3	142.9	31.4	153.4	7.0	264.9	.....	3.5	17.4	97.6	.....	.....	108.1	66.2	3.5	122.0	.....	34
30.6	.....	153.0	153.0	22.9	214.1	22.9	61.2	7.6	7.6	.....	61.2	.....	7.6	91.8	99.4	15.3	160.6	7.6	35
13.1	7.8	88.8	130.5	10.4	94.0	2.6	28.7	5.2	.....	7.8	73.1	2.6	2.6	44.4	54.8	20.9	133.1	.....	36
19.7	6.3	65.4	154.4	30.7	200.2	15.8	226.2	11.8	14.2	6.3	102.4	1.6	9.5	122.1	60.7	13.4	197.0	22.1	37
12.2	7.3	75.3	179.9	14.6	124.0	9.7	97.2	9.7	14.6	7.3	55.9	.....	7.3	109.4	70.5	17.0	158.0	.....	38
29.0	7.2	115.8	231.6	.....	144.8	14.5	94.1	57.9	21.7	14.5	130.3	7.2	14.5	108.6	202.7	14.5	296.8	.....	39
6.0	11.9	89.6	107.5	41.8	119.4	23.9	59.7	11.9	6.0	6.0	155.3	6.0	6.0	71.7	83.6	17.9	155.3	.....	40
24.6	8.2	139.4	172.1	20.5	176.2	4.1	28.7	8.2	4.1	.....	131.2	.....	8.2	32.8	90.2	28.7	254.1	.....	41
17.0	.....	51.1	161.8	8.5	127.7	34.1	8.5	25.5	17.0	.....	85.1	.....	42.6	59.6	102.2	25.5	221.4	34.1	42
14.7	8.4	146.5	157.0	12.6	173.7	4.2	29.3	8.4	14.7	8.4	64.9	4.2	6.3	69.1	67.0	18.8	270.0	23.0	43
21.9	6.2	60.9	113.9	15.6	206.0	14.0	185.7	18.7	9.4	18.7	110.8	1.6	12.5	96.8	71.8	1.6	224.8	.....	44
7.1	26.5	56.0	106.9	25.5	210.8	13.2	157.8	9.2	12.2	6.1	82.5	9.2	6.1	71.3	57.0	7.1	188.4	20.4	45
24.6	4.9	83.7	182.1	14.8	147.7	9.8	29.5	.....	4.9	9.8	93.5	4.9	4.9	44.3	24.6	29.5	196.9	14.8	46
7.1	12.5	95.4	140.9	62.4	183.7	8.9	155.2	12.5	10.7	20.5	97.2	7.1	10.7	118.6	77.6	13.4	308.6	1.8	47
15.0	7.0	91.7	155.5	16.9	112.6	9.0	38.9	15.9	9.0	2.0	76.8	4.0	15.0	52.8	82.7	9.0	201.4	3.0	48
18.0	8.0	85.9	183.8	10.0	95.9	12.0	22.0	8.0	6.0	4.0	71.9	8.0	16.0	45.9	41.9	12.0	165.8	2.0	49
13.3	26.5	165.7	145.8	26.5	106.0	6.6	59.6	13.3	26.5	6.6	79.5	.....	.....	53.0	66.3	19.9	218.7	19.9	50
31.1	15.5	120.4	202.0	23.3	124.3	.....	35.0	3.9	3.9	11.7	85.5	.....	3.9	73.8	27.2	23.3	244.8	.....	51
23.3	5.8	110.7	174.8	11.7	99.0	5.8	11.7	17.5	11.7	5.8	104.9	5.8	23.3	58.3	75.7	35.0	215.5	5.8	52
29.6	.....	103.5	155.3	7.4	125.7	.....	66.6	.....	7.4	7.4	81.3	.....	7.4	14.8	44.4	14.8	221.9	29.6	53
28.7	14.3	122.0	136.3	43.0	114.8	14.3	28.7	21.5	14.3	7.2	143.5	.....	7.2	71.7	93.3	7.2	215.2	7.2	54
16.6	7.0	87.2	129.0	35.7	184.0	14.0	177.9	6.1	7.0	6.1	73.2	3.5	7.0	90.7	52.3	14.0	204.9	17.4	55
26.3	6.6	184.3	210.6	13.2	138.2	.....	.....	13.2	6.6	.....	131.6	6.6	6.6	.....	65.8	6.6	276.4	.....	56
27.9	9.3	99.8	185.7	11.6	132.3	7.0	23.2	7.0	7.0	2.3	60.3	.....	2.3	55.7	53.4	4.6	278.5	2.3	57
22.7	9.1	99.9	208.9	31.8	77.2	9.1	45.4	36.3	13.6	4.5	131.7	13.6	18.2	77.2	77.2	13.6	213.5	9.1	58
15.1	5.0	231.8	176.4	25.2	141.1	10.1	40.3	15.1	10.1	5.0	105.8	.....	5.0	65.5	90.7	20.2	539.2	5.0	59
11.2	39.0	78.1	139.4	27.9	100.4	.....	55.8	16.7	.....	.....	66.9	.....	5.6	66.9	228.6	5.6	195.1	.....	60
26.6	10.6	95.8	157.0	26.6	133.0	10.6	55.9	23.9	10.6	10.6	95.8	13.3	21.3	98.5	95.8	16.0	218.2	5.3	61
7.4	.....	133.5	140.9	.....	103.8	7.4	66.7	7.4	.....	.....	51.9	.....	7.4	163.1	44.5	.....	178.0	.....	62
16.1	2.7	91.3	118.1	8.1	77.9	5.4	61.7	8.1	16.1	13.4	80.5	5.4	13.4	85.9	112.7	5.4	193.3	2.7	63
4.5	4.5	67.1	147.7	17.9	134.3	9.0	26.9	.....	.....	.....	62.7	.....	.....	44.8	53.7	17.9	98.5	4.5	64
14.7	6.3	96.3	136.0	33.5	96.3	6.3	56.5	2.1	8.4	4.2	67.0	8.4	4.2	46.0	75.3	8.4	177.9	.....	65
19.9	4.7	103.0	180.2	10.5	139.2	10.5	29.3	4.7	8.2	4.7	72.5	1.2	10.5	69.0	48.0	8.2	169.7	.....	66
.....	.....	93.2	64.5	21.5	215.1	7.2	43.0	14.3	7.2	7.2	71.7	.....	.....	114.7	71.7	.....	193.6	7.2	67
26.2	3.9	98.8	152.1	17.4	162.8	11.6	74.6	20.3	14.5	8.7	149.2	4.8	10.7	97.9	90.1	15.5	236.4	1.9	68
30.6	5.6	114.0	228.1	52.8	314.3	8.3	153.0	25.0	13.9	16.7	116.8	.....	25.0	116.8	72.3	16.7	356.0	.....	69
24.0	8.0	79.9	135.8	24.0	127.8	.....	24.0	.....	.....	16.0	95.9	.....	8.0	63.9	55.9	24.0	295.6	16.0	70

[4] Less than one-tenth of 1 per 100,000 population.

[5] Rate based on population Apr. 15, 1910. Decrease since 1900.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	MASSACHUSETTS—continued.															
1	Waltham	1,427.2	19.9			16.6	6.6	10.0	26.6	13.3	6.6	162.6	6.6	29.9		92.9
2	Watertown town †	893.7								13.7		55.0	6.9	6.9	6.9	75.6
3	Webster town	1,175.0						15.5		15.5	23.2	69.6	15.5	15.5		61.8
4	Westfield town	1,693.2	5.6				5.6	11.1			5.6	344.2	5.6	5.6	5.6	105.5
5	Weymouth town	1,158.6				14.6				21.9		43.7				65.6
6	Winthrop town	1,319.3	16.3						24.4	8.1	8.1	40.7	8.1	8.1	8.1	122.2
7	Woburn	1,223.0	12.6				6.3	6.3	31.5	6.3		94.6	12.6	6.3		88.3
8	Worcester	1,536.9	5.6			1.2	1.9	13.1	13.7	6.9	6.2	114.6	18.1	15.0	1.9	110.3
	MICHIGAN.															
9	Registration cites (total)	1,472.7	16.6	0.4	0.2	4.6	3.4	10.0	15.5	11.9	5.0	101.4	7.2	9.3	8.4	89.0
10	White	1,462.6	16.6	0.4	0.2	4.6	3.4	10.1	15.4	12.0	4.9	99.4	7.2	9.2	8.3	89.1
11	Colored	2,467.8	16.6				8.3		24.9		16.6	299.1	8.3	24.9	16.6	83.1
12	Adrian	1,383.7	17.6							44.1	8.8	52.9		8.8		149.8
13	Alpena	1,274.6	68.3				7.6			15.2		68.3	7.6			22.8
14	Ann Arbor	2,556.9	13.4				6.7			6.7	6.7	153.5	13.4	40.1	6.7	307.1
15	Battle Creek	1,562.4	17.4			3.5		10.4	6.9	20.8	3.5	97.2	13.9	10.4		173.6
16	Bay City	1,385.4	21.1	2.1		2.1		10.5	18.9	46.3	6.3	61.1	10.5	8.4	10.5	88.4
17	Detroit	1,572.0	13.5	0.4	0.2	9.0	4.7	13.3	20.6	8.7	5.9	118.6	8.3	8.7	9.4	76.1
18	Escanaba	1,290.0	26.5	6.6						13.2		79.4			6.6	66.2
19	Flint	1,027.6	9.6			1.9		9.6	19.2	7.7	3.8	44.1	3.8	17.3	5.8	46.0
20	Grand Rapids	1,248.4	27.8	0.8			0.8	1.6	11.9	4.0	5.6	85.1	2.4	8.7	8.7	114.5
21	Holland	990.6	25.2					16.8		16.8	8.4	33.6		8.4	8.4	16.8
22	Ironwood †	850.4	20.7					6.9				83.0		20.7	13.8	55.3
23	Ishpeming	[2] 947.9	16.1		8.0		8.0		24.1	8.0	24.1	56.2		16.1	32.1	72.3
24	Jackson	1,433.9	2.9			2.9	2.9	23.0	17.3	14.4		95.0	2.9	5.8	5.8	72.0
25	Kalamazoo *	1,632.0	6.3					4.2	4.2	21.1	8.4	128.8	10.6	12.7	8.4	90.8
26	Lansing	1,212.7	2.6				10.3	23.1	17.9	20.5		38.5	15.4	5.1	7.7	102.6
27	Manistee	[2] 1,138.8	32.3						8.1	8.1		145.4	8.1	16.2		72.7
28	Marquette	1,198.7	32.6							8.2		81.5	8.2	8.2	8.2	48.9
29	Menominee	[2] 1,351.5	19.0					9.5		9.5		104.7		9.5		76.1
30	Muskegon	1,513.3	19.4				11.6		7.8	15.5	3.9	124.2	7.8	3.9	7.8	116.4
31	Pontiac *	2,329.5	11.7				11.7	11.7	64.5	23.5	5.9	140.8	5.9	17.6	5.9	176.0
32	Port Huron	[2] 1,542.7	21.2			5.3				21.2		68.9	5.3	5.3		132.5
33	Saginaw	1,340.9	31.0				1.8	3.6	5.5	12.8		58.4	3.6	7.3	9.1	105.8
34	Sault Ste. Marie	1,232.8	7.3					7.3	7.3			65.7		7.3		51.1
35	Traverse City *	2,318.7						22.2			14.8	295.4	22.2		22.2	73.8
	MINNESOTA.															
36	Registration cities (total)	1,115.0	9.3		0.5	3.5	6.7	6.0	14.4	8.8	3.2	112.3	10.3	10.5	5.2	81.4
37	White	1,107.5	9.3		0.5	3.5	6.6	6.1	14.4	8.7	3.2	109.4	10.2	10.2	4.8	81.7
38	Colored	1,847.5	13.0				13.0		13.0	13.0		390.3	13.0	39.0	39.0	52.0
39	Duluth	995.5	10.9				2.2	10.9	8.7	10.9	5.4	91.4	8.7	14.1	7.6	71.8
40	Mankato	[2] 1,688.4	9.6				38.6			48.2	9.6	106.1	19.3		19.3	212.3
41	Minneapolis	1,145.2	7.6		0.3	3.7	3.1	4.8	17.8	6.5	3.1	124.2	9.3	10.5	3.7	81.2
42	St. Cloud	1,290.8	25.8		17.2	8.6	17.2		8.6	8.6		120.5		17.2		111.9
43	St. Paul	1,073.6	7.0		0.4	5.0	12.4	5.4	12.4	8.3	2.5	106.2	12.0	10.3	5.4	79.3
44	Stillwater	[2] 1,068.8	29.4							29.4		58.8	19.6	9.8	9.8	107.9
45	Virginia †	893.8	34.6					34.6				76.2	13.9		20.8	6.9
46	Winona	[2] 1,329.2	21.5				5.4		32.3	21.5	5.4	113.0	5.4	5.4		102.2
	MISSISSIPPI.[3]															
47	Registration cities (total)	2,610.2	47.9	75.9		4.0	1.0	8.0	7.0	38.9	2.0	194.7	4.0	28.0	3.0	93.9
48	White	1,750.5	41.9	55.2		5.7	1.9	5.7	7.6	43.8	1.9	72.4		11.4	1.9	93.3
49	Colored	3,557.6	54.6	98.6		2.1		10.5	6.3	33.6	2.1	329.5	8.4	46.2	4.2	94.4
50	Hattiesburg (total)	1,565.2	19.1	19.1					6.4	50.9	6.4	95.4		6.4		44.5
51	White	1,055.2	10.0	10.0					10.0	50.2		10.0		10.0		20.1
52	Colored	2,445.4	34.7	34.7						52.0	17.3	242.8				86.7
53	Jackson * (total)	2,981.8	74.0	91.6		10.6	3.5	14.1	10.6	28.2		183.3	3.5	67.0	7.0	112.8
54	White	2,001.9	53.0	72.9		19.9	6.6	6.6	6.6	39.8		86.2		33.1	6.6	139.2
55	Colored	4,094.5	97.8	112.9				22.6	15.1	15.1		293.5	7.5	105.4	7.5	82.8
56	Meridian (total)	2,567.4	64.2	59.6		4.6		4.6	9.2	50.4	4.6	252.2	4.6	9.2		77.9
57	White	1,966.7	60.5	30.3				7.6	15.1	45.4	7.6	75.6				113.5
58	Colored	3,491.6	69.8	104.7		11.6				58.2		523.7	11.6	23.3		23.3
59	Natchez (total)	[2] 2,010.0		25.4				17.0		33.9		254.4	17.0	17.0		93.3
60	White	[2] 1,100.8		19.7				19.7		59.0		117.9				78.6
61	Colored	[2] 2,699.9		29.8				14.9		14.9		358.0	29.8	29.8		104.4
62	Vicksburg (total)	3,229.0	44.5	138.1				4.5	4.5	35.6		191.5		17.8	4.5	120.3
63	White	2,140.7	54.6	131.1						32.8		87.4				76.5
64	Colored	3,978.3	37.6	142.9				7.5	7.5	37.6		263.2		30.1	7.5	150.4
	MISSOURI.															
65	Registration cities (total)	1,439.9	10.8	2.5	0.3	5.3	2.4	4.4	25.2	14.8	4.2	147.4	6.7	9.0	7.2	94.3
66	White	1,352.8	9.8	2.0	0.3	5.6	2.5	4.1	25.7	15.0	4.2	119.6	6.4	7.2	6.9	94.6
67	Colored	2,585.6	23.7	9.0		1.1	1.1	7.9	18.1	12.4	4.5	511.9	10.2	32.8	11.3	90.4

[1] Exclusive of stillbirths.

[2] Rate based on population Apr. 15, 1910. Decrease since 1900.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(87)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
19.9	10.0	83.0	162.6	16.6	159.3	13.3	26.6	6.6	10.0	3.3	73.0	.....	19.9	69.7	99.6	3.3	252.2	6.6	1
34.4	6.9	110.0	158.1	20.6	89.4	6.9	20.6	.....	.....	.....	55.0	.....	.....	61.9	27.5	6.9	130.6	.....	2
.....	.....	77.3	139.1	46.4	100.5	15.5	92.8	.....	.....	7.7	85.0	.....	.....	146.9	54.1	.....	185.5	7.7	3
22.2	.....	116.6	177.6	11.1	183.2	11.1	133.2	22.2	27.8	11.1	149.9	.....	5.6	77.7	105.5	16.7	127.7	.....	4
43.7	7.3	94.7	204.0	21.9	153.0	14.6	36.4	7.3	14.6	.....	102.0	.....	.....	36.4	80.2	.....	196.7	.....	5
48.9	.....	203.6	219.9	40.7	171.0	.....	24.4	.....	.....	.....	105.9	.....	.....	40.7	16.3	16.3	187.3	.....	6
6.3	.....	88.3	69.3	18.9	151.3	18.9	44.1	6.3	25.2	.....	88.3	.....	12.6	100.9	107.2	.....	214.3	6.3	7
31.8	8.7	98.4	224.3	23.0	186.3	8.1	71.6	15.0	10.6	9.3	72.9	6.9	11.8	94.1	86.6	12.5	254.8	1.9	8
19.3	12.0	75.2	147.4	21.2	139.3	17.5	59.5	21.3	16.7	15.3	84.6	9.1	12.8	115.0	90.0	18.2	310.4	5.1	9
19.2	12.1	74.9	145.7	21.1	137.0	17.3	59.9	21.5	16.7	15.2	83.6	9.1	12.8	114.9	89.0	17.9	308.9	5.1	10
24.9	.....	108.0	315.7	33.2	365.6	33.2	24.9	8.3	16.6	24.9	182.8	8.3	8.3	116.3	191.1	41.5	457.0	8.3	11
17.6	.....	132.2	167.5	17.6	79.3	17.6	8.8	52.9	.....	8.8	105.8	8.8	26.4	35.3	61.7	.....	308.5	52.9	12
30.3	22.8	98.6	106.2	30.3	68.3	30.3	53.1	15.2	7.6	.....	45.5	.....	15.2	98.6	91.0	7.6	356.6	7.6	13
26.7	6.7	160.2	227.0	13.4	160.2	40.1	6.7	80.1	26.7	6.7	146.9	13.4	26.7	120.2	100.1	46.7	787.8	6.7	14
27.8	3.5	90.3	225.7	3.5	79.9	10.4	17.4	20.8	6.9	20.8	76.4	3.5	10.4	111.0	52.1	31.2	409.7	3.5	15
18.9	8.4	82.1	155.8	12.6	115.8	25.3	37.9	14.7	29.5	21.1	56.8	6.3	21.1	84.2	82.1	6.3	313.7	6.3	16
18.7	14.6	60.9	130.7	23.4	186.8	16.6	97.0	21.8	16.8	19.3	81.7	12.6	14.2	146.4	101.0	20.9	287.7	3.6	17
13.2	19.8	79.4	125.7	19.8	185.2	13.2	19.8	33.1	52.9	.....	125.7	6.6	.....	72.8	99.2	19.8	191.8	13.2	18
9.6	11.5	51.8	84.4	7.7	72.9	11.5	65.2	15.3	7.7	3.8	40.3	5.8	5.8	88.2	70.9	9.6	291.4	5.8	19
17.5	9.5	78.7	133.6	15.1	95.4	15.9	26.2	12.7	13.5	8.7	90.6	4.8	11.9	74.0	69.2	15.9	281.5	1.6	20
33.6	16.8	75.6	83.9	42.0	58.8	16.8	33.6	16.8	16.8	8.4	92.3	16.8	16.8	58.8	50.4	8.4	209.9	.....	21
.....	6.9	13.8	89.9	20.7	69.1	6.9	41.5	13.8	13.8	.....	34.6	6.9	13.8	103.7	96.8	.....	110.6	6.9	22
16.1	.....	24.1	104.4	24.1	72.3	16.1	.....	40.2	.....	8.0	64.3	.....	8.0	40.2	72.3	.....	184.8	8.0	23
25.9	8.6	97.9	175.6	25.9	89.3	17.3	34.6	20.2	28.8	31.7	138.2	2.9	8.6	72.0	86.4	43.2	276.4	5.8	24
23.2	4.2	118.2	272.4	25.3	109.8	19.0	14.8	8.4	12.7	14.8	103.5	6.3	8.4	71.8	76.0	12.7	432.8	2.1	25
15.4	12.8	74.3	148.7	12.8	74.3	12.8	17.9	12.8	10.3	12.8	84.6	10.3	10.3	97.4	87.2	5.1	253.8	15.4	26
24.2	8.1	80.8	145.4	24.2	48.5	16.2	8.1	48.5	16.2	8.1	80.8	.....	.....	129.2	32.3	24.2	145.4	8.1	27
8.2	.....	65.2	138.6	8.2	81.5	.....	24.5	.....	32.6	16.3	130.5	32.6	24.5	97.9	114.2	16.3	212.0	.....	28
19.0	19.0	95.2	228.4	28.6	85.7	9.5	57.1	47.6	28.6	19.0	76.1	.....	28.6	85.7	66.6	19.0	209.4	.....	29
34.9	11.6	100.9	151.3	23.3	170.7	7.8	34.9	23.3	3.9	7.8	85.4	3.9	19.4	112.5	89.2	7.8	294.9	11.6	30
17.6	5.9	146.7	217.1	35.2	129.1	29.3	23.5	5.9	17.6	11.7	140.8	11.7	.....	70.4	82.1	17.6	886.0	5.9	31
31.8	21.2	106.0	206.8	21.2	106.0	26.5	5.3	15.9	21.2	5.3	111.3	5.3	.....	90.1	148.4	15.9	344.6	.....	32
23.7	16.4	71.1	189.7	27.4	96.7	31.0	18.2	27.4	23.7	16.4	67.5	3.6	12.8	113.1	85.7	14.6	255.4	7.3	33
.....	.....	80.2	116.7	43.8	80.2	29.2	14.6	58.4	14.6	14.6	94.8	.....	.....	153.2	102.1	14.6	262.6	7.3	34
14.8	.....	199.4	206.8	14.8	118.2	14.8	14.8	29.5	7.4	.....	103.4	7.4	.....	59.1	96.0	36.9	937.8	7.4	35
18.2	8.4	46.9	106.4	10.5	109.5	9.6	29.3	23.4	11.5	9.1	86.3	4.5	8.1	79.7	73.5	22.5	184.4	1.2	36
18.2	8.3	47.0	105.4	10.5	108.5	9.7	29.3	23.4	11.4	8.9	85.1	4.6	8.1	80.1	72.9	22.7	183.4	1.2	37
26.0	13.0	39.0	208.2	13.0	208.2	.....	26.0	26.0	13.0	26.0	208.2	.....	13.0	39.0	130.1	.....	273.2	.....	38
21.8	12.0	31.6	63.1	10.9	104.4	12.0	38.1	17.4	8.7	13.1	56.6	4.4	8.7	70.7	67.5	18.5	193.7	.....	39
28.9	28.9	67.5	86.8	28.9	135.1	.....	9.6	125.4	67.5	.....	135.1	19.3	.....	86.8	77.2	9.6	318.4	.....	40
17.0	6.2	48.4	114.6	6.8	111.8	8.2	26.6	21.8	9.3	7.9	104.4	4.8	8.8	78.1	78.9	23.2	192.4	0.3	41
25.8	.....	51.6	172.1	.....	43.0	8.6	34.4	60.2	17.2	.....	43.0	.....	8.6	163.5	94.7	17.2	197.9	17.2	42
17.8	8.7	48.8	107.4	12.4	110.7	11.6	24.8	19.8	13.6	11.2	77.3	3.7	6.6	81.0	69.0	24.0	157.9	0.8	43
19.6	9.8	39.2	137.3	29.4	39.2	19.6	19.6	49.0	19.6	9.8	58.8	9.8	9.8	58.8	29.4	.....	215.7	29.4	44
13.9	.....	20.8	41.6	13.9	138.6	6.9	103.9	13.9	.....	.....	6.9	.....	6.9	103.9	62.4	27.7	145.5	.....	45
21.5	26.9	75.3	145.3	37.7	107.6	.....	48.4	43.1	5.4	.....	75.3	5.4	16.1	64.6	70.0	26.9	242.2	5.4	46
17.0	7.0	61.9	225.7	8.0	142.8	16.0	66.9	35.9	31.0	14.0	211.7	13.0	21.0	73.9	165.8	9.0	317.8	163.8	47
19.0	3.8	53.3	141.0	5.7	114.3	17.1	66.7	41.9	24.8	11.4	171.4	13.3	19.0	83.8	120.0	11.4	462.9	26.7	48
14.7	10.5	71.4	319.0	10.5	174.2	14.7	67.2	29.4	37.8	16.8	256.1	12.6	23.1	63.0	216.2	6.3	1,208.9	314.8	49
12.7	.....	12.7	70.0	.....	95.4	6.4	76.4	31.8	19.1	6.4	108.2	25.5	12.7	101.8	127.3	.....	521.7	89.1	50
10.0	.....	20.1	70.3	.....	80.4	10.0	70.3	40.2	20.1	10.0	90.4	20.1	.....	80.4	80.4	.....	301.5	30.1	51
17.3	.....	.....	69.4	.....	121.4	.....	86.7	17.3	17.3	.....	138.7	34.7	34.7	138.7	208.1	.....	901.8	190.8	52
21.1	7.0	45.8	271.4	10.6	112.8	14.1	63.4	56.4	31.7	17.6	215.0	10.6	31.7	109.3	183.3	17.6	1,071.5	84.6	53
26.5	.....	39.8	152.5	6.6	86.2	13.3	39.8	66.3	19.9	19.9	159.1	6.6	33.1	99.4	152.5	26.5	576.7	6.6	54
15.1	15.1	52.7	406.4	15.1	143.0	15.1	90.3	45.2	45.2	15.1	278.5	15.1	30.1	120.4	218.3	7.5	1,633.3	173.1	55
22.9	9.2	87.1	165.0	.....	183.4	9.2	137.5	27.5	18.3	4.6	201.7	18.3	22.9	68.8	155.9	4.6	816.1	73.4	56
15.1	7.6	83.2	158.9	.....	136.2	15.1	166.4	37.8	30.3	.....	189.1	15.1	22.7	90.8	121.0	.....	484.1	37.8	57
34.9	11.6	93.1	174.6	.....	256.1	.....	93.1	11.6	.....	11.6	221.1	23.3	23.3	34.9	209.5	11.6	1,326.8	128.0	58
17.0	8.5	67.8	161.1	33.9	84.8	33.9	17.0	17.0	8.5	.....	212.0	.....	25.4	42.4	84.8	25.4	424.1	288.4	59
39.3	19.7	59.0	196.6	19.7	39.3	19.7	.....	19.7	19.7	.....	78.6	.....	19.7	59.0	19.7	39.3	157.3	.....	60
.....	.....	74.6	134.2	44.7	119.3	44.7	29.8	14.9	.....	.....	313.2	.....	29.8	29.8	134.2	14.9	626.5	507.2	61
8.9	8.9	89.1	369.7	4.5	204.9	22.3	22.3	31.2	62.4	31.2	289.5	8.9	8.9	31.2	222.7	.....	913.0	338.5	62
10.9	.....	65.5	142.0	10.9	207.5	32.8	.....	21.8	32.8	21.8	305.8	21.8	10.9	65.5	163.8	.....	589.8	54.6	63
7.5	15.0	105.3	526.4	.....	203.1	15.0	37.6	37.6	82.7	37.6	278.3	.....	7.5	7.5	263.2	.....	1,135.6	534.0	64
18.4	5.4	68.8	133.2	21.2	152.3	9.6	43.4	21.2	14.8	20.4	156.0	8.9	6.9	55.1	94.4	33.1	238.6	3.8	65
19.0	5.2	66.8	120.5	21.1	136.4	8.8	43.5	21.4	14.4	19.9	145.6	8.2	6.8	55.3	87.8	34.5	230.5	3.4	66
10.2	7.9	96.1	300.6	23.7	361.6	20.3	42.9	19.2	19.2	27.1	292.7	18.1	9.0	53.1	180.8	14.7	344.7	9.0	67

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	MISSOURI—continued.															
1	Hannibal (total)	1,264.5	18.8	4.7				9.4	4.7	14.1		155.1	4.7	9.4	4.7	37.6
2	White	1,102.0	10.3	5.1				10.3	5.1	15.4		82.4	5.1	10.3	5.1	41.2
3	Colored	2,966.6	107.9									916.9				
4	Jefferson City (total)	1,486.0	22.6		7.5	15.1	7.5	7.5				301.7	30.2		7.5	75.4
5	White	1,330.1	17.7		8.9	17.7	8.9	8.9				195.1	35.5		8.9	79.8
6	Colored	2,373.7	50.5									909.1				50.5
7	Joplin	1,819.4	21.2	6.1		6.1		12.1	30.3	3.0	3.0	272.5	18.2	6.1	3.0	84.8
8	Kansas City (total)	1,467.9	9.7	2.1	0.3	2.1	1.4	3.8	24.5	19.3	5.5	157.0	6.2	10.7	6.2	99.0
9	White	1,345.4	8.0	1.1	0.4	2.3	1.1	3.0	24.7	18.6	4.9	115.5	6.8	9.1	6.1	101.9
10	Colored	2,671.3	26.2	11.2			3.7	11.2	22.4	26.2	11.2	564.1		26.2	7.5	71.0
11	Moberly (total)	1,420.9	16.1					8.0		16.1		208.7	8.0	16.1	16.1	72.2
12	White	1,241.8	17.5					8.7		17.5		87.5	8.7	17.5	17.5	70.0
13	Colored	3,424.7										1,565.6				97.8
14	St. Joseph * (total)	[2] 1,374.2	11.9			1.2	2.4	1.2	23.8	15.5	6.0	123.8	2.4	7.1	2.4	89.3
15	White	[2] 1,327.5	12.6			1.3	2.5	1.3	23.9	16.3	6.3	115.7	1.3	6.3	1.3	85.5
16	Colored	[2] 2,214.2							22.6			271.1	22.6	22.6	22.6	158.2
17	St. Louis (total)	1,379.8	6.8	2.5		7.4	2.9	3.4	26.3	11.9	4.0	128.8	6.7	8.8	7.4	94.5
18	White	1,304.1	6.3	2.0		7.7	3.2	3.4	26.8	12.3	4.2	107.2	6.2	6.5	6.9	94.1
19	Colored	2,453.1	14.3	10.2		2.0		2.0	18.3	6.1	2.0	435.7	14.3	42.8	14.3	99.8
20	Sedalia (total)	1,516.7	62.5	5.2				26.1	31.3	46.9		104.2			10.4	78.2
21	White	1,392.2	52.2	5.8				11.6	34.8	52.2		98.6			11.6	75.4
22	Colored	2,618.1	154.0					154.0				154.0				102.7
23	Springfield (total)	1,440.0	40.5	5.1			2.5	5.1	7.6	17.7		162.0	5.1	10.1	15.2	88.6
24	White	1,346.0	39.7	5.3			2.6	5.3	7.9	15.9		124.3	5.3	10.6	15.9	92.6
25	Colored	3,537.7	59.0							59.0		1,002.4				
26	Webb City	1,644.5	14.7		14.7			22.1	59.0	36.9	7.4	383.5			14.7	66.4
	MONTANA.															
27	Registration cities (total)	1,499.6	14.4			0.9	1.8	0.9	3.6	11.7	4.5	123.2	14.4	7.2	12.6	74.6
28	White	1,493.6	14.7			0.9	1.8	0.9	3.7	11.9	4.6	120.4	13.8	7.4	12.9	73.5
29	Colored	1,768.8										246.8	41.1			123.4
30	Anaconda	1,381.9									9.5	123.9		9.5	9.5	
31	Billings	1,085.9	21.9							14.6		58.3	7.3	7.3	7.3	21.9
32	Butte	1,654.5	9.3				2.3		4.7	7.0	4.7	184.6	11.7	4.7	14.0	91.1
33	Great Falls	[3] 1,892.7	14.3					7.2		14.3	14.3	129.1	21.5	14.3	14.3	114.7
34	Helena (total)	1,585.4	22.3			7.4	7.4		7.4	22.3		81.9	22.3	14.9	22.3	104.2
35	White	1,640.3	24.0			8.0	8.0		8.0	24.0		72.0	24.0	16.0	24.0	104.0
36	Colored	853.8										213.4				106.7
37	Missoula	1,089.1	23.1						5.8	17.3		46.1	23.1		5.8	63.4
	NEBRASKA.[4]															
38	Registration cities (total)	1,240.8	9.6	1.4		6.7	15.3	10.0	21.5	16.7	3.8	84.1	3.8	5.3	8.1	87.0
39	White	1,219.8	8.9	1.5		6.9	15.3	9.9	21.7	16.8	4.0	70.2	4.0	4.4	7.9	88.4
40	Colored	1,861.4	29.3				14.7	14.7	14.7	14.7		498.3		29.3	14.7	44.0
41	Lincoln	1,325.3	21.7			2.2	19.6	8.7	17.4	26.1	2.2	52.1	2.2	6.5	13.0	104.3
42	Omaha	1,216.9	6.1	1.8		8.0	14.1	10.4	22.7	14.1	4.3	93.1	4.3	4.9	6.7	82.1
	NEW HAMPSHIRE.															
43	Registration cities (total)	1,613.2	7.5			2.7	0.5	17.2	9.1	17.2	3.2	105.6	16.6	13.4	6.4	95.9
44	White	1,612.7	7.5			2.7	0.5	17.2	9.1	17.2	3.2	105.8	16.6	13.4	6.4	96.1
45	Colored	1,923.1														
46	Berlin	1,412.9	15.0			7.5		7.5	15.0	30.1		67.6	45.1	7.5	22.5	52.6
47	Concord *	1,979.5	4.4					13.3		35.6	4.4	155.7	4.4	17.8	4.4	151.2
48	Dover	1,823.9	7.5							7.5	7.5	113.1	22.6	7.5	7.5	143.2
49	Keene	1,489.3	9.5					28.5	19.0	9.5		85.4		9.5	19.0	104.3
50	Laconia	1,626.7							26.5	17.7		44.2		8.8		123.8
51	Manchester	1,487.8	7.8			3.9		31.2	6.5	13.0	3.9	102.7	18.2	11.7	5.2	61.1
52	Nashua	1,644.9	7.4			3.7		3.7	14.8	18.4	3.7	114.3	18.4	22.1	3.7	125.4
53	Portsmouth	1,749.7	8.6				8.6		8.6	8.6		120.7	17.2	17.2		112.1
	NEW JERSEY.															
54	Registration cities (total)	1,360.2	6.9	0.4	0.1	9.3	3.2	8.7	17.6	8.5	4.3	128.8	11.7	7.5	6.2	80.9
55	White	1,333.7	6.4	0.4	0.1	9.4	3.3	8.5	18.0	8.3	4.5	121.8	10.9	6.8	6.4	81.3
56	Colored	2,111.2	20.3			4.7	1.6	15.6	7.8	12.5		328.2	34.4	25.0	3.1	70.3
57	Asbury Park (total)	1,173.0				7.5				7.5		52.3			14.9	97.1
58	White	1,065.7				9.7				9.7		48.4			9.7	87.2
59	Colored	1,534.4										65.3			32.6	130.6
60	Atlantic City (total)	1,517.8	9.0			7.2		9.0	12.5	12.5	1.8	114.7	9.0	21.5	3.6	82.4
61	White	1,482.3	11.3			9.1		4.5	11.3	15.9	2.3	79.3	11.3	15.9	4.5	83.9
62	Colored	1,651.8						25.7	17.1			248.2		42.8		77.0
63	Bayonne	1,210.4		1.5		8.9	1.5	14.8	26.6	7.4	1.5	119.9	14.8	7.4	4.4	38.5
64	Bloomfield †	881.7						5.6	5.6	5.6		44.6				67.0
65	Bridgeton (total)	1,663.8	13.9							27.8		118.3	7.0	7.0		160.1
66	White	1,665.3	7.4							29.6		111.0	7.4	7.4		170.2
67	Colored	1,639.3	117.1									234.2				

[1] Exclusive of stillbirths.

[2] Rate based on population estimated upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
32.9	4.7	84.6	112.8	.....	136.3	.....	14.1	14.1	18.8	18.8	89.3	4.7	18.8	56.4	84.6	18.8	244.4	47.0	1
36.0	5.1	72.1	108.1	.....	103.0	.....	15.4	15.4	15.4	20.6	82.4	.....	20.6	51.5	82.4	20.6	231.7	30.9	2
.....	.....	215.7	161.8	.....	485.4	.....	.....	.....	53.9	.....	161.8	53.9	.....	107.9	107.9	.....	377.6	215.7	3
15.1	30.2	60.3	113.1	7.5	135.8	15.1	37.7	45.3	15.1	45.3	105.6	.....	.....	37.7	113.1	.....	218.8	15.1	4
17.7	35.5	62.1	97.5	8.9	115.3	.....	35.5	53.2	17.7	44.3	88.7	.....	.....	44.3	106.4	.....	212.8	8.9	5
.....	.....	50.5	202.0	.....	252.5	101.0	50.5	.....	.....	50.5	202.0	.....	.....	.....	151.5	.....	252.5	50.5	6
18.2	9.1	106.0	148.3	6.1	245.2	3.0	69.6	27.2	9.1	24.2	106.0	12.1	18.2	81.7	202.8	30.3	221.0	15.1	7
15.5	4.8	63.8	147.6	13.5	156.3	9.7	42.8	23.8	15.9	13.8	136.3	8.6	8.6	50.4	120.1	30.7	253.9	4.1	8
17.1	4.2	63.5	127.7	13.7	131.1	8.7	41.8	24.3	15.6	12.2	114.8	7.2	9.1	50.2	110.2	32.3	253.5	4.6	9
.....	11.2	67.2	343.7	11.2	403.5	18.7	52.3	18.7	18.7	29.9	347.5	22.4	3.7	52.3	216.7	14.9	257.8	.....	10
32.1	.....	136.5	120.4	16.1	128.4	.....	40.1	16.1	8.0	.....	120.4	8.0	24.1	56.2	104.4	.....	248.9	.....	11
26.2	.....	148.7	122.4	17.5	96.2	.....	35.0	17.5	.....	.....	113.7	8.7	26.2	61.2	78.7	.....	244.9	.....	12
97.8	.....	.....	97.8	.....	489.2	.....	97.8	.....	97.8	.....	195.7	.....	.....	.....	391.4	.....	293.5	.....	13
26.2	3.6	92.9	84.5	14.3	140.5	7.1	28.6	33.3	17.9	14.3	125.0	20.2	9.5	71.5	79.8	20.2	295.5	1.2	14
25.1	3.8	91.8	84.2	15.1	120.7	7.5	26.4	32.7	18.9	15.1	127.0	20.1	7.5	70.4	76.7	18.9	290.4	1.3	15
45.2	.....	113.0	90.4	.....	497.1	.....	67.8	45.2	.....	.....	90.4	22.6	45.2	90.4	135.6	45.2	406.7	.....	16
18.4	5.4	63.5	133.4	26.5	142.1	9.2	45.0	18.0	13.4	24.3	169.0	7.2	5.0	51.2	78.7	36.5	220.9	0.4	17
18.9	5.2	60.6	121.8	26.3	129.9	8.3	45.5	17.8	13.2	24.1	161.2	6.9	4.7	51.1	73.8	38.2	209.7	0.3	18
10.2	8.1	105.9	207.2	30.5	315.5	22.4	38.7	20.4	16.3	26.5	280.9	12.2	8.1	52.9	148.6	12.2	382.7	2.0	19
26.1	.....	41.7	78.2	20.8	177.2	10.4	41.7	5.2	15.6	5.2	281.4	10.4	5.2	62.5	93.8	36.5	229.3	10.4	20
29.0	.....	40.6	58.0	11.6	156.6	11.6	46.4	5.8	17.4	5.8	266.8	5.8	.....	69.6	63.8	34.8	226.2	.....	21
.....	.....	51.3	256.7	102.7	359.3	.....	.....	.....	.....	.....	410.7	51.3	51.3	.....	359.3	51.3	256.7	102.7	22
5.1	2.5	75.9	116.4	20.2	192.3	17.7	25.3	27.8	20.2	7.6	118.9	12.7	7.6	73.4	78.5	27.8	243.0	7.6	23
2.6	2.6	71.4	95.2	18.5	185.1	18.5	26.4	29.1	18.5	7.9	111.1	10.6	7.9	74.0	71.4	29.1	232.7	7.9	24
59.0	.....	176.9	589.6	59.0	353.8	.....	.....	.....	59.0	.....	294.8	59.0	.....	59.0	235.8	.....	471.7	.....	25
.....	14.7	66.4	73.7	.....	162.2	36.9	44.2	22.1	22.1	.....	59.0	14.7	.....	73.7	132.7	29.5	206.5	66.4	26
23.4	11.7	47.7	131.3	18.0	184.3	21.6	32.4	40.5	18.9	18.9	99.8	11.7	15.3	99.8	125.0	28.8	282.3	18.9	27
23.0	11.9	48.7	127.8	18.4	184.7	22.1	33.1	40.4	19.3	17.5	99.3	11.0	14.7	100.2	125.9	27.6	282.2	19.3	28
41.1	.....	.....	287.9	.....	164.5	.....	.....	41.1	.....	82.3	123.4	41.1	41.1	82.3	82.3	82.3	287.9	.....	29
47.7	19.1	9.5	95.3	9.5	133.4	19.1	28.6	38.1	38.1	57.2	104.8	.....	9.5	104.8	181.1	19.1	247.8	66.7	30
.....	.....	29.2	109.3	14.6	123.9	14.6	29.2	36.4	14.6	14.6	51.0	7.3	.....	43.7	123.9	14.6	298.8	21.9	31
23.4	14.0	32.7	119.2	23.4	250.0	30.4	28.0	49.1	11.7	14.0	100.5	11.7	18.7	119.2	149.6	25.7	296.8	2.3	32
28.7	7.2	57.4	121.9	28.7	243.8	14.3	57.4	57.4	21.5	35.8	64.5	43.0	7.2	172.1	121.9	43.0	358.5	64.5	33
7.4	7.4	104.2	238.2	14.9	134.0	7.4	14.9	14.9	22.3	7.4	163.8	7.4	29.8	44.7	59.5	59.5	327.5	7.4	34
8.0	8.0	112.0	240.0	16.0	144.0	8.0	16.0	16.0	24.0	.....	160.0	8.0	32.0	48.0	64.0	64.0	352.1	8.0	35
.....	.....	.....	213.4	.....	.....	.....	.....	.....	.....	106.7	213.4	.....	.....	.....	.....	.....	.....	.....	36
34.6	17.3	69.2	121.0	5.8	86.4	23.1	40.3	28.8	23.1	5.8	109.5	.....	17.3	74.9	80.7	17.3	149.8	.....	37
18.2	5.7	47.3	89.4	8.6	131.9	19.6	25.3	29.2	22.9	10.5	82.2	12.9	9.1	57.4	69.3	36.3	287.2	4.3	38
17.8	5.9	47.4	87.0	8.4	128.5	19.3	25.7	30.1	23.7	10.9	80.0	12.4	8.9	58.8	68.7	37.1	285.1	4.4	39
29.3	.....	44.0	161.2	14.7	234.5	29.3	14.7	.....	.....	.....	146.6	29.3	14.7	14.7	87.9	14.7	351.8	.....	40
10.9	6.5	56.5	117.3	6.5	91.2	26.1	36.9	32.6	28.2	10.9	104.3	15.2	19.6	102.1	52.1	17.4	308.5	6.5	41
20.2	5.5	44.7	81.5	9.2	143.4	17.8	22.1	28.2	21.4	10.4	76.0	12.3	6.1	44.7	74.1	41.7	281.3	3.7	42
18.2	16.6	101.3	187.0	37.0	127.6	12.3	115.8	20.4	13.4	9.6	114.2	4.8	13.4	125.9	72.9	11.8	309.8	5.9	43
18.3	16.6	101.5	186.8	37.0	127.2	12.3	116.0	20.4	13.4	9.7	113.8	4.8	13.4	126.2	72.5	11.8	309.8	5.4	44
.....	.....	.....	320.5	.....	320.5	.....	.....	.....	.....	.....	320.5	.....	.....	.....	320.5	.....	320.5	320.5	45
7.5	22.5	45.1	82.7	30.1	180.4	15.0	172.9	30.1	7.5	7.5	52.6	7.5	7.5	165.3	90.2	.....	210.4	7.5	46
35.6	4.4	151.2	338.1	31.1	111.2	13.3	8.9	13.3	8.9	8.9	200.2	.....	22.2	71.2	75.6	31.1	458.2	4.4	47
22.6	7.5	128.1	211.0	45.2	180.9	15.1	75.4	30.1	30.1	22.6	120.6	.....	7.5	82.9	150.7	7.5	369.3	.....	48
28.5	.....	123.3	190.2	9.5	104.3	9.5	56.9	37.9	19.0	9.5	180.2	9.5	19.0	66.4	47.4	.....	284.6	.....	49
17.7	26.5	88.4	141.5	17.7	79.6	17.7	44.2	8.8	17.7	.....	141.5	.....	26.5	97.3	35.4	17.7	583.5	44.2	50
11.7	22.1	83.2	153.3	49.4	110.4	13.0	166.3	19.5	11.7	10.4	79.3	7.8	6.5	162.4	61.1	10.4	240.4	3.9	51
11.1	22.1	107.0	188.1	33.2	151.2	11.1	136.5	22.1	11.1	3.7	110.6	3.7	18.4	114.3	70.1	7.4	287.7	.....	52
43.1	.....	137.9	241.3	17.2	163.8	.....	43.1	8.6	17.2	17.2	163.8	.....	25.9	103.4	103.4	17.2	336.1	8.6	53
19.2	9.7	75.1	135.3	15.3	160.5	10.1	88.2	14.3	11.0	16.8	124.9	7.7	9.3	81.6	79.8	18.0	187.6	1.9	54
19.3	9.4	74.6	131.9	15.1	155.3	9.9	88.2	14.3	10.9	16.7	122.7	7.8	9.2	80.3	78.8	18.3	183.3	1.7	55
14.1	17.2	87.5	231.3	21.9	307.9	15.6	89.1	15.6	14.1	20.3	186.0	4.7	14.1	118.8	106.3	9.4	307.9	6.3	56
.....	7.5	89.7	171.8	.....	112.1	22.4	52.3	7.5	14.9	.....	127.0	.....	.....	29.9	37.4	29.9	276.4	14.9	57
.....	9.7	77.5	174.4	.....	106.6	9.7	29.1	9.7	9.7	.....	116.3	.....	.....	29.1	29.1	38.8	251.9	9.7	58
.....	.....	130.6	163.2	.....	130.6	65.3	130.6	.....	32.6	.....	163.2	.....	.....	32.6	65.3	.....	359.1	32.6	59
28.7	5.4	112.9	206.1	17.9	155.9	9.0	43.0	25.1	7.2	12.5	155.9	7.2	3.6	60.9	100.3	46.6	236.5	.....	60
34.0	6.8	113.3	222.1	13.6	122.4	6.8	38.5	31.7	6.8	15.9	156.4	6.8	2.3	56.7	106.5	54.4	238.0	.....	61
8.6	.....	111.3	145.5	34.2	282.4	17.1	59.9	.....	8.6	.....	154.1	8.6	8.6	77.0	77.0	17.1	231.1	.....	62
13.3	5.9	51.8	79.9	20.7	176.1	13.3	122.8	19.2	10.4	17.8	78.4	11.8	11.8	69.5	72.5	8.9	176.1	3.0	63
22.3	.....	72.5	100.5	22.3	111.6	11.2	16.7	5.6	.....	.....	133.9	5.6	.....	33.5	61.4	33.5	122.8	.....	64
20.9	.....	118.3	131.0	27.8	104.4	20.9	27.8	34.8	20.9	27.8	132.3	13.9	.....	97.5	83.5	34.8	375.9	7.0	65
22.2	.....	125.8	170.2	29.6	111.0	22.2	29.6	37.0	22.2	29.6	118.4	14.8	.....	88.8	81.4	37.0	384.9	7.4	66
.....	.....	.....	351.3	.....	.....	.....	.....	.....	.....	.....	351.3	.....	.....	234.2	117.1	.....	234.2	.....	67

[3] Rate based on population Apr. 15, 1910. Decrease since 1900.

[4] Nonregistration state; cities shown below only those with effective local ordinances

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	NEW JERSEY—continued.															
1	Camden (total)	1,538.1	9.6			20.1	1.9	6.7	28.7	18.2	2.9	105.4	5.7	8.6	8.6	65.2
2	White	1,465.2	6.1			20.4	2.0	7.1	29.6	17.4	3.1	91.9	4.1	8.2	9.2	67.4
3	Colored	2,651.7	62.4			15.6			15.6	31.2		312.0	31.2	15.6		31.2
4	East Orange † (total)	787.3	2.4					7.3	2.4	14.6		51.0	7.3	2.4	2.4	89.9
5	White	757.2	2.6					2.6	2.6	15.4		38.5	2.6	2.6	2.6	95.0
6	Colored	1,319.4						91.0				273.0	91.0			
7	Elizabeth	1,262.0	8.3			2.4	1.2	7.1	16.6	13.0	5.9	74.5	18.9	7.1	4.7	78.1
8	Garfield	1,323.6				43.6	29.1	36.4	7.3	43.6		116.4	7.3			36.4
9	Hackensack (total)	1,693.2	12.1			12.1	6.1		24.3	12.1		78.9	6.1			133.5
10	White	1,677.9	12.9			12.9			25.7	12.9		83.6	6.4			135.0
11	Colored	1,950.2					108.3									108.3
12	Harrison	1,087.3	6.0			6.0		24.2	24.2			102.7	6.0	12.1		78.5
13	Hoboken	1,501.9	15.8	1.3		3.9	6.6	2.6	55.2	3.9	13.1	177.4	13.1	6.6	13.1	77.5
14	Irvington	1,255.9					6.5			6.5		156.2	6.5	13.0	6.5	84.6
15	Jersey City	1,448.4	5.7	0.3		17.7	5.0	13.0	19.7	6.3	3.3	144.6	12.3	8.0	8.3	76.0
16	Kearny	1,314.1	4.4					17.6	22.0	4.4	4.4	74.7	13.2	4.4		92.3
17	Long Branch (total)	2,098.7	53.1	6.6				6.6	13.3	26.6	6.6	99.6	33.2	6.6	6.6	106.3
18	White	1,980.8	43.7	7.3				7.3	14.6	21.8	7.3	80.1	29.1	7.3	7.3	102.0
19	Colored	3,320.8	150.9							75.5		301.9	75.5			150.9
20	Millville	1,257.9	22.3						7.4	14.9		96.8		7.4	14.9	67.0
21	Montclair (total)	1,002.0	11.7			3.9				11.7	11.7	113.5			7.8	78.3
22	White	1,042.5	13.4			4.5				13.4	13.4	98.0			8.9	84.6
23	Colored	708.8										225.5				32.2
24	Morristown (total)	1,808.8	15.2					7.6	30.4	7.6		68.4	30.4			114.0
25	White	1,839.2	16.6					8.3	33.1	8.3		66.3	33.1			124.3
26	Colored	1,470.6										91.9				
27	New Brunswick	2,117.7	19.9			19.9	4.0	23.8	15.9		11.9	166.9	19.9	15.9	7.9	127.1
28	Newark	1,313.5	2.8	0.3		5.0	0.5	8.8	5.5	6.0	4.3	161.2	17.3	7.8	4.8	91.7
29	Orange (total)	1,568.1	12.3	3.1			6.1	9.2	6.1	9.2	3.1	132.2	9.2	24.6	3.1	110.7
30	White	1,500.5	10.1	3.4			6.7	6.7	6.7	10.1	3.4	117.8	10.1	13.5	3.4	107.7
31	Colored	2,284.9	35.7					35.7				285.6		142.8		142.8
32	Passaic	1,315.8	10.1	1.4		23.2	18.8	8.7	24.6	7.2	7.2	136.2	10.1	4.3	7.2	52.2
33	Paterson	1,317.0	4.4	0.7		0.7		6.6	13.9	5.9	3.7	121.7	5.1	7.3	5.1	92.4
34	Perth Amboy	1,286.3	2.5			12.6		7.6	40.3		7.6	78.0	2.5	2.5	7.6	57.9
35	Phillipsburg	1,141.5	6.5				13.0	13.0	26.1	45.7	13.0	117.4		6.5	6.5	45.7
36	Plainfield (total)	1,490.5	17.2		4.3	8.6		12.9	25.8	8.6		55.8	38.7	4.3	4.3	111.7
37	White	1,451.3	9.4		4.7	9.4		9.4	28.3	9.4		42.4	33.0	4.7	4.7	117.8
38	Colored	1,896.0	97.2					48.6				194.5	97.2			48.6
39	Trenton*	1,616.1	13.7			18.3	3.7	2.7	24.7	7.3	4.6	156.6	11.9	7.3	7.3	94.3
40	Union †	885.0				4.1	12.4		20.7	4.1	8.3	82.7		4.1	4.1	24.8
41	West Hoboken †	787.7	2.4			2.4		7.2	26.3	7.2	2.4	74.0			9.5	54.9
42	West New York	1,371.8				16.7	11.2	5.6	22.3	5.6		184.0	11.2	5.6	16.7	61.3
43	West Orange †	768.9					7.6	7.6		7.6	15.2	121.8		7.6		76.1
	NEW YORK.															
44	Registration cities (total)	1,431.2	7.4	0.4		10.4	5.0	8.1	20.4	8.8	5.6	154.2	13.4	7.8	6.0	89.5
45	White	1,414.2	7.3	0.3		10.4	5.0	7.8	20.3	8.8	5.6	148.0	13.0	7.6	5.9	89.6
46	Colored	2,366.8	9.5	1.5		9.5	2.2	21.9	21.2	12.4	4.4	493.4	37.3	24.1	10.2	87.0
47	Albany	2,003.3	12.6	1.0		1.9	2.9	14.5	17.4	24.1	1.9	261.6	12.6	15.4	4.8	141.9
48	Amsterdam	1,360.5	11.1	2.8				11.1	8.3		5.5	110.6	5.5	8.3	13.8	80.2
49	Auburn	1,618.5	24.4				2.7	16.2	21.7	21.7	5.4	108.3	5.4	18.9	5.4	135.3
50	Batavia	1,770.3						15.3		61.0	15.3	61.0	15.3	30.5	7.6	76.3
51	Binghamton*	2,008.2	11.3					20.7	45.2	22.6	7.5	120.6	13.2	9.4	3.8	107.4
52	Buffalo	1,485.3	10.0	0.2		10.8	5.4	4.6	16.7	6.5	4.8	138.1	11.5	7.4	8.0	94.9
53	Cohoes	1,536.0	15.9			4.0	4.0	23.9	39.8	4.0		191.0	8.0	8.0		119.4
54	Corning	1,347.8	6.6							6.6	6.6	72.7	13.2	6.6	6.6	105.7
55	Cortland	1,544.8	7.8						7.8		7.8	23.4	15.6		15.6	195.1
56	Dunkirk	1,060.7	14.9				5.0	5.0		19.8	5.0	54.5	5.0	9.9	5.0	79.3
57	Elmira	1,777.8	10.5					23.7	10.5	36.9	7.9	79.0	5.3	18.4	2.6	160.7
58	Fulton	1,661.2	25.7					34.3	8.6	51.4	25.7	85.6		17.1	8.6	85.6
59	Geneva	1,539.9	14.8			7.4			7.4	14.8	14.8	81.4		14.8	22.2	118.5
60	Glens Falls	1,726.0	12.0			18.0		6.0		42.1		138.3	6.0	6.0		78.2
61	Gloversville	1,263.2								9.2	4.6	54.9	4.6	4.6	9.2	119.0
62	Hornell	1,467.6	6.9						13.8	6.9		48.2	6.9	6.9	13.8	82.7
63	Hudson	1,726.3	24.0					55.9	8.0	24.0		103.9	8.0	8.0		103.9
64	Ithaca	1,639.1	31.9				6.4	44.6		44.6	6.4	44.6	12.8	12.8		146.7
65	Jamestown	1,217.5	5.6					2.8	8.4	30.8	5.6	67.2		11.2	8.4	84.0
66	Johnstown	1,243.6	9.4				9.4	9.4		28.3	9.4	75.4	9.4		18.8	122.5
67	Kingston	1,862.4	11.3			3.8	18.8	11.3	7.5	30.0		191.5	15.0	33.8	7.5	142.7
68	Lackawanna	[2] 2,424.5	6.3			57.1	6.3	63.5	19.0	88.9		88.9	12.7	25.4	6.3	25.4
69	Little Falls	1,688.1	[illegible] 7.5				7.5	15.1	[illegible] 15.1	7.5	7.5	128.1	7.5	15.1		82.9
70	Lockport	1,363.4	[illegible] 5.1	10.1					5.1	[illegible] 25.3		91.2		5.1	5.1	76.0
71	Middletown*	2,428.5	12.7	6.4						25.4	19.1	286.1	6.4	31.8	6.4	197.1

[1] Exclusive of stillbirths.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
9.6	4.8	87.2	162.9	8.6	231.9	7.7	102.5	14.4	6.7	15.3	184.0	18.2	13.4	90.1	114.0	15.3	167.7	1.9	1
8.2	3.1	81.7	157.2	6.1	219.5	6.1	99.0	14.3	7.1	15.3	174.6	18.4	12.3	84.7	112.3	16.3	160.3	2.0	2
31.2	31.2	171.6	249.6	46.8	421.2	31.2	156.0	15.6	.....	15.6	327.6	15.6	31.2	171.6	140.4	.....	280.8	.....	3
19.4	4.9	63.2	133.6	2.4	82.6	.....	2.4	4.9	.....	12.1	94.8	.....	7.3	43.7	14.6	4.9	116.6	.....	4
20.5	5.1	66.7	120.6	2.6	82.1	.....	2.6	5.1	.....	12.8	95.0	.....	5.1	43.6	10.3	5.1	115.5	.....	5
.....	.....	.....	364.0	.....	91.0	.....	.....	.....	.....	.....	91.0	.....	45.5	45.5	91.0	.....	136.5	.....	6
23.7	8.3	84.0	118.3	14.2	147.8	8.3	126.6	8.3	8.3	21.3	81.6	11.8	9.5	66.2	91.1	14.2	178.6	2.4	7
.....	.....	50.9	94.5	21.8	225.5	.....	240.0	7.3	14.5	.....	72.7	.....	.....	116.4	43.6	29.1	87.3	.....	8
12.1	24.3	157.8	151.7	6.1	157.8	6.1	121.4	42.5	30.3	12.1	224.5	.....	18.2	121.4	127.4	18.2	176.0	.....	9
12.9	25.7	167.1	135.0	6.4	160.7	6.4	109.3	45.0	32.1	12.9	237.9	.....	19.3	109.3	128.6	19.3	160.7	.....	10
.....	.....	.....	433.4	.....	108.3	.....	325.0	.....	.....	.....	.....	.....	.....	325.0	108.3	.....	433.4	.....	11
12.1	12.1	42.3	96.6	12.1	90.6	18.1	120.8	6.0	6.0	30.2	120.8	.....	.....	84.6	72.5	.....	102.7	.....	12
21.0	18.4	59.1	177.4	17.1	184.0	5.3	69.6	15.8	9.2	23.7	127.5	9.2	6.6	63.1	97.2	19.7	185.3	2.6	13
19.5	.....	65.1	182.2	13.0	104.1	26.0	45.5	6.5	13.0	6.5	195.2	.....	.....	71.6	39.0	19.5	169.2	.....	14
20.0	12.3	78.3	121.6	20.3	193.6	10.7	109.0	14.7	13.3	18.7	126.6	8.7	8.7	82.6	87.3	13.7	180.9	2.3	15
8.8	.....	79.1	145.0	48.3	87.9	17.6	39.6	13.2	4.4	13.2	109.9	8.8	.....	39.6	118.7	13.2	329.6	.....	16
39.8	6.6	119.5	252.4	6.6	152.8	13.3	79.7	53.1	39.8	33.2	252.4	6.6	33.2	79.7	186.0	26.6	352.0	.....	17
43.7	7.3	116.5	225.8	7.3	123.8	14.6	87.4	58.3	36.4	36.4	233.0	7.3	21.8	80.1	196.6	29.1	327.7	.....	18
.....	.....	150.9	528.3	.....	452.8	.....	.....	.....	75.5	.....	452.8	.....	150.9	75.5	75.5	.....	603.8	.....	19
7.4	14.9	81.9	163.8	.....	171.2	7.4	59.5	.....	29.8	29.8	111.6	.....	7.4	59.5	22.3	22.3	238.2	.....	20
23.5	.....	74.4	117.4	23.5	66.5	3.9	43.1	3.9	3.9	.....	101.8	7.8	.....	74.4	19.6	23.5	176.1	.....	21
26.7	.....	84.6	120.3	26.7	62.4	4.5	44.6	4.5	.....	.....	115.8	8.9	.....	75.7	22.3	22.3	187.1	.....	22
.....	.....	.....	96.6	.....	96.6	.....	32.2	.....	32.2	.....	.....	.....	.....	64.4	.....	32.2	96.6	.....	23
22.8	.....	106.4	152.0	7.6	129.2	38.0	53.2	76.0	38.0	15.2	190.0	7.6	30.4	121.6	167.2	30.4	349.6	.....	24
24.9	.....	107.7	149.1	8.3	124.3	41.4	49.7	82.9	41.4	16.6	207.1	8.3	33.1	124.3	165.7	33.1	331.4	.....	25
.....	.....	91.9	183.8	.....	183.8	.....	91.9	.....	.....	.....	.....	.....	.....	91.9	183.8	.....	551.5	.....	26
47.7	19.9	99.3	218.5	7.9	198.7	19.9	174.8	27.8	23.8	19.9	115.2	15.9	15.9	182.8	111.2	19.9	361.6	4.0	27
19.5	10.3	64.4	133.1	13.3	134.8	10.3	76.4	11.5	9.8	22.1	124.3	6.5	9.0	83.0	73.9	16.5	178.4	0.5	28
15.4	15.4	101.5	172.2	6.1	215.2	9.2	55.3	15.4	18.4	12.3	129.1	9.2	30.7	101.5	46.1	15.4	264.4	6.1	29
16.8	16.8	107.7	148.0	6.7	208.6	6.7	53.8	13.5	16.8	13.5	131.2	10.1	33.6	104.3	43.7	16.8	249.0	3.4	30
.....	.....	35.7	428.4	.....	285.6	35.7	71.4	35.7	35.7	.....	107.1	.....	.....	71.4	71.4	.....	428.4	35.7	31
10.1	10.1	26.1	98.5	14.5	176.8	10.1	143.5	26.1	4.3	7.2	73.9	10.1	7.2	115.9	81.1	11.6	175.3	1.4	32
22.7	8.1	77.0	156.9	17.6	147.4	10.3	42.5	13.9	11.7	12.5	156.9	3.7	10.3	63.8	92.4	22.7	176.0	2.9	33
7.6	17.6	62.9	80.6	12.6	100.7	7.6	229.1	2.5	5.0	7.6	85.6	5.0	15.1	151.0	115.8	15.1	138.5	7.6	34
45.7	13.0	84.8	91.3	13.0	117.4	.....	19.6	.....	6.5	13.0	84.8	.....	19.6	32.6	78.3	19.6	208.7	.....	35
25.8	.....	120.3	103.1	8.6	193.3	8.6	120.3	17.2	25.8	8.6	146.0	12.9	8.6	107.4	68.7	8.6	214.8	.....	36
18.8	.....	108.4	98.9	9.4	193.2	9.4	127.2	14.1	28.3	4.7	146.1	14.1	9.4	98.9	75.4	9.4	212.0	.....	37
97.2	.....	243.1	145.8	.....	194.5	.....	48.6	48.6	.....	48.6	145.8	.....	.....	194.5	.....	.....	243.1	.....	38
22.0	9.2	98.9	141.0	14.7	210.6	14.7	118.1	20.1	16.5	14.7	111.7	10.1	12.8	99.8	72.3	12.8	261.0	2.7	39
12.4	4.1	70.3	124.1	16.5	124.1	12.4	33.1	.....	.....	8.3	99.2	.....	4.1	82.7	8.3	33.1	86.8	.....	40
16.7	14.3	45.4	88.3	23.9	124.1	2.4	21.5	.....	.....	19.1	102.6	.....	.....	50.1	11.9	14.3	66.8	.....	41
27.9	22.3	83.6	139.4	11.2	245.4	.....	50.2	.....	27.9	16.7	111.5	5.6	5.6	55.8	44.6	16.7	167.3	.....	42
.....	.....	45.7	68.5	.....	22.8	.....	68.5	.....	.....	15.2	114.2	.....	.....	60.9	45.7	15.2	60.9	7.6	43
23.6	6.0	65.6	168.1	18.3	180.5	11.1	75.2	14.2	11.1	15.5	124.6	6.9	8.0	80.8	73.4	17.3	193.2	1.0	44
23.6	5.9	65.7	167.4	18.1	177.2	11.0	74.5	14.0	10.9	15.6	123.2	6.8	7.9	79.8	73.1	17.4	191.4	1.0	45
20.5	13.2	61.4	204.7	29.2	364.7	14.6	112.6	24.1	19.7	11.0	200.3	11.7	13.2	136.0	90.6	8.8	292.4	3.7	46
29.0	15.4	105.2	224.9	23.2	168.0	16.4	69.5	27.0	17.4	27.0	189.2	9.7	8.7	85.9	101.4	17.4	352.4	2.9	47
16.6	16.6	91.3	138.3	30.4	121.7	8.3	96.8	19.4	13.8	5.5	74.7	5.5	11.1	102.3	60.8	19.4	262.7	8.3	48
13.5	5.4	159.7	216.5	37.9	132.6	10.8	100.1	8.1	8.1	8.1	108.3	8.1	10.8	83.9	89.3	5.4	246.3	.....	49
7.6	15.3	114.5	190.8	30.5	129.7	7.6	61.0	15.3	.....	7.6	206.0	7.6	7.6	83.9	160.2	22.9	419.7	.....	50
24.5	5.7	143.2	314.6	56.5	130.0	18.8	122.5	18.8	20.7	13.2	201.6	5.7	7.5	116.8	73.5	24.5	348.5	.....	51
24.1	6.3	70.7	155.9	15.8	164.7	12.8	104.5	18.4	11.9	17.3	120.7	8.0	8.5	83.0	79.3	10.2	253.8	0.4	52
11.9	15.9	83.6	139.3	4.0	195.0	19.9	99.5	4.0	19.9	.....	99.5	8.0	4.0	83.6	91.5	4.0	230.8	4.0	53
26.4	19.8	99.1	198.2	13.2	85.9	19.8	52.9	39.6	.....	19.8	165.2	6.6	6.6	72.7	92.5	13.2	178.4	13.2	54
31.2	.....	101.4	234.1	15.6	117.0	23.4	31.2	7.8	31.2	.....	101.4	7.8	23.4	117.0	109.2	31.2	280.9	7.8	55
9.9	5.0	74.3	128.9	19.8	59.5	19.8	29.7	19.8	9.9	24.8	89.2	5.0	5.0	69.4	84.3	5.0	198.3	.....	56
26.3	15.8	79.0	279.2	2.6	184.4	7.9	39.5	10.5	13.2	7.9	244.9	.....	10.5	68.5	118.5	13.2	300.3	.....	57
34.3	.....	102.8	137.0	25.7	145.6	8.6	128.4	8.6	17.1	17.1	145.6	8.6	.....	77.1	162.7	.....	299.7	.....	58
29.6	.....	103.6	222.1	29.6	96.2	22.2	81.4	14.8	.....	7.4	118.5	14.8	14.8	66.6	111.1	14.8	296.1	.....	59
36.1	12.0	204.5	288.7	6.0	102.2	30.1	60.1	42.1	24.1	6.0	126.3	12.0	6.0	66.2	108.3	12.0	258.6	18.0	60
22.9	.....	137.3	132.7	4.6	96.1	18.3	22.9	27.5	9.2	9.2	137.3	13.7	13.7	64.1	54.9	27.5	265.4	.....	61
41.3	.....	137.8	254.9	34.5	68.9	27.6	20.7	6.9	6.9	34.5	158.5	6.9	27.6	62.0	124.0	13.8	254.9	.....	62
24.0	8.0	111.9	151.9	48.0	167.8	16.0	119.9	16.0	.....	8.0	103.9	24.0	.....	40.0	119.9	.....	415.6	16.0	63
19.1	.....	216.9	216.9	6.4	82.9	6.4	19.1	6.4	.....	12.8	210.5	12.8	6.4	51.0	76.5	19.1	325.3	.....	64
33.6	2.8	75.6	209.9	16.8	50.4	16.8	28.0	30.8	11.2	14.0	100.8	11.2	5.6	58.8	95.2	11.2	221.1	.....	65
18.8	18.8	113.1	235.5	18.8	47.1	9.4	37.7	.....	.....	.....	103.6	.....	.....	84.8	28.3	9.4	226.1	.....	66
15.0	30.0	154.0	255.3	22.5	108.9	7.5	56.3	48.8	22.5	11.3	157.7	15.0	15.0	67.6	90.1	15.0	296.6	.....	67
6.3	12.7	25.4	44.4	31.7	323.7	12.7	672.8	6.3	19.0	.....	44.4	.....	12.7	222.1	114.2	12.7	457.0	6.3	68
30.1	.....	128.1	248.7	.....	165.8	30.1	165.8	.....	30.1	.....	75.4	7.5	15.1	98.0	165.8	15.1	218.6	.....	69
25.3	5.1	81.1	233.1	25.3	76.0	10.1	45.6	20.3	15.2	15.2	81.1	.....	20.3	55.8	106.4	10.1	314.2	.....	70
44.5	6.4	209.8	464.1	31.8	222.5	19.1	19.1	.....	19.1	12.7	190.7	6.4	6.4	44.5	89.0	19.1	425.9	6.4	71

[2] Rate based on population estimated on Federal census 1910 and state census 1915.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	NEW YORK—continued.															
1	Mount Vernon	1,151.9	2.8			30.5	2.8	2.8	13.9	5.6	5.6	72.2	5.6	5.6		91.6
2	New Rochelle (total)	1,136.9	13.8			11.0	2.8	19.3	16.5	11.0	5.5	82.6	13.8	2.8		71.6
3	White	1,084.4	11.8			11.8	2.9	20.6	17.6	11.8	5.9	61.7	14.7	2.9		73.5
4	Colored	1,915.5	43.5									391.8				43.5
5	New York (total)	1,394.3	6.0	0.3		12.1	5.7	7.2	23.2	7.2	6.1	167.2	14.6	6.9	6.0	85.0
6	Bronx Borough	1,370.0	4.7	0.4		7.6	4.5	7.2	25.7	6.5	7.1	175.0	12.7	6.0	6.9	92.5
7	Brooklyn Borough	1,385.4	7.7	0.4		6.9	6.0	4.5	22.8	9.0	4.7	149.7	12.3	7.2	8.5	81.1
8	Manhattan Borough	1,399.2	5.0	0.1		17.3	5.5	9.0	23.4	5.8	7.2	181.1	17.0	7.0	3.9	86.4
9	Queens Borough	1,391.7	5.4	0.8		6.2	7.6	9.1	21.8	9.6	5.1	150.1	13.3	6.5	6.5	84.1
10	Richmond Borough	1,584.0	8.3			21.9	3.1	6.3	19.8	6.3	2.1	154.2	12.5	6.3	7.3	85.5
11	White	1,373.5	6.0	0.3		12.1	5.8	6.9	23.2	7.1	6.1	160.0	14.1	6.6	5.9	85.1
12	Bronx Borough	1,360.5	4.8	0.4		7.5	4.6	6.8	25.6	6.6	7.1	172.1	12.1	5.7	6.9	91.9
13	Brooklyn Borough	1,367.2	7.7	0.4		7.0	6.0	4.3	22.7	8.5	4.6	144.6	11.9	7.0	8.4	81.1
14	Manhattan Borough	1,373.1	5.0	0.1		17.4	5.6	8.6	23.3	5.8	7.3	171.3	16.3	6.6	3.8	86.6
15	Queens Borough	1,374.0	5.4	0.6		6.3	7.7	8.9	22.0	9.7	5.2	144.5	13.4	6.0	6.0	84.1
16	Richmond Borough	1,579.4	8.4			22.2	3.2	6.3	20.1	6.3	2.1	153.1	12.7	6.3	7.4	86.6
17	Colored	2,372.5	6.2	0.9		10.5	1.8	22.0	25.5	13.2	5.3	503.7	39.6	23.7	7.9	82.6
18	Bronx Borough	2,361.0				19.0		57.1	38.1			476.0	76.2	38.1		152.3
19	Brooklyn Borough	2,676.9	11.5			3.8	3.8	19.2	26.8	42.2	15.3	513.9	42.2	26.8	11.5	80.5
20	Manhattan Borough	2,244.2	5.2			12.9	1.3	20.6	25.8	5.2	2.6	497.9	38.7	20.6	5.2	80.0
21	Queens Borough	3,086.6		27.3				27.3				682.9		54.6	54.6	81.9
22	Richmond Borough	1,932.4										241.5				
23	Newburgh	1,620.4	20.5	3.4				20.5		17.1	3.4	232.0	23.9	3.4	13.6	92.1
24	Niagara Falls	1,600.4				2.8	5.5	2.8	16.6	2.8	8.3	74.5	5.5	13.8	2.8	77.3
25	North Tonawanda	1,231.8	29.7			7.4		7.4	7.4	14.8		89.0	29.7			96.5
26	Ogdensburg *	2,609.8	6.0				6.0		54.2	12.1		138.6		36.2	12.1	150.7
27	Olean	1,464.4	12.3			6.1	6.1		6.1	6.1		110.3		6.1		110.3
28	Ossining (total)	1,296.3	7.5				7.5			37.5		127.4	15.0		7.5	89.9
29	White	1,238.0	8.0				8.0			31.9		111.8	16.0			95.8
30	Colored	2,179.2								121.1		363.2			121.1	
31	Oswego	1,496.9	16.7				4.2			12.5		95.9		8.3	12.5	87.6
32	Peekskill	1,431.3	11.1	5.5		16.6			5.5	16.6		127.6	22.2		22.2	66.6
33	Plattsburg	1,599.9	23.9	8.0				8.0	23.9			127.4	8.0	8.0	15.9	167.2
34	Port Chester	1,374.8	12.8	6.4		44.8		6.4	25.6	6.4		108.7	12.8	12.8		76.7
35	Poughkeepsie	1,697.0	26.7				33.3	16.7	23.3	13.3		66.7	13.3	16.7	3.3	123.4
36	Rensselaer	1,387.1	9.0			9.0			9.0	27.0		72.1	9.0	18.0	18.0	90.1
37	Rochester	1,391.0	6.0			3.2	2.8	9.6	7.2	6.0	6.0	100.5	10.8	7.2	4.4	95.3
38	Rome	2,364.9	8.6					21.5	12.9	17.2	8.6	456.6	8.6	17.2		107.7
39	Saratoga Springs	2,340.1	21.7					50.7	21.7	36.2		108.7	14.5	7.2	14.5	159.4
40	Schenectady	1,069.6	11.5			10.5	1.0	19.9	14.7	8.4	6.3	60.9	10.5	12.6	4.2	75.6
41	Syracuse	1,318.4	5.9			6.6		5.9	10.5	3.9	2.0	85.9	8.5	5.2	3.9	91.1
42	Troy	1,973.3	20.6			15.4	2.6	1.3	15.4	12.9	2.6	218.7	6.4	16.7	10.3	140.2
43	Utica *	1,696.6	3.6				4.8	10.7	9.5	6.0	8.3	141.9	20.3	11.9	3.6	110.9
44	Watertown	1,456.6	20.4						3.4	23.8		44.2	6.8	6.8		129.3
45	Watervliet	1,570.8	38.8			6.5		19.4	6.5	19.4		116.4	6.5	12.9		38.8
46	White Plains (total)	1,292.5	9.9	5.0				9.9	29.7			39.6	34.7	14.9		44.6
47	White	1,316.8	10.5	5.2				10.5	31.5			31.5	36.7	10.5		42.0
48	Colored	882.6										176.5		88.3		88.3
49	Yonkers	1,160.3	8.3	1.0			2.1	12.4	9.3	10.4	3.1	91.1	12.4	8.3	4.1	63.1
	NORTH CAROLINA.															
50	Registration cities (total)	1,966.1	36.9	8.8	2.2	0.6	0.6	12.7	9.4	20.4	4.4	254.2	7.2	22.0	6.6	57.8
51	White	1,522.8	27.0	3.5	2.6	0.9	0.9	10.4	13.1	18.3	4.4	174.1	6.1	14.8	2.6	65.3
52	Colored	2,726.9	53.8	17.9	1.5			16.4	3.0	23.9	4.5	391.5	9.0	34.4	13.4	44.8
53	Asheville (total)	2,215.7	24.4					4.9	9.8	53.7		580.8	19.5	34.2	19.5	48.8
54	White	2,028.9	33.5					6.7	13.4	53.6		616.0	13.4	26.8	6.7	46.9
55	Colored	2,717.8								54.0		486.0	36.0	54.0	54.0	54.0
56	Charlotte (total)	1,869.5	28.3	23.1		2.6			5.1	25.7		162.0	5.1	10.3	5.1	69.4
57	White	1,384.6	15.2			3.8			7.6	26.6		87.5	7.6	11.4		83.7
58	Colored	2,881.6	55.6	71.4						23.8		317.5		7.9	15.9	39.7
59	Durham (total)	1,539.9	41.7	4.2				16.7	16.7	16.7		229.5		25.0	4.2	54.3
60	White	1,101.6	20.4					13.6	20.4	6.8		129.2		6.8	6.8	61.2
61	Colored	2,236.4	75.6	10.8				21.6	10.8	32.4		388.9		54.0		43.2
62	Greensboro (total)	1,517.1	47.4	5.3	5.3			36.9		21.1	10.5	173.8		10.5	5.3	63.2
63	White	1,087.1	56.4	8.1				8.1		16.1	8.1	88.6		8.1	8.1	56.4
64	Colored	2,330.2	30.5		15.2			91.4		30.5	15.2	335.1		15.2		76.1
65	Raleigh * (total)	2,747.7	45.0		5.0		5.0	10.0	15.0	20.0	5.0	190.2	5.0	50.1		75.1
66	White	2,362.1	31.6		7.9		7.9	7.9	23.7		7.9	158.0		39.5		79.0
67	Colored	3,414.4	68.3					13.7		54.6		245.8	13.7	68.3		68.3
68	Wilmington (total)	2,031.7	23.8	13.6				10.2	3.4	13.6	6.8	173.6	6.8	20.4	10.2	61.3
69	White	1,521.4	31.6	18.9				18.9	6.3	18.9	12.6	50.5	6.3	12.6		69.4
70	Colored	2,628.7	14.8	7.4						7.4		317.5	7.4	29.5	22.2	51.7
71	Winston-Salem (total)	1,960.5	53.2	3.3	6.6			19.9	16.6		10.0	342.3	13.3	16.6	3.3	33.2
72	White	1,360.5	16.7		11.1			22.2	22.2		5.6	149.9	11.1	5.6		50.0
73	Colored	2,854.5	107.6	8.3				16.5	8.3		16.5	628.8	16.5	33.1	8.3	8.3

[1] Exclusive of stillbirths.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(87)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
25.0	2.8	83.3	141.6	19.4	127.7	22.2	69.4	8.3	11.1	13.9	99.9	2.8	5.6	69.4	22.2	5.6	183.2	.....	1
22.0	.....	68.8	143.1	11.0	121.1	8.3	60.6	13.8	13.8	2.8	77.1	2.8	13.8	74.3	66.1	8.3	178.9	.....	2
20.6	.....	70.5	146.9	11.8	108.7	8.8	52.9	8.8	11.8	2.9	76.4	2.9	8.8	67.6	70.5	8.8	170.4	.....	3
43.5	.....	43.5	87.1	.....	304.7	.....	174.1	87.1	43.5	.....	87.1	.....	87.1	174.1	.....	.....	304.7	.....	4
23.0	5.4	52.8	160.4	17.6	195.5	10.6	72.2	13.0	10.0	15.5	122.2	6.6	7.6	79.8	68.7	18.2	166.7	0.8	5
34.0	5.8	53.2	139.7	10.1	188.0	11.4	51.8	14.3	9.4	13.4	123.8	9.4	8.1	84.9	62.1	17.6	175.0	1.3	6
22.0	4.8	59.4	199.5	23.5	196.3	11.3	75.3	13.2	10.3	15.4	104.7	5.9	8.7	69.7	64.7	15.9	163.5	0.5	7
21.1	5.9	44.4	134.5	15.6	200.7	9.8	73.3	12.6	9.8	15.0	129.8	6.5	6.7	84.0	73.6	19.3	167.1	0.9	8
26.6	4.8	68.2	166.5	14.4	166.8	10.8	77.9	14.4	12.2	18.7	129.7	7.4	8.2	88.1	63.4	22.7	163.4	1.4	9
17.7	4.2	88.6	187.6	9.4	189.7	13.6	80.2	8.3	6.3	27.1	225.1	4.2	8.3	102.1	75.0	19.8	183.4	.....	10
23.1	5.3	52.7	159.5	17.3	191.6	10.6	71.2	12.8	9.8	15.6	120.7	6.5	7.5	78.4	68.3	18.4	164.0	0.8	11
34.4	5.7	53.5	138.0	10.0	187.8	11.5	51.7	14.3	9.3	13.5	123.5	9.5	7.9	84.6	61.4	17.7	173.0	1.3	12
21.9	4.7	59.2	198.1	23.0	193.9	11.3	74.1	13.0	10.1	15.4	103.4	5.8	8.5	68.4	64.4	16.0	161.3	0.5	13
21.2	5.8	44.3	133.9	15.4	194.8	9.7	72.2	12.4	9.6	15.2	128.0	6.4	6.6	82.4	73.3	19.6	163.8	0.8	14
26.6	4.6	66.7	165.4	14.3	164.0	10.6	77.0	14.3	12.0	18.6	128.5	7.4	8.3	87.6	62.9	22.9	161.1	1.4	15
17.9	4.2	89.7	186.9	9.5	187.9	13.7	81.3	7.4	6.3	27.4	222.8	4.2	8.4	101.4	75.0	20.1	180.5	.....	16
20.2	10.5	58.9	200.4	29.0	378.9	13.2	119.5	22.9	17.6	10.5	192.5	11.4	11.4	141.5	87.9	7.9	292.7	2.6	17
.....	19.0	19.0	323.7	19.0	209.4	.....	57.1	19.0	19.0	.....	152.3	.....	38.1	114.2	133.3	.....	380.8	.....	18
26.8	11.5	76.7	299.1	57.5	368.2	15.3	161.1	23.0	23.0	15.3	199.4	15.3	19.2	157.2	88.2	7.7	314.5	.....	19
19.3	9.0	49.0	154.8	20.6	392.1	12.9	109.6	21.9	15.5	9.0	187.0	11.6	7.7	138.0	83.8	9.0	273.4	3.9	20
27.3	27.3	218.5	273.1	27.3	437.0	27.3	163.9	27.3	27.3	27.3	245.8	.....	.....	136.6	109.3	.....	382.4	.....	21
.....	.....	.....	241.5	.....	322.1	.....	.....	80.5	.....	.....	402.6	.....	.....	161.0	80.5	.....	402.6	.....	22
13.6	6.8	126.2	221.7	6.8	126.2	10.2	58.0	13.6	17.1	20.5	214.9	.....	3.4	71.6	75.1	13.6	184.2	6.8	23
33.1	5.5	66.2	129.7	5.5	193.2	8.3	190.4	16.6	19.3	35.9	91.1	13.8	19.3	132.5	157.2	24.8	245.6	.....	24
37.1	14.8	66.8	74.2	51.9	126.2	.....	81.6	14.8	7.4	7.4	81.6	.....	.....	81.6	81.6	7.4	207.8	7.4	25
30.1	6.0	150.7	415.9	6.0	253.1	30.1	84.4	36.2	12.1	18.1	198.9	.....	12.1	150.7	144.7	6.0	632.9	6.0	26
36.8	12.3	85.8	245.1	6.1	134.8	6.1	30.6	12.3	30.6	18.4	91.9	6.1	18.4	104.2	79.7	36.8	239.0	6.1	27
22.5	7.5	89.9	142.4	.....	119.9	22.5	7.5	.....	7.5	.....	112.4	7.5	7.5	45.0	202.3	30.0	179.8	.....	28
24.0	.....	95.8	151.8	.....	111.8	16.0	8.0	.....	8.0	.....	119.8	8.0	.....	47.9	175.7	24.0	175.7	.....	29
.....	121.1	.....	.....	.....	242.1	121.1	.....	.....	.....	.....	.....	.....	121.1	.....	605.3	121.1	242.1	.....	30
25.0	4.2	137.6	254.3	12.5	104.2	16.7	75.1	8.3	12.5	29.2	108.4	.....	.....	112.6	95.9	12.5	250.2	.....	31
49.9	.....	116.5	122.0	88.8	99.9	5.5	49.9	11.1	22.2	5.5	172.0	11.1	.....	33.3	105.4	16.6	227.4	.....	32
31.8	15.9	103.5	167.2	23.9	95.5	.....	71.6	31.8	31.8	15.9	39.8	.....	15.9	135.3	103.5	23.9	302.5	.....	33
19.2	6.4	51.2	121.5	6.4	134.3	12.8	102.3	6.4	25.6	19.2	127.9	6.4	19.2	83.1	95.9	12.8	211.0	.....	34
40.0	3.3	170.0	203.4	33.3	183.4	16.7	60.0	3.3	10.0	20.0	113.4	6.7	6.7	110.0	86.7	23.3	270.1	.....	35
18.0	.....	162.1	99.1	45.0	99.1	9.0	36.0	.....	.....	36.0	54.0	.....	.....	99.1	108.1	9.0	351.3	.....	36
27.5	4.8	98.5	195.0	25.5	117.6	9.2	65.0	18.7	15.6	14.8	136.8	6.0	11.5	77.4	63.8	21.9	222.5	.....	37
17.2	8.6	133.5	310.1	38.8	155.1	17.2	120.6	21.5	17.2	21.5	236.9	12.9	8.6	73.2	116.3	21.5	361.8	12.9	38
36.2	7.2	217.3	246.3	14.5	208.1	29.0	29.0	36.2	36.2	14.5	369.5	14.5	14.5	79.7	137.7	14.5	326.0	14.5	39
13.6	5.2	79.8	110.2	7.3	92.4	4.2	58.8	16.8	10.5	7.3	91.3	12.6	6.3	70.3	57.7	7.3	180.5	1.0	40
24.9	7.2	94.4	163.2	17.0	119.3	7.9	61.6	11.1	12.5	16.4	106.2	3.9	7.9	80.6	83.3	23.6	247.8	.....	41
38.6	12.9	104.2	283.0	32.2	217.4	20.6	63.0	21.9	14.2	29.6	177.5	7.7	9.0	83.6	81.0	7.7	302.3	3.9	42
22.7	6.0	102.5	222.9	16.7	165.7	10.7	90.6	17.9	14.3	21.5	106.1	8.3	8.3	103.7	97.8	25.0	324.3	.....	43
27.2	6.8	108.9	207.6	27.2	146.3	6.8	44.2	13.6	13.6	6.8	91.9	20.4	10.2	125.9	108.9	13.6	238.2	3.4	44
45.2	32.3	116.4	187.5	6.5	303.8	.....	84.0	.....	6.5	25.9	122.8	.....	.....	97.0	77.6	6.5	187.5	6.5	45
34.7	.....	64.4	148.6	5.0	208.0	.....	44.6	19.8	24.8	5.0	153.5	5.0	14.9	79.2	79.2	24.8	193.1	.....	46
36.7	.....	68.2	146.9	5.2	204.6	.....	47.2	21.0	21.0	5.2	162.6	5.2	15.7	83.9	83.9	26.2	204.6	.....	47
.....	.....	.....	176.5	.....	264.8	.....	.....	.....	88.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
13.5	7.2	66.2	112.8	14.5	139.7	5.2	112.8	13.5	6.2	9.3	124.2	9.3	6.2	66.2	64.2	9.3	153.2	1.0	49
12.7	9.9	96.8	163.9	15.4	150.7	16.5	117.7	23.7	25.9	5.5	144.1	8.8	22.0	111.1	96.3	9.9	431.3	60.5	50
17.4	6.1	81.0	113.2	12.2	87.1	10.4	87.1	21.8	20.9	5.2	119.3	7.0	22.6	108.0	77.5	12.2	342.2	27.9	51
4.5	16.4	124.0	251.0	20.9	260.0	26.9	170.3	26.9	34.4	6.0	186.8	12.0	20.9	116.5	128.5	6.0	584.2	116.5	52
4.9	9.8	107.4	122.0	24.4	161.1	19.5	78.1	9.8	19.5	4.9	146.4	24.4	4.9	126.9	126.9	39.0	370.9	19.5	53
6.7	6.7	93.7	93.7	6.7	107.1	20.1	46.9	13.4	20.1	6.7	133.9	26.8	6.7	120.5	120.5	53.6	308.0	20.1	54
.....	18.0	144.0	198.0	72.0	306.0	18.0	162.0	.....	18.0	.....	180.0	18.0	.....	144.0	144.0	.....	540.0	18.0	55
15.4	15.4	74.6	154.3	15.4	169.7	33.4	108.0	25.7	18.0	.....	113.1	7.7	25.7	105.4	84.9	10.3	470.6	84.9	56
22.8	3.8	76.1	87.5	.....	98.9	19.0	114.1	22.8	19.0	.....	76.1	3.8	30.4	98.9	60.9	15.2	380.4	11.4	57
.....	39.7	71.4	293.7	47.6	317.5	63.5	95.3	31.8	15.9	.....	190.5	5.9	15.9	119.1	135.0	.....	658.9	238.2	58
12.5	8.3	50.1	116.9	29.2	104.3	.....	91.8	16.7	25.0	4.2	116.9	4.2	41.7	112.7	45.9	.....	271.3	79.3	59
20.4	13.6	61.2	74.8	40.8	68.0	.....	74.8	6.8	13.6	.....	74.8	.....	34.0	81.6	27.2	.....	170.0	74.8	60
.....	.....	32.4	183.7	10.8	162.1	.....	118.8	32.4	43.2	10.8	183.7	10.8	54.0	162.1	75.6	.....	432.2	86.4	61
5.3	10.5	63.2	131.7	.....	115.9	5.3	73.7	26.3	21.1	15.8	73.7	.....	21.1	100.1	100.1	5.3	347.7	21.1	62
.....	8.1	64.4	104.7	.....	72.5	.....	40.3	32.2	24.2	8.1	40.3	.....	16.1	80.5	48.3	.....	281.8	8.1	63
15.2	15.2	60.9	182.8	.....	198.0	15.2	137.1	15.2	15.2	30.5	137.1	.....	30.5	137.1	198.0	15.2	472.1	45.7	64
45.0	10.0	150.2	275.3	40.0	190.2	15.0	110.1	35.0	25.0	15.0	195.2	15.0	20.0	125.1	170.2	5.0	840.8	40.0	65
63.2	15.8	142.2	181.7	47.4	63.2	.....	86.9	15.8	7.9	15.8	252.8	.....	7.9	126.4	158.0	.....	782.1	31.6	66
13.7	.....	163.9	437.0	27.3	409.7	41.0	150.2	68.3	54.6	13.7	95.6	41.0	41.0	122.9	191.2	13.7	942.4	54.6	67
10.2	6.8	163.4	194.0	3.4	149.7	13.6	153.1	20.4	47.6	6.8	265.5	6.8	13.6	102.1	115.7	6.8	401.6	6.8	68
12.6	.....	94.7	126.3	6.3	75.8	6.3	107.3	18.9	37.9	12.6	220.9	12.6	18.9	119.9	113.6	12.6	271.4	6.3	69
7.4	14.8	243.7	273.2	.....	236.3	22.2	206.7	22.2	59.1	.....	317.5	.....	7.4	81.2	118.1	.....	553.8	7.4	70
.....	6.6	76.4	159.5	3.3	152.9	16.6	176.1	29.9	23.3	.....	96.4	6.6	23.3	113.0	59.8	6.6	358.9	132.9	71
.....	.....	50.0	144.4	.....	105.5	16.7	105.5	38.9	22.2	.....	77.7	5.6	33.3	127.7	38.9	.....	249.9	50.0	72
.....	16.5	115.8	182.0	8.3	223.4	16.5	281.3	16.5	24.8	.....	124.1	8.3	8.3	91.0	91.0	16.5	521.3	256.5	73

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM— All causes.[1]	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough 7	Diphtheria and croup 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)	Cancer. 16
	REGISTRATION CITIES—Contd.															
	OHIO.															
1	Registration cities (total)	1,381.8	15.4	0.4	0.1	6.1	5.2	7.4	15.8	14.5	3.0	128.6	8.4	11.0	6.7	87.5
2	White	1,348.4	15.1	0.3	0.1	6.1	5.3	7.4	16.3	14.3	3.0	117.5	7.8	10.3	6.8	88.0
3	Colored	2,432.1	25.0	2.6		6.6	1.3	6.6	1.3	22.4	5.3	480.4	25.0	32.9	2.6	72.4
4	Akron	1,418.8	30.1	1.2		2.4	9.6	2.4	15.7	9.6	7.2	94.0	3.6	6.0	9.6	71.1
5	Alliance	1,210.5	10.9			5.5			10.9	32.7		76.3	16.4	10.9	5.5	70.9
6	Ashtabula	1,167.3	28.6						19.1			85.8	9.5	4.8	14.3	47.6
7	Bellaire	1,310.0	42.5			42.5		14.2	7.1	14.2		99.1		7.1	7.1	63.7
8	Cambridge	1,283.9	22.8					15.2	22.8		7.6	121.6	15.2	15.2	22.8	106.4
9	Canton	1,212.4	13.5		1.7	3.4	13.5	6.8	13.5	13.5	3.4	72.7	3.4	11.8	3.4	93.0
10	Chillicothe (total)	1,397.3	6.5							19.6		117.5		6.5		124.1
11	White	1,369.3	7.0							20.9		104.3		7.0		118.2
12	Colored	1,831.9										323.3				215.5
13	Cincinnati (total)	1,563.8	7.4	0.2		3.7	1.0	3.7	11.8	18.4	4.2	200.4	10.6	11.8	6.6	99.1
14	White	1,482.5	7.3			3.1	1.0	3.6	12.5	17.9	4.2	170.3	9.1	11.2	7.0	99.3
15	Colored	2,985.7	9.1	4.5		13.6		4.5		27.3	4.5	727.1	36.4	22.7		95.4
16	Cleveland	1,340.0	7.9			11.0	11.1	11.4	24.8	11.1	2.9	114.7	9.7	8.2	7.3	77.1
17	Columbus (total)	1,404.2	13.4			6.7	1.4	4.8	11.0	11.0	3.3	132.1	8.1	18.6	5.2	111.1
18	White	1,360.1	11.8			6.7	1.5	4.6	11.8	11.8	3.1	118.8	7.2	17.5	5.7	115.7
19	Colored	1,966.4	32.8			6.6		6.6			6.6	301.5	19.7	32.8		52.4
20	Dayton	1,361.7	17.5	2.4		2.4	7.2	7.2	15.1	14.3	2.4	152.2	12.7	10.4	5.6	98.8
21	East Liverpool	1,394.4	72.0	4.5		4.5	9.0	9.0	9.0	4.5	4.5	103.5		9.0	13.5	40.5
22	Elyria	1,232.9	27.8			5.6	5.6	27.8	11.1	5.6		77.7		11.1	5.6	100.0
23	Findlay	[2] 1,359.5	40.4			6.7	6.7		6.7	13.5		188.5		26.9	13.5	141.3
24	Hamilton	1,076.8	10.1				2.5	15.1	7.6	5.0	2.5	93.3	12.6	10.1	5.0	63.0
25	Ironton	1,505.2	36.2			50.7			14.5	7.2		159.2			7.2	79.6
26	White	1,510.9	39.3			55.1			15.7	7.9		125.9			7.9	86.6
27	Colored	1,440.1										540.1				
28	Lakewood	1,073.9					9.3	9.3	4.7	23.3		65.4	4.7		9.3	84.0
29	Lancaster	1,258.6	19.7			13.1			19.7	32.8		85.2	6.6		6.6	118.0
30	Lima	1,275.8	17.3					17.3	11.5	11.5		92.4	8.7	8.7	5.8	60.6
31	Lorain†	886.1	22.4					5.6		8.4		42.1	5.6	8.4		47.7
32	Mansfield	1,204.4	13.4				4.5		8.9	44.6		80.3	4.5	13.4	8.9	102.6
33	Marietta	1,272.2	20.4			6.8		6.8		20.4	6.8	95.2	6.8	6.8	6.8	88.4
34	Marion	1,183.4	17.6			17.6			4.4	4.4		74.8		13.2	8.8	83.6
35	Massillon	1,336.8				13.2			33.1	33.1	6.6	59.6	6.6	6.6	6.6	86.0
36	Middletown	1,300.4	13.1			6.6		6.6	46.0	26.3		98.5	39.4	19.7		111.7
37	Newark	1,267.6	6.9			10.4		6.9	3.5	31.1		120.9	3.5	24.2	3.5	55.3
38	Norwood†	751.1						4.7	18.8	14.1	4.7	75.1	4.7		4.7	98.6
39	Piqua	1,297.3	7.1							7.1		114.0		21.4	7.1	92.7
40	Portsmouth	1,198.2	28.4						10.7	21.3	10.7	113.8	21.3	7.1	7.1	113.8
41	Sandusky	1,453.4	9.9						19.8	34.7	9.9	94.2		9.9		114.1
42	Springfield (total)	1,364.1	13.8	2.0					23.6	19.7		94.5	5.9	5.9	2.0	100.4
43	White	1,302.8	13.2						24.2	15.4		79.1	6.6	4.4	2.2	109.8
44	Colored	1,892.1	18.9	18.9					18.9	56.8		227.1		18.9		18.9
45	Steubenville	1,813.7	78.9					3.8	15.0	15.0	7.5	90.1	3.8	15.0	18.8	56.3
46	Tiffin	1,581.6							31.3	31.3		78.3	15.7		15.7	109.6
47	Toledo	1,539.6	22.9	1.1		4.8	4.3	12.8	16.5	17.0	1.6	171.4	5.3	17.0	4.8	92.6
48	Warren	1,561.3	39.0			15.6			7.8	15.6		85.9	7.8	31.2		62.5
49	Youngstown	1,347.5	31.6		1.9	1.9	4.8	2.9	7.7	7.7	2.9	82.3	6.7	10.5	6.7	64.1
50	Zanesville (total)	1,414.2	29.6				6.6	23.0	3.3	29.6	6.6	144.7	3.3	6.6	13.2	115.1
51	White	1,364.2	24.3				6.9	24.3	3.5	24.3	6.9	118.0	3.5	6.9	13.9	111.1
52	Colored	2,316.8	125.2							125.2		626.2				187.9
	OREGON.[3]															
53	Portland† (total)	836.0	5.1	1.8	0.4	1.5	0.4	1.1	6.2	5.1	1.5	67.1	6.2	12.1	3.7	79.5
54	White	823.8	5.3	1.9	0.4	1.5	0.4	1.1	6.4	5.3	1.5	60.1	6.4	11.6	3.8	79.2
55	Colored [4]	1,345.0										359.7		31.3		93.8
	PENNSYLVANIA.															
56	Registration cities (total)	1,487.6	12.5	0.3		9.6	3.4	5.3	20.6	15.6	3.4	124.4	9.4	11.1	6.7	83.1
57	White	1,456.8	12.6	0.4		9.5	3.5	4.9	21.0	15.2	3.4	113.2	8.8	10.3	6.6	83.1
58	Colored	2,223.5	10.5			12.4	2.5	13.0	10.5	25.3	3.1	392.2	22.9	32.1	9.3	83.4
59	Allentown	1,605.8	35.5			8.1	1.6	6.5	11.3	12.9	4.8	106.6	8.1	4.8	6.5	90.5
60	Altoona	1,230.8	33.0			1.7	3.5	10.4	10.4	12.2	1.7	53.8	1.7	15.6	6.9	64.2
61	Beaver Falls	1,344.2	45.1			60.1	22.5		15.0	15.0		75.1	7.5	15.0	7.5	97.6
62	Bethlehem	1,134.2	14.4						28.7	14.4		107.7	7.2		7.2	43.1
63	Braddock	1,816.0	4.7			51.6		28.2	23.5			103.2	9.4	18.8	14.1	56.3
64	Butler	[2] 1,588.3	6.9	6.9				6.9	20.6	27.5	6.9	96.3			27.5	137.5
65	Bradford	959.1	15.0					3.8	11.3			79.0		11.3	3.8	63.9
66	Carbondale	1,498.4	26.5						15.9	42.4	5.3	42.4	5.3			31.8
67	Carlisle (total)	1,426.3	37.5							46.9		84.5			9.4	93.8
68	White	1,308.8	31.4							52.4		62.8			10.5	94.2
69	Colored	2,441.2	90.4									271.2				90.4
70	Carnegie	1,208.3	17.5			17.5			17.5	26.3		96.3	17.5	8.8	8.8	17.5

[1] Exclusive of stillbirths.

[2] Rate based on population Apr. 15, 1910 Decrease since 1900.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
16.5	7.0	90.5	141.9	17.8	137.5	10.5	63.1	15.0	14.7	16.7	98.6	7.7	8.6	76.5	96.2	18.1	229.0	5.8	1
16.3	6.8	89.6	136.2	17.7	133.3	10.4	63.4	14.9	14.6	16.3	95.7	7.5	8.5	76.4	93.2	18.3	225.3	5.9	2
22.4	11.8	117.1	322.4	22.4	269.8	13.2	54.0	18.4	15.8	31.6	190.8	13.2	9.2	81.6	188.2	13.2	347.4	5.3	3
20.5	18.1	68.7	126.6	6.0	166.3	4.8	74.7	13.3	19.3	10.8	61.5	13.3	10.8	113.3	154.3	22.9	250.7	.....	4
16.4	10.9	92.7	98.2	5.5	120.0	.....	65.4	54.5	21.8	16.4	76.3	16.4	5.5	76.3	98.2	16.4	174.5	5.5	5
14.3	14.3	81.0	133.4	.....	114.4	4.8	33.4	14.3	4.8	14.3	76.2	9.5	4.8	95.3	128.6	4.8	200.1	9.5	6
7.1	14.2	63.7	113.3	.....	155.8	.....	120.4	.....	7.1	7.1	70.8	14.2	.....	63.7	113.3	21.2	240.8	.....	7
.....	7.6	98.8	197.5	.....	98.8	.....	30.4	22.8	7.6	.....	106.4	.....	7.6	60.8	83.6	7.6	197.5	7.6	8
15.2	5.1	99.8	142.0	6.8	126.8	13.5	47.3	18.6	13.5	11.8	55.8	11.8	10.1	77.8	94.7	13.5	186.0	8.5	9
6.5	13.1	91.4	248.1	19.6	78.4	19.6	39.2	32.6	45.7	6.5	143.7	13.1	.....	91.4	84.9	13.1	176.3	.....	10
7.0	13.9	83.4	257.2	13.9	76.5	20.9	41.7	34.8	48.7	7.0	146.0	13.9	.....	90.4	90.4	13.9	152.9	.....	11
.....	.....	215.5	107.8	107.8	107.8	.....	.....	.....	.....	.....	107.8	.....	.....	107.8	.....	.....	538.8	.....	12
17.2	5.7	92.9	199.9	20.7	140.2	7.9	43.0	15.5	16.7	25.8	166.2	8.4	6.4	56.8	94.4	18.7	247.8	0.7	13
17.7	5.2	91.8	187.4	20.3	131.3	7.8	40.8	15.6	17.2	26.5	158.3	7.8	6.8	55.4	88.6	19.2	237.6	0.8	14
9.1	13.6	113.6	418.1	27.3	295.4	9.1	81.8	13.6	9.1	13.6	304.5	18.2	.....	81.8	195.4	9.1	427.2	.....	15
17.3	6.4	74.9	108.3	27.1	151.5	12.8	103.5	13.4	11.9	13.4	91.7	6.8	7.8	74.7	95.2	19.9	195.6	10.5	16
21.0	6.7	117.3	139.2	9.1	126.8	13.4	22.4	19.1	15.3	19.5	91.5	5.2	7.6	67.7	80.6	20.0	293.7	1.4	17
19.5	6.7	118.3	129.1	8.7	121.4	14.4	20.1	17.5	15.4	15.9	90.0	5.1	6.7	66.3	76.6	21.6	289.5	1.0	18
39.3	6.6	104.9	268.7	13.1	196.6	.....	52.4	39.3	13.1	65.5	111.4	6.6	19.7	85.2	131.1	.....	347.4	6.6	19
21.5	8.0	102.0	166.5	14.3	140.2	3.2	24.7	9.6	20.7	14.3	102.8	7.2	9.6	77.3	72.5	24.7	194.4	.....	20
13.5	9.0	117.0	81.0	27.0	81.0	22.5	90.0	18.0	4.5	45.0	76.5	4.5	9.0	108.0	126.0	9.0	256.4	13.5	21
16.7	.....	61.1	177.7	5.6	116.6	5.6	38.9	22.2	.....	.....	105.5	11.1	.....	44.4	105.5	16.7	227.7	.....	22
20.2	6.7	94.2	269.2	13.5	67.3	33.7	.....	.....	20.2	.....	60.6	.....	6.7	33.7	53.8	20.2	215.4	.....	23
12.6	5.0	75.7	116.0	12.6	80.7	12.6	20.2	17.7	10.1	30.3	68.1	2.5	10.1	73.1	93.3	15.1	194.2	.....	24
21.7	28.9	130.3	152.0	21.7	144.7	7.2	72.4	28.9	21.7	.....	50.7	7.2	7.2	79.6	108.5	7.2	253.3	7.2	25
23.6	31.5	118.0	165.3	23.6	133.8	.....	78.7	23.6	23.6	.....	47.2	7.9	7.9	86.6	110.2	7.9	275.4	7.9	26
.....	.....	270.0	.....	.....	270.0	90.0	.....	90.0	.....	.....	90.0	.....	.....	.....	90.0	.....	.....	.....	27
4.7	4.7	79.4	121.4	4.7	168.1	9.3	51.4	4.7	4.7	18.7	60.7	.....	4.7	65.4	84.0	4.7	172.8	.....	28
6.6	.....	104.9	144.2	13.1	91.8	6.6	59.0	6.6	13.1	19.7	98.3	.....	.....	78.7	26.2	6.6	275.3	6.6	29
20.2	14.4	86.6	101.0	17.3	118.3	11.5	37.5	28.9	11.5	11.5	101.0	5.8	26.0	92.4	98.1	20.2	236.7	2.9	30
16.8	5.6	53.3	58.9	.....	109.4	2.8	95.3	11.2	5.6	2.8	47.7	11.2	11.2	100.9	78.5	22.4	112.2	.....	31
17.8	4.5	133.8	138.3	17.8	102.6	8.9	8.9	4.5	4.5	17.8	75.8	8.9	8.9	75.8	53.5	4.5	232.0	4.5	32
20.4	6.8	149.7	129.3	13.6	74.8	6.8	27.2	6.8	13.6	34.0	61.2	.....	6.8	61.2	81.6	.....	292.5	20.4	33
17.6	8.8	79.2	96.8	22.0	114.4	17.6	44.0	13.2	30.8	22.0	101.2	4.4	8.8	83.6	92.4	13.2	176.0	13.2	34
19.9	.....	119.1	211.8	26.5	92.6	19.9	26.5	13.2	26.5	13.2	72.8	13.2	.....	66.2	92.6	19.9	238.2	13.2	35
.....	.....	105.1	131.4	13.1	131.4	19.7	78.8	.....	.....	13.1	59.1	.....	19.7	118.2	59.1	13.1	170.8	.....	36
10.4	.....	134.7	114.0	10.4	114.0	13.8	20.7	17.3	13.8	17.3	96.7	3.5	13.8	82.9	72.5	27.6	224.5	13.8	37
23.5	.....	70.4	108.0	4.7	70.4	9.4	14.1	.....	.....	14.1	51.6	4.7	4.7	42.2	14.1	9.4	84.5	.....	38
14.3	.....	185.3	142.6	.....	128.3	21.4	28.5	.....	7.1	21.4	128.3	.....	21.4	85.5	78.4	.....	185.3	.....	39
7.1	.....	53.3	99.6	10.7	110.2	7.1	46.2	3.6	10.7	28.4	81.8	10.7	7.1	71.1	106.7	3.6	202.7	3.6	40
24.8	5.0	119.0	168.7	24.8	54.6	9.9	24.8	34.7	.....	9.9	124.0	.....	5.0	99.2	188.5	9.9	253.0	5.0	41
13.8	7.9	181.1	159.4	11.8	90.5	13.8	27.6	15.7	21.7	27.6	104.3	5.9	2.0	66.9	106.3	25.6	206.7	7.9	42
13.2	8.8	167.0	147.2	11.0	72.5	11.0	28.6	17.6	22.0	22.0	101.1	4.4	2.2	72.5	105.5	26.4	206.5	8.8	43
18.9	.....	302.7	264.9	18.9	246.0	37.8	18.9	.....	18.9	75.7	132.5	18.9	.....	18.9	113.5	18.9	208.1	.....	44
7.5	7.5	90.1	123.9	45.1	255.3	18.8	206.5	18.8	11.3	18.8	71.3	11.3	26.3	105.1	199.0	18.8	266.6	7.5	45
31.3	7.8	109.6	250.5	15.7	78.3	7.8	47.0	39.1	7.8	15.7	94.0	.....	15.7	70.5	109.6	15.7	375.8	7.8	46
15.4	6.9	79.9	162.4	18.1	121.4	8.5	57.0	18.1	19.2	16.5	84.1	8.5	8.5	90.5	104.9	20.8	325.3	1.6	47
15.6	15.6	163.9	187.4	15.6	179.5	31.2	39.0	31.2	39.0	.....	85.9	7.8	15.6	101.5	117.1	.....	249.8	.....	48
8.6	7.7	47.9	99.5	10.5	226.8	4.8	113.9	8.6	18.2	7.7	61.3	17.2	17.2	107.2	105.3	9.6	221.1	23.0	49
6.6	9.9	151.3	184.2	16.4	102.0	16.4	19.7	13.2	9.9	13.2	69.1	6.6	3.3	85.5	88.8	23.0	197.3	16.4	50
6.9	10.4	152.7	177.0	17.4	97.2	17.4	17.4	13.9	10.4	13.9	72.9	6.9	3.5	86.8	86.8	24.3	187.4	17.4	51
.....	.....	125.2	313.1	.....	187.9	.....	62.6	.....	.....	.....	.....	.....	.....	62.6	125.2	.....	375.7	.....	52
20.5	7.3	56.1	88.7	5.5	54.2	10.3	5.9	9.5	8.1	5.9	60.5	4.4	6.2	39.2	58.6	20.5	180.7	2.2	53
21.0	7.1	55.5	87.8	5.6	53.3	10.5	5.6	9.8	8.3	6.0	59.7	4.5	6.0	38.7	56.7	19.5	181.3	2.3	54
.....	15.6	78.2	125.1	.....	93.8	.....	15.6	.....	.....	.....	93.8	.....	15.6	62.6	140.8	62.6	156.4	.....	55
17.1	6.5	75.6	158.2	21.2	168.9	18.3	95.7	14.6	14.6	14.6	128.8	8.6	10.6	91.2	94.4	15.2	224.7	3.3	56
17.1	6.5	75.9	155.5	20.8	163.1	17.9	95.4	14.5	14.4	14.7	126.4	8.4	10.5	90.3	94.1	15.6	219.9	3.3	57
16.1	5.6	67.3	223.6	32.7	307.0	28.4	103.1	17.3	18.5	11.7	187.1	13.0	13.0	111.8	100.1	6.2	339.1	4.9	58
27.5	6.5	147.0	134.1	11.3	126.0	21.0	108.2	14.5	16.2	17.8	134.1	6.5	12.9	143.8	124.4	25.8	219.7	11.3	59
19.1	12.2	53.8	140.6	6.9	138.9	19.1	48.6	10.4	13.9	15.6	79.9	10.4	13.9	85.1	85.1	12.2	248.2	1.7	60
7.5	7.5	45.1	82.6	30.0	112.6	15.0	82.6	30.0	7.5	7.5	172.7	.....	7.5	82.6	90.1	7.5	195.3	.....	61
7.2	.....	150.7	122.0	28.7	143.6	21.5	21.5	.....	14.4	.....	107.7	.....	.....	93.3	43.1	14.4	136.4	7.2	62
4.7	14.1	37.5	89.2	14.1	328.5	28.2	323.8	32.8	4.7	14.1	70.4	9.4	18.8	98.5	145.5	32.8	239.3	.....	63
34.4	.....	123.8	192.5	13.8	75.6	20.6	48.1	13.8	20.6	6.9	165.0	13.8	6.9	89.4	68.8	13.8	343.8	.....	64
7.5	3.8	48.9	105.3	11.3	82.7	15.0	60.2	15.0	15.0	11.3	67.7	11.3	.....	86.5	75.2	11.3	139.2	3.8	65
37.1	.....	100.6	58.2	10.6	206.5	.....	68.8	42.4	15.9	10.6	143.0	21.2	21.2	137.7	233.0	15.9	201.2	5.3	66
.....	9.4	140.8	187.7	9.4	56.3	18.8	28.2	.....	9.4	.....	131.4	.....	9.4	75.1	112.6	.....	356.6	9.4	67
.....	10.5	136.1	167.5	10.5	52.4	10.5	20.9	.....	10.5	.....	136.1	.....	.....	73.3	115.2	.....	303.6	10.5	68
.....	.....	180.8	361.7	.....	90.4	90.4	90.4	.....	.....	.....	90.4	.....	90.4	90.4	90.4	.....	813.7	.....	69
.....	17.5	43.8	113.8	35.0	131.3	.....	43.8	.....	.....	26.3	78.8	.....	8.8	210.1	105.1	.....	157.6	8.8	70

[5] Nonregistration state; cities shown below only those with effective local ordinances.

[4] Colored population less than 5 per cent of the total in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	PENNSYLVANIA—continued.															
1	Chambersburg (total)	1,424.4	24.4					16.3	24.4			154.6		24.4	8.1	73.2
2	White	1,387.7	25.9					17.2	25.9			146.5		25.9		77.6
3	Colored	2,046.8										292.4			146.2	
4	Chester (total)	1,607.4	19.5			4.9		7.3	17.1	17.1		202.8	17.1	17.1	2.4	63.5
5	White	1,472.7	22.7			2.8		2.8	16.7	13.9		169.8	8.4	16.7	2.8	64.0
6	Colored	2,572.8				19.9		39.9	19.9	39.9		438.8	79.8	19.9		59.8
7	Coatesville (total)	941.6	14.4						21.6	21.6	14.4	136.6	7.2			28.8
8	White	947.9	16.9						25.4	25.4	16.9	118.5	8.5			33.9
9	Colored	906.1										238.4				
10	Columbia	[2] 1,370.7	17.5				8.7		17.5	43.7		122.2		8.7	8.7	78.6
11	Connellsville	1,190.6	20.0					20.0	13 3		6.7	59.9	20.0	26.6	20.0	46.6
12	Dubois †	892.9	7.0						20.9	7.0	7.0	34.9				48.8
13	Dunmore	1,771.4	14.8			64.1		9.9	44.4	29.6	14.8	59.2			9.9	74.0
14	Duquesne	1,000.8						15.6	15.6		5.2	67.4		15.6		25.9
15	Easton	1,562.6	26.5			6.6			19.9	3.3		105.9	16.6	3.3	13.2	86.1
16	Erie	1,500.0	6.8	1.4		1.4		1.4	5.4	9.5	1.4	92.1	5.4	6.8	2.7	86.7
17	Farrell	[3] 1,366.7	28.9			9.6	19.2		48.1	19.2		125.1	9.6	28.9		19.2
18	Greensburg	1,385.5	59.7				6.6		13.3	19.9		53.0	6.6	26.5		46.4
19	Harrisburg (total)	1,419.0	15.5			2.8	1.4	8.5	11.3	7.1	5.7	108.8	4.2	9.9	5.7	94.7
20	White	1,340.9	15.2			3.0	1.5	9.1	12.1	7.6	6.1	89.4	4.5	9.1	6.1	92.4
21	Colored	2,504.2	21.0									378.8		21.0		126.3
22	Hazleton	1,867.8	21.4			7.1	25.0	10.7	57.1	3.6		75.0		3.6	7.1	67.9
23	Homestead	1,075.0				13.7		9.1	18.3		4.6	91.5	13.7	4.6		36.6
24	Johnstown	1,407.2	31.5			6.0		3.0	25.5	13.5	1.5	90.1	9.0	19.5	4.5	64.6
25	Lancaster	1,609.3	6.0			2.0		13.9	13.9	27.9	6.0	137.3	8.0	8.0	8.0	117.4
26	Lebanon	1,581.7	19.4	4.9		4.9			14.6	24.3	4.9	72.8		19.4	4.9	53.4
27	McKees Rocks	1,036.5				5.2			10.5	15.7		68.1	15.7			10.5
28	McKeesport	1,356.4	32.1				4.3	10.7	30.0			81.3	10.7	8.6	6.4	40.6
29	Mahanoy City	1,330.1	17.4			11.6	5.8	11.6	98.7	5.8	11.6	34.8		17.4		40.7
30	Meadville	1,627.9							14.7	36.7		29.3		7.3		132.0
31	Monessen†	837.0	19.8			54.5	9.9	9.9	49.5			59.4	9.9			24.8
32	Mount Carmel	993.6				20.2		10.1	15.1		5.0	100.9			15.1	30.3
33	Nanticoke	1,265.5				22.3						35.6	13.4		8.9	40.1
34	New Castle	1,271.3	19.8				12.4	7.4	29.7	19.8	2.5	62.0	5.0	2.5	9.9	59.5
35	Norristown *	2,169.8	22.7			3.2		6.5	19.5	32.4	3.2	227.0	9.7	19.5	16.2	133.0
36	North Braddock	1,108.7				27.4	20.5	54.7	6.8		6.8	61.6	20.5	13.7		68.4
37	Oil City	1,138.6	21.1	5.3		5.3				5.3		63.3		5.3	36.9	79.1
38	Old Forge	1,054.1				14.0		7.0	20.9			48.9	7.0			34.9
39	Philadelphia (total)	1,561.5	6.8	0.2		11.3	1.6	2.6	19.0	20.6	3.6	164.3	10.8	10.9	6.7	92.0
40	White	1,514.0	6.7	0.2		11.0	1.6	2.0	19.4	20.0	3.7	146.7	10.0	9.3	6.6	92.4
41	Colored	2,339.3	7.2			15.5	2.1	12.4	12.4	28.9	3.1	452.4	22.7	38.1	8.2	85.5
42	Phoenixville	1,661.3	17.3					17.3	60.6	34.6		60.6		8.7		60.6
43	Pittsburgh (total)	1,525.9	10.3	0.5		12.9	9.6	7.9	26.9	10.5	4.4	108.4	12.2	12.4	5.8	86.2
44	White	1,506.1	9.9	0.6		13.0	9.7	7.7	27.6	9.9	4.2	100.3	11.8	11.9	5.9	87.5
45	Colored	1,913.9	18.0			10.8	7.2	10.8	14.4	21.6	7.2	266.7	21.6	21.6	3.6	61.3
46	Pittston	1,629.8	5.5	5.5		5.5		27.4	27.4	16.5		49.4	5.5			43.9
47	Plymouth	932.8				5.3	16.0	10.7	10.7			64.0		10.7	10.7	53.3
48	Pottstown	1,391.5	24.1			6.0		6.0	30.1			114.5			6.0	72.3
49	Pottsville	1,825.0	36.3			13.6		4.5	18.2	18.2		127.1		13.6	9.1	68.1
50	Reading	1,352.3	18.6	0.9		6.5	5.6	5.6	9.3	12.1	1.9	91.1	6.5	11.2	7.4	79.9
51	Scranton	1,467.2	12.5			5.6	2.8	3.5	27.8	9.0	4.2	72.2	12.5	8.3	5.6	90.9
52	Shamokin	1,162.7	9.5					4.8	42.9	4.8	4.8	61.9		14.3	23.8	38.1
53	Sharon	1,394.0	38.7				16.6		27.7	22.1	11.1	66.4	11.1	11.1	11.1	71.9
54	Shenandoah	1,368.3	3.5	3.5			3.5	3.5	45.4	7.0	3.5	62.8	3.5	3.5	3.5	20.9
55	South Bethlehem	1,275.4	12.8			21.3		17.0	12.8	8.5		131.8	4.3	21.3		42.5
56	Steelton (total)	1,017.1					6.5		19.6	13.0		78.2	19.6	13.0	13.0	84.8
57	White	975.4					7.0		21.1			84.2	21.1	14.0	14.0	70.2
58	Colored	1,563.9								184.0						276.0
59	Sunbury	1,109.8	18.9					12.6	63.1	6.3	6.3	25.2				126.1
60	Uniontown (total)	1,332.7	40.1				5.0		5.0	5.0	5.0	90.2		10.0	5.0	85.2
61	White	1,237.6	43.6				5.5		5.5	5.5	5.5	70.9		5.5	5.5	70.9
62	Colored	2,410.4										309.0		61.8		247.2
63	Warren	1,104.9	13.9				6.9			20.8		62.5	13.9	13.9	6.9	132.0
64	Washington (total)	1,389.4	37.8	4.7					14.2	14.2		151.2	9.5	33.1	4.7	75.6
65	White	1,344.2	40.7	5.1					15.3	15.3		142.6	10.2	35.6		61.1
66	Colored	1,973.7										263.2			65.8	263.2
67	West Chester (total)	2,092.8	23.2						7.7	23.2	7.7	185.3	15.4	23.2		146.7
68	White	1,860.3	27.2						9.1	27.2	9.1	154.3	9.1	9.1		127.0
69	Colored	3,421.5										362.9	51.8	103.7		259.2
70	Wilkes-Barre	1,615.3	10.6			8.0	4.0	16.0	14.6	8.0	1.3	89.1	6.6	21.3	12.0	85.1
71	Wilkinsburg	1,274.5	35.8				4.5	4.5	8.9	13.4	4.5	89.4	13.4	26.8		111.8
72	Williamsport	1,657.0	17.9			3.0		9.0	26.9	20.9	6.0	80.6	9.0	6.0	26.9	107.5
73	York	1,246.5	39.6				2.0	2.0	9.9	23.7	2.0	146.4	7.9	23.7	5.9	87.1

[1] Exclusive of stillbirths.

[2] Rate based on population Apr. 15, 1910. Decrease since 1900.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all orms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
16.3	.....	138.4	154.6	16.3	114.0	16.3	24.4	24.4	24.4	.....	97.7	.....	.....	65.1	89.5	16.3	301.2	.....	1
17.2	.....	129.3	163.8	17.2	112.0	17.2	17.2	25.9	25.9	.....	86.2	.....	.....	69.0	77.6	17.2	293.1	.....	2
.....	.....	292.4	.....	.....	146.2	.....	146.2	.....	.....	.....	292.4	.....	.....	.....	292.4	.....	438.6	.....	3
14.7	4.9	85.5	197.9	7.3	175.9	12.2	131.9	7.3	9.8	14.7	109.9	14.7	14.7	102.6	127.0	7.3	197.9	2.4	4
13.9	5.6	83.5	178.2	5.6	144.8	11.1	128.1	5.6	5.6	8.4	108.6	11.1	16.7	91.9	130.8	8.4	192.1	2.8	5
19.9	.....	99.7	339.1	19.9	398.9	19.9	159.6	19.9	39.9	59.8	119.7	39.9	.....	179.5	99.7	.....	239.3	.....	6
7.2	.....	64.7	71.9	7.2	107.8	.....	93.4	.....	.....	14.4	64.7	.....	7.2	115.0	14.4	.....	129.4	.....	7
8.5	.....	67.7	84.6	8.5	93.1	.....	93.1	.....	.....	16.9	67.7	.....	8.5	110.0	16.9	.....	127.0	.....	8
.....	.....	47.7	.....	.....	190.7	.....	95.4	.....	.....	.....	47.7	.....	.....	143.1	.....	.....	143.1	.....	9
8.7	.....	131.0	192.1	17.5	61.1	17.5	34.9	17.5	17.5	17.5	104.8	.....	8.7	96.0	122.2	.....	200.8	17.5	10
6.7	.....	79.8	86.5	20.0	166.3	20.0	26.6	6.7	26.6	6.7	46.6	.....	6.7	126.4	99.8	26.6	199.5	6.7	11
7.0	.....	27.9	90.7	20.9	104.6	27.9	48.8	14.0	7.0	14.0	62.8	20.9	7.0	118.6	55.8	.....	132.5	7.0	12
14.8	4.9	74.0	103.6	138.2	261.5	19.7	182.6	.....	4.9	9.9	54.3	4.9	9.9	207.2	88.8	4.9	261.5	4.9	13
.....	10.4	15.6	36.3	31.1	197.1	15.6	186.7	5.2	5.2	5.2	31.1	5.2	20.7	83.0	72.6	15.6	108.9	10.4	14
29.8	6.6	119.2	152.3	19.9	119.2	16.6	59.6	36.4	16.6	13.2	162.2	3.3	16.6	99.3	149.0	13.2	241.7	6.6	15
19.0	9.5	130.1	230.4	2.7	96.2	10.8	96.2	20.3	21.7	28.5	132.8	8.1	10.8	79.9	143.6	19.0	219.5	.....	16
.....	48.1	28.9	67.4	9.6	259.9	9.6	173.2	.....	.....	19.2	19.2	28.9	38.5	125.1	77.0	9.6	125.1	19.2	17
26.5	19.9	79.5	119.3	6.6	99.4	13.3	33.1	33.1	13.3	26.5	66.3	6.6	19.9	106.1	218.8	19.9	205.5	39.8	18
19.8	5.7	94.7	189.4	14.1	106.0	22.6	22.6	18.4	19.8	14.1	154.1	14.1	8.5	80.6	103.2	19.8	233.2	2.8	19
18.2	6.1	95.5	178.8	10.6	86.4	22.7	21.2	16.7	19.7	15.2	157.6	10.6	7.6	83.3	95.5	21.2	216.7	1.5	20
42.1	.....	84.2	336.7	63.1	378.8	21.0	42.1	42.1	21.0	.....	105.2	63.1	21.0	42.1	210.4	.....	463.0	21.0	21
17.9	17.9	107.1	171.4	46.4	192.9	39.3	139.3	35.7	21.4	10.7	164.3	17.9	21.4	160.7	157.1	10.7	253.6	3.6	22
.....	9.1	18.3	68.6	13.7	183.0	18.3	233.3	.....	9.1	18.3	32.0	.....	9.1	105.2	32.0	4.6	128.1	.....	23
12.0	4.5	49.6	73.6	16.5	192.2	22.5	88.6	13.5	22.5	16.5	70.6	10.5	13.5	138.2	160.7	6.0	220.8	6.0	24
33.8	2.0	143.2	208.9	15.9	99.5	17.9	65.6	17.9	9.9	19.9	151.2	15.9	4.0	73.6	83.6	17.9	280.5	.....	25
19.4	4.9	116.4	131.0	14.6	150.4	24.3	53.4	24.3	19.4	4.9	150.4	.....	.....	121.3	87.3	4.9	402.7	29.1	26
.....	.....	31.4	52.3	20.9	256.5	20.9	183.2	5.2	5.2	5.2	31.4	5.2	5.2	83.8	83.8	10.5	104.7	5.2	27
15.0	12.8	68.5	81.3	27.8	186.1	25.7	113.4	12.8	23.5	21.4	74.9	8.6	19.3	94.1	121.9	21.4	203.2	.....	28
5.8	.....	69.7	75.5	23.2	133.6	52.3	168.4	.....	.....	11.6	58.1	.....	17.4	92.9	104.5	.....	238.1	23.2	29
29.3	14.7	212.7	227.3	.....	80.7	14.7	36.7	7.3	29.3	7.3	132.0	14.7	7.3	88.0	154.0	14.7	337.3	.....	30
.....	5.0	19.8	14.9	.....	123.8	5.0	128.8	5.0	.....	5.0	14.9	.....	.....	84.2	34.7	9.9	113.9	34.7	31
10.1	.....	25.2	85.7	15.1	116.0	10.1	100.9	.....	.....	15.1	45.4	5.0	20.2	121.0	75.7	.....	146.3	5.0	32
13.4	.....	40.1	84.7	13.4	160.4	40.1	213.9	4.5	4.5	4.5	89.1	8.9	13.4	129.2	142.6	8.9	169.3	4.5	33
12.4	5.0	62.0	104.1	14.9	121.4	19.8	84.3	14.9	12.4	9.9	66.9	12.4	12.4	104.1	99.1	14.9	255.3	14.9	34
13.0	6.5	133.0	246.5	35.7	155.7	32.4	71.4	9.7	22.7	9.7	236.8	3.2	6.5	81.1	94.1	6.5	509.2	3.2	35
6.8	.....	34.2	54.7	20.5	219.0	6.8	171.1	.....	.....	6.8	54.7	.....	.....	75.3	75.3	.....	102.7	.....	36
31.6	10.5	84.3	94.9	10.5	105.4	10.5	42.2	10.5	5.3	5.3	79.1	.....	10.5	42.2	105.4	10.5	253.0	5.3	37
.....	.....	41.9	48.9	34.9	160.6	14.0	223.4	.....	7.0	.....	41.9	14.0	27.9	118.7	125.7	.....	62.8	.....	38
18.8	4.6	69.4	200.9	22.0	170.0	16.5	90.0	14.0	14.7	15.2	167.0	6.8	9.7	78.8	70.7	16.6	224.1	1.5	39
19.2	4.7	70.0	197.9	20.8	161.8	15.9	89.2	13.7	14.4	15.7	163.7	6.5	9.5	77.0	69.7	17.2	216.2	1.3	40
12.4	3.1	59.8	249.4	42.3	305.0	25.8	103.1	19.6	18.5	7.2	220.5	12.4	13.4	107.2	86.6	7.2	352.4	5.2	41
26.0	17.3	138.4	86.5	43.3	138.4	26.0	112.5	8.7	8.7	17.3	199.0	8.7	.....	138.4	164.4	8.7	259.6	.....	42
11.9	7.9	66.8	118.5	24.7	245.5	20.1	97.6	17.1	15.2	17.8	92.0	12.4	9.8	97.7	109.8	15.4	235.0	2.8	43
11.6	7.9	67.1	117.0	25.2	239.2	19.3	98.1	17.1	15.3	18.4	89.9	12.5	9.7	96.8	109.7	16.0	232.4	2.9	44
18.0	7.2	61.3	147.8	14.4	367.6	36.0	86.5	18.0	14.4	7.2	133.4	10.8	10.8	115.3	111.7	3.6	284.7	.....	45
16.5	.....	60.4	98.8	22.0	236.0	43.9	153.7	5.5	5.5	16.5	115.2	16.5	11.0	104.3	274.4	5.5	241.5	16.5	46
10.7	.....	37.3	64.0	16.0	111.9	21.3	80.0	.....	.....	5.3	64.0	5.3	5.3	95.9	101.3	5.3	127.9	.....	47
30.1	12.0	198.8	210.8	.....	84.3	48.2	42.2	6.0	6.0	6.0	54.2	.....	24.1	78.3	90.4	24.1	210.8	6.0	48
9.1	9.1	99.9	172.5	.....	158.9	18.2	77.2	40.9	22.7	22.7	231.5	27.2	22.7	131.7	213.4	13.6	245.1	.....	49
16.7	9.3	105.0	163.6	21.4	83.6	12.1	71.6	11.2	15.8	16.7	116.2	3.7	14.9	79.0	73.4	27.9	250.9	2.8	50
8.3	7.6	69.4	123.4	30.5	199.2	18.7	136.7	11.1	18.7	7.6	102.7	13.2	9.7	83.3	130.5	16.7	218.6	1.4	51
9.5	14.3	57.2	85.8	23.8	138.2	23.8	95.3	4.8	.....	9.5	95.3	4.8	9.5	143.0	47.7	9.5	185.8	.....	52
5.5	11.1	94.0	138.3	5.5	154.9	11.1	99.6	5.5	16.6	.....	55.3	11.1	16.6	110.6	105.1	.....	248.9	16.6	53
10.5	14.0	31.4	41.9	55.8	185.0	38.4	335.1	.....	3.5	20.9	66.3	3.5	.....	118.7	118.7	7.0	150.1	3.5	54
34.0	4.3	59.5	63.8	8.5	119.0	4.3	204.1	4.3	.....	8.5	63.8	4.3	4.3	174.3	85.0	21.3	131.8	8.5	55
19.6	6.5	84.8	71.7	6.5	136.9	.....	84.8	.....	.....	6.5	52.2	.....	6.5	97.8	71.7	.....	117.4	6.5	56
21.1	7.0	77.2	70.2	7.0	126.3	.....	77.2	.....	.....	.....	56.1	.....	7.0	98.2	77.2	.....	112.3	7.0	57
.....	.....	184.0	92.0	.....	276.0	.....	184.0	.....	.....	92.0	.....	.....	.....	92.0	.....	.....	184.0	.....	58
18.9	.....	56.8	176.6	6.3	50.4	6.3	18.9	12.6	6.3	12.6	94.6	6.3	6.3	88.3	56.8	12.6	214.4	6.3	59
15.0	.....	10.0	85.2	25.1	195.4	10.0	40.1	25.1	25.1	5.0	100.2	30.1	.....	105.2	165.3	20.0	225.5	.....	60
16.4	.....	10.9	76.3	21.8	185.4	10.9	38.2	21.8	27.3	5.5	87.2	32.7	.....	98.1	158.1	21.8	207.2	.....	61
.....	.....	.....	185.4	61.8	309.0	.....	61.8	61.8	.....	.....	247.2	.....	.....	185.4	247.2	.....	432.6	.....	62
55.6	13.9	62.5	125.1	13.9	27.8	13.9	20.8	13.9	13.9	6.9	41.7	.....	.....	27.8	104.2	6.9	271.0	13.9	63
18.9	18.9	42.5	118.1	9.5	127.6	28.4	70.9	4.7	23.6	9.5	85.1	9.5	14.2	118.1	75.6	23.6	241.0	4.7	64
10.2	20.4	45.8	122.2	10.2	127.3	30.5	66.2	5.1	20.4	10.2	81.5	10.2	15.3	117.1	71.3	25.5	229.1	.....	65
131.6	.....	.....	65.8	.....	131.6	.....	131.6	.....	65.8	.....	131.6	.....	.....	131.6	131.6	.....	394.7	65.8	66
.....	15.4	131.3	231.7	15.4	146.7	30.9	100.4	38.6	30.9	7.7	270.3	15.4	23.2	100.4	84.9	23.2	386.1	7.7	67
.....	.....	136.1	190.6	9.1	127.0	36.3	63.5	45.4	36.3	9.1	263.2	9.1	9.1	90.7	90.7	18.1	344.8	9.1	68
.....	103.7	103.7	466.6	51.8	259.2	.....	311.0	.....	.....	.....	311.0	51.8	103.7	155.5	51.8	51.8	622.1	.....	69
39.9	8.0	71.8	126.3	13.3	142.3	23.9	146.2	26.6	19.9	14.6	118.3	13.3	21.3	106.4	190.1	5.3	242.0	9.3	70
31.3	17.9	116.3	98.4	8.9	156.5	17.9	35.8	22.4	.....	31.3	58.1	13.4	26.8	76.0	71.6	13.4	165.5	.....	71
26.9	17.9	119.4	170.2	32.8	101.5	41.8	62.7	38.8	23.9	11.9	164.2	9.0	17.9	92.6	101.5	11.9	298.6	.....	72
17.8	5.9	116.7	142.5	21.8	106.8	9.9	31.7	15.8	15.8	4.0	100.9	5.9	4.0	77.2	47.5	21.8	150.4	.....	73

[8] Rate based on population Apr. 15, 1910, plus 200 annexed in 1911; name changed from South Sharon (incorporated in 1901) in 1912.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	RHODE ISLAND.															
1	Registration cities (total)	1,494.2	9.2	0.2	.....	9.2	4.9	18.2	17.6	10.8	3.7	139.8	15.5	11.9	4.3	90.1
2	White	1,475.1	8.9	0.2	.....	9.2	4.8	17.5	17.9	11.0	3.7	132.8	14.6	11.2	4.4	90.5
3	Colored	2,521.6	22.4	.....	.....	11.2	11.2	56.0	.....	.....	.....	515.5	67.2	44.8	.....	67.2
4	Central Falls	1,116.4	7.9	.....	.....	.....	4.0	35.8	31.8	4.0	.....	75.5	.....	11.9	4.0	75.5
5	Cranston[2]	2,785.6	31.7	.....	.....	19.8	.....	.....	7.9	31.7	.....	404.7	7.9	15.9	23.8	127.0
6	Cumberland town	1,239.7	9.3	.....	.....	.....	.....	.....	9.3	9.3	.....	139.8	18.6	.....	9.3	55.9
7	East Providence town	1,223.2	.....	.....	.....	16.9	.....	62.0	16.9	16.9	5.6	67.6	.....	5.6	5.6	107.1
8	Newport (total)	1,275.7	16.9	.....	.....	.....	.....	6.7	3.4	.....	3.4	67.5	13.5	3.4	.....	94.5
9	White	1,268.0	17.9	.....	.....	.....	.....	7.1	3.6	.....	3.6	64.3	14.3	3.6	.....	96.4
10	Colored	1,406.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	122.3	.....	.....	.....	61.2
11	Pawtucket	1,444.4	10.3	.....	.....	12.0	1.7	15.5	13.8	17.2	5.2	86.0	1.7	10.3	1.7	92.9
12	Providence	1,463.9	8.0	.....	.....	9.2	7.6	16.0	22.0	10.4	3.6	125.6	20.4	11.6	4.0	92.4
13	Warwick town[3]	1,780.4	3.4	3.4	.....	3.4	6.8	23.8	6.8	6.8	3.4	380.6	20.4	30.6	3.4	61.2
14	Woonsocket	1,333.2	4.6	.....	.....	13.8	2.3	25.4	13.8	4.6	6.9	92.3	23.1	11.5	.....	78.4
	SOUTH CAROLINA.[4]															
15	Registration cities (total)	2,908.6	45.9	20.3	.....	0.8	.....	22.6	12.0	28.6	3.0	225.5	6.0	26.3	8.3	77.4
16	White	1,896.8	38.6	5.5	.....	.....	.....	11.0	13.8	20.7	2.8	101.9	5.5	12.4	9.6	97.8
17	Colored	4,124.3	54.6	38.1	.....	1.7	.....	36.4	9.9	38.1	3.3	374.0	6.6	43.0	6.6	53.0
18	Charleston (total)	2,929.2	44.7	38.1	.....	.....	.....	19.9	9.9	34.8	5.0	225.1	6.6	26.5	9.9	64.5
19	White	1,654.1	37.1	6.8	.....	.....	.....	3.4	6.8	16.9	3.4	87.8	3.4	3.4	16.9	87.8
20	Colored	4,155.3	51.9	68.2	.....	.....	.....	35.7	13.0	51.9	6.5	357.1	9.7	48.7	3.2	42.2
21	Columbia * (total)	4,098.9	73.4	8.8	.....	2.9	.....	20.6	8.8	35.2	.....	290.7	8.8	26.4	.....	120.4
22	White	2,940.7	66.7	10.3	.....	.....	.....	15.4	15.4	35.9	.....	133.4	10.3	25.7	.....	154.0
23	Colored	5,647.4	82.3	6.9	.....	6.9	.....	27.4	.....	34.3	.....	500.9	6.9	27.4	.....	75.5
24	Greenville (total)	2,080.1	28.1	5.6	.....	.....	.....	56.2	5.6	5 6	.....	179.9	5.6	22.5	11.2	56.2
25	White	1,291.8	18.2	.....	.....	.....	.....	36.4	9.1	.....	.....	91.0	9.1	18.2	9.1	54.6
26	Colored	3,354.9	44.1	14.7	.....	.....	.....	88.3	.....	14.7	.....	323.7	.....	29.4	14.7	58.9
27	Spartanburg (total)	1,605.2	19.3	.....	.....	.....	.....	4.8	28.9	19.3	4.8	159.1	.....	28.9	14.5	62.7
28	White	1,376.6	16.0	.....	.....	.....	.....	.....	32.0	24.0	8.0	96.0	.....	8.0	8.0	72.0
29	Colored	1,951.5	24.2	.....	.....	.....	.....	12.1	24.2	12.1	.....	254.5	.....	60.6	24.2	48.5
	TENNESSEE.[4]															
30	Registration cities (total)	1,819.0	30.3	34.5	7.7	1.9	2.9	1.9	10.9	30.0	2.4	223.8	6.9	26.3	7.4	74.9
31	White	1,398.3	26.0	16.4	9.2	2.0	4.0	1.6	13.2	18.8	3.2	119.6	6.4	17.6	3.2	78.4
32	Colored	2,649.6	38.7	70.3	4.7	1.6	0.8	2.4	6.3	52.1	0.8	429.6	7.9	43.4	15.8	67.9
33	Chattanooga (total)	1,766.9	22.2	3.4	49.5	1.7	3.4	1.7	5.1	27.3	1.7	187.8	5.1	32.4	10.2	58.0
34	White	1,427.2	22.4	.....	64.5	.....	5.6	2.8	5.6	16.8	2.8	100.9	5.6	19.6	5.6	70.1
35	Colored	2,295.8	21.8	8.7	26.2	4.4	.....	.....	4.4	43.6	.....	323.0	4.4	52.4	17.5	39.3
36	Jackson (total)	1,613.0	50.9	73.6	.....	.....	.....	.....	28.3	34.0	.....	203.7	.....	22.6	11.3	50.9
37	White	1,185.2	51.2	42.6	.....	.....	.....	.....	42.6	17.1	.....	127.9	.....	17.1	17.1	42.6
38	Colored	2,457.5	50.5	134.7	.....	.....	.....	.....	.....	67.3	.....	353.5	.....	33.7	.....	67.3
39	Knoxville (total)	1,668.4	26.1	.....	.....	2.6	.....	5.2	10.4	20.9	5.2	208.9	10.4	26.1	5.2	60.1
40	White	1,458.4	29.5	.....	.....	3.3	.....	.....	13.1	19.7	3.3	177.0	9.8	19.7	6.6	55.7
41	Colored	2,491.3	12.8	.....	.....	.....	.....	25.7	.....	25.7	12.8	333.9	12.8	51.4	.....	77.1
42	Memphis (total)	1,981.3	26.7	73.9	.....	2.7	4.8	0.7	13.0	37.0	1.4	262.1	6.2	22.6	8.9	86.2
43	White	1,394.0	23.8	36.9	.....	3.3	6.5	.....	16.3	19.5	2.2	113.8	4.3	17.3	1.1	91.1
44	Colored	2,987.3	31.6	137.4	.....	1.9	1.9	1.9	7.4	66.8	.....	516.1	9.3	31.6	22.3	78.0
45	Nashville (total)	1,721.9	37.1	6.0	.....	0.9	1.7	2.6	8.6	25.0	3.4	201.8	8.6	28.5	4.3	77.6
46	White	1,398.8	25.0	2.5	.....	1.3	2.5	3.8	8.8	18.8	5.0	111.4	8.8	16.3	1.3	81.4
47	Colored	2,436.3	63.7	13.8	.....	.....	.....	.....	8.3	38.8	.....	401.4	8.3	55.4	11.1	69.2
	TEXAS.[4]															
48	Registration cities (total)	2,503.5	32.7	12.7	20.9	22.2	5.4	19.5	31.3	34.0	3.2	387.7	10.4	20.0	4.5	72.6
49	White	2,471.0	28.9	11.2	22.8	24.9	5.6	20.8	34.5	34.5	3.6	386.8	10.7	19.3	5.1	72.6
50	Colored	2,778.5	64.4	25.8	4.3	.....	4.3	8.6	4.3	30.1	.....	395.1	8.6	25.8	.....	73.0
51	El Paso (total)	3,426.4	45.2	1.7	51.9	66.9	16.7	23.4	78.6	51.9	8.4	597.3	26.8	28.4	8.4	65.2
52	White	3,444.6	44.8	1.7	51.7	69.0	17.2	24.1	81.1	53.5	8.6	589.9	27.6	29.3	8.6	65.5
53	Colored[5]	2,839.6	55.7	.....	55.7	.....	.....	.....	.....	.....	.....	835.2	.....	.....	.....	55.7
54	Galveston (total)	2,178.9	46.3	19.5	7.3	.....	4.9	9.7	17.0	21.9	2.4	141.2	7.3	7.3	.....	121.7
55	White	1,828.9	31.2	9.3	9.3	.....	3.1	6.2	18.7	18.7	3.1	115.3	3.1	3.1	.....	115.3
56	Colored	3,429.5	100.2	55.7	.....	.....	11.1	22.3	11.1	33.4	.....	233.8	22.3	22.3	.....	144.8
57	San Antonio (total)	2,153.3	21.8	15.9	10.0	7.5	.....	20.9	12.6	29.3	0.8	367.5	3.3	20.1	4.2	59.4
58	White	2,135.8	19.6	16.8	11.2	8.4	.....	23.4	14.0	29.0	0.9	358.2	3.7	18.7	4.7	63.6
59	Colored	2,302.3	40.0	8.0	.....	.....	.....	.....	.....	32.0	.....	447.7	.....	32.0	.....	24.0
	UTAH.															
60	Registration cities (total)	1,039.3	6.2	.....	.....	0.7	1.4	6.2	23.6	6.2	6.2	38.2	2.8	9.7	6.2	70.1
61	White	1,022.0	5.7	.....	.....	0.7	1.4	6.4	24.0	5.7	6.4	35.4	2.8	9.9	6.4	70.0
62	Colored	1,969.0	37.9	.....	.....	.....	.....	.....	.....	37.9	.....	189.3	.....	.....	.....	75.7
63	Ogden	1,033.9	3.3	.....	.....	3.3	.....	29.5	9.8	9.8	3.3	32.8	3.3	6.6	3.3	72.2
64	Salt Lake City	1,040.8	7.0	.....	.....	.....	1.8	.....	27.3	5.3	7.0	39.6	2.6	10.6	7.0	69.6

[1] Exclusive of stillbirths. [2] Includes state institutions. [3] Includes West Warwick town; separate estimated populations not available.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
24.3	10.2	97.3	157.7	19.0	169.4	13.3	75.4	11.6	9.0	13.1	122.4	5.1	11.9	89.7	68.7	14.9	238.2	7.8	1
24.6	10.2	96.8	156.3	18.7	164.4	13.3	74.7	11.7	8.9	13.1	121.7	4.8	11.9	89.5	68.9	14.6	236.6	7.7	2
11.2	11.2	123.3	235.3	33.6	437.1	11.2	112.1	11.2	11.2	11.2	156.9	22.4	11.2	100.9	56.0	33.6	325.0	11.2	3
19.9	.....	63.6	103.3	23.8	143.0	19.9	139.0	7.9	.....	4.0	87.4	7.9	7.9	91.4	31.8	11.9	99.3	4.0	4
31.7	19.8	178.6	380.9	35.7	277.8	23.8	19.8	.....	7.9	27.8	158.7	.....	.....	99.2	87.3	4.0	730.1	31.7	5
.....	18.6	111.9	158.5	28.0	93.2	9.3	121.2	.....	.....	.....	102.5	.....	.....	55.9	74.6	.....	186.4	28.0	6
11.3	.....	135.3	135.3	22.5	152.2	.....	50.7	5.6	.....	5.6	124.0	.....	.....	56.4	62.0	22.5	124.0	11.3	7
37.1	3.4	118.1	195.7	13.5	94.5	3.4	33.7	16.9	13.5	10.1	124.9	3.4	10.1	57.4	81.0	13.5	236.2	.....	8
39.3	3.6	121.4	203.6	14.3	92.9	3.6	35.7	17.9	14.3	10.7	121.4	3.6	7.1	50.0	78.6	14.3	225.0	.....	9
.....	.....	61.2	61.2	.....	122.3	.....	.....	.....	.....	.....	183.5	.....	61.2	183.5	122.3	.....	428.1	.....	10
27.5	8.6	72.2	166.8	15.5	166.8	8.6	91.1	17.2	12.0	8.6	123.8	3.4	8.6	106.6	58.5	18.9	257.9	3.4	11
22.8	12.4	101.6	143.2	16.4	166.8	12.8	59.2	13.6	10.0	16.4	128.4	7.2	15.6	90.8	76.4	15.6	216.4	7.6	12
37.4	13.6	74.8	146.1	34.0	193.7	17.0	115.5	3.4	10.2	10.2	112.1	3.4	10.2	78.1	57.8	17.0	292.2	.....	13
20.8	4.6	60.0	122.2	16.1	200.7	23.1	143.0	9.2	6.9	6.9	94.6	2.3	13.8	106.1	48.4	13.8	156.8	6.9	14
12.8	6.0	150.4	212.0	11.3	206.7	22.6	166.9	24.8	18.0	12.0	306.7	9.0	29.3	161.6	126.3	9.8	915.7	30.1	15
17.9	8.3	125.4	143.3	12.4	107.4	13.8	101.9	24.8	16.5	9.6	194.2	8.3	22.0	96.4	92.3	16.5	553.8	12.4	16
6.6	3.3	180.4	294.6	9.9	326.0	33.1	244.9	24.8	19.9	14.9	441.9	9.9	38.1	240.0	167.2	1.7	1,350.5	51.3	17
14.9	3.3	160.5	264.8	11.6	254.9	16.5	185.3	13.2	18.2	9.9	440.2	11.6	31.4	178.7	114.2	6.6	690.1	18.2	18
16.9	6.8	111.4	158.7	6.8	111.4	.....	97.9	13.5	16.9	10.1	300.4	10.1	10.1	74.3	77.6	13.5	344.3	.....	19
13.0	.....	207.8	366.8	16.2	392.8	32.5	269.4	13.0	19.5	9.7	574.6	13.0	51.9	279.2	149.3	.....	1,022.6	35.7	20
23.5	11.7	220.2	199.7	17.6	199.7	26.4	214.3	38.2	20.6	17.6	270.1	11.7	44.0	170.3	149.7	11.7	1,826.3	29.4	21
41.1	10.3	225.8	164.2	25.7	128.3	25.7	133.6	41.1	20.5	.....	169.4	15.4	46.2	128.3	118.0	20.5	1,139.3	15.4	22
.....	13.7	212.7	247.0	6.9	295.1	27.4	315.7	34.3	20.6	41.2	404.9	6.9	41.2	226.4	192.1	.....	2,744.8	48.0	23
.....	.....	95.6	112.4	5.6	163.0	28.1	95.6	28.1	11.2	5.6	151.8	5.6	22.5	168.7	179.9	16.9	573.4	39.4	24
.....	.....	63.7	72.8	9.1	72.8	27.3	63.7	18.2	.....	9.1	100.1	.....	27.3	136.5	100.1	18.2	309.3	18.2	25
.....	.....	147.1	176.6	.....	309.0	29.4	147.1	44.1	29.4	.....	235.4	14.7	14.7	220.7	309.0	14.7	1,000.6	73.6	26
.....	9.6	53.0	163.9	4.8	115.7	28.9	96.4	33.7	19.3	14.5	110.9	.....	4.8	91.6	77.1	9.6	371.2	57.8	27
.....	16.0	56.0	136.1	8.0	96.0	16.0	88.0	32.0	24.0	24.0	64.0	.....	8.0	64.0	80.0	16.0	352.1	32.0	28
.....	.....	48.5	206.1	.....	145.5	48.5	109.1	36.4	12.1	.....	181.8	.....	.....	133.3	72.7	.....	400.0	97.0	29
10.6	5.0	58.9	168.6	17.3	134.1	22.6	41.7	28.7	26.0	10.4	141.8	13.8	13.8	65.0	126.1	17.3	415.8	39.8	30
12.0	4.8	53.6	126.8	13.6	92.0	16.0	41.2	33.2	23.6	8.0	114.0	10.0	11.6	67.6	88.0	21.2	318.0	23.6	31
7.9	5.5	69.5	251.1	24.5	217.2	35.5	42.6	19.7	30.8	15.0	196.6	21.3	18.2	60.0	201.4	9.5	608.9	71.9	32
3.4	5.1	64.9	174.1	41.0	117.8	18.8	29.0	20.5	13.7	6.8	95.6	10.2	8.5	59.8	133.2	8.5	460.9	85.4	33
5.6	2.8	75.7	126.2	25.2	72.9	14.0	42.1	25.2	14.0	8.4	84.1	5.6	8.4	56.1	112.2	8.4	370.1	47.7	34
.....	8.7	48.0	248.8	65.5	187.7	26.2	8.7	13.1	13.1	4.4	113.5	17.5	8.7	65.5	165.9	8.7	602.3	144.0	35
11.3	.....	56.6	113.2	39.6	113.2	5.7	45.3	17.0	11.3	.....	164.1	28.3	5.7	17.0	101.9	5.7	277.3	124.5	36
17.1	.....	34.1	119.4	51.2	76.7	8.5	34.1	17.1	8.5	.....	145.0	.....	8.5	25.6	93.8	8.5	136.4	42.6	37
.....	.....	101.0	101.0	16.8	185.2	.....	67.3	16.8	16.8	.....	202.0	84.2	.....	.....	117.8	.....	555.5	286.1	38
10.4	10.4	75.7	146.2	18.3	101.8	28.7	23.5	23.5	31.3	10.4	117.5	10.4	15.7	60.1	125.3	18.3	420.4	39.2	39
9.8	6.6	68.8	124.5	16.4	91.8	19.7	29.5	26.2	29.5	6.6	98.3	9.8	16.4	52.4	104.9	13.1	353.9	42.6	40
12.8	25.7	102.7	231.2	25.7	141.3	64.2	.....	12.8	38.5	25.7	192.6	12.8	12.8	89.9	205.5	38.5	680.6	25.7	41
11.0	3.4	50.6	145.1	10.3	136.9	24.6	36.3	33.5	27.4	13.7	171.1	14.4	19.8	58.9	161.5	24.6	459.2	32.9	42
10.8	2.2	45.5	111.7	7.6	86.7	17.3	32.5	40.1	19.5	11.9	130.1	11.9	16.3	66.1	92.1	34.7	303.5	17.3	43
11.1	5.6	59.4	202.4	14.9	222.8	37.1	42.7	22.3	40.8	16.7	241.4	18.6	26.0	46.4	280.4	7.4	725.9	59.4	44
13.8	6.0	61.2	211.2	10.3	152.6	22.4	60.4	30.2	31.0	9.5	132.8	13.8	9.5	84.5	81.9	13.8	357.8	12.9	45
16.3	8.8	50.1	146.5	8.8	108.9	15.0	56.4	33.8	32.6	5.0	110.2	11.3	6.3	86.4	65.1	16.3	324.3	10.0	46
8.3	.....	85.8	354.4	13.8	249.2	38.8	69.2	22.1	27.7	19.4	182.7	19.4	16.6	80.3	119.0	8.3	431.9	19.4	47
8.6	15.0	57.2	126.6	47.2	183.4	27.7	303.2	20.0	23.2	17.7	135.7	14.1	16.8	115.8	149.8	36.8	508.4	19.1	48
8.1	15.7	60.4	115.7	50.8	178.7	23.9	323.3	21.3	21.3	18.3	115.7	14.2	14.2	117.8	142.1	38.6	491.4	18.3	49
12.9	8.6	30.1	219.0	17.2	223.3	60.1	133.1	8.6	38.6	12.9	304.9	12.9	38.6	98.8	214.7	21.5	652.8	25.8	50
5.0	13.4	45.2	140.5	87.0	329.6	20.1	496.9	25.1	28.4	31.8	98.7	15.1	11.7	127.2	202.4	46.8	612.3	18.4	51
5.2	13.8	46.6	143.2	89.7	336.4	20.7	507.1	24.1	25.9	32.8	96.6	15.5	12.1	129.4	191.5	44.8	617.5	19.0	52
.....	.....	.....	55.7	.....	111.4	.....	167.0	55.7	111.4	.....	167.0	.....	.....	55.7	556.8	111.4	445.4	.....	53
7.3	17.0	56.0	192.3	9.7	182.6	34.1	87.6	7.3	24.3	14.6	231.3	4.9	21.9	80.3	241.0	36.5	506.4	17.0	54
6.2	21.8	62.3	143.3	9.3	118.4	21.8	81.0	9.3	18.7	15.6	211.9	3.1	9.3	68.5	224.3	37.4	423.7	6.2	55
11.1	.....	33.4	367.4	11.1	412.0	77.9	111.3	.....	44.5	11.1	300.6	11.1	66.8	122.5	300.6	33.4	801.7	55.7	56
10.9	15.1	63.6	97.1	40.2	110.5	29.3	280.5	21.8	20.1	11.7	121.4	16.7	17.6	122.2	92.1	31.8	457.1	20.1	57
10.3	15.0	67.3	92.6	42.1	111.3	26.2	296.4	23.4	19.6	11.2	97.3	16.8	16.8	126.2	90.7	35.5	443.2	21.5	58
16.0	16.0	32.0	135.9	24.0	103.9	56.0	143.9	8.0	24.0	16.0	327.8	16.0	24.0	87.9	103.9	.....	575.6	8.0	59
17.4	4.9	50.0	113.2	11.8	93.0	7.6	15.3	27.8	18.1	9.0	85.4	3.5	13.9	71.5	79.1	20.1	190.9	29.2	60
17.0	5.0	50.2	111.0	12.0	89.8	7.8	14.9	28.3	17.7	7.8	84.2	3.5	13.4	72.1	76.4	18.4	190.3	27.6	61
37.9	.....	37.9	227.2	.....	265.1	.....	37.9	.....	37.9	75.7	151.5	.....	37.9	37.9	227.2	113.6	227.2	113.6	62
13.1	6.6	49.2	137.9	6.6	78.8	9.8	23.0	23.0	32.8	3.3	65.6	6.6	16.4	65.6	82.1	29.5	203.5	3.3	63
18.5	4.4	50.2	106.5	13.2	96.9	7.0	13.2	29.1	14.1	10.6	90.7	2.6	13.2	73.1	78.4	17.6	187.6	36.1	64

[4] Nonregistration state; cities shown below only those with effective local ordinances.

[5] Colored population less than 5 per cent of the total in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	REGISTRATION CITIES—Contd.															
	VERMONT.															
1	Registration cities (total)	1,631.5	35.4				2.1	10.4	16.7	16.7	10.4	135.4	31.3	6.3	4.2	93.8
2	White	1,631.4	35.5				2.1	10.4	16.7	16.7	10.4	135.8	31.3	6.3	4.2	94.0
3	Colored	1,666.7														
4	Barre	1,290.1	75.4				8.4		8.4	16.8		234.6	8.4	8.4	8.4	83.8
5	Burlington	1,847.7	14.0					14.0	18.7	23.3	18.7	112.0	56.0		4.7	107.3
6	Rutland	1,593.3	34.2					13.7	20.5	6.8	6.8	88.9	13.7	13.7		82.1
	VIRGINIA.															
7	Registration cities (total)	1,800.4	17.5	5.3		2.9	0.4	7.1	6.7	21.1	2.4	178.0	9.3	18.0	6.9	74.1
8	White	1,422.6	14.1	1.7		2.7	0.7	4.0	7.0	15.1	3.7	108.1	10.0	14.1	6.4	85.0
9	Colored	2,543.0	24.4	12.5		3.3		13.2	5.9	32.9		315.2	7.9	25.7	7.9	52.6
10	Alexandria (total)	1,667.2	33.8	5.6		5.6		11.3	5.6	45.1		163.3	11.3			62.0
11	White	1,303.7	37.9					7.6		15.2		106.1	15.2			83.4
12	Colored	2,718.7	21.9	21.9		21.9		21.9	21.9	131.6		328.9				
13	Danville (total)	1,832.9	25.2	5.0				5.0	5.0	20.1	5.0	161.1	5.0	25.2	5.0	90.6
14	White	1,456.2	21.4					7.1	7.1	14.3	7.1	107.1	7.1	28.6	7.1	71.4
15	Colored	2,735.0	34.2	17.1						34.2		290.6		17.1		136.8
16	Lynchburg (total)	1,889.8	21.6	6.2				6.2	3.1	18.5		203.8	15.4	21.6	3.1	74.1
17	White	1,431.7	12.6	8.4				4.2	4.2	21.1		147.4	21.1	21.1	4.2	75.8
18	Colored	3,149.2	46.3					11.6		11.6		358.9		23.2		69.5
19	Newport News	1,697.2	19.5	24.4				4.9	4.9	14.6	4.9	175.6		19.5	9.8	58.5
20	White	1,222.0	15.4						7.7	23.1	7.7	69.2		15.4	15.4	61.5
21	Colored	2,522.4	26.7	66.7				13.3				360.3		26.7		53.4
22	Norfolk (total)	1,868.8	27.2	11.4		13.6	1.1	9.1	3.4	14.8	1.1	194.2	4.5	20.4	6.8	70.4
23	White	1,321.9	27.3	5.5		14.6	1.8	7.3	3.6	10.9	1.8	78.3	7.3	18.2	5.5	71.0
24	Colored	2,774.8	27.1	21.1		12.1		12.1	3.0	21.1		386.1		24.1	9.0	69.4
25	Petersburg (total)	2,453.9	19.7	7.9						55.2		264.3		15.8	27.6	78.9
26	White	1,944.3	14.1							49.3		204.3		7.0	28.2	119.8
27	Colored	3,102.6	26.9	17.9						62.8		340.7		26.9	26.9	26.9
28	Portsmouth (total)	1,160.3	13.0	7.8				5.2	5.2	25.9	5.2	111.4	7.8	10.4	7.8	46.6
29	White	847.8	16.2					4.1	8.1		8.1	89.2	12.2	4.1	8.1	48.7
30	Colored	1,712.4	7.2	21.5				7.2		71.6		150.5		21.5	7.2	43.0
31	Richmond (total)	1,888.5	12.3				0.6	6.5	3.9	16.8	2.6	175.2	15.5	20.7	5.8	82.1
32	White	1,587.4	6.1				1.0		5.0	15.1	4.0	109.9	14.1	15.1	4.0	101.9
33	Colored	2,426.2	23.4					18.0	1.8	19.8		291.8	18.0	30.6	9.0	46.8
34	Roanoke (total)	1,464.4	9.5					2.4	35.8	21.5	2.4	138.3	4.8	11.9	2.4	85.9
35	White	1,225.0	6.1					3.0	27.4	15.2	3.0	82.1		9.1	3.0	100.3
36	Colored	2,336.4	22.1						66.4	44.3		343.3	22.1	22.1		33.2
37	Staunton * (total)	2,107.1						43.5		17.4	8.7	252.5	8.7	17.4	8.7	52.2
38	White	2,092.0						33.7			11.2	224.9	11.2	11.2	11.2	56.2
39	Colored	2,158.8						77.1		77.1		347.0		38.6		38.6
	WASHINGTON.															
40	Registration cities † (total)	784.8	6.8	0.1			0.7	3.1	2.0	9.6	2.4	54.9	7.7	7.3	3.1	63.6
41	White	771.5	6.8	0.1			0.7	3.0	2.0	9.5	2.5	52.4	6.2	6.6	3.0	64.4
42	Colored	1,300.5	5.6					5.6		11.2		151.4	67.3	33.6	5.6	33.6
43	Aberdeen †	772.9	5.2							5.2		114.1	5.2			15.6
44	Bellingham †	828.9	12.7						3.2	19.0		75.9	9.5	6.3	6.3	66.4
45	Everett †	826.3	5.9						3.0	8.9	8.9	74.0	5.9			71.1
46	North Yakima	1,123.8	40.3	5.0					5.0	20.2	5.0	126.0	25.2	20.2	5.0	80.6
47	Seattle †	744.8	2.4				0.3	1.5	0.6	6.3	1.5	49.0	8.8	6.6	3.3	61.4
48	Spokane †	814.7	9.8				2.1	10.5	5.6	12.6	3.5	51.1	3.5	7.7	2.8	62.9
49	Tacoma †	792.8	7.4				0.9	0.9	0.9	8.3	2.8	46.3	8.3	12.0	2.8	78.6
50	Walla Walla †	735.4	12.4					4.1		24.8		37.2	4.1		4.1	41.3
	WEST VIRGINIA.[2]															
51	Wheeling (total)	1,538.4	51.0				18.6	2.3	16.2	16.2	2.3	132.3	7.0	18.6	7.0	120.7
52	White	1,530.5	47.8				19.1	2.4	16.7	16.7	2.4	110.0	7.2	19.1	7.2	124.4
53	Colored [3]	1,796.9	156.3									859.4				
	WISCONSIN.															
54	Registration cities (total)	1,167.9	6.8		0.2	3.5	5.4	9.1	15.3	14.0	2.2	85.4	8.7	9.1	6.8	90.1
55	White	1,165.0	6.9		0.2	3.5	5.4	9.1	15.4	14.1	2.2	84.3	8.7	8.9	6.9	90.1
56	Colored	2,061.9										405.0		73.6		73.6
57	Appleton	1,381.4	5.7				5.7		5.7	28.3	5.7	39.6	17.0	11.3	28.3	62.3
58	Ashland	1,742.3	34.5			8.6				8.6	8.6	172.5	34.5	34.5	25.9	112.1
59	Beloit	1,068.4	11.4						22.7	5,7		68.2	5.7		5.7	119.3
60	Eau Claire	1,575.3					5.3	5.3	5.3	37.4	5.3	186.9	16.0	26.7	5.3	160.2
61	Fond du Lac	1,379.0	9.6							9.6		62.7	4.8	14.5	4.8	144.6
62	Green Bay	1,495.3	7.0				17.4	3.5	3.5	13.9	7.0	83.7	7.0	13.9		87.1
63	Janesville	1,219.6				7.0	7.0					91.1	14.0	14.0	28.0	112.1
64	Kenosha †	778.4	6.6						9.9	9.9	3.3	36.3	3.3		6.6	29.7
65	La Crosse	1,281.6	6.3				3.2	3.2	6.3	19.0	3.2	111.0	3.2	22.2	6.3	133.2
66	Madison	1,253.2	3.3			13.3		6.6		16.6		86.4	10.0	13.3	10.0	119.7

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
25.0	6.3	108.3	183.4	27.1	108.3	6.3	58.3	27.1	33.3	12.5	118.8	6.3	6.3	135.4	79.2	12.5	312.5	2.1	1
25.1	6.3	108.6	183.8	27.2	106.5	6.3	58.5	27.2	33.4	12.5	119.1	6.3	6.3	135.8	79.4	12.5	311.2	2.1	2
.....	.....	.....	.....	.....	833.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	833.3	.....	3
25.1	.....	75.4	117.3	16.8	108.9	8.4	58.6	8.4	33.5	25.1	50.3	.....	8.4	67.0	50.3	16.8	167.5	.....	4
4.7	9.3	79.3	228.6	46.7	107.3	9.3	56.0	37.3	42.0	4.7	140.0	14.0	9.3	214.6	74.7	9.3	391.9	.....	5
54.7	6.8	177.8	171.0	6.8	109.4	.....	61.5	27.4	20.5	13.7	143.6	.....	.....	75.2	109.4	13.7	314.6	6.8	6
13.1	11.5	119.4	166.9	19.3	182.9	29.5	79.0	18.2	17.5	13.1	168.7	9.1	16.0	99.4	119.2	15.3	330.7	22.0	7
14.7	9.0	96.1	139.3	10.7	109.8	15.1	48.9	19.4	15.1	11.0	151.3	5.7	14.4	85.4	96.1	20.4	277.2	10.4	8
9.9	16.5	165.2	221.1	36.2	326.4	57.9	138.2	15.8	22.4	17.1	202.7	15.8	19.1	127.0	164.5	5.3	435.7	44.8	9
5.6	16.9	146.4	90.1	39.4	208.4	39.4	90.1	.....	16.9	22.5	208.4	.....	11.3	62.0	118.3	11.3	225.3	11.3	10
.....	7.6	113.7	106.1	22.7	136.4	15.2	91.0	.....	7.6	30.3	181.9	.....	.....	60.6	113.7	15.2	136.4	.....	11
21.9	43.9	241.2	43.9	87.7	416.6	109.6	87.7	.....	43.9	.....	285.0	.....	43.9	65.8	131.6	.....	482.4	43.9	12
10.1	40.3	100.7	146.0	35.2	156.1	10.1	100.7	25.2	25.2	5.0	115.8	20.1	30.2	105.7	80.6	40.3	412.9	20.1	13
14.3	21.4	85.7	92.8	14.3	78.5	14.3	71.4	35.7	14.3	.....	71.4	21.4	35.7	107.1	78.5	57.1	356.9	7.1	14
.....	85.5	136.8	273.5	85.5	341.9	.....	170.9	.....	51.3	17.1	222.2	17.1	17.1	102.6	85.5	.....	547.0	51.3	15
9.3	12.4	129.7	179.1	15.4	151.3	18.5	101.9	18.5	18.5	3.1	126.6	6.2	9.3	120.4	117.3	27.8	426.1	24.7	16
8.4	8.4	109.5	139.0	.....	96.9	12.6	50.5	25.3	12.6	4.2	101.1	.....	8.4	109.5	80.0	29.5	307.4	8.4	17
11.6	23.2	185.2	289.5	57.9	301.0	34.7	243.1	.....	34.7	.....	196.8	23.2	11.6	150.5	220.0	23.2	752.6	69.5	18
19.5	19.5	121.9	209.7	14.6	185.3	14.6	102.4	.....	4.9	4.9	112.2	.....	14.6	107.3	190.2	4.9	224.3	9.8	19
23.1	15.4	92.2	99.9	7.7	146.0	.....	61.5	.....	.....	7.7	130.7	.....	15.4	61.5	176.8	7.7	153.7	7.7	20
13.3	26.7	173.5	400.4	26.7	253.6	40.0	173.5	.....	13.3	.....	80.1	.....	13.3	186.8	213.5	.....	347.0	13.3	21
17.0	9.1	116.9	166.9	12.5	187.3	30.7	84.0	20.4	28.4	15.9	123.8	13.6	11.4	94.2	136.2	25.0	390.6	6.8	22
25.5	7.3	76.5	120.2	7.3	98.3	18.2	36.4	12.7	20.0	20.0	103.8	9.1	7.3	63.7	100.1	34.6	304.1	3.6	23
3.0	12.1	184.0	244.3	21.1	334.8	51.3	162.9	33.2	42.2	9.0	156.8	21.1	18.1	144.8	196.0	9.0	533.8	12.1	24
27.6	7.9	185.4	149.9	23.7	197.3	43.4	149.9	11.8	3.9	31.6	386.6	15.8	31.6	118.4	205.2	27.6	351.1	15.8	25
14.1	14.1	140.9	112.7	21.1	84.5	7.0	56.4	21.1	7.0	7.0	352.2	7.0	21.1	98.6	211.3	49.3	274.7	21.1	26
44.8	.....	242.1	197.3	26.9	340.7	89.7	269.0	.....	.....	62.8	430.4	26.9	44.8	143.5	197.3	.....	448.4	9.0	27
.....	.....	90.7	98.4	15.5	155.4	23.3	80.3	5.2	5.2	10.4	80.3	2.6	10.4	28.5	59.6	2.6	204.6	41.4	28
.....	.....	73.0	89.2	12.2	64.9	12.2	56.8	4.1	8.1	12.2	77.1	.....	12.2	40.6	60.8	4.1	113.6	8.1	29
.....	.....	121.8	114.6	21.5	315.3	43.0	121.8	7.2	.....	7.2	86.0	7.2	7.2	7.2	57.3	.....	365.4	100.3	30
13.6	11.0	130.6	189.4	25.2	199.8	39.4	67.2	23.3	17.5	16.2	204.3	6.5	14.2	110.6	119.0	11.6	316.8	30.4	31
15.1	12.1	118.0	173.5	14.1	126.1	21.2	54.5	25.2	17.1	11.1	196.7	3.0	14.1	96.8	94.8	15.1	289.4	13.1	32
10.8	9.0	153.1	217.9	45.0	331.4	72.0	90.1	19.8	18.0	25.2	217.9	12.6	14.4	135.1	162.1	5.4	365.6	61.2	33
11.9	14.3	57.2	121.6	7.2	133.6	14.3	40.5	23.8	21.5	2.4	121.6	19.1	31.0	124.0	93.0	.....	291.0	21.5	34
15.2	3.0	54.7	103.3	6.1	85.1	9.1	21.3	30.4	24.3	3.0	103.3	15.2	27.4	112.5	63.8	.....	276.6	21.3	35
.....	55.4	66.4	188.2	11.1	310.0	33.2	110.7	.....	11.1	.....	188.2	33.2	44.3	166.1	199.3	.....	343.3	22.1	36
8.7	.....	121.9	339.6	.....	252.5	8.7	17.4	17.4	.....	.....	269.9	.....	8.7	69.7	43.5	8.7	522.4	8.7	37
11.2	.....	78.7	371.2	.....	247.4	.....	11.2	11.2	.....	.....	247.4	.....	11.2	67.5	45.0	11.2	618.6	.....	38
.....	.....	269.9	231.3	.....	269.9	38.6	38.6	38.6	.....	.....	347.0	.....	.....	77.1	38.6	.....	192.8	38.6	39
15.2	4.4	42.2	87.0	5.2	57.3	9.1	10.1	16.0	8.4	8.7	61.6	4.9	7.0	41.1	65.9	23.8	151.7	3.8	40
15.2	3.9	42.4	86.5	5.3	54.7	8.9	9.7	16.0	8.4	8.5	61.9	5.1	7.1	40.3	64.5	23.8	148.2	3.8	41
16.8	22.4	33.6	106.5	.....	157.0	16.8	28.0	16.8	11.2	16.8	50.5	.....	5.6	72.9	117.7	22.4	285.9	5.6	42
5.2	.....	41.5	46.7	5.2	72.6	15.6	25.9	20.8	10.4	5.2	36.3	.....	10.4	31.1	119.3	31.1	150.4	.....	43
31.6	6.3	31.6	94.9	.....	56.9	3.2	19.0	12.7	9.5	3.2	60.1	.....	6.3	41.1	66.4	9.5	167.7	9.5	44
8.9	5.9	59.2	91.8	5.9	32.6	8.9	11.8	23.7	3.0	3.0	74.0	3.0	3.0	41.5	97.7	14.8	159.9	.....	45
5.0	.....	35.3	85.7	15.1	100.8	5.0	20.2	20.2	25.2	15.1	75.6	10.1	5.0	50.4	55.4	10.1	246.9	10.1	46
14.5	5.1	42.0	87.7	3.0	56.8	11.5	7.6	12.7	7.6	7.9	56.5	3.9	8.5	39.9	62.3	29.9	144.2	1.5	47
20.3	2.8	33.6	80.4	6.3	54.5	8.4	13.3	20.3	9.1	11.2	74.1	5.6	4.2	52.5	72.7	21.0	150.4	2.1	48
10.2	4.6	49.0	103.6	6.5	63.8	4.6	5.6	17.6	7.4	9.3	63.8	5.6	7.4	32.4	57.4	18.5	145.2	11.1	49
20.7	4.1	62.0	57.8	20.7	37.2	8.3	12.4	16.5	12.4	16.5	41.3	20.7	8.3	28.9	33.1	16.5	181.8	8.3	50
13.9	18.6	48.7	113.7	9.3	167.1	30.2	67.3	30.2	18.6	27.8	113.7	16.2	7.0	74.3	136.9	13.9	232.0	7.0	51
14.3	19.1	50.2	112.4	9.6	167.4	31.1	69.3	31.1	19.1	28.7	112.4	16.7	7.2	74.1	138.7	14.3	234.4	7.2	52
.....	.....	.....	156.3	.....	156.3	.....	.....	.....	.....	.....	156.3	.....	.....	78.1	78.1	.....	156.3	.....	53
19.1	9.4	62.2	102.2	26.4	129.6	11.9	43.3	22.8	11.8	14.7	71.0	6.0	8.2	78.9	56.8	15.4	220.1	1.4	54
18.9	9.4	62.0	101.6	26.3	129.2	11.9	43.2	22.9	11.6	14.8	70.9	6.0	8.3	78.6	56.9	15.4	220.1	1.3	55
73.6	.....	110.5	294.6	36.8	257.7	.....	73.6	.....	73.6	.....	110.5	.....	.....	184.1	.....	36.8	220.9	36.8	56
11.3	22.6	84.9	147.2	11.3	169.8	11.3	5.7	62.3	11.3	5.7	62.3	17.0	5.7	84.9	90.6	17.0	351.0	.....	57
8.6	17.3	120.8	86.3	17.3	232.9	25.9	25.9	25.9	34.5	25.9	94.9	.....	8.6	77.6	138.0	25.9	336.4	.....	58
17.0	5.7	68.2	125.0	17.0	90.9	22.7	39.8	28.4	.....	17.0	45.5	11.4	5.7	102.3	5.7	11.4	215.9	.....	59
21.4	5.3	112.1	192.2	5.3	149.5	16.0	16.0	42.7	16.0	5.3	106.8	.....	16.0	69.4	48.1	10.7	283.0	5.3	60
28.9	24.1	120.5	120.5	33.8	86.8	4.8	24.1	33.8	28.9	19.3	130.2	4.8	9.6	86.8	38.6	14.5	318.2	.....	61
41.8	10.5	73.2	76.7	17.4	156.9	17.4	69.7	97.6	13.9	17.4	97.6	27.9	20.9	118.5	80.2	7.0	303.3	3.5	62
7.0	.....	56.1	112.1	28.0	112.1	14.0	21.0	14.0	7.0	14.0	105.1	7.0	.....	77.1	70.1	21.0	280.4	.....	63
16.5	13.2	26.4	46.2	6.6	89.1	3.3	39.6	13.2	3.3	9.9	56.1	19.8	6.6	89.1	46.2	6.6	178.1	3.3	64
19.0	3.2	82.5	152.3	22.2	120.6	6.3	6.3	50.8	22.2	22.2	66.6	12.7	6.3	53.9	44.4	15.9	250.6	6.3	65
26.6	13.3	79.8	109.7	13.3	116.3	10.0	10.0	36.6	33.2	10.0	69.8	6.6	13.3	69.8	56.5	13.3	285.9	.....	66

[3] Colored population less than 5 per cent of total in 1910.

[4] Rate based on population Apr. 15, 1910. Decrease since 1900.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM— All causes.[1]	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)	Cancer. 16
	REGISTRATION CITIES—Contd.															
	WISCONSIN—continued.															
1	Manitowoc	1,198.9					7.3			7.3		87.7		43.9	29.2	95.0
2	Marinette	[2] 1,170.4					6.8	6.8	13.7	20.5	6.8	41.1	20.5	20.5	6.8	41.1
3	Milwaukee	1,144.9	5.1			4.2	7.0	12.4	23.1	16.4	1.4	83.6	7.2	5.4	4.9	82.7
4	Oshkosh	1,087.7	11.2							5.6		70.3	11.2	11.2	5.6	123.7
5	Racine	1,160.3	11.0		2.2	4.4	6.6		17.6	4.4		92.3	13.2	2.2	4.4	81.3
6	Sheboygan	1,226.5	14.2		3.5		7.1	28.4	14.2	10.6	3.5	102.8	7.1	14.2	10.6	120.5
7	Superior †	878.9	15.5					17.7	8.8	6.6	8.8	88.3	13.2	8.8	6.6	57.4
8	Wausau	1,006.5				21.3		10.7	5.3	5.3		90.5	5.3	5.3		95.9
	RURAL PART OF REGISTRATION STATES.[3]															
	CALIFORNIA.															
9	Total	1,358.1	11.0	3.5	0.2	6.9	3.4	5.3	7.7	12.5	1.4	173.5	7.9	12.1	4.7	78.3
10	White	1,365.5	11.0	3.4	0.3	6.8	3.5	5.4	8.1	12.9	1.5	169.7	7.7	11.6	4.9	80.8
11	Colored	1,228.2	10.7	6.1		7.7	1.5	4.6		4.6		240.4	10.7	21.4	1.5	35.2
12	Alameda County	2,077.2	20.3			2.9		2.9	5.8	2.9		370.3	20.3	14.5		104.2
13	Alpine County † (total)	[2] 647.2														
14	White	[2] 939.0														
15	Colored															
16	Amador County	[2] 1,331.7	22.0			11.0		44.0		22.0		176.1	11.0			77.0
17	Butte County (total)	1,126.3	36.7	15.3		12.2	6.1	12.2	6.1	15.3		91.8		12.2	6.1	79.6
18	White	1,112.2	29.1	16.2		9.7	6.5	12.9	6.5	16.2		87.3		12.9	6.5	84.1
19	Colored	1,378.5	172.3			57.4						172.3				
20	Calaveras County	[2] 1,068.6	21.8	32.7						10.9		130.8	10.9			65.4
21	Colusa County (total)	1,362.6	75.7				12.6	12.6		50.5		126.2	12.6			63.1
22	White	1,243.0	68.3				13.7			54.6		82.0				68.3
23	Colored	2,809.9	165.3					165.3				661.2	165.3			
24	Contra Costa County (total)	1,001.0	18.0			2.6		5.1	12.9	7.7	2.6	87.5	2.6	2.6	5.1	54.0
25	White	1,033.5	19.1			2.7		5.5	13.6	5.5	2.7	90.0	2.7	2.7	5.5	57.3
26	Colored	456.6								45.7		45.7				
27	Del Norte County † (total)	619.3										41.3				
28	White	635.1										48.9				
29	Colored	533.3														
30	Eldorado County	[2] 1,521.6		13.3				13.3				173.5		13.3		160.2
31	Fresno County (total)	1,119.6	14.5	4.8			8.1	1.6	6.5	11.3	4.8	193.6	6.5	8.1	3.2	66.1
32	White	1,066.0	13.6	5.1			8.5	1.7	6.8	11.9	5.1	168.0	1.7	5.1	3.4	64.5
33	Colored	2,147.0	32.5									683.1	97.6	65.1		97.6
34	Glenn County †	849.7	36.4			24.3			12.1			48.6		12.1	12.1	36.4
35	Humboldt County † (total)	625.2	8.6			12.9		8.6	4.3	8.6		21.6	4.3	21.6		43.1
36	White	658.3	9.3			9.3		9.3	4.6	9.3		18.5	4.6	18.5		46.4
37	Colored	185.1				61.7						61.7		61.7		
38	Inyo County † (total)	515.3										59.9				12.0
39	White	565.6										67.3				13.5
40	Colored	108.8														
41	Kern County †	544.2	9.2	3.1					9.2	3.1		39.7	6.1	9.2		24.5
42	Kings County (total)	1,123.4	15.3	15.3		25.5	5.1	10.2				91.9	5.1	20.4		71.5
43	White	1,073.4	16.1	16.1		26.8	5.4	10.7				64.4	5.4	16.1		69.8
44	Colored	2,103.0										630.9		105.2		105.2
45	Lake County (total)	[2] 1,465.8	18.1			18.1	18.1			18.1		90.5		72.4		36.2
46	White	[2] 1,285.9				19.8	19.8			19.8		59.3		79.1		19.8
47	Colored	[2] 3,397.0	212.3									424.6				212.3
48	Lassen County (total)	1,211.1		20.2		60.6						60.6	20.2			20.2
49	White	1,307.0		22.2		66.5						66.5	22.2			22.2
50	Colored	227.3														
51	Los Angeles County	2,161.3	6.5	0.8	0.8	7.4	5.7	4.1	16.4	20.4	2.5	369.6	10.6	10.6	5.7	151.3
52	Madera County (total)	933.7		10.6				10.6	10.6	21.2		106.1	21.2	10.6	10.6	63.7
53	White	942.7		11.5				11.5	11.5	23.0		92.0	23.0		11.5	69.0
54	Colored	825.3										275.1		137.6		
55	Marin County	930.9	3.3		3.3			10.0	6.6	10.0		103.1	6.6	10.0		96.4
56	Mariposa County † (total)	[2] 834.2										101.1				
57	White	[2] 816.5										81.7				
58	Colored	[2] 1,063.8										354.6				
59	Mendocino County * (total)	1,203.6		3.9		11.6		3.9	3.9	7.8		104.8				42.7
60	White	1,217.7		4.1		12.4		4.1	4.1	8.3		95.3				45.6
61	Colored	992.6										248.1				
62	Merced County	1,192.8	5.5	10.9			10.9	16.4	5.5	5.5	10.9	109.4		10.9		38.3
63	Modoc County † (total)	604.7										29.5		14.7		
64	White	662.1										32.3		16.1		
65	Colored															
66	Mono County † (total)	[2] 293.8														
67	White	[2] 370.1														
68	Colored															
69	Monterey County (total)	1,121.6	11.3			18.8			11.3	15.0		52.5	11.3	26.3	11.3	93.8
70	White	1,127.9	12.3			16.3			12.3	16.3		49.0	8.2	28.6	12.3	94.0
71	Colored	1,050.7				45.7						91.4	45.7			91.4

[1] Exclusive of stillbirths.

[2] Rate based on population Apr. 15, 1910. Decrease since 1900.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
29.2	14.6	80.4	117.0	36.6	73.1	14.6	43.9	21.9	14.6	29.2	58.5	.....	.....	73.1	73.1	14.6	233.9	.....	1
13.7	6.8	68.4	143.7	13.7	136.9	13.7	54.8	13.7	13.7	6.8	102.7	6.8	13.7	143.7	47.9	.....	184.8	.....	2
19.2	8.2	52.8	98.1	32.7	140.9	12.6	57.5	17.5	10.7	15.9	70.6	3.3	7.0	77.6	50.5	16.6	198.6	1.4	3
11.2	.....	84.3	98.4	25.3	81.5	2.8	14.1	19.7	5.6	11.2	56.2	2.8	8.4	87.1	56.2	14.1	269.8	.....	4
11.0	15.4	48.3	112.1	35.2	134.0	11.0	59.3	4.4	2 2	11.0	54.9	8.8	8.8	81.3	96.7	28.6	197.8	.....	5
21.3	14.2	88.6	95.7	24.8	117.0	7.1	35.4	14.2	21.3	17.7	88.6	.....	14.2	70.9	46.1	17.7	195.0	.....	6
17.7	11.0	37.5	61.8	11.0	79.5	11.0	13.2	8.8	4.4	4.4	50.8	4.4	4.4	66.2	72.9	11.0	174.5	2.2	7
16.0	5.3	69.2	95.9	16.0	154.4	21.3	5.3	10.7	5.3	21.3	32.0	10.7	16.0	32.0	58.6	5.3	191.7	.....	8
14.7	6.4	83.6	168.9	15.3	93.9	13.4	32.2	8.9	10.9	12.4	95.7	3.9	7.5	52.2	131.2	30.6	242.9	5.0	9
15.2	5.9	86.4	173.4	15.4	93.7	13.6	30.6	9.0	10.8	12.5	98.3	4.0	7.3	50.9	129.6	30.3	246.3	4.7	10
6.1	15.3	33.7	90.4	12.3	98.0	9.2	61.3	6.1	12.3	10.7	50.5	3.1	12.3	75.0	159.3	35.2	182.2	10.7	11
23.1	5.8	127.3	350.1	14.5	321.1	23.1	37.6	14.5	8.7	34.7	115.7	.....	2.9	40.5	112.8	14.5	286.4	.....	12
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	323.6	.....	.....	.....	323.6	.....	.....	.....	13
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	469.5	.....	.....	.....	469.5	.....	.....	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
22.0	11.0	99.1	132.1	11.0	77.0	33.0	22.0	22.0	11.0	.....	110.1	.....	.....	110.1	143.1	55.0	99.1	11.0	16
9.2	.....	49.0	159.2	15.3	85.7	.....	9.2	9.2	12.2	3.1	76.5	3.1	3.1	33.7	97.9	27.5	238.7	.....	17
9.7	.....	48.5	152.0	16.2	87.3	.....	9.7	9.7	9.7	3.2	80.8	3.2	3.2	32.3	97.0	29.1	232.8	.....	18
.....	.....	57.4	287.2	.....	57.4	.....	.....	.....	57.4	.....	.....	.....	.....	57.4	114.9	.....	344.6	.....	19
.....	.....	119.9	163.6	21.8	43.6	10.9	10.9	10.9	.....	10.9	65.4	.....	.....	10.9	152.7	10.9	152.7	10.9	20
12.6	12.6	63.1	151.4	37.9	164.0	12.6	37.9	.....	.....	12.6	37.9	.....	.....	25.2	151.4	50.5	239.7	.....	21
13.7	13.7	68.3	150.3	41.0	136.6	13.7	41.0	.....	.....	13.7	41.0	.....	.....	27.3	122.9	27.3	245.9	.....	22
.....	.....	.....	165.3	.....	495.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	495.9	330.6	165.3	.....	23
15.4	5.1	41.2	118.4	5.1	66.9	5.1	20.6	5.1	.....	7.7	84.9	5.1	7.7	51.5	175.0	25.7	159.5	.....	24
16.4	5.5	43.6	120.0	5.5	68.2	5.5	21.8	5.5	.....	8.2	90.0	5.5	8.2	49.1	182.7	27.3	163.6	.....	25
.....	.....	.....	91.3	.....	45.7	.....	.....	.....	.....	.....	.....	.....	.....	91.3	45.7	.....	91.3	.....	26
.....	.....	.....	123.9	.....	.....	.....	.....	.....	.....	.....	82.6	.....	41.3	41.3	123.9	.....	123.9	41.3	27
.....	.....	.....	146.6	.....	.....	.....	.....	.....	.....	.....	97.7	.....	.....	48.9	97.7	.....	146.6	48.9	28
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	266.7	.....	266.7	.....	.....	.....	29
.....	.....	26.7	307.0	.....	40.0	53.4	13.3	13.3	.....	.....	160.2	.....	13.3	26.7	146.8	26.7	320.3	.....	30
16.1	3.2	46.8	116.2	6.5	98.4	16.1	50.0	12.9	16.1	16.1	72.6	4.8	12.9	59.7	82.3	24.2	135.5	.....	31
15.3	3.4	47.5	118.8	6.8	86.6	17.0	50.9	13.6	15.3	17.0	71.3	5.1	11.9	59.4	76.4	23.8	130.7	.....	32
32.5	.....	32.5	65.1	.....	325.3	.....	32.5	.....	32.5	.....	97.6	.....	32.5	65.1	195.2	32.5	227.7	.....	33
12.1	.....	60.7	72.8	12.1	85.0	.....	24.3	.....	.....	12.1	12.1	.....	12.1	60.7	97.1	48.6	157.8	.....	34
12.9	4.3	25.9	103.5	8.6	12.9	8.6	4.3	4.3	.....	4.3	43.1	4.3	4.3	25.9	103.5	30.2	81.9	8.6	35
13.9	4.6	27.8	111.3	9.3	13.9	9.3	4.6	4.6	.....	4.6	46.4	4.6	4.6	27.8	111.3	32.4	88.1	9.3	36
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	37
.....	.....	59.9	71.9	12.0	24.0	12.0	12.0	.....	12.0	.....	35.9	.....	12.0	24.0	59.9	.....	83.9	24.0	38
.....	.....	67.3	80.8	13.5	26.9	13.5	.....	.....	13.5	.....	40.4	.....	13.5	26.9	67.3	.....	94.3	26.9	39
.....	.....	.....	.....	.....	.....	.....	108.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	40
3.1	6.1	18.3	39.7	6.1	21.4	6.1	18.3	.....	3.1	6.1	30.6	.....	3.1	42.8	116.2	27.5	88.7	3.1	41
10.2	15.3	56.2	107.2	5.1	66.4	15.3	61.3	10.2	.....	5.1	76.6	5.1	.....	112.3	81.7	20.4	214.5	.....	42
10.7	16.1	53.7	107.3	5.4	69.8	10.7	64.4	10.7	.....	5.4	75.1	5.4	.....	118.1	85.9	16.1	187.8	.....	43
.....	.....	105.2	105.2	.....	.....	105.2	.....	.....	.....	.....	105.2	.....	.....	.....	.....	105.2	736.1	.....	44
18.1	.....	90.5	144.8	54.3	271.4	36.2	18.1	18.1	54.3	.....	54.3	.....	.....	36.2	90.5	.....	307.6	.....	45
19.8	.....	98.9	138.5	19.8	197.8	39.6	19.8	19.8	59.3	.....	59.3	.....	.....	39.6	59.3	.....	296.7	.....	46
.....	.....	.....	212.3	424.6	1,061.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	424.6	.....	424.6	.....	47
20.2	.....	40.4	141.3	.....	141.3	.....	40.4	40.4	20.2	.....	121.1	.....	.....	60.6	222.0	.....	181.7	.....	48
22.2	.....	22.2	155.1	.....	155.1	.....	44.3	44.3	22.2	.....	132.9	.....	.....	66.5	243.7	.....	199.4	.....	49
.....	.....	227.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
25.3	8.2	134.9	278.8	18.8	109.6	19.6	54.0	5.7	14.7	19.6	192.2	4.1	4.9	82.6	140.6	40.1	390.9	4.1	51
.....	10.6	53.1	63.7	.....	31.8	10.6	31.8	.....	21.2	.....	31.8	.....	10.6	63.7	137.9	10.6	191.0	.....	52
.....	11.5	46.0	57.5	.....	34.5	11.5	34.5	.....	23.0	.....	34.5	.....	11.5	57.5	149.5	11.5	206.9	.....	53
.....	.....	137.6	137.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	137.6	.....	.....	.....	.....	54
23.3	10.0	63.2	129.7	10.0	76.5	10.0	13.3	.....	3.3	36.6	36.6	3.3	13.3	29.9	69.8	23.3	129.7	.....	55
25.3	25.3	25.3	75.8	25.3	25.3	25.3	.....	.....	.....	.....	25.3	.....	25.3	.....	278.1	.....	176.9	.....	56
.....	27.2	27.2	81.7	27.2	27.2	27.2	.....	.....	.....	.....	27.2	.....	27.2	.....	299.4	.....	163.3	.....	57
354.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	354.6	.....	58
19.4	3.9	104.8	128.1	7.8	89.3	3.9	23.3	11.6	7.8	19.4	128.1	3.9	7.8	34.9	135.9	23.3	264.0	7.8	59
16.6	4.1	111.8	136.7	4.1	82.8	4.1	24.9	12.4	4.1	20.7	124.3	4.1	8.3	37.3	145.0	24.9	269.2	8.3	60
62.0	.....	.....	.....	62.0	186.1	.....	.....	.....	62.0	.....	186.1	.....	.....	.....	.....	.....	186.1	.....	61
27.4	10.9	82.1	71.1	21.9	82.1	10.9	54.7	.....	10.9	10.9	65.7	10.9	10.9	65.7	158.7	65.7	186.0	21.9	62
14.7	14.7	44.2	103.2	.....	59.0	.....	14.7	.....	14.7	14.7	59.0	.....	.....	29.5	88.5	.....	88.5	14.7	63
16.1	16.1	48.4	113.0	.....	64.6	.....	16.1	.....	16.1	16.1	64.6	.....	.....	32.3	96.9	.....	96.9	16.1	64
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	65
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	244.9	.....	49.0	.....	66
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	308.5	.....	61.7	.....	67
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	68
22.5	.....	120.0	146.3	22.5	90.0	.....	11.3	7.5	3.8	18.8	56.3	7.5	7.5	41.3	97.5	15.0	198.8	3.8	69
24.5	.....	126.7	151.2	24.5	89.9	.....	12.3	8.2	4.1	20.4	53.1	8.2	8.2	36.8	89.9	16.3	204.3	.....	70
.....	.....	45.7	91.4	.....	91.4	.....	.....	.....	.....	.....	91.4	.....	.....	91.4	182.7	.....	137.0	45.7	71

[3] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM— All causes.[1]	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)	Cancer. 16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	CALIFORNIA—continued.															
1	Napa County *	2,554.8				4.6		9.3		4.6		278.2	4.6	23.2	4.6	120.6
2	Nevada County	[3] 1,464.4		6.7		13.4			6.7	13.4		193.9	6.7	6.7		86.9
3	Orange County	1,471.2	19.0			7.1	4.7	2.4	14.2	19.0		172.9	14.2	19.0	7.1	101.9
4	Placer County (total)	1,280.1	10.2	5.1			5.1	10.2		35.8	5.1	256.0	15.4	10.2		51.2
5	White	1,279.2	11.3	5.7			5.7	11.3		39.6	5.7	260.4	17.0	11.3		56.6
6	Colored	1,288.9										214.8				
7	Plumas County (total)	1,237.2								35.9		89.7		35.9		
8	White	1,252.3								40.4		101.0		20.2		
9	Colored	1,118.2												159.7		
10	Riverside County (total)	1,031.6	8.2			8.2				4.1		269.1		16.3	4.1	57.1
11	White	1,092.7	8.7			8.7				4.4		284.1		17.5	4.4	56.8
12	Colored	182.3										60.8				60.8
13	Sacramento County (total)	1,155.1	13.8	6.9								82.5		6.9		41.3
14	White	998.3	8.1									56.4		8.1		48.3
15	Colored	2,072.5	47.1	47.1								235.5				
16	San Benito County	1,218.4				34.2	11.4		22.8	34.2		148.0	11.4	11.4	11.4	34.2
17	San Bernardino County * (total)	1,602.6	4.7				7.1	11.9	4.7			256.0	23.7	16.6	4.7	59.3
18	White	1,646.7	5.0				7.5	12.5	5.0			260.3	25.0	17.5	5.0	60.1
19	Colored	809.7										179.9				45.0
20	San Diego County [4] (total)	1,381.2	11.0			11.0	2.2	4.4	17.7	13.2	2.2	216.2	4.4	6.6	4.4	79.4
21	White	1,425.6	11.9			11.9	2.4	4.8	19.1	14.3	2.4	228.9	4.8	7.2	4.8	83.4
22	Colored	829.4										59.2				29.6
23	San Joaquin County (total)	1,746.3	20.6	4.1		4.1	12.4	4.1	4.1	8.2		383.0	4.1	20.6		82.4
24	White	1,751.9	23.3	4.7		4.7	14.0	4.7	4.7	9.3		349.5	4.7	23.3		79.2
25	Colored	1,703 3										638.8				106.5
26	San Luis Obispo County	1,108.9	4.8	4.8		4.8				4.8		129.6		4.8		43.2
27	San Mateo County	1,054.8				8.8	2.9	8.8	20.5	2.9		111.0	11.7	14.6	8.8	55.5
28	Santa Barbara County † (total)	836.7					5.5	5.5		5.5		66.5	5.5	5.5	5.5	55.4
29	White	827.7						6.0		6.0		71.5	6.0	6.0		59.5
30	Colored	956.2					79.7								79.7	
31	Santa Clara County * (total)	1,906.8	8.6		1.7	13.8	1.7	8.6	5.2	8 6	5.2	228.2	12.1	15.6	15.6	112.4
32	White	1,953.4	9.2		1.8	14.7	1.8	9.2	5.5	9.2	5.5	231.1	11.0	16.5	16.5	117.4
33	Colored	1,142.9										180.5	30.1			30.1
34	Santa Cruz County (total)	1,499.2				6.9	6.9			27.5		185.7	6.9	20.6	6.9	130.7
35	White	1,454.8					7.3			21.8		196.4	7.3	14.5	7.3	138.2
36	Colored	2,269.9				126.1				126.1				126.1		
37	Shasta County (total)	1,153.6	15.2	35.4			5.1	10.1		5.1		116.4		5.1	5.1	60.7
38	White	1,138.8	16.0	31.9			5.3	10.6		5.3		85.1		5.3	5.3	63.9
39	Colored	1,438.8		102.8								719.4				
40	Sierra County †	893.7								48.3		24.2				72.5
41	Siskiyou County † (total)	895.3	15.2	5.1				5.1		40.5		70.8		15.2	15.2	30.3
42	White	926.7	16.4	5.5						43.6		65.4		10.9	16.4	32.7
43	Colored	491.2						70.2				140.4		70.2		
44	Solano County (total)	1,237.5	12.3									123.1		18.5		73.9
45	White	1,299.2	13.7									123.7		13.7		82.5
46	Colored	708.0										118.0		59.0		
47	Sonoma County	1,340.9	7.5			9.3	7.5	3.7	9.3	18.6	3.7	111.9	14.9	9.3	5.6	93.2
48	Stanislaus County	1,226.1	27.2	6.8		10.2		3.4	3.4	13.6		119.2	10.2	6.8		74.9
49	Sutter County (total)	1,097.6	15.2	15.2		15.2		45.7	15.2	15.2		106.7		15.2	15.2	91.5
50	White	1,125.7	15.9	15.9		15.9		47.6	15.9	15.9		111.0		15.9	15.9	95.1
51	Colored	395.3														
52	Tehama County (total)	1,239.8	25.8	8.6		17.2			8.6	8.6		155.0		17.2		60.3
53	White	1,185.9	26.6			17.7			8.9	8.9		123.9		17.7		62.0
54	Colored	3,164.6		316.5								1,265.8				
55	Trinity County (total)	[3] 1,302.6										60.6			30.3	30.3
56	White	[3] 1,309.0										68.9			34.4	34.4
57	Colored	[3] 1,256.3														
58	Tulare County	999.1	6.8	2.3			4.5	2.3	9.0	11.3	2.3	119.3	2.3	9.0	4.5	49.5
59	Tuolumne County	[3] 982.1	10.0							40.1		80.2			10.0	60.1
60	Ventura County (total)	1,408.6	4.9			4.9			9.8	19.6		161.4	19.6	24.5	4.9	58.7
61	White	1,472.8	5.3			5.3			10.6	21.2		158.9	21.2	26.5	5.3	63.6
62	Colored	636.9										191.1				
63	Yolo County (total)	1,497.7	7.1	7.1		28.4		14.2	14.2	21.3		71.0	7.1	14.2	14.2	99.4
64	White	1,555.8	7.9	7.9		23.8		15.9	15.9	23.8		71.4	7.9	15.9	15.9	111.1
65	Colored	1,006.7				67.1						67.1				
66	Yuba County (total)	1,510.4	18.5	18.5					18.5	9.3		101.9	9.3	18.5		74.1
67	White	1,473.0	20.9	10.4					20.9			73.1	10.4	10.4		73.1
68	Colored	1,803.3		82.0						82.0		327.9		82.0		82.0
	COLORADO.															
69	Total	1,042.9	14.9			2.7	8.2	12.2	6.8	15.1	2.9	117.1	3.4	4.6	5.0	41.1
70	White	1,041.6	14.9			2.8	8.3	12.3	6.9	15.1	2.9	115.5	3.5	4.7	4.9	41.1
71	Colored	1,149.6	13.4							13.4		240.6			13.4	40.1
72	Arapahoe County † [5]	897.4	16.8			4.2		8.4	8.4			163.5			8.4	41.9
73	Archuleta County †	712.8										25.5				
74	Baca County †	290.4										29.0				
75	Bent County	1,673.2								65.6		902.2		16.4		

[1] Exclusive of stillbirths. [2] Exclusive of municipalities having a population of 10,000 or over in 1910. [3] Rate based on population Apr. 15, 1910. Decrease since 1900.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
9.3	.....	139.1	440.5	37.1	273.6	18.5	.....	13.9	18.5	23.2	241.1	.....	.....	27.8	153.0	78.8	626.0	4.6	1
13.4	.....	93.6	207.3	6.7	127.0	26.7	.....	20.1	13.4	13.4	73.6	6.7	.....	53.5	147.1	40.1	267.5	20.1	2
9.5	11.8	130.3	142.1	7.1	64.0	21.3	68.7	4.7	21.3	9.5	92.4	2.4	11.8	106.6	109.0	28.4	248.8	.....	3
15.4	.....	87.1	153.6	15.4	97.3	20.5	5.1	10.2	20.5	10.2	87.1	.....	10.2	10.2	148.5	25.6	148.5	10.2	4
17.0	.....	90.6	164.1	17.0	84.9	17.0	5.7	11.3	22.6	11.3	90.6	.....	11.3	5.7	135.8	17.0	152.8	.....	5
.....	.....	53.7	53.7	.....	214.8	53.7	.....	.....	.....	.....	53.7	.....	.....	53.7	268.5	107.4	107.4	107.4	6
17.9	.....	53.8	71.7	71.7	71.7	.....	.....	17.9	.....	.....	17 9	.....	.....	17.9	304.8	89.7	340.7	.....	7
20.2	.....	60.6	80.8	80.8	80.8	.....	.....	20.2	.....	.....	20.2	.....	.....	20.2	323.2	101.0	282.8	.....	8
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	159.7	.....	798.7	.....	9
4.1	8.2	40.8	73.4	.....	73.4	.....	40.8	.....	.....	.....	40.8	4.1	.....	73.4	101.9	48.9	134.6	20.4	10
4.4	8.7	43.7	78.7	.....	78.7	.....	43.7	.....	.....	.....	43.7	4.4	.....	78.7	109.3	52.4	144.2	17.5	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60.8	12
13.8	.....	55.0	144.4	13.8	55.0	6.9	48.1	.....	6.9	13.8	96.3	.....	.....	34.4	336.9	48.1	110.0	20.6	13
16.1	.....	48.3	161.0	8.1	56.4	.....	16.1	.....	8.1	8.1	96.6	.....	.....	24.2	289.8	24.2	96.6	24.2	14
.....	.....	94.2	47.1	47.1	47.1	47.1	235.5	.....	.....	47.1	94.2	.....	.....	94.2	612.3	188.4	188.4	.....	15
22.8	.....	79.7	113.9	22.8	56.9	45.5	22.8	22.8	22.8	11.4	56.9	.....	.....	102.5	56.9	11.4	216.4	34.2	16
7.1	.....	101.9	180.2	14.2	116.2	21.3	54.5	9.5	16.6	11.9	73.5	4.7	11.9	59.3	128.0	19.0	374.6	9.5	17
7.5	.....	100.1	187.7	15.0	120.1	22.5	57.6	10.0	17.5	12.5	77.6	5.0	10.0	60.1	130.1	20.0	385.4	10.0	18
.....	.....	135.0	45.0	.....	45.0	.....	.....	.....	.....	.....	.....	.....	45.0	45.0	90.0	.....	179.9	.....	19
4.4	8.8	70.6	112.5	13.2	57.4	19.9	39.7	11.0	11.0	11.0	66.2	4.4	13.2	59.6	218.4	24.3	262.6	.....	20
4.8	9.5	73.9	119.2	14.3	57.2	21.5	42.9	11.9	9.5	11.9	69.1	4.8	11.9	59.6	212.2	21.5	274.1	.....	21
.....	.....	29.6	29.6	.....	59.2	.....	.....	.....	29.6	.....	29.6	.....	29.6	59.2	296.2	59.2	118.5	.....	22
4.1	37.1	78.3	144.2	28.8	74.1	.....	41.2	12.4	37.1	12.4	280.1	16.5	4.1	53.5	164.7	45.3	160.6	4.1	23
4.7	28.0	83.9	158.4	32.6	74.6	.....	41.9	14.0	37.3	9.3	284.2	18.6	4.7	51.3	167.7	37.3	177.1	4.7	24
.....	106.5	35.5	35.5	.....	71.0	.....	35.5	.....	35.5	35.5	248.4	.....	.....	71.0	141.9	106.5	35.5	.....	25
9.6	.....	52.8	225.6	4.8	134.4	4.8	28.8	.....	4.8	19.2	38.4	.....	.....	14.4	110.4	33.6	225.6	4.8	26
8.8	5.8	67.2	87.7	14.6	99.3	14.6	32.1	5.8	8.8	5.8	73.0	.....	8.8	46.7	137.3	29.2	163.6	.....	27
11.1	5.5	60.9	110.8	33.2	22.2	.....	5.5	5.5	5.5	5.5	27.7	.....	.....	44.3	144.1	11.1	166.2	22.2	28
11.9	6.0	53.6	119.1	29.8	17.9	.....	6.0	6.0	6.0	6.0	29.8	.....	.....	47.6	137.0	6.0	172.7	17.9	29
.....	.....	159.4	.....	79.7	79.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	239.0	79.7	79.7	79.7	30
27.7	12.1	121.0	262.8	29.4	115.8	12.1	43.2	13.8	10.4	15.6	124.5	3.5	12.1	34.6	114.1	34.6	482.3	.....	31
29.3	12.8	126.6	273.3	31.2	121.1	12.8	42.2	12.8	9.2	16.5	130.2	3.7	11.0	29.3	115.6	36.7	489.7	.....	32
.....	.....	30.1	90.2	.....	30.1	.....	60.2	30.1	30.1	.....	30.1	.....	30.1	120.3	90.2	.....	360.9	.....	33
20.6	6.9	68.8	178.8	27.5	75.6	6.9	13.8	.....	.....	13.8	116.9	6.9	20.6	55.0	123.8	48.1	316.3	6.9	34
21.8	7.3	72.7	181.8	14.5	65.5	7.3	7.3	.....	.....	14.5	123.7	7.3	14.5	43.6	109.1	43.6	320.0	7.3	35
.....	.....	.....	126.1	252.2	252.2	.....	126.1	.....	.....	.....	.....	.....	126.1	252.2	378.3	126.1	252.2	.....	36
10.1	5.1	116.4	141.7	.....	116.4	20.2	15.2	5.1	5.1	.....	65.8	.....	5.1	35.4	172.0	35.4	131.6	15.2	37
10.6	.....	122.4	149.0	.....	117.1	16.0	16.0	5.3	5.3	.....	63.9	.....	5.3	37.3	175.6	37.3	133.0	16.0	38
.....	102.8	.....	.....	.....	102.8	102.8	.....	.....	.....	.....	102.8	.....	.....	.....	102.8	.....	102.8	.....	39
24.2	.....	48.3	72.5	.....	48.3	48.3	.....	.....	24.2	.....	24.2	.....	.....	.....	241.5	24.2	193.2	.....	40
10.1	.....	25.3	166.9	5.1	60.7	.....	5.1	30.3	10.1	.....	70.8	15.2	10.1	25.3	141.6	10.1	111.3	.....	41
10.9	.....	21.8	169.0	5.5	65.4	.....	5.5	32.7	10.9	.....	76.3	16.4	10.9	27.3	152.6	10.9	119.9	.....	42
.....	.....	70.2	140.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
.....	.....	153.9	166.2	18.5	61.6	6.2	36.9	12.3	.....	24.6	110.8	.....	18.5	18.5	184.7	30.8	160.1	6.2	44
.....	.....	171.9	171.9	20.6	61.9	6.9	27.5	13.7	.....	27.5	110.0	.....	20.6	20.6	199.4	34.4	171.9	6.9	45
.....	.....	.....	118.0	.....	59.0	.....	118.0	.....	.....	.....	118.0	.....	.....	.....	59.0	.....	59.0	.....	46
24.2	1.9	91.4	218.2	22.4	83.9	13.1	13.1	13.1	18.6	7.5	89.5	3.7	5.6	42.9	80.2	24.2	290.9	1.9	47
13.6	3.4	92.0	143.0	17.0	51.1	20.4	20.4	17.0	13.6	6.8	92.0	13.6	13.6	78.3	153.3	23.8	173.7	3.4	48
15.2	15.2	106.7	182.9	15.2	76.2	.....	15.2	.....	.....	.....	106.7	.....	15.2	45.7	45.7	15.2	91.5	.....	49
15.9	15.9	111.0	190.3	15.9	79.3	.....	.....	.....	.....	.....	111.0	.....	15.9	47.6	47.6	15.9	95.1	.....	50
.....	.....	.....	.....	.....	.....	.....	395.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	103.3	137.8	25.8	94.7	.....	8.6	.....	.....	.....	103.3	.....	.....	34.4	86.1	25.8	318.6	.....	52
.....	.....	106.2	132.8	17.7	79.7	.....	8.9	.....	.....	.....	106.2	.....	.....	35.4	79.7	26.6	327.5	.....	53
.....	.....	.....	316.5	316.5	632.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	316.5	.....	.....	.....	54
30.3	.....	121.2	393.8	.....	30.3	.....	.....	.....	.....	.....	121.2	60.6	.....	30.3	181.8	.....	151.5	60.6	55
34.4	.....	137.8	378.9	.....	34.4	.....	.....	.....	.....	.....	137.8	34.4	.....	34.4	172.2	.....	137.8	68.9	56
.....	.....	.....	502.5	.....	.....	.....	.....	.....	.....	.....	.....	251.3	.....	.....	251.3	.....	251.3	.....	57
6.8	11.3	67.5	99.0	11.3	76.5	6.8	51.8	13.5	4.5	11.3	63.0	2.3	13.5	51.8	72.0	22.5	191.3	.....	58
10.0	.....	20.0	150.3	20.0	140.3	20.0	.....	20.0	10.0	.....	60.1	.....	.....	10.0	110.2	30.1	180.4	.....	59
9.8	19.6	63.6	141.8	19.6	88.0	9.8	68.5	.....	9.8	9.8	107.6	9.8	4.9	88.0	156.5	53.8	225.0	14.7	60
10.6	21.2	68.9	153.6	21.2	90.1	10.6	74.2	.....	10.6	10.6	106.0	10.6	5.3	95.4	153.6	53.0	243.7	15.9	61
.....	.....	.....	.....	.....	63.7	.....	.....	.....	.....	.....	127.4	.....	.....	.....	191.1	63.7	.....	.....	62
35.5	7.1	99.4	191.7	14.2	85.2	21.3	28.4	14.2	7.1	14.2	49.7	7.1	7.1	49.7	220.0	42.6	298.1	7.1	63
39.7	7.9	111.1	214.3	15.9	95.3	23.8	23.8	15.9	7.9	15.9	55.6	7.9	7.9	39.7	190.5	47.6	309.6	7.9	64
.....	.....	.....	.....	.....	.....	.....	67.1	.....	.....	.....	.....	.....	.....	134.2	469.8	.....	201.3	.....	65
.....	.....	37.1	231.7	18.5	120.5	37.1	18.5	9.3	37.1	37.1	148.3	.....	9.3	18.5	148.3	83.4	287.2	.....	66
.....	.....	41.8	219.4	20.9	104.5	41.8	20.9	10.4	41.8	31.3	167.2	.....	10.4	10.4	156.7	94.0	282.1	.....	67
.....	.....	.....	327.9	.....	245.9	.....	.....	.....	.....	82.0	.....	.....	.....	82.0	82.0	.....	327.9	.....	68
9.8	9.2	44.3	82.9	10.4	139.9	20.2	30.8	14.0	9.1	5.5	60.3	7.5	6.7	72.8	103.9	12.5	166.9	2.2	69
9.9	9.2	44.6	82.7	10.2	139.9	20.1	30.7	14.2	9.2	5.5	60.7	7.6	6.6	73.2	102.8	12.5	166.7	2.3	70
.....	13.4	26.7	93.6	26.7	133.7	26.7	40.1	.....	.....	.....	26.7	.....	13.4	40.1	187.1	13.4	187.1	.....	71
8.4	4.2	46.1	67.1	4.2	117.4	21.0	.....	12.6	4.2	.....	62.9	.....	4.2	54.5	75.5	21.0	142.6	.....	72
.....	.....	50.9	76.4	.....	76.4	25.5	50.9	.....	.....	.....	.....	.....	50.9	127.3	50.9	.....	152.7	25.5	73
.....	.....	.....	.....	.....	29.0	.....	.....	.....	.....	29.0	.....	.....	.....	87.1	58.1	.....	58.1	.....	74
.....	16.4	65.6	82.0	.....	114.8	16.4	49.2	16.4	.....	16.4	32.8	16.4	16.4	82.0	98.4	.....	65.6	.....	75

[4] Includes Imperial County; separate estimated populations not available.

[5] Includes Adams County; separate estimated populations not available.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	COLORADO—continued.															
1	Boulder County	1,098.3	8.6				8.6	8.6	2.9	17.2	2.9	103.0	14.3			65.8
2	Chaffee County	1,973.7	101.2							63.3		75.9	25.3	12.7	12.7	113.9
3	Cheyenne County †	372.6						55.9				18.6				37.3
4	Clear Creek County	[3]1,379.7						20.0		40.0		60.0		20.0	20.0	120.0
5	Conejos County †[4]	754.6	5.4			5.4	102.4	26.9		21.6		43.1				10.8
6	Custer County	[3]1,078.6	51.4							51.4		51.4				
7	Delta County †	644.0	11.1						5.6	22.2	11.1	50.0				27.8
8	Dolores County †	[3]623.1														
9	Douglas County †	681.1	31.0									92.9				
10	Eagle County †	[3]636.5	33.5			33.5						33.5			33.5	67.0
11	El Paso County	1,433.8	5.8									577.0	11.7			
12	Elbert County †	676.2						15.4				30.7				15.4
13	Fremont County	1,213.9	25.6				5.1		5.1	5.1		148.5		15.4		82.0
14	Garfield County †	877.9	32.2								8.1	40.3		8.1		64.4
15	Gilpin County †	[3]798.8										24.2				24.2
16	Grand County †	611.7										81.6			40.8	
17	Gunnison County	968.5								16.1		32.3		16.1	48.4	48.4
18	Hinsdale County	[3]2,322.0														
19	Huerfano County	1,401.0	44.0			44.0	12.6	44.0	6.3	6.3	6.3	31.4	6.3	6.3		50.3
20	Jefferson County	1,354.9	23.8				5.9	11.9	5.9			659.6		11.9	5.9	35.7
21	Kiowa County †	49.3														
22	Kit Carson County †	566.3														
23	La Plata County	1,100.4	7.8					15.6		9.4	9.4	75.5				18.9
24	Lake County	[3]2,103.8	9.4					141.5	18.9	7.8	7.8	31.2			15.6	93.7
25	Larimer County †[5]	750.1	8.9							37.7	9.4	9.4			18.9	47.2
26	Las Animas County	983.8	18.8					60.3	7.5	20.8	3.0	56.3	3.0	8.9	5.9	47.4
27	Lincoln County †	538.1	11.7				11.7			26.4		64.1		3.8	11.3	3.8
28	Logan County †	778.3				7.8		7.8		11.7		58.5			11.7	35.1
29	Mesa County †	575.6	3.4					3.4	3.4	3.4	3.4	31.1				46.7
30	Mineral County	[3]1,210.7	80.7									58.6		6.9	6.9	41.4
31	Montezuma County † (total)	857.1						16.5	16.5			33.0				80.7
32	White	917.3						17.6	17.6			35.3				16.5
33	Colored															17.6
34	Montrose County †	878.0	22.5				7.5			45.0		30.0	7.5		7.5	60.0
35	Morgan County	953.2	15.5						15.5	62.0	7.7	209.2	7.7	7.7	7.7	46.5
36	Otero County[6]	1,230.9	28.3			8.1	20.2	16.1	16.1	40.4	4.0	161.4	4.0	12.1		68.6
37	Ouray County	[3]1,109.8	28.5						28.5			85.4				
38	Park County	[3]963.1					80.3					120.4				
39	Phillips County †	721.6	24.9													24.9
40	Pitkin County	[3]941.7	21.9						21.9			21.9				21.9
41	Prowers County †	637.3	8.0						23.9	39.8		95.6		8.0	8.0	8.0
42	Pueblo County *	3,676.6	45.7				11.4		22.8	45.7	11.4	342.5	22.8	22.8		125.6
43	Rio Blanco County †	861.1										112.3				
44	Rio Grande County † (total)	533.7					50.8			12.7		25.4				38.1
45	White	573.5					54.6			13.7		27.3				41.0
46	Colored															
47	Routt County[7]	1,019.0	52.0			10.4		20.8				20.8				10.4
48	Saguache County †	786.9	46.3									46.3				
49	San Juan County	1,626.5	87.1									203.3	29.0			
50	San Miguel County	[3]1,297.9							63.8			21.3				
51	Sedgwick County †	480.5										24.0				24.0
52	Summit County	[3]1,098.4					99.9		49.9	49.9						
53	Teller County	[3]1,769.9					13.9	7.0	27.9		7.0	55.7		7.0		55.7
54	Washington County †	669.2					13.4		13.4			40.1				13.4
55	Weld County †	867.1	2.0				5.9	7.8	9.8	3.9	3.9	62.8	5.9	3.9	7.8	33.4
56	Yuma County †	690.0	9.5			18.9					9.5	56.7				28.4
	CONNECTICUT.															
57	Total	1,485.8	7.9	0.8		5.0	3.9	10.2	12.9	18.1	2.4	143.9	6.8	10.5	8.7	93.2
58	White	1,473.4	7.7	0.8		5.0	4.0	9.5	13.0	18.3	2.4	139.7	6.6	10.1	8.7	93.9
59	Colored	2,735.0	26.6					79.7				557.6	26.6	53.1		26.6
60	Fairfield County	1,525.8	9.2	1.8		7.4	7.4	7.4	16.6	31.4	1.8	252.8	12.9	9.2	5.5	92.2
61	Hartford County	1,464.2	10.3			1.1	1.1	20.7	10.3	5.7	2.3	229.7	8.0	16.1	10.3	54.0
62	Litchfield County	1,408.9	7.3				5.5	9.2	7.3	12.8	3.7	98 9	1.8	5.5	12.8	109.9
63	Middlesex County	1,293.0	4.0	4.0		4.0				31.7		79.3	7.9	7.9		87.3
64	New Haven County	1,541.3	15.6	1.9		13.6	1.9	17.5	17.5	11.7	1.9	81.7	5.8	5.8	7.8	122.6
65	New London County *	1,716.3				8.7	4.4	4.4	6.6	8.7	4.4	109.3	10.9	15.3	8.7	126.8
66	Tolland County	1,251.8						3.6	14.6	40.0	3.6	50.9		10.9	7.3	61.9
67	Windham County	1,537.7	8.5			5.7	11.3		31.2	31.2		87.9	2.8	8.5	11.3	107.8
	INDIANA.															
68	Total	1,220.5	14.3	2.3	0.4	2.1	3.5	5.3	10.5	19.5	3.4	118.1	7.2	12.5	6.1	81.3
69	White	1,208.6	14.3	2.3	0.4	2.2	3.6	5.2	10.4	19.4	3.4	113.7	7.1	11.8	6.2	81.7
70	Colored	2,421.1	16.2	5.4				21.7	16.2	32.5	5.4	557.9	16.2	75.8		43.3

[1] Exclusive of stillbirths.
[2] Exclusive of municipalities having a population of 10,000 or over in 1910.
[3] Rate based on population Apr. 15, 1910. Decrease since 1900.
[4] Includes Alamosa and Costilla Counties; separate estimated populations not available.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22 (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
14.3	8.6	71.5	74.4	11.4	134.4	5.7	17.2	25.7	11.4	5.7	74.4	5.7	8.6	80.1	80.1	20.0	217.4	.....	1
12.7	12.7	63.3	227.7	.....	328.9	12.7	.....	50.6	50.6	25.3	151.8	38.0	12.7	113.9	202.4	12.7	253.0	.....	2
.....	.....	.....	55.9	.....	18.6	.....	.....	.....	18.6	.....	18.6	.....	.....	74.5	18.6	.....	55.9	.....	3
20.0	.....	120.0	160.0	.....	220.0	200.0	.....	20.0	.....	.....	80.0	.....	.....	60.0	60.0	20.0	140.0	.....	4
.....	5.4	10.8	43.1	5.4	134.7	5.4	59.3	10.8	5.4	5.4	21.6	16.2	5.4	80.8	43.1	5.4	80.8	.....	5
.....	.....	102.7	51.4	.....	308.2	.....	51.4	.....	.....	.....	.....	.....	.....	154.1	154.1	.....	102.7	.....	6
11.1	.....	27.8	77.7	11.1	44.4	5.6	27.8	16.7	11.1	.....	38.9	16.7	.....	44.4	44.4	.....	138.8	.....	7
.....	.....	.....	155.8	.....	155.8	.....	.....	.....	.....	.....	.....	.....	.....	155.8	155.8	.....	.....	.....	8
.....	.....	123.8	.....	.....	154.8	61.9	31.0	.....	.....	.....	.....	.....	.....	.....	61.9	.....	123.8	.....	9
33.5	.....	.....	33.5	.....	.....	33.5	.....	.....	.....	.....	.....	.....	.....	67.0	134.0	.....	134.0	.....	10
23.3	.....	46.6	145.7	5.8	116.6	17.5	11.7	5.8	5.8	5.8	81.6	.....	.....	64.1	81.6	.....	227.3	.....	11
15.4	.....	.....	107.6	.....	122.9	.....	.....	.....	30.7	.....	30.7	.....	15.4	92.2	76.8	46.1	61.5	15.4	12
25.6	20.5	61.5	153.7	10.2	204.9	15.4	30.7	15.4	10.2	5.1	41.0	10.2	5.1	56.3	82.0	20.5	153.7	5.1	13
.....	.....	48.3	88.6	.....	64.4	24.2	16.1	48.3	.....	16.1	72.5	.....	8.1	56.4	153.0	16.1	104.7	8.1	14
.....	.....	48.4	.....	.....	169.5	145.2	24.2	.....	.....	.....	96.8	.....	.....	24.2	72.6	24.2	145.2	.....	15
.....	.....	.....	.....	.....	163.1	.....	.....	.....	.....	.....	40.8	.....	.....	40.8	163.1	.....	81.6	.....	16
16.1	.....	16.1	145.3	32.3	96.9	48.4	.....	.....	16.1	.....	32.3	16.1	.....	64.6	129.1	.....	193.7	.....	17
.....	.....	154.8	154.8	.....	309.6	154.8	.....	.....	.....	.....	.....	154.8	.....	309.6	309.6	.....	774.0	.....	18
6.3	.....	12.6	62.8	.....	339.3	6.3	100.5	6.3	6.3	.....	100.5	6.3	6.3	119.4	232.5	25.1	113.1	.....	19
17.8	17.8	59.4	83.2	.....	77.3	17.8	17.8	.....	5.9	5.9	35.7	.....	.....	23.8	71.3	5.9	148.6	5.9	20
.....	.....	24.6	.....	.....	24.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
18.9	9.4	.....	66.1	.....	75.5	9.4	9.4	.....	.....	.....	28.3	.....	.....	47.2	47.2	18.9	113.3	9.4	22
7.8	39.0	23.4	93.7	7.8	148.3	7.8	23.4	54.6	23.4	.....	101.5	7.8	7.8	23.4	117.1	23.4	210.7	.....	23
18.9	18.9	47.2	217.0	113.2	415.1	66.0	28.3	18.9	9.4	47.2	94.3	.....	.....	198.1	188.7	18.9	311.3	.....	24
11.9	.....	41.5	68.2	23.7	83.0	23.7	5.9	11.9	3.0	.....	41.5	5.9	5.9	59.3	80.1	5.9	124.5	.....	25
.....	3.8	15.1	22.6	3.8	165.8	3.8	75.4	3.8	11.3	11.3	49.0	15.1	3.8	90.5	158.3	11.3	139.5	3.8	26
.....	.....	.....	11.7	11.7	11.7	11.7	23.4	.....	.....	.....	46.8	11.7	.....	.....	140.4	11.7	117.0	.....	27
15.6	54.5	38.9	31.1	.....	101.2	23.3	23.3	15.6	.....	.....	23.3	.....	46.7	54.5	101.2	7.8	147.9	.....	28
6.9	.....	37.9	58.6	.....	44.8	17.2	10.3	17.2	6.9	.....	48.3	10.3	6.9	48.3	55.1	6.9	68.9	.....	29
.....	.....	80.7	.....	.....	322.8	.....	80.7	.....	.....	.....	80.7	.....	.....	80.7	80.7	.....	322.8	.....	30
33.0	16.5	65.9	49.4	16.5	115.4	.....	16.5	33.0	.....	.....	65.9	33.0	.....	65.9	82.4	16.5	164.8	.....	31
35.3	17.6	70.6	52.9	17.6	123.5	.....	17.6	35.3	.....	.....	70.6	35.3	.....	70.6	88.2	17.6	176.4	.....	32
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	33
.....	22.5	22.5	112.6	15.0	75.0	22.5	15.0	15.0	22.5	.....	112.6	.....	.....	60.0	45.0	7.5	150.1	.....	34
7.7	.....	38.7	69.7	7.7	62.0	.....	31.0	.....	7.7	.....	54.2	15.5	.....	77.5	77.5	.....	124.0	.....	35
8.1	12.1	84.8	113.0	4.0	121.1	20.2	72.6	16.1	8.1	4.0	56.5	8.1	12.1	92.8	100.9	4.0	113.0	.....	36
.....	.....	.....	113.8	.....	256.1	28.5	28.5	.....	.....	28.5	85.4	.....	.....	.....	199.2	28.5	142.3	56.9	37
.....	.....	80.3	120.4	.....	280.9	.....	40.1	.....	.....	.....	120.4	.....	.....	.....	80.3	.....	40.1	.....	38
.....	.....	124.4	49.8	24.9	49.8	.....	.....	.....	.....	.....	.....	.....	.....	49.8	99.5	.....	273.7	.....	39
43.8	.....	109.5	131.4	.....	65.7	43.8	.....	.....	.....	21.9	175.2	.....	.....	21.9	87.6	43.8	109.5	.....	40
.....	.....	31.9	71.7	.....	39.8	8.0	39.8	.....	.....	.....	23.9	.....	15.9	55.8	79.7	8.0	63.7	8.0	41
22.8	11.4	182.7	194.1	34.3	285.5	22.8	148.4	45.7	45.7	11.4	194.1	.....	11.4	102.8	411.1	57.1	1,244.6	.....	42
.....	.....	37.4	112.3	.....	224.6	.....	37.4	.....	37.4	.....	74.9	37.4	.....	.....	.....	37.4	149.8	.....	43
.....	.....	12.7	38.1	12.7	139.8	.....	12.7	.....	.....	12.7	.....	.....	.....	38.1	25.4	.....	114.4	.....	44
.....	.....	13.7	41.0	13.7	150.2	.....	13.7	.....	.....	13.7	.....	.....	.....	41.0	27.3	.....	122.9	.....	45
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46
20.8	41.6	20.8	52.0	10.4	114.4	41.6	10.4	31.2	.....	31.2	20.8	20.8	10.4	62.4	176.8	10.4	228.8	.....	47
46.3	23.1	23.1	23.1	.....	208.3	23.1	.....	23.1	23.1	.....	46.3	.....	.....	138.9	23.1	.....	92.6	.....	48
.....	.....	.....	145.2	.....	435.7	116.2	29.0	.....	.....	.....	58.1	.....	.....	58.1	232.4	.....	232.4	.....	49
.....	21.3	85.1	63.8	21.3	191.5	85.1	42.6	21.3	.....	21.3	127.7	42.6	.....	85.1	170.2	21.3	212.8	.....	50
.....	24.0	24.0	48.1	.....	72.1	24.0	.....	.....	.....	.....	.....	.....	.....	24.0	120.1	24.0	72.1	.....	51
.....	.....	49.9	99.9	.....	199.7	.....	.....	.....	.....	.....	49.9	.....	.....	49.9	99.9	49.9	299.6	.....	52
7.0	7.0	83.6	55.7	.....	439.0	55.7	55.7	27.9	13.9	13.9	153.3	.....	27.9	160.3	229.9	13.9	243.9	7.0	53
26.8	.....	.....	40.1	.....	66.9	26.8	53.5	.....	.....	.....	53.5	13.4	13.4	40.1	80.3	13.4	160.6	.....	54
2.0	13.7	37.3	74.5	21.6	121.6	9.8	35.3	11.8	15.7	.....	49.0	7.8	.....	80.4	76.5	11.8	149.1	2.0	55
.....	9.5	.....	104.0	18.9	66.2	.....	18.9	.....	.....	9.5	37.8	.....	18.9	104.0	37.8	9.5	122.9	9.5	56
23.4	10.5	136.5	172.5	26.0	131.0	11.8	83.2	3.9	6.0	10.5	107.9	3.4	4.5	76.9	86.4	16.3	246.8	4.2	57
23.3	10.6	135.2	170.0	26.2	129.4	11.9	83.5	4.0	6.1	10.6	106.9	3.4	4.5	76.4	85.1	16.2	246.3	4.0	58
26.6	.....	265.5	424.9	.....	292.1	.....	53.1	.....	.....	.....	212.4	.....	.....	132.8	212.4	26.6	292.1	26.6	59
25.8	3.7	160.5	195.6	29.5	123.6	9.2	68.3	3.7	3.7	1.8	95.9	1.8	3.7	57.2	66.4	12.9	202.9	3.7	60
23.0	16.1	113.7	126.3	24.1	110.2	10.3	137.8	1.1	1.1	16.1	72.3	2.3	2.3	98.8	91.9	20.7	225.1	1.1	61
16.5	11.0	119.1	186.9	22.0	115.4	23.8	49.5	9.2	12.8	3.7	117.3	5.5	.....	73.3	75.1	16.5	269.3	7.3	62
15.9	11.9	162.6	91.2	19.8	119.0	15.9	23.8	7.9	.....	4.0	158.6	.....	7.9	43.6	103.1	23.8	253.8	4.0	63
29.2	13.6	140.1	182.9	25.3	181.0	7.8	81.7	5.8	5.8	7.8	107.0	7.8	11.7	93.4	107.0	17.5	202.4	7.8	64
24.1	6.6	194.6	236.1	28.4	139.9	13.1	50.3	.....	8.7	21.9	155.2	4.4	2.2	43.7	78.7	13.1	380.4	6.6	65
21.8	3.6	101.9	189.2	29.1	145.6	3.6	50.9	.....	10.9	14.6	101.9	.....	7.3	58.2	87.3	14.6	214.7	3.6	66
28.4	11.3	110.6	175.9	31.2	130.5	8.5	136.2	5.7	8.5	11.3	107.8	2.8	5.7	116.3	87.9	8.5	244.0	.....	67
16.6	6.2	98.1	147.5	13.7	101.1	8.7	32.5	7.9	10.2	12.4	101.6	5.3	6.9	63.9	68.3	13.9	217.8	1.1	68
16.7	6.1	97.6	146.0	13.5	100.2	8.4	32.5	8.0	10.2	12.2	100.9	5.3	6.9	64.0	67.5	14.0	215.8	1.1	69
5.4	16.2	151.7	297.9	32.5	195.0	43.3	27.1	5.4	16.2	27.1	178.7	5.4	.....	48.7	146.2	10.8	422.5	.....	70

[5] Includes Jackson County; separate estimated populations not available.
[6] Includes Crowley County; separate estimated populations not available.
[7] Includes Moffat County; separate estimated populations not available.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	INDIANA—continued.															
1	Adams County	[3] 1,066.8	32.1			9.2		4.6	4.6	18.3		119.0		27.5	4.6	119.0
2	Allen County	1,064.2	7.3	3.6				21.8	14.5	14.5	3.6	90.8	7.3	10.9	7.3	83.5
3	Bartholomew County	1,279.7	16.0					4.0		40.1		160.5	8.0	16.0		104.3
4	Benton County †	[3] 851.2									7.9	55.2				23.6
5	Blackford County	[3] 1,043.0	6.3		6.3			6.3	12.6	19.0		82.2	12.6	12.6	6.3	44.2
6	Boone County	[3] 1,110.5	32.4	4.1				4.1	4.1	28.4		113.5	8.1	20.3		68.9
7	Brown County	[3] 915.4							37.6	25.1		75.2				25.1
8	Carroll County	[3] 1,051.8	22.3				11.1	11.1		33.4	5.6	61.2		5.6	11.1	39.0
9	Cass County *	1,828.5	24.1					12.1		12.1	12.1	199.1		18.1	12.1	108.6
10	Clark County (total)	[3] 1,093.3	25.2	5.0					20.2	15.1		95.7	5.0	20.2		55.4
11	White	[3] 1,046.2	26.8						16.1	10.7		35.8	5.4	16.1		59.0
12	Colored	[3] 1,818.2		82.6					82.6	82.6		247.9		82.6		
13	Clay County	[3] 1,118.8	9.2				6.1	3.1	18.4	21.5	6.1	89.1	9.2	12.3	6.1	73.8
14	Clinton County	[3] 1,188.4	11.2				3.7			11.2	3.7	82.5	26.2	22.5	7.5	101.2
15	Crawford County	[3] 1,086.5	33.2				8.3	8.3	8.3	58.1		132.7	8.3	8.3		58.1
16	Daviess County	[3] 1,045.2	18.0				3.6		18.0	14.4		115.3	3.6	3.6	10.8	68.5
17	Dearborn County	[3] 1,196.5				4.7		9.3	4.7	14.0		144.9	4.7	4.7	4.7	79.5
18	Decatur County	[3] 1,213.2	26.6						10.6	10.6	5.3	58.5	5.3	16.0	5.3	58.5
19	Dekalb County	[3] 1,241.3	8.0	4.0		4.0		12.0		47.9	4.0	75.8	8.0	16.0	4.0	135.7
20	Delaware County	1,137.7	14.7		3.7		3.7	11.0	7.4	18.4		77.3	11.0	11.0	7.4	51.5
21	Dubois County	[3] 1,184.3	10.1	5.0		15.1		10.1	20.2	55.4		131.0	15.1	5.0	25.2	65.5
22	Elkhart County	1,143.4	10.1		3.4			6.7		30.4	3.4	54.0	10.1	6.7	6.7	104.7
23	Fayette County	1,362.6	13.4						13.4	20.1	6.7	134.2		6.7		100.7
24	Floyd County	1,495.2								44.4		222.1		14.8	14.8	74.0
25	Fountain County	[3] 1,091.1	9.8	4.9			4.9			9.8		73.4				93.0
26	Franklin County	[3] 1,284.6	13.0					26.1	13.0	13.0		110.9	6.5	13.0	6.5	130.4
27	Fulton County	[3] 1,220.5	17.8				11.8			29.6	11.8	65.2		5.9	5.9	112.6
28	Gibson County	1,190.5	36.5			6.6	6.6		6.6	16.6	9.9	122.7	3.3	9.9	3.3	56.4
29	Grant County [4]	[3] 1,581.1	15.6	3.1				21.8		12.5	6.2	106.0		12.5	9.4	93.6
30	Greene County	937.7	17.0	7.3		2.4		2.4	36.3	17.0	2.4	116.3	7.3	12.1		33.9
31	Hamilton County	[3] 1,195.1	11.1	3.7		7.4	3.7	7.4	11.1	7.4		85.1	7.4	7.4	3.7	77.7
32	Hancock County	[3] 1,119.3				5.3	10.5			15.8		73.6		5.3	5.3	63.1
33	Harrison County	[3] 1,042.9	29.7				4.9			14.8	4.9	153.2	9.9			49.4
34	Hendricks County	[3] 1,213.8	9.6					14.4		24.0	4.8	120.0	14.4	19.2	9.6	96.0
35	Henry County	1,306.6	3.1				6.2	6.2	9.3	18.6	9.3	130.4		12.4	6.2	52.8
36	Howard County	1,092.1	6.5	6.5			13.1	6.5		19.6		85.0	6.5	6.5		71.9
37	Huntington County	1,119.3	16.2							37.9	5.4	102.7	21.6		10.8	124.4
38	Jackson County	[3] 1,193.0	16.2					4.0	12.1	24.3		141.5	4.0	12.1	16.2	109.2
39	Jasper County †	[3] 897.0	15.3	7.7			15.3			15.3		84.3	23.0	7.7		15.3
40	Jay County	[3] 1,101.7	8.0	4.0			8.0		12.0	16.0		96.2		20.0	4.0	104.2
41	Jefferson County *	[3] 1,904.0	19.5						9.8	14.6		229.5	4.9	19.5		117.2
42	Jennings County	[3] 1,358.9	35.2						14.1	21.1		112.7	7.0	35.2	7.0	91.5
43	Johnson County	1,225.5	9.8					19.5	24.4	19.5		107.4	9.8	19.5		29.3
44	Knox County	1,119.3	19.7	7.9			7.9	3.9	15.8	7.9	3.9	90.6	7.9	19.7	7.9	39.4
45	Kosciusko County	[3] 1,109.7	7.2			7.2	3.6	3.6	3.6	7.2		82.3	7.2	10.7	3.6	78.8
46	Lagrange County	[3] 1,267.5	13.2		6.6		6.6		6.6	19.8	6.6	92.4			13.2	112.2
47	Lake County	947.5	8.1	2.7			5.4	5.4	5.4	5.4		131.5	2.7	10.7		53.7
48	Laporte County	1,047.0								12.7		57.1	6.3	6.3		76.1
49	Lawrence County	1,135.4	27.1	12.0			3.0	12.0	27.1	21.1	3.0	150.6	6.0	21.1	3.0	54.2
50	Madison County	[3] 1,103.4	12.6	6.3			6.3	6.3	15.8	18.9	6.3	94.6	15.8	18.9	6.3	97.7
51	Marion County *	1,446.3	3.0					12.1	12.1	12.1	3.0	169.1	21.1	30.2	6.0	63.4
52	Marshall County	[3] 1,170.6	4.1	4.1				8.3	12.4	20.7	4.1	78.6	8.3	12.4		66.2
53	Martin County	[3] 918.9	15.4	7.7					15.4	46.3		131.3	15.4		7.7	15.4
54	Miami County	1,147.8	11.4				5.7		11.4	5.7	5.7	90.9	5.7	5.7	17.0	130.7
55	Monroe County	1,158.7	12.1					4.0	8.1	12.1		129.2	8.1	16.1		88.8
56	Montgomery County	[3] 1,406.3	6.8				13.7	10.2	3.4	51.2	3.4	109.2		13.7	13.7	112.6
57	Morgan County	1,192.0	23.2			4.6	9.3		9.3	18.6	4.6	134.5	9.3	18.6	13.9	60.3
58	Newton County †	807.2	19.0	9.5			9.5	19.0				57.0			19.0	85.5
59	Noble County	1,298.5	12.4						4.1	20.6	4.1	98.9		8.2	12.4	127.8
60	Ohio County	[3] 993.3						23.1		23.1		138.6		23.1		184.8
61	Orange County	1,358.8	28.8	17.3			17.3		11.5	17.3	5.8	224.6	5.8	17.3		80.6
62	Owen County	[3] 1,167.0	14.2				7.1			7.1	7.1	106.7	7.1	7.1		92.5
63	Parke County	[3] 1,229.0	13.5	4.5		9.0				36.0	13.5	243.1	4.5	13.0	4.5	54.0
64	Perry County	[3] 1,100.8	33.2			16.6			27.7	22.1	5.5	154.9		16.6	5.5	55.3
65	Pike County	[3] 1,270.1	30.5	5.1	5.1	20.3	5.1		25.4	15.2	5.1	152.4			5.1	45.7
66	Porter County	1,171.3	4.7						14.1	23.5	9.4	80.0	4.7	4.7		56.4
67	Posey County	[3] 1,075.2	13.8	13.8			4.6		4.6	13.8		138.4	13.8	9.2		60.0
68	Pulaski County	[3] 999.1				7.5			7.5	45.1		30.0	7.5	7.5	15.0	82.6
69	Putnam County	[3] 1,228.1	24.4		4.9		9.7			9.7	4.9	126.7	14.6	4.9		102.3
70	Randolph County	1,226.0					6.8	10.3	10.3	24.0	6.8	109.6	17.1	13.7	6.8	61.6
71	Ripley County	[3] 1,161.8	5.1	5.1				10.3	10.3		5.1	113.1		20.6	5.1	118.2
72	Rush County	[3] 1,245.5	5.2						5.2	10.3	5.2	93.0	10.3	20.7	5.2	113.7
73	St. Joseph County	1,622.1	12.9			6.5			6.5	45.2		174.5	19.4	6.5	6.5	174.5
74	Scott County	1,104.4	12.0						12.0			132.1	12.0		12.0	48.0
75	Shelby County	1,427.8	22.3		3.7	3.7		7.4	14.8	40.8		166.9	11.1	18.5	3.7	74.2
76	Spencer County	[3] 1,064.0	29.0	4.8		4.8		4.8		14.5		140.3		9.7	9.7	58.0
77	Starke County	1,071.6	9.4					18.8		28.2		84.6		9.4		47.0

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR, OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
4.6	4.6	59.5	114.5	13.7	87.0	.....	13.7	4.6	9.2	9.2	114.5	4.6	4.6	54.9	45.8	.....	183.2	.....	1
18.2	3.6	116.2	90.8	7.3	116.2	10.9	18.2	.....	3.6	10.9	112.6	.....	7.3	50.8	83.5	10.9	138.0	.....	2
28.1	4.0	64.2	156.5	4.0	84.2	24.1	24.1	16.0	20.1	20.1	76.2	.....	12.0	56.2	72.2	8.0	260.8	.....	3
7.9	15.8	70.9	134.0	7.9	78.8	7.9	31.5	7.9	7.9	.....	31.5	7.9	.....	63.1	55.2	7.9	228.6	.....	4
6.3	.....	94.8	145.4	.....	151.7	12.6	37.9	.....	6.3	12.6	75.9	6.3	6.3	63.2	50.6	6.3	158.0	.....	5
24.3	16.2	73.0	154.0	8.1	77.0	4.1	8.1	8.1	8.1	8.1	93.2	4.1	4.1	36.5	44.6	16.2	239.1	.....	6
37.6	12.5	62.7	137.9	12.5	75.2	.....	12.5	.....	12.5	.....	100.3	.....	.....	37.6	25.1	.....	225.7	.....	7
16.7	.....	77.9	133.6	.....	116.9	5.6	27.8	5.6	.....	16.7	128.0	16.7	5.6	55.6	44.5	27.8	172.5	.....	8
30.2	.....	223.3	199.1	.....	84.5	18.1	30.2	.....	6.0	24.1	162.9	6.0	6.0	48.3	78.5	48.3	464.7	.....	9
5.0	10.1	60.5	95.7	20.2	105.8	.....	20.2	5.0	10.1	5.0	151.1	.....	.....	70.5	80.6	15.1	196.5	.....	10
5.4	10.7	48.3	91.2	21.5	96.6	.....	21.5	5.4	10.7	5.4	161.0	.....	.....	75.1	85.8	16.1	171.7	.....	11
.....	.....	247.9	165.3	.....	247.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	578.5	.....	12
9.2	9.2	83.0	119.9	15.4	113.7	12.3	15.4	6.1	9.2	15.4	122.9	12.3	12.3	46.1	70.7	3.1	187.5	.....	13
22.5	7.5	146.2	131.2	11.2	101.2	7.5	30.0	18.7	15.0	7.5	67.5	.....	11.2	52.5	71.2	15.0	202.4	.....	14
.....	8.3	49.8	165.9	.....	82.9	8.3	8.3	8.3	8.3	8.3	82.9	.....	8.3	66.4	58.1	16.6	182.5	.....	15
3.6	3.6	50.5	111.7	.....	90.1	10.8	68.5	10.8	10.8	7.2	86.5	3.6	.....	64.9	72.1	.....	194.6	.....	16
14.0	4.7	79.5	154.2	32.7	121.5	.....	37.4	23.4	4.7	23.4	93.5	14.0	9.3	18.7	65.4	23.4	205.6	.....	17
16.0	.....	101.1	138.3	26.6	106.4	.....	21.3	10.6	16.0	16.0	127.7	.....	5.3	85.1	69.2	16.0	260.7	.....	18
23.9	4.0	111.8	175.6	12.0	43.9	4.0	12.0	8.0	12.0	20.0	123.7	4.0	20.0	59.9	35.9	12.0	239.5	.....	19
29.5	14.7	66.3	136.2	11.0	73.6	7.4	44.2	3.7	.....	3.7	88.4	3.7	14.7	62.6	114.1	7.4	235.6	3.7	20
15.1	.....	70.6	131.0	10.1	156.2	10.1	20.2	15.1	10.1	10.1	80.6	5.0	15.1	45.4	50.4	.....	176.4	5.0	21
33.7	6.7	148.4	148.4	20.2	64.1	6.7	3.4	10.1	33.7	6.7	57.3	6.7	6.7	64.1	74.2	10.1	205.7	.....	22
6.7	.....	134.2	167.8	13.4	107.4	.....	26.8	6.7	6.7	6.7	120.8	13.4	.....	67.1	67.1	20.1	302.1	.....	23
.....	.....	118.4	192.5	59.2	59.2	29.6	14.8	.....	.....	59.2	118.4	14.8	.....	14.8	118.4	29.6	296.1	.....	24
4.9	9.8	107.6	146.8	24.5	117.4	4.9	19.6	4.9	4.9	4.9	78.3	.....	.....	53.8	73.4	9.8	230.0	.....	25
13.0	.....	84.8	163.0	6.5	97.8	26.1	19.6	6.5	19.6	6.5	117.4	6.5	.....	65.2	84.8	13.0	221.7	.....	26
17.8	11.8	100.7	160.0	.....	41.5	11.8	29.6	41.5	.....	5.9	112.6	5.9	23.7	47.4	77.0	17.8	254.8	.....	27
16.6	6.6	79.6	92.9	16.6	116.1	19.9	82.9	6.6	13.3	13.3	82.9	3.3	.....	76.3	66.3	3.3	212.2	3.3	28
18.7	12.5	143.4	277.5	15.6	115.4	6.2	9.4	.....	15.6	49.9	106.0	6.2	9.4	68.6	74.8	15.6	355.5	.....	29
4.8	2.4	67.8	89.6	4.8	113.9	12.1	31.5	12.1	14.5	17.0	43.6	.....	4.8	65.4	46.0	14.5	135.7	2.4	30
25.9	11.1	122.1	188.7	33.3	96.2	3.7	25.9	3.7	7.4	14.8	103.6	3.7	14.8	81.4	33.3	18.5	173.9	.....	31
42.0	5.3	99.8	115.6	15.8	126.1	10.5	.....	10.5	5.3	15.8	110.4	5.3	10.5	57.8	63.1	10.5	236.5	.....	32
.....	4.9	84.0	173.0	.....	108.7	.....	34.6	.....	4.9	4.9	64.3	9.9	.....	44.5	44.5	4.9	187.8	.....	33
28.8	4.8	120.0	153.6	9.6	72.0	9.6	33.6	4.8	9.6	.....	96.0	.....	.....	52.8	57.6	28.8	225.5	.....	34
18.6	12.4	99.3	158.3	3.1	108.6	9.3	31.0	.....	12.4	27.9	117.9	9.3	6.2	62.1	46.6	15.5	313.5	.....	35
13.1	.....	130.8	98.1	6.5	150.4	.....	32.7	.....	19.6	19.6	91.6	.....	6.5	65.4	65.4	6.5	163.5	.....	36
21.6	.....	119.0	156.8	10.8	64.9	10.8	.....	.....	5.4	10.8	64.9	5.4	5.4	54.1	54.1	10.8	205.5	.....	37
20.2	4.0	48.5	129.4	4.0	121.3	4.0	68.8	8.1	.....	8.1	48.5	12.1	8.1	64.7	60.7	16.2	226.5	.....	38
23.0	7.7	30.7	115.0	.....	61.3	7.7	23.0	.....	7.7	.....	92.0	.....	.....	92.0	61.3	15.3	176.3	.....	39
8.0	.....	92.1	160.3	16.0	84.1	4.0	16.0	8.0	24.0	12.0	76.1	8.0	4.0	68.1	80.1	12.0	156.2	.....	40
19.5	.....	107.4	273.4	14.6	107.4	4.9	43.9	4.9	9.8	24.4	195.3	9.8	9.8	58.6	68.3	14.6	517.5	4.9	41
14.1	7.0	126.7	176.0	.....	105.6	21.1	28.2	.....	14.1	.....	84.5	14.1	7.0	56.3	77.4	28.2	274.6	.....	42
9.8	4.9	92.8	146.5	14.6	112.3	14.6	19.5	14.6	14.6	9.8	175.8	4.9	4.9	68.4	68.4	.....	209.9	.....	43
11.8	19.7	67.0	78.8	.....	161.6	7.9	35.5	15.8	11.8	7.9	78.8	3.9	11.8	98.5	94.6	3.9	177.3	.....	44
32.2	.....	100.2	146.8	10.7	111.0	14.3	25.1	3.6	3.6	3.6	103.8	.....	7.2	43.0	71.6	10.7	204.0	3.6	45
6.6	.....	171.6	224.5	6.6	52.8	19.8	6.6	19.8	.....	13.2	105.6	13.2	13.2	79.2	72.6	19.8	165.0	.....	46
10.7	.....	42.9	88.6	37.6	77.8	8.1	64.4	.....	16.1	13.4	64.4	.....	5.4	48.3	83.2	8.1	139.6	8.1	47
19.0	12.7	107.9	126.9	31.7	76.1	12.7	38.1	6.3	6.3	.....	158.6	6.3	.....	50.8	63.5	.....	171.3	.....	48
9.0	.....	93.4	135.5	6.0	66.3	9.0	66.3	15.1	12.0	6.0	78.3	6.0	6.0	93.4	39.2	15.1	138.5	.....	49
3.2	9.5	126.1	135.6	6.3	59.9	9.5	31.5	6.3	12.6	6.3	82.0	.....	9.5	59.9	47.3	25.2	167.1	.....	50
24.2	6.0	117.8	169.1	15.1	84.5	6.0	30.2	6.0	15.1	30.2	114.7	3.0	3.0	48.3	99.6	21.1	320.1	.....	51
33.1	4.1	115.8	111.7	20.7	45.5	16.5	37.2	12.4	8.3	8.3	124.1	.....	20.7	70.3	66.2	20.7	227.5	8.3	52
.....	.....	108.1	100.4	15.4	61.8	15.4	30.9	.....	.....	.....	15.4	.....	.....	92.7	69.5	.....	154.4	.....	53
11.4	11.4	108.0	176.1	11.4	85.2	.....	22.7	11.4	11.4	17.0	56.8	5.7	.....	51.1	51.1	22.7	198.9	5.7	54
8.1	.....	52.5	153.4	4.0	181.7	20.2	64.6	8.1	4.0	24.2	68.6	8.1	12.1	52.5	64.6	8.1	141.3	4.0	55
27.3	6.8	136.5	136.5	17.1	95.6	10.2	17.1	17.1	10.2	20.5	133.1	3.4	13.7	58.0	47.8	10.2	307.2	.....	56
9.3	4.6	111.3	148.4	9.3	194.8	4.6	18.6	9.3	18.6	4.6	88.1	.....	.....	46.4	41.7	9.3	167.0	.....	57
19.0	.....	76.0	57.0	.....	57.0	.....	.....	9.5	.....	.....	57.0	.....	.....	47.5	28.5	9.5	227.9	.....	58
20.6	4.1	144.3	177.3	.....	90.7	.....	20.6	.....	12.4	4.1	156.6	4.1	4.1	49.5	74.2	12.4	230.9	4.1	59
.....	.....	23.1	207.9	.....	138.6	.....	23.1	.....	.....	.....	23.1	.....	46.2	46.2	69.3	.....	23.1	.....	60
5.8	5.8	63.3	167.0	40.3	120.9	17.3	34.5	.....	.....	5.8	120.9	11.5	.....	92.1	40.3	17.3	190.0	.....	61
14.2	.....	99.6	192.1	7.1	135.2	7.1	7.1	.....	.....	.....	85.4	14.2	7.1	42.7	92.5	42.7	170.8	.....	62
18.0	.....	85.5	126.0	22.5	108.0	4.5	31.5	4.5	4.5	9.0	72.0	.....	9.0	63.0	54.0	13.5	202.6	.....	63
.....	.....	44.3	99.6	16.6	105.1	5.5	38.7	5.5	.....	11.1	127.2	5.5	11.1	60.8	71.9	5.5	154.9	.....	64
10.2	20.3	66.0	132.1	20.3	101.6	5.1	101.6	10.2	5.1	15.2	91.4	5.1	5.1	96.5	45.7	10.2	213.4	.....	65
23.5	.....	94.1	174.0	9.4	94.1	4.7	47.0	14.1	9.4	4.7	80.0	.....	.....	70.6	188.2	4.7	155.2	.....	66
9.2	13.8	60.0	64.6	18.5	64.6	4.6	64.6	9.2	4.6	13.8	73.8	13.8	4.6	50.8	64.6	4.6	263.0	.....	67
.....	.....	105.2	90.1	30.0	75.1	15.0	52.6	15.0	22.5	7.5	97.7	.....	.....	75.1	52.6	7.5	150.2	.....	68
29.2	.....	141.3	175.4	4.9	112.1	.....	4.9	14.6	9.7	4.9	151.1	9.7	4.9	48.7	48.7	9.7	155.9	.....	69
24.0	13.7	78.8	184.9	13.7	71.9	10.3	20.5	6.8	6.8	13.7	143.8	3.4	10.3	71.9	54.8	13.7	215.7	.....	70
5.1	10.3	51.4	154.2	5.1	92.5	10.3	25.7	10.3	5.1	15.4	97.7	15.4	5.1	36.0	66.8	36.0	226.2	.....	71
20.7	10.3	118.9	175.7	31.0	87.9	5.2	10.3	20.7	10.3	15.5	62.0	15.5	5.2	72.4	67.2	31.0	211.9	5.2	72
32.3	6.5	135.7	219.7	25.8	96.9	12.9	25.8	.....	25.8	.....	142.2	6.5	.....	64.6	103.4	25.8	239.1	6.5	73
.....	.....	72.0	144.1	12.0	144.1	.....	36.0	12.0	.....	.....	60.0	12.0	.....	96.0	60.0	.....	228.1	.....	74
11.1	7.4	152.1	155.8	11.1	111.3	11.1	29.7	18.5	3.7	11.1	140.9	11.1	3.7	66.8	55.6	11.1	248.5	.....	75
9.7	4.8	43.5	77.4	29.0	87.1	.....	43.5	.....	4.8	24.2	72.5	4.8	19.3	43.5	43.5	9.7	270.8	.....	76
9.4	.....	94.0	75.2	.....	103.4	9.4	37.6	9.4	.....	37.6	122.2	18.8	18.8	56.4	103.4	28.2	150.4	.....	77

[3] Rate based on population Apr. 15, 1910. Decrease since 1900.

[4] Includes National Military Home.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	INDIANA—continued.															
1	Steuben County	[3] 1,247.0	14.0			14.0				21.0		98.1		7.0	7.0	126.1
2	Sullivan County	1,007.5	16.7		2.8	5.6	16.7	2.8	19.5		5.6	106.1	8.4	11.2	5.6	58.6
3	Switzerland County	[3] 1,200.3										121.0				70.6
4	Tippecanoe County	1,521.9		5.1			5.1		15.2	25.4	5.1	111.6	5.1	15.2	15.2	111.6
5	Tipton County	[3] 1,202.8	5.7			5.7		5.7	11.5		5.7	114.6	5.7	17.2	17.2	108.8
6	Union County	[3] 1,373.8							16.0	16.0		143.8		31.9		159.7
7	Vanderburg County*	3,640.6	49.4	12.3		24.7	12.3		49.4	61.7	37.0	703.4	24.7	37.0	12.3	209.8
8	Vermilion County	1,377.0						9.6	43.3	24.1		110.7	19.3	14.4	24.1	53.0
9	Vigo County	1,035.9	10.9	5.4		2.7			48.9	8.2	2.7	89.7		2.7	5.4	54.4
10	Wabash County	[3] 1,158.7	7.4			3.7			3.7	14.9	3.7	104.0	11.1	18.6		89.1
11	Warren County	[3] 1,101.0	36.7									91.8	18.4		9.2	64.2
12	Warrick County	[3] 1,045.1	18.3	9.1			4.6		9.1	36.5		127.8		27.4	18.3	45.6
13	Washington County	[3] 1,100.6	17.2			5.7	5.7		5.7	34.4		137.6	11.5		5.7	74.5
14	Wayne County*	1,784.5	9.1				9.1	9.1	4.6	9.1	9.1	100.2	4.6	18.2	4.6	113.8
15	Wells County	[3] 914.4	4.5					17.8		8.9	8.9	93.7	4.5	4.5	13.4	66.9
16	White County	[3] 1,011.2	28.4	5.7			5.7	5.7	5.7			85.2	5.7			107.9
17	Whitley County	[3] 1,172.2	11.8	5.9		5.9	5.9	17.8				94.7	5.9	5.9		148.0
	KANSAS.															
18	Total	937.1	8.3	1.2	0.5	4.1	1.7	9.8	11.8	25.0	2.5	39.0	1.4	5.0	5.8	58.0
19	White	918.9	8.0	1.1	0.5	4.1	1.8	9.3	11.8	24.7	2.5	35.4	1.5	4.4	5.8	57.5
20	Colored	1,941.9	23.2	7.7				38.6	11.6	38.6		235.5		38.6	3.9	84.9
21	Allen County†	817.4	21.9			6.3		6.3	15.7	15.7	3.1	47.0	6.3	9.4	3.1	59.5
22	Anderson County	[3] 1,106.4					7.2	14.5	7.2	57.8		43.4			7.2	86.8
23	Atchison County†	[3] 650.8	25.7	8.6				17.1	8.6	17.1		17.1		8.6		
24	Barber County†	711.4	8.6						42.9	25.7		34.3		8.6		25.7
25	Barton County	973.4				5.0		10.0	15.0	44.9	5.0	30.0				59.9
26	Bourbon County†	[3] 723.6	7.4	7.4		7.4		7.4	7.4	22.2	7.4	22.2				44.3
27	Brown County†	[3] 891.4	4.7			4.7	4.7	28.2	14.1	18.8		42.2		4.7	14.1	75.1
28	Butler County†	[3] 863.0				8.7	4.3		4.3	17.3		34.7		13.0		39.0
29	Chase County	[3] 1,142.6				13.3		26.6		13.3		119.6	13.3		13.3	79.7
30	Chautauqua County	[3] 1,076.2							26.2	8.7		52.5			17.5	70.0
31	Cherokee County	[3] 1,194.9	23.6		5.2	5.2		26.2	39.3	47.2		104.8		7.9	5.2	49.8
32	Cheyenne County†	667.2						19.6	19.6							58.9
33	Clark County†	466.9							18.7			18.7				18.7
34	Clay County	[3] 963.9	6.6					6.6		45.9	6.6	52.5		6.6	26.2	45.9
35	Cloud County	943.1				5.4			10.8	16.2		32.3			10.8	113.2
36	Coffey County	[3] 966.8	13.2					26.3		52.6	6.6	19.7			6.6	92.1
37	Comanche County†	721.7										24.1				24.1
38	Cowley County	1,038.3	9.2			12.3	6.1	12.3	9.2	33.7	6.1	52.1		12.3	3.1	67.4
39	Crawford County	1,105.5	19.8	2.5		12.4	2.5	24.8	27.3	29.7		42.1		5.0	5.0	49.6
40	Decatur County†	[3] 779.9	11.1						11.1	11.1		11.1		11.1		55.7
41	Dickinson County	937.6	3.9	3.9	7.8			11.7	7.8	15.6		31.1		3.9	3.9	46.7
42	Doniphan County	[3] 1,067.8	6.9	6.9				6.9	27.7	6.9		55.5				48.5
43	Douglas County†	[3] 720.6							8.1	48.6		8.1				48.6
44	Edwards County†	681.8	11.4					22.7	11.4	11.4		68.2				34.1
45	Elk County	[3] 938.0	9.9						19.7	19.7		39.5		9.9		59.2
46	Ellis County†	840.5				14.2	7.1	21.4	7.1	14.2	7.1	14.2				42.7
47	Ellsworth County	1,002.3							9.2	9.2		18.4				101.1
48	Finney County†	814.0	11.5					22.9		11.5		80.3			11.5	57.3
49	Ford County	992.9	34.5	6.9			6.9	34.5	6.9	13.8		48.3	6.9	6.9		41.4
50	Franklin County	[3] 1,331.2	19.2					23.9	14.4	43.1		43.1		9.6	14.4	95.8
51	Geary County†	722.5								29.2	7.3	36.5		7.3	7.3	94.9
52	Gove County†	427.9						12.6		25.2		25.2				12.6
53	Graham County† (total)	700.8	28.4			9.5	9.5	9.5		28.4		18.9			9.5	28.4
54	White	654.6	30.2			10.1	10.1	10.1		30.2		20.1			10.1	20.1
55	Colored	1,428.6														158.7
56	Grant County†	695.9									139.2					
57	Gray County†	487.7						24.4	24.4	24.4						
58	Greeley County†	112.4														
59	Greenwood County†	[3] 821.9	12.5					12.5	31.1	18.7		49.8	6.2		18.7	68.5
60	Hamilton County†	593.6	22.8			22.8	22.8			22.8		91.3				
61	Harper County†	725.7	11.7							41.0		17.6	11.7			46.8
62	Harvey County	1,092.3	5.0				5.0	15.0		24.9		29.9	5.0	10.0		99.8
63	Haskell County	941.2								156.9						
64	Hodgeman County†	646.1								29.4		29.4				88.1
65	Jackson County	[3] 1,014.2	5.9					5.9	5.9	29.7	5.9	53.4		11.9		71.2
66	Jefferson County	[3] 1,162.6					6.3	6.3	6.3	56.9		31.6	6.3	19.0	12.6	63.2
67	Jewell County†	[3] 727.4	22.0			11.0						22.0				71.6
68	Johnson County	1,092.5	21.8					16.3	10.9	32.6	5.4	32.6				65.3
69	Kearny County†	510.3	23.2								23.2	23.2		23.2		46.4
70	Kingman County†	694.9	6.7				6.7		13.5			33.7		6.7		47.2
71	Kiowa County†	806.6	24.4						12.2	61.1		24.4			12.2	24.4
72	Labette County	1,168.7	16.2	10.8				10.8	16.2	26.9		70.0		10.8	5.4	102.3
73	Lane County†	634.7			31.7				31.7	31.7	31.7					

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
21.0	.....	112.1	231.2	14.0	49.0	28.0	7.0	.....	7.0	.....	105.1	7.0	.....	49.0	42.0	42.0	238.2	7.0	1
11.2	16.7	72.6	100.5	14.0	94.9	5.6	30.7	2.8	16.7	11.2	72.6	2.8	5.6	117.2	58.6	2.8	108.8	2.8	2
10.1	.....	90.8	322.8	20.2	70.6	.....	40.3	.....	.....	10.1	111.0	.....	10.1	40.3	90.8	.....	191.6	.....	3
10.1	5.1	208.0	228.3	15.2	81.2	15.2	20.3	5.1	15.2	5.1	137.0	.....	.....	65.9	91.3	10.1	294.2	.....	4
17.2	.....	51.5	120.3	40.1	85.9	22.9	45.8	.....	11.5	28.6	91.6	.....	5.7	85.9	51.5	17.2	223.4	5.7	5
.....	.....	127.8	255.6	.....	31.9	16.0	.....	.....	31.9	16.0	79.9	16.0	.....	79.9	111.8	.....	239.6	.....	6
12.3	12.3	197.5	320.9	24.7	246.8	.....	172.8	.....	12.3	24.7	234.5	12.3	12.3	160.4	111.1	24.7	826.9	.....	7
24.1	9.6	86.7	139.6	4.8	154.1	.....	91.5	14.4	4.8	14.4	96.3	9.6	19.3	67.4	149.3	9.6	178.1	4.8	8
19.0	5.4	46.2	108.8	2.7	122.3	5.4	76.1	5.4	2.7	10.9	70.7	8.2	2.7	95.2	78.8	16.3	127.8	.....	9
15.0	.....	100.3	133.7	14.9	81.7	11.1	29.7	14.9	3.7	7.4	148.6	11.1	3.7	33.4	89.1	22.3	182.0	.....	10
.....	9.2	91.8	192.7	45.9	100.9	9.2	27.5	.....	36.7	9.2	64.2	9.2	.....	27.5	55.1	9.2	192.7	.....	11
4.6	.....	50.2	95.8	31.9	118.7	4.6	22.8	9.1	9.1	.....	127.8	.....	9.1	63.9	54.8	13.7	132.4	.....	12
22.9	63.1	97.4	120.4	17.2	91.7	11.5	11.5	.....	17.2	.....	97.4	.....	.....	45.9	63.1	.....	143.3	.....	13
45.5	4.6	177.5	173.0	13.7	159.3	9.1	18.2	18.2	18.2	18.2	145.7	4.6	13.7	77.4	109.3	22.8	464.3	.....	14
13.4	.....	89.2	89.2	.....	116.0	4.5	8.9	4.5	8.9	.....	98.1	.....	.....	58.0	26.8	13.4	160.6	.....	15
28.4	.....	68.2	96.6	28.4	90.9	11.4	17.0	5.7	17.0	22.7	107.9	.....	5.7	45.4	34.1	34.1	147.7	.....	16
29.6	.....	136.2	171.7	5.9	41.4	.....	5.9	11.8	11.8	11.8	106.6	.....	5.9	82.9	65.1	23.7	153.9	5.9	17
15.4	4.4	66.9	99.4	10.7	74.6	11.8	22.7	8.1	9.5	6.7	63.6	4.3	7.3	58.5	60.5	9.8	210.8	18.1	18
15.2	4.3	66.0	97.3	10.4	73.0	11.6	22.6	8.1	9.5	6.6	62.4	4.3	7.3	58.4	58.4	10.0	207.8	17.4	19
23.2	7.7	115.8	216.2	30.9	158.3	27.0	27.0	7.7	11.6	15.4	131.3	.....	7.7	61.8	177.6	3.9	378.3	57.9	20
12.5	9.4	65.8	75.2	9.4	68.9	6.3	15.7	6.3	6.3	9.4	68.9	.....	6.3	28.2	28.2	.....	197.3	9.4	21
14.5	7.2	65.1	173.5	.....	65.1	7.2	21.7	14.5	.....	21.7	65.1	.....	.....	43.4	94.0	.....	282.0	7.2	22
17.1	.....	77.1	25.7	8.6	94.2	8.6	.....	.....	8.6	8.6	42.8	.....	.....	51.4	59.9	8.6	128.4	8.6	23
8.6	.....	8.6	42.9	17.1	51.4	.....	8.6	8.6	.....	.....	25.7	.....	25.7	68.6	94.3	25.7	154.3	25.7	24
15.0	.....	49.9	59.9	5.0	49.9	5.0	34.9	15.0	39.9	5.0	74.9	.....	10.0	89.9	129.8	10.0	194.7	15.0	25
.....	.....	29.5	66.5	.....	88.6	7.4	14.8	14.8	.....	.....	44.3	.....	.....	51.7	51.7	14.8	206.7	.....	26
4.7	14.1	65.7	84.5	14.1	75.1	.....	14.1	.....	14.1	9.4	84.5	.....	4.7	37.5	23.5	9.4	211.1	14.1	27
26.0	4.3	73.7	117.1	8.7	65.1	17.3	30.4	.....	21.7	4.3	60.7	.....	4.3	34.7	47.7	8.7	199.5	17.3	28
26.6	.....	39.9	66.4	.....	119.6	39.9	26.6	.....	13.3	.....	26.6	13.3	13.3	119.6	146.1	39.9	146.1	26.6	29
17.5	.....	43.7	96.2	26.2	35.0	17.5	70.0	.....	17.5	35.0	61.2	8.7	17.5	61.2	52.5	8.7	315.0	17.5	30
18.3	2.6	44.5	91.7	31.4	110.1	18.3	21.0	2.6	7.9	10.5	83.9	2.6	15.7	57.6	91.7	5.2	241.1	23.6	31
.....	.....	.....	98.1	.....	39.2	.....	19.6	19.6	19.6	.....	39.2	19.6	19.6	58.9	58.9	.....	137.4	39.2	32
18.7	.....	37.4	18.7	.....	.....	.....	.....	.....	.....	18.7	56.0	.....	.....	112.1	56.0	18.7	56.0	18.7	33
19.7	.....	111.5	98.4	13.1	59.0	13.1	13.1	13.1	6.6	.....	65.6	.....	6.6	72.1	32.8	6.6	209.8	26.2	34
10.8	.....	43.1	102.4	10.8	80.8	10.8	21.6	32.3	21.6	10.8	26.9	5.4	5.4	70.1	43.1	5.4	242.5	10.8	35
32.9	6.6	72.3	131.5	19.7	59.2	6.6	13.2	6.6	.....	.....	52.6	13.2	13.2	19.7	46.0	.....	249.9	6.6	36
24.1	.....	72.2	48.1	48.1	48.1	.....	96.2	.....	.....	.....	48.1	48.1	.....	96.2	24.1	24.1	72.2	24.1	37
21.4	9.2	88.8	88.8	6.1	82.7	15.3	18.4	24.5	9.2	9.2	52.1	.....	3.1	45.9	76.6	12.3	245.0	6.1	38
17.4	5.0	54.5	59.5	17.4	91.7	17.4	74.4	12.4	14.9	12.4	84.3	7.4	9.9	71.9	114.0	22.3	173.5	24.8	39
11.1	.....	78.0	66.8	.....	66.8	11.1	11.1	.....	.....	.....	133.7	.....	.....	22.3	66.8	.....	167.1	33.4	40
7.8	.....	77.8	143.9	7.8	70.0	7.8	15.6	11.7	23.3	11.7	77.8	7.8	.....	46.7	85.6	3.9	179.0	23.3	41
.....	13.9	76.3	152.5	6.9	124.8	20.8	48.5	.....	20.8	.....	90.1	20.8	.....	62.4	55.5	.....	201.1	13.9	42
24.3	8.1	24.3	72.9	16.2	40.5	.....	8.1	16.2	.....	.....	48.6	8.1	.....	48.6	56.7	8.1	194.3	32.4	43
.....	.....	22.7	45.5	.....	90.9	11.4	22.7	.....	.....	.....	79.5	11.4	.....	45.5	68.2	11.4	90.9	22.7	44
.....	9.9	49.4	29.6	49.4	98.7	19.7	49.4	9.9	9.9	.....	88.9	9.9	.....	29.6	98.7	.....	217.2	9.9	45
.....	7.1	21.4	49.9	7.1	142.5	7.1	35.6	35.6	.....	.....	28.5	.....	.....	114.0	35.6	14.2	192.3	21.4	46
9.2	9.2	36.8	137.9	9.2	55.2	9.2	27.6	9.2	18.4	27.6	82.8	9.2	.....	92.0	82.8	18.4	202.3	27.6	47
.....	22.9	22.9	45.9	.....	34.4	22.9	34.4	.....	11.5	.....	57.3	.....	22.9	68.8	45.9	11.5	183.4	34.4	48
.....	.....	34.5	124.1	6.9	55.2	13.8	55.2	13.8	20.7	20.7	48.3	6.9	.....	55.2	62.1	.....	255.1	13.8	49
14.4	.....	100.6	81.4	19.2	129.3	33.5	23.9	4.8	9.6	.....	158.0	4.8	9.6	43.1	62.2	4.8	340.0	28.7	50
29.2	7.3	29.2	80.3	7.3	65.7	.....	29.2	.....	7.3	.....	58.4	.....	.....	7.3	94.9	29.2	80.3	14.6	51
.....	.....	25.2	12.6	12.6	37.8	.....	12.6	.....	.....	.....	75.5	12.6	.....	75.5	25.2	.....	50.3	12.6	52
.....	9.5	18.9	47.3	18.9	75.8	9.5	18.9	.....	.....	.....	28.4	.....	9.5	75.8	66.3	.....	142.0	37.9	53
.....	10.1	20.1	50.4	10.1	70.5	10.1	20.1	.....	.....	.....	30.2	.....	10.1	80.6	30.2	.....	130.9	40.3	54
.....	.....	.....	.....	158.7	158.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	634.9	.....	317.5	.....	55
69.6	.....	.....	69.6	.....	69.6	.....	.....	.....	69.6	.....	.....	.....	.....	.....	139.2	69.6	69.6	.....	56
.....	24.4	24.4	73.2	.....	73.2	24.4	24.4	.....	24.4	.....	24.4	.....	24.4	48.8	24.4	.....	24.4	.....	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	56.2	.....	56.2	.....	58
12.5	.....	43.6	49.8	6.2	112.1	6.2	18.7	.....	6.2	6.2	68.5	.....	18.7	68.5	24.9	6.2	143.2	12.5	59
22.8	.....	45.7	.....	.....	.....	.....	45.7	.....	22.8	.....	22.8	.....	.....	91.3	.....	.....	159.8	.....	60
5.9	5.9	35.1	76.1	.....	87.8	.....	35.1	17.6	17.6	5.9	35.1	5.9	5.9	64.4	23.4	17.6	117.0	41.0	61
24.9	.....	94.8	169.6	5.0	44.9	.....	15.0	29.9	34.9	5.0	54.9	.....	15.0	69.8	84.8	5.0	219.5	24.9	62
.....	.....	78.4	.....	156.9	.....	78.4	.....	.....	.....	.....	78.4	.....	78.4	78.4	156.9	.....	78.4	.....	63
.....	29.4	58.7	.....	.....	88.1	.....	.....	.....	.....	29.4	58.7	.....	29.4	88.1	.....	.....	117.5	.....	64
17.8	5.9	71.2	136.4	5.9	53.4	29.7	5.9	5.9	.....	5.9	59.3	.....	11.9	83.0	53.4	11.9	207.6	59.3	65
12.6	6.3	113.7	82.1	25.3	88.5	12.6	6.3	.....	.....	.....	101.1	12.6	.....	63.2	88.5	12.6	328.6	.....	66
27.6	5.5	38.6	82.7	11.0	66.1	11.0	11.0	.....	5.5	5.5	60.6	.....	11.0	33.1	66.1	5.5	148.8	11.0	67
27.2	5.4	97.9	114.2	.....	103.4	10.9	5.4	5.4	.....	16.3	76.2	.....	5.4	49.0	97.9	10.9	255.7	16.3	68
.....	.....	46.4	23.2	.....	23.2	.....	.....	.....	.....	.....	46.4	23.2	23.2	.....	116.0	.....	69.6	.....	69
13.5	.....	33.7	60.7	13.5	33.7	6.7	13.5	13.5	.....	6.7	54.0	.....	13.5	87.7	27.0	13.5	168.7	20.2	70
12.2	.....	61.1	61.1	24.4	36.7	24.4	48.9	.....	.....	12.2	24.4	12.2	.....	110.0	24.4	12.2	171.1	12.2	71
21.5	.....	118.5	75.4	21.5	53.9	43.1	10.8	5.4	10.8	16.2	64.6	10.8	5.4	32.3	43.1	10.8	323.2	32.3	72
.....	.....	.....	63.5	.....	63.5	63.5	.....	.....	.....	.....	31.7	.....	.....	31.7	63.5	.....	126.9	63.5	73

[3] Rate based on population Apr. 15, 1910. Decrease since 1900.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	5	(37)	16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	KANSAS—continued.															
1	Leavenworth County[3] (total)	1,950.7		4.4					13.2	30.8	26.4	48.4	4.4			79.3
2	White	2,024.4							14.3	33.3	28.5	52.3	4.8			85.5
3	Colored	1,019.8		60.0												
4	Lincoln County†	700.6						19.5		38.9		9.7			19.5	48.7
5	Linn County	[4] 1,038.3	13.6				6.8	6.8	6.8	47.5		74.7		6.8	13.6	54.3
6	Logan County† (total)	551.6										18.4		36.8		
7	White	580.6												40.0		
8	Colored	225.2										225.2				
9	Lyon County	[4] 1,175.4	4.0		4.0	20.1			20.1	20.1		24.1	12.0	8.0	8.0	80.2
10	McPherson County	1,043.0	4.6				13.9	4.6	13.9	9.3		18.5			4.6	97.3
11	Marion County†	882.9	8.6			8.6		12.9	25.7	17.1		25.7		8.6	8.6	64.3
12	Marshall County†	[4] 795.6	4.2	4.2				4.2	12.6	41.9		12.6		4.2	4.2	54.4
13	Meade County†	566.4								14.5	14.5	14.5	14.5		14.5	29.0
14	Miami County	[4] 1,687.5	15.0	5.0		5.0		15.0	5.0	25.0	5.0	99.9		10.0	10.0	49.9
15	Mitchell County	[4] 1,015.0	7.1			14.2				7.1	14.2	14.2				71.0
16	Montgomery County†	807.9	27.0	6.8				6.8	10.1	30.4	3.4	57.5		3.4	3.4	37.2
17	Morris County†	800.2						7.9		31.7		31.7		15.8		31.7
18	Morton County†	373.3				53.3						53.3				
19	Nemaha County	[4] 975.3	5.2					5.2	5.2	5.2	5.2	41.9			5.2	73.4
20	Neosho County†	849.8		11.5		3.8	3.8	19.1	7.7	19.1		57.4		3.8		61.2
21	Ness County	925.4						15.2		60.7		30.3			15.2	30.3
22	Norton County	943.5						25.5	17.0	25.5		34.0				102.0
23	Osage County	[4] 1,060.0	5.0					5.0		40.2		50.2		5.0		95.5
24	Osborne County†	869.3		7.5		7.5			15.0	30.0		30.0			15.0	30.0
25	Ottawa County	939.0				8.2	8.2	16.5		24.7		24.7			8.2	49.4
26	Pawnee County†	857.2	27.7						18.4	18.4	9.2	46.1			9.2	36.9
27	Phillips County†	[4] 763.3				21.2	14.1		14.1	14.1		21.2	14.1	21.2	14.1	42.4
28	Pottawatomie County†	[4] 799.0						11.4	5.7	28.5		39.9		5.7	5.7	34.2
29	Pratt County†	714.2	7.5				7.5	7.5	15.0	7.5	7.5	15.0		7.5		52.6
30	Rawlins County†	601.8						14.3		28.7		14.3				
31	Reno County†	632.2	4.5		4.5	4.5		8.9	13.4	17.8		22.3			8.9	31.2
32	Republic County†	[4] 733.7	11.5			5.7		5.7	5.7	5.7		17.2		5.7		74.5
33	Rice County	908.8	6.5			26.2		6.5	26.2			52.3			6.5	65.4
34	Riley County	957.5							5.9	41.6		23.8			11.9	83.3
35	Rooks County†	514.1	7.7						15.3	7.7					7.7	15.3
36	Rush County†	688.3				11.5				11.5						22.9
37	Russell County	981.8	8.3			8.3			25.0	25.0		41.6			16.6	41.6
38	Saline County	1,115.3	9.1			4.5		9.1	4.5	18.1	4.5	54.4		9.1	4.5	72.5
39	Scott County†	392.8								24.6						49.1
40	Sedgwick County†	607.6				4.9		9.7	9.7	14.6		19.4		4.9	4.9	29.2
41	Seward County†	687.9							17.2	17.2		34.4				51.6
42	Shawnee County (total)	1,719.9	5.5					5.5		54.8	27.4	93.1		16.4	16.4	49.3
43	White	1,688.2	5.9					5.9		59.2	29.6	94.8		5.9	17.8	53.3
44	Colored	2,109.1										72.7		145.5		
45	Sheridan County†	453.5					15.1	15.1				30.2				15.1
46	Sherman County†	617.3						19.3		38.6		38.6				57.9
47	Smith County†	[4] 820.0				26.0			26.0	6.5	6.5	26.0	6.5		6.5	71.6
48	Stafford County†	818.8	7.2					21.5		7.2		28.7				35.9
49	Stanton County†	213.5														
50	Stevens County†	468.1					29.3	58.5				58.5				58.5
51	Sumner County†	849.8	9.0			6.0		3.0	3.0	15.0		33.0	3.0	3.0	9.0	60.1
52	Thomas County†	632.8							48.7	16.2						48.7
53	Trego County†	484.7						14.7		14.7		14.7				
54	Wabaunsee County† (total)	[4] 825.4	7.9					7.9	7.9	47.2		55.0	7.9	7.9	23.6	39.3
55	White	[4] 782.7	8.3					8.3	8.3	33.3		58.3	8.3	8.3	25.0	33.3
56	Colored	[4] 1,544.9								280.9						140.4
57	Wallace County†	529.0								27.8		27.8			27.8	
58	Washington County†	[4] 706.9	4.9					4.9		24.7			4.9		9.9	59.3
59	Wichita County†	616.5						82.2				41.1				
60	Wilson County†	[4] 894.7	4.5					4.5	40.9	13.6		59.0		13.6	9.1	40.9
61	Woodson County	[4] 952.4	10.6					31.7	10.6	63.5		21.2			10.6	105.8
62	Wyandotte County (total)	1,456.5	11.5				5.8	11.5	28.8	40.3		69.1	5.8	23.0	5.8	103.6
63	White	1,315.0					6.4	12.8	25.7	38.5		44.9	6.4	25.7	6.4	102.6
64	Colored	2,695.1	112.3						56.1	56.1		280.7				112.3
	KENTUCKY.															
65	Total	1,141.8	32.9	6.4	0.1	3.8	2.4	8.6	27.8	20.2	3.2	173.5	8.2	13.5	6.9	42.2
66	White	1,054.1	30.1	6.0	0.1	4.0	2.6	7.8	29.1	18.7	3.4	147.6	7.8	12.0	6.3	41.7
67	Colored	2,004.0	59.9	9.5		2.2	0.6	16.8	15.1	34.2	1.1	429.0	12.3	28.6	12.9	47.0
68	Adair County (total)	1,077.6	46.1	5.8					23.0	23.0		201.7	23.0	17.3	5.8	23.0
69	White	909.6	25.1	6.3					25.1	18.8		138.0	12.5	12.5	6.3	25.1
70	Colored	2,972.4	283.1							70.8		920.0	141.5	70.8		
71	Allen County (total)	1,139.9	40.0	6.7		6.7			20.0	26.7	6.7	173.3		13.3	13.3	40.0
72	White	1,099.4	42.3	7.0		7.0			21.1	28.2	7.0	140.9		14.1	7.0	42.3
73	Colored	1,849.6										739.8			123.3	

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
30.8	4.4	251.0	325.8	8.8	158.5	17.6	8.8	8.8	13.2	13.2	207.0	8.8	.....	22.0	83.7	35.2	537.2	8.8	1
28.5	.....	270.9	323.1	9.5	166.3	19.0	9.5	9.5	14.3	14.3	223.4	9.5	.....	23.8	85.5	38.0	556.0	4.8	2
60.0	60.0	.....	359.9	.....	60.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	60.0	.....	299.9	60.0	3
9.7	9.7	58.4	68.1	.....	48.7	19.5	19.5	9.7	19.5	9.7	116.8	.....	.....	19.5	9.7	.....	126.5	19.5	4
13.6	6.8	67.9	108.6	33.9	115.4	20.4	33.9	.....	.....	.....	54.3	20.4	.....	20.4	33.9	40.7	224.0	13.6	5
.....	.....	36.8	73.5	.....	55.2	.....	.....	18.4	.....	.....	18.4	.....	.....	73.5	73.5	18.4	91.9	36.8	6
.....	.....	40.0	80.1	.....	60.1	.....	.....	20.0	.....	.....	20.0	.....	.....	80.1	80.1	20.0	100.1	40.0	7
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	8
16.0	4.0	96.3	160.5	.....	92.3	24.1	32.1	16.0	8.0	4.0	124.4	8.0	4.0	56.2	68.2	12.0	236.7	12.0	9
13.9	9.3	134.4	69.5	41.7	64.9	9.3	23.2	4.6	13.9	13.9	69.5	.....	4.6	46.4	37.1	4.6	301.3	13.9	10
17.1	4.3	64.3	98.6	12.9	64.3	17.1	25.7	4.3	12.9	4.3	42.9	12.9	8.6	60.0	34.3	17.1	171.4	30.0	11
20.9	4.2	67.0	96.3	8.4	58.6	.....	12.6	.....	.....	12.6	33.5	4.2	4.2	67.0	37.7	12.6	192.6	20.9	12
43.6	.....	14.5	43.6	29.0	29.0	.....	14.5	14.5	29.0	14.5	29.0	.....	.....	58.1	43.6	.....	101.7	.....	13
15.0	10.0	194.7	359.5	15.0	119.8	5.0	.....	5.0	5.0	10.0	89.9	20.0	5.0	79.9	54.9	20.0	424.4	10.0	14
7.1	7.1	42.6	142.0	.....	99.4	7.1	35.5	14.2	21.3	.....	78.1	7.1	14.2	71.0	71.0	.....	262.6	7.1	15
13.5	.....	43.9	84.5	3.4	54.1	10.1	20.3	3.4	6.8	3.4	33.8	.....	3.4	64.2	50.7	6.8	213.0	6.8	16
23.8	.....	39.6	126.8	23.8	31.7	15.8	7.9	7.9	.....	.....	39.6	.....	31.7	95.1	31.7	.....	198.1	7.9	17
.....	.....	.....	53.3	.....	53.3	.....	106.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	53.3	18
10.5	5.2	47.2	110.1	5.2	110.1	5.2	15.7	15.7	10.5	5.2	57.7	5.2	5.2	47.2	47.2	21.0	288.4	15.7	19
19.1	3.8	68.9	103.3	3.8	53.6	.....	11.5	.....	7.7	3.8	38.3	3.8	11.5	49.8	38.3	.....	222.0	23.0	20
.....	.....	106.2	60.7	.....	106.2	.....	15.2	.....	.....	.....	30.3	.....	15.2	91.0	75.8	15.2	227.5	30.3	21
17.0	.....	59.5	178.5	8.5	59.5	.....	8.5	8.5	8.5	.....	34.0	.....	.....	85.0	68.0	.....	187.0	17.0	22
35.2	5.0	90.4	115.5	5.0	75.4	15.1	20.1	.....	5.0	10.0	110.5	5.0	5.0	50.2	65.3	15.1	221.0	10.0	23
22.5	15.0	52.5	119.9	7.5	74.9	.....	22.5	.....	15.0	7.5	52.5	.....	15.0	52.5	52.5	.....	217.3	7.5	24
32.9	16.5	57.7	98.8	16.5	57.7	16.5	24.7	8.2	.....	8.2	65.9	.....	16.5	98.8	49.4	.....	222.4	8.2	25
9.2	.....	83.0	101.4	.....	73.7	9.2	27.7	.....	.....	.....	64.5	.....	.....	64.5	83.0	18.4	147.5	9.2	26
21.2	.....	35.3	70.7	7.1	56.5	.....	7.1	.....	7.1	.....	49.5	7.1	14.1	28.3	35.3	21.2	219.1	7.1	27
11.4	.....	68.5	79.9	11.4	74.2	17.1	11.4	11.4	.....	.....	57.1	.....	.....	28.5	68.5	5.7	182.6	39.9	28
15.0	22.6	37.6	75.2	7.5	37.6	.....	45.1	.....	.....	7.5	60.1	7.5	7.5	105.2	45.1	.....	105.2	7.5	29
.....	.....	28.7	57.3	43.0	71.6	.....	28.7	.....	.....	.....	28.7	.....	14.3	57.3	28.7	.....	129.0	57.3	30
13.4	4.5	49.0	49.0	8.9	44.5	17.8	22.3	.....	8.9	4.5	49.0	.....	.....	66.8	40.1	8.9	129.1	.....	31
22.9	.....	17.2	74.5	.....	51.6	22.9	5.7	.....	5.7	5.7	63.0	.....	.....	63.0	40.1	11.5	200.6	17.2	32
19.6	.....	78.5	111.1	13.1	78.5	32.7	52.3	6.5	39.2	13.1	19.6	.....	.....	52.3	19.6	6.5	170.0	6.5	33
11.9	.....	83.3	83.3	11.9	59.5	11.9	23.8	23.8	23.8	5.9	65.4	.....	5.9	41.6	107.1	11.9	196.3	23.8	34
23.0	7.7	53.7	46.0	.....	61.4	15.3	.....	7.7	.....	.....	15.3	.....	7.7	61.4	38.4	15.3	99.8	7.7	35
22.9	.....	91.8	68.8	.....	45.9	.....	11.5	.....	.....	.....	11.5	.....	11.5	114.7	68.8	22.9	149.1	22.9	36
.....	.....	83.2	41.6	8.3	74.9	8.3	16.6	8.3	8.3	16.6	66.6	.....	8.3	99.8	66.6	8.3	266.2	33.3	37
13.6	.....	63.5	72.5	22.7	140.5	31.7	36.3	22.7	9.1	.....	54.4	18.1	9.1	72.5	90.7	13.6	208.6	45.3	38
.....	.....	24.6	24.6	.....	24.6	.....	.....	.....	.....	.....	24.6	24.6	.....	24.6	24.6	.....	73.7	73.7	39
14.6	4.9	82.6	77.8	4.9	14.6	9.7	9.7	4.9	.....	4.9	24.3	4.9	.....	48.6	48.6	4.9	136.1	14.6	40
.....	.....	17.2	17.2	.....	51.6	.....	51.6	17.2	17.2	17.2	51.6	.....	17.2	51.6	103.2	.....	137.6	17.2	41
21.9	5.5	164.3	230.0	11.0	115.0	16.4	5.5	5.5	16.4	.....	87.6	5.5	11.0	71.2	71.2	5.5	591.6	16.4	42
23.7	5.9	159.9	225.1	11.8	118.5	11.8	5.9	5.9	17.8	.....	82.9	5.9	11.8	65.2	71.1	5.9	574.6	11.8	43
.....	.....	218.2	290.9	.....	72.7	72.7	.....	.....	.....	.....	145.5	.....	.....	145.5	72.7	.....	800.0	72.7	44
.....	.....	.....	30.2	15.1	.....	.....	15.1	.....	.....	.....	60.5	.....	.....	60.5	.....	.....	136.1	60.5	45
.....	.....	38.6	19.3	19.3	57.9	19.3	.....	.....	.....	.....	77.2	.....	19.3	19.3	38.6	.....	135.0	19.3	46
32.5	.....	19.5	84.6	.....	104.1	13.0	26.0	13.0	.....	6.5	52.1	6.5	13.0	78.1	19.5	6.5	156.2	13.0	47
7.2	.....	35.9	114.9	.....	50.3	.....	35.9	14.4	14.4	7.2	71.8	.....	14.4	64.6	43.1	7.2	222.7	14.4	48
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	71.2	142.3	49
.....	.....	58.5	.....	.....	.....	.....	29.3	.....	.....	.....	29.3	.....	29.3	.....	.....	.....	87.8	29.3	50
9.0	12.0	63.1	84.1	15.0	75.1	6.0	21.0	12.0	6.0	15.0	54.1	.....	6.0	69.1	72.1	3.0	183.2	.....	51
.....	.....	32.5	48.7	.....	32.5	.....	48.7	.....	16.2	.....	97.4	16.2	.....	48.7	97.4	.....	81.1	.....	52
.....	14.7	.....	58.7	14.7	58.7	.....	14.7	14.7	.....	.....	29.4	.....	14.7	88.1	14.7	.....	73.4	44.1	53
31.4	7.9	23.6	133.6	.....	23.6	.....	31.4	.....	7.9	7.9	31.4	.....	.....	39.3	47.2	31.4	188.7	15.7	54
33.3	8.3	25.0	133.2	.....	16.7	.....	33.3	.....	.....	8.3	25.0	.....	.....	41.6	50.0	33.3	166.5	16.7	55
.....	.....	.....	140.4	.....	140.4	.....	.....	.....	140.4	.....	140.4	.....	.....	.....	.....	.....	561.8	.....	56
27.8	.....	83.5	55.7	.....	83.5	.....	.....	.....	.....	.....	27.8	.....	.....	55.7	27.8	.....	83.5	.....	57
.....	.....	89.0	98.9	4.9	59.3	4.9	4.9	4.9	4.9	4.9	44.5	.....	.....	19.8	69.2	14.8	163.1	9.9	58
.....	.....	82.2	82.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	41.1	82.2	.....	205.5	.....	59
27.3	.....	54.5	86.3	4.5	86.3	18.2	18.2	18.2	9.1	13.6	31.8	.....	13.6	54.5	77.2	9.1	168.0	18.2	60
10.6	10.6	74.1	116.4	.....	52.9	10.6	31.7	.....	10.6	10.6	63.5	.....	31.7	52.9	52.9	10.6	148.1	10.6	61
11.5	.....	86.4	213.0	11.5	143.9	23.0	46.1	17.3	11.5	.....	109.4	5.8	17.3	69.1	86.4	5.8	276.3	17.3	62
12.8	.....	77.0	166.8	12.8	128.3	25.7	51.3	12.8	6.4	.....	89.8	6.4	12.8	64.1	83.4	6.4	269.4	19.2	63
.....	.....	168.4	617.6	.....	280.7	.....	.....	56.1	56.1	.....	280.7	.....	56.1	112.3	112.3	.....	336.9	.....	64
7.0	14.7	42.0	81.0	12.6	88.4	9.6	38.1	6.3	8.0	4.7	68.4	6.3	7.6	71.1	61.5	7.9	204.5	52.1	65
6.5	15.0	40.2	73.2	10.9	81.6	8.9	37.4	6.1	7.4	4.5	61.0	6.2	7.5	70.6	54.1	7.8	188.4	49.7	66
11.8	12.3	59.4	157.4	28.6	155.7	16.2	44.8	8.4	14.0	6.7	141.7	7.3	8.4	76.2	134.4	8.4	363.5	79.5	67
.....	17.3	17.3	138.3	.....	57.6	11.5	23.0	5.8	23.0	5.8	46.1	.....	5.8	69.1	28.8	5.8	172.9	80.7	68
.....	18.8	18.8	125.5	.....	50.2	12.5	18.8	6.3	18.8	6.3	37.6	.....	6.3	69.0	25.1	6.3	156.8	62.7	69
.....	.....	.....	283.1	.....	141.5	.....	70.8	.....	70.8	.....	141.5	.....	.....	70.8	70.8	.....	353.9	283.1	70
6.7	20.0	33.3	86.7	13.3	93.3	13.3	6.7	.....	6.7	6.7	53.3	13.3	6.7	80.0	26.7	13.3	226.7	86.7	71
.....	21.1	35.2	91.6	14.1	84.6	14.1	7.0	.....	7.0	7.0	56.4	7.0	7.0	84.6	21.1	14.1	218.5	91.6	72
123.3	.....	.....	.....	.....	246.6	.....	.....	.....	.....	.....	.....	123.3	.....	.....	123.3	.....	369.9	.....	73

[3] Includes National Military Home.

[4] Rate based on population Apr. 15, 1910. Decrease since 1900.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM— All causes.[1]	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)	Cancer. 16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	KENTUCKY—continued.															
1	Anderson County (total)	1,235.9	19.6							9.8	9.8	186.4	29.4	19.6		88.3
2	White	1,229.2	20.8							10.4	10.4	177.1	31.3	10.4		93.8
3	Colored	1,344.5										336.1		168.1		
4	Ballard County (total)	1,036.0	51.1	36.5					7.3	43.8		124.0	7.3			14.6
5	White	902.4	24.8	33.1					8.3	24.8		107.6	8.3			16.6
6	Colored	2,027.0	245.7	61.4						184.3		245.7				
7	Barren County (total)	1,227.4	64.4	7.6					26.5	30.3		223.5	15.2	34.1	3.8	75.8
8	White	1,043.1	56.7	4.4					21.8	26.2		174.6	17.5	39.3	4.4	74.2
9	Colored	2,438.3	114.7	28.7					57.4	57.4		545.0				86.1
10	Bath County (total)	[3] 1,186.7	28.6			7.1		7.1	28.6	21.4		171.6		28.6		57.2
11	White	[3] 1,138.2	31.6			7.9		7.9	31.6	23.7		166.0		15.8		55.3
12	Colored	[3] 1,646.7										224.6		149.7		74.9
13	Bell County (total)	958.2	28.4	2.8		2.8		11.4	19.9	17.1		79.6	2.8		8.5	22.7
14	White	942.1	25.3	3.2		3.2		12.6	22.1	12.6		69.5	3.2		9.5	25.3
15	Colored	1,102.9	56.6							56.6		169.7				
16	Boone County (total)	[3] 997.9										106.2		21.2	10.6	138.0
17	White	[3] 950.6										89.5		22.4	11.2	134.2
18	Colored	[3] 1,882.8										418.4				209.2
19	Bourbon County (total)	[3] 1,695.1	22.9					22.9	28.6	34.4	5.7	189.0		22.9	5.7	63.0
20	White	1,455.3	25.4					25.4	33.8	25.4		126.9		8.5	8.5	67.7
21	Colored	[3] 2,197.4	17.7					17.7	17.7	53.2	17.7	319.0		53.2		53.2
22	Boyd County (total)	1,171.0	19.3			30.9	3.9	7.7	11.6	11.6	3.9	108.2	7.7	15.5	7.7	38.6
23	White	1,143.5	16.0			32.0	4.0	8.0	12.0	12.0	4.0	96.0	8.0	16.0	8.0	32.0
24	Colored [4]	1,965.3	115.6									462.4				231.2
25	Boyle County (total)	1,415.6	26.5	6.6					19.8	6.6		138.9	6.6	13.2	19.8	52.9
26	White	1,159.8	35.4						17.7	8.9		115.1	8.9	17.7	8.9	44.3
27	Colored	2,171.6		26.2					26.2			209.3			52.3	78.5
28	Bracken County (total)	[3] 1,018.6	9.7			9.7				9.7		174.6	9.7			38.8
29	White	[3] 993.1	10.0			10.0				10.0		160.5	10.0			40.1
30	Colored [4]	[3] 1,769.9										590.0				
31	Breathitt County † (total)	462.6	5.2						26.0	5.2		31.2				15.6
32	White	463.3	5.3						26.3	5.3		31.6				15.8
33	Colored [4]	413.2														
34	Breckinridge County (total)	1,338.2	93.9	4.7		23.5		4.7	18.8	28.2	4.7	220.7	4.7	33.0	18.8	51.7
35	White	1,215.9	95.1			25.0		5.0	20.0	30.0	5.0	165.1	5.0	20.0	20.0	50.0
36	Colored	3,201.2	76.2	76.2								1,067.1		228.7		76.2
37	Bullitt County (total)	[3] 1,359.8	42.2	10.5				10.5	42.2	10.5		158.1	10.5	21.1		63.2
38	White	1,351.0	45.4	11.4				11.4	45.4	11.4		147.6	11.4	22.7		68.1
39	Colored	[3] 1,472.8										294.6				
40	Butler County † (total)	[3] 898.4	25.3	6.3					50.6	6.3	6.3	183.5		6.3		31.6
41	White	833.1	26.2						52.5	6.6	6.6	157.4		6.6		32.8
42	Colored [4]	[3] 2,673.8		178.3								891.3				
43	Caldwell County (total)	[3] 1,109.3	42.7	28.4					7.1	28.4	7.1	206.2		7.1		42.7
44	White	[3] 996.3	26.0	34.7					8.7	8.7	8.7	147.3				52.0
45	Colored	[3] 1,627.0	119.0							119.0		476.2		39.7		
46	Calloway County † (total)	888.6	33.3	38.0			9.5		52.3	9.5	14.3	171.1	4.8	4.8		28.5
47	White	861.8	24.9	39.9			10.0		49.8	10.0	14.9	159.4	5.0	5.0		24.9
48	Colored	1,441.8	206.0						103.0			411.9				103.0
49	Campbell County (total)	1,215.3	9.9				3.3	3.3	6.6	19.8		121.9	6.6	19.8	3.3	72.5
50	White	1,206.0	9.9				3.3	3.3	6.6	19.9		116.0	6.6	19.9	3.3	72.9
51	Colored [4]	2,793.3										1,117.3				
52	Carlisle County (total)	[3] 1,215.7	11.1	22.1				33.2	11.1			165.8	22.1		11.1	66.3
53	White	[3] 1,132.3	11.6	23.1				34.7	11.6			127.1	23.1		11.6	57.8
54	Colored [4]	[3] 3,053.4										1,017.8				254.5
55	Carroll County (total)	[3] 1,233.0		12.3			12.3	37.0	37.0			123.3	37.0	12.3		98.6
56	White	[3] 1,240.1		13.2			13.2	39.6	39.6			118.9	39.6	13.2		92.3
57	Colored	[3] 1,132.1										188.7				188.7
58	Carter County (total)	1,035.7	17.5				8.7	30.6	26.2	21.8	8.7	144.2	4.4	35.0		26.2
59	White	1,022.5	17.6				8.8	30.7	26.3	21.9	8.8	136.0	4.4	35.1		26.3
60	Colored [4]	(5)										(5)				
61	Casey County (total)	1,130.5	31.9	6.4					31.9	25.5		210.8		19.2	6.4	12.8
62	White	1,116.4	32.3	6.5					32.3	19.4		200.1		19.4	6.5	12.9
63	Colored [4]	2,484.5								621.1		1,242.2				
64	Christian County * (total)	1,734.9	48.3	2.5			2.5	10.2	12.7	33.1	2.5	346.0	15.3	25.4	7.6	58.5
65	White	1,494.0	21.1				4.2		21.1	46.4	4.2	278.5	16.9	29.5	8.4	67.5
66	Colored	2,100.5	89.7	6.4				25.6		12.8		448.3	12.8	19.2	6.4	44.8
67	Clark County (total)	1,408.8	21.4			5.4	5.4	10.7	10.7	10.7		150.0	21.4	21.4	10.7	91.1
68	White	1,214.5	27.4			6.9	6.9	6.9	6.9	13.7		130.4	27.4	20.6	6.9	102.9
69	Colored	2,100.1						24.4	24.4			219.8		24.4	24.4	48.8
70	Clay County † (total)	692.3	31.5	5.2				5.2	31.5	5.2	10.5	94.4			15.7	10.5
71	White	677.1	32.2	5.4				5.4	32.2	5.4	10.7	91.4			16.1	10.7
72	Colored [4]	1,312.9										218.8				
73	Clinton County † (total)	373.4							12.0			48.2		24.1		
74	White	363.5							12.1			48.5		24.2		
75	Colored [4]	(5)														
76	Crittenden County † (total)	[3] 752.1	37.6	15.0					30.1			105.3	15.0	22.6		37.6
77	White	[3] 731.8	23.6	15.7					31.5			102.3	15.7	23.6		39.3
78	Colored [4]	[3] 1,190.5	340.1									170.1				

[1] Exclusive of stillbirths. [2] Exclusive of municipalities having a population of 10,000 or over in 1910. [3] Rate based on population Apr. 15, 1910. Decrease since 1900.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
.....	9.8	39.2	166.7	29.4	166.7	.....	19.6	.....	.....	.....	68.7	.....	.....	78.5	58.9	.....	156.9	78.5	1
.....	10.4	31.3	166.7	31.3	166.7	.....	20.8	.....	.....	.....	72.9	.....	.....	83.3	62.5	.....	145.8	83.3	2
.....	.....	168.1	168.1	.....	168.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	336.1	.....	3
.....	21.9	36.5	43.8	.....	160.5	7.3	36.5	.....	7.3	14.6	51.1	21.9	14.6	65.7	65.7	14.6	138.6	51.1	4
.....	16.6	33.1	24.8	.....	149.0	8.3	41.4	.....	8.3	8.3	49.7	24.8	16.6	66.2	49.7	16.6	115.9	49.7	5
.....	61.4	61.4	184.3	.....	245.7	.....	.....	.....	.....	61.4	61.4	.....	.....	61.4	184.3	.....	307.1	61.4	6
22.7	7.6	45.5	79.6	11.4	60.6	22.7	37.9	3.8	7.6	.....	53.0	3.8	.....	37.9	64.4	3.8	189.4	94.7	7
17.5	8.7	48.0	56.7	4.4	56.7	21.8	39.3	4.4	8.7	.....	43.6	.....	.....	43.6	43.6	4.4	157.1	65.5	8
57.4	.....	28.7	229.5	57.4	86.1	28.7	28.7	.....	.....	.....	114.7	28.7	.....	.....	200.8	.....	401.6	286.9	9
7.1	.....	64.3	92.9	7.1	143.0	7.1	14.3	.....	14.3	.....	71.5	7.1	21.4	57.2	57.2	14.3	193.0	64.3	10
7.9	.....	63.2	94.8	7.9	134.4	7.9	7.9	.....	15.8	.....	39.5	7.9	23.7	63.2	63.2	15.8	181.8	63.2	11
.....	.....	74.9	74.9	.....	224.6	.....	74.9	.....	.....	.....	374.3	.....	.....	.....	.....	.....	299.4	74.9	12
2.8	8.5	11.4	39.8	2.8	56.9	5.7	56.9	17.1	5.7	5.7	56.9	2.8	5.7	79.6	122.3	5.7	216.1	59.7	13
3.2	6.3	12.6	31.6	3.2	63.2	6.3	63.2	15.8	6.3	6.3	47.4	3.2	6.3	85.4	113.8	3.2	218.1	60.1	14
.....	28.3	.....	113.1	.....	.....	.....	.....	28.3	.....	.....	141.4	.....	.....	28.3	198.0	28.3	198.0	56.6	15
31.8	.....	95.5	148.6	10.6	53.1	10.6	10.6	.....	21.2	.....	63.7	.....	10.6	63.7	21.2	.....	159.2	21.2	16
33.5	.....	89.5	145.4	11.2	55.9	11.2	11.2	.....	11.2	.....	55.9	.....	11.2	55.9	22.4	.....	156.6	22.4	17
.....	.....	209.2	209.2	.....	.....	.....	.....	.....	209.2	.....	209.2	.....	.....	209.2	.....	.....	209.2	.....	18
22.9	11.5	85.9	240.5	17.2	143.2	11.5	40.1	5.7	5.7	11.5	177.5	5.7	11.5	103.1	68.7	28.6	257.7	51.5	19
33.8	8.5	84.6	228.4	.....	59.2	.....	50.8	8.5	8.5	16.9	135.4	.....	16.9	126.9	33.8	42.3	220.0	59.2	20
.....	17.7	88.6	265.8	53.2	319.0	35.4	17.7	.....	.....	.....	265.8	17.7	.....	53.2	141.8	.....	336.7	35.4	21
.....	15.5	27.1	69.6	3.9	135.3	7.7	50.2	11.6	7.7	19.3	77.3	23.2	3.9	108.2	127.5	15.5	193.2	7.7	22
.....	16.0	24.0	72.0	4.0	135.9	8.0	52.0	12.0	8.0	20.0	76.0	20.0	4.0	104.0	120.0	16.0	195.9	8.0	23
.....	.....	115.6	.....	.....	115.6	.....	.....	.....	.....	.....	115.6	115.6	.....	231.2	346.8	.....	115.6	.....	24
6.6	6.6	66.2	158.8	26.5	125.7	19.8	52.9	.....	13.2	.....	172.0	19.8	6.6	79.4	72.8	13.2	244.8	39.7	25
8.9	8.9	70.8	79.7	26.6	115.1	17.7	44.3	.....	8.9	.....	159.4	17.7	8.9	88.5	44.3	17.7	168.2	17.7	26
.....	.....	52.3	392.5	26.2	157.0	26.2	78.5	.....	26.2	.....	209.3	26.2	.....	52.3	157.0	.....	471.0	104.7	27
9.7	19.4	29.1	77.6	29.1	58.2	9.7	.....	19.4	29.1	.....	58.2	9.7	.....	48.5	58.2	29.1	261.9	19.4	28
10.0	20.1	30.1	80.2	30.1	60.2	10.0	.....	20.1	20.1	.....	60.2	10.0	.....	50.2	60.2	20.1	250.8	20.1	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	295.0	.....	.....	.....	.....	.....	.....	295.0	590.0	.....	30
.....	15.6	.....	26.0	.....	36.4	5.2	10.4	.....	.....	.....	15.6	5.2	26.0	41.6	31.2	5.2	78.0	83.2	31
.....	15.8	.....	21.1	.....	36.8	5.3	10.5	.....	.....	.....	15.8	5.3	26.3	42.1	31.6	5.3	79.0	84.2	32
.....	.....	.....	413.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	33
14.1	28.2	56.3	70.4	14.1	98.6	9.4	33.0	14.1	23.5	4.7	70.4	4.7	4.7	98.6	65.7	9.4	169.0	42.3	34
15.0	30.0	55.0	60.0	15.0	90.1	10.0	30.0	15.0	25.0	5.0	50.0	5.0	5.0	100.1	60.0	10.0	170.1	25.0	35
.....	.....	76.2	228.7	.....	228.7	.....	76.2	.....	.....	.....	381.1	.....	.....	76.2	152.4	.....	152.4	304.9	36
.....	10.5	63.2	126.5	.....	168.7	21.1	73.8	.....	.....	.....	52.7	.....	.....	126.5	94.9	.....	210.8	42.2	37
.....	11.4	68.1	124.9	.....	170.3	22.7	68.1	.....	.....	.....	22.7	.....	.....	124.9	90.8	.....	227.1	45.4	38
.....	.....	.....	147.3	.....	147.3	.....	147.3	.....	.....	.....	441.8	.....	.....	147.3	147.3	.....	.....	.....	39
.....	.....	25.3	50.6	6.3	50.6	.....	31.6	6.3	6.3	.....	44.3	.....	6.3	75.9	44.3	12.7	145.5	75.9	40
.....	.....	26.2	52.5	6.6	45.9	.....	26.2	6.6	6.6	.....	45.9	.....	6.6	78.7	45.9	6.6	131.2	59.0	41
.....	.....	.....	.....	.....	178.3	.....	178.3	.....	.....	.....	.....	.....	.....	.....	.....	178.3	534.8	534.8	42
7.1	21.3	56.9	21.3	.....	78.2	.....	28.4	14.2	7.1	.....	85.3	7.1	14.2	56.9	71.1	7.1	206.2	56.9	43
.....	26.0	60.6	8.7	.....	78.0	.....	26.0	8.7	8.7	.....	78.0	8.7	17.3	69.3	52.0	8.7	216.6	43.3	44
39.7	.....	39.7	79.4	.....	79.4	.....	39.7	39.7	.....	.....	119.0	.....	.....	.....	158.7	.....	158.7	119.0	45
14.3	9.5	38.0	42.8	4.8	42.8	4.8	9.5	9.5	4.8	4.8	23.8	4.8	9.5	52.3	28.5	28.5	156.8	33.3	46
14.9	10.0	34.9	44.8	5.0	44.8	5.0	10.0	10.0	5.0	5.0	24.9	5.0	10.0	54.8	29.9	24.9	149.4	29.9	47
.....	.....	103.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	103.0	309.0	103.0	48
26.3	13.2	75.8	151.5	16.5	72.5	13.2	16.5	9.9	23.1	16.5	141.6	9.9	13.2	46.1	88.9	9.9	200.9	3.3	49
26.5	13.3	76.2	149.1	16.6	72.9	13.3	16.6	9.9	23.2	16.6	139.2	9.9	13.3	46.4	89.5	9.9	198.8	3.3	50
.....	.....	.....	558.7	.....	.....	.....	.....	.....	.....	.....	558.7	.....	.....	.....	.....	.....	558.7	.....	51
.....	22.1	44.2	99.5	.....	99.5	11.1	55.3	.....	11.1	.....	88.4	11.1	22.1	99.5	11.1	11.1	265.3	22.1	52
.....	23.1	46.2	92.4	.....	80.9	.....	57.8	.....	11.6	.....	80.9	11.6	23.1	104.0	11.6	11.6	254.2	23.1	53
.....	.....	.....	254.5	.....	508.9	254.5	.....	.....	.....	.....	254.5	.....	.....	.....	.....	.....	508.9	.....	54
12.3	.....	49.3	172.6	12.3	135.6	.....	.....	12.3	12.3	.....	61.7	.....	.....	49.3	37.0	12.3	271.3	24.7	55
13.2	.....	52.8	171.5	13.2	145.1	.....	.....	13.2	13.2	.....	66.0	.....	.....	52.8	39.6	13.2	250.7	26.4	56
.....	.....	.....	188.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	566.0	.....	57
.....	17.5	26.2	91.8	17.5	83.0	4.4	69.9	.....	.....	.....	39.3	13.1	4.4	91.8	43.7	.....	161.7	48.1	58
.....	17.6	26.3	92.2	17.6	83.4	4.4	70.2	.....	.....	.....	39.5	13.2	4.4	92.2	39.5	.....	158.0	48.3	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(5)	.....	(5)	.....	60
6.4	19.2	31.9	63.9	6.4	70.3	.....	31.9	6.4	6.4	.....	108.6	.....	12.8	83.0	38.3	.....	210.8	89.4	61
6.5	19.4	32.3	64.5	6.5	71.0	.....	32.3	6.5	6.5	.....	109.7	.....	12.9	83.9	32.3	.....	213.0	90.3	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	621.1	.....	.....	.....	63
15.3	15.3	56.0	101.8	15.3	122.1	10.2	45.8	5.1	10.2	17.8	96.7	7.6	12.7	94.1	76.3	10.2	424.8	33.1	64
8.4	21.1	42.2	92.8	12.7	80.2	4.2	59.1	4.2	8.4	12.7	101.3	4.2	8.4	84.4	50.6	12.7	371.4	16.9	65
25.6	6.4	76.8	115.3	19.2	185.7	19.2	25.6	6.4	12.8	25.6	89.7	12.8	19.2	108.9	115.3	6.4	505.9	57.6	66
10.7	16.1	26.8	139.3	64.3	107.1	10.7	21.4	10.7	10.7	5.4	123.2	.....	.....	85.7	75.0	10.7	321.4	10.7	67
13.7	13.7	34.3	89.2	6.9	82.3	13.7	6.9	6.9	6.9	6.9	123.5	.....	.....	96.1	68.6	13.7	274.5	.....	68
.....	24.4	.....	317.5	268.6	195.4	.....	73.3	24.4	24.4	.....	122.1	.....	.....	48.8	97.7	.....	488.4	48.8	69
.....	5.2	.....	31.5	5.2	42.0	10.5	15.7	15.7	10.5	.....	15.7	.....	15.7	26.2	42.0	.....	99.7	146.9	70
.....	5.4	.....	32.2	5.4	43.0	5.4	16.1	10.7	10.7	.....	16.1	.....	16.1	26.9	37.6	.....	102.1	139.7	71
.....	.....	.....	.....	.....	.....	218.8	.....	218.8	.....	.....	.....	.....	.....	.....	218.8	.....	.....	437.6	72
.....	36.1	12.0	24.1	.....	36.1	.....	.....	.....	.....	12.0	24.1	.....	12.0	12.0	24.1	.....	84.3	12.0	73
.....	36.4	12.1	24.2	.....	36.4	.....	.....	.....	.....	12.1	24.2	.....	12.1	12.1	24.2	.....	72.7	12.1	74
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(5)	.....	75
.....	7.5	45.1	22.6	7.5	22.6	15.0	7.5	.....	7.5	.....	30.1	22.6	15.0	37.6	37.6	.....	150.4	60.2	76
.....	7.9	39.3	15.7	7.9	23.6	15.7	7.9	.....	7.9	.....	23.6	23.6	15.7	39.3	39.3	.....	149.5	63.0	77
.....	.....	170.1	170.1	.....	.....	.....	.....	.....	.....	.....	170.1	.....	.....	.....	.....	.....	170.1	.....	78

[4] Colored population less than 5 per cent of the total in 1910.

[5] Rate not shown when population is less than 100.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM— All causes.[1]	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)	Cancer. 16
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	KENTUCKY—continued.															
1	Cumberland County† (total)	814.7	9.7						58.2	9.7		126.1		9.7		48.5
2	White	801.4	10.8						65.0	10.8		97.5		10.8		54.1
3	Colored	928.5										371.4				
4	Daviess County (total)	1,122.6	12.1	12.1		4.0	12.1		20.2	44.4	8.1	173.6	8.1	8.1	4.0	44.4
5	White	1,061.0	8.7	13.1		4.4	13.1		21.8	39.3	8.7	152.8	8.7	4.4		48.0
6	Colored	1,880.7	53.7							107.5		429.9		53.7	53.7	
7	Edmonson County† (total)	833.9	9.4	18.7					37.5	9.4		168.6		9.4		28.1
8	White	830.1	9.8	19.5					39.1	9.8		166.0				29.3
9	Colored [3]	923.8										230.9		230.9		
10	Elliott County† (total)	[4] 886.5	40.8					10.2	40.8	20.4		142.7	20.4	20.4		40.8
11	White	[4] 886.9	40.8					10.2	40.8	20.4		142.7	20.4	20.4		40.8
12	Colored [3]															
13	Estill County† (total)	754.4	15.9						7.9			166.8	23.8	7.9	7.9	15.9
14	White	757.2	15.9						8.0			167.4	23.9	8.0	8.0	15.9
15	Colored [3]															
16	Fayette County (total)	1,365.1	18.2					63.7	18.2	9.1		172.9	9.1			54.6
17	White	1,182.3						38.1	25.4	12.7		89.0	12.7			63.6
18	Colored	1,825.8	64.1					128.1				384.4				32.0
19	Fleming County (total)	[4] 1,300.9	118.3					6.2	31.1	18.7		186.7	12.4	12.4	6.2	31.1
20	White	[4] 1,263.4	119.7					6.6	33.2	19.9		192.8	13.3	13.3	6.6	26.6
21	Colored	[4] 1,850.0	97.4									97.4				97.4
22	Floyd County† (total)	785.5	19.8			9.9	9.9	9.9	24.7	4.9	4.9	143.3	4.9	19.8	4.9	4.9
23	White	781.4	19.9			10.0	10.0	10.0	24.9	5.0	5.0	139.4	5.0	19.9	5.0	5.0
24	Colored [3]	1,333.3										666.7				
25	Franklin County (total)	1,077.5	38.8			9.7			48.5	9.7		194.1	9.7	19.4		87.4
26	White	1,044.0	42.2						52.7	10.5		158.2	10.5	21.1		94.9
27	Colored	1,465.2				122.1						610.5				
28	Fulton County (total)	1,609.8	51.7	155.2					19.4	45.3	12.9	206.9	6.5		25.9	38.8
29	White	1,545.6	33.8	177.4					8.4	59.1	16.9	143.6	8.4		8.4	50.7
30	Colored	1,819.2	110.3	82.7					55.1			413.5			82.7	
31	Gallatin County (total)	[4] 1,362.6	21.3				21.3	21.3	21.3		21.3	255.5	42.6			42.6
32	White	[4] 1,401.8	22.6				22.6	22.6	22.6		22.6	271.3	45.2			45.2
33	Colored	[4] 729.9														
34	Garrard County (total)	[4] 1,177.1	33.6				16.8	16.8	33.6	16.8		151.3	16.8	8.4	8.4	42.0
35	White	946.9	20.8				20.8	20.8	41.6			114.5		10.4		31.2
36	Colored	[4] 2,145.4	87.6							87.6		306.5	87.6		43.8	87.6
37	Grant County (total)	[4] 1,389.3	56.7							47.3	9.5	217.4	18.9	9.5	28.4	189.0
38	White	[4] 1,321.8	58.3							48.6	9.7	213.8	19.4	9.7	9.7	174.9
39	Colored [3]	[4] 3,767.1										342.5			684.9	684.9
40	Graves County (total)	963.9	41.5	17.8				3.0	32.6	14.8	8.9	148.3	8.9	17.8	3.0	26.7
41	White	879.2	41.9	16.1				3.2	35.4	16.1	9.7	125.6	9.7	16.1	3.2	29.0
42	Colored	1,950.5	37.5	37.5								412.6		37.5		
43	Grayson County (total)	985.0	35.0	10.0					15.0			210.0	20.0	15.0	15.0	30.0
44	White	948.4	35.5	5.1					10.1			197.8	20.3	15.2	15.2	30.4
45	Colored [3]	3,533.6		353.4					353.4			1,060.1				
46	Green County† (total)	[4] 892.9	8.4							33.7		109.5	8.4			16.8
47	White	816.9	9.5							38.0		114.0	9.5			19.0
48	Colored	[4] 1,489.2										74.5				
49	Greenup County (total)	1,195.3	44.8	5.0		34.9	5.0	5.0	34.9	39.8		154.4	10.0	5.0	10.0	24.9
50	White	1,196.2	45.4	5.0		35.3	5.0	5.0	35.3	40.4		156.5	10.1	5.0	10.1	25.2
51	Colored [3]	1,127.8														
52	Hancock County (total)	[4] 1,163.1	23.5			47.0	11.7			23.5		199.7	35.2	47.0	11.7	11.7
53	White	[4] 1,120.1	25.2			50.3	12.6			12.6		176.2	25.2	37.8	12.6	12.6
54	Colored	[4] 1,766.8								176.7		530.0	176.7	176.7		
55	Hardin County (total)	[4] 1,255.7	39.7				4.4	13.2	39.7	8.8		233.5	13.2		8.8	57.3
56	White	1,197.9	28.7				4.8	14.4	43.1	9.6		210.8	14.4		4.8	57.5
57	Colored	[4] 1,916.8	164.3									492.9			54.8	54.8
58	Harlan County (total)	1,342.7	91.3			9.1			63.9	18.3		146.1		9.1		36.5
59	White	1,362.1	88.2			9.8			68.6	19.6		156.8		9.8		29.4
60	Colored	1,076.7	134.6													134.6
61	Harrison County (total)	[4] 1,203.1	23.7					11.9	17.8	23.7		278.6		11.9	5.9	59.3
62	White	[4] 1,137.4	26.5					6.6	19.8	26.5		224.8		13.2	6.6	66.1
63	Colored	[4] 1,770.4						57.1				742.4				
64	Hart County (total)	[4] 1,249.1	60.5				11.0	5.5	16.5	11.0	11.0	220.1	33.0	16.5	5.5	55.0
65	White	1,174.1	55.6				12.4	6.2	12.4	12.4	12.4	185.4	37.1	18.5	6.2	55.6
66	Colored	[4] 1,858.4	100.5						50.2			502.3				50.2
67	Henderson County (total)	[4] 1,128.5	27.9	16.8		5.6			16.8	16.8		162.0		11.2		33.5
68	White	[4] 1,007.2	28.4	21.3		7.1			21.3	14.2		141.9		7.1		28.4
69	Colored	[4] 1,578.1	26.3							26.3		236.7		26.3		52.6
70	Henry County (total)	[4] 1,326.9	21.9					7.3	7.3	21.9		233.3	7.3	7.3	14.6	87.5
71	White	[4] 1,174.1	16.8					8.4	8.4	16.8		176.1			16.8	75.5
72	Colored	[4] 2,343.8	55.8							55.8		613.8	55.8	55.8		167.4
73	Hickman County (total)	1,072.3	25.5	51.1					8.5	25.5	8.5	178.7			8.5	59.6
74	White	973.2	19.7	49.1					9.8	19.7	9.8	118.0			9.8	68.8
75	Colored	1,712.1	63.4	63.4						63.4		570.7				
76	Hopkins County (total)	1,154.7	36.1	8.3			8.3		5.6	16.7	8.3	216.5	2.8	19.4	16.7	44.4
77	White	1,084.0	38.3	10.5			7.0		7.0	17.4	10.5	188.2		24.4	17.4	8.8
78	Colored	1,430.7	27.3				13.6			13.6		327.0	13.6		13.6	27.3

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
9.7	29.1	48.5	29.1	.....	19.4	.....	29.1	.....	9.7	.....	38.8	9.7	.....	77.6	29.1	.....	164.9	58.2	1
.....	32.5	54.1	21.7	.....	21.7	.....	21.7	.....	10.8	.....	43.3	10.8	.....	75.8	32.5	.....	162.4	65.0	2
92.9	.....	.....	92.9	.....	.....	.....	92.9	.....	.....	.....	.....	.....	.....	92.9	.....	.....	185.7	.....	3
4.0	16.2	44.4	56.5	16.2	76.7	4.0	88.8	.....	8.1	4.0	72.7	8.1	24.2	96.9	56.5	12.1	169.6	12.1	4
4.4	17.5	39.3	52.4	17.5	69.9	4.4	91.7	.....	8.7	4.4	61.1	8.7	26.2	91.7	52.4	4.4	174.7	8.7	5
.....	.....	107.5	107.5	.....	161.2	.....	53.7	.....	.....	.....	214.9	.....	.....	161.2	107.5	107.5	107.5	53.7	6
.....	.....	18.7	56.2	9.4	93.7	.....	9.4	.....	.....	.....	9.4	.....	9.4	65.6	37.5	.....	178.0	65.6	7
.....	.....	9.8	58.6	9.8	97.7	.....	9.8	.....	.....	.....	9.8	.....	9.8	68.4	39.1	.....	185.5	58.6	8
.....	.....	230.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	230.9	9
.....	30.6	40.8	30.6	.....	81.5	.....	30.6	.....	.....	.....	81.5	.....	10.2	91.7	30.6	.....	71.3	50.9	10
.....	30.6	40.8	30.6	.....	81.6	.....	30.6	.....	.....	.....	81.6	.....	10.2	91.8	30.6	.....	71.4	51.0	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	39.7	15.9	15.9	.....	79.4	7.9	23.8	.....	7.9	7.9	39.7	.....	.....	47.6	47.6	.....	127.1	47.6	13
.....	39.9	15.9	15.9	.....	79.7	8.0	23.9	.....	8.0	8.0	39.9	.....	.....	47.8	47.8	.....	127.5	47.8	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	18.2	72.8	100.1	72.8	154.7	18.2	27.3	.....	.....	.....	109.2	.....	.....	27.3	72.8	18.2	300.3	27.3	16
.....	25.4	76.3	114.4	76.3	152.6	12.7	25.4	.....	.....	.....	76.3	.....	.....	38.1	63.6	25.4	241.5	12.7	17
.....	.....	64.1	64.1	64.1	160.2	32.0	32.0	.....	.....	.....	192.2	.....	.....	.....	96.1	.....	448.4	64.1	18
.....	24.9	37.3	124.5	18.7	118.3	.....	18.7	6.2	6.2	.....	74.7	12.4	6.2	80.9	62.2	18.7	255.2	12.4	19
.....	26.6	26.6	126.3	19.9	126.3	.....	19.9	6.6	6.6	.....	59.8	13.3	6.6	73.1	39.9	19.9	246.0	13.3	20
.....	.....	194.7	97.4	.....	.....	.....	.....	.....	.....	.....	292.1	.....	.....	194.7	389.5	.....	389.5	.....	21
4.9	24.7	.....	9.9	4.9	59.3	.....	34.6	.....	4.9	.....	19.8	4.9	14.8	44.5	39.5	.....	153.1	103.7	22
5.0	24.9	.....	10.0	5.0	59.7	.....	34.8	.....	5.0	.....	19.9	5.0	14.9	44.8	34.8	.....	154.3	104.5	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	666.7	.....	.....	.....	24
.....	.....	48.5	67.9	9.7	97.1	.....	38.8	.....	.....	9.7	29.1	.....	.....	48.5	38.8	.....	233.0	38.8	25
.....	.....	52.7	73.8	.....	94.9	.....	42.2	.....	.....	.....	21.1	.....	.....	52.7	42.2	.....	232.0	42.2	26
.....	.....	.....	.....	122.1	122.1	.....	.....	.....	.....	122.1	122.1	.....	.....	.....	.....	.....	244.2	.....	27
6.5	12.9	38.8	71.1	19.4	174.6	.....	51.7	6.5	12.9	.....	116.4	6.5	12.9	32.3	161.6	.....	213.3	109.9	28
8.4	16.9	42.2	67.6	16.9	177.4	.....	50.7	8.4	16.9	.....	126.7	8.4	16.9	42.2	109.8	.....	219.6	109.8	29
.....	.....	27.6	82.7	27.6	165.4	.....	55.1	.....	.....	.....	82.7	.....	.....	.....	330.8	.....	192.9	110.3	30
.....	.....	85.2	170.3	21.3	42.6	.....	42.6	.....	.....	.....	106.5	21.3	.....	106.5	42.6	.....	255.5	21.3	31
.....	.....	90.4	180.9	22.6	45.2	.....	45.2	.....	.....	.....	113.0	22.6	.....	113.0	45.2	.....	248.7	.....	32
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	365.0	365.0	33
.....	8.4	109.3	84.1	16.8	75.7	8.4	25.2	8.4	16.8	8.4	126.1	8.4	25.2	33.6	33.6	8.4	185.0	50.4	34
.....	10.4	114.5	72.8	20.8	52.0	10.4	31.2	10.4	10.4	10.4	83.2	10.4	20.8	20.8	20.8	10.4	156.1	20.8	35
.....	.....	87.6	131.3	.....	175.1	.....	.....	.....	43.8	.....	306.5	.....	43.8	87.6	87.6	.....	306.5	175.1	36
9.5	9.5	85.1	104.0	9.5	56.7	9.5	.....	9.5	.....	28.4	56.7	.....	9.5	75.6	94.5	18.9	217.4	18.9	37
9.7	9.7	87.5	87.5	9.7	58.3	9.7	.....	9.7	.....	29.2	58.3	.....	9.7	77.8	58.3	19.4	223.5	19.4	38
.....	.....	.....	684.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1,369.9	.....	.....	.....	39
3.0	14.8	38.6	38.6	8.9	97.9	11.9	29.7	.....	5.9	.....	65.3	3.0	8.9	59.3	47.5	8.9	180.9	17.8	40
3.2	16.1	35.4	41.9	6.4	80.5	12.9	19.3	.....	3.2	.....	45.1	3.2	9.7	57.8	45.1	9.7	164.3	19.3	41
.....	.....	75.0	.....	37.5	300.1	.....	150.0	.....	37.5	.....	300.1	.....	.....	75.0	75.0	.....	375.1	.....	42
5.0	10.0	40.0	30.0	20.0	100.0	10.0	30.0	.....	.....	.....	75.0	.....	.....	45.0	45.0	10.0	170.0	45.0	43
5.1	10.1	40.6	30.4	20.3	101.4	10.1	25.4	.....	.....	.....	71.0	.....	.....	45.6	45.6	10.1	157.2	45.6	44
.....	.....	.....	.....	.....	.....	.....	353.4	.....	.....	.....	353.4	.....	.....	.....	.....	.....	1,060.1	.....	45
.....	16.8	50.5	117.9	8.4	67.4	.....	33.7	25.3	.....	.....	59.0	.....	8.4	42.1	16.8	.....	235.9	33.7	46
.....	19.0	38.0	95.0	9.5	57.0	.....	28.5	28.5	.....	.....	57.0	.....	9.5	47.5	19.0	.....	190.0	28.5	47
.....	.....	148.9	297.8	.....	148.9	.....	74.5	.....	.....	.....	74.5	.....	.....	.....	.....	.....	595.7	74.5	48
5.0	5.0	39.8	44.8	19.9	104.6	10.0	94.6	.....	.....	.....	39.8	24.9	.....	109.6	89.6	24.9	169.3	39.8	49
5.0	5.0	40.4	45.4	15.1	106.0	10.1	95.9	.....	.....	.....	40.4	25.2	.....	111.0	90.8	25.2	166.6	35.3	50
.....	.....	.....	.....	375.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	375.9	375.9	51
58.7	.....	35.2	70.5	.....	47.0	.....	58.7	.....	.....	11.7	70.5	11.7	11.7	47.0	70.5	.....	258.5	.....	52
62.9	.....	37.8	75.5	.....	50.3	.....	50.3	.....	.....	12.6	62.9	12.6	12.6	37.8	62.9	.....	276.9	.....	53
.....	.....	.....	.....	.....	.....	.....	176.7	.....	.....	.....	176.7	.....	.....	176.7	176.7	.....	.....	.....	54
4.4	4.4	66.1	123.4	26.4	92.5	8.8	44.1	8.8	4.4	8.8	119.0	8.8	4.4	44.1	39.7	4.4	193.9	30.8	55
4.8	4.8	67.1	119.8	28.7	91.0	9.6	43.1	9.6	4.8	9.6	100.6	9.6	.....	47.9	33.5	4.8	191.7	28.7	56
.....	.....	54.8	164.3	.....	109.5	.....	54.8	.....	.....	.....	328.6	.....	54.8	.....	109.5	.....	219.1	54.8	57
.....	.....	18.3	9.1	18.3	73.1	18.3	45.7	27.4	.....	.....	82.2	27.4	.....	137.0	182.7	9.1	146.1	173.5	58
.....	.....	19.6	9.8	19.6	78.4	19.6	49.0	29.4	.....	.....	88.2	19.6	.....	137.2	186.2	9.8	127.4	186.2	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	134.6	.....	134.6	134.6	.....	403.8	.....	60
5.9	11.9	47.4	106.7	23.7	88.9	11.9	17.8	11.9	5.9	.....	83.0	.....	5.9	41.5	59.3	11.9	231.1	5.9	61
6.6	.....	52.9	86.0	26.5	79.4	13.2	19.8	13.2	.....	.....	92.6	.....	6.6	46.3	59.5	13.2	231.5	.....	62
.....	114.2	.....	285.6	.....	171.3	.....	.....	.....	57.1	.....	.....	.....	.....	.....	57.1	.....	228.4	57.1	63
11.0	27.5	38.5	71.5	11.0	121.1	5.5	38.5	.....	.....	11.0	104.6	5.5	11.0	104.6	60.5	.....	154.1	27.5	64
12.4	24.7	37.1	74.2	.....	129.8	6.2	37.1	.....	.....	12.4	92.7	6.2	6.2	86.5	61.8	.....	148.3	24.7	65
.....	50.2	50.2	50.2	100.5	50.2	.....	50.2	.....	.....	.....	200.9	.....	50.2	251.1	50.2	.....	200.9	50.2	66
.....	16.8	50.3	106.1	22.3	78.2	16.8	44.7	5.6	5.6	.....	67.0	5.6	5.6	78.2	72.6	.....	245.8	16.8	67
.....	14.2	42.6	70.9	21.3	56.7	14.2	49.7	7.1	7.1	.....	42.6	7.1	7.1	78.0	56.7	.....	241.2	21.3	68
.....	26.3	78.9	236.7	26.3	157.8	26.3	26.3	.....	.....	.....	157.8	.....	.....	78.9	131.5	.....	263.0	.....	69
7.3	7.3	116.7	65.6	29.2	123.9	14.6	43.7	7.3	21.9	.....	51.0	7.3	.....	87.5	7.3	29.2	291.6	7.3	70
8.4	8.4	109.0	50.3	25.2	125.8	16.8	33.5	8.4	16.8	.....	50.3	8.4	.....	33.9	8.4	25.2	268.4	8.4	71
.....	.....	167.4	167.4	55.8	111.6	.....	111.6	.....	55.8	.....	55.8	.....	.....	111.6	.....	55.8	446.4	.....	72
.....	.....	17.0	59.6	17.0	93.6	.....	42.6	.....	.....	.....	76.6	.....	8.5	76.6	76.6	17.0	178.7	42.6	73
.....	.....	9.8	49.1	19.7	98.3	.....	49.1	.....	.....	.....	78.6	.....	9.8	78.6	68.8	19.7	167.1	19.7	74
.....	.....	63.4	126.9	.....	63.4	.....	.....	.....	.....	.....	63.4	.....	.....	63.4	126.9	.....	253.6	190.2	75
19.4	8.3	41.6	97.1	13.9	74.9	13.9	27.8	8.3	2.8	.....	50.0	2.8	.....	88.8	91.6	5.6	202.6	22.2	76
13.9	10.5	38.3	90.6	13.9	41.8	10.5	24.4	10.5	3.5	.....	48.8	3.5	.....	90.6	76.7	3.5	212.6	20.9	77
40.9	.....	54.5	122.6	13.6	204.4	27.3	40.9	.....	.....	.....	54.5	.....	.....	81.8	149.9	13.6	163.5	27.3	78

[3] Colored population less than 5 per cent of the total in 1910.

[4] Rate based on population Apr. 15, 1910. Decrease since 1900.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	KENTUCKY—continued.															
1	Jackson County† (total)	665.2	9.2						9.2	18.5		110.9	9.2	18.5		46.2
2	White	657.3	9.3						9.3	18.5		111.1	9.3	18.5		46.3
3	Colored[3]	(4)														
4	Jefferson County* (total)	1,781.8	9.5			2.4		19.1	16.7	4.8	14.3	520.0	2.4	19.1	4.8	59.6
5	White	1,622.0	5.4			2.7		21.7	19.0		13.5	408.9	2.7	16.2	2.7	65.0
6	Colored	2,962.4	40.0							40.0	20.0	1,341.1		40.0	20.0	20.0
7	Jessamine County (total)	1,364.2	7.7					15.4	15.4	15.4		169.6	15.4	23.1	15.4	53.9
8	White	1,194.2	9.8					9.8	9.8	19.6		137.0	9.8	29.4	9.8	58.7
9	Colored	1,993.5						36.2	36.2			290.0	36.2		36.2	36.2
10	Johnson County (total)	945.5	25.7			10.3		5.1	36.0	5.1		143.9	15.4	5.1		15.4
11	White	943.9	25.8			10.3		5.2	36.1	5.2		144.4	15.5	5.2		15.5
12	Colored[3]	(4)														
13	Kenton County (total)	1,074.5	11.5				5.7		17.2	23.0		137.9	11.5	17.2	11.5	57.5
14	White	1,059.9	11.6				5.8		17.5	23.3		139.8	11.6	17.5	11.6	52.4
15	Colored[3]	2,155.2														431.0
16	Knott County† (total)	714.9	8.4			8.4		8.4	50.5	8.4		75.7		16.8		
17	White	690.2	8.5					8.5	51.1	8.5		68.2		8.5		
18	Colored[3]	2,597.4				649.4						649.4		649.4		
19	Knox County (total)	1,174.0	16.2			8.1	4.1	12.2	101.6	24.4		125.9	12.2	20.3	8.1	32.5
20	White	1,163.0	17.1			8.6	4.3	8.6	98.3	21.4		124.0	12.8	21.4	8.6	34.2
21	Colored[3]	1,383.2						81.4	162.7	81.4		162.7				
22	Larue County (total)	[5] 1,158.8	28.0				18.7	9.3	18.7	56.1		158.9	18.7	37.4	9.3	46.7
23	White	[5] 1,129.5	30.3				20.2	10.1	20.2	50.4		141.2	10.1	40.3	10.1	50.4
24	Colored	1,528.7								127.4		382.2	127.4			
25	Laurel County† (total)	735.5	38.0			4.7	4.7	14.2	23.7	9.5		94.9			9.5	23.7
26	White	725.2	39.2			4.9	4.9	14.7	24.5	9.8		98.0			9.8	24.5
27	Colored[3]	1,052.6														
28	Lawrence County (total)	1,063.7	39.4					29.5	24.6	4.9	4.9	162.5	4.9	14.8	4.9	34.5
29	White	1,061.8	39.7					29.8	24.8	5.0	5.0	158.8	5.0	14.9	5.0	34.7
30	Colored[3]	1,307.2										653.6				
31	Lee County† (total)	879.7	9.7	9.7		29.0	9.7	9.7	38.7			58.0		19.3		9.7
32	White	868.7	9.9	9.9		29.6	9.9	9.9	39.5			59.2		19.7		9.9
33	Colored[3]	1,401.9														
34	Leslie County† (total)	561.7	19.7			9.9		19.7	9.9			39.4			9.9	
35	White	540.8	20.0			10.0		20.0	10.0			30.0			10.0	
36	Colored[3]	1,840.5										613.5				
37	Letcher County (total)	1,167.9	17.6			26.3		17.6	8.8	8.8	8.8	79.0		17.6		26.3
38	White	1,080.3	17.6			26.3		17.6	8.8	8.8	8.8	61.5		17.6		26.3
39	Colored[3]	(4)										(4)				
40	Lewis County (total)	[5] 1,148.8	47.4				5.9		17.8	5.9		154.0	11.8	11.8	5.9	17.8
41	White	[5] 1,158.5	47.8				6.0		17.9	6.0		155.3	11.9	11.9	6.0	17.9
42	Colored[3]															
43	Lincoln County (total)	1,276.0	49.1	5.5				5.5	27.3	16.4	5.5	218.1	5.5		10.9	81.8
44	White	1,199.2	51.0	6.4				6.4	25.5	19.1	6.4	178.6	6.4		12.8	51.0
45	Colored	1,728.7	37.6						37.6			451.0				263.1
46	Livingston County (total)	[5] 997.5	47.0	28.2					28.2	9.4	9.4	150.6	28.2	18.8		18.8
47	White	[5] 1,014.4	40.2	30.1					30.1	10.0	10.0	150.6	30.1	20.1		10.0
48	Colored	[5] 746.3	149.3									149.3				149.3
49	Logan County (total)	[5] 1,181.1	56.1						48.0	20.0		188.2	8.0	16.0	12.0	60.1
50	White	1,060.0	56.1						61.2	20.4		142.7	10.2	10.2	5.1	66.2
51	Colored	[5] 1,625.0	56.0							18.7		354.9		37.4	37.4	37.4
52	Lyon County (total)	1,160.8	21.1	21.1			10.6		10.6	10.6		158.3			21.1	31.7
53	White	1,032.7	12.9	25.8			12.9		12.9	12.9		116.2			25.8	38.7
54	Colored	1,735.1	57.8									347.0				
55	McCracken County† (total)	841.9		21.6					36.0	21.6		129.5		14.4		21.6
56	White	873.5		25.4					42.4	25.4		127.2		17.0		25.4
57	Colored	665.1										142.5				
58	McLean County (total)	1,025.0	58.6	22.0					7.3	29.3		212.3		14.6		22.0
59	White	948.0	54.0	23.1					7.7	23.1		208.1		15.4		23.1
60	Colored	2,485.4	146.2							146.2		292.4				
61	Madison County (total)	1,193.1	39.8		3.6	7.2		3.6	32.5	7.2		184.4		21.7		50.6
62	White	969.8	35.6		4.4	8.9			40.0	8.9		97.9		8.9		57.8
63	Colored	2,162.2	57.9					19.3				559.8		77.2		19.3
64	Magoffin County (total)	1,094.8	48.2			6.9		6.9	20.7			103.3		6.9	20.7	13.8
65	White	1,061.5	41.6			6.9		6.9	20.8			104.1		6.9	20.8	13.9
66	Colored[3]	5,504.6	917.4													
67	Marion County (total)	1,376.1	6.1					12.2	36.7	42.8		140.7	6.1	18.3	18.3	30.6
68	White	1,120.3	7.0					7.0	41.8	34.8		111.3	7.0	7.0	7.0	34.8
69	Colored	3,232.3						50.5		101.0		353.5		101.0	101.0	
70	Marshall County† (total)	770.8	23.7	47.4					5.9	23.7	5.9	160.1	5.9			11.9
71	White	765.9	23.7	47.5					5.9	23.7	5.9	154.4	5.9			11.9
72	Colored[3]	(4)										(4)				
73	Martin County† (total)	840.8	37.1	12.4					74.2			98.9	24.7		12.4	
74	White	841.2	37.1	12.4					74.2			99.0	24.7		12.4	
75	Colored[3]															
76	Mason County (total)	[6] 1,531.4	16.1					5.4	32.2	43.0		209.6	26.9	10.7	5.4	59.1
77	White	[5] 1,397.6	19.1						25.4	31.8		171.5	19.1	12.7	6.4	57.2
78	Colored	[5] 2,264.8						34.8	69.7	104.5		418.1	69.7			69.7

[1] Exclusive of stillbirths. [2] Exclusive of municipalities having a population of 10,000 or over in 1910. [3] Colored population less than 5 per cent of the total in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22 (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
9.2	37.0	9.2	27.7	.....	37.0	.....	37.0	9.2	9.2	9.2	18.5	.....	9.2	27.7	27.7	.....	83.2	92.4	1
9.3	37.0	9.3	27.8	.....	37.0	.....	37.0	9.3	9.3	9.3	18.5	.....	9.3	27.8	27.8	.....	83.3	83.3	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	3
11.9	4.8	64.4	181.3	11.9	88.3	16.7	52.5	.....	11.9	4.8	131.2	4.8	7.2	52.5	54.9	19.1	384.0	7.2	4
10.8	5.4	65.0	170.6	10.8	97.5	16.2	51.5	.....	8.1	5.4	116.4	5.4	8.1	56.9	51.5	19.0	357.4	8.1	5
20.0	.....	60.0	260.2	20.0	20.0	20.0	60.0	.....	40.0	.....	240.2	.....	.....	20.0	80.1	20.0	580.5	.....	6
7.7	15.4	53.9	123.3	7.7	161.8	23.1	38.5	.....	7.7	7.7	84.8	7.7	.....	123.3	46.2	.....	292.9	30.8	7
9.8	19.6	58.7	88.1	.....	137.0	19.6	39.2	.....	9.8	9.8	68.2	9.8	.....	117.5	48.9	.....	244.7	19.6	8
.....	.....	36.2	253.7	36.2	253.7	36.2	36.2	.....	.....	.....	145.0	.....	.....	145.0	36.2	.....	471.2	72.5	9
5.1	51.4	10.3	61.7	.....	51.4	10.3	56.5	15.4	10.3	10.3	46.2	5.1	.....	123.3	46.2	.....	138.7	41.1	10
5.2	51.6	10.3	61.9	.....	51.6	10.3	56.7	15.5	10.3	5.2	46.4	5.2	.....	123.8	46.4	.....	139.3	41.3	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	.....	.....	.....	.....	.....	.....	.....	.....	12
11.5	11.5	86.2	114.9	5.7	126.4	17.2	11.5	.....	17.2	.....	69.0	5.7	.....	80.4	74.7	23.0	120.7	5.7	13
11.6	11.6	87.4	110.7	5.8	122.3	17.5	11.6	.....	17.5	.....	69.9	5.8	.....	81.5	69.9	23.3	116.5	5.8	14
.....	.....	.....	431.0	.....	431.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	431.0	.....	431.0	.....	15
.....	.....	.....	.....	.....	42.1	8.4	8.4	8.4	8.4	.....	25.2	.....	16.8	58.9	16.8	16.8	151.4	176.6	16
.....	.....	.....	.....	.....	42.6	8.5	8.5	8.5	8.5	.....	25.6	.....	17.0	59.6	17.0	17.0	153.4	170.4	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	649.4	18
.....	16.2	36.6	65.0	12.2	97.5	4.1	32.5	8.1	.....	4.1	52.8	.....	4.1	97.5	89.4	8.1	235.6	44.7	19
.....	17.1	29.9	64.1	12.8	98.3	4.3	34.2	4.3	.....	4.3	55.6	.....	4.3	98.3	89.8	8.6	235.2	42.8	20
.....	.....	162.7	81.4	.....	81.4	.....	.....	81.4	.....	.....	.....	.....	.....	81.4	81.4	.....	244.1	81.4	21
.....	.....	74.8	84.1	.....	65.4	18.7	56.1	9.3	.....	.....	112.1	18.7	18.7	74.8	18.7	.....	186.9	18.7	22
.....	.....	80.7	80.7	.....	70.6	20.2	60.5	10.1	.....	.....	121.0	10.1	20.2	70.6	20.2	.....	161.4	20.2	23
.....	.....	.....	127.4	.....	.....	.....	.....	.....	.....	.....	.....	127.4	.....	127.4	.....	.....	509.6	.....	24
4.7	14.2	47.5	38.0	19.0	61.7	9.5	23.7	4.7	4.7	.....	38.0	.....	9.5	52.2	38.0	.....	123.4	23.7	25
4.9	14.7	49.0	39.2	14.7	63.7	9.8	24.5	4.9	4.9	.....	34.3	.....	9.8	39.2	39.2	.....	117.6	24.5	26
.....	.....	.....	.....	150.4	.....	.....	.....	.....	.....	.....	150.4	.....	.....	451.1	.....	.....	300.8	.....	27
4.9	19.7	14.8	44.3	4.9	64.0	19.7	49.2	9.8	14.8	4.9	49.2	4.9	.....	78.8	59.1	9.8	182.2	103.4	28
5.0	19.8	14.9	44.7	5.0	64.5	19.8	44.7	9.9	14.9	5.0	49.6	5.0	.....	79.4	59.5	9.9	183.6	104.2	29
.....	.....	.....	.....	.....	.....	.....	653.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	30
.....	29.0	9.7	29.0	9.7	106.3	.....	29.0	9.7	9.7	.....	87.0	.....	19.3	48.3	67.7	.....	203.0	29.0	31
.....	29.6	9.9	29.6	9.9	108.6	.....	29.6	.....	9.9	.....	88.8	.....	9.9	49.4	69.1	.....	197.4	29.6	32
.....	.....	.....	.....	.....	.....	.....	.....	467.3	.....	.....	.....	.....	467.3	.....	.....	.....	467.3	.....	33
.....	.....	19.7	19.7	.....	19.7	.....	29.6	9.9	.....	.....	9.9	.....	.....	39.4	39.4	9.9	128.1	128.1	34
.....	.....	20.0	10.0	.....	20.0	.....	30.0	10.0	.....	.....	10.0	.....	.....	40.1	30.0	10.0	130.2	130.2	35
.....	.....	.....	613.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	613.5	.....	.....	.....	36
.....	17.6	17.6	79.0	.....	87.8	8.8	184.4	.....	8.8	8.8	17.6	17.6	8.8	79.0	184.4	.....	166.8	70.2	37
.....	17.6	17.6	70.3	.....	79.0	8.8	184.4	.....	8.8	8.8	17.6	17.6	8.8	79.0	149.3	.....	149.3	70.3	38
.....	.....	.....	(4)	.....	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	.....	(4)	.....	39
.....	11.8	41.5	118.4	5.9	94.7	23.7	53.3	.....	35.5	17.8	71.1	17.8	11.8	82.9	47.4	.....	171.7	65.1	40
.....	11.9	41.8	119.4	6.0	95.5	23.9	53.7	.....	35.8	17.9	71.7	17.9	11.9	83.6	47.8	.....	173.2	65.7	41
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
5.5	16.4	32.7	109.1	38.2	92.7	5.5	32.7	.....	5.5	5.5	49.1	5.5	.....	70.9	76.3	.....	267.2	38.2	43
6.4	19.1	31.9	102.1	38.3	95.7	6.4	31.9	.....	6.4	6.4	51.0	6.4	.....	76.5	57.4	.....	261.5	38.3	44
.....	.....	37.6	150.3	37.6	75.2	.....	37.6	.....	.....	.....	37.6	.....	.....	37.6	187.9	.....	300.6	37.6	45
9.4	56.5	9.4	65.9	9.4	75.3	9.4	28.2	.....	18.8	.....	94.1	28.2	18.8	18.8	28.2	.....	141.1	47.0	46
10.0	60.3	10.0	60.3	10.0	80.3	10.0	30.1	.....	20.1	.....	100.4	30.1	20.1	20.1	20.1	.....	150.6	50.2	47
.....	.....	.....	149.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	149.3	.....	.....	.....	48
4.0	12.0	60.1	84.1	28.0	88.1	4.0	36.0	8.0	8.0	.....	40.0	4.0	12.0	28.0	84.1	16.0	204.2	52.0	49
.....	5.1	56.1	76.4	15.3	81.5	5.1	35.7	.....	5.1	.....	30.6	5.1	15.3	30.6	61.2	20.4	188.6	56.1	50
18.7	37.4	74.7	112.1	74.7	112.1	.....	37.4	37.4	18.7	.....	74.7	.....	.....	18.7	168.1	.....	261.5	37.4	51
.....	.....	42.2	95.0	42.2	147.7	.....	31.7	.....	21.1	.....	31.7	10.6	.....	21.1	147.7	10.6	232.2	42.2	52
.....	.....	51.6	90.4	51.6	116.2	.....	38.7	.....	25.8	.....	25.8	.....	.....	25.8	103.3	12.9	193.6	38.7	53
.....	.....	.....	115.7	.....	289.2	.....	.....	.....	.....	.....	57.8	57.8	.....	.....	347.0	.....	404.9	57.8	54
.....	14.4	14.4	64.8	7.2	72.0	7.2	64.8	14.4	.....	.....	43.2	7.2	.....	50.4	50.4	.....	165.5	21.6	55
.....	17.0	17.0	67.8	8.5	50.9	8.5	76.3	.....	.....	.....	50.9	8.5	.....	50.9	59.4	.....	169.6	25.4	56
.....	.....	.....	47.5	.....	190.0	.....	.....	95.0	.....	.....	.....	.....	.....	47.5	.....	.....	142.5	.....	57
7.3	29.3	29.3	29.3	43.9	51.3	22.0	43.9	.....	.....	7.3	73.2	.....	.....	58.6	58.6	14.6	168.4	22.0	58
7.7	23.1	30.8	30.8	38.5	54.0	23.1	38.5	.....	.....	7.7	77.1	.....	.....	46.2	54.0	15.4	131.0	15.4	59
.....	146.2	.....	.....	146.2	.....	.....	146.2	.....	.....	.....	.....	.....	.....	292.4	146.2	.....	877.2	146.2	60
10.8	18.1	47.0	83.2	10.8	90.4	3.6	50.6	21.7	3.6	.....	104.8	10.8	14.5	54.2	47.0	10.8	245.9	14.5	61
8.9	17.8	44.5	75.6	13.3	89.0	.....	35.6	17.8	4.4	.....	53.4	13.3	4.4	62.3	40.0	13.3	204.6	8.9	62
19.3	19.3	57.9	115.8	.....	96.5	19.3	115.8	38.6	.....	.....	328.2	.....	57.9	19.3	77.2	.....	424.7	38.6	63
.....	13.8	13.8	62.0	6.9	68.9	6.9	20.7	.....	.....	.....	6.9	.....	20.7	48.2	55.1	.....	179.0	364.9	64
.....	13.9	13.9	62.4	6.9	69.4	6.9	20.8	.....	.....	.....	6.9	.....	20.8	48.6	48.6	.....	180.4	339.9	65
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	917.4	.....	.....	3,669.7	66
.....	6.1	67.3	55.0	42.8	122.3	12.2	79.5	18.3	.....	6.1	116.2	.....	.....	85.6	79.5	12.2	318.0	42.8	67
.....	7.0	69.6	55.7	41.8	97.4	13.9	83.5	20.9	.....	7.0	62.6	.....	.....	62.6	55.7	13.9	257.5	13.9	68
.....	.....	50.5	50.5	50.5	303.0	.....	50.5	.....	.....	.....	505.1	.....	.....	252.5	252.5	.....	757.6	252.5	69
11.9	41.5	11.9	17.8	.....	47.4	5.9	17.8	11.9	5.9	.....	23.7	.....	17.8	77.1	41.5	.....	112.7	41.5	70
11.9	41.6	11.9	17.8	.....	47.5	5.9	17.8	11.9	5.9	.....	23.7	.....	17.8	77.2	41.6	.....	112.8	41.6	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72
.....	12.4	12.4	12.4	.....	98.9	.....	74.2	.....	24.7	.....	24.7	12.4	.....	61.8	74.2	.....	123.6	49.5	73
.....	12.4	12.4	12.4	.....	99.0	.....	74.2	.....	24.7	.....	24.7	12.4	.....	61.9	74.2	.....	123.7	49.5	74
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	75
26.9	.....	96.7	139.7	21.5	139.7	16.1	37.6	5.4	16.1	10.7	112.8	10.7	5.4	102.1	48.4	16.1	274.0	43.0	76
12.7	.....	108.0	146.1	19.1	120.7	6.4	44.5	6.4	12.7	12.7	108.0	6.4	6.4	82.6	50.8	19.1	260.5	31.8	77
104.5	.....	34.8	104.5	34.8	243.9	69.7	.....	.....	34.8	.....	139.4	34.8	.....	209.1	34.8	.....	348.4	104.5	78

[4] Rate not shown when population is less than 100.

[5] Rate based on population Apr. 15, 1910. Decrease since 1900.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM— All causes.[1]	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. H 15	Rheumatism. (37)	Cancer. 16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	KENTUCKY—continued.															
1	Meade County (total)	[3] 1,328.8	61.3	10.2					51.1	40.9		276.0	10.2		10.2	81.8
2	White	[3] 1,292.7	65.7	11.0					54.8	43.8		252.0	11.0		11.0	87.6
3	Colored	[3] 1,832.1										610.7				
4	Menifee County (total)	[3] 910.1	48.8					16.3	48.8	32.5		113.8		32.5		32.5
5	White	[3] 916.1	49.1					16.4	49.1	32.7		114.5		32.7		32.7
6	Colored [4]															
7	Mercer County (total)	[3] 1,280.0	35.6				14.2	21.3	21.3	14.2		184.9	28.4	7.1	7.1	49.8
8	White	[3] 1,152.0	33.6				16.8	8.4	25.2	8.4		151.4	33.6		8.4	42.0
9	Colored	[3] 1,980.7	46.1					92.1		46.1		368.5		46.1		92.1
10	Metcalfe County (total)	1,075.0	46.7						9.3	74.8		187.0		37.4	9.3	28.0
11	White	1,028.9	40.0						10.0	69.9		139.8		30.0	10.0	30.0
12	Colored	1,746.7	145.6							145.6		873.4		145.6		
13	Monroe County (total)	1,129.9	57.2	7.2					21.5	21.5		135.9		21.5	14.3	57.2
14	White	1,095.6	52.9	7.6					22.7	15.1		105.8		22.7	15.1	60.4
15	Colored	1,735.6	133.5							133.5		667.6				
16	Montgomery County (total)	1,412.6	77.6	7.8		15.5		7.8	54.3	7.8		163.0	7.8	15.5	15.5	77.6
17	White	1,279.7	91.4			20.3		10.2	60.9			132.0	10.2	10.2	20.3	81.3
18	Colored	1,843.3	32.9	32.9					32.9	32.9		263.3		32.9		65.8
19	Morgan County (total)	967.5	11.1			5.5	5.5	55.3	55.3	16.6		149.3	5.5	5.5	11.1	22.1
20	White	968.8	11.1			5.5	5.5	55.4	55.4	16.6		149.5	5.5	5.5	11.1	22.1
21	Colored [4]															
22	Muhlenberg County (total)	1,288.9	36.7	9.2		3.1		6.1	48.9	15.3	6.1	204.6	3.1	12.2	6.1	36.7
23	White	1,243.5	34.0	6.8		3.4		6.8	54.4	13.6	6.8	190.3	3.4	10.2	6.8	40.8
24	Colored	1,693.4	60.5	30.2						30.2		332.6		30.2		
25	Nelson County (total)	1,397.7	35.4						11.8	53.1		165.1	11.8	17.7	17.7	29.5
26	White	1,259.4	28.0						14.0	63.0		125.9	14.0	14.0	21.0	35.0
27	Colored	2,139.6	75.1									375.4		37.5		
28	Nicholas County (total)	[3] 1,065.9	18.9				9.4		37.7	9.4		188.6		28.3		66.0
29	White	[3] 1,040.7	20.6				10.3		41.2	10.3		175.2		30.9		72.1
30	Colored	[3] 1,339.3										334.8				
31	Ohio County (total)	1,095.9	25.2	10.8		14.4	3.6	7.2	32.3	10.8	7.2	176.1		7.2	7.2	28.7
32	White	1,075.4	26.3	11.3		15.0	3.8	7.5	33.8	11.3	7.5	169.2		7.5	7.5	30.1
33	Colored [4]	1,538.5										323.9				
34	Oldham County (total)	1,621.9	27.3			13.6				27.3	13.6	149.9		13.6	13.6	109.0
35	White	1,497.3	30.6			15.3				15.3	15.3	137.5		15.3	15.3	122.2
36	Colored	2,651.5								126.3		252.5				
37	Owen County (total)	[3] 1,172.1	28.1					42.1	21.1	28.1		168.4	14.0		7.0	70.2
38	White	[3] 1,134.9	22.5					45.1	22.5	30.1		142.8	7.5		7.5	67.6
39	Colored	[3] 1,696.7	106.0									530.2	106.0			106.0
40	Owsley County† (total)	700.9	11.7					23.4	11.7		11.7	116.8				11.7
41	White	707.2	11.8					23.6	11.8		11.8	117.9				11.8
42	Colored [4]															
43	Pendleton County (total)	[3] 1,351.7	16.7							66.8	8.3	208.6	25.0		8.3	41.7
44	White	[3] 1,330.6	17.1							59.7	8.5	204.7	25.6		8.5	42.6
45	Colored [4]	[3] 2,298.9								383.1		383.1				
46	Perry County† (total)	771.9	23.4	7.8					39.0	15.6		117.0	7.8	15.6	15.6	
47	White	723.2	23.8	7.9					39.7	15.9		119.2	7.9	15.9	7.9	
48	Colored [4]	3,305.8													413.2	
49	Pike County (total)	922.5	16.5			19.2	5.5	2.7	76.9	11.0	19.2	101.6		5.5	2.7	13.7
50	White	894.1	16.7			19.4	5.6	2.8	77.7	11.1	19.4	100.0		5.6	2.8	13.9
51	Colored [4]	3,439.8										245.7				
52	Powell County (total)	[3] 1,068.9								47.9		111.7		31.9		16.0
53	White	[3] 1,062.2								50.6		118.0		33.7		16.9
54	Colored	[3] 1,186.9														
55	Pulaski County [5] (total)	965.4	28.0				1.1	17.2	43.0	19.4	3.2	123.6	2.2	11.8	6.5	33.3
56	White	941.0	27.8				1.1	17.8	42.3	18.9	3.3	116.9	1.1	11.1	6.7	32.3
57	Colored [4]	1,644.9	31.0						62.1	31.0		310.4	31.0	31.0		62.1
58	Robertson County (total)	[3] 994.9	48.5				24.3			72.8		121.3	48.5	24.3		
59	White	[3] 987.4	49.4				24.7			74.1		98.7	49.4	24.7		
60	Colored [4]	(6)										(6)				
61	Rockcastle County† (total)	893.5	32.1			6.4		19.3	19.3	19.3		135.0		12.9	6.4	25.7
62	White	886.8	32.4			6.5		19.4	19.4	19.4		135.9		12.9	6.5	19.4
63	Colored [4]	1,851.9														925.9
64	Rowan County (total)	1,243.9	19.9						79.6	10.0		189.1	10.0	10.0	10.0	39.8
65	White	1,221.5	20.0						80.1	10.0		190.2	10.0	10.0	10.0	40.0
66	Colored [4]	(6)														
67	Russell County (total)	1,028.2	26.1	8.7				43.6	8.7	26.1		200.4	17.4	26.1	8.7	34.9
68	White	1,025.4	26.5	8.8				44.2	8.8	26.5		203.3	17.7	26.5	8.8	35.4
69	Colored [4]	1,227.0														
70	Scott County (total)	[3] 1,209.0	23.6						23.6	64.9	5.9	165.1		17.7	5.9	64.9
71	White	[3] 1,061.0	23.2						31.0	23.2	7.7	131.7		7.7	7.7	54.2
72	Colored	[3] 1,681.5	24.7							197.8		272.0		49.5		98.9
73	Shelby County (total)	[3] 1,430.1	38.8						33.3	55.4		110.9	33.3	5.5	16.6	116.4
74	White	1,323.8	49.8						42.7	42.7		106.8	35.6		14.2	113.9
75	Colored	[3] 1,804.1								100.2		125.3	25.1	25.1	25.1	125.3
76	Simpson County (total)	[3] 1,308.9	78.5					26.2	61.1	43.6		209.4				69.8
77	White	1,248.0	75.3					21.5	10.8	53.8		182.9				86.1
78	Colored	[3] 1,570.4	92.4					46.2	277.1			323.3				

[1] Exclusive of stillbirths.
[2] Exclusive of municipalities having a population of 10,000 or over in 1910.
[3] Rate based on population Apr. 15, 1910. Decrease since 1900.
[4] Colored population less than 5 per cent of the total in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
30.7	10.2	10.2	122.7	30.7	92.0	10.2	20.4	10.2	.....	10.2	102.2	.....	10.2	51.1	81.8	10.2	163.5	20.4	1
32.9	.....	11.0	120.5	32.9	87.6	11.0	21.9	11.0	.....	11.0	98.6	.....	.....	54.8	54.8	11.0	175.3	21.9	2
.....	152.7	.....	152.7	.....	152.7	.....	.....	.....	.....	.....	152.7	.....	152.7	.....	458.0	.....	.....	.....	3
16.3	32.5	16.3	.....	.....	81.3	16.3	.....	.....	16.3	16.3	65.0	16.3	16.3	32.5	81.3	.....	113.8	65.0	4
16.4	32.7	16.4	.....	.....	81.8	16.4	.....	.....	16.4	16.4	65.4	16.4	16.4	32.7	81.8	.....	114.5	65.4	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
21.3	.....	64.0	142.2	21.3	71.1	7.1	14.2	14.2	21.3	.....	135.1	7.1	7.1	42.7	49.8	28.4	220.4	28.4	7
16.8	.....	75.7	100.9	16.8	67.3	8.4	8.4	8.4	25.2	.....	126.1	8.4	8.4	50.5	50.5	25.2	210.2	16.8	8
46.1	.....	.....	368.5	46.1	92.1	.....	46.1	46.1	.....	.....	184.2	.....	.....	.....	46.1	46.1	276.4	92.1	9
.....	18.7	18.7	74.8	9.3	112.2	.....	37.4	.....	.....	9.3	65.4	28.0	9.3	46.7	9.3	.....	168.3	74.8	10
.....	20.0	20.0	79.9	10.0	119.9	.....	40.0	.....	.....	10.0	59.9	30.0	10.0	49.9	10.0	.....	169.8	69.9	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	145.6	.....	.....	.....	.....	.....	145.6	145.6	12
.....	28.6	28.6	100.1	7.2	42.9	.....	71.5	.....	7.2	7.2	50.1	.....	7.2	85.8	35.8	.....	214.5	107.3	13
.....	30.2	30.2	105.8	7.6	45.3	.....	75.6	.....	7.6	7.6	45.3	.....	7.6	90.7	37.8	.....	204.0	98.2	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	133.5	.....	.....	.....	.....	.....	400.5	267.0	15
15.5	31.0	77.6	77.6	7.8	108.7	15.5	15.5	.....	.....	7.8	170.8	.....	.....	54.3	85.4	7.8	256.1	31.0	16
20.3	30.5	71.1	40.6	.....	81.3	20.3	.....	.....	.....	10.2	142.2	.....	.....	50.8	71.1	10.2	284.4	10.2	17
.....	32.9	98.7	197.5	32.9	197.5	.....	65.8	.....	.....	.....	263.3	.....	.....	65.8	131.7	.....	164.6	98.7	18
11.1	33.2	22.1	27.6	.....	82.9	.....	11.1	16.6	.....	.....	11.1	16.6	5.5	71.9	55.3	.....	138.2	121.6	19
11.1	33.2	22.1	27.7	.....	83.0	.....	11.1	16.6	.....	.....	11.1	16.6	5.5	72.0	55.4	.....	138.4	121.8	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
6.1	36.7	42.8	79.4	27.5	88.6	6.1	79.4	3.1	18.3	6.1	76.4	6.1	9.2	122.2	45.8	.....	198.5	48.9	22
6.8	37.4	40.8	78.1	30.6	95.1	3.4	74.7	3.4	20.4	3.4	68.0	6.8	10.2	118.9	40.8	.....	186.9	40.8	23
.....	30.2	60.5	90.7	.....	30.2	30.2	121.0	.....	.....	30.2	151.2	.....	.....	151.2	90.7	.....	302.4	121.0	24
17.7	5.9	47.2	112.1	11.8	106.2	17.7	59.0	17.7	23.6	17.7	118.0	5.9	.....	76.7	88.5	5.9	271.3	53.1	25
21.0	7.0	35.0	105.0	14.0	77.0	21.0	63.0	21.0	28.0	14.0	98.0	7.0	.....	77.0	49.0	.....	258.9	49.0	26
.....	.....	112.6	150.2	.....	262.8	.....	37.5	.....	.....	37.5	225.2	.....	.....	75.1	300.3	37.5	337.8	75.1	27
9.4	9.4	37.7	56.6	.....	122.6	9.4	9.4	18.9	28.3	9.4	75.5	.....	9.4	47.2	47.2	18.9	160.4	37.7	28
10.3	10.3	41.2	61.8	.....	103.0	10.3	10.3	20.6	20.6	10.3	72.1	.....	10.3	51.5	51.5	10.3	154.6	30.9	29
.....	.....	.....	.....	.....	334.8	.....	.....	.....	111.6	.....	111.6	.....	.....	.....	.....	111.6	223.2	111.6	30
.....	7.2	43.1	93.4	3.6	86.2	10.8	28.7	7.2	10.8	3.6	104.2	.....	7.2	68.3	46.7	3.6	212.0	28.7	31
.....	7.5	45.1	94.0	3.8	82.7	11.3	30.1	7.5	11.3	3.8	105.3	.....	7.5	67.7	30.1	3.8	203.0	30.1	32
.....	.....	.....	81.0	.....	161.9	.....	.....	.....	.....	.....	81.0	.....	.....	81.0	404.9	.....	404.9	.....	33
.....	.....	149.9	190.8	.....	204.4	.....	54.5	.....	.....	13.6	54.5	.....	13.6	27.3	68.1	13.6	436.1	27.3	34
.....	.....	137.5	198.6	.....	198.6	.....	15.3	.....	.....	15.3	30.6	.....	.....	30.6	61.1	15.3	412.5	15.3	35
.....	.....	252.5	126.3	.....	252.5	.....	378.8	.....	.....	.....	252.5	.....	126.3	.....	126.3	.....	631.3	126.3	36
14.0	.....	42.1	98.3	.....	63.2	7.0	.....	14.0	14.0	.....	56.1	7.0	14.0	98.3	63.2	7.0	231.6	63.2	37
15.0	.....	37.6	97.7	.....	60.1	7.5	.....	15.0	15.0	.....	60.1	7.5	15.0	90.2	67.6	7.5	233.0	60.1	38
.....	.....	106.0	106.0	.....	106.0	.....	.....	.....	.....	.....	.....	.....	.....	212.1	.....	.....	212.1	106.0	39
.....	.....	35.0	23.4	35.0	58.4	35.0	23.4	.....	.....	.....	11.7	.....	.....	81.8	46.7	.....	140.2	23.4	40
.....	.....	35.4	23.6	35.4	58.9	35.4	23.6	.....	.....	.....	11.8	.....	.....	82.5	47.1	.....	141.4	23.6	41
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
16.7	.....	108.5	141.8	33.4	133.5	.....	25.0	8.3	8.3	16.7	83.4	16.7	.....	83.4	75.1	25.0	191.9	8.3	43
17.1	.....	110.9	145.0	34.1	136.5	.....	17.1	8.5	8.5	17.1	85.3	17.1	.....	85.3	76.8	25.6	170.6	8.5	44
.....	.....	.....	.....	.....	.....	.....	383.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1,149.4	.....	45
.....	.....	7.8	31.2	15.6	46.8	15.6	78.0	.....	.....	7.8	15.6	7.8	15.6	23.4	78.0	.....	117.0	70.2	46
.....	.....	7.9	31.8	15.9	39.7	15.9	79.5	.....	.....	7.9	15.9	7.9	15.9	23.8	31.8	.....	119.2	71.5	47
.....	.....	.....	.....	.....	413.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	2,479.3	.....	.....	.....	48
.....	8.2	2.7	49.4	2.7	52.2	11.0	46.7	2.7	.....	.....	27.5	8.2	.....	90.6	93.4	2.7	129.0	120.8	49
.....	5.6	2.8	47.2	2.8	50.0	11.1	47.2	2.8	.....	.....	25.0	8.3	.....	86.1	88.9	2.8	119.4	119.4	50
.....	245.7	.....	245.7	.....	245.7	.....	.....	.....	.....	.....	245.7	.....	.....	491.4	491.4	.....	982.8	245.7	51
.....	31.9	47.9	79.8	.....	47.9	47.9	16.0	.....	.....	16.0	63.8	.....	.....	111.7	47.9	.....	287.2	63.8	52
.....	33.7	33.7	50.6	.....	33.7	50.6	16.9	.....	.....	16.9	67.4	.....	.....	118.0	50.6	.....	303.5	67.4	53
.....	.....	296.7	593.5	.....	296.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	54
5.4	21.5	30.1	58.1	3.2	82.8	10.8	28.0	2.2	4.3	3.2	50.5	3.2	5.4	75.3	57.0	2.2	147.3	86.0	55
5.6	22.3	30.1	53.5	3.3	80.2	10.0	29.0	2.2	4.5	3.3	49.0	3.3	5.6	74.6	57.9	2.2	141.4	83.5	56
.....	.....	31.0	186.2	.....	155.2	31.0	.....	.....	.....	.....	93.1	.....	.....	93.1	31.0	.....	310.4	155.2	57
.....	.....	97.1	24.3	.....	194.1	.....	.....	48.5	.....	.....	24.3	.....	.....	48.5	72.8	24.3	121.3	.....	58
.....	.....	98.7	24.7	.....	197.5	.....	.....	49.4	.....	.....	24.7	.....	.....	49.4	74.1	24.7	123.4	.....	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	60
6.4	25.7	32.1	45.0	.....	77.1	12.9	38.6	6.4	.....	.....	51.4	19.3	.....	57.9	38.6	.....	141.4	64.3	61
6.5	25.9	32.4	45.3	.....	77.7	12.9	38.8	6.5	.....	.....	51.8	19.4	.....	58.3	38.8	.....	135.9	64.7	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	925.9	.....	63
.....	10.0	10.0	79.6	.....	89.6	19.9	69.7	.....	19.9	10.0	59.7	.....	10.0	59.7	99.5	10.0	199.0	129.4	64
.....	10.0	10.0	60.1	.....	90.1	10.0	70.1	.....	20.0	10.0	60.1	.....	10.0	60.1	100.1	10.0	200.2	130.2	65
.....	.....	.....	(6)	.....	.....	(6)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	66
26.1	8.7	26.1	95.9	8.7	43.6	8.7	52.3	.....	.....	.....	43.6	17.4	8.7	87.1	17.4	8.7	139.4	34.9	67
26.5	8.8	26.5	97.2	8.8	44.2	8.8	53.0	.....	.....	.....	44.2	17.7	8.8	88.4	17.7	8.8	132.6	26.5	68
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	613.5	613.5	69
5.9	23.6	53.1	112.1	17.7	94.4	11.8	17.7	17.7	5.9	5.9	64.9	11.8	5.9	53.1	47.2	17.7	247.7	23.6	70
7.7	23.2	54.2	108.4	23.2	85.2	7.7	23.2	23.2	7.7	7.7	77.4	15.5	7.7	46.5	38.7	23.2	185.9	7.7	71
.....	24.7	49.5	123.6	.....	123.6	24.7	.....	.....	.....	.....	24.7	.....	.....	74.2	74.2	.....	445.1	74.2	72
5.5	11.1	33.3	83.1	16.6	138.6	16.6	55.4	11.1	16.6	.....	88.7	5.5	5.5	66.5	55.4	22.2	349.2	38.8	73
.....	14.2	42.7	85.4	21.4	92.5	7.1	56.9	14.2	7.1	.....	85.4	7.1	7.1	42.7	49.9	21.4	327.4	35.6	74
25.1	.....	.....	75.2	.....	300.7	50.1	50.1	.....	50.1	.....	100.2	.....	.....	150.3	75.2	25.1	426.0	50.1	75
8.7	8.7	34.9	61.1	.....	43.6	8.7	43.6	8.7	17.5	17.5	130.9	.....	.....	69.8	34.9	.....	253.1	78.5	76
10.8	10.8	21.5	75.3	.....	32.3	10.8	43.0	10.8	21.5	21.5	161.4	.....	.....	75.3	21.5	.....	215.2	86.1	77
.....	.....	92.4	.....	.....	92.4	.....	46.2	.....	.....	.....	.....	.....	.....	46.2	92.4	.....	415.7	46.2	78

[5] Includes McCreary, Wayne, and Whitley Counties; separate estimated populations not available.
[6] Rate not shown when population is less than 100.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	KENTUCKY—continued.															
1	Spencer County (total)	1,281.0	117.6	.....	.....	.....	13.1	.....	13.1	39.2	.....	156.9	.....	13.1	.....	52.3
2	White	1,160.4	83.9	.....	.....	.....	14.0	.....	14.0	41.9	.....	139.8	.....	14.0	.....	55.9
3	Colored	3,018.1	603.6	.....	.....	.....	.....	.....	.....	.....	.....	402.4	.....	.....	.....	.....
4	Taylor County† (total)	869.0	48.3	8.0	.....	.....	.....	8.0	64.4	16.1	8.0	112.6	16.1	16.1	.....	32.2
5	White	711.1	27.0	9.0	.....	.....	.....	9.0	72.0	18.0	9.0	72.0	18.0	9.0	.....	36.0
6	Colored	2,200.3	227.6	.....	.....	.....	.....	.....	.....	.....	.....	455.2	.....	75.9	.....	.....
7	Todd County (total)	[3] 1,225.1	36.4	12.1	.....	.....	.....	.....	24.3	24.3	.....	248.7	36.4	24.3	.....	30.3
8	White	[3] 1,040.8	26.9	.....	.....	.....	.....	.....	26.9	35.9	.....	116.6	26.9	9.0	.....	44.9
9	Colored	[3] 1,609.6	56.1	37.4	.....	.....	.....	.....	18.7	.....	.....	524.1	56.1	56.1	.....	.....
10	Trigg County (total)	1,291.9	74.4	6.8	.....	.....	.....	67.6	27.1	13.5	.....	236.7	6.8	27.1	.....	33.8
11	White	1,055.7	69.2	.....	.....	.....	.....	17.3	34.6	17.3	.....	147.1	8.7	17.3	.....	26.0
12	Colored	2,137.5	92.9	31.0	.....	.....	.....	247.8	.....	.....	.....	557.6	.....	62.0	.....	62.0
13	Trimble County† (total)	[3] 491.4	15.4	.....	.....	.....	.....	15.4	.....	.....	.....	46.1	.....	.....	15.4	46.1
14	White	[3] 471.0	15.7	.....	.....	.....	.....	15.7	.....	.....	.....	47.1	.....	.....	15.7	47.1
15	Colored [4]	[3] 1,408.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Union County (total)	[3] 1,091.2	10.1	5.0	.....	.....	.....	.....	20.1	25.1	.....	165.9	5.0	5.0	.....	50.3
17	White	[3] 944.4	11.4	5.7	.....	.....	.....	.....	22.9	22.9	.....	143.1	5.7	.....	.....	40.1
18	Colored	[3] 2,154.1	.....	.....	.....	.....	.....	.....	.....	41.4	.....	331.4	.....	41.4	.....	124.3
19	Warren County (total)	1,268.6	38.8	.....	.....	3.2	3.2	.....	19.4	12.9	.....	223.3	6.5	12.9	6.5	51.8
20	White	1,120.7	35.6	.....	.....	.....	4.0	.....	23.8	15.8	.....	162.4	.....	11.9	4.0	55.4
21	Colored	1,929.9	53.1	.....	.....	17.7	.....	.....	.....	.....	.....	495.8	35.4	17.7	17.7	35.4
22	Washington County (total)	[3] 1,162.1	14.3	.....	.....	.....	.....	.....	14.3	50.2	.....	215.2	14.3	14.3	14.3	43.0
23	White	[3] 1,060.8	8.2	.....	.....	.....	.....	.....	8.2	41.1	.....	197.4	8.2	16.4	16.4	41.1
24	Colored	[3] 1,855.0	56.2	.....	.....	.....	.....	.....	56.2	112.4	.....	337.3	56.2	.....	.....	56.2
25	Webster County (total)	1,091.6	70.0	4.7	.....	.....	9.3	4.7	18.7	23.3	.....	172.6	.....	.....	18.7	18.7
26	White	1,034.3	69.7	5.4	.....	.....	10.7	5.4	21.4	26.8	.....	160.8	.....	.....	21.4	21.4
27	Colored	1,476.9	72.0	.....	.....	.....	.....	.....	.....	.....	.....	252.2	.....	.....	.....	.....
28	Wolfe County† (total)	852.3	19.2	.....	.....	9.6	9.6	.....	47.9	28.7	.....	114.9	.....	.....	.....	19.2
29	White	835.9	19.2	.....	.....	9.6	9.6	.....	48.0	28.8	.....	115.3	.....	.....	.....	19.2
30	Colored [4]	([5])	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
31	Woodford County (total)	[3] 1,368.2	31.8	.....	.....	23.9	.....	47.7	8.0	15.9	.....	167.1	8.0	15.9	.....	23.9
32	White	1,164.2	11.3	.....	.....	22.6	.....	33.9	11.3	11.3	.....	124.3	11.3	.....	.....	22.6
33	Colored	[3] 1,852.8	80.6	.....	.....	26.9	.....	80.6	.....	26.9	.....	268.5	.....	53.7	.....	26.9
	MAINE.															
34	Total	1,513.8	11.3	0.2	.....	1.9	1.2	10.7	11.5	27.3	3.7	96.2	7.8	13.7	4.4	104.7
35	White	1,516.4	11.4	0.2	.....	1.9	1.2	10.7	11.6	27.3	3.7	96.0	7.6	13.8	4.4	105.0
36	Colored	632.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	172.6	57.5	.....	.....	.....
37	Androscoggin County	1,445.1	15.8	.....	.....	5.3	.....	.....	.....	15.8	5.3	57.8	5.3	10.5	5.3	105.1
38	Aroostook County	1,245.0	7.3	.....	.....	7.3	1.2	30.5	34.1	25.6	4.9	78.0	4.9	13.4	.....	47.6
39	Cumberland County	1,544.4	5.5	.....	.....	.....	1.8	7.3	9.1	27.3	5.5	92.8	7.3	10.9	3.6	120.1
40	Franklin County	1,453.2	5.1	.....	.....	5.1	.....	25.7	.....	15.4	.....	71.9	.....	10.3	5.1	97.6
41	Hancock County	[3] 1,484.2	5.6	.....	.....	.....	.....	8.4	2.8	61.8	.....	75.9	8.4	25.3	8.4	90.0
42	Kennebec County [6]	1,988.5	7.8	.....	.....	.....	.....	10.4	7.8	18.3	10.4	140.9	5.2	20.9	2.6	148.7
43	Knox County	[3] 1,828.8	10.4	3.5	.....	6.9	.....	3.5	.....	34.5	3.5	124.2	6.9	13.8	17.3	155.3
44	Lincoln County	[3] 1,504.2	.....	.....	.....	.....	.....	11.0	5.5	43.9	.....	71.4	5.5	5.5	11.0	82.3
45	Oxford County	1,441.0	7.8	.....	.....	.....	.....	5.2	2.6	23.5	.....	101.6	15.6	5.2	5.2	122.5
46	Penobscot County	1,447.6	22.0	.....	.....	.....	4.7	11.0	15.7	12.6	3.1	105.2	11.0	18.8	6.3	89.5
47	Piscataquis County	1,147.7	9.3	.....	.....	.....	.....	9.3	4.7	14.0	4.7	84.0	.....	14.0	9.3	70.0
48	Sagadahoc County	[3] 1,539.8	10.8	.....	.....	5.4	.....	5.4	5.4	21.5	.....	91.5	5.4	.....	.....	129.2
49	Somerset County	1,481.7	26.6	.....	.....	.....	.....	8.0	2.7	18.6	.....	119.7	5.3	16.0	.....	103.7
50	Waldo County	[3] 1,753.4	17.1	.....	.....	.....	.....	.....	.....	29.9	.....	85.5	4.3	12.8	8.6	85.5
51	Washington County	[3] 1,417.1	7.0	.....	.....	.....	2.3	4.7	9.3	30.3	7.0	116.5	21.0	16.3	2.3	114.2
52	York County	1,577.3	15.1	.....	.....	.....	1.9	3.8	22.7	39.7	5.7	79.4	5.7	9.5	.....	140.0
	MARYLAND.															
53	Total	1,470.9	25.4	2.0	.....	2.0	4.7	9.6	13.9	17.4	3.1	156.9	6.1	10.3	4.4	72.4
54	White	1,302.2	18.5	1.1	.....	1.6	5.3	6.7	14.7	15.7	3.4	121.1	5.3	8.1	3.4	78.7
55	Colored	2,157.5	53.2	5.7	.....	3.6	2.2	21.6	10.8	24.4	2.2	302.5	9.3	19.4	8.6	46.7
56	Allegany County (total)	982.0	29.0	.....	.....	.....	7.2	7.2	21.7	14.5	4.8	38.6	.....	4.8	4.8	67.6
57	White	951.0	29.2	.....	.....	.....	7.3	7.3	21.9	14.6	4.9	34.1	.....	4.9	4.9	65.7
58	Colored [4]	4,878.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	609.8	.....	.....	.....	304.9
59	Anne Arundel County (total)	[3] 1,868.4	22.8	2.5	.....	.....	7.6	7.6	7.6	22.8	7.6	156.8	15.2	5.1	12.6	50.6
60	White	1,433.3	19.7	3.9	.....	.....	11.8	7.9	3.9	27.6	7.9	86.6	7.9	3.9	3.9	51.2
61	Colored	[3] 2,648.9	28.3	.....	.....	.....	.....	7.1	14.1	14.1	7.1	282.5	28.3	7.1	28.3	49.4
62	Baltimore County* (total)	1,455.3	10.8	.....	.....	1.4	9.4	4.3	12.2	10.1	4.3	168.3	11.5	10.1	2.2	100.7
63	White	1,422.0	11.1	.....	.....	1.6	10.3	4.0	13.5	8.7	4.8	165.2	9.5	9.5	1.6	106.5
64	Colored	1,773.9	7.6	.....	.....	.....	.....	7.6	.....	22.8	.....	197.9	30.5	15.2	7.6	45.7
65	Calvert County (total)	1,483.9	19.3	.....	.....	9.6	.....	19.3	.....	19.3	.....	144.5	.....	.....	9.6	19.3
66	White	1,021.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	92.9	.....	.....	18.6	37.1
67	Colored	1,982.4	40.0	.....	.....	20.0	.....	40.0	.....	40.0	.....	200.2	.....	.....	.....	.....
68	Caroline County (total)	1,366.6	24.1	4.8	.....	.....	4.8	4.8	28.9	9.6	4.8	125.1	9.6	9.6	.....	38.5
69	White	1,171.8	12.7	.....	.....	.....	6.4	6.4	25.5	6.4	.....	95.5	6.4	6.4	.....	31.8
70	Colored	1,969.3	59.1	19.7	.....	.....	.....	.....	39.4	19.7	19.7	216.6	19.7	19.7	.....	59.1
71	Carroll County* (total)	1,666.1	14.7	.....	.....	.....	.....	11.8	11.8	35.3	2.9	123.6	8.8	8.8	5.9	114.8
72	White	1,633.0	12.5	.....	.....	.....	.....	12.5	12.5	34.3	3.1	121.8	6.2	9.4	6.2	103.0
73	Colored	2,210.8	51.4	.....	.....	.....	.....	.....	.....	51.4	.....	154.2	51.4	.....	.....	308.5

[1] Exclusive of stillbirths. [2] Exclusive of municipalities having a population of 10,000 or over in 1910. [3] Rate based on population Apr. 15, 1910. Decrease since 1900.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
13.1	13.1	13.1	78.4	.....	183.0	.....	78.4	.....	39.2	.....	39.2	13.1	.....	117.6	26.1	.....	261.4	.....	1
14.0	14.0	14.0	55.9	.....	153.8	.....	83.9	.....	.....	.....	41.9	14.0	.....	111.8	28.0	.....	265.6	.....	2
.....	.....	.....	492.4	.....	603.6	.....	.....	.....	603.6	.....	.....	.....	.....	201.2	.....	.....	201.2	.....	3
.....	8.0	16.1	96.6	8.0	72.4	16.1	32.2	8.0	24.1	.....	16.1	.....	16.1	40.2	16.1	.....	136.8	32.2	4
.....	9.0	18.0	81.0	.....	81.0	.....	27.0	9.0	18.0	.....	.....	.....	18.0	36.0	9.0	.....	99.0	27.0	5
.....	.....	.....	227.6	75.9		151.7	75.9	.....	75.9	.....	151.7	.....	.....	75.9	75.9	.....	455.2	75.9	6
6.1	18.2	78.8	91.0	12.1	91.0	12.1	12.1	6.1	6.1	.....	30.3	.....	.....	78.8	66.7	24.3	200.1	54.6	7
9.0	17.9	80.8	89.7	17.9	89.7	9.0	17.9	9.0	.....	.....	26.9	.....	.....	89.7	17.9	35.9	197.4	44.9	8
.....	18.7	74.9	93.6	.....	93.6	18.7	.....	.....	18.7	.....	37.4	.....	.....	56.1	168.4	.....	205.9	74.9	9
13.5	6.8	13.5	67.6	13.5	74.4	6.8	20.3	.....	13.5	.....	47.3	6.8	6.8	27.1	47.3	6.8	345.0	81.2	10
8.7	.....	17.3	77.9	8.7	60.6	8.7	8.7	.....	8.7	.....	43.3	8.7	8.7	34.6	51.9	8.7	311.5	51.9	11
31.0	31.0	.....	31.0	31.0	123.9	.....	62.0	.....	31.0	.....	62.0	.....	.....	.....	31.0	.....	464.7	185.9	12
15.4	.....	46.1	76.8	15.4	15.4	.....	15.4	.....	.....	15.4	15.4	.....	.....	30.7	.....	.....	61.4	46.1	13
15.7	.....	47.1	78.5	15.7	15.7	.....	15.7	.....	.....	15.7	15.7	.....	.....	15.7	.....	.....	47.1	47.1	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	704.2	.....	.....	704.2	.....	15
.....	5.0	65.4	85.5	10.1	55.3	5.0	55.3	5.0	5.0	15.1	50.3	.....	5.0	70.4	100.6	10.1	236.3	25.1	16
.....	5.7	68.7	68.7	5.7	51.5	5.7	45.8	5.7	5.7	17.2	34.3	.....	.....	74.4	85.9	11.4	183.2	22.9	17
.....	.....	41.4	207.1	41.4	82.9	.....	124.3	.....	.....	.....	165.7	.....	41.4	41.4	207.1	.....	621.4	41.4	18
6.5	12.9	87.4	129.5	9.7	97.1	9.7	45.3	9.7	3.2	6.5	110.0	3.2	12.9	77.7	48.5	6.5	200.7	12.9	19
7.9	15.8	75.2	95.0	4.0	79.2	7.9	43.6	11.9	4.0	.....	95.0	.....	15.8	71.3	47.5	7.9	209.9	15.8	20
.....	.....	141.6	283.3	35.4	177.1	17.7	53.1	.....	.....	35.4	177.1	17.7	.....	106.2	53.1	.....	159.3	.....	21
.....	21.5	28.7	78.9	28.7	129.1	.....	28.7	.....	.....	7.2	64.6	7.2	14.3	107.6	14.3	7.2	208.0	35.9	22
.....	24.7	32.9	90.5	24.7	123.3	.....	16.4	.....	.....	.....	57.6	8.2	8.2	115.1	8.2	.....	180.9	32.9	23
.....	.....	.....	.....	56.2	168.6	.....	112.4	.....	.....	56.2	112.4	.....	56.2	56.2	56.2	56.2	393.5	56.2	24
4.7	14.0	37.3	60.6	14.0	60.6	23.3	37.3	9.3	.....	.....	51.3	4.7	4.7	84.0	84.0	.....	233.3	28.0	25
5.4	10.7	37.5	53.6	10.7	58.9	21.4	42.9	10.7	.....	.....	48.2	5.4	5.4	80.4	53.6	.....	219.7	26.8	26
.....	36.0	36.0	108.1	36.0	72.0	36.0	.....	.....	.....	.....	72.0	.....	.....	108.1	288.2	.....	324.2	36.0	27
.....	.....	.....	47.9	9.6	38.3	9.6	19.2	19.2	.....	19.2	19.2	.....	19.2	86.2	19.2	.....	172.4	124.5	28
.....	.....	.....	48.0	9.6	28.8	9.6	19.2	19.2	.....	19.2	19.2	.....	19.2	86.5	19.2	.....	163.3	124.9	29
.....	.....	.....	.....	.....	(5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(5)	.....	30
8.0	15.9	95.5	143.2	8.0	183.0	15.9	47.7	8.0	8.0	.....	79.5	8.0	15.9	63.6	87.5	.....	190.9	47.7	31
11.3	11.3	101.7	101.7	11.3	203.5	22.6	67.8	.....	.....	.....	67.8	.....	11.3	45.2	90.4	.....	135.6	33.9	32
.....	26.9	80.6	241.7	.....	134.3	.....	.....	26.9	26.9	.....	107.4	26.9	26.9	107.4	80.6	.....	322.2	80.6	33
22.9	7.8	137.0	186.0	23.5	125.2	13.5	51.1	8.1	10.3	9.0	112.5	3.7	9.3	80.8	69.9	15.6	313.3	19.6	34
22.9	7.8	137.3	186.3	23.6	125.4	13.6	51.1	8.2	10.4	9.0	112.6	3.7	9.3	81.0	70.0	15.6	314.1	19.7	35
.....	.....	57.5	57.5	.....	57.5	.....	57.5	.....	.....	.....	57.5	.....	.....	.....	57.5	.....	57.5	.....	36
42.0	15.8	152.4	199.7	15.8	157.6	26.3	26.3	5.3	10.5	5.3	84.1	.....	5.3	57.8	57.8	21.0	331.1	5.3	37
6.1	12.2	43.9	87.8	8.5	87.8	13.4	168.3	13.4	7.3	1.2	54.9	8.5	8.5	103.7	73.2	11.0	232.9	47.6	38
29.1	9.1	131.0	238.3	21.8	118.2	12.7	21.8	10.9	10.9	3.6	147.3	3.6	10.9	70.9	69.1	12.7	316.5	14.6	39
30.8	.....	159.2	138.6	35.9	97.6	.....	56.5	10.3	5.1	5.1	138.6	.....	10.3	102.7	87.3	.....	328.6	10.3	40
28.1	5.6	160.2	177.1	33.7	149.0	8.4	19.7	11.2	8.4	16.9	106.8	.....	8.4	50.6	61.8	14.1	314.8	22.5	41
26.1	7.8	199.7	349.7	26.1	125.3	33.9	33.9	7.8	15.7	15.7	195.7	2.6	5.2	96.6	80.9	23.5	352.3	20.9	42
41.4	6.9	203.6	213.9	20.7	148.4	3.5	13.8	6.9	13.8	10.4	134.6	6.9	.....	51.8	100.1	27.6	414.1	31.1	43
27.4	.....	164.7	175.7	27.4	142.7	16.5	.....	.....	16.5	.....	137.2	.....	16.5	71.4	60.4	22.0	378.8	11.0	44
33.9	5.2	130.3	164.2	15.6	96.4	10.4	44.3	7.8	7.8	15.6	96.4	.....	15.6	99.0	67.8	26.1	297.1	18.2	45
15.7	6.3	130.3	139.7	39.3	136.6	17.3	53.4	3.1	9.4	9.4	69.1	3.1	7.9	78.5	70.7	14.1	329.7	14.1	46
28.0	4.7	93.3	116.6	14.0	112.0	4.7	23.3	9.3	.....	4.7	93.3	4.7	18.7	60.7	93.3	9.3	233.3	4.7	47
37.7	16.2	166.9	226.1	37.7	86.1	5.4	16.2	16.2	10.8	26.9	118.4	10.8	.....	96.9	75.4	16.2	296.1	5.4	48
18.6	8.0	138.3	154.3	26.6	98.4	13.3	45.2	8.0	13.3	2.7	114.4	2.7	8.0	90.4	63.8	18.6	332.5	23.9	49
17.1	4.3	188.2	226.7	64.1	196.7	17.1	21.4	8.6	17.1	8.6	175.3	.....	17.1	51.3	47.0	17.1	419.1	12.8	50
4.7	2.3	109.5	212.1	2.3	132.9	18.6	35.0	2.3	14.0	4.7	97.9	7.0	7.0	79.2	48.9	11.7	282.0	14.0	51
26.5	11.3	175.9	223.2	18.9	149.4	5.7	30.3	5.7	7.6	18.9	130.5	1.9	11.3	75.6	62.4	11.3	281.8	5.7	52
10.6	6.9	88.6	138.6	22.3	131.5	16.0	86.7	5.0	8.2	6.2	133.8	3.8	8.8	94.5	78.1	10.1	253.0	39.8	53
11.8	6.2	86.5	131.4	18.5	107.2	15.0	72.7	4.1	6.9	6.2	122.4	3.4	7.8	83.5	73.8	11.1	226.7	23.5	54
5.7	10.1	97.0	168.1	37.4	230.6	20.1	143.7	8.6	13.7	6.5	180.3	5.7	12.9	139.4	95.6	5.7	360.0	106.4	55
7.2	9.7	74.8	91.7	36.2	72.4	16.9	36.2	2.4	2.4	12.1	82.0	7.2	2.4	84.5	65.1	12.1	159.3	7.2	56
7.3	9.7	73.0	85.1	36.5	68.1	17.0	36.5	2.4	2.4	9.7	75.4	7.3	2.4	85.1	65.7	9.7	158.1	4.9	57
.....	.....	304.9	914.6	.....	609.8	.....	.....	.....	.....	304.9	914.6	.....	.....	.....	.....	304.9	304.9	304.9	58
15.2	12.6	126.4	118.8	25.3	209.8	15.2	128.9	7.6	15.2	5.1	179.5	.....	10.1	103.7	171.9	17.7	343.8	43.0	59
7.9	7.9	106.3	78.8	23.6	141.8	11.8	118.1	3.9	3.9	.....	145.7	.....	7.9	78.8	173.3	19.7	263.8	3.9	60
28.3	21.2	162.5	190.7	28.3	332.0	21.2	148.3	14.1	35.3	14.1	240.2	.....	14.1	148.3	169.5	14.1	487.4	113.0	61
15.8	5.0	108.7	144.6	14.4	135.2	17.3	72.7	3.6	11.5	8.6	119.4	2.2	3.6	93.5	76.3	15.8	248.2	16.5	62
17.5	5.6	108.0	133.5	11.9	127.9	17.5	69.1	4.0	12.7	9.5	123.1	1.6	4.0	89.0	68.3	15.9	243.1	13.5	63
.....	.....	83.7	251.2	38.1	205.6	15.2	106.6	.....	.....	.....	83.7	7.6	.....	137.0	152.3	15.2	296.9	45.7	64
9.6	9.6	77.1	86.7	28.9	231.3	19.3	77.1	.....	.....	.....	77.1	.....	.....	57.8	67.5	.....	298.7	202.4	65
18.6	18.6	37.1	74.3	37.1	167.2	.....	74.3	.....	.....	.....	18.6	.....	.....	18.6	55.7	.....	278.6	74.3	66
.....	.....	120.1	100.1	20.0	300.4	40.0	80.1	.....	.....	.....	140.2	.....	.....	100.1	80.1	.....	320.4	340.4	67
4.8	14.4	67.4	139.6	14.4	101.1	14.4	129.9	4.8	4.8	.....	120.3	.....	4.8	115.5	33.7	9.6	250.2	72.2	68
6.4	19.1	50.9	146.5	.....	57.3	19.1	121.0	6.4	6.4	.....	95.5	.....	.....	114.6	31.8	12.7	235.6	50.9	69
.....	.....	118.2	118.2	59.1	236.3	.....	157.5	.....	.....	.....	196.9	.....	19.7	118.2	39.4	.....	295.4	137.8	70
11.8	8.8	120.7	203.1	32.4	164.8	17.7	41.2	2.9	5.9	.....	229.6	5.9	2.9	85.4	61.8	2.9	309.1	20.6	71
12.5	6.2	128.0	212.3	25.0	162.4	15.6	43.7	3.1	6.2	.....	234.2	6.2	3.1	74.9	59.3	3.1	296.6	18.7	72
.....	51.4	.....	51.4	154.2	205.7	51.4	.....	.....	.....	.....	154.2	.....	.....	257.1	102.8	.....	514.1	51.4	73

[4] Colored population less than 5 per cent of the total in 1910. [5] Rate not shown when population is less than 100. [6] Includes National Military Home.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MARYLAND—continued.															
1	Cecil County (total)	[3] 1,569.9	21.0			8.4		16.8	12.6	29.5		122.1	12.6	4.2	4.2	117.9
2	White	[3] 1,532.4	14.7			4.9		19.6	14.7	24.5		93.0	4.9	4.9	4.9	122.4
3	Colored	[3] 1,799.6	60.0			30.0				60.0		299.9	60.0			90.0
4	Charles County (total)	[3] 1,647.7	61.0	12.2					18.3	18.3		189.2		6.1	18.3	24.4
5	White	[3] 1,254.3	51.2	12.8					38.4			102.4			12.8	38.4
6	Colored	[3] 2,006.3	70.0	11.7						35.0		268.3		11.7	23.3	11.7
7	Dorchester County (total)	1,735.5	65.4				13.8		27.5	13.8	3.4	227.3	10.3	27.5	3.4	51.7
8	White	1,394.1	50.9				15.3		25.4	10.2	5.1	111.9	10.2	15.3	5.1	66.1
9	Colored	2,450.5	95.9				10.7		32.0	21.3		468.8	10.7	53.3		21.3
10	Frederick County (total)	1,423.8	16.6				4.8	16.6	16.6	16.6	2.4	242.5		4.8	4.8	90.3
11	White	1,319.3	15.6				5.2	7.8	15.6	18.2	2.6	226.4		2.6	2.6	91.1
12	Colored	2,527.5	27.5					109.9	27.5			412.1		27.5	27.5	82.4
13	Garrett County (total)	1,066.9	18.7	4.7			4.7	23.4	28.1	14.0	4.7	56.2	9.4	4.7	4.7	46.8
14	White	1,071.7	18.8	4.7			4.7	23.5	28.2	14.1	4.7	56.4	9.4	4.7	4.7	47.0
15	Colored [4]															
16	Harford County (total)	[3] 1,387.4	21.5				7.2	7.2	21.5	7.2		110.9		17.9	3.6	78.7
17	White	1,251.7	8.8				4.4	4.4	26.3	8.8		61.3		8.8	4.4	96.3
18	Colored	[3] 1,993.7	78.2				19.5	19.5				332.3		58.6		
19	Howard County (total)	[3] 1,229.4	31.0							12.4		124.2			12.4	68.3
20	White	1,005.5	24.3							16.2		64.9			8.1	73.0
21	Colored	[3] 1,960.8	53.0									318.0			26.5	53.0
22	Kent County (total)	[3] 1,610.0	47.2			11.8		11.8	5.9	5.9	5.9	194.6		23.6	5.9	29.5
23	White	[3] 1,176.5	37.1						9.3		9.3	92.6		18.5		27.8
24	Colored	[3] 2,369.4	64.9			32.5		32.5		16.2		373.3		32.5	16.2	32.5
25	Montgomery County (total)	1,326.2	9.1					9.1	6.1	36.4	3.0	145.7	6.1	15.2	6.1	63.7
26	White	1 172.4	4.1					8.3	8.3	33.1	4.1	99.4	8.3		8.3	74.6
27	Colored	1,747.4	22.7					11.3		45.4		272.3		56.7		34.0
28	Prince Georges County (total)	1,323.5	25.4	5.1			2.5	2.5	7.6	20.3	5.1	149.6		5.1	7.6	83.7
29	White	1,049.9	10.6	3.5			3.5	3.5	3.5	14.2	3.5	99.3		3.5	7.1	81.6
30	Colored	2,009.2	62.2	8.9					17.8	35.6	8.9	275.6		8.9	8.9	88.9
31	Queen Annes County (total)	[3] 1,627.2	29.7	5.9			5.9			5.9		219.7	5.9	11.9		71.3
32	White	[3] 1,297.3	27.2				9.1			9.1		145.2	9.1	9.1		72.6
33	Colored	[3] 2,252.4	34.4	17.2								361.1		17.2		68.8
34	St. Marys County (total)	[3] 1,597.2	29.4	35.2		23.5		70.5	17.6	5.9	5.9	246.6		11.7		17.6
35	White	1,182.4	30.8	20.6		30.8		20.6	20.6		10.3	154.2		10.3		20.6
36	Colored	[3] 2,149.5	27.4	54.8		13.7		136.9	13.7	13.7		369.7		13.7		13.7
37	Somerset County (total)	1,496.2	22.4				3.7	11.2	7.5	15.0		216.9	3.7	15.0		44.9
38	White	1,353.4	17.4					5.8	5.8	11.6		179.3	5.8	17.4		69.4
39	Colored	1,757.5	31.8				10.6	21.2	10.6	21.2		285.9		10.6		
40	Talbot County (total)	[3] 1,590.2	45.9			5.1		5.1	20.4	20.4	5.1	163.1		20.4	5.1	101.9
41	White	[3] 1,362.8	7.8			7.8			31.2	23.4	7.8	124.6		23.4		93.5
42	Colored	[3] 2,020.9	118.0					14.8		14.8		236.0		14.8	14.8	118.0
43	Washington County (total)	1,409.4	15.0					11.2	15.0	11.2		93.5	7.5	7.5		71.0
44	White	1,374.3	11.4					11.4	15.2	11.4		87.3	7.6	7.6		68.3
45	Colored [4]	3,676.5	245.1									490.2				245.1
46	Wicomico County (total)	1,466.9	24.2					20.8	24.2	20.8		148.8		17.3		51.9
47	White	1 275.8	4.5					4.5	17.9	22.4		134.3		17.9		58.2
48	Colored	2,117.3	91.4					76.2	45.7	15.2		198.0		15.2		30.5
49	Worcester County (total)	1,583.5	80.5			8.9	4.5			44.7		196.8	8.9	8.9		26.8
50	White	1,429.8	91.8			13.1	6.6			39.4		131.2	13.1	13.1		39.4
51	Colored	1,913.1	56.3							56.3		337.6				
	MASSACHUSETTS.															
52	Total	1,504.8	5.3	0.6		4.3	3.0	9.6	10.8	15.4	3.4	142.1	7.0	10.8	4.1	114.3
53	White	1,497.6	5.2	0.6		4.3	2.9	9.7	10.9	15.4	3.4	137.4	7.1	10.2	4.2	114.7
54	Colored	2,254.0	13.1				13.1			13.1		629.0		65.5		78.6
55	Barnstable County	[3] 1,793.6	14.5			14.5		14.5	3.6	21.8		76.2	7.3	3.6	7.3	210.6
56	Berkshire County	1,331.7	5.3	2.6		7.9	2.6	5.3	5.3	21.1	2.6	63.4	5.3	2.6	2.6	103.0
57	Bristol County	1,365.9	7.0			5.2	15.7	8.7	19.2	19.2	1.7	111.6	7.0	7.0	3.5	102.9
58	Dukes County (total)	[3] 1,687.4					22.2	22.2		44.4		66.6				133.2
59	White	[3] 1,585.0						24.0		48.0		72.0				120.1
60	Colored	2,941.2					294.1									294.1
61	Essex County*	1,445.0	6.5			3.2	2.2	2.2	7.5	14.0	5.4	83.9	11.8	9.7	6.5	118.3
62	Franklin County	1,407.2					9.1	3.0	12.1	12.1	3.0	63.4	3.0		6.0	99.6
63	Hampden County	1,566.4	8.5			6.4	4.3	38.5	15.0	17.1		109.0	2.1	10.7	2.1	76.9
64	Hampshire County	1,269.2					4.4	24.0	10.9	8.7	2.2	48.0	2.2		8.7	69.8
65	Middlesex County*	1,823.1	3.2			5.5	0.8	7.1	19.7	10.3	2.4	325.0	8.7	21.3	2.4	149.9
66	Nantucket County	[3] 2,430.8	33.8			33.8			33.8							236.3
67	Norfolk County*	1,277.3	4.7			3.7	0.9	3.7	7.5	9.4	3.7	92.6	5.6	15.0	1.9	114.2
68	Plymouth County*	1,559.6	4.9			6.2		7.4	3.7	19.7	2.5	210.8	8.6	16.0	2.5	106.0
69	Worcester County*	1,497.0	5.9	3.0		0.7	1.5	10.4	8.9	20.7	6.7	125.1	7.4	7.4	5.9	99.9
	MICHIGAN.															
70	Total	1,253.3	8.5	0.4	0.2	2.7	3.8	6.3	9.6	21.2	2.6	73.8	3.2	8.2	5.5	81.8
71	White	1,245.9	8.4	0.4	0.2	2.6	3.8	6.2	9.7	21.0	2.7	71.5	3.3	8.0	5.5	81.9
72	Colored	2,195.3	21.1			21.1		14.1	7.0	42.2		365.9		28.1	7.0	77.4

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
8.4	12.6	105.2	185.2	16.8	113.6	16.8	54.7	8.4	16.8	8.4	147.3	12.6	8.4	58.9	126.3	12.6	303.0	4.2	1
9.8	14.7	112.6	190.9	19.6	107.7	19.6	53.9	9.8	9.8	9.8	146.9	9.8	9.8	63.6	132.2	14.7	284.0	4.9	2
.....	.....	60.0	150.0	.....	150.0	.....	60.0	.....	60.0	.....	150.0	30.0	.....	30.0	90.0	.....	419.9	.....	3
12.2	6.1	103.7	128.2	.....	183.1	24.4	152.6	6.1	.....	6.1	146.5	.....	18.3	116.0	54.9	12.2	244.1	85.4	4
25.6	12.8	115.2	115.2	.....	128.0	12.8	115.2	.....	.....	.....	115.2	.....	12.8	102.4	25.6	12.8	166.4	38.4	5
.....	.....	93.3	140.0	.....	233.3	35.0	186.6	11.7	.....	11.7	175.0	.....	23.3	128.3	81.7	11.7	314.9	128.3	6
6.9	6.9	48.2	117.1	27.5	144.6	17.2	175.6	10.3	27.5	6.9	148.1	.....	20.7	124.0	44.8	13.8	272.0	79.2	7
.....	10.2	40.7	127.2	20.4	106.8	10.2	127.2	10.2	25.4	5.1	122.1	.....	15.3	96.7	56.0	20.4	234.0	50.9	8
21.3	.....	63.9	95.9	42.6	223.7	32.0	277.0	10.7	32.0	10.7	202.4	.....	32.0	181.1	21.3	.....	351.6	138.5	9
4.8	4.8	71.3	152.1	16.6	107.0	9.5	61.8	4.8	4.8	.....	135.5	2.4	11.9	49.9	73.7	2.4	256.7	38.0	10
5.2	5.2	72.9	148.3	15.6	83.3	10.4	54.6	2.6	5.2	.....	132.7	2.6	10.4	49.4	70.3	2.6	223.8	36.4	11
.....	.....	54.9	192.3	27.5	357.1	.....	137.4	27.5	.....	.....	164.8	.....	27.5	54.9	109.9	.....	604.4	54.9	12
14.0	.....	37.4	74.9	23.4	98.3	4.7	51.5	4.7	4.7	14.0	46.8	9.4	9.4	70.2	107.6	.....	219.9	56.2	13
14.1	.....	37.6	75.2	23.5	98.7	4.7	51.7	4.7	4.7	14.1	47.0	9.4	9.4	70.5	108.1	.....	220.9	56.4	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
25.0	7.2	82.2	160.9	28.6	107.3	25.0	78 7	3.6	.....	.....	125.2	3.6	7.2	85.8	85.8	10.7	239.6	35.8	16
30.6	4.4	78.8	144.4	26.3	105.0	13.1	70.0	4.4	.....	.....	87.5	4.4	8.8	78.8	78.8	13.1	249.5	30.6	17
.....	19.5	97.7	234.6	39.1	117.3	78.2	117.3	.....	.....	.....	293.2	.....	.....	117.3	117.3	.....	195.5	58.6	18
6.2	12.4	55.9	130.4	6.2	149.0	37.3	74.5	.....	.....	.....	93.1	.....	6.2	111.8	62.1	24.8	198.7	12.4	19
8.1	8.1	64.9	113.5	8.1	129.7	32.4	48.7	.....	.....	.....	97.3	.....	8.1	48.7	56.8	24.3	170.3	.....	20
.....	26.5	26.5	185.5	.....	212.0	53.0	159.0	.....	.....	.....	79.5	.....	.....	318.0	79.5	26.5	291.5	53.0	21
.....	.....	117.9	194.6	35.4	159.2	5.9	53.1	.....	5.9	11.8	182.8	5.9	.....	112.0	23.6	.....	318.5	41.3	22
.....	.....	83.4	157.5	37.1	111.2	9.3	37.1	.....	9.3	18.5	120.4	.....	.....	83.4	27.8	.....	268.6	18.5	23
.....	.....	178.5	259.7	32.5	243.4	.....	81.1	.....	.....	.....	292.1	16.2	.....	162.3	16.2	.....	405.7	81.1	24
12.1	3.0	100.1	188.2	33.4	154.8	3.0	63.7	.....	.....	.....	112.3	.....	.....	81.9	60.7	6.1	191.2	15.2	25
16.6	4.1	103.6	190.6	20.7	111.9	4.1	66.3	.....	.....	.....	116.0	.....	.....	58.0	53.9	8.3	157.4	12.4	26
.....	.....	90.8	181.5	68.1	272.3	.....	56.7	.....	.....	.....	102.1	.....	.....	147.5	79.4	.....	283.7	22.7	27
7.6	2.5	63.4	111.6	5.1	136.9	7.6	101.4	.....	2.5	12.7	124.2	2.5	10.1	86.2	53.2	7.6	207.9	65.9	28
10.6	.....	60.3	117.0	.....	113.5	7.1	70.9	.....	.....	14.2	113.5	.....	7.1	67.4	39.0	10.6	166.7	17.7	29
.....	8.9	71.1	97.8	17.8	195.6	8.9	177.8	.....	8.9	8.9	151.1	8.9	17.8	133.4	88.9	.....	311.2	186.7	30
11.9	5.9	89.1	172.2	5.9	148.5	17.8	101.0	.....	11.9	17.8	130.6	11.9	.....	166.3	71.3	5.9	273.2	29.7	31
18.1	.....	90.7	136.1	.....	81.6	18.1	81.6	.....	.....	27.2	72.6	9.1	.....	145.2	63.5	9.1	263.1	.....	32
.....	17.2	86.0	240.7	17.2	275.1	17.2	137.6	.....	34.4	.....	240.7	17.2	.....	206.3	86.0	.....	292.3	86.0	33
5.9	17.6	88.1	64.6	52.8	146.8	23.5	111.6	11.7	5.9	11.7	135.1	.....	29.4	70.5	64.6	.....	252.5	41.1	34
.....	10.3	61.7	72.0	30.8	102.8	30.8	82.3	10.3	.....	.....	82.3	.....	41.1	72.0	30.8	.....	226.2	10.3	35
13.7	27.4	123.2	54.8	82.1	205.4	13.7	150.6	13.7	13.7	27.4	205.4	.....	13.7	68.5	109.5	.....	287.5	82.1	36
7.5	7.5	67.3	101.0	22.4	104.7	7.5	142.1	7.5	7.5	7.5	142.1	7.5	11.2	142.1	67.3	11.2	261.8	29.9	37
11.6	11.6	69.4	104.1	5.8	81.0	5.8	138.8	11.6	5.8	11.6	121.5	5.8	5.8	127.2	63.6	17.4	214.0	28.9	38
.....	.....	63.5	95.3	52.9	148.2	10.6	148.2	.....	10.6	.....	180.0	10.6	21.2	169.4	74.1	.....	349.4	31.8	39
.....	5.1	81.5	158.0	30.6	127.4	30.6	107.0	10.2	15.3	.....	183.5	10.2	15.3	61.2	81.5	10.2	249.7	20.4	40
.....	.....	77.9	124.6	38.9	101.2	23.4	77.9	.....	7.8	.....	194.7	7.8	7.8	54.5	93.5	15.6	186.9	31.2	41
.....	14.8	88.5	221.3	14.8	177.0	44.3	162.3	29.5	29.5	.....	162.3	14.8	29.5	73.8	59.0	.....	368.8	.....	42
11.2	11.2	97.2	164.5	33.6	67.3	37.4	71.0	7.5	7.5	7.5	119.6	7.5	22.4	138.3	93.5	15.0	228.0	37.4	43
11.4	3.8	94.9	159.4	34.2	64.5	38.0	68.3	7.6	7.6	3.8	121.5	7.6	22.8	140.5	87.3	15.2	227.8	38.0	44
.....	490.2	245.1	490.2	.....	245.1	.....	245.1	.....	.....	245.1	.....	.....	.....	.....	490.2	.....	245.1	.....	45
13.8	3.5	65.7	103.8	20.8	86.5	6.9	124.6	20.8	13.8	.....	169.5	6.9	10.4	83.0	76.1	6.9	290.6	55.4	46
13.4	4.5	67.1	94.0	13.4	62.7	9.0	111.9	9.0	13.4	.....	174.6	4.5	9.0	80.6	67.1	4.5	241.7	35.8	47
15.2	.....	60.9	137.1	45.7	167.6	.....	167.6	60.9	15.2	.....	152.3	15.2	15.2	91.4	106.6	15.2	457.0	121.9	48
.....	4.5	93.9	129.7	26.8	129.7	8.9	71.6	.....	4.5	4.5	116.3	.....	22.4	107.4	116.3	.....	237.1	129.7	49
.....	.....	98.4	118.1	19.7	118.1	6.6	65.6	.....	.....	6.6	111.5	.....	26.2	104.9	137.7	.....	203.3	65.6	50
.....	14.1	84.4	154.7	42.2	154.7	14.1	84.4	.....	14.1	.....	126.6	.....	14.1	112.5	70.3	.....	309.5	267.3	51
22.0	7.8	132.6	221.5	22.0	142.1	8.5	52.2	4.1	6.1	9.8	101.9	1.9	8.3	70.5	78.1	12.4	267.1	5.1	52
22.3	7.7	133.0	221.7	21.7	141.7	8.6	51.7	4.2	6.1	9.9	101.4	1.9	8.0	70.4	78.3	12.4	265.5	5.2	53
.....	13.1	91.7	196.6	52.4	183.5	.....	104.8	.....	13.1	.....	157.3	.....	39.3	78.6	65.5	13.1	432.4	.....	54
39.9	10.9	214.2	312.3	21.8	170.6	14.5	32.7	3.6	3.6	21.8	167.0	3.6	10.9	39.9	90.8	3.6	257.8	.....	55
23.8	7.9	145.3	214.0	13.2	137.4	.....	55.5	5.3	7.9	5.3	97.8	2.6	7.9	58.1	79.3	23.8	214.0	2.6	56
20.9	1.7	120.4	157.0	19.2	118.6	5.2	73.3	1.7	7.0	3.5	82.0	3.5	10.5	73.3	90.7	5.2	254.7	8.7	57
22.2	22.2	133.2	199.8	66.6	133.2	44.4	22.2	.....	.....	.....	244.2	.....	44.4	44.4	155.4	.....	266.4	.....	58
24.0	.....	96.1	216.1	72.0	120.1	48.0	24.0	.....	.....	.....	240.2	.....	48.0	48.0	120.1	.....	264.2	.....	59
.....	294.1	588.2	.....	.....	294.1	.....	.....	.....	.....	.....	294.1	.....	.....	.....	588.2	.....	294.1	.....	60
25.8	7.5	106.4	282.8	12.9	145.1	11.8	30.1	5.4	8.6	9.7	95.7	4.3	2.2	59.1	63.4	15.1	284.9	3.2	61
21.1	15.1	151.0	229.5	21.1	160.0	9.1	57.4	6.0	3.0	9.1	90.6	9.1	9.1	60.4	78.5	15.1	229.5	21.1	62
4.3	8.5	113.3	190.2	19.2	179.5	2.1	123.9	2.1	4.3	4.3	136.8	4.3	6.4	96.2	85.5	19.2	275.7	.....	63
13.1	4.4	122.1	161.4	32.7	154.8	13.1	85.0	4.4	13.1	10.9	104.7	.....	15.3	78.5	65.4	13.1	185.4	13.1	64
20.5	3.9	122.3	237.5	18.9	131.7	11.8	44.2	4.7	7.1	9.5	97.8	0.8	11.8	76.5	105.7	12.6	347.9	1.6	65
.....	.....	236.3	506.4	67.5	202.6	.....	67.5	.....	.....	.....	270.1	.....	.....	101.3	202.6	33.8	405.1	.....	66
22.5	9.4	116.0	211.5	26.2	136.6	3.7	39.3	2.8	2.8	8.4	78.6	.....	5.6	65.5	66.4	6.6	212.4	.....	67
32.1	4.9	133.1	235.5	37.0	119.6	3.7	27.1	4.9	4.9	12.3	98.6	1.2	9.9	64.1	64.1	18.5	282.3	17.3	68
20.7	12.6	161.3	198.3	17.8	150.2	11.8	57.7	4.4	5.9	13.3	108.0	.....	5.9	79.9	68.1	9.6	265.7	2.2	69
17.4	7.3	93.3	169.9	24.0	80.5	14.8	29.4	12.0	11.0	11.2	79.4	5.2	10.0	82.9	73.5	13.6	279.0	11.0	70
17.5	7.3	93.4	169.2	24.1	79.7	14.6	29.1	11.9	10.9	11.0	79.4	5.2	9.8	82.9	73.1	13.5	277.3	10.7	71
7.0	7.0	84.4	260.3	7.0	175.9	35.2	63.3	21.1	21.1	28.1	84.4	7.0	14.1	91.5	126.7	21.1	499.6	56.3	72

[3] Rate based on population Apr. 15, 1910. Decrease since 1900.

[4] Colored population less than 5 per cent of the total in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	MICHIGAN—continued.															
1	Alcona County	945.9	35.0				17.5		17.5			35.0				35.0
2	Alger County	1,031.4	23.2					23.2	11.6		11.6	57.9				46.4
3	Allegan County	1,328.3	5.0						7.4	24.8		59.5		12.4	2.5	123.9
4	Alpena County	936.8							13.0			65.1			13.0	13.0
5	Antrim County	[3] 1,026.0	6.4						12.7	31.9		57.4		12.7	12.7	95.6
6	Arenac County	[3] 1,244.8						10.4	10.4	20.7	10.4	62.2				31.1
7	Baraga County † (total)	903.8								28.2		56.5				70.6
8	White	730.5								31.1		46.6				77.7
9	Colored	2,627.5										154.6				
10	Barry County	1,290.9	8.8	4.4		8.8		13.2	8.8	39.7	8.8	35.2		4.4		110.1
11	Bay County †	897.9	21.0					8.4	4.2	8.4	4.2	67.1		8.4	4.2	25.2
12	Benzie County	1,086.3						9.0		26.9	9.0	44.9		9.0		35.9
13	Berrien County	1,279.2	12.5	3.6		8.9	1.8	1.8	1.8	17.9	3.6	85.8	5.4	12.5	10.7	109.0
14	Branch County	[3] 1,417.7	3.9			7.8	19.5	3.9	7.8	70.3		43.0		3.9	7.8	132.8
15	Calhoun County	1,429.1				6.3		15.8	9.5	50.5	3.2	85.2		6.3	9.5	97.8
16	Cass County (total)	[3] 1,411.0	4.8			14.5			19.4	14.5		87.3		14.5	9.7	67.9
17	White	[3] 1,338.7	5.2			5.2			15.7	15.7		63.0		15.7	10.5	63.0
18	Colored	[3] 2,284.3				126.9			63.5			380.7				126.9
19	Charlevoix County	1,045.7	13.7					4.6	4.6	18.3		54.8	4.6	4.6	4.6	54.8
20	Cheboygan County	1,062.0	5.2						15.7	10.5		73.2		5.2	5.2	41.9
21	Chippewa County †	878.0						24.2	48.3	16.1		48.3	8.1	8.1	8.1	8.1
22	Clare County†	834.6					10.3		10.3	10.3		51.5				20.6
23	Clinton County	[3] 1,297.1	4.3					4.3		25.9	4.3	21.6		8.6	13.0	142.7
24	Crawford County	1,391.4	22.4							67.3	22.4	67.3				
25	Delta County †	771.5			5.5		10.9			16.4		54.7	5.5		5.5	49.2
26	Dickinson County †	885.3							9.1	4.6	4.6	73.0	4.6		9.1	77.6
27	Eaton County	[3] 1,327.9	6.6					9.8	3.3	19.7	3.3	26.2	6.6	6.6	3.3	124.6
28	Emmet County (total)	1,178.1	5.0						15.0	5.0	10.0	35.1	10.0	15.0	15.0	95.3
29	White	1,112.0	5.3						15.8	5.3	10.5	36.9	10.5	10.5	10.5	94.9
30	Colored	2,466.6												102.8	102.8	102.8
31	Genesee County	1,795.4	4.1					20.5	4.1	65.6	4.1	65.6			8.2	102.5
32	Gladwin County	969.3	10.7				10.7		10.7	10.7		42.6				74.6
33	Gogebic County	1,109.5							8.1			170.1			8.1	24.3
34	Grand Traverse County	967.9	16.7						8.3	25.0		25.0		16.7		58.4
35	Gratiot County	[3] 1,294.2	6.9			3.5	6.9	13.9	6.9	24.3		59.0	6.9	6.9	17.3	93.7
36	Hillsdale County	[3] 1,337.9	16.9			3.4		3.4	6.7	30.3	3.4	80.9		6.7	3.4	97.7
37	Houghton County †	819.3	6.0				5.0	3.0	17.0	6.0		73.2	12.0	6.0	2.0	57.2
38	Huron County	1,046.4	8.6				5.7	5.7	2.9	5.7	2.9	79.8			2.9	45.6
39	Ingham County	1,643.3	9.3	4.7		9.3		4.7		46.7		51.4		4.7		158.7
40	Ionia County *	[3] 1,302.5	6.0				3.0	8.9	3.0	50.7		50.7			6.0	98.4
41	Iosco County†	[3] 810.0						30.8		41.0		82.0		10.3	10.3	10.3
42	Iron County	933.8	5.4				16.3	5.4	10.9			54.3	5.4	5.4		32.6
43	Isabella County	1,058.0	13.0			13.0		13.0	4.3	17.3		25.9		13.0	8.6	60.5
44	Jackson County	1,487.8						4.7	4.7	23.3		70.0		4.7	4.7	149.2
45	Kalamazoo County	1,219.7				9.3		4.6	4.6	41.7	4.6	37.1	4.6			143.8
46	Kalkaska County	953.0								34.9		69.7		23.2	11.6	69.7
47	Kent County	1,533.5	16.4				8.2		8.2	14.3	6.1	92.0		12.3	2.0	94.1
48	Keweenaw County †	574.0										65.0				21.7
49	Lake County	[3] 1,417.3								20.2		60.7		20.2	20.2	141.7
50	Lapeer County	[3] 1,536.5	11.5				11.5		11.5	19.2		92.2		49.9	7.7	119.1
51	Leelanau County	1,090.8										56.4				56.4
52	Lenawee County	[3] 1,397.3	8.1					2.7	5.4	51.2	2.7	72.7	5.4	5.4	5.4	91.5
53	Livingston County	[3] 1,556.2	5.6						11.3	33.8		95.9		16.9		101.5
54	Luce County *	2,334.3	22.0					22.0	22.0	22.0		154.2	22.0			176.2
55	Mackinac County (total)	1,043.4	29.8					9.9	19.9			69.6		9.9		29.8
56	White	1,116.2	34.5					11.5	23.0			57.5				34.5
57	Colored	582.7										145.7		72.8		
58	Macomb County	[3] 1,361.7	15.3		3.1		9.2		3.1	21.5		82.8		12.3	15.3	85.9
59	Manistee County	[3] 1,153.3	7.0					7.0	14.0	14.0	7.0	62.9			28.0	97.9
60	Marquette County	954.6	3.9		3.9				23.7			145.9	15.8		3.9	51.3
61	Mason County †	893.8	4.3			8.6	4.3	8.6		34.2		77.0	4.3	12.8		29.9
62	Mecosta County	[3] 1,397.3	15.4			5.1		5.1	5.1	20.5		66.8		5.1	15.4	107.9
63	Menominee County †	[3] 805.8					6.6		6.6			33.0	13.2	13.2		66.0
64	Midland County	[3] 1,235.3	14.3				7.1	7.1	14.3	14.3		50.0	14.3	14.3		78.5
65	Missaukee County †	797.3	35.4					17.7	8.9	17.7		26.6		8.9		26.6
66	Monroe County	1,224.2	15.2	3.0		15.2	9.1		9.1	21.2	6.1	48.5	3.0	6.1	6.1	106.1
67	Montcalm County	[3] 1,231.7	3.1					3.1		37.4		43.7		24.9	6.2	102.9
68	Montmorency County	1,141.7	24.8				24.8					24.8				74.5
69	Muskegon County	1,283.6	6.0				6.0		6.0	24.0	6.0	24.0			12.0	54.0
70	Newaygo County	1,083.2	5.0					15.0	5.0		15.0	25.0				109.8
71	Oakland County	1,426.3					11.4	2.9	17.1	25.7	2.9	68.5	5.7	5.7	11.4	102.7
72	Oceana County	1,052.2	5.2						10.4	31.1		62.2		5.2	5.2	72.6
73	Ogemaw County †	841.4	10.5					10.5				31.6				52.6
74	Ontonagon County	1,186.9	10.1						10.1	20.1		80.5	10.1			10.1

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
17.5	.....	52.5	157.6	17.5	70.1	.....	.....	.....	35.0	.....	35.0	.....	.....	52.5	87.6	17.5	227.7	35.0	1
11.6	.....	23.2	92.7	11.6	139.1	11.6	11.6	23.2	.....	11.6	23.2	23.2	23.2	115.9	115.9	11.6	208.6	.....	2
22.3	7.4	116.5	188.3	44.6	84.3	9.9	9.9	12.4	27.3	2.5	94.2	2.5	7.4	84.3	74.3	12.4	270.1	22.3	3
.....	13.0	52.0	104.1	39.0	65.1	26.0	.....	13.0	13.0	.....	.....	13.0	26.0	78.1	52.0	13.0	273.2	52.0	4
12.7	6.4	57.4	121.1	38.2	70.1	19.1	19.1	6.4	6.4	19.1	63.7	.....	.....	121.1	31.9	6.4	184.8	12.7	5
10.4	.....	103.7	134.9	51.9	83.0	20.7	51.9	10.4	31.1	10.4	72.6	.....	20.7	124.5	62.2	.....	280.1	31.1	6
14.1	.....	56.5	42.4	42.4	98.9	28.2	42.4	.....	.....	.....	42.4	14.1	14.1	28.2	70.6	28.2	197.7	28.2	7
15.5	.....	62.2	46.6	46.6	93.3	.....	15.5	.....	.....	.....	31.1	15.5	15.5	31.1	62.2	15.5	108.8	15.5	8
.....	.....	.....	.....	.....	154.6	309.1	309.1	.....	.....	.....	154.6	.....	.....	.....	154.6	154.6	1,081.9	154.6	9
26.4	17.6	119.0	145.4	35.2	48.5	22.0	17.6	13.2	8.8	.....	154.2	4.4	17.6	74.9	44.1	22.0	273.2	4.4	10
16.8	16.8	21.0	121.7	16.8	83.9	29.4	37.8	.....	4.2	8.4	29.4	.....	4.2	117.5	33.6	4.2	197.2	4.2	11
.....	.....	26.9	152.6	18.0	89.8	44.9	9.0	9.0	9.0	9.0	107.7	.....	35.9	53.9	53.9	.....	305.2	26.9	12
23.2	8.9	109.0	180.4	16.1	64.3	10.7	17.9	12.5	8.9	21.4	96.5	8.9	5.4	60.7	73.3	19.7	257.3	8.9	13
15.6	7.8	121.1	234.3	19.5	54.7	11.7	19.5	3.9	11.7	3.9	78.1	7.8	15.6	78.1	35.1	7.8	378.8	11.7	14
25.2	.....	113.6	296.5	22.1	56.8	15.8	12.6	6.3	6.3	.....	78.9	3.2	3.2	50.5	94.6	28.4	328.1	3.2	15
43.6	9.7	111.5	189.1	4.8	92.1	4.8	9.7	4.8	9.7	24.2	130.9	4.8	14.5	77.6	77.6	9.7	358.8	.....	16
47.2	10.5	105.0	183.7	5.2	78.7	.....	10.5	5.2	10.5	21.0	126.0	5.2	15.7	78.7	73.5	5.2	362.2	.....	17
.....	.....	190.4	253.8	.....	253.8	63.5	.....	.....	.....	63.5	190.4	.....	.....	63.5	126.9	63.5	317.3	.....	18
18.3	.....	82.2	182.6	9.1	32.0	13.7	18.3	18.3	13.7	4.6	45.7	4.6	9.1	91.3	59.4	9.1	232.9	36.5	19
10.5	20.9	52.3	78.5	26.2	62.8	5.2	26.2	20.9	.....	15.7	52.3	.....	26.2	120.3	83.7	10.5	282.5	10.5	20
.....	.....	32.2	104.7	8.1	80.5	16.1	32.2	16.1	.....	8.1	40.3	.....	.....	88.6	96.7	16.1	153.0	16.1	21
20.6	10.3	72.1	134.0	20.6	30.9	10.3	10.3	.....	10.3	20.6	20.6	.....	.....	41.2	30.9	.....	267.9	30.9	22
4.3	4.3	82.1	229.1	21.6	108.1	8.6	43.2	17.3	13.0	8.6	86.5	8.6	8.6	64.9	51.9	21.6	289.7	.....	23
.....	.....	179.5	112.2	.....	67.3	.....	89.8	22.4	.....	.....	.....	.....	.....	202.0	224.4	22.4	269.3	22.4	24
16.4	.....	21.9	43.8	38.3	104.0	10.9	10.9	10.9	5.5	10.9	5.5	.....	5.5	76.6	82.1	16.4	131.3	32.8	25
.....	4.6	18.3	100.4	31.9	63.9	18.3	36.5	9.1	4.6	.....	63.9	.....	9.1	86.7	109.5	18.3	123.2	4.6	26
23.0	3.3	114.8	242.6	23.0	39.3	16.4	6.6	26.2	13.1	16.4	82.0	3.3	9.8	62.3	85.2	13.1	331.2	6.6	27
20.1	.....	80.2	180.5	10.0	30.1	10.0	45.1	25.1	5.0	15.0	70.2	10.0	35.1	60.2	40.1	35.1	280.7	20.1	28
21.1	.....	79.1	173.9	10.5	21.1	5.3	42.2	26.4	5.3	10.5	73.8	5.3	31.6	58.0	36.9	36.9	253.0	21.1	29
.....	.....	102.8	308.3	.....	205.5	102.8	102.8	.....	.....	102.8	.....	102.8	102.8	102.8	102.8	.....	822.2	.....	30
36.9	4.1	147.6	262.3	41.0	123.0	28.7	24.6	12.3	4.1	4.1	110.7	8.2	4.1	77.9	98.4	8.2	504.2	20.5	31
10.7	.....	21.3	149.1	21.3	32.0	10.7	.....	10.7	10.7	10.7	117.2	.....	10.7	117.2	63.9	10.7	202.4	10.7	32
16.2	.....	24.3	81.0	40.5	89.1	16.2	81.0	8.1	16.2	.....	32.4	16.2	8.1	105.3	137.7	.....	210.6	16.2	33
16.7	.....	83.4	150.2	41.7	50.1	25.0	16.7	16.7	8.3	8.3	83.4	8.3	.....	33.4	33.4	8.3	225.3	8.3	34
31.2	6.9	104.1	218.6	20.8	79.8	24.3	17.3	10.4	10.4	6.9	90.2	3.5	3.5	52.0	48.6	13.9	294.9	10.4	35
16.9	10.1	138.2	266.2	16.9	80.9	16.9	20.2	13.5	10.1	10.1	84.3	.....	3.4	43.8	53.9	13.5	283.1	3.4	36
14.0	12.0	42.1	78.2	19.1	53.1	9.0	28.1	12.0	7.0	9.0	40.1	3.0	11.0	68.2	80.2	7.0	133.4	5.0	37
8.6	11.4	74.1	96.9	11.4	68.4	14.3	34.2	20.0	14.3	5.7	68.4	2.9	14.3	88.4	54.2	8.6	276.6	14.3	38
14.0	4.7	200.7	219.4	18.7	98.0	23.3	4.7	9.3	28.0	14.0	88.7	4.7	23.3	74.7	65.4	9.3	448.2	4.7	39
23.8	6.0	92.4	214.6	29.8	110.3	17.9	8.9	20.9	11.9	3.0	65.6	3.0	6.0	44.7	74.5	11.9	324.9	6.0	40
10.3	.....	82.0	82.0	10.3	102.5	10.3	10.3	10.3	.....	.....	41.0	.....	.....	30.8	41.0	.....	184.6	10.3	41
.....	27.1	27.1	32.6	59.7	59.7	16.3	65.2	27.1	5.4	16.3	27.1	5.4	5.4	92.3	152.0	.....	173.7	5.4	42
8.6	4.3	90.7	120.9	21.6	64.8	13.0	4.3	21.6	21.6	8.6	99.3	4.3	.....	142.5	51.8	17.3	194.3	.....	43
23.3	.....	163.2	209.9	37.3	74.6	14.0	14.0	9.3	4.7	14.0	116.6	4.7	9.3	70.0	93.3	23.3	335.8	9.3	44
27.8	.....	111.3	199.4	41.7	55.7	13.9	13.9	18.6	.....	23.2	74.2	.....	.....	46.4	64.9	18.6	255.1	4.6	45
.....	.....	58.1	127.8	46.5	81.4	.....	34.9	.....	.....	.....	23.2	11.6	23.2	69.7	81.4	11.6	174.3	.....	46
26.6	2.0	145.2	237.2	42.9	98.1	22.5	20.4	12.3	8.2	18.4	90.0	6.1	6.1	77.7	77.7	22.5	357.8	8.2	47
.....	.....	32.5	32.5	54.2	54.2	.....	10.8	.....	10.8	.....	21.7	.....	.....	32.5	65.0	21.7	140.8	10.8	48
.....	.....	60.7	263.2	20.2	20.2	.....	20.2	.....	20.2	20.2	60.7	20.2	.....	162.0	162.0	20.2	283.5	20.2	49
7.7	11.5	103.7	199.7	26.9	107.6	26.9	15.4	15.4	15.4	11.5	96.0	3.8	11.5	84.5	57.6	7.7	388.0	23.0	50
.....	.....	94.0	112.8	56.4	18.8	28.2	.....	.....	.....	.....	75.2	.....	18.8	112.8	112.8	18.8	300.9	28.2	51
26.9	5.4	153.5	220.8	10.8	61.9	10.8	13.5	16.2	16.2	10.8	88.8	5.4	8.1	64.6	75.4	21.5	328.5	8.1	52
5.6	.....	118.4	191.7	33.8	124.0	.....	22.6	16.9	16.9	28.2	78.9	11.3	22.6	90.2	67.7	16.9	434.1	11.3	53
22.0	22.0	154.2	132.1	22.0	110.1	88.1	.....	44.0	44.0	22.0	.....	.....	22.0	132.1	132.1	44.0	902.9	.....	54
9.9	19.9	29.8	119.2	19.9	39.7	9.9	59.6	9.9	.....	.....	49.7	9.9	19.9	79.5	119.2	29.8	228.6	19.9	55
11.5	23.0	34.5	138.1	23.0	23.0	11.5	57.5	11.5	.....	.....	57.5	11.5	23.0	92.1	138.1	23.0	253.2	23.0	56
.....	.....	.....	.....	.....	145.7	.....	72.8	.....	.....	.....	.....	.....	.....	.....	.....	72.8	72.8	.....	57
24.5	3.1	128.8	141.1	27.6	55.2	15.3	46.0	15.3	18.4	18.4	162.5	3.1	15.3	70.5	95.1	12.3	260.7	.....	58
7.0	.....	97.9	202.7	34.9	76.9	14.0	14.0	14.0	14.0	28.0	62.9	7.0	7.0	41.9	62.9	28.0	195.7	7.0	59
11.8	11.8	43.4	59.2	15.8	59.2	11.8	43.4	23.7	7.9	7.9	35.5	3.9	7.9	86.8	106.5	11.8	153.8	3.9	60
17.1	8.6	64.1	124.0	17.1	55.6	4.3	21.4	8.6	8.6	17.1	81.3	.....	.....	64.1	25.7	17.1	175.3	.....	61
51.4	15.4	107.9	205.5	15.4	36.0	10.3	41.1	36.0	20.5	.....	97.6	.....	15.4	77.1	30.8	10.3	364.7	15.4	62
6.6	6.6	46.2	105.7	19.8	46.2	6.6	.....	.....	6.6	13.2	46.2	6.6	6.6	79.3	72.7	26.4	165.1	6.6	63
.....	42.8	92.8	171.4	7.1	85.7	28.6	71.4	.....	21.4	28.6	92.8	14.3	7.1	42.8	.....	7.1	292.8	14.3	64
35.4	.....	70.9	106.3	8.9	53.2	17.7	8.9	8.9	8.9	.....	26.6	.....	8.9	79.7	44.3	.....	177.2	.....	65
3.0	6.1	100.0	197.0	15.2	90.9	18.2	24.2	21.2	9.1	6.1	78.8	12.1	12.1	81.8	51.5	12.1	227.3	9.1	66
18.7	3.1	127.8	215.2	9.4	71.7	12.5	18.7	21.8	18.7	15.6	53.0	.....	12.5	87.3	31.2	6.2	280.6	6.2	67
.....	.....	49.6	74.5	49.6	148.9	.....	74.5	24.8	.....	.....	99.3	.....	.....	173.7	.....	.....	273.0	24.8	68
12.0	12.0	150.0	156.0	30.0	114.0	24.0	84.0	6.0	6.0	12.0	78.0	6.0	6.0	72.0	60.0	24.0	269.9	24.0	69
15.0	.....	64.9	134.8	25.0	44.9	15.0	29.9	10.0	5.0	34.9	139.8	5.0	5.0	54.9	49.9	15.0	239.6	20.0	70
22.8	2.9	122.7	216.8	14.3	94.1	2.9	20.0	11.4	14.3	14.3	91.3	2.9	17.1	68.5	108.4	17.1	316.6	14.3	71
5.2	.....	103.7	139.9	10.4	129.6	10.4	36.3	.....	5.2	10.4	57.0	10.4	10.4	62.2	15.5	5.2	243.6	5.2	72
.....	.....	52.6	126.2	.....	105.2	21.0	31.6	.....	.....	10.5	42.1	21.0	.....	63.1	52.6	10.5	168.3	31.6	73
50.3	.....	10.1	100.6	80.5	30.2	.....	30.2	20.1	.....	30.2	80.5	20.1	.....	120.7	241.4	60.4	150.9	20.1	74

[1] Rate based on population Apr. 15, 1910. Decrease since 1900.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND ITS

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	MICHIGAN—continued.															
1	Osceola County	1,016.5						5.6	16.8	11.2		27.9		5.6	5.6	67.0
2	Oscoda County †	689.7					43.1									43.1
3	Otsego County	1,022.2	29.6									59.3			14.8	44.4
4	Ottawa County	1,135.9	8.3			2.8	2.8	5.5	2.8	13.8		63.3	8.3	11.0	2.8	85.3
5	Presque Isle County †	870.0	8.0							23.9	16.0	39.9				31.9
6	Roscommon County	909.5						39.5				39.5				
7	Saginaw County	1,022.5	5.2			2.6	2.6	15.5	5.2	12.9		46.5	5.2	5.2		49.1
8	St. Clair County	[3] 1,194.8	14.9					9.0	11.9	6.0		53.8	6.0	6.0		101.6
9	St. Joseph County	1,077.9				7.6	3.8	3.8		15.2	11.4	45.5		11.4		64.5
10	Sanilac County	[3] 1,016.8	8.8			17.7	5.9	5.9	20.6		2.9	35.4	2.9	5.9	2.9	58.9
11	Schoolcraft County	1,143.1								11.0		98.9		11.0		76.9
12	Shiawassee County	[3] 1,443.8	15.0				6.0	9.0	18.0	30.1	3.0	45.1	6.0	18.0	12.0	108.3
13	Tuscola County	[3] 1,214.4	2.9					8.6	14.3	25.8		57.3		2.9	2.9	68.7
14	Van Buren County	[3] 1,404.2	12.1			3.0		12.1	3.0	42.2		39.2	9.0	3.0	6.0	93.4
15	Washtenaw County	[3] 1,317.9	6.7	3.3			13.4		3.3	23.4	13.4	53.5			6.7	56.9
16	Wayne County	2,645.8	24.6	2.7		9.6	15.0	25.9	35.5	10.9	8.2	368.4	4.1	21.8	9.6	103.7
17	Wexford County	1,029.0	4.4					4.4	26.3	26.3		43.8		13.1		52.5
	MINNESOTA.															
18	Total	964.1	5.5		0.2	4.1	6.4	8.0	5.6	11.4	2.2	70.3	6.5	8.9	6.6	78.1
19	White	953.6	5.5		0.2	4.0	6.3	7.9	5.7	11.2	2.2	67.0	6.0	8.8	6.5	78.4
20	Colored	2,541.3	10.1			10.1	10.1	30.3		50.4		564.7	80.7	20.2	10.1	40.3
21	Aitkin County †	781.5					16.3	8.1		8.1		89.5				57.0
22	Anoka County *	1,242.9	22.9					7.6		38.1		68.6		15.3	15.3	122.0
23	Becker County (total)	1,127.7	9.8			29.4	4.9	24.5		14.7		103.0	19.6	9.8	4.9	83.3
24	White	952.2	10.8			26.9	5.4	26.9		5.4		43.0		10.8	5.4	91.5
25	Colored	2,931.4				55.3				110.6		719.0	221.2			
26	Beltrami County † [4]	881.2	2.9				5.9	8.8	2.9			96.9	2.9	14.7	2.9	44.1
27	Benton County †	759.6				8.9	8.9		8.9		17.9	53.6				71.5
28	Big Stone County	1,175.1	20.6			10.3						51.5		30.9	10.3	134.0
29	Blue Earth County †	[3] 780.1				5.3		10.5	10.5	5.3		26.4			10.5	63.3
30	Brown County	1,087.8	4.9			4.9		9.8	4.9	9.8	4.9	59.1	9.8	24.6		93.5
31	Carlton County †	659.3					9.3	23.2				55.7		9.3		69.6
32	Carver County	[3] 905.2				5.7				5.7		91.7	11.5	5.7	5.7	91.7
33	Cass County † (total)	901.3	7.3			7.3	7.3	7.3	7.3			278.4	7.3			22.0
34	White	906.4	8.0			8.0	8.0	8.0	8.0			278.3	8.0			23.9
35	Colored	841.1										280.4				
36	Chippewa County	988.3	7.2			71.6			7.2			64.5	21.5	14.3	7.2	71.6
37	Chisago County	1,161.5	7.3					7.3		29.2		73.1			7.3	102.3
38	Clay County †	808.3	9.7			4.9	4.9	4.9	24.3	4.9		68.2	9.7	9.7	4.9	63.3
39	Cook County †	682.0										62.0				
40	Cottonwood County †	756.3	7.7					7.7		30.9		23.2		7.7	7.7	38.6
41	Crow Wing County	1,305.0	11.0					27.4		11.0	5.5	54.8	5.5	11.0	11.0	87.7
42	Dakota County *	1,022.8				3.7	7.4	3.7	11.1	22.2	3.7	48.2	3.7	14.8		70.4
43	Dodge County †	[3] 884.7	8.3		8.3	8.3	8.3			8.3		57.9				148.8
44	Douglas County	[3] 1,007.4	11.3				5.7	5.7		5.7		67.9	11.3	11.3		79.2
45	Faribault County †	[3] 817.1				5.0				20.1		40.1		15.0		70.2
46	Fillmore County	[3] 957.9	7.8			7.8		3.9	3.9	3.9	3.9	35.0		7.8	7.8	136.3
47	Freeborn County	981.5	13.3				13.3			8.9	8.9	88.8	4.4	22.2	8.9	111.0
48	Goodhue County	1,122.3	15.7			6.3		3.1	6.3	3.1	3.1	81.5		3.1	15.7	119.1
49	Grant County †	857.9					10.9			21.7		119.5	21.7			65.2
50	Hennepin County †	851.4				2.8	5.6	2.8	14.1	25.4	2.8	78.9		8.5	2.8	47.9
51	Houston County	[3] 1,105.1								14.0		76.9	7.0	7.0	35.0	146.9
52	Hubbard County †	874.8	17.3			8.7		17.3			8.7	95.3	8.7	8.7	8.7	26.0
53	Isanti County	1,037.4	7.6					30.5	7.6			106.8	7.6	15.3	7.6	83.9
54	Itasca County † [5]	851.8	14.8			3.0	11.9	20.8	3.0	8.9		47.5	8.9	5.9	3.0	29.7
55	Jackson County †	[3] 876.4	6.9				13.8			6.9		41.4	6.9	13.8	13.8	103.5
56	Kanabec County †	820.4								13.4		94.1				40.3
57	Kandiyohi County	944.9							5.2	15.6		62.3	15.6	20.8	10.4	57.1
58	Kittson County †	716.5								18.9		122.6	9.4			47.1
59	Lac qui Parle County †	741.9				12.5		6.2	6.2			49.9	6.2	18.7		56.1
60	Lake County †	654.3							10.2			71.6				20.4
61	Le Sueur County	[3] 940.4	5.4			5.4		5.4		5.4	10.7	43.0	10.7	5.4	16.1	118.2
62	Lincoln County †	608.6						9.7				19.3		9.7		29.0
63	Lyon County	907.1			6.1	6.1	12.3		12.3	12.3		61.3			6.1	73.5
64	McLeod County †	893.5						10.7		10.7	5.4	32.1	5.4		5.4	96.3
65	Mahnomen County (total)	[3] 1,723.6						61.6		30.8		307.8	92.3	30.8		30.8
66	White	[3] 929.4						62.0				62.0		62.0		62.0
67	Colored	[3] 2,507.6						61.2		61.2		550.5	183.5			
68	Marshall County	1,001.5	6.0			6.0			12.0	42.0		78.0	6.0	12.0	12.0	78.0
69	Martin County †	886.4					11.2	11.2	5.6	11.2		39.3	11.2		11.2	50.5
70	Meeker County	[3] 1,104.5	5.9			11.7	5.9		23.5	35.2	5.9	70.5	5.9	11.7	11.7	70.5
71	Mille Lacs County	934.2	8.3					24.8		8.3		82.7	33.1	8.3		82.7
72	Morrison County †	814.9	8.1			8.1	16.2	4.1		4.1	4.1	44.6		8.1	16.2	68.9

[1] Exclusive of stillbirths. [2] Exclusive of municipalities having a population of 10,000 or over in 1910. [3] Rate based on population Apr. 15, 1910. Decrease since 1900.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
22.3	5.6	67.0	156.4	11.2	44.7	5.6	16.8	22.3	.....	5.6	89.4	5.6	11.2	94.9	22.3	11.2	279.3	5.6	1
43.1	.....	43.1	129.3	43.1	86.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	86.2	.....	172.4	.....	2
29.6	.....	29.6	133.3	14.8	88.9	.....	88.9	14.8	.....	14.8	177.8	.....	14.8	88.9	59.3	.....	103.7	14.8	3
11.0	2.8	99.0	156.8	52.3	77.0	16.5	22.0	8.3	22.0	2.8	57.8	5.5	5.5	79.8	49.5	5.5	255.8	.....	4
16.0	8.0	31.9	119.7	.....	71.8	16.0	31.9	.....	.....	23.9	55.9	8.0	8.0	95.8	47.9	.....	207.5	8.0	5
.....	.....	39.5	158.2	39.5	158.2	39.5	.....	39.5	.....	.....	39.5	39.5	.....	39.5	79.1	.....	158.2	.....	6
20.7	7.7	95.5	191.1	18.1	77.5	12.9	12.9	.....	18.1	5 2.	25.8	5.2	2.6	74.9	51.6	10.3	240.1	2.6	7
9.0	6.0	104.5	176.2	6.0	59.7	17.9	9.0	.....	9.0	11.9	83.6	6.0	11.9	65.7	77.7	14.9	307.7	9.0	8
19.0	11.4	113.9	136.6	7.6	56.9	7.6	3.8	3.8	15.2	7.6	113.9	.....	3.8	68.3	53.1	3.8	277.1	11.4	9
17.7	2.9	76.6	144.4	17.7	56.0	8.8	20.6	8.8	5.9	2.9	58.9	8.8	20.6	53.1	41.3	8.8	282.9	11.8	10
22.0	33.0	33.0	120.9	11.0	197.8	.....	22.0	11.0	.....	.....	11.0	.....	11.0	55.0	131.9	.....	241.8	44.0	11
18.0	9.0	93.2	198.5	21.1	66.2	21.1	15.0	12.0	21.1	9.0	129.3	9.0	21.1	90.2	99.3	12.0	312.8	15.0	12
14.3	8.6	97.4	194.8	25.8	97.4	14.3	25.8	5.7	8.6	2.9	85.9	5.7	8.6	94.5	57.3	8.6	266.4	8.6	13
39.2	6.0	108.5	268.2	24.1	81.4	12.1	6.0	9.0	18.1	21.1	132.6	3.0	9.0	75.3	63.3	15.1	274.2	15.1	14
26.8	3.3	143.8	224.1	23.4	56.9	6.7	13.4	.....	3.3	20.1	143.8	10.0	10.0	66.9	110.4	16.7	254.2	3.3	15
8.2	19.1	113.3	226.5	34.1	244.2	27.3	182.8	4.1	8.2	21.8	111.9	5.5	9.6	238.8	155.6	17.7	556.7	20.5	16
17.5	8.8	56.9	92.0	4.4	65.7	4.4	17.5	26.3	21.9	4.4	83.2	17.5	13.1	105.1	65.7	17.5	227.7	8.8	17
15.3	5.0	60.2	98.9	13.2	79.5	10.1	24.8	12.0	8.6	6.8	73.9	4.5	8.3	69.9	67.2	12.8	168.4	10.8	18
15.4	4.8	60.0	98.9	13.1	77.5	10.0	24.4	12.0	8.5	6.9	73.7	4.4	8.1	69.9	66.5	12.9	166.9	10.0	19
.....	40.3	80.7	100.8	30.3	383.2	20.2	90.8	20.2	30.3	.....	100.8	10.1	30.3	60.5	171.4	10.1	403.4	131.1	20
16.3	16.3	73.3	73.3	8.1	24.4	8.1	8.1	.....	8.1	8.1	57.0	.....	.....	89.5	57.0	8.1	138.4	8.1	21
15.3	.....	76.3	175.4	30.5	68.6	15.3	7.6	15.3	.....	7.6	183.0	.....	.....	68.6	45.8	15.3	228.8	.....	22
4.9	19.6	29.4	107.9	14.7	137.3	.....	19.6	4.9	4.9	9.8	88.3	.....	24.5	63.7	58.8	4.9	196.1	34.3	23
5.4	16.1	21.5	102.2	16.1	86.1	.....	16.1	5.4	5.4	10.8	80.7	.....	16.1	64.6	64.6	5.4	177.5	32.3	24
.....	55.3	110.6	165.9	.....	663.7	.....	55.3	.....	.....	.....	165.9	.....	110.6	55.3	.....	.....	387.2	55.3	25
5.9	8.8	32.3	49.9	17.6	91.1	11.7	35.2	14.7	5.9	8.8	32.3	.....	8.8	79.3	105.7	14.7	155.7	20.6	26
26.8	8.9	80.4	98.3	.....	62.6	8.9	35.7	8.9	8.9	8.9	17.9	.....	.....	35.7	35.7	17.9	116.2	17.9	27
20.6	10.3	123.7	72.2	.....	113.4	10.3	41.2	10.3	20.6	.....	72.2	.....	20.6	103.1	92.8	.....	175.2	30.9	28
10.5	.....	73.8	94.9	15.8	84.3	10.5	15.8	5.3	.....	.....	58.0	5.3	.....	58.0	36.9	.....	179.2	.....	29
19.7	4.9	73.8	118.1	29.5	59.1	9.8	29.5	14.8	9.8	4.9	123.0	.....	4.9	49.2	39.4	14.8	246.1	9.8	30
.....	.....	37.1	106.8	4.6	60.4	4.6	13.9	9.3	.....	9.3	51.1	.....	13.9	55.7	65.0	.....	60.4	.....	31
17.2	.....	22.9	108.9	11.5	68.7	22.9	17.2	11.5	5.7	22.9	91.7	5.7	.....	45.8	68.7	11.5	149.0	5.7	32
7.3	7.3	29.3	87.9	14.7	65.9	7.3	.....	7.3	.....	.....	58.6	14.7	14.7	73.3	80.6	22.0	58.6	7.3	33
8.0	8.0	23.9	95.4	15.9	55.7	8.0	.....	8.0	.....	.....	63.6	15.9	15.9	63.6	79.5	23.9	63.6	8.0	34
.....	.....	93.5	.....	.....	186.9	.....	.....	.....	.....	.....	.....	.....	.....	186.9	93.5	.....	.....	.....	35
14.3	.....	35.8	121.7	7.2	93.1	7.2	7.2	35.8	.....	.....	21.5	14.3	.....	150.4	43.0	7.2	150.4	14.3	36
29.2	.....	116.9	131.5	14.6	58.4	7.3	29.2	.....	7.3	.....	73.1	.....	.....	65.7	87.7	7.3	299.5	7.3	37
9.7	.....	63.2	39.0	9.7	53.6	14.6	9.7	14.6	.....	4.9	63.3	9.7	4.9	63.3	82.8	4.9	141.2	4.9	38
.....	.....	124.0	.....	.....	124.0	.....	.....	.....	.....	62.0	.....	.....	.....	.....	186.0	62.0	.....	62.0	39
15.4	.....	15.4	92.6	7.7	61.7	7.7	38.6	15.4	.....	7.7	77.2	.....	15.4	46.3	38.6	7.7	162.1	23.2	40
11.0	.....	82.3	120.6	5.5	109.7	21.9	21.9	38.4	27.4	.....	109.7	11.0	27.4	115.2	148.1	11.0	219.3	.....	41
.....	.....	66.7	174.2	22.2	111.2	3.7	40.8	11.1	7.4	3.7	81.5	3.7	.....	77.8	85.2	11.1	126.0	7.4	42
33.1	.....	74.4	82.7	.....	66.1	8.3	33.1	.....	.....	.....	66.1	8.3	8.3	49.6	74.4	16.5	107.5	8.3	43
28.3	.....	135.8	90.6	11.3	135.8	17.0	5.7	11.3	17.0	11.3	113.2	5.7	.....	56.6	56.6	17.0	96.2	.....	44
5.0	10.0	65.2	90.2	5.0	55.1	5.0	5.0	10.0	15.0	15.0	85.2	.....	10.0	85.2	35.1	20.1	140.4	10.0	45
31.2	.....	35.0	132.4	15.6	124.6	7.8	15.6	7.8	.....	.....	93.5	.....	.....	50.6	35.0	3.9	179.1	7.8	46
13.3	.....	71.1	111.0	8.9	44.4	.....	26.6	8.9	4.4	13.3	53.3	4.4	4.4	48.9	97.7	26.6	155.4	8.9	47
28.2	6.3	90.9	137.9	25.1	59.6	6.3	21.9	9.4	15.7	9.4	125.4	3.1	15.7	28.2	47.0	15.7	219.4	.....	48
43.4	.....	65.2	97.7	32.6	97.7	.....	.....	10.9	.....	10.9	119.5	.....	.....	54.3	21.7	10.9	43.4	10.9	49
14.1	2.8	42.3	84.6	8.5	73.3	14.1	14.1	.....	8.5	8.5	64.8	.....	.....	73.3	78.9	33.8	138.1	.....	50
42.0	.....	90.9	139.9	35.0	83.9	35.0	.....	21.0	.....	14.0	63.0	7.0	14.0	35.0	42.0	14.0	125.9	56.0	51
8.7	.....	95.3	138.6	.....	95.3	26.0	26.0	.....	8.7	.....	17.3	8.7	.....	69.3	34.6	.....	147.2	.....	52
15.3	7.6	114.4	183.1	15.3	122.0	.....	45.8	.....	.....	15.3	22.9	.....	7.6	38.1	61.0	7.6	114.4	.....	53
5.9	5.9	32.6	59.4	8.9	86.1	8.9	68.3	5.9	.....	.....	14.8	14.8	8.9	62.3	124.7	35.6	112.8	38.6	54
20.7	6.9	55.2	41.4	20.7	82.8	6.9	20.7	20.7	6.9	6.9	69.0	6.9	6.9	75.9	41.4	6.9	144.9	27.6	55
13.4	.....	67.2	40.3	13.4	94.1	.....	26.9	.....	13.4	.....	67.2	.....	13.4	80.7	94.1	.....	147.9	.....	56
15.6	5.2	62.3	140.2	20.8	67.5	.....	20.8	15.6	5.2	10.4	67.5	.....	5.2	83.1	98.6	10.4	129.8	.....	57
9.4	9.4	47.1	66.0	9.4	47.1	9.4	.....	.....	.....	.....	18.9	.....	.....	37.7	47.1	18.9	150.8	47.1	58
12.5	.....	24.9	68.6	12.5	81.1	.....	37.4	24.9	12.5	.....	56.1	.....	12.5	49.9	31.2	.....	155.9	6.2	59
10.2	.....	10.2	71.6	10.2	71.6	10.2	30.7	.....	20.4	.....	30.7	.....	20.4	81.8	71.6	20.4	92.0	.....	60
16.1	5.4	43.0	102.1	21.5	96.7	5.4	26.9	10.7	10.7	5.4	48.4	.....	.....	69.9	64.5	16.1	166.6	5.4	61
.....	.....	77.3	77.3	9.7	67.6	.....	29.0	9.7	9.7	.....	38.6	.....	.....	48.3	38.6	9.7	125.6	.....	62
18.4	12.3	61.3	61.3	49.0	30.6	6.1	12.3	18.4	12.3	18.4	67.4	6.1	24.5	85.8	49.0	18.4	147.1	18.4	63
37.5	.....	91.0	107.0	10.7	16.1	16.1	10.7	5.4	5.4	.....	123.1	5.4	.....	74.9	48.2	16.1	155.2	5.4	64
.....	.....	.....	61.6	30.8	215.5	30.8	153.9	30.8	61.6	.....	30.8	30.8	.....	123.1	92.3	.....	215.5	92.3	65
.....	.....	.....	62.0	62.0	62.0	.....	123.9	62.0	.....	.....	.....	.....	.....	123.9	.....	.....	123.9	62.0	66
.....	.....	.....	61.2	.....	367.0	61.2	183.5	.....	122.3	.....	61.2	61.2	.....	122.3	183.5	.....	305.8	122.3	67
12.0	12.0	42.0	48.0	12.0	66.0	12.0	18.0	24.0	6.0	6.0	107.9	.....	12.0	90.0	90.0	.....	149.9	42.0	68
11.2	.....	89.8	67.3	16.8	61.7	.....	11.2	16.8	11.2	.....	67.3	28.1	.....	117.8	61.7	5.6	157.1	11.2	69
11.7	5.9	70.5	135.1	5.9	94.0	11.7	47.0	.....	23.5	17.6	105.7	11.7	.....	52.9	58.7	5.9	188.0	.....	70
24.8	.....	74.4	82.7	8.3	57.9	.....	24.8	24.8	.....	.....	82.7	8.3	24.8	74.4	66.1	16.5	115.7	.....	71
8.1	.....	36.5	56.8	12.2	81.1	12.2	24.3	12.2	4.1	16.2	44.6	8.1	8.1	81.1	73.0	8.1	146.0	.....	72

[4] Includes Clearwater County; separate estimated populations not available.

[5] Includes Koochiching County; separate estimated populations not available.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MINNESOTA—continued.															
1	Mower County†	868.5	4.4					4.4	8.8	17.5	4.4	30.7	4.4	4.4	8.8	65.8
2	Murray County†	[3] 825.2								8.5		68.1		8.5	17.0	42.5
3	Nicollet County*	[3] 1,486.7					7.1	7.1	7.1	7.1	7.1	148.7	7.1	7.1	7.1	77.9
4	Nobles County†	644.7						6.5	6.5			26.0		6.5	6.5	52.1
5	Norman County	[3] 959.4						7.4		22.3		119.0		22.3	14.9	29.7
6	Olmsted County*	[3] 2,929.3	8.9			4.4	13.3	4.4	4.4	22.2	4.4	62.2	13.3	48.9		489.0
7	Otter Tail County*	1,181.4	10.8			8.6	10.8	8.6	6.5	10.8	2.2	146.6	2.2	2.2	2.2	84.1
8	Pine County†	633.2			5.5					5.5		99.1			11.0	44.1
9	Pipestone County†	814.1					41.2			10.3	20.6	20.6	10.3	10.3	20.6	41.2
10	Polk County	939.3	5.5					2.8	5.5	19.3	2.8	71.6	5.5	13.8	8.3	66.1
11	Pope County	1,044.0						15.6				93.5	31.2	15.6	7.8	77.9
12	Ramsey County	969.9				10.3				31.0	10.3	51.6	10.3	10.3	10.3	103.2
13	Red Lake County †[4]	742.4	16.7			16.7			5.6			94.9	5.6			44.7
14	Redwood County†	745.9	5.3				5.3	10.5		10.5		42.0		5.3	5.3	63.0
15	Renville County†	[3] 717.9				13.0	8.6	4.3		8.6	4.3	56.2	4.3	4.3	8.6	82.2
16	Rice County	[3] 1,304.5	42.5				19.3	3.9		15.4	3.9	77.2		23.2	11.6	84.9
17	Rock County†	798.9	9.5			38.0						28.5	19.0			57.1
18	Roseau County†	682.4	7.3					7.3		22.0		102.7	22.0		7.3	22.0
19	St. Louis County†	840.9	2.0				2.0	22.2	7.0		2.0	88.6	13.1	5.0	3.0	31.2
20	Scott County	[3] 913.5	6.7				13.4	6.7	20.2	13.4		47.0		6.7		94.0
21	Sherburne County	1,294.9				13.2		13.2	26.4	26.4		39.6			13.2	66.1
22	Sibley County†	[3] 804.4					6.4	19.3	12.9	32.2		57.9		6.4		70.8
23	Stearns County†	851.3	5.0				32.4	2.5	19.9	22.4	5.0	49.8	5.0	5.0	2.5	64.7
24	Steele County	[3] 1,021.9				6.2	6.2	12.4	6.2	6.2		43.4	6.2	6.2	18.6	86.7
25	Stevens County†	[3] 783.8						12.1	12.1	24.1		12.1	12.1			60.3
26	Swift County	[3] 1,027.1					7.7	7.7	15.4	7.7		46.3		23.2		77.2
27	Todd County	927.8	4.2				16.6	8.3	4.2	16.6		29.1	8.3	4.2	8.3	87.4
28	Traverse County†	638.6										48.2		12.0	24.1	48.2
29	Wabasha County	[3] 1,191.1	5.4				5.4	10.8	5.4	43.1		59.3		10.8	10.8	118.6
30	Wadena County	1,117.6					77.5	11.1	22.1			166.0	11.1		11.1	66.4
31	Waseca County†	[3] 861.4				7.4				7.4		44.5	7.4	7.4		74.3
32	Washington County	[3] 1,131.8					12.6		6.3	31.6	6.3	94.8	12.6	6.3	19.0	50.6
33	Watonwan County†	[3] 878.6						8.8	8.8	8.8	8.8	61.5	8.8	8.8	8.8	52.7
34	Wilkin County	908.1	20.9				20.9		10.4			10.4	10.4	10.4	20.9	125.3
35	Winona County	[3] 911.2					6.7	6.7	13.5	6.7		27.0				114.7
36	Wright County	[3] 961.5	3.6				3.6	3.6			3.6	64.1	10.7	14.2		103.3
37	Yellow Medicine County†	713.9	6.3				6.3	25.3	6.3	6.3		25.3			6.3	50.5
	MISSOURI.															
38	Total	1,062.2	18.1	16.7	0.5	4.1	2.1	10.3	17.3	25.1	3.0	121.4	4.3	8.6	5.3	52.2
39	White	1,031.7	17.6	16.7	0.5	4.1	2.1	9.8	17.6	24.9	3.0	109.4	4.1	7.6	5.3	52.5
40	Colored	1,989.4	33.8	17.6		5.9	1.5	25.0	7.3	32.3	2.9	487.4	10.3	38.2	5.9	42.6
41	Adair County	917.7	12.9				4.3		12.9	17.2		43.1	4.3	4.3	8.6	86.2
42	Andrew County	[3] 1,047.0	6.5						6.5	26.2		72.0	6.5	13.1		111.2
43	Atchison County†	[3] 683.6	7.4			7.4		14.7	7.4	36.8		36.8		7.4		66.2
44	Audrain County (total)	965.3		9.1					9.1	41.0	4.6	95.6	13.7	9.1		100.2
45	White	914.1		4.9					9.8	44.2	4.9	78.6	9.8	9.8		108.1
46	Colored	1,610.9		62.0								309.8	62.0			
47	Barry County†	[3] 884.0	33.5	8.4	4.2	4.2	8.4	4.2	33.5	4.2		100.5	8.4	4.2	4.2	58.7
48	Barton County†	[3] 901.7		6.0				6.0	17.9	17.9		47.8		6.0	6.0	41.8
49	Bates County	[3] 1,101.7	11.6	3.9					11.6	42.5		50.3	3.9	3.9	3.9	50.3
50	Benton County†	[3] 826.6	26.9	13.4		6.7		13.4	47.0	20.2		26.9				33.6
51	Bollinger County†	[3] 500.8	20.6	13.7				6.9	6.9	6.9	6.9	54.9	6.9	6.9	6.9	6.9
52	Boone County (total)	1,138.7	12.7				3.2	12.7	3.2	34.9	3.2	136.4		12.7	9.5	53.9
53	White	1,013.2	10.9				3.6		3.6	32.7	3.6	90.8		10.9	10.9	61.7
54	Colored	2,005.0	25.1					100.3		50.1		451.1		25.1		
55	Buchanan County	[5] 1,182.6	6.6						6.6	19.9		112.9				86.4
56	Butler County (total)	1,611.2	35.3	194.2		4.4		39.7	48.6	17.7	4.4	181.0	13.2	44.1	4.4	22.1
57	White	1,507.6	28.1	187.3		4.7		42.2	51.5	18.7	4.7	140.5	14.0	28.1	4.7	14.0
58	Colored	3,320.5	154.4	308.9								849.4		308.9		154.4
59	Caldwell County	[3] 992.8						6.8	6.8	13.7		102.7	20.5		6.8	109.6
60	Callaway County* (total)	[3] 1,286.9	20.5			4.1			8.2	24.6	4.1	159.8	12.3	16.4		53.3
61	White	[3] 1,177.9	19.2						9.6	23.9	4.8	110.1	9.6	14.4		43.1
62	Colored	[3] 1,934.6	28.4			28.4				28.4		455.2	28.4	28.4		113.8
63	Camden County†	[3] 656.2		8.6	8.6	17.3			8.6	17.3		86.3				34.5
64	Cape Girardeau County (total)	1,164.7	51.1	10.2			3.4		17.0	23.8	3.4	129.4	10.2	20.4	3.4	30.7
65	White	1,121.8	4.75	7.3			3.7		18.3	21.9	3.7	98.7	11.0	18.3	3.7	32.9
66	Colored	1,752.6	100.2	50.1						50.1		550.8		50.1		
67	Carroll County	[3] 1,091.0	39.0	17.3					21.6	17.3		112.6	4.3	21.6	4.3	56.3
68	Carter County	[3] 981.1		36.3					36.3			72.7		36.3		
69	Cass County	[3] 1,049.1						4.4	4.4	26.1		69.6	4.4	13.1	8.7	60.9
70	Cedar County	[3] 920.4	6.2				6.2	18.7	24.9	18.7	6.2	68.4		18.7	6.2	49.8
71	Chariton County (total)	[3] 1,008.4	12.8	4.3			4.3	4.3	4.3	76.6		106.4	4.3			76.6
72	White	[3] 973.2	14.1	4.7			4.7	4.7	4.7	79.9		98.7	4.7			75.2
73	Colored	[3] 1,344.1								44.8		179.2				89.6

[1] Exclusive of stillbirths. [2] Exclusive of municipalities having a population of 10,000 or over in 1910. [3] Rate based on population Apr. 15, 1910. Decrease since 1900.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
26.3	4.4	100.9	136.6	13.2	57.6	8.8	30.7	4.4	4.4	21.9	61.4	4.4	4.4	70.2	43.9	13.2	109.7	.....	1
.....	8.5	34.0	76.6	17.0	51.0	8.5	25.5	8.5	17.0	8.5	119.1	.....	8.5	42.5	59.5	8.5	178.6	8.5	2
.....	.....	49.6	148.7	7.1	148.7	35.4	14.2	.....	21.2	14.2	191.2	.....	.....	49.6	85.0	14.2	417.7	7.1	3
19.5	6.5	19.5	104.2	6.5	58.6	6.5	13.0	6.5	.....	.....	45.6	.....	6.5	71.6	58.6	6.5	97.7	13.0	4
7.4	37.2	44.6	89.2	7.4	59.5	.....	7.4	.....	7.4	7.4	89.2	7.4	44.6	66.9	74.4	7.4	185.9	.....	5
48.9	.....	155.6	191.1	13.3	71.1	97.8	13.3	88.9	40.0	22.2	213.4	4.4	13.3	115.6	102.2	22.2	1,026.8	13.3	6
12.9	2.2	79.8	138.0	4.3	92.7	10.8	34.5	25.9	10.8	4.3	168.2	6.5	10.8	56.1	43.1	21.6	146.6	17.2	7
16.5	5.5	38.5	33.0	5.5	38.5	27.5	11.0	5.5	16.5	5.5	11.0	5.5	22.0	60.6	44.1	5.5	110.1	5.5	8
20.6	20.6	30.9	82.4	.....	51.5	20.6	.....	20.6	.....	.....	51.5	20.6	.....	92.7	51.5	10.3	154.6	10.3	9
24.8	8.3	77.1	93.7	2.8	57.8	8.3	35.8	24.8	13.8	5.5	71.6	5.5	16.5	46.8	63.4	11.0	159.8	11.0	10
23.4	15.6	46.7	179.2	7.8	70.1	.....	46.7	15.6	7.8	7.8	109.1	.....	7.8	54.5	54.5	7.8	140.2	7.8	11
20.6	.....	31.0	113.5	.....	82.5	.....	.....	10.3	.....	10.3	123.8	.....	.....	41.3	165.1	31.0	103.2	.....	12
11.2	22.3	16.7	72.6	11.2	50.2	11.2	39.1	.....	16.7	11.2	27.9	5.6	22.3	33.5	39.1	5.6	150.7	11.2	13
31.5	.....	63.0	36.8	15.8	84.0	.....	26.3	.....	10.5	.....	52.5	.....	5.3	89.3	36.8	10.5	131.3	5.3	14
8.6	4.3	30.3	43.2	21.6	43.2	4.3	17.3	4.3	8.6	.....	47.6	.....	4.3	69.2	73.5	8.6	129.7	4.3	15
27.0	.....	61.7	177.5	7.7	142.8	3.9	11.6	19.3	15.4	3.9	127.4	.....	11.6	57.9	54.0	7.7	289.5	3.9	16
9.5	.....	47.6	85.6	9.5	38.0	.....	19.0	19.0	.....	.....	66.6	.....	9.5	85.6	47.6	19.0	180.7	9.5	17
7.3	14.7	14.7	44.0	.....	36.7	.....	7.3	14.7	7.3	.....	22.0	.....	14.7	58.7	29.3	22.0	183.4	14.7	18
2.0	5.0	19.1	36.3	16.1	112.8	5.0	52.4	7.0	2.0	4.0	25.2	4.0	10.1	90.6	101.7	16.1	142.0	13.1	19
13.4	.....	40.3	120.9	26.9	47.0	6.7	33.6	6.7	.....	13.4	47.0	.....	6.7	53.7	60.5	13.4	214.9	.....	20
39.6	.....	66.1	158.6	52.9	198.2	13.2	13.2	.....	13.2	.....	145.3	13.2	.....	92.5	66.1	.....	224.6	.....	21
25.7	.....	45.0	96.5	6.4	57.9	32.2	25.7	.....	.....	12.9	51.5	.....	.....	77.2	6.4	19.3	135.1	6.4	22
10.0	12.4	57.2	87.1	17.4	74.7	5.0	14.9	10.0	19.9	10.0	27.4	5.0	5.0	79.7	49.8	12.4	139.4	10.0	23
18.6	.....	92.9	99.1	18.6	123.9	6.2	18.6	6.2	12.4	12.4	74.3	6.2	.....	74.3	74.3	12.4	173.4	.....	24
12.1	36.2	36.2	84.4	24.1	36.2	.....	12.1	24.1	24.1	.....	84.4	.....	24.1	60.3	48.2	.....	132.6	12.1	25
23.2	.....	77.2	108.1	15.4	123.6	15.4	7.7	7.7	7.7	7.7	69.5	7.7	15.4	108.1	46.3	15.4	169.9	15.4	26
4.2	8.3	49.9	158.1	8.3	54.1	4.2	25.0	8.3	4.2	4.2	91.5	4.2	4.2	74.9	66.6	12.5	129.0	29.1	27
12.0	.....	60.2	72.3	.....	12.0	12.0	12.0	12.0	.....	.....	36.1	12.0	12.0	48.2	72.3	12.0	120.5	.....	28
16.2	5.4	80.8	145.5	16.2	75.5	10.8	48.5	21.6	5.4	10.8	118.6	10.8	10.8	75.5	113.2	10.8	145.5	.....	29
.....	.....	33.2	166.0	.....	66.4	.....	33.2	33.2	11.1	11.1	77.5	.....	.....	99.6	66.4	11.1	121.7	22.1	30
37.1	.....	96.5	81.7	37.1	14.9	7.4	14.9	.....	.....	7.4	96.5	7.4	.....	81.7	44.6	7.4	155.9	22.3	31
12.6	.....	56.9	164.4	12.6	82.2	12.6	25.3	6.3	12.6	6.3	82.2	.....	6.3	56.9	101.2	12.6	227.6	12.6	32
8.8	.....	43.9	105.4	8.8	123.0	.....	17.6	8.8	17.6	.....	52.7	17.6	8.8	52.7	87.9	.....	149.4	.....	33
20.9	.....	41.8	52.2	10.4	114.8	31.3	10.4	10.4	.....	.....	31.3	10.4	.....	83.5	83.5	31.3	125.3	20.9	34
13.5	.....	155.2	101.2	6.7	40.5	13.5	20.2	6.7	13.5	6.7	114.7	.....	6.7	67.5	40.5	.....	121.5	6.7	35
17.8	14.2	117.5	103.3	3.6	81.9	.....	10.7	10.7	14.2	7.1	89.0	.....	3.6	89.0	39.2	10.7	138.9	3.6	36
6.3	6.3	44.2	75.8	12.6	101.1	6.3	12.6	.....	6.3	6.3	31.6	12.6	12.6	44.2	56.9	.....	132.7	12.6	37
11.6	6.9	59.3	86.1	16.1	103.1	9.2	32.3	6.5	7.3	8.2	81.7	6.0	7.5	57.2	58.8	12.2	174.6	28.5	38
11.4	6.8	58.1	83.8	15.6	100.8	8.9	32.0	6.6	7.1	7.8	79.2	6.0	7.5	56.8	57.3	12.2	171.7	26.8	39
16.2	10.3	96.9	155.6	29.4	171.8	17.6	42.6	4.4	13.2	22.0	158.6	4.4	8.8	67.5	104.2	13.2	262.8	79.3	40
.....	8.6	68.9	90.5	8.6	86.2	4.3	17.2	17.2	12.9	.....	68.9	.....	.....	60.3	51.7	25.9	198.2	4.3	41
39.3	6.5	52.3	78.5	13.1	85.1	19.6	32.7	6.5	39.3	13.1	111.2	.....	6.5	52.3	39.3	.....	170.1	39.3	42
7.4	7.4	51.5	95.6	.....	66.2	7.4	7.4	7.4	7.4	.....	51.5	7.4	7.4	22.1	66.2	7.4	58.8	22.1	43
13.7	.....	68.3	82.0	9.1	72.9	4.6	27.3	18.2	13.7	9.1	72.9	.....	4.6	31.9	54.6	.....	195.8	4.6	44
14.7	.....	68.8	63.9	9.8	73.7	4.9	24.6	19.7	4.9	9.8	59.0	.....	4.9	34.4	54.1	.....	191.7	4.9	45
.....	.....	62.0	309.8	.....	62.0	.....	62.0	.....	123.9	.....	247.8	.....	.....	.....	62.0	.....	247.8	.....	46
12.6	.....	54.5	75.4	20.9	62.8	8.4	25.1	8.4	4.2	4.2	58.7	4.2	12.6	37.7	58.7	8.4	134.1	16.8	47
6.0	11.9	83.6	71.7	6.0	119.4	.....	35.8	.....	.....	.....	95.5	.....	6.0	53.7	47.8	6.0	203.0	6.0	48
11.6	.....	88.9	166.2	15.5	85.0	23.2	42.5	.....	11.6	7.7	131.4	11.6	.....	54.1	96.6	19.3	116.0	38.7	49
6.7	.....	26.9	87.4	47.0	33.6	13.4	6.7	.....	.....	6.7	94.1	.....	6.7	13.4	67.2	.....	201.6	26.9	50
.....	.....	13.7	20.6	20.6	96.0	.....	13.7	6.9	6.9	.....	34.3	6.9	13.7	20.6	13.7	.....	61.7	27.4	51
12.7	3.2	95.2	149.1	25.4	95.2	6.3	31.7	15.9	3.2	19.0	60.3	3.2	19.0	63.4	47.6	12.7	177.6	15.9	52
14.5	3.6	87.2	119.8	25.4	69.0	3.6	29.1	18.2	.....	18.2	54.5	3.6	21.8	58.1	43.6	14.5	181.6	18.2	53
.....	.....	150.4	350.9	25.1	275.7	25.1	50.1	.....	25.1	25.1	100.3	.....	.....	100.3	75.2	.....	150.4	.....	54
.....	.....	53.2	139.5	26.6	172.7	6.6	19.9	6.6	6.6	6.6	152.8	19.9	13.3	73.1	59.8	26.6	166.1	.....	55
.....	26.5	30.9	48.6	13.2	150.1	4.4	61.8	13.2	.....	8.8	61.8	17.7	17.7	92.7	105.9	22.1	163.3	163.3	56
.....	28.1	32.8	51.5	.....	135.8	4.7	65.5	14.0	.....	9.4	60.9	14.0	18.7	93.6	107.7	23.4	163.9	145.1	57
.....	.....	.....	.....	231.7	386.1	.....	.....	.....	.....	.....	77.2	77.2	.....	77.2	77.2	.....	154.4	463.3	58
13.7	6.8	82.2	82.2	27.4	109.6	6.8	13.7	.....	.....	6.8	68.5	.....	.....	82.2	47.9	13.7	157.5	6.8	59
16.4	12.3	123.0	114.8	20.5	94.3	4.1	28.7	12.3	.....	24.6	90.2	8.2	12.3	32.8	49.2	16.4	315.6	8.2	60
9.6	14.4	124.5	110.1	19.2	76.6	4.8	28.7	14.4	.....	28.7	91.0	4.8	4.8	38.3	33.5	14.4	325.6	.....	61
56.9	.....	113.8	142.2	28.4	199.1	.....	28.4	.....	.....	.....	85.3	28.4	56.9	.....	142.2	28.4	256.0	56.9	62
.....	8.6	17.3	34.5	17.3	86.3	8.6	25.9	8.6	.....	.....	69.1	.....	.....	8.6	43.2	8.6	103.6	34.5	63
6.8	13.6	64.7	64.7	10.2	98.8	3.4	64.7	13.6	17.0	6.8	95.4	10.2	13.6	74.9	74.9	20.4	187.3	20.4	64
7.3	14.6	62.1	65.8	11.0	91.4	.....	69.4	14.6	18.3	7.3	91.4	11.0	14.6	76.7	76.7	18.3	186.4	18.3	65
.....	.....	100.2	50.1	.....	200.3	50.1	.....	.....	.....	.....	150.2	.....	.....	50.1	50.1	50.1	200.3	50.1	66
17.3	.....	64.9	95.2	17.3	95.2	.....	21.6	4.3	13.0	13.0	108.2	4.3	4.3	52.0	60.6	8.7	207.8	8.7	67
.....	18.2	54.5	54.5	36.3	72.7	.....	.....	.....	18.2	.....	18.2	36.3	36.3	127.2	90.8	.....	199.9	36.3	68
34.8	4.4	87.1	126.2	4.4	82.7	4.4	8.7	13.1	17.4	4.4	134.9	17.4	8.7	30.5	87.1	17.4	169.8	4.4	69
6.2	6.2	68.4	68.4	12.4	74.6	12.4	24.9	.....	12.4	.....	105.7	.....	12.4	18.7	49.8	18.7	174.1	31.1	70
12.8	21.3	34.0	68.1	.....	97.9	4.3	25.5	4.3	4.3	.....	123.4	4.3	12.8	21.3	59.6	.....	204.2	17.0	71
9.4	18.8	37.6	65.8	.....	70.5	4.7	23.5	4.7	4.7	.....	112.8	4.7	14.1	23.5	61.1	.....	206.9	18.8	72
44.8	44.8	.....	89.6	.....	358.4	.....	44.8	.....	.....	.....	224.0	.....	.....	.....	44.8	.....	179.2	.....	73

[4] Includes Pennington County; separate estimated populations not available.
[5] Rate based on population estimated upon returns of censuses of 1890 and 1910, as returns of 1900 were defective.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes [1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	MISSOURI—continued.															
1	Christian County †	[3] 764.3	6.3					6.3	12.6	25.3		101.1		6.3		31.6
2	Clark County	[3] 921.1	15.6	7.8	7.8					23.4		62.4			7.8	54.6
3	Clay County (total)	1,559.0	4.8				4.8		4.8	23.8	4.8	109.3	4.8		14.3	99.8
4	White	1,538.6	5.0						5.0	25.0	5.0	79.9	5.0		15.0	99.9
5	Colored	1,958.9					97.9					685.6				97.9
6	Clinton County (total)	[3] 1,294.4	6.5	6.5			6.5		6.5	58.8	6.5	65.4		45.8		98.1
7	White	[3] 1,259.8	6.9	6.9			6.9		6.9	62.0	6.9	62.0		34.4		96.4
8	Colored	[3] 1,945.5										129.7		259.4		129.7
9	Cole County	997.2	10.6	10.6				21.2		21.2		53.0		10.6		74.3
10	Cooper County (total)	[3] 1,201.3	9.8			4.9		54.2	19.7	39.4		132.9		4.9	4.9	88.6
11	White	[3] 1,153.1	5.7			5.7		28.7	22.9	45.9		86.0		5.7	5.7	91.8
12	Colored	[3] 1,493.6	34.7					208.4				416.8				69.5
13	Crawford County	956.9	28.8	7.2					7.2	7.2	7.2	107.9		14.4		36.0
14	Dade County †	[3] 807.0	25.6	6.4		6.4			12.8	25.6	6.4	64.0		6.4	6.4	70.5
15	Dallas County †	[3] 599.3	7.6			22.8		7.6	7.6	15.2		15.2	7.6		7.6	30.3
16	Daviess County	[3] 1,028.1	39.8							11.4		113.6		11.4	11.4	68.2
17	Dekalb County	[3] 973.6	16.0							39.9	8.0	63.8				87.8
18	Dent County †	687.6	14.9			7.5			14.9	7.5		44.8	7.5	7.5		14.9
19	Douglas County †	[3] 738.1	42.0	12.0				12.0	18.0	30.0		108.0				36.0
20	Dunklin County	1,809.3	74.6	272.4		2.9		68.8	63.1	20.1	5.7	157.7	8.6	14.3	14.3	22.9
21	Franklin County	[3] 1,136.4	13.4	10.1		3.4		3.4	26.8	13.4	6.7	87.2	6.7	10.1	3.4	67.0
22	Gasconade County	966.9	38.1					22.8		15.2		45.7		22.8	7.6	91.4
23	Gentry County	[3] 1,064.2					5.9	17.8	5.9	11.9		83.2				65.4
24	Greene County	934.4	19.9	3.3		3.3	3.3	3.3	29.8	23 2	3.3	86.1	9.9	6.6	6.6	56.3
25	Grundy County	[3] 1,039.2	11.9			6.0		11.9	17.9	35.8		113.5				101.5
26	Harrison County	[3] 943.0	14.7	4.9		4.9	29.3	19.5	9.8	24.4		112.4	4.9	4.9		39.1
27	Henry County	[3] 1,042.5		7.3		3.7		14.7	22.0	33.0		80.8	7.3		7.3	51.4
28	Hickory County †	[3] 652.1							34.3			57.2		11.4		68.6
29	Holt County	[3] 1,086.7	13.8			13.8			6.9	55.0		96.3	13.8	20.6	6.9	34.4
30	Howard County (total)	[3] 1,066.9	31.9	12.8						31.9		166.1	12.8	12.8	6.4	57.5
31	White	[3] 1,056.0	24.0	16.0						32.0		160.0	16.0	8.0	8.0	64.0
32	Colored	[3] 1,110.1	63.4							31.7		190.3		31.7		31.7
33	Howell County	[3] 1,139.3	33.2	14.2				19.0	4.7	33.2	4.7	104.4	4.7	9.5	14.2	28.5
34	Iron County	[3] 1,424.7	23.4	46.7					35.0	23.4		186.9	11.7	11.7	11.7	46.7
35	Jackson County	1,121.1	12.4	2.5					7.5	24.9	5.0	79.5	5.0	5.0	5.0	77.1
36	Jasper County	1,241.8	28.2	4.3			2.2	2.2	21.7	71.6		212.8	10.9	8.7	8.7	58.6
37	Jefferson County (total)	1,026.9	13.8	10.3	3.4		6.9	3.4	24.1	34.5		130.9	6.9	6.9	3.4	48.2
38	White	958.9	11.0	7.3	3.7		7.3	3.7	22.0	33.1		102.9	3.7	3.7	3.7	51.4
39	Colored	2,055.6	55.6	55.6					55.6	55.6		555.6	55.6	55.6		
40	Johnson County	[3] 1,121.8	15.2			7.6		7.6	7.6	68.4	7.6	136.9	3.8	7.6		68.4
41	Knox County †	[3] 894.9						16.1		24.2	8.1	112.9		8.1		56.4
42	Laclede County †	746.9	22.5			5.6			11.2	5.6		61.8		5.6	22.5	11.2
43	Lafayette County (total)	[3] 1,227.0	23.2	6.6		56.4		13.3	29.8	13.3		66.3	3.3	3.3	6.6	82.9
44	White	[3] 1,187.5	18.3	3.7		51.3		11.0	33.0	14.7		55.0	3.7		7.3	84.3
45	Colored	[3] 1,603.3	69.7	34.9		104.6		34.9				174.3		34.9		69.7
46	Lawrence County	[3] 1,139.8	30.1					11.3	18.8	30.1	3.8	90.3		3.8	7.5	71.5
47	Lewis County † (total)	[3] 663.9	6.4					25.8		25.8	6.4	38.7		12.9	19.3	51.6
48	White	[3] 597.2						13.6		27.1	6.8	20.4		13.6	20.4	47.5
49	Colored	[3] 1,928.0	128.5					257.1				385.6				128.5
50	Lincoln County † (total)	[3] 892.4	5.9	5.9			5.9	5.9		35.2		88.1		5.9		52.8
51	White	[3] 848.7	6.4				6.4	6.4		31.9		70.2		6.4		57.4
52	Colored	[3] 1,395.0		73.4						73.4		293.7				
53	Linn County	[3] 1,096.9	15.8	4.0				11.9	4.0	19.8	4.0	95.0	7.9	11.9	7.9	63.4
54	Livingston County	[3] 1,218.3	5.1					10.3	5.1	25.7		97.7	5.1			61.7
55	McDonald County †	[3] 561.3	29.5			7.4	7.4	7.4	22.2	14.8	14.8	36.9				22.2
56	Macon County	[3] 988.1	13.0			2.2		13.0	9.7	25.9		84.2			13.0	61.6
57	Madison County	1,179.4	25.1	16.7			8.4	8.4	41.8	16.7	25.1	167.3		16.7	25.1	33.5
58	Maries County †	754.6	19.3			29.0			38.7	19.3		87.1		9.7	9.7	29.0
59	Marion County (total)	1,075.2	17.3					8.7		17.3	8.7	78.0		8.7	8.7	26.0
60	White	1,025.1	9.3					9.3		18.6		74.6		9.3	9.3	28.0
61	Colored	1,745.6	124.7								124.7	124.7				
62	Mercer County	[3] 956.6	8.1			16.2		32.4		8.1	16.2	105.4		8.1		73.0
63	Miller County †	633.5	5.7	5.7	5.7				11.4	28.5		79.9		5.7	5.7	11.4
64	Mississippi County (total)	1,013.2	31.3	37.5				6.3	43.8	37.5	6.3	81.3		6.3		31.3
65	White	1,034.5	35.4	42.5				7.1	49.6	35.4	7.1	70.9		7.1		28.3
66	Colored	852.9								53.3		159.9				53.3
67	Moniteau County	[3] 1,064.3	7.0					13.9	27.8	27.8	20.9	118.3		7.0	20.9	69.6
68	Monroe County (total)	[3] 972.5	10.9					5.5	21.9	32.8		87.4				76.5
69	White	[3] 936.7	11.7					5.9	23.4	29.4		82.0				76.1
70	Colored	[3] 1,471.8								81.8		163.5				81.8
71	Montgomery County (total)	[3] 974.1	6.4	6.4		12.8		44.9	38.5	6.4		57.7			6.4	51.3
72	White	[3] 956.5	6.9	6.9		13.9		48.5	41.6			41.6			6.9	48.5
73	Colored	[3] 1,190.5								85.0		255.1				85.0
74	Morgan County †	831.8	15.1	15.1						75.6		75.6	7.6		15.1	15.1

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
.....	.....	37.9	56.8	6.3	113.7	18.9	6.3	37.9	6.3	.....	37.9	.....	12.6	31.6	31.6	18.9	126.3	31.6	1
15.6	.....	109.3	109.3	15.6	93.7	7.8	.....	7.8	.....	7.8	109.3	7.8	7.8	23.4	46.8	7.8	163.9	7.8	2
61.8	19.0	114.1	185.4	33.3	80.8	9.5	57.0	4.8	23.8	9.5	213.9	14.3	4.8	52.3	47.5	14.3	313.7	28.5	3
59.9	15.0	114.9	194.8	35.0	79.9	10.0	55.0	5.0	20.0	10.0	219.8	15.0	5.0	55.0	45.0	15.0	314.7	30.0	4
97.9	97.9	97.9	.....	.....	97.9	.....	97.9	.....	97.9	.....	97.9	.....	.....	.....	97.9	.....	293.8	.....	5
13.1	.....	130.7	71.9	39.2	111.1	6.5	32.7	.....	.....	26.1	91.5	6.5	.....	65.4	78.4	26.1	287.6	6.5	6
13.8	.....	123.9	68.8	27.5	117.0	6.9	34.4	.....	.....	20.7	82.6	6.9	.....	62.0	75.7	27.5	296.0	6.9	7
.....	.....	259.4	129.7	259.4	.....	.....	.....	.....	.....	129.7	259.4	.....	.....	129.7	129.7	.....	129.7	.....	8
21.2	21.2	84.9	74.3	10.6	42.4	.....	31.8	.....	21.2	.....	95.5	.....	10.6	63.7	63.7	21.2	191.0	42.4	9
19.7	.....	78.8	103.4	14.8	108.3	14.8	14.8	14.8	14.8	24.6	59.1	.....	19.7	68.9	49.2	14.8	211.7	9.8	10
17.2	.....	74.6	114.7	17.2	97.5	17.2	17.2	17.2	17.2	22.9	63.1	.....	17.2	68.8	57.4	11.5	212.3	11.5	11
34.7	.....	104.2	34.7	.....	173.7	.....	.....	.....	.....	34.7	34.7	.....	34.7	69.5	.....	34.7	208.4	.....	12
7.2	.....	100.7	57.6	21.6	172.7	21.6	21.6	21.6	.....	.....	86.3	7.2	.....	57.6	64.8	7.2	79.1	14.4	13
.....	6.4	12.8	64.0	12.8	76.9	19.2	19.2	6.4	.....	12.8	44.8	.....	6.4	102.5	6.4	.....	140.9	44.8	14
7.6	.....	22.8	37.9	22.8	83.5	.....	.....	7.6	.....	22.8	22.8	.....	7.6	53.1	60.7	.....	83.5	45.5	15
11.4	11.4	51.1	79.5	28.4	125.0	5.7	34.1	11.4	.....	5.7	85.2	.....	.....	62.5	62.5	11.4	170.4	17.0	16
8.0	.....	119.7	127.7	.....	103.7	.....	31.9	.....	8.0	.....	79.8	8.0	8.0	47.9	55.9	.....	159.6	.....	17
.....	7.5	44.8	74.7	14.9	97.2	.....	22.4	.....	.....	22.4	22.4	7.5	.....	74.7	37.4	.....	104.6	37.4	18
6.0	12.0	18.0	42.0	.....	60.0	.....	12.0	.....	6.0	6.0	30.0	36.0	.....	30.0	42.0	18.0	90.0	72.0	19
5.7	17.2	48.7	22.9	31.5	220.8	8.6	129.0	5.7	8.6	.....	57.3	11.5	14.3	152.0	71.7	14.3	192.1	71.7	20
13.4	10.1	83.8	107.3	20.1	127.4	13.4	53.6	6.7	13.4	13.4	87.2	3.4	6.7	53.6	83.8	20.1	154.2	13.4	21
30.5	.....	68.5	99.0	30.5	91.4	.....	38.1	.....	.....	.....	91.4	.....	15.2	68.5	45.7	15.2	114.2	15.2	22
23.8	11.9	130.8	166.5	17.8	118.9	5.9	29.7	.....	.....	5.9	89.2	.....	5.9	23.8	23.8	5.9	202.1	11.9	23
3.3	6.6	49.7	99.4	9.9	92.8	16.6	19.9	6.6	6.6	9.9	36.4	3.3	6.6	43.1	59.6	6.6	185.5	16.6	24
29.9	.....	71.7	59.7	29.9	89.6	6.0	6.0	11.9	6.0	.....	59.7	.....	.....	95.6	29.9	17.9	209.0	17.9	25
4.9	.....	63.5	68.4	4.9	107.5	9.8	19.5	.....	4.9	.....	117.3	.....	4.9	73.3	34.2	14.7	122.2	24.4	26
29.4	3.7	95.4	102.8	47.7	102.8	11.0	7.3	11.0	3.7	7.3	62.4	3.7	18.4	66.1	33.0	14.7	150.5	44.0	27
11.4	.....	34.3	34.3	11.4	68.6	11.4	.....	.....	11.4	11.4	34.3	11.4	.....	34.3	34.3	.....	137.3	34.3	28
13.8	13.8	82.5	68.8	6.9	178.8	6.9	6.9	.....	.....	6.9	89.4	.....	.....	61.9	82.5	13.8	172.0	20.6	29
6.4	12.8	44.7	115.0	19.2	108.6	12.8	6.4	.....	25.6	12.8	89.4	.....	.....	19.2	44.7	6.4	191.7	19.2	30
8.0	16.0	56.0	128.0	24.0	104.0	16.0	8.0	.....	32.0	8.0	72.0	.....	.....	24.0	56.0	8.0	160.0	8.0	31
.....	.....	.....	63.4	.....	126.9	.....	.....	.....	.....	31.7	158.6	.....	.....	.....	.....	.....	317.2	63.4	32
4.7	19.0	57.0	118.7	.....	128.2	.....	19.0	19.0	9.5	9.5	47.5	4.7	14.2	94.9	42.7	19.0	199.4	61.7	33
23.4	11.7	35.0	105.1	23.4	163.5	.....	70.1	.....	35.0	.....	35.0	35.0	46.7	46.7	58.4	35.0	280.3	23.4	34
12.4	.....	67.1	99.4	7.5	146.7	9.9	17.4	5.0	7.5	2.5	101.9	2.5	2.5	47.2	84.5	24.9	253.6	5.0	35
6.5	8.7	60.8	112.9	28.2	104.2	17.4	36.9	4.3	.....	10.9	78.2	2.2	4.3	63.0	69.5	13.0	178.0	13.0	36
.....	3.4	27.6	86.2	24.1	68.9	17.2	34.5	6.9	6.9	17.2	65.5	6.9	6.9	86.2	72.4	3.4	186.1	13.8	37
.....	3.7	29.4	84.5	14.7	73.5	18.4	29.4	7.3	7.3	18.4	58.8	7.3	7.3	80.8	69.8	3.7	176.3	14.7	38
.....	.....	.....	111.1	166.7	.....	.....	111.1	.....	.....	.....	166.7	.....	.....	166.7	111.1	.....	333.3	.....	39
3.8	11.4	60.8	72.3	19.0	117.9	7.6	19.0	11.4	22.8	7.6	102.7	3.8	3.8	41.8	26.6	7.6	232.0	19.0	40
16.1	.....	56.4	80.6	8.1	64.5	16.1	16.1	8.1	8.1	16.1	56.4	.....	8.1	40.3	72.6	.....	193.5	8.1	41
.....	16.8	44.9	73.0	11.2	84.2	5.6	16.8	.....	16.8	.....	67.4	5.6	5.6	61.8	44.9	5.6	112.3	28.1	42
29.8	.....	96.2	136.0	33.2	102.8	3.3	26.5	3.3	3.3	6.6	86.2	3.3	3.3	69.6	89.5	9.9	202.3	16.6	43
33.0	.....	95.3	139.3	29.3	99.0	3.7	29.3	3.7	3.7	7.3	80.6	3.7	3.7	73.3	91.6	11.0	194.2	3.7	44
.....	.....	104.6	104.6	69.7	139.4	.....	.....	.....	.....	.....	139.4	.....	.....	34.9	69.7	.....	278.8	139.4	45
22.6	7.5	64.0	112.9	18.8	135.4	3.8	18.8	11.3	18.8	11.3	86.5	11.3	.....	86.5	56.4	3.8	161.8	41.4	46
.....	.....	77.3	77.3	.....	51.6	.....	6.4	.....	.....	.....	77.3	.....	.....	38.7	32.2	6.4	103.1	6.4	47
.....	.....	67.9	74.6	.....	54.3	.....	6.8	.....	.....	.....	74.6	.....	.....	33.9	27.1	6.8	95.0	6.8	48
.....	.....	257.1	128.5	.....	.....	.....	.....	.....	.....	.....	128.5	.....	.....	128.5	128.5	.....	257.1	.....	49
23.5	.....	52.8	76.3	23.5	88.1	23.5	17.6	5.9	5.9	.....	52.8	11.7	5.9	52.8	41.1	17.6	176.1	11.7	50
25.5	.....	51.0	76.6	19.1	76.6	25.5	12.8	6.4	6.4	.....	51.0	12.8	6.4	57.4	31.9	19.1	172.3	12.8	51
.....	.....	73.4	73.4	73.4	220.3	.....	73.4	.....	.....	.....	73.4	.....	.....	.....	146.8	.....	220.3	.....	52
7.9	15.8	67.3	114.8	15.8	71.3	4.0	35.6	11.9	.....	15.8	166.3	27.7	4.0	31.7	59.4	15.8	170.3	15.8	53
15.4	5.1	92.5	118.2	15.4	113.1	10.3	15.4	10.3	10.3	15.4	118.2	5.1	15.4	82.2	77.1	25.7	246.7	15.4	54
14.8	.....	22.2	51.7	.....	44.3	14.8	7.4	.....	.....	14.8	14.8	14.8	.....	29.5	36.9	.....	118.2	14.8	55
.....	3.2	71.3	68.0	3.2	68.0	22.7	9.7	6.5	16.2	6.5	84.2	6.5	.....	77.8	64.8	13.0	233.3	9.7	56
33.5	8.4	16.7	117.1	25.1	83.6	8.4	33.5	.....	8.4	.....	66.9	.....	25.1	58.6	50.2	.....	209.1	50.2	57
9.7	9.7	38.7	38.7	9.7	87.1	9.7	9.7	.....	.....	29.0	48.4	19.3	9.7	48.4	58.0	.....	77.4	9.7	58
34.7	.....	112.7	104.0	43.4	104.0	.....	.....	.....	.....	34.7	86.7	.....	.....	34.7	78.0	17.3	225.4	26.0	59
28.0	.....	111.8	102.5	46.6	102.5	.....	.....	.....	.....	37.3	83.9	.....	.....	37.3	55.9	18.6	214.3	28.0	60
124.7	.....	124.7	124.7	.....	124.7	.....	.....	.....	.....	.....	124.7	.....	.....	.....	374.1	.....	374.1	.....	61
.....	.....	73.0	24.3	8.1	113.5	16.2	32.4	.....	16.2	.....	64.9	24.3	8.1	40.5	113.5	16.2	105.4	32.4	62
11.4	17.1	34.2	28.5	5.7	51.4	5.7	22.8	5.7	5.7	11.4	62.8	.....	.....	57.1	22.8	.....	114.1	17.1	63
.....	.....	18.8	37.5	6.3	100.1	.....	100.1	.....	.....	6.3	43.8	.....	25.0	75.1	62.5	18.8	175.1	62.5	64
.....	.....	21.3	42.5	7.1	106.3	.....	106.3	.....	.....	7.1	35.4	.....	28.3	85.0	56.7	21.3	177.1	56.7	65
.....	.....	.....	.....	.....	53.3	.....	53.3	.....	.....	.....	106.6	.....	.....	.....	106.6	.....	159.9	106.6	66
20.9	.....	104.3	132.2	41.7	48.7	13.9	13.9	.....	.....	7.0	139.1	7.0	.....	41.7	34.8	7.0	118.3	20.9	67
10.9	5.5	60.1	98.3	5.5	92.9	5.5	16.4	.....	10.9	5.5	98.3	16.4	.....	54.6	60.1	10.9	174.8	10.9	68
11.7	5.9	52.7	93.7	5.9	93.7	5.9	11.7	.....	11.7	5.9	87.8	17.6	.....	46.8	64.4	11.7	175.6	5.9	69
.....	.....	163.5	163.5	.....	81.8	.....	81.8	.....	.....	.....	245.3	.....	.....	163.5	.....	.....	163.5	81.8	70
6.4	12.8	44.9	83.3	12.8	115.4	6.4	25.6	12.8	12.8	.....	102.5	12.8	.....	70.5	25.6	.....	185.8	12.8	71
6.9	6.9	41.6	90.1	13.9	124.8	6.9	20.8	6.9	13.9	.....	110.9	13.9	.....	62.4	20.8	.....	187.1	13.9	72
.....	85.0	85.0	.....	.....	.....	.....	85.0	85.0	.....	.....	.....	.....	.....	170.1	85.0	.....	170.1	.....	73
30.2	.....	37.8	45.4	7.6	98.3	7.6	15.1	15.1	.....	7.6	90.7	7.6	15.1	83.2	22.7	.....	121.0	7.6	74

[3] Rate based on population Apr. 15, 1910. Decrease since 1900.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	MISSOURI—continued.															
1	New Madrid County † (total)	831.4	25.2	96.6			4.2	16.8	16.8	8.4		71.4		12.6		25.2
2	White	894.8	27.7	101.5			4.6	18.5	18.5	9.2		73.8		13.8		27.7
3	Colored	137.3		46.8								46.8				
4	Newton County	999.8	25.7	11.0		3.7		14.7	25.7	33.1	3.7	80.9	3.7	14.7		44.1
5	Nodaway County	[3] 1,026.6	20.8			20.8		10.4	3.5	20.8		48.6	6.9	20.8	3.5	86.7
6	Oregon County†	596.5	19.9	19.9				6.6	13.3	26.5		59.7				
7	Osage County	1,140.3	62.6			7.0	7.0		13.9	20.9		111.3	13.9		7.0	55.6
8	Ozark County†	[3] 712.7	25.2	16.8	8.4			16.8	33.5		8.4	142.5	8.4		8.4	16.8
9	Pemiscot County (total)	1,366.9	21.3	166.1		17.0		34.1	29.8	21.3	4.3	140.5		8.5		12.8
10	White	1,291.8	23.2	175.9		18.5		32.4	32.4	23.2	4.6	120.4		9.3		13.9
11	Colored	2,226.9		53.0				53.0				371.2				
12	Perry County†	[3] 778.6	20.1	13.4				26.8		6.7		87.3			13.4	6.7
13	Pettis County† (total)	761.2	12.9			6.5	12.9	19.4		19.4		32.3	6.5	6.5		32.3
14	White	741.8	13.5			6.7	13.5	20.2		13.5		33.7	6.7	6.7		33.7
15	Colored	1,188.7								148.6						
16	Phelps County	1,003.6	12.0	6.0				6.0	24.0	42.1		126.2	6.0	6.0		36.1
17	Pike County (total)	[3] 1,250.2	26.6	8.9				8.9	4.4	44.3	13.3	137.4		31.0	17.7	62.1
18	White	[3] 1,124.6	26.0	10.4				10.4		46.9	15.6	67.7		15.6	15.6	67.7
19	Colored	[3] 1,970.1	29.9						29.9	29.9		537.3		119.4	29.9	29.9
20	Platte County (total)	[3] 1,108.9	27.7	6.9						13.9		69.3		6.9		83.2
21	White	[3] 1,123.5	21.9	7.3						14.6		65.7		7.3		87.5
22	Colored	[3] 831.0	138.5									138.5				
23	Polk County	[3] 932.2	13.9			13.9	4.6	18.6	41.7	4.6	9.3	106.7	4.6	23.2	13.9	60.3
24	Pulaski County	1,076.2	16.7			8.3		16.7	16.7	41.7		141.8		8.3	8.3	16.7
25	Putnam County	[3] 929.5	14.0					14.0		14.0		55.9		14.0		62.9
26	Ralls County †	649.5	15.1					7.6		37.8		75.5				52.9
27	Randolph County (total)	1,256.7	13.7	6.8				27.3		13.7	13.7	61.5	6.8	13.7		54.6
28	White	1,193.2	14.9	7.5				29.8		7.5	14.9	37.3	7.5			59.7
29	Colored	1,946.5								81.1		324.4		162.2		
30	Ray County (total)	[3] 1,062.9	23.3			4.7	9.3		28.0	37.3		97.9		4.7	4.7	46.6
31	White	[3] 1,027.9	24.7			4.9	9.9		24.7	39.5		84.0		4.9	4.9	44.5
32	Colored	[3] 1,646.1							82.3			329.2				82.3
33	Reynolds County †	705.5	9.7	9.7					58.0	38.7		38.7	9.7	9.7	9.7	19.3
34	Ripley County†	[3] 626.0		15.3					22.9		7.6	91.6	7.6	7.6	7.6	22.9
35	St. Charles County (total)	1,112.5	8.1	8.1		4.0		28.2	20.2	20.2		108.8	8.1	12.1		40.3
36	White	1,025.2	8.6	8.6		4.3		30.0	21.4	21.4		77.2	4.3	8.6		38.6
37	Colored	2,471.6										601.2	66.8	66.8		66.8
38	St. Clair County	[3] 987.1	24.4	12.2				18.3	18.3	6.1		121.9	6.1	12.2		48.7
39	St. Francois County*	1,009.5	14.3		4.8	4.8	2.4		14.3	4.8		124.1	7.2	9.5	4.8	33.4
40	St. Louis County (total)	1,327.8	3.0	3.0		13.1	9.0	5.0	15.1	8.0		534.7	5.0	5.0	1.0	37.2
41	White	1,233.8	1.1	3.2		13.7	9.5	5.3	14.8	5.3		467.2	5.3	5.3	1.1	38.0
42	Colored	3,239.0	42.9						21.5	64.4		1,909.1				21.5
43	Ste. Genevieve County	1,052.4	46.6	18.6					27.9	27.9		55.9				46.6
44	Saline County (total)	[3] 1,127.4	13.6		3.4			6.8	10.2	13.6		101.9	6.8	10.2		50.9
45	White	[3] 1,017.0	15.6		3.9				11.7	15.6		77.9	3.9	7.8		54.6
46	Colored	[3] 1,876.3						52.9				264.3	26.4	26.4		26.4
47	Schuyler County	[3] 993.2				11.0	22.1			33.1		132.4				77.2
48	Scotland County †	[3] 724.6	8.4					16.9	8.4			67.4	8.4			67.4
49	Scott County	990.3	14.7	62.4		3.7		18.3	18.3	18.3		117.4	11.0	3.7		18.3
50	Shannon County †	684.3		17.3			8.7		8.7			86.6			8.7	43.3
51	Shelby County†	[3] 841.0	6.7							6.7		94.2		6.7		80.7
52	Stoddard County	1,205.0	33.9	108.6				17.0	57.7	27.2	17.0	139.2		17.0	6.8	6.8
53	Stone County†	707.6	24.1						8.0		8.0	96.5		8.0	16.1	16.1
54	Sullivan County†	[3] 854.9	5.4					21.5		21.5		59.1			10.8	53.8
55	Taney County †	[3] 886.8	32.8	43.8					10.9			109.5				32.8
56	Texas County†	[3] 810.9	14.0			4.7	4.7	4.7	37.3	28.0	4.7	102.5	4.7	4.7	9.3	18.6
57	Vernon County*	[3] 1,241.9	13.9					3.5	34.7	27.8	3.5	114.5	6.9	6.9	3.5	72.8
58	Warren County† (total)	[3] 833.1		11.0		11.0		11.0		11.0		98.7			11.0	
59	White	[3] 752.1		11.6		11.6				11.6		81.0				
60	Colored	[3] 2,291.7						208.3				416.7			208.3	
61	Washington County	[3] 1,166.1	14.9	7.5	7.5				37.4	37.4	14.9	149.5			14.9	67.3
62	Wayne County †	[3] 889.3	32.9	26.3				13.2	39.5	39.5	19.8	105.4				39.5
63	Webster County †	838.8	28.1	5.6				5.6	22.5	11.3	11.3	112.6		5.6	5.6	45.0
64	Worth County†	[3] 587.0					12.5			25.0		37.5		25.0	12.5	87.4
65	Wright County †	715.3	10.7	5.3				16.0		32.0		90.7	5.3	5.3	5.3	5.3
	MONTANA.															
66	Total	1,016.6	12.2		0.3	1.8	4.2	10.5	5.1	8.4	2.4	98.9	5.4	6.0	3.9	41.8
67	White	965.5	12.1		0.3	1.2	4.3	6.8	4.6	8.1	2.5	78.1	5.6	5.0	4.0	41.5
68	Colored	2,366.5	16.4			16.4		106.5	16.4	16.4		646.9		32.8		49.1
69	Beaverhead County	1,191.0										58.1	29.0			43.6
70	Broadwater County †	862.9						25.4				50.8	50.8			50.8
71	Cascade County†	552.5				5.9	11.8					41.1			5.9	23.5
72	Chouteau County [4]	1,302.7	21.6			3.9	5.9	39.3	11.8	9.8	5.9	161.1	3.9	13.8		57.0

[1] Exclusive of stillbirths. [2] Exclusive of municipalities having a population of 10,000 or over in 1910. [3] Rate based on population Apr. 15, 1910. Decrease since 1900

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
.....	.....	33.6	25.2	4.2	63.0	8.4	84.0	8.4	.....	.....	29.4	.....	12.6	54.6	71.4	8.4	109.2	42.0	1
.....	.....	36.9	27.7	4.6	69.2	9.2	87.6	9.2	.....	.....	32.3	.....	13.8	60.0	78.4	9.2	115.3	46.1	2
.....	.....	.....	.....	.....	.....	.....	46.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	46.8	.....	3
14.7	22.1	51.5	166.6	18.4	132.3	14.7	33.1	11.0	7.4	7.4	66.2	3.7	3.7	66.2	55.1	11.0	99.2	14.7	4
20.8	6.9	69.4	131.8	6.9	124.9	13.9	24.3	10.4	6.9	10.4	65.9	3.5	3.5	59.0	55.5	10.4	156.1	3.5	5
6.6	6.6	13.3	19.9	6.6	79.5	19.9	13.3	.....	6.6	.....	33.1	.....	13.3	59.7	19.9	.....	106.1	46.4	6
.....	.....	41.7	118.2	20.9	97.3	.....	13.9	13.9	7.0	.....	69.5	13.9	13.9	90.4	55.6	20.9	257.3	7.0	7
.....	8.4	16.8	33.5	8.4	58.7	25.2	.....	.....	16.8	.....	16.8	.....	.....	25.2	33.5	8.4	125.8	50.3	8
4.3	17.0	12.8	55.4	4.3	136.3	8.5	157.6	8.5	.....	.....	51.1	4.3	17.0	59.6	89.4	4.3	157.6	123.5	9
4.6	18.5	9.3	50.9	4.6	143.5	.....	157.4	9.3	.....	.....	41.7	4.6	13.9	60.2	74.1	4.6	143.5	97.2	10
.....	.....	53.0	106.0	.....	53.0	106.0	159.1	.....	.....	.....	159.1	.....	53.0	53.0	265.1	.....	318.1	424.2	11
.....	6.7	47.0	40.3	26.8	47.0	6.7	47.0	6.7	6.7	6.7	33.6	13.4	.....	53.7	53.7	13.4	167.8	26.8	12
6.5	6.5	71.0	51.6	.....	90.3	.....	6.5	6.5	12.9	6.5	90.3	.....	.....	32.3	64.5	19.4	129.0	19.4	13
6.7	6.7	74.2	53.9	.....	87.7	.....	6.7	6.7	13.5	6.7	87.7	.....	.....	33.7	60.7	13.5	114.6	20.2	14
.....	.....	.....	.....	.....	148.6	.....	.....	.....	.....	.....	148.6	.....	.....	.....	148.6	148.6	445.8	.....	15
6.0	12.0	48.1	54.1	12.0	114.2	18.0	36.1	.....	6.0	12.0	174.3	6.0	6.0	42.1	60.1	.....	120.2	12.0	16
4.4	4.4	57.6	119.7	17.7	62.1	4.4	13.3	.....	.....	17.7	124.1	8.9	8.9	44.3	102.0	17.7	230.5	57.6	17
5.2	5.2	46.9	125.0	15.6	62.5	.....	10.4	.....	.....	5.2	135.4	10.4	5.2	46.9	104.1	15.6	213.5	41.7	18
.....	.....	119.4	89.6	29.9	59.7	29.9	29.9	.....	.....	89.6	59.7	.....	29.9	29.9	89.6	29.9	328.4	149.3	19
20.8	6.9	27.7	110.9	13.9	138.6	6.9	27.7	.....	13.9	6.9	97.0	6.9	6.9	76.2	83.2	6.9	194.1	55.4	20
21.9	7.3	29.2	116.7	14.6	145.9	7.3	29.2	.....	7.3	7.3	94.8	.....	7.3	80.3	87.5	7.3	197.0	58.4	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	138.5	.....	138.5	138.5	.....	.....	.....	.....	138.5	.....	22
18.6	.....	32.5	64.9	13.9	102.0	9.3	23.2	9.3	13.9	13.9	74.2	4.6	4.6	41.7	23.2	.....	139.1	27.8	23
.....	8.3	25.0	50.1	25.0	133.5	.....	41.7	8.3	.....	.....	166.8	33.4	8.3	50.1	41.7	8.3	175.2	25.0	24
.....	7.0	69.9	76.9	7.0	153.8	14.0	14.0	.....	7.0	7.0	62.9	14.0	14.0	48.9	41.9	21.0	167.7	28.0	25
.....	.....	15.1	68.0	.....	52.9	.....	15.1	7.6	.....	.....	68.0	.....	.....	52.9	60.4	7.6	105.7	7.6	26
34.1	27.3	109.3	88.8	6.8	184.4	.....	13.7	.....	13.7	6.8	95.6	13.7	34.1	88.8	88.8	27.3	191.2	20.5	27
29.8	29.8	119.3	74.6	7.5	164.1	.....	14.9	.....	14.9	7.5	82.0	14.9	37.3	96.9	74.6	29.8	193.9	22.4	28
81.1	.....	.....	243.3	.....	405.5	.....	.....	.....	.....	.....	243.3	.....	.....	.....	243.3	.....	162.2	.....	29
13.4	.....	69.9	79.3	4.7	139.9	4.7	37.3	4.7	4.7	4.7	97.9	.....	4.7	46.6	74.6	14.0	172.5	32.6	30
14.8	.....	64.2	79.1	4.9	138.4	.....	39.5	4.9	4.9	4.9	89.0	.....	4.9	44.5	69.2	14.8	177.9	29.7	31
.....	.....	164.6	82.3	.....	164.6	82.3	.....	.....	.....	.....	246.9	.....	.....	82.3	164.6	.....	82.3	82.3	32
.....	9.7	9.7	9.7	.....	96.6	9.7	29.0	.....	.....	.....	29.0	.....	9.7	29.0	48.3	.....	145.0	77.3	33
.....	.....	7.6	.....	.....	99.2	.....	45.8	22.9	.....	22.9	45.8	.....	7.6	61.1	38.2	.....	84.0	7.6	34
16.1	8.1	60.5	129.0	12.1	88.7	8.1	12.1	8.1	20.2	12.1	84.6	8.1	4.0	48.4	64.5	16.1	249.9	4.0	35
17.2	8.6	55.8	111.5	12.9	81.5	4.3	12.9	8.6	17.2	12.9	90.1	8.6	4.3	47.2	55.8	12.9	240.2	.....	36
.....	.....	133.6	400.8	.....	200.4	66.8	.....	.....	66.8	.....	.....	.....	.....	66.8	200.4	66.8	400.8	66.8	37
12.2	6.1	54.8	109.7	12.2	73.1	12.2	24.4	.....	18.3	.....	48.7	.....	18.3	67.0	48.7	6.1	164.5	42.7	38
2.4	7.2	43.0	43.0	9.5	112.2	4.8	33.5	2.4	7.2	4.8	100.2	2.4	7.2	52.5	76.4	2.4	193.3	31.0	39
14.1	4.0	42.2	96.5	21.1	80.4	10.1	37.2	.....	1.0	11.1	97.5	1.0	3.0	35.2	67.3	25.1	136.7	5.0	40
14.8	3.2	41.1	89.6	22.1	83.3	9.5	34.8	.....	1.1	9.5	94.9	1.1	2.1	28.5	63.3	26.4	136.0	3.2	41
.....	21.5	64.4	236.0	.....	21.5	21.5	85.8	.....	.....	42.9	150.2	.....	21.5	171.6	150.2	.....	150.2	42.9	42
9.3	.....	65.2	102.4	18.6	121.1	.....	46.6	9.3	9.3	27.9	65.3	9.3	.....	18.6	111.8	9.3	167.6	37.3	43
3.4	13.6	71.3	112.1	34.0	108.7	34.0	13.6	3.4	.....	13.6	50.9	6.8	13.6	74.7	67.9	17.0	234.3	37.4	44
3.9	11.7	74.0	101.3	35.1	93.5	35.1	7.8	3.9	.....	3.9	39.0	7.8	15.6	74.0	54.6	15.6	237.7	11.7	45
.....	26.4	52.9	185.0	26.4	211.4	26.4	52.9	.....	.....	79.3	132.1	.....	.....	79.3	158.6	26.4	211.4	211.4	46
22.1	.....	77.2	88.3	.....	77.2	11.0	11.0	11.0	.....	22.1	55.2	.....	11.0	11.0	55.2	11.0	198.6	55.2	47
8.4	25.3	67.4	50.6	.....	59.0	16.9	8.4	8.4	16.9	16.9	25.3	.....	16.9	42.1	16.9	8.4	151.7	8.4	48
7.3	7.3	44.0	47.7	18.3	106.4	3.7	117.4	.....	7.3	11.0	36.7	7.3	11.0	55.0	66.0	7.3	106.4	44.0	49
8.7	.....	17.3	26.0	17.3	95.3	.....	34.6	8.7	.....	17.3	17.3	.....	.....	78.0	43.3	.....	95.3	52.0	50
.....	6.7	33.6	87.5	6.7	47.1	6.7	13.5	6.7	6.7	.....	34.6	6.7	6.7	33.6	47.1	13.5	174.9	13.5	51
3.4	3.4	37.3	44.1	6.8	166.3	17.0	67.9	6.8	10.2	6.8	37.3	10.2	6.8	84.9	44.1	10.2	146.0	64.5	52
8.0	.....	24.1	24.1	24.1	56.3	.....	8.0	8.0	.....	.....	24.1	.....	.....	64.3	40.2	8.0	160.8	80.4	53
16.1	.....	43.0	64.5	10.8	129.0	.....	10.8	10.8	.....	.....	80.7	.....	16.1	43.0	10.8	37.6	188.2	21.5	54
.....	.....	43.8	54.7	.....	43.8	10.9	43.8	21.9	.....	.....	43.8	.....	10.9	43.8	54.7	.....	186.1	98.5	55
9.3	9.3	28.0	37.3	14.0	107.2	4.7	23.3	4.7	4.7	4.7	60.6	9.3	.....	37.3	28.0	14.0	107.2	69.9	56
24.3	.....	90.2	149.2	17.3	72.8	13.9	17.3	10.4	3.5	10.4	100.6	6.9	6.9	48.6	55.5	13.9	305.3	6.9	57
21.9	.....	54.8	153.5	11.0	43.8	.....	21.9	.....	.....	11.0	98.7	.....	.....	11.0	43.8	11.0	175.4	21.9	58
11.6	.....	57.9	162.0	11.6	34.7	.....	23.1	.....	.....	11.6	81.0	.....	.....	11.6	46.3	11.6	150.4	23.1	59
208.3	.....	.....	.....	.....	208.3	.....	.....	.....	.....	.....	416.7	.....	.....	.....	.....	.....	625.0	.....	60
7.5	14.9	44.8	82.2	44.8	157.0	.....	44.8	.....	7.5	7.5	112.1	.....	.....	37.4	37.4	.....	127.1	89.7	61
19.8	13.2	6.6	26.3	26.3	85.6	19.8	39.5	.....	6.6	.....	39.5	.....	.....	65.9	52.7	.....	131.7	39.5	62
.....	5.6	56.3	45.0	.....	61.9	.....	22.5	11.3	5.6	5.6	67.6	11.3	5.6	73.2	50.7	5.6	101.3	56.3	63
.....	.....	37.5	50.0	12.5	62.4	25.0	.....	.....	.....	.....	37.5	.....	.....	37.5	12.5	12.5	99.9	.....	64
.....	5.3	42.7	53.4	.....	74.7	10.7	16.0	.....	5.3	.....	101.4	.....	5.3	48.0	32.0	16.0	101.4	26.7	65
11.6	5.4	43.3	78.0	11.6	91.4	9.3	20.3	17.3	9.3	7.5	68.1	7.2	11.1	67.5	140.4	21.2	171.4	24.2	66
11.8	5.0	43.1	79.0	11.8	80.9	8.7	21.1	16.7	9.3	7.1	66.6	5.9	11.2	68.8	142.6	20.5	164.6	16.7	67
8.2	16.4	49.1	49.1	8.2	368.5	24.6	.....	32.8	8.2	16.4	106.5	40.9	8.2	32.8	81.9	40.9	352.1	221.1	68
14.5	.....	72.6	159.8	.....	116.2	.....	.....	.....	29.0	14.5	58.1	.....	.....	14.5	305.0	87.1	159.8	29.0	69
.....	.....	101.5	101.5	.....	152.3	25.4	.....	.....	.....	.....	.....	.....	.....	.....	126.9	50.8	101.5	25.4	70
17.6	.....	17.6	35.3	17.6	58.8	.....	35.3	5.9	5.9	5.9	29.4	.....	.....	52.9	105.8	5.9	35.3	35.3	71
7.9	7.9	31.4	115.9	7.9	100.2	5.9	25.5	29.5	17.7	3.9	76.6	19.6	23.6	100.2	147.4	9.8	204.3	33.4	72

[a] Includes Blaine, Hill, Sheridan, Teton, Toole, Valley, and Phillips Counties, the last-named formed from parts of Blaine and Valley Counties, Feb. 5, 1915; separate estimated populations not available.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	MONTANA—continued.															
1	Custer County[3]	943.6	12.3	.....	.....	2.6	4.4	8.8	6.1	6.1	3.5	78.8	7.0	4.4	2.6	22.8
2	Deer Lodge County *[4]	2,089.0	10.9	.....	.....	.....	.....	.....	.....	.....	.....	435.2	.....	.....	21.8	21.8
3	Flathead County †[5]	887.2	27.3	.....	.....	.....	3.4	6.8	6.8	13.6	3.4	68.2	.....	.....	6.8	68.2
4	Gallatin County	1,032.5	6.1	.....	.....	.....	.....	6.1	.....	30.4	.....	30.4	.....	6.1	.....	54.7
5	Granite County	1,121.7	34.0	.....	.....	.....	.....	.....	.....	.....	.....	68.0	.....	.....	34.0	.....
6	Jefferson County †	818.4	34.8	.....	.....	.....	.....	.....	.....	17.4	.....	87.1	.....	.....	17.4	52.2
7	Lewis and Clark County †	793.3	.....	.....	.....	.....	.....	.....	.....	10.2	.....	61.0	.....	.....	.....	40.7
8	Madison County †	[6] 899.2	13.8	.....	.....	.....	.....	13.8	.....	.....	.....	69.2	.....	.....	.....	69.2
9	Missoula County †[7]	882.6	5.9	.....	.....	.....	5.9	.....	.....	.....	.....	88.3	5.9	5.9	.....	58.8
10	Park County †	870.7	8.0	.....	.....	.....	16.0	.....	.....	8.0	.....	8.0	.....	16.0	8.0	63.9
11	Ravalli County †	657.3	.....	.....	.....	.....	.....	.....	.....	29.2	.....	43.8	.....	.....	7.3	65.7
12	Silver Bow County	1,369.3	.....	.....	5.3	.....	.....	.....	10.6	.....	.....	216.8	15.9	21.1	5.3	31.7
	NEW HAMPSHIRE.															
13	Total	1,609.8	7.9	0.8	.....	1.6	2.4	6.3	5.9	37.4	3.1	98.0	5.5	7.5	8.7	119.3
14	White	1,610.1	7.9	0.8	.....	1.6	2.4	6.3	5.9	37.4	3.2	97.7	5.5	7.5	8.7	119.4
15	Colored	1,403.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	350.9	.....	.....	.....	.....
16	Belknap County	1,709.6	.....	9.1	.....	.....	9.1	.....	.....	36.6	.....	64.0	9.1	9.1	.....	128.0
17	Carroll County	[6] 1,660.9	12.3	.....	.....	.....	.....	.....	.....	85.8	.....	98.1	6.1	6.1	6.1	110.3
18	Cheshire County	[6] 1,398.7	4.9	4.9	.....	4.9	.....	4.9	.....	29.1	4.9	97.1	4.9	9.7	14.6	116.6
19	Coos County	1,522.8	11.0	.....	.....	.....	.....	5.5	22.1	5.5	5.5	55.2	5.5	5.5	11.0	71.7
20	Grafton County	1,604.2	7.1	.....	.....	.....	2.4	2.4	7.1	38.0	.....	68.9	4.8	7.1	7.1	140.2
21	Hillsborough County	2,049.3	10.3	.....	.....	3.4	.....	6.9	3.4	44.7	3.4	144.4	6.9	6.9	3.4	123.8
22	Merrimack County	1,484.1	.....	.....	.....	.....	.....	9.6	.....	28.7	3.2	121.3	3.2	16.0	12.8	98.9
23	Rockingham County	1,535.9	4.9	.....	.....	2.4	9.7	9.7	4.9	38.9	2.4	97.2	9.7	.....	7.3	126.4
24	Strafford County	[6] 1,439.5	19.5	.....	.....	3.9	.....	11.7	15.6	19.5	3.9	101.2	3.9	7.8	15.6	136.2
25	Sullivan County	1,642.1	10.0	.....	.....	.....	.....	5.0	5.0	54.9	10.0	104.8	.....	10.0	5.0	104.8
	NEW JERSEY.															
26	Total	1,418.5	6.4	0.5	.....	5.1	4.0	8.5	17.5	15.7	2.7	150.1	6.4	6.6	6.8	81.3
27	White	1,394.0	6.1	0.5	.....	4.9	4.1	8.1	17.6	15.8	2.7	141.9	5.5	6.0	6.8	81.3
28	Colored	2,048.2	13.2	.....	.....	7.9	.....	18.5	13.2	13.2	2.6	359.9	29.1	21.2	7.9	82.0
29	Atlantic County	1,357.8	3.4	.....	.....	16.9	3.4	10.2	3.4	16.9	3.4	115.1	.....	6.8	3.4	67.7
30	Bergen County	1,098.5	3.6	0.7	.....	5.7	4.3	11.5	18.7	9.3	1.4	81.9	6.5	7.2	5.0	70.4
31	Burlington County (total)	1,533.3	8.5	.....	.....	5.6	.....	11.3	19.7	19.7	2.8	93.0	5.6	9.9	9.9	76.1
32	White	1,521.6	7.4	.....	.....	4.5	.....	10.4	20.8	20.8	3.0	92.1	4.5	7.4	10.4	74.3
33	Colored	1,748.6	27.3	.....	.....	27.3	.....	27.3	.....	.....	.....	109.3	27.3	54.6	.....	109.3
34	Camden County (total)	1,610.6	7.2	.....	.....	5.4	.....	9.0	12.5	16.1	5.4	240.1	7.2	9.0	10.7	95.0
35	White	1,523.8	7.6	.....	.....	5.7	.....	7.6	11.5	15.3	3.8	214.1	3.8	7.6	11.5	93.7
36	Colored	2,902.7	.....	.....	.....	.....	.....	28.5	28.5	28.5	28.5	626.1	56.9	28.5	.....	113.8
37	Cape May County (total)	1,289.1	4.3	.....	.....	4.3	.....	4.3	12.9	12.9	.....	86.2	4.3	.....	12.9	81.9
38	White	1,287.0	4.7	.....	.....	4.7	.....	4.7	14.0	9.3	.....	83.9	4.7	.....	14.0	88.6
39	Colored	1,314.3	.....	.....	.....	.....	.....	.....	.....	57.1	.....	114.3	.....	.....	.....	.....
40	Cumberland County (total)	1,477.4	3.4	3.4	.....	3.4	.....	10.2	3.4	17.0	6.8	108.7	10.2	13.6	10.2	101.9
41	White	1,472.8	3.6	3.6	.....	.....	.....	10.9	3.6	18.1	7.2	97.7	10.9	10.9	10.9	104.9
42	Colored	1,547.8	.....	.....	.....	55.3	.....	.....	.....	.....	.....	276.4	.....	55.3	.....	55.3
43	Essex County	1,687.3	8.1	.....	.....	.....	30.4	8.1	77.0	12.2	2.0	390.9	8.1	.....	8.1	79.0
44	Gloucester County (total)	1,441.0	14.9	.....	.....	7.5	.....	5.0	12.4	9.9	5.0	134.2	12.4	2.5	9.9	96.9
45	White	1,395.4	15.9	.....	.....	8.0	.....	5.3	13.3	10.6	5.3	130.0	5.3	.....	8.0	92.9
46	Colored	2,114.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	195.8	117.5	39.2	39.2	156.6
47	Hudson County	2,171.2	10.0	4.0	.....	12.0	.....	12.0	26.1	6.0	2.0	429.4	14.0	10.0	8.0	114.4
48	Hunterdon County	[6] 1,370.3	6.0	.....	.....	.....	.....	.....	14.9	14.9	3.0	86.4	3.0	11.9	.....	119.2
49	Mercer County (total)	1,492.9	3.1	.....	.....	3.1	.....	3.1	9.3	30.8	9.3	274.5	.....	9.3	9.3	55.5
50	White	1,508.8	3.4	.....	.....	3.4	.....	3.4	6.8	33.9	10.2	264.5	.....	6.8	6.8	54.3
51	Colored	1,332.0	.....	.....	.....	.....	.....	.....	34.2	.....	.....	375.7	.....	34.2	34.2	68.3
52	Middlesex County	1,262.3	4.4	.....	.....	8.8	2.9	11.8	14.7	11.8	4.4	85.5	5.9	2.9	10.3	54.6
53	Monmouth County (total)	1,578.6	13.7	.....	.....	6.9	1.4	4.1	19.2	19.2	2.7	94.5	4.1	4.1	9.6	97.3
54	White	1,519.3	13.2	.....	.....	7.3	1.5	4.4	17.6	20.5	2.9	77.6	4.4	2.9	10.2	98.1
55	Colored	2,447.9	21.5	.....	.....	.....	.....	.....	42.9	.....	.....	343.6	.....	21.5	.....	85.9
56	Morris County*	1,459.9	1.5	.....	.....	4.5	.....	3.0	9.0	19.5	3.0	144.2	1.5	3.0	4.5	87.1
57	Ocean County	1,282.3	4.5	.....	.....	.....	.....	4.5	4.5	13.5	.....	117.4	13.5	4.5	4.5	54.2
58	Passaic County	1,074.4	4.7	.....	.....	7.1	16.5	14.1	9.4	9.4	.....	84.6	4.7	7.1	2.4	75.2
59	Salem County (total)	1,652.6	14.4	.....	.....	3.6	7.2	.....	14.4	43.2	3.6	108.0	3.6	21.6	3.6	100.8
60	White	1,626.0	8.2	.....	.....	.....	8.2	.....	16.5	45.3	4.1	94.7	4.1	24.7	4.1	102.9
61	Colored	1,838.6	57.5	.....	.....	28.7	.....	.....	.....	28.7	.....	201.1	.....	.....	.....	86.2
62	Somerset County	1,347.9	2.4	.....	.....	2.4	.....	9.5	19.1	16.7	.....	66.8	2.4	2.4	9.5	83.5
63	Sussex County	1,306.0	3.5	.....	.....	.....	.....	3.5	10.6	17.7	3.5	74.5	10.6	3.5	10.6	60.3
64	Union County	1,291.0	1.9	.....	.....	.....	5.6	16.7	11.1	14.8	.....	274.5	13.0	7.4	.....	74.2
65	Warren County	1,283.1	13.0	3.3	.....	.....	9.8	9.8	13.0	22.8	.....	68.4	3.3	6.5	.....	71.6

[1] Exclusive of stillbirths.
[2] Exclusive of municipalities having a population of 10,000 or over in 1910.
[3] Includes Big Horn, Carbon, Dawson, Fallon, Fergus, Meagher, Musselshell, Richland, Rosebud, Stillwater, Sweet Grass, Wibaux, Yellowstone, and Prairie Counties, the last-named formed from parts of Custer and Dawson Counties, March, 1915; separate estimated populations not available.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
11.4	6.1	31.5	58.6	7.0	98.0	6.1	25.4	21.9	7.9	7.9	66.5	8.8	13.1	70.0	137.4	14.9	152.3	39.4	1
10.9	.....	97.9	174.1	.....	97.9	10.9	21.8	10.9	10.9	.....	65.3	.....	10.9	32.6	76.2	21.8	935.7	21.8	2
6.8	3.4	75.1	64.8	6.8	75.1	3.4	23.9	13.6	.....	.....	78.5	.....	6.8	58.0	95.5	30.7	136.5	3.4	3
30.4	12.1	79.0	72.9	12.1	66.8	18.2	.....	36.4	18.2	18.2	103.2	.....	30.4	109.3	127.5	6.1	157.9	.....	4
34.0	.....	34.0	34.0	34.0	68.0	34.0	.....	.....	.....	.....	68.0	.....	.....	68.0	136.0	68.0	305.9	102.0	5
.....	.....	34.8	52.2	17.4	139.3	17.4	17.4	.....	.....	17.4	17.4	.....	.....	34.8	104.5	34.8	104.5	17.4	6
10.2	10.2	10.2	91.5	30.5	101.7	.....	.....	.....	.....	.....	81.4	.....	.....	40.7	71.2	20.3	203.4	10.2	7
13.8	.....	55.3	96.8	13.8	55.3	13.8	.....	.....	27.7	27.7	55.3	.....	.....	83.0	83.0	69.2	138.3	.....	8
17.7	.....	29.4	64.7	11.8	64.7	5.9	5.9	11.8	.....	5.9	47.1	5.9	.....	58.8	200.1	47.1	123.6	11.8	9
8.0	8.0	87.9	47.9	8.0	79.9	8.0	16.0	24.0	8.0	16.0	71.9	8.0	8.0	95.9	79.9	16.0	151.8	.....	10
21.9	.....	43.8	80.3	.....	36.5	14.6	14.6	7.3	14.6	7.3	36.5	7.3	.....	14.6	65.7	.....	146.1	.....	11
.....	10.6	37.0	100.4	58.2	142.7	42.3	26.4	.....	5.3	10.6	111.0	5.3	5.3	47.6	327.8	37.0	95.2	.....	12
26.0	9.1	159.4	233.5	28.3	120.1	10.6	30.3	9.1	9.8	13.8	113.8	3.9	6.7	79.9	73.6	19.7	351.6	6.3	13
26.0	9.1	159.2	233.7	28.4	120.2	10.6	30.3	9.1	9.9	13.8	113.9	3.9	6.7	80.0	73.7	19.7	351.2	6.3	14
.....	.....	350.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	701.8	.....	15
18.3	9.1	246.8	356.6	18.3	82.3	.....	9.1	.....	18.3	36.6	164.6	9.1	.....	54.9	27.4	36.6	347.4	9.1	16
12.3	6.1	165.5	294.2	12.3	134.8	12.3	36.8	.....	24.5	12.3	116.5	6.1	6.1	36.8	98.1	6.1	337.1	18.4	17
24.3	.....	136.0	155.4	34.0	72.8	9.7	19.4	.....	9.7	.....	87.4	4.9	.....	87.4	102.0	34.0	320.5	4.9	18
33.1	5.5	82.8	286.9	11.0	110.3	11.0	33.1	27.6	5.5	11.0	104.8	5.5	5.5	121.4	104.8	22.1	325.5	16.6	19
21.4	4.8	123.6	223.4	26.1	118.8	4.8	19.0	23.8	11.9	19.0	121.2	4.8	11.9	83.2	73.7	23.8	399.3	4.8	20
20.6	13.8	199.4	285.4	55.0	123.8	34.4	44.7	3.4	17.2	27.5	144.4	3.4	3.4	89.4	65.3	30.9	529.5	.....	21
25.5	6.4	156.4	223.4	35.1	118.1	3.2	38.3	9.6	6.4	12.8	105.3	3.2	9.6	89.4	60.6	3.2	277.7	6.4	22
41.3	14.6	196.8	216.3	24.3	111.8	7.3	31.6	4.9	4.9	9.7	82.6	2.4	4.9	68.0	58.3	17.0	320.8	4.9	23
27.2	7.8	124.5	190.6	35.0	132.3	11.7	35.0	3.9	7.8	3.9	93.4	.....	7.8	58.4	70.0	15.6	272.3	3.9	24
20.0	20.0	179.7	184.7	10.0	179.7	10.0	25.0	5.0	.....	10.0	154.7	5.0	10.0	94.8	84.9	15.0	319.4	5.0	25
18.6	6.0	118.4	166.2	17.1	135.3	11.2	73.9	5.2	7.7	13.7	124.6	3.6	6.3	76.9	85.4	17.1	217.0	3.1	26
18.7	5.7	117.6	165.0	16.6	133.2	10.6	72.1	5.3	7.9	13.8	122.5	3.5	6.2	75.1	85.5	17.6	213.0	2.8	27
15.9	13.2	137.6	198.5	29.1	187.9	26.5	121.7	2.6	2.6	10.6	177.3	5.3	7.9	124.4	84.7	2.6	320.2	10.6	28
6.8	10.2	121.9	162.5	13.5	125.3	16.9	84.7	.....	6.8	20.3	115.1	3.4	3.4	47.4	98.2	13.5	257.3	.....	29
15.8	4.3	92.7	140.1	13.7	124.3	11.5	60.4	5.7	2.9	15.1	97.7	0.7	5.7	58.2	64.7	20.8	135.8	2.2	30
22.5	8.5	124.0	211.4	19.7	177.6	9.9	78.9	5.6	14.1	7.0	150.8	2.8	7.0	97.2	76.1	12.7	243.8	1.4	31
23.8	5.9	127.8	214.0	19.3	175.3	8.9	81.7	5.9	14.9	7.4	151.6	3.0	7.4	98.1	75.8	11.9	231.8	1.5	32
.....	54.6	54.6	163.9	27.3	218.6	27.3	27.3	.....	.....	.....	136.6	.....	.....	82.0	82.0	27.3	464.5	.....	33
16.1	.....	159.5	186.3	9.0	129.0	10.7	64.5	1.8	5.4	16.1	152.3	1.8	3.6	93.2	66.3	28.7	249.0	.....	34
15.3	.....	154.9	174.0	7.6	122.4	7.6	57.4	1.9	5.7	15.3	151.0	1.9	3.8	84.1	70.7	30.6	237.1	.....	35
28.5	.....	227.7	369.9	28.5	227.7	56.9	170.7	.....	.....	28.5	170.7	.....	.....	227.7	.....	.....	426.9	.....	36
12.9	.....	142.3	176.8	17.2	99.2	17.2	25.9	4.3	8.6	8.6	185.4	4.3	8.6	43.1	125.0	8.6	176.8	.....	37
14.0	.....	149.2	177.2	18.7	97.9	14.0	23.3	4.7	9.3	9.3	181.9	4.7	9.3	42.0	121.3	9.3	172.5	.....	38
.....	.....	57.1	171.4	.....	114.3	57.1	57.1	.....	.....	.....	228.6	.....	.....	57.1	171.4	.....	228.6	.....	39
23.8	13.6	129.1	200.4	10.2	118.9	17.0	57.7	10.2	27.2	13.6	112.1	3.4	13.6	84.9	47.5	13.6	285.3	3.4	40
25.3	10.9	123.0	199.0	7.2	123.0	18.1	47.0	10.9	28.9	14.5	115.8	3.6	10.9	90.5	50.7	14.5	293.1	3.6	41
.....	55.3	221.1	221.1	55.3	55.3	.....	221.1	.....	.....	.....	55.3	.....	55.3	.....	.....	.....	165.8	.....	42
16.2	6.1	95.2	182.3	10.1	117.5	2.0	44.6	8.1	6.1	6.1	125.6	6.1	14.2	70.9	77.0	12.2	259.3	4.1	43
19.9	2.5	151.6	164.0	29.8	136.6	17.4	77.0	7.5	9.9	12.4	124.2	5.0	7.5	99.4	64.6	22.4	171.4	7.5	44
21.2	2.7	153.9	164.5	29.2	130.0	13.3	63.7	8.0	10.6	13.3	124.7	2.7	8.0	95.5	66.3	23.9	161.8	8.0	45
.....	.....	117.5	156.6	39.2	234.9	78.3	274.1	.....	.....	.....	117.5	39.2	.....	156.6	39.2	.....	313.2	.....	46
32.1	18.1	128.4	186.6	26.1	214.7	12.0	80.3	10.0	18.1	46.2	146.5	6.0	6.0	82.3	152.5	34.1	323.1	.....	47
20.9	8.9	157.9	181.7	23.8	83.4	8.9	35.7	8.9	17.9	17.9	157.9	3.0	8.9	53.6	41.7	29.8	247.3	3.0	48
24.7	.....	114.1	160.4	9.3	160.4	12.3	46.3	3.1	6.2	12.3	132.6	3.1	3.1	70.9	77.1	3.1	243.7	3.1	49
27.1	.....	115.3	156.0	10.2	159.4	13.6	47.5	3.4	6.8	10.2	139.0	3.4	3.4	74.6	84.8	3.4	254.3	3.4	50
.....	.....	102.5	204.9	.....	170.8	.....	34.2	.....	.....	34.2	68.3	.....	.....	34.2	.....	.....	136.6	.....	51
16.2	4.4	69.3	106.2	16.2	146.0	13.3	225.6	2.9	.....	5.9	67.8	2.9	8.8	101.7	94.4	10.3	148.9	2.9	52
21.9	8.2	163.1	195.9	20.6	116.5	12.3	75.4	2.7	9.6	16.4	180.9	6.9	11.0	72.6	109.6	19.2	256.2	2.7	53
20.5	8.8	155.1	196.1	22.0	109.8	13.2	68.8	1.5	10.2	17.6	172.7	5.9	11.7	68.8	109.8	20.5	243.0	2.9	54
42.9	.....	279.1	193.3	.....	214.7	.....	171.8	21.5	.....	.....	300.6	21.5	.....	128.8	107.4	.....	450.9	.....	55
21.0	1.5	109.6	172.7	13.5	177.2	15.0	45.1	1.5	6.0	16.5	123.2	3.0	3.0	60.1	112.6	13.5	279.4	4.5	56
31.6	13.5	130.9	189.6	22.6	76.8	4.5	22.6	4.5	4.5	9.0	203.2	9.0	.....	72.2	67.7	13.5	180.6	4.5	57
16.5	2.4	70.5	164.6	11.8	98.7	4.7	82.3	4.7	2.4	7.1	72.9	.....	2.4	70.5	84.6	14.1	122.3	7.1	58
18.0	3.6	133.2	172.8	32.4	165.6	14.4	54.0	7.2	3.6	21.6	129.6	7.2	7.2	108.0	108.0	14.4	313.2	14.4	59
20.6	.....	148.2	172.9	32.9	160.5	16.5	57.6	8.2	.....	20.6	111.1	8.2	4.1	102.9	111.1	16.5	312.8	8.2	60
.....	28.7	28.7	172.4	28.7	201.1	.....	28.7	.....	28.7	28.7	258.5	.....	28.7	143.6	86.2	.....	316.0	57.5	61
9.5	.....	112.1	155.1	23.9	140.8	11.9	90.7	4.8	9.5	9.5	85.9	4.8	4.8	88.3	88.3	16.7	274.4	2.4	62
17.7	10.6	124.2	134.9	17.7	131.3	10.6	67.4	10.6	3.5	.....	149.1	3.5	.....	92.3	113.6	17.7	198.7	3.5	63
14.8	5.6	109.4	146.5	13.0	98.3	5.6	59.4	7.4	9.3	9.3	96.5	3.7	1.9	81.6	72.3	7.4	126.1	3.7	64
13.0	13.0	136.8	143.3	19.5	133.5	9.8	61.9	.....	3.3	9.8	110.7	3.3	6.5	71.6	68.4	19.5	237.7	.....	65

[4] Includes Powell County; separate estimated populations not available.
[5] Includes Lincoln County; separate estimated populations not available.
[6] Rate based on population Apr. 15, 1910. Decrease since 1900.
[7] Includes Mineral and Sanders Counties; separate estimated populations not available.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	NEW YORK.															
1	Total	1,539.3	8.3	0.6	.....	3.7	2.1	6.6	8.0	25.9	3.6	112.4	5.9	8.5	7.4	100.0
2	White	1,533.7	8.3	0.6	.....	3.7	2.0	6.4	8.1	25.9	3.7	109.6	5.7	8.4	7.2	100.6
3	Colored	2,011.2	10.6	.....	.....	.....	7.1	17.7	.....	24.7	.....	342.9	17.7	14.1	17.7	49.5
4	Albany County	1,463.5	8.9	.....	.....	5.9	.....	14.8	5.9	38.5	5.9	97.8	5.9	11.9	8.9	121.5
5	Allegany County	[3] 1,468.2	9.7	2.4	.....	.....	.....	.....	.....	58.0	2.4	36.2	2.4	14.5	4.8	108.7
6	Broome County	2,057.0	6.5	.....	.....	.....	3.2	19.5	29.2	48.7	16.2	51.9	6.5	6.5	13.0	103.8
7	Cattaraugus County	1,356.9	14.1	.....	.....	4.0	.....	4.0	12.1	18.1	2.0	34.2	2.0	4.0	6.0	102.5
8	Cayuga County	1,714.7	16.3	.....	.....	.....	.....	3.3	6.5	16.3	6.5	39.2	.....	13.1	13.1	114.3
9	Chautauqua County	1,427.1	5.2	.....	.....	1.7	1.7	.....	1.7	31.4	3.4	63.7	1.7	8.6	1.7	101.6
10	Chemung County	1,546.2	17.6	.....	.....	.....	.....	11.8	17.6	41.2	.....	105.8	.....	11.8	17.6	76.4
11	Chenango County	[3] 1,725.9	8.4	.....	.....	.....	.....	2.8	8.4	25.3	2.8	61.8	.....	16.9	8.4	98.4
12	Clinton County *	1,487.9	5.5	.....	.....	.....	2.8	.....	11.1	33.3	2.8	99.8	8.3	2.8	8.3	63.7
13	Columbia County	1,497.7	.....	.....	.....	.....	.....	3.2	.....	19.1	.....	111.5	15.9	3.2	12.7	89.2
14	Cortland County	1,559.5	.....	.....	.....	.....	5.8	.....	.....	52.0	.....	40.4	.....	5.8	11.6	101.0
15	Delaware County	[3] 1,489.9	11.0	.....	.....	4.4	.....	8.8	8.8	35.1	6.6	54.9	8.8	13.2	6.6	109.7
16	Dutchess County*	2,078.7	14.8	3.3	.....	1.6	46.0	1.6	6.6	27.9	6.6	236.7	4.9	23.0	6.6	131.5
17	Erie County*	1,242.9	4.1	.....	.....	6.1	1.0	4.1	5.1	21.5	2.0	89.9	6.1	4.1	6.1	78.7
18	Essex County	1,518.3	2.9	.....	.....	2.9	.....	.....	.....	25.8	2.9	240.6	5.7	8.6	8.6	63.0
19	Franklin County	1,511.8	14.8	.....	.....	.....	2.1	12.7	8.5	33.9	.....	300.7	21.2	4.2	6.4	91.0
20	Fulton County	1,573.8	23.1	.....	.....	.....	.....	.....	15.4	61.7	.....	115.7	.....	7.7	7.7	84.9
21	Genesee County	1,362.9	7.7	.....	.....	7.7	.....	3.8	3.8	49.8	.....	49.8	.....	7.7	11.5	76.6
22	Greene County	[3] 1,628.4	16.5	3.3	.....	29.8	.....	3.3	9.9	26.5	3.3	135.7	6.6	.....	9.9	115.8
23	Hamilton County	[3] 1,120.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	91.5	.....	.....	.....	45.7
24	Herkimer County	1,475.4	4.4	.....	.....	.....	.....	4.4	13.1	13.1	2.2	82.8	6.5	4.4	.....	104.6
25	Jefferson County	1,406.0	15.1	.....	.....	.....	1.9	1.9	17.0	20.8	3.8	68.0	5.7	5.7	3.8	113.4
26	Lewis County	[3] 1,533.3	4.0	.....	.....	.....	.....	8.0	4.0	28.2	12.1	72.4	4.0	.....	4.0	116.7
27	Livingston County	1,639.3	5.2	.....	.....	2.6	2.6	5.2	.....	41.5	5.2	77.8	7.8	10.4	5.2	101.2
28	Madison County	[3] 1,562.8	7.6	.....	.....	2.5	.....	5.1	7.6	25.5	2.5	58.5	2.5	12.7	7.6	99.3
29	Monroe County	1,383.4	4.5	.....	.....	.....	.....	13.4	1.5	19.4	3.0	219.6	6.0	9.0	13.4	79.2
30	Montgomery County	1,504.5	.....	.....	.....	.....	.....	15.0	.....	15.0	.....	131.0	7.5	3.7	11.2	104.8
31	Nassau County	1,364.3	5.1	1.0	.....	10.1	3.0	8.1	29.3	8.1	5.1	85.9	8.1	7.1	5.1	87.9
32	Niagara County	1,386.3	12.7	.....	.....	3.2	.....	.....	12.7	12.7	.....	63.3	.....	15.8	9.5	88.6
33	Oneida County	1,518.9	6.9	.....	.....	.....	1.7	13.7	15.4	17.1	1.7	80.6	3.4	10.3	10.3	130.3
34	Onondaga County	1,529.2	1.6	.....	.....	7.8	.....	3.1	3.1	18.6	.....	127.3	7.8	12.4	10.9	113.3
35	Ontario County	1,731.7	10.0	.....	.....	.....	.....	.....	.....	34.8	7.5	114.5	5.0	10.0	5.0	169.2
36	Orange County	1,334.0	9.0	2.6	.....	2.6	.....	16.8	18.1	20.7	2.6	87.9	3.9	7.8	6.5	88.5
37	Orleans County	1,286.1	12.1	.....	.....	.....	.....	3.0	3.0	24.3	.....	78.9	9.1	.....	9.1	88.0
38	Oswego County	1,587.2	11.0	.....	.....	.....	.....	8.2	2.7	19.2	5.5	65.9	2.7	5.5	13.7	109.8
39	Otsego County	[3] 1,848.9	12.7	.....	.....	.....	2.1	10.6	2.1	46.6	6.4	57.2	4.2	10.6	10.6	105.9
40	Putnam County	1,328.6	13.2	6.6	.....	6.6	.....	.....	6.6	33.0	.....	85.9	.....	.....	.....	79.3
41	Rensselaer County	1,422.6	14.8	.....	.....	3.0	.....	5.9	5.9	23.7	.....	133.4	3.0	11.9	8.9	112.6
42	Rockland County	1,354.2	11.7	1.9	.....	3.9	1.9	15.6	1.9	9.7	1.9	112.9	5.8	11.7	1.9	79.8
43	St. Lawrence County	1,374.8	8.3	.....	.....	4.1	1.4	1.4	6.9	18.0	6.9	66.3	9.7	8.3	2.8	88.4
44	Saratoga County	1,476.8	6.2	.....	.....	16.5	.....	8.2	2.1	28.8	4.1	105.0	2.1	6.2	4.1	86.5
45	Schenectady County	1,561.4	.....	.....	.....	6.8	.....	33.8	.....	13.5	.....	317.7	.....	13.5	.....	121.7
46	Schoharie County	[3] 1,525.9	16.8	4.2	.....	.....	.....	21.0	4.2	54.5	.....	50.3	4.2	4.2	4.2	167.7
47	Schuyler County	[3] 1,592.4	.....	.....	.....	.....	.....	7.1	.....	35.7	.....	42.8	7.1	.....	.....	92.8
48	Seneca County*	[3] 2,016.9	3.7	.....	.....	11.1	.....	7.4	7.4	40.8	14.8	196.5	7.4	14.8	14.8	122.3
49	Steuben County	1,890.9	7.4	.....	.....	1.9	.....	1.9	1.9	37.0	1.9	59.3	3.7	9.3	7.4	127.8
50	Suffolk County*	2,062.8	3.8	2.8	.....	.....	0.9	0.9	11.3	12.3	3.8	186.9	11.3	12.3	4.7	103.8
51	Sullivan County	1,942.2	20.2	.....	.....	.....	.....	2.9	14.5	11.6	5.8	531.8	2.9	17.3	5.8	80.9
52	Tioga County	[3] 1,760.1	7.8	.....	.....	.....	3.9	15.6	3.9	62.4	.....	85.9	3.9	3.9	15.6	132.7
53	Tompkins County	1,689.6	5.6	.....	.....	5.6	5.6	5.6	.....	89.5	5.6	67.1	.....	5.6	.....	145.5
54	Ulster County	1,343.8	7.5	.....	.....	7.5	.....	1.5	9.0	40.4	3.0	121.1	7.5	7.5	4.5	74.7
55	Warren County	1,381.2	.....	.....	.....	.....	.....	6.0	6.0	23.8	6.0	59.5	.....	.....	.....	53.6
56	Washington County	1,371.8	20.4	.....	.....	2.0	.....	14.3	.....	24.5	2.0	81.8	4.1	4.1	2.0	110.4
57	Wayne County	1,457.5	7.8	.....	.....	.....	3.9	5.9	7.8	9.8	5.9	53.0	5.9	9.8	9.8	90.2
58	Westchester County	1,347.6	5.1	1.0	.....	15.2	.....	12.1	12.1	8.1	4.0	161.6	10.1	5.1	13.1	78.8
59	Wyoming County	1,381.2	6.1	3.1	.....	.....	.....	.....	6.1	24.5	6.1	45.9	9.2	9.2	6.1	125.6
60	Yates County	[3] 1,448.3	10.7	.....	.....	.....	5.4	.....	.....	21.5	5.4	64.4	.....	5.4	26.8	118.0
	NORTH CAROLINA.[4]															
61	Total	1,591.7	43.2	17.0	0.7	0.7	2.3	15.4	13.1	18.3	2.9	180.3	3.6	16.0	6.2	60.5
62	White	1,247.8	33.2	9.6	0.5	1.0	3.4	9.6	16.4	17.3	3.8	110.7	3.4	12.0	4.3	61.1
63	Colored	2,322.9	64.4	32.7	1.0	.....	.....	27.6	6.1	20.5	1.0	328.3	4.1	24.5	10.2	59.3
	OHIO.															
64	Total	1,223.9	12.9	0.6	0.2	2.6	3.7	6.6	10.8	23.8	3.2	99.3	4.1	10.7	6.7	82.5
65	White	1,209.1	12.8	0.5	0.2	2.5	3.7	6.4	10.7	23.6	3.2	93.1	4.0	10.3	6.7	82.3
66	Colored	2,088.9	20.4	4.5	.....	6.8	.....	20.4	11.3	31.8	2.3	458.2	9.1	34.0	4.5	97.5
67	Adams County	[3] 1,240.2	20.2	.....	.....	.....	.....	.....	36.4	20.2	.....	149.5	12.1	8.1	16.2	105.0
68	Allen County	1,363.6	11.3	.....	.....	.....	3.8	11.3	11.3	3.8	3.8	211.5	3.8	30.2	7.6	120.9
69	Ashland County	1,199.9	25.1	.....	.....	.....	.....	4.2	4.2	54.4	.....	66.9	4.2	12.5	4.2	125.4
70	Ashtabula County	1,386.8	11.7	.....	.....	.....	.....	2.3	18.7	32.7	4.7	100.4	.....	9.3	11.7	93.4
71	Athens County *	1,183.0	7.6	.....	.....	11.4	.....	11.4	24.7	9.5	3.8	112.2	.....	5.7	5.7	57.1

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
24.6	7.0	141.1	237.5	21.9	123.0	11.0	41.7	7.2	9.6	14.3	126.0	4.2	7.2	68.8	93.4	18.5	285.1	4.3	1
24.8	7.0	140.9	237.2	21.8	121.9	10.9	41.7	7.1	9.6	14.3	125.4	4.2	7.2	68.7	93.3	18.6	284.2	4.2	2
7.1	10.6	159.1	265.1	31.8	208.5	14.1	46.0	10.6	7.1	14.1	176.7	.....	.....	74.2	102.5	10.6	360.5	10.6	3
29.6	5.9	106.7	222.2	20.7	139.2	.....	83.0	.....	3.0	11.9	118.5	3.0	.....	53.3	80.0	11.9	245.9	3.0	4
24.1	7.2	169.0	251.1	26.6	65.2	14.5	12.1	14.5	14.5	9.7	118.3	12.1	12.1	60.4	72.4	19.3	321.2	4.8	5
19.5	9.7	204.4	330.9	22.7	133.0	16.2	48.7	13.0	19.5	22.7	133.0	6.5	9.7	152.5	146.0	35.7	421.8	6.5	6
30.2	2.0	114.6	259.3	18.1	110.6	4.0	30.2	6.0	14.1	10.1	80.4	8.0	12.1	92.5	108.6	16.1	237.2	.....	7
29.4	6.5	176.4	326.6	39.2	124.1	3.3	29.4	.....	13.1	13.1	114.3	3.3	3.3	81.7	107.8	26.1	385.4	3.3	8
25.8	6.9	153.2	278.9	29.3	91.2	13.8	13.8	5.2	1.7	12.1	87.8	.....	1.7	74.0	82.6	22.4	290.9	10.3	9
23.5	17.6	188.1	264.6	5.9	99.9	5.9	23.5	.....	17.6	5.9	141.1	.....	11.8	76.4	58.8	23.5	282.2	.....	10
28.1	8.4	171.5	317.6	30.9	185.5	14.1	33.7	11.2	22.5	8.4	174.3	11.2	14.1	53.4	61.8	30.9	312.0	2.8	11
24.9	8.3	72.0	230.0	11.1	163.5	2.8	91.4	.....	8.3	13.9	99.8	.....	13.9	113.6	74.8	13.9	302.0	5.5	12
12.7	6.4	156.1	191.2	12.7	95.6	6.4	63.7	.....	3.2	12.7	181.6	.....	9.6	76.5	111.5	12.7	286.8	3.2	13
34.7	11.6	207.9	277.2	.....	115.5	23.1	28.9	11.6	11.6	17.3	92.4	.....	5.8	57.8	52.0	23.1	352.3	17.3	14
32.9	4.4	169.0	226.0	30.7	122.9	13.2	15.4	8.8	8.8	8.8	118.5	2.2	11.0	76.8	79.0	28.5	261.1	4.4	15
26.3	4.9	149.6	264.7	26.3	251.5	1.6	46.0	14.8	11.5	9.9	139.7	4.9	6.6	67.4	82.2	16.4	443.9	.....	16
18.4	4.1	86.9	166.6	24.5	105.3	10.2	60.3	7.2	6.1	14.3	103.2	3.1	6.1	65.4	96.1	18.4	212.6	5.1	17
28.6	5.7	131.8	209.1	25.8	88.8	11.5	45.8	17.2	5.7	11.5	106.0	8.6	8.6	103.1	88.8	5.7	252.1	2.9	18
14.8	16.9	101.6	146.1	4.2	141.9	4.2	65.6	10.6	8.5	6.4	57.2	6.4	16.9	120.7	84.7	19.1	188.4	2.1	19
23.1	15.4	115.7	246.9	23.1	185.2	7.7	.....	.....	23.1	30.9	146.6	.....	7.7	30.9	77.1	7.7	316.3	.....	20
30.6	7.7	88.1	252.7	19.1	95.7	11.5	38.3	7.7	11.5	11.5	76.6	.....	7.7	57.4	122.5	38.3	268.0	.....	21
19.9	19.9	211.8	284.6	13.2	119.2	13.2	33.1	9.9	9.9	23.2	139.0	3.3	.....	36.4	86.1	13.2	221.8	9.9	22
.....	.....	137.2	68.6	22.9	114.3	.....	22.9	.....	.....	45.7	228.7	.....	22.9	91.5	114.3	.....	114.3	.....	23
32.7	8.7	148.2	215.8	26.2	137.3	10.9	52.3	8.7	13.1	8.7	128.6	2.2	.....	67.6	130.8	21.8	222.3	4.4	24
24.6	7.6	132.3	217.3	20.8	85.0	13.2	28.3	3.8	5.7	20.8	96.4	1.9	1.9	68.0	77.5	15.1	325.0	3.8	25
44.3	16.1	169.0	237.4	12.1	88.5	16.1	24.1	4.0	4.0	20.1	152.9	4.0	8.0	68.4	108.7	24.1	269.6	8.0	26
23.3	5.2	150.4	285.3	23.3	124.5	5.2	38.9	13.0	18.2	13.0	114.1	13.0	2.6	70.0	93.4	2.6	378.7	.....	27
28.0	5.1	129.8	277.4	22.9	112.0	10.2	28.0	5.1	12.7	15.3	81.4	5.1	7.6	96.7	109.4	25.5	351.2	7.6	28
17.9	.....	137.4	164.3	9.0	85.2	9.0	76.2	4.5	3.0	13.4	73.2	3.0	3.0	77.7	82.2	20.9	230.1	4.5	29
18.7	18.7	164.7	250.8	15.0	112.3	3.7	44.9	22.5	3.7	3.7	134.7	11.2	3.7	59.9	131.0	15.0	198.4	3.7	30
16.2	7.1	94.0	167.8	16.2	137.4	14.1	71.8	8.1	11.1	13.1	124.3	7.1	12.1	84.9	80.8	21.2	212.2	1.0	31
22.2	6.3	113.9	275.4	41.1	107.6	12.7	25.3	9.5	6.3	15.8	91.8	.....	3.2	60.1	91.8	22.2	262.7	.....	32
17.1	10.3	147.4	262.3	15.4	176.6	15.4	46.3	5.1	10.3	15.4	109.7	3.4	.....	56.6	99.4	15.4	217.7	3.4	33
26.4	9.3	118.0	285.7	31.1	97.8	9.3	65.8	.....	6.2	7.8	104.0	6.2	9.3	79.2	99.4	15.5	245.3	6.2	34
24.9	2.5	191.6	261.2	12.4	107.0	7.5	24.9	12.4	12.4	12.4	144.3	5.0	7.5	64.7	119.4	34.8	325.9	5.0	35
16.8	9.0	117.6	151.2	32.3	111.2	7.8	54.3	6.5	15.5	16.8	130.6	5.2	5.2	59.5	102.1	11.6	228.8	5.2	36
15.2	9.1	100.1	194.1	15.2	124.4	9.1	42.5	3.0	3.0	12.1	121.3	.....	6.1	60.7	109.2	12.1	221.4	.....	37
38.4	5.5	173.0	299.3	22.0	87.9	13.7	33.0	5.5	13.7	8.2	162.0	5.5	11.0	87.9	71.4	22.0	280.1	2.7	38
33.9	2.1	177.9	330.4	19.1	158.8	8.5	10.6	14.8	19.1	25.4	184.3	2.1	8.5	67.8	118.6	31.8	362.2	4.2	39
52.9	6.6	152.0	119.0	46.3	105.8	19.8	52.9	.....	.....	13.2	59.5	6.6	19.8	72.7	59.5	.....	310.7	.....	40
17.8	.....	166.0	204.5	20.7	68.2	8.9	29.6	.....	3.0	20.7	142.3	3.0	3.0	50.4	103.7	26.7	231.2	.....	41
33.1	5.8	109.0	182.9	17.5	134.3	13.6	33.1	15.6	5.8	15.6	112.9	5.8	13.6	73.9	112.9	9.7	192.6	5.8	42
20.7	6.9	113.3	234.9	33.2	100.9	13.8	63.6	2.8	6.9	9.7	77.4	4.1	8.3	73.2	78.8	9.7	279.1	15.2	43
20.6	8.2	156.5	234.8	33.0	144.2	20.6	47.4	.....	2.1	6.2	142.1	2.1	4.1	65.9	70.0	18.5	228.6	2.1	44
20.3	.....	155.5	155.5	6.8	148.7	.....	33.8	.....	.....	27.0	101.4	.....	.....	60.8	108.2	27.0	202.8	6.8	45
25.2	4.2	180.3	226.4	29.3	96.4	16.8	12.6	.....	16.8	8.4	113.2	4.2	4.2	54.5	88.0	12.6	301.8	.....	46
35.7	.....	178.5	357.0	7.1	157.1	7.1	21.4	7.1	7.1	28.6	121.4	7.1	.....	28.6	85.7	14.3	335.6	7.1	47
22.2	.....	185.4	370.8	7.4	189.1	18.5	33.4	7.4	3.7	11.1	192.8	3.7	3.7	66.7	100.1	7.4	352.2	.....	48
33.3	1.9	209.3	414.8	16.7	120.4	7.4	24.1	5.6	11.1	31.5	196.3	5.6	3.7	46.3	113.0	18.5	370.4	1.9	49
32.1	11.3	141.6	271.9	13.2	177.5	12.3	29.3	10.4	13.2	16.0	202.0	3.8	8.5	49.1	82.1	19.8	608.9	4.7	50
31.8	8.7	159.0	306.4	28.9	86.7	26.0	43.4	8.7	11.6	31.8	115.6	.....	5.8	49.1	109.8	26.0	196.5	2.9	51
7.8	.....	242.0	327.8	31.2	101.5	19.5	3.9	3.9	15.6	7.8	152.2	3.9	3.9	54.6	101.5	15.6	323.9	7.8	52
16.8	5.6	257.4	285.3	55.9	28.0	11.2	5.6	11.2	5.6	22.4	207.0	.....	11.2	44.8	89.5	28.0	257.4	11.2	53
20.9	4.5	109.1	198.8	25.4	124.1	14.9	29.9	10.5	13.5	20.9	95.7	3.0	10.5	34.4	94.2	10.5	233.2	6.0	54
47.6	6.0	119.1	178.6	17.9	131.0	11.9	23.8	.....	11.9	6.0	148.8	11.9	11.9	59.5	131.0	.....	297.7	11.9	55
36.8	18.4	118.6	184.0	18.4	92.0	16.4	38.8	.....	8.2	18.4	157.4	2.0	16.4	63.4	81.8	10.2	224.9	.....	56
13.7	5.9	182.4	213.8	27.5	117.7	3.9	19.6	13.7	3.9	19.6	119.7	7.8	5.9	64.7	82.4	13.7	325.6	5.9	57
14.1	7.1	84.9	169.7	17.2	126.3	12.1	61.6	3.0	8.1	10.1	140.4	1.0	4.0	70.7	86.9	24.2	175.8	4.0	58
45.9	3.1	143.9	220.5	30.6	67.4	3.1	30.6	15.3	6.1	6.1	134.8	6.1	6.1	45.9	82.7	15.3	272.6	3.1	59
10.7	.....	219.9	193.1	16.1	107.3	10.7	26.8	5.4	16.1	5.4	144.8	.....	.....	59.0	80.5	37.5	252.1	5.4	60
6.9	15.7	74.6	107.0	13.7	116.8	14.7	118.5	20.3	14.4	9.8	96.9	7.2	16.0	87.0	83.8	5.2	297.8	105.0	61
7.7	15.9	65.4	90.9	9.1	81.3	13.0	90.0	23.1	13.5	8.7	80.4	3.8	12.0	88.5	66.4	7.2	237.2	47.2	62
5.1	15.3	94.1	141.2	23.5	192.3	18.4	179.0	14.3	16.4	12.3	131.9	14.3	24.5	83.9	120.7	1.0	426.5	228.1	63
16.9	5.3	110.7	157.5	14.3	106.6	10.0	29.9	5.9	10.2	12.0	86.2	4.3	7.3	61.5	76.7	12.6	219.0	9.3	64
16.9	5.2	110.4	155.7	14.3	106.3	9.9	29.9	5.8	10.2	11.9	85.4	4.4	7.4	61.2	75.2	12.7	216.9	9.2	65
13.6	11.3	127.0	265.4	13.6	122.5	13.6	29.5	9.1	13.6	15.9	136.1	2.3	4.5	79.4	163.3	9.1	342.5	15.9	66
24.2	.....	92.9	141.4	8.1	125.2	8.1	8.1	4.0	12.1	4.0	72.7	8.1	4.0	60.6	60.6	.....	222.2	16.2	67
11.3	3.8	102.0	211.5	.....	68.0	3.8	22.7	11.3	7.6	22.7	75.5	11.3	15.1	79.3	75.5	7.6	204.0	11.3	68
20.9	8.4	150.5	129.6	8.4	87.8	8.4	16.7	4.2	8.4	.....	66.9	4.2	8.4	41.8	79.4	16.7	229.9	8.4	69
21.0	2.3	116.7	219.5	9.3	121.4	4.7	37.4	11.7	28.0	11.7	67.7	11.7	2.3	70.0	77.0	18.7	261.5	9.3	70
19.0	3.8	85.6	129.3	9.5	157.9	9.5	36.1	1.9	7.6	11.4	72.3	5.7	5.7	45.6	83.7	1.9	228.2	19.0	71

[3] Rate based on population Apr. 15, 1910. Decrease since 1900. [4] Includes only municipalities having a population of 1,000 or over, but less than 10,000, in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM— All causes.[1]	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)	Cancer. 16
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	OHIO—continued.															
1	Auglaize County	984.9	6.4	3.2			9.6	3.2	9.6	6.4		73.5	6.4	6.4		67.2
2	Belmont County	1,065.2	25.3			2.8	5.6	12.6	12.6	14.1		70.3	1.4	5.6	4.2	61.8
3	Brown County (total)	[3] 1,175.9	20.1				4.0	12.1		12.1		120.8	8.1	16.1	4.0	56.4
4	White	[3] 1,112.8	21.2				4.2	12.7		8.5		93.4	8.5	12.7	4.2	51.0
5	Colored	[3] 2,329.2								77.6		621.1		77.6		155.3
6	Butler County	1,402.6	8.9					4.5	4.5	13.4		155.8	4.5	22.3	8.9	93.5
7	Carroll County	[3] 1,135.7	12.7						6.3	19.0		38.1			19.0	76.1
8	Champaign County (total)	[3] 1,282.7	7.6							34.2		94.9		3.8	3.8	110.1
9	White	[3] 1,295.4	8.0							36.1		92.2		4.0	4.0	116.3
10	Colored	[3] 1,058.6										141.1				
11	Clark County	1,317.3	15.3						10.2	20.4		204.2		5.1		86.8
12	Clermont County	[3] 1,434.8	13.5	3.4				13.5	6.8	16.9		138.7	6.8	27.1	10.2	98.1
13	Clinton County	[3] 1,110.6	16.9					8.4	8.4	21.1		118.2		25.3	8.4	59.1
14	Columbiana County	1,233.3	13.6			5.1	1.7	8.5	11.9	30.7	5.1	61.4	6.8	6.8	8.5	75.1
15	Coshocton County	1,136.4	22.9				3.3		6.6	22.9		75.3	9.8	3.3	13.1	68.8
16	Crawford County	1,190.6	8.8				5.9	2.9	8.8	26.4	2.9	73.3	5.9	5.9	5.9	96.8
17	Cuyahoga County	1,366.8	6.3			3.2	3.2	7.9	9.5	22.1		156.4	9.5	6.3	6.3	77.4
18	Darke County	1,200.7	4.6	2.3			9.3	27.8	11.6	34.8	4.6	106.6	7.0	13.9	4.6	90.4
19	Defiance County	[3] 1,089.9				12.2	8.2				4.1	106.1	4.1	4.1	8.2	73.5
20	Delaware County	1,261.2	7.2				21.7	3.6	7.2	14.5		90.6	3.6	29.0		65.2
21	Erie County	1,830.4	5.4							21.6	10.8	97.2	10.8	5.4	10.8	156.6
22	Fairfield County	1,073.4	7.5			3.8		15.1	11.3	30.1	3.8	94.2	3.8	11.3	7.5	75.3
23	Fayette County (total)	1,181.4	4.6	4.6				4.6	4.6	32.2		119.5		4.6	4.6	73.6
24	White	1,149.8	4.9	4.9				4.9	4.9	29.1		82.5		4.9	4.9	67.9
25	Colored	1,754.4								87.7		789.5				175.4
26	Franklin County	1,382.1	4.8			4.8		11.9	9.5	16.7	4.8	286.0	7.1	16.7	7.1	73.9
27	Fulton County	1,134.7	12.2	4.1				8.2		16.3	4.1	44.9		8.2	4.1	77.6
28	Gallia County (total)	[3] 1,363.4	15.5			15.5		7.8	11.7	3.9	3.9	147.6	3.9	19.4	3.9	89.3
29	White	[3] 1,336.6	12.6			12.6		8.4	12.6	4.2	4.2	129.9	4.2	16.8	4.2	92.2
30	Colored	[3] 1,703.9	53.2			53.2						372.7		53.2		53.2
31	Geauga County	[3] 1,404.2	6.8			6.8			6.8	13.6	6.8	47.7		27.3	6.8	115.9
32	Greene County (total)	[3] 1,362.1	10.1					10.1		57.2	3.4	111.0	6.7	10.1	10.1	94.2
33	White	[3] 1,265.5	3.9					11.6		50.5	3.9	85.4	7.8	11.6	11.6	89.3
34	Colored	[3] 1,988.4	50.3							100.7		276.9				125.8
35	Guernsey County	925.6	11.8	2.9	2.9		5.9	23.6	5.9	11.8	2.9	50.1		8.8	5.9	47.2
36	Hamilton County (total)	1,168.1	13.4			3.3	5.0	8.4	8.4	30.1	1.7	138.9	5.0	8.4	5.0	56.9
37	White	1,187.7	14.8			3.7	5.5	7.4	9.2	31.4	1.8	127.6	5.5	9.2	5.5	59.2
38	Colored	982.6						17.5		17.5		245.7				35.1
39	Hancock County †	[3] 843.4						8.7	4.3	13.0		47.8	4.3	4.3		60.9
40	Hardin County	[3] 1,213.5	23.0		3.3		3.3		19.7	23.0	3.3	98.7		9.9	13.2	98.7
41	Harrison County	[3] 1,216.2	10.5				15.7			52.4		73.4			10.5	62.9
42	Henry County †	[3] 844.0	11.9			15.9	4.0		8.0	11.9		35.8	8.0	11.9	4.0	55.7
43	Highland County	[3] 1,271.3	13.9					3.5	17.4	20.9	3.5	101.0	3.5	17.4	13.9	118.4
44	Hocking County	[3] 1,158.6	8.5			29.6		4.2	29.6	8.5	4.2	80.3	4.2	16.9	8.5	42.3
45	Holmes County	[3] 1,055.3	5.6						33.5	5.6	5.6	67.0	5.6	5.6	33.5	67.0
46	Huron County	1,253.0	11.4	2.8		5.7		8.5	5.7	31.3		71.0	8.5	8.5	2.8	73.9
47	Jackson County	[3] 1,075.0	16.2		3.2	6.5	6.5		9.7	45.5	3.2	113.7	6.5	6.5	6.5	84.4
48	Jefferson County	933.8	16.0				4.0	14.0	14.0	10.0	2.0	46.1		10.0	2.0	56.1
49	Knox County	1,240.0	12.7			3.2	6.4	6.4	3.2	22.3	3.2	85.8	19.1	12.7	19.1	60.4
50	Lake County	1,501.1	4.2				4.2		8.5	25.4		84.8		8.5	12.7	80.6
51	Lawrence County	[3] 1,211.0	26.6			3.8	3.8	3.8	53.1	34.2	7.6	102.5		26.6		45.6
52	Licking County	1,121.1	12.8				3.2	3.2	6.4	22.5		83.5	3.2	3.2	3.2	86.7
53	Logan County	[3] 1,206.6	13.3			3.3			3.3	56.5	3.3	79.8		3.3	13.3	79.8
54	Lorain County	1,082.4	8.9			3.0		14.9	6.0	38.8	6.0	53.7	6.0	11.9	3.0	86.5
55	Lucas County	1,233.2	39.1			7.8	11.7	7.8	23.5	15.7		58.7		7.8	7.8	90.0
56	Madison County	[3] 1,361.7	10.0				5.0	10.0	10.0	35.2	5.0	110.5		5.0	5.0	125.6
57	Mahoning County	1,330.3	5.6			2.8	5.6	2.8	5.6	16.7	5.6	80.7	11.1	8.3	2.8	83.5
58	Marion County	1,261.4	21.4						14.3	42.8	14.3	121.2				71.3
59	Medina County	1,210.0	16.4			4.1				32.7		53.1	8.2	12.3		98.1
60	Meigs County	[3] 1,301.1		3.9		11.7	3.9		23.4	19.5	3.9	97.7		15.6	7.8	54.7
61	Mercer County	[3] 922.4	10.9					10.9	14.5	29.1		61.7	3.6	10.9	3.6	76.3
62	Miami County	1,101.7	3.1	3.1				15.6	3.1	18.7	6.2	81.1	6.2	12.5	3.1	103.0
63	Monroe County	[3] 923.9	16.5				8.2	4.1		20.6		82.5	4.1	8.2	4.1	28.9
64	Montgomery County [4]	1,811.3	5.4					5.4	8.9	26.8	7.1	182.2	5.4	17.9	8.9	103.6
65	Morgan County	[3] 1,335.7	31.1					6.2		6.2		198.8	12.4		6.2	124.2
66	Morrow County	[3] 1,248.9	17.8	5.9			5.9		5.9	17.8		65.4	5.9	17.8	5.9	142.7
67	Muskingum County	1,247.0	6.8					10.2	13.6	30.7	6.8	71.6		10.2	20.4	44.3
68	Noble County	[3] 1,118.2	10.8					5.4				91.4	5.4	5.4		80.6
69	Ottawa County	1,114.2	22.3				8.9	4.5	8.9	17.8	4.5	62.4	4.5	8.9		98.1
70	Paulding County †	[3] 774.3	8.8						4.4	13.2	4.4	57.2		8.8		48.4
71	Perry County	1,113.5	13.4				5.4	10.7	21.5	18.8	2.7	61.7	5.4	13.4	2.7	80.5
72	Pickaway County	[3] 1,318.9	15.3			7.6	7.6	15.3		30.6	15.3	99.4	3.8	11.5	11.5	91.8
73	Pike County	[3] 1,119.4	19.1	6.4				6.4	12.7	19.1		114.5		12.7		82.7
74	Portage County	1,195.6	16.2	3.2			3.2	9.7	16.2	35.6		58.3		3.2	6.5	81.0
75	Preble County	1,196.8	4.2					16.7	16.7	20.9		71.1	8.4	8.4	4.2	129.7
76	Putnam County	[3] 984.3	26.7				20.0	16.7	13.3	20.0	3.	90.1	13.3	13.3	6.7	66.7
77	Richland County	1,113.5	22.2							3.7		66.6	7.4	11.1	11.1	59.2

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
16.0	9.6	102.3	111.9	6.4	73.5	9.6	22.4	3.2	3.2	19.2	124.7	.....	12.8	67.2	48.0	6.4	153.5	3.2	1
4.2	11.2	67.5	137.7	9.8	116.6	8.4	54.8	7.0	4.2	2.8	63.2	4.2	5.6	73.1	105.4	8.4	157.4	7.0	2
.....	.....	104.7	185.2	8.1	112.8	4.0	24.2	4.0	4.0	8.1	68.5	.....	8.1	68.5	56.4	24.2	237.6	4.0	3
.....	.....	97.7	182.6	8.5	118.9	4.2	21.2	4.2	4.2	8.5	68.0	.....	8.5	68.0	55.2	25.5	216.6	4.2	4
.....	.....	232.9	232.9	.....	.....	.....	77.6	.....	.....	.....	77.6	.....	.....	77.6	77.6	.....	621.1	.....	5
17.8	8.9	129.1	178.1	4.5	146.9	4.5	26.7	4.5	8.9	17.8	102.4	.....	4.5	71.2	80.1	26.7	253.8	.....	6
12.7	12.7	120.6	152.3	12.7	165.0	12.7	44.4	.....	.....	12.7	88.8	6.3	19.0	50.8	25.4	12.7	190.3	25.4	7
22.8	.....	94.9	193.5	34.2	94.9	.....	19.0	7.6	11.4	19.0	140.4	19.0	.....	60.7	91.1	11.4	204.9	3.8	8
24.1	.....	96.3	200.5	32.1	96.3	.....	20.1	8.0	12.0	20.1	140.4	20.1	.....	56.1	92.2	12.0	200.5	4.0	9
.....	.....	70.6	70.6	70.6	70.6	.....	.....	.....	.....	.....	141.1	.....	.....	141.1	70.6	.....	282.3	.....	10
20.4	.....	86.8	137.9	20.4	102.1	25.5	20.4	.....	5.1	10.2	97.0	5.1	10.2	46.0	122.5	20.4	245.1	.....	11
16.9	.....	128.6	213.2	16.9	91.4	.....	33.8	.....	20.3	23.7	152.3	.....	3.4	40.6	77.8	10.2	260.6	10.2	12
12.7	.....	101.4	164.7	16.9	101.4	12.7	16.9	16.9	12.7	16.9	80.2	.....	4.2	42.2	42.2	8.4	181.6	12.7	13
13.6	3.4	102.3	133.1	22.2	153.5	8.5	25.6	5.1	8.5	17.1	116.0	3.4	10.2	64.8	80.2	10.2	203.0	17.1	14
16.4	16.4	78.6	140.8	6.6	108.1	6.6	22.9	22.9	6.6	9.8	88.4	9.8	.....	49.1	91.7	13.1	199.8	22.9	15
23.5	2.9	152.5	111.4	8.8	99.7	8.8	32.3	11.7	11.7	14.7	96.8	.....	8.8	61.6	102.6	14.7	178.9	5.9	16
17.4	4.7	98.0	188.0	33.2	113.8	12.6	33.2	.....	7.9	11.1	142.2	3.2	3.2	47.4	83.7	26.9	222.8	9.5	17
20.9	11.6	90.4	201.7	4.6	51.0	2.3	37.1	4.6	11.6	9.3	57.9	9.3	7.0	85.8	55.6	20.9	199.3	2.3	18
24.5	4.1	130.6	134.7	8.2	118.4	8.2	24.5	16.3	16.3	.....	57.1	.....	8.2	32.7	69.4	4.1	208.2	4.1	19
14.5	3.6	152.2	159.5	10.9	116.0	7.2	29.0	10.9	10.9	10.9	108.7	7.2	3.6	65.2	83.4	7.2	217.4	.....	20
21.6	5.4	302.4	394.1	21.6	108.0	21.6	10.8	.....	10.8	10.8	97.2	.....	.....	37.8	151.2	10.8	307.8	.....	21
15.1	7.5	94.2	169.5	11.3	86.6	11.3	22.6	3.8	3.8	3.8	45.2	3.8	.....	64.0	49.0	22.6	192.1	3.8	22
23.0	4.6	50.6	119.5	4.6	128.7	13.8	46.0	13.8	27.6	.....	110.3	4.6	.....	55.2	82.7	4.6	225.3	13.8	23
24.3	4.9	53.4	126.1	4.9	135.8	14.6	43.7	14.6	29.1	.....	111.6	4.9	.....	58.2	77.6	4.9	228.0	4.9	24
.....	.....	.....	.....	.....	.....	.....	87.7	.....	.....	.....	87.7	.....	.....	.....	175.4	.....	175.4	175.4	25
14.3	7.1	97.7	147.7	16.7	95.3	14.3	23.8	.....	11.9	23.8	76.3	2.4	4.8	50.0	92.9	11.9	247.8	.....	26
61.2	.....	142.9	151.0	20.4	85.7	4.1	32.7	4.1	8.2	8.2	102.0	12.2	8.2	73.5	49.0	12.2	175.5	4.1	27
11.7	.....	77.7	159.3	19.4	147.6	7.8	31.1	3.9	11.7	15.5	58.3	11.7	7.8	46.6	89.3	7.8	326.3	7.8	28
12.6	.....	83.8	150.8	20.9	155.0	4.2	25.1	4.2	12.6	12.6	62.8	12.6	8.4	41.9	79.6	8.4	331.0	8.4	29
.....	.....	.....	266.2	.....	53.2	53.2	106.5	.....	.....	53.2	.....	.....	.....	106.5	213.0	.....	266.2	.....	30
27.3	20.4	129.5	211.3	34.1	136.3	13.6	40.9	.....	6.8	13.6	75.0	.....	.....	75.0	102.2	13.6	259.0	6.8	31
16.8	3.4	127.8	211.9	20.2	84.1	13.5	30.3	16.8	10.1	6.7	60.5	.....	13.5	90.8	87.4	20.2	235.4	.....	32
19.4	3.9	124.2	201.9	19.4	73.8	11.6	31.1	19.4	11.6	7.8	46.6	.....	11.6	89.3	89.3	23.3	205.7	.....	33
.....	.....	151.0	276.9	25.2	151.0	25.2	25.2	.....	.....	.....	151.0	.....	25.2	100.7	75.5	.....	427.9	.....	34
14.7	8.8	70.7	115.0	14.7	100.2	11.8	26.5	5.9	17.7	8.8	53.1	5.9	5.9	61.9	53.1	20.6	138.5	11.8	35
23.4	8.4	83.7	125.5	21.8	103.8	1.7	40.2	6.7	13.4	23.4	87.0	5.0	6.7	72.0	107.1	11.7	137.2	5.0	36
25.9	7.4	90.6	129.5	22.2	105.4	1.8	42.5	3.7	12.9	25.9	92.5	5.5	7.4	75.8	99.9	12.9	138.7	5.5	37
.....	17.5	17.5	87.7	17.5	87.7	.....	17.5	35.1	17.5	.....	35.1	.....	.....	35.1	175.5	.....	122.8	.....	38
17.4	8.7	65.2	147.8	13.0	73.9	.....	34.8	13.0	8.7	13.0	60.9	8.7	8.7	21.7	34.8	8.7	160.9	.....	39
29.6	6.6	98.7	131.5	13.2	88.8	6.6	29.6	9.9	6.6	3.3	102.0	6.6	16.4	19.7	69.1	16.4	256.5	6.6	40
5.2	5.2	89.1	110.1	15.7	178.2	.....	26.2	5.2	10.5	5.2	125.8	10.5	.....	73.4	47.2	15.7	251.6	15.7	41
8.0	11.9	103.5	111.5	8.0	83.6	15.9	11.9	8.0	.....	8.0	43.8	4.0	.....	59.7	43.8	15.9	135.4	4.0	42
13.9	3.5	69.7	226.4	13.9	87.1	13.9	10.4	10.4	20.9	17.4	104.5	7.0	7.0	27.9	45.3	17.4	254.3	7.0	43
21.1	4.2	50.7	143.8	12.7	88.8	25.4	38.1	4.2	4.2	16.9	93.0	8.5	16.9	59.2	88.8	8.5	219.9	16.9	44
16.8	11.2	117.3	167.5	.....	78.2	11.2	11.2	.....	5.6	11.2	72.6	5.6	11.2	39.1	44.7	16.8	201.0	5.6	45
19.9	8.5	130.7	204.6	14.2	113.6	8.5	17.0	.....	11.4	8.5	105.1	5.7	8.5	42.6	56.8	14.2	241.5	11.4	46
9.7	3.2	48.7	136.4	6.5	84.4	9.7	42.2	3.2	6.5	6.5	58.5	6.5	6.5	68.2	42.2	.....	198.1	29.2	47
8.0	6.0	76.2	90.2	10.0	116.2	8.0	56.1	.....	4.0	4.0	46.1	2.0	4.0	66.1	94.2	8.0	146.3	14.0	48
38.2	9.5	206.7	155.8	15.9	73.1	9.5	19.1	3.2	22.3	6.4	57.2	.....	15.9	73.1	63.6	12.7	197.1	6.4	49
17.0	4.2	84.8	178.2	8.5	195.1	12.7	29.7	8.5	17.0	17.0	63.6	4.2	4.2	25.5	173.9	29.7	377.4	21.2	50
7.6	15.2	75.9	83.5	15.2	136.7	11.4	60.7	.....	3.8	7.6	68.3	11.4	11.4	117.7	53.1	7.6	174.6	41.8	51
12.8	.....	144.6	144.6	9.6	89.9	6.4	9.6	3.2	6.4	6.4	112.4	3.2	.....	48.2	61.0	6.4	218.4	9.6	52
19.9	6.6	126.3	186.1	19.9	136.3	10.0	13.3	10.0	.....	10.0	103.0	3.3	3.3	43.2	63.2	6.6	179.5	10.0	53
26.8	6.0	89.5	172.9	20.9	56.7	3.0	29.8	3.0	.....	17.9	62.6	8.9	.....	41.7	98.4	14.9	190.8	.....	54
27.4	3.9	144.8	121.4	11.7	86.1	11.7	23.5	.....	15.7	23.5	78.3	.....	3.9	101.8	97.9	27.4	180.1	3.9	55
10.0	.....	105.5	135.7	10.0	140.7	.....	50.2	5.0	15.1	20.1	175.9	.....	5.0	55.3	70.3	10.0	226.1	5.0	56
2.8	2.8	86.3	144.7	16.7	172.5	16.7	116.9	5.6	5.6	11.1	58.4	.....	8.3	136.4	91.8	13.9	194.8	13.9	57
21.4	14.3	78.4	135.4	14.3	92.6	.....	21.4	.....	14.3	.....	99.8	7.1	7.1	114.0	85.5	14.3	249.4	7.1	58
12.3	8.2	126.7	196.2	20.4	110.4	16.4	24.5	4.1	16.4	8.2	81.8	4.1	.....	32.7	81.8	8.2	233.0	.....	59
19.5	3.9	148.5	168.0	11.7	179.7	15.6	31.3	3.9	23.4	.....	46.9	.....	19.5	66.4	54.7	7.8	230.5	27.4	60
14.5	.....	83.5	105.3	10.9	72.6	7.3	29.1	3.6	14.5	3.6	58.1	.....	10.9	76.3	36.3	3.6	167.1	3.6	61
9.4	15.6	124.8	115.5	9.4	84.3	9.4	12.5	3.1	18.7	9.4	93.6	.....	3.1	74.9	49.9	25.0	181.0	6.2	62
8.2	4.1	53.6	103.1	16.5	86.6	4.1	16.5	16.5	8.2	12.4	45.4	.....	4.1	24.7	53.6	24.7	239.2	24.7	63
19.6	7.1	123.3	323.3	16.1	116.1	12.5	12.5	10.7	14.3	17.9	294.7	3.6	5.4	37.5	76.8	8.9	339.4	.....	64
.....	6.2	118.0	236.1	18.6	105.6	.....	6.2	.....	18.6	.....	93.2	.....	6.2	74.5	37.3	6.2	223.6	.....	65
41.6	.....	124.9	142.7	.....	95.2	17.8	.....	11.9	23.8	.....	77.3	.....	5.9	59.5	101.1	.....	249.8	5.9	66
10.2	3.4	167.0	194.2	34.1	102.2	17.0	10.2	6.8	3.4	20.4	88.6	.....	13.6	51.1	64.7	17.0	218.1	10.2	67
16.1	5.4	102.1	139.8	5.4	75.3	.....	16.1	.....	26.9	10.8	53.8	5.4	10.8	112.9	59.1	10.8	252.7	16.1	68
4.5	.....	98.1	173.8	8.9	53.5	22.3	22.3	13.4	17.8	8.9	53.5	.....	.....	49.0	129.3	4.5	205.0	8.9	69
4.4	8.8	74.8	66.0	26.4	61.6	4.4	30.8	4.4	4.4	8.8	114.4	4.4	8.8	26.4	48.4	.....	123.2	8.8	70
8.0	2.7	104.6	120.7	13.4	131.5	13.4	40.2	5.4	8.0	2.7	69.8	2.7	5.4	45.6	53.7	8.0	238.8	2.7	71
26.8	7.6	149.1	107.0	7.6	145.3	15.3	38.2	.....	11.5	3.8	84.1	7.6	11.5	68.8	57.3	19.1	225.6	22.9	72
6.4	.....	70.0	203.5	19.1	108.1	6.4	38.2	.....	19.1	.....	44.5	.....	6.4	70.0	108.1	.....	120.8	25.4	73
9.7	.....	149.0	162.0	6.5	61.6	3.2	25.9	6.5	.....	13.0	74.5	6.5	9.7	55.1	106.9	9.7	256.0	6.5	74
16.7	.....	125.5	179.9	12.6	46.0	8.4	29.3	8.4	4.2	4.2	108.8	.....	16.7	83.7	41.8	16.7	213.4	.....	75
16.7	6.7	76.7	86.7	10.0	103.4	3.3	20.0	23.4	6.7	26.7	70.1	3.3	.....	30.0	33.4	13.3	156.8	6.7	76
48.1	3.7	118.4	133.2	14.8	66.6	7.4	3.7	.....	7.4	11.1	118.4	.....	3.7	70.3	111.0	7.4	203.5	3.7	77

[3] Rate based on population Apr. 15, 1910. Decrease since 1900.

Includes National Military Home.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM— All causes.[1]	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)	Cancer. 16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	OHIO—continued.															
1	Ross County (total)	1,240.2	19.6			3.9	3.9	3.9	7.8	23.5	3.9	101.7	3.9			113.5
2	White	1,197.8	20.7			4.1	4.1	4.1	8.3	24.9	4.1	82.9				111.9
3	Colored	1,952.6										418.4	69.7			139.5
4	Sandusky County	1,049.9	30.9			5.6			5.6	22.5	2.8	53.3		8.4	11.2	87.0
5	Scioto County	1,305.5	28.8						24.7	24.7	4.1	144.1	4.1	16.5		74.1
6	Seneca County	1,184.4	16.5				6.6	6.6	16.5	16.5	3.3	75.9		19.8	13.2	79.2
7	Shelby County	1,041.2	4.1					4.1	4.1	36.5	4.1	113.4	8.1	12.2		89.1
8	Stark County *	1,538.9	4.4			2.2	6.6	4.4	13.2	24.3	4.4	97.1		13.2	6.6	81.7
9	Summit County	1,597.6	18.0	4.5			4.5		13.5	11.2	11.2	289.5	6.7	9.0	4.5	96.5
10	Trumbull County	1,298.3	16.2			2.3	2.3		16.2	39.3	9.3	71.7	6.9	6.9	11.6	74.1
11	Tuscarawas County	1,172.5	11.9			1.7	5.1	11.9	17.0	39.1	1.7	69.8	1.7	6.8	1.7	73.2
12	Union County	[3] 1,106.5	13.7				22.9			22.9	4.6	82.3		22.9	9.1	73.2
13	Van Wert County †	[3] 886.0	3.4			6.9	3.4	6.9	3.4	10.3	3.4	72.1	3.4	10.3		65.2
14	Vinton County	[3] 969.8	7.6			7.6			38.2	7.6		53.5				61.1
15	Warren County	[3] 1,208.3	8.2	4.1		8.2	8.2		4.1	36.7		93.9	4.1	12.2	8.2	102.1
16	Washington County	[3] 1,147.7	6.2						3.1	24.6	9.2	86.2	3.1	12.3	3.1	89.2
17	Wayne County	1,294.7	10.5	2.6		2.6	15.7	5.2	13.1	31.4	5.2	68.1		10.5	10.5	112.7
18	Williams County	1,153.0	15.8			7.9		3.9	3.9	15.8		71.1		7.9	11.8	114.5
19	Wood County	[3] 1,020.9	13.0		2.2		2.2	6.5	6.5	17.3	6.5	66.9		6.5	6.5	88.5
20	Wyandot County	[3] 1,112.7							9.6	48.2		91.5		19.3	4.8	81.9
	PENNSYLVANIA.															
21	Total	1,270.9	12.2	0.5		4.1	3.7	8.3	18.4	19.2	3.2	97.8	4.5	7.9	6.8	65.5
22	White	1,261.8	12.2	0.5		4.1	3.8	8.3	18.6	19.2	3.2	93.4	4.3	7.8	6.8	65.6
23	Colored	1,978.9	12.7				1.8	9.1	5.5	12.7	5.5	443.8	18.2	21.8	3.6	61.8
24	Adams County	[3] 1,209.2	11.7			2.9			5.8	17.5		72.8	2.9	5.8	8.7	72.8
25	Allegheny County	1,190.0	10.5	0.3		3.8	4.3	13.3	14.1	10.3	3.3	135.9	5.8	11.1	4.3	52.7
26	Armstrong County	1,136.1	15.8			7.9		6.6	22.4	17.1	1.3	54.0		3.9	2.6	54.0
27	Beaver County	1,330.3	7.8	1.3		14.4	5.2	15.7	11.7	7.8	1.3	92.7	3.9	15.7	6.5	50.9
28	Bedford County	[3] 1,090.6	15.4				5.1	5.1	10.3	30.9	7.7	66.9		5.1	5.1	90.0
29	Berks County *	1,715.5	12.5					7.9	22.7	27.2	3.4	423.5	5.7	10.2	3.4	80.6
30	Blair County	1,183.7	9.4			3.1	7.8	9.4	20.4	17.2		83.1	4.7	7.8	11.0	64.3
31	Bradford County	[3] 1,641.4	27.5	1.8		1.8			12.8	58.7	1.8	51.4	5.5	3.7	7.3	122.9
32	Bucks County	1,346.0	10.1	1.3		8.8	1.3	6.3	1.3	44.1	2.5	103.3	6.3	5.0	12.6	71.8
33	Butler County	998.2	5.5	1.8			3.7	3.7	9.2	12.9	5.5	44.1	1.8	7.4	1.8	79.0
34	Cambria County	1,166.3	8.3			4.5	6.1	4.5	50.0	4.5	2.3	111.5	3.0	1.5	10.6	41.7
35	Cameron County	942.4								12.6		25.1				25.1
36	Carbon County	1,463.9	10.5	1.7			14.0	17.5	43.7	24.5	1.7	97.8	1.7	3.5	8.7	55.9
37	Center County	1,350.1	6.9			11.4	2.3	20.6	36.6	25.2	4.6	57.2	4.6	16.0	4.6	89.2
38	Chester County (total)	1,410.3	7.7	1.3				7.7	18.0	21.8	1.3	97.5	3.8	10.3	9.0	86.0
39	White	1,359.4	8.5	1.4				7.1	19.8	21.2	1.4	87.7	4.2	8.5	9.9	83.5
40	Colored	1,907.9						13.8		27.7		193.6		27.7		110.6
41	Clarion County	1,069.2	10.6						13.2	39.6		26.4	2.6	2.6	2.6	73.9
42	Clearfield County	1,093.0	2.3			6.9	2.3	15.1	16.2	12.7	4.6	39.4	5.8	10.4	5.8	72.9
43	Clinton County	1,342.2	18.3					9.2	15.3	12.2	9.2	79.3	6.1	9.2		61.0
44	Columbia County	1,051.2	15.1	1.9				9.4	18.9	17.0		41.5	1.9	5.7	3.8	67.9
45	Crawford County	[3] 1,529.2	8.2				2.0	2.0	10.2	59.4	2.0	63.5		10.2	12.3	120.9
46	Cumberland County	1,254.3	13.0						13.0	28.3		100.0	4.3	2.2	10.9	93.5
47	Dauphin County *	1,440.4	11.4					4.9	17.9	21.1	4.9	126 8	8.1	13.0	9.8	73.2
48	Delaware County (total)	1,235.7	7.8			2.2	1.1	6.7	6.7	28.0	1.1	125.6	5.6	9.0	9.0	78.5
49	White	1,197.3	8.6			2.5	1.2	6.2	4.9	29.6	1.2	108.4	4.9	6.2	9.9	81.3
50	Colored	1,626.0						12.5	25.0	12.5		300.2	12.5	37.5		50.0
51	Elk County	916.2	10.7				21.4		5.3	21.4	2.7	29.4	2.7	5.3	13.4	66.8
52	Erie County	1,303.5	9.9	3.9					3.9	39.4	3.9	90.7	5.9	3.9	7.9	98.6
53	Fayette County	1,103.1	8.6			3.1	1.2	3.7	13.5	11.1	1.2	65.8	6.2	4.3	3.1	33.8
54	Forest County †	[3] 847.9								21.2		10.6				42.4
55	Franklin County	1,518.2	10.0			2.0	2.0	4.0	10.0	26.0	6.0	431.5	4.0	18.0	8.0	45.9
56	Fulton County	[3] 1,308.9	20.6									41.2		10.3		61.8
57	Greene County	1,253.5	20.5			6.8			10.3	61.6	3.4	78.8	3.4	6.8	13.7	78.8
58	Huntingdon County	1,332.3	24.9				2.5	19.9	22.4	14.9		92.0	14.9	14.9	9.9	64.6
59	Indiana County	1,143.8	16.5				2.6	2.5	25.4	20.3	3.8	39.4	5.1	11.4	3.8	46.8
60	Jefferson County	1,121.4	19.9	1.5				7.7	10.7	29.1	1.5	58.3	3.1	10.7	9.2	81.3
61	Juniata County	[3] 1,305.5						13.3	20.0	26.6		113.2		6.7	13.3	59.9
62	Lackawanna County	1,515.2	4.1			9.3	1.0	14.5	39.3	12.4	8.3	104.5	3.1	4.1	9.3	46.5
63	Lancaster County	1,250.2	11.8	0.9		1.8	2.7	7.3	6.4	20.9	4.5	101.9	4.5	11.8	6.4	82.8
64	Lawrence County	1,125.1	8.2				10.9	2.7	10.9	27.4	5.5	63.0	2.7	5.5	10.9	71.2
65	Lebanon County	1,291.1	14.3					7.1	7.1	16.7	4.8	61.9	2.4	7.1	7.1	71.5
66	Lehigh County	1,727.1	20.0			3.1	4.6	7.7	26.1	12.3	9.2	141.4	6.1	4.6	6.1	83.0
67	Luzerne County	1,269.8	6.2	0.9		13.7	6.6	18.1	32.8	9.3	4.0	83.7	1.8	2.2	7.1	43.4
68	Lycoming County	1,053.3	6.0			4.0		6.0	10.0	24.0	2.0	42.0	2.0	4.0	4.0	76.0
69	McKean County	[3] 1,107.3	15.0				9.0	18.0	9.0	6.0	3.0	69.0	6.0	3.0	12.0	87.0
70	Mercer County	1,199.4	20.0				6.7		28.4	18.4	5.0	63.4	3.3	10.0	5.0	83.4
71	Mifflin County	1,303.6	19.9			13.2	3.3	3.3	9.9	9.9	3.3	122.4	6.6	16.5	9.9	72.8
72	Monroe County	1,218.6		4.2				4.2	12.6		4.2	75.4	8.4	12.6	8.4	83.8

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
11.7	3.9	109.5	140.8	7.8	117.4	7.8	43.0	3.9	7.8	11.7	90.0	11.7	11.7	97.8	66.5	3.9	191.7	15.6	1
12.4	4.1	107.8	145.1	4.1	116.1	4.1	45.6	4.1	4.1	8.3	91.2	12.4	12.4	95.3	58.0	4.1	190.7	12.4	2
.....	.....	139.5	69.7	69.7	139.5	69.7	.....	.....	69.7	69.7	69.7	.....	.....	139.5	209.2	.....	209.2	69.7	3
16.8	.....	78.6	143.2	14.0	58.9	14.0	8.4	14.0	8.4	19.6	47.7	8.4	2.8	64.6	109.5	16.8	182.5	14.0	4
.....	.....	57.7	90.6	4.1	177.1	24.7	90.6	4.1	12.4	12.4	82.4	8:2	12.4	94.7	74.1	4.1	214.2	20.6	5
19.8	13.2	118.8	214.4	9.9	95.7	13.2	19.8	3.3	9.9	13.2	66.0	.....	6.6	52.8	72.6	6.6	188.1	6.6	6
24.3	8.1	77.0	113.4	24.3	56.7	8.1	24.3	8.1	16.2	20.3	77.0	.....	4.1	32.4	68.9	4.1	194.5	4.1	7
15.5	8.8	174.4	238.5	6.6	101.6	17.7	33.1	2.2	4.4	19.9	68.4	.....	.....	81.7	83.9	6.6	404.1	13.2	8
4.5	13.5	114.4	175.0	9.0	150.3	11.2	71.8	.....	15.7	15.7	74.0	.....	4.5	109.9	98.7	18.0	240.1	2.2	9
18.5	2.3	141.2	129.6	30.1	141.2	9.3	46.3	.....	6.9	6.9	62.5	.....	25.5	71.7	76.4	16.2	238.4	18.5	10
13.6	1.7	115.7	125.9	10.2	115.7	13.6	28.9	1.7	5.1	15.3	86.8	5.1	10.2	66.4	68.1	11.9	233.1	1.7	11
9.1	.....	96.0	164.6	18.3	109.7	4.6	9.1	9.1	.....	9.1	77.7	9.1	9.1	54.9	32.0	13.7	224.0	4.6	12
13.7	6.9	109.9	99.6	.....	75.6	3.4	6.9	10.3	6.9	10.3	48.1	10.3	3.4	48.1	79.0	3.4	154.5	6.9	13
7.6	.....	53.5	137.4	30.5	91.6	30.5	22.9	7.6	.....	7.6	22.9	7.6	22.9	76.4	38.2	7.6	206.2	22.9	14
12.2	.....	147.0	138.8	32.7	69.4	12.2	16.3	4.1	4.1	16.3	126.5	.....	8.2	24.5	93.9	36.7	167.4	8.2	15
30.8	.....	116.9	147.7	15.4	98.5	3.1	24.6	3.1	3.1	12.3	55.4	.....	15.4	36.9	76.9	6.2	252.3	12.3	16
23.6	.....	146.8	180.8	10.5	133.7	7.9	18.3	2.6	10.5	7.9	68.1	2.6	10.5	65.5	76.0	13.1	222.8	5.2	17
15.8	3.9	126.4	134.2	27.6	51.3	27.6	11.8	11.8	3.9	11.8	79.0	3.9	15.8	27.6	63.2	19.7	252.7	11.8	18
19.4	2.2	114.4	112.2	15.1	56.1	13.0	13.0	10.8	13.0	13.0	49.6	10.8	6.5	45.3	77.7	10.8	211.5	4.3	19
9.6	.....	178.2	86.7	14.5	43.4	14.5	14.5	.....	28.9	38.5	62.6	4.8	9.6	67.4	62.6	24.1	187.9	9.6	20
14.1	6.3	87.3	125.6	17.2	129.3	15.0	86.0	4.8	8.2	11.0	80.4	5.5	8.9	93.8	91.0	10.7	210.4	13.1	21
14.2	6.3	87.3	124.6	17.0	128.4	14.8	86.0	4.8	8.2	11.0	79.7	5.5	8.9	93.6	91.0	10.7	209.2	12.9	22
10.9	7.3	92.8	203.7	27.3	194.6	32.7	90.9	5.5	10.9	10.9	136.4	7.3	5.5	111.0	90.9	10.9	307.4	25.5	23
14.6	2.9	169.0	218.5	14.6	67.0	14.6	20.4	2.9	.....	5.8	131.1	8.7	2.9	64.1	64.1	14.6	180.7	11.7	24
8.3	7.8	62.8	97.4	13.1	154.2	14.6	99.7	3.3	7.0	13.6	57.0	5.8	8.8	79.4	77.4	12.3	195.9	2.3	25
7.9	10.5	75.0	115.8	19.7	123.7	11.8	92.1	2.6	1.3	17.1	71.1	6.6	6.6	106.6	94.8	11.8	171.1	3.9	26
13.1	7.8	57.4	97.9	6.5	194.5	10.4	91.4	3.9	10.4	10.4	69.2	11.7	19.6	104.4	129.2	24.8	231.1	1.3	27
12.9	12.9	97.7	133.7	10.3	72.0	12.9	28.3	5.1	.....	10.3	110.6	2.6	5.1	90.0	61.7	10.3	162.0	10.3	28
12.5	3.4	135.1	172.6	31.8	103.3	25.0	52.2	3.4	12.5	12.5	103.3	5.7	6.8	97.6	88.6	18.2	210.0	23.8	29
15.7	9.4	86.2	97.2	14.1	116.0	11.0	48.6	7.8	4.7	7.8	103.5	4.7	4.7	101.9	70.6	1.6	227.3	12.5	30
23.8	3.7	144.9	209.1	20.2	137.5	18.3	25.7	12.8	14.7	7.3	152.2	3.7	12.8	86.2	104.5	18.3	339.3	11.0	31
35.3	2.5	150.0	168.9	17.6	104.6	15.1	42.9	6.3	8.8	6.3	119.7	5.0	12.6	73.1	58.0	18.9	218.0	7.6	32
5.5	5.5	86.4	97.4	12.9	104.8	14.7	55.2	1.8	3.7	23.9	77.2	1.8	3.7	51.5	68.0	18.4	171.0	18.4	33
6.1	5.3	32.6	75.1	15.2	154.7	16.7	131.9	5.3	3.0	13.6	45.5	4.5	10.6	122.1	111.5	6.8	149.4	7.6	34
25.1	.....	12.6	201.1	.....	75.4	.....	25.1	.....	.....	25.1	100.5	.....	.....	50.3	201.1	12.6	150.8	.....	35
17.5	1.7	101.3	62.9	15.7	153.7	15.7	159.0	3.5	10.5	21.0	115.3	7.0	8.7	89.1	145.0	10.5	237.6	7.0	36
20.6	6.9	125.9	146.4	18.3	121.3	2.3	43.5	9.2	13.7	4.6	75.5	6.9	9.2	123.6	82.4	.....	249.4	11.4	37
11.5	3.8	102.7	198.9	20.5	124.5	11.5	62.9	5.1	11.5	6.4	147.6	2.6	5.1	77.0	79.6	9.0	252.8	12.8	38
12.7	4.2	107.5	202.3	19.8	113.2	7.1	55.2	4.2	9.9	5.7	142.9	1.4	5.7	67.9	75.0	8.5	251.8	11.3	39
.....	.....	55.3	165.9	27.7	235.0	55.3	138.3	13.8	27.7	13.8	193.6	13.8	.....	165.9	124.4	13.8	262.7	27.7	40
29.0	2.6	89.8	134.6	10.6	92.4	7.9	39.6	2.6	7.9	2.6	50.2	2.6	7.9	89.8	89.8	5.3	221.8	10.6	41
8.1	5.8	77.6	105.4	11.6	136.6	12.7	79.9	4.6	8.1	11.6	54.4	1.2	15.1	107.7	67.2	9.3	164.4	17.4	42
18.3	12.2	125.1	152.5	15.3	82.4	15.3	24.4	9.2	12.2	3.1	125.1	9.2	6.1	100.7	112.9	27.5	265.4	6.1	43
18.9	3.8	139.7	103.8	13.2	109.5	11.3	51.0	3.8	15.1	9.4	58.5	7.5	15.1	66.1	49.1	9.4	179.3	3.8	44
22.5	10.2	174.2	223.4	30.7	67.6	18.4	22.5	8.2	4.1	10.2	104.5	6.1	8.2	61.5	84.0	22.5	340.3	18.4	45
10.9	2.2	145.6	141.3	21.7	84.8	17.4	19.6	4.3	13.0	8.7	130.4	2.2	8.7	89.1	50.0	8.7	223.9	6.5	46
19.5	3.3	107.3	154.4	11.4	110.6	16.3	43.9	.....	3.3	14.6	133.3	6.5	1.6	95.9	84.5	17.9	321.9	3.3	47
15.7	7.8	77.4	135.7	17.9	120.0	7.8	88.6	2.2	3.4	16.8	120.0	.....	4.5	66.2	59.4	10.1	198.5	2.2	48
16.0	8.6	75.1	134.3	14.8	107.2	4.9	89.9	1.2	3.7	18.5	120.7	.....	4.9	65.3	60.4	11.1	193.4	2.5	49
12.5	.....	100.1	150.1	50.0	250.2	37.5	75.0	12.5	.....	.....	112.6	.....	.....	75.0	50.0	.....	250.2	.....	50
18.7	5.3	64.1	74.8	18.7	90.8	13.4	45.4	10.7	10.7	10.7	48.1	5.3	8.0	77.5	88.2	2.7	138.9	5.3	51
35.5	3.9	124.2	213.0	15.8	90.7	7.9	19.7	5.9	15.8	23.7	88.7	3.9	2.0	45.4	82.8	25.6	220.9	9.9	52
6.2	4.9	39.4	75.7	8.6	146.4	10.5	171.0	2.5	1.8	8.0	40.6	8.6	8.0	129.2	96.0	4.3	169.8	16.0	53
10.6	.....	63.6	84.8	42.4	63.6	.....	53.0	.....	10.6	10.6	74.2	10.6	10.6	31.8	127.2	10.6	159.0	10.6	54
12.0	6.0	135.8	117.9	18.0	77.9	8.0	45.9	.....	14.0	6.0	121.9	2.0	10.0	85.9	61.9	10.0	213.8	4.0	55
10.3	.....	103.1	134.0	20.6	175.2	10.3	30.9	10.3	10.3	30.9	51.5	.....	10.3	103.1	82.4	10.3	360.7	20.6	56
10.3	13.7	78.8	109.6	10.3	143.8	10.3	58.2	3.4	.....	3.4	85.6	.....	6.8	58.2	71.9	17.1	270.6	17.1	57
7.5	5.0	106.9	94.5	9.9	124.3	14.9	37.3	2.5	22.4	2.5	131.7	14.9	7.5	109.4	89.5	5.0	251.0	14.9	58
14.0	3.8	52.1	108.0	20.3	141.1	16.5	110.6	7.6	8.9	2.5	59.7	6.4	12.7	101.7	99.1	7.6	190.6	3.8	59
15.3	4.6	58.3	93.6	18.4	104.3	18.4	66.0	16.9	7.7	15.3	58.3	3.1	12.3	90.5	84.4	4.6	207.1	9.2	60
6.7	6.7	86.6	266.4	.....	53.3	6.7	46.6	6.7	6.7	6.7	106.6	.....	6.7	53.3	86.6	6.7	279.8	20.0	61
12.4	12.4	59.0	90.0	38.3	220.3	18.6	145.8	5.2	9.3	5.2	103.4	8.3	9.3	114.8	144.8	6.2	249.3	6.2	62
17.3	5.5	140.1	155.6	13.6	128.3	13.6	33.7	4.5	8.2	11.8	108.3	2.7	5.5	75.5	56.4	7.3	196.5	1.8	63
16.4	5.5	65.7	112.2	21.9	104.0	5.5	52.0	.....	5.5	8.2	65.7	.....	8.2	112.2	109.5	8.2	172.5	32.8	64
11.9	4.8	112.0	138.2	16.7	152.5	16.7	59.6	4.8	2.4	11.9	83.4	2.4	9.5	83.4	73.8	19.1	262.0	26.2	65
23.0	6.1	156.7	184.4	16.9	178.2	23.0	90.7	10.8	13.8	9.2	84.5	12.3	6.1	104.5	147.5	29.2	292.0	13.8	66
9.3	6.2	45.1	84.5	29.2	179.7	21.7	156.2	2.2	8.0	10.2	67.7	4.4	6.2	101.4	116.8	4.4	167.7	19.0	67
24.0	8.0	103.9	149.9	14.0	70.0	8.0	26.0	4.0	4.0	4.0	97.9	.....	12.0	50.0	60.0	14.0	217.9	6.0	68
30.0	3.0	75.0	132.0	6.0	84.0	12.0	36.0	18.0	6.0	.....	66.0	3.0	9.0	111.0	81.0	6.0	180.1	12.0	69
23.4	6.7	100.1	131.8	11.7	131.8	13.3	41.7	8.3	6.7	3.3	71.7	8.3	10.0	66.7	66.7	11.7	231.9	10.0	70
19.9	13.2	132.3	139.0	16.5	86.0	6.6	52.9	3.3	6.6	9.9	59.6	.....	9.9	119.1	109.2	6.6	205.1	16.5	71
16.8	8.4	117.3	134.0	25.1	108.9	12.6	50.3	8.4	12.6	25.1	71.2	12.6	20.9	71.2	100.5	8.4	196.8	4.2	72

[a] Rate based on population Apr. 15, 1910. Decrease since 1900.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	PENNSYLVANIA—continued.															
1	Montgomery County	1,287.9	10.8			4.3	1.4	4.3	22.4	21.0	2.9	134.5	6.5	13.0	8.0	86.1
2	Montour County *	[3] 2,360.8	174.9			6.7			6.7	26.9	20.2	208.5	6.7	13.5	13.5	154.7
3	Northampton County	1,342.7	11.3			2.5	11.3	25.1	15.0	16.3	7.5	81.5	1.3	6.3	10.0	56.4
4	Northumberland County	1,290.3	4.6	1.5		4.6	4.6	6.1	6.1	16.8		88.5	3.1	1.5	6.1	47.3
5	Perry County	[3] 1,185.0	45.6				4.1	12.4	24.9		4.1	111.9	4.1	8.3	4.1	78.7
6	Pike County	[3] 1,556.1		12.4		12.4	12.4	12.4		87.1		112.0		24.9		62.2
7	Potter County	[3] 955.3	13.5				3.4		3.4	33.6	3.4	26.9	10.1	6.7		111.0
8	Schuylkill County	1,570.9	13.9	1.3		12.6	7.6	8.8	32.8	11.4	2.5	104.1	5.0	6.9	5.7	46.7
9	Snyder County	[3] 1,107.1	11.9			6.0			17.9			77.4		6.0		101.2
10	Somerset County	1,268.4	15.5			3.9	6.5	3.9	47.8	24.6	5.2	64.6	3.9	9.1	6.5	40.1
11	Sullivan County	[3] 1,071.5				17.7			26.6	17.7	8.9	35.4		8.9	8.9	44.3
12	Susquehanna County	[3] 1,576.3	7.9			13.2	2.6	37.1	7.9	63.6	5.3	82.1	5.3	7.9	10.6	111.3
13	Tioga County	[3] 1,312.2	18.7			2.3		4.7	9.3	23.3	2.3	67.7	4.7	11.7	11.7	116.7
14	Union County	[3] 1,150.8	6.2			6.2		18.5				49.2		6.2	12.3	86.2
15	Venango County	1,153.3	12.2				4.9		2.4	24.4	7.3	119.7		9.8	12.2	75.7
16	Warren County *	1,846.3	3.9	3.9			11.8	7.8	3.9	35.3	3.9	105.8	3.9	15.7	11.8	90.2
17	Washington County	1,181.2	13.4			2.7	6.7	3.3	17.4	12.0	2.7	62.8	6.0	4.7	4.0	60.8
18	Wayne County	[3] 1,422.9	6.8					13.7	17.1	41.0		82.1	3.4	6.8		102.6
19	Westmoreland County	1,095.7	15.8			3.0	4.3	3.4	15.4	13.7	3.4	67.2	6.4	9.8	5.1	42.4
20	Wyoming County	[3] 1,321.8						19.3	6.4	12.9		70.9	6.4		12.9	58.0
21	York County	1,004.1	15.6			1.0	3.1	7.3	10.4	16.6		74.7	4.1	8.3	6.2	63.3
	RHODE ISLAND.															
22	Total	1,419.8	14.1			13.2	2.6	21.2	11.5	20.3	5.3	102.4	8.8	1.8	6.2	100.6
23	White	1,405.1	11.6			13.4	2.7	21.5	11.6	19.7	4.5	96.6	8.9	1.8	6.3	99.3
24	Colored	2,503.3	197.6							65.9	65.9	527.0				197.6
25	Bristol County	1,593.7	15.0			40.1	5.0	40.1	10.0	40.1	5.0	80.2	25.1		10.0	115.3
26	Kent County	1,346.5	9.7				9.7		9.7	9.7		58.1		19.4	9.7	116.2
27	Newport County	1,493.6	15.1			7.5		37.7	7.5		7.5	83.0	7.5		7.5	90.5
28	Providence County	1,188.3	9.0			4.5	2.3	15.8	15.8	20.3	2.3	123.8	6.8		6.8	99.0
29	Washington County	1,679.9	23.7			15.8		15.8	7.9	19.7	11.8	110.4	3.9			90.7
	UTAH.															
30	Total	961.9	11.1			1.1	3.6	27.5	5.4	16.1	5.4	35.0	1.1	5.4	5.4	37.1
31	White	955.5	11.3			0.7	3.6	25.8	5.5	16.4	5.5	32.4	0.7	5.1	5.5	37.5
32	Colored	1,287.9				18.4		110.4				165.6	18.4	18.4		18.4
33	Beaver County	1,188.9					18.9	37.7		18.9		18.9		37.7		
34	Box Elder County	928.4	12.5			6.3	12.5	94.1		12.5		18.8		12.5	25.1	37.6
35	Cache County †	888.6	3.9					46.8		23.4		3.9		3.9	3.9	54.6
36	Carbon County	959.0						19.0	19.0	47.5	19.0	38.0	9.5			9.5
37	Davis County †	819.5	8.8					17.6	8.8			8.8				52.9
38	Emery County †	636.6	12.7					12.7		12.7						
39	Garfield County	1,185.5	52.7								26.3			26.3		52.7
40	Grand County	1,256.8										109.3				
41	Iron County	1,087.7	24.2			24.2					24.2					24.2
42	Juab County †	797.9					9.1	9.1				54.4				36.3
43	Kane County	[3] 1,150.1										60.5				60.5
44	Millard County	976.7						78.8			15.8	15.8		47.3	31.5	15.8
45	Morgan County †	520.6														
46	Piute County	[3] 980.4	57.7									57.7				
47	Rich County	[3] 1,062.1								53.1		53.1			53.1	
48	Salt Lake County	1,071.8	6.5				6.5	30.3	17.3	4.3	4.3	93.1			2.2	43.3
49	San Juan County † (total)	355.8														97.0
50	White	903.9														246.5
51	Colored															
52	Sanpete County †	869.4	23.7				5.9	17.7	11.8	35.5				5.9	11.8	35.5
53	Sevier County †	873.4	9.5							47.7		28.6				19.1
54	Summit County	[3] 1,097.6								36.6	12.2	97.6			12.2	36.6
55	Tooele County †	839.2				12.2		36.5		60.8	12.2	36.5	12.2		12.2	24.3
56	Uinta County (total)	1,358.1	40.7					40.7	13.6	13.6		81.5	13.6	13.6		27.2
57	White	1,030.1	45.4					15.1	15.1	15.1						30.3
58	Colored	4,199.5						262.5				787.4	131.2	131.2		
59	Utah County *	1,031.0	7.3				4.9	22.0	2.4	2.4	7.3	12.2		9.8	4.9	44.1
60	Wasatch County [4]	952.8	53.9					18.0		36.0	9.0	18.0				18.0
61	Washington County †	871.8								18.5	18.5	37.1				55.6
62	Wayne County †	[3] 400.2	57.2													
63	Weber County	954.4	10.0					30.1		10.0	10.0	40.2				70.3
	VERMONT.															
64	Total	1,443.7	9.5	1.0	0.3	1.0	1.0	5.7	10.2	34.0	3.5	65.5	5.1	8.0	8.6	105.6
65	White	1,451.8	9.6	1.0	0.3	1.0	1.0	5.8	10.2	34.2	3.5	65.9	5.1	8.0	8.6	106.2
66	Colored	153.5														
67	Addison County	[3] 1,419.3	15.0					10.0	5.0	45.0	5.0	70.0			15.0	104.9
68	Bennington County	[3] 1,454.8						9.4	4.7	65.5		74.8	9.4	9.4	4.7	88.9
69	Caledonia County	1,453.5	11.2			3.7			3.7	33.5		55.8		7.4	3.7	133.8
70	Chittenden County	1,412.4	4.4					4.4	22.2	4.4		44.4	8.9	4.4	13.3	75.5

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
21.7	7.2	109.9	152.6	21.0	115.7	15.2	63.6	2.2	8.7	8.0	96.9	1.4	7.2	62.9	77.4	15.9	180.8	4.3	1
26.9	.....	181.6	295.9	.....	127.8	6.7	53.8	6.7	.....	26.9	107.6	20.2	6.7	60.5	74.0	.....	726.4	6.7	2
23.8	7.5	136.6	131.6	26.3	130.4	16.3	110.3	1.3	7.5	15.0	81.5	3.8	10.0	111.6	70.2	13.8	188.1	12.5	3
15.3	3.1	86.9	100.7	9.2	114.4	27.5	102.2	13.7	12.2	15.3	65.6	4.6	24.4	143.4	138.8	6.1	210.5	6.1	4
12.4	12.4	95.3	165.7	8.3	58.0	12.4	12.4	4.1	8.3	16.6	91.2	4.1	8.3	82.9	49.7	.....	223.7	20.7	5
12.4	.....	87.1	199.2	.....	112.0	24.9	49.8	.....	12.4	49.8	136.9	.....	12.4	37.3	161.8	12.4	286.3	24.9	6
13.5	16.8	97.5	127.8	16.8	50.5	3.4	20.2	10.1	6.7	10.1	50.5	6.7	10.1	53.8	40.4	3.4	198.5	6.7	7
18.3	6.9	78.9	116.8	19.6	160.3	36.0	177.4	10.1	16.4	20.8	96.6	12.6	14.5	132.5	142.0	8.8	232.3	10.7	8
17.9	.....	119.0	154.8	11.9	77.4	17.9	17.9	.....	6.0	17.9	131.0	6.0	.....	83.3	11.9	23.8	166.7	23.8	9
10.3	6.5	55.6	117.7	11.6	137.1	14.2	116.4	3.9	3.9	10.3	46.5	6.5	10.3	138.3	103.4	1.3	221.1	22.0	10
.....	8.9	88.6	150.5	35.4	115.1	26.6	44.3	.....	8.9	8.9	44.3	8.9	.....	79.7	53.1	.....	221.4	8.9	11
10.6	2.6	124.5	188.1	26.5	161.6	13.2	42.4	7.9	18.5	15.9	103.3	5.3	7.9	66.2	98.0	15.9	304.7	7.9	12
18.7	7.0	102.7	198.5	18.7	102.7	16.3	16.3	11.7	11.7	11.7	95.7	4.7	2.3	84.1	53.7	14.0	263.9	4.7	13
6.2	12.3	80.0	283.1	6.2	86.2	12.3	18.5	6.2	12.3	.....	73.9	.....	.....	55.4	49.2	.....	252.3	12.3	14
29.3	2.4	92.9	144.2	12.2	83.1	2.4	39.1	9.8	7.3	4.9	75.7	4.9	2.4	46.4	61.1	9.8	249.2	7.3	15
27.4	7.8	152.9	345.0	11.8	152.9	19.6	31.4	3.9	7.8	19.6	117.6	.....	15.7	105.8	70.6	15.7	435.1	7.8	16
4.0	6.0	46.1	101.5	20.0	134.3	17.4	141.6	2.0	7.3	10.7	36.1	6.0	6.7	120.3	139.0	12.0	163.7	10.0	17
41.0	6.8	130.0	171.0	27.4	136.8	13.7	23.9	3.4	30.8	10.3	147.1	6.8	3.4	54.7	58.1	6.8	263.4	13.7	18
6.0	7.3	48.8	78.4	15.0	99.8	10.7	125.5	2.6	6.0	7.3	46.2	7.3	10.3	108.3	96.3	8.1	152.9	68.9	19
6.4	.....	109.6	180.5	19.3	180.5	19.3	25.8	.....	12.9	.....	103.2	12.9	12.9	58.0	116.1	25.8	245.0	6.4	20
6.2	4.1	94.4	138.0	8.3	103.7	7.3	31.1	1.0	6.2	5.2	72.6	4.1	5.2	73.6	41.5	7.3	179.5	4.1	21
16.8	7.1	85.6	170.3	22.9	145.6	7.9	80.3	4.4	5.3	11.5	113.8	0.9	7.1	82.1	90.0	12.4	241.8	6.2	22
17.0	7.2	85.0	171.7	22.4	145.8	8.0	80.5	4.5	5.4	10.7	112.7	0.9	7.2	82.3	85.9	11.6	242.4	6.3	23
.....	.....	131.8	65.9	65.9	131.8	.....	65.9	.....	.....	65.9	197.6	.....	.....	65.9	395.3	65.9	197.6	.....	24
10.0	5.0	100.2	180.4	45.1	175.4	.....	130.3	.....	10.0	10.0	120.3	.....	10.0	95.2	55.1	10.0	245.6	5.0	25
29.1	9.7	145.3	145.3	9.7	145.3	19.4	38.7	9.7	9.7	.....	125.9	.....	19.4	87.2	58.1	.....	242.2	9.7	26
7.5	.....	105.6	188.6	22.6	181.0	.....	135.8	.....	.....	7.5	83.0	.....	.....	143.3	90.5	22.6	233.8	7.5	27
13.5	2.3	47.3	123.8	22.5	128.3	6.8	56.3	4.5	4.5	4.5	87.8	.....	4.5	76.5	69.8	6.8	218.3	4.5	28
27.6	19.7	106.5	244.5	11.8	134.1	15.8	71.0	7.9	3.9	31.5	165.6	3.9	7.9	47.3	165.6	23.7	283.9	7.9	29
10.7	10.0	39.6	90.3	13.6	109.5	7.5	26.0	17.8	9.3	6.4	59.9	7.5	10.3	90.6	87.4	8.9	178.0	24.6	30
10.9	10.2	40.4	91.7	13.8	106.6	7.6	25.1	18.2	9.5	6.5	60.0	7.6	10.2	91.3	85.9	8.7	177.2	24.0	31
.....	.....	.....	18.4	.....	257.6	.....	73.6	.....	.....	.....	55.2	.....	18.4	55.2	165.6	18.4	220.8	55.2	32
56.6	.....	.....	132.1	.....	169.8	.....	.....	18.9	.....	.....	113.2	18.9	18.9	169.8	132.1	18.9	188.7	18.9	33
6.3	6.3	50.2	106.6	12.5	100.4	6.3	25.1	6.3	18.8	6.3	25.1	.....	6.3	94.1	81.5	6.3	106.6	31.4	34
11.7	19.5	39.0	85.7	3.9	93.5	7.8	39.0	3.9	19.5	3.9	42.9	.....	3.9	89.6	58.5	3.9	187.1	35.1	35
.....	19.0	38.0	28.5	.....	104.4	.....	66.5	9.5	9.5	9.5	38.0	19.0	.....	151.9	180.4	.....	104.4	19.0	36
.....	.....	70.5	88.1	17.6	96.9	17.6	35.2	8.8	8.8	.....	88.1	17.6	26.4	70.5	52.9	.....	123.4	.....	37
12.7	.....	.....	127.3	.....	101.9	25.5	.....	12.7	.....	.....	25.5	.....	.....	25.5	38.2	.....	178.3	50.9	38
52.7	26.3	.....	79.0	79.0	158.1	26.3	26.3	105.4	.....	.....	26.3	.....	26.3	52.7	52.7	.....	289.8	26.3	39
.....	.....	54.6	163.9	.....	54.6	.....	.....	.....	.....	.....	218.6	.....	.....	.....	327.9	54.6	163.9	109.3	40
.....	.....	96.7	145.0	48.3	72.5	24.2	24.2	.....	24.2	.....	72.5	.....	.....	72.5	145.0	.....	265.9	.....	41
.....	.....	54.4	54.4	18.1	63.5	18.1	9.1	9.1	.....	9.1	27.2	27.2	36.3	136.0	81.6	9.1	108.8	27.2	42
60.5	.....	.....	.....	121.1	121.1	.....	60.5	60.5	.....	.....	.....	.....	.....	60.5	60.5	.....	484.3	.....	43
15.8	.....	47.3	47.3	31.5	141.8	.....	31.5	15.8	15.8	15.8	47.3	.....	15.8	141.8	47.3	.....	157.5	.....	44
.....	.....	74.4	74.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	74.4	74.4	.....	223.1	.....	45
57.7	.....	.....	115.3	.....	115.3	57.7	.....	.....	.....	.....	.....	57.7	.....	57.7	115.3	57.7	173.0	57.7	46
.....	.....	53.1	53.1	.....	159.3	.....	.....	.....	.....	.....	159.3	.....	.....	212.4	53.1	106.2	106.2	.....	47
8.7	6.5	34.6	101.8	10.8	125.6	2.2	36.8	15.2	6.5	8.7	78.0	4.3	10.8	71.5	114.8	17.3	179.7	30.3	48
.....	.....	32.3	.....	.....	97.0	.....	.....	.....	.....	.....	.....	.....	.....	32.3	32.3	.....	64.7	.....	49
.....	.....	82.2	.....	.....	246.5	.....	.....	.....	.....	.....	.....	.....	.....	82.2	82.2	.....	164.3	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
5.9	17.7	11.8	118.3	29.6	106.5	.....	5.9	17.7	23.7	.....	35.5	5.9	11.8	88.7	29.6	5.9	159.7	47.3	52
.....	.....	28.6	105.0	.....	66.8	9.5	47.7	19.1	.....	.....	57.3	.....	9.5	162.3	57.3	.....	181.4	28.6	53
.....	.....	24.4	61.0	.....	256.1	36.6	12.2	12.2	.....	.....	73.2	24.4	12.2	73.2	85.4	24.4	207.3	.....	54
12.2	48.6	12.2	60.8	36.5	60.8	24.3	.....	.....	.....	.....	24.3	12.2	.....	24.3	133.8	.....	170.3	12.2	55
13.6	.....	40.7	108.7	.....	258.0	.....	40.7	54.3	13.6	13.6	27.2	13.6	13.6	122.2	149.4	27.2	203.7	13.6	56
15.1	.....	45.4	121.2	.....	136.3	.....	.....	60.6	15.1	15.1	15.1	15.1	15.1	106.0	151.5	30.3	151.5	15.1	57
.....	.....	.....	.....	.....	1,312.3	.....	393.7	.....	.....	.....	131.2	.....	.....	262.5	131.2	.....	656.2	.....	58
12.2	9.8	66.1	93.1	19.6	85.7	4.9	19.6	31.8	4.9	12.2	90.6	4.9	12.2	95.5	85.7	9.8	240.0	14.7	59
36.0	36.0	18.0	71.9	.....	143.8	.....	36.0	18.0	.....	9.0	62.9	27.0	18.0	62.9	53.9	.....	161.8	44.9	60
.....	.....	37.1	55.6	.....	74.2	.....	37.1	37.1	18.5	.....	111.3	.....	.....	74.2	55.6	.....	204.0	37.1	61
.....	.....	57.2	114.4	.....	114.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	57.2	.....	.....	.....	62
10.0	10.0	40.2	110.5	10.0	70.3	.....	10.0	30.1	30.1	20.1	60.3	.....	.....	110.5	110.5	.....	150.7	10.0	63
20.0	7.3	140.2	202.6	26.4	115.8	12.7	42.0	8.0	11.4	13.0	123.1	2.9	10.5	68.4	65.8	17.2	295.1	2.5	64
20.2	7.4	141.1	203.5	26.6	116.5	12.8	42.2	8.0	11.5	13.1	123.8	2.9	10.6	68.8	66.2	17.3	296.3	2.6	65
.....	.....	.....	51.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	102.3	.....	66
20.0	10.0	129.9	264.9	20.0	114.9	20.0	25.0	5.0	.....	15.0	119.9	.....	5.0	50.0	35.0	20.0	289.9	5.0	67
18.7	.....	112.3	196.5	37.4	112.3	23.4	70.2	.....	14.0	23.4	135.7	.....	.....	79.5	46.8	9.4	308.7	.....	68
18.6	26.0	137.5	152.4	22.3	85.5	11.2	22.3	18.6	14.9	11.2	133.8	7.4	3.7	85.5	92.9	26.0	330.8	.....	69
22.2	13.3	119.9	204.3	66.6	93.3	8.9	66.6	17.8	31.1	4.4	146.6	8.9	17.8	62.2	93.3	13.3	235.4	4.4	70

[3] Rate based on population Apr. 15, 1910. Decrease since 1900. [4] Includes Duchesne County, organized Jan. 4, 1915; separate estimated populations not available.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	VERMONT—continued.															
1	Essex County	[3] 1,435.5	27.1						27.1	27.1		54.2		13.5		81.3
2	Franklin County	[3] 1,409.6	16.7	3.3	3.3			10.0	13.4	23.4		90.4	3.3	3.3	6.7	93.8
3	Grand Isle County	[3] 957.2								26.6						159.5
4	Lamoille County	1,247.9	15.7							31.4		23.5	7.8	7.8		47.1
5	Orange County	[3] 1,449.0	5.3							48.1	10.7	32.1	10.7	21.4	5.3	117.6
6	Orleans County	1,290.1	8.3	8.3			4.2	8.3	4.2	25.0	8.3	70.7	8.3	20.8	16.6	116.5
7	Rutland County	1,329.1	5.6					11.2	16.9	22.5		98.4	2.8	2.8	11.2	87.1
8	Washington County*	1,577.7	12.3			6.2		3.1	12.3	30.8	6.2	89.4	3.1	3.1	15.4	104.8
9	Windham County	1,614.1	3.7				7.4	11.1	11.1	29.5	7.4	51.7	3.7	7.4	7.4	147.7
10	Windsor County	1,483.4	11.6						11.6	55.2	5.8	46.4	8.7	11.6	2.9	110.3
	VIRGINIA.															
11	Total	1,314.5	25.3	7.5	0.2	2.6	1.3	16.6	20.0	18.4	2.5	163.1	4.5	11.3	7.7	48.4
12	White	1,091.1	20.8	3.1	0.1	2.5	1.6	10.7	22.2	17.8	2.7	102.3	3.9	8.5	6.9	51.8
13	Colored	1,822.5	35.4	17.5	0.6	2.9	0.6	30.1	15.0	19.6	2.1	301.5	5.9	17.7	9.5	40.5
14	Accomac County (total)	1,327.3	25.8	2.6				25.8	18.0	18.0		180.4		5.2	7.7	59.3
15	White	1,110.5	12.1					16.2	16.2	24.2		145.4			12.1	52.5
16	Colored	1,709.6	49.9	7.1				42.7	21.4	7.1		242.2		14.2		71.2
17	Albemarle County (total)	1,561.7	26.1			3.3		16.3	16.3	19.6	13.1	166.6	26.1	9.8	3.3	55.5
18	White	1,310.7	18.8			4.7			18.8	14.1	14.1	126.8	28.2	9.4	4.7	51.7
19	Colored	2,135.0	42.9					53.6	10.7	32.2	10.7	257.5	21.5	10.7		64.4
20	Alexandria County (total)	1,468.1	27.2					63.4	9.1	36.2		190.3	9.1	27.2	18.1	54.4
21	White	1,159.8	23.2					46.4	11.6	23.2		150.8		23.2	11.6	46.4
22	Colored	2,569.4	41.4					124.3		82.9		331.5	41.4	41.4	41.4	82.9
23	Alleghany County (total)	1,011.8	20.1			6.7		13.4	26.8	6.7	6.7	120.6	6.7	33.5		20.1
24	White	946.6	16.5			8.2		8.2	32.9	8.2	8.2	98.8	8.2	24.7		24.7
25	Colored	1,297.3	36.0					36.0				216.2		72.1		
26	Amelia County (total)	[3] 1,376.1	11.5	11.5		11.5			11.5			252.3		11.5		22.9
27	White	990.7		31.0								154.8				61.9
28	Colored	[3] 1,602.9	18.2			18.2			18.2			309.7		18.2		
29	Amherst County (total)	1,354.1	30.8	5.1			15.4		20.5	20.5	5.1	153.9	5.1		10.3	46.2
30	White	1,287.6	33.9	8.5			16.9		16.9	16.9	8.5	127.1			16.9	25.4
31	Colored	1,456.2	26.0				13.0		26.0	26.0		195.0	13.0			78.0
32	Appomattox County (total)	[3] 1,089.4	33.7	22.5						22.5		123.5	11.2	11.2		67.4
33	White	859.8		34.4						34.4		51.6	17.2			51.6
34	Colored	[3] 1,521.5	97.1									289.0		32.4		97.1
35	Augusta County (total)	1,136.4	24.0			3.0	6.0	6.0	15.0	12.0	3.0	134.9	6.0	9.0		48.0
36	White	1,075.6	10.3			3.4	3.4	3.4	13.7	10.3	3.4	119.9	6.9	6.9		51.4
37	Colored	1,562.5	120.2				24.0	24.0	24.0	24.0		240.4		24.0		24.0
38	Bath County (total)	909.9	14.2					14.2	14.2	14.2		42.6		28.4		56.9
39	White	970.7	17.3					17.3	17.3	17.3		52.0		34.7		52.0
40	Colored	632.4														79.1
41	Bedford County (total)	[3] 1,343.5	23.7	6.8				3.4	27.1	16.9	3.4	169.2		16.9	13.5	60.9
42	White	1,170.9	19.0	9.5					33.2	19.0	4.7	113.8		14.2	14.2	75.9
43	Colored	[3] 1,774.1	35.5					11.8	11.8	11.8		307.5		23.7	11.8	23.7
44	Bland County (total)	[3] 1,008.9	19.4					19.4	38.8			116.4			19.4	19.4
45	White	[3] 975.9	19.9					19.9	39.8			119.5			19.9	19.9
46	Colored [4]	[3] 2,255.6														
47	Botetourt County (total)	1,087.4	27.7						22.2	27.7	5.5	144.2		5.5		44.4
48	White	936.7	33.9						27.1	20.4	6.8	95.0				40.7
49	Colored	1,761.8								60.8		364.5		30.4		60.8
50	Bristol (city) (total)	1,206.7								14.0		154.3		14.0		42.1
51	White	1,047.1								16.9		67.6		16.9		50.7
52	Colored	1,990.0										580.0				
53	Brunswick County (total)	1,364.5	30.3					5.1	5.1	15.2	10.1	242.6	5.1	15.2	5.1	15.2
54	White	1,203.3	36.8					12.3	12.3	12.3	12.3	135.1	12.3			12.3
55	Colored	1,477.3	25.8							17.2	8.6	317.8		25.8	8.6	17.2
56	Buchanan County (total)	939.8	65.6					29.1	189.4	7.3		87.4		7.3	14.6	21.9
57	White	932.7	65.6					29.1	189.5	7.3		87.4		7.3	14.6	21.9
58	Colored [4]	(6)														
59	Buckingham County (total)	[3] 1,210.2	13.2	6.6					6.6	13.2		164.4	6.6	19.7	6.6	59.2
60	White	1,047.9	26.2						13.1	13.1		65.5		13.1		65.5
61	Colored	[3] 1,373.8		13.2						13.2		264.2	13.2	26.4	13.2	52.8
62	Buena Vista (city) (total)	947.0								54.1	27.1	54.1				54.1
63	White	946.0								30.5		30.5				61.0
64	Colored	954.7								238.7	238.7	238.7				
65	Campbell County (total)	1,147.0	35.1	7.8			11.7	7.8	7.8	15.6	3.9	113.1	7.8	15.6	15.6	42.9
66	White	1,195.2	58.1	6.5			19.4	12.9	12.9	25.8	6.5	84.0	12.9	19.4	19.4	64.6
67	Colored	1,073.5		9.8								157.6		9.8	9.8	9.8
68	Caroline County (total)	[3] 1,319.6	30.1					30.1	12.1	36.2		222.9	6.0	18.1	12.1	66.3
69	White	1,159.8	12.7					25.5	12.7	63.7		178.4	12.7	12.7		63.7
70	Colored	[3] 1,462.9	45.7					34.3	11.4	11.4		262.9		22.9	22.9	68.7
71	Carroll County (total)	910.7	4.5				4.5	9.1	9.1	4.5		86.1			4.5	58.9
72	White	902.3	4.6				4.6	9.2	9.2	4.6		82.4			4.6	59.5
73	Colored [4]	1,687.8										421.9				

[1] Exclusive of stillbirths. [2] Exclusive of municipalities having a population of 10,000 or over in 1910. [3] Rate based on population Apr. 15, 1910. Decrease since 1900.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																		
Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
13.5	.....	135.4	189.6	40.6	108.3	.....	54.2	13.5	.....	27.1	94.8	.....	27.1	81.3	40.6	13.5	352.1	13.5	1
13.4	3.3	130.6	154.0	23.4	127.2	13.4	63.6	10.0	10.0	16.7	103.8	.....	16.7	56.9	93.8	20.1	284.6	.....	2
26.6	.....	106.4	159.5	.....	53.2	.....	53.2	.....	26.6	.....	53.2	.....	.....	26.6	79.8	.....	186.1	.....	3
7.8	7.8	157.0	204.1	23.5	188.4	7.8	54.9	.....	.....	23.5	133.4	7.8	7.8	47.1	39.2	15.7	188.4	.....	4
16.0	.....	171.1	235.3	26.7	149.7	5.3	26.7	5.3	.....	5.3	117.6	5.3	10.7	85.5	42.8	16.0	272.7	5.3	5
29.1	12.5	112.4	154.0	12.5	120.7	12.5	16.6	4.2	20.8	.....	58.3	.....	.....	99.9	45.8	12.5	274.7	4.2	6
8.4	.....	109.6	185.5	28.1	78.7	14.1	59.0	11.2	8.4	11.2	126.5	.....	16.9	47.8	75.9	25.3	261.3	2.8	7
37.0	9.2	138.7	224.9	24.7	135.6	9.2	40.1	.....	12.3	12.3	129.4	.....	12.3	55.5	43.1	15.4	388.3	3.1	8
22.2	7.4	203.1	229.0	25.9	107.1	22.2	14.8	11.1	11.1	7.4	195.8	3.7	14.8	51.7	85.0	3.7	310.3	.....	9
20.3	2.9	162.6	235.1	11.6	124.8	8.7	34.8	5.8	8.7	23.2	92.9	5.8	8.7	92.9	63.9	23.2	290.3	2.9	10
8.8	11.4	56.7	121.7	13.3	95.4	14.3	49.2	5.3	6.8	5.4	93.9	7.0	13.7	83.5	73.6	6.6	257.0	61.3	11
9.3	10.3	52.0	102.8	10.8	80.0	11.1	42.6	4.7	5.2	5.2	80.1	5.8	9.8	78.1	61.0	8.2	215.2	44.1	12
7.8	13.9	67.4	164.8	19.0	130.6	21.5	64.3	6.7	10.5	5.9	125.2	9.7	22.7	95.9	102.4	3.0	351.9	100.3	13
18.0	15.5	51.5	131.4	7.7	82.5	5.2	110.8	2.6	7.7	.....	113.4	7.7	18.0	74.7	64.4	10.3	216.5	46.4	14
28.3	20.2	48.5	129.2	8.1	76.7	8.1	96.9	.....	.....	.....	92.9	8.1	.....	52.5	48.5	12.1	185.8	16.2	15
.....	7.1	57.0	135.3	7.1	92.6	.....	135.3	7.1	21.4	.....	149.6	7.1	49.9	114.0	92.6	7.1	270.7	99.7	16
9.8	19.6	71.9	173.2	6.5	124.2	3.3	42.5	39.2	16.3	6.5	78.4	9.8	16.3	81.7	111.1	.....	297.3	98.0	17
4.7	14.1	56.4	140.9	9.4	84.6	4.7	51.7	28.2	9.4	9.4	79.9	4.7	9.4	84.6	84.6	.....	253.7	89.3	18
21.5	32.2	107.3	246.8	.....	214.6	.....	21.5	64.4	32.2	.....	75.1	21.5	32.2	75.1	171.7	.....	397.0	118.0	19
27.2	.....	63.4	117.8	27.2	217.5	27.2	54.4	.....	9.1	.....	108.7	.....	27.2	54.4	90.6	9.1	199.4	.....	20
34.8	.....	23.2	92.8	23.2	104.4	23.2	46.4	.....	11.6	.....	116.0	.....	23.2	69.6	92.8	11.6	150.8	.....	21
.....	.....	207.2	207.2	41.4	621.6	41.4	82.9	.....	.....	.....	82.9	.....	41.4	.....	82.9	.....	373.0	.....	22
20.1	.....	13.4	113.9	26.8	60.3	13.4	33.5	.....	6.7	.....	67.0	20.1	6.7	67.0	60.3	13.4	180.9	46.9	23
24.7	.....	16.5	115.2	8.2	49.4	.....	24.7	.....	.....	.....	65.9	24.7	8.2	82.3	41.2	16.5	181.1	49.4	24
.....	.....	.....	108.1	108.1	108.1	72.1	72.1	.....	36.0	.....	72.1	.....	.....	.....	144.1	.....	180.2	36.0	25
11.5	11.5	34.4	183.5	34.4	114.7	.....	22.9	.....	22.9	.....	57.3	.....	34.4	34.4	80.3	11.5	344.0	45.9	26
31.0	.....	61.9	154.8	.....	61.9	.....	31.0	.....	.....	.....	92.9	.....	.....	.....	31.0	31.0	216.7	31.0	27
.....	18.2	18.2	200.4	54.6	145.7	.....	18.2	.....	36.4	.....	36.4	.....	54.6	54.6	109.3	.....	418.9	54.6	28
5.1	.....	41.0	128.2	5.1	87.2	20.5	20.5	.....	5.1	10.3	82.1	10.3	25.6	61.6	128.2	.....	369.3	41.0	29
.....	.....	33.9	152.5	.....	84.7	.....	16.9	.....	.....	16.9	59.3	8.5	33.9	42.4	101.7	.....	432.0	33.9	30
13.0	.....	52.0	91.0	13.0	91.0	52.0	26.0	.....	13.0	.....	117.0	13.0	13.0	91.0	169.0	.....	273.0	52.0	31
11.2	.....	78.6	67.4	.....	89.8	.....	44.9	.....	11.2	.....	89.8	.....	.....	33.7	33.7	.....	258.3	78.6	32
17.2	.....	86.0	34.4	.....	86.0	.....	68.8	.....	17.2	.....	86.0	.....	.....	17.2	17.2	.....	206.4	34.4	33
.....	.....	64.7	129.5	.....	97.1	.....	.....	.....	.....	.....	97.1	.....	.....	64.7	64.7	.....	356.1	161.9	34
3.0	12.0	78.0	158.9	15.0	54.0	6.0	33.0	.....	6.0	3.0	122.9	6.0	3.0	69.0	78.0	9.0	203.9	9.0	35
3.4	10.3	82.2	157.6	13.7	51.4	.....	34.3	.....	6.9	3.4	123.3	6.9	3.4	71.9	75.4	6.9	185.0	6.9	36
.....	24.0	48.1	168.3	24.0	72.1	48.1	24.0	.....	.....	.....	120.2	.....	.....	48.1	96.2	24.0	336.5	24.0	37
14.2	.....	28.4	85.3	42.6	85.3	14.2	42.6	.....	28.4	.....	113.7	.....	14.2	71.1	.....	.....	156.4	28.4	38
17.3	.....	17.3	69.3	34.7	104.0	17.3	52.0	.....	34.7	.....	121.3	.....	.....	86.7	.....	.....	190.7	17.3	39
.....	.....	79.1	158.1	79.1	.....	.....	.....	.....	.....	.....	79.1	.....	79.1	.....	.....	.....	.....	79.1	40
6.8	20.3	44.0	165.8	16.9	81.2	.....	47.4	6.8	13.5	.....	64.3	16.9	3.4	74.5	101.5	.....	291.0	47.4	41
4.7	4.7	37.9	113.8	14.2	75.9	.....	42.7	9.5	14.2	.....	66.4	4.7	.....	71.1	94.8	.....	275.0	37.9	42
11.8	59.1	59.1	295.7	23.7	94.6	.....	59.1	.....	11.8	.....	59.1	47.3	11.8	82.8	118.3	.....	331.2	71.0	43
.....	19.4	38.8	58.2	19.4	213.4	19.4	38.8	19.4	.....	.....	19.4	.....	.....	38.8	58.2	.....	194.0	38.8	44
.....	19.9	39.8	59.7	19.9	199.2	19.9	39.8	19.9	.....	.....	19.9	.....	.....	39.8	19.9	.....	199.2	39.8	45
.....	.....	.....	.....	.....	751.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	1,503.8	.....	.....	.....	46
11.1	11.1	44.4	105.4	11.1	83.2	16.6	27.7	5.5	5.5	5.5	88.8	16.6	11.1	77.7	38.8	5.5	194.2	49.9	47
6.8	13.6	27.1	95.0	13.6	81.4	13.6	27.1	6.8	.....	6.8	67.9	13.6	6.8	81.4	33.9	.....	183.3	33.9	48
30.4	.....	121.5	151.9	.....	91.1	30.4	30.4	.....	30.4	.....	182.3	30.4	30.4	60.8	60.8	30.4	243.0	121.5	49
56.1	14.0	14.0	154.3	28.1	28.1	.....	14.0	.....	14.0	42.1	154.3	.....	.....	42.1	84.2	.....	280.6	56.1	50
67.6	16.9	.....	135.1	33.8	33.8	.....	16.9	.....	16.9	16.9	118.2	.....	.....	50.7	50.7	.....	270.2	67.6	51
.....	.....	82.9	248.8	.....	.....	.....	.....	.....	.....	165.8	331.7	.....	.....	.....	248.8	.....	331.7	.....	52
.....	5.1	40.4	80.9	10.1	85.9	35.4	60.6	.....	5.1	15.2	126.3	15.2	10.1	111.2	40.4	10.1	293.1	70.8	53
.....	.....	49.1	86.0	12.3	49.1	61.4	49.1	.....	12.3	24.6	122.8	24.6	.....	122.8	36.8	24.6	270.1	12.3	54
.....	8.6	34.4	77.3	8.6	111.7	17.2	68.7	.....	.....	8.6	128.8	8.6	17.2	103.1	42.9	.....	309.2	111.7	55
.....	7.3	14.6	43.7	7.3	29.1	7.3	7.3	.....	.....	.....	7.3	7.3	21.9	102.0	80.1	.....	80.1	102.0	56
.....	7.3	14.6	36.4	7.3	29.1	7.3	7.3	.....	.....	.....	7.3	7.3	21.9	102.0	80.2	.....	80.2	102.0	57
.....	.....	.....	(5)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
19.7	.....	78.9	98.7	.....	72.3	13.2	19.7	.....	6.6	6.6	32.9	6.6	19.7	65.8	52.6	6.6	322.3	92.1	59
26.2	.....	117.9	117.9	.....	78.6	13.1	26.2	.....	.....	13.1	13.1	13.1	13.1	65.5	78.6	13.1	196.5	65.5	60
13.2	.....	39.6	79.3	.....	66.1	13.2	13.2	.....	13.2	.....	52.8	.....	26.4	66.1	26.4	.....	449.1	118.9	61
.....	27.1	27.1	162.3	.....	108.2	.....	54.1	.....	.....	27.1	27.1	.....	.....	81.2	54.1	27.1	108.2	54.1	62
.....	30.5	30.5	183.1	.....	122.1	.....	61.0	.....	.....	30.5	30.5	.....	.....	91.5	30.5	30.5	122.1	61.0	63
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	238.7	.....	.....	.....	64
7.8	11.7	46.8	93.6	11.7	46.8	23.4	42.9	.....	7.8	11.7	50.7	.....	7.8	105.3	54.6	7.8	273.1	58.5	65
12.9	6.5	25.8	77.5	19.4	64.6	25.8	51.7	.....	6.5	6.5	45.2	.....	6.5	116.3	51.7	6.5	310.1	19.4	66
.....	19.7	78.8	118.2	.....	19.7	19.7	29.5	.....	9.8	19.7	59.1	.....	9.8	88.6	59.1	9.8	216.7	118.2	67
24.1	6.0	66.3	162.7	18.1	54.2	6.0	24.1	.....	18.1	6.0	42.2	.....	24.1	90.4	66.3	12.1	186.8	78.3	68
38.2	.....	51.0	102.0	12.7	89.2	.....	25.5	.....	25.5	12.7	38.2	.....	25.5	127.5	12.7	25.5	165.7	25.5	69
11.4	11.4	80.0	217.1	22.9	22.9	11.4	22.9	.....	11.4	.....	45.7	.....	22.9	57.1	114.3	.....	205.7	125.7	70
4.5	13.6	31.7	77.0	13.6	77.0	18.1	18.1	9.1	13.6	.....	58.9	4.5	18.1	81.6	40.8	.....	185.8	63.4	71
4.6	13.7	32.1	77.9	13.7	77.9	18.3	18.3	9.2	13.7	.....	59.5	4.6	18.3	77.9	41.2	.....	178.6	64.1	72
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	421.9	.....	.....	843.9	.....	73

[4] Colored population less than 5 per cent of the total in 1910.

[5] Rate not shown when population is less than 100.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	Area and color.	Death rate per 100,000 population from— All causes.[1]	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)	Cancer. 16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	VIRGINIA—continued.															
1	Charles City County (total)	1,528.4	37.3	18.6								261.0				37.3
2	White	1,652.3										215.5				71.8
3	Colored	1,485.0	50.3	25.2								276.9				25.2
4	Charlotte County (total)	1,261.1	12.5					6.2	18.7	18.7		137.3	12.5	18.7		43.7
5	White	949.3						12.8	12.8			77.0	25.7	25.7		38.5
6	Colored	1,556.6	24.3						24.3	36.5		194.6		12.2		48.6
7	Charlottesville (city) (total)	1,356.0	14.4						14.4	14.4		202.0	14.4		14.4	43.3
8	White	1,124.6	22.5						22.5	22.5		157.4	22.5			
9	Colored	1,769.9										281.6			40.2	120.7
10	Chesterfield County (total)	1,573.5		5.5					38.6	5.5		220.8	5.5	16.6		49.7
11	White	1,186.9		8.5					34.2	8.5		128.1		8.5		68.3
12	Colored	2,280.5							46.9			390.5	15.6	31.2		15.6
13	Clarke County (total)	[3] 1,231.9	26.8					13.4				174.1	13.4			107.1
14	White	[3] 1,023.7	18.0					18.0				125.7				107.8
15	Colored	[3] 1,842.1	52.6									315.8	52.6			105.3
16	Clifton Forge (city) (total)	1,059.5	58.1			14.5						43.5	29.0			101.6
17	White	766.2	17.8			17.8						35.6	35.6			124.7
18	Colored	2,347.4	234.7									78.2				
19	Craig County (total)	932.9	20.3						20.3	60.8		121.7				81.1
20	White	904.7	21.0						21.0	63.1		126.2				84.2
21	Colored [4]	1,685.4														
22	Culpeper County (total)	[3] 1,239.6	7.4					7.4		14.8		215.3			7.4	37.1
23	White	962.2						12.2		12.2		109.6			12.2	24.4
24	Colored	[3] 1,672.4	19.0							19.0		380.1				57.0
25	Cumberland County (total)	1,193.5	21.5						10.8	10.8		258.1	10.8		10.8	10.8
26	White	1,022.6	30.1						30.1			120.3				30.1
27	Colored	1,288.7	16.7							16.7		334.7	16.7		16.7	
28	Dickenson County† (total)	632.1	30.1					40.1	60.2			120.4	10.0	10.0	10.0	10.0
29	White	612.9	30.1					40.2	60.3			120.6	10.0	10.0	10.0	10.0
30	Colored [4]	(6)														
31	Dinwiddie County*(total)	3,191.8	51.7	12.9						19.4	6.5	336.0	19.4	6.5	6.5	19.4
32	White	1,359.4	48.6							32.4		113.3	16.2	16.2		32.4
33	Colored	4,409.6	53.8	21.5						10.8	10.8	484.0	21.5		10.8	10.8
34	Elizabeth City County [6] (total)	2,762.4	4.5			4.5		27.1		31.6	4.5	194.1		22.6	27.1	94.8
35	White	2,443.2	6.9			6.9		13.8		20.6	6.9	144.5		13.8	6.9	96.4
36	Colored	3,370.5						52.5		52.5		288.5		39.3	65.6	91.8
37	Essex County (total)	[3] 1,438.8	54.9			11.0		54.9	11.0		11.0	241.6		11.0		54.9
38	White	1,108.2	79.2									131.9				52.8
39	Colored	[3] 1,674.5	37.6			18.8		94.1	18.8		18.8	319.8		18.8		56.4
40	Fairfax County (total)	1,353.1	19.3			14.4		4.8	9.6	48.2		110.8	19.3	14.4	14.4	53.0
41	White	1,247.4	6.2			18.5				55.6		80.3	6.2	12.4		55.6
42	Colored	1,727.5	65.6					21.9	43.7	21.9		218.7	65.6	21.9	65.6	43.7
43	Fauquier County (total)	[3] 1,296.3	22.2					13.3	8.9	13.3		213.1	22.2	13.3	4.4	79.9
44	White	[3] 1,157.1	20.0					13.3	6.7	13.3		126.4	26.6	13.3	6.7	93.1
45	Colored	[3] 1,575.6	26.7					13.4	13.4	13.4		387.2	13.4	13.4		53.4
46	Floyd County (total)	[3] 943.8	21.3					28.4	7.1	14.2		127.7	7.1	14.2	7.1	56.8
47	White	[3] 845.0	15.1					15.1	7.5	15.1		83.0	7.5	15.1	7.5	52.8
48	Colored	[3] 2,509.0	119.5					238.9				836.3				119.5
49	Fluvanna County (total)	[3] 1,381.7	12.0					120.1		12.0	12.0	120.1			12.0	36.0
50	White	[3] 1,252.8						20.2		20.2		40.4				60.6
51	Colored	[3] 1,570.8	29.6					266.7			29.6	237.1			29.6	
52	Franklin County (total)	1,053.9	22.4						41.1	18.7		100.9	3.7	22.4	7.5	59.8
53	White	991.1	18.5						46.3	18.5		69.5		13.9	4.6	64.8
54	Colored	1,316.8	38.7						19.4	19.4		232.4	19.4	58.1	19.4	38.7
55	Frederick County (total)	[3] 1,071.4	7.8	7.8				7.8	54.7	31.3		86.0		7.8		70.4
56	White	[3] 1,050.2	8.3	8.3				8.3	57.9	33.1		74.4		8.3		74.4
57	Colored	[3] 1,440.9										288.2				
58	Fredericksburg (city) (total)	1,731.0						47.6		15.9	15.9	270.0				31.8
59	White	1,452.8						40.9			20.5	204.6				40.9
60	Colored	2,695.0						70.9		70.9		496.5				
61	Giles County† (total)	895.4	8.3					8.3	24.9	16.6		107.8		8.3	8.3	24.9
62	White	882.8	8.8					8.8	26.5	8.8		114.8			8.8	17.7
63	Colored	1,089.9								136.2				136.2		136.2
64	Gloucester County (total)	[3] 1,450.7	16.0	16.0				24.0	8.0	8.0		304.6		16.0	8.0	72.1
65	White	1,080.7	30.4	15.2				45.7	15.2			137.0			15.2	60.9
66	Colored	[3] 1,862.2		16.9						16.9		490.9		33.9		84.6
67	Goochland County (total)	[3] 1,169.2	21.7					10.8	10.8	21.7		249.0				21.7
68	White	948.3							25.0	25.0		74.9				25.0
69	Colored	[3] 1,338.4	38.2					19.1		19.1		382.4				19.1
70	Grayson County† (total)	825.6	18.7					23.3	23.3	14.0	4.7	70.0	9.3	4.7		28.0
71	White	799.5	19.5					9.8	24.4	14.6	4.9	68.3	9.8	4.9		29.3
72	Colored [4]	1,400.9						323.3				107.8				
73	Greene County (total)	847.2										95.7			13.7	27.3
74	White	796.4										33.2			16.6	16.6
75	Colored	1,084.4										387.3				77.5
76	Greensville County (total)	1,636.6	69.2	146.0	15.4	7.7			15.4	15.4		230.5		7.7	15.4	30.7
77	White	1,162.6	39.4	59.1		19.7			19.7	19.7		78.8				59.1
78	Colored	1,939.5	88.2	201.5	25.2				12.6	12.6		327.5		12.6	25.2	12.6

[1] Exclusive of stillbirths. [2] Exclusive of municipalities having a population of 10,000 or over in 1910. [3] Rate based on population Apr. 15, 1910. Decrease since 1900.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
18.6		93.2	18.6		261.0	37.3	55.9				149.1		55.9	93.2	55.9		205.0	130.5	1
71.8		143.7	71.8								287.4		143.7	71.8	71.8		359.2	143.7	2
		75.5			352.4	50.3	75.5				100.7		25.2	100.7	50.3		151.0	125.8	3
6.2		68.7	137.3	12.5	43.7		68.7		6.2		56.2	6.2	25.0	62.4	37.5		280.9	181.0	4
12.8		89.8	89.8		25.7		89.8		12.8		25.7	12.8	12.8	64.1	12.8		230.9	77.0	5
		48.6	182.4	24.3	60.8		48.6				85.1		36.5	60.8	60.8		328.3	279.7	6
14.4		101.0	202.0		158.7		43.3	14.4			101.0		14.4	101.0	43.3		245.2		7
		112.5	157.4		112.5			22.5			45.0			90.0	67.5		269.9		8
40.2		80.5	281.6		241.4		120.7				201.1		40.2	120.7			201.1		9
	16.6	104.9	138.0	11.0	127.0	11.0	71.8	5.5			176.7	5.5	11.0	138.0	88.3	16.6	276.0	33.1	10
	8.5	93.9	119.5		68.3	17.1	51.2	8.5			153.7		8.5	85.4	76.9	17.1	222.0		11
	31.2	125.0	171.8	31.2	234.3		109.3				218.7	15.6	15.6	234.3	109.3	15.6	374.9	93.7	12
	40.2	40.2	187.5	26.8	120.5	13.4	26.8			26.8	80.3	26.8		67.0	26.8		174.1	40.2	13
	35.9	35.9	107.8	35.9	89.8	18.0	18.0			35.9	53.9	18.0		89.8			179.6	35.9	14
	52.6	52.6	421.1		210.5		52.6				157.9	52.6			105.3		157.9	52.6	15
		58.1	159.7		58.1		14.5	29.0	14.5	14.5	29.0	14.5	29.0	43.5	145.1		145.1	58.1	16
		35.6	89.1		17.8			17.8			17.8	17.8	35.6	35.6	106.9		142.6	17.8	17
		156.5	469.5		234.7		78.2	78.2	78.2	78.2	78.2			78.2	313.0		156.5	234.7	18
			81.1	20.3	81.1		60.8				40.6			60.8	20.3	40.6	162.2	60.8	19
			84.2	21.0	63.1		63.1				42.1			63.1	21.0	42.1	126.2	63.1	20
					561.8												1,123.6		21
14.8	22.3	52.0	170.7	7.4	96.5	22.3	59.4		14.8	7.4	37.1		14.8	59.4	66.8	7.4	267.2	29.7	22
24.4	12.2	73.1	146.2		48.7	12.2	73.1				12.2		12.2	48.7	60.9	12.2	243.6	12.2	23
	38.0	19.0	209.0	19.0	171.0	38.0	38.0		38.0	19.0	76.0		19.0	76.0	76.0		304.1	57.0	24
	10.8	53.8	139.8		32.3	32.3	75.3			10.8	75.3	10.8	10.8	43.0	53.8		225.8	86.0	25
	30.1	60.2	150.4				120.3				90.2			30.1	30.1		240.6	60.2	26
		50.2	133.9		50.2	50.2	50.2			16.7	66.9	16.7	16.7	50.2	66.9		217.6	100.4	27
			20.1		10.0		10.0	20.1			10.0		10.0	10.0	50.2		100.3	100.3	28
			20.1		10.0		10.0	20.1			10.0		10.0	10.0	40.2		100.5	90.4	29
															(5)			(5)	30
6.5	6.5	200.3	465.2		116.3	6.5	51.7	12.9	19.4		303.7	6.5	19.4	71.1	96.9	6.5	1,279.3	45.2	31
16.2	16.2	80.9	64.7		113.3	16.2	64.7		32.4		210.4			97.1	64.7		307.5	16.2	32
		279.6	731.3		118.3		43.0	21.5	10.8		365.7	10.8	32.3	53.8	118.3	10.8	1,925.1	64.5	33
40.6	22.6	194.1	370.1	13.5	216.7	4.5	40.6	13.5	18.1	27.1	582.3	27.1	18.1	108.3	144.4	18.1	492.0		34
41.3	27.5	192.7	392.3		178.9		13.8	20.6	20.6	34.4	557.5	20.6		89.5	89.5	27.5	419.8		35
39.3	13.1	196.7	327.9	39.3	288.5	13.1	91.8		13.1	13.1	629.5	39.3	52.5	144.3	249.2		629.5		36
	32.9	76.9	186.7	11.0	120.8	11.0	43.9			11.0	109.8			43.9	32.9		241.6	65.9	37
	26.4		158.3	26.4	131.9		52.8				105.5			26.4			263.9	52.8	38
	37.6	131.7	207.0		112.9	18.8	37.6			18.8	112.9			56.4	56.4		225.8	75.3	39
9.6	4.8	139.6	202.2	24.1	81.9	9.6	48.2		9.6		86.7		9.6	86.7	57.8		260.0	14.4	40
12.4	6.2	129.7	210.0	12.4	80.3	12.4	49.4		12.4		67.9		6.2	80.3	61.8		265.5	6.2	41
		174.9	174.9	65.6	87.5		43.7				153.1		21.9	109.3	43.7		240.5	43.7	42
	4.4	57.7	115.4	13.3	88.8	8.9	57.7	4.4	4.4		97.7		8.9	79.9	40.0	8.9	275.2	40.0	43
		73.2	93.1	6.7	66.5	13.3	66.5	6.7	6.7		93.1		6.7	66.5	20.0	13.3	272.7	33.3	44
	13.4	26.7	160.2	26.7	133.5		40.1				106.8		13.4	106.8	80.1		280.4	53.4	45
7.1		42.6	71.0	7.1	63.9		7.1	7.1	14.2		56.8	7.1		120.6	21.3		177.4	56.8	46
7.5		45.3	75.4	7.5	60.4		7.5	7.5	15.1		52.8			113.2	22.6		158.4	52.8	47
					119.5						119.5	119.5		238.9			477.9	119.5	48
12.0	12.0	144.2	168.2	24.0	84.1		24.0			12.0	72.1	24.0	24.0	72.1	36.0		276.3	72.1	49
20.2		202.1	202.1	20.2	121.2		40.4			20.2	101.0	20.2	20.2	60.6	20.2		222.3	40.4	50
	29.6	59.3	118.6	29.6	29.6						29.6	29.6	29.6	88.9	59.3		355.7	118.6	51
	3.7	26.2	82.2		104.6	26.2	11.2		11.2		59.8	11.2	18.7	89.7	52.3	14.9	194.3	71.0	52
	4.6	32.4	83.4		106.5	23.2	13.9		13.9		64.8	9.3	18.5	88.0	37.0	18.5	180.6	60.2	53
			77.5		96.8	38.7					38.7	19.4	19.4	96.8	116.2		251.7	116.2	54
	23.5	39.1	93.8	31.3	93.8	39.1	15.6		23.5		70.4		7.8	62.6	39.1	7.8	219.0	31.3	55
	16.5	41.3	91.0	33.1	99.2	33.1	16.5		16.5		74.4		8.3	66.2	24.8	8.3	215.0	33.1	56
	144.1		144.1			144.1			144.1						288.2		288.2		57
15.9		127.0	238.2	31.8	206.4		31.8	31.8	15.9	15.9	95.3	31.8	31.8	63.5	79.4		317.6	15.9	58
20.5		122.8	163.7		143.2			40.9		20.5	81.8	20.5	40.9	81.8	102.3		306.9		59
		141.8	496.5	141.8	425.5		141.8		70.9		141.8	70.9					354.6	70.9	60
16.6		33.2	107.8	8.3	107.8	24.9	16.6		8.3	8.3	58.0	16.6	24.9	99.5	74.6		33.2	49.7	61
17.7		35.3	105.9	8.8	114.8	17.7	17.7		8.8	8.8	44.1	17.7	26.5	105.9	70.6		35.3	53.0	62
			136.2			136.2					272.5				136.2				63
	8.0	48.1	176.3	16.0	56.1		16.0				152.3	16.0	16.0	56.1	64.1	8.0	232.4	112.2	64
		76.1	182.6	30.4	30.4						121.8			76.1	45.7		152.2	45.7	65
	16.9	16.9	169.3		84.6		33.9				186.2	33.9	33.9	33.9	84.6	16.9	321.7	186.2	66
10.8	10.8	21.7	151.6	10.8	32.5	21.7	10.8	10.8	10.8		151.6	10.8		86.6	43.3		184.0	65.0	67
25.0		25.0	99.8		49.9	25.0	25.0		25.0		124.8			99.8	99.8		149.7	49.9	68
	19.1	19.1	191.2	19.1	19.1	19.1		19.1			172.1	19.1		76.5			210.3	76.5	69
9.3	14.0	23.3	74.6	28.0	65.3	9.3	18.7	4.7		4.7	23.3		18.7	51.3	37.3	9.3	172.6	65.3	70
9.8	14.6	19.5	73.1	29.3	63.4	4.9	19.5	4.9		4.9	24.4		19.5	48.8	29.3	9.8	175.5	63.4	71
		107.8	107.8		107.8	107.8								107.8	215.5		107.8	107.8	72
	27.3		123.0	27.3	41.0	41.0	41.0		13.7	13.7	13.7	13.7		27.3	68.3		164.0	95.7	73
	33.2		132.7	16.6	33.2	49.8	49.8		16.6	16.6	16.6	16.6		16.6	66.4		182.5	83.0	74
			77.5	77.5	77.5									77.5	77.5		77.5	154.9	75
		23.1	76.8	15.4	115.3		61.5	7.7	15.4		169.0	15.4	7.7	115.3	53.8		345.8	61.5	76
		19.7	39.4	39.4	78.8		98.5	19.7			157.6			39.4	39.4		295.6	39.4	77
		25.2	100.8		138.5		37.8		25.2		176.3	25.2	12.6	163.7	63.0		377.8	75.6	78

[4] Colored population less than 5 per cent of the total in 1910. [5] Rate not shown when population is less than 100. [6] Includes National Military Home.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	VIRGINIA—continued.															
1	Halifax County (total)	1,468.3	16.8	14.4				14.4	21.7	40.9	4.8	170.9	4.8	26.5	9.6	36.1
2	White	1,177.7	18.9	4.7				18.9	18.9	23.6	4.7	52.0	4.7	14.2	4.7	56.8
3	Colored	1,769.4	14.7	24.5				9.8	24.5	58.8	4.9	294.1	4.9	39.2	14.7	14.7
4	Hanover County (total)	[3] 1,651.2	29.1					5.8	23.3	17.4	5.8	220.9	5.8	11.6	29.1	93.0
5	White	1,427.2	29.5						29.5			78.7			29.5	108.3
6	Colored	[3] 1,974.4	28.4					14.2	14.2	42.6	14.2	426.1	14.2	28.4	28.4	71.0
7	Henrico County (total)	1,927.9	20.4	27.2					6.8	20.4		359.8		6.8	20.4	74.7
8	White	1,667.6	19.2	19.2								364.2		9.6	19.2	67.1
9	Colored	2,559.9	23.3	46.5					23.3	69.8		349.1			23.3	93.1
10	Henry County (total)	[3] 1,186.4	92.1	5.4					27.1	10.8		135.4		10.8	10.8	37.9
11	White	927.5	72.7						9.1	18.2		54.6		9.1	9.1	45.5
12	Colored	[3] 1,567.9	120.6	13.4					53.6			254.6		13.4	13.4	26.8
13	Highland County (total)	[3] 940.4	18.8					18.8		18.8		112.8				94.0
14	White	[3] 969.0	19.8					19.8		19.8		118.6				98.9
15	Colored [4]	[3] 384.6														
16	Isle of Wight County (total)	1,264.6	88.1	25.2				31.5	18.9			176.2	6.3	12.6	6.3	44.0
17	White	1,061.6	116.5					12.9	25.9			77.7				90.6
18	Colored	1,456.5	61.2	49.0				49.0	12.2			269.3	12.2	24.5	12.2	
19	James City County * (total)	3,274.7	15.0	45.1		15.0		30.0	15.0	15.0	15.0	300.4		15.0		60.1
20	White	4,238.2		55.4				27.7			27.7	415.5		27.7		110.8
21	Colored	2,133.2	32.8	32.8		32.8		32.8	32.8	32.8		164.1				
22	King and Queen County (total)	1,519.7	30.8	10.3			20.5	102.7	10.3	20.5		205.4		20.5		20.5
23	White	975.2	46.4	23.2			46.4	92.9		23.2		23.2				
24	Colored	1,951.4	18.4					110.5	18.4	18.4		349.8		36.8		36.8
25	King George County (total)	[3] 1,473.8	62.7				15.7	78.4		15.7		344.9		15.7		47.0
26	White	[3] 1,241.0	28.9				28.9	28.9		28.9		115.4		28.9		57.7
27	Colored	[3] 1,750.8	103.0					137.3				617.9				34.3
28	King William County (total)	1,760.1	46.3	11.6		11.6			11.6	11.6	11.6	208.4		34.7	11.6	46.3
29	White	1,125.4				27.4					27.4	54.9				27.4
30	Colored	2,223.1	80.1	20.0					20.0	20.0		320.4		60.1	20.0	60.1
31	Lancaster County (total)	1,287.5		9.8				9.8	9.8	68.8		147.4		19.7	9.8	29.5
32	White	1,161.8								101.9		101.9		20.4		61.1
33	Colored	1,404.4		19.0				19.0	19.0	38.0		189.8		19.0	19.0	
34	Lee County (total)	917.5	27.0					7.7	30.8	19.3	3.9	111.8		38.6	3.9	11.6
35	White	900.0	24.2					8.1	32.3	20.2	4.0	104.9		36.3	4.0	12.1
36	Colored [4]	1,290.9	86.1									258.2		86.1		
37	Loudoun County (total)	[3] 1,507.1	9.4			4.7		23.6	4.7	28.3	4.7	146.5		18.9	18.9	99.2
38	White	[3] 1,436.1	12.5			6.3				25.1	6.3	106.6		18.8	18.8	112.9
39	Colored	[3] 1,723.8						95.8	19.2	38.3		268.1		19.2	19.2	57.5
40	Louisa County (total)	1,432.9	18.1					42.1	18.1	12.0		222.8		12.0		36.1
41	White	1,009.1	21.9						32.9	21.9		76.8				32.9
42	Colored	1,948.5	13.3					93.4				400.4		26.7		40.0
43	Lunenburg County (total)	1,296.3	37.5	15.0					15.0	22.5		134.9	15.0		15.0	59.9
44	White	1,185.8	62.4						31.2	31.2		93.6	15.6			62.4
45	Colored	1,398.3	14.4	28.8						14.4		173.0	14.4		28.8	57.7
46	Madison County † (total)	[3] 785.7	9.9		9.9							79.6		19.9		89.5
47	White	677.4			14.7							58.9				73.6
48	Colored	[3] 1,011.0	30.6									122.5		61.3		122.5
49	Mathews County (total)	1,400.7						10.8		21.5		215.5	10.8		21.5	86.2
50	White	1,103.3								14.9		44.7	14.9		14.9	119.3
51	Colored	2,175.6						38.9		38.9		660.5			38.9	
52	Mecklenburg County (total)	1,237.5	19.9	13.2					29.8	29.8		148.9	3.3	9.9	6.6	49.6
53	White	1,012.6	21.9	7.3					51.0	65.6		36.4	7.3		14.6	51.0
54	Colored	1,424.6	18.2	18.2					12.1			242.5		18.2		48.5
55	Middlesex County (total)	1,012.5	21.8							21.8		130.6				32.7
56	White	533.7								22.2		111.2				22.2
57	Colored	1,471.8	42.7							21.3		149.3				42.7
58	Montgomery County (total)	1,149.2	5.6					16.7	33.3	16.7		144.3		5.6	5.6	111.0
59	White	1,043.2	6.2					12.5	37.5	18.7		93.7		6.2	6.2	106.2
60	Colored	1,996.0						49.9				548.9				149.7
61	Nansemond County (total)	1,474.4	31.1	48.5		3.5		10.4	13.8	13.8		211.1		13.8	6.9	58.8
62	White	1,283.3	25.0	25.0		8.3			16.7	16.7		150.0			8.3	83.3
63	Colored	1,610.1	35.5	65.1				17.8	11.8	11.8		254.5		23.7	5.9	41.4
64	Nelson County (total)	976.0	23.2			11.6		11.6	34.9	5.8		104.6				34.9
65	White	871.1	24.7			8.2		8.2	41.1	8.2		41.1				32.9
66	Colored	1,228.9	19.8			19.8		19.8	19.8			257.7				39.6
67	New Kent County (total)	[3] 1,537.8	21.4	21.4					21.4			170.9		21.4		106.8
68	White	1,405.3							56.2			168.6				168.6
69	Colored	[3] 1,619.0	34.4	34.4								172.2		34.4		68.9
70	Norfolk County (total)	1,637.1	44.6	27.6		6.4		2.1	12.8	21.3	2.1	180.7	2.1	2.1	10.6	42.5
71	White	1,150.6	25.2	15.1				5.0	5.0	5.0	5.0	106.0			10.1	60.6
72	Colored	1,991.4	58.8	36.7		11.0			18.4	33.1		235.1	3.7	3.7	11.0	29.4
73	Northampton County (total)	1,422.9	65.9					93.4	44.0	33.0		137.3			11.0	27.5
74	White	962.7	62.5					12.5		37.5		62.5			12.5	50.0
75	Colored	1,783.6	68.6					156.8	78.4	29.4		196.0			9.8	9.8
76	Northumberland County (total)	1,402.3	26.6	8.9	8.9					26.6		195.3		8.9		53.3
77	White	1,079.3	14.4							43.2		129.5		14.4		57.6
78	Colored	1,922.2	46.3	23.2	23.2							301.1				46.3

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
.....	12.0	26.5	84.2	7.2	108.3	16.8	48.1	16.8	12.0	2.4	67.4	4.8	21.7	127.6	69.8	2.4	385.1	93.9	1
.....	4.7	18.9	52.0	9.5	99.3	9.5	42.6	23.6	4.7	.....	37.8	4.7	18.9	104.1	61.5	4.7	383.1	75.7	2
.....	19.6	34.3	117.6	4.9	117.6	24.5	53.9	9.8	19.6	4.9	98.0	4.9	24.5	151.9	78.4	.....	387.2	112.7	3
11.6	34.9	122.1	168.6	17.4	87.2	11.6	64.0	.....	.....	5.8	127.9	5.8	5.8	104.7	46.5	11.6	337.2	46.5	4
19.7	19.7	128.0	167.3	9.8	68.9	9.8	59.1	.....	.....	9.8	167.3	9.8	.....	128.0	19.7	19.7	305.1	9.8	5
.....	56.8	113.6	170.5	28.4	113.6	14.2	71.0	.....	.....	.....	71.0	.....	14.2	71.0	85.2	.....	383.5	99.4	6
13.6	6.8	135.8	101.8	27.2	122.2	40.7	67.9	.....	6.8	6.8	203.7	20.4	6.8	190.1	95.0	20.4	291.9	33.9	7
19.2	.....	134.2	105.4	38.3	86.3	19.2	67.1	.....	.....	9.6	201.3	19.2	9.6	124.6	67.1	28.8	239.6	.....	8
.....	23.3	139.6	93.1	.....	209.4	93.1	69.8	.....	23.3	.....	209.4	23.3	.....	349.1	162.9	.....	418.9	116.4	9
10.8	16.3	70.4	102.9	5.4	113.8	27.1	32.5	10.8	.....	.....	48.8	.....	5.4	48.8	54.2	.....	238.4	70.4	10
9.1	27.3	36.4	90.9	9.1	118.2	27.3	45.5	.....	.....	.....	27.3	.....	9.1	72.7	36.4	.....	145.5	54.6	11
13.4	.....	120.6	120.6	.....	107.2	26.8	13.4	26.8	.....	.....	80.4	.....	.....	13.4	80.4	.....	375.2	93.8	12
18.8	.....	37.6	112.8	37.6	75.2	18.8	18.8	.....	.....	.....	18.8	.....	.....	150.5	75.2	.....	75.2	37.6	13
19.8	.....	19.8	118.6	39.5	79.1	19.8	19.8	.....	.....	.....	19.8	.....	.....	158.2	79.1	.....	79.1	39.5	14
.....	.....	384.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
12.6	.....	50.3	107.0	12.6	56.6	25.2	56.6	6.3	6.3	.....	62.9	6.3	25.2	75.5	25.2	.....	283.1	44.0	16
25.9	.....	51.8	77.7	25.9	38.8	25.9	51.8	.....	.....	.....	77.7	.....	.....	51.8	38.8	.....	233.0	38.8	17
.....	.....	49.0	134.6	.....	73.4	24.5	61.2	12.2	12.2	.....	49.0	12.2	49.0	97.9	12.2	.....	330.5	49.0	18
.....	30.0	180.3	255.4	45.1	105.2	30.0	105.2	.....	.....	15.0	255.4	.....	45.1	90.1	90.1	.....	1,472.1	30.0	19
.....	27.7	304.7	193.9	55.4	110.8	27.7	27.7	.....	.....	.....	304.7	.....	.....	55.4	110.8	.....	2,354.6	.....	20
.....	32.8	32.8	328.2	32.8	98.5	32.8	196.9	.....	.....	32.8	196.9	.....	98.5	131.3	65.6	.....	426.6	65.6	21
20.5	.....	30.8	164.3	.....	102.7	.....	82.1	10.3	10.3	20.5	143.8	.....	.....	51.3	92.4	.....	267.0	82.1	22
.....	.....	23.2	162.5	.....	92.9	.....	23.2	.....	.....	.....	69.7	.....	.....	46.4	69.7	.....	185.7	46.4	23
36.8	.....	36.8	165.7	.....	110.5	.....	128.9	18.4	18.4	36.8	202.5	.....	.....	55.2	110.5	.....	331.4	110.5	24
.....	.....	94.1	141.1	15.7	15.7	15.7	62.7	.....	.....	.....	109.8	.....	.....	94.1	94.1	15.7	141.1	94.1	25
.....	.....	144.3	173.2	28.9	28.9	28.9	57.7	.....	.....	.....	115.4	.....	.....	57.7	86.6	28.9	144.3	28.9	26
.....	.....	34.3	103.0	.....	.....	.....	68.7	.....	.....	.....	103.0	.....	.....	137.3	103.0	.....	137.3	171.6	27
11.6	.....	139.0	173.7	.....	104.2	23.2	104.2	.....	.....	23.2	150.5	.....	23.2	69.5	115.8	23.2	324.2	69.5	28
27.4	.....	164.7	27.4	.....	82.3	27.4	109.8	.....	.....	27.4	54.9	.....	.....	27.4	164.7	27.4	192.1	54.9	29
.....	.....	120.2	280.4	.....	120.2	20.0	100.1	.....	.....	20.0	220.3	.....	40.1	100.1	80.1	20.0	420.6	80.1	30
.....	.....	88.5	68.8	9.8	117.9	29.5	147.4	9.8	9.8	.....	108.1	.....	.....	68.8	59.0	.....	206.4	59.0	31
.....	.....	61.1	61.1	20.4	81.5	20.4	142.7	20.4	.....	.....	122.3	.....	.....	81.5	20.4	.....	203.8	40.8	32
.....	.....	113.9	75.9	.....	151.8	38.0	151.8	.....	19.0	.....	94.9	.....	.....	56.9	94.9	.....	208.8	75.9	33
.....	19.3	19.3	34.7	.....	57.8	19.3	54.0	3.9	3.9	.....	46.3	7.7	15.4	81.0	65.5	3.9	138.8	92.5	34
.....	20.2	16.1	36.3	.....	60.5	20.2	52.5	4.0	4.0	.....	48.4	8.1	16.1	84.8	56.5	4.0	125.1	96.9	35
.....	.....	86.1	.....	.....	.....	.....	86.1	.....	.....	.....	.....	.....	.....	.....	258.2	.....	430.3	.....	36
9.4	28.3	70.9	207.9	4.7	132.3	23.6	47.2	9.4	18.9	4.7	179.5	4.7	18.9	66.1	56.7	4.7	236.2	23.6	37
12.5	18.8	75.3	200.7	.....	131.7	12.5	50.2	6.3	18.8	6.3	169.3	6.3	25.1	81.5	18.8	6.3	282.2	6.3	38
.....	57.5	57.5	229.8	19.2	134.1	57.5	38.3	19.2	19.2	.....	210.7	.....	.....	19.2	172.4	.....	95.8	76.6	39
18.1	18.1	78.3	156.5	18.1	66.2	12.0	30.1	6.0	6.0	.....	120.4	12.0	18.1	78.3	54.2	24.1	276.9	78.3	40
21.9	11.0	76.8	131.6	.....	43.9	21.9	11.0	11.0	.....	.....	76.8	11.0	.....	54.8	32.9	43.9	186.5	87.7	41
13.3	26.7	80.1	186.8	40.0	93.4	.....	53.4	.....	13.3	.....	173.5	13.3	40.0	106.8	80.1	.....	387.0	66.7	42
7.5	.....	67.4	97.4	7.5	22.5	15.0	45.0	.....	15.0	15.0	82.4	7.5	37.5	82.4	59.9	.....	337.2	82.4	43
.....	.....	62.4	156.0	.....	15.6	15.6	46.8	.....	31.2	15.6	62.4	.....	15.6	93.6	46.8	.....	312.1	15.6	44
14.4	.....	72.1	43.2	14.4	28.8	14.4	43.2	.....	.....	14.4	100.9	14.4	57.7	72.1	72.1	.....	360.4	144.2	45
9.9	.....	9.9	49.7	9.9	29.8	.....	9.9	.....	.....	9.9	29.8	9.9	19.9	89.5	59.7	9.9	169.1	59.7	46
.....	.....	14.7	44.2	14.7	29.5	.....	14.7	.....	.....	14.7	29.5	14.7	29.5	73.6	29.5	14.7	191.4	14.7	47
30.6	.....	.....	61.3	.....	30.6	.....	.....	.....	.....	.....	30.6	.....	.....	122.5	122.5	.....	122.5	153.2	48
.....	.....	43.1	97.0	10.8	64.6	10.8	86.2	.....	10.8	10.8	150.8	.....	.....	86.2	21.5	.....	377.1	64.6	49
.....	.....	44.7	104.4	.....	29.8	.....	74.5	.....	.....	14.9	104.4	.....	.....	59.6	29.8	.....	387.7	44.7	50
.....	.....	38.9	77.7	38.9	155.4	38.9	116.6	.....	38.9	.....	272.0	.....	.....	155.4	.....	.....	349.7	116.6	51
13.2	6.6	46.3	105.9	13.2	89.3	3.3	46.3	.....	13.2	.....	66.2	6.6	19.9	96.0	43.0	3.3	251.5	102.6	52
7.3	7.3	43.7	109.3	.....	65.6	.....	65.6	.....	7.3	.....	51.0	7.3	21.9	80.1	36.4	7.3	189.4	58.3	53
18.2	6.1	48.5	103.1	24.2	109.1	6.1	30.3	.....	18.2	.....	78.8	6.1	18.2	109.1	48.5	.....	303.1	139.4	54
.....	.....	32.7	54.4	21.8	130.6	21.8	32.7	.....	.....	.....	87.1	10.9	.....	98.0	21.8	.....	228.6	65.3	55
.....	.....	22.2	44.5	.....	44.5	.....	22.2	.....	.....	.....	22.2	22.2	.....	.....	22.2	.....	133.4	44.5	56
.....	.....	42.7	64.0	42.7	213.3	42.7	42.7	.....	.....	.....	149.3	.....	.....	192.0	21.3	.....	320.0	85.3	57
33.3	.....	33.3	83.3	11.1	94.4	5.6	38.9	5.6	5.6	11.1	77.7	11.1	.....	72.2	61.1	5.6	188.8	72.2	58
18.7	.....	31.2	87.5	12.5	93.7	6.2	37.5	6.2	6.2	6.2	87.5	6.2	.....	75.0	56.2	6.2	168.7	50.0	59
149.7	.....	49.9	49.9	.....	99.8	.....	49.9	.....	.....	49.9	.....	49.9	.....	49.9	99.8	.....	349.3	249.5	60
10.4	24.2	62.3	135.0	13.8	114.2	6.9	83.1	13.8	10.4	6.9	62.3	13.8	20.8	72.7	72.7	.....	301.1	38.1	61
.....	16.7	83.3	116.7	8.3	50.0	16.7	66.7	16.7	8.3	16.7	66.7	.....	16.7	58.3	66.7	.....	333.3	8.3	62
17.8	29.6	47.4	148.0	17.8	159.8	.....	94.7	11.8	11.8	.....	59.2	23.7	23.7	82.9	77.0	.....	278.2	59.2	63
11.6	11.6	17.4	127.8	11.6	58.1	.....	98.8	5.8	5.8	.....	63.9	11.6	11.6	58.1	52.3	.....	174.3	29.0	64
16.4	8.2	16.4	139.7	16.4	57.5	.....	106.8	8.2	.....	.....	41.1	16.4	8.2	41.1	49.3	.....	164.4	16.4	65
.....	19.8	19.8	99.1	.....	59.5	.....	79.3	.....	19.8	.....	118.9	.....	19.8	99.1	59.5	.....	198.2	59.5	66
64.1	21.4	64.1	149.5	.....	64.1	21.4	42.7	.....	.....	.....	106.8	21.4	21.4	21.4	149.5	21.4	256.3	149.5	67
.....	.....	112.4	112.4	.....	56.2	.....	56.2	.....	.....	.....	112.4	.....	56.2	.....	56.2	56.2	393.5	.....	68
103.3	34.4	34.4	172.2	.....	68.9	34.4	34.4	.....	.....	.....	103.3	34.4	.....	34.4	206.7	.....	172.2	241.1	69
4.3	6.4	85.0	121.2	31.9	180.7	38.3	116.9	6.4	2.1	2.1	95.7	6.4	12.8	44.6	123.3	8.5	338.1	57.4	70
5.0	5.0	90.8	85.8	5.0	65.6	5.0	100.9	.....	5.0	.....	100.9	5.0	10.1	50.5	116.1	20.2	232.1	10.1	71
3.7	7.3	80.8	147.0	51.4	264.5	62.5	128.6	11.0	.....	3.7	91.9	7.3	14.7	40.4	128.6	.....	415.2	91.9	72
.....	5.5	82.4	93.4	27.5	65.9	11.0	93.4	.....	11.0	11.0	109.9	5.5	22.0	82.4	98.9	5.5	219.8	65.9	73
.....	.....	87.5	87.5	12.5	50.0	.....	75.0	.....	.....	.....	87.5	.....	.....	50.0	62.5	12.5	187.5	12.5	74
.....	9.8	78.4	98.0	39.2	78.4	19.6	107.8	.....	19.6	19.6	127.4	9.8	39.2	107.8	127.4	.....	245.0	107.8	75
.....	17.8	44.4	195.3	8.9	35.5	26.6	71.0	.....	8.9	.....	62.1	8.9	17.8	124.3	88.8	8.9	230.8	124.3	76
.....	14.4	43.2	143.9	.....	28.8	.....	72.0	.....	14.4	.....	72.0	.....	28.8	28.8	100.7	14.4	201.5	57.6	77
.....	23.2	46.3	277.9	23.2	46.3	69.5	69.5	.....	.....	.....	46.3	23.2	.....	277.9	69.5	.....	277.9	231.6	78

[1] Rate based on population Apr. 15, 1910. Decrease since 1900.

[2] Colored population less than 5 per cent of the total in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	VIRGINIA—continued.															
1	Nottoway County (total)	1,545.6	28.5	28.5						14.2		163.8		14.2		49.9
2	White	1,190.5										44.6				74.4
3	Colored	1,871.6	54.6	54.6						27.3		273.2		27.3		27.3
4	Orange County (total)	1,160.0	7.2			7.2		43.0	7.2	21.5		136.0	7.2	14.3		28.6
5	White	971.7						11.8	11.8	11.8		35.5		11.8		35.5
6	Colored	1,447.4	18.1			18.1		90.5		36.2		289.5	18.1	18.1		18.1
7	Page County (total)	1,179.2	14.0				7.0	14.0	7.0	14.0		146.5	7.0	7.0	14.0	41.9
8	White	1,157.0	15.0				7.5	15.0	7.5	15.0		142.7	7.5	7.5	15.0	37.6
9	Colored	1,467.7										195.7				97.8
10	Patrick County † (total)	838.0	11.0					5.5	5.5	16.5	5.5	71.7	5.5	5.5	11.0	38.6
11	White	829.0	12.1					6.1	6.1	18.2	6.1	60.5	6.1	6.1	12.1	42.4
12	Colored	930.5										186.1				
13	Pittsylvania County (total)	1,327.1	32.0	1.9		1.9	1.9	7.5	28.2	13.2	5.6	197.4	1.9	13.2	5.6	39.5
14	White	1,127.9	26.9					3.0	35.9	18.0	6.0	122.7	3.0	15.0	3.0	41.8
15	Colored	1,663.9	40.5	5.1		5.1	5.1	15.2	15.2	5.1	5.1	323.7		10.1	10.1	35.4
16	Powhatan County (total)	[3] 1,705.2	32.8					16.4		16.4		180.4				49.2
17	White	1,297.6						40.6				40.6				
18	Colored	[3] 1,981.8	55.1							27.5		275.3				82.6
19	Prince Edward County (total)	[3] 1,500.1	7.0	7.0					21.0	14.0		210.3	14.0	14.0	7.0	49.1
20	White	964.2	17.2	17.2								34.4	34.4		17.2	34.4
21	Colored	[3] 1,868.1							35.5	23.6		331.0		23.6		59.1
22	Prince George County (total)	2,747.9	38.0			12.7		88.6	25.3	12.7		291.2	12.7	25.3		63.3
23	White	2,476.5						85.4	28.5	28.5		56.9				113.9
24	Colored	2,965.3	68.4			22.8		91.2	22.8			479.0	22.8	45.6		22.8
25	Prince William County (total)	1,239.5	24.0			8.0			40.0	24.0		80.0		8.0		80.0
26	White	1,133.3	30.9			10.3			41.2	30.9		61.8				82.4
27	Colored	1,607.7							35.7			142.9		35.7		71.5
28	Princess Anne County [4] (total)	2,487.0	17.1	42.7		8.5		34.2	8.5	34.2		512.8	8.5	17.1		59.8
29	White	1,720.3	17.2	34.4		17.2		17.2		51.6		275.2				51.6
30	Colored	3,243.9	17.0	51.0				51.0	17.0	17.0		747.3	17.0	34.0		67.9
31	Pulaski County (total)	1,046.3	5.4			5.4		5.4	10.4	16.1	5.4	134.1		16.1	5.4	42.9
32	White	964.1	6.3					6.3	12.6	12.6	6.3	88.2		18.9	6.3	31.5
33	Colored	1,517.3				36.1				36.1		397.4				108.4
34	Radford (city) † (total)	537.2						21.5	21.5			64.5				43.0
35	White	618.9						25.8	25.8			77.4				51.6
36	Colored	128.9														
37	Rappahannock County (total)	[3] 1,280.5	37.3					37.3		37.3		62.2				49.7
38	White	[3] 1,068.5	33.9					17.0		50.9		33.9				50.9
39	Colored	[3] 1,862.2	46.6					93.1				139.7				46.6
40	Richmond County (total)	1,225.8	13.2	13.2				13.2	39.5	26.4		210.9		13.2		26.4
41	White	990.8							67.6			112.6				
42	Colored	1,557.5	31.8	31.8				31.8		63.6		349.7		31.8		63.6
43	Roanoke County (total)	1,387.7	13.9	4.6				4.6	23.1	23.1		245.2		9.3	9.3	69.4
44	White	1,243.0	11.0	5.5				5.5	27.4	21.9		219.0		5.5	5.5	71.2
45	Colored	2,175.9	29.8							29.8		387.5		29.8	29.8	59.6
46	Rockbridge County (total)	[3] 1,275.3	14.2					23.6	33.1	18.9	14.2	155.9	4.7	9.4	9.4	52.0
47	White	[3] 1,179.0	5.7					17.0	34.0	17.0	11.3	107.7		5.7	5.7	62.4
48	Colored	[3] 1,756.9	56.7					56.7	28.3	28.3	28.3	396.7	28.3	28.3	28.3	
49	Rockingham County (total)	1,142.4	22.5					8.4	22.5	14.0	2.8	129.1	2.8	8.4	5.6	58.9
50	White	1,049.4	23.9					3.0	20.9	14.9	3.0	101.6	3.0	6.0	6.0	62.8
51	Colored	2,571.2						91.8	45.9			551.0		45.9		
52	Russell County † (total)	812.3	19.0			3.8		26.6	34.2	11.4	3.8	75.9	3.8	7.6	11.4	30.4
53	White	806.2	19.9			4.0		27.8	31.8	11.9	4.0	75.5		7.9	7.9	31.8
54	Colored [5]	944.2							85.8			85.8	85.8		85.8	
55	Scott County (total)	1,196.6	32.8					32.8	41.0	12.3		98.3	4.1	28.7	12.3	32.8
56	White	1,184.9	33.4					33.4	41.7	12.5		96.0	4.2	29.2	12.5	33.4
57	Colored [5]	1,839.1										229.9				
58	Shenandoah County (total)	1,225.1	23.5			4.7		4.7	14.1	46.9		169.0	14.1	18.8	28.2	18.8
59	White	1,201.4	23.9			4.8		4.8	14.4	47.9		167.5	14.4	19.1	28.7	19.1
60	Colored [5]	2,427.2										242.7				
61	Smyth County * (total)	1,303.7	27.3					22.7	27.3	18.2		104.5	4.5	13.6	13.6	36.3
62	White	1,277.4	28.4					23.7	28.4	18.9		75.7	4.7	14.2	14.2	37.9
63	Colored [5]	1,934.0										796.4				
64	Southampton County (total)	1,397.4	28.4	46.2				56.9	32.0	14.2	3.6	231.1	3.6	7.1	14.2	35.6
65	White	975.7	18.6	37.2				18.6	27.9	9.3	9.3	111.5			18.6	55.8
66	Colored	1,658.8	34.6	51.8				80.6	34.6	17.3		305.3	5.8	11.5	11.5	23.0
67	Spotsylvania County (total)	1,194.2						87.4		29.1		184.5			9.7	48.5
68	White	786.7						14.6		29.1		116.6			14.6	43.7
69	Colored	2,008.1						232.8		29.1		320.1				58.2
70	Stafford County † (total)	[3] 755.9	24.8					12.4	24.8	37.2	12.4	74.3	12.4			24.8
71	White	[3] 803.1	31.5						15.7	31.5	15.7	63.0	15.7			31.5
72	Colored	581.4						58.1	58.1	58.1		116.3				
73	Surry County (total)	1,349.9	9.6	38.6		28.9			19.3	28.9		183.2			9.6	48.2
74	White	991.1		25.4								25.4				50.8
75	Colored	1,569 3	15.5	46.6		46.6			31.1	46.6		279.7			15.5	46.6
76	Sussex County (total)	1,365.8	55.2	27.6		6.9		69.0	20.7			158.7	6.9	20.7	6.9	13.8
77	White	758.8	39.9	39.9				20.0	20.0			99.8		39.9	20.0	
78	Colored	1,686.2	63.2	21.1		10.5		94.8	21.1			189.7	10.5	10.5		21.1

[1] Exclusive of stillbirths. [2] Exclusive of municipalities having a population of 10,000 or over in 1910. [3] Rate based on population Apr. 15, 1910. Decrease since 1900.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
21.4	28.5	92.6	128.2	7.1	85.5	14.2	85.5	14.2	.....	7.1	106.8	7.1	28.5	78.3	185.2	.....	313.4	42.7	1
29.8	.....	89.3	119.0	.....	74.4	29.8	119.0	.....	.....	14.9	119.0	14.9	14.9	59.5	104.2	.....	267.9	14.9	2
13.7	54.6	95.6	136.6	13.7	95.6	.....	54.6	27.3	.....	.....	95.6	.....	41.0	95.6	259.6	.....	355.2	68.3	3
14.3	7.2	43.0	150.4	7.2	93.1	28.6	64.4	.....	7.2	.....	85.9	.....	14.3	78.8	57.3	14.3	193.3	28.6	4
23.7	.....	47.4	118.5	11.8	106.6	35.5	47.4	.....	.....	.....	47.4	.....	23.7	71.1	59.2	11.8	225.1	23.7	5
.....	18.1	36.2	199.0	.....	72.4	18.1	90.5	.....	18.1	.....	144.7	.....	.....	90.5	54.3	18.1	144.7	36.2	6
7.0	20.9	14.0	76.8	7.0	111.6	41.9	27.9	.....	.....	.....	83.7	.....	.....	83.7	132.6	14.0	209.3	76.8	7
7.5	22.5	7.5	75.1	7.5	112.7	30.1	30.1	.....	.....	.....	75.1	.....	.....	82.6	127.7	15.0	210.4	82.6	8
.....	.....	97.8	97.8	.....	97.8	195.7	.....	.....	.....	.....	195.7	.....	.....	97.8	195.7	.....	195.7	.....	9
.....	27.6	11.0	66.2	5.5	66.2	5.5	33.1	5.5	5.5	.....	16.5	5.5	5.5	38.6	71.7	5.5	215.0	77.2	10
.....	30.3	12.1	66.6	6.1	72.6	.....	24.2	6.1	6.1	.....	12.1	6.1	6.1	42.4	60.5	6.1	211.8	84.7	11
.....	.....	.....	62.0	.....	.....	62.0	124.1	.....	.....	.....	62.0	.....	.....	.....	186.1	.....	248.1	.....	12
1.9	11.3	32.0	94.0	9.4	144.7	5.6	52.6	5.6	3.8	13.2	65.8	7.5	16.9	112.8	84.6	1.9	259.4	54.5	13
3.0	12.0	35.9	83.8	3.0	113.7	6.0	68.8	6.0	.....	18.0	47.9	12.0	15.0	107.7	77.8	3.0	212.4	26.9	14
.....	10.1	25.3	111.3	20.2	197.2	5.1	25.3	5.1	10.1	5.1	96.1	.....	20.2	121.4	96.1	.....	338.8	101.1	15
65.6	.....	82.0	311.5	16.4	98.4	16.4	65.6	.....	.....	.....	147.6	16.4	16.4	49.2	131.2	.....	360.7	32.8	16
81.1	.....	121.7	283.9	.....	121.7	.....	40.6	.....	.....	.....	162.2	.....	.....	40.6	162.2	.....	162.2	40.6	17
55.1	.....	55.1	330.3	27.5	82.6	27.5	82.6	.....	.....	.....	137.6	27.5	27.5	55.1	110.1	.....	495.5	27.5	18
.....	21.0	42.1	70.1	7.0	133.2	42.1	28.0	14.0	14.0	7.0	105.1	7.0	.....	84.1	98.1	14.0	399.6	70.1	19
.....	17.2	51.7	34.4	17.2	68.9	34.4	34.4	17.2	34.4	.....	34.4	.....	.....	68.9	103.3	17.2	258.3	17.2	20
.....	23.6	35.5	94.6	.....	177.3	47.3	23.6	11.8	.....	11.8	153.7	11.8	.....	94.6	94.6	11.8	496.6	106.4	21
.....	25.3	215.3	164.6	12.7	189.9	38.0	152.0	.....	.....	12.7	114.0	.....	25.3	189.9	493.9	25.3	329.2	189.9	22
.....	28.5	313.1	142.3	28.5	170.8	28.5	199.3	.....	.....	28.5	85.4	.....	.....	227.7	483.9	28.5	284.7	113.9	23
.....	22.8	136.9	182.5	.....	205.3	45.6	114.1	.....	.....	.....	136.9	.....	45.6	159.7	501.8	22.8	365.0	250.9	24
40.0	.....	56.0	104.0	.....	183.9	8.0	40.0	.....	.....	.....	80.0	8.0	8.0	64.0	72.0	24.0	247.9	40.0	25
30.9	.....	61.8	113.3	.....	164.8	10.3	41.2	.....	.....	.....	92.7	.....	10.3	82.4	30.9	30.9	185.5	20.6	26
71.5	.....	35.7	71.5	.....	250.1	.....	35.7	.....	.....	.....	35.7	35.7	.....	.....	214.4	.....	464.5	107.2	27
8.5	25.6	85.5	282.0	8.5	76.9	17.1	136.7	.....	.....	94.0	239.3	.....	17.1	76.9	153.8	.....	435.9	85.5	28
17.2	.....	68.8	103.2	17.2	51.6	.....	120.4	.....	.....	137.6	223.6	.....	.....	68.8	137.6	.....	292.4	17.2	29
.....	51.0	101.9	458.6	.....	101.9	34.0	152.9	.....	.....	51.0	254.8	.....	34.0	84.9	169.8	.....	577.4	152.9	30
10.4	16.1	21.5	91.2	48.3	42.9	16.1	48.3	5.4	5.4	.....	48.3	.....	16.1	80.5	53.7	5.4	225.4	64.4	31
12.6	18.9	25.2	75.6	37.8	44.1	12.6	44.1	.....	6.3	.....	44.1	.....	18.9	81.9	56.7	6.3	214.3	75.6	32
.....	.....	.....	180.6	108.4	36.1	36.1	72.3	36.1	.....	.....	72.3	.....	.....	72.3	36.1	.....	289.0	.....	33
.....	21.5	21.5	43.0	.....	85.9	.....	.....	.....	.....	.....	43.0	.....	21.5	.....	43.0	.....	64.5	43.0	34
.....	25.8	25.8	25.8	.....	103.1	.....	.....	.....	.....	.....	51.6	.....	25.8	.....	51.6	.....	77.4	51.6	35
.....	.....	.....	128.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
.....	12.4	49.7	149.2	24.9	111.9	12.4	87.0	.....	37.3	37.3	111.9	.....	12.4	12.4	62.2	.....	261.1	74.6	37
.....	17.0	50.9	101.8	17.0	101.8	17.0	84.8	.....	17.0	17.0	84.8	.....	.....	.....	84.8	.....	203.5	84.8	38
.....	.....	46.6	279.3	46.6	139.7	.....	93.1	.....	93.1	93.1	186.2	.....	46.6	46.6	.....	.....	419.0	46.6	39
.....	.....	39.5	105.4	.....	65.9	.....	52.7	.....	.....	.....	145.0	.....	26.4	92.3	79.1	.....	184.5	79.1	40
.....	.....	22.5	112.6	.....	90.1	.....	22.5	.....	.....	.....	202.7	.....	45.0	45.0	67.6	.....	157.6	45.0	41
.....	.....	63.6	95.4	.....	31.8	.....	95.4	.....	.....	.....	63.6	.....	.....	158.9	95.4	.....	222.5	127.1	42
18.5	32.4	83.3	120.3	4.6	83.3	4.6	64.8	9.3	4.6	4.6	106.4	9.3	.....	78.6	74.0	27.8	212.8	46.3	43
21.9	38.3	71.2	109.5	5.5	76.7	5.5	60.2	5.5	5.5	.....	65.7	5.5	.....	87.6	60.2	27.4	175.2	49.3	44
.....	.....	149.0	178.8	.....	119.2	.....	89.4	29.8	.....	29.8	327.9	29.8	.....	29.8	149.0	29.8	417.3	29.8	45
14.2	33.1	66.1	113.4	9.4	151.2	14.2	42.5	4.7	4.7	.....	132.3	.....	9.4	52.0	37.8	4.7	203.1	47.2	46
11.3	22.7	73.7	119.0	11.3	130.4	17.0	45.3	.....	5.7	.....	153.0	.....	.....	56.7	28.3	5.7	187.1	45.3	47
28.3	85.0	28.3	85.0	.....	255.0	.....	28.3	28.3	.....	.....	28.3	.....	56.7	28.3	85.0	.....	283.4	56.7	48
22.5	14.0	53.3	134.7	11.2	103.9	22.5	22.5	5.6	5.6	8.4	123.5	5.6	8.4	101.0	30.9	8.4	162.8	22.5	49
14.9	12.0	50.8	113.6	12.0	101.6	23.9	23.9	6.0	3.0	9.0	110.6	3.0	6.0	95.7	32.9	9.0	161.4	14.9	50
137.7	45.9	91.8	459.1	.....	137.7	.....	.....	.....	45.9	.....	321.4	45.9	45.9	183.7	.....	.....	183.7	137.7	51
.....	7.6	7.6	11.4	15.2	79.7	11.4	19.0	.....	3.8	7.6	34.2	11.4	15.2	41.8	94.9	3.8	129.1	91.1	52
.....	7.9	7.9	11.9	15.9	75.5	11.9	19.9	.....	4.0	7.9	35.7	11.9	15.9	39.7	91.3	4.0	131.1	91.3	53
.....	.....	.....	.....	.....	171.7	.....	.....	.....	.....	.....	.....	.....	.....	85.8	171.7	.....	85.8	85.8	54
.....	20.5	32.8	53.3	24.6	110.6	8.2	24.6	.....	4.1	.....	57.4	12.3	.....	135.2	65.6	8.2	245.9	98.3	55
.....	20.9	33.4	50.1	25.0	108.5	8.3	25.0	.....	4.2	.....	58.4	12.5	.....	133.5	66.8	8.3	246.2	87.6	56
.....	.....	.....	229.9	.....	229.9	.....	.....	.....	.....	.....	.....	.....	.....	229.9	.....	.....	229.9	689.7	57
14.1	.....	79.8	103.3	32.9	79.8	14.1	9.4	.....	.....	4.7	122.0	9.4	4.7	98.6	42.2	9.4	234.7	23.5	58
9.6	.....	76.6	105.3	28.7	71.8	14.4	9.6	.....	.....	4.8	119.7	9.6	4.8	100.5	38.3	9.6	234.5	19.1	59
242.7	.....	242.7	.....	242.7	485.4	.....	.....	.....	.....	.....	242.7	.....	.....	.....	242.7	.....	242.7	242.7	60
9.1	9.1	40.9	154.4	9.1	90.8	13.6	45.4	9.1	4.5	.....	59.1	.....	9.1	109.0	77.2	.....	322.5	72.7	61
9.5	9.5	42.6	151.4	4.7	89.9	14.2	42.6	9.5	4.7	.....	52.0	.....	9.5	108.8	75.7	.....	331.2	75.7	62
.....	.....	.....	227.5	113.8	113.8	.....	113.8	.....	.....	.....	227.5	.....	.....	113.8	113.8	.....	113.8	.....	63
7.1	3.6	46.2	71.1	17.8	81.8	35.6	85.3	7.1	3.6	3.6	81.8	.....	17.8	110.2	67.6	3.6	192.0	88.9	64
18.6	9.3	37.2	83.6	18.6	46.5	9.3	74.3	.....	.....	.....	74.3	.....	9.3	65.0	37.2	9.3	111.5	65.0	65
.....	.....	51.8	63.4	17.3	103.7	51.8	92.2	11.5	5.8	5.8	86.4	.....	23.0	138.2	86.4	.....	241.9	103.7	66
.....	.....	38.8	135.9	38.8	48.5	.....	29.1	9.7	9.7	19.4	19.4	9.7	19.4	68.0	48.5	.....	252.4	87.4	67
.....	.....	43.7	87.4	29.1	43.7	.....	14.6	.....	.....	.....	14.6	.....	14.6	58.3	58.3	.....	160.3	43.7	68
.....	.....	29.1	232.8	58.2	58.2	.....	58.2	29.1	29.1	58.2	29.1	29.1	29.1	87.3	29.1	.....	436.6	174.6	69
.....	12.4	37.2	37.2	.....	49.6	12.4	.....	.....	12.4	.....	99.1	12.4	.....	24.8	62.0	.....	161.1	12.4	70
.....	15.7	31.5	47.2	.....	63.0	15.7	.....	.....	15.7	.....	110.2	15.7	.....	31.5	63.0	.....	173.2	15.7	71
.....	.....	58.1	.....	.....	.....	.....	.....	.....	.....	.....	58.1	.....	.....	.....	58.1	.....	116.3	.....	72
9.6	9.6	67.5	77.1	28.9	125.3	.....	106.1	.....	19.3	.....	77.1	9.6	9.6	77.1	57.9	19.3	192.8	96.4	73
.....	25.4	76.2	101.7	25.4	101.7	.....	101.7	.....	.....	.....	50.8	25.4	.....	25.4	50.8	50.8	203.3	50.8	74
15.5	.....	62.2	62.2	31.1	139.8	.....	108.8	.....	31.1	.....	93.2	.....	15.5	108.8	62.2	.....	186.5	124.3	75
.....	.....	34.5	62.1	6.9	89.7	20.7	41.4	6.9	.....	.....	124.2	6.9	27.6	62.1	62.1	6.9	310.4	117.3	76
.....	.....	59.9	.....	.....	59.9	.....	.....	.....	.....	.....	59.9	.....	20.0	20.0	59.9	.....	179.7	20.0	77
.....	.....	21.1	94.8	10.5	105.4	31.6	63.2	10.5	.....	.....	158.1	10.5	31.6	84.3	63.2	10.5	379.4	168.6	78

[4] Includes Norfolk City Almshouse.

[5] Colored population less than 5 per cent of the total in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES[2]—Continued.															
	VIRGINIA—continued.															
1	Tazewell County (total)	931.4	27.2			7.8	7.8	31.0	23.3	7.8	3.9	97.0	7.8	3.9		46.6
2	White	839.4	30.0			8.6	8.6	34.3	25.7	8.6		77.1				51.4
3	Colored	1,818.9									41.3	289.4	82.7	41.3		
4	Warren County (total)	[3] 1,152.6							11.6	11.6		151.4				46.6
5	White	1,086.2							13.4	13.4		120.7				40.2
6	Colored	[3] 1,590.1										353.4				88.3
7	Warwick County (total)	1,714.8	60.2	15.0				30.1		30.1		346.0		15.0		
8	White	1,053.2	50.2									250.8				
9	Colored	1,998.3	64.5	21.5				43.0		43.0		386.9		21.5		
10	Washington County (total)	972.7	28.7				11.5	8.6	28.7	20.1		103.3	2.9	8.6	5.7	43.0
11	White	943.1	30.6				12.2	9.2	30.6	21.4		98.0		9.2	6.1	39.8
12	Colored	1,413.6										182.4	45.6			91.2
13	Westmoreland County (total)	1,454.7	53.5				10.7	10.7	10.7	10.7	21.4	203.2	10.7	32.1		53.5
14	White	1,505.0	41.8				20.9		20.9	20.9	41.8	167.2		20.9		41.8
15	Colored	1,402.0	65.7					21.9				241.0	21.9	43.8		65.7
16	Winchester (city) (total)	2,085.3	16.0				16.0			16.0		176.5				128.3
17	White	1,987.8	19.1				19.1			19.1		210.2				114.7
18	Colored	2,594.8														199.6
19	Wise County (total)	1,002.1	16.7			21.5		9.6	28.7	14.3	2.4	95.7	2.4	7.2	14.3	16.7
20	White	951.2	15.6			23.4		10.4	31.2	15.6	2.6	70.2	2.6	7.8	15.6	15.6
21	Colored	1,589.7	30.0									389.9				30.0
22	Wythe County (total)	[3] 1,094.6	24.5			9.8		19.6	19.6			78.5	4.9		4.9	108.0
23	White	1,000.9	22.0			11.0		22.0	22.0			71.5	5.5		5.5	115.5
24	Colored	[3] 1,873.0	45.7									137.0				45.7
25	York County (total)	1,607.4	38.0	25.3				25.3		38.0		265.8			12.7	12.7
26	White	1,207.6	46.4					23.2		23.2		139.3				23.2
27	Colored	2,086.2	27.8	55.6				27.8		55.6		417.2			27.8	
	WASHINGTON.															
28	Total †	830.9	9.3	0.4	0.1	2.2	0.3	2.8	3.4	10.3	1.6	93.0	4.9	4.5	5.4	51.2
29	White	802.9	9.5	0.3	0.1	2.2	0.3	2.7	3.5	10.1	1.6	83.6	4.1	3.8	5.3	51.8
30	Colored	1,819.6	4.8	4.8		4.8		4.8		14.4		426.2	33.5	28.7	9.6	28.7
31	Adams County †	410.6								14.2	7.1	35.4		7.1		21.2
32	Asotin County †	771.3	28.0			14.0		42.1	14.0	28.0	14.0	70.1				14.0
33	Chelan County †	895.4	19.1			19.1		14.3		14.3	4.8	90.5	4.8	4.8	9.5	38.1
34	Clallam County (total)	1,806.6	13.6									135.8		13.6	13.6	108.7
35	White	1,610.1	15.6									62.5				125.1
36	Colored	3,108.8										621.8		103.6	103.6	
37	Clarke County †	850.3	3.0	3.0				6.1	3.0	9.1		82.3	6.1	12.2		67.0
38	Columbia County	[3] 965.6	14.2							14.2		99.4				42.6
39	Cowlitz County †	538.9								6.7		33.3		6.7	6.7	33.3
40	Douglas County † [4]	[3] 512.5	16.1				4.0			8.1		44.4	4.0	8.1		16.1
41	Ferry County (total)	994.7										142.1				20.3
42	White	763.7										98.5				24.6
43	Colored	2,076.1										346.0				
44	Franklin County †	578.0	13.1	13.1						13.1		52.5				26.3
45	Garfield County †	782.3	23.0			46.0				23.0		46.0				69.0
46	Grays Harbor County † [5]	800.5			3.7							66.4	11.1		3.7	59.0
47	Island County †	838.7								16.1		80.6				64.5
48	Jefferson County † (total)	740.7										72.0				72.0
49	White	712.0										75.5				75.5
50	Colored	1,330.4														
51	King County	1,183.4							10.9	8.7	2.2	292.0			15.3	74.1
52	Kitsap County	1,017.7	4.3							21.4		77.0	17.1		17.1	72.7
53	Kittitas County †	770.5	21.5						8.6	4.3		47.3	8.6	4.3	4.3	38.7
54	Lewis County †	747.4	2.4						2.4	17.0	4.9	77.9	7.3	14.6	4.9	41.4
55	Lincoln County †	805.7	39.1			4.9	4.9					39.1			9.8	58.6
56	Mason County † (total)	682.0										102.3		17.1		68.2
57	White	655.5										109.2				72.8
58	Colored	1,072.4												268.1		
59	Okanogan County (total)	1,051.7	11.6					5.8	5.8	17.4	11.6	145.3	17.4	17.4	5.8	23.2
60	White	847.9	12.2					6.1	6.1	6.1	12.2	73.2	12.2	6.1	6.1	18.3
61	Colored	5,140.8								244.8		1,591.2	122.4	244.8		122.4
62	Pacific County †	619.3										62.6	6.3			43.8
63	Pierce County *	1,155.7	4.2					2.1	2.1	4.2	2.1	199.3	12.7	2.1		48.8
64	San Juan County † (total)	884.3										75.8				
65	White	857.9										80.4				
66	Colored	1,315.8														
67	Skagit County †	842.8	10.8						2.7	10.8	5.4	64.6	2.7	8.1	13.5	70.0
68	Skamania County †	710.6								28.4		142.1		28.4		28.4
69	Snohomish County †	676.7	2.3						4.5	4.5		74.9	6.8	2.3	4.5	52.2
70	Spokane County *	967.4	2.5					5.1	5.1	15.2	2.5	116.2		5.1	5.1	55.6
71	Stevens County † [5]	637.9	9.1			6.0		3.0	3.0	15.1		54.4	3.0		15.1	39.3

[1] Exclusive of stillbirths.
[2] Exclusive of municipalities having a population of 10,000 or over in 1910.
[3] Rate based on population Apr. 15, 1910. Decrease since 1900.
[4] Includes Grant County; separate estimated populations not available.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
.....	7.8	11.6	93.1	.....	108.7	3.9	19.4	3.9	.....	.....	50.4	3.9	7.8	73.7	104.8	11.6	124.2	42.7	1
.....	8.6	8.6	77.1	.....	102.8	4.3	12.8	4.3	.....	.....	34.3	4.3	4.3	72.8	81.4	12.8	128.5	38.5	2
.....	.....	41.3	248.0	.....	165.4	.....	82.7	.....	.....	.....	206.7	.....	41.3	82.7	330.7	.....	82.7	82.7	3
.....	.....	69.9	174.6	.....	104.8	.....	81.5	.....	.....	.....	128.1	11.6	23.3	81.5	46.6	.....	151.4	58.2	4
.....	.....	80.5	187.7	.....	53.6	.....	80.5	.....	.....	.....	134.1	13.4	13.4	80.5	53.6	.....	147.5	53.6	5
.....	.....	.....	88.3	.....	441.7	.....	88.3	.....	.....	.....	88.3	.....	88.3	88.3	.....	.....	176.7	88.3	6
.....	15.0	135.4	135.4	75.2	195.5	.....	45.1	.....	15.0	.....	135.4	.....	.....	120.3	135.4	30.1	180.5	.....	7
.....	.....	150.5	50.2	.....	50.2	.....	.....	.....	.....	.....	150.5	.....	.....	100.3	150.5	50.2	50.2	.....	8
.....	21.5	128.9	171.9	107.4	257.8	.....	64.5	.....	21.5	.....	128.9	.....	.....	128.9	128.9	21.5	236.4	.....	9
5.7	5.7	31.6	83.2	2.9	83.2	11.5	31.6	2.9	.....	.....	63.1	.....	17.2	68.9	54.5	5.7	186.5	57.4	10
6.1	6.1	33.7	79.6	3.1	82.7	6.1	30.6	3.1	.....	.....	55.1	.....	15.3	73.5	52.1	3.1	186.8	49.0	11
.....	.....	.....	136.8	.....	91.2	91.2	45.6	.....	.....	.....	182.4	.....	45.6	.....	91.2	45.6	182.4	182.4	12
21.4	.....	74.9	139.1	10.7	42.8	10.7	53.5	.....	.....	10.7	53.5	10.7	42.8	64.2	74.9	32.1	299.5	96.3	13
41.8	.....	125.4	146.3	.....	83.6	20.9	41.8	.....	.....	20.9	62.7	20.9	20.9	20.9	104.5	41.8	292.6	83.6	14
.....	.....	21.9	131.4	21.9	.....	.....	65.7	.....	.....	.....	43.8	.....	65.7	109.5	43.8	21.9	306.7	109.5	15
32.1	16.0	80.2	240.6	48.1	192.5	64.2	48.1	64.2	.....	16.0	256.7	.....	.....	80.2	48.1	16.0	433.1	96.2	16
38.2	19.1	95.6	210.2	19.1	152.9	38.2	38.2	76.5	.....	19.1	267.6	.....	.....	76.5	19.1	19.1	401.4	114.7	17
.....	.....	.....	399.2	199.6	399.2	199.6	99.8	.....	.....	.....	199.6	.....	.....	99.8	199.6	.....	598.8	.....	18
.....	12.0	23.9	64.6	7.2	62.2	16.7	43.0	7.2	.....	2.4	33.5	7.2	14.3	131.5	143.5	9.6	145.9	47.8	19
.....	13.0	18.2	65.0	7.8	67.6	13.0	46.8	5.2	.....	2.6	28.6	5.2	13.0	129.9	119.5	10.4	145.5	49.4	20
.....	.....	90.0	60.0	.....	.....	60.0	.....	30.0	.....	.....	90.0	30.0	30.0	150.0	419.9	.....	150.0	30.0	21
4.9	9.8	73.6	83.4	4.9	93.3	4.9	19.6	.....	.....	4.9	83.4	9.8	4.9	142.4	29.5	.....	211.1	44.2	22
5.5	11.0	66.0	66.0	5.5	93.5	5.5	16.5	.....	.....	5.5	66.0	5.5	.....	143.0	22.0	.....	170.5	44.0	23
.....	.....	137.0	228.4	.....	91.4	.....	45.7	.....	.....	.....	228.4	45.7	45.7	137.0	91.4	.....	548.2	45.7	24
.....	12.7	88.6	215.2	12.7	113.9	.....	75.9	.....	12.7	.....	88.6	.....	25.3	126.6	63.3	.....	303.8	50.6	25
.....	23.2	116.1	139.3	23.2	69.7	.....	23.2	.....	.....	.....	69.7	.....	23.2	139.3	92.9	.....	185.8	46.4	26
.....	.....	55.6	306.0	.....	166.9	.....	139.1	.....	27.8	.....	111.3	.....	27.8	111.3	27.8	.....	445.1	55.6	27
11.0	4.2	49.6	77.3	6.3	56.9	7.4	14.7	7.2	6.6	7.2	45.9	3.9	5.4	48.1	93.8	17.8	158.6	19.6	28
11.0	3.8	50.6	77.8	6.4	52.3	7.0	13.9	7.4	6.5	6.8	46.5	3.8	4.9	47.2	90.9	17.8	156.0	13.7	29
14.4	19.2	14.4	62.2	4.8	220.3	19.2	43.1	.....	9.6	23.9	23.9	9.6	23.9	81.4	196.3	14.4	249.0	229.8	30
.....	.....	7.1	56.6	.....	28.3	14.2	35.4	14.2	.....	.....	14.2	.....	14.2	28.3	49.6	7.1	49.6	7.1	31
28.0	.....	70.1	56.1	14.0	28.0	28.0	.....	.....	.....	.....	.....	.....	.....	56.1	56.1	.....	154.3	56.1	32
.....	.....	52.4	76.2	4.8	42.9	19.1	28.6	9.5	14.3	19.1	90.5	4.8	9.5	38.1	100.0	14.3	138.1	14.3	33
.....	13.6	122.2	149.4	13.6	230.9	13.6	27.2	.....	.....	27.2	40.7	.....	13.6	122.2	176.6	27.2	448.2	95.1	34
.....	15.6	140.7	172.0	15.6	172.0	15.6	31.3	.....	.....	15.6	46.9	.....	15.6	78.2	187.6	31.3	422.1	46.9	35
.....	.....	.....	.....	.....	621.8	.....	.....	.....	.....	103.6	.....	.....	.....	414.5	103.6	.....	621.8	414.5	36
9.1	.....	54.9	112.8	12.2	48.8	9.1	9.1	6.1	9.1	.....	61.0	9.1	3.0	27.4	118.9	24.4	128.0	15.2	37
14.2	.....	85.2	127.8	.....	28.4	.....	85.2	.....	.....	.....	42.6	.....	.....	42.6	42.6	14.2	298.2	14.2	38
6.7	.....	39.9	46.6	6.7	46.6	6.7	.....	.....	6.7	.....	13.3	.....	.....	26.6	93.1	20.0	119.7	20.0	39
4.0	8.1	16.1	12.1	16.1	48.4	4.0	24.2	12.1	.....	.....	16.1	8.1	8.1	56.5	56.5	12.1	92.8	16.1	40
20.3	.....	81.2	60.9	40.6	60.9	20.3	.....	.....	.....	.....	.....	20.3	.....	.....	162.4	.....	284.2	81.2	41
24.6	.....	98.5	73.9	49.3	24.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	123.2	.....	197.1	49.3	42
.....	.....	.....	.....	.....	230.7	115.3	.....	.....	.....	.....	.....	115.3	.....	.....	346.0	.....	692.0	230.7	43
.....	.....	52.5	26.3	.....	13.1	.....	.....	.....	.....	13.1	26.3	.....	.....	39.4	144.5	13.1	118.2	13.1	44
46.0	.....	46.0	23.0	23.0	46.0	.....	46.0	23.0	.....	.....	.....	.....	.....	46.0	138.1	46.0	92.0	.....	45
3.7	3.7	44.3	62.7	3.7	55.3	3.7	33.2	3.7	3.7	7.4	11.1	7.4	3.7	48.0	177.1	33.2	143.9	7.4	46
.....	.....	32.3	80.6	.....	48.4	16.1	16.1	.....	32.3	.....	32.3	.....	.....	48.4	80.6	32.3	209.7	48.4	47
.....	.....	82.3	61.7	10.3	30.9	.....	10.3	.....	.....	10.3	92.6	.....	.....	30.9	92.6	10.3	164.6	.....	48
.....	.....	86.3	43.1	10.8	32.4	.....	10.8	.....	.....	10.8	97.1	.....	.....	32.4	64.7	10.8	161.8	.....	49
.....	.....	.....	443.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	665.2	.....	221.7	.....	50
19.6	8.7	43.6	104.6	6.5	32.7	6.5	19.6	8.7	8.7	6.5	69.7	4.4	4.4	67.6	209.2	19.6	130.8	8.7	51
21.4	12.8	102.6	124.0	8.6	55.6	17.1	8.6	8.6	4.3	17.1	51.3	4.3	8.6	42.8	55.6	29.9	230.9	4.3	52
8.6	4.3	38.7	77.5	.....	60.3	.....	.....	12.9	8.6	4.3	43.0	8.6	4.3	47.3	124.8	43.0	137.7	8.6	53
2.4	2.4	34.1	48.7	2.4	68.2	9.7	9.7	7.3	7.3	2.4	56.0	4.9	2.4	48.7	94.9	7.3	155.8	9.7	54
19.5	4.9	43.9	73.2	.....	131.8	.....	14.6	9.8	9.8	.....	48.8	.....	4.9	53.7	63.5	4.9	151.4	14.6	55
.....	17.1	34.1	51.2	17.1	51.2	.....	.....	.....	.....	.....	51.2	.....	34.1	17.1	136.4	17.1	68.2	.....	56
.....	.....	36.4	54.6	18.2	36.4	.....	.....	.....	.....	.....	54.6	.....	18.2	18.2	145.7	18.2	72.8	.....	57
.....	268.1	.....	.....	.....	268.1	.....	.....	.....	.....	.....	.....	.....	268.1	.....	.....	.....	.....	.....	58
11.6	11.6	34.9	104.6	.....	104.6	.....	11.6	17.4	5.8	11.6	46.5	11.6	23.2	110.4	69.7	5.8	139.4	69.7	59
12.2	12.2	36.6	109.8	.....	67.1	.....	12.2	18.3	6.1	12.2	48.8	12.2	24.4	109.8	61.0	6.1	97.6	42.7	60
.....	.....	.....	.....	.....	856.8	.....	.....	.....	.....	.....	.....	.....	.....	122.4	244.8	.....	979.2	612.0	61
.....	.....	50.0	100.1	18.8	12.5	.....	12.5	6.3	6.3	6.3	25.0	12.5	6.3	31.3	81.3	6.3	106.3	25.0	62
17.0	.....	91.2	93.3	8.5	55.1	6.4	6.4	4.2	8.5	17.0	76.3	.....	2.1	36.0	91.2	33.9	324.4	6.4	63
.....	.....	101.1	75.8	25.3	50.5	25.3	.....	.....	.....	25.3	25.3	.....	.....	25.3	75.8	50.5	252.7	75.8	64
.....	.....	107.2	80.4	.....	53.6	.....	.....	.....	.....	.....	26.8	.....	.....	26.8	80.4	53.6	268.1	80.4	65
.....	.....	.....	.....	438.6	.....	438.6	.....	.....	.....	438.6	.....	.....	.....	.....	.....	.....	.....	.....	66
8.1	5.4	43.1	80.8	5.4	56.5	5.4	13.5	10.8	5.4	2.7	45.8	2.7	13.5	53.9	78.1	10.8	188.5	24.2	67
.....	.....	56.9	85.3	.....	56.9	28.4	.....	.....	.....	.....	28.4	.....	.....	.....	113.7	.....	85.3	28.4	68
4.5	4.5	40.9	54.5	6.8	45.4	6.8	9.1	2.3	4.5	2.3	29.5	.....	6.8	54.5	113.5	15.9	109.0	13.6	69
10.1	2.5	40.4	98.5	5.1	88.4	10.1	10.1	.....	5.1	15.2	78.3	5.1	.....	37.9	63.1	32.8	245.0	7.6	70
6.0	6.0	30.2	48.4	.....	45.3	6.0	6.0	9.1	15.1	9.1	36.3	6.0	6.0	45.3	60.5	6.0	127.0	21.2	71

[5] Known as Chehalis County prior to June 10, 1915.
[6] Includes Pend Oreille County; separate estimated populations not available.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.	Cancer.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)	16
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	WASHINGTON—continued.															
1	Thurston County	915.9	4.6			4.6		4.6		4.6		87.9	9.3	9.3	4.6	87.9
2	Wahkiakum County † (total)	764.7							85.0			28.3				113.3
3	White	792.9							91.5			30.5				122.0
4	Colored	396.8														
5	Walla Walla County †	876.7	47.6						6.8	34.0		88.3	13.6		6.8	101.9
6	Whatcom County †	671.0	9.6					6.4		6.4		51.1			9.6	32.0
7	Whitman County †	739.5	16.0					5.3	2.7	5.3		53.4	2.7	2.7		53.4
8	Yakima County † [3]	[4] 750.1	18.0	1.6		9.8		4.9	4.9	18.0		63.9	1.6	3.3		36.0
	WISCONSIN.															
9	Total	1,033.9	3.8	0.1	0.2	1.4	2.6	7.0	5.0	16.7	2.7	81.8	4.8	6.4	6.8	76.5
10	White	1,031.4	3.8	0.1	0.2	1.4	2.7	6.8	5.0	16.7	2.7	80.5	4.7	6.3	6.8	76.7
11	Colored	1,380.4						34.1	8.5	8.5		264.1	17.0	25.6	17.0	51.1
12	Adams County	[4] 1,069.3				11.6			11.6	23.2		104.6			11.6	93.0
13	Ashland County † (total)	620.1					8.3	16.5	8.3	8.3		41.3				24.8
14	White	686.4					9.2	18.3	9.2	9.2		45.8				27.5
15	Colored															
16	Barron County	922.4	9.4				3.1	9.4	6.3	9.4		43.8	3.1	6.3	9.4	68.8
17	Bayfield County †	606.2	17.8					17.8		5.9	5.9	29.7	11.9		5.9	35.7
18	Brown County	993.6					17.0	3.4	3.4	17.0	3.4	88.2	17.0	3.4	10.2	74.6
19	Buffalo County	[4] 924.7				6.2	6.2			25.0	6.2	50.0			12.5	118.7
20	Burnett County	1,005.9	10.2				30.5	20.3		10.2		121.9		10.2		50.8
21	Calumet County †	[4] 892.2										29.9	6.0			83.8
22	Chippewa County [5]	992.7						6.2	12.3	14.4	4.1	67.8	4.1	2.1	10.3	63.7
23	Clark County †	761.5	3.1			3.1		6.2		9.3	3.1	65.0			3.1	61.9
24	Columbia County	1,169.2	3.2				3.2	3.2		32.1		96.4		9.6	12.8	109.2
25	Crawford County	[4] 1,258.6	6.1					18.4	12.3	43.0	6.1	43.0	6.1	6.1	18.4	61.4
26	Dane County *	1,196.4	3.9					3.9	7.8	19.4	11.6	95.0	5.8	3.9	1.9	114.4
27	Dodge County	990.4	2.1					8.4	4.2	4.2	2.1	69.0	8.4	8.4	2.1	96.1
28	Door County	958.3	5.2						5.2	20.7		62.2		5.2	5.2	57.0
29	Douglas County †	638.8	12.5					12.5				37.6			12.5	37.6
30	Dunn County	985.2				11.8	3.9	3.9	3.9	23.6	3.9	59.1		3.9	3.9	78.8
31	Eau Claire County †	687.9				6.9		6.9		6.9		6.9				82.5
32	Florence County	920.3								28.8		57.5			86.3	28.8
33	Fond du Lac County	997.2				3.0		6.1		21.2	3.0	39.4	6.1	9.1	12.1	100.0
34	Forest County †	696.3										52.0	20.8	10.4	20.8	41.6
35	Grant County	1,044.2		2.6		10.2		2.6	10.2	12.8	2.6	58.9	7.7	2.6	10.2	104.9
36	Green County	[4] 928.8				4.6		37.0	4.6	32.3		50.8		4.6	9.2	87.8
37	Green Lake County	[4] 1,233.0	19.4				32.3	6.5		6.5		77.5	6.5	6 5		90.4
38	Iowa County	[4] 1,097.9						17.8	4.4	17.8		44.5	8.9	4.4	8.9	84.5
39	Iron County †	739.3							21.7	10.9		54.4				32.6
40	Jackson County	[4] 1,077.6						23.4		11.7		52.7	23.4	11.7		87.8
41	Jefferson County	[4] 1,090.2	5.8					11.7		11.7	2.9	67.0		5.8	14.6	90.4
42	Juneau County	[4] 1,144.7	10.2				15.3		10.2	46.0		61.3	10.2	10.2	15.3	86.9
43	Kenosha County	1,313.3	11.7							11.7		46.9				82.1
44	Kewaunee County	[4] 959.2					6.0		6.0	6.0		101.3		6.0		53.6
45	La Crosse County	992.2	7.7						7.7			107.7		7.7	15.4	46.2
46	Lafayette County	[4] 981.3	5.0					14.9	5.0	24.9		69.7		5.0	5.0	69.7
47	Langlade County †	823.1					20.6	5.1	10.3		5.1	36.0		5.1		61.7
48	Lincoln County †	842.3						9.7		14.6		77.9	9.7		4.9	63.3
49	Manitowoc County	931.8	6.1					9.2	6.1	15.3	3.1	119.2	9.2	3.1	3.1	61.1
50	Marathon County †	795.4	2.4					14.1	7.1	9.4	2.4	70.6	4.7	9.4	2.4	32.9
51	Marinette County †	740.3	4.6				4.6	4.6	4.6	9.3		37.0	4.6	9.3	4.6	55.5
52	Marquette County†	893.1	9.2							36.8		73.7			18.4	101.3
53	Milwaukee County [6]	2,465.7	18.5			1.7	1.7	8.4	23.5	15.1	10.1	463.6	15.1	23.5	3.4	127.6
54	Monroe County	1,085.7			6.8	3.4		13.7		6.8		81.9	10.2	17.1	6.8	95.6
55	Oconto County †	848.2	7.1				7.1	10.6	3.5	17.7		71.0		10.6	3.5	46.1
56	Oneida County †	813.6	7.8									62.6				31.3
57	Outagamie County †	892.4	6.1				6.1	3.0	6.1	15.2		91.1	9.1	6.1	3.0	48.6
58	Ozaukee County	975.9							5.7			45.7		11.4	17.1	68.5
59	Pepin County †	[4] 818.3							13.2	13.2		66.0		13.2		39.6
60	Pierce County †	[4] 887.7						9.1		18.1	9.1	99.6		4.5		113.2
61	Polk County †	899.0	8.6			4.3	4.3	12.9	8.6	21.5		55.9		4.3		60.2
62	Portage County	1,100.4	3.2		3.2		6.3	15.8	12.6	44.1		94.6		3.2	6.3	56.8
63	Price County †	836.0	6.1			6.1		6.1	12.3	12.3		43.0	6.1	6.1		55.3
64	Racine County	1,169.3								33.1	11.0	115.8	5.5	5.5	5.5	60.7
65	Richland County	[4] 988.9				5.3	5.3			21.3		47.8			5.3	58.5
66	Rock County	1,047.8	3.9				3.9	15.4	3.9	27.0	3.9	46.2	3.9	3.9	3.9	111.7
67	St. Croix County	[4] 1,038.2					7.7			34.7	3.9	61.8		11.6	27.0	54.0
68	Sauk County	[4] 976.6								30.4	3.0	39.6		6.1	6.1	109.5
69	Sawyer County † (total)	695.9				13.1		13.1		13.1		13.1				91.9
70	White	657.3				16.0		16.0		16.0						112.2
71	Colored	870.8										72.6				

[1] Exclusive of stillbirths.
[2] Exclusive of municipalities having a population of 10,000 or over in 1910.
[3] Includes Benton and Klickitat Counties; separate estimated populations not available.
[4] Rate based on population Apr. 15, 1910. Decrease since 1900.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
13.9	13.9	50.9	148.0	4.6	27.8	18.5	18.5	9.3	13.9	9.3	64.8	.....	4.6	23.1	74.0	9.3	166.5	27.8	1
.....	.....	56.6	56.6	.....	56.6	28.3	.....	.....	.....	.....	.....	.....	.....	.....	169.9	.....	113.3	56.6	2
.....	.....	30.5	61.0	.....	61.0	30.5	.....	.....	.....	.....	.....	.....	.....	.....	183.0	.....	122.0	61.0	3
.....	.....	396.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4
13.6	.....	88.3	54.4	.....	54.4	6.8	.....	13.6	13.6	.....	27.2	.....	13.6	68.0	54.4	27.2	129.1	13.6	5
25.6	16.0	54.3	99.1	9.6	51.1	6.4	12.8	.....	.....	3.2	28.8	3.2	3.2	51.1	47.9	12.8	111.8	19.2	6
13.3	.....	48.1	61.4	.....	56.1	5.3	26.7	29.4	10.7	18.7	42.7	5.3	5.3	45.4	66.7	5.3	152.2	5.3	7
19.7	.....	37.7	60.6	8.2	70.4	3.3	21.3	1.6	3.3	4.9	39.3	3.3	1.6	63.9	72.1	16.4	109.7	50.8	8
18.0	6.3	73.8	120.7	17.1	91.9	9.5	22.7	9.5	11.1	9.7	61.0	5.0	7.0	72.4	54.1	12.7	212.0	3.4	9
18.0	6.4	73.6	120.9	17.1	91.2	9.5	22.6	9.5	11.1	9.7	60.9	4.9	7.0	72.6	53.5	12.8	212.5	3.2	10
17.0	.....	102.2	102.2	8.5	187.5	8.5	34.1	8.5	8.5	.....	68.2	17.0	8.5	51.1	136.3	.....	153.4	42.6	11
11.6	.....	34.9	127.8	46.5	46.5	.....	23.2	11.6	23.2	.....	81.4	11.6	.....	81.4	46.5	11.6	255.7	.....	12
8.3	.....	66.1	49.6	8.3	33.1	8.3	33.1	.....	.....	8.3	57.9	.....	8.3	82.7	99.2	.....	49.6	.....	13
9.2	.....	73.2	54.9	9.2	36.6	9.2	36.6	.....	.....	9.2	64.1	.....	9.2	91.5	109.8	.....	54.9	.....	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
6.3	6.3	50.0	115.7	9.4	84.4	9.4	37.5	15.6	9.4	15.6	59.4	25.0	12.5	65.7	43.8	18.8	168.9	.....	16
5.9	5.9	41.6	41.6	29.7	71.3	5.9	17.8	.....	5.9	.....	5.9	.....	5.9	101.0	59.4	11.9	65.4	.....	17
6.8	6.8	94.9	71.2	23.7	94.9	.....	27.1	10.2	.....	.....	50.9	3.4	3.4	67.8	71.2	.....	220.4	3.4	18
31.2	12.5	93.7	118.7	25.0	100.0	12.5	25.0	12.5	.....	6.2	18.7	6.2	6.2	56.2	37.5	6.2	125.0	6.2	19
20.3	.....	71.1	111.8	30.5	71.1	20.3	10.2	.....	30.5	.....	81.3	.....	20.3	81.3	50.8	10.2	142.2	.....	20
12.0	12.0	89.8	107.8	.....	41.9	24.0	18.0	12.0	12.0	29.9	95.8	6.0	18.0	59.9	17.8	24.0	191.6	.....	21
30.8	8.2	34.9	113.0	8.2	96.6	8.2	20.6	26.7	14.4	6.2	51.4	10.3	16.4	67.8	55.5	10.3	226.1	2.1	22
21.7	.....	80.5	74.3	3.1	65.0	18.6	12.4	.....	9.3	6.2	34.1	6.2	3.1	71.2	49.5	6.2	142.4	3.1	23
35.3	6.4	70.7	134.9	25.7	83.5	3.2	19.3	9.6	12.8	12.8	77.1	3.2	3.2	57.8	54.6	.....	285.9	3.2	24
6.1	18.4	86.0	128.9	12.3	128.9	.....	43.0	36.8	12.3	18.4	122.8	6.1	6.1	92.1	92.1	6.1	221.0	.....	25
17.5	.....	97.0	98.9	9.7	112.5	15.5	25.2	5.8	15.5	13.6	75.6	1.9	.....	65.9	64.0	13.6	290.9	5.8	26
25.1	.....	79.4	104.5	20.9	81.5	6.3	35.5	2.1	12.5	18.8	50.1	2.1	2.1	71.0	41.8	12.5	213.1	6.3	27
10.4	5.2	67.3	129.5	5.2	36.3	10.4	15.5	5.2	31.1	15.5	88.1	15.5	5.2	98.4	57.0	15.5	181.3	5.2	28
.....	.....	37.6	50.1	.....	87.7	.....	.....	12.5	.....	.....	25.1	.....	12.5	100.2	75.2	.....	125.3	.....	29
19.7	.....	82.8	118.2	7.9	98.5	7.9	19.7	7.9	11.8	19.7	55.2	3.9	7.9	102.5	51.2	3.9	169.5	.....	30
13.8	.....	55.0	117.0	6.9	41.3	13.8	20.6	13.8	.....	6.9	68.8	.....	6.9	41.3	48.2	20.6	103.2	.....	31
28.8	.....	.....	172.6	.....	115.0	.....	28.8	.....	28.8	.....	57.5	.....	.....	28.8	143.8	.....	86.3	28.8	32
9.1	6.1	57.6	169.7	9.1	81.8	18.2	21.2	6.1	12.1	6.1	48.5	.....	3.0	75.8	21.2	12.1	239.5	.....	33
.....	10.4	20.8	41.6	10.4	114.3	.....	41.6	.....	20.8	.....	31.2	.....	20.8	72.7	52.0	.....	114.3	.....	34
15.4	7.7	92.1	135.6	17.9	89.6	12.8	15.4	7.7	7.7	17.9	79.3	5.1	12.8	66.5	51.2	12.8	166.4	5.1	35
4.6	9.2	73.9	110.9	27.7	83.2	9.2	9.2	4.6	.....	13.9	32.3	.....	9.2	41.6	41.6	18.5	207.9	.....	36
45.2	.....	103.3	135.6	6.5	90.4	25.8	6.5	38.7	25.8	19.4	64.6	.....	6.5	45.2	45.2	.....	316.3	12.9	37
17.8	8.9	84.5	137.8	13.3	84.5	8.9	8.9	13.3	22.2	4.4	71.1	.....	4.4	75.6	71.1	22.2	257.8	.....	38
.....	.....	32.6	97.8	10.9	32.6	10.9	65.2	10.9	.....	10.9	76.1	10.9	10.9	43.5	119.6	.....	87.0	.....	39
11.7	17.6	93.7	128.8	5.9	134.7	5.9	23.4	.....	11.7	.....	29.3	.....	11.7	99.6	23.4	29.3	234.3	5.9	40
20.4	2.9	93.3	166.2	46.6	81.6	2.9	26.2	14.6	14.6	8.7	72.9	2.9	2.9	64.1	46.6	8.7	195.3	8.7	41
35.8	5.1	122.6	81.8	10.2	81.8	5.1	15.3	5.1	25.6	15.3	25.6	.....	10.2	51.1	71.5	20.4	286.2	10.2	42
46.9	35.2	58.6	175.9	35.2	152.4	.....	11.7	.....	23.5	23.5	93.8	23.5	11.7	82.1	129.0	35.2	222.8	.....	43
17.9	6.0	83.4	53.6	6.0	101.3	17.9	53.6	6.0	6.0	11.9	77.5	.....	.....	89.4	23.8	.....	226.4	.....	44
23.1	.....	76.9	92.3	38.5	115.4	15.4	15.4	.....	15.4	7.7	38.5	.....	.....	38.5	61.5	7.7	246.1	7.7	45
10.0	10.0	89.7	89.7	14.9	59.8	19.9	19.9	5.0	5.0	5.0	54.8	.....	5.0	49.8	64.8	19.9	259.0	.....	46
15.4	.....	97.7	87.5	10.3	51.4	10.3	20.6	10.3	5.1	20.6	51.4	10.3	10.3	87.5	61.7	10.3	118.3	.....	47
4.9	14.6	48.7	77.9	9.7	63.3	34.1	24.3	.....	14.6	9.7	48.7	4.9	24.3	63.3	73.0	9.7	131.5	4.9	48
15.3	15.3	73.3	79.4	30.6	67.2	6.1	12.2	12.2	3.1	3.1	55.0	3.1	3.1	70.3	36.7	15.3	192.5	3.1	49
7.1	7.1	37.6	68.2	11.8	68.2	9.4	25.9	2.4	2.4	4.7	61.2	.....	18.8	84.7	44.7	11.8	174.1	.....	50
9.3	13.9	13.9	129.6	23.1	41.6	.....	23.1	.....	9.3	.....	18.5	4.6	.....	83.3	50.9	18.5	161.9	.....	51
.....	18.4	27.6	147.3	18.4	64.5	9.2	.....	27.6	.....	.....	64.5	.....	9.2	73.7	18.4	.....	174.9	.....	52
25.2	8.4	90.7	312.4	33.6	299.0	16.8	62.1	3.4	8.4	18.5	134.4	10.1	1.7	102.5	102.5	33.6	488.8	1.7	53
10.2	3.4	92.2	133.2	10.2	88.8	3.4	10.2	20.5	6.8	17.1	58.0	.....	10.2	81.9	51.2	20.5	221.9	3.4	54
21.3	10.6	56.8	81.6	.....	78.1	14.2	21.3	17.7	7.1	14.2	24.8	3.5	3.5	88.7	39.0	3.5	177.4	7.1	55
23.5	15.6	.....	109.5	15.6	78.2	7.8	.....	7.8	.....	7.8	46.9	.....	7.8	101.7	148.6	.....	140.8	.....	56
24.3	3.0	91.1	97.1	12.1	88.0	15.2	18.2	6.1	9.1	.....	42.5	.....	.....	69.8	42.5	12.1	166.9	.....	57
22.8	11.4	97.0	97.0	34.2	68.5	.....	34.2	.....	17.1	11.4	45.7	11.4	5.7	91.3	28.5	28.5	222.6	.....	58
.....	.....	92.4	92.4	13.2	66.0	.....	.....	.....	.....	.....	79.2	.....	26.4	13.2	52.8	.....	237.6	.....	59
9.1	4.5	63.4	95.1	4.5	67.9	9.1	4.5	.....	4.5	.....	67.9	.....	9.1	72.5	49.8	4.5	163.1	4.5	60
17.2	.....	47.3	133.4	8.6	77.4	8.6	8.6	38.7	17.2	8.6	86.0	.....	12.9	86.0	38.7	.....	129.0	.....	61
37.8	9.5	69.4	116.7	25.2	82.0	3.2	47.3	6.3	6.3	12.6	47.3	9.5	9.5	116.7	56.8	15.8	179.7	3.2	62
6.1	6.1	49.2	73.8	.....	73.8	18.4	24.6	12.3	12.3	.....	43.0	.....	.....	73.8	116.8	6.1	166.0	.....	63
5.5	5.5	88.3	160.0	38.6	132.4	11.0	27.6	.....	11.0	27.6	93.8	.....	.....	38.6	99.3	16.5	171.0	5.5	64
10.6	.....	74.4	138.2	42.5	117.0	.....	21.3	15.9	5.3	5.3	85.1	5.3	26.6	85.1	42.5	21.3	148.9	.....	65
15.4	.....	107.9	154.1	15.4	88.6	.....	19.3	11.6	11.6	.....	57.8	15.4	7.7	42.4	30.8	11.6	227.3	3.9	66
19.3	11.6	111.9	115.8	27.0	65.6	11.6	19.3	15.4	7.7	3.9	54.0	15.4	3.9	54.0	38.6	11.6	243.1	7.7	67
21.3	3.0	63.9	124.7	18.3	79.1	.....	12.2	18.3	21.3	12.2	63.9	9.1	6.1	73.0	48.7	12.2	191.7	3.0	68
.....	.....	26.3	26.3	26.3	78.8	13.1	13.1	.....	.....	13.1	39.4	.....	.....	78.8	65.7	.....	91.9	78.8	69
.....	.....	32.1	32.1	32.1	64.1	16.0	16.0	.....	.....	16.0	48.1	.....	.....	80.2	48.1	.....	96.2	16.0	70
.....	.....	.....	.....	.....	145.1	.....	.....	.....	.....	.....	.....	.....	.....	72.6	145.1	.....	72.6	362.8	71

[5] Includes Rusk County; separate estimated populations not available.
[6] Includes National Military Home.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—														
		All causes.[1]	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)	Cancer. 16
	RURAL PART OF REGISTRATION STATES [2]—Continued.															
	WISCONSIN—continued.															
1	Shawano County (total)	991.0	5.8					5.8	2.9	5.8		81.9	5.8	2.9	2.9	70.2
2	White	887.4	6.2					3.1	3.1	6.2		58.5	3.1	3.1	3.1	64.7
3	Colored	2,907.6						57.0				513.1	57.0			171.0
4	Sheboygan County †	784.2			3.4		3.4	3.4	3.4	20.6		41.3	3.4	3.4	3.4	58.5
5	Taylor County †	879.4								13.4	6.7	60.4	6.7	6.7		40.3
6	Trempealeau County	[3] 1,112.2				8.7		4.4		30.5		87.2	4.4	4.4	4.4	65.4
7	Vernon County †	[3] 867.8						3.6		17.8	3.6	60.5	3.6	7.1	3.6	64.0
8	Vilas County † (total)	379.2							15.2			30.3				45.5
9	White	427.3							17.1			34.2				51.3
10	Colored															
11	Walworth County	1,231.5	3.4						3.4	23.5	3.4	63.8	3.4	13.4	10.1	97.3
12	Washburn County	978.7						20.8		20.8		52.1			20.8	10.4
13	Washington County	950.3					4.2		4.2	8.4	4.2	75.4	4.2	4.2	4.2	75.4
14	Waukesha County	1,158.0						13.1	2.6	21.0	7.9	110.3	15.8	7.9	10.5	73.5
15	Waupaca County	1,074.9	9.0					3.0	3.0	9.0	3.0	65.9	6.0	6.0	12.0	125.8
16	Waushara County †	822.6	4.9			4.9		14.7	4.9	24.5		44.1			4.9	58.8
17	Winnebago County *	1,245.3	7.0						10.5	17.5	3.5	84.0		21.0	21.0	80.5
18	Wood County	952.5	3.0			3.0	6.0		3.0		3.0	51.4	3.0	6.0	3.0	60.5

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATH RATE PER 100,000 POPULATION FROM—																			
Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
14.6	14.6	64.3	111.1	17.5	111.1	5.8	29.2	20.5	11.7	11.7	58.5	8.8	2.9	78.9	52.6	2.9	184.2	5.8	1
15.4	15.4	52.4	104.8	18.5	95.5	6.2	21.6	18.5	12.3	12.3	55.5	3.1	3.1	77.0	43.1	3.1	172.6	6.2	2
.....	.....	285.1	228.1	.....	399.1	.....	171.0	57.0	.....	.....	114.0	114.0	.....	114.0	228.1	.....	399.1	.....	3
3.4	6.9	72.2	116.9	10.3	41.3	6.9	34.4	.....	.....	10.3	41.3	3.4	10.3	48.2	24.1	6.9	202.9	.....	4
.....	.....	20.1	134.3	6.7	127.6	13.4	20.1	.....	6.7	.....	47.0	13.4	6.7	100.7	60.4	40.3	147.7	.....	5
26.2	.....	91.6	231.2	13.1	117.8	4.4	26.2	4.4	4.4	8.7	13.1	8.7	.....	74.1	26.2	13.1	235.5	4.4	6
28.5	3.6	46.2	110.3	14.2	74.7	3.6	14.2	3.6	3.6	14.2	46.2	3.6	7.1	106.7	42.7	10.7	170.7	.....	7
.....	15.2	.....	75.8	.....	.....	15.2	.....	.....	.....	.....	15.2	15.2	.....	45.5	15.2	.....	91.0	.....	8
.....	17.1	.....	85.5	.....	.....	17.1	.....	.....	.....	.....	17.1	17.1	.....	51.3	17.1	.....	102.5	.....	9
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10
23.5	10.1	120.8	151.0	23.5	117.4	6.7	16.8	.....	16.8	3.4	100.7	3.4	3.4	47.0	60.4	30.2	275.1	.....	11
.....	.....	62.5	41.6	10.4	156.2	.....	20.8	10.4	20.8	.....	104.1	.....	20.8	93.7	104.1	.....	208.2	.....	12
12.6	8.4	138.2	87.9	12.6	83.7	8.4	8.4	8.4	8.4	.....	54.4	4.2	.....	58.6	33.5	8.4	226.1	4.2	13
34.1	5.3	76.1	157.5	23.6	68.3	5.3	21.0	5.3	13.1	10.5	81.4	2.6	5.3	57.8	65.6	21.0	233.7	7.9	14
24.0	3.0	89.8	104.8	15.0	104.8	12.0	3.0	15.0	15.0	6.0	86.8	9.0	6.0	41.9	38.9	6.0	245.5	6.0	15
29.4	.....	34.3	102.8	29.4	49.0	14.7	29.4	.....	24.5	4.9	34.3	.....	9.8	34.3	44.1	24.5	195.9	.....	16
31.5	21.0	80.5	122.4	14.0	118.9	17.5	10.5	3.5	21.0	10.5	59.5	.....	3.5	80.5	35.0	14.0	346.3	10.5	17
15.1	.....	69.5	114.9	12.1	69.5	9.1	30.2	30.2	27.2	15.1	45.4	9.1	9.1	78.6	63.5	9.1	199.6	3.0	18

[1] Rate based on population Apr. 15, 1910. Decrease since 1900.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KANSAS.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes[1]	1,379.9	1,358.1	1,282.4	1,042.9	1,493.7	1,485.8	1,356.1	1,220.5	1,296.0	937.1
	I.—General diseases	415.4	380.1	415.1	267.1	367.5	378.3	369.5	334.3	339.2	217.3
1	Typhoid fever	8.7	11.0	9.1	14.9	14.5	7.9	16.0	14.3	18.3	8.3
2	Typhus fever										0.1
3	Relapsing fever										
4	Malaria	0.6	3.5	0.6		1.7	0.8	1.6	2.3	2.8	1.2
5	Smallpox		0.2					0.2	0.4	0.8	0.5
6	Measles	4.4	6.9	1.4	2.7	5.0	5.0	3.1	2.1	3.9	4.1
7	Scarlet fever	1.5	3.4	2.8	8.2	2.7	3.9	3.8	3.5	2.3	1.7
8	Whooping cough	4.2	5.3	4.8	12.2	12.3	10.2	6.9	5.3	10.7	9.8
9	Diphtheria and croup	13.5	7.7	3.4	6.8	17.4	12.9	11.8	10.5	18.9	11.8
10	Influenza	5.2	12.5	11.9	15.1	18.6	18.1	11.9	19.5	28.2	25.0
11	Miliary fever										
12	Asiatic cholera										
13	Cholera nostras		0.2		0.2	0.5	1.1	0.5	0.2	0.8	0.3
14	Dysentery	1.8	4.0	0.9	1.4	4.7	4.5	3.2	6.5	3.7	5.6
15	Plague		0.1								
16	Yellow fever										
17	Leprosy	0.1	0.1								
18	Erysipelas	1.8	1.4	2.6	2.9	5.7	2.4	3.9	3.4	3.9	2.5
19	Other epidemic diseases	0.2	0.1	0.3	0.7	0.2	0.3	0.1	0.4	0.3	0.3
20	Purulent infection and septicemia	2.0	2.0	2.3	3.3	3.6	2.4	2.6	1.8	4.5	3.9
21	Glanders										
22	Anthrax	0.1	0.1		0.2	0.2	0.3		0.1		
23	Rabies	0.4							0.1		0.2
24	Tetanus	1.4	1.6	1.1	0.7	2.0	1.8	2.6	1.9	2.5	1.5
25	Mycoses	0.2	0.2		0.2	0.1				0.3	
26	Pellagra	0.7	1.4		0.3	0.1		0.3	0.3	1.7	1.5
27	Beriberi		0.2								
	Tuberculosis (total)	198.1	193.5	239.1	125.1	135.2	161.2	156.1	137.8	92.8	45.4
28	Tuberculosis of the lungs	165.0	169.4	219.8	116.4	108.3	139.7	126.0	115.1	77.8	38.1
29	Acute miliary tuberculosis	6.2	4.1	6.5	0.7	4.9	4.2	6.8	2.9	6.5	0.9
30	Tuberculous meningitis	13.7	7.9	6.8	3.4	12.6	6.8	6.8	7.2	2.0	1.4
31	Abdominal tuberculosis	7.5	7.1	2.6	1.4	4.7	3.9	9.0	7.0	2.8	3.0
32	Pott's disease	2.0	1.1	0.6	0.5	1.2	0.8	1.7	0.9	0.8	0.6
33	White swellings	0.7	0.6		0.5	0.6	0.5	0.8	1.0	0.8	0.1
34	Tuberculosis of other organs	1.9	2.5	0.9	2.1	2.4	2.9	2.5	2.3	2.0	0.9
35	Disseminated tuberculosis	1.0	0.9	2.0	0.2	0.5	2.4	2.5	1.3		0.5
36	Rickets	0.3	0.1			1.1	0.5		0.3	0.6	0.4
37	Syphilis	11.8	7.0	13.1	4.3	6.1	2.6	13.6	6.1	11.0	2.2
38	Gonococcus infection	0.9	0.4			0.1		0.3	0.4	0.3	
	Cancer and other malignant tumors (total)	112.9	78.3	73.9	41.1	92.3	93.2	85.9	81.3	85.4	58.0
39	Of the buccal cavity	3.9	3.4	1.7	0.5	3.9	3.2	3.0	3.5	2.0	3.0
40	Of the stomach, liver	43.5	35.2	26.7	19.3	31.0	36.5	30.3	35.7	33.8	25.8
41	Of the peritoneum, intestines, rectum	15.2	11.0	8.0	4.3	13.9	13.4	10.6	8.2	10.4	6.5
42	Of the female genital organs	16.6	8.0	10.5	5.3	13.4	12.9	16.2	10.8	11.3	6.0
43	Of the breast	11.0	6.4	9.4	3.3	11.7	11.3	8.8	7.6	5.1	4.8
44	Of the skin	3.4	3.4	3.1	1.9	2.3	5.0	3.9	5.2	5.1	2.9
45	Of other organs or of organs not specified	19.3	10.9	14.5	6.5	16.1	11.0	13.0	10.3	17.8	9.0
46	Other tumors (tumors of the female genital organs excepted).	0.4	0.6	1.1	0.2	0.2		0.5	0.4	1.1	0.6
47	Acute articular rheumatism	3.1	3.3	6.3	3.8	3.8	6.0	5.8	4.9	5.9	4.7
48	Chronic rheumatism and gout	1.3	1.4	2.6	1.2	1.5	2.6	0.8	1.3	1.1	1.1
49	Scurvy	0.1	0.1								
50	Diabetes	20.8	14.7	14.5	9.8	22.7	23.4	21.0	16.6	21.4	15.4
51	Exophthalmic goiter	1.8	0.7	1.4	0.2	0.6	0.5	1.7	1.9	0.8	1.2
52	Addison's disease	0.4	0.6	0.3		0.6		0.1	0.5		0.2
53	Leukemia	2.8	1.7	2.8	1.9	2.5	1.8	1.5	2.6	2.3	1.4
54	Anemia, chlorosis	6.3	5.5	7.7	2.7	3.9	6.3	4.7	3.7	7.3	5.2
55	Other general diseases	1.5	1.8	0.9	0.7	1.3	1.8	1.3	1.4	2.3	1.7
56	Alcoholism (acute or chronic)	5.6	7.5	8.8	5.5	5.7	6.3	5.8	2.0	2.0	0.9
57	Chronic lead poisoning	0.1	0.3		0.3	0.2		0.3	0.1	0.6	0.1
58	Other chronic occupation poisonings		0.1								
59	Other chronic poisonings	0.7	0.7	1.4	0.7	0.2	0.5	1.1	0.6	0.6	0.8
	II.—Diseases of the nervous system and of the organs of special sense	124.4	145.2	91.0	83.5	142.4	196.6	132.2	149.3	123.2	114.1
60	Encephalitis	0.8	0.6	0.3	0 9	0.5	0.8	1.4	0.9	2.0	0.3
61	Meningitis (total)	6.0	6.4	7.4	9.2	12.5	10.5	8.6	6.2	5.6	4.4
	Simple meningitis	3.2	3.2	6.0	5.5	7.6	7.1	3.7	2.9	3.9	2.5
	Cerebrospinal meningitis (undefined)	1.0	1.1	0.9	2.7	3.3	3.2	1.4	1.5	0.8	1.1
	Cerebrospinal fever	1.8	2.1	0.6	1.0	1.5	0.3	3.5	1.8	0.8	0.8

[1] Exclusive of stillbirths.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																
KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		Detailed Int. List No.
Total.		White.		Colored.		Cities.	Rural districts.	Total.		White.		Colored.		Cities.	Rural districts.	
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.			
1,602.5	1,141.8	1,383.9	1,054.1	2,701.8	2,004.0	1,722.4	1,513.8	1,697.9	1,470.9	1,514.7	1,302.2	2,801.5	2,157.5	1,433.4	1,504.8	
452.8	397.2	379.2	360.6	823.0	757.2	402.4	351.6	457.9	373.2	392.5	321.7	852.3	582.7	367.8	386.8	
19.1	32.9	16.2	30.1	33.6	59.9	20.3	11.3	21.8	25.4	18.4	18.5	42.4	53.2	7.2	5.3	1
.....	0.1	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
6.5	6.4	3.1	6.0	23.8	9.5	.....	0.2	0.2	2.0	0.2	1.1	.....	5.7	(2)	0.6	4
.....	0.1	.....	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.3	.....	5
2.6	3.8	3.1	4.0	.....	2.2	4.0	1.9	3.1	2.0	2.9	1.6	4.3	3.6	8.3	4.3	6
1.9	2.4	1.7	2.6	2.8	0.6	3.4	1.2	5.9	4.7	6.3	5.3	3.3	2.2	6.2	3.0	7
7.4	8.6	6.4	7.8	12.6	16.8	9.6	10.7	3.7	9.6	2.7	6.7	9.8	21.6	13.7	9.6	8
8.8	27.8	9.2	29.1	7.0	15.1	9.6	11.5	13.1	13.9	15.0	14.7	2.2	10.8	22.6	10.8	9
17.4	20.2	15.1	18.7	29.4	34.2	18.6	27.3	12.5	17.4	11.7	15.7	17.4	24.4	6.6	15.4	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
0.2	0.7	0.3	0.7	.....	.....	0.6	1.7	.....	0.7	.....	0.5	.....	1.4	0.2	0.6	13
8.4	11.7	7.8	11.6	11.2	13.4	0.6	3.6	2.9	6.9	2.5	5.3	5.4	13.7	2.0	4.5	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.4	17
2.6	3.2	2.5	3.4	2.8	1.1	3.4	3.7	2.9	3.1	3.2	3.4	1.1	2.2	4.0	3.4	18
0.2	0.3	.....	0.3	1.4	0.6	0.6	0.5	0.2	0.4	0.2	0.2	.....	1.4	0.5	0.8	19
3.3	3.0	2.2	2.8	8.4	5.6	7.3	3.2	2.3	2.4	2.0	2.5	4.3	2.2	2.5	2.8	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	22
0.5	0.1	0.6	0.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.2	0.1	23
2.6	2.3	2.5	1.8	2.8	6.7	1.1	0.5	2.0	3.1	1.8	1.8	3.3	8.6	1.1	0.6	24
.....	.....	.....	.....	.....	.....	.....	.....	0.2	.....	0.2	.....	.....	.....	0.2	.....	25
3.3	7.0	3.6	6.9	1.4	7.3	2.3	1.0	1.4	1.0	0.9	0.7	4.3	2.2	0.6	1.1	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
227.2	195.2	170.3	167.3	513.2	469.9	147.3	117.7	210.9	173.3	155.5	134.5	544.7	331.2	134.8	159.9	
194.9	170.3	142.5	144.9	458.5	419.5	108.9	92.8	177.9	151.7	130.6	117.2	463.1	291.7	107.2	139.4	28
6.7	3.3	4.7	2.6	16.8	9.5	5.6	3.4	9.1	5.2	6.0	3.9	28.3	10.8	4.3	2.8	29
10.2	8.2	10.3	7.8	9.8	12.3	14.1	7.8	9.7	6.1	8.8	5.3	15.2	9.3	13.5	7.0	30
9.8	8.0	7.8	6.9	19.6	18.5	7.3	4.1	8.4	5.5	5.4	3.7	26.1	12.9	4.6	4.0	31
0.7	1.3	0.6	1.3	1.4	1.1	2.3	1.9	1.7	1.7	1.3	1.9	4.3	0.7	1.7	1.6	32
1.9	0.8	1.4	0.8	4.2	0.6	1.1	0.3	0.9	0.3	0.7	0.4	2.2	.....	0.6	0.8	33
1.9	2.6	1.7	2.1	2.8	7.3	3.4	2.9	1.5	1.6	1.1	1.4	4.3	2.2	1.9	1.8	34
1.2	0.9	1.4	0.9	.....	1.1	4.5	4.6	1.5	1.3	1.6	0.7	1.1	3.6	0.9	2.6	35
0.7	0.6	0.3	0.5	2.8	1.7	0.6	1.4	0.6	1.6	0.2	1.1	3.3	3.6	0.8	0.3	36
12.6	5.1	6.1	2.7	44.9	28.6	7.3	3.2	24.1	6.0	11.2	2.5	102.2	20.1	6.3	4.5	37
0.2	0.2	0.3	0.1	.....	1.1	1.7	0.2	.....	0.3	.....	.....	.....	1.4	0.6	0.4	38
83.5	42.2	85.6	41.7	72.9	47.0	112.9	104.7	108.6	72.4	114.5	78.7	72.8	46.7	101.1	114.3	
3.0	2.1	3.1	1.8	2.8	5.0	7.3	4.1	4.0	2.8	4.1	3.0	3.3	2.2	3.8	4.5	39
27.9	15.2	28.7	15.1	23.8	16.2	32.7	41.8	41.6	27.4	44.4	29.3	25.0	19.4	33.3	41.1	40
8.8	3.2	9.8	3.1	4.2	3.4	21.4	16.3	13.0	9.1	13.5	9.0	9.8	9.3	19.0	21.5	41
19.8	7.8	20.4	7.5	16.8	11.2	18.1	12.2	16.4	9.8	16.4	10.6	16.3	6.5	15.5	12.1	42
10.0	4.4	8.9	4.3	15.4	6.2	8.5	8.8	9.6	8.4	10.3	8.8	5.4	6.5	10.8	13.3	43
2.3	3.1	2.8	3.4	.....	0.6	2.3	4.7	3.2	3.8	3.4	4.8	2.2	.....	1.9	4.6	44
11.6	6.5	12.0	6.7	9.8	4.5	22.6	16.8	20.7	11.2	22.4	13.2	10.9	2.9	16.9	17.2	45
2.3	0.5	2.0	0.5	4.2	0.6	.....	0.5	0.3	0.3	0.2	0.2	1.1	0.7	0.4	0.6	46
7.2	5.9	5.0	5.2	18.2	12.9	5.1	2.9	6.0	2.7	6.0	1.8	6.5	6.5	3.1	2.9	47
0.5	1.0	0.3	1.1	1.4	.....	1.1	1.5	1.5	1.7	1.3	1.6	3.3	2.2	0.9	1.3	48
.....	.....	.....	.....	.....	.....	0.6	0.2	.....	0.6	.....	0.2	.....	2.2	(2)	0.1	49
15.1	7.0	17.3	6.5	4.2	11.8	22.6	22.9	17.8	10.6	20.2	11.8	3.3	5.7	21.3	22.0	50
0.2	0.7	.....	0.6	1.4	1.1	1.7	0.7	1.5	0.6	1.6	0.7	1.1	.....	1.0	0.8	51
0.5	0.2	0.6	0.2	.....	.....	.....	1.0	0.5	0.3	0.5	0.4	.....	.....	0.8	0.6	52
1.6	1.5	2.0	1.4	.....	2.8	2.8	1.2	2.6	1.6	2.9	1.6	1.1	1.4	2.0	2.1	53
6.3	1.8	5.3	1.8	11.2	2.2	6.2	8.1	3.6	2.7	3.8	2.8	2.2	2.2	6.7	7.9	54
2.1	1.9	2.2	1.8	1.4	2.8	2.3	2.4	0.8	1.3	0.9	1.6	.....	.....	3.8	2.9	55
6.3	1.6	5.9	1.6	8.4	1.7	7.3	2.7	5.4	3.4	4.5	2.8	10.9	5.7	7.4	2.5	56
0.5	0.1	0.6	0.1	.....	.....	0.6	0.8	0.6	0.1	0.5	0.2	1.1	.....	0.5	0.3	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
1.4	1.2	1.4	1.4	1.4	.....	1.1	1.4	0.8	1.1	0.7	1.4	1.1	.....	0.1	0.3	59
162.6	100.9	150.5	95.1	222.9	158.5	185.7	195.8	155.8	173.6	142.3	163.3	237.0	215.5	135.9	188.9	
1.6	1.8	1.7	1.7	1.4	2.8	1.7	1.7	0.5	1.8	0.5	1.6	.....	2.9	0.5	0.1	60
10.0	14.7	10.0	15.0	9.8	12.3	11.9	7.8	6.5	6.9	6.5	6.2	6.5	10.1	9.1	7.8	61
5.6	7.3	6.1	7.2	2.8	7.8	6.2	5.8	4.3	4.7	4.5	4.2	3.3	6.5	5.9	5.5	
2.3	4.0	2.0	4.0	4.2	3.4	4.0	1.5	1.2	1.4	1.1	1.2	2.2	2.2	2.0	0.9	
2.1	3.5	2.0	3.7	2.8	1.1	1.7	0.5	0.9	0.9	0.9	0.7	1.1	1.4	1.2	1.4	

[2] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KANSAS.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Con.										
62	Locomotor ataxia	3.9	3.4	3.7	0.7	2.4	3.4	2.7	2.9	2.0	1.6
63	Other diseases of the spinal cord (total)	8.6	8.0	8.2	3.6	7.4	6.6	5.5	7.1	6.2	6.3
	Acute anterior poliomyelitis	0.7	0.9	0.3	0.9	0.6	1.8	0.6	0.7	1.4	1.0
	Other diseases of the spinal cord [1]	7.9	7.1	8.0	2.7	6.8	4.7	4.9	6.4	4.8	5.2
64	Cerebral hemorrhage, apoplexy	81.4	81.0	48.1	43.1	94.9	134.7	81.2	95.4	65.4	64.9
65	Softening of the brain	1.7	2.6	2.8	1.2	0.5	1.8	1.8	2.7	1.1	2.0
66	Paralysis without specified cause	5.1	8.4	8.5	8.6	4.2	9.2	7.0	11.3	16.6	15.5
67	General paralysis of the insane	5.3	18.3	4.5	6.0	4.9	8.7	9.5	8.3	3.4	5.0
68	Other forms of mental alienation	2.6	3.5	2.0	2.2	1.8	2.4	1.9	2.5	3.1	2.8
69	Epilepsy	2.3	5.7	2.3	5.5	3.0	6.6	5.0	5.4	7.3	3.4
70	Convulsions (nonpuerperal)	.....	0.2	.....	.....	.....	0.3	.....	.....	0.3	0.2
71	Convulsions of infants	0.7	1.1	0.3	0.7	4.2	4.5	1.1	0.8	2.3	3.0
72	Chorea	0.1	0.2	0.3	0.2	0.5	.....	0.2	0.2	0.3	0.1
73	Neuralgia and neuritis	0.2	0.4	.....	.....	0.9	2.1	0.5	0.9	0.6	0.7
74	Other diseases of the nervous system	3.8	3.7	2.3	1.5	3.2	3.9	2.8	3.1	4.5	3.0
75	Diseases of the eyes and their annexa	0.2	.....	.....	.....	.....	0.5	.....	0.1	0.3	0.1
76	Diseases of the ears	1.7	1.8	0.3	0.2	1.8	0.8	2.7	1.7	2.3	0.8
	III.—Diseases of the circulatory system	243.2	227.9	163.2	115.6	200.4	235.5	194.3	192.3	174.0	131.4
77	Pericarditis	1.4	1.1	0.6	1.5	0.7	1.8	0.9	1.7	2.5	1.0
78	Acute endocarditis	11.2	7.4	11.7	5.8	15.7	8.4	5.7	3.1	12.1	3.9
79	Organic diseases of the heart	190.1	168.9	113.5	82.9	145.3	172.5	148.4	147.5	126.9	99.4
80	Angina pectoris	9.0	10.4	10.2	5.1	8.1	11.0	9.4	12.1	5.4	5.5
81	Diseases of the arteries, atheroma, aneurism, etc.	25.6	34.0	18.8	15.6	22.7	33.3	24.8	23.4	19.7	18.1
82	Embolism and thrombosis	4.6	4.0	6.8	3.9	5.5	5.8	3.1	3.6	5.6	1.7
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	0.7	0.7	1.1	.....	1.2	0.5	0.9	0.5	0.3	0.3
84	Diseases of the lymphatic system (lymphangitis, etc.).	0.5	0.7	0.3	0.5	1.1	1.8	0.6	0.3	0.3	0.2
85	Hemorrhage; other diseases of the circulatory system.	0.2	0.7	0.3	0.2	0.4	0.3	0.4	0.2	1.1	1.4
	IV.—Diseases of the respiratory system	122.6	122.6	182.0	170.5	200.3	168.8	154.2	123.6	159.3	97.1
86	Diseases of the nasal fossae	.....	0.1	.....	.....	.....	.....	0.1	0.2	.....	.....
87	Diseases of the larynx	0.6	1.1	1.4	1.5	1.4	1.8	0.8	1.2	0.6	1.0
88	Diseases of the thyroid body	0.6	0.6	0.6	0.3	0.7	0.5	1.3	1.2	0.8	0.6
89	Acute bronchitis	6.7	5.6	4.8	6.8	13.2	15.0	6.9	6.5	4.5	3.7
90	Chronic bronchitis	6.6	9.7	5.4	3.6	7.0	11.0	7.0	7.3	8.7	7.0
91	Bronchopneumonia	36.3	29.2	34.4	48.1	53.9	55.7	54.4	35.5	45.1	22.4
92	Pneumonia (total)	63.6	64.7	120.3	91.8	112.5	75.3	74.4	65.7	89.1	52.2
	Lobar pneumonia	55.4	45.9	113.2	87.8	87.7	54.1	65.3	43.7	55.8	29.1
	Pneumonia (undefined)	8.2	18.9	7.1	3.9	24.8	21.3	9.1	22.0	33.3	23.1
93	Pleurisy	3.1	2.1	1.7	1.7	3.4	3.2	3.1	1.9	2.3	2.1
94	Pulmonary congestion, pulmonary apoplexy	2.3	3.4	4.5	5.0	4.9	2.9	1.4	0.7	1.7	2.9
95	Gangrene of the lung	0.3	0.3	.....	.....	0.7	.....	0.5	0.3	0.3	0.2
96	Asthma	1.7	3.0	5.4	3.6	1.8	1.8	3.4	2.1	3.7	3.0
97	Pulmonary emphysema	.....	0.4	.....	0.3	0.2	0.5	0.2	0.1	0.6	0.1
98	Other diseases of the respiratory system (tuberculosis excepted).	0.7	2.3	3.4	7.7	0.6	1.1	0.5	1.0	2.0	1.9
	V.—Diseases of the digestive system	114.6	107.2	98.1	88.7	186.4	150.2	160.5	114.5	131.9	91.4
99	Diseases of the mouth and annexa	0.7	0.7	.....	0.5	1.1	0.8	1.0	0.7	0.6	0.8
100	Diseases of the pharynx	2.3	2.0	2.3	2.4	2.5	1.8	3.1	2.6	1.4	2.2
101	Diseases of the esophagus	0.2	.....	.....	0.2	.....	0.3	0.3	0.2	0.3	0.1
102	Ulcer of the stomach	7.2	5.3	7.1	2.4	6.1	4.2	4.2	4.9	6.5	3.3
103	Other diseases of the stomach (cancer excepted).	6.1	9.5	4.0	5.0	8.9	14.7	12.3	13.6	12.4	10.0
104	Diarrhea and enteritis (under 2 years)	24.6	32.2	18.2	30.8	99.7	83.2	59.7	32.5	25.9	22.7
105	Diarrhea and enteritis (2 years and over)	11.2	11.6	7.1	10.3	12.9	15.2	11.2	14.4	13.8	10.7
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	.....	0.1	.....	.....	.....	.....	.....	0.2	.....	.....
108	Appendicitis and typhlitis	17.0	8.9	20.2	14.0	13.6	3.9	17.2	7.9	18.6	8.1
109	Hernia, intestinal obstruction (total)	12.7	10.9	12.2	9.1	13.2	6.0	14.8	10.2	14.1	9.5
	Hernia	3.6	3.3	1.7	2.4	5.1	2.1	3.8	2.5	2.8	1.9
	Intestinal obstruction	9.1	7.6	10.5	6.7	8.1	3.9	11.0	7.7	11.3	7.6
110	Other diseases of the intestines	3.2	3.5	4.5	1.4	2.6	1.3	3.1	3.2	6.5	3.2
111	Acute yellow atrophy of the liver	0.2	0.3	.....	0.2	0.5	0.3	0.2	0.6	.....	0.6
112	Hydatid tumor of the liver	.....	0.1	.....	.....	.....	.....	.....	0.1	.....	.....
113	Cirrhosis of the liver	17.0	12.4	9.1	5.5	12.3	10.5	17.2	12.4	11.6	6.7
114	Biliary calculi	3.9	2.2	3.7	2.2	4.4	2.1	4.9	3.5	5.4	2.8

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																
KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		Detailed Int. List No.
Total.		White.		Colored.				Total.		White.		Colored.				
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
3.5	1.2	4.2	1.2	.....	1.1	4.5	3.9	2.8	1.8	2.9	2.3	2.2	.....	2.5	3.8	62
4.4	4.7	4.5	4.6	4.2	5.6	7.3	9.8	4.2	6.1	3.8	6.0	6.5	6.5	5.8	8.0	63
0.2	1.1	0.3	1.2	.....	0.6	0.6	0.8	0.9	2.1	0.7	1.4	2.2	5.0	1.0	1.4	
4.2	3.5	4.2	3.4	4.2	5.0	6.8	9.0	3.2	4.0	3.1	4.6	4.3	1.4	4.7	6.6	
87.2	39.7	80.6	37.9	120.6	58.2	96.5	131.8	103.5	87.0	93.4	84.9	164.2	95.6	92.6	131.0	64
2.8	2.2	2.8	2.3	2.8	1.1	2.3	5.3	1.1	1.6	1.1	1.6	1.1	1.4	1.2	1.6	65
15.1	16.3	10.3	15.1	39.3	28.0	14.7	12.4	13.8	32.0	13.0	29.1	18.5	43.8	4.2	5.1	66
16.3	4.3	15.6	3.7	19.6	10.1	22.6	4.9	5.7	8.9	5.1	9.2	9.8	7.9	5.9	13.5	67
1.6	3.0	2.0	2.3	.....	9.5	6.2	4.1	1.2	2.3	1.1	1.9	2.2	3.6	1.0	1.1	68
7.4	3.5	7.0	3.0	9.8	9.0	4.0	3.4	2.0	8.1	1.4	7.1	5.4	12.2	1.9	8.6	69
0.5	0.3	.....	0.2	2.8	1.1	0.6	0.2	0.3	0.6	0.4	0.4	.....	1.4	0.1	0.3	70
5.6	3.9	5.0	3.3	8.4	9.5	3.4	4.1	5.0	11.9	3.8	8.8	12.0	24.4	3.1	3.6	71
.....	0.2	.....	0.2	.....	.....	.....	0.3	0.3	0.4	0.4	0.5	.....	.....	0.1	.....	72
1.4	0.7	1.4	0.7	1.4	1.1	0.6	1.4	0.6	0.1	0.7	0.2	.....	.....	0.3	.....	73
2.8	3.2	3.1	2.7	1.4	8.4	6.2	4.4	5.6	3.0	6.0	2.6	3.3	4.3	4.7	3.5	74
.....	0.1	.....	0.1	.....	.....	.....	.....	0.2	.....	.....	.....	1.1	.....	0.2	0.1	75
2.3	1.2	2.5	1.3	1.4	0.6	3.4	0.5	2.6	1.0	2.3	0.9	4.3	1.4	2.8	0.8	76
228.1	103.5	195.2	93.8	394.0	198.3	269.2	262.2	233.0	173.6	210.3	168.1	369.6	196.1	236.4	317.2	
3.3	1.7	2.5	1.4	7.0	4.5	1.1	1.7	1.5	1.1	1.1	1.2	4.3	0.7	1.2	1.0	77
18.6	2.6	13.7	2.2	43.5	6.7	13.5	6.6	12.4	3.5	11.4	3.7	18.5	2.9	12.6	7.5	78
157.0	81.0	132.4	73.2	280.4	157.4	183.4	186.0	175.9	138.6	157.6	131.4	285.9	168.1	169.4	221.5	79
7.0	5.0	5.9	4.6	12.6	9.0	4.5	16.3	7.1	7.7	7.2	9.0	6.5	2.2	8.0	15.2	80
35.6	10.6	34.3	9.8	42.1	18.5	54.7	41.2	29.5	17.9	27.4	18.4	42.4	15.8	36.7	61.9	81
4.0	1.1	3.6	1.3	5.6	.....	11.3	6.8	5.3	3.0	4.9	3.0	7.6	2.9	5.8	8.8	82
0.7	0.4	0.6	0.3	1.4	1.1	0.6	1.2	0.5	0.9	0.2	1.1	2.2	.....	1.1	0.3	83
1.4	0.6	1.4	0.7	1.4	.....	.....	0.7	0.5	0.3	0.4	0.2	1.1	0.7	1.2	0.8	84
0.7	0.5	0.8	0.5	.....	1.1	.....	1.9	0.3	0.7	0.2	0.2	1.1	2.9	0.3	0.4	85
187.9	110.6	137.4	101.4	441.7	200.5	220.7	162.3	225.9	169.8	183.4	140.7	481.6	288.1	197.8	172.7	
.....	0.3	.....	0.2	.....	0.6	.....	0.5	.....	1.1	.....	0.4	.....	4.3	0.2	0.3	86
0.9	1.4	0.8	1.5	1.4	0.6	.....	1.4	1.4	1.3	1.6	1.6	.....	.....	1.3	1.3	87
0.7	0.3	0.8	0.3	.....	.....	1.1	0.3	0.5	0.7	0.4	0.7	1.1	0.7	0.4	0.5	88
10.7	5.5	7.0	5.1	29.4	10.1	11.9	15.6	11.0	13.3	9.0	9.7	22.8	28.0	13.2	10.5	89
14.0	7.0	10.3	5.9	32.2	18.5	10.7	8.0	10.1	8.9	9.4	8.8	14.1	9.3	8.7	11.5	90
38.1	25.5	31.5	23.5	71.5	45.9	60.4	37.4	86.5	48.9	68.5	39.4	194.6	87.7	63.3	55.0	91
103.0	62.9	72.5	58.1	256.6	109.8	121.3	87.7	102.9	82.6	82.4	67.8	226.1	143.0	102.4	87.1	92
68.4	37.2	48.0	34.2	171.1	66.6	76.2	46.9	97.0	53.7	77.6	46.1	214.2	84.8	89.2	84.0	
34.7	25.7	24.5	23.9	85.5	43.1	45.1	40.8	5.9	28.9	4.9	21.7	12.0	58.2	13.2	3.1	
4.0	1.3	3.1	1.3	8.4	1.7	1.7	1.7	4.3	3.4	3.4	3.4	9.8	3.6	4.0	1.5	93
5.1	1.8	4.5	1.8	8.4	1.1	10.2	5.4	4.2	3.0	4.5	3.4	2.2	1.4	1.6	2.5	94
0.5	0.1	0.6	0.1	.....	.....	.....	0.5	1.1	0.1	0.7	.....	3.3	0.7	0.5	0.4	95
6.3	2.5	2.8	2.1	23.8	6.7	1.1	1.7	2.2	2.6	2.0	2.1	3.3	4.3	1.2	1.0	96
0.2	0.1	0.3	0.1	.....	.....	.....	0.2	0.2	0.4	.....	0.5	1.1	.....	0.1	0.1	97
4.4	1.9	3.3	1.5	9.8	5.6	2.3	1.9	1.7	3.4	1.4	3.0	3.3	5.0	1.0	1.0	98
145.3	106.0	129.6	101.6	224.3	150.1	170.4	135.8	165.1	160.2	159.4	138.1	198.9	250.0	152.2	111.3	
0.7	0.9	0.6	1.0	1.4	.....	2.3	0.8	1.1	1.7	0.9	0.7	2.2	5.7	0.6	0.6	99
0.9	2.2	0.8	2.1	1.4	2.8	2.8	3.2	2.0	2.6	2.0	1.9	2.2	5.0	3.1	2.6	100
0.7	0.4	0.6	0.3	1.4	0.6	1.1	0.5	0.2	0.4	0.2	0.5	.....	.....	0.2	.....	101
4.7	2.7	3.6	2.6	9.8	4.5	3.4	1.5	3.9	2.1	3.6	1.8	5.4	3.6	4.5	3.4	102
11.9	14.3	7.5	13.4	33.6	23.5	16.4	22.0	11.1	17.1	8.8	13.6	25.0	31.6	5.8	8.9	103
34.0	38.1	32.6	37.4	40.7	44.8	49.1	51.1	82.6	86.7	81.5	72.7	89.1	143.7	79.9	52.2	104
15.8	15.7	13.9	15.3	25.2	19.6	14.7	17.8	13.0	18.4	11.0	18.4	25.0	18.7	9.4	11.8	105
.....	0.5	.....	0.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	106
.....	0.5	.....	0.5	.....	.....	.....	.....	.....	0.1	.....	0.2	.....	.....	.....	0.1	107
19.8	6.3	19.8	6.1	19.6	8.4	25.4	8.1	13.8	5.0	13.9	4.1	13.0	8.6	13.3	4.1	108
15.3	8.0	12.5	7.4	29.4	14.0	18.1	10.3	12.2	8.2	11.5	6.9	16.3	13.7	11.5	6.1	109
4.0	2.0	2.5	1.8	11.2	3.9	4.0	3.6	4.2	2.0	3.8	1.4	6.5	4.3	4.6	2.8	
11.4	6.0	10.0	5.6	18.2	10.1	14.1	6.8	8.0	6.2	7.8	5.5	9.8	9.3	6.8	3.4	
4.2	1.8	2.8	1.5	11.2	4.5	7.3	2.4	1.7	3.0	1.6	3.0	2.2	2.9	2.7	2.9	110
.....	0.3	.....	0.2	.....	0.6	.....	0.5	0.8	0.3	0.7	0.4	1.1	.....	0.4	0.5	111
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	112
15.8	4.7	15.1	4.5	19.6	6.7	6.2	9.0	12.7	6.2	12.8	6.2	12.0	6.5	9.1	9.8	113
3.5	1.9	4.2	1.9	.....	1.7	4.5	1.7	3.6	2.0	4.0	2.3	1.1	0.7	4.2	2.1	114

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KANSAS.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	V.—Diseases of the digestive system—Continued.										
115	Other diseases of the liver	5.8	4.3	6.8	3.8	4.5	3.9	7.8	5.0	8.5	6.7
116	Diseases of the spleen	.....	0.1	0.3	.....	0.1	0.5	0.1	0.1	0.3	0.1
117	Simple peritonitis (nonpuerperal)	1.5	2.5	0.6	0.7	2.8	0.8	2.2	2.3	5.4	2.8
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	1.0	0.7	2.0	0.3	1.2	0.5	1.1	0.2	0.8	1.0
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	135.6	110.8	123.7	69.8	132.3	120.0	122.7	114.4	120.9	76.7
119	Acute nephritis	6.9	6.2	10.2	7.2	10.8	8.4	11.3	9.6	5.4	3.8
120	Bright's disease	108.8	89.6	95.5	53.1	106.7	99.5	90.5	92.1	88.5	59.8
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	3.7	3.2	3.4	1.2	1.9	1.3	3.7	1.5	4.8	2.2
123	Calculi of the urinary passages	0.7	0.4	0.3	.....	0.7	1.8	0.4	0.5	1.1	0.5
124	Diseases of the bladder	1.8	2.8	0.3	1.7	2.1	3.2	1.3	3.0	3.4	2.1
125	Diseases of the urethra, urinary abscess, etc.	0.6	0.3	.....	.....	0.5	.....	0.6	0.3	.....	0.1
126	Diseases of the prostate	5.2	4.2	4.5	2.6	4.6	4.7	5.1	4.4	9.0	4.8
127	Nonvenereal diseases of the male genital organs.	0.1	.....	.....	0.2	.....	.....	0.3	.....	0.3	.....
128	Uterine hemorrhage (nonpuerperal)	.....	0.2	.....	0.3	.....	.....	.....	0.1	.....	0.2
129	Uterine tumor (noncancerous)	2.6	1.2	2.8	0.5	2.0	0.3	2.7	0.6	2.3	0.9
130	Other diseases of the uterus	1.2	0.3	2.3	1.5	0.8	0.3	0.9	0.3	1.4	0.9
131	Cysts and other tumors of the ovary	1.2	0.8	2.8	0.2	0.6	.....	1.2	1.0	1.4	0.5
132	Salpingitis and other diseases of the female genital organs.	2.8	1.4	1.4	1.4	1.4	0.5	4.8	1.0	3.4	0.8
133	Nonpuerperal diseases of the breast (cancer excepted).	0.1	0.2	.....	.....	0.1	.....	.....	.....	.....	.....
	VII.—The puerperal state	13.6	11.5	15.1	14.2	18.2	7.9	19.5	12.2	16.6	11.6
134	Accidents of pregnacy	1.4	1.1	1.4	1.0	2.0	0.5	1.0	1.1	1.1	1.7
135	Puerperal hemorrhage	1.0	1.3	1.1	1.9	2.0	0.8	2.2	1.3	0.8	0.9
136	Other accidents of labor	0.9	1.2	0.9	0.7	1.5	.....	2.1	1.0	2.3	1.2
137	Puerperal septicemia	4.8	3.9	7.7	7.5	5.9	3.4	10.7	5.3	8.2	4.3
138	Puerperal albuminuria and convulsions	5.0	3.5	3.4	2.7	6.1	2.4	2.8	2.9	3.4	3.0
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	0.4	0.3	0.6	0.2	0.6	0.8	0.8	0.5	0.8	0.4
140	Following childbirth (not otherwise defined)	0.1	.....	.....	0.2	.....	.....	.....	0.1	.....	0.1
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	3.7	2.5	3.1	2.2	4.4	6.3	3.2	4.2	3.9	3.6
142	Gangrene	1.7	1.3	2.6	1.5	1.4	3.7	1.8	3.1	2.5	2.2
143	Furuncle	0.4	0.6	.....	.....	0.7	1.3	0.6	0.3	0.6	0.2
144	Acute abscess	0.9	0.2	0.6	0.5	0.9	1.1	0.3	0.1	0.3	0.7
145	Other diseases of the skin and annexa	0.8	0.4	.....	0.2	1.3	0.3	0.4	0.7	0.6	0.6
	IX.—Diseases of the bones and of the organs of locomotion	2.9	1.6	2.3	1.4	3.6	1.1	3.1	1.8	3.7	1.5
146	Diseases of the bones (tuberculosis excepted)	2.6	1.4	2.0	1.0	3.2	1.1	3.1	1.7	3.1	1.3
147	Diseases of the joints (tuberculosis and rheumatism excepted).	0.3	0.2	0.3	0.3	0.4	.....	.....	0.1	0.6	.....
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	.....	0.1	.....	.....	.....	.....	.....	0.1	.....	0.2
	X.—Malformations	10.5	8.9	10.5	11.1	16.3	13.4	18.7	18.3	9.6	10.0
150	Congenital malformations (stillbirths not included) (total).	10.5	8.9	10.5	11.1	16.3	13.4	18.7	18.3	9.6	10.0
	Hydrocephalus	0.9	0.7	0.6	0.7	2.4	1.1	1.5	1.1	0.6	0.8
	Congenital malformations of the heart	6.1	5.5	7.7	8.7	8.4	7.9	13.0	11.9	4.8	5.8
	Other congenital malformations	3.5	2.7	2.3	1.7	5.5	4.5	4.2	5.3	4.2	3.4
	XI.—Early infancy	44.8	53.9	67.1	72.8	99.8	80.1	70.0	60.9	71.9	58.2
151	Congenital debility, icterus, and sclerema (total).	34.9	43.3	57.2	61.6	73.3	63.5	55.5	45.6	62.3	48.5
	Premature birth	29.0	30.4	43.2	43.5	51.4	36.0	46.6	38.2	38.1	34.4
	Congenital debility, "atrophy," "marasmus," etc.	5.9	13.0	13.9	18.1	22.0	27.6	8.9	7.4	24.2	14.1
152	Other causes peculiar to early infancy (total)	9.6	9.9	9.4	11.1	26.3	16.3	14.4	15.0	9.3	9.6
	Injuries at birth	6.0	5.4	3.1	4.3	15.0	10.8	7.4	8.2	6.2	5.8
	Other causes peculiar to early infancy [2]	3.6	4.5	6.3	6.8	11.4	5.5	7.0	6.8	3.1	3.9
153	Lack of care	0.3	0.7	0.6	.....	0.1	0.3	0.1	0.2	0.3	0.1
	XII.—Old age	12.4	19.2	29.0	27.4	10.8	21.0	5.5	11.4	31.3	35.7
154	Senility	12.4	19.2	29.0	27.4	10.8	21.0	5.5	11.4	31.3	35.7

[1] Less than one-tenth of 1 per 100,000 population.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																
KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		Detailed Int. List No.
Total.		White.		Colored.				Total.		White.		Colored.				
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
10.5	3.7	9.8	3.3	14.0	7.8	10.2	3.7	2.9	2.6	3.2	2.3	1.1	3.6	3.8	4.1	115
0.5	0.2	0.6	0.2	.....	0.6	0.6	0.3	0.2	0.1	0.2	0.2	.....	.....	0.2	.....	116
6.0	3.7	4.2	3.1	15.4	9.5	6.2	2.2	3.1	3.1	3.2	2.5	2.2	5.7	2.2	1.1	117
1.2	0.3	1.1	0.2	1.4	0.6	2.3	0.5	0.3	0.4	0.2	0.5	1.1	.....	1.2	0.9	118
173.7	78.8	155.3	70.5	266.4	160.2	171.6	130.2	189.5	142.2	171.0	130.0	301.1	191.8	107.1	111.4	
14.0	5.8	10.6	5.3	30.8	10.6	16.9	7.8	18.7	13.0	14.4	10.2	44.6	24.4	7.0	4.6	119
138.4	62.6	128.5	55.7	187.9	131.1	124.7	104.7	149.4	120.8	136.5	112.1	227.2	155.9	84.5	97.3	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
1.9	2.1	2.0	2.0	1.4	2.8	5.1	3.0	4.0	1.7	4.0	1.8	4.3	1.4	2.5	1.8	122
0.2	0.4	0.3	0.3	.....	0.6	1.7	0.2	0.6	0.1	0.7	0.2	.....	.....	1.2	0.6	123
3.0	2.3	2.8	2.4	4.2	1.7	4.5	5.8	2.5	2.3	2.7	2.1	1.1	2.9	1.3	2.6	124
0.2	0.2	.....	0.2	1.4	0.6	1.1	0.3	0.8	0.1	0.5	.....	2.2	0.7	0.5	0.1	125
5.6	2.2	5.9	2.1	4.2	2.8	6.2	4.1	4.3	1.4	4.5	1.4	3.3	1.4	3.7	2.1	126
0.7	0.1	0.3	.....	2.8	0.6	.....	0.3	0.2	0.1	0.2	.....	.....	0.7	0.2	.....	127
.....	0.1	.....	0.1	.....	0.6	0.6	.....	.....	.....	.....	.....	.....	.....	(1)	0.1	128
4.0	0.8	1.1	0.7	18.2	2.2	3.4	1.0	2.3	0.7	1.6	0.7	6.5	0.7	1.9	0.6	129
1.9	1.0	1.4	0.9	4.2	2.2	3.4	1.2	2.5	0.3	2.2	0.4	4.3	.....	1.0	0.6	130
1.2	0.6	1.1	0.5	1.4	1.7	1.1	1.2	0.6	0.6	0.7	0.2	.....	2.2	1.1	0.3	131
2.8	0.6	1.4	0.3	9.8	2.8	2.8	0.5	3.6	0.7	2.9	0.5	7.6	1.4	2.2	0.6	132
.....	.....	.....	.....	.....	.....	.....	0.2	.....	0.3	.....	0.4	.....	.....	0.1	.....	133
14.2	13.9	13.7	13.7	16.8	15.7	18.6	13.0	16.6	12.6	16.2	11.1	18.5	18.7	15.8	10.1	
1.9	1.6	1.7	1.6	2.8	1.7	1.7	1.7	1.1	0.6	1.1	0.7	1.1	.....	1.2	1.1	134
1.4	0.8	1.7	0.9	.....	.....	.....	1.4	1.2	2.3	1.4	2.3	.....	2.2	1.7	1.3	135
1.4	1.8	1.1	1.7	2.8	2.8	2.3	2.2	0.8	2.0	0.7	1.2	1.1	5.0	1.8	1.6	136
6.7	6.3	6.7	6.2	7.0	7.3	6.8	3.7	8.4	3.8	7.9	3.4	10.9	5.7	4.9	1.9	137
2.6	2.9	2.2	2.9	4.2	3.4	6.8	3.7	4.3	3.5	4.3	3.2	4.3	5.0	4.8	3.4	138
0.2	0.4	0.3	0.4	.....	0.6	0.6	0.3	0.8	0.4	0.7	0.4	1.1	0.7	1.4	0.8	139
.....	0.1	.....	0.1	.....	.....	0.6	.....	.....	.....	.....	.....	.....	.....	(1)	0.1	140
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	141
3.5	3.3	3.1	2.6	5.6	10.1	7.3	7.3	6.8	3.5	6.0	4.1	12.0	1.4	4.6	7.3	
2.3	1.8	2.2	1.4	2.8	6.2	2.3	4.9	2.5	2.6	1.4	3.0	8.7	0.7	1.5	3.5	142
.....	0.2	.....	0.2	.....	0.6	1.1	0.3	0.8	0.1	0.9	0.2	.....	.....	0.8	0.6	143
0.9	0.4	0.8	0.4	1.4	0.6	2.8	0.8	1.4	0.4	1.4	0.5	1.1	.....	1.4	0.9	144
0.2	0.8	.....	0.6	1.4	2.8	1.1	1.2	2.2	0.4	2.2	0.4	2.2	0.7	1.0	2.3	145
2.3	1.7	2.2	1.5	2.8	2.8	4.0	2.4	4.8	1.4	5.1	1.1	3.3	2.9	3.8	1.6	
1.9	1.3	1.7	1.3	2.8	1.7	2.8	1.9	4.2	1.0	4.3	0.7	3.3	2.2	3.4	1.3	146
0.2	0.3	0.3	0.2	.....	1.1	1.1	0.3	0.6	0.1	0.7	.....	.....	0.7	0.3	0.4	147
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
0.2	0.1	0.3	0.1	.....	.....	.....	0.2	.....	0.3	.....	0.4	.....	.....	0.2	.....	149
11.6	9.9	12.0	10.1	9.8	8.4	11.3	11.7	11.0	13.5	10.8	12.7	12.0	16.5	19.8	17.9	
11.6	9.9	12.0	10.1	9.8	8.4	11.3	11.7	11.0	13.5	10.8	12.7	12.0	16.5	19.8	17.9	150
0.2	1.2	0.3	1.3	.....	0.6	1.1	1.5	0.9	0.6	1.1	0.5	.....	0.7	2.1	2.1	
7.0	3.9	7.2	3.9	5.6	3.4	6.2	6.8	8.4	9.8	7.9	8.8	10.9	13.7	11.6	10.6	
4.4	4.9	4.5	4.9	4.2	4.5	4.0	3.4	1.7	3.1	1.8	3.4	1.1	2.2	6.1	5.1	
72.8	71.4	69.1	70.6	91.1	79.5	104.4	81.6	105.5	96.4	95.8	83.7	164.2	148.0	87.0	67.4	
62.6	61.2	60.2	60.5	74.3	67.8	84.7	69.1	83.4	81.1	75.9	70.8	128.3	122.9	64.6	52.6	151
39.8	44.6	40.4	45.0	36.5	40.9	48.0	44.7	52.9	46.3	46.4	45.2	92.4	51.0	45.4	38.4	
22.8	16.5	19.8	15.5	37.9	26.9	36.7	24.4	30.5	34.7	29.6	25.6	35.9	71.8	19.2	14.1	
10.0	10.0	8.9	9.9	15.4	11.2	19.8	12.4	21.7	14.6	19.8	12.9	32.6	21.6	21.9	14.4	152
5.6	4.9	4.7	4.8	9.8	6.2	9.6	4.7	9.0	6.5	9.6	6.4	5.4	7.2	14.2	7.5	
4.4	5.1	4.2	5.1	5.6	5.0	10.2	7.6	12.7	8.1	10.3	6.5	27.2	14.4	7.8	6.9	
0.2	0.2	.....	0.2	1.4	0.6	.....	0.2	0.5	0.7	.....	.....	3.3	3.6	0.4	0.4	153
27.0	22.9	28.2	21.1	21 0	40.3	35.6	54.7	15.8	23.0	15.0	19.2	20.7	38.1	7.0	16.5	
27.0	22.9	28.2	21.1	21.0	40.3	35.6	54.7	15.8	23.0	15 0	19.2	20.7	38.1	7 0	16.5	154

[1] Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.									
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KANSAS.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes	135.4	161.8	79.3	116.4	102.8	102.6	101.7	82.2	97.5	70.4
	Suicide (total)	39.1	30.6	25.9	12.5	19.1	16.3	17.9	13.9	14.7	9.8
155	By poison	7.3	4.8	6.5	2.6	5.2	4.7	7.1	4.3	4.8	1.9
156	By asphyxia	7.4	1.1	2.0	.....	4.0	0.5	1.0	0.2	.....	0.1
157	By hanging or strangulation	3.4	4.2	2.0	1.2	3.0	4.5	2.4	2.2	1.7	2.1
158	By drowning	1.6	1.3	.....	0.3	0.8	2.1	0.9	0.9	0.8	0.4
159	By firearms	16.0	15.2	13.4	7.4	5.1	3.4	4.9	4.7	5.9	4.2
160	By cutting or piercing instruments	2.1	2.7	1.7	0.9	0.7	1.1	1.3	0.5	0.8	0.6
161	By jumping from high places	1.2	0.1	.....	.....	0.2	.....	0.3	0.1	0.3	0.1
162	By crushing	0.1	0.8	.....	.....	.....	.....	.....	0.5	0.3	0.1
163	Other suicides	0.1	0.3	0.3	0.2	.....	.....	.....	0.5	.....	0.3
	Accidental or undefined (total)	84.1	117.9	44.4	93.5	80.2	82.4	75.5	64.6	66.5	56.5
164	Poisoning by food	1.7	2.7	2.3	2.7	1.1	0.8	0.4	1.1	1.4	0.6
165	Other acute poisonings	2.3	2.8	2.0	2.4	1.3	2.6	1.7	1.6	2.0	2.0
166	Conflagration	1.8	4.3	0.9	0.7	0.6	2.4	1.2	1.3	1.7	1.0
167	Burns (conflagration excepted)	4.5	5.2	3.1	2.1	10.1	3.2	6.3	4.6	7.3	4.1
168	Absorption of deleterious gases (conflagration excepted).	6.7	1.6	3.1	2.2	4.6	2.4	3.0	1.9	2.0	1.7
169	Accidental drowning	7.1	18.8	0.6	10.1	9.6	20.7	4.7	5.4	6.2	6.7
170	Traumatism by firearms	2.0	5.6	1.7	5.8	0.5	1.3	2.1	2.9	4.2	3.3
171	Traumatism by cutting or piercing instruments.	.....	0.3	.....	.....	0.2	.....	.....	0.1	.....	0.2
172	Traumatism by fall	15.4	13.3	4.8	5.1	20.8	14.7	15.8	16.5	10.7	7.6
173	Traumatism in mines and quarries (total)	0.3	4.2	1.7	19.9	0.1	0.5	1.2	2.4	1.7	1.8
	Traumatism in mines	0.2	3.6	1.7	19.3	.....	.....	1.2	2.3	1.7	1.8
	Traumatism in quarries	0.1	0.6	.....	0.5	0.1	0.5	.....	0.1	.....	.....
174	Traumatism by machines	2.0	1.6	0.6	2.9	1.8	1.8	3.0	1.3	0.6	1.1
175	Traumatism by other crushing (total)	34.0	43.9	18.8	27.9	23.4	22.8	29.6	20.0	21.1	14.8
	Railroad accidents and injuries	8.3	15.4	7.7	13.4	8.0	8.9	14.2	10.6	11.3	7.8
	Street-car accidents and injuries	6.4	2.1	2.6	.....	2.4	2.6	4.5	1.7	3.4	1.3
	Automobile accidents and injuries	14.3	14.6	5.4	5.8	9.5	6.8	6.7	3.4	3.4	2.3
	Injuries by other vehicles	4.2	9.9	2.8	7.7	2.6	3.9	3.0	3.7	1.7	3.3
	Landslide, other crushing	0.8	1.8	0.3	1.0	0.9	0.5	1.1	0.6	1.4	0.1
176	Injuries by animals	0.9	1.5	0.9	2.4	0.2	0.8	0.5	1.1	1.7	1.7
177	Starvation	.....	0.6	.....	0.2	.....	.....	0.1	.....	.....	.....
178	Excessive cold	0.2	0.7	0.6	1.4	0.8	1.1	0.2	0.3	0.3	0.5
179	Effects of heat	0.2	1.3	.....	0.3	0.8	0.8	0.5	0.2	.....	0.3
180	Lightning	.....	0.1	0.3	2.7	.....	0.5	.....	0.6	.....	0.9
181	Electricity (lightning excepted)	1.2	1.6	0.3	1.4	1.2	1.1	1.6	0.4	0.6	0.6
185	Fractures (cause not specified)	0.4	0.6	0.6	0.3	0.4	0.5	.....	0.1	1.7	3.0
186	Other external violence	3.6	7.5	2.3	2.9	2.7	4.5	3.5	2.7	3.4	4.8
	Homicide (total)	12.2	13.3	9.1	10.4	3.4	3.9	8.3	3.7	16.4	4.0
182	By firearms	7.9	10.3	6.0	9.1	1.8	1.8	5.8	2.7	13.0	2.5
183	By cutting or piercing instruments	1.8	1.2	1.4	0.7	0.6	1.3	1.0	0.4	1.1	0.6
184	By other means	2.5	1.7	1.7	0.7	1.1	0.8	1.5	0.7	2.3	0.9
	XIV.—Ill-defined diseases	0.8	5.0	2.8	2.2	8.5	4.2	0.8	1.1	13.0	18.1
187	Ill-defined organic disease	0.1	0.3	.....	0.2	.....	0.3	.....	0.1	2.5	1.9
188	Sudden death	0.1	.....	.....	.....	1.5	1.1	0.1	0.1	0.8	0.6
189	Not specified or ill-defined (total)	0.6	4.7	2.8	2.1	7.0	2.9	0.6	1.0	9.6	15.6
	Ill-defined	0.4	2.7	2.8	1.4	4.3	1.3	0.2	0.4	5.9	6.7
	Not specified or unknown	0.1	2.0	.....	0.7	2.7	1.6	0.4	0.6	3.7	8.9

[1] Less than one-tenth of 1 per 100,000 population.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																
KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		Detailed Int. List No.
Total.		White.		Colored.				Total.		White.		Colored.				
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
112.1	69.3	102.6	61.9	159.8	142.8	97.1	85.5	104.0	88.2	102.3	84.9	114.1	101.3	92.0	90.5	
24.4	7.9	28.4	7.8	4.2	8.4	14.7	15.6	17.5	10.1	19.5	11.1	5.4	5.7	14.2	12.4	
6.0	2.0	7.0	2.2	1.4	.....	2.8	1.5	4.8	1.7	5.2	1.9	2.2	0.7	2.2	1.4	155
0.5	0.2	0.6	0.1	.....	0.6	0.6	0.3	4.2	0.3	4.9	0.4	.....	.....	4.1	0.1	156
3.7	1.1	4.2	1.1	1.4	1.7	4.0	4.6	1.4	1.6	1.4	1.8	1.1	0.7	1.6	2.6	157
3.0	0.6	3.6	0.7	.....	.....	1.7	2.4	0.6	1.4	0.5	1.4	1.1	1.4	1.6	1.9	158
8.8	3.5	10.6	3.2	.....	6.2	4.5	5.9	5.0	4.4	5.6	4.9	1.1	2.2	3.1	4.8	159
1.4	0.4	1.7	0.5	.....	.....	1.1	0.7	0.8	0.3	0.9	0.4	.....	.....	0.9	1.3	160
0.2	.....	0.3	.....	.....	.....	.....	.....	0.8	0.1	0.9	0.2	.....	.....	0.5	0.1	161
0.2	0.1	0.3	0.1	.....	.....	.....	.....	.....	0.1	.....	0.2	.....	.....	0.1	0.1	162
0.5	.....	0.3	.....	1.4	.....	.....	0.2	.....	0.1	.....	.....	.....	0.7	0.1	0.1	163
68.1	51.4	64.7	47.8	85.5	86.3	77.9	68.3	79.8	72.7	78.3	69.4	89.1	86.2	74.6	74.6	
1.4	0.7	1.4	0.6	1.4	1.7	2.3	1.0	1.1	0.9	1.3	0.9	.....	0.7	0.6	1.0	164
2.1	1.6	2.0	1.4	2.8	3.4	2.3	1.5	1.4	2.7	1.6	1.9	.....	5.7	2.1	1.5	165
0.9	0.8	0.8	0.5	1.4	3.4	2.3	2.7	0.9	1.0	0.5	1.1	3.3	0.7	2.1	2.0	166
9.3	9.5	7.0	8.7	21.0	16.8	5.6	6.4	15.2	6.9	13.0	6.2	28.3	10.1	8.2	3.8	167
1.9	1.8	2.2	1.5	.....	4.5	0.6	1.4	1.5	1.0	1.3	0.9	3.3	1.4	4.5	2.3	168
7.4	4.2	7.5	4.0	7.0	6.7	12.4	14.7	10.1	18.4	8.3	16.2	20.7	27.3	7.0	19.9	169
2.6	4.1	2.0	3.6	5.6	9.0	2.8	3.4	1.4	2.6	1.1	1.6	3.3	6.5	0.7	1.3	170
0.2	0.2	0.3	0.2	.....	0.6	0.6	0.3	0.3	0.3	0.2	0.2	1.1	0.7	(1)	0.1	171
11.2	6.9	11.2	7.1	11.2	5.0	14.1	11.7	15.9	9.8	16.1	9.7	15.2	10.1	20.4	16.7	172
0.9	3.4	1.1	3.1	.....	5.6	.....	0.3	0.5	1.3	0.5	1.6	.....	.....	0.1	0.4	173
0.9	3.4	1.1	3.1	.....	5.6	.....	.....	0.3	1.1	0.4	1.4	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	0.3	0.2	0.1	0.2	0.2	.....	.....	0.1	0.4	
2.1	0.8	1.7	0.7	4.2	1.1	3.4	2.7	1.5	1.3	1.6	1.4	1.1	0.7	2.3	0.8	174
19.5	10.1	19.5	9.6	19.6	15.7	14.7	11.5	22.4	16.7	24.7	18.4	8.7	10.1	21.2	18.7	175
8.8	7.3	8.4	6.7	11.2	13.4	7.3	5.1	8.8	10.5	10.1	11.7	1.1	5.7	6.6	8.0	
2.1	0.2	2.5	0.2	.....	.....	1.7	0.8	3.7	1.0	3.8	0.7	3.3	2.2	2.7	1.6	
5.3	0.8	5.6	0.9	4.2	0.6	1.7	3.0	6.5	2.6	7.4	3.2	1.1	.....	7.7	5.5	
2.8	1.7	2.8	1.7	2.8	1.7	3.4	2.0	3.1	1.8	3.1	1.9	3.3	1.4	3.8	2.6	
0.5	0.2	0.3	0.2	1.4	.....	0.6	0.5	0.3	0.9	0.4	0.9	.....	0.7	0.3	0.9	
0.7	0.9	0.8	1.0	.....	.....	.....	1.7	0.6	0.7	0.5	0.5	1.1	1.4	0.2	0.4	176
.....	0.1	.....	0.1	.....	0.6	0.6	0.2	.....	0.1	.....	.....	.....	0.7	(1)	.....	177
1.2	0.3	0.3	.....	5.6	2.8	.....	0.5	0.2	1.0	0.2	0.5	.....	2.9	0.4	0.8	178
0.7	0.3	0.6	0.3	1.4	0.6	0.6	.....	2.2	1.1	2.5	1.1	.....	1.4	0.4	0.8	179
.....	0.8	.....	0.7	.....	1.1	.....	0.3	.....	1.3	.....	1.6	.....	.....	(1)	0.3	180
1.2	0.4	1.1	0.3	1.4	0.6	1.1	0.7	0.2	0.4	0.2	0.5	.....	.....	0.6	0.6	181
2.3	1.0	2.8	1.0	.....	1.1	5.6	1.7	1.9	1.1	2.0	1.4	1.1	.....	0.3	0.4	185
2.6	3.6	2.5	3.4	2.8	6.2	9.0	5.4	2.6	4.1	2.7	3.7	2.2	5.7	3.2	3.3	186
19.5	10.1	9.5	6.3	70.1	48.2	4.5	1.7	6.7	5.4	4.5	4.4	19.6	9.3	3.2	3.5	
12.3	8.1	6.4	4.8	42.1	40.9	2.8	1.4	3.6	3.7	2.5	3.2	9.8	5.7	1.5	1.6	182
3.7	0.7	0.8	0.4	18.2	3.4	.....	.....	1.2	0.1	0.4	.....	6.5	0.7	0.5	0.8	183
3.5	1.3	2.2	1.1	9.8	3.9	1.7	0.3	1.9	1.6	1.6	1.2	3.3	2.9	1.3	1.1	184
8.6	52.5	5.9	49.7	22.4	79.5	24.3	19.6	6.3	39.8	4.7	23.5	16.3	106.3	6.1	5.1	
1.9	3.6	0.6	3.4	8.4	6.2	1.7	0.3	0.2	1.6	.....	0.7	1.1	5.0	(1)	0.1	187
.....	1.9	.....	1.9	.....	1.1	7.3	1.2	0.5	2.3	0.4	2.1	1.1	2.9	0.5	0.1	188
6.7	47.0	5.3	44.4	14.0	72.2	15.2	18.1	5.7	36.0	4.3	20.7	14.1	98.4	5.6	4.9	189
4.0	12.2	3.3	11.4	7.0	19.6	9.0	6.3	4.3	15.3	2.9	11.5	13.0	30.9	3.7	4.5	
2.8	34.8	2.0	33.0	7.0	52.6	6.2	11.9	1.4	20.7	1.4	9.2	1.1	67.5	1.9	0.4	

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes [3]	1,472.7	1,253.3	1,115.0	964.1	1,439.9	1,062.2	1,499.6	1,016.6	1,613.2	1,609.8	1,360.2	1,418.5
	I.—General diseases	347.1	279.5	330.6	254.1	401.9	328.5	371.3	240.4	348.9	368.9	342.9	357.7
1	Typhoid fever	16.6	8.5	9.3	5.5	10.8	18.1	14.4	12.2	7.5	7.9	6.9	6.4
2	Typhus fever												
3	Relapsing fever												
4	Malaria	0.4	0.4			2.5	16.7				0.8	0.4	0.5
5	Smallpox	0.2	0.2	0.5	0.2	0.3	0.5		0.3			0.1	
6	Measles	4.6	2.7	3.5	4.1	5.3	4.1	0.9	1.8	2.7	1.6	9.3	5.1
7	Scarlet fever	3.4	3.8	6.7	6.4	2.4	2.1	1.8	4.2	0.5	2.4	3.2	4.0
8	Whooping cough	10.0	6.3	6.0	8.0	4.4	10.3	0.9	10.5	17.2	6.3	8.7	8.5
9	Diphtheria and croup	15.5	9.6	14.4	5.6	25.2	17.3	3.6	5.1	9.1	5.9	17.6	17.5
10	Influenza	11.9	21.2	8.8	11.4	14.8	25.1	11.7	8.4	17.2	37.4	8.5	15.7
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras	0.5	0.3	0.1	0.5	0.1	0.6					0.1	0.4
14	Dysentery	1.6	1.7	0.8	1.2	2.7	7.7	0.9	1.5	3.8	2.8	1.4	3.6
15	Plague												
16	Yellow fever												
17	Leprosy	0.1	0.1		0.1								
18	Erysipelas	5.0	2.6	3.2	2.2	4.2	3.0	4.5	2.4	3.2	3.1	4.3	2.7
19	Other epidemic diseases	0.4	0.3	0.3	0.2	0.1	0.3	1.8	1.8	2.1	0.4	0.3	0.1
20	Purulent infection and septicemia	3.1	2.3	2.1	1.5	2.2	2.3	5.4	2.1	2.1	3.5	1.8	1.3
21	Glanders												
22	Anthrax			0.1	0.1				0.3			0.1	0.1
23	Rabies			0.1		0.1	(4)					0.1	0.2
24	Tetanus	1.3	0.7	2.1	1.5	2.5	1.8		0.6	2.1	0.4	1.9	1.2
25	Mycoses				0.1	0.1	(4)						0.1
26	Pellagra	0.7	0.2		0.1	1.0	1.0			1.1	1.2	0.2	0.2
27	Beriberi												
	Tuberculosis (total)	117.9	85.2	133.1	85.7	163.1	134.3	144.7	110.2	135.6	111.0	148.0	163.0
28	Tuberculosis of the lungs	97.8	71.8	106.8	67.9	143.4	119.4	117.8	96.2	101.3	95.3	122.1	146.0
29	Acute miliary tuberculosis	3.6	2.0	5.5	2.4	3.9	2.1	5.4	2.7	4.3	2.8	6.7	4.1
30	Tuberculous meningitis	7.2	3.2	10.3	6.5	6.7	4.3	14.4	5.4	16.6	5.5	11.7	6.4
31	Abdominal tuberculosis	4.2	2.9	4.8	3.9	5.4	5.0	5.4	2.7	5.4	3.9	3.0	3.0
32	Pott's disease	1.3	1.2	2.7	1.6	1.3	0.8	0.9	0.9	1.1	2.0	1.7	0.9
33	White swellings	0.7	0.9	0.8	0.7	0.9	0.5		0.3	1.1	0.4	0.9	0.2
34	Tuberculosis of other organs	2.4	1.8	1.9	1.9	1.3	1.8	0.9	0.9	3.8	0.8	1.2	1.2
35	Disseminated tuberculosis	0.8	1.3	0.4	0.8	0.2	0.5		1.2	2.1	0.4	0.7	1.3
36	Rickets	0.3	0.5	0.8	0.5	0.9	0.3		0.3	0.5	0.8	0.6	0.7
37	Syphilis	10.8	4.1	8.4	3.3	16.9	3.8	14.4	3.0	3.8	3.5	6.6	5.7
38	Gonococcus infection	0.3	0.2	1.1	0.1	1.5	0.1	1.8	0.3	0.5	0.8	0.7	0.2
	Cancer and other malignant tumors (total)	89.0	81.8	81.4	78.1	94.3	52.2	74.6	41.8	95.9	119.3	80.9	81.3
39	Of the buccal cavity	3.2	3.7	2.9	3.7	5.3	1.7	1.8	1.2	2.7	6.7	2.9	2.6
40	Of the stomach, liver	37.0	35.0	35.2	39.4	32.0	22.3	33.3	18.8	29.5	40.6	32.2	31.7
41	Of the peritoneum, intestines, rectum	11.4	10.0	9.7	10.6	12.1	6.5	5.4	6.0	15.5	16.5	12.3	11.3
42	Of the female genital organs	14.5	9.7	12.4	5.7	15.9	5.9	11.7	6.9	21.4	20.1	12.1	12.2
43	Of the breast	7.3	6.8	5.2	5.8	7.8	4.9	6.3	1.2	13.4	10.2	8.3	8.7
44	Of the skin	2.0	4.7	1.6	2.0	3.0	3.8	0.9	1.5	2.7	6.7	1.3	3.4
45	Of other organs or of organs not specified	13.6	11.9	14.4	10.9	18.2	6.9	15.3	6.3	10.7	18.5	11.8	11.4
46	Other tumors (tumors of the female genital organs excepted)	0.6	0.6	0.1	0.4	0.2	0.4				1.2	0.6	0.8
47	Acute articular rheumatism	6.9	4.2	3.7	4.5	6.1	3.4	10.8	3.0	3.8	4.3	5.5	5.1
48	Chronic rheumatism and gout	1.5	1.3	1.5	2.1	1.1	1.9	1.8	0.9	2.7	4.3	0.7	1.8
49	Scurvy	0.1	0.4		0.1	0.1	(4)					0.2	0.1
50	Diabetes	19.3	17.4	18.2	15.3	18.4	11.6	23.4	11.6	18.2	26.0	19.2	18.6
51	Exophthalmic goiter	3.1	2.2	3.3	1.9	2.7	1.0	5.4	0.3	1.1	1.6	1.2	1.2
52	Addison's disease	0.8	0.6	0.9	0.5	0.4	0.3	0.9	0.9	0.5		0.2	0.9
53	Leukemia	1.8	2.0	3.6	1.6	2.0	1.1	0.9	1.5	2.1	1.6	1.9	0.8
54	Anemia, chlorosis	10.1	11.2	6.7	5.8	4.6	3.0	16.2	2.4	4.3	12.6	3.9	4.6
55	Other general diseases	4.7	2.5	1.6	1.6	3.0	1.1	3.6	1.5	4.3	3.1	1.9	1.5
56	Alcoholism (acute or chronic)	3.8	3.0	7.5	3.7	5.5	1.8	25.2	11.3	5.4	3.5	5.1	3.5
57	Chronic lead poisoning	0.2	0.3	0.1	0.1	0.5	0.2			1.1	1.2	0.4	0.2
58	Other chronic occupation poisonings	0.2	0.1									0.1	
59	Other chronic poisonings	0.5	0.9	0.5	0.2	2.3	0.9	1.8	0.3	0.5	0.4	0.5	0.6
	II.—Diseases of the nervous system and of the organs of special sense	151.8	162.1	83.0	98.1	115.2	100.4	87.2	83.3	183.8	226.8	114.1	180.9
60	Encephalitis	1.6	1.0	0.8	0.7	0.8	0.7	2.7	0.3	1.1	0.4	1.0	0.5
61	Meningitis (total)	12.0	7.3	8.4	5.0	5.4	6.9	11.7	5.4	16.6	9.1	9.7	6.0
	Simple meningitis	7.5	5.1	4.3	2.8	2.0	2.9	4.5	2.1	8.0	3.1	6.0	3.7
	Cerebrospinal meningitis (undefined)	3.8	1.9	2.9	0.8	0.9	1.9	2.7	2.7	4.2	4.7	2.1	1.6
	Cerebrospinal fever	0.7	0.3	1.2	1.4	2.6	2.1	4.5	0.6	4.2	1.2	1.5	0.7

[1] Includes only municipalities having a population of 1,000 or over in 1910. [2] Includes only municipalities having a population of 1,000 or over, but less than 10,000, in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

nhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																
NEW YORK.		NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		Detailed Int. List No.
		Total.		White.		Colored.										
Cities.	Rural districts.	Cities.	Rural districts.[2]	Cities.	Rural districts.[2]	Cities.	Rural districts.[2]	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
1,431.2	1,539.3	1,966.1	1,591.7	1,522.8	1,247.8	2,726.9	2,322.9	1,381.8	1,223.9	1,487.6	1,270.9	1,494.2	1,419.8	1,039.3	961.9	
396.0	354.0	644.2	490.5	489.3	366.7	910.0	753.8	365.2	315.1	358.6	291.4	393.5	350.3	226.3	190.2	
7.4	8.3	36.9	43.2	27.0	33.2	53.8	64.4	15.4	12.9	12.5	12.2	9.2	14.1	6.2	11.1	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
0.4	0.6	8.8	17.0	3.5	9.6	17.9	32.7	0.4	0.6	0.3	0.5	0.2	.....	.....	.....	4
.....	.....	2.2	0.7	2.6	0.5	1.5	1.0	0.1	0.2	.....	.....	.....	.....	.....	.....	5
10.4	3.7	0.6	0.7	0.9	1.0	.....	.....	6.1	2.6	9.6	4.1	9.2	13.2	0.7	1.1	6
5.0	2.1	0.6	2.3	0.9	3.4	.....	.....	5.2	3.7	3.4	3.7	4.9	2.6	1.4	3.6	7
8.1	6.6	12.7	15.4	10.4	9.6	16.4	27.6	7.4	6.6	5.3	8.3	18.2	21.2	6.2	27.5	8
20.4	8.0	9.4	13.1	13.1	16.4	3.0	6.1	15.8	10.8	20.6	18.4	17.6	11.5	23.6	5.4	9
8.8	25.9	20.4	18.3	18.3	17.3	23.9	20.5	14.5	23.8	15.6	19.2	10.8	20.3	6.2	16.1	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
0.1	0.4	.....	0.3	.....	0.5	.....	.....	(4)	0.2	0.3	0.9	.....	.....	.....	0.4	13
1.3	3.6	21.5	17.7	9.6	13.5	41.8	26.6	1.9	3.3	2.0	3.1	4.7	3.5	0.7	1.4	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.2	.....	.....	.....	17
5.6	3.6	4.4	2.9	4.4	3.8	4.5	1.0	3.0	3.2	3.4	3.2	3.7	5.3	6.2	5.4	18
0.3	0.4	.....	.....	.....	.....	.....	.....	0.3	0.2	0.8	0.4	.....	.....	0.7	1.4	19
1.5	2.0	6.1	3.3	7.8	2.4	3.0	5.1	1.9	2.1	2.1	2.5	2.5	4.4	2.8	1.4	20
(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.2	.....	.....	.....	21
0.1	0.2	.....	.....	.....	.....	.....	.....	.....	.....	(4)	(4)	.....	.....	.....	0.4	22
(4)	(4)	0.6	.....	0.9	.....	.....	.....	0.2	(4)	0.1	(4)	.....	.....	.....	.....	23
1.0	1.2	8.8	5.6	2.6	1.4	19.4	14.3	1.9	1.8	1.8	1.2	1.2	0.9	0.7	0.7	24
0.1	(4)	.....	.....	.....	.....	.....	.....	.....	(4)	.....	(4)	0.2	.....	.....	.....	25
0.1	0.2	107.3	49.7	72.3	38.0	167.3	74.7	0.1	0.1	0.1	(4)	1.8	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
175.5	126.7	283.3	199.9	195.0	126.1	434.8	357.0	148.0	114.1	144.9	110.2	167.1	112.9	50.7	41.4	
147.4	108.1	244.2	173.4	170.6	109.2	370.6	309.9	124.7	96.8	117.8	94.2	135.1	102.4	36.1	33.9	28
6.8	4.3	9.9	6.9	3.5	1.4	20.9	18.4	3.9	2.5	6.6	3.6	4.7	.....	2.1	1.1	29
13.4	5.9	7.2	3.6	6.1	3.4	9.0	4.1	8.4	4.1	9.4	4.5	15.5	8.8	2.8	1.1	30
3.3	4.1	17.1	9.8	12.2	7.7	25.4	14.3	5.9	5.2	5.6	4.2	5.7	0.9	2.8	3.2	31
1.4	1.3	1.7	.....	0.9	.....	3.0	.....	0.8	1.0	1.8	1.1	1.4	.....	2.8	.....	32
0.8	0.5	1.1	1.6	.....	1.4	3.0	2.0	0.8	0.6	1.0	0.4	1.4	.....	1.4	1.1	33
1.8	1.8	0.6	3.3	0.9	1.9	.....	6.1	2.5	2.4	1.8	1.5	2.0	.....	2.8	1.1	34
0.6	0.8	1.7	1.3	0.9	1.0	3.0	2.0	1.1	1.6	1.0	0.6	1.2	0.9	.....	.....	35
1.1	0.6	2.8	2.0	.....	1.0	7.5	4.1	0.9	0.3	1.0	0.5	1.2	.....	0.7	.....	36
12.2	5.2	21.5	12.4	7.8	3.4	44.8	31.7	11.9	4.5	9.8	4.5	6.1	2.6	4.2	5.4	37
0.8	0.3	.....	0.3	.....	.....	.....	1.0	0.2	0.2	1.0	0.3	0.2	.....	1.4	.....	38
89.5	100.0	57.8	60.5	65.3	61.1	44.8	59.3	87.5	82.5	83.1	65.5	90.1	100.6	70.1	37.1	
3.0	3.9	3.3	2.9	3.5	3.8	3.0	1.0	3.2	3.5	3.1	2.7	4.1	3.5	2.8	3.6	39
34.1	35.4	18.7	21.6	23.5	24.1	10.5	16.4	33.1	32.6	31.6	28.4	32.9	34.4	34.0	16.8	40
14.0	14.7	3.3	4.9	2.6	4.3	4.5	6.1	10.2	9.5	10.9	7.7	14.3	13.2	7.6	3.2	41
13.0	13.3	13.8	16.4	12.2	13.5	16.4	22.5	16.7	11.5	14.1	9.1	14.5	18.5	6.9	2.5	42
8.3	12.3	1.7	4.6	.....	4.3	4.5	5.1	7.6	9.0	8.6	5.9	9.2	11.5	6.2	2.1	43
1.7	4.6	1.1	1.3	1.7	1.9	.....	.....	2.4	5.0	2.1	3.5	1.8	3.5	2.1	2.5	44
15.3	15.8	16.0	8.8	21.8	9.1	6.0	8.2	14.3	11.4	12.7	8.2	13.3	15.9	10.4	6.4	45
0.4	1.2	1.1	0.7	1.7	0.5	.....	1.0	0.4	0.3	0.4	0.1	0.4	.....	.....	0.7	46
5.2	5.0	5.5	5.2	1.7	3.4	12.0	9.2	5.4	4.3	5.8	5.6	2.9	5.3	4.2	3.6	47
0.8	2.4	1.1	1.0	0.9	1.0	1.5	1.0	1.2	2.4	0.9	1.2	1.4	0.9	2.1	1.8	48
0.2	0.1	.....	.....	.....	.....	.....	.....	0.2	0.1	0.3	0.1	0.2	.....	.....	.....	49
23.6	24.6	12.7	6.9	17.4	7.7	4.5	5.1	16.5	16.9	17.1	14.1	24.3	16.8	17.4	10.7	50
1.4	2.0	2.8	0.7	4.4	0.5	.....	1.0	2.7	2.4	1.6	0.8	0.8	.....	3.5	1.1	51
0.4	0.6	.....	0.3	.....	0.5	.....	.....	0.4	0.6	0.4	0.3	0.6	0.9	0.7	.....	52
2.5	1.7	2.8	1.6	3.5	1.4	1.5	2.0	1.7	1.5	2.2	1.2	2.0	0.9	2.8	2.1	53
4.2	8.3	1.7	2.6	2.6	1.9	.....	4.1	5.8	6.7	4.8	3.4	3.9	4.4	2.1	2.5	54
2.2	2.1	9.4	2.6	11.3	2.9	6.0	2.0	2.2	1.8	2.0	1.9	2.5	.....	4.9	2.5	55
4.9	5.4	1.7	2.6	2.6	3.4	.....	1.0	5.2	3.5	4.3	3.0	4.5	7.1	4.9	2.9	56
0.2	0.1	0.6	.....	0.9	.....	.....	.....	0.2	0.2	0.3	0.1	.....	0.9	0.7	1.8	57
(4)	(4)	.....	.....	.....	.....	.....	.....	(4)	.....	.....	.....	.....	.....	.....	.....	58
0.4	0.7	.....	1.0	.....	1.4	.....	.....	0.4	0.8	0.4	0.7	0.6	.....	0.7	1.1	59
100.7	208.1	168.9	158.4	149.8	133.3	201.7	211.7	138.3	159.0	120.8	141.9	147.3	120.0	84.0	81.4	
0.5	0.5	1.1	1.0	1.7	1.0	.....	1.0	1.1	0.7	1.3	1.1	0.4	1.8	1.4	0.7	60
6.0	7.0	9.9	15.7	6.1	15.9	16.4	15.3	7.0	5.3	6.5	6.3	10.2	7.1	4.9	10.0	61
2.7	4.1	5.0	10.8	3.5	11.5	7.5	9.2	3.1	2.8	4.6	4.8	4.1	6.2	0.7	3.6	
1.9	1.4	4.4	4.9	2.6	4.3	7.5	6.1	1.5	1.4	0.8	0.6	3.9	0.9	2.8	4.3	
1.5	1.6	0.6	.....	.....	.....	1.5	.....	2.4	1.1	1.0	0.9	2.2	.....	1.4	2.1	

[3] Exclusive of stillbirths.

[4] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Con.												
62	Locomotor ataxia	2.1	3.4	3.6	1.1	3.8	1.6	2.7	1.8	2.1	3.9	2.1	4.2
63	Other diseases of the spinal cord (total)	5.7	7.5	5.3	6.1	5.8	7.0	2.7	3.3	10.7	11.8	5.7	7.2
	Acute anterior poliomyelitis	0.8	1.4	0.7	1.7	1.1	1.2	.....	0.3	1.1	2.8	0.8	0.9
	Other diseases of the spinal cord [2]	4.9	6.1	4.7	4.4	4.6	5.7	2.7	3.0	9.6	9.1	4.9	6.4
64	Cerebral hemorrhage, apoplexy	74.4	91.3	46.0	59.9	67.7	57.4	46.8	43.0	99.2	157.1	74.2	116.8
65	Softening of the brain	0.8	2.1	0.9	0.3	1.1	1.9	0.9	0.3	2.1	2.4	0.9	1.6
66	Paralysis without specified cause	13.9	23.0	2.4	4.5	6.1	10.6	3.6	5.1	14.5	10.2	5.2	12.1
67	General paralysis of the insane	12.8	6.6	2.0	3.9	13.3	4.0	5.4	7.8	15.5	6.7	3.5	13.5
68	Other forms of mental alienation	3.6	1.7	1.6	2.0	1.2	1.2	.....	5.7	3.2	7.9	0.5	3.8
69	Epilepsy	3.3	5.5	1.5	4.9	3.3	3.9	0.9	5.1	5.9	6.7	1.8	5.1
70	Convulsions (nonpuerperal)	.....	0.3	.....	0.2	.....	0.1	0.9	.....	.....	.....	.....	0.2
71	Convulsions of infants	9.3	7.0	2.7	5.0	0.9	1.3	0.9	3.0	5.4	2.4	3.5	4.3
72	Chorea	0.3	0.3	.....	.....	0.2	(4)	.....	0.3	.....	0.4	0.1	0.1
73	Neuralgia and neuritis	0.7	1.2	.....	0.4	0.3	0.3	.....	.....	2.1	1.6	0.7	0.7
74	Other diseases of the nervous system	8.5	3.3	4.9	2.5	2.7	2.3	5.4	1.2	3.8	5.5	3.1	4.1
75	Diseases of the eyes and their annexa	0.1	0.1	.....	0.1	0.1	0.1	.....	.....	.....	.....	0.2	.....
76	Diseases of the ears	2.8	0.7	2.9	1.5	2.5	1.1	2.7	1.2	1.6	0.8	1.9	0.9
	III.—Diseases of the circulatory system	198.4	215.7	144.1	124.4	194.8	115.7	184.3	104.2	261.0	337.8	177.4	213.1
77	Pericarditis	1.8	1.6	0.4	0.6	1.7	1.4	0.9	0.9	.....	1.2	0.5	1.4
78	Acute endocarditis	9.1	4.4	7.3	4.7	8.2	2.6	22.5	6.6	10.2	5.9	15.2	9.3
79	Organic diseases of the heart	147.4	169.9	106.4	98.9	133.2	86.1	131.3	78.0	187.0	233.5	135.3	166.2
80	Angina pectoris	7.0	10.6	4.8	4.3	6.0	5.8	5.4	3.6	13.9	22.8	7.2	9.0
81	Diseases of the arteries, atheroma, aneurism, etc.	25.8	23.3	18.6	11.8	40.0	15.7	18.9	10.8	37.5	63.0	14.0	21.5
82	Embolism and thrombosis	4.1	3.5	4.9	3.2	3.5	3.1	4.5	3.9	10.2	10.2	4.1	4.2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	1.0	0.8	0.3	0.3	0.3	0.1	0.9	0.6	1.6	0.8	0.4	0.7
84	Diseases of the lymphatic system (lymphangitis, etc.).	1.4	0.8	1.3	0.3	1.0	0.3	.....	.....	0.5	.....	0.6	0.6
85	Hemorrhage; other diseases of the circulatory system.	0.8	0.7	.....	0.3	0.8	0.5	.....	.....	.....	0.4	0.2	0.1
	IV.—Diseases of the respiratory system	178.0	119.2	129.6	102.9	183.1	128.4	223.9	112.3	176.9	159.1	185.9	163.6
86	Diseases of the nasal fossae	0.1	0.2	0.3	0.3	0.1	0.2	.....	0.3	.....	.....	.....	.....
87	Diseases of the larynx	1.1	1.5	0.7	0.6	0.3	1.4	1.8	.....	1.1	2.8	1.0	1.4
88	Diseases of the thyroid body	1.8	0.7	1.7	1.1	0.7	0.3	1.8	0.6	.....	.....	0.5	0.3
89	Acute bronchitis	13.4	13.2	3.9	6.4	11.5	7.7	9.0	5.4	26.8	10.2	9.2	9.1
90	Chronic bronchitis	7.8	10.8	6.7	6.9	9.7	8.4	9.0	6.3	10.2	18.1	6.1	7.9
91	Bronchopneumonia	50.4	23.0	47.8	33.5	46.8	36.8	44.1	26.6	38.1	31.5	56.3	43.9
92	Pneumonia (total)	88.9	57.5	61.7	46.1	105.5	66.3	140.3	64.8	89.5	88.6	104.3	91.4
	Lobar pneumonia	59.3	22.8	58.9	35.2	103.7	62.2	122.3	38.2	54.7	48.0	84.5	67.7
	Pneumonia (undefined)	29.6	34.7	2.8	10.8	1.8	4.1	18.0	26.6	34.8	40.6	19.7	23.7
93	Pleurisy	3.4	3.6	3.2	2.9	4.1	1.6	3.6	1.8	4.3	3.5	3.3	2.7
94	Pulmonary congestion, pulmonary apoplexy	4.1	2.9	0.8	1.7	1.0	1.3	2.7	2.7	2.7	2.8	1.9	2.7
95	Gangrene of the lung	0.6	0.4	0.4	0.3	0.2	0.3	0.9	1.2	.....	.....	0.2	.....
96	Asthma	3.7	3.2	1.9	2.0	2.2	2.6	5.4	0.9	2.7	0.8	1.8	1.6
97	Pulmonary emphysema	0.5	0.4	0.1	0.1	0.3	.....	0.9	.....	.....	.....	0.1	0.5
98	Other diseases of the respiratory system (tuberculosis excepted).	2.3	1.8	0.5	1.1	0.7	1.5	4.5	1.8	1.6	0.8	1.2	2.1
	V.—Diseases of the digestive system	172.0	114.1	109.2	83.4	144.4	97.8	159.1	88.4	213.8	117.7	171.5	136.9
99	Diseases of the mouth and annexa	0.8	0.9	0.9	0.5	0.6	0.8	.....	0.9	0.5	0.8	0.9	0.4
100	Diseases of the pharynx	3.1	2.8	3.5	2.1	2.1	2.5	2.7	2.7	1.1	2.4	2.1	1.1
101	Diseases of the esophagus	0.3	0.4	0.1	0.3	0.1	0.2	1.8	.....	.....	.....	0.2	0.2
102	Ulcer of the stomach	5.8	4.2	6.7	3.8	5.5	2.3	9.0	5.1	5.4	2.8	5.2	2.6
103	Other diseases of the stomach (cancer excepted).	17.7	16.9	3.7	5.5	5.8	11.6	6.3	7.5	13.9	20.5	8.0	9.9
104	Diarrhea and enteritis (under 2 years)	59.5	29.4	29.3	24.8	43.4	32.3	32.4	20.3	115.8	30.3	88.2	73.9
105	Diarrhea and enteritis (2 years and over)	11.1	9.1	8.1	6.2	11.7	12.2	10.8	5.1	16.1	12.6	13.2	12.1
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	0.2	0.1	.....	.....	0.1	0.1	.....	.....	.....	.....	.....	0.2
108	Appendicitis and typhlitis	21.3	12.0	23.4	12.0	21.2	6.5	40.5	17.3	20.4	9.1	14.3	5.2
109	Hernia, intestinal obstruction (total)	16.7	11.0	11.5	8.6	14.8	7.3	18.9	9.3	13.4	9.8	11.0	7.7
	Hernia	3.8	3.2	5.9	2.8	6.5	2.7	9.0	1.8	6.4	2.0	4.9	4.3
	Intestinal obstruction	12.9	7.7	5.6	5.8	8.3	4.6	9.9	7.5	7.0	7.9	6.1	3.5
110	Other diseases of the intestines	3.0	3.1	3.2	3.5	3.7	2.6	5.4	3.0	3.2	2.0	2.7	2.8
111	Acute yellow atrophy of the liver	0.7	0.4	0.5	0.4	0.5	0.5	.....	1.2	.....	0.4	0.3	0.2
112	Hydatid tumor of the liver	.....	0.1	0.1	.....	0.2	(4)	.....	.....	.....	.....	0.1	.....
113	Cirrhosis of the liver	15.3	11.2	9.1	6.8	20.4	8.2	18.9	7.5	9.6	13.8	16.8	13.7
114	Biliary calculi	4.3	2.9	4.5	3.1	5.7	3.0	2.7	1.5	3.8	5.5	3.7	2.7

[1] Includes only municipalities having a population of 1,000 or over in 1910. [2] Includes only municipalities having a population of 1,000 or over, but less than 10,000, in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																
NEW YORK.		NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		Detailed Int. List No.
		Total.		White.		Colored.										
Cities.	Rural districts.	Cities.	Rural districts.[2]	Cities.	Rural districts.[2]	Cities.	Rural districts.[2]	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
2.4	3.6	0.6	2.3	.....	2.4	1.5	2.0	2.8	3.4	3.3	2.6	3.1	0.9	0.7	0.7	62
5.3	9.4	6.6	7.5	3.5	4.8	12.0	13.3	7.0	7.9	5.9	5.4	6.1	3.5	6.2	5.4	63
0.6	0.9	1.1	1.3	0.9	.....	1.5	4.1	2.2	1.5	0.8	1.2	1.4	.....	.....	1.1	
4.6	8.5	5.5	6.2	2.6	4.8	10.5	9.2	4.8	6.4	5.1	4.2	4.7	3.5	6.2	4.3	
64.8	138.2	94.1	73.6	76.6	64.5	124.0	93.1	89.3	107.4	74.5	85.8	96.8	85.6	49.3	39.6	64
0.8	2.9	2.8	1.0	4.4	1.0	.....	1.0	1.2	3.4	1.1	1.5	0.4	.....	0.7	.....	65
2.8	9.5	20.9	33.4	19.2	24.5	23.9	52.2	2.6	8.2	4.9	9.0	3.7	4.4	2.8	2.1	66
5.9	19.2	9.4	4.3	10.4	5.3	7.5	2.0	10.8	6.0	5.5	9.1	12.5	.....	0.7	2.5	67
1.0	3.0	6.6	2.3	8.7	1.4	3.0	4.1	3.5	3.1	1.1	2.4	2.0	0.9	2.1	3.2	68
2.5	7.0	2.8	3.9	4.4	1.4	.....	9.2	2.2	4.5	2.6	4.5	2.9	2.6	2.1	8.6	69
.....	(4)	.....	0.3	.....	.....	.....	1.0	0.2	0.3	0.2	0.3	.....	.....	.....	.....	70
1.8	2.3	6.1	5.2	3.5	2.9	10.5	10.2	3.6	2.8	6.6	8.3	2.5	7.9	4.2	3.6	71
0.1	0.2	0.6	0.3	0.9	0.5	.....	.....	0.1	0.2	0.3	0.2	.....	.....	0.7	0.4	72
0.6	0.5	0.6	1.0	0.9	0.5	.....	2.0	0.4	1.0	0.4	0.6	1.2	.....	.....	.....	73
3.5	3.6	4.4	4.6	5.2	4.8	3.0	4.1	3.4	3.5	3.8	3.3	3.7	2.6	6.2	2.5	74
0.1	0.2	.....	0.3	.....	0.5	.....	.....	0.1	0.1	0.2	0.1	0.4	.....	.....	.....	75
2.6	1.0	2.8	1.6	4.4	1.9	.....	1.0	3.1	1.3	2.7	1.4	1.4	2.6	2.1	2.1	76
213.9	316.3	200.2	127.6	148.9	113.1	288.4	158.5	192.0	206.6	204.6	162.5	224.5	235.6	145.1	113.1	
0.6	1.4	1.1	2.0	1.7	2.4	.....	1.0	1.1	1.9	0.9	1.0	1.0	1.8	1.4	.....	77
13.9	7.1	8.8	3.3	6.1	2.4	13.4	5.1	10.5	4.3	14.9	5.8	12.5	5.3	5.6	5.7	78
168.1	237.5	163.9	107.0	113.2	90.9	251.0	141.2	141.9	157.5	158.2	125.6	157.7	170.3	113.2	90.3	79
6.0	14.5	5.5	3.6	5.2	3.8	6.0	3.1	7.7	10.3	6.2	7.9	8.0	15.9	4.9	5.4	80
18.9	47.8	15.4	7.2	17.4	8.7	12.0	4.1	25.2	28.5	18.3	17.5	35.8	41.5	12.5	7.8	81
4.3	6.1	3.9	2.9	3.5	3.4	4.5	2.0	3.7	2.8	4.1	3.1	7.6	0.9	4.9	2.1	82
0.8	0.8	0.6	0.3	0.9	0.5	.....	.....	0.9	0.5	0.6	0.6	1.0	.....	1.4	.....	83
0.9	0.7	0.6	0.3	.....	.....	1.5	1.0	0.5	0.3	1.0	0.5	0.8	.....	1.4	0.7	84
0.2	0.3	0.6	1.0	0.9	1.0	.....	1.0	0.4	0.6	0.3	0.4	0.2	.....	.....	1.1	85
209.9	155.8	182.6	145.3	109.7	103.5	307.8	234.2	165.7	130.9	208.5	161.5	201.7	176.5	112.5	130.6	
0.1	(4)	1.1	0.7	.....	.....	3.0	2.0	0.1	0.4	0.1	0.3	.....	.....	0.7	.....	86
0.8	1.1	1.1	1.6	.....	1.0	3.0	3.1	0.9	1.0	1.3	1.8	1.6	1.8	.....	0.4	87
0.5	0.6	0.6	0.7	.....	1.0	1.5	.....	0.9	0.5	0.6	0.4	0.2	0.9	.....	0.7	88
12.1	11.4	9.9	7.9	7.8	3.4	13.4	17.4	9.8	7.3	13.3	10.3	12.7	17.6	4.2	8.2	89
6.2	10.6	5.5	5.9	4.4	5.8	7.5	6.1	8.0	7.0	8.0	6.8	6.3	5.3	7.6	5.4	90
74.5	46.2	56.7	40.6	34.8	27.4	94.1	68.5	59.3	43.5	71.9	58.1	57.4	47.7	31.9	37.1	91
106.1	76.8	94.1	76.2	52.2	53.9	165.9	123.8	78.2	63.0	97.0	71.2	112.0	97.9	61.1	72.4	92
95.2	59.4	85.3	57.3	44.4	40.4	155.4	93.1	75.6	57.5	82.5	49.2	67.0	40.6	59.0	56.7	
10.9	17.4	8.8	19.0	7.8	13.5	10.5	30.7	2.6	5.5	14.4	22.0	44.9	57.4	2.1	15.7	
5.2	3.4	2.8	1.3	2.6	1.4	3.0	1.0	3.4	2.4	6.1	2.7	4.1	1.8	2.1	0.7	93
1.6	2.5	6.6	5.2	4.4	6.3	10.5	3.1	1.1	1.9	3.8	3.1	3.5	1.8	0.7	0.7	94
0.3	0.2	.....	.....	.....	.....	.....	.....	0.4	0.2	0.3	0.3	0.2	.....	.....	.....	95
1.4	1.8	1.7	3.3	0.9	2.4	3.0	5.1	2.6	2.2	3.7	3.5	1.4	0.9	2.1	2.1	96
0.3	0.5	0.6	.....	.....	.....	1.5	.....	0.2	0.2	0.5	0.3	0.6	.....	.....	.....	97
0.8	0.9	2.2	2.0	2.6	1.0	1.5	4.1	0.8	1.2	1.9	2.7	1.6	0.9	2.1	2.9	98
149.6	122.7	258.6	220.6	205.5	189.6	349.6	286.4	156.0	102.6	186.0	157.2	152.2	154.4	114.6	88.1	
0.7	0.7	0.6	1.0	.....	.....	1.5	3.1	0.8	1.1	0.8	0.9	0.4	0.9	0.7	1.4	99
2.4	2.0	2.2	1.6	2.6	1.0	1.5	3.1	2.4	2.3	1.6	2.0	1.8	3.5	4.9	2.9	100
0.2	0.2	.....	0.3	.....	.....	.....	1.0	0.1	0.2	0.3	0.2	0.2	.....	0.7	.....	101
4.7	3.8	5.0	3.9	6.1	4.3	3.0	3.1	5.6	3.7	4.7	2.3	6.7	3.5	12.5	2.9	102
4.4	13.9	27.0	19.6	12.2	16.8	52.3	25.6	8.4	12.8	11.2	16.2	8.2	15.9	4.9	6.1	103
75.2	41.7	117.7	118.5	87.1	90.0	170.3	179.0	63.1	29.9	95.7	86.0	75.4	80.3	15.3	26.0	104
9.2	14.4	24.8	17.0	26.1	17.8	22.4	15.3	11.5	10.4	11.6	13.3	12.5	15.0	4.2	5.4	105
.....	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	106
0.1	(4)	.....	.....	.....	.....	.....	.....	(4)	0.1	(4)	0.2	.....	.....	.....	.....	107
14.2	7.2	23.7	20.3	21.8	23.1	26.9	14.3	15.0	5.9	14.6	4.8	11.6	4.4	27.8	17.8	108
11.1	9.6	25.9	14.4	20.9	13.5	34.4	16.4	14.7	10.2	14.6	8.2	9.0	5.3	18.1	9.3	109
5.3	3.1	6.1	2.9	7.8	2.4	3.0	4.1	5.3	2.8	5.6	2.6	4.1	2.6	4.2	1.4	
5.8	6.5	19.8	11.5	13.1	11.1	31.4	12.3	9.4	7.4	9.0	5.6	4.9	2.6	13.9	7.8	
2.2	3.1	7.7	3.9	7.8	3.8	7.5	4.1	3.4	2.8	2.7	2.1	2.0	2.6	0.7	2.1	110
0.3	0.8	1.1	0.3	0.9	0.5	1.5	.....	0.6	0.4	0.4	0.3	0.4	1.8	.....	0.4	111
(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	(4)	0.1	.....	.....	.....	.....	112
15.5	14.3	5.5	9.8	5.2	8.7	6.0	12.3	16.7	12.0	14.6	11.0	13.1	11.5	9.0	6.4	113
3.2	2.2	3.3	1.0	2.6	1.0	4.5	1.0	5.2	3.7	4.1	2.0	3.3	1.8	4.9	2.1	114

[3] Exclusive of acute anterior poliomyelitis (infantile paralysis).

[4] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	V.—Diseases of the digestive system—Con.												
115	Other diseases of the liver	7.8	5.3	3.2	3.6	5.4	5.1	9.0	2.4	5.4	4.3	3.0	2.1
116	Diseases of the spleen	0.2	0.3	0.1	0.4	.....	(3)	.....	.....	.....	0.4	0.1	0.1
117	Simple peritonitis (nonpuerperal)	3.3	3.7	0.9	1.0	2.4	2.3	.....	4.5	3.2	2.0	1.0	1.3
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1.2	0.4	0.3	0.5	1.0	0.1	0.9	0.3	2.1	1.2	0.9	0.7
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	106.9	94.5	103.8	87.8	177.0	90.9	130.4	76.8	131.3	127.2	138.4	135.5
119	Acute nephritis	9.8	6.0	6.3	4.4	13.4	7.8	5.4	5.7	13.9	7.9	11.0	8.6
120	Bright's disease	74.9	73.4	80.1	69.5	142.6	73.9	94.4	62.4	100.2	105.9	113.9	115.9
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	3.1	1.9	2.8	1.7	3.5	1.9	1.8	0.9	3.2	1.2	2.6	2.0
123	Calculi of the urinary passages	1.1	0.4	1.3	1.2	1.3	0.5	0.9	0.6	0.5	0.4	0.6	0.5
124	Diseases of the bladder	1.9	3.8	1.2	2.0	1.3	1.5	2.7	0.6	1.6	6.3	1.0	1.6
125	Diseases of the urethra, urinary abscess, etc	0.4	0.2	0.7	0.1	0.6	(3)	1.8	.....	0.5	.....	0.5	0.2
126	Diseases of the prostate	5.6	5.0	4.8	6.1	5.2	3.0	4.5	2.1	3.8	3.1	2.8	3.5
127	Nonvenereal diseases of the male genital organs	0.2	0.1	0.1	0.1	.....	(3)	.....	.....	.....	.....	0.1	.....
128	Uterine hemorrhage (nonpuerperal)	0.1	0.1	.....	.....	.....	0.1	.....	.....	.....	0.4	0.1	.....
129	Uterine tumor (noncancerous)	3.1	1.6	2.1	0.8	2.5	0.7	5.4	1.2	2.7	1.2	2.1	1.1
130	Other diseases of the uterus	1.6	0.7	1.1	0.7	1.4	0.3	4.5	1.5	2.1	.....	1.0	0.7
131	Cysts and other tumors of the ovary	1.8	0.7	0.8	0.3	1.3	0.4	.....	0.3	1.6	0.4	0.6	0.4
132	Salpingitis and other diseases of the female genital organs	3.5	0.5	2.5	0.9	3.9	0.7	9.0	1.5	1.1	0.4	2.0	0.8
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	0.2	.....	0.1	0.1	.....	.....	.....	.....	.....	0.2	0.2
	VII.—The puerperal state	21.8	15.2	12.7	12.8	15.8	13.5	27.0	18.2	18.2	10.6	17.1	9.8
134	Accidents of pregnancy	2.3	1.0	1.5	0.7	2.2	1.3	0.9	2.4	1.6	0.4	1.4	1.0
135	Puerperal hemorrhage	2.0	2.2	1.5	1.9	1.1	1.2	1.8	0.6	2.7	1.2	1.8	1.5
136	Other accidents of labor	2.0	1.3	0.8	1.5	0.8	1.1	5.4	3.0	1.1	1.2	1.8	1.1
137	Puerperal septicemia	9.1	5.2	4.5	4.5	8.9	6.0	11.7	7.2	4.8	3.9	7.7	3.6
138	Puerperal albuminuria and convulsions	5.5	4.6	3.7	3.4	2.6	3.6	7.2	4.5	8.0	3.1	3.5	2.5
139	Puerperal phlegmasia alba dolens, embolus, sudden death	0.9	0.8	0.4	0.7	0.2	0.4	.....	0.6	.....	0.8	0.7	0.2
140	Following childbirth (not otherwise defined)	0.1	0.1	0.3	0.1	.....	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....
	VIII.—Diseases of the skin and of the cellular tissue	5.8	6.5	3.1	3.8	4.2	2.7	1.8	0.3	9.6	6.7	3.8	4.7
142	Gangrene	2.2	4.4	0.8	1.6	1.7	1.7	.....	.....	3.8	2.4	1.6	2.6
143	Furuncle	0.8	0.5	0.3	0.5	0.9	0.1	0.9	.....	2.1	0.8	0.6	0.4
144	Acute abscess	1.7	0.4	0.7	0.5	1.0	0.3	0.9	0.3	0.5	1.6	0.6	0.6
145	Other diseases of the skin and annexa	1.3	1.3	1.3	1.3	0.6	0.6	.....	.....	3.2	2.0	0.9	1.1
	IX.—Diseases of the bones and of the organs of locomotion	3.6	1.5	3.1	2.5	2.5	0.7	7.2	0.9	2.7	1.6	2.8	2.1
146	Diseases of the bones (tuberculosis excepted)	3.2	1.4	2.3	2.3	2.1	0.5	7.2	0.9	1.6	0.4	2.6	1.6
147	Diseases of the joints (tuberculosis and rheumatism excepted)	0.3	0.2	0.7	0.1	0.3	0.1	.....	.....	1.1	0.8	0.1	0.2
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....
149	Other diseases of the organs of locomotion	0.1	.....	0.1	0.1	0.1	(3)	.....	.....	.....	0.4	0.1	0.3
	X.—Malformations	22.4	18.1	16.1	13.9	12.1	11.1	15.3	16.1	19.3	18.1	15.4	16.9
150	Congenital malformations (stillbirths not included) (total)	22.4	18.1	16.1	13.9	12.1	11.1	15.3	16.1	19.3	18.1	15.4	16.9
	Hydrocephalus	2.0	2.0	2.0	0.7	1.4	0.7	2.7	1.5	2.7	1.6	1.8	1.2
	Congenital malformations of the heart	12.8	11.0	8.4	7.2	7.4	6.2	9.0	9.6	11.8	12.2	9.0	12.3
	Other congenital malformations	7.6	5.2	5.7	6.1	3.4	4.2	3.6	5.1	4.8	4.3	4.6	3.4
	XI.—Early infancy	113.5	80.8	76.5	70.0	54.2	56.0	103.4	66.6	128.1	77.2	83.3	72.8
151	Congenital debility, icterus, and sclerema (total)	92.5	64.8	63.5	55.9	43.0	46.0	84.5	51.4	106.7	61.8	66.2	60.0
	Premature birth	63.4	43.0	50.0	41.8	35.9	37.2	66.5	40.3	67.5	42.1	45.7	38.9
	Congenital debility, "atrophy," "marasmus," etc	29.2	21.9	13.6	14.1	7.0	8.8	18.0	11.1	39.1	19.7	20.4	21.1
152	Other causes peculiar to early infancy (total)	20.5	15.9	12.8	13.6	11.0	9.7	18.9	14.9	20.9	15.4	17.1	12.1
	Injuries at birth	11.3	8.6	8.1	7.2	5.2	4.9	8.1	9.3	9.6	9.1	10.1	6.5
	Other causes peculiar to early infancy [4]	9.2	7.2	4.7	6.5	5.8	4.8	10.8	5.7	11.3	6.3	6.9	5.7
153	Lack of care	0.4	0.1	0.1	0.4	0.2	0.2	.....	0.3	0.5	.....	0.1	0.7
	XII.—Old age	38.1	48.0	6.1	19.7	3.6	17.1	16.2	23.3	28.9	58.7	8.1	19.1
154	Senility	38.1	48.0	6.1	19.7	3.6	17.1	16.2	23.3	28.9	58.7	8.1	19.1

[1] Includes only municipalities having a population of 1,000 or over in 1910. [2] Includes only municipalities having a population of 1,000 or over, but less than 10,000, in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																
NEW YORK.		NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		Detailed Int. List No.
		Total.		White.		Colored.										
Cities.	Rural districts.	Cities.	Rural districts.[2]	Cities.	Rural districts[2]	Cities.	Rural districts.[2]	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
4.0	5.6	3.9	2.9	5.2	3.8	1.5	1.0	5.1	4.4	5.7	4.8	4.9	6.2	9.7	2.5	115
0.2	0.2	.....	.....	.....	.....	.....	.....	0.1	(3)	0.1	0.1	0.2	.....	.....	0.4	116
1.1	2.2	8.3	5.2	5.2	4.8	13.4	6.1	2.3	2.3	2.2	2.0	1.0	1.8	1.4	1.4	117
0.9	0.8	2.2	0.7	1.7	0.5	3.0	1.0	1.0	0.4	1.0	0.4	1.4	.....	.....	1.1	118
139.5	140.8	170.0	114.2	133.2	92.4	233.1	160.6	117.3	97.6	146.3	90.2	132.4	122.7	109.0	71.0	
8.3	9.0	19.8	12.4	12.2	8.2	32.9	21.5	11.6	8.5	11.4	7.6	10.2	7.9	5.6	6.1	119
116.3	117.0	124.0	84.4	107.1	72.2	153.9	110.5	87.0	77.7	117.4	72.8	112.2	105.9	79.8	53.9	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
2.6	1.9	3.9	3.3	3.5	3.8	4.5	2.0	1.7	1.9	2.3	1.5	2.5	.....	1.4	1.4	122
0.9	0.5	1.1	0.3	0.9	0.5	1.5	.....	0.8	0.6	0.7	0.6	0.6	.....	1.4	1.1	123
0.9	3.4	0.6	2.3	.....	1.9	1.5	3.1	1.3	2.5	1.8	2.1	0.6	1.8	0.7	2.1	124
0.6	0.3	2.2	1.6	0.9	1.0	4.5	3.1	0.4	0.2	0.7	0.2	.....	.....	0.7	0.4	125
3.5	4.5	5.5	3.9	3.5	2.4	9.0	7.2	4.4	3.7	4.0	2.9	2.9	3.5	11.1	2.5	126
0.1	0.2	.....	.....	.....	.....	.....	.....	0.2	0.1	0.2	(3)	.....	.....	.....	.....	127
0.1	0.1	.....	0.3	.....	.....	.....	1.0	.....	(3)	0.1	0.1	.....	.....	.....	.....	128
2.1	1.7	6.6	2.6	0.9	1.0	16.4	6.1	2.9	1.1	2.7	0.9	1.2	1.8	2.1	1.8	129
0.9	0.6	3.3	1.6	2.6	0.5	4.5	4.1	1.2	0.2	1.4	0.5	0.2	.....	2.1	.....	130
0.9	0.9	1.1	.....	0.9	.....	1.5	.....	1.3	0.4	1.0	0.5	0.6	1.8	0.7	0.7	131
2.2	0.6	1.7	1.3	0.9	1.0	3.0	2.0	4.7	0.7	2.6	0.5	1.4	.....	3.5	1.1	132
0.1	(3)	.....	.....	.....	.....	.....	.....	(3)	(3)	0.1	0.1	.....	.....	.....	.....	133
14.9	11.4	30.8	23.2	29.6	15.9	32.9	38.9	16.3	11.7	19.2	14.4	17.0	7.9	17.4	17.8	
1.4	0.7	3.3	1.6	4.4	1.0	1.5	3.1	1.8	1.1	1.6	1.1	1.4	0.9	3.5	2.9	134
1.4	1.3	3.3	2.3	2.6	1.4	4.5	4.1	1.6	1.6	1.5	1.5	3.1	0.9	2.1	1.1	135
1.6	1.3	3.3	2.9	2.6	0.5	4.5	8.2	1.0	0.8	1.7	1.4	0.4	0.9	2.1	0.7	136
6.9	4.2	8.8	7.2	7.0	3.8	12.0	14.3	7.7	4.3	8.6	5.5	5.1	0.9	3.5	7.5	137
3.0	3.1	11.0	8.5	11.3	8.2	10.5	9.2	3.5	3.2	5.3	4.2	6.3	3.5	3.5	5.4	138
0.6	0.6	1.1	0.3	1.7	0.5	.....	.....	0.5	0.5	0.5	0.5	0.6	0.9	2.1	0.4	139
0.1	0.1	.....	0.3	.....	0.5	.....	.....	0.1	0.1	(3)	(3)	.....	.....	0.7	.....	140
(3)	.....	.....	.....	.....	.....	.....	.....	.....	.....	(3)	(3)	.....	.....	.....	.....	141
4.4	5.8	4.4	2.3	4.4	1.9	4.5	3.1	3.4	5.0	6.2	6.2	6.1	7.1	0.7	2.1	
1.1	3.3	1.7	0.7	1.7	.....	1.5	2.0	1.1	3.4	2.4	3.3	3.1	2.6	.....	1.1	142
1.0	0.5	0.6	0.3	0.9	0.5	.....	.....	0.8	0.5	1.1	0.7	1.4	2.6	.....	.....	143
1.3	1.0	1.7	0.3	1.7	0.5	1.5	.....	0.4	0.4	1.5	1.1	0.4	.....	.....	0.4	144
0.9	1.1	0.6	1.0	.....	1.0	1.5	1.0	1.1	0.8	1.3	1.0	1.2	1.8	0.7	0.7	145
3.7	1.4	5.0	1.0	6.1	1.0	3.0	1.0	3.6	1.4	4.2	1.9	3.1	.....	5.6	1.1	
3.4	1.1	3.9	1.0	4.4	1.0	3.0	1.0	3.1	1.2	3.9	1.6	2.2	.....	5.6	0.7	146
0.3	0.2	1.1	.....	1.7	.....	.....	.....	0.4	(3)	0.3	0.2	0.6	.....	.....	.....	147
.....	.....	.....	.....	.....	.....	.....	.....	.....	(3)	.....	.....	.....	.....	.....	.....	148
(3)	(3)	.....	.....	.....	.....	.....	.....	(3)	0.2	(3)	0.2	0.2	.....	.....	0.4	149
14.4	16.3	11.6	9.5	17.4	12.0	1.5	4.1	16.3	15.7	19.6	19.8	12.9	15.0	15.3	15.7	
14.4	16.3	11.6	9.5	17.4	12.0	1.5	4.1	16.3	15.7	19.6	19.8	12.9	15.0	15.3	15.7	150
1.5	0.8	1.1	1.0	1.7	1.4	.....	.....	1.1	0.6	1.2	1.3	1.8	.....	1.4	1.1	
7.7	10.1	5.0	3.6	7.8	4.8	.....	1.0	10.1	11.0	13.5	13.4	7.6	8.8	8.3	10.7	
5.3	5.3	5.5	4.9	7.8	5.8	1.5	3.1	5.2	4.1	5.0	5.1	3.5	6.2	5.6	3.9	
86.3	68.7	116.1	90.0	104.5	86.6	136.0	97.2	78.6	58.3	89.8	90.7	97.0	88.2	69.4	92.4	
66.4	52.5	99.6	77.6	90.5	76.5	115.1	79.8	60.2	45.9	71.6	74.0	76.8	67.1	56.2	74.9	151
44.0	39.9	69.3	56.6	66.2	61.1	74.7	47.1	49.3	34.1	51.2	47.7	45.4	41.5	50.0	68.5	
22.4	12.6	30.3	20.9	24.4	15.4	40.3	32.7	10.9	11.8	20.4	26.3	31.5	25.6	6.2	6.4	
19.7	15.7	14.9	10.8	13.1	8.7	17.9	15.3	18.1	12.0	18.1	16.3	19.4	20.3	13.2	16.8	152
11.3	10.5	6.1	3.6	6.1	2.4	6.0	6.1	11.2	7.4	10.2	8.8	14.9	15.0	10.4	8.9	
8.4	5.2	8.8	7.2	7.0	6.3	12.0	9.2	7.0	4.7	7.8	7.5	4.5	5.3	2.8	7.8	
0.2	0.5	1.7	1.6	0.9	1.4	3.0	2.0	0.3	0.3	0.2	0.4	0.8	0.9	.....	0.7	153
6.3	21.7	7.2	15.1	7.0	11.1	7.5	23.5	8.9	21.5	10.7	18.3	15.1	33.5	11.1	37.5	
6.3	21.7	7.2	15.1	7.0	11.1	7.5	23.5	8.9	21.5	10.7	18.3	15.1	33.5	11.1	37.5	154

[3] Less than one-tenth of 1 per 100,000 population.

[4] Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or more

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes	108.2	87.1	96.0	80.0	127.5	71.0	153.7	161.6	84.7	93.3	97.7	102.5
	Suicide (total)	18.2	13.6	22.5	12.8	33.1	12.2	28.8	21.2	11.8	19.7	18.0	17.1
155	By poison	7.3	3.0	4.3	1.5	16.0	3.5	9.9	3.3	1.1	0.8	2.8	1.8
156	By asphyxia	2.2	0.3	5.3	0.1	2.6	(3)	.....	.....	2.7	0.4	6.3	1.7
157	By hanging or strangulation	2.2	3.2	2.3	4.2	2.2	2.2	.....	3.3	2.1	5.5	2.6	3.6
158	By drowning	0.9	1.2	0.9	0.5	0.6	0.6	.....	.....	1.1	1.2	0.7	1.8
159	By firearms	4.3	4.2	7.9	5.3	9.9	4.4	15.3	9.9	3.8	7.9	4.0	6.8
160	By cutting or piercing instruments	1.2	1.4	0.7	0.9	1.1	0.9	3.6	3.6	1.1	2.8	0.8	1.1
161	By jumping from high places	0.1	0.1	1.1	.....	0.6	0.1	.....	.....	.....	0.4	0.5	0.1
162	By crushing	0.1	0.1	.....	0.1	.....	0.1	.....	1.2	.....	0.4	0.2	0.1
163	Other suicides	.....	0.1	0.1	0.1	0.2	0.3	.....	.....	.....	0.4	.....	0.1
	Accidental or undefined (total)	85.3	71.3	67.7	65.0	78.0	53.9	107.0	130.5	70.7	71.3	75.1	81.9
164	Poisoning by food	1.3	0.9	1.1	0.9	0.9	1.1	0.9	1.2	1.6	2.4	0.7	1.6
165	Other acute poisonings	2.5	2.6	1.7	1.7	2.5	1.8	1.8	1.8	2.1	2.0	1.4	1.7
166	Conflagration	1.4	1.7	1.5	1.9	0.7	0.7	0.9	3.0	3.2	0.8	1.4	1.3
167	Burns (conflagration excepted)	6.8	4.8	4.5	4.1	6.5	4.4	3.6	6.0	3.8	5.9	9.8	6.6
168	Absorption of deleterious gases (conflagration excepted)	3.8	1.7	7.9	1.8	2.7	1.3	1.8	2.4	3.2	0.4	5.7	3.1
169	Accidental drowning	7.8	9.9	5.1	11.0	5.0	6.1	2.7	15.5	9.6	11.8	7.8	20.6
170	Traumatism by firearms	1.5	2.3	1.6	3.0	2.6	2.7	5.4	6.3	2.1	1.6	0.7	1.6
171	Traumatism by cutting or piercing instruments	0.1	0.2	.....	0.1	0.5	(3)	.....	.....	0.5	0.8	.....	.....
172	Traumatism by fall	16.8	14.3	15.1	9.6	18.8	11.1	14.4	9.9	16.6	17.3	15.8	12.5
173	Traumatism in mines and quarries (total)	1.5	4.8	0.1	2.1	3.1	2.1	17.1	18.2	0.5	.....	0.1	0.8
	Traumatism in mines	1.5	4.8	0.1	2.0	3.0	2.0	16.2	17.3	.....	.....	0.1	0.7
	Traumatism in quarries	.....	.....	.....	0.1	0.1	0.1	0.9	0.9	0.5	.....	.....	0.1
174	Traumatism by machines	3.1	1.3	1.9	2.2	1.8	1.4	1.8	3.0	3.8	1.6	2.1	2.0
175	Traumatism by other crushing (total)	31.7	18.7	20.9	17.6	25.2	12.2	45.9	43.9	15.5	20.1	24.1	23.9
	Railroad accidents and injuries	10.3	9.4	10.0	9.3	9.3	8.0	21.6	19.1	8.6	6.3	11.0	14.6
	Street-car accidents and injuries	6.3	1.8	2.1	0.2	4.2	(3)	6.3	.....	0.5	1.6	2.3	0.6
	Automobile accidents and injuries	11.1	3.0	5.7	2.8	8.1	1.0	9.0	6.3	4.8	6.7	7.2	5.7
	Injuries by other vehicles	3.6	3.4	2.9	4.4	3.4	2.8	8.1	15.2	1.1	5.1	3.3	2.3
	Landslide, other crushing	0.4	1.0	0.1	0.9	0.2	0.3	0.9	3.3	0.5	0.4	0.3	0.8
176	Injuries by animals	0.5	1.6	0.8	2.1	0.5	1.5	0.9	3.9	.....	2.0	0.3	0.5
177	Starvation	.....	0.1	.....	0.1	.....	.....	.....	0.3	.....	.....	.....	0.2
178	Excessive cold	0.3	0.6	0.3	1.0	0.6	0.8	.....	2.1	1.6	0.4	0.4	0.6
179	Effects of heat	0.7	0.2	.....	0.4	0.5	0.5	0.9	0.3	1.6	.....	1.0	0.5
180	Lightning	.....	0.5	.....	0.9	.....	1.2	0.9	6.0	0.5	.....	0.1	0.2
181	Electricity (lightning excepted)	1.2	1.1	0.7	0.6	1.0	0.2	5.4	1.2	1.1	0.8	0.2	1.1
185	Fractures (cause not specified)	0.5	0.1	0.1	0.3	1.1	0.3	.....	.....	.....	0.4	0.5	0.6
186	Other external violence	3.9	4.0	4.5	3.5	4.2	4.5	2.7	5.7	3.2	3.1	3.2	2.5
	Homicide (total)	4.8	2.	5.9	2.1	16.5	4.9	18.0	9.9	2.1	2.4	4.6	3.6
182	By firearms	2.7	1.2	3.5	1.1	11.3	3.2	10.8	8.7	1.6	1.2	2.1	1.8
183	By cutting or piercing instruments	0.7	0.3	0.3	0.1	2.6	0.8	1.8	.....	.....	0.4	0.6	0.6
184	By other means	1.4	0.8	2.1	0.9	2.6	0.8	5.4	1.2	0.5	0.8	1.9	1.2
	XIV.—Ill-defined diseases	5.1	11.0	1.2	10.8	3.8	28.5	18.9	24.2	5.9	6.3	1.9	3.1
187	Ill-defined organic disease	0.8	0.9	.....	.....	0.2	0.9	0.9	0.3	.....	.....	0.1	0.1
188	Sudden death	0.2	0.7	0.1	0.5	0.2	0.7	.....	2.1	1.1	2.0	0.1	0.1
189	Not specified or ill-defined (total)	4.1	9.5	1.1	10.2	3.4	26.9	18.0	21.8	4.8	4.3	1.7	2.9
	Ill-defined	3.3	4.5	0.7	2.7	1.3	5.7	9.9	5.4	4.8	3.1	1.6	2.3
	Not specified or unknown	0.8	5.0	0.4	7.5	2.2	21.1	8.1	16.4	.....	1.2	0.1	0.6

[1] Includes only municipalities having a population of 1,000 or over in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																
NEW YORK.		NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		Detailed Int. List No.
		Total.		White.		Colored.										
Cities.	Rural districts.	Cities.	Rural districts.[2]	Cities.	Rural districts[2]	Cities.	Rural districts.[2]	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
90.7	111.9	106.2	89.0	89.7	73.6	134.5	121.7	114.3	89.3	109.6	101.7	83.6	102.4	99.3	96.3	
17.3	18.5	9.9	5.2	12.2	7.2	6.0	1.0	18.1	12.6	15.2	10.7	14.9	12.4	20.1	8.9	
2.3	4.2	2.2	0.7	2.6	0.5	1.5	1.0	5.4	2.6	3.9	2.0	1.6	2.6	9.0	1.8	155
6.2	0.6	.....	.....	.....	.....	.....	.....	0.3	.....	2.9	0.2	4.9	0.9	.....	.....	156
2.3	4.8	1.1	0.7	1.7	1.0	.....	.....	2.8	3.6	2.0	2.8	1.0	3.5	0.7	0.7	157
0.8	1.4	2.8	0.3	3.5	0.5	1.5	.....	1.7	1.0	0.5	0.6	1.2	3.5	0.7	.....	158
3.2	5.4	3.3	3.3	3.5	4.8	3.0	.....	5.8	4.4	4.5	4.4	4.9	1.8	9.0	5.0	159
1.1	1.5	0.6	0.3	0.9	0.5	.....	.....	1.2	0.6	0.8	0.5	0.6	.....	0.7	1.1	160
1.2	0.2	.....	.....	.....	.....	.....	.....	0.3	0.1	0.4	0.1	0.4	.....	.....	0.4	161
0.1	0.2	.....	.....	.....	.....	.....	.....	0.1	0.2	0.1	(3)	0.2	.....	.....	.....	162
0.1	0.3	.....	.....	.....	.....	.....	.....	0.3	0.2	0.1	0.2	.....	.....	.....	.....	163
68.7	90.0	79.8	71.7	66.2	62.1	103.1	92.1	86.6	73.7	88.7	87.0	66.4	83.8	70.8	78.9	
0.3	1.1	2.2	3.6	0.9	3.4	4.5	4.1	0.8	1.4	0.6	0.7	0.2	1.8	1.4	1.4	164
1.5	2.3	2.2	3.9	1.7	2.9	3.0	6.1	2.0	1.7	1.7	1.9	1.2	4.4	2.8	1.4	165
1.0	1.9	.....	1.0	.....	1.0	.....	1.0	1.8	1.3	1.5	1.5	1.4	1.8	.....	2.1	166
7.7	4.3	9.9	12.1	5.2	9.1	17.9	18.4	7.9	5.6	11.0	8.2	10.2	8.8	2.1	6.8	167
5.4	2.1	4.4	3.6	3.5	2.4	6.0	6.1	3.3	2.0	2.8	1.5	2.7	0.9	2.8	2.1	168
8.6	14.9	5.5	5.6	5.2	3.8	6.0	9.2	5.9	6.3	6.0	6.7	6.3	29.1	2.1	4.3	169
0.4	2.3	7.2	4.9	4.4	4.8	12.0	5.1	1.2	2.2	1.0	1.7	0.4	0.9	2.8	4.6	170
0.1	0.3	0.6	.....	.....	.....	1.5	.....	0.2	0.2	(3)	0.1	0.2	.....	.....	0.4	171
18.0	20.3	9.4	6.2	11.3	5.8	6.0	7.2	20.0	17.0	19.5	13.4	13.7	15.0	7.6	9.3	172
.....	0.6	.....	0.3	.....	0.5	.....	.....	0.7	2.4	9.5	17.5	.....	.....	6.2	12.1	173
.....	0.4	.....	0.3	.....	0.5	.....	.....	0.6	2.2	9.3	16.9	.....	.....	6.2	12.1	
.....	0.2	.....	.....	.....	.....	.....	.....	0.1	0.2	0.2	0.6	.....	.....	.....	.....	
1.7	1.7	2.2	2.3	2.6	2.4	1.5	2.0	3.1	1.9	2.4	2.1	1.8	.....	0.7	1.4	174
18.1	28.4	17.1	17.3	13.1	17.3	23.9	17.4	32.7	23.9	25.8	24.5	21.9	15.0	31.9	22.1	175
4.5	15.8	11.0	12.4	7.8	12.5	16.4	12.3	15.4	14.1	12.1	15.3	4.3	6.2	13.2	10.0	
2.7	1.5	.....	0.3	.....	0.5	.....	.....	4.6	2.1	3.2	1.4	3.5	0.9	2.8	1.4	
6.9	6.7	3.9	2.9	3.5	3.4	4.5	2.0	8.8	3.8	6.8	4.4	10.6	4.4	10.4	2.9	
3.6	3.9	0.6	0.3	0.9	0.5	.....	.....	3.1	3.3	3.2	3.1	2.7	2.6	4.9	7.8	
0.5	0.5	1.7	1.3	0.9	0.5	3.0	3.1	0.8	0.6	0.4	0.4	0.8	0.9	0.7	.....	
0.3	1.6	0.6	0.7	0.9	1.0	.....	.....	0.4	1.0	0.5	0.8	0.4	0.9	3.5	2.1	176
0.1	0.1	.....	.....	.....	.....	.....	.....	0.1	0.1	(3)	0.1	.....	.....	.....	.....	177
0.3	1.3	0.6	.....	.....	.....	1.5	.....	0.2	0.3	0.4	0.7	0.8	0.9	.....	0.7	178
0.7	0.5	0.6	0.7	0.9	.....	.....	2.0	0.9	0.5	1.7	0.7	0.4	.....	.....	0.4	179
(3)	0.7	0.6	1.0	0.9	0.5	.....	2.0	.....	0.4	.....	0.4	0.4	0.9	.....	1.4	180
0.6	0.8	0.6	1.0	0.9	1.4	.....	.....	1.1	0.8	0.5	0.8	0.8	.....	0.7	2.1	181
0.6	0.8	3.3	2.0	3.5	1.9	3.0	2.0	0.4	1.3	0.1	(3)	0.4	.....	0.7	.....	185
3.2	4.1	13.2	5.6	11.3	3.8	16.4	9.2	4.2	3.4	3.9	3.4	3.1	3.5	5.6	3.9	186
4.8	3.4	16.5	12.1	11.3	4.3	25.4	28.6	9.5	3.0	5.7	4.0	2.2	6.2	8.3	8.6	
2.3	1.6	9.4	10.5	7.0	3.8	13.4	24.5	5.2	1.7	3.0	2.3	1.0	3.5	6.2	5.7	182
0.8	0.5	2.2	0.7	0.9	.....	4.5	2.0	1.6	0.3	0.9	0.4	0.6	.....	.....	1.4	183
1.6	1.2	5.0	1.0	3.5	0.5	7.5	2.0	2.8	1.0	1.8	1.3	0.6	2.6	2.1	1.4	184
1.0	4.3	60.5	105.0	27.9	47.2	116.5	228.1	5.8	9.3	3.3	13.1	7.8	6.2	29.2	24.6	
(3)	0.3	1.1	1.6	.....	1.0	3.0	3.1	(3)	0.3	0.1	0.7	.....	.....	.....	1.4	187
(3)	0.7	3.9	7.5	3.5	6.3	4.5	10.2	0.6	0.7	0.2	2.0	1.6	.....	.....	1.8	188
1.0	3.4	55.6	95.9	24.4	39.9	109.1	214.8	5.2	8.4	3.1	10.5	6.1	6.2	29.2	21.4	189
0.8	2.5	7.7	14.1	8.7	9.1	6.0	24.5	1.6	3.0	2.6	7.9	3.3	3.5	28.5	15.7	
0.2	0.8	47.9	81.8	15.7	30.8	103.1	190.3	3.6	5.3	0.4	2.5	2.9	2 6	0.7	5.7	

[2] Includes only municipalities having a population of 1,000 or over, but less than 10,000, in 1910.

[3] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
				Total.		White.		Colored.					
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes [1]	1,631.5	1,443.7	1,800.4	1,314.5	1,422.6	1,091.1	2,543.0	1,822.5	784.8	830.9	1,167.9	1,033.9
	I.—General diseases	437.6	318.3	450.5	388.3	354.9	303.3	638.4	581.7	201.5	220.5	309.5	259.1
1	Typhoid fever	35.4	9.5	17.5	25.3	14.1	20.8	24.4	35.4	6.8	9.3	6.8	3.8
2	Typhus fever												
3	Relapsing fever												
4	Malaria		1.0	5.3	7.5	1.7	3.1	12.5	17.5	0.1	0.4		0.1
5	Smallpox		0.3		0.2		0.1		0.6		0.1	0.2	0.2
6	Measles		1.0	2.9	2.6	2.7	2.5	3.3	2.9		2.2	3.5	1.4
7	Scarlet fever	2.1	1.0	0.4	1.3	0.7	1.6		0.6	0.7	0.3	5.4	2.6
8	Whooping cough	10.4	5.7	7.1	16.6	4.0	10.7	13.2	30.1	3.1	2.8	9.1	7.0
9	Diphtheria and croup	16.7	10.2	6.7	20.0	7.0	22.2	5.9	15.0	2.0	3.4	15.3	5.0
10	Influenza	16.7	34.0	21.1	18.4	15.1	17.8	32.9	19.6	9.6	10.3	14.0	16.7
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras			0.4	0.8		0.7	1.3	1.0		0.1	0.1	0.1
14	Dysentery	6.3	5.1	13.3	11.0	7.7	8.4	24.4	17.1	0.3	1.3	0.9	1.2
15	Plague												
16	Yellow fever												
17	Leprosy												
18	Erysipelas	10.4	3.5	2.4	2.5	3.7	2.7		2.1	2.4	1.6	2.2	2.7
19	Other epidemic diseases				0.4		0.4		0.4	0.3	0.1	0.1	0.1
20	Purulent infection and septicemia		2.5	5.3	2.7	6.4	2.6	3.3	2.9	1.4	1.3	2.2	1.2
21	Glanders												
22	Anthrax												
23	Rabies			0.2	0.1		0.1	0.7			0.1		
24	Tetanus	2.1	1.3	6.2	1.8	3.0	1.2	12.5	3.2	0.6	0.3	1.2	1.5
25	Mycoses		0.3									0.1	0.1
26	Pellagra	2.1	0.6	24.4	12.9	23.4	9.3	26.3	21.1	0.3			0.1
27	Beriberi										0.4		
	Tuberculosis (total)	172.9	78.5	205.3	178.9	132.3	114.6	348.8	325.1	69.9	102.3	103.1	93.0
28	Tuberculosis of the lungs	125.0	64.6	168.9	157.2	105.8	99.7	292.9	288.0	53.1	90.7	82.2	79.3
29	Acute miliary tuberculosis	10.4	1.0	9.1	5.9	2.3	2.5	22.4	13.5	1.8	2.2	3.2	2.5
30	Tuberculous meningitis	31.3	5.1	9.3	4.5	10.0	3.9	7.9	5.9	7.7	4.9	8.7	4.8
31	Abdominal tuberculosis	2.1	4.5	11.5	6.7	7.7	4.6	19.1	11.6	3.5	1.8	4.0	3.3
32	Pott's disease		0.6	2.2	1.1	2.7	1.2	1.3	1.0	0.7	0.9	1.1	0.6
33	White swellings		0.6	0.7	0.4	0.3	0.3	1.3	0.6	0.3		0.7	0.4
34	Tuberculosis of other organs	2.1	1.6	2.9	2.7	2.3	2.2	3.9	3.8	2.4	1.1	2.6	1.5
35	Disseminated tuberculosis	2.1	0.6	0.7	0.3	1.0	0.2		0.8	0.4	0.7	0.7	0.6
36	Rickets		0.3	1.1	0.7		0.5	3.3	1.1	0.3	0.4	1.8	0.2
37	Syphilis	10.4	5.7	18.2	8.1	8.7	2.8	36.9	20.0	4.4	3.4	4.7	2.6
38	Gonococcus infection	2.1	0.3	0.4	0.6		0.3	1.3	1.1	0.4	0.1	0.6	0.1
	Cancer and other malignant tumors (total)	93.8	105.6	74.1	48.4	85.0	51.8	52.6	40.5	63.6	51.2	90.1	76.5
39	Of the buccal cavity		6.4	1.6	1.6	1.7	1.7	1.3	1.5	1.7	2.4	3.3	3.1
40	Of the stomach, liver	22.9	40.7	21.7	18.7	26.8	20.8	11.8	13.9	24.5	22.6	43.0	37.6
41	Of the peritoneum, intestines, rectum	8.3	13.7	9.3	4.2	11.0	4.9	5.9	2.7	9.1	5.8	11.7	9.8
42	Of the female genital organs	25.0	15.6	18.2	9.0	17.1	7.5	20.4	12.4	9.1	5.9	11.4	6.0
43	Of the breast	22.9	7.0	7.1	4.4	8.0	4.5	5.3	4.2	4.5	3.6	5.5	5.2
44	Of the skin	2.1	6.0	4.4	3.3	6.7	4.4		0.8	2.1	1.8	2.5	3.2
45	Of other organs or of organs not specified	12.5	16.2	11.8	7.1	13.7	7.9	7.9	5.1	12.5	9.1	12.7	11.6
46	Other tumors (tumors of the female genital organs excepted)		0.3	0.2	0.7		0.5	0.7	1.1	0.3	0.4	0.9	0.7
47	Acute articular rheumatism	4.2	6.0	5.8	6.5	5.0	5.4	7.2	9.1	2.4	3.7	4.9	5.4
48	Chronic rheumatism and gout		2.5	1.1	1.2	1.3	1.6	0.7	0.4	0.7	1.7	1.9	1.5
49	Scurvy		0.3	0.2	0.1		0.1	0.7	0.2				0.2
50	Diabetes	25.0	20.0	13.1	8.8	14.7	9.3	9.9	7.8	15.2	11.0	19.1	18.0
51	Exophthalmic goiter	4.2	1.3	2.4	0.6	2.7	0.8	2.0	0.2	1.5	0.8	3.2	2.2
52	Addison's disease		0.3	0.2	0.2		0.3	0.7		0.6	0.3	0.4	0.3
53	Leukemia		2.5	1.8	1.2	2.3	1.5	0.7	0.4	2.0	1.1	3.1	2.6
54	Anemia, chlorosis	14.6	10.2	6.2	2.4	6.4	2.9	5.9	1.1	3.7	3.6	7.3	6.5
55	Other general diseases		2.5	1.3	2.4	0.7	2.4	2.6	2.3	2.5	1.4	2.1	1.2
56	Alcoholism (acute or chronic)	4.2	4.5	4.2	2.7	4.4	3.1	3.9	1.7	5.5	4.6	4.5	4.1
57	Chronic lead poisoning		0.3		0.1		0.1			0.3		0.1	
58	Other chronic occupation poisonings										0.1		
59	Other chronic poisonings	4.2	1.0	1.3	0.8	2.0	1.2			0.8	0.4	0.5	0.2
	II.—Diseases of the nervous system and of the organs of special sense	152.1	191.4	190.4	134.7	155.4	118.7	259.3	170.9	68.7	95.2	106.0	122.7
60	Encephalitis		1.3	0.7	0.7	0.3	0.8	1.3	0.6	0.4	0.5	0.6	0.7
61	Meningitis (total)	6.3	7.3	11.5	11.4	9.0	10.3	16.5	13.9	4.4	4.2	9.4	6.3
	Simple meningitis	4.2	5.4	9.5	6.9	7.7	6.3	13.2	8.2	1.7	1.7	5.3	2.9
	Cerebrospinal meningitis (undefined)	2.1	0.6	1.1	4.1	1.0	3.6	1.3	5.3	2.7	2.2	2.2	1.5
	Cerebrospinal fever		1.3	0.9	0.4	0.3	0.4	2.0	0.4		0.3	1.9	2.0

[1] Exclusive of stillbirths.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
				Total.		White.		Colored.					
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												
62	Locomotor ataxia	8.3	2.9	2.9	2.0	4.0	2.6	0.7	0.6	1.4	1.6	2.1	1.7
63	Other diseases of the spinal cord (total)	4.2	10.2	6.2	4.9	5.4	4.9	7.9	4.9	4.9	5.4	3.9	4.4
	Acute anterior poliomyelitis	2.1	5.4	1.1	1.9	0.7	1.6	2.0	2.5	0.3	0.7	0.4	0.6
	Other diseases of the spinal cord [1]	2.1	4.8	5.1	3.0	4.7	3.3	5.9	2.5	4.6	4.7	3.5	3.8
64	Cerebral hemorrhage, apoplexy	106.3	137.4	116.3	54.1	92.1	49.1	163.9	65.3	41.4	49.2	61.5	72.3
65	Softening of the brain	2.1	2.9	3.1	2.7	4.0	2.9	1.3	2.1	0.8	0.4	0.7	1.5
66	Paralysis without specified cause		5.1	22.9	30.3	15.1	26.0	38.2	40.0	3.8	9.9	3.8	9.3
67	General paralysis of the insane	6.3	7.6	4.0	3.7	5.4	3.3	1.3	4.6	2.3	8.3	2.1	5.9
68	Other forms of mental alienation		3.5	1.3	3.0	1.7	2.8	0.7	3.2	1.0	5.0	1.4	2.3
69	Epilepsy	2.1	6.4	3.1	7.3	2.3	5.5	4.6	11.2	1.1	5.0	2.8	4.2
70	Convulsions (nonpuerperal)			0.9	0.6	0.7	0.2	1.3	1.7		0.1	0.1	0.1
71	Convulsions of infants	6.3	2.9	6.7	8.1	3.3	4.4	13.2	16.6	1.3	1.8	11.0	8.9
72	Chorea			0.7	0.2	0.3	0.1	1.3	0.4				0.2
73	Neuralgia and neuritis		0.3	0.2	0.8	0.3	0.8		0.6	0.1	0.5	0.4	0.8
74	Other diseases of the nervous system	6.3	3.2	6.9	3.8	7.0	3.4	6.6	4.8	3.5	2.5	4.2	3.0
75	Diseases of the eyes and their annexa			0.2	0.1	0.3			0.2			0.1	0.1
76	Diseases of the ears	4.2	0.6	2.9	1.2	4.0	1.6	0.7	0.4	2.3	0.8	1.9	1.0
	III.—Diseases of the circulatory system	273.0	292.9	212.2	142.7	174.8	122.8	285.6	187.9	118.9	100.3	145.9	159.4
77	Pericarditis	2.1	1.6	1.8	0.9	1.3	0.8	2.6	1.0	0.6	0.3	0.5	0.9
78	Acute endocarditis	8.3	8.9	15.5	2.2	6.0	1.6	34.2	3.6	9.7	4.9	11.5	5.6
79	Organic diseases of the heart	183.4	202.6	166.9	121.7	139.3	102.8	221.1	164.8	87.0	77.3	102.2	120.7
80	Angina pectoris	16.7	18.1	7.1	5.2	7.4	5.5	6.6	4.4	5.9	5.7	5.9	5.1
81	Diseases of the arteries, atheroma, aneurism, etc.	52.1	52.2	16.2	9.5	16.4	8.8	15.8	11.0	10.7	8.8	21.0	23.1
82	Embolism and thrombosis	8.3	8.9	3.3	1.9	3.0	2.3	3.9	1.0	2.5	2.4	3.2	2.7
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2.1	0.3	0.4	0.3	0.3	0.4	0.7		1.3	0.5	0.8	0.4
84	Diseases of the lymphatic system (lymphangitis, etc.)		0.3	0.4	0.2	0.7	0.2		0.2	0.4	0.3	0.7	0.2
85	Hemorrhage; other diseases of the circulatory system			0.4	0.9	0.3	0.4	0.7	1.9	0.8	0.3	0.1	0.6
	IV.—Diseases of the respiratory system	141.7	154.9	231.7	123.1	135.6	101.9	420.5	171.1	71.6	70.6	167.9	118.5
86	Diseases of the nasal fossae			0.4	1.1	0.3	0.7	0.7	2.1	0.3			0.1
87	Diseases of the larynx	2.1	1.3	2.0	1.8	0.7	2.1	4.6	1.1	0.4	1.3	0.9	0.8
88	Diseases of the thyroid body		0.6	0.4	0.5	0.7	0.3		0.8	1.0	0.7	1.2	0.1
89	Acute bronchitis	16.7	13.4	11.5	6.7	4.4	5.0	25.7	10.7	1.5	3.6	14.1	8.0
90	Chronic bronchitis	10.4	13.0	7.8	6.6	6.4	5.8	10.5	8.4	3.7	2.8	12.2	9.1
91	Bronchopneumonia	31.3	37.5	56.4	20.1	27.8	18.7	112.5	23.0	19.4	23.5	45.7	28.4
92	Pneumonia (total)	77.1	78.2	126.5	75.4	82.0	61.3	213.9	107.5	37.9	33.4	84.0	63.5
	Lobar pneumonia	47.9	38.2	91.2	26.2	56.2	21.0	159.9	37.9	36.3	30.5	56.2	38.4
	Pneumonia (undefined)	29.2	40.1	35.3	49.2	25.8	40.3	54.0	69.7	1.5	2.9	27.8	25.1
93	Pleurisy		3.5	3.3	1.9	1.7	1.7	6.6	2.3	3.9	1.1	3.9	2.0
94	Pulmonary congestion, pulmonary apoplexy		3.5	10.4	2.7	5.7	2.8	19.7	2.5	1.0	1.2	1.3	2.0
95	Gangrene of the lung	4.2	0.3	0.4	0.2	0.7	0.2		0.4	0.3		0.6	0.2
96	Asthma		1.3	5.1	2.7	2.3	1.6	10.5	5.3	1.8	1.8	2.2	3.1
97	Pulmonary emphysema		0.3	0.9	0.3		0.3	2.6	0.6		0.3	1.2	0.2
98	Other diseases of the respiratory system (tuberculosis excepted)		1.9	6.4	3.0	3.0	1.5	13.2	6.5	0.4	1.1	0.6	0.9
	V.—Diseases of the digestive system	175.0	121.2	199.5	118.2	153.7	101.4	289.6	156.5	77.7	64.4	136.0	82.8
99	Diseases of the mouth and annexa	2.1	0.3	1.6	2.9	1.7	1.1	1.3	7.0	0.4	0.4	0.9	0.7
100	Diseases of the pharynx	6.3	1.0	2.9	2.6	2.0	2.8	4.6	2.3	2.5	1.2	3.1	1.1
101	Diseases of the esophagus				0.2		0.2		0.4				0.2
102	Ulcer of the stomach		4.5	4.9	2.6	4.0	2.2	6.6	3.4	5.1	2.5	6.8	3.1
103	Other diseases of the stomach (cancer excepted)	6.3	8.9	20.2	16.3	10.0	13.6	40.1	22.5	3.9	5.8	8.9	7.8
104	Diarrhea and enteritis (under 2 years)	58.3	42.0	79.0	49.2	48.9	42.6	138.2	64.3	10.1	14.7	43.3	22.7
105	Diarrhea and enteritis (2 years and over)	14.6	15.9	19.1	15.5	17.7	14.1	21.7	18.5	7.6	7.9	9.7	6.7
106	Ankylostomiasis				0.1		0.1		0.2				
107	Intestinal parasites		0.6	0.4	1.2	0.3	1.0	0.7	1.7				0.1
108	Appendicitis and typhlitis	27.1	8.0	18.2	5.3	19.4	4.7	15.8	6.7	16.0	7.2	22.8	9.5
109	Hernia, intestinal obstruction (total)	33.3	11.4	17.5	6.8	15.1	5.2	22.4	10.5	8.4	6.6	11.8	11.1
	Hernia	8.3	4.1	5.8	1.8	6.0	1.1	5.3	3.4	3.1	1.8	3.1	3.0
	Intestinal obstruction	25.0	7.3	11.8	5.0	9.0	4.1	17.1	7.0	5.3	4.7	8.7	8.1
110	Other diseases of the intestines	4.2	1.9	4.7	1.9	5.4	1.5	3.3	2.9	3.0	2.6	2.5	2.5
111	Acute yellow atrophy of the liver			0.2	0.2	0.3	0.3		0.2	0.1	0.3		0.5
112	Hydatid tumor of the liver				0.1				0.2			0.1	
113	Cirrhosis of the liver	12.5	13.0	13.1	5.4	11.0	5.2	17.1	5.9	8.7	7.2	14.7	9.7
114	Biliary calculi	4.2	1.3	4.9	1.3	5.0	1.2	4.6	1.5	5.2	2.4	3.7	2.5

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
				Total.		White.		Colored.					
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	V.—Diseases of the digestive system—Continued.												
115	Other diseases of the liver	2.1	7.3	5.8	2.9	6.4	2.6	4.6	3.6	3.7	3.6	5.9	3.5
116	Diseases of the spleen	.....	0.6	.....	0.1	.....	0.2	.....	.....	0.4	.....	.....	0.3
117	Simple peritonitis (nonpuerperal)	2.1	4.5	6.2	3.1	5.4	2.5	7.9	4.6	1.3	1.4	0.6	0.7
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2.1	.....	0.9	0.5	1.0	0.6	0.7	0.2	1.1	0.7	1.2	0.2
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	154.2	138.0	194.4	104.5	174.8	89.7	233.0	138.0	77.8	54.7	83.2	70.1
119	Acute nephritis	4.2	9.9	24.0	8.5	12.1	5.9	47.4	14.5	4.8	2.8	6.4	4.2
120	Bright's disease	114.6	113.2	144.7	85.4	139.3	74.2	155.3	110.8	56.9	43.1	64.6	56.7
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	6.3	0.6	2.0	2.5	2.3	2.2	1.3	3.2	2.4	1.4	1.9	1.8
123	Calculi of the urinary passages	.....	.....	1.6	0.5	2.3	0.5	.....	0.6	0.4	0.3	0.7	0.1
124	Diseases of the bladder	.....	6.4	1.3	2.3	1.3	1.9	1.3	3.0	1.1	2.2	1.6	2.8
125	Diseases of the urethra, urinary abscess, etc.	.....	.....	1.3	0.1	1.0	0.2	2.0	.....	0.1	0.1	.....	0.1
126	Diseases of the prostate	6.3	4.1	5.8	2.8	6.4	3.0	4.6	2.5	3.7	2.5	2.5	2.5
127	Nonvenereal diseases of the male genital organs	.....	0.3	0.2	.....	.....	.....	0.7	.....	0.1	0.4	0.2	0.2
128	Uterine hemorrhage (nonpuerperal)	.....	0.3	.....	0.1	.....	0.2	.....	.....	.....	.....	0.2	0.1
129	Uterine tumor (noncancerous)	14.6	1.3	4.9	0.7	3.7	0.4	7.2	1.3	1.8	0.7	1.3	0.2
130	Other diseases of the uterus	.....	0.3	2.2	0.5	1.7	0.5	3.3	0.6	2.3	0.5	1.1	0.4
131	Cysts and other tumors of the ovary	2.1	1.0	1.1	0.5	0.7	0.5	2.0	0.6	1.3	0.3	0.7	0.6
132	Salpingitis and other diseases of the female genital organs	6.3	0.6	5.3	0.5	4.0	0.3	7.9	1.0	3.0	0.4	1.9	0.4
133	Nonpuerperal diseases of the breast (cancer excepted)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....
	VII.—The puerperal state	12.5	13.4	25.1	20.7	20.1	15.6	34.9	32.4	12.0	9.3	14.2	12.0
134	Accidents of pregnancy	.....	1.3	2.4	1.9	2.0	1.5	3.3	2.9	1.8	1.2	1.6	0.6
135	Puerperal hemorrhage	.....	1.0	1.8	2.3	1.3	1.9	2.6	3.2	1.3	0.9	1.5	1.3
136	Other accidents of labor	.....	2.9	2.7	2.6	2.0	2.0	3.9	4.0	1.0	1.2	0.9	1.5
137	Puerperal septicemia	6.3	2.9	9.1	7.0	5.7	5.8	15.8	9.7	4.9	3.9	6.0	5.0
138	Puerperal albuminuria and convulsions	4.2	4.1	8.9	6.0	8.7	3.8	9.2	11.2	2.5	1.8	3.2	3.1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2.1	0.3	0.2	0.8	0.3	0.6	.....	1.3	0.1	0.3	0.9	0.5
140	Following childbirth (not otherwise defined)	.....	1.0	.....	.....	.....	.....	.....	.....	0.3	.....	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	4.2	6.4	6.0	3.9	5.7	3.1	6.6	5.7	1.4	2.2	3.2	4.2
142	Gangrene	2.1	2.9	3.3	2.1	2.7	1.5	4.6	3.4	0.4	1.1	1.2	1.9
143	Furuncle	2.1	1.3	0.4	0.3	0.7	0.3	.....	0.2	0.3	0.1	0.4	0.2
144	Acute abscess	.....	0.6	0.9	0.2	0.7	0.3	1.3	0.2	0.3	0.4	0.8	0.6
145	Other diseases of the skin and annexa	.....	1.6	1.3	1.3	1.7	1.0	0.7	1.9	0.4	0.7	0.8	1.4
	IX.—Diseases of the bones and of the organs of locomotion	6.3	2.2	3.1	1.5	3.7	1.8	2.0	1.0	2.3	0.9	2.4	1.2
146	Diseases of the bones (tuberculosis excepted)	4.2	1.0	2.9	1.2	3.7	1.4	1.3	0.8	2.1	0.5	1.9	1.0
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2.1	1.0	.....	0.2	.....	0.3	.....	.....	0.1	0.4	0.5	0.1
148	Amputations	.....	.....	.....	0.1	.....	.....	.....	0.2	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	.....	0.3	0.2	0.1	.....	0.1	0.7	.....	.....	.....	.....	0.1
	X.—Malformations	16.7	16.2	9.8	10.8	12.7	12.9	3.9	6.1	9.4	10.1	11.5	10.7
150	Congenital malformations (stillbirths not included) (total)	16.7	16.2	9.8	10.8	12.7	12.9	3.9	6.1	9.4	10.1	11.5	10.7
	Hydrocephalus	.....	1.3	0.2	1.3	0.3	1.2	.....	1.5	1.1	1.1	1.5	1.5
	Congenital malformations of the heart	14.6	10.5	5.5	5.4	7.0	6.9	2.6	1.9	5.9	6.7	6.2	5.1
	Other congenital malformations	2.1	4.5	4.0	4.1	5.4	4.8	1.3	2.7	2.4	2.4	3.8	4.0
	XI.—Early infancy	135.4	65.2	105.6	84.4	87.1	75.6	142.2	104.5	40.4	49.2	85.7	73.6
151	Congenital debility, icterus, and sclerema (total)	118.8	52.2	89.7	72.7	72.7	65.2	123.1	89.8	31.7	38.0	67.3	61.8
	Premature birth	56.3	37.5	56.8	44.9	51.2	44.3	67.8	46.3	25.3	25.2	46.6	43.7
	Congenital debility, "atrophy," "marasmus," etc.	62.5	14.6	32.8	27.8	21.4	20.9	55.3	43.6	6.3	12.8	20.7	18.1
152	Other causes peculiar to early infancy (total)	12.5	13.0	15.3	10.9	14.4	10.2	17.1	12.6	8.7	11.2	18.3	11.3
	Injuries at birth	10.4	7.0	9.8	6.9	9.0	6.9	11.2	6.7	5.9	5.3	10.4	6.7
	Other causes peculiar to early infancy [1]	2.1	6.0	5.5	4.1	5.4	3.3	5.9	5.9	2.8	5.9	7.9	4.6
153	Lack of care	4.2	.....	0.7	0.8	.....	0.2	2.0	2.1	.....	.....	0.1	0.5
	XII.—Old age	29.2	38.2	15.8	40.2	17.4	31.0	12.5	61.1	9.7	22.1	28.7	49.4
154	Senility	29.2	38.2	15.8	40.2	17.4	31.0	12.5	61.1	9.7	22.1	28.7	49.4

[1] Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.											
		VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
				Total.		White.		Colored.					
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes	91.7	83.0	134.5	80.3	116.5	69.2	169.8	105.4	89.6	111.5	72.2	66.9
	Suicide (total)	12.5	17.2	15.3	6.6	20.4	8.2	5.3	3.0	23.8	17.8	15.4	12.7
155	By poison	4.2	3.2	5.1	1.0	6.7	1.3	2.0	0.4	5.9	1.6	3.8	2.2
156	y asphyxia	2.1	0.3	1.6	.....	2.3	.....	.....	.....	2.7	.....	0.9	0.2
157	By hanging or strangulation	.....	5.7	0.4	0.6	0.7	0.9	.....	.....	1.4	3.8	3.5	5.2
158	By drowning	.....	1.0	0.4	0.7	0.3	0.9	0.7	0.2	2.3	1.8	1.5	0.7
159	By firearms	2.1	6.0	6.7	3.7	9.4	4.3	1.3	2.3	9.0	8.4	4.5	3.3
160	By cutting or piercing instruments	4.2	0.3	0.4	0.3	0.3	0.3	0.7	0.2	1.4	1.2	0.5	0.7
161	By jumping from high places	.....	0.6	0.2	0.2	0.3	0.3	.....	.....	0.8	0.1	0.5	0.1
162	By crushing	.....	.....	0.2	.....	0.3	.....	.....	.....	.....	0.3	0.1	0.1
163	Other suicides	.....	.....	0.2	0.2	.....	0.3	0.7	.....	0.3	0.5	0.1	0.2
	Accidental or undefined (total)	75.0	64.2	95.4	63.6	88.4	55.0	109.2	83.2	58.4	86.0	53.5	52.5
164	Poisoning by food	.....	1.0	1.1	1.0	1.3	1.2	0.7	0.8	2.0	0.8	0.4	0.6
165	Other acute poisonings	.....	1.9	3.1	2.3	3.3	1.9	2.6	3.2	1.0	2.5	1.2	1.0
166	Conflagration	.....	1.3	2.4	2.8	2.0	0.6	3.3	7.8	1.1	1.6	0.4	1.8
167	Burns (conflagration excepted)	8.3	1.9	12.6	10.1	10.0	7.2	17.8	16.7	3.0	3.8	4.4	2.9
168	Absorption of deleterious gases (conflagration excepted)	8.3	0.6	4.9	1.9	4.4	1.8	5.9	2.1	2.3	2.0	2.2	1.2
169	Accidental drowning	10.4	8.6	9.3	7.4	6.7	6.4	14.5	9.7	9.1	18.9	6.6	7.2
170	Traumatism by firearms	2.1	4.1	4.4	5.8	3.0	4.0	7.2	9.7	1.0	3.6	1.6	4.4
171	Traumatism by cutting or piercing instruments	.....	0.3	.....	0.3	.....	0.2	.....	0.6	.....	.....	0.1	0.1
172	Traumatism by fall	14.6	19.1	17.1	7.9	20.8	8.9	9.9	5.7	10.3	7.9	10.5	7.6
173	Traumatism in mines and quarries (total)	6.3	2.5	0.4	3.1	0.7	3.5	.....	2.1	0.4	6.4	.....	0.4
	Traumatism in mines	.....	.....	0.4	2.9	0.7	3.4	.....	1.7	0.3	6.0	.....	0.4
	Traumatism in quarries	6.3	2.5	.....	0.2	.....	0.1	.....	0.4	0.1	0.4	.....	0.1
174	Traumatism by machines	.....	1.9	2.7	1.4	3.0	1.4	2.0	1.3	2.4	2.9	1.5	0.5
175	Traumatism by other crushing (total)	14.6	13.4	26.6	12.0	26.1	11.5	27.6	13.1	19.1	22.5	19.8	16.3
	Railroad accidents and injuries	8.3	5.1	13.8	8.2	11.7	7.3	17.8	10.3	5.8	9.1	10.4	8.1
	Street-car accidents and injuries	.....	0.3	3.6	0.4	3.3	0.4	3.9	0.4	1.1	.....	2.2	0.4
	Automobile accidents and injuries	4.2	3.5	5.8	1.1	7.7	1.4	2.0	0.4	8.9	5.5	3.7	2.3
	Injuries by other vehicles	2.1	3.8	3.3	1.6	3.0	1.8	3.9	1.1	2.5	3.6	3.5	5.1
	Landslide, other crushing	.....	0.6	0.2	0.8	0.3	0.7	.....	1.0	0.8	4.3	.....	0.4
176	Injuries by animals	.....	1.0	0.4	1.0	0.7	1.1	.....	0.8	0.3	1.8	0.2	1.5
177	Starvation	.....	.....	.....	0.2	.....	0.1	.....	0.6	.....	.....	.....	.....
178	Excessive cold	.....	0.6	0.7	0.8	.....	0.3	2.0	1.7	0.1	0.8	0.7	0.8
179	Effects of heat	.....	0.3	1.6	0.3	0.7	0.2	3.3	0.8	.....	0.3	0.1	0.2
180	Lightning	.....	.....	.....	0.6	.....	0.8	.....	0.2	.....	0.1	.....	0.2
181	Electricity (lightning excepted)	4.2	1.0	2.2	0.2	2.7	0.3	1.3	.....	0.4	0.5	0.9	0.7
185	Fractures (cause not specified)	.....	.....	0.7	0.3	1.0	0.2	.....	0.6	0.6	.....	.....	0.1
186	Other external violence	6.3	4.8	5.1	4.1	2.0	3.3	11.2	5.7	5.3	9.6	2.8	4.9
	Homicide (total)	4.2	1.6	23.7	10.1	7.7	6.0	55.3	19.2	7.5	7.8	3.3	1.6
182	By firearms	.....	1.3	12.9	7.4	3.7	4.0	30.9	15.2	4.1	5.3	1.2	0.8
183	By cutting or piercing instruments	.....	.....	5.5	0.8	1.0	0.3	14.5	1.7	0.8	0.5	0.2	0.2
184	By other means	4.2	0.3	5.3	1.9	3.0	1.7	9.9	2.3	2.5	2.0	1.9	0.6
	XIV.—Ill-defined diseases	2.1	2.5	22.0	61.3	10.4	44.1	44.8	100.3	3.8	19.6	1.4	3.4
187	Ill-defined organic disease	.....	0.6	1.1	5.7	.....	3.5	3.3	10.7	.....	0.9	0.1	0.8
188	Sudden death	.....	.....	0.7	4.7	0.3	4.0	1.3	6.3	.....	0.4	.....	0.1
189	Not specified or ill-defined (total)	2.1	1.9	20.2	50.9	10.0	36.6	40.1	83.4	3.8	18.3	1.3	2.5
	Ill-defined	.....	0.3	15.3	19.8	7.4	15.3	30.9	30.1	2.4	4.7	1.1	1.5
	Not specified or unknown	2.1	1.6	4.9	31.0	2.7	21.3	9.2	53.3	1.4	13.5	0.2	1.0

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1915.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
SUMMARY.													
The registration area	909,155	79,662	76,452	91,515	85,445	72,636	66,479	69,776	69,735	69,588	70,768	70,347	86,752
Registration states [1]	823,938	72,310	69,252	83,306	78,062	65,705	59,854	62,335	63,394	63,366	64,222	63,880	78,252
Cities in registration states [1]	440,401	38,775	36,715	43,483	41,152	35,601	32,150	33,493	34,108	33,398	34,006	34,442	43,078
Rural part of registration states	383,537	33,535	32,537	39,823	36,910	30,104	27,704	28,842	29,286	29,968	30,216	29,438	35,174
Registration cities in other states	85,217	7,352	7,200	8,209	7,383	6,931	6,625	7,441	6,341	6,222	6,546	6,467	8,500
All registration cities [1]	525,618	46,127	43,915	51,692	48,535	42,532	38,775	40,934	40,449	39,620	40,552	40,909	51,578
REGISTRATION STATES.													
California	39,038	3,605	3,026	3,435	3,179	3,278	3,068	3,019	2,999	2,930	3,185	3,423	3,891
Colorado	10,602	1,003	951	1,058	881	787	759	753	720	786	812	888	1,204
Connecticut	18,247	1,528	1,456	1,804	1,757	1,418	1,311	1,507	1,607	1,481	1,410	1,343	1,625
Indiana	35,403	3,216	3,368	3,764	3,264	2,749	2,424	2,601	2,596	2,740	2,724	2,759	3,198
Kansas	18,209	1,685	1,523	1,802	1,556	1,414	1,283	1,322	1,377	1,309	1,412	1,409	2,117
Kentucky	28,986	2,789	2,522	2,936	2,551	2,110	1,966	2,296	2,257	2,339	2,329	2,323	2,568
Maine	11,990	1,028	943	1,238	1,341	1,094	891	832	919	1,002	953	836	913
Maryland	21,353	1,828	1,688	2,137	2,070	1,720	1,446	1,790	1,802	1,644	1,702	1,621	1,905
Massachusetts	53,065	4,557	4,484	5,269	5,273	4,365	3,744	3,919	4,091	4,179	4,179	3,980	5,025
Michigan	40,425	3,358	3,304	4,407	3,925	3,249	3,183	2,949	3,068	3,050	3,087	3,104	3,741
Minnesota	22,794	1,997	1,984	2,212	2,132	1,842	1,756	1,653	1,608	1,688	1,717	1,799	2,406
Missouri	40,757	3,789	3,615	4,173	3,656	2,935	2,740	3,019	2,949	3,040	3,213	3,199	4,429
Montana	5,072	485	400	522	395	423	354	352	350	370	420	425	576
New Hampshire	7,099	632	535	751	726	584	527	572	573	554	550	510	585
New Jersey	39,787	3,498	3,124	3,728	3,737	3,133	2,935	3,310	3,345	3,091	3,008	3,111	3,767
New York	146,938	12,724	11,978	14,998	14,616	12,457	10,977	11,169	11,428	11,146	11,039	11,105	13,301
North Carolina [2]	8,438	727	683	777	695	690	828	788	649	628	646	672	655
Ohio	66,173	5,700	6,055	7,030	6,008	5,105	4,762	4,773	4,945	5,216	5,308	5,275	5,996
Pennsylvania	115,284	9,704	9,503	11,383	11,355	8,863	8,001	8,467	9,180	9,246	9,074	8,875	11,633
Rhode Island	8,922	774	730	991	895	706	613	653	754	713	688	668	737
Utah	4,193	470	336	383	361	326	276	298	283	298	349	397	416
Vermont	5,323	500	460	486	585	429	389	399	418	445	417	378	417
Virginia	30,727	2,616	2,625	3,183	2,855	2,339	2,401	2,640	2,322	2,181	2,485	2,367	2,713
Washington	11,895	1,056	1,017	1,148	984	959	889	891	936	909	948	1,001	1,157
Wisconsin	26,712	2,477	2,356	2,984	2,663	2,251	1,870	1,877	1,745	1,888	2,057	1,881	2,663
REGISTRATION CITIES.													
ALABAMA.[3]													
Registration cities	4,711	425	430	430	391	418	423	426	335	324	317	366	426
Birmingham	2,714	231	245	244	241	228	251	238	211	189	172	212	252
Mobile	1,104	117	100	104	82	101	89	98	61	70	87	96	99
Montgomery	893	77	85	82	68	89	83	90	63	65	58	58	75
CALIFORNIA.													
Registration cities	22,483	2,110	1,817	2,076	1,885	1,927	1,684	1,650	1,667	1,679	1,842	1,918	2,228
Alameda	299	29	18	22	21	25	29	24	29	25	26	19	32
Bakersfield	284	20	26	28	25	17	21	26	23	23	22	27	26
Berkeley	494	41	41	32	55	49	42	38	33	39	33	43	48
Eureka	224	19	20	18	16	34	12	6	21	17	21	21	19
Fresno	375	32	25	27	32	28	30	28	27	27	37	39	43
Long Beach	430	39	21	49	37	43	24	24	45	38	27	37	46
Los Angeles	5,856	558	470	584	473	520	456	428	424	401	510	478	554
Oakland	2,166	229	188	206	173	172	165	163	149	165	156	185	215
Pasadena	493	56	48	38	41	45	26	34	39	26	42	38	60
Pomona	170	13	14	15	17	11	15	14	12	9	18	13	19
Redlands	117	14	8	7	8	9	8	9	13	7	9	12	13
Riverside	218	17	14	29	13	16	19	14	13	18	20	22	23
Sacramento	997	92	84	74	86	73	61	88	80	76	91	89	103
San Bernardino	356	27	26	29	30	36	22	26	26	28	34	36	36
San Diego	1,003	94	105	102	74	90	81	66	58	71	72	81	109
San Francisco	7,260	671	576	658	636	628	543	520	551	575	585	608	709
San Jose	463	39	30	50	53	36	32	34	36	30	29	44	50
Santa Barbara	233	24	16	19	16	16	23	23	15	16	23	20	22
Santa Cruz	190	18	15	23	13	16	11	18	9	20	17	13	17
Stockton	724	59	58	58	57	53	58	60	56	56	62	76	71
Vallejo	131	19	14	8	9	10	6	7	8	12	8	17	13
COLORADO.													
Registration cities	4,510	396	397	452	372	337	311	314	316	328	357	402	528
Colorado Springs	500	36	40	51	37	41	36	38	45	37	35	50	54
Denver	3,355	292	313	340	281	247	235	226	216	240	269	292	404
Pueblo	479	49	35	47	36	31	27	42	44	42	36	43	47
Trinidad	176	19	9	14	18	18	13	8	11	9	17	17	23

[1] Including District of Columbia.
[2] Includes only municipalities having a population of 1,000 or over in 1910.
[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
CONNECTICUT.													
Registration cities	12,587	1,019	1,045	1,239	1,192	982	919	1,060	1,138	975	967	931	1,120
Ansonia	213	22	21	21	21	8	9	19	20	24	17	15	16
Bridgeport	1,827	137	176	156	170	152	143	165	159	120	135	141	173
Bristol	154	10	12	20	12	13	6	6	17	21	13	16	8
Danbury town	356	33	31	39	39	15	27	22	32	24	27	33	34
Greenwich town	236	22	18	24	21	20	22	18	21	21	16	16	17
Hartford	1,917	160	165	180	176	137	151	156	175	156	156	132	173
Manchester town	142	11	8	17	16	14	9	15	10	14	10	9	9
Meriden town	552	47	43	40	57	45	43	39	65	32	49	36	56
Middletown town	479	35	27	66	53	36	26	35	43	40	36	34	48
Naugatuck	153	10	12	14	13	17	9	10	19	3	14	14	18
New Britain	576	35	49	53	47	41	37	65	57	57	46	40	49
New Haven	2,311	208	192	241	235	180	174	184	184	169	158	174	212
New London	399	24	32	43	32	35	25	32	30	34	31	46	35
Norwalk	346	17	27	38	30	36	28	34	33	15	27	32	29
Norwich town	575	44	45	48	58	53	42	49	47	44	57	36	52
Orange town	143	10	10	15	12	7	13	15	12	11	13	15	10
Stamford town	515	52	34	50	44	47	30	35	58	41	42	32	50
Torrington town	148	13	11	10	13	13	10	12	14	12	17	9	14
Wallingford town	127	10	10	11	13	5	13	11	12	10	5	11	16
Waterbury	1,173	100	101	130	106	79	87	111	117	112	76	77	77
Windham town	245	19	21	23	24	29	15	27	13	15	22	13	24
DELAWARE.[1]													
Wilmington	1,528	128	119	133	124	100	90	121	119	124	126	149	195
DISTRICT OF COLUMBIA.													
Washington	6,506	564	586	707	602	479	461	486	473	493	510	531	614
FLORIDA.[1]													
Registration cities	2,795	215	219	264	237	260	241	229	247	219	204	195	265
Jacksonville	1,355	105	104	122	121	114	113	114	141	98	113	95	115
Key West	278	22	27	38	20	25	24	21	23	27	13	16	22
Pensacola	418	40	27	35	42	41	39	30	22	35	31	31	45
Tampa	744	48	61	69	54	80	65	64	61	59	47	53	83
GEORGIA.[1]													
Registration cities	5,606	439	517	548	481	430	450	495	443	427	432	432	512
Atlanta	2,796	245	267	273	241	202	243	252	215	221	203	207	227
Augusta	1,125	78	113	107	95	89	78	93	91	83	91	98	109
Savannah	1,685	116	137	168	145	139	129	150	137	123	138	127	176
ILLINOIS.[1]													
Registration cities	38,436	3,303	3,380	3,898	3,493	2,978	2,644	3,475	2,820	2,706	2,870	2,770	4,099
Aurora	471	38	36	46	48	42	37	31	25	44	44	43	37
Belleville	260	19	26	25	22	15	15	19	28	17	24	24	26
Chicago	34,894	2,944	3,059	3,539	3,151	2,699	2,410	3,214	2,604	2,453	2,596	2,480	3,745
Decatur	458	55	53	48	44	28	37	24	30	27	35	40	37
Evanston	340	34	28	27	39	34	25	27	19	19	21	33	34
Jacksonville	454	40	31	42	41	40	26	48	29	42	35	43	37
Quincy	564	65	46	57	54	42	33	53	32	36	32	30	84
Springfield	995	108	101	114	94	78	61	59	53	68	83	77	99
INDIANA.													
Registration cities	12,518	1,212	1,185	1,215	1,097	950	877	959	903	956	997	1,018	1,149
Anderson	290	29	25	29	27	20	19	20	25	23	27	20	26
East Chicago	371	26	33	34	38	23	27	33	37	31	24	26	39
Elkhart	259	32	36	29	15	29	15	16	10	23	20	19	15
Elwood	127	14	14	7	10	7	9	9	5	13	13	16	10
Evansville	978	108	93	91	81	74	53	78	58	82	82	91	87
Fort Wayne	883	74	83	86	79	50	72	75	77	63	67	82	75
Gary	385	25	31	37	34	30	22	35	44	32	33	25	37
Hammond	364	34	30	32	29	23	28	34	29	38	24	20	43
Huntington	126	8	11	11	11	9	9	16	6	13	9	14	9
Indianapolis	3,911	453	360	343	356	300	268	285	265	274	311	336	360
Jeffersonville	130	11	14	14	13	9	7	9	12	8	9	11	13
Kokomo	251	19	17	26	23	25	15	19	21	24	17	19	26
Lafayette	411	42	31	56	34	29	32	31	24	25	27	40	40
Laporte	154	15	14	14	21	12	17	3	11	11	12	11	13
Logansport	267	3	31	29	17	21	14	19	19	19	20	26	21

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
INDIANA—continued.													
Marion	305	31	25	22	20	21	20	26	35	21	33	21	30
Michigan City	254	22	27	29	17	25	20	20	14	21	24	17	18
Mishawaka	173	8	17	17	23	15	14	11	11	16	11	19	11
Muncie	315	24	32	28	24	23	21	21	28	26	18	28	42
New Albany	321	38	32	34	26	25	30	24	20	22	22	21	27
Peru	145	12	27	16	10	13	8	11	14	7	5	11	11
Richmond	286	15	19	36	28	23	23	23	24	19	23	23	30
South Bend	688	48	60	78	67	56	49	49	42	50	66	54	69
Terre Haute	903	72	98	99	80	70	66	69	61	80	80	54	74
Vincennes	221	21	25	18	14	18	19	23	11	15	20	14	23
KANSAS.													
Registration cities	4,597	443	338	454	388	370	320	342	320	336	337	374	575
Atchison	196	17	7	17	13	16	15	13	10	15	15	19	39
Coffeyville	160	14	15	17	23	12	14	9	12	10	10	11	13
Fort Scott	171	20	13	18	15	12	12	11	10	18	10	11	21
Hutchinson	206	17	15	22	12	19	16	15	11	21	18	13	27
Independence	163	16	9	11	20	7	11	9	10	14	13	17	26
Kansas City	1,344	133	102	119	112	108	98	104	106	94	98	114	156
Lawrence	201	24	14	21	12	15	19	10	13	17	11	12	33
Leavenworth	278	26	18	35	16	21	22	18	19	18	19	30	36
Parsons	195	16	11	31	25	16	14	13	15	12	11	15	16
Pittsburg	231	24	19	31	23	20	12	18	11	13	16	17	27
Topeka	674	64	57	67	60	50	32	59	41	50	52	56	86
Wichita	778	72	58	65	57	74	55	63	62	54	64	59	95
KENTUCKY.													
Registration cities	6,891	716	611	697	607	522	491	568	526	497	504	558	594
Covington	862	99	84	85	75	72	62	65	62	69	45	76	68
Frankfort	184	13	22	16	16	12	19	13	19	14	15	12	13
Henderson	218	18	14	22	16	19	17	28	20	14	19	14	17
Lexington	977	102	79	91	79	73	66	92	82	78	75	85	75
Louisville	3,550	388	305	355	304	272	259	281	274	250	256	279	327
Newport	377	28	41	44	42	29	27	28	19	30	28	29	32
Owensboro	291	34	27	38	33	17	13	20	19	16	27	25	22
Paducah	432	34	39	46	42	28	28	41	31	26	39	38	40
LOUISIANA.[1]													
New Orleans	7,752	708	617	726	631	668	622	582	552	542	668	652	784
MAINE.													
Registration cities	3,052	280	258	301	304	277	215	214	237	240	270	201	255
Auburn	207	15	24	28	15	11	13	13	25	14	20	16	13
Augusta	329	27	35	39	33	27	25	19	34	26	26	16	22
Bangor	559	46	40	60	37	52	48	39	44	53	43	41	56
Biddeford	293	35	20	26	25	25	21	28	20	32	24	13	24
Lewiston	463	43	38	45	49	44	24	27	32	33	62	37	29
Portland	1,014	98	76	81	119	100	75	69	73	74	84	67	98
Waterville	187	16	25	22	26	18	9	19	9	8	11	11	13
MARYLAND.													
Registration cities	10,975	1,002	874	1,121	1,056	896	750	891	869	806	859	877	974
Baltimore	10,008	924	792	1,020	971	825	685	825	793	720	769	798	886
Cumberland	414	36	37	37	31	32	26	26	31	40	40	36	42
Frederick	181	10	21	27	19	13	13	9	13	15	18	17	6
Hagerstown	372	32	24	37	35	26	26	31	32	31	32	26	40
MASSACHUSETTS.													
Registration cities	41,047	3,518	3,512	4,055	3,995	3,435	2,927	2,974	3,197	3,217	3,220	3,086	3,911
Adams town	157	16	17	11	17	7	15	10	13	16	12	12	11
Arlington town	168	23	9	18	12	11	14	13	10	17	17	11	13
Attleboro	197	14	13	28	24	16	11	12	7	16	15	21	20
Beverly	282	21	31	27	26	22	25	23	18	20	22	23	24
Boston	12,020	1,032	1,057	1,167	1,190	1,072	849	876	901	902	876	887	1,211
Brockton	690	60	60	65	65	60	53	41	47	64	53	53	69
Brookline town	328	29	25	47	32	33	25	16	12	25	23	28	33
Cambridge	1,461	133	131	157	139	116	85	92	104	111	130	128	135
Chelsea	627	49	49	70	44	47	37	43	39	55	53	60	81
Chicopee	421	40	41	41	34	26	23	38	40	43	30	29	36

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
MASSACHUSETTS—continued.													
Clinton town	185	23	14	22	12	14	12	15	14	20	17	8	14
Everett	364	34	40	31	37	33	25	20	25	22	30	34	33
Fall River	2,020	153	166	209	181	144	171	187	187	145	153	147	177
Fitchburg	546	47	39	64	56	50	39	35	50	47	35	39	45
Framingham town	242	24	25	19	16	20	24	23	18	19	20	13	21
Gardner town	208	19	14	20	23	16	16	15	14	18	20	14	19
Gloucester	327	19	35	43	33	17	23	30	26	32	13	35	21
Greenfield town	140	9	18	11	10	10	12	12	13	10	7	13	15
Haverhill	672	62	48	74	70	62	53	49	45	45	50	43	71
Holyoke	956	82	89	75	84	84	61	74	77	78	79	78	95
Lawrence	1,407	112	129	137	150	114	88	103	124	108	115	105	122
Leominster town	244	22	14	36	29	17	17	15	19	19	23	14	19
Lowell	1,820	158	131	188	187	139	103	132	156	154	159	153	160
Lynn	1,176	98	89	121	127	96	95	77	95	92	98	92	96
Malden	518	43	38	56	52	47	38	32	40	54	32	40	46
Marlborough	197	19	16	26	22	18	11	9	14	23	8	16	15
Medford	336	24	29	32	32	31	23	32	22	29	21	26	35
Melrose	214	13	21	34	21	21	15	13	19	8	13	16	20
Methuen town	154	8	16	17	19	20	6	7	11	20	11	9	10
Milford town	197	22	19	19	21	15	12	17	9	13	16	16	18
New Bedford	1,724	150	149	155	153	134	143	143	134	150	150	120	143
Newburyport	199	19	15	18	21	17	14	11	21	7	18	17	21
Newton	529	48	40	53	67	41	34	24	44	39	44	37	58
North Adams	309	30	38	23	22	25	21	28	26	25	23	20	28
Northampton	376	26	29	39	35	28	29	29	32	29	35	26	39
Peabody town	232	17	18	21	19	18	20	17	24	22	31	16	9
Pittsfield	538	53	67	45	54	44	37	40	50	37	43	28	40
Plymouth town	162	11	12	12	17	16	11	13	21	14	11	11	13
Quincy	431	32	34	43	36	36	27	30	33	25	51	33	51
Revere	191	25	12	12	17	19	18	15	18	8	8	15	24
Salem	501	34	41	41	54	47	38	34	45	47	41	40	39
Somerville	1,006	107	92	84	107	77	71	60	76	78	69	81	104
Southbridge town	158	23	14	14	21	16	3	7	8	9	13	7	23
Springfield	1,513	129	107	146	121	146	120	124	142	100	105	94	179
Taunton	747	64	71	86	67	63	59	50	52	63	55	60	57
Wakefield town	158	20	11	12	17	14	13	6	7	8	19	14	17
Waltham	430	33	41	36	34	33	31	28	37	42	37	35	43
Watertown town	130	7	11	15	15	10	4	6	9	9	10	12	22
Webster town	152	12	11	18	10	14	12	16	7	11	13	16	12
Westfield town	305	23	25	26	32	25	26	25	14	32	24	28	25
Weymouth town	159	13	9	11	19	15	13	9	17	15	17	9	12
Winthrop town	162	8	17	26	18	11	7	9	10	10	12	14	20
Woburn	194	20	17	16	15	21	17	13	14	15	15	15	16
Worcester	2,467	206	208	238	259	187	178	176	187	197	225	175	231
MICHIGAN.													
Registration cities	17,666	1,398	1,402	1,835	1,542	1,386	1,438	1,238	1,394	1,353	1,391	1,439	1,850
Adrian	157	20	16	16	11	13	13	7	6	9	13	13	20
Alpena	168	13	21	21	17	21	10	7	16	11	11	12	8
Ann Arbor	383	28	24	37	37	33	32	34	34	23	30	25	46
Battle Creek	450	28	53	54	47	40	40	21	27	26	43	34	37
Bay City	658	39	51	81	64	47	61	44	45	46	48	47	85
Detroit	8,720	689	641	839	734	677	720	630	780	670	646	723	971
Escanaba	195	26	21	19	22	16	12	13	14	12	12	17	11
Flint	536	42	35	47	33	34	37	33	43	62	58	45	67
Grand Rapids	1,570	124	148	180	144	126	124	91	114	117	136	131	135
Holland	118	12	10	10	13	10	9	9	9	7	8	8	13
Ironwood	123	9	14	9	11	14	9	15	7	5	9	4	17
Ishpeming	118	8	13	11	11	11	8	7	4	11	9	11	14
Jackson	498	39	34	63	37	40	37	34	34	48	43	37	52
Kalamazoo	773	80	64	84	63	56	61	56	49	56	71	63	70
Lansing	473	35	36	51	39	44	37	37	40	41	32	43	38
Manistee	141	13	19	17	18	12	10	5	3	10	11	13	10
Marquette	147	8	11	9	9	11	15	11	11	19	17	14	12
Menominee	142	19	11	14	18	13	7	11	8	6	11	12	12
Muskegon	390	25	34	56	33	24	41	38	28	30	24	25	32
Pontiac	397	34	32	40	37	32	33	27	28	32	29	41	32
Port Huron	291	27	27	31	25	19	26	18	22	18	23	17	38
Saginaw	735	51	60	92	72	55	52	52	42	64	63	59	73
Sault Ste. Marie	169	9	8	22	16	14	19	13	11	14	10	15	18
Traverse City	314	20	19	32	31	24	25	25	19	16	34	30	39

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1915—Continued.

The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
MINNESOTA.													
Registration cities	8,371	715	747	767	746	668	611	597	590	654	618	680	978
Duluth	915	72	77	74	92	69	73	68	61	97	56	71	105
Mankato	175	20	14	20	11	18	17	9	5	18	7	13	23
Minneapolis	4,048	346	364	345	342	342	282	300	301	316	301	325	484
St. Cloud	150	16	11	15	14	9	17	10	9	16	14	8	11
St. Paul	2,598	213	241	257	254	194	190	173	167	175	208	226	300
Stillwater	109	14	16	4	10	9	6	7	7	7	9	6	14
Virginia	129	11	4	20	7	7	7	14	21	10	10	9	9
Winona	247	23	20	32	16	20	19	16	19	15	13	22	32
MISSISSIPPI.[1]													
Registration cities	2,614	186	205	241	234	211	234	220	187	227	223	194	252
Hattiesburg	246	21	17	21	27	19	27	18	18	23	22	15	18
Jackson	846	54	58	72	65	80	74	81	59	72	79	69	83
Meridian	560	37	46	45	44	45	64	55	44	44	44	38	54
Natchez	237	14	15	32	24	19	21	15	16	18	20	20	23
Vicksburg	725	60	69	71	74	48	48	51	50	70	58	52	74
MISSOURI.													
Registration cities	18,029	1,682	1,546	1,737	1,632	1,330	1,262	1,376	1,327	1,301	1,405	1,435	1,996
Hannibal	269	24	20	29	22	18	25	15	8	26	29	16	37
Jefferson City	197	17	16	13	21	13	13	10	19	18	15	17	25
Joplin	601	68	36	40	44	46	41	40	44	31	48	62	101
Kansas City	4,255	387	360	407	408	305	294	322	318	303	334	343	474
Moberly	177	12	16	21	16	18	7	11	16	14	18	12	16
St. Joseph	1,154	105	105	113	110	82	62	83	94	80	79	105	136
St. Louis	10,293	993	905	1,000	901	769	740	827	751	757	791	797	1,062
Sedalia	291	21	23	37	35	21	18	22	20	18	18	22	36
Springfield	569	44	49	54	56	39	47	29	40	37	53	42	79
Webb City	223	11	16	23	19	19	15	17	17	17	20	19	30
MONTANA.													
Registration cities	1,668	167	132	162	139	141	110	115	106	125	142	132	197
Anaconda	145	13	17	11	9	11	12	14	15	7	10	9	17
Billings	149	15	12	18	18	10	11	8	8	10	10	5	24
Butte	708	67	52	64	53	62	36	50	38	55	77	71	83
Great Falls	264	25	24	31	28	17	16	16	23	16	15	22	31
Helena	213	29	11	20	15	17	17	16	11	23	16	14	24
Missoula	189	18	16	18	16	24	18	11	11	14	14	11	18
NEBRASKA.[1]													
Registration cities	2,596	195	229	228	201	204	203	217	201	192	223	231	272
Lincoln	610	54	54	53	60	47	47	56	40	43	48	53	55
Omaha	1,986	141	175	175	141	157	156	161	161	149	175	178	217
NEW HAMPSHIRE.													
Registration cities	3,010	258	225	322	273	235	227	241	266	254	251	207	251
Berlin	188	14	12	16	18	16	8	16	25	20	23	6	14
Concord	445	40	29	47	33	40	33	33	46	27	48	30	39
Dover	242	15	17	24	19	20	18	14	19	23	21	21	31
Keene	157	10	9	13	19	15	12	13	11	21	10	11	13
Laconia	184	24	14	16	16	13	9	14	14	15	13	19	17
Manchester	1,145	98	97	131	104	77	93	108	96	85	92	72	92
Nashua	446	36	29	52	39	38	38	27	38	45	36	37	31
Portsmouth	203	21	18	23	25	16	16	16	17	18	8	11	14
NEW JERSEY.													
Registration cities	25,494	2,239	2,015	2,362	2,345	2,056	1,894	2,142	2,092	1,972	1,934	2,002	2,441
Asbury Park	157	16	12	14	12	11	10	14	22	15	15	9	7
Atlantic City	847	49	58	64	95	73	78	66	91	70	63	66	74
Bayonne	818	77	65	73	64	54	57	81	72	69	58	61	87
Bloomfield	158	14	18	13	14	15	10	11	10	7	14	21	11
Bridgeton	239	16	27	23	19	20	14	15	15	24	18	22	26
Camden	1,605	150	120	147	164	137	113	109	115	113	137	97	203
East Orange	324	28	21	32	32	31	25	21	26	22	26	26	34
Elizabeth	1,067	89	96	87	91	81	70	90	89	94	83	88	109
Garfield	182	17	16	15	17	10	9	23	17	17	13	9	19
Hackensack	279	16	23	25	26	17	27	21	20	19	25	28	32

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
NEW JERSEY—continued.													
Harrison	180	11	10	9	16	12	15	20	11	18	20	17	21
Hoboken	1,143	102	100	130	110	102	94	86	76	92	63	89	99
Irvington	193	16	16	17	20	14	12	14	16	12	17	18	21
Jersey City	4,347	364	339	417	405	346	349	399	365	324	332	334	373
Kearney	299	30	32	34	26	17	24	15	28	19	20	22	32
Long Branch	316	23	24	22	20	31	27	31	40	21	20	30	27
Millville	169	17	16	17	16	13	12	10	11	8	18	21	10
Montclair	256	28	16	34	21	19	15	17	13	21	29	20	23
Morristown	238	21	18	22	17	15	20	19	22	22	20	21	21
New Brunswick	533	39	38	47	55	38	40	60	51	49	35	38	43
Newark	5,241	465	389	521	517	457	363	447	389	399	392	428	474
Orange	510	54	43	58	39	34	43	43	34	31	37	38	56
Passaic	908	90	77	68	71	82	65	84	79	67	60	80	85
Paterson	1,796	169	148	147	158	144	145	133	132	150	144	150	176
Perth Amboy	511	44	49	40	31	41	34	57	60	47	46	25	37
Phillipsburg	175	21	8	14	15	11	14	12	14	10	12	12	32
Plainfield	347	39	30	32	28	22	24	27	35	29	22	26	33
Trenton	1,765	150	141	161	168	134	118	139	174	139	112	136	193
Union	214	21	19	18	17	16	17	23	8	19	24	16	16
West Hoboken	330	37	22	27	28	28	25	24	26	18	35	22	38
West New York	246	21	23	28	21	19	20	16	20	17	17	20	24
West Orange	101	5	1	6	12	12	5	15	11	10	7	12	5
NEW YORK.													
Registration cities	110,194	9,601	8,962	11,089	10,857	9,380	8,214	8,470	8,607	8,277	8,193	8,307	10,237
Albany	2,075	182	176	217	223	168	131	153	165	161	159	155	185
Amsterdam	492	44	41	42	49	50	31	37	27	40	40	47	44
Auburn	598	64	35	68	52	49	37	52	47	36	60	50	48
Batavia	232	11	16	22	14	18	17	20	23	22	17	22	30
Binghamton	1,066	99	107	115	99	69	76	78	78	82	75	93	95
Buffalo	6,852	543	537	720	651	566	490	517	545	574	526	568	615
Cohoes	386	32	25	38	37	33	32	30	28	37	25	30	39
Corning	204	24	19	24	18	16	22	12	13	12	13	10	21
Cortland	198	15	15	23	21	12	15	12	14	24	13	20	14
Dunkirk	214	19	18	22	19	19	12	14	15	15	27	16	18
Elmira	675	61	50	71	79	56	40	60	41	51	55	61	50
Fulton	194	15	17	16	18	22	14	12	14	19	17	12	18
Geneva	208	20	9	17	22	11	19	18	23	20	14	14	21
Glens Falls	287	22	21	32	22	24	29	26	21	20	22	26	22
Gloversville	276	23	37	23	23	23	20	17	15	11	31	31	22
Hornell	213	12	22	20	20	18	23	16	10	25	15	15	17
Hudson	216	21	15	20	11	14	13	18	19	18	15	26	26
Ithaca	257	23	37	22	19	18	15	21	18	20	23	16	25
Jamestown	435	37	35	48	48	40	33	30	41	27	27	32	37
Johnstown	132	17	11	14	16	10	11	8	10	5	8	8	14
Kingston	496	52	46	48	45	36	41	33	44	35	28	36	52
Lackawanna	382	19	25	25	38	35	24	24	36	43	35	45	33
Little Falls	224	20	12	20	23	24	17	16	6	28	16	16	26
Lockport	269	24	29	32	30	22	11	19	26	20	13	15	28
Middletown	382	28	23	44	43	29	27	32	33	39	22	32	30
Mount Vernon	415	42	37	41	35	43	25	37	35	31	26	25	38
New Rochelle	413	33	30	38	44	24	27	28	39	24	34	39	53
New York	76,241	6,783	6,193	7,574	7,535	6,657	5,788	5,949	5,932	5,467	5,567	5,622	7,174
Bronx Borough	7,570	695	629	790	693	620	563	574	555	581	567	582	721
Brooklyn Borough	26,060	2,328	2,093	2,570	2,600	2,250	2,000	1,965	2,057	1,817	1,917	1,979	2,484
Manhattan Borough	36,176	3,186	2,981	3,607	3,625	3,245	2,746	2,882	2,796	2,607	2,570	2,577	3,354
Queens Borough	4,915	456	369	482	456	419	359	402	388	370	382	366	466
Richmond Borough	1,520	118	121	125	161	123	120	126	136	92	131	118	149
Newburgh	475	42	48	55	51	29	32	34	36	40	34	35	39
Niagara Falls	580	49	43	62	44	38	53	51	54	51	49	41	45
North Tonawanda	166	17	10	23	22	15	7	14	11	11	8	12	16
Ogdensburg	433	31	36	34	36	37	31	34	33	37	45	42	37
Olean	239	14	19	32	29	19	15	17	16	12	22	22	22
Ossining	173	9	18	18	13	7	14	16	13	21	10	10	24
Oswego	359	31	30	42	32	23	28	25	33	31	27	23	34
Peekskill	258	22	23	20	24	22	21	12	18	22	21	29	24
Plattsburg	201	17	23	20	18	20	8	15	22	11	26	5	16
Port Chester	215	14	21	19	16	15	22	19	16	17	19	16	21
Poughkeepsie	509	49	47	49	53	40	31	37	41	50	35	30	47
Rensselaer	154	6	11	10	19	16	15	12	10	21	6	14	14
Rochester	3,488	292	284	375	384	278	241	274	259	265	257	257	322
Rome	549	30	39	52	72	49	41	30	58	61	34	46	37
Saratoga Springs	323	26	21	37	22	25	20	22	23	32	33	32	30

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	M H OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
NEW YORK—continued.													
Schenectady	1,019	89	98	114	91	75	70	72	85	87	70	82	86
Syracuse	2,011	177	140	212	188	160	166	146	158	183	148	159	174
Troy	1,534	131	134	159	138	129	131	122	131	122	107	119	111
Utica	1,423	111	108	161	160	107	94	94	106	113	139	95	135
Watertown	428	23	30	45	56	40	27	29	33	32	32	37	44
Watervliet	243	21	25	35	19	22	17	11	14	17	28	16	18
White Plains	261	15	15	27	28	17	17	14	31	25	21	20	31
Yonkers	1,121	100	101	92	88	91	73	81	88	110	99	83	115
NORTH CAROLINA.													
Registration cities	3,574	317	286	344	289	295	338	316	292	265	276	277	279
Asheville	454	45	45	45	42	36	38	43	39	37	26	35	23
Charlotte	727	64	66	74	57	67	74	63	54	50	47	60	51
Durham	369	40	22	40	36	23	32	32	32	30	26	36	20
Greensboro	288	25	29	26	21	21	25	29	18	17	26	22	29
Raleigh	549	46	36	55	50	56	56	42	38	43	49	36	42
Wilmington	597	58	45	43	38	52	56	53	53	48	45	41	65
Winston-Salem	590	39	43	61	45	40	57	54	58	40	57	47	49
OHIO.													
Registration cities	34,073	3,049	3,126	3,294	2,945	2,696	2,479	2,511	2,643	2,644	2,710	2,818	3,158
Akron	1,177	81	88	114	104	85	96	93	124	95	81	115	101
Alliance	222	9	14	23	21	22	14	17	21	19	20	19	23
Ashtabula	245	22	20	32	25	25	14	17	19	18	23	16	14
Bellaire	185	16	15	19	14	14	13	13	13	21	8	17	22
Cambridge	169	19	17	17	23	15	14	9	11	13	8	9	14
Canton	717	64	61	88	59	49	50	55	60	54	55	68	54
Chillicothe	214	24	22	14	25	17	15	15	17	16	21	11	17
Cincinnati	6,360	658	576	591	589	517	446	486	475	437	488	541	556
Cleveland	8,808	734	818	761	755	714	603	641	749	733	751	718	831
Columbus	2,945	255	260	306	242	236	204	232	206	241	241	256	266
Dayton	1,709	182	173	163	162	131	127	109	106	115	122	142	177
East Liverpool	310	31	41	28	21	21	28	26	24	16	26	16	32
Elyria	222	19	19	20	18	21	19	12	9	21	19	24	21
Findlay	202	21	19	18	22	12	10	20	18	13	16	12	21
Hamilton	427	43	36	42	41	42	37	29	20	36	37	29	35
Ironton	208	24	26	17	23	10	10	14	14	12	18	21	19
Lakewood	230	19	18	23	18	23	21	15	13	17	20	14	29
Lancaster	192	15	19	13	14	24	20	20	10	10	21	12	14
Lima	442	31	36	44	55	38	31	32	31	24	35	37	48
Lorain	316	31	31	36	31	20	21	15	34	29	27	19	22
Mansfield	270	22	24	32	30	22	21	19	20	22	18	18	22
Marietta	187	19	18	18	13	12	20	9	18	15	17	11	17
Marion	269	16	31	35	18	29	21	24	17	22	18	12	26
Massillon	202	13	22	18	11	13	13	13	19	23	19	15	23
Middletown	198	23	19	18	16	9	7	14	18	16	18	18	22
Newark	367	29	38	41	27	38	34	28	30	28	18	28	28
Norwood	160	16	13	21	13	9	17	10	4	14	13	14	16
Piqua	182	12	24	19	17	13	13	11	8	12	10	24	19
Portsmouth	337	34	25	34	19	28	22	29	35	23	32	25	31
Sandusky	293	30	32	28	26	19	22	19	21	16	19	31	30
Springfield	693	60	69	69	55	49	55	44	55	57	60	50	70
Steubenville	483	52	50	45	35	33	32	47	35	41	26	41	46
Tiffin	202	20	15	28	19	17	16	15	15	15	16	12	14
Toledo	2,892	249	249	309	226	221	233	213	197	244	221	256	274
Warren	200	11	13	30	11	20	15	12	20	16	16	19	17
Youngstown	1,408	112	119	126	97	100	114	109	126	120	114	117	154
Zanesville	430	33	56	54	50	28	31	25	31	20	38	31	33
OREGON.[1]													
Portland	2,281	220	194	181	183	210	188	163	176	182	187	180	217
PENNSYLVANIA.													
Registration cities	59,954	5,138	4,775	5,717	5,758	4,625	4,242	4,487	4,734	4,588	4,641	4,667	6,582
Allentown	994	88	77	103	83	74	63	85	82	83	77	78	101
Altoona	709	57	67	66	60	53	66	46	56	57	49	60	72
Beaver Falls	179	19	8	21	21	18	8	6	17	17	14	8	22
Bethlehem	158	10	15	12	12	18	11	11	9	11	13	10	26
Braddock	387	17	24	45	30	37	31	44	38	32	29	24	36
Bradford	231	17	10	25	26	19	19	15	19	20	19	22	20
Butler	255	15	13	17	22	24	19	22	25	25	24	25	24
Carbondale	283	26	21	20	31	25	19	24	32	24	20	21	20
Carlisle	152	14	11	18	12	18	9	13	9	13	11	15	9
Carnegie	138	7	10	13	9	10	7	6	12	13	16	22	13

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
PENNSYLVANIA—continued.													
Chambersburg	175	15	9	21	15	21	13	13	11	11	11	18	17
Chester	658	56	48	63	53	58	45	58	60	52	48	57	60
Coatesville	131	18	9	17	11	9	7	12	7	12	9	8	12
Columbia	157	8	20	19	14	13	6	15	11	10	10	9	22
Connellsville	179	7	18	21	20	10	16	8	14	18	19	14	14
Dubois	128	12	12	12	13	9	9	8	13	10	12	9	9
Dunmore	359	27	46	36	24	27	25	31	25	29	27	39	23
Duquesne	193	17	19	13	22	15	15	17	17	13	14	18	13
Easton	472	41	37	51	42	40	38	34	48	34	30	30	47
Erie	1,107	94	95	110	99	84	87	95	107	88	81	85	82
Farrell	142	13	8	16	16	5	10	8	20	17	10	8	11
Greensburg	209	14	21	18	21	13	17	17	19	23	15	16	15
Harrisburg	1,004	87	75	100	88	84	76	73	78	74	93	100	76
Hazleton	523	49	37	41	62	44	32	32	47	41	44	38	56
Homestead	235	18	19	23	16	15	15	16	29	20	19	26	19
Johnstown	937	74	69	94	95	68	67	65	83	88	71	76	87
Lancaster	809	65	78	73	77	61	69	50	57	66	61	57	95
Lebanon	326	30	38	25	32	24	22	27	22	26	26	32	22
McKees Rocks	198	16	14	13	18	8	11	25	16	19	12	20	26
McKeesport	634	50	48	68	76	49	43	47	48	52	55	48	50
Mahanoy City	229	15	13	18	24	10	15	23	22	20	21	21	27
Meadville	222	19	13	26	22	20	23	16	19	14	18	8	24
Monessen	169	13	6	12	12	9	14	11	24	14	21	13	20
Mount Carmel	197	16	14	18	17	13	12	11	19	12	20	25	20
Nanticoke	284	25	20	22	19	27	19	23	28	19	28	30	24
New Castle	513	39	41	67	43	35	29	36	40	43	58	41	41
Norristown	669	64	59	68	58	48	58	59	41	47	53	45	69
North Braddock	162	8	10	15	19	7	16	15	16	13	11	11	21
Oil City	216	21	15	29	27	17	15	14	16	17	13	15	17
Old Forge	151	21	20	17	18	10	12	9	7	9	9	10	9
Philadelphia	26,291	2,306	2,055	2,452	2,572	2,056	1,817	1,918	1,884	1,933	1,931	1,984	3,383
Phoenixville	192	14	18	17	23	13	7	11	13	27	17	15	17
Pittsburgh	8,728	691	671	855	880	678	643	651	684	644	714	684	933
Pittston	297	30	19	27	31	23	27	39	17	15	18	19	32
Plymouth	175	19	11	12	14	17	11	18	14	14	12	16	17
Pottstown	231	23	23	24	20	21	19	14	16	20	15	17	19
Pottsville	402	38	45	27	31	24	23	31	37	35	30	43	38
Reading	1,455	125	107	143	140	118	108	98	122	117	127	131	119
Scranton	2,114	202	174	205	206	155	138	191	189	173	171	149	161
Shamokin	244	30	28	23	25	16	16	13	23	9	19	17	25
Sharon	252	29	19	29	20	15	11	13	27	20	24	20	25
Shenandoah	392	37	28	22	21	30	32	61	48	29	31	24	29
South Bethlehem	300	22	23	28	31	17	22	24	23	34	24	20	32
Steelton	156	12	19	14	17	5	15	13	11	11	8	14	17
Sunbury	176	28	15	18	15	10	13	9	12	12	21	10	13
Uniontown	266	15	16	28	22	20	17	17	29	19	26	28	29
Warren	159	20	13	15	11	17	14	8	7	16	14	11	13
Washington	294	29	24	26	26	19	16	25	26	25	21	34	23
West Chester	271	16	33	24	21	29	18	15	24	17	23	23	28
Wilkes-Barre	1,215	114	107	101	111	91	81	97	130	113	91	91	88
Wilkinsburg	285	20	29	27	22	24	26	20	19	23	15	23	37
Williamsport	555	52	47	60	56	31	38	28	50	39	51	48	55
York	630	44	64	74	64	47	42	33	66	37	47	34	78
RHODE ISLAND.													
Registration cities	7,313	647	602	805	729	575	500	546	606	572	556	560	615
Central Falls	281	24	18	35	22	23	16	21	25	33	21	11	32
Cranston (exclusive of)	263	17	26	26	31	20	21	23	23	14	28	14	20
State institutions	439	35	33	48	38	50	30	40	32	33	39	33	28
Cumberland town	133	19	6	16	12	12	8	11	8	14	7	11	9
East Providence town	217	19	12	31	29	16	14	23	12	21	10	14	16
Newport	378	36	27	34	36	32	26	27	25	33	39	36	27
Pawtucket	840	77	80	76	86	60	67	52	50	76	65	64	87
Providence	3,660	325	312	424	379	282	240	253	331	258	272	287	297
Warwick town	261	23	24	29	19	24	19	29	28	12	16	24	14
West Warwick town	263	29	19	34	26	20	14	12	32	19	16	17	25
Woonsocket	578	43	45	52	51	36	45	55	40	59	43	49	60
SOUTH CAROLINA.[1]													
Registration cities	3,869	320	277	311	292	320	412	417	313	316	273	275	343
Charleston	1,770	138	131	143	123	159	176	194	145	144	131	116	170
Columbia	1,396	104	83	104	106	112	162	145	117	123	106	115	119
Greenville	370	42	32	38	31	24	34	48	29	32	16	18	26
Spartanburg	333	36	31	26	32	25	40	30	22	17	20	26	28

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY MONTH OF DEATH: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	MONTH OF DEATH.											
		January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
REGISTRATION CITIES—Continued.													
TENNESSEE.[1]													
Registration cities	6,851	678	538	691	556	512	534	611	495	537	583	510	606
Chattanooga	1,035	115	78	100	79	69	91	87	81	73	71	92	99
Jackson	285	24	15	28	19	22	20	23	18	28	36	26	26
Knoxville	639	64	50	69	52	63	46	59	49	46	46	37	58
Memphis	2,895	294	234	297	244	218	212	252	199	234	250	216	245
Nashville	1,997	181	161	197	162	140	165	190	148	156	180	139	178
TEXAS.[1]													
Registration cities	5,515	481	422	483	510	565	531	442	393	377	396	450	465
El Paso	2,048	179	151	170	185	214	179	141	172	149	144	177	187
Galveston	895	85	67	70	68	66	58	81	73	71	77	89	90
San Antonio	2,572	217	204	243	257	285	294	220	148	157	175	184	188
UTAH.													
Registration cities	1,497	161	123	139	129	115	99	109	108	103	135	133	143
Ogden	315	37	23	27	24	27	17	28	27	19	27	25	34
Salt Lake City	1,182	124	100	112	105	88	82	81	81	84	108	108	109
VERMONT.													
Registration cities	783	78	59	83	79	61	52	55	67	73	62	44	70
Barre	154	18	13	19	17	6	7	7	10	14	22	9	12
Burlington	396	35	32	42	36	35	28	33	34	32	28	23	38
Rutland	233	25	14	22	26	20	17	15	23	27	12	12	20
VIRGINIA.													
Registration cities	8,113	697	687	813	761	602	643	678	576	591	666	656	743
Alexandria	296	27	25	35	29	16	18	25	21	26	28	26	20
Danville	364	32	30	35	29	36	49	27	21	23	28	24	30
Lynchburg	612	44	51	69	52	40	42	58	48	47	52	54	55
Newport News	348	27	18	30	30	21	22	31	35	26	33	37	38
Norfolk	1,646	139	128	170	159	108	120	155	125	116	117	152	157
Petersburg	622	47	52	51	59	45	53	47	35	44	53	60	76
Portsmouth	448	36	49	50	42	29	43	35	26	29	38	39	32
Richmond	2,921	281	263	283	272	235	231	230	203	214	254	198	257
Roanoke	614	50	46	63	62	54	45	56	38	38	54	50	58
Staunton	242	14	25	27	27	18	20	14	24	28	9	16	20
WASHINGTON.													
Registration cities	5,577	486	513	547	498	444	403	444	419	384	420	458	561
Aberdeen	149	10	16	18	14	14	10	12	11	9	10	14	11
Bellingham	262	29	23	17	33	24	18	16	23	17	17	18	27
Everett	279	21	24	26	24	17	22	26	23	22	22	19	33
North Yakima	223	15	19	15	20	17	14	13	15	24	15	21	35
Seattle	2,464	231	248	231	216	206	175	206	180	154	173	202	242
Spokane	1,165	77	92	130	99	97	93	89	83	90	100	99	116
Tacoma	857	84	75	79	81	59	63	68	66	56	72	70	84
Walla Walla	178	19	16	31	11	10	8	14	18	12	11	15	13
WEST VIRGINIA.[1]													
Wheeling	663	54	53	75	50	55	53	43	60	49	44	63	64
WISCONSIN.													
Registration cities	9,919	882	892	1,150	932	817	683	710	635	715	743	731	1,029
Appleton	244	26	16	29	34	15	26	16	6	18	13	18	27
Ashland	202	17	21	20	26	16	15	17	12	13	14	11	20
Beloit	188	24	26	24	22	9	4	10	16	12	13	11	17
Eau Claire	295	33	20	29	19	28	28	25	22	26	18	20	27
Fond du Lac	286	20	22	39	28	26	25	22	19	14	27	19	25
Green Bay	429	48	40	48	42	39	36	29	33	33	25	27	29
Janesville	174	10	13	21	15	16	14	12	14	10	16	13	20
Kenosha	236	20	22	24	22	18	18	18	10	21	25	13	25
La Crosse	404	44	43	34	33	37	24	25	30	35	29	31	39
Madison	377	38	28	46	24	23	21	26	37	29	29	28	48
Manitowoc	164	11	16	20	16	15	14	10	13	12	10	15	12
Marinette	171	15	15	23	17	15	16	9	11	10	15	6	19
Milwaukee	4,901	425	450	584	444	412	309	343	291	336	384	376	547
Oshkosh	387	38	26	32	46	38	28	35	28	16	29	26	45
Racine	528	41	48	69	56	41	39	41	34	44	33	39	43
Sheboygan	346	24	23	42	40	33	22	28	27	29	26	27	25
Superior	398	34	39	43	34	26	34	30	23	42	25	32	36
Wausau	189	14	24	23	14	10	10	14	9	15	12	19	25

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1915.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other— Native.	One parent unknown, the other— Foreign born.	Both parents unknown.				
SUMMARY.													
The registration area	909,155	831,181	608,511	328,962	149,295	47,306	28,507	6,791	47,650	211,551	11,119	74,363	3,611
Registration states [1]	823,938	766,631	564,961	310,373	135,118	43,867	26,656	6,166	42,781	191,548	10,122	53,862	3,445
Cities in registration states [1]	440,401	409,862	277,638	124,907	94,998	26,166	10,430	3,522	17,615	127,326	4,898	29,131	1,408
Rural part of registration states	383,537	356,769	287,323	185,466	40,120	17,701	16,226	2,644	25,166	64,222	5,224	24,731	2,037
Registration cities in other states	85,217	64,550	43,550	18,589	14,177	3,439	1,851	625	4,869	20,003	997	20,501	166
All registration cities [1]	525,618	474,412	321,188	143,496	109,175	29,605	12,281	4,147	22,484	147,329	5,895	49,632	1,574
REGISTRATION STATES.													
California	39,038	36,867	24,085	9,996	4,831	2,146	1,695	573	4,844	11,696	1,086	569	1,602
Colorado	10,602	10,319	7,730	3,865	1,232	626	576	150	1,281	2,210	379	247	36
Connecticut	18,247	17,845	12,258	4,950	4,630	912	648	126	992	5,367	220	393	9
Indiana	35,403	33,937	29,848	20,478	2,811	1,305	2,253	282	2,719	3,763	326	1,460	6
Kansas	18,209	17,020	14,063	8,472	1,141	720	1,217	156	2,357	2,611	346	1,146	43
Kentucky	28,986	23,481	21,925	17,434	874	391	1,442	93	1,691	1,239	317	5,500	5
Maine	11,990	11,970	10,066	7,103	1,064	912	325	33	629	1,780	124	15	5
Maryland	21,353	15,773	13,141	8,800	1,830	780	599	151	981	2,440	192	5,574	6
Massachusetts	53,065	52,097	34,852	14,924	12,577	3,621	1,616	475	1,639	16,909	336	918	50
Michigan	40,425	39,816	27,468	13,750	6,735	3,046	1,396	419	2,122	11,687	661	439	170
Minnesota	22,794	22,400	12,868	5,258	4,404	1,944	473	179	610	9,232	300	170	224
Missouri	40,757	37,114	30,767	19,789	3,450	1,529	2,233	310	3,456	5,496	851	3,629	14
Montana	5,072	4,740	2,984	1,419	627	293	155	45	445	1,444	312	54	278
New Hampshire	7,099	7,089	5,496	2,925	961	418	329	40	823	1,407	186	10	.....
New Jersey	39,787	37,662	26,228	13,150	8,966	2,068	681	324	1,039	11,083	351	2,120	5
New York	146,938	143,131	95,386	42,806	36,146	9,190	2,620	798	3,826	46,835	910	3,603	204
North Carolina [2]	8,438	4,342	4,223	3,528	41	63	305	7	279	62	57	4,095	1
Ohio	66,173	63,404	50,355	29,940	9,808	3,377	2,640	537	4,053	12,133	916	2,761	8
Pennsylvania	115,284	110,596	85,603	49,029	22,485	6,202	2,862	872	4,153	24,013	980	4,659	29
Rhode Island	8,922	8,659	5,683	2,604	2,172	622	102	31	152	2,909	67	258	5
Utah	4,193	4,071	2,737	1,529	542	367	85	26	188	1,261	73	33	89
Vermont	5,323	5,318	4,297	2,599	524	364	305	55	450	957	64	5	.....
Virginia	30,727	17,288	16,441	13,502	288	237	1,025	33	1,356	605	242	13,425	14
Washington	11,895	11,283	7,595	3,813	1,274	706	570	157	1,075	3,243	445	116	496
Wisconsin	26,712	26,494	15,678	6,531	5,327	1,853	465	289	1,213	10,519	297	77	141
REGISTRATION CITIES.													
ALABAMA.[3]													
Registration cities	4,711	2,074	1,799	1,230	118	64	93	9	285	204	71	2,634	3
Birmingham	2,714	1,231	1,086	799	49	29	56	4	149	99	46	1,482	1
Mobile	1,104	503	412	241	64	30	25	5	47	86	5	599	2
Montgomery	893	340	301	190	5	5	12	.....	89	19	20	553	.....
CALIFORNIA.													
Registration cities	22,483	21,114	13,314	5,372	3,084	1,284	932	336	2,306	7,222	578	436	933
Alameda	299	286	176	73	46	29	8	4	16	107	3	3	10
Bakersfield	284	270	196	73	19	12	19	6	67	52	22	5	9
Berkeley	494	488	343	189	55	46	18	3	32	140	5	2	4
Eureka	224	223	133	38	9	16	7	4	59	85	5	.....	1
Fresno	375	334	247	107	51	10	28	8	43	83	4	4	37
Long Beach	430	427	354	178	23	18	65	6	64	64	9	.....	3
Los Angeles	5,856	5,457	3,734	1,678	658	290	304	115	689	1,592	131	229	170
Oakland	2,166	2,022	1,273	526	358	138	75	34	142	719	30	66	78
Pasadena	493	479	375	182	34	33	34	8	84	94	10	12	2
Pomona	170	168	139	81	13	9	9	3	24	26	3	.....	2
Redlands	117	110	84	49	5	7	13	2	8	22	4	.....	7
Riverside	218	204	157	83	26	5	17	2	24	45	2	1	13
Sacramento	997	869	566	213	109	55	31	12	146	276	27	20	108
San Bernardino	356	338	226	70	36	20	24	12	64	98	14	7	11
San Diego	1,003	978	663	293	103	67	68	20	112	280	35	16	9
San Francisco	7,260	6,846	3,611	1,094	1,387	434	148	79	469	3,027	208	53	361
San Jose	463	441	294	141	51	29	23	4	46	144	3	4	18
Santa Barbara	233	218	166	105	19	14	7	1	20	46	6	4	11
Santa Cruz	190	187	125	63	17	10	8	2	25	60	2	1	2
Stockton	724	640	372	111	48	34	20	5	154	223	45	8	76
Vallejo	131	129	80	25	17	8	6	6	18	39	10	1	1
COLORADO.													
Registration cities	4,510	4,313	3,140	1,452	496	263	251	75	603	996	177	185	12
Colorado Springs	500	480	399	236	51	27	30	12	43	67	14	19	1
Denver	3,355	3,209	2,272	970	351	199	196	58	498	800	137	135	11
Pueblo	479	451	340	171	78	28	17	3	43	92	19	28	.....
Trinidad	176	173	129	75	16	9	8	2	19	37	7	3	.....

[1] Includes District of Columbia.
[2] Includes only municipalities having a population of 1,000 or over in 1910.
[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
CONNECTICUT.													
Registration cities	12,587	12,288	8,139	2,914	3,507	632	362	88	636	4,010	139	292	7
Ansonia	213	201	143	18	107	9	5	.....	4	58	.....	12	.....
Bridgeport	1,827	1,784	1,132	342	528	123	43	16	80	615	37	41	2
Bristol	154	154	122	49	57	10	3	.....	3	32	.....	.....	.....
Danbury town	356	352	248	123	74	9	23	3	16	99	5	4	.....
Greenwich town	236	230	166	81	53	16	6	2	8	63	1	6	.....
Hartford	1,917	1,874	1,215	437	483	96	47	12	140	641	18	41	2
Manchester town	142	142	99	26	52	8	7	.....	6	43	.....	.....	.....
Meriden town	552	545	314	106	133	34	22	5	14	228	3	7	.....
Middletown town	479	471	312	130	114	14	8	3	43	159	.....	8	.....
Naugatuck	153	153	97	28	52	11	.....	2	4	53	3	.....	.....
New Britain	576	571	372	98	223	29	12	2	8	199	.....	5	.....
New Haven	2,311	2,218	1,444	495	623	115	66	15	130	748	26	92	1
New London	399	379	293	171	74	16	12	1	19	79	7	20	.....
Norwalk	346	336	246	125	66	15	17	4	19	84	6	10	.....
Norwich town	575	554	359	147	135	28	16	5	28	190	5	19	2
Orange town	143	142	101	56	20	3	10	4	8	40	1	1	.....
Stamford town	515	506	337	113	135	25	22	7	35	154	15	9	.....
Torrington town	148	145	107	23	54	13	7	1	9	38	.....	3	.....
Wallingford town	127	127	93	39	31	7	6	.....	10	33	1	.....	.....
Waterbury	1,173	1,162	776	236	446	40	18	4	32	379	7	11	.....
Windham town	245	242	163	71	47	11	12	2	20	75	4	3	.....
DELAWARE.[1]													
Wilmington	1,528	1,318	1,028	585	255	82	34	8	64	283	7	210	.....
DISTRICT OF COLUMBIA.													
Washington	6,506	3,915	3,184	2,179	378	175	39	5	408	647	84	2,586	5
FLORIDA.[1]													
Registration cities	2,795	1,392	1,034	463	163	94	94	17	203	308	50	1,400	3
Jacksonville	1,355	533	438	265	20	20	41	8	84	74	21	822	.....
Key West	278	190	107	23	43	34	1	.....	6	82	1	87	1
Pensacola	418	177	146	64	10	10	26	7	29	28	3	240	1
Tampa	744	492	343	111	90	30	26	2	84	124	25	251	1
GEORGIA.[1]													
Registration cities	5,606	2,411	2,237	1,538	54	35	105	10	495	158	16	3,194	1
Atlanta	2,796	1,444	1,378	1,164	35	21	94	10	54	59	7	1,352	.....
Augusta	1,125	478	442	371	19	14	11	.....	27	32	4	646	1
Savannah	1,685	489	417	3	.....	.....	.....	.....	414	67	5	1,196	.....
ILLINOIS.[1]													
Registration cities	38,436	36,949	22,127	6,373	10,535	2,177	758	389	1,895	14,519	303	1,435	52
Aurora	471	462	290	136	83	30	13	6	22	165	7	9	.....
Belleville	260	259	167	79	52	12	.....	.....	24	92	.....	1	.....
Chicago	34,894	33,601	19,677	5,177	10,077	2,047	620	356	1,400	13,680	244	1,241	52
Decatur	458	438	372	220	37	17	41	6	51	59	7	20	.....
Evanston	340	315	212	119	36	22	12	4	19	99	4	25	.....
Jacksonville	454	428	336	93	20	11	14	8	190	61	31	26	.....
Quincy	564	533	384	211	98	.....	.....	.....	75	149	.....	31	.....
Springfield	995	913	689	338	132	38	58	9	114	214	10	82	.....
INDIANA.													
Registration cities	12,518	11,499	9,366	5,560	1,663	592	656	112	783	2,015	118	1,017	2
Anderson	290	281	258	200	11	10	16	1	20	22	1	9	.....
East Chicago	371	370	283	34	220	20	1	2	6	86	1	1	.....
Elkhart	259	258	221	131	17	11	20	4	38	34	3	1	.....
Elwood	127	127	112	84	7	4	10	1	6	14	1	.....	.....
Evansville	978	814	663	383	97	52	47	18	66	145	6	164	.....
Fort Wayne	883	871	666	386	131	55	43	10	41	197	8	12	.....
Gary	385	368	249	49	174	15	3	1	7	110	9	15	2
Hammond	364	363	236	94	95	23	11	3	10	122	5	1	.....
Huntington	126	126	110	67	13	6	11	4	9	14	2	.....	.....
Indianapolis	3,911	3,352	2,807	1,830	354	164	218	27	214	507	38	559	.....
Jeffersonville	130	98	88	59	11	4	7	.....	7	9	1	32	.....
Kokomo	251	234	216	159	7	12	15	3	20	18	.....	17	.....
Lafayette	411	401	302	202	34	15	18	4	29	94	5	10	.....
Laporte	154	151	112	66	23	9	5	1	8	38	1	3	.....
Logansport	267	261	207	127	27	16	19	.....	18	47	7	6	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born					
REGISTRATION CITIES—Contd.													
INDIANA—continued.													
Marion	305	285	268	196	12	6	26	2	26	15	2	20	.....
Michigan City	254	251	168	75	49	31	5	2	6	83	.....	3	.....
Mishawaka	173	173	142	74	41	6	9	1	11	31	.....	.....	.....
Muncie	315	290	267	202	12	6	23	1	23	21	2	25	.....
New Albany	321	286	235	138	30	17	19	7	24	50	1	35	.....
Peru	145	141	116	70	16	3	13	.....	14	25	.....	4	.....
Richmond	286	273	231	151	34	4	19	5	18	40	2	13	.....
South Bend	688	676	500	207	161	49	22	5	56	171	5	12	.....
Terre Haute	903	839	718	465	75	43	51	9	75	103	18	64	.....
Vincennes	221	210	191	111	12	11	25	1	31	19	.....	11	.....
KANSAS.													
Registration cities	4,597	3,911	3,193	1,783	350	153	313	36	558	634	84	676	10
Atchison	196	162	128	70	9	4	14	5	26	33	1	34	.....
Coffeyville	160	130	123	83	8	4	7	.....	21	7	.....	30	.....
Fort Scott	171	148	131	81	2	3	11	3	31	9	8	23	.....
Hutchinson	206	191	168	96	13	7	19	3	30	17	6	15	.....
Independence	163	147	127	98	6	4	9	.....	10	17	3	16	.....
Kansas City	1,344	1,082	853	410	157	48	81	11	146	213	16	261	1
Lawrence	201	152	120	79	3	7	10	2	19	32	.....	46	3
Leavenworth	278	226	142	59	16	11	9	3	44	76	8	51	1
Parsons	195	162	139	85	9	8	25	.....	12	22	1	31	2
Pittsburg	231	217	173	102	22	11	11	.....	27	33	11	14	.....
Topeka	674	573	455	246	69	21	40	3	76	108	10	100	1
Wichita	778	721	634	374	36	25	77	6	116	67	20	55	2
KENTUCKY.													
Registration cities	6,891	4,964	4,031	2,487	596	213	227	59	449	862	71	1,926	1
Covington	862	756	590	323	131	49	24	14	49	154	12	106	.....
Frankfort	184	117	107	77	4	4	7	1	14	5	5	67	.....
Henderson	218	134	122	88	7	3	11	.....	13	12	.....	84	.....
Lexington	977	597	550	408	25	18	33	.....	66	38	9	380	.....
Louisville	3,550	2,538	1,971	1,145	338	111	104	35	238	536	31	1,012	.....
Newport	377	352	254	145	71	16	5	4	13	93	5	25	.....
Owensboro	291	216	208	159	8	5	22	.....	14	7	1	75	.....
Paducah	432	254	229	142	12	7	21	5	42	17	8	177	1
LOUISIANA.[1]													
New Orleans	7,752	4,442	3,388	2,049	905	269	19	11	135	1,031	23	3,296	14
MAINE.													
Registration cities	3,052	3,043	2,286	1,370	466	249	69	8	124	713	44	7	2
Auburn	207	207	179	137	18	12	7	.....	5	27	1	.....	.....
Augusta	329	329	269	196	25	22	5	1	20	53	7	.....	.....
Bangor	559	556	423	264	71	41	13	2	32	119	14	1	2
Biddeford	293	293	204	83	75	36	5	.....	5	88	1	.....	.....
Lewiston	463	463	310	173	84	49	2	.....	2	149	4	.....	.....
Portland	1,014	1,008	769	452	158	68	33	4	54	224	15	6	.....
Waterville	187	187	132	65	35	21	4	1	6	53	2	.....	.....
MARYLAND.													
Registration cities	10,975	8,398	6,516	3,781	1,388	478	236	94	539	1,799	83	2,572	5
Baltimore	10,008	7,536	5,724	3,168	1,326	446	198	86	500	1,734	78	2,467	5
Cumberland	414	381	332	224	43	11	21	5	28	44	5	33	.....
Frederick	181	147	138	115	4	9	6	1	3	9	.....	34	.....
Hagerstown	372	334	322	274	15	12	11	2	8	12	.....	38	.....
MASSACHUSETTS.													
Registration cities	41,047	40,251	26,199	10,033	10,636	2,888	1,170	388	1,084	13,803	249	758	38
Adams town	157	157	99	24	59	6	3	1	6	58	.....	.....	.....
Arlington town	168	168	121	69	23	15	5	4	5	47	.....	.....	.....
Attleboro	197	197	135	78	29	17	10	.....	1	61	1	.....	.....
Beverly	282	280	211	126	43	24	9	.....	9	69	.....	2	.....
Boston	12,020	11,651	7,141	2,447	3,110	846	358	136	244	4,396	114	346	23
Brockton	690	678	498	258	146	46	16	5	27	173	7	12	.....
Brookline town	328	325	225	133	42	20	10	5	15	96	4	3	.....
Cambridge	1,461	1,368	809	310	346	82	31	17	23	555	4	90	3
Chelsea	627	621	414	170	154	41	13	5	31	205	2	5	1
Chicopee	421	421	272	56	165	38	3	7	3	149	.....	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
MASSACHUSETTS—continued.													
Clinton town	185	185	110	41	41	18	1	1	8	75	.....	.....	.....
Everett	364	343	221	100	64	30	18	3	6	119	3	21	.....
Fall River	2,020	2,019	1,280	262	795	171	25	15	12	731	8	1	.....
Fitchburg	546	546	352	116	143	50	12	10	21	189	5	.....	.....
Framingham town	242	242	175	79	59	14	11	2	10	66	1	.....	.....
Gardner town	208	208	136	43	58	11	3	1	20	70	2	.....	.....
Gloucester	327	327	208	120	48	26	6	.....	8	115	4	.....	.....
Greenfield town	140	137	105	61	18	9	6	1	10	30	2	2	1
Haverhill	672	666	488	255	117	50	31	3	32	176	2	6	.....
Holyoke	956	955	575	92	282	70	78	25	28	375	5	1	.....
Lawrence	1,407	1,398	856	159	565	86	15	12	19	541	1	9	.....
Leominster town	244	242	178	73	49	22	19	2	13	62	2	2	.....
Lowell	1,820	1,817	1,135	311	627	123	31	10	33	669	13	2	1
Lynn	1,176	1,156	786	374	210	99	48	9	46	363	7	18	2
Malden	518	510	345	165	99	35	24	9	13	164	1	8	.....
Marlborough	197	197	125	66	39	9	5	1	5	72	.....	.....	.....
Medford	336	331	237	136	53	19	10	7	12	94	.....	5	.....
Melrose	214	212	157	104	26	16	5	1	5	54	1	2	.....
Methuen town	154	154	87	37	34	8	4	2	2	66	1	.....	.....
Milford town	197	197	138	56	58	12	4	1	7	59	.....	.....	.....
New Bedford	1,724	1,621	1,093	283	589	137	26	26	32	523	5	101	2
Newburyport	199	196	144	99	25	8	7	1	4	52	.....	3	.....
Newton	529	524	389	229	95	42	14	.....	9	134	1	4	1
North Adams	309	307	199	77	69	22	17	1	13	104	4	2	.....
Northampton	376	372	233	122	73	23	6	1	8	139	.....	4	.....
Peabody town	232	232	180	63	90	17	5	3	2	52	.....	.....	.....
Pittsfield	538	527	389	179	136	35	13	2	24	135	3	10	1
Plymouth town	162	159	126	69	38	8	4	2	5	32	1	3	.....
Quincy	431	431	282	121	100	30	10	3	18	146	3	.....	.....
Revere	191	191	119	53	42	12	7	1	4	71	1	.....	.....
Salem	501	499	341	175	107	34	10	4	11	152	6	2	.....
Somerville	1,006	1,000	667	319	219	67	30	6	26	331	2	6	.....
Southbridge town	158	158	100	36	42	17	5	.....	.....	58	.....	.....	.....
Springfield	1,513	1,480	1,077	493	365	109	44	3	63	394	9	31	2
Taunton	747	738	508	236	171	43	31	13	14	221	9	9	.....
Wakefield town	158	158	122	64	35	13	5	1	4	36	.....	.....	.....
Waltham	430	428	292	127	93	31	17	1	23	133	3	2	.....
Watertown town	130	129	73	38	24	5	4	.....	2	56	.....	1	.....
Webster town	152	152	107	32	50	16	6	2	1	45	.....	.....	.....
Westfield town	305	300	221	96	65	15	13	4	28	76	3	5	.....
Weymouth town	159	159	125	84	23	5	7	.....	6	34	.....	.....	.....
Winthrop town	162	159	109	54	26	13	6	3	7	50	.....	3	.....
Woburn	194	191	115	55	41	9	5	1	4	76	.....	3	.....
Worcester	2,467	2,432	1,569	608	616	164	64	15	102	854	9	34	1
MICHIGAN.													
Registration cities	17,666	17,369	11,351	4,783	3,741	1,390	483	201	753	5,697	321	285	12
Adrian	157	153	128	71	22	9	10	2	14	24	1	4	.....
Alpena	168	168	88	36	30	15	1	.....	6	79	1	.....	.....
Ann Arbor	383	370	271	140	52	30	19	6	24	90	9	12	1
Battle Creek	450	444	384	222	35	34	41	9	43	51	9	6	.....
Bay City	658	650	384	167	87	75	15	12	28	263	3	8	.....
Detroit	8,720	8,523	5,402	1,791	2,377	699	170	98	267	2,937	184	189	8
Escanaba	195	195	79	25	33	16	1	2	2	107	9	.....	.....
Flint	536	531	428	256	74	40	29	3	26	96	7	5	.....
Grand Rapids	1,570	1,560	1,029	493	309	113	50	12	52	523	8	10	.....
Holland	118	117	65	27	19	15	3	.....	1	52	.....	.....	1
Ironwood	123	123	68	7	51	7	2	.....	1	54	1	.....	.....
Ishpeming	118	118	45	12	20	12	.....	1	.....	73	.....	.....	.....
Jackson	498	485	378	222	68	35	17	3	33	98	9	13	.....
Kalamazoo	773	757	559	311	92	43	32	11	70	172	26	16	.....
Lansing	473	468	382	230	57	35	26	5	29	84	2	5	.....
Manistee	141	140	78	32	28	8	3	2	5	61	1	1	.....
Marquette	147	147	61	29	20	7	3	.....	2	83	3	.....	.....
Menominee	142	142	79	33	25	15	1	1	4	62	1	.....	.....
Muskegon	390	390	256	112	74	30	10	5	25	127	7	.....	.....
Pontiac	397	392	272	151	55	32	8	4	22	109	11	4	1
Port Huron	291	291	155	58	46	30	8	5	8	134	2	.....	.....
Saginaw	735	727	461	217	102	60	22	15	45	262	4	8	.....
Sault Ste. Marie	169	166	90	32	28	16	3	1	10	68	8	2	1
Traverse City	314	312	209	109	37	14	9	4	36	88	15	2	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreig born.					
REGISTRATION CITIES—Contd.													
MINNESOTA.													
Registration cities	8,371	8,229	4,877	1,938	1,790	684	189	72	204	3,224	128	137	5
Duluth	915	910	477	144	220	75	10	5	23	410	23	4	1
Mankato	175	174	96	46	32	12	2	1	3	75	3	.....	1
Minneapolis	4,048	3,983	2,432	1,053	803	315	111	34	116	1,489	62	63	2
St. Cloud	150	150	97	46	24	18	4	3	2	52	1	.....	.....
St. Paul	2,598	2,527	1,490	550	588	225	55	23	49	1,003	34	70	1
Stillwater	109	109	59	22	24	9	1	1	2	49	1	.....	.....
Virginia	129	129	76	10	51	11	2	1	1	52	1	.....	.....
Winona	247	247	150	67	48	19	4	4	8	94	3	.....	.....
MISSISSIPPI.[1]													
Registration cities	2,614	919	805	517	22	20	72	8	166	43	71	1,695	.....
Hattiesburg	246	105	100	77	.....	5	7	1	10	5	.....	141	.....
Jackson	846	302	273	155	1	6	24	1	86	7	22	544	.....
Meridian	560	260	242	184	9	4	18	2	25	11	7	300	.....
Natchez	237	56	51	37	8	2	3	1	.....	4	1	181	.....
Vicksburg	725	196	139	64	4	3	20	3	45	16	41	529	.....
MISSOURI.													
Registration cities	18,029	15,741	11,589	6,013	2,496	921	758	181	1,220	3,814	338	2,275	13
Hannibal	269	214	175	116	21	6	13	2	17	33	6	55	.....
Jefferson City	197	150	127	76	14	14	4	3	16	15	8	47	.....
Joplin	601	579	529	345	21	13	59	7	84	26	24	22	.....
Kansas City	4,255	3,540	2,870	1,691	336	170	265	32	376	572	98	711	4
Moberly	177	142	128	108	6	3	6	1	4	12	2	35	.....
St. Joseph	1,154	1,056	775	431	75	50	61	6	152	213	68	98	.....
St. Louis	10,293	9,088	6,104	2,680	1,990	629	241	123	441	2,880	104	1,196	9
Sedalia	291	240	202	130	8	8	31	4	21	24	14	51	.....
Springfield	569	509	470	303	17	23	56	3	68	34	5	60	.....
Webb City	223	223	209	133	8	5	22	.....	41	5	9	.....	.....
MONTANA.													
Registration cities	1,668	1,625	927	351	271	103	39	17	146	609	89	32	11
Anaconda	145	140	69	14	28	11	1	2	13	70	1	5	.....
Billings	149	145	102	48	13	9	7	1	24	35	8	4	.....
Butte	708	697	359	122	145	46	8	3	35	319	19	8	3
Great Falls	264	257	143	52	36	18	10	4	23	71	43	4	3
Helena	213	205	131	58	27	8	7	5	26	64	10	5	3
Missoula	189	181	123	57	22	11	6	2	25	50	8	6	2
NEBRASKA.[1]													
Registration cities	2,596	2,469	1,704	736	395	116	65	33	359	715	50	124	3
Lincoln	610	598	470	225	101	25	18	4	97	120	8	12	.....
Omaha	1,986	1,871	1,234	511	294	91	47	29	262	595	42	112	3
NEW HAMPSHIRE.													
Registration cities	3,010	3,004	2,152	911	674	220	83	19	245	796	56	6	.....
Berlin	188	188	119	30	55	24	2	3	5	63	6	.....	.....
Concord	445	444	336	207	46	17	15	.....	51	100	8	1	.....
Dover	242	242	172	77	31	17	8	3	36	63	7	.....	.....
Keene	157	157	132	83	15	12	4	.....	18	22	3	.....	.....
Laconia	184	184	143	84	22	16	4	.....	17	33	8	.....	.....
Manchester	1,145	1,145	779	226	352	99	27	10	65	355	11	.....	.....
Nashua	446	444	321	123	126	23	11	1	37	121	2	2	.....
Portsmouth	203	200	150	81	27	12	12	2	16	39	11	3	.....
NEW JERSEY.													
Registration cities	25,494	24,143	15,927	6,667	6,674	1,388	345	239	614	7,995	221	1,348	3
Asbury Park	157	110	94	65	15	4	3	1	6	14	2	47	.....
Atlantic City	847	654	519	343	90	41	23	4	18	129	6	193	.....
Bayonne	818	802	524	150	291	61	4	5	13	270	8	16	.....
Bloomfield	158	151	95	51	32	7	1	1	3	56	.....	7	.....
Bridgeton	239	225	204	176	11	2	7	1	7	18	3	14	.....
Camden	1,605	1,435	1,161	697	282	73	34	19	56	263	11	170	.....
East Orange	324	295	236	168	33	21	6	1	7	59	.....	29	.....
Elizabeth	1,067	1,041	659	256	289	55	15	13	31	374	8	26	.....
Garfield	182	182	116	8	101	7	.....	.....	.....	66	.....	.....	.....
Hackensack	279	261	183	104	55	12	4	3	5	77	1	18	.....
Harrison	180	178	119	37	68	7	1	2	4	57	2	2	.....
Hoboken	1,143	1,139	583	168	327	58	7	11	12	547	9	4	.....
Irvington	193	187	113	58	33	14	1	2	5	73	1	6	.....
Jersey City	4,347	4,222	2,689	907	1,322	274	45	51	90	1,464	69	125	.....
Kearny	299	291	183	70	50	13	2	2	46	105	3	8	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1915—Continued.

The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
NEW JERSEY—continued.													
Long Branch	316	272	200	127	45	13	6	2	7	64	8	44	.....
Millville	169	164	154	127	10	6	7	.....	4	10	.....	5	.....
Montclair	256	234	174	100	35	13	5	4	17	57	3	22	.....
Morristown	238	222	167	91	51	15	1	3	6	53	2	16	.....
New Brunswick	533	502	346	133	155	19	8	10	21	150	6	31	.....
Newark	5,241	4,942	3,090	1,152	1,439	273	64	34	128	1,824	28	296	3
Orange	510	446	287	121	125	30	4	4	3	157	2	64	.....
Passaic	908	896	577	103	417	35	5	9	8	316	3	12	.....
Paterson	1,796	1,748	963	387	369	128	26	15	38	769	16	48	.....
Perth Amboy	511	506	342	61	231	31	2	11	6	162	2	5	.....
Phillipsburg	175	174	136	90	29	7	6	2	2	38	.....	1	.....
Plainfield	347	308	225	129	69	20	3	2	2	80	3	39	.....
Trenton	1,765	1,670	1,264	603	451	88	51	16	55	387	19	95	.....
Union	214	214	127	37	67	16	.....	3	4	86	1	.....	.....
West Hoboken	330	329	190	61	97	18	2	6	6	137	2	1	.....
West New York	246	244	147	59	65	18	.....	2	3	94	3	2	.....
West Orange	101	99	60	28	20	9	2	.....	1	39	.....	2	.....
NEW YORK.													
Registration cities	110,194	106,956	66,624	24,519	31,504	7,055	1,192	555	1,799	39,799	533	3,106	132
Albany	2,075	2,037	1,455	668	468	143	57	24	95	551	31	37	1
Amsterdam	492	487	340	133	139	37	15	6	10	143	4	5	.....
Auburn	598	592	441	227	143	38	14	2	17	149	2	5	1
Batavia	232	232	174	91	58	19	4	.....	2	55	3	.....	.....
Binghamton	1,066	1,054	866	486	228	53	48	4	47	181	7	12	.....
Buffalo	6,852	6,794	4,400	1,530	1,961	627	137	62	83	2,363	31	53	5
Cohoes	386	386	262	89	119	37	1	5	11	123	1	.....	.....
Corning	204	201	166	98	36	15	7	1	9	33	2	3	.....
Cortland	198	197	168	128	23	6	6	.....	5	27	2	1	.....
Dunkirk	214	213	127	40	55	20	3	3	6	85	1	.....	1
Elmira	675	658	538	341	93	31	33	5	35	119	1	17	.....
Fulton	194	192	154	85	33	13	6	3	14	37	1	2	.....
Geneva	208	204	147	87	39	13	1	.....	7	52	5	4	.....
Glens Falls	287	287	232	144	53	13	10	3	9	54	1	.....	.....
Gloversville	276	271	219	117	37	15	27	1	22	52	.....	5	.....
Hornell	213	213	173	101	31	14	8	5	14	35	5	.....	.....
Hudson	216	204	165	78	51	4	11	1	20	35	4	12	.....
Ithaca	257	246	208	143	32	11	14	1	7	38	.....	11	.....
Jamestown	435	432	265	154	65	23	8	1	14	166	1	3	.....
Johnstown	132	129	110	67	23	6	3	2	9	18	1	3	.....
Kingston	496	477	376	254	69	30	10	3	10	98	3	19	.....
Lackawanna	382	381	335	103	169	27	26	2	8	44	2	1	.....
Little Falls	224	221	162	63	67	15	7	2	8	56	3	3	.....
Lockport	269	269	181	83	56	14	8	2	18	84	4	.....	.....
Middletown	382	373	280	166	56	21	19	3	15	85	8	9	.....
Mount Vernon	415	387	273	108	109	47	2	1	6	113	1	28	.....
New Rochelle	413	369	235	113	86	30	3	.....	3	132	2	44	.....
New York	76,241	73,542	42,886	13,640	23,242	4,564	354	293	793	30,369	287	2,583	116
Bronx Borough	7,570	7,446	4,067	1,226	2,338	449	17	11	26	3,373	6	123	1
Brooklyn Borough	26,060	25,362	15,588	5,391	8,080	1,797	77	67	176	9,699	75	680	18
Manhattan Borough	36,176	34,436	19,260	5,383	11,083	1,811	230	199	554	14,992	184	1,646	94
Queens Borough	4,915	4,802	3,031	1,216	1,371	396	16	10	22	1,757	14	111	2
Richmond Borough	1,520	1,496	940	424	370	111	14	6	15	548	8	23	1
Newburgh	475	456	330	195	88	25	9	3	10	124	2	19	.....
Niagara Falls	580	563	361	102	184	48	15	3	9	193	9	16	1
North Tonawanda	166	166	106	34	55	14	3	.....	.....	56	4	.....	.....
Ogdensburg	433	431	290	137	61	42	10	5	35	134	7	1	1
Olean	239	234	181	91	43	11	10	2	24	51	2	5	.....
Ossining	173	155	107	64	19	11	4	1	8	48	.....	16	2
Oswego	359	358	271	112	85	34	11	9	20	85	2	1	.....
Peekskill	258	252	193	116	40	18	5	2	12	57	2	6	.....
Plattsburg	201	201	165	85	28	26	9	2	15	33	3	.....	.....
Port Chester	215	209	150	70	60	16	.....	3	1	56	3	5	1
Poughkeepsie	509	495	376	214	88	31	18	4	21	115	4	14	.....
Rensselaer	154	153	117	59	32	12	3	.....	11	33	3	1	.....
Rochester	3,488	3,461	2,349	1,040	907	243	54	21	84	1,087	25	26	1
Rome	549	542	406	184	132	37	17	8	28	133	3	6	1
Saratoga Springs	323	301	248	137	47	17	14	3	30	51	2	22	.....
Schenectady	1,019	1,010	750	322	272	89	19	6	42	253	7	9	.....
Syracuse	2,011	1,989	1,471	721	488	147	56	13	46	502	16	21	1
Troy	1,534	1,512	1,043	467	379	104	40	15	38	462	7	22	.....
Utica	1,423	1,413	1,012	432	414	95	30	12	29	393	8	10	.....
Watertown	428	427	326	196	65	40	12	1	12	101	.....	1	.....
Watervliet	243	243	183	86	70	21	.....	1	5	60	.....	.....	.....
White Plains	261	251	178	92	56	19	3	3	5	71	2	10	.....
Yonkers	1,121	1,086	673	226	350	69	8	3	17	404	9	35	.....

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other— Native.	One parent unknown, the other— Foreign born.	Both parents unknown.				
REGISTRATION CITIES—Contd.													
NORTH CAROLINA.													
Registration cities	3,574	1,749	1,673	1,312	25	32	146	3	155	43	33	1,825	.....
Asheville	454	303	281	231	12	11	16	1	10	17	5	151	.....
Charlotte	727	364	353	276	6	3	32	2	34	6	5	363	.....
Durham	369	162	161	127	1	.....	21	.....	12	1	.....	207	.....
Greensboro	288	135	130	106	.....	5	10	.....	9	3	2	153	.....
Raleigh	549	299	282	201	1	3	19	.....	58	3	14	250	.....
Wilmington	597	241	224	176	5	9	21	.....	13	13	4	356	.....
Winston-Salem	590	245	242	195	.....	1	27	.....	19	.....	3	345	.....
OHIO.													
Registration cities	34,073	32,225	23,236	11,489	7,026	1,985	967	296	1,473	8,445	544	1,843	5
Akron	1,177	1,158	868	447	273	72	25	10	41	278	12	19	.....
Alliance	222	220	188	122	33	11	9	3	10	31	1	2	.....
Ashtabula	245	244	194	97	56	21	14	1	5	47	3	1	.....
Bellaire	185	172	136	79	39	9	3	1	5	35	1	13	.....
Cambridge	169	166	150	112	6	6	13	2	11	14	2	3	.....
Canton	717	709	560	342	119	47	18	6	28	143	6	7	1
Chillicothe	214	197	164	105	27	6	13	5	8	33	.....	17	.....
Cincinnati	6,360	5,703	3,948	1,852	1,293	377	132	47	247	1,682	73	656	1
Cleveland	8,808	8,565	5,125	1,477	2,716	505	132	76	219	3,253	187	240	3
Columbus	2,945	2,645	2,199	1,375	285	156	131	21	231	378	68	300	.....
Dayton	1,709	1,580	1,266	734	257	106	60	6	103	295	19	129	.....
East Liverpool	310	300	262	184	35	14	17	3	9	37	1	10	.....
Elyria	222	216	147	64	39	16	8	.....	20	60	9	6	.....
Findlay	202	198	180	135	19	7	14	1	4	18	.....	4	.....
Hamilton	427	402	306	191	54	19	21	10	11	92	4	25	.....
Ironton	208	192	179	136	14	11	9	1	8	12	1	16	.....
Lakewood	230	230	163	68	69	13	4	2	7	67	.....	.....	.....
Lancaster	192	189	172	138	10	8	9	1	6	17	.....	3	.....
Lima	442	415	373	276	31	22	21	6	17	38	4	27	.....
Lorain	316	309	218	68	122	15	5	1	7	89	2	7	.....
Mansfield	270	266	215	132	49	14	8	1	11	48	3	4	.....
Marietta	187	184	166	91	21	11	18	5	20	16	2	3	.....
Marion	269	265	238	160	28	18	9	1	22	27	.....	4	.....
Massillon	202	200	151	78	36	17	5	3	12	47	2	2	.....
Middletown	198	187	162	114	20	10	12	1	5	25	.....	11	.....
Newark	367	359	308	202	36	20	26	3	21	48	3	8	.....
Norwood	160	160	119	64	28	12	2	3	10	41	.....	.....	.....
Piqua	182	171	155	97	18	7	13	9	11	15	1	11	.....
Portsmouth	337	316	283	196	26	11	32	2	16	32	1	21	.....
Sandusky	293	288	175	68	59	18	9	5	16	108	5	5	.....
Springfield	693	593	520	359	66	20	23	4	48	69	4	100	.....
Steubenville	483	467	347	170	113	27	5	5	27	113	7	16	.....
Tiffin	202	200	163	108	23	16	7	1	8	36	1	2	.....
Toledo	2,892	2,806	2,006	973	535	229	85	21	163	714	86	86	.....
Warren	200	198	159	93	32	12	7	3	12	34	5	2	.....
Youngstown	1,408	1,362	913	341	391	81	28	17	55	423	26	46	.....
Zanesville	430	393	358	241	48	21	20	9	19	30	5	37	.....
OREGON.[1]													
Portland	2,281	2,195	1,476	753	269	117	113	24	200	640	79	19	67
PENNSYLVANIA.													
Registration cities	59,954	56,354	40,685	20,692	12,705	3,487	1,203	484	2,114	15,123	546	3,574	26
Allentown	994	994	841	613	166	31	14	3	14	145	8	.....	.....
Altoona	709	699	599	444	78	49	11	5	12	98	2	10	.....
Beaver Falls	179	178	137	74	36	7	8	3	9	39	2	1	.....
Bethlehem	158	158	141	121	7	6	2	.....	5	16	1	.....	.....
Braddock	387	379	273	75	170	21	4	1	2	104	2	8	.....
Bradford	231	228	171	102	34	16	5	5	9	54	3	3	.....
Butler	255	254	212	141	40	17	7	2	5	41	1	1	.....
Carbondale	283	283	189	87	67	28	4	2	1	93	1	.....	.....
Carlisle	152	125	121	104	2	2	8	.....	5	3	1	26	1
Carnegie	138	133	100	36	47	11	4	2	.....	31	2	5	.....
Chambersburg	175	161	154	123	9	5	8	.....	9	7	.....	14	.....
Chester	658	529	387	194	120	36	17	8	12	138	4	129	.....
Coatesville	131	112	99	55	27	7	8	2	.....	13	.....	19	.....
Columbia	157	143	123	94	16	5	3	1	4	17	3	14	.....
Connellsville	179	163	131	85	26	10	9	.....	1	31	1	16	.....
Dubois	128	128	102	57	27	11	2	2	3	26	.....	.....	.....
Dunmore	359	358	253	59	92	12	11	3	76	99	6	1	.....
Duquesne	193	191	143	26	106	9	.....	.....	2	47	1	2	.....
Easton	472	468	378	270	58	26	10	5	9	83	7	4	.....
Erie	1,107	1,100	765	295	284	77	23	10	76	324	11	7	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
PENNSYLVANIA—continued.													
Farrell	142	140	94	16	70	7	1	.....	.....	46	.....	2	.....
Greensburg	209	201	146	95	21	11	5	1	13	52	3	8	.....
Harrisburg	1,004	885	775	595	69	42	36	5	28	98	12	119	.....
Hazleton	523	523	362	147	158	48	3	3	3	160	1	.....	.....
Homestead	235	213	173	49	101	16	4	1	2	40	.....	22	.....
Johnstown	937	918	681	355	234	60	20	4	8	234	3	19	.....
Lancaster	809	801	699	549	58	30	25	4	33	98	4	8	.....
Lebanon	326	324	297	266	17	6	3	.....	5	25	2	2	.....
McKees Rocks	198	197	154	40	95	12	1	4	2	42	1	1	.....
McKeesport	634	615	406	167	182	39	8	2	8	204	5	19	.....
Mahanoy City	229	229	176	60	91	18	.....	4	3	52	1	.....	.....
Meadville	222	220	185	115	28	16	16	5	5	35	.....	2	.....
Monessen	169	165	130	28	93	8	1	.....	.....	35	.....	4	.....
Mount Carmel	197	197	154	66	55	21	4	4	4	42	1	.....	.....
Nanticoke	284	284	179	33	110	33	2	1	.....	104	1	.....	.....
New Castle	513	498	386	207	110	24	10	3	32	106	6	15	.....
Norristown	669	633	482	287	105	39	15	6	30	144	7	35	1
North Braddock	162	158	117	39	56	17	3	1	1	41	.....	4	.....
Oil City	216	210	159	71	55	10	12	.....	11	50	1	6	.....
Old Forge	151	150	103	16	73	12	1	1	.....	47	.....	1	.....
Ph ladelphia	26,291	24,021	16,450	7,753	5,168	1,511	534	217	1,267	7,284	287	2,248	22
Phoenixville	192	190	147	91	44	9	1	1	1	43	.....	2	.....
Pittsburgh	8,728	8,197	5,530	2,299	2,205	599	149	94	184	2,581	86	529	2
Pittston	297	296	185	49	115	13	2	3	3	107	4	1	.....
Plymouth	175	175	118	40	55	18	2	1	2	57	.....	.....	.....
Pottstown	231	220	196	160	20	9	5	.....	2	20	4	11	.....
Pottsville	402	401	326	200	81	22	5	10	8	72	3	1	.....
Reading	1,455	1,442	1,284	1,032	165	45	27	1	14	151	7	13	.....
Scranton	2,114	2,099	1,352	510	630	148	24	11	29	737	10	15	.....
Shamokin	244	244	212	143	43	21	.....	2	3	31	1	.....	.....
Sharon	252	247	176	84	64	10	9	3	6	70	1	5	.....
Shenandoah	392	392	290	48	202	22	4	4	10	102	.....	.....	.....
South Bethlehem	300	297	223	70	129	6	4	3	11	74	.....	3	.....
Steelton	156	139	122	71	39	3	4	2	3	16	1	17	.....
Sunbury	176	175	170	147	4	3	9	1	6	4	1	1	.....
Uniontown	266	227	154	110	27	9	2	.....	6	66	7	39	.....
Warren	159	158	119	55	27	9	14	2	12	36	3	1	.....
Washington	294	264	232	169	31	9	14	2	7	32	.....	30	.....
West Chester	271	205	188	150	10	7	10	4	7	15	2	66	.....
Wilkes-Barre	1,215	1,205	793	301	356	92	14	8	22	401	11	10	.....
Wilkinsburg	285	278	217	141	36	21	7	2	10	58	3	7	.....
Williamsport	555	532	466	334	41	31	17	8	35	63	3	23	.....
York	630	605	558	479	20	15	18	2	24	39	8	25	.....
RHODE ISLAND.													
Registration cities	7,313	7,088	4,506	1,921	1,801	547	90	26	121	2,538	44	220	5
Central Falls	281	281	179	34	114	26	.....	3	2	102	.....	.....	.....
Cranston (exclusive of)	263	259	187	106	51	13	7	1	9	70	2	4	.....
State institutions	439	417	197	87	64	11	4	1	30	210	10	21	1
Cumberland town	133	133	84	35	36	8	3	.....	2	49	.....	.....	.....
East Providence town	217	211	170	110	39	12	4	.....	5	39	2	6	.....
Newport	378	355	241	135	59	31	3	.....	13	110	4	23	.....
Pawtucket	840	837	501	207	206	78	5	.....	5	334	2	3	.....
Providence	3,660	3,499	2,270	984	900	264	54	18	50	1,208	21	157	4
Warwick town	261	255	167	106	46	8	4	3	.....	88	.....	6	.....
West Warwick town	263	263	182	48	102	30	2	.....	.....	80	1	.....	.....
Woonsocket	578	578	328	69	184	66	4	.....	5	248	2	.....	.....
SOUTH CAROLINA.[1]													
Registration cities	3,869	1,377	1,226	853	70	38	64	8	193	91	60	2,490	2
Charleston	1,770	490	405	252	60	27	17	5	44	73	12	1,278	2
Columbia	1,396	573	515	332	6	7	31	2	137	11	47	823	.....
Greenville	370	142	138	121	3	2	4	1	7	4	.....	228	.....
Spartanburg	333	172	168	148	1	2	12	.....	5	3	1	161	.....
TENNESSEE.[1]													
Registration cities	6,851	3,496	3,144	2,134	120	60	285	35	510	257	95	3,354	1
Chattanooga	1,035	509	470	346	9	7	49	3	56	22	17	526	.....
Jackson	285	139	135	96	.....	3	8	1	27	3	1	146	.....
Knoxville	639	445	414	305	8	6	40	3	52	24	7	194	.....
Memphis	2,895	1,286	1,108	635	62	22	101	19	269	119	59	1,609	.....
Nashville	1,997	1,117	1,017	752	41	22	87	9	106	89	11	879	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR, GENERAL NATIVITY, AND PARENT NATIVITY OF DECEDENT: 1915—Continued.

[The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivisions (counties, exclusive of municipalities of 10,000 inhabitants or over in 1910) are omitted.]

REGISTRATION AREA.	All deaths.	WHITE.										Negro.	Indian, Chinese, Japanese, and other colored.
		Total.	Native.							Foreign born.	Nativity unknown.		
			Total.	Both parents native.	Both parents foreign born.	One parent native, the other foreign born.	One parent unknown, the other—		Both parents unknown.				
							Native.	Foreign born.					
REGISTRATION CITIES—Contd.													
TEXAS.[1]													
Registration cities	5,515	4,868	3,105	1,134	1,141	324	123	60	323	1,598	165	627	20
El Paso	2,048	1,997	1,174	306	601	73	40	17	137	738	85	37	14
Galveston	895	587	344	160	69	26	15	14	60	190	53	306	2
San Antonio	2,572	2,284	1,587	668	471	225	68	29	126	670	27	284	4
UTAH.													
Registration cities	1,497	1,445	945	456	216	144	40	12	77	476	24	25	27
Ogden	315	298	217	115	41	32	9	3	17	75	6	7	10
Salt Lake City	1,182	1,147	728	341	175	112	31	9	60	401	18	18	17
VERMONT.													
Registration cities	783	781	577	278	125	65	56	8	45	197	7	2	.....
Barre	154	154	98	53	25	13	4	1	2	55	1	.....	.....
Burlington	396	395	302	136	58	39	40	4	25	88	5	1	.....
Rutland	233	232	177	89	42	13	12	3	18	54	1	1	.....
VIRGINIA.													
Registration cities	8,113	4,249	3,871	3,006	164	113	170	15	403	305	73	3,864	.....
Alexandria	296	172	160	129	9	3	10	.....	9	10	2	124	.....
Danville	364	204	200	169	2	3	15	.....	11	3	1	160	.....
Lynchburg	612	340	324	284	12	12	7	.....	9	13	3	272	.....
Newport News	348	159	124	87	12	7	6	4	8	32	3	189	.....
Norfolk	1,646	726	630	511	32	19	21	2	45	83	13	920	.....
Petersburg	622	276	253	212	9	4	13	.....	15	18	5	346	.....
Portsmouth	448	209	196	166	12	4	8	.....	11	9	4	239	.....
Richmond	2,921	1,574	1,414	1,070	56	50	79	8	151	122	38	1,347	.....
Roanoke	614	403	390	291	18	9	9	1	62	10	3	211	.....
Staunton	242	186	180	87	2	2	7	.....	82	5	1	56	.....
WASHINGTON.													
Registration cities	5,577	5,345	3,436	1,600	691	348	260	81	456	1,700	209	86	146
Aberdeen	149	146	81	38	25	1	6	1	10	52	13	1	2
Bellingham	262	259	173	82	34	29	9	3	16	74	12	.....	3
Everett	279	275	170	77	28	17	19	3	26	91	14	2	2
North Yakima	223	216	164	97	15	13	13	1	25	44	8	2	5
Seattle	2,464	2,300	1,389	601	299	141	112	41	195	804	107	55	109
Spokane	1,165	1,144	807	433	158	94	40	14	68	309	28	16	5
Tacoma	857	833	508	209	116	49	38	14	82	300	25	9	15
Walla Walla	178	172	144	63	16	4	23	4	34	26	2	1	5
WEST VIRGINIA.[1]													
Wheeling	663	640	477	224	130	43	26	13	41	156	7	23	.....
WISCONSIN.													
Registration cities	9,919	9,863	5,894	2,040	2,531	757	154	112	300	3,864	105	48	8
Appleton	244	244	142	62	50	21	4	1	4	102	.....	.....	.....
Ashland	202	200	100	31	48	8	.....	.....	13	82	18	.....	2
Beloit	188	184	137	64	30	9	10	4	20	46	1	4	.....
Eau Claire	295	293	156	67	44	20	7	3	15	134	3	2	.....
Fond du Lac	286	283	186	80	51	19	8	16	12	94	3	3	.....
Green Bay	429	428	288	110	79	28	41	10	20	134	6	.....	1
Janesville	174	173	120	66	25	11	4	4	10	48	5	1	.....
Kenosha	236	234	150	50	77	17	.....	2	4	83	1	2	.....
La Crosse	404	401	235	93	75	27	8	4	28	157	9	2	1
Madison	377	368	261	119	89	33	5	3	12	107	.....	9	.....
Manitowoc	164	164	79	26	29	13	3	6	2	84	1	.....	.....
Marinette	171	170	94	44	27	20	1	1	1	72	4	.....	1
Milwaukee	4,901	4,883	2,921	868	1,448	403	46	43	113	1,933	29	18	.....
Oshkosh	387	387	230	94	85	20	7	7	17	156	1	.....	.....
Racine	528	525	292	103	134	38	3	3	11	230	3	3	.....
Sheboygan	346	346	192	54	105	26	1	.....	6	152	2	.....	.....
Superior	398	391	201	64	94	28	5	1	9	171	19	4	3
Wausau	189	189	110	45	41	16	1	4	3	79	.....	.....	.....

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SUMMARY.												
1	The registration area (total)	909,155	148,561	28,884	12,424	7,691	5,663	203,223	17,738	12,583	21,186	32,588	35,623
2	White	831,181	136,866	26,131	11,257	7,018	5,201	186,473	16,203	11,106	17,918	27,473	30,387
3	Colored	77,974	11,695	2,753	1,167	673	462	16,750	1,535	1,477	3,268	5,115	5,236
4	Registration states [1] (total)	823,938	136,041	25,827	11,082	6,882	5,086	184,918	15,932	11,337	18,622	28,050	30,724
5	White	766,631	126,624	23,670	10,198	6,384	4,734	171,610	14,767	10,227	16,287	24,562	27,260
6	Colored	57,307	9,417	2,157	884	498	352	13,308	1,165	1,110	2,335	3,488	3,464
7	Cities in registration states [1] (total)	440,401	74,437	15,072	6,124	3,870	2,834	102,337	8,771	5,747	9,757	15,661	18,204
8	White	409,862	69,863	13,951	5,666	3,624	2,665	95,769	8,235	5,268	8,678	13,882	16,145
9	Colored	30,539	4,574	1,121	458	246	169	6,568	536	479	1,079	1,779	2,059
10	Rural part of registration states (total)	383,537	61,604	10,755	4,958	3,012	2,252	82,581	7,161	5,590	8,865	12,389	12,520
11	White	356,769	56,761	9,719	4,532	2,760	2,069	75,841	6,532	4,959	7,609	10,680	11,115
12	Colored	26,768	4,843	1,036	426	252	183	6,740	629	631	1,256	1,709	1,405
13	Registration cities in other states (total)	85,217	12,520	3,057	1,342	809	577	18,305	1,806	1,246	2,564	4,538	4,899
14	White	64,550	10,242	2,461	1,059	634	467	14,863	1,436	879	1,631	2,911	3,127
15	Colored	20,667	2,278	596	283	175	110	3,442	370	367	933	1,627	1,772
16	All registration cities [1] (total)	525,618	86,957	18,129	7,466	4,679	3,411	120,642	10,577	6,993	12,321	20,199	23,103
17	White	474,412	80,105	16,412	6,725	4,258	3,132	110,632	9,671	6,147	10,309	16,793	19,272
18	Colored	51,206	6,852	1,717	741	421	279	10,010	906	846	2,012	3,406	3,831
	REGISTRATION STATES.												
19	California (total)	39,038	3,565	663	371	275	199	5,073	647	438	799	1,350	1,871
20	White	36,867	3,204	613	343	261	188	4,609	609	420	748	1,249	1,731
21	Colored	2,171	361	50	28	14	11	464	38	18	51	101	140
22	Colorado (total)	10,602	1,531	265	138	93	78	2,105	191	178	250	501	639
23	White	10,319	1,504	255	134	92	78	2,063	188	175	239	489	606
24	Colored	283	27	10	4	1	.....	42	3	3	11	12	33
25	Connecticut (total)	18,247	3,494	578	242	155	120	4,589	327	204	352	528	549
26	White	17,845	3,435	559	235	148	116	4,493	320	198	343	510	530
27	Colored	402	59	19	7	7	4	96	7	6	9	18	19
28	Indiana (total)	35,403	4,915	892	409	252	192	6,660	691	513	842	1,180	1,203
29	White	33,937	4,761	859	396	239	185	6,440	660	484	784	1,083	1,119
30	Colored	1,466	154	33	13	13	7	220	31	29	58	97	84
31	Kansas (total)	18,209	2,599	497	276	152	111	3,635	391	277	415	536	566
32	White	17,020	2,470	458	265	147	103	3,443	368	258	361	464	497
33	Colored	1,189	129	39	11	5	8	192	23	19	54	72	69
34	Kentucky (total)	28,986	4,741	1,069	575	356	247	6,988	745	558	979	1,398	1,291
35	White	23,481	4,071	896	499	302	212	5,980	628	428	739	1,008	948
36	Colored	5,505	670	173	76	54	35	1,008	117	130	240	390	343
37	Maine (total)	11,990	1,706	268	89	70	64	2,197	216	152	227	294	312
38	White	11,970	1,705	267	89	70	64	2,195	215	152	226	292	311
39	Colored	20	1	1	.....	.....	.....	2	1	.....	1	2	1
40	Maryland (total)	21,353	3,863	682	263	153	127	5,088	373	307	541	741	796
41	White	15,773	2,643	469	186	112	85	3,495	258	188	321	450	518
42	Colored	5,580	1,220	213	77	41	42	1,593	115	119	220	291	278
43	Massachusetts (total)	53,065	9,414	1,901	702	459	347	12,823	1,010	663	969	1,560	1,669
44	White	52,097	9,252	1,863	681	452	338	12,586	984	648	945	1,503	1,609
45	Colored	968	162	38	21	7	9	237	26	15	24	57	60
46	Michigan (total)	40,425	6,930	1,081	456	272	204	8,943	738	520	841	1,313	1,429
47	White	39,816	6,855	1,060	452	264	201	8,832	721	509	823	1,273	1,391
48	Colored	609	75	21	4	8	3	111	17	11	18	40	38
49	Minnesota (total)	22,794	3,871	510	282	159	131	4,953	483	405	551	835	924
50	White	22,400	3,820	492	265	153	125	4,855	465	394	531	814	908
51	Colored	394	51	18	17	6	6	98	18	11	20	21	16
52	Missouri (total)	40.757	5,605	1,275	641	367	279	8,167	874	622	1,032	1,584	1,672
53	White	37,114	5,254	1,175	595	340	258	7,622	805	550	875	1,352	1,415
54	Colored	3,643	351	100	46	27	21	545	69	72	157	232	257
55	Montana (total)	5,072	816	114	51	47	29	1,057	105	87	131	225	285
56	White	4,740	766	104	41	42	24	977	92	75	108	198	270
57	Colored	332	50	10	10	5	5	80	13	12	23	27	15
58	New Hampshire (total)	7,099	1,096	167	56	51	28	1,398	80	87	113	176	189
59	White	7,089	1,095	166	56	51	28	1,396	80	87	113	176	189
60	Colored	10	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....
61	New Jersey (total)	39,787	7,125	1,485	581	386	310	9,887	810	512	872	1,231	1,415
62	White	37,662	6,742	1,401	538	369	294	9,344	765	481	786	1,142	1,300
63	Colored	2,125	383	84	43	17	16	543	45	31	86	89	115
64	New York (total)	146,938	24,004	5,279	2,031	1,293	899	33,506	2,736	1,773	2,832	4,630	5,377
65	White	143,131	23,337	5,068	1,964	1,260	873	32,502	2,674	1,714	2,724	4,415	5,114
66	Colored	3,807	667	211	67	33	26	1,004	62	59	108	215	263
67	North Carolina [2] (total)	8,438	1,657	456	155	71	58	2,397	170	142	354	527	482
68	White	4,342	783	240	87	33	31	1,174	96	69	119	212	201
69	Colored	4,096	874	216	68	38	27	1,223	74	73	235	315	281

[1] Includes District of Columbia.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
36,313	40,788	41,505	44,777	49,941	53,232	57,807	62,433	65,879	57,766	42,146	22,299	7,771	1,870	547	1,140	1
31,411	35,083	36,423	40,036	44,992	49,302	53,974	59,238	62,979	55,794	40,727	21,537	7,332	1,666	291	836	2
4,902	5,705	5,082	4,741	4,949	3,930	3,833	3,195	2,900	1,972	1,419	762	439	204	256	304	3
31,541	35,502	36,405	39,493	44,386	48,170	52,798	57,885	61,837	54,486	40,007	21,190	7,390	1,751	474	1,040	4
28,283	31,649	32,957	36,243	40,900	45,226	49,900	55,371	59,471	52,846	38,834	20,554	7,017	1,593	270	804	5
3,258	3,853	3,448	3,250	3,486	2,944	2,898	2,514	2,366	1,640	1,173	636	373	158	204	236	6
19,292	21,875	22,898	24,669	27,371	27,794	28,847	28,906	28,174	22,927	15,581	7,957	2,665	614	165	189	7
17,243	19,377	20,684	22,551	25,209	26,081	27,260	27,674	27,169	22,287	15,194	7,758	2,569	570	107	152	8
2,049	2,498	2,214	2,118	2,162	1,713	1,587	1,232	1,005	640	387	199	96	44	58	37	9
12,249	13,627	13,507	14,824	17,015	20,376	23,951	28,979	33,663	31,559	24,426	13,233	4,725	1,137	309	851	10
11,040	12,272	12,273	13,692	15,691	19,145	22,640	27,697	32,302	30,559	23,640	12,796	4,448	1,023	163	652	11
1,209	1,355	1,234	1,132	1,324	1,231	1,311	1,282	1,361	1,000	786	437	277	114	146	199	12
4,772	5,286	5,100	5,284	5,555	5,062	5,009	4,548	4,042	3,280	2,139	1,109	381	119	73	100	13
3,128	3,434	3,466	3,793	4,092	4,076	4,074	3,867	3,508	2,948	1,893	983	315	73	21	32	14
1,644	1,852	1,634	1,491	1,463	986	935	681	534	332	246	126	66	46	52	68	15
24,064	27,161	27,998	29,953	32,926	32,856	33,856	33,454	32,216	26,207	17,720	9,066	3,046	733	238	289	16
20,371	22,811	24,150	26,344	29,301	30,157	31,334	31,541	30,677	25,235	17,087	8,741	2,884	643	128	184	17
3,693	4,350	3,848	3,609	3,625	2,699	2,522	1,913	1,539	972	633	325	162	90	110	105	18
1,894	2,153	2,096	2,279	2,504	2,674	2,789	3,024	3,095	2,689	2,126	1,070	324	72	21	50	19
1,755	1,992	1,951	2,160	2,359	2,530	2,618	2,899	3,011	2,634	2,090	1,057	315	66	16	48	20
139	161	145	119	145	144	171	125	84	55	36	13	9	6	5	2	21
596	631	527	606	621	664	684	622	640	522	354	171	70	14	2	14	22
574	606	511	584	607	640	671	609	632	513	347	169	69	13	1	13	23
22	25	16	22	14	24	13	13	8	9	7	2	1	1	1	1	24
593	762	799	865	961	1,013	1,185	1,307	1,368	1,196	906	482	184	42	7	28	25
576	734	774	848	934	984	1,158	1,282	1,349	1,183	896	478	182	41	5	27	26
17	28	25	17	27	29	27	25	19	13	10	4	2	1	2	1	27
1,176	1,287	1,404	1,488	1,847	2,041	2,520	2,733	3,248	2,904	2,125	1,080	345	76	23	17	28
1,086	1,173	1,304	1,379	1,745	1,943	2,439	2,666	3,174	2,859	2,094	1,069	336	72	14	14	29
90	114	100	109	102	98	81	67	74	45	31	11	9	4	9	3	30
578	612	632	668	823	938	1,100	1,481	1,746	1,646	1,237	609	202	47	15	55	31
511	534	570	611	753	884	1,039	1,418	1,673	1,579	1,203	577	193	42	5	37	32
67	78	62	57	70	54	61	63	73	67	34	32	9	5	10	18	33
1,216	1,270	1,269	1,196	1,313	1,436	1,493	1,729	1,893	1,708	1,208	698	230	70	37	261	34
881	908	922	903	966	1,152	1,202	1,488	1,693	1,525	1,076	614	189	47	12	172	35
335	362	347	293	347	284	291	241	200	183	132	84	41	23	25	89	36
339	368	377	461	453	640	825	1,044	1,176	1,196	936	506	197	39	6	29	37
338	367	377	460	451	639	824	1,042	1,175	1,194	936	506	196	39	6	29	38
1	1	.....	1	2	1	1	2	1	2	.....	.....	1	.....	.....	.....	39
813	923	945	1,033	1,211	1,327	1,426	1,467	1,493	1,302	874	401	165	36	13	78	40
563	626	650	731	850	1,053	1,171	1,228	1,264	1,147	745	341	119	20	4	31	41
250	297	295	302	361	274	255	239	229	155	129	60	46	16	9	47	42
1,806	2,030	2,267	2,562	2,904	3,150	3,460	3,854	4,061	3,566	2,540	1,449	522	135	25	40	43
1,752	1,956	2,208	2,503	2,863	3,087	3,401	3,811	4,023	3,543	2,524	1,440	516	132	24	39	44
54	74	59	59	41	63	59	43	38	23	16	9	6	3	1	1	45
1,468	1,474	1,441	1,659	1,926	2,308	2,643	3,007	3,414	3,078	2,329	1,266	443	97	25	63	46
1,436	1,442	1,409	1,626	1,894	2,273	2,602	2,972	3,381	3,056	2,308	1,255	437	95	21	60	47
32	32	32	33	32	35	41	35	33	22	21	11	6	2	4	3	48
980	943	968	988	1,232	1,386	1,327	1,397	1,538	1,477	1,325	712	286	58	10	16	49
963	914	952	958	1,211	1,364	1,312	1,382	1,533	1,460	1,318	708	277	57	8	16	50
17	29	16	30	21	22	15	15	5	17	7	4	9	1	2	.....	51
1,671	1,868	1,882	1,992	2,185	2,333	2,525	2,861	3,053	2,743	1,977	1,053	398	87	34	144	52
1,443	1,568	1,604	1,742	1,939	2,131	2,333	2,709	2,905	2,649	1,910	1,000	365	74	13	110	53
228	300	278	250	246	202	192	152	148	94	67	53	33	13	21	34	54
304	340	316	320	355	316	280	259	262	195	135	63	20	10	1	6	55
296	326	301	302	342	301	262	246	245	181	128	56	19	10	.....	5	56
8	14	15	18	13	15	18	13	17	14	7	7	1	.....	1	1	57
171	209	267	276	304	434	476	575	659	616	560	322	123	30	2	32	58
171	208	266	275	304	433	475	575	659	614	560	321	123	30	2	32	59
.....	1	1	1	.....	1	1	.....	.....	2	.....	1	.....	.....	.....	.....	60
1,528	1,888	1,930	2,115	2,334	2,350	2,470	2,731	2,744	2,266	1,560	797	263	61	21	2	61
1,405	1,742	1,790	1,992	2,224	2,238	2,349	2,633	2,641	2,209	1,526	769	252	56	16	2	62
123	146	140	123	110	112	121	98	103	57	34	28	11	5	5	.....	63
5,770	6,722	7,321	8,016	8,964	9,225	9,922	10,160	10,223	8,734	6,184	3,308	1,111	304	54	66	64
5,510	6,392	7,044	7,775	8,753	9,040	9,762	10,025	10,111	8,647	6,140	3,281	1,098	302	49	59	65
260	330	277	241	211	185	160	135	112	87	44	27	13	2	5	7	66
414	425	369	349	412	427	458	442	416	307	192	93	34	11	8	9	67
197	191	181	184	195	252	278	306	268	211	126	63	16	2	.....	1	68
217	234	188	165	217	175	180	136	148	96	66	30	18	9	8	8	69

[2] Includes only municipalities having a population of 1,000 or over in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Continued.												
1	Ohio (total)	66,173	9,690	1,791	796	494	356	13,127	1,173	904	1,399	2,154	2,342
2	White	63,404	9,391	1,730	764	479	339	12,703	1,131	862	1,299	1,997	2,161
3	Colored	2,769	299	61	32	15	17	424	42	42	100	157	181
4	Pennsylvania (total)	115,284	23,933	4,353	1,777	1,026	762	31,851	2,412	1,521	2,563	3,636	4,048
5	White	110,596	23,127	4,137	1,700	983	746	30,693	2,320	1,430	2,404	3,421	3,770
6	Colored	4,688	806	216	77	43	16	1,158	92	91	159	215	278
7	Rhode Island (total)	8,922	1,673	315	132	96	63	2,279	162	78	188	250	306
8	White	8,659	1,630	301	124	94	61	2,210	154	75	178	236	282
9	Colored	263	43	14	8	2	2	69	8	3	10	14	24
10	Utah (total)	4,193	877	112	45	31	35	1,100	115	91	140	169	157
11	White	4,071	848	105	42	28	34	1,057	115	89	138	165	149
12	Colored	122	29	7	3	3	1	43	.....	2	2	4	8
13	Vermont (total)	5,323	670	93	40	38	19	860	75	71	106	120	107
14	White	5,318	670	93	40	38	19	860	75	71	106	120	107
15	Colored	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Virginia (total)	30,727	5,504	1,112	512	289	202	7,619	651	552	1,065	1,577	1,343
17	White	17,288	3,035	600	282	152	123	4,192	355	249	422	646	589
18	Colored	13,439	2,469	512	230	137	79	3,427	296	303	643	931	754
19	Washington (total)	11,895	1,461	203	132	84	59	1,939	208	219	325	497	549
20	White	11,283	1,339	178	123	79	54	1,773	189	201	306	472	506
21	Colored	612	122	25	9	5	5	166	19	18	19	25	43
22	Wisconsin (total)	26,712	4,520	531	278	185	142	5,656	458	388	587	795	911
23	White	26,494	4,489	525	273	182	141	5,610	447	385	582	782	897
24	Colored	218	31	6	5	3	1	46	11	3	5	13	14
	REGISTRATION CITIES.												
	ALABAMA.[1]												
25	Registration cities (total)	4,711	556	176	80	57	24	893	98	75	174	320	337
26	White	2,074	272	84	39	28	9	432	48	32	61	100	94
27	Colored	2,637	284	92	41	29	15	461	50	43	113	220	243
28	Birmingham (total)	2,714	329	120	50	41	16	556	68	54	103	200	197
29	White	1,231	180	59	26	21	7	293	38	25	29	68	60
30	Colored	1,483	149	61	24	20	9	263	30	29	74	132	137
31	Mobile (total)	1,104	115	23	16	6	4	164	11	14	34	58	75
32	White	503	54	11	8	3	1	77	4	5	16	16	20
33	Colored	601	61	12	8	3	3	87	7	9	18	42	55
34	Montgomery (total)	893	112	33	14	10	4	173	19	7	37	62	65
35	White	340	38	14	5	4	1	62	6	2	16	16	14
36	Colored	553	74	19	9	6	3	111	13	5	21	46	51
	CALIFORNIA.												
37	Registration cities (total)	22,483	1,872	386	203	160	116	2,737	379	228	410	765	1,095
38	White	21,114	1,693	350	187	149	107	2,486	355	219	376	704	1,000
39	Colored	1,369	179	36	16	11	9	251	24	9	34	61	95
40	Alameda	299	13	3	2	3	1	22	5	2	7	7	13
41	Bakersfield (total)	284	25	7	4	2	5	43	6	5	5	18	15
42	White	270	24	7	4	1	5	41	6	5	5	18	15
43	Colored	14	1	.....	.....	1	.....	2	.....	.....	.....	.....	.....
44	Berkeley	494	43	4	7	2	2	58	6	4	11	9	22
45	Eureka	224	18	4	3	2	3	30	6	1	4	10	6
46	Fresno (total)	375	52	20	4	7	5	88	5	5	7	10	30
47	White	334	45	16	3	6	5	75	5	5	6	9	26
48	Colored	41	7	4	1	1	.....	13	.....	.....	1	1	4
49	Long Beach	430	30	7	1	.....	1	39	5	7	6	12	11
50	Los Angeles (total)	5,856	540	89	54	34	27	744	94	59	121	223	336
51	White	5,457	486	81	48	30	24	669	86	56	104	208	301
52	Colored	399	54	8	6	4	3	75	8	3	17	15	35
53	Oakland (total)	2,166	218	47	21	16	9	311	36	25	40	66	83
54	White	2,022	194	41	21	15	8	279	33	22	34	60	77
55	Colored	144	24	6	.....	1	1	32	3	3	6	6	6
56	Pasadena	493	22	2	2	3	3	32	5	4	9	14	17
57	Pomona	170	19	2	1	.....	.....	22	4	5	5	8	3
58	Redlands	117	10	1	2	.....	.....	13	4	5	2	5	6
59	Riverside (total)	218	23	8	2	2	2	37	5	4	8	4	11
60	White	204	21	8	1	2	2	34	3	4	6	4	10
61	Colored	14	2	.....	1	.....	.....	3	2	.....	2	.....	1
62	Sacramento (total)	997	91	18	9	4	5	127	13	10	19	45	49
63	White	869	68	14	7	4	4	97	11	10	16	35	40
64	Colored	128	23	4	2	.....	1	30	2	.....	3	10	9
65	San Bernardino	356	45	12	4	2	3	66	5	5	7	18	28
66	San Diego	1,003	69	16	4	5	4	98	15	12	19	37	41

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
2,487	2,605	2,752	3,008	3,300	3,878	4,344	5,048	5,772	5,083	3,869	2,030	698	156	28	16	1
2,296	2,409	2,545	2,802	3,098	3,714	4,210	4,920	5,621	4,985	3,799	1,986	680	152	18	16	2
191	196	207	206	202	164	134	128	151	98	70	44	18	4	10	.....	3
4,115	4,826	4,874	5,260	5,719	6,333	7,030	7,776	8,080	6,927	4,837	2,494	787	153	37	5	4
3,827	4,461	4,529	4,964	5,405	6,081	6,813	7,569	7,918	6,826	4,765	2,455	764	147	30	4	5
288	365	345	296	314	252	217	207	162	101	72	39	23	6	7	1	6
277	389	382	469	508	524	640	643	622	583	362	177	59	19	1	4	7
267	372	369	451	494	506	625	634	613	576	361	175	58	18	1	4	8
10	17	13	18	14	18	15	9	9	7	1	2	1	1	.....	.....	9
183	219	174	193	189	200	212	211	225	257	188	120	43	6	1	.....	10
177	210	166	185	186	195	208	202	221	254	185	119	43	6	1	.....	11
6	9	8	8	3	5	4	9	4	3	3	1	.....	.....	.....	.....	12
115	147	167	220	241	287	390	497	540	559	447	247	95	25	5	2	13
115	147	167	219	240	287	390	496	539	558	447	247	95	25	5	2	14
.....	.....	.....	1	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	15
1,310	1,395	1,270	1,306	1,459	1,512	1,738	1,933	2,055	1,684	1,199	618	266	80	72	23	16
606	623	622	659	717	929	1,093	1,316	1,444	1,283	873	465	163	29	4	9	17
704	772	648	647	742	583	645	617	611	401	326	153	103	51	68	14	18
558	657	630	680	834	802	778	800	819	743	497	227	60	10	5	58	19
519	624	594	652	783	768	756	786	796	729	484	222	58	9	1	55	20
39	33	36	28	51	34	22	14	23	14	13	5	2	1	4	3	21
877	966	966	1,077	1,375	1,544	1,599	1,849	2,175	2,079	1,782	1,074	414	103	15	22	22
871	943	958	1,068	1,363	1,534	1,588	1,838	2,167	2,070	1,774	1,071	411	102	14	19	23
6	23	8	9	12	10	11	11	8	9	8	3	3	1	1	3	24
331	346	288	307	302	262	233	223	163	143	102	45	23	8	10	28	25
100	128	90	109	114	149	139	155	113	104	60	32	6	2	2	4	26
231	218	198	198	188	113	94	68	50	39	42	13	17	6	8	24	27
214	202	162	189	159	126	110	112	76	69	48	22	12	4	4	27	28
66	80	56	64	66	78	68	85	55	50	25	17	1	2	1	4	29
148	122	106	125	93	48	42	27	21	19	23	5	11	2	3	23	30
68	79	69	80	84	76	69	62	51	49	37	15	6	1	2	.....	31
15	27	18	37	31	43	41	42	37	35	25	11	3	.....	.....	.....	32
53	52	51	43	53	33	28	20	14	14	12	4	3	1	2	.....	33
49	65	57	38	59	60	54	49	36	25	17	8	5	3	4	1	34
19	21	16	8	17	28	30	28	21	19	10	4	2	.....	1	.....	35
30	44	41	30	42	32	24	21	15	6	7	4	3	3	3	1	36
1,169	1,322	1,261	1,402	1,595	1,661	1,706	1,747	1,740	1,403	1,108	521	169	39	11	15	37
1,066	1,216	1,168	1,320	1,493	1,566	1,590	1,663	1,685	1,372	1,093	517	166	36	9	14	38
103	106	93	82	102	95	116	84	55	31	15	4	3	3	2	1	39
11	20	14	21	19	16	29	21	35	18	21	11	6	.....	.....	1	40
23	14	25	13	15	21	19	14	17	18	6	5	1	.....	1	.....	41
23	14	24	13	14	19	19	12	13	17	5	5	1	.....	1	.....	42
.....	.....	1	.....	1	2	.....	2	4	1	1	.....	.....	.....	.....	.....	43
11	19	24	30	27	44	41	38	52	47	25	17	7	.....	1	1	44
10	10	13	9	13	19	16	23	21	13	9	7	3	1	.....	.....	45
17	20	28	13	23	24	21	20	22	18	13	8	2	.....	.....	1	46
16	16	27	10	20	21	19	17	20	18	13	8	2	.....	.....	1	47
1	4	1	3	3	3	2	3	2	.....	.....	.....	.....	.....	.....	.....	48
19	13	18	22	26	31	35	44	54	39	30	16	3	.....	.....	.....	49
308	374	330	336	387	416	421	468	454	356	258	122	37	11	1	.....	50
269	327	299	316	356	399	404	454	443	348	251	122	35	9	1	.....	51
39	47	31	20	31	17	17	14	11	8	7	.....	2	2	.....	.....	52
97	97	104	126	133	158	157	171	196	166	123	54	17	5	.....	1	53
90	89	93	117	125	149	147	163	186	160	122	53	17	5	.....	1	54
7	8	11	9	8	9	10	8	10	6	1	1	.....	.....	.....	.....	55
24	18	19	29	30	35	42	50	50	51	40	22	2	.....	.....	.....	56
3	6	7	6	11	9	16	11	9	17	18	9	.....	1	.....	.....	57
4	6	8	8	7	11	8	8	6	3	10	3	.....	.....	.....	.....	58
16	13	9	5	9	11	9	20	10	17	16	8	3	2	1	.....	59
15	12	8	5	8	11	8	19	10	17	16	8	3	2	1	.....	60
1	1	1	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	61
52	54	44	71	75	74	75	85	61	68	41	20	11	2	.....	1	62
40	50	36	67	68	66	71	72	55	62	39	20	11	2	.....	1	63
12	4	8	4	7	8	4	13	6	6	2	.....	.....	.....	.....	.....	64
29	26	17	15	26	25	17	18	13	13	13	5	6	2	1	1	65
48	60	40	52	60	93	90	80	83	72	60	27	11	2	2	1	66

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	CALIFORNIA—continued.												
1	San Francisco (total)	7,260	536	129	69	67	33	834	140	62	99	228	353
2	White	6,846	494	124	65	64	30	777	133	61	94	207	321
3	Colored	414	42	5	4	3	3	57	7	1	5	21	32
4	San Jose	463	32	5	5	4	4	50	10	2	11	14	14
5	Santa Barbara	233	25	.....	3	1	.....	29	2	4	7	10	7
6	Santa Cruz	190	12	2	.....	4	1	19	1	1	5	1	5
7	Stockton (total)	724	41	8	5	2	8	64	10	4	10	20	36
8	White	640	33	4	5	2	7	51	10	3	10	17	32
9	Colored	84	8	4	.....	.....	1	13	.....	1	.....	3	4
10	Vallejo	131	8	2	1	.....	.....	11	2	2	8	6	9
	COLORADO.												
11	Registration cities (total)	4,510	473	72	45	20	24	634	53	52	104	202	292
12	White	4,313	459	66	41	19	24	609	50	51	94	194	273
13	Colored	197	14	6	4	1	.....	25	3	1	10	8	19
14	Colorado Springs	500	37	2	5	1	3	48	8	8	19	23	49
15	Denver	3,355	338	49	30	14	12	443	37	33	66	145	206
16	Pueblo	479	78	18	8	1	4	109	7	7	15	27	20
17	Trinidad	176	20	3	2	4	5	34	1	4	4	7	17
	CONNECTICUT.												
18	Registration cities (total)	12,587	2,502	437	179	112	88	3,318	225	141	259	376	400
19	White	12,288	2,454	422	172	107	85	3,240	221	138	252	361	386
20	Colored	299	48	15	7	5	3	78	4	3	7	15	14
21	Ansonia	213	72	17	6	1	3	99	8	1	5	5	6
22	Bridgeport	1,827	378	65	31	19	21	514	34	23	38	63	68
23	Bristol	154	42	10	2	1	2	57	1	2	2	6	2
24	Danbury town	356	51	4	4	3	2	64	4	3	8	10	18
25	Greenwich town	236	34	5	1	4	1	45	6	3	8	3	6
26	Hartford	1,917	390	68	14	14	12	498	33	25	41	50	56
27	Manchester town	142	43	5	1	1	.....	50	3	3	3	4	5
28	Meriden town	552	70	17	12	1	2	102	4	3	10	28	19
29	Middletown town	479	54	8	4	1	4	71	3	1	5	12	14
30	Naugatuck	153	42	7	3	1	1	54	4	1	1	6	4
31	New Britain	576	179	37	12	9	2	239	10	2	8	13	18
32	New Haven	2,311	387	86	41	24	12	550	47	34	44	58	61
33	New London	399	68	4	5	3	3	83	7	6	7	9	18
34	Norwalk	346	61	3	4	2	2	72	3	5	10	8	14
35	Norwich town	575	86	14	10	2	7	119	4	6	20	24	19
36	Orange town	143	22	3	1	1	1	28	.....	1	4	2	3
37	Stamford town	515	100	15	6	1	2	124	13	8	11	13	19
38	Torrington town	148	46	5	3	2	1	57	2	2	7	7	5
39	Wallingford town	127	26	1	2	.....	.....	29	3	1	3	5	2
40	Waterbury	1,173	308	58	14	20	10	410	32	9	19	45	37
41	Windham town	245	43	5	3	2	.....	53	4	2	5	5	6
	DELAWARE.[1]												
42	Wilmington (total)	1,528	265	43	24	19	12	363	31	11	33	62	56
43	White	1,318	234	36	19	16	9	314	25	6	25	49	47
44	Colored	210	31	7	5	3	3	49	6	5	8	13	9
	DISTRICT OF COLUMBIA.												
45	Washington (total)	6,506	781	135	52	28	25	1,021	91	75	149	243	292
46	White	3,915	398	56	24	14	14	506	53	35	67	93	142
47	Colored	2,591	383	79	28	14	11	515	38	40	82	150	150
	FLORIDA.[1]												
48	Registration cities (total)	2,795	375	100	33	25	17	550	54	49	83	170	201
49	White	1,392	198	60	21	14	10	303	34	21	29	67	62
50	Colored	1,403	177	40	12	11	7	247	20	28	54	103	139
51	Jacksonville (total)	1,355	140	38	13	14	6	211	28	21	44	91	113
52	White	533	53	11	5	7	2	78	16	7	11	29	25
53	Colored	822	87	27	8	7	4	133	12	14	33	62	88
54	Key West (total)	278	65	7	2	1	1	76	6	2	5	10	21
55	White	190	38	4	2	1	1	46	4	1	3	7	15
56	Colored	88	27	3	.....	.....	.....	30	2	1	2	3	6
57	Pensacola (total)	418	52	15	7	2	3	79	4	7	16	23	25
58	White	177	19	8	5	.....	1	33	1	2	7	8	2
59	Colored	241	33	7	2	2	2	46	3	5	9	15	23
60	Tampa (total)	744	118	40	11	8	7	184	16	19	18	46	42
61	White	492	88	37	9	6	6	146	13	11	8	23	20
62	Colored	252	30	3	2	2	1	38	3	8	10	23	22

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
412	470	465	532	624	554	586	528	514	368	315	126	41	7	1	1	1
385	444	438	494	589	513	535	501	503	364	313	125	40	7	1	1	2
27	26	27	38	35	41	51	27	11	4	2	1	1	.....	.....	.....	3
10	17	18	26	25	34	40	43	46	39	35	20	5	3	.....	1	4
14	14	7	18	12	13	12	18	21	18	13	8	3	1	2	.....	5
3	6	4	10	8	17	16	16	24	18	20	10	5	1	.....	.....	6
52	56	59	53	56	52	43	61	44	37	37	18	6	1	1	4	7
44	51	54	50	50	44	31	54	40	33	37	17	6	1	1	4	8
8	5	5	3	6	8	12	7	4	4	.....	1	.....	.....	.....	.....	9
6	9	8	7	9	4	13	10	8	7	5	5	.....	.....	.....	2	10
291	312	253	288	300	310	332	292	283	243	165	65	29	7	1	2	11
274	296	242	272	289	290	322	281	278	236	159	65	29	6	1	2	12
17	16	11	16	11	20	10	11	5	7	6	.....	.....	1	.....	.....	13
31	27	29	34	36	35	40	22	33	25	21	5	6	1	.....	.....	14
228	231	192	217	223	230	261	234	215	197	119	53	19	4	.....	2	15
25	40	23	29	32	30	25	23	23	19	18	4	2	1	.....	.....	16
7	14	9	8	9	15	6	13	12	2	7	3	2	1	1	.....	17
447	580	601	659	706	756	821	877	854	708	500	243	86	23	4	3	18
436	555	583	648	683	731	804	860	841	699	495	242	86	22	2	3	19
11	25	18	11	23	25	17	17	13	9	5	1	.....	1	2	.....	20
8	4	9	9	8	12	6	8	10	5	5	5	.....	.....	.....	.....	21
76	95	105	103	104	114	102	123	102	71	55	27	9	1	.....	.....	22
4	3	7	2	6	10	6	12	11	11	7	3	2	.....	.....	.....	23
16	12	11	18	22	24	36	28	26	25	18	9	3	1	.....	.....	24
9	16	8	13	27	8	19	16	16	17	11	3	1	1	.....	.....	25
55	78	102	122	130	129	131	130	115	99	69	39	12	2	1	.....	26
4	4	1	3	6	9	9	5	8	16	5	2	2	.....	.....	.....	27
23	23	41	30	38	32	38	33	46	42	24	10	5	1	.....	.....	28
11	40	25	23	27	30	38	42	52	42	26	16	1	.....	.....	.....	29
6	6	5	8	9	4	9	12	9	6	5	4	.....	.....	.....	.....	30
13	28	22	21	26	27	41	27	27	21	16	7	8	1	.....	1	31
78	108	115	136	109	162	164	174	167	135	100	45	17	7	.....	.....	32
21	19	19	23	16	22	25	36	27	23	16	11	7	2	1	1	33
10	12	13	15	15	16	20	36	36	30	21	10	.....	.....	.....	.....	34
29	29	18	30	28	31	27	37	46	51	34	13	5	5	.....	.....	35
2	5	8	5	9	9	19	11	18	7	8	2	2	.....	.....	.....	36
15	26	23	25	35	26	33	42	38	25	26	9	3	.....	.....	1	37
1	2	2	8	3	9	6	10	6	12	6	1	1	.....	1	.....	38
5	4	3	5	6	5	9	10	12	12	3	6	4	.....	.....	.....	39
58	54	55	52	69	60	63	60	56	45	30	15	1	2	1	.....	40
3	12	9	8	13	17	20	25	26	13	15	6	3	.....	.....	.....	41
76	71	76	72	80	105	93	118	108	95	45	24	9	.....	.....	.....	42
67	54	63	60	70	97	76	105	99	90	41	22	8	.....	.....	.....	43
9	17	13	12	10	8	17	13	9	5	4	2	1	.....	.....	.....	44
302	393	380	407	412	428	484	435	520	426	258	123	51	10	6	.....	45
148	181	193	210	224	268	321	319	415	361	219	110	43	7	.....	.....	46
154	212	187	197	188	160	163	116	105	65	39	13	8	3	6	.....	47
190	212	207	173	192	136	143	139	98	81	53	39	7	4	5	9	48
69	80	72	81	86	81	86	108	78	64	42	22	4	.....	1	2	49
121	132	135	92	106	55	57	31	20	17	11	17	3	4	4	7	50
101	112	114	97	102	64	75	62	45	27	20	20	5	2	1	.....	51
32	35	25	31	36	34	45	45	36	20	17	8	2	.....	1	.....	52
69	77	89	66	66	30	30	17	9	7	3	12	3	2	.....	.....	53
6	12	15	12	14	10	13	25	14	18	13	5	1	.....	.....	.....	54
3	9	8	12	8	7	8	18	11	17	9	3	1	.....	.....	.....	55
3	3	7	.....	6	3	5	7	3	1	4	2	.....	.....	.....	.....	56
37	34	26	27	32	27	21	16	13	12	8	3	1	2	3	2	57
10	9	11	13	13	17	13	12	9	8	5	3	1	.....	.....	.....	58
27	25	15	14	19	10	8	4	4	4	3	.....	.....	2	3	2	59
46	54	52	37	44	35	34	36	26	24	12	11	.....	.....	1	7	60
24	27	28	25	29	23	20	33	22	19	11	8	.....	.....	.....	2	61
22	27	24	12	15	12	14	3	4	5	1	3	.....	.....	1	5	62

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	GEORGIA.[1]												
1	Registration cities (total)	5,606	656	160	87	47	39	989	104	91	204	357	363
2	White	2,411	286	80	40	22	19	447	46	41	67	107	105
3	Colored	3,195	370	80	47	25	20	542	58	50	137	250	258
4	Atlanta (total)	2,796	308	81	49	23	23	484	52	39	107	173	189
5	White	1,444	170	48	22	12	12	264	25	27	47	81	69
6	Colored	1,352	138	33	27	11	11	220	27	12	60	92	120
7	Augusta (total)	1,125	110	39	17	9	5	180	26	19	43	69	76
8	White	478	48	22	10	4	3	87	11	7	14	17	20
9	Colored	647	62	17	7	5	2	93	15	12	29	52	56
10	Savannah (total)	1,685	238	40	21	15	11	325	26	33	54	115	98
11	White	489	68	10	8	6	4	96	10	7	6	9	16
12	Colored	1,196	170	30	13	9	7	229	16	26	48	106	82
	ILLINOIS.[1]												
13	Registration cities (total)	38,436	6,603	1,426	640	388	274	9,331	878	498	987	1,713	1,872
14	White	36,949	6,485	1,392	623	380	263	9,143	844	478	937	1,643	1,755
15	Colored	1,487	118	34	17	8	11	188	34	20	50	70	117
16	Aurora	471	59	9	4	4	1	77	9	7	13	19	24
17	Belleville	260	22	7	4	2	3	38	7	2	3	9	12
18	Chicago (total)	34,894	6,219	1,351	601	356	254	8,781	811	448	899	1,592	1,729
19	White	33,601	6,133	1,320	586	348	245	8,632	782	432	853	1,533	1,624
20	Colored	1,293	86	31	15	8	9	149	29	16	46	59	105
21	Decatur	458	58	7	8	7	6	86	9	5	6	12	12
22	Evanston	340	56	8	3	3	.....	70	8	6	10	5	12
23	Jacksonville (total)	454	20	7	2	2	3	34	7	6	6	13	13
24	White	428	18	7	2	2	3	32	6	5	6	11	10
25	Colored	26	2	.....	.....	.....	.....	2	1	1	.....	2	3
26	Quincy	564	51	12	3	2	2	70	7	9	12	18	16
27	Springfield (total)	995	118	25	15	12	5	175	20	15	38	45	54
28	White	913	99	24	14	12	4	153	19	14	35	38	49
29	Colored	82	19	1	1	.....	1	22	1	1	3	7	5
	INDIANA.												
30	Registration cities (total)	12,518	1,913	323	136	82	70	2,524	232	178	300	515	591
31	White	11,499	1,797	302	127	74	65	2,365	212	162	263	442	525
32	Colored	1,019	116	21	9	8	5	159	20	16	37	73	66
33	Anderson	290	43	5	1	.....	.....	49	6	4	6	11	9
34	East Chicago	371	184	39	8	7	5	243	8	2	8	9	12
35	Elkhart	259	32	3	5	.....	.....	40	4	3	4	7	11
36	Elwood	127	26	3	1	.....	.....	30	2	2	2	3	6
37	Evansville (total)	978	128	30	10	4	6	178	15	13	29	63	41
38	White	814	109	28	9	4	5	155	11	12	22	46	33
39	Colored	164	19	2	1	.....	1	23	4	1	7	17	8
40	Fort Wayne	883	103	17	4	6	1	131	16	13	28	38	44
41	Gary	385	142	33	4	6	5	190	7	2	5	20	28
42	Hammond	364	97	8	7	2	2	116	9	6	9	23	22
43	Huntington	126	13	2	3	1	.....	19	3	1	2	5	4
44	Indianapolis (total)	3,911	463	70	33	28	17	611	57	49	92	174	210
45	White	3,352	399	56	28	23	15	521	48	42	74	139	164
46	Colored	559	64	14	5	5	2	90	9	7	18	35	46
47	Jeffersonville (total)	130	8	1	3	2	1	15	2	7	5	5	6
48	White	98	7	1	1	1	.....	10	1	6	4	3	5
49	Colored	32	1	.....	2	1	1	5	1	1	1	2	1
50	Kokomo	251	47	4	5	2	2	60	5	4	8	10	14
51	Lafayette	411	38	3	2	2	2	47	5	5	4	16	18
52	Laporte	154	21	1	2	1	1	26	2	1	6	2	5
53	Logansport	267	34	.....	2	4	4	44	4	4	2	11	9
54	Marion	305	45	5	2	3	3	58	5	3	6	14	15
55	Michigan City	254	57	10	2	.....	1	70	5	5	10	8	10
56	Mishawaka	173	42	6	1	.....	1	50	4	4	3	2	7
57	Muncie	315	34	10	9	1	2	56	4	7	13	13	13
58	New Albany (total)	321	26	7	2	2	5	42	6	6	8	12	15
59	White	286	25	7	2	2	5	41	5	5	7	9	13
60	Colored	35	1	.....	.....	.....	.....	1	1	1	1	3	2
61	Peru	145	10	1	4	.....	1	16	1	3	3	1	3
62	Richmond (total)	286	43	4	.....	.....	1	48	5	3	6	8	7
63	White	273	41	4	.....	.....	1	46	5	3	5	6	6
64	Colored	13	2	.....	.....	.....	.....	2	.....	.....	1	2	1
65	South Bend	688	151	23	9	5	2	190	23	13	16	15	29
66	Terre Haute	903	102	26	11	2	7	148	24	15	21	39	50
67	Vincennes	221	24	12	6	4	1	47	10	3	4	6	3
	KANSAS.												
68	Registration cities (total)	4,597	600	110	67	34	25	836	104	76	126	168	192
69	White	3,911	525	89	60	31	21	726	92	60	93	125	154
70	Colored	686	75	21	7	3	4	110	12	16	33	43	38
71	Atchison (total)	196	16	6	3	.....	.....	25	5	4	1	3	9
72	White	162	14	5	3	.....	.....	22	5	3	1	3	5
73	Colored	34	2	1	.....	.....	.....	3	.....	1	.....	.....	4
74	Coffeyville (total)	160	25	4	3	1	2	35	4	2	5	3	8
75	White	130	22	2	3	1	1	29	4	2	2	3	5
76	Colored	30	3	2	.....	.....	1	6	.....	.....	3	.....	3

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdiv 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
369	457	420	371	389	312	329	274	234	165	107	44	15	3	7	2	1
118	146	144	121	137	154	180	171	163	134	78	40	10	1	1	.....	2
251	311	276	250	252	158	149	103	71	31	29	4	5	2	6	2	3
192	211	207	181	181	165	166	142	122	87	52	30	8	1	5	2	4
82	81	86	78	76	89	103	98	94	73	40	27	4	.....	.....	.....	5
110	130	121	103	105	76	63	44	28	14	12	3	4	1	5	2	6
71	101	90	71	73	67	60	60	48	34	31	4	1	.....	1	.....	7
17	38	32	25	31	34	25	33	28	28	25	4	1	.....	1	.....	8
54	63	58	46	42	33	35	27	20	6	6	.....	.....	.....	.....	.....	9
106	145	123	119	135	80	103	72	64	44	24	10	6	2	1	.....	10
19	27	26	18	30	31	52	40	41	33	13	9	5	1	.....	.....	11
87	118	97	101	105	49	51	32	23	11	11	1	1	1	1	.....	12
1,847	2,039	2,127	2,380	2,552	2,386	2,395	2,081	1,894	1,611	1,060	533	180	49	9	14	13
1,735	1,878	2,002	2,241	2,419	2,297	2,325	2,027	1,846	1,578	1,042	523	175	44	5	12	14
112	161	125	139	133	89	70	54	48	33	18	10	5	5	4	2	15
19	23	24	19	26	26	31	31	35	35	27	16	7	1	.....	2	16
12	11	13	13	14	10	25	13	22	27	23	5	1	.....	.....	.....	17
1,703	1,896	1,942	2,196	2,349	2,166	2,111	1,845	1,618	1,332	850	437	143	37	9	.....	18
1,602	1,747	1,831	2,068	2,226	2,085	2,053	1,799	1,580	1,306	837	431	140	35	5	.....	19
101	149	111	128	123	81	58	46	38	26	13	6	3	2	4	.....	20
14	17	14	24	24	38	30	28	50	39	29	14	6	1	.....	.....	21
14	16	10	18	22	17	25	20	33	25	15	9	3	.....	.....	2	22
15	21	40	22	28	31	40	33	45	38	37	14	1	3	.....	7	23
14	21	37	19	26	30	37	33	45	36	37	13	1	2	.....	7	24
1	.....	3	3	2	1	3	.....	.....	2	.....	1	.....	1	.....	.....	25
21	20	35	27	27	40	54	44	36	55	38	21	9	3	.....	2	26
49	35	49	61	62	58	79	67	55	60	41	17	10	4	.....	1	27
45	30	43	58	57	54	74	65	54	59	39	15	9	3	.....	.....	28
4	5	6	3	5	4	5	2	1	1	2	2	1	1	.....	1	29
556	592	656	669	761	767	833	801	922	762	499	259	74	16	8	3	30
495	499	579	586	680	702	776	763	880	736	487	257	70	13	5	2	31
61	93	77	83	81	65	57	38	42	26	12	2	4	3	3	1	32
19	15	11	19	18	19	27	21	18	11	16	10	1	.....	.....	.....	33
11	17	17	10	8	6	2	7	4	2	3	1	.....	1	.....	.....	34
7	5	15	11	14	13	23	22	25	24	16	11	3	1	.....	.....	35
5	4	3	6	6	7	11	8	14	13	2	2	1	.....	.....	.....	36
53	46	57	52	53	51	66	64	77	61	33	17	5	2	1	1	37
38	38	41	34	42	42	57	55	74	59	31	17	4	2	1	.....	38
15	8	16	18	11	9	9	9	3	2	2	.....	1	.....	.....	1	39
40	35	36	39	66	60	62	58	85	59	41	23	7	.....	1	1	40
22	17	19	15	17	15	10	5	4	4	4	1	.....	.....	.....	.....	41
17	17	17	25	16	14	18	15	10	13	10	5	.....	.....	1	1	42
2	5	6	2	16	2	8	12	13	10	9	5	2	.....	.....	.....	43
165	228	232	254	269	267	276	267	262	249	155	66	21	6	1	.....	44
136	170	192	205	226	231	243	245	241	235	151	65	19	4	1	.....	45
29	58	40	49	43	36	33	22	21	14	4	1	2	2	.....	.....	46
3	5	6	3	13	4	14	3	21	7	8	2	1	.....	.....	.....	47
3	3	4	2	9	2	10	2	18	6	7	2	1	.....	.....	.....	48
.....	2	2	1	4	2	4	1	3	1	1	.....	.....	.....	.....	.....	49
12	11	11	12	18	18	10	18	17	11	9	2	1	.....	.....	.....	50
20	19	15	26	19	30	40	39	33	35	15	21	2	2	.....	.....	51
7	4	8	4	9	11	10	9	18	20	6	6	.....	.....	.....	.....	52
11	15	18	15	16	15	16	16	21	21	15	10	3	1	.....	.....	53
19	12	16	15	9	27	18	21	23	22	13	5	3	.....	1	.....	54
7	10	10	8	17	18	14	15	19	5	15	5	2	1	.....	.....	55
11	6	8	8	2	12	14	9	14	8	7	2	2	.....	.....	.....	56
13	14	15	17	18	14	19	23	30	25	10	8	3	.....	.....	.....	57
13	17	15	13	21	23	20	28	30	15	22	12	2	.....	1	.....	58
11	12	15	10	18	21	20	25	25	15	20	12	2	.....	.....	.....	59
2	5	.....	3	3	2	.....	3	5	.....	2	.....	.....	.....	1	.....	60
5	6	10	3	8	8	11	14	21	18	10	3	1	.....	.....	.....	61
5	11	8	15	17	13	19	19	31	31	23	10	6	1	.....	.....	62
4	11	7	15	16	12	17	19	30	31	23	10	6	1	.....	.....	63
1	.....	1	.....	1	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	64
29	22	36	36	34	43	40	46	46	36	21	11	2	.....	.....	.....	65
49	42	53	51	63	63	65	51	65	48	33	17	3	1	2	.....	66
11	9	14	10	14	14	20	11	21	14	3	4	3	.....	.....	.....	67
214	220	209	210	269	276	270	342	312	338	238	133	35	14	6	9	68
172	166	171	175	228	247	238	304	275	298	219	118	32	11	1	6	69
42	54	38	35	41	29	32	38	37	40	19	15	3	3	5	3	70
5	7	5	3	12	18	13	15	25	17	15	9	2	3	.....	.....	71
4	6	4	1	10	15	8	15	21	13	12	9	2	3	.....	.....	72
1	1	1	2	2	3	5	.....	4	4	3	.....	.....	.....	.....	.....	73
9	4	10	8	13	3	12	11	12	8	10	3	.....	.....	.....	.....	74
7	3	7	5	10	2	11	9	11	7	10	3	.....	.....	.....	.....	75
2	1	3	3	3	1	1	2	1	1	.....	.....	.....	.....	.....	.....	76

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	KANSAS—continued.												
1	Fort Scott (total)	171	25	2	4	1	.....	32	4	2	1	3	1
2	White	148	20	1	4	1	.....	26	4	2	.....	1	1
3	Colored	23	5	1	.....	.....	.....	6	.....	.....	1	2	.....
4	Hutchinson (total)	206	29	3	4	1	1	38	1	4	6	9	11
5	White	191	28	3	4	1	1	37	.....	4	6	8	10
6	Colored	15	1	.....	.....	.....	.....	1	1	.....	.....	1	1
7	Independence (total)	163	20	3	4	1	.....	28	5	5	2	11	3
8	White	147	18	1	3	1	.....	23	5	4	1	8	3
9	Colored	16	2	2	1	.....	.....	5	.....	1	1	3	.....
10	Kansas City (total)	1,344	221	41	25	14	8	309	34	18	37	60	65
11	White	1,082	194	32	21	13	7	267	29	11	28	43	49
12	Colored	262	27	9	4	1	1	42	5	7	9	17	16
13	Lawrence (total)	201	20	4	3	.....	2	29	2	1	7	8	6
14	White	152	16	1	3	.....	.....	20	2	1	3	2	3
15	Colored	49	4	3	.....	.....	2	9	.....	.....	4	6	3
16	Leavenworth (total)	278	25	3	1	1	2	32	5	7	5	12	6
17	White	226	21	3	.....	.....	2	26	2	5	4	10	3
18	Colored	52	4	.....	1	1	.....	6	3	2	1	2	3
19	Parsons (total)	195	18	.....	2	1	2	23	2	3	11	8	6
20	White	162	15	.....	2	1	2	20	2	3	6	6	6
21	Colored	33	3	.....	.....	.....	.....	3	.....	.....	5	2	.....
22	Pittsburg	231	24	11	2	4	2	43	6	4	6	5	10
23	Topeka (total)	674	84	10	7	4	1	106	21	16	20	21	26
24	White	573	70	8	7	4	1	90	19	13	15	16	22
25	Colored	101	14	2	.....	.....	.....	16	2	3	5	5	4
26	Wichita	778	93	23	9	6	5	136	15	10	25	25	41
	KENTUCKY.												
27	Registration cities (total)	6,891	725	146	75	41	30	1,017	140	93	196	340	363
28	White	4,964	546	97	52	26	20	741	108	61	129	217	232
29	Colored	1,927	179	49	23	15	10	276	32	32	67	123	131
30	Covington (total)	862	98	14	11	2	4	129	17	13	21	38	35
31	White	756	88	11	9	2	3	113	15	12	17	31	30
32	Colored	106	10	3	2	.....	1	16	2	1	4	7	5
33	Frankfort (total)	184	23	2	2	1	1	29	6	3	8	15	6
34	White	117	13	2	2	1	.....	18	5	3	7	8	2
35	Colored	67	10	.....	.....	.....	1	11	1	.....	1	7	4
36	Henderson (total)	218	30	13	4	2	2	51	4	2	8	9	4
37	White	134	16	11	4	1	2	34	3	1	4	4	2
38	Colored	84	14	2	.....	1	.....	17	1	1	4	5	2
39	Lexington (total)	977	73	25	23	7	5	133	22	9	26	49	63
40	White	597	44	13	10	4	1	72	16	5	14	34	39
41	Colored	380	29	12	13	3	4	61	6	4	12	15	24
42	Louisville (total)	3,550	379	69	31	22	10	511	54	50	90	165	186
43	White	2,538	283	44	24	13	8	372	44	32	62	103	110
44	Colored	1,012	96	25	7	9	2	139	10	18	28	62	76
45	Newport (total)	377	47	7	1	2	4	61	10	4	10	16	13
46	White	352	44	7	1	2	3	57	10	4	8	12	13
47	Colored[1]	25	3	.....	.....	.....	1	4	.....	.....	2	4	.....
48	Owensboro (total)	291	36	5	2	3	3	49	5	5	12	16	21
49	White	216	30	4	2	2	3	41	3	2	9	12	14
50	Colored	75	6	1	.....	1	.....	8	2	3	3	4	7
51	Paducah (total)	432	39	11	1	2	1	54	22	7	21	32	35
52	White	254	28	5	.....	1	.....	34	12	2	8	13	22
53	Colored	178	11	6	1	1	1	20	10	5	13	19	13
	LOUISIANA.[2]												
54	New Orleans (total)	7,752	927	193	92	63	52	1,327	128	123	261	397	436
55	White	4,442	525	102	48	34	33	742	69	61	98	163	194
56	Colored	3,310	402	91	44	29	19	585	59	62	163	234	242
	MAINE.												
57	Registration cities (total)	3,052	436	70	25	18	12	561	59	44	72	93	113
58	White	3,043	436	70	25	18	12	561	59	44	72	93	112
59	Colored	9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
60	Auburn	207	22	5	2	1	1	31	4	1	3	5	2
61	Augusta	329	38	7	.....	2	1	48	6	2	5	8	5
62	Bangor	559	50	7	3	4	2	66	6	7	11	21	22
63	Biddeford	293	75	16	4	1	2	98	7	5	8	6	17
64	Lewiston	463	75	14	8	2	2	101	10	8	12	13	32
65	Portland	1,014	139	13	5	8	4	169	21	16	27	33	29
66	Waterville	187	37	8	3	.....	.....	48	5	5	6	7	6
	MARYLAND.												
67	Registration cities (total)	10,975	1,763	335	139	78	57	2,372	183	133	261	376	471
68	White	8,398	1,331	252	103	61	38	1,785	143	91	163	242	303
69	Colored	2,577	432	83	36	17	19	587	40	42	98	134	168

[1] Colored population less than 5 per cent of the total in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
6	8	3	5	12	14	12	17	12	14	11	11	2	.....	1	.....	1
6	7	3	4	11	14	10	14	11	12	11	9	2	.....	.....	.....	2
.....	1	.....	1	1	.....	2	3	1	2	.....	2	.....	.....	1	.....	3
11	7	8	16	8	10	13	21	14	15	8	5	.....	1	.....	.....	4
11	5	7	14	8	9	12	21	13	12	8	5	.....	1	.....	.....	5
.....	2	1	2	.....	1	1	.....	1	3	.....	.....	.....	.....	.....	.....	6
8	6	2	11	3	11	8	10	16	20	3	10	.....	.....	.....	1	7
6	4	2	11	3	11	8	10	16	19	3	10	.....	.....	.....	.....	8
2	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	9
73	71	69	65	85	85	78	88	58	72	45	25	5	.....	2	.....	10
52	47	52	53	64	72	70	72	45	60	40	24	4	.....	.....	.....	11
21	24	17	12	21	13	8	16	13	12	5	1	1	.....	2	.....	12
6	8	5	7	7	13	12	16	19	23	17	8	5	2	.....	.....	13
5	5	4	7	6	11	9	16	13	20	16	4	4	1	.....	.....	14
1	3	1	.....	1	2	3	.....	6	3	1	4	1	1	.....	.....	15
10	15	17	13	11	14	7	19	27	29	25	14	6	2	.....	2	16
9	10	12	10	8	12	6	16	25	24	23	12	6	1	.....	2	17
1	5	5	3	3	2	1	3	2	5	2	2	.....	1	.....	.....	18
9	11	4	6	13	12	12	23	12	15	9	7	5	1	1	2	19
7	9	2	4	10	11	12	22	9	13	9	6	4	1	.....	.....	20
2	2	2	2	3	1	.....	1	3	2	.....	1	1	.....	1	2	21
16	14	19	10	15	6	15	19	17	14	7	1	1	1	.....	2	22
28	29	33	27	39	38	45	50	53	60	36	17	3	3	1	2	23
23	20	28	24	35	35	36	42	49	54	30	15	3	2	.....	2	24
5	9	5	3	4	3	9	8	4	6	6	2	.....	1	1	.....	25
33	40	34	39	51	52	43	53	47	51	52	23	6	1	1	.....	26
374	424	424	442	480	470	443	444	450	341	238	136	41	14	3	18	27
236	249	263	305	315	358	315	362	388	304	209	119	35	11	1	6	28
138	175	161	137	165	112	128	82	62	37	29	17	6	3	2	12	29
45	43	53	69	57	62	47	55	66	50	37	18	4	2	1	.....	30
36	37	41	62	47	55	41	51	58	49	36	18	4	2	1	.....	31
9	6	12	7	10	7	6	4	8	1	1	.....	.....	.....	.....	.....	32
11	10	8	6	6	13	14	13	13	8	5	3	1	.....	.....	6	33
3	4	5	2	5	6	11	12	10	8	4	1	1	.....	.....	2	34
8	6	3	4	1	7	3	1	3	.....	1	2	.....	.....	.....	4	35
10	12	11	9	14	15	16	13	15	5	8	8	3	.....	.....	1	36
5	10	5	6	8	7	8	9	13	2	5	5	3	.....	.....	.....	37
5	2	6	3	6	8	8	4	2	3	3	3	.....	.....	.....	1	38
65	63	68	66	74	54	64	63	58	38	28	22	2	2	.....	8	39
36	35	37	32	35	36	35	49	47	31	21	17	2	2	.....	2	40
29	28	31	34	39	18	29	14	11	7	7	5	.....	.....	.....	6	41
187	238	228	220	260	256	227	226	241	188	120	72	22	6	2	1	42
114	131	141	146	168	203	162	181	210	166	104	66	18	4	.....	1	43
73	107	87	74	92	53	65	45	31	22	16	6	4	2	2	.....	44
21	16	23	25	24	18	26	26	25	24	24	4	5	2	.....	.....	45
20	13	19	24	23	16	24	26	25	24	23	4	5	2	.....	.....	46
1	3	4	1	1	2	2	.....	.....	.....	1	.....	.....	.....	.....	.....	47
12	15	14	16	20	27	21	21	13	12	9	2	1	.....	.....	.....	48
10	8	4	13	17	20	14	17	9	12	9	2	.....	.....	.....	.....	49
2	7	10	3	3	7	7	4	4	.....	.....	.....	1	.....	.....	.....	50
23	27	19	31	25	25	28	27	19	16	7	7	3	2	.....	2	51
12	11	11	20	12	15	20	17	16	12	7	6	2	1	.....	1	52
11	16	8	11	13	10	8	10	3	4	.....	1	1	1	.....	1	53
487	491	492	519	541	503	461	419	425	337	215	113	44	21	7	5	54
225	229	240	284	325	326	323	290	315	256	168	87	30	11	3	3	55
262	262	252	235	216	177	138	129	110	81	47	26	14	10	4	2	56
120	122	139	156	136	183	246	244	243	211	172	90	33	7	1	7	57
120	121	139	155	135	182	245	242	243	211	172	90	32	7	1	7	58
.....	1	.....	1	1	1	1	2	.....	.....	.....	.....	1	.....	.....	.....	59
3	4	6	8	6	12	20	26	23	17	24	9	2	.....	.....	1	60
12	15	18	21	16	21	27	27	28	29	20	13	5	2	1	.....	61
16	25	24	28	35	42	54	55	52	40	24	17	8	2	.....	4	62
11	10	11	8	8	12	20	18	21	12	9	8	4	.....	.....	.....	63
23	26	25	27	24	18	32	34	26	24	21	4	3	.....	.....	.....	64
48	37	47	56	40	67	82	73	73	82	64	35	10	3	.....	2	65
7	5	8	8	7	11	11	11	20	7	10	4	1	.....	.....	.....	66
468	558	591	649	751	790	793	726	670	583	366	152	63	11	5	3	67
329	377	398	450	520	645	675	624	592	527	335	133	51	9	3	3	68
139	181	193	199	231	145	118	102	78	56	31	19	12	2	2	.....	69

[1] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	MARYLAND—continued.												
1	Baltimore (total)	10,008	1,626	303	125	71	53	2,178	164	117	234	339	428
2	White	7,536	1,213	223	92	55	34	1,617	125	77	143	207	265
3	Colored	2,472	413	80	33	16	19	561	39	40	91	132	163
4	Cumberland (total)	414	53	16	6	2	2	79	5	8	12	15	22
5	White	381	47	16	6	2	2	73	5	8	10	15	19
6	Colored [1]	33	6					6			2		3
7	Frederick (total)	181	25	5	2	2	1	35	4	2	7	5	5
8	White	147	19	3		1	1	24	4	2	4	5	5
9	Colored	34	6	2	2	1		11			3		
10	Hagerstown (total)	372	59	11	6	3	1	80	10	6	8	17	16
11	White	334	52	10	5	3	1	71	9	4	6	15	14
12	Colored	38	7	1	1			9	1	2	2	2	2
	MASSACHUSETTS.												
13	Registration cities (total)	41,047	7,815	1,657	599	396	296	10,763	857	537	760	1,213	1,340
14	White	40,251	7,675	1,626	580	389	289	10,559	834	525	742	1,174	1,297
15	Colored	796	140	31	19	7	7	204	23	12	18	39	43
16	Adams town	157	51	6	2	1	1	61	3	2	3	6	7
17	Arlington town	168	30	2	2	2	1	37	2	3		8	1
18	Attleboro	197	34	6	3	3	2	48	3	1	2	4	5
19	Beverly	282	44	2	8	5	3	62	6	1	3	13	6
20	Boston (total)	12,020	2,042	539	177	121	96	2,975	264	174	219	352	467
21	White	11,651	1,987	526	173	119	91	2,896	254	167	213	335	444
22	Colored	369	55	13	4	2	5	79	10	7	6	17	23
23	Brockton	690	126	16	4	7	2	155	11	9	8	21	20
24	Brookline town	328	22	5	5	1	2	35	1	3	2	2	11
25	Cambridge	1,461	243	40	16	18	4	321	27	13	33	45	50
26	Chelsea	627	103	16	11	8	5	143	7	9	8	21	18
27	Chicopee	421	148	18	8	3	2	179	13	7	8	16	11
28	Clinton town	185	36	6	2		2	46	4	2	5	10	7
29	Everett	364	62	7	11	3	2	85	9	3	11	8	12
30	Fall River	2,020	653	128	39	31	20	871	39	30	42	58	50
31	Fitchburg	546	113	25	15	8	8	169	20	5	9	25	11
32	Framingham town	242	40	7	6		2	55	5		4	9	9
33	Gardner town	208	40	8	2	2	3	55	2	3	5	7	5
34	Gloucester	327	37	9	4	1		51	7	3	4	9	6
35	Greenfield town	140	22	2			1	25	2	3	1	8	7
36	Haverhill	672	94	13	8	4	6	125	14	8	7	23	24
37	Holyoke	956	269	50	13	5	12	349	28	14	18	30	33
38	Lawrence	1,407	405	115	38	26	12	596	39	16	24	39	36
39	Leominster town	244	33	7	5		2	47	7	6	3	7	6
40	Lowell	1,820	460	81	26	14	18	599	35	22	33	50	53
41	Lynn	1,176	162	24	17	10	4	217	18	15	19	40	38
42	Malden	518	64	11	7	5	4	91	21	9	11	14	21
43	Marlborough	197	31	3			3	37	2	2	1	1	9
44	Medford	336	53	11	3	3	1	71	5	4	5	3	7
45	Melrose	214	25	2	1	1		29	3	3	2	10	3
46	Methuen town	154	23	2	6	2	1	34	6	1	5	3	1
47	Milford town	197	26	5	2	3		36	10	1	2	4	3
48	New Bedford	1,724	505	136	36	22	15	714	31	18	40	46	46
49	Newburyport	199	6	5	1	1		13	1	2	5	4	3
50	Newton	529	67	19	8	1	2	97	14	5	15	12	11
51	North Adams	309	41	6		3	4	54	7	5	9	13	10
52	Northampton	376	42	5	1	1	1	50	6	5	6	7	13
53	Peabody town	232	44	10	4	5		63	15	14	10	13	5
54	Pittsfield	538	98	17	3	8	3	129	10	4	14	19	23
55	Plymouth town	162	37	7	2		1	47	2		5	4	5
56	Quincy	431	79	19	7	1	1	107	11	7	9	13	11
57	Revere	191	33	7	3	3	1	47	3	2	3	5	5
58	Salem	501	80	12	8	5	1	106	7	4	7	18	15
59	Somerville	1,006	144	34	14	6	6	204	23	13	10	18	24
60	Southbridge town	158	39	9	3	5	3	59	2	1	6	4	4
61	Springfield	1,513	276	61	23	14	6	380	20	24	31	47	55
62	Taunton	747	147	22	7	3	6	185	9	10	7	19	21
63	Wakefield town	158	31	7	1	2	2	43	4	1	5	3	1
64	Waltham	430	49	12	4	1	8	74	11	14	15	19	22
65	Watertown town	130	22	3	1		2	28	3	1	1	1	4
66	Webster town	152	48	8		1	1	58			4	2	1
67	Westfield town	305	59	9	3	1		72	3	8	11	16	18
68	Weymouth town	159	13	3	1	1		18	1		2	3	1
69	Winthrop town	162	15	2		1		18	2	3	2	1	5
70	Woburn	194	31	3	3	3		40	5	4	2	4	10
71	Worcester	2,467	418	75	25	21	14	553	54	20	44	76	90
	MICHIGAN.												
72	Registration cities (total)	17,666	3,435	573	227	136	104	4,475	336	219	396	689	797
73	White	17,369	3,398	563	227	133	104	4,425	328	218	388	672	774
74	Colored	297	37	10		3		50	8	1	8	17	23
75	Adrian	157	12	1	1			14		1	5	4	6
76	Alpena	168	31	5	3	2	2	43	3	2	8	7	8
77	Ann Arbor	383	35	4	6	2	1	48	1	4	8	23	14
78	Battle Creek	450	48	6	5	2	2	63	9	3	10	14	14

[1] Colored population less than 5 per cent of the total in 1910.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
416	513	554	599	707	730	728	661	595	515	327	133	52	11	5	2	1
281	341	365	407	479	590	617	564	523	464	298	116	43	9	3	2	2
135	172	189	192	228	140	111	97	72	51	29	17	9	2	2	.....	3
35	22	20	22	22	22	23	35	29	22	13	4	4	.....	.....	.....	4
33	19	18	19	21	21	21	34	25	19	13	4	4	.....	.....	.....	5
2	3	2	3	1	1	2	1	4	3	.....	.....	.....	.....	.....	.....	6
7	6	4	9	9	14	11	5	19	16	11	8	4	.....	.....	.....	7
6	3	4	7	7	12	9	3	18	14	10	7	3	.....	.....	.....	8
1	3	.....	2	2	2	2	2	1	2	1	1	1	.....	.....	.....	9
10	17	13	19	13	24	31	25	27	30	15	7	3	.....	.....	1	10
9	14	11	17	13	22	28	23	26	30	14	6	1	.....	.....	1	11
1	3	2	2	.....	2	3	2	1	.....	1	1	2	.....	.....	.....	12
1,458	1,637	1,870	2,070	2,319	2,455	2,613	2,846	2,890	2,408	1,646	913	338	79	17	18	13
1,414	1,575	1,822	2,015	2,285	2,399	2,566	2,811	2,859	2,390	1,635	906	333	76	16	18	14
44	62	48	55	34	56	47	35	31	18	11	7	5	3	1	.....	15
5	2	6	6	9	5	8	4	11	7	6	3	3	.....	.....	.....	16
4	9	11	7	8	6	11	12	17	15	8	5	4	.....	.....	.....	17
1	7	6	5	9	15	18	21	15	15	14	7	1	.....	.....	.....	18
8	6	13	10	15	27	15	18	26	26	13	6	6	1	1	.....	19
492	608	647	681	773	740	807	815	724	608	384	199	71	14	3	3	20
472	571	625	648	752	713	781	801	711	602	379	198	69	14	3	3	21
20	37	22	33	21	27	26	14	13	6	5	1	2	.....	.....	.....	22
29	23	29	37	48	44	47	54	50	47	31	17	8	1	1	.....	23
9	13	14	14	19	32	26	34	31	38	22	16	5	.....	1	.....	24
44	63	72	83	87	86	105	119	98	90	57	48	13	5	1	1	25
23	19	25	40	29	25	28	43	80	59	30	16	4	.....	.....	.....	26
8	14	15	26	9	16	20	21	22	17	9	6	4	.....	.....	.....	27
2	2	15	8	6	11	8	17	12	16	9	4	1	.....	.....	.....	28
7	14	11	16	21	38	24	25	28	24	16	8	3	.....	1	.....	29
67	59	67	76	98	99	100	123	98	58	48	27	4	2	.....	4	30
16	15	23	10	32	32	31	39	36	33	19	15	3	3	.....	.....	31
9	7	13	11	13	11	16	21	25	11	11	9	3	.....	.....	.....	32
4	9	7	14	15	10	19	20	10	10	7	3	2	1	.....	.....	33
13	13	15	22	23	23	21	29	26	17	23	15	5	2	.....	.....	34
4	10	5	8	7	7	8	13	8	6	9	7	1	.....	.....	1	35
21	22	35	28	51	42	49	51	51	50	37	24	9	1	.....	.....	36
37	33	30	45	60	53	37	52	56	38	23	13	6	1	.....	.....	37
46	48	54	60	61	68	68	76	82	48	33	10	3	.....	.....	.....	38
7	5	4	10	12	13	19	27	27	18	12	10	3	1	.....	.....	39
60	72	63	117	90	95	114	106	117	80	64	27	14	7	1	1	40
49	43	62	69	64	91	84	88	107	85	53	25	5	3	.....	1	41
18	14	16	27	22	34	33	35	47	38	35	19	8	3	2	.....	42
9	5	6	14	9	9	17	15	20	19	16	6	.....	.....	.....	.....	43
8	9	10	16	27	27	23	28	34	29	15	9	6	.....	.....	.....	44
4	6	8	7	19	13	17	15	27	20	16	9	3	.....	.....	.....	45
5	7	9	10	11	10	9	10	13	9	9	1	.....	1	.....	.....	46
9	7	6	11	12	14	13	19	11	16	13	8	2	.....	.....	.....	47
68	63	68	73	65	90	83	87	77	77	35	29	9	5	.....	.....	48
5	11	5	10	8	19	18	15	25	22	14	15	3	1	.....	.....	49
15	14	16	21	17	32	36	54	42	53	38	21	15	1	.....	.....	50
2	13	15	22	18	24	19	19	33	20	13	8	2	3	.....	.....	51
15	13	33	21	16	23	19	26	37	46	25	9	4	1	1	.....	52
4	5	5	8	7	7	19	13	11	12	9	7	4	1	.....	.....	53
25	23	29	22	36	29	33	34	43	24	23	10	6	.....	2	.....	54
7	7	7	4	3	7	10	14	11	17	6	2	3	1	.....	.....	55
13	16	20	20	24	26	24	23	39	34	22	7	4	.....	.....	1	56
3	7	6	8	10	10	13	18	17	11	13	5	1	4	.....	.....	57
10	17	15	21	28	28	42	44	52	32	27	22	6	.....	.....	.....	58
35	34	54	38	44	76	71	99	96	73	55	25	9	5	.....	.....	59
3	3	7	2	6	7	8	9	9	13	5	6	4	.....	.....	.....	60
41	68	72	82	103	79	89	96	111	94	73	31	15	2	.....	.....	61
31	23	29	41	39	43	59	48	59	53	33	29	7	.....	.....	2	62
5	1	4	8	4	7	11	17	17	12	8	3	3	1	.....	.....	63
19	13	27	17	21	30	25	15	28	33	27	14	5	1	.....	.....	64
5	3	4	6	11	5	9	12	13	7	8	7	2	.....	.....	.....	65
6	6	9	3	4	9	10	7	12	10	8	2	1	.....	.....	.....	66
14	11	12	11	10	8	18	12	28	21	17	7	5	1	1	1	67
2	2	2	7	12	10	12	15	20	18	16	11	7	.....	.....	.....	68
1	4	8	11	11	12	18	20	16	14	11	4	.....	.....	1	.....	69
11	4	8	6	7	12	17	12	14	11	14	6	5	2	.....	.....	70
100	112	118	120	156	166	155	187	171	154	104	61	18	4	1	3	71
801	772	773	858	949	1,049	1,092	1,164	1,139	962	685	363	109	23	6	9	72
778	749	752	834	930	1,036	1,070	1,149	1,131	952	675	361	109	23	6	9	73
23	23	21	24	19	13	22	15	8	10	10	2	.....	.....	.....	.....	74
3	6	4	6	7	8	11	18	15	21	17	4	6	1	.....	.....	75
3	3	5	6	5	8	12	12	16	10	10	4	2	1	.....	.....	76
25	16	14	20	23	30	37	33	23	31	22	9	2	.....	.....	.....	77
19	24	18	29	29	40	35	42	36	26	20	12	4	1	.....	2	78

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities o f

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	MICHIGAN—continued.												
1	Bay City	658	92	15	6	7	9	129	16	8	14	27	13
2	Detroit	8,720	2,202	391	137	80	60	2,870	172	109	197	369	449
3	Escanaba	195	28	9	2	1	.....	40	4	5	3	5	11
4	Flint	536	126	18	10	6	4	164	13	6	8	23	26
5	Grand Rapids	1,570	224	24	13	5	10	276	23	14	30	64	66
6	Holland	118	18	4	3	1	.....	26	2	2	3	5	7
7	Ironwood	123	31	7	5	1	1	45	.....	2	4	9	9
8	Ishpeming	118	15	1	3	3	.....	22	5	2	4	4	4
9	Jackson	498	67	13	5	.....	5	90	10	6	15	11	23
10	Kalamazoo	773	66	11	5	2	1	85	8	4	19	21	29
11	Lansing	473	83	17	5	5	2	112	16	11	12	14	16
12	Manistee	141	22	6	1	4	.....	33	2	4	2	6	2
13	Marquette	147	17	2	.....	1	.....	20	3	2	4	5	4
14	Menominee	142	19	6	.....	1	2	28	5	4	8	6	6
15	Muskegon	390	70	8	3	5	.....	86	13	4	13	14	14
16	Pontiac	397	31	5	1	2	1	40	6	5	1	8	15
17	Port Huron	291	35	4	3	1	.....	43	5	2	6	13	9
18	Saginaw	735	109	8	7	5	2	131	13	11	16	22	33
19	Sault Ste. Marie	169	34	7	3	.....	1	45	3	5	2	7	10
20	Traverse City	314	20	1	.....	.....	1	22	4	3	4	8	9
	MINNESOTA.												
21	Registration cities (total)	8,371	1,339	166	99	62	53	1,719	174	128	168	377	390
22	White	8,229	1,328	162	96	62	52	1,700	173	127	165	372	384
23	Colored	142	11	4	3	.....	1	19	1	1	3	5	6
24	Duluth	915	189	19	10	7	4	229	21	17	23	41	49
25	Mankato	175	16	2	3	.....	.....	21	3	4	3	5	10
26	Minneapolis	4,048	608	72	50	27	24	781	80	43	78	178	200
27	St. Cloud	150	28	1	1	1	2	33	10	7	2	6	2
28	St. Paul	2,598	413	54	25	23	20	535	54	48	52	131	103
29	Stillwater	109	11	.....	2	2	.....	15	.....	1	2	4	5
30	Virginia	129	42	9	7	1	.....	59	2	3	2	5	6
31	Winona	247	32	9	1	1	3	46	4	5	6	7	15
	MISSISSIPPI.[1]												
32	Registration cities (total)	2,614	221	76	18	21	10	346	54	52	120	197	200
33	White	919	80	41	6	7	5	139	18	16	25	44	39
34	Colored	1,695	141	35	12	14	5	207	36	36	95	153	161
35	Hattiesburg (total)	246	41	18	2	4	2	67	5	6	11	14	16
36	White	105	18	8	2	2	1	31	2	2	3	2	5
37	Colored	141	23	10	.....	2	1	36	3	4	8	12	11
38	Jackson (total)	846	69	18	3	7	2	99	16	20	45	66	78
39	White	302	19	6	1	2	1	29	4	10	8	18	13
40	Colored	544	50	12	2	5	1	70	12	10	37	48	65
41	Meridian (total)	560	46	27	9	7	1	90	19	10	27	57	39
42	White	260	29	22	2	2	1	56	6	2	6	13	12
43	Colored	300	17	5	7	5	.....	34	13	8	21	44	27
44	Natchez (total)	237	27	5	.....	.....	1	33	4	4	10	11	18
45	White	56	6	2	.....	.....	.....	8	2	.....	.....	2	4
46	Colored	181	21	3	.....	.....	1	25	2	4	10	9	14
47	Vicksburg (total)	725	38	8	4	3	4	57	10	12	27	49	49
48	White	196	8	3	1	1	2	15	4	2	8	9	5
49	Colored	529	30	5	3	2	2	42	6	10	19	40	44
	MISSOURI.												
50	Registration cities (total)	18,029	2,060	441	228	136	92	2,957	373	231	436	758	888
51	White	15,741	1,880	380	202	122	79	2,663	339	197	350	610	713
52	Colored	2,288	180	61	26	14	13	294	34	34	86	148	175
53	Hannibal (total)	269	32	5	4	.....	2	43	5	4	11	13	10
54	White	214	27	5	4	.....	2	38	5	3	8	6	6
55	Colored	55	5	.....	.....	.....	.....	5	.....	1	3	7	4
56	Jefferson City (total)	197	16	11	4	1	1	33	6	5	10	9	13
57	White	150	13	10	4	1	1	29	6	5	6	4	9
58	Colored	47	3	1	.....	.....	.....	4	.....	.....	4	5	4
59	Joplin	601	71	19	13	3	2	108	14	10	10	27	31
60	Kansas City (total)	4,255	492	90	41	33	24	680	78	61	112	189	262
61	White	3,540	437	70	31	30	21	589	67	46	82	145	203
62	Colored	715	55	20	10	3	3	91	11	15	30	44	59
63	Moberly (total)	177	20	3	1	1	.....	25	.....	2	8	9	6
64	White	142	18	2	1	1	.....	22	.....	1	5	5	1
65	Colored	35	2	1	.....	.....	.....	3	.....	1	3	4	5
66	St. Joseph (total)	1,154	120	10	6	4	5	145	31	14	27	60	44
67	White	1,056	107	10	6	4	3	130	29	12	24	53	38
68	Colored	98	13	.....	.....	.....	2	15	2	2	3	7	6
69	St. Louis (total)	10,293	1,181	272	138	83	48	1,722	213	123	233	412	464
70	White	9,088	1,093	236	128	73	41	1,571	194	110	196	336	374
71	Colored	1,205	88	36	10	10	7	151	19	13	37	76	90
72	Sedalia (total)	291	34	13	9	2	2	60	7	2	4	10	11
73	White	240	26	11	5	2	1	45	6	2	2	9	9
74	Colored	51	8	2	4	.....	1	15	1	.....	2	1	2

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
22	18	23	30	34	33	51	50	66	40	47	28	8	1	.....	.....	1
422	405	396	411	435	424	462	443	427	340	221	121	37	10	.....	.....	2
3	5	8	17	13	19	13	17	15	5	5	5	2	.....	.....	.....	3
23	13	19	18	23	27	34	38	31	31	20	14	4	1	.....	.....	4
75	73	60	96	92	101	99	126	123	102	93	41	11	1	4	.....	5
4	.....	8	3	3	10	5	4	8	18	6	2	2	.....	.....	.....	6
4	5	8	2	7	15	5	2	4	2	.....	.....	.....	.....	.....	.....	7
11	6	4	8	6	7	8	7	10	5	1	3	1	.....	.....	.....	8
19	15	23	29	26	40	27	31	36	41	34	18	2	.....	.....	2	9
27	43	29	40	45	66	63	74	69	74	46	22	5	2	.....	2	10
10	11	24	14	27	29	25	40	46	31	16	13	4	.....	1	1	11
10	4	3	5	8	6	8	7	19	8	10	4	.....	.....	.....	.....	12
12	10	13	8	12	7	9	10	8	7	9	4	.....	.....	.....	.....	13
7	6	3	4	14	10	6	13	11	7	1	1	1	.....	1	.....	14
15	17	18	16	24	32	27	27	26	13	18	11	2	.....	.....	.....	15
25	19	23	22	25	31	40	35	34	33	17	11	5	1	.....	1	16
8	15	10	17	11	17	31	27	23	34	9	6	5	.....	.....	.....	17
32	38	34	26	50	53	49	62	52	50	41	19	2	1	.....	.....	18
7	4	12	8	12	6	9	12	7	6	7	3	2	2	.....	.....	19
15	16	14	23	18	30	26	34	34	27	15	8	2	1	.....	1	20
481	413	419	449	580	594	492	501	463	402	334	202	64	12	3	6	21
469	400	410	428	572	577	485	495	460	395	332	201	64	12	2	6	22
12	13	9	21	8	17	7	6	3	7	2	1	.....	.....	1	.....	23
51	46	55	61	55	70	46	45	37	30	22	13	2	.....	1	1	24
11	6	6	11	15	10	9	17	11	18	8	6	1	.....	.....	.....	25
248	218	206	221	261	286	239	233	248	213	177	93	31	10	2	2	26
4	5	6	5	12	10	12	9	3	9	5	7	3	.....	.....	.....	27
142	117	131	129	207	184	162	169	136	109	97	64	23	2	.....	3	28
2	7	3	5	10	13	10	6	9	6	6	4	1	.....	.....	.....	29
12	5	6	4	7	6	4	1	1	2	2	2	.....	.....	.....	.....	30
11	9	6	13	13	15	10	21	18	15	17	13	3	.....	.....	.....	31
176	194	191	148	162	156	159	115	132	82	56	29	10	11	11	13	32
54	54	66	47	53	81	72	58	65	48	25	10	2	2	.....	1	33
122	140	125	101	109	75	87	57	67	34	31	19	8	9	11	12	34
15	19	17	7	10	10	14	15	5	7	5	.....	.....	1	1	1	35
6	4	9	2	3	6	9	15	2	3	1	.....	.....	.....	.....	.....	36
9	15	8	5	7	4	5	.....	3	4	4	.....	.....	1	1	1	37
54	70	68	51	51	44	47	26	42	29	17	9	2	2	2	8	38
19	20	19	17	29	26	20	15	23	15	10	5	1	.....	.....	1	39
35	50	49	34	22	18	27	11	19	14	7	4	1	2	2	7	40
43	33	32	29	22	37	24	21	35	19	8	4	2	4	3	2	41
17	13	15	17	9	24	15	12	23	14	5	.....	.....	1	.....	.....	42
26	20	17	12	13	13	9	9	12	5	3	4	2	3	3	2	43
14	11	14	13	10	16	15	14	17	8	12	6	3	1	3	.....	44
3	3	2	3	.....	8	6	4	3	3	3	2	.....	.....	.....	.....	45
11	8	12	10	10	8	9	10	14	5	9	4	3	1	3	.....	46
50	61	60	48	69	49	59	39	33	19	14	10	3	3	2	2	47
9	14	21	8	12	17	22	12	14	13	6	3	1	1	.....	.....	48
41	47	39	40	57	32	37	27	19	6	8	7	2	2	2	2	49
973	1,092	1,074	1,158	1,244	1,199	1,212	1,214	1,172	956	622	307	92	24	10	37	50
802	860	882	973	1,065	1,072	1,086	1,125	1,086	907	588	293	83	20	1	26	51
171	232	192	185	179	127	126	89	86	49	34	14	9	4	9	11	52
13	14	14	10	18	18	14	17	25	16	15	5	2	.....	.....	2	53
9	11	8	9	12	17	10	14	22	16	13	5	1	.....	.....	1	54
4	3	6	1	6	1	4	3	3	.....	2	.....	1	.....	.....	1	55
8	19	8	6	6	9	15	10	15	5	8	3	2	.....	.....	7	56
8	14	4	4	4	7	13	9	12	4	6	3	1	.....	.....	2	57
.....	5	4	2	2	2	2	1	3	1	2	.....	1	.....	.....	5	58
33	29	42	46	35	32	37	43	43	30	16	11	2	.....	.....	2	59
263	303	250	266	274	289	256	263	262	221	131	54	27	9	2	3	60
196	220	189	213	218	240	234	238	237	215	124	50	25	6	.....	3	61
67	83	61	53	56	49	22	25	25	6	7	4	2	3	2	.....	62
11	6	11	12	6	6	12	19	16	15	10	2	1	.....	.....	.....	63
10	3	7	8	5	6	10	15	16	15	10	2	1	.....	.....	.....	64
1	3	4	4	1	.....	2	4	.....	.....	.....	.....	.....	.....	.....	.....	65
62	67	67	74	82	71	82	85	76	74	46	27	6	2	1	11	66
56	58	58	67	77	65	74	81	72	73	45	25	6	2	.....	11	67
6	9	9	7	5	6	8	4	4	1	1	2	.....	.....	1	.....	68
522	602	620	690	761	703	724	716	656	530	355	185	46	11	3	2	69
436	480	524	579	659	640	649	668	614	491	334	179	41	10	1	2	70
86	122	96	111	102	63	75	48	42	39	21	6	5	1	2	.....	71
10	9	13	11	15	12	22	20	21	21	18	10	3	.....	3	9	72
8	7	10	8	13	8	19	19	20	21	18	8	3	.....	.....	5	73
2	2	3	3	2	4	3	1	1	.....	.....	2	.....	.....	3	4	74

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	MISSOURI—continued.												
1	Springfield (total)	569	64	12	6	7	6	95	9	8	16	21	28
2	White	509	59	11	4	6	6	86	8	6	12	18	25
3	Colored	60	5	1	2	1		9	1	2	4	3	3
4	Webb City	223	30	6	6	2	2	46	10	2	5	8	19
	MONTANA.												
5	Registration cities (total)	1,668	240	30	8	10	5	293	26	25	47	76	95
6	White	1,625	236	30	8	10	5	289	26	25	45	74	92
7	Colored	43	4					4			2	2	3
8	Anaconda	145	24	1	2		1	28	1	2	3	2	10
9	Billings	149	16	3				19	6	1	6	6	9
10	Butte	708	100	9	4	5	3	121	9	16	19	39	43
11	Great Falls	264	49	8	1	2		60	2	1	10	15	17
12	Helena (total)	213	25	4		1		30	2	2	3	9	7
13	White	205	25	4		1		30	2	2	2	8	6
14	Colored	8									1	1	1
15	Missoula	189	26	5	1	2	1	35	6	3	6	5	9
	NEBRASKA.[1]												
16	Registration cities (total)	2,596	278	77	34	24	20	433	67	49	64	103	120
17	White	2,469	272	74	32	24	20	422	63	44	62	94	110
18	Colored	127	6	3	2			11	4	5	2	9	10
19	Lincoln	610	88	18	11	5	10	132	15	14	14	19	32
20	Omaha	1,986	190	59	23	19	10	301	52	35	50	84	88
	NEW HAMPSHIRE.												
21	Registration cities (total)	3,010	643	117	30	20	21	831	45	43	57	76	86
22	White	3,004	642	116	30	20	21	829	45	43	57	76	86
23	Colored	6	1	1				2					
24	Berlin	188	70	12	4	4		90	2	4	6	4	5
25	Concord	445	29	3	3	3	2	40	3	2	6	10	10
26	Dover	242	32	4	1	1	2	40	2	3	3	9	10
27	Keene	157	17	7	1	1	2	28	3	4	4	2	5
28	Laconia	184	28	3	3	1	1	36	1	4	5	1	5
29	Manchester	1,145	342	70	10	8	9	439	24	18	16	35	37
30	Nashua	446	99	14	7	1	4	125	7	4	11	13	10
31	Portsmouth	203	26	4	1	1	1	33	3	4	6	2	4
	NEW JERSEY.												
32	Registration cities (total)	25,494	4,880	1,079	428	275	237	6,899	565	337	574	834	956
33	White	24,143	4,648	1,019	396	265	227	6,555	530	318	522	779	884
34	Colored	1,351	232	60	32	10	10	344	35	19	52	55	72
35	Asbury Park (total)	157	16	4	2		1	23		1	3	5	2
36	White	110	10	3	1		1	15		1	2	3	1
37	Colored	47	6	1	1			8			1	2	1
38	Atlantic City (total)	847	100	22	5	6	6	139	14	9	20	29	35
39	White	654	67	10	5	4	4	90	11	8	18	19	22
40	Colored	193	33	12		2	2	49	3	1	2	10	13
41	Bayonne	818	197	61	19	11	10	298	23	11	24	30	33
42	Bloomfield	158	20	3	3	2		28	1		1	2	3
43	Bridgeton (total)	239	30	4	1		1	36	3	5	2	8	10
44	White	225	27	4	1		1	33	3	5	2	7	9
45	Colored	14	3					3				1	1
46	Camden (total)	1,605	309	67	26	27	18	447	38	37	42	54	51
47	White	1,435	273	58	22	25	15	393	32	35	36	50	48
48	Colored	170	36	9	4	2	3	54	6	2	6	4	3
49	East Orange (total)	324	29	2	3	3	2	39	1	7	2	5	8
50	White	295	27	1	3	2	2	35		5	2	3	5
51	Colored	29	2	1		1		4	1	2		2	3
52	Elizabeth	1,067	211	57	20	17	17	322	25	12	23	35	49
53	Garfield	182	75	16	7	1	3	102	7	1	2	5	4
54	Hackensack (total)	279	51	10	8	3	2	74	2	2	4	11	11
55	White	261	43	9	7	3	2	64	2	2	4	11	10
56	Colored	18	8	1	1			10					1
57	Harrison	180	49	8	4	3	2	66	4	3	4	5	6
58	Hoboken	1,143	160	55	21	7	15	258	39	15	20	38	46
59	Irvington	193	22	3	4	2	3	34	4		1	9	6
60	Jersey City	4,347	802	247	83	50	42	1,314	104	60	101	145	160
61	Kearny	299	35	5	1	3	3	47	3	3	9	5	13
62	Long Branch (total)	316	38	4	4	2	2	50	10	6	9	11	17
63	White	272	36	4	4	1	2	47	6	6	8	10	13
64	Colored	44	2			1		3	4		1	1	4
65	Millville	169	30	4	2			36	3	3	5	4	2
66	Montclair (total)	256	46	7	3			56	2		8	5	8
67	White	234	42	5	3			50	1		4	4	8
68	Colored	22	4	2				6	1		4	1	
69	Morristown (total	238	37	6	5	1	3	52	5	3	5	10	8
70	White	222	33	5	4	1	2	45	4	3	4	10	8
71	Colored	16	4	1	1		1	7	1		1		
72	New Brunswick	533	143	17	10	6	7	183	13	5	5	17	25
73	Newark	5,241	940	189	69	51	43	1,292	107	65	126	165	222
74	Orange (total)	510	83	17	13	3	6	122	11	5	13	14	12
75	White	446	75	14	8	3	6	106	8	4	7	13	9
76	Colored	64	8	3	5			16	3	1	6	1	3

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
35	25	33	32	39	44	42	35	48	34	12	8	2	2	1	.....	1
31	21	28	31	38	42	33	33	42	32	11	8	2	2	.....	.....	2
4	4	5	1	1	2	9	2	6	2	1	.....	.....	.....	1	.....	3
16	18	16	11	8	15	8	6	10	10	11	2	1	.....	.....	1	4
102	132	125	135	139	113	98	70	79	64	27	8	9	3	1	1	5
98	128	121	132	134	110	94	68	78	63	27	8	9	3	.....	1	6
4	4	4	3	5	3	4	2	1	1	.....	.....	.....	.....	1	.....	7
13	10	12	15	14	7	6	4	11	2	2	2	.....	1	.....	.....	8
8	10	7	14	12	13	8	11	5	11	1	.....	2	.....	.....	.....	9
46	69	74	67	61	45	37	17	17	20	4	2	1	1	.....	.....	10
13	23	14	16	23	20	15	13	9	5	3	.....	2	1	1	1	11
13	9	9	12	13	14	24	17	19	16	10	2	2	.....	.....	.....	12
13	9	9	12	10	14	22	17	19	16	10	2	2	.....	.....	.....	13
.....	.....	.....	.....	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	14
9	11	9	11	16	14	8	8	18	10	7	2	2	.....	.....	.....	15
134	152	142	163	175	183	152	175	181	135	93	54	15	4	2	.....	16
121	139	131	149	167	175	150	170	180	134	89	52	13	3	1	.....	17
13	13	11	14	8	8	2	5	1	1	4	2	2	1	1	.....	18
24	26	16	27	36	35	33	55	51	36	24	15	5	1	.....	.....	19
110	126	126	136	139	148	119	120	130	99	69	39	10	3	2	.....	20
83	109	128	123	151	170	176	206	214	209	156	87	43	7	.....	10	21
83	109	127	123	151	169	176	206	214	207	156	87	43	7	.....	10	22
.....	.....	1	.....	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	23
4	11	9	4	11	10	5	4	4	5	2	1	3	.....	.....	4	24
12	24	19	24	36	33	31	38	58	34	41	13	6	4	.....	1	25
3	11	11	5	10	17	20	24	20	22	17	8	4	1	.....	2	26
5	4	4	6	6	7	5	16	9	18	13	11	6	1	.....	.....	27
6	4	7	5	11	11	8	17	16	15	15	12	4	.....	.....	1	28
34	32	36	41	55	55	58	64	56	72	41	23	8	1	.....	.....	29
12	13	31	22	11	27	35	28	31	29	17	14	6	.....	.....	.....	30
7	10	11	16	11	10	14	15	20	14	10	5	6	.....	.....	2	31
1,028	1,292	1,324	1,504	1,575	1,498	1,571	1,584	1,513	1,200	749	335	121	21	13	1	32
936	1,195	1,229	1,416	1,502	1,431	1,496	1,529	1,453	1,170	733	322	114	18	10	1	33
92	97	95	88	73	67	75	55	60	30	16	13	7	3	3	.....	34
5	11	6	10	7	17	13	14	16	12	6	4	2	.....	.....	.....	35
2	9	3	4	5	15	11	10	10	10	5	4	.....	.....	.....	.....	36
3	2	3	6	2	2	2	4	6	2	1	.....	2	.....	.....	.....	37
33	46	55	54	68	70	58	64	56	58	25	12	1	.....	1	.....	38
18	33	41	38	54	56	50	58	48	54	25	10	1	.....	.....	.....	39
15	13	14	16	14	14	8	6	8	4	.....	2	.....	.....	1	.....	40
24	53	55	54	45	34	40	30	29	16	12	5	2	.....	.....	.....	41
4	7	10	8	7	9	8	16	18	12	15	5	3	1	.....	.....	42
12	10	11	12	13	15	10	19	27	26	10	7	2	.....	1	.....	43
12	8	11	12	11	14	10	17	27	26	10	7	1	.....	.....	.....	44
.....	2	.....	.....	2	1	.....	2	.....	.....	.....	.....	1	.....	1	.....	45
56	71	71	68	85	105	102	119	94	91	53	13	3	4	1	.....	46
48	54	61	63	80	99	90	103	88	86	50	12	3	3	1	.....	47
8	17	10	5	5	6	12	16	6	5	3	1	.....	1	.....	.....	48
8	9	10	12	26	21	31	34	32	36	22	19	2	.....	.....	.....	49
5	7	8	11	23	21	29	34	30	35	22	19	1	.....	.....	.....	50
3	2	2	1	3	.....	2	.....	2	1	.....	.....	1	.....	.....	.....	51
44	50	45	53	65	72	68	57	58	37	30	12	8	1	1	.....	52
5	2	12	5	8	6	2	7	7	5	2	.....	.....	.....	.....	.....	53
7	16	9	11	14	20	16	27	19	11	13	5	6	.....	1	.....	54
6	15	8	11	13	20	15	26	19	11	12	5	6	.....	1	.....	55
1	1	1	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	56
5	6	7	10	9	12	8	11	9	11	3	.....	.....	1	.....	.....	57
56	71	87	77	85	70	87	59	53	50	18	12	2	.....	.....	.....	58
2	7	16	6	16	12	15	14	10	16	15	7	3	.....	.....	.....	59
201	244	225	271	301	225	241	240	213	146	91	46	15	.....	3	1	60
7	15	12	12	8	15	18	23	46	40	16	6	1	.....	.....	.....	61
18	18	12	20	22	18	20	24	28	15	14	3	1	.....	.....	.....	62
13	9	8	16	21	16	18	23	27	13	14	3	1	.....	.....	.....	63
5	9	4	4	1	2	2	1	1	2	.....	.....	.....	.....	.....	.....	64
3	6	4	7	14	15	15	16	6	11	12	3	2	2	.....	.....	65
6	9	5	18	12	14	13	19	27	17	21	14	1	1	.....	.....	66
4	8	5	16	12	13	13	18	27	17	21	12	1	.....	.....	.....	67
2	1	.....	2	.....	1	.....	1	.....	.....	.....	2	.....	1	.....	.....	68
13	11	11	16	15	17	11	14	23	7	9	5	2	1	.....	.....	69
13	11	11	14	13	17	10	13	22	7	9	5	2	1	.....	.....	70
.....	.....	.....	2	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	71
19	24	21	36	17	34	34	26	22	23	18	7	3	1	.....	.....	72
221	288	294	358	349	313	360	314	299	238	137	61	30	1	1	.....	73
25	40	38	30	31	33	24	34	29	21	18	5	5	.....	.....	.....	74
23	36	34	24	29	29	22	31	25	20	17	4	5	.....	.....	.....	75
2	4	4	6	2	4	2	3	4	1	1	1	.....	.....	.....	.....	76

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities o

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NEW JERSEY—continued.												
1	Passaic	908	298	51	23	20	15	407	26	21	22	38	44
2	Paterson	1,796	261	48	16	11	10	346	37	22	54	61	56
3	Perth Amboy	511	189	38	11	6	4	248	10	5	8	9	14
4	Phillipsburg	175	21	3	3	1	1	29	6	4	7	9	5
5	Plainfield (total)	347	66	16	12	3	2	99	9	2	6	11	9
6	White	308	59	13	7	3	2	84	8	1	6	10	8
7	Colored	39	7	3	5	.....	.....	15	1	1	.....	1	1
8	Trenton	1,765	372	87	32	23	8	522	33	19	30	67	64
9	Union	214	41	1	4	2	2	50	7	1	2	10	5
10	West Hoboken	330	53	15	6	5	5	84	9	6	8	8	12
11	West New York	246	49	8	8	6	1	72	9	4	6	9	7
12	West Orange	101	17	4	.....	.....	3	24	.....	.....	2	.....	9
	NEW YORK.												
13	Registration cities (total)	110,194	19,827	4,614	1,793	1,103	769	28,106	2,282	1,426	2,236	3,706	4,354
14	White	106,956	19,230	4,418	1,731	1,073	744	27,196	2,228	1,374	2,146	3,515	4,120
15	Colored	3,238	597	196	62	30	25	910	54	52	90	191	234
16	Albany	2,075	271	62	16	16	15	380	30	21	40	67	66
17	Amsterdam	492	116	20	6	3	3	148	5	4	9	12	21
18	Auburn	598	100	18	8	2	3	131	14	6	6	13	20
19	Batavia	232	39	7	4	.....	1	51	3	4	4	5	5
20	Binghamton	1,066	183	29	9	4	4	229	20	10	24	18	36
21	Buffalo	6,852	1,364	262	101	66	33	1,826	144	87	147	284	258
22	Cohoes	386	77	13	8	6	5	109	10	4	4	14	18
23	Corning	204	35	1	2	1	.....	39	3	2	6	5	8
24	Cortland	198	27	6	3	.....	1	37	2	2	3	6	4
25	Dunkirk	214	35	7	4	2	2	50	4	3	5	3	10
26	Elmira	675	95	9	7	1	2	114	16	5	13	18	19
27	Fulton	194	36	5	2	4	1	48	3	3	2	9	3
28	Geneva	208	24	4	3	.....	2	33	2	.....	7	5	7
29	Glens Falls	287	31	11	5	.....	.....	47	3	2	5	8	2
30	Gloversville	276	31	7	3	.....	.....	41	2	1	3	9	14
31	Hornell	213	16	4	1	.....	.....	21	5	.....	2	3	6
32	Hudson	216	34	16	3	.....	2	55	1	3	4	6	7
33	Ithaca	257	26	3	1	1	.....	31	5	1	2	3	8
34	Jamestown	435	56	6	4	1	3	70	10	8	11	17	9
35	Johnstown	132	19	3	1	1	.....	24	2	.....	3	.....	2
36	Kingston	496	47	14	10	4	.....	75	10	5	7	20	23
37	Lackawanna	382	267	37	2	3	2	311	3	4	1	5	8
38	Little Falls	224	47	7	5	4	.....	63	5	1	2	9	10
39	Lockport	269	32	6	1	4	2	45	3	3	8	10	7
40	Middletown	382	16	5	3	2	.....	26	2	2	3	10	10
41	Mount Vernon	415	78	20	6	5	3	112	11	5	7	11	13
42	New Rochelle (total)	413	73	19	3	3	4	102	11	4	15	18	11
43	White	369	63	15	2	3	3	86	11	4	10	16	10
44	Colored	44	10	4	1	.....	1	16	.....	.....	5	2	1
45	New York (total)	76,241	13,850	3,572	1,370	861	595	20,248	1,684	1,050	1,581	2,632	3,166
46	Bronx Borough	7,570	1,288	306	123	78	51	1,846	167	113	195	296	357
47	Brooklyn Borough	26,060	4,510	1,211	445	286	215	6,667	651	382	545	871	1,030
48	Manhattan Borough	36,176	6,853	1,848	691	420	274	10,086	718	461	700	1,242	1,531
49	Queens Borough	4,915	947	163	80	59	46	1,295	121	79	118	180	185
50	Richmond Borough	1,520	252	44	31	18	9	354	27	15	23	43	63
51	White	73,542	13,333	3,403	1,316	831	572	19,455	1,643	1,008	1,514	2,473	2,953
52	Bronx Borough	7,446	1,271	301	118	76	51	1,817	165	110	190	289	345
53	Brooklyn Borough	25,362	4,379	1,167	430	282	210	6,468	643	377	526	833	979
54	Manhattan Borough	34,436	6,502	1,733	664	398	257	9,554	689	431	662	1,135	1,388
55	Queens Borough	4,802	931	159	74	57	45	1,266	119	75	114	174	179
56	Richmond Borough	1,496	250	43	30	18	9	350	27	15	22	42	62
57	Colored	2,699	517	169	54	30	23	793	41	42	67	159	213
58	Bronx Borough	124	17	5	5	2	.....	29	2	3	5	7	12
59	Brooklyn Borough	698	131	44	15	4	5	199	8	5	19	38	51
60	Manhattan Borough	1,740	351	115	27	22	17	532	29	30	38	107	143
61	Queens Borough	113	16	4	6	2	1	29	2	4	4	6	6
62	Richmond Borough	24	2	1	1	.....	.....	4	.....	.....	1	1	1
63	Newburgh	475	61	11	5	4	2	83	5	4	9	14	18
64	Niagara Falls	580	167	23	8	1	3	202	12	8	15	17	25
65	North Tonawanda	166	40	3	.....	.....	1	44	4	.....	4	12	7
66	Ogdensburg	433	55	7	4	4	1	71	11	10	4	7	11
67	Olean	239	44	2	2	.....	.....	48	3	3	4	16	10
68	Ossining (total)	173	20	2	1	1	.....	24	.....	3	.....	16	12
69	White	155	18	2	1	1	.....	22	.....	2	.....	13	10
70	Colored	18	2	.....	.....	.....	.....	2	.....	1	.....	3	2
71	Oswego	359	70	9	1	2	2	84	1	4	6	7	13
72	Peekskill	258	34	4	6	2	1	47	7	1	9	6	7
73	Plattsburg	201	38	3	3	2	2	48	3	5	3	6	11
74	Port Chester	215	51	12	3	1	1	68	5	3	10	7	3
75	Poughkeepsie	509	74	12	10	8	5	109	11	5	9	14	18
76	Rensselaer	154	16	5	2	1	1	25	4	1	2	3	8
77	Rochester	3,488	568	90	41	25	15	739	47	30	66	84	133

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
29	36	41	40	33	33	26	38	26	20	16	10	2				1
81	99	104	108	116	124	127	137	125	98	63	28	6	4			2
20	18	19	27	24	24	19	25	19	15	3	2		1	1		3
4	6	6	13	15	8	13	13	12	13	6	2	3	1			4
9	11	19	17	26	9	19	22	34	19	16	3	3	1	3		5
7	9	16	16	22	9	18	21	30	19	16	3	3		2		6
2	2	3	1	4		1	1	4					1	1		7
73	74	77	95	102	94	102	116	114	94	62	17	9	1			8
6	11	17	10	7	17	15	13	19	11	5	7	1				9
15	11	12	25	18	23	31	15	23	13	8	7	2				10
12	8	10	16	14	10	17	14	14	12	6	5	1				11
5	4	3	5	3	9	8	10	6	6	4	3					12
4,749	5,509	6,075	6,523	7,163	7,071	7,264	6,886	6,318	4,944	3,242	1,619	544	133	30	14	13
4,517	5,223	5,832	6,315	6,990	6,920	7,141	6,785	6,241	4,888	3,214	1,603	536	133	26	13	14
232	286	243	208	173	151	123	101	77	56	28	16	8		4	1	15
91	105	125	122	135	147	156	165	169	109	97	37	9	4			16
17	24	14	14	38	28	39	33	32	28	15	9	2				17
22	22	24	21	33	32	36	44	56	44	33	32	6	2	1		18
5	11	6	12	16	15	13	23	16	20	12	6	5				19
28	44	33	48	65	75	77	94	88	80	61	29	6	1			20
281	292	341	324	472	456	440	389	385	337	206	124	45	11	3		21
13	15	10	19	30	25	26	40	20	15	9	3	2				22
4	6	11	10	13	17	18	15	14	18	8	5		2			23
2	9	9	12	8	14	17	15	24	15	10	7	2				24
5	7	13	5	10	18	17	10	13	15	13	10	3				25
40	33	23	36	34	39	62	50	59	49	38	19	6	2			26
7	5	7	7	9	12	16	11	10	12	19	10	1				27
11	9	11	7	9	10	22	24	10	13	12	13	1	2			28
10	12	12	16	16	18	31	28	27	26	13	6	3	2			29
3	8	10	14	22	25	24	27	27	26	13	4	2	1			30
7	11	14	15	10	18	18	22	27	18	9	4	3				31
7	15	10	5	7	12	13	21	12	13	11	7	5	2			32
4	8	10	11	17	18	20	34	25	25	23	9	3				33
16	20	17	21	25	29	36	40	35	33	25	6	6	1			34
4	1	8	6	6	10	13	10	12	11	12	7			1		35
27	18	18	30	23	30	40	38	41	41	26	18	3	2		1	36
5	7	4	4	5	2	3	8	5	4	1		2				37
4	10	9	15	10	9	19	13	17	18	6	2	1			1	38
10	7	9	12	20	14	19	18	24	24	18	10	7	1			39
12	10	21	28	29	27	33	46	39	32	28	16	5	1	1	1	40
15	16	20	22	18	26	26	25	28	29	16	10	5				41
13	19	11	21	20	21	29	32	29	30	11	9	5	2			42
12	17	9	18	18	19	27	27	28	30	11	9	5	2			43
1	2	2	3	2	2	2	5	1								44
3,481	4,091	4,520	4,787	5,086	4,850	4,910	4,383	3,937	2,835	1,775	846	286	70	18	5	45
342	423	411	461	537	482	546	417	383	304	156	91	30	9	3	1	46
1,188	1,301	1,468	1,557	1,697	1,684	1,651	1,635	1,487	1,073	695	331	112	26	7	2	47
1,690	2,072	2,298	2,388	2,431	2,287	2,275	1,925	1,678	1,171	739	330	114	32	6	2	48
208	214	270	295	325	309	332	304	277	186	127	70	15	3	2		49
53	81	73	86	96	88	106	102	112	101	58	24	15				50
3,285	3,845	4,323	4,602	4,946	4,730	4,825	4,309	3,879	2,794	1,754	835	279	70	15	5	51
336	413	404	453	531	474	545	415	382	296	150	89	30	9	2	1	52
1,141	1,233	1,431	1,510	1,657	1,641	1,626	1,612	1,465	1,056	693	327	110	26	6	2	53
1,556	1,912	2,157	2,268	2,344	2,223	2,222	1,881	1,650	1,158	730	326	110	32	6	2	54
202	207	259	287	322	305	327	300	272	183	123	69	15	3	1		55
50	80	72	84	92	87	105	101	110	101	58	24	14				56
196	246	197	185	140	120	85	74	58	41	21	11	7		3		57
6	10	7	8	6	8	1	2	1	8	6	2			1		58
47	68	37	47	40	43	25	23	22	17	2	4	2		1		59
134	160	141	120	87	64	53	44	28	13	9	4	4				60
6	7	11	8	3	4	5	4	5	3	4	1			1		61
3	1	1	2	4	1	1	1	2				1				62
18	25	15	23	29	33	40	37	42	38	23	10	6	2	1		63
25	27	24	29	32	28	31	26	25	24	16	7	4	2		1	64
7	5	6	17	8	12	5	6	9	10	6	2	2				65
10	26	23	19	23	38	27	38	39	32	25	14	2	3			66
8	9	13	11	17	15	18	16	17	15	11	4		1			67
10	6	8	8	10	11	4	19	9	18	10	3	1		1		68
6	5	8	7	9	11	3	18	9	18	9	3	1		1		69
4	1		1	1		1	1			1						70
11	9	20	9	15	24	33	27	31	29	20	8	7	1			71
9	11	11	17	19	22	18	25	13	15	13	5	3				72
9	11	6	14	9	12	10	10	15	7	13	5	3			1	73
8	13	11	13	13	10	11	13	6	10	9	1	1				74
12	12	14	22	33	30	30	32	51	49	25	14	5	4			75
5	3	6	6	10	18	9	13	14	12	9	4	2				76
133	156	158	207	196	259	257	290	237	209	166	91	23	5	2		77

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities o

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	NEW YORK—continued.												
1	Rome	549	79	11	5	3	6	104	13	7	20	24	26
2	Saratoga Springs	323	29	4	5	5	.....	43	3	2	1	17	6
3	Schenectady	1,019	199	47	20	5	6	277	22	18	29	24	33
4	Syracuse	2,011	347	48	20	12	11	438	33	33	30	71	69
5	Troy	1,534	175	40	20	10	6	251	17	18	25	42	57
6	Utica	1,423	301	44	20	10	9	384	26	10	25	43	40
7	Watertown	428	75	3	5	2	2	87	7	5	10	10	13
8	Watervliet	243	48	10	2	.....	2	62	4	4	6	2	10
9	White Plains (total)	261	41	8	2	7	3	61	9	6	2	12	10
10	White	251	39	7	2	7	3	58	8	6	2	12	8
11	Colored	10	2	1	.....	.....	.....	3	1	.....	.....	.....	2
12	Yonkers	1,121	270	43	17	4	7	341	22	6	23	32	43
	NORTH CAROLINA.												
13	Registration cities (total)	3,574	649	148	54	21	22	894	58	70	177	248	226
14	White	1,749	299	73	22	7	10	411	33	24	59	100	80
15	Colored	1,825	350	75	32	14	12	483	25	46	118	148	146
16	Asheville (total)	454	66	14	2	1	3	86	9	7	24	36	37
17	White	303	40	7	1	1	2	51	8	2	12	21	26
18	Colored	151	26	7	1	.....	1	35	1	5	12	15	11
19	Charlotte (total)	727	129	33	18	9	5	194	10	16	39	39	45
20	White	364	61	22	8	5	2	98	5	5	17	16	18
21	Colored	363	68	11	10	4	3	96	5	11	22	23	27
22	Durham (total)	369	78	13	5	1	1	98	9	3	14	35	28
23	White	162	35	9	1	.....	1	46	5	.....	3	11	7
24	Colored	207	43	4	4	1	.....	52	4	3	11	24	21
25	Greensboro (total)	288	54	11	6	1	5	77	6	5	25	16	18
26	White	135	21	3	3	.....	3	30	3	4	6	10	7
27	Colored	153	33	8	3	1	2	47	3	1	19	6	11
28	Raleigh (total)	549	77	18	5	3	2	105	9	6	16	35	24
29	White	299	35	7	3	.....	1	46	5	4	4	14	12
30	Colored	250	42	11	2	3	1	59	4	2	12	21	12
31	Wilmington (total)	597	118	28	5	1	2	154	3	9	14	40	37
32	White	241	48	12	1	.....	1	62	2	3	3	16	4
33	Colored	356	70	16	4	1	1	92	1	6	11	24	33
34	Winston-Salem (total)	590	127	31	13	5	4	180	12	24	45	47	37
35	White	245	59	13	5	1	.....	78	5	6	14	12	6
36	Colored	345	68	18	8	4	4	102	7	18	31	35	31
	OHIO.												
37	Registration cities (total)	34,073	5,540	1,061	433	299	190	7,523	668	468	776	1,266	1,457
38	White	32,225	5,345	1,019	413	289	182	7,248	637	443	716	1,163	1,319
39	Colored	1,848	195	42	20	10	8	275	31	25	60	103	138
40	Akron	1,177	265	44	17	9	6	341	37	17	29	64	53
41	Alliance	222	38	8	1	2	2	51	5	4	4	10	10
42	Ashtabula	245	46	10	4	2	3	65	4	8	9	11	8
43	Bellaire	185	42	15	3	1	.....	61	8	2	6	10	4
44	Cambridge	169	22	2	1	1	1	27	5	6	8	4	6
45	Canton	717	139	24	11	9	2	185	16	8	15	23	32
46	Chillicothe (total)	214	29	1	4	.....	1	35	2	1	6	5	5
47	White	197	27	1	3	.....	.....	31	2	1	6	5	5
48	Colored	17	2	.....	1	.....	1	4	.....	.....	.....	.....	.....
49	Cincinnati (total)	6,360	619	115	52	39	24	849	104	65	147	246	296
50	White	5,703	557	101	44	36	22	760	95	61	119	204	243
51	Colored	657	62	14	8	3	2	89	9	4	28	42	53
52	Cleveland	8,808	1,829	436	158	99	72	2,594	205	125	178	296	373
53	Columbus (total)	2,945	311	45	27	21	19	423	41	41	71	113	139
54	White	2,645	269	38	25	19	18	369	31	36	64	101	111
55	Colored	300	42	7	2	2	1	54	10	5	7	12	28
56	Dayton	1,709	233	34	18	13	6	304	42	24	46	67	78
57	East Liverpool	310	65	10	3	2	1	81	11	9	12	15	12
58	Elyria	222	28	8	1	1	.....	38	12	3	4	5	6
59	Findlay	202	14	2	1	2	.....	19	4	3	2	10	7
60	Hamilton	427	62	9	6	2	1	80	8	7	9	14	18
61	Ironton (total)	208	26	18	3	3	4	54	2	12	5	7	8
62	White	192	25	17	3	3	4	52	2	11	5	7	6
63	Colored	16	1	1	.....	.....	.....	2	.....	1	.....	.....	2
64	Lakewood	230	41	13	3	3	.....	60	6	7	3	4	9
65	Lancaster	192	26	8	2	1	1	38	5	4	4	2	5
66	Lima	442	89	13	6	4	.....	112	6	2	11	26	18
67	Lorain	316	107	12	4	5	3	131	4	4	5	11	14
68	Mansfield	270	33	5	2	3	1	44	6	5	3	4	7
69	Marietta	187	26	3	5	2	1	37	.....	3	4	9	3
70	Marion	269	41	10	2	5	3	61	4	2	3	10	12
71	Massillon	202	22	3	6	3	.....	34	5	4	4	1	9
72	Middletown	198	40	11	5	5	1	62	8	4	6	4	8

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
17	30	19	27	26	36	34	33	52	37	26	10	8				1
12	8	11	13	19	31	23	29	45	26	15	14	4			1	2
41	30	52	55	72	60	69	64	66	47	35	16	7	2			3
72	89	89	117	136	127	129	159	135	123	102	40	18	1			4
47	74	112	82	109	119	137	125	117	97	61	30	8	3		3	5
51	59	56	87	82	72	90	101	83	100	68	36	10				6
12	13	16	21	30	23	30	34	41	34	22	16	3		1		7
7	7	16	12	19	18	15	19	16	16	7	3					8
13	6	15	10	9	15	14	26	17	20	7	6	1	1	1		9
12	6	13	10	9	15	14	25	17	20	7	6	1	1	1		10
1		2					1									11
58	45	54	60	61	61	57	86	57	56	33	22	2	2			12
219	195	179	170	194	164	209	174	163	108	71	33	12	5	1	4	13
104	84	83	85	88	92	127	120	108	74	46	23	7			1	14
115	111	96	85	106	72	82	54	55	34	25	10	5	5	1	3	15
44	38	23	25	23	18	17	18	14	17	8	2	4		1	3	16
37	25	16	12	13	14	14	14	12	15	8	2	1				17
7	13	7	13	10	4	3	4	2	2			3		1	3	18
48	34	37	36	43	27	49	40	31	19	14	5	1				19
18	10	20	20	21	14	29	30	21	10	7	4	1				20
30	24	17	16	22	13	20	10	10	9	7	1					21
23	17	19	18	15	19	21	17	12	12	4	2	1	1		1	22
8	5	9	7	8	10	10	11	6	10	3	2				1	23
15	12	10	11	7	9	11	6	6	2	1		1	1			24
21	12	13	14	13	8	14	14	15	6	6	4	1				25
6	8	7	9	3	5	6	8	10	4	5	3	1				26
15	4	6	5	10	3	8	6	5	2	1	1					27
32	27	29	33	38	38	43	31	39	22	10	9	2	1			28
19	12	14	17	21	22	26	24	28	17	8	5	1				29
13	15	15	16	17	16	17	7	11	5	2	4	1	1			30
24	37	32	17	32	39	44	28	37	20	20	6	1	3			31
8	14	11	6	12	18	27	16	17	10	8	3	1				32
16	23	21	11	20	21	17	12	20	10	12	3		3			33
27	30	26	27	30	15	21	26	15	12	9	5	2				34
8	10	6	14	10	9	15	17	14	8	7	4	2				35
19	20	20	13	20	6	6	9	1	4	2	1					36
1,610	1,614	1,746	1,834	2,053	2,159	2,155	2,271	2,385	1,829	1,290	669	230	55	10	5	37
1,461	1,460	1,598	1,689	1,899	2,043	2,062	2,204	2,304	1,784	1,263	644	225	53	5	5	38
149	154	148	145	154	116	93	67	81	45	27	25	5	2	5		39
75	58	60	49	47	66	63	75	48	44	32	13	5	1			40
8	11	6	13	13	12	5	14	10	27	11	7	1				41
9	13	9	11	12	18	15	11	15	11	9	6	1				42
12	1	8	4	6	9	9	9	14	14	3	3	1	1			43
11	7	8	6	7	7	5	15	16	14	13	3	1				44
19	24	34	40	43	42	35	56	54	40	29	16	5	1			45
7	10	13	5	7	19	9	26	18	15	18	9	3	1			46
6	10	12	4	5	18	8	26	14	15	16	9	3	1			47
1		1	1	2	1	1		4		2						48
334	335	332	421	462	487	454	461	516	365	278	137	51	15	5		49
276	273	292	366	409	443	417	438	491	354	269	128	48	14	3		50
58	62	40	55	53	44	37	23	25	11	9	9	3	1	2		51
389	447	468	494	534	490	496	494	485	342	216	127	42	10	2	1	52
154	159	194	163	203	225	202	230	223	176	103	58	24	3			53
134	136	166	141	182	205	187	220	213	166	100	56	24	3			54
20	23	28	22	21	20	15	10	10	10	3	2					55
68	80	77	89	95	113	130	126	134	97	81	43	12	2		1	56
15	11	5	14	9	26	25	17	19	10	10	5	4				57
11	9	12	18	4	11	17	20	17	16	12	6	1				58
8	9	8	14	14	12	18	20	17	10	19	7	1				59
16	13	16	25	36	24	28	25	40	29	22	11	5	1			60
11	13	6	7	6	9	13	13	14	19	5	4					61
7	12	5	7	4	9	12	12	14	19	5	3					62
4	1	1		2		1	1				1					63
9	10	8	10	11	11	15	12	13	22	11	6	3				64
4	4	5	14	5	11	14	14	15	20	14	11	2	1			65
19	19	25	13	22	27	28	28	34	30	14	6	2				66
20	13	16	7	14	17	11	10	11	13	8	4	2		1		67
14	12	9	10	19	15	20	27	30	22	17	1	5				68
6	6	10	5	7	10	11	17	25	16	11	6	1				69
12	6	10	12	8	18	28	21	20	18	14	7	3				70
2	9	8	10	9	12	15	23	29	11	15	2					71
4	5	5	6	11	10	12	12	15	10	9	1	5	1			72

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	OHIO—continued.												
1	Newark	367	58	6	3	1	1	69	3	2	8	9	13
2	Norwood	160	21	.....	1	1	.....	23	2	1	4	6	5
3	Piqua	182	20	5	1	2	.....	28	1	.....	4	4	4
4	Portsmouth	337	54	8	11	2	2	77	9	6	8	11	17
5	Sandusky	293	31	6	2	7	1	47	1	5	6	7	12
6	Springfield (total)	693	72	11	12	3	2	100	9	17	14	24	26
7	White	593	65	11	11	3	2	92	8	16	12	21	21
8	Colored	100	7	.....	1	.....	.....	8	1	1	2	3	5
9	Steubenville	483	118	31	6	1	3	159	9	7	18	24	28
10	Tiffin	202	20	2	2	1	2	27	4	4	4	8	4
11	Toledo	2,892	479	61	26	28	19	613	46	28	73	126	136
12	Warren	200	26	6	1	2	1	36	1	.....	4	3	7
13	Youngstown	1,408	388	56	21	11	7	483	24	24	30	59	56
14	Zanesville (total)	430	60	10	2	3	.....	75	9	4	9	14	9
15	White	393	55	9	2	3	.....	69	9	2	8	14	7
16	Colored	37	5	1	.....	.....	.....	6	.....	2	1	.....	2
	OREGON.[1]												
17	Portland (total)	2,281	238	33	18	12	15	316	36	34	41	75	125
18	White	2,195	228	31	16	12	14	301	36	33	40	74	121
19	Colored [2]	86	10	2	2	.....	1	15	.....	1	1	1	4
	PENNSYLVANIA.												
20	Registration cities (total)	59,954	11,479	2,276	888	542	406	15,591	1,289	799	1,394	2,030	2,360
21	White	56,354	10,859	2,101	826	505	392	14,683	1,209	735	1,275	1,871	2,147
22	Colored	3,600	620	175	62	37	14	908	80	64	119	159	213
23	Allentown	994	235	25	11	7	5	283	18	11	19	32	33
24	Altoona	709	133	21	12	12	3	181	15	10	20	29	28
25	Beaver Falls	179	35	9	1	3	1	49	5	3	3	6	12
26	Bethlehem	158	27	2	4	3	.....	36	5	.....	5	5	4
27	Braddock	387	134	32	11	3	8	188	8	6	7	16	18
28	Bradford	231	27	4	2	2	1	36	3	2	5	4	6
29	Butler	255	57	3	1	2	5	68	4	4	9	10	9
30	Carbondale	283	55	8	8	2	1	74	3	4	10	17	21
31	Carlisle (total)	152	17	3	.....	1	.....	21	1	5	4	4	1
32	White	125	14	2	.....	1	.....	17	.....	2	2	3	1
33	Colored	27	3	1	.....	.....	.....	4	1	3	2	1	.....
34	Carnegie	138	56	7	2	1	1	67	4	3	1	5	7
35	Chambersburg (total)	175	19	3	2	3	1	28	2	2	6	4	7
36	White	161	17	2	2	2	1	24	2	1	5	4	7
37	Colored	14	2	1	.....	1	.....	4	.....	1	1	.....	.....
38	Chester (total)	658	134	36	8	6	4	188	16	13	16	22	33
39	White	529	114	21	7	5	4	151	12	8	12	18	26
40	Colored	129	20	15	1	1	.....	37	4	5	4	4	7
41	Coatesville (total)	131	44	7	2	.....	1	54	4	.....	1	5	3
42	White	112	36	6	2	.....	1	45	3	.....	1	3	2
43	Colored	19	8	1	.....	.....	.....	9	1	.....	.....	2	1
44	Columbia	157	20	6	4	.....	.....	30	3	2	3	1	4
45	Connellsville	179	38	6	2	1	3	50	7	7	7	8	8
46	Dubois	128	34	3	1	1	1	40	4	2	4	4	7
47	Dunmore	359	135	27	11	5	6	184	8	1	3	6	3
48	Duquesne	193	82	20	6	2	3	113	3	2	4	5	13
49	Easton	472	72	8	3	3	3	89	9	4	11	23	22
50	Erie	1,107	178	29	10	7	4	228	14	14	32	33	36
51	Farrell	142	55	9	6	1	1	72	9	.....	5	9	7
52	Greensburg	209	26	5	3	3	.....	37	9	4	6	11	12
53	Harrisburg (total)	1,004	137	22	14	5	2	180	17	17	29	25	42
54	White	885	121	18	10	4	2	155	15	15	22	21	36
55	Colored	119	16	4	4	1	.....	25	2	2	7	4	6
56	Hazleton	523	128	24	7	6	15	180	27	14	19	16	17
57	Homestead	235	107	22	9	4	2	144	3	5	1	4	7
58	Johnstown	937	253	46	22	9	9	339	23	15	24	45	46
59	Lancaster	809	114	12	10	2	7	145	19	9	18	20	26
60	Lebanon	326	60	7	2	2	1	72	2	8	6	6	19
61	McKees Rocks	198	79	18	4	2	1	104	11	1	2	6	10
62	McKeesport	634	155	29	12	14	4	214	9	10	21	32	34
63	Mahanoy City	229	79	18	4	6	2	109	7	3	5	9	6
64	Meadville	222	25	3	2	.....	1	31	4	3	4	8	8
65	Monessen	169	75	20	8	3	2	108	11	1	2	6	7
66	Mount Carmel	197	71	12	5	.....	1	89	3	4	5	5	4
67	Nanticoke	284	104	21	4	4	1	134	7	2	6	19	9
68	New Castle	513	107	18	15	6	4	150	18	10	11	16	24
69	Norristown	669	80	10	6	3	2	101	13	5	14	13	28
70	North Braddock	162	55	13	3	5	.....	76	8	1	3	5	4
71	Oil City	216	35	9	1	1	1	47	3	3	10	5	4
72	Old Forge	151	64	18	3	3	2	90	5	1	4	2	6
73	Philadelphia (total)	26,291	4,233	919	376	215	146	5,889	494	309	550	842	981
74	White	24,021	3,861	810	333	193	138	5,335	454	275	478	730	831
75	Colored	2,270	372	109	43	22	8	554	40	34	72	112	150
76	Phoenixville	192	45	10	5	2	.....	62	5	3	2	5	5
77	Pittsburgh (total)	8,728	1,765	396	146	86	82	2,475	240	132	214	342	386
78	White	8,197	1,670	370	141	77	79	2,337	216	122	200	318	357
79	Colored	531	95	26	5	9	3	138	24	10	14	24	29

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
19	18	20	11	22	21	30	30	25	32	15	11	7	1	.....	1	1
4	3	4	8	11	17	16	14	11	12	10	8	1	.....	.....	.....	2
9	5	4	15	6	16	13	13	22	16	14	5	1	2	.....	.....	3
19	11	16	14	16	20	23	21	21	14	23	10	1	.....	.....	.....	4
11	11	11	18	19	21	26	18	33	22	16	6	1	2	.....	.....	5
31	38	29	33	38	48	60	64	56	48	31	18	6	2	1	.....	6
29	27	18	29	33	41	53	53	49	41	27	15	6	2	.....	.....	7
2	11	11	4	5	7	7	11	7	7	4	3	.....	.....	1	.....	8
20	12	19	21	19	28	20	24	21	26	13	12	2	1	.....	.....	9
7	7	7	10	10	13	19	15	23	16	14	7	2	1	.....	.....	10
147	130	173	149	193	176	160	197	211	145	105	56	20	6	.....	2	11
16	4	10	10	13	6	19	16	12	15	18	8	2	.....	.....	.....	12
73	75	85	66	78	56	58	52	74	54	38	17	4	1	1	.....	13
17	16	16	19	24	36	33	31	44	38	19	12	3	2	.....	.....	14
16	12	14	19	22	32	31	29	39	36	19	10	3	2	.....	.....	15
1	4	2	.....	2	4	2	2	5	2	.....	2	.....	.....	.....	.....	16
115	119	119	135	162	181	173	172	170	138	91	53	18	2	2	4	17
106	112	116	131	155	168	163	168	165	138	90	53	18	2	2	3	18
9	7	3	4	7	13	10	4	5	.....	1	.....	.....	.....	.....	1	19
2,367	2,881	2,992	3,133	3,426	3,555	3,882	3,924	3,815	3,061	2,008	1.033	335	58	18	3	20
2,137	2,581	2,717	2,888	3,179	3,367	3,717	3,769	3,710	2,999	1,965	1,012	323	54	14	2	21
230	300	275	245	247	188	165	155	105	62	43	21	12	4	4	1	22
30	38	53	54	38	56	64	66	69	66	43	13	7	1	.....	.....	23
23	38	36	25	29	31	44	54	46	47	30	20	2	1	.....	.....	24
2	10	9	6	13	8	8	9	13	7	7	5	3	1	.....	.....	25
5	5	4	9	7	7	10	11	15	14	7	9	.....	.....	.....	.....	26
17	23	18	11	17	13	20	5	12	6	1	1	.....	.....	.....	.....	27
6	5	7	4	12	15	26	26	31	23	12	6	2	.....	.....	.....	28
10	12	7	14	13	15	19	25	12	15	5	3	1	.....	.....	.....	29
9	10	15	15	13	16	13	18	15	14	9	5	2	.....	.....	.....	30
2	2	10	5	10	4	8	20	21	16	11	4	1	2	.....	.....	31
1	2	8	4	8	2	8	17	18	16	10	4	1	1	.....	.....	32
1	.....	2	1	2	2	.....	3	3	.....	1	.....	.....	1	.....	.....	33
4	2	3	4	6	4	8	5	5	3	2	3	2	.....	.....	.....	34
5	6	3	10	9	13	18	16	19	14	10	1	2	.....	.....	.....	35
5	4	2	9	8	13	17	16	18	14	9	1	2	.....	.....	.....	36
.....	2	1	1	1	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	37
22	36	28	30	38	35	40	39	45	23	23	9	2	.....	.....	.....	38
16	25	20	22	31	24	36	34	41	20	22	9	2	.....	.....	.....	39
6	11	8	8	7	11	4	5	4	3	1	.....	.....	.....	.....	.....	40
1	5	4	7	5	7	4	12	8	5	5	1	.....	.....	.....	.....	41
1	3	3	7	5	6	4	11	7	5	5	1	.....	.....	.....	.....	42
.....	2	1	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	43
4	8	5	7	9	11	14	10	13	10	15	5	3	.....	.....	.....	44
7	8	6	9	6	9	8	9	8	11	8	3	.....	.....	.....	.....	45
8	5	2	10	4	4	6	10	6	8	1	2	1	.....	.....	.....	46
9	8	7	10	13	8	24	23	17	17	7	9	2	.....	.....	.....	47
9	6	8	5	2	6	2	7	4	3	1	.....	.....	.....	.....	.....	48
17	16	25	24	25	23	39	33	39	37	21	11	3	1	.....	.....	49
37	48	64	65	59	60	68	74	100	68	59	34	11	2	1	.....	50
7	7	5	3	2	7	3	2	1	1	1	.....	1	.....	.....	.....	51
17	15	10	7	12	13	14	9	10	12	6	4	1	.....	.....	.....	52
44	52	43	48	60	63	75	84	82	81	38	18	6	.....	.....	.....	53
38	41	35	41	50	57	69	74	79	77	36	18	6	.....	.....	.....	54
6	11	8	7	10	6	6	10	3	4	2	.....	.....	.....	.....	.....	55
14	24	18	25	36	21	24	27	19	20	12	9	1	.....	.....	.....	56
4	8	9	3	9	4	5	10	5	8	4	2	.....	.....	.....	.....	57
41	49	42	48	47	41	36	37	35	41	17	9	1	.....	.....	1	58
25	25	48	40	45	47	60	56	64	71	46	32	11	1	1	.....	59
9	12	12	16	10	23	28	32	14	31	17	8	1	.....	.....	.....	60
7	8	12	4	5	3	5	7	3	2	7	.....	1	.....	.....	.....	61
30	30	23	34	34	34	21	41	26	26	11	3	1	.....	.....	.....	62
5	8	9	6	7	11	6	10	11	12	1	2	1	1	.....	.....	63
8	10	13	10	14	12	11	17	23	19	14	11	2	.....	.....	.....	64
1	7	6	3	5	3	2	2	2	1	1	.....	1	.....	.....	.....	65
11	10	7	6	6	5	9	10	5	8	6	2	.....	.....	1	1	66
14	7	8	10	11	11	17	15	8	3	3	.....	.....	.....	.....	.....	67
17	18	13	26	26	30	29	28	39	24	20	10	4	.....	.....	.....	68
21	34	35	40	37	58	49	54	59	54	30	16	7	1	.....	.....	69
4	5	5	4	5	13	12	5	7	3	1	1	.....	.....	.....	.....	70
8	7	5	11	18	10	18	8	27	13	12	7	.....	.....	.....	.....	71
5	5	6	8	1	6	3	3	3	2	1	.....	.....	.....	.....	.....	72
1,011	1,328	1,416	1,493	1,698	1,731	1,905	1,835	1,777	1,408	929	486	172	27	10	.....	73
856	1,124	1,234	1,329	1,531	1,622	1,800	1,756	1,714	1,374	907	473	164	26	8	.....	74
155	204	182	164	167	109	105	79	63	34	22	13	8	1	2	.....	75
9	10	3	9	6	8	15	16	11	6	6	7	4	.....	.....	.....	76
421	455	458	469	474	505	506	521	443	324	220	109	25	7	2	.....	77
385	422	421	432	438	471	485	498	429	315	216	105	23	7	.....	.....	78
36	33	37	37	36	34	21	23	14	9	4	4	2	.....	2	.....	79

[2] Colored population less than 5 per cent of the total in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years
	REGISTRATION CITIES—Continued.												
	PENNSYLVANIA—continued.												
1	Pittston	297	74	12	5	6	2	99	7	4	3	13	10
2	Plymouth	175	57	8	3	4	2	74	1	1	1	7	4
3	Pottstown	231	30	10	1	3	2	46	5	6	3	8	9
4	Pottsville	402	65	11	6	2	2	86	12	5	13	20	20
5	Reading	1,455	263	48	14	11	12	348	28	23	34	47	61
6	Scranton	2,114	474	91	37	23	12	637	57	33	59	70	89
7	Shamokin	244	79	8	4	5	3	99	3	3	7	6	3
8	Sharon	252	53	9	3	2	4	71	5	5	9	9	8
9	Shenandoah	392	184	32	7	3	3	229	2	3	7	8	7
10	South Bethlehem	300	127	18	7	3	1	156	.....	3	6	8	16
11	Steelton (total)	156	47	12	2	2	3	66	3	3	3	3	3
12	White	139	42	11	2	2	3	60	3	3	3	3	3
13	Colored	17	5	1	.....	.....	.....	6	.....	.....	.....	.....	.....
14	Sunbury	176	26	4	1	2	1	34	7	2	4	3	4
15	Uniontown (total)	266	40	7	2	2	2	53	8	3	7	16	13
16	White	227	33	5	2	2	2	44	7	3	7	15	10
17	Colored	39	7	2	.....	.....	.....	9	1	.....	.....	1	3
18	Warren	159	13	2	.....	1	1	17	6	1	5	5	8
19	Washington (total)	294	55	9	2	3	1	70	6	6	11	8	10
20	White	264	50	9	1	3	1	64	6	6	8	7	10
21	Colored	30	5	.....	1	.....	.....	6	.....	.....	3	1	.....
22	West Chester (total)	271	40	6	3	2	1	52	3	4	6	6	5
23	White	205	23	4	1	2	1	31	2	2	2	5	5
24	Colored	66	17	2	2	.....	.....	21	1	2	4	1	.....
25	Wilkes-Barre	1,215	264	43	16	11	9	343	23	18	40	58	64
26	Wilkinsburg	285	34	6	2	3	3	48	6	2	11	16	15
27	Williamsport	555	87	9	4	3	3	106	11	7	17	12	20
28	York	630	83	11	1	5	2	102	13	12	17	17	24
	RHODE ISLAND.												
29	Registration cities (total)	7,313	1,351	256	108	85	50	1,850	130	65	153	206	269
30	White	7,088	1,314	243	101	83	49	1,790	124	64	146	194	247
31	Colored	225	37	13	7	2	1	60	6	1	7	12	22
32	Central Falls	281	87	24	5	1	3	120	8	3	10	6	9
33	Cranston (exclusive of)	263	53	3	2	5	2	65	2	3	7	2	5
34	State institutions	439	6	3	2	.....	.....	11	1	1	5	10	18
35	Cumberland town	133	26	6	1	.....	2	35	1	1	1	6	5
36	East Providence town	217	45	11	5	2	4	67	1	2	2	3	3
37	Newport (total)	378	42	8	5	3	1	59	3	3	4	11	14
38	White	365	38	8	5	3	1	55	2	3	3	11	13
39	Colored	23	4	.....	.....	.....	.....	4	1	.....	1	.....	1
40	Pawtucket	840	197	21	11	9	7	245	17	9	19	18	22
41	Providence	3,660	621	137	58	50	26	892	74	31	77	103	149
42	Warwick town	261	19	4	3	4	.....	30	6	6	14	24	15
43	West Warwick town	263	88	17	5	3	1	114	6	1	3	11	7
44	Woonsocket	578	167	22	11	8	4	212	11	5	11	12	22
	SOUTH CAROLINA.[1]												
45	Registration cities (total)	3,869	572	180	83	38	19	892	67	53	130	275	267
46	White	1,377	163	67	24	9	6	269	23	13	22	69	68
47	Colored	2,492	409	113	59	29	13	623	44	40	108	206	199
48	Charleston (total)	1,770	313	87	38	21	6	465	25	22	57	113	109
49	White	490	64	22	4	3	.....	93	5	4	8	16	19
50	Colored	1,280	249	65	34	18	6	372	20	18	49	97	90
51	Columbia (total)	1,396	142	55	29	7	8	241	11	17	49	110	115
52	White	573	53	25	14	3	3	98	6	6	9	32	36
53	Colored	823	89	30	15	4	5	143	5	11	40	78	79
54	Greenville (total)	370	70	19	4	5	2	100	21	8	12	28	24
55	White	142	28	8	1	.....	1	38	6	2	.....	8	7
56	Colored	228	42	11	3	5	1	62	15	6	12	20	17
57	Spartanburg (total)	333	47	19	12	5	3	86	10	6	12	24	19
58	White	172	18	12	5	3	2	40	6	1	5	13	6
59	Colored	161	29	7	7	2	1	46	4	5	7	11	13
	TENNESSEE.[1]												
60	Registration cities (total)	6,851	647	163	97	48	41	996	128	110	296	502	530
61	White	3,496	392	84	58	25	27	586	74	42	110	183	203
62	Colored	3,355	255	79	39	23	14	410	54	68	186	319	327
63	Chattanooga (total)	1,035	88	24	10	8	4	134	16	12	47	88	71
64	White	509	52	15	6	3	1	77	11	8	17	32	23
65	Colored	526	36	9	4	5	3	57	5	4	30	56	48
66	Jackson (total)	285	26	12	10	6	5	59	12	4	8	16	12
67	White	139	9	4	5	3	3	24	8	1	2	4	5
68	Colored	146	17	8	5	3	2	35	4	3	6	12	7
69	Knoxville (total)	639	74	12	5	5	6	102	6	14	31	44	46
70	White	445	55	9	2	5	5	76	4	6	21	31	30
71	Colored	194	19	3	3	.....	1	26	2	8	10	13	16

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
14	12	18	25	16	18	14	12	22	7	3	.....	.....	.....	.....	.....	1
4	12	9	7	12	10	11	4	11	3	1	3	.....	.....	.....	.....	2
5	8	8	8	9	14	21	21	26	17	14	1	2	.....	.....	.....	3
27	16	21	21	26	20	22	33	24	17	11	7	1	.....	.....	.....	4
62	68	67	61	67	87	103	104	114	81	57	29	9	5	.....	.....	5
78	95	123	122	112	127	132	130	89	72	52	22	13	2	.....	.....	6
11	9	11	8	13	11	17	11	18	6	5	3	.....	.....	.....	.....	7
14	14	13	8	9	3	11	17	15	18	13	5	2	3	.....	.....	8
15	18	10	18	20	11	12	9	14	5	3	1	.....	.....	.....	.....	9
10	12	11	11	11	6	14	11	9	10	3	3	.....	.....	.....	.....	10
5	4	2	5	5	11	5	11	12	9	4	1	1	.....	.....	.....	11
2	3	2	3	3	9	5	11	12	8	4	1	1	.....	.....	.....	12
3	1	.....	2	2	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	13
4	9	10	10	8	11	6	15	15	18	8	7	.....	.....	1	.....	14
15	22	12	10	20	16	11	16	15	11	11	5	2	.....	.....	.....	15
13	16	10	9	18	12	9	13	13	10	11	5	2	.....	.....	.....	16
2	6	2	1	2	4	2	3	2	1	.....	.....	.....	.....	.....	.....	17
8	3	6	4	11	15	16	12	14	11	8	7	2	.....	.....	.....	18
18	11	16	16	18	8	15	18	22	20	12	8	1	.....	.....	.....	19
15	9	13	15	15	8	15	13	22	19	11	7	1	.....	.....	.....	20
3	2	3	1	3	.....	.....	5	.....	1	1	1	.....	.....	.....	.....	21
5	10	9	16	9	18	16	22	22	31	20	9	6	2	.....	.....	22
4	7	6	12	8	11	13	18	19	27	19	8	6	.....	.....	.....	23
1	3	3	4	1	7	3	4	3	4	1	1	.....	2	.....	.....	24
59	70	54	54	75	67	76	57	72	40	30	10	3	1	1	.....	25
16	15	12	18	17	21	10	18	23	18	11	7	1	.....	.....	.....	26
19	19	28	29	35	35	41	51	43	33	26	15	7	.....	.....	1	27
18	29	32	35	37	42	33	51	63	57	36	10	1	.....	1	.....	28
243	335	334	410	454	451	535	511	477	433	265	130	44	15	.....	3	29
235	319	322	305	440	436	520	503	473	427	265	128	43	14	.....	3	30
8	16	12	15	14	15	15	8	4	6	.....	2	1	1	.....	.....	31
9	11	8	11	14	12	19	12	13	7	7	1	1	.....	.....	.....	32
5	11	10	7	16	17	19	24	25	31	9	2	1	1	.....	1	33
17	31	23	33	45	39	46	44	41	41	18	9	3	3	.....	.....	34
4	5	6	7	12	6	4	8	10	11	8	1	1	1	.....	.....	35
5	8	6	11	9	16	17	15	15	16	13	4	2	2	.....	.....	36
17	17	28	26	29	23	31	31	33	22	15	10	2	.....	.....	.....	37
16	17	26	22	25	23	29	29	33	21	15	10	2	.....	.....	.....	38
1	.....	2	4	4	.....	2	2	.....	1	.....	.....	.....	.....	.....	.....	39
21	44	28	35	51	50	64	54	63	58	25	13	4	.....	.....	.....	40
123	167	172	234	227	227	277	255	223	191	131	71	28	8	.....	.....	41
17	11	11	16	17	19	11	13	14	18	12	6	.....	.....	.....	1	42
5	9	11	11	7	11	6	19	15	11	8	6	1	.....	.....	1	43
20	21	31	19	27	31	41	36	25	27	19	7	1	.....	.....	.....	44
244	267	285	234	238	180	207	189	141	80	60	36	8	2	2	12	45
80	77	99	75	85	77	89	110	87	55	41	29	6	1	1	1	46
164	190	186	159	153	103	118	79	54	25	19	7	2	1	1	11	47
92	117	137	120	115	84	97	73	57	38	25	20	2	1	.....	1	48
25	25	27	25	34	29	32	41	40	28	18	19	2	.....	.....	.....	49
67	92	110	95	81	55	65	32	17	10	7	1	.....	1	.....	1	50
108	105	103	84	85	67	82	81	61	34	22	10	1	.....	1	9	51
40	33	49	38	33	30	40	47	34	20	13	7	.....	.....	1	1	52
68	72	54	46	52	37	42	34	27	14	9	3	1	.....	.....	8	53
20	26	19	18	20	17	12	14	13	7	3	3	4	.....	.....	1	54
5	7	11	7	8	9	7	6	8	6	2	2	3	.....	.....	.....	55
15	19	8	11	12	8	5	8	5	1	1	1	1	.....	.....	1	56
24	19	26	12	18	12	16	21	10	1	10	3	1	1	1	1	57
10	12	12	5	10	9	10	16	5	1	8	1	1	1	.....	.....	58
14	7	14	7	8	3	6	5	5	.....	2	2	.....	.....	1	1	59
482	522	459	440	450	407	371	386	282	223	131	80	24	7	12	13	60
199	197	207	207	217	246	213	263	197	172	100	57	17	.....	.....	6	61
283	325	252	233	233	161	158	123	85	51	31	23	7	7	12	7	62
85	95	78	76	67	59	46	54	36	35	19	11	4	1	1	.....	63
30	37	30	32	30	43	24	40	28	23	15	6	3	.....	.....	.....	64
55	58	48	44	37	16	22	14	8	12	4	5	1	1	1	.....	65
12	27	14	13	20	7	17	16	11	14	11	7	4	.....	1	.....	66
5	10	4	8	8	5	11	9	8	9	8	6	4	.....	.....	.....	67
7	17	10	5	12	2	6	7	3	5	3	1	.....	.....	1	.....	68
53	40	39	34	39	38	42	32	31	21	14	8	2	2	.....	1	69
31	22	24	23	24	30	34	23	24	19	13	7	2	.....	.....	1	70
22	18	15	11	15	8	8	9	7	2	1	1	.....	2	.....	.....	71

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—continued.												
	TENNESSEE[1]—continued.												
1	Memphis (total)	2,895	228	57	38	18	14	355	55	39	133	228	277
2	White	1,286	135	25	22	9	12	203	28	11	31	61	85
3	Colored	1,609	93	32	16	9	2	152	27	28	102	167	192
4	Nashville (total)	1,997	231	58	34	11	12	346	39	41	77	126	124
5	White	1,117	141	31	23	5	6	206	23	16	39	55	60
6	Colored	880	90	27	11	6	6	140	16	25	38	71	64
	TEXAS.[1]												
7	Registration cities (total)	5,515	1,084	405	127	63	50	1,729	147	85	155	332	357
8	White	4,868	1,012	386	124	59	48	1,629	142	77	139	286	295
9	Colored	647	72	19	3	4	2	100	5	8	16	46	62
10	El Paso (total)	2,048	488	190	60	25	21	784	62	27	66	114	112
11	White	1,997	484	189	60	25	21	779	62	26	64	114	107
12	Colored[2]	51	4	1	.....	.....	.....	5	.....	1	2	.....	5
13	Galveston (total)	895	101	27	12	7	4	151	16	12	18	58	61
14	White	587	64	23	10	5	4	106	13	8	11	37	33
15	Colored	308	37	4	2	2	.....	45	3	4	7	21	28
16	San Antonio (total)	2,572	495	188	55	31	25	794	69	46	71	160	184
17	White	2,284	464	174	54	29	23	744	67	43	64	135	155
18	Colored	288	31	14	1	2	2	50	2	3	7	25	29
	UTAH.												
19	Registration cities (total)	1,497	221	23	13	11	11	279	46	33	61	60	68
20	White	1,445	215	22	12	10	11	270	46	32	61	57	64
21	Colored	52	6	1	1	1	.....	9	.....	1	.....	3	4
22	Ogden	315	53	3	5	1	1	63	8	10	15	11	15
23	Salt Lake City	1,182	168	20	8	10	10	216	38	23	46	49	53
	VERMONT.												
24	Registration cities (total)	783	134	20	11	5	4	174	18	13	20	27	24
25	White	781	134	20	11	5	4	174	18	13	20	27	24
26	Colored	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Barre	154	27	3	1	.....	1	32	3	.....	5	7	4
28	Burlington	396	77	14	6	4	2	103	7	10	11	14	13
29	Rutland	233	30	3	4	1	1	39	8	3	4	6	7
	VIRGINIA.												
30	Registration cities (total)	8,113	1,259	255	100	64	41	1,719	129	99	256	456	451
31	White	4,249	569	126	38	22	24	779	68	38	111	178	176
32	Colored	3,864	690	129	62	42	17	940	61	61	145	278	275
33	Alexandria (total)	296	52	10	2	2	1	67	5	2	5	15	15
34	White	172	30	5	2	1	.....	38	1	1	3	6	5
35	Colored	124	22	5	.....	1	1	29	4	1	2	9	10
36	Danville (total)	364	69	13	3	2	5	92	3	7	20	21	24
37	White	204	43	6	1	1	3	54	2	2	13	14	11
38	Colored	160	26	7	2	1	2	38	1	5	7	7	13
39	Lynchburg (total)	612	103	26	11	7	1	148	9	9	26	36	27
40	White	340	48	16	6	3	1	74	4	3	14	18	14
41	Colored	272	55	10	5	4	.....	74	5	6	12	18	13
42	Newport News (total)	348	59	11	4	4	.....	78	3	4	14	24	24
43	White	159	20	4	3	1	.....	28	.....	2	5	11	8
44	Colored	189	39	7	1	3	.....	50	3	2	9	13	16
45	Norfolk (total)	1,646	249	52	24	11	6	342	25	24	58	104	98
46	White	726	77	22	4	1	2	106	16	8	23	34	32
47	Colored	920	172	30	20	10	4	236	9	16	35	70	66
48	Petersburg (total)	622	103	11	4	2	.....	120	5	6	26	40	41
49	White	276	29	8	1	.....	.....	38	2	2	10	17	18
50	Colored	346	74	3	3	2	.....	82	3	4	16	23	23
51	Portsmouth (total)	448	53	12	5	8	1	79	6	5	6	20	29
52	White	209	29	7	2	4	1	43	5	1	.....	3	10
53	Colored	239	24	5	3	4	.....	36	1	4	6	17	19
54	Richmond (total)	2,921	440	97	37	23	21	618	56	30	78	159	151
55	White	1,574	214	40	14	8	13	289	30	11	28	57	55
56	Colored	1,347	226	57	23	15	8	329	26	19	50	102	96
57	Roanoke (total)	614	107	19	9	4	6	145	16	10	20	31	32
58	White	403	65	15	5	2	4	91	7	6	12	14	17
59	Colored	211	42	4	4	2	2	54	9	4	8	17	15
60	Staunton (total)	242	24	4	1	1	.....	30	1	2	3	6	10
61	White	186	14	3	.....	1	.....	18	1	2	3	4	6
62	Colored	56	10	1	1	.....	.....	12	.....	.....	.....	2	4
	WASHINGTON.												
63	Registration cities (total)	5,577	604	81	58	35	22	800	98	88	135	231	248
64	White	5,345	564	71	56	34	22	747	95	86	132	223	228
65	Colored	232	40	10	2	1	.....	53	3	2	3	8	20
66	Aberdeen	149	15	6	4	2	1	28	4	4	7	7	8
67	Bellingham	262	29	4	3	1	5	42	14	3	8	9	11
68	Everett	279	29	4	2	.....	1	36	5	7	6	11	15
69	North Yakima	223	21	1	4	.....	.....	26	6	7	11	15	14
70	Seattle	2,464	262	34	20	13	5	334	28	30	53	102	111
71	Spokane	1,165	153	18	15	11	3	200	23	22	24	44	47
72	Tacoma	857	81	9	8	8	7	113	14	15	20	37	34
73	Walla Walla	178	14	5	2	.....	.....	21	4	.....	6	6	8

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
216	244	212	204	197	167	146	153	106	68	39	28	6	2	8	12	1
82	82	92	84	99	88	71	97	67	51	23	23	3			5	2
134	162	120	120	98	79	75	56	39	17	16	5	3	2	8	7	3
116	116	116	113	127	136	120	131	98	85	48	26	8	2	2		4
51	46	57	60	56	80	73	94	70	70	41	15	5				5
65	70	59	53	71	56	47	37	28	15	7	11	3	2	2		6
296	377	254	301	280	213	254	212	180	158	99	49	26	5	6		7
230	305	200	248	233	188	220	197	166	143	91	46	24	4	5		8
66	72	54	53	47	25	34	15	14	15	8	3	2	1	1		9
109	137	93	94	88	61	80	63	61	42	26	14	10	3	2		10
102	132	89	90	79	58	75	63	60	42	26	14	10	3	2		11
7	5	4	4	9	3	5		1								12
67	78	62	68	63	54	41	48	37	36	16	5	4				13
37	43	34	40	41	42	27	37	32	26	13	4	3				14
30	35	28	28	22	12	14	11	5	10	3	1	1				15
120	162	99	139	129	98	133	101	82	80	57	30	12	2	4		16
91	130	77	118	113	88	118	97	74	75	52	28	11	1	3		17
29	32	22	21	16	10	15	4	8	5	5	2	1	1	1		18
77	101	80	88	92	85	87	89	72	82	54	31	11	1			19
76	96	75	83	90	80	84	86	68	81	53	31	11	1			20
1	5	5	5	2	5	3	3	4	1	1						21
22	23	9	19	21	16	16	20	14	13	11	6	3				22
55	78	71	69	71	69	71	69	58	69	43	25	8	1			23
21	23	35	38	46	49	48	55	65	48	41	25	10	2	1		24
21	23	35	37	45	49	48	55	65	48	41	25	10	2	1		25
			1	1												26
3	4	18	11	10	9	12	8	15	7	4	1	1				27
15	7	10	13	18	27	18	26	30	21	25	18	7	2	1		28
3	12	7	14	18	13	18	21	20	20	12	6	2				29
480	513	465	483	539	503	501	477	414	295	207	84	24	5	8	5	30
198	205	203	222	269	295	330	332	329	251	176	67	18	2	1	1	31
282	308	262	261	270	208	171	145	85	44	31	17	6	3	7	4	32
9	19	9	17	15	16	18	22	19	20	9	8	4	1	1		33
4	9	4	8	12	11	11	13	14	15	7	6	3		1		34
5	10	5	9	3	5	7	9	5	5	2	2	1	1			35
21	19	22	21	21	23	19	18	11	9	5	5	1		1	1	36
10	4	13	11	8	14	15	10	8	7	4	3	1				37
11	15	9	10	13	9	4	8	3	2	1	2			1	1	38
31	30	27	38	34	35	42	26	34	32	16	7	3		2		39
15	15	17	22	16	18	26	19	23	22	14	4	2				40
16	15	10	16	18	17	16	7	11	10	2	3	1		2		41
24	23	18	23	22	18	20	23	15	11	2	2					42
4	9	5	7	9	13	15	18	10	11	2	2					43
20	14	13	16	13	5	5	5	5								44
125	113	109	104	117	102	91	79	72	36	31	12		1		3	45
48	38	36	34	48	59	65	50	55	32	29	12				1	46
77	75	73	70	69	43	26	29	17	4	2			1		2	47
33	42	33	42	40	28	46	41	30	22	16	7	4				48
13	15	12	18	15	13	23	20	21	18	11	7	3				49
20	27	21	24	25	15	23	21	9	4	5		1				50
31	38	35	32	27	32	30	24	19	15	12	5			2	1	51
9	13	16	14	13	14	17	16	15	10	9	1					52
22	25	19	18	14	18	13	8	4	5	3	4			2	1	53
173	172	167	160	202	206	167	180	164	113	81	30	9	3	2		54
73	68	70	77	103	127	108	131	138	105	70	25	7	2			55
100	104	97	83	99	79	59	49	26	8	11	5	2	1	2		56
29	46	31	36	45	30	44	26	23	27	19	4					57
18	23	19	21	35	18	34	24	21	23	17	3					58
11	23	12	15	10	12	10	2	2	4	2	1					59
4	11	14	10	16	13	24	38	27	10	16	4	3				60
4	11	11	10	10	8	16	31	24	8	13	4	2				61
		3		6	5	8	7	3	2	3		1				62
264	337	352	368	450	412	390	384	339	347	203	94	23	4	1	9	63
244	318	331	353	421	394	383	381	334	344	201	94	22	4	1	9	64
20	19	21	15	29	18	7	3	5	3	2		1				65
6	12	14	7	9	8	6	11	7	2	8					1	66
13	9	16	19	16	17	17	15	18	17	14	3		1			67
9	12	14	19	9	30	24	25	24	19	8	3	1	1		1	68
14	9	12	11	21	15	11	17	5	12	9	6	1		1		69
129	170	167	193	217	162	182	149	143	149	88	39	15	1		2	70
56	76	71	59	85	97	87	82	65	67	35	17	5	1		2	71
30	39	46	49	77	72	53	69	64	66	35	20	1			3	72
7	10	12	11	16	11	10	16	13	15	6						73

[2] Colored population less than 5 per cent of the total in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
sions (counties, exclusive of municipalities of

	AREA AND COLOR.	All ages.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Continued.												
	WEST VIRGINIA.[1]												
1	Wheeling (total)	663	98	25	9	4	4	140	14	16	16	35	35
2	White	640	95	24	9	4	4	136	14	15	15	32	34
3	Colored [2]	23	3	1	.....	.....	.....	4	.....	1	1	3	1
	WISCONSIN.												
4	Registration cities (total)	9,919	1,896	261	126	97	64	2,444	211	146	234	330	386
5	White	9,863	1,888	258	126	96	64	2,432	209	145	234	326	383
6	Colored	56	8	3	.....	1	.....	12	2	1	.....	4	3
7	Appleton	244	31	1	1	3	.....	36	5	10	7	7	7
8	Ashland	202	21	5	3	1	3	33	.....	2	5	9	16
9	Beloit	188	28	1	2	3	1	35	2	1	5	8	5
10	Eau Claire	295	22	9	1	.....	1	33	6	4	7	15	22
11	Fond du Lac	286	37	4	4	2	3	50	4	4	7	7	5
12	Green Bay	429	92	9	5	4	3	113	14	7	16	13	20
13	Janesville	174	20	.....	.....	1	1	22	3	5	7	3	6
14	Kenosha	236	68	6	3	1	3	81	3	3	8	6	12
15	La Crosse	404	33	8	2	3	1	47	5	8	8	15	20
16	Madison	377	43	7	4	3	1	58	2	8	11	18	18
17	Manitowoc	164	23	2	1	.....	.....	26	6	1	3	5	13
18	Marinette	171	38	4	2	1	.....	45	5	4	2	6	5
19	Milwaukee	4,901	1,107	159	80	62	36	1,444	119	59	111	147	170
20	Oshkosh	387	65	5	2	2	1	75	8	5	11	6	12
21	Racine	528	106	16	3	2	1	128	10	11	5	22	15
22	Sheboygan	346	63	9	5	.....	4	81	6	4	11	16	6
23	Superior	398	69	10	5	5	3	92	11	6	7	15	24
24	Wausau	189	30	6	3	4	2	45	2	4	3	12	10

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1915—Continued.

at least 5 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Minor rural subdivi-
10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
25	39	40	41	32	38	39	45	34	32	27	10	2	3	.....	.....	1
24	35	37	40	31	37	38	45	34	32	26	10	2	3	.....	.....	2
1	4	3	1	1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	3
395	397	413	443	587	626	594	642	662	564	437	302	75	26	1	4	4
394	392	409	442	582	622	589	638	659	563	436	302	75	26	1	4	5
1	5	4	1	5	4	5	4	3	1	1	.....	.....	.....	.....	.....	6
13	8	13	10	12	13	19	17	22	16	15	9	5	.....	.....	.....	7
7	8	18	19	22	18	7	10	4	10	2	8	2	2	.....	.....	8
8	7	7	9	12	9	13	14	19	18	5	7	4	.....	.....	.....	9
18	12	11	16	13	21	29	19	23	24	10	7	5	.....	.....	.....	10
14	9	11	12	26	19	23	20	13	24	19	17	2	.....	.....	.....	11
21	18	21	14	13	26	19	21	30	29	16	12	3	2	.....	1	12
3	3	9	3	10	10	12	16	19	15	12	13	1	1	.....	1	13
10	10	6	10	10	9	17	11	15	12	7	5	.....	.....	.....	1	14
14	26	17	25	26	35	21	32	40	22	20	19	3	1	.....	.....	15
10	15	19	13	27	30	19	31	23	28	21	20	3	3	.....	.....	16
5	3	5	4	11	7	10	11	16	13	12	8	2	2	.....	1	17
8	1	8	6	10	11	15	9	13	11	5	3	2	2	.....	.....	18
189	188	190	221	269	290	299	320	299	229	199	121	29	8	.....	.....	19
11	16	10	16	30	32	18	23	30	37	25	14	4	3	1	.....	20
19	33	25	19	25	42	22	29	43	35	25	15	5	.....	.....	.....	21
11	14	14	12	28	28	17	15	26	19	24	11	2	1	.....	.....	22
24	19	25	26	34	17	20	29	16	13	10	9	.....	1	.....	.....	23
10	7	4	8	9	9	14	15	11	9	10	4	3	.....	.....	.....	24

[2] Colored population less than 5 per cent of the total in 1910.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	THE REGISTRATION AREA.												
1	Total	909,155	148,561	28,884	12,424	7,691	5,663	203,223	17,738	12,583	21,186	32,588	35,623
2	Males	494,595	84,047	15,290	6,647	3,988	3,042	113,014	9,507	6,655	10,683	16,895	19,144
3	Females	414,560	64,514	13,594	5,777	3,703	2,621	90,209	8,231	5,928	10,503	15,693	16,479
4	White	831,181	136,866	26,131	11,257	7,018	5,201	186,473	16,203	11,106	17,918	27,473	30,387
5	Males	453,537	77,627	13,865	6,050	3,671	2,814	104,027	8,741	5,982	9,256	14,427	16,502
6	Females	377,644	59,239	12,266	5,207	3,347	2,387	82,446	7,462	5,124	8,662	13,046	13,885
7	Native	608,511	136,288	25,805	11,035	6,816	5,058	185,002	15,453	10,274	15,418	21,023	21,276
8	Males	325,789	77,314	13,692	5,936	3,557	2,726	103,225	8,319	5,545	7,845	10,472	10,800
9	Females	282,722	58,974	12,113	5,099	3,259	2,332	81,777	7,134	4,729	7,573	10,551	10,476
10	Both parents native M	171,853	39,464	6,371	3,206	1,839	1,462	52,342	4,713	3,292	4,551	5,761	5,742
	Both parents native F	157,109	29,577	5,520	2,656	1,738	1,238	40,729	4,057	2,807	4,506	5,990	5,952
11	One or both parents foreign M	111,169	35,169	7,062	2,616	1,660	1,215	47,722	3,439	2,099	3,002	4,010	4,042
	One or both parents foreign F	92,223	27,210	6,340	2,353	1,462	1,043	38,408	2,939	1,797	2,771	3,875	3,656
12	Parentage unknown M	42,767	2,681	259	114	58	49	3,161	167	154	292	701	1,016
	Parentage unknown F	33,390	2,187	253	90	59	51	2,640	138	125	296	686	868
13	Foreign	211,551	334	288	200	186	131	1,139	713	799	2,385	6,133	8,632
14	Males	119,008	180	153	101	107	79	620	397	411	1,322	3,703	5,315
15	Females	92,543	154	135	99	79	52	519	316	388	1,063	2,430	3,317
16	Unknown	11,119	244	38	22	16	12	332	37	33	115	317	479
17	Males	8,740	133	20	13	7	9	182	25	26	89	252	387
18	Females	2,379	111	18	9	9	3	150	12	7	26	65	92
19	Colored	77,974	11,695	2,753	1,167	673	462	16,750	1,535	1,477	3,268	5,115	5,236
20	Males	41,058	6,420	1,425	597	317	228	8,987	766	673	1,427	2,468	2,642
21	Females	36,916	5,275	1,328	570	356	234	7,763	769	804	1,841	2,647	2,594
22	Negro M	38,567	6,052	1,354	559	296	210	8,471	711	640	1,373	2,371	2,512
	Negro F	35,796	4,982	1,283	538	339	222	7,364	724	772	1,782	2,564	2,510
23	Indian M	733	133	39	25	15	12	224	41	25	39	52	36
	Indian F	696	115	20	20	9	9	173	35	30	49	48	41
24	Chinese M	1,073	24	3	1	1	3	32	6	6	13	24	38
	Chinese F	85	17	2	2	2	.....	23	3	1	5	5	4
25	Japanese M	653	209	28	12	5	3	257	8	2	2	18	49
	Japanese F	334	160	21	10	6	3	200	7	1	5	30	38
26	Other colored M	32	2	1	.....	.....	.....	3	.....	.....	.....	3	7
	Other colored F	5	1	2	.....	.....	.....	3	.....	.....	.....	.....	1
	REGISTRATION STATES.[1]												
27	Total	823,938	136,041	25,827	11,082	6,882	5,086	184,918	15,932	11,337	18,622	28,050	30,724
28	Males	448,132	76,985	13,659	5,946	3,573	2,741	102,904	8,537	5,997	9,506	14,722	16,551
29	Females	375,806	59,056	12,168	5,136	3,309	2,345	82,014	7,395	5,340	9,116	13,328	14,173
30	White	766,631	126,624	23,670	10,198	6,384	4,734	171,610	14,767	10,227	16,287	24,562	27,260
31	Males	417,729	71,784	12,544	5,503	3,333	2,567	95,731	7,942	5,496	8,482	13,005	14,784
32	Females	348,902	54,840	11,126	4,695	3,051	2,167	75,879	6,825	4,731	7,805	11,557	12,476
33	Native	564,961	126,127	23,401	10,015	6,204	4,611	170,358	14,132	9,488	14,014	18,812	19,146
34	Males	302,138	71,506	12,402	5,407	3,228	2,492	95,035	7,582	5,103	7,189	9,444	9,677
35	Females	262,823	54,621	10,999	4,608	2,976	2,119	75,323	6,550	4,385	6,825	9,368	9,469
36	Both parents native M	162,033	37,166	5,891	2,968	1,694	1,364	49,083	4,367	3,069	4,256	5,290	5,235
	Both parents native F	148,340	27,872	5,097	2,456	1,595	1,146	38,166	3,773	2,634	4,181	5,453	5,493
37	One or both parents foreign M	101,162	31,960	6,289	2,339	1,486	1,086	43,160	3,075	1,898	2,682	3,547	3,578
	One or both parents foreign F	83,989	24,793	5,670	2,073	1,336	933	34,805	2,655	1,644	2,382	3,351	3,238
38	Parentage unknown M	38,943	2,380	222	100	48	42	2,792	140	136	251	607	864
	Parentage unknown F	30,494	1,956	232	79	45	40	2,352	122	107	262	564	738
39	Foreign	191,548	273	234	166	169	111	953	600	710	2,166	5,476	7,684
40	Males	107,634	150	123	87	98	66	524	335	371	1,209	3,336	4,755
41	Females	83,914	123	111	79	71	45	429	265	339	957	2,140	2,929
42	Unknown	10,122	224	35	17	11	12	299	35	29	107	274	430
43	Males	7,957	128	19	9	7	9	172	25	22	84	225	352
44	Females	2,165	96	16	8	4	3	127	10	7	23	49	78
45	Colored	57,307	9,417	2,157	884	498	352	13,308	1,165	1,110	2,335	3,488	3,464
46	Males	30,403	5,201	1,115	443	240	174	7,173	595	501	1,024	1,717	1,767
47	Females	26,904	4,216	1,042	441	258	178	6,135	570	609	1,311	1,771	1,697
48	Negro M	28,062	4,841	1,044	407	219	157	6,668	540	469	971	1,624	1,647
	Negro F	25,800	3,927	998	409	241	166	5,741	525	577	1,253	1,688	1,615
49	Indian M	728	133	39	25	15	12	224	41	25	39	50	35
	Indian F	694	115	20	20	9	9	173	35	30	49	48	41
50	Chinese M	957	21	3	.....	1	3	28	6	6	12	23	29
	Chinese F	79	16	2	2	2	.....	22	3	1	4	5	3
51	Japanese M	630	204	28	11	5	2	250	8	1	2	17	49
	Japanese F	326	157	20	10	6	3	196	7	1	5	30	37
52	Other colored M	26	2	1	.....	.....	.....	3	.....	.....	.....	3	7
	Other colored F	5	1	2	.....	.....	.....	3	.....	.....	.....	.....	1

[1] Includes District of Columbia.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
36,313	40,788	41,505	44,777	49,941	53,232	57,807	62,433	65,879	57,766	42,146	22,299	7,771	1,870	547	1,140	1
20,274	23,305	23,939	26,366	28,947	30,723	32,283	33,829	34,536	29,044	20,207	10,303	3,160	774	196	811	2
16,039	17,483	17,566	18,411	20,994	22,509	25,524	28,604	31,343	28,722	21,939	11,996	4,611	1,096	351	329	3
31,411	35,083	36,423	40,036	44,992	49,302	53,974	59,238	62,979	55,794	40,727	21,537	7,332	1,666	291	836	4
17,662	20,106	21,124	23,722	26,219	28,573	30,201	32,140	32,952	28,031	19,526	9,931	2,988	696	104	627	5
13,749	14,977	15,299	16,314	18,773	20,729	23,773	27,098	30,027	27,763	21,201	11,606	4,344	970	187	209	6
21,446	23,118	23,788	24,893	27,756	31,912	33,605	36,070	38,548	34,657	25,158	13,220	4,530	963	153	248	7
11,370	12,507	13,031	13,937	15,309	17,917	18,438	19,473	20,023	17,373	11,840	6,014	1,804	378	45	124	8
10,076	10,611	10,757	10,956	12,447	13,995	15,167	16,597	18,525	17,284	13,318	7,206	2,726	585	108	124	9
5,722	5,688	5,826	6,220	6,855	8,715	10,074	11,464	12,051	10,603	7,268	3,630	1,066	197	22	51	10
5,564	5,626	5,413	5,495	6,152	7,247	8,527	10,254	11,848	11,350	8,685	4,688	1,740	356	51	72	
4,431	5,206	5,488	5,601	5,839	5,970	4,668	3,403	2,664	1,865	1,039	486	140	34	4	17	11
3,495	3,759	4,052	4,136	4,612	4,718	4,072	3,014	2,658	2,060	1,323	576	229	49	13	11	
1,217	1,613	1,717	2,116	2,615	3,232	3,696	4,606	5,308	4,905	3,533	1,898	598	147	19	56	12
1,017	1,226	1,292	1,325	1,683	2,030	2,568	3,329	4,019	3,874	3,310	1,942	757	180	44	41	
9,310	11,073	11,686	14,173	16,194	16,528	19,427	22,351	23,651	20,545	15,098	8,074	2,717	671	130	122	13
5,732	6,818	7,286	8,952	10,009	9,932	11,001	12,049	12,401	10,281	7,413	3,782	1,136	300	58	90	14
3,578	4,255	4,400	5,221	6,185	6,596	8,426	10,302	11,250	10,264	7,685	4,292	1,581	371	72	32	15
655	892	949	970	1,042	862	942	817	780	592	471	243	85	32	8	466	16
560	781	807	833	901	724	762	618	528	377	273	135	48	18	1	413	17
95	111	142	137	141	138	180	199	252	215	198	108	37	14	7	53	18
4,902	5,705	5,082	4,741	4,949	3,930	3,833	3,195	2,900	1,972	1,419	762	439	204	256	304	19
2,612	3,199	2,815	2,644	2,723	2,150	2,082	1,689	1,534	1,013	681	372	172	78	92	184	20
2,290	2,506	2,267	2,097	2,221	1,780	1,751	1,506	1,316	959	738	390	267	126	164	120	21
2,466	3,023	2,664	2,487	2,519	1,947	1,869	1,557	1,498	960	646	353	162	75	86	177	22
2,246	2,454	2,231	2,068	2,193	1,755	1,722	1,475	1,274	930	713	375	252	122	153	117	
25	27	26	28	37	23	27	24	21	22	21	13	9	3	6	4	23
18	35	19	22	20	20	24	26	36	29	25	14	15	4	11	2	
40	49	62	93	149	169	173	104	64	31	14	5	1	.....	.....	.....	24
5	5	5	2	6	4	5	5	5	.....	.....	1	.....	.....	.....	1	
77	98	61	32	22	9	11	2	1	.....	.....	1	.....	.....	.....	3	25
21	11	12	5	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
4	2	2	4	1	2	2	2	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
31,541	35,502	36,405	39,493	44,386	48,170	52,798	57,885	61,837	54,486	40,007	21,190	7,390	1,751	474	1,040	27
17,629	20,297	21,000	23,195	25,630	27,714	29,432	31,350	32,399	27,468	19,286	9,831	3,027	737	176	744	28
13,912	15,205	15,405	16,298	18,756	20,456	23,366	26,535	29,438	27,018	20,721	11,359	4,363	1,014	298	296	29
28,283	31,649	32,957	36,243	40,900	45,226	49,900	55,371	59,471	52,846	38,834	20,554	7,017	1,593	270	804	30
15,865	18,092	19,075	21,392	23,708	26,093	27,856	30,002	31,111	26,623	18,706	9,512	2,881	672	97	604	31
12,418	13,557	13,882	14,851	17,192	19,133	22,044	25,369	28,360	26,223	20,128	11,042	4,136	921	173	200	32
19,443	21,030	21,635	22,718	25,602	29,614	31,503	34,228	36,909	33,363	24,378	12,849	4,411	943	147	238	33
10,265	11,359	11,845	12,668	14,050	16,539	17,270	18,465	19,180	16,779	11,517	5,870	1,765	372	45	119	34
9,178	9,671	9,790	10,050	11,552	13,075	14,233	15,763	17,729	16,584	12,861	6,979	2,646	571	102	119	35
5,254	5,206	5,346	5,758	6,418	8,169	9,622	10,979	11,669	10,329	7,111	3,560	1,048	192	22	50	36
5,124	5,178	4,998	5,122	5,803	6,866	8,124	9,840	11,427	10,987	8,429	4,573	1,701	348	49	71	
3,974	4,754	4,987	5,092	5,341	5,515	4,343	3,226	2,531	1,788	1,008	473	135	34	4	17	37
3,192	3,440	3,692	3,767	4,251	4,384	3,781	2,840	2,509	1,953	1,267	551	216	47	13	11	
1,037	1,399	1,512	1,818	2,291	2,855	3,305	4,260	4,980	4,662	3,398	1,837	582	146	19	52	38
862	1,053	1,100	1,161	1,498	1,825	2,328	3,083	3,793	3,644	3,165	1,855	729	176	40	37	
8,257	9,835	10,460	12,656	14,386	14,831	17,533	20,393	21,826	18,924	14,006	7,476	2,525	619	116	116	39
5,099	6,042	6,498	7,980	8,868	8,899	9,888	10,969	11,440	9,487	6,929	3,516	1,070	283	51	85	40
3,158	3,793	3,962	4,676	5,518	5,932	7,645	9,424	10,386	9,437	7,077	3,960	1,455	336	65	31	41
583	784	862	869	912	781	864	750	736	559	450	229	81	31	7	450	42
501	691	732	744	790	655	698	568	491	357	260	126	46	17	1	400	43
82	93	130	125	122	126	166	182	245	202	190	103	35	14	6	50	44
3,258	3,853	3,448	3,250	3,486	2,944	2,898	2,514	2,366	1,640	1,173	636	373	158	204	236	45
1,764	2,205	1,925	1,803	1,922	1,621	1,576	1,348	1,288	845	580	319	146	65	79	140	46
1,494	1,648	1,523	1,447	1,564	1,323	1,322	1,166	1,078	795	593	317	227	93	125	96	47
1,624	2,042	1,784	1,662	1,735	1,440	1,381	1,224	1,208	793	546	300	136	62	73	133	48
1,454	1,598	1,487	1,418	1,537	1,298	1,294	1,135	1,036	766	568	302	212	89	114	93	
25	26	26	28	37	23	27	24	20	22	21	13	9	3	6	4	49
16	35	19	22	20	20	24	26	36	29	25	14	15	4	11	2	
38	42	53	80	128	151	156	97	59	30	13	5	1	.....	.....	.....	50
5	3	5	2	6	4	4	5	5	.....	.....	1	.....	.....	.....	1	
73	93	60	31	22	7	10	2	1	.....	.....	1	.....	.....	.....	3	51
19	11	12	5	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
4	2	2	2	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CITIES IN REGISTRATION STATES.[1]												
1	Total	440,401	74,437	15,072	6,124	3,870	2,834	102,337	8,771	5,747	9,757	15,661	18,204
2	Males	237,924	41,946	7,920	3,290	2,016	1,506	56,678	4,736	3,034	4,919	8,176	9,880
3	Females	202,477	32,491	7,152	2,834	1,854	1,328	45,659	4,035	2,713	4,838	7,485	8,324
4	White	409,862	69,863	13,951	5,666	3,624	2,665	95,769	8,235	5,268	8,678	13,882	16,145
5	Males	221,572	39,402	7,356	3,072	1,897	1,434	53,161	4,451	2,819	4,460	7,282	8,804
6	Females	188,290	30,461	6,595	2,594	1,727	1,231	42,608	3,784	2,449	4,218	6,600	7,341
7	Native	277,638	69,525	13,769	5,540	3,501	2,572	94,907	7,797	4,739	7,022	9,939	10,536
8	Males	148,453	39,209	7,256	3,007	1,831	1,383	52,686	4,208	2,549	3,549	4,973	5,447
9	Females	129,185	30,316	6,513	2,533	1,670	1,189	42,221	3,589	2,190	3,473	4,966	5,089
10	Both parents native M	65,114	15,597	2,368	1,233	703	578	20,479	1,925	1,226	1,727	2,393	2,580
	Both parents native F	59,793	11,724	2,098	963	658	462	15,905	1,629	1,062	1,749	2,381	2,533
11	One or both parents foreign M	67,892	21,932	4,751	1,730	1,111	793	30,317	2,226	1,265	1,728	2,324	2,434
	One or both parents foreign F	56,794	17,186	4,267	1,529	994	709	24,685	1,900	1,096	1,612	2,302	2,180
12	Parentage unknown M	15,447	1,680	137	44	17	12	1,890	57	58	94	256	433
	Parentage unknown F	12,598	1,406	148	41	18	18	1,631	60	32	112	283	376
13	Foreign	127,326	179	163	118	119	86	665	428	521	1,606	3,821	5,387
14	Males	69,240	103	91	58	63	46	361	236	264	870	2,210	3,180
15	Females	58,086	76	72	60	56	40	304	192	257	736	1,611	2,207
16	Unknown	4,898	159	19	8	4	7	197	10	8	50	122	222
17	Males	3,879	90	9	7	3	5	114	7	6	41	99	177
18	Females	1,019	69	10	1	1	2	83	3	2	9	23	45
19	Colored	30,539	4,574	1,121	458	246	169	6,568	536	479	1,079	1,779	2,059
20	Males	16,352	2,544	564	218	119	72	3,517	285	215	459	894	1,076
21	Females	14,187	2,030	557	240	127	97	3,051	251	264	620	885	983
22	Negro M	15,230	2,439	542	213	115	69	3,378	270	211	445	865	1,002
	Negro F	13,901	1,933	540	232	120	93	2,918	244	263	608	857	958
23	Indian M	45	.....	.....	.....	.....	.....	.....	4	1	5	.....	6
	Indian F	39	8	1	.....	1	1	11	.....	.....	3	2	1
24	Chinese M	710	17	2	.....	1	3	23	6	3	7	16	25
	Chinese F	62	14	1	2	2	.....	19	2	1	4	4	3
25	Japanese M	356	88	20	5	3	.....	116	5	.....	2	12	37
	Japanese F	185	75	15	6	4	3	103	5	.....	5	22	21
26	Other colored M	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6
	Other colored F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	RURAL PART OF REGISTRATION STATES.												
27	Total	383,537	61,604	10,755	4,958	3,012	2,252	82,581	7,161	5,590	8,865	12,389	12,520
28	Males	210,208	35,039	5,739	2,656	1,557	1,235	46,226	3,801	2,963	4,587	6,546	6,671
29	Females	173,329	26,565	5,016	2,302	1,455	1,017	36,355	3,360	2,627	4,278	5,843	5,849
30	White	356,769	56,761	9,719	4,532	2,760	2,069	75,841	6,532	4,959	7,609	10,680	11,115
31	Males	196,157	32,382	5,188	2,431	1,436	1,133	42,570	3,491	2,677	4,022	5,723	5,980
32	Females	160,612	24,379	4,531	2,101	1,324	936	33,271	3,041	2,282	3,587	4,957	5,135
33	Native	287,323	56,602	9,632	4,475	2,703	2,039	75,451	6,335	4,749	6,992	8,873	8,610
34	Males	153,685	32,297	5,146	2,400	1,397	1,109	42,349	3,374	2,554	3,640	4,471	4,230
35	Females	133,638	24,305	4,486	2,075	1,306	930	33,102	2,961	2,195	3,352	4,402	4,380
36	Both parents native M	96,919	21,569	3,523	1,735	991	786	28,604	2,442	1,843	2,529	2,897	2,655
	Both parents native F	88,547	16,148	2,999	1,493	937	684	22,261	2,144	1,572	2,432	3,072	2,960
37	One or both parents foreign M	33,270	10,028	1,538	609	375	293	12,843	849	633	954	1,223	1,144
	One or both parents foreign F	27,195	7,607	1,403	544	342	224	10,120	755	548	770	1,049	1,058
38	Parentage unknown M	23,496	700	85	56	31	30	902	83	78	157	351	431
	Parentage unknown F	17,896	550	84	38	27	22	721	62	75	150	281	362
39	Foreign	64,222	94	71	48	50	25	288	172	189	560	1,655	2,297
40	Males	38,394	47	32	29	35	20	163	99	107	339	1,126	1,575
41	Females	25,828	47	39	19	15	5	125	73	82	221	529	722
42	Unknown	5,224	65	16	9	7	5	102	25	21	57	152	208
43	Males	4,078	38	10	2	4	4	58	18	16	43	126	175
44	Females	1,146	27	6	7	3	1	44	7	5	14	26	33
45	Colored	26,768	4,843	1,036	426	252	183	6,740	629	631	1,256	1,709	1,405
46	Males	14,051	2,657	551	225	121	102	3,656	310	286	565	823	691
47	Females	12,717	2,186	485	201	131	81	3,084	319	345	691	886	714
48	Negro M	12,832	2,402	502	194	104	88	3,290	270	258	526	759	645
	Negro F	11,899	1,994	458	177	121	73	2,823	281	314	645	831	657
49	Indian M	683	133	39	25	15	12	224	37	24	34	50	29
	Indian F	655	107	19	20	8	8	162	35	30	46	46	40
50	Chinese M	247	4	1	.....	.....	.....	5	.....	3	5	7	4
	Chinese F	17	2	1	.....	.....	.....	3	1	.....	.....	1	.....
51	Japanese M	274	116	8	6	2	2	134	3	1	.....	5	12
	Japanese F	141	82	5	4	2	.....	93	2	1	.....	8	16
52	Other colored M	15	2	1	.....	.....	.....	3	.....	.....	.....	2	1
	Other colored F	5	1	2	.....	.....	.....	3	.....	.....	.....	.....	1

[1] Includes District of Columbia. The term "cities" includes all municipalities of 10,000 population or over in 1910.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
19,292	21,875	22,898	24,669	27,371	27,794	28,847	28,906	28,174	22,927	15,581	7,957	2,665	614	165	189	1
10,986	12,735	13,413	14,629	15,819	15,935	15,835	15,089	13,933	10,697	6,786	3,279	941	226	53	145	2
8,306	9,140	9,485	10,040	11,552	11,859	13,012	13,817	14,241	12,230	8,795	4,678	1,724	388	112	44	3
17,243	19,377	20,684	22,551	25,209	26,081	27,260	27,674	27,169	22,287	15,194	7,758	2,569	570	107	152	4
9,843	11,227	12,178	13,414	14,628	14,983	14,985	14,451	13,408	10,393	6,610	3,197	912	204	38	124	5
7,400	8,150	8,506	9,137	10,581	11,098	12,275	13,223	13,761	11,894	8,584	4,561	1,657	366	69	28	6
10,998	11,905	12,434	12,744	13,993	14,935	14,413	13,658	13,256	11,157	7,671	3,865	1,324	269	45	31	7
6,007	6,657	7,032	7,231	7,748	8,394	7,850	7,193	6,469	5,156	3,191	1,555	439	90	13	16	8
4,991	5,248	5,402	5,513	6,245	6,541	6,563	6,465	6,787	6,001	4,480	2,310	885	179	32	15	9
2,657	2,524	2,659	2,749	2,944	3,480	3,743	3,936	3,732	3,091	1,962	978	276	44	7	2	10
2,369	2,324	2,286	2,281	2,492	2,773	3,175	3,665	4,076	3,888	2,936	1,530	601	113	19	6	
2,843	3,413	3,575	3,561	3,664	3,605	2,708	1,723	1,186	766	339	157	40	9	2	7	11
2,161	2,391	2,578	2,649	2,996	2,924	2,401	1,677	1,404	932	579	217	85	18	3	4	
507	720	798	921	1,140	1,309	1,399	1,534	1,551	1,299	890	420	123	37	4	7	12
461	533	538	583	757	844	987	1,123	1,307	1,181	965	563	199	48	10	5	
5,903	7,048	7,740	9 317	10,710	10,712	12,420	13,672	13,616	10,932	7,395	3,837	1,221	293	59	23	13
3,538	4,204	4,711	5,769	6,437	6,226	6,792	7,002	6,730	5,123	3,352	1,618	463	111	25	18	14
2,365	2,844	3,029	3,548	4,273	4,486	5,628	6,670	6,886	5,809	4,043	2,219	758	182	34	5	15
342	424	510	490	506	434	427	344	297	198	128	56	24	8	3	98	16
298	366	435	414	443	363	343	256	209	114	67	24	10	3	.....	90	17
44	58	75	76	63	71	84	88	88	84	61	32	14	5	3	8	18
2,049	2,498	2,214	2,118	2,162	1,713	1,587	1,232	1,005	640	387	199	96	44	58	37	19
1,143	1,508	1,235	1,215	1,191	952	850	638	525	304	176	82	29	22	15	21	20
906	990	979	903	971	761	737	594	480	336	211	117	67	22	43	16	21
1,054	1,414	1,153	1,120	1,071	832	734	570	485	289	172	80	28	22	14	21	22
887	978	963	900	966	759	733	589	472	335	211	117	66	22	40	15	
3	3	6	2	6	2	1	2	.....	1	1	.....	1	.....	1	.....	23
2	2	3	.....	1	1	2	1	5	1	.....	.....	1	.....	3	.....	
32	35	38	73	103	114	112	66	39	14	3	1	.....	.....	.....	.....	24
5	3	5	2	3	1	2	4	3	.....	.....	.....	.....	.....	.....	1	
53	55	37	20	11	4	2	.....	1	.....	.....	1	.....	.....	.....	.....	25
12	7	8	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
12,249	13,627	13,507	14,824	17,015	20,376	23,951	28,979	33,663	31,559	24,426	13,233	4,725	1,137	309	851	27
6,643	7,562	7,587	8,566	9,811	11,779	13,597	16,261	18,466	16,771	12,500	6,552	2,086	511	123	599	28
5,606	6,065	5,920	6,258	7,204	8,597	10,354	12,718	15,197	14,788	11,926	6,681	2,639	626	186	252	29
11,040	12,272	12,273	13,692	15,691	19,145	22,640	27,697	32,302	30,559	23,640	12,796	4,448	1,023	163	652	30
6,322	6,865	6,897	7,978	9,080	11,110	12,871	15,551	17,703	16,230	12,096	6,315	1,969	468	59	480	31
5,018	5,407	5,376	5,714	6,611	8,035	9,769	12,146	14,599	14,329	11,544	6,481	2,479	555	104	172	32
8,445	9,125	9,201	9,974	11,609	14,679	17,090	20,570	23,653	22,206	16,707	8,984	3,087	674	102	207	33
4,258	4,702	4,813	5,437	6,302	8,145	9,420	11,272	12,711	11,623	8,326	4,315	1,326	282	32	103	34
4,187	4,423	4,388	4,537	5,307	6,534	7,670	9,298	10,942	10,583	8,381	4,669	1,761	392	70	104	35
2,597	2,682	2,687	3,009	3,474	4,689	5,879	7,043	7,937	7,238	5,149	2,582	772	148	15	48	36
2,755	2,854	2,712	2,841	3,311	4,093	4,949	6,175	7,351	7,099	5,493	3,043	1,100	235	30	65	
1,131	1,341	1,412	1,531	1,677	1,910	1,635	1,503	1,345	1,022	669	316	95	25	2	10	37
1,031	1,049	1,114	1,118	1,255	1,460	1,380	1,163	1,105	1,021	688	334	131	29	10	7	
530	679	714	897	1,151	1,546	1,906	2,726	3,429	3,363	2,508	1,417	459	109	15	45	38
401	520	562	578	741	981	1,341	1,960	2,486	2,463	2,200	1,292	530	128	30	32	
2,354	2,787	2,720	3,339	3,676	4,119	5,113	6,721	8,210	7,992	6,611	3,639	1,304	326	57	93	39
1,561	1,838	1,787	2,211	2,431	2,673	3,096	3,967	4,710	4,364	3,577	1,898	607	172	26	67	40
793	949	933	1,128	1,245	1,446	2,017	2,754	3,500	3,628	3,034	1,741	697	154	31	26	41
241	360	352	379	406	347	437	406	439	361	322	173	57	23	4	352	42
203	325	297	330	347	292	355	312	282	243	193	102	36	14	1	310	43
38	35	55	49	59	55	82	94	157	118	129	71	21	9	3	42	44
1,209	1,355	1,234	1,132	1,324	1,231	1,311	1,282	1,361	1,000	786	437	277	114	146	199	45
621	697	690	588	731	669	726	710	763	541	404	237	117	43	64	119	46
588	658	544	544	593	562	585	572	598	459	382	200	160	71	82	80	47
570	628	631	542	664	608	647	654	723	504	374	220	108	40	59	112	48
567	620	524	518	571	539	561	546	564	431	357	185	146	67	74	78	
22	23	20	26	31	21	26	22	20	21	20	13	8	3	5	4	49
14	33	16	22	19	19	22	25	31	28	25	14	14	4	8	2	
6	7	15	7	25	37	44	31	20	16	10	4	1	.....	.....	.....	50
.....	.....	.....	.....	3	3	2	1	2	.....	.....	1	.....	.....	.....	.....	
20	38	23	11	11	3	8	2	.....	.....	.....	.....	.....	.....	.....	3	51
7	4	4	4	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
3	1	1	2	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES IN OTHER STATES.												
1	Total	85,217	12,520	3,057	1,342	809	577	18,305	1,806	1,246	2,564	4,538	4,899
2	Males	46,463	7,062	1,631	701	415	301	10,110	970	658	1,177	2,173	2,593
3	Females	38,754	5,458	1,426	641	394	276	8,195	836	588	1,387	2,365	2,306
4	White	64,550	10,242	2,461	1,059	634	467	14,863	1,436	879	1,631	2,911	3,127
5	Males	35,808	5,843	1,321	547	338	247	8,296	799	486	774	1,422	1,718
6	Females	28,742	4,399	1,140	512	296	220	6,567	637	393	857	1,489	1,409
7	Native	43,550	10,161	2,404	1,020	612	447	14,644	1,321	786	1,404	2,211	2,130
8	Males	23,651	5,808	1,290	529	329	234	8,190	737	442	656	1,028	1,123
9	Females	19,899	4,353	1,114	491	283	213	6,454	584	344	748	1,183	1,007
10	Both parents native M	9,820	2,298	480	238	145	98	3,259	346	223	295	471	507
	Both parents native F	8,769	1,705	423	200	143	92	2,563	284	173	325	537	459
11	One or both parents foreign M	10,007	3,209	773	277	174	129	4,562	364	201	320	463	464
	One or both parents foreign F	8,234	2,417	670	280	126	110	3,603	284	153	389	524	418
12	Parentage unknown M	3,824	301	37	14	10	7	369	27	18	41	94	152
	Parentage unknown F	2,896	231	21	11	14	11	288	16	18	34	122	130
13	Foreign	20,003	61	54	34	17	20	186	113	89	219	657	948
14	Males	11,374	30	30	14	9	13	96	62	40	113	367	560
15	Females	8,629	31	24	20	8	7	90	51	49	106	290	388
16	Unknown	997	20	3	5	5	.....	33	2	4	8	43	49
17	Males	783	5	1	4	.....	.....	10	.....	4	5	27	35
18	Females	214	15	2	1	5	.....	23	2	.....	3	16	14
19	Colored	20,667	2,278	596	283	175	110	3,442	370	367	933	1,627	1,772
20	Males	10,655	1,219	310	154	77	54	1,814	171	172	403	751	875
21	Females	10,012	1,059	286	129	98	56	1,628	199	195	530	876	897
22	Negro M	10,505	1,211	310	152	77	53	1,803	171	171	402	747	865
	Negro F	9,996	1,055	285	129	98	56	1,623	199	195	529	876	895
23	Indian M	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1
	Indian F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese M	116	3	.....	1	.....	.....	4	.....	.....	1	1	9
	Chinese F	6	1	.....	.....	.....	.....	1	.....	.....	1	.....	1
25	Japanese M	23	5	.....	1	.....	1	7	.....	1	.....	1	.....
	Japanese F	8	3	1	.....	.....	.....	4	.....	.....	.....	.....	1
26	Other colored M	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	ALL REGISTRATION CITIES.[1]												
27	Total	525,618	86,957	18,129	7,466	4,679	3,411	120,642	10,577	6,993	12,321	20,199	23,103
28	Males	284,387	49,008	9,551	3,991	2,431	1,807	66,788	5,706	3,692	6,096	10,349	12,473
29	Females	241,231	37,949	8,578	3,475	2,248	1,604	53,854	4,871	3,301	6,225	9,850	10,630
30	White	474,412	80,105	16,412	6,725	4,258	3,132	110,632	9,671	6,147	10,309	16,793	19,272
31	Males	257,380	45,245	8,677	3,619	2,235	1,681	61,457	5,250	3,305	5,234	8,704	10,522
32	Females	217,032	34,860	7,735	3,106	2,023	1,451	49,175	4,421	2,842	5,075	8,089	8,750
33	Native	321,188	79,686	16,173	6,560	4,113	3,019	109,551	9,118	5,525	8,426	12,150	12,666
34	Males	172,104	45,017	8,546	3,536	2,160	1,617	60,876	4,945	2,991	4,205	6,001	6,570
35	Females	149,084	34,669	7,627	3,024	1,953	1,402	48,675	4,173	2,534	4,221	6,149	6,096
36	Both parents native M	74,934	17,895	2,848	1,471	848	676	23,738	2,271	1,449	2,022	2,864	3,087
	Both parents native F	68,562	13,429	2,521	1,163	801	554	18,468	1,913	1,235	2,074	2,918	2,992
37	One or both parents foreign M	77,899	25,141	5,524	2,007	1,285	922	34,879	2,590	1,466	2,048	2,787	2,898
	One or both parents foreign F	65,028	19,603	4,937	1,809	1,120	819	28,288	2,184	1,249	2,001	2,826	2,598
38	Parentage unknown M	19,271	1,981	174	58	27	19	2,259	84	76	135	350	585
	Parentage unknown F	15,494	1,637	169	52	32	29	1,919	76	50	146	405	506
39	Foreign	147,329	240	217	152	136	106	851	541	610	1,825	4,478	6,335
40	Males	80,614	133	121	72	72	59	457	298	304	983	2,577	3,740
41	Females	66,715	107	96	80	64	47	394	243	306	842	1,901	2,595
42	Unknown	5,895	179	22	13	9	7	230	12	12	58	165	271
43	Males	4,662	95	10	11	3	5	124	7	10	46	126	212
44	Females	1,233	84	12	2	6	2	106	5	2	12	39	59
45	Colored	51,206	6,852	1,717	741	421	279	10,010	906	846	2,012	3,406	3,831
46	Males	27,007	3,763	874	372	196	126	5,331	456	387	862	1,645	1,951
47	Females	24,199	3,089	843	369	225	153	4,679	450	459	1,150	1,761	1,880
48	Negro M	25,735	3,650	852	365	192	122	5,181	441	382	847	1,612	1,867
	Negro F	23,897	2,988	825	361	218	149	4,541	443	458	1,137	1,733	1,853
49	Indian M	50	.....	.....	.....	.....	.....	.....	4	1	5	2	7
	Indian F	41	8	1	.....	1	1	11	.....	.....	3	2	1
50	Chinese M	826	20	2	1	1	3	27	6	3	8	17	34
	Chinese F	68	15	1	2	2	.....	20	2	1	5	4	4
51	Japanese M	379	93	20	6	3	1	123	5	1	2	13	37
	Japanese F	193	78	16	6	4	3	107	5	.....	5	22	22
52	Other colored M	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	6
	Other colored F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

[1] Includes District of Columbia. The term "cities" includes all municipalities of 10,000 population or over in 1910.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
4,772	5,286	5,100	5,284	5,555	5,062	5,009	4,548	4,042	3,280	2,139	1,109	381	119	73	100	1
2,645	3,008	2,939	3,171	3,317	3,009	2,851	2,479	2,137	1,576	921	472	133	37	20	67	2
2,127	2,278	2,161	2,113	2,238	2,053	2,158	2,069	1,905	1,704	1,218	637	248	82	53	33	3
3,128	3,434	3,466	3,793	4,092	4,076	4,074	3,867	3,508	2,948	1,893	983	315	73	21	32	4
1,797	2,014	2,049	2,330	2,511	2,480	2,345	2,138	1,841	1,408	820	419	107	24	7	23	5
1,331	1,420	1,417	1,463	1,581	1,596	1,729	1,729	1,667	1,540	1,073	564	208	49	14	9	6
2,003	2,088	2,153	2,175	2,154	2,298	2,102	1,842	1,639	1,294	780	371	119	20	6	10	7
1,105	1,148	1,186	1,269	1,259	1,378	1,168	1,008	843	594	323	144	39	6	.....	5	8
898	940	967	906	895	920	934	834	796	700	457	227	80	14	6	5	9
468	482	480	462	437	546	452	485	382	274	157	70	18	5	.....	1	10
440	448	415	373	349	381	403	414	421	363	256	115	39	8	2	1	
457	452	501	509	498	455	325	177	133	77	31	13	5	.....	.....	.....	11
303	319	360	369	361	334	291	174	149	107	56	25	13	2	.....	.....	
180	214	205	298	324	377	391	346	328	243	135	61	16	1	.....	4	12
155	173	192	164	185	205	240	246	226	230	145	87	28	4	4	4	
1,053	1,238	1,226	1,517	1,808	1,697	1,894	1,958	1,825	1,621	1,092	598	192	52	14	6	13
633	776	788	972	1,141	1,033	1,113	1,080	961	794	484	266	66	17	7	5	14
420	462	438	545	667	664	781	878	864	827	608	332	126	35	7	1	15
72	108	87	101	130	81	78	67	44	33	21	14	4	1	1	16	16
59	90	75	89	111	69	64	50	37	20	13	9	2	1	.....	13	17
13	18	12	12	19	12	14	17	7	13	8	5	2	.....	1	3	18
1,644	1,852	1,634	1,491	1,463	986	935	681	534	332	246	126	66	46	52	68	19
848	994	890	841	806	529	506	341	296	168	101	53	26	13	13	44	20
796	858	744	650	657	457	429	340	238	164	145	73	40	33	39	24	21
842	981	880	825	784	507	488	333	290	167	100	53	26	13	13	44	22
792	856	744	650	656	457	428	340	238	164	145	73	40	33	39	24	
.....	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	23
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	7	9	13	21	18	17	7	5	1	1	.....	.....	.....	.....	.....	24
.....	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	5	1	1	.....	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	2	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
24,064	27,161	27,998	29,953	32,926	32,856	33,856	33,454	32,216	26,207	17,720	9,066	3,046	733	238	289	27
13,631	15,743	16,352	17,800	19,136	18,944	18,686	17,568	16,070	12,273	7,707	3,751	1,074	263	73	212	28
10,433	11,418	11,646	12,153	13,790	13,912	15,170	15,886	16,146	13,934	10,013	5,315	1,972	470	165	77	29
20,371	22,811	24,150	26,344	29,301	30,157	31,334	31,541	30,677	25,235	17,087	8,741	2,884	643	128	184	30
11,640	13,241	14,227	15,744	17,139	17,463	17,330	16,589	15,249	11,801	7,430	3,616	1,019	228	45	147	31
8,731	9,570	9,923	10,600	12,162	12,694	14,004	14,952	15,428	13,434	9,657	5,125	1,865	415	83	37	32
13,001	13,993	14,587	14,919	16,147	17,233	16,515	15,500	14,895	12,451	8,451	4,236	1,443	289	51	41	33
7,112	7,805	8,218	8,500	9,007	9,772	9,018	8,201	7,312	5,750	3,514	1,699	478	96	13	21	34
5,889	6,188	6,369	6,419	7,140	7,461	7,497	7,299	7,583	6,701	4,937	2,537	965	193	38	20	35
3,125	3,006	3,139	3,211	3,381	4,026	4,195	4,421	4,114	3,365	2,119	1,048	294	49	7	3	36
2,809	2,772	2,701	2,654	2,841	3,154	3,578	4,079	4,497	4,251	3,192	1,645	640	121	21	7	
3,300	3,865	4,076	4,070	4,162	4,060	3,033	1,900	1,319	843	370	170	45	9	2	7	37
2,464	2,710	2,938	3,018	3,357	3,258	2,692	1,851	1,553	1,039	635	242	98	20	3	4	
687	934	1,003	1,219	1,464	1,686	1,790	1,880	1,879	1,542	1,025	481	139	38	4	11	38
616	706	730	747	942	1,049	1,227	1,369	1,533	1,411	1,110	650	227	52	14	9	
6,956	8,286	8,966	10,834	12,518	12,409	14,314	15,630	15,441	12,553	8,487	4,435	1,413	345	73	29	39
4,171	4,980	5,499	6,741	7,578	7,259	7,905	8,082	7,691	5,917	3,836	1,884	529	128	32	23	40
2,785	3,306	3,467	4,093	4,940	5,150	6,409	7,548	7,750	6,636	4,651	2,551	884	217	41	6	41
414	532	597	591	636	515	505	411	341	231	149	70	28	9	4	114	42
357	456	510	503	554	432	407	306	246	134	80	33	12	4	.....	103	43
57	76	87	88	82	83	98	105	95	97	69	37	16	5	4	11	44
3,693	4,350	3,848	3,609	3,625	2,699	2,522	1,913	1,539	972	633	325	162	90	110	105	45
1,991	2,502	2,125	2,056	1,997	1,481	1,356	979	821	472	277	135	55	35	28	65	46
1,702	1,848	1,723	1,553	1,628	1,218	1,166	934	718	500	356	190	107	55	82	40	47
1,896	2,395	2,033	1,945	1,855	1,339	1,222	903	775	456	272	133	54	35	27	65	48
1,679	1,834	1,707	1,550	1,622	1,216	1,161	929	710	499	356	190	106	55	79	39	
3	4	6	2	6	2	1	2	1	1	1	.....	1	.....	1	.....	49
4	2	3	.....	1	1	2	1	5	1	.....	.....	1	.....	3	.....	
34	42	47	86	124	132	129	73	44	15	4	1	.....	.....	.....	.....	50
5	5	5	2	3	1	3	4	3	.....	.....	.....	.....	.....	.....	1	
57	60	38	21	11	6	3	.....	1	.....	.....	1	.....	.....	.....	.....	51
14	7	8	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	1	2	1	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CALIFORNIA.												
1	Total	39,038	3,565	663	371	275	199	5,073	647	438	799	1,350	1,871
2	Males	23,891	2,054	357	200	145	115	2,871	351	242	433	831	1,154
3	Females	15,147	1,511	306	171	130	84	2,202	296	196	366	519	717
4	White	36,867	3,204	613	343	261	188	4,609	609	420	748	1,249	1,731
5	Males	22,354	1,852	322	186	139	109	2,608	328	230	413	777	1,065
6	Females	14,513	1,352	291	157	122	79	2,001	281	190	335	472	666
7	Native	24,085	3,191	598	339	252	183	4,563	554	370	602	907	1,119
8	Males	13,923	1,840	314	185	133	104	2,576	302	203	319	528	624
9	Females	10,162	1,351	284	154	119	79	1,987	252	167	283	379	495
10	Both parents native M	5,552	889	133	99	66	58	1,245	156	98	171	243	255
	Both parents native F	4,444	621	129	73	65	39	927	116	91	153	194	218
11	One or both parents foreign M	4,207	852	161	78	62	43	1,196	135	96	127	203	237
	One or both parents foreign F	3,343	651	144	75	49	36	955	121	68	108	136	194
12	Parentage unknown M	4,164	99	20	8	5	3	135	11	9	21	82	132
	Parentage unknown F	2,375	79	11	6	5	4	105	15	8	22	49	83
13	Foreign	11,696	10	12	3	9	4	38	52	47	137	311	558
14	Males	7,492	9	6	1	6	4	26	25	25	85	223	395
15	Females	4,204	1	6	2	3	.....	12	27	22	52	88	163
16	Unknown	1,086	3	3	1	.....	1	8	3	3	9	31	54
17	Males	939	3	2	.....	.....	1	6	1	2	9	26	46
18	Females	147	.....	1	1	.....	.....	2	2	1	.....	5	8
19	Colored	2,171	361	50	28	14	11	464	38	18	51	101	140
20	Males	1,537	202	35	14	6	6	263	23	12	20	54	89
21	Females	634	159	15	14	8	5	201	15	6	31	47	51
22	Negro M	318	26	7	1	2	2	38	4	4	4	16	30
	Negro F	251	17	3	2	1	2	25	5	3	16	8	19
23	Indian M	71	8	3	2	.....	.....	13	6	3	5	8	7
	Indian F	70	10	2	1	.....	.....	13	3	1	9	7	2
24	Chinese M	679	16	3	.....	1	3	23	5	4	9	14	19
	Chinese F	65	12	1	2	2	.....	17	2	1	2	5	3
25	Japanese M	454	152	22	11	3	1	189	8	1	2	14	31
	Japanese F	246	119	9	9	5	3	145	5	1	4	27	26
26	Other colored M	15	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2
	Other colored F	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
	COLORADO.												
27	Total	10,602	1,531	265	138	93	78	2,105	191	178	250	501	639
28	Males	6,243	876	153	66	45	38	1,178	93	91	134	280	406
29	Females	4,359	655	112	72	48	40	927	98	87	116	221	233
30	White	10,319	1,504	255	134	92	78	2,063	188	175	239	489	606
31	Males	6,080	859	149	64	45	38	1,155	91	90	130	276	385
32	Females	4,239	645	106	70	47	40	908	97	85	109	213	221
33	Native	7,730	1,501	247	133	91	77	2,049	183	167	206	381	455
34	Males	4,322	857	144	64	44	37	1,146	89	87	110	198	266
35	Females	3,408	644	103	69	47	40	903	94	80	96	183	189
36	Both parents native M	2,081	502	89	43	31	22	687	57	53	67	100	130
	Both parents native F	1,784	381	63	46	31	26	547	67	54	59	105	96
37	One or both parents foreign M	1,109	301	50	20	10	13	394	28	26	33	63	68
	One or both parents foreign F	899	226	36	22	14	13	311	24	23	30	48	60
38	Parentage unknown M	1,132	54	5	1	3	2	65	4	8	10	35	68
	Parentage unknown F	725	37	4	1	2	1	45	3	3	7	30	33
39	Foreign	2,210	2	8	1	1	1	13	3	7	29	90	122
40	Males	1,446	2	5	.....	1	1	9	2	2	16	63	95
41	Females	764	.....	3	1	.....	.....	4	1	5	13	27	27
42	Unknown	379	1	.....	.....	.....	.....	1	2	1	4	18	29
43	Males	312	.....	.....	.....	.....	.....	.....	.....	1	4	15	24
44	Females	67	1	.....	.....	.....	.....	1	2	.....	.....	3	5
45	Colored	283	27	10	4	1	.....	42	3	3	11	12	33
46	Males	163	17	4	2	.....	.....	23	2	1	4	4	21
47	Females	120	10	6	2	1	.....	19	1	2	7	8	12
48	Negro M	141	12	3	2	.....	.....	17	2	1	4	4	20
	Negro F	106	3	3	2	1	.....	9	1	2	7	8	9
49	Indian M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Indian F	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
50	Chinese M	6	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Chinese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese M	15	4	1	.....	.....	.....	5	.....	.....	.....	.....	.....
	Japanese F	11	7	3	.....	.....	.....	10	.....	.....	.....	.....	1
52	Other colored M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,894	2,158	2,096	2,279	2,504	2,674	2,789	3,024	3,095	2,689	2,126	1,070	324	72	21	50	1
1,220	1,418	1,357	1,484	1,611	1,746	1,803	1,893	1,828	1,577	1,239	587	156	33	13	44	2
674	735	739	795	893	928	986	1,131	1,267	1,112	887	483	168	39	8	6	3
1,755	1,992	1,951	2,160	2,359	2,530	2,618	2,899	3,011	2,634	2,090	1,057	315	66	16	48	4
1,120	1,298	1,251	1,383	1,494	1,619	1,651	1,788	1,767	1,533	1,212	581	154	30	9	43	5
635	694	700	777	865	911	967	1,111	1,244	1,101	878	476	161	36	7	5	6
1,134	1,265	1,258	1,275	1,385	1,555	1,466	1,530	1,640	1,434	1,180	630	174	33	6	5	7
674	760	732	754	830	951	869	886	930	826	687	368	85	12	3	4	8
460	505	526	521	555	604	597	644	710	608	493	262	89	21	3	1	9
259	261	241	232	265	339	339	348	351	308	262	151	22	6	.....	.....	10
194	205	213	184	206	275	220	267	314	290	218	113	35	9	1	1	
237	260	264	259	283	261	192	122	130	92	67	34	10	1	.....	1	11
165	181	199	216	221	169	183	115	120	84	68	23	14	3	.....	.....	
178	239	227	263	282	351	338	416	449	426	358	183	53	5	3	3	12
101	119	114	121	128	160	194	262	276	234	207	126	40	9	2	.....	
548	624	599	774	850	878	1,048	1,293	1,305	1,166	866	409	138	31	10	14	13
382	443	432	533	555	582	696	837	778	678	495	201	67	16	6	12	14
166	181	167	241	295	296	352	456	527	488	371	208	71	15	4	2	15
73	103	94	111	124	97	104	76	66	34	44	18	3	2	.....	29	16
64	95	87	96	109	86	86	65	59	29	30	12	2	2	.....	27	17
9	8	7	15	15	11	18	11	7	5	14	6	1	.....	.....	2	18
139	161	145	119	145	144	171	125	84	55	36	13	9	6	5	2	19
100	120	106	101	117	127	152	105	61	44	27	6	2	3	4	1	20
39	41	39	18	28	17	19	20	23	11	9	7	7	3	1	1	21
27	35	28	27	16	12	23	14	8	14	12	1	.....	2	2	1	22
23	25	23	10	19	12	14	14	11	9	5	4	5	1	.....	.....	
3	2	2	2	3	3	1	2	1	3	2	.....	2	1	2	.....	23
1	4	2	2	2	1	1	2	7	2	4	2	2	2	1	.....	
17	18	31	47	82	107	120	87	51	27	13	5	.....	.....	.....	.....	24
2	3	5	2	6	3	4	4	4	.....	.....	1	.....	.....	.....	1	
49	63	43	23	16	5	7	2	1	.....	.....	.....	.....	.....	.....	.....	25
13	9	9	4	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
4	2	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
596	631	527	605	621	664	684	622	640	522	354	171	70	14	2	14	27
372	389	329	367	382	441	423	372	374	291	186	85	34	7	1	8	28
224	242	198	239	239	223	261	250	266	231	168	86	36	7	1	6	29
574	606	511	584	607	640	671	609	632	513	347	169	69	13	1	13	30
358	369	316	354	375	428	417	368	368	287	181	84	34	6	1	7	31
216	237	195	230	232	212	254	241	264	226	166	85	35	7	.....	6	32
396	413	359	387	399	421	412	390	389	338	221	106	45	9	1	3	33
222	232	201	205	230	271	242	233	219	188	109	49	21	3	1	.....	34
174	181	158	182	169	150	170	157	170	150	112	57	24	6	.....	3	35
98	80	87	84	90	127	94	91	88	69	49	19	10	.....	1	.....	36
83	93	66	93	80	52	70	84	79	62	53	27	10	4	.....	.....	
60	70	58	46	57	58	42	37	23	29	6	6	4	1	.....	.....	37
51	42	47	49	42	42	43	15	25	22	13	8	2	.....	.....	2	
64	82	56	75	83	86	106	105	108	90	54	24	7	2	.....	.....	38
40	46	45	40	47	56	57	58	66	66	46	22	12	2	.....	1	
151	164	126	165	172	184	216	195	215	153	113	62	22	3	.....	5	39
113	112	93	123	114	128	139	117	129	81	61	34	11	2	.....	2	40
38	52	33	42	58	56	77	78	86	72	52	28	11	1	.....	3	41
27	29	26	32	36	35	43	24	28	22	13	1	2	1	.....	5	42
23	25	22	26	31	29	36	18	20	18	11	1	2	1	.....	5	43
4	4	4	6	5	6	7	6	8	4	2	.....	.....	.....	.....	.....	44
22	25	16	22	14	24	13	13	8	9	7	2	1	1	1	1	45
14	20	13	13	7	13	6	4	6	4	5	1	.....	1	.....	1	46
8	5	3	9	7	11	7	9	2	5	2	1	1	.....	1	.....	47
13	13	10	13	6	13	4	4	5	4	5	1	.....	1	.....	1	48
8	5	3	9	7	11	6	9	2	5	2	1	1	.....	1	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	50
1	7	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CONNECTICUT.												
1	Total	18,247	3,494	578	242	155	120	4,589	327	204	352	528	549
2	Males	9,886	2,012	328	121	83	71	2,615	170	104	179	300	307
3	Females	8,361	1,482	250	121	72	49	1,974	157	100	173	228	242
4	White	17,845	3,435	559	235	148	116	4,493	320	198	343	510	530
5	Males	9,674	1,980	317	118	80	69	2,564	167	103	175	295	296
6	Females	8,171	1,455	242	117	68	47	1,929	153	95	168	215	234
7	Native	12,258	3,426	551	229	143	110	4,459	300	175	265	309	312
8	Males	6,622	1,977	314	115	78	64	2,548	154	90	144	169	171
9	Females	5,636	1,449	237	114	65	46	1,911	146	85	121	140	141
10	Both parents native M	2,580	522	58	36	21	20	657	48	33	51	57	64
	Both parents native F	2,370	377	44	23	13	10	467	54	36	56	51	65
11	One or both parents foreign M	3,174	1,405	250	76	57	43	1,831	100	55	88	104	91
	One or both parents foreign F	2,494	1,034	189	91	52	36	1,402	87	45	61	86	66
12	Parentage unknown M	868	50	6	3	.....	1	60	6	2	5	8	16
	Parentage unknown F	772	38	4	.....	.....	.....	42	5	4	4	3	10
13	Foreign	5,367	8	7	6	5	5	31	20	23	74	197	212
14	Males	2,896	2	2	3	2	4	13	13	13	29	122	120
15	Females	2,471	6	5	3	3	1	18	7	10	45	75	92
16	Unknown	220	1	1	.....	.....	1	3	.....	.....	4	4	6
17	Males	156	1	1	.....	.....	1	3	.....	.....	2	4	5
18	Females	64	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	1
19	Colored	402	59	19	7	7	4	96	7	6	9	18	19
20	Males	212	32	11	3	3	2	51	3	1	4	5	11
21	Females	190	27	8	4	4	2	45	4	5	5	13	8
22	Negro M	205	32	11	3	3	2	51	3	1	4	5	10
	Negro F	188	27	8	4	4	2	45	4	5	5	13	8
23	Indian M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese M	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Chinese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	INDIANA.												
27	Total	35,403	4,915	892	409	252	192	6,660	691	513	842	1,180	1,203
28	Males	19,148	2,861	474	230	133	104	3,802	389	279	421	594	599
29	Females	16,255	2,054	418	179	119	88	2,858	302	234	421	586	604
30	White	33,937	4,761	859	396	239	185	6,440	660	484	784	1,083	1,119
31	Males	18,346	2,791	458	221	127	99	3,696	374	268	394	542	547
32	Females	15,591	1,970	401	175	112	86	2,744	286	216	390	541	572
33	Native	29,848	4,757	856	394	235	184	6,426	648	473	757	1,000	1,012
34	Males	15,895	2,790	456	220	126	98	3,690	364	261	373	478	477
35	Females	13,953	1,967	400	174	109	86	2,736	284	212	384	522	535
36	Both parents native M	10,746	2,239	374	192	112	82	2,999	320	231	319	387	361
	Both parents native F	9,732	1,601	326	155	90	73	2,245	243	184	336	427	417
37	One or both parents foreign M	2,460	494	77	25	12	14	622	34	28	45	68	82
	One or both parents foreign F	1,938	322	72	19	16	11	440	36	23	32	60	68
38	Parentage unknown M	2,689	57	5	3	2	2	69	10	2	9	23	34
	Parentage unknown F	2,283	44	2	.....	3	2	51	5	5	16	35	50
39	Foreign	3,763	2	3	2	4	1	12	10	10	25	79	100
40	Males	2,211	.....	2	1	1	1	5	8	6	19	61	65
41	Females	1,552	2	1	1	3	.....	7	2	4	6	18	35
42	Unknown	326	2	.....	.....	.....	.....	2	2	1	2	4	7
43	Males	240	1	.....	.....	.....	.....	1	2	1	2	3	5
44	Females	86	1	.....	.....	.....	.....	1	.....	.....	.....	1	2
45	Colored	1,466	154	33	13	13	7	220	31	29	58	97	84
46	Males	802	70	16	9	6	5	106	15	11	27	52	52
47	Females	664	84	17	4	7	2	114	16	18	31	45	32
48	Negro M	798	67	16	9	6	5	103	15	11	27	52	52
	Negro F	662	84	17	4	7	2	114	16	18	31	45	32
49	Indian M	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Indian F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese M	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Chinese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese M	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Japanese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
593	762	799	865	961	1,013	1,185	1,307	1,368	1,196	906	482	184	42	7	28	1
343	438	508	538	527	570	595	708	684	575	403	218	68	16	3	17	2
250	324	291	327	434	443	590	599	684	621	503	264	116	26	4	11	3
576	734	774	848	934	984	1,158	1,282	1,349	1,183	896	478	182	41	5	27	4
334	420	490	526	514	555	586	694	673	567	398	215	68	16	1	17	5
242	314	284	322	420	429	572	588	676	616	498	263	114	25	4	10	6
315	399	430	443	471	574	615	660	742	705	575	333	138	27	4	7	7
181	211	263	253	252	320	318	367	367	347	257	150	47	8	1	4	8
134	188	167	190	219	254	297	293	375	358	318	183	91	19	3	3	9
70	70	86	74	106	132	162	222	225	209	175	101	29	6	1	2	10
47	76	63	67	92	110	148	172	247	233	210	111	57	8	.....	.....	
97	120	149	134	118	121	72	43	25	15	9	.....	1	.....	.....	1	11
77	95	80	101	94	95	84	41	33	21	18	3	3	.....	1	1	
14	21	28	45	28	67	84	102	117	123	73	49	17	2	.....	1	12
10	17	24	22	33	49	65	80	95	104	90	69	31	11	2	2	
252	320	323	390	439	393	526	605	595	457	310	139	42	11	1	7	13
145	196	208	259	241	222	257	316	301	213	137	60	20	8	.....	3	14
107	124	115	131	198	171	269	289	294	244	173	79	22	3	1	4	15
9	15	21	15	24	17	17	17	12	21	11	6	2	3	.....	13	16
8	13	19	14	21	13	11	11	5	7	4	5	1	.....	.....	10	17
1	2	2	1	3	4	6	6	7	14	7	1	1	3	.....	3	18
17	28	25	17	27	29	27	25	19	13	10	4	2	1	2	1	19
9	18	18	12	13	15	9	14	11	8	5	3	.....	.....	2	.....	20
8	10	7	5	14	14	18	11	8	5	5	1	2	1	.....	1	21
9	16	17	12	12	14	8	14	11	8	5	3	.....	.....	2	.....	22
8	10	7	5	13	14	18	11	8	5	5	1	2	1	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	
.....	1	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,176	1,287	1,404	1,488	1,847	2,041	2,520	2,733	3,248	2,904	2,125	1,080	345	76	23	17	27
602	668	736	837	1,065	1,137	1,416	1,544	1,722	1,527	1,073	530	153	36	6	12	28
574	619	668	651	782	904	1,104	1,189	1,526	1,377	1,052	550	192	40	17	5	29
1,086	1,173	1,304	1,379	1,745	1,943	2,439	2,666	3,174	2,859	2,094	1,069	336	72	14	14	30
544	599	687	774	1,007	1,080	1,370	1,500	1,681	1,500	1,057	526	151	34	3	12	31
542	574	617	605	738	863	1,069	1,166	1,493	1,359	1,037	543	185	38	11	2	32
953	1,038	1,138	1,213	1,533	1,729	2,114	2,283	2,575	2,262	1,598	775	264	44	12	1	33
460	495	575	661	859	938	1,150	1,261	1,347	1,192	792	384	114	21	2	1	34
493	543	563	552	674	791	964	1,022	1,228	1,070	806	391	150	23	10	.....	35
337	345	350	392	486	537	704	752	778	709	448	218	60	13	.....	.....	36
373	403	362	367	417	470	610	646	749	668	483	224	94	10	4	.....	
79	96	126	159	201	194	201	155	162	99	60	35	10	3	.....	1	37
72	85	121	107	132	151	150	121	134	104	58	28	11	4	1	.....	
44	54	99	110	172	207	245	354	407	384	284	131	44	5	2	.....	38
48	55	80	78	125	170	204	255	345	298	265	139	45	9	5	.....	
112	120	141	143	180	187	296	349	572	567	484	275	71	28	1	1	39
66	90	92	93	123	121	198	215	319	289	258	133	36	13	1	.....	40
46	30	49	50	57	66	98	134	253	278	226	142	35	15	.....	1	41
21	15	25	23	32	27	29	34	27	30	12	19	1	.....	1	12	42
18	14	20	20	25	21	22	24	15	19	7	9	1	.....	.....	11	43
3	1	5	3	7	6	7	10	12	11	5	10	.....	.....	1	1	44
90	114	100	109	102	98	81	67	74	45	31	11	9	4	9	3	45
58	69	49	63	58	57	46	44	41	27	16	4	2	2	3	.....	46
32	45	51	46	44	41	35	23	33	18	15	7	7	2	6	3	47
57	69	49	63	58	57	46	44	41	27	16	4	2	2	3	.....	48
32	45	51	46	44	41	35	23	32	18	15	7	7	2	5	3	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	KANSAS.												
1	Total	18,209	2,599	497	276	152	111	3,635	391	277	415	536	566
2	Males	10,190	1,511	278	141	85	53	2,068	206	157	210	271	278
3	Females	8,019	1,088	219	135	67	58	1,567	185	120	205	265	288
4	White	17,020	2,470	458	265	147	103	3,443	368	258	361	464	497
5	Males	9,550	1,437	256	136	83	50	1,962	195	146	188	235	237
6	Females	7,470	1,033	202	129	64	53	1,481	173	112	173	229	260
7	Native	14,063	2,463	456	263	145	103	3,430	365	251	346	424	426
8	Males	7,731	1,432	256	136	81	50	1,955	193	143	179	209	190
9	Females	6,332	1,031	200	127	64	53	1,475	172	108	167	215	236
10	Both parents native M	4,518	1,111	203	121	65	39	1,539	159	118	133	152	120
	Both parents native F	3,954	810	164	111	53	45	1,183	146	82	125	136	148
11	One or both parents foreign M	1,120	242	41	12	16	10	321	28	21	35	36	39
	One or both parents foreign F	897	160	28	14	8	6	216	19	23	30	56	51
12	Parentage unknown M	2,093	79	12	3		1	95	6	4	11	21	31
	Parentage unknown F	1,481	61	8	2	3	2	76	7	3	12	23	37
13	Foreign	2,611	5	1	1	1		8	3	7	12	33	54
14	Males	1,543	3			1		4	2	3	6	20	33
15	Females	1,068	2	1	1			4	1	4	6	13	21
16	Unknown	346	2	1	1	1		5			3	7	17
17	Males	276	2			1		3			3	6	14
18	Females	70		1	1			2				1	3
19	Colored	1,189	129	39	11	5	8	192	23	19	54	72	69
20	Males	640	74	22	5	2	3	106	11	11	22	36	41
21	Females	549	55	17	6	3	5	86	12	8	32	36	28
22	Negro M	615	72	18	5	2	2	99	11	11	19	34	40
	Negro F	531	51	17	5	3	3	79	9	8	31	36	27
23	Indian M	20	1	4			1	6			3	1	1
	Indian F	17	3		1		2	6	3		1		1
24	Chinese M	2											
	Chinese F	1	1					1					
25	Japanese M	2	1					1					
	Japanese F												
26	Other colored M	1										1	
	Other colored F												
	KENTUCKY.												
27	Total	28,986	4,741	1,069	575	356	247	6,988	745	558	979	1,398	1,291
28	Males	15,138	2,714	568	310	190	119	3,901	387	301	460	648	602
29	Females	13,848	2,027	501	265	166	128	3,087	358	257	519	750	689
30	White	23,481	4,071	896	499	302	212	5,980	628	428	739	1,008	948
31	Males	12,251	2,329	480	269	160	104	3,342	327	235	351	467	424
32	Females	11,230	1,742	416	230	142	108	2,638	301	193	388	541	524
33	Native	21,925	4,062	894	499	299	212	5,966	622	426	730	992	929
34	Males	11,402	2,324	478	269	158	104	3,333	325	234	348	459	411
35	Females	10,523	1,738	416	230	141	108	2,633	297	192	382	533	518
36	Both parents native M	8,981	2,202	460	262	150	98	3,172	296	214	321	389	353
	Both parents native F	8,453	1,632	392	221	133	99	2,477	283	179	362	478	440
37	One or both parents foreign M	771	37	6	2	3	3	51	10	6	8	26	25
	One or both parents foreign F	587	36	9	3	2	2	52	5	4	7	18	32
38	Parentage unknown M	1,650	85	12	5	5	3	110	19	14	19	44	33
	Parentage unknown F	1,483	70	15	6	6	7	104	9	9	13	37	46
39	Foreign	1,239							2	2	5	7	15
40	Males	639								1	3	3	10
41	Females	600							2	1	2	4	5
42	Unknown	317	9	2		3		14	4		4	9	4
43	Males	210	5	2		2		9	2			5	3
44	Females	107	4			1		5	2		4	4	1
45	Colored	5,505	670	173	76	54	35	1,008	117	130	240	390	343
46	Males	2,887	385	88	41	30	15	559	60	66	109	181	178
47	Females	2,618	285	85	35	24	20	449	57	64	131	209	165
48	Negro M	2,884	385	87	41	30	15	558	60	66	109	181	178
	Negro F	2,616	285	85	35	24	20	449	57	64	131	209	165
49	Indian M	1											
	Indian F												
50	Chinese M												
	Chinese F	1											
51	Japanese M												
	Japanese F												
52	Other colored M	2		1				1					
	Other colored F	1											

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
578	612	632	668	823	938	1,100	1,481	1,746	1,646	1,237	609	202	47	15	55	1
286	330	341	360	456	541	632	834	1,039	950	729	323	103	29	4	43	2
292	282	291	308	367	397	468	647	707	696	508	286	99	18	11	12	3
511	534	570	611	753	884	1,039	1,418	1,673	1,579	1,203	577	193	42	5	37	4
248	281	306	327	419	508	608	805	1,002	918	708	304	95	27	1	30	5
263	253	264	284	334	376	431	613	671	661	495	273	98	15	4	7	6
444	439	464	506	618	705	812	1,065	1,239	1,135	828	392	136	28	4	6	7
200	214	236	268	339	384	464	589	740	659	476	203	66	21	1	2	8
244	225	228	238	279	321	348	476	499	476	352	189	70	7	3	4	9
118	126	137	140	172	187	229	276	318	282	201	79	26	4	1	1	10
149	144	138	147	156	172	188	251	257	250	162	83	30	2	2	3	
45	47	38	58	63	56	62	66	81	66	37	13	4	4			11
49	41	45	42	56	49	47	38	42	35	30	20	7	1			
37	41	61	70	104	141	173	247	341	311	238	111	36	13		1	12
46	40	45	49	67	100	113	187	200	191	160	86	33	4	1	1	
55	73	89	87	114	145	185	319	405	421	348	178	55	13	1	6	13
36	46	54	45	65	91	112	189	241	243	218	97	28	5		5	14
19	27	35	42	49	54	73	130	164	178	130	81	27	8	1	1	15
12	22	17	18	21	34	42	34	29	23	27	7	2	1		25	16
12	21	16	14	15	33	32	27	21	16	14	4	1	1		23	17
	1	1	4	6	1	10	7	8	7	13	3	1			2	18
67	78	62	57	70	54	61	63	73	67	34	32	9	5	10	18	19
38	49	35	33	37	33	24	29	37	32	21	19	8	2	3	13	20
29	29	27	24	33	21	37	34	36	35	13	13	1	3	7	5	21
36	48	33	32	35	33	23	28	37	32	20	19	8	2	3	12	22
28	29	27	23	33	20	37	34	35	35	12	13	1	3	6	5	
2	1	2		1			1			1					1	23
1			1		1			1		1				1		
			1	1												24
						1										25
																26
1,216	1,270	1,269	1,196	1,313	1,436	1,493	1,729	1,893	1,708	1,208	698	230	70	37	261	27
621	628	653	651	717	798	791	906	972	887	610	321	94	29	13	148	28
595	642	616	545	596	638	702	823	921	821	598	377	136	41	24	113	29
881	908	922	903	966	1,152	1,202	1,488	1,693	1,525	1,076	614	189	47	12	172	30
423	423	469	506	528	635	654	784	864	799	550	270	77	22	2	99	31
458	485	453	397	438	517	548	704	829	726	526	344	112	25	10	73	32
858	870	871	844	894	1,052	1,086	1,289	1,466	1,298	911	514	149	38	9	111	33
408	394	429	466	483	565	582	678	760	694	472	232	62	17		50	34
450	476	442	378	411	487	504	611	706	604	439	282	87	21	9	61	35
313	282	281	308	313	369	390	458	536	488	294	136	34	7		27	36
363	394	336	264	289	336	349	437	477	416	282	180	55	12	3	41	
50	58	95	88	85	83	61	46	34	21	13	7	3			1	37
37	31	47	48	60	68	44	40	34	33	15	6	4		1	1	
45	54	53	70	85	113	131	174	190	185	165	89	25	10		22	38
50	51	59	66	62	83	111	134	195	155	142	96	28	9	5	19	
15	27	32	47	61	76	94	174	199	208	144	88	34	7	1	1	39
10	22	25	29	37	51	57	94	86	94	69	32	10	4	1	1	40
5	5	7	18	24	25	37	80	113	114	75	56	24	3			41
8	11	19	12	11	24	22	25	28	19	21	12	6	2	2	60	42
5	7	15	11	8	19	15	12	18	11	9	6	5	1	1	48	43
3	4	4	1	3	5	7	13	10	8	12	6	1	1	1	12	44
335	362	347	293	347	284	291	241	200	183	132	84	41	23	25	89	45
198	205	184	145	189	163	137	122	108	88	60	51	17	7	11	49	46
137	157	163	148	158	121	154	119	92	95	72	33	24	16	14	40	47
198	204	184	145	189	163	136	122	108	88	60	51	17	7	11	49	48
137	156	163	148	158	120	154	119	92	95	72	33	24	16	14	40	
	1															49
					1											50
																51
						1										
	1															52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MAINE.												
1	Total	11,990	1,706	268	89	70	64	2,197	216	152	227	294	312
2	Males	6,424	992	143	42	34	41	1,252	123	90	117	140	158
3	Females	5,566	714	125	47	36	23	945	93	62	110	154	154
4	White	11,970	1,705	267	89	70	64	2,195	215	152	226	292	311
5	Males	6,413	991	143	42	34	41	1,251	123	90	117	139	158
6	Females	5,557	714	124	47	36	23	944	92	62	109	153	153
7	Native	10,066	1,697	263	88	66	59	2,173	208	140	189	242	229
8	Males	5,387	985	142	42	31	37	1,237	119	84	97	111	111
9	Females	4,679	712	121	46	35	22	936	89	56	92	131	118
10	Both parents native M	3,700	523	71	23	20	20	657	74	59	61	70	70
	Both parents native F	3,403	401	66	21	21	12	521	59	36	56	83	79
11	One or both parents foreign M	1,124	447	70	19	11	17	564	45	22	35	35	35
	One or both parents foreign F	885	297	54	25	12	10	398	27	19	32	40	35
12	Parentage unknown M	563	15	1				16		3	1	6	6
	Parentage unknown F	391	14	1		2		17	3	1	4	8	4
13	Foreign	1,780	7	4	1	4	3	19	7	11	31	49	77
14	Males	935	5	1		3	2	11	4	5	16	27	44
15	Females	845	2	3	1	1	1	8	3	6	15	22	33
16	Unknown	124	1				2	3		1	6	1	5
17	Males	91	1				2	3		1	4	1	3
18	Females	33									2		2
19	Colored	20	1	1				2	1		1	2	1
20	Males	11	1					1				1	
21	Females	9		1				1	1		1	1	1
22	Negro M	9	1					1				1	
	Negro F	6		1				1			1	1	
23	Indian M	2											
	Indian F	3							1				1
24	Chinese M												
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M												
	Other colored F												
	MARYLAND.												
27	Total	21,353	3,863	682	263	153	127	5,088	373	307	541	741	796
28	Males	11,237	2,156	339	140	74	72	2,781	210	148	256	361	416
29	Females	10,116	1,707	343	123	79	55	2,307	163	159	285	380	380
30	White	15,773	2,643	469	186	112	85	3,495	258	188	321	450	518
31	Males	8,338	1,501	242	98	53	48	1,942	148	100	161	227	280
32	Females	7,435	1,142	227	88	59	37	1,553	110	88	160	223	238
33	Native	13,141	2,628	463	186	110	85	3,472	253	180	299	392	453
34	Males	6,923	1,492	240	98	51	48	1,929	147	95	144	185	236
35	Females	6,218	1,136	223	88	59	37	1,543	106	85	155	207	217
36	Both parents native M	4,574	1,131	188	74	42	41	1,476	118	72	113	141	165
	Both parents native F	4,226	832	158	65	46	28	1,129	84	67	110	156	150
37	One or both parents foreign M	1,470	269	43	20	9	6	347	26	18	24	33	43
	One or both parents foreign F	1,291	202	57	19	13	9	300	22	18	38	42	54
38	Parentage unknown M	879	92	9	4		1	106	3	5	7	11	28
	Parentage unknown F	701	102	8	4			114			7	9	13
39	Foreign	2,440	1	2		2		5	5	5	20	51	59
40	Males	1,272	1	1		2		4	1	3	15	37	40
41	Females	1,168		1				1	4	2	5	14	19
42	Unknown	192	14	4				18		3	2	7	6
43	Males	143	8	1				9		2	2	5	4
44	Females	49	6	3				9		1		2	2
45	Colored	5,580	1,220	213	77	41	42	1,593	115	119	220	291	278
46	Males	2,899	655	97	42	21	24	839	62	48	95	134	136
47	Females	2,681	565	116	35	20	18	754	53	71	125	157	142
48	Negro M	2,893	654	97	42	21	24	838	62	48	95	134	135
	Negro F	2,681	565	116	35	20	18	754	53	71	125	157	142
49	Indian M												
	Indian F												
50	Chinese M	5	1					1					
	Chinese F												
51	Japanese M	1											1
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
339	368	377	461	453	640	825	1,044	1,176	1,196	936	506	197	39	6	29	1
167	205	183	239	239	324	466	568	693	634	466	233	88	15	.....	24	2
172	163	194	222	214	316	359	476	483	562	470	273	109	24	6	5	3
338	367	377	460	451	639	824	1,042	1,175	1,194	936	506	196	39	6	29	4
166	204	183	238	239	323	465	567	692	633	466	233	87	15	.....	24	5
172	163	194	222	212	316	359	475	483	561	470	273	109	24	6	5	6
247	281	264	341	365	526	670	835	950	1,000	787	416	161	32	4	6	7
128	151	122	172	188	267	388	460	568	523	388	192	68	10	.....	3	8
119	130	142	169	177	259	282	375	382	477	399	224	93	22	4	3	9
87	97	92	125	131	184	301	349	444	394	301	139	55	8	.....	2	10
83	93	105	129	134	199	222	306	310	387	335	178	72	12	2	2	
30	40	27	34	37	56	40	40	27	25	20	9	2	1	.....	.....	11
25	29	27	29	28	39	37	27	29	30	18	12	2	2	.....	.....	
11	14	3	13	20	27	47	71	97	104	67	44	11	1	.....	1	12
11	8	10	11	15	21	23	42	43	60	46	34	19	8	2	1	
88	80	110	115	82	109	150	194	204	182	139	87	31	6	2	7	13
36	49	59	64	48	54	74	96	108	101	71	40	17	4	.....	7	14
52	31	51	51	34	55	76	98	96	81	68	47	14	2	2	.....	15
3	6	3	4	4	4	4	13	21	12	10	3	4	1	.....	16	16
2	4	2	2	3	2	3	11	16	9	7	1	2	1	.....	14	17
1	2	1	2	1	2	1	2	5	3	3	2	2	.....	.....	2	18
1	1	.....	1	2	1	1	2	1	2	.....	.....	1	.....	.....	.....	19
1	1	.....	1	.....	1	1	1	1	1	.....	.....	1	.....	.....	.....	20
.....	.....	.....	.....	2	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	21
.....	1	.....	1	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	23
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
813	923	945	1,033	1,211	1,327	1,426	1,467	1,493	1,302	874	401	165	36	13	78	27
417	516	531	581	650	754	758	770	762	636	403	165	57	10	7	48	28
396	407	414	452	561	573	668	697	731	666	471	236	108	26	6	30	29
563	626	650	731	850	1,053	1,171	1,228	1,264	1,147	745	341	119	20	4	31	30
288	353	360	423	472	603	614	643	636	547	335	140	40	4	2	20	31
275	273	290	308	378	450	557	585	628	600	410	201	79	16	2	11	32
476	526	537	567	670	865	895	925	922	828	527	243	82	13	2	14	33
236	282	288	320	363	483	473	489	476	398	238	105	28	3	1	4	34
240	244	249	247	307	382	422	436	446	430	289	138	54	10	1	10	35
155	169	180	169	179	266	271	306	303	258	153	62	17	.....	1	.....	36
175	155	156	156	177	231	249	295	292	290	203	99	37	8	.....	7	
50	91	82	105	133	147	120	98	68	46	29	8	2	.....	.....	.....	37
45	64	68	65	94	111	119	79	68	56	31	10	4	1	1	1	
31	22	26	46	51	70	82	85	105	94	56	35	9	3	.....	4	38
20	25	25	26	36	40	54	62	86	84	55	29	13	1	.....	2	
77	93	95	141	171	178	264	289	327	305	214	95	34	6	2	4	39
44	66	54	83	103	110	132	145	149	139	96	34	11	1	1	4	40
33	27	41	58	68	68	132	144	178	166	118	61	23	5	1	.....	41
10	7	18	23	9	10	12	14	15	14	4	3	3	1	.....	13	42
8	5	18	20	6	10	9	9	11	10	1	1	1	.....	.....	12	43
2	2	.....	3	3	.....	3	5	4	4	3	2	2	1	.....	1	44
250	297	295	302	361	274	255	239	229	155	129	60	46	16	9	47	45
129	163	171	158	178	151	144	127	126	89	68	25	17	6	5	28	46
121	134	124	144	183	123	111	112	103	66	61	35	29	10	4	19	47
129	163	169	157	178	151	143	127	126	89	68	25	17	6	5	28	48
121	134	124	144	183	123	111	112	103	66	61	35	29	10	4	19	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MASSACHUSETTS.												
1	Total	53,065	9,414	1,901	702	459	347	12,823	1,010	663	969	1,560	1,669
2	Males	27,351	5,298	992	352	250	189	7,081	542	340	498	799	882
3	Females	25,714	4,116	909	350	209	158	5,742	468	323	471	761	787
4	White	52,097	9,252	1,863	681	452	338	12,586	984	648	945	1,503	1,609
5	Males	26,772	5,198	975	340	247	181	6,941	526	332	485	763	843
6	Females	25,325	4,054	888	341	205	157	5,645	458	316	460	740	766
7	Native	34,852	9,211	1,837	661	433	321	12,463	915	582	723	915	896
8	Males	18,121	5,170	961	332	241	171	6,875	490	297	379	452	455
9	Females	16,731	4,041	876	329	192	150	5,588	425	285	344	463	441
10	Both parents native M	7,562	1,429	196	92	51	45	1,813	144	87	131	155	164
	Both parents native F	7,362	1,006	173	87	45	32	1,343	120	91	111	155	159
11	One of both parents foreign M	8,936	3,504	745	229	188	123	4,789	341	204	241	281	273
	One of both parents foreign F	7,737	2,821	681	234	142	118	3,996	300	190	226	291	264
12	Parentage unknown M	1,623	237	20	11	2	3	273	5	6	7	16	18
	Parentage unknown F	1,632	214	22	8	5	.....	249	5	4	7	17	18
13	Foreign	16,909	23	24	17	19	15	98	64	66	217	580	704
14	Males	8,431	17	12	7	6	8	50	32	35	104	305	382
15	Females	8,478	6	12	10	13	7	48	32	31	113	275	322
16	Unknown	336	18	2	3	.....	2	25	5	.....	5	8	9
17	Males	220	11	2	1	.....	2	16	4	.....	2	6	6
18	Females	116	7	.....	2	.....	.....	9	1	.....	3	2	3
19	Colored	968	162	38	21	7	9	237	26	15	24	57	60
20	Males	579	100	17	12	3	8	140	16	8	13	36	39
21	Females	389	62	21	9	4	1	97	10	7	11	21	21
22	Negro M	537	100	17	12	3	8	140	16	7	12	35	36
	Negro F	381	58	20	9	4	1	92	9	7	11	21	21
23	Indian M	7	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
	Indian F	4	1	1	.....	.....	.....	2	.....	.....	.....	.....	.....
24	Chinese M	34	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3
	Chinese F	4	3	.....	.....	.....	.....	3	1	.....	.....	.....	.....
25	Japanese M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MICHIGAN.												
27	Total	40,425	6,930	1,081	456	272	204	8,943	738	520	841	1,313	1,429
28	Males	22,218	3,969	565	242	148	109	5,033	414	282	433	708	719
29	Females	18,207	2,961	516	214	124	95	3,910	324	238	408	605	710
30	White	39,816	6,855	1,060	452	264	201	8,832	721	509	823	1,273	1,391
31	Males	21,869	3,928	552	240	144	106	4,970	404	278	424	682	697
32	Females	17,947	2,927	508	212	120	95	3,862	317	231	399	591	694
33	Native	27,468	6,811	1,044	440	252	191	8,738	685	463	737	970	956
34	Males	14,672	3,902	543	234	135	101	4,915	385	245	374	488	427
35	Females	12,796	2,909	501	206	117	90	3,823	300	218	363	482	529
36	Both parents native M	7,245	1,943	262	127	69	61	2,462	188	108	171	217	194
	Both parents native F	6,505	1,467	228	100	72	47	1,914	162	106	178	196	231
37	One or both parents foreign M	5,545	1,852	278	104	66	40	2,340	194	131	199	258	203
	One or both parents foreign F	4,655	1,375	267	104	44	43	1,833	137	107	170	253	250
38	Parentage unknown M	1,882	107	3	3	.....	.....	113	3	6	4	13	30
	Parentage unknown F	1,636	67	6	2	1	.....	76	1	5	15	33	48
39	Foreign	11,687	27	14	10	11	9	71	36	44	80	290	404
40	Males	6,674	18	9	6	9	5	47	19	32	45	183	247
41	Females	5,013	9	5	4	2	4	24	17	12	35	107	157
42	Unknown	661	17	2	2	1	1	23	.....	2	6	13	31
43	Males	523	8	.....	.....	.....	.....	8	.....	1	5	11	23
44	Females	138	9	2	2	1	1	15	.....	1	1	2	8
45	Colored	609	75	21	4	8	3	111	17	11	18	40	38
46	Males	349	41	13	2	4	3	63	10	4	9	26	22
47	Females	260	34	8	2	4	.....	48	7	7	9	14	16
48	Negro M	254	25	9	.....	1	1	36	5	3	6	22	17
	Negro F	185	20	5	1	1	.....	27	5	.....	4	7	12
49	Indian M	89	15	4	2	3	2	26	5	1	3	4	4
	Indian F	75	14	3	1	3	.....	21	2	7	5	7	4
50	Chinese M	5	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Chinese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Other colored F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,806	2,030	2,267	2,562	2,904	3,150	3,460	3,854	4,061	3,566	2,540	1,449	522	135	25	40	1
982	1,100	1,238	1,453	1,588	1,717	1,767	1,887	1,967	1,598	1,050	585	181	53	10	33	2
824	930	1,029	1,109	1,316	1,433	1,693	1,967	2,094	1,968	1,490	864	341	82	15	7	3
1,752	1,956	2,208	2,503	2,863	3,087	3,401	3,811	4,023	3,543	2,524	1,440	516	132	24	39	4
941	1,060	1,203	1,413	1,559	1,677	1,732	1,863	1,949	1,589	1,043	580	180	51	10	32	5
811	896	1,005	1,090	1,304	1,410	1,669	1,948	2,074	1,954	1,481	860	336	81	14	7	6
952	1,041	1,092	1,188	1,433	1,725	1,775	1,934	2,106	2,090	1,598	954	374	77	14	5	7
503	589	600	672	760	937	931	1,011	1,025	958	650	374	129	28	4	2	8
449	452	492	516	673	788	844	923	1,081	1,132	948	580	245	49	10	3	9
179	177	203	258	338	436	517	660	735	705	485	267	86	19	3	.....	10
164	149	173	204	299	370	449	610	763	845	704	428	181	36	6	2	
299	379	354	343	333	403	284	181	113	62	33	14	7	1	.....	1	11
261	269	283	269	315	328	281	164	117	81	52	34	11	4	1	.....	
25	33	43	71	89	98	130	170	177	191	132	93	36	8	1	1	12
24	34	36	43	59	90	114	149	201	206	192	118	53	9	3	1	
783	899	1,086	1,294	1,397	1,339	1,604	1,858	1,892	1,429	917	474	137	53	10	8	13
423	459	585	726	770	723	788	841	912	619	391	201	50	23	6	6	14
360	440	501	568	627	616	816	1,017	980	810	526	273	87	30	4	2	15
17	16	30	21	33	23	22	19	25	24	9	12	5	2	.....	26	16
15	12	18	15	29	17	13	11	12	12	2	5	1	.....	.....	24	17
2	4	12	6	4	6	9	8	13	12	7	7	4	2	.....	2	18
54	74	59	59	41	63	59	43	38	23	16	9	6	3	1	1	19
41	40	35	40	29	40	35	24	18	9	7	5	1	2	.....	1	20
13	34	24	19	12	23	24	19	20	14	9	4	5	1	1	.....	21
37	35	33	34	22	33	34	22	18	8	7	4	1	2	.....	1	22
13	34	24	19	12	23	23	19	19	14	9	4	5	1	1	.....	
.....	1	1	.....	1	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	
4	4	1	5	6	7	1	1	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,468	1,474	1,441	1,659	1,926	2,308	2,643	3,007	3,414	3,078	2,329	1,266	443	97	25	63	27
794	799	778	950	1,063	1,362	1,514	1,712	1,855	1,653	1,193	635	197	54	12	58	28
674	675	663	709	863	946	1,129	1,295	1,559	1,425	1,136	631	246	43	13	5	29
1,436	1,442	1,409	1,626	1,894	2,273	2,602	2,972	3,381	3,056	2,308	1,255	437	95	21	60	30
775	779	759	930	1,043	1,343	1,493	1,688	1,838	1,642	1,185	627	194	52	11	55	31
661	663	650	696	851	930	1,109	1,284	1,543	1,414	1,123	628	243	43	10	5	32
974	898	834	973	1,075	1,343	1,463	1,648	1,907	1,663	1,203	637	236	48	7	10	33
485	452	406	526	541	764	799	914	993	894	596	323	110	25	2	8	34
489	446	428	447	534	579	664	734	914	769	607	314	126	23	5	2	35
189	184	176	222	232	358	412	494	581	507	310	168	64	6	1	1	36
225	195	200	218	262	297	339	398	539	426	348	187	69	13	2	.....	
255	207	192	236	205	272	223	199	177	119	75	49	8	.....	.....	3	37
212	200	175	176	193	184	187	161	159	135	73	28	17	3	.....	2	
41	61	38	68	104	134	164	221	235	268	211	106	38	19	1	4	38
52	51	53	53	79	98	138	175	216	208	186	99	40	7	3	.....	
428	492	519	599	767	888	1,085	1,264	1,430	1,355	1,073	592	194	45	14	17	39
265	283	302	355	456	543	653	729	811	724	564	287	80	25	9	15	40
163	209	217	244	311	345	432	535	619	631	509	305	114	20	5	2	41
34	52	56	54	52	42	54	60	44	38	32	26	7	2	.....	33	42
25	44	51	49	46	36	41	45	34	24	25	17	4	2	.....	32	43
9	8	5	5	6	6	13	15	10	14	7	9	3	.....	.....	1	44
32	32	32	33	32	35	41	35	33	22	21	11	6	2	4	3	45
19	20	19	20	20	19	21	24	17	11	8	8	3	2	1	3	46
13	12	13	13	12	16	20	11	16	11	13	3	3	.....	3	.....	47
15	16	14	14	13	17	18	19	12	11	7	5	1	1	.....	2	48
12	12	11	12	11	14	15	10	12	10	9	1	1	.....	.....	.....	
4	4	4	5	6	2	2	5	5	.....	1	3	2	1	1	1	49
1	.....	2	1	1	2	5	1	4	1	4	2	2	.....	3	.....	
.....	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MINNESOTA.												
1	Total	22,794	3,871	510	282	159	131	4,953	483	405	551	835	924
2	Males	13,075	2,249	275	157	83	72	2,836	263	217	304	468	525
3	Females	9,719	1,622	235	125	76	59	2,117	220	188	247	367	399
4	White	22,400	3,820	492	265	153	125	4,855	465	394	531	814	908
5	Males	12,868	2,222	261	147	81	69	2,780	256	208	294	458	516
6	Females	9,532	1,598	231	118	72	56	2,075	209	186	237	356	392
7	Native	12,868	3,807	485	263	151	124	4,830	448	371	481	636	626
8	Males	7,156	2,216	256	147	80	68	2,767	247	191	258	332	328
9	Females	5,712	1,591	229	116	71	56	2,063	201	180	223	304	298
10	Both parents native M	2,978	1,161	110	71	43	38	1,423	105	75	73	95	85
	Both parents native F	2,280	810	101	59	30	20	1,020	69	66	75	85	64
11	One or both parents foreign M	3,562	990	142	73	37	29	1,271	139	113	182	231	226
	One or both parents foreign F	2,965	745	124	56	40	33	998	127	111	143	206	221
12	Parentage unknown M	616	65	4	3		1	73	3	3	3	6	17
	Parentage unknown F	467	36	4	1	1	3	45	5	3	5	13	13
13	Foreign	9,232	13	7	2	2	1	25	16	22	45	170	264
14	Males	5,442	6	5		1	1	13	9	16	32	118	173
15	Females	3,790	7	2	2	1		12	7	6	13	52	91
16	Unknown	300							1	1	5	8	18
17	Males	270								1	4	8	15
18	Females	30							1		1		3
19	Colored	394	51	18	17	6	6	98	18	11	20	21	16
20	Males	207	27	14	10	2	3	56	7	9	10	10	9
21	Females	187	24	4	7	4	3	42	11	2	10	11	7
22	Negro M	98	5	3	2			10		2	2	3	8
	Negro F	72	6	2	1	1	1	11	1		2	3	1
23	Indian M	104	22	11	8	2	3	46	7	7	8	6	1
	Indian F	115	18	2	6	3	2	31	10	2	8	8	6
24	Chinese M	4										1	
	Chinese F												
25	Japanese M	1											
	Japanese F												
26	Other colored M												
	Other colored F												
	MISSOURI.												
27	Total	40,757	5,605	1,275	641	367	279	8,167	874	622	1,032	1,584	1,672
28	Males	22,658	3,129	671	350	184	163	4,497	475	324	514	804	904
29	Females	18,099	2,476	604	291	183	116	3,670	399	298	518	780	768
30	White	37,114	5,254	1,175	595	340	258	7,622	805	550	875	1,352	1,415
31	Males	20,677	2,931	622	329	173	153	4,208	439	297	443	694	771
32	Females	16,437	2,323	553	266	167	105	3,414	366	253	432	658	644
33	Natives	30,767	5,236	1,172	593	336	257	7,594	794	535	829	1,228	1,259
34	Males	16,811	2,918	619	327	170	152	4,186	431	292	419	597	663
35	Females	13,956	2,318	553	266	166	105	3,408	363	243	410	631	596
36	Both parents native M	10,609	2,433	540	287	142	124	3,526	368	246	330	408	430
	Both parents native F	9,180	1,930	468	242	141	92	2,873	300	215	320	451	404
37	One or both parents foreign M	3,038	321	64	30	21	23	459	52	38	60	123	150
	One or both parents foreign F	2,251	264	70	17	23	6	380	48	17	59	119	102
38	Parentage unknown M	3,164	164	15	10	7	5	201	11	8	29	66	83
	Parentage unknown F	2,525	124	15	7	2	7	155	15	11	31	61	90
39	Foreign	5,496	4	2	1	3	1	11	8	12	38	100	125
40	Males	3,228	3	2	1	2	1	9	5	4	18	77	86
41	Females	2,268	1			1		2	3	8	20	23	39
42	Unknown	851	14	1	1	1		17	3	3	8	24	31
43	Males	638	10	1	1	1		13	3	1	6	20	22
44	Females	213	4					4		2	2	4	9
45	Colored	3,643	351	100	46	27	21	545	69	72	157	232	257
46	Males	1,981	198	49	21	11	10	289	36	27	71	110	133
47	Females	1,662	153	51	25	16	11	256	33	45	86	122	124
48	Negro M	1,967	198	49	21	11	10	289	36	27	71	110	131
	Negro F	1,662	153	51	25	16	11	256	33	45	86	122	124
49	Indian M	1											
	Indian F												
50	Chinese M	12											1
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M	1											1
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
980	943	968	988	1,232	1,386	1,327	1,397	1,538	1,477	1,325	712	286	58	10	16	1
569	525	561	616	777	859	816	845	895	759	711	361	125	22	5	16	2
411	418	407	372	455	527	511	552	643	718	614	351	161	36	5	.....	3
963	914	952	958	1,211	1,364	1,312	1,382	1,533	1,460	1,318	708	277	57	8	16	4
561	510	552	598	763	850	808	837	892	752	708	359	124	22	4	16	5
402	404	400	360	448	514	504	545	641	708	610	349	153	35	4	.....	6
602	519	573	440	534	597	449	410	431	359	321	152	76	9	2	2	7
312	270	323	253	302	365	266	233	247	172	172	74	38	3	1	2	8
290	249	250	187	232	232	183	177	184	187	149	78	38	6	1	.....	9
97	63	76	72	80	127	94	119	138	93	101	44	15	2	1	.....	10
70	64	65	48	72	76	69	90	91	94	91	46	22	3	.....	.....	
195	183	215	156	184	188	111	56	56	26	15	7	6	1	.....	1	11
202	165	172	116	136	132	83	45	42	34	11	15	6	.....	.....	.....	
20	24	32	25	38	50	61	58	53	53	56	23	17	.....	.....	1	12
18	20	13	23	24	24	31	42	51	59	47	17	10	3	1	.....	
337	360	345	482	652	736	845	949	1,093	1,093	991	552	201	48	6	.....	13
225	206	198	312	437	459	524	583	640	574	532	283	86	19	3	.....	14
112	154	147	170	215	277	321	366	453	519	459	269	115	29	3	.....	15
24	35	34	36	25	31	18	23	9	8	6	4	.....	.....	.....	14	16
24	34	31	33	24	26	18	21	5	6	4	2	.....	.....	.....	14	17
.....	1	3	3	1	5	.....	2	4	2	2	2	.....	.....	.....	.....	18
17	29	16	30	21	22	15	15	5	17	7	4	9	1	2	.....	19
8	15	9	18	14	9	8	8	3	7	3	2	1	.....	1	.....	20
9	14	7	12	7	13	7	7	2	10	4	2	8	1	1	.....	21
5	12	7	14	8	7	3	5	3	6	2	.....	.....	.....	1	.....	22
7	6	6	10	4	9	3	5	1	2	1	.....	.....	.....	.....	.....	
3	3	2	4	6	.....	5	2	.....	1	1	1	1	.....	.....	.....	23
2	8	1	2	3	4	4	2	1	8	3	2	8	1	1	.....	
.....	.....	.....	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
1,671	1,868	1,882	1,992	2,185	2,333	2,525	2,861	3,053	2,743	1,977	1,053	398	87	34	144	27
898	1,060	1,090	1,226	1,300	1,425	1,491	1,630	1,670	1,472	996	545	167	50	10	110	28
773	808	792	766	885	908	1,034	1,231	1,383	1,271	981	508	231	37	24	34	29
1,443	1,568	1,604	1,742	1,939	2,131	2,333	2,709	2,905	2,649	1,910	1,000	365	74	13	110	30
774	879	923	1,073	1,144	1,323	1,381	1,555	1,584	1,414	963	522	154	45	4	87	31
669	689	681	669	795	808	952	1,154	1,321	1,235	947	478	211	29	9	23	32
1,279	1,367	1,349	1,441	1,528	1,689	1,755	1,933	2,060	1,823	1,294	677	255	44	9	25	33
651	735	750	866	865	1,010	1,015	1,102	1,106	964	651	361	103	26	2	16	34
628	632	599	575	663	679	740	831	954	859	643	316	152	18	7	9	35
378	387	336	397	404	494	544	611	615	513	359	196	47	11	.....	9	36
387	369	333	320	341	348	395	452	562	486	355	178	74	8	4	5	
174	236	266	291	260	268	205	160	119	88	52	28	7	1	.....	1	37
151	152	156	159	195	196	141	121	94	75	54	21	10	1	.....	.....	
99	112	148	178	201	248	266	331	372	363	240	137	49	14	2	6	38
90	111	110	96	127	135	204	258	298	298	234	117	68	9	3	4	
120	162	196	247	349	366	498	709	768	769	571	307	96	29	4	11	39
88	114	134	161	229	253	301	394	433	417	283	153	41	18	2	8	40
32	48	62	86	120	113	197	315	335	352	288	154	55	11	2	3	41
44	39	59	54	62	76	80	67	77	57	45	16	14	1	.....	74	42
35	30	39	46	50	60	65	59	45	33	29	8	10	1	.....	63	43
9	9	20	8	12	16	15	8	32	24	16	8	4	.....	.....	11	44
228	300	278	250	246	202	192	152	148	94	67	53	33	13	21	34	45
124	181	167	153	156	102	110	75	86	58	33	23	13	5	6	23	46
104	119	111	97	90	100	82	77	62	36	34	30	20	8	15	11	47
124	181	166	151	155	99	107	75	85	57	33	23	13	5	6	23	48
104	119	111	97	90	100	82	77	62	36	34	30	20	8	15	11	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	49
.....	.....	1	2	1	3	3	.....	1	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	Area and sex, color, and nativity.	All deaths.	Deaths at age of— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MONTANA.												
1	Total	5,072	816	114	51	47	29	1,057	105	87	131	225	285
2	Males	3,315	469	64	27	25	23	608	59	48	68	146	188
3	Females	1,757	347	50	24	22	6	449	46	39	63	79	97
4	White	4,740	766	104	41	42	24	977	92	75	108	198	270
5	Males	3,138	440	58	23	22	19	562	52	45	60	130	182
6	Females	1,602	326	46	18	20	5	415	40	30	48	68	88
7	Native	2,984	762	103	39	40	22	966	85	71	97	136	153
8	Males	1,811	437	57	23	20	19	556	49	43	51	80	94
9	Females	1,173	325	46	16	20	3	410	36	28	46	56	59
10	Both parents native M	834	251	37	15	16	13	332	28	21	24	39	27
	Both parents native F	585	193	32	8	11	2	246	25	12	20	18	24
11	One or both parents foreign M	585	166	18	8	4	6	202	19	21	26	30	45
	One or both parents foreign F	380	117	13	7	9	1	147	10	15	25	27	25
12	Parentage unknown M	392	20	2				22	2	1	1	11	22
	Parentage unknown F	208	15	1	1			17	1	1	1	11	10
13	Foreign	1,444	4	1	2	2	2	11	5	4	10	51	99
14	Males	1,040	3	1		2		6	2	2	9	42	71
15	Females	404	1		2		2	5	3	2	1	9	28
16	Unknown	312							2		1	11	18
17	Males	287							1			8	17
18	Females	25							1		1	3	1
19	Colored	332	50	10	10	5	5	80	13	12	23	27	15
20	Males	177	29	6	4	3	4	46	7	3	8	16	6
21	Females	155	21	4	6	2	1	34	6	9	15	11	9
22	Negro M	31	2					2			1		3
	Negro F	23	5		1			6			1	2	
23	Indian M	127	26	6	4	3	4	43	7	3	7	16	2
	Indian F	128	14	4	5	2	1	26	6	9	14	9	9
24	Chinese M	14											
	Chinese F	1											
25	Japanese M	5	1					1					1
	Japanese F	3	2					2					
26	Other colored M												
	Other colored F												
	NEW HAMPSHIRE.												
27	Total	7,099	1,096	167	56	51	28	1,398	80	87	113	176	189
28	Males	3,567	612	87	27	23	15	764	47	49	52	88	83
29	Females	3,532	484	80	29	28	13	634	33	38	61	88	106
30	White	7,089	1,095	166	56	51	28	1,396	80	87	113	176	189
31	Males	3,561	612	86	27	23	15	763	47	49	52	88	83
32	Females	3,528	483	80	29	28	13	633	33	38	61	88	106
33	Native	5,496	1,083	163	56	46	27	1,375	76	79	83	115	118
34	Males	2,770	606	85	27	22	15	755	43	46	40	62	47
35	Females	2,726	477	78	29	24	12	620	33	33	43	53	71
36	Both parents native M	1,440	224	18	14	7	5	268	12	18	17	28	22
	Both parents native F	1,485	160	21	11	10	4	206	13	16	19	26	36
37	One or both parents foreign M	742	349	64	13	14	8	448	29	25	18	29	19
	One or both parents foreign F	677	296	53	18	13	8	388	20	13	23	24	23
38	Parentage unknown M	588	33	3		1	2	39	2	3	5	5	6
	Parentage unknown F	564	21	4		1		26		4	1	3	12
39	Foreign	1,407	8	3		4	1	16	1	7	29	58	69
40	Males	670	4	1		1		6	1	2	11	24	35
41	Females	737	4	2		3	1	10		5	18	34	34
42	Unknown	186	4			1		5	3	1	1	3	2
43	Males	121	2					2	3	1	1	2	1
44	Females	65	2			1		3				1	1
45	Colored	10	1	1				2					
46	Males	6		1				1					
47	Females	4	1					1					
48	Negro M	6		1				1					
	Negro F	4	1					1					
49	Indian M												
	Indian F												
50	Chinese M												
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
304	340	316	320	355	316	280	259	262	195	135	63	20	10	1	6	1
195	238	232	253	253	237	194	171	160	122	85	38	10	5		5	2
109	102	84	67	102	79	86	88	102	73	50	25	10	5	1	1	3
296	326	301	302	342	301	262	246	245	181	128	56	19	10		5	4
188	233	224	241	244	227	182	163	155	116	81	34	9	5		5	5
108	93	77	61	98	74	80	83	90	65	47	22	10	5			6
168	161	149	124	136	147	135	134	114	88	81	29	7	3			7
93	101	96	94	87	101	86	83	70	55	48	18	4	2			8
75	60	53	30	49	46	49	51	44	33	33	11	3	1			9
39	32	34	30	30	43	35	31	29	26	21	8	3	2			10
35	30	23	12	19	18	20	23	22	13	17	7	1				
34	42	31	35	24	24	17	15	8	6	5	1					11
24	22	15	8	15	10	11	9	8	5	2	1	1				
20	27	31	29	33	34	34	37	33	23	22	9	1				12
16	8	15	10	15	18	18	19	14	15	14	3	1	1			
104	129	125	141	168	124	103	96	110	82	40	25	12	4		1	13
73	99	103	112	121	97	74	65	65	51	27	14	5	1		1	14
31	30	22	29	47	27	29	31	45	31	13	11	7	3			15
24	36	27	37	38	30	24	16	21	11	7	2		3		4	16
22	33	25	35	36	29	22	15	20	10	6	2		2		4	17
2	3	2	2	2	1	2	1	1	1	1			1			18
8	14	15	18	13	15	18	13	17	14	7	7	1		1	1	19
7	5	8	12	9	10	12	8	5	6	4	4	1				20
1	9	7	6	4	5	6	5	12	8	3	3			1	1	21
5	2	2	5	2	3	1	3		1		1					22
	3	3	2		2	1		2			1					
1	3	5	7	4	5	6	4	4	3	4	3					23
1	5	4	4	4	3	5	5	9	8	3	2			1	1	
		1		2	2	4	1	1	2			1				24
								1								
1				1		1										25
	1															
																26
171	209	267	276	304	434	476	575	659	616	560	322	125	30	2	32	27
88	100	142	141	158	228	247	277	340	285	260	143	42	14		19	28
83	109	125	135	146	206	229	298	319	331	300	179	81	16	2	13	29
171	208	266	275	304	433	475	575	659	614	560	321	123	30	2	32	30
88	99	141	140	158	227	247	277	340	284	260	143	42	14		19	31
83	109	125	135	146	206	228	298	319	330	300	178	81	16	2	13	32
111	131	155	187	192	299	335	415	501	465	456	258	105	26	2	12	33
59	62	83	94	90	159	176	198	261	222	204	115	36	11		7	34
52	69	72	93	102	140	159	217	240	243	252	143	69	15	2	5	35
33	30	45	54	50	94	104	145	158	128	133	69	25	4		3	36
25	35	35	55	60	92	102	150	167	152	156	91	35	11	2	1	
21	18	21	18	19	24	20	4	7	10	6	2	1	1		2	37
20	19	22	17	19	29	22	10	9	11	5	2	1				
5	14	17	22	21	41	52	49	96	84	65	44	10	6		2	38
7	15	15	21	23	19	35	57	64	80	91	50	33	4		4	
58	74	102	81	96	118	116	149	141	131	84	52	17	3		5	39
29	35	53	41	55	55	51	73	70	54	43	23	6	2		1	40
29	39	49	40	41	63	65	76	71	77	41	29	11	1		4	41
2	3	9	7	16	16	24	11	17	18	20	11	1	1		15	42
	2	5	5	13	13	20	6	9	8	13	5		1		11	43
2	1	4	2	3	3	4	5	8	10	7	6	1			4	44
	1	1	1		1	1			2		1					45
	1	1	1		1				1							46
						1			1		1					47
	1	1	1		1				1							48
						1			1		1					
																49
																50
																51
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW JERSEY.												
1	Total	39,787	7,125	1,485	581	386	310	9,887	810	512	872	1,231	1,415
2	Males	21,361	3,981	782	294	210	156	5,423	419	274	459	659	770
3	Females	18,426	3,144	703	287	176	154	4,464	391	238	413	572	645
4	White	37,662	6,742	1,401	538	369	294	9,344	765	481	786	1,142	1,300
5	Males	20,282	3,781	739	270	203	151	5,144	397	262	423	605	709
6	Females	17,380	2,961	662	268	166	143	4,200	368	219	363	537	591
7	Native	26,228	6,710	1,378	528	354	286	9,256	724	439	647	758	827
8	Males	14,002	3,761	726	266	193	147	5,093	373	236	350	388	447
9	Females	12,226	2,949	652	262	161	139	4,163	351	203	297	370	380
10	Both parents native M	6,829	1,433	216	98	68	50	1,865	152	130	179	194	212
	Both parents native F	6,321	1,112	181	99	68	43	1,503	165	97	154	161	192
11	One or both parents foreign M	6,223	2,245	506	164	124	95	3,134	217	97	163	176	216
	One or both parents foreign F	5,135	1,769	459	159	93	94	2,574	180	98	135	199	169
12	Parentage unknown M	950	83	4	4	1	2	94	4	9	8	18	19
	Parentage unknown F	770	68	12	4		2	86	6	8	8	10	19
13	Foreign	11,083	17	21	10	14	7	69	41	42	138	373	455
14	Males	6,005	10	13	4	9	4	40	24	26	72	207	250
15	Females	5,078	7	8	6	5	3	29	17	16	66	166	205
16	Unknown	351	15	2		1	1	19			1	11	18
17	Males	275	10			1		11			1	10	12
18	Females	76	5	2			1	8				1	6
19	Colored	2,125	383	84	43	17	16	543	45	31	86	89	115
20	Males	1,079	200	43	24	7	5	279	22	12	36	54	61
21	Females	1,046	183	41	19	10	11	264	23	19	50	35	54
22	Negro M	1,074	200	43	24	7	5	279	22	12	36	53	61
	Negro F	1,046	183	41	19	10	11	264	23	19	50	35	54
23	Indian M												
	Indian F												
24	Chinese M	4										1	
	Chinese F												
25	Japanese M	1											
	Japanese F												
26	Other colored M												
	Other colored F												
	NEW YORK.												
27	Total	146,938	24,004	5,279	2,031	1,293	899	33,506	2,736	1,773	2,832	4,630	5,377
28	Males	79,470	13,404	2,764	1,125	661	496	18,450	1,493	929	1,510	2,447	2,980
29	Females	67,468	10,600	2,515	906	632	403	15,056	1,243	844	1,322	2,183	2,397
30	White	143,131	23,337	5,068	1,964	1,260	873	32,502	2,674	1,714	2,724	4,415	5,114
31	Males	77,415	13,049	2,654	1,094	647	481	17,925	1,456	903	1,462	2,345	2,842
32	Females	65,716	10,288	2,414	870	613	392	14,577	1,218	811	1,262	2,070	2,272
33	Native	95,386	23,237	4,995	1,908	1,211	847	32,198	2,507	1,481	2,085	2,961	3,048
34	Males	51,430	13,001	2,616	1,061	620	465	17,763	1,360	794	1,105	1,537	1,628
35	Females	43,956	10,236	2,379	847	591	382	14,435	1,147	687	980	1,424	1,420
36	Both parents native M	22,484	4,809	709	340	195	167	6,220	546	338	505	696	755
	Both parents native F	20,322	3,706	636	254	212	144	4,952	434	303	461	663	687
37	One or both parents foreign M	25,405	7,724	1,870	713	421	294	11,022	803	445	581	792	810
	One or both parents foreign F	20,729	6,133	1,698	584	375	234	9,024	706	372	504	724	687
38	Parentage unknown M	3,541	468	37	8	4	4	521	11	11	19	49	63
	Parentage unknown F	2,905	397	45	9	4	4	459	7	12	15	37	46
39	Foreign	46,835	53	67	55	49	25	249	167	229	626	1,439	2,036
40	Males	25,287	27	34	32	27	15	135	96	106	346	795	1,188
41	Females	21,548	26	33	23	22	10	114	71	123	280	644	848
42	Unknown	910	47	6	1		1	55		4	13	15	30
43	Males	698	21	4	1		1	27		3	11	13	26
44	Females	212	26	2				28		1	2	2	4
45	Colored	3,807	667	211	67	33	26	1,004	62	59	108	215	263
46	Males	2,055	355	110	31	14	15	525	37	26	48	102	138
47	Females	1,752	312	101	36	19	11	479	25	33	60	113	125
48	Negro M	1,893	344	109	29	14	15	511	35	25	45	96	122
	Negro F	1,710	304	101	36	18	11	470	25	32	58	108	120
49	Indian M	47	10	1	2			13	2	1	1	3	5
	Indian F	36	6			1		7		1		4	5
50	Chinese M	90									2	3	4
	Chinese F	3									2		
51	Japanese M	22	1					1					4
	Japanese F	3	2					2				1	
52	Other colored M	3											3
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,528	1,888	1,930	2,115	2,334	2,350	2,470	2,731	2,744	2,266	1,560	797	263	61	21	2	1
879	1,095	1,158	1,256	1,318	1,307	1,346	1,394	1,362	1,087	690	342	92	23	7	1	2
649	793	772	859	1,016	1,043	1,124	1,337	1,382	1,179	870	455	171	38	14	1	3
1,405	1,742	1,790	1,992	2,224	2,238	2,349	2,633	2,641	2,209	1,526	769	252	56	16	2	4
825	1,013	1,081	1,187	1,260	1,257	1,294	1,341	1,311	1,061	674	326	88	19	4	1	5
580	729	709	805	964	981	1,055	1,292	1,330	1,148	852	443	164	37	12	1	6
859	1,053	1,015	1,047	1,243	1,269	1,278	1,423	1,471	1,287	937	493	155	39	7	1	7
495	599	603	595	677	690	705	705	736	624	415	206	51	12	2	.....	8
364	454	412	452	566	579	573	718	735	663	522	287	104	27	5	1	9
225	239	252	260	320	363	407	499	519	477	325	160	40	11	.....	.....	10
191	209	189	199	270	333	347	511	535	515	423	225	79	20	3	.....	
235	320	303	290	294	248	210	115	94	59	30	15	5	.....	2	.....	11
161	219	195	224	253	197	158	127	109	69	36	19	10	.....	2	1	
35	40	48	45	63	79	88	91	123	88	60	31	6	1	.....	.....	12
12	26	28	29	43	49	68	80	91	79	63	43	15	7	.....	.....	
524	656	746	899	945	943	1,045	1,182	1,153	904	579	270	95	16	8	.....	13
311	387	454	551	549	546	570	615	565	424	254	116	35	7	2	.....	14
213	269	292	348	396	397	475	567	588	480	325	154	60	9	6	.....	15
22	33	29	46	36	26	26	28	17	18	10	6	2	1	1	1	16
19	27	24	41	34	21	19	21	10	13	5	4	2	.....	.....	1	17
3	6	5	5	2	5	7	7	7	5	5	2	.....	1	1	.....	18
123	146	140	123	110	112	121	98	103	57	34	28	11	5	5	.....	19
54	82	77	69	58	50	52	53	51	26	16	16	4	4	3	.....	20
69	64	63	54	52	62	69	45	52	31	18	12	7	1	2	.....	21
53	82	77	69	58	48	52	53	50	26	16	16	4	4	3	.....	22
69	64	63	54	52	62	69	45	52	31	18	12	7	1	2	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	24
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
5,770	6,722	7,321	8,016	8,964	9,225	9,922	10,160	10,223	8,734	6,184	3,308	1,111	304	54	66	27
3,372	4,027	4,398	4,744	5,212	5,200	5,370	5,231	5,127	4,185	2,713	1,470	435	111	21	45	28
2,398	2,695	2,923	3,272	3,752	4,025	4,552	4,929	5,096	4,549	3,471	1,838	676	193	33	21	29
5,510	6,392	7,044	7,775	8,753	9,040	9,762	10,025	10,111	8,647	6,140	3,281	1,098	302	49	59	30
3,224	3,822	4,234	4,608	5,084	5,098	5,281	5,162	5,073	4,141	2,693	1,460	432	111	19	40	31
2,286	2,570	2,810	3,167	3,669	3,942	4,481	4,863	5,038	4,506	3,447	1,821	666	191	30	19	32
3,252	3,723	3,927	4,157	4,691	4,988	5,085	5,070	5,249	4,751	3,443	1,917	637	180	25	11	33
1,860	2,213	2,321	2,379	2,604	2,765	2,806	2,667	2,695	2,294	1,479	835	249	61	9	6	34
1,392	1,510	1,606	1,778	2,087	2,223	2,279	2,403	2,554	2,457	1,964	1,082	388	119	16	5	35
783	781	824	857	983	1,135	1,409	1,589	1,721	1,510	1,041	576	173	33	7	2	36
648	645	617	682	814	919	1,137	1,443	1,668	1,689	1,399	782	284	80	12	3	
1,011	1,329	1,381	1,391	1,438	1,411	1,102	730	538	345	159	81	24	10	.....	2	37
694	790	920	999	1,130	1,156	950	701	541	426	258	104	29	10	2	2	
66	103	116	131	183	219	295	348	436	439	279	178	52	18	2	2	38
50	75	69	97	143	148	192	259	345	342	307	196	75	29	2	.....	
2,201	2,608	3,008	3,527	3,979	3,984	4,606	4,905	4,813	3,843	2,664	1,347	451	120	22	11	39
1,313	1,550	1,817	2,152	2,411	2,277	2,416	2,462	2,358	1,813	1,197	616	176	49	10	4	40
888	1,058	1,191	1,375	1,568	1,707	2,190	2,443	2,455	2,030	1,467	731	275	71	12	7	41
57	61	109	91	83	68	71	50	49	53	33	17	10	2	2	37	42
51	59	96	77	69	56	59	33	20	34	17	9	7	1	.....	30	43
6	2	13	14	14	12	12	17	29	19	16	8	3	1	2	7	44
260	330	277	241	211	185	160	135	112	87	44	27	13	2	5	7	45
148	205	164	136	128	102	89	69	54	44	20	10	3	.....	2	5	46
112	125	113	105	83	83	71	66	58	43	24	17	10	2	3	2	47
129	187	146	122	113	90	77	63	52	43	19	9	2	.....	2	5	48
108	122	111	105	82	82	70	61	58	41	24	16	10	2	3	2	
1	2	3	2	2	2	3	2	1	1	1	1	1	.....	.....	.....	49
3	3	2	.....	1	1	1	5	.....	2	.....	1	.....	.....	.....	.....	
12	14	9	9	13	10	9	4	1	.....	.....	.....	.....	.....	.....	.....	50
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	2	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NORTH CAROLINA.[1]												
1	Total	8,438	1,657	456	155	71	58	2,397	170	142	354	527	482
2	Males	4,204	919	244	88	38	30	1,319	74	85	130	258	205
3	Females	4,234	738	212	67	33	28	1,078	96	57	224	269	277
4	White	4,342	783	240	87	33	31	1,174	96	69	119	212	201
5	Males	2,253	440	129	51	19	15	654	42	49	45	114	92
6	Females	2,089	343	111	36	14	16	520	54	20	74	98	109
7	Native	4,223	782	240	87	33	31	1,173	95	68	117	206	194
8	Males	2,165	440	129	51	19	15	654	41	48	44	110	85
9	Females	2,058	342	111	36	14	16	519	54	20	73	96	109
10	Both parents native M.	1,792	409	124	51	17	13	614	38	44	40	100	76
	Both parents native F.	1,736	320	106	34	14	16	490	51	18	64	85	100
11	One or both parents foreign M.	60	5	3		1	1	10	1			6	4
	One or both parents foreign F.	51	7	1	1			9	1		1	2	3
12	Parentage unknown M.	313	26	2		1	1	30	2	4	4	4	5
	Parentage unknown F.	271	15	4	1			20	2	2	8	9	6
13	Foreign	62										1	4
14	Males	41										1	4
15	Females	21											
16	Unknown	57	1					1	1	1	2	5	3
17	Males	47							1	1	1	3	3
18	Females	10	1					1			1	2	
19	Colored	4,096	874	216	68	38	27	1,223	74	73	235	315	281
20	Males	1,951	479	115	37	19	15	665	32	36	85	144	113
21	Females	2,145	395	101	31	19	12	558	42	37	150	171	168
22	Negro M.	1,951	479	115	37	19	15	665	32	36	85	144	113
	Negro F.	2,144	395	101	31	19	12	558	42	37	150	170	168
23	Indian M.												
	Indian F.	1										1	
24	Chinese M.												
	Chinese F.												
25	Japanese M.												
	Japanese F.												
26	Other colored M.												
	Other colored F.												
	OHIO.												
27	Total	66,173	9,690	1,791	796	494	356	13,127	1,173	904	1,399	2,154	2,342
28	Males	35,574	5,510	944	442	256	192	7,344	634	478	718	1,101	1,267
29	Females	30,599	4,180	847	354	238	164	5,783	539	426	681	1,053	1,075
30	White	63,404	9,391	1,730	764	479	339	12,703	1,131	862	1,299	1,997	2,161
31	Males	33,990	5,339	915	430	248	184	7,116	608	455	662	1,014	1,165
32	Females	29,414	4,052	815	334	231	155	5,587	523	407	637	983	996
33	Native	50,355	9,364	1,720	755	469	327	12,635	1,097	828	1,144	1,649	1,629
34	Males	26,327	5,324	911	426	242	178	7,081	587	436	568	785	806
35	Females	24,028	4,040	809	329	227	149	5,554	510	392	576	864	823
36	Both parents native M.	15,375	3,239	534	281	162	122	4,338	415	333	411	498	504
	Both parents native F.	14,565	2,414	467	211	144	97	3,333	357	283	421	604	569
37	One or both parents foreign M.	7,294	1,969	365	138	76	54	2,602	167	92	125	233	245
	One or both parents foreign F.	6,428	1,541	331	116	82	52	2,122	146	99	140	210	192
38	Parentage unknown M.	3,658	116	12	7	4	2	141	5	11	32	54	57
	Parentage unknown F.	3,035	85	11	2	1		99	7	10	15	50	62
39	Foreign	12,133	12	9	8	10	12	51	33	34	141	322	486
40	Males	6,946	8	4	3	6	6	27	20	19	80	208	318
41	Females	5,187	4	5	5	4	6	24	13	15	61	114	168
42	Unknown	916	15	1	1			17	1		14	26	46
43	Males	717	7		1			8	1		14	21	41
44	Females	199	8	1				9				5	5
45	Colored	2,769	299	61	32	15	17	424	42	42	100	157	181
46	Males	1,584	171	29	12	8	8	228	26	23	56	87	102
47	Females	1,185	128	32	20	7	9	196	16	19	44	70	79
48	Negro M.	1,579	171	29	12	8	8	228	26	22	56	87	102
	Negro F.	1,182	127	32	20	7	9	195	16	19	44	70	79
49	Indian M.												
	Indian F.	2	1					1					
50	Chinese M.	5								1			
	Chinese F.	1											
51	Japanese M.												
	Japanese F.												
52	Other colored M.												
	Other colored F.												

[1] Includes only municipalities having a population of 1,000 or over in 1910.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
414	425	369	349	412	427	458	442	416	307	192	93	34	11	8	9	1
191	195	157	163	221	236	235	224	211	145	81	41	18	6	3	6	2
223	230	212	186	191	191	223	218	205	162	111	52	16	5	5	3	3
197	191	181	184	195	252	278	306	268	211	126	63	16	2	.....	1	4
92	92	83	90	115	154	153	159	133	98	55	24	9	.....	.....	.....	5
105	99	98	94	80	98	125	147	135	113	71	39	7	2	.....	1	6
191	184	175	176	185	243	272	292	252	205	118	60	14	2	.....	1	7
86	87	77	84	107	148	148	148	122	94	51	23	8	.....	.....	.....	8
105	97	98	92	78	95	124	144	130	111	67	37	6	2	.....	1	9
74	71	64	68	79	112	112	106	79	66	29	15	5	.....	.....	.....	10
88	86	78	72	64	74	97	107	105	84	38	31	3	1	.....	.....	
2	3	3	5	4	7	6	3	2	2	1	.....	1	.....	.....	.....	11
2	1	4	.....	4	4	4	3	1	5	4	1	2	.....	.....	.....	
10	13	10	11	24	29	30	39	41	26	21	8	2	.....	.....	.....	12
15	10	16	20	10	17	23	34	24	22	25	5	1	1	.....	1	
2	2	2	7	6	7	4	6	8	3	6	2	2	.....	.....	.....	13
2	1	2	5	4	5	3	5	3	1	4	.....	1	.....	.....	.....	14
.....	1	.....	2	2	2	1	1	5	2	2	2	1	.....	.....	.....	15
4	5	4	1	4	2	2	8	8	3	2	1	.....	.....	.....	.....	16
4	4	4	1	4	1	2	6	8	3	.....	1	.....	.....	.....	.....	17
.....	1	.....	.....	.....	1	.....	2	.....	.....	2	.....	.....	.....	.....	.....	18
217	234	188	165	217	175	180	136	148	96	66	30	18	9	8	8	19
99	103	74	73	106	82	82	65	78	47	26	17	9	6	3	6	20
118	131	114	92	111	93	98	71	70	49	40	13	9	3	5	2	21
99	103	74	73	106	82	82	65	78	47	26	17	9	6	3	6	22
118	131	114	92	111	93	98	71	70	49	40	13	9	3	5	2	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
2,487	2,605	2,752	3,008	3,300	3,878	4,344	5,048	5,772	5,083	3,869	2,030	698	156	28	16	27
1,333	1,489	1,576	1,741	1,880	2,176	2,384	2,710	3,030	2,549	1,862	926	287	63	13	13	28
1,154	1,116	1,176	1,267	1,420	1,702	1,960	2,338	2,742	2,534	2,007	1,104	411	93	15	3	29
2,296	2,409	2,545	2,802	3,098	3,714	4,210	4,920	5,621	4,985	3,799	1,986	680	152	18	16	30
1,225	1,369	1,444	1,613	1,762	2,081	2,306	2,639	2,939	2,497	1,824	907	280	63	8	13	31
1,071	1,040	1,101	1,189	1,336	1,633	1,904	2,281	2,682	2,488	1,975	1,079	400	89	10	3	32
1,784	1,770	1,913	2,073	2,236	2,838	3,169	3,559	3,974	3,519	2,637	1,340	444	99	15	3	33
878	933	996	1,100	1,198	1,529	1,690	1,889	2,028	1,751	1,249	598	178	39	7	1	34
906	837	917	973	1,038	1,309	1,479	1,670	1,946	1,768	1,388	742	266	60	8	2	35
528	496	516	533	563	768	987	1,090	1,170	1,012	742	339	113	17	1	1	36
583	489	507	529	534	709	877	964	1,203	1,101	859	439	163	36	3	2	
281	306	349	414	435	498	401	372	312	243	141	60	14	3	1	.....	37
240	246	308	332	340	430	391	366	333	244	181	71	29	6	2	.....	
69	131	131	153	200	263	302	427	546	496	366	199	51	19	5	.....	38
83	102	102	112	164	170	211	340	410	423	348	232	74	18	3	.....	
465	545	541	647	773	801	973	1,296	1,569	1,423	1,125	623	231	49	3	2	39
304	355	371	447	487	492	562	703	859	716	554	299	100	22	1	2	40
161	190	170	200	286	309	411	593	710	707	571	324	131	27	2	.....	41
47	94	91	82	89	75	68	65	78	43	37	23	5	4	.....	11	42
43	81	77	66	77	60	54	47	52	30	21	10	2	2	.....	10	43
4	13	14	16	12	15	14	18	26	13	16	13	3	2	.....	1	44
191	196	207	206	202	164	134	128	151	98	70	44	18	4	10	.....	45
108	120	132	128	118	95	78	71	91	52	38	19	7	.....	5	.....	46
83	76	75	78	84	69	56	57	60	46	32	25	11	4	5	.....	47
107	120	132	128	117	94	77	71	91	52	38	19	7	.....	5	.....	48
82	76	75	78	84	69	56	57	60	46	32	25	11	4	4	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	
1	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	PENNSYLVANIA.												
1	Total	115,284	23,933	4,353	1,777	1,026	762	31,851	2,412	1,521	2,563	3,636	4,048
2	Males	61,908	13,519	2,272	957	534	409	17,691	1,262	791	1,323	1,958	2,240
3	Females	53,376	10,414	2,081	820	492	353	14,160	1,150	730	1,240	1,678	1,808
4	White	110,596	23,127	4,137	1,700	983	746	30,693	2,320	1,430	2,404	3,421	3,770
5	Males	59,417	13,086	2,161	916	514	403	17,080	1,219	749	1,253	1,860	2,088
6	Females	51,179	10,041	1,976	784	469	343	13,613	1,101	681	1,151	1,561	1,682
7	Native	85,603	23,054	4,098	1,662	962	729	30,505	2,231	1,334	2,052	2,482	2,483
8	Males	44,855	13,051	2,142	895	502	391	16,981	1,171	695	1,038	1,233	1,232
9	Females	40,748	10,003	1,956	767	460	338	13,524	1,060	639	1,014	1,249	1,251
10	Both parents native M.	25,076	6,231	910	429	242	198	8,010	682	428	632	747	738
	Both parents native F.	23,953	4,666	837	373	221	184	6,281	612	396	644	780	800
11	One or both parents foreign M.	16,021	6,560	1,210	455	255	189	8,669	472	260	385	436	412
	One or both parents foreign F.	13,538	5,097	1,086	381	235	152	6,951	435	234	339	417	382
12	Parentage unknown M.	3,758	260	22	11	5	4	302	17	7	21	50	82
	Parentage unknown F.	3,257	240	33	13	4	2	292	13	9	31	52	69
13	Foreign	24,013	45	34	34	19	15	147	86	91	348	909	1,249
14	Males	13,812	19	17	18	11	11	76	45	50	212	600	821
15	Females	10,201	26	17	16	8	4	71	41	41	136	309	428
16	Unknown	980	28	5	4	2	2	41	3	5	4	30	38
17	Males	750	16	2	3	1	1	23	3	4	3	27	35
18	Females	230	12	3	1	1	1	18	.....	1	1	3	3
19	Colored	4,688	806	216	77	43	16	1,158	92	91	159	215	278
20	Males	2,491	433	111	41	20	6	611	43	42	70	98	152
21	Females	2,197	373	105	36	23	10	547	49	49	89	117	126
22	Negro M.	2,464	433	111	41	20	6	611	43	42	70	96	151
	Negro F.	2,195	373	105	36	23	10	547	49	49	88	117	126
23	Indian M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian F.	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....
24	Chinese M.	22	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....
	Chinese F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Japanese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	RHODE ISLAND.												
27	Total	8,922	1,673	315	132	96	63	2,279	162	78	188	250	306
28	Males	4,679	947	157	75	45	31	1,255	98	41	87	116	181
29	Females	4,243	726	158	57	51	32	1,024	64	37	101	134	125
30	White	8,659	1,630	301	124	94	61	2,210	154	75	178	236	282
31	Males	4,548	925	154	71	44	30	1,224	93	39	83	106	167
32	Females	4,111	705	147	53	50	31	986	61	36	95	130	115
33	Native	5,683	1,616	296	121	93	58	2,184	141	68	130	146	148
34	Males	3,013	915	150	69	43	29	1,206	85	36	59	64	89
35	Females	2,670	701	146	52	50	29	978	56	32	71	82	59
36	Both parents native M.	1,342	257	28	14	10	12	321	37	13	14	23	32
	Both parents native F.	1,262	197	29	8	12	8	254	16	10	23	32	23
37	One or both parents foreign M.	1,540	631	120	54	32	17	854	47	22	43	38	55
	One or both parents foreign F.	1,285	468	115	42	38	21	684	39	22	46	50	36
38	Parentage unknown M.	131	27	2	1	1	.....	31	1	1	2	3	2
	Parentage unknown F.	123	36	2	2	.....	.....	40	1	.....	2	.....	.....
39	Foreign	2,909	9	4	3	1	3	20	13	7	48	87	133
40	Males	1,486	6	3	2	1	1	13	8	3	24	40	77
41	Females	1,423	3	1	1	.....	2	7	5	4	24	47	56
42	Unknown	67	5	1	.....	.....	.....	6	.....	.....	.....	3	1
43	Males	49	4	1	.....	.....	.....	5	.....	.....	.....	2	1
44	Females	18	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....
45	Colored	263	43	14	8	2	2	69	8	3	10	14	24
46	Males	131	22	3	4	1	1	31	5	2	4	10	14
47	Females	132	21	11	4	1	1	38	3	1	6	4	10
48	Negro M.	128	22	3	4	1	1	31	4	2	4	10	14
	Negro F.	130	21	10	4	1	1	37	3	1	6	4	10
49	Indian M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian F.	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
50	Chinese M.	3	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
	Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
4,115	4,826	4,874	5,260	5,719	6,333	7,030	7,776	8,080	6,927	4,837	2,494	787	153	37	5	1
2,357	2,804	2,836	3,082	3,292	3,563	3,877	4,099	3,952	3,240	2,155	1,027	297	50	8	4	2
1,758	2,022	2,038	2,178	2,427	2,770	3,153	3,677	4,128	3,687	2,682	1,467	490	103	29	1	3
3,827	4,461	4,529	4,964	5,405	6,081	6,813	7,569	7,918	6,826	4,765	2,455	764	147	30	4	4
2,194	2,583	2,633	2,917	3,121	3,418	3,754	4,003	3,862	3,196	2,127	1,010	291	49	7	3	5
1,633	1,878	1,896	2,047	2,284	2,663	3,059	3,566	4,056	3,630	2,638	1,445	473	98	23	1	6
2,450	2,791	2,987	3,089	3,474	4,144	4,601	5,038	5,374	4,853	3,367	1,718	513	102	14	1	7
1,309	1,467	1,607	1,655	1,851	2,258	2,452	2,629	2,606	2,274	1,483	697	183	30	4	.....	8
1,141	1,324	1,380	1,434	1,623	1,886	2,149	2,409	2,768	2,579	1,884	1,021	330	72	10	1	9
777	801	863	896	975	1,275	1,532	1,745	1,773	1,578	1,015	473	115	18	3	.....	10
726	821	819	858	955	1,105	1,405	1,709	1,925	1,831	1,287	712	233	49	4	1	
439	528	583	571	631	682	572	468	355	298	172	68	17	3	.....	.....	11
349	392	436	463	511	573	506	390	415	349	247	103	36	9	1	.....	
93	138	161	188	245	301	348	416	478	398	296	156	51	9	1	.....	12
66	111	125	113	157	208	238	310	428	399	350	206	61	14	5	.....	
1,314	1,580	1,447	1,780	1,850	1,872	2,110	2,460	2,468	1,921	1,356	719	244	45	15	2	13
834	1,036	948	1,187	1,196	1,102	1,223	1,323	1,209	891	622	306	107	19	3	2	14
480	544	499	593	654	770	887	1,137	1,259	1,030	734	413	137	26	12	.....	15
63	90	95	95	81	65	102	71	76	52	42	18	7	.....	1	1	16
51	80	78	75	74	58	79	51	47	31	22	7	1	.....	.....	1	17
12	10	17	20	7	7	23	20	29	21	20	11	6	.....	1	.....	18
288	365	345	296	314	252	217	207	162	101	72	39	23	6	7	1	19
163	221	203	165	171	145	123	96	90	44	28	17	6	1	1	1	20
125	144	142	131	143	107	94	111	72	57	44	22	17	5	6	.....	21
160	218	202	159	167	140	122	95	90	44	28	17	6	1	1	1	22
124	144	142	131	143	107	94	111	72	57	44	22	17	5	6	.....	
2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	2	1	6	4	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	24
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
277	389	382	469	508	524	640	643	622	583	362	177	59	19	1	4	27
157	188	211	268	270	293	341	320	315	275	155	78	21	7	.....	2	28
120	201	171	201	238	231	299	323	307	308	207	99	38	12	1	2	29
267	372	369	451	494	506	625	634	613	576	361	175	58	18	1	4	30
149	177	204	257	269	286	333	318	311	271	154	77	21	7	.....	2	31
118	195	165	194	225	220	292	316	302	305	207	98	37	11	1	2	32
146	217	191	214	223	266	307	311	296	309	223	107	40	12	1	3	33
83	104	104	115	119	144	173	169	154	150	91	46	13	7	.....	2	34
63	113	87	99	104	122	134	142	142	159	132	61	27	5	1	1	35
35	37	34	45	59	62	115	120	127	135	80	38	10	5	.....	.....	36
27	31	35	53	37	69	99	108	117	134	114	55	20	5	.....	.....	
44	64	64	63	54	68	48	40	15	11	4	4	1	.....	.....	1	37
35	74	47	43	59	47	30	26	18	14	9	1	3	.....	1	1	
4	3	6	7	6	14	10	9	12	4	7	4	2	2	.....	1	38
1	8	5	3	8	6	5	8	7	11	9	5	4	.....	.....	.....	
119	150	173	229	267	237	313	319	306	263	132	68	18	6	.....	1	39
64	70	95	136	147	139	156	146	149	120	60	31	8	.....	.....	.....	40
55	80	78	93	120	98	157	173	157	143	72	37	10	6	.....	1	41
2	5	5	8	4	3	5	4	11	4	6	.....	.....	.....	.....	.....	42
2	3	5	6	3	3	4	3	8	1	3	.....	.....	.....	.....	.....	43
.....	2	.....	2	1	.....	1	1	3	3	3	.....	.....	.....	.....	.....	44
10	17	13	18	14	18	15	9	9	7	1	2	1	1	.....	.....	45
8	11	7	11	1	7	8	2	4	4	1	1	.....	.....	.....	.....	46
2	6	6	7	13	11	7	7	5	3	.....	1	1	1	.....	.....	47
8	11	7	10	1	7	7	2	4	4	1	1	.....	.....	.....	.....	48
2	6	6	7	13	11	7	7	4	3	.....	1	1	1	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	UTAH.												
1	Total	4,193	877	112	45	31	35	1,100	115	91	140	169	157
2	Males	2,360	500	62	27	15	22	626	61	42	67	98	89
3	Females	1,833	377	50	18	16	13	474	54	49	73	71	68
4	White	4,071	848	105	42	28	34	1,057	115	89	138	165	149
5	Males	2,286	483	60	25	12	21	601	61	42	67	96	85
6	Females	1,785	365	45	17	16	13	456	54	47	71	69	64
7	Native	2,737	846	104	41	28	34	1,053	113	87	128	136	110
8	Males	1,519	483	60	24	12	21	600	59	40	62	73	54
9	Females	1,218	363	44	17	16	13	453	54	47	66	63	56
10	Both parents native M	842	371	44	21	10	14	460	38	28	33	35	25
	Both parents native F	687	256	31	15	15	10	327	37	28	33	28	28
11	One or both parents foreign M	493	109	15	3	2	7	136	21	12	27	34	23
	One or both parents foreign F	442	102	13	2	1	3	121	17	18	31	34	23
12	Parentage unknown M	184	3	1				4			2	4	6
	Parentage unknown F	89	5					5		1	2	1	5
13	Foreign	1,261	2	1	1			4	2	2	10	23	34
14	Males	703			1			1	2	2	5	17	27
15	Females	558	2	1				3			5	6	7
16	Unknown	73										6	5
17	Males	64										6	4
18	Females	9											1
19	Colored	122	29	7	3	3	1	43		2	2	4	8
20	Males	74	17	2	2	3	1	25				2	4
21	Females	48	12	5	1			18		2	2	2	4
22	Negro M	24	2		1	1		4				1	2
	Negro F	9								1		1	
23	Indian M	16	4	2	1	2		9					1
	Indian F	24	7	2	1			10		1	2	1	
24	Chinese M	9										1	
	Chinese F	1											
25	Japanese M	22	9				1	10					1
	Japanese F	12	5	1				6					4
26	Other colored M	3	2					2					
	Other colored F	2		2				2					
	VERMONT.												
27	Total	5,323	670	93	40	38	19	860	75	71	106	120	107
28	Males	2,853	363	50	26	20	10	469	37	42	55	61	44
29	Females	2,470	307	43	14	18	9	391	38	29	51	59	63
30	White	5,318	670	93	40	38	19	860	75	71	106	120	107
31	Males	2,849	363	50	26	20	10	469	37	42	55	61	44
32	Females	2,469	307	43	14	18	9	391	38	29	51	59	63
33	Native	4,297	667	91	38	34	18	848	73	67	93	93	78
34	Males	2,258	362	49	24	17	9	461	36	40	50	40	25
35	Females	2,039	305	42	14	17	9	387	37	27	43	53	53
36	Both parents native M	1,386	213	33	16	13	5	280	24	21	35	21	16
	Both parents native F	1,213	179	20	11	10	7	227	21	17	26	36	36
37	One or both parents foreign M	478	126	15	7	4	4	156	12	15	14	13	9
	One or both parents foreign F	465	109	22	3	7	2	143	15	10	16	14	12
38	Parentage unknown M	394	23	1	1			25		4	1	6	
	Parentage unknown F	361	17					17	1		1	3	5
39	Foreign	957	2	2	2	4	1	11	2	4	13	24	29
40	Males	542		1	2	3	1	7	1	2	5	18	19
41	Females	415	2	1		1		4	1	2	8	6	10
42	Unknown	64	1					1				3	
43	Males	49	1					1				3	
44	Females	15											
45	Colored	5											
46	Males	4											
47	Females	1											
48	Negro M	4											
	Negro F	1											
49	Indian M												
	Indian F												
50	Chinese M												
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
183	219	174	193	189	200	212	211	225	257	188	120	43	6	1	.....	1
114	127	107	122	126	120	132	121	119	121	90	61	16	1	.....	.....	2
69	92	67	71	63	80	80	90	106	136	98	59	27	5	1	.....	3
177	210	166	185	186	195	208	202	221	254	185	119	43	6	1	.....	4
111	120	100	118	124	116	129	116	116	119	88	60	16	1	.....	.....	5
66	90	66	67	62	79	79	86	105	135	97	59	27	5	1	.....	6
123	134	118	126	112	100	92	74	71	65	51	33	9	1	1	.....	7
67	66	67	78	72	62	56	48	41	29	23	18	4	.....	.....	.....	8
56	68	51	48	40	38	36	26	30	36	28	15	5	1	1	.....	9
23	18	17	18	14	27	26	19	17	17	16	9	2	.....	.....	.....	10
25	22	18	10	14	17	11	12	21	24	22	7	3	.....	.....	.....	
33	30	36	44	37	26	11	5	13	1	1	3	.....	.....	.....	.....	11
26	37	30	33	20	17	15	8	7	4	.....	1	.....	.....	.....	.....	
11	18	14	16	21	9	19	24	11	11	6	6	2	.....	.....	.....	12
5	9	3	5	6	4	10	6	2	8	6	7	2	1	1	.....	
47	67	39	52	67	91	107	124	148	188	132	85	34	5	.....	.....	13
37	47	24	35	46	52	64	64	73	90	63	41	12	1	.....	.....	14
10	20	15	17	21	39	43	60	75	98	69	44	22	4	.....	.....	15
7	9	9	7	7	4	9	4	2	1	2	1	.....	.....	.....	.....	16
7	7	9	5	6	2	9	4	2	.....	2	1	.....	.....	.....	.....	17
.....	2	.....	2	1	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	18
6	9	8	8	3	5	4	9	4	3	3	1	.....	.....	.....	.....	19
3	7	7	4	2	4	3	5	3	2	2	1	.....	.....	.....	.....	20
3	2	1	4	1	1	1	4	1	1	1	.....	.....	.....	.....	.....	21
1	1	3	3	.....	2	1	2	3	.....	1	.....	.....	.....	.....	.....	22
1	1	1	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
1	.....	1	.....	.....	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	23
1	1	.....	1	1	.....	1	3	.....	1	1	.....	.....	.....	.....	.....	
.....	.....	.....	.....	2	2	2	1	.....	1	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	
1	6	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
115	147	167	220	241	287	390	497	540	559	447	247	95	25	5	2	27
56	77	95	134	127	170	220	286	297	304	220	116	31	10	.....	2	28
59	70	72	86	114	117	170	211	243	255	227	131	64	15	5	.....	29
115	147	167	219	240	287	390	496	539	558	447	247	95	25	5	2	30
56	77	95	134	126	170	220	285	296	303	220	116	31	10	.....	2	31
59	70	72	85	114	117	170	211	243	255	227	131	64	15	5	.....	32
92	109	127	156	187	216	303	386	426	442	342	172	66	19	1	1	33
44	54	65	91	96	122	171	218	239	232	164	80	22	7	.....	1	34
48	55	62	65	91	94	132	168	187	210	178	92	44	12	1	.....	35
30	24	37	56	51	80	92	139	149	156	97	59	13	5	.....	1	36
32	31	29	41	54	51	79	90	108	147	95	59	29	5	.....	.....	
6	22	23	24	31	23	49	27	23	18	10	3	.....	.....	.....	.....	37
10	17	27	13	25	29	28	39	24	16	17	7	2	1	.....	.....	
8	8	5	11	14	19	30	52	67	58	57	18	9	2	.....	.....	38
6	7	6	11	12	14	25	39	55	47	66	26	13	6	1	.....	
21	34	36	58	49	69	80	99	111	111	98	70	29	5	4	.....	39
10	19	26	39	28	46	42	58	56	69	52	34	9	2	.....	.....	40
11	15	10	19	21	23	38	41	55	42	46	36	20	3	4	.....	41
2	4	4	5	4	2	7	11	2	5	7	5	.....	1	.....	1	42
2	4	4	4	2	2	7	9	1	2	4	2	.....	1	.....	1	43
.....	.....	.....	1	2	.....	.....	2	1	3	3	3	.....	.....	.....	.....	44
.....	.....	.....	1	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	45
.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	1	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	48
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	VIRGINIA.												
1	Total	30,727	5,504	1,112	512	289	202	7,619	651	552	1,065	1,577	1,343
2	Males	15,882	3,104	602	250	136	89	4,181	323	279	511	792	633
3	Females	14,845	2,400	510	262	153	113	3,438	328	273	554	785	710
4	White	17,288	3,035	600	282	152	123	4,192	355	249	422	646	589
5	Males	9,116	1,722	333	141	72	55	2,323	180	147	223	328	283
6	Females	8,172	1,313	267	141	80	68	1,869	175	102	199	318	306
7	Native	16,441	3,025	597	280	151	122	4,175	349	245	409	618	554
8	Males	8,528	1,715	330	139	71	54	2,309	175	144	215	308	262
9	Females	7,913	1,310	267	141	80	68	1,866	174	101	194	310	292
10	Both parents native M	6,836	1,574	311	128	67	50	2,130	164	133	196	272	211
	Both parents native F	6,666	1,206	247	133	72	60	1,718	164	99	176	282	263
11	One or both parents foreign M	294	57	6	1	1	1	66	6	7	6	7	12
	One or both parents foreign F	264	42	9	2	5	3	61	5		5	5	9
12	Parentage unknown M	1,398	84	13	10	3	3	113	5	4	13	29	39
	Parentage unknown F	983	62	11	6	3	5	87	5	2	13	23	20
13	Foreign	605		1		1	1	3	2	1	8	19	21
14	Males	428		1		1	1	3	2		4	15	12
15	Females	177								1	4	4	9
16	Unknown	242	10	2	2			14	4	3	5	9	14
17	Males	160	7	2	2			11	3	3	4	5	9
18	Females	82	3					3	1		1	4	5
19	Colored	13,439	2,469	512	230	137	79	3,427	296	303	643	931	754
20	Males	6,766	1,382	269	109	64	34	1,858	143	132	288	464	350
21	Females	6,673	1,087	243	121	73	45	1,569	153	171	355	467	404
22	Negro M	6,760	1,379	269	109	63	34	1,854	143	132	288	464	350
	Negro F	6,665	1,082	243	121	73	45	1,564	153	171	355	467	404
23	Indian M	6	3			1		4					
	Indian F	8	5					5					
24	Chinese M												
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M												
	Other colored F												
	WASHINGTON.												
27	Total	11,895	1,461	203	132	84	59	1,939	208	219	325	497	549
28	Males	7,219	858	118	79	44	34	1,133	109	130	192	266	319
29	Females	4,676	603	85	53	40	25	806	99	89	133	231	230
30	White	11,283	1,339	178	123	79	54	1,773	189	201	306	472	506
31	Males	6,828	785	106	73	40	32	1,036	96	120	182	250	292
32	Females	4,455	554	72	50	39	22	737	93	81	124	222	214
33	Native	7,595	1,333	175	117	77	52	1,754	179	185	277	377	332
34	Males	4,288	783	105	68	39	32	1,027	91	112	164	188	168
35	Females	3,307	550	70	49	38	20	727	88	73	113	189	164
36	Both parents native M	2,096	470	75	44	19	20	628	56	62	96	91	83
	Both parents native F	1,717	344	44	32	23	10	453	55	50	62	87	90
37	One or both parents foreign M	1,185	290	27	24	20	10	371	32	42	59	72	52
	One or both parents foreign F	952	192	22	17	15	10	256	33	23	43	80	54
38	Parentage unknown M	1,007	23	3			2	28	3	8	9	25	33
	Parentage unknown F	638	14	4				18			8	22	20
39	Foreign	3,243	4	3	6	2	2	17	9	16	28	88	154
40	Males	2,142	1	1	5	1		8	4	8	17	58	106
41	Females	1,101	3	2	1	1	2	9	5	8	11	30	48
42	Unknown	445	2					2	1		1	7	20
43	Males	398	1					1	1		1	4	18
44	Females	47	1					1				3	2
45	Colored	612	122	25	9	5	5	166	19	18	19	25	43
46	Males	391	73	12	6	4	2	97	13	10	10	16	27
47	Females	221	49	13	3	1	3	69	6	8	9	9	16
48	Negro M	77	7	2	2			11	2		1	4	7
	Negro F	39	1					1		1	1	2	4
49	Indian M	163	30	5	4	2	2	43	11	9	9	9	9
	Indian F	130	26	5	2		3	36	4	7	7	5	6
50	Chinese M	51	1					1		1			1
	Chinese F	1		1				1					
51	Japanese M	100	35	5		2		42				3	10
	Japanese F	51	22	7	1	1		31	2		1	2	6
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,310	1,395	1,270	1,306	1,459	1,512	1,738	1,933	2,055	1,684	1,199	618	266	80	72	23	1
637	702	610	656	765	815	940	1,065	1,083	837	571	300	114	32	28	8	2
673	693	660	650	694	697	798	868	972	847	628	318	152	48	44	15	3
606	623	622	659	717	929	1,093	1,316	1,444	1,283	873	465	163	29	4	9	4
308	319	285	343	401	528	604	732	759	637	407	220	70	11	3	5	5
298	304	337	316	316	401	489	584	685	646	466	245	93	18	1	4	6
561	572	582	615	664	872	1,037	1,247	1,337	1,191	800	427	152	25	4	5	7
273	278	261	308	364	484	558	684	688	574	372	193	65	9	3	1	8
288	294	321	307	300	388	479	563	649	617	428	234	87	16	1	4	9
230	228	213	238	272	375	445	477	473	352	254	122	43	6	2	.....	10
237	245	271	257	249	323	383	435	511	490	315	173	63	8	1	3	
12	14	10	17	23	24	18	24	16	12	12	4	3	1	.....	.....	11
16	8	10	8	14	17	25	25	16	18	15	4	3	.....	.....	.....	
31	36	38	53	69	85	95	183	199	210	106	67	19	2	1	1	12
35	41	40	42	37	48	71	103	122	109	98	57	21	8	.....	1	
30	32	27	32	38	45	44	50	83	76	53	30	8	2	.....	1	13
24	25	17	24	25	36	35	38	55	56	27	23	4	2	.....	1	14
6	7	10	8	13	9	9	12	28	20	26	7	4	.....	.....	.....	15
15	19	13	12	15	12	12	19	24	16	20	8	3	2	.....	3	16
11	16	7	11	12	8	11	10	16	7	8	4	1	.....	.....	3	17
4	3	6	1	3	4	1	9	8	9	12	4	2	2	.....	.....	18
704	772	648	647	742	583	645	617	611	401	326	153	103	51	68	14	19
329	383	325	313	364	287	336	333	324	200	164	80	44	21	25	3	20
375	389	323	334	378	296	309	284	287	201	162	73	59	30	43	11	21
329	383	325	313	364	286	336	333	324	200	164	80	44	21	24	3	22
375	389	323	334	377	296	309	284	287	201	161	73	58	30	43	11	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	23
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
558	657	630	680	834	802	778	800	819	743	497	227	60	10	5	58	27
340	394	389	438	547	547	497	504	490	434	265	127	33	7	2	56	28
218	263	241	242	287	255	281	296	329	309	232	100	27	3	3	2	29
519	624	594	652	783	768	756	786	796	729	484	222	58	9	1	55	30
314	369	368	417	505	522	479	497	479	425	260	125	33	6	.....	53	31
205	255	226	235	278	246	277	289	317	304	224	97	25	3	1	2	32
309	355	372	376	427	435	443	449	445	421	291	121	38	5	.....	4	33
155	183	213	220	238	263	261	274	255	235	148	62	24	3	.....	4	34
154	172	159	156	189	172	182	175	190	186	143	59	14	2	.....	.....	35
74	78	87	98	90	111	112	112	114	110	59	25	8	1	.....	1	36
69	85	70	72	84	78	81	85	85	101	80	22	8	.....	.....	.....	
50	64	65	55	67	67	59	42	34	22	20	9	1	1	.....	1	37
52	53	61	45	58	45	33	35	33	21	15	11	1	.....	.....	.....	
31	41	61	67	81	85	90	120	107	103	69	28	15	1	.....	2	38
33	34	28	39	47	49	68	55	72	64	48	26	5	2	.....	.....	
172	220	184	239	299	297	282	306	326	292	186	97	18	4	1	8	39
125	140	120	161	215	227	190	196	205	176	109	59	8	3	.....	7	40
47	80	64	78	84	70	92	110	121	116	77	38	10	1	1	1	41
38	49	38	37	57	36	31	31	25	16	7	4	2	.....	.....	43	42
34	46	35	36	52	32	28	27	19	14	3	4	1	.....	.....	42	43
4	3	3	1	5	4	3	4	6	2	4	.....	1	.....	.....	1	44
39	33	36	28	51	34	22	14	23	14	13	5	2	1	4	3	45
26	25	21	21	42	25	18	7	11	9	5	2	.....	1	2	3	46
13	8	15	7	9	9	4	7	12	5	8	3	2	.....	2	.....	47
5	6	6	6	13	10	2	1	.....	2	.....	.....	.....	.....	.....	1	48
3	1	6	2	6	3	1	1	3	2	2	.....	.....	.....	.....	.....	
4	3	5	6	11	7	7	5	8	7	5	2	.....	1	2	.....	49
5	6	6	5	3	6	3	6	9	3	6	3	2	.....	2	.....	
4	3	4	6	13	6	8	1	3	.....	.....	.....	.....	.....	.....	.....	50
13	13	6	3	5	2	1	.....	.....	.....	.....	.....	.....	.....	.....	2	51
5	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	WISCONSIN.												
1	Total	26,712	4,520	531	278	185	142	5,656	458	388	587	795	911
2	Males	14,841	2,525	290	155	95	80	3,145	247	197	314	410	472
3	Females	11,871	1,995	241	123	90	62	2,511	211	191	273	385	439
4	White	26,494	4,489	525	273	182	141	5,610	447	385	582	782	897
5	Males	14,720	2,505	285	153	93	80	3,116	243	196	311	406	464
6	Females	11,774	1,984	240	120	89	61	2,494	204	189	271	376	433
7	Native	15,678	4,468	519	271	179	138	5,575	436	369	525	655	678
8	Males	8,484	2,496	282	152	90	79	3,099	234	190	271	331	322
9	Females	7,194	1,972	237	119	89	59	2,476	202	179	254	324	356
10	Both parents native M.	3,462	1,425	141	81	50	43	1,740	122	91	114	100	102
	Both parents native F.	3,069	1,140	120	58	40	32	1,390	105	87	109	99	123
11	One or both parents foreign M.	4,017	984	135	67	36	36	1,258	109	98	151	215	195
	One or both parents foreign F.	3,452	755	114	59	47	27	1,002	92	91	133	202	219
12	Parentage unknown M.	1,005	87	6	4	4	.....	101	3	1	6	16	25
	Parentage unknown F.	673	77	3	2	2	.....	84	5	1	12	23	14
13	Foreign	10,519	14	4	1	2	2	23	11	16	50	119	205
14	Males	5,978	6	2	1	2	.....	11	9	6	35	67	129
15	Females	4,541	8	2	.....	.....	2	12	2	10	15	52	76
16	Unknown	297	7	2	1	1	1	12	.....	.....	7	8	14
17	Males	258	3	1	.....	1	1	6	.....	.....	5	8	13
18	Females	39	4	1	1	.....	.....	6	.....	.....	2	.....	1
19	Colored	218	31	6	5	3	1	46	11	3	5	13	14
20	Males	121	20	5	2	2	.....	29	4	1	3	4	8
21	Females	97	11	1	3	1	1	17	7	2	2	9	6
22	Negro M.	51	7	2	.....	.....	.....	9	1	1	.....	1	4
	Negro F.	26	1	1	.....	1	.....	3	1	.....	.....	3	1
23	Indian M.	69	13	3	2	2	.....	20	3	.....	3	3	4
	Indian F.	71	10	.....	3	.....	1	14	6	2	2	6	5
24	Chinese M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
26	Other colored M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	BIRMINGHAM, ALA.												
27	Total	2,714	329	120	50	41	16	556	68	54	103	200	197
28	Males	1,423	180	61	32	23	7	303	39	30	40	92	85
29	Females	1,291	149	59	18	18	9	253	29	24	63	108	112
30	White	1,231	180	59	26	21	7	293	38	25	29	68	60
31	Males	671	100	31	18	15	2	166	26	17	13	38	29
32	Females	560	80	28	8	6	5	127	12	8	16	30	31
33	Native	1,086	178	57	25	19	7	286	37	25	29	64	48
34	Males	586	100	30	17	15	2	164	25	17	13	35	22
35	Females	500	78	27	8	4	5	122	12	8	16	29	26
36	Both parents native M.	436	82	24	16	14	1	137	21	15	11	31	19
	Both parents native F.	363	57	22	7	3	3	92	10	8	12	23	21
37	One or both parents foreign M.	41	11	5	1	1	1	19	4	2	1	1	1
	One or both parents foreign F.	41	11	3	1	.....	1	16	2	.....	2	1	2
38	Parentage unknown M.	109	7	1	.....	.....	.....	8	.....	.....	1	3	2
	Parentage unknown F.	96	10	2	.....	1	1	14	.....	.....	2	5	3
39	Foreign	99	.....	1	.....	.....	.....	1	1	.....	.....	2	8
40	Males	52	.....	1	.....	.....	.....	1	1	.....	.....	1	5
41	Females	47	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3
42	Unknown	46	2	1	1	2	.....	6	.....	.....	.....	2	4
43	Males	33	.....	.....	1	.....	.....	1	.....	.....	.....	2	2
44	Females	13	2	1	.....	2	.....	5	.....	.....	.....	.....	2
45	Colored	1,483	149	61	24	20	9	263	30	29	74	132	137
46	Males	752	80	30	14	8	5	137	13	13	27	54	56
47	Females	731	69	31	10	12	4	126	17	16	47	78	81
48	Negro M.	751	80	30	14	8	5	137	13	13	27	54	56
	Negro F.	731	69	31	10	12	4	126	17	16	47	78	81
49	Indian M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Chinese M.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Japanese M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
52	Other colored M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other colored F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
877	966	966	1,077	1,375	1,544	1,599	1,849	2,175	2,079	1,782	1,074	414	103	15	22	1
483	544	552	647	861	924	946	1,042	1,188	1,118	956	525	190	49	9	22	2
394	422	414	430	514	620	653	807	987	961	826	549	224	54	6	.....	3
871	943	958	1,068	1,363	1,534	1,588	1,838	2,167	2,070	1,774	1,071	411	102	14	19	4
480	533	550	644	853	918	939	1,034	1,183	1,113	950	524	187	49	8	19	5
391	410	408	424	510	616	649	804	984	957	824	547	224	53	6	.....	6
636	620	597	585	745	796	679	688	676	569	438	273	110	24	3	1	7
334	333	321	325	429	440	372	392	358	300	236	135	46	13	2	1	8
302	287	276	260	316	356	307	296	318	269	202	138	64	11	1	.....	9
84	77	54	63	79	94	114	136	143	136	113	68	25	7	.....	.....	10
79	68	62	56	71	82	93	113	161	144	114	80	28	5	.....	.....	
226	210	232	231	295	278	193	153	79	56	22	10	2	2	1	1	11
205	195	188	181	222	236	174	125	83	55	25	16	6	2	.....	.....	
24	46	35	31	55	68	65	103	136	108	101	57	19	4	1	.....	12
18	24	26	23	23	38	40	58	74	70	63	42	30	4	1	.....	
223	301	340	452	578	722	883	1,132	1,475	1,489	1,317	792	299	77	11	4	13
135	178	210	290	386	465	542	626	814	805	703	383	139	35	6	4	14
88	123	130	162	192	257	341	506	661	684	614	409	160	42	5	.....	15
12	22	21	31	40	16	26	18	16	12	19	6	2	1	.....	14	16
11	22	19	29	38	13	25	16	11	8	11	6	2	1	.....	14	17
1	.....	2	2	2	3	1	2	5	4	8	.....	.....	.....	.....	.....	18
6	23	8	9	12	10	11	11	8	9	8	3	3	1	1	3	19
3	11	2	3	8	6	7	8	5	5	6	1	3	.....	1	3	20
3	12	6	6	4	4	4	3	3	4	2	2	.....	1	.....	.....	21
1	5	1	1	5	3	4	7	4	1	1	.....	1	.....	1	.....	2
2	4	4	.....	2	2	2	1	1	.....	.....	.....	.....	.....	.....	.....	
2	6	1	2	3	3	3	1	1	4	5	1	2	.....	.....	2	23
1	8	2	6	2	2	2	2	2	4	2	2	.....	1	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
214	202	162	189	159	126	110	112	76	69	48	22	12	4	4	27	27
98	102	89	117	97	80	61	49	43	41	18	12	4	.....	1	22	28
116	100	73	72	62	46	49	63	33	28	30	10	8	4	3	5	29
66	80	56	64	66	78	68	85	55	50	25	17	1	2	1	4	30
31	40	30	39	42	56	31	37	30	29	5	8	1	.....	.....	3	31
35	40	26	25	24	22	37	48	25	21	20	9	.....	2	1	1	32
59	69	47	61	49	62	58	73	46	38	21	10	.....	1	1	2	33
28	33	27	36	30	44	27	29	24	23	5	3	.....	.....	.....	1	34
31	36	20	25	19	18	31	44	22	15	16	7	.....	1	1	1	35
22	25	19	24	18	29	16	15	17	13	3	1	.....	.....	.....	.....	36
24	25	16	19	13	11	23	27	12	9	12	5	.....	1	.....	.....	
.....	1	3	.....	1	4	2	.....	2	.....	.....	.....	.....	.....	.....	.....	37
2	3	1	1	2	1	3	3	2	.....	.....	.....	.....	.....	.....	.....	
6	7	5	12	11	11	9	14	5	10	2	2	.....	.....	.....	1	38
5	8	3	5	4	6	5	14	8	6	4	2	.....	.....	1	1	
4	7	6	.....	10	13	7	9	8	10	4	6	1	1	.....	1	39
2	3	1	.....	6	9	3	5	5	4	.....	4	1	.....	.....	1	40
2	4	5	.....	4	4	4	4	3	6	4	2	.....	1	.....	.....	41
3	4	3	3	7	3	3	3	1	2	.....	1	.....	.....	.....	1	42
1	4	2	3	6	3	1	3	1	2	.....	1	.....	.....	.....	1	43
2	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
148	122	106	125	93	48	42	27	21	19	23	5	11	2	3	23	45
67	62	59	78	55	24	30	12	13	12	13	4	3	.....	1	19	46
81	60	47	47	38	24	12	15	8	7	10	1	8	2	2	4	47
67	62	59	78	55	24	29	12	13	12	13	4	3	.....	1	19	48
81	60	47	47	38	24	12	15	8	7	10	1	8	2	2	4	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	Area and sex, color, and nativity.	All deaths.	Deaths at age of— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	LOS ANGELES, CAL.												
1	Total	5,856	540	89	54	34	27	744	94	59	121	223	336
2	Males	3,303	308	49	33	16	15	421	45	32	63	130	212
3	Females	2,553	232	40	21	18	12	323	49	27	58	93	124
4	White	5,457	486	81	48	30	24	669	86	56	104	208	301
5	Males	3,066	277	44	30	13	15	379	43	31	59	123	191
6	Females	2,391	209	37	18	17	9	290	43	25	45	85	110
7	Native	3,734	484	79	48	28	22	661	71	46	73	143	178
8	Males	2,003	275	44	30	13	13	375	36	25	42	76	100
9	Females	1,731	209	35	18	15	9	286	35	21	31	67	78
10	Both parents native M	886	124	21	18	5	5	173	16	11	31	37	43
	Both parents native F	792	89	12	7	6	4	118	17	11	23	34	41
11	One or both parents foreign M	575	121	20	10	7	8	166	17	13	11	31	37
	One or both parents foreign F	488	104	20	9	8	5	146	14	7	5	23	23
12	Parentage unknown M	542	30	3	2	1		36	3	1		8	20
	Parentage unknown F	451	16	3	2	1		22	4	3	3	10	14
13	Foreign	1,592	2	2		2	1	7	14	10	30	63	117
14	Males	959	2				1	3	7	6	16	45	85
15	Females	633		2		2		4	7	4	14	18	32
16	Unknown	131					1	1	1		1	2	6
17	Males	104					1	1			1	2	6
18	Females	27							1				
19	Colored	399	54	8	6	4	3	75	8	3	17	15	35
20	Males	237	31	5	3	3		42	2	1	4	7	21
21	Females	162	23	3	3	1	3	33	6	2	13	8	14
22	Negro M	117	11	1	1	1		14	1	1	2	5	10
	Negro F	112	9	2	2		2	15	3	2	10	2	8
23	Indian M	2											
	Indian F	3	1					1			1		
24	Chinese M	34	1					1			1	1	1
	Chinese F	3	1					1	1				
25	Japanese M	84	19	4	2	2		27	1		1	1	10
	Japanese F	44	12	1	1	1	1	16	2		2	6	6
26	Other colored M												
	Other colored F												
	OAKLAND, CAL.												
27	Total	2,166	218	47	21	16	9	311	36	25	40	66	83
28	Males	1,181	141	26	11	12	4	194	17	14	19	33	41
29	Females	985	77	21	10	4	5	117	19	11	21	33	42
30	White	2,022	194	41	21	15	8	279	33	22	34	60	77
31	Males	1,091	124	22	11	11	3	171	15	12	18	29	38
32	Females	931	70	19	10	4	5	108	18	10	16	31	39
33	Native	1,273	194	39	21	15	8	277	30	21	28	48	60
34	Males	673	124	21	11	11	3	170	14	11	15	23	27
35	Females	600	70	18	10	4	5	107	16	10	13	25	33
36	Both parents native M	279	71	9	4	6	3	93	4	7	6	10	8
	Both parents native F	247	34	8	5	2	3	52	7	5	8	13	9
37	One or both parents foreign M	270	50	12	7	5		74	10	4	9	11	17
	One or both parents foreign F	260	34	10	5	2	2	53	9	5	4	9	23
38	Parentage unknown M	124	3					3				2	2
	Parentage unknown F	93	2					2			1	3	1
39	Foreign	719		2				2	3	1	5	12	16
40	Males	392		1				1	1	1	2	6	11
41	Females	327		1				1	2		3	6	5
42	Unknown	30									1		1
43	Males	26									1		
44	Females	4											1
45	Colored	144	24	6		1	1	32	3	3	6	6	6
46	Males	90	17	4		1	1	23	2	2	1	4	3
47	Females	54	7	2				9	1	1	5	2	3
48	Negro M	29	6	3		1	1	11	1	1		1	3
	Negro F	37	2	1				3	1		2		2
49	Indian M												
	Indian F												
50	Chinese M	47	3					3	1	1	1	2	
	Chinese F	9	1					1		1	2	1	
51	Japanese M	14	8	1				9				1	
	Japanese F	8	4	1				5			1	1	1
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
308	374	330	336	387	416	421	468	454	356	258	122	37	11	1	.....	1
188	228	198	189	228	248	242	249	239	184	130	56	16	5	.....	.....	2
120	146	132	147	159	168	179	219	215	172	128	66	21	6	1	.....	3
269	327	299	316	356	399	404	454	443	348	251	122	35	9	1	.....	4
167	197	179	176	206	235	230	239	232	180	124	56	16	3	.....	.....	5
102	130	120	140	150	164	174	215	211	168	127	66	19	6	1	.....	6
172	213	193	185	231	248	265	279	285	222	170	75	21	3	.....	.....	7
105	117	104	94	124	148	149	137	143	101	80	35	10	2	.....	.....	8
67	96	89	91	107	100	116	142	142	121	90	40	11	1	.....	.....	9
49	55	40	46	42	54	64	62	69	44	31	15	3	1	.....	.....	10
30	40	42	37	48	56	46	65	58	63	43	17	3	.....	.....	.....	
31	30	34	24	47	36	36	19	19	9	14	1	.....	.....	.....	.....	11
22	32	28	33	31	17	29	24	20	20	11	2	1	.....	.....	.....	
25	32	30	24	35	58	49	56	55	48	35	19	7	1	.....	.....	12
15	24	19	21	28	27	41	53	64	38	36	21	7	1	.....	.....	
91	101	100	121	112	131	126	163	148	121	73	44	13	6	1	.....	13
56	67	69	75	72	70	72	95	80	76	39	19	6	1	.....	.....	14
35	34	31	46	40	61	54	68	68	45	34	25	7	5	1	.....	15
6	13	6	10	13	20	13	12	10	5	8	3	1	.....	.....	.....	16
6	13	6	7	10	17	9	7	9	3	5	2	.....	.....	.....	.....	17
.....	.....	.....	3	3	3	4	5	1	2	3	1	1	.....	.....	.....	18
39	47	31	20	31	17	17	14	11	8	7	.....	2	2	.....	.....	19
21	31	19	13	22	13	12	10	7	4	6	.....	.....	2	.....	.....	20
18	16	12	7	9	4	5	4	4	4	1	.....	2	.....	.....	.....	21
8	14	14	9	9	5	7	6	3	2	5	.....	.....	2	.....	.....	22
13	10	9	7	9	4	5	4	4	4	1	.....	2	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	23
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	2	10	4	5	4	3	2	.....	.....	.....	.....	.....	.....	24
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
12	17	5	2	3	4	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	25
4	5	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
97	97	104	126	133	158	157	171	196	166	123	54	17	5	.....	1	27
60	51	51	76	70	92	81	95	109	77	64	26	9	1	.....	1	28
37	46	53	50	63	66	76	76	87	89	59	28	8	4	.....	.....	29
90	89	93	117	125	149	147	163	186	160	122	53	17	5	.....	1	30
57	48	48	68	64	85	74	90	102	73	63	25	9	1	.....	1	31
33	41	45	49	61	64	73	73	84	87	59	28	8	4	.....	.....	32
58	58	61	70	72	98	68	81	91	64	60	22	4	2	.....	.....	33
33	29	25	38	39	52	27	47	46	30	31	15	1	.....	.....	.....	34
25	29	36	32	33	46	41	34	45	34	29	7	3	2	.....	.....	35
8	8	12	10	11	17	9	24	17	7	15	12	1	.....	.....	.....	36
8	15	15	8	6	18	16	10	21	17	14	4	.....	1	.....	.....	
22	17	10	16	16	21	11	6	14	9	2	1	.....	.....	.....	.....	37
16	10	17	18	22	20	18	13	13	5	5	.....	.....	.....	.....	.....	
3	4	3	12	12	14	7	17	15	14	14	2	.....	.....	.....	.....	38
1	4	4	6	5	8	7	11	11	12	10	3	3	1	.....	.....	
30	27	29	42	51	49	76	79	93	96	61	31	13	3	.....	.....	39
22	15	20	26	23	31	45	40	54	43	32	10	8	1	.....	.....	40
8	12	9	16	28	18	31	39	39	53	29	21	5	2	.....	.....	41
2	4	3	5	2	2	3	3	2	.....	1	.....	.....	.....	.....	1	42
2	4	3	4	2	2	2	3	2	.....	.....	.....	.....	.....	.....	1	43
.....	.....	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	44
7	8	11	9	8	9	10	8	10	6	1	1	.....	.....	.....	.....	45
3	3	3	8	6	7	7	5	7	4	1	1	.....	.....	.....	.....	46
4	5	8	1	2	2	3	3	3	2	.....	.....	.....	.....	.....	.....	47
2	1	.....	1	.....	.....	2	1	1	2	1	1	.....	.....	.....	.....	48
3	4	8	1	1	2	2	3	3	2	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	2	7	5	7	5	4	6	2	.....	.....	.....	.....	.....	.....	50
1	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SAN FRANCISCO, CAL.												
1	Total	7,260	536	129	69	67	33	834	140	62	99	228	353
2	Males	4,508	314	78	28	33	18	471	78	32	52	142	228
3	Females	2,752	222	51	41	34	15	363	62	30	47	86	125
4	White	6,846	494	124	65	64	30	777	133	61	94	207	321
5	Males	4,168	292	75	28	33	15	443	73	31	49	128	204
6	Females	2,678	202	49	37	31	15	334	60	30	45	79	117
7	Native	3,611	492	122	63	63	30	770	124	54	79	142	194
8	Males	2,110	290	73	27	32	15	437	70	27	39	83	118
9	Females	1,501	202	49	36	31	15	333	54	27	40	59	76
10	Both parents native M	640	122	20	14	13	6	175	25	8	9	29	33
	Both parents native F	454	79	17	13	18	4	131	18	8	13	18	17
11	One or both parents foreign M	1,066	139	48	13	18	7	225	42	19	29	42	68
	One or both parents foreign F	834	109	31	23	12	11	186	34	18	25	35	48
12	Parentage unknown M	404	29	5		1	2	37	3		1	12	17
	Parentage unknown F	213	14	1		1		16	2	1	2	6	11
13	Foreign	3,027	1		2	1		4	9	7	13	58	123
14	Males	1,871	1		1	1		3	3	4	8	38	83
15	Females	1,156			1			1	6	3	5	20	40
16	Unknown	208	1	2				3			2	7	4
17	Males	187	1	2				3			2	7	3
18	Females	21											1
19	Colored	414	42	5	4	3	3	57	7	1	5	21	32
20	Males	340	22	3			3	28	5	1	3	14	24
21	Females	74	20	2	4	3		29	2		2	7	8
22	Negro M	35		1				1			1	2	5
	Negro F	18	1					1			2	2	2
23	Indian M												
	Indian F	1											
24	Chinese M	257	9	2			3	14	4	1	2	6	13
	Chinese F	23	7	1	2	1		11				2	3
25	Japanese M	47	13					13	1			5	6
	Japanese F	27	12	1	2	2		17	2			3	3
26	Other colored M	1										1	
	Other colored F												
	DENVER, COLO.												
27	Total	3,355	338	49	30	14	12	443	37	33	66	145	206
28	Males	1,885	190	24	14	6	7	241	18	21	31	70	126
29	Females	1,470	148	25	16	8	5	202	19	12	35	75	80
30	White	3,209	324	43	26	13	12	418	34	32	60	140	193
31	Males	1,799	180	21	12	6	7	226	16	21	28	68	117
32	Females	1,410	144	22	14	7	5	192	18	11	32	72	76
33	Native	2,272	323	42	25	13	12	415	31	32	58	118	149
34	Males	1,217	179	20	12	6	7	224	14	21	23	57	84
35	Females	1,055	144	22	13	7	5	191	17	11	30	61	65
36	Both parents native M	506	93	10	8	2	4	117	8	12	10	33	36
	Both parents native F	464	81	7	8	4	2	102	8	9	18	28	27
37	One or both parents foreign M	310	55	7	4	4	2	72	5	6	11	14	20
	One or both parents foreign F	298	40	13	4	2	3	62	6	2	10	22	22
38	Parentage unknown M	401	31	3			1	35	1	3	2	10	28
	Parentage unknown F	293	23	2	1	1		27	3		2	11	16
39	Foreign	800	1	1	1			3	2		7	17	31
40	Males	479	1	1				2	2		5	9	23
41	Females	321			1			1			2	8	8
42	Unknown	137							1			5	13
43	Males	103										2	10
44	Females	34							1			3	3
45	Colored	146	14	6	4	1		25	3	1	6	5	13
46	Males	86	10	3	2			15	2		3	2	9
47	Females	60	4	3	2	1		10	1	1	3	3	4
48	Negro M	79	8	3	2			13	2		3	2	9
	Negro F	56	2	2	2	1		7	1	1	3	3	4
49	Indian M												
	Indian F	1											
50	Chinese M	2	1					1					
	Chinese F												
51	Japanese M	5	1					1					
	Japanese F	3	2	1				3					
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
412	470	465	532	624	554	586	528	514	368	315	126	41	7	1	1	1
258	330	323	374	399	365	394	347	286	198	164	54	11		1	1	2
154	140	142	158	225	189	192	181	228	170	151	72	30	7			3
385	444	438	494	589	513	535	501	503	364	313	125	40	7	1	1	4
236	309	302	338	364	325	344	322	277	194	162	54	11		1	1	5
149	135	136	156	225	188	191	179	226	170	151	71	29	7			6
234	258	264	257	285	240	195	156	137	93	74	40	12	3			7
132	167	163	168	166	143	118	98	73	55	34	17	2				8
102	91	101	89	119	97	77	58	64	38	40	23	10	3			9
31	40	32	31	36	46	41	31	30	18	15	9	1				10
31	21	16	23	26	18	14	21	24	16	17	15	6	1			
75	95	96	103	96	59	47	33	16	12	6	3					11
59	59	71	53	77	59	45	20	23	7	9	4	1	1			
26	32	35	34	34	38	30	34	27	25	13	5	1				12
12	11	14	13	16	20	18	17	17	15	14	4	3	1			
133	165	154	213	271	251	315	333	356	267	237	85	28	4	1		13
90	123	120	151	167	161	204	212	195	135	127	37	9		1		14
43	42	34	62	104	90	111	121	161	132	110	48	19	4			15
18	21	20	24	33	22	25	12	10	4	2					1	16
14	19	19	19	31	21	22	12	9	4	1					1	17
4	2	1	5	2	1	3		1		1						18
27	26	27	38	35	41	51	27	11	4	2	1	1				19
22	21	21	36	35	40	50	25	9	4	2						20
5	5	6	2		1	1	2	2			1	1				21
3	6	2	3			5	1	1	3	2						22
3	3	2				1					1	1				
																23
								1								
13	10	13	28	35	40	45	24	8	1							24
	2	4	2		1		2	1								
6	5	6	5													25
2																
																26
228	231	192	217	223	230	261	234	215	197	119	53	19	4		2	27
131	138	121	129	124	146	149	130	117	104	59	19	8	2		1	28
97	93	71	88	99	84	112	104	98	93	60	34	11	2		1	29
214	218	184	209	217	217	251	226	212	191	115	53	19	4		2	30
123	127	115	124	121	137	145	128	116	101	56	19	8	2		1	31
91	91	69	85	96	80	106	98	96	90	59	34	11	2		1	32
157	154	124	136	134	142	144	124	119	124	73	31	10	1		1	33
87	86	73	70	71	89	82	67	63	62	32	8	4				34
70	68	51	66	63	53	62	57	56	62	41	23	6	1		1	35
39	23	26	22	22	41	29	22	26	24	10	4	2				36
29	29	15	27	24	17	21	28	26	24	18	12	2				
20	22	32	16	17	24	14	15	9	9	2		2				37
24	20	16	20	21	17	20	6	10	9	5	4	1			1	
28	41	15	32	32	24	39	30	28	29	20	4					38
17	19	20	19	18	19	21	23	20	29	18	7	3	1			
45	55	50	60	69	64	90	90	85	61	37	22	9	2		1	39
27	33	33	44	39	39	51	54	48	34	19	11	4	1		1	40
18	22	17	16	30	25	39	36	37	27	18	11	5	1			41
12	9	10	13	14	11	17	12	8	6	5			1			42
9	8	9	10	11	9	12	7	5	5	5			1			43
3	1	1	3	3	2	5	5	3	1							44
14	13	8	8	6	13	10	8	3	6	4						45
8	11	6	5	3	9	4	2	1	3	3						46
6	2	2	3	3	4	6	6	2	3	1						47
7	8	6	5	3	9	3	2	1	3	3						48
6	2	2	3	3	4	5	6	2	3	1						
						1										49
						1										
																50
1	3															51
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	BRIDGEPORT, CONN.												
1	Total	1,827	378	65	31	19	21	514	34	23	38	63	68
2	Males	1,030	210	40	15	9	12	286	15	14	20	37	39
3	Females	797	168	25	16	10	9	228	19	9	18	26	29
4	White	1,784	371	59	30	19	19	498	34	23	37	61	67
5	Males	1,003	205	39	14	9	11	278	15	14	19	37	38
6	Females	781	166	20	16	10	8	220	19	9	18	24	29
	Native	1,132	371	58	30	19	18	496	31	21	27	30	33
8	Males	614	205	38	14	9	10	276	13	13	17	15	19
9	Females	518	166	20	16	10	8	220	18	8	10	15	14
10	Both parents native M	182	43	7	3	1	3	57	3	4	5	3	8
	Both parents native F	160	31	1	2	1		35	8	5	4	4	6
11	One or both parents foreign M	357	157	31	9	8	7	212	10	9	11	9	8
	One or both parents foreign F	310	129	18	14	9	8	178	10	3	4	11	7
12	Parentage unknown M	75	5		2			7			1	3	3
	Parentage unknown F	48	6	1				7			2		1
13	Foreign	615		1			1	2	3	2	9	30	33
14	Males	359		1			1	2	2	1	1	21	19
15	Females	256							1	1	8	9	14
16	Unknown	37									1	1	1
17	Males	30									1	1	
18	Females	7											1
19	Colored	43	7	6	1		2	16			1	2	1
20	Males	27	5	1	1		1	8			1		1
21	Females	16	2	5			1	8				2	
22	Negro M	25	5	1	1		1	8			1		1
	Negro F	16	2	5			1	8				2	
23	Indian M												
	Indian F												
24	Chinese M	2											
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M												
	Other colored F												
	NEW HAVEN, CONN.												
27	Total	2,311	387	86	41	24	12	550	47	34	44	58	61
28	Males	1,247	228	55	18	16	4	321	23	19	21	31	39
29	Females	1,064	159	31	23	8	8	229	24	15	23	27	22
30	White	2,218	375	79	38	23	12	527	46	33	43	55	56
31	Males	1,198	220	49	17	15	4	305	23	19	21	30	35
32	Females	1,020	155	30	21	8	8	222	23	14	22	25	21
33	Native	1,444	375	79	38	22	12	526	42	27	34	37	40
34	Males	764	220	49	17	14	4	304	21	16	17	18	25
35	Females	680	155	30	21	8	8	222	21	11	17	19	15
36	Both parents native M	238	70	8	7	2	1	88	6	5	7	5	7
	Both parents native F	257	42	5	4	2		53	6	3	4	6	7
37	One or both parents foreign M	423	147	40	10	12	3	212	15	11	10	13	16
	One or both parents foreign F	330	109	25	17	6	8	165	15	8	13	13	7
38	Parentage unknown M	103	3	1				4					2
	Parentage unknown F	93	4					4					1
39	Foreign	748				1		1	4	6	9	18	15
40	Males	413				1		1	2	3	4	12	9
41	Females	335							2	3	5	6	6
42	Unknown	26											1
43	Males	21											1
44	Females	5											
45	Colored	93	12	7	3	1		23	1	1	1	3	5
46	Males	49	8	6	1	1		16				1	4
47	Females	44	4	1	2			7	1	1	1	2	1
48	Negro M	48	8	6	1	1		16				1	4
	Negro F	44	4	1	2			7	1	1	1	2	1
49	Indian M												
	Indian F												
50	Chinese M												
	Chinese F												
51	Japanese M	1											
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
76	95	105	103	104	114	102	123	102	71	55	27	9	1			1
45	59	65	71	61	69	53	73	52	37	22	10	1	1			2
31	36	40	32	43	45	49	50	50	34	33	17	8				3
74	94	102	100	99	109	102	121	101	71	55	26	9	1			4
43	59	62	70	58	65	53	71	51	37	22	9	1	1			5
31	35	40	30	41	44	49	50	50	34	33	17	8				6
34	49	56	40	44	58	45	46	39	32	26	18	6	1			7
19	28	29	28	26	30	20	25	23	16	10	6		1			8
15	21	27	12	18	28	25	21	16	16	16	12	6				9
5	7	12	8	9	9	11	13	14	6	3	5					10
4	5	8	3	6	10	8	10	10	10	11	9	4				
11	17	15	13	14	13	5	6	2	2							11
10	14	16	8	9	14	11	7	2	5		1					
3	4	2	7	3	8	4	6	7	8	7	1		1			12
1	2	3	1	3	4	6	4	4	1	5	2	2				
37	42	41	54	50	47	56	71	62	38	29	6	3				13
21	29	29	36	28	31	32	44	28	20	12	2	1				14
16	13	12	18	22	16	24	27	34	18	17	4	2				15
3	3	5	6	5	4	1	4		1		2					16
3	2	4	6	4	4	1	2		1		1					17
	1	1		1			2				1					18
2	1	3	3	5	5		2	1			1					19
2		3	1	3	4		2	1			1					20
	1		2	2	1											21
2		2	1	2	4		2	1			1					22
	1		2	2	1											
																23
		1		1												24
																25
																26
78	108	115	136	109	162	164	174	167	135	100	45	17	7			27
40	61	72	91	62	79	87	92	86	59	40	15	8	1			28
38	47	43	45	47	83	77	82	81	76	60	30	9	6			29
74	101	109	134	101	155	157	168	161	133	96	45	17	7			30
39	58	68	89	57	75	85	92	83	57	38	15	8	1			31
35	43	41	45	44	80	72	76	78	76	58	30	9	6			32
41	53	57	66	42	82	72	68	78	68	62	34	10	5			33
21	28	33	39	27	38	37	38	39	25	24	10	4				34
20	25	24	27	15	44	35	30	39	43	38	24	6	5			35
7	5	4	7	6	6	18	16	19	14	11	7					36
6	9	8	7	5	20	19	13	23	27	24	11	4	2			
11	20	22	22	16	24	11	10	5	1	3		1				37
14	14	14	17	7	17	8	5	8	1	4						
3	3	7	10	5	8	8	12	15	10	10	3	3				38
	2	2	3	3	7	8	12	8	15	10	13	2	3			
32	45	50	64	57	70	81	97	83	63	34	11	6	2			39
17	27	33	46	28	34	46	52	44	32	14	5	3	1			40
15	18	17	18	29	36	35	45	39	31	20	6	3	1			41
1	3	2	4	2	3	4	3		2			1				42
1	3	2	4	2	3	2	2					1				43
						2	1		2							44
4	7	6	2	8	7	7	6	6	2	4						45
1	3	4	2	5	4	2		3	2	2						46
3	4	2		3	3	5	6	3		2						47
1	2	4	2	5	4	2		3	2	2						48
3	4	2		3	3	5	6	3		2						
																49
																50
	1															51
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	WASHINGTON, D. C.												
1	Total	6,506	781	135	52	28	25	1,021	91	75	149	243	292
2	Males	3,440	453	80	23	17	8	581	51	37	61	118	130
3	Females	3,066	328	55	29	11	17	440	40	38	88	125	162
4	White	3,915	398	56	24	14	14	506	53	35	67	93	142
5	Males	2,134	235	37	13	10	4	299	33	21	29	47	69
6	Females	1,781	163	19	11	4	10	207	20	14	38	46	73
7	Native	3,184	390	56	24	14	14	498	51	34	63	84	122
8	Males	1,723	229	37	13	10	4	293	32	21	28	39	59
9	Females	1,461	161	19	11	4	10	205	19	13	35	45	63
10	Both parents native M	1,113	175	27	9	6	4	221	20	15	19	32	41
	Both parents native F	1,066	111	14	6	3	6	140	15	11	28	35	51
11	One or both parents foreign M	309	31	8	4	4		47	8	4	7	5	9
	One or both parents foreign F	249	32	3	3	1	3	42	3	1	5	8	7
12	Parentage unknown M	301	23	2				25	4	2	2	2	9
	Parentage unknown F	146	18	2	2		1	23	1	1	2	2	5
13	Foreign	647	1					1	2	1	4	6	16
14	Males	345							1		1	5	8
15	Females	302	1					1	1	1	3	1	8
16	Unknown	84	7					7				3	4
17	Males	66	6					6				3	2
18	Females	18	1					1					2
19	Colored	2,591	383	79	28	14	11	515	38	40	82	150	150
20	Males	1,306	218	43	10	7	4	282	18	16	32	71	61
21	Females	1,285	165	36	18	7	7	233	20	24	50	79	89
22	Negro M	1,301	218	43	10	7	4	282	18	16	32	71	61
	Negro F	1,285	165	36	18	7	7	233	20	24	50	79	89
23	Indian M												
	Indian F												
24	Chinese M	5											
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M												
	Other colored F												
	ATLANTA, GA.												
27	Total	2,796	308	81	49	23	23	484	52	39	107	173	189
28	Males	1,358	174	45	23	9	10	261	29	24	44	78	86
29	Females	1,438	134	36	26	14	13	223	23	15	63	95	103
30	White	1,444	170	48	22	12	12	264	25	27	47	81	69
31	Males	707	96	24	9	6	5	140	17	16	23	34	30
32	Females	737	74	24	13	6	7	124	8	11	24	47	39
33	Native	1,378	170	48	22	12	12	264	24	27	45	79	66
34	Males	668	96	24	9	6	5	140	16	16	22	32	28
35	Females	710	74	24	13	6	7	124	8	11	23	47	38
36	Both parents native M	566	89	23	9	6	5	132	16	16	20	30	25
	Both parents native F	598	66	23	13	6	7	115	5	10	21	44	34
37	One or both parents foreign M	30	6	1				7			1	1	2
	One or both parents foreign F	36	6	1				7	3			1	1
38	Parentage unknown M	72	1					1			1	1	1
	Parentage unknown F	76	2					2		1	2	2	3
39	Foreign	59							1		2	1	3
40	Males	32							1		1	1	2
41	Females	27									1		1
42	Unknown	7										1	
43	Males	7										1	
44	Females												
45	Colored	1,352	138	33	27	11	11	220	27	12	60	92	120
46	Males	651	78	21	14	3	5	121	12	8	21	44	56
47	Females	701	60	12	13	8	6	99	15	4	39	48	64
48	Negro M	651	78	21	14	3	5	121	12	8	21	44	56
	Negro F	701	60	12	13	8	6	99	15	4	39	48	64
49	Indian M												
	Indian F												
50	Chinese M												
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
302	393	380	407	412	428	484	435	520	426	258	123	51	10	6	.....	1
156	241	232	248	225	224	231	237	264	207	124	49	18	5	1	.....	2
146	152	148	159	187	204	253	198	256	219	134	74	33	5	5	.....	3
148	181	193	210	224	268	321	319	415	361	219	110	43	7	.....	.....	4
79	111	134	138	129	147	156	184	208	181	107	45	14	3	.....	.....	5
69	70	59	72	95	121	165	135	207	180	112	65	29	4	.....	.....	6
131	154	158	175	182	220	255	240	296	263	151	72	31	4	.....	.....	7
69	94	106	114	106	119	119	138	149	130	66	29	11	1	.....	.....	8
62	60	52	61	76	101	136	102	147	133	85	43	20	3	.....	.....	9
39	53	61	69	57	74	75	85	85	91	48	19	8	1	.....	.....	10
46	41	35	29	53	60	85	82	119	115	66	36	16	3	.....	.....	
9	17	20	25	30	28	24	25	20	17	9	3	2	.....	.....	.....	11
11	13	9	24	15	30	35	9	15	6	12	2	2	.....	.....	.....	
21	24	25	20	19	17	20	28	44	22	9	7	1	.....	.....	.....	12
5	6	8	8	8	11	16	11	13	12	7	5	2	.....	.....	.....	
11	23	29	28	37	42	56	71	110	93	64	38	12	3	.....	.....	13
5	14	22	17	20	23	29	39	52	49	39	16	3	2	.....	.....	14
6	9	7	11	17	19	27	32	58	44	25	22	9	1	.....	.....	15
6	4	6	7	5	6	10	8	9	5	4	.....	.....	.....	.....	.....	16
5	3	6	7	3	5	8	7	7	2	2	.....	.....	.....	.....	.....	17
1	1	.....	.....	2	1	2	1	2	3	2	.....	.....	.....	.....	.....	18
154	212	187	197	188	160	163	116	105	65	39	13	8	3	6	.....	19
77	130	98	110	96	77	75	53	56	26	17	4	4	2	1	.....	20
77	82	89	87	92	83	88	63	49	39	22	9	4	1	5	.....	21
77	130	98	109	96	74	74	53	56	26	17	4	4	2	1	.....	22
77	82	89	87	92	83	88	63	49	39	22	9	4	1	5	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	1	.....	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
192	211	207	181	181	165	166	142	122	87	52	30	8	1	5	2	27
89	106	102	97	91	76	79	66	51	41	20	11	3	.....	3	1	28
103	105	105	84	90	89	87	76	71	46	32	19	5	1	2	1	29
82	81	86	78	76	89	103	98	94	73	40	27	4	.....	.....	.....	30
36	40	43	43	42	46	55	45	37	35	15	9	1	.....	.....	.....	31
46	41	43	35	34	43	48	53	57	38	25	18	3	.....	.....	.....	32
80	77	82	74	73	87	94	92	87	65	36	23	3	.....	.....	.....	33
34	38	39	41	41	45	49	40	33	32	14	7	1	.....	.....	.....	34
46	39	43	33	32	42	45	52	54	33	22	16	2	.....	.....	.....	35
30	36	38	34	30	33	37	29	22	21	10	6	1	.....	.....	.....	36
40	35	35	29	26	35	35	38	40	22	19	14	1	.....	.....	.....	
1	1	1	.....	3	3	4	2	1	1	2	.....	.....	.....	.....	.....	37
1	.....	2	1	2	2	5	3	4	3	.....	1	.....	.....	.....	.....	
3	1	.....	7	8	9	8	9	10	10	2	1	.....	.....	.....	.....	38
5	4	6	3	4	5	5	11	10	8	3	1	1	.....	.....	.....	
.....	4	2	4	3	2	8	5	7	8	4	4	1	.....	.....	.....	39
.....	2	2	2	1	1	5	4	4	3	1	2	.....	.....	.....	.....	40
.....	2	.....	2	2	1	3	1	3	5	3	2	1	.....	.....	.....	41
2	.....	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	42
2	.....	2	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
110	130	121	103	105	76	63	44	28	14	12	3	4	1	5	2	45
53	66	59	54	49	30	24	21	14	6	5	2	2	.....	3	1	46
57	64	62	49	56	46	39	23	14	8	7	1	2	1	2	1	47
53	66	59	54	49	30	24	21	14	6	5	2	2	.....	3	1	48
57	64	62	49	56	46	39	23	14	8	7	1	2	1	2	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY; AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CHICAGO, ILL.												
1	Total	34,894	6,219	1,351	601	356	254	8,781	811	448	899	1,592	1,729
2	Males	19,766	3,576	754	312	199	137	4,978	445	240	421	804	976
3	Females	15,128	2,643	597	289	157	117	3,803	366	208	478	788	753
4	White	33,601	6,133	1,320	586	348	245	8,632	782	432	853	1,533	1,624
5	Males	19,001	3,518	736	307	194	133	4,888	433	232	397	770	917
6	Females	14,600	2,615	584	279	154	112	3,744	349	200	456	763	707
7	Native	19,677	6,116	1,315	574	337	237	8,579	733	387	715	1,071	954
8	Males	10,908	3,512	732	301	189	129	4,863	406	210	328	512	524
9	Females	8,769	2,604	583	273	148	108	3,716	327	177	387	559	430
10	Both parents native M.	2,794	920	149	83	52	32	1,236	118	57	61	114	113
	Both parents native F.	2,383	662	115	63	54	25	919	92	62	69	113	99
11	One or both parents foreign M.	6,933	2,445	571	216	136	95	3,463	282	150	257	376	355
	One or both parents foreign F.	5,547	1,835	463	208	92	81	2,679	228	113	311	417	295
12	Parentage unknown M.	1,181	147	12	2	1	2	164	6	3	10	22	56
	Parentage unknown F.	839	107	5	2	2	2	118	7	2	7	29	36
13	Foreign	13,680	12	5	11	11	8	47	49	45	137	459	660
14	Males	7,876	5	4	5	5	4	23	27	22	68	255	388
15	Females	5,804	7	1	6	6	4	24	22	23	69	204	272
16	Unknown	244	5		1			6			1	3	10
17	Males	217	1		1			2			1	3	5
18	Females	27	4					4					5
19	Colored	1,293	86	31	15	8	9	149	29	16	46	59	105
20	Males	765	58	18	5	5	4	90	12	8	24	34	59
21	Females	528	28	13	10	3	5	59	17	8	22	25	46
22	Negro M.	717	57	18	4	5	4	88	12	8	23	33	52
	Negro F.	524	27	13	10	3	5	58	17	8	22	25	46
23	Indian M.												
	Indian F.	1											
24	Chinese M.	48	1		1			2			1	1	7
	Chinese F.	2	1					1					
25	Japanese M.												
	Japanese F.	1											
26	Other colored M.												
	Other colored F.												
	INDIANAPOLIS, IND.												
27	Total	3,911	463	70	33	28	17	611	57	49	92	174	210
28	Males	2,147	266	36	17	10	10	339	36	27	44	85	122
29	Females	1,764	197	34	16	18	7	272	21	22	48	89	88
30	White	3,352	399	56	28	23	15	521	48	42	74	139	164
31	Males	1,842	242	29	14	8	9	302	30	24	36	66	92
32	Females	1,510	157	27	14	15	6	219	18	18	38	73	72
33	Native	2,807	398	55	28	22	15	518	47	39	68	130	149
34	Males	1,540	241	28	14	8	9	300	29	23	31	58	81
35	Females	1,267	157	27	14	14	6	218	18	16	37	72	68
36	Both parents native M.	997	190	23	8	6	4	231	27	21	29	43	62
	Both parents native F.	833	131	20	13	10	5	179	13	14	32	54	48
37	One or both parents foreign M.	314	37	5	5	2	4	53	2	2	2	11	14
	One or both parents foreign F.	231	17	6	1	4	1	29	3	1	3	11	14
38	Parentage unknown M.	229	14		1		1	16				4	5
	Parentage unknown F.	203	9	1				10	2	1	2	7	6
39	Foreign	507		1		1		2	1	3	6	9	14
40	Males	275		1				1	1	1	5	8	11
41	Females	232				1		1		2	1	1	3
42	Unknown	38	1					1					1
43	Males	27	1					1					
44	Females	11											1
45	Colored	559	64	14	5	5	2	90	9	7	18	35	46
46	Males	305	24	7	3	2	1	37	6	3	8	19	30
47	Females	254	40	7	2	3	1	53	3	4	10	16	16
48	Negro M.	305	24	7	3	2	1	37	6	3	8	19	30
	Negro F.	254	40	7	2	3	1	53	3	4	10	16	16
49	Indian M.												
	Indian F.												
50	Chinese M.												
	Chinese F.												
51	Japanese M.												
	Japanese F.												
52	Other colored M.												
	Other colored F.												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,703	1,896	1,942	2,196	2,349	2,166	2,111	1,845	1,618	1,332	850	437	143	37	9	.....	1
1,017	1,180	1,186	1,404	1,449	1,328	1,232	1,017	829	640	366	191	48	12	3	.....	2
686	716	756	792	900	838	879	828	789	692	484	246	95	25	6	.....	3
1,602	1,747	1,831	2,068	2,226	2,085	2,053	1,799	1,580	1,306	837	431	140	35	5	.....	4
953	1,089	1,117	1,318	1,381	1,280	1,192	993	809	627	358	188	46	11	2	.....	5
649	658	714	750	845	805	861	806	771	679	479	243	94	24	3	.....	6
782	804	845	887	824	800	672	521	416	335	215	97	35	5	.....	.....	7
456	480	470	539	485	492	375	290	202	144	83	37	10	2	.....	.....	8
326	324	375	348	339	308	297	231	214	191	132	60	25	3	.....	.....	9
89	96	92	109	112	134	113	126	93	66	39	19	5	2	.....	.....	10
80	80	87	85	78	86	97	110	105	98	76	31	14	2	.....	.....	
324	301	316	314	272	236	138	72	40	25	7	5	.....	.....	.....	.....	11
205	191	223	214	200	164	122	67	52	38	17	6	5	.....	.....	.....	
43	83	62	116	101	122	124	92	69	53	37	13	5	.....	.....	.....	12
41	53	65	49	61	58	78	54	57	55	39	23	6	1	.....	.....	
798	908	959	1,151	1,363	1,264	1,357	1,269	1,158	963	622	331	105	30	5	.....	13
477	577	622	751	860	768	794	694	601	477	275	150	36	9	2	.....	14
321	331	337	400	503	496	563	575	557	486	347	181	69	21	3	.....	15
22	35	27	30	39	21	24	9	6	8	.....	3	.....	.....	.....	.....	16
20	32	25	28	36	20	23	9	6	6	.....	1	.....	.....	.....	.....	17
2	3	2	2	3	1	1	.....	.....	2	.....	2	.....	.....	.....	.....	18
101	149	111	128	123	81	58	46	38	26	13	6	3	2	4	.....	19
64	91	69	86	68	48	40	24	20	13	8	3	2	1	1	.....	20
37	58	42	42	55	33	18	22	18	13	5	3	1	1	3	.....	21
63	89	62	76	59	45	37	22	20	13	8	3	2	1	1	.....	22
35	57	42	42	55	33	18	22	18	13	5	3	1	1	3	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	2	7	10	9	3	3	2	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
165	228	232	254	269	267	276	267	262	249	155	66	21	6	1	.....	27
90	117	118	147	181	160	159	166	113	126	69	33	12	3	.....	.....	28
75	111	114	107	88	107	117	101	149	123	86	33	9	3	1	.....	29
136	170	192	205	226	231	243	245	241	235	151	65	19	4	1	.....	30
73	84	94	121	153	139	141	153	104	117	67	33	11	2	.....	.....	31
63	86	98	84	73	92	102	92	137	118	84	32	8	2	1	.....	32
120	153	176	184	187	198	192	185	173	147	86	38	13	3	1	.....	33
64	74	87	106	130	116	109	114	75	82	34	19	6	2	.....	.....	34
56	79	89	78	57	82	83	71	98	65	52	19	7	1	1	.....	35
44	43	50	61	64	64	67	68	38	52	16	13	3	1	.....	.....	36
39	51	51	49	31	43	43	48	53	38	27	13	6	.....	1	.....	
14	23	23	35	43	30	24	14	12	7	2	2	1	.....	.....	.....	37
9	21	29	17	15	19	18	7	19	8	6	2	.....	.....	.....	.....	
6	8	14	10	23	22	18	32	25	23	16	4	2	1	.....	.....	38
8	7	9	12	11	20	22	16	26	19	19	4	1	1	.....	.....	
13	15	13	18	32	31	47	53	66	86	65	26	6	1	.....	.....	39
6	8	5	12	19	22	28	33	29	35	33	13	5	.....	.....	.....	40
7	7	8	6	13	9	19	20	37	51	32	13	1	1	.....	.....	41
3	2	3	3	7	2	4	7	2	2	.....	1	.....	.....	.....	.....	42
3	2	2	3	4	1	4	6	.....	.....	.....	1	.....	.....	.....	.....	43
.....	.....	1	.....	3	1	.....	1	2	2	.....	.....	.....	.....	.....	.....	44
29	58	40	49	43	36	33	22	21	14	4	1	2	2	.....	.....	45
17	33	24	26	28	21	18	13	9	9	2	.....	1	1	.....	.....	46
12	25	16	23	15	15	15	9	12	5	2	1	1	1	.....	.....	47
17	33	24	26	28	21	18	13	9	9	2	.....	1	1	.....	.....	48
12	25	16	23	15	15	15	9	12	5	2	1	1	1	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	LOUISVILLE, KY.												
1	Total	3,550	379	69	31	22	10	511	54	50	90	165	186
2	Males	1,867	217	32	17	15	8	289	34	27	50	78	91
3	Females	1,683	162	37	14	7	2	222	20	23	40	87	95
4	White	2,538	283	44	24	13	8	372	44	32	62	103	110
5	Males	1,336	164	21	13	9	7	214	29	19	35	48	49
6	Females	1,202	119	23	11	4	1	158	15	13	27	55	61
7	Native	1,971	280	44	24	13	8	369	43	31	58	101	106
8	Males	1,063	163	21	13	9	7	213	29	18	32	48	47
9	Females	908	117	23	11	4	1	156	14	13	26	53	59
10	Both parents native M	600	134	17	13	9	5	178	23	16	26	33	33
	Both parents native F	545	99	19	10	4	1	133	12	12	23	39	42
	One or both parents foreign M	284	13	2			2	17	5	1	5	10	10
11	One or both parents foreign F	200	13	2	1			16		1	3	8	13
12	Parentage unknown M	179	16	2				18	1	1	1	5	4
	Parentage unknown F	163	5	2				7	2			6	4
13	Foreign	536							1	1	4	2	3
14	Males	250								1	3		1
15	Females	286							1		1	2	2
16	Unknown	31	3					3					1
17	Males	23	1					1					1
18	Females	8	2					2					
19	Colored	1,012	96	25	7	9	2	139	10	18	28	62	76
20	Males	531	53	11	4	6	1	75	5	8	15	30	42
21	Females	481	43	14	3	3	1	64	5	10	13	32	34
22	Negro M	531	53	11	4	6	1	75	5	8	15	30	42
	Negro F	481	43	14	3	3	1	64	5	10	13	32	34
23	Indian M												
	Indian F												
24	Chinese M												
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M												
	Other colored F												
	NEW ORLEANS, LA.												
27	Total	7,752	927	193	92	63	52	1,327	128	123	261	397	436
28	Males	4,168	491	96	49	33	21	690	62	68	130	196	236
29	Females	3,584	436	97	43	30	31	637	66	55	131	201	200
30	White	4,442	525	102	48	34	33	742	69	61	98	163	194
31	Males	2,414	278	51	23	20	13	385	31	36	53	81	114
32	Females	2,028	247	51	25	14	20	357	38	25	45	82	80
33	Native	3,388	523	102	48	33	33	739	67	61	93	153	164
34	Males	1,848	277	51	23	19	13	383	31	36	51	75	93
35	Females	1,540	246	51	25	14	20	356	36	25	42	78	71
36	Both parents native M	1,122	236	42	19	18	10	325	28	32	47	59	70
	Both parents native F	927	219	44	21	13	18	315	32	22	34	61	60
37	One or both parents foreign M	628	38	9	4	1	3	55	3	4	4	15	14
	One or both parents foreign F	557	25	7	4	1	2	39	4	3	8	15	9
38	Parentage unknown M	98	3					3				1	3
	Parentage unknown F	56	2					2				2	2
39	Foreign	1,031	2			1		3	2		5	9	30
40	Males	544	1			1		2			2	6	21
41	Females	487	1					1	2		3	3	9
42	Unknown	23										1	
43	Males	22											
44	Females	1										1	
45	Colored	3,310	402	91	44	29	19	585	59	62	163	234	242
46	Males	1,754	213	45	26	13	8	305	31	32	77	115	122
47	Females	1,556	189	46	18	16	11	280	28	30	86	119	120
48	Negro M	1,740	213	45	26	13	8	305	31	32	77	115	122
	Negro F	1,556	189	46	18	16	11	280	28	30	86	119	120
49	Indian M												
	Indian F												
50	Chinese M	10											
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M	4											
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
187	238	228	220	260	256	227	226	241	188	120	72	22	6	2	1	
103	141	134	123	143	141	122	120	106	79	50	27	5	3	.....	1	2
84	97	94	97	117	115	105	106	135	109	70	45	17	3	2	.....	3
114	131	141	146	168	203	162	181	210	166	104	66	18	4	.....	1	4
60	81	88	83	91	111	97	98	89	70	43	24	4	2	.....	1	5
54	50	53	63	77	92	65	83	121	96	61	42	14	2	.....	.....	6
106	117	122	123	137	161	105	101	113	82	53	31	8	4	.....	.....	7
56	71	73	72	76	86	63	53	52	34	22	14	2	2	.....	.....	8
50	46	49	51	61	75	42	48	61	48	31	17	6	2	.....	.....	9
35	31	30	36	25	29	25	20	22	15	11	9	2	1	.....	.....	10
30	26	23	19	25	29	17	24	36	22	20	7	5	1	.....	.....	
17	26	32	24	41	37	24	14	10	7	2	2	.....	.....	.....	.....	11
10	10	19	21	21	33	11	13	7	9	3	2	.....	.....	.....	.....	
4	14	11	12	10	20	14	19	20	12	9	3	.....	1	.....	.....	12
10	10	7	11	15	13	14	11	18	17	8	8	1	1	.....	.....	
7	12	13	21	31	37	54	77	93	84	51	35	10	.....	.....	.....	13
4	8	10	10	15	20	31	44	34	36	21	10	2	.....	.....	.....	14
3	4	3	11	16	17	23	33	59	48	30	25	8	.....	.....	.....	15
1	2	6	2	.....	5	3	3	4	.....	.....	.....	.....	.....	.....	1	16
.....	2	5	1	.....	5	3	1	3	.....	.....	.....	.....	.....	.....	1	17
1	.....	1	1	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	18
73	107	87	74	92	53	65	45	31	22	16	6	4	2	2	.....	19
43	60	46	40	52	30	25	22	17	9	7	3	1	1	.....	.....	20
30	47	41	34	40	23	40	23	14	13	9	3	3	1	2	.....	21
43	60	46	40	52	30	25	22	17	9	7	3	1	1	.....	.....	22
30	47	41	34	40	23	40	23	14	13	9	3	3	1	2	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
487	491	492	519	541	503	461	419	425	337	215	113	44	21	7	5	27
294	295	294	330	319	290	259	207	218	144	70	38	16	6	2	4	28
193	196	198	189	222	213	202	212	207	193	145	75	28	15	5	1	29
225	229	240	284	325	326	323	290	315	256	168	87	30	11	3	3	30
142	141	149	186	205	194	180	146	157	113	55	29	9	3	2	3	31
83	88	91	98	120	132	143	144	158	143	113	58	21	8	1	.....	32
201	195	216	243	256	259	221	171	167	93	50	23	13	3	.....	.....	33
121	114	131	151	152	152	120	86	89	39	12	9	2	1	.....	.....	34
80	81	85	92	104	107	101	85	78	54	38	14	11	2	.....	.....	35
35	68	67	70	57	63	40	42	36	18	4	5	.....	.....	.....	.....	36
50	55	44	35	37	37	29	29	27	29	22	4	4	1	.....	.....	
32	44	59	74	82	78	73	32	36	13	5	3	2	.....	.....	.....	37
27	26	40	54	63	65	67	50	41	20	14	9	2	1	.....	.....	
4	2	5	7	13	11	7	12	17	8	3	1	.....	1	.....	.....	38
3	.....	1	3	4	5	5	6	10	5	2	1	5	.....	.....	.....	
23	34	22	38	64	65	100	117	147	162	118	64	17	8	3	.....	39
20	27	16	32	48	40	58	58	67	73	43	20	7	2	2	.....	40
3	7	6	6	16	25	42	59	80	89	75	44	10	6	1	.....	41
1	.....	2	3	5	2	2	2	1	1	.....	.....	.....	.....	.....	3	42
1	.....	2	3	5	2	2	2	1	1	.....	.....	.....	.....	.....	3	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
262	262	252	235	216	177	138	129	110	81	47	26	14	10	4	2	45
152	154	145	144	114	96	79	61	61	31	15	9	7	3	.....	1	46
110	108	107	91	102	81	59	68	49	50	32	17	7	7	4	1	47
152	153	143	141	114	92	77	59	61	31	15	9	7	3	.....	1	48
110	108	107	91	102	81	59	68	49	50	32	17	7	7	4	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	1	2	1	.....	3	2	1	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	BALTIMORE, MD.												
1	Total	10,008	1,626	303	125	71	53	2,178	164	117	234	339	428
2	Males	5,292	936	138	67	31	30	1,202	93	56	101	174	225
3	Females	4,716	690	165	58	40	23	976	71	61	133	165	203
4	White	7,536	1,213	223	92	55	34	1,617	125	77	143	207	265
5	Males	3,985	706	103	52	22	20	903	67	43	64	110	145
6	Females	3,551	507	120	40	33	14	714	58	34	79	97	120
7	Native	5,724	1,199	221	92	53	34	1,599	122	74	127	174	218
8	Males	3,035	698	102	52	20	20	892	66	41	52	86	112
9	Females	2,689	501	119	40	33	14	707	56	33	75	88	106
10	Both parents native M.	1,665	417	66	32	14	16	545	43	27	37	63	72
	Both parents native F.	1,503	280	66	25	22	10	403	39	21	46	54	65
11	One or both parents foreign M.	989	205	32	18	6	4	265	21	13	12	21	29
	One or both parents foreign F.	869	143	48	13	11	4	219	17	12	25	31	33
12	Parentage unknown M.	381	76	4	2			82	2	1	3	2	11
	Parentage unknown F.	317	78	5	2			85			4	3	8
13	Foreign	1,734				2		2	3	2	16	32	46
14	Males	888				2		2	1	2	12	23	32
15	Females	846							2		4	9	14
16	Unknown	78	14	2				16		1		1	1
17	Males	62	8	1				9				1	1
18	Females	16	6	1				7		1			
19	Colored	2,472	413	80	33	16	19	561	39	40	91	132	163
20	Males	1,307	230	35	15	9	10	299	26	13	37	64	80
21	Females	1,165	183	45	18	7	9	262	13	27	54	68	83
22	Negro M.	1,302	230	35	15	9	10	299	26	13	37	64	79
	Negro F.	1,165	183	45	18	7	9	262	13	27	54	68	83
23	Indian M.												
	Indian F.												
24	Chinese M.	4											
	Chinese F.												
25	Japanese M.	1											1
	Japanese F.												
26	Other colored M.												
	Other colored F.												
	BOSTON, MASS.												
27	Total	12,020	2,042	539	177	121	96	2,975	264	174	219	352	467
28	Males	6,328	1,153	282	90	64	52	1,641	152	89	110	171	234
29	Females	5,692	889	257	87	57	44	1,334	112	85	109	181	233
30	White	11,651	1,987	526	173	119	91	2,896	254	167	213	335	444
31	Males	6,111	1,122	279	86	63	47	1,597	145	85	107	163	221
32	Females	5,540	865	247	87	56	44	1,299	109	82	106	172	223
33	Native	7,141	1,973	517	168	116	89	2,863	237	147	159	205	227
34	Males	3,854	1,113	274	84	62	46	1,579	134	77	80	94	108
35	Females	3,287	860	243	84	54	43	1,284	103	70	79	111	119
36	Both parents native M.	1,318	317	52	25	16	15	425	37	21	25	25	36
	Both parents native F.	1,129	221	47	22	14	8	312	30	20	23	27	30
37	One or both parents foreign M.	2,226	694	216	57	46	30	1,043	96	56	55	66	67
	One or both parents foreign F.	1,866	559	187	58	39	35	878	72	49	56	80	83
38	Parentage unknown M.	310	102	6	2		1	111	1			3	5
	Parentage unknown F.	292	80	9	4	1		94	1	1		4	6
39	Foreign	4,396	8	9	5	3	2	27	15	20	54	127	214
40	Males	2,182	5	5	2	1	1	14	10	8	27	66	112
41	Females	2,214	3	4	3	2	1	13	5	12	27	61	102
42	Unknown	114	6					6	2			3	3
43	Males	75	4					4	1			3	1
44	Females	39	2					2	1				2
45	Colored	369	55	13	4	2	5	79	10	7	6	17	23
46	Males	217	31	3	4	1	5	44	7	4	3	8	13
47	Females	152	24	10		1		35	3	3	3	9	10
48	Negro M.	199	31	3	4	1	5	44	7	4	3	8	13
	Negro F.	147	20	10		1		31	2	3	3	9	10
49	Indian M.												
	Indian F.	1	1					1					
50	Chinese M.	18											
	Chinese F.	4	3					3	1				
51	Japanese M.												
	Japanese F.												
52	Other colored M.												
	Other colored F.												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
416	513	554	599	707	730	728	661	595	515	327	133	52	11	5	2	1
223	309	314	344	393	426	386	330	280	237	128	49	15	2	3	2	2
193	204	240	255	314	304	342	331	315	278	199	84	37	9	2	.....	3
281	341	365	407	479	590	617	564	523	464	298	116	43	9	3	2	4
147	203	202	245	276	344	325	281	243	208	118	43	13	1	2	2	5
134	138	163	162	203	246	292	283	280	256	180	73	30	8	1	.....	6
223	273	288	281	343	448	419	351	294	250	156	56	22	5	1	.....	7
111	156	157	165	192	255	227	181	142	114	56	22	6	1	1	.....	8
112	117	131	116	151	193	192	170	152	136	100	34	16	4	.....	.....	9
65	85	85	68	72	113	106	100	77	62	28	11	5	.....	1	.....	10
69	64	74	59	74	91	88	101	81	77	63	21	9	4	.....	.....	
30	64	61	74	92	99	83	57	33	23	8	4	.....	.....	.....	.....	11
32	44	47	45	59	80	79	46	41	32	21	3	3	.....	.....	.....	
16	7	11	23	28	43	38	24	32	29	20	7	1	1	.....	.....	12
11	9	10	12	18	22	25	23	30	27	16	10	4	.....	.....	.....	
52	65	70	112	131	136	191	211	224	213	142	59	21	3	2	1	13
30	45	38	67	80	83	92	100	97	93	62	20	7	.....	1	1	14
22	20	32	45	51	53	99	111	127	120	80	39	14	3	1	.....	15
6	3	7	14	5	6	7	2	5	1	.....	1	.....	1	.....	1	16
6	2	7	13	4	6	6	.....	4	1	.....	1	.....	.....	.....	1	17
.....	1	.....	1	1	.....	1	2	1	.....	.....	.....	.....	1	.....	.....	18
135	172	189	192	228	140	111	97	72	51	29	17	9	2	2	.....	19
76	106	112	99	117	82	61	49	37	29	10	6	2	1	1	.....	20
59	66	77	93	111	58	50	48	35	22	19	11	7	1	1	.....	21
76	106	110	98	117	82	60	49	37	29	10	6	2	1	1	.....	22
59	66	77	93	111	58	50	48	35	22	19	11	7	1	1	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
492	608	647	681	773	740	807	815	724	608	384	199	71	14	3	3	27
279	332	357	400	460	419	431	397	373	242	140	68	25	5	2	1	28
213	276	290	281	313	321	376	418	351	366	244	131	46	9	1	2	29
472	571	625	648	752	713	781	801	711	602	379	198	69	14	3	3	30
267	308	343	378	444	404	416	389	365	241	138	68	24	5	2	1	31
205	263	282	270	308	309	365	412	346	361	241	130	45	9	1	2	32
255	307	280	265	322	335	345	322	286	267	178	96	34	9	1	1	33
144	169	168	160	195	193	204	172	159	104	66	32	13	2	1	.....	34
111	138	112	105	127	142	141	150	127	163	112	64	21	7	.....	1	35
47	36	42	51	66	68	88	97	94	73	53	23	8	2	1	.....	36
37	39	24	30	52	46	50	85	70	107	78	48	16	4	.....	1	
94	127	115	98	109	109	91	47	32	13	4	2	2	.....	.....	.....	37
65	91	79	65	64	81	70	49	33	25	14	7	3	2	.....	.....	
3	6	11	11	20	16	25	28	33	18	9	7	3	.....	.....	.....	38
9	8	9	10	11	15	21	16	24	31	20	9	2	1	.....	.....	
211	255	329	374	413	368	425	473	418	331	199	101	34	5	2	1	39
118	133	166	212	233	202	205	214	203	136	72	36	10	3	1	1	40
93	122	163	162	180	166	220	259	215	195	127	65	24	2	1	.....	41
6	9	16	9	17	10	11	6	7	4	2	1	1	.....	.....	1	42
5	6	9	6	16	9	7	3	3	1	.....	.....	1	.....	.....	.....	43
1	3	7	3	1	1	4	3	4	3	2	1	.....	.....	.....	1	44
20	37	22	33	21	27	26	14	13	6	5	1	2	.....	.....	.....	45
12	24	14	22	16	15	15	8	8	1	2	.....	1	.....	.....	.....	46
8	13	8	11	5	12	11	6	5	5	3	1	1	.....	.....	.....	47
11	21	13	19	13	9	14	8	8	1	2	.....	1	.....	.....	.....	48
8	13	8	11	5	12	11	6	5	5	3	1	1	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
1	3	1	3	3	6	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CAMBRIDGE, MASS.												
1	Total	1,461	243	40	16	18	4	321	27	13	33	45	50
2	Males	727	142	18	8	10	2	180	14	7	21	22	22
3	Females	734	101	22	8	8	2	141	13	6	12	23	28
4	White	1,368	223	35	13	17	3	291	24	13	30	43	45
5	Males	671	127	17	7	9	2	162	12	7	20	21	20
6	Females	697	96	18	6	8	1	129	12	6	10	22	25
7	Native	809	223	34	12	17	3	289	23	12	23	27	20
8	Males	417	127	16	7	9	2	161	12	7	16	15	12
9	Females	392	96	18	5	8	1	128	11	5	7	12	8
10	Both parents native M.	147	29	5	3	4		41	4	2	3	4	5
	Both parents native F.	163	28	6			1	35	2			2	2
11	One or both parents foreign M.	247	93	11	4	5	2	115	8	5	13	11	7
	One or both parents foreign F.	198	63	11	5	8		87	9	5	7	10	5
12	Parentage unknown M.	23	5					5					
	Parentage unknown F.	31	5	1				6					1
13	Foreign	555		1	1			2	1	1	7	15	25
14	Males	252		1				1			4	6	8
15	Females	303			1			1	1	1	3	9	17
16	Unknown	4										1	
17	Males	2											
18	Females	2										1	
19	Colored	93	20	5	3	1	1	30	3		3	2	5
20	Males	56	15	1	1	1		18	2		1	1	2
21	Females	37	5	4	2		1	12	1		2	1	3
22	Negro M.	53	15	1	1	1		18	2		1	1	2
	Negro F.	37	5	4	2		1	12	1		2	1	3
23	Indian M.												
	Indian F.												
24	Chinese M.	3											
	Chinese F.												
25	Japanese M.												
	Japanese F.												
26	Other colored M.												
	Other colored F.												
	FALL RIVER, MASS.												
27	Total	2,020	653	128	39	31	20	871	39	30	42	58	50
28	Males	1,044	371	67	17	17	12	484	16	17	23	22	25
29	Females	976	282	61	22	14	8	387	23	13	19	36	25
30	White	2,019	653	128	39	31	20	871	39	30	42	58	50
31	Males	1,043	371	67	17	17	12	484	16	17	23	22	25
32	Females	976	282	61	22	14	8	387	23	13	19	36	25
33	Native	1,280	647	127	38	28	18	858	37	23	31	34	23
34	Males	681	366	66	16	16	11	475	14	13	21	14	11
35	Females	599	281	61	22	12	7	383	23	10	10	20	12
36	Both parents native M.	134	50	9	5	1	3	68	3	4	4	3	2
	Both parents native F.	128	45	4	4	2	2	57	4	2	3	2	1
37	One or both parents foreign M.	526	313	56	11	15	8	403	11	9	17	10	9
	One or both parents foreign F.	455	228	56	17	10	5	316	19	8	7	16	11
38	Parentage unknown M.	21	3	1				4				1	
	Parentage unknown F.	16	8	1	1			10				2	
39	Foreign	731	3	1	1	3	2	10	2	7	11	24	27
40	Males	355	3	1	1	1	1	7	2	4	2	8	14
41	Females	376				2	1	3		3	9	16	13
42	Unknown	8	3					3					
43	Males	7	2					2					
44	Females	1	1					1					
45	Colored	1											
46	Males	1											
47	Females												
48	Negro M.	1											
	Negro F.												
49	Indian M.												
	Indian F.												
50	Chinese M.												
	Chinese F.												
51	Japanese M.												
	Japanese F.												
52	Other colored M.												
	Other colored F.												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
44	63	72	83	87	86	105	119	98	90	57	48	13	5	1	1	1
32	33	35	44	44	43	54	52	32	42	25	18	4	2		1	2
12	30	37	39	43	43	51	67	66	48	32	30	9	3	1		3
42	61	62	76	84	83	98	113	92	89	56	48	13	3	1	1	4
30	32	30	39	41	41	48	48	31	41	24	18	4	1		1	5
12	29	32	37	43	42	50	65	61	48	32	30	9	2	1		6
28	23	25	29	38	42	40	42	42	46	23	27	8	1	1		7
20	15	12	17	18	17	21	17	16	20	8	12	1				8
8	8	13	12	20	25	19	25	26	26	15	15	7	1	1		9
5	6	4	3	2	4	11	9	13	16	5	9	1				10
2	2	4	8	8	11	9	13	21	17	10	10	5	1	1		
15	9	8	13	13	10	9	5	1	2	1	2					11
6	6	8	4	11	13	9	7	3	3	2	3					
			1	3	3	1	3	2	2	2	1					12
		1		1	1	1	5	2	6	3	2	2				
14	38	37	46	46	41	58	71	50	43	33	20	5	2			13
10	17	18	21	23	24	27	31	15	21	16	6	3	1			14
4	21	19	25	23	17	31	40	35	22	17	14	2	1			15
			1								1				1	16
			1												1	17
											1					18
2	2	10	7	3	3	7	6	6	1	1			2			19
2	1	5	5	3	2	6	4	1	1	1			1			20
	1	5	2		1	1	2	5					1			21
1	1	5	5	1	2	6	4	1	1	1			1			22
	1	5	2		1	1	2	5					1			
																23
1				2												24
																25
																26
67	59	67	76	98	99	100	123	98	58	48	27	4	2		4	27
30	31	36	37	55	55	44	61	45	22	19	17	1			4	28
37	28	31	39	43	44	56	62	53	36	29	10	3	2			29
67	59	67	76	98	99	100	122	98	58	48	27	4	2		4	30
30	31	36	37	55	55	44	60	45	22	19	17	1			4	31
37	28	31	39	43	44	56	62	53	36	29	10	3	2			32
29	25	26	19	27	30	27	28	21	15	16	9	2				33
11	10	12	13	15	17	11	17	12	5	4	5	1				34
18	15	14	6	12	13	16	11	9	10	12	4	1				35
1	2	1	4	4	4	5	8	8	5	3	4	1				36
1	4	2	1	2	6	4	7	7	8	12	4	1				
10	7	11	8	10	12	2	5	2								37
17	11	12	5	10	6	10	3	2	2							
	1		1	1	1	4	4	2		1	1					38
					1	2	1									
38	33	41	57	71	69	73	94	77	43	32	18	2	2			39
19	20	24	24	40	38	33	43	33	17	15	12					40
19	13	17	33	31	31	40	51	44	26	17	6	2	2			41
	1														4	42
	1														4	43
																44
							1									45
							1									46
																47
							1									48
																49
																50
																51
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	LOWELL, MASS.												
1	Total	1,820	460	81	26	14	18	599	35	22	33	50	53
2	Males	928	260	44	11	6	11	332	20	13	18	20	26
3	Females	892	200	37	15	8	7	267	15	9	15	30	27
4	White	1,817	459	81	26	14	18	598	35	22	33	50	51
5	Males	925	259	44	11	6	11	331	20	13	18	20	24
6	Females	892	200	37	15	8	7	267	15	9	15	30	27
7	Native	1,135	457	81	26	14	17	595	35	21	24	23	30
8	Males	605	258	44	11	6	10	329	20	12	12	10	17
9	Females	530	199	37	15	8	7	266	15	9	12	13	13
10	Both parents native M.	161	52	6	1	1	2	62	4	2	3	3	2
	Both parents native F.	150	37	5	2			44	1	2	4	3	2
11	One or both parents foreign M.	415	201	38	10	5	8	262	16	10	9	7	15
	One or both parents foreign F.	345	158	31	13	8	7	217	14	7	8	9	11
12	Parentage unknown M.	29	5					5					
	Parentage unknown F.	35	4	1				5				1	
13	Foreign	669	2				1	3		1	9	27	20
14	Males	310	1				1	2		1	6	10	6
15	Females	359	1					1			3	17	14
16	Unknown	13											1
17	Males	10											1
18	Females	3											
19	Colored	3	1					1					2
20	Males	3	1					1					2
21	Females												
22	Negro M.	2	1					1					1
	Negro F.												
23	Indian M.												
	Indian F.												
24	Chinese M.	1											1
	Chinese F.												
25	Japanese M.												
	Japanese F.												
26	Other colored M.												
	Other colored F.												
	WORCESTER, MASS.												
27	Total	2,467	418	75	25	21	14	553	54	20	44	76	90
28	Males	1,282	231	39	8	12	9	299	24	12	21	39	41
29	Females	1,185	187	36	17	9	5	254	30	8	23	37	49
30	White	2,432	412	74	25	21	14	546	53	20	44	75	89
31	Males	1,266	228	38	8	12	9	295	24	12	21	38	41
32	Females	1,166	184	36	17	9	5	251	29	8	23	37	48
33	Native	1,569	412	74	24	19	11	540	50	19	37	49	50
34	Males	803	228	38	8	11	7	292	23	11	17	22	20
35	Females	766	184	36	16	8	4	248	27	8	20	27	30
36	Both parents native M.	306	68	10		5		83	5	4	4	9	5
	Both parents native F.	302	46	10	5	3	2	66	7	3	6	8	13
37	One or both parents foreign M.	407	154	28	7	6	7	202	18	7	12	12	14
	One or both parents foreign F.	388	130	26	11	5	2	174	20	5	14	19	17
38	Parentage unknown M.	90	6		1			7			1	1	1
	Parentage unknown F.	76	8					8					
39	Foreign	854			1	2	3	6	3	1	6	26	39
40	Males	457				1	2	3	1	1	3	16	21
41	Females	397			1	1	1	3	2		3	10	18
42	Unknown	9									1		
43	Males	6									1		
44	Females	3											
45	Colored	35	6	1				7	1			1	1
46	Males	16	3	1				4				1	
47	Females	19	3					3	1				1
48	Negro M.	15	3	1				4				1	
	Negro F.	19	3					3	1				1
49	Indian M.												
	Indian F.												
50	Chinese M.	1											
	Chinese F.												
51	Japanese M.												
	Japanese F.												
52	Other colored M.												
	Other colored F.												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
60	72	63	117	90	95	114	106	117	80	64	27	14	7	1	1	1
27	37	36	67	48	45	64	51	52	33	26	7	4	1		1	2
33	35	27	50	42	50	50	55	65	47	38	20	10	6	1		3
60	72	63	117	90	95	114	106	117	80	64	27	14	7	1	1	4
27	37	36	67	48	45	64	51	52	33	26	7	4	1		1	5
33	35	27	50	42	50	50	55	65	47	38	20	10	6	1		6
23	27	27	45	40	40	47	29	39	37	30	14	7	1	1		7
10	11	15	31	20	21	31	18	17	15	10	4	2				8
13	16	12	14	20	19	16	11	22	22	20	10	5	1	1		9
1	3	1	10	7	8	12	9	11	11	7	4	1				10
3	4	4	3	8	8	5	6	12	15	13	8	4	1			
9	8	13	20	11	11	16	4	3	1							11
10	12	8	10	10	10	6	3	5	2	3						
		1	1	2	2	3	5	3	3	3		1				12
			1	2	1	5	2	5	5	4	2	1		1		
37	45	34	71	48	53	67	77	77	42	33	12	7	6			13
17	26	19	35	26	22	33	33	34	18	16	3	2	1			14
20	19	15	36	22	31	34	44	43	24	17	9	5	5			15
		2	1	2	2			1	1	1	1				1	16
		2	1	2	2			1							1	17
									1	1	1					18
																19
																20
																21
																22
																23
																24
																25
																26
100	112	118	120	156	166	155	187	171	154	104	61	18	4	1	3	27
56	68	68	64	83	93	83	99	79	73	46	24	5	2		3	28
44	44	50	56	73	73	72	88	92	81	58	37	13	2	1		29
100	110	115	116	155	163	153	184	168	152	104	60	18	4		3	30
56	66	67	61	83	92	83	97	78	73	46	23	5	2		3	31
44	44	48	55	72	71	70	87	90	79	58	37	13	2			32
50	56	59	52	80	94	65	98	82	73	62	40	11	1		1	33
21	38	31	23	45	51	39	53	39	31	24	19	3			1	34
29	18	28	29	35	43	26	45	43	42	38	21	8	1			35
5	11	10	6	20	26	19	27	27	19	9	15	2				36
8	4	5	9	13	16	12	28	30	27	25	16	5	1			
16	25	18	13	18	17	15	11	6	2						1	37
19	13	21	18	18	22	9	10	4	2	2	1					
	2	3	4	7	8	5	15	6	10	15	4	1				38
2	1	2	2	4	5	5	7	9	13	11	4	3				
49	54	56	64	74	68	88	85	86	77	42	19	7	3		1	39
34	28	36	38	38	40	44	43	39	41	22	4	2	2		1	40
15	26	20	26	36	28	44	42	47	36	20	15	5	1			41
1				1	1		1		2		1				1	42
1					1		1		1						1	43
				1					1		1					44
	2	3	4	1	3	2	3	3	2		1			1		45
	2	1	3		1		2	1			1					46
		2	1	1	2	2	1	2	2					1		47
	2		3				2	1			1					48
		2	1	1	2	2	1	2	2					1		
																49
					1											50
																51
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	DETROIT, MICH.												
1	Total	8,720	2,202	391	137	80	60	2,870	172	109	197	369	449
2	Males	4,835	1,264	200	73	48	29	1,614	95	68	104	194	239
3	Females	3,885	938	191	64	32	31	1,256	77	41	93	175	210
4	White	8,523	2,167	384	137	80	60	2,828	168	108	193	356	430
5	Males	4,723	1,244	194	73	48	29	1,588	94	67	102	183	229
6	Females	3,800	923	190	64	32	31	1,240	74	41	91	173	201
7	Native	5,402	2,143	374	131	73	54	2,775	147	89	159	229	255
8	Males	2,970	1,229	189	70	43	27	1,558	82	55	85	111	123
9	Females	2,432	914	185	61	30	27	1,217	65	34	74	118	132
10	Both parents native M	951	365	52	18	14	10	459	28	17	33	40	42
	Both parents native F	840	293	49	14	13	9	378	32	8	22	41	54
11	One or both parents foreign M	1,765	800	137	52	29	17	1,035	54	38	52	68	72
	One or both parents foreign F	1,409	588	134	47	17	18	804	33	26	48	68	68
12	Parentage unknown M	254	64					64				3	9
	Parentage unknown F	183	33	2				35			4	9	10
13	Foreign	2,937	15	8	6	6	6	41	21	19	32	120	164
14	Males	1,600	10	5	3	5	2	25	12	12	16	67	96
15	Females	1,337	5	3	3	1	4	16	9	7	16	53	68
16	Unknown	184	9	2		1		12			2	7	11
17	Males	153	5					5			1	5	10
18	Females	31	4	2		1		7			1	2	1
19	Colored	197	35	7				42	4	1	4	13	19
20	Males	112	20	6				26	1	1	2	11	10
21	Females	85	15	1				16	3		2	2	9
22	Negro M	104	19	6				25	1	1	2	11	10
	Negro F	85	15	1				16	3		2	2	9
23	Indian M	3											
	Indian F												
24	Chinese M	5	1					1					
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M												
	Other colored F												
	GRAND RAPIDS, MICH.												
27	Total	1,570	224	24	13	5	10	276	23	14	30	64	66
28	Males	794	130	9	9	2	5	155	10	5	14	28	34
29	Females	776	94	15	4	3	5	121	13	9	16	36	32
30	White	1,560	223	24	13	5	10	275	23	14	30	64	65
31	Males	791	130	9	9	2	5	155	10	5	14	28	33
32	Females	769	93	15	4	3	5	120	13	9	16	36	32
33	Native	1,029	223	24	13	5	10	275	23	14	27	53	49
34	Males	497	130	9	9	2	5	155	10	5	11	20	22
35	Females	532	93	15	4	3	5	120	13	9	16	33	27
36	Both parents native M	232	64	2	6	1	4	77	3		4	11	7
	Both parents native F	261	40	5	2	2	2	51	6	5	6	10	12
37	One or both parents foreign M	210	60	6	3	1	1	71	7	5	7	9	13
	One or both parents foreign F	224	47	10	2	1	3	63	7	3	9	21	14
38	Parentage unknown M	55	6	1				7					2
	Parentage unknown F	47	6					6		1	1	2	1
39	Foreign	523										11	16
40	Males	287									3	8	11
41	Females	236										3	5
42	Unknown	8											
43	Males	7											
44	Females	1											
45	Colored	10	1					1					1
46	Males	3											1
47	Females	7	1					1					
48	Negro M	3											1
	Negro F	7	1					1					
49	Indian M												
	Indian F												
50	Chinese M												
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
422	405	396	411	435	424	462	443	427	340	221	121	37	10			1
241	235	231	264	258	232	285	228	211	164	105	47	14	6			2
181	170	165	147	177	192	177	215	216	176	116	74	23	4			3
405	388	382	397	421	418	451	435	423	335	218	120	37	10			4
232	228	223	255	251	229	277	222	210	163	104	46	14	6			5
173	160	159	142	170	189	174	213	213	172	114	74	23	4			6
225	181	175	174	175	164	167	131	155	97	65	31	7	1			7
115	103	93	106	105	88	100	72	73	50	32	13	5	1			8
110	78	82	68	70	76	67	59	82	47	33	18	2				9
36	33	33	27	27	24	35	31	35	25	18	5	3				10
39	21	27	26	20	30	25	31	41	19	14	10	2				
66	55	53	61	53	57	40	22	21	11	5	1	1				11
59	48	43	37	44	36	23	19	23	17	12	1					
13	15	7	18	25	7	25	19	17	14	9	7	1	1			12
12	9	12	5	6	10	19	9	18	11	7	7					
163	183	181	196	227	244	274	296	263	235	153	87	29	9			13
102	104	105	125	128	131	169	144	135	112	72	31	9	5			14
61	79	76	71	99	113	105	152	128	123	81	56	20	4			15
17	24	26	27	19	10	10	8	5	3		2	1				16
15	21	25	24	18	10	8	6	2	1		2					17
2	3	1	3	1		2	2	3	2			1				18
17	17	14	14	14	6	11	8	4	5	3	1					19
9	7	8	9	7	3	8	6	1	1	1	1					20
8	10	6	5	7	3	3	2	3	4	2						21
9	7	6	7	5	3	7	6	1	1	1	1					22
8	10	6	5	7	3	3	2	3	4	2						
		1	1	1												23
		1	1	1		1										24
																25
																26
75	73	60	96	92	101	99	126	123	102	93	41	11	1	4		27
38	42	33	45	45	47	50	69	61	50	43	18	6		1		28
37	31	27	51	47	54	49	57	62	52	50	23	5	1	3		29
75	73	59	95	91	100	96	125	123	102	93	41	11	1	4		30
38	42	32	45	45	47	50	68	61	50	43	18	6		1		31
37	31	27	50	46	53	46	57	62	52	50	23	5	1	3		32
52	45	34	63	47	65	47	69	62	43	42	15	3		1		33
26	26	17	29	21	30	22	37	25	19	15	7					34
26	19	17	34	26	35	25	32	37	24	27	8	3		1		35
7	10	8	13	12	10	16	15	13	12	8	6					36
8	10	8	16	15	12	13	22	20	15	23	5	3		1		
18	13	7	14	5	15	2	10	7	2	4	1					37
17	6	8	15	10	17	7	7	13	4	1	2					
1	3	2	2	4	5	4	12	5	5	3						38
1	3	1	3	1	6	5	3	4	5	3	1					
23	25	24	31	43	35	48	56	61	59	51	25	8	1	3		39
12	13	14	15	24	17	27	31	36	31	28	10	6		1		40
11	12	10	16	19	18	21	25	25	28	23	15	2	1	2		41
	3	1	1	1		1					1					42
	3	1	1			1					1					43
				1												44
		1	1	1	1	3	1									45
		1					1									46
			1	1	1	3										47
		1					1									48
			1	1	1	3										
																49
																50
																51
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MINNEAPOLIS, MINN.												
1	Total	4,048	608	72	50	27	24	781	80	43	78	178	200
2	Males	2,317	360	34	25	13	11	443	44	22	35	94	99
3	Females	1,731	248	38	25	14	13	338	36	21	43	84	101
4	White	3,983	599	71	49	27	24	770	79	42	77	176	195
5	Males	2,280	356	34	25	13	11	439	44	21	35	93	95
6	Females	1,703	243	37	24	14	13	331	35	21	42	83	100
7	Native	2,432	595	70	49	27	24	765	74	38	69	127	119
8	Males	1,340	353	34	25	13	11	436	41	19	30	59	55
9	Females	1,092	242	36	24	14	13	329	33	19	39	68	64
10	Both parents native M	578	168	16	9	6	5	204	14	6	10	22	15
	Both parents native F	475	118	11	9	3	6	147	8	7	16	26	14
11	One or both parents foreign M	631	168	17	15	7	6	213	27	13	20	36	36
	One or both parents foreign F	521	109	22	15	11	7	164	23	12	22	39	47
12	Parentage unknown M	131	17	1	1			19				1	4
	Parentage unknown F	96	15	3				18	2		1	3	3
13	Foreign	1,489	4	1				5	5	4	8	46	73
14	Males	881	3					3	3	2	5	31	38
15	Females	608	1	1				2	2	2	3	15	35
16	Unknown	62										3	3
17	Males	59										3	2
18	Females	3											1
19	Colored	65	9	1	1			11	1	1	1	2	5
20	Males	37	4					4		1		1	4
21	Females	28	5	1	1			7	1		1	1	1
22	Negro M	35	4					4		1		1	4
	Negro F	28	5	1	1			7	1		1	1	1
23	Indian M												
	Indian F												
24	Chinese M	1											
	Chinese F												
25	Japanese M	1											
	Japanese F												
26	Other colored M												
	Other colored F												
	ST. PAUL, MINN.												
27	Total	2,598	413	54	25	23	20	535	54	48	52	131	103
28	Males	1,498	242	33	16	12	10	313	34	24	30	71	63
29	Females	1,100	171	21	9	11	10	222	20	24	22	60	40
30	White	2,527	412	51	23	23	19	528	54	48	50	128	102
31	Males	1,460	241	30	14	12	10	307	34	24	28	70	62
32	Females	1,067	171	21	9	11	9	221	20	24	22	58	40
33	Native	1,490	412	50	22	22	19	525	50	43	45	101	72
34	Males	839	241	29	14	12	10	306	32	19	24	49	41
35	Females	651	171	21	8	10	9	219	18	24	21	52	31
36	Both parents native M	307	116	10	10	9	5	150	16	8	6	14	9
	Both parents native F	243	84	6	6	4	4	104	6	9	7	13	3
37	One or both parents foreign M	468	107	18	4	3	5	137	16	10	17	34	30
	One or both parents foreign F	368	86	15	2	6	5	114	12	15	13	36	25
38	Parentage unknown M	64	18	1				19		1	1	1	2
	Parentage unknown F	40	1					1			1	3	3
39	Foreign	1,003		1	1	1		3	4	4	5	27	28
40	Males	591		1				1	2	4	4	21	20
41	Females	412			1	1		2	2		1	6	8
42	Unknown	34								1			2
43	Males	30								1			1
44	Females	4											1
45	Colored	71	1	3	2		1	7			2	3	1
46	Males	38	1	3	2			6			2	1	1
47	Females	33					1	1				2	
48	Negro M	38	1	3	2			6			2	1	1
	Negro F	32					1	1				2	
49	Indian M												
	Indian F	1											
50	Chinese M												
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
248	218	206	221	261	286	239	233	248	213	177	93	31	10	2	2	1
162	126	121	136	164	181	135	146	148	109	84	49	13	3	1	2	2
86	92	85	85	97	105	104	87	100	104	93	44	18	7	1		3
246	212	202	214	258	275	237	232	246	211	175	92	31	10	1	2	4
160	122	121	131	163	174	134	146	146	107	83	48	13	3		2	5
86	90	81	83	95	101	103	86	100	104	92	44	18	7	1		6
152	115	117	96	118	131	93	92	112	88	80	26	17	3			7
89	64	65	54	67	81	54	56	62	47	41	15	5				8
63	51	52	42	51	50	39	36	50	41	39	11	12	3			9
30	16	23	22	22	34	21	25	38	36	30	8	2				10
22	13	16	16	22	27	16	22	31	26	28	8	8	2			
55	43	34	27	34	33	21	17	13	3	3	2	1				11
38	33	33	21	25	18	16	11	12	4	2		1				
4	5	8	5	11	14	12	14	11	8	8	5	2				12
3	5	3	5	4	5	7	3	7	11	9	3	3	1			
86	85	75	115	137	140	139	135	133	122	93	66	14	7	1		13
63	46	46	75	93	89	75	85	83	59	41	33	8	3			14
23	39	29	40	44	51	64	50	50	63	52	33	6	4	1		15
8	12	10	3	3	4	5	5	1	1	2					2	16
8	12	10	2	3	4	5	5	1	1	1					2	17
			1							1						18
2	6	4	7	3	11	2	1	2	2	2	1			1		19
2	4		5	1	7	1		2	2	1	1			1		20
	2	4	2	2	4	1	1			1						21
2	4		5	1	6	1		2	2	1				1		22
	2	4	2	2	4	1	1			1						
																23
					1											24
											1					25
																26
142	117	131	129	207	184	162	169	136	109	97	64	23	2		3	27
84	67	85	85	129	110	100	93	73	51	44	30	9			3	28
58	50	46	44	78	74	62	76	63	58	53	34	14	2			29
133	110	127	116	202	179	158	164	135	104	97	64	23	2		3	30
81	63	81	79	126	110	98	91	73	47	44	30	9			3	31
52	47	46	37	76	69	60	73	62	57	53	34	14	2			32
85	63	74	59	93	73	52	43	46	26	22	10	6	1		1	33
49	36	50	38	49	46	32	23	25	8	6	3	2			1	34
36	27	24	21	44	27	20	20	21	18	16	7	4	1			35
13	11	9	14	11	11	6	8	11	4	4	1	1				36
9	7	4	4	13	3	7	11	13	10	10	6	3	1			
33	24	37	21	34	30	23	9	8	2		2	1				37
24	16	19	15	27	21	11	6	4	6	3	1					
3	1	4	3	4	5	3	6	6	2	2					1	38
3	4	1	2	4	3	2	3	4	2	3		1				
44	40	48	55	107	103	103	119	88	78	75	54	17	1			39
28	20	27	39	75	62	63	66	48	39	38	27	7				40
16	20	21	16	32	41	40	53	40	39	37	27	10	1			41
4	7	5	2	2	3	3	2	1							2	42
4	7	4	2	2	2	3	2								2	43
		1			1			1								44
9	7	4	13	5	5	4	5	1	5							45
3	4	4	6	3		2	2		4							46
6	3		7	2	5	2	3	1	1							47
3	4	4	6	3		2	2		4							48
6	3		7	2	4	2	3	1	1							
																49
					1											
																50
																51
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	KANSAS CITY, MO.												
1	Total	4,255	492	90	41	33	24	680	78	61	112	189	262
2	Males	2,398	289	50	19	16	8	382	44	35	53	94	150
3	Females	1,857	203	40	22	17	16	298	34	26	59	95	112
4	White	3,540	437	70	31	30	21	589	67	46	82	145	203
5	Males	2,000	255	38	16	14	7	330	39	26	43	74	115
6	Females	1,540	182	32	15	16	14	259	28	20	39	71	88
7	Native	2,870	434	70	30	30	21	585	67	42	75	126	161
8	Males	1,571	252	38	15	14	7	326	39	24	38	60	84
9	Females	1,299	182	32	15	16	14	259	28	18	37	66	77
10	Both parents native M	911	153	28	10	11	5	207	36	17	26	34	57
	Both parents native F	780	104	20	14	11	11	160	18	14	29	47	56
11	One or both parents foreign M	305	61	5	3	3	2	74	3	6	9	15	8
	One or both parents foreign F	233	42	11		5		58	8	4	5	11	11
12	Parentage unknown M	355	38	5	2			45		1	3	11	19
	Parentage unknown F	286	36	1	1		3	41	2		3	8	10
13	Foreign	572			1			1		4	6	14	34
14	Males	344			1			1		2	5	10	25
15	Females	228								2	1	4	9
16	Unknown	98	3					3			1	5	8
17	Males	85	3					3				4	6
18	Females	13									1	1	2
19	Colored	715	55	20	10	3	3	91	11	15	30	44	59
20	Males	398	34	12	3	2	1	52	5	9	10	20	35
21	Females	317	21	8	7	1	2	39	6	6	20	24	24
22	Negro M	394	34	12	3	2	1	52	5	9	10	20	34
	Negro F	317	21	8	7	1	2	39	6	6	20	24	24
23	Indian M												
	Indian F												
24	Chinese M	3											
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M	1											1
	Other colored F												
	ST. LOUIS, MO.												
27	Total	10,293	1,181	272	138	83	48	1,722	213	123	233	412	464
28	Males	5,858	660	140	82	47	34	963	115	66	104	222	271
29	Females	4,435	521	132	56	36	14	759	98	57	129	190	193
30	White	9,088	1,093	236	128	73	41	1,571	194	110	196	336	374
31	Males	5,192	609	124	77	40	30	880	104	63	90	185	222
32	Females	3,896	484	112	51	33	11	691	90	47	106	151	152
33	Native	6,104	1,087	234	127	69	41	1,558	190	104	171	284	309
34	Males	3,455	604	122	76	37	30	869	100	61	80	145	180
35	Females	2,649	483	112	51	32	11	689	90	43	91	139	129
36	Both parents native M	1,488	365	75	56	22	14	532	66	39	48	78	75
	Both parents native F	1,192	289	63	39	19	5	415	61	32	49	73	58
37	One or both parents foreign M	1,579	187	44	19	14	15	279	31	22	31	63	94
	One or both parents foreign F	1,163	154	47	11	12	4	228	27	10	40	57	57
38	Parentage unknown M	388	52	3	1	1	1	58	3		1	4	11
	Parentage unknown F	294	40	2	1	1	2	46	2	1	2	9	14
39	Foreign	2,880		1		3		4	3	5	24	51	62
40	Males	1,657		1		2		3	3	1	9	39	40
41	Females	1,223				1		1		4	15	12	22
42	Unknown	104	6	1	1	1		9	1	1	1	1	3
43	Males	80	5	1	1	1		8	1	1	1	1	2
44	Females	24	1					1					1
45	Colored	1,205	88	36	10	10	7	151	19	13	37	76	90
46	Males	666	51	16	5	7	4	83	11	3	14	37	49
47	Females	539	37	20	5	3	3	68	8	10	23	39	41
48	Negro M	657	51	16	5	7	4	83	11	3	14	37	48
	Negro F	539	37	20	5	3	3	68	8	10	23	39	41
49	Indian M	1											
	Indian F												
50	Chinese M	8											1
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
263	303	250	266	274	289	256	263	262	221	131	54	27	9	2	3	1
135	180	161	158	169	182	161	150	137	108	58	26	11	1	.....	3	2
128	123	89	108	105	107	95	113	125	113	73	28	16	8	2	.....	3
196	220	189	213	218	240	234	238	237	215	124	50	25	6	.....	3	4
100	128	126	121	135	158	145	136	127	104	56	23	11	.....	.....	3	5
96	92	63	92	83	82	89	102	110	111	68	27	14	6	.....	.....	6
169	185	150	177	163	176	171	170	164	150	91	28	16	4	.....	.....	7
81	100	98	102	96	110	109	90	89	67	37	15	6	.....	.....	.....	8
88	85	52	75	67	66	62	80	75	83	54	13	10	4	.....	.....	9
45	52	51	53	45	59	57	48	53	35	20	11	5	.....	.....	.....	10
50	44	30	45	44	31	34	37	47	43	36	8	5	2	.....	.....	
21	21	26	25	27	23	18	6	12	7	4	.....	.....	.....	.....	.....	11
21	25	13	12	8	13	14	9	8	6	2	3	2	.....	.....	.....	
15	27	21	24	24	28	34	36	24	25	13	4	1	.....	.....	.....	12
17	16	9	18	15	22	14	34	20	34	16	2	3	2	.....	.....	
19	28	33	27	45	51	52	62	69	64	32	22	7	2	.....	.....	13
12	21	23	11	30	36	28	41	34	36	18	8	3	.....	.....	.....	14
7	7	10	16	15	15	24	21	35	28	14	14	4	2	.....	.....	15
8	7	6	9	10	13	11	6	4	1	1	.....	2	.....	.....	3	16
7	7	5	8	9	12	8	5	4	1	1	.....	2	.....	.....	3	17
1	.....	1	1	1	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	18
67	83	61	53	56	49	22	25	25	6	7	4	2	3	2	.....	19
35	52	35	37	34	24	16	14	10	4	2	3	.....	1	.....	.....	20
32	31	26	16	22	25	6	11	15	2	5	1	2	2	2	.....	21
35	52	35	37	33	23	15	14	10	4	2	3	.....	1	.....	.....	22
32	31	26	16	22	25	6	11	15	2	5	1	2	2	2	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
522	602	620	690	761	703	724	716	656	530	355	185	46	11	3	2	27
315	376	388	443	444	428	431	404	350	277	151	88	12	7	1	2	28
207	226	232	247	317	275	293	312	306	253	204	97	34	4	2	.....	29
436	480	524	579	659	640	649	668	614	491	334	179	41	10	1	2	30
264	303	322	377	383	399	390	382	329	255	140	85	11	6	.....	2	31
172	177	202	202	276	241	259	286	285	236	194	94	30	4	1	.....	32
358	382	400	413	433	419	320	269	211	130	89	50	14	.....	.....	.....	33
205	236	235	263	236	253	189	164	104	70	36	25	4	.....	.....	.....	34
153	146	165	150	197	166	131	105	107	60	53	25	10	.....	.....	.....	35
90	74	47	55	64	73	76	63	47	29	17	12	3	.....	.....	.....	36
64	56	51	41	39	49	42	34	51	32	25	13	7	.....	.....	.....	
93	145	155	176	136	137	92	64	28	22	5	5	1	.....	.....	.....	37
77	74	92	92	131	100	63	53	31	14	15	2	.....	.....	.....	.....	
22	17	33	32	36	43	21	37	29	19	14	8	.....	.....	.....	.....	38
12	16	22	17	27	17	26	18	25	14	13	10	3	.....	.....	.....	
70	95	115	159	220	206	313	391	395	357	243	129	27	10	1	.....	39
53	65	80	109	141	136	188	211	220	183	103	60	7	6	.....	.....	40
17	30	35	50	79	70	125	180	175	174	140	69	20	4	1	.....	41
8	3	9	7	6	15	16	8	8	4	2	.....	.....	.....	.....	2	42
6	2	7	5	6	10	13	7	5	2	1	.....	.....	.....	.....	2	43
2	1	2	2	.....	5	3	1	3	2	1	.....	.....	.....	.....	.....	44
86	122	96	111	102	63	75	48	42	39	21	6	5	1	2	.....	45
51	73	66	66	61	29	41	22	21	22	11	3	1	1	1	.....	46
35	49	30	45	41	34	34	26	21	17	10	3	4	.....	1	.....	47
51	73	65	64	61	28	39	22	20	21	11	3	1	1	1	.....	48
35	49	30	45	41	34	34	26	21	17	10	3	4	.....	1	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	49
.....	.....	1	2	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	OMAHA, NEBR.												
1	Total	1,986	190	59	23	19	10	301	52	35	50	84	88
2	Males	1,126	112	34	11	9	5	171	35	14	26	37	52
3	Females	860	78	25	12	10	5	130	17	21	24	47	36
4	White	1,871	187	56	22	19	10	294	48	31	48	75	81
5	Males	1,064	110	32	11	9	5	167	32	14	26	34	48
6	Females	807	77	24	11	10	5	127	16	17	22	41	33
7	Native	1,234	186	54	21	19	10	290	42	30	43	61	58
8	Males	683	109	30	10	9	5	163	28	14	23	26	32
9	Females	551	77	24	11	10	5	127	14	16	20	35	26
10	Both parents native M	280	51	12	6	3	2	74	13	8	10	9	11
	F	231	35	10	4	5	1	55	9	7	9	16	8
11	One or both parents foreign M	214	48	16	3	6	2	75	12	6	11	15	15
	F	200	37	13	7	4	3	64	5	6	9	15	15
12	Parentage unknown M	189	10	2	1		1	14	3		2	2	6
	F	120	5	1		1	1	8		3	2	4	3
13	Foreign	595	1	2	1			4	6	1	5	13	22
14	Males	350	1	2	1			4	4		3	8	15
15	Females	245							2	1	2	5	7
16	Unknown	42										1	1
17	Males	31											1
18	Females	11										1	
19	Colored	115	3	3	1			7	4	4	2	9	7
20	Males	62	2	2				4	3			3	4
21	Females	53	1	1	1			3	1	4	2	6	3
22	Negro M	61	2	2				4	3			3	3
	F	51	1	1	1			3	1	4	2	6	3
23	Indian M												
	F	1											
24	Chinese M	1											1
	F	1											
25	Japanese M												
	F												
26	Other colored M												
	F												
	JERSEY CITY, N. J.												
27	Total	4,347	892	247	83	50	42	1,314	104	60	101	145	160
28	Males	2,404	486	133	45	25	23	712	57	31	60	85	96
29	Females	1,943	406	114	38	25	19	602	47	29	41	60	64
30	White	4,222	872	239	79	50	41	1,281	104	59	96	136	151
31	Males	2,340	476	129	42	25	22	694	57	30	57	81	90
32	Females	1,882	396	110	37	25	19	587	47	29	39	55	61
33	Native	2,689	865	238	78	48	39	1,268	104	54	79	93	99
34	Males	1,494	472	128	42	24	21	687	57	27	47	56	57
35	Females	1,195	393	110	36	24	18	581	47	27	32	37	42
36	Both parents native M	500	172	37	10	8	9	236	20	13	14	24	15
	F	407	139	25	12	10	5	191	22	9	15	9	16
37	One or both parents foreign M	922	290	91	32	16	12	441	37	12	33	30	42
	F	725	240	83	23	14	12	372	25	17	17	28	25
38	Parentage unknown M	72	10					10		2		2	
	F	63	14	2	1		1	18		1			1
39	Foreign	1,464	1	1	1	1	1	5		5	17	40	49
40	Males	788		1			1	2		3	10	22	31
41	Females	676	1		1	1		3		2	7	18	18
42	Unknown	69	6			1	1	8				3	3
43	Males	58	4			1		5				3	2
44	Females	11	2				1	3					1
45	Colored	125	20	8	4		1	33		1	5	9	9
46	Males	64	10	4	3		1	18		1	3	4	6
47	Females	61	10	4	1			15			2	5	3
48	Negro M	64	10	4	3		1	18		1	3	4	6
	F	61	10	4	1			15			2	5	3
49	Indian M												
	F												
50	Chinese M												
	F												
51	Japanese M												
	F												
52	Other colored M												
	F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
110	126	126	136	139	148	119	120	130	99	69	39	10	3	2	.....	1
68	63	68	79	89	88	71	78	76	50	38	18	3	2	.....	.....	2
42	63	58	57	50	60	48	42	54	49	31	21	7	1	2	.....	3
97	113	115	123	131	141	117	115	129	98	65	38	9	2	1	.....	4
60	57	61	73	82	84	69	74	76	49	36	18	2	2	.....	.....	5
37	56	54	50	49	57	48	41	53	49	29	20	7	.....	1	.....	6
61	75	83	67	73	77	62	53	65	47	28	15	2	2	.....	.....	7
34	37	41	37	46	43	36	38	37	25	14	7	.....	2	.....	.....	8
27	38	42	30	27	34	26	15	28	22	14	8	2	.....	.....	.....	9
12	13	14	18	14	17	11	17	19	11	2	5	.....	2	.....	.....	10
12	12	15	11	13	12	11	8	13	11	5	3	1	.....	.....	.....	
13	12	12	11	12	4	5	5	1	3	1	1	.....	.....	.....	.....	11
7	14	14	12	6	12	8	2	5	2	2	2	.....	.....	.....	.....	
9	12	15	8	20	22	20	16	17	11	11	1	.....	.....	.....	.....	12
8	12	13	7	8	10	7	5	10	9	7	3	1	.....	.....	.....	
31	32	28	49	54	60	52	60	61	50	37	23	6	.....	1	.....	13
23	16	16	29	32	38	32	35	36	24	22	11	2	.....	.....	.....	14
8	16	12	20	22	22	20	25	25	26	15	12	4	.....	1	.....	15
5	6	4	7	4	4	3	2	3	1	.....	.....	1	.....	.....	.....	16
3	4	4	7	4	3	1	1	3	.....	.....	.....	.....	.....	.....	.....	17
2	2	.....	.....	.....	1	2	1	.....	1	.....	.....	1	.....	.....	.....	18
13	13	11	13	8	7	2	5	1	1	4	1	1	1	1	.....	19
8	6	7	6	7	4	2	4	.....	1	2	.....	1	.....	.....	.....	20
5	7	4	7	1	3	.....	1	1	.....	2	1	.....	1	1	.....	21
8	6	7	6	7	4	2	4	.....	1	2	.....	1	.....	.....	.....	22
4	6	4	7	1	3	.....	1	1	.....	2	1	.....	1	1	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
201	244	225	271	301	225	241	240	213	146	91	46	15	.....	3	1	27
134	139	134	170	157	125	130	127	117	63	45	18	3	.....	1	.....	28
67	105	91	101	144	100	111	113	96	83	46	28	12	.....	2	1	29
197	236	220	264	286	217	232	237	207	144	91	46	14	.....	3	1	30
132	137	132	168	146	123	125	126	113	63	45	18	2	.....	1	.....	31
65	99	88	96	140	94	107	111	94	81	46	28	12	.....	2	1	32
119	137	110	119	120	83	84	68	58	41	23	22	6	.....	1	1	33
80	83	63	68	64	50	47	35	37	14	13	7	1	.....	1	.....	34
39	54	47	51	56	33	37	33	21	27	10	15	5	.....	.....	1	35
23	23	15	15	14	13	20	15	18	6	10	5	1	.....	.....	.....	36
13	14	13	9	12	12	10	16	11	16	8	8	3	.....	.....	.....	
53	55	44	47	44	32	21	13	13	2	1	1	.....	.....	1	.....	37
25	35	29	39	39	18	22	13	6	7	2	3	2	.....	.....	1	
4	5	4	6	6	5	6	7	6	6	2	1	.....	.....	.....	.....	38
1	5	5	3	5	3	5	4	4	4	.....	4	.....	.....	.....	.....	
74	95	100	137	159	127	143	163	147	101	68	24	8	.....	2	.....	39
49	50	60	94	75	67	74	86	74	47	32	11	1	.....	.....	.....	40
25	45	40	43	84	60	69	77	73	54	36	13	7	.....	2	.....	41
4	4	10	8	7	7	5	6	2	2	.....	.....	.....	.....	.....	.....	42
3	4	9	6	7	6	4	5	2	2	.....	.....	.....	.....	.....	.....	43
1	.....	1	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	44
4	8	5	7	15	8	9	3	6	2	.....	.....	1	.....	.....	.....	45
2	2	2	2	11	2	5	1	4	.....	.....	.....	1	.....	.....	.....	46
2	6	3	5	4	6	4	2	2	2	.....	.....	.....	.....	.....	.....	47
2	2	2	2	11	2	5	1	4	.....	.....	.....	1	.....	.....	.....	48
2	6	3	5	4	6	4	2	2	2	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEWARK, N. J.												
1	Total	5,241	940	189	69	51	43	1,292	107	65	126	165	222
2	Males	2,867	543	100	34	29	26	732	66	38	63	83	112
3	Females	2,374	397	89	35	22	17	560	41	27	63	82	110
4	White	4,942	881	176	63	47	41	1,208	98	59	108	153	206
5	Males	2,701	511	95	29	28	26	689	60	36	53	75	105
6	Females	2,241	370	81	34	19	15	519	38	23	55	78	101
7	Native	3,090	879	172	62	46	39	1,198	93	53	85	101	124
8	Males	1,711	511	92	29	28	24	684	57	32	43	43	72
9	Females	1,379	368	80	33	18	15	514	36	21	42	58	52
10	Both parents native M.	632	165	23	9	8	5	210	16	16	18	15	32
	Both parents native F.	520	104	17	13	6	3	143	13	12	19	14	19
11	One or both parents foreign M.	981	334	67	20	20	19	460	40	15	25	27	39
	One or both parents foreign F.	765	254	63	19	12	12	360	23	9	23	43	28
12	Parentage unknown M.	98	12	2				14	1	1		1	1
	Parentage unknown F.	94	10		1			11				1	5
13	Foreign	1,824	2	4	1	1	2	10	5	6	23	52	82
14	Males	967		3			2	5	3	4	10	32	33
15	Females	857	2	1	1	1		5	2	2	13	20	49
16	Unknown	28											
17	Males	23											
18	Females	5											
19	Colored	299	59	13	6	4	2	84	9	6	18	12	16
20	Males	166	32	5	5	1		43	6	2	10	8	7
21	Females	133	27	8	1	3	2	41	3	4	8	4	9
22	Negro M.	163	32	5	5	1		43	6	2	10	8	7
	Negro F.	133	27	8	1	3	2	41	3	4	8	4	9
23	Indian M.												
	Indian F.												
24	Chinese M.	3											
	Chinese F.												
25	Japanese M.												
	Japanese F.												
26	Other colored M.												
	Other colored F.												
	PATERSON, N. J.												
27	Total	1,796	261	48	16	11	10	346	37	22	54	61	56
28	Males	938	143	23	7	6	1	180	24	12	34	28	32
29	Females	858	118	25	9	5	9	166	13	10	20	33	24
30	White	1,748	254	47	16	11	10	338	36	22	52	61	53
31	Males	917	140	22	7	6	1	176	24	12	34	28	30
32	Females	831	114	25	9	5	9	162	12	10	18	33	23
33	Native	963	252	46	16	10	10	334	32	17	37	44	33
34	Males	512	139	21	7	6	1	174	21	9	24	18	18
35	Females	451	113	25	9	4	9	160	11	8	13	26	15
36	Both parents native M.	202	56	5	2	1	1	65	8	5	10	5	5
	Both parents native F.	185	53	8	4	1	2	68	8	1	6	7	4
37	One or both parents foreign M.	276	80	16	4	5		105	13	4	14	11	12
	One or both parents foreign F.	236	56	17	5	3	7	88	3	7	6	18	10
38	Parentage unknown M.	34	3		1			4				2	1
	Parentage unknown F.	30	4					4			1	1	1
39	Foreign	769	2	1		1		4	4	5	15	17	20
40	Males	396	1	1				2	3	3	10	10	12
41	Females	373	1			1		2	1	2	5	7	8
42	Unknown	16											
43	Males	9											
44	Females	7											
45	Colored	48	7	1				8	1		2		3
46	Males	21	3	1				4					2
47	Females	27	4					4	1		2		1
48	Negro M.	21	3	1				4					2
	Negro F.	27	4					4	1		2		1
49	Indian M.												
	Indian F.												
50	Chinese M.												
	Chinese F.												
51	Japanese M.												
	Japanese F.												
52	Other colored M.												
	Other colored F.												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
221	288	294	358	349	313	360	314	299	238	137	61	30	1	1	.....	1
133	167	188	222	195	175	209	155	133	103	60	21	12	.....	.....	.....	2
88	121	106	136	154	138	151	159	166	135	77	40	18	1	1	.....	3
193	274	272	341	339	293	343	306	290	234	135	59	29	1	1	.....	4
120	157	172	208	190	162	199	152	130	102	59	21	11	.....	.....	.....	5
73	117	100	133	149	131	144	154	160	132	76	38	18	1	1	.....	6
102	159	147	167	154	135	159	116	114	88	52	28	15	.....	.....	.....	7
60	96	90	104	80	75	92	58	51	38	23	7	6	.....	.....	.....	8
42	63	57	63	74	60	67	58	63	50	29	21	9	.....	.....	.....	9
24	34	29	31	27	32	38	32	29	24	15	5	5	.....	.....	.....	10
18	25	17	23	24	20	26	30	43	35	24	12	3	.....	.....	.....	
33	57	53	64	46	33	46	21	12	8	2	.....	.....	.....	.....	.....	11
23	37	37	38	44	35	28	14	12	9	1	.....	1	.....	.....	.....	
3	5	8	9	7	10	8	5	10	6	6	2	1	.....	.....	.....	12
1	1	3	2	6	5	13	14	8	6	4	9	5	.....	.....	.....	
90	108	123	169	181	156	183	187	174	145	83	31	14	1	1	.....	13
59	56	80	99	106	85	106	92	78	64	36	14	5	.....	.....	.....	14
31	52	43	70	75	71	77	95	96	81	47	17	9	1	1	.....	15
1	7	2	5	4	2	1	3	2	1	.....	.....	.....	.....	.....	.....	16
1	5	2	5	4	2	1	2	1	.....	.....	.....	.....	.....	.....	.....	17
.....	2	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	18
28	14	22	17	10	20	17	8	9	4	2	2	1	.....	.....	.....	19
13	10	16	14	5	13	10	3	3	1	1	.....	1	.....	.....	.....	20
15	4	6	3	5	7	7	5	6	3	1	2	.....	.....	.....	.....	21
13	10	16	14	5	11	10	3	2	1	1	.....	1	.....	.....	.....	22
15	4	6	3	5	7	7	5	6	3	1	2	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
81	99	104	108	116	124	127	137	125	98	63	28	6	4	.....	.....	27
42	55	58	63	68	63	73	66	61	41	24	8	4	2	.....	.....	28
39	44	46	45	48	61	54	71	64	57	39	20	2	2	.....	.....	29
78	95	96	103	115	122	123	137	125	96	60	26	6	4	.....	.....	30
41	51	56	61	68	61	71	66	61	40	23	8	4	2	.....	.....	31
37	44	40	42	47	61	52	71	64	56	37	18	2	2	.....	.....	32
42	44	52	42	61	55	43	43	31	26	13	11	1	2	.....	.....	33
20	24	31	24	35	29	29	17	19	11	3	5	.....	1	.....	.....	34
22	20	21	18	26	26	14	26	12	15	10	6	1	1	.....	.....	35
7	1	12	10	11	16	12	10	9	9	2	4	.....	1	.....	.....	36
7	6	5	7	4	12	7	14	8	10	5	4	1	1	.....	.....	
12	21	18	10	20	9	14	4	6	1	1	1	.....	.....	.....	.....	37
13	13	14	11	19	13	6	7	3	4	1	.....	.....	.....	.....	.....	
1	2	1	4	4	4	3	3	4	1	.....	.....	.....	.....	.....	.....	38
2	1	2	.....	3	1	1	5	1	1	4	2	.....	.....	.....	.....	
36	49	42	58	53	65	79	93	93	69	46	14	5	2	.....	.....	39
21	27	25	34	33	31	41	48	41	28	20	2	4	1	.....	.....	40
15	22	17	24	20	34	38	45	52	41	26	12	1	1	.....	.....	41
.....	2	2	3	1	2	1	1	1	1	1	1	.....	.....	.....	.....	42
.....	.....	.....	3	.....	1	1	1	1	1	.....	1	.....	.....	.....	.....	43
.....	2	2	.....	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	44
3	4	8	5	1	2	4	.....	.....	2	3	2	.....	.....	.....	.....	45
1	4	2	2	.....	2	2	.....	.....	1	1	.....	.....	.....	.....	.....	46
2	.....	6	3	1	.....	2	.....	.....	1	2	2	.....	.....	.....	.....	47
1	4	2	2	.....	2	2	.....	.....	1	1	.....	.....	.....	.....	.....	48
2	.....	6	3	1	.....	2	.....	.....	1	2	2	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	ALBANY, N. Y.												
1	Total	2,075	271	62	16	16	15	380	30	21	40	67	66
2	Males	1,113	156	38	8	10	5	217	15	13	21	36	41
3	Females	962	115	24	8	6	10	163	15	8	19	31	25
4	White	2,037	267	57	15	16	15	370	30	21	38	66	66
5	Males	1,092	154	34	8	10	5	211	15	13	20	36	41
6	Females	945	113	23	7	6	10	159	15	8	18	30	25
7	Native	1,455	266	57	15	16	15	369	28	19	33	50	52
8	Males	780	153	34	8	10	5	210	14	12	16	27	31
9	Females	675	113	23	7	6	10	159	14	7	17	23	21
10	Both parents native M.	352	82	15	5	5	3	110	9	9	11	14	13
	Both parents native F.	316	51	11	3	1	4	70	7	5	12	13	12
11	One or both parents foreign M.	342	57	18	3	5	1	84	5	2	5	10	18
	One or both parents foreign F.	293	54	12	4	5	6	81	7	2	4	9	6
12	Parentage unknown M.	86	14	1			1	16		1		3	
	Parentage unknown F.	66	8					8			1	1	3
13	Foreign	551							2	2	5	16	13
14	Males	287							1	1	4	9	9
15	Females	264							1	1	1	7	4
16	Unknown	31	1					1					1
17	Males	25	1					1					1
18	Females	6											
19	Colored	38	4	5	1			10			2	1	
20	Males	21	2	4				6			1		
21	Females	17	2	1	1			4			1	1	
22	Negro M.	20	2	4				6			1		
	Negro F.	17	2	1	1			4			1	1	
23	Indian M.												
	Indian F.												
24	Chinese M.	1											
	Chinese F.												
25	Japanese M.												
	Japanese F.												
26	Other colored M.												
	Other colored F.												
	BUFFALO, N. Y.												
27	Total	6,852	1,364	262	101	66	33	1,826	144	87	147	284	258
28	Males	3,716	742	136	49	35	20	982	77	42	87	152	141
29	Females	3,136	622	126	52	31	13	844	67	45	60	132	117
30	White	6,794	1,357	260	99	66	33	1,815	143	86	146	280	255
31	Males	3,679	737	135	48	35	20	975	77	41	87	152	138
32	Females	3,115	620	125	51	31	13	840	66	45	59	128	117
33	Native	4,400	1,354	260	97	63	31	1,805	137	76	124	200	175
34	Males	2,363	734	135	46	33	18	966	74	35	73	103	91
35	Females	2,037	620	125	51	30	13	839	63	41	51	97	84
36	Both parents native M.	852	284	46	19	11	6	366	23	15	28	38	41
	Both parents native F.	678	205	39	14	7	4	269	18	15	16	35	32
37	One or both parents foreign M.	1,390	413	88	27	22	12	562	51	20	45	63	46
	One or both parents foreign F.	1,260	388	85	36	22	9	540	44	25	34	59	51
38	Parentage unknown M.	121	37	1				38				2	4
	Parentage unknown F.	99	27	1	1	1		30	1	1	1	3	1
39	Foreign	2,363	3		2	3	2	10	6	10	20	79	80
40	Males	1,290	3		2	2	2	9	3	6	12	48	47
41	Females	1,073				1		1	3	4	8	31	33
42	Unknown	31									2	1	
43	Males	26									2	1	
44	Females	5											
45	Colored	58	7	2	2			11	1	1	1	4	3
46	Males	37	5	1	1			7		1			3
47	Females	21	2	1	1			4	1		1	4	
48	Negro M.	33	5	1	1			7		1			2
	Negro F.	20	2	1	1			4	1		1	3	
49	Indian M.	4											1
	Indian F.	1										1	
50	Chinese M.												
	Chinese F.												
51	Japanese M.												
	Japanese F.												
52	Other colored M.												
	Other colored F.												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
91	105	125	122	135	147	156	165	169	109	97	37	9	4			1
54	53	71	66	67	87	95	79	87	53	46	9	3				2
37	52	54	56	68	60	61	86	82	56	51	28	6	4			3
86	101	119	120	135	145	155	162	168	108	97	37	9	4			4
52	51	67	65	67	86	94	78	86	52	46	9	3				5
34	50	52	55	68	59	61	84	82	56	51	28	6	4			6
60	79	97	84	94	103	97	80	83	54	50	17	4	2			7
35	39	56	40	48	58	57	41	41	28	20	6	1				8
25	40	41	44	46	45	40	39	42	26	30	11	3	2			9
16	12	15	14	13	15	26	23	24	11	11	5	1				10
9	17	15	15	17	19	18	21	22	15	20	7	1	1			
18	22	38	23	32	36	23	10	7	6	3						11
11	20	21	26	23	22	19	12	13	7	5	3	1	1			
1	5	3	3	3	7	8	8	10	11	6	1					12
5	3	5	3	6	4	3	6	7	4	5	1	1				
23	20	19	32	36	37	56	81	84	53	47	20	4	1			13
14	10	8	22	14	24	35	37	45	24	26	3	1				14
9	10	11	10	22	13	21	44	39	29	21	17	3	1			15
3	2	3	4	5	5	2	1	1	1			1	1			16
3	2	3	3	5	4	2						1				17
			1		1		1	1	1				1			18
5	4	6	2		2	1	3	1	1							19
2	2	4	1		1	1	1	1	1							20
3	2	2	1		1		2									21
2	2	3	1		1	1	1	1	1							22
3	2	2	1		1		2									
																23
		1														24
																25
																26
281	292	341	324	472	456	440	389	385	337	206	124	45	11	3		27
175	155	212	191	275	254	257	194	196	164	86	55	17	3	1		28
106	137	129	133	197	202	183	195	189	173	120	69	28	8	2		29
279	290	335	321	464	452	436	384	385	335	206	124	45	11	2		30
173	154	208	191	268	251	254	191	196	162	86	55	17	3			31
106	136	127	130	196	201	182	193	189	173	120	69	28	8	2		32
162	165	183	170	260	239	193	151	140	104	61	40	13	2			33
93	85	115	98	137	136	116	70	72	53	27	14	5				34
69	80	68	72	123	103	77	81	68	51	34	26	8	2			35
42	28	30	21	27	38	35	28	35	27	19	8	3				36
33	25	18	18	28	22	22	26	31	25	22	16	6	1			
48	50	80	70	101	94	71	35	31	17	4	2					37
33	53	48	50	89	73	47	45	33	21	8	6		1			
3	7	5	7	9	4	10	7	6	9	4	4	2				38
3	2	2	4	6	8	8	10	4	5	4	4	2				
113	121	147	151	200	210	242	231	245	228	144	84	32	9	1		39
76	65	88	93	128	113	137	120	124	106	59	41	12	3			40
37	56	59	58	72	97	105	111	121	122	85	43	20	6	1		41
4	4	5		4	3	1	2		3	1				1		42
4	4	5		3	2	1	1		3							43
				1	1		1			1				1		44
2	2	6	3	8	4	4	5		2					1		45
2	1	4		7	3	3	3		2					1		46
	1	2	3	1	1	1	2									47
2	1	3		6	2	3	3		2					1		48
	1	2	3	1	1	1	2									
		1		1	1											49
																50
																51
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW YORK, N. Y.												
1	Total	76,241	13,850	3,572	1,370	861	595	20,248	1,684	1,050	1,581	2,632	3,166
2	Males	41,848	7,663	1,889	766	427	336	11,081	904	540	832	1,345	1,760
3	Females	34,393	6,187	1,683	604	434	259	9,167	780	510	749	1,287	1,406
4	White	73,542	13,333	3,403	1,316	831	572	19,455	1,643	1,008	1,514	2,473	2,953
5	Males	40,403	7,380	1,801	745	414	323	10,663	881	522	799	1,269	1,651
6	Females	33,139	5,953	1,602	571	417	249	8,792	762	486	715	1,204	1,302
7	Native	42,886	13,272	3,351	1,278	792	554	19,247	1,517	840	1,064	1,478	1,528
8	Males	23,699	7,351	1,776	724	393	314	10,558	808	444	554	754	835
9	Females	19,187	5,921	1,575	554	399	240	8,689	709	396	510	724	693
10	Both parents native M	7,394	2,014	349	169	92	98	2,722	256	127	181	270	307
	Both parents native F	6,246	1,605	324	119	116	71	2,235	198	135	183	245	263
11	One or both parents foreign M	15,625	5,039	1,403	553	300	216	7,511	550	313	369	477	508
	One or both parents foreign F	12,474	4,053	1,220	430	282	166	6,151	509	260	324	473	423
12	Parentage unknown M	680	298	24	2	1		325	2	4	4	7	20
	Parentage unknown F	467	263	31	5	1	3	303	2	1	3	6	7
13	Foreign	30,369	31	49	38	39	17	174	126	168	449	991	1,415
14	Males	16,467	17	24	21	21	8	91	73	78	244	512	807
15	Females	13,902	14	25	17	18	9	83	53	90	205	479	608
16	Unknown	287	30	3			1	34			1	4	10
17	Males	237	12	1			1	14			1	3	9
18	Females	50	18	2				20				1	1
19	Colored	2,699	517	169	54	30	23	793	41	42	67	159	213
20	Males	1,445	283	88	21	13	13	418	23	18	33	76	109
21	Females	1,254	234	81	33	17	10	375	18	24	34	83	104
22	Negro M	1,337	282	88	21	13	13	417	23	18	31	74	98
	Negro F	1,246	231	81	33	17	10	372	18	24	32	82	104
23	Indian M	2											1
	Indian F	2	1					1					
24	Chinese M	82									2	2	4
	Chinese F	3									2		
25	Japanese M	21	1					1					3
	Japanese F	3	2					2				1	
26	Other colored M	3											3
	Other colored F												
	NEW YORK, N. Y. (BRONX BOROUGH).												
27	Total	7,570	1,288	306	123	78	51	1,846	167	113	195	296	357
28	Males	4,058	719	146	67	36	30	998	94	61	107	141	172
29	Females	3,512	569	160	56	42	21	848	73	52	88	155	185
30	White	7,446	1,271	301	118	76	51	1,817	165	110	190	289	345
31	Males	3,996	710	145	67	35	30	987	92	59	105	137	168
32	Females	3,450	561	156	51	41	21	830	73	51	85	152	177
33	Native	4,067	1,266	298	115	72	49	1,800	157	95	136	164	174
34	Males	2,204	707	143	67	33	30	980	88	51	72	83	83
35	Females	1,863	559	155	48	39	19	820	69	44	64	81	91
36	Both parents native M	655	200	25	20	9	14	268	28	17	19	25	29
	Both parents native F	571	180	40	12	13	5	250	14	15	18	27	29
37	One or both parents foreign M	1,527	500	117	47	24	16	704	60	34	53	57	54
	One or both parents foreign F	1,271	372	113	34	26	14	559	55	29	46	53	62
38	Parentage unknown M	22	7	1				8				1	
	Parentage unknown F	21	7	2	2			11				1	
39	Foreign	3,373	4	3	3	4	2	16	8	15	54	124	171
40	Males	1,789	3	2		2		7	4	8	33	54	85
41	Females	1,584	1	1	3	2	2	9	4	7	21	70	86
42	Unknown	6	1					1				1	
43	Males	3											
44	Females	3	1					1				1	
45	Colored	124	17	5	5	2		29	2	3	5	7	12
46	Males	62	9	1		1		11	2	2	2	4	4
47	Females	62	8	4	5	1		18		1	3	3	8
48	Negro M	61	9	1		1		11	2	2	2	4	4
	Negro F	62	8	4	5	1		18		1	3	3	8
49	Indian M												
	Indian F												
50	Chinese M												
	Chinese F												
51	Japanese M	1											
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
3,481	4,091	4,520	4,787	5,086	4,850	4,910	4,383	3,937	2,835	1,775	846	286	70	18	5	1
2,057	2,519	2,788	2,933	3,058	2,817	2,607	2,169	1,870	1,348	738	350	98	23	6	5	2
1,424	1,572	1,732	1,854	2,028	2,033	2,303	2,214	2,067	1,487	1,037	496	188	47	12	.....	3
3,285	3,845	4,323	4,602	4,946	4,730	4,825	4,309	3,879	2,794	1,754	835	279	70	15	5	4
1,944	2,361	2,672	2,832	2,976	2,756	2,561	2,133	1,845	1,329	730	348	97	23	6	5	5
1,341	1,484	1,651	1,770	1,970	1,974	2,264	2,176	2,034	1,465	1,024	487	182	47	9	.....	6
1,696	1,908	1,989	1,986	2,010	1,848	1,634	1,292	1,096	819	565	256	89	19	4	1	7
1,002	1,201	1,230	1,210	1,183	1,075	899	661	544	383	221	103	27	5	1	1	8
694	707	759	776	827	773	735	631	552	436	344	153	62	14	3	.....	9
326	323	359	336	348	337	334	336	309	255	161	78	23	4	1	1	10
255	237	219	198	215	196	291	314	318	285	267	126	52	11	3	.....	
659	848	835	844	795	706	529	302	197	110	45	23	3	1	.....	.....	11
430	453	533	571	586	564	427	304	223	138	72	22	9	2	.....	.....	
17	30	36	30	40	32	36	23	38	18	15	2	1	.....	.....	.....	12
9	17	7	7	26	13	17	13	11	13	5	5	1	1	.....	.....	
1,565	1,916	2,287	2,570	2,905	2,856	3,170	3,008	2,776	1,973	1,188	579	190	51	11	1	13
920	1,139	1,400	1,580	1,768	1,658	1,642	1,464	1,298	945	509	245	70	18	5	1	14
645	777	887	990	1,137	1,198	1,528	1,544	1,478	1,028	679	334	120	33	6	.....	15
24	21	47	46	31	26	21	9	7	2	1	.....	.....	.....	.....	3	16
22	21	42	42	25	23	20	8	3	1	.....	.....	.....	.....	.....	3	17
2	.....	5	4	6	3	1	1	4	1	1	.....	.....	.....	.....	.....	18
196	246	197	185	140	120	85	74	58	41	21	11	7	.....	3	.....	19
113	158	116	101	82	61	46	36	25	19	8	2	1	.....	.....	.....	20
83	88	81	84	58	59	39	38	33	22	13	9	6	.....	3	.....	21
96	143	103	89	71	51	36	32	25	19	8	2	1	.....	.....	.....	22
82	88	80	84	58	59	39	38	33	22	13	9	6	.....	3	.....	
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
11	13	7	9	11	10	9	4	.....	.....	.....	.....	.....	.....	.....	.....	24
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
6	2	6	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
342	423	411	461	537	482	546	417	383	304	156	91	30	9	3	1	27
196	254	239	264	330	263	296	190	190	148	58	39	14	2	1	1	28
146	169	172	197	207	219	250	227	193	156	98	52	16	7	2	.....	29
336	413	404	453	531	474	545	415	382	296	150	89	30	9	2	1	30
191	249	235	260	325	258	296	189	189	145	55	38	14	2	1	1	31
145	164	169	193	206	216	249	226	193	151	95	51	16	7	1	.....	32
183	201	169	188	187	160	171	94	74	56	36	16	5	.....	1	.....	33
101	129	94	105	106	85	91	43	42	30	9	9	3	.....	.....	.....	34
82	72	75	83	81	75	80	51	32	26	27	7	2	.....	1	.....	35
34	33	23	25	34	19	28	19	19	18	7	7	3	.....	.....	.....	36
37	12	20	21	24	14	21	17	12	12	21	4	2	.....	1	.....	
67	95	71	78	69	64	63	24	19	12	1	2	.....	.....	.....	.....	37
45	59	54	61	57	61	58	34	17	14	5	2	.....	.....	.....	.....	
.....	1	.....	2	3	2	.....	.....	4	.....	1	.....	.....	.....	.....	.....	38
.....	1	1	1	.....	.....	1	.....	3	.....	1	1	.....	.....	.....	.....	
153	212	234	264	343	313	374	321	308	240	114	73	25	9	1	1	39
90	120	140	154	219	172	205	146	147	115	46	29	11	2	1	1	40
63	92	94	110	124	141	169	175	161	125	68	44	14	7	.....	.....	41
.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
6	10	7	8	6	8	1	2	1	8	6	2	.....	.....	1	.....	45
5	5	4	4	5	5	.....	1	1	3	3	1	.....	.....	.....	.....	46
1	5	3	4	1	3	1	1	.....	5	3	1	.....	.....	1	.....	47
4	5	4	4	5	5	.....	1	1	3	3	1	.....	.....	.....	.....	48
1	5	3	4	1	3	1	1	.....	5	3	1	.....	.....	1	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

Table 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	Area and sex, color, and nativity.	All deaths.	Deaths at age of— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW YORK, N. Y. (BROOKLYN BOROUGH).												
1	Total	26,060	4,510	1,211	445	286	215	6,667	651	382	545	871	1,030
2	Males	14,029	2,481	672	249	145	117	3,664	349	187	271	451	584
3	Females	12,031	2,029	539	196	141	98	3,003	302	195	274	420	446
4	White	25,362	4,379	1,167	430	282	210	6,468	643	377	526	833	979
5	Males	13,658	2,414	650	242	143	115	3,564	343	184	258	433	553
6	Females	11,704	1,965	517	188	139	95	2,904	300	193	268	400	426
7	Native	15,588	4,372	1,156	416	276	207	6,427	603	320	409	550	594
8	Males	8,463	2,412	644	236	137	115	3,544	318	159	194	287	328
9	Females	7,125	1,960	512	180	139	92	2,883	285	161	215	263	266
10	Both parents native M	2,849	782	159	69	31	37	1,078	121	50	66	119	118
	Both parents native F	2,542	633	136	43	46	33	891	89	58	89	82	110
11	One or both parents foreign M	5,463	1,581	482	167	106	78	2,414	197	108	126	165	205
	One or both parents foreign F	4,481	1,287	370	135	92	59	1,943	196	103	125	179	155
12	Parentage unknown M	151	49	3				52		1	2	3	5
	Parentage unknown F	102	40	6	2	1		49			1	2	1
13	Foreign	9,699	7	9	14	6	3	39	40	57	117	283	384
14	Males	5,128	2	5	6	6		19	25	25	64	146	224
15	Females	4,571	5	4	8		3	20	15	32	53	137	160
16	Unknown	75		2				2					1
17	Males	67		1				1					1
18	Females	8		1				1					
19	Colored	698	131	44	15	4	5	199	8	5	19	38	51
20	Males	371	67	22	7	2	2	100	6	3	13	18	31
21	Females	327	64	22	8	2	3	99	2	2	6	20	20
22	Negro M	355	67	22	7	2	2	100	6	3	12	18	28
	Negro F	325	64	22	8	2	3	99	2	2	5	20	20
23	Indian M	1											
	Indian F	1											
24	Chinese M	8									1		
	Chinese F	1									1		
25	Japanese M	4											
	Japanese F												
26	Other colored M	3											3
	Other colored F												
	NEW YORK, N. Y. (MANHATTAN BOROUGH).												
27	Total	36,176	6,853	1,848	691	420	274	10,086	718	461	700	1,242	1,531
28	Males	20,235	3,806	955	391	206	155	5,513	381	246	380	639	878
29	Females	15,941	3,047	893	300	214	119	4,573	337	215	320	603	653
30	White	34,436	6,502	1,733	664	398	257	9,554	689	431	662	1,135	1,388
31	Males	19,285	3,607	891	382	197	145	5,222	367	233	363	587	807
32	Females	15,151	2,895	842	282	201	112	4,332	322	198	299	548	581
33	Native	19,260	6,455	1,698	645	370	245	9,413	613	342	408	602	606
34	Males	10,788	3,585	876	368	185	137	5,151	325	190	227	296	337
35	Females	8,472	2,870	822	277	185	108	4,262	288	152	181	306	269
36	Both parents native M	2,938	753	126	64	34	29	1,006	71	41	72	87	124
	Both parents native F	2,445	583	116	47	44	22	812	68	43	56	108	105
37	One or both parents foreign M	7,393	2,604	731	302	150	108	3,895	253	146	153	206	201
	One or both parents foreign F	5,700	2,080	683	229	141	83	3,216	218	108	123	195	158
38	Parentage unknown M	457	228	19	2	1		250	1	3	2	3	12
	Parentage unknown F	327	207	23	1		3	234	2	1	2	3	6
39	Foreign	14,992	18	34	19	28	11	110	76	89	254	530	774
40	Males	8,350	10	15	14	12	7	58	42	43	136	288	463
41	Females	6,642	8	19	5	16	4	52	34	46	118	242	311
42	Unknown	184	29	1			1	31				3	8
43	Males	147	12				1	13				3	7
44	Females	37	17	1				18					1
45	Colored	1,740	351	115	27	22	17	532	29	30	38	107	143
46	Males	950	199	64	9	9	10	291	14	13	17	52	71
47	Females	790	152	51	18	13	7	241	15	17	21	55	72
48	Negro M	861	198	64	9	9	10	290	14	13	16	50	64
	Negro F	785	150	51	18	13	7	239	15	17	20	54	72
49	Indian M												
	Indian F	1	1					1					
50	Chinese M	73									1	2	4
	Chinese F	2									1		
51	Japanese M	16	1					1					3
	Japanese F	2	1					1				1	
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,188	1,301	1,468	1,557	1,697	1,684	1,651	1,635	1,487	1,073	695	331	112	26	7	2	1
697	785	884	958	979	932	860	783	681	503	279	135	35	7	3	2	2
491	516	584	599	718	752	791	852	806	570	416	196	77	19	4	.....	3
1,141	1,233	1,431	1,510	1,657	1,641	1,626	1,612	1,465	1,056	693	327	110	26	6	2	4
672	741	859	932	955	912	849	775	671	496	279	135	35	7	3	2	5
469	492	572	578	702	729	777	837	794	560	414	192	75	19	3	.....	6
672	707	739	729	757	722	596	547	442	350	249	124	41	7	2	1	7
397	418	430	442	428	393	324	277	213	155	92	49	11	2	1	1	8
275	289	309	287	329	329	272	270	229	195	157	75	30	5	1	.....	9
128	104	122	111	115	122	122	141	121	101	63	35	9	1	1	1	10
95	101	92	72	88	67	107	134	132	126	122	58	24	4	1	.....	
264	308	300	326	305	261	192	125	82	46	24	13	1	1	.....	.....	11
177	185	215	215	232	258	160	129	94	65	32	13	5	.....	.....	.....	
5	6	8	5	8	10	10	11	10	8	5	1	1	.....	.....	.....	12
3	3	2	.....	9	4	5	7	3	4	3	4	1	1	.....	.....	
464	520	679	765	888	912	1,026	1,060	1,020	706	444	203	69	19	4	.....	13
270	317	417	475	518	513	521	493	456	341	187	86	24	5	2	.....	14
194	203	262	290	370	399	505	567	564	365	257	117	45	14	2	.....	15
5	6	13	16	12	7	4	5	3	.....	.....	.....	.....	.....	.....	1	16
5	6	12	15	9	6	4	5	2	.....	.....	.....	.....	.....	.....	1	17
.....	.....	1	1	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	18
47	68	37	47	40	43	25	23	22	17	2	4	2	.....	1	.....	19
25	44	25	26	24	20	11	8	10	7	.....	.....	.....	.....	.....	.....	20
22	24	12	21	16	23	14	15	12	10	2	4	2	.....	1	.....	21
21	41	24	25	22	20	10	8	10	7	.....	.....	.....	.....	.....	.....	22
22	24	11	21	16	23	14	15	12	10	2	4	2	.....	1	.....	
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1,690	2,072	2,298	2,388	2,431	2,287	2,275	1,925	1,678	1,171	739	330	114	32	6	2	27
1,007	1,296	1,457	1,491	1,507	1,393	1,220	979	797	550	311	135	38	13	2	2	28
683	776	841	897	924	894	1,055	946	881	621	428	195	76	19	4	.....	29
1,556	1,912	2,157	2,268	2,344	2,223	2,222	1,881	1,650	1,158	730	326	110	32	6	2	30
929	1,192	1,376	1,423	1,459	1,358	1,188	956	788	543	306	134	37	13	2	2	31
627	720	781	845	885	865	1,034	925	862	615	424	192	73	19	4	.....	32
693	819	890	872	887	795	699	510	458	307	222	83	31	10	.....	.....	33
411	541	586	552	548	496	387	262	212	141	86	29	9	2	.....	.....	34
282	278	304	320	339	299	312	248	246	166	136	54	22	8	.....	.....	35
132	150	165	172	170	171	138	131	122	93	61	22	8	2	.....	.....	36
101	101	89	84	81	97	132	127	149	108	107	49	21	7	.....	.....	
270	373	393	360	355	307	226	122	69	40	17	6	1	.....	.....	.....	37
176	165	211	230	243	194	170	115	93	50	28	5	1	1	.....	.....	
9	18	28	20	23	18	23	9	21	8	8	1	.....	.....	.....	.....	38
5	12	4	6	15	8	10	6	4	8	1	.....	.....	.....	.....	.....	
847	1,078	1,238	1,372	1,441	1,411	1,509	1,369	1,188	849	507	243	79	22	6	.....	39
503	636	765	850	896	847	788	693	575	401	220	105	28	11	2	.....	40
344	442	473	522	545	564	721	676	613	448	287	138	51	11	4	.....	41
16	15	29	24	16	17	14	2	4	2	1	.....	.....	.....	.....	2	42
15	15	25	21	15	15	13	1	1	1	.....	.....	.....	.....	.....	2	43
1	.....	4	3	1	2	1	1	3	1	1	.....	.....	.....	.....	.....	44
134	160	141	120	87	64	53	44	28	13	9	4	4	.....	.....	.....	45
78	104	81	68	48	35	32	23	9	7	5	1	1	.....	.....	.....	46
56	56	60	52	39	29	21	21	19	6	4	3	3	.....	.....	.....	47
67	92	69	57	39	25	23	19	9	7	5	1	1	.....	.....	.....	48
55	56	60	52	39	29	21	21	19	6	4	3	3	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
7	11	7	9	9	10	9	4	.....	.....	.....	.....	.....	.....	.....	.....	50
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
4	1	5	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW YORK, N.Y. (QUEENS BOROUGH).												
1	Total	4,915	947	163	80	59	46	1,295	121	79	118	180	185
2	Males	2,620	519	95	44	27	28	713	65	36	61	94	91
3	Females	2,295	428	68	36	32	18	582	56	43	57	86	94
4	White	4,802	931	159	74	57	45	1,266	119	75	114	174	179
5	Males	2,574	512	94	39	26	27	698	64	36	60	92	88
6	Females	2,228	419	65	35	31	18	568	55	39	54	82	91
7	Native	3,031	930	157	73	56	44	1,260	117	69	96	133	119
8	Males	1,692	511	92	38	25	26	692	62	35	53	75	64
9	Females	1,339	419	65	35	31	18	568	55	34	43	58	55
10	Both parents native M	691	230	33	12	11	15	301	31	15	21	28	23
	Both parents native F	525	172	26	12	10	10	230	27	16	18	20	14
11	One or both parents foreign M	971	272	58	26	14	11	381	31	20	32	47	39
	One or both parents foreign F	806	244	39	23	21	8	335	28	18	25	38	41
12	Parentage unknown M	30	9	1				10					2
	Parentage unknown F	8	3					3					
13	Foreign	1,757	1	2	1	1	1	6	2	6	17	41	59
14	Males	870	1	2	1	1	1	6	2	1	6	17	23
15	Females	887								5	11	24	36
16	Unknown	14									1		1
17	Males	12									1		1
18	Females	2											
19	Colored	113	16	4	6	2	1	29	2	4	4	6	6
20	Males	46	7	1	5	1	1	15	1		1	2	3
21	Females	67	9	3	1	1		14	1	4	3	4	3
22	Negro M	45	7	1	5	1	1	15	1		1	2	2
	Negro F	66	8	3	1	1		13	1	4	3	4	3
23	Indian M	1											1
	Indian F												
24	Chinese M												
	Chinese F												
25	Japanese M												
	Japanese F	1	1					1					
26	Other colored M												
	Other colored F												
	NEW YORK, N. Y. (RICHMOND BOROUGH).												
27	Total	1,520	252	44	31	18	9	354	27	15	23	43	63
28	Males	906	138	21	15	13	6	193	15	10	13	20	35
29	Females	614	114	23	16	5	3	161	12	5	10	23	28
30	White	1,496	250	43	30	18	9	350	27	15	22	42	62
31	Males	890	137	21	15	13	6	192	15	10	13	20	35
32	Females	606	113	22	15	5	3	158	12	5	9	22	27
33	Native	940	249	42	29	18	9	347	27	14	15	29	35
34	Males	552	136	21	15	13	6	191	15	9	8	13	23
35	Females	388	113	21	14	5	3	156	12	5	7	16	12
36	Both parents native M	261	49	6	4	7	3	69	5	4	3	11	13
	Both parents native F	163	37	6	5	3	1	52		3	2	8	5
37	One or both parents foreign M	271	82	15	11	6	3	117	9	5	5	2	9
	One or both parents foreign F	216	70	15	9	2	2	98	12	2	5	8	7
38	Parentage unknown M	20	5					5	1				1
	Parentage unknown F	9	6					6					
39	Foreign	548	1	1	1			3		1	7	13	27
40	Males	330	1					1		1	5	7	12
41	Females	218		1	1			2			2	6	15
42	Unknown	8											
43	Males	8											
44	Females												
45	Colored	24	2	1	1			4			1	1	1
46	Males	16	1					1					
47	Females	8	1	1	1			3			1	1	1
48	Negro M	15	1					1					
	Negro F	8	1	1	1			3			1	1	1
49	Indian M												
	Indian F												
50	Chinese M	1											
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
208	214	270	295	325	309	332	304	277	186	127	70	15	3	2		1
122	128	170	168	176	178	163	159	131	84	48	29	3	1			2
86	86	100	127	149	131	169	145	146	102	79	41	12	2	2		3
202	207	259	287	322	305	327	300	272	183	123	69	15	3	1		4
120	124	165	167	174	178	161	156	128	82	48	29	3	1			5
82	83	94	120	148	127	166	144	144	101	75	40	12	2	1		6
128	133	142	153	133	128	119	98	79	60	33	23	5	2	1		7
82	83	93	86	73	77	63	53	49	30	11	10		1			8
46	50	49	67	60	51	56	45	30	30	22	13	5	1	1		9
30	26	34	20	17	17	29	31	29	20	10	8		1			10
18	16	12	12	11	12	22	23	17	24	17	12	3		1		
51	52	59	63	53	59	33	21	18	9	1	2					11
28	34	37	55	47	38	33	22	12	6	5	1	2	1			
1	5		3	3	1	1	1	2	1							12
				2	1	1		1								
72	74	115	132	187	176	207	200	193	123	90	46	10	1			13
37	41	70	79	100	100	97	101	79	52	37	19	3				14
35	33	45	53	87	76	110	99	114	71	53	27	7	1			15
2		2	2	2	1	1	2									16
1		2	2	1	1	1	2									17
1				1												18
6	7	11	8	3	4	5	4	5	3	4	1			1		19
2	4	5	1	2		2	3	3	2							20
4	3	6	7	1	4	3	1	2	1	4	1			1		21
2	4	5	1	2		2	3	3	2							22
4	3	6	7	1	4	3	1	2	1	4	1			1		
																23
																24
																25
																26
53	81	73	86	96	88	106	102	112	101	58	24	15				27
35	56	38	52	66	51	68	58	71	63	42	12	8				28
18	25	35	34	30	37	38	44	41	38	16	12	7				29
50	80	72	84	92	87	105	101	110	101	58	24	14				30
32	55	37	50	63	50	67	57	69	63	42	12	8				31
18	25	35	34	29	37	38	44	41	38	16	12	6				32
20	48	49	44	46	43	49	43	43	46	25	10	7				33
11	30	27	25	28	24	34	26	28	27	23	6	4				34
9	18	22	19	18	19	15	17	15	19	2	4	3				35
2	10	15	8	12	8	17	14	18	23	20	6	3				36
4	7	6	9	11	6	9	13	8	15		3	2				
7	20	12	17	13	15	15	10	9	3	2		1				37
4	10	16	10	7	13	6	4	7	3	2	1	1				
2				3	1	2	2	1	1	1						38
1	1								1							
29	32	21	37	46	44	54	58	67	55	33	14	7				39
20	25	8	22	35	26	31	31	41	36	19	6	4				40
9	7	13	15	11	18	23	27	26	19	14	8	3				41
1		2	3			2										42
1		2	3			2										43
																44
3	1	1	2	4	1	1	1	2				1				45
3	1	1	2	3	1	1	1	2								46
				1								1				47
2	1	1	2	3	1	1	1	2								48
				1								1				
																49
1																50
																51
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	ROCHESTER, N. Y.												
1	Total	3,488	568	90	41	25	15	739	47	30	66	84	133
2	Males	1,819	317	52	23	15	8	415	28	15	25	47	81
3	Females	1,669	251	38	18	10	7	324	19	15	41	37	52
4	White	3,461	564	90	41	25	15	735	46	30	63	83	130
5	Males	1,803	314	52	23	15	8	412	28	15	24	46	79
6	Females	1,658	250	38	18	10	7	323	18	15	39	37	51
7	Native	2,349	564	88	39	24	14	729	42	26	47	60	84
8	Males	1,252	314	51	22	15	8	410	27	14	17	31	51
9	Females	1,097	250	37	17	9	6	319	15	12	30	29	33
10	Both parents native M	558	134	19	9	6	4	172	8	5	5	13	25
	Both parents native F	482	105	11	7	2	2	127	5	6	12	11	13
11	One or both parents foreign M	621	174	32	13	9	4	232	19	9	12	17	24
	One or both parents foreign F	550	139	26	10	7	4	186	10	6	18	17	18
12	Parentage unknown M	73	6					6				1	2
	Parentage unknown F	65	6					6				1	2
13	Foreign	1,087		2	2	1	1	6	4	4	16	23	44
14	Males	532		1	1			2	1	1	7	15	26
15	Females	555		1	1	1	1	4	3	3	9	8	18
16	Unknown	25											2
17	Males	19											2
18	Females	6											
19	Colored	27	4					4	1		3	1	3
20	Males	16	3					3			1	1	2
21	Females	11	1					1	1		2		1
22	Negro M	15	3					3			1	1	2
	Negro F	11	1					1	1		2		1
23	Indian M	1											
	Indian F												
24	Chinese M												
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M												
	Other colored F												
	SYRACUSE, N. Y.												
27	Total	2,011	347	48	20	12	11	438	33	33	30	71	69
28	Males	1,022	173	21	13	8	6	221	16	20	15	38	37
29	Females	989	174	27	7	4	5	217	17	13	15	33	32
30	White	1,989	344	47	20	12	11	434	33	32	30	70	69
31	Males	1,007	172	20	13	8	6	219	16	19	15	37	37
32	Females	982	172	27	7	4	5	215	17	13	15	33	32
33	Native	1,471	344	47	20	12	10	433	31	29	27	56	44
34	Males	725	172	20	13	8	5	218	14	18	14	27	22
35	Females	746	172	27	7	4	5	215	17	11	13	29	22
36	Both parents native M	340	68	4	6	1	1	80	7	10	8	14	13
	Both parents native F	381	67	9	1	2	1	80	10	4	9	21	11
37	One or both parents foreign M	326	93	15	7	7	4	126	7	8	6	12	9
	One or both parents foreign F	322	95	17	6	2	4	124	6	7	4	8	11
38	Parentage unknown M	59	11	1				12				1	
	Parentage unknown F	43	10	1				11	1				
39	Foreign	502					1	1	2	3	3	14	24
40	Males	270					1	1	2	1	1	10	14
41	Females	232								2	2	4	10
42	Unknown	16											1
43	Males	12											1
44	Females	4											
45	Colored	22	3	1				4		1		1	
46	Males	15	1	1				2		1		1	
47	Females	7	2					2					
48	Negro M	15	1	1				2		1		1	
	Negro F	6	2					2					
49	Indian M												
	Indian F	1											
50	Chinese M												
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
133	156	158	207	196	259	257	290	237	209	166	91	23	5	2	.....	1
70	85	88	116	113	143	138	151	112	91	63	30	6	1	1	.....	2
63	71	70	91	83	116	119	139	125	118	103	61	17	4	1	.....	3
131	153	155	206	195	258	253	290	237	209	166	91	23	5	2	.....	4
69	83	87	116	112	142	135	151	112	91	63	30	6	1	1	.....	5
62	70	68	90	83	116	118	139	125	118	103	61	17	4	1	.....	6
91	113	102	125	122	172	152	144	121	104	65	40	7	2	1	.....	7
50	63	59	69	71	95	80	76	58	44	25	10	.....	1	1	.....	8
41	50	43	56	51	77	72	68	63	60	40	30	7	1	.....	.....	9
30	28	24	22	22	31	41	34	41	30	19	8	.....	.....	.....	.....	10
30	23	14	15	11	22	32	33	34	41	25	23	4	1	.....	.....	
17	33	30	44	41	57	34	28	13	6	3	1	.....	1	.....	.....	11
11	25	27	33	38	49	35	29	17	18	10	2	1	.....	.....	.....	
3	2	5	3	8	7	5	14	4	8	3	1	.....	.....	1	.....	12
.....	2	2	8	2	6	5	6	12	1	5	5	2	.....	.....	.....	
40	38	50	81	68	84	96	143	116	103	101	51	16	3	.....	.....	13
19	18	25	47	36	45	53	73	54	46	38	20	6	.....	.....	.....	14
21	20	25	34	32	39	43	70	62	57	63	31	10	3	.....	.....	15
.....	2	3	.....	5	2	5	3	.....	2	.....	.....	.....	.....	1	.....	16
.....	2	3	.....	5	2	2	2	.....	1	.....	.....	.....	.....	.....	.....	17
.....	.....	.....	.....	.....	.....	3	1	.....	1	.....	.....	.....	.....	1	.....	18
2	3	3	1	1	1	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	19
1	2	1	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	20
1	1	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
1	2	.....	.....	1	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
1	1	2	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
72	89	89	117	136	127	129	159	135	123	102	40	18	1	.....	.....	27
36	55	43	67	91	64	67	83	69	49	31	14	6	.....	.....	.....	28
36	34	46	50	45	63	62	76	66	74	71	26	12	1	.....	.....	29
72	84	88	114	133	126	129	158	134	122	102	40	18	1	.....	.....	30
36	53	42	65	89	63	67	82	68	48	31	14	6	.....	.....	.....	31
36	31	46	49	44	63	62	76	66	74	71	26	12	1	.....	.....	32
53	67	70	77	91	82	86	86	85	70	50	25	9	.....	.....	.....	33
25	42	34	41	61	43	39	40	42	26	10	7	2	.....	.....	.....	34
28	25	36	36	30	39	47	46	43	44	40	18	7	.....	.....	.....	35
15	15	10	14	24	20	24	22	28	21	7	7	1	.....	.....	.....	36
15	10	16	18	16	20	21	20	30	27	32	14	7	.....	.....	.....	
9	21	20	25	33	17	11	12	8	.....	2	.....	.....	.....	.....	.....	37
10	14	18	17	12	18	25	21	11	12	3	1	.....	.....	.....	.....	
1	6	4	2	4	6	4	6	6	5	1	.....	1	.....	.....	.....	38
3	1	2	1	2	1	1	5	2	5	5	3	.....	.....	.....	.....	
19	17	16	36	38	43	41	70	48	51	51	15	9	1	.....	.....	39
11	11	7	23	24	19	26	40	26	22	21	7	4	.....	.....	.....	40
8	6	9	13	14	24	15	30	22	29	30	8	5	1	.....	.....	41
.....	.....	2	1	4	1	2	2	1	1	1	.....	.....	.....	.....	.....	42
.....	.....	1	1	4	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	43
.....	.....	1	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	44
.....	5	1	3	3	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	45
.....	2	1	2	2	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	46
.....	3	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	2	1	2	2	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	48
.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CINCINNATI, OHIO.												
1	Total	6,360	619	115	52	39	24	849	104	65	147	246	296
2	Males	3,451	353	63	27	18	13	474	57	31	73	134	173
3	Females	2,909	266	52	25	21	11	375	47	34	74	112	123
4	White	5,703	557	101	44	36	22	760	95	61	119	204	243
5	Males	3,062	323	55	23	16	13	430	51	28	56	107	139
6	Females	2,641	234	46	21	20	9	330	44	33	63	97	104
7	Native	3,948	551	101	44	34	22	752	95	61	107	182	208
8	Males	2,107	320	55	23	14	13	425	51	28	49	92	117
9	Females	1,841	231	46	21	20	9	327	44	33	58	90	91
10	Both parents native M	996	236	41	17	11	10	315	40	22	36	52	63
	Both parents native F	856	154	34	12	14	4	218	30	25	40	57	63
11	One or both parents foreign M	888	66	13	5	3	3	90	11	6	12	35	48
	One or both parents foreign F	829	60	11	7	6	5	89	13	8	17	30	27
12	Parentage unknown M	223	18	1	1			20			1	5	6
	Parentage unknown F	156	17	1	2			20	1		1	3	1
13	Foreign	1,682	2			2		4			12	21	34
14	Males	898	1			2		3			7	14	21
15	Females	784	1					1			5	7	13
16	Unknown	73	4					4				1	1
17	Males	57	2					2				1	1
18	Females	16	2					2					
19	Colored	657	62	14	8	3	2	89	9	4	28	42	53
20	Males	389	30	8	4	2		44	6	3	17	27	34
21	Females	268	32	6	4	1	2	45	3	1	11	15	19
22	Negro M	388	30	8	4	2		44	6	3	17	27	34
	Negro F	268	32	6	4	1	2	45	3	1	11	15	19
23	Indian M												
	Indian F												
24	Chinese M	1											
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M												
	Other colored F												
	CLEVELAND, OHIO.												
27	Total	8,808	1,829	436	158	99	72	2,594	205	125	178	296	373
28	Males	4,841	1,035	235	87	55	34	1,446	114	69	96	148	234
29	Females	3,967	794	201	71	44	38	1,148	91	56	82	148	139
30	White	8,565	1,806	430	154	98	71	2,559	202	121	172	281	357
31	Males	4,699	1,021	233	86	54	34	1,428	112	67	91	139	222
32	Females	3,866	785	197	68	44	37	1,131	90	54	81	142	135
33	Native	5,125	1,798	426	147	95	65	2,531	187	105	127	175	162
34	Males	2,747	1,017	231	83	52	32	1,415	101	59	66	86	99
35	Females	2,378	781	195	64	43	33	1,116	86	46	61	89	63
36	Both parents native M	755	230	36	21	13	7	307	28	21	21	20	31
	Both parents native F	722	155	33	14	12	8	222	30	14	13	23	28
37	One or both parents foreign M	1,811	752	191	60	39	25	1,067	72	37	43	66	61
	One or both parents foreign F	1,486	611	157	50	30	25	873	55	32	48	60	29
38	Parentage unknown M	181	35	4	2			41	1	1	2		7
	Parentage unknown F	170	15	5		1		21	1			6	6
39	Foreign	3,253	3	4	6	3	6	22	15	16	43	101	184
40	Males	1,800	1	2	2	2	2	9	11	8	23	51	112
41	Females	1,453	2	2	4	1	4	13	4	8	20	50	72
42	Unknown	187	5		1			6			2	5	11
43	Males	152	3		1			4			2	2	11
44	Females	35	2					2				3	
45	Colored	243	23	6	4	1	1	35	3	4	6	15	16
46	Males	142	14	2	1	1		18	2	2	5	9	12
47	Females	101	9	4	3		1	17	1	2	1	6	4
48	Negro M	141	14	2	1	1		18	2	2	5	9	12
	Negro F	99	8	4	3		1	16	1	2	1	6	4
49	Indian M												
	Indian F	1	1					1					
50	Chinese M	1											
	Chinese F	1											
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
334	335	332	421	462	487	454	461	516	365	278	137	51	15	5	.....	1
184	198	207	261	283	286	255	238	249	158	107	62	15	6	.....	.....	2
150	137	125	160	179	201	199	223	267	207	171	75	36	9	5	.....	3
276	273	292	366	409	443	417	438	491	354	269	128	48	14	3	.....	4
153	157	180	223	250	259	235	224	234	154	102	59	15	6	.....	.....	5
123	116	112	143	159	184	182	214	257	200	167	69	33	8	3	.....	6
236	233	241	290	295	313	256	224	200	110	85	40	13	5	2	.....	7
130	128	143	170	168	182	130	109	85	49	29	17	2	3	.....	.....	8
106	105	98	120	127	131	126	115	115	61	56	23	11	2	2	.....	9
67	43	45	49	42	52	41	37	35	25	16	13	2	1	.....	.....	10
53	39	29	32	26	30	41	43	57	24	28	13	7	.....	1	.....	
59	74	81	103	97	112	65	47	30	11	4	3	.....	.....	.....	.....	11
46	59	62	84	88	79	74	57	43	24	19	5	3	1	1	.....	
4	11	17	18	29	18	24	25	20	13	9	1	.....	2	.....	.....	12
7	7	7	4	13	22	11	15	15	13	9	5	1	1	.....	.....	
38	33	45	71	103	121	155	204	284	242	183	87	35	9	1	.....	13
22	22	32	51	71	70	99	109	143	104	73	41	13	3	.....	.....	14
16	11	13	20	32	51	56	95	141	138	110	46	22	6	1	.....	15
2	7	6	5	11	9	6	10	7	2	1	1	.....	.....	.....	.....	16
1	7	5	2	11	7	6	6	6	1	.....	1	.....	.....	.....	.....	17
1	.....	1	3	.....	2	.....	4	1	1	1	.....	.....	.....	.....	.....	18
58	62	40	55	53	44	37	23	25	11	9	9	3	1	2	.....	19
31	41	27	38	33	27	20	14	15	4	5	3	.....	.....	.....	.....	20
27	21	13	17	20	17	17	9	10	7	4	6	3	1	2	.....	21
30	41	27	38	33	27	20	14	15	4	5	3	.....	.....	.....	.....	22
27	21	13	17	20	17	17	9	10	7	4	6	3	1	2	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
389	447	468	494	534	490	496	494	485	342	216	127	42	10	2	1	27
219	284	295	318	318	280	261	237	250	128	81	45	13	3	1	1	28
170	163	173	176	216	210	235	257	235	214	135	82	29	7	1	.....	29
363	432	442	474	507	479	485	485	478	339	211	124	42	10	1	1	30
206	277	279	303	304	271	254	231	248	127	78	45	13	3	.....	1	31
157	155	163	171	203	208	231	254	230	212	133	79	29	7	1	.....	32
175	177	191	197	187	193	177	168	140	112	67	40	10	4	.....	.....	33
88	109	107	110	104	100	92	71	70	34	20	15	1	.....	.....	.....	34
87	68	84	87	83	93	85	97	70	78	47	25	9	4	.....	.....	35
29	27	27	29	27	26	43	38	34	22	11	13	1	.....	.....	.....	36
31	20	22	24	26	29	45	42	37	54	34	18	8	2	.....	.....	
52	65	71	70	60	58	37	23	22	5	2	.....	.....	.....	.....	.....	37
51	39	51	53	45	53	29	37	15	7	5	3	.....	1	.....	.....	
7	17	9	11	17	16	12	10	14	7	7	2	.....	.....	.....	.....	38
5	9	11	10	12	11	11	18	18	17	8	4	1	1	.....	.....	
178	227	227	255	296	269	295	312	330	225	139	82	31	5	1	.....	39
108	144	151	174	178	157	151	156	173	92	58	30	11	3	.....	.....	40
70	83	76	81	118	112	144	156	157	133	81	52	20	2	1	.....	41
10	28	24	22	24	17	13	5	8	2	5	2	1	1	.....	1	42
10	24	21	19	22	14	11	4	5	1	.....	.....	1	.....	.....	1	43
.....	4	3	3	2	3	2	1	3	1	5	2	.....	1	.....	.....	44
26	15	26	20	27	11	11	9	7	3	5	3	.....	.....	1	.....	45
13	7	16	15	14	9	7	6	2	1	3	.....	.....	.....	1	.....	46
13	8	10	5	13	2	4	3	5	2	2	3	.....	.....	.....	.....	47
13	7	16	15	14	9	6	6	2	1	3	.....	.....	.....	1	.....	48
12	8	10	5	13	2	4	3	5	2	2	3	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	COLUMBUS, OHIO.												
1	Total	2,945	311	45	27	21	19	423	41	41	71	113	139
2	Males	1,515	179	18	14	10	9	230	22	24	37	60	69
3	Females	1,430	132	27	13	11	10	193	19	17	34	53	70
4	White	2,645	269	38	25	19	18	369	31	36	64	101	111
5	Males	1,355	148	15	13	9	9	194	15	22	34	52	58
6	Females	1,290	121	23	12	10	9	175	16	14	30	49	53
7	Native	2,199	269	38	25	19	18	369	30	35	58	89	98
8	Males	1,110	148	15	13	9	9	194	15	22	29	43	50
9	Females	1,089	121	23	12	10	9	175	15	13	29	46	48
10	Both parents native M	661	110	11	9	7	7	144	11	17	23	27	36
	Both parents native F	714	87	16	10	7	5	125	13	11	23	30	34
11	One or both parents foreign M	230	30	3	3	2	2	40	4	2	2	5	10
	One or both parents foreign F	232	22	6	2	3	4	37	2	2	4	8	8
12	Parentage unknown M	219	8	1	1			10		3	4	11	4
	Parentage unknown F	143	12	1				13			2	8	6
13	Foreign	378							1	1	3	8	9
14	Males	211									2	7	6
15	Females	167							1	1	1	1	3
16	Unknown	68									3	4	4
17	Males	34									3	2	2
18	Females	34										2	2
19	Colored	300	42	7	2	2	1	54	10	5	7	12	28
20	Males	160	31	3	1	1		36	7	2	3	8	11
21	Females	140	11	4	1	1	1	18	3	3	4	4	17
22	Negro M	160	31	3	1	1		36	7	2	3	8	11
	Negro F	140	11	4	1	1	1	18	3	3	4	4	17
23	Indian M												
	Indian F												
24	Chinese M												
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M												
	Other colored F												
	DAYTON, OHIO.												
27	Total	1,709	233	34	18	13	6	304	42	24	46	67	78
28	Males	893	135	17	11	9	5	177	26	10	24	34	33
29	Females	816	98	17	7	4	1	127	16	14	22	33	45
30	White	1,580	218	32	18	13	5	286	41	21	42	55	64
31	Males	830	126	16	11	9	4	166	26	9	21	28	28
32	Females	750	92	16	7	4	1	120	15	12	21	27	36
33	Native	1,266	218	31	18	13	5	285	40	19	36	47	51
34	Males	667	126	16	11	9	4	166	26	8	15	21	21
35	Females	599	92	15	7	4	1	119	14	11	21	26	30
36	Both parents native M	383	78	8	9	7	4	106	18	6	14	12	15
	Both parents native F	351	64	10	4	3		81	11	7	14	19	16
37	One or both parents foreign M	206	46	7	2	2		57	8	1	1	9	5
	One or both parents foreign F	163	25	4	3	1	1	34	3	2	6	4	14
38	Parentage unknown M	78	2	1				3		1			1
	Parentage unknown F	85	3	1				4		2	1	3	
39	Foreign	295		1				1	1	2	6	7	13
40	Males	148								1	6	6	7
41	Females	147		1				1	1	1		1	6
42	Unknown	19										1	
43	Males	15										1	
44	Females	4											
45	Colored	129	15	2			1	18	1	3	4	12	14
46	Males	63	9	1			1	11		1	3	6	5
47	Females	66	6	1				7	1	2	1	6	9
48	Negro M	63	9	1			1	11		1	3	6	5
	Negro F	66	6	1				7	1	2	1	6	9
49	Indian M												
	Indian F												
50	Chinese M												
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
154	159	194	163	203	225	202	230	223	176	103	58	24	3			1
75	90	100	88	101	136	122	115	99	80	43	17	5	2			2
79	69	94	75	102	89	80	115	124	96	60	41	19	1			3
134	136	166	141	182	205	187	220	213	166	100	56	24	3			4
66	79	85	78	93	124	111	111	94	73	42	17	5	2			5
68	57	81	63	89	81	76	109	119	93	58	39	19	1			6
119	111	138	117	150	175	151	161	158	114	71	38	15	2			7
57	65	67	62	74	106	84	81	67	47	31	12	3	1			8
62	46	71	55	76	69	67	80	91	67	40	26	12	1			9
31	37	36	35	34	49	54	41	36	21	21	6	2				10
37	28	44	38	41	41	37	53	61	47	26	15	9	1			
20	13	16	14	23	33	14	14	9	6	2	2	1				11
17	11	17	13	21	23	19	14	16	12	6	1	1				
6	15	15	13	17	24	16	26	22	20	8	4		1			12
8	7	10	4	14	5	11	13	14	8	8	10	2				
8	19	18	20	28	23	31	57	50	49	27	16	9	1			13
4	11	13	13	17	15	25	29	26	25	10	5	2	1			14
4	8	5	7	11	8	6	28	24	24	17	11	7				15
7	6	10	4	4	7	5	2	5	3	2	2					16
5	3	5	3	2	3	2	1	1	1	1						17
2	3	5	1	2	4	3	1	4	2	1	2					18
20	23	28	22	21	20	15	10	10	10	3	2					19
9	11	15	10	8	12	11	4	5	7	1						20
11	12	13	12	13	8	4	6	5	3	2	2					21
9	11	15	10	8	12	11	4	5	7	1						22
11	12	13	12	13	8	4	6	5	3	2	2					
																23
																24
																25
																26
68	80	77	89	95	113	130	126	134	97	81	43	12	2		1	27
43	39	38	48	68	58	68	59	61	52	38	16	1				28
25	41	39	41	27	55	62	67	73	45	43	27	11	2		1	29
61	71	67	73	85	105	126	125	127	95	80	41	12	2		1	30
38	35	35	38	60	57	67	59	57	52	38	15	1				31
23	36	32	35	25	48	59	66	70	43	42	26	11	2		1	32
52	54	62	60	71	83	94	86	88	57	47	27	5	1		1	33
33	27	33	32	48	47	49	40	38	29	23	11					34
19	27	29	28	23	36	45	46	50	28	24	16	5	1		1	35
19	13	19	18	17	20	25	23	26	13	15	4					36
5	18	17	16	11	15	20	18	32	19	17	10	3	1		1	
12	9	12	8	27	17	15	9	2	9	4	1					37
11	6	10	10	6	14	17	12	9	2	1	2					
2	5	2	6	4	10	9	8	10	7	4	6					38
3	3	2	2	6	7	8	16	9	7	6	4	2				
8	15	5	12	9	21	30	39	35	38	33	12	7	1			39
4	6	2	6	7	9	17	19	15	23	15	4	1				40
4	9	3	6	2	12	13	20	20	15	18	8	6	1			41
1	2		1	5	1	2		4			2					42
1	2			5	1	1		4								43
			1			1					2					44
7	9	10	16	10	8	4	1	7	2	1	2					45
5	4	3	10	8	1	1		4			1					46
2	5	7	6	2	7	3	1	3	2	1	1					47
5	4	3	10	8	1	1		4			1					48
2	5	7	6	2	7	3	1	3	2	1	1					
			1													49
																50
																51
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	Area and sex, color, and nativity.	All deaths.	Deaths at age of— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	TOLEDO, OHIO.												
1	Total	2,892	479	61	26	28	19	613	46	28	73	126	136
2	Males	1,564	264	35	13	15	12	339	18	18	36	68	73
3	Females	1,328	215	26	13	13	7	274	28	10	37	58	63
4	White	2,806	468	57	25	28	19	597	46	28	71	119	129
5	Males	1,511	258	32	13	15	12	330	18	18	36	65	69
6	Females	1,295	210	25	12	13	7	267	28	10	35	54	60
7	Native	2,006	467	57	25	28	18	595	44	27	55	95	96
8	Males	1,048	258	32	13	15	12	330	18	18	24	47	45
9	Females	958	209	25	12	13	6	265	26	9	31	48	51
10	Both parents native M	516	140	16	4	11	7	178	14	12	10	23	23
	Both parents native F	457	105	11	7	5	2	130	16	4	16	22	22
11	One or both parents foreign M	412	109	16	9	4	5	143	4	6	14	21	19
	One or both parents foreign F	373	101	14	5	8	4	132	10	5	14	20	23
12	Parentage unknown M	120	9					9				3	3
	Parentage unknown F	128	3					3			1	6	6
13	Foreign	714	1				1	2	2	1	15	22	30
14	Males	395									11	16	22
15	Females	319	1				1	2	2	1	4	6	8
16	Unknown	86									1	2	3
17	Males	68									1	2	2
18	Females	18											1
19	Colored	86	11	4	1			16			2	7	7
20	Males	53	6	3				9				3	4
21	Females	33	5	1	1			7			2	4	3
22	Negro M	53	6	3				9				3	4
	Negro F	33	5	1	1			7			2	4	3
23	Indian M												
	Indian F												
24	Chinese M												
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M												
	Other colored F												
	PORTLAND, OREG.												
27	Total	2,281	238	33	18	12	15	316	36	34	41	75	125
28	Males	1,338	152	19	9	7	7	194	24	21	17	35	70
29	Females	943	86	14	9	5	8	122	12	13	24	40	55
30	White	2,195	228	31	16	12	14	301	36	33	40	74	121
31	Males	1,269	144	18	8	7	6	183	24	20	17	34	69
32	Females	926	84	13	8	5	8	118	12	13	23	40	52
33	Native	1,476	225	31	15	12	14	297	35	28	37	55	82
34	Males	813	143	18	8	7	6	182	23	18	17	19	38
35	Females	663	82	13	7	5	8	115	12	10	20	36	44
36	Both parents native M	392	85	5	4	2	5	101	14	10	7	12	16
	Both parents native F	361	51	8	4	4	4	71	8	7	12	18	17
37	One or both parents foreign M	240	48	12	4	5	1	70	9	8	10	6	17
	One or both parents foreign F	170	29	5	2		4	40	4	3	8	12	15
38	Parentage unknown M	181	10	1				11				1	5
	Parentage unknown F	132	2		1	1		4				6	12
39	Foreign	640	1		1			2	1	4	3	17	34
40	Males	384							1	1		13	26
41	Females	256	1		1			2		3	3	4	8
42	Unknown	79	2					2		1		2	5
43	Males	72	1					1		1		2	5
44	Females	7	1					1					
45	Colored	86	10	2	2		1	15		1	1	1	4
46	Males	69	8	1	1		1	11		1		1	1
47	Females	17	2	1	1			4			1		3
48	Negro M	11	1	1				2				1	1
	Negro F	8			1			1					1
49	Indian M												
	Indian F												
50	Chinese M	40	2					2					
	Chinese F	3									1		1
51	Japanese M	18	5		1		1	7		1			
	Japanese F	6	2	1				3					1
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
147	130	173	149	193	176	160	197	211	145	105	56	20	6	.....	2	1
93	75	91	88	110	106	85	104	115	66	48	22	6	1	.....	2	2
54	55	82	61	83	70	75	93	96	79	57	34	14	5	.....	.....	3
138	123	165	141	183	174	159	195	209	142	104	56	20	5	.....	2	4
86	69	84	84	104	105	85	103	113	64	47	22	6	1	.....	2	5
52	54	81	57	79	69	74	92	96	78	57	34	14	4	.....	.....	6
106	92	121	96	114	113	101	103	111	64	45	20	7	1	.....	.....	7
63	47	54	55	59	61	53	58	55	30	20	7	4	.....	.....	.....	8
43	45	67	41	55	52	48	45	56	34	25	13	3	1	.....	.....	9
25	17	29	24	24	24	24	31	27	16	10	4	1	.....	.....	.....	10
24	14	36	15	23	23	17	25	32	16	17	4	1	.....	.....	.....	
32	24	20	20	22	24	20	15	13	8	6	.....	1	.....	.....	.....	11
13	23	26	17	24	15	17	10	14	6	3	.....	1	.....	.....	.....	
6	6	5	11	13	13	9	12	15	6	4	3	2	.....	.....	.....	12
6	8	5	9	8	14	14	10	10	12	5	9	1	1	.....	.....	
28	23	37	31	59	55	53	84	94	68	56	36	13	4	.....	1	13
19	16	24	20	37	39	27	39	55	27	24	15	2	1	.....	1	14
9	7	13	11	22	16	26	45	39	41	32	21	11	3	.....	.....	15
4	8	7	14	10	6	5	8	4	10	3	.....	.....	.....	.....	1	16
4	6	6	9	8	5	5	6	3	7	3	.....	.....	.....	.....	1	17
.....	2	1	5	2	1	.....	2	1	3	.....	.....	.....	.....	.....	.....	18
9	7	8	8	10	2	1	2	2	3	1	.....	.....	1	.....	.....	19
7	6	7	4	6	1	.....	1	2	2	1	.....	.....	.....	.....	.....	20
2	1	1	4	4	1	1	1	.....	1	.....	.....	.....	1	.....	.....	21
7	6	7	4	6	1	.....	1	2	2	1	.....	.....	.....	.....	.....	22
2	1	1	4	4	1	1	1	.....	1	.....	.....	.....	1	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
115	119	119	135	162	181	173	172	170	138	91	53	18	2	2	4	27
58	69	78	80	100	118	105	96	102	81	46	25	12	2	1	4	28
57	50	41	55	62	63	68	76	68	57	45	28	6	.....	1	.....	29
106	112	116	131	155	168	163	168	165	138	90	53	18	2	2	3	30
54	62	76	76	94	105	96	92	98	81	45	25	12	2	1	3	31
52	50	40	55	61	63	67	76	67	57	45	28	6	.....	1	.....	32
75	74	71	78	89	102	91	89	103	77	49	31	11	.....	1	1	33
34	36	40	39	52	63	54	46	63	44	25	12	7	.....	.....	1	34
41	38	31	39	37	39	37	43	40	33	24	19	4	.....	1	.....	35
21	14	11	18	22	26	27	25	25	19	14	5	5	.....	.....	.....	36
22	16	19	23	19	20	25	22	21	19	11	9	2	.....	.....	.....	
7	14	18	9	16	17	13	3	11	7	3	.....	2	.....	.....	.....	37
12	15	8	11	4	6	8	7	10	1	4	1	1	.....	.....	.....	
6	8	11	12	14	20	14	18	27	18	8	7	.....	.....	.....	1	38
7	7	4	5	14	13	4	14	9	13	9	9	1	.....	1	.....	
29	30	34	44	57	62	67	71	60	57	39	21	6	1	1	.....	39
18	19	25	28	34	38	38	40	33	34	18	12	4	1	1	.....	40
11	11	9	16	23	24	29	31	27	23	21	9	2	.....	.....	.....	41
2	8	11	9	9	4	5	8	2	4	2	1	1	1	.....	2	42
2	7	11	9	8	4	4	6	2	3	2	1	1	1	.....	2	43
.....	1	.....	.....	1	.....	1	2	.....	1	.....	.....	.....	.....	.....	.....	44
9	7	3	4	7	13	10	4	5	.....	1	.....	.....	.....	.....	1	45
4	7	2	4	6	13	9	4	4	.....	1	.....	.....	.....	.....	1	46
5	.....	1	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	47
1	.....	1	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	1	48
4	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
1	3	.....	2	5	10	8	4	4	.....	1	.....	.....	.....	.....	.....	50
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	4	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	PHILADELPHIA, PA.												
1	Total	26,291	4,233	919	376	215	146	5,889	494	309	550	842	981
2	Males	13,713	2,319	471	211	106	79	3,186	266	168	277	413	514
3	Females	12,578	1,914	448	165	109	67	2,703	228	141	273	429	467
4	White	24,021	3,861	810	333	193	138	5,335	454	275	478	730	831
5	Males	12,519	2,118	417	189	96	77	2,897	247	152	245	366	433
6	Females	11,502	1,743	393	144	97	61	2,438	207	123	233	364	398
7	Native	16,450	3,841	802	327	186	132	5,288	431	253	390	541	581
8	Males	8,571	2,109	413	186	95	73	2,876	236	142	195	264	290
9	Females	7,879	1,732	389	141	91	59	2,412	195	111	195	277	291
10	Both parents native M	3,973	1,012	174	87	44	27	1,344	114	66	98	126	136
	Both parents native F	3,780	769	162	59	33	26	1,049	97	55	99	143	135
11	One or both parents foreign M	3,625	993	227	94	51	46	1,411	119	74	90	127	134
	One or both parents foreign F	3,271	855	211	78	56	32	1,232	93	56	91	117	132
12	Parentage unknown M	973	104	12	5			121	3	2	7	11	20
	Parentage unknown F	828	108	16	4	2	1	131	5		5	17	24
13	Foreign	7,284	12	6	5	7	5	35	23	22	86	185	241
14	Males	3,743	5	4	2	1	4	16	11	10	49	99	136
15	Females	3,541	7	2	3	6	1	19	12	12	37	86	105
16	Unknown	287	8	2	1		1	12			2	4	9
17	Males	205	4		1			5			1	3	7
18	Females	82	4	2			1	7			1	1	2
19	Colored	2,270	372	109	43	22	8	554	40	34	72	112	150
20	Males	1,194	201	54	22	10	2	289	19	16	32	47	81
21	Females	1,076	171	55	21	12	6	265	21	18	40	65	69
22	Negro M	1,173	201	54	22	10	2	289	19	16	32	46	80
	Negro F	1,075	171	55	21	12	6	265	21	18	40	65	69
23	Indian M	1											
	Indian F												
24	Chinese M	18										1	
	Chinese F	1											
25	Japanese M	2											1
	Japanese F												
26	Other colored M												
	Other colored F												
	PITTSBURGH, PA.												
27	Total	8,728	1,765	396	146	86	82	2,475	240	132	214	342	386
28	Males	4,886	1,061	217	74	47	46	1,445	133	72	103	194	224
29	Females	3,842	704	179	72	39	36	1,030	107	60	111	148	162
30	White	8,197	1,670	370	141	77	79	2,337	216	122	200	318	357
31	Males	4,605	1,006	203	73	42	45	1,369	124	65	100	181	210
32	Females	3,592	664	167	68	35	34	968	92	57	100	137	147
33	Native	5,530	1,656	368	139	76	76	2,315	209	110	162	231	225
34	Males	3,047	997	201	72	41	43	1,354	121	58	81	117	124
35	Females	2,483	659	167	67	35	33	961	88	52	81	114	101
36	Both parents native M	1,262	407	70	27	15	19	538	53	22	34	46	59
	Both parents native F	1,037	271	62	22	15	12	382	38	21	31	48	54
37	One or both parents foreign M	1,599	562	130	45	26	24	787	65	36	47	66	58
	One or both parents foreign F	1,299	354	104	45	20	21	544	48	31	46	62	42
38	Parentage unknown M	186	28	1				29	3			5	7
	Parentage unknown F	147	34	1				35	2		4	4	5
39	Foreign	2,581	3	2	1	1	3	10	6	12	38	87	125
40	Males	1,490	2	2		1	2	7	2	7	19	64	79
41	Females	1,091	1		1		1	3	4	5	19	23	46
42	Unknown	86	11		1			12	1				7
43	Males	68	7		1			8	1				7
44	Females	18	4					4					
45	Colored	531	95	26	5	9	3	138	24	10	14	24	29
46	Males	281	55	14	1	5	1	76	9	7	3	13	14
47	Females	250	40	12	4	4	2	62	15	3	11	11	15
48	Negro M	279	55	14	1	5	1	76	9	7	3	13	14
	Negro F	250	40	12	4	4	2	62	15	3	11	11	15
49	Indian M												
	Indian F												
50	Chinese M	2											
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,011	1,328	1,416	1,493	1,698	1,731	1,905	1,835	1,777	1,408	929	486	172	27	10		1
556	775	803	865	953	933	1,026	927	833	586	394	168	62	6	2		2
455	553	613	628	745	798	879	908	944	822	535	318	110	21	8		3
856	1,124	1,234	1,329	1,531	1,622	1,800	1,756	1,714	1,374	907	473	164	26	8		4
462	646	701	767	870	875	970	894	800	575	388	164	59	6	2		5
394	478	533	562	661	747	830	862	914	799	519	309	105	20	6		6
550	722	779	777	910	965	984	893	878	718	451	247	76	15	1		7
295	402	431	435	515	527	524	469	398	295	177	77	21	2			8
255	320	348	342	395	438	460	424	480	423	274	170	55	13	1		9
136	149	162	182	197	220	239	249	206	181	108	46	13	1			10
126	160	146	144	145	179	212	244	257	271	168	108	34	7	1		
141	209	212	181	232	213	181	120	87	56	22	14	2				11
113	130	154	162	200	204	175	117	129	80	52	24	8	2			
18	44	57	72	86	94	104	100	105	58	47	17	6	1			12
16	30	48	36	50	55	73	63	94	72	54	38	13	4			
290	379	419	524	600	634	782	841	816	639	445	221	85	11	6		13
155	224	241	314	337	326	422	408	388	271	205	87	38	4	2		14
135	155	178	210	263	308	360	433	428	368	240	134	47	7	4		15
16	23	36	28	21	23	34	22	20	17	11	5	3		1		16
12	20	29	18	18	22	24	17	14	9	6						17
4	3	7	10	3	1	10	5	6	8	5	5	3		1		18
155	204	182	164	167	109	105	79	63	34	22	13	8	1	2		19
94	129	102	98	83	58	56	33	33	11	6	4	3				20
61	75	80	66	84	51	49	46	30	23	16	9	5	1	2		21
93	126	102	93	80	53	55	32	33	11	6	4	3				22
60	75	80	66	84	51	49	46	30	23	16	9	5	1	2		
1																23
	2		5	3	5	1	1									24
1																
	1															25
																26
421	455	458	469	474	505	506	521	443	324	220	109	25	7	2		27
245	279	272	276	271	295	309	288	208	140	85	35	8	4			28
176	176	186	193	203	210	197	233	235	184	135	74	17	3	2		29
385	422	421	432	438	471	485	498	429	315	216	105	23	7			30
222	262	250	258	250	277	297	276	201	136	84	33	6	4			31
163	160	171	174	188	194	188	222	228	179	132	72	17	3			32
243	225	255	215	212	239	239	216	165	139	88	35	5	2			33
132	125	139	115	102	132	139	129	79	61	26	11	1	1			34
111	100	116	100	110	107	100	87	86	78	62	24	4	1			35
61	40	60	43	36	45	63	63	50	29	13	5	1	1			36
52	41	46	42	37	41	38	50	49	43	22	9	1	1			
62	74	72	59	55	68	58	46	17	20	6	3					37
55	49	61	53	63	58	50	30	37	27	31	10	2				
9	11	7	13	11	19	18	20	12	12	7	3					38
4	10	9	5	10	8	12	7	9	8	9	5	1				
134	188	162	207	218	226	236	276	260	175	128	70	18	5			39
83	129	108	137	141	142	149	142	118	75	56	22	5	3			40
51	59	54	70	77	84	87	134	142	100	70	48	13	2			41
8	9	4	10	8	6	10	6	4	1							42
7	8	3	6	7	3	9	5	4								43
1	1	1	4	1	3	1	1		1							44
36	33	37	37	36	34	21	23	14	9	4	4	2		2		45
23	17	22	18	21	18	12	12	7	4	1	2	2				46
13	16	15	10	15	16	9	11	7	5	3	2			2		47
23	17	22	17	20	18	12	12	7	4	1	2	2				48
13	16	15	19	15	16	9	11	7	5	3	2			2		
																49
			1	1												50
																51
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SCRANTON, PA.												
1	Total	2,114	474	91	37	23	12	637	57	33	59	70	89
2	Males	1,135	248	48	28	15	6	345	29	13	34	34	44
3	Females	979	226	43	9	8	6	292	28	20	25	36	45
4	White	2,099	470	91	37	23	12	633	57	32	59	70	87
5	Males	1,130	247	48	28	15	6	344	29	13	34	34	44
6	Females	969	223	43	9	8	6	289	28	19	25	36	43
7	Native	1,352	468	89	35	23	12	627	54	31	48	48	50
8	Males	711	246	46	26	15	6	339	27	13	26	21	23
9	Females	641	222	43	9	8	6	288	27	18	22	27	27
10	Both parents native M	263	98	13	11	5	3	130	15	6	10	9	9
	Both parents native F	247	79	11	6	2	1	99	12	8	8	9	10
11	One or both parents foreign M	419	146	33	15	10	3	207	12	7	15	12	14
	One or both parents foreign F	370	141	32	3	6	5	187	15	10	14	17	17
12	Parentage unknown M	29	2					2			1		
	Parentage unknown F	24	2					2				1	
13	Foreign	737	2	2	2			6	3	1	11	20	36
14	Males	410	1	2	2			5	2		8	11	20
15	Females	327	1					1	1	1	3	9	16
16	Unknown	10										2	1
17	Males	9										2	1
18	Females	1											
19	Colored	15	4					4		1			2
20	Males	5	1					1					
21	Females	10	3					3		1			2
22	Negro M	5	1					1					
	Negro F	10	3					3		1			2
23	Indian M												
	Indian F												
24	Chinese M												
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M												
	Other colored F												
	PROVIDENCE, R. I.												
27	Total	3,660	621	137	58	50	26	892	74	31	77	103	149
28	Males	1,903	340	71	30	20	9	470	47	18	31	46	89
29	Females	1,757	281	66	28	30	17	422	27	13	46	57	60
30	White	3,499	594	124	52	48	26	844	70	30	71	94	133
31	Males	1,830	329	69	27	19	9	453	45	17	30	40	80
32	Females	1,669	265	55	25	29	17	391	25	13	41	54	53
33	Native	2,270	588	122	52	48	24	834	67	27	56	57	72
34	Males	1,183	324	67	27	19	9	446	44	15	22	23	43
35	Females	1,087	264	55	25	29	15	388	23	12	34	34	29
36	Both parents native M	508	98	14	6	2	3	123	20	5	7	9	10
	Both parents native F	476	73	7	3	7	5	95	7	2	9	10	12
37	One or both parents foreign M	622	209	52	21	17	6	305	23	10	15	14	32
	One or both parents foreign F	560	168	47	20	22	10	267	16	10	24	24	17
38	Parentage unknown M	53	17	1				18	1				1
	Parentage unknown F	51	23	1	2			26			1		
39	Foreign	1,208	4	2			2	8	3	3	15	37	61
40	Males	629	3	2				5	1	2	8	17	37
41	Females	579	1				2	3	2	1	7	20	24
42	Unknown	21	2					2					
43	Males	18	2					2					
44	Females	3											
45	Colored	161	27	13	6	2		48	4	1	6	9	16
46	Males	73	11	2	3	1		17	2	1	1	6	9
47	Females	88	16	11	3	1		31	2		5	3	7
48	Negro M	70	11	2	3	1		17	1	1	1	6	9
	Negro F	87	16	10	3	1		30	2		5	3	7
49	Indian M												
	Indian F	1		1				1					
50	Chinese M	3							1				
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
78	95	123	122	112	127	132	130	89	72	52	22	13	2			1
47	51	82	75	69	75	66	72	43	28	17	8	3				2
31	44	41	47	43	52	66	58	46	44	35	14	10	2			3
77	94	121	122	111	126	130	130	89	72	52	22	13	2			4
47	51	80	75	68	74	66	72	43	28	17	8	3				5
30	43	41	47	43	52	64	58	46	44	35	14	10	2			6
36	48	64	58	54	57	53	40	25	18	27	8	6				7
23	24	35	33	34	33	26	23	10	10	7	3	1				8
13	24	29	25	20	24	27	17	15	8	20	5	5				9
6	5	7	5	13	10	8	11	8	4	4	3					10
1	7	16	4	8	11	14	5	8	4	14	5	4				
16	17	26	27	17	22	13	8		4	2						11
12	16	13	17	11	11	12	9	5	3	1						
1	2	2	1	4	1	5	4	2	2	1		1				12
	1		4	1	2	1	3	2	1	5		1				
41	46	56	63	54	69	77	90	63	53	25	14	7	2			13
24	27	44	41	31	41	40	49	32	18	10	5	2				14
17	19	12	22	23	28	37	41	31	35	15	9	5	2			15
		1	1	3				1	1							16
		1	1	3				1								17
									1							18
1	1	2		1	1	2										19
		2		1	1											20
1	1					2										21
		2		1	1											22
1	1					2										
																23
																24
																25
																26
123	167	172	234	227	227	277	255	223	191	131	71	28	8			27
62	75	97	138	126	130	156	121	109	90	53	32	10	3			28
61	92	75	96	101	97	121	134	114	101	78	39	18	5			29
119	154	163	226	220	217	265	250	221	188	131	69	27	7			30
58	67	92	133	125	127	150	119	108	89	53	31	10	3			31
61	87	71	93	95	90	115	131	113	99	78	38	17	4			32
70	87	93	97	95	107	133	124	102	102	82	42	18	5			33
36	39	54	53	51	61	80	62	55	48	28	14	6	3			34
34	48	39	44	44	46	53	62	47	54	54	28	12	2			35
16	13	13	21	22	21	48	44	50	42	25	13	3	3			36
14	13	14	18	10	27	36	44	37	45	48	23	10	2			
20	25	37	30	27	32	26	16	2	5	1	1	1				37
19	34	24	26	30	17	16	15	9	5	5		2				
	1	4	2	2	8	6	2	3	1	2		2				38
1	1	1		4	2	1	3	1	4	1	5					
49	64	70	124	123	108	131	124	116	86	48	27	9	2			39
22	26	38	76	72	64	69	55	51	41	24	17	4				40
27	38	32	48	51	44	62	69	65	45	24	10	5	2			41
	3		5	2	2	1	2	3		1						42
	2		4	2	2	1	2	2		1						43
	1		1					1								44
4	13	9	8	7	10	12	5	2	3		2	1	1			45
4	8	5	5	1	3	6	2	1	1		1					46
	5	4	3	6	7	6	3	1	2		1	1	1			47
4	8	5	4	1	3	5	2	1	1		1					48
	5	4	3	6	7	6	3	1	2		1	1	1			
																49
			1			1										50
																51
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MEMPHIS, TENN.												
1	Total	2,895	228	57	38	18	14	355	55	39	133	228	277
2	Males	1,550	120	25	23	8	10	186	23	17	71	104	152
3	Females	1,345	108	32	15	10	4	169	32	22	62	124	125
4	White	1,286	135	25	22	9	12	203	28	11	31	61	85
5	Males	719	74	11	14	4	9	112	12	6	17	27	51
6	Females	567	61	14	8	5	3	91	16	5	14	34	34
7	Native	1,108	130	25	21	8	12	196	28	10	29	58	78
8	Males	606	72	11	13	4	9	109	12	6	16	25	45
9	Females	502	58	14	8	4	3	87	16	4	13	33	33
10	Both parents native M	346	38	10	11	1	8	68	8	4	13	18	35
	Both parents native F	289	30	11	4	3	3	51	14	3	11	22	19
11	One or both parents foreign M	54	10	1	1	1		13	2	1			1
	One or both parents foreign F	49	10	3	2			15				4	5
12	Parentage unknown M	206	24		1	2	1	28	2	1	3	7	9
	Parentage unknown F	164	18		2	1		21	2	1	2	7	9
13	Foreign	119	1					1		1	2	3	3
14	Males	70	1					1			1	2	3
15	Females	49								1	1	1	
16	Unknown	59	4		1	1		6					4
17	Males	43	1		1			2					3
18	Females	16	3			1		4					1
19	Colored	1,609	93	32	16	9	2	152	27	28	102	167	192
20	Males	831	46	14	9	4	1	74	11	11	54	77	101
21	Females	778	47	18	7	5	1	78	16	17	48	90	91
22	Negro M	831	46	14	9	4	1	74	11	11	54	77	101
	Negro F	778	47	18	7	5	1	78	16	17	48	90	91
23	Indian M												
	Indian F												
24	Chinese M												
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M												
	Other colored F												
	NASHVILLE, TENN.												
27	Total	1,997	231	58	34	11	12	346	39	41	77	126	124
28	Males	973	125	35	17	4	4	185	20	20	31	55	57
29	Females	1,024	106	23	17	7	8	161	19	21	46	71	67
30	White	1,117	141	31	23	5	6	206	23	16	39	55	60
31	Males	557	78	16	12	3	2	111	11	9	17	27	28
32	Females	560	63	15	11	2	4	95	12	7	22	28	32
33	Native	1,017	139	31	22	5	6	203	21	14	39	52	59
34	Males	505	77	16	11	3	2	109	11	8	17	25	28
35	Females	512	62	15	11	2	4	94	10	6	22	27	31
36	Both parents native M	377	67	16	10	3	1	97	10	8	16	21	24
	Both parents native F	375	54	15	11	2	4	86	10	6	19	23	24
37	One or both parents foreign M	33	3					3				1	1
	One or both parents foreign F	39	3					3			1	1	1
38	Parentage unknown M	95	7		1		1	9	1		1	3	3
	Parentage unknown F	98	5					5			2	3	6
39	Foreign	89							1	1		1	1
40	Males	45										1	
41	Females	44							1	1			1
42	Unknown	11	2		1			3	1	1		2	
43	Males	7	1		1			2		1		1	
44	Females	4	1					1	1			1	
45	Colored	880	90	27	11	6	6	140	16	25	38	71	64
46	Males	416	47	19	5	1	2	74	9	11	14	28	29
47	Females	464	43	8	6	5	4	66	7	14	24	43	35
48	Negro M	415	47	19	5	1	2	74	9	11	14	27	29
	Negro F	464	43	8	6	5	4	66	7	14	24	43	35
49	Indian M	1										1	
	Indian F												
50	Chinese M												
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
216	244	212	204	197	167	146	153	106	68	39	28	6	2	8	12	1
118	139	108	122	115	101	82	82	51	36	18	13	5			7	2
98	105	104	82	82	66	64	71	55	32	21	15	1	2	8	5	3
82	82	92	84	99	88	71	97	67	51	23	23	3			5	4
49	47	49	48	65	58	46	57	24	25	9	11	2			4	5
33	35	43	36	34	30	25	40	43	26	14	12	1			1	6
74	70	80	72	79	80	54	78	55	33	20	13	1				7
46	38	40	37	51	52	35	48	17	15	8	5	1				8
28	32	40	35	28	28	19	30	38	18	12	8					9
28	26	22	19	23	28	15	16	6	7	4	5	1				10
16	18	25	18	13	14	8	17	21	7	7	5					
3	3	7	5	11	3	1	2	1		1						11
4	3	5	3	2		1	1	4	1	1						
15	9	11	13	17	21	19	30	10	8	3						12
8	11	10	14	13	14	10	12	13	10	4	3					
5	5	5	7	14	4	14	16	11	16	1	9	1			1	13
1	2	3	7	10	3	9	7	6	9	1	5					14
4	3	2		4	1	5	9	5	7		4	1			1	15
3	7	7	5	6	4	3	3	1	2	2	1	1			4	16
2	7	6	4	4	3	2	2	1	1		1	1			4	17
1		1	1	2	1	1	1		1	2						18
134	162	120	120	98	79	75	56	39	17	16	5	3	2	8	7	19
69	92	59	74	50	43	36	25	27	11	9	2	3			3	20
65	70	61	46	48	36	39	31	12	6	7	3		2	8	4	21
69	92	59	74	50	43	36	25	27	11	9	2	3			3	22
65	70	61	46	48	36	39	31	12	6	7	3		2	8	4	
																23
																24
																25
																26
116	116	116	113	127	136	120	131	98	85	48	26	8	2	2		27
56	54	53	59	60	76	59	65	49	42	17	14	1				28
60	62	63	54	67	60	61	66	49	43	31	12	7	2	2		29
51	46	57	60	56	80	73	94	70	70	41	15	5				30
20	23	29	30	22	45	39	50	38	34	16	7	1				31
31	23	28	30	34	35	34	44	32	36	25	8	4				32
49	46	52	56	50	76	64	73	59	54	36	12	2				33
19	23	26	28	20	42	32	41	34	25	12	5					34
30	23	26	28	30	34	32	32	25	29	24	7	2				35
13	19	24	21	14	31	15	25	16	12	9	2					36
26	19	15	18	18	19	20	20	16	20	11	3	2				
2	3	1	2	3	2	7	3	3	2							37
1	3	5	2	7	3	3	3	2	1	1	2					
4	1	1	5	3	9	10	13	15	11	3	3					38
3	1	6	8	5	12	9	9	7	8	12	2					
2		4	4	5	3	9	20	11	16	5	3	3				39
1		2	2	2	2	7	8	4	9	4	2	1				40
1		2	2	3	1	2	12	7	7	1	1	2				41
		1		1	1		1									42
		1			1		1									43
				1												44
65	70	59	53	71	56	47	37	28	15	7	11	3	2	2		45
36	31	24	29	38	31	20	15	11	8	1	7					46
29	39	35	24	33	25	27	22	17	7	6	4	3	2	2		47
36	31	24	29	38	31	20	15	11	8	1	7					48
29	39	35	24	33	25	27	22	17	7	6	4	3	2	2		
																49
																50
																51
																52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	RICHMOND, VA.												
1	Total	2,921	440	97	37	23	21	618	56	30	78	159	151
2	Males	1,517	257	50	19	8	6	340	27	17	35	85	77
3	Females	1,404	183	47	18	15	15	278	29	13	43	74	74
4	White	1,574	214	40	14	8	13	289	30	11	28	57	55
5	Males	846	128	26	10	1	5	170	15	8	14	29	25
6	Females	728	86	14	4	7	8	119	15	3	14	28	30
7	Native	1,414	213	39	12	8	12	284	29	11	26	55	50
8	Males	757	127	25	8	1	4	165	14	8	12	28	24
9	Females	657	86	14	4	7	8	119	15	3	14	27	26
10	Both parents native M	558	103	24	7	1	4	139	12	7	10	27	18
	Both parents native F	512	72	11	4	4	6	97	15	3	12	25	23
11	One or both parents foreign M	58	13	1				14	2	1	1	1	3
	One or both parents foreign F	56	4	2		2	2	10			2	1	3
12	Parentage unknown M	141	11		1			12			1		3
	Parentage unknown F	89	10	1		1		12				1	
13	Foreign	122		1			1	2	1		1	2	3
14	Males	69		1			1	2	1		1	1	1
15	Females	53										1	2
16	Unknown	38	1		2			3			1		2
17	Males	20	1		2			3			1		
18	Females	18											2
19	Colored	1,347	226	57	23	15	8	329	26	19	50	102	96
20	Males	671	129	24	9	7	1	170	12	9	21	56	52
21	Females	676	97	33	14	8	7	159	14	10	29	46	44
22	Negro M	671	129	24	9	7	1	170	12	9	21	56	52
	Negro F	676	97	33	14	8	7	159	14	10	29	46	44
23	Indian M												
	Indian F												
24	Chinese M												
	Chinese F												
25	Japanese M												
	Japanese F												
26	Other colored M												
	Other colored F												
	SEATTLE, WASH.												
27	Total	2,464	262	34	20	13	5	334	28	30	53	102	111
28	Males	1,476	167	18	12	4	1	202	13	17	37	45	64
29	Females	988	95	16	8	9	4	132	15	13	16	57	47
30	White	2,300	230	24	18	13	5	290	27	29	52	96	97
31	Males	1,357	146	13	10	4	1	174	13	16	37	43	54
32	Females	943	84	11	8	9	4	116	14	13	15	53	43
33	Native	1,389	229	23	17	13	5	287	25	26	46	74	59
34	Males	756	146	13	10	4	1	174	12	13	33	35	27
35	Females	633	83	10	7	9	4	113	13	13	13	39	32
36	Both parents native M	324	70	9	7	3	1	90	6	7	14	13	9
	Both parents native F	277	47	6	2	5	2	62	8	8	6	18	16
37	One or both parents foreign M	268	72	4	3	1		80	6	5	18	18	9
	One or both parents foreign F	213	33	4	5	4	2	48	5	5	7	16	12
38	Parentage unknown M	164	4					4		1	1	4	9
	Parentage unknown F	143	3					3				5	4
39	Foreign	804	1	1	1			3	2	3	5	18	33
40	Males	507							1	3	3	7	24
41	Females	297	1	1	1			3	1		2	11	9
42	Unknown	107									1	4	5
43	Males	94									1	1	3
44	Females	13										3	2
45	Colored	164	32	10	2			44	1	1	1	6	14
46	Males	119	21	5	2			28		1		2	10
47	Females	45	11	5				16	1		1	4	4
48	Negro M	37	4	1	2			7				2	4
	Negro F	18									1	2	2
49	Indian M	1											
	Indian F	1	1					1					
50	Chinese M	30	1					1		1			
	Chinese F												
51	Japanese M	51	16	4				20					6
	Japanese F	26	10	5				15	1			2	2
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
173	172	167	160	202	206	167	180	164	113	81	30	9	3	2	.....	1
101	102	75	85	95	112	86	92	81	56	32	12	5	2	.....	.....	2
72	70	92	75	107	94	81	88	83	57	49	18	4	1	2	.....	3
73	68	70	77	103	127	108	131	138	105	70	25	7	2	.....	.....	4
45	40	35	43	56	72	57	69	69	54	28	11	4	2	.....	.....	5
28	28	35	34	47	55	51	62	69	51	42	14	3	.....	.....	.....	6
66	57	64	70	93	111	101	118	112	90	51	21	5	.....	.....	.....	7
40	33	32	38	50	63	54	61	55	44	25	8	3	.....	.....	.....	8
26	24	32	32	43	48	47	57	57	46	26	13	2	.....	.....	.....	9
32	26	27	31	36	46	42	37	29	19	15	3	2	.....	.....	.....	10
24	16	26	23	30	36	38	40	41	35	17	9	2	.....	.....	.....	
3	1	4	1	3	9	5	3	3	3	1	.....	.....	.....	.....	.....	11
2	2	4	2	6	3	4	8	4	.....	3	2	.....	.....	.....	.....	
5	6	1	6	11	8	7	21	23	22	9	5	1	.....	.....	.....	12
.....	6	2	7	7	9	5	9	12	11	6	2	.....	.....	.....	.....	
5	7	4	6	7	10	6	9	22	12	18	4	1	2	.....	.....	13
4	6	2	4	4	5	3	6	12	8	3	3	1	2	.....	.....	14
1	1	2	2	3	5	3	3	10	4	15	1	.....	.....	.....	.....	15
2	4	2	1	3	6	1	4	4	3	1	.....	1	.....	.....	.....	16
1	1	1	1	2	4	.....	2	2	2	.....	.....	.....	.....	.....	.....	17
1	3	1	.....	1	2	1	2	2	1	1	.....	1	.....	.....	.....	18
100	104	97	83	99	79	59	49	26	8	11	5	2	1	2	.....	19
56	62	40	42	39	40	29	23	12	2	4	1	1	.....	.....	.....	20
44	42	57	41	60	39	30	26	14	6	7	4	1	1	2	.....	21
56	62	40	42	39	40	29	23	12	2	4	1	1	.....	.....	.....	22
44	42	57	41	60	39	30	26	14	6	7	4	1	1	2	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	26
129	170	167	193	217	162	182	149	143	149	88	39	15	1	.....	2	27
74	103	95	123	146	116	107	93	83	81	46	19	9	1	.....	2	28
55	67	72	70	71	46	75	56	60	68	42	20	6	.....	.....	.....	29
113	153	156	182	201	151	175	149	139	147	86	39	15	1	.....	2	30
61	88	88	113	131	108	100	93	81	80	46	19	9	1	.....	2	31
52	65	68	69	70	43	75	56	58	67	40	20	6	.....	.....	.....	32
60	79	93	89	103	73	86	76	69	72	46	17	9	.....	.....	.....	33
23	38	47	46	61	47	43	45	34	37	25	9	7	.....	.....	.....	34
37	41	46	43	42	26	43	31	35	35	21	8	2	.....	.....	.....	35
8	15	13	15	24	21	18	17	15	21	12	3	3	.....	.....	.....	36
9	15	15	14	16	7	18	17	12	18	12	5	1	.....	.....	.....	
9	17	21	13	23	13	13	8	7	3	4	1	.....	.....	.....	.....	37
12	15	22	17	15	10	6	6	9	5	2	1	.....	.....	.....	.....	
6	6	13	18	14	13	12	20	12	13	9	5	4	.....	.....	.....	38
16	11	9	12	11	9	19	8	14	12	7	2	1	.....	.....	.....	
39	65	55	79	84	69	83	69	61	70	38	22	5	1	.....	.....	39
24	42	33	53	57	53	51	45	39	39	20	10	2	1	.....	.....	40
15	23	22	26	27	16	32	24	22	31	18	12	3	.....	.....	.....	41
14	9	8	14	14	9	6	4	9	5	2	.....	1	.....	.....	2	42
14	8	8	14	13	8	6	3	8	4	1	.....	.....	.....	.....	2	43
.....	1	.....	.....	1	1	.....	1	1	1	1	.....	1	.....	.....	.....	44
16	17	11	11	16	11	7	.....	4	2	2	.....	.....	.....	.....	.....	45
13	15	7	10	15	8	7	.....	2	1	.....	.....	.....	.....	.....	.....	46
3	2	4	1	1	3	.....	.....	2	1	2	.....	.....	.....	.....	.....	47
2	5	1	6	2	6	1	.....	.....	1	.....	.....	.....	.....	.....	.....	48
.....	1	2	1	1	3	.....	.....	2	1	2	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
2	1	2	3	10	2	6	.....	2	.....	.....	.....	.....	.....	.....	.....	50
9	8	4	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	51
3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SPOKANE, WASH.												
1	Total	1,165	153	18	15	11	3	200	23	22	24	44	47
2	Males	691	82	9	10	5	2	108	14	12	17	24	27
3	Females	474	71	9	5	6	1	92	9	10	7	20	20
4	White	1,144	151	18	15	11	3	198	23	22	24	43	47
5	Males	677	81	9	10	5	2	107	14	12	17	23	27
6	Females	467	70	9	5	6	1	91	9	10	7	20	20
7	Native	807	150	17	14	10	3	194	23	20	19	35	37
8	Males	437	80	9	9	4	2	104	14	12	12	16	19
9	Females	370	70	8	5	6	1	90	9	8	7	19	18
10	Both parents native M	232	43	6	4	1	1	55	8	9	7	11	11
	Both parents native F	201	41	6	3	4		54	5	6	4	7	12
11	One or both parents foreign M	146	35	3	5	3	1	47	6	3	4	5	5
	One or both parents foreign F	120	27	2	2	2	1	34	4	2	3	9	6
12	Parentage unknown M	59	2					2			1		3
	Parentage unknown F	49	2					2				3	
13	Foreign	309	1	1	1	1		4		2	5	8	9
14	Males	216	1		1	1		3			5	7	7
15	Females	93		1				1		2		1	2
16	Unknown	28											1
17	Males	24											1
18	Females	4											
19	Colored	21	2					2				1	
20	Males	14	1					1				1	
21	Females	7	1					1					
22	Negro M	9										1	
	Negro F	7	1					1					
23	Indian M												
	Indian F												
24	Chinese M	4											
	Chinese F												
25	Japanese M	1	1					1					
	Japanese F												
26	Other colored M												
	Other colored F												
	MILWAUKEE, WIS.												
27	Total	4,901	1,107	159	80	62	36	1,444	119	59	111	147	170
28	Males	2,679	630	86	44	24	17	801	63	26	62	74	98
29	Females	2,222	477	73	36	38	19	643	56	33	49	73	72
30	White	4,883	1,106	158	80	61	36	1,441	118	59	111	145	168
31	Males	2,673	629	86	44	24	17	800	62	26	62	74	97
32	Females	2,210	477	72	36	37	19	641	56	33	49	71	71
33	Native	2,921	1,101	157	79	60	34	1,431	114	54	95	125	125
34	Males	1,586	627	85	43	23	17	795	60	24	52	65	71
35	Females	1,335	474	72	36	37	17	636	54	30	43	60	54
36	Both parents native M	468	234	26	14	8	7	289	26	8	15	13	17
	Both parents native F	400	189	25	11	10	8	243	25	9	12	14	13
37	One or both parents foreign M	1,036	376	58	28	14	10	486	34	16	37	50	48
	One or both parents foreign F	858	203	46	25	27	9	370	29	21	30	45	39
38	Parentage unknown M	82	17	1	1	1		20				2	6
	Parentage unknown F	77	22	1				23			1	1	2
39	Foreign	1,933	3	1	1	1	2	8	4	5	15	20	43
40	Males	1,066	2	1	1	1		5	2	2	10	9	26
41	Females	867	1				2	3	2	3	5	11	17
42	Unknown	29	2					2			1		
43	Males	21											
44	Females	8	2					2			1		
45	Colored	18	1	1		1		3	1			2	2
46	Males	6	1					1	1				1
47	Females	12		1		1		2				2	1
48	Negro M	6	1					1	1				1
	Negro F	12		1		1		2				2	1
49	Indian M												
	Indian F												
50	Chinese M												
	Chinese F												
51	Japanese M												
	Japanese F												
52	Other colored M												
	Other colored F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
56	76	71	59	85	97	87	82	65	67	35	17	5	1		2	1
26	47	45	34	52	66	65	46	37	32	22	11	3	1		2	2
30	29	26	25	33	31	22	36	28	35	13	6	2				3
54	76	66	58	80	93	87	81	65	67	35	17	5	1		2	4
26	47	42	33	48	62	65	46	37	32	22	11	3	1		2	5
28	29	24	25	32	31	22	35	28	35	13	6	2				6
39	55	44	38	47	53	51	45	37	38	18	9	5				7
17	29	24	18	28	29	34	25	23	17	9	4	3				8
22	26	20	20	19	24	17	20	14	21	9	5	2				9
9	13	11	9	9	14	16	17	11	11	7	3	1				10
12	11	7	12	8	12	11	12	5	13	6	3	1				
6	13	10	6	9	11	11	1	8	1							11
6	10	10	6	8	8	2	3	4	2	2	1					
2	3	3	3	10	4	7	7	4	5	2	1	2				12
4	5	3	2	3	4	4	5	5	6	1	1	1				
12	20	15	19	31	36	35	35	26	27	16	8		1			13
6	17	12	14	19	29	30	20	13	14	12	7		1			14
6	3	3	5	12	7	5	15	13	13	4	1					15
3	1	7	1	2	4	1	1	2	2	1					2	16
3	1	6	1	1	4	1	1	1	1	1					2	17
		1		1				1	1							18
2		5	1	5	4		1									19
		3	1	4	4											20
2		2		1			1									21
		2		4	2											22
2		2		1			1									
																23
		1	1		2											24
																25
																26
189	188	190	221	269	290	299	320	299	229	199	121	29	8			27
116	112	103	122	158	172	174	166	155	113	99	50	11	4			28
73	76	87	99	111	118	125	154	144	116	100	71	18	4			29
189	185	187	221	268	290	297	320	298	229	199	121	29	8			30
116	111	103	122	158	172	173	166	154	113	99	50	11	4			31
73	74	84	99	110	118	124	154	144	116	100	71	18	4			32
130	120	97	108	129	123	80	65	56	32	20	11	2	4			33
75	72	49	60	66	67	41	33	27	15	7	5		2			34
55	48	48	48	63	56	39	32	29	17	13	6	2	2			35
17	13	1	4	9	7	7	12	12	7	6	4		1			36
10	5	9	4	5	4	4	6	11	11	8	4	2	1			
57	53	42	48	45	48	34	19	12	7							37
38	39	36	41	53	50	31	21	9	3	2	1					
1	6	6	8	12	12		2	3	1	1	1		1			38
7	4	3	3	5	2	4	5	9	3	3	1		1			
57	58	87	110	135	164	216	255	242	195	178	110	27	4			39
39	32	52	60	88	103	131	133	127	98	91	45	11	2			40
18	26	35	50	47	61	85	122	115	97	87	65	16	2			41
2	7	3	3	4	3	1			2	1						42
2	7	2	2	4	2	1				1						43
		1	1		1				2							44
	3	3		1		2		1								45
	1					1		1								46
	2	3		1		1										47
	1					1		1								48
	2	3		1		1										
																49
																50
																51
																52

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision under causes of death correspond to thos e of

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	SUMMARY.														
1	The registration area (total)	909,155	8,332	1,541	169	3,649	2,419	5,421	10,544	10,768	2,340	85,993	5,445	6,756	4,139
2	White	831,181	7,273	1,011	147	3,525	2,376	4,817	10,198	9,900	2,267	72,972	4,977	5,716	3,841
3	Colored	77,974	1,059	530	22	124	43	604	346	868	73	13,021	468	1,040	298
4	Registration states [1] (total)	823,938	7,507	1,079	87	3,249	2,226	5,123	9,438	9,809	2,172	76,877	5,007	5,968	3,842
5	White	766,631	6,701	840	75	3,139	2,190	4,614	9,169	9,214	2,108	66,798	4,595	5,260	3,605
6	Colored	57,307	806	239	12	110	36	509	269	595	64	10,079	412	708	237
7	Cities in registration states [1] (total)	440,401	3,351	218	35	2,197	1,253	2,461	5,435	3,629	1,257	42,143	3,386	3,121	1,886
8	White	409,862	3,051	150	27	2,134	1,231	2,289	5,321	3,346	1,219	36,903	3,111	2,738	1,769
9	Colored	30,539	300	68	8	63	22	172	114	283	38	5,240	275	383	117
10	Rural part of registration states (total)	383,537	4,156	861	52	1,052	973	2,662	4,003	6,180	915	34,734	1,621	2,847	1,956
11	White	356,769	3,650	690	48	1,005	959	2,325	3,848	5,868	889	29,895	1,484	2,522	1,836
12	Colored	26,768	506	171	4	47	14	337	155	312	26	4,839	137	325	120
13	Registration cities in other states (total)	85,217	825	462	82	400	193	298	1,106	959	168	9,116	438	788	297
14	White	64,550	572	171	72	386	186	203	1,029	686	159	6,174	382	456	236
15	Colored	20,667	253	291	10	14	7	95	77	273	9	2,942	56	332	61
16	All registration cities [1] (total)	525,618	4,176	680	117	2,597	1,446	2,759	6,541	4,588	1,425	51,259	3,824	3,909	2,183
17	White	474,412	3,623	321	99	2,520	1,417	2,492	6,350	4,032	1,378	43,077	3,493	3,194	2,005
18	Colored	51,206	553	359	18	77	29	267	191	556	47	8,182	331	715	178
	REGISTRATION STATES.														
19	California (total)	39,038	276	52	3	155	65	133	314	237	46	4,905	320	361	129
20	White	36,867	254	47	3	149	63	126	312	233	43	4,466	277	324	127
21	Colored	2,171	22	5	.....	6	2	7	2	4	3	439	43	37	2
22	Colorado (total)	10,602	119	2	.....	21	58	88	52	130	26	1,480	44	48	60
23	White	10,319	117	2	.....	21	58	86	52	128	26	1,417	43	48	57
24	Colored	283	2	.....	.....	.....	.....	2	.....	2	.....	63	1	.....	3
25	Connecticut (total)	18,247	152	17	.....	61	38	143	196	226	57	1,502	132	119	78
26	White	17,845	147	16	.....	60	38	133	193	223	57	1,439	127	111	74
27	Colored	402	5	1	.....	1	.....	10	3	3	.....	63	5	8	4
28	Indiana (total)	35,403	416	59	10	69	101	164	305	476	100	3,440	198	386	176
29	White	33,937	392	56	9	67	101	156	298	463	96	3,142	192	346	168
30	Colored	1,466	24	3	1	2	.....	8	7	13	4	298	6	40	8
31	Kansas (total)	18,209	185	27	10	73	33	180	238	463	50	865	28	96	109
32	White	17,020	169	23	9	73	32	166	232	422	49	705	28	81	107
33	Colored	1,189	16	4	1	.....	1	14	6	41	1	160	.....	15	2
34	Kentucky (total)	28,986	718	151	1	85	55	199	576	465	72	4,225	203	327	167
35	White	23,481	587	117	1	81	52	160	544	383	68	3,120	174	256	130
36	Colored	5,505	131	34	.....	4	3	39	32	82	4	1,105	29	71	37
37	Maine (total)	11,990	103	1	.....	18	13	80	85	194	28	771	71	114	37
38	White	11,970	103	1	.....	18	13	80	85	194	28	767	70	114	37
39	Colored	20	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	1	.....	.....
40	Maryland (total)	21,353	320	15	.....	34	71	92	183	204	41	2,316	106	164	80
41	White	15,773	207	7	.....	25	65	53	166	154	37	1,443	79	102	59
42	Colored	5,580	113	8	.....	9	6	39	17	50	4	873	27	62	21
43	Massachusetts (total)	53,065	247	6	10	271	201	468	732	312	142	4,327	444	365	146
44	White	52,097	244	6	5	265	199	456	727	309	141	4,152	429	345	143
45	Colored	968	3	.....	5	6	2	12	5	3	1	175	15	20	3
46	Michigan (total)	40,425	354	13	5	104	110	234	361	528	108	2,556	145	261	201
47	White	39,816	349	13	5	101	109	232	357	522	106	2,468	144	254	198
48	Colored	609	5	.....	.....	3	1	2	4	6	2	88	1	7	3
49	Minnesota (total)	22,794	153	.....	7	87	145	165	192	237	57	1,895	174	212	137
50	White	22,400	151	.....	7	86	143	162	191	231	57	1,809	165	207	133
51	Colored	394	2	.....	.....	1	2	3	1	6	.....	86	9	5	4
52	Missouri (total)	40,757	522	388	14	154	75	276	685	722	117	4,443	176	297	203
53	White	37,114	478	368	14	149	73	252	664	689	111	3,658	160	242	189
54	Colored	3,643	44	20	.....	5	2	24	21	33	6	785	16	55	14
55	Montana (total)	5,072	57	.....	1	7	16	36	21	41	13	468	34	28	27
56	White	4,740	55	.....	1	5	16	23	19	39	13	383	33	24	27
57	Colored	332	2	.....	.....	2	.....	13	2	2	.....	85	1	4	.....
58	New Hampshire (total)	7,099	34	2	.....	9	7	48	32	127	14	446	45	44	34
59	White	7,089	34	2	.....	9	7	48	32	127	14	445	45	44	34
60	Colored	10	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
61	New Jersey (total)	39,787	193	13	1	225	100	249	506	317	108	3,926	284	206	186
62	White	37,662	175	13	1	219	99	232	496	304	107	3,580	251	182	181
63	Colored	2,125	18	.....	.....	6	1	17	10	13	1	346	33	24	5
64	New York (total)	146,938	765	42	.....	887	433	777	1,758	1,298	520	14,553	1,175	807	636
65	White	143,131	749	40	.....	874	428	742	1,729	1,274	514	13,781	1,119	770	617
66	Colored	3,807	16	2	.....	13	5	35	29	24	6	772	56	37	19
67	North Carolina [2] (total)	8,438	199	68	6	3	8	70	57	93	17	1,013	24	89	31
68	White	4,342	100	24	4	3	8	32	49	57	13	430	14	42	12
69	Colored	4,096	99	44	2	.....	.....	38	8	36	4	583	10	47	19

[1] Includes District of Columbia.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915.

formed at least 5 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers the abridged International List. (See p. 20.)]

DEATHS FROM—																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
54,584	11,775	4,985	54,438	99,053	11,682	89,326	8,436	40,099	8,397	7,577	8,439	70,500	4,214	6,023	51,101	56,076	11,216	156,037	7,681	1
52,462	11,408	4,615	51,198	91,793	10,846	81,207	7,614	37,223	7,913	6,989	7,965	64,238	3,834	5,524	47,804	51,532	10,909	141,478	5,609	2
2,122	367	370	3,240	7,260	836	8,119	822	2,876	484	588	474	6,262	380	499	3,297	4,544	307	14,559	2,072	3
50,225	10,958	4,629	50,978	91,057	10,889	81,245	7,622	35,078	7,346	6,788	7,521	63,399	3,758	5,467	47,668	50,137	10,045	139,913	6,831	4
48,602	10,663	4,305	48,516	85,633	10,189	74,992	7,002	32,896	7,006	6,372	7,178	58,978	3,491	5,090	45,038	46,870	9,794	130,364	5,344	5
1,623	295	324	2,462	5,424	700	6,253	620	2,182	340	416	343	4,421	267	377	2,630	3,267	251	9,549	1,487	6
27,811	6,187	2,358	23,953	47,975	5,765	48,342	3,976	21,185	4,989	3,994	4,480	36,122	2,207	2,912	25,060	25,676	5,921	69,792	1,324	7
26,859	6,017	2,210	22,592	44,845	5,388	44,339	3,632	20,049	4,756	3,742	4,265	33,529	2,050	2,752	23,694	24,014	5,776	64,978	1,086	8
952	170	148	1,361	3,130	377	4,003	344	1,136	233	252	215	2,593	157	160	1,366	1,662	145	4,814	238	9
22,414	4,771	2,271	27,025	43,082	5,124	32,903	3,646	13,893	2,357	2,794	3,041	27,277	1,551	2,555	22,608	24,461	4,124	70,121	5,507	10
21,743	4,646	2,095	25,924	40,788	4,801	30,653	3,370	12,847	2,250	2,630	2,913	25,449	1,441	2,338	21,344	22,856	4,018	65,386	4,258	11
671	125	176	1,101	2,294	323	2,250	276	1,046	107	164	128	1,828	110	217	1,264	1,605	106	4,735	1,249	12
4,359	817	356	3,460	7,996	793	8,081	814	5,021	1,051	789	918	7,101	456	556	3,433	5,939	1,171	16,124	850	13
3,860	745	310	2,682	6,160	657	6,215	612	4,327	907	617	787	5,260	343	434	2,766	4,662	1,115	11,114	265	14
499	72	46	778	1,836	136	1,866	202	694	144	172	131	1,841	113	122	667	1,277	56	5,010	585	15
32,170	7,004	2,714	27,413	55,971	6,558	56,423	4,790	26,206	6,040	4,783	5,398	43,223	2,663	3,468	28,493	31,615	7,092	85,916	2,174	16
30,719	6,762	2,520	25,274	51,005	6,045	50,554	4,244	24,376	5,663	4,359	5,052	38,789	2,393	3,186	26,460	28,676	6,891	76,092	1,351	17
1,451	242	194	2,139	4,966	513	5,869	546	1,830	377	424	346	4,434	270	282	2,033	2,939	201	9,824	823	18
2,795	518	176	2,373	5,156	403	2,774	315	793	385	340	428	3,052	127	235	1,375	3,168	1,010	6,545	74	19
2,715	505	157	2,304	4,958	384	2,609	303	705	365	320	398	2,919	112	214	1,269	2,952	958	6,230	66	20
80	13	19	69	198	19	165	12	88	20	20	30	133	15	21	106	216	52	315	8	21
500	108	80	438	883	97	1,361	178	244	153	96	64	724	71	65	663	795	164	1,767	23	22
488	108	77	431	851	94	1,318	175	238	152	94	62	708	71	62	654	774	162	1,722	23	23
12	.....	3	7	32	3	43	3	6	1	2	2	16	.....	3	9	21	2	45	.....	24
1,133	280	145	1,324	1,881	269	1,901	161	1,157	130	134	144	1,401	63	120	1,048	1,034	223	2,890	88	25
1,124	278	143	1,302	1,827	264	1,861	156	1,136	126	133	143	1,365	62	118	1,025	1,017	219	2,844	84	26
9	2	2	22	54	5	40	5	21	4	1	1	36	1	2	23	17	4	46	4	27
2,318	505	195	2,607	4,135	386	3,085	269	1,160	308	329	391	2,845	198	210	1,883	2,055	426	6,170	28	28
2,278	495	184	2,536	3,932	371	2,915	257	1,131	300	321	376	2,746	194	207	1,837	1,966	418	5,959	28	29
40	10	11	71	203	15	170	12	29	8	8	15	99	4	3	46	89	8	211	.....	30
1,146	299	84	1,208	1,894	203	1,559	214	421	184	188	139	1,257	91	136	1,104	1,173	195	4,048	309	31
1,101	286	79	1,154	1,764	188	1,424	197	398	179	178	129	1,159	86	131	1,072	1,081	193	3,842	283	32
45	13	5	54	130	15	135	17	23	5	10	10	98	5	5	32	92	2	206	26	33
1,176	201	328	1,199	2,242	349	2,318	281	883	207	221	159	1,979	151	179	1,695	1,567	257	5,298	1,052	34
1,040	177	299	1,005	1,761	254	1,806	215	774	178	175	133	1,570	133	157	1,499	1,216	239	4,283	894	35
136	24	29	194	481	95	512	66	109	29	46	26	409	18	22	196	351	18	1,015	158	36
818	175	67	984	1,423	179	1,061	109	389	93	93	64	915	34	76	647	559	118	2,512	159	37
818	175	67	982	1,420	179	1,059	107	388	93	93	64	913	34	76	647	558	118	2,510	159	38
.....	.....	.....	2	3	.....	2	2	1	.....	.....	.....	2	.....	.....	.....	1	.....	2	.....	39
1,213	190	91	1,301	2,115	293	2,152	213	1,146	124	137	126	2,031	81	115	1,277	1,110	184	3,506	322	40
1,081	179	71	1,014	1,618	207	1,444	163	864	100	103	106	1,530	63	90	954	877	171	2,582	159	41
132	11	20	287	497	86	708	50	282	24	34	20	501	18	25	323	233	13	924	163	42
3,809	785	324	3,745	6,620	802	5,880	362	2,704	415	377	338	3,434	155	378	2,981	2,851	507	8,711	216	43
3,771	778	315	3,695	6,533	790	5,741	356	2,679	408	367	337	3,373	151	372	2,938	2,795	501	8,566	210	44
38	7	9	50	87	12	139	6	25	7	10	1	61	4	6	43	56	6	145	6	45
2,554	547	276	2,597	4,854	690	3,132	478	1,247	473	399	387	2,457	204	334	2,885	2,415	465	8,790	261	46
2,533	543	275	2,572	4,779	685	3,063	469	1,235	469	394	380	2,423	202	331	2,858	2,374	457	8,664	252	47
21	4	1	25	75	5	69	9	12	4	5	7	34	2	3	27	41	8	126	9	48
1,780	366	138	1,252	2,279	277	2,012	223	591	356	215	170	1,753	101	185	1,643	1,557	361	3,904	170	49
1,772	364	133	1,241	2,253	273	1,958	221	580	352	211	168	1,727	100	181	1,634	1,530	360	3,843	157	50
8	2	5	11	26	4	54	2	11	4	4	2	26	1	4		27	1	61	13	51
2,297	478	216	2,131	3,511	610	4,113	317	1,236	405	341	431	3,702	239	248	1,913	2,441	675	6,724	657	52
2,188	458	202	1,980	3,139	569	3,676	287	1,169	385	315	392	3,335	220	234	1,820	2,210	653	6,240	595	53
109	20	14	151	372	41	437	30	67	20	26	39	367	19	14	93	231	22	484	62	54
223	65	31	198	407	59	511	55	104	103	52	46	339	37	54	337	609	103	888	102	55
214	63	29	192	394	58	462	52	104	98	51	42	323	31	52	331	597	96	838	75	56
9	2	2	6	13	1	49	3	.....	5	1	4	16	6	2	6	12	7	50	27	57
482	100	54	594	942	141	543	50	293	61	50	53	502	19	42	438	323	72	1,471	27	58
482	100	54	593	941	141	542	50	293	61	50	53	501	19	42	438	322	72	1,468	26	59
.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	3	1	60
2,336	546	241	2,600	4,210	459	4,372	302	2,398	320	284	453	3,595	181	238	2,304	2,356	509	5,703	66	61
2,260	531	225	2,492	3,987	434	4,104	282	2,295	309	274	436	3,409	176	226	2,181	2,256	502	5,385	58	62
76	15	16	108	223	25	268	20	103	11	10	17	186	5	12	123	100	7	318	8	63
9,280	2,402	631	8,417	18,613	1,933	16,835	1,113	6,786	1,265	1,080	1,534	12,602	628	790	7,865	7,881	1,771	21,678	183	64
9,147	2,372	610	8,288	18,258	1,884	16,277	1,089	6,619	1,229	1,051	1,515	12,278	612	772	7,658	7,728	1,756	21,176	175	65
133	30	21	129	355	49	558	24	167	36	29	19	324	16	18	207	153	15	502	8	66
290	44	66	404	625	70	631	75	576	105	91	40	558	38	89	468	431	34	1,694	431	67
202	36	40	229	319	33	269	39	287	73	52	24	304	16	51	308	227	29	886	130	68
88	8	26	175	306	37	362	36	289	32	39	16	254	22	38	160	204	5	808	301	69

[2] Includes only municipalities having a population of 1,000 or over in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION STATES—Contd.														
1	Ohio (total)	66,173	717	25	7	219	224	355	672	981	159	5,776	314	553	339
2	White	63,404	689	21	7	211	223	341	666	950	154	5,209	291	513	335
3	Colored	2,769	28	4	.....	8	1	14	6	31	5	567	23	40	4
4	Pennsylvania (total)	115,284	1,034	34	.....	565	301	573	1,632	1,463	278	9,271	572	795	567
5	White	110,596	1,010	34	.....	545	296	547	1,612	1,415	270	8,392	525	731	550
6	Colored	4,688	24	.....	.....	20	5	26	20	48	8	879	47	64	17
7	Rhode Island (total)	8,922	61	1	.....	60	27	113	99	76	24	800	86	60	28
8	White	8,659	56	1	.....	59	26	108	99	75	23	746	80	56	28
9	Colored	263	5	.....	.....	1	1	5	.....	1	1	54	6	4	.....
10	Utah (total)	4,193	40	.....	.....	4	12	86	49	54	24	153	7	29	24
11	White	4,071	39	.....	.....	3	12	80	49	53	24	139	6	28	24
12	Colored	122	1	.....	.....	1	.....	6	.....	1	.....	14	1	1	.....
13	Vermont (total)	5,323	47	3	1	3	4	23	40	115	16	271	31	28	29
14	White	5,318	47	3	1	3	4	23	40	115	16	271	31	28	29
15	Colored	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
16	Virginia (total)	30,727	514	153	4	58	24	318	374	411	54	3,608	120	275	164
17	White	17,288	291	42	1	38	21	140	286	258	43	1,545	77	143	102
18	Colored	13,439	223	111	3	20	3	178	88	153	11	2,063	43	132	62
19	Washington (total)	11,895	119	4	1	17	7	43	40	146	29	1,097	92	86	63
20	White	11,283	117	3	1	16	7	41	40	141	29	981	73	74	60
21	Colored	612	2	1	.....	1	.....	2	.....	5	.....	116	19	12	3
22	Wisconsin (total)	26,712	119	1	6	53	89	191	212	390	63	2,054	152	181	169
23	White	26,494	119	1	6	53	89	187	211	389	63	2,012	150	176	167
24	Colored	218	.....	.....	.....	.....	.....	4	1	1	.....	42	2	5	2
	REGISTRATION CITIES.														
	ALABAMA.[1]														
25	Registration cities (total)	4,711	101	48	1	11	22	21	21	67	6	509	19	58	8
26	White	2,074	53	10	1	6	22	2	13	33	5	138	8	8	1
27	Colored	2,637	48	38	.....	5	.....	19	8	34	1	371	11	50	7
28	Birmingham (total)	2,714	63	27	1	11	22	13	18	35	4	310	13	37	6
29	White	1,231	30	3	1	6	22	1	10	18	3	82	7	5	1
30	Colored	1,483	33	24	.....	5	.....	12	8	17	1	228	6	32	5
31	Mobile (total)	1,104	19	15	.....	.....	.....	1	.....	24	.....	143	6	13	2
32	White	503	12	6	.....	.....	.....	.....	.....	14	.....	42	1	1	.....
33	Colored	601	7	9	.....	.....	.....	1	.....	10	.....	101	5	12	2
34	Montgomery (total)	893	19	6	.....	.....	.....	7	3	8	2	56	.....	8	.....
35	White	340	11	1	.....	.....	.....	1	3	1	2	14	.....	2	.....
36	Colored	553	8	5	.....	.....	.....	6	.....	7	.....	42	.....	6	.....
	CALIFORNIA.														
37	Registration cities (total)	22,483	142	9	.....	71	24	68	220	85	29	2,790	224	213	72
38	White	21,114	127	8	.....	70	23	64	218	84	26	2,508	188	190	71
39	Colored	1,369	15	1	.....	1	1	4	2	1	3	282	36	23	1
40	Alameda	299	6	.....	.....	2	.....	.....	.....	.....	.....	31	3	4	3
41	Bakersfield (total)	284	2	2	.....	.....	.....	.....	7	.....	.....	54	2	2	.....
42	White	270	2	2	.....	.....	.....	.....	7	.....	.....	49	2	2	.....
43	Colored	14	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	.....	.....	.....
44	Berkeley	494	4	1	.....	3	1	1	2	3	1	34	6	.....	4
45	Eureka	224	.....	.....	.....	3	.....	.....	.....	.....	.....	14	2	4	2
46	Fresno (total)	375	2	.....	.....	.....	.....	1	2	5	.....	55	7	4	1
47	White	334	1	.....	.....	.....	.....	1	2	5	.....	45	6	2	1
48	Colored	41	1	.....	.....	.....	.....	.....	.....	.....	.....	10	1	2	.....
49	Long Beach	430	1	.....	.....	3	.....	.....	1	1	1	21	2	2	.....
50	Los Angeles (total)	5,856	27	1	.....	19	10	12	39	21	8	903	48	66	23
51	White	5,457	25	1	.....	19	10	9	37	21	7	821	36	59	22
52	Colored[2]	399	2	.....	.....	.....	.....	3	2	.....	1	82	12	7	1
53	Oakland (total)	2,166	13	1	.....	5	1	19	18	5	3	215	30	18	3
54	White	2,022	13	1	.....	4	1	19	18	5	3	178	29	17	3
55	Colored[3]	144	.....	.....	.....	1	.....	.....	.....	.....	.....	37	1	1	.....
56	Pasadena	493	.....	.....	.....	.....	.....	.....	5	3	1	63	3	2	4
57	Pomona	170	2	.....	.....	.....	.....	.....	.....	3	.....	12	1	2	1
58	Redlands	117	.....	.....	.....	.....	.....	.....	.....	.....	.....	30	3	1	1
59	Riverside (total)	218	4	1	.....	2	.....	2	1	1	.....	26	1	4	1
60	White	204	4	1	.....	2	.....	1	1	1	.....	24	1	2	1
61	Colored	14	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	2	.....
62	Sacramento (total)	997	19	.....	.....	1	.....	.....	6	5	2	124	12	12	3
63	White	869	13	.....	.....	1	.....	.....	6	5	1	96	5	8	3
64	Colored	128	6	.....	.....	.....	.....	.....	.....	.....	1	28	7	4	.....
65	San Bernardino	356	1	.....	.....	1	.....	5	1	4	.....	87	2	4	.....
66	San Diego	1,003	6	1	.....	1	.....	1	12	11	1	132	7	1	

[1] Nonregistration state; cities shown below only those with effective local ordinances.

[2] Includes deaths of 229 Negroes, 5 Indians, 37 Chinese, and 128 Japanese.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
4,323	849	312	5,135	7,630	815	6,185	520	2,339	524	630	728	4,692	304	403	3,501	4,382	778	11,393	389	1
4,225	826	298	4,990	7,268	792	5,926	504	2,285	506	612	697	4,487	293	394	3,404	4,167	764	10,978	378	2
98	23	14	145	362	23	259	16	54	18	18	31	205	11	9	97	215	14	415	11	3
6,202	1,303	535	6,848	11,846	1,603	12,435	1,394	7,603	799	945	1,067	8,692	587	814	7,758	7,766	1,081	18,217	704	4
6,033	1,271	522	6,688	11,372	1,535	11,831	1,330	7,386	768	909	1,042	8,314	562	790	7,516	7,554	1,065	17,499	682	5
169	32	13	160	474	68	604	64	217	31	36	25	378	25	24	242	212	16	718	22	6
555	138	58	573	965	119	994	74	460	62	50	77	728	26	66	532	438	87	1,440	45	7
546	137	57	560	943	115	953	73	449	61	49	75	711	24	65	522	427	83	1,408	44	8
9	1	1	13	22	4	41	1	11	1	1	2	17	2	1	10	11	4	32	1	9
205	55	35	183	416	55	441	32	95	90	52	31	291	26	49	357	359	54	774	111	10
202	54	35	182	409	55	420	32	90	90	51	29	284	26	47	353	344	50	756	105	11
3	1	.....	1	7	.....	21	.....	5	.....	1	2	7	.....	2	4	15	4	18	6	12
377	75	26	493	725	96	416	43	160	38	52	47	444	12	36	280	245	60	1,078	9	13
377	75	26	493	724	96	415	43	160	38	52	47	444	12	36	280	245	60	1,075	9	14
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	15
1,166	211	248	1,514	2,846	316	2,466	379	1,203	173	196	152	2,375	161	308	1,885	1,804	183	5,911	1,153	16
873	155	150	909	1,644	161	1,284	178	655	114	107	95	1,409	86	160	1,188	1,016	159	3,400	558	17
293	56	98	605	1,202	155	1,182	201	548	59	89	57	966	75	148	697	788	24	2,511	595	18
841	192	63	677	1,206	85	840	121	184	169	110	117	787	65	91	658	1,181	304	2,284	176	19
829	186	55	668	1,174	84	766	114	170	166	106	109	773	63	85	628	1,119	297	2,181	127	20
12	6	8	9	32	1	74	7	14	3	4	8	14	2	6	30	62	7	103	49	21
2,007	454	183	1,727	2,829	501	2,594	255	737	348	280	282	1,593	132	184	1,846	1,361	338	5,313	68	22
1,999	450	183	1,712	2,809	499	2,565	254	731	347	277	282	1,582	130	183	1,835	1,345	337	5,289	62	23
8	4	.....	15	20	2	29	1	6	1	3	.....	11	2	1	11	16	1	24	6	24
159	35	23	201	318	21	349	59	173	75	59	30	427	25	24	238	312	26	1,140	125	25
107	25	10	97	141	7	142	24	98	54	37	15	204	14	17	127	152	25	461	17	26
52	10	13	104	177	14	207	35	75	21	22	15	223	11	7	111	160	1	679	108	27
93	26	11	102	176	15	215	35	114	53	40	15	168	16	16	123	222	18	629	67	28
64	19	6	42	69	6	92	14	68	38	31	8	91	9	12	77	107	18	257	14	29
29	7	5	60	107	9	123	21	46	15	9	7	77	7	4	46	115	.....	372	53	30
43	5	8	53	105	2	63	11	23	12	6	8	147	4	7	63	46	3	255	17	31
31	4	2	31	57	.....	27	2	14	9	4	4	67	3	4	28	24	3	111	2	32
12	1	6	22	48	2	36	9	9	3	2	4	80	1	3	35	22	.....	144	15	33
23	4	4	46	37	4	71	13	36	10	13	7	112	5	1	52	44	5	256	41	34
12	2	2	24	15	1	23	8	16	7	2	3	46	2	1	22	21	4	93	1	35
11	2	2	22	22	3	48	5	20	3	11	4	66	3	.....	30	23	1	163	40	36
1,840	339	98	1,354	3,097	217	1,629	152	400	277	207	277	1,885	79	143	739	1,569	637	3,584	13	37
1,783	330	89	1,307	2,958	206	1,528	146	352	261	195	254	1,785	66	130	682	1,457	608	3,388	12	38
57	9	9	47	139	11	101	6	48	16	12	23	100	13	13	57	112	29	196	1	39
26	3	.....	27	60	3	17	4	1	2	5	2	24	2	3	8	18	9	36	.....	40
21	.....	3	13	18	2	22	5	6	4	2	3	19	.....	5	13	34	6	39	.....	41
21	.....	3	12	17	1	21	5	6	4	1	3	16	.....	5	13	34	6	38	.....	42
.....	.....	.....	1	1	1	1	.....	.....	.....	1	.....	3	.....	.....	.....	.....	.....	1	.....	43
64	8	1	38	74	7	36	.....	4	4	5	5	47	3	4	23	26	5	80	.....	44
23	4	3	13	38	2	17	1	4	4	1	1	10	1	.....	7	24	8	37	1	45
22	4	1	17	45	.....	28	2	19	11	4	.....	23	1	3	20	39	12	47	.....	46
21	4	1	16	43	.....	24	2	15	11	4	.....	21	1	2	17	35	11	43	.....	47
1	.....	.....	1	2	.....	4	.....	4	.....	.....	.....	2	.....	1	3	4	1	4	.....	48
37	12	2	30	61	6	23	4	8	4	4	3	62	1	1	10	38	7	82	3	49
463	90	33	320	731	58	386	29	129	57	61	55	488	21	47	212	372	160	966	1	50
450	84	29	310	698	56	353	29	110	49	59	51	456	14	41	195	339	150	916	1	51
13	6	4	10	33	2	33	.....	19	8	2	4	32	7	6	17	33	10	50	.....	52
200	38	9	158	351	22	178	11	41	23	17	31	176	7	13	77	137	51	294	1	53
193	37	9	154	328	22	162	11	36	20	16	29	173	6	12	71	128	49	275	.....	54
7	1	.....	4	23	.....	16	.....	5	3	1	2	3	1	1	6	9	2	19	1	55
55	8	1	47	66	3	28	6	2	3	5	6	47	.....	6	8	15	6	100	.....	56
18	3	.....	13	15	3	12	1	3	5	1	1	13	.....	2	5	16	2	36	.....	57
6	3	.....	5	10	2	6	2	2	1	.....	1	9	.....	.....	5	7	4	19	.....	58
11	3	2	12	21	1	12	1	3	5	.....	1	17	.....	4	11	28	1	39	3	59
11	3	2	12	19	1	12	1	3	5	.....	1	17	.....	4	10	24	1	37	3	60
.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	4	.....	2	.....	61
74	11	4	39	126	9	74	7	28	17	10	9	84	7	6	38	93	31	145	1	62
70	11	3	35	121	7	68	7	20	15	9	7	73	5	5	32	83	27	132	1	63
4	.....	1	4	5	2	6	.....	8	2	1	2	11	2	1	6	10	4	13	.....	64
16	2	.....	23	33	2	22	3	17	4	7	2	13	1	3	14	32	7	50	.....	65
84	14	4	69	135	3	36	6	21	13	11	12	92	1	5	31	63	32	180	1	66

[3] Includes deaths of 66 Negroes, 56 Chinese, and 22 Japanese.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	CALIFORNIA—continued.														
1	San Francisco (total)	7,260	41	2	.....	22	9	21	115	10	9	820	79	63	18
2	White	6,846	36	1	.....	22	8	21	115	9	8	732	69	57	18
3	Colored [1]	414	5	1	.....	.....	1	.....	.....	1	1	88	10	6	.....
4	San Jose	463	2	.....	.....	5	2	3	3	4	.....	42	7	1	.....
5	Santa Barbara	233	5	.....	.....	2	.....	1	2	3	.....	20	4	4	.....
6	Santa Cruz	190	1	.....	.....	.....	.....	.....	2	2	1	13	.....	2	.....
7	Stockton (total)	724	5	.....	.....	1	1	.....	3	3	2	80	5	5	2
8	White	640	4	.....	.....	1	1	.....	3	3	2	63	4	5	2
9	Colored	84	1	.....	.....	.....	.....	.....	.....	.....	.....	17	1	.....	.....
10	Vallejo	131	1	.....	.....	1	.....	2	1	1	.....	14	.....	1	.....
	COLORADO.														
11	Registration cities (total)	4,510	32	2	.....	5	10	17	12	42	9	796	24	21	31
12	White	4,313	31	2	.....	5	10	15	12	41	9	751	23	21	29
13	Colored	197	1	.....	.....	.....	.....	2	.....	1	.....	45	1	.....	2
14	Colorado Springs	500	1	2	.....	.....	1	.....	.....	9	1	137	3	4	4
15	Denver	3,355	16	.....	.....	3	9	16	8	27	7	596	18	13	22
16	Pueblo	479	11	.....	.....	2	.....	1	4	4	1	48	2	3	2
17	Trinidad	176	4	.....	.....	.....	.....	.....	.....	2	.....	15	1	1	3
	CONNECTICUT.														
18	Registration cities (total)	12,587	122	14	.....	42	23	104	147	157	48	954	106	79	45
19	White	12,288	118	13	.....	41	23	97	144	154	48	912	102	73	41
20	Colored	299	4	1	.....	1	.....	7	3	3	.....	42	4	6	4
21	Ansonia	213	2	.....	.....	1	.....	8	2	1	1	15	.....	2	2
22	Bridgeport	1,827	6	2	.....	8	9	23	31	14	7	143	11	7	1
23	Bristol	154	.....	.....	.....	.....	.....	2	3	.....	.....	12	1	1	2
24	Danbury town	356	3	.....	.....	1	5	8	2	6	1	31	1	4	2
25	Greenwich town	236	2	.....	.....	1	.....	.....	1	3	1	15	1	3	3
26	Hartford	1,917	21	1	.....	2	1	11	20	17	4	78	15	11	3
27	Manchester town	142	.....	.....	.....	.....	.....	6	1	2	.....	10	.....	.....	.....
28	Meriden town	552	3	2	.....	.....	.....	1	6	25	1	126	3	1	2
29	Middletown town	479	1	1	.....	.....	.....	.....	1	4	8	42	2	7	1
30	Naugatuck	153	.....	.....	.....	.....	.....	1	5	2	1	14	1	.....	1
31	New Britain	576	2	.....	.....	.....	.....	6	9	6	.....	46	4	3	1
32	New Haven	2,311	29	5	.....	18	5	10	34	18	13	131	33	17	7
33	New London	399	11	.....	.....	2	.....	2	5	3	.....	22	2	3	.....
34	Norwalk	346	4	1	.....	.....	.....	5	.....	10	.....	26	1	2	3
35	Norwich town	575	9	.....	.....	2	2	7	4	14	2	87	5	4	1
36	Orange town	143	.....	.....	.....	.....	.....	1	1	.....	1	5	1	1	2
37	Stamford town	515	1	1	.....	1	.....	3	3	6	3	37	13	3	2
38	Torrington town	148	1	.....	.....	.....	1	.....	3	2	.....	17	1	.....	2
39	Wallingford town	127	.....	.....	.....	.....	.....	.....	2	1	.....	17	.....	.....	.....
40	Waterbury	1,173	25	1	.....	6	.....	10	13	19	5	70	9	7	8
41	Windham town	245	2	.....	.....	.....	.....	.....	1	4	.....	10	2	3	2
	DELAWARE.[2]														
42	Wilmington (total)	1,528	17	2	.....	3	2	7	11	20	6	139	9	11	5
43	White	1,318	14	1	.....	2	2	5	11	15	6	115	9	11	4
44	Colored	210	3	1	.....	1	.....	2	.....	5	.....	24	.....	.....	1
	DISTRICT OF COLUMBIA.														
45	Washington (total)	6,506	43	2	.....	7	9	19	27	103	9	716	30	37	22
46	White	3,915	22	.....	.....	6	8	8	20	66	6	298	12	19	17
47	Colored	2,591	21	2	.....	1	1	11	7	37	3	418	18	18	5
	FLORIDA.[2]														
48	Registration cities (total)	2,795	41	18	.....	8	.....	10	23	24	.....	322	8	16	5
49	White	1,392	27	6	.....	8	.....	7	15	15	.....	103	8	6	3
50	Colored	1,403	14	12	.....	.....	.....	3	8	9	.....	219	.....	10	2
51	Jacksonville (total)	1,355	15	5	.....	.....	.....	6	16	15	.....	156	1	5	3
52	White	533	10	2	.....	.....	.....	4	8	9	.....	33	1	2	2
53	Colored	822	5	3	.....	.....	.....	2	8	6	.....	123	.....	3	1
54	Key West (total)	278	9	1	.....	.....	.....	.....	.....	.....	.....	34	1	4	.....
55	White	190	5	.....	.....	.....	.....	.....	.....	.....	.....	22	1	1	.....
56	Colored	88	4	1	.....	.....	.....	.....	.....	.....	.....	12	.....	3	.....
57	Pensacola (total)	418	7	6	.....	.....	.....	2	1	3	.....	51	1	.....	1
58	White	177	4	.....	.....	.....	.....	2	1	3	.....	13	1	.....	.....
59	Colored	241	3	6	.....	.....	.....	.....	.....	.....	.....	38	.....	.....	1
60	Tampa (total)	744	10	6	.....	8	.....	2	6	6	.....	81	5	7	1
61	White	492	8	4	.....	8	.....	1	6	3	.....	35	5	3	1
62	Colored	252	2	2	.....	.....	.....	1	.....	3	.....	46	.....	4	.....

[1] Includes deaths of 53 Negroes, 1 Indian, 285 Chinese, 74 Japanese, and 1 Filipino.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
592	117	25	404	1,071	73	597	55	91	101	65	125	628	31	30	205	517	258	1,065	1	1
568	116	23	382	1,025	67	575	51	87	100	62	113	596	29	30	190	490	248	997	1	2
24	1	2	22	46	6	22	4	4	1	3	12	32	2	.....	15	27	10	68	.....	3
40	6	1	33	79	7	31	4	5	6	3	7	50	2	3	14	23	6	74	.....	4
19	1	1	24	32	1	12	2	3	2	1	4	18	.....	3	10	15	4	40	.....	5
13	3	.....	21	45	1	8	1	4	4	.....	1	14	.....	.....	6	12	3	32	1	6
46	8	8	39	67	10	71	6	8	5	4	6	40	1	3	17	49	24	205	.....	7
45	8	6	37	61	10	59	6	5	5	3	4	37	.....	2	14	41	22	187	.....	8
1	.....	2	2	6	.....	12	.....	3	.....	1	2	3	1	1	3	8	2	18	.....	9
10	1	.....	9	19	2	13	2	1	2	1	2	11	.....	2	5	11	1	18	.....	10
260	51	26	179	399	36	544	60	64	71	43	32	372	27	26	238	188	91	792	10	11
251	51	24	174	374	35	511	59	61	70	41	30	358	27	24	232	181	90	761	10	12
9	.....	2	5	25	1	33	1	3	1	2	2	14	.....	2	6	7	1	31	.....	13
35	4	1	19	49	1	47	6	3	4	2	.....	40	2	1	18	15	6	85	.....	14
202	43	20	128	301	24	410	45	37	58	30	30	285	20	18	174	126	67	597	5	15
21	2	4	25	39	10	56	4	18	8	11	1	30	2	4	38	32	10	83	3	16
2	2	1	7	10	1	31	5	6	1	.....	1	17	3	3	8	15	8	27	2	17
778	191	105	804	1,224	170	1,402	116	840	115	111	104	990	50	103	755	705	161	1,950	72	18
770	190	103	792	1,186	165	1,373	111	821	111	110	103	962	49	101	737	696	158	1,915	69	19
8	1	2	12	38	5	29	5	19	4	1	1	28	1	2	18	9	3	35	3	20
5	1	11	13	19	7	17	1	33	.....	.....	3	7	.....	.....	13	8	2	28	11	21
88	25	15	101	148	18	242	22	130	19	15	29	187	10	15	111	117	33	230	10	22
8	.....	2	9	13	2	21	3	15	.....	3	.....	7	.....	1	9	6	3	30	1	23
21	11	5	31	46	2	35	1	10	6	2	2	15	2	1	19	22	5	56	.....	24
25	7	2	14	19	2	12	1	5	3	3	2	23	1	4	14	15	4	50	.....	25
135	40	12	138	167	22	237	19	134	27	29	15	135	13	14	132	117	22	319	6	26
8	.....	1	6	21	3	12	2	14	.....	1	.....	9	.....	1	14	11	2	17	1	27
40	8	4	35	54	7	31	4	35	3	3	2	32	1	5	18	21	7	72	.....	28
12	3	3	57	77	2	68	6	18	3	2	1	41	3	1	10	13	4	86	2	29
9	.....	1	11	15	6	17	.....	21	.....	.....	3	12	.....	.....	6	8	2	17	.....	30
32	9	3	31	48	4	58	4	66	2	4	9	36	.....	3	71	30	5	74	10	31
149	31	17	141	269	28	292	25	97	21	16	13	199	7	22	110	130	28	379	17	32
34	5	2	23	46	4	31	5	18	2	2	2	36	4	3	24	31	.....	77	.....	33
21	6	5	34	25	8	27	4	13	4	2	4	31	2	1	25	24	7	50	1	34
32	9	4	26	62	9	56	3	23	5	7	4	39	3	6	29	22	8	89	2	35
14	3	1	14	24	1	14	.....	7	.....	1	1	15	.....	.....	6	13	1	15	1	36
34	16	4	35	52	6	49	3	30	4	7	5	40	1	5	39	32	9	71	.....	37
13	1	.....	8	9	1	10	.....	18	.....	1	.....	11	.....	1	22	3	2	20	1	38
6	5	2	13	15	3	9	2	10	.....	1	.....	6	.....	.....	6	7	2	20	.....	39
76	8	10	53	75	31	142	10	130	12	8	8	79	2	18	62	59	11	198	8	40
16	3	1	11	20	4	22	1	13	4	4	1	30	1	2	15	16	4	52	1	41
79	8	7	95	153	7	196	24	86	8	14	16	148	[2]9	7	89	116	12	216	6	42
74	8	7	80	133	6	155	21	78	6	12	15	132	4	7	77	108	12	182	6	43
5	.....	.....	15	20	1	41	3	8	2	2	1	16	5	.....	12	8	.....	34	.....	44
399	72	26	456	804	79	634	89	169	56	46	53	651	27	22	325	276	86	1,204	8	45
304	61	19	304	556	44	304	56	75	39	27	44	391	13	14	189	173	75	740	5	46
95	11	7	152	248	35	330	33	94	17	19	9	260	14	8	136	103	11	464	3	47
103	13	14	116	156	16	164	26	131	19	27	37	233	19	31	122	182	32	686	193	48
78	11	12	66	90	8	82	11	84	12	16	13	131	7	17	67	92	28	320	49	49
25	2	2	50	66	8	82	15	47	7	11	24	102	12	14	55	90	4	366	144	50
34	7	4	71	82	4	84	14	36	11	17	15	133	12	19	46	113	11	307	113	51
23	7	4	28	41	3	31	4	15	7	9	1	64	3	9	17	50	10	121	15	52
11	.....	.....	43	41	1	53	10	21	4	8	14	69	9	10	29	63	1	186	98	53
18	1	3	17	11	4	17	.....	28	.....	1	2	31	.....	3	19	6	3	63	2	54
12	1	1	15	9	2	11	.....	14	.....	.....	1	26	.....	3	10	6	3	47	.....	55
6	.....	2	2	2	2	6	.....	14	.....	1	1	5	.....	.....	9	.....	.....	16	2	56
14	.....	.....	14	32	3	21	8	18	3	5	11	21	2	5	17	27	2	132	11	57
11	.....	.....	10	18	1	8	3	10	1	3	4	10	.....	2	8	14	2	42	6	58
3	.....	.....	4	14	2	13	5	8	2	2	7	11	2	3	9	13	.....	90	5	59
37	5	7	14	31	5	42	4	49	5	4	9	48	5	4	40	36	16	184	67	60
32	3	7	13	22	2	32	4	45	4	4	7	31	4	3	32	22	13	110	28	61
5	2	.....	1	9	3	10	.....	4	1	.....	2	17	1	1	8	14	3	74	39	62

[2]Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	GEORGIA.[1]														
1	Registration cities (total)	5,606	69	78	.....	3	1	43	26	69	4	552	20	54	18
2	White	2,411	38	25	.....	2	1	17	23	29	3	158	11	11	8
3	Colored	3,195	31	53	.....	1	.....	26	3	40	1	394	9	43	10
4	Atlanta (total)	2,796	29	6	.....	2	1	32	15	36	2	206	15	22	10
5	White	1,444	22	3	.....	2	1	11	13	19	2	92	7	7	5
6	Colored	1,352	7	3	.....	.....	.....	21	2	17	.....	114	8	15	5
7	Augusta (total)	1,125	22	29	.....	.....	.....	5	7	6	.....	128	.....	12	4
8	White	478	9	11	.....	.....	.....	5	7	.....	.....	38	.....	3	2
9	Colored	647	13	18	.....	.....	.....	.....	.....	6	.....	90	.....	9	2
10	Savannah (total)	1,685	18	43	.....	1	.....	6	4	27	2	218	5	20	4
11	White	489	7	11	.....	.....	.....	1	3	10	1	28	4	1	1
12	Colored	1,196	11	32	.....	1	.....	5	1	17	1	190	1	19	3
	ILLINOIS.[1]														
13	Registration cities (total)	38,436	171	11	.....	293	101	86	710	269	110	4,015	269	276	162
14	White	36,949	163	9	.....	290	97	83	704	261	108	3,707	258	248	157
15	Colored	1,487	8	2	.....	3	4	3	6	8	2	308	11	28	5
16	Aurora	471	7	.....	.....	3	1	.....	6	3	2	34	3	4	.....
17	Belleville	260	2	.....	.....	.....	2	1	8	1	1	29	.....	1	1
18	Chicago (total)	34,894	130	9	.....	264	84	66	672	230	100	3,735	256	251	148
19	White	33,601	123	8	.....	261	80	63	667	224	98	3,464	245	226	145
20	Colored	1,293	7	1	.....	3	4	3	5	6	2	271	11	25	3
21	Decatur	458	3	.....	.....	1	8	8	3	1	.....	26	3	2	3
22	Evanston	340	1	.....	.....	3	.....	1	4	4	2	13	1	5	.....
23	Jacksonville (total)	454	1	.....	.....	.....	.....	.....	1	2	3	36	2	4	1
24	White	428	1	.....	.....	.....	.....	.....	1	2	3	29	2	4	1
25	Colored	26	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	.....	.....
26	Quincy	564	10	1	.....	.....	.....	9	3	22	1	58	1	2	3
27	Springfield (total)	995	17	1	.....	22	6	1	13	6	1	84	3	7	6
28	White	913	16	.....	.....	22	6	1	12	5	1	74	3	5	4
29	Colored	82	1	1	.....	.....	.....	.....	1	1	.....	10	.....	2	2
	INDIANA.														
30	Registration cities (total)	12,518	148	15	2	29	35	64	109	110	36	1,226	63	152	61
31	White	11,499	127	13	1	27	35	60	105	103	33	1,031	60	126	53
32	Colored	1,019	21	2	1	2	.....	4	4	7	3	195	3	26	8
33	Anderson	290	2	.....	1	.....	1	3	3	.....	1	24	4	8	2
34	East Chicago	371	3	.....	.....	8	5	3	5	1	1	22	.....	2	1
35	Elkhart	259	2	1	.....	.....	.....	1	4	1	2	22	.....	1	.....
36	Elwood	127	2	2	.....	.....	1	4	1	2	.....	11	.....	1	.....
37	Evansville (total)	978	17	9	.....	3	1	.....	6	8	8	110	2	20	5
38	White	814	13	8	.....	3	1	.....	6	8	7	84	2	15	3
39	Colored	164	4	1	.....	.....	.....	.....	.....	.....	1	26	.....	5	2
40	Fort Wayne	883	5	.....	.....	1	.....	6	8	7	3	69	5	7	3
41	Gary	385	1	.....	.....	3	.....	3	.....	3	1	22	2	4	.....
42	Hammond	364	9	.....	.....	2	3	3	7	4	.....	24	.....	2	1
43	Huntington	126	1	.....	.....	.....	1	.....	.....	4	.....	10	.....	1	.....
44	Indianapolis (total)	3,911	38	.....	.....	.....	8	17	21	24	8	462	21	61	13
45	White	3,352	29	.....	.....	.....	8	14	20	21	6	337	18	47	10
46	Colored	559	9	.....	.....	.....	.....	3	1	3	2	125	3	14	3
47	Jeffersonville (total)	130	.....	.....	.....	.....	.....	.....	6	1	.....	16	2	3	2
48	White	98	.....	.....	.....	.....	.....	.....	3	.....	.....	11	2	1	2
49	Colored	32	.....	.....	.....	.....	.....	.....	3	1	.....	5	.....	2	.....
50	Kokomo	251	4	.....	.....	.....	3	1	3	2	2	21	3	3	4
51	Lafayette	411	8	.....	.....	.....	1	.....	1	3	3	35	1	2	1
52	Laporte	154	.....	.....	.....	.....	2	3	.....	4	.....	5	.....	.....	.....
53	Logansport	267	7	.....	.....	.....	1	1	2	10	.....	14	.....	3	2
54	Marion	305	4	.....	.....	.....	1	4	5	3	1	30	3	4	6
55	Michigan City	254	4	.....	.....	1	2	2	1	1	.....	24	2	3	1
56	Mishawaka	173	2	.....	.....	1	1	.....	2	.....	.....	16	1	1	2
57	Muncie	315	6	.....	.....	.....	1	2	4	9	.....	27	3	4	3
58	New Albany (total)	321	7	1	.....	.....	.....	.....	4	4	.....	41	2	3	3
59	White	286	5	.....	.....	.....	.....	.....	4	4	.....	32	2	3	1
60	Colored	35	2	1	.....	.....	.....	.....	.....	.....	.....	9	.....	.....	2
61	Peru	145	3	.....	.....	.....	.....	1	.....	2	.....	8	1	.....	1
62	Richmond (total)	286	2	.....	.....	.....	.....	1	.....	4	3	30	1	1	2
63	White	273	2	.....	.....	.....	.....	1	.....	4	3	27	1	1	2
64	Colored	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....
65	South Bend	688	3	.....	.....	4	2	5	14	4	1	59	3	5	3
66	Terre Haute	903	14	.....	.....	6	1	3	8	6	1	105	6	10	3
67	Vincennes	221	4	2	1	.....	.....	1	4	3	1	19	1	3	3

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
196	37	18	329	497	41	491	72	212	60	55	26	585	27	39	196	328	52	1,327	81	1
138	27	13	160	190	15	177	35	92	35	24	17	275	12	25	105	139	47	531	28	2
58	10	5	169	307	26	314	37	120	25	31	9	310	15	14	91	189	5	796	53	3
115	24	12	150	241	19	262	39	87	33	29	12	296	15	29	96	192	34	686	49	4
84	18	9	88	107	9	102	18	52	23	12	10	158	9	21	64	83	30	343	20	5
31	6	3	62	134	10	160	21	35	10	17	2	138	6	8	32	109	4	343	29	6
33	6	.....	70	108	8	117	17	43	12	14	5	137	6	3	36	61	9	222	5	7
26	4	.....	32	31	1	45	10	23	7	8	3	69	2	2	15	29	9	84	3	8
7	2	.....	38	77	7	72	7	20	5	6	2	68	4	1	21	32	.....	138	2	9
48	7	6	109	148	14	112	16	82	15	12	9	152	6	7	64	75	9	419	27	10
28	5	4	40	52	5	30	7	17	5	4	4	48	1	2	26	27	8	104	5	11
20	2	2	69	96	9	82	9	65	10	8	5	104	5	5	38	48	1	315	22	12
2,354	474	170	1,445	4,123	393	4,350	305	2,825	479	298	532	2,993	185	215	1,533	3,034	674	5,551	30	13
2,304	462	164	1,397	3,925	385	4,148	298	2,798	469	284	522	2,866	177	211	1,502	2,942	662	5,320	28	14
50	12	6	48	198	8	202	7	27	10	14	10	127	8	4	31	92	12	231	2	15
34	7	2	22	49	9	53	3	13	7	6	6	40	.....	3	11	39	8	96	.....	16
21	5	3	25	19	12	16	2	5	4	5	7	16	1	.....	8	10	8	47	.....	17
2,104	434	153	1,258	3,767	343	4,026	265	2,759	415	252	489	2,730	171	199	1,389	2,835	611	4,730	19	18
2,061	423	147	1,218	3,589	336	3,844	259	2,737	406	239	479	2,623	165	195	1,370	2,756	600	4,532	18	19
43	11	6	40	178	7	182	6	22	9	13	10	107	6	4	19	79	11	198	1	20
35	11	2	27	44	5	43	4	5	2	4	3	45	1	1	23	41	3	98	3	21
32	4	3	19	49	1	35	5	4	6	4	1	19	1	3	26	16	9	68	1	22
17	2	1	23	41	3	35	5	2	15	7	1	23	1	.....	13	9	9	197	.....	23
17	2	1	21	37	3	33	5	1	14	6	1	21	1	.....	13	8	9	192	.....	24
.....	.....	.....	2	4	.....	2	.....	1	1	1	.....	2	.....	.....	.....	1	.....	5	.....	25
54	3	2	32	62	10	48	9	7	6	5	15	29	1	1	21	17	6	119	7	26
57	8	4	39	92	10	94	12	30	24	15	10	91	9	8	42	67	20	196	.....	27
54	8	4	37	84	9	86	11	28	24	15	10	83	7	8	33	60	20	183	.....	28
3	.....	.....	2	8	1	8	1	2	.....	.....	.....	8	2	.....	9	7	.....	13	.....	29
793	194	79	767	1,370	129	1,189	105	551	159	137	159	939	99	81	685	774	165	2,086	7	30
761	185	71	724	1,222	120	1,055	101	527	152	132	149	873	96	78	648	712	159	1,953	7	31
32	9	8	43	148	9	134	4	24	7	5	10	66	3	3	37	62	6	133	.....	32
19	4	.....	19	27	6	26	4	5	4	4	6	22	3	3	15	12	5	57	.....	33
5	1	1	2	7	5	73	2	109	.....	1	5	12	1	2	34	32	1	27	.....	34
22	3	1	28	34	2	24	2	4	3	4	2	26	2	.....	13	14	2	39	.....	35
6	3	2	4	11	1	3	1	6	2	1	3	18	1	1	11	5	1	23	.....	36
51	16	4	59	120	15	104	7	34	11	8	12	81	10	4	52	47	10	144	.....	37
46	16	2	49	94	14	73	7	30	9	7	11	72	9	3	45	42	9	126	.....	38
5	.....	2	10	26	1	31	.....	4	2	1	1	9	1	1	7	5	1	18	.....	39
76	15	3	74	77	8	85	6	14	12	13	11	81	3	7	47	56	13	168	.....	40
11	1	3	8	16	1	61	1	69	6	7	3	16	6	3	27	46	8	53	.....	41
20	3	1	17	15	3	43	5	44	5	2	9	16	5	6	23	38	10	44	.....	42
6	1	.....	15	22	1	5	1	.....	2	1	3	7	1	2	7	10	3	22	.....	43
250	56	36	223	497	41	378	33	82	51	46	53	284	28	23	202	192	45	716	2	44
234	50	31	205	413	37	305	30	70	48	43	47	243	26	22	183	162	42	649	2	45
16	6	5	18	84	4	73	3	12	3	3	6	41	2	1	19	30	3	67	.....	46
8	3	2	7	17	3	13	1	2	.....	1	1	17	.....	.....	2	6	1	16	.....	47
7	1	2	5	14	3	8	1	2	.....	1	1	14	.....	.....	2	3	1	14	.....	48
1	2	.....	2	3	.....	5	.....	.....	.....	.....	.....	3	.....	.....	.....	3	.....	2	.....	49
18	2	3	12	17	3	19	3	13	7	2	2	18	2	1	20	24	3	36	.....	50
42	16	3	32	51	2	32	3	5	7	2	9	33	4	1	18	28	5	63	.....	51
13	4	2	9	22	1	9	.....	3	3	1	.....	13	.....	1	10	15	1	33	.....	52
17	3	3	24	11	3	19	4	7	5	4	3	27	3	3	15	20	4	52	.....	53
26	3	4	18	39	1	23	3	3	2	4	4	16	2	4	20	18	3	51	.....	54
16	5	1	13	30	2	22	.....	19	2	4	5	17	.....	2	21	14	3	37	.....	55
11	7	1	14	16	4	8	1	17	3	1	1	12	1	2	13	12	1	22	.....	56
19	8	3	19	43	2	17	.....	9	2	3	2	13	3	1	12	26	9	64	1	57
18	7	.....	24	36	8	18	7	5	6	4	3	32	2	2	11	16	2	55	.....	58
18	7	.....	18	36	7	15	7	5	6	4	3	29	2	2	11	15	2	48	.....	59
.....	.....	.....	6	.....	1	3	.....	.....	.....	.....	.....	3	.....	.....	.....	1	.....	7	.....	60
8	5	1	19	12	1	19	.....	2	.....	1	.....	18	.....	1	3	10	1	28	.....	61
26	2	1	16	42	3	16	3	11	2	1	5	39	1	2	18	7	4	42	1	62
24	2	1	16	40	3	15	3	10	1	1	5	38	1	2	18	7	4	40	1	63
2	.....	.....	.....	2	.....	1	.....	1	1	.....	.....	1	.....	.....	.....	.....	.....	2	.....	64
36	13	1	40	92	7	51	7	45	5	9	5	40	8	3	45	38	16	122	2	65
51	12	3	53	96	6	98	6	31	12	12	12	64	11	5	38	73	13	143	1	66
18	1	.....	18	20	.....	23	5	12	7	1	.....	17	2	2	8	15	1	29	.....	67

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	KANSAS.														
1	Registration cities (total)	4,597	65	10	3	14	8	38	67	100	14	299	7	23	25
2	White	3,911	55	8	2	14	7	34	64	69	13	200	7	18	24
3	Colored	686	10	2	1		1	4	3	31	1	99		5	1
4	Atchison (total)	196	3				1	1	2	4	1	7	1	2	3
5	White	162	3				1	1	2	4	1	3	1	1	3
6	Colored	34										4		1	
7	Coffeyville (total)	160	1	1		1		2	4	2		11		1	1
8	White	130	1			1		2	3	1		8			1
9	Colored	30		1					1	1		3		1	
10	Fort Scott (total)	171	3						1	2		4			2
11	White	148	3						1	2		3			2
12	Colored	23										1			
13	Hutchinson (total)	206	4			1		2		4		9		1	
14	White	191	3			1		2		4		7		1	
15	Colored	15	1									2			
16	Independence (total)	163	5	1			1	4	4	7		11		1	2
17	White	147	5	1			1	4	4	6		8			2
18	Colored	16								1		3		1	
19	Kansas City (total)	1,344	15	2		3	5	13	31	33	3	128	3	7	6
20	White	1,082	12	2		3	4	10	30	18	3	86	3	6	6
21	Colored	262	3				1	3	1	15		42		1	
22	Lawrence (total)	201	1					2	1	9		18		1	1
23	White	152	1					1	1	4		9		1	1
24	Colored	49						1		5		9			
25	Leavenworth (total)	278	4	2			1		4	15	1	20			1
26	White	226	2	2			1		4	9	1	16			
27	Colored	52	2							6		4			1
28	Parsons (total)	195	1	1		1		1	2	1	1	16			
29	White	162	1			1		1	2	1	1	9			
30	Colored	33		1								7			
31	Pittsburg	231	4			2		1	4	2	1	8		1	1
32	Topeka (total)	674	14	2				4	12	10	4	35	2	3	1
33	White	573	11	2				4	11	7	3	21	2	3	1
34	Colored	101	3						1	3	1	14			
35	Wichita	778	10	1	3	6		8	2	11	3	32	1	6	7
	KENTUCKY.														
36	Registration cities (total)	6,891	82	28		11	8	32	38	75	11	867	44	46	33
37	White	4,964	58	11		11	6	23	33	54	9	528	37	46	19
38	Colored	1,927	24	17			2	9	5	21	2	339	7	20	14
39	Covington (total)	862	8	1			2	3	3	11	2	113	5	7	2
40	White	756	8				2	2	3	10	2	96	5	6	
41	Colored	106		1				1		1		17		1	2
42	Frankfort (total)	184							6	2		41	2	2	1
43	White	117							5	1		19	1	2	1
44	Colored	67							1	1		22	1		
45	Henderson (total)	218	7	1		3		2	1	5		31	1	1	1
46	White	134	5			3		2	1			13	1		1
47	Colored	84	2	1						5		18		1	
48	Lexington (total)	977	12			3	2	12	4	7		124	8	9	5
49	White	597	9			3	1	7	3	6		55	7	6	2
50	Colored	380	3				1	5	1	1		69	1	3	3
51	Louisville (total)	3,550	33	7			2	11	14	37	7	393	21	26	14
52	White	2,538	24	2			1	8	13	27	5	239	16	14	9
53	Colored	1,012	9	5			1	3	1	10	2	154	5	12	5
54	Newport (total)	377	3			4	1	2	2	2	1	53	2	6	3
55	White	352	3			4	1	2	2	2	1	47	2	6	3
56	Colored[1]	25										6			
57	Owensboro (total)	291	8	3		1	1		2	5		39	2	10	
58	White	216	5	3		1	1		2	3		28	2	8	1
59	Colored	75	3							2		11		2	3
60	Paducah (total)	432	11	16				2	6	6	1	73	3	5	3
61	White	254	4	6				2	4	5	1	31	3	4	2
62	Colored	178	7	10					2	1		42		1	1
	LOUISIANA.[2]														
63	New Orleans (total)	7,752	75	36	5	3	2	18	113	189	7	971	24	115	17
64	White	4,442	53	16	2	3	2	9	80	125	6	432	19	27	8
65	Colored	3,310	22	20	3			9	33	64	1	539	5	88	9
	MAINE.														
66	Registration cities (total)	3,052	36			7	6	17	17	33	6	203	25	33	11
67	White	3,043	36			7	6	17	17	33	6	202	25	33	11
68	Colored	9										1			

[1] Colored population less than 5 per cent of the total in 1910.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
303	76	20	236	450	47	476	42	92	66	50	41	333	29	30	255	294	52	986	46	1
280	69	17	212	376	40	382	32	76	63	43	35	269	24	27	239	248	51	878	35	2
23	7	3	24	74	7	94	10	16	3	7	6	64	5	3	16	46	1	108	11	3
14	4	.....	12	20	3	22	4	2	1	2	1	10	.....	1	9	19	2	42	3	4
14	3	.....	11	12	3	18	3	1	1	2	1	7	.....	1	8	18	2	36	1	5
.....	1	.....	1	8	.....	4	1	1	.....	.....	.....	3	.....	.....	1	1	.....	6	2	6
8	6	2	14	11	1	13	3	4	1	2	2	16	.....	.....	14	8	2	28	1	7
7	6	2	12	7	1	13	1	2	1	1	2	11	.....	.....	14	8	2	23	.....	8
1	.....	.....	2	4	.....	.....	2	2	.....	1	.....	5	.....	.....	.....	.....	.....	5	1	9
13	4	1	12	13	3	12	2	.....	3	.....	2	11	1	1	13	12	3	47	6	10
13	3	1	11	13	2	3	2	.....	3	.....	2	10	1	1	12	11	3	41	5	11
.....	1	.....	1	.....	1	9	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	6	1	12
10	5	1	16	22	1	19	1	4	5	1	4	7	1	5	15	13	5	47	3	13
10	5	1	15	20	1	17	1	4	5	1	3	6	1	5	15	11	5	44	3	14
.....	.....	.....	1	2	.....	2	.....	.....	.....	.....	1	1	.....	.....	.....	2	.....	3	.....	15
3	3	2	6	14	2	7	1	5	3	1	.....	11	.....	1	10	9	2	45	2	16
3	3	2	6	13	2	6	1	3	2	1	.....	11	.....	1	9	6	2	43	2	17
.....	.....	.....	.....	1	.....	1	.....	2	1	.....	.....	.....	.....	.....	1	3	.....	2	.....	18
85	19	6	49	113	12	196	10	45	5	18	11	108	11	7	74	95	13	214	4	19
76	16	3	43	91	10	157	8	37	5	15	9	75	7	5	70	73	13	185	1	20
9	3	3	6	22	2	39	2	8	.....	3	2	33	4	2	4	22	.....	29	3	21
21	4	.....	14	17	4	19	3	.....	.....	1	1	11	.....	1	8	13	4	45	2	22
21	3	.....	14	12	4	14	2	.....	.....	.....	1	3	.....	1	8	10	4	35	2	23
.....	1	.....	.....	5	.....	5	1	.....	.....	1	.....	8	.....	.....	.....	3	.....	10	.....	24
17	3	.....	15	35	7	24	2	4	3	1	1	15	2	1	17	16	2	63	2	25
14	3	.....	11	29	5	20	1	4	3	.....	1	14	1	1	16	14	2	50	2	26
3	.....	.....	4	6	2	4	1	.....	.....	1	.....	1	1	.....	1	2	.....	13	.....	27
17	.....	1	11	17	.....	25	.....	.....	4	4	3	11	2	1	10	13	1	50	1	28
15	.....	1	10	15	.....	18	.....	.....	3	4	3	10	2	1	9	9	.....	45	1	29
2	.....	.....	1	2	.....	7	.....	.....	1	.....	.....	1	.....	.....	1	4	1	5	.....	30
9	1	1	15	19	3	25	1	6	5	2	7	32	3	2	4	20	2	47	3	31
34	13	1	29	86	2	60	9	9	11	5	5	58	2	4	36	34	7	165	17	32
30	13	1	24	69	2	49	7	7	10	5	3	52	2	4	32	30	7	148	13	33
4	.....	.....	5	17	.....	11	2	2	1	.....	2	6	.....	.....	4	4	.....	17	4	34
72	14	5	43	83	9	54	6	13	25	13	4	43	7	6	45	42	9	193	2	35
359	65	43	387	675	106	607	95	146	85	66	68	655	29	32	319	377	105	1,340	37	36
307	62	36	299	475	62	373	58	117	71	45	54	499	24	25	259	266	102	974	21	37
52	3	7	88	200	44	234	37	29	14	21	14	156	5	7	60	111	3	366	16	38
50	13	6	56	109	6	88	8	15	9	7	16	84	3	8	46	44	9	122	6	39
47	12	6	49	98	6	74	5	15	7	6	16	71	2	8	43	36	9	108	4	40
3	1	.....	7	11	.....	14	3	.....	2	1	.....	13	1	.....	3	8	.....	14	2	41
9	1	.....	7	10	2	13	1	4	3	1	1	17	.....	.....	11	8	2	35	5	42
8	1	.....	5	5	1	5	1	2	2	1	.....	14	.....	.....	7	5	2	26	3	43
1	.....	.....	2	5	1	8	.....	2	1	.....	1	3	.....	.....	4	3	.....	9	2	44
10	.....	3	14	17	4	19	3	11	2	1	2	17	.....	.....	15	11	1	32	3	45
7	.....	3	9	11	1	11	3	8	2	.....	1	10	.....	.....	11	7	1	21	2	46
3	.....	.....	5	6	3	8	.....	3	.....	1	1	7	.....	.....	4	4	.....	11	1	47
50	7	6	55	77	16	74	6	12	19	18	4	63	5	2	24	68	23	253	9	48
40	6	5	37	46	5	34	2	11	14	12	2	30	4	2	14	41	22	166	5	49
10	1	1	18	31	11	40	4	1	5	6	2	33	1	.....	10	27	1	87	4	50
183	38	20	192	370	53	325	59	75	37	31	32	380	13	12	174	188	57	738	8	51
153	37	14	145	251	32	185	37	55	33	22	26	296	11	8	143	136	56	536	4	52
30	1	6	47	119	21	140	22	20	4	9	6	84	2	4	31	52	1	202	4	53
17	4	3	30	45	10	38	3	11	3	2	6	34	2	2	16	22	5	44	1	54
16	4	3	28	38	10	37	3	11	3	2	5	34	2	2	15	19	5	42	.....	55
1	.....	.....	2	7	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1	3	.....	2	1	56
22	1	1	14	19	3	22	3	8	7	2	1	30	2	3	17	11	3	45	2	57
20	1	1	10	10	2	11	2	7	5	1	1	24	2	3	15	8	2	35	2	58
2	.....	.....	4	9	1	11	1	1	2	1	.....	6	.....	.....	2	3	1	10	.....	59
18	1	4	19	28	12	28	12	10	5	4	6	30	4	5	16	25	5	71	3	60
16	1	4	16	16	5	16	5	8	5	1	3	20	3	2	11	14	5	40	1	61
2	.....	.....	3	12	7	12	7	2	.....	3	3	10	1	3	5	11	.....	31	2	62
378	57	17	391	849	86	708	54	382	89	54	119	876	37	52	207	464	69	1,287	1	63
258	45	14	245	501	54	319	37	232	66	40	86	540	19	37	120	251	61	734	1	64
120	12	3	146	348	32	389	17	150	23	14	33	336	18	15	87	213	8	553	.....	65
200	40	21	175	325	40	322	29	87	45	32	11	251	12	21	170	146	26	662	43	66
200	40	21	174	323	40	321	27	87	45	32	11	250	12	21	170	146	26	661	43	67
.....	.....	.....	1	2	.....	1	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	68

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	MAINE—continued.														
1	Auburn	207	2							6		8	3		1
2	Augusta	329				1			2	2	1	22		3	1
3	Bangor	559	11					1	1	7	4	42	5	5	1
4	Biddeford	293	2					9	4	4		23	5	5	1
5	Lewiston	463	3			2		1		2		32	3	5	1
6	Portland	1,014	15			2	6	4	10	10	1	64	8	14	4
7	Waterville	187	3			2		2		2		12	1	1	2
	MARYLAND.														
8	Registration cities (total)	10,975	141	1		20	38	24	85	81	19	1,209	63	91	49
9	White	8,398	102	1		16	35	15	83	65	18	757	49	56	40
10	Colored	2,577	39			4	3	9	2	16	1	452	14	35	9
11	Baltimore (total)	10,008	121	1		20	33	21	77	72	16	1,145	59	83	45
12	White	7,536	84	1		16	30	13	75	56	15	703	45	50	36
13	Colored	2,472	37			4	3	8	2	16	1	442	14	33	9
14	Cumberland (total)	414	9				4		2	2	2	33	2	3	2
15	White	381	9				4		2	2	2	27	2	2	2
16	Colored [1]	33										6		1	
17	Frederick (total)	181						1		3	1	6		3	1
18	White	147								3	1	4		3	1
19	Colored	34						1				2			
20	Hagerstown (total)	372	11				1	2	6	4		25	2	2	1
21	White	334	9				1	2	6	4		23	2	1	1
22	Colored	38	2									2		1	
	MASSACHUSETTS.														
23	Registration cities (total)	41,047	205	1	10	237	177	391	646	189	115	3,192	388	279	113
24	White	40,251	203	1	5	231	176	379	641	187	114	3,065	373	264	110
25	Colored	796	2		5	6	1	12	5	2	1	127	15	15	3
26	Adams town	157	2					3		3		18	2	1	
27	Arlington town	168	1			1			1	1		8	1		
28	Attleboro	197	1					3	2	1		8	2	1	2
29	Beverly	282	2			1		4	6	1	3	16	2	1	
30	Boston (total)	12,020	39			41	83	111	218	32	43	1,027	126	68	27
31	White	11,651	38			40	83	107	218	32	43	958	120	61	24
32	Colored	369	1			1		4				69	6	7	3
33	Brockton	690	5				4	1	13	2	3	34	10	7	
34	Brookline town	328				3	1		4	5		16	1	2	
35	Cambridge	1,461	2			6	4	13	28	6	2	204	7	10	8
36	Chelsea	627	4			3	1	4	2	2	2	23	5	2	1
37	Chicopee	421	2			4	2	7	10	3		51	3		1
38	Clinton town	185	1						1	1		15	3	2	1
39	Everett	364				3	1	6	6	2	2	28	4	3	2
40	Fall River	2,020	19	1		18	6	27	33	2	3	144	23	12	8
41	Fitchburg	546	2				9	8	28	4	1	46	5	4	1
42	Framingham town	242	2			1	2	2		1		8		1	
43	Gardner town	208	2					3	3	2		13	2	4	
44	Gloucester	327							2			27	3	1	
45	Greenfield town	140	1					1				3	1		
46	Haverhill	672	3			8	5	1	15	4	2	53	3	3	2
47	Holyoke	956	3			6	5	8	15	6	1	67	9	10	5
48	Lawrence	1,407	8			30	8	33	33	8	4	121	20	14	2
49	Leominster town	244	1				2	3	10	1		12	2	3	2
50	Lowell	1,820	18			1		19	26	4	4	114	15	14	8
51	Lynn	1,176	3			2	1	4	22	10	2	90	11	14	5
52	Malden	518	2			4	5	4	21	3	1	27	4	1	1
53	Marlborough	197	3					3	2	2	1	13		2	
54	Medford	336				1	4	2	1		1	20	3	2	1
55	Melrose	214				1	1			3	1	12	2	1	1
56	Methuen town	154						3	4	1	1	7		1	1
57	Milford town	197				1		2	4	3		16	5	2	
58	New Bedford	1,724	24		10	41	9	20	26	4	5	147	15	15	3
59	Newburyport	199	1						1			6	1	1	1
60	Newton	529	1			3	3	9	7	8		29	5	2	1
61	North Adams	309	3						5	2		21		2	
62	Northampton	376	2					3	3	3	1	32	4		2
63	Peabody town	232	1			2	1	1	2		1	16	5	3	
64	Pittsfield	538				7		1	2	1	2	51	7		5
65	Plymouth town	162	2			2			2	2	2	6	4		3
66	Quincy	431	2			2	1	4	1	2	2	23	8	2	1
67	Revere	191	1			1		2	5			8	2		2
68	Salem	501	2			7		3	3	4	1	33	3	9	
69	Somerville	1,006	9			14	7	7	20	4	3	75	5	4	8
70	Southbridge town	158						1	7		1	11		1	
71	Springfield	1,513	11			4	1	20	11	13	1	81	13	11	1
72	Taunton	747				7	4	9	2	9	2	65	3	4	1
73	Wakefield town	158				3		7	1			9	1		

[1] Colored population less than 5 per cent of the total in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
12	6	.....	23	40	.....	14	1	9	.....	.....	1	21	.....	1	5	7	3	43	1	1
25	4	1	15	38	11	50	2	12	2	2	.....	14	1	.....	13	16	3	85	3	2
41	5	5	43	57	2	42	8	5	7	4	3	35	2	6	31	31	5	135	15	3
13	2	3	7	20	3	49	4	11	3	4	.....	18	.....	2	35	7	2	55	2	4
33	6	3	15	28	9	50	3	27	15	12	.....	43	3	2	22	16	3	117	7	5
65	16	4	62	124	11	93	8	20	11	8	7	104	4	8	51	58	8	199	15	6
11	1	5	10	18	4	24	3	3	7	2	.....	16	2	2	13	11	2	28	.....	7
702	115	42	676	1,137	136	1,224	100	534	89	79	82	1,087	54	53	610	559	113	1,721	41	8
635	112	36	524	874	102	837	78	452	77	64	71	837	44	46	481	459	108	1,298	26	9
67	3	6	152	263	34	387	22	82	12	15	11	250	10	7	129	100	5	423	15	10
630	107	41	624	1,014	125	1,170	93	485	74	69	70	1,003	42	46	558	479	102	1,553	30	11
566	104	35	477	762	93	798	71	406	63	56	62	765	32	40	437	386	97	1,147	15	12
64	3	6	147	252	32	372	22	79	11	13	8	238	10	6	121	93	5	406	15	13
34	4	.....	21	50	3	28	5	25	9	4	5	35	8	3	16	37	3	64	1	14
32	4	.....	19	49	3	22	5	25	9	4	4	30	8	2	13	33	3	63	1	15
2	.....	.....	2	1	.....	6	.....	.....	.....	.....	1	5	.....	1	3	4	.....	1	.....	16
15	2	1	11	19	3	10	.....	5	2	5	2	14	3	2	14	11	2	45	.....	17
15	2	1	11	13	2	4	.....	5	2	3	1	11	3	2	11	10	2	37	.....	18
.....	.....	.....	.....	6	1	6	.....	.....	.....	2	1	3	.....	.....	3	1	.....	8	.....	19
23	2	.....	20	54	5	16	2	19	4	1	5	35	1	2	22	32	6	59	10	20
22	2	.....	17	50	4	13	2	16	3	1	4	31	1	2	20	30	6	51	10	21
1	.....	.....	3	4	1	3	.....	3	1	.....	1	4	.....	.....	2	2	.....	8	.....	22
2,896	609	262	2,686	4,851	626	4,745	294	2,287	332	328	260	2,620	140	312	2,418	2,227	408	6,578	175	23
2,864	602	254	2,643	4,779	618	4,620	288	2,270	375	319	259	2,571	136	309	2,381	2,176	403	6,466	169	24
32	7	8	43	72	8	125	6	17	7	9	1	49	4	3	37	51	5	112	6	25
7	.....	2	10	13	3	13	.....	21	.....	.....	.....	9	.....	.....	17	3	1	24	.....	26
18	2	4	13	22	.....	21	.....	7	1	1	.....	10	3	.....	11	11	3	28	.....	27
13	3	1	16	30	3	15	.....	4	2	1	.....	15	2	2	19	7	1	43	.....	28
32	2	.....	21	51	4	27	.....	5	6	2	.....	20	.....	2	17	16	4	37	.....	29
857	195	84	670	1,446	135	1,512	92	469	129	112	95	727	56	107	668	710	140	1,965	36	30
839	192	82	653	1,415	133	1,454	91	460	127	106	94	703	54	104	650	690	137	1,909	34	31
18	3	2	17	31	2	58	1	9	2	6	1	24	2	3	18	20	3	56	2	32
61	15	1	51	80	5	45	6	21	10	8	9	39	2	10	55	37	10	141	5	33
40	8	.....	33	50	4	29	1	1	3	3	4	32	.....	1	15	10	4	58	.....	34
122	23	9	104	176	22	163	8	56	9	10	8	90	4	9	84	63	10	198	3	35
52	9	4	45	98	7	53	4	28	9	8	2	51	2	4	39	44	12	98	9	36
18	6	5	17	41	9	44	2	76	.....	1	5	28	.....	.....	31	19	1	35	.....	37
15	4	.....	20	20	3	23	3	8	1	1	.....	8	.....	1	12	13	2	21	1	38
31	5	3	34	50	4	36	1	11	2	.....	3	28	1	1	17	21	8	51	.....	39
100	25	8	83	196	39	254	20	287	15	18	8	130	2	12	155	77	17	250	28	40
39	5	3	31	74	6	51	4	40	4	6	3	23	.....	3	45	29	7	65	.....	41
17	4	1	16	32	.....	20	2	13	8	3	2	18	1	2	15	28	2	41	.....	42
15	1	2	15	18	7	20	4	10	2	1	1	26	1	1	12	14	3	26	.....	43
18	6	2	34	42	5	43	1	7	2	1	.....	32	.....	2	8	22	7	62	.....	44
14	2	.....	6	19	1	15	4	1	3	2	.....	10	.....	5	7	12	3	26	4	45
47	7	4	70	75	6	83	2	14	4	7	4	31	2	3	33	32	9	129	11	46
58	14	4	39	73	10	132	9	119	12	6	12	71	1	8	62	46	1	144	.....	47
72	7	26	55	105	25	207	13	155	9	12	6	81	9	6	70	56	7	185	20	48
20	5	1	17	37	3	30	2	6	.....	1	2	19	1	1	9	5	6	40	3	49
89	8	14	107	158	70	206	10	174	14	12	23	109	8	12	133	87	15	346	2	50
91	15	7	92	156	17	113	9	39	16	9	2	77	4	15	53	83	9	202	3	51
36	9	4	43	92	5	48	6	11	4	3	2	36	4	8	23	21	6	83	1	52
12	2	4	25	22	4	16	1	9	2	4	1	12	.....	.....	8	10	3	33	3	53
36	8	4	31	52	6	32	.....	9	1	1	3	22	.....	1	19	7	6	63	.....	54
20	4	1	19	30	2	17	1	2	3	2	1	18	1	4	10	13	6	37	1	55
12	4	.....	14	21	1	17	.....	9	.....	1	1	11	.....	1	2	6	2	30	4	56
12	4	2	17	19	6	16	2	4	3	2	1	20	.....	1	10	13	1	30	1	57
105	19	8	100	148	41	211	16	204	7	8	7	84	4	8	104	60	16	235	20	58
22	4	1	28	32	2	21	.....	.....	2	1	.....	20	1	1	.....	10	1	42	.....	59
43	12	4	43	80	5	57	3	10	3	3	1	26	.....	1	24	23	2	120	1	60
31	5	2	22	46	7	17	2	10	8	3	1	29	3	4	17	17	3	47	2	61
27	3	1	46	35	5	28	2	8	3	2	1	21	.....	1	13	18	4	107	1	62
14	2	7	14	25	5	18	.....	10	3	.....	.....	12	.....	1	12	41	1	35	.....	63
39	10	4	36	59	10	50	4	21	9	4	4	36	5	8	37	36	6	82	2	64
16	1	.....	18	19	.....	14	1	9	1	.....	.....	7	.....	1	22	6	.....	24	.....	65
41	6	1	34	44	3	29	2	23	3	6	5	30	2	5	32	42	2	72	1	66
15	1	1	15	33	4	30	2	6	.....	.....	.....	14	.....	.....	10	12	4	22	1	67
31	7	3	46	65	16	46	3	27	1	4	2	32	4	2	22	36	4	85	.....	68
86	17	4	88	154	9	119	9	25	4	7	4	62	1	9	59	41	7	145	.....	69
7	.....	.....	13	9	3	30	1	6	2	1	1	10	.....	.....	16	10	.....	27	1	70
110	27	4	102	157	18	168	12	77	21	15	9	154	5	11	101	93	16	244	2	71
42	11	2	41	82	19	113	3	55	9	5	6	42	.....	9	42	26	6	128	.....	72
12	3	1	10	17	3	16	.....	3	.....	.....	2	12	.....	1	8	7	3	37	2	73

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	MASSACHUSETTS—continued.														
1	Waltham	430	6			5	2	3	8	4	2	49	2	9	
2	Watertown town	130								2		8	1	1	1
3	Webster town	152						2		2	3	9	2	2	
4	Westfield town	305	1				1	2			1	62	1	1	1
5	Weymouth town	159				2				3		6			
6	Winthrop town	162	2						3	1	1	5	1	1	1
7	Woburn	194	2				1	1	5	1		15	2	1	
8	Worcester	2,467	9			2	3	21	22	11	10	184	29	24	3
	MICHIGAN.														
9	Registration cities (total)	17,666	199	5	2	55	41	120	186	143	60	1,216	86	112	101
10	White	17,369	197	5	2	55	40	120	183	143	58	1,180	85	109	99
11	Colored	297	2				1		3		2	36	1	3	2
12	Adrian	157	2							5	1	6		1	
13	Alpena	168	9				1			2		9	1		
14	Ann Arbor	383	2				1			1	1	23	2	6	1
15	Battle Creek	450	5			1		3	2	6	1	28	4	3	
16	Bay City	658	10	1		1		5	9	22	3	29	5	4	5
17	Detroit	8,720	75	2	1	50	26	74	114	48	33	658	46	48	52
18	Escanaba	195	4	1						2		12			1
19	Flint	536	5			1		5	10	4	2	23	2	9	3
20	Grand Rapids	1,570	35	1			1	2	15	5	7	107	3	11	11
21	Holland	118	3					2		2	1	4		1	1
22	Ironwood	123	3					1				12		3	2
23	Ishpeming	118	2		1		1		3	1	3	7		2	4
24	Jackson	498	1			1	1	8	6	5		33	1	2	2
25	Kalamazoo	773	3					2	2	10	4	61	5	6	4
26	Lansing	473	1				4	9	7	8		15	6	2	3
27	Manistee	141	4						1	1		18	1	2	
28	Marquette	147	4							1		10	1	1	1
29	Menominee	142	2					1		1		11		1	
30	Muskegon	390	5				3		2	4	1	32	2	1	2
31	Pontiac	397	2				2	2	11	4	1	24	1	3	1
32	Port Huron	291	4			1				4		13	1	1	
33	Saginaw	735	17				1	2	3	7		32	2	4	5
34	Sault Ste. Marie	169	1					1	1			9		1	
35	Traverse City	314						3			2	40	3		3
	MINNESOTA.														
36	Registration cities (total)	8,371	70		4	26	50	45	108	66	24	843	77	79	39
37	White	8,229	69		4	26	49	45	107	65	24	813	76	76	36
38	Colored	142	1				1		1	1		30	1	3	3
39	Duluth	915	10				2	10	8	10	5	84	8	13	7
40	Mankato	175	1				4			5	1	11	2		2
41	Minneapolis	4,048	27		1	13	11	17	63	23	11	439	33	37	13
42	St. Cloud	150	3		2	1	2		1	1		14		2	
43	St. Paul	2,598	17		1	12	30	13	30	20	6	257	29	25	13
44	Stillwater	109	3							3		6	2	1	1
45	Virginia	129	5					5				11	2		3
46	Winona	247	4				1		6	4	1	21	1	1	
	MISSISSIPPI.[1]														
47	Registration cities (total)	2,614	48	76		4	1	8	7	39	2	195	4	28	3
48	White	919	22	29		3	1	3	4	23	1	38		6	1
49	Colored	1,695	26	47		1		5	3	16	1	157	4	22	2
50	Hattiesburg (total)	246	3	3					1	8	1	15		1	
51	White	105	1	1					1	5		1		1	
52	Colored	141	2	2						3	1	14			
53	Jackson (total)	846	21	26		3	1	4	3	8		52	1	19	2
54	White	302	8	11		3	1	1	1	6		13		5	1
55	Colored	544	13	15				3	2	2		39	1	14	1
56	Meridian (total)	560	14	13		1		1	2	11	1	55	1	2	
57	White	260	8	4				1	2	6	1	10			
58	Colored	300	6	9		1				5		45	1	2	
59	Natchez (total)	237		3				2		4		30	2	2	
60	White	56		1				1		3		6			
61	Colored	181		2				1		1		24	2	2	
62	Vicksburg (total)	725	10	31				1	1	8		43		4	1
63	White	196	5	12						3		8			
64	Colored	529	5	19				1	1	5		35		4	1
	MISSOURI.														
65	Registration cities (total)	18,029	135	31	4	66	30	55	315	185	53	1,845	84	113	90
66	White	15,741	114	23	4	65	29	48	299	174	49	1,392	75	84	80
67	Colored	2,288	21	8		1	1	7	16	11	4	453	9	29	10

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
28	6	3	25	49	5	48	4	8	2	3	1	22	.....	6	21	30	1	76	2	1
11	5	1	16	23	3	13	1	3	.....	.....	.....	8	.....	.....	9	4	1	19	.....	2
8	.....	.....	10	18	6	13	2	12	.....	.....	1	11	.....	.....	19	7	.....	24	1	3
19	4	.....	21	32	2	33	2	24	4	5	2	27	.....	1	14	19	3	23	.....	4
9	6	1	13	28	3	21	2	5	1	2	.....	14	.....	.....	5	11	.....	27	.....	5
15	6	.....	25	27	5	21	.....	3	.....	.....	.....	13	.....	.....	5	2	2	23	.....	6
14	1	.....	14	11	3	24	3	7	1	4	.....	14	.....	2	16	17	.....	34	1	7
177	51	14	158	360	37	299	13	115	24	17	15	117	11	19	151	139	20	409	3	8
1,068	231	144	902	1,768	254	1,671	210	714	256	200	184	1,015	109	153	1,379	1,080	218	3,723	61	9
1,058	228	144	889	1,730	250	1,627	206	711	255	198	181	993	108	152	1,365	1,057	213	3,668	60	10
10	3	.....	13	38	4	44	4	3	1	2	3	22	1	1	14	23	5	55	1	11
17	2	.....	15	19	2	9	2	1	6	.....	1	12	1	3	4	7	.....	35	6	12
3	4	3	13	14	4	9	4	7	2	1	.....	6	.....	2	13	12	1	47	1	13
46	4	1	24	34	2	24	6	1	12	4	1	22	2	4	18	15	7	118	1	14
50	8	1	26	65	1	23	3	5	6	2	6	22	1	3	32	15	9	118	1	15
42	9	4	39	74	6	55	12	18	7	14	10	27	3	10	40	39	3	149	3	16
422	104	81	338	725	130	1,036	92	538	121	93	107	453	70	79	812	560	116	1,596	20	17
10	2	3	12	19	3	28	2	3	5	8	.....	19	1	.....	11	15	3	29	2	18
24	5	6	27	44	4	38	6	34	8	4	2	21	3	3	46	37	5	152	3	19
144	22	12	99	168	19	120	20	33	16	17	11	114	6	15	93	87	20	354	2	20
2	4	2	9	10	5	7	2	4	2	2	1	11	2	2	7	6	1	25	.....	21
8	.....	1	2	13	3	10	1	6	2	2	.....	5	1	2	15	14	.....	16	1	22
9	2	.....	3	13	3	9	2	.....	5	.....	1	8	.....	1	5	9	.....	23	1	23
25	9	3	34	61	9	31	6	12	7	10	11	48	1	3	25	30	15	96	2	24
43	11	2	56	129	12	52	9	7	4	6	7	49	3	4	34	36	6	205	1	25
40	6	5	29	58	5	29	5	7	5	4	5	33	4	4	38	34	2	99	6	26
9	3	1	10	18	3	6	2	1	6	2	1	10	.....	.....	16	4	3	18	1	27
6	1	.....	8	17	1	10	.....	3	.....	4	2	16	4	3	12	14	2	26	.....	28
8	2	2	10	24	3	9	1	6	5	3	2	8	.....	3	9	7	2	22	.....	29
30	9	3	26	39	6	44	2	9	6	1	2	22	1	5	29	23	2	76	3	30
30	3	1	25	37	6	22	5	4	1	3	2	24	2	.....	12	14	3	151	1	31
25	6	4	20	39	4	20	5	1	3	4	1	21	1	.....	17	28	3	65	.....	32
58	13	9	39	104	15	53	17	10	15	13	9	37	2	7	62	47	8	140	4	33
7	.....	.....	11	16	6	11	4	2	8	2	2	13	.....	.....	21	14	2	36	1	34
10	2	.....	27	28	2	16	2	2	4	1	.....	14	1	.....	8	13	5	127	1	35
611	137	63	352	799	79	822	72	220	176	86	68	648	34	61	598	552	169	1,384	9	36
607	135	62	349	783	78	806	72	218	174	85	66	632	34	60	595	542	169	1,363	9	37
4	2	1	3	16	1	16	.....	2	2	1	2	16	.....	1	3	10	.....	21	.....	38
66	20	11	29	58	10	96	11	35	16	8	12	52	4	8	65	62	17	178	.....	39
22	3	3	7	9	3	14	.....	1	13	7	.....	14	2	.....	9	8	1	33	.....	40
287	60	22	171	405	24	395	29	94	77	33	28	369	17	31	276	279	82	680	1	41
13	3	.....	6	20	.....	5	1	4	7	2	.....	5	.....	1	19	11	2	23	2	42
192	43	21	118	260	30	268	28	60	48	33	27	187	9	16	196	167	58	382	2	43
11	2	1	4	14	3	4	2	2	5	2	1	6	1	1	6	3	.....	22	3	44
1	2	.....	3	6	2	20	1	15	2	.....	.....	1	.....	1	15	9	4	21	.....	45
19	4	5	14	27	7	20	.....	9	8	1	.....	14	1	3	12	13	5	45	1	46
94	17	7	62	226	8	143	16	67	36	31	14	212	13	21	74	166	9	819	164	47
49	10	2	28	74	3	60	9	35	22	13	6	90	7	10	44	63	6	243	14	48
45	7	5	34	152	5	83	7	32	14	18	8	122	6	11	30	103	3	576	150	49
7	2	.....	2	11	.....	15	1	12	5	3	1	17	4	2	16	20	.....	82	14	50
2	1	.....	2	7	.....	8	1	7	4	2	1	9	2	.....	8	8	.....	30	3	51
5	1	.....	.....	4	.....	7	.....	5	1	1	.....	8	2	2	8	12	.....	52	11	52
32	6	2	13	77	3	32	4	18	16	9	5	61	3	9	31	52	5	304	24	53
21	4	.....	6	23	1	13	2	6	10	3	3	24	1	5	15	23	4	87	1	54
11	2	2	7	54	2	19	2	12	6	6	2	37	2	4	16	29	1	217	23	55
17	5	2	19	36	.....	40	2	30	6	4	1	44	4	5	15	34	1	178	16	56
15	2	1	11	21	.....	18	2	22	5	4	.....	25	2	3	12	16	.....	64	5	57
2	3	1	8	15	.....	22	.....	8	1	.....	1	19	2	2	3	18	1	114	11	58
11	2	1	8	19	4	10	4	2	2	1	.....	25	.....	3	5	10	3	50	34	59
4	2	1	3	10	1	2	1	.....	1	1	.....	4	.....	1	3	1	2	8	.....	60
7	.....	.....	5	9	3	8	3	2	1	.....	.....	21	.....	2	2	9	1	42	34	61
27	2	2	20	83	1	46	5	5	7	14	7	65	2	2	7	50	.....	205	76	62
7	1	.....	6	13	1	19	3	.....	2	3	2	28	2	1	6	15	.....	54	5	63
20	1	2	14	70	.....	27	2	5	5	11	5	37	.....	1	1	35	.....	151	71	64
1,181	230	68	862	1,668	266	1,907	120	544	266	185	255	1,953	111	87	690	1,182	414	2,987	47	65
1,101	221	61	777	1,402	245	1,587	102	506	249	168	231	1,694	95	79	643	1,022	401	2,682	39	66
80	9	7	85	266	21	320	18	38	17	17	24	259	16	8	47	160	13	305	8	67

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	MISSOURI—continued.														
1	Hannibal (total)	269	4	1				2	1	3		33	1	2	1
2	White	214	2	1				2	1	3		16	1	2	1
3	Colored	55	2									17			
4	Jefferson City (total)	197	3		1	2	1	1				40	4		1
5	White	150	2		1	2	1	1				22	4		1
6	Colored	47	1									18			
7	Joplin	601	7	2		2		4	10	1	1	90	6	2	1
8	Kansas City (total)	4,255	28	6	1	6	4	11	71	56	16	455	18	31	18
9	White	3,540	21	3	1	6	3	8	65	49	13	304	18	24	16
10	Colored	715	7	3			1	3	6	7	3	151		7	2
11	Moberly (total)	177	2					1		2		26	1	2	2
12	White	142	2					1		2		10	1	2	2
13	Colored	35										16			
14	St. Joseph (total)	1,154	10			1	2	1	20	13	5	104	2	6	2
15	White	1,056	10			1	2	1	19	13	5	92	1	5	1
16	Colored	98							1			12	1	1	1
17	St. Louis (total)	10,293	51	19		55	22	25	196	89	30	961	50	66	55
18	White	9,088	44	14		54	22	24	187	86	29	747	43	45	48
19	Colored	1,205	7	5		1		1	9	3	1	214	7	21	7
20	Sedalia (total)	291	12	1				5	6	9		20			2
21	White	240	9	1				2	6	9		17			2
22	Colored	51	3					3				3			
23	Springfield (total)	569	16	2			1	2	3	7		64	2	4	6
24	White	509	15	2			1	2	3	6		47	2	4	6
25	Colored	60	1							1		17			
26	Webb City	223	2		2			3	8	5	1	52			2
	MONTANA.														
27	Registration cities (total)	1,668	16			1	2	1	4	13	5	137	16	8	14
28	White	1,625	16			1	2	1	4	13	5	131	15	8	14
29	Colored	43										6	1		
30	Anaconda	145									1	13		1	1
31	Billings	149	3							2		8	1	1	1
32	Butte	708	4				1		2	3	2	79	5	2	6
33	Great Falls	264	2					1		2	2	18	3	2	2
34	Helena (total)	213	3			1	1		1	3		11	3	2	3
35	White	205	3			1	1		1	3		9	3	2	3
36	Colored	8										2			
37	Missoula	189	4						1	3		8	4		1
	NEBRASKA.[1]														
38	Registration cities (total)	2,596	20	3		14	32	21	45	35	8	176	8	11	17
39	White	2,469	18	3		14	31	20	44	34	8	142	8	9	16
40	Colored	127	2				1	1	1	1		34		2	1
41	Lincoln	610	10			1	9	4	8	12	1	24	1	3	6
42	Omaha	1,986	10	3		13	23	17	37	23	7	152	7	8	11
	NEW HAMPSHIRE.														
43	Registration cities (total)	3,010	14			5	1	32	17	32	6	197	31	25	12
44	White	3,004	14			5	1	32	17	32	6	197	31	25	12
45	Colored	6													
46	Berlin	188	2			1		1	2	4		9	6	1	3
47	Concord	445	1					3		8	1	35	1	4	1
48	Dover	242	1							1	1	15	3	1	1
49	Keene	157	1					3	2	1		9		1	2
50	Laconia	184							3	2		5		1	
51	Manchester	1,145	6			3		24	5	10	3	79	14	9	4
52	Nashua	446	2			1		1	4	5	1	31	5	6	1
53	Portsmouth	203	1				1		1	1		14	2	2	
	NEW JERSEY.														
54	Registration cities (total)	25,494	129	8	1	174	60	163	330	159	81	2,414	220	140	117
55	White	24,143	116	8	1	171	59	153	325	151	81	2,204	198	124	115
56	Colored	1,351	13			3	1	10	5	8		210	22	16	2
57	Asbury Park (total)	157				1				1		7			2
58	White	110				1				1		5			1
59	Colored	47										2			1
60	Atlantic City (total)	847	5			4		5	7	7	1	64	5	12	2
61	White	654	5			4		2	5	7	1	35	5	7	2
62	Colored	193						3	2			29		5	
63	Bayonne	818		1		6	1	10	18	5	1	81	10	5	3
64	Bloomfield	158						1	1	1		8			
65	Bridgeton (total)	239	2							4		17	1	1	
66	White	225	1							4		15	1	1	
67	Colored	14	1									2			

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
8	7	1	18	24	.....	29	.....	3	3	4	4	19	1	4	12	18	4	52	10	1
8	7	1	14	21	.....	20	.....	3	3	3	4	16	.....	4	10	16	4	45	6	2
.....	.....	.....	4	3	.....	9	.....	.....	.....	1	.....	3	1	.....	2	2	.....	7	4	3
10	2	4	8	15	1	18	2	5	6	2	6	14	.....	.....	5	15	.....	29	2	4
9	2	4	7	11	1	13	.....	4	6	2	5	10	.....	.....	5	12	.....	24	1	5
1	.....	.....	1	4	.....	5	2	1	.....	.....	1	4	.....	.....	.....	3	.....	5	1	6
28	6	3	35	49	2	81	1	23	9	3	8	35	4	6	27	67	10	73	5	7
287	45	14	185	428	39	453	28	124	69	46	40	395	25	25	146	348	89	736	12	8
268	45	11	167	336	36	345	23	110	64	41	32	302	19	24	132	290	85	667	12	9
19	.....	3	18	92	3	108	5	14	5	5	8	93	6	1	14	58	4	69	.....	10
9	4	.....	17	15	2	16	.....	5	2	1	.....	15	1	3	7	13	.....	31	.....	11
8	3	.....	17	14	2	11	.....	4	2	.....	.....	13	1	3	7	9	.....	28	.....	12
1	1	.....	.....	1	.....	5	.....	1	.....	1	.....	2	.....	.....	.....	4	.....	3	.....	13
75	22	3	78	71	12	118	6	24	28	15	12	105	17	8	60	67	17	249	1	14
68	20	3	73	67	12	96	6	21	26	15	12	101	16	6	56	61	15	231	1	15
7	2	.....	5	4	.....	22	.....	3	2	.....	.....	4	1	2	4	6	2	18	.....	16
705	137	40	474	995	198	1,060	69	336	134	100	181	1,261	54	37	382	587	272	1,649	3	17
656	132	36	422	849	183	905	58	317	124	92	168	1,123	48	33	356	514	266	1,461	2	18
49	5	4	52	146	15	155	11	19	10	8	13	138	6	4	26	73	6	188	1	19
15	5	.....	8	15	4	34	2	8	1	3	1	54	2	1	12	18	7	44	2	20
13	5	.....	7	10	2	27	2	8	1	3	1	46	1	.....	12	11	6	39	.....	21
2	.....	.....	1	5	2	7	.....	.....	.....	.....	.....	8	1	1	.....	7	1	5	2	22
35	2	1	30	46	8	76	7	10	11	8	3	47	5	3	29	31	11	96	3	23
35	1	1	27	36	7	70	7	10	11	7	3	42	4	3	28	27	11	88	3	24
.....	1	.....	3	10	1	6	.....	.....	.....	1	.....	5	1	.....	1	4	.....	8	.....	25
9	.....	2	9	10	.....	22	5	6	3	3	.....	8	2	.....	10	18	4	28	9	26
83	26	13	53	146	20	205	24	36	45	21	21	111	13	17	111	139	32	314	21	27
80	25	13	53	139	20	201	24	36	44	21	19	108	12	16	109	137	30	307	21	28
3	1	.....	.....	7	.....	4	.....	.....	1	.....	2	3	1	1	2	2	2	7	.....	29
.....	5	2	1	10	1	14	2	3	4	4	6	11	.....	1	11	19	2	26	7	30
3	.....	.....	4	15	2	17	2	4	5	2	2	7	1	.....	6	17	2	41	3	31
39	10	6	14	51	10	107	13	12	21	5	6	43	5	8	51	64	11	127	1	32
16	4	1	8	17	4	34	2	8	8	3	5	9	6	1	24	17	6	50	9	33
14	1	1	14	32	2	18	1	2	2	3	1	22	1	4	6	8	8	44	1	34
13	1	1	14	30	2	18	1	2	2	3	.....	20	1	4	6	8	8	44	1	35
1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....	.....	.....	.....	36
11	6	3	12	21	1	15	4	7	5	4	1	19	.....	3	13	14	3	26	.....	37
182	38	12	99	187	18	276	41	53	61	48	22	172	27	19	120	145	76	601	9	38
179	36	12	96	176	17	260	39	52	61	48	22	162	25	18	119	139	75	577	9	39
3	2	.....	3	11	1	16	2	1	.....	.....	.....	10	2	1	1	6	1	24	.....	40
48	5	3	26	54	3	42	12	17	15	13	5	48	7	9	47	24	8	142	3	41
134	33	9	73	133	15	234	29	36	46	35	17	124	20	10	73	121	68	459	6	42
179	34	31	189	349	69	238	23	216	38	25	18	213	9	25	235	136	22	578	11	43
179	34	31	189	348	69	237	23	216	38	25	18	212	9	25	235	135	22	577	10	44
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	1	45
7	1	3	6	11	4	24	2	23	4	1	1	7	1	1	22	12	.....	28	1	46
34	8	1	34	76	7	25	3	2	3	2	2	45	.....	5	16	17	7	103	1	47
19	3	1	17	28	6	24	2	10	4	4	3	16	.....	1	11	20	1	49	.....	48
11	3	.....	13	21	1	11	1	6	4	2	1	19	1	2	7	5	.....	30	.....	49
14	2	3	10	16	2	9	2	5	1	2	.....	16	.....	3	11	4	2	66	5	50
47	9	17	64	118	38	85	10	128	15	9	8	61	6	5	125	47	8	185	3	51
34	3	6	29	51	9	41	3	37	6	3	1	30	1	5	31	19	2	78	.....	52
13	5	.....	16	28	2	19	.....	5	1	2	2	19	.....	3	12	12	2	39	1	53
1,517	359	181	1,407	2,535	287	3,009	189	1,653	268	206	315	2,340	145	175	1,529	1,495	337	3,516	35	54
1,472	350	170	1,351	2,387	273	2,812	179	1,596	258	197	302	2,221	142	166	1,453	1,427	331	3,319	31	55
45	9	11	56	148	14	197	10	57	10	9	13	119	3	9	76	68	6	197	4	56
13	.....	1	12	23	.....	15	3	7	1	2	.....	17	.....	.....	4	5	4	37	2	57
9	.....	1	8	18	.....	11	1	3	1	1	.....	12	.....	.....	3	3	4	26	1	58
4	.....	.....	4	5	.....	4	2	4	.....	1	.....	5	.....	.....	1	2	.....	11	1	59
46	16	3	63	115	10	87	5	24	14	4	7	87	4	2	34	56	26	132	.....	60
37	15	3	50	98	6	54	3	17	14	3	7	69	3	1	25	47	24	105	.....	61
9	1	.....	13	17	4	33	2	7	.....	1	.....	18	1	1	9	9	2	27	.....	62
26	9	4	35	54	14	119	9	83	13	7	12	53	8	8	47	49	6	119	2	63
12	4	.....	13	18	4	20	2	3	1	.....	.....	24	1	.....	6	11	6	22	.....	64
23	3	.....	17	26	4	15	3	4	5	3	4	19	2	.....	14	12	5	54	1	65
23	3	.....	17	23	4	15	3	4	5	3	4	16	2	.....	12	11	5	52	1	66
.....	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	2	1	.....	2	.....	67

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		DEATHS FROM—													
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Contd.														
	NEW JERSEY—continued.														
1	Camden (total)	1,605	10			21	2	7	30	19	3	110	6	9	9
2	White	1,435	6			20	2	7	29	17	3	90	4	8	9
3	Colored	170	4			1			1	2		20	2	1	
4	East Orange (total)	324	1					3	1	6		21	3	1	1
5	White	295	1					1	1	6		15	1	1	1
6	Colored	29						2				6	2		
7	Elizabeth	1,067	7			2	1	6	14	11	5	63	16	6	4
8	Garfield	182				6	4	5	1	6		16	1		
9	Hackensack (total)	279	2			2	1		4	2		13	1		
10	White	261	2			2			4	2		13	1		
11	Colored	18					1								
12	Harrison	180	1			1		4	4			17	1	2	
13	Hoboken	1,143	12	1		3	5	2	42	3	10	135	10	5	10
14	Irvington	193					1			1		24	1	2	1
15	Jersey City	4,347	17	1		53	15	39	59	19	10	434	37	24	25
16	Kearny	299	1					4	5	1	1	17	3	1	
17	Long Branch (total)	316	8	1				1	2	4	1	15	5	1	1
18	White	272	6	1				1	2	3	1	11	4	1	1
19	Colored	44	2							1		4	1		
20	Millville	169	3						1	2		13		1	2
21	Montclair (total)	256	3			1				3	3	29			2
22	White	234	3			1				3	3	22			2
23	Colored	22										7			
24	Morristown (total)	238	2					1	4	1		9	4		
25	White	222	2					1	4	1		8	4		
26	Colored	16										1			
27	New Brunswick	533	5			5	1	6	4		3	42	5	4	2
28	Newark	5,241	11	1		20	2	35	22	24	17	643	69	31	19
29	Orange (total)	510	4	1			2	3	2	3	1	43	3	8	1
30	White	446	3	1			2	2	2	3	1	35	3	4	1
31	Colored	64	1					1				8		4	
32	Passaic	908	7	1		16	13	6	17	5	5	94	7	3	5
33	Paterson	1,796	6	1		1		9	19	8	5	166	7	10	7
34	Perth Amboy	511	1			5		3	16		3	31	1	1	3
35	Phillipsburg	175	1				2	2	4	7	2	18		1	1
36	Plainfield (total)	347	4		1	2		3	6	2		13	9	1	1
37	White	308	2		1	2		2	6	2		9	7	1	1
38	Colored	39	2					1				4	2		
39	Trenton	1,765	15			20	4	3	27	8	5	171	13	8	8
40	Union	214				1	3		5	1	2	20		1	1
41	West Hoboken	330	1			1		3	11	3	1	31			4
42	West New York	246				3	2	1	4	1		33	2	1	3
43	West Orange	101					1	1		1	2	16		1	
	NEW YORK.														
44	Registration cities (total)	110,194	566	27		799	384	620	1,567	680	433	11,871	1,035	604	460
45	White	106,956	553	25		786	381	590	1,538	663	427	11,196	984	571	446
46	Colored	3,238	13	2		13	3	30	29	17	6	675	51	33	14
47	Albany	2,075	13	1		2	3	15	18	25	2	271	13	16	5
48	Amsterdam	492	4	1				4	3		2	40	2	3	5
49	Auburn	598	9				1	6	8	8	2	40	2	7	2
50	Batavia	232						2		8	2	8	2	4	1
51	Binghamton	1,066	6					11	24	12	4	64	7	5	2
52	Buffalo	6,852	46	1		50	25	21	77	30	22	637	53	34	37
53	Cohoes	386	4			1	1	6	10	1		48	2	2	
54	Corning	204	1							1	1	11	2	1	1
55	Cortland	198	1						1		1	3	2		2
56	Dunkirk	214	3				1	1		4	1	11	1	2	1
57	Elmira	675	4					9	4	14	3	30	2	7	1
58	Fulton	194	3					4	1	6	3	10		2	1
59	Geneva	208	2			1			1	2	2	11		2	3
60	Glens Falls	287	2			3		1		7		23	1	1	
61	Gloversville	276								2	1	12	1	1	2
62	Hornell	213	1						2	1		7	1	1	2
63	Hudson	216	3					7	1	3		13	1	1	
64	Ithaca	257	5				1	7		7	1	7	2	2	
65	Jamestown	435	2					1	3	11	2	24		4	3
66	Johnstown	132	1				1	1		3	1	8	1		2
67	Kingston	496	3			1	5	3	2	8		51	4	9	2
68	Lackawanna	382	1			9	1	10	3	14		14	2	4	1
69	Little Falls	224	1				1	2	2	1	1	17	1	2	
70	Lockport	269	1	2					1	5		18		1	1
71	Middletown	382	2	1						4	3	45	1	5	1
72	Mount Vernon	415	1			11	1	1	5	2	2	26	2	2	
73	New Rochelle (total)	413	5			4	1	7	6	4	2	30	5	1	
74	White	369	4			4	1	7	6	4	2	21	5	1	
75	Colored	44	1									9			

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
68	10	5	91	170	9	242	8	107	15	7	16	192	19	14	94	119	16	175	2	1
66	8	3	80	154	6	215	6	97	14	7	15	171	18	12	83	110	16	157	2	2
2	2	2	11	16	3	27	2	10	1	.....	1	21	1	2	11	9	.....	18	.....	3
37	8	2	26	55	1	34	.....	1	2	.....	5	39	.....	3	18	6	2	48	.....	4
37	8	2	26	47	1	32	.....	1	2	.....	5	37	.....	2	17	4	2	45	.....	5
.....	.....	.....	.....	8	.....	2	.....	.....	.....	.....	.....	2	.....	1	1	2	.....	3	.....	6
66	20	7	71	100	12	125	7	107	7	7	18	69	10	8	56	77	12	151	2	7
5	.....	.....	7	13	3	31	.....	33	1	2	.....	10	.....	.....	16	6	4	12	.....	8
22	2	4	26	25	1	26	1	20	7	5	2	37	.....	3	20	21	3	29	.....	9
21	2	4	26	21	1	25	1	17	7	5	2	37	.....	3	17	20	3	25	.....	10
1	.....	.....	.....	4	.....	1	.....	3	.....	.....	.....	.....	.....	.....	3	1	.....	4	.....	11
13	2	2	7	16	2	15	3	20	1	1	5	20	.....	.....	14	12	.....	17	.....	12
59	16	14	45	135	13	140	4	53	12	7	18	97	7	5	48	74	15	141	2	13
13	3	.....	10	28	2	16	4	7	1	2	1	30	.....	.....	11	6	3	26	.....	14
228	60	37	235	365	61	581	32	327	44	40	56	380	26	26	248	262	56	543	7	15
21	2	.....	18	33	11	20	4	9	3	1	3	25	2	.....	9	27	3	75	.....	16
16	6	1	18	38	1	23	2	12	8	6	5	38	1	5	12	28	4	53	.....	17
14	6	1	16	31	1	17	2	12	8	5	5	32	1	3	11	27	4	45	.....	18
2	.....	.....	2	7	.....	6	.....	.....	.....	1	.....	6	.....	2	1	1	.....	8	.....	19
9	1	2	11	22	.....	23	1	8	.....	4	4	15	.....	1	8	3	3	32	.....	20
20	6	.....	19	30	6	17	1	11	1	1	.....	26	2	.....	19	5	6	45	.....	21
19	6	.....	19	27	6	14	1	10	1	.....	.....	26	2	.....	17	5	5	42	.....	22
1	.....	.....	.....	3	.....	3	.....	1	.....	1	.....	.....	.....	.....	2	.....	1	3	.....	23
15	3	.....	14	20	1	17	5	7	10	5	2	25	1	4	16	22	4	46	.....	24
15	3	.....	13	18	1	15	5	6	10	5	2	25	1	4	15	20	4	40	.....	25
.....	.....	.....	1	2	.....	2	.....	1	.....	.....	.....	.....	.....	.....	1	2	.....	6	.....	26
32	12	5	25	55	2	50	5	44	7	6	5	29	4	4	46	28	5	91	1	27
366	78	41	257	531	53	538	41	305	46	39	38	496	26	36	331	295	66	712	2	28
36	5	5	33	56	2	70	3	18	5	6	4	42	3	10	33	15	5	86	2	29
32	5	5	32	44	2	62	2	16	4	5	4	39	3	10	31	13	5	74	1	30
4	.....	.....	1	12	.....	8	1	2	1	1	.....	3	.....	.....	2	2	.....	12	1	31
36	7	7	18	68	10	122	7	99	18	3	5	51	7	5	80	56	8	121	1	32
126	31	11	105	214	24	201	14	58	19	16	17	214	5	14	87	126	31	240	4	33
23	3	7	25	32	5	40	3	91	1	2	3	34	2	6	60	46	6	55	3	34
7	7	2	13	14	2	18	.....	3	.....	1	2	13	.....	3	5	12	3	32	.....	35
26	6	.....	28	24	2	45	2	28	4	6	2	34	3	2	25	16	2	50	.....	36
25	4	.....	23	21	2	41	2	27	3	6	1	31	3	2	21	16	2	45	.....	37
1	2	.....	5	3	.....	4	.....	1	1	.....	1	3	.....	.....	4	.....	.....	5	.....	38
103	24	10	108	154	16	230	16	129	22	18	16	122	11	14	109	79	14	285	3	39
6	3	1	17	30	4	30	3	8	.....	.....	2	24	.....	1	20	2	8	21	.....	40
23	7	6	19	37	10	52	1	9	.....	.....	8	43	.....	.....	21	5	6	28	.....	41
11	5	4	15	25	2	44	.....	9	.....	5	3	20	1	1	10	8	3	30	.....	42
10	.....	.....	6	9	.....	3	.....	9	.....	.....	2	15	.....	.....	8	6	2	8	1	43
6,892	1,815	463	5,049	12,943	1,410	13,900	851	5,790	1,094	851	1,192	9,595	528	619	6,223	5,652	1,329	14,872	80	44
6,773	1,787	445	4,965	12,663	1,370	13,401	831	5,636	1,061	824	1,177	9,321	512	601	6,037	5,528	1,317	14,472	75	45
119	28	18	84	280	40	499	20	154	33	27	15	274	16	18	186	124	12	400	5	46
147	30	16	109	233	24	174	17	72	28	18	28	196	10	9	89	105	18	365	3	47
29	6	6	33	50	11	44	3	35	7	5	2	27	2	4	37	22	7	95	3	48
50	5	2	59	80	14	49	4	37	3	3	3	40	3	4	31	33	2	91	.....	49
10	1	2	15	25	4	17	1	8	2	.....	1	27	1	1	11	21	3	55	.....	50
57	13	3	76	167	30	69	10	65	10	11	7	107	3	4	62	39	13	185	.....	51
438	111	29	326	719	73	760	59	482	85	55	80	557	37	39	383	366	47	1,171	2	52
30	3	4	21	35	1	49	5	25	1	5	.....	25	2	1	21	23	1	58	1	53
16	4	3	15	30	2	13	3	8	6	.....	3	25	1	1	11	14	2	27	2	54
25	4	.....	13	30	2	15	3	4	1	4	.....	13	1	3	15	14	4	36	1	55
16	2	1	15	26	4	12	4	6	4	2	5	18	1	1	14	17	1	40	.....	56
61	10	6	30	106	1	70	3	15	4	5	3	93	.....	4	26	45	5	114	.....	57
10	4	.....	12	16	3	17	1	15	1	2	2	17	1	.....	9	19	.....	35	.....	58
16	4	.....	14	30	4	13	3	11	2	.....	1	16	2	2	9	15	2	40	.....	59
13	6	2	34	48	1	17	5	10	7	4	1	21	2	1	11	18	2	43	3	60
26	5	.....	30	29	1	21	4	5	6	2	2	30	3	3	14	12	6	58	.....	61
12	6	.....	20	37	5	10	4	3	1	1	5	23	1	4	9	18	2	37	.....	62
13	3	1	14	19	6	21	2	15	2	.....	1	13	3	.....	5	15	.....	52	2	63
23	3	.....	34	34	1	13	1	3	1	.....	2	33	2	1	8	12	3	51	.....	64
30	12	1	27	75	6	18	6	10	11	4	5	36	4	2	21	34	4	79	.....	65
13	2	2	12	25	2	5	1	4	.....	.....	.....	11	.....	.....	9	3	1	24	.....	66
38	4	8	41	68	6	29	2	15	13	6	3	42	4	4	18	24	4	79	.....	67
4	1	2	4	7	5	51	2	106	1	3	.....	7	.....	2	35	18	2	72	1	68
11	4	.....	17	33	.....	22	4	22	.....	4	.....	10	1	2	13	22	2	29	.....	69
15	5	1	16	46	5	15	2	9	4	3	3	16	.....	4	11	21	2	62	.....	70
31	7	1	33	73	5	35	3	3	.....	3	2	30	1	1	7	14	3	67	1	71
33	9	1	30	51	7	46	8	25	3	4	5	36	1	2	25	8	2	66	.....	72
26	8	.....	25	52	4	44	3	22	5	5	1	28	1	5	27	24	3	65	.....	73
25	7	.....	24	50	4	37	3	18	3	4	1	26	1	3	23	24	3	58	.....	74
1	1	.....	1	2	.....	7	.....	4	2	1	.....	2	.....	2	4	.....	.....	7	.....	75

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	NEW YORK—continued.														
1	New York (total)	76,241	327	15		662	310	395	1,271	394	333	9,142	800	379	327
2	Bronx Borough	7,570	26	2		42	25	40	142	36	39	967	70	33	38
3	Brooklyn Borough	26,060	145	7		130	113	85	429	169	89	2,816	232	136	159
4	Manhattan Borough	36,176	129	3		447	142	232	604	149	185	4,681	439	181	100
5	Queens Borough	4,915	19	3		22	27	32	77	34	18	530	47	23	23
6	Richmond Borough	1,520	8			21	3	6	19	6	2	148	12	6	7
7	White	73,542	320	14		650	308	370	1,242	379	327	8,569	755	352	318
8	Bronx Borough	7,446	26	2		41	25	37	140	36	39	942	66	31	38
9	Brooklyn Borough	25,362	142	7		129	112	80	422	158	85	2,682	221	129	156
10	Manhattan Borough	34,436	125	3		437	141	216	584	145	183	4,295	409	165	96
11	Queens Borough	4,802	19	2		22	27	31	77	34	18	505	47	21	21
12	Richmond Borough	1,496	8			21	3	6	19	6	2	145	12	6	7
13	Colored	2,699	7	1		12	2	25	29	15	6	573	45	27	9
14	Bronx Borough	124				1		3	2			25	4	2	
15	Brooklyn Borough	698	3			1	1	5	7	11	4	134	11	7	3
16	Manhattan Borough	1,740	4			10	1	16	20	4	2	386	30	16	4
17	Queens Borough	113		1				1				25		2	2
18	Richmond Borough	24										3			
19	Newburgh	475	6	1				6		5	1	68	7	1	4
20	Niagara Falls	580				1	2	1	6	1	3	27	2	5	1
21	North Tonawanda	166	4			1		1	1	2		12	4		
22	Ogdensburg	433	1				1		9	2		23		6	2
23	Olean	239	2			1	1		1	1		18		1	
24	Ossining (total)	173	1				1			5		17	2		1
25	White	155	1				1			4		14	2		
26	Colored	18								1		3			1
27	Oswego	359	4				1			3		23		2	3
28	Peekskill	258	2	1		3			1	3		23	4		4
29	Plattsburg	201	3	1				1	3			16	1	1	2
30	Port Chester	215	2	1		7		1	4	1		17	2	2	
31	Poughkeepsie	509	8				10	5	7	4		20	4	5	1
32	Rensselaer	154	1			1			1	3		8	1	2	2
33	Rochester	3,488	15			8	7	24	18	15	15	252	27	18	11
34	Rome	549	2					5	3	4	2	106	2	4	
35	Saratoga Springs	323	3					7	3	5		15	2	1	2
36	Schenectady	1,019	11			10	1	19	14	8	6	58	10	12	4
37	Syracuse	2,011	9			10		9	16	6	3	131	13	8	6
38	Troy	1,534	16			12	2	1	12	10	2	170	5	13	8
39	Utica	1,423	3				4	9	8	5	7	119	17	10	3
40	Watertown	428	6						1	7		13	2	2	
41	Watervliet	243	6			1		3	1	3		18	1	2	
42	White Plains (total)	261	2	1				2	6			8	7	3	
43	White	251	2	1				2	6			6	7	2	
44	Colored	10										2		1	
45	Yonkers	1,121	8	1			2	12	9	10	3	88	12	8	4
	NORTH CAROLINA.														
46	Registration cities (total)	3,574	67	16	4	1	1	23	17	37	8	462	13	40	12
47	White	1,749	31	4	3	1	1	12	15	21	5	200	7	17	3
48	Colored	1,825	36	12	1			11	2	16	3	262	6	23	9
49	Asheville (total)	454	5					1	2	11		119	4	7	4
50	White	303	5					1	2	8		92	2	4	1
51	Colored	151								3		27	2	3	3
52	Charlotte (total)	727	11	9		1			2	10		63	2	4	2
53	White	364	4			1			2	7		23	2	3	
54	Colored	363	7	9						3		40		1	2
55	Durham (total)	369	10	1				4	4	4		55		6	1
56	White	162	3					2	3	1		19		1	1
57	Colored	207	7	1				2	1	3		36		5	
58	Greensboro (total)	288	9	1	1			7		4	2	33		2	1
59	White	135	7	1				1		2	1	11		1	1
60	Colored	153	2		1			6		2	1	22		1	
61	Raleigh (total)	549	9		1		1	2	3	4	1	38	1	10	
62	White	299	4		1		1	1	3		1	20		5	
63	Colored	250	5					1		4		18	1	5	
64	Wilmington (total)	597	7	4				3	1	4	2	51	2	6	3
65	White	241	5	3				3	1	3	2	8	1	2	
66	Colored	356	2	1						1		43	1	4	3
67	Winston-Salem (total)	590	16	1	2			6	5		3	103	4	5	1
68	White	245	3		2			4	4		1	27	2	1	
69	Colored	345	13	1				2	1		2	76	2	4	1

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
4,650	1,259	297	2,887	8,769	961	10,692	581	3,950	713	547	845	6,684	362	417	4,361	3,759	993	9,115	44	1
511	188	32	294	772	56	1,039	63	286	79	52	74	684	52	45	469	343	97	967	7	2
1,525	414	91	1,118	3,752	442	3,692	213	1,417	248	193	290	1,970	111	163	1,310	1,217	299	3,075	10	3
2,235	546	153	1,149	3,477	403	5,190	254	1,895	327	253	389	3,356	169	172	2,173	1,903	498	4,320	22	4
297	94	17	241	588	51	589	38	275	51	43	66	458	26	29	311	224	80	577	5	5
82	17	4	85	180	9	182	13	77	8	6	26	216	4	8	98	72	19	176	.....	6
4,556	1,236	285	2,820	8,541	928	10,261	566	3,814	687	527	833	6,465	349	404	4,200	3,659	984	8,782	41	7
503	188	31	293	755	55	1,028	63	283	78	51	74	676	52	43	463	336	97	947	7	8
1,504	407	88	1,098	3,674	427	3,596	209	1,375	242	187	286	1,918	107	158	1,269	1,194	297	2,993	10	9
2,173	531	146	1,111	3,357	387	4,886	244	1,810	310	241	382	3,211	160	166	2,066	1,838	491	4,108	19	10
294	93	16	233	578	50	573	37	269	50	42	65	449	26	29	306	220	80	563	5	11
82	17	4	85	177	9	178	13	77	7	6	26	211	4	8	96	71	19	171	.....	12
94	23	12	67	228	33	431	15	136	26	20	12	219	13	13	161	100	9	333	3	13
8	.....	1	1	17	1	11	.....	3	1	1	.....	8	.....	2	6	7	.....	20	.....	14
21	7	3	20	78	15	96	4	42	6	6	4	52	4	5	41	23	2	82	.....	15
62	15	7	38	120	16	304	10	85	17	12	7	145	9	6	107	65	7	212	3	16
3	1	1	8	10	1	16	1	6	1	1	1	9	.....	.....	5	4	.....	14	.....	17
.....	.....	.....	.....	3	.....	4	.....	.....	1	.....	.....	5	.....	.....	2	1	.....	5	.....	18
27	4	2	37	65	2	37	3	17	4	5	6	63	.....	1	21	22	4	54	2	19
28	12	2	24	47	2	70	3	69	6	7	13	33	5	7	48	57	9	89	.....	20
13	5	2	9	10	7	17	.....	11	2	1	1	11	.....	.....	11	11	1	28	1	21
25	5	1	25	69	1	42	5	14	6	2	3	33	.....	2	25	24	1	105	1	22
18	6	2	14	40	1	22	1	5	2	5	3	15	1	3	17	13	6	39	1	23
12	3	1	12	19	.....	16	3	1	.....	1	.....	15	1	1	6	27	4	24	.....	24
12	3	.....	12	19	.....	14	2	1	.....	1	.....	15	1	.....	6	22	3	22	.....	25
.....	.....	1	.....	.....	.....	2	1	.....	.....	.....	.....	.....	.....	1	.....	5	1	2	.....	26
21	6	1	33	61	3	25	4	18	2	3	7	26	.....	.....	27	23	3	60	.....	27
12	9	.....	21	22	16	18	1	9	2	4	1	31	2	.....	6	19	3	41	.....	28
21	4	2	13	21	3	12	.....	9	4	4	2	5	.....	2	17	13	3	38	.....	29
12	3	1	8	19	1	21	2	16	1	4	3	20	1	3	13	15	2	33	.....	30
37	12	1	51	61	10	55	5	18	1	3	6	34	2	2	33	26	7	81	.....	31
10	2	.....	18	11	5	11	1	4	.....	.....	4	6	.....	.....	11	12	1	39	.....	32
239	69	12	247	489	64	295	23	163	47	39	37	343	15	29	194	160	55	558	.....	33
25	4	2	31	72	9	36	4	28	5	4	5	55	3	2	17	27	5	84	3	34
22	5	1	30	34	2	37	4	4	5	5	2	51	2	2	11	19	2	45	2	35
72	13	5	76	105	7	88	4	56	16	10	7	87	12	6	67	55	7	172	1	36
139	38	11	144	249	26	182	12	94	17	19	25	162	6	12	123	127	36	378	.....	37
109	30	10	81	220	25	169	16	49	17	11	23	138	6	7	65	63	6	235	3	38
93	19	5	86	187	14	139	9	76	15	12	18	89	7	7	87	82	21	272	.....	39
38	8	2	32	61	8	43	2	13	4	4	2	27	6	3	37	32	4	70	1	40
6	7	5	18	29	1	47	.....	13	.....	1	4	19	.....	.....	15	12	1	29	1	41
9	7	.....	13	30	1	42	.....	9	4	5	1	31	1	3	16	16	5	39	.....	42
8	7	.....	13	28	1	39	.....	9	4	4	1	31	1	3	16	16	5	39	.....	43
1	.....	.....	.....	2	.....	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
61	13	7	64	109	14	135	5	109	13	6	9	120	9	6	64	62	9	148	1	45
105	23	18	176	298	28	274	30	214	43	47	10	262	16	40	202	175	18	784	110	46
75	20	7	93	130	14	100	12	100	25	24	6	137	8	26	124	89	14	393	32	47
30	3	11	83	168	14	174	18	114	18	23	4	125	8	14	78	86	4	391	78	48
10	1	2	22	25	5	33	4	16	2	4	1	30	5	1	26	26	8	76	4	49
7	1	1	14	14	1	16	3	7	2	3	1	20	4	1	18	18	8	46	3	50
3	.....	1	8	11	4	17	1	9	.....	1	.....	10	1	.....	8	8	.....	30	1	51
27	6	6	29	60	6	66	13	42	10	7	.....	44	3	10	41	33	4	183	33	52
22	6	1	20	23	.....	26	5	30	6	5	.....	20	1	8	26	16	4	100	3	53
5	.....	5	9	37	6	40	8	12	4	2	.....	24	2	2	15	17	.....	83	30	54
13	3	2	12	28	7	25	.....	22	4	6	1	28	1	10	27	11	.....	65	19	55
9	3	2	9	11	6	10	.....	11	1	2	.....	11	.....	5	12	4	.....	25	11	56
4	.....	.....	3	17	1	15	.....	11	3	4	1	17	1	5	15	7	.....	40	8	57
12	1	2	12	25	.....	22	1	14	5	4	3	14	.....	4	19	19	1	66	4	58
7	.....	1	8	13	.....	9	.....	5	4	3	1	5	.....	2	10	6	.....	35	1	59
5	1	1	4	12	.....	13	1	9	1	1	2	9	.....	2	9	13	1	31	3	60
15	9	2	30	55	8	38	3	22	7	5	3	39	3	4	25	34	1	168	8	61
10	8	2	18	23	6	8	.....	11	2	1	2	32	.....	1	16	20	.....	99	4	62
5	1	.....	12	32	2	30	3	11	5	4	1	7	3	3	9	14	1	69	4	63
18	3	2	48	57	1	44	4	45	6	14	2	78	2	4	30	34	2	118	2	64
11	2	.....	15	20	1	12	1	17	3	6	2	35	2	3	19	18	2	43	1	65
7	1	2	33	37	.....	32	3	28	3	8	.....	43	.....	1	11	16	.....	75	1	66
10	.....	2	23	48	1	46	5	53	9	7	.....	29	2	7	34	18	2	108	40	67
9	.....	.....	9	26	.....	19	3	19	7	4	.....	14	1	6	23	7	.....	45	9	68
1	.....	2	14	22	1	27	2	34	2	3	.....	15	1	1	11	11	2	63	31	69

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	OHIO.														
1	Registration cities (total)	34,073	379	9	3	151	128	182	390	358	75	3,172	206	272	164
2	White	32,225	360	7	3	146	127	177	389	341	71	2,807	187	247	162
3	Colored	1,848	19	2		5	1	5	1	17	4	365	19	25	2
4	Akron	1,177	25	1		2	8	2	13	8	6	78	3	5	8
5	Alliance	222	2			1			2	6		14	3	2	1
6	Ashtabula	245	6						4			18	2	1	3
7	Bellaire	185	6			6		2	1	2		14		1	1
8	Cambridge	169	3					2	3		1	16	2	2	3
9	Canton	717	8		1	2	8	4	8	8	2	43	2	7	2
10	Chillicothe (total)	214	1							3		18		1	
11	White	197	1							3		15		1	
12	Colored	17										3			
13	Cincinnati (total)	6,360	30	1		15	4	15	48	75	17	815	43	48	27
14	White	5,703	28			12	4	14	48	69	16	655	35	43	27
15	Colored	657	2	1		3		1		6	1	160	8	5	
16	Cleveland	8,808	52			72	73	75	163	73	19	754	64	54	48
17	Columbus (total)	2,945	28			14	3	10	23	23	7	277	17	39	11
18	White	2,645	23			13	3	9	23	23	6	231	14	34	11
19	Colored	300	5			1		1			1	46	3	5	
20	Dayton	1,709	22	3		3	9	9	19	18	3	191	16	13	7
21	East Liverpool	310	16	1		1	2	2	2	1	1	23		2	3
22	Elyria	222	5			1	1	5	2	1		14		2	1
23	Findlay	202	6			1	1		1	2		28		4	2
24	Hamilton	427	4				1	6	3	2	1	37	5	4	2
25	Ironton (total)	208	5			7			2	1		22			1
26	White	192	5			7			2	1		16			1
27	Colored	16										6			
28	Lakewood	230					2	2	1	5		14	1		2
29	Lancaster	192	3			2			3	5		13	1		1
30	Lima	442	6					6	4	4		32	3	3	2
31	Lorain	316	8					2		3		15	2	3	
32	Mansfield	270	3				1		2	10		18	1	3	2
33	Marietta	187	3			1		1		3	1	14	1	1	1
34	Marion	269	4			4			1	1		17		3	2
35	Massillon	202				2			5	5	1	9	1	1	1
36	Middletown	198	2			1		1	7	4		15	6	3	
37	Newark	367	2			3		2	1	9		35	1	7	1
38	Norwood	160						1	4	3	1	16	1		1
39	Piqua	182	1							1		16		3	1
40	Portsmouth	337	8						3	6	3	32	6	2	2
41	Sandusky	293	2						4	7	2	19		2	
42	Springfield (total)	693	7	1					12	10		48	3	3	1
43	White	593	6						11	7		36	3	2	1
44	Colored	100	1	1					1	3		12		1	
45	Steubenville	483	21					1	4	4	2	24	1	4	5
46	Tiffin	202							4	4		10	2		2
47	Toledo	2,892	43	2		9	8	24	31	32	3	322	10	32	9
48	Warren	200	5			2			1	2		11	1	4	
49	Youngstown	1,408	33		2	2	5	3	8	8	3	86	7	11	7
50	Zanesville (total)	430	9				2	7	1	9	2	44	1	2	4
51	White	393	7				2	7	1	7	2	34	1	2	4
52	Colored	37	2							2		10			
	OREGON.[1]														
53	Portland (total)	2,281	14	5	1	4	1	3	17	14	4	183	17	33	10
54	White	2,195	14	5	1	4	1	3	17	14	4	160	17	31	10
55	Colored [2]	86										23		2	
	PENNSYLVANIA.														
56	Registration cities (total)	59,954	504	14		387	138	212	831	629	137	5,013	378	449	272
57	White	56,354	487	14		367	134	191	814	588	132	4,378	341	397	257
58	Colored	3,600	17			20	4	21	17	41	5	635	37	52	15
59	Allentown	994	22			5	1	4	7	8	3	66	5	3	4
60	Altoona	709	19			1	2	6	6	7	1	31	1	9	4
61	Beaver Falls	179	6			8	3		2	2		10	1	2	1
62	Bethlehem	158	2						4	2		15	1		1
63	Braddock	387	1			11		6	5			22	2	4	3
64	Bradford	231	1	1				1	3	4	1	14			4
65	Butler	255	4					1	3			21		3	1
66	Carbondale	283	5						3	8	1	8	1		
67	Carlisle (total)	152	4							5		9			1
68	White	125	3							5		6			1
69	Colored	27	1									3			
70	Carnegie	138	2			2			2	3		11	2	1	1

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
2,158	407	172	2,231	3,499	439	3,390	258	1,556	370	362	413	2,431	190	211	1,887	2,371	447	5,648	144	1
2,103	390	163	2,142	3,254	422	3,185	248	1,515	356	350	389	2,286	180	204	1,825	2,228	437	5,384	140	2
55	17	9	89	245	17	205	10	41	14	12	24	145	10	7	62	143	10	264	4	3
59	17	15	57	105	5	138	4	62	11	16	9	51	11	9	94	128	19	208	.....	4
13	3	2	17	18	1	22	.....	12	10	4	3	14	3	1	14	18	3	32	1	5
10	3	3	17	28	.....	24	1	7	3	1	3	16	2	1	20	27	1	42	2	6
9	1	2	9	16	.....	22	.....	17	.....	1	1	10	2	.....	9	16	3	34	.....	7
14	.....	1	13	26	.....	13	.....	4	3	1	.....	14	.....	1	8	11	1	26	1	8
55	9	3	59	84	4	75	8	28	11	8	7	33	7	6	46	56	8	110	5	9
19	1	2	14	38	3	12	3	6	5	7	1	22	2	.....	14	13	2	27	.....	10
17	1	2	12	37	2	11	3	6	5	7	1	21	2	.....	13	13	2	22	.....	11
2	.....	.....	2	1	1	1	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	5	.....	12
403	70	23	378	813	84	570	32	175	63	68	105	676	34	26	231	384	76	1,008	3	13
382	68	20	353	721	78	505	30	157	60	66	102	609	30	26	213	341	74	914	3	14
21	2	3	25	92	6	65	2	18	3	2	3	67	4	.....	18	43	2	94	.....	15
507	114	42	492	712	178	996	84	680	88	78	88	603	45	51	491	626	131	1,286	69	16
233	44	14	246	292	19	266	28	47	40	32	41	192	11	16	142	169	42	616	3	17
225	38	13	230	251	17	236	28	39	34	30	31	175	10	13	129	149	42	563	2	18
8	6	1	16	41	2	30	.....	8	6	2	10	17	1	3	13	20	.....	53	1	19
124	27	10	128	209	18	176	4	31	12	26	18	129	9	12	97	91	31	244	.....	20
9	3	2	26	18	6	18	5	20	4	1	10	17	1	2	24	28	2	57	3	21
18	3	.....	11	32	1	21	1	7	4	.....	.....	19	2	.....	8	19	3	41	.....	22
21	3	1	14	40	2	10	5	.....	.....	3	.....	9	.....	1	5	8	3	32	.....	23
25	5	2	30	46	5	32	5	8	7	4	12	27	1	4	29	37	6	77	.....	24
11	3	4	18	21	3	20	1	10	4	3	.....	7	1	1	11	15	1	35	1	25
11	3	4	15	21	3	17	.....	10	3	3	.....	6	1	1	11	14	1	35	1	26
.....	.....	.....	3	.....	.....	3	1	.....	1	.....	.....	1	.....	.....	.....	1	.....	.....	.....	27
18	1	1	17	26	1	36	2	11	1	1	4	13	.....	1	14	18	1	37	.....	28
18	1	.....	16	22	2	14	1	9	1	2	3	15	.....	.....	12	4	1	42	1	29
21	7	5	30	35	6	41	4	13	10	4	4	35	2	9	32	34	7	82	1	30
17	6	2	19	21	.....	39	1	34	4	2	1	17	4	4	36	28	8	40	.....	31
23	4	1	30	31	4	23	2	2	1	1	4	17	2	2	17	12	1	52	1	32
13	3	1	22	19	2	11	1	4	1	2	5	9	.....	1	9	12	.....	43	3	33
19	4	2	18	22	5	26	4	10	3	7	5	23	1	2	19	21	3	40	3	34
13	3	.....	18	32	4	14	3	4	2	4	2	11	2	.....	10	14	3	36	2	35
17	.....	.....	16	20	2	20	3	12	.....	.....	2	9	.....	3	18	9	2	26	.....	36
16	3	.....	39	33	3	33	4	6	5	4	5	28	1	4	24	21	8	65	4	37
21	5	.....	15	23	1	15	2	3	.....	.....	3	11	1	1	9	3	2	18	.....	38
13	2	.....	26	20	.....	18	3	4	.....	1	3	18	.....	3	12	11	.....	26	.....	39
32	2	.....	15	28	3	31	2	13	1	3	8	23	3	2	20	30	1	57	1	40
23	5	1	24	34	5	11	2	5	7	.....	2	25	.....	1	20	38	2	51	1	41
51	7	4	92	81	6	46	7	14	8	11	14	53	3	1	34	54	13	105	4	42
50	6	4	76	67	5	33	5	13	8	10	10	46	2	1	33	48	12	94	4	43
1	1	.....	16	14	1	13	2	1	.....	1	4	7	1	.....	1	6	1	11	.....	44
15	2	2	24	33	12	68	5	55	5	3	5	19	3	7	28	53	5	71	2	45
14	4	1	14	32	2	10	1	6	5	1	2	12	.....	2	9	14	2	48	1	46
174	29	13	150	305	34	228	16	107	34	36	31	158	16	16	170	197	39	611	3	47
8	2	2	21	24	2	23	4	5	4	5	.....	11	1	2	13	15	.....	32	.....	48
67	9	8	50	104	11	237	5	119	9	19	8	64	18	18	112	110	10	231	24	49
35	2	3	46	56	5	31	5	6	4	3	4	21	2	1	26	27	7	60	5	50
32	2	3	44	51	5	28	5	5	4	3	4	21	2	1	25	25	7	54	5	51
3	.....	.....	2	5	.....	3	.....	1	.....	.....	.....	.....	.....	.....	1	2	.....	6	.....	52
217	56	20	153	242	15	148	28	16	26	22	16	165	12	17	107	160	56	493	6	53
211	56	19	148	234	15	142	28	15	26	22	16	159	12	16	103	151	52	483	6	54
6	.....	1	5	8	.....	6	.....	1	.....	.....	.....	6	.....	1	4	9	4	10	.....	55
3,349	688	260	3,046	6,377	856	6,807	739	3,857	588	587	588	5,191	346	428	3,675	3,804	614	9,055	135	56
3,214	662	251	2,937	6,015	803	6,310	693	3,690	560	557	569	4,888	325	407	3,494	3,642	604	8,506	127	57
135	26	9	109	362	53	497	46	167	28	30	19	303	21	21	181	162	10	549	8	58
56	17	4	91	83	7	78	13	67	9	10	11	83	4	8	89	77	16	136	7	59
37	11	7	31	81	4	80	11	28	6	8	9	46	6	8	49	49	7	143	1	60
13	1	1	6	11	4	15	2	11	4	1	1	23	.....	1	11	12	1	26	.....	61
6	1	.....	21	17	4	20	3	3	.....	2	.....	15	.....	.....	13	6	2	19	1	62
12	1	3	8	19	3	70	6	69	7	1	3	15	2	4	21	31	7	51	.....	63
20	5	.....	18	28	2	11	3	7	2	3	1	24	2	1	13	10	2	50	.....	64
17	2	1	13	28	3	22	4	16	4	4	3	18	3	.....	23	20	3	37	1	65
6	7	.....	19	11	2	39	.....	13	8	3	2	27	4	4	26	44	3	38	1	66
10	.....	1	15	20	1	6	2	3	.....	1	.....	14	.....	1	8	12	.....	38	1	67
9	.....	1	13	16	1	5	1	2	.....	1	.....	13	.....	.....	7	11	.....	29	1	68
1	.....	.....	2	4	.....	1	1	1	.....	.....	.....	1	.....	1	1	1	.....	9	.....	69
2	.....	2	5	13	4	15	.....	5	.....	.....	3	9	.....	1	24	12	.....	18	1	70

[2] Colored population less than 5 per cent of the total in 1910. The deaths include those of 19 Negroes, 43 Chinese, and 24 Japanese.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	PENNSYLVANIA—CONTINUED.														
1	Chambersburg (total)	175	3					2	3			19		3	1
2	White	161	3					2	3			17		3	
3	Colored	14										2			1
4	Chester (total)	658	8			2		3	7	7		83	7	7	1
5	White	529	8			1		1	6	5		61	3	6	1
6	Colored	129				1		2	1	2		22	4	1	
7	Coatesville (total)	131	2						3	3	2	19	1		
8	White	112	2						3	3	2	14	1		
9	Colored	19										5			
10	Columbia	157	2				1		2	5		14		1	1
11	Connellsville	179	3					3	2		1	9	3	4	3
12	Dubois	128	1						3	1	1	5			
13	Dunmore	359	3			13		2	9	6	3	12			2
14	Duquesne	193						3	3		1	13		3	
15	Easton	472	8			2			6	1		32	5	1	4
16	Erie	1,107	5	1		1		1	4	7	1	68	4	5	2
17	Farrell	142	3			1	2		5	2		13	1	3	
18	Greensburg	209	9				1		2	3		8	1	4	
19	Harrisburg (total)	1,004	11			2	1	6	8	5	4	77	3	7	4
20	White	885	10			2	1	6	8	5	4	59	3	6	4
21	Colored	119	1									18		1	
22	Hazleton	523	6			2	7	3	16	1		21		1	2
23	Homestead	235				3		2	4		1	20	3	1	
24	Johnstown	937	21			4		2	17	9	1	60	6	13	3
25	Lancaster	809	3			1		7	7	14	3	69	4	4	4
26	Lebanon	326	4	1		1			3	5	1	15		4	1
27	McKees Rocks	198				1			2	3		13	3		
28	McKeesport	634	15				2	5	14			38	5	4	3
29	Mahanoy City	229	3			2	1	2	17	1	2	6		3	
30	Meadville	222							2	5		4		1	
31	Monessen	169	4			11	2	2	10			12	2		
32	Mount Carmel	197				4		2	3		1	20			3
33	Nanticoke	284				5						8	3		2
34	New Castle	513	8				5	3	12	8	1	25	2	1	4
35	Norristown	669	7			1		2	6	10	1	70	3	6	5
36	North Braddock	162				4	3	8	1		1	9	3	2	
37	Oil City	216	4	1		1				1		12		1	7
38	Old Forge	151				2		1	3			7	1		
39	Philadelphia (total)	26,291	114	3		190	27	43	320	346	61	2,767	181	184	112
40	White	24,021	107	3		175	25	31	308	318	58	2,328	159	147	104
41	Colored	2,270	7			15	2	12	12	28	3	439	22	37	8
42	Phoenixville	192	2					2	7	4		7		1	
43	Pittsburgh (total)	8,728	59	3		74	55	45	154	60	25	620	70	71	33
44	White	8,197	54	3		71	53	42	150	54	23	546	64	65	32
45	Colored	531	5			3	2	3	4	6	2	74	6	6	1
46	Pittston	297	1	1		1		5	5	3		9	1		
47	Plymouth	175				1	3	2	2			12		2	2
48	Pottstown	231	4			1		1	5			19			1
49	Pottsville	402	8			3		1	4	4		28		3	2
50	Reading	1,455	20	1		7	6	6	10	13	2	98	7	12	8
51	Scranton	2,114	18			8	4	5	40	13	6	104	18	12	8
52	Shamokin	244	2					1	9	1	1	13		3	5
53	Sharon	252	7				3		5	4	2	12	2	2	2
54	Shenandoah	392	1	1			1	1	13	2	1	18	1	1	1
55	South Bethlehem	300	3			5		4	3	2		31	1	5	
56	Steelton (total)	156					1		3	2		12	3	2	2
57	White	139					1		3			12	3	2	2
58	Colored	17								2					
59	Sunbury	176	3					2	10	1	1	4			
60	Uniontown (total)	266	8				1		1	1	1	18		2	1
61	White	227	8				1		1	1	1	13		1	1
62	Colored	39										5		1	
63	Warren	159	2				1			3		9	2	2	1
64	Washington (total)	294	8	1					3	3		32	2	7	1
65	White	264	8	1					3	3		28	2	7	
66	Colored	30										4			1
67	West Chester (total)	271	3						1	3	1	24	2	3	
68	White	205	3						1	3	1	17	1	1	
69	Colored	66										7	1	2	
70	Wilkes-Barre	1,215	8			6	3	12	11	6	1	67	5	16	9
71	Wilkinsburg	285	8				1	1	2	3	1	20	3	6	
72	Williamsport	555	6			1		3	9	7	2	27	3	2	9
73	York	630	20				1	1	5	12	1	74	4	12	3

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
9	2	.....	17	19	2	14	2	3	3	3	.....	12	.....	.....	8	11	2	37	.....	1
9	2	.....	15	19	2	13	2	2	3	3	.....	10	.....	.....	8	9	2	34	.....	2
.....	.....	.....	2	.....	.....	1	.....	1	.....	.....	.....	2	.....	.....	.....	2	.....	3	.....	3
26	6	2	35	81	3	72	5	54	3	4	6	45	6	6	42	52	3	81	1	4
23	5	2	30	64	2	52	4	46	2	2	3	39	4	6	33	47	3	69	1	5
3	1	.....	5	17	1	20	1	8	1	2	3	6	2	.....	9	5	.....	12	.....	6
4	1	.....	9	10	1	15	.....	13	.....	.....	2	9	.....	1	16	2	.....	18	.....	7
4	1	.....	8	10	1	11	.....	11	.....	.....	2	8	.....	1	13	2	.....	15	.....	8
.....	.....	.....	1	.....	.....	4	.....	2	.....	.....	.....	1	.....	.....	3	.....	.....	3	.....	9
9	1	.....	15	22	2	7	2	4	2	2	2	12	.....	1	11	14	.....	23	2	10
7	1	.....	12	13	3	25	3	4	1	4	1	7	.....	1	19	15	4	30	1	11
7	1	.....	4	13	3	15	4	7	2	1	2	9	3	1	17	8	.....	19	1	12
15	3	1	15	21	28	53	4	37	.....	1	2	11	1	2	42	18	1	53	1	13
5	.....	2	3	7	6	38	3	36	1	1	1	6	1	4	16	14	3	21	2	14
26	9	2	36	46	6	36	5	18	11	5	4	49	1	5	30	45	4	73	2	15
64	14	7	96	170	2	71	8	71	15	16	21	98	6	8	59	106	14	162	.....	16
2	.....	5	3	7	1	27	1	18	.....	.....	2	2	3	4	13	8	1	13	2	17
7	4	3	12	18	1	15	2	5	5	2	4	10	1	3	16	33	3	31	6	18
67	14	4	67	134	10	75	16	16	13	14	10	109	10	6	57	73	14	165	2	19
61	12	4	63	118	7	57	15	14	11	13	10	104	7	5	55	63	14	143	1	20
6	2	.....	4	16	3	18	1	2	2	1	.....	5	3	1	2	10	.....	22	1	21
19	5	5	30	48	13	54	11	39	10	6	3	46	5	6	45	44	3	71	1	22
8	.....	2	4	15	3	40	4	51	.....	2	4	7	.....	2	23	7	1	28	.....	23
43	8	3	33	49	11	128	15	59	9	15	11	47	7	9	92	107	4	147	4	24
59	17	1	72	105	8	50	9	33	9	5	10	76	8	2	37	42	9	141	.....	25
11	4	1	24	27	3	31	5	11	5	4	1	31	.....	.....	25	18	1	83	6	26
2	.....	.....	6	10	4	49	4	35	1	1	1	6	1	1	16	16	2	20	1	27
19	7	6	32	38	13	87	12	53	6	11	10	35	4	9	44	57	10	95	.....	28
7	1	.....	12	13	4	23	9	29	.....	.....	2	10	.....	3	16	18	.....	41	4	29
18	4	2	29	31	.....	11	2	5	1	4	1	18	2	1	12	21	2	46	.....	30
5	.....	1	4	3	.....	25	1	26	1	.....	1	3	.....	.....	17	7	2	23	7	31
6	2	.....	5	17	3	23	2	20	.....	.....	3	9	1	4	24	15	.....	29	1	32
9	3	.....	9	19	3	36	9	48	1	1	1	20	2	3	29	32	2	38	1	33
24	5	2	25	42	6	49	8	34	6	5	4	27	5	5	42	40	6	103	6	34
41	4	2	41	76	11	48	10	22	3	7	3	73	1	2	25	29	2	157	1	35
10	1	.....	5	8	3	32	1	25	.....	.....	1	8	.....	.....	11	11	.....	15	.....	36
15	6	2	16	18	2	20	2	8	2	1	1	15	.....	2	8	20	2	48	1	37
5	.....	.....	6	7	5	23	2	32	.....	1	.....	6	2	4	17	18	.....	9	.....	38
1,549	317	78	1,168	3,382	371	2,863	277	1,515	236	247	256	2,812	115	163	1,326	1,190	280	3,773	25	39
1,466	305	75	1,110	3,140	330	2,567	252	1,415	217	229	249	2,598	103	150	1,222	1,106	273	3,431	20	40
83	12	3	58	242	41	296	25	100	19	18	7	214	12	13	104	84	7	342	5	41
7	3	2	16	10	5	16	3	13	1	1	2	23	1	.....	16	19	1	30	.....	42
493	68	45	382	678	141	1,404	115	558	98	87	102	526	71	56	559	628	88	1,344	16	43
476	63	43	365	637	137	1,302	105	534	93	83	100	489	68	53	527	597	87	1,265	16	44
17	5	2	17	41	4	102	10	24	5	4	2	37	3	3	32	31	1	79	.....	45
8	3	.....	11	18	4	43	8	28	1	1	3	21	3	2	19	50	1	44	3	46
10	2	.....	7	12	3	21	4	15	.....	.....	1	12	1	1	18	19	1	24	.....	47
12	5	2	33	35	.....	14	8	7	1	1	1	9	.....	4	13	15	4	35	1	48
15	2	2	22	38	.....	35	4	17	9	5	5	51	6	5	29	47	3	54	.....	49
86	18	10	113	176	23	90	13	77	12	17	18	125	4	16	85	79	30	270	3	50
131	12	11	100	185	44	287	27	197	16	27	11	148	19	14	120	188	24	315	2	51
8	2	3	12	18	5	29	5	20	1	.....	2	20	1	2	30	10	2	39	.....	52
13	1	2	17	25	1	28	2	18	1	3	.....	10	2	3	20	19	.....	45	3	53
6	3	4	9	12	16	53	11	96	.....	1	6	19	1	.....	34	34	2	43	1	54
10	8	1	14	15	2	28	1	48	1	.....	2	15	1	1	41	20	5	31	2	55
13	3	1	13	11	1	21	.....	13	.....	.....	1	8	.....	1	15	11	.....	18	1	56
10	3	1	11	10	1	18	.....	11	.....	.....	.....	8	.....	1	14	11	.....	16	1	57
3	.....	.....	2	1	.....	3	.....	2	.....	.....	1	.....	.....	.....	1	.....	.....	2	.....	58
20	3	.....	9	28	1	8	1	3	2	1	2	15	1	1	14	9	2	34	1	59
17	3	.....	2	17	5	39	2	8	5	5	1	20	6	.....	21	33	4	45	.....	60
13	3	.....	2	14	4	34	2	7	4	5	1	16	6	.....	18	29	4	38	.....	61
4	.....	.....	.....	3	1	5	.....	1	1	.....	.....	4	.....	.....	3	4	.....	7	.....	62
19	8	2	9	18	2	4	2	3	2	2	1	6	.....	.....	4	15	1	39	2	63
16	4	4	9	25	2	27	6	15	1	5	2	18	2	3	25	16	5	51	1	64
12	2	4	9	24	2	25	6	13	1	4	2	16	2	3	23	14	5	45	.....	65
4	2	.....	.....	1	.....	2	.....	2	.....	1	.....	2	.....	.....	2	2	.....	6	1	66
19	.....	2	17	30	2	19	4	13	5	4	1	35	2	3	13	11	3	50	1	67
14	.....	.....	15	21	1	14	4	7	5	4	1	29	1	1	10	10	2	38	1	68
5	.....	2	2	9	1	5	.....	6	.....	.....	.....	6	1	2	3	1	1	12	.....	69
64	30	6	54	95	10	107	18	110	20	15	11	89	10	16	80	143	4	182	7	70
25	7	4	26	22	2	35	4	8	5	.....	7	13	3	6	17	16	3	37	.....	71
36	9	6	40	57	11	34	14	21	13	8	4	55	3	6	31	34	4	100	.....	72
44	9	3	59	72	11	54	5	16	8	8	2	51	3	2	39	24	11	76	.....	73

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	RHODE ISLAND.														
1	Registration cities (total)	7,313	45	1		45	24	89	86	53	18	684	76	58	21
2	White	7,088	43	1		44	23	84	86	53	18	638	70	54	21
3	Colored	225	2			1	1	5				46	6	4	
4	Central Falls	281	2				1	9	8	1		19		3	1
5	Cranston (exclusive of)	263	5			1			2	2		13	1		3
6	State institutions	439	3			4				6		89	1	4	3
7	Cumberland town	133	1						1	1		15	2		1
8	East Providence town	217				3		11	3	3	1	12		1	1
9	Newport (total)	378	5					2	1		1	20	4	1	
10	White	355	5					2	1		1	18	4	1	
11	Colored	23										2			
12	Pawtucket	840	6			7	1	9	8	10	3	50	1	6	1
13	Providence	3,660	20			23	19	40	55	26	9	314	51	29	10
14	Warwick town	261		1				1	2	2		93	2	3	
15	West Warwick town	263	1			1	2	6			1	19	4	6	1
16	Woonsocket	578	2			6	1	11	6	2	3	40	10	5	
	SOUTH CAROLINA.[1]														
17	Registration cities (total)	3,869	61	27		1		30	16	38	4	300	8	35	11
18	White	1,377	28	4				8	10	15	2	74	4	9	7
19	Colored	2,492	33	23		1		22	6	23	2	226	4	26	4
20	Charleston (total)	1,770	27	23				12	6	21	3	136	4	16	6
21	White	490	11	2				1	2	5	1	26	1	1	5
22	Colored	1,280	16	21				11	4	16	2	110	3	15	1
23	Columbia (total)	1,396	25	3		1		7	3	12		99	3	9	
24	White	573	13	2				3	3	7		26	2	5	
25	Colored	823	12	1		1		4		5		73	1	4	
26	Greenville (total)	370	5	1				10	1	1		32	1	4	2
27	White	142	2					4	1			10	1	2	1
28	Colored	228	3	1				6		1		22		2	1
29	Spartanburg (total)	333	4					1	6	4	1	33		6	3
30	White	172	2						4	3	1	12		1	1
31	Colored	161	2					1	2	1		21		5	2
	TENNESSEE.[1]														
32	Registration cities (total)	6,851	114	130	29	7	11	7	41	113	9	843	26	99	28
33	White	3,496	65	41	23	5	10	4	33	47	8	299	16	44	8
34	Colored	3,355	49	89	6	2	1	3	8	66	1	544	10	55	20
35	Chattanooga (total)	1,035	13	2	29	1	2	1	3	16	1	110	3	19	6
36	White	509	8		23		2	1	2	6	1	36	2	7	2
37	Colored	526	5	2	6	1			1	10		74	1	12	4
38	Jackson (total)	285	9	13					5	6		36		4	2
39	White	139	6	5					5	2		15		2	2
40	Colored	146	3	8						4		21		2	
41	Knoxville (total)	639	10			1		2	4	8	2	80	4	10	2
42	White	445	9			1			4	6	1	54	3	6	2
43	Colored	194	1					2		2	1	26	1	4	
44	Memphis (total)	2,895	39	108		4	7	1	19	54	2	383	9	33	13
45	White	1,286	22	34		3	6		15	18	2	105	4	16	1
46	Colored	1,609	17	74		1	1	1	4	36		278	5	17	12
47	Nashville (total)	1,997	43	7		1	2	3	10	29	4	234	10	33	5
48	White	1,117	20	2		1	2	3	7	15	4	89	7	13	1
49	Colored	880	23	5					3	14		145	3	20	4
	TEXAS.[1]														
50	Registration cities (total)	5,515	72	28	46	49	12	43	69	75	7	854	23	44	10
51	White	4,868	57	22	45	49	11	41	68	68	7	762	21	38	10
52	Colored	647	15	6	1		1	2	1	7		92	2	6	
53	El Paso (total)	2,048	27	1	31	40	10	14	47	31	5	357	16	17	5
54	White	1,997	26	1	30	40	10	14	47	31	5	342	16	17	5
55	Colored[2]	51	1		1							15			
56	Galveston (total)	895	19	8	3		2	4	7	9	1	58	3	3	
57	White	587	10	3	3		1	2	6	6	1	37	1	1	
58	Colored	308	9	5			1	2	1	3		21	2	2	
59	San Antonio (total)	2,572	26	19	12	9		25	15	35	1	439	4	24	5
60	White	2,284	21	18	12	9		25	15	31	1	383	4	20	5
61	Colored	288	5	1						4		56		4	
	UTAH.														
62	Registration cities (total)	1,497	9			1	2	9	34	9	9	55	4	14	9
63	White	1,445	8			1	2	9	34	8	9	50	4	14	9
64	Colored	52	1							1		5			
65	Ogden	315	1			1		9	3	3	1	10	1	2	1
66	Salt Lake City	1,182	8				2		31	6	8	45	3	12	8

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
441	119	50	476	772	93	829	65	369	57	44	64	599	25	58	439	336	73	1,166	38	1
435	118	49	465	751	90	790	64	359	56	43	63	585	23	57	430	331	70	1,137	37	2
6	1	1	11	21	3	39	1	10	1	1	1	14	2	1	9	5	3	29	1	3
19	5	.....	16	26	6	36	5	35	2	.....	1	22	2	2	23	8	3	25	1	4
17	6	3	20	32	8	36	3	3	.....	1	3	24	.....	.....	23	10	.....	40	7	5
15	2	2	25	64	1	34	3	2	.....	1	4	16	.....	.....	2	12	1	144	1	6
6	.....	2	12	17	3	10	1	13	.....	.....	.....	11	.....	.....	6	8	.....	20	3	7
19	2	.....	24	24	4	27	.....	9	1	.....	1	22	.....	.....	10	11	4	22	2	8
28	11	1	35	58	4	28	1	10	5	4	3	37	1	3	17	24	4	70	.....	9
27	11	1	34	57	4	26	1	10	5	4	3	34	1	2	14	22	4	63	.....	10
1	.....	.....	1	1	.....	2	.....	.....	.....	.....	.....	3	.....	1	3	2	.....	7	.....	11
54	16	5	42	97	9	97	5	53	10	7	5	72	2	5	62	34	11	150	2	12
231	57	31	254	358	41	417	32	148	34	25	41	321	18	39	227	191	39	541	19	13
10	4	.....	10	26	1	20	2	2	1	1	3	20	1	.....	8	11	5	32	.....	14
8	7	4	12	17	9	37	3	32	.....	2	.....	13	.....	3	15	6	.....	54	.....	15
34	9	2	26	53	7	87	10	62	4	3	3	41	1	6	46	21	6	68	3	16
103	17	8	200	282	15	275	30	222	33	24	16	408	12	39	215	168	13	1,218	40	17
71	13	6	91	104	9	78	10	74	18	12	7	141	6	16	70	67	12	402	9	18
32	4	2	109	178	6	197	20	148	15	12	9	267	6	23	145	101	1	816	31	19
39	9	2	97	160	7	154	10	112	8	11	6	266	7	19	108	69	4	417	11	20
26	5	2	33	47	2	33	.....	29	4	5	3	89	3	3	22	23	4	102	.....	21
13	4	.....	04	113	5	121	10	83	4	6	3	177	4	16	86	46	.....	315	11	22
41	8	4	75	68	6	68	9	73	13	7	6	92	4	15	58	51	4	622	10	23
30	8	2	44	32	5	25	5	27	8	4	.....	33	3	9	25	23	4	222	3	24
11	.....	2	31	36	1	43	4	46	5	3	6	59	1	6	33	28	.....	400	7	25
10	.....	.....	17	20	1	29	5	17	5	2	1	27	1	4	30	32	3	102	7	26
6	.....	.....	7	8	1	8	3	7	2	.....	1	11	.....	3	15	11	2	34	2	27
4	.....	.....	10	12	.....	21	2	10	3	2	.....	16	1	1	15	21	1	68	5	28
13	.....	2	11	34	1	24	6	20	7	4	3	23	.....	1	19	16	2	77	12	29
9	.....	2	7	17	1	12	2	11	4	3	3	8	.....	1	8	10	2	44	4	30
4	.....	.....	4	17	.....	12	4	9	3	1	.....	15	.....	.....	11	6	.....	33	8	31
282	40	19	222	635	65	505	85	157	108	98	39	534	52	52	245	475	65	1,566	150	32
196	30	12	134	317	34	230	40	103	83	59	20	285	25	29	169	220	53	795	59	33
86	10	7	88	318	31	275	45	54	25	39	19	249	27	23	76	255	12	771	91	34
34	2	3	38	102	24	69	11	17	12	8	4	56	6	5	35	78	5	270	50	35
25	2	1	27	45	9	26	5	15	9	5	3	30	2	3	20	40	3	132	17	36
9	.....	2	11	57	15	43	6	2	3	3	1	26	4	2	15	38	2	138	33	37
9	2	.....	10	20	7	20	1	8	3	2	.....	29	5	1	3	18	1	49	22	38
5	2	.....	4	14	6	9	1	4	2	1	.....	17	.....	1	3	11	1	16	5	39
4	.....	.....	6	6	1	11	.....	4	1	1	.....	12	5	.....	.....	7	.....	33	17	40
23	4	4	29	56	7	39	11	9	9	12	4	45	4	6	23	48	7	161	15	41
17	3	2	21	38	5	28	6	9	8	9	2	30	3	5	16	32	4	108	13	42
6	1	2	8	18	2	11	5	.....	1	3	2	15	1	1	7	16	3	53	2	43
126	16	5	74	212	15	200	36	53	49	40	20	250	21	29	86	236	36	671	48	44
84	10	2	42	103	7	80	16	30	37	18	11	120	11	15	61	85	32	280	16	45
42	6	3	32	109	8	120	20	23	12	22	9	130	10	14	25	151	4	391	32	46
90	16	7	71	245	12	177	26	70	35	36	11	154	16	11	98	95	16	415	15	47
65	13	7	40	117	7	87	12	45	27	26	4	88	9	5	69	52	13	259	8	48
25	3	.....	31	128	5	90	14	25	8	10	7	66	7	6	29	43	3	156	7	49
160	19	33	126	279	104	404	61	668	44	51	39	299	31	37	255	330	81	1,120	42	50
143	16	31	119	228	100	352	47	637	42	42	36	228	28	28	232	280	76	968	36	51
17	3	2	7	51	4	52	14	31	2	9	3	71	3	9	23	50	5	152	6	52
39	3	8	27	84	52	197	12	297	15	17	19	59	9	7	76	121	28	366	11	53
38	3	8	27	83	52	195	12	294	14	15	19	56	9	7	75	111	26	358	11	54
1	.....	.....	.....	1	.....	2	.....	3	1	2	.....	3	.....	.....	1	10	2	8	.....	55
50	3	7	23	79	4	75	14	36	3	10	6	95	2	9	33	99	15	208	7	56
37	2	7	20	46	3	38	7	26	3	6	5	68	1	3	22	72	12	136	2	57
13	1	.....	3	33	1	37	7	10	.....	4	1	27	1	6	11	27	3	72	5	58
71	13	18	76	116	48	132	35	335	26	24	14	145	20	21	146	110	38	546	24	59
68	11	16	72	99	45	119	28	317	25	21	12	104	18	18	135	97	38	474	23	60
3	2	2	4	17	3	13	7	18	1	3	2	41	2	3	11	13	.....	72	1	61
101	25	7	72	163	17	134	11	22	40	26	13	123	5	20	103	114	29	275	42	62
99	24	7	71	157	17	127	11	21	40	25	11	119	5	19	102	108	26	269	39	63
2	1	.....	1	6	.....	7	.....	1	.....	1	2	4	.....	1	1	6	3	6	3	64
22	4	2	15	42	2	24	3	7	7	10	1	20	2	5	20	25	9	62	1	65
79	21	5	57	121	15	110	8	15	33	16	12	103	3	15	83	89	20	213	41	66

[2] Colored population less than 5 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	VERMONT.														
1	Registration cities (total)	783	17				1	5	8	8	5	65	15	3	2
2	White	781	17				1	5	8	8	5	65	15	3	2
3	Colored	2													
4	Barre	154	9				1		1	2		28	1	1	1
5	Burlington	396	3					3	4	5	4	24	12		1
6	Rutland	233	5					2	3	1	1	13	2	2	
	VIRGINIA.														
7	Registration cities (total)	8,113	79	24		13	2	32	30	95	11	802	42	81	31
8	White	4,249	42	5		8	2	12	21	45	11	323	30	42	19
9	Colored	3,864	37	19		5		20	9	50		479	12	39	12
10	Alexandria (total)	296	6	1		1		2	1	8		29	2		
11	White	172	5					1		2		14	2		
12	Colored	124	1	1		1		1	1	6		15			
13	Danville (total)	364	5	1				1	1	4	1	32	1	5	1
14	White	204	3					1	1	2	1	15	1	4	1
15	Colored	160	2	1						2		17		1	
16	Lynchburg (total)	612	7	2				2	1	6		66	5	7	1
17	White	340	3	2				1	1	5		35	5	5	1
18	Colored	272	4					1		1		31		2	
19	Newport News (total)	348	4	5				1	1	3	1	36		4	2
20	White	159	2						1	3	1	9		2	2
21	Colored	189	2	5				1				27		2	
22	Norfolk (total)	1,646	24	10		12	1	8	3	13	1	171	4	18	6
23	White	726	15	3		8	1	4	2	6	1	43	4	10	3
24	Colored	920	9	7		4		4	1	7		128		8	3
25	Petersburg (total)	622	5	2						14		67		4	7
26	White	276	2							7		29		1	4
27	Colored	346	3	2						7		38		3	3
28	Portsmouth (total)	448	5	3				2	2	10	2	43	3	4	3
29	White	209	4					1	2		2	22	3	1	2
30	Colored	239	1	3				1		10		21		3	1
31	Richmond (total)	2,921	19				1	10	6	26	4	271	24	32	9
32	White	1,574	6				1		5	15	4	109	14	15	4
33	Colored	1,347	13					10	1	11		162	10	17	5
34	Roanoke (total)	614	4					1	15	9	1	58	2	5	1
35	White	403	2					1	9	5	1	27		3	1
36	Colored	211	2						6	4		31	2	2	
37	Staunton (total)	242						5		2	1	29	1	2	1
38	White	186						3			1	20	1	1	1
39	Colored	56						2		2		9		1	
	WASHINGTON.														
40	Registration cities (total)	5,577	48	1			5	22	14	68	17	390	55	52	22
41	White	5,345	47	1			5	21	14	66	17	363	43	46	21
42	Colored	232	1					1		2		27	12	6	1
43	Aberdeen	149	1							1		22	1		
44	Bellingham	262	4						1	6		24	3	2	2
45	Everett	279	2						1	3	3	25	2		
46	North Yakima	223	8	1					1	4	1	25	5	4	1
47	Seattle	2,464	8				1	5	2	21	5	162	29	22	11
48	Spokane	1,165	14				3	15	8	18	5	73	5	11	4
49	Tacoma	857	8				1	1	1	9	3	50	9	13	3
50	Walla Walla	178	3					1		6		9	1		1
	WEST VIRGINIA.[1]														
51	Wheeling (total)	663	22				8	1	7	7	1	57	3	8	3
52	White	640	20				8	1	7	7	1	46	3	8	3
53	Colored [2]	23	2									11			
	WISCONSIN.														
54	Registration cities (total)	9,919	58		2	30	46	77	130	119	19	725	74	77	58
55	White	9,863	58		2	30	46	77	130	119	19	714	74	75	58
56	Colored	56										11		2	
57	Appleton	244	1				1		1	5	1	7	3	2	5
58	Ashland	202	4			1				1	1	20	4	4	3
59	Beloit	188	2						4	1		12	1		1
60	Eau Claire	295					1	1	1	7	1	35	3	5	1
61	Fond du Lac	286	2							2		13	1	3	1
62	Green Bay	429	2				5	1	1	4	2	24	2	4	
63	Janesville	174				1	1					13	2	2	4
64	Kenosha	236	2						3	3	1	11	1		2
65	La Crosse	404	2				1	1	2	6	1	35	1	7	2
66	Madison	377	1			4		2		5		26	3	4	3

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (87)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (87)	Ill-defined and unknown causes. 38	
45	12	3	52	88	13	52	3	28	13	16	6	57	3	3	65	38	6	150	1	1
45	12	3	52	88	13	51	3	28	13	16	6	57	3	3	65	38	6	149	1	2
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	3
10	3	.....	9	14	2	13	1	7	1	4	3	6	.....	1	8	6	2	20	.....	4
23	1	2	17	49	10	23	2	12	8	9	1	30	3	2	46	16	2	84	.....	5
12	8	1	26	25	1	16	.....	9	4	3	2	21	.....	.....	11	16	2	46	1	6
334	59	52	538	752	87	824	133	356	82	79	59	760	41	72	448	537	69	1,490	99	7
254	44	27	287	416	32	328	45	146	58	45	33	452	17	43	255	287	61	828	31	8
80	15	25	251	336	55	496	88	210	24	34	26	308	24	29	193	250	8	662	68	9
11	1	3	26	16	7	37	7	16	.....	3	4	37	.....	2	11	21	2	40	2	10
11	.....	1	15	14	3	18	2	12	.....	1	4	24	.....	.....	8	15	2	18	.....	11
.....	1	2	11	2	4	19	5	4	.....	2	.....	13	.....	2	3	6	.....	22	2	12
18	2	8	20	29	7	31	2	20	5	5	1	23	4	6	21	16	8	82	4	13
10	2	3	12	13	2	11	2	10	5	2	.....	10	3	5	15	11	8	50	1	14
8	.....	5	8	16	5	20	.....	10	.....	3	1	13	1	1	6	5	.....	32	3	15
24	3	4	42	58	5	49	6	33	6	6	1	41	2	3	39	38	9	138	8	16
18	2	2	26	33	.....	23	3	12	6	3	1	24	.....	2	26	19	7	73	2	17
6	1	2	16	25	5	26	3	21	.....	3	.....	17	2	1	13	19	2	65	6	18
12	4	4	25	43	3	38	3	21	.....	1	1	23	.....	3	22	39	1	46	2	19
8	3	2	12	13	1	19	.....	8	.....	.....	1	17	.....	2	8	23	1	20	1	20
4	1	2	13	30	2	19	3	13	.....	1	.....	6	.....	1	14	16	.....	26	1	21
62	15	8	103	147	11	165	27	74	18	25	14	109	12	10	83	120	22	344	6	22
39	14	4	42	66	4	54	10	20	7	11	11	57	5	4	35	55	19	167	2	23
23	1	4	61	81	7	111	17	54	11	14	3	52	7	6	48	65	3	177	4	24
20	7	2	47	38	6	50	11	38	3	1	8	98	4	8	30	52	7	89	4	25
17	2	2	20	16	3	12	1	8	3	1	1	50	1	3	14	30	7	39	3	26
3	5	.....	27	22	3	38	10	30	.....	.....	7	48	3	5	16	22	.....	50	1	27
18	.....	.....	35	38	6	60	9	31	2	2	4	31	1	4	11	23	1	79	16	28
12	.....	.....	18	22	3	16	3	14	1	2	3	19	.....	3	10	15	1	28	2	29
6	.....	.....	17	16	3	44	6	17	1	.....	1	12	1	1	1	8	.....	51	14	30
127	21	17	202	293	39	309	61	104	36	27	25	316	10	22	171	184	18	490	47	31
101	15	12	117	172	14	125	21	54	25	17	11	195	3	14	96	94	15	287	13	32
26	6	5	85	121	25	184	40	50	11	10	14	121	7	8	75	90	3	203	34	33
36	5	6	24	51	3	56	6	17	10	9	1	51	8	13	52	39	.....	122	9	34
33	5	1	18	34	2	28	3	7	10	8	1	34	5	9	37	21	.....	91	7	35
3	.....	5	6	17	1	28	3	10	.....	1	.....	17	3	4	15	18	.....	31	2	36
6	1	.....	14	39	.....	29	1	2	2	.....	.....	31	.....	1	8	5	1	60	1	37
5	1	.....	7	33	.....	22	.....	1	1	.....	.....	22	.....	1	6	4	1	55	.....	38
1	.....	.....	7	6	.....	7	1	1	1	.....	.....	9	.....	.....	2	1	.....	5	1	39
452	108	31	300	618	37	407	65	72	114	60	62	438	35	50	292	468	169	1,078	27	40
446	105	27	294	599	37	379	62	67	111	58	59	429	35	49	279	447	165	1,027	26	41
6	3	4	6	19	.....	28	3	5	3	2	3	9	.....	1	13	21	4	51	1	42
3	1	.....	8	9	1	14	3	5	4	2	1	7	.....	2	6	23	6	29	.....	43
21	10	2	10	30	.....	18	1	6	4	3	1	19	.....	2	13	21	3	53	3	44
24	3	2	20	31	2	11	3	4	8	1	1	25	1	1	14	33	5	54	.....	45
16	1	.....	7	17	3	20	1	4	4	5	3	15	2	1	10	11	2	49	2	46
203	48	17	139	290	10	188	38	25	42	25	26	187	13	28	132	206	99	477	5	47
90	29	4	48	115	9	78	12	19	29	13	16	106	8	6	75	104	30	215	3	48
85	11	5	53	112	7	69	5	6	19	8	10	69	6	8	35	62	20	157	12	49
10	5	1	15	14	5	9	2	3	4	3	4	10	5	2	7	8	4	44	2	50
52	6	8	21	49	4	72	13	29	13	8	12	49	7	3	32	59	6	100	3	51
52	6	8	21	47	4	70	13	29	13	8	12	47	7	3	31	58	6	98	3	52
.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	2	.....	.....	1	1	.....	2	.....	53
765	162	80	528	868	224	1,101	101	368	194	100	125	603	51	70	670	482	131	1,869	12	54
763	160	80	525	860	223	1,094	101	366	194	98	125	600	51	70	665	482	130	1,863	11	55
2	2	.....	3	8	1	7	.....	2	.....	2	.....	3	.....	.....	5	.....	1	6	1	56
11	2	4	15	26	2	30	2	1	11	2	1	11	3	1	15	16	3	62	.....	57
13	1	2	14	10	2	27	3	3	3	4	3	11	.....	1	9	16	3	39	.....	58
21	3	1	12	22	3	16	4	7	5	.....	3	8	2	1	18	1	2	38	.....	59
30	4	1	21	36	1	28	3	3	8	3	1	20	.....	3	13	9	2	53	1	60
30	6	5	25	25	7	18	1	5	7	6	4	27	1	2	18	8	3	66	.....	61
25	12	3	21	22	5	45	5	20	28	4	5	28	8	6	34	23	2	87	1	62
16	1	.....	8	16	4	16	2	3	2	1	2	15	1	.....	11	10	3	40	.....	63
9	5	4	8	14	2	27	1	12	4	1	3	17	6	2	27	14	2	54	1	64
42	6	1	26	48	7	38	2	2	16	7	7	21	4	2	17	14	5	79	2	65
36	8	4	24	33	4	35	3	3	11	10	3	21	2	4	21	17	4	86	.....	66

[2] Colored population less than 5 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Contd.														
	WISCONSIN—continued.														
1	Manitowoc	164					1			1		12		6	4
2	Marinette	171					1	1	2	3	1	6	3	3	1
3	Milwaukee	4,901	22			18	30	53	99	70	6	358	31	23	21
4	Oshkosh	387	4							2		25	4	4	2
5	Racine	528	5		1	2	3		8	2		42	6	1	2
6	Sheboygan	346	4		1		2	8	4	3	1	29	2	4	3
7	Superior	398	7					8	4	3	4	40	6	4	3
8	Wausau	189				4		2	1	1		17	1	1	
	RURAL PART OF REGISTRATION STATES.[1]														
	CALIFORNIA.														
9	Total	16,555	134	43	3	84	41	65	94	152	17	2,115	96	148	57
10	White	15,753	127	39	3	79	40	62	94	149	17	1,958	89	134	56
11	Colored	802	7	4		5	1	3		3		157	7	14	1
12	Alameda County	718	7			1		1	2	1		128	7	5	
13	Alpine County (total)	2													
14	White	2													
15	Colored														
16	Amador County	121	2			1		4		2		16	1		
17	Butte County (total)	368	12	5		4	2	4	2	5		30		4	2
18	White	344	9	5		3	2	4	2	5		27		4	2
19	Colored	24	3			1						3			
20	Calaveras County	98	2	3						1		12	1		
21	Colusa County (total)	108	6				1	1		4		10	1		
22	White	91	5				1			4		6			
23	Colored	17	1					1				4	1		
24	Contra Costa County (total)	389	7			1		2	5	3	1	34	1	1	2
25	White	379	7			1		2	5	2	1	33	1	1	2
26	Colored	10								1		1			
27	Del Norte County (total)	15										1			
28	White	13										1			
29	Colored	2													
30	Eldorado County	114		1				1				13		1	
31	Fresno County (total)	694	9	3			5	1	4	7	3	120	4	5	2
32	White	628	8	3			5	1	4	7	3	99	1	3	2
33	Colored	66	1									21	3	2	
34	Glenn County	70	3			2			1			4		1	1
35	Humboldt County (total)	145	2			3		2	1	2		5	1	5	
36	White	142	2			2		2	1	2		4	1	4	
37	Colored	3				1						1		1	
38	Imperial County (total)	271	4			4	1	1	6			44	1	1	
39	White	250	4			4	1	1	6			42	1	1	
40	Colored	21										2			
41	Inyo County (total)	43										5			
42	White	42										5			
43	Colored	1													
44	Kern County	178	3	1					3	1		13	2	3	
45	Kings County (total)	220	3	3		5	1	2				18	1	4	
46	White	200	3	3		5	1	2				12	1	3	
47	Colored	20										6		1	
48	Lake County (total)	81	1			1	1			1		5		4	
49	White	65				1	1			1		3		4	
50	Colored	16	1									2			
51	Lassen County (total)	60		1		3						3	1		
52	White	59		1		3						3	1		
53	Colored	1													
54	Los Angeles County	2,643	8	1	1	9	7	5	20	25	3	452	13	13	7
55	Madera County (total)	88		1				1	1	2		10	2	1	1
56	White	82		1				1	1	2		8	2		1
57	Colored	6										2		1	
58	Marin County	280	1		1			3	2	3		31	2	3	
59	Mariposa County (total)	33										4			
60	White	30										3			
61	Colored	3										1			
62	Mendocino County (total)	310		1		3		1	1	2		27			
63	White	294		1		3		1	1	2		23			
64	Colored	16										4			
65	Merced County	218	1	2			2	3	1	1	2	20		2	
66	Modoc County (total)	41										2		1	
67	White	41										2		1	
68	Colored														

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
13	4	2	11	16	5	10	2	6	3	2	4	8			10	10	2	32		1
6	2	1	10	21	2	20	2	8	2	2	1	15	1	2	21	7		27		2
354	82	35	226	420	140	603	54	246	75	46	68	302	14	30	332	216	71	850	6	3
44	4		30	35	9	29	1	5	7	2	4	20	1	3	31	20	5	96		4
37	5	7	22	51	16	61	5	27	2	1	5	25	4	4	37	44	13	90		5
34	6	4	25	27	7	33	2	10	4	6	5	25		4	20	13	5	55		6
26	8	5	17	28	5	36	5	6	4	2	2	23	2	2	30	33	5	79	1	7
18	3	1	13	18	3	29	4	1	2	1	4	6	2	3	6	11	1	36		8
955	179	78	1,019	2,059	186	1,145	163	393	108	133	151	1,167	48	92	636	1,599	373	2,961	61	9
932	175	68	997	2,000	178	1,081	157	353	104	125	144	1,134	46	84	587	1,495	350	2,842	54	10
23	4	10	22	59	8	64	6	40	4	8	7	33	2	8	49	104	23	119	7	11
36	8	2	44	121	5	111	8	13	5	3	12	40		1	14	39	5	99		12
												1				1				13
												1				1				14
																				15
7	2	1	9	12	1	7	3	2	2	1		10			10	13	5	9	1	16
26	3		16	52	5	28		3	3	4	1	25	1	1	11	32	9	78		17
26	3		15	47	5	27		3	3	3	1	25	1	1	10	30	9	72		18
			1	5		1				1					1	2		6		19
6			11	15	2	4	1	1	1		1	6			1	14	1	14	1	20
5	1	1	5	12	3	13	1	3			1	3			2	12	4	19		21
5	1	1	5	11	3	10	1	3			1	3			2	9	2	18		22
				1		3										3	2	1		23
21	6	2	16	46	2	26	2	8	2		3	33	2	3	20	68	10	62		24
21	6	2	16	44	2	25	2	8	2		3	33	2	3	18	67	10	60		25
				2		1									2	1		2		26
				3								2		1	1	3		3	1	27
				3								2			1	2		3	1	28
														1		1				29
12			2	23		3	4	1	1			12		1	2	11	2	24		30
41	10	2	29	72	4	61	10	31	8	10	10	45	3	8	37	51	15	84		31
38	9	2	28	70	4	51	10	30	8	9	10	42	3	7	35	45	14	77		32
3	1		1	2		10		1		1		3		1	2	6	1	7		33
3	1		5	6	1	7		2			1	1		1	5	8	4	13		34
10	3	1	6	24	2	3	2	1	1		1	10	1	1	6	24	7	19	2	35
10	3	1	6	24	2	3	2	1	1		1	10	1	1	6	24	7	19	2	36
																				37
3	1	2	6	9	3	15	4	15	2	1	2	12		4	15	61	4	50		38
2	1	2	5	8	3	14	4	15	2	1	2	12		4	14	52	2	47		39
1			1	1		1									1	9	2	3		40
1			5	6	1	2	1	1		1		3		1	2	5		7	2	41
1			5	6	1	2	1			1		3		1	2	5		7	2	42
								1												43
8	1	2	6	13	2	7	2	6		1	2	10		1	14	38	9	29	1	44
14	2	3	11	21	1	13	3	12	2		1	15	1		22	16	4	42		45
13	2	3	10	20	1	13	2	12	2		1	14	1		22	16	3	35		46
1			1	1			1					1					1	7		47
2	1		5	8	3	15	2	1	1	3		3			2	5		17		48
1	1		5	7	1	10	2	1	1	3		3			2	3		15		49
1				1	2	5										2		2		50
1	1		2	7		7		2	2	1		6			3	11		9		51
1	1		1	7		7		2	2	1		6			3	11		9		52
			1																	53
185	31	10	165	341	23	134	24	66	7	18	24	235	5	6	101	172	49	478	5	54
6		1	5	6		3	1	3		2		3		1	6	13	1	18		55
6		1	4	5		3	1	3		2		3		1	5	13	1	18		56
			1	1											1					57
29	7	3	19	39	3	23	3	4		1	11	11	1	4	9	21	7	39		58
	1	1	1	3	1	1	1					1		1		11		7		59
		1	1	3	1	1	1					1		1		11		6		60
	1																	1		61
11	5	1	27	33	2	23	1	6	3	2	5	33	1	2	9	35	6	68	2	62
11	4	1	27	33	1	20	1	6	3	1	5	30	1	2	9	35	6	65	2	63
	1				1	3				1		3						3		64
7	5	2	15	13	4	15	2	10		2	2	12	2	2	12	29	12	34	4	65
	1	1	3	7		4		1		1	1	4			2	6		6	1	66
	1	1	3	7		4		1		1	1	4			2	6		6	1	67
																				68

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	CALIFORNIA—continued.														
1	Mono County (total)	6													
2	White	6													
3	Colored														
4	Monterey County (total)	299	3			5			3	4		14	3	7	3
5	White	276	3			4			3	4		12	2	7	3
6	Colored	23				1						2	1		
7	Napa County	551				1		2		1		60	1	5	1
8	Nevada County	219		1		2			1	2		29	1	1	
9	Orange County	621	8			3	2	1	6	8		73	6	8	3
10	Placer County (total)	250	2	1			1	2		7	1	50	3	2	
11	White	226	2	1			1	2		7	1	46	3	2	
12	Colored	24										4			
13	Plumas County (total)	69								2		5		2	
14	White	62								2		5		1	
15	Colored	7												1	
16	Riverside County (total)	253	2			2				1		66		4	1
17	White	250	2			2				1		65		4	1
18	Colored	3										1			
19	Sacramento County (total)	168	2	1								12		1	
20	White	124	1									7		1	
21	Colored	44	1	1								5			
22	San Benito County	107				3	1		2	3		13	1	1	1
23	San Bernardino County (total)	676	2				3	5	2			108	10	7	2
24	White	658	2				3	5	2			104	10	7	2
25	Colored	18										4			
26	San Diego County (total)	355	1			1		1	2	6	1	54	1	2	2
27	White	348	1			1		1	2	6	1	54	1	2	2
28	Colored	7													
29	San Joaquin County (total)	424	5	1		1	3	1	1	2		93	1	5	
30	White	376	5	1		1	3	1	1	2		75	1	5	
31	Colored	48										18			
32	San Luis Obispo County	231	1	1		1				1		27		1	
33	San Mateo County	361				3	1	3	7	1		38	4	5	3
34	Santa Barbara County (total)	151					1	1		1		12	1	1	1
35	White	139						1		1		12	1	1	
36	Colored	12					1								1
37	Santa Clara County (total)	1,103	5		1	8	1	5	3	5	3	132	7	9	9
38	White	1,065	5		1	8	1	5	3	5	3	126	6	9	9
39	Colored	38										6	1		
40	Santa Cruz County (total)	218				1	1			4		27	1	3	1
41	White	200					1			3		27	1	2	1
42	Colored	18				1				1				1	
43	Shasta County (total)	228	3	7			1	2		1		23		1	1
44	White	214	3	6			1	2		1		16		1	1
45	Colored	14		1								7			
46	Sierra County	37								2		1			
47	Siskiyou County (total)	177	3	1				1		8		14		3	3
48	White	170	3	1						8		12		2	3
49	Colored	7						1				2		1	
50	Solano County (total)	201	2									20		3	
51	White	189	2									18		2	
52	Colored	12										2		1	
53	Sonoma County	719	4			5	4	2	5	10	2	60	8	5	3
54	Stanislaus County	360	8	2		3		1	1	4		35	3	2	
55	Sutter County (total)	72	1	1		1		3	1	1		7		1	1
56	White	71	1	1		1		3	1	1		7		1	1
57	Colored	1													
58	Tehama County (total)	144	3	1		2			1	1		18		2	
59	White	134	3			2			1	1		14		2	
60	Colored	10		1								4			
61	Trinity County (total)	43										2			1
62	White	38										2			1
63	Colored	5													
64	Tulare County	444	3	1			2	1	4	5	1	53	1	4	2
65	Tuolumne County	98	1							4		8			1
66	Ventura County (total)	288	1			1			2	4		33	4	5	1
67	White	278	1			1			2	4		30	4	5	1
68	Colored	10										3			
69	Yolo County (total)	211	1	1		4		2	2	3		10	1	2	2
70	White	196	1	1		3		2	2	3		9	1	2	2
71	Colored	15				1						1			
72	Yuba County (total)	163	2	2					2	1		11	1	2	
73	White	141	2	1					2			7	1	1	
74	Colored	22		1						1		4		1	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
																5		1		1
																5		1		2
																				3
25	6		32	39	6	24		3	2	1	5	15	2	2	11	26	4	53	1	4
23	6		31	37	6	22		3	2	1	5	13	2	2	9	22	4	50		5
2			1	2		2						2			2	4		3	1	6
26	2		30	95	8	59	4		3	4	5	52			6	33	17	135	1	7
13	2		14	31	1	19	4		3	2	2	11	1		8	22	6	40	3	8
43	4	5	55	60	3	27	9	29	2	9	4	39	1	5	45	46	12	105		9
10	3		17	30	3	19	4	1	2	4	2	17		2	2	29	5	29	2	10
10	3		16	29	3	15	3	1	2	4	2	16		2	1	24	3	27		11
			1	1		4	1					1			1	5	2	2	2	12
	1		3	4	4	4			1			1			1	17	5	19		13
	1		3	4	4	4			1			1			1	16	5	14		14
																1		5		15
14	1	2	10	18		18		10				10	1		18	25	12	33	5	16
13	1	2	10	18		18		10				10	1		18	25	12	33	4	17
1																			1	18
6	2		8	21	2	8	1	7		1	2	14			5	49	7	16	3	19
6	2		6	20	1	7		2		1	1	12			3	36	3	12	3	20
			2	1	1	1	1	5			1	2			2	13	4	4		21
3	2		7	10	2	5	4	2	2	2	1	5			9	5	1	19	3	22
25	3		43	76	6	49	9	23	4	7	5	31	2	5	25	54	8	158	4	23
24	3		40	75	6	48	9	23	4	7	5	31	2	4	24	52	8	154	4	24
1			3	1		1								1	1	2		4		25
33	1	2	26	42	3	11	5	3	3	4	3	18	2	2	12	38	7	69		26
33	1	2	26	42	3	10	5	3	3	3	3	17	2	1	11	37	7	68		27
						1				1		1		1	1	1		1		28
20	1	9	19	35	7	18		10	3	9	3	68	4	1	13	40	11	39	1	29
17	1	6	18	34	7	16		9	3	8	2	61	4	1	11	36	8	38	1	30
3		3	1	1		2		1		1	1	7			2	4	3	1		31
9	2		11	47	1	28	1	6		1	4	8			3	23	7	47	1	32
19	3	2	23	30	5	34	5	11	2	3	2	25		3	16	47	10	56		33
10	2	1	11	20	6	4		1	1	1	1	5			8	26	2	30	4	34
10	2	1	9	20	5	3		1	1	1	1	5			8	23	1	29	3	35
			2		1	1										3	1	1	1	36
65	16	7	70	152	17	67	7	25	8	6	9	72	2	7	20	66	20	279		37
64	16	7	69	149	17	66	7	23	7	5	9	71	2	6	16	63	20	267		38
1			1	3		1		2	1	1		1		1	4	3		12		39
19	3	1	10	26	4	11	1	2			2	17	1	3	8	18	7	46	1	40
19	3	1	10	25	2	9	1	1			2	17	1	2	6	15	6	44	1	41
				1	2	2		1						1	2	3	1	2		42
12	2	1	23	28		23	4	3	1	1		13		1	7	34	7	26	3	43
12	2		23	28		22	3	3	1	1		12		1	7	33	7	25	3	44
		1				1	1					1				1		1		45
3	1		2	3		2	2			1		1				10	1	8		46
6	2		5	33	1	12		1	6	2		14	3	2	5	28	2	22		47
6	2		4	31	1	12		1	6	2		14	3	2	5	28	2	22		48
			1	2																49
12			25	27	3	10	1	6	2		4	18		3	3	30	5	26	1	50
12			25	25	3	9	1	4	2		4	16		3	3	29	5	25	1	51
				2		1		2				2				1		1		52
50	13	1	49	117	12	45	7	7	7	10	4	48	2	3	23	43	13	156	1	53
22	4	1	27	42	5	15		6	5	4	2	27	4	4	23	45	7	51	1	54
6	1	1	7	12	1	5		1				7		1	3	3	1	6		55
6	1	1	7	12	1	5						7		1	3	3	1	6		56
								1												57
7			12	16	3	11		1				12			4	10	3	37		58
7			12	15	2	9		1				12			4	9	3	37		59
				1	1	2										1				60
1	1		4	13		1						4	2		1	6		5	2	61
1	1		4	11		1						4	1		1	5		4	2	62
				2									1			1		1		63
22	3	5	30	44	5	34	3	23	6	2	5	28	1	6	23	32	10	85		64
6	1		2	15	2	14	2		2	1		6			1	11	3	18		65
12	2	4	13	29	4	18	2	14		2	2	22	2	1	18	32	11	46	3	66
12	2	4	13	29	4	17	2	14		2	2	20	2	1	18	29	10	46	3	67
						1						2				3	1			68
14	5	1	14	27	2	12	3	4	2	1	2	7	1	1	7	31	6	42	1	69
14	5	1	14	27	2	12	3	3	2	1	2	7	1	1	5	24	6	39	1	70
								1							2	7		3		71
8			4	25	2	13	4	2	1	4	4	16		1	2	16	9	31		72
7			4	21	2	10	4	2	1	4	3	16		1	1	15	9	27		73
1				4		3					1				1	1		4		74

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	COLORADO.														
1	Total	6,092	87			16	48	71	40	88	17	684	20	27	29
2	White	6,006	86			16	48	71	40	87	17	666	20	27	28
3	Colored	86	1							1		18			1
4	Adams County	82	2						2			4			1
5	Alamosa County	81	1			1	15			1		1			
6	Arapahoe County	132	2			1		2				35			1
7	Archuleta County	28										1			
8	Baca County	10										1			
9	Bent County	102								4		55		1	
10	Boulder County	384	3				3	3	1	6	1	36	5		
11	Chaffee County	156	8							5		6	2	1	1
12	Cheyenne County	20						3				1			
13	Clear Creek County	69						1		2		3		1	1
14	Conejos County	34					4	1		3		2			
15	Costilla County	25						4				5			
16	Crowley County	60	2			2	4	2		2		4			
17	Custer County	21	1							1		1			
18	Delta County	116	2						1	4	2	9			
19	Dolores County	4													
20	Douglas County	22	1									3			
21	Eagle County	19	1			1						1			1
22	El Paso County	246	1									99	2		
23	Elbert County	44						1				2			
24	Fremont County	237	5				1		1	1		29		3	
25	Garfield County	109	4								1	5		1	
26	Gilpin County	33										1			
27	Grand County	15										2			1
28	Gunnison County	60								1		2		1	3
29	Hinsdale County	15													
30	Huerfano County	223	7			7	2	7	1	1	1	5	1	1	
31	Jackson County	6													
32	Jefferson County	228	4				1	2	1			111		2	1
33	Kiowa County	2													
34	Kit Carson County	60								1	1	8			
35	La Plata County	141	1					2		1	1	4			2
36	Lake County	223	1					15	2	4	1	1			2
37	Larimer County	247	3							7	1	19	1	3	2
38	Las Animas County	261	5					16	2	7		17		1	3
39	Lincoln County	46	1				1			1		5			1
40	Logan County	100				1		1				4			
41	Mesa County	167	1					1	1	1	1	17		2	2
42	Mineral County	15	1												
43	Moffat County	19	1			1						1			
44	Montezuma County (total)	52						1	1			2			
45	White	52						1	1			2			
46	Colored														
47	Montrose County	116	8				1			6		4	1		1
48	Morgan County	123	2						2	8	1	27	1	1	1
49	Otero County	245	5				1	2	4	8	1	36	1	3	
50	Ouray County	39	1						1			3			
51	Park County	24					2					3			
52	Phillips County	29	1												
53	Pitkin County	43	1						1			1			
54	Prowers County	80	1						3	5		12		1	1
55	Pueblo County	322	4				1		2	4	1	30	2	2	
56	Rio Blanco County	23										3			
57	Rio Grande County (total)	42					4			1		2			
58	White	42					4			1		2			
59	Colored														
60	Routt County	79	4					2				1			
61	Saguache County	34	2									2			
62	San Juan County	56	3									7	1		
63	San Miguel County	61							3			1			
64	Sedgwick County	20										1			
65	Summit County	22					2		1	1					
66	Teller County	254					2	1	4		1	8		1	
67	Washington County	50					1		1			3			
68	Weld County	442	1				3	4	5	2	2	32	3	2	4
69	Yuma County	73	1			2					1	6			

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
240	57	54	259	484	61	817	118	180	82	53	32	352	44	39	425	607	73	975	13	1
237	57	53	257	477	59	807	116	177	82	53	32	350	44	38	422	593	72	961	13	2
3		1	2	7	2	10	2	3				2		1	3	14	1	14		3
2	1	1	4	6		10	1			1		7		1	8	12	1	18		4
2		1		8		12	1	8	1		1	3	3		10	5	1	6		5
8	1		7	10	1	18	4		3			8			5	6	4	16		6
			2	3		3	1	2						2	5	2		6	1	7
						1					1				3	2		2		8
		1	4	5		7	1	3	1		1	2	1	1	5	6		4		9
23	5	3	25	26	4	47	2	6	9	4	2	26	2	3	28	28	7	76		10
9	1	1	5	18		26	1		4	4	2	12	3	1	9	16	1	20		11
2				3		1				1		1			4	1		3		12
6	1		6	8		11	10		1			4			3	3	1	7		13
			2			8		3	1	1				1	3	1		4		14
					1	5						1			2	2		5		15
1	1		3	10	1	3	2	5				3		1	4	5		5		16
			2	1		6		1							3	3		2		17
5	2		5	14	2	8	1	5	3	2		7	3		8	8		25		18
				1		1									1	1				19
			4			5	2	1								2		4		20
2	1			1			1								2	4		4		21
	4		8	25	1	20	3	2	1	1	1	14			11	14		39		22
1	1			7		8				2		2		1	6	5	3	4	1	23
16	5	4	12	30	2	40	3	6	3	2	1	8	2	1	11	16	4	30	1	24
8			6	11		8	3	2	6		2	9		1	7	19	2	13	1	25
1			2			7	6	1				4			1	3	1	6		26
						4						1			1	4		2		27
3	1		1	9	2	6	3			1		2	1		4	8		12		28
			1	1		2	1						1		2	2		5		29
8	1		2	10		54	1	16	1	1		16	1	1	19	37	4	18		30
1				2											2			1		31
6	3	3	10	14		13	3	3		1	1	6			4	12	1	25	1	32
			1			1														33
2	2	1		7		8	1	1				3			5	5	2	12	1	34
12	1	5	3	12	1	19	1	3	7	3		13	1	1	3	15	3	27		35
5	2	2	5	23	12	44	7	3	2	1	5	10			21	20	2	33		36
15	4		14	21	8	28	8	2	4	1		14	2	2	18	27	2	41		37
1		1	4	6	1	44	1	20	1	3	3	13	4	1	24	42	3	37	1	38
3				1	1	1	1	2				4	1			12	1	10		39
6	2	7	5	4		13	3	3	2			3		6	7	13	1	19		40
12	2		11	17		13	5	3	5	2		14	3	2	14	16	2	20		41
1			1			4		1				1			1	1		4		42
		2			1	2			1							2		8		43
1	2	1	4	3	1	7		1	2			4	2		4	5	1	10		44
1	2	1	4	3	1	7		1	2			4	2		4	5	1	10		45
																				46
8		3	3	15	2	10	3	2	2	3		15			8	6	1	20		47
6	1		5	9	1	8		4		1		7	2		10	10		16		48
16	1	3	18	18		27	3	13	4	2	1	11	2	2	19	20	1	23		49
				4		9	1	1			1	3				7	1	5	2	50
			2	3		7		1				3				2		1		51
1			5	2	1	2									2	4		11		52
1	2		5	6		3	2				1	8			1	4	2	5		53
1			4	9		5	1	5				3		2	7	10	1	8	1	54
11	2	1	16	17	3	25	2	13	4	4	1	17		1	9	36	5	109		55
			1	3		6		1		1		2	1				1	4		56
3			1	3	1	11		1			1				3	2		9		57
3			1	3	1	11		1			1				3	2		9		58
																				59
1	2	2	2	5		9	4	1	2		3	2	2	1	6	15	1	14		60
	2	1	1	1		9	1		1	1		2			6	1		4		61
				5		15	4	1				2			2	8		8		62
		1	4	3	1	9	4	2	1		1	6	2		4	8	1	10		63
1		1	1	2		3	1								1	5	1	3		64
			1	2		4						1			1	2	1	6		65
8	1	1	12	8		63	8	8	4	2	2	22		4	23	33	2	35	1	66
1	2			3		5	2	4				4	1	1	3	6	1	12		67
17	1	7	19	38	11	62	5	18	6	8		25	4		41	39	6	76	1	68
3		1		11	2	7		2			1	4		2	11	4	1	13	1	69

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	CONNECTICUT.														
1	Total	5,660	30	3		19	15	39	49	69	9	548	26	40	33
2	White	5,557	29	3		19	15	36	49	69	9	527	25	38	33
3	Colored	103	1					3				21	1	2	
4	Fairfield County	827	5	1		4	4	4	9	17	1	137	7	5	3
5	Hartford County	1,275	9			1	1	18	9	5	2	200	7	14	9
6	Litchfield County	769	4				3	5	4	7	2	54	1	3	7
7	Middlesex County	326	1	1		1				8		20	2	2	
8	New Haven County	792	8	1		7	1	9	9	6	1	42	3	3	4
9	New London County	785				4	2	2	3	4	2	50	5	7	4
10	Tolland County	344						1	4	11	1	14		3	2
11	Windham County	542	3			2	4		11	11		31	1	3	4
	INDIANA.														
12	Total	22,885	268	44	8	40	66	100	196	366	64	2,214	135	234	115
13	White	22,438	265	43	8	40	66	96	193	360	63	2,111	132	220	115
14	Colored	447	3	1				4	3	6	1	103	3	14	
15	Adams County	233	7			2		1	1	4		26		6	1
16	Allen County	293	2	1				6	4	4	1	25	2	3	2
17	Bartholomew County	319	4					1		10		40	2	4	
18	Benton County	108									1	7			
19	Blackford County	165	1		1			1	2	3		13	2	2	1
20	Boone County	274	8	1				1	1	7		28	2	5	
21	Brown County	73							3	2		6			
22	Carroll County	189	4				2	2		6	1	11		1	2
23	Cass County	303	4					2		2	2	33		3	2
24	Clark County (total)	217	5	1					4	3		19	1	4	
25	White	195	5						3	2		16	1	3	
26	Colored	22		1					1	1		3		1	
27	Clay County	364	3				2	1	6	7	2	29	3	4	2
28	Clinton County	317	3				1			3	1	22	7	6	2
29	Crawford County	131	4				1	1	1	7		16	1	1	
30	Daviess County	290	5				1		5	4		32	1	1	3
31	Dearborn County	256				1		2	1	3		31	1	1	1
32	Decatur County	228	5						2	2	1	11	1	3	1
33	Dekalb County	311	2	1		1		3		12	1	19	2	4	1
34	Delaware County	309	4		1		1	3	2	5		21	3	3	2
35	Dubois County	235	2	1		3		2	4	11		26	3	1	5
36	Elkhart County	339	3		1			2		9	1	16	3	2	2
37	Fayette County	203	2						2	3	1	20		1	
38	Floyd County	101								3		15		1	1
39	Fountain County	223	2	1			1			2		15			
40	Franklin County	197	2					4	2	2		17	1	2	1
41	Fulton County	206	3				2			5	2	11		1	1
42	Gibson County	359	11			2	2		2	5	3	37	1	3	1
43	Grant County (exclusive of)	329	5	1				7		4	2	32		4	3
44	National Military Home	178										2			
45	Greene County	387	7	3		1		1	15	7	1	48	3	5	
46	Hamilton County	323	3	1		2	1	2	3	2		23	2	2	1
47	Hancock County	213				1	2			3		14		1	1
48	Harrison County	211	6				1			3	1	32	2		
49	Hendricks County	254	2					3		5	1	25	3	4	2
50	Henry County	421	1				2	2	3	6	3	42		4	2
51	Howard County	167	1	1			2	1		3		13	1	1	
52	Huntington County	207	3							7	1	19	4		2
53	Jackson County	295	4					1	3	6		35	1	3	4
54	Jasper County	117	2	1			2			2		11	3	1	
55	Jay County	275	2	1			2		3	4		24		5	1
56	Jefferson County	390	4						2	3		47	1	4	
57	Jennings County	193	5						2	3		16	1	5	1
58	Johnson County	251	2					4	5	4		22	2	4	
59	Knox County	284	5	2			2	1	4	2	1	23	2	5	2
60	Kosciusko County	310	2			2	1	1	1	2		23	2	3	1
61	Lagrange County	192	2		1		1		1	3	1	14			2
62	Lake County	353	3	1			2	2	2	2		49	1	4	
63	Laporte County	165								2		9	1	1	
64	Lawrence County	377	9	4			1	4	9	7	1	50	2	7	1
65	Madison County	350	4	2			2	2	5	6	2	30	5	6	2
66	Marion County	479	1					4	4	4	1	56	7	10	2
67	Marshall County	283	1	1				2	3	5	1	19	2	3	
68	Martin County	119	2	1					2	6		17	2		1
69	Miami County	202	2				1		2	1	1	16	1	1	3
70	Monroe County	287	3					1	2	3		32	2	4	
71	Montgomery County	412	2				4	3	1	15	1	32		4	4
72	Morgan County	257	5			1	2		2	4	1	29	2	4	3

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
355	89	40	520	657	99	499	45	317	15	23	40	411	13	17	293	329	62	940	16	1
354	88	40	510	641	99	488	45	315	15	23	40	403	13	17	288	321	61	929	15	2
1	1	.....	10	16	.....	11	.....	2	.....	.....	.....	8	.....	.....	5	8	1	11	1	3
50	14	2	87	106	16	67	5	37	2	2	1	52	1	2	31	36	7	110	2	4
47	20	14	99	110	21	96	9	120	1	1	14	63	2	2	86	80	18	196	1	5
60	9	6	65	102	12	63	13	27	5	7	2	64	3	.....	40	41	9	147	4	6
22	4	3	41	23	5	30	4	6	2	.....	1	40	.....	2	11	26	6	64	1	7
63	15	7	72	94	13	93	4	42	3	3	4	55	4	6	48	55	9	104	4	8
58	11	3	89	108	13	64	6	23	.....	4	10	71	2	1	20	36	6	174	3	9
17	6	1	28	52	8	40	1	14	.....	3	4	28	.....	2	16	24	4	59	1	10
38	10	4	39	62	11	46	3	48	2	3	4	38	1	2	41	31	3	86	.....	11
1,525	311	116	1,840	2,765	257	1,896	164	609	149	192	232	1,906	99	129	1,198	1,281	261	4,084	21	12
1,517	310	113	1,812	2,710	251	1,860	156	604	148	189	227	1,873	98	129	1,189	1,254	259	4,006	21	13
8	1	3	28	55	6	36	8	5	1	3	5	33	1	.....	9	27	2	78	.....	14
26	1	1	13	25	3	19	.....	3	1	2	2	25	1	1	12	10	.....	40	.....	15
23	5	1	32	25	2	32	3	5	.....	1	3	31	.....	2	14	23	3	38	.....	16
26	7	1	16	39	1	21	6	6	4	5	5	19	.....	3	14	18	2	65	.....	17
3	1	2	9	17	1	10	1	4	1	1	.....	4	1	.....	8	7	1	29	.....	18
7	1	.....	15	23	.....	24	2	6	.....	1	2	12	1	1	10	8	1	25	.....	19
17	6	4	18	38	2	19	1	2	2	2	2	23	1	1	9	11	4	59	.....	20
2	3	1	5	11	1	6	.....	1	.....	1	.....	8	.....	.....	3	2	.....	18	.....	21
7	3	.....	14	24	.....	21	1	5	1	.....	3	23	3	1	10	8	5	31	.....	22
18	5	.....	37	33	.....	14	3	5	.....	1	4	27	1	1	8	13	8	77	.....	23
11	1	2	12	19	4	21	.....	4	1	2	1	30	.....	.....	14	16	3	39	.....	24
11	1	2	9	17	4	18	.....	4	1	2	1	30	.....	.....	14	16	3	32	.....	25
.....	.....	.....	3	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	7	.....	26
24	3	3	27	39	5	37	4	5	2	3	5	40	4	4	15	23	1	61	.....	27
27	6	2	39	35	3	27	2	8	5	4	2	18	.....	3	14	19	4	54	.....	28
7	.....	1	6	20	.....	10	1	1	1	1	1	10	.....	1	8	7	2	22	.....	29
19	1	1	14	31	.....	25	3	19	3	3	2	24	1	.....	18	20	.....	54	.....	30
17	3	1	17	33	7	26	.....	8	5	1	5	20	3	2	4	14	5	44	.....	31
11	3	.....	19	26	5	20	.....	4	2	3	3	24	.....	1	16	13	3	49	.....	32
34	6	1	28	44	3	11	1	3	2	3	5	31	1	5	15	9	3	60	.....	33
14	8	4	18	37	3	20	2	12	1	.....	1	24	1	4	17	31	2	64	1	34
13	3	.....	14	26	2	31	2	4	3	2	2	16	1	3	9	10	.....	35	1	35
31	10	2	44	44	6	19	2	1	3	10	2	17	2	2	19	22	3	61	.....	36
15	1	.....	20	25	2	16	.....	4	1	1	1	18	2	.....	10	10	3	45	.....	37
5	.....	.....	8	13	4	4	2	1	.....	.....	4	8	1	.....	1	8	2	20	.....	38
19	1	2	22	30	5	24	1	4	1	1	1	16	.....	.....	11	15	2	47	.....	39
20	2	.....	13	25	1	15	4	3	1	3	1	18	1	.....	10	13	2	34	.....	40
19	3	2	17	27	.....	7	2	5	7	.....	1	19	1	4	8	13	3	43	.....	41
17	5	2	24	28	5	35	6	25	2	4	4	25	1	.....	23	20	1	64	1	42
20	5	4	32	44	4	27	1	3	.....	4	15	16	2	3	22	17	3	49	.....	43
10	1	.....	14	45	1	10	1	.....	.....	1	1	18	.....	.....	.....	7	2	65	.....	44
14	2	1	28	37	2	47	5	13	5	6	7	18	.....	2	27	19	6	56	1	45
21	7	3	33	51	9	26	1	7	1	2	4	28	1	4	22	9	5	47	.....	46
12	8	1	19	22	3	24	2	.....	2	1	3	21	1	2	11	12	2	45	.....	47
10	.....	1	17	35	.....	22	.....	7	.....	1	1	13	2	.....	9	9	1	38	.....	48
20	6	1	25	32	2	15	2	7	1	2	.....	20	.....	.....	11	12	6	47	.....	49
17	6	4	32	51	1	35	3	10	.....	4	9	38	3	2	20	15	5	101	.....	50
11	2	.....	20	15	1	23	.....	5	.....	3	3	14	.....	1	10	10	1	25	.....	51
23	4	.....	22	29	2	12	2	.....	.....	1	2	12	1	1	10	10	2	38	.....	52
27	5	1	12	32	1	30	1	17	2	.....	2	12	3	2	16	15	4	56	.....	53
2	3	1	4	15	.....	8	1	3	.....	1	.....	12	.....	.....	12	8	2	23	.....	54
26	2	.....	23	40	4	21	1	4	2	6	3	19	2	1	17	20	3	39	.....	55
24	4	.....	22	56	3	22	1	9	1	2	5	40	2	2	12	14	3	106	1	56
13	2	1	18	25	.....	15	3	4	.....	2	.....	12	2	1	8	11	4	39	.....	57
6	2	1	19	30	3	23	3	4	3	3	2	36	1	1	14	14	.....	43	.....	58
10	3	5	17	20	.....	41	2	9	4	3	2	20	1	3	25	24	1	45	.....	59
22	9	.....	28	41	3	31	4	7	1	1	1	29	.....	2	12	20	3	57	1	60
17	1	.....	26	34	1	8	3	1	3	.....	2	16	2	2	12	11	3	25	.....	61
20	4	.....	16	33	14	29	3	24	.....	6	5	24	.....	2	18	31	3	52	3	62
12	3	2	17	20	5	12	2	6	1	1	.....	25	1	.....	8	10	.....	27	.....	63
18	3	.....	31	45	2	22	3	22	5	4	2	26	2	2	31	13	5	46	.....	64
31	1	3	40	43	2	19	3	10	2	4	2	26	.....	3	19	15	8	53	.....	65
21	8	2	39	56	5	28	2	10	2	5	10	38	1	1	16	33	7	106	.....	66
16	8	1	28	27	5	11	4	9	3	2	2	30	.....	5	17	16	5	55	2	67
2	.....	.....	14	13	2	8	2	4	.....	.....	.....	2	.....	.....	12	9	.....	20	.....	68
23	2	2	19	31	2	15	.....	4	2	2	3	10	1	.....	9	9	4	35	1	69
22	2	.....	13	38	1	45	5	16	2	1	6	17	2	3	13	16	2	35	1	70
33	8	2	40	40	5	28	3	5	5	3	6	39	1	4	17	14	3	90	.....	71
13	2	1	24	32	2	42	1	4	2	4	1	19	.....	.....	10	9	2	36	.....	72

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	INDIANA—continued.														
1	Newton County	85	2	1			1	2				6			2
2	Noble County	315	3						1	5	1	24		2	3
3	Ohio County	43						1		1		6		1	
4	Orange County	236	5	3			3		2	3	1	39	1	3	
5	Owen County	164	2				1			1	1	15	1	1	
6	Parke County	273	3	1		2				8	3	54	1	4	1
7	Perry County	199	6			3			5	4	1	28		3	1
8	Pike County	250	6	1	1	4	1		5	3	1	30			1
9	Porter County	249	1						3	5	2	17	1	1	
10	Posey County	233	3	3			1		1	3		30	3	2	
11	Pulaski County	133				1			1	6		4	1	1	2
12	Putnam County	252	5		1		2			2	1	26	3	1	
13	Randolph County	358					2	3	3	7	2	32	5	4	2
14	Ripley County	226	1	1				2	2		1	22		4	1
15	Rush County	241	1						1	2	1	18	2	4	1
16	St. Joseph County	251	2			1			1	7		27	3	1	1
17	Scott County	92	1						1			11	1		1
18	Shelby County	385	6		1	1		2	4	11		45	3	5	1
19	Spencer County	220	6	1		1		1		3		29		2	2
20	Starke County	114	1					2		3		9		1	
21	Steuben County	178	2			2				3		14		1	1
22	Sullivan County	361	6		1	2	6	1	7		2	38	3	4	2
23	Switzerland County	119										12			
24	Tippecanoe County	300		1			1		3	5	1	22	1	3	3
25	Tipton County	210	1			1		1	2		1	20	1	3	3
26	Union County	86							1	1		9		2	
27	Vanderburg County	295	4	1		2	1		4	5	3	57	2	3	1
28	Vermilion County	286						2	9	5		23	4	3	5
29	Vigo County	381	4	2		1			18	3	1	33		1	2
30	Wabash County	312	2			1			1	4	1	28	3	5	
31	Warren County	120	4									10	2		1
32	Warrick County	229	4	2			1		2	8		28		6	4
33	Washington County	192	3			1	1		1	6		24	2		1
34	Wayne County	392	2				2	2	1	2	2	22	1	4	1
35	Wells County	205	1					4		2	2	21	1	1	3
36	White County	178	5	1			1	1	1			15	1		
37	Whitley County	198	2	1		1	1	3				16	1	1	
	KANSAS.														
38	Total	13,612	120	17	7	59	25	142	171	363	36	566	21	73	84
39	White	13,109	114	15	7	59	25	132	168	353	36	505	21	63	83
40	Colored	503	6	2				10	3	10		61		10	1
41	Allen County	261	7			2		2	5	5	1	15	2	3	1
42	Anderson County	153					1	2	1	8		6			1
43	Atchison County	76	3	1				2	1	2		2		1	
44	Barber County	83	1						5	3		4		1	
45	Barton County	195				1		2	3	9	1	6			
46	Bourbon County	98	1	1		1		1	1	3	1	3			
47	Brown County	190	1			1	1	6	3	4		9		1	3
48	Butler County	199				2	1		1	4		8		3	
49	Chase County	86				1		2		1		9	1		1
50	Chautauqua County	123							3	1		6			2
51	Cherokee County	456	9		2	2		10	15	18		40		3	2
52	Cheyenne County	34						1	1						
53	Clark County	25							1			1			
54	Clay County	147	1					1		7	1	8		1	4
55	Cloud County	175				1			2	3		6			2
56	Coffey County	147	2					4		8	1	3			1
57	Comanche County	30										1			
58	Cowley County	339	3			4	2	4	3	11	2	17		4	1
59	Crawford County	446	8	1		5	1	10	11	12		17		2	2
60	Decatur County	70	1						1	1		1		1	
61	Dickinson County	241	1	1	2			3	2	4		8		1	1
62	Doniphan County	154	1	1				1	4	1		8			
63	Douglas County	89							1	6		1			
64	Edwards County	60	1					2	1	1		6			
65	Elk County	95	1						2	2		4		1	
66	Ellis County	118				2	1	3	1	2	1	2			
67	Ellsworth County	109							1	1		2			
68	Finney County	71	1					2		1		7			1
69	Ford County	144	5	1			1	5	1	2		7	1	1	
70	Franklin County	278	4					5	3	9		9		2	3
71	Geary County	99								4	1	5		1	1
72	Gove County	34						1		2		2			
73	Graham County (total)	74	3			1	1	1		3		2			1
74	White	65	3			1	1	1		3		2			1
75	Colored	9													

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
9	2		8	6		6			1			6			5	3	1	24		1
31	5	1	35	43		22		5		3	1	38	1	1	12	18	3	56	1	2
8			1	9		6		1				1		2	2	3		1		3
14	1	1	11	29	7	21	3	6			1	21	2		16	7	3	33		4
13	2		14	27	1	19	1	1				12	2	1	6	13	6	24		5
12	4		19	28	5	24	1	7	1	1	2	16		2	14	12	3	45		6
10			8	18	3	19	1	7	1		2	23	1	2	11	13	1	28		7
9	2	4	13	26	4	20	1	20	2	1	3	18	1	1	19	9	2	42		8
12	5		20	37	2	20	1	10	3	2	1	17			15	40	1	33		9
13	2	3	13	14	4	14	1	14	2	1	3	16	3	1	11	14	1	57		10
11			14	12	4	10	2	7	2	3	1	13			10	7	1	20		11
21	6		29	36	1	23		1	3	2	1	31	2	1	10	10	2	32		12
18	7	4	23	54	4	21	3	6	2	2	4	42	1	3	21	16	4	63		13
23	1	2	10	30	1	18	2	5	2	1	3	19	3	1	7	13	7	44		14
22	4	2	23	34	6	17	1	2	4	2	3	12	3	1	14	13	6	41	1	15
27	5	1	21	34	4	15	2	4		4		22	1		10	16	4	37	1	16
4			6	12	1	12		3	1			5	1		8	5		19		17
20	3	2	41	42	3	30	3	8	5	1	3	38	3	1	18	15	3	67		18
12	2	1	9	16	6	18		9		1	5	15	1	4	9	9	2	56		19
5	1		10	8		11	1	4	1		4	13	2	2	6	11	3	16		20
18	3		16	33	2	7	4	1		1		15	1		7	6	6	34	1	21
21	4	6	26	36	5	34	2	11	1	6	4	26	1	2	42	21	1	39	1	22
7	1		9	32	2	7		4			1	11		1	4	9		19		23
22	2	1	41	45	3	16	3	4	1	3	1	27			13	18	2	58		24
19	3		9	21	7	15	4	8		2	5	16		1	15	9	3	39	1	25
10			8	16		2	1			2	1	5	1		5	7		15		26
17	1	1	16	26	2	20		14		1	2	19	1	1	13	9	2	67		27
11	5	2	18	29	1	32		19	3	1	3	20	2	4	14	31	2	37	1	28
20	7	2	17	40	1	45	2	28	2	1	4	26	3	1	35	29	6	47		29
24	4		27	36	4	22	3	8	4	1	2	40	3	1	9	24	6	49		30
7		1	10	21	5	11	1	3		4	1	7	1		3	6	1	21		31
10	1		11	21	7	26	1	5	2	2		28		2	14	12	3	29		32
13	4	11	17	21	3	16	2	2		3		17			8	11		25		33
25	10	1	39	38	3	35	2	4	4	4	4	32	1	3	17	24	5	102		34
15	3		20	20		26	1	2	1	2		22			13	6	3	36		35
19	5		12	17	5	16	2	3	1	3	4	19		1	8	6	6	26		36
25	5		23	29	1	7		1	2	2	2	18		1	14	11	4	26	1	37
843	223	64	972	1,444	156	1,083	172	329	118	138	98	924	62	106	849	879	143	3,062	263	38
821	217	62	942	1,388	148	1,042	165	322	116	135	94	890	62	104	833	833	142	2,964	248	39
22	6	2	30	56	8	41	7	7	2	3	4	34		2	16	46	1	98	15	40
19	4	3	21	24	3	22	2	5	2	2	3	22		2	9	9		63	3	41
12	2	1	9	24		9	1	3	2		3	9			6	13		39	1	42
	2		9	3	1	11	1			1	1	5			6	7	1	15	1	43
3	1		1	5	2	6		1	1			3		3	8	11	3	18	3	44
12	3		10	12	1	10	1	7	3	8	1	15		2	18	26	2	39	3	45
6			4	9		12	1	2	2			6			7	7	2	28		46
16	1	3	14	18	3	16		3		3	2	18		1	8	5	2	45	3	47
9	6	1	17	27	2	15	4	7		5	1	14		1	8	11	2	46	4	48
6	2		3	5		9	3	2		1		2	1	1	9	11	3	11	2	49
8	2		5	11	3	4	2	8		2	4	7	1	2	7	6	1	36	2	50
19	7	1	17	35	12	42	7	8	1	3	4	32	1	6	22	35	2	92	9	51
3				5		2		1	1	1		2	1	1	3	3		7	2	52
1	1		2	1							1	3			6	3	1	3	1	53
7	3		17	15	2	9	2	2	2	1		10		1	11	5	1	32	4	54
21	2		8	19	2	15	2	4	6	4	2	5	1	1	13	8	1	45	2	55
14	5	1	11	20	3	9	1	2	1			8	2	2	3	7		38	1	56
1	1		3	2	2	2		4				2	2		4	1	1	3	1	57
22	7	3	29	29	2	27	5	6	8	3	3	17		1	15	25	4	80	2	58
20	7	2	22	24	7	37	7	30	5	6	5	34	3	4	29	46	9	70	10	59
5	1		7	6		6	1	1				12			2	6		15	3	60
12	2		20	37	2	18	2	4	3	6	3	20	2		12	22	1	46	6	61
7		2	11	22	1	18	3	7		3		13	3		9	8		29	2	62
6	3	1	3	9	2	5		1	2			6	1		6	7	1	24	4	63
3			2	4		8	1	2				7	1		4	6	1	8	2	64
6		1	5	3	5	10	2	5	1	1		9	1		3	10		22	1	65
6		1	3	7	1	20	1	5	5			4			16	5	2	27	3	66
11	1	1	4	15	1	6	1	3	1	2	3	9	1		10	9	2	22	3	67
5		2	2	4		3	2	3		1		5		2	6	4	1	16	3	68
6			5	18	1	8	2	8	2	3	3	7	1		8	9		37	2	69
20	3		21	17	4	27	7	5	1	2		33	1	2	9	13	1	71	6	70
13	4	1	4	11	1	9		4		1		8			1	13	4	11	2	71
1			2	1	1	3		1				6	1		6	2		4	1	72
3		1	2	5	2	8	1	2				3		1	8	7		15	4	73
2		1	2	5	1	7	1	2				3		1	8	3		13	4	74
1					1	1										4		2		75

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	KANSAS—continued.														
1	Grant County	10									2				
2	Gray County	20						1	1	1					
3	Greeley County	2													
4	Greenwood County	132	2					2	5	3		8	1		3
5	Hamilton County	26	1			1	1			1		4			
6	Harper County	124	2							7		3	2		
7	Harvey County	219	1				1	3		5		6	1	2	
8	Haskell County	12								2					
9	Hodgeman County	22								1		1			
10	Jackson County	171	1					1	1	5	1	9		2	
11	Jefferson County	184					1	1	1	9		5	1	3	2
12	Jewell County	132	4			2						4			
13	Johnson County	199	4					3	2	6	1	6			
14	Kearny County	22	1								1	1		1	
15	Kingman County	103	1				1		2			5		1	
16	Kiowa County	66	2						1	5		2			1
17	Labette County	217	3	2				2	3	5		13		2	1
18	Lane County	20			1				1	1	1				
19	Leavenworth County [2] (total)	141		1					3	7		4	1		
20	White	132							3	7		4	1		
21	Colored	9		1											
22	National Military Home (total)	302									6	7			
23	White	294									6	7			
24	Colored	8													
25	Lincoln County	72						2		4		1			2
26	Linn County	153	2				1	1	1	7		11		1	2
27	Logan County (total)	30										1		2	
28	White	29												2	
29	Colored	1										1			
30	Lyon County	293	1		1	5			5	5		6	3	2	2
31	McPherson County	225	1				3	1	3	2		4			1
32	Marion County	206	2			2		3	6	4		6		2	2
33	Marshall County	190	1	1				1	3	10		3		1	1
34	Meade County	39								1	1	1	1		1
35	Miami County	338	3	1		1		3	1	5	1	20		2	2
36	Mitchell County	143	1			2				1	2	2			
37	Montgomery County	239	8	2				2	3	9	1	17		1	1
38	Morris County	101						1		4		4		2	
39	Morton County	7				1						1			
40	Nemaha County	186	1					1	1	1	1	8			1
41	Neosho County	222		3		1	1	5	2	5		15		1	
42	Ness County	61						1		4		2			1
43	Norton County	111						3	2	3		4			
44	Osage County	211	1					1		8		10		1	
45	Osborne County	116		1		1			2	4		4			2
46	Ottawa County	114				1	1	2		3		3			1
47	Pawnee County	93	3						2	2	1	5			1
48	Phillips County	108				3	2		2	2		3	2	3	2
49	Pottawatomie County	140						2	1	5		7		1	1
50	Pratt County	95	1				1	1	2	1	1	2		1	
51	Rawlins County	42						1		2		1			
52	Reno County	142	1		1	1		2	3	4		5			2
53	Republic County	128	2			1		1	1	1		3		1	
54	Rice County	139	1			4		1	4			8			1
55	Riley County	161							1	7		4			2
56	Rooks County	67	1						2	1					1
57	Rush County	60				1				1					
58	Russell County	118	1			1			3	3		5			2
59	Saline County	246	2			1		2	1	4	1	12		2	1
60	Scott County	16								1					
61	Sedgwick County	125				1		2	2	3		4		1	1
62	Seward County	40							1	1		2			
63	Shawnee County (total)	314	1					1		10	5	17		3	3
64	White	285	1					1		10	5	16		1	3
65	Colored	29										1		2	
66	Sheridan County	30					1	1				2			
67	Sherman County	32						1		2		2			
68	Smith County	126				4			4	1	1	4	1		1
69	Stafford County	114	1					3		1		4			
70	Stanton County	3													
71	Stevens County	16					1	2				2			
72	Sumner County	283	3			2		1	1	5		11	1	1	3
73	Thomas County	39							3	1					
74	Trego County	33						1		1		1			
75	Wabaunsee County (total)	105	1					1	1	6		7	1	1	3
76	White	94	1					1	1	4		7	1	1	3
77	Colored	11								2					
78	Wallace County	19								1		1			1
79	Washington County	143	1					1		5			1		2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
	1			1		1				1						2	1	1		1
		1	1	3		3	1	1		1		1		1	2	1		1		2
																1		1		3
11	2		7	8	1	18	1	3		1	1	11		3	11	4	1	23	2	4
	1		2					2		1		1			4			7		5
8	1	1	6	13		15		6	3	3	1	6	1	1	11	4	3	20	7	6
20	5		19	34	1	9		3	6	7	1	11		3	14	17	1	44	5	7
			1		2		1					1		1	1	2		1		8
3		1	2			3					1	2		1	3			4		9
12	3	1	12	23	1	9	5	1	1		1	10		2	14	9	2	35	10	10
10	2	1	18	13	4	14	2	1				16	2		10	14	2	52		11
13	5	1	7	15	2	12	2	2		1	1	11		2	6	12	1	27	2	12
12	5	1	18	21		19	2	1	1		3	14		1	9	18	2	47	3	13
2			2	1		1						2	1	1		5		3		14
7	2		5	9	2	5	1	2	2		1	8		2	13	4	2	25	3	15
2	1		5	5	2	3	2	4			1	2	1		9	2	1	14	1	16
19	4		22	14	4	10	8	2	1	2	3	12	2	1	6	8	2	60	6	17
				2		2	2					1			1	2		4	2	18
4	3	1	9	16	1	17	3	2	2	2	1	5	2		5	11	5	34	2	19
4	2		9	14	1	16	3	2	2	2	1	5	2		5	10	5	33	1	20
	1	1		2		1										1		1	1	21
14	4		48	58	1	19	1			1	2	42				8	3	88		22
14	4		48	54	1	19	1			1	2	42				8	3	84		23
				4														4		24
5	1	1	6	7		5	2	2	1	2	1	12			2	1		13	2	25
8	2	1	10	16	5	17	3	5				8	3		3	5	6	33	2	26
			2	4		3			1			1			4	4	1	5	2	27
			2	4		3			1			1			4	4	1	5	2	28
																				29
20	4	1	24	40		23	6	8	4	2	1	31	2	1	14	17	3	59	3	30
21	3	2	29	15	9	14	2	5	1	3	3	15		1	10	8	1	65	3	31
15	4	1	15	23	3	15	4	6	1	3	1	10	3	2	14	8	4	40	7	32
13	5	1	16	23	2	14		3			3	8	1	1	16	9	3	46	5	33
2	3		1	3	2	2		1	1	2	1	2			4	3		7		34
10	3	2	39	72	3	24	1		1	1	2	18	4	1	16	11	4	85	2	35
10	1	1	6	20		14	1	5	2	3		11	1	2	10	10		37	1	36
11	4		13	25	1	16	3	6	1	2	1	10		1	19	15	2	63	2	37
4	3		5	16	3	4	2	1	1			5		4	12	4		25	1	38
				1		1		2											1	39
14	2	1	9	21	1	21	1	3	3	2	1	11	1	1	9	9	4	55	3	40
16	5	1	18	27	1	14		3		2	1	10	1	3	13	10		58	6	41
2			7	4		7		1				2		1	6	5	1	15	2	42
12	2		7	21	1	7		1	1	1		4			10	8		22	2	43
19	7	1	18	23	1	15	3	4		1	2	22	1	1	10	13	3	44	2	44
4	3	2	7	16	1	10		3		2	1	7		2	7	7		29	1	45
6	4	2	7	12	2	7	2	3	1		1	8		2	12	6		27	1	46
4	1		9	11		8	1	3				7			7	9	2	16	1	47
6	3		5	10	1	8		1		1		7	1	2	4	5	3	31	1	48
6	2		12	14	2	13	3	2	2			10			5	12	1	32	7	49
7	2	3	5	10	1	5		6			1	8	1	1	14	6		14	1	50
			2	4	3	5		2				2		1	4	2		9	4	51
7	3	1	11	11	2	10	4	5		2	1	11			15	9	2	29		52
13	4		3	13		9	4	1		1	1	11			11	7	2	35	3	53
10	3		12	17	2	12	5	8	1	6	2	3			8	3	1	26	1	54
14	2		14	14	2	10	2	4	4	4	1	11		1	7	18	2	33	4	55
2	3	1	7	6		8	2		1			2		1	8	5	2	13	1	56
2	2		8	6		4		1				1		1	10	6	2	13	2	57
5			10	5	1	9	1	2	1	1	2	8		1	12	8	1	32	4	58
16	3		14	16	5	31	7	8	5	2		12	4	2	16	20	3	46	10	59
2			1	1		1						1	1		1	1		3	3	60
6	3	1	17	16	1	3	2	2	1		1	5	1		10	10	1	28	3	61
3			1	1		3		3	1	1	1	3		1	3	6		8	1	62
9	4	1	30	42	2	21	3	1	1	3		16	1	2	13	13	1	108	3	63
9	4	1	27	38	2	20	2	1	1	3		14	1	2	11	12	1	97	2	64
			3	4		1	1					2			2	1		11	1	65
1				2	1			1				4			4			9	4	66
3			2	1	1	3	1					4		1	1	2		7	1	67
11	5		3	13		16	2	4	2		1	8	1	2	12	3	1	24	2	68
5	1		5	16		7		5	2	2	1	10		2	9	6	1	31	2	69
																		1	2	70
2			2					1				1		1				3	1	71
20	3	4	21	28	5	25	2	7	4	2	5	18		2	23	24	1	61		72
3			2	3		2		3		1		6	1		3	6		5		73
		1		4	1	4		1	1			2		1	6	1		5	3	74
5	4	1	3	17		3		4		1	1	4			5	6	4	24	2	75
4	4	1	3	16		2		4			1	3			5	6	4	20	2	76
1				1		1				1		1						4		77
	1		3	2		3						1			2	1		3		78
12			18	20	1	12	1	1	1	1	1	9			4	14	3	33	2	79

[2] Exclusive of National Military Home.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	KANSAS—continued.														
1	Wichita County	15						2				1			
2	Wilson County	197	1					1	9	3		13		3	2
3	Woodson County	90	1					3	1	6		2			1
4	Wyandotte County (total)	253	2				1	2	5	7		12	1	4	1
5	White	205					1	2	4	6		7	1	4	1
6	Colored	48	2						1	1		5			
	KENTUCKY.														
7	Total	22,095	636	123	1	74	47	167	538	390	61	3,358	159	261	134
8	White	18,517	529	106	1	70	46	137	511	329	59	2,592	137	210	111
9	Colored	3,578	107	17		4	1	30	27	61	2	766	22	51	23
10	Adair County (total)	187	8	1					4	4		35	4	3	1
11	White	145	4	1					4	3		22	2	2	1
12	Colored	42	4							1		13	2	1	
13	Allen County (total)	171	6	1		1			3	4	1	26		2	2
14	White	156	6	1		1			3	4	1	20		2	1
15	Colored	15										6			1
16	Anderson County (total)	126	2							1	1	19	3	2	
17	White	118	2							1	1	17	3	1	
18	Colored	8										2		1	
19	Ballard County (total)	142	7	5					1	6		17	1		
20	White	109	3	4					1	3		13	1		
21	Colored	33	4	1						3		4			
22	Barren County (total)	324	17	2					7	8		59	4	9	1
23	White	239	13	1					5	6		40	4	9	1
24	Colored	85	4	1					2	2		19			
25	Bath County (total)	166	4			1		1	4	3		24		4	
26	White	144	4			1		1	4	3		21		2	
27	Colored	22										3		2	
28	Bell County (total)	337	10	1		1		4	7	6		28	1		3
29	White	298	8	1		1		4	7	4		22	1		3
30	Colored	39	2							2		6			
31	Boone County (total)	94										10		2	1
32	White	85										8		2	1
33	Colored	9										2			
34	Bourbon County (total)	296	4					4	5	6	1	33		4	1
35	White	172	3					3	4	3		15		1	1
36	Colored	124	1					1	1	3	1	18		3	
37	Boyd County (total)	303	5			8	1	2	3	3	1	28	2	4	2
38	White	286	4			8	1	2	3	3	1	24	2	4	2
39	Colored [2]	17	1									4			
40	Boyle County (total)	214	4	1					3	1		21	1	2	3
41	White	131	4						2	1		13	1	2	1
42	Colored	83		1					1			8			2
43	Bracken County (total)	105	1			1				1		18	1		
44	White	99	1			1				1		16	1		
45	Colored	6										2			
46	Breathitt County (total)	89	1						5	1		6			
47	White	88	1						5	1		6			
48	Colored [2]	1													
49	Breckinridge County (total)	285	20	1		5		1	4	6	1	47	1	7	4
50	White	243	19			5		1	4	6	1	33	1	4	4
51	Colored	42	1	1								14		3	
52	Bullitt County (total)	129	4	1				1	4	1		15	1	2	
53	White	119	4	1				1	4	1		13	1	2	
54	Colored	10										2			
55	Butler County (total)	142	4	1					8	1	1	29		1	
56	White	127	4						8	1	1	24		1	
57	Colored [2]	15		1								5			
58	Caldwell County (total)	156	6	4					1	4	1	29		1	
59	White	115	3	4					1	1	1	17			
60	Colored	41	3							3		12		1	
61	Calloway County (total)	187	7	8			2		11	2	3	36	1	1	
62	White	173	5	8			2		10	2	3	32	1	1	
63	Colored	14	2						1			4			
64	Campbell County (total)	369	3				1	1	2	6		37	2	6	1
65	White	364	3				1	1	2	6		35	2	6	1
66	Colored [2]	5										2			
67	Carlisle County (total)	110	1	2				3	1			15	2		1
68	White	98	1	2				3	1			11	2		1
69	Colored [2]	12										4			
70	Carroll County (total)	100		1			1	3	3			10	3	1	
71	White	94		1			1	3	3			9	3	1	
72	Colored	6										1			
73	Carter County (total)	237	4				2	7	6	5	2	33	1	8	
74	White	233	4				2	7	6	5	2	31	1	8	
75	Colored [2]	4										2			

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	5	.....	1
9	6	.....	12	19	1	19	4	4	4	2	3	7	.....	3	12	17	2	37	4	2
10	1	1	7	11	.....	5	1	3	.....	1	1	6	.....	3	5	5	1	14	1	3
18	2	.....	15	37	2	25	4	8	3	2	.....	19	1	3	12	15	1	48	3	4
16	2	.....	12	26	2	20	4	8	2	1	.....	14	1	2	10	13	1	42	3	5
2	.....	.....	3	11	.....	5	.....	.....	1	1	.....	5	.....	1	2	2	.....	6	.....	6
817	136	285	812	1,567	243	1,711	186	737	122	155	91	1,324	122	147	1,376	1,190	152	3,958	1,015	7
733	115	263	706	1,286	192	1,433	157	657	107	130	79	1,071	109	132	1,240	950	137	3,309	873	8
84	21	22	106	281	51	278	29	80	15	25	12	253	13	15	136	240	15	649	142	9
4	.....	3	3	24	.....	10	2	4	1	4	1	8	.....	1	12	5	1	30	14	10
4	.....	3	3	20	.....	8	2	3	1	3	1	6	.....	1	11	4	1	25	10	11
.....	.....	.....	.....	4	.....	2	.....	1	.....	1	.....	2	.....	.....	1	1	.....	5	4	12
6	1	3	5	13	2	14	2	1	.....	1	1	8	2	1	12	4	2	34	13	13
6	.....	3	5	13	2	12	2	1	.....	1	1	8	1	1	12	3	2	31	13	14
.....	1	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	3	.....	15
9	.....	1	4	17	3	17	.....	2	.....	.....	.....	7	.....	.....	8	6	.....	16	8	16
9	.....	1	3	16	3	16	.....	2	.....	.....	.....	7	.....	.....	8	6	.....	14	8	17
.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	18
2	.....	3	5	6	.....	22	1	5	.....	1	2	7	3	2	9	9	2	19	7	19
2	.....	2	4	3	.....	18	1	5	.....	1	1	6	3	2	8	6	2	14	6	20
.....	.....	1	1	3	.....	4	.....	.....	.....	.....	1	1	.....	.....	1	3	.....	5	1	21
20	6	2	12	21	3	16	6	10	1	2	.....	14	1	.....	10	17	1	50	25	22
17	4	2	11	13	1	13	5	9	1	2	.....	10	.....	.....	10	10	1	36	15	23
3	2	.....	1	8	2	3	1	1	.....	.....	.....	4	1	.....	.....	7	.....	14	10	24
8	1	.....	9	13	1	20	1	2	.....	2	.....	10	1	3	8	8	2	27	9	25
7	1	.....	8	12	1	17	1	1	.....	2	.....	5	1	3	8	8	2	23	8	26
1	.....	.....	1	1	.....	3	.....	1	.....	.....	.....	5	.....	.....	.....	.....	.....	4	1	27
8	1	3	4	14	1	20	2	20	6	2	2	20	1	2	28	43	2	76	21	28
8	1	2	4	10	1	20	2	20	5	2	2	15	1	2	27	36	1	69	19	29
.....	.....	1	.....	4	.....	.....	.....	.....	1	.....	.....	5	.....	.....	1	7	1	7	2	30
13	3	.....	9	14	1	5	1	1	.....	2	.....	6	.....	1	6	2	.....	15	2	31
12	3	.....	8	13	1	5	1	1	.....	1	.....	5	.....	1	5	2	.....	14	2	32
1	.....	.....	1	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	1	.....	33
11	4	2	15	42	3	25	2	7	1	1	2	31	1	2	18	12	5	45	9	34
8	4	1	10	27	.....	7	.....	6	1	1	2	16	.....	2	15	4	5	26	7	35
3	.....	1	5	15	3	18	2	1	.....	.....	.....	15	1	.....	3	8	.....	19	2	36
10	.....	4	7	18	1	35	2	13	3	2	5	20	6	1	28	33	4	50	2	37
8	.....	4	6	18	1	34	2	13	3	2	5	19	5	1	26	30	4	49	2	38
2	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	1	1	.....	2	3	.....	1	.....	39
8	1	1	10	24	4	19	3	8	.....	2	.....	26	3	1	12	11	2	37	6	40
5	1	1	8	9	3	13	2	5	.....	1	.....	18	2	1	10	5	2	19	2	41
3	.....	.....	2	15	1	6	1	3	.....	1	.....	8	1	.....	2	6	.....	18	4	42
4	1	2	3	8	3	6	1	.....	2	3	.....	6	1	.....	5	6	3	27	2	43
4	1	2	3	8	3	6	1	.....	2	2	.....	6	1	.....	5	6	2	25	2	44
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	1	2	.....	45
3	.....	3	.....	5	.....	7	1	2	.....	.....	.....	3	1	5	8	6	1	15	16	46
3	.....	3	.....	4	.....	7	1	2	.....	.....	.....	3	1	5	8	6	1	15	16	47
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
11	3	6	12	15	3	21	2	7	3	5	1	15	1	1	21	14	2	36	9	49
10	3	6	11	12	3	18	2	6	3	5	1	10	1	1	20	12	2	34	5	50
1	.....	.....	1	3	.....	3	.....	1	.....	.....	.....	5	.....	.....	1	2	.....	2	4	51
6	.....	1	6	12	.....	16	2	7	.....	.....	.....	5	.....	.....	12	9	.....	20	4	52
6	.....	1	6	11	.....	15	2	6	.....	.....	.....	2	.....	.....	11	8	.....	20	4	53
.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	3	.....	.....	1	1	.....	.....	.....	54
5	.....	.....	4	8	1	8	.....	5	1	1	.....	7	.....	1	12	7	2	23	12	55
5	.....	.....	4	8	1	7	.....	4	1	1	.....	7	.....	1	12	7	1	20	9	56
.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	3	3	57
6	1	3	8	3	.....	11	.....	4	2	1	.....	12	1	2	8	10	1	29	8	58
6	.....	3	7	1	.....	9	.....	3	1	1	.....	9	1	2	8	6	1	25	5	59
.....	1	.....	1	2	.....	2	.....	1	1	.....	.....	3	.....	.....	.....	4	.....	4	3	60
6	3	2	8	9	1	9	1	2	2	1	1	5	1	2	11	6	6	33	7	61
5	3	2	7	9	1	9	1	2	2	1	1	5	1	2	11	6	5	30	6	62
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	1	63
22	8	4	23	46	5	22	4	5	3	7	5	43	3	4	14	27	3	61	1	64
22	8	4	23	45	5	22	4	5	3	7	5	42	3	4	14	27	3	60	1	65
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	66
6	.....	2	4	9	.....	9	1	5	.....	1	.....	8	1	2	9	1	1	24	2	67
5	.....	2	4	8	.....	7	.....	5	.....	1	.....	7	1	2	9	1	1	22	2	68
1	.....	.....	.....	1	.....	2	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	69
8	1	.....	4	14	1	11	.....	.....	1	1	.....	5	.....	.....	4	3	1	22	2	70
7	1	.....	4	13	1	11	.....	.....	1	1	.....	5	.....	.....	4	3	1	19	2	71
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	72
6	.....	4	6	21	4	19	1	16	.....	.....	.....	9	3	1	21	10	.....	37	11	73
6	.....	4	6	21	4	19	1	16	.....	.....	.....	9	3	1	21	9	.....	36	11	74
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	75

[2] Colored population less than 5 per cent of the total of 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	KENTUCKY—continued.														
1	Casey County (total)	177	5	1					5	4		33		3	1
2	White	173	5	1					5	3		31		3	1
3	Colored [2]	4								1		2			
4	Christian County (total)	682	19	1			1	4	5	13	1	136	6	10	3
5	White	354	5				1		5	11	1	66	4	7	2
6	Colored	328	14	1				4		2		70	2	3	1
7	Clark County (total)	263	4			1	1	2	2	2		28	4	4	2
8	White	177	4			1	1	1	1	2		19	4	3	1
9	Colored	86						1	1			9		1	1
10	Clay County (total)	132	6	1				1	6	1	2	18			3
11	White	126	6	1				1	6	1	2	17			3
12	Colored [2]	6										1			
13	Clinton County (total)	31							1			4		2	
14	White	30							1			4		2	
15	Colored [2]	1													
16	Crittenden County (total)	100	5	2					4			14	2	3	
17	White	93	3	2					4			13	2	3	
18	Colored [2]	7	2									1			
19	Cumberland County (total)	84	1						6	1		13		1	
20	White	74	1						6	1		9		1	
21	Colored	10										4			
22	Daviess County (total)	278	3	3		1	3		5	11	2	43	2	2	1
23	White	243	2	3		1	3		5	9	2	35	2	1	
24	Colored	35	1							2		8		1	1
25	Edmonson County (total)	89	1	2					4	1		18		1	
26	White	85	1	2					4	1		17			
27	Colored [2]	4										1		1	
28	Elliott County (total)	87	4					1	4	2		14	2	2	
29	White	87	4					1	4	2		14	2	2	
30	Colored [2]														
31	Estill County (total)	95	2						1			21	3	1	1
32	White	95	2						1			21	3	1	1
33	Colored [2]														
34	Fayette County (total)	150	2					7	2	1		19	1		
35	White	93						3	2	1		7	1		
36	Colored	57	2					4				12			
37	Fleming County (total)	209	19					1	5	3		30	2	2	1
38	White	190	18					1	5	3		29	2	2	1
39	Colored	19	1									1			
40	Floyd County (total)	159	4			2	2	2	5	1	1	29	1	4	1
41	White	157	4			2	2	2	5	1	1	28	1	4	1
42	Colored [2]	2										1			
43	Franklin County (total)	111	4			1			5	1		20	1	2	
44	White	99	4						5	1		15	1	2	
45	Colored	12				1						5			
46	Fulton County (total)	249	8	24					3	7	2	32	1		4
47	White	183	4	21					1	7	2	17	1		1
48	Colored	66	4	3					2			15			3
49	Gallatin County (total)	64	1				1	1	1		1	12	2		
50	White	62	1				1	1	1		1	12	2		
51	Colored	2													
52	Garrard County (total)	140	4				2	2	4	2		18	2	1	1
53	White	91	2				2	2	4			11		1	
54	Colored	49	2							2		7	2		1
55	Grant County (total)	147	6							5	1	23	2	1	3
56	White	136	6							5	1	22	2	1	1
57	Colored [2]	11										1			2
58	Graves County (total)	325	14	6				1	11	5	3	50	3	6	1
59	White	273	13	5				1	11	5	3	39	3	5	1
60	Colored	52	1	1								11		1	
61	Grayson County (total)	197	7	2					3			42	4	3	3
62	White	187	7	1					2			39	4	3	3
63	Colored [2]	10		1					1			3			
64	Green County (total)	106	1							4		13	1		
65	White	86	1							4		12	1		
66	Colored	20										1			
67	Greenup County (total)	240	9	1		7	1	1	7	8		31	2	1	2
68	White	237	9	1		7	1	1	7	8		31	2	1	2
69	Colored [2]	3													
70	Hancock County (total)	99	2			4	1			2		17	3	4	1
71	White	89	2			4	1			1		14	2	3	1
72	Colored	10								1		3	1	1	
73	Hardin County (total)	285	9				1	3	9	2		53	3		2
74	White	250	6				1	3	9	2		44	3		1
75	Colored	35	3									9			1
76	Harlan County (total)	147	10			1			7	2		16		1	
77	White	139	9			1			7	2		16		1	
78	Colored	8	1												

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
2	1	3	5	10	1	11		5	1	1		17		2	13	6		33	14	1
2	1	3	5	10	1	11		5	1	1		17		2	13	5		33	14	2
																1				3
23	6	6	22	40	6	48	4	18	2	4	7	38	3	5	37	30	4	167	13	4
16	2	5	10	22	3	19	1	14	1	2	3	24	1	2	20	12	3	88	4	5
7	4	1	12	18	3	29	3	4	1	2	4	14	2	3	17	18	1	79	9	6
17	2	3	5	26	12	20	2	4	2	2	1	23			16	14	2	60	2	7
15	2	2	5	13	1	12	2	1	1	1	1	18			14	10	2	40		8
2		1		13	11	8		3	1	1		5			2	4		20	2	9
2		1		6	1	8	2	3	3	2		3		3	5	8		19	28	10
2		1		6	1	8	1	3	2	2		3		3	5	7		19	26	11
							1		1							1			2	12
		3	1	2		3					1	2		1	1	2		7	1	13
		3	1	2		3					1	2		1	1	2		6	1	14
																		1		15
5		1	6	3	1	3	2	1		1		4	3	2	5	5		20	8	16
5		1	5	2	1	3	2	1		1		3	3	2	5	5		19	8	17
			1	1								1						1		18
5	1	3	5	3		2		3		1		4	1		8	3		17	6	19
5		3	5	2		2		2		1		4	1		7	3		15	6	20
	1			1				1							1			2		21
11	1	4	11	14	4	19	1	22		2	1	18	2	6	24	14	3	42	3	22
11	1	4	9	12	4	16	1	21		2	1	14	2	6	21	12	1	40	2	23
			2	2		3		1				4			3	2	2	2	1	24
3			2	6	1	10		1				1		1	7	4		19	7	25
3			1	6	1	10		1				1		1	7	4		19	6	26
			1																1	27
4		3	4	3		8		3				8		1	9	3		7	5	28
4		3	4	3		8		3				8		1	9	3		7	5	29
																				30
2		5	2	2		10	1	3		1	1	5			6	6		16	6	31
2		5	2	2		10	1	3		1	1	5			6	6		16	6	32
																				33
6		2	8	11	8	17	2	3				12			3	8	2	33	3	34
5		2	6	9	6	12	1	2				6			3	5	2	19	1	35
1			2	2	2	5	1	1				6				3		14	2	36
5		4	6	20	3	19		3	1	1		12	2	1	13	10	3	41	2	37
4		4	4	19	3	19		3	1	1		9	2	1	11	6	3	37	2	38
1			2	1								3			2	4		4		39
1	1	5		2	1	12		7		1		4	1	3	9	8		31	21	40
1	1	5		2	1	12		7		1		4	1	3	9	7		31	21	41
																1				42
9			5	7	1	10		4			1	3			5	4		24	4	43
9			5	7		9		4				2			5	4		22	4	44
					1	1					1	1						2		45
6	1	2	6	11	3	27		8	1	2		18	1	2	5	25		33	17	46
6	1	2	5	8	2	21		6	1	2		15	1	2	5	13		26	13	47
			1	3	1	6		2				3				12		7	4	48
2			4	8	1	2		2				5	1		5	2		12	1	49
2			4	8	1	2		2				5	1		5	2		11		50
																		1	1	51
5		1	13	10	2	9	1	3	1	2	1	15	1	3	4	4	1	22	6	52
3		1	11	7	2	5	1	3	1	1	1	8	1	2	2	2	1	15	2	53
2			2	3		4				1		7		1	2	2		7	4	54
20	1	1	9	11	1	6	1		1		3	6		1	8	10	2	23	2	55
18	1	1	9	9	1	6	1		1		3	6		1	8	6	2	23	2	56
2				2												4				57
9	1	5	13	13	3	33	4	10		2		22	1	3	20	16	3	61	6	58
9	1	5	11	13	2	25	4	6		1		14	1	3	18	14	3	51	6	59
			2		1	8		4		1		8			2	2		10		60
6	1	2	8	6	4	20	2	6				15			9	9	2	34	9	61
6	1	2	8	6	4	20	2	5				14			9	9	2	31	9	62
								1				1						3		63
2		2	6	14	1	8		4	3			7		1	5	2		28	4	64
2		2	4	10	1	6		3	3			6		1	5	2		20	3	65
			2	4		2		1				1						8	1	66
5	1	1	8	9	4	21	2	19				8	5		22	18	5	34	8	67
5	1	1	8	9	3	21	2	19				8	5		22	18	5	33	7	68
					1													1	1	69
1	5		3	6		4		5			1	6	1	1	4	6		22		70
1	5		3	6		4		4			1	5	1	1	3	5		22		71
								1				1			1	1				72
13	1	1	15	28	6	21	2	10	2	1	2	27	2	1	10	9	1	44	7	73
12	1	1	14	25	6	19	2	9	2	1	2	21	2		10	7	1	40	6	74
1			1	3		2		1				6		1		2		4	1	75
4			2	1	2	8	2	5	3			9	3		15	20	1	16	19	76
3			2	1	2	8	2	5	3			9	2		14	19	1	13	19	77
1													1		1	1		3		78

[2] Colored population less than 5 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	KENTUCKY—continued.														
1	Harrison County (total)	203	4					2	3	4		47		2	1
2	White	172	4					1	3	4		34		2	1
3	Colored	31						1				13			
4	Hart County (total)	227	11				2	1	3	2	2	40	6	3	1
5	White	190	9				2	1	2	2	2	30	6	3	1
6	Colored	37	2						1			10			
7	Henderson County (total)	202	5	3		1			3	3		29		2	
8	White	142	4	3		1			3	2		20		1	
9	Colored	60	1							1		9		1	
10	Henry County (total)	182	3					1	1	3		32	1	1	2
11	White	140	2					1	1	2		21			2
12	Colored	42	1							1		11	1	1	
13	Hickman County (total)	126	3	6					1	3	1	21			1
14	White	99	2	5					1	2	1	12			1
15	Colored	27	1	1						1		9			
16	Hopkins County (total)	416	13	3			3		2	6	3	78	1	7	6
17	White	311	11	3			2		2	5	3	54		7	5
18	Colored	105	2				1			1		24	1		1
19	Jackson County (total)	72	1						1	2		12	1	2	
20	White	71	1						1	2		12	1	2	
21	Colored [2]	1													
22	Jefferson County (total)	747	4			1		8	7	2	6	218	1	8	2
23	White	599	2			1		8	7		5	151	1	6	1
24	Colored	148	2							2	1	67		2	1
25	Jessamine County (total)	177	1					2	2	2		22	2	3	2
26	White	122	1					1	1	2		14	1	3	1
27	Colored	55						1	1			8	1		1
28	Johnson County (total)	184	5			2		1	7	1		28	3	1	
29	White	183	5			2		1	7	1		28	3	1	
30	Colored [2]	1													
31	Kenton County (total)	187	2				1		3	4		24	2	3	2
32	White	182	2				1		3	4		24	2	3	2
33	Colored [2]	5													
34	Knott County (total)	85	1			1		1	6	1		9		2	
35	White	81	1					1	6	1		8		1	
36	Colored [2]	4				1						1		1	
37	Knox County (total)	289	4			2	1	3	25	6		31	3	5	2
38	White	272	4			2	1	2	23	5		29	3	5	2
39	Colored [2]	17						1	2	1		2			
40	Larue County (total)	124	3				2	1	2	6		17	2	4	1
41	White	112	3				2	1	2	5		14	1	4	1
42	Colored	12								1		3	1		
43	Laurel County (total)	155	8			1	1	3	5	2		20			2
44	White	148	8			1	1	3	5	2		20			2
45	Colored [2]	7													
46	Lawrence County (total)	216	8					6	5	1	1	33	1	3	1
47	White	214	8					6	5	1	1	32	1	3	1
48	Colored [2]	2										1			
49	Lee County (total)	91	1	1		3	1	1	4			6		2	
50	White	88	1	1		3	1	1	4			6		2	
51	Colored [2]	3													
52	Leslie County (total)	57	2			1		2	1			4			1
53	White	54	2			1		2	1			3			1
54	Colored [2]	3										1			
55	Letcher County (total)	133	2			3		2	1	1	1	9		2	
56	White	123	2			3		2	1	1	1	7		2	
57	Colored [2]	10										2			
58	Lewis County (total)	194	8				1		3	1		26	2	2	1
59	White	194	8				1		3	1		26	2	2	1
60	Colored [2]														
61	Lincoln County (total)	234	9	1				1	5	3	1	40	1		2
62	White	188	8	1				1	4	3	1	28	1		2
63	Colored	46	1						1			12			
64	Livingston County (total)	106	5	3					3	1	1	16	3	2	
65	White	101	4	3					3	1	1	15	3	2	
66	Colored	5	1									1			
67	Logan County (total)	295	14						12	5		47	2	4	3
68	White	208	11						12	4		28	2	2	1
69	Colored	87	3							1		19		2	2
70	Lyon County (total)	110	2	2			1		1	1		15			2
71	White	80	1	2			1		1	1		9			2
72	Colored	30	1									6			
73	McCracken County (total)	117		3					5	3		18		2	
74	White	103		3					5	3		15		2	
75	Colored	14										3			
76	McCreary County (total)	103	2					3	8		1	6		2	
77	White	102	2					3	8		1	6		2	
78	Colored	1													

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
10	1	2	8	18	4	15	2	3	2	1		14		1	7	10	2	39	1	1
10	1		8	13	4	12	2	3	2			14		1	7	9	2	35		2
		2		5		3				1						1		4	1	3
10	2	5	7	13	2	22	1	7			2	19	1	2	19	11		28	5	4
9	2	4	6	12		21	1	6			2	15	1	1	14	10		24	4	5
1		1	1	1	2	1		1				4		1	5	1		4	1	6
6		3	9	19	4	14	3	8	1	1		12	1	1	14	13		44	3	7
4		2	6	10	3	8	2	7	1	1		6	1	1	11	8		34	3	8
2		1	3	9	1	6	1	1				6			3	5		10		9
12	1	1	16	9	4	17	2	6	1	3		7	1		12	1	4	40	1	10
9	1	1	13	6	3	15	2	4	1	2		6	1		10	1	3	32	1	11
3			3	3	1	2		2		1		1			2		1	8		12
7			2	7	2	11		5				9		1	9	9	2	21	5	13
7			1	5	2	10		5				8		1	8	7	2	17	2	14
			1	2		1						1			1	2		4	3	15
16	7	3	15	35	5	27	5	10	3	1		18	1		32	33	2	73	8	16
14	4	3	11	26	4	12	3	7	3	1		14	1		26	22	1	61	6	17
2	3		4	9	1	15	2	3				4			6	11	1	12	2	18
5	1	4	1	3		4		4	1	1	1	2		1	3	3		9	10	19
5	1	4	1	3		4		4	1	1	1	2		1	3	3		9	9	20
																			1	21
25	5	2	27	76	5	37	7	22		5	2	55	2	3	22	23	8	161	3	22
24	4	2	24	63	4	36	6	19		3	2	43	2	3	21	19	7	132	3	23
1	1		3	13	1	1	1	3		2		12			1	4	1	29		24
7	1	2	7	16	1	21	3	5		1	1	11	1		16	6		38	4	25
6	1	2	6	9		14	2	4		1	1	7	1		12	5		25	2	26
1			1	7	1	7	1	1				4			4	1		13	2	27
3	1	10	2	12		10	2	11	3	2	2	9	1		24	9		27	8	28
3	1	10	2	12		10	2	11	3	2	1	9	1		24	9		27	8	29
											1									30
10	2	2	15	20	1	22	3	2		3		12	1		14	13	4	21	1	31
9	2	2	15	19	1	21	3	2		3		12	1		14	12	4	20	1	32
1				1		1										1		1		33
						5	1	1	1	1		3		2	7	2	2	18	21	34
						5	1	1	1	1		3		2	7	2	2	18	20	35
																			1	36
8		4	9	16	3	24	1	8	2		1	13		1	24	22	2	58	11	37
8		4	7	15	3	23	1	8	1		1	13		1	23	21	2	55	10	38
			2	1		1			1						1	1		3	1	39
5			8	9		7	2	6	1			12	2	2	8	2		20	2	40
5			8	8		7	2	6	1			12	1	2	7	2		16	2	41
				1									1		1			4		42
5	1	3	10	8	4	13	2	5	1	1		8		2	11	8		26	5	43
5	1	3	10	8	3	13	2	5	1	1		7		2	8	8		24	5	44
					1							1			3			2		45
7	1	4	3	9	1	13	4	10	2	3	1	10	1		16	12	2	37	21	46
7	1	4	3	9	1	13	4	9	2	3	1	10	1		16	12	2	37	21	47
								1												48
1		3	1	3	1	11		3	1	1		9		2	5	7		21	3	49
1		3	1	3	1	11		3		1		9		1	5	7		20	3	50
									1					1				1		51
			2	2		2		3	1			1			4	4	1	13	13	52
			2	1		2		3	1			1			4	3	1	13	13	53
				1												1				54
3		2	2	9		10	1	21		1	1	2	2	1	9	21		19	8	55
3		2	2	8		9	1	21		1	1	2	2	1	9	17		17	8	56
				1		1										4		2		57
3		2	7	20	1	16	4	9		6	3	12	3	2	14	8		29	11	58
3		2	7	20	1	16	4	9		6	3	12	3	2	14	8		29	11	59
																				60
15	1	3	6	20	7	17	1	6		1	1	9	1		13	14		49	7	61
8	1	3	5	16	6	15	1	5		1	1	8	1		12	9		41	6	62
7			1	4	1	2		1				1			1	5		8	1	63
2	1	6	1	7	1	8	1	3		2		10	3	2	2	3		15	5	64
1	1	6	1	6	1	8	1	3		2		10	3	2	2	2		15	5	65
1				1												1				66
15	1	3	15	21	7	22	1	9	2	2		10	1	3	7	21	4	51	13	67
13		1	11	15	3	16	1	7		1		6	1	3	6	12	4	37	11	68
2	1	2	4	6	4	6		2	2	1		4			1	9		14	2	69
3			4	9	4	14		3		2		3	1		2	14	1	22	4	70
3			4	7	4	9		3		2		2			2	8	1	15	3	71
				2		5						1	1			6		7	1	72
3		2	2	9	1	10	1	9	2			6	1		7	7		23	3	73
3		2	2	8	1	6	1	9				6	1		6	7		20	3	74
				1		4			2						1			3		75
7		3	1	2		14	1	6				1			13	5		18	10	76
7		3	1	2		13	1	6				1			13	5		18	10	77
						1														78

[1] Colored population less than 5 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	KENTUCKY—continued.														
1	McLean County (total)	140	8	3					1	4		29		2	
2	White	123	7	3					1	3		27		2	
3	Colored	17	1							1		2			
4	Madison County (total)	330	11		1	2		1	9	2		51		6	
5	White	218	8		1	2			9	2		22		2	
6	Colored	112	3					1				29		4	
7	Magoffin County (total)	159	7			1		1	3			15		1	3
8	White	153	6			1		1	3			15		1	3
9	Colored [2]	6	1												
10	Marion County (total)	225	1					2	6	7		23	1	3	3
11	White	161	1					1	6	5		16	1	1	1
12	Colored	64						1		2		7		2	2
13	Marshall County (total)	130	4	8					1	4	1	27	1		
14	White	129	4	8					1	4	1	26	1		
15	Colored [2]	1										1			
16	Martin County (total)	68	3	1					6			8	2		1
17	White	68	3	1					6			8	2		1
18	Colored [2]														
19	Mason County (total)	285	3					1	6	8		39	5	2	1
20	White	220	3						4	5		27	3	2	1
21	Colored	65						1	2	3		12	2		
22	Meade County (total)	130	6	1					5	4		27	1		1
23	White	118	6	1					5	4		23	1		1
24	Colored	12										4			
25	Menifee County (total)	56	3					1	3	2		7		2	
26	White	56	3					1	3	2		7		2	
27	Colored [2]														
28	Mercer County (total)	180	5				2	3	3	2		26	4	1	1
29	White	137	4				2	1	3	1		18	4		1
30	Colored	43	1					2		1		8		1	
31	Metcalfe County (total)	115	5						1	8		20		4	1
32	White	103	4						1	7		14		3	1
33	Colored	12	1							1		6		1	
34	Monroe County (total)	158	8	1					3	3		19		3	2
35	White	145	7	1					3	2		14		3	2
36	Colored	13	1							1		5			
37	Montgomery County (total)	182	10	1		2		1	7	1		21	1	2	2
38	White	126	9			2		1	6			13	1	1	2
39	Colored	56	1	1					1	1		8		1	
40	Morgan County (total)	175	2			1	1	10	10	3		27	1	1	2
41	White	175	2			1	1	10	10	3		27	1	1	2
42	Colored [2]														
43	Muhlenberg County (total)	422	12	3		1		2	16	5	2	67	1	4	2
44	White	366	10	2		1		2	16	4	2	56	1	3	2
45	Colored	56	2	1						1		11		1	
46	Nelson County (total)	237	6						2	9		28	2	3	3
47	White	180	4						2	9		18	2	2	3
48	Colored	57	2									10		1	
49	Nicholas County (total)	113	2				1		4	1		20		3	
50	White	101	2				1		4	1		17		3	
51	Colored	12										3			
52	Ohio County (total)	305	7	3		4	1	2	9	3	2	49		2	2
53	White	286	7	3		4	1	2	9	3	2	45		2	2
54	Colored [2]	19										4			
55	Oldham County (total)	119	2			1				2	1	11		1	1
56	White	98	2			1				1	1	9		1	1
57	Colored	21								1		2			
58	Owen County (total)	167	4					6	3	4		24	2		1
59	White	151	3					6	3	4		19	1		1
60	Colored	16	1									5	1		
61	Owsley County (total)	60	1					2	1		1	10			
62	White	60	1					2	1		1	10			
63	Colored [2]														
64	Pendleton County (total)	162	2							8	1	25	3		1
65	White	156	2							7	1	24	3		1
66	Colored [2]	6								1		1			
67	Perry County (total)	99	3	1					5	2		15	1	2	2
68	White	91	3	1					5	2		15	1	2	1
69	Colored [2]	8													1
70	Pike County (total)	336	6			7	2	1	28	4	7	37		2	1
71	White	322	6			7	2	1	28	4	7	36		2	1
72	Colored [2]	14										1			
73	Powell County (total)	67								3		7		2	
74	White	63								3		7		2	
75	Colored	4													
76	Pulaski County (total)	363	13					5	16	10	1	58		6	4
77	White	341	12					5	14	10	1	54		5	4
78	Colored [2]	22	1						2			4		1	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
3	1	4	4	4	6	7	3	6			1	10			8	8	2	23	3	1
3	1	3	4	4	5	7	3	5			1	10			6	7	2	17	2	2
		1			1			1							2	1		6	1	3
14	3	5	13	23	3	25	1	14	6	1		29	3	4	15	13	3	68	4	4
13	2	4	10	17	3	20		8	4	1		12	3	1	14	9	3	46	2	5
1	1	1	3	6		5	1	6	2			17		3	1	4		22	2	6
2		2	2	9	1	10	1	3				1		3	7	8		26	53	7
2		2	2	9	1	10	1	3				1		3	7	7		26	49	8
																1			4	9
5		1	11	9	7	20	2	13	3		1	19			14	13	2	52	7	10
5		1	10	8	6	14	2	12	3		1	9			9	8	2	37	2	11
			1	1	1	6		1				10			5	5		15	5	12
2	2	7	2	3		8	1	3	2	1		4		3	13	7		19	7	13
2	2	7	2	3		8	1	3	2	1		4		3	13	7		19	7	14
																				15
		1	1	1		8		6		2		2	1		5	6		10	4	16
		1	1	1		8		6		2		2	1		5	6		10	4	17
																				18
11	5		18	26	4	26	3	7	1	3	2	21	2	1	19	9	3	51	8	19
9	2		17	23	3	19	1	7	1	2	2	17	1	1	13	8	3	41	5	20
2	3		1	3	1	7	2			1		4	1		6	1		10	3	21
8	3	1	1	12	3	9	1	2	1		1	10		1	5	8	1	16	2	22
8	3		1	11	3	8	1	2	1		1	9			5	5	1	16	2	23
		1		1		1						1		1		3				24
2	1	2	1			5	1			1	1	4	1	1	2	5		7	4	25
2	1	2	1			5	1			1	1	4	1	1	2	5		7	4	26
																				27
7	3		9	20	3	10	1	2	2	3		19	1	1	6	7	4	31	4	28
5	2		9	12	2	8	1	1	1	3		15	1	1	6	6	3	25	2	29
2	1			8	1	2		1	1			4				1	1	6	2	30
3		2	2	8	1	12		4			1	7	3	1	5	1		18	8	31
3		2	2	8	1	12		4			1	6	3	1	5	1		17	7	32
												1						1	1	33
8		4	4	14	1	6		10		1	1	7		1	12	5		30	15	34
8		4	4	14	1	6		10		1	1	6		1	12	5		27	13	35
												1						3	2	36
10	2	4	10	10	1	14	2	2			1	22			7	11	1	33	4	37
8	2	3	7	4		8	2				1	14			5	7	1	28	1	38
2		1	3	6	1	6		2				8			2	4		5	3	39
4	2	6	4	5		15		2	3			2	3	1	13	10		25	22	40
4	2	6	4	5		15		2	3			2	3	1	13	10		25	22	41
																				42
12	2	12	14	26	9	29	2	26	1	6	2	25	2	3	40	15		65	16	43
12	2	11	12	23	9	28	1	22	1	6	1	20	2	3	35	12		55	12	44
		1	2	3		1	1	4			1	5			5	3		10	4	45
5	3	1	8	19	2	18	3	10	3	4	3	20	1		13	15	1	46	9	46
5	3	1	5	15	2	11	3	9	3	4	2	14	1		11	7		37	7	47
			3	4		7		1			1	6			2	8	1	9	2	48
7	1	1	4	6		13	1	1	2	3	1	8		1	5	5	2	17	4	49
7	1	1	4	6		10	1	1	2	2	1	7		1	5	5	1	15	3	50
						3				1		1					1	2	1	51
8		2	12	26	1	24	3	8	2	3	1	29		2	19	13	1	59	8	52
8		2	12	25	1	22	3	8	2	3	1	28		2	18	8	1	54	8	53
				1		2						1			1	5		5		54
8			11	14		15		4			1	4		1	2	5	1	32	2	55
8			9	13		13		1			1	2			2	4	1	27	1	56
			2	1		2		3				2		1		1		5	1	57
10	2		6	14		9	1		2	2		8	1	2	14	9	1	33	9	58
9	2		5	13		8	1		2	2		8	1	2	12	9	1	31	8	59
1			1	1		1									2			2	1	60
1			3	2	3	5	3	2				1			7	4		12	2	61
1			3	2	3	5	3	2				1			7	4		12	2	62
																				63
5	2		13	17	4	16		3	1	1	2	10	2		10	9	3	23	1	64
5	2		13	17	4	16		2	1	1	2	10	2		10	9	3	20	1	65
								1										3		66
			1	4	2	6	2	10			1	2	1	2	3	10		15	9	67
			1	4	2	5	2	10			1	2	1	2	3	4		15	9	68
						1										6				69
5		3	1	18	1	19	4	17	1			10	3		33	34	1	47	44	70
5		2	1	17	1	18	4	17	1			9	3		31	32	1	43	43	71
		1		1		1						1			2	2		4	1	72
1		2	3	5		3	3	1			1	4			7	3		18	4	73
1		2	2	3		2	3	1			1	4			7	3		18	4	74
			1	2		1														75
13	5	7	19	29	1	22	3	8	1		2	24	1		30	25	2	41	17	76
12	5	7	19	26	1	20	2	8	1		2	23	1		29	25	2	37	16	77
1				3		2	1					1			1			4	1	78

[2] Colored population less than 5 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	KENTUCKY—continued.														
1	Robertson County (total)	41	2				1			3		5	2	1	
2	White	40	2				1			3		4	2	1	
3	Colored [2]	1										1			
4	Rockcastle County (total)	139	5			1		3	3	3		21		2	1
5	White	137	5			1		3	3	3		21		2	1
6	Colored [2]	2													
7	Rowan County (total)	125	2						8	1		19	1	1	1
8	White	122	2						8	1		19	1	1	1
9	Colored [2]	3													
10	Russell County (total)	118	3	1				5	1	3		23	2	3	1
11	White	116	3	1				5	1	3		23	2	3	1
12	Colored [2]	2													
13	Scott County (total)	205	4						4	11	1	28		3	1
14	White	137	3						4	3	1	17		1	1
15	Colored	68	1							8		11		2	
16	Shelby County (total)	258	7						6	10		20	6	1	3
17	White	186	7						6	6		15	5		2
18	Colored	72								4		5	1	1	1
19	Simpson County (total)	150	9					3	7	5		24			
20	White	116	7					2	1	5		17			
21	Colored	34	2					1	6			7			
22	Spencer County (total)	98	9				1		1	3		12		1	
23	White	83	6				1		1	3		10		1	
24	Colored	15	3									2			
25	Taylor County (total)	108	6	1				1	8	2	1	14	2	2	
26	White	79	3	1				1	8	2	1	8	2	1	
27	Colored	29	3									6		1	
28	Todd County (total)	202	6	2					4	4		41	6	4	
29	White	116	3						3	4		13	3	1	
30	Colored	86	3	2					1			28	3	3	
31	Trigg County (total)	191	11	1				10	4	2		35	1	4	
32	White	122	8					2	4	2		17	1	2	
33	Colored	69	3	1				8				18		2	
34	Trimble County (total)	32	1					1				3			1
35	White	30	1					1				3			1
36	Colored [2]	2													
37	Union County (total)	217	2	1					4	5		33	1	1	
38	White	165	2	1					4	4		25	1		
39	Colored	52								1		8		1	
40	Warren County (total)	392	12			1	1		6	4		69	2	4	2
41	White	283	9				1		6	4		41		3	1
42	Colored	109	3			1						28	2	1	1
43	Washington County (total)	162	2						2	7		30	2	2	2
44	White	129	1						1	5		24	1	2	2
45	Colored	33	1						1	2		6	1		
46	Wayne County (total)	130	3				1	5	2	4		15		1	1
47	White	114	3				1	5	2	3		14		1	1
48	Colored [2]	16								1		1			
49	Webster County (total)	234	15	1			2	1	4	5		37			4
50	White	193	13	1			2	1	4	5		30			4
51	Colored	41	2									7			
52	Whitley County (total)	302	8					3	14	4	1	36	2	2	1
53	White	288	8					3	14	4	1	31	1	2	1
54	Colored [2]	14										5	1		
55	Wolfe County (total)	89	2			1	1		5	3		12			
56	White	87	2			1	1		5	3		12			
57	Colored [2]	2													
58	Woodford County (total)	172	4			3		6	1	2		21	1	2	
59	White	103	1			2		3	1	1		11	1		
60	Colored	69	3			1		3		1		10		2	
	MAINE.														
61	Total	8,938	67	1		11	7	63	68	161	22	568	46	81	26
62	White	8,927	67	1		11	7	63	68	161	22	565	45	81	26
63	Colored	11										3	1		
64	Androscoggin County	275	3			1				3	1	11	1	2	1
65	Aroostook County	1,021	6			6	1	25	28	21	4	64	4	11	
66	Cumberland County	849	3				1	4	5	15	3	51	4	6	2
67	Franklin County	283	1			1		5		3		14		2	1
68	Hancock County	528	2					3	1	22		27	3	9	3
69	Kennebec County (exclusive of)	601	3					4	3	7	4	42	2	8	1
70	National Military Home	161										12			
71	Knox County	530	3	1		2		1		10	1	36	2	4	5
72	Lincoln County	274						2	1	8		13	1	1	2
73	Oxford County	553	3					2	1	9		39	6	2	2
74	Penobscot County	922	14				3	7	10	8	2	67	7	12	4
75	Piscataquis County	246	2					2	1	3	1	18		3	2
6	Sagadahoc County	286	2			1		1	1	4		17	1		

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
			4	1		8			2			1			2	3	1	5		1
			4	1		8			2			1			2	3	1	5		2
																				3
4	1	4	5	7		12	2	6	1			8	3		9	6		22	10	4
3	1	4	5	7		12	2	6	1			8	3		9	6		21	10	5
1																		1		6
4		1	1	8		9	2	7		2	1	6		1	6	10	1	20	13	7
4		1	1	6		9	1	7		2	1	6		1	6	10	1	20	13	8
				2			1													9
4	3	1	3	11	1	5	1	6				5	2	1	10	2	1	16	4	10
4	3	1	3	11	1	5	1	6				5	2	1	10	2	1	15	3	11
																		1	1	12
11	1	4	9	19	3	16	2	3	3	1	1	11	2	1	9	8	3	42	4	13
7	1	3	7	14	3	11	1	3	3	1	1	10	2	1	6	5	3	24	1	14
4		1	2	5		5	1					1			3	3		18	3	15
21	1	2	6	15	3	25	3	10	2	3		16	1	1	12	10	4	63	7	16
16		2	6	12	3	13	1	8	2	1		12	1	1	6	7	3	46	5	17
5	1			3		12	2	2		2		4			6	3	1	17	2	18
8	1	1	4	7		5	1	5	1	2	2	15			8	4		29	9	19
8	1	1	2	7		3	1	4	1	2	2	15			7	2		20	8	20
			2			2		1							1	2		9	1	21
4	1	1	1	6		14		6		3		3	1		9	2		20		22
4	1	1	1	4		11		6				3	1		8	2		19		23
				2		3				3					1			1		24
4		1	2	12	1	9	2	4	1	3		2		2	5	2		17	4	25
4		1	2	9		9		3	1	2				2	4	1		11	3	26
				3	1		2	1		1		2			1	1		6	1	27
5	1	3	13	15	2	15	2	2	1	1		5			13	11	4	33	9	28
5	1	2	9	10	2	10	1	2	1			3			10	2	4	22	5	29
		1	4	5		5	1			1		2			3	9		11	4	30
5	2	1	2	10	2	11	1	3		2		7	1	1	4	7	1	51	12	31
3	1		2	9	1	7	1	1		1		5	1	1	4	6	1	36	6	32
2	1	1		1	1	4		2		1		2				1		15	6	33
3	1		3	5	1	1		1			1	1			2			4	3	34
3	1		3	5	1	1		1			1	1			1			3	3	35
															1			1		36
10		1	13	17	2	11	1	11	1	1	3	10		1	14	20	2	47	5	37
7		1	12	12	1	9	1	8	1	1	3	6			13	15	2	32	4	38
3			1	5	1	2		3				4		1	1	5		15	1	39
16	2	4	27	40	3	30	3	14	3	1	2	34	1	4	24	15	2	62	4	40
14	2	4	19	24	1	20	2	11	3	1		24		4	18	12	2	53	4	41
2			8	16	2	10	1	3			2	10	1		6	3		9		42
6		3	4	11	4	18		4			1	9	1	2	15	2	1	29	5	43
5		3	4	11	3	15		2				7	1	1	14	1		22	4	44
1					1	3		2			1	2		1	1	1	1	7	1	45
4		6	2	5	1	8	1	3	1	1		3		1	4	3		27	28	46
3		6	2	3	1	8	1	3	1	1		3		1	3	2		22	24	47
1				2											1	1		5	4	48
4	1	3	8	13	3	13	5	8	2			11	1	1	18	18		50	6	49
4	1	2	7	10	2	11	4	8	2			9	1	1	15	10		41	5	50
		1	1	3	1	2	1					2			3	8		9	1	51
7		4	6	18	1	33	5	9		3	1	19	2	4	23	20		51	25	52
7		4	5	17	1	31	5	9		3	1	17	2	4	22	20		50	25	53
			1	1		2						2			1			1		54
2				5	1	4	1	2	2		2	2		2	9	2		18	13	55
2				5	1	3	1	2	2		2	2		2	9	2		17	13	56
						1												1		57
3	1	2	12	18	1	23	2	6	1	1		10	1	2	8	11		24	6	58
2	1	1	9	9	1	18	2	6				6		1	4	8		12	3	59
1		1	3	9		5			1	1		4	1	1	4	3		12	3	60
618	135	46	809	1,098	139	739	80	302	48	61	53	664	22	55	477	413	92	1,850	116	61
618	135	46	808	1,097	139	738	80	301	48	61	53	663	22	55	477	412	92	1,849	116	62
			1	1		1		1				1				1		1		63
20	8	3	29	38	3	30	5	5	1	2	1	16		1	11	11	4	63	1	64
39	5	10	36	72	7	72	11	138	11	6	1	45	7	7	85	60	9	191	39	65
66	16	5	72	131	12	65	7	12	6	6	2	81	2	6	39	38	7	174	8	66
19	6		31	27	7	19		11	2	1	1	27		2	20	17		64	2	67
32	10	2	57	63	12	53	3	7	4	3	6	38		3	18	22	5	112	8	68
49	9	3	65	89	10	43	3	13	3	4	4	33	1	2	37	31	9	114	5	69
8	1		10	45		5	10			2	2	42						21	3	70
45	12	2	59	62	6	43	1	4	2	4	3	39	2		15	29	8	120	9	71
15	5		30	32	5	26	3			3		25		3	13	11	4	69	2	72
47	13	2	50	63	6	37	4	17	3	3	6	37		6	38	26	10	114	7	73
57	10	4	83	89	25	87	11	34	2	6	6	44	2	5	50	45	9	210	9	74
15	6	1	20	25	3	24	1	5	2		1	20	1	4	13	20	2	50	1	75
24	7	3	31	42	7	16	1	3	3	2	5	22	2		18	14	3	55	1	76

[2] Colored population less than 5 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
		DEATHS FROM—													
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MAINE—continued.														
1	Somerset County	557	10					3	1	7		45	2	6	
2	Waldo County	410	4							7		20	1	3	2
3	Washington County	608	3				1	2	4	13	3	50	9	7	1
4	York County	834	8				1	2	12	21	3	42	3	5	
	MARYLAND.														
5	Total	10,378	179	14		14	33	68	98	123	22	1,107	43	73	31
6	White	7,375	105	6		9	30	38	83	89	19	686	30	46	19
7	Colored	3,003	74	8		5	3	30	15	34	3	421	13	27	12
8	Allegany County (total)	407	12				3	3	9	6	2	16		2	2
9	White	391	12				3	3	9	6	2	14		2	2
10	Colored [2]	16										2			
11	Anne Arundel County (total)	739	9	1			3	3	3	9	3	62	6	2	5
12	White	364	5	1			3	2	1	7	2	22	2	1	1
13	Colored	375	4					1	2	2	1	40	4	1	4
14	Baltimore County (total)	2,023	15			2	13	6	17	14	6	234	16	14	3
15	White	1,790	14			2	13	5	17	11	6	208	12	12	2
16	Colored	233	1					1		3		26	4	2	1
17	Calvert County (total)	154	2			1		2		2		15			1
18	White	55										5			1
19	Colored	99	2			1		2		2		10			
20	Caroline County (total)	284	5	1			1	1	6	2	1	26	2	2	
21	White	184	2				1	1	4	1		15	1	1	
22	Colored	100	3	1					2	1	1	11	1	1	
23	Carroll County (total)	566	5					4	4	12	1	42	3	3	2
24	White	523	4					4	4	11	1	39	2	3	2
25	Colored	43	1							1		3	1		
26	Cecil County (total)	373	5			2		4	3	7		29	3	1	1
27	White	313	3			1		4	3	5		19	1	1	1
28	Colored	60	2			1				2		10	2		
29	Charles County (total)	270	10	2					3	3		31		1	3
30	White	98	4	1					3			8			1
31	Colored	172	6	1						3		23		1	2
32	Dorchester County (total)	504	19				4		8	4	1	66	3	8	1
33	White	274	10				3		5	2	1	22	2	3	1
34	Colored	230	9				1		3	2		44	1	5	
35	Frederick County (total)	599	7				2	7	7	7	1	102		2	2
36	White	507	6				2	3	6	7	1	87		1	1
37	Colored	92	1					4	1			15		1	1
38	Garrett County (total)	228	4	1			1	5	6	3	1	12	2	1	1
39	White	228	4	1			1	5	6	3	1	12	2	1	1
40	Colored [2]														
41	Harford County (total)	388	6				2	2	6	2		31		5	1
42	White	286	2				1	1	6	2		14		2	1
43	Colored	102	4				1	1				17		3	
44	Howard County (total)	198	5							2		20			2
45	White	124	3							2		8			1
46	Colored	74	2									12			1
47	Kent County (total)	273	8			2		2	1	1	1	33		4	1
48	White	127	4						1		1	10		2	
49	Colored	146	4			2		2		1		23		2	1
50	Montgomery County (total)	437	3					3	2	12	1	48	2	5	2
51	White	283	1					2	2	8	1	24	2		2
52	Colored	154	2					1		4		24		5	
53	Prince Georges County (total)	522	10	2			1	1	3	8	2	59		2	3
54	White	296	3	1			1	1	1	4	1	28		1	2
55	Colored	226	7	1					2	4	1	31		1	1
56	Queen Annes County (total)	274	5	1			1			1		37	1	2	
57	White	143	3				1			1		16	1	1	
58	Colored	131	2	1								21		1	
59	St. Marys County (total)	272	5	6		4		12	3	1	1	42		2	
60	White	115	3	2		3		2	2		1	15		1	
61	Colored	157	2	4		1		10	1	1		27		1	
62	Somerset County (total)	400	6				1	3	2	4		58	1	4	
63	White	234	3					1	1	2		31	1	3	
64	Colored	166	3				1	2	1	2		27		1	
65	Talbot County (total)	312	9			1		1	4	4	1	32		4	1
66	White	175	1			1			4	3	1	16		3	
67	Colored	137	8					1		1		16		1	1
68	Washington County (total)	377	4					3	4	3		25	2	2	
69	White	362	3					3	4	3		23	2	2	
70	Colored [2]	15	1									2			
71	Wicomico County (total)	424	7					6	7	6		43		5	
72	White	285	1					1	4	5		30		4	
73	Colored	139	6					5	3	1		13		1	
74	Worcester County (total)	354	18			2	1			10		44	2	2	
75	White	218	14			2	1			6		20	2	2	
76	Colored	136	4							4		24			

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (34)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
39	7	3	52	58	10	37	5	17	3	5	1	43	1	3	34	24	7	125	9	1
20	4	1	44	53	15	46	4	5	2	4	2	41		4	12	11	4	98	3	2
49	2	1	47	91	1	57	8	15	1	6	2	42	3	3	34	21	5	121	6	3
74	14	6	93	118	10	79	3	16	3	4	10	69	1	6	40	33	6	149	3	4
511	75	49	625	978	157	928	113	612	35	58	44	944	27	62	667	551	71	1,785	281	5
446	67	35	490	744	105	607	85	412	23	39	35	693	19	44	473	418	63	1,284	133	6
65	8	14	135	234	52	321	28	200	12	19	9	251	8	18	194	133	8	501	148	7
28	3	4	31	38	15	30	7	15	1	1	5	34	3	1	35	27	5	66	3	8
27	3	4	30	35	15	28	7	15	1	1	4	31	3	1	35	27	4	65	2	9
1			1	3		2					1	3					1	1	1	10
20	6	5	50	47	10	83	6	51	3	6	2	71		4	41	68	7	136	17	11
13	2	2	27	20	6	36	3	30	1	1		37		2	20	44	5	67	1	12
7	4	3	23	27	4	47	3	21	2	5	2	34		2	21	24	2	69	16	13
140	22	7	147	201	20	188	24	101	5	16	12	166	3	5	130	106	22	345	23	14
134	22	7	136	168	15	161	22	87	5	16	12	155	2	5	112	86	20	306	17	15
6			11	33	5	27	2	14				11	1		18	20	2	39	6	16
2	1	1	8	9	3	24	2	8				8			6	7		31	21	17
2	1	1	2	4	2	9		4				1			1	3		15	4	18
			6	5	1	15	2	4				7			5	4		16	17	19
8	1	3	14	29	3	21	3	27	1	1		25		1	24	7	2	52	15	20
5	1	3	8	23		9	3	19	1	1		15			18	5	2	37	8	21
3			6	6	3	12		8				10		1	6	2		15	7	22
39	4	3	41	69	11	56	6	14	1	2		78	2	1	29	21	1	105	7	23
33	4	2	41	68	8	52	5	14	1	2		75	2	1	24	19	1	95	6	24
6		1		1	3	4	1					3			5	2		10	1	25
28	2	3	25	44	4	27	4	13	2	4	2	35	3	2	14	30	3	72	1	26
25	2	3	23	39	4	22	4	11	2	2	2	30	2	2	13	27	3	58	1	27
3			2	5		5		2		2		5	1		1	3		14		28
4	2	1	17	21		30	4	25	1		1	24		3	19	9	2	40	14	29
3	2	1	9	9		10	1	9				9		1	8	2	1	13	3	30
1			8	12		20	3	16	1		1	15		2	11	7	1	27	11	31
15	2	2	14	34	8	42	5	51	3	8	2	43		6	36	13	4	79	23	32
13		2	8	25	4	21	2	25	2	5	1	24		3	19	11	4	46	10	33
2	2		6	9	4	21	3	26	1	3	1	19		3	17	2		33	13	34
38	2	2	30	64	7	45	4	26	2	2		57	1	5	21	31	1	108	16	35
35	2	2	28	57	6	32	4	21	1	2		51	1	4	19	27	1	86	14	36
3			2	7	1	13		5	1			6		1	2	4		22	2	37
10	3		8	16	5	21	1	11	1	1	3	10	2	2	15	23		47	12	38
10	3		8	16	5	21	1	11	1	1	3	10	2	2	15	23		47	12	39
																				40
22	7	2	23	45	8	30	7	22	1			35	1	2	24	24	3	67	10	41
22	7	1	18	33	6	24	3	16	1			20	1	2	18	18	3	57	7	42
		1	5	12	2	6	4	6				15			6	6		10	3	43
11	1	2	9	21	1	24	6	12				15		1	18	10	4	32	2	44
9	1	1	8	14	1	16	4	6				12		1	6	7	3	21		45
2		1	1	7		8	2	6				3			12	3	1	11	2	46
5			20	33	6	27	1	9		1	2	31	1		19	4		54	7	47
3			9	17	4	12	1	4		1	2	13			9	3		29	2	48
2			11	16	2	15		5				18	1		10	1		25	5	49
21	4	1	33	62	11	51	1	21				37			27	20	2	63	5	50
18	4	1	25	46	5	27	1	16				28			14	13	2	38	3	51
3			8	16	6	24		5				9			13	7		25	2	52
33	3	1	25	44	2	54	3	40		1	5	49	1	4	34	21	3	82	26	53
23	3		17	33		32	2	20			4	32		2	19	11	3	47	5	54
10		1	8	11	2	22	1	20		1	1	17	1	2	15	10		35	21	55
12	2	1	15	29	1	25	3	17		2	3	22	2		28	12	1	46	5	56
8	2		10	15		9	2	9			3	8	1		16	7	1	29		57
4		1	5	14	1	16	1	8		2		14	1		12	5		17	5	58
3	1	3	15	11	9	25	4	19	2	1	2	23		5	12	11		43	7	59
2		1	6	7	3	10	3	8	1			8		4	7	3		22	1	60
1	1	2	9	4	6	15	1	11	1	1	2	15		1	5	8		21	6	61
12	2	2	18	27	6	28	2	38	2	2	2	38	2	3	38	18	3	70	8	62
12	2	2	12	18	1	14	1	24	2	1	2	21	1	1	22	11	3	37	5	63
			6	9	5	14	1	14		1		17	1	2	16	7		33	3	64
20		1	16	31	6	25	6	21	2	3		36	2	3	12	16	2	49	4	65
12			10	16	5	13	3	10		1		25	1	1	7	12	2	24	4	66
8		1	6	15	1	12	3	11	2	2		11	1	2	5	4		25		67
19	3	3	26	44	9	18	10	19	2	2	2	32	2	6	37	25	4	61	10	68
18	3	1	25	42	9	17	10	18	2	2	1	32	2	6	37	23	4	60	10	69
1		2	1	2		1		1			1					2		1		70
15	4	1	19	30	6	25	2	36	6	4		49	2	3	24	22	2	84	16	71
13	3	1	15	21	3	14	2	25	2	3		39	1	2	18	15	1	54	8	72
2	1		4	9	3	11		11	4	1		10	1	1	6	7	1	30	8	73
6		1	21	29	6	29	2	16		1	1	26		5	24	26		53	29	74
6			15	18	3	18	1	10			1	17		4	16	21		31	10	75
		1	6	11	3	11	1	6		1		9		1	8	5		22	19	76

[2] Colored population less than 5 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MASSACHUSETTS.														
1	Total	12,018	42	5		34	24	77	86	123	27	1,135	56	86	33
2	White	11,846	41	5		34	23	77	86	122	27	1,087	56	81	33
3	Colored	172	1				1			1		48		5	
4	Barnstable County	494	4			4		4	1	6		21	2	1	2
5	Berkshire County	504	2	1		3	1	2	2	8	1	24	2	1	1
6	Bristol County	783	4			3	9	5	11	11	1	64	4	4	2
7	Dukes County (total)	76					1	1		2		3			
8	White	66						1		2		3			
9	Colored	10					1								
10	Essex County	1,344	6			3	2	2	7	13	5	78	11	9	6
11	Franklin County	466					3	1	4	4	1	21	1		2
12	Hampden County	733	4			3	2	18	7	8		51	1	5	1
13	Hampshire County	582					2	11	5	4	1	22	1		4
14	Middlesex County	2,311	4			7	1	9	25	13	3	412	11	27	3
15	Nantucket County	72	1			1			1						
16	Norfolk County	1,365	5			4	1	4	8	10	4	99	6	16	2
17	Plymouth County	1,265	4			5		6	3	16	2	171	7	13	2
18	Worcester County	2,023	8	4		1	2	14	12	28	9	169	10	10	8
	MICHIGAN.														
19	Total	22,759	155	8	3	49	69	114	175	385	48	1,340	59	149	100
20	White	22,447	152	8	3	46	69	112	174	379	48	1,288	59	145	99
21	Colored	312	3			3		2	1	6		52		4	1
22	Alcona County	54	2				1		1			2			
23	Alger County	89	2					2	1		1	5			
24	Allegan County	536	2						3	10		24		5	1
25	Alpena County	72							1			5			1
26	Antrim County	161	1						2	5		9		2	2
27	Arenac County	120						1	1	2	1	6			
28	Baraga County (total)	64								2		4			
29	White	47								2		3			
30	Colored	17										1			
31	Barry County	293	2	1		2		3	2	9	2	8		1	
32	Bay County	214	5					2	1	2	1	16		2	1
33	Benzie County	121						1		3	1	5		1	
34	Berrien County	716	7	2		5	1	1	1	10	2	48	3	7	6
35	Branch County	363	1			2	5	1	2	18		11		1	2
36	Calhoun County	453				2		5	3	16	1	27		2	3
37	Cass County (total)	291	1			3			4	3		18		3	2
38	White	255	1			1			3	3		12		3	2
39	Colored	36				2			1			6			
40	Charlevoix County	229	3					1	1	4		12	1	1	1
41	Cheboygan County	203	1						3	2		14		1	1
42	Chippewa County	109						3	6	2		6	1	1	1
43	Clare County	81					1		1	1		5			
44	Clinton County	300	1					1		6	1	5		2	3
45	Crawford County	62	1							3	1	3			
46	Delta County	141			1		2			3		10	1		1
47	Dickinson County	194							2	1	1	16	1		2
48	Eaton County	405	2					3	1	6	1	8	2	2	1
49	Emmet County (total)	235	1						3	1	2	7	2	3	3
50	White	211	1						3	1	2	7	2	2	2
51	Colored	24												1	1
52	Genesee County	438	1					5	1	16	1	16			2
53	Gladwin County	91	1				1		1	1		4			
54	Gogebic County	137							1			21			1
55	Grand Traverse County	116	2						1	3		3		2	
56	Gratiot County	373	2			1	2	4	2	7		17	2	2	5
57	Hillsdale County	397	5			1		1	2	9	1	24		2	1
58	Houghton County	817	6				5	3	17	6		73	12	6	2
59	Huron County	367	3				2	2	1	2	1	28			1
60	Ingham County	352	2	1		2		1		10		11		1	
61	Ionia County	437	2				1	3	1	17		17			2
62	Iosco County	79						3		4		8		1	1
63	Iron County	172	1				3	1	2			10	1	1	
64	Isabella County	245	3			3		3	1	4		6		3	2
65	Jackson County	319						1	1	5		15		1	1
66	Kalamazoo County	263				2		1	1	9	1	8	1		
67	Kalkaska County	82								3		6		2	1
68	Kent County	750	8				4		4	7	3	45		6	1
69	Keeweenaw County	53										6			
70	Lake County	70								1		3		1	1
71	Lapeer County	400	3				3		3	5		24		13	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
913	176	62	1,059	1,769	176	1,135	68	417	33	49	78	814	15	66	563	624	99	2,133	41	1
907	176	61	1,052	1,754	172	1,121	68	409	33	48	78	802	15	63	557	619	98	2,100	41	2
6	.....	1	7	15	4	14	.....	8	.....	1	.....	12	.....	3	6	5	1	33	.....	3
58	11	3	59	86	6	47	4	9	1	1	6	46	1	3	11	25	1	71	.....	4
39	9	3	55	81	5	52	.....	21	2	3	2	37	1	3	22	30	9	81	1	5
59	12	1	69	90	11	68	3	42	1	4	2	47	2	6	42	52	3	146	5	6
6	1	1	6	9	3	6	2	1	.....	.....	.....	11	.....	2	2	7	.....	12	.....	7
5	1	.....	4	9	3	5	2	1	.....	.....	.....	10	.....	2	2	5	.....	11	.....	8
1	.....	1	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	2	.....	1	.....	9
110	24	7	99	263	12	135	11	28	5	8	9	89	4	2	55	59	14	265	3	10
33	7	5	50	76	7	53	3	19	2	1	3	30	3	3	20	26	5	76	7	11
36	2	4	53	89	9	84	1	58	1	2	2	64	2	3	45	40	9	129	.....	12
32	6	2	56	74	15	71	6	39	2	6	5	48	.....	7	36	30	6	85	6	13
190	26	5	155	301	24	167	15	56	6	9	12	124	1	15	97	134	16	441	2	14
7	.....	.....	7	15	2	6	.....	2	.....	.....	.....	8	.....	.....	3	6	1	12	.....	15
122	24	10	124	226	28	146	4	42	3	3	9	84	.....	6	70	71	7	227	.....	16
86	26	4	108	191	30	97	3	22	4	4	10	80	1	8	52	52	15	229	14	17
135	28	17	218	268	24	203	16	78	6	8	18	146	.....	8	108	92	13	359	3	18
1,486	316	132	1,695	3,086	436	1,461	268	533	217	199	203	1,442	95	181	1,506	1,335	247	5,067	200	19
1,475	315	131	1,683	3,049	435	1,436	263	524	214	196	199	1,430	94	179	1,493	1,317	244	4,996	192	20
11	1	1	12	37	1	25	5	9	3	3	4	12	1	2	13	18	3	71	8	21
2	1	.....	3	9	1	4	.....	.....	.....	2	.....	2	.....	.....	3	5	1	13	2	22
4	1	.....	2	8	1	12	1	1	2	.....	1	2	2	2	10	10	1	18	.....	23
50	9	3	47	76	18	34	4	4	5	11	1	38	1	3	34	30	5	109	9	24
1	.....	1	4	8	3	5	2	.....	1	1	.....	.....	1	2	6	4	1	21	4	25
15	2	1	9	19	6	11	3	3	1	1	3	10	.....	.....	19	5	1	29	2	26
3	1	.....	10	13	5	8	2	5	1	3	1	7	.....	2	12	6	.....	27	3	27
5	1	.....	4	3	3	7	2	3	.....	.....	.....	3	1	1	2	5	2	14	2	28
5	1	.....	4	3	3	6	.....	1	.....	.....	.....	2	1	1	2	4	1	7	1	29
.....	.....	.....	.....	.....	.....	1	2	2	.....	.....	.....	1	.....	.....	.....	1	1	7	1	30
25	6	4	27	33	8	11	5	4	3	2	.....	35	1	4	17	10	5	62	1	31
6	4	4	5	29	4	20	7	9	.....	1	2	7	.....	1	28	8	1	47	1	32
4	.....	.....	3	17	2	10	5	1	1	1	1	12	.....	4	6	6	.....	34	3	33
61	13	5	61	101	9	36	6	10	7	5	12	54	5	3	34	41	11	144	5	34
34	4	2	31	60	5	14	3	5	1	3	1	20	2	4	20	9	2	97	3	35
31	8	.....	36	94	7	18	5	4	2	2	.....	25	1	1	16	30	9	104	1	36
14	9	2	23	39	1	19	1	2	1	2	5	27	1	3	16	16	2	74	.....	37
12	9	2	20	35	1	15	.....	2	1	2	4	24	1	3	15	14	1	69	.....	38
2	.....	.....	3	4	.....	4	1	.....	.....	.....	1	3	.....	.....	1	2	1	5	.....	39
12	4	.....	18	40	2	7	3	4	4	3	1	10	1	2	20	13	2	51	8	40
8	2	4	10	15	5	12	1	5	4	.....	3	10	.....	5	23	16	2	54	2	41
1	.....	.....	4	13	1	10	2	4	2	.....	1	5	.....	.....	11	12	2	19	2	42
2	2	1	7	13	2	3	1	1	.....	1	2	2	.....	.....	4	3	.....	26	3	43
33	1	1	19	53	5	25	2	10	4	3	2	20	2	2	15	12	5	67	.....	44
.....	.....	.....	8	5	.....	3	.....	4	1	.....	.....	.....	.....	.....	9	10	1	12	1	45
9	3	.....	4	8	7	19	2	2	2	1	2	1	.....	1	14	15	3	24	6	46
17	.....	1	4	22	7	14	4	8	2	1	.....	14	.....	2	19	24	4	27	1	47
38	7	1	35	74	7	12	5	2	8	4	5	25	1	3	19	26	4	101	2	48
19	4	.....	16	36	2	6	2	9	5	1	3	14	2	7	12	8	7	56	4	49
18	4	.....	15	33	2	4	1	8	5	1	2	14	1	6	11	7	7	48	4	50
1	.....	.....	1	3	.....	2	1	1	.....	.....	1	.....	1	1	1	1	.....	8	.....	51
25	9	1	36	64	10	30	7	6	3	1	1	27	2	1	19	24	2	123	5	52
7	1	.....	2	14	2	3	1	.....	1	1	1	11	.....	1	11	6	1	19	1	53
3	2	.....	3	10	5	11	2	10	1	2	.....	4	2	1	13	17	.....	26	2	54
7	2	.....	10	18	5	6	3	2	2	1	1	10	1	.....	4	4	1	27	1	55
27	9	2	30	63	6	23	7	5	3	3	2	26	1	1	15	14	4	85	3	56
29	5	3	41	79	5	24	5	6	4	3	3	25	.....	1	13	16	4	84	1	57
57	14	12	42	78	19	53	9	28	12	7	9	40	3	11	68	30	7	133	5	58
16	3	4	26	34	4	24	5	12	7	5	2	24	1	5	31	19	3	97	5	59
34	3	1	43	47	4	21	5	1	2	6	3	19	1	5	16	14	2	96	1	60
33	8	2	31	72	10	37	6	3	7	4	1	22	1	2	15	25	4	109	2	61
1	1	.....	8	8	1	10	1	1	1	.....	.....	4	.....	.....	3	4	.....	18	1	62
6	.....	5	5	6	11	11	3	12	5	1	3	5	1	1	17	28	.....	32	1	63
14	2	1	21	28	5	15	3	1	5	5	2	23	1	.....	33	12	4	45	.....	64
32	5	.....	35	45	8	16	3	3	2	1	3	25	1	2	15	20	5	72	2	65
31	6	.....	24	43	9	12	3	3	4	.....	5	16	.....	.....	10	14	4	55	1	66
6	.....	.....	5	11	4	7	.....	3	.....	.....	.....	2	1	2	6	7	1	15	.....	67
46	13	1	71	116	21	48	11	10	6	4	9	44	3	3	38	33	11	175	4	68
2	.....	.....	3	3	5	5	.....	1	.....	1	.....	2	.....	.....	3	6	2	13	1	69
7	.....	.....	3	13	1	1	.....	1	.....	1	1	3	1	.....	8	8	1	14	1	70
31	2	3	27	52	7	28	7	4	4	4	3	25	1	3	22	15	2	101	6	71

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		DEATHS FROM—													
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MICHIGAN—continued.														
1	Leelanau County	116										6			
2	Lenawee County	519	3					1	2	19	1	27	2	2	2
3	Livingston County	276	1						2	6		17		3	
4	Luce County	106	1					1	1	1		7	1		
5	Mackinac County (total)	105	3					1	2			7		1	
6	White	97	3					1	2			5			
7	Colored	8										2		1	
8	Macomb County	444	5		1		3		1	7		27		4	5
9	Manistee County	165	1					1	2	2	1	9			4
10	Marquette County	242	1		1				6			37	4		1
11	Mason County	209	1			2	1	2		8		18	1	3	
12	Mecosta County	272	3			1		1	1	4		13		1	3
13	Menominee County	122					1		1			5	2	2	
14	Midland County	173	2				1	1	2	2		7	2	2	
15	Missaukee County	90	4					2	1	2		3		1	
16	Monroe County	404	5	1		5	3		3	7	2	16	1	2	2
17	Montcalm County	395	1					1		12		14		8	2
18	Montmorency County	46	1				1					1			
19	Muskegon County	214	1				1		1	4	1	4			2
20	Newaygo County	217	1					3	1		3	5			
21	Oakland County	500					4	1	6	9	1	24	2	2	4
22	Oceana County	203	1						2	6		12		1	1
23	Ogemaw County	80	1					1				3			
24	Ontonagon County	118	1						1	2		8	1		
25	Osceola County	182						1	3	2		5		1	1
26	Oscoda County	16					1								
27	Otsego County	69	2									4			1
28	Ottawa County	413	3			1	1	2	1	5		23	3	4	1
29	Presque Isle County	109	1							3	2	5			
30	Roscommon County	23						1				1			
31	Saginaw County	396	2			1	1	6	2	5		18	2	2	
32	St. Clair County	400	5					3	4	2		18	2	2	
33	St. Joseph County	284				2	1	1		4	3	12		3	
34	Sanilac County	345	3			6	2	2	7		1	12	1	2	1
35	Schoolcraft County	104								1		9		1	
36	Shiawassee County	480	5				2	3	6	10	1	15	2	6	4
37	Tuscola County	424	1					3	5	9		20		1	1
38	Van Buren County	466	4			1		4	1	14		13	3	1	2
39	Washtenaw County	394	2	1			4		1	7	4	16			2
40	Wayne County	1,939	18	2		7	11	19	26	8	6	270	3	16	7
41	Wexford County	235	1					1	6	6		10		3	
	MINNESOTA.														
42	Total	14,423	83		3	61	95	120	84	171	33	1,052	97	133	98
43	White	14,171	82		3	60	94	117	84	166	33	996	89	131	97
44	Colored	252	1			1	1	3		5		56	8	2	1
45	Aitkin County	96					2	1		1		11			
46	Anoka County	163	3					1		5		9		2	2
47	Becker County (total)	230	2			6	1	5		3		21	4	2	1
48	White	177	2			5	1	5		1		8		2	1
49	Colored	53				1				2		13	4		
50	Beltrami County (total)	256	1				1	3	1			31	1	4	1
51	White	199	1				1	3	1			18	1	3	1
52	Colored	57										13		1	
53	Benton County	85				1	1		1		2	6			
54	Big Stone County	114	2			1						5		3	1
55	Blue Earth County	148				1		2	2	1		5			2
56	Brown County	221	1			1		2	1	2	1	12	2	5	
57	Carlton County	142					2	5				12		2	
58	Carver County	158				1				1		16	2	1	1
59	Cass County (total)	123	1			1	1	1	1			38	1		
60	White	114	1			1	1	1	1			35	1		
61	Colored	9										3			
62	Chippewa County	138	1			10			1			9	3	2	1
63	Chisago County	159	1					1		4		10			1
64	Clay County	166	2			1	1	1	5	1		14	2	2	1
65	Clearwater County	44					1					2		1	
66	Cook County	11										1			
67	Cottonwood County	98	1					1		4		3		1	1
68	Crow Wing County	238	2					5		2	1	10	1	2	2
69	Dakota County	276				1	2	1	3	6	1	13	1	4	
70	Dodge County	107	1		1	1	1			1		7			
71	Douglas County	178	2				1	1		1		12	2	2	
72	Faribault County	163				1				4		8		3	
73	Fillmore County	246	2			2		1	1	1	1	9		2	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20;21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
6			10	12	6	2	3					8		2	12	12	2	32	3	1
34	10	2	57	82	4	23	4	5	6	6	4	33	2	3	24	28	8	122	3	2
18	1		21	34	6	22		4	3	3	5	14	2	4	16	12	3	77	2	3
8	1	1	7	6	1	5	4		2	2	1			1	6	6	2	41		4
3	1	2	3	12	2	4	1	6	1			5	1	2	8	12	3	23	2	5
3	1	2	3	12	2	2	1	5	1			5	1	2	8	12	2	22	2	6
						2		1									1	1		7
28	8	1	42	46	9	18	5	15	5	6	6	53	1	5	23	31	4	85		8
14	1		14	29	5	11	2	2	2	2	4	9	1	1	6	9	4	28	1	9
13	3	3	11	15	4	15	3	11	6	2	2	9	1	2	22	27	3	39	1	10
7	4	2	15	29	4	13	1	5	2	2	4	19			15	6	4	41		11
21	10	3	21	40	3	7	2	8	7	4		19		3	15	6	2	71	3	12
10	1	1	7	16	3	7	1			1	2	7	1	1	12	11	4	25	1	13
11		6	13	24	1	12	4	10		3	4	13	2	1	6		1	41	2	14
3	4		8	12	1	6	2	1	1	1		3		1	9	5		20		15
35	1	2	33	65	5	30	6	8	7	3	2	26	4	4	27	17	4	75	3	16
33	6	1	41	69	3	23	4	6	7	6	5	17		4	28	10	2	90	2	17
3			2	3	2	6		3	1			4			7			11	1	18
9	2	2	25	26	5	19	4	14	1	1	2	13	1	1	12	10	4	45	4	19
22	3		13	27	5	9	3	6	2	1	7	28	1	1	11	10	3	48	4	20
36	8	1	43	76	5	33	1	7	4	5	5	32	1	6	24	38	6	111	5	21
14	1		20	27	2	25	2	7		1	2	11	2	2	12	3	1	47	1	22
5			5	12		10	2	3			1	4	2		6	5	1	16	3	23
1	5		1	10	8	3		3	2		3	8	2		12	24	6	15	2	24
																				25
12	4	1	12	28	2	8	1	3	4		1	16	1	2	17	4	2	50	1	
1	1		1	3	1	2										2		4		26
3	2		2	9	1	6		6	1		1	12		1	6	4		7	1	27
31	4	1	36	57	19	28	6	8	3	8	1	21	2	2	29	18	2	93		28
4	2	1	4	15		9	2	4			3	7	1	1	12	6		26	1	29
			1	4	1	4	1		1			1	1		1	2		4		30
19	8	3	37	74	7	30	5	5		7	2	10	2	1	29	20	4	93	1	31
34	3	2	35	59	2	20	6	3		3	4	28	2	4	22	26	5	103	3	32
17	5	3	30	36	2	15	2	1	1	4	2	30		1	18	14	1	73	3	33
20	6	1	26	49	6	19	3	7	3	2	1	20	3	7	18	14	3	96	4	34
7	2	3	3	11	1	18		2	1			1		1	5	12		22	4	35
36	6	3	31	66	7	22	7	5	4	7	3	43	3	7	30	33	4	104	5	36
24	5	3	34	68	9	34	5	9	2	3	1	30	2	3	33	20	3	93	3	37
31	13	2	36	89	8	27	4	2	3	6	7	44	1	3	25	21	5	91	5	38
17	8	1	43	67	7	17	2	4		1	6	43	3	3	20	33	5	76	1	39
76	6	14	83	166	25	179	20	134	3	6	16	82	4	7	175	114	13	408	15	40
12	4	2	13	21	1	15	1	4	6	5	1	19	4	3	24	15	4	52	2	41
1,169	229	75	900	1,480	198	1,190	151	371	180	129	102	1,105	67	124	1,045	1,005	192	2,520	161	42
1,165	229	71	892	1,470	195	1,152	149	362	178	126	102	1,095	66	121	1,039	988	191	2,480	148	43
4		4	8	10	3	38	2	9	2	3		10	1	3	6	17	1	40	13	44
7	2	2	9	9	1	3	1	1		1	1	7			11	7	1	17	1	45
16	2		10	23	4	9	2	1	2		1	24			9	6	2	30		46
17	1	4	6	22	3	28		4	1	1	2	18		5	13	12	1	40	7	47
17	1	3	4	19	3	16		3	1	1	2	15		3	12	12	1	33	6	48
		1	2	3		12		1				3		2	1			7	1	49
10	2	3	7	16	3	26	2	10	5	2	3	8		3	25	33	4	45	6	50
10	2	2	4	14	2	15	2	7	5	2	3	6		2	25	28	4	31	6	51
		1	3	2	1	11		3				2		1		5		14		52
8	3	1	9	11		7	1	4	1	1	1	2			4	4	2	13	2	53
13	2	1	12	7		11	1	4	1	2		7		2	10	9		17	3	54
12	2		14	18	3	16	2	3	1			11	1		11	7		34		55
19	4	1	15	24	6	12	2	6	3	2	1	25		1	10	8	3	50	2	56
15			8	23	1	13	1	3	2		2	11		3	12	14		13		57
16	3		4	19	2	12	4	3	2	1	4	16	1		8	12	2	26	1	58
3	1	1	4	12	2	9	1		1			8	2	2	10	11	3	8	1	59
3	1	1	3	12	2	7	1		1			8	2	2	8	10	3	8	1	60
			1			2									2	1				61
10	2		5	17	1	13	1	1	5			3	2		21	6	1	21	2	62
14	4		16	18	2	8	1	4		1		10			9	12	1	41	1	63
13	2		14	8	2	11	3	2	3		1	13	2	1	13	17	1	29	1	64
5			4	1	3	5	2	2				3			2	3	1	8	1	65
			2			2					1					3	1		1	66
5	2		2	12	1	8	1	5	2		1	10		2	6	5	1	21	3	67
16	2		15	22	1	20	4	4	7	5		20	2	5	21	27	2	40		68
19			18	47	6	30	1	11	3	2	1	22	1		21	23	3	34	2	69
18	4		9	10		8	1	4				8	1	1	6	9	2	13	1	70
14	5		24	16	2	24	3	1	2	3	2	20	1		10	10	3	17		71
14	1	2	13	18	1	11	1	1	2	3	3	17		2	17	7	4	28	2	72
35	8		9	34	4	32	2	4	2			24			13	9	1	46	2	73

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MINNESOTA—continued.														
1	Freeborn County	221	3				3			2	2	20	1	5	2
2	Goodhue County	358	5			2		1	2	1	1	26		1	5
3	Grant County	79					1			2		11	2		
4	Hennepin County	302				1	2	1	5	9	1	28		3	1
5	Houston County	158								2		11	1	1	5
6	Hubbard County	101	2			1		2			1	11	1	1	1
7	Isanti County	136	1					4	1			14	1	2	1
8	Itasca County	171	1				3	7	1	2		11	3		1
9	Jackson County	127	1				2			1		6	1	2	2
10	Kanabec County	61								1		7			
11	Kandiyohi County	182							1	3		12	3	4	2
12	Kittson County	76								2		13	1		
13	Koochiching County	116	4			1	1			1		5		2	
14	Lac qui Parle County	119				2		1	1			8	1	3	
15	Lake County	64							1			7			
16	Le Sueur County	175	1			1		1		1	2	8	2	1	3
17	Lincoln County	63						1				2		1	
18	Lyon County	148			1	1	2		2	2		10			1
19	McLeod County	167						2		2	1	6	1		1
20	Mahnomen County (total)	56						2		1		10	3	1	
21	White	15						1				1		1	
22	Colored	41						1		1		9	3		
23	Marshall County	167	1			1			2	7		13	1	2	2
24	Martin County	158					2	2	1	2		7	2		2
25	Meeker County	188	1			2	1		4	6	1	12	1	2	2
26	Mille Lacs County	113	1					3		1		10	4	1	
27	Morrison County	201	2			2	4	1		1	1	11		2	4
28	Mower County	198	1					1	2	4	1	7	1	1	2
29	Murray County	97								1		8		1	2
30	Nicollet County	210					1	1	1	1	1	21	1	1	1
31	Nobles County	99						1	1			4		1	1
32	Norman County	129						1		3		16		3	2
33	Olmsted County	659	2			1	3	1	1	5	1	14	3	11	
34	Otter Tail County	548	5			4	5	4	3	5	1	68	1	1	1
35	Pennington County	84	1			3			1			9	1		
36	Pine County	115			1					1		18			2
37	Pipestone County	79					4			1	2	2	1	1	2
38	Polk County	341	2					1	2	7	1	26	2	5	3
39	Pope County	134						2				12	4	2	1
40	Ramsey County	94				1				3	1	5	1	1	1
41	Red Lake County	49	2									8			
42	Redwood County	142	1				1	2		2		8		1	1
43	Renville County	166				3	2	1		2	1	13	1	1	2
44	Rice County	338	11				5	1		4	1	20		6	3
45	Rock County	84	1			4						3	2		
46	Roseau County	93	1					1		3		14	3		1
47	St. Louis County	835	2				2	22	7		2	88	13	5	3
48	Scott County	136	1				2	1	3	2		7		1	
49	Sherburne County	98				1		1	2	2		3			1
50	Sibley County	125					1	3	2	5		9		1	
51	Stearns County	342	2				13	1	8	9	2	20	2	2	1
52	Steele County	165				1	1	2	1	1		7	1	1	3
53	Stevens County	65						1	1	2		1	1		
54	Swift County	133					1	1	2	1		6		3	
55	Todd County	223	1				4	2	1	4		7	2	1	2
56	Traverse County	53										4		1	2
57	Wabasha County	221	1				1	2	1	8		11		2	2
58	Wadena County	101					7	1	2			15	1		1
59	Waseca County	116				1				1		6	1	1	
60	Washington County	179					2		1	5	1	15	2	1	3
61	Watonwan County	100						1	1	1	1	7	1	1	1
62	Wilkin County	87	2				2		1			1	1	1	2
63	Winona County	135					1	1	2	1		4			
64	Wright County	270	1				1	1			1	18	3	4	
65	Yellow Medicine County	113	1				1	4	1	1		4			1
	MISSOURI.														
66	Total	22,728	387	357	10	88	45	221	370	537	64	2,598	92	184	113
67	White	21,373	364	345	10	84	44	204	365	515	62	2,266	85	158	109
68	Colored	1,355	23	12		4	1	17	5	22	2	332	7	26	4
69	Adair County	213	3				1		3	4		10	1	1	2
70	Andrew County	160	1						1	4		11	1	2	
71	Atchison County	93	1			1		2	1	5		5		1	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
25	3	.....	16	25	2	10	.....	6	2	1	3	12	1	1	11	22	6	35	2	1
38	9	2	29	44	8	19	2	7	3	5	3	40	1	5	9	15	5	70	.....	2
6	4	.....	6	9	3	9	.....	.....	1	.....	1	11	.....	.....	5	2	1	4	1	3
17	5	1	15	30	3	26	5	5	.....	3	3	23	.....	.....	26	28	12	49	.....	4
21	6	.....	13	20	5	12	5	.....	3	.....	2	9	1	2	5	6	2	18	8	5
3	1	.....	11	16	.....	11	3	3	.....	1	.....	2	1	.....	8	4	.....	17	.....	6
11	2	1	15	24	2	16	.....	6	.....	.....	2	3	.....	1	5	8	1	15	.....	7
3	2	.....	8	9	1	17	2	11	1	.....	.....	2	3	2	15	33	6	24	3	8
15	3	1	8	6	3	12	1	3	3	1	1	10	1	1	11	6	1	21	4	9
3	1	.....	5	3	1	7	.....	2	.....	1	.....	5	.....	1	6	7	.....	11	.....	10
11	3	1	12	27	4	13	.....	4	3	1	2	13	.....	1	16	19	2	25	.....	11
5	1	1	5	7	1	5	1	.....	.....	.....	.....	2	.....	.....	4	5	2	16	5	12
7	.....	2	3	11	2	12	1	12	1	.....	.....	3	2	1	6	9	6	14	10	13
9	2	.....	4	11	2	13	.....	6	4	2	.....	9	.....	2	8	5	.....	25	1	14
2	1	.....	1	7	1	7	1	3	.....	2	.....	3	.....	2	8	7	2	9	.....	15
22	3	1	8	19	4	18	1	5	2	2	1	9	.....	.....	13	12	3	31	1	16
3	.....	.....	8	8	1	7	.....	3	1	1	.....	4	.....	.....	5	4	1	13	.....	17
12	3	2	10	10	8	5	1	2	3	2	3	11	1	4	14	8	3	24	3	18
18	7	.....	17	20	2	3	3	2	1	1	.....	23	1	.....	14	9	3	29	1	19
1	.....	.....	.....	2	1	7	1	5	1	2	.....	1	1	.....	4	3	.....	7	3	20
1	.....	.....	.....	1	1	1	.....	2	1	.....	.....	.....	.....	.....	2	.....	.....	2	1	21
.....	.....	.....	.....	1	.....	6	1	3	.....	2	.....	1	1	.....	2	3	.....	5	2	22
13	2	2	7	8	2	11	2	3	4	1	1	18	.....	2	15	15	.....	25	7	23
9	2	.....	16	12	3	11	.....	2	3	2	.....	12	5	.....	21	11	1	28	2	24
12	2	1	12	23	1	16	2	8	.....	4	3	18	2	.....	9	10	1	32	.....	25
10	3	.....	9	10	1	7	.....	3	3	.....	.....	10	1	3	9	8	2	14	.....	26
17	2	.....	9	14	3	20	3	6	3	1	4	11	2	2	20	18	2	36	.....	27
15	6	1	23	31	3	13	2	7	1	1	5	14	1	1	16	10	3	25	.....	28
5	.....	1	4	9	2	6	1	3	1	2	1	14	.....	1	5	7	1	21	1	29
11	.....	.....	7	21	1	21	5	2	.....	3	2	27	.....	.....	7	12	2	59	1	30
8	3	1	3	16	1	9	1	2	1	.....	.....	7	.....	1	11	9	1	15	2	31
4	1	5	6	12	1	8	.....	1	.....	1	1	12	1	6	9	10	1	25	.....	32
110	11	.....	35	43	3	16	22	3	20	9	5	48	1	3	26	23	5	231	3	33
39	6	1	37	64	2	43	5	16	12	5	2	78	3	5	26	20	10	68	8	34
6	2	1	3	7	2	6	.....	6	.....	1	.....	5	1	3	4	4	1	17	.....	35
8	3	1	7	6	1	7	5	2	1	3	1	2	1	4	11	8	1	20	1	36
4	2	2	3	8	.....	5	2	.....	2	.....	.....	5	2	.....	9	5	1	15	1	37
24	9	3	28	34	1	21	3	13	9	5	2	26	2	6	17	23	4	58	4	38
10	3	2	6	23	1	9	.....	6	2	1	1	14	.....	1	7	7	1	18	1	39
10	2	.....	3	11	.....	8	.....	.....	1	.....	1	12	.....	.....	4	16	3	10	.....	40
2	.....	3	.....	6	.....	3	2	1	.....	2	2	.....	.....	1	2	3	.....	10	2	41
12	6	.....	12	7	3	16	.....	5	.....	2	.....	10	.....	1	17	7	2	25	1	42
19	2	1	7	10	5	10	1	4	1	2	.....	11	.....	1	16	17	2	30	1	43
22	7	.....	16	46	2	37	1	3	5	4	1	33	.....	3	15	14	2	75	1	44
6	1	.....	5	9	1	4	.....	2	2	.....	.....	7	.....	1	9	5	2	19	1	45
3	1	2	2	6	.....	5	.....	1	2	1	.....	3	.....	2	8	4	3	25	2	46
31	2	5	19	36	16	112	5	52	7	2	4	25	4	10	90	101	16	141	13	47
14	2	.....	6	18	4	7	1	5	1	.....	2	7	.....	1	8	9	2	32	.....	48
5	3	.....	5	12	4	15	1	1	.....	1	.....	11	1	.....	7	5	.....	17	.....	49
11	4	.....	7	15	1	9	5	4	.....	.....	2	8	.....	.....	12	1	3	21	1	50
26	4	5	23	35	7	30	2	6	4	8	4	11	2	2	28	20	5	56	4	51
14	3	.....	15	16	3	20	1	3	1	2	2	12	1	.....	12	12	2	28	.....	52
5	1	3	3	7	2	3	.....	1	2	2	.....	7	.....	2	5	4	.....	11	1	53
10	3	.....	10	14	2	16	2	1	1	1	1	9	1	2	14	6	2	22	2	54
21	1	2	12	38	2	13	1	6	2	1	1	22	1	1	18	16	3	31	7	55
4	1	.....	5	6	.....	1	1	1	1	.....	.....	3	1	1	4	6	1	10	.....	56
22	3	1	15	27	3	14	2	9	4	1	2	22	2	2	14	21	2	27	.....	57
6	.....	.....	3	15	.....	6	.....	3	3	1	1	7	.....	.....	9	6	1	11	2	58
10	5	.....	13	11	5	2	1	2	.....	.....	1	13	1	.....	11	6	1	21	3	59
8	2	.....	9	26	2	13	2	4	1	2	1	13	.....	1	9	16	2	36	2	60
6	1	.....	5	12	1	14	.....	2	1	2	.....	6	2	1	6	10	.....	17	.....	61
12	2	.....	4	5	1	11	3	1	1	.....	.....	3	1	.....	8	8	3	12	2	62
17	2	.....	23	15	1	6	2	3	1	2	1	17	.....	1	10	6	.....	18	1	63
29	5	4	33	29	1	23	.....	3	3	4	2	25	.....	1	25	11	3	39	1	64
8	1	1	7	12	2	16	1	2	.....	1	1	5	2	2	7	9	.....	21	2	65
1,116	248	148	1,269	1,843	344	2,206	197	692	139	156	176	1,749	128	161	1,223	1,259	261	3,737	610	66
1,087	237	141	1,203	1,737	324	2,089	185	663	136	147	161	1,641	125	155	1,177	1,188	252	3,558	556	67
29	11	7	66	106	20	117	12	29	3	9	15	108	3	6	46	71	9	179	54	68
20	.....	2	16	21	2	20	1	4	4	3	.....	16	.....	.....	14	12	6	46	1	69
17	6	1	8	12	2	13	3	5	1	6	2	17	.....	1	8	6	.....	26	6	70
9	1	1	7	13	.....	9	1	1	1	1	.....	7	1	1	3	9	1	8	3	71

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	MISSOURI—continued.														
1	Audrain County (total)	212		2					2	9	1	21	3	2	
2	White	186		1					2	9	1	16	2	2	
3	Colored	26		1								5	1		
4	Barry County	211	8	2	1	1	2	1	8	1		24	2	1	1
5	Barton County	151		1				1	3	3		8		1	1
6	Bates County	285	3	1					3	11		13	1	1	1
7	Benton County	123	4	2		1		2	7	3		4			
8	Bollinger County	73	3	2				1	1	1	1	8	1	1	1
9	Boone County (total)	359	4				1	4	1	11	1	43		4	3
10	White	279	3				1		1	9	1	25		3	3
11	Colored	80	1					4		2		18		1	
12	Buchanan County	178	1						1	3		17			
13	Butler County (total)	365	8	44		1		9	11	4	1	41	3	10	1
14	White	322	6	40		1		9	11	4	1	30	3	6	1
15	Colored	43	2	4								11		4	
16	Caldwell County	145						1	1	2		15	3		1
17	Callaway County (total)	314	5			1			2	6	1	39	3	4	
18	White	246	4						2	5	1	23	2	3	
19	Colored	68	1			1				1		16	1	1	
20	Camden County	76		1	1	2			1	2		10			
21	Cape Girardeau County (total)	342	15	3			1		5	7	1	38	3	6	1
22	White	307	13	2			1		5	6	1	27	3	5	1
23	Colored	35	2	1						1		11		1	
24	Carroll County	252	9	4					5	4		26	1	5	1
25	Carter County	54		2					2			4		2	
26	Cass County	241						1	1	6		16	1	3	2
27	Cedar County	148	1				1	3	4	3	1	11		3	1
28	Chariton County (total)	237	3	1			1	1	1	18		25	1		
29	White	207	3	1			1	1	1	17		21	1		
30	Colored	30								1		4			
31	Christian County	121	1					1	2	4		16		1	
32	Clark County	118	2	1	1					3		8			1
33	Clay County (total)	328	1				1		1	5	1	23	1		3
34	White	308	1						1	5	1	16	1		3
35	Colored	20					1					7			
36	Clinton County (total)	198	1	1			1		1	9	1	10		7	
37	White	183	1	1			1		1	9	1	9		5	
38	Colored	15										1		2	
39	Cole County	94	1	1				2		2		5		1	
40	Cooper County (total)	244	2			1		11	4	8		27		1	1
41	White	201	1			1		5	4	8		15		1	1
42	Colored	43	1					6				12			
43	Crawford County	133	4	1					1	1	1	15		2	
44	Dade County	126	4	1		1			2	4	1	10		1	1
45	Dallas County	79	1			3		1	1	2		2	1		1
46	Daviess County	181	7							2		20		2	2
47	Dekalb County	122	2							5	1	8			
48	Dent County	92	2			1			2	1		6	1	1	
49	Douglas County	123	7	2				2	3	5		18			
50	Dunklin County	631	26	95		1		24	22	7	2	55	3	5	5
51	Franklin County	339	4	3		1		1	8	4	2	26	2	3	1
52	Gasconade County	127	5					3		2		6		3	1
53	Gentry County	179					1	3	1	2		14			
54	Greene County	282	6	1		1	1	1	9	7	1	26	3	2	2
55	Grundy County	174	2			1		2	3	6		19			
56	Harrison County	193	3	1		1	6	4	2	5		23	1	1	
57	Henry County	284		2		1		4	6	9		22	2		2
58	Hickory County	57							3			5		1	
59	Holt County	158	2			2			1	8		14	2	3	1
60	Howard County (total)	167	5	2						5		26	2	2	1
61	White	132	3	2						4		20	2	1	1
62	Colored	35	2							1		6		1	
63	Howell County	240	7	3				4	1	7	1	22	1	2	3
64	Iron County	122	2	4					3	2		16	1	1	1
65	Jackson County	451	5	1					3	10	2	32	2	2	2
66	Jasper County	572	13	2			1	1	10	33		98	5	4	4
67	Jefferson County (total)	298	4	3	1		2	1	7	10		38	2	2	1
68	White	261	3	2	1		2	1	6	9		28	1	1	1
69	Colored	37	1	1					1	1		10	1	1	
70	Johnson County	295	4			2		2	2	18	2	36	1	2	
71	Knox County	111						2		3	1	14		1	
72	Laclede County	133	4			1			2	1		11		1	4
73	Lafayette County (total)	370	7	2		17		4	9	4		20	1	1	2
74	White	324	5	1		14		3	9	4		15	1		2
75	Colored	46	2	1		3		1				5		1	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
22	3		15	18	2	16	1	6	4	3	2	16		1	7	12		43	1	1
22	3		14	13	2	15	1	5	4	1	2	12		1	7	11		39	1	2
			1	5		1		1		2		4				1		4		3
14	3		13	18	5	15	2	6	2	1	1	14	1	3	9	14	2	32	4	4
7	1	2	14	12	1	20		6				16		1	9	8	1	34	1	5
13	3		23	43	4	22	6	11		3	2	34	3		14	25	5	30	10	6
5	1		4	13	7	5	2	1			1	14		1	2	10		30	4	7
1			2	3	3	14		2	1	1		5	1	2	3	2		9	4	8
17	4	1	30	47	8	30	2	10	5	1	6	19	1	6	20	15	4	56	5	9
17	4	1	24	33	7	19	1	8	5		5	15	1	6	16	12	4	50	5	10
			6	14	1	11	1	2		1	1	4			4	3		6		11
13			8	21	4	26	1	3	1	1	1	23	3	2	11	9	4	25		12
5		6	7	11	3	34	1	14	3		2	14	4	4	21	24	5	37	37	13
3		6	7	11		29	1	14	3		2	13	3	4	20	23	5	35	31	14
2					3	5						1	1		1	1		2	6	15
16	2	1	12	12	4	16	1	2			1	10			12	7	2	23	1	16
13	4	3	30	28	5	23	1	7	3		6	22	2	3	8	12	4	77	2	17
9	2	3	26	23	4	16	1	6	3		6	19	1	1	8	7	3	68		18
4	2		4	5	1	7		1				3	1	2		5	1	9	2	19
4		1	2	4	2	10	1	3	1			8			1	5	1	12	4	20
9	2	4	19	19	3	29	1	19	4	5	2	28	3	4	22	22	6	55	6	21
9	2	4	17	18	3	25		19	4	5	2	25	3	4	21	21	5	51	5	22
			2	1		4	1					3			1	1	1	4	1	23
13	4		15	22	4	22		5	1	3	3	25	1	1	12	14	2	48	2	24
		1	3	3	2	4				1		1	2	2	7	5		11	2	25
14	8	1	20	29	1	19	1	2	3	4	1	31	4	2	7	20	4	39	1	26
8	1	1	11	11	2	12	2	4		2		17		2	3	8	3	28	5	27
18	3	5	8	16		23	1	6	1	1		29	1	3	5	14		48	4	28
16	2	4	8	14		15	1	5	1	1		24	1	3	5	13		44	4	29
2	1	1		2		8		1				5				1		4		30
5			6	9	1	18	3	1	6	1		6		2	5	5	3	20	5	31
7	2		14	14	2	12	1		1		1	14	1	1	3	6	1	21	1	32
21	13	4	24	39	7	17	2	12	1	5	2	45	3	1	11	10	3	66	6	33
20	12	3	23	39	7	16	2	11	1	4	2	44	3	1	11	9	3	63	6	34
1	1	1	1			1		1		1		1				1		3		35
15	2		20	11	6	17	1	5			4	14	1		10	12	4	44	1	36
14	2		18	10	4	17	1	5			3	12	1		9	11	4	43	1	37
1			2	1	2						1	2			1	1		1		38
7	2	2	8	7	1	4		3		2		9		1	6	6	2	18	4	39
18	4		16	21	3	22	3	3	3	3	5	12		4	14	10	3	43	2	40
16	3		13	20	3	17	3	3	3	3	4	11		3	12	10	2	37	2	41
2	1		3	1		5					1	1		1	2		1	6		42
5	1		14	8	3	24	3	3	3			12	1		8	9	1	11	2	43
11		1	2	10	2	12	3	3	1		2	7		1	16	1		22	7	44
4	1		3	5	3	11			1		3	3		1	7	8		11	6	45
12	2	2	9	14	5	22	1	6	2		1	15			11	11	2	30	3	46
11	1		15	16		13		4		1		10	1	1	6	7		20		47
2		1	6	10	2	13		3			3	3	1		10	5		14	5	48
6	1	2	3	7		10		2		1	1	5	6		5	7	3	15	12	49
8	2	6	17	8	11	77	3	45	2	3		20	4	5	53	25	5	67	25	50
20	4	3	25	32	6	38	4	16	2	4	4	26	1	2	16	25	6	46	4	51
12	4		9	13	4	12		5				12		2	9	6	2	15	2	52
11	4	2	22	28	3	20	1	5			1	15		1	4	4	1	34	2	53
17	1	2	15	30	3	28	5	6	2	2	3	11	1	2	13	18	2	56	5	54
17	5		12	10	5	15	1	1	2	1		10			16	5	3	35	3	55
8	1		13	14	1	22	2	4		1		24		1	15	7	3	25	5	56
14	8	1	26	28	13	28	3	2	3	1	2	17	1	5	18	9	4	41	12	57
6	1		3	3	1	6	1			1	1	3	1		3	3		12	3	58
5	2	2	12	10	1	26	1	1			1	13			9	12	2	25	3	59
9	1	2	7	18	3	17	2	1		4	2	14			3	7	1	30	3	60
8	1	2	7	16	3	13	2	1		4	1	9			3	7	1	20	1	61
1				2		4					1	5						10	2	62
6	1	4	12	25		27		4	4	2	2	10	1	3	20	9	4	42	13	63
4	2	1	3	9	2	14		6		3		3	3	4	4	5	3	24	2	64
31	5		27	40	3	59	4	7	2	3	1	41	1	1	19	34	10	102	2	65
27	3	4	28	52	13	48	8	17	2		5	36	1	2	29	32	6	82	6	66
14		1	8	25	7	20	5	10	2	2	5	19	2	2	25	21	1	54	4	67
14		1	8	23	4	20	5	8	2	2	5	16	2	2	22	19	1	48	4	68
				2	3			2				3			3	2		6		69
18	1	3	16	19	5	31	2	5	3	6	2	27	1	1	11	7	2	61	5	70
7	2		7	10	1	8	2	2	1	1	2	7		1	5	9		24	1	71
2		3	8	13	2	15	1	3		3		12	1	1	11	8	1	20	5	72
25	9		29	41	10	31	1	8	1	1	2	26	1	1	21	27	3	61	5	73
23	9		26	38	8	27	1	8	1	1	2	22	1	1	20	25	3	53	1	74
2			3	3	2	4						4			1	2		8	4	75

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MISSOURI—continued.														
1	Lawrence County	303	8					3	5	8	1	24		1	2
2	Lewis County (total)	103	1					4		4	1	6		2	3
3	White	88						2		4	1	3		2	3
4	Colored	15	1					2				3			
5	Lincoln County (total)	152	1	1			1	1		6		15		1	
6	White	133	1				1	1		5		11		1	
7	Colored	19		1						1		4			
8	Linn County	277	4	1				3	1	5	1	24	2	3	2
9	Livingston County	237	1					2	1	5		19	1		
10	McDonald County	76	4			1	1	1	3	2	2	5			
11	Macon County	305	4			1		4	3	8		26			4
12	Madison County	141	3	2			1	1	5	2	3	20		2	3
13	Maries County	78	2			3			4	2		9		1	1
14	Marion County (total)	124	2					1		2	1	9		1	1
15	White	110	1					1		2		8		1	1
16	Colored	14	1								1	1			
17	Mercer County	118	1			2		4		1	2	13		1	
18	Miller County	111	1	1	1				2	5		14		1	1
19	Mississippi County (total)	162	5	6				1	7	6	1	13		1	
20	White	146	5	6				1	7	5	1	10		1	
21	Colored	16								1		3			
22	Moniteau County	153	1					2	4	4	3	17		1	3
23	Monroe County (total)	178	2					1	4	6		16			
24	White	160	2					1	4	5		14			
25	Colored	18								1		2			
26	Montgomery County (total)	152	1	1		2		7	6	1		9			1
27	White	138	1	1		2		7	6			6			1
28	Colored	14								1		3			
29	Morgan County	110	2	2						10		10	1		2
30	New Madrid County (total)	198	6	23			1	4	4	2		17		3	
31	White	194	6	22			1	4	4	2		16		3	
32	Colored	4		1								1			
33	Newton County	272	7	3		1		4	7	9	1	22	1	4	
34	Nodaway County	296	6			6		3	1	6		14	2	6	1
35	Oregon County	90	3	3				1	2	4		9			
36	Osage County	164	9			1	1		2	3		16	2		1
37	Ozark County	85	3	2	1			2	4		1	17	1		1
38	Pemiscot County (total)	321	5	39		4		8	7	5	1	33		2	
39	White	279	5	38		4		7	7	5	1	26		2	
40	Colored	42		1				1				7			
41	Perry County	116	3	2				4		1		13			2
42	Pettis County (total)	118	2			1	2	3		3		5	1	1	
43	White	110	2			1	2	3		2		5	1	1	
44	Colored	8								1					
45	Phelps County	167	2	1				1	4	7		21	1	1	
46	Pike County (total)	282	6	2				2	1	10	3	31		7	4
47	White	216	5	2				2		9	3	13		3	3
48	Colored	66	1						1	1		18		4	1
49	Platte County (total)	160	4	1						2		10		1	
50	White	154	3	1						2		9		1	
51	Colored	6	1									1			
52	Polk County	201	3			3	1	4	9	1	2	23	1	5	3
53	Pulaski County	129	2			1		2	2	5		17		1	1
54	Putnam County	133	2					2		2		8		2	
55	Ralls County	86	2					1		5		10			
56	Randolph County (total)	184	2	1				4		2	2	9	1	2	
57	White	160	2	1				4		1	2	5	1		
58	Colored	24								1		4		2	
59	Ray County (total)	228	5			1	2		6	8		21		1	1
60	White	208	5			1	2		5	8		17		1	1
61	Colored	20							1			4			
62	Reynolds County	73	1	1					6	4		4	1	1	1
63	Ripley County	82		2					3		1	12	1	1	1
64	St. Charles County (total)	276	2	2		1		7	5	5		27	2	3	
65	White	239	2	2		1		7	5	5		18	1	2	
66	Colored	37										9	1	1	
67	St. Clair County	162	4	2				3	3	1		20	1	2	
68	St. Francois County	423	6		2	2	1		6	2		52	3	4	2
69	St. Louis County (total)	1,321	3	3		13	9	5	15	8		532	5	5	1
70	White	1,170	1	3		13	9	5	14	5		443	5	5	1
71	Colored	151	2						1	3		89			
72	Ste. Genevieve County	113	5	2					3	3		6			

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
19	6	2	17	30	5	36	1	5	3	5	3	23	3	.....	23	15	1	43	11	1
8	.....	.....	12	12	.....	8	.....	1	.....	.....	.....	12	.....	.....	6	5	1	16	1	2
7	.....	.....	10	11	.....	8	.....	1	.....	.....	.....	11	.....	.....	5	4	1	14	1	3
1	.....	.....	2	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	2	.....	4
9	4	.....	9	13	4	15	4	3	1	1	.....	9	2	1	9	7	3	30	2	5
9	4	.....	8	12	3	12	4	2	1	1	.....	8	2	1	9	5	3	27	2	6
.....	.....	.....	1	1	1	3	.....	1	.....	.....	.....	1	.....	.....	.....	2	.....	3	.....	7
16	2	4	17	29	4	18	1	9	3	.....	4	42	7	1	8	15	4	43	4	8
12	3	1	18	23	3	22	2	3	2	2	3	23	1	3	16	15	5	48	3	9
3	2	.....	3	7	.....	6	2	1	.....	.....	2	2	2	.....	4	5	.....	16	2	10
19	.....	1	22	21	1	21	7	3	2	5	2	26	2	.....	24	20	4	72	3	11
4	4	1	2	14	3	10	1	4	.....	1	.....	8	.....	3	7	6	.....	25	6	12
3	1	1	4	4	1	9	1	1	.....	.....	3	5	2	1	5	6	.....	8	1	13
3	4	.....	13	12	5	12	.....	.....	.....	.....	4	10	.....	.....	4	9	2	26	3	14
3	3	.....	12	11	5	11	.....	.....	.....	.....	4	9	.....	.....	4	6	2	23	3	15
.....	1	.....	1	1	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	3	.....	16
9	.....	.....	9	3	1	14	2	4	.....	2	.....	8	3	1	5	14	2	13	4	17
2	2	3	6	5	1	9	1	4	1	1	2	11	.....	.....	10	4	.....	20	3	18
5	.....	.....	3	6	1	16	.....	16	.....	.....	1	7	.....	4	12	10	3	28	10	19
4	.....	.....	3	6	1	15	.....	15	.....	.....	1	5	.....	4	12	8	3	25	8	20
1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	2	.....	.....	.....	2	.....	3	2	21
10	3	.....	15	19	6	7	2	2	.....	.....	1	20	1	.....	6	5	1	17	3	22
14	2	1	11	18	1	17	1	3	.....	2	1	18	3	.....	10	11	2	32	2	23
13	2	1	9	16	1	16	1	2	.....	2	1	15	3	.....	8	11	2	30	1	24
1	.....	.....	2	2	.....	1	.....	1	.....	.....	.....	3	.....	.....	2	.....	.....	2	1	25
8	1	2	7	13	2	18	1	4	2	2	.....	16	2	.....	11	4	.....	29	2	26
7	1	1	6	13	2	18	1	3	1	2	.....	16	2	.....	9	3	.....	27	2	27
1	.....	1	1	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	2	1	.....	2	.....	28
2	4	.....	5	6	1	13	1	2	2	.....	1	12	1	2	11	3	.....	16	1	29
6	.....	.....	8	6	1	15	2	20	2	.....	.....	7	.....	3	13	17	2	26	10	30
6	.....	.....	8	6	1	15	2	19	2	.....	.....	7	.....	3	13	17	2	25	10	31
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	32
12	4	6	14	29	5	36	4	9	3	2	2	18	1	1	13	15	3	27	4	33
25	6	2	20	38	2	36	4	7	3	2	3	19	1	1	17	16	3	45	1	34
.....	1	1	2	3	1	12	3	2	.....	1	.....	5	.....	2	9	3	.....	16	7	35
8	.....	.....	6	17	3	14	.....	2	2	1	.....	10	2	2	13	8	3	37	1	36
2	.....	1	2	4	1	7	3	.....	.....	2	.....	2	.....	.....	3	4	1	15	6	37
3	1	4	3	13	1	32	2	37	2	.....	.....	12	1	4	14	21	1	37	29	38
3	1	4	2	11	1	31	.....	34	2	.....	.....	9	1	3	13	16	1	31	21	39
.....	.....	.....	1	2	.....	1	2	3	.....	.....	.....	3	.....	1	1	5	.....	6	8	40
1	.....	1	7	6	4	7	1	7	1	1	1	5	2	.....	8	8	2	25	4	41
5	1	1	11	8	.....	14	.....	1	1	2	1	14	.....	.....	5	10	3	20	3	42
5	1	1	11	8	.....	13	.....	1	1	2	1	13	.....	.....	5	9	2	17	3	43
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	3	.....	44
6	1	2	8	9	2	19	3	6	.....	1	2	29	1	1	7	10	.....	20	2	45
14	1	1	13	27	4	14	1	3	.....	.....	4	28	2	2	10	23	4	52	13	46
13	1	1	9	24	3	12	.....	2	.....	.....	1	26	2	1	9	20	3	41	8	47
1	.....	.....	4	3	1	2	1	1	.....	.....	3	2	.....	1	1	3	1	11	5	48
12	3	1	4	16	2	20	1	4	.....	2	1	14	1	1	11	12	1	28	8	49
12	3	1	4	16	2	20	1	4	.....	1	1	13	.....	1	11	12	1	27	8	50
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	1	.....	51
13	4	.....	7	14	3	22	2	5	2	3	3	16	1	1	9	5	.....	30	6	52
2	.....	1	3	6	3	16	.....	5	1	.....	.....	20	4	1	6	5	1	21	3	53
9	.....	1	10	11	1	22	2	2	.....	1	1	9	2	2	7	6	3	24	4	54
7	.....	.....	2	9	.....	7	.....	2	1	.....	.....	9	.....	.....	7	8	1	14	1	55
8	5	4	16	13	1	27	.....	2	.....	2	1	14	2	5	13	13	4	28	3	56
8	4	4	16	10	1	22	.....	2	.....	2	1	11	2	5	13	10	4	26	3	57
.....	1	.....	.....	3	.....	5	.....	.....	.....	.....	.....	3	.....	.....	.....	3	.....	2	.....	58
10	3	.....	15	17	1	30	1	8	1	1	1	21	.....	1	10	16	3	37	7	59
9	3	.....	13	16	1	28	.....	8	1	1	1	18	.....	1	9	14	3	36	6	60
1	.....	.....	2	1	.....	2	1	.....	.....	.....	.....	3	.....	.....	1	2	.....	1	1	61
2	.....	1	1	1	.....	10	1	3	.....	.....	.....	3	.....	1	3	5	.....	15	8	62
3	.....	.....	1	.....	.....	13	.....	6	3	.....	3	6	.....	1	8	5	.....	11	1	63
10	4	2	15	32	3	22	2	3	2	5	3	21	2	1	12	16	4	62	1	64
9	4	2	13	26	3	19	1	3	2	4	3	21	2	1	11	13	3	56	.....	65
1	.....	.....	2	6	.....	3	1	.....	.....	1	.....	.....	.....	.....	1	3	1	6	1	66
8	2	1	9	18	2	12	2	4	.....	3	.....	8	.....	3	11	8	1	27	7	67
14	1	3	18	18	4	47	2	35	1	3	2	42	1	3	22	32	1	81	13	68
37	14	4	42	96	21	80	10	37	.....	1	11	97	1	3	35	67	25	136	5	69
36	14	3	39	85	21	79	9	33	.....	1	9	90	1	2	27	60	25	129	3	70
1	.....	1	3	11	.....	1	1	4	.....	.....	2	7	.....	1	8	7	.....	7	2	71
5	1	.....	7	11	2	13	.....	5	1	1	3	7	1	.....	2	12	1	18	4	72

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MISSOURI—continued.														
1	Saline County (total)	332	4		1			2	3	4		30	2	3	
2	White	261	4		1				3	4		20	1	2	
3	Colored	71						2				10	1	1	
4	Schuyler County	90				1	2			3		12			
5	Scotland County	86	1					2	1			8	1		
6	Scott County	270	4	17		1		5	5	5		32	3	1	
7	Shannon County	79		2			1		1			10			1
8	Shelby County	125	1							1		14		1	
9	Stoddard County	355	10	32				5	17	8	5	41		5	2
10	Stone County	88	3						1		1	12		1	2
11	Sullivan County	159	1					4		4		11			2
12	Taney County	81	3	4					1			10			
13	Texas County	174	3			1	1	1	8	6	1	22	1	1	2
14	Vernon County	358	4					1	10	8	1	33	2	2	1
15	Warren County (total)	76		1		1		1		1		9			1
16	White	65		1		1				1		7			
17	Colored	11						1				2			1
18	Washington County	156	2	1	1				5	5	2	20			2
19	Wayne County	135	5	4				2	6	6	3	16			
20	Webster County	149	5	1				1	4	2	2	20		1	1
21	Worth County	47					1			2		3		2	1
22	Wright County	134	2	1				3		6		17	1	1	1
	MONTANA.														
23	Total	3,404	41		1	6	14	35	17	28	8	331	18	20	13
24	White	3,115	39		1	4	14	22	15	26	8	252	18	16	13
25	Colored	289	2			2		13	2	2		79		4	
26	Beaverhead County	82										4	2		
27	Big Horn County	76										17			
28	Blaine County	45	1					2				5			
29	Broadwater County	34						1				2	2		
30	Carbon County	90								2	1	7		1	1
31	Cascade County	94				1	2					7			1
32	Chouteau County (total)	77	2							1	1	5			
33	White	77	2							1	1	5			
34	Colored														
35	Custer County	126					1	3	1			11	2	1	
36	Dawson County	112	4					2	2	2		4			
37	Deer Lodge County	150	1									38			1
38	Fallon County	28	1			2						2			
39	Fergus County	177	3						1			16	2	1	
40	Flathead County	200	7				1	2	2	3	1	12			1
41	Gallatin County	170	1					1		5		5		1	
42	Granite County	33	1									2			1
43	Hill County	147	2				1	2	1	2	1	14	1	3	
44	Jefferson County	47	2							1		5			1
45	Lewis and Clark County	78								1		6			
46	Lincoln County	60	1							1		8			1
47	Madison County	65	1					1				5			
48	Meagher County	49						1							
49	Mineral County	17										1	1		
50	Missoula County (total)	83	1				1					9		1	
51	White	57	1				1					3			
52	Colored	26										6		1	
53	Musselshell County	87	1				1				1	4	2		1
54	Park County	109	1				2			1		1		2	1
55	Phillips County [2]	27										5			
56	Powell County	42										2			1
57	Prairie County [2]	36						3				2			
58	Ravalli County	90								4		6			1
59	Richland County	53	1						2	1		2	1		
60	Rosebud County (total)	67	1				3					14			
61	White	34	1				3					2			
62	Colored	33										12			
63	Sanders County (total)	50										5			
64	White	46										4			
65	Colored	4										1			
66	Sheridan County	150	1			2	2	13	4	1		24	1	4	
67	Silver Bow County	259			1				2			41	3	4	1
68	Stillwater County	53	1			1				2	1	2		1	
69	Sweet Grass County	38										3			1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Formed from parts of Blaine and Valley Counties, Feb. 5, 1915.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
15	1	4	21	33	10	32	10	4	1	.....	4	15	2	4	22	20	5	69	11	1
14	1	3	19	26	9	24	9	2	1	.....	1	10	2	4	19	14	4	61	3	2
1	.....	1	2	7	1	8	1	2	.....	.....	3	5	.....	.....	3	6	1	8	8	3
7	2	.....	7	8	.....	7	1	1	1	.....	2	5	.....	1	1	5	1	18	5	4
8	1	3	8	6	.....	7	2	1	1	2	2	3	.....	2	5	2	1	18	1	5
5	2	2	12	13	5	29	1	32	.....	2	3	10	2	3	15	18	2	29	12	6
5	1	.....	2	3	2	11	.....	4	1	.....	2	2	.....	.....	9	5	.....	11	6	7
12	.....	1	5	13	1	7	1	2	1	1	.....	20	1	1	5	7	2	26	2	8
2	1	1	11	13	2	49	5	20	2	3	2	11	3	2	25	13	3	43	19	9
2	1	.....	3	3	3	7	.....	1	1	.....	.....	3	.....	.....	8	5	1	20	10	10
10	3	.....	8	12	2	24	.....	2	2	.....	.....	15	.....	3	8	2	7	35	4	11
3	.....	.....	4	5	.....	4	1	4	2	.....	.....	4	.....	1	4	5	.....	17	9	12
4	2	2	6	8	3	23	1	5	1	1	1	13	2	.....	8	6	3	23	15	13
21	7	.....	26	43	5	21	4	5	3	1	3	29	2	2	14	16	4	88	2	14
.....	2	.....	5	14	1	4	.....	2	.....	.....	1	9	.....	.....	1	4	1	16	2	15
.....	1	.....	5	14	1	3	.....	2	.....	.....	1	7	.....	.....	1	4	1	13	2	16
.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	3	.....	17
9	1	2	6	11	6	21	.....	6	.....	1	1	15	.....	.....	5	5	.....	17	12	18
6	3	2	1	4	4	13	3	6	.....	1	.....	6	.....	.....	10	8	.....	20	6	19
8	.....	1	10	8	.....	11	.....	4	2	1	1	12	2	1	13	9	1	18	10	20
7	.....	.....	3	4	1	5	2	.....	.....	.....	.....	3	.....	.....	3	1	1	8	.....	21
1	.....	1	8	10	.....	14	2	3	.....	1	.....	19	.....	1	9	6	3	19	5	22
140	39	18	145	261	39	306	31	68	58	31	25	228	24	37	226	470	71	574	81	23
134	38	16	139	255	38	261	28	68	54	30	23	215	19	36	222	460	66	531	54	24
6	1	2	6	6	1	45	3	.....	4	1	2	13	5	1	4	10	5	43	27	25
3	1	.....	5	11	.....	8	.....	.....	.....	2	1	4	.....	.....	1	21	6	11	2	26
2	.....	.....	.....	2	.....	33	1	1	.....	.....	.....	3	1	1	.....	3	.....	8	4	27
1	2	.....	.....	5	2	1	.....	3	.....	2	.....	5	.....	.....	4	6	1	5	.....	28
2	.....	.....	4	4	.....	6	1	.....	.....	.....	.....	.....	.....	.....	.....	5	2	4	1	29
.....	2	2	.....	5	2	9	.....	3	1	2	1	6	1	1	11	18	.....	13	1	30
4	3	.....	3	6	3	10	.....	6	1	1	1	5	.....	.....	9	18	1	6	6	31
8	1	1	1	7	.....	3	.....	4	3	.....	.....	3	.....	2	9	12	.....	12	2	32
8	1	1	1	7	.....	3	.....	4	3	.....	.....	3	.....	2	9	12	.....	12	2	33
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	34
6	.....	1	4	8	1	7	1	1	7	1	.....	15	1	2	5	16	5	23	3	35
4	1	2	4	5	.....	8	1	2	5	.....	.....	8	.....	1	8	20	3	22	4	36
.....	.....	.....	7	3	.....	6	.....	.....	1	1	.....	2	.....	.....	2	3	1	32	2	37
1	.....	.....	3	2	.....	2	.....	.....	.....	.....	.....	2	.....	.....	3	5	.....	4	1	38
5	2	.....	6	14	1	13	2	3	6	2	1	8	4	1	4	29	3	36	14	39
14	2	1	18	17	1	15	1	4	3	.....	.....	21	.....	1	13	19	6	34	1	40
9	5	2	13	12	2	11	3	.....	6	3	3	17	.....	5	18	21	1	26	.....	41
.....	1	.....	1	1	1	2	1	.....	.....	.....	.....	2	.....	.....	2	4	2	9	3	42
6	.....	1	6	14	2	16	2	3	2	1	.....	7	2	6	8	15	2	24	3	43
3	.....	.....	2	3	1	8	1	1	.....	.....	1	1	.....	.....	2	6	2	6	1	44
4	1	1	1	9	3	10	.....	.....	.....	.....	.....	8	.....	.....	4	7	2	20	1	45
6	.....	.....	4	2	1	7	.....	3	1	.....	.....	2	.....	1	4	9	3	6	.....	46
5	1	.....	4	7	1	4	1	.....	.....	2	2	4	.....	.....	6	6	5	10	.....	47
.....	.....	.....	4	.....	1	3	.....	1	1	2	.....	2	1	2	6	8	1	15	1	48
1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	9	2	.....	.....	49
5	.....	.....	4	7	2	7	1	1	2	.....	1	6	.....	.....	7	13	2	11	2	50
4	.....	.....	2	7	1	3	1	1	1	.....	.....	4	.....	.....	7	11	1	9	.....	51
1	.....	.....	2	.....	1	4	.....	.....	1	.....	1	2	.....	.....	.....	2	1	2	2	52
3	1	.....	1	4	1	14	.....	6	1	.....	3	4	1	1	10	15	1	10	1	53
8	1	1	11	6	1	10	1	2	3	1	2	9	1	1	12	10	2	19	.....	54
2	.....	.....	1	.....	.....	4	.....	.....	.....	2	.....	2	.....	.....	1	5	.....	4	1	55
2	1	.....	2	13	.....	3	1	2	.....	.....	.....	4	.....	1	1	4	1	4	.....	56
1	2	.....	4	.....	.....	1	.....	3	.....	.....	.....	4	1	1	3	5	.....	4	2	57
9	3	.....	6	11	.....	5	2	2	1	2	1	5	1	.....	2	9	.....	20	.....	58
1	1	.....	2	9	2	4	.....	1	2	.....	.....	3	.....	2	7	7	.....	5	.....	59
.....	1	.....	1	5	.....	3	1	3	.....	.....	.....	2	.....	.....	1	9	.....	12	11	60
.....	1	.....	1	4	.....	2	.....	3	.....	.....	.....	1	.....	.....	.....	8	.....	8	.....	61
.....	.....	.....	.....	1	.....	1	1	.....	.....	.....	.....	1	.....	.....	1	1	.....	4	11	62
4	3	.....	1	2	.....	4	.....	.....	.....	.....	.....	2	.....	.....	3	12	4	10	.....	63
4	3	.....	1	2	.....	4	.....	.....	.....	.....	.....	2	.....	.....	3	9	4	10	.....	64
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	65
3	1	2	5	8	.....	9	.....	1	2	1	1	11	5	1	12	12	1	23	.....	66
6	.....	2	7	19	11	27	8	5	.....	1	2	21	1	1	9	62	7	18	.....	67
1	1	.....	2	5	.....	3	.....	1	1	1	1	6	.....	1	6	3	1	11	1	68
2	2	2	2	3	.....	2	1	1	1	.....	.....	5	.....	.....	3	4	1	4	1	69

[3] Formed from parts of Custer and Dawson Counties, March, 1915.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MONTANA—continued.														
1	Teton County (total)	143	2					1	1	1		18			
2	White	110	2					1		1		3			
3	Colored	33							1			15			
4	Toole County	26	1					1				4			
5	Valley County (total)	48	2					1			1	7			
6	White	48	2					1			1	7			
7	Colored														
8	Wibaux County	13													
9	Yellowstone County	73	2					1	1		1	6	1	1	
	NEW HAMPSHIRE.														
10	Total	4,089	20	2		4	6	16	15	95	8	249	14	19	22
11	White	4,085	20	2		4	6	16	15	95	8	248	14	19	22
12	Colored	4										1			
13	Belknap County	187		1			1			4		7	1	1	
14	Carroll County	271	2							14		16	1	1	1
15	Cheshire County	288	1	1		1		1		6	1	20	1	2	3
16	Coos County	276	2					1	4	1	1	10	1	1	2
17	Grafton County	675	3				1	1	3	16		29	2	3	3
18	Hillsborough County	596	3			1		2	1	13	1	42	2	2	1
19	Merrimack County	465						3		9	1	38	1	5	4
20	Rockingham County	632	2			1	4	4	2	16	1	40	4		3
21	Strafford County	370	5			1		3	4	5	1	26	1	2	4
22	Sullivan County	329	2					1	1	11	2	21		2	1
	NEW JERSEY.														
23	Total	14,293	64	5		51	40	86	176	158	27	1,512	64	66	69
24	White	13,519	59	5		48	40	79	171	153	26	1,376	53	58	66
25	Colored	774	5			3		7	5	5	1	136	11	8	3
26	Atlantic County	401	1			5	1	3	1	5	1	34		2	1
27	Bergen County	1,529	5	1		8	6	16	26	13	2	114	9	10	7
28	Burlington County (total)	1,088	6			4		8	14	14	2	66	4	7	7
29	White	1,024	5			3		7	14	14	2	62	3	5	7
30	Colored	64	1			1		1				4	1	2	
31	Camden County (total)	899	4			3		5	7	9	3	134	4	5	6
32	White	797	4			3		4	6	8	2	112	2	4	6
33	Colored	102						1	1	1	1	22	2	1	
34	Cape May County (total)	299	1			1		1	3	3		20	1		3
35	White	276	1			1		1	3	2		18	1		3
36	Colored	23								1		2			
37	Cumberland County (total)	435	1	1		1		3	1	5	2	32	3	4	3
38	White	407	1	1				3	1	5	2	27	3	3	3
39	Colored	28				1						5		1	
40	Essex County	833	4				15	4	38	6	1	193	4		4
41	Gloucester County (total)	580	6			3		2	5	4	2	54	5	1	4
42	White	526	6			3		2	5	4	2	49	2		3
43	Colored	54										5	3	1	1
44	Hudson County	1,082	5	2		6		6	13	3	1	214	7	5	4
45	Hunterdon County	460	2						5	5	1	29	1	4	
46	Mercer County (total)	484	1			1		1	3	10	3	89		3	3
47	White	445	1			1		1	2	10	3	78		2	2
48	Colored	39							1			11		1	1
49	Middlesex County	856	3			6	2	8	10	8	3	58	4	2	7
50	Monmouth County (total)	1,152	10			5	1	3	14	14	2	69	3	3	7
51	White	1,038	9			5	1	3	12	14	2	53	3	2	7
52	Colored	114	1						2			16		1	
53	Morris County	972	1			3		2	6	13	2	96	1	2	3
54	Ocean County	284	1					1	1	3		26	3	1	1
55	Passaic County	457	2			3	7	6	4	4		36	2	3	1
56	Salem County (total)	459	4			1	2		4	12	1	30	1	6	1
57	White	395	2				2		4	11	1	23	1	6	1
58	Colored	64	2			1				1		7			
59	Somerset County	565	1			1		4	8	7		28	1	1	4
60	Sussex County	368	1					1	3	5	1	21	3	1	3
61	Union County	696	1				3	9	6	8		148	7	4	
62	Warren County	394	4	1			3	3	4	7		21	1	2	
	NEW YORK.														
63	Total	36,744	199	15		88	49	157	191	618	87	2,682	140	203	176
64	White	36,175	196	15		88	47	152	191	611	87	2,585	135	199	171
65	Colored	569	3				2	5		7		97	5	4	5
66	Albany County	494	3			2		5	2	13	2	33	2	4	3
67	Allegany County	608	4	1						24	1	15	1	6	2
68	Broome County	634	2				1	6	9	15	5	16	2	2	4
69	Cattaraugus County	675	7			2		2	6	9	1	17	1	2	3
70	Cayuga County	525	5					1	2	5	2	12		4	4

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
8			2	18		15		1	5	3	1	6	1	2	10	13		26	9	1
7			2	16		15		1	3	3	1	6	1	2	9	13		22	2	2
1				2					2						1			4	7	3
						1	1		1			2		1	3	3		6	2	4
1			1	7		2		1	2			3	2		4	9	1	4		5
1			1	7		2		1	2			3	2		4	9	1	4		6
																				7
			1	2		1		1		1	2	1			1	2		1		8
			2	3		9		2			1	7		2	12	13	2	6	1	9
303	66	23	405	593	72	305	27	77	23	25	35	289	10	17	203	187	50	893	16	10
303	66	23	404	593	72	305	27	77	23	25	35	289	10	17	203	187	50	891	16	11
			1															2		12
14	2	1	27	39	2	9		1		2	4	18	1		6	3	4	38	1	13
18	2	1	27	48	2	22	2	6		4	2	19	1	1	6	16	1	55	3	14
24	5		28	32	7	15	2	4		2		18	1		18	21	7	66	1	15
13	6	1	15	52	2	20	2	6	5	1	2	19	1	1	22	19	4	59	3	16
59	9	2	52	94	11	50	2	8	10	5	8	51	2	5	35	31	10	168	2	17
36	6	4	58	83	16	36	10	13	1	5	8	42	1	1	26	19	9	154		18
31	8	2	49	70	11	37	1	12	3	2	4	33	1	3	28	19	1	87	2	19
52	17	6	81	89	10	46	3	13	2	2	4	34	1	2	28	24	7	132	2	20
35	7	2	32	49	9	34	3	9	1	2	1	24		2	15	18	4	70	1	21
21	4	4	36	37	2	36	2	5	1		2	31	1	2	19	17	3	64	1	22
819	187	60	1,193	1,675	172	1,363	113	745	52	78	138	1,255	36	63	775	861	172	2,187	31	23
788	181	55	1,141	1,600	161	1,292	103	699	51	77	134	1,188	34	60	728	829	171	2,066	27	24
31	6	5	52	75	11	71	10	46	1	1	4	67	2	3	47	32	1	121	4	25
20	2	3	36	48	4	37	5	25		2	6	34	1	1	14	29	4	76		26
98	22	6	129	195	19	173	16	84	8	4	21	136	1	8	81	90	29	189	3	27
54	16	6	88	150	14	126	7	56	4	10	5	107	2	5	69	54	9	173	1	28
50	16	4	86	144	13	118	6	55	4	10	5	102	2	5	66	51	8	156	1	29
4		2	2	6	1	8	1	1				5			3	3	1	17		30
53	9		89	104	5	72	6	36	1	3	9	85	1	2	52	37	16	139		31
49	8		81	91	4	64	4	30	1	3	8	79	1	2	44	37	16	124		32
4	1		8	13	1	8	2	6			1	6			8			15		33
19	3		33	41	4	23	4	6	1	2	2	43	1	2	10	29	2	41		34
19	3		32	38	4	21	3	5	1	2	2	39	1	2	9	26	2	37		35
			1	3		2	1	1				4			1	3		4		36
30	7	4	38	59	3	35	5	17	3	8	4	33	1	4	25	14	4	84	1	37
29	7	3	34	55	2	34	5	13	3	8	4	32	1	3	25	14	4	81	1	38
1		1	4	4	1	1		4				1		1				3		39
39	8	3	47	90	5	58	1	22	4	3	3	62	3	7	35	38	6	128	2	40
39	8	1	61	66	12	55	7	31	3	4	5	50	2	3	40	26	9	69	3	41
35	8	1	58	62	11	49	5	24	3	4	5	47	1	3	36	25	9	61	3	42
4			3	4	1	6	2	7				3	1		4	1		8		43
57	16	9	64	93	13	107	6	40	5	9	23	73	3	3	41	76	17	161		44
40	7	3	53	61	8	28	3	12	3	6	6	53	1	3	18	14	10	83	1	45
18	8		37	52	3	52	4	15	1	2	4	43	1	1	23	25	1	79	1	46
16	8		34	46	3	47	4	14	1	2	3	41	1	1	22	25	1	75	1	47
2			3	6		5		1			1	2			1			4		48
37	11	3	47	72	11	99	9	153	2		4	46	2	6	69	64	7	101	2	49
71	16	6	119	143	15	85	9	55	2	7	12	132	5	8	53	80	14	187	2	50
67	14	6	106	134	15	75	9	47	1	7	12	118	4	8	47	75	14	166	2	51
4	2		13	9		10		8	1			14	1		6	5		21		52
58	14	1	73	115	9	118	10	30	1	4	11	82	2	2	40	75	9	186	3	53
12	7	3	29	42	5	17	1	5	1	1	2	45	2		16	15	3	40	1	54
32	7	1	30	70	5	42	2	35	2	1	3	31		1	30	36	6	52	3	55
28	5	1	37	48	9	46	4	15	2	1	6	36	2	2	30	30	4	87	4	56
25	5		36	42	8	39	4	14	2		5	27	2	1	25	27	4	76	2	57
3		1	1	6	1	7		1		1	1	9		1	5	3		11	2	58
35	4		47	65	10	59	5	38	2	4	4	36	2	2	37	37	7	115	1	59
17	5	3	35	38	5	37	3	19	3	1		42	1		26	32	5	56	1	60
40	8	3	59	79	7	53	3	32	4	5	5	52	2	1	44	39	4	68	2	61
22	4	4	42	44	6	41	3	19		1	3	34	1	2	22	21	6	73		62
2,388	587	168	3,368	5,670	523	2,935	262	996	171	229	342	3,007	100	171	1,642	2,229	442	6,806	103	63
2,374	585	165	3,323	5,595	514	2,876	258	983	168	227	338	2,957	100	171	1,621	2,200	439	6,704	100	64
14	2	3	45	75	9	59	4	13	3	2	4	50			21	29	3	102	3	65
41	10	2	36	75	7	47		28		1	4	40	1		18	27	4	83	1	66
45	10	3	70	104	11	27	6	5	6	6	4	49	5	5	25	30	8	133	2	67
32	6	3	63	102	7	41	5	15	4	6	7	41	2	3	47	45	11	130	2	68
51	15	1	57	129	9	55	2	15	3	7	5	40	4	6	46	54	8	118		69
35	9	2	54	100	12	38	1	9		4	4	35	1	1	25	33	8	118	1	70

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	NEW YORK—continued.														
1	Chautauqua County	829	3			1	1		1	20	2	37	1	5	1
2	Chemung County	263	3					2	3	7		18		2	3
3	Chenango County	614	3					1	3	9	1	22		6	3
4	Clinton County	537	2				1		4	12	1	36	3	1	3
5	Columbia County	470						1		6		35	5	1	4
6	Cortland County	270					1			9		7		1	2
7	Delaware County	679	5			2		4	4	16	3	25	4	6	3
8	Dutchess County	1,265	9	2		1	28	1	4	17	4	144	3	14	4
9	Erie County	1,216	4			6	1	4	5	21	2	88	6	4	6
10	Essex County	530	1			1				9	1	84	2	3	3
11	Franklin County	714	7				1	6	4	16		142	10	2	3
12	Fulton County	204	3						2	8		15		1	1
13	Genesee County	356	2			2		1	1	13		13		2	3
14	Greene County	492	5	1		9		1	3	8	1	41	2		3
15	Hamilton County	49										4			
16	Herkimer County	677	2					2	6	6	1	38	3	2	
17	Jefferson County	744	8				1	1	9	11	2	36	3	3	2
18	Lewis County	381	1					2	1	7	3	18	1		1
19	Livingston County	632	2			1	1	2		16	2	30	3	4	2
20	Madison County	614	3			1		2	3	10	1	23	1	5	3
21	Monroe County	926	3					9	1	13	2	147	4	6	9
22	Montgomery County	402						4		4		35	2	1	3
23	Nassau County	1,350	5	1		10	3	8	29	8	5	85	8	7	5
24	Niagara County	438	4			1			4	4		20		5	3
25	Oneida County	886	4				1	8	9	10	1	47	2	6	6
26	Onondaga County	985	1			5		2	2	12		82	5	8	7
27	Ontario County	696	4							14	3	46	2	4	2
28	Orange County	1,032	7	2		2		13	14	16	2	68	3	6	5
29	Orleans County	424	4					1	1	8		26	3		3
30	Oswego County	578	4					3	1	7	2	24	1	2	5
31	Otsego County	873	6				1	5	1	22	3	27	2	5	5
32	Putnam County	201	2	1		1			1	5		13			
33	Rensselaer County	480	5			1		2	2	8		45	1	4	3
34	Rockland County	696	6	1		2	1	8	1	5	1	58	3	6	1
35	St. Lawrence County	995	6			3	1	1	5	13	5	48	7	6	2
36	Saratoga County	717	3			8		4	1	14	2	51	1	3	2
37	Schenectady County	231				1		5		2		47		2	
38	Schoharie County	364	4	1				5	1	13		12	1	1	1
39	Schuyler County	223						1		5		6	1		
40	Seneca County	544	1			3		2	2	11	4	53	2	4	4
41	Steuben County	1,021	4			1		1	1	20	1	32	2	5	4
42	Suffolk County	2,185	4	3			1	1	12	13	4	198	12	13	5
43	Sullivan County	672	7					1	5	4	2	184	1	6	2
44	Tioga County	451	2				1	4	1	16		22	1	1	4
45	Tompkins County	302	1			1	1	1		16	1	12		1	
46	Ulster County	899	5			5		1	6	27	2	81	5	5	3
47	Warren County	232						1	1	4	1	10			
48	Washington County	671	10			1		7		12	1	40	2	2	1
49	Wayne County	743	4				2	3	4	5	3	27	3	5	5
50	Westchester County	1,334	5	1		15		12	12	8	4	160	10	5	13
51	Wyoming County	451	2	1					2	8	2	15	3	3	2
52	Yates County	270	2				1			4	1	12		1	5
	NORTH CAROLINA.[2]														
53	Total	4,864	132	52	2	2	7	47	40	56	9	551	11	49	19
54	White	2,593	69	20	1	2	7	20	34	36	8	230	7	25	9
55	Colored	2,271	63	32	1			27	6	20	1	321	4	24	10
	OHIO.														
56	Total	32,100	338	16	4	68	96	173	282	623	84	2,604	108	281	175
57	White	31,179	329	14	4	65	96	164	277	609	83	2,402	104	266	173
58	Colored	921	9	2		3		9	5	14	1	202	4	15	2
59	Adams County	307	5						9	5		37	3	2	4
60	Allen County	361	3				1	3	3	1	1	56	1	8	2
61	Ashland County	287	6					1	1	13		16	1	3	1
62	Ashtabula County	594	5					1	8	14	2	43		4	5
63	Athens County	622	4			6		6	13	5	2	59		3	3
64	Auglaize County	308	2	1			3	1	3	2		23	2	2	
65	Belmont County	758	18			2	4	9	9	10		50	1	4	3
66	Brown County (total)	292	5				1	3		3		30	2	4	1
67	White	262	5				1	3		2		22	2	3	1
68	Colored	30								1		8		1	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
59	15	4	89	162	17	53	8	8	3	1	7	51	.....	1	43	48	13	169	6	1
13	4	3	32	45	1	17	1	4	.....	3	1	24	.....	2	13	10	4	48	.....	2
35	10	3	61	113	11	66	5	12	4	8	3	62	4	5	19	22	11	111	1	3
23	9	3	26	83	4	59	1	33	.....	3	5	36	.....	5	41	27	5	109	2	4
28	4	2	49	60	4	30	2	20	.....	1	4	57	.....	3	24	35	4	90	1	5
18	6	2	36	48	.....	20	4	5	2	2	3	16	.....	1	10	9	4	61	3	6
50	15	2	77	103	14	56	6	7	4	4	4	54	1	5	35	36	13	119	2	7
80	16	3	91	161	16	153	1	28	9	7	6	85	3	4	41	50	10	270	.....	8
77	18	4	85	163	24	103	10	59	7	6	14	101	3	6	64	94	18	208	5	9
22	10	2	46	73	9	31	4	16	6	2	4	37	3	3	36	31	2	88	1	10
43	7	8	48	69	2	67	2	31	5	4	3	27	3	8	57	40	9	89	1	11
11	3	2	15	32	3	24	1	.....	.....	3	4	19	.....	1	4	10	1	41	.....	12
20	8	2	23	66	5	25	3	10	2	3	3	20	.....	2	15	32	10	70	.....	13
35	6	6	64	86	4	36	4	10	3	3	7	42	1	.....	11	26	4	67	3	14
2	.....	.....	6	3	1	5	.....	1	.....	.....	2	10	.....	1	4	5	.....	5	.....	15
48	15	4	68	99	12	63	5	24	4	6	4	59	1	.....	31	60	10	102	2	16
60	13	4	70	115	11	45	7	15	2	3	11	51	1	1	36	41	8	172	2	17
29	11	4	42	59	3	22	4	6	1	1	5	38	1	2	17	27	6	67	2	18
39	9	2	58	110	9	48	2	15	5	7	5	44	5	1	27	36	1	146	.....	19
39	11	2	51	109	9	44	4	11	2	5	6	32	2	3	38	43	10	138	3	20
53	12	.....	92	110	6	57	6	51	3	2	9	49	2	2	52	55	14	154	3	21
28	5	5	44	67	4	30	1	12	6	1	1	36	3	1	16	35	4	53	1	22
87	16	7	93	166	16	136	14	71	8	11	13	123	7	12	84	80	21	210	1	23
28	7	2	36	87	13	34	4	8	3	2	5	29	.....	1	19	29	7	83	.....	24
76	10	6	86	153	9	103	9	27	3	6	9	64	2	.....	33	58	9	127	2	25
73	17	6	76	184	20	63	6	43	.....	4	5	67	4	6	51	64	10	158	4	26
68	10	1	77	105	5	43	3	10	5	5	5	58	2	3	26	48	14	131	2	27
53	13	7	91	117	25	86	6	42	5	12	13	101	4	4	46	79	9	177	4	28
29	5	3	33	64	5	41	3	14	1	1	4	40	.....	2	20	36	4	73	.....	29
40	14	2	63	109	8	32	5	12	2	5	3	59	2	4	32	26	8	102	1	30
50	16	1	84	156	9	75	4	5	7	9	12	87	1	4	32	56	15	171	2	31
12	8	1	23	18	7	16	3	8	.....	.....	2	9	1	3	11	9	.....	47	.....	32
38	6	.....	56	69	7	23	3	10	.....	1	7	48	1	1	17	35	9	78	.....	33
41	17	3	56	94	9	69	7	17	8	3	8	58	3	7	38	58	5	99	3	34
64	15	5	82	170	24	73	10	46	2	5	7	56	3	6	53	57	7	202	11	35
42	10	4	76	114	16	70	10	23	.....	1	3	69	1	2	32	34	9	111	1	36
18	3	.....	23	23	1	22	.....	5	.....	.....	4	15	.....	.....	9	16	4	30	1	37
40	6	1	43	54	7	23	4	3	.....	4	2	27	1	1	13	21	3	72	.....	38
13	5	.....	25	50	1	22	1	3	1	1	4	17	1	.....	4	12	2	47	1	39
33	6	.....	50	100	2	51	5	9	2	1	3	52	1	1	18	27	2	95	.....	40
69	18	1	113	224	9	65	4	13	3	6	17	106	3	2	25	61	10	200	1	41
110	34	12	150	288	14	188	13	31	11	14	17	214	4	9	52	87	21	645	5	42
28	11	3	55	106	10	30	9	15	3	4	11	40	.....	2	17	38	9	68	1	43
34	2	.....	62	84	8	26	5	1	1	4	2	39	1	1	14	26	4	83	2	44
26	3	1	46	51	10	5	2	1	2	1	4	37	.....	2	8	16	5	46	2	45
50	14	3	73	133	17	83	10	20	7	9	14	64	2	7	23	63	7	156	4	46
9	8	1	20	30	3	22	2	4	.....	2	1	25	2	2	10	22	.....	50	2	47
54	18	9	58	90	9	45	8	19	.....	4	9	77	1	8	31	40	5	110	.....	48
46	7	3	93	109	14	60	2	10	7	2	10	61	4	3	33	42	7	166	3	49
78	14	7	84	168	17	125	12	61	3	8	10	139	1	4	70	86	24	174	4	50
41	15	1	47	72	10	22	1	10	5	2	2	44	2	2	15	27	5	89	1	51
22	2	.....	41	36	3	20	2	5	1	3	1	27	.....	.....	11	15	7	47	1	52
185	21	48	228	327	42	357	45	362	62	44	30	296	22	49	266	256	16	910	321	53
127	16	33	136	189	19	169	27	187	48	28	18	167	8	25	184	138	15	493	98	54
58	5	15	92	138	23	188	18	175	14	16	12	129	14	24	82	118	1	417	223	55
2,165	442	140	2,904	4,131	376	2,795	262	783	154	268	315	2,261	114	192	1,614	2,011	331	5,745	245	56
2,122	436	135	2,848	4,014	370	2,741	256	770	150	262	308	2,201	113	190	1,579	1,939	327	5,594	238	57
43	6	5	56	117	6	54	6	13	4	6	7	60	1	2	35	72	4	151	7	58
26	6	.....	23	35	2	31	2	2	1	3	1	18	2	1	15	15	.....	55	4	59
32	3	1	27	56	.....	18	1	6	3	2	6	20	3	4	21	20	2	54	3	60
30	5	2	36	31	2	21	2	4	1	2	.....	16	1	2	10	19	4	55	2	61
40	9	1	50	94	4	52	2	16	5	12	5	29	5	1	30	33	8	112	4	62
30	10	2	45	68	5	83	5	19	1	4	6	38	3	3	24	44	1	120	10	63
21	5	3	32	35	2	23	3	7	1	1	6	39	.....	4	21	15	2	48	1	64
44	3	8	48	98	7	83	6	39	5	3	2	45	3	4	52	75	6	112	5	65
14	.....	.....	26	46	2	28	1	6	1	1	2	17	.....	2	17	14	6	59	1	66
12	.....	.....	23	43	2	28	1	5	1	1	2	16	.....	2	16	13	6	51	1	67
2	.....	.....	3	3	.....	.....	.....	1	.....	.....	.....	1	.....	.....	1	1	.....	8	.....	68

[2] Includes only municipalities having a population of 1,000 or over, but less than 10,000, in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
		DEATHS FROM—													
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	OHIO—continued.														
1	Butler County	315	2						1	3		35	1	5	2
2	Carroll County	179	2						1	3		6			3
3	Champaign County (total)	338	2							9		25		1	1
4	White	323	2							9		23		1	1
5	Colored	15										2			
6	Clark County	258	3						2	4		40		1	
7	Clermont County	424	4	1				4	2	5		41	2	8	3
8	Clinton County	263	4					2	2	5		28		6	2
9	Columbiana County	723	8			3	1	5	7	18	3	36	4	4	5
10	Coshocton County	347	7				1		2	7		23	3	1	4
11	Crawford County	406	3				2	1	3	9	1	25	2	2	2
12	Cuyahoga County	865	4			2	2	5	6	14		99	6	4	4
13	Darke County	518	2	1			4	12	5	15	2	46	3	6	2
14	Defiance County	267				3	2				1	26	1	1	2
15	Delaware County	348	2				6	1	2	4		25	1	8	
16	Erie County	339	1							4	2	18	2	1	2
17	Fairfield County	285	2			1		4	3	8	1	25	1	3	2
18	Fayette County (total)	257	1	1				1	1	7		26		1	1
19	White	237	1	1				1	1	6		17		1	1
20	Colored	20								1		9			
21	Franklin County	580	2			2		5	4	7	2	120	3	7	3
22	Fulton County	278	3	1				2		4	1	11		2	1
23	Gallia County (total)	351	4			4		2	3	1	1	38	1	5	1
24	White	319	3			3		2	3	1	1	31	1	4	1
25	Colored	32	1			1						7		1	
26	Geauga County	206	1			1			1	2	1	7		4	1
27	Greene County (total)	405	3					3		17	1	33	2	3	3
28	White	326	1					3		13	1	22	2	3	3
29	Colored	79	2							4		11			
30	Guernsey County	314	4	1	1		2	8	2	4	1	17		3	2
31	Hamilton County (total)	698	8			2	3	5	5	18	1	83	3	5	3
32	White	642	8			2	3	4	5	17	1	69	3	5	3
33	Colored	56						1		1		14			
34	Hancock County	194						2	1	3		11	1	1	
35	Hardin County	369	7		1		1		6	7	1	30		3	4
36	Harrison County	232	2				3			10		14			2
37	Henry County	212	3			4	1		2	3		9	2	3	1
38	Highland County	365	4					1	5	6	1	29	1	5	4
39	Hocking County	274	2			7		1	7	2	1	19	1	4	2
40	Holmes County	189	1						6	1	1	12	1	1	6
41	Huron County	441	4	1		2		3	2	11		25	3	3	1
42	Jackson County	331	5		1	2	2		3	14	1	35	2	2	2
43	Jefferson County	466	8				2	7	7	5	1	23		5	1
44	Knox County	390	4			1	2	2	1	7	1	27	6	4	6
45	Lake County	354	1				1		2	6		20		2	3
46	Lawrence County	319	7			1	1	1	14	9	2	27		7	
47	Licking County	349	4				1	1	2	7		26	1	1	1
48	Logan County	363	4			1			1	17	1	24		1	4
49	Lorain County	363	3			1		5	2	13	2	18	2	4	1
50	Lucas County	315	10			2	3	2	6	4		15		2	2
51	Madison County	271	2				1	2	2	7	1	22		1	1
52	Mahoning County	478	2			1	2	1	2	6	2	29	4	3	1
53	Marion County	177	3						2	6	2	17			
54	Medina County	296	4			1				8		13	2	3	
55	Meigs County	333		1		3	1		6	5	1	25		4	2
56	Mercer County	254	3					3	4	8		17	1	3	1
57	Miami County	353	1	1				5	1	6	2	26	2	4	1
58	Monroe County	224	4				2	1		5		20	1	2	1
59	Montgomery County (exclusive of)	647	3					3	4	14	4	82	3	8	4
60	National Military Home	367							1	1		20		2	1
61	Morgan County	215	5					1		1		32	2		1
62	Morrow County	210	3	1			1		1	3		11	1	3	1
63	Muskingum County	366	2					3	4	9	2	21		3	6
64	Noble County	208	2					1				17	1	1	
65	Ottawa County	250	5				2	1	2	4	1	14	1	2	
66	Paulding County	176	2						1	3	1	13		2	
67	Perry County	415	5				2	4	8	7	1	23	2	5	1
68	Pickaway County	345	4			2	2	4		8	4	26	1	3	3
69	Pike County	176	3	1				1	2	3		18		2	
70	Portage County	369	5	1			1	3	5	11		18		1	2
71	Preble County	286	1					4	4	5		17	2	2	1
72	Putnam County	295	8				6	5	4	6	1	27	4	4	2
73	Richland County	301	6							1		18	2	3	3

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
21	4	2	29	40	1	33	1	6	1	2	4	23	.....	1	16	18	6	57	.....	1
12	2	2	19	24	2	26	2	7	.....	.....	2	14	1	3	8	4	2	30	4	2
29	6	.....	25	51	9	25	.....	5	2	3	5	37	5	.....	16	24	3	54	1	3
29	6	.....	24	50	8	24	.....	5	2	3	5	35	5	.....	14	23	3	50	1	4
.....	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	2	.....	.....	2	1	.....	4	.....	5
17	4	.....	17	27	4	20	5	4	.....	1	2	19	1	2	9	24	4	48	.....	6
29	5	.....	38	63	5	27	.....	10	.....	6	7	45	.....	1	12	23	3	77	3	7
14	3	.....	24	39	4	24	3	4	4	3	4	19	.....	1	10	10	2	43	3	8
44	8	2	60	78	13	90	5	15	3	5	10	68	2	6	38	47	6	119	10	9
21	5	5	24	43	2	33	2	7	7	2	3	27	3	.....	15	28	4	61	7	10
33	8	1	52	38	3	34	3	11	4	4	5	33	.....	3	21	35	5	61	2	11
49	11	3	62	119	21	72	8	21	.....	5	7	90	2	2	30	53	17	141	6	12
39	9	5	39	87	2	22	1	16	2	5	4	25	4	3	37	24	9	86	1	13
18	6	1	32	33	2	29	2	6	4	4	.....	14	.....	2	8	17	1	51	1	14
18	4	1	42	44	3	32	2	8	3	3	3	30	2	1	18	23	2	60	.....	15
29	4	1	56	73	4	20	4	2	.....	2	2	18	.....	.....	7	28	2	57	.....	16
20	4	2	25	45	3	23	3	6	1	1	1	12	1	.....	17	13	6	51	1	17
16	5	1	11	26	1	28	3	10	3	6	.....	24	1	.....	12	18	1	49	3	18
14	5	1	11	26	1	28	3	9	3	6	.....	23	1	.....	12	16	1	47	1	19
2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	2	.....	2	2	20
31	6	3	41	62	7	40	6	10	.....	5	10	32	1	2	21	39	5	104	.....	21
19	15	.....	35	37	5	21	1	8	1	2	2	25	3	2	18	12	3	43	1	22
23	3	.....	20	41	5	38	2	8	1	3	4	15	3	2	12	23	2	84	2	23
22	3	.....	20	36	5	37	1	6	1	3	3	15	3	2	10	19	2	79	2	24
1	.....	.....	.....	5	.....	1	1	2	.....	.....	1	.....	.....	.....	2	4	.....	5	.....	25
17	4	3	19	31	5	20	2	6	.....	1	2	11	.....	.....	11	15	2	38	1	26
28	5	1	38	63	6	25	4	9	5	3	2	18	.....	4	27	26	6	70	.....	27
23	5	1	32	52	5	19	3	8	5	3	2	12	.....	3	23	23	6	53	.....	28
5	.....	.....	6	11	1	6	1	1	.....	.....	.....	6	.....	1	4	3	.....	17	.....	29
16	5	3	24	39	5	34	4	9	2	6	3	18	2	2	21	18	7	47	4	30
34	14	5	50	75	13	62	1	24	4	8	14	52	3	4	43	64	7	82	3	31
32	14	4	49	70	12	57	1	23	2	7	14	50	3	4	41	54	7	75	3	32
2	.....	1	1	5	1	5	.....	1	2	1	.....	2	.....	.....	2	10	.....	7	.....	33
14	4	2	15	34	3	17	.....	8	3	2	3	14	2	2	5	8	2	37	.....	34
30	9	2	30	40	4	27	2	9	3	2	1	31	2	5	6	21	5	78	2	35
12	1	1	17	21	3	34	.....	5	1	2	1	24	2	.....	14	9	3	48	3	36
14	2	3	26	28	2	21	4	3	2	.....	2	11	1	.....	15	11	4	34	1	37
34	4	1	20	65	4	25	4	3	3	6	5	30	2	2	8	13	5	73	2	38
10	5	1	12	34	3	21	6	9	1	1	4	22	2	4	14	21	2	52	4	39
12	3	2	21	30	.....	14	2	2	.....	1	2	13	1	2	7	8	3	36	1	40
26	7	3	46	72	5	40	3	6	.....	4	3	37	2	3	15	20	5	85	4	41
26	3	1	15	42	2	26	3	13	1	2	2	18	2	2	21	13	.....	61	9	42
28	4	3	38	45	5	58	4	28	.....	2	2	23	1	2	33	47	4	73	7	43
19	12	3	65	49	5	23	3	6	1	7	2	18	.....	5	23	20	4	62	2	44
19	4	1	20	42	2	46	3	7	2	4	4	15	1	1	6	41	7	89	5	45
12	2	4	20	22	4	36	3	16	.....	1	2	18	3	3	31	14	2	46	11	46
27	4	.....	45	45	3	28	2	3	1	2	2	35	1	.....	15	19	2	68	3	47
24	6	2	38	56	6	41	3	4	3	.....	3	31	1	1	13	19	2	54	3	48
29	9	2	30	58	7	19	1	10	1	.....	6	21	3	.....	14	33	5	64	.....	49
23	7	1	37	31	3	22	3	6	.....	4	6	20	.....	1	26	25	7	46	1	50
25	2	.....	21	27	2	28	.....	10	1	3	4	35	.....	1	11	14	2	45	1	51
30	1	1	31	52	6	62	6	42	2	2	4	21	.....	3	49	33	5	70	5	52
10	3	2	11	19	2	13	.....	3	.....	2	.....	14	1	1	16	12	2	35	1	53
24	3	2	31	48	5	27	4	6	1	4	2	20	1	.....	8	20	2	57	.....	54
14	5	1	38	43	3	46	4	8	1	6	.....	12	.....	5	17	14	2	59	7	55
21	4	.....	23	29	3	20	2	8	1	4	1	16	.....	3	21	10	1	46	1	56
33	3	5	40	37	3	27	3	4	1	6	3	30	.....	1	24	16	8	58	2	57
7	2	1	13	25	4	21	1	4	4	2	3	11	.....	1	6	13	6	58	6	58
41	9	4	38	82	5	51	4	7	5	8	7	54	2	3	21	39	2	140	.....	59
17	2	.....	31	99	4	14	3	.....	1	.....	3	111	.....	.....	.....	4	3	50	.....	60
20	.....	1	19	38	3	17	.....	1	.....	3	.....	15	.....	1	12	6	1	36	.....	61
24	7	.....	21	24	.....	16	3	.....	2	4	.....	13	.....	1	10	17	.....	42	1	62
13	3	1	49	57	10	30	5	3	2	1	6	26	.....	4	15	19	5	64	3	63
15	3	1	19	26	1	14	.....	3	.....	5	2	10	1	2	21	11	2	47	3	64
22	1	.....	22	39	2	12	5	5	3	4	2	12	.....	.....	11	29	1	46	2	65
11	1	2	17	15	6	14	1	7	1	1	2	26	1	2	6	11	.....	28	2	66
30	3	1	39	45	5	49	5	15	2	3	1	26	1	2	17	20	3	89	1	67
24	7	2	39	28	2	38	4	10	.....	3	1	22	2	3	18	15	5	59	6	68
13	1	.....	11	32	3	17	1	6	.....	3	.....	7	.....	1	11	17	.....	19	4	69
25	3	.....	46	50	2	19	1	8	2	.....	4	23	2	3	17	33	3	79	2	70
31	4	.....	30	43	3	11	2	7	2	1	1	26	.....	4	20	10	4	51	.....	71
20	5	2	23	26	3	31	1	6	7	2	8	21	1	.....	9	10	4	47	2	72
16	13	1	32	36	4	18	2	1	.....	2	3	32	.....	1	19	30	2	55	1	73

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	OHIO—continued.														
1	Ross County (total)	317	5			1	1	1	2	6	1	26	1		
2	White	289	5			1	1	1	2	6	1	20			
3	Colored	28										6	1		
4	Sandusky County	374	11			2			2	8	1	19		3	4
5	Scioto County	317	7						6	6	1	35	1	4	
6	Seneca County	359	5				2	2	5	5	1	23		6	4
7	Shelby County	257	1					1	1	9	1	28	2	3	
8	Stark County	697	2			1	3	2	6	11	2	44		6	3
9	Summit County	712	8	2			2		6	5	5	129	3	4	2
10	Trumbull County	561	7			1	1		7	17	4	31	3	3	5
11	Tuscarawas County	689	7			1	3	7	10	23	1	41	1	4	1
12	Union County	242	3				5			5	1	18		5	2
13	Van Wert County	258	1			2	1	2	1	3	1	21	1	3	
14	Vinton County	127	1			1			5	1		7			
15	Warren County	296	2	1		2	2		1	9		23	1	3	2
16	Washington County	373	2						1	8	3	28	1	4	1
17	Wayne County	494	4	1		1	6	2	5	12	2	26		4	4
18	Williams County	292	4			2		1	1	4		18		2	3
19	Wood County	473	6		1		1	3	3	8	3	31		3	3
20	Wyandot County	231							2	10		19		4	1
	PENNSYLVANIA.														
21	Total	55,330	530	20		178	163	361	801	834	141	4,258	194	346	295
22	White	54,242	523	20		178	162	356	798	827	138	4,014	184	334	293
23	Colored	1,088	7				1	5	3	7	3	244	10	12	2
24	Adams County	415	4			1			2	6		25	1	2	3
25	Allegheny County	4,738	42	1		15	17	53	56	41	13	541	23	44	17
26	Armstrong County	863	12			6		5	17	13	1	41		3	2
27	Beaver County	1,019	6	1		11	4	12	9	6	1	71	3	12	5
28	Bedford County	424	6				2	2	4	12	3	26		2	2
29	Berks County	1,511	11					7	20	24	3	373	5	9	3
30	Blair County	755	6			2	5	6	13	11		53	3	5	7
31	Bradford County	895	15	1		1			7	32	1	28	3	2	4
32	Bucks County	1,068	8	1		7	1	5	1	35	2	82	5	4	10
33	Butler County	543	3	1			2	2	5	7	3	24	1	4	1
34	Cambria County	1,538	11			6	8	6	66	6	3	147	4	2	14
35	Cameron County	75								1		2			
36	Carbon County	838	6	1			8	10	25	14	1	56	1	2	5
37	Center County	590	3			5	1	9	16	11	2	25	2	7	2
38	Chester County (total)	1,099	6	1				6	14	17	1	76	3	8	7
39	White	961	6	1				5	14	15	1	62	3	6	7
40	Colored	138						1		2		14		2	
41	Clarion County	405	4						5	15		10	1	1	1
42	Clearfield County	944	2			6	2	13	14	11	4	34	5	9	5
43	Clinton County	440	6					3	5	4	3	26	2	3	
44	Columbia County	557	8	1				5	10	9		22	1	3	2
45	Crawford County	746	4				1	1	5	29	1	31		5	6
46	Cumberland County	577	6						6	13		46	2	1	5
47	Dauphin County	886	7					3	11	13	3	78	5	8	6
48	Delaware County (total)	1,102	7			2	1	6	6	25	1	112	5	8	8
49	White	972	7			2	1	5	4	24	1	88	4	5	8
50	Colored	130						1	2	1		24	1	3	
51	Elk County	343	4				8		2	8	1	11	1	2	5
52	Erie County	661	5	2					2	20	2	46	3	2	4
53	Fayette County	1,793	14			5	2	6	22	18	2	107	10	7	5
54	Forest County	80								2		1			
55	Franklin County	760	5			1	1	2	5	13	3	216	2	9	4
56	Fulton County	127	2									4		1	
57	Greene County	366	6			2			3	18	1	23	1	2	4
58	Huntingdon County	536	10				1	8	9	6		37	6	6	4
59	Indiana County	900	13				2	2	20	16	3	31	4	9	3
60	Jefferson County	731	13	1				5	7	19	1	38	2	7	6
61	Juniata County	196						2	3	4		17		1	2
62	Lackawanna County	1,465	4			9	1	14	38	12	8	101	3	4	9
63	Lancaster County	1,374	13	1		2	3	8	7	23	5	112	5	13	7
64	Lawrence County	411	3				4	1	4	10	2	23	1	2	4
65	Lebanon County	542	6					3	3	7	2	26	1	3	3
66	Lehigh County	1,124	13			2	3	5	17	8	6	92	4	3	4
67	Luzerne County	2,869	14	2		31	15	41	74	21	9	189	4	5	16
68	Lycoming County	527	3			2		3	5	12	1	21	1	2	2
69	McKean County	369	5				3	6	3	2	1	23	2	1	4
70	Mercer County	719	12				4		17	11	3	38	2	6	3
71	Mifflin County	394	6			4	1	1	3	3	1	37	2	5	3
72	Monroe County	291		1				1	3		1	18	2	3	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
29	3	1	28	36	2	30	2	11	1	2	3	23	3	3	25	17	1	49	4	1
27	3	1	26	35	1	28	1	11	1	1	2	22	3	3	23	14	1	46	3	2
2	.....	.....	2	1	1	2	1	.....	.....	1	1	1	.....	.....	2	3	.....	3	1	3
31	6	.....	28	51	5	21	5	3	5	3	7	17	3	1	23	39	6	65	5	4
18	.....	.....	14	22	1	43	6	22	1	3	3	20	2	3	23	18	1	52	5	5
24	6	4	36	65	3	29	4	6	1	3	4	20	.....	2	16	22	2	57	2	6
22	6	2	19	28	6	14	2	6	2	4	5	19	.....	1	8	17	1	48	1	7
37	7	4	79	108	3	46	8	15	1	2	9	31	.....	.....	37	38	3	183	6	8
43	2	6	51	78	4	67	5	32	.....	7	7	33	.....	2	49	44	8	107	1	9
32	8	1	61	56	13	61	4	20	.....	3	3	27	.....	11	31	33	7	103	8	10
43	8	1	68	74	6	68	8	17	1	3	9	51	3	6	39	40	7	137	1	11
16	2	.....	21	36	4	24	1	2	2	.....	2	17	2	2	12	7	3	49	1	12
19	4	2	32	29	.....	22	1	2	3	2	3	14	3	1	14	23	1	45	2	13
8	1	.....	7	18	4	12	4	3	1	.....	1	3	1	3	10	5	1	27	3	14
25	3	.....	36	34	8	17	3	4	1	1	4	31	.....	2	6	23	9	41	2	15
29	10	.....	38	48	5	32	1	8	1	1	4	18	.....	5	12	25	2	82	4	16
43	9	.....	56	69	4	51	3	7	1	4	3	26	1	4	25	29	5	85	2	17
29	4	1	32	34	7	13	7	3	3	1	3	20	1	4	7	16	5	64	3	18
41	9	1	53	52	7	26	6	6	5	6	6	23	5	3	21	36	5	98	2	19
17	2	.....	37	18	3	9	3	3	.....	6	8	13	1	2	14	13	5	39	2	20
2,853	615	275	3,802	5,469	747	5,628	655	3,746	211	358	479	3,501	241	386	4,083	3,962	467	9,162	569	21
2,819	609	271	3,751	5,357	732	5,521	637	3,696	208	352	473	3,426	237	383	4,022	3,912	461	8,993	555	22
34	6	4	51	112	15	107	18	50	3	6	6	75	4	3	61	50	6	169	14	23
25	5	1	58	75	5	23	5	7	1	.....	2	45	3	1	22	22	5	62	4	24
210	33	31	250	388	52	614	58	397	13	28	54	227	23	35	316	308	49	780	9	25
41	6	8	57	88	15	94	9	70	2	1	13	54	5	5	81	72	9	130	3	26
39	10	6	44	75	5	149	8	70	3	8	8	53	9	15	80	99	19	177	1	27
35	5	5	38	52	4	28	5	11	2	.....	4	43	1	2	35	24	4	63	4	28
71	11	3	119	152	28	91	22	46	3	11	11	91	5	6	86	78	16	185	21	29
41	10	6	55	62	9	74	7	31	5	3	5	66	3	3	65	45	1	145	8	30
67	13	2	79	114	11	75	10	14	7	8	4	83	2	7	47	57	10	185	6	31
57	28	2	119	134	14	83	12	34	5	7	5	95	4	10	58	46	15	173	6	32
43	3	3	47	53	7	57	8	30	1	2	13	42	1	2	28	37	10	93	10	33
55	8	7	43	99	20	204	22	174	7	4	18	60	6	14	161	147	9	197	10	34
2	2	.....	1	16	.....	6	.....	2	.....	.....	2	8	.....	.....	4	16	1	12	.....	35
32	10	1	58	36	9	88	9	91	2	6	12	66	4	5	51	83	6	136	4	36
39	9	3	55	64	8	53	1	19	4	6	2	33	3	4	54	36	.....	109	5	37
67	9	3	80	155	16	97	9	49	4	9	5	115	2	4	60	62	7	197	10	38
59	9	3	76	143	14	80	5	39	3	7	4	101	1	4	48	53	6	178	8	39
8	.....	.....	4	12	2	17	4	10	1	2	1	14	1	.....	12	9	1	19	2	40
28	11	1	34	51	4	35	3	15	1	3	1	19	1	3	34	34	2	84	4	41
63	7	5	67	91	10	118	11	69	4	7	10	47	1	13	93	58	8	142	15	42
20	6	4	41	50	5	27	5	8	3	4	1	41	3	2	33	37	9	87	2	43
36	10	2	74	55	7	58	6	27	2	8	5	31	4	8	35	26	5	95	2	44
59	11	5	85	109	15	33	9	11	4	2	5	51	3	4	30	41	11	166	9	45
43	5	1	67	65	10	39	8	9	2	6	4	60	1	4	41	23	4	103	3	46
45	12	2	66	95	7	68	10	27	.....	2	9	82	4	1	59	52	11	198	2	47
70	14	7	69	121	16	107	7	79	2	3	15	107	.....	4	59	53	9	177	2	48
66	13	7	61	109	12	87	4	73	1	3	15	98	.....	4	53	49	9	157	2	49
4	1	.....	8	12	4	20	3	6	1	.....	.....	9	.....	.....	6	4	.....	20	.....	50
25	7	2	24	28	7	34	5	17	4	4	4	18	2	3	29	33	1	52	2	51
50	18	2	63	108	8	46	4	10	3	8	12	45	2	1	23	42	13	112	5	52
55	10	8	64	123	14	238	17	278	4	3	13	66	14	13	210	156	7	276	26	53
4	1	.....	6	8	4	6	.....	5	.....	1	1	7	1	1	3	12	1	15	1	54
23	6	3	68	59	9	39	4	23	.....	7	3	61	1	5	43	31	5	107	2	55
6	1	.....	10	13	2	17	1	3	1	1	3	5	.....	1	10	8	1	35	2	56
23	3	4	23	32	3	42	3	17	1	.....	1	25	.....	2	17	21	5	79	5	57
26	3	2	43	38	4	50	6	15	1	9	1	53	6	3	44	36	2	101	6	58
36	11	3	41	85	16	111	13	87	6	7	2	47	5	10	80	78	6	150	3	59
53	10	3	38	61	12	68	12	43	11	5	10	38	2	8	59	55	3	135	6	60
9	1	1	13	40	.....	8	1	7	1	1	1	16	.....	1	8	13	1	42	3	61
45	12	12	57	87	37	213	18	141	5	9	5	100	8	9	111	140	6	241	6	62
91	19	6	154	171	15	141	15	37	5	9	13	119	3	6	83	62	8	216	2	63
26	6	2	24	41	8	38	2	19	.....	2	3	24	.....	3	41	40	3	63	12	64
30	5	2	47	58	7	64	7	25	2	1	5	35	1	4	35	31	8	110	11	65
54	15	4	102	120	11	116	15	59	7	9	6	55	8	4	68	96	19	190	9	66
98	21	14	102	191	66	406	49	353	5	18	23	153	10	14	229	264	10	379	43	67
38	12	4	52	75	7	35	4	13	2	2	2	49	.....	6	25	30	7	109	3	68
29	10	1	25	44	2	28	4	12	6	2	.....	22	1	3	37	27	2	60	4	69
50	14	4	60	79	7	79	8	25	5	4	2	43	5	6	40	40	7	139	6	70
22	6	4	40	42	5	26	2	16	1	2	3	18	.....	3	36	33	2	62	5	71
20	4	2	28	32	6	26	3	12	2	3	6	17	3	5	17	24	2	47	1	72

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	PENNSYLVANIA—continued.														
1	Montgomery County	1,781	15			6	2	6	31	29	4	186	9	18	11
2	Montour County	351	26			1			1	4	3	31	1	2	2
3	Northampton County	1,071	9			2	9	20	12	13	6	65	1	5	8
4	Northumberland County	846	3	1		3	3	4	4	11		58	2	1	4
5	Perry County	286	11				1	3	6		1	27	1	2	1
6	Pike County	125		1		1	1	1		7		9		2	
7	Potter County	284	4				1		1	10	1	8	3	2	
8	Schuylkill County	2,489	22	2		20	12	14	52	18	4	165	8	11	9
9	Snyder County	186	2			1			3			13		1	
10	Somerset County	981	12			3	5	3	37	19	4	50	3	7	5
11	Sullivan County	121				2			3	2	1	4		1	1
12	Susquehanna County	595	3			5	1	14	3	24	2	31	2	3	4
13	Tioga County	562	8			1		2	4	10	1	29	2	5	5
14	Union County	187	1			1		3				8		1	2
15	Venango County	472	5				2		1	10	3	49		4	5
16	Warren County	471	1	1			3	2	1	9	1	27	1	4	3
17	Washington County	1,768	20			4	10	5	26	18	4	94	9	7	6
18	Wayne County	416	2					4	5	12		24	1	2	
19	Westmoreland County	2,559	37			7	10	8	36	32	8	157	15	23	12
20	Wyoming County	205						3	1	2		11	1		2
21	York County	968	15			1	3	7	10	16		72	4	8	6
	RHODE ISLAND.														
22	Total	1,609	16			15	3	24	13	23	6	116	10	2	7
23	White	1,571	13			15	3	24	13	22	5	108	10	2	7
24	Colored	38	3							1	1	8			
25	Bristol County	318	3			8	1	8	2	8	1	16	5		2
26	Kent County	139	1				1		1	1		6		2	1
27	Newport County	198	2			1		5	1		1	11	1		1
28	Providence County	528	4			2	1	7	7	9	1	55	3		3
29	Washington County	426	6			4		4	2	5	3	28	1		
	UTAH.														
30	Total	2,696	31			3	10	77	15	45	15	98	3	15	15
31	White	2,626	31			2	10	71	15	45	15	89	2	14	15
32	Colored	70				1		6				9	1	1	
33	Beaver County	63					1	2		1		1		2	
34	Box Elder County	148	2			1	2	15		2		3		2	4
35	Cache County	228	1					12		6		1		1	1
36	Carbon County	101						2	2	5	2	4	1		
37	Davis County	93	1					2	1			1			
38	Duchesne County [2]	54	6					2		3		2			
39	Emery County	50	1					1		1					
40	Garfield County	45	2								1			1	
41	Grand County	23										2			
42	Iron County	45	1			1					1				
43	Juab County	88					1	1				6			
44	Kane County	19										1			
45	Millard County	62						5			1	1		3	2
46	Morgan County	14													
47	Piute County	17	1									1			
48	Rich County	20								1		1			1
49	Salt Lake County	495	3				3	14	8	2	2	43			1
50	San Juan County (total)	11													
51	White	11													
52	Colored														
53	Sanpete County	147	4				1	3	2	6				1	2
54	Sevier County	92	1							5		3			
55	Summit County	90								3	1	8			1
56	Tooele County	69				1		3		5	1	3	1		1
57	Uinta County (total)	100	3					3	1	1		6	1	1	
58	White	68	3					1	1	1					
59	Colored	32						2				6	1	1	
60	Utah County	421	3				2	9	1	1	3	5		4	2
61	Wasatch County	52								1	1				
62	Washington County	47								1	1	2			
63	Wayne County	7	1												
64	Weber County	95	1					3		1	1	4			

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
119	30	10	152	211	29	160	21	88	3	12	11	134	2	10	87	107	22	250	6	1
23	4	.....	27	44	.....	19	1	8	1	.....	4	16	3	1	9	11	.....	108	1	2
45	19	6	109	105	21	104	13	88	1	6	12	65	3	8	89	56	11	150	10	3
31	10	2	57	66	6	75	18	67	9	8	10	43	3	16	94	91	4	138	4	4
19	3	3	23	40	2	14	3	3	1	2	4	22	1	2	20	12	.....	54	5	5
5	1	.....	7	16	.....	9	2	4	.....	1	4	11	.....	1	3	13	1	23	2	6
33	4	5	29	38	5	15	1	6	3	2	3	15	2	3	16	12	1	59	2	7
74	29	11	125	185	31	254	57	281	16	26	33	153	20	23	210	225	14	368	17	8
17	3	.....	20	26	2	13	3	3	.....	1	3	22	1	.....	14	2	4	28	4	9
31	8	5	43	91	9	106	11	90	3	3	8	36	5	8	107	80	1	171	17	10
5	.....	1	10	17	4	13	3	5	.....	1	1	5	1	.....	9	6	.....	25	1	11
42	4	1	47	71	10	61	5	16	3	7	6	39	2	3	25	37	6	115	3	12
50	8	3	44	85	8	44	7	7	5	5	5	41	2	1	36	23	6	113	2	13
14	1	2	13	46	1	14	2	3	1	2	.....	12	.....	.....	9	8	.....	41	2	14
31	12	1	38	59	5	34	1	16	4	3	2	31	2	1	19	25	4	102	3	15
23	7	2	39	88	3	39	5	8	1	2	5	30	.....	4	27	18	4	111	2	16
91	6	9	69	152	30	201	26	212	3	11	16	54	9	10	180	208	18	245	15	17
30	12	2	38	50	8	40	4	7	1	9	3	43	2	1	16	17	2	77	4	18
99	14	17	114	183	35	233	25	293	6	14	17	108	17	24	253	225	19	357	161	19
9	1	.....	17	28	3	28	3	4	.....	2	.....	16	2	2	9	18	4	38	1	20
61	6	4	91	133	8	100	7	30	1	6	5	70	4	5	71	40	7	173	4	21
114	19	8	97	193	26	165	9	91	5	6	13	129	1	8	93	102	14	274	7	22
111	19	8	95	192	25	163	9	90	5	6	12	126	1	8	92	96	13	271	7	23
3	.....	.....	2	1	1	2	.....	1	.....	.....	1	3	.....	.....	1	6	1	3	.....	24
23	2	1	20	36	9	35	.....	26	.....	2	2	24	.....	2	19	11	2	49	1	25
12	3	1	15	15	1	15	2	4	1	1	.....	13	.....	2	9	6	.....	25	1	26
12	1	.....	14	25	3	24	.....	18	.....	.....	1	11	.....	.....	19	12	3	31	1	27
44	6	1	21	55	10	57	3	25	2	2	2	39	.....	2	34	31	3	97	2	28
23	7	5	27	62	3	34	4	18	2	1	8	42	1	2	12	42	6	72	2	29
104	30	28	111	253	38	307	21	73	50	26	18	168	21	29	254	245	25	499	69	30
103	30	28	111	252	38	293	21	69	50	26	18	165	21	28	251	236	24	487	66	31
1	.....	.....	.....	1	.....	14	.....	4	.....	.....	.....	3	.....	1	3	9	1	12	3	32
.....	3	.....	.....	7	.....	9	.....	.....	1	.....	.....	6	1	1	9	7	1	10	1	33
6	1	1	8	17	2	16	1	4	1	3	1	4	.....	1	15	13	1	17	5	34
14	3	5	10	22	1	24	2	10	1	5	1	11	.....	1	23	15	1	48	9	35
1	.....	2	4	3	.....	11	.....	7	1	1	1	4	2	.....	16	19	.....	11	2	36
6	.....	.....	8	10	2	11	2	4	1	1	.....	10	2	3	8	6	.....	14	.....	37
1	2	4	.....	3	.....	6	.....	2	1	.....	.....	1	1	1	5	4	.....	8	2	38
.....	1	.....	.....	10	.....	8	2	.....	1	.....	.....	2	.....	.....	2	3	.....	14	4	39
2	2	1	.....	3	3	6	1	1	4	.....	.....	1	.....	1	2	2	.....	11	1	40
.....	.....	.....	1	3	.....	1	.....	.....	.....	.....	.....	4	.....	.....	.....	6	1	3	2	41
1	.....	.....	4	6	2	3	1	1	.....	1	.....	3	.....	.....	3	6	.....	11	.....	42
4	.....	.....	6	6	2	7	2	1	1	.....	1	3	3	4	15	9	1	12	3	43
1	1	.....	.....	.....	2	2	.....	1	1	.....	.....	.....	.....	.....	1	1	.....	8	.....	44
1	1	.....	3	3	2	9	.....	2	1	1	1	3	.....	1	9	3	.....	10	.....	45
.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	6	.....	46
.....	1	.....	.....	2	.....	2	1	.....	.....	.....	.....	.....	1	.....	1	2	1	3	1	47
.....	.....	.....	1	1	.....	3	.....	.....	.....	.....	.....	3	.....	.....	4	1	2	2	.....	48
20	4	3	16	47	5	58	1	17	7	3	4	36	2	5	33	53	8	83	14	49
3	.....	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	50
3	.....	.....	1	.....	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	2	.....	51
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	52
6	1	3	2	20	5	18	.....	1	3	4	.....	6	1	2	15	5	1	27	8	53
2	.....	.....	3	11	.....	7	1	5	2	.....	.....	6	.....	1	17	6	.....	19	3	54
3	.....	.....	2	5	.....	21	3	1	1	.....	.....	6	2	1	6	7	2	17	.....	55
2	1	4	1	5	3	5	2	.....	.....	.....	.....	2	1	.....	2	11	.....	14	1	56
2	1	.....	3	8	.....	19	.....	3	4	1	1	2	1	1	9	11	2	15	1	57
2	1	.....	3	8	.....	9	.....	.....	4	1	1	1	1	1	7	10	2	10	1	58
.....	.....	.....	.....	.....	.....	10	.....	3	.....	.....	.....	1	.....	.....	2	1	.....	5	.....	59
18	5	4	27	38	8	35	2	8	13	2	5	37	2	5	39	35	4	98	6	60
1	2	.....	2	5	.....	10	.....	2	1	.....	1	6	2	1	2	2	.....	10	3	61
3	.....	.....	2	3	.....	4	.....	2	2	1	.....	6	.....	.....	4	3	.....	11	2	62
.....	.....	.....	1	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	63
7	1	1	4	11	1	7	.....	1	3	3	2	6	.....	.....	11	11	.....	15	1	64

[2] Formed from part of Wasatch County, Jan. 4, 1915.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	VERMONT.														
1	Total	4,540	30	3	1	3	3	18	32	107	11	206	16	25	27
2	White	4,537	30	3	1	3	3	18	32	107	11	206	16	25	27
3	Colored	3													
4	Addison County	284	3					2	1	9	1	14			3
5	Bennington County	311						2	1	14		16	2	2	1
6	Caledonia County	391	3			1			1	9		15		2	1
7	Chittenden County	318	1					1	5	1		10	2	1	3
8	Essex County	106	2						2	2		4		1	
9	Franklin County	421	5	1	1			3	4	7		27	1	1	2
10	Grand Isle County	36								1					
11	Lamoille County	159	2							4		3	1	1	
12	Orange County	271	1							9	2	6	2	4	1
13	Orleans County	310	2	2			1	2	1	6	2	17	2	5	4
14	Rutland County	473	2					4	6	8		35	1	1	4
15	Washington County	512	4			2		1	4	10	2	29	1	1	5
16	Windham County	437	1				2	3	3	8	2	14	1	2	2
17	Windsor County	511	4						4	19	2	16	3	4	1
	VIRGINIA.														
18	Total	22,614	435	129	4	45	22	286	344	316	43	2,806	78	194	133
19	White	13,039	249	37	1	30	19	128	265	213	32	1,222	47	101	83
20	Colored	9,575	186	92	3	15	3	158	79	103	11	1,584	31	93	50
21	Accomac County (total)	515	10	1				10	7	7		70		2	3
22	White	275	3					4	4	6		36			3
23	Colored	240	7	1				6	3	1		34		2	
24	Albemarle County (total)	478	8			1		5	5	6	4	51	8	3	1
25	White	279	4			1			4	3	3	27	6	2	1
26	Colored	199	4					5	1	3	1	24	2	1	
27	Alexandria County (total)	162	3					7	1	4		21	1	3	2
28	White	100	2					4	1	2		13		2	1
29	Colored	62	1					3		2		8	1	1	1
30	Alleghany County (total)	151	3			1		2	4	1	1	18	1	5	
31	White	115	2			1		1	4	1	1	12	1	3	
32	Colored	36	1					1				6		2	
33	Amelia County (total)	120	1	1		1			1			22		1	
34	White	32		1								5			
35	Colored	88	1			1			1			17		1	
36	Amherst County (total)	264	6	1			3		4	4	1	30	1		2
37	White	152	4	1			2		2	2	1	15			2
38	Colored	112	2				1		2	2		15	1		
39	Appomattox County (total)	97	3	2						2		11	1	1	
40	White	50		2						2		3	1		
41	Colored	47	3									8		1	
42	Augusta County (total)	379	8			1	2	2	5	4	1	45	2	3	
43	White	314	3			1	1	1	4	3	1	35	2	2	
44	Colored	65	5				1	1	1	1		10		1	
45	Bath County (total)	64	1					1	1	1		3		2	
46	White	56	1					1	1	1		3		2	
47	Colored	8													
48	Bedford County (total)	397	7	2				1	8	5	1	50		5	4
49	White	247	4	2					7	4	1	24		3	3
50	Colored	150	3					1	1	1		26		2	1
51	Bland County (total)	52	1					1	2			6			1
52	White	49	1					1	2			6			1
53	Colored [2]	3													
54	Botetourt County (total)	196	5						4	5	1	26		1	
55	White	138	5						4	3	1	14			
56	Colored	58								2		12		1	
57	Bristol (city) (total)	86								1		11		1	
58	White	62								1		4		1	
59	Colored	24										7			
60	Brunswick County (total)	270	6					1	1	3	2	48	1	3	1
61	White	98	3					1	1	1	1	11	1		
62	Colored	172	3							2	1	37		3	1
63	Buchanan County (total)	129	9					4	26	1		12		1	2
64	White	128	9					4	26	1		12		1	2
65	Colored [2]	1													
66	Buckingham County (total)	184	2	1					1	2		25	1	3	1
67	White	80	2						1	1		5		1	
68	Colored	104		1						1		20	1	2	1
69	Buena Vista (city) (total)	35								2	1	2			
70	White	31								1		1			
71	Colored	4								1	1	1			
72	Campbell County (total)	294	9	2			3	2	2	4	1	29	2	4	4
73	White	185	9	1			3	2	2	4	1	13	2	3	3
74	Colored	109		1								16		1	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																			
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
332	63	23	441	637	83	364	40	132	25	36	41	387	9	33	215	207	54	928	8	1
332	63	23	441	636	83	364	40	132	25	36	41	387	9	33	215	207	54	926	8	2
				1														2		3
21	4	2	26	53	4	23	4	5	1		3	24		1	10	7	4	58	1	4
19	4		24	42	8	24	5	15		3	5	29			17	10	2	66		5
36	5	7	37	41	6	23	3	6	5	4	3	36	2	1	23	25	7	89		6
17	5	3	27	46	15	21	2	15	4	7	1	33	2	4	14	21	3	53	1	7
6	1		10	14	3	8		4	1		2	7		2	6	3	1	26	1	8
28	4	1	39	46	7	38	4	19	3	3	5	31		5	17	28	6	85		9
6	1		4	6		2		2		1		2			1	3		7		10
6	1	1	20	26	3	24	1	7			3	17	1	1	6	5	2	24		11
22	3		32	44	5	28	1	5	1		1	22	1	2	16	8	3	51	1	12
28	7	3	27	37	3	29	3	4	1	5		14			24	11	3	66	1	13
31	3		39	66	10	28	5	21	4	3	4	45		6	17	27	9	93	1	14
34	12	3	45	73	8	44	3	13		4	4	42		4	18	14	5	126	1	15
40	6	2	55	62	7	29	6	4	3	3	2	53	1	4	14	23	1	84		16
38	7	1	56	81	4	43	3	12	2	3	8	32	2	3	32	22	8	100	1	17
832	152	196	976	2,094	229	1,642	246	847	91	117	93	1,615	120	236	1,437	1,267	114	4,421	1,054	18
619	111	123	622	1,228	129	956	133	509	56	62	62	957	69	117	933	729	98	2,572	527	19
213	41	73	354	866	100	686	113	338	35	55	31	658	51	119	504	538	16	1,849	527	20
23	7	6	20	51	3	32	2	43	1	3		44	3	7	29	25	4	84	18	21
13	7	5	12	32	2	19	2	24				23	2		13	12	3	46	4	22
10		1	8	19	1	13		19	1	3		21	1	7	16	13	1	38	14	23
17	3	6	22	53	2	38	1	13	12	5	2	24	3	5	25	34		91	30	24
11	1	3	12	30	2	18	1	11	6	2	2	17	1	2	18	18		54	19	25
6	2	3	10	23		20		2	6	3		7	2	3	7	16		37	11	26
6	3		7	13	3	24	3	6		1		12		3	6	10	1	22		27
4	3		2	8	2	9	2	4		1		10		2	6	8	1	13		28
2			5	5	1	15	1	2				2		1		2		9		29
3	3		2	17	4	9	2	5		1		10	3	1	10	9	2	27	7	30
3	3		2	14	1	6		3				8	3	1	10	5	2	22	6	31
				3	3	3	2	2		1		2				4		5	1	32
2	1	1	3	16	3	10		2		2		5		3	3	7	1	30	4	33
2	1		2	5		2		1				3				1	1	7	1	34
		1	1	11	3	8		1		2		2		3	3	6		23	3	35
9	1		8	25	1	17	4	4		1	2	16	2	5	12	25		72	8	36
3			4	18		10		2			2	7	1	4	5	12		51	4	37
6	1		4	7	1	7	4	2		1		9	1	1	7	13		21	4	38
6	1		7	6		8		4		1		8			3	3		23	7	39
3	1		5	2		5		4		1		5			1	1		12	2	40
3			2	4		3						3			2	2		11	5	41
16	1	4	26	53	5	18	2	11		2	1	41	2	1	23	26	3	68	3	42
15	1	3	24	46	4	15		10		2	1	36	2	1	21	22	2	54	2	43
1		1	2	7	1	3	2	1				5			2	4	1	14	1	44
4	1		2	6	3	6	1	3		2		8		1	5			11	2	45
3	1		1	4	2	6	1	3		2		7			5			11	1	46
1			1	2	1							1		1					1	47
18	2	6	13	49	5	24		14	2	4		19	5	1	22	30		86	14	48
16	1	1	8	24	3	16		9	2	3		14	1		15	20		58	8	49
2	1	5	5	25	2	8		5		1		5	4	1	7	10		28	6	50
1		1	2	3	1	11	1	2	1			1			2	3		10	2	51
1		1	2	3	1	10	1	2	1			1			2	1		10	2	52
						1										2				53
8	2	2	8	19	2	15	3	5	1	1	1	16	3	2	14	7	1	35	9	54
6	1	2	4	14	2	12	2	4	1		1	10	2	1	12	5		27	5	55
2	1		4	5		3	1	1		1		6	1	1	2	2	1	8	4	56
3	4	1	1	11	2	2		1		1	3	11			3	6		20	4	57
3	4	1		8	2	2		1		1	1	7			3	3		16	4	58
			1	3							2	4				3		4		59
3		1	8	16	2	17	7	12		1	3	25	3	2	22	8	2	58	14	60
1			4	7	1	4	5	4		1	2	10	2		10	3	2	22	1	61
2		1	4	9	1	13	2	8			1	15	1	2	12	5		36	13	62
3		1	2	6	1	4	1	1				1	1	3	14	11		11	14	63
3		1	2	5	1	4	1	1				1	1	3	14	11		11	14	64
				1																65
9	3		12	15		11	2	3		1	1	5	1	3	10	8	1	49	14	66
5	2		9	9		6	1	2			1	1	1	1	5	6	1	15	5	67
4	1		3	6		5	1	1		1		4		2	5	2		34	9	68
2		1	1	6		4		2			1	1			3	2	1	4	2	69
2		1	1	6		4		2			1	1			3	1	1	4	2	70
																1				71
11	2	3	12	24	3	12	6	11		2	3	13		2	27	14	2	70	15	72
10	2	1	4	12	3	10	4	8		1	1	7		1	18	8	1	48	3	73
1		2	8	12		2	2	3		1	2	6		1	9	6	1	22	12	74

[1] Colored population less than 5 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	VIRGINIA—continued.														
1	Caroline County (total)	219	5					5	2	6		37	1	3	2
2	White	91	1					2	1	5		14	1	1	
3	Colored	128	4					3	1	1		23		2	2
4	Carroll County (total)	201	1				1	2	2	1		19			1
5	White	197	1				1	2	2	1		18			1
6	Colored [2]	4										1			
7	Charles City County (total)	82	2	1								14			
8	White	23										3			
9	Colored	59	2	1								11			
10	Charlotte County (total)	202	2					1	3	3		22	2	3	
11	White	74						1	1			6	2	2	
12	Colored	128	2						2	3		16		1	
13	Charlottesville (city) (total)	94	1						1	1		14	1		1
14	White	50	1						1	1		7	1		
15	Colored	44										7			1
16	Chesterfield County (total)	285		1					7	1		40	1	3	
17	White	139		1					4	1		15		1	
18	Colored	146							3			25	1	2	
19	Clarke County (total)	92	2					1				13	1		
20	White	57	1					1				7			
21	Colored	35	1									6	1		
22	Clifton Forge (city) (total)	73	4			1						3	2		
23	White	43	1			1						2	2		
24	Colored	30	3									1			
25	Craig County (total)	46	1						1	3		6			
26	White	43	1						1	3		6			
27	Colored [2]	3													
28	Culpeper County (total)	167	1					1		2		29			1
29	White	79						1		1		9			1
30	Colored	88	1							1		20			
31	Cumberland County (total)	111	2						1	1		24	1		1
32	White	34	1						1			4			
33	Colored	77	1							1		20	1		1
34	Dickenson County (total)	63	3					4	6			12	1	1	1
35	White	61	3					4	6			12	1	1	1
36	Colored [2]	2													
37	Dinwiddie County (total)	494	8	2						3	1	52	3	1	1
38	White	84	3							2		7	1	1	
39	Colored	410	5	2						1	1	45	2		1
40	Elizabeth City County [3] (total)	375	1			1		6		5	1	33		5	6
41	White	144	1			1		2		1	1	11		2	1
42	Colored	231						4		4		22		3	5
43	National Military Home (total)	237								2		10			
44	White	211								2		10			
45	Colored	26													
46	Essex County (total)	131	5			1		5	1		1	22		1	
47	White	42	3									5			
48	Colored	89	2			1		5	1		1	17		1	
49	Fairfax County (total)	281	4			3		1	2	10		23	4	3	3
50	White	202	1			3				9		13	1	2	
51	Colored	79	3					1	2	1		10	3	1	3
52	Fauquier County (total)	292	5					3	2	3		48	5	3	1
53	White	174	3					2	1	2		19	4	2	1
54	Colored	118	2					1	1	1		29	1	1	
55	Floyd County (total)	133	3					4	1	2		18	1	2	1
56	White	112	2					2	1	2		11	1	2	1
57	Colored	21	1					2				7			
58	Fluvanna County (total)	115	1					10		1	1	10			1
59	White	62						1		1		2			
60	Colored	53	1					9			1	8			1
61	Franklin County (total)	282	6						11	5		27	1	6	2
62	White	214	4						10	4		15		3	1
63	Colored	68	2						1	1		12	1	3	1
64	Frederick County (total)	137	1	1				1	7	4		11		1	
65	White	127	1	1				1	7	4		9		1	
66	Colored	10										2			
67	Fredericksburg (city) (total)	109						3		1	1	17			
68	White	71						2			1	10			
69	Colored	38						1		1		7			
70	Giles County (total)	108	1					1	3	2		13		1	1
71	White	100	1					1	3	1		13			1
72	Colored	8								1				1	
73	Gloucester County (total)	181	2	2				3	1	1		38		2	1
74	White	71	2	1				3	1			9			1
75	Colored	110		1						1		29		2	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Colored population less than 5 per cent of the total in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
11	4	1	11	27	3	9	1	4		3	1	7		4	15	11	2	31	13	1
5	3		4	8	1	7		2		2	1	3		2	10	1	2	13	2	2
6	1	1	7	19	2	2	1	2		1		4		2	5	10		18	11	3
13	1	3	7	17	3	17	4	4	2	3		13	1	4	18	9		41	14	4
13	1	3	7	17	3	17	4	4	2	3		13	1	4	17	9		39	14	5
															1			2		6
2	1		5	1		14	2	3				8		3	5	3		11	7	7
1	1		2	1								4		2	1	1		5	2	8
1			3			14	2	3				4		1	4	2		6	5	9
7	1		11	22	2	7		11		1		9	1	4	10	6		45	29	10
3	1		7	7		2		7		1		2	1	1	5	1		18	6	11
4			4	15	2	5		4				7		3	5	5		27	23	12
3	1		7	14		11		3	1			7		1	7	3		17		13
			5	7		5			1			2			4	3		12		14
3	1		2	7		6		3				5		1	3			5		15
9		3	19	25	2	23	2	13	1			32	1	2	25	16	3	50	6	16
8		1	11	14		8	2	6	1			18		1	10	9	2	26		17
1		2	8	11	2	15		7				14	1	1	15	7	1	24	6	18
8		3	3	14	2	9	1	2			2	6	2		5	2		13	3	19
6		2	2	6	2	5	1	1			2	3	1		5			10	2	20
2		1	1	8		4		1				3	1			2		3	1	21
7			4	11		4		1	2	1	1	2	1	2	3	10		10	4	22
7			2	5		1			1			1	1	2	2	6		8	1	23
			2	6		3		1	1	1	1	1			1	4		2	3	24
4				4	1	4		3				2			3	1	2	8	3	25
4				4	1	3		3				2			3	1	2	6	3	26
						1												2		27
5	2	3	7	23	1	13	3	8		2	1	5		2	8	9	1	36	4	28
2	2	1	6	12		4	1	6				1		1	4	5	1	20	1	29
3		2	1	11	1	9	2	2		2	1	4		1	4	4		16	3	30
1		1	5	13		3	3	7			1	7	1	1	4	5		21	8	31
1		1	2	5				4				3			1	1		8	2	32
			3	8		3	3	3			1	4	1	1	3	4		13	6	33
1				2		1		1	2			1		1	1	5		10	10	34
1				2		1		1	2			1		1	1	4		10	9	35
																1			1	36
3	1	1	31	72		18	1	8	2	3		47	1	3	11	15	1	198	7	37
2	1	1	5	4		7	1	4		2		13			6	4		19	1	38
1			26	68		11		4	2	1		34	1	3	5	11	1	179	6	39
13	5	5	25	31	3	31	1	9	3	3	3	45	6	4	24	27	4	75		40
6	3	4	10	13		11		2	3	2	2	8	3		13	9	4	31		41
7	2	1	15	18	3	20	1	7		1	1	37	3	4	11	18		44		42
8	4		18	51		17				1	3	84				5		34		43
8	3		18	44		15				1	3	73				4		30		44
	1			7		2						11				1		4		45
5		3	7	17	1	11	1	4			1	10			4	3		22	6	46
2		1		6	1	5		2				4			1			10	2	47
3		2	7	11		6	1	2			1	6			3	3		12	4	48
11	2	1	29	42	5	17	2	10		2		18		2	18	12		54	3	49
9	2	1	21	34	2	13	2	8		2		11		1	13	10		43	1	50
2			8	8	3	4		2				7		1	5	2		11	2	51
18		1	13	26	3	20	2	13	1	1		22		2	18	9	2	62	9	52
14			11	14	1	10	2	10	1	1		14		1	10	3	2	41	5	53
4		1	2	12	2	10		3				8		1	8	6		21	4	54
8	1		6	10	1	9		1	1	2		8	1		17	3		25	8	55
7	1		6	10	1	8		1	1	2		7			15	3		21	7	56
1						1						1	1		2			4	1	57
3	1	1	12	14	2	7		2			1	6	2	2	6	3		23	6	58
3	1		10	10	1	6		2			1	5	1	1	3	1		11	2	59
		1	2	4	1	1						1	1	1	3	2		12	4	60
16		1	7	22		28	7	3		3		16	3	5	24	14	4	52	19	61
14		1	7	18		23	5	3		3		14	2	4	19	8	4	39	13	62
2				4		5	2					2	1	1	5	6		13	6	63
9		3	5	12	4	12	5	2		3		9		1	8	5	1	28	4	64
9		2	5	11	4	12	4	2		2		9		1	8	3	1	26	4	65
		1		1			1			1						2		2		66
2	1		8	15	2	13		2	2	1	1	6	2	2	4	5		20	1	67
2	1		6	8		7			2		1	4	1	2	4	5		15		68
			2	7	2	6		2		1		2	1					5	1	69
3	2		4	13	1	13	3	2		1	1	7	2	3	12	9		4	6	70
2	2		4	12	1	13	2	2		1	1	5	2	3	12	8		4	6	71
1				1			1					2				1				72
9		1	6	22	2	7		2				19	2	2	7	8	1	29	14	73
4			5	12	2	2						8			5	3		10	3	74
5		1	1	10		5		2				11	2	2	2	5	1	19	11	75

[3] Exclusive of National Military Home.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
		DEATHS FROM—													
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	VIRGINIA—continued.														
1	Goochland County (total)	108	2					1	1	2		23			
2	White	38							1	1		3			
3	Colored	70	2					1		1		20			
4	Grayson County (total)	177	4					5	5	3	1	15	2	1	
5	White	164	4					2	5	3	1	14	2	1	
6	Colored [2]	13						3				1			
7	Greene County (total)	62										7			1
8	White	48										2			1
9	Colored	14										5			
10	Greensville County (total)	213	9	19	2	1			2	2		30		1	2
11	White	59	2	3		1			1	1		4			
12	Colored	154	7	16	2				1	1		26		1	2
13	Halifax County (total)	610	7	6				6	9	17	2	71	2	11	4
14	White	249	4	1				4	4	5	1	11	1	3	1
15	Colored	361	3	5				2	5	12	1	60	1	8	3
16	Hanover County (total)	284	5					1	4	3	1	38	1	2	5
17	White	145	3						3			8			3
18	Colored	139	2					1	1	3	1	30	1	2	2
19	Henrico County (total)	284	3	4					1	3		53		1	3
20	White	174	2	2								38		1	2
21	Colored	110	1	2					1	3		15			1
22	Henry County (total)	219	17	1					5	2		25		2	2
23	White	102	8						1	2		6		1	1
24	Colored	117	9	1					4			19		1	1
25	Highland County (total)	50	1					1		1		6			
26	White	49	1					1		1		6			
27	Colored [2]	1													
28	Isle of Wight County (total)	201	14	4				5	3			28	1	2	1
29	White	82	9					1	2			6			
30	Colored	119	5	4				4	1			22	1	2	1
31	James City County (total)	218	1	3		1		2	1	1	1	20		1	
32	White	153		2				1			1	15		1	
33	Colored	65	1	1		1		1	1	1		5			
34	King and Queen County (total)	148	3	1			2	10	1	2		20		2	
35	White	42	2	1			2	4		1		1			
36	Colored	106	1					6	1	1		19		2	
37	King George County (total)	94	4				1	5		1		22		1	
38	White	43	1				1	1		1		4		1	
39	Colored	51	3					4				18			
40	King William County (total)	152	4	1		1			1	1	1	18		3	1
41	White	41				1					1	2			
42	Colored	111	4	1					1	1		16		3	1
43	Lancaster County (total)	131		1				1	1	7		15		2	1
44	White	57								5		5		1	
45	Colored	74		1				1	1	2		10		1	1
46	Lee County (total)	238	7					2	8	5	1	29		10	1
47	White	223	6					2	8	5	1	26		9	1
48	Colored [2]	15	1									3		1	
49	Loudoun County (total)	319	2			1		5	1	6	1	31		4	4
50	White	229	2			1				4	1	17		3	3
51	Colored	90						5	1	2		14		1	1
52	Louisa County (total)	238	3					7	3	2		37		2	
53	White	92	2						3	2		7			
54	Colored	146	1					7				30		2	
55	Lunenburg County (total)	173	5	2					2	3		18	2		2
56	White	76	4						2	2		6	1		
57	Colored	97	1	2						1		12	1		2
58	Madison County (total)	79	1		1							8		2	
59	White	46			1							4			
60	Colored	33	1									4		2	
61	Mathews County (total)	130						1		2		20	1		2
62	White	74								1		3	1		1
63	Colored	56						1		1		17			1
64	Mecklenburg County (total)	374	6	4					9	9		45	1	3	2
65	White	139	3	1					7	9		5	1		2
66	Colored	235	3	3					2			40		3	
67	Middlesex County (total)	93	2							2		12			
68	White	24								1		5			
69	Colored	69	2							1		7			
70	Montgomery County (total)	207	1					3	6	3		26		1	1
71	White	167	1					2	6	3		15		1	1
72	Colored	40						1				11			
73	Nansemond County (total)	426	9	14		1		3	4	4		61		4	2
74	White	154	3	3		1			2	2		18			1
75	Colored	272	6	11				3	2	2		43		4	1
76	Nelson County (total)	168	4			2		2	6	1		18			
77	White	106	3			1		1	5	1		5			
78	Colored	62	1			1		1	1			13			

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
2	1	1	2	14	1	3	2	1	1	1		14	1		8	4		17	6	1
1	1		1	4		2	1	1		1		5			4	4		6	2	2
1		1	1	10	1	1	1		1			9	1		4			11	4	3
6	2	3	5	16	6	14	2	4	1		1	5		4	11	8	2	37	14	4
6	2	3	4	15	6	13	1	4	1		1	5		4	10	6	2	36	13	5
			1	1		1	1								1	2		1	1	6
2		2		9	2	3	3	3		1	1	1	1		2	5		12	7	7
1		2		8	1	2	3	3		1	1	1	1		1	4		11	5	8
1				1	1	1									1	1		1	2	9
4			3	10	2	15		8	1	2		22	2	1	15	7		45	8	10
3			1	2	2	4		5	1			8			2	2		15	2	11
1			2	8		11		3		2		14	2	1	13	5		30	6	12
15		5	11	35	3	45	7	20	7	5	1	28	2	9	53	29	1	160	39	13
12		1	4	11	2	21	2	9	5	1		8	1	4	22	13	1	81	16	14
3		4	7	24	1	24	5	11	2	4	1	20	1	5	31	16		79	23	15
16	2	6	21	29	3	15	2	11			1	22	1	1	18	8	2	58	8	16
11	2	2	13	17	1	7	1	6			1	17	1		13	2	2	31	1	17
5		4	8	12	2	8	1	5				5		1	5	6		27	7	18
11	2	1	20	15	4	18	6	10		1	1	30	3	1	28	14	3	43	5	19
7	2		14	11	4	9	2	7			1	21	2	1	13	7	3	25		20
4		1	6	4		9	4	3		1		9	1		15	7		18	5	21
7	2	3	13	19	1	21	5	6	2			9		1	9	10		44	13	22
5	1	3	4	10	1	13	3	5				3		1	8	4		16	6	23
2	1		9	9		8	2	1	2			6			1	6		28	7	24
5	1		2	6	2	4	1	1				1			8	4		4	2	25
5	1		1	6	2	4	1	1				1			8	4		4	2	26
			1																	27
7	2		8	17	2	9	4	9	1	1		10	1	4	12	4		45	7	28
7	2		4	6	2	3	2	4				6			4	3		18	3	29
			4	11		6	2	5	1	1		4	1	4	8	1		27	4	30
4		2	12	17	3	7	2	7			1	17		3	6	6		98	2	31
4		1	11	7	2	4	1	1				11			2	4		85		32
		1	1	10	1	3	1	6			1	6		3	4	2		13	2	33
2	2		3	16		10		8	1	1	2	14			5	9		26	8	34
			1	7		4		1				3			2	3		8	2	35
2	2		2	9		6		7	1	1	2	11			3	6		18	6	36
3			6	9	1	1	1	4				7			6	6	1	9	6	37
2			5	6	1	1	1	2				4			2	3	1	5	1	38
1			1	3				2				3			4	3		4	5	39
4	1		12	15		9	2	9			2	13		2	6	10	2	28	6	40
1	1		6	1		3	1	4			1	2			1	6	1	7	2	41
3			6	14		6	1	5			1	11		2	5	4	1	21	4	42
3			9	7	1	12	3	15	1	1		11			7	6		21	6	43
3			3	3	1	4	1	7	1			6			4	1		10	2	44
			6	4		8	2	8		1		5			3	5		11	4	45
3		5	5	9		15	5	14	1	1		12	2	4	21	17	1	36	24	46
3		5	4	9		15	5	13	1	1		12	2	4	21	14	1	31	24	47
			1					1								3		5		48
21	2	6	15	44	1	28	5	10	2	4	1	38	1	4	14	12	1	50	5	49
18	2	3	12	32		21	2	8	1	3	1	27	1	4	13	3	1	45	1	50
3		3	3	12	1	7	3	2	1	1		11			1	9		5	4	51
6	3	3	13	26	3	11	2	5	1	1		20	2	3	13	9	4	46	13	52
3	2	1	7	12		4	2	1	1			7	1		5	3	4	17	8	53
3	1	2	6	14	3	7		4		1		13	1	3	8	6		29	5	54
8	1		9	13	1	3	2	6		2	2	11	1	5	11	8		45	11	55
4			4	10		1	1	3		2	1	4		1	6	3		20	1	56
4	1		5	3	1	2	1	3			1	7	1	4	5	5		25	10	57
9	1		1	5	1	3		1			1	3	1	2	9	6	1	17	6	58
5			1	3	1	2		1			1	2	1	2	5	2	1	13	1	59
4	1			2		1						1			4	4		4	5	60
8			4	9	1	6	1	8		1	1	14			8	2		35	6	61
8			3	7		2		5			1	7			4	2		26	3	62
			1	2	1	4	1	3		1		7			4			9	3	63
15	4	2	14	32	4	27	1	14		4		20	2	6	29	13	1	76	31	64
7	1	1	6	15		9		9		1		7	1	3	11	5	1	26	8	65
8	3	1	8	17	4	18	1	5		3		13	1	3	18	8		50	23	66
3			3	5	2	12	2	3				8	1		9	2		21	6	67
1			1	2		2		1				1	1			1		6	2	68
2			2	3	2	10	2	2				7			9	1		15	4	69
20	6		6	15	2	17	1	7	1	1	2	14	2		13	11	1	34	13	70
17	3		5	14	2	15	1	6	1	1	1	14	1		12	9	1	27	8	71
3	3		1	1		2		1			1		1		1	2		7	5	72
17	3	7	18	39	4	33	2	24	4	3	2	18	4	6	21	21		87	11	73
10		2	10	14	1	6	2	8	2	1	2	8		2	7	8		40	1	74
7	3	5	8	25	3	27		16	2	2		10	4	4	14	13		47	10	75
6	2	2	3	22	2	10		17	1	1		11	2	2	10	9		30	5	76
4	2	1	2	17	2	7		13	1			5	2	1	5	6		20	2	77
2		1	1	5		3		4		1		6		1	5	3		10	3	78

[2] Colored population less than 5 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	VIRGINIA—continued.														
1	New Kent County (total)	72	1	1					1			8		1	
2	White	25							1			3			
3	Colored	47	1	1								5		1	
4	Norfolk County (total)	770	21	13		3		1	6	10	1	85	1	1	5
5	White	228	5	3				1	1	1	1	21			2
6	Colored	542	16	10		3			5	9		64	1	1	3
7	Northampton County (total)	259	12					17	8	6		25			2
8	White	77	5					1		3		5			1
9	Colored	182	7					16	8	3		20			1
10	Northumberland County (total)	158	3	1	1					3		22		1	
11	White	75	1							3		9		1	
12	Colored	83	2	1	1							13			
13	Nottoway County (total)	217	4	4						2		23		2	
14	White	80										3			
15	Colored	137	4	4						2		20		2	
16	Orange County (total)	162	1			1		6	1	3		19	1	2	
17	White	82						1	1	1		3		1	
18	Colored	80	1			1		5		2		16	1	1	
19	Page County (total)	169	2				1	2	1	2		21	1	1	2
20	White	154	2				1	2	1	2		19	1	1	2
21	Colored	15										2			
22	Patrick County (total)	152	2					1	1	3	1	13	1	1	2
23	White	137	2					1	1	3	1	10	1	1	2
24	Colored	15										3			
25	Pittsylvania County (total)	706	17	1		1	1	4	15	7	3	105	1	7	3
26	White	377	9					1	12	6	2	41	1	5	1
27	Colored	329	8	1		1	1	3	3	1	1	64		2	2
28	Powhatan County (total)	104	2					1		1		11			
29	White	32						1				1			
30	Colored	72	2							1		10			
31	Prince Edward County (total)	214	1	1					3	2		30	2	2	1
32	White	56	1	1								2	2		1
33	Colored	158							3	2		28		2	
34	Prince George County (total)	217	3			1		7	2	1		23	1	2	
35	White	87						3	1	1		2			
36	Colored	130	3			1		4	1			21	1	2	
37	Prince William County (total)	155	3			1			5	3		10		1	
38	White	110	3			1			4	3		6			
39	Colored	45							1			4		1	
40	Princess Anne County [2] (total)	291	2	5		1		4	1	4		60	1	2	
41	White	100	1	2		1		1		3		16			
42	Colored	191	1	3				3	1	1		44	1	2	
43	Pulaski County (total)	195	1			1		1	2	3	1	25		3	1
44	White	153	1					1	2	2	1	14		3	1
45	Colored	42				1				1		11			
46	Radford (city) (total)	25						1	1			3			
47	White	24						1	1			3			
48	Colored	1													
49	Rappahannock County (total)	103	3					3		3		5			
50	White	63	2					1		3		2			
51	Colored	40	1					2				3			
52	Richmond County (total)	93	1	1				1	3	2		16		1	
53	White	44							3			5			
54	Colored	49	1	1				1		2		11		1	
55	Roanoke County (total)	300	3	1				1	5	5		53		2	2
56	White	227	2	1				1	5	4		40		1	1
57	Colored	73	1							1		13		1	1
58	Rockbridge County (total)	270	3					5	7	4	3	33	1	2	2
59	White	208	1					3	6	3	2	19		1	1
60	Colored	62	2					2	1	1	1	14	1	1	1
61	Rockingham County (total)	407	8					3	8	5	1	46	1	3	2
62	White	351	8					1	7	5	1	34	1	2	2
63	Colored	56						2	1			12		1	
64	Russell County (total)	214	5			1		7	9	3	1	20	1	2	3
65	White	203	5			1		7	8	3	1	19		2	2
66	Colored [3]	11							1			1	1		1
67	Scott County (total)	292	8					8	10	3		24	1	7	3
68	White	284	8					8	10	3		23	1	7	3
69	Colored [3]	8										1			
70	Shenandoah County (total)	261	5			1		1	3	10		36	3	4	6
71	White	251	5			1		1	3	10		35	3	4	6
72	Colored [3]	10										1			
73	Smyth County (total)	287	6					5	6	4		23	1	3	3
74	White	270	6					5	6	4		16	1	3	3
75	Colored [3]	17										7			
76	Southampton County (total)	393	8	13				16	9	4	1	65	1	2	4
77	White	105	2	4				2	3	1	1	12			2
78	Colored	288	6	9				14	6	3		53	1	2	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Includes Norfolk City Almshouse.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(87)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(87)	38	
5	3	1	3	7	.....	3	1	2	.....	.....	.....	5	1	1	1	7	1	12	7	1
3	.....	.....	2	2	.....	1	.....	1	.....	.....	.....	2	.....	1	.....	1	1	7	.....	2
2	3	1	1	5	.....	2	1	1	.....	.....	.....	3	1	.....	1	6	.....	5	7	3
20	2	3	40	57	15	85	18	55	3	1	1	45	3	6	21	58	4	159	27	4
12	1	1	18	17	1	13	1	20	.....	1	.....	20	1	2	10	23	4	46	2	5
8	1	2	22	40	14	72	17	35	3	.....	1	25	2	4	11	35	.....	113	25	6
5	.....	1	15	17	5	12	2	17	.....	2	2	20	1	4	15	18	1	40	12	7
4	.....	.....	7	7	1	4	.....	6	.....	.....	.....	7	.....	.....	4	5	1	15	1	8
1	.....	1	8	10	4	8	2	11	.....	2	2	13	1	4	11	13	.....	25	11	9
6	.....	2	5	22	1	4	3	8	.....	1	.....	7	1	2	14	10	1	26	14	10
4	.....	1	3	10	.....	2	.....	5	.....	1	.....	5	.....	2	2	7	1	14	4	11
2	.....	1	2	12	1	2	3	3	.....	.....	.....	2	1	.....	12	3	.....	12	10	12
7	3	4	13	18	1	12	2	12	2	.....	1	15	1	4	11	26	.....	44	6	13
5	2	.....	6	8	.....	5	2	8	.....	.....	1	8	1	1	4	7	.....	18	1	14
2	1	4	7	10	1	7	.....	4	2	.....	.....	7	.....	3	7	19	.....	26	5	15
4	2	1	6	21	1	13	4	9	.....	1	.....	12	.....	2	11	8	2	27	4	16
3	2	.....	4	10	1	9	3	4	.....	.....	.....	4	.....	2	6	5	1	19	2	17
1	.....	1	2	11	.....	4	1	5	.....	1	.....	8	.....	.....	5	3	1	8	2	18
6	1	3	2	11	1	16	6	4	.....	.....	.....	12	.....	.....	12	19	2	30	11	19
5	1	3	1	10	1	15	4	4	.....	.....	.....	10	.....	.....	11	17	2	28	11	20
1	.....	.....	1	1	.....	1	2	.....	.....	.....	.....	2	.....	.....	1	2	.....	2	.....	21
7	.....	5	2	12	1	12	1	6	1	1	.....	3	1	1	7	13	1	39	14	22
7	.....	5	2	11	1	12	.....	4	1	1	.....	2	1	1	7	10	1	35	14	23
.....	.....	.....	.....	1	.....	.....	1	2	.....	.....	.....	1	.....	.....	.....	3	.....	4	.....	24
21	1	6	17	50	5	77	3	28	3	2	7	35	4	9	60	45	1	138	29	25
14	1	4	12	28	1	38	2	23	2	.....	6	16	4	5	36	26	1	71	9	26
7	.....	2	5	22	4	39	1	5	1	2	1	19	.....	4	24	19	.....	67	20	27
3	4	.....	5	19	1	6	1	4	.....	.....	.....	9	1	1	3	8	.....	22	2	28
.....	2	.....	3	7	.....	3	.....	1	.....	.....	.....	4	.....	.....	1	4	.....	4	1	29
3	2	.....	2	12	1	3	1	3	.....	.....	.....	5	1	1	2	4	.....	18	1	30
7	.....	3	6	10	1	19	6	4	2	2	1	15	1	.....	12	14	2	57	10	31
2	.....	1	3	2	1	4	2	2	1	2	.....	2	.....	.....	4	6	1	15	1	32
5	.....	2	3	8	.....	15	4	2	1	.....	1	13	1	.....	8	8	1	42	9	33
5	.....	2	17	13	1	15	3	12	.....	.....	1	9	.....	2	15	39	2	26	15	34
4	.....	1	11	5	1	6	1	7	.....	.....	1	3	.....	.....	8	17	1	10	4	35
1	.....	1	6	8	.....	9	2	5	.....	.....	.....	6	.....	2	7	22	1	16	11	36
10	5	.....	7	13	.....	23	1	5	.....	.....	.....	10	1	1	8	9	3	31	5	37
8	3	.....	6	11	.....	16	1	4	.....	.....	.....	9	.....	1	8	3	3	18	2	38
2	2	.....	1	2	.....	7	.....	1	.....	.....	.....	1	1	.....	.....	6	.....	13	3	39
7	1	3	10	33	1	9	2	16	.....	.....	11	28	.....	2	9	18	.....	51	10	40
3	1	.....	4	6	1	3	.....	7	.....	.....	8	13	.....	.....	4	8	.....	17	1	41
4	.....	3	6	27	.....	6	2	9	.....	.....	3	15	.....	2	5	10	.....	34	9	42
8	2	3	4	17	9	8	3	9	1	1	.....	9	.....	3	15	10	1	42	12	43
5	2	3	4	12	6	7	2	7	.....	1	.....	7	.....	3	13	9	1	34	12	44
3	.....	.....	.....	5	3	1	1	2	1	.....	.....	2	.....	.....	2	1	.....	8	.....	45
2	.....	1	1	2	.....	4	.....	.....	.....	.....	.....	2	.....	1	.....	2	.....	3	2	46
2	.....	1	1	1	.....	4	.....	.....	.....	.....	.....	2	.....	1	.....	2	.....	3	2	47
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
4	.....	1	4	12	2	9	1	7	.....	3	3	9	.....	1	1	5	.....	21	6	49
3	.....	1	3	6	1	6	1	5	.....	1	1	5	.....	.....	.....	5	.....	12	5	50
1	.....	.....	1	6	1	3	.....	2	.....	2	2	4	.....	1	1	.....	.....	9	1	51
2	.....	.....	3	8	.....	5	.....	4	.....	.....	.....	11	.....	2	7	6	.....	14	6	52
.....	.....	.....	1	5	.....	4	.....	1	.....	.....	.....	9	.....	2	2	3	.....	7	2	53
2	.....	.....	2	3	.....	1	.....	3	.....	.....	.....	2	.....	.....	5	3	.....	7	4	54
15	4	7	18	26	1	18	1	14	2	1	1	23	2	.....	17	16	6	46	10	55
13	4	7	13	20	1	14	1	11	1	1	.....	12	1	.....	16	11	5	32	9	56
2	.....	.....	5	6	.....	4	.....	3	1	.....	1	11	1	.....	1	5	1	14	1	57
11	3	7	14	24	2	32	3	9	1	1	.....	28	.....	2	11	8	1	43	10	58
11	2	4	13	21	2	23	3	8	.....	1	.....	27	.....	.....	10	5	1	33	8	59
.....	1	3	1	3	.....	9	.....	1	1	.....	.....	1	.....	2	1	3	.....	10	2	60
21	8	5	19	48	4	37	8	8	2	2	3	44	2	3	36	11	3	58	8	61
21	5	4	17	38	4	34	8	8	2	1	3	37	1	2	32	11	3	54	5	62
.....	3	1	2	10	.....	3	.....	.....	.....	1	.....	7	1	1	4	.....	.....	4	3	63
8	.....	2	2	3	4	21	3	5	.....	1	2	9	3	4	11	25	1	34	24	64
8	.....	2	2	3	4	19	3	5	.....	1	2	9	3	4	10	23	1	33	23	65
.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	1	66
8	.....	5	8	13	6	27	2	6	.....	1	.....	14	3	.....	33	16	2	60	24	67
8	.....	5	8	12	6	26	2	6	.....	1	.....	14	3	.....	32	16	2	59	21	68
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	3	69
4	3	.....	17	22	7	17	3	2	.....	.....	1	26	2	1	21	9	2	50	5	70
4	2	.....	16	22	6	15	3	2	.....	.....	1	25	2	1	21	8	2	49	4	71
.....	1	.....	1	.....	1	2	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	1	1	72
8	2	2	9	34	2	20	3	10	2	1	.....	13	.....	2	24	17	.....	71	16	73
8	2	2	9	32	1	19	3	9	2	1	.....	11	.....	2	23	16	.....	70	16	74
.....	.....	.....	.....	2	1	1	.....	1	.....	.....	.....	2	.....	.....	1	1	.....	1	.....	75
10	2	1	13	20	5	23	10	24	2	1	1	23	.....	5	31	19	1	54	25	76
6	2	1	4	9	2	5	1	8	.....	.....	.....	8	.....	1	7	4	1	12	7	77
4	.....	.....	9	11	3	18	9	16	2	1	1	15	.....	4	24	15	.....	42	18	78

[3] Colored population less than 5 per cent of the total in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	VIRGINIA—continued.														
1	Spotsylvania County (total)	123						9		3		19			1
2	White	54						1		2		8			1
3	Colored	69						8		1		11			
4	Stafford County (total)	61	2					1	2	3	1	6	1		
5	White	51	2						1	2	1	4	1		
6	Colored	10						1	1	1		2			
7	Surry County (total)	140	1	4		3			2	3		19			1
8	White	39		1								1			
9	Colored	101	1	3		3			2	3		18			1
10	Sussex County (total)	198	8	4		1		10	3			23	1	3	1
11	White	38	2	2				1	1			5		2	1
12	Colored	160	6	2		1		9	2			18	1	1	
13	Tazewell County (total)	240	7			2	2	8	6	2	1	25	2	1	
14	White	196	7			2	2	8	6	2		18			
15	Colored	44									1	7	2	1	
16	Warren County (total)	99							1	1		13			
17	White	81							1	1		9			
18	Colored	18										4			
19	Warwick County (total)	114	4	1				2		2		23		1	
20	White	21	1									5			
21	Colored	93	3	1				2		2		18		1	
22	Washington County (total)	339	10				4	3	10	7		36	1	3	2
23	White	308	10				4	3	10	7		32		3	2
24	Colored	31										4	1		
25	Westmoreland County (total)	136	5				1	1	1	1	2	19	1	3	
26	White	72	2				1		1	1	2	8		1	
27	Colored	64	3					1				11	1	2	
28	Winchester (city) (total)	130	1				1			1		11			
29	White	104	1				1			1		11			
30	Colored	26													
31	Wise County (total)	419	7			9		4	12	6	1	40	1	3	6
32	White	366	6			9		4	12	6	1	27	1	3	6
33	Colored	53	1									13			
34	Wythe County (total)	223	5			2		4	4			16	1		1
35	White	182	4			2		4	4			13	1		1
36	Colored	41	1									3			
37	York County (total)	127	3	2				2		3		21			1
38	White	52	2					1		1		6			
39	Colored	75	1	2				1		2		15			1
	WASHINGTON.														
40	Total	6,318	71	3	1	17	2	21	26	78	12	707	37	34	41
41	White	5,938	70	2	1	16	2	20	26	75	12	618	30	28	39
42	Colored	380	1	1		1		1		3		89	7	6	2
43	Adams County	58								2	1	5		1	
44	Asotin County	55	2			1		3	1	2	1	5			
45	Benton County	80	4			6		3		4		4		1	
46	Chelan County	188	4			4		3		3	1	19	1	1	2
47	Clallam County (total)	133	1									10		1	1
48	White	103	1									4			
49	Colored	30										6		1	1
50	Clarke County	279	1	1				2	1	3		27	2	4	
51	Columbia County	68	1							1		7			
52	Cowlitz County	81								1		5		1	1
53	Douglas County	68	2				1					5	1	1	
54	Ferry County (total)	49										7			
55	White	31										4			
56	Colored	18										3			
57	Franklin County	44	1	1						1		4			
58	Garfield County	34	1			2				1		2			
59	Grant County	59	2							2		6		1	
60	Grays Harbor County [2]	217			1							18	3		1
61	Island County	52								1		5			
62	Jefferson County (total)	72										7			
63	White	66										7			
64	Colored	6													
65	King County	543							5	4	1	134			7
66	Kitsap County	238	1							5		18	4		4
67	Kittitas County	179	5						2	1		11	2	1	1
68	Klickitat County	79	1						3			3			
69	Lewis County	307	1						1	7	2	32	3	6	2
70	Lincoln County	165	8			1	1					8			2
71	Mason County (total)	40										6		1	
72	White	36										6			
73	Colored	4												1	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other defined causes.	Ill-defined and unknown causes.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
5			4	14	4	5		3	1	1	2	2	1	2	7	5		26	9	1
3			3	6	2	3		1				1		1	4	4		11	3	2
2			1	8	2	2		2	1	1	2	1	1	1	3	1		15	6	3
2		1	3	3		4	1			1		8	1		2	5		13	1	4
2		1	2	3		4	1			1		7	1		2	4		11	1	5
			1									1				1		2		6
5	1	1	7	8	3	13		11		2		8	1	1	8	6	2	20	10	7
2		1	3	4	1	4		4				2	1		1	2	2	8	2	8
3	1		4	4	2	9		7		2		6		1	7	4		12	8	9
2			5	9	1	13	3	6	1			18	1	4	9	9	1	45	17	10
			3			3						3		1	1	3		9	1	11
2			2	9	1	10	3	6	1			15	1	3	8	6	1	36	16	12
12		2	3	24		28	1	5	1			13	1	2	19	27	3	32	11	13
12		2	2	18		24	1	3	1			8	1	1	17	19	3	30	9	14
			1	6		4		2				5		1	2	8		2	2	15
4			6	15		9		7				11	1	2	7	4		13	5	16
3			6	14		4		6				10	1	1	6	4		11	4	17
1				1		5		1				1		1	1			2	1	18
		1	9	9	5	13		3		1		9			8	9	2	12		19
			3	1		1						3			2	3	1	1		20
		1	6	8	5	12		3		1		6			6	6	1	11		21
15	2	2	11	29	1	29	4	11	1			22		6	24	19	2	65	20	22
13	2	2	11	26	1	27	2	10	1			18		5	24	17	1	61	16	23
2				3		2	2	1				4		1		2	1	4	4	24
5	2		7	13	1	4	1	5			1	5	1	4	6	7	3	28	9	25
2	2		6	7		4	1	2			1	3	1	1	1	5	2	14	4	26
3			1	6	1			3				2		3	5	2	1	14	5	27
8	2	1	5	15	3	12	4	3	4		1	16			5	3	1	27	6	28
6	2	1	5	11	1	8	2	2	4		1	14			4	1	1	21	6	29
2				4	2	4	2	1				2			1	2		6		30
7		5	10	27	3	26	7	1	3		1	14	3	6	55	60	4	61	20	31
6		5	7	25	3	26	5	18	2		1	11	2	5	50	46	4	56	19	32
1			3	2			2		1			3	1	1	5	14		5	1	33
22	1	2	15	17	1	19	1	4			1	17	2	1	29	6		43	9	34
21	1	2	12	12	1	17	1	3			1	12	1		26	4		31	8	35
1			3	5		2		1				5	1	1	3	2		12	1	36
1		1	7	17	1	9		6		1		7		2	10	5		24	4	37
1		1	5	6	1	3		1				3		1	6	4		8	2	38
			2	11		6		5		1		4		1	4	1		16	2	39
389	84	32	377	588	48	433	56	112	55	50	55	349	30	41	366	713	135	1,206	149	40
383	81	28	374	575	47	387	52	103	55	48	50	344	28	36	349	672	132	1,154	101	41
6	3	4	3	13	1	46	4	9		2	5	5	2	5	17	41	3	52	48	42
3			1	8		4	2	5	2			2		2	4	7	1	7	1	43
1	2		5	4	1	2	2								4	4		11	4	44
5	1		1	6	1	3		1			1	3			10	11	2	10	3	45
8			11	16	1	9	4	6	2	3	4	19	1	2	8	21	3	29	3	46
8		1	9	11	1	17	1	2			2	3		1	9	13	2	33	7	47
8		1	9	11	1	11	1	2			1	3		1	5	12	2	27	3	48
						6					1				4	1		6	4	49
22	3		18	37	4	16	3	3	2	3		20	3	1	9	39	8	42	5	50
3	1		6	9		2		6				3			3	3	1	21	1	51
5	1		6	7	1	7	1			1		2			4	14	3	18	3	52
	1	2	3		4	6	1	3				3	1	2	9	9	1	12	1	53
1	1		4	3	2	3	1						1			8		14	4	54
1	1		4	3	2	1										5		8	2	55
						2	1						1			3		6	2	56
2			4	2		1					1	2			3	11	1	9	1	57
3	2		2	1	1	2		2	1						2	6	2	4		58
4			1	3		6		3	3			1	1		5	5	2	11	3	59
16	1	1	12	17	1	15	1	9	1	1	2	3	2	1	13	48	9	39	2	60
4			2	5		3	1	1		2		2			3	5	2	13	3	61
7			8	6	1	3		1			1	9			3	9	1	16		62
7			8	4	1	3		1			1	9			3	6	1	15		63
				2												3		1		64
34	9	4	20	48	3	15	3	9	4	4	3	32	2	2	31	96	9	60	4	65
17	5	3	24	29	2	13	4	2	2	1	4	12	1	2	10	13	7	54	1	66
9	2	1	9	18		14			3	2	1	10	2	1	11	29	10	32	2	67
4	6		6	7	2	2		3	1	1	1	4			5	7	2	19	2	68
17	1	1	14	20	1	28	4	4	3	3	1	23	2	1	20	39	3	64	4	69
12	4	1	9	15		27		3	2	2		10		1	11	13	1	31	3	70
4		1	2	3	1	3						3		2	1	8	1	4		71
4			2	3	1	2						3		1	1	8	1	4		72
		1				1								1						73

[2] Known as Chehalis County prior to June 10, 1915.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	WASHINGTON—continued.														
1	Okanogan County (total)	181	2					1	1	3	2	25	3	3	1
2	White	139	2					1	1	1	2	12	2	1	1
3	Colored	42								2		13	1	2	
4	Pacific County	99										10	1		
5	Pend Oreille County	40						1				5	1		
6	Pierce County	545	2					1	1	2	1	94	6	1	
7	San Juan County (total)	35										3			
8	White	32										3			
9	Colored	3													
10	Skagit County	313	4						1	4	2	24	1	3	5
11	Skamania County	25								1		5		1	
12	Snohomish County	298	1						2	2		33	3	1	2
13	Spokane County	383	1					2	2	6	1	46		2	2
14	Stevens County	171	3			2			1	5		13			5
15	Thurston County	198	1			1		1		1		19	2	2	1
16	Wahkiakum County (total)	27							3			1			
17	White	26							3			1			
18	Colored	1													
19	Walla Walla County	129	7						1	5		13	2		1
20	Whatcom County	210	3					2		2		16			3
21	Whitman County	277	6					2	1	2		20	1	1	
22	Yakima County (total)	299	6	1						7		32	1	1	
23	White	220	6							7		17		1	
24	Colored	79		1								15	1		
	WISCONSIN.														
25	Total	16,793	61	1	4	23	43	114	82	271	44	1,329	78	104	111
26	White	16,631	61	1	4	23	43	110	81	270	44	1,298	76	101	109
27	Colored	162						4	1	1		31	2	3	2
28	Adams County	92				1			1	2		9			1
29	Ashland County (total)	75					1	2	1	1		5			
30	White	75					1	2	1	1		5			
31	Colored														
32	Barron County	295	3				1	3	2	3		14	1	2	3
33	Bayfield County	102	3					3		1	1	5	2		1
34	Brown County	293					5	1	1	5	1	26	5	1	3
35	Buffalo County	148				1	1			4	1	8			2
36	Burnett County	99	1				3	2		1		12		1	
37	Calumet County	149										5	1		
38	Chippewa County	385						2	3	7	2	27	1	1	3
39	Clark County	246	1			1		2		3	1	21			1
40	Columbia County	364	1				1	1		10		30		3	4
41	Crawford County	205	1					3	2	7	1	7	1	1	3
42	Dane County	617	2					2	4	10	6	49	3	2	1
43	Dodge County	474	1					4	2	2	1	33	4	4	1
44	Door County	185	1						1	4		12		1	1
45	Douglas County	51	1					1				3			1
46	Dunn County	250				3	1	1	1	6	1	15		1	1
47	Eau Claire County	100				1		1		1		1			
48	Florence County	32								1		2			3
49	Fond du Lac County	329				1		2		7	1	13	2	3	4
50	Forest County	67										5	2	1	2
51	Grant County	408		1		4		1	4	5	1	23	3	1	4
52	Green County	201				1		8	1	7		11		1	2
53	Green Lake County	191	3				5	1		1		12	1	1	
54	Iowa County	247						4	1	4		10	2	1	2
55	Iron County	68							2	1		5			
56	Jackson County	184						4		2		9	4	2	
57	Jefferson County	374	2					4		4	1	23		2	5
58	Juneau County	224	2				3		2	9		12	2	2	3
59	Kenosha County	112	1							1		4			
60	Kewaunee County	161					1		1	1		17		1	
61	La Crosse County	129	1						1			14		1	2
62	Lafayette County	197	1					3	1	5		14		1	1
63	Langlade County	160					4	1	2		1	7		1	
64	Lincoln County	173						2		3		16	2		1
65	Manitowoc County	305	2					3	2	5	1	39	3	1	1
66	Marathon County	338	1					6	3	4	1	30	2	4	1
67	Marinette County	160	1				1	1	1	2		8	1	2	1
68	Marquette County	97	1							4		8			2
69	Milwaukee County (exclusive of)	1,250	11			1	1	5	14	8	5	268	9	14	2
70	National Military Home	218								1	1	8			
71	Monroe County	318			2	1		4		2		24	3	5	2
72	Oconto County	239	2				2	3	1	5		20		3	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
4	2	2	6	18		18		2	3	1	2	8	2	4	19	12	1	24	12	1
3	2	2	6	18		11		2	3	1	2	8	2	4	18	10	1	16	7	2
1						7									1	2		8	5	3
7			8	16	3	2		2	1	1	1	4	2	1	5	13	1	17	4	4
2			2	3		4	1			1	1	4	2		3	6	1	3		5
23	8		43	44	4	26	3	3	2	4	8	36		1	17	43	16	153	3	6
			4	3	1	2	1				1	1			1	3	2	10	3	7
			4	3		2						1			1	3	2	10	3	8
					1		1				1									9
26	3	2	16	30	2	21	2	5	4	2	1	17	1	5	20	29	4	70	9	10
1			2	3		2	1					1				4		3	1	11
23	2	2	18	24	3	20	3	4	1	2	1	13		3	24	50	7	48	6	12
22	4	1	16	39	2	35	4	4		2	6	31	2		15	25	13	97	3	13
11	2	2	8	13		11	1	2	3	4	2	8		2	12	14	1	39	7	14
19	3	3	11	32	1	6	4	4	2	3	2	14		1	5	16	2	36	6	15
4			2	2		2	1									6		4	2	16
4			1	2		2	1									6		4	2	17
			1																	18
15	2		13	8		8	1		2	2		4		2	10	8	4	19	2	19
10	8	5	17	31	3	16	2	4			1	9	1	1	16	15	4	35	6	20
20	5		18	23		21	2	10	11	4	7	16	2	2	17	25	2	57	2	21
13	5		16	24	2	38	2	9		1	1	17	2	1	24	26	6	38	26	22
12	5		16	20	2	25	2	6		1	1	13	2	1	22	20	6	33	2	23
1				4		13		3				4			2	6		5	24	24
1,242	292	103	1,199	1,961	277	1,493	154	369	154	180	157	990	81	114	1,176	879	207	3,444	56	25
1,236	290	103	1,187	1,949	276	1,471	153	365	153	179	157	982	79	113	1,170	863	207	3,426	51	26
6	2		12	12	1	22	1	4	1	1		8	2	1	6	16		18	5	27
8	1		3	11	4	4		2	1	2		7	1		7	4	1	22		28
3	1		8	6	1	4	1	4			1	7		1	10	12		6		29
3	1		8	6	1	4	1	4			1	7		1	10	12		6		30
																				31
22	2	2	16	37	3	27	3	12	5	3	5	19	8	4	21	14	6	54		32
6	1	1	7	7	5	12	1	3		1		1		1	17	10	2	11		33
22	2	2	28	21	7	28		8	3			15	1	1	20	21		65	1	34
19	5	2	15	19	4	16	2	4	2		1	3	1	1	9	6	1	20	1	35
5	2		7	11	3	7	2	1		3		8		2	8	5	1	14		36
14	2	2	15	18		7	4	3	2	2	5	16	1	3	10	3	4	32		37
28	13	3	15	42	4	36	2	7	13	4	3	19	4	8	24	17	3	93	1	38
20	7		26	24	1	21	6	4		3	2	11	2	1	23	16	2	46	1	39
34	11	2	22	42	8	26	1	6	3	4	4	24	1	1	18	17		89	1	40
10	1	3	14	21	2	21		7	6	2	3	20	1	1	15	15	1	36		41
59	9		50	51	5	58	8	13	3	8	7	39	1		34	33	7	150	3	42
46	12		38	50	10	39	3	17	1	6	9	24	1	1	34	20	6	102	3	43
11	2	1	13	25	1	7	2	3	1	6	3	17	3	1	19	11	3	35	1	44
3			3	4		7			1			2		1	8	6		10		45
20	5		21	30	2	25	2	5	2	3	5	14	1	2	26	13	1	43		46
12	2		8	17	1	6	2	3	2		1	10		1	6	7	3	15		47
1	1			6		4		1		1		2			1	5		3	1	48
33	3	2	19	56	3	27	6	7	2	4	2	16		1	25	7	4	79		49
4		1	2	4	1	11		4		2		3		2	7	5		11		50
41	6	3	36	53	7	35	5	6	3	3	7	31	2	5	26	20	5	65	2	51
19	1	2	16	24	6	18	2	2	1		3	7		2	9	9	4	45		52
14	7		16	21	1	14	4	1	6	4	3	10		1	7	7		49	2	53
19	4	2	19	31	3	19	2	2	3	5	1	16		1	17	16	5	58		54
3			3	9	1	3	1	6	1		1	7	1	1	4	11		8		55
15	2	3	16	22	1	23	1	4		2		5		2	17	4	5	40	1	56
31	7	1	32	57	16	28	1	9	5	5	3	25	1	1	22	16	3	67	3	57
17	7	1	24	16	2	16	1	3	1	5	3	5		2	10	14	4	56	2	58
7	4	3	5	15	3	13		1		2	2	8	2	1	7	11	3	19		59
9	3	1	14	9	1	17	3	9	1	1	2	13			15	4		38		60
6	3		10	12	5	15	2	2		2	1	5			5	8	1	32	1	61
14	2	2	18	18	3	12	4	4	1	1	1	11		1	10	13	4	52		62
12	3		19	17	2	10	2	4	2	1	4	10	2	2	17	12	2	23		63
13	1	3	10	16	2	13	7	5		3	2	10	1	5	13	15	2	27	1	64
20	5	5	24	26	10	22	2	4	4	1	1	18	1	1	23	12	5	63	1	65
14	3	3	16	29	5	29	4	11	1	1	2	26		8	36	19	5	74		66
12	2	3	3	28	5	9		5		2		4	1		18	11	4	35		67
11		2	3	16	2	7	1		3			7		1	8	2		19		68
71	13	5	40	137	14	157	9	37	2	4	8	61	6	1	61	52	18	215	1	69
5	2		14	49	6	21	1			1	3	19				9	2	76		70
28	3	1	27	39	3	26	1	3	6	2	5	17		3	24	15	6	65	1	71
13	6	3	16	23		22	4	6	5	2	4	7	1	1	25	11	1	50	2	72

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND

[See note at head of this table.]

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	WISCONSIN—continued.														
1	Oneida County	104	1									8			
2	Outagamie County	294	2				2	1	2	5		30	3	2	1
3	Ozaukee County	171							1			8		2	3
4	Pepin County	62							1	1		5		1	
5	Pierce County	196						2		4	2	22		1	
6	Polk County	209	2			1	1	3	2	5		13		1	
7	Portage County	349	1		1		2	5	4	14		30		1	2
8	Price County	136	1			1		1	2	2		7	1	1	
9	Racine County	212								6	2	21	1	1	1
10	Richland County	186				1	1			4		9			1
11	Rock County	272	1				1	4	1	7	1	12	1	1	1
12	Rusk County	98						1	3			6	1		2
13	St. Croix County	269					2			9	1	16		3	7
14	Sauk County	321								10	1	13		2	2
15	Sawyer County (total)	53				1		1		1		1			
16	White	41				1		1		1					
17	Colored	12										1			
18	Shawano County (total)	339	2					2	1	2		28	2	1	1
19	White	288	2					1	1	2		19	1	1	1
20	Colored	51						1				9	1		
21	Sheboygan County	228			1		1	1	1	6		12	1	1	1
22	Taylor County	131								2	1	9	1	1	
23	Trempealeau County	255				2		1		7		20	1	1	1
24	Vernon County	244						1		5	1	17	1	2	1
25	Vilas County (total)	25							1			2			
26	White	25							1			2			
27	Colored														
28	Walworth County	367	1						1	7	1	19	1	4	3
29	Washburn County	94						2		2		5			2
30	Washington County	227					1		1	2	1	18	1	1	1
31	Waukesha County	441						5	1	8	3	42	6	3	4
32	Waupaca County	359	3					1	1	3	1	22	2	2	4
33	Waushara County	168	1			1		3	1	5		9			1
34	Winnebago County	356	2						3	5	1	24		6	6
35	Wood County	315	1			1	2		1		1	17	1	2	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1915—Continued.

[See note at head of this table.]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other defined causes. (37)	Ill-defined and unknown causes. 38	
4	3	2	.....	14	2	10	1	.....	1	.....	1	6	.....	1	13	19	.....	18	.....	1
16	8	1	30	32	4	29	5	6	2	3	.....	14	.....	.....	23	14	4	55	.....	2
12	4	2	17	17	6	12	.....	6	.....	3	2	8	2	1	16	5	5	39	.....	3
3	.....	.....	7	7	1	5	.....	.....	.....	.....	.....	6	.....	2	1	4	.....	18	.....	4
25	2	1	14	21	1	15	2	1	.....	1	.....	15	.....	2	16	11	1	36	1	5
14	4	.....	11	31	2	18	2	2	9	4	2	20	.....	3	20	9	.....	30	.....	6
18	12	3	22	37	8	26	1	15	2	2	4	15	3	3	37	18	5	57	1	7
9	1	1	8	12	.....	12	3	4	2	2	.....	7	.....	.....	12	19	1	27	.....	8
11	1	1	16	29	7	24	2	5	.....	2	5	17	.....	.....	7	18	3	31	1	9
11	2	.....	14	26	8	22	.....	4	3	1	1	16	1	5	16	8	4	28	.....	10
29	4	.....	28	40	4	23	.....	5	3	3	.....	15	4	2	11	8	3	59	1	11
3	2	1	2	13	.....	11	2	3	.....	3	.....	6	1	.....	9	10	2	17	.....	12
14	5	3	29	30	7	17	3	5	4	2	1	14	4	1	14	10	3	63	2	13
36	7	1	21	41	6	26	.....	4	6	7	4	21	3	2	24	16	4	63	1	14
7	.....	.....	2	2	2	6	1	1	.....	.....	1	3	.....	.....	6	5	.....	7	6	15
7	.....	.....	2	2	2	4	1	1	.....	.....	1	3	.....	.....	5	3	.....	6	1	16
.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	1	5	17
24	5	5	22	38	6	38	2	10	7	4	4	20	3	1	27	18	1	63	2	18
21	5	5	17	34	6	31	2	7	6	4	4	18	1	1	25	14	1	56	2	19
3	.....	.....	5	4	.....	7	.....	3	1	.....	.....	2	2	.....	2	4	.....	7	.....	20
17	1	2	21	34	3	12	2	10	.....	.....	3	12	1	3	14	7	2	59	.....	21
6	.....	.....	3	20	1	19	2	3	.....	1	.....	7	2	1	15	9	6	22	.....	22
15	6	.....	21	53	3	27	1	6	1	1	2	3	2	.....	17	6	3	54	1	23
18	8	1	13	31	4	21	1	4	1	1	4	13	1	2	30	12	3	48	.....	24
3	.....	1	.....	5	.....	.....	1	.....	.....	.....	.....	1	1	.....	3	1	.....	6	.....	25
3	.....	1	.....	5	.....	.....	1	.....	.....	.....	.....	1	1	.....	3	1	.....	6	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
29	7	3	36	45	7	35	2	5	.....	5	1	30	1	1	14	18	9	82	.....	28
1	.....	.....	6	4	1	15	.....	2	1	2	.....	10	.....	2	9	10	.....	20	.....	29
18	3	2	33	21	3	20	2	2	2	2	.....	13	1	.....	14	8	2	54	1	30
28	13	2	29	60	9	26	2	8	2	5	4	31	1	2	22	25	8	89	3	31
42	8	1	30	35	5	35	4	1	5	5	2	29	3	2	14	13	2	82	2	32
12	6	.....	7	21	6	10	3	6	.....	5	1	7	.....	2	7	9	5	40	.....	33
23	9	6	23	35	4	34	5	3	1	6	3	17	.....	1	23	10	4	99	3	34
20	5	.....	23	38	4	23	3	10	10	9	5	15	3	3	26	21	3	66	1	35

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES. Total.[1]	Cities.[1]	Rural districts.	Registration cities in other states.	All registration cities.[1]	CALIFORNIA. Cities.	Rural districts.	COLORADO. Cities.	Rural districts.	CONNECTICUT. Cities.	Rural districts.
	All causes	909,155	823,938	440,401	383,537	85,217	525,618	22,483	16,555	4,510	6,092	12,587	5,660
	I.—General diseases	240,858	215,802	116,608	99,194	25,056	141,664	6,768	4,633	1,460	1,560	3,097	1,441
1	Typhoid fever	8,332	7,507	3,351	4,156	825	4,176	142	134	32	87	122	30
2	Typhus fever	2	2		2								
3	Relapsing fever												
4	Malaria	1,541	1,079	218	861	462	680	9	43	2		14	3
5	Smallpox	169	87	35	52	82	117		3				
6	Measles	3,649	3,249	2,197	1,052	400	2,597	71	84	5	16	42	19
7	Scarlet fever	2,419	2,226	1,253	973	193	1,446	24	41	10	48	23	15
8	Whooping cough	5,421	5,123	2,461	2,662	298	2,759	68	65	17	71	104	39
9	Diphtheria and croup	10,544	9,438	5,435	4,003	1,106	6,541	220	94	12	40	147	49
10	Influenza	10,768	9,809	3,629	6,180	959	4,588	85	152	42	88	157	69
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras	210	204	55	149	6	61		3		1	4	4
14	Dysentery	2,519	2,170	693	1,477	349	1,042	29	49	3	8	40	17
15	Plague	1	1		1				1				
16	Yellow fever												
17	Leprosy	13	10	4	6	3	7	2	1				
18	Erysipelas	2,340	2,172	1,257	915	168	1,425	29	17	9	17	48	9
19	Other epidemic diseases	235	221	115	106	14	129	3	1	1	4	2	1
20	Purulent infection and septicemia	1,555	1,398	684	714	157	841	33	24	8	19	30	9
21	Glanders	4	4	4			4						
22	Anthrax	35	34	19	15	1	20	1	1		1	2	1
23	Rabies	52	47	32	15	5	37	6					
24	Tetanus	1,229	960	499	461	269	768	22	19	4	4	17	7
25	Mycoses	42	38	26	12	4	30	4	2		1	1	
26	Pellagra	2,843	1,058	437	621	1,785	2,222	11	17		2	1	
27	Beriberi	6	6		6				3				
	Tuberculosis (total)	98,194	87,852	48,650	39,202	10,342	58,992	3,227	2,359	841	731	1,139	614
28	Tuberculosis of the lungs	82,853	74,108	40,336	33,772	8,745	49,081	2,689	2,065	773	680	913	532
29	Acute miliary tuberculosis	3,140	2,769	1,807	962	371	2,178	101	50	23	4	41	16
30	Tuberculous meningitis	5,445	5,007	3,386	1,621	438	3,824	224	96	24	20	106	26
31	Abdominal tuberculosis	3,410	2,999	1,542	1,457	411	1,953	122	87	9	8	40	15
32	Pott's disease	877	788	459	329	89	548	32	13	2	3	10	3
33	White swellings	463	423	255	168	40	295	12	7		3	5	2
34	Tuberculosis of other organs	1,330	1,189	601	588	141	742	31	30	3	12	20	11
35	Disseminated tuberculosis	676	569	264	305	107	371	16	11	7	1	4	9
36	Rickets	474	414	265	149	60	325	5	1			9	2
37	Syphilis	5,819	4,790	3,329	1,461	1,029	4,358	192	85	46	25	51	10
38	Gonococcus infection	340	285	213	72	55	268	15	5			1	
	Cancer and other malignant tumors (total)	54,584	50,225	27,811	22,414	4,359	32,170	1,840	955	260	240	778	355
39	Of the buccal cavity	2,123	1,949	1,012	937	174	1,186	63	42	6	3	33	12
40	Of the stomach, liver	21,221	19,700	10,405	9,295	1,521	11,926	708	429	94	113	261	139
41	Of the peritoneum, intestines, rectum	7,332	6,774	3,974	2,800	558	4,532	248	134	28	25	117	51
42	Of the female genital organs	8,120	7,330	4,447	2,883	790	5,237	271	98	37	31	113	49
43	Of the breast	5,163	4,764	2,646	2,118	399	3,045	179	78	33	19	99	43
44	Of the skin	1,955	1,854	688	1,166	101	789	56	41	11	11	19	19
45	Of other organs or of organs not specified	8,670	7,854	4,639	3,215	816	5,455	315	133	51	38	136	42
46	Other tumors (tumors of the female genital organs excepted).	315	291	141	150	24	165	6	7	4	1	2	
47	Acute articular rheumatism	3,274	3,016	1,558	1,458	258	1,816	51	40	22	22	32	23
48	Chronic rheumatism and gout	865	826	328	498	39	367	21	17	9	7	13	10
49	Scurvy	79	72	40	32	7	47	1	1				
50	Diabetes	11,775	10,958	6,187	4,771	817	7,004	339	179	51	57	191	89
51	Exophthalmic goiter	1,067	945	541	404	122	663	30	8	5	1	5	2
52	Addison's disease	288	272	142	130	16	158	7	7	1		5	
53	Leukemia	1,325	1,194	697	497	131	828	45	21	10	11	21	7
54	Anemia, chlorosis	3,521	3,252	1,643	1,609	269	1,912	102	67	27	16	33	24
55	Other general diseases	1,428	1,294	730	564	134	864	24	22	3	4	11	7
56	Alcoholism (acute or chronic)	2,945	2,714	1,655	1,059	231	1,886	91	92	31	32	48	24
57	Chronic lead poisoning	155	144	89	55	11	100	2	4		2	2	
58	Other chronic occupation poisonings	10	9	5	4	1	6		1				
59	Other chronic poisonings	471	406	180	226	65	245	11	8	5	4	2	2
	II.—Diseases of the nervous system and of the organs of special sense	88,108	82,142	37,800	44,342	5,966	43,766	2,027	1,770	320	488	1,200	749
60	Encephalitis	581	519	260	259	62	322	13	7	1	5	4	3
61	Meningitis (total)	4,985	4,629	2,358	2,271	356	2,714	98	78	26	54	105	40
	Simple meningitis	2,841	2,626	1,314	1,312	215	1,529	52	39	21	32	64	27
	Cerebrospinal meningitis (undefined)	1,181	1,124	571	553	57	628	17	14	3	16	28	12
	Cerebrospinal fever	963	879	473	406	84	557	29	25	2	6	13	1
62	Locomotor ataxia	1,757	1,620	845	775	137	982	63	41	13	4	20	13
63	Other diseases of the spinal cord (total)	4,183	3,881	1,831	2,050	302	2,133	140	98	29	21	62	25
	Acute anterior poliomyelitis	691	655	274	381	36	310	12	11	1	5	5	7
	Other diseases of the spinal cord [2]	3,492	3,226	1,557	1,669	266	1,823	128	87	28	16	57	18
64	Cerebral hemorrhage, apoplexy	53,397	49,997	23,609	26,388	3,400	27,009	1,327	987	169	252	800	513

[1] Includes District of Columbia.

CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		KANSAS.		KENTUCKY.						MAINE.		MARYLAND.			Detailed Int. List No.
							Cities.			Rural districts.					Cities.			
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	
6,506	3,915	2,591	12,518	22,885	4,597	13,612	6,891	4,964	1,927	22,095	18,517	3,578	3,052	8,938	10,975	8,398	2,577	
1,679	945	734	3,411	6,269	1,203	3,157	1,947	1,360	587	7,686	6,334	1,352	713	2,076	2,960	2,176	784	
43	22	21	148	268	65	120	82	58	24	636	529	107	36	67	141	102	39	1
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
2	.....	2	15	44	10	17	28	11	17	123	106	17	.....	1	1	1	.....	4
.....	.....	.....	2	8	3	7	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	5
7	6	1	29	40	14	59	11	11	.....	74	70	4	7	11	20	16	4	6
9	8	1	35	66	8	25	8	6	2	47	46	1	6	7	38	35	3	7
19	8	11	64	109	38	142	32	23	9	167	137	30	17	63	24	15	9	8
27	20	7	109	196	67	171	38	33	5	538	511	27	17	68	85	83	2	9
103	66	37	110	366	100	363	75	54	21	390	329	61	33	161	81	65	16	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	.....	.....	5	4	3	4	1	1	.....	13	13	.....	1	10	.....	.....	.....	13
7	5	2	30	121	13	81	36	28	8	227	203	24	1	21	19	14	5	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
9	6	3	36	64	14	36	11	9	2	61	59	2	6	22	19	18	1	18
1	.....	1	1	8	1	4	1	.....	1	6	5	1	1	3	1	1	.....	19
6	5	1	24	33	16	56	14	8	6	59	49	10	13	19	15	11	4	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	22
1	1	.....	.....	1	.....	3	2	2	.....	2	2	.....	.....	.....	.....	.....	.....	23
5	4	1	24	36	9	22	11	9	2	44	32	12	2	3	13	10	3	24
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	25
16	5	11	3	6	6	22	14	13	1	135	122	13	4	6	9	5	4	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
783	329	454	1,441	2,583	329	660	977	611	366	3,778	2,939	839	261	695	1,363	862	501	
667	289	378	1,163	2,159	276	553	838	511	327	3,295	2,546	749	193	548	1,150	724	426	28
49	9	40	63	55	23	13	29	17	12	63	46	17	10	20	59	33	26	29
30	12	18	63	135	7	21	44	37	7	159	137	22	25	46	63	49	14	30
18	7	11	83	132	10	43	42	28	14	154	121	33	13	24	54	30	24	31
6	5	1	16	16	3	8	3	2	1	25	23	2	4	11	11	7	4	32
4	3	1	7	18	3	2	8	5	3	15	14	1	2	2	6	4	2	33
7	3	4	23	43	7	13	8	6	2	50	37	13	6	17	10	6	4	34
2	1	1	23	25	.....	7	5	5	.....	17	15	2	8	27	10	9	1	35
7	.....	7	.....	5	2	6	3	1	2	12	9	3	1	8	4	1	3	36
64	26	38	126	114	39	32	54	22	32	98	47	51	13	19	156	62	94	37
2	1	1	3	8	1	.....	1	1	.....	3	1	2	3	1	.....	.....	.....	38
399	304	95	793	1,525	303	843	359	307	52	817	733	84	200	618	702	635	67	
13	10	3	28	66	7	44	13	11	2	40	31	9	13	24	26	23	3	39
129	96	33	280	669	120	375	120	103	17	294	265	29	58	247	269	246	23	40
49	41	8	98	154	37	94	38	35	3	61	55	6	38	96	84	75	9	41
78	52	26	150	203	40	87	85	73	12	151	131	20	32	72	106	91	15	42
42	30	12	81	143	18	70	43	32	11	86	75	11	15	52	62	57	5	43
11	11	.....	36	97	18	42	10	10	.....	60	59	1	4	28	21	19	2	44
77	64	13	120	193	63	131	50	43	7	125	117	8	40	99	134	124	10	45
1	.....	1	5	7	4	8	10	7	3	10	9	1	.....	3	2	1	1	46
15	11	4	54	91	21	68	31	18	13	115	92	23	9	17	39	33	6	47
7	6	1	7	24	4	16	2	1	1	19	19	.....	2	9	10	7	3	48
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	49
72	61	11	194	311	76	223	65	62	3	136	115	21	40	135	115	112	3	50
6	4	2	16	36	3	17	1	.....	1	13	11	2	3	4	10	9	1	51
1	1	.....	1	9	.....	3	2	2	.....	3	3	.....	.....	6	3	3	.....	52
10	9	1	14	49	8	21	7	7	.....	29	24	5	5	7	17	16	1	53
24	13	11	43	69	26	76	27	19	8	35	31	4	11	48	23	21	2	54
9	5	4	12	26	8	25	9	8	1	37	32	5	4	14	5	5	.....	55
23	18	5	54	37	7	13	27	21	6	31	28	3	13	16	35	25	10	56
.....	.....	.....	3	2	2	2	2	2	.....	2	2	.....	1	5	4	3	1	57
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
1	1	.....	10	11	2	11	6	5	1	24	24	.....	2	8	5	4	1	59
709	471	238	1,220	2,800	437	1,657	699	540	159	1,953	1,670	283	329	1,156	1,007	789	218	
3	1	2	13	17	7	4	7	6	1	34	29	5	3	10	3	3	.....	60
26	19	7	79	116	20	64	43	36	7	285	263	22	21	46	42	36	6	61
17	12	5	34	54	14	37	24	22	2	141	127	14	11	34	28	25	3	
5	4	1	13	28	3	16	10	7	3	77	71	6	7	9	8	6	2	
4	3	1	32	34	3	11	9	7	2	67	65	2	3	3	6	5	1	
16	15	1	25	55	7	23	15	15	.....	23	21	2	8	23	18	16	2	62
26	16	10	51	133	22	91	19	16	3	90	80	10	13	58	27	21	6	63
4	.....	4	6	13	5	15	1	1	.....	22	21	1	1	5	6	4	2	
22	16	6	45	120	17	76	18	15	3	68	59	9	12	53	21	17	4	
449	299	150	750	1,789	232	943	375	289	86	769	665	104	171	778	669	518	151	64

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1915—

[The term "cities" as here used is restricted to municipalities having 10 000 or

Detailed Int. List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES. Total.[1]	Cities.[1]	Rural districts.	Registration cities in other states.	All registration cities.[1]	CALIFORNIA. Cities.	Rural districts.	COLORADO. Cities.	Rural districts.	CONNECTICUT. Cities.	Rural districts.
	II. Diseases of the nervous system and of the organs of special sense—Continued.												
65	Softening of the brain	1,041	981	344	637	60	404	27	32	10	7	4	7
66	Paralysis without specified cause	6,052	5,554	1,688	3,866	498	2,186	83	102	30	50	35	35
67	General paralysis of the insane	5,014	4,665	2,142	2,523	349	2,491	86	223	16	35	41	33
68	Other forms of mental alienation	1,464	1,329	499	830	135	634	43	43	7	13	15	9
69	Epilepsy	2,582	2,424	825	1,599	158	983	38	70	8	32	25	25
70	Convulsions (nonpuerperal)	109	93	25	68	16	41	.....	2	.....	.....	.....	1
71	Convulsions of infants	2,694	2,539	1,111	1,428	155	1,266	11	13	1	4	35	17
72	Chorea	109	103	52	51	6	58	1	2	1	1	4	.....
73	Neuralgia and neuritis	391	368	161	207	23	184	4	5	.....	.....	8	8
74	Other diseases of the nervous system	2,435	2,246	1,245	1,001	189	1,434	62	45	8	9	27	15
75	Diseases of the eyes and their annexa	66	64	37	27	2	39	3	.....	.....	.....	.....	2
76	Diseases of the ears	1,248	1,130	768	362	118	886	28	22	1	1	15	3
	III.—Diseases of the circulatory system	130,755	120,235	63,706	56,529	10,520	74,226	3,962	2,778	574	675	1,689	897
77	Pericarditis	772	703	308	395	69	377	22	14	2	9	6	7
78	Acute endocarditis	6,147	5,504	3,962	1,542	643	4,605	182	90	41	34	132	32
79	Organic diseases of the heart	99,053	91,057	47,975	43,082	7,996	55,971	3,097	2,059	399	484	1,224	657
80	Angina pectoris	5,180	4,845	2,154	2,691	335	2,489	146	127	36	30	68	42
81	Diseases of the arteries, atheroma, aneurism, etc	15,685	14,562	7,298	7,264	1,123	8,421	417	414	66	91	191	127
82	Embolism and thrombosis	2,732	2,488	1,397	1,091	244	1,641	75	49	24	23	46	22
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	441	396	240	156	45	285	12	8	4	.....	10	2
84	Diseases of the lymphatic system (lymphangitis, etc.)	452	406	267	139	46	313	8	8	1	3	9	7
85	Hemorrhage; other diseases of the circulatory system	293	274	105	169	19	124	3	9	1	1	3	1
	IV.—Diseases of the respiratory system	109,444	99,756	58,083	41,673	9,688	67,771	1,998	1,494	640	996	1,688	643
86	Diseases of the nasal fossae	125	118	37	81	7	44	.....	1	.....	.....	.....	.....
87	Diseases of the larynx	762	704	300	404	58	358	10	14	5	9	12	7
88	Diseases of the thyroid body	447	387	220	167	60	280	10	7	2	2	6	2
89	Acute bronchitis	6,505	6,075	3,430	2,645	430	3,860	109	68	17	40	111	57
90	Chronic bronchitis	5,177	4,814	2,335	2,479	363	2,698	108	118	19	21	59	42
91	Bronchopneumonia	33,501	30,543	18,729	11,814	2,958	21,687	592	356	121	281	454	212
92	Pneumonia (total)	55,825	50,702	29,613	21,089	5,123	34,736	1,037	789	423	536	948	287
	Lobar pneumonia	44,153	39,958	25,316	14,642	4,195	29,511	903	559	398	513	739	206
	Pneumonia (undefined)	11,672	10,744	4,297	6,447	928	5,225	134	230	25	23	209	81
93	Pleurisy	2,323	2,055	1,329	726	268	1,597	50	25	6	10	29	12
94	Pulmonary congestion, pulmonary apoplexy	1,630	1,511	755	756	119	874	38	42	16	29	41	11
95	Gangrene of the lung	215	189	115	74	26	141	5	4	.....	.....	6	.....
96	Asthma	1,664	1,502	718	784	162	880	28	37	19	21	15	7
97	Pulmonary emphysema	185	173	98	75	12	110	.....	5	.....	2	2	2
98	Other diseases of the respiratory system (tuberculosis excepted).	1,085	983	404	579	102	506	11	28	12	45	5	4
	V.—Diseases of the digestive system	94,987	83,953	48,014	35,939	11,034	59,048	1,867	1,307	345	518	1,571	572
99	Diseases of the mouth and annexa	552	522	237	285	30	267	11	8	.....	3	9	3
100	Diseases of the pharynx	1,569	1,411	736	675	158	894	37	24	8	14	21	7
101	Diseases of the esophagus	143	126	62	64	17	79	4	.....	.....	1	.....	1
102	Ulcer of the stomach	2,922	2,636	1,626	1,010	286	1,912	117	64	25	14	51	16
103	Other diseases of the stomach (cancer excepted)	7,069	6,469	2,511	3,958	600	3,111	99	116	14	29	75	56
104	Diarrhea and enteritis (under 2 years)	40,099	35,078	21,185	13,893	5,021	26,206	400	393	64	180	840	317
105	Diarrhea and enteritis (2 years and over)	8,226	7,163	3,389	3,774	1,063	4,452	182	142	25	60	109	58
106	Ankylostomiasis	13	13	.....	13	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	84	74	13	61	10	23	.....	1	.....	.....	.....	.....
108	Appendicitis and typhlitis	8,397	7,346	4,989	2,357	1,051	6,040	277	108	71	82	115	15
109	Hernia, intestinal obstruction (total)	7,577	6,788	3,994	2,794	789	4,783	207	133	43	53	111	23
	Hernia	2,604	2,337	1,504	833	267	1,771	59	40	6	14	43	8
	Intestinal obstruction	4,973	4,451	2,490	1,961	522	3,012	148	93	37	39	68	15
110	Other diseases of the intestines	1,934	1,711	890	821	223	1,113	52	43	16	8	22	5
111	Acute yellow atrophy of the liver	274	250	115	135	24	139	4	4	.....	1	4	1
112	Hydatid tumor of the liver	20	19	11	8	1	12	.....	1	.....	.....	.....	.....
113	Cirrhosis of the liver	8,439	7,521	4,480	3,041	918	5,398	277	151	32	32	104	40
114	Biliary calculi	2,228	2,034	1,259	775	194	1,453	64	27	13	13	37	8
115	Other diseases of the liver	3,276	2,904	1,539	1,365	372	1,911	95	52	24	22	38	15
116	Diseases of the spleen	107	96	48	48	11	59	.....	1	1	.....	1	2
117	Simple peritonitis (nonpuerperal)	1,527	1,328	613	715	199	812	24	31	2	4	24	3
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	531	464	317	147	67	384	17	8	7	2	10	2

[1] Includes District of Columbia.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

District of Columbia.			Indiana.		Kansas.		Kentucky.						Maine.		Maryland.			Detailed Int. List No.
							Cities.			Rural districts.					Cities.			
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	
7	5	2	17	51	4	29	12	10	2	43	41	2	4	31	7	6	1	65
29	20	9	65	212	59	225	65	37	28	315	265	50	26	73	89	72	17	66
72	43	29	88	155	12	72	70	56	14	83	65	18	40	29	37	28	9	67
3	1	2	18	46	11	41	7	7	.....	58	41	17	11	24	8	6	2	68
19	8	11	46	101	26	49	32	25	7	68	52	16	7	20	13	8	5	69
.....	.....	.....	.....	.....	1	3	2	.....	2	5	3	2	1	1	2	2	.....	70
15	7	8	10	15	8	44	24	18	6	75	58	17	6	24	32	21	11	71
.....	.....	.....	2	3	1	2	.....	.....	.....	3	3	.....	.....	2	2	2	.....	72
6	5	1	5	16	2	10	6	5	1	14	12	2	1	8	4	4	.....	73
35	29	6	26	58	16	43	12	11	1	62	47	15	11	26	36	33	3	74
.....	.....	.....	.....	1	1	2	.....	.....	.....	2	2	.....	.....	.....	1	.....	1	75
3	3	.....	25	32	8	12	10	9	1	24	23	1	6	3	17	13	4	76
1,126	761	365	1,794	3,606	617	1,909	981	700	281	2,002	1,648	354	477	1,548	1,506	1,166	340	
6	2	4	8	32	9	14	14	9	5	32	24	8	2	10	10	6	4	77
113	47	66	53	59	43	56	80	49	31	50	38	12	24	39	80	63	17	78
804	556	248	1,370	2,765	450	1,444	675	475	200	1,567	1,286	281	325	1,098	1,137	874	263	79
34	29	5	87	226	19	80	30	21	9	96	80	16	8	96	46	40	6	80
134	103	31	229	439	70	263	153	123	30	206	173	33	97	243	191	152	39	81
28	18	10	29	67	20	24	17	13	4	22	22	.....	20	40	34	27	7	82
4	3	1	8	9	1	5	3	2	1	7	5	2	1	7	3	1	2	83
1	1	.....	6	5	1	3	6	5	1	12	12	.....	.....	4	3	2	1	84
2	2	.....	4	4	4	20	3	3	.....	10	8	2	.....	11	2	1	1	85
802	404	398	1,423	2,317	565	1,411	808	493	315	2,140	1,782	358	391	958	1,460	1,017	443	
.....	.....	.....	1	4	.....	.....	.....	.....	.....	5	4	1	.....	3	.....	.....	.....	86
4	4	.....	7	23	2	14	4	3	1	28	27	1	.....	8	9	9	.....	87
4	4	.....	12	22	3	9	3	3	.....	5	5	.....	2	2	3	2	1	88
48	14	34	64	121	16	54	46	25	21	107	89	18	21	92	71	50	21	89
31	30	1	65	136	31	102	60	37	23	136	103	33	19	47	65	52	13	90
211	87	124	502	665	160	325	164	113	51	494	412	82	107	221	559	380	179	91
423	217	206	687	1,231	316	758	443	260	183	1,217	1,021	196	215	518	665	457	208	92
336	164	172	603	819	198	422	294	172	122	720	601	119	135	277	627	430	197	
87	53	34	84	412	118	336	149	88	61	497	420	77	80	241	38	27	11	
23	15	8	29	36	8	31	17	11	6	25	22	3	3	10	28	19	9	93
20	15	5	13	14	6	42	22	16	6	34	32	2	18	32	27	25	2	94
1	1	.....	5	6	1	3	2	2	.....	1	1	.....	.....	3	7	4	3	95
13	6	7	31	40	13	44	27	10	17	49	37	12	2	10	14	11	3	96
5	2	3	2	1	2	1	1	1	.....	2	2	.....	.....	1	1	.....	1	97
19	9	10	5	18	7	28	19	12	7	37	27	10	4	11	11	8	3	98
517	294	223	1,482	2,147	468	1,327	625	465	160	2,052	1,784	268	302	802	1,067	884	183	
7	5	2	9	13	2	12	3	2	1	18	18	.....	4	5	7	5	2	99
5	2	3	29	48	5	32	4	3	1	42	37	5	5	19	13	11	2	100
1	1	.....	3	4	1	2	3	2	1	7	6	1	2	3	1	1	.....	101
18	12	6	39	91	23	48	20	13	7	53	45	8	6	9	25	20	5	102
56	21	35	114	255	44	145	51	27	24	277	235	42	29	130	72	49	23	103
169	75	94	551	609	92	329	146	117	29	737	657	80	87	302	534	452	82	104
49	28	21	103	270	49	155	68	50	18	304	269	35	26	105	84	61	23	105
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	10	10	.....	.....	.....	.....	.....	.....	106
1	.....	1	.....	4	.....	.....	.....	.....	.....	9	9	.....	.....	.....	.....	.....	.....	107
56	39	17	159	149	66	118	85	71	14	122	107	15	45	48	89	77	12	108
46	27	19	137	192	50	138	66	45	21	155	130	25	32	61	79	64	15	109
6	2	4	35	47	10	28	17	9	8	39	32	7	7	21	27	21	6	
40	25	15	102	145	40	110	49	36	13	116	98	18	25	40	52	43	9	
10	7	3	29	60	23	47	18	10	8	34	26	8	13	14	11	9	2	110
1	1	.....	2	12	.....	9	.....	.....	.....	5	4	1	.....	3	5	4	1	111
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	112
53	44	9	159	232	41	98	68	54	14	91	79	12	11	53	82	71	11	113
14	13	1	45	66	19	40	15	15	.....	36	33	3	8	10	23	22	1	114
22	16	6	72	93	30	98	45	35	10	72	58	14	18	22	19	18	1	115
.....	.....	.....	1	1	1	2	2	2	.....	4	3	1	1	2	1	1	.....	116
7	2	5	20	44	19	40	26	15	11	71	54	17	11	13	20	18	2	117
2	1	1	10	3	3	14	5	4	1	5	4	1	4	3	2	1	1	118

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1915—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES. Total.[1]	Cities.[1]	Rural districts.	Registration cities in other states.	All registration cities.[1]	CALIFORNIA. Cities.	Rural districts.	COLORADO. Cities.	Rural districts.	CONNECTICUT. Cities.	Rural districts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	80,808	72,418	41,516	30,902	8,390	49,906	2,210	1,350	435	408	1,115	457
119	Acute nephritis	6,020	5,346	3,108	2,238	674	3,782	112	75	36	42	91	32
120	Bright's disease	64,480	58,053	33,014	25,039	6,427	39,441	1,773	1,092	336	310	899	379
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	1,609	1,417	832	585	192	1,024	60	39	12	7	16	5
123	Calculi of the urinary passages	478	421	265	156	57	322	12	5	1	.....	6	7
124	Diseases of the bladder	1,335	1,229	430	799	106	536	29	34	1	10	18	12
125	Diseases of the urethra, urinary abscess, etc.	288	226	170	56	62	232	9	4	.....	.....	4	.....
126	Diseases of the prostate	2,612	2,394	1,290	1,104	218	1,508	85	51	16	15	39	18
127	Nonvenereal diseases of the male genital organs	78	70	48	22	8	56	2	.....	.....	1	.....	.....
128	Uterine hemorrhage (nonpuerperal)	49	44	16	28	5	21	.....	2	.....	2	.....	.....
129	Uterine tumor (noncancerous)	1,253	1,044	745	299	209	954	42	15	10	3	17	1
130	Other diseases of the uterus	658	558	385	173	100	485	20	4	8	9	7	1
131	Cysts and other tumors of the ovary	562	500	325	175	62	387	19	10	10	1	5	.....
132	Salpingitis and other diseases of the female genital organs.	1,337	1,072	862	210	265	1,127	46	17	5	8	12	2
133	Nonpuerperal diseases of the breast (cancer excepted)	49	44	26	18	5	31	1	2	.....	.....	1	.....
	VII.—The puerperal state	10.237	9,225	5,119	4,106	1,012	6,131	222	140	53	83	153	30
134	Accidents of pregnancy	941	842	482	360	99	581	22	14	5	6	17	2
135	Puerperal hemorrhage	1,000	926	475	451	74	549	16	16	4	11	17	3
136	Other accidents of labor	979	899	463	436	80	543	15	15	3	4	13	.....
137	Puerperal septicemia	4,214	3,758	2,207	1,551	456	2.663	79	48	27	44	50	13
138	Puerperal albuminuria and convulsions	2,673	2,397	1,271	1,126	276	1,547	82	43	12	16	51	9
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	383	361	199	162	22	221	7	4	2	1	5	3
140	Following childbirth (not otherwise defined)	41	36	18	18	5	23	1	.....	.....	1	.....	.....
141	Puerperal diseases of the breast	6	6	4	2	.....	4	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	3,071	2,813	1,392	1,421	258	1,650	60	31	11	13	37	24
142	Gangrene	1,440	1,321	506	815	119	625	27	16	9	9	12	14
143	Furuncle	421	377	247	130	44	291	6	7	.....	.....	6	5
144	Acute abscess	571	513	333	180	58	391	14	3	2	3	8	4
145	Other diseases of the skin and annexa	639	602	306	296	37	343	13	5	.....	1	11	1
	IX.—Diseases of the bones and of the organs of locomotion	1,771	1,575	1,091	484	196	1,287	47	20	8	8	30	4
146	Diseases of the bones (tuberculosis excepted)	1,526	1,363	967	396	163	1,130	42	17	7	6	27	4
147	Diseases of the joints (tuberculosis and rheumatism excepted).	185	158	106	52	27	133	5	2	1	2	3	.....
148	Amputations	3	3	1	2	.....	1	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	57	51	17	34	6	23	.....	1	.....	.....	.....	.....
	X.—Malformations	9,986	9,300	4,808	4,492	686	5,494	171	108	37	65	137	51
150	Congenital malformations (stillbirths not included) (total).	9,986	9,300	4,808	4,492	686	5,494	171	108	37	65	137	51
	Hydrocephalus	853	784	444	340	69	513	14	8	2	4	20	4
	Congenital malformations of the heart	6,032	5,636	2,860	2,776	396	3,256	100	67	27	51	71	30
	Other congenital malformations	3,101	2,880	1,504	1,376	221	1,725	57	33	8	10	46	17
	XI.—Early infancy	51,765	48,092	25,794	22,298	3,673	29,467	730	657	236	425	841	305
151	Congenital debility, icterus, and sclerema (total)	41,115	38,368	20,252	18,116	2,747	22,999	568	528	201	360	618	242
	Premature birth	29.027	27.011	14.309	12,702	2,016	16,325	472	370	152	254	433	137
	Congenital debility, "atrophy," "marasmus," etc.	12,088	11,357	5,943	5,414	731	6,674	96	158	49	106	185	105
152	Other causes peculiar to early infancy (total)	10,424	9,527	5,460	4,067	897	6,357	157	121	33	65	222	62
	Injuries at birth	5,914	5,428	3,171	2,257	486	3,657	98	66	11	25	126	41
	Other causes peculiar to early infancy [2]	4,510	4,099	2,289	1,810	411	2,700	59	55	22	40	96	21
153	Lack of care	226	197	82	115	29	111	5	8	2	.....	1	1
	XII.—Old age	12,392	11,614	3,549	8,065	778	4,327	202	234	102	160	91	80
154	Senility	12,392	11,614	3,549	8,065	778	4,327	202	234	102	160	91	80
	XIII.—External causes	67,292	60,182	31,597	28,585	7,110	38,707	2,206	1,972	279	680	866	391
	Suicide (total)	11,216	10,045	5,921	4,124	1,171	7,092	637	373	91	73	161	62
155	By poison	2,481	2,184	1,390	794	297	1,687	119	59	23	15	44	18
156	By asphyxia	1,584	1,314	1,232	82	270	1,502	120	14	7	.....	34	2
157	By hanging or strangulation	1,749	1,638	699	939	111	810	56	51	7	7	25	17
158	By drowning	670	616	321	295	54	375	26	16	.....	2	7	8
159	By firearms	3,608	3,282	1,689	1,593	326	2,015	260	185	47	43	43	13
160	By cutting or piercing instruments	681	605	329	276	76	405	34	33	6	5	6	4
161	By jumping from high places	259	234	203	31	25	228	19	1	.....	.....	2	.....
162	By crushing	83	79	28	51	4	32	2	10	.....	.....	.....	.....
163	Other suicides	101	93	30	63	8	38	1	4	1	1	.....	.....

[1] Includes District of Columbia.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		KANSAS.		KENTUCKY.						MAINE.		MARYLAND.			Detailed Int. List No.
							Cities.			Rural districts.					Cities.			
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	
733	442	291	1,133	2,146	429	1,114	747	557	190	1,524	1,238	286	304	769	1,225	948	277	
87	39	48	104	180	19	55	60	38	22	112	93	19	30	46	121	80	41	119
564	352	212	835	1,726	314	869	595	461	134	1,212	978	234	221	618	966	757	209	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
24	21	3	34	28	17	32	8	7	1	41	36	5	9	18	26	22	4	122
6	5	1	4	10	4	7	1	1	.....	7	6	1	3	1	4	4	.....	123
3	3	.....	12	57	12	31	13	10	3	45	42	3	8	34	16	15	1	124
3	2	1	6	5	.....	2	1	.....	1	4	3	1	2	2	5	3	2	125
15	11	4	47	83	32	70	24	21	3	42	37	5	11	24	28	25	3	126
3	.....	3	3	.....	1	.....	3	1	2	1	.....	1	.....	2	1	1	.....	127
.....	.....	.....	.....	2	.....	3	.....	.....	.....	2	1	1	1	.....	.....	.....	.....	128
4	2	2	25	12	8	13	17	4	13	16	12	4	6	6	15	9	6	129
5	3	2	8	6	5	13	8	5	3	19	15	4	6	7	16	12	4	130
4	3	1	11	19	5	7	5	4	1	12	9	3	2	7	4	4	.....	131
15	1	14	44	18	12	12	12	5	7	11	6	5	5	3	23	16	7	132
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	133
49	27	22	180	228	59	168	61	49	12	269	241	28	33	77	107	90	17	
2	2	.....	9	20	4	25	8	6	2	31	28	3	3	10	7	6	1	134
4	2	2	20	25	3	13	6	6	.....	16	16	.....	.....	8	8	8	.....	135
3	3	.....	19	19	8	17	6	4	2	34	29	5	4	13	5	4	1	136
27	13	14	99	99	29	62	29	24	5	122	109	13	12	22	54	44	10	137
12	6	6	26	54	12	44	11	8	3	57	51	6	12	22	28	24	4	138
1	1	.....	7	10	3	6	1	1	.....	8	7	1	1	2	5	4	1	139
.....	.....	.....	.....	1	.....	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	140
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	141
26	11	15	30	79	14	53	15	11	4	63	45	18	13	43	44	33	11	
15	7	8	17	59	9	32	10	8	2	35	24	11	4	29	16	8	8	142
2	1	1	6	5	2	3	.....	.....	.....	4	3	1	2	2	5	5	.....	143
7	3	4	3	2	1	10	4	3	1	8	7	1	5	5	9	8	1	144
2	.....	2	4	13	2	8	1	.....	1	16	11	5	2	7	14	12	2	145
14	7	7	29	33	13	22	10	8	2	32	27	5	7	14	31	28	3	
13	6	7	29	31	11	19	8	6	2	25	22	3	5	11	27	24	3	146
1	1	.....	.....	1	2	.....	1	1	.....	5	3	2	2	2	4	4	.....	147
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	148
.....	.....	.....	.....	1	.....	3	1	1	.....	2	2	.....	.....	1	.....	.....	.....	149
36	27	9	173	343	34	145	50	43	7	192	177	15	20	69	71	60	11	
36	27	9	173	343	34	145	50	43	7	192	177	15	20	69	71	60	11	150
5	2	3	14	20	2	12	1	1	.....	23	22	1	2	9	6	6	.....	
20	16	4	120	224	17	84	30	26	4	75	69	6	11	40	54	44	10	
11	9	2	39	99	15	49	19	16	3	94	86	8	7	20	11	10	1	
342	200	142	646	1,141	255	846	313	248	65	1,382	1,240	142	185	482	682	531	151	
289	162	127	512	855	221	704	269	216	53	1,184	1,063	121	150	408	539	421	118	151
202	103	99	430	717	135	499	171	145	26	864	791	73	85	264	342	257	85	
87	59	28	82	138	86	205	98	71	27	320	272	48	65	144	197	164	33	
52	38	14	133	282	33	140	43	32	11	194	174	20	35	73	140	110	30	152
29	23	6	68	154	22	84	24	17	7	95	84	11	17	28	58	53	5	
23	15	8	65	128	11	56	19	15	4	99	90	9	18	45	82	57	25	
1	.....	1	1	4	1	2	1	.....	1	4	3	1	.....	1	3	.....	3	153
103	73	30	51	213	111	518	116	101	15	443	371	72	63	323	102	83	19	
103	73	30	51	213	111	518	116	101	15	443	371	72	63	323	102	83	19	154
362	248	114	939	1,542	346	1,022	482	368	114	1,342	1,087	255	172	505	672	567	105	
86	75	11	165	261	52	143	105	102	3	152	137	15	26	92	113	108	5	
20	16	4	66	81	17	28	26	25	1	39	39	.....	5	9	31	29	2	155
27	25	2	9	4	.....	2	2	2	.....	3	2	1	1	2	27	27	.....	156
5	5	.....	22	42	6	31	16	15	1	22	19	3	7	27	9	8	1	157
7	6	1	8	16	3	6	13	13	.....	12	12	.....	3	14	4	3	1	158
23	20	3	45	88	21	61	38	38	.....	67	56	11	8	35	32	31	1	159
2	1	1	12	10	3	8	6	6	.....	8	8	.....	2	4	5	5	.....	160
1	1	.....	3	1	1	1	1	1	.....	.....	.....	.....	.....	.....	5	5	.....	161
.....	.....	.....	.....	10	1	1	1	1	.....	1	1	.....	.....	.....	.....	.....	.....	162
1	1	.....	.....	9	.....	5	2	1	1	.....	.....	.....	.....	1	.....	.....	.....	163

[2] Exclusive of injuries at birth

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1915—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES. Total.[1]	Cities.[1]	Rural districts.	Registration cities in other states.	All registration cities.[1]	CALIFORNIA. Cities.	Rural districts.	COLORADO. Cities.	Rural districts.	CONNECTICUT. Cities.	Rural districts.
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	51,406	46,437	23,530	22,907	4,969	28,499	1,371	1,437	156	546	676	314
164	Poisoning by food	639	584	241	343	55	296	27	33	8	16	9	3
165	Other acute poisonings	1,280	1,165	551	614	115	666	37	34	7	14	11	10
166	Conflagration	971	919	411	508	52	463	30	52	3	4	5	9
167	Burns (conflagration excepted)	4,804	4,299	2,491	1,808	505	2,996	73	63	11	12	85	12
168	Absorption of deleterious gases (conflagration excepted).	2,202	1,865	1,315	550	337	1,652	109	19	11	13	39	9
169	Accidental drowning	6,514	5,314	2,233	3,081	1,200	3,433	115	229	2	59	81	79
170	Traumatism by firearms	1,501	1,325	379	946	176	555	32	68	6	34	4	5
171	Traumatism by cutting or piercing instruments.	89	81	32	49	8	40	.....	4	.....	.....	2	.....
172	Traumatism by fall	9,979	9,207	5,335	3,872	772	6,107	251	162	17	30	175	56
173	Traumatism in mines and quarries (total)	2,110	2,077	534	1,543	33	567	5	51	6	116	1	2
	Traumatism in mines	2,009	1,976	509	1,467	33	542	4	44	6	113	.....	.....
	Traumatism in quarries	101	101	25	76	.....	25	1	7	.....	3	1	2
174	Traumatism by machines	1,257	1,157	656	501	100	756	33	19	2	17	15	7
175	Traumatism by other crushing (total)	14,978	13,711	7,312	6,399	1,267	8,579	554	535	66	163	197	87
	Railroad accidents and injuries	6,652	6,202	2,732	3,470	450	3,182	135	188	27	78	67	34
	Street-car accidents and injuries	1,555	1,353	1,020	333	202	1,222	104	26	9	.....	20	10
	Automobile accidents and injuries	3,978	3,589	2,363	1,226	389	2,752	233	178	19	34	80	26
	Injuries by other vehicles	2,348	2,182	1,040	1,142	166	1,206	69	121	10	45	22	15
	Landslide, other crushing	445	385	157	228	60	217	13	22	1	6	8	2
176	Injuries by animals	563	539	137	402	24	161	14	18	3	14	2	3
177	Starvation	43	43	11	32	.....	11	.....	7	.....	1	.....	.....
178	Excessive cold	344	331	113	218	13	126	3	9	2	8	7	4
179	Effects of heat	407	379	232	147	28	260	3	16	.....	2	7	3
180	Lightning	221	219	10	209	2	12	.....	1	1	16	.....	2
181	Electricity (lightning excepted)	515	466	244	222	49	293	19	19	1	8	10	4
185	Fractures (cause not specified)	391	349	167	182	42	209	7	7	2	2	3	2
186	Other external violence	2,598	2,407	1,126	1,281	191	1,317	59	91	8	17	23	17
	Homicide (total)	4,670	3,700	2,146	1,554	970	3,116	198	162	32	61	29	15
182	By firearms	2,885	2,262	1,208	1,054	623	1,831	129	126	21	53	15	7
183	By cutting or piercing instruments	663	489	333	156	174	507	29	15	5	4	5	5
184	By other means	1,122	949	605	344	173	778	40	21	6	4	9	3
	XIV.—Ill-defined diseases	7,681	6,831	1,324	5,507	850	2,174	13	61	10	13	72	16
187	Ill-defined organic disease	427	384	55	329	43	98	2	4	.....	1	.....	1
188	Sudden death	486	454	99	355	32	131	2	.....	.....	.....	13	4
189	Not specified or ill-defined (total)	6,768	5,993	1,170	4,823	775	1,945	9	57	10	12	59	11
	Ill-defined	2,865	2,573	733	1,840	292	1,025	7	33	10	8	36	5
	Not specified or unknown	3,903	3,420	437	2,983	483	920	2	24	.....	4	23	6

[1] Includes District of Columbia.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DISTRICT OF COLUMBIA.			INDIANA.		KANSAS.		KENTUCKY.						MAINE.		MARYLAND.			Detailed Int. List No.
							Cities.			Rural districts.					Cities.			
Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	
241	162	79	697	1,211	236	821	293	232	61	994	840	154	138	403	516	434	82	
4	4	.....	4	20	5	9	6	5	1	14	11	3	4	6	7	7	.....	164
4	3	1	16	30	7	29	9	7	2	31	25	6	4	9	9	9	.....	165
3	.....	3	11	25	6	15	4	3	1	15	9	6	4	16	6	3	3	166
47	27	20	58	87	26	59	40	25	15	183	153	30	10	38	98	72	26	167
25	22	3	28	36	7	24	8	8	.....	35	27	8	1	8	10	7	3	168
26	15	11	43	101	22	97	32	27	5	82	70	12	22	87	65	46	19	169
8	5	3	19	55	15	48	11	7	4	79	63	16	5	20	9	6	3	170
1	.....	1	.....	2	.....	3	1	1	.....	4	3	1	1	2	2	1	1	171
54	44	10	146	309	38	110	48	40	8	133	124	9	25	69	103	89	14	172
.....	.....	.....	11	45	6	26	4	4	.....	65	55	10	.....	2	3	3	.....	173
.....	.....	.....	11	44	6	26	4	4	.....	65	55	10	.....	.....	2	2	.....	
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	1	.....	
3	3	.....	28	24	2	16	9	6	3	15	13	2	6	16	10	9	1	174
46	29	17	273	375	75	215	84	70	14	196	168	28	26	68	145	137	8	175
4	4	.....	131	198	40	113	38	30	8	141	117	24	13	30	57	56	1	
14	11	3	42	32	12	19	9	9	.....	4	4	.....	3	5	24	21	3	
18	8	10	62	63	12	33	23	20	3	16	15	1	3	18	42	41	1	
10	6	4	28	70	6	48	12	10	2	32	29	3	6	12	20	17	3	
.....	.....	.....	10	12	5	2	2	1	1	3	3	.....	1	3	2	2	.....	
3	1	2	5	21	6	25	3	3	.....	18	18	.....	.....	10	4	3	1	176
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	2	1	1	1	1	.....	.....	.....	177
2	.....	2	2	6	1	7	5	1	4	5	.....	5	.....	3	1	1	.....	178
1	1	.....	5	4	.....	4	3	2	1	6	5	1	1	.....	14	14	.....	179
.....	.....	.....	.....	12	.....	13	.....	.....	.....	15	13	2	.....	2	.....	.....	.....	180
4	2	2	15	7	2	9	5	4	1	7	6	1	2	4	1	1	.....	181
.....	.....	.....	.....	1	6	43	10	10	.....	19	17	2	10	10	12	11	1	185
10	6	4	32	51	12	69	11	9	2	70	59	11	16	32	17	15	2	186
35	11	24	77	70	58	58	84	34	50	196	110	86	8	10	43	25	18	
13	6	7	54	50	46	37	53	23	30	157	84	73	5	8	23	14	9	182
6	.....	6	9	7	4	8	16	3	13	13	7	6	.....	.....	8	2	6	183
16	5	11	14	13	8	13	15	8	7	26	19	7	3	2	12	9	3	184
8	5	3	7	21	46	263	37	21	16	1,015	873	142	43	116	41	26	15	
.....	.....	.....	.....	1	9	27	8	2	6	70	59	11	3	2	1	.....	1	187
.....	.....	.....	1	1	3	9	.....	.....	.....	36	34	2	13	7	3	2	1	188
8	5	3	6	19	34	227	29	19	10	909	780	129	27	107	37	24	13	189
8	5	3	2	8	21	97	17	12	5	236	201	35	16	37	28	16	12	
.....	.....	.....	4	11	13	130	12	7	5	673	579	94	11	70	9	8	1	

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1915—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	MARYLAND—continued. Rural districts. Total.	White.	Colored.	MASSACHUSETTS. Cities.	Rural districts.	MICHIGAN. Cities.	Rural districts.	MINNESOTA. Cities.	Rural districts.	MISSOURI. Cities.	Rural districts.	MONTANA. Cities.	Rural districts.
	All causes	10,378	7,375	3,003	41,047	12,018	17,666	22,759	8,371	14,423	18,029	22,728	1,668	3,404
	I.—General diseases	2,633	1,822	811	10,532	3,089	4,164	5,075	2,482	3,802	5,032	7,028	413	805
1	Typhoid fever	179	105	74	205	42	199	155	70	83	135	387	16	41
2	Typhus fever													
3	Relapsing fever													
4	Malaria	14	6	8	1	5	5	8			31	357		
5	Smallpox				10		2	3	4	3	4	10		1
6	Measles	14	9	5	237	34	55	49	26	61	66	88	1	6
7	Scarlet fever	33	30	3	177	24	41	69	50	95	30	45	2	14
8	Whooping cough	68	38	30	391	77	120	114	45	120	55	221	1	35
9	Diphtheria and croup	98	83	15	646	86	186	175	108	84	315	370	4	17
10	Influenza	123	89	34	189	123	143	385	66	171	185	537	13	28
11	Miliary fever													
12	Asiatic cholera													
13	Cholera nostras	5	3	2	5	5	6	5	1	7	1	12		
14	Dysentery	49	30	19	58	36	19	31	6	18	34	165	1	5
15	Plague													
16	Yellow fever													
17	Leprosy					3	1	1		1				
18	Erysipelas	22	19	3	115	27	60	48	24	33	53	64	5	8
19	Other epidemic diseases	3	1	2	14	6	5	5	2	3	1	6	2	6
20	Purulent infection and septicemia	17	14	3	72	22	37	42	16	23	28	49	6	7
21	Glanders				1									
22	Anthrax				4				1	1				1
23	Rabies				5	1			1		1	1		
24	Tetanus	22	10	12	31	5	16	13	16	23	31	38		2
25	Mycoses				7					1	1	1		
26	Pellagra	7	4	3	16	9	8	4		1	12	22		
27	Beriberi													
	Tuberculosis (total)	1,223	762	461	3,859	1,277	1,414	1,548	999	1,282	2,042	2,874	161	369
28	Tuberculosis of the lungs	1,070	664	406	3,069	1,113	1,173	1,304	802	1,016	1,796	2,554	131	322
29	Acute miliary tuberculosis	37	22	15	123	22	43	36	41	36	49	44	6	9
30	Tuberculous meningitis	43	30	13	388	56	86	59	77	97	84	92	16	18
31	Abdominal tuberculosis	39	21	18	131	32	50	53	36	59	67	106	6	9
32	Pott's disease	12	11	1	50	13	16	22	20	24	16	17	1	3
33	White swellings	2	2		17	6	8	17	6	10	11	11		1
34	Tuberculosis of other organs	11	8	3	55	14	29	33	14	28	16	39	1	3
35	Disseminated tuberculosis	9	4	5	26	21	9	24	3	12	3	11		4
36	Rickets	11	6	5	24	2	4	9	6	8	11	7		1
37	Syphilis	42	14	28	179	36	129	75	63	49	211	82	16	10
38	Gonococcus infection	2		2	18	3	4	3	8	2	19	3	2	1
	Cancer and other malignant tumors (total)	511	446	65	2,896	913	1,068	1,486	611	1,169	1,181	1,116	83	140
39	Of the buccal cavity	20	17	3	110	36	38	67	22	55	66	37	2	4
40	Of the stomach, liver	193	166	27	953	328	444	636	264	590	401	478	37	63
41	Of the peritoneum, intestines, rectum	64	51	13	543	172	137	181	73	159	151	139	6	20
42	Of the female genital organs	69	60	9	443	97	174	176	93	85	199	127	13	23
43	Of the breast	59	50	9	308	106	88	124	39	87	98	105	7	4
44	Of the skin	27	27		54	37	24	86	12	30	38	82	1	5
45	Of other organs or of organs not specified	79	75	4	485	137	163	216	108	163	228	148	17	21
46	Other tumors (tumors of the female genital organs excepted)	2	1	1	12	5	7	10	1	6	2	9		
47	Acute articular rheumatism	19	10	9	88	23	83	77	28	67	76	73	12	10
48	Chronic rheumatism and gout	12	9	3	25	10	18	23	11	31	14	40	2	3
49	Scurvy	4	1	3	1	1	1	7		1	1	1		
50	Diabetes	75	67	8	609	176	231	316	137	229	230	248	26	39
51	Exophthalmic goiter	4	4		29	6	37	40	25	28	34	21	6	1
52	Addison's disease	2	2		22	5	10	11	7	7	5	7	1	3
53	Leukemia	11	9	2	57	17	22	36	27	24	25	23	1	5
54	Anemia, chlorosis	19	16	3	192	63	121	204	50	87	57	65	18	8
55	Other general diseases	9	9		109	23	56	45	12	24	37	23	4	5
56	Alcoholism (acute or chronic)	24	16	8	212	20	46	55	56	55	69	38	28	38
57	Chronic lead poisoning	1	1		14	2	2	5	1	2	6	5		
58	Other chronic occupation poisonings						2	1						
59	Other chronic poisonings	8	8		2	2	6	17	4	3	29	20	2	1
	II.—Diseases of the nervous system and of the organs of special sense	1,225	925	300	3,893	1,509	1,821	2,943	623	1,467	1,442	2,148	97	279
60	Encephalitis	13	9	4	14	1	19	18	6	11	10	15	3	1
61	Meningitis (total)	49	35	14	262	62	144	132	63	75	68	148	13	18
	Simple meningitis	33	24	9	170	44	90	92	32	42	25	62	5	7
	Cerebrospinal meningitis (undefined)	10	7	3	57	7	46	35	22	12	11	40	3	9
	Cerebrospinal fever	6	4	2	35	11	8	5	9	21	32	46	5	2
62	Locomotor ataxia	13	13		72	30	25	61	27	16	47	35	3	6
63	Other diseases of the spinal cord (total)	43	34	9	165	64	68	137	40	91	72	149	3	11
	Acute anterior poliomyelitis	15	8	7	30	11	9	26	5	25	14	26		1
	Other diseases of the spinal cord[2]	28	26	2	135	53	59	111	35	66	58	123	3	10
64	Cerebral hemorrhage, apoplexy	614	481	133	2,653	1,046	892	1,657	345	896	848	1,229	52	144

[1] Includes only municipalities having a population of 1,000 or over in 1910.
[2] Includes only municipalities having a population of 1,000 or over, but less than 10,000 in 1910.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

New Hampshire.		New Jersey.		New York.		North Carolina.[1]						Ohio.		Pennsylvania.		Rhode Island.		Utah.		Detailed List No.
						Cities.			Rural districts.[2]											
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
3,010	4,089	25,494	14,293	110,194	36,744	3,574	1,749	1,825	4,864	2,593	2,271	34,073	32,100	59,954	55,330	7,313	1,609	1,497	2,696	
651	937	6,426	3,604	30,489	8,451	1,171	562	609	1,499	762	737	9,006	8,264	14,451	12,688	1,926	397	326	533	
14	20	129	64	566	199	67	31	36	132	69	63	379	338	504	530	45	16	9	31	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
.....	2	8	5	27	15	16	4	12	52	20	32	9	16	11	20	1	.....	.....	.....	4
.....	.....	1	.....	.....	.....	4	3	1	2	1	1	3	4	.....	.....	.....	.....	.....	.....	5
5	4	174	51	799	88	1	1	.....	2	2	.....	151	68	387	178	45	15	1	3	6
1	6	60	40	384	49	1	1	.....	7	7	.....	128	96	138	163	24	3	2	10	7
32	16	163	86	620	157	23	12	11	47	20	27	182	173	212	361	89	24	9	77	8
17	15	330	176	1,567	191	17	15	2	40	34	6	390	282	831	801	86	13	34	15	9
32	95	159	158	680	618	37	21	16	56	36	20	358	623	629	834	53	23	9	45	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
.....	.....	2	4	8	9	.....	.....	.....	1	1	.....	1	6	14	40	.....	.....	.....	1	13
7	7	27	36	99	87	39	11	28	54	28	26	46	87	82	134	23	4	1	4	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	17
6	8	81	27	433	87	8	5	3	9	8	1	75	84	137	141	18	6	9	15	18
4	1	5	1	25	10	.....	.....	.....	.....	.....	.....	7	6	34	19	.....	.....	1	4	19
4	9	33	13	115	47	11	9	2	10	5	5	48	55	86	109	12	5	4	4	20
.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	21
.....	.....	1	1	8	5	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	1	22
.....	.....	1	2	2	1	1	1	.....	.....	.....	.....	6	1	5	1	.....	.....	.....	.....	23
4	1	35	12	74	29	16	3	13	17	3	14	46	47	73	53	6	1	1	2	24
.....	.....	.....	1	9	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	.....	.....	.....	25
2	3	3	2	8	4	195	83	112	152	79	73	2	3	5	1	9	.....	.....	.....	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
253	282	2,774	1,642	13,510	3,025	515	224	291	611	262	349	3,650	2,993	5,840	4,798	818	128	73	116	
189	242	2,289	1,471	11,347	2,580	444	196	248	530	227	303	3,076	2,539	4,749	4,102	661	116	52	95	28
8	7	125	41	524	102	18	4	14	21	3	18	96	65	264	156	23	.....	3	3	29
31	14	220	64	1,035	140	13	7	6	11	7	4	206	108	378	194	76	10	4	3	30
10	10	56	30	251	98	31	14	17	30	16	14	145	136	224	184	28	1	4	9	31
2	5	32	9	106	31	3	1	2	.....	.....	.....	20	27	71	50	7	.....	4	.....	32
2	1	17	2	63	12	2	.....	2	5	3	2	20	15	42	18	7	.....	2	3	33
7	2	22	12	141	44	1	1	.....	10	4	6	61	62	72	67	10	.....	4	3	34
4	1	13	13	43	18	3	1	2	4	2	2	26	41	40	27	6	1	.....	.....	35
1	2	11	7	81	15	5	.....	5	6	2	4	21	7	41	20	6	.....	1	.....	36
7	9	123	57	939	123	39	9	30	38	7	31	294	118	394	196	30	3	6	15	37
1	2	13	2	61	7	.....	.....	.....	1	.....	1	6	4	41	11	1	.....	2	.....	38
179	303	1,517	819	6,892	2,388	105	75	30	185	127	58	2,158	2,165	3,349	2,853	441	114	101	104	
5	17	55	26	231	94	6	4	2	9	8	1	80	93	124	117	20	4	4	10	39
55	103	603	319	2,627	844	34	27	7	66	50	16	815	855	1,275	1,237	161	39	49	47	40
29	42	230	114	1,081	351	6	3	3	15	9	6	252	249	438	336	70	15	11	9	41
40	51	226	123	1,004	318	25	14	11	50	28	22	411	301	570	398	71	21	10	7	42
25	26	156	88	640	293	3	.....	3	14	9	5	188	235	346	258	45	13	9	6	43
5	17	25	34	130	110	2	2	.....	4	4	.....	59	132	83	151	9	4	3	7	44
20	47	222	115	1,179	378	29	25	4	27	19	8	353	300	513	356	65	18	15	18	45
.....	3	12	8	32	28	2	2	.....	2	1	1	9	7	17	5	2	.....	.....	2	46
7	11	103	51	401	119	10	2	8	16	7	9	134	112	235	242	14	6	6	10	47
5	11	14	18	59	57	2	1	1	3	2	1	30	63	37	53	7	1	3	5	48
.....	.....	3	1	15	3	.....	.....	.....	.....	.....	.....	4	2	11	4	1	.....	.....	.....	49
34	66	359	187	1,815	587	23	20	3	21	16	5	407	442	688	615	119	19	25	30	50
2	4	22	12	110	47	5	5	.....	2	1	1	66	63	66	36	4	.....	5	3	51
1	.....	4	9	34	14	.....	.....	.....	1	1	.....	9	15	17	15	3	1	1	.....	52
4	4	36	8	191	41	5	4	1	5	3	2	43	40	87	52	10	1	4	6	53
8	32	74	46	323	198	3	3	.....	8	4	4	144	176	192	150	19	5	3	7	54
8	8	36	15	168	51	17	13	4	8	6	2	55	48	82	83	12	.....	7	7	55
10	9	95	35	378	130	3	3	.....	8	7	1	129	93	173	132	22	8	7	8	56
2	3	7	2	19	3	1	1	.....	.....	.....	.....	5	4	12	3	.....	1	1	5	57
.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	58
1	1	10	6	34	17	.....	.....	.....	3	3	.....	10	22	16	31	3	.....	1	3	59
343	576	2,138	1,823	7,750	4,968	307	172	135	484	277	207	3,410	4,169	4,867	6,178	721	136	121	228	
2	1	19	5	36	11	2	2	.....	3	2	1	27	18	53	46	2	2	2	2	60
31	23	181	60	463	168	18	7	11	48	33	15	172	140	260	275	50	8	7	28	61
15	8	112	37	205	97	9	4	5	33	24	9	76	73	187	208	20	7	1	10	
8	12	40	16	145	33	8	3	5	15	9	6	37	38	33	27	19	1	4	12	
8	3	29	7	113	38	1	.....	1	.....	.....	.....	59	29	40	40	11	.....	2	6	
4	10	40	42	181	87	1	.....	1	7	5	2	68	88	131	113	15	1	1	2	62
20	30	107	73	407	224	12	4	8	23	10	13	173	208	238	233	30	4	9	15	63
2	7	15	9	49	21	2	1	1	4	.....	4	55	40	34	51	7	.....	.....	3	
18	23	92	64	358	203	10	3	7	19	10	9	118	168	204	182	23	4	9	12	
185	399	1,391	1,177	4,990	3,299	171	88	83	225	134	91	2,201	2,816	3,003	3,737	474	97	71	111	64

[3] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1915—

[The term "cities" as here used is restricted to municipalities having 10 000 or

Detailed Int. List No.	CAUSE OF DEATH.	MARYLAND—continued. Rural districts. Total.	White.	Colored.	MASSACHUSETTS. Cities.	Rural districts.	MICHIGAN. Cities.	Rural districts.	MINNESOTA. Cities.	Rural districts.	MISSOURI. Cities.	Rural districts.	MONTANA. Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.													
65	Softening of the brain	11	9	2	33	13	10	38	7	4	14	40	1	1
66	Paralysis without specified cause	226	165	61	119	41	167	418	18	67	77	226	4	17
67	General paralysis of the insane	63	52	11	168	108	153	119	15	58	167	86	6	26
68	Other forms of mental alienation	16	11	5	28	9	43	30	12	30	15	25	.....	19
69	Epilepsy	57	40	17	55	69	39	99	11	73	41	83	1	17
70	Convulsions (nonpuerperal)	4	2	2	2	2	.....	5	.....	3	.....	2	1	.....
71	Convulsions of infants	84	50	34	89	29	112	128	20	75	11	27	1	10
72	Chorea	3	3	.....	4	.....	4	6	.....	.....	2	1	.....	1
73	Neuralgia and neuritis	1	1	.....	9	.....	8	21	.....	6	4	7	.....	.....
74	Other diseases of the nervous system	21	15	6	134	28	102	60	37	38	34	49	6	4
75	Diseases of the eyes and their annexa	.....	.....	.....	7	1	1	2	.....	1	1	2	.....	.....
76	Diseases of the ears	7	5	2	79	6	34	12	22	23	31	24	3	4
	III.—Diseases of the circulatory system	1,225	952	273	6,769	2,533	2,380	3,917	1,082	1,861	2,439	2,475	205	349
77	Pericarditis	8	7	1	33	8	22	29	3	9	21	30	1	3
78	Acute endocarditis	25	21	4	362	60	109	80	55	70	103	55	25	22
79	Organic diseases of the heart	978	744	234	4,851	1,769	1,768	3,086	799	1,480	1,668	1,843	146	261
80	Angina pectoris	54	51	3	230	121	84	192	36	64	75	125	6	12
81	Diseases of the arteries, atheroma, aneurism, etc.	126	104	22	1,052	494	310	424	140	177	501	335	21	36
82	Embolism and thrombosis	21	17	4	167	70	49	64	37	48	44	66	5	13
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	6	6	.....	31	2	12	15	2	4	4	3	1	2
84	Diseases of the lymphatic system (lymphangitis, etc.).	2	1	1	35	6	17	14	10	4	13	7	.....	.....
85	Hemorrhage; other diseases of the circulatory system.	5	1	4	8	3	9	13	.....	5	10	11	.....	.....
	IV.—Diseases of the respiratory system	1,198	797	401	5,665	1,379	2,135	2,165	973	1,539	2,293	2,747	249	376
86	Diseases of the nasal fossae	8	2	6	7	2	1	3	2	4	1	4	.....	1
87	Diseases of the larynx	9	9	.....	36	10	13	27	5	9	4	30	2	.....
88	Diseases of the thyroid body	5	4	1	12	4	22	13	13	16	9	7	2	2
89	Acute bronchitis	94	55	39	377	84	161	239	29	95	144	164	10	18
90	Chronic bronchitis	63	50	13	249	92	93	197	50	103	122	180	10	21
91	Bronchopneumonia	345	223	122	1,814	439	605	417	359	501	586	787	49	89
92	Pneumonia (total)	583	384	199	2,931	696	1,066	1,044	463	689	1,321	1,419	156	217
	Lobar pneumonia	379	261	118	2,553	671	711	414	442	527	1,298	1,331	136	128
	Pneumonia (undefined)	204	123	81	378	25	355	630	21	162	23	88	20	89
93	Pleurisy	24	19	5	114	12	41	66	24	44	51	35	4	6
94	Pulmonary congestion, pulmonary apoplexy	21	19	2	45	20	49	52	6	26	12	27	3	9
95	Gangrene of the lung	1	.....	1	13	3	7	8	3	4	2	6	1	4
96	Asthma	18	12	6	34	8	44	59	14	30	28	56	6	3
97	Pulmonary emphysema	3	3	.....	3	1	6	7	1	1	4	.....	1	.....
98	Other diseases of the respiratory system (tuberculosis excepted).	24	17	7	30	8	27	33	4	17	9	32	5	6
	V.—Diseases of the digestive system	1,130	782	348	4,359	889	2,063	2,071	820	1,247	1,808	2,093	177	296
99	Diseases of the mouth and annexa	12	4	8	18	5	9	16	7	8	8	17	.....	3
100	Diseases of the pharynx	18	11	7	89	21	37	51	26	32	26	53	3	9
101	Diseases of the esophagus	3	3	.....	6	.....	3	7	1	4	1	4	2	.....
102	Ulcer of the stomach	15	10	5	129	27	69	76	50	57	69	50	10	17
103	Other diseases of the stomach (cancer excepted)	121	77	44	167	71	212	306	28	83	73	248	7	25
104	Diarrhea and enteritis (under 2 years)	612	412	200	2,287	417	714	533	220	371	544	692	36	63
105	Diarrhea and enteritis (2 years and over)	130	104	26	270	94	133	166	61	93	146	260	12	17
106	Ankylostomiasis	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	1	1	.....	.....	1	2	2	.....	.....	1	3	.....	.....
108	Appendicitis and typhlitis	35	23	12	382	33	256	217	176	180	266	139	45	58
109	Hernia, intestinal obstruction (total)	58	39	19	328	49	200	199	86	129	185	156	21	31
	Hernia	14	8	6	133	22	45	59	44	42	81	58	10	6
	Intestinal obstruction	44	31	13	195	27	155	140	42	87	104	98	11	25
110	Other diseases of the intestines	21	17	4	77	23	36	56	24	52	46	56	6	10
111	Acute yellow atrophy of the liver	2	2	.....	11	4	8	8	4	6	6	11	.....	4
112	Hydatid tumor of the liver	.....	.....	.....	2	.....	.....	1	1	.....	2	1	.....	.....
113	Cirrhosis of the liver	44	35	9	260	78	184	203	68	102	255	176	21	25
114	Biliary calculi	14	13	1	121	17	52	52	34	47	71	64	3	5
115	Other diseases of the liver	18	13	5	108	33	93	96	24	54	67	110	10	8
116	Diseases of the spleen	1	1	.....	6	.....	2	6	1	6	.....	1	.....	.....
117	Simple peritonitis (nonpuerperal)	22	14	8	64	9	39	68	7	15	30	49	.....	15
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	3	3	.....	34	7	14	8	2	8	12	3	1	1

[1] Includes only municipalities having a population of 1,000 or over in 1910.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

New Hampshire.		New Jersey		New York.		North Carolina.[1]						Ohio.		Pennsylvania.		Rhode Island.		Utah.		Detailed Int. List No.
						Cities.			Rural districts.[2]											
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
4	6	16	16	59	69	5	5	.....	3	2	1	30	88	43	65	2	.....	1	.....	65
27	26	97	122	216	226	38	22	16	102	51	51	63	216	197	393	18	5	4	6	66
29	17	65	136	454	459	17	12	5	13	11	2	266	158	223	397	61	.....	1	7	67
6	20	10	38	79	72	12	10	2	7	3	4	87	80	46	103	10	1	3	9	68
11	17	33	51	194	167	5	5	.....	12	3	9	54	117	103	194	14	3	3	24	69
.....	.....	.....	2	.....	1	.....	.....	.....	1	.....	1	4	7	7	15	.....	.....	.....	.....	70
10	6	66	43	142	56	11	4	7	16	6	10	89	73	265	363	12	9	6	10	71
.....	1	2	1	11	4	1	1	.....	1	1	.....	2	6	11	7	.....	.....	1	1	72
4	4	14	7	48	13	1	1	.....	3	1	2	9	26	17	27	6	.....	.....	.....	73
7	14	58	41	267	85	8	6	2	14	10	4	85	91	152	144	18	3	9	7	74
.....	.....	3	.....	5	4	.....	.....	.....	1	1	.....	3	3	8	4	2	.....	.....	.....	75
3	2	36	9	198	23	5	5	.....	5	4	1	77	34	110	62	7	3	3	6	76
487	858	3,325	2,147	16,469	7,551	364	171	193	390	235	155	4,734	5,419	8,247	7,077	1,099	267	209	317	
.....	3	10	14	50	34	2	2	.....	6	5	1	27	50	36	45	5	2	2	.....	77
19	15	284	94	1,070	169	16	7	9	10	5	5	259	112	602	254	61	6	8	16	78
349	593	2,535	1,675	12,943	5,670	298	130	168	327	189	138	3,499	4,131	6,377	5,469	772	193	163	253	79
26	58	135	91	460	347	10	6	4	11	8	3	191	269	249	345	39	18	7	15	80
70	160	263	217	1,459	1,142	28	20	8	22	18	4	622	747	739	762	175	47	18	22	81
19	26	76	42	334	146	7	4	3	9	7	2	91	73	167	136	37	1	7	6	82
3	2	7	7	62	19	1	1	.....	1	1	.....	21	13	24	27	5	.....	2	.....	83
1	.....	11	6	72	16	1	.....	1	1	.....	1	13	9	42	20	4	.....	2	2	84
.....	1	4	1	19	8	1	1	.....	3	2	1	11	15	11	19	1	.....	.....	3	85
330	404	3,485	1,648	16,161	3,720	332	126	206	444	215	229	4,087	3,433	8,402	7,030	987	200	162	366	
.....	.....	.....	.....	10	1	2	.....	2	2	.....	2	3	11	5	11	.....	.....	1	.....	86
2	7	19	14	60	27	2	.....	2	5	2	3	21	25	54	77	8	2	.....	1	87
.....	.....	10	3	38	15	1	.....	1	2	2	.....	22	12	26	19	1	1	.....	2	88
50	26	172	92	930	271	18	9	9	24	7	17	242	192	535	449	62	20	6	23	89
19	46	115	80	480	252	10	5	5	18	12	6	197	184	321	298	31	6	11	15	90
71	80	1,055	442	5,734	1,102	103	40	63	124	57	67	1,462	1,142	2,899	2,530	281	54	46	104	91
167	225	1,954	921	8,166	1,833	171	60	111	233	112	121	1,928	1,653	3,908	3,098	548	111	88	203	92
102	122	1,584	682	7,330	1,418	155	51	104	175	84	91	1,864	1,508	3,326	2,140	328	46	85	159	
65	103	370	239	836	415	16	9	7	58	28	30	64	145	582	958	220	65	3	44	
8	9	62	27	400	80	5	3	2	4	3	1	84	64	244	119	20	2	3	2	93
5	7	36	27	122	60	12	5	7	16	13	3	27	50	154	134	17	2	1	2	94
.....	.....	4	.....	25	4	.....	.....	.....	.....	.....	.....	10	5	11	14	1	.....	.....	.....	95
5	2	33	16	109	42	3	1	2	10	5	5	65	57	150	152	7	1	3	6	96
.....	.....	2	5	25	12	1	.....	1	.....	.....	.....	6	6	19	13	3	.....	.....	.....	97
3	2	23	21	62	21	4	3	1	6	2	4	20	32	76	116	8	1	3	8	98
399	299	3,215	1,379	11,515	2,929	470	236	234	674	394	280	3,846	2,690	7,498	6,845	745	175	165	247	
1	2	16	4	52	17	1	.....	1	3	.....	3	19	28	32	38	2	1	1	4	99
2	6	39	11	182	47	4	3	1	5	2	3	60	61	65	88	9	4	7	8	100
.....	.....	3	2	13	4	.....	.....	.....	1	.....	1	3	4	13	10	1	.....	1	.....	101
10	7	97	26	363	90	9	7	2	12	9	3	138	98	191	100	33	4	18	8	102
26	52	150	100	341	331	49	14	35	60	35	25	206	335	453	705	40	18	7	17	103
216	77	1,653	745	5,790	996	214	100	114	362	187	175	1,556	783	3,857	3,746	369	91	22	73	104
30	32	247	122	705	343	45	30	15	52	37	15	283	273	466	581	61	17	6	15	105
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	106
.....	.....	.....	2	5	1	.....	.....	.....	.....	.....	.....	1	3	1	10	.....	.....	.....	.....	107
38	23	268	52	1,094	171	43	25	18	62	48	14	370	154	588	211	57	5	40	50	108
25	25	206	78	851	229	47	24	23	44	28	16	362	268	587	358	44	6	26	26	109
12	5	92	43	408	75	11	9	2	9	5	4	130	74	224	115	20	3	6	4	
13	20	114	35	443	154	36	15	21	35	23	12	232	194	363	243	24	3	20	22	
6	5	51	28	169	75	14	9	5	12	8	4	83	74	108	90	10	3	1	6	110
.....	1	6	2	25	19	2	1	1	1	1	.....	15	10	18	15	2	2	.....	1	111
.....	.....	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	3	.....	.....	.....	.....	112
18	35	315	138	1,192	342	10	6	4	30	18	12	413	315	588	479	64	13	13	18	113
7	14	70	27	248	53	6	3	3	3	2	1	127	97	167	89	16	2	7	6	114
10	11	56	21	306	134	7	6	1	9	8	1	126	116	228	210	24	7	14	7	115
.....	1	1	1	17	4	.....	.....	.....	.....	.....	.....	3	1	6	5	1	.....	.....	1	116
6	5	19	13	87	53	15	6	9	16	10	6	56	60	87	88	5	2	2	4	117
4	3	17	7	72	19	4	2	2	2	1	1	25	10	42	19	7	.....	.....	3	118

[1] Includes only municipalities having a population of 1,000 or over, but less than 10,000, in 1910.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1915—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	MARYLAND—continued. Rural districts. Total.	White.	Colored.	MASSACHUSETTS. Cities.	Rural districts.	MICHIGAN. Cities.	Rural districts.	MINNESOTA. Cities.	Rural districts.	MISSOURI. Cities.	Rural districts.	MONTANA. Cities.	Rural districts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,003	736	267	3,067	890	1,282	1,716	779	1,314	2,216	1,945	145	257
119	Acute nephritis	92	58	34	200	37	117	109	47	66	168	167	6	19
120	Bright's disease	852	635	217	2,420	777	898	1,333	601	1,039	1,785	1,582	105	209
121	Chyluria													
122	Other diseases of the kidneys and annexa	12	10	2	71	14	37	34	21	26	44	41	2	3
123	Calculi of the urinary passages	1	1		34	5	13	8	10	18	16	11	1	2
124	Diseases of the bladder	16	12	4	38	21	23	69	9	30	16	32	3	2
125	Diseases of the urethra, urinary abscess, etc	1		1	13	1	5	4	5	1	7	1	2	
126	Diseases of the prostate	10	8	2	106	17	67	90	36	92	65	64	5	7
127	Nonvenereal diseases of the male genital organs	1		1	5		2	1	1	1		1		
128	Uterine hemorrhage (nonpuerperal)				1	1	1	1				2		
129	Uterine tumor (noncancerous)	5	4	1	53	5	37	29	16	12	31	15	6	4
130	Other diseases of the uterus	2	2		30	5	19	13	8	11	18	7	5	5
131	Cysts and other tumors of the ovary	4	1	3	31	2	21	13	6	4	16	8		1
132	Salpingitis and other diseases of the female genital organs.	5	3	2	62	5	42	9	19	13	49	14	10	5
133	Nonpuerperal diseases of the breast (cancer excepted).	2	2		3			3		1	1			
	VII.—The puerperal state	89	63	26	452	81	262	276	95	191	198	289	30	61
134	Accidents of pregnancy	4	4		35	9	27	18	11	11	28	27	1	8
135	Puerperal hemorrhage	16	13	3	48	10	24	40	11	29	14	25	2	2
136	Other accidents of labor	14	7	7	51	13	24	23	6	22	10	24	6	10
137	Puerperal septicemia	27	19	8	140	15	109	95	34	67	111	128	13	24
138	Puerperal albuminuria and convulsions	25	18	7	138	27	66	83	28	51	33	76	8	15
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	3	2	1	39	6	11	15	3	10	2	9		2
140	Following childbirth (not otherwise defined)				1	1	1	2	2	1				
141	Puerperal diseases of the breast													
	VIII.—Diseases of the skin and of the cellular tissue	25	23	2	132	58	70	118	23	57	52	58	2	1
142	Gangrene	18	17	1	42	28	26	79	6	24	21	36		
143	Furuncle	1	1		22	5	9	9	2	7	11	3	1	
144	Acute abscess	3	3		40	7	20	7	5	7	13	6	1	1
145	Other diseases of the skin and annexa	3	2	1	28	18	15	23	10	19	7	13		
	IX.—Diseases of the bones and of the organs of locomotion	10	6	4	110	13	43	28	23	38	31	14	8	3
146	Diseases of the bones (tuberculosis excepted)	7	4	3	96	10	38	25	17	34	26	11	8	3
147	Diseases of the joints (tuberculosis and rheumatism excepted).	1		1	9	3	4	3	5	2	4	2		
148	Amputations													
149	Other diseases of the organs of locomotion	2	2		5		1		1	2	1	1		
	X.—Malformations	95	72	23	568	143	269	329	121	208	152	238	17	54
150	Congenital malformations (stillbirths not included) (total).	95	72	23	568	143	269	329	121	208	152	238	17	54
	Hydrocephalus	4	3	1	60	17	24	36	15	10	17	16	3	5
	Congenital malformations of the heart	69	50	19	332	85	154	199	63	107	93	133	10	32
	Other congenital malformations	22	19	3	176	41	91	94	43	91	42	89	4	17
	XI.—Early infancy	680	474	206	2,490	538	1,361	1,467	574	1,047	678	1,198	115	223
151	Congenital debility, icterus, and sclerema (total)	572	401	171	1,850	420	1,110	1,177	477	837	538	985	94	172
	Premature birth	327	256	71	1,301	307	760	780	375	626	450	797	74	135
	Congenital debility, "atrophy," "marasmus," etc.	245	145	100	549	113	350	397	102	211	88	188	20	37
152	Other causes peculiar to early infancy (total)	103	73	30	628	115	246	288	96	204	138	208	21	50
	Injuries at birth	46	36	10	406	60	136	157	61	107	65	105	9	31
	Other causes peculiar to early infancy [3]	57	37	20	222	55	110	131	35	97	73	103	12	19
153	Lack of care	5		5	12	3	5	2	1	6	2	5		1
	XII.—Old age	162	109	53	200	132	457	872	46	294	45	365	18	78
154	Senility	162	109	53	200	132	457	872	46	294	45	365	18	78
	XIII.—External causes	622	481	141	2,635	723	1,298	1,582	721	1,197	1,596	1,520	171	541
	Suicide (total)	71	63	8	408	99	218	247	169	192	414	261	32	71
155	By poison	12	11	1	62	11	87	54	32	22	200	74	11	11
156	By asphyxia	2	2		118	1	26	5	40	2	32	1		
157	By hanging or strangulation	11	10	1	46	21	26	59	17	63	28	48		11
158	By drowning	10	8	2	46	15	11	22	7	8	7	12		
159	By firearms	31	28	3	88	38	52	77	59	79	124	95	17	33
160	By cutting or piercing instruments	2	2		27	10	14	26	5	14	14	19	4	12
161	By jumping from high places	1	1		14	1	1	1	8		7	2		
162	By crushing	1	1		4	1	1	2		2		3		4
163	Other suicides	1		1	3	1		1	1	2	2	7		

[1] Includes only municipalities having a population of 1,000 or over in 1910.
[2] Includes only municipalities having a population of 1,000 or over, but less than 10,000, in 1910.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		Detailed Int. List No.
						Cities.			Rural districts.[2]											
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
245	323	2,594	1,365	10,742	3,361	309	153	156	349	192	157	2,893	2,559	5,898	3,928	648	139	157	199	
26	20	206	87	640	214	36	14	22	38	17	21	285	222	461	332	50	9	8	17	119
187	269	2,134	1,168	8,955	2,793	226	123	103	258	150	108	2,146	2,039	4,730	3,169	549	120	115	151	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
6	3	48	20	199	46	7	4	3	10	8	2	41	49	91	67	12	.....	2	4	122
1	1	11	5	66	12	2	1	1	1	1	.....	19	16	30	24	3	.....	2	3	123
3	16	19	16	70	82	1	.....	1	7	4	3	32	65	72	90	3	2	1	6	124
1	.....	10	2	47	7	4	1	3	5	2	3	10	4	28	7	.....	.....	1	1	125
7	8	52	35	268	108	10	4	6	12	5	7	109	98	162	127	14	4	16	7	126
.....	.....	1	.....	10	4	.....	.....	.....	.....	.....	.....	4	2	8	1	.....	.....	.....	.....	127
.....	1	1	.....	6	3	.....	.....	.....	1	.....	1	.....	1	4	3	.....	.....	.....	.....	128
5	3	40	11	161	41	12	1	11	8	2	6	71	28	107	40	6	2	3	5	129
4	.....	19	7	70	14	6	3	3	5	1	4	29	5	55	20	1	.....	3	.....	130
3	1	11	4	72	21	2	1	1	.....	.....	.....	31	11	42	23	3	2	1	2	131
2	1	38	8	168	15	3	1	2	4	2	2	115	18	104	20	7	.....	5	3	132
.....	.....	4	2	10	1	.....	.....	.....	.....	.....	.....	1	1	4	5	.....	.....	.....	.....	133
34	27	320	99	1,147	271	56	34	22	71	33	38	401	306	774	627	83	9	25	50	
3	1	27	10	106	17	6	5	1	5	2	3	45	30	66	47	7	1	5	8	134
5	3	34	15	106	32	6	3	3	7	3	4	40	41	59	64	15	1	3	3	135
2	3	34	11	124	31	6	3	3	9	1	8	25	21	67	63	2	1	3	2	136
9	10	145	36	528	100	16	8	8	22	8	14	190	114	346	241	25	1	5	21	137
15	8	65	25	230	74	20	13	7	26	17	9	86	85	213	185	31	4	5	15	138
.....	2	14	2	48	15	2	2	.....	1	1	.....	12	13	19	23	3	1	3	1	139
.....	.....	.....	.....	4	2	.....	.....	.....	1	1	.....	3	2	2	2	.....	.....	1	.....	140
.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	141
18	17	71	47	335	139	8	5	3	7	4	3	84	132	250	270	30	8	1	6	
7	6	30	26	85	78	3	2	1	2	.....	2	28	89	95	145	15	3	.....	3	142
4	2	12	4	79	12	1	1	.....	1	1	.....	19	12	43	31	7	3	.....	.....	143
1	4	12	6	100	23	3	2	1	1	1	.....	11	11	59	49	2	.....	.....	1	144
6	5	17	11	71	26	1	.....	1	3	2	1	26	20	53	45	6	2	1	2	145
5	4	52	21	286	33	9	7	2	3	2	1	88	38	171	84	15	.....	8	3	
3	1	48	16	258	27	7	5	2	3	2	1	76	31	156	68	11	.....	8	2	146
2	2	2	2	26	5	2	2	.....	.....	.....	.....	11	1	13	9	3	.....	.....	.....	147
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	148
.....	1	1	3	2	1	.....	.....	.....	.....	.....	.....	1	5	2	7	1	.....	.....	1	149
36	46	289	170	1,111	388	21	20	1	29	25	4	403	411	790	860	63	17	22	44	
36	46	289	170	1,111	388	21	20	1	29	25	4	403	411	790	860	63	17	22	44	150
5	4	33	12	113	19	2	2	.....	3	3	.....	26	16	47	56	9	.....	2	3	
22	31	169	124	590	242	9	9	.....	11	10	1	249	288	543	584	37	10	12	30	
9	11	87	34	408	127	10	9	1	15	12	3	128	107	200	220	17	7	8	11	
239	196	1,561	734	6,644	1,640	211	120	91	275	180	95	1,939	1,528	3,621	3,949	475	100	100	259	
199	157	1,240	605	5,112	1,254	181	104	77	237	159	78	1,484	1,203	2,885	3,223	376	76	81	210	151
126	107	857	392	3,388	953	126	76	50	173	127	46	1,215	894	2,062	2,076	222	47	72	192	
73	50	383	213	1,724	301	55	28	27	64	32	32	269	309	823	1,147	154	29	9	18	
39	39	320	122	1,516	374	27	15	12	33	18	15	447	316	728	710	95	23	19	47	152
18	23	190	65	867	250	11	7	4	11	5	6	275	194	413	384	73	17	15	25	
21	16	130	57	649	124	16	8	8	22	13	9	172	122	315	326	22	6	4	22	
1	.....	1	7	16	12	3	1	2	5	3	2	8	9	8	16	4	1	.....	2	153
54	149	151	192	484	519	13	8	5	46	23	23	220	564	432	796	74	38	16	105	
54	149	151	192	484	519	13	8	5	46	23	23	220	564	432	796	74	38	16	105	154
158	237	1,832	1,033	6,981	2,671	193	103	90	272	153	119	2,818	2,342	4,418	4,429	409	116	143	270	
22	50	337	172	1,329	442	18	14	4	16	15	1	447	331	614	467	73	14	29	25	
2	2	53	18	176	100	4	3	1	2	1	1	134	69	158	87	8	3	13	5	155
5	1	119	17	481	14	.....	.....	.....	.....	.....	.....	8	.....	117	7	24	1	.....	.....	156
4	14	49	36	177	115	2	2	.....	2	2	.....	70	94	79	120	5	4	1	2	157
2	3	13	18	58	33	5	4	1	1	1	.....	43	26	20	28	6	4	1	.....	158
7	20	75	69	247	128	6	4	2	10	10	.....	144	116	183	190	24	2	13	14	159
2	7	15	11	85	36	1	1	.....	1	1	.....	30	16	34	21	3	.....	1	3	160
.....	1	10	1	95	5	.....	.....	.....	.....	.....	.....	8	2	15	5	2	.....	.....	1	161
.....	1	3	1	6	4	.....	.....	.....	.....	.....	.....	3	4	4	2	1	.....	.....	.....	162
.....	1	.....	1	4	7	.....	.....	.....	.....	.....	.....	7	4	4	7	.....	.....	.....	.....	163

[2] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND 1915—

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	MARYLAND—continued. Rural districts. Total.	White.	Colored.	MASSACHUSETTS. Cities.	Rural districts.	MICHIGAN. Cities.	Rural districts.	MINNESOTA. Cities.	Rural districts.	MISSOURI. Cities.	Rural districts.	MONTANA. Cities.	Rural districts.
	XIII.—External causes—Continued.													
	Accidental or undefined (total)	513	393	120	2,135	596	1,023	1,294	508	973	976	1,154	119	437
164	Poisoning by food	6	5	1	17	8	16	17	8	14	11	23	1	4
165	Other acute poisonings	19	11	8	61	12	30	48	13	25	31	39	2	6
166	Conflagration	7	6	1	61	16	17	30	11	28	9	15	1	10
167	Burns (conflagration excepted)	49	35	14	234	30	82	87	34	62	81	95	4	20
168	Absorption of deleterious gases (conflagration excepted)	7	5	2	130	18	45	30	59	27	34	27	2	8
169	Accidental drowning	130	92	38	201	159	93	180	38	165	62	131	3	52
170	Traumatism by firearms	18	9	9	20	10	18	42	12	45	33	57	6	21
171	Traumatism by cutting or piercing instruments	2	1	1	1	1	1	4	.....	1	6	1	.....	.....
172	Traumatism by fall	69	55	14	585	133	201	260	113	144	235	237	16	33
173	Traumatism in mines and quarries (total)	9	9	.....	4	3	18	87	1	31	39	46	19	61
	Traumatism in mines	8	8	.....	.....	.....	18	87	1	30	38	43	18	58
	Traumatism in quarries	1	1	.....	4	3	.....	.....	.....	1	1	3	1	3
174	Traumatism by machines	9	8	1	65	6	37	23	14	33	22	29	2	10
175	Traumatism by other crushing (total)	118	104	14	606	149	380	339	157	264	315	260	51	147
	Railroad accidents and injuries	74	66	8	189	64	124	171	75	139	117	172	24	64
	Street-car accidents and injuries	7	4	3	78	13	75	33	16	3	53	1	7	.....
	Automobile accidents and injuries	18	18	.....	221	44	133	55	43	42	101	21	10	21
	Injuries by other vehicles	13	11	2	110	21	43	62	22	66	42	60	9	51
	Landslide, other crushing	6	5	1	8	7	5	18	1	14	2	6	1	11
176	Injuries by animals	5	3	2	6	3	6	29	6	32	6	32	1	13
177	Starvation	1	.....	1	1	.....	.....	2	.....	2	.....	.....	.....	1
178	Excessive cold	7	3	4	12	6	4	10	2	15	7	17	.....	7
179	Effects of heat	8	6	2	11	6	8	3	.....	6	6	11	1	1
180	Lightning	9	9	.....	1	2	.....	9	.....	13	.....	25	1	20
181	Electricity (lightning excepted)	3	3	.....	17	5	14	20	5	9	13	5	6	4
185	Fractures (cause not specified)	8	8	.....	10	3	6	1	1	4	14	7	.....	.....
186	Other external violence	29	21	8	92	26	47	73	34	53	52	97	3	19
	Homicide (total)	38	25	13	92	28	57	41	44	32	206	105	20	33
182	By firearms	26	18	8	42	13	32	21	26	16	142	69	12	29
183	By cutting or piercing instruments	1	.....	1	14	6	8	6	2	2	32	18	2	.....
184	By other means	11	7	4	36	9	17	14	16	14	32	18	6	4
	XIV.—Ill-defined diseases	281	133	148	175	41	61	200	9	161	47	610	21	81
187	Ill-defined organic disease	11	4	7	1	1	10	16	.....	.....	2	20	1	1
188	Sudden death	16	12	4	15	1	2	12	1	8	2	15	.....	7
189	Not specified or ill-defined (total)	254	117	137	159	39	49	172	8	153	43	575	20	73
	Ill-defined	108	65	43	105	36	40	81	5	41	16	123	11	18
	Not specified or unknown	146	52	94	54	3	9	91	3	112	27	452	9	55

[1] Includes only municipalities having a population of 1,000 or over in 1910.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		Detailed Int. List No.
						Cities.			Rural districts.[2]											
Cities	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
132	181	1,408	825	5,286	2,149	145	76	69	219	129	90	2,136	1,933	3,576	3,788	325	95	102	221	
3	6	14	16	24	26	4	1	3	11	7	4	20	37	24	32	1	2	2	4	164
4	5	26	17	119	55	4	2	2	12	6	6	49	45	67	83	6	5	4	4	165
6	2	27	13	75	46	.....	.....	.....	3	2	1	44	34	59	67	7	2	.....	6	166
7	15	183	67	591	102	18	6	12	37	19	18	195	146	442	359	50	10	3	19	167
6	1	106	31	414	51	8	4	4	11	5	6	81	52	114	67	13	1	4	6	168
18	30	146	208	666	355	10	6	4	17	8	9	145	166	241	293	31	33	3	12	169
4	4	13	16	34	54	13	5	8	15	10	5	30	57	39	73	2	1	4	13	170
1	2	.....	.....	8	6	1	.....	1	.....	.....	.....	4	4	1	5	1	.....	.....	1	171
31	44	296	126	1,383	485	17	13	4	19	12	7	493	446	784	584	67	17	11	26	172
1	.....	1	8	.....	14	.....	.....	.....	1	1	.....	17	63	381	762	.....	.....	9	34	173
.....	.....	1	7	.....	10	.....	.....	.....	1	1	.....	14	59	373	736	.....	.....	9	34	
1	.....	.....	1	.....	4	.....	.....	.....	.....	.....	.....	3	4	8	26	.....	.....	.....	.....	
7	4	39	20	132	41	4	3	1	7	5	2	76	50	98	91	9	.....	1	4	174
29	51	451	241	1,395	678	31	15	16	53	36	17	806	628	1,041	1,068	107	17	46	62	175
16	16	206	147	345	376	20	9	11	38	26	12	380	370	489	664	21	7	19	28	
1	4	43	6	205	35	.....	.....	.....	1	1	.....	113	56	128	59	17	1	4	4	
9	17	135	57	531	161	7	4	3	9	7	2	216	100	276	190	52	5	15	8	
2	13	62	23	275	93	1	1	.....	1	1	.....	77	86	130	136	13	3	7	22	
1	1	5	8	39	13	3	1	2	4	1	3	20	16	18	19	4	1	1	.....	
.....	5	5	5	25	39	1	1	.....	2	2	.....	9	27	19	36	2	1	5	6	176
.....	.....	.....	2	5	3	.....	.....	.....	.....	.....	.....	2	2	1	4	.....	.....	.....	.....	177
3	1	8	6	20	31	1	.....	1	.....	.....	.....	4	8	15	31	4	1	.....	2	178
3	.....	18	5	51	11	1	1	.....	2	.....	2	21	14	68	32	2	.....	.....	1	179
1	.....	1	2	2	17	1	1	.....	3	1	2	.....	11	.....	16	2	1	.....	4	180
2	2	4	11	47	18	1	1	.....	3	3	.....	28	20	20	36	4	.....	1	6	181
.....	1	10	6	45	20	6	4	2	6	4	2	9	34	6	1	2	.....	1	.....	185
6	8	60	25	250	97	24	13	11	17	8	9	103	89	156	148	15	4	8	11	186
4	6	87	36	366	80	30	13	17	37	9	28	235	78	228	174	11	7	12	24	
3	3	39	18	178	39	17	8	9	32	8	24	128	45	119	100	5	4	9	16	182
.....	1	12	6	65	12	4	1	3	2	.....	2	39	8	37	18	3	.....	.....	4	183
1	2	36	12	123	29	9	4	5	3	1	2	68	25	72	56	3	3	3	4	184
11	16	35	31	80	103	110	32	78	321	98	223	144	245	135	569	38	7	42	69	
.....	.....	2	1	3	7	2	.....	2	5	2	3	1	8	4	29	.....	.....	.....	4	187
2	5	1	1	1	16	7	4	3	23	13	10	14	18	8	85	8	.....	.....	5	188
9	11	32	29	76	80	101	28	73	293	83	210	129	219	123	455	30	7	42	60	189
9	8	30	23	61	60	14	10	4	43	19	24	40	79	105	345	16	4	41	44	
.....	3	2	6	15	20	87	18	69	250	64	186	89	140	18	110	14	3	1	16	

[1] Includes only municipalities having a population of 1,000 or over, but less than 10,000, in 1910.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
				Cities.			Rural districts.						
		Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes	783	4,540	8,113	4,249	3,864	22,614	13,039	9,575	5,577	6,318	9,919	16,793
	I.—General diseases	210	1,001	2,030	1,060	970	6,681	3,625	3,056	1,432	1,677	2,629	4,208
1	Typhoid fever	17	30	79	42	37	435	249	186	48	71	58	61
2	Typhus fever												
3	Relapsing fever												
4	Malaria		3	24	5	19	129	37	92	1	3		1
5	Smallpox		1				4	1	3		1	2	4
6	Measles		3	13	8	5	45	30	15		17	30	23
7	Scarlet fever	1	3	2	2		22	19	3	5	2	46	43
8	Whooping cough	5	18	32	12	20	286	128	158	22	21	77	114
9	Diphtheria and croup	8	32	30	21	9	344	265	79	14	26	130	82
10	Influenza	8	107	95	45	50	316	213	103	68	78	119	271
11	Miliary fever												
12	Asiatic cholera												
13	Cholera nostras			2		2	13	8	5		1	1	1
14	Dysentery	3	16	60	23	37	190	100	90	2	10	8	20
15	Plague												
16	Yellow fever												
17	Leprosy												
18	Erysipelas	5	11	11	11		43	32	11	17	12	19	44
19	Other epidemic diseases						7	5	2	2	1	1	1
20	Purulent infection and septicemia		8	24	19	5	46	31	15	10	10	19	19
21	Glanders												
22	Anthrax												
23	Rabies			1		1	1	1			1		
24	Tetanus	1	4	28	9	19	31	14	17	4	2	10	24
25	Mycoses		1									1	1
26	Pellagra	1	2	110	70	40	222	111	111	2			1
27	Beriberi										3		
	Tuberculosis (total)	83	247	925	395	530	3,078	1,370	1,708	497	778	876	1,511
28	Tuberculosis of the lungs	60	203	761	316	445	2,705	1,192	1,513	377	690	698	1,288
29	Acute miliary tuberculosis	5	3	41	7	34	101	30	71	13	17	27	41
30	Tuberculous meningitis	15	16	42	30	12	78	47	31	55	37	74	78
31	Abdominal tuberculosis	1	14	52	23	29	116	55	61	25	14	34	54
32	Pott's disease		2	10	8	2	19	14	5	5	7	9	9
33	White swellings		2	3	1	2	7	4	3	2		6	7
34	Tuberculosis of other organs	1	5	13	7	6	46	26	20	17	8	22	25
35	Disseminated tuberculosis	1	2	3	3		6	2	4	3	5	6	9
36	Rickets		1	5		5	12	6	6	2	3	15	4
37	Syphilis	5	18	82	26	56	139	34	105	31	26	40	42
38	Gonococcus infection	1	1	2		2	10	4	6	3	1	5	2
	Cancer and other malignant tumors (total)	45	332	334	254	80	832	619	213	452	389	765	1,242
39	Of the buccal cavity		20	7	5	2	28	20	8	12	18	28	51
40	Of the stomach, liver	11	128	98	80	18	321	248	73	174	172	365	610
41	Of the peritoneum, intestines, rectum	4	43	42	33	9	73	59	14	65	44	99	159
42	Of the female genital organs	12	49	82	51	31	155	90	65	65	45	97	97
43	Of the breast	11	22	32	24	8	76	54	22	32	27	47	84
44	Of the skin	1	19	20	20		57	53	4	15	14	21	52
45	Of other organs or of organs not specified	6	51	53	41	12	122	95	27	89	69	108	189
46	Other tumors (tumors of the female genital organs excepted)		1	1		1	12	6	6	2	3	8	11
47	Acute articular rheumatism	2	19	26	15	11	112	64	48	17	28	42	87
48	Chronic rheumatism and gout		8	5	4	1	21	19	2	5	13	16	24
49	Scurvy		1	1		1	2	1	1				3
50	Diabetes	12	63	59	44	15	152	111	41	108	84	162	292
51	Exophthalmic goiter	2	4	11	8	3	10	9	1	11	6	27	36
52	Addison's disease		1	1		1	4	4		4	2	3	5
53	Leukemia		8	8	7	1	20	18	2	14	8	26	43
54	Anemia, chlorosis	7	32	28	19	9	41	35	6	26	27	62	106
55	Other general diseases		8	6	2	4	41	29	12	18	11	18	20
56	Alcoholism (acute or chronic)	2	14	19	13	6	46	37	9	39	35	38	66
57	Chronic lead poisoning		1				1	1		2		1	
58	Other chronic occupation poisonings										1		
59	Other chronic poisonings	2	3	6	6		14	14		6	3	4	4
	II.—Diseases of the nervous system and of the organs of special sense	73	602	858	464	394	2,317	1,419	898	488	724	900	1,993
60	Encephalitis		4	3	1	2	12	9	3	3	4	5	12
61	Meningitis (total)	3	23	52	27	25	196	123	73	31	32	80	103
	Simple meningitis	2	17	43	23	20	118	75	43	12	13	45	47
	Cerebrospinal meningitis (undefined)	1	2	5	3	2	71	43	28	19	17	19	24
	Cerebrospinal fever		4	4	1	3	7	5	2		2	16	32
62	Locomotor ataxia	4	9	13	12	1	34	31	3	10	12	18	27
63	Other diseases of the spinal cord (total)	2	32	28	16	12	84	58	26	35	41	33	72
	Acute anterior poliomyelitis	1	17	5	2	3	32	19	13	2	5	3	10
	Other diseases of the spinal cord [1]	1	15	23	14	9	52	39	13	33	36	30	62
64	Cerebral hemorrhage, apoplexy	51	432	524	275	249	930	587	343	294	374	522	1,174

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
				Total.	White.	Colored.	Total.	White.	Colored.				
	II.—Diseases of the nervous system and of the organs of special sense—Contd.												
65	Softening of the brain	1	9	14	12	2	46	35	11	6	3	6	25
66	Paralysis without specified cause		16	103	45	58	521	311	210	27	75	32	151
67	General paralysis of the insane	3	24	18	16	2	63	39	24	16	63	18	96
68	Other forms of mental alienation		11	6	5	1	51	34	17	7	38	12	37
69	Epilepsy	1	20	14	7	7	125	66	59	8	38	24	68
70	Convulsions (nonpuerperal)			4	2	2	11	2	9		1	1	2
71	Convulsions of infants	3	9	30	10	20	140	53	87	9	14	93	144
72	Chorea			3	1	2	3	1	2				3
73	Neuralgia and neuritis		1	1	1		13	10	3	1	4	3	13
74	Other diseases of the nervous system	3	10	31	21	10	66	41	25	25	19	36	49
75	Diseases of the eyes and their annexa			1	1		1		1			1	1
76	Diseases of the ears	2	2	13	12	1	21	19	2	16	6	16	16
	III.—Diseases of the circulatory system	131	921	956	522	434	2,455	1,468	987	845	763	1,239	2,589
77	Pericarditis	1	5	8	4	4	15	10	5	4	2	4	14
78	Acute endocarditis	4	28	70	18	52	38	19	19	69	37	98	91
79	Organic diseases of the heart	88	637	752	416	336	2,094	1,228	866	618	588	868	1,961
80	Angina pectoris	8	57	32	22	10	89	66	23	42	43	50	83
81	Diseases of the arteries, atheroma, aneurism, etc.	25	164	73	49	24	163	105	58	76	67	178	376
82	Embolism and thrombosis	4	28	15	9	6	33	28	5	18	18	27	44
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1	1	2	1	1	5	5		9	4	7	7
84	Diseases of the lymphatic system (lymphangitis, etc.)		1	2	2		3	2	1	3	2	6	4
85	Hemorrhage; other diseases of the circulatory system			2	1	1	15	5	10	6	2	1	9
	IV.—Diseases of the respiratory system	68	487	1,044	405	639	2,117	1,218	899	509	537	1,426	1,924
86	Diseases of the nasal fossae			2	1	1	19	8	11	2			2
87	Diseases of the larynx	1	4	9	2	7	31	25	6	3	10	8	13
88	Diseases of the thyroid body		2	2	2		8	4	4	7	5	10	2
89	Acute bronchitis	8	42	52	13	39	116	60	56	11	27	120	130
90	Chronic bronchitis	5	41	35	19	16	113	69	44	26	21	104	147
91	Bronchopneumonia	15	118	254	83	171	345	224	121	138	179	388	462
92	Pneumonia (total)	37	246	570	245	325	1,297	732	565	269	254	713	1,031
	Lobar pneumonia	23	120	411	168	243	450	251	199	258	232	477	624
	Pneumonia (undefined)	14	126	159	77	82	847	481	366	11	22	236	407
93	Pleurisy		11	15	5	10	32	20	12	28	8	33	32
94	Pulmonary congestion, pulmonary apoplexy		11	47	17	30	47	34	13	7	9	11	32
95	Gangrene of the lung	2	1	2	2		4	2	2	2		5	3
96	Asthma		4	23	7	16	47	19	28	13	14	19	51
97	Pulmonary emphysema		1	4		4	6	3	3		2	10	4
98	Other diseases of the respiratory system (tuberculosis excepted)		6	29	9	20	52	18	34	3	8	5	15
	V.—Diseases of the digestive system	84	381	899	459	440	2,034	1,212	822	552	490	1,155	1,345
99	Diseases of the mouth and annexa	1	1	7	5	2	50	13	37	3	3	8	11
100	Diseases of the pharynx	3	3	13	6	7	45	33	12	18	9	26	18
101	Diseases of the esophagus						4	2	2				3
102	Ulcer of the stomach		14	22	12	10	44	26	18	36	19	58	51
103	Other diseases of the stomach (cancer excepted)	3	28	91	30	61	280	162	118	28	44	76	126
104	Diarrhea and enteritis (under 2 years)	28	132	356	146	210	847	509	338	72	112	368	369
105	Diarrhea and enteritis (2 years and over)	7	50	86	53	33	266	169	97	54	60	82	109
106	Ankylostomiasis						2	1	1				
107	Intestinal parasites		2	2	1	1	21	12	9				1
108	Appendicitis and typhlitis	13	25	82	58	24	91	56	35	114	55	194	154
109	Hernia, intestinal obstruction (total)	16	36	79	45	34	117	62	55	60	50	100	180
	Hernia	4	13	26	18	8	31	13	18	22	14	26	49
	Intestinal obstruction	12	23	53	27	26	86	49	37	38	36	74	131
110	Other diseases of the intestines	2	6	21	16	5	33	18	15	21	20	21	40
111	Acute yellow atrophy of the liver			1	1		4	3	1	1	2		8
112	Hydatid tumor of the liver						1		1			1	
113	Cirrhosis of the liver	6	41	59	33	26	93	62	31	62	55	125	157
114	Biliary calculi	2	4	22	15	7	22	14	8	37	18	31	41
115	Other diseases of the liver	1	23	26	19	7	50	31	19	26	27	50	57
116	Diseases of the spleen		2				2	2		3			5
117	Simple peritonitis (nonpuerperal)	1	14	28	16	12	54	30	24	9	11	5	11
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1		4	3	1	8	7	1	8	5	10	4

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed Int. List No.	CAUSE OF DEATH.	VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
				Total.	White.	Colored.	Total.	White.	Colored.				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	74	434	876	522	354	1,797	1,072	725	553	416	707	1,139
119	Acute nephritis	2	31	108	36	72	146	70	76	34	21	54	69
120	Bright's disease	55	356	652	416	236	1,469	887	582	404	328	549	921
121	Chyluria												
122	Other diseases of the kidneys and annexa	3	2	9	7	2	43	26	17	17	11	16	30
123	Calculi of the urinary passages			7	7		9	6	3	3	2	6	1
124	Diseases of the bladder		20	6	4	2	39	23	16	8	17	14	46
125	Diseases of the urethra, urinary abscess, etc			6	3	3	2	2		1	1		2
126	Diseases of the prostate	3	13	26	19	7	49	36	13	26	19	21	41
127	Nonvenereal diseases of the male genital organs		1	1		1				1	3	2	3
128	Uterine hemorrhage (nonpuerperal)		1				2	2				2	1
129	Uterine tumor (noncancerous)	7	4	22	11	11	12	5	7	13	5	11	4
130	Other diseases of the uterus		1	10	5	5	9	6	3	16	4	9	6
131	Cysts and other tumors of the ovary	1	3	5	2	3	9	6	3	9	2	6	9
132	Salpingitis and other diseases of the female genital organs	3	2	24	12	12	8	3	5	21	3	16	6
133	Nonpuerperal diseases of the breast (cancer excepted)											1	
	VII.—The puerperal state	6	42	113	60	53	356	186	170	85	71	121	195
134	Accidents of pregnancy		4	11	6	5	33	18	15	13	9	14	10
135	Puerperal hemorrhage		3	8	4	4	40	23	17	9	7	13	21
136	Other accidents of labor		9	12	6	6	45	24	21	7	9	8	24
137	Puerperal septicemia	3	9	41	17	24	120	69	51	35	30	51	81
138	Puerperal albuminuria and convulsions	2	13	40	26	14	104	45	59	18	14	27	51
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1	1	1	1		14	7	7	1	2	8	8
140	Following childbirth (not otherwise defined)		3							2			
141	Puerperal diseases of the breast												
	VIII.—Diseases of the skin and of the cellular tissue	2	20	27	17	10	67	37	30	10	17	27	68
142	Gangrene	1	9	15	8	7	36	18	18	3	8	10	31
143	Furuncle	1	4	2	2		5	4	1	2	1	3	4
144	Acute abscess		2	4	2	2	4	3	1	2	3	7	10
145	Other diseases of the skin and annexa		5	6	5	1	22	12	10	3	5	7	23
	IX.—Diseases of the bones and of the organs of locomotion	3	7	14	11	3	26	21	5	16	7	20	19
146	Diseases of the bones (tuberculosis excepted)	2	3	13	11	2	21	17	4	15	4	16	17
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	3				3	3		1	3	4	1
148	Amputations						1		1				
149	Other diseases of the organs of locomotion		1	1		1	1	1					1
	X.—Malformations	8	51	44	38	6	186	154	32	67	77	98	173
150	Congenital malformations (stillbirths not included) (total)	8	51	44	38	6	186	154	32	67	77	98	173
	Hydrocephalus		4	1	1		22	14	8	8	8	13	25
	Congenital malformations of the heart	7	33	25	21	4	93	83	10	42	51	53	83
	Other congenital malformations	1	14	18	16	2	71	57	14	17	18	32	65
	XI.—Early infancy	65	205	476	260	216	1,452	903	549	287	374	728	1,195
151	Congenital debility, icterus, and sclerema (total)	57	164	404	217	187	1,251	779	472	225	289	572	1,003
	Premature birth	27	118	256	153	103	772	529	243	180	192	396	709
	Congenital debility, "atrophy," "marasmus," etc	30	46	148	64	84	479	250	229	45	97	176	294
152	Other causes peculiar to early infancy (total)	6	41	69	43	26	188	122	66	62	85	155	184
	Injuries at birth	5	22	44	27	17	118	83	35	42	40	88	109
	Other causes peculiar to early infancy [1]	1	19	25	16	9	70	39	31	20	45	67	75
153	Lack of care	2		3		3	13	2	11			1	8
	XII.—Old age	14	120	71	52	19	691	370	321	69	168	244	803
154	Senility	14	120	71	52	19	691	370	321	69	168	244	803
	XIII.—External causes	44	261	606	348	258	1,381	827	554	637	848	613	1,086
	Suicide (total)	6	54	69	61	8	114	98	16	169	135	131	207
155	By poison	2	10	23	20	3	17	15	2	42	12	32	36
156	By asphyxia	1	1	7	7					19		8	3
157	By hanging or strangulation		18	2	2		11	11		10	29	30	84
158	By drowning		3	2	1	1	12	11	1	16	14	13	12
159	By firearms	1	19	30	28	2	63	51	12	64	64	38	53
160	By cutting or piercing instruments	2	1	2	1	1	5	4	1	10	9	4	11
161	By jumping from high places		2	1	1		3	3		6	1	4	2
162	By crushing			1	1						2	1	2
163	Other suicides			1		1	3	3		2	4	1	4

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1915—Continued.

[The term "cities" as here used is restricted to municipalities having 10,000 or more inhabitants in 1910, smaller places being included with the "rural districts."]

Detailed List No.	CAUSE OF DEATH.	VERMONT.		VIRGINIA.						WASHINGTON.		WISCONSIN.	
		Cities.	Rural districts.	Cities.			Rural districts.			Cities.	Rural districts.	Cities.	Rural districts.
				Total.	White.	Colored.	Total.	White.	Colored.				
	XIII.—External causes—Continued.												
	Accidental or undefined (total)	36	202	430	264	166	1,094	657	437	415	654	454	853
164	Poisoning by food		3	5	4	1	18	14	4	14	6	3	9
165	Other acute poisonings		6	14	10	4	40	23	17	7	19	10	17
166	Conflagration		4	11	6	5	48	7	4	8	12	3	29
167	Burns (conflagration excepted)	4	6	57	30	27	174	86	88	21	29	37	47
168	Absorption of deleterious gases (conflagration excepted)	4	2	22	13	9	32	21	11	16	15	19	20
169	Accidental drowning	5	27	42	20	22	128	77	51	65	144	56	117
170	Traumatism by firearms	1	13	20	9	11	99	48	51	7	27	14	72
171	Traumatism by cutting or piercing instruments		1				5	2	3			1	1
172	Traumatism by fall	7	60	77	62	15	136	106	30	73	60	89	124
173	Traumatism in mines and quarries (total)	3	8	2	2		53	42	11	3	49		7
	Traumatism in mines			2	2		50	41	9	2	46		6
	Traumatism in quarries	3	8				3	1	2	1	3		1
174	Traumatism by machines		6	12	9	3	24	17	7	17	22	13	8
175	Traumatism by other crushing (total)	7	42	120	78	42	207	138	69	136	171	168	265
	Railroad accidents and injuries	4	16	62	35	27	141	87	54	41	69	88	132
	Street-car accidents and injuries		1	16	10	6	7	5	2	8		19	6
	Automobile accidents and injuries	2	11	26	23	3	19	17	2	63	42	31	38
	Injuries by other vehicles	1	12	15	9	6	27	21	6	18	27	30	83
	Landslide, other crushing		2	1	1		13	8	5	6	33		6
176	Injuries by animals		3	2	2		17	13	4	2	14	2	24
177	Starvation						4	1	3				
178	Excessive cold		2	3		3	13	4	9	1	6	6	13
179	Effects of heat		1	7	2	5	6	2	4		2	1	3
180	Lightning						11	10	1		1		4
181	Electricity (lightning excepted)	2	3	10	8	2	4	4		3	4	8	11
185	Fractures (cause not specified)			3	3		5	2	3	4			2
186	Other external violence	3	15	23	6	17	70	40	30	38	73	24	80
	Homicide (total)	2	5	107	23	84	173	72	101	53	59	28	26
182	By firearms		4	58	11	47	128	48	80	29	40	10	13
183	By cutting or piercing instruments			25	3	22	13	4	9	6	4	2	3
184	By other means	2	1	24	9	15	32	20	12	18	15	16	10
	XIV.—Ill-defined diseases	1	8	99	31	68	1,054	527	527	27	149	12	56
187	Ill-defined organic disease		2	5		5	98	42	56		7	1	11
188	Sudden death			3	1	2	81	48	33		3		12
189	Not specified or ill-defined (total)	1	6	91	30	61	875	437	438	27	139	11	41
	Ill-defined		1	69	22	47	341	183	158	17	36	9	25
	Not specified or unknown	1	5	22	8	14	534	254	280	10	103	2	16

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed List No.	Int.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		All causes		909,155	148,561	28,884	12,424	7,691	5,663	203,223	17,738	12,583	21,186	32,588
		Males		494,595	84,047	15,290	6,647	3,988	3,042	113,014	9,507	6,655	10,683	16,895
		Females		414,560	64,514	13,594	5,777	3,703	2,621	90,209	8,231	5,928	10,503	15,693
		I.—General diseases		240,858	13,960	7,788	4,624	3,321	2,517	32,210	7,608	4,951	9,863	15,820
		Males		123,825	7,521	4,015	2,439	1,676	1,302	16,953	3,762	2,144	4,322	7,869
		Females		117,033	6,439	3,773	2,185	1,645	1,215	15,257	3,846	2,807	5,541	7,951
1		Typhoid fever	M	4,995	27	53	56	46	56	238	263	299	610	792
			F	3,337	20	28	46	52	45	191	265	338	500	500
2		Typhus fever	M	1										
			F	1							1			
3		Relapsing fever	M											
			F											
4		Malaria	M	791	85	29	33	18	22	187	48	34	37	43
			F	750	59	56	40	25	23	203	50	30	31	50
5		Smallpox	M	96	9	2	1	2	1	15	7		8	9
			F	73	9	3	1	2	1	16	5	5	6	5
6		Measles	M	1,908	547	689	251	116	61	1,664	111	30	29	25
			F	1,741	418	586	246	118	63	1,431	148	41	25	25
7		Scarlet fever	M	1,205	74	149	161	161	104	649	322	110	47	29
			F	1,214	72	129	126	136	97	560	353	135	45	46
8		Whooping cough	M	2,540	1,521	575	194	87	53	2,430	87	8	1	1
			F	2,881	1,598	716	236	126	65	2,741	106	13	5	2
9		Diphtheria and croup	M	5,383	474	892	848	707	563	3,484	1,301	317	68	58
			F	5,161	395	775	710	650	515	3,045	1,408	353	104	50
10		Influenza	M	4,896	541	182	72	29	30	854	61	52	71	86
			F	5,872	441	114	76	42	28	701	74	50	68	79
11		Miliary fever	M											
			F											
12		Asiatic cholera	M											
			F											
13		Cholera nostras	M	106	30	11	2	3	2	48	5	3	2	1
			F	104	18	11	2	1	1	33	5	3	1	3
14		Dysentery	M	1,219	264	168	81	31	17	561	32	8	19	18
			F	1,300	227	143	61	32	14	477	35	10	5	18
15		Plague	M	1										1
			F											
16		Yellow fever	M											
			F											
17		Leprosy	M	9									1	2
			F	4										1
18		Erysipelas	M	1,248	356	15	8	5	1	385	5	8	16	12
			F	1,092	394	30	18	2	3	447	11	13	16	23
19		Other epidemic diseases	M	134	45	28	13	6	4	96	9	4	2	4
			F	101	29	19	12	4	1	65	4	6	2	2
20		Purulent infection and septicemia	M	928	76	13	17	14	7	127	39	43	33	38
			F	627	55	21	12	6	8	102	25	28	30	37
21		Glanders	M	4										
			F											
22		Anthrax	M	28		1				1		1	1	2
			F	7							2		1	3
23		Rabies	M	39	1	1		1	2	5	13	4	2	2
			F	13			3			3	4			1
24		Tetanus	M	876	182	7	9	15	20	233	98	86	58	62
			F	353	117	2	6	10	11	146	44	26	10	14
25		Mycoses	M	28	1					1			2	2
			F	14	1	1				2			1	2
26		Pellagra	M	874	2	3	3	4	3	15	22	16	10	36
			F	1,969	4	7	1	5	3	20	25	33	72	184
27		Beriberi	M	3					1	1		1		
			F	3	1					1				
		Tuberculosis (total)	M	56,081	1,370	928	511	312	240	3,361	811	673	2,770	5,953
			F	42,113	1,096	863	478	321	244	3,002	845	1,216	4,078	6,181
28		Tuberculosis of the lungs	M	47,933	405	257	110	64	65	901	259	340	2,294	5,241
			F	34,920	319	244	117	92	60	832	323	844	3,499	5,516
29		Acute miliary tuberculosis	M	1,737	67	46	26	17	8	164	35	37	141	250
			F	1,403	60	58	27	12	12	169	54	81	232	246
30		Tuberculous meningitis	M	2,877	664	507	298	170	114	1,753	328	129	114	121
			F	2,568	530	480	275	164	135	1,584	314	139	129	107
31		Abdominal tuberculosis	M	1,578	102	69	39	35	24	269	86	65	83	152
			F	1,832	79	52	31	24	15	201	66	70	132	202
32		Pott's disease	M	525	10	8	11	11	15	55	44	38	42	66
			F	352	14	5	8	6	11	44	42	26	24	23
33		White swellings	M	309	13	3	6	6	3	31	24	19	28	32
			F	154	8	4	1	7	2	22	18	16	7	9
34		Tuberculosis of other organs	M	755	58	26	10	7	8	109	24	28	48	54
			F	575	44	10	12	8	3	77	21	33	32	42
35		Disseminated tuberculosis	M	367	51	12	11	2	3	79	11	17	20	37
			F	309	42	10	7	8	6	73	7	7	23	36
36		Rickets	M	242	148	50	19	7	4	228	10			
			F	232	120	62	15	9		206	4	2	1	2
37		Syphilis	M	3,715	1,118	67	23	13	7	1,228	31	20	41	106
			F	2,104	904	76	24	11	6	1,021	11	18	39	87
38		Gonococcus infection	M	106	38					38	1		4	11
			F	234	41	4		1	1	47	1		20	28

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915.

DEATHS AT AGE OF—																Deaths at unknown age.	Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
35,623	36,313	40,788	41,505	44,777	49,941	53,232	57,807	62,433	65,879	57,766	42,146	22,299	7,771	1,870	547	1,140	
19,144	20,274	23,305	23,939	26,366	28,947	30,723	32,283	33,829	34,536	29,044	20,207	10,303	3,160	774	196	811	
16,479	16,039	17,483	17,566	18,411	20,994	22,509	25,524	28,604	31,343	28,722	21,939	11,996	4,611	1,096	351	329	
16,611	15,838	16,369	15,783	15,627	16,239	15,753	15,221	13,910	12,014	8,667	5,050	2,204	707	145	37	231	
8,800	8,813	9,135	8,669	8,649	8,675	8,227	7,718	6,867	5,705	3,931	2,175	936	266	60	13	136	
7,811	7,025	7,234	7,114	6,978	7,564	7,526	7,503	7,043	6,309	4,736	2,875	1,268	441	85	24	95	
656	483	438	320	251	186	156	108	93	46	23	13	4	1			15	1
347	248	231	156	129	138	88	70	64	40	20	6	2	1			3	
						1											2
																	3
45	38	34	42	50	57	33	46	28	24	18	11	7	3			6	4
38	35	45	32	32	31	36	27	29	28	27	14	6	2		2	2	
10	7	3	9	7	5	6	5	3	1	1							5
10	5	4	2	1	2	3	3	1	1	2		2					
13	2	5	5	4	6	8	1	1	3							1	6
15	15	7	9	3	7	5	4	3	2	1							
15	12	6	4	3	3	2	1	1								1	7
29	18	12	8	3	4	1											
3				1				1	6	1	1						8
2	1	1	1	1		1	2		2	1		1				1	
34	31	19	26	16	6	6	9	2	1	2						3	9
39	31	28	22	17	21	18	10	4	4	3	3					1	
87	93	88	128	181	221	259	314	392	482	541	529	292	128	27	4	6	10
92	83	123	124	175	210	267	362	502	711	816	718	467	196	38	6	10	
																	11
																	12
	1	1	1	3	2	5	4	7	1	14	3	2	2	1			13
1	1	1			3	4	8	6	8	13	10	4					
19	15	21	19	38	37	41	47	59	81	100	60	28	9	3	1	3	14
19	23	25	25	22	43	39	65	86	100	109	113	55	21	6	3	1	
																	15
																	16
	1				1	1	2		1								17
	1	1					1										
36	51	70	82	54	81	87	70	77	65	76	32	29	10	1		1	18
22	37	37	38	52	53	49	50	64	50	51	41	25	9	2	1	1	
2	1	3	2	4	1		1	3		1	1						19
3		3	4	1		2	2	5	1			1					
46	39	67	70	60	76	65	64	46	41	34	18	14	4			4	20
55	44	33	26	25	31	38	44	27	27	19	25	6	4	1			
1				2		1											21
4	3	2	1	2	4	2	1	3	1								22
		1															
5		2	1	3		1			1								23
		2			2	1											
45	51	55	39	33	35	29	22	14	6	6	2					2	24
10	16	18	15	5	7	9	12	11	4	5		1					
4	2	4	2	2		3	2	3	1								25
	1		1	1	2		1	1		2							
45	66	69	83	90	109	100	79	58	44	19	5	3			2	3	26
220	216	280	207	162	152	101	114	77	45	28	13	8	2	2		8	
1																	27
	1		1														
6,750	6,574	6,420	5,550	4,794	3,941	2,927	2,198	1,531	997	513	192	61	6	4	1	54	
5,906	4,745	4,079	3,016	2,176	1,696	1,371	1,207	994	779	482	206	69	17	4	2	42	
6,119	6,014	5,899	5,126	4,409	3,626	2,693	1,997	1,381	878	474	170	51	6	3	1	51	28
5,297	4,250	3,678	2,702	1,924	1,499	1,205	1,037	884	702	432	180	58	16	4		38	
219	211	207	140	123	79	50	40	22	10	4	4	1					29
192	136	93	67	57	29	15	23	6	1	2							
92	86	73	51	50	28	19	20	8	3	2							30
71	55	48	37	28	18	14	7	5	9	1	1	1					
150	126	112	104	84	90	71	48	64	49	14	8	2				1	31
215	172	153	133	100	86	78	77	52	45	27	14	4			2	3	
45	27	33	31	27	30	28	30	9	10	5	3	1				1	32
23	35	25	22	13	21	12	14	11	7	5	2	3					
32	17	14	17	24	18	14	12	11	10	2	3	1					33
14	13	5	8	6	10	8	6	4	3	2	2	1					
60	64	54	60	55	45	37	39	24	32	11	4	5		1		1	34
65	61	49	32	32	23	30	28	21	9	11	5	2	1			1	
33	29	28	21	22	25	15	12	12	5	1							35
29	23	28	15	16	10	9	15	11	3	2	2						
						1	1	1		1							36
	1	1	3	1	2	2		1		3	2	1					
190	255	343	334	301	252	238	168	102	63	27	11					5	37
131	143	130	127	106	102	68	47	38	16	7	5	4				4	
7	10	6	8	3	7	2	1	4	1	2	1						38
40	36	31	19	8	1		2			1							

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed List No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	I.—General diseases—Continued.												
	Cancer and other malignant tumors (total)	M.	22,518	29	26	35	22	22	134	76	50	100	147
		F.	32,066	23	18	21	16	19	97	50	48	79	157
39	Of the buccal cavity	M.	1,738		1	1		1	3	3	1	2	4
		F.	385		1	3		1	5	2	3	2	5
40	Of the stomach, liver	M.	10,915	4	2	1	4	3	14	13	5	11	21
		F.	10,306	3	3	7	3	2	18	3	3	4	15
41	Of the peritoneum, intestines, rectum	M.	3,156	2	3	2	1	5	13	9	7	19	32
		F.	4,176		1	1	1	2	5	3	5	6	23
42	Of the female genital organs	F.	8,120	1	1	1	2		5	3	5	16	55
43	Of the breast	M.	64										
		F.	5,099								1	1	3
44	Of the skin	M.	1,221	1	2	2	1		6	4			4
		F.	734	2			1	2	5	4	1		3
45	Of other organs or of organs not specified	M.	5,424	22	18	29	16	13	98	47	37	68	86
		F.	3,246	17	12	9	9	12	59	35	30	50	53
46	Other tumors (tumors of the female genital organs excepted).	M.	87	8	1		3	1	13	1	1		2
		F.	228	6	2	1	1		10	1		4	7
47	Acute articular rheumatism	M.	1,624	21	9	17	20	27	94	190	170	131	72
		F.	1,650	17	8	7	19	30	81	188	192	115	93
48	Chronic rheumatism and gout	M.	317							4		5	8
		F.	548		1			1	2		1	5	5
49	Scurvy	M.	49	30	9	1	1	1	42	2	2		
		F.	30	21	3	1			25				
50	Diabetes	M.	5,345	9	12	20	15	17	73	112	133	150	159
		F.	6,430	7	13	10	22	10	62	114	177	134	139
51	Exophthalmic goiter	M.	109	2					2			4	8
		F.	958								6	42	79
52	Addison's disease	M.	138	1	2	1			4	1		3	3
		F.	150	1					1		4	6	9
53	Leukemia	M.	844	20	21	23	11	20	95	49	44	40	60
		F.	481	9	16	7	12	11	55	19	18	23	24
54	Anemia, chlorosis	M.	1,562	84	23	12	8	5	132	22	11	27	27
		F.	1,959	48	24	6	7	5	90	24	26	53	61
55	Other general diseases	M.	787	407	49	27	19	11	513	20	14	17	20
		F.	641	288	42	19	14	10	373	24	15	16	17
56	Alcoholism (acute or chronic)	M.	2,640								2	7	50
		F.	305										12
57	Chronic lead poisoning	M.	147			1			1			2	4
		F.	8				1		1				
58	Other chronic occupation poisonings	M.	10									1	2
		F.											
59	Other chronic poisonings	M.	192	1					1			3	14
		F.	279									4	5
	II.—Diseases of the nervous system and of the organs of special sense		88,108	4,818	1,340	744	403	306	7,611	1,050	741	919	963
	Males		46,987	2,822	717	375	205	153	4,272	577	431	532	561
	Females		41,121	1,996	623	369	198	153	3,339	473	310	387	402
60	Encephalitis	M.	349	68	18	15	1	1	103	19	17	12	17
		F.	232	38	17	7	5	1	68	19	11	10	13
61	Meningitis (total)	M.	2,808	854	345	187	107	67	1,560	256	137	143	98
		F.	2,177	590	298	201	104	90	1,283	213	98	77	65
	Simple meningitis	M.	1,577	500	171	106	66	33	876	129	57	66	45
		F.	1,264	374	181	109	47	48	759	97	45	33	33
	Cerebrospinal meningitis (undefined)	M.	663	202	101	48	20	19	390	59	41	46	26
		F.	518	116	70	50	36	23	295	65	30	21	17
	Cerebrospinal fever	M.	568	152	73	33	21	15	294	68	39	31	27
		F.	395	100	47	42	21	19	229	51	23	23	15
62	Locomotor ataxia	M.	1,305							1		1	7
		F.	452								2	1	1
63	Other diseases of the spinal cord (total)	M.	2,190	84	68	51	29	32	264	70	56	57	42
		F.	1,993	81	63	53	30	21	248	58	38	42	20
	Acute anterior poliomyelitis	M.	355	56	55	45	21	20	197	44	33	22	9
		F.	336	63	57	44	23	18	205	40	24	14	4
	Other diseases of the spinal cord [1]	M.	1,835	28	13	6	8	12	67	26	23	35	33
		F.	1,657	18	6	9	7	3	43	18	14	28	16
64	Cerebral hemorrhage, apoplexy	M.	27,082	104	21	17	11	7	160	30	25	45	86
		F.	26,315	68	23	11	7	4	113	27	23	39	71
65	Softening of the brain	M.	591							1		1	
		F.	450		1				1			1	
66	Paralysis without specified cause	M.	2,915	25	4	3	5	4	41	9	11	14	12
		F.	3,137	17	8	3		1	29	5	9	7	6
67	General paralysis of the insane	M.	3,684								1	5	15
		F.	1,330									3	14
68	Other forms of mental alienation	M.	641								1	15	31
		F.	823								2	22	45
69	Epilepsy	M.	1,547	59	20	12	7	11	109	52	90	129	137
		F.	1,035	29	15	12	7	9	72	43	41	96	87
70	Convulsions (nonpuerperal)	M.	42							15	1	4	2
		F.	67							8	5	14	8
71	Convulsions of infants	M.	1,563	1,345	153	40	20	5	1,563				
		F.	1,131	956	117	34	16	8	1,131				
72	Chorea	M.	28	2	1	1			4	2	6	4	3
		F.	81	3	3	3			9	8	10	18	6
73	Neuralgia and neuritis	M.	156	1	1			1	3	1	1	2	3
		F.	235	2	1			1	4			4	7

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Int. Detailed List No.
233	394	618	1,012	1,645	2,381	2,922	3,281	3,232	2,858	1,915	1,020	385	81	15	4	15	
340	803	1,517	2,528	3,180	3,858	4,035	3,987	3,697	3,322	2,377	1,317	476	151	25	7	15	
10	22	32	67	114	211	239	257	226	222	170	101	36	12	3	1	2	39
4	7	8	14	13	29	33	44	41	64	51	38	13	7	2			
70	135	267	476	868	1,247	1,525	1,731	1,669	1,442	864	393	131	25	3	2	3	40
44	154	294	531	779	1,085	1,336	1,512	1,491	1,386	956	486	163	35	6	1	4	
53	83	121	179	241	323	412	411	431	408	243	125	38	4	2		2	41
67	82	169	276	325	438	509	516	566	519	390	183	71	20	2		1	
137	333	578	946	1,129	1,212	1,052	922	702	508	310	143	40	17	1	3	3	42
1	1	3	3	3	8	5	13	10	8	5	3			1			43
25	114	321	506	644	677	689	565	476	416	329	219	79	23	7	1	3	
5	8	20	23	42	81	109	160	165	178	161	147	78	23	4		3	44
3	4	9	16	20	30	35	62	73	103	146	121	64	28	5	1	1	
94	145	175	264	377	511	632	709	731	600	472	251	102	17	2	1	5	45
60	109	138	239	270	387	381	366	348	326	195	127	46	21	2	1	3	
1	4	4	3	9	6	11	5	8	4	5	4	4	1			1	46
8	8	13	13	11	22	15	19	20	29	19	20	6	1	2			
68	69	71	74	83	94	93	86	108	91	70	32	19	6	2		1	47
75	58	73	76	72	81	79	86	90	104	77	71	25	11	1	2		
8	5	14	6	17	16	26	31	45	48	40	28	9	3	4			48
5	8	10	18	30	32	58	58	84	73	81	42	30	6				
					1		1		1								49
			3	1	1												
182	190	205	228	348	490	605	688	656	564	357	147	48	7	2		1	50
164	161	176	234	353	620	803	945	918	718	452	192	51	12	1		4	
6	6	10	20	13	13	5	5	11	4			2					51
94	89	105	109	113	90	77	54	43	37	11	7	1	1				
6	6	17	13	15	17	21	13	7	7	4	1						52
10	12	19	14	18	14	12	12	10	2	3	3		1				
56	47	45	47	55	62	76	51	55	41	14	6					1	53
28	40	27	44	33	48	36	26	19	20	14	7						
33	49	76	96	149	170	191	191	167	109	68	26	13	1	1	1	2	54
54	66	98	160	168	212	243	227	190	147	82	38	13	3	2	1	1	
28	18	15	18	5	14	22	11	13	12	17	11	7	3				55
15	10	13	11	19	15	15	22	23	15	15	10	10	2			1	
145	259	375	394	362	337	243	179	117	84	48	18	8	1			11	56
27	43	57	47	38	33	23	12	7	3		2	1					
8	12	11	12	28	23	19	14	7	4		2						57
		1	1	1	1			2		1							
2			2	2	1												58
6	19	18	18	16	20	19	18	12	12	14	1	1					59
12	26	32	20	21	30	27	24	27	21	14	10	3	1	1		1	
1,199	1,758	2,617	3,406	4,484	5,768	7,049	8,339	9,830	11,102	10,082	6,727	3,236	928	156	45	98	
697	1,040	1,637	2,020	2,521	3,173	4,000	4,576	5,252	5,738	4,902	3,113	1,445	363	60	19	58	
502	718	980	1,386	1,963	2,595	3,049	3,763	4,578	5,364	5,180	3,614	1,791	565	96	26	40	
18	26	19	15	26	19	15	10	12	7	6	8						60
9	12	16	15	14	11	4	11	6	8	2	2	1					
101	100	81	72	61	49	44	34	20	22	12	9	2	1			6	61
61	52	58	52	48	39	41	22	28	14	12	7	5	2				
57	62	46	44	47	34	34	26	15	16	10	7	2	1			3	
34	28	42	38	32	24	28	18	20	11	11	5	4	2				
15	15	19	16	11	7	7	5	3	1							2	
17	14	9	8	12	8	8	4	6	2		2						
29	23	16	12	3	8	3	3	2	5	2	2					1	
10	10	7	6	4	7	5		2	1	1		1					
10	30	66	107	152	186	215	199	142	95	60	25	7	1			1	62
9	13	21	39	47	50	50	66	59	47	32	10	2	2			1	
31	47	70	84	129	122	155	242	264	249	160	102	37	8		1		63
36	31	58	101	89	154	171	199	230	201	171	86	43	11	4	1	1	
3	2	6	5	6	5	4	9	5	4		1						
2	6	3	13	4	6	6	4	2	2	1							
28	45	64	79	123	117	151	233	259	245	160	101	37	8		1		
34	25	55	88	85	148	165	195	228	199	170	86	43	11	4	1	1	
142	221	469	728	1,206	1,907	2,708	3,327	3,947	4,419	3,812	2,343	1,148	275	42	9	33	64
108	239	403	679	1,202	1,802	2,222	2,873	3,502	4,199	4,005	2,851	1,397	436	73	22	29	
	4	7	11	14	19	31	52	82	92	132	102	30	10	2		1	65
1		4	15	11	14	17	35	50	89	105	64	34	9				
19	27	45	67	86	127	228	285	407	507	444	346	170	44	13	8	5	66
18	20	41	73	120	154	198	254	402	522	541	420	214	80	17	3	4	
77	270	551	612	543	461	324	218	192	161	133	91	17	8	1	1	3	67
31	90	110	131	139	116	108	101	111	121	127	71	44	10	1		2	
35	44	60	50	62	63	70	54	45	43	27	20	9	6	1		5	68
46	62	63	80	85	80	68	59	63	46	57	26	17	1	1			
152	142	128	121	103	79	75	56	52	57	39	15	5	4			2	69
94	108	81	85	54	47	47	51	38	38	28	16	6	1			2	
3	3	2	2	2	1		3	1	1	1						1	70
3	2	6	2	2	4	1	1	2	3		4	2					
																	71
1		2		2			1		1		2						72
3	2	3	1	2	1	2	2	4	3	4	1	2					
5	7	7	13	10	13	16	18	15	18	16	6	1	1				73
12	12	19	15	21	12	15	18	22	23	26	16	6	3				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed List No. Int.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.												
74	Other diseases of the nervous system	M.	1,327	119	24	24	13	12	192	59	47	56	67
		F.	1,108	94	25	17	11	6	153	35	31	32	41
75	Diseases of the eyes and their annexa	M.	37	9	3	2	1	2	17	3	1	1	.....
		F.	29	3	.....	2	5	1	11	2	.....	4	.....
76	Diseases of the ears	M.	722	152	59	23	11	11	256	59	37	43	41
		F.	526	115	52	26	13	11	217	55	40	17	18
	III.—Diseases of the circulatory system		130,755	1,206	212	132	141	156	1,847	1,210	1,444	1,562	1,870
	Males		69,672	699	107	67	72	86	1,031	568	633	738	840
	Females		61,083	507	105	65	69	70	816	642	811	824	1,030
77	Pericarditis	M.	429	5	2	2	2	3	14	14	18	15	13
		F.	343	2	3	4	2	.....	11	20	15	12	13
78	Acute endocarditis	M.	3,204	141	25	14	25	21	226	113	92	114	130
		F.	2,943	105	26	7	12	18	168	160	147	138	151
79	Organic diseases of the heart	M.	51,736	328	52	42	42	55	519	407	499	577	644
		F.	47,317	262	49	42	48	48	449	447	629	632	782
80	Angina pectoris	M.	3,263	3	.....	1	.....	.....	4	.....	4	5	12
		F.	1,917	3	.....	.....	.....	.....	3	1	2	7	19
81	Diseases of the arteries, atheroma, aneurism, etc.	M.	9,159	8	.....	1	.....	.....	9	4	1	7	15
		F.	6,526	4	1	.....	.....	.....	5	1	4	3	5
82	Embolism and thrombosis	M.	1,292	34	4	.....	.....	2	40	14	7	8	13
		F.	1,440	18	6	1	2	1	28	7	7	22	41
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	M.	170	.....	1	.....	.....	.....	1	1	2	2	6
		F.	271	.....	.....	.....	.....	.....	.....	.....	2	2	9
84	Diseases of the lymphatic system (lymphangitis, etc.).	M.	258	148	19	7	3	4	181	13	7	8	4
		F.	194	100	20	8	5	1	134	6	4	5	3
85	Hemorrhage; other diseases of the circulatory system.	M.	161	32	4	.....	.....	1	37	2	3	2	3
		F.	132	13	.....	3	.....	2	18	.....	1	3	7
	IV.—Diseases of the respiratory system		109,444	24,892	8,069	2,844	1,395	900	38,100	2,063	1,055	1,645	2,266
	Males		59,187	14,096	4,304	1,499	722	487	21,108	1,108	504	924	1,306
	Females		50,257	10,796	3,765	1,345	673	413	16,992	955	551	721	960
86	Diseases of the nasal fossae	M.	67	36	.....	1	1	.....	38	2	1	1	3
		F.	58	29	.....	3	1	.....	33	.....	1	1	.....
87	Diseases of the larynx	M.	462	107	63	42	39	25	276	51	10	3	6
		F.	300	73	45	30	24	19	191	33	5	.....	2
88	Diseases of the thyroid body	M.	72	7	1	.....	1	1	10	2	3	6	4
		F.	375	3	.....	.....	1	1	5	4	11	13	30
89	Acute bronchitis	M.	3,256	1,925	334	112	41	34	2,446	37	7	7	6
		F.	3,249	1,476	365	97	45	23	2,006	41	10	10	6
90	Chronic bronchitis	M.	2,322	50	18	6	3	3	80	14	5	11	14
		F.	2,855	51	17	2	1	.....	71	31	11	19	21
91	Bronchopneumonia	M.	17,173	7,838	2,387	719	302	183	11,429	330	75	101	99
		F.	16,328	6,066	2,100	701	312	186	9,365	333	111	85	124
92	Pneumonia (total)	M.	31,736	3,763	1,389	533	298	219	6,202	601	369	722	1,072
		F.	24,089	2,818	1,143	477	257	166	4,861	468	365	535	687
	Lobar pneumonia	M.	25,404	2,379	1,007	384	226	168	4,164	459	290	577	904
		F.	18,749	1,794	840	353	195	125	3,307	348	265	414	543
	Pneumonia (undefined)	M.	6,332	1,384	382	149	72	51	2,038	142	79	145	168
		F.	5,340	1,024	303	124	62	41	1,554	120	100	121	144
93	Pleurisy	M.	1,378	86	78	67	32	15	278	53	20	49	60
		F.	945	64	69	24	22	13	192	28	24	35	50
94	Pulmonary congestion, pulmonary apoplexy	M.	820	222	16	7	4	2	251	6	3	7	10
		F.	810	176	9	5	5	3	198	8	5	5	4
95	Gangrene of the lung	M.	159	3	1	3	.....	.....	7	.....	2	6	8
		F.	56	1	1	.....	.....	.....	2	3	.....	2	2
96	Asthma	M.	888	19	6	4	.....	2	31	6	1	.....	6
		F.	776	11	7	4	3	2	27	4	4	2	10
97	Pulmonary emphysema	M.	121	6	1	.....	.....	1	8	1	.....	1	2
		F.	64	1	2	1	.....	.....	4	1	.....	.....	2
98	Other diseases of the respiratory system (tuberculosis excepted).	M.	733	34	10	5	1	2	52	5	8	10	16
		F.	352	27	7	1	2	.....	37	1	4	14	22
	V.—Diseases of the digestive system		94,987	36,398	8,658	2,279	972	625	48,932	1,998	1,353	1,561	1,917
	Males		51,658	20,397	4,629	1,232	530	344	27,132	1,053	717	876	1,008
	Females		43,329	16,001	4,029	1,047	442	281	21,800	945	636	685	909
99	Diseases of the mouth and annexa	M.	311	124	12	6	5	4	151	15	10	4	8
		F.	241	93	18	4	1	3	119	18	2	5	7
100	Diseases of the pharynx	M.	871	115	53	49	39	36	292	123	42	48	54
		F.	698	52	44	33	39	31	199	114	61	46	44
101	Diseases of the esophagus	M.	81	3	4	4	2	1	14	3	1	1	2
		F.	62	4	1	5	1	2	13	2	.....	.....	.....
102	Ulcer of the stomach	M.	1,816	8	1	1	2	1	13	10	4	17	61
		F.	1,106	6	3	.....	1	1	11	6	7	24	48
103	Other diseases of the stomach (cancer excepted)	M.	3,590	1,257	136	49	22	23	1,487	39	20	29	32
		F.	3,479	922	140	57	19	12	1,150	45	23	34	57
104	Diarrhea and enteritis (under 2 years)	M.	22,101	17,874	4,227	.....	.....	.....	22,101	.....	.....	.....	.....
		F.	17,998	14,327	3,671	.....	.....	.....	17,998	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	M.	4,048	.....	.....	958	328	155	1,441	253	61	44	63
		F.	4,178	.....	.....	839	269	133	1,241	243	50	44	69
106	Ankylostomiasis	M.	5	.....	.....	1	1	.....	2	1	1	.....	.....
		F.	8	.....	.....	1	.....	.....	1	.....	1	1	1

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years. and over.	Deaths at unknown age.	Detailed List No.
63	79	89	108	95	96	96	55	62	55	47	39	17	3	1		1	74
52	60	78	79	100	88	82	60	51	43	60	36	17	9			1	
1	1				1		1	2	3	3	1	2					75
					1		1	3	1	4	1	1					
39	39	41	30	30	30	23	21	9	8	10	4		2				76
19	15	19	19	29	22	23	10	7	6	6	3		1				
2,368	2,926	4,093	5,047	6,269	8,299	10,092	12,947	15,694	18,064	16,224	11,882	6,262	1,947	472	97	139	
1,132	1,509	2,183	2,698	3,470	4,690	5,840	7,297	8,658	9,734	8,510	6,004	3,012	814	205	32	74	
1,236	1,417	1,910	2,349	2,799	3,609	4,252	5,650	7,036	8,330	7,714	5,878	3,250	1,133	267	65	65	
13	15	20	20	25	27	43	42	37	40	32	32	7	1			1	77
11	17	15	14	21	16	23	21	38	37	21	21	12	4			1	
158	196	271	300	362	457	509	61	64	61	40	30	13	7				78
178	196	211	271	299	369	409	47	53	58	39	29	13	4	2	1		
856	1,156	1,642	2,022	2,607	3,440	4,297	5,877	6,832	7,479	6,186	4,100	1,927	482	112	20	55	79
929	1,066	1,496	1,844	2,213	2,833	3,314	4,777	5,825	6,672	5,980	4,283	2,208	682	167	32	57	
30	36	74	120	160	273	402	489	532	492	370	165	74	16	3		2	80
25	28	50	74	83	118	163	228	309	329	234	169	51	16	5		3	
32	63	106	150	205	344	445	663	1,036	1,485	1,717	1,550	922	292	88	12	13	81
19	21	39	40	85	137	201	416	612	1,032	1,256	1,249	886	395	90	28	2	
25	32	52	59	84	113	105	135	127	144	137	113	64	15	2		3	82
49	55	79	80	60	90	108	120	154	171	162	106	64	31	3	2	1	
7	2	12	13	15	16	24	17	13	19	11	6	3					83
14	22	15	18	29	21	25	29	33	17	11	16	6	1		1		
5	2	1	3	4	5	2	5	9	2	5	2						84
7	4	1	2	1	7	3	5	5	3	3						1	
6	7	5	11	8	15	13	8	8	12	12	6	2	1				85
4	8	4	6	8	18	6	7	7	11	8	5	10			1		
2,679	2,956	3,569	3,924	4,395	4,895	5,226	5,834	6,640	7,322	6,918	5,444	2,963	1,128	289	61	72	
1,582	1,776	2,298	2,510	2,812	2,981	3,074	3,155	3,378	3,462	3,043	2,318	1,272	405	104	22	45	
1,097	1,180	1,271	1,414	1,583	1,914	2,152	2,679	3,262	3,860	3,875	3,126	1,691	723	185	39	27	
4	2	1	3	2			1	2	1	2	2	1	1				86
4	1	2	1		3	1		1		3	3	3	1				
11	9	11	9	8	8	10	10	5	8	10	9	7				1	87
6	5	6	6	8	5	6	2	4	7	4	6	1	2	1			
7	6	5	3	8	1	5	2	5	3	2							88
20	21	35	40	37	33	30	33	24	16	15	4	3			1		
11	11	17	17	23	24	34	45	53	106	114	159	92	31	15	1		89
9	11	13	18	25	21	44	69	100	142	201	258	141	105	16	3		
21	23	38	48	54	92	128	162	246	332	383	352	221	83	11	2	2	90
35	38	35	35	40	73	120	171	267	435	511	486	288	124	35	3	6	
125	145	207	238	248	328	370	455	575	701	685	576	328	113	32	6	7	91
123	136	142	177	207	295	332	494	707	974	1,076	853	527	200	48	15	4	
1,290	1,424	1,817	1,963	2,185	2,223	2,235	2,158	2,177	1,978	1,574	1,024	515	132	34	10	31	92
812	871	926	1,016	1,130	1,337	1,458	1,728	1,920	2,010	1,782	1,285	584	218	67	14	15	
1,131	1,233	1,569	1,602	1,898	1,922	1,864	1,802	1,805	1,591	1,219	767	367	96	25	8	21	
687	751	770	853	964	1,143	1,224	1,434	1,552	1,593	1,360	924	416	141	44	9	7	
159	191	248	271	287	301	371	356	372	387	355	257	148	36	9	2	10	
125	120	156	163	166	194	234	294	368	417	422	361	168	77	23	5	8	
61	65	73	93	99	83	91	90	88	87	51	24	9	3			1	93
45	45	43	55	57	45	48	54	55	57	51	31	19	8	2		1	
9	17	19	26	16	26	26	26	37	71	83	86	60	33	6	2		94
12	10	14	20	17	14	23	24	43	76	94	116	70	48	8	1		
4	12	9	11	18	20	14	19	9	13	5	1	1					95
5	8	7	3	4	4	6	1	4	2		3						
5	23	28	32	71	66	85	112	118	103	99	58	30	8	4	1	1	96
11	12	23	29	36	60	58	72	99	105	104	61	39	13	5	2		
2	2	3	1	6	12	7	9	15	18	16	12	4		2			97
1			2	3	1	4	7	7	12	10	5	3	1	1			
32	37	70	66	74	98	69	66	48	41	19	15	4	1			2	98
14	22	25	12	19	23	22	24	31	24	24	15	13	3	2		1	
2,184	2,488	2,925	3,104	3,479	3,759	3,867	3,648	3,671	3,517	2,995	2,024	1,077	329	72	26	61	
1,143	1,346	1,580	1,768	2,009	2,151	2,225	2,014	1,879	1,784	1,422	884	464	123	28	12	40	
1,041	1,142	1,345	1,336	1,470	1,608	1,642	1,634	1,792	1,733	1,573	1,140	613	206	44	14	21	
10	16	11	13	13	12	10	10	10	8	4	2	2			1	1	99
7	13	5	9	8	6	9	4	6	8	6	6	2				1	
55	36	39	27	29	20	27	15	14	13	17	12	4	4				100
32	34	21	17	16	16	20	18	13	14	12	8	9	1	3			
	3	2	2	1	7	8	8	7	12	7	3						101
2	1		3	1	9	4	3		9	3	7	3	2				
95	138	177	187	208	189	198	151	138	101	69	43	11	5			1	102
59	67	95	103	94	97	92	94	100	78	68	48	12	1		1	1	
62	70	96	118	129	145	171	189	224	220	234	186	98	30	7	2	2	103
72	66	99	102	97	142	145	171	198	288	306	265	134	64	13	5	3	
																	104
87	108	120	145	153	147	176	191	186	269	236	188	125	41	7	2	5	105
88	84	114	114	125	144	155	220	275	309	345	277	188	70	12	6	5	
					1												106
2			1				1										

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed List No.	Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		V.—Diseases of the digestive system—Continued.											
107		Intestinal parasites	M 44	2	5	8	3	3	21	11	4		1
			F 40	4	7	7	4	2	24	8	1	2	1
108		Appendicitis and typhlitis	M 4,963	35	23	43	50	60	211	386	439	536	529
			F 3,434	16	16	19	48	42	141	348	382	359	347
109		Hernia, intestinal obstruction (total)	M 3,916	672	105	65	43	35	920	100	58	81	86
			F 3,661	385	78	40	21	27	551	66	32	44	95
		Hernia	M 1,421	143	10	10	5	2	170	10	6	11	19
			F 1,183	36	5	1	3		45	2	1	2	11
		Intestinal obstruction	M 2,495	529	95	55	38	33	750	90	52	70	67
			F 2,478	349	73	39	18	27	506	64	31	42	84
110		Other diseases of the intestines	M 939	115	25	14	12	6	172	29	21	30	25
			F 995	67	15	9	8	6	105	24	10	19	39
111		Acute yellow atrophy of the liver	M 109	15	1				16	5	1	2	3
			F 165	5	2	1	4	2	14	2	1	8	20
112		Hydatid tumor of the liver	M 7					1	1				
			F 13							1	1		
113		Cirrhosis of the liver	M 5,741	19	4	7	4	1	35	10	5	15	35
			F 2,698	7	6	3	4	1	21	8	10	11	25
114		Biliary calculi	M 631	4			1		5	1			5
			F 1,597								2	4	12
115		Other diseases of the liver	M 1,469	73	15	13	5	7	113	22	10	24	48
			F 1,807	48	8	9	8	2	75	21	11	24	32
116		Diseases of the spleen	M 64	1	2	3	1		7	3	1	1	6
			F 43	4		1	1	1	7	1		1	4
117		Simple peritonitis (nonpuerperal)	M 665	76	15	10	11	7	119	40	36	39	38
			F 862	59	17	18	14	14	122	35	39	52	91
118		Other diseases of the digestive system (cancer and tuberculosis excepted).	M 287	4	1	1	1	4	11	2	3	5	12
			F 214	2	3	1		2	8	3	3	7	17
		VI.—Nonvenereal diseases of the genito-urinary system and annexa.	80,808	797	342	217	205	150	1,711	507	484	781	1,442
		Males	44,546	474	187	113	114	86	974	270	221	286	515
		Females	36,262	323	155	104	91	64	737	237	263	495	927
119		Acute nephritis	M 3,250	215	101	59	68	47	490	118	67	97	126
			F 2,770	146	79	62	53	35	375	113	88	116	150
120		Bright's disease	M 35,991	121	71	44	39	33	311	139	146	175	348
			F 28,489	101	53	32	34	25	245	110	156	260	418
121		Chyluria	M										
			F										
122		Other diseases of the kidneys and annexa	M 916	83	12	7	5	3	110	6	4	7	20
			F 693	44	16	10	4	3	77	9	6	15	31
123		Calculi of the urinary passages	M 331		1	1	1	1	4	1	2	3	6
			F 147					1	1	1		4	1
124		Diseases of the bladder	M 1,096	16			1		17	5	2		5
			F 239	10	5				15	1		3	4
125		Diseases of the urethra, urinary abscess, etc	M 266	4	1			1	6			2	5
			F 22	4					4	1			
126		Diseases of the prostate	M 2,612									2	4
127		Nonvenereal diseases of the male genital organs	M 78	26	1	2		1	30	1			1
128		Uterine hemorrhage (nonpuerperal)	F 49								2	8	4
129		Uterine tumor (noncancerous)	F 1,253									1	10
130		Other diseases of the uterus	F 658	2					2	1	7	26	68
131		Cysts and other tumors of the ovary	F 562								1	4	27
132		Salpingitis and other diseases of the female genital organs.	F 1,337	7	2				9		3	56	208
133		Nonpuerperal diseases of the breast (cancer excepted).	M 6	6					6				
			F 43	9					9	1		2	6
		VII.—The puerperal state	10,237								13	849	2,243
134		Accidents of pregnancy	F 941								1	44	170
135		Puerperal hemorrhage	F 1,000									32	146
136		Other accidents of labor	F 979									45	147
137		Puerperal septicemia	F 4,214								6	361	1,032
138		Puerperal albuminuria and convulsions	F 2,673								6	347	669
139		Puerperal phlegmasia alba dolens, embolus, sudden death.	F 383									17	69
140		Following childbirth (not otherwise defined)	F 41									2	9
141		Puerperal diseases of the breast	F 6									1	1
		VIII.—Diseases of the skin and of the cellular tissue	3,071	595	53	25	16	12	701	34	27	37	58
		Males	1,747	326	24	13	7	5	375	22	14	18	39
		Females	1,324	269	29	12	9	7	326	12	13	19	19
142		Gangrene	M 791	19	2	7	5	2	35	7	2	1	5
			F 649	9	6	2	5	3	25	4		3	3
143		Furuncle	M 280	41	5				46	3	4	11	11
			F 141	36	5	1	1		43	1	4	5	3
144		Acute abscess	M 341	87	11	5	1	2	106	10	7	4	19
			F 230	89	10	6		4	109	5	7	8	9
145		Other diseases of the skin and annexa	M 335	179	6	1	1	1	188	2	1	2	4
			F 304	135	8	3	3		149	2	2	3	4

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed List No.
3	2			1						1							107
	1			1		1				1							
447	436	432	352	336	280	223	133	90	62	39	14	10	2	1		5	108
307	281	278	212	177	178	130	110	73	42	35	20	9	1	1		3	
111	132	157	169	182	246	276	268	264	295	251	175	104	23	7	3	8	109
132	161	187	196	249	228	274	287	313	290	261	177	82	25	7	1	3	
27	38	61	62	82	109	140	130	126	152	128	87	43	11	3	1	5	
18	26	39	75	89	115	131	149	151	130	106	59	31	2			1	
84	94	96	107	100	137	136	138	138	143	123	88	61	12	4	2	3	
114	135	148	121	160	113	143	138	162	160	155	118	51	23	7	1	2	
51	49	39	49	64	57	56	58	61	61	42	48	19	3	3		2	110
69	62	67	57	69	61	58	50	70	59	67	53	36	14	4	1	1	
4	6	7	3	14	9	6	5	10	7	9	2						111
19	13	12	9	9	8	12	5	7	10	9	5	1	1				
	1	2		1		1	1										112
1	1		2		3	3				1							
90	197	323	487	653	764	767	720	606	512	326	126	48	8		3	11	113
54	98	177	225	245	305	299	271	311	273	199	104	51	10			1	
9	19	27	49	50	79	77	76	79	65	61	20	8		1			114
41	71	89	99	156	190	212	190	204	136	99	62	25	4	1			
56	69	76	99	120	111	152	130	130	124	92	53	28	5	2	1	4	115
47	95	108	119	150	161	163	170	167	177	127	93	54	9	3		1	
6	6	6	8	3	9	2	1	4		1							116
1	1	3	3	7	1	3	4	2	1	2	2						
33	29	40	31	36	46	42	31	34	26	27	9	6	2			1	117
89	80	69	36	43	37	36	23	36	31	22	10	6	3			2	
24	29	26	29	16	29	33	27	22	9	6	3	1					118
19	13	21	29	23	22	26	13	17	8	10	3	1	1				
2,079	2,603	3,602	4,381	5,399	6,522	7,210	8,149	9,104	9,716	8,147	5,468	2,535	709	140	40	79	
801	1,053	1,537	2,039	2,753	3,663	4,192	4,816	5,361	5,820	4,947	3,220	1,512	408	82	19	57	
1,278	1,550	2,065	2,342	2,646	2,859	3,018	3,333	3,743	3,896	3,200	2,248	1,023	301	58	21	22	
179	197	226	215	242	226	206	183	182	178	150	96	43	21	1	1	6	119
171	171	211	205	196	196	127	160	144	137	81	77	39	9	3	1		
543	775	1,200	1,700	2,337	3,194	3,672	4,189	4,554	4,795	3,940	2,423	1,139	296	55	14	46	120
600	818	1,199	1,490	1,893	2,316	2,650	2,997	3,444	3,585	2,941	2,069	934	273	53	19	19	
																	121
33	35	38	40	70	65	75	73	76	96	74	59	24	8	2	1		122
33	40	63	51	47	62	43	41	38	34	52	28	14	6	1	1	1	
15	14	14	23	26	25	33	35	34	47	24	16	9					123
8	13	10	14	14	19	17	7	12	10	12	3		1				
13	9	15	18	19	33	36	70	96	180	201	218	109	36	12	2		124
8	6	5	7	9	9	8	15	16	36	36	35	20	6				
12	17	29	24	23	41	31	21	19	16	17	1	2					
	1	3	4		2	2	2	1		2							125
5	5	11	16	30	75	133	242	394	506	538	402	185	46	12	1	5	126
1	1	4	3	6	4	6	3	6	2	3	5	1	1				127
6	4	7	8	3	3		3			1							128
47	113	189	249	250	126	81	45	35	41	37	18	8	1	1		1	129
104	91	78	86	49	44	33	26	11	16	8	5	2	1				130
46	48	62	71	74	43	40	34	36	34	28	9	3	2				131
251	244	235	153	109	37	17	3	5	1	2	2		1			1	132
4	1	3	4	2	2			1	2		2	3	1				133
2,419	2,078	1,766	773	85	5											6	
244	230	172	70	7												3	134
206	231	246	124	15													135
234	228	214	103	6	2												136
1,048	829	653	248	32	3											2	137
571	462	402	194	21												1	138
98	90	72	33	4													139
16	7	6	1														140
2	1	1															141
62	55	79	79	104	128	166	152	197	292	298	299	185	81	20	10	7	
30	37	58	51	63	86	100	88	112	160	174	169	93	40	8	5	5	
32	18	21	28	41	42	66	64	85	132	124	130	92	41	12	5	2	
2	6	14	12	18	22	35	45	65	119	137	132	77	39	8	5	5	142
9	7	9	7	14	19	22	40	55	96	100	110	80	31	9	5	1	
11	14	26	15	15	30	28	14	12	15	10	13	2					143
5	4	2	6	10	9	17	6	7	7	6	3	1	1	1			
14	14	13	16	19	23	27	20	16	10	11	9	3					144
11	2	8	8	10	4	11	5	12	7	4	5	1	2	1		1	
3	3	5	8	11	11	10	9	19	16	16	15	11	1				145
7	5	2	7	7	10	16	13	11	22	14	12	10	7	1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed List No.	Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		IX.—Diseases of the bones and of the organs of locomotion.	1,771	143	59	41	35	33	311	171	151	131	82
		Males	1,084	97	35	26	18	21	197	97	95	92	50
		Females	687	46	24	15	17	12	114	74	56	39	32
146		Diseases of the bones (tuberculosis excepted) M.	948	87	31	25	15	21	179	96	87	85	44
		F.	578	42	20	14	16	12	104	70	55	37	31
147		Diseases of the joints (tuberculosis and rheumatism excepted). M.	97	9	3	1	2		15		6	6	6
		F.	88	3	4	1	1		9	4	1	2	1
148		Amputations M.	1										
		F.	2										
149		Other diseases of the organs of locomotion M.	38	1	1		1		3	1	2	1	
		F.	19	1					1				
		X.—Malformations	9,986	9,317	289	103	44	33	9,786	92	35	35	13
		Males	5,756	5,408	134	55	27	15	5,639	50	21	24	8
		Females	4,230	3,909	155	48	17	18	4,147	42	14	11	5
150		Congenital malformations (stillbirths not included) (total). M.	5,756	5,408	134	55	27	15	5,639	50	21	24	8
		F.	4,230	3,909	155	48	17	18	4,147	42	14	11	5
		Hydrocephalus M.	444	329	37	26	12	7	411	17	4	8	
		F.	409	307	48	21	6	5	387	14	3	4	
		Congenital malformations of the heart M.	3,594	3,440	59	18	12	5	3,534	22	15	12	5
		F.	2,438	2,293	69	16	6	9	2,393	19	8	6	3
		Other congenital malformations M.	1,718	1,639	38	11	3	3	1,694	11	2	4	3
		F.	1,383	1,309	38	11	5	4	1,367	9	3	1	2
		XI.—Early infancy	51,765	51,765					51,765				
		Males	29,627	29,627					29,627				
		Females	22,138	22,138					22,138				
151		Congenital debility, icterus, and sclerema (total) M.	23,224	23,224					23,224				
		F.	17,891	17,891					17,891				
		Premature birth M.	16,300	16,300					16,300				
		F.	12,727	12,727					12,727				
		Congenital debility, "atrophy," "marasmus," etc. M.	6,924	6,924					6,924				
		F.	5,164	5,164					5,164				
152		Other causes peculiar to early infancy (total) M.	6,278	6,278					6,278				
		F.	4,146	4,146					4,146				
		Injuries at birth M.	3,695	3,695					3,695				
		F.	2,219	2,219					2,219				
		Other causes peculiar to early infancy [1] M.	2,583	2,583					2,583				
		F.	1,927	1,927					1,927				
153		Lack of care M.	125	125					125				
		F.	101	101					101				
		XII.—Old age	12,392										
		Males	5,285										
		Females	7,107										
154		Senility M.	5,285										
		F.	7,107										
		XIII.—External causes	67,292	1,727	1,484	1,281	1,082	886	6,460	2,922	2,264	3,696	5,799
		Males	50,946	929	867	754	583	512	3,645	1,966	1,838	2,821	4,644
		Females	16,346	798	617	527	499	374	2,815	956	426	875	1,155
		Suicide (total) M.	8,602								19	154	588
		F.	2,614							1	17	204	312
155		By poison M.	1,545								2	24	125
		F.	936							1	6	111	155
156		By asphyxia M.	1,060									19	56
		F.	524								1	19	48
157		By hanging or strangulation M.	1,445								7	14	69
		F.	304								3	2	16
158		By drowning M.	432								1	4	20
		F.	238								3	20	22
159		By firearms M.	3,250								8	89	284
		F.	358								2	41	55
160		By cutting or piercing instruments M.	600										17
		F.	81									1	3
161		By jumping from high places M.	159								1	3	9
		F.	100									7	6
162		By crushing M.	66										5
		F.	17									2	2
163		Other suicides M.	45									1	3
		F.	56								2	1	5

[1] Exclusive of injuries at birth.

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Int. Detailed List No.
107	84	87	84	85	96	81	75	64	67	41	32	18	1	2		1	
62	52	55	50	57	53	57	48	38	44	18	10	6	1	1		1	
45	32	32	34	28	43	24	27	26	23	23	22	12		1			
56	43	54	44	48	48	45	38	22	34	12	7	4		1		1	
41	29	24	25	23	32	17	21	17	17	20	11	3		1			146
6	6	1	6	7	3	8	6	9	6	2	1	2	1				
3	3	8	6	5	10	6	4	6	4	2	9	5					147
						1											
								1	1								148
	3			2	2	3	4	7	4	4	2						
1			3		1	1	2	2	1	1	2	4					149
10	7	3	2	1	1											1	
8	4	1		1													
2	3	2	2		1											1	
8	4	1		1													
2	3	2	2		1											1	150
2	1	1															
					1												
3	2			1													
2	3	2	2														
3	1																
																1	
																	151
																	152
																	153
			2	4	20	52	190	396	1,252	2,215	3,364	2,712	1,506	463	196	20	
				1	9	21	88	181	557	955	1,508	1,120	594	182	60	9	
			2	3	11	31	102	215	695	1,260	1,856	1,592	912	281	136	11	
				1	9	21	88	181	557	955	1,508	1,120	594	182	60	9	
			2	3	11	31	102	215	695	1,260	1,856	1,592	912	281	136	11	154
5,756	5,373	5,495	4,715	4,600	3,939	3,452	2,894	2,498	2,155	1,863	1,628	953	367	91	22	350	
4,804	4,563	4,713	4,020	3,886	3,294	2,794	2,276	1,839	1,317	967	702	361	120	37	9	330	
952	810	782	695	714	645	658	618	659	838	896	926	592	247	54	13	20	
788	842	884	879	975	875	829	662	486	280	148	98	35	7	1		52	
327	293	296	241	254	181	187	93	95	60	31	16	3	2			1	
150	167	171	182	174	158	132	102	79	47	19	5	2				6	
148	110	98	76	68	40	50	26	23	13	7	2	2					155
82	94	95	123	133	104	136	104	57	34	16	5	1				1	
64	55	65	63	51	41	42	23	25	15	7	5						156
32	111	124	129	167	169	149	138	117	66	43	30	14	5			11	
22	27	23	35	38	39	31	16	18	19	10	4		1				157
41	43	43	42	47	45	43	31	27	16	10	10	1				8	
18	21	35	16	29	21	23	9	16	3	1	1						158
369	319	346	302	356	313	292	226	160	75	40	38	10	1	1		21	
42	59	48	32	34	20	15	5	3		1						1	159
36	70	66	74	73	61	56	49	37	34	13	6	4	1			3	
10	7	11	5	13	8	9	5	2	3	1	3						160
14	24	27	18	10	15	11	8	4	6	6	2	1					
17	10	10	6	12	5	10	3	5	3	4	1	1					161
11	10	7	8	9	3	6	1	3			1					2	
		2	3	2	2	1	1		1				1				162
3	4	5	1	6	7	4	3	2	2	1	1	2					
6	4	4	5	7	5	6	5	3	3								163

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed List No.	Int.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		XIII.—External causes—Continued.												
		Accidental or undefined (total)	M.	38,667	851	856	747	579	506	3,539	1,936	1,785	2,468	3,485
			F.	12,739	715	609	522	497	369	2,712	932	388	588	656
164		Poisoning by food	M.	344	52	28	29	22	14	145	22	8	16	8
			F.	295	44	20	15	13	9	101	23	15	8	19
165		Other acute poisonings	M.	733	61	92	56	31	16	256	36	7	16	46
			F.	547	52	74	53	28	12	219	15	7	19	52
166		Conflagration	M.	590	17	29	25	22	18	111	34	15	17	26
			F.	381	19	18	16	23	17	93	49	27	31	28
167		Burns (conflagration excepted)	M.	2,105	104	331	338	224	142	1,139	146	46	45	89
			F.	2,609	90	245	257	264	197	1,053	343	96	80	121
168		Absorption of deleterious gases (conflagration excepted)	M.	1,516	330	13	10	4	5	362	23	27	28	86
			F.	686	276	5	5	3	7	296	7	10	33	33
169		Accidental drowning	M.	5,479	16	127	74	64	74	355	455	523	729	692
			F.	1,035	15	78	35	25	14	167	68	72	235	198
170		Traumatism by firearms	M.	1,301	4	5	6	12	10	37	98	214	246	173
			F.	200	1	3	7	9	11	31	33	18	32	19
171		Traumatism by cutting or piercing instruments	M.	81		3			4	7	4	2	4	8
			F.	8			1			1	1		1	
172		Traumatism by fall	M.	5,909	69	91	79	56	38	333	179	136	145	248
			F.	4,070	56	66	49	38	29	238	87	33	21	26
173		Traumatism in mines and quarries (total)	M.	2,103			1			1	1	5	123	284
			F.	7							1		3	
		Traumatism in mines	M.	2,003			1			1	1	5	121	269
			F.	6							1		2	
		Traumatism in quarries	M.	100									2	15
			F.	1									1	
174		Traumatism by machines	M.	1,220		4	2	4	3	13	17	23	116	171
			F.	37				2	2	4	6	2	6	2
175		Traumatism by other crushing (total)	M.	13,020	22	50	72	104	147	395	773	598	748	1,290
			F.	1,958	15	40	58	72	56	241	245	83	103	124
		Railroad accidents and injuries	M.	6,190	2	18	10	6	15	51	116	168	383	724
			F.	462		6	14	8	2	30	27	25	35	35
		Street-car accidents and injuries	M.	1,251		6	11	17	29	63	70	39	54	98
			F.	304	1	4	10	14	12	41	32	7	8	10
		Automobile accidents and injuries	M.	3,120	7	6	14	44	64	135	413	267	190	260
			F.	858	3	12	13	32	31	91	143	40	47	58
		Injuries by other vehicles	M.	2,040	13	20	37	37	37	144	163	114	101	153
			F.	308	9	17	20	18	11	75	41	9	12	16
		Landslide, other crushing	M.	419					2	2	11	10	20	55
			F.	26	2	1	1			4	2	2	1	5
176		Injuries by animals	M.	527	1	7	13	10	9	40	55	35	23	26
			F.	36		2	3	2		7	8	4	1	
177		Starvation	M.	29	3	1				4	1			1
			F.	14	7					7				
178		Excessive cold	M.	277	9	5	1	1		16	2	3	4	11
			F.	67	13	5	1	1		20	3		2	3
179		Effects of heat	M.	291	46	6	2	1		55	3	3	7	10
			F.	116	23	3	2	1	1	30	2		1	5
180		Lightning	M.	190	2				1	3	2	13	21	17
			F.	31							6	4	3	4
181		Electricity (lightning excepted)	M.	502				1	2	3	10	34	43	96
			F.	13							3	2		3
185		Fractures (cause not specified)	M.	261	4		1			5	6	5	11	11
			F.	130	2	2			1	5		1	1	1
186		Other external violence	M.	2,189	111	64	38	23	23	259	69	88	126	192
			F.	409	102	48	20	16	13	199	32	14	8	18
		Homicide (total)	M.	3,677	78	11	7	4	6	106	30	34	199	571
			F.	993	83	8	5	2	5	103	23	21	83	187
182		By firearms	M.	2,381	1	1	1	1	2	6	11	22	145	413
			F.	504	1	2	2	1	2	8	4	13	54	103
183		By cutting or piercing instruments	M.	525	3		3		1	7	3	5	33	97
			F.	138	3	1	2			6	5	3	11	31
184		By other means	M.	771	74	10	3	3	3	93	16	7	21	61
			F.	351	79	5	1	1	3	89	14	5	18	53
		XIV.—Ill-defined diseases		7,681	2,943	590	134	77	45	3,789	83	65	107	115
		Males		4,275	1,651	271	74	34	31	2,061	34	37	50	55
		Females		3,406	1,292	319	60	43	14	1,728	49	28	57	60
187		Ill-defined organic disease	M.	210	7	7	1	1	4	20		6	4	4
			F.	217	4	5	2		1	12	5	1	1	1
188		Sudden death	M.	294	80	11		1	2	94	2	1	3	5
			F.	192	57	4	2	2	2	67	2	2	2	2
189		Not specified or ill-defined (total)	M.	3,771	1,564	253	73	32	25	1,947	32	30	43	46
			F.	2,997	1,231	310	56	41	11	1,649	42	25	54	57
		Ill-defined	M.	1,585	305	192	48	16	13	574	14	10	19	24
			F.	1,280	241	256	36	22	5	560	18	15	19	24
		Not specified or unknown	M.	2,186	1,259	61	25	16	12	1,373	18	20	24	22
			F.	1,717	990	54	20	19	6	1,089	24	10	35	33

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Int. Detailed List No.
3,375	3,239	3,316	2,772	2,673	2,248	1,854	1,542	1,304	1,008	802	601	323	113	36	9	239	
465	378	400	398	421	438	448	514	555	770	860	905	588	244	54	13	12	
10	15	13	19	16	12	15	15	10	9	6	2	2				1	164
12	15	9	13	11	11	10	12	13	10	9	3					1	
35	48	60	45	39	43	36	24	18	9	8	4	1				2	165
37	33	36	31	23	19	17	11	9	9	4	4	2					
40	32	39	37	44	32	26	34	29	26	18	13	5	1	1	1	9	166
20	12	14	8	9	15	5	8	8	11	15	18	5		3	1	1	
87	70	76	62	66	45	50	48	33	28	35	18	13	2	2	3	2	167
101	86	76	74	89	67	73	89	79	80	76	64	33	12	2	4	1	
101	88	115	107	119	109	82	78	72	50	37	19	10	1			2	168
28	22	26	20	23	35	24	27	25	28	24	12	7	5			1	
491	396	400	349	305	242	154	126	79	60	29	19	4	2	2		67	169
87	41	40	31	23	21	17	10	8	6	2	3	1				5	
120	100	79	53	50	41	33	21	8	6	6	4	2				10	170
16	9	10	13	5	6	4	3	1									
8	7	7	6	6	5	3	4	6	3		1						171
		1		1	1	1			1								
324	380	435	388	393	426	353	379	376	324	366	356	239	90	26	5	8	172
50	37	59	80	88	102	138	209	274	498	622	723	518	212	48	7		
351	322	296	241	213	118	82	34	15	8	3	1					5	173
1		1						1									
339	305	281	226	202	111	80	31	14	8	3	1					5	
1		1						1									
12	17	15	15	11	7	2	3	1									
190	134	153	114	83	68	47	33	32	16	7						3	174
	4		2	2	3	2	1	1	1	1							
1,231	1,256	1,277	1,024	1,024	827	724	578	474	343	217	99	27	7	2		106	175
96	98	102	112	119	131	129	105	98	81	56	30	3				2	
711	721	749	545	530	380	327	257	188	130	77	29	9	2	1		92	
23	26	31	34	38	33	31	24	24	23	15	7					1	
94	112	119	97	109	98	85	71	45	44	34	10	4	2			3	
14	15	16	17	23	25	21	19	25	11	12	8						
218	227	227	195	209	190	170	115	121	79	56	30	8	3			7	
47	42	44	50	51	55	48	48	30	31	17	12	3				1	
143	141	143	144	140	136	115	121	111	83	49	29	6		1		3	
10	15	10	9	6	14	29	14	18	16	11	3						
65	55	39	43	36	23	27	14	9	7	1	1					1	
2		1	2	1	4			1		1							
27	28	20	32	34	54	38	32	29	26	16	9	2	1				176
1		1	2		1	3	3	2	1	2							
2	3	2	3	3				3	2	2	3						177
				1			1	2	1	2							
9	18	24	27	24	29	26	14	22	23	9	9	3	1	1		2	178
1	2	4	1	3	5	3	2	5	2	6	2	2				1	
19	23	16	13	16	26	25	23	15	10	12	8	3	3			1	179
2	2	3	2	5	4	6	10	11	10	7	13	1	2				
18	29	17	11	17	7	13	11	6		1	2					2	180
2	1			2	3	2	1	1		1			1				
81	81	55	37	30	16	6	6	2								2	181
1		1		1	2												
14	18	39	22	14	19	8	14	8	19	12	18	10	3	2		3	185
2	2	1		3		3	8	10	22	22	24	14	9	1	1		
217	191	193	182	177	129	133	68	67	46	18	16	2	2			14	186
8	14	16	9	13	12	11	14	7	9	11	9	2	3				
641	482	513	369	238	171	111	72	49	29	17	3	3				39	
160	139	86	56	39	26	23	11	9	8	5	5	1	1			7	
439	323	343	260	149	100	68	35	26	13	5	1	1				21	182
93	71	57	33	27	16	10	4	2	3	2	2					2	
117	81	67	43	26	18	9	9	4	3	1						2	183
19	28	15	8	4	3	2	1	1								1	
85	78	103	66	63	53	34	28	19	13	11	2	2				16	184
48	40	14	15	8	7	11	6	6	5	3	3	1	1			4	
149	147	183	205	245	270	284	358	429	378	316	228	154	68	20	13	75	
85	81	108	114	144	172	193	207	264	215	175	104	82	26	7	5	56	
64	66	75	91	101	98	91	151	165	163	141	124	72	42	13	8	19	
4	4		2	11	19	15	19	22	20	24	16	15	3			2	187
5	6	8	13	15	11	7	17	12	32	24	22	12	8	3	1	1	
11	4	12	15	15	14	18	18	20	28	11	10	6	5			2	188
7	4	5	5	5	10	13	10	16	11	11	13	4	2		1		
70	73	96	97	118	139	160	170	222	167	140	78	61	18	7	5	52	189
52	56	62	73	81	77	71	124	137	120	106	89	56	32	10	6	18	
30	35	41	55	67	88	88	102	157	96	88	44	25	12	3	1	12	
29	22	35	44	48	44	44	73	84	71	64	41	20	17	5		3	
40	38	55	42	51	51	72	68	65	71	52	34	36	6	4	4	40	
23	34	27	29	33	33	27	51	53	49	42	48	36	15	5	6	15	

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		All causes	831,181	136,866	26,131	11,257	7,018	5,201	186,473	16,203	11,106	17,918	27,473
		Males	453,537	77,627	13,865	6,050	3,671	2,814	104,027	8,741	5,982	9,256	14,427
		Females	377,644	59,239	12,266	5,207	3,347	2,387	82,446	7,462	5,124	8,662	13,046
		I.—General diseases	215,253	12,396	7,113	4,247	3,036	2,310	29,102	6,874	4,099	7,897	12,891
		Males	110,953	6,681	3,680	2,260	1,555	1,202	15,378	3,416	1,800	3,555	6,514
		Females	104,300	5,715	3,433	1,987	1,481	1,108	13,724	3,458	2,299	4,342	6,377
1		Typhoid fever M	4,411	24	44	50	39	48	205	218	251	521	678
		Typhoid fever F	2,862	18	24	40	42	30	154	219	274	421	423
2		Typhus fever M	1										
		Typhus fever F	1							1			
3		Relapsing fever M											
		Relapsing fever F											
4		Malaria M	568	68	21	27	11	17	144	38	21	20	22
		Malaria F	443	44	42	22	15	17	140	31	20	17	19
5		Smallpox M	81	8	2	1	1	1	13	7		8	9
		Smallpox F	66	8	3	1	2	1	15	5	5	6	5
6		Measles M	1,854	536	669	243	110	61	1,619	109	27	28	25
		Measles F	1,671	402	564	236	114	59	1,375	147	38	23	23
7		Scarlet fever M	1,187	73	149	159	160	102	643	318	106	47	28
		Scarlet fever F	1,189	68	126	125	134	97	550	347	133	42	43
8		Whooping cough M	2,263	1,379	508	163	70	40	2,160	81	7	1	1
		Whooping cough F	2,554	1,446	631	201	99	60	2,437	90	9	5	2
9		Diphtheria and croup M	5,209	431	873	826	689	552	3,371	1,265	305	65	56
		Diphtheria and croup F	4,989	364	757	698	634	495	2,948	1,370	336	98	48
10		Influenza M	4,511	510	162	64	26	29	791	55	49	60	67
		Influenza F	5,389	401	108	71	38	27	645	69	46	52	57
11		Miliary fever M											
		Miliary fever F											
12		Asiatic cholera M											
		Asiatic cholera F											
13		Cholera nostras M	101	29	9	2	3	2	45	5	3	2	1
		Cholera nostras F	96	17	11	1	1	1	31	5	3	1	2
14		Dysentery M	1,018	214	144	76	30	12	476	29	7	15	11
		Dysentery F	1,069	176	116	53	23	12	380	28	9	2	13
15		Plague M	1										1
		Plague F											
16		Yellow fever M											
		Yellow fever F											
17		Leprosy M	7									1	2
		Leprosy F	4										1
18		Erysipelas M	1,210	350	15	8	5	1	379	5	8	15	10
		Erysipelas F	1,057	385	30	17	2	2	436	10	13	15	22
19		Other epidemic diseases M	128	41	27	13	6	4	91	8	4	2	4
		Other epidemic diseases F	95	27	18	12	3	1	61	4	6	2	1
20		Purulent infection and septicemia M	864	72	13	16	13	6	120	38	39	30	37
		Purulent infection and septicemia F	563	55	20	12	5	7	99	21	25	26	34
21		Glanders M	4										
		Glanders F											
22		Anthrax M	27		1				1		1	1	1
		Anthrax F	7							2		1	3
23		Rabies M	36	1	1		1	2	5	11	3	2	2
		Rabies F	11			3			3	3			1
24		Tetanus M	702	116	7	9	15	19	166	89	72	51	49
		Tetanus F	265	64	2	6	9	11	92	37	17	10	11
25		Mycoses M	27	1					1			2	2
		Mycoses F	13	1	1				2				2
26		Pellagra M	390	1		3	1		5	7	3	4	10
		Pellagra F	804		3		1	1	5	3	14	18	46
27		Beriberi M	2					1	1				
		Beriberi F											
		Tuberculosis (total) M	48,223	1,191	804	436	267	198	2,896	629	462	2,188	4,883
		Tuberculosis (total) F	35,442	961	752	398	256	198	2,565	646	868	3,119	4,991
28		Tuberculosis of the lungs M	41,221	331	191	78	44	42	686	153	202	1,810	4,305
		Tuberculosis of the lungs F	29,293	263	192	76	58	34	623	199	569	2,671	4,463
29		Acute miliary tuberculosis M	1,381	57	39	23	13	6	138	26	27	97	191
		Acute miliary tuberculosis F	1,077	52	50	21	12	8	143	41	57	165	184
30		Tuberculous meningitis M	2,614	604	471	271	160	101	1,607	295	116	104	102
		Tuberculous meningitis F	2,363	498	448	250	145	126	1,467	283	129	114	96
31		Abdominal tuberculosis M	1,286	96	63	31	29	21	240	64	40	58	120
		Abdominal tuberculosis F	1,487	71	40	29	20	10	170	47	43	95	151
32		Pott's disease M	473	10	8	9	9	14	50	41	30	36	60
		Pott's disease F	324	14	5	8	5	11	43	37	23	21	19
33		White swellings M	283	12	3	5	6	3	29	22	18	26	27
		White swellings F	137	5	3	1	6	2	17	15	15	7	9
34		Tuberculosis of other organs M	672	56	20	9	4	8	97	22	19	41	47
		Tuberculosis of other organs F	496	38	8	7	5	1	59	17	28	28	35
35		Disseminated tuberculosis M	293	25	9	10	2	3	49	6	10	16	31
		Disseminated tuberculosis F	265	20	6	6	5	6	43	7	4	18	34
36		Rickets M	191	125	34	13	5	3	180	7			
		Rickets F	189	105	45	7	8		165	3	1	1	2
37		Syphilis M	2,779	905	50	18	10	4	987	22	16	24	54
		Syphilis F	1,554	748	51	14	6	5	824	9	11	18	44
38		Gonococcus infection M	90	32					32	1		4	11
		Gonococcus infection F	202	37	4			1	42	1		17	23

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed List No. Int.
30,387	31,411	35,083	36,423	40,036	44,992	49,302	53,974	59,238	62,979	55,794	40,727	21,537	7,332	1,666	291	836	
16,502	17,662	20,106	21,124	23,722	26,219	28,573	30,201	32,140	32,952	28,031	19,526	9,931	2,988	696	104	627	
13,885	13,749	14,977	15,299	16,314	18,773	20,729	23,773	27,098	30,027	27,763	21,201	11,606	4,344	970	187	209	
13,900	13,511	13,976	13,905	14,042	14,784	14,723	14,334	13,283	11,554	8,393	4,885	2,128	668	130	17	157	
7,490	7,595	7,833	7,617	7,786	7,869	7,647	7,213	6,547	5,457	3,811	2,105	904	256	55	5	100	
6,410	5,916	6,143	6,288	6,256	6,915	7,076	7,121	6,736	6,097	4,582	2,780	1,224	412	75	12	57	
589	434	391	289	230	171	147	101	88	45	23	12	4				14	1
303	226	201	131	115	122	82	67	57	38	18	6	2	1			2	
						1											2
																	3
33	22	19	26	39	34	27	35	24	20	18	11	6	3			6	4
17	15	21	17	16	14	17	18	24	19	21	10	5	1			1	
6	5	3	8	4	4	5	5	2	1	1							5
10	4	4	1		2	3	1	1		2		2					
12	2	5	5	4	6	8	1		3								6
12	14	7	9	3	7	4	4	3	1	1							
14	12	5	3	3	3	2	1	1								1	7
28	18	12	8	3	4	1											
3				1				1	6	1	1						8
1	1	1	1	1		1	2		2			1					
32	30	17	26	15	5	5	9	2	1	2						3	9
36	30	25	21	15	21	17	10	3	4	3	3					1	
71	70	68	105	162	183	234	279	374	461	527	516	284	123	26	2	4	10
73	66	102	104	142	164	233	330	473	676	779	691	453	190	35	4	5	
																	11
																	12
	1	1	1	3	2	5	3	7	1	13	3	2	2	1			13
1	1				3	4	7	6	6	12	10	4					
11	10	13	16	22	26	33	38	54	68	94	58	25	8	2		2	14
11	14	19	14	17	30	28	56	72	96	100	102	53	17	5	2	1	
																	15
																	16
	1				1		1		1								17
	1	1					1										
34	47	68	78	50	78	85	68	73	63	76	32	29	10	1		1	18
19	36	35	34	49	52	48	48	61	50	51	41	25	8	2	1	1	
2	1	3	2	4	1		1	3		1	1						19
3		3	4	1		1	2	5	1			1					
38	34	60	65	58	68	62	61	45	38	34	17	14	4			2	20
45	39	28	23	23	28	31	41	22	24	18	25	6	4	1			
1				2		1											21
4	3	2	1	2	4	2	1	3	1								22
		1															
5		2	1	3		1			1								23
		2			1	1											
31	43	40	34	30	30	24	19	13	4	4	2					1	24
8	12	14	15	5	6	7	11	10	4	5		1					
4	2	4	2	1		3	2	3	1								25
	1		1	1	2		1	1		2							
14	28	27	32	29	48	61	39	40	30	10	2					1	26
55	77	125	102	69	69	59	58	48	34	13	6	1				2	
1																	27
5,745	5,646	5,480	4,835	4,263	3,504	2,664	1,969	1,406	917	472	171	50	5	4		34	
4,906	4,034	3,456	2,638	1,902	1,505	1,258	1,118	932	737	463	197	66	14	2		25	
5,222	5,178	5,055	4,477	3,920	3,235	2,449	1,785	1,269	809	435	150	42	5	3		31	28
4,403	3,624	3,124	2,368	1,684	1,321	1,101	969	829	666	413	173	56	13	2		22	
174	178	156	115	98	68	43	36	18	9	4	3						29
145	106	70	54	45	25	15	19	5	1	2							
83	76	63	44	48	26	18	19	8	3	2							30
65	54	43	35	26	17	13	6	4	8	1	1	1					
118	92	87	88	76	71	65	40	57	46	13	8	2				1	31
176	129	124	112	85	82	74	64	49	42	27	12	3				2	
38	26	30	25	25	28	27	30	9	9	5	3					1	32
21	33	24	20	12	20	12	14	10	5	5	2	3					
28	17	13	16	22	15	13	12	11	8	2	3	1					33
12	13	5	6	5	8	7	6	4	3	2	2	1					
55	56	50	52	53	36	35	35	23	30	10	4	5		1		1	34
57	53	39	28	29	22	27	25	20	9	11	5	2	1			1	
27	23	26	18	21	25	14	12	11	3	1							35
27	22	27	15	16	10	9	15	11	3	2	2						
						1	1	1		1							36
	1	1	3	1	2	2		1		3	2	1					
110	180	238	252	229	191	178	138	79	46	24	8					3	37
85	92	81	93	76	73	55	35	29	11	7	5	4				2	
6	9	2	6	2	7	2	1	3	1	2	1						38
30	34	30	16	7	1					1							

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	Int.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		I.—General diseases—Continued.												
		Cancer and other malignant tumors	M.	21,819	29	23	34	22	21	129	73	49	93	140
			F.	30,643	20	18	20	16	18	92	47	47	74	136
39		Of the buccal cavity	M.	1,694		1	1		1	3	3	1	2	3
			F.	352		1	3		1	5	1	3	2	4
40		Of the stomach, liver	M.	10,573	4	2	1	4	2	13	13	5	10	20
			F.	9,971	3	3	7	3	2	18	3	3	4	12
41		Of the peritoneum, intestines, rectum	M.	3,052	2	3	2	1	5	13	9	7	17	32
			F.	4,062		1	1	1	2	5	3	5	5	22
42		Of the female genital organs	F.	7,533		1	1	2		4	2	5	15	46
43		Of the breast	M.	63										
			F.	4,851								1	1	2
44		Of the skin	M.	1,207	1	2	2	1		6	4			4
			F.	727	2			1	2	5	4	1		3
45		Of other organs or of organs not specified	M.	5,230	22	15	28	16	13	94	44	36	64	81
			F.	3,147	15	12	8	9	11	55	34	29	47	47
46		Other tumors (tumors of the female genital organs excepted)	M.	84	7	1		3	1	12	1	1		2
			F.	205	5	2	1	1		9	1		3	6
47		Acute articular rheumatism	M.	1,490	18	9	17	20	26	90	184	165	124	69
			F.	1,519	15	6	7	19	30	77	183	184	107	83
48		Chronic rheumatism and gout	M.	299							4		4	7
			F.	533		1			1	2		1	4	5
49		Scurvy	M.	44	27	8	1		1	37	2	2		
			F.	27	20	3	1			24				
50		Diabetes	M.	5,174	9	12	20	15	16	72	111	131	143	158
			F.	6,234	6	13	10	22	10	61	113	174	131	134
51		Exophthalmic goiter	M.	103	1					1			4	8
			F.	927								5	39	79
52		Addison's disease	M.	135	1	2	1			4	1		3	3
			F.	149								4	6	9
53		Leukemia	M.	813	20	21	22	11	20	94	49	42	39	55
			F.	467	9	16	7	12	10	54	19	18	21	22
54		Anemia, chlorosis	M.	1,515	79	23	10	7	5	124	22	10	25	25
			F.	1,900	40	24	6	7	5	82	22	23	44	59
55		Other general diseases	M.	736	382	48	27	15	10	482	27	14	16	18
			F.	604	273	42	18	11	9	353	22	15	15	17
56		Alcoholism (acute or chronic)	M.	2,522								2	7	45
			F.	279										7
57		Chronic lead poisoning	M.	141			1			1			2	4
			F.	8				1		1				
58		Other chronic occupation poisonings	M.	9									1	2
			F.											
59		Other chronic poisonings	M.	184	1					1			3	14
			F.	270									4	4
		II.—Diseases of the nervous system and of the organs of special sense.		82,054	4,373	1,228	688	376	281	6,946	974	677	814	856
		Males		44,006	2,578	662	349	190	139	3,918	527	396	463	506
		Females		38,048	1,795	566	339	186	142	3,028	447	281	351	350
60		Encephalitis	M.	313	63	13	14		1	91	17	16	9	15
			F.	214	37	16	7	5	1	66	19	11	9	12
61		Meningitis	M.	2,587	801	330	173	99	60	1,463	236	121	125	90
			F.	2,028	546	278	188	98	85	1,195	199	92	72	61
		Simple meningitis	M.	1,455	472	165	99	61	31	828	117	49	58	38
			F.	1,174	344	166	103	42	45	700	92	43	30	30
		Cerebrospinal meningitis (undefined)	M.	604	186	96	43	18	15	358	52	37	39	25
			F.	480	110	66	44	35	21	276	58	27	19	16
		Cerebrospinal fever	M.	528	143	69	31	20	14	277	67	35	28	27
			F.	374	92	46	41	21	19	219	49	22	23	15
62		Locomotor ataxia	M.	1,254							1		1	6
			F.	432								2	1	1
63		Other diseases of the spinal cord	M.	2,096	76	64	47	28	28	243	65	54	51	40
			F.	1,882	75	57	49	28	18	227	55	36	35	18
		Acute anterior poliomyelitis	M.	332	48	54	41	21	17	181	42	31	20	9
			F.	305	59	51	41	21	15	187	38	23	12	3
		Other diseases of the spinal cord [1]	M.	1,764	28	10	6	7	11	62	23	23	31	31
			F.	1,577	16	6	8	7	3	40	17	13	23	15
64		Cerebral hemorrhage, apoplexy	M.	25,616	95	19	17	11	7	149	24	23	37	65
			F.	24,584	65	23	9	7	4	108	25	18	34	55
65		Softening of the brain	M.	567									1	
			F.	431		1				1			1	
66		Paralysis without specified cause	M.	2,575	19	2	2	3	3	29	8	9	10	10
			F.	2,646	14	7	3		1	25	3	6	5	5
67		General paralysis of the insane	M.	3,407								1	4	13
			F.	1,241									3	13
68		Other forms of mental alienation	M.	588									13	30
			F.	762								2	21	40
69		Epilepsy	M.	1,418	48	19	12	7	11	97	47	82	113	125
			F.	936	21	15	12	7	8	63	41	32	90	74
70		Convulsions (nonpuerperal)	M.	31							11	1	2	1
			F.	48							7	5	8	7
71		Convulsions of infants	M.	1,395	1,208	130	36	17	4	1,395				
			F.	978	834	97	25	15	7	978				
72		Chorea	M.	27	2	1	1			4	2	6	4	2
			F.	78	1	3	2			6	8	10	18	6
73		Neuralgia and neuritis	M.	149	1	1				2	1	1	1	3
			F.	226	2				1	3			4	5

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Int. Detailed List No.
213	374	575	940	1,583	2,294	2,825	3,191	3,156	2,798	1,890	1,005	383	80	12	3	13	
305	703	1,392	2,357	2,980	3,660	3,882	3,861	3,597	3,251	2,328	1,285	463	142	24	4	13	
9	22	31	62	108	204	233	252	221	219	169	101	35	12	2	1	1	39
4	6	8	12	11	21	32	39	37	61	48	37	13	6	2			
64	129	245	440	833	1,202	1,476	1,683	1,636	1,410	849	385	130	24	2	2	2	40
37	137	274	507	746	1,034	1,289	1,475	1,456	1,363	940	471	159	32	6	1	4	
49	77	111	167	232	311	398	398	421	404	238	123	38	4	1		2	41
64	73	159	255	317	419	497	508	557	513	388	181	69	20	2			
116	282	509	867	1,032	1,140	998	875	673	483	293	135	37	15	1	2	3	42
1	1	3	3	3	8	5	12	10	8	5	3			1			43
23	103	301	475	601	642	662	539	458	405	321	214	75	20	6		2	
5	8	20	22	41	80	105	159	165	175	160	145	78	23	4		3	44
3	2	9	16	19	29	33	62	72	103	146	121	64	28	5	1	1	
85	137	165	246	366	489	608	687	703	582	469	248	102	17	2		5	45
58	100	132	225	254	375	371	363	344	323	192	126	46	21	2		3	
1	4	4	3	8	6	10	5	8	4	5	4	4	1			1	46
7	8	10	9	9	19	13	18	20	27	17	20	6	1	2			
68	65	61	66	73	78	81	77	90	77	66	29	19	6	2			47
64	52	68	59	63	73	76	76	76	98	74	71	23	10	1	1		
8	5	13	6	15	16	23	30	43	45	39	26	8	3	4			48
5	7	9	16	29	32	57	57	81	72	80	41	29	6				
					1		1		1								49
			2		1												
166	176	191	216	331	479	584	666	647	555	348	145	47	6	2			50
159	156	158	221	334	595	771	927	899	703	444	189	51	12			2	
6	6	10	20	11	12	4	5	10	4			2					51
92	85	104	104	109	86	74	52	43	36	11	7	1					
4	6	17	12	15	17	21	13	7	7	4	1						52
10	12	19	14	18	14	12	12	10	2	3	3		1				
54	47	38	46	54	58	73	51	54	39	14	5					1	53
28	39	26	41	31	46	36	26	19	20	14	7						
32	47	74	96	145	163	183	188	166	108	66	25	12	1	1		2	54
49	63	94	155	161	209	240	227	187	147	82	37	13	3	2		1	
25	12	14	17	5	13	22	11	12	11	17	10	7	3				55
14	10	11	11	17	13	14	21	22	14	15	10	9	1				
132	244	361	378	346	323	233	174	113	83	45	17	7	1			11	56
25	39	52	43	37	32	22	11	5	3		2	1					
7	12	9	11	28	23	19	12	7	4		2						57
		1	1	1	1			2		1							
2			2	2													58
6	17	18	17	14	20	18	16	12	12	14	1	1					59
9	26	30	20	21	28	27	23	27	21	14	10	3	1	1		1	
1,036	1,543	2,282	2,988	4,000	5,139	6,467	7,787	9,326	10,674	9,798	6,522	3,126	868	137	25	69	
614	931	1,437	1,809	2,286	2,863	3,719	4,319	5,027	5,535	4,778	3,026	1,397	342	52	14	47	
422	612	845	1,179	1,714	2,276	2,748	3,468	4,299	5,139	5,020	3,496	1,729	526	85	11	22	
16	24	19	12	23	16	13	9	12	7	6	8						60
6	9	15	14	11	11	4	10	6	8	1	1	1					
85	87	69	64	55	47	43	33	18	22	12	8	2	1			6	61
54	46	52	50	46	36	39	21	27	12	12	7	5	2				
44	56	39	40	43	32	33	25	15	16	10	6	2	1			3	
29	25	39	36	30	24	27	18	19	10	11	5	4	2				
13	15	17	14	10	7	7	5	2	1							2	
15	13	8	8	12	8	7	3	6	2		2						
28	16	13	10	2	8	3	3	1	5	2	2					1	
10	8	5	6	4	4	5		2		1		1					
9	24	64	100	145	181	211	193	138	88	59	25	7	1			1	62
7	12	18	34	47	47	49	65	57	45	32	10	2	2			1	
31	45	68	78	124	116	148	237	254	244	153	100	36	8		1		63
31	27	53	95	83	144	160	188	220	199	169	83	42	11	4	1	1	
3	2	6	5	5	5	4	9	5	4		1						
2	6	2	11	4	3	5	4	2	2	1							
28	43	62	73	119	111	144	228	249	240	153	99	36	8		1		
29	21	51	84	79	141	155	184	218	197	168	83	42	11	4	1	1	
111	181	384	621	1,069	1,717	2,517	3,152	3,801	4,298	3,729	2,290	1,114	263	36	8	27	64
83	183	330	554	1,044	1,573	2,011	2,663	3,309	4,055	3,897	2,777	1,355	415	68	10	17	
	2	7	9	13	16	31	49	80	88	130	99	30	9	2		1	65
1		4	11	11	13	15	33	47	87	103	62	34	8				
14	22	32	45	64	94	198	244	371	460	422	331	158	36	11	5	2	66
8	10	26	43	79	109	142	208	350	461	502	388	199	63	12		2	
66	249	498	572	507	424	292	203	181	153	132	85	16	8	1		2	67
23	84	103	119	125	104	102	94	107	114	125	70	43	10	1		1	
32	42	56	44	58	51	66	50	41	40	26	19	9	6	1		4	68
37	54	55	76	78	79	64	56	59	46	56	23	15	1				
143	130	113	117	95	70	70	53	49	52	38	13	5	4			2	69
88	99	72	79	46	44	44	46	36	35	26	14	6	1				
2	3	1	1	2	1		3		1	1						1	70
2	2	4		1	1	1		2	2		4	2					
																	71
1		2		2			1		1		2						72
3	2	3	1	2	1	2	2	4	3	4	1	2					
4	7	7	13	10	13	15	17	14	17	16	6	1	1				73
12	12	17	14	21	12	13	18	22	23	25	16	6	3				

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		II.—Diseases of the nervous system and of the organs of special sense—Continued.											
74		Other diseases of the nervous system	M. 1,256	111	23	22	13	12	181	55	46	51	65
			F. 1,038	89	22	16	10	5	142	35	29	29	37
75		Diseases of the eyes and their annexa	M. 34	9	3	2	1	2	17	2	1		
			F. 28	3		2	5	1	11	2		4	
76		Diseases of the ears	M. 693	145	57	23	11	11	247	58	35	41	41
			F. 496	108	47	26	11	11	203	53	38	17	16
		III.—Diseases of the circulatory system	121,615	1,143	196	125	135	148	1,747	1,163	1,371	1,449	1,648
		Males	64,854	657	101	62	69	83	972	551	603	693	751
		Females	56,761	486	95	63	66	65	775	612	768	756	897
77		Pericarditis	M. 382	3	2	2	2	2	11	11	16	15	10
			F. 301	1	3	4	2		10	18	14	12	10
78		Acute endocarditis	M. 2,948	139	25	12	25	21	222	109	88	108	118
			F. 2,631	101	26	7	10	18	162	157	139	128	132
79		Organic diseases of the heart	M. 47,918	306	46	39	40	53	484	399	478	542	578
			F. 43,875	251	41	41	48	43	424	423	597	582	683
80		Angina pectoris	M. 3,172	3		1			4		4	3	12
			F. 1,820	2					2	1	2	6	16
81		Diseases of the arteries, atheroma, aneurism, etc.	M. 8,637	2		1			3	4		6	11
			F. 6,214	4	1				5	1	4	2	3
82		Embolism and thrombosis	M. 1,247	33	4			2	39	13	7	8	11
			F. 1,366	18	5	1	2	1	27	7	7	17	37
83		Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	M. 159		1				1	1	2	2	6
			F. 257								2	2	8
84		Diseases of the lymphatic system (lymphangitis, etc.).	M. 244	140	19	7	2	4	172	12	7	7	3
			F. 182	97	19	8	4	1	129	5	2	4	2
85		Hemorrhage; other diseases of the circulatory system	M. 147	31	4			1	36	2	1	2	2
			F. 115	12		2		2	16		1	3	6
		IV.—Diseases of the respiratory system	99,667	22,707	7,217	2,521	1,254	817	34,516	1,829	914	1,362	1,801
		Males	53,785	12,880	3,868	1,337	649	448	19,182	989	453	768	1,038
		Females	45,882	9,827	3,349	1,184	605	369	15,334	840	461	594	763
86		Diseases of the nasal fossae	M. 50	22			1		23	2	1	1	3
			F. 47	20		3	1		24			1	
87		Diseases of the larynx	M. 434	94	61	41	38	23	257	49	9	3	6
			F. 278	66	41	28	23	19	177	31	4		2
88		Diseases of the thyroid body	M. 68	6	1		1	1	9	2	2	5	3
			F. 351	3			1	1	5	2	8	9	27
89		Acute bronchitis	M. 3,010	1,790	288	100	37	30	2,245	32	7	5	5
			F. 2,976	1,348	316	81	37	19	1,801	35	4	5	3
90		Chronic bronchitis	M. 2,196	42	14	3	2	2	63	13	4	9	10
			F. 2,664	38	13	1	1		53	25	8	11	15
91		Bronchopneumonia	M. 15,802	7,211	2,173	643	270	171	10,468	287	66	84	82
			F. 15,065	5,584	1,880	609	283	156	8,512	296	94	72	99
92		Pneumonia (total)	M. 28,511	3,382	1,222	474	265	200	5,543	536	333	600	849
			F. 21,829	2,519	1,009	430	233	156	4,347	407	311	450	554
		Lobar pneumonia	M. 22,929	2,169	898	351	204	152	3,774	414	261	482	732
			F. 17,097	1,645	754	322	182	120	3,023	315	229	355	433
		Pneumonia (undefined)	M. 5,582	1,213	324	123	61	48	1,769	122	72	118	117
			F. 4,732	874	255	108	51	36	1,324	92	82	95	121
93		Pleurisy	M. 1,268	84	75	60	30	15	264	52	18	43	49
			F. 870	64	69	23	20	13	189	28	21	32	36
94		Pulmonary congestion, pulmonary apoplexy	M. 761	199	16	7	4	2	228	6	3	6	7
			F. 751	154	8	4	3	3	172	8	5	2	4
95		Gangrene of the lung	M. 146	3	1	3			7		2	5	7
			F. 51	1	1				2	3		2	2
96		Asthma	M. 795	15	6	3		2	26	6	1		4
			F. 660	8	5	4	2	2	21	4	3	1	7
97		Pulmonary emphysema	M. 108	5	1			1	7	1		1	1
			F. 57		2	1			3				1
98		Other diseases of the respiratory system (tuberculosis excepted).	M. 636	27	10	3	1	1	42	3	7	6	12
			F. 283	22	5		1		28	1	3	9	13
		V.—Diseases of the digestive system	87,850	33,872	7,891	2,071	898	584	45,316	1,849	1,262	1,422	1,664
		Males	47,906	19,013	4,213	1,120	491	322	25,159	976	675	804	900
		Females	39,944	14,859	3,678	951	407	262	20,157	873	587	618	764
99		Diseases of the mouth and annexa	M. 265	89	10	5	5	4	113	15	10	4	6
			F. 208	75	13	3	1	3	95	18	2	5	7
100		Diseases of the pharynx	M. 817	110	45	47	35	35	272	121	42	45	49
			F. 652	50	41	32	39	30	192	110	57	44	38
101		Diseases of the esophagus	M. 75	3	3	4	1	1	12	2	1	1	2
			M. 55	3	1	3	1	2	10	2			
102		Ulcer of the stomach	M. 1,717	8	1	1	2	1	13	8	4	17	57
			F. 1,019	6	3		1	1	11	5	7	22	42
103		Other diseases of the stomach (cancer excepted)	M. 3,197	1,174	115	41	20	19	1,369	31	16	23	24
			F. 2,995	844	124	47	17	11	1,043	35	17	24	35
104		Diarrhea and enteritis (under 2 years)	M. 20,537	16,680	3,857				20,537				
			F. 16,686	13,329	3,357				16,686				
105		Diarrhea and enteritis (2 years and over)	M. 3,707			867	304	144	1,315	230	56	40	55
			F. 3,763			763	246	119	1,128	209	44	38	56
106		Ankylostomiasis	M. 5			1	1		2	1	1		
			F. 7			1			1			1	1

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed List No.
61	75	84	103	89	87	93	54	59	53	43	35	17	3	1		1	74
48	57	74	74	92	83	79	53	45	42	58	36	16	9				
1	1				1		1	1	3	3	1	2					75
					1		1	2	1	4	1	1					
38	39	33	30	30	29	22	20	8	8	8	4		2				76
19	15	19	15	28	18	23	10	6	6	6	3		1				
1,992	2,421	3,351	4,235	5,405	7,368	9,289	12,071	14,939	17,359	15,691	11,564	6,093	1,861	435	63	100	
932	1,221	1,797	2,258	3,014	4,197	5,425	6,808	8,252	9,349	8,227	5,839	2,929	776	187	20	53	
1,060	1,200	1,554	1,977	2,391	3,171	3,864	5,263	6,687	8,010	7,464	5,725	3,164	1,085	248	43	47	
10	13	16	13	23	22	41	38	36	39	30	30	6	1			1	77
11	11	13	7	14	12	20	20	37	35	20	21	12	4				
139	172	228	269	317	433	477	58	62	59	39	30	13	7				78
157	167	170	227	262	321	373	46	50	57	36	29	13	3	2			
712	931	1,365	1,677	2,254	3,033	3,970	5,458	6,473	7,162	5,959	3,971	1,868	454	100	12	38	79
790	903	1,223	1,547	1,883	2,491	2,998	4,442	5,532	6,406	5,779	4,159	2,147	653	152	21	40	
20	30	57	113	152	264	395	480	528	485	367	164	74	15	3		2	80
21	23	40	64	73	104	153	220	305	323	230	164	50	15	5		3	
15	36	68	106	163	307	406	611	1,000	1,431	1,670	1,518	900	283	82	8	9	81
15	13	26	31	67	112	184	384	578	993	1,220	1,225	864	379	86	20	2	
23	29	47	56	81	105	99	133	125	141	135	112	63	15	2		3	82
45	49	67	77	57	88	104	112	144	166	158	106	63	30	3	1	1	
5	2	11	11	13	15	22	17	13	18	11	6	3					83
12	22	11	18	29	20	24	29	30	16	11	16	5	1		1		
5	2	1	3	4	4	2	5	8	2	5	2						84
7	4		1	1	7	3	5	5	3	3						1	
3	6	4	10	7	14	13	8	7	12	11	6	2	1				85
2	8	4	5	5	16	5	5	6	11	7	5	10					
2,153	2,482	3,013	3,408	3,903	4,381	4,858	5,440	6,281	6,991	6,713	5,289	2,896	1,084	263	35	55	
1,262	1,495	1,928	2,183	2,514	2,682	2,884	2,949	3,196	3,294	2,945	2,252	1,240	392	93	12	34	
891	987	1,085	1,225	1,389	1,699	1,974	2,491	3,085	3,697	3,768	3,037	1,656	692	170	23	21	
3	2	1	3	2			1	2	1	1	2	1	1				86
4	1	2	1		3	1		1		2	3	3	1				
9	8	10	9	7	7	10	10	5	8	10	9	7				1	87
5	5	4	4	8	5	6	2	4	7	4	6	1	2	1			
7	6	5	3	8	1	5	2	5	3	2							88
19	20	32	40	36	32	28	32	23	16	15	4	3					
7	8	14	16	21	22	30	42	52	100	109	158	91	31	14	1		89
9	8	13	14	22	16	40	63	100	134	196	257	138	100	16	2		
16	18	29	42	50	80	118	154	237	317	380	346	218	80	11		1	90
18	25	32	21	30	59	111	164	259	419	496	481	282	115	33	2	5	
104	118	178	206	224	295	347	423	542	676	666	563	325	110	30	3	5	91
97	110	121	159	187	266	304	470	681	932	1,055	835	516	197	46	12	4	
1,029	1,207	1,536	1,713	1,959	2,005	2,101	2,011	2,052	1,870	1,507	982	496	126	27	6	23	92
667	740	792	890	995	1,194	1,338	1,604	1,797	1,926	1,730	1,232	572	208	59	6	10	
900	1,048	1,330	1,487	1,704	1,742	1,754	1,690	1,707	1,517	1,167	735	353	91	21	4	16	
566	638	658	744	854	1,029	1,126	1,344	1,464	1,531	1,317	881	409	135	37	4	5	
129	159	206	226	255	263	347	321	345	353	340	247	143	35	6	2	7	
101	102	134	146	141	165	212	260	333	395	413	351	163	73	22	2	5	
48	59	62	82	88	75	86	87	82	85	51	24	9	3			1	93
38	40	36	46	49	42	47	47	53	56	50	30	19	8	2		1	
7	13	14	19	16	23	23	23	37	68	83	85	60	32	6	2		94
11	7	12	16	13	12	22	23	40	75	91	113	70	47	7	1		
4	9	7	10	16	20	14	18	9	12	5	1						95
4	8	5	3	4	4	5	1	4	1		3						
2	16	16	23	59	61	76	107	111	97	96	57	25	8	3		1	96
9	6	16	21	29	46	48	61	89	97	97	54	37	11	3			
1		2	1	6	8	7	8	15	18	16	10	4		2			97
1			1	2		4	7	7	11	10	5	3	1	1			
25	31	54	56	58	85	67	63	47	39	19	15	4	1			2	98
9	17	20	9	14	20	20	17	27	23	22	14	12	2	2		1	
1,883	2,201	2,576	2,763	3,177	3,439	3,633	3,424	3,516	3,390	2,891	1,965	1,036	315	67	17	44	
1,010	1,208	1,385	1,583	1,845	1,994	2,100	1,904	1,795	1,719	1,372	853	444	116	27	8	29	
873	993	1,191	1,180	1,332	1,445	1,533	1,520	1,721	1,671	1,519	1,112	592	199	40	9	15	
10	15	11	13	12	12	10	8	10	7	4	2	2			1		99
5	11	5	9	7	6	7	3	6	8	5	6	2				1	
50	35	37	21	28	20	24	14	14	11	16	11	3	4				100
27	32	19	15	12	13	18	17	12	14	12	8	9	1	2			
	3	2	1	1	6	7	8	7	12	7	3						101
1			3	1	9	4	3		8	3	6	3	2				
88	130	164	168	196	178	189	148	132	99	68	42	10	5			1	102
52	58	89	90	88	88	86	84	95	75	66	48	11	1		1		
41	43	62	89	108	119	150	173	210	205	221	180	94	30	7	1	1	103
38	38	60	72	71	91	115	144	180	275	298	255	129	60	11	2	2	
																	104
79	90	106	132	138	131	159	171	171	260	224	179	120	38	7	2	4	105
72	68	90	89	104	119	136	200	260	291	323	268	180	69	11	4	4	
					1												106
2			1				1										

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	Int. No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		V.—Diseases of the digestive system—Continued.												
107		Intestinal parasites	M.	36	1	4	8	2	3	18	6	4		1
			F.	35	4	6	5	3	2	20	7	1	2	1
108		Appendicitis and typhlitis	M.	4,688	34	23	43	48	59	207	370	421	507	496
			F.	3,225	14	16	19	46	40	135	339	365	338	320
109		Hernia, intestinal obstruction (total)	M.	3,588	630	101	59	41	33	864	95	51	70	68
			F.	3,401	357	72	38	18	27	512	59	27	40	77
		Hernia	M.	1,290	127	9	8	5	2	151	10	4	10	14
			F.	1,129	34	4		1		39	1	1	2	10
		Intestinal obstruction	M.	2,298	503	92	51	36	31	713	85	47	60	54
			F.	2,272	323	68	38	17	27	473	58	26	38	67
110		Other diseases of the intestines	M.	864	103	21	14	12	6	156	25	21	24	20
			F.	919	59	13	8	7	6	93	22	10	16	33
111		Acute yellow atrophy of the liver	M.	105	15	1				16	5	1	2	2
			F.	158	5	1	1	4	2	13	2	1	7	18
112		Hydatid tumor of the liver	M.	6										
			F.	12							1	1		
113		Cirrhosis of the liver	M.	5,418	17	4	6	3	1	31	7	5	11	25
			F.	2,547	6	6	3	3	1	19	8	9	11	18
114		Biliary calculi	M.	615	4			1		5	1			5
			F.	1,559								2	4	9
115		Other diseases of the liver	M.	1,359	68	13	10	3	6	100	21	8	20	41
			F.	1,708	46	8	8	8	2	72	19	11	20	26
116		Diseases of the spleen	M.	56	1	1	3	1		6	2	1	1	6
			F.	43	4		1	1	1	7	1		1	4
117		Simple peritonitis (nonpuerperal)	M.	583	72	13	10	11	7	113	34	30	34	31
			F.	720	55	16	18	12	13	114	33	30	38	65
118		Other diseases of the digestive system (cancer and tuberculosis excepted).	M.	268	4	1	1	1	3	10	2	3	5	12
			F.	232	2	1	1		2	6	3	3	7	14
		VI.—Nonvenereal diseases of the genito-urinary system and annexa.		73,514	742	282	186	177	137	1,524	453	441	656	1,209
		Males		40,727	442	150	94	101	81	868	241	200	250	437
		Females		32,787	300	132	92	76	56	656	212	241	406	772
119		Acute nephritis	M.	2,797	207	73	49	61	43	433	107	60	85	103
			F.	2,369	130	66	53	45	32	326	102	78	96	127
120		Bright's disease	M.	32,991	113	63	36	34	32	278	123	134	152	302
			F.	26,081	94	45	30	27	21	217	98	145	219	351
121		Chyluria	M.											
			F.											
122		Other diseases of the kidneys and annexa	M.	837	79	11	7	4	3	104	4	2	6	18
			F.	646	44	15	9	4	2	74	7	6	14	29
123		Calculi of the urinary passages	M.	320		1	1	1	1	4	1	2	3	5
			F.	142					1	1	1		3	1
124		Diseases of the bladder	M.	1,024	14			1		15	5	2		3
			F.	222	10	4				14	1		2	3
125		Diseases of the urethra, urinary abscess, etc	M.	208	3	1			1	5			2	3
			F.	20	4					4	1			
126		Diseases of the prostate	M.	2,483									2	3
127		Nonvenereal diseases of the male genital organs	M.	61	20	1	1		1	23	1			
128		Uterine hemorrhage (nonpuerperal)	F.	44								2	7	4
129		Uterine tumor (noncancerous)	F.	1,026									1	8
130		Other diseases of the uterus	F.	580	2					2	1	7	22	55
131		Cysts and other tumors of the ovary	F.	517								1	4	24
132		Salpingitis and other diseases of the female genital organs.	F.	1,099	7	2				9		2	36	164
133		Nonpuerperal diseases of the breast (cancer excepted).	M.	6	6					6				
			F.	41	9					9	1		2	6
		VII.—The puerperal state		9,358								8	715	2,021
134		Accidents of pregnancy	F.	861									36	152
135		Puerperal hemorrhage	F.	929									29	132
136		Other accidents of labor	F.	880									41	130
137		Puerperal septicemia	F.	3,834								4	299	920
138		Puerperal albuminuria and convulsions	F.	2,439								4	291	610
139		Puerperal phlegmasia alba dolens, embolus, sudden death.	F.	369									16	67
140		Following childbirth (not otherwise defined)	F.	40									2	9
141		Puerperal diseases of the breast	F.	6									1	1
		VIII.—Diseases of the skin and of the cellular tissue.		2,819	586	49	24	15	12	686	32	25	35	51
		Males		1,609	319	23	12	6	5	365	21	13	17	36
		Females		1,210	267	26	12	9	7	321	11	12	18	15
142		Gangrene	M.	706	19	2	7	5	2	35	6	1		4
			F.	570	9	5	2	5	3	24	3		2	2
143		Furuncle	M.	276	41	5				46	3	4	11	11
			F.	140	36	5	1	1		43	1	4	5	3
144		Acute abscess	M.	315	83	10	4	1	2	100	10	7	4	18
			F.	218	88	10	6		4	108	5	6	8	7
145		Other diseases of the skin and annexa	M.	312	176	6	1		1	184	2	1	2	3
			F.	282	134	6	3	3		146	2	2	3	3

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Int. Detailed List No.
3	2			1						1							107
	1			1		1				1							
415	405	392	332	313	272	217	127	89	60	38	13	10	2	1		1	108
269	262	257	198	163	171	124	104	70	41	35	20	9	1	1		3	
95	117	127	150	160	220	259	250	245	279	239	168	97	20	7	2	5	109
112	140	164	174	227	208	264	271	306	282	250	172	80	25	7	1	3	
22	35	50	51	71	95	134	119	117	145	120	85	40	10	3	1	3	
16	23	37	66	82	110	128	144	149	128	102	57	31	2			1	
73	82	77	99	89	125	125	131	128	134	119	83	57	10	4	1	2	
96	117	127	108	145	98	136	127	157	154	148	115	49	23	7	1	2	
45	44	35	47	60	51	49	57	56	60	41	48	18	3	2		2	110
62	53	63	48	62	58	57	46	67	57	65	53	34	14	4	1	1	
3	5	6	3	14	9	6	5	10	7	9	2						111
18	13	12	7	9	8	12	5	7	10	9	5	1	1				
	1	2		1		1	1										112
	1		2		3	3				1							
76	178	281	440	613	724	742	691	590	499	319	120	47	8		1	10	113
46	90	170	207	229	280	281	256	306	263	195	102	48	9				
8	18	27	45	47	76	75	74	79	65	61	20	8		1			114
36	66	85	97	153	185	208	187	204	134	97	62	25	4	1			
45	65	65	85	104	103	145	122	127	123	92	53	28	5	2	1	4	115
41	86	100	110	141	152	155	159	157	175	126	92	54	9	3			
5	6	5	7	3	7	2	1	4									116
1	1	3	3	7	1	3	4	2	1	2	2						
25	28	37	23	31	39	34	28	30	23	26	9	6	1			1	117
74	61	54	27	34	32	34	23	32	29	21	10	6	2			1	
22	23	26	27	15	26	31	26	21	9	6	3	1					118
17	12	20	28	23	21	25	13	17	8	10	3	1	1				
1,779	2,204	2,984	3,722	4,744	5,751	6,524	7,505	8,517	9,180	7,810	5,257	2,416	648	123	20	47	
702	912	1,267	1,752	2,389	3,243	3,788	4,452	5,008	5,472	4,727	3,089	1,434	378	75	7	36	
1,077	1,292	1,717	1,970	2,355	2,508	2,736	3,053	3,509	3,708	3,083	2,168	982	270	48	13	11	
152	165	180	177	204	187	175	161	161	156	139	88	40	19	1		4	119
143	142	177	164	162	154	105	137	127	129	76	75	38	9	2			
481	679	998	1,473	2,042	2,840	3,344	3,880	4,257	4,509	3,754	2,315	1,077	273	48	5	27	120
520	698	1,008	1,267	1,684	2,035	2,403	2,751	3,236	3,413	2,834	1,997	895	244	44	12	10	
																	121
29	32	35	32	59	61	69	68	72	89	72	56	19	8	2			122
31	34	56	46	43	60	40	40	36	31	50	26	14	6	1	1	1	
15	14	14	23	25	23	30	34	32	47	24	15	9					123
8	13	10	12	14	17	17	7	12	10	12	3		1				
11	8	12	15	16	31	25	60	84	173	195	217	106	33	12	1		124
7	4	5	4	9	6	8	15	16	36	35	33	19	5				
8	11	18	17	17	33	26	20	17	14	14	1	2					125
	1	3	2		2	2	2	1		2							
5	3	7	14	21	64	115	226	380	483	526	392	180	44	12	1	5	126
1		3	1	5	4	4	3	5	1	3	5	1	1				127
6	4	6	7	2	3		2			1							128
24	77	127	205	224	114	75	41	31	38	35	16	8	1	1			129
88	77	71	72	45	44	31	24	9	16	8	5	2	1				130
41	42	55	63	68	38	39	32	35	33	28	9	3	2				131
206	199	196	125	102	33	16	2	5		2	2						132
																	133
3	1	3	3	2	2			1	2		2	3	1				
2,220	1,938	1,639	729	81	3											4	
224	214	161	66	7												1	134
185	217	229	122	15													135
210	208	188	96	6	1												136
966	777	602	232	30	2											2	137
523	426	383	181	20												1	138
95	88	69	31	3													139
15	7	6	1														140
2	1	1															141
50	46	63	63	92	109	146	132	182	266	283	280	177	73	18	5	5	
25	30	46	41	57	76	89	78	105	147	166	162	89	34	6	3	3	
25	16	17	22	35	33	57	54	77	119	117	118	88	39	12	2	2	
	3	6	8	14	17	28	38	61	109	130	127	74	33	6	3	3	142
5	6	6	4	11	12	16	32	48	87	95	100	76	29	9	2	1	
11	14	24	14	15	29	28	14	12	15	10	13	2					143
5	4	2	6	9	9	17	6	7	7	6	3	1	1	1			
12	11	11	15	18	19	25	18	14	10	11	9	3					144
9	2	7	7	9	4	9	5	12	6	4	5	1	2	1		1	
2	2	5	4	10	11	8	8	18	13	15	13	10	1				145
6	4	2	5	6	8	15	11	10	19	12	10	10	7	1			

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years	15 to 19 years.	20 to 24 years.
		IX.—Diseases of the bones and of the organs of locomotion	1,681	138	57	39	35	32	301	167	148	126	73
		Males	1,028	92	33	24	18	20	187	95	93	91	47
		Females	653	46	24	15	17	12	114	72	55	35	26
146		Diseases of the bones (tuberculosis excepted) M.	905	82	29	23	15	20	169	94	86	84	41
		F.	551	42	20	14	16	12	104	68	54	33	25
147		Diseases of the joints (tuberculosis and rheumatism excepted) M.	89	9	3	1	2		15		5	6	6
		F.	83	3	4	1	1		9	4	1	2	1
148		Amputations M.	1										
		F.	1										
149		Other diseases of the organs of locomotion M.	33	1	1		1		3	1	2	1	
		F.	18	1					1				
		X.—Malformations	9,688	9,043	279	101	43	33	9,499	84	35	32	13
		Males	5,584	5,251	128	54	27	15	5,475	44	21	22	8
		Females	4,104	3,792	151	47	16	18	4,024	40	14	10	5
150		Congenital malformations (stillbirths not included) (total) M.	5,584	5,251	128	54	27	15	5,475	44	21	22	8
		F.	4,104	3,792	151	47	16	18	4,024	40	14	10	5
		Hydrocephalus M.	426	318	35	25	12	7	397	13	4	8	
		F.	403	302	48	21	6	5	382	14	3	3	
		Congenital malformations of the heart M.	3,483	3,336	56	18	12	5	3,427	20	15	10	5
		F.	2,372	2,232	66	16	5	9	2,328	18	8	6	3
		Other congenital malformations M.	1,675	1,597	37	11	3	3	1,651	11	2	4	3
		F.	1,329	1,258	37	10	5	4	1,314	8	3	1	2
		XI.—Early infancy	48,194	48,194					48,194				
		Males	27,697	27,697					27,697				
		Females	20,497	20,497					20,497				
151		Congenital debility, icterus, and sclerema (total) M.	21,617	21,617					21,617				
		F.	16,499	16,499					16,499				
		Premature birth M.	15,336	15,336					15,336				
		F.	11,863	11,863					11,863				
		Congenital debility, "atrophy," "marasmus," etc. M.	6,281	6,281					6,281				
		F.	4,636	4,636					4,636				
152		Other causes peculiar to early infancy (total) M.	5,978	5,978					5,978				
		F.	3,919	3,919					3,919				
		Injuries at birth M.	3,572	3,572					3,572				
		F.	2,132	2,132					2,132				
		Other causes peculiar to early infancy [1] M.	2,406	2,406					2,406				
		F.	1,787	1,787					1,787				
153		Lack of care M.	102	102					102				
		F.	79	79					79				
		XII.—Old age	11,438										
		Males	4,895										
		Females	6,543										
154		Senility M.	4,895										
		F.	6,543										
		XIII.—External causes	62,441	1,531	1,389	1,168	1,000	817	5,905	2,722	2,094	3,345	5,183
		Males	47,296	820	815	688	544	477	3,344	1,860	1,709	2,551	4,158
		Females	15,145	711	574	480	456	340	2,561	862	385	794	1,025
		Suicide (total) M.	8,380								19	147	571
		F.	2,529							1	17	198	298
155		By poison M.	1,513								2	24	124
		F.	899							1	6	106	147
156		By asphyxia M.	1,049									19	55
		F.	515								1	18	47
157		By hanging or strangulation M.	1,418								7	14	67
		F.	298								3	2	16
158		By drowning M.	416								1	3	20
		F.	229								3	20	19
159		By firearms M.	3,146								8	83	271
		F.	344								2	41	54
160		By cutting or piercing instruments M.	573										17
		F.	75									1	3
161		By jumping from high places M.	156								1	3	9
		F.	99									7	6
162		By crushing M.	64										5
		F.	17									2	2
163		Other suicides M.	45									1	3
		F.	53								2	1	4

[1] Exclusive of injuries at birth.

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Int. List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		Detailed
97	80	81	76	81	85	77	70	62	66	40	31	17		2		1	
56	49	51	46	54	47	53	44	37	43	17	10	6		1		1	
41	31	30	30	27	38	24	26	25	23	23	21	11		1			
51	42	50	43	45	43	43	35	21	33	12	7	4		1		1	146
38	28	23	23	23	28	17	20	17	17	20	10	2		1			
5	5	1	3	7	3	7	6	9	6	2	1	2					147
2	3	7	5	4	9	6	4	6	4	2	9	5					
						1											148
									1								
	2			2	1	2	3	7	4	3	2						149
1			2		1	1	2	2	1	1	2	4					
10	7	3	2	1	1											1	
8	4	1		1													
2	3	2	2		1											1	
8	4	1		1													
2	3	2	2		1											1	150
2	1	1															
					1												
3	2			1													
2	3	2	2														
3	1																
																1	
																	151
																	152
																	153
			2	3	15	42	162	356	1,115	2,084	3,158	2,593	1,409	396	93	10	
				1	6	17	81	165	492	897	1,414	1,068	559	162	28	5	
			2	2	9	25	81	191	623	1,187	1,744	1,525	850	234	65	5	
				1	6	17	81	165	492	897	1,414	1,068	559	162	28	5	154
			2	2	9	25	81	191	623	1,187	1,744	1,525	850	234	65	5	
5,187	4,891	4,999	4,397	4,338	3,716	3,310	2,773	2,416	2,078	1,821	1,590	936	353	84	15	288	
4,354	4,165	4,288	3,756	3,671	3,111	2,685	2,186	1,782	1,262	942	686	355	117	34	6	274	
833	726	711	641	667	605	625	587	634	816	879	904	581	236	50	9	14	
751	807	846	861	955	860	818	655	484	273	146	97	35	7	1		47	
308	281	283	234	247	179	184	93	95	60	31	15	3	2				
144	158	164	178	172	158	131	101	79	47	19	5	2				5	155
139	104	92	75	67	40	49	26	23	13	7	2	2					
81	93	92	122	131	103	136	104	57	33	16	5	1				1	156
63	53	64	61	50	41	42	23	25	15	7	5						
79	109	123	124	164	165	145	137	117	65	43	30	14	5			10	157
21	25	22	35	38	38	31	16	18	19	10	3		1				
40	39	39	41	45	45	42	31	27	15	10	9	1				8	158
18	20	33	15	27	21	23	9	16	3	1	1						
346	304	328	299	349	305	289	223	159	74	40	38	10	1	1		18	159
38	58	46	31	32	20	13	5	3		1							
34	68	62	70	69	59	54	47	36	32	11	6	4	1			3	160
8	7	10	3	12	8	9	5	2	3	1	3						
14	23	26	18	10	15	11	8	4	5	6	2	1					161
16	10	10	6	12	5	10	3	5	3	4	1	1					
10	9	7	8	9	3	6	1	3			1					2	162
		2	3	2	2	1	1		1				1				
3	4	5	1	6	7	4	3	2	2	1	1	2					163
5	4	4	5	7	4	6	5	3	3								

TABLE 7A.—DEATHS OF WHITE PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	Int.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		XIII.—External causes—Continued.												
		Accidental or undefined (total)	M.	36,301	755	806	683	540	472	3,256	1,835	1,663	2,278	3,240
			F.	11,890	640	566	475	454	335	2,470	840	351	546	603
164		Poisoning by food	M.	328	52	26	26	22	14	140	22	8	16	7
			F.	267	40	20	15	13	9	97	21	13	8	15
165		Other acute poisonings	M.	670	56	84	49	28	14	231	33	6	14	40
			F.	504	49	66	48	24	12	199	13	6	18	46
166		Conflagration	M.	525	10	25	23	17	13	88	27	15	15	22
			F.	326	15	13	12	19	14	73	37	25	28	27
167		Burns (conflagration excepted)	M.	1,916	96	317	310	206	128	1,057	139	44	42	74
			F.	2,358	87	228	226	238	175	954	294	77	66	101
168		Absorpton of deleterious gases (conflagration excepted)	M.	1,434	284	11	9	3	5	312	23	27	27	82
			F.	642	246	5	5	3	6	265	6	10	30	32
169		Accidental drowning	M.	5,078	14	120	67	59	73	333	430	482	672	640
			F.	995	14	74	34	24	14	160	63	69	231	196
170		Traumatism by firearms	M.	1,125	4	4	6	10	9	33	92	181	207	147
			F.	157	1	3	6	8	9	27	29	14	22	9
171		Traumatism by cutting or piercing instruments	M.	69		3			4	7	4	1	3	5
			F.	6			1			1	1		1	
172		Traumatism by fall	M.	5,687	62	84	73	53	34	306	171	131	144	237
			F.	3,953	48	64	46	36	26	220	81	30	19	25
173		Traumatism in mines and quarries (total)	M.	2,056			1			1	1	5	119	277
			F.	7							1		3	
		Traumatism in mines	M.	1,958			1			1	1	5	117	262
			F.	6							1		2	
		Traumatism in quarries	M.	98									2	15
			F.	1									1	
174		Traumatism by machines	M.	1,156		3	1	4	3	11	15	20	111	159
			F.	36				2	2	4	6	2	5	2
175		Traumatism by other crushing (total)	M.	12,340	20	50	71	103	143	387	740	571	695	1,217
			F.	1,883	14	37	56	67	53	227	236	80	101	119
		Railroad accidents and injuries	M.	5,829	2	18	10	6	15	51	112	158	352	672
			F.	444		4	13	8	2	27	27	24	35	33
		Street-car accidents and injuries	M.	1,190		6	10	17	26	59	67	37	47	92
			F.	287	1	4	10	13	11	39	28	6	8	9
		Automobile accidents and injuries	M.	3,014	7	6	14	43	63	133	402	260	180	254
			F.	829	3	11	13	28	30	85	138	39	46	58
		Injuries by other vehicles	M.	1,929	11	20	37	37	37	142	150	106	98	149
			F.	298	8	17	19	18	10	72	41	9	11	14
		Landslide, other crushing	M.	378					2	2	9	10	18	50
			F.	25	2	1	1			4	2	2	1	5
176		Injuries by animals	M.	502	1	7	13	10	9	40	53	35	22	24
			F.	36		2	3	2		7	8	4	1	
177		Starvation	M.	25	3					3	1			1
			F.	11	4					4				
178		Excessive cold	M.	236	8	4	1	1		14	1	3	3	11
			F.	58	13	5	1	1		20	3		2	3
179		Effects of heat	M.	256	43	6	2	1		52		3	5	10
			F.	104	19	2	2	1	1	25	2		1	3
180		Lightning	M.	182	2				1	3	2	12	21	16
			F.	28							5	4	3	4
181		Electricity (lightning excepted)	M.	491				1	2	3	10	34	43	92
			F.	13							3	2		3
185		Fractures (cause not specified)	M.	235	3					3	5	5	9	10
			F.	128	1	2			1	4		1	1	1
186		Other external violence	M.	1,990	97	62	31	22	20	232	66	80	110	169
			F.	378	89	45	20	16	13	183	31	14	6	17
		Homicide (total)	M.	2,615	65	9	5	4	5	88	25	27	126	347
			F.	726	71	8	5	2	5	91	21	17	50	124
182		By firearms	M.	1,660	1	1	1	1	2	6	8	18	96	248
			F.	354	1	2	2	1	2	8	4	12	30	61
183		By cutting or piercing instruments	M.	326	3		2		1	6	2	3	16	50
			F.	71	2	1	2			5	3	1	3	14
184		By other means	M.	629	61	8	2	3	2	76	15	6	14	49
			F.	301	68	5	1	1	3	78	14	4	17	49
		XIV.—Ill-defined diseases		5,609	2,141	430	87	49	30	2,737	56	32	65	63
		Males		3,197	1,197	192	50	21	22	1,482	21	19	42	32
		Females		2,412	944	238	37	28	8	1,255	35	13	23	31
187		Ill-defined organic disease	M.	142	5	2	1		3	11		3	2	3
			F.	151	4	2	2			8	3			1
188		Sudden death	M.	247	69	9		1	2	81	2	1	3	4
			F.	153	51	4	2	2	1	60	2	1	1	2
189		Not specified or ill-defined (total)	M.	2,808	1,123	181	49	20	17	1,390	19	15	37	25
			F.	2,108	889	232	33	26	7	1,187	30	12	22	28
		Ill-defined	M.	1,290	239	148	37	11	11	446	10	7	18	16
			F.	1,001	192	203	23	16	4	438	16	9	13	12
		Not specified or unknown	M.	1,518	884	33	12	9	6	944	9	8	19	9
			F.	1,107	697	29	10	10	3	749	14	3	9	16

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed List No. Int.
3,164	3,025	3,082	2,616	2,533	2,112	1,773	1,473	1,254	961	782	586	319	110	33	6	200	
419	347	362	363	394	404	419	485	531	748	844	885	577	233	50	9	10	
10	12	13	18	14	12	14	14	10	9	6	2					1	
9	13	9	8	10	10	9	11	11	10	9	3					1	164
33	46	53	43	37	42	35	21	15	9	7	4	1					
34	33	34	29	23	18	15	10	8	8	4	4	2					165
37	28	38	37	38	32	24	32	26	21	18	11	5	1	1		9	
18	10	12	6	8	13	4	8	7	8	15	17	5		3	1	1	166
81	63	64	51	59	35	42	43	30	25	32	17	13	2	1	1	1	
87	70	67	65	78	53	63	77	69	73	68	55	28	9	1	2	1	167
96	83	112	102	117	106	81	77	71	50	36	19	10	1			2	
26	21	25	20	23	35	23	26	25	27	24	12	7	4			1	168
458	365	359	320	288	222	148	122	77	55	27	18	4	2	1		55	
81	41	37	28	21	20	16	9	8	6	1	3	1				4	169
101	81	70	47	46	37	32	21	6	6	5	3	2				8	
11	9	7	11	5	5	4	3	1									170
6	7	6	6	4	5	3	3	5	3		1						
				1	1				1								171
302	360	415	377	372	407	333	368	369	315	361	354	238	89	26	5	7	
48	35	50	73	83	98	130	199	270	491	617	716	512	206	45	5		172
346	316	291	233	210	115	80	32	15	8	3	1					3	173
1		1						1									
334	300	276	219	199	108	78	29	14	8	3	1					3	
1		1						1									
12	16	15	14	11	7	2	3	1									
182	126	144	107	79	66	46	32	32	16	7						3	174
	4		2	2	3	2	1	1	1	1							
1,162	1,179	1,186	971	981	776	699	550	458	329	214	94	27	7	2		95	175
88	93	98	108	116	123	128	104	94	78	55	30	3				2	
669	672	691	515	514	357	315	248	183	124	76	27	9	2	1		81	
22	24	30	32	37	30	31	24	24	22	14	7					1	
88	108	110	93	105	95	83	68	42	44	33	10	4	2			3	
13	15	16	16	21	22	21	19	23	11	12	8						
208	220	215	192	203	175	164	111	118	78	55	28	8	3			7	
42	39	42	49	51	53	48	48	28	30	17	12	3				1	
138	130	133	131	130	130	112	110	106	77	49	28	6		1		3	
9	15	10	9	6	14	28	13	18	15	11	3						
59	49	37	40	29	19	25	13	9	6	1	1					1	
2			2	1	4			1		1							
25	26	18	29	32	50	36	30	29	26	15	9	2	1				176
1		1	2		1	3	3	2	1	2							
2	2	2	2	3				3	2	2	2						177
				1			1	2	1	2							
9	16	18	25	21	23	23	14	17	18	8	9	2				1	178
1	1	3	1	1	3	3	2	5	2	5	1	2					
13	22	14	11	15	21	23	22	12	10	10	7	3	2			1	179
2	2	2	2	5	4	4	9	11	10	7	12	1	2				
17	29	16	9	16	7	13	10	6		1	2					2	180
1	1			2	3	2	1	1		1							
80	79	55	35	29	16	5	6	2								2	181
1		1		1	2												
11	10	34	22	13	17	8	14	8	18	12	18	10	3	2		3	185
2	2	1		3		3	8	10	22	22	23	14	9	1	1		
193	175	174	171	159	123	128	62	63	41	18	15	2	2			7	186
8	12	14	8	11	12	10	13	5	9	11	9	2	3				
439	333	360	279	183	139	94	58	44	28	14	3	1				27	
106	98	66	44	26	22	22	9	8	8	4	4	1	1			4	
298	221	232	198	110	83	57	30	23	12	5	1					14	182
60	52	48	25	18	14	9	3	2	3	2	2					1	
76	50	44	29	19	10	6	6	4	3	1						1	183
10	14	7	6	3	2	2	1										
65	62	84	52	54	46	31	22	17	13	8	2	1				12	184
36	32	11	13	5	6	11	5	6	5	2	2	1	1			3	
80	87	116	133	169	201	233	276	360	306	270	186	119	53	11	1	55	
49	52	73	79	104	131	166	167	226	182	149	90	65	18	4	1	45	
31	35	43	54	65	70	67	109	134	124	121	96	54	35	7		10	
	2		1	3	8	12	12	18	17	21	16	11	1			1	187
	2	6	8	10	7	6	11	10	25	17	19	11	6	1			
7	4	7	11	11	13	17	16	18	27	9	9	5	2				188
4	4	4	3	2	6	9	7	15	8	10	10	3	2				
42	46	66	67	90	110	137	139	190	138	119	65	49	15	4	1	44	189
27	29	33	43	53	57	52	91	109	91	94	67	40	27	6		10	
16	25	31	35	56	73	79	88	140	85	80	40	23	10	2		10	
20	15	24	25	35	34	32	59	75	61	60	35	16	16	3		3	
26	21	35	32	34	37	58	51	50	53	39	25	26	5	2	1	34	
7	14	9	18	18	23	20	32	34	30	34	32	24	11	3		7	

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	Int. No.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		All causes		77,974	11,695	2,753	1,167	673	462	16,750	1,535	1,477	3,268	5,115
		Males		41,058	6,420	1,425	597	317	228	8,987	766	673	1,427	2,468
		Females		36,916	5,275	1,328	570	356	234	7,763	769	804	1,841	2,647
		I.—General diseases		25,605	1,564	675	377	285	207	3,108	734	852	1,966	2,929
		Males		12,872	840	335	179	121	100	1,575	346	344	767	1,355
		Females		12,733	724	340	198	164	107	1,533	388	508	1,199	1,574
1		Typhoid fever	M.	584	3	9	6	7	8	33	45	48	89	114
			F.	475	2	4	6	10	15	37	46	64	79	77
2		Typhus fever	M.											
			F.											
3		Relapsing fever	M.											
			F.											
4		Malaria	M.	223	17	8	6	7	5	43	10	13	17	21
			F.	307	15	14	18	10	6	63	19	10	14	31
5		Smallpox	M.	15	1			1		2				
			F.	7	1					1				
6		Measles	M.	54	11	20	8	6		45	2	3	1	
			F.	70	16	22	10	4	4	56	1	3	2	2
7		Scarlet fever	M.	18	1		2	1	2	6	4	4		1
			F.	25	4	3	1	2		10	6	2	3	3
8		Whooping cough	M.	277	142	67	31	17	13	270	6	1		
			F.	327	152	85	35	27	5	304	16	4		
9		Diphtheria and croup	M.	174	43	19	22	18	11	113	36	12	3	2
			F.	172	31	18	12	16	20	97	38	17	6	2
10		Influenza	M.	385	31	20	8	3	1	63	6	3	11	19
			F.	483	40	6	5	4	1	56	5	4	16	22
11		Miliary fever	M.											
			F.											
12		Asiatic cholera	M.											
			F.											
13		Cholera nostras	M.	5	1	2				3				
			F.	8	1		1			2				1
14		Dysentery	M.	201	50	24	5	1	5	85	3	1	4	7
			F.	231	51	27	8	9	2	97	7	1	3	5
15		Plague	M.											
			F.											
16		Yellow fever	M.											
			F.											
17		Leprosy	M.	2										
			F.											
18		Erysipelas	M.	38	6					6			1	2
			F.	35	9		1		1	11	1		1	1
19		Other epidemic diseases	M.	6	4	1				5	1			
			F.	6	2	1		1		4				1
20		Purulent infection and septicemia	M.	64	4		1	1	1	7	1	4	3	1
			F.	64		1		1	1	3	4	3	4	3
21		Glanders	M.											
			F.											
22		Anthrax	M.	1										1
			F.											
23		Rabies	M.	3							2	1		
			F.	2							1			
24		Tetanus	M.	174	66				1	67	9	14	7	13
			F.	88	53			1		54	7	9		3
25		Mycoses	M.	1										
			F.	1									1	
26		Pellagra	M.	484	1	3		3	3	10	15	13	6	26
			F.	1,165	4	4	1	4	2	15	22	19	54	138
27		Beriberi	M.	1								1		
			F.	3	1					1				
		Tuberculosis (total)	M.	7,858	179	124	75	45	42	465	182	211	582	1,070
			F.	6,671	135	111	80	65	46	437	199	348	959	1,190
28		Tuberculosis of the lungs	M.	6,712	74	66	32	20	23	215	106	138	484	936
			F.	5,627	56	52	41	34	26	209	124	275	828	1,053
29		Acute miliary tuberculosis	M.	356	10	7	3	4	2	26	9	10	44	59
			F.	326	8	8	6		4	26	13	24	67	62
30		Tuberculous meningitis	M.	263	60	36	27	10	13	146	33	13	10	19
			F.	205	32	32	25	19	9	117	31	10	15	11
31		Abdominal tuberculosis	M.	292	6	6	8	6	3	29	22	25	25	32
			F.	345	8	12	2	4	5	31	19	27	37	51
32		Pott's disease	M.	52			2	2	1	5	3	8	6	6
			F.	28				1		1	5	3	3	4
33		White swellings	M.	26	1		1			2	2	1	2	5
			F.	17	3	1		1		5	3	1		
34		Tuberculosis of other organs	M.	83	2	6	1	3		12	2	9	7	7
			F.	79	6	2	5	3	2	18	4	5	4	7
35		Disseminated tuberculosis	M.	74	26	3	1			30	5	7	4	6
			F.	44	22	4	1	3		30		3	5	2
36		Rickets	M.	51	23	16	6	2	1	48	3			
			F.	43	15	17	8	1		41	1	1		
37		Syphilis	M.	936	213	17	5	3	3	241	9	4	17	52
			F.	550	156	25	10	5	1	197	2	7	21	43
38		Gonococcus infection	M.	16	6					6				
			F.	32	4			1		5			3	5

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed List No. Int.
5,236	4,902	5,705	5,082	4,741	4,949	3,930	3,833	3,195	2,900	1,972	1,419	762	439	204	256	304	
2,642	2,612	3,199	2,815	2,644	2,728	2,150	2,082	1,689	1,584	1,013	681	372	172	78	92	184	
2,594	2,290	2,506	2,267	2,097	2,221	1,780	1,751	1,506	1,316	959	738	390	267	126	164	120	
2,711	2,327	2,393	1,878	1,585	1,455	1,030	887	627	460	274	165	76	39	15	20	74	
1,310	1,218	1,302	1,052	863	806	580	505	320	248	120	70	32	10	5	8	36	
1,401	1,109	1,091	826	722	649	450	382	307	212	154	95	44	29	10	12	38	
67	49	47	31	21	15	9	7	5	1		1		1			1	1
44	22	30	25	14	16	6	3	7	2	2						1	
																	2
																	3
12	16	15	16	11	23	6	11	4	4			1					4
21	20	24	15	16	17	19	9	5	9	6	4	1	1		2	1	
4	2		1	3	1	1		1									5
	1		1	1			2		1								
1								1								1	6
3	1					1			1								
1		1	1														7
1																	
																	8
1										1						1	
2	1	2		1	1	1											9
3	1	3	1	2		1		1									
16	23	20	23	19	38	25	35	18	21	14	13	8	5	1	2	2	10
19	17	21	20	33	46	34	32	29	35	37	27	14	6	3	2	5	
																	11
																	12
							1			1							13
		1					1		2	1							
8	5	8	3	16	11	8	9	5	13	6	2	3	1	1	1	1	14
8	9	6	11	5	13	11	9	14	4	9	11	2	4	1	1		
																	15
																	16
																	17
						1	1										
2	4	2	4	4	3	2	2	4	2								18
3	1	2	4	3	1	1	2	3					1				
																	19
						1											
8	5	7	5	2	8	3	3	1	3		1					2	20
10	5	5	3	2	3	7	3	5	3	1							
																	21
																	22
																	23
					1												
14	8	15	5	3	5	5	3	1	2	2						1	24
2	4	4			1	2	1	1									
				1													25
31	38	42	51	61	61	39	40	18	14	9	3	3			2	2	26
165	139	155	105	93	83	42	56	29	11	15	7	7	2	2		6	
																	27
	1		1														
1,005	928	940	715	531	437	263	229	125	80	41	21	11	1		1	20	
1,000	711	623	378	274	191	113	89	62	42	19	9	3	3	2	2	17	
897	836	844	649	489	391	244	212	112	69	39	20	9	1		1	20	28
894	626	554	334	240	178	104	68	55	36	19	7	2	3	2		16	
45	33	51	25	25	11	7	4	4	1		1	1					29
47	30	23	13	12	4		4	1									
9	10	10	7	2	2	1	1										30
6	1	5	2	2	1	1	1	1	1								
32	34	25	16	8	19	6	8	7	3	1							31
39	43	29	21	15	4	4	13	3	3		2	1			2	1	
7	1	3	6	2	2	1			1			1					32
2	2	1	2	1	1			1	2								
4		1	1	2	3	1			2								33
2			2	1	2	1											
5	8	4	8	2	9	2	4	1	2	1							34
8	8	10	4	3	1	3	3	1									
6	6	2	3	1		1		1	2								35
2	1	1															
																	36
80	75	105	82	72	61	60	30	23	17	3	3					2	37
46	51	49	34	30	29	13	12	9	5							2	
1	1	4	2	1				1									38
10	2	1	3	1			2										

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	Int.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		I.—General diseases—Continued.												
		Cancer and other malignant tumors (total)	M	699		3	1		1	5	3	1	7	7
			F	1,423	3		1		1	5	3	1	5	21
39		Of the buccal cavity	M	44										1
			F	33							1			1
40		Of the stomach, liver	M	342					1	1			1	1
			F	335										3
41		Of the peritoneum, intestines, rectum	M	104									2	
			F	114									1	1
42		Of the female genital organs	F	587	1					1	1		1	9
43		Of the breast	M	1										
			F	248										1
44		Of the skin	M	14										
			F	7										
45		Of other organs or of organs not specified	M	194		3	1			4	3	1	4	5
			F	99	2		1		1	4	1	1	3	6
46		Other tumors (tumors of the female genital organs excepted).	M	3	1					1				
			F	23	1					1			1	1
47		Acute articular rheumatism	M	134	3				1	4	6	5	7	3
			F	131	2	2				4	5	8	8	10
48		Chronic rheumatism and gout	M	18									1	1
			F	15									1	
49		Scurvy	M	5	3	1		1		5				
			F	3	1					1				
50		Diabetes	M	171					1	1	1	2	7	1
			F	196	1					1	1	3	3	5
51		Exophthalmic goiter	M	6	1					1				
			F	31								1	3	
52		Addison's disease	M	3										
			F	1	1					1				
53		Leukemia	M	31			1			1		2	1	5
			F	14					1	1			2	2
54		Anemia, chlorosis	M	47	5		2	1		8		1	2	2
			F	59	8					8	2	3	9	2
55		Other general diseases	M	51	25	1		4	1	31	2		1	2
			F	37	15		1	3	1	20	2		1	
56		Alcoholism (acute or chronic)	M	118										5
			F	26										5
57		Chronic lead poisoning	M	6										
			F											
58		Other chronic occupation poisonings	M	1										
			F											
59		Other chronic poisonings	M	8										
			F	9										1
		II.—Diseases of the nervous system and of the organs of special sense		6,054	445	112	56	27	25	665	76	64	105	107
		Males		2,981	244	55	26	15	14	354	50	35	69	55
		Females		3,073	201	57	30	12	11	311	26	29	36	52
60		Encephalitis	M	36	5	5	1	1		12	2	1	3	2
			F	18	1	1				2			1	1
61		Meningitis (total)	M	221	53	15	14	8	7	97	20	16	18	8
			F	149	44	20	13	6	5	88	14	6	5	4
		Simple meningitis	M	122	28	6	7	5	2	48	12	8	8	7
			F	90	30	15	6	5	3	59	5	2	3	3
		Cerebrospinal meningitis (undefined)	M	59	16	5	5	2	4	32	7	4	7	1
			F	38	6	4	6	1	2	19	7	3	2	1
		Cerebrospinal fever	M	40	9	4	2	1	1	17	1	4	3	
			F	21	8	1	1			10	2	1		
62		Locomotor ataxia	M	51										1
			F	20										
63		Other diseases of the spinal cord (total)	M	94	8	4	4	1	4	21	5	2	6	2
			F	111	6	6	4	2	3	21	3	2	7	2
		Acute anterior poliomyelitis	M	23	8	1	4		3	16	2	2	2	
			F	31	4	6	3	2	3	18	2	1	2	1
		Other diseases of the spinal cord [1]	M	71		3		1	1	5	3		4	2
			F	80	2		1			3	1	1	5	1
64		Cerebral hemorrhage, apoplexy	M	1,466	9	2				11	6	2	8	21
			F	1,731	3		2			5	2	5	5	16
65		Softening of the brain	M	24							1			
			F	19										
66		Paralysis without specific cause	M	340	6	2	1	2	1	12	1	2	4	2
			F	491	3	1				4	2	3	2	1
67		General paralysis of the insane	M	277									1	2
			F	89										1
68		Other forms of mental alienation	M	53								1	2	1
			F	61									1	5
69		Epilepsy	M	129	11	1				12	5	8	16	12
			F	99	8				1	9	2	9	6	13
70		Convulsions (nonpuerperal)	M	11							4		2	1
			F	19							1		6	1
71		Convulsions of infants	M	168	137	23	4	3	1	168				
			F	153	122	20	9	1	1	153				
72		Chorea	M	1										1
			F	3	2		1			3				
73		Neuralgia and neuritis	M	7					1	1			1	
			F	9		1				1				2

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																	
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed List No. Int.
20	20	43	72	62	87	97	90	76	60	25	15	2	1	3	1	2	
35	100	125	171	200	198	153	126	100	71	49	32	13	9	1	3	2	
1		1	5	6	7	6	5	5	3	1		1		1		1	39
	1		2	2	8	1	5	4	3	3	1		1				
6	6	22	36	35	45	49	48	33	32	15	8	1	1	1		1	40
7	17	20	24	33	51	47	37	35	23	16	15	4	3				
4	6	10	12	9	12	14	13	10	4	5	2			1			41
3	9	10	21	8	19	12	8	9	6	2	2	2				1	
21	51	69	79	97	72	54	47	29	25	17	8	3	2		1		42
							1										
2	11	20	31	43	35	27	26	18	11	8	5	4	3	1	1	1	43
			1	1	1	4	1		3	1	2						44
	2			1	1	2		1									
9	8	10	18	11	22	24	22	28	18	3	3				1		45
2	9	6	14	16	12	10	3	4	3	3	1				1		
				1		1											46
1		3	4	2	3	2	1		2	2							
	4	10	8	10	16	12	9	18	14	4	3					1	47
11	6	5	17	9	8	3	10	14	6	3		2	1		1		
		1		2		3	1	2	3	1	2	1					48
	1	1	2	1		1	1	3	1	1	1	1					
																	49
			1	1													
16	14	14	12	17	11	21	22	9	9	9	2	1	1			1	50
5	5	18	13	19	25	32	18	19	15	8	3			1		2	
				2	1	1		1									51
2	4	1	5	4	4	3	2		1				1				
2			1														52
2		7	1	1	4	3		1	2		1						53
	1	1	3	2	2												
1	2	2		4	7	8	3	1	1	2	1	1			1		54
5	3	4	5	7	3	3		3			1				1		
3	6	1	1		1			1	1		1						55
1		2		2	2	1	1	1	1			1	1			1	
13	15	14	16	16	14	10	5	4	1	3	1	1					56
2	4	5	4	1	1	1	1	2									
1		2	1				2										57
					1												58
	2		1	2		1	2										59
3		2			2		1										
163	215	335	418	484	629	582	552	504	428	284	205	110	60	19	20	29	
83	109	200	211	235	310	281	257	225	203	124	87	48	21	8	5	11	
80	106	135	207	249	319	301	295	279	225	160	118	62	39	11	15	18	
2	2		3	3	3	2	1										60
3	3	1	1	3			1			1	1						
16	13	12	8	6	2	1	1	2			1						61
7	6	6	2	2	3	2	1	1	2								
13	6	7	4	4	2	1	1				1						
5	3	3	2	2		1		1	1								
2		2	2	1				1									
2	1	1				1	1										
1	7	3	2	1				1									
	2	2			3				1								
1	6	2	7	7	5	4	6	4	7	1							62
2	1	3	5		3	1	1	2	2								
	2	2	6	5	6	7	5	10	5	7	2	1					63
5	4	5	6	6	10	11	11	10	2	2	3	1					
				1													
		1	2		3	1											
	2	2	6	4	6	7	5	10	5	7	2	1					
5	4	4	4	6	7	10	11	10	2	2	3	1					
31	40	85	107	137	190	191	175	146	121	83	53	34	12	6	1	6	64
25	56	73	125	158	229	211	210	193	144	108	74	42	21	5	12	12	
	2		2	1	3		3	2	4	2	3		1				65
			4		1	2	2	3	2	2	2		1				
5	5	13	22	22	33	30	41	36	47	22	15	12	8	2	3	3	66
10	10	15	30	41	45	56	46	52	61	39	32	15	17	5	3	2	
11	21	53	40	36	37	32	15	11	8	1	6	1			1	1	67
8	6	7	12	14	12	6	7	4	7	2	1	1				1	
3	2	4	6	4	12	4	4	4	3	1	1					1	68
9	8	8	4	7	1	4	3	4		1	3	2		1			
9	12	15	4	8	9	5	3	3	5	1	2						69
6	9	9	6	8	3	3	5	2	3	2	2					2	
1		1	1					1									70
1		2	2	1	3		1		1								
																	71
																	72
1						1	1	1	1								73
		2	1			2				1							

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		II.—Diseases of the nervous system and of the organs of special sense—Continued.											
74	M	Other diseases of the nervous system	71	8	1	2			11	4	1	5	2
	F		70	5	3	1	1	1	11		2	3	4
75	M	Diseases of the eyes and their annexa	3							1		1	
	F		1										
76	M	Diseases of the ears	29	7	2				9	1	2	2	
	F		30	7	5		2		14	2	2		2
		III.—Diseases of the circulatory system	9,140	63	16	7	6	8	100	47	73	113	222
		Males	4,818	42	6	5	3	3	59	17	30	45	89
		Females	4,322	21	10	2	3	5	41	30	43	68	133
77	M	Pericarditis	47	2				1	3	3	2		3
	F		42	1					1	2	1		3
78	M	Acute endocarditis	256	2		2			4	4	4	6	12
	F		312	4			2		6	3	8	10	19
79	M	Organic diseases of the heart	3,818	22	6	3	2	2	35	8	21	35	66
	F		3,442	11	8	1		5	25	24	32	50	99
80	M	Angina pectoris	91									2	
	F		97	1					1			1	3
81	M	Diseases of the arteries, atheroma, aneurism, etc.	522	6					6		1	1	4
	F		312									1	2
82	M	Embolism and thrombosis	45	1					1	1			2
	F		74		1				1			5	4
83	M	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	11										
	F		14										1
84	M	Diseases of the lymphatic system (lymphangitis, etc.).	14	8			1		9	1		1	1
	F		12	3	1		1		5	1	2	1	1
85	M	Hemorrhage; other diseases of the circulatory system.	14	1					1		2		1
	F		17	1		1			2				1
		IV.—Diseases of the respiratory system	9,777	2,185	852	323	141	83	3,584	234	141	283	465
		Males	5,402	1,216	436	162	73	39	1,926	119	51	156	268
		Females	4,375	969	416	161	68	44	1,658	115	90	127	197
86	M	Diseases of the nasal fossae	17	14		1			15				
	F		11	9					9		1		
87	M	Diseases of the larynx	28	13	2	1	1	2	19	2	1		
	F		22	7	4	2	1		14	2	1		
88	M	Diseases of the thyroid body	4	1					1		1	1	1
	F		24							2	3	4	3
89	M	Acute bronchitis	246	135	46	12	4	4	201	5		2	1
	F		273	128	49	16	8	4	205	6	6	5	3
90	M	Chronic bronchitis	126	8	4	3	1	1	17	1	1	2	4
	F		191	13	4	1			18	6	3	8	6
91	M	Bronchopneumonia	1,371	627	214	76	32	12	961	43	9	17	17
	F		1,263	482	220	92	29	30	853	37	17	13	25
92	M	Pneumonia (total)	3,225	381	167	59	33	19	659	65	36	122	223
	F		2,260	299	134	47	24	10	514	61	54	85	133
	M	Lobar pneumonia	2,475	210	109	33	22	16	390	45	29	95	172
	F		1,652	149	86	31	13	5	284	33	36	59	110
	M	Pneumonia (undefined)	750	171	58	26	11	3	269	20	7	27	51
	F		608	130	48	16	11	5	230	28	18	26	23
93	M	Pleurisy	110	2	3	7	2		14	1	2	6	11
	F		75			1	2		3		3	3	14
94	M	Pulmonary congestion, pulmonary apoplexy	50	23					23			1	3
	F		59	22	1	1	2		26			3	
95	M	Gangrene of the lung	13									1	1
	F		5										
96	M	Asthma	93	4		1			5				2
	F		116	3	2		1		6		1	1	3
97	M	Pulmonary emphysema	13	1					1				1
	F		7	1					1	1			1
98	M	Other diseases of the respiratory system (tuberculosis excepted).	97	7		2		1	10	2	1	4	4
	F		69	5	2	1	1		9		1	5	9
		V.—Diseases of the digestive system	7,137	2,526	767	208	74	41	3,616	149	91	139	253
		Males	3,752	1,384	416	112	39	22	1,973	77	42	72	108
		Females	3,385	1,142	351	96	35	19	1,643	72	49	67	145
99	M	Diseases of the mouth and annexa	46	35	2	1			38				2
	F		33	18	5	1			24				
100	M	Diseases of the pharynx	54	5	8	2	4	1	20	2		3	5
	F		46	2	3	1		1	7	4	4	2	6
101	M	Diseases of the esophagus	6		1		1		2	1			
	F		7	1		2			3				
102	M	Ulcer of the stomach	99							2			4
	F		87							1		2	6
103	M	Other diseases of the stomach (cancer excepted)	393	83	21	8	2	4	118	8	4	6	8
	F		484	78	16	10	2	1	107	10	6	10	22
104	M	Diarrhea and enteritis (under 2 years)	1,564	1,194	370				1,564				
	F		1,312	998	314				1,312				
105	M	Diarrhea and enteritis (2 years and over)	341			91	24	11	126	23	5	4	8
	F		415			76	23	14	113	34	6	6	13
106	M	Ankylostomiasis											
	F		1								1		

A REA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT; 1915.—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Int. Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
2	4	5	5	6	9	3	1	3	2	4	4						
4	3	4	5	8	5	3	7	6	1	2		1				1	74
								1									
								1									75
1		8			1	1	1	1		2							
			4	1	4			1									76
376	505	742	812	864	931	803	876	755	705	533	318	169	86	37	34	39	
200	288	386	440	456	493	415	489	406	385	283	165	83	38	18	12	21	
176	217	356	372	408	438	388	387	349	320	250	153	86	48	19	22	18	
3	2	4	7	2	5	2	4	1	1	2	2	1					
	6	2	7	7	4	3	1	1	2	1						1	77
19	24	43	31	45	24	32	3	2	2	1							
21	29	41	44	37	48	36	1	3	1	3			1		1		78
144	225	277	345	353	407	327	419	359	317	227	129	59	28	12	8	17	
139	163	273	297	330	342	316	335	293	266	201	124	61	29	15	11	17	79
10	6	17	7	8	9	7	9	4	7	3	1		1				
4	5	10	10	10	14	10	8	4	6	4	5	1	1				80
17	27	38	44	42	37	39	52	36	54	47	32	22	9	6	4	4	
4	8	13	9	18	25	17	32	34	39	36	24	22	16	4	8		81
2	3	5	3	3	8	6	2	2	3	2	1	1					
4	6	12	3	3	2	4	8	10	5	4		1	1		1		82
2		1	2	2	1	2			1								
2		4			1	1		3	1			1					83
					1			1									
																	84
		1	1														
3	1	1	1	1	1			1		1							
2			1	3	2	1	2	1		1					1		85
526	474	556	516	492	514	368	394	359	331	205	155	67	44	26	26	17	
320	281	370	327	298	299	190	206	182	168	98	66	32	13	11	10	11	
206	193	186	189	194	215	178	188	177	163	107	89	35	31	15	16	6	
1										1							
										1							86
2	1	1		1	1												
1		2	2														87
																	88
1	1	3		1	1	2	1	1							1		
4	3	3	1	2	2	4	3	1	6	5	1	1		1			
	3		4	3	5	4	6		8	5	1	3	5		1		89
5	5	9	6	4	12	10	8	9	15	3	6	3	3		2	1	
17	13	3	14	10	14	9	7	8	16	15	5	6	9	2	1	1	90
21	27	29	32	24	33	23	32	33	25	19	13	3	3	2	3	2	
26	26	21	18	20	29	28	24	26	42	21	18	11	3	2	3		91
261	217	281	250	226	218	134	147	125	108	67	42	19	6	7	4	8	
145	131	134	126	135	143	120	124	123	84	52	53	12	10	8	8	5	92
231	185	239	205	194	180	110	112	98	74	52	32	14	5	4	4	5	
121	113	112	109	110	114	98	90	88	62	43	43	7	6	7	5	2	
30	32	42	45	32	38	24	35	27	34	15	10	5	1	3		3	
24	18	22	17	25	29	22	34	35	22	9	10	5	4	1	3	3	
13	6	11	11	11	8	5	3	6	2								
7	5	7	9	8	3	1	7	2	1	1	1						93
2	4	5	7		3	3	3		3		1		1				
1	3	2	4	4	2	1	1	3	1	3	3		1	1			94
	3	2	1	2			1		1			1					
1		2				1			1								95
3	7	12	9	12	5	9	5	7	6	3	1	5		1	1		
2	6	7	8	7	14	10	11	10	8	7	7	2	2	2	2		96
1	2	1			4		1				2						
			1	1	1				1								97
7	6	16	10	16	13	2	3	1	2								
5	5	5	3	5	3	2	7	4	1	2	1	1	1				98
301	287	349	341	302	320	234	224	155	127	104	59	41	14	5	9	17	
133	138	195	185	164	157	125	110	84	65	50	31	20	7	1	4	11	
168	149	154	156	138	163	109	114	71	62	54	28	21	7	4	5	6	
	1			1			2		1							1	
2	2			1		2	1			1							99
5	1	2	6	1		3	1		2	1	1	1					
5	2	2	2	4	3	2	1	1						1			100
			1		1	1											
1	1								1		1						101
7	8	13	19	12	11	9	3	6	2	1	1	1					
7	9	6	13	6	9	6	10	5	3	2		1				1	102
21	27	34	29	21	26	21	16	14	15	13	6	4			1	1	
34	28	39	30	26	51	30	27	18	13	8	10	5	4	2	3	1	103
																	104
8	18	14	13	15	16	17	20	15	9	12	9	5	3			1	
16	16	24	25	21	25	19	20	15	18	22	9	8	1	1	2	1	105
																	106

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	Int.	CAUSE OF DEATH.		All deaths	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		V.—Diseases of the digestive system—Continued.												
107		Intestinal parasites	M.	8	1	1		1		3	5			
			F.	5		1	2	1		4	1			
108		Appendicitis and typhlitis	M.	275	1			2	1	4	16	18	29	33
			F.	209	2			2	2	6	9	17	21	27
109		Hernia, intestinal obstruction (total)	M.	328	42	4	6	2	2	56	5	7	11	18
			F.	260	28	6	2	3		39	7	5	4	18
		Hernia	M.	131	16	1	2			19		2	1	5
			F.	54	2	1	1	2		6	1			1
		Intestinal obstruction	M.	197	26	3	4	2	2	37	5	5	10	13
			F.	206	26	5	1	1		33	6	5	4	17
110		Other diseases of the intestines	M.	75	12	4				16	4		6	5
			F.	76	8	2	1	1		12	2		3	6
111		Acute yellow atrophy of the liver	M.	4										1
			F.	7		1				1			1	2
112		Hydatid tumor of the liver	M.	1					1	1				
			F.	1										
113		Cirrhosis of the liver	M.	323	2		1	1		4	3		4	10
			F.	151	1			1		2		1		7
114		Biliary calculi	M.	16										
			F.	38										3
115		Other diseases of the liver	M.	110	5	2	3	2	1	13	1	2	4	7
			F.	99	2		1			3	2		4	6
116		Diseases of the spleen	M.	8		1				1	1			
			F.											
117		Simple peritonitis (nonpuerperal)	M.	82	4	2				6	6	6	5	7
			F.	142	4	1		2	1	8	2	9	14	26
118		Other diseases of the digestive system (cancer and tuberculosis excepted).	M.	19					1	1				
			F.	12		2				2				3
		VI.—Nonvenereal diseases of the genito-urinary system and annexa		7,294	55	60	31	28	13	187	54	43	125	233
		Males		3,819	32	37	19	13	5	106	29	21	36	78
		Females		3,475	23	23	12	15	8	81	25	22	89	155
119		Acute nephritis	M.	453	8	28	10	7	4	57	11	7	12	23
			F.	401	16	13	9	8	3	49	11	10	20	23
120		Bright's disease	M.	3,000	11	8	8	5	1	33	16	12	23	46
			F.	2,408	7	8	2	7	4	28	12	11	41	67
121		Chyluria	M.											
			F.											
122		Other diseases of the kidneys and annexa	M.	79	4	1		1		6	2	2	1	2
			F.	47		1	1		1	3	2		1	2
123		Calculi of the urinary passages	M.	11										1
			F.	5									1	
124		Diseases of the bladder	M.	72	2					2				2
			F.	17		1				1			1	1
125		Diseases of the urethra, urinary abscess, etc.	M.	58	1					1				2
			F.	2										
126		Diseases of the prostate	M.	129										1
127		Nonvenereal diseases of the male genital organs	M.	17	6		1			7				1
128		Uterine hemorrhage (nonpuerperal)	F.	5									1	
129		Uterine tumor (noncancerous)	F.	227										2
130		Other diseases of the uterus	F.	78									4	13
131		Cysts and other tumors of the ovary	F.	45										3
132		Salpingitis and other diseases of the female genital organs.	F.	238								1	20	44
133		Nonpuerperal diseases of the breast (cancer excepted)	M.											
			F.	2										
		VII.—The puerperal state		879								5	134	222
134		Accidents of pregnancy	F.	80								1	8	18
135		Puerperal hemorrhage	F.	71									3	14
136		Other accidents of labor	F.	99									4	17
137		Puerperal septicemia	F.	380								2	62	112
138		Puerperal albuminuria and convulsions	F.	234								2	56	59
139		Puerperal phlegmasia alba dolens, embolus, sudden death.	F.	14									1	2
140		Following childbirth (not otherwise defined)	F.	1										
141		Puerperal diseases of the breast	F.											
		VIII.—Diseases of the skin and of the cellular tissue		252	9	4	1	1		15	2	2	2	7
		Males		138	7	1	1	1		10	1	1	1	3
		Females		114	2	3				5	1	1	1	4
142		Gangrene	M.	85							1	1	1	1
			F.	79		1				1	1		1	1
143		Furuncle	M.	4										
			F.	1										
144		Acute abscess	M.	26	4	1	1			6				1
			F.	12	1					1		1		2
145		Other diseases of the skin and annexa	M.	23	3			1		4				1
			F.	22	1	2				3				1

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915.—Continued.

DEATHS AT AGE OF—																	Int. Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
																	107
32	31	40	20	23	8	6	6	1	2	1	1					4	108
38	19	21	14	14	7	6	6	3	1								
16	15	30	19	22	26	17	18	19	16	12	7	7	3		1	3	109
20	21	23	22	22	20	10	16	7	8	11	5	2					
5	3	11	11	11	14	6	11	9	7	8	2	3	1			2	
2	3	2	9	7	5	3	5	2	2	4	2						
11	12	19	8	11	12	11	7	10	9	4	5	4	2		1	1	
18	18	21	13	15	15	7	11	5	6	7	3	2					
6	5	4	2	4	6	7	1	5	1	1		1		1			110
7	9	4	9	7	3	1	4	3	2	2		2					
1	1	1															111
1			2														
																	112
1																	
14	19	42	47	40	40	25	29	16	13	7	6	1			2	1	113
8	8	7	18	16	25	18	15	5	10	4	2	3	1			1	
1	1		4	3	3	2	2										114
5	5	4	2	3	5	4	3		2	2							
11	4	11	14	16	8	7	8	3	1								115
6	9	8	9	9	9	8	11	10	2	1	1					1	
1		1	1		2					1							116
8	1	3	8	5	7	8	3	4	3	1			1				117
15	19	15	9	9	5	2		4	2	1			1			1	
2	6		2	1	3	2	1	1									118
2	1	1	1		1	1											
300	399	618	659	655	771	686	644	587	536	337	211	119	61	17	20	32	
99	141	270	287	364	420	404	364	353	348	220	131	78	30	7	12	21	
201	258	348	372	291	351	282	280	234	188	117	80	41	31	10	8	11	
27	32	46	38	38	39	31	22	21	22	11	8	3	2		1	2	119
28	29	34	41	34	42	22	23	17	8	5	2	1		1	1		
62	96	202	227	295	354	328	309	297	286	186	108	62	23	7	9	19	120
80	120	191	223	209	281	247	246	208	172	107	72	39	29	9	7	9	
																	121
4	3	3	8	11	4	6	5	4	7	2	3	5			1		122
2	6	7	5	4	2	3	1	2	3	2	2						
				1	2	3	1	2			1						123
			2		2												
2	1	3	3	3	2	11	10	12	7	6	1	3	3		1		124
1	2		3		3					1	2	1	1				
4	6	11	7	6	8	5	1	2	2	3							125
			2														
	2	4	2	9	11	18	16	14	23	12	10	5	2				126
	1	1	2	1		2		1	1								127
		1	1	1			1										128
23	36	62	44	26	12	6	4	4	3	2	2					1	129
16	14	7	14	4		2	2	2									130
5	6	7	8	6	5	1	2	1	1								131
45	45	39	28	7	4	1	1		1				1			1	132
																	133
1			1														
199	140	127	44	4	2											2	
20	16	11	4													2	134
21	14	17	2														135
24	20	26	7		1												136
82	52	51	16	2	1												137
48	36	19	13	1													138
3	2	3	2	1													139
1																	140
																	141
12	9	16	16	12	19	20	20	15	26	15	19	8	8	2	5	2	
5	7	12	10	6	10	11	10	7	13	8	7	4	6	2	2	2	
7	2	4	6	6	9	9	10	8	13	7	12	4	2		3		
2	3	8	4	4	5	7	7	4	10	7	5	3	6	2	2	2	142
4	1	3	3	3	7	6	8	7	9	5	10	4	2		3		
		2	1		1												143
				1													
2	3	2	1	1	4	2	2	2									144
2		1	1	1		2			1								
1	1		4	1		2	1	1	3	1	2	1					145
1	1		2	1	2	1	2	1	3	2	2						

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		IX.—Diseases of the bones and of the organs of locomotion.	90	5	2	2		1	10	4	3	5	9
		Males	56	5	2	2		1	10	2	2	1	3
		Females	34							2	1	4	6
146		Diseases of the bones (tuberculosis excepted) M.	43	5	2	2		1	10	2	1	1	3
		Diseases of the bones (tuberculosis excepted) F.	27							2	1	4	6
147		Diseases of the joints (tuberculosis and rheumatism excepted). M.	8								1		
		Diseases of the joints (tuberculosis and rheumatism excepted). F.	5										
148		Amputations M.											
		Amputations F.	1										
149		Other diseases of the organs of locomotion M.	5										
		Other diseases of the organs of locomotion F.	1										
		X.—Malformations	298	274	10	2	1		287	8		3	
		Males	172	157	6	1			164	6		2	
		Females	126	117	4	1	1		123	2		1	
150		Congenital malformations (stillbirths not included) (total). M.	172	157	6	1			164	6		2	
		Congenital malformations (stillbirths not included) (total). F.	126	117	4	1	1		123	2		1	
		Hydrocephalus M.	18	11	2	1			14	4			
		Hydrocephalus F.	6	5					5			1	
		Congenital malformations of the heart M.	111	104	3				107	2		2	
		Congenital malformations of the heart F.	66	61	3		1		65	1			
		Other congenital malformations M.	43	42	1				43				
		Other congenital malformations F.	54	51	1	1			53	1			
		XI.—Early infancy	3,571	3,571					3,571				
		Males	1,930	1,930					1,930				
		Females	1,641	1,641					1,641				
151		Congenital debility, icterus, and sclerema (total) M.	1,607	1,607					1,607				
		Congenital debility, icterus, and sclerema (total) F.	1,392	1,392					1,392				
		Premature birth M.	964	964					964				
		Premature birth F.	864	864					864				
		Congenital debility, "atrophy," "marasmus," etc. M.	643	643					643				
		Congenital debility, "atrophy," "marasmus," etc. F.	528	528					528				
152		Other causes peculiar to early infancy (total) M.	300	300					300				
		Other causes peculiar to early infancy (total) F.	227	227					227				
		Injuries at birth M.	123	123					123				
		Injuries at birth F.	87	87					87				
		Other causes peculiar to early infancy[1] M.	177	177					177				
		Other causes peculiar to early infancy[1] F.	140	140					140				
153		Lack of care M.	23	23					23				
		Lack of care F.	22	22					22				
		XII.—Old age	954										
		Males	390										
		Females	564										
154		Senility M.	390										
		Senility F.	564										
		XIII.—External causes	4,851	196	95	113	82	69	555	200	170	351	616
		Males	3,650	109	52	66	39	35	301	106	129	270	486
		Females	1,201	87	43	47	43	34	254	94	41	81	130
		Suicide (total) M.	222									7	17
		Suicide (total) F.	85									6	14
155		By poison M.	32										1
		By poison F.	37									5	8
156		By asphyxia M.	11										1
		By asphyxia F.	9									1	1
157		By hanging or strangulation M.	27										2
		By hanging or strangulation F.	6										
158		By drowning M.	16									1	
		By drowning F.	9										3
159		By firearms M.	104									6	13
		By firearms F.	14										1
160		By cutting or piercing instruments M.	27										
		By cutting or piercing instruments F.	6										
161		By jumping from high places M.	3										
		By jumping from high places F.	1										
162		By crushing M.	2										
		By crushing F.											
163		Other suicides M.											
		Other suicides F.	3										1

[1] Exclusive of injury at birth.

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																	Int. Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
10	4	6	8	4	11	4	5	2	1	1	1	1	1				
6	3	4	4	3	6	4	4	1	1	1			1				
4	1	2	4	1	5		1	1			1	1					
5	1	4	1	3	5	2	3	1	1								146
3	1	1	2		4		1				1	1					
1	1		3			1							1				147
1		1	1	1	1												
								1									148
	1				1	1	1			1							149
			1														
																	150
																	151
																	152
																	153
				1	5	10	28	40	137	131	206	119	97	67	103	10	
					3	4	7	16	65	58	94	52	35	20	32	4	
				1	2	6	21	24	72	73	112	67	62	47	71	6	
					3	4	7	16	65	58	94	52	35	20	32	4	154
				1	2	6	21	24	72	73	112	67	62	47	71	6	
569	482	496	318	262	223	142	121	82	77	42	38	17	14	7	7	62	
450	398	425	264	215	183	109	90	57	55	25	16	6	3	3	3	56	
119	84	71	54	47	40	33	31	25	22	17	22	11	11	4	4	6	
37	35	38	18	20	15	11	7	2	7	2	1					5	
19	12	13	7	7	2	3					1					1	
6	9	7	4	2		1	1									1	155
9	6	6	1	1		1											
1	1	3	1	2	1				1								156
1	2	1	2	1													
3	2	1	5	3	4	4	1		1							1	157
1	2	1			1						1						
1	4	4	1	2		1			1		1						158
	1	2	1	2													
23	15	18	3	7	8	3	3	1	1							3	159
4	1	2	1	2		2										1	
2	2	4	4	4	2	2	2	1	2	2							160
2		1	2	1													
	1	1							1								161
1																	
1	1																162
																	163
1					1												

TABLE 7B.—DEATHS OF COLORED PERSONS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

Detailed List No.	Int.	CAUSE OF DEATH.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.
		XIII.—External causes—Continued.												
		Accidental or undefined (total)	M.	2,366	96	50	64	39	34	283	101	122	190	245
			F.	849	75	43	47	43	34	242	92	37	42	53
164		Poisoning by food	M.	16		2	3			5				1
			F.	28	4					4	2	2		4
165		Other acute poisonings	M.	63	5	8	7	3	2	25	3	1	2	6
			F.	43	3	8	5	4		20	2	1	1	6
166		Conflagration	M.	65	7	4	2	5	5	23	7		2	4
			F.	55	4	5	4	4	3	20	12	2	3	1
167		Burns (conflagration excepted)	M.	189	8	14	28	18	14	82	7	2	3	15
			F.	341	3	17	31	26	22	99	49	19	14	20
168		Absorption of deleterious gases (conflagration excepted).	M.	82	46	2	1	1		50			1	4
			F.	44	30				1	31	1		3	1
169		Accidental drowning	M.	401	2	7	7	5	1	22	25	41	57	52
			F.	40	1	4	1	1		7	5	3	4	2
170		Traumatism by firearms	M.	176		1		2	1	4	6	33	39	26
			F.	43			1	1	2	4	4	4	10	10
171		Traumatism by cutting or piercing instruments	M.	12								1	1	3
			F.	2										
172		Traumatism by fall	M.	222	7	7	6	3	4	27	8	5	1	11
			F.	117	8	2	3	2	3	18	6	3	2	1
173		Traumatism in mines and quarries (total)	M.	47									4	7
			F.											
		Traumatism in mines	M.	45									4	7
			F.											
		Traumatism in quarries	M.	2										
			F.											
174		Traumatism by machines	M.	64		1	1			2	2	3	5	12
			F.	1									1	
175		Traumatism by other crushing (total)	M.	680	2		1	1	4	8	33	27	53	73
			F.	75	1	3	2	5	3	14	9	3	2	5
		Railroad accidents and injuries	M.	361							4	10	31	52
			F.	18		2	1			3		1		2
		Street-car accidents and injuries	M.	61			1		3	4	3	2	7	6
			F.	17				1	1	2	4	1		1
		Automobile accidents and injuries	M.	106				1	1	2	11	7	10	6
			F.	29		1		4	1	6	5	1	1	
		Injuries by other vehicles	M.	111	2					2	13	8	3	4
			F.	10	1		1		1	3			1	2
		Landslide, other crushing	M.	41							2		2	5
			F.	1										
176		Injuries by animals	M.	25							2		1	2
			F.											
177		Starvation	M.	4		1				1				
			F.	3	3					3				
178		Excessive cold	M.	41	1	1				2	1		1	
			F.	9										
179		Effects of heat	M.	35	3					3	3		2	
			F.	12	4	1				5				2
180		Lightning	M.	8								1		1
			F.	3							1			
181		Electricity (lightning excepted)	M.	11										4
			F.											
185		Fractures (cause not specified)	M.	26	1		1			2	1		2	1
			F.	2	1					1				
186		Other external violence	M.	199	14	2	7	1	3	27	3	8	16	23
			F.	31	13	3				16	1		2	1
		Homicide (total)	M.	1,062	13	2	2		1	18	5	7	73	224
			F.	267	12					12	2	4	33	63
182		By firearms	M.	721							3	4	49	165
			F.	150								1	24	42
183		By cutting or piercing instruments	M.	199			1			1	1	2	17	47
			F.	67	1					1	2	2	8	17
184		By other means	M.	142	13	2	1		1	17	1	1	7	12
			F.	50	11					11		1	1	4
		XIV.—Ill-defined diseases		2,072	802	160	47	28	15	1,052	27	33	42	52
		Males		1,078	454	79	24	13	9	579	13	18	8	23
		Females		994	348	81	23	15	6	473	14	15	34	29
187		Ill-defined organic disease	M.	68	2	5		1	1	9		3	2	1
			F.	66		3			1	4	2	1	1	
188		Sudden death	M.	47	11	2				13				1
			F.	39	6				1	7		1	1	
189		Not specified or ill-defined (total)	M.	963	441	72	24	12	8	557	13	15	6	21
			F.	889	342	78	23	15	4	462	12	13	32	29
		Ill-defined	M.	295	66	44	11	5	2	128	4	3	1	8
			F.	279	49	53	13	6	1	122	2	6	6	12
		Not specified or unknown	M.	668	375	28	13	7	6	429	9	12	5	13
			F.	610	293	25	10	9	3	340	10	7	26	17

AREA, FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1915—Continued.

DEATHS AT AGE OF—																Deaths at unknown age.	Int. Detailed List No.
25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
211	214	234	156	140	136	81	69	50	47	20	15	4	3	3	3	39	
46	31	38	35	27	34	29	29	24	22	16	20	11	11	4	4	2	
	3		1	2		1	1					2					164
3	2		5	1	1	1	1	2									
2	2	7	2	2	1	1	3	3		1						2	165
3		2	2		1	2	1	1	1								
3	4	1		6		2	2	3	5		2				1		166
2	2	2	2	1	2	1		1	3		1						
6	7	12	11	7	10	8	5	3	3	3	1			1	2	1	167
14	16	9	9	11	14	10	12	10	7	8	9	5	3	1	2		
5	5	3	5	2	3	1	1	1		1							168
2	1	1				1	1		1				1				
33	31	41	29	17	20	6	4	2	5	2	1			1		12	169
6		3	3	2	1	1	1			1						1	
19	19	9	6	4	4	1		2		1	1					2	170
5		3	2		1												
2		1		2			1	1									171
		1				1											
22	20	20	11	21	19	20	11	7	9	5	2	1	1			1	172
2	2	9	7	5	4	8	10	4	7	5	7	6	6	3	2		
5	6	5	8	3	3	2	2									2	173
5	5	5	7	3	3	2	2									2	
	1		1														
8	8	9	7	4	2	1	1										174
69	77	91	53	43	51	25	28	16	14	3	5					11	175
8	5	4	4	3	8	1	1	4	3	1							
42	49	58	30	16	23	12	9	5	6	1	2					11	
1	2	1	2	1	3				1	1							
6	4	9	4	4	3	2	3	3		1							
1			1	2	3			2									
10	7	12	3	6	15	6	4	3	1	1	2						
5	3	2	1		2			2	1								
5	11	10	13	10	6	3	11	5	6		1						
1						1	1		1								
6	6	2	3	7	4	2	1		1								
		1															
2	2	2	3	2	4	2	2			1							176
	1		1								1						177
	2	6	2	3	6	3		5	5	1		1	1	1		1	178
	1	1		2	2					1	1					1	
6	1	2	2	1	5	2	1	3		2	1		1				179
		1				2	1				1						
1		1	2	1			1										180
1													1				
1	2		2	1		1											181
3	8	5		1	2				1								185
											1						
24	16	19	11	18	6	5	6	4	5		1					7	186
	2	2	1	2		1	1	2									
202	149	153	90	55	32	17	14	5	1	3		2				12	
54	41	20	12	13	4	1	2	1		1	1					3	
141	102	111	62	39	17	11	5	3	1			1				7	182
33	19	9	8	9	2	1	1									1	
41	31	23	14	7	8	3	3									1	183
9	14	8	2	1	1			1								1	
20	16	19	14	9	7	3	6	2		3		1				4	184
12	8	3	2	3	1		1			1	1					1	
69	60	67	72	76	69	51	82	69	72	46	42	35	15	9	12	20	
36	29	35	35	40	41	27	40	38	33	26	14	17	8	3	4	11	
33	31	32	37	36	28	24	42	31	39	20	28	18	7	6	8	9	
4	2		1	8	11	3	7	4	3	3		4	2			1	187
5	4	2	5	5	4	1	6	2	7	7	3	1	2	2	1	1	
4		5	4	4	1	1	2	2	1	2	1	1	3			2	188
3		1	2	3	4	4	3	1	3	1	3	1			1		
28	27	30	30	28	29	23	31	32	29	21	13	12	3	3	4	8	189
25	27	29	30	28	20	19	33	28	29	12	22	16	5	4	6	8	
14	10	10	20	11	15	9	14	17	11	8	4	2	2	1	1	2	
9	7	11	19	13	10	12	14	9	10	4	6	4	1	2			
14	17	20	10	17	14	14	17	15	18	13	9	10	1	2	3	6	
16	20	18	11	15	10	7	19	19	19	8	16	12	4	2	6	8	

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	THE REGISTRATION AREA.																		
	All causes	909,155	148,561	28,884	12,424	7,691	5,663	17,738	33,769	68,211	77,101	86,282	103,173	120,240	123,645	64,445	9,641	547	1,140
	I.—General diseases	240,858	13,960	7,788	4,624	3,321	2,517	7,608	14,814	32,431	32,207	31,410	31,992	29,131	20,681	7,254	852	37	231
1	Typhoid fever	8,332	47	81	102	98	101	528	1,747	2,295	1,400	856	568	335	129	25	2		18
2	Typhus fever	2						1					1						
4	Malaria	1,541	144	85	73	43	45	98	132	176	152	156	157	130	97	38	5	2	8
5	Smallpox	169	18	5	2	4	2	12	19	34	19	19	16	12	5	2			
6	Measles	3,649	965	1,275	497	234	124	259	125	78	29	21	26	9	6				1
7	Scarlet fever	2,419	146	278	287	297	201	675	337	119	48	18	10	2					1
8	Whooping cough	5,421	3,119	1,291	430	213	118	193	27	8	2	3	1	3	10	2			1
9	Diphtheria and croup	10,544	869	1,667	1,558	1,357	1,078	2,709	842	181	109	81	51	25	10	3			4
10	Influenza	10,768	982	296	148	71	58	135	241	344	387	608	957	1,570	2,550	2,006	389	10	16
13	Cholera nostras	210	48	22	4	4	3	10	9	5	4	4	14	25	36	19	3		
14	Dysentery	2,519	491	311	142	63	31	67	42	74	84	104	160	257	390	256	39	4	4
15	Plague	1								1									
17	Leprosy	13							1	3	3		2	3	1				
18	Erysipelas	2,340	750	43	26	7	4	16	53	93	195	226	270	261	242	127	22	1	2
19	Other epidemic diseases	235	74	47	25	10	5	13	14	11	7	11	3	11	2	2			
20	Purulent infection and septicemia	1,555	131	34	29	20	15	64	134	176	183	181	210	181	121	63	9		4
21	Glanders	4								1		2	1						
22	Anthrax	35		1				2	3	9	6	3	6	4	1				
23	Rabies	52	1	1	3	1	2	17	6	8	4	4	4		1				
24	Tetanus	1,229	299	9	15	25	31	142	180	131	140	92	80	59	21	3			2
25	Mycoses	42	2	1					3	8	7	6	5	7	3				
26	Pellagra	2,843	6	10	4	9	6	47	131	485	631	542	462	328	136	29	4	2	11
27	Beriberi	6	1				1		1	1	1	1							
	Tuberculosis (total)	98,194	2,466	1,791	989	633	484	1,656	8,737	24,790	21,818	15,536	9,935	5,930	2,771	528	31	3	96
28	Tuberculosis of the lungs	82,853	724	501	227	156	125	582	6,977	22,173	19,841	14,161	9,023	5,299	2,486	459	29	1	89
29	Acute miliary tuberculosis	3,140	127	104	53	29	20	89	491	907	647	387	173	91	17	5			
30	Tuberculous meningitis	5,445	1,194	987	573	334	249	642	511	391	262	166	79	40	15	2			
31	Abdominal tuberculosis	3,410	181	121	70	59	39	152	350	719	563	421	325	241	135	28		2	4
32	Pott's disease	877	24	13	19	17	26	86	130	157	120	93	91	64	27	9			1
33	White swellings	463	21	7	7	13	5	42	70	87	49	55	50	33	17	7			
34	Tuberculosis of other organs	1,330	102	36	22	15	11	45	141	221	228	179	135	112	63	16	2		2
35	Disseminated tuberculosis	676	93	22	18	10	9	18	67	135	108	74	59	50	11	2			
36	Rickets	474	268	112	34	16	4	14	3	2	2	4	5	3	4	3			
37	Syphilis	5,819	2,022	143	47	24	13	42	118	514	871	868	660	355	113	20			9
38	Gonococcus infection	340	79	4		1	1	2	24	86	83	38	10	7	4	1			
	Cancer and other malignant tumors (total)	54,584	52	44	56	38	41	126	277	877	3,332	8,365	13,196	14,197	10,472	3,198	272	11	30
39	Of the buccal cavity	2,123		2	4		2	5	8	23	69	208	512	568	507	188	24	1	2
40	Of the stomach, liver	21,221	7	5	8	7	5	16	23	150	850	2,654	5,193	6,403	4,618	1,173	69	3	7
41	Of the peritoneum, intestines, rectum	7,332	2	4	3	2	7	12	37	175	455	1,021	1,682	1,924	1,560	417	28		3
42	Of the female genital organs	8,120	1	1	1	2		3	21	192	911	2,075	2,264	1,624	818	183	18	3	3
43	Of the breast	5,163							2	29	439	1,156	1,379	1,064	758	301	31	1	3
44	Of the skin	1,955	3	2	2	2	2	8	1	15	41	101	255	460	588	410	60	1	4
45	Of other organs or of organs not specified	8,670	39	30	38	25	25	82	185	293	567	1,150	1,911	2,154	1,593	526	42	2	8
46	Other tumors (tumors of the female genital organs excepted)	315	14	3	1	4	1	2	5	18	29	36	54	52	57	34	4		1
47	Acute articular rheumatism	3,274	38	17	24	39	57	378	608	308	271	305	347	370	342	147	20	2	1
48	Chronic rheumatism and gout	865		1			1	4	11	26	37	71	132	218	242	109	13		
49	Scurvy	79	51	12	2	1	1	2	2			4	2	1	1				
50	Diabetes	11,775	16	25	30	37	27	226	594	644	732	1,163	2,518	3,207	2,091	438	22		5
51	Exophthalmic goiter	1,067	2						52	187	210	255	185	113	52	10	1		
52	Addison's disease	288	2	2	1			1	13	28	54	60	64	42	16	4	1		
53	Leukemia	1,325	29	37	30	23	31	68	125	168	159	179	222	151	89	13			1
54	Anemia, chlorosis	3,521	132	47	18	15	10	46	117	175	289	573	816	775	406	90	7	2	3
55	Other general diseases	1,428	695	91	46	33	21	53	62	80	56	53	66	69	59	38	5		1
56	Alcoholism (acute or chronic)	2,945							9	234	734	841	636	315	135	29	1		11
57	Chronic lead poisoning	155			1	1			2	12	24	42	43	23	5	2			
58	Other chronic occupation poisonings	10							1	4		4	1						
59	Other chronic poisonings	471	1						7	37	95	75	96	81	61	15	2		1
	II.—Diseases of the nervous system and of the organs of special sense	88,108	4,818	1,340	744	403	306	1,050	1,660	2,162	4,375	7,890	12,817	18,169	21,184	9,963	1,084	45	98
60	Encephalitis	581	106	35	22	6	2	38	50	57	73	70	49	39	23	11			
61	Meningitis (total)	4,985	1,444	643	388	211	157	469	455	325	291	233	173	104	60	23	3		6
	Simple meningitis	2,811	874	352	215	113	81	226	201	169	178	161	120	79	48	18	3		3
	Cerebrospinal meningitis (undefined)	1,181	318	171	98	56	42	124	138	75	57	47	30	18	3	2			2
	Cerebrospinal fever	963	252	120	75	42	34	119	116	81	56	25	23	7	9	3			1
62	Locomotor ataxia	1,757						1	4	27	130	345	501	466	234	44	3		2
63	Other diseases of the spinal cord (total)	4,183	165	131	104	59	53	128	193	129	206	403	602	935	781	268	23	2	1
	Acute anterior poliomyelitis	691	119	112	89	44	38	84	93	18	17	28	21	20	7	1			
	Other diseases of the spinal cord [1]	3,492	46	19	15	15	15	44	100	111	189	375	581	915	774	267	23	2	1
64	Cerebral hemorrhage, apoplexy	53,397	172	44	28	18	11	57	132	407	1,332	3,815	8,639	13,649	16,435	7,739	826	31	62
65	Softening of the brain	1,041		1				1	2	1	15	51	81	219	418	230	21		1
66	Paralysis without specified cause	6,052	42	12	6	5	5	14	41	55	133	346	707	1,348	2,014	1,150	154	11	9
67	General paralysis of the insane	5,014							9	137	1,021	1,425	1,009	622	542	223	20	1	5
68	Other forms of mental alienation	1,464							40	157	229	277	281	221	173	72	9		5
69	Epilepsy	2,582	88	35	24	14	20	95	356	470	459	363	248	197	162	42	5		4
70	Convulsions (nonpuerperal)	109						23	24	16	13	8	6	7	5	6			1
71	Convulsions of infants	2,694	2,301	270	74	36	13												
72	Chorea	109	5	4	4			10	38	13	7	5	3	7	8	5			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	THE REGISTRATION AREA—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
73	Neuralgia and neuritis	391	3	2			2	1	7	27	45	59	56	73	83	29	4		
74	Other diseases of the nervous system	2,435	213	49	41	24	18	94	166	223	206	382	362	228	205	109	13		2
75	Diseases of the eyes and their annexa	66	12	3	4	6	3	5	6	1	1		2	7	11	5			
76	Diseases of the ears	1,248	267	111	49	24	22	114	137	117	114	108	98	47	30	7	3		
	III.—Diseases of the circulatory system	130,755	1,206	212	132	141	156	1,210	3,006	4,238	7,019	11,316	18,391	28,641	34,288	18,144	2,419	97	139
77	Pericarditis	772	7	5	6	4	3	34	60	50	67	80	109	138	130	72	5		2
78	Acute endocarditis	6,147	246	51	21	37	39	273	491	617	874	1,232	1,744	225	198	85	13	1	
79	Organic diseases of the heart	99,053	590	101	84	90	103	854	2,337	3,211	5,360	8,686	13,884	23,311	26,317	12,518	1,443	52	112
80	Angina pectoris	5,180	6		1			1	18	86	188	437	956	1,558	1,425	459	40		5
81	Diseases of the arteries, atheroma, aneurism, etc	15,685	12	1	1			5	15	71	229	480	1,127	2,727	5,490	4,607	865	40	15
82	Embolism and thrombosis	2,732	52	10	1	2	3	21	44	128	218	283	416	536	614	347	51	2	4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	441		1				1	8	36	51	75	86	92	58	31	1	1	
84	Diseases of the lymphatic system (lymphangitis, etc.)	452	248	39	15	8	5	19	24	19	8	10	17	24	13	2			1
85	Hemorrhage: other diseases of the circulatory system	293	45	4	3		3	2	9	20	24	33	52	30	43	23	1	1	
	IV.—Diseases of the respiratory system	109,444	24,892	8,069	2,844	1,395	900	2,063	2,700	4,945	6,525	8,319	10,121	12,474	14,240	8,407	1,417	61	72
86	Diseases of the nasal fossae	125	65		4	2		2	4	11	6	6	4	4	6	9	2		
87	Diseases of the larynx	762	180	108	72	63	44	84	18	25	31	31	29	21	29	23	3		1
88	Diseases of the thyroid body	447	10	1		2	2	6	33	61	67	88	69	64	36	7		1	
89	Acute bronchitis	6,505	3,401	699	209	86	57	78	34	32	52	83	123	267	563	650	167	4	
90	Chronic bronchitis	5,177	101	35	8	4	3	45	46	91	134	177	413	846	1,661	1,347	253	5	8
91	Bronchopneumonia	33,501	13,904	4,487	1,420	614	369	663	372	471	630	870	1,325	2,231	3,436	2,284	393	21	11
92	Pneumonia (total)	55,825	6,581	2,532	1,010	555	385	1,069	1,991	3,861	5,038	6,294	7,253	7,983	7,344	3,408	451	24	46
	Lobar pneumonia	44,153	4,173	1,847	737	421	293	807	1,546	3,265	4,323	5,407	6,153	6,593	5,763	2,474	306	17	28
	Pneumonia (undefined)	11,672	2,408	685	273	134	92	262	445	596	715	887	1,100	1,390	1,581	934	145	7	18
93	Pleurisy	2,323	150	147	91	54	28	81	128	216	226	304	267	287	246	83	13		2
94	Pulmonary congestion, pulmonary apoplexy	1,630	398	25	12	9	5	14	20	35	60	79	89	130	324	332	95	3	
95	Gangrene of the lung	215	4	2	3			3	10	19	36	36	44	33	20	5			
96	Asthma	1,664	30	13	8	3	4	10	7	32	86	168	269	401	411	188	30	3	1
97	Pulmonary emphysema	185	7	3	1		1	2	1	7	5	12	24	38	56	24	4		
98	Other diseases of the respiratory system (tuberculosis excepted)	1,085	61	17	6	3	2	6	36	84	154	171	212	169	108	47	6		3
	V.—Diseases of the digestive system	94,987	36,398	8,658	2,279	972	625	1,998	2,914	4,101	5,413	6,583	7,626	7,319	6,512	3,101	401	26	61
99	Diseases of the mouth and annexa	552	217	30	10	6	7	33	21	32	45	43	37	30	26	12		1	2
100	Diseases of the pharynx	1,569	167	97	82	78	67	237	197	185	130	89	83	60	56	33	8		
101	Diseases of the esophagus	143	7	5	9	3	3	5	2	4	6	7	28	18	31	13	2		
102	Ulcer of the stomach	2,922	14	4	1	3	2	16	52	263	477	592	576	483	316	114	6	1	2
103	Other diseases of the stomach (cancer excepted)	7,069	2,179	276	106	41	35	84	106	223	331	446	603	782	1,048	683	114	7	5
104	Diarrhea and enteritis (under 2 years)	40,099	32,201	7,898															
105	Diarrhea and enteritis (2 years and over)	8,226			1,797	597	288	496	199	307	426	537	622	872	1,159	778	130	8	10
106	Ankylostomiasis	13			2	1		1	3	3		1	1	1					
107	Intestinal parasites	84	6	12	15	7	5	19	7	5	3	2	1		2				
108	Appendicitis and typhlitis	8,397	51	39	62	98	102	734	1,716	1,630	1,427	1,077	811	406	178	53	5		8
109	Hernia, intestinal obstruction (total)	7,577	1,057	183	105	64	62	166	215	424	637	796	1,024	1,132	1,097	538	62	4	11
	Hernia	2,604	179	15	11	8	2	12	20	75	164	308	495	556	516	220	16	1	6
	Intestinal obstruction	4,973	878	168	94	56	60	154	195	349	473	488	529	576	581	318	46	3	5
110	Other diseases of the intestines	1,934	182	40	23	20	12	53	80	184	217	239	232	239	229	156	24	1	3
111	Acute yellow atrophy of the liver	274	20	3	1	4	2	7	12	46	38	35	35	27	35	8	1		
112	Hydatid tumor of the liver	20					1	1	1	1	4	3	7	1	1				
113	Cirrhosis of the liver	8,439	26	10	10	8	2	18	41	204	795	1,610	2,135	1,908	1,310	329	18	3	12
114	Biliary calculi	2,228	4			1		1	6	67	206	354	558	549	361	115	6		
115	Other diseases of the liver	3,276	121	23	22	13	9	43	69	183	348	488	587	597	520	228	19	1	5
116	Diseases of the spleen	107	5	2	4	2	1	4	3	17	16	21	15	11	4	2			
117	Simple peritonitis (nonpuerperal)	1,527	135	32	28	25	21	75	166	251	218	146	161	124	106	31	5		3
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	531	6	4	2	1	6	5	18	72	89	97	110	79	33	8	1		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	80,808	797	342	217	205	150	507	1,265	3,521	6,205	9,780	13,732	17,253	17,863	8,003	849	40	79
119	Acute nephritis	6,020	361	180	121	121	82	231	368	626	805	858	755	669	546	255	34	2	6
120	Bright's disease	64,480	225	124	76	73	58	249	737	1,909	3,992	7,420	11,832	15,184	15,261	6,565	677	33	65
122	Other diseases of the kidneys and annexa	1,609	127	28	17	9	6	15	32	117	176	208	245	228	256	125	17	2	1
123	Calculi of the urinary passages	478		1	1	1	2	2	9	30	51	77	94	88	93	28	1		
124	Diseases of the bladder	1,335	26	5		1		6	5	30	35	53	86	197	453	382	54	2	
125	Diseases of the urethra, urinary abscess, etc	288	8	1			1	1	2	17	50	51	76	43	35	3			
126	Diseases of the prostate	2,612							2	9	16	46	208	636	1,044	587	58	1	5
127	Nonvenereal diseases of the male genital organs	78	26	1	2		1	1		2	5	9	10	9	5	6	1		
128	Uterine hemorrhage (nonpuerperal)	49							10	10	11	11	3	3	1				
129	Uterine tumor (noncancerous)	1,253							1	57	302	499	207	80	78	26	2		1
130	Other diseases of the uterus	658	2					1	33	172	169	135	77	37	24	7	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915.—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	THE REGISTRATION AREA—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
131	Cysts and other tumors of the ovary	562							5	73	110	145	83	70	62	12	2		
132	Salpingitis and other diseases of the female genital organs	1,337	7	2					59	459	479	262	54	8	3	2	1		1
133	Nonpuerperal diseases of the breast (cancer excepted)	49	15					1	2	10	4	6	2	1	2	5	1		
	VII.—The puerperal state	10,237							862	4,662	3,844	858	5						6
134	Accidents of pregnancy	941							45	414	402	77							3
135	Puerperal hemorrhage	1,000							32	352	477	139							
136	Other accidents of labor	979							45	381	442	109	2						
137	Puerperal septicemia	4,214							367	2,080	1,482	280	3						2
138	Puerperal albuminuria and convulsions	2,673							353	1,240	864	215							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	383							17	167	162	37							
140	Following childbirth (not otherwise defined)	41							2	25	13	1							
141	Puerperal diseases of the breast	6							1	3	2								
	VIII.—Diseases of the skin and of the cellular tissue	3,071	595	53	25	16	12	34	64	120	134	183	294	349	590	484	101	10	7
142	Gangrene	1,440	28	8	9	10	5	11	6	19	36	51	98	205	452	399	87	10	6
143	Furuncle	421	77	10	1	1		4	24	30	46	46	84	39	38	19	2		
144	Acute abscess	571	176	21	11	1	6	15	26	53	37	53	65	53	32	18	3		1
145	Other diseases of the skin and annexa	639	314	14	4	4	1	4	8	18	15	33	47	52	68	48	9		
	IX.—Diseases of the bones and of the organs of locomotion	1,771	143	59	41	35	33	171	282	189	171	169	177	139	108	50	3		1
146	Diseases of the bones (tuberculosis excepted)	1,526	129	51	39	31	33	166	264	172	150	140	142	98	83	25	2		1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	185	12	7	2	3		4	15	16	18	24	27	25	14	17	1		
148	Amputations	3											1	1	1				
149	Other diseases of the organs of locomotion	57	2	1		1		1	3	1	3	5	7	15	10	8			
	X.—Malformations	9,986	9,317	289	103	44	33	92	70	23	10	3	1						1
150	Congenital malformation (stillbirths not included) (total)	9,986	9,317	289	103	44	33	92	70	23	10	3	1						1
	Hydrocephalus	853	636	85	47	18	12	31	19	2	2		1						
	Congenital malformations of the heart	6,032	5,733	128	34	18	14	41	41	13	7	3							
	Other congenital malformations	3,101	2,948	76	22	8	7	20	10	8	1								1
	XI.—Early infancy	51,765	51,765																
151	Congenital debility, icterus, and sclerema (total)	41,115	41,115																
	Premature birth	29,027	29,027																
	Congenital debility, "atrophy," "marasmus," etc.	12,088	12,088																
152	Other causes peculiar to early infancy (total)	10,424	10,424																
	Injuries at birth	5,914	5,914																
	Other causes peculiar to early infancy [1]	4,510	4,510																
153	Lack of care	226	226																
	XII.—Old age	12,392										6	72	586	3,467	6,076	1,969	196	20
154	Senility	12,392										6	72	586	3,467	6,076	1,969	196	20
	XIII.—External causes	67,292	1,727	1,484	1,281	1,082	886	2,922	5,960	11,555	10,868	9,315	7,391	5,392	4,018	2,581	458	22	350
	Suicide (total)	11,216						1	394	2,015	2,315	2,349	2,072	1,336	519	152	10		53
155	By poison	2,481						1	143	578	546	500	380	230	86	11			6
156	By asphyxia	1,584							39	250	309	370	323	209	72	11			1
157	By hanging or strangulation	1,749							26	189	285	369	388	289	138	48	6		11
158	By drowning	670							28	101	142	134	132	83	30	12			8
159	By firearms	3,608							140	750	772	724	640	394	116	48	2		22
160	By cutting or piercing instruments	681							1	66	154	165	134	93	51	13	1		3
161	By jumping from high places	259							11	46	71	46	41	20	19	5			
162	By crushing	83							2	18	19	22	12	5	1	1	1		2
163	Other suicides	101							4	17	17	19	22	13	6	3			
	Accidental or undefined (total)	51,406	1,566	1,465	1,269	1,076	875	2,868	5,229	7,981	7,333	6,264	4,988	3,915	3,440	2,417	447	22	251
164	Poisoning by food	639	96	48	44	35	23	45	47	49	52	59	48	50	34	7			2
165	Other acute poisonings	1,280	113	166	109	59	28	51	49	170	177	138	115	62	30	11			2
166	Conflagration	971	36	47	41	45	35	83	90	114	97	98	78	79	70	41	5	2	10
167	Burns (conflagration excepted)	4,804	194	576	595	488	339	489	267	398	308	291	235	249	219	128	18	7	3
168	Absorption of deleterious gases (conflagration excepted)	2,202	606	18	15	7	12	30	98	248	251	269	250	202	139	48	6		3
169	Accidental drowning	6,514	31	205	109	89	88	523	1,559	1,468	877	708	434	223	97	27	4		72
170	Traumatism by firearms	1,501	5	8	13	21	21	131	510	328	198	121	84	33	12	6			10
171	Traumatism by cutting or piercing instruments	89		3	1		4	5	7	16	15	13	10	10	4	1			
172	Traumatism by fall	9,979	125	157	128	94	67	266	335	648	911	949	1,019	1,238	1,810	1,836	376	12	8
173	Traumatism in mines and quarries (total)	2,110			1			2	131	636	619	454	200	50	11	1			5
	Traumatism in mines	2,009			1			2	128	609	587	428	191	46	11	1			5
	Traumatism in quarries	101							3	27	32	26	9	4					
174	Traumatism by machines	1,257		4	2	6	5	23	147	363	291	201	120	67	25				3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	THE REGISTRATION AREA—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined (total)—Con.																		
175	Traumatism by other crushing (total)	14,978	37	90	130	176	203	1,018	1,532	2,741	2,733	2,279	1,811	1,255	697	159	9		108
	Railroad accidents and injuries	6,652	2	24	24	14	17	143	611	1,493	1,527	1,147	771	493	245	45	3		93
	Street-car accidents and injuries	1,555	1	10	21	31	41	102	108	216	262	246	229	160	101	22	2		3
	Automobile accidents and injuries	3,978	10	18	27	76	95	556	544	583	540	505	463	314	183	53	3		8
	Injuries by other vehicles	2,348	22	37	57	55	48	204	236	322	309	299	294	264	159	38	1		3
	Landslide, other crushing	445	2	1	1		2	13	33	127	95	82	54	24	9	1			1
176	Injuries by animals	563	1	9	16	12	9	63	63	54	49	68	96	66	45	11	1		
177	Starvation	43	10	1				1		3	5	7		6	7	3			
178	Excessive cold	344	22	10	2	2		5	9	24	48	55	63	43	40	16	2		3
179	Effects of heat	407	69	9	4	2	1	5	11	36	44	36	61	59	39	25	5		1
180	Lightning	221	2				1	8	41	41	47	30	25	19	2	2	1		2
181	Electricity (lightning excepted)	515				1	2	13	79	181	137	68	24	8					2
185	Fractures (cause not specified)	391	6	2	1		1	6	18	28	60	39	30	40	75	66	15	1	3
186	Other external violence	2,598	213	112	58	39	36	101	236	435	414	381	285	156	84	29	5		14
	Homicide (total)	4,670	161	19	12	6	11	53	337	1,559	1,220	702	331	141	59	12	1		46
182	By firearms	2,885	2	3	3	2	4	15	234	1,048	794	469	194	67	23	4			23
183	By cutting or piercing instruments	663	6	1	5		1	8	52	264	191	81	32	15	4				3
184	By other means	1,122	153	15	4	4	6	30	51	247	235	152	105	59	32	8	1		20
	XIV.—Ill-defined diseases	7,681	2,943	590	134	77	45	83	172	264	330	450	554	787	694	382	88	13	75
187	Ill-defined organic disease	427	11	12	3	1	5	5	12	14	18	41	52	70	100	65	14	1	3
188	Sudden death	486	137	15	2	3	4	4	8	25	25	40	55	64	61	33	7	1	2
189	Not specified or ill-defined (total)	6,768	2,795	563	129	73	36	74	152	225	287	369	447	653	533	284	67	11	70
	Ill-defined	2,865	546	448	84	38	18	32	63	107	133	214	264	416	319	130	37	1	15
	Not specified or unknown	3,903	2,249	115	45	35	18	42	89	118	154	155	183	237	214	154	30	10	55
	REGISTRATION STATES.[1]																		
	All causes	823,938	136,041	25,827	11,082	6,832	5,086	15,932	29,959	58,774	67,043	75,898	92,556	110,683	116,323	61,197	9,141	474	1,040
	I.—General diseases	215,802	12,676	7,051	4,156	2,955	2,251	6,795	13,185	28,081	28,043	27,724	28,724	26,797	19,452	6,874	807	31	200
1	Typhoid fever	7,507	42	66	97	86	89	484	1,571	2,044	1,231	777	530	322	125	24	2		17
2	Typhus fever	2						1					1						
4	Malaria	1,079	127	67	52	30	38	69	94	99	91	89	105	92	77	36	5	1	7
5	Smallpox	87	15	4	1		1	5	9	8	9	10	10	8	5	2			
6	Measles	3,249	868	1,135	424	207	114	231	111	72	27	20	24	9	6				1
7	Scarlet fever	2,226	138	260	261	266	184	612	318	112	44	18	10	2					1
8	Whooping cough	5,123	2,973	1,227	394	189	108	176	27	8	1	3	1	3	10	2			1
9	Diphtheria and croup	9,438	806	1,470	1,395	1,205	953	2,420	765	160	99	75	49	24	10	3			4
10	Influenza	9,809	929	267	135	62	53	124	207	284	321	513	840	1,421	2,377	1,886	367	9	14
13	Cholera nostras	204	48	22	4	4	3	9	8	4	4	4	13	25	34	19	3		
14	Dysentery	2,170	448	269	130	55	26	57	33	48	57	68	119	223	357	238	37	2	3
15	Plague	1								1									
17	Leprosy	10							1	2	2		2	2	1				
18	Erysipelas	2,172	705	43	26	6	3	15	50	86	177	204	245	241	227	120	22	1	1
19	Other epidemic diseases	221	71	46	24	10	5	12	13	10	4	11	1	10	2	2			
20	Purulent infection and septicemia	1,398	123	32	25	18	12	53	118	145	166	155	192	169	118	59	9		4
21	Glanders	4								1		2	1						
22	Anthrax	34		1				2	3	8	6	3	6	4	1				
23	Rabies	47	1	1	3	1	2	15	6	7	4	4	2		1				
24	Tetanus	960	199	9	14	21	23	118	138	107	111	77	71	49	19	3			1
25	Mycoses	38	2	1					2	7	7	6	3	7	3				
26	Pellagra	1,058	3	5	1	3	2	11	44	138	223	192	192	155	71	12		2	4
27	Beriberi	6	1				1		1	1	1	1							
	Tuberculosis (total)	87,852	2,225	1,642	916	577	445	1,502	7,816	21,791	19,348	13,933	8,934	5,480	2,623	501	28	3	88
28	Tuberculosis of the lungs	74,108	649	458	211	143	114	516	6,258	19,493	17,629	12,725	8,121	4,892	2,352	439	26	1	81
29	Acute miliary tuberculosis	2,769	118	88	48	22	18	78	423	801	565	347	157	86	15	3			
30	Tuberculous meningitis	5,007	1,108	920	532	308	228	598	463	350	227	149	71	38	14	1			
31	Abdominal tuberculosis	2,999	173	114	64	51	38	134	313	609	475	354	290	222	129	27		2	4
32	Pott's disease	788	24	11	17	16	24	78	115	139	105	82	82	59	26	9			1
33	White swellings	423	20	7	6	13	3	41	67	81	43	48	42	29	17	6			
34	Tuberculosis of other organs	1,189	98	28	21	15	11	41	119	194	202	161	116	105	60	14	2		2
35	Disseminated tuberculosis	569	35	16	17	9	9	16	58	124	102	67	55	49	10	2			
36	Rickets	414	234	97	28	15	3	12	3	2	2	4	5	2	4	3			
37	Syphilis	4,790	1,711	123	36	17	9	27	91	393	707	720	533	303	98	18			4
38	Gonococcus infection	285	63	4		1	1	2	22	73	69	31	7	7	4	1			
	Cancer and other malignant tumors (total)	50,225	48	39	52	36	38	115	247	751	2,925	7,492	12,047	13,169	9,912	3,053	262	10	29
39	Of the buccal cavity	1,949		2	4		2	5	8	22	59	185	454	527	481	174	24		2
40	Of the stomach, liver	19,700	7	5	7	7	5	16	20	125	754	2,407	4,767	5,970	4,411	1,121	68	3	7
41	Of the peritoneum, intestines, rectum	6,774	2	4	3	2	7	10	32	147	410	917	1,527	1,792	1,495	397	26		3
42	Of the female genital organs	7,330	1	1	1	1		2	19	161	785	1,840	2,059	1,499	768	173	14	3	3
43	Of the breast	4,764							2	25	393	1,039	1,268	988	726	289	30	1	3
44	Of the skin	1,854	3	2	2	1	2	7	1	13	38	92	240	434	558	396	60	1	4
45	Of other organs or of organs not specified	7,854	35	25	35	25	22	75	165	258	486	1,012	1,732	1,959	1,473	503	40	2	7
46	Other tumors (tumors of the female genital organs excepted)	291	13	3	1	4	1	2	5	15	27	30	45	50	56	34	4		1
47	Acute articular rheumatism	3,016	36	16	22	39	51	350	564	275	240	277	318	337	327	141	20	2	1
48	Chronic rheumatism and gout	826		1			1	4	11	26	36	64	125	202	237	106	13		
49	Scurvy	72	46	10	2	1	1	2	2			4	2	1	1				
50	Diabetes	10,958	16	24	27	35	27	215	566	580	666	1,046	2,339	3,009	1,970	415	19		4

[1] Includes District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years	3 years.	4 years.	5 to 9 years	10 to 19 years.	20 to 29 years.	30 to 39 years	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	REGISTRATION STATES [1]—Continued.																		
	I.—General diseases—Continued.																		
51	Exophthalmic goiter	945	2						42	160	176	225	175	105	49	10	1		
52	Addison's disease	272	2	2	1			1	11	26	51	55	60	42	16	4	1		
53	Leukemia	1,194	23	36	30	23	29	60	109	150	136	160	203	140	81	13			1
54	Anemia, chlorosis	3,252	126	45	14	14	10	43	100	159	261	522	750	730	381	88	6	1	2
55	Other general diseases	1,294	631	84	40	29	18	46	60	71	47	47	58	65	56	36	3		1
56	Alcoholism (acute or chronic)	2,714							8	210	675	772	589	290	131	28	1		10
57	Chronic lead poisoning	144			1	1			2	11	22	42	37	21	5	2			
58	Other chronic occupation poisonings	9							1	4		4							
59	Other chronic poisonings	406	1						6	32	70	64	80	78	57	15	2		1
	II.—Diseases of the nervous system and of the organs of special sense	82,142	4,520	1,261	689	375	289	979	1,536	1,917	3,884	7,063	11,687	17,001	20,204	9,580	1,031	38	88
60	Encephalitis	519	98	33	20	6	2	31	46	47	65	58	44	36	19	11			
61	Meningitis (total)	4,629	1,365	606	362	193	149	444	417	292	253	209	154	97	57	23	2		6
	Simple meningitis	2,626	823	327	197	104	77	211	185	153	154	147	105	74	46	18	2		3
	Cerebrospinal meningitis (undefined)	1,124	306	165	95	52	40	120	132	70	53	39	28	17	3	2			2
	Cerebrospinal fever	879	236	114	70	37	32	113	100	69	46	23	21	6	8	3			1
62	Locomotor ataxia	1,620						1	4	24	117	301	463	437	226	42	3		2
63	Other diseases of the spinal cord (total)	3,881	156	126	97	56	49	118	184	118	174	372	549	863	737	256	23	2	1
	Acute anterior poliomyelitis	655	112	108	84	42	35	81	91	17	17	26	16	18	7	1			
	Other diseases of the spinal cord [2]	3,226	44	18	13	14	14	37	93	101	157	346	533	845	730	255	23	2	1
64	Cerebral hemorrhage, apoplexy	49,997	156	42	27	16	11	54	117	334	1,150	3,371	7,884	12,812	15,714	7,445	780	27	57
65	Softening of the brain	981		1				1	2	1	13	45	75	201	400	220	21		1
66	Paralysis without specified cause	5,554	38	11	4	4	4	13	35	44	104	284	612	1,248	1,892	1,097	148	9	7
67	General paralysis of the insane	4,665							7	120	949	1,331	929	571	515	219	20		4
68	Other forms of mental alienation	1,329							37	135	202	247	263	201	160	71	9		4
69	Epilepsy	2,424	81	31	22	13	19	90	333	448	420	337	234	187	159	42	5		3
70	Convulsions (nonpuerperal)	93						20	22	12	10	7	5	5	5	6			1
71	Convulsions of infants	2,539	2,169	257	66	35	12												
72	Chorea	103	5	2	4			9	38	12	6	5	3	6	8	5			
73	Neuralgia and neuritis	368	3	2			2	1	7	24	41	55	52	69	80	28	4		
74	Other diseases of the nervous system	2,246	197	45	38	22	18	84	151	204	276	346	335	217	194	104	13		2
75	Diseases of the eyes and their annexa	64	12	3	4	6	3	5	5	1	1		2	7	10	5			
76	Diseases of the ears	1,130	240	102	45	21	20	105	131	101	103	95	83	44	28	6	3		
	III.—Diseases of the circulatory system	120,235	1,127	190	121	133	144	1,099	2,723	3,661	6,020	9,890	16,563	26,485	32,300	17,260	2,291	85	134
77	Pericarditis	703	5	4	5	4	2	31	51	42	59	72	96	133	120	69	5		2
78	Acute endocarditis	5,594	236	47	26	37	34	240	438	517	756	1,085	1,565	214	189	82	13	1	
79	Organic diseases of the heart	91,057	519	90	75	85	99	787	2,130	2,764	4,666	7,591	12,509	21,536	24,821	11,910	1,363	46	108
80	Angina pectoris	4,845	6		1			1	18	79	172	395	880	1,462	1,350	437	39		5
81	Diseases of the arteries, atheroma, aneurism, etc	14,562	11	1	1			5	15	53	179	377	999	2,522	5,152	4,379	820	34	14
82	Embolism and thrombosis	2,188	45	10	1	2	3	17	38	113	181	260	371	486	577	329	49	2	4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	396						1	6	31	43	70	76	88	48	31	1	1	
84	Diseases of the lymphatic system (lymphangitis, etc.)	406	233	34	15	5	3	15	18	14	7	9	16	23	11	2			1
85	Hemorrhage; other diseases of the circulatory system	274	42	4	3		3	2	6	18	23	31	51	27	41	21	1	1	
	IV.—Diseases of the respiratory system	99,756	22,894	7,342	2,555	1,255	810	1,838	2,394	4,220	5,704	7,370	9,099	11,482	13,395	7,935	1,342	54	67
86	Diseases of the nasal fossae	118	63		3	2		2	3	9	5	6	4	4	6	9	2		
87	Diseases of the larynx	704	174	100	67	63	41	75	18	21	21	26	26	19	27	23	2		1
88	Diseases of the thyroid body	387	10	1		1	2	4	25	54	57	72	57	60	36	7		1	
89	Acute bronchitis	6,075	3,162	641	182	80	52	70	28	27	48	76	115	251	539	636	164	4	
90	Chronic bronchitis	4,811	94	32	7	4	2	39	40	75	110	151	381	787	1,558	1,281	241	4	8
91	Bronchopneumonia	30,543	12,613	4,057	1,264	539	324	574	332	412	567	768	1,214	2,047	3,254	2,147	371	19	11
92	Pneumonia (total)	50,702	6,149	2,324	926	501	351	971	1,766	3,297	4,418	5,591	6,499	7,340	6,885	3,197	426	20	41
	Lobar pneumonia	39,958	3,888	1,686	674	384	268	729	1,379	2,731	3,775	4,803	5,484	6,058	5,393	2,328	289	14	25
	Pneumonia (undefined)	10,744	2,261	638	252	117	83	242	387	516	643	788	1,015	1,282	1,492	869	137	6	16
93	Pleurisy	2,055	137	131	79	51	27	73	113	171	186	264	241	260	229	79	12		2
94	Pulmonary congestion, pulmonary apoplexy	1,511	371	22	11	8	4	14	20	31	55	75	78	114	307	313	85	3	
95	Gangrene of the lung	189	4	2	3			1	8	17	29	31	38	31	20	5			
96	Asthma	1,502	27	13	7	3	4	10	7	28	69	143	238	373	373	173	30	3	1
97	Pulmonary emphysema	173	5	3	1		1	1	1	7	5	10	23	36	55	21	4		
98	Other diseases of the respiratory system (tuberculosis excepted)	983	55	16	5	3	2	4	33	71	134	157	185	160	106	44	5		3
	V.—Diseases of the digestive system	83,953	32,275	7,427	1,936	829	546	1,796	2,544	3,451	4,589	5,637	6,733	6,677	6,113	2,943	382	23	52
99	Diseases of the mouth and annexa	522	206	26	9	6	7	31	21	29	43	41	37	28	25	11		1	1
100	Diseases of the pharynx	1,411	158	85	72	70	59	218	176	163	114	75	72	58	51	32	8		
101	Diseases of the esophagus	126	6	4	8	3	3	4	2	3	6	7	23	16	26	13	2		
102	Ulcer of the stomach	2,636	12	3	1	3	1	14	48	229	421	512	525	446	303	110	6	1	1
103	Other diseases of the stomach (cancer excepted)	6,469	2,079	254	94	38	32	76	88	164	245	375	515	733	1,002	652	111	6	5
104	Diarrhea and enteritis (under 2 years)	35,078	28,332	6,746															
105	Diarrhea and enteritis (2 years and over)	7,163			1,506	486	242	437	164	250	360	445	535	793	1,081	726	123	6	9
106	Ankylostomiasis	13			2	1		1	3	3		1	1	1					
107	Intestinal parasites	74	5	11	15	6	4	19	6	2	1	2	1		2				
108	Appendicitis and typhlitis	7,346	43	36	56	93	95	661	1,499	1,412	1,226	924	709	366	167	48	5		6

[1] Includes District of Columbia.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	REGISTRATION STATES [1]—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
109	Hernia, intestinal obstruction (total)	6,788	968	162	95	57	53	142	193	357	516	684	925	1,031	1,021	510	60	4	10
	Hernia	2,337	166	12	11	6	2	9	16	58	140	266	447	504	471	207	15	1	6
	Intestinal obstruction	4,451	802	150	84	51	51	133	177	299	376	418	478	527	550	303	45	3	4
110	Other diseases of the intestines	1,711	173	34	22	17	10	48	72	148	176	202	203	216	213	153	21	1	2
111	Acute yellow atrophy of the liver	250	19	3	1	4	2	7	10	37	35	29	34	27	33	8	1		
112	Hydatid tumor of the liver	19					1	1	1	1	4	2	7	1	1				
113	Cirrhosis of the liver	7,521	22	9	9	8	2	17	37	169	683	1,395	1,888	1,715	1,227	312	15	3	10
114	Biliary calculi	2,034	3			1		1	6	55	187	306	504	516	338	111	6		
115	Other diseases of the liver	2,904	116	22	17	12	8	41	56	152	296	412	509	532	487	219	19	1	5
116	Diseases of the spleen	96	4	1	3	2	1	4	3	15	15	18	14	10	4	2			
117	Simple peritonitis (nonpuerperal)	1,328	123	28	24	21	20	69	145	205	181	118	141	115	101	29	5		3
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	464	6	3	2	1	6	5	14	57	80	89	90	73	31	7			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	72,418	721	290	179	189	133	446	1,116	2,945	5,227	8,434	12,119	15,643	16,578	7,505	788	34	71
119	Acute nephritis	5,346	336	156	102	110	76	208	338	539	693	752	651	600	507	240	31	2	5
120	Bright's disease	58,053	197	102	61	68	50	214	650	1,611	3,404	6,438	10,464	13,806	14,136	6,138	627	27	60
122	Other diseases of the kidneys and annexa	1,417	112	23	15	9	4	13	26	100	146	175	213	207	242	113	16	2	1
123	Calculi of the urinary passages	421		1		1	1	2	7	19	44	70	86	82	80	27	1		
124	Diseases of the bladder	1,229	24	4		1		5	4	21	27	43	68	173	437	370	50	2	
125	Diseases of the urethra, urinary abscess, etc	226	7	1			1	1	2	13	34	38	62	34	30	3			
126	Diseases of the prostate	2,394							2	8	11	36	178	556	980	562	55	1	5
127	Nonvenereal diseases of the male genital organs	70	24	1	1		1	1		2	4	7	9	8	5	6	1		
128	Uterine hemorrhage (nonpuerperal)	44							10	9	9	10	3	2	1				
129	Uterine tumor (noncancerous)	1,044							1	41	231	407	190	74	75	23	2		
130	Other diseases of the uterus	558	2					1	29	146	139	111	71	29	22	7	1		
131	Cysts and other tumors of the ovary	500							5	65	96	125	75	63	59	10	2		
132	Salpingitis and other diseases of the female genital organs	1,072	4	2					42	363	385	217	47	8	2	1	1		
133	Nonpuerperal diseases of the breast (cancer excepted)	44	15					1		8	4	5	2	1	2	5	1		
	VII.—The puerperal state	9,225							767	4,151	3,494	803	4						6
134	Accidents of pregnancy	842							38	369	359	73							3
135	Puerperal hemorrhage	926							27	318	448	133							
136	Other accidents of labor	899							43	346	402	106	2						
137	Puerperal septicemia	3,758							322	1,845	1,331	256	2						2
138	Puerperal albuminuria and convulsions	2,397							319	1,087	793	197							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	361							15	161	148	37							
140	Following childbirth (not otherwise defined)	36							2	22	11	1							
141	Puerperal diseases of the breast	6							1	3	2								
	VIII.—Diseases of the skin and of the cellular tissue	2,813	561	46	23	14	11	28	57	98	113	153	257	312	565	467	94	9	5
142	Gangrene	1,321	24	5	8	8	4	8	6	13	30	37	81	185	434	384	81	9	4
143	Furuncle	377	69	9	1	1		4	21	25	41	39	76	33	37	19	2		
144	Acute abscess	513	164	18	10	1	6	12	22	43	30	49	60	47	30	18	2		1
145	Other diseases of the skin and annexa	602	304	14	4	4	1	4	8	17	12	28	40	47	64	46	9		
	IX.—Diseases of the bones and of the organs of locomotion	1,575	138	56	35	32	29	152	253	156	144	150	147	131	99	49	3		1
146	Diseases of the bones (tuberculosis excepted)	1,363	125	48	34	29	29	147	238	143	129	125	119	94	76	24	2		1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	158	11	7	1	2		4	13	12	14	20	21	22	13	17	1		
148	Amputations	3											1	1	1				
149	Other diseases of the organs of locomotion	51	2	1		1		1	2	1	1	5	6	14	9	8			
	X.—Malformations	9,300	8,690	265	93	41	31	82	66	18	9	3	1						1
150	Congenital malformations (stillbirths not included) (total)	9,300	8,690	265	93	41	31	82	66	18	9	3	1						1
	Hydrocephalus	784	595	76	40	16	10	26	18		2		1						
	Congenital malformations of the heart	5,636	5,356	123	32	17	14	36	38	10	7	3							
	Other congenital malformations	2,880	2,739	66	21	8	7	20	10	8									1
	XI.—Early infancy	48,092	48,092																
151	Congenital debility, icterus, and sclerema (total)	38,368	38,368																
	Premature birth	27,011	27,011																
	Congenital debility, "atrophy," "marasmus," etc	11,357	11,357																
152	Other causes peculiar to early infancy (total)	9,527	9,527																
	Injuries at birth	5,428	5,428																
	Other causes peculiar to early infancy [2]	4,099	4,099																
153	Lack of care	197	197																

[1] Includes District of Columbia.

[2] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	REGISTRATION STATES[1]—Continued.																		
	XII.—Old age	11,614										4	62	516	3,201	5,768	1,875	168	20
154	Senility	11,614										4	62	516	3,201	5,768	1,875	168	20
	XIII.—External causes	60,182	1,606	1,372	1,177	992	805	2,641	5,181	9,881	9,584	8,316	6,676	4,942	3,752	2,468	441	20	328
	Suicide (total)	10,045						1	352	1,757	2,055	2,080	1,883	1,229	482	146	10		50
155	By poison	2,184						1	126	494	474	440	341	213	79	11			5
156	By asphyxia	1,314							33	202	253	291	283	180	61	10			1
157	By hanging or strangulation	1,638							24	176	264	343	365	274	129	47	6		10
158	By drowning	616							21	90	132	124	120	81	30	10			8
159	By firearms	3,282							132	660	696	662	590	361	112	46	2		21
160	By cutting or piercing instruments	605							1	60	136	142	115	86	48	13	1		3
161	By jumping from high places	234							10	41	67	40	37	17	17	5			
162	By crushing	79							2	17	19	20	11	5	1	1	1		2
163	Other suicides	93							3	17	14	18	21	12	5	3			
	Accidental or undefined (total)	46,437	1,458	1,357	1,168	986	796	2,597	4,579	6,936	6,580	5,653	4,519	3,595	3,214	2,310	430	20	239
164	Poisoning by food	584	86	42	40	35	20	42	45	43	43	52	46	47	34	7			2
165	Other acute poisonings	1,165	110	154	101	57	26	46	46	145	160	119	100	58	30	11			2
166	Conflagration	919	36	45	39	43	34	81	88	107	87	88	73	75	67	39	5	2	10
167	Burns (conflagration excepted)	4,299	181	521	542	437	305	439	240	342	270	253	201	228	197	119	17	5	2
168	Absorption of deleterious gases (conflagration excepted)	1,865	559	16	14	7	10	27	79	203	215	214	199	158	115	40	6		3
169	Accidental drowning	5,314	26	199	103	77	79	471	1,233	1,048	699	608	376	203	91	26	4		71
170	Traumatism by firearms	1,325	5	8	12	19	19	121	468	264	173	111	72	26	11	6			10
171	Traumatism by cutting or piercing instruments	81		3	1		4	5	6	14	12	11	10	10	4	1			
172	Traumatism by fall	9,207	117	145	116	86	63	249	307	577	798	839	925	1,138	1,699	1,766	362	12	8
173	Traumatism in mines and quarries (total)	2,077			1			2	129	628	609	447	198	47	11	1			4
	Traumatism in mines	1,976			1			2	126	601	577	421	189	43	11	1			4
	Traumatism in quarries	101							3	27	32	26	9	4					
174	Traumatism by machines	1,157		4	2	6	3	22	134	329	259	191	116	63	25				3
175	Traumatism by other crushing (total)	13,711	35	84	122	164	186	902	1,391	2,505	2,508	2,087	1,652	1,165	652	145	8		105
	Railroad accidents and injuries	6,202	2	24	24	14	16	132	565	1,389	1,423	1,068	714	463	234	41	3		90
	Street-car accidents and injuries	1,353		8	18	27	39	92	93	186	234	213	189	141	90	19	1		3
	Automobile accidents and injuries	3,589	9	17	26	69	84	488	483	532	485	457	422	287	170	49	3		8
	Injuries by other vehicles	2,182	22	34	53	54	45	179	224	287	285	280	277	253	150	35	1		3
	Landslide, other crushing	385	2	1	1		2	11	26	111	81	69	50	21	8	1			1
176	Injuries by animals	539	1	8	14	12	9	59	58	51	49	65	94	62	45	11	1		
177	Starvation	43	10	1				1		3	5	7		6	7	3			
178	Excessive cold	331	19	9	2	2		5	9	23	47	55	58	42	39	16	2		3
179	Effects of heat	379	66	9	4	2	1	5	8	31	39	33	58	56	37	24	5		1
180	Lightning	219	2				1	8	41	40	46	30	25	19	2	2	1		2
181	Electricity (lightning excepted)	466				1	2	12	68	165	128	60	22	7					1
185	Fractures (cause not specified)	349	4	1			1	6	13	21	51	35	27	38	68	65	15	1	3
186	Other external violence	2,407	201	108	55	38	33	94	216	397	382	348	267	147	80	28	4		9
	Homicide (total)	3,700	148	15	9	6	9	43	250	1,188	949	583	274	118	56	12	1		39
182	By firearms	2,262	2	2	3	2	4	12	175	799	627	381	155	53	22	4			21
183	By cutting or piercing instruments	489	5	1	3		1	7	29	194	136	66	28	13	3				3
184	By other means	949	141	12	3	4	4	24	46	195	186	136	91	52	31	8	1		15
	XIV.—Ill-defined diseases	6,831	2,741	527	118	67	37	76	137	195	232	351	484	697	655	348	87	12	67
187	Ill-defined organic disease	384	11	12	3	1	4	5	8	10	12	31	49	63	98	60	14	1	2
188	Sudden death	454	134	15	2	3	3	4	7	19	18	36	55	60	58	31	6	1	2
189	Not specified or ill-defined (total)	5,993	2,596	500	113	63	30	67	122	166	202	284	380	574	499	257	67	10	63
	Ill-defined	2,573	508	404	74	33	15	28	57	88	97	172	231	383	307	124	37	1	14
	Not specified, or unknown	3,420	2,088	96	39	30	15	39	65	78	105	112	149	191	192	133	30	9	49
	CALIFORNIA.																		
	All causes	39,038	3,565	663	371	275	199	647	1,237	3,221	4,047	4,375	5,178	5,813	5,784	3,196	396	21	50
	I.—General diseases	11,401	424	228	162	137	96	321	586	1,557	1,766	1,675	1,637	1,475	971	330	29		7
1	Typhoid fever	276			7	3	5	15	35	82	59	32	18	13	4	1			2
4	Malaria	52	5	3	3		2	3	6	5	2	4	6	4	5	4			
5	Smallpox	3	1						1	1									
6	Measles	155	47	39	12	10	3	22	7	5	4	2	4						
7	Scarlet fever	65	3	4	6	10	5	22	6	4	2	3							
8	Whooping cough	133	75	30	8	6	4	5	1		1				1	2			
9	Diphtheria and croup	314	13	35	34	45	30	102	33	8	6	4	2	2					
10	Influenza	237	21	6	2	1	4	3	10	6	7	9	19	28	61	47	13		
13	Cholera nostras	3	2		1														
14	Dysentery	78	28	5	6	2		2		3	3	4	3	6	11	5			
15	Plague	1								1									
17	Leprosy	3								1			1	1					
18	Erysipelas	46	5	1			1	1		3	3	7	11	6	6	2			
19	Other epidemic diseases	4			1					1		1			1				
20	Purulent infection and septicemia	57	6	1					3	7	11	7	12	4	5	1			
22	Anthrax	2								1			1						

[1] Includes District of Columbia

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CALIFORNIA—Continued.																		
	I.—General diseases—Continued.																		
23	Rabies	6			2			3			1								
24	Tetanus	41	2		2	1	3	5	4	4	14	3	2		1				
25	Mycoses	6								2	1	1	2						
26	Pellagra	28						1		1	5	10	6	4	1				
27	Beriberi	3					1		1			1							
	Tuberculosis (total)	5,586	104	90	67	51	31	102	405	1,277	1,306	959	613	377	166	31	4		3
28	Tuberculosis of the lungs	4,754	27	16	10	8	3	36	323	1,150	1,194	895	559	347	154	25	4		3
29	Acute miliary tuberculosis	151	11	6	4	2	2	6	18	34	39	16	8	4	1				
30	Tuberculous meningitis	320	49	55	40	28	22	39	25	22	15	12	8	5					
31	Abdominal tuberculosis	209	12	13	10	7	1	13	19	41	36	17	20	12	7	1			
32	Pott's disease	45			1	3	1	3	4	8	6	7	9	2	1				
33	White swellings	19			1			1	4	5	3	2	2		1				
34	Tuberculosis of other organs	61	3			2	2	3	7	11	11	7	4	4	2	5			
35	Disseminated tuberculosis	27	2		1	1		1	5	6	2	3	3	3					
36	Rickets	6	3	2				1											
37	Syphilis	277	83	2	4	2	1	1	6	21	51	43	35	22	5	1			
38	Gonococcus infection	20	1					1	1	6	8	2	1						
	Cancer and other malignant tumors (total)	2,795	2	3	3	2	1	8	11	31	165	420	660	747	548	183	10		1
39	Of the buccal cavity	105			1				1		4	12	29	23	28	6	1		
40	Of the stomach, liver	1,137								6	38	141	239	383	249	77	4		
41	Of the peritoneum, intestines, rectum	382							1	6	26	51	92	79	89	36	1		1
42	Of the female genital organs	369							1	4	29	91	114	79	42	8	1		
43	Of the breast	257							1	1	27	56	74	48	36	13	1		
44	Of the skin	97	1					1	1	1	2	5	14	26	26	18	2		
45	Of other organs or of organs not specified	448	1	3	2	2	1	7	6	13	39	64	98	109	78	25			
46	Other tumors (tumors of the female genital organs excepted)	13										4	3	2	3	1			
47	Acute articular rheumatism	91	2	2		1	3	12	14	6	3	12	11	11	10	4			
48	Chronic rheumatism and gout	38							1	1		5	6	10	8	6	1		
49	Scurvy	2	1		1														
50	Diabetes	518		1	2			7	27	30	30	50	99	137	105	29	1		
51	Exophthalmic goiter	38								9	6	9	5	7	2				
52	Addison's disease	14	1							1	1	3	6	2					
53	Leukemia	66	2	1	1	2		1	4	12	6	8	14	10	4	1			
54	Anemia, chlorosis	169	2	1		1	2	2	5	5	12	24	49	45	14	7			
55	Other general diseases	46	15	2				2	5	2	4	5	4	4		3			
56	Alcoholism (acute or chronic)	183								19	49	39	38	26	9	2			1
57	Chronic lead poisoning	6									2	1	1	2					
58	Other chronic occupation poisonings	1								1									
59	Other chronic poisonings	19								1	4	3	5	5	1				
	II.—Diseases of the nervous system and of the organs of special sense	3,797	92	29	23	15	9	34	57	101	228	379	609	793	932	445	48		3
60	Encephalitis	20		1		1			1	2	5	5	2		2	1			
61	Meningitis (total)	176	47	13	16	5	5	21	18	13	14	6	6	6	5	1			
	Simple meningitis	91	26	10	6	1	3	7	6	2	8	6	5	5	5	1			
	Cerebrospinal meningitis (undefined)	31	7		4		2	3	6	6	2			1					
	Cerebrospinal fever	54	14	3	6	4		11	6	5	4		1						
62	Locomotor ataxia	104								3	6	16	30	28	15	6			
63	Other diseases of the spinal cord (total)	238	2	4	2	4	3	5	6	7	16	31	41	58	47	10	2		
	Acute anterior poliomyelitis	23	2	3	2	2	1	4	3	1	1	1	1	2					
	Other diseases of the spinal cord [1]	215		1		2	2	1	3	6	15	30	40	56	47	10	2		
64	Cerebral hemorrhage, apoplexy	2,314	8	1	2				5	13	51	174	360	580	723	354	41		2
65	Softening of the brain	59										2	5	12	21	18	1		
66	Paralysis without specified cause	185	2		1					1	2	8	23	42	69	34	3		
67	General paralysis of the insane	309								16	71	87	65	33	25	10	1		1
68	Other forms of mental alienation	86							3	11	19	14	22	10	3	4			
69	Epilepsy	108	2	2				4	10	18	25	12	13	10	10	2			
70	Convulsions (nonpuerperal)	2						1	1										
71	Convulsions of infants	24	19	5															
72	Chorea	3							1			1			1				
73	Neuralgia and neuritis	9									1	2	2		4				
74	Other diseases of the nervous system	107	3	1		3			4	12	14	14	31	13	7	5			
75	Diseases of the eyes and their annexa	3	1		1									1					
76	Diseases of the ears	50	8	2	1	2	1	3	8	5	4	7	9						
	III.—Diseases of the circulatory system	6,740	30	11	5	7	3	31	95	171	324	545	998	1,494	1,800	1,088	124	8	6
77	Pericarditis	36							3	2	2	9	5	5	6	4			
78	Acute endocarditis	272	5	4		2	2	7	26	31	36	65	66	15	10	3			
79	Organic diseases of the heart	5,156	16	6	4	4	1	23	63	123	256	411	758	1,235	1,387	782	78	5	4
80	Angina pectoris	273								4	7	20	50	74	85	30	3		
81	Diseases of the arteries, atheroma, aneurism, etc	831							1	4	13	24	82	134	272	253	43	3	2
82	Embolism and thrombosis	124	2						1	4	8	10	29	23	34	13			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	20						1		1	2	3	3	5	3	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	16	7	1	1	1			1	2		1		2					
85	Hemorrhage; other diseases of the circulatory system	12										2	5	1	3	1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CALIFORNIA—Continued.																		
	IV.—Diseases of the respiratory system	3,492	481	162	51	31	27	68	81	164	224	278	361	496	592	410	60	4	2
86	Diseases of the nasal fossae	1	1																
87	Diseases of the larynx	24	6	2	2	4		7			1	1				1			
88	Diseases of the thyroid body	17	1						1	1	5	1	3	3	2				
89	Acute bronchitis	177	56	8	9	1	4	3		2	2	4	4	11	24	42	7		
90	Chronic bronchitis	226	4					1	1			6	21	41	79	58	15		
91	Bronchopneumonia	948	247	78	18	8	11	19	12	24	42	53	64	90	156	113	11	2	
92	Pneumonia (total)	1,826	149	70	20	14	11	35	61	122	150	187	239	318	284	149	16		1
	Lobar pneumonia	1,462	99	54	15	9	8	27	44	108	130	160	194	259	238	107	9		1
	Pneumonia (undefined)	364	50	16	5	5	3	8	17	14	20	27	45	59	46	42	7		
93	Pleurisy	75		2	2	4	1	3	6	4	13	12	7	10	9	2			
94	Pulmonary congestion, pulmonary apoplexy	80	11							2		3	5	2	14	33	8	2	
95	Gangrene of the lung	9								2	2	1	2	2					
96	Asthma	65	1	2						2	3	3	9	12	19	10	3		1
97	Pulmonary emphysema	5										1		1	3				
98	Other diseases of the respiratory system (tuberculosis excepted)	39	5							5	6	6	7	6	2	2			
	V.—Diseases of the digestive system	3,174	779	155	60	31	20	71	88	184	282	302	386	365	286	145	16	1	3
99	Diseases of the mouth and annexa	19	5	1			1		1	1	2	3	1	3	1				
100	Diseases of the pharynx	61	1	4	3	1	1	12	9	11	7	4	2	2	3	1			
101	Diseases of the esophagus	4											1		1	1	1		
102	Ulcer of the stomach	181						1	3	15	34	37	32	32	19	8			
103	Other diseases of the stomach (cancer excepted)	215	49	5	3	2	1	3	1	5	11	15	19	28	42	25	5	1	
104	Diarrhea and enteritis (under 2 years)	793	661	132															
105	Diarrhea and enteritis (2 years and over)	324			45	19	9	19	6	16	29	26	32	41	40	35	6		1
107	Intestinal parasites	1								1									
108	Appendicitis and typhlitis	385	3	1	2	5	4	26	51	81	80	54	40	27	10		1		
109	Hernia, intestinal obstruction (total)	340	46	9	5	4	4	6	7	13	28	36	51	54	40	33	3		1
	Hernia	99	8			1		1		3	6	8	18	24	14	15	1		
	Intestinal obstruction	241	38	9	5	3	4	5	7	10	22	28	33	30	26	18	2		1
110	Other diseases of the intestines	95	5	2	2			1	2	13	10	15	10	11	15	9			
111	Acute yellow atrophy of the liver	8	1							1	2	1	1	1		1			
112	Hydatid tumor of the liver	1							1										
113	Cirrhosis of the liver	428						1	1	8	38	76	124	99	62	18			1
114	Biliary calculi	91							1	2	6	7	28	27	17	3			
115	Other diseases of the liver	147		1				1		12	18	18	37	25	26	9			
116	Diseases of the spleen	1													1				
117	Simple peritonitis (nonpuerperal)	55	8					1	3	5	11	4	3	9	9	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	25							2		6	6	5	6					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,560	33	8	4	11	7	14	41	156	243	441	621	762	788	387	43	1	
119	Acute nephritis	187	19	3	2	7	3	3	8	23	28	33	22	14	18	4			
120	Bright's disease	2,865	8	3	1	2	4	9	28	89	152	341	534	676	665	318	34	1	
122	Other diseases of the kidneys and annexa	99	4		1	2		2	1	6	9	14	20	14	16	7	3		
123	Calculi of the urinary passages	17							2		2	5	2	3	1	2			
124	Diseases of the bladder	63	1							2			4	7	23	23	3		
125	Diseases of the urethra, urinary abscess, etc	13		1						1	1	3	3	2	2				
126	Diseases of the prostate	136										4	13	35	54	27	3		
127	Nonvenereal diseases of the male genital organs	2									1	1							
128	Uterine hemorrhage (nonpuerperal)	2										2							
129	Uterine tumor (noncancerous)	57								1	18	17	10	6	2	3			
130	Other diseases of the uterus	24								8	5	4	4	1	2				
131	Cysts and other tumors of the ovary	29								2	4	7	5	4	5	2			
132	Salpingitis and other diseases of the female genital organs	63		1					2	24	23	9	4						
133	Nonpuerperal diseases of the breast (cancer excepted)	3	1									1				1			
	VII.—The puerperal state	362							27	170	133	32							
134	Accidents of pregnancy	36							2	17	14	3							
135	Puerperal hemorrhage	32							1	11	15	5							
136	Other accidents of labor	30							2	11	11	6							
137	Puerperal septicemia	127							8	74	35	10							
138	Puerperal albuminuria and convulsions	125							14	50	54	7							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	11								6	4	1							
140	Following childbirth (not otherwise defined)	1								1									
	VIII.—Diseases of the skin and of the cellular tissue	91	9						1	7	2	8	8	12	24	19	1		
142	Gangrene	43									1	1	3	4	20	13	1		
143	Furuncle	13								1		5	1	2	2	2			
144	Acute abscess	17	3						1	4	1		4	4					
145	Other diseases of the skin and annexa	18	6							2		2		2	2	4			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CALIFORNIA—Continued.																		
	IX.—Diseases of the bones and of the organs of locomotion	67	3	1	1		1	5	11	7	6	8	8	7	8	1			
146	Diseases of the bones (tuberculosis excepted)	59	3	1	1		1	5	11	7	5	7	6	7	5				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7									1	1	2		3				
149	Other diseases of the organs of locomotion	1														1			
	X.—Malformations	279	253	6	4	3	2	3	3	3	1	1							
150	Congenital malformations (stillbirths not included) (total)	279	253	6	4	3	2	3	3	3	1	1							
	Hydrocephalus	22	15	3	2		1	1											
	Congenital malformations of the heart	167	156		1	3	1	2	1	1	1	1							
	Other congenital malformations	90	82	3	1				2	2									
	XI.—Early infancy	1,387	1,387																
151	Congenital debility, icterus, and sclerema (total)	1,096	1,096																
	Premature birth	842	842																
	Congenital debility, "atrophy," "marasmus," etc.	254	254																
152	Other causes peculiar to early infancy (total)	278	278																
	Injuries at birth	164	164																
	Other causes peculiar to early infancy [1]	114	114																
153	Lack of care	13	13																
	XII.—Old age	436											2	20	123	226	59	6	
154	Senility	436											2	20	123	226	59	6	
	XIII.—External causes	4,178	60	57	61	40	33	99	245	701	832	700	542	381	250	137	16		24
	Suicide (total)	1,010							13	161	242	219	202	107	49	14			3
155	By poison	178							2	39	40	29	43	15	9				1
156	By asphyxia	134							2	19	28	34	24	17	8	2			
157	By hanging or strangulation	107							2	20	20	23	25	11	6				
158	By drowning	42								2	11	9	8	6	3	3			
159	By firearms	445							7	68	117	100	82	49	13	8			1
160	By cutting or piercing instruments	67								10	13	18	13	5	8				
161	By jumping from high places	20									9	1	5	3	1	1			
162	By crushing	12								3	3	3	1	1					1
163	Other suicides	5									1	2	1		1				
	Accidental or undefined (total)	2,808	57	57	61	39	32	96	218	441	479	416	308	255	194	123	16		16
164	Poisoning by food	60	6	1	4	1	3	2	7	5	6	8	6	4	7				
165	Other acute poisonings	71	7	8	5	2	3	2	3	9	11	10	8		1	2			
166	Conflagration	82	3	4	4	3	3	7	5	10	8	9	8	7	6	4			1
167	Burns (conflagration excepted)	136	3	14	11	9	6	9	8	21	13	9	9	13	6	5			
168	Absorption of deleterious gases (conflagration excepted)	128	16	1					4	13	22	19	20	15	16	2			
169	Accidental drowning	344	2	16	15	8	2	12	54	58	45	55	37	21	7	1			11
170	Traumatism by firearms	100			1	2		7	24	24	17	13	6	3	1	2			
171	Traumatism by cutting or piercing instruments	4		1				1		1			1						
172	Traumatism by fall	413	5	4	7	3	1	3	20	35	38	46	35	60	71	71	14		
173	Traumatism in mines and quarries (total)	56								13	23	15	3	1		1			
	Traumatism in mines	48								11	20	13	2	1		1			
	Traumatism in quarries	8								2	3	2	1						
174	Traumatism by machines	52				1		1	7	17	5	12	6	3					
175	Traumatism by other crushing (total)	1,089	3	4	10	10	12	42	64	188	237	174	139	109	66	27	1		3
	Railroad accidents and injuries	323		2	1	1	1	2	17	52	96	60	37	27	18	6			3
	Street-car accidents and injuries	130		1	2	2	2	5	10	13	28	16	20	13	13	5			
	Automobile accidents and injuries	411		1	2	5	8	20	28	82	69	61	54	47	21	12	1		
	Injuries by other vehicles	190	3		5	2	1	13	9	32	35	28	26	20	12	4			
	Landslide, other crushing	35						2		9	9	9	2	2	2				
176	Injuries by animals	32						5	2	2	5	2	8	4	4				
177	Starvation	7	1							1	1	2		1		1			
178	Excessive cold	12								2		2	1	1	4	2			
179	Effects of heat	19	2		1					2	5	2	3	3	1				
180	Lightning	1								1									
181	Electricity (lightning excepted)	38						2	6	9	12	7	1	1					
185	Fractures (cause not specified)	14								2	2	4		1	1	3	1		
186	Other external violence	150	9	4	3		2	3	14	28	29	27	17	8	3	2			1
	Homicide (total)	360	3			1	1	3	14	99	111	65	32	19	7				5
182	By firearms	255	1			1		1	13	67	83	52	23	11	2				1
183	By cutting or piercing instruments	44							1	19	13	5	3	1	1				1
184	By other means	61	2				1	2		13	15	8	6	7	4				3
	XIV.—Ill-defined diseases	74	14	6			1	1	2		6	6	6	8	10	8		1	5
187	Ill-defined organic disease	6										1			2	3			
188	Sudden death	2	1	1															
189	Not specified or ill-defined (total)	66	13	5			1	1	2		6	5	6	8	8	5		1	5
	Ill-defined	40	6	5			1		1		3	3	5	6	6	3			1
	Not specified, or unknown	26	7					1	1		3	2	1	2	2	2		1	4

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	COLORADO.																		
	All causes	10,602	1,531	265	138	93	78	191	428	1,140	1,227	1,133	1,285	1,306	1,162	525	84	2	14
	I.—General diseases	3,020	137	55	43	31	26	72	152	586	606	421	368	294	166	52	8		3
1	Typhoid fever	119	2	3	4		4	6	18	31	20	11	7	11	2				
4	Malaria	2						1	1										
6	Measles	21	7	4	3	4		1	1	1									
7	Scarlet fever	58	4	3	7	8	6	17	12	1									
8	Whooping cough	88	51	20	8	4		4							1				
9	Diphtheria and croup	52	3	3	4	4	9	10	15	2	1		1						
10	Influenza	130	13	3	4		1	3	7	8	5	7	15	12	32	14	6		
13	Cholera nostras	1												1					
14	Dysentery	11		2		1							3	1	4				
18	Erysipelas	26	12						1	1	2	4		2	2	2			
19	Other epidemic diseases	5		1					1	1		2							
20	Purulent infection and septicemia	27	2				1		3	5	1	3		11	1				
22	Anthrax	1		1															
24	Tetanus	8	1			2		1	1	2		1							
25	Mycoses	1										1							
26	Pellagra	2							1		1								
	Tuberculosis (total)	1,572	20	12	9	2	2	12	68	499	491	247	133	56	16	3			2
28	Tuberculosis of the lungs	1,453	4	4	2	1		6	53	472	476	237	129	48	16	3			2
29	Acute miliary tuberculosis	27	1					1	4	11	5	3		2					
30	Tuberculous meningitis	44	13	8	5		2	3	7	3	1	2							
31	Abdominal tuberculosis	17	1		1	1				7	5		1	1					
32	Pott's disease	5			1			1	1			2							
33	White swellings	3							1	1			1						
34	Tuberculosis of other organs	15	1					1	2	1	1	3	1	5					
35	Disseminated tuberculosis	8								4	3		1						
37	Syphilis	71	18	1						9	9	9	11	10	4				
	Cancer and other malignant tumors (total)	500		1	2	2	2	2	3	11	35	87	126	127	73	26	2		1
39	Of the buccal cavity	9								1	1	2	2		2	1			
40	Of the stomach, liver	207			1				1	2	11	33	46	69	33	9	2		
41	Of the peritoneum, intestines, rectum	53								1	4	7	13	13	13	2			
42	Of the female genital organs	68								3	6	17	19	12	7	3			1
43	Of the breast	52									8	13	20	7	3	1			
44	Of the skin	22						1					4	5	6	6			
45	Of other organs or of organs not specified	89		1	1	2	2	1	2	4	5	15	22	21	9	4			
46	Other tumors (tumors of the female genital organs excepted)	5				1					1		1	1	1				
47	Acute articular rheumatism	44			1	1	1	5	4	1	3	2	11	12	1	2			
48	Chronic rheumatism and gout	16										1	5	4	4	2			
50	Diabetes	108		1		1		5	7	6	10	12	20	26	18	2			
51	Exophthalmic goiter	6							2		2		2						
52	Addison's disease	1										1							
53	Leukemia	21	1		1			1	4	1	2	2	5	4					
54	Anemia, chlorosis	43						3	2	2	7	12	9	5	3				
55	Other general diseases	7	3			1		1	1		1								
56	Alcoholism (acute or chronic)	63								4	14	15	17	10	2	1			
57	Chronic lead poisoning	2								1					1				
59	Other chronic poisonings	9									1	4	2	1	1				
	II.—Diseases of the nervous system and of the organs of special sense	808	34	11	12	4	5	7	24	27	54	105	120	158	164	78	4		1
60	Encephalitis	6	2							2	1	1							
61	Meningitis (total)	80	20	8	7	3	5	5	8	8	5	5	1	2	3				
	Simple meningitis	53	17	7	2	1	3	3	2	5	3	5	1	2	2				
	Cerebrospinal meningitis (undefined)	19	2	1	2	2	1	2	6	1	2								
	Cerebrospinal fever	8	1		3		1			2					1				
62	Locomotor ataxia	17								1		4	4	6	1				1
63	Other diseases of the spinal cord (total)	50	1	1	2	1			4	4	3	6	7	9	10	2			
	Acute anterior poliomyelitis	6		1	2	1			1					1					
	Other diseases of the spinal cord [1]	44	1						3	4	3	6	7	8	10	2			
64	Cerebral hemorrhage, apoplexy	421	2		2			1	1	4	11	46	75	108	113	56	2		
65	Softening of the brain	17									1	2	2	4	4	4			
66	Paralysis without specified cause	80		1					1		2	7	8	16	27	16	2		
67	General paralysis of the insane	51									12	20	11	6	2				
68	Other forms of mental alienation	20							1		5	7	4	1	2				
69	Epilepsy	40	2						6	8	10	3	7	3	1				
71	Convulsions of infants	5	4	1															
72	Chorea	2						1	1										
74	Other diseases of the nervous system	17	2		1				2		4	3	1	3	1				
76	Diseases of the ears	2	1									1							

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	COLORADO—Continued.																		
	III.—Diseases of the circulatory system	1,249	20	3	4	2	4	22	58	58	93	127	197	264	277	103	14		3
77	Pericarditis	11						1	1			1	1	4	3				
78	Acute endocarditis	75						8	7	6	9	15	23		4	2	1		
79	Organic diseases of the heart	883	18	1	4	2	4	13	48	40	70	88	137	195	193	60	8		2
80	Angina pectoris	66							1	3	5	7	7	28	10	4	1		
81	Diseases of the arteries, atheroma, aneurism, etc	157								1	2	9	22	26	62	31	3		1
82	Embolism and thrombosis	47	1	1						8	7	5	6	9	3	6	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4										1	1	1	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	1	1								1		1					
85	Hemorrhage; other diseases of the circulatory system	2							1						1				
	IV.—Diseases of the respiratory system	1,636	331	86	33	16	22	26	44	95	106	147	223	207	211	74	14		1
87	Diseases of the larynx	14	3		2	2	1	1	2			1		1		1			
88	Diseases of the thyroid body	4								1		2			1				
89	Acute bronchitis	57	29	9	2		2	2					3	3	5	1	1		
90	Chronic bronchitis	40	2						1	1		1	9	6	14	6			
91	Bronchopneumonia	402	212	55	13	7	8	7	4	6	5	6	15	14	34	13	2		1
92	Pneumonia (total)	959	75	22	15	6	9	15	37	79	85	117	155	151	137	45	11		
	Lobar pneumonia	911	72	22	14	6	9	14	34	76	81	110	151	141	131	41	9		
	Pneumonia (undefined)	48	3		1			1	3	3	4	7	4	10	6	4	2		
93	Pleurisy	16	3		1	1				1		1	5	3	1				
94	Pulmonary congestion, pulmonary apoplexy	45	7				2	1		3	4	2	8	5	9	4			
96	Asthma	40								1	2	5	9	14	7	2			
97	Pulmonary emphysema	2												1		1			
98	Other diseases of the respiratory system (tuberculosis excepted)	57								3	10	12	19	9	3	1			
	V.—Diseases of the digestive system	863	219	71	22	17	12	26	43	53	58	84	102	88	47	18	2		1
99	Diseases of the mouth and annexa	3						1		1					1				
100	Diseases of the pharynx	22	6	1	2		1		3		2	1	4	1	1				
101	Diseases of the esophagus	1			1														
102	Ulcer of the stomach	39							2	4	3	12	9	6	3				
103	Other diseases of the stomach (cancer excepted)	43	14			1				2	2	2	8	5	7	2			
104	Diarrhea and enteritis (under 2 years)	244	181	63															
105	Diarrhea and enteritis (2 years and over)	85			14	11	6	6	2	5	3	8	9	10	6	3	2		
108	Appendicitis and typhlitis	153			1	2	3	16	32	26	23	18	19	9	4				
109	Hernia, intestinal obstruction (total)	96	15	5	4	1	1	1	2	3	9	10	14	17	7	7			
	Hernia	20	1		2				1		3	1	6	4		2			
	Intestinal obstruction	76	14	5	2	1	1	1	1	3	6	9	8	13	7	5			
110	Other diseases of the intestines	24	1			1	1		1	2	4	5	4	2	1	2			
111	Acute yellow atrophy of the liver	1						1											
113	Cirrhosis of the liver	64				1				3	5	12	17	16	6	4			
114	Biliary calculi	26								1	3	4	7	7	4				
115	Other diseases of the liver	46	1	1					1	4	1	11	9	13	5				
116	Diseases of the spleen	1									1								
117	Simple peritonitis (nonpuerperal)	6	1					1			1		1	1					1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	9		1						2	1	1	1	1	2				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	843	8	2	2	1	1	8	17	53	71	106	150	199	165	54	5		1
119	Acute nephritis	78	3	1	2			7	6	9	9	10	9	9	8	5			
120	Bright's disease	646	3			1	1	1	8	24	49	77	126	171	136	44	5		
122	Other diseases of the kidneys and annexa	19	1	1						3	2	3	3	5	1				
123	Calculi of the urinary passages	1											1						
124	Diseases of the bladder	11	1										1	2	6	1			
126	Diseases of the prostate	31											4	8	14	4			1
127	Nonvenereal diseases of the male genital organs	1											1						
128	Uterine hemorrhage (nonpuerperal)	2							1		1								
129	Uterine tumor (noncancerous)	13								1	2	8	1	1					
130	Other diseases of the uterus	17							1	6	4	2	3	1					
131	Cysts and other tumors of the ovary	11								3	3	2	1	2					
132	Salpingitis and other diseases of the female genital organs	13							1	7	1	4							
	VII.—The puerperal state	136							13	67	46	10							
134	Accidents of pregnancy	11								6	4	1							
135	Puerperal hemorrhage	15								7	8								
136	Other accidents of labor	7							1	4	2								
137	Puerperal septicemia	71							9	31	25	6							
138	Puerperal albuminuria and convulsions	28							2	17	6	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3							1	1	1								
140	Following childbirth (not otherwise defined)	1								1									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	COLORADO—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	24	2							2		3	3	3	7	4			
142	Gangrene	18										2	3	2	7	4			
144	Acute abscess	5	1							2		1		1					
145	Other diseases of the skin and annexa	1	1																
	IX.—Diseases of the bones and of the organs of locomotion	16		1		1	1	2	3	1	3	2		1	1				
146	Diseases of the bones (tuberculosis excepted)	13				1	1	2	2	1	3	1		1	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3		1					1			1							
	X.—Malformations	102	95	2	3	1		1											
150	Congenital malformations (stillbirths not included) (total)	102	95	2	3	1		1											
	Hydrocephalus	6	2	1	2	1													
	Congenital malformations of the heart	78	76	1				1											
	Other congenital malformations	18	17		1														
	XI.—Early infancy	661	661																
151	Congenital debility, icterus, and sclerema (total)	561	561																
	Premature birth	406	406																
	Congenital debility, "atrophy," "marasmus," etc	155	155																
152	Other causes peculiar to early infancy (total)	98	98																
	Injuries at birth	36	36																
	Other causes peculiar to early infancy [1]	62	62																
153	Lack of care	2	2																
	XII.—Old age	262											1	13	82	127	37	2	
154	Senility	262											1	13	82	127	37	2	
	XIII.—External causes	959	23	27	18	19	6	27	74	197	189	127	121	74	40	14			3
	Suicide (total)	164							6	31	39	32	30	17	8	1			
155	By poison	38							2	8	10	7	6	3	2				
156	By asphyxia	7									2	2	2	1					
157	By hanging or strangulation	14								1	5	2	5		1				
158	By drowning	2									1	1							
159	By firearms	90							4	21	17	18	14	10	5	1			
160	By cutting or piercing instruments	11								1	3	1	3	3					
163	Other suicides	2									1	1							
	Accidental or undefined (total)	702	21	27	18	19	6	27	65	130	125	78	86	54	31	13			2
164	Poisoning by food	24	1		1	3	1	2	2	2	1	4	4	2	1				
165	Other acute poisonings	21	4		2	1		2	2	4	1	1	2	2					
166	Conflagration	7	1		1	1				1	1				1	1			
167	Burns (conflagration excepted)	23	1	3	4	3	1	1	1	3	3		1	1	1				
168	Absorption of deleterious gases (conflagration excepted)	24	6		1	1		3	2	2	3	1	3	1	1				
169	Accidental drowning	61		14	7			5	11	6	5	3	7	1		1			1
170	Traumatism by firearms	40				1	1	2	11	9	9	3	4						
172	Traumatism by fall	47			1	1			3	4	3	3	7	6	11	8			
173	Traumatism in mines and quarries (total)	122							1	36	43	21	17	1	3				
	Traumatism in mines	119							1	36	43	19	16	1	3				
	Traumatism in quarries	3										2	1						
174	Traumatism by machines	19				1		2	3	5	3	4		1					
175	Traumatism by other crushing (total)	229	1	6		6	1	6	20	39	44	33	31	29	10	2			1
	Railroad accidents and injuries	105		3				3	8	19	29	13	12	15	2				1
	Street-car accidents and injuries	9				1		1		1	1		1	3		1			
	Automobile accidents and injuries	53	1	2		1		1	3	11	5	14	6	5	3	1			
	Injuries by other vehicles	55		1		4	1	1	8	6	7	5	11	6	5				
	Landslide, other crushing	7							1	2	2	1	1						
176	Injuries by animals	17		3		1	1	3	3	3			1	2					
177	Starvation	1												1					
178	Excessive cold	10										2	3	5					
179	Effects of heat	2	2																
180	Lightning	17							3	3	4	2	3	2					
181	Electricity (lightning excepted)	9								4	4		1						
185	Fractures (causes not specified)	4								1					2	1			
186	Other external violence	25	5	1	1		1	1	3	8	1	1	2		1				
	Homicide (total)	93	2						3	36	25	17	5	3	1				1
182	By firearms	74							2	30	21	14	4	2	1				
183	By cutting or piercing instruments	9								3	4	2							
184	By other means	10	2						1	3		1	1	1					1
	XIV.—Ill-defined diseases	23	1	7	1	1	1			1	1	1		5	2	1			1
187	Ill-defined organic disease	1													1				
189	Not specified or ill-defined (total)	22	1	7	1	1	1			1	1	1		5	1	1			1
	Ill-defined	18	1	7	1	1	1			1	1			4	1				
	Not specified, or unknown	4										1		1		1			1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CONNECTICUT.																		
	All causes	18,247	3,494	578	242	155	120	327	556	1,077	1,355	1,664	1,974	2,492	2,564	1,388	226	7	28
	I.—General diseases	4,538	306	178	94	64	48	133	249	503	538	612	617	562	455	159	16	1	3
1	Typhoid fever	152		1		1	1	11	31	36	31	20	15	4	1				
4	Malaria	17					1	3			1		5	2	2	3			
6	Measles	61	16	26	7	3	2	3	2	1	1								
7	Scarlet fever	38	1	3	5	5	5	9	6	2		2							
8	Whooping cough	143	86	40	9	3	3	2											
9	Diphtheria and croup	196	14	30	35	29	20	55	8	2	1	1		1					
10	Influenza	226	32	4	3		1	5	3	5	11	12	21	33	44	46	6		
13	Cholera nostras	8	3					1						1		3			
14	Dysentery	57	19	5		1		2			4	1	5	6	5	6	3		
18	Erysipelas	57	23	1	2				1		3	4	8	8	6	1			
19	Other epidemic diseases	3	2	1															
20	Purulent infection and septicemia	39	3					1	1	4	7	7	3	5	7	1			
22	Anthrax	3						1			1		1						
24	Tetanus	24	5					3	5		4	2	1	2	1				1
25	Mycoses	1							1										
26	Pellagra	1									1								
	Tuberculosis (total)	1,753	59	54	27	17	10	24	156	406	366	323	177	90	41	1	1		1
28	Tuberculosis of the lungs	1,445	13	8	6	3	1	5	122	375	332	299	163	77	38	1	1		1
29	Acute miliary tuberculosis	57	1	3	1				14	16	10	9	2	1					
30	Tuberculous meningitis	132	29	35	14	11	7	13	11	7		3	1		1				
31	Abdominal tuberculosis	55	7	5	4		1	5	3	1	10	6	7	5	1				
32	Pott's disease	13		1		2			3	2	3		1	1					
33	White swellings	7	2		1	1		1	1			1							
34	Tuberculosis of other organs	31	6				1		1	3	10	5	1	3	1				
35	Disseminated tuberculosis	13	1	2	1				1	2	1		2	3					
36	Rickets	11	5	3		1							1		1				
37	Syphilis	61	24	4			2			1	6	9	10	3	2				
38	Gonococcus infection	1	1																
	Cancer and other malignant tumors (total)	1,133		2	1	3	1	1	5	11	59	162	267	288	253	73	5	1	1
39	Of the buccal cavity	45		1								6	7	15	9	6			1
40	Of the stomach, liver	400				1			1	2	11	43	106	106	103	27			
41	Of the peritoneum, intestines, rectum	168					1		2	2	7	21	47	39	39	10			
42	Of the female genital organs	162				1				3	19	37	38	33	26	5			
43	Of the breast	142									11	31	33	30	28	7	2		
44	Of the skin	38								1		3	3	8	11	9	3		
45	Of other organs or of organs not specified	178		1	1	1		1	2	3	11	21	33	57	37	9		1	
46	Other tumors (tumors of the female genital organs excepted)	2								1		1							
47	Acute articular rheumatism	55			2		2	7	17	2	2	7	2	2	8	4			
48	Chronic rheumatism and gout	23									1	2	2	5	9	4			
50	Diabetes	280			2	1		4	5	14	12	29	54	84	60	14	1		
51	Exophthalmic goiter	7							1	3	1		1		1				
52	Addison's disease	5								1	1	1		1	1				
53	Leukemia	28	1	1				1	4	4	5		5	4	3				
54	Anemia, chlorosis	57	1						2	4	2	12	16	12	5	3			
55	Other general diseases	18	11	3	1								1	1	1				
56	Alcoholism (acute or chronic)	72								5	17	17	21	8	4				
57	Chronic lead poisoning	2							1	1									
59	Other chronic poisonings	4									1		1	2					
	II.—Diseases of the nervous system and of the organs of special sense	1,949	101	40	23	11	7	20	31	31	86	141	254	447	455	270	28		4
60	Encephalitis	7						1	2		1		1			2			
61	Meningitis (total)	145	48	22	11	7	4	9	11	6	11	6	4	4	2				
	Simple meningitis	91	34	11	8	6	1	4	3	4	6	6	3	3	2				
	Cerebrospinal meningitis (undefined)	40	9	9	3	1	2	2	6	2	4		1	1					
	Cerebrospinal fever	14	5	2			1	3	2		1								
62	Locomotor ataxia	33									2	4	8	8	9	1	1		
63	Other diseases of the spinal cord (total)	87	2	1	2	1	1	2	6	4	6	11	7	24	17	3			
	Acute anterior poliomyelitis	12	2	1	2		1		4	1	1								
	Other diseases of the spinal cord [1]	75				1		2	2	3	5	11	7	24	17	3			
64	Cerebral hemorrhage, apoplexy	1,313	2	1				1	1	2	24	73	204	366	376	235	24		4
65	Softening of the brain	11										1		2	2	5	1		
66	Paralysis without specified cause	70	2		1				2	1	1	4	7	16	24	11	1		
67	General paralysis of the insane	74								2	18	20	7	9	13	4	1		
68	Other forms of mental alienation	24							1	2	2	3	6	6	3	1			
69	Epilepsy	50			1	2		1	3	9	11	11	2	4	4	2			
70	Convulsions (nonpuerperal)	1														1			
71	Convulsions of infants	52	37	13	2														
72	Chorea	4		1	1					1				1					
73	Neuralgia and neuritis	16		1				1	1	1	4	3		2	2	1			
74	Other diseases of the nervous system	42	5		1	1		2	4	2	5	4	7	5	2	4			
75	Diseases of the eyes and their annexa	2											1		1				
76	Diseases of the ears	18	5	1	4		2	3		1	1	1							

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CONNECTICUT—Continued.																		
	III.—Diseases of the circulatory system	2,586	19	4	3	1	1	23	67	65	125	197	335	586	715	377	60		8
77	Pericarditis	13						1		1		3	1	2	2	3			
78	Acute endocarditis	164	7	2	2		1	5	10	15	21	34	53	4	8	2			
79	Organic diseases of the heart	1,881	6		1	1		15	53	45	91	140	225	485	531	251	30		7
80	Angina pectoris	110									4	6	23	31	35	11			
81	Diseases of the arteries atheroma, aneurism, etc	318	1							1	3	4	24	46	121	92	25		1
82	Embolism and thrombosis	68						1	2	1	5	8	5	12	13	16	5		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	12							1	1		2	3	1	3	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	16	5	2				1	1	1			1	3	2				
85	Hemorrhage; other diseases of the circulatory system	4									1			2		1			
	IV.—Diseases of the respiratory system	2,331	563	138	56	32	16	33	35	95	120	198	215	279	303	215	31	2	
87	Diseases of the larynx	19	5	1	2	2		2		1		1			2	3			
88	Diseases of the thyroid body	8							2	1	1	1	1	2					
89	Acute bronchitis	168	89	14	5	5			1		1	3	2	7	13	24	4		
90	Chronic bronchitis	101	2	1		1				1	1	3	3	15	38	35	1		
91	Bronchopneumonia	666	296	68	24	11	9	11	1	8	9	5	32	50	79	51	12		
92	Pneumonia (total)	1,235	151	51	21	12	7	17	28	79	100	171	162	188	153	81	12	2	
	Lobar pneumonia	945	92	32	17	9	4	10	19	63	86	143	132	147	121	57	11	2	
	Pneumonia (undefined)	290	59	19	4	3	3	7	9	16	14	28	30	41	32	24	1		
93	Pleurisy	41	2	2	2	1		1	2	3	2	8	5	6	5	2			
94	Pulmonary congestion, pulmonary apoplexy	52	14		2				1	2	1	4	2	4	7	14	1		
95	Gangrene of the lung	6									1	1	2	1	1				
96	Asthma	22						2			4	1	4	5	2	3	1		
97	Pulmonary emphysema	4	1										1		2				
98	Other diseases of the respiratory system (tuberculosis excepted)	9	3	1									1	1	1	2			
	V.—Diseases of the digestive system	2,143	1,092	162	36	15	15	36	35	64	91	104	142	150	123	64	13	1	
99	Diseases of the mouth and annexa	12	6					1		1	2		2						
100	Diseases of the pharynx	28	3	1	1	2	2	3	2	2	3	2	5	1	1				
101	Diseases of the esophagus	1												1					
102	Ulcer of the stomach	67		1						11	9	17	4	13	8	4			
103	Other diseases of the stomach (cancer excepted)	131	51	2	2		1	2	1	3	5	2	9	14	13	20	5	1	
104	Diarrhea and enteritis (under 2 years)	1,157	1,005	152															
105	Diarrhea and enteritis (2 years and over)	167			29	11	9	13	3	7	12	10	7	21	25	15	5		
108	Appendicitis and typhlitis	130	1	1	1		2	11	22	17	20	25	16	9	5				
109	Hernia, intestinal obstruction (total)	134	19	3	2	1	1	3	3	9	7	6	19	24	21	15	1		
	Hernia	51	2	2	1						3	3	8	14	14	4			
	Intestinal obstruction	83	17	1	1	1	1	3	3	9	4	3	11	10	7	11	1		
110	Other diseases of the intestines	27	2	1				1		2	3	2	2	11	1	1	1		
111	Acute yellow atrophy of the liver	5								1	1	2		1					
113	Cirrhosis of the liver	144	1			1				2	16	19	50	31	20	4			
114	Biliary calculi	45								2	1	5	10	13	12	1	1		
115	Other diseases of the liver	53	1		1				3	2	5	6	8	10	13	4			
116	Diseases of the spleen	3											2	1					
117	Simple peritonitis (nonpuerperal)	27	2					2	1	4	5	4	7		2				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	12	1	1						1	2	4	1		2				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,572	11	3	4	4	3	12	19	47	144	195	241	333	370	163	21	1	1
119	Acute nephritis	123	3	2	1	2	2	7	7	11	24	25	11	14	12	1	1		
120	Bright's disease	1,278	2	1	2	2	1	4	11	28	102	152	213	288	315	138	17	1	1
122	Other diseases of the kidneys and annexa	21	4		1			1		3	2	2	2	4	2				
123	Calculi of the urinary passages	13									1	3	1	2	4	2			
124	Diseases of the bladder	30	1								1	1	2	5	13	6	1		
125	Diseases of the urethra, urinary abcess, etc	4											2	2					
126	Diseases of the prostate	57											3	15	23	14	2		
129	Uterine tumor (noncancerous)	18								1	4	6	4	2		1			
130	Other diseases of the uterus	8								2	2	2	1			1			
131	Cysts and other tumors of the ovary	5								1		1	2	1					
132	Salpingitis and other diseases of the female genital organs	14							1	1	8	3			1				
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VII.—The puerperal state	183							18	79	70	16							
134	Accidents of pregnancy	19							1	5	9	4							
135	Puerperal hemorrhage	20								2	13	5							
136	Other accidents of labor	13								7	6								
137	Puerperal septicemia	63							7	33	21	2							
138	Puerperal albuminuria and convulsions	60							8	29	18	5							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8							2	3	3								
	VIII.—Diseases of the skin and of the cellular tissue	61	18	2				1		2	1	4	4	5	9	12	2		1
142	Gangrene	26	1							1		1	1	2	7	11	1		1
143	Furuncle	11	4	1							1		2	2	1				
144	Acute abscess	12	5					1		1		3	1				1		
145	Other diseases of the skin and annexa	12	8	1										1	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CONNECTICUT—Continued.																		
	IX.—Diseases of the bones and of the organs of locomotion	34	4	1	1	1	1	6	8	2	1	4	2	1		2			
146	Diseases of the bones (tuberculosis excepted)	31	4	1	1	1	1	5	7	2	1	4	2	1		1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3						1	1							1			
	X.—Malformations	188	180	4	2		1	1											
150	Congenital malformations (stillbirths not included) (total)	188	180	4	2		1	1											
	Hydrocephalus	24	20	2	1			1											
	Congenital malformations of the heart	101	97	2	1		1												
	Other congenital malformations	63	63																
	XI.—Early infancy	1,146	1,146																
151	Congenital debility, icterus, and sclerema (total)	860	860																
	Premature birth	570	570																
	Congenital debility, "atrophy," "marasmus," etc.	290	290																
152	Other causes peculiar to early infancy (total)	284	284																
	Injuries at birth	167	167																
	Other causes peculiar to early infancy [1]	117	117																
153	Lack of care	2	2																
	XII.—Old age	171											2	6	39	81	40	2	1
154	Senility	171											2	6	39	81	40	2	1
	XIII.—External causes	1,257	29	38	22	26	27	61	93	183	172	185	153	113	87	44	15		9
	Suicide (total)	223							7	42	43	50	37	30	12	1			1
155	By poison	62							3	13	14	12	14	4	1				1
156	By asphyxia	36							1	7	8	8	6	5	1				
157	By hanging or strangulation	42								4	6	10	7	11	4				
158	By drowning	15							2	3	5	2	1		2				
159	By firearms	56								15	8	13	8	8	3	1			
160	By cutting or piercing instruments	10							1		1	4	1	2	1				
161	By jumping from high places	2									1	1							
	Accidental or undefined (total)	990	26	38	22	26	27	56	82	127	121	129	112	83	75	43	15		8
164	Poisoning by food	12	1	1	1						1	3	1	2	2				
165	Other acute poisonings	21	3	2	1	2		3	1		2	4	1	2					
166	Conflagration	14									2	3	2	3		1			3
167	Burns (conflagration excepted)	97	3	17	12	10	10	12	2	3	4	5	3	3	8	4	1		
168	Absorption of deleterious gases (conflagration excepted)	48	8	2	2		1		1	8	3	3	7	6	4	3			
169	Accidental drowning	160		5	1	7	9	15	22	33	22	24	10	9	1				2
170	Traumatism by firearms	9							6	2			1						
171	Traumatism by cutting or piercing instruments	2								1				1					
172	Traumatism by fall	231	3	8	3	2	2	2	7	13	23	28	31	28	38	30	13		
173	Traumatism in mines and quarries (total)	3							1		1	1							
	Traumatism in quarries	3							1		1	1							
174	Traumatism by machines	22							3	9	3	4	2		1				
175	Traumatism by other crushing (total)	284	1	1	1	4	5	22	34	46	40	42	40	25	17	2	1		3
	Railroad accidents and injuries	101			1			5	9	21	16	20	15	8	4				2
	Street-car accidents and injuries	30				1		2	2	2	6	8	4	2	2		1		
	Automobile accidents and injuries	106	1	1		3	2	12	18	15	10	10	13	12	6	2			1
	Injuries by other vehicles	37					3	2	4	7	4	4	6	3	4				
	Landslide, other crushing	10						1	1	1	4		2		1				
176	Injuries by animals	5						1					3	1					
178	Excessive cold	11		1				1	1			3	1	2	1	1			
179	Effects of heat	10			1					1	2	1	3		1	1			
180	Lightning	2									2								
181	Electricity (lightning excepted)	14							1	6	4	1	1	1					
185	Fractures (cause not specified)	5									1	2			1	1			
186	Other external violence	40	7	1		1			3	5	11	5	6		1				
	Homicide (total)	44	3					5	4	14	8	6	4						
182	By firearms	22						1	3	7	3	4	4						
183	By cutting or piercing instruments	10						2	1	4	2	1							
184	By other means	12	3					2		3	3	1							
	XIV.—Ill-defined diseases	88	25	8	1	1	1	1	1	6	7	8	9	10	8	1			1
187	Ill-defined organic disease	1												1					
188	Sudden death	17	3							2	2	2	3	2	2	1			
189	Not specified or ill-defined (total)	70	22	8	1	1	1	1	1	4	5	6	6	7	6				1
	Ill-defined	41	7	7	1			1	1	2	5	4	3	5	5				
	Not specified, or unknown	29	15	1		1	1			2		2	3	2	1				1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	INDIANA.																		
	All causes	35,403	4,915	892	409	252	192	691	1,355	2,383	2,463	2,892	3,888	5,253	6,152	3,205	421	23	17
	I.—General diseases	9,680	436	202	144	107	86	314	664	1,240	1,105	1,066	1,324	1,401	1,159	382	43	5	2
1	Typhoid fever	416	2	7	10	4	14	33	80	95	59	42	29	24	15	2			
4	Malaria	59	7		1	1	1	3	2	9	2	8	8	9	5	3			
5	Smallpox	10	4					2					2	1	1				
6	Measles	69	14	16	11	7	2	7	6	3		1	2						
7	Scarlet fever	101	8	13	9	14	8	29	15	3	1	1							
8	Whooping cough	164	105	25	13	8	4	8	1										
9	Diphtheria and croup	305	13	31	35	33	23	106	50	4	5	3	1		1				
10	Influenza	476	36	8	5	2	4	11	12	12	17	19	39	79	119	95	16	2	
13	Cholera nostras	9	2	1				1						1		3	1		
14	Dysentery	151	26	17	10	5		1	1	1	3	2	6	17	35	25	2		
18	Erysipelas	100	17	1	1	1			4	3	5	6	12	18	14	16	2		
19	Other epidemic diseases	9	1	1	1	1	1	1	2			1							
20	Purulent infection and septicemia	57	4	2	1			1	5	5	2	7	10	7	7	5	1		
22	Anthrax	1												1					
23	Rabies	1		1															
24	Tetanus	60	15	1		2	3	8	13	7	2	2	4	2		1			
26	Pellagra	9									2	2	1	2	2				
	Tuberculosis (total)	4,024	87	58	40	22	25	63	390	972	747	536	458	348	227	48		2	1
28	Tuberculosis of the lungs	3,322	30	24	11	8	9	21	307	854	660	464	389	310	192	42			1
29	Acute miliary tuberculosis	118	2	2	2	1		4	13	33	20	21	13	5	2				
30	Tuberculous meningitis	198	40	27	21	5	12	24	29	16	10	6	3	3	2				
31	Abdominal tuberculosis	215	7	1	3	3	1	7	22	40	28	27	31	19	18	6		2	
32	Pott's disease	32			1		1	3	4	8	8	1	4	1	1				
33	White swellings	25	1			1	1	3	5	1	4	3	3	2	1				
34	Tuberculosis of other organs	66	3	1	2	1	1	1	5	9	10	9	9	5	10				
35	Disseminated tuberculosis	48	4	3		3			5	11	7	5	6	3	1				
36	Rickets	5	3	2															
37	Syphilis	240	61	6	1			3	3	28	43	36	32	18	6	3			
38	Gonococcus infection	11	2						2	4	3								
	Cancer and other malignant tumors (total)	2,318		3	1	1		7	10	33	121	271	521	643	543	146	17	1	
39	Of the buccal cavity	94								1	3	11	14	30	29	6			
40	Of the stomach, liver	949			1	1		1	2	3	30	83	204	312	253	55	4		
41	Of the peritoneum, intestines, rectum	252		1				1		9	13	26	55	65	68	13	1		
42	Of the female genital organs	353		1					1	8	38	79	109	66	43	7	1		
43	Of the breast	224									23	37	55	61	36	11	1		
44	Of the skin	133									4	8	19	33	40	22	6	1	
45	Of other organs or of organs not specified	313		1				5	7	12	10	27	65	76	74	32	4		
46	Other tumors (tumors of the female genital organs excepted)	12		1					1			2	1	3	1	3			
47	Acute articular rheumatism	145	2	1	1	1		15	30	10	12	11	19	11	21	10	1		
48	Chronic rheumatism and gout	31						1	1			3	5	8	10	3			
50	Diabetes	505		2	2	2	1	8	22	37	28	42	98	139	110	13	1		
51	Exophthalmic goiter	52							2	3	6	9	19	7	6				
52	Addison's disease	10							1		3	2	1	3					
53	Leukemia	63	2		1	2		3	7	4	6	5	11	13	8	1			
54	Anemia, chlorosis	112	5	3					4	1	9	22	23	29	12	4			
55	Other general diseases	38	20	2	1	1		3		1		1	1	2	4	1	1		
56	Alcoholism (acute or chronic)	91								4	25	28	15	9	8		1		1
57	Chronic lead poisoning	5								1		3	1						
59	Other chronic poisonings	21									4	1	5	7	4				
	II.—Diseases of the nervous system and of the organs of special sense	4,020	98	39	28	20	14	52	59	100	169	350	551	901	1,064	518	53	2	2
60	Encephalitis	30	10	2	2			2	1	4	2	3	2	1	1				
61	Meningitis (total)	195	39	15	19	13	10	27	19	12	17	9	5	6	4				
	Simple meningitis	88	16	5	11	8	4	6	6	6	11	6	2	4	3				
	Cerebrospinal meningitis (undefined)	41	10	6	2	3	1	8	4	1	1	2		2	1				
	Cerebrospinal fever	66	13	4	6	2	5	13	9	5	5	1	3						
62	Locomotor ataxia	80						1			4	24	15	24	11		1		
63	Other diseases of the spinal cord (total)	184	5	10	1	1	1	1	7	6	5	15	27	50	33	21	1		
	Acute anterior poliomyelitis	19	4	8	1	1	1		1			1	1		1				
	Other diseases of the spinal cord [1]	165	1	2				1	6	6	5	14	26	50	32	21	1		
64	Cerebral hemorrhage, apoplexy	2,539	9	2	2	3	1	6	8	19	54	165	364	655	818	388	42	2	1
65	Softening of the brain	68										3	7	12	31	14	1		
66	Paralysis without specified cause	277		1		1			2	3	4	9	30	71	88	62	6		
67	General paralysis of the insane	243							1	1	31	59	51	41	40	19			
68	Other forms of mental alienation	64							1	3	8	13	16	9	9	4			1
69	Epilepsy	147		4			1	3	14	37	22	28	12	15	8	3			
71	Convulsions of infants	25	22	1	2														
72	Chorea	5									1			1	1	2			
73	Neuralgia and neuritis	21							1		2	4	3	4	6	1			
74	Other diseases of the nervous system	84	6	2	2	1		2	1	10	11	11	12	10	12	3	1		
75	Diseases of the eyes and their annexa	1													1				
76	Diseases of the ears	57	7	2		1	1	10	4	5	8	7	7	2	1	1	1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	INDIANA—Continued.																		
	III.—Diseases of the circulatory system	5,400	36	3	6	2	4	47	77	122	175	374	674	1,204	1,657	905	106	5	3
77	Pericarditis	40		1				1	2	2	1	3	5	11	9	4	1		
78	Acute endocarditis	112	6	1		1		9	9	15	11	17	20	10	10	2	1		
79	Organic diseases of the heart	4,135	18	1	4	1	4	36	60	97	143	299	538	978	1,265	619	64	5	3
80	Angina pectoris	313	1		1				1	4	8	30	65	82	87	33	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	668							1	3	5	12	30	100	250	231	36		
82	Embolism and thrombosis	96	1								4	10	13	18	33	14	3		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	17							3	1	2	2	1	5	1	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	11	9		1			1											
85	Hemorrhage; other diseases of the circulatory system	8	1						1		1	1	2		2				
	IV.—Diseases of the respiratory system	3,740	904	211	88	39	23	89	95	129	163	205	278	411	640	397	66	2	
86	Diseases of the nasal fossae	5	2					1				1				1			
87	Diseases of the larynx	30	7		2	1	2	6		2	1	1	1	1	3	3			
88	Diseases of the thyroid body	34	1	1			1	1	3	2	6	5	5	4	4	1			
89	Acute bronchitis	185	96	18	3	2		3	1			1	1	10	14	23	13		
90	Chronic bronchitis	201						1	1	3	4	2	13	30	77	59	11		
91	Bronchopneumonia	1,167	501	117	42	21	7	24	13	18	16	26	35	65	149	116	17		
92	Pneumonia (total)	1,918	291	71	39	14	13	48	71	93	118	149	198	269	347	173	23	1	
	Lobar pneumonia	1,422	171	42	27	11	11	34	58	78	98	122	168	212	260	111	18	1	
	Pneumonia (undefined)	496	120	29	12	3	2	14	13	15	20	27	30	57	87	62	5		
93	Pleurisy	65	1	2	1	1		4	4	8	9	6	6	10	11	2			
94	Pulmonary congestion, pulmonary apoplexy	27	3							1	1	2	2	3	7	7	1		
95	Gangrene of the lung	11			1				2		1	1	3	1	2				
96	Asthma	71	1	2				1		1	2	7	11	12	21	11	1	1	
97	Pulmonary emphysema	3											1	1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	23	1							1	5	4	2	5	4	1			
	V.—Diseases of the digestive system	3,629	1,046	355	91	40	27	77	117	150	194	212	308	374	394	215	27	1	1
99	Diseases of the mouth and annexa	22	5			1	1		2	3	1	2	3	4					
100	Diseases of the pharynx	77	7	2	2	3	2	16	16	8	3	5	1	5	4	2	1		
101	Diseases of the esophagus	7	1					1			1		1		3				
102	Ulcer of the stomach	130	1							7	15	17	26	32	22	10			
103	Other diseases of the stomach (cancer excepted)	369	134	8	7	2	4	7	1	8	8	7	21	47	63	45	7		
104	Diarrhea and enteritis (under 2 years)	1,160	827	333															
105	Diarrhea and enteritis (2 years and over)	373			75	21	11	12	6	9	14	18	25	45	71	59	7		
107	Intestinal parasites	4				1		2		1									
108	Appendicitis and typhlitis	308	3	2		6	2	22	73	57	56	32	30	14	9	2			
109	Hernia, intestinal obstruction (total)	329	40	9	4	4	5	9	10	19	19	26	38	43	60	37	6		
	Hernia	82	3							1	5	4	15	18	19	17			
	Intestinal obstruction	247	37	9	4	4	5	9	10	18	14	22	23	25	41	20	6		
110	Other diseases of the intestines	89	7		1		1	3	2	6	11	9	6	9	16	13	4	1	
111	Acute yellow atrophy of the liver	14	1							2		5	3	3					
112	Hydatid tumor of the liver	1											1						
113	Cirrhosis of the liver	391	2					2	1	14	29	59	68	104	90	20	1		1
114	Biliary calculi	111	1								11	8	38	26	17	10			
115	Other diseases of the liver	165	9	1	1	1		2		4	15	18	33	34	31	15	1		
116	Diseases of the spleen	2									1	1							
117	Simple peritonitis (nonpuerperal)	64	8		1	1	1	1	6	10	5	3	12	6	8	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	13								2	5	2	2	2					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,279	32	11	12	6	8	13	56	107	172	271	443	703	954	439	46	3	3
119	Acute nephritis	284	22	8	9	3	6	5	23	27	26	25	34	34	36	23	3		
120	Bright's disease	2,561	4	2	3	3	2	8	25	44	95	194	369	604	810	362	31	3	2
122	Other diseases of the kidneys and annexa	62	2	1					3	5	9	4	9	12	13	3	1		
123	Calculi of the urinary passages	14								2		3	1	5	3				
124	Diseases of the bladder	69	3								1	2	2	10	23	20	8		
125	Diseases of the urethra, urinary abscess, etc.	11							1		4	1	2		3				
126	Diseases of the prostate	130									1	1	9	32	53	30	3		1
127	Nonvenereal diseases of the male genital organs	3	1							1	1								
128	Uterine hemorrhage (nonpuerperal)	2								2									
129	Uterine tumor (noncancerous)	37								2	8	12	7	3	4	1			
130	Other diseases of the uterus	14							2	3	1	4	2		2				
131	Cysts and other tumors of the ovary	30								2	3	11	4	3	7				
132	Salpingitis and other diseases of the female genital organs	62							2	19	23	14	4						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	INDIANA—Continued.																		
	VII.—The puerperal state	408							43	181	131	53							
134	Accidents of pregnancy	29							1	13	12	3							
135	Puerperal hemorrhage	45							4	11	21	9							
136	Other accidents of labor	38								15	15	8							
137	Puerperal septicemia	198							25	103	49	21							
138	Puerperal albuminuria and convulsions	80							13	31	27	9							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	17								7	7	3							
140	Following childbirth (not otherwise defined)	1								1									
	VIII.—Diseases of the skin and of the cellular tissue	109	11	2					1		3	4	6	17	27	31	6	1	
142	Gangrene	76	2								1	2	1	13	25	26	5	1	
143	Furuncle	11	1	1					1		1	1	2	1	2	1			
144	Acute abscess	5										1	1	3					
145	Other diseases of the skin and annexa	17	8	1							1		2			4	1		
	IX.—Diseases of the bones and of the organs of locomotion	62	2	3		1		6	12	6	9	7	8	2	4	2			
146	Diseases of the bones (tuberculosis excepted)	60	2	3				6	12	6	9	7	7	2	4	2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1				1													
149	Other diseases of the organs of locomotion	1											1						
	X.—Malformations	516	496	10	2	1		3	4										
150	Congenital malformations (stillbirths not included) (total)	516	496	10	2	1		3	4										
	Hydrocephalus	34	26	5	1			1	1										
	Congenital malformations of the heart	344	337	2	1			2	2										
	Other congenital malformations	138	133	3		1			1										
	XI.—Early infancy	1,787	1,787																
151	Congenital debility, icterus, and sclerema (total)	1,367	1,367																
	Premature birth	1,147	1,147																
	Congenital debility, "atrophy," "marasmus," etc.	220	220																
152	Other causes peculiar to early infancy (total)	415	415																
	Injuries at birth	222	222																
	Other causes peculiar to early infancy [1]	193	193																
153	Lack of care	5	5																
	XII.—Old age	264											3	17	59	138	43	4	
154	Senility	264											3	17	59	138	43	4	
	XIII.—External causes	2,481	53	52	38	36	30	90	227	347	341	349	291	222	192	177	30		6
	Suicide (total)	426							17	63	73	92	93	56	20	11			1
155	By poison	147							9	29	33	32	24	13	5	2			
156	By asphyxia	13								1	2	3	4	3					
157	By hanging or strangulation	64							1	6	8	12	13	15	6	3			
158	By drowning	24							1	4	2	5	5	4	2	1			
159	By firearms	133							5	21	21	27	35	17	3	3			1
160	By cutting or piercing instruments	22								1	2	7	9	2	1				
161	By jumping from high places	4									1				3				
162	By crushing	10								1	2	4	2			1			
163	Other suicides	9							1		2	2	1	2		1			
	Accidental or undefined (total)	1,908	53	50	38	36	30	87	199	248	225	232	180	161	168	166	30		5
164	Poisoning by food	24	4	3	2		1	1	2	1	1	3	2	2	2				
165	Other acute poisonings	46	1	5	6	5	1	2	2	5	4	2	6	4	3				
166	Conflagration	36		1	1		1	1	1	2	5	3	4	5	8	2			2
167	Burns (conflagration excepted)	145	4	20	10	18	12	9	13	18	4	12	5	8	6	5	1		
168	Absorption of deleterious gases (conflagration excepted)	64	30					2	4	4	8	5	6	2	2	1			
169	Accidental drowning	144	1	6	5	2		13	54	26	12	14	6	2	2	1			
170	Traumatism by firearms	74	1	1		2	1	5	18	15	9	7	11	3	1				
171	Traumatism by cutting or piercing instruments	2											2						
172	Traumatism by fall	455	4	9	5	1	3	12	14	17	17	26	28	55	95	142	27		
173	Traumatism in mines and quarries (total)	56							3	14	16	17	4	2					
	Traumatism in mines	55							3	14	16	16	4	2					
	Traumatism in quarries	1										1							
174	Traumatism by machines	52							7	18	10	10	4	1	2				
175	Traumatism by other crushing (total)	648	1		7	5	8	31	71	106	116	106	79	64	37	14			3
	Railroad accidents and injuries	329			2	1		7	35	69	68	61	32	27	18	7			2
	Street-car accidents and injuries	74					2	1	11	5	10	13	17	12	2	1			
	Automobile accidents and injuries	125			2	1	3	16	13	17	21	18	16	10	4	3			1
	Injuries by other vehicles	98	1		2	3	3	6	11	9	13	12	10	13	12	3			
	Landslide, other crushing	22			1			1	1	6	4	2	4	2	1				

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	INDIANA—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
176	Injuries by animals	26						5	2		5	4	4	4	2				
177	Starvation	1										1							
178	Excessive cold	8								1		1	2	1	3				
179	Effects of heat	9	1							1	1	1	2	1	1		1		
180	Lightning	12							2	3	2	2		1	1		1		
181	Electricity (lightning excepted)	22							2	9	3	4	4						
185	Fractures (cause not specified)	1										1							
186	Other external violence	83	6	5	2	3	3	6	4	8	12	13	11	6	3	1			
	Homicide (total)	147		2				3	11	36	43	25	18	5	4				
182	By firearms	104		1				1	8	29	26	20	15	1	3				
183	By cutting or piercing instruments	16						1		4	6	2	1	2					
184	By other means	27		1				1	3	3	11	3	2	2	1				
	XIV.—Ill-defined diseases	28	14	4						1	1	1	2	1	2	1	1		
187	Ill-defined organic disease	1										1							
188	Sudden death	2									1		1						
189	Not specified or ill-defined (total)	25	14	4						1			1	1	2	1	1		
	Ill-defined	10	2	4						1				1	1		1		
	Not specified, or unknown	15	12										1		1	1			
	KANSAS.																		
	All causes	18,209	2,599	497	276	152	111	391	692	1,102	1,190	1,300	1,761	2,581	3,392	1,846	249	15	55
	I.—General diseases	4,360	257	126	95	69	46	179	252	419	393	447	514	634	644	253	25	1	6
1	Typhoid fever	185		2	7	4	1	14	41	40	28	21	10	11	4	2			
2	Typhus fever	1											1						
4	Malaria	27	1	2	2			3	3	3	6	3		2	1	1			
5	Smallpox	10						1	1		1	1	3		2	1			
6	Measles	73	17	12	10	5	8	6	4	2	3	2	2	1	1				
7	Scarlet fever	33	3	6	2	3	2	10	4	2		1							
8	Whooping cough	180	111	38	15	5	4	6	1										
9	Diphtheria and croup	238	11	24	32	35	20	79	24	5		4	3			1			
10	Influenza	463	34	7	5		1	9	12	12	10	16	40	61	127	108	19	1	1
13	Cholera nostras	7	1	1	1			1							2		1		
14	Dysentery	94	10	15	10		2	1		5	2	3	6	12	18	10			
18	Erysipelas	50	16						2	3	5	1	3	6	7	5	2		
19	Other epidemic diseases	5				1		1	1	2									
20	Purulent infection and septicemia	72	4	2	1	1		5	4	10	9	11	10	4	5	5			1
23	Rabies	3						1	1			1							
24	Tetanus	31	2	1		2	3	6	7	1	2	3	1	1	2				
25	Mycoses	1												1					
26	Pellagra	28							1	3	5	4	11	3	1				
	Tuberculosis (total)	989	13	10	5	4	3	5	94	268	205	139	102	83	46	9			3
28	Tuberculosis of the lungs	829	4	1	1	1	1	2	81	238	174	120	88	67	41	7			3
29	Acute miliary tuberculosis	36		1					3	11	12	3	2	4					
30	Tuberculous meningitis	28	6	6	2	1	2	2	2	2	3	1		1					
31	Abdominal tuberculosis	53		2	1	2			5	10	7	12	3	6	4	1			
32	Pott's disease	11	1							3		1	3	3					
33	White swellings	5								1	2	1				1			
34	Tuberculosis of other organs	20	2		1			1	2	3	3		5	2	1				
35	Disseminated tuberculosis	7							1		4	1	1						
36	Rickets	8	5	1		1			1										
37	Syphilis	71	10	2					5	8	16	15	10	4	1				
38	Gonococcus infection	1								1									
	Cancer and other malignant tumors (total)	1,146			2	2	2	7	6	14	57	150	213	310	306	75	1		1
39	Of the buccal cavity	51					1		1		2	3	8	14	17	5			
40	Of the stomach, liver	495			1			2		2	14	49	96	149	157	25			
41	Of the peritoneum, intestines, rectum	131						1	2	2	9	19	20	34	35	9			
42	Of the female genital organs	127						1		5	11	29	33	30	16	2			
43	Of the breast	88									8	24	19	19	14	4			
44	Of the skin	60										1	9	8	24	17	1		
45	Of other organs or of organs not specified	194			1	2	1	3	3	5	13	25	28	56	43	13			1
46	Other tumors (tumors of the female genital organs excepted)	12						1			1		3	3	2	2			
47	Acute articular rheumatism	89						13	10	6	7	8	9	8	17	10	1		
48	Chronic rheumatism and gout	20								1		1	3	4	11				
50	Diabetes	299	1			4		7	22	19	19	22	43	76	67	18	1		
51	Exophthalmic goiter	20							2	3	2	6	2	4	1				
52	Addison's disease	3									1		1	1					
53	Leukemia	29		1				1	1	6	2	9	6	1	2				
54	Anemia, chlorosis	102	5	1	1			1	2	4	6	16	21	29	14	2			
55	Other general diseases	33	13	1	2	2		1	2	1	1	1	4	2		3			
56	Alcoholism (acute or chronic)	20							1		2	7	2	3	4	1			
57	Chronic lead poisoning	4									1	1	2						
59	Other chronic poisonings	13									2	1	3	4	3				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KANSAS—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense	2,094	90	18	23	6	9	24	37	48	73	152	267	442	613	267	19		6
60	Encephalitis	11	2	1				1	1	4			1		1				
61	Meningitis (total)	84	21	7	14	3	3	11	7	6	2	2	3	3	1	1			
	Simple meningitis	51	14	3	9		1	8	5	3	1	1	3	2		1			
	Cerebrospinal meningitis (undefined)	19	6	2	5	2	1		1	1				1					
	Cerebrospinal fever	14	1	2		1	1	3	1	2	1	1			1				
62	Locomotor ataxia	30									3	4	8	10	4				1
63	Other diseases of the spinal cord (total)	113	5	2	5	1	2	4	3	3	3	8	13	27	24	13			
	Acute anterior poliomyelitis	20	3	2	4	1	1	4	2	1		2							
	Other diseases of the spinal cord [1]	93	2		1		1		1	2	3	6	13	27	24	13			
64	Cerebral hemorrhage, apoplexy	1,175	4	2	1	1		1	2	8	13	72	165	295	425	168	13		5
65	Softening of the brain	33										4	1	5	15	7	1		
66	Paralysis without specified cause	284	2			1		2	1	1	5	12	21	60	114	60	5		
67	General paralysis of the insane	84								1	16	19	20	10	7	11			
68	Other forms of mental alienation	52							1	1	6	12	15	12	4	1			
69	Epilepsy	75		1			1	2	8	17	15	12	5	7	4	3			
70	Convulsions (nonpuerperal)	4							1	2				1					
71	Convulsions of infants	52	48	2	2														
72	Chorea	3							2						1				
73	Neuralgia and neuritis	12										1	4	5	2				
74	Other diseases of the nervous system	59	5	1				2	5	5	8	5	9	6	10	3			
75	Diseases of the eyes and their annexa	3					2								1				
76	Diseases of the ears	20	3	2	1		1	1	6		2	1	2	1					
	III.—Diseases of the circulatory system	2,526	22	6	1	3	2	11	37	66	97	177	312	541	803	387	50	4	7
77	Pericarditis	23							3	1	2	2	3	5	3	4			
78	Acute endocarditis	99	3	4				2	13	10	20	19	19	4	2	2	1		
79	Organic diseases of the heart	1,894	17	1	1	3	2	9	15	46	62	132	237	433	635	264	31	1	5
80	Angina pectoris	99							2	3	1	9	17	32	28	7			
81	Diseases of the arteries, atheroma, aneurism, etc.	333	1							1	4	6	22	55	121	103	17	2	1
82	Embolism and thrombosis	44	1						3	2	4	6	6	5	9	5	1	1	1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6									2			3	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	4		1					1		1	1							
85	Hemorrhage; other diseases of the circulatory system	24								3	1	2	8	4	4	2			
	IV.—Diseases of the respiratory system	1,976	449	109	39	28	17	41	72	83	98	96	156	231	360	173	18	3	3
87	Diseases of the larynx	16	2	3	1	2	3	3								2			
88	Diseases of the thyroid body	12							2	2		2	2	1	2			1	
89	Acute bronchitis	70	38	10	1	2	2				1		1	1	8	6			
90	Chronic bronchitis	133				1		3	1	2	2	4	9	18	53	37	2		1
91	Bronchopneumonia	485	210	37	19	13	2	14	8	7	2	11	19	30	74	31	8		
92	Pneumonia (total)	1,074	172	53	14	10	10	21	58	62	79	62	106	156	188	74	5	2	2
	Lobar pneumonia	620	75	26	9	4	6	7	27	40	54	39	76	99	112	41	4	1	
	Pneumonia (undefined)	454	97	27	5	6	4	14	31	22	25	23	30	57	76	33	1	1	2
93	Pleurisy	39	2	3	3				2	4	4	4	6	3	6	2			
94	Pulmonary congestion, pulmonary apoplexy	48	20	2	1				1		2	2	1	1	9	7	2		
95	Gangrene of the lung	4	1								1			1		1			
96	Asthma	57								2	2	3	8	16	16	9	1		
97	Pulmonary emphysema	3	1													2			
98	Other diseases of the respiratory system (tuberculosis excepted)	35	3	1						4	5	8	4	4	4	2			
	V.—Diseases of the digestive system	1,795	360	182	87	19	12	50	70	99	118	119	142	198	229	98	10		2
99	Diseases of the mouth and annexa	14	4						1	1	3			1	3	1			
100	Diseases of the pharynx	37	5	1	2	3	1	6	7	5	2		2	1		1	1		
101	Diseases of the esophagus	3			1										1	1			
102	Ulcer of the stomach	71							1	3	11	11	15	13	14	3			
103	Other diseases of the stomach (cancer excepted)	189	57	2	4	1		6	1	3	2	6	18	24	39	25	1		
104	Diarrhea and enteritis (under 2 years)	421	252	169															
105	Diarrhea and enteritis (2 years and over)	204			71	9	7	5	2	7	9	9	7	22	38	15	3		
108	Appendicitis and typhlitis	184	1		1	3	2	19	41	38	25	18	17	11	7	1			
109	Hernia, intestinal obstruction (total)	188	27	4	3	1	2	4	4	14	18	14	15	31	32	17	2		
	Hernia	38	2								3	4	7	10	9	3			
	Intestinal obstruction	150	25	4	3	1	2	4	4	14	15	10	8	21	23	14	2		
110	Other diseases of the intestines	70	6	3	2	1		5	1	4	7	5	8	11	7	8	2		
111	Acute yellow atrophy of the liver	9						1		2		2	1	1	2				
113	Cirrhosis of the liver	139	1	1	1			1		2	10	21	19	43	27	12			1
114	Biliary calculi	59								3	4	8	11	16	12	5			
115	Other diseases of the liver	128	4					2	2	6	14	16	17	21	38	6	1		1
116	Diseases of the spleen	3									1				2				
117	Simple peritonitis (nonpuerperal)	59	3	2	2	1		1	10	9	10	5	8	3	4	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	17								2	2	4	4		3	2			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KANSAS—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,543	9	7	1	6	2	11	32	55	98	133	209	340	428	195	15	1	1
119	Acute nephritis	74	1	3		3	2	5	10	6	7	7	8	12	7	3			
120	Bright's disease	1,183	3	4	1	2		5	15	25	61	100	180	292	343	139	11	1	1
122	Other diseases of the kidneys and annexa	49	3						1	4	5	5	8	7	7	8	1		
123	Calculi of the urinary passages	11								2		2	2	1	4				
124	Diseases of the bladder	43	1			1		1			2	3		3	17	14	1		
125	Diseases of the urethra, urinary abscess, etc	2	1													1			
126	Diseases of the prostate	102								1			2	20	48	29	2		
127	Nonvenereal diseases of the male genital organs	1											1						
128	Uterine hemorrhage (nonpuerperal)	3							2	1									
129	Uterine tumor (noncancerous)	21								2	2	9	2	4	1	1			
130	Other diseases of the uterus	18							2	4	6	3	2		1				
131	Cysts and other tumors of the ovary	12							2		5	1	3	1					
132	Salpingitis and other diseases of the female genital organs	24								10	10	3	1						
	VII.—The puerperal state	227							21	92	93	21							
134	Accidents of pregnancy	29							2	7	15	5							
135	Puerperal hemorrhage	16								4	10	2							
136	Other accidents of labor	25							2	10	10	3							
137	Puerperal septicemia	91							10	42	33	6							
138	Puerperal albuminuria and convulsions	56							7	25	20	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	9								4	4	1							
140	Following childbirth (not otherwise defined)	1									1								
	VIII.—Diseases of the skin and of the cellular tissue	67	9					1	3	2	2		5	8	10	21	6		
142	Gangrene	41						1	1	1			1	6	9	17	5		
143	Furuncle	5							1		1		2			1			
144	Acute abscess	11	4								1		2	2		2			
145	Other diseases of the skin and annexa	10	5						1	1					1	1	1		
	IX.—Diseases of the bones and of the organs of locomotion	35	1		1	1	1	2	8	2	2	3	4	4	4	2			
146	Diseases of the bones (tuberculosis excepted)	30	1		1	1	1	2	6	2	2	2	4	3	4	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2							1			1							
149	Other diseases of the organs of locomotion	3							1					1		1			
	X.—Malformations	179	166	1	2	1		6	1		1								1
150	Congenital malformations (stillbirths not included) (total)	179	166	1	2	1		6	1		1								1
	Hydrocephalus	14	12						1		1								
	Congenital malformations of the heart	101	94	1	1	1		4											
	Other congenital malformations	64	60		1			2											1
	XI.—Early infancy	1,101	1,101																
151	Congenital debility, icterus, and sclerema (total)	925	925																
	Premature birth	634	634																
	Congenital debility, "atrophy," "marasmus," etc	291	291																
152	Other causes peculiar to early infancy (total)	173	173																
	Injuries at birth	106	106																
	Other causes peculiar to early infancy [1]	67	67																
153	Lack of care	3	3																
	XII.—Old age	629											2	23	160	346	90	6	2
154	Senility	629											2	23	160	346	90	6	2
	XIII.—External causes	1,368	46	38	24	17	20	63	148	227	202	136	123	114	101	75	12		22
	Suicide (total)	195							12	29	36	34	37	30	10	6			1
155	By poison	45							4	8	5	8	8	10	2				
156	By asphyxia	2									1		1						
157	By hanging or strangulation	37								2	8	5	7	10	2	3			
158	By drowning	9							1			4	2	1		1			
159	By firearms	82							6	14	19	14	16	6	5	2			
160	By cutting or piercing instruments	11								1	2	2	2	2	1				1
161	By jumping from high places	2								1	1								
162	By crushing	2								1			1						
163	Other suicides	5							1	2		1		1					
	Accidental or undefined (total)	1,057	42	38	24	17	20	62	131	160	133	86	77	78	91	69	12		17
164	Poisoning by food	14	4	1	1	2		1			1		2	1	1				
165	Other acute poisonings	36	3	6	1	1	3	1		3	7	2	6	2		1			
166	Conflagration	21		1	3		1	4	1	1	2	1	1	2	2	2			
167	Burns (conflagration excepted)	85	5	10	7	6	6	8	9	6	8	6	3	5	3	3			

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KANSAS—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
168	Absorption of deleterious gases (conflagration excepted)	31	17					1		4	3	3	1	1	1				
169	Accidental drowning	119	2	10	5	3	4	13	32	22	9	2	2	5	4	1			5
170	Traumatism by firearms	63				2	1	6	16	15	9	7	3	2	1				1
171	Traumatism by cutting or piercing instruments	3							1	1	1								
172	Traumatism by fall	148	2	2	1	2		9	5	7	4	7	7	18	39	38	7		
173	Traumatism in mines and quarries (total)	32							3	10	8	8	1		2				
	Traumatism in mines	32							3	10	8	8	1		2				
174	Traumatism by machines	18							4	5	5	2	1	1					
175	Traumatism by other crushing (total)	290	1	3	5		2	12	32	58	54	36	29	25	18	4			11
	Railroad accidents and injuries	153					1	3	13	36	37	21	13	12	6	2			9
	Street-car accidents and injuries	31		1	1		1	2	4	2	7	6	1	3	3				
	Automobile accidents and injuries	45	1					4	5	13	4	4	7	4	3				
	Injuries by other vehicles	54		2	4			3	9	6	4	3	7	6	6	2			2
	Landslide, other crushing	7							1	1	2	2	1						
176	Injuries by animals	31			1	1		3	9	3	2		8	1	2	1			
178	Excessive cold	8								2		1	2	1	2				
179	Effects of heat	4									1		1	1		1			
180	Lightning	13							2	5	2	2	2						
181	Electricity (lightning excepted)	11						1	2	5	1	1		1					
185	Fractures (cause not specified)	49						1	3	1	5		2	6	13	15	3		
186	Other external violence	81	8	5			3	2	12	12	11	8	6	6	3	3	2		
	Homicide (total)	116	4					1	5	38	33	16	9	6					4
182	By firearms	83						1	3	30	25	13	6	3					2
183	By cutting or piercing instruments	12							1	4	5			1					1
184	By other means	21	4						1	4	3	3	3	2					1
	XIV.—Ill-defined diseases	309	89	10	3	2	2	3	11	9	13	16	27	46	40	29	4		5
187	Ill-defined organic disease	36	1						1	2	2	2	4	9	8	6	1		
188	Sudden death	12	3	1									2	2	3	1			
189	Not specified or ill-defined (total)	261	85	9	3	2	2	3	10	7	11	14	21	35	29	22	3		5
	Ill-defined	118	18	6	3		1	2	6	3	5	9	9	27	14	13	2		
	Not specified, or unknown	143	67	3		2	1	1	4	4	6	5	12	8	15	9	1		5
	KENTUCKY (TOTAL).																		
	All causes	28,986	4,741	1,069	575	356	247	745	1,537	2,689	2,486	2,465	2,749	3,222	3,601	1,906	300	37	261
	I.—General diseases	9,633	531	354	229	165	128	368	876	1,575	1,305	1,041	988	924	745	265	44	4	91
1	Typhoid fever	718	3	10	8	11	8	65	187	167	92	68	50	32	5	4	1		7
2	Typhus fever	1						1											
4	Malaria	151	14	10	6	6	7	11	14	12	10	10	17	10	13	2	4	1	4
5	Smallpox	1		1															
6	Measles	85	18	19	11	2	5	5	9	6	2	1	5	2					
7	Scarlet fever	55	3	5	5	1	12	18	10	1									
8	Whooping cough	199	89	50	25	13	6	11	3	2									
9	Diphtheria and croup	576	80	94	100	85	52	126	30	3		1		1	1				3
10	Influenza	465	34	10	3	2	1	4	5	20	16	26	45	70	122	87	14		6
13	Cholera nostras	14	2	1	2		1	1	1			1	1	1	3				
14	Dysentery	263	36	43	24	7	2	9	11	5	6	13	14	31	33	23	6		
18	Erysipelas	72	24		1	1			2	2	7	5	5	4	16	3	1		1
19	Other epidemic diseases	7	2			1		2	1	1									
20	Purulent infection and septicemia	73	5	2		1	1	2	8	10	13	8	7	7	4	1	2		2
23	Rabies	4						1	1	1					1				
24	Tetanus	55	14			1	1	8	11	5	6	4	2	2	1				
26	Pellagra	149	1	1	1		1		6	20	34	28	21	17	11	4			4
	Tuberculosis (total)	4,755	133	94	38	27	22	78	524	1,223	941	618	435	328	203	42	2		47
28	Tuberculosis of the lungs	4,133	62	43	16	12	13	43	437	1,125	880	573	388	279	181	35	2		44
29	Acute miliary tuberculosis	92	3	4	2	1		1	18	33	16	7	4	2		1			
30	Tuberculous meningitis	203	55	41	18	11	5	19	25	15	3	3	2	6					
31	Abdominal tuberculosis	196	1	4		1	1	5	21	30	29	24	29	29	15	4			3
32	Pott's disease	28	4	1	1	1	1	1	6	3	1	1	1	2	3	2			
33	White swellings	23						6	7	3	2	2	1	2					
34	Tuberculosis of other organs	58	7	1		1	2	3	8	10	7	4	9	4	2				
35	Disseminated tuberculosis	22	1		1				2	4	3	4	1	4	2				
36	Rickets	15	6	4	2	1	1									1			
37	Syphilis	152	42	5	1		1		4	23	24	12	24	10	5				1
38	Gonococcus infection	4	2							1		1							
	Cancer and other malignant tumors (total)	1,176		1		1		5	7	22	84	171	265	297	232	71	9	2	9
39	Of the buccal cavity	53							1	1		5	16	13	13	2	1		1
40	Of the stomach, liver	414				1		1	1	4	14	46	93	132	99	21	1		1
41	Of the peritoneum, intestines, rectum	99		1						2	10	15	19	29	18	4			1
42	Of the female genital organs	236							1	6	34	55	59	47	23	10			1
43	Of the breast	129									16	28	29	23	23	7		1	2
44	Of the skin	70								1		3	10	15	25	12	2		2
45	Of other organs or of organs not specified	175						4	4	8	10	19	39	38	31	15	5	1	1

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (TOTAL)—Continued.																		
	I.—General diseases—Continued.																		
46	Other tumors (tumors of the female genital organs excepted)	20	1				1			3	2	4	3	2	2	1			1
47	Acute articular rheumatism	146	4			2		11	16	7	11	12	16	25	31	7	3		1
48	Chronic rheumatism and gout	21								1	1	1	2	6	6	4			
50	Diabetes	201		1			2	3	11	13	19	22	31	47	39	13			
51	Exophthalmic goiter	14							1	2	1	3	5		1		1		
52	Addison's disease	5							2		1		2						
53	Leukemia	36		1			1	4	6	4	5	5	2	5	2				1
54	Anemia, chlorosis	62	8		1			1	5	3	7	4	15	9	4	2	1	1	1
55	Other general diseases	46	10	2	1	3	3	2	1	6	6	2	1	3	5				1
56	Alcoholism (acute or chronic)	58								8	13	16	10	6	4				1
57	Chronic lead poisoning	4										1	3						
59	Other chronic poisonings	30								4	4	4	7	9	1				1
	II.—Diseases of the nervous system and of the organs of special sense	2,652	259	81	48	19	16	60	71	79	129	213	357	489	531	253	29	1	17
60	Encephalitis	41	8	4	2			5	5	4	1	5	1	2	3	1			
61	Meningitis (total)	328	115	51	32	13	11	35	27	15	3	6	8	7		4			1
	Simple meningitis	165	58	20	21	6	6	18	9	7	3	5	5	4		2			1
	Cerebrospinal meningitis (undefined)	87	31	19	8	2	4	10	8	4			1						
	Cerebrospinal fever	76	26	12	3	5	1	7	10	4		1	2	3		2			
62	Locomotor ataxia	38									5	7	9	10	6	1			
63	Other diseases of the spinal cord (total)	109	18	2	4	1	5	2	2	1	7	11	8	21	19	7	1		
	Acute anterior poliomyelitis	23	11	2	3	1	4	1	1										
	Other diseases of the spinal cord [1]	86	7		1		1	1	1	1	7	11	8	21	19	7	1		
64	Cerebral hemorrhage, apoplexy	1,144	12	4	1	1		2	11	23	52	103	194	270	317	127	18	1	8
65	Softening of the brain	55						1			1	2	1	14	26	8	1		1
66	Paralysis without specified cause	380	7	1	1			1	2	2	8	18	49	91	115	75	7		3
67	General paralysis of the insane	153								4	15	28	37	34	21	13	1		
68	Other forms of mental alienation	65								4	4	7	15	15	9	8	1		2
69	Epilepsy	100	7		2	1		6	8	18	17	11	10	11	4	3			2
70	Convulsions (nonpuerperal)	7						2	1	1	1		1	1					
71	Convulsions of infants	99	84	11	2	2													
72	Chorea	3		1					2										
73	Neuralgia and neuritis	20		1					1	1	3	2	5	3	3	1			
74	Other diseases of the nervous system	74	1	1	2			2	9	4	6	11	18	7	8	5			
75	Diseases of the eyes and their annexa	2	1	1															
76	Diseases of the ears	34	6	4	2	1		4	3	2	6	2	1	3					
	III.—Diseases of the circulatory system	2,983	31	5	9	3	4	19	60	110	193	308	428	566	807	358	42	4	36
77	Pericarditis	46	1						5	4	2	8	5	6	12	1			2
78	Acute endocarditis	130	1			1		3	7	15	21	34	43		3	2			
79	Organic diseases of the heart	2,242	17	4	7	2	4	13	45	81	144	235	322	458	596	255	26	2	31
80	Angina pectoris	126	1							5	6	11	27	28	40	8			
81	Diseases of the arteries, atheroma, aneurism, etc	359			1			1	1	1	14	15	22	61	132	90	16	2	3
82	Embolism and thrombosis	39	1					1		3	3	3	3	9	14	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	10								1	1	1	2	1	4				
84	Diseases of the lymphatic system (lymphangitis, etc.)	18	8	1	1			1	2		1		3	1					
85	Hemorrhage; other diseases of the circulatory system	13	2								1	1	1	2	6				
	IV.—Diseases of the respiratory system	2,948	608	188	83	54	30	79	109	143	174	198	234	333	396	253	47	2	17
86	Diseases of the nasal fossae	5	4							1									
87	Diseases of the larynx	32	8	4	2	4	4	5		2			2	1					
88	Diseases of the thyroid body	8							1	2	2	1			2				
89	Acute bronchitis	153	85	21	6	2	4	2	2		3	2	3	3	8	8	4		
90	Chronic bronchitis	196	2	1			1	2	2	9	12	14	16	27	56	41	9		4
91	Bronchopneumonia	658	243	79	31	18	6	16	13	11	13	13	29	44	73	54	14		1
92	Pneumonia (total)	1,660	250	79	42	28	14	49	85	104	120	139	156	217	223	133	11	1	9
	Lobar pneumonia	1,014	106	44	23	15	6	25	58	65	91	95	116	152	139	68	6		5
	Pneumonia (undefined)	646	144	35	19	13	8	24	27	39	29	44	40	65	84	65	5	1	4
93	Pleurisy	42	1	2		2		2	3	5	5	4	3	7	2	4			2
94	Pulmonary congestion, pulmonary apoplexy	56	9		1			1		2	4	7	3	5	12	5	7		
95	Gangrene of the lung	3										2	1						
96	Asthma	76	4	2	1		1	2	1		5	5	10	22	13	7	2	1	
97	Pulmonary emphysema	3										1		1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	56	2						2	7	10	10	11	6	6	1			1
	V.—Diseases of the digestive system	2,677	730	333	110	37	21	87	111	166	143	166	211	199	234	100	7	1	21
99	Diseases of the mouth and annexa	21	9	1	4			3					2		1				1
100	Diseases of the pharynx	46	3	2	6	5	2	6	7	2	2	2	3	1	4		1		
101	Diseases of the esophagus	10			1							2	2		4	1			
102	Ulcer of the stomach	73	1					2	2	8	10	13	19	7	10	1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

KENTUCKY (TOTAL)—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	V.—Diseases of the digestive system—Continued.																		
103	Other diseases of the stomach (cancer excepted)	328	76	18	7	1	1	6	9	12	19	29	30	42	55	19	2	1	1
104	Diarrhea and enteritis (under 2 years)	883	579	304															
105	Diarrhea and enteritis (2 years and over)	372			80	21	9	23	16	15	16	17	32	31	72	36			4
106	Ankylostomiasis	10			2	1		1	1	3		1		1					
107	Intestinal parasites	9			2	1		4	1						1				
108	Appendicitis and typhlitis	207				3	1	20	39	60	29	21	15	9	4	1			5
109	Hernia, intestinal obstruction (total)	221	36	4	6	1	1	12	14	17	15	18	29	24	23	16	2		3
	Hernia	56	6		1					5	4	8	11	8	7	4	1		1
	Intestinal obstruction	165	30	4	5	1	1	12	14	12	11	10	18	16	16	12	1		2
110	Other diseases of the intestines	52	10	1		1	1		5	3	5	6	5	7	4	3			1
111	Acute yellow atrophy of the liver	5				1				2	1					1			
113	Cirrhosis of the liver	159	1				1		1	11	13	23	38	36	25	7	1		2
114	Biliary calculi	51							1	5	5	5	13	11	7	4			
115	Other diseases of the liver	117	2		1	1		4	4	11	15	20	12	18	16	8	1		4
116	Diseases of the spleen	6		1							2	1	1	1					
117	Simple peritonitis (nonpuerperal)	97	13	2	1	1	5	4	11	17	8	6	10	9	7	3			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10						2			3	2		2	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,271	24	13	10	15	10	20	43	106	127	228	326	499	549	257	18	4	22
119	Acute nephritis	172	9	6	3	5	4	10	9	22	16	20	18	22	19	7	1		1
120	Bright's disease	1,807	10	6	5	9	5	8	27	60	80	165	279	430	474	214	14	2	19
122	Other diseases of the kidneys and annexa	49	4	1	1	1	1			2	6	8	7	3	6	6		2	1
123	Calculi of the urinary passages	8								1		1		5	1				
124	Diseases of the bladder	58								1	2	1	5	14	17	17	1		
125	Diseases of the urethra, urinary abscess, etc	5						1			1	2			1				
126	Diseases of the prostate	66									1		6	18	26	13	1		1
127	Nonvenereal diseases of the male genital organs	4	1		1							1			1				
128	Uterine hemorrhage (nonpuerperal)	2							2										
129	Uterine tumor (noncancerous)	33								1	7	11	8	4	2				
130	Other diseases of the uterus	27						1	4	6	6	7	1	1	1				
131	Cysts and other tumors of the ovary	17								1	3	7	2	2	1		1		
132	Salpingitis and other diseases of the female genital organs	23							1	12	5	5							
	VII.—The puerperal state	330							40	131	123	32	1						3
134	Accidents of pregnancy	39							4	16	15	2							2
135	Puerperal hemorrhage	22							1	6	11	4							
136	Other accidents of labor	40							5	11	19	5							
137	Puerperal septicemia	151							11	68	55	15	1						1
138	Puerperal albuminuria and convulsions	68							18	26	19	5							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	9							1	4	3	1							
140	Following childbirth (not otherwise defined)	1									1								
	VIII.—Diseases of the skin and of the cellular tissue	78	10	2	1		1	4	1	6	4	4	2	8	15	13	6	1	
142	Gangrene	45	2		1			2		1	1	2	1	5	12	11	6	1	
143	Furuncle	4								1	2			1					
144	Acute abscess	12	1	2			1	1		4	1	1				1			
145	Other diseases of the skin and annexa	17	7					1	1			1	1	2	3	1			
	IX.—Diseases of the bones and of the organs of locomotion	42	5	2	2	2		5	6	5	3	2	5	1	1	2	1		
146	Diseases of the bones (tuberculosis excepted)	33	5	1	2	2		5	6	4	2	2	2	1	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	6								1	1		2			1	1		
149	Other diseases of the organs of locomotion	3		1									1			1			
	X.—Malformations	242	228	9	2	1		1	1										
150	Congenital malformations (stillbirths not included) (total)	242	228	9	2	1		1	1										
	Hydrocephalus	24	20	3		1													
	Congenital malformations of the heart	105	102	2				1											
	Other congenital malformations	113	106	4	2				1										
	XI.—Early infancy	1,695	1,695																
151	Congenital debility, icterus, and sclerema (total)	1,453	1,453																
	Premature birth	1,035	1,035																
	Congenital debility, "atrophy," "marasmus," etc	418	418																
152	Other causes peculiar to early infancy (total)	237	237																
	Injuries at birth	119	119																
	Other causes peculiar to early infancy [1]	118	118																
153	Lack of care	5	5																

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (TOTAL)—Continued.																		
	XII.—Old age	559											2	18	153	285	82	15	4
154	Senility	559											2	18	153	285	82	15	4
	XIII.—External causes	1,824	71	32	58	39	30	86	195	344	258	231	150	114	93	72	13	2	36
	Suicide (total)	257							15	57	47	50	52	20	11	2			3
155	By poison	65							4	18	10	12	10	5	4				2
156	By asphyxia	5								3			1	1					
157	By hanging or strangulation	38							2	4	4	12	8	3	3	1			1
158	By drowning	25							2	3	5	5	7	1	1	1			
159	By firearms	105							7	22	24	19	24	7	2				
160	By cutting or piercing instruments	14								4	3	2	1	3	1				
161	By jumping from high places	1								1									
162	By crushing	2								1	1								
163	Other suicides	2								1			1						
	Accidental or undefined (total)	1,287	69	32	58	39	30	85	156	194	133	139	80	86	78	69	13	2	24
164	Poisoning by food	20	6	2	3	1		2		1		2		1		1			1
165	Other acute poisonings	40	6	3	5	3	3	3	2	5	3	1	3	2	1				
166	Conflagration	19		1		1	1		4	3				4	2	2		1	
167	Burns (conflagration excepted)	223	4	13	35	25	19	29	14	20	13	8	5	14	12	7	3	1	1
168	Absorption of deleterious gases (conflagration excepted)	43	34	1					4		1	1	2						
169	Accidental drowning	114	1	6	1	5	1	13	28	18	9	17	8	2	1				4
170	Traumatism by firearms	90			1		2	7	27	19	16	10	3	3	1				1
171	Traumatism by cutting or piercing instruments	5					1		2		1	1							
172	Traumatism by fall	181	5	1	5			9	9	9	12	14	13	18	30	46	8		2
173	Traumatism in mines and quarries (total)	69							9	26	15	14	3						2
	Traumatism in mines	69							9	26	15	14	3						2
174	Traumatism by machines	24			1				5	5	5	4	3		1				
175	Traumatism by other crushing (total)	280		1	1	2	2	11	36	62	40	50	29	22	10	2	1		11
	Railroad accidents and injuries	179		1	1				23	46	29	33	15	12	7		1		11
	Street-car accidents and injuries	13				1	1		3		1	4	1	2					
	Automobile accidents and injuries	39				1		6	6	9	4	3	7	1		2			
	Injuries by other vehicles	44					1	5	4	5	6	8	5	7	3				
	Landslide, other crushing	5								2		2	1						
176	Injuries by animals	21	1		1			2	4		1	1	3	3	4	1			
177	Starvation	2	2																
178	Excessive cold	10									2	1		1	3	1			2
179	Effects of heat	9								1		4	1	1	2				
180	Lightning	15						1	2	5	4	2	1						
181	Electricity (lightning excepted)	12								6	3	3							
185	Fractures (cause not specified)	29						1	1	1	1	1	1	6	8	8	1		
186	Other external violence	81	10	4	5	2	1	7	9	13	7	5	5	9	3	1			
	Homicide (total)	280	2					1	24	93	78	42	18	8	4	1			9
182	By firearms	210						1	19	73	55	34	14	4	1	1			8
183	By cutting or piercing instruments	29							2	10	11	4	2						
184	By other means	41	2						3	10	12	4	2	4	3				1
	XIV.—Ill-defined diseases	1,052	549	50	23	21	7	16	24	24	27	42	45	71	77	48	11	3	14
187	Ill-defined organic disease	78	2	2	2			2	5	2	4	7	9	12	16	10	3		2
188	Sudden death	36	20	1		1	1	1	1	1			1	1	6	1			1
189	Not specified or ill-defined (total)	938	527	47	21	20	6	13	18	21	23	35	35	58	55	37	8	3	11
	Ill-defined	253	85	29	8	10	3	6	6	4	6	19	16	27	22	8	2		2
	Not specified, or unknown	685	442	18	13	10	3	7	12	17	17	16	19	31	33	29	6	3	9
	KENTUCKY (WHITE).																		
	All causes	23,481	4,071	896	499	302	212	628	1,167	1,956	1,789	1,825	2,118	2,690	3,218	1,690	236	12	172
	I.—General diseases	7,694	447	293	204	139	110	307	630	1,150	973	805	812	809	681	234	38		62
1	Typhoid fever	587	3	6	8	8	4	58	152	132	78	54	44	26	3	4	1		6
2	Typhus fever	1						1											
4	Malaria	117	14	8	6	6	6	7	10	9	6	7	10	8	13	1	3		3
5	Smallpox	1		1															
6	Measles	81	18	17	11	2	5	5	7	6	2	1	5	2					
7	Scarlet fever	52	3	5	5	1	12	17	8	1									
8	Whooping cough	160	77	39	17	9	6	9	1	2									
9	Diphtheria and croup	544	71	89	95	82	49	122	28	2		1		1	1				3
10	Influenza	383	27	8	3	2	1	3	3	12	12	16	31	62	109	77	13		4
13	Cholera nostras	14	2	1	2		1	1	1			1	1	1	3				
14	Dysentery	231	30	38	24	7	2	8	11	3	5	10	11	27	29	22	4		
18	Erysipelas	68	23		1	1			2	2	6	3	5	4	16	3	1		1
19	Other epidemic diseases	5	2					2	1										
20	Purulent infection and septicemia	57	4	1		1	1	1	6	10	7	8	5	5	4	1	2		1
23	Rabies	4						1	1	1				1					
24	Tetanus	41	12			1	1	6	9	3	4	2	1	2					
26	Pellagra	135	1		1		1		6	18	32	25	20	14	11	3			3

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

KENTUCKY (WHITE)—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	I.—General diseases—Continued.																		
	Tuberculosis (total)	3,550	113	72	27	15	13	42	344	880	683	463	353	292	186	36	2		29
28	Tuberculosis of the lungs	3,057	52	28	10	4	5	18	278	812	638	431	309	249	165	30	2		26
29	Acute miliary tuberculosis	63	3	3	1	1		1	12	22	11	3	4	1		1			
30	Tuberculous meningitis	174	48	37	14	9	4	16	23	12	2	1	2	6					
31	Abdominal tuberculosis	149	1	2		1	1	3	13	17	20	18	27	25	15	3			3
32	Pott's disease	25	4	1	1		1	1	5	2	1	1	1	2	3	2			
33	White swellings	19						3	6	3	2	2	1	2					
34	Tuberculosis of other organs	43	4	1			2		5	8	6	4	8	3	2				
35	Disseminated tuberculosis	20	1		1				2	4	3	3	1	4	1				
36	Rickets	10	6	1	1		1									1			
37	Syphilis	69	23	2	1				2	6	9	8	13	4	1				
38	Gonococcus infection	2	1							1									
	Cancer and other malignant tumors (total)	1,040		1		1		5	5	21	67	140	236	267	219	63	8		7
39	Of the buccal cavity	42							1	1		5	12	9	11	2	1		
40	Of the stomach, liver	368				1		1	1	4	12	37	81	122	91	17			1
41	Of the peritoneum, intestines, rectum	90		1						2	7	12	18	27	18	4			1
42	Of the female genital organs	204							1	6	28	45	53	40	22	8			1
43	Of the breast	107									10	22	26	21	22	5			1
44	Of the skin	69								1		3	10	14	25	12	2		2
45	Of other organs or of organs not specified	160						4	2	7	10	16	36	34	30	15	5		1
46	Other tumors (tumors of the female genital organs excepted)	16	1				1			2	2	2	2	2	2	1			1
47	Acute articular rheumatism	110	4			2		10	11	4	9	10	9	15	27	6	3		
48	Chronic rheumatism and gout	20								1	1	1	1	6	6	4			
50	Diabetes	177		1			2	3	10	12	15	20	27	42	34	11			
51	Exophthalmic goiter	11							1	2	1	3	3		1				
52	Addison's disease	5							2		1		2						
53	Leukemia	31		1			1	4	5	3	3	5	1	5	2				1
54	Anemia, chlorosis	50	4		1				3	3	7	4	13	8	4	1	1		1
55	Other general diseases	40	8	2	1	1	3	2	1	6	6	1	1	3	5				
56	Alcoholism (acute or chronic)	49								4	13	15	8	5	3				1
57	Chronic lead poisoning	4										1	3						
59	Other chronic poisonings	29								4	4	4	7	8	1				1
	II.—Diseases of the nervous system and of the organs of special sense	2,210	224	72	45	18	14	55	63	60	88	158	271	398	483	225	22	1	13
60	Encephalitis	35	8	3	2			5	3	3	1	4	1	2	2	1			
61	Meningitis (total)	299	108	47	30	12	10	34	24	12	3	4	5	6		3			1
	Simple meningitis	149	54	17	21	5	6	17	9	5	3	4	3	3		1			1
	Cerebrospinal meningitis (undefined)	78	28	18	6	2	3	10	7	3			1						
	Cerebrospinal fever	72	26	12	3	5	1	7	8	4			1	3		2			
62	Locomotor ataxia	36									3	7	9	10	6	1			
63	Other diseases of the spinal cord (total)	96	18	2	3	1	4	2	2		6	10	7	16	17	7	1		
	Acute anterior poliomyelitis	22	11	2	3	1	3	1	1										
	Other diseases of the spinal cord [1]	74	7				1	1	1		6	10	7	16	17	7	1		
64	Cerebral hemorrhage, apoplexy	954	10	4	1	1		2	11	13	30	73	146	226	297	118	16	1	5
65	Softening of the brain	51									1	1	1	14	25	7	1		1
66	Paralysis without specified cause	302	5	1	1			1	1	2	3	12	37	68	99	67	3		2
67	General paralysis of the insane	121								3	11	21	28	29	17	11	1		
68	Other forms of mental alienation	48								4	4	6	11	12	6	3			2
69	Epilepsy	77	4		2	1		5	8	16	11	8	7	6	4	3			2
70	Convulsions (nonpuerperal)	3							1	1	1								
71	Convulsions of infants	76	63	9	2	2													
72	Chorea	3		1					2										
73	Neuralgia and neuritis	17							1	1	2	2	5	3	2	1			
74	Other diseases of the nervous system	58	1	1	2			2	7	3	6	8	13	4	8	3			
75	Diseases of the eyes and their annexa	2	1	1															
76	Diseases of the ears	32	6	3	2	1		4	3	2	6	2	1	2					
	III.—Diseases of the circulatory system	2,348	27	4	8	3	4	18	46	84	110	195	293	454	725	319	35	2	21
77	Pericarditis	33							4	3	2	4	2	6	11				1
78	Acute endocarditis	87	1			1		3	5	10	14	20	30		1	2			
79	Organic diseases of the heart	1,761	16	3	6	2	4	13	35	65	84	151	218	364	532	228	20	1	19
80	Angina pectoris	101								2	2	8	21	24	37	7			
81	Diseases of the arteries, atheroma, aneurism, etc.	296			1			1		1	2	7	15	50	122	80	15	1	1
82	Embolism and thrombosis	35	1					1		3	3	3	2	7	13	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7									1	1	1		4				
84	Diseases of the lymphatic system (lymphangitis, etc.)	17	8	1	1				2		1		3	1					
85	Hemorrhage; other diseases of the circulatory system	11	1								1	1	1	2	5				
	IV.—Diseases of the respiratory system	2,275	476	134	64	42	24	61	81	89	101	135	163	270	355	230	38		12
86	Diseases of the nasal fossæ	4	3							1									
87	Diseases of the larynx	30	7	4	2	4	3	5		2			2	1					
88	Diseases of the thyroid body	8							1	2	2	1			2				
89	Acute bronchitis	114	66	12	2	2	3	2	1		3	1	3	3	5	7	4		
90	Chronic bronchitis	140		1				2		5	3	4	10	22	47	37	7		2
91	Bronchopneumonia	525	194	57	25	14	5	13	11	5	4	9	19	39	66	52	11		1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (WHITE)—Continued.																		
	IV.—Diseases of the respiratory system—Continued.																		
92	Pneumonia (total)	1,281	194	57	34	20	12	34	64	67	77	98	112	174	206	117	9		6
	Lobar pneumonia	773	83	33	19	10	5	19	45	42	58	62	80	126	129	55	4		3
	Pneumonia (undefined)	508	111	24	15	10	7	15	19	25	19	36	32	48	77	62	5		3
93	Pleurisy	33	1	2		2		2	2	3	1	3	3	6	2	4			2
94	Pulmonary congestion, pulmonary apoplexy	48	8		1			1			2	5	3	5	11	5	7		
95	Gangrene of the lung	3										2	1						
96	Asthma	47	1	1			1	2	1		3	4	4	14	9	7			
97	Pulmonary emphysema	3										1		1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	39	2						1	4	6	7	6	5	6	1			1
	V.—Diseases of the digestive system	2,249	635	292	97	37	16	76	100	123	105	122	161	169	206	88	5		17
99	Diseases of the mouth and annexa	20	9	1	3			3					2		1				1
100	Diseases of the pharynx	40	3	1	6	5	1	6	7	2	2	2		1	4				
101	Diseases of the esophagus	8			1							1	1		4	1			
102	Ulcer of the stomach	58	1					1	2	6	7	11	12	7	10	1			
103	Other diseases of the stomach (cancer excepted)	262	64	16	7	1	1	5	7	6	14	18	19	36	51	15	2		
104	Diarrhea and enteritis (under 2 years)	774	507	267															
105	Diarrhea and enteritis (2 years and over)	319			69	21	6	20	15	13	12	13	26	26	61	33			4
106	Ankylostomiasis	10			2	1		1	1	3		1		1					
107	Intestinal parasites	9			2	1		4	1						1				
108	Appendicitis and typhlitis	178				3	1	18	37	50	22	18	15	7	3	1			3
109	Hernia, intestinal obstruction (total)	175	31	4	5	1	1	9	14	11	11	11	22	19	20	12	1		3
	Hernia	41	4							3	3	4	10	6	6	3	1		1
	Intestinal obstruction	134	27	4	5	1	1	9	14	8	8	7	12	13	14	9			2
110	Other diseases of the intestines	36	7	1		1	1		4	1	3	3	4	4	3	3			1
111	Acute yellow atrophy of the liver	4				1				1	1					1			
113	Cirrhosis of the liver	133	1				1		1	8	7	19	34	33	21	6	1		1
114	Biliary calculi	48							1	5	5	4	12	11	6	4			
115	Other diseases of the liver	93	1		1	1		4	3	6	11	16	8	15	14	8	1		4
116	Diseases of the spleen	5		1							2	1		1					
117	Simple peritonitis (nonpuerperal)	69	11	1	1	1	4	3	7	11	6	2	6	7	6	3			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	8						2			2	2		1	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,795	20	10	9	12	10	16	32	72	86	152	244	406	477	224	14	1	10
119	Acute nephritis	131	9	3	3	4	4	9	7	17	10	14	11	18	14	6	1		1
120	Bright's disease	1,439	6	6	5	8	5	5	20	39	57	119	210	346	411	185	10		7
122	Other diseases of the kidneys and annexa	43	4	1	1		1			2	5	5	7	3	6	6		1	1
123	Calculi of the urinary passages	7								1		1		4	1				
124	Diseases of the bladder	52								1	2	1	3	13	16	15	1		
125	Diseases of the urethra, urinary abscess, etc	3						1				1			1				
126	Diseases of the prostate	58											5	15	24	12	1		1
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	1							1										
129	Uterine tumor (noncancerous)	16									3	2	5	4	2				
130	Other diseases of the uterus	20						1	4	4	4	4	1	1	1				
131	Cysts and other tumors of the ovary	13								1	3	3	2	2	1		1		
132	Salpingitis and other diseases of the female genital organs	11								7	2	2							
	VII.—The puerperal state	290							35	113	112	27	1						2
134	Accidents of pregnancy	34							4	14	14	1							1
135	Puerperal hemorrhage	22							1	6	11	4							
136	Other accidents of labor	33							5	6	17	5							
137	Puerperal septicemia	133							9	60	50	12	1						1
138	Puerperal albuminuria and convulsions	59							15	23	17	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8							1	4	2	1							
140	Following childbirth (not otherwise defined)	1									1								
	VIII.—Diseases of the skin and of the cellular tissue	56	9	2	1		1	4	1	4	2	1		7	11	9	3	1	
142	Gangrene	32	2		1			2		1				5	9	8	3	1	
143	Furuncle	3								1	1			1					
144	Acute abscess	10	1	2			1	1		2	1	1				1			
145	Other diseases of the skin and annexa	11	6					1	1					1	2				
	IX.—Diseases of the bones and of the organs of locomotion	35	5	2	2	2		4	5	3	3	1	4	1	1	2			
146	Diseases of the bones (tuberculosis excepted)	28	5	1	2	2		4	5	3	2	1	1	1	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4									1		2			1			
149	Other diseases of the organs of locomotion	3		1									1			1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (WHITE)—Continued.																		
	X.—Malformations	220	207	8	2	1		1	1										
150	Congenital malformations (stillbirths not included) (total)	220	207	8	2	1		1	1										
	Hydrocephalus	23	19	3		1													
	Congenital malformations of the heart	95	92	2				1											
	Other congenital malformations	102	96	3	2				1										
	XI.—Early infancy	1,488	1,488																
151	Congenital debility, icterus, and sclerema (total)	1,279	1,279																
	Premature birth	936	936																
	Congenital debility, "atrophy," "marasmus," etc	343	343																
152	Other causes peculiar to early infancy (total)	206	206																
	Injuries at birth	101	101																
	Other causes peculiar to early infancy [1]	105	105																
153	Lack of care	3	3																
	XII.—Old age	472											2	13	136	250	65	5	1
154	Senility	472											2	13	136	250	65	5	1
	XIII.—External causes	1,455	58	30	48	31	26	72	150	241	189	196	131	101	79	67	9	1	26
	Suicide (total)	239							15	50	43	49	48	20	11	1			2
155	By poison	64							4	18	10	11	10	5	4				2
156	By asphyxia	4								2			1	1					
157	By hanging or strangulation	34							2	3	4	12	7	3	3				
158	By drowning	25							2	3	5	5	7	1	1	1			
159	By firearms	94							7	18	20	19	21	7	2				
160	By cutting or piercing instruments	14								4	3	2	1	3	1				
161	By jumping from high places	1								1									
162	By crushing	2								1	1								
163	Other suicides	1											1						
	Accidental or undefined (total)	1,072	56	30	48	31	26	71	129	152	105	116	73	77	65	65	9	1	18
164	Poisoning by food	16	5	2	3	1		1		1		1		1					1
165	Other acute poisonings	32	6	3	3	1	2	2	2	4	3	1	3	2					
166	Conflagration	12							2	3				4	2	1			
167	Burns (conflagration excepted)	178	4	12	31	20	17	22	12	13	7	6	5	13	7	7		1	1
168	Absorption of deleterious gases (conflagration excepted)	35	26	1					4		1	1	2						
169	Accidental drowning	97		6	1	5	1	11	22	18	8	15	5	1	1				3
170	Traumatism by firearms	70			1		2	6	24	10	12	8	3	3					1
171	Traumatism by cutting or piercing instruments	4					1		1		1	1							
172	Traumatism by fall	164	4	1	4			7	8	7	10	12	13	16	29	44	7		2
173	Traumatism in mines and quarries (total)	59							8	22	13	12	3						1
	Traumatism in mines	59							8	22	13	12	3						1
174	Traumatism by machines	19							4	3	5	3	3		1				
175	Traumatism by other crushing (total)	238		1	1	2	2	11	28	51	33	44	25	19	9	2	1		9
	Railroad accidents and injuries	147		1	1				18	38	22	30	11	10	6		1		9
	Street-car accidents and injuries	13				1	1		3		1	4	1	2					
	Automobile accidents and injuries	35				1		6	4	7	4	3	7	1		2			
	Injuries by other vehicles	39					1	5	3	4	6	6	5	6	3				
	Landslide, other crushing	4								2		1	1						
176	Injuries by animals	21	1		1			2	4		1	1	3	3	4	1			
177	Starvation	1	1																
178	Excessive cold	1														1			
179	Effects of heat	7										3	1	1	2				
180	Lightning	13						1	2	4	4	1	1						
181	Electricity (lightning excepted)	10								6	2	2							
185	Fractures (cause not specified)	27						1	1			1	1	6	8	8	1		
186	Other external violence	68	9	4	3	2	1	7	7	10	5	4	5	8	2	1			
	Homicide (total)	144	2					1	6	39	41	31	10	4	3	1			6
182	By firearms	107						1	5	30	28	24	9	2	1	1			6
183	By cutting or piercing instruments	10							1	2	3	3	1						
184	By other means	27	2							7	10	4		2	2				
	XIV.—Ill-defined diseases	894	475	49	19	17	7	14	23	17	20	33	36	62	64	42	7	1	8
187	Ill-defined organic disease	61	1	2	2			1	4	2	2	5	7	11	15	8			1
188	Sudden death	34	19	1		1	1	1	1	1			1	1	6	1			
189	Not specified or ill-defined (total)	799	455	46	17	16	6	12	18	14	18	28	28	50	43	33	7	1	7
	Ill-defined	213	76	28	7	7	3	5	6	1	6	15	12	21	16	8	1		1
	Not specified, or unknown	586	379	18	10	9	3	7	12	13	12	13	16	29	27	25	6	1	6

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (COLORED).																		
	All causes	5,505	670	173	76	54	35	117	370	733	697	640	631	532	383	216	64	25	89
	I.—General diseases	1,939	84	61	25	26	18	61	246	425	332	236	176	115	64	31	6	4	29
1	Typhoid fever	131		4		3	4	7	35	35	14	14	6	6	2				1
4	Malaria	34		2			1	4	4	3	4	3	7	2		1	1	1	1
6	Measles	4		2					2										
7	Scarlet fever	3						1	2										
8	Whooping cough	39	12	11	8	4		2	2										
9	Diphtheria and croup	32	9	5	5	3	3	4	2	1									
10	Influenza	82	7	2				1	2	8	4	10	14	8	13	10	1		2
14	Dysentery	32	6	5				1		2	1	3	3	4	4	1	2		
18	Erysipelas	4	1								1	2							
19	Other epidemic diseases	2				1				1									
20	Purulent infection and septicemia	16	1	1				1	2		6		2	2					1
24	Tetanus	14	2					2	2	2	2	2	1		1				
26	Pellagra	14		1						2	2	3	1	3		1			1
	Tuberculosis (total)	1,205	20	22	11	12	9	36	180	343	258	155	82	36	17	6			18
28	Tuberculosis of the lungs	1,076	10	15	6	8	8	25	159	313	242	142	79	30	16	5			18
29	Acute miliary tuberculosis	29		1	1				6	11	5	4		1					
30	Tuberculous meningitis	29	7	4	4	2	1	3	2	3	1	2							
31	Abdominal tuberculosis	47		2				2	8	13	9	6	2	4		1			
32	Pott's disease	3				1			1	1									
33	White swellings	4						3	1										
34	Tuberculosis of other organs	15	3			1		3	3	2	1		1	1					
35	Disseminated tuberculosis	2										1			1				
36	Rickets	5		3	1	1													
37	Syphilis	83	19	3			1		2	17	15	4	11	6	4				1
38	Gonococcus infection	2	1									1							
	Cancer and other malignant tumors (total)	136							2	1	17	31	29	30	13	8	1	2	2
39	Of the buccal cavity	11											4	4	2				1
40	Of the stomach, liver	46									2	9	12	10	8	4	1		
41	Of the peritoneum intestines, rectum	9									3	3	1	2					
42	Of the female genital organs	32									6	10	6	7	1	2			
43	Of the breast	22									6	6	3	2	1	2		1	1
44	Of the skin	1												1					
45	Of other organs or of organs not specified	15							2	1		3	3	4	1			1	
46	Other tumors (tumors of the female genital organs excepted)	4								1		2	1						
47	Acute articular rheumatism	36						1	5	3	2	2	7	10	4	1			1
48	Chronic rheumatism and gout	1											1						
50	Diabetes	24							1	1	4	2	4	5	5	2			
51	Exophthalmic goiter	3											2				1		
53	Leukemia	5							1	1	2		1						
54	Anemia, chlorosis	12	4					1	2				2	1		1		1	
55	Other general diseases	6	2			2						1							1
56	Alcoholism (acute or chronic)	9								4		1	2	1	1				
59	Other chronic poisonings	1												1					
	II.—Diseases of the nervous system and of the organs of special sense	442	35	9	3	1	2	5	8	19	41	55	86	91	48	28	7		4
60	Encephalitis	6		1					2	1		1			1				
61	Meningitis (total)	29	7	4	2	1	1	1	3	3		2	3	1		1			
	Simple meningitis	16	4	3		1		1		2		1	2	1		1			
	Cerebrospinal meningitis (undefined)	9	3	1	2		1		1	1									
	Cerebrospinal fever	4							2			1	1						
62	Locomotor ataxia	2									2								
63	Other diseases of the spinal cord (total)	13			1		1			1	1	1	1	5	2				
	Acute anterior poliomyelitis	1					1												
	Other diseases of the spinal cord [1]	12			1					1	1	1	1	5	2				
64	Cerebral hemorrhage, apoplexy	190	2							10	22	30	48	44	20	9	2		3
65	Softening of the brain	4						1				1			1	1			
66	Paralysis without specified cause	78	2						1		5	6	12	23	16	8	4		1
67	General paralysis of the insane	32								1	4	7	9	5	4	2			
68	Other forms of mental alienation	17										1	4	3	3	5	1		
69	Epilepsy	23	3					1		2	6	3	3	5					
70	Convulsions (nonpuerperal)	4						2					1	1					
71	Convulsions of infants	23	21	2															
73	Neuralgia and neuritis	3		1							1				1				
74	Other diseases of the nervous system	16							2	1		3	5	3		2			
76	Diseases of the ears	2		1										1					
	III.—Diseases of the circulatory system	635	4	1	1			1	14	26	83	113	135	112	82	39	7	2	15
77	Pericarditis	13	1						1	1		4	3		1	1			1
78	Acute endocarditis	43							2	5	7	14	13		2				
79	Organic diseases of the heart	481	1	1	1				10	16	60	84	104	94	64	27	6	1	12
80	Angina pectoris	25	1							3	4	3	6	4	3	1			
81	Diseases of the arteries, atheroma, aneurism, etc.	63							1		12	8	7	11	10	10	1	1	2

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (COLORED)—Continued.																		
	III.—Diseases of the circulatory system—Continued.																		
82	Embolism and thrombosis	4											1	2	1				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3								1			1	1					
84	Diseases of the lymphatic system (lymphangitis, etc.)	1						1											
85	Hemorrhage; other diseases of the circulatory system	2	1												1				
	IV.—Diseases of the respiratory system	673	132	54	19	12	6	18	28	54	73	63	71	63	41	23	9	2	5
86	Diseases of the nasal fossae	1	1																
87	Diseases of the larynx	2	1				1												
89	Acute bronchitis	39	19	9	4		1		1			1			3	1			
90	Chronic bronchitis	56	2				1		2	4	9	10	6	5	9	4	2		2
91	Bronchopneumonia	133	49	22	6	4	1	3	2	6	9	4	10	5	7	2	3		
92	Pneumonia (total)	379	56	22	8	8	2	15	21	37	43	41	44	43	17	16	2	1	3
	Lobar pneumonia	241	23	11	4	5	1	6	13	23	33	33	36	26	10	13	2		2
	Pneumonia (undefined)	138	33	11	4	3	1	9	8	14	10	8	8	17	7	3		1	1
93	Pleurisy	9							1	2	4	1		1					
94	Pulmonary congestion, pulmonary apoplexy	8	1							2	2	2			1				
96	Asthma	29	3	1	1						2	1	6	8	4		2	1	
98	Other diseases of the respiratory system (tuberculosis excepted)	17							1	3	4	3	5	1					
	V.—Diseases of the digestive system	428	95	41	13		5	11	11	43	38	44	50	30	28	12	2	1	4
99	Diseases of the mouth and annexa	1			1														
100	Diseases of the pharnyx	6		1			1						3				1		
101	Diseases of the esophagus	2										1	1						
102	Ulcer of the stomach	15						1		2	3	2	7						
103	Other diseases of the stomach (cancer excepted)	66	12	2				1	2	6	5	11	11	6	4	4		1	1
104	Diarrhea and enteritis (under 2 years)	109	72	37															
105	Diarrhea and enteritis (2 years and over)	53			11		3	3	1	2	4	4	6	5	11	3			
108	Appendicitis and typhlitis	29						2	2	10	7	3		2	1				2
109	Hernia, intestinal obstruction (total)	46	5		1			3		6	4	7	7	5	3	4	1		
	Hernia	15	2		1					2	1	4	1	2	1	1			
	Intestinal obstruction	31	3					3		4	3	3	6	3	2	3	1		
110	Other diseases of the intestines	16	3						1	2	2	3	1	3	1				
111	Acute yellow atrophy of the liver	1								1									
113	Cirrhosis of the liver	26								3	6	4	4	3	4	1			1
114	Biliary calculi	3										1	1		1				
115	Other diseases of the liver	24	1						1	5	4	4	4	3	2				
116	Diseases of the spleen	1											1						
117	Simple peritonitis (nonpuerperal)	28	2	1			1	1	4	6	2	4	4	2	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2									1			1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	476	4	3	1	3		4	11	34	41	76	82	93	72	33	4	3	12
119	Acute nephritis	41		3		1		1	2	5	6	6	7	4	5	1			
120	Bright's disease	368	4			1		3	7	21	23	46	69	84	63	29	4	2	12
122	Other diseases of the kidneys and annexa	6				1					1	3						1	
123	Calculi of the urinary passages	1												1					
124	Diseases of the bladder	6											2	1	1	2			
125	Diseases of the urethra, urinary abscess, etc.	2									1	1							
126	Diseases of the prostate	8									1		1	3	2	1			
127	Nonvenereal diseases of the male genital organs	3			1							1			1				
128	Uterine hemorrhage (nonpuerperal)	1							1										
129	Uterine tumor (noncancerous)	17								1	4	9	3						
130	Other diseases of the uterus	7								2	2	3							
131	Cysts and other tumors of the ovary	4										4							
132	Salpingitis and other diseases of the female genital organs	12							1	5	3	3							
	VII.—The puerperal state	40							5	18	11	5							1
134	Accidents of pregnancy	5								2	1	1							1
136	Other accidents of labor	7								5	2								
137	Puerperal septicemia	18							2	8	5	3							
138	Puerperal albuminuria and convulsions	9							3	3	2	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1									1								
	VIII.—Diseases of the skin and of the cellular tissue	22	1							2	2	3	2	1	4	4	3		
142	Gangrene	13									1	2	1		3	3	3		
143	Furuncle	1									1								
144	Acute abscess	2								2									
145	Other diseases of the skin and annexa	6	1									1	1	1	1	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (COLORED)—Continued.																		
	IX.—Diseases of the bones and of the organs of locomotion	7						1	1	2		1	1				1		
146	Diseases of the bones (tuberculosis excepted)	5						1	1	1		1	1						
147	Diseases of the joints (tuberculosis and rhematism excepted)	2								1							1		
	X.—Malformations	22	21	1															
150	Congenital malformations (stillbirths not included) (total)	22	21	1															
	Hydrocephalus	1	1																
	Congenital malformations of the heart	10	10																
	Other congenital malformations	11	10	1															
	XI.—Early infancy	207	207																
151	Congenital debility, icterus, and sclerema (total)	174	174																
	Premature birth	99	99																
	Congenital debility, "atrophy," "marasmus," etc.	75	75																
152	Other causes peculiar to early infancy (total)	31	31																
	Injuries at birth	18	18																
	Other causes peculiar to early infancy [1]	13	13																
153	Lack of care	2	2																
	XII.—Old age	87												5	17	35	17	10	3
154	Senility	87												5	17	35	17	10	3
	XIII.—External causes	369	13	2	10	8	4	14	45	103	69	35	19	13	14	5	4	1	10
	Suicide (total)	18								7	4	1	4			1			1
155	By poison	1										1							
156	By asphyxia	1								1									
157	By hanging or strangulation	4								1			1			1			1
159	By firearms	11								4	4		3						
163	Other suicides	1								1									
	Accidental or undefined (total)	215	13	2	10	8	4	14	27	42	28	23	7	9	13	4	4	1	6
164	Poisoning by food	4	1					1				1				1			
165	Other acute poisonings	8			2	2	1	1		1					1				
166	Conflagration	7		1		1	1		2							1		1	
167	Burns (conflagration excepted)	45		1	4	5	2	7	2	7	6	2		1	5		3		
168	Absorption of deleterious gases (conflagration excepted)	8	8																
169	Accidental drowning	17	1					2	6		1	2	3	1					1
170	Traumatism by firearms	20						1	3	9	4	2			1				
171	Traumatism by cutting or piercing instruments	1							1										
172	Traumatism by fall	17	1		1			2	1	2	2	2		2	1	2	1		
173	Traumatism in mines and quarries (total)	10							1	4	2	2							1
	Traumatism in mines	10							1	4	2	2							1
174	Traumatism by machines	5			1				1	2		1							
175	Traumatism by other crushing (total)	42							8	11	7	6	4	3	1				2
	Railroad accidents and injuries	32							5	8	7	3	4	2	1				2
	Automobile accidents and injuries	4							2	2									
	Injuries by other vehicles	5							1	1		2		1					
	Landslide, other crushing	1										1							
177	Starvation	1	1																
178	Excessive cold	9									2	1		1	3				2
179	Effects of heat	2								1		1							
180	Lightning	2								1		1							
181	Electricity (lightning excepted)	2									1	1							
185	Fractures (cause not specified)	2								1	1								
186	Other external violence	13	1		2				2	3	2	1		1	1				
	Homicide (total)	136							18	54	37	11	8	4	1				3
182	By firearms	103							14	43	27	10	5	2					2
183	By cutting or piercing instruments	19							1	8	8	1	1						
184	By other means	14							3	3	2		2	2	1				1
	XIV.—Ill-defined diseases	158	74	1	4	4		2	1	7	7	9	9	9	13	6	4	2	6
187	Ill-defined organic disease	17	1					1	1		2	2	2	1	1	2	3		1
188	Sudden death	2	1																1
189	Not specified or ill-defined (total)	139	72	1	4	4		1		7	5	7	7	8	12	4	1	2	4
	Ill-defined	40	9	1	1	3		1		3		4	4	6	6		1		1
	Not specified, or unknown	99	63		3	1				4	5	3	3	2	6	4		2	3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MAINE.																		
	All causes	11,990	1,706	268	89	70	64	216	379	606	707	838	1,093	1,869	2,372	1,442	236	6	29
	I.—General diseases	2,789	154	75	26	26	22	85	156	296	287	305	344	437	392	157	24		3
1	Typhoid fever	103	2	1		2	2	8	14	26	16	9	10	11	2				
4	Malaria	1											1						
6	Measles	18	2	7	2	1	1	3				1			1				
7	Scarlet fever	13	1			1	2	3	3	2			1						
8	Whooping cough	80	52	18	4		1	3							2				
9	Diphtheria and croup	85	7	7	7	7	10	28	13	1	2		2	1					
10	Influenza	194	17	4	4	2			3	2	4	6	12	26	46	55	13		
13	Cholera nostras	11	6				1		1				1	1	1				
14	Dysentery	22	4			2	1	2				1	2		6	4			
18	Erysipelas	28	2						1	2	1	5	2	4	4	5	2		
19	Other epidemic diseases	4	1	2					1										
20	Purulent infection and septicemia	32	1	1					4	4	7	4	3	4	3	1			
24	Tetanus	5	1					1	2				1						
26	Pellagra	10							2		5	1	1	1					
	Tuberculosis (total)	956	22	25	8	11	3	23	88	228	188	137	85	83	49	4	1		1
28	Tuberculosis of the lungs	741	6	6		2	1	10	65	188	159	117	70	68	44	3	1		1
29	Acute miliary tuberculosis	30	1	1		1		2	5	9	6	2	2	1					
30	Tuberculous meningitis	71	9	13	8	7	2	9	8	4	5	4	2						
31	Abdominal tuberculosis	37	4	3		1		1	5	5	5	4	5	1	3				
32	Pott's disease	15								5	1	1	1	5	1	1			
33	White swellings	4							1	3									
34	Tuberculosis of other organs	23	2	1					2	4	5	4	3	1	1				
35	Disseminated tuberculosis	35		1				1	2	10	7	5	2	7					
36	Rickets	9	7	1				1											
37	Syphilis	32	13	3						1	4	6	2	1	1	1			
38	Gonococcus infection	4	2						1	1									
	Cancer and other malignant tumors (total)	818	1	2			1	4	1	5	31	103	156	226	212	67	7		2
39	Of the buccal cavity	37									1	4	4	8	14	6			
40	Of the stomach, liver	305	1				1	1			9	30	46	101	83	29	2		2
41	Of the peritoneum, intestines, rectum	134									2	15	34	42	36	5			
42	Of the female genital organs	104								1	8	29	28	26	8	4			
43	Of the breast	67									3	12	15	10	22	4	1		
44	Of the skin	32									1		4	7	10	7	3		
45	Of other organs or of organs not specified	139		2				3	1	4	7	13	25	32	39	12	1		
46	Other tumors (tumors of the female genital organs excepted)	3											1	1	1				
47	Acute articular rheumatism	26						4	6	2	4		2	3	4	1			
48	Chronic rheumatism and gout	11									1	2	1	3	2	1	1		
49	Scurvy	2	2																
50	Diabetes	175		1				4	14	9	4	12	32	49	38	12			
51	Exophthalmic goiter	7								2	2		1		1	1			
52	Addison's disease	6									1		1	4					
53	Leukemia	12		1						1	1	2	5	1	1				
54	Anemia, chlorosis	59	5	1	1			1	1	3	7	8	12	9	10	1			
55	Other general diseases	18	6	1					1	4			2	2		2			
56	Alcoholism (acute or chronic)	29								2	8	7	5	5	1	1			
57	Chronic lead poisoning	6										1	1	1	2	1			
59	Other chronic poisonings	10								1	1		2	1	5				
	II.—Diseases of the nervous system and of the organs of special sense	1,485	64	18	3	3	2	13	19	19	59	89	164	316	457	232	25		2
60	Encephalitis	13	4	2					1	1			1	3		1			
61	Meningitis (total)	67	25	11	2	2	1	6	5	1	3	4	5	2					
	Simple meningitis	45	15	5	1	1	1	4	5		2	4	5	2					
	Cerebrospinal meningitis (undefined)	16	6	4	1	1		2		1	1								
	Cerebrospinal fever	6	4	2															
62	Locomotor ataxia	31								1	2	2	8	11	6	1			
63	Other diseases of the spinal cord (total)	71	2					2	5	2	8	4	6	19	16	7			
	Acute anterior poliomyelitis	6	1					1	3	1									
	Other diseases of the spinal cord [1]	65	1					1	2	1	8	4	6	19	16	7			
64	Cerebral hemorrhage, apoplexy	949	2				1	1	1	6	15	38	103	232	346	180	22		2
65	Softening of the brain	35											2	3	22	7	1		
66	Paralysis without specified cause	99	2	1						1	4	6	10	13	36	24	2		
67	General paralysis of the insane	69									14	19	11	8	14	3			
68	Other forms of mental alienation	35							1	2	5	8	5	9	3	2			
69	Epilepsy	27	1					1	3	3	3	3	2	5	4	2			
70	Convulsions (nonpuerperal)	2							1			1							
71	Convulsions of infants	30	26	3		1													
72	Chorea	2	1									1							
73	Neuralgia and neuritis	9									1		1	2	4	1			
74	Other diseases of the nervous system	37	1					1		2	4	3	9	9	4	4			
76	Diseases of the ears	9		1	1			2	2				1		2				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MAINE—Continued.																		
	III.—Diseases of the circulatory system	2,025	20	3	4	1	1	9	17	33	50	106	202	474	653	397	49	2	4
77	Pericarditis	12							1	1	1			5	3	1			
78	Acute endocarditis	63	2		1	1	1	3	3	6	4	14	11	8	7	2			
79	Organic diseases of the heart	1,423	12	1	2			5	13	16	37	78	160	369	445	257	25		3
80	Angina pectoris	104								3		2	8	29	47	14	1		
81	Diseases of the arteries, atheroma, aneurism, etc	340	2							1	1	3	15	47	133	113	23	2	
82	Embolism and thrombosis	60	1					1		4	5	9	5	11	15	8			1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	8								1	1			5		1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	1	2	1														
85	Hemorrhage; other diseases of the circulatory system	11	2							1	1		3		3	1			
	IV.—Diseases of the respiratory system	1,349	247	72	16	9	8	24	40	42	69	96	91	175	241	176	42		1
86	Diseases of the nasal fossae	3	2											1					
87	Diseases of the larynx	8	1	1				3			1	1	1						
88	Diseases of the thyroid body	4								1		1	1		1				
89	Acute bronchitis	113	41	13	1							2	2	3	18	23	10		
90	Chronic bronchitis	66	1						3			1	3	9	26	17	6		
91	Bronchopneumonia	328	102	28	7	4	1	3	6	7	5	8	8	34	59	52	4		
92	Pneumonia (total)	733	86	28	8	5	7	16	28	29	55	75	70	114	121	74	16		1
	Lobar pneumonia	412	32	11	6	2	6	9	19	22	35	44	44	74	64	36	7		1
	Pneumonia (undefined)	321	54	17	2	3	1	7	9	7	20	31	26	40	57	38	9		
93	Pleurisy	13	2	2				2	1	1	1		2	1	1				
94	Pulmonary congestion, pulmonary apoplexy	50	9						2	2	2	4	4	6	8	7	6		
95	Gangrene of the lung	3								1	1	1							
96	Asthma	12	2								1	1		4	3	1			
97	Pulmonary emphysema	1													1				
98	Other diseases of the respiratory system (tuberculosis excepted)	15	1							1	3	2		3	3	2			
	V.—Diseases of the digestive system	1,104	388	79	23	17	14	42	47	46	41	40	76	114	110	54	11	1	1
99	Diseases of the mouth and annexa	9	2					1			2	1			3				
100	Diseases of the pharynx	24	3	1	1		1	7	4		1	1	1		1	3			
101	Diseases of the esophagus	5				1	1							1	1	1			
102	Ulcer of the stomach	15						1	1	2	1	1	3	4	1	1			
103	Other diseases of the stomach (cancer excepted)	159	48	5	1		1	4	1	7	7	6	12	23	27	15	1	1	
104	Diarrhea and enteritis (under 2 years)	389	319	70															
105	Diarrhea and enteritis (2 years and over)	131			17	12	8	13	5	1	3	5	10	20	22	12	3		
108	Appendicitis and typhlitis	93	1	1	1	3	1	11	22	18	15	2	9	4	5				
109	Hernia, intestinal obstruction (total)	93	6	1	1		1	3	6	7	4	6	10	14	21	7	5		1
	Hernia	28	1						1		1	2	4	4	9	5			1
	Intestinal obstruction	65	5	1	1		1	3	5	7	3	4	6	10	12	2	5		
110	Other diseases of the intestines	27	3	1	1				3	1	2	5	3	5	1	1	1		
111	Acute yellow atrophy of the liver	3				1				1			1						
113	Cirrhosis of the liver	64	1								1	3	13	26	10	9	1		
114	Biliary calculi	18								1	1	2	2	7	4	1			
115	Other diseases of the liver	40	3				1		1	3		5	6	6	11	4			
116	Diseases of the spleen	3			1			1		1									
117	Simple peritonitis (nonpuerperal)	24	2					1	3	4	4	1	5	2	2				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7							1			2	1	2	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,073	12	2	5		1	4	12	31	57	98	142	247	315	140	6		1
119	Acute nephritis	76	4	1	2			2	3	5	11	6	8	16	11	7			
120	Bright's disease	839	6	1	1		1	1	9	18	33	68	117	213	263	102	5		1
122	Other diseases of the kidneys and annexa	27	1		2					2		4	4	5	4	5			
123	Calculi of the urinary passages	4										1	1	1	1				
124	Diseases of the bladder	42						1		1	4	1	2	4	18	11			
125	Diseases of the urethra, urinary abscess, etc	4											3	1					
126	Diseases of the prostate	35									1		1	6	13	13	1		
127	Nonvenereal diseases of the male genital organs	2	1									1							
128	Uterine hemorrhage (nonpuerperal)	1								1									
129	Uterine tumor (noncancerous)	12									1	6	3		2				
130	Other diseases of the uterus	13									2	9	2						
131	Cysts and other tumors of the ovary	9									1	2	1	1	3	1			
132	Salpingitis and other diseases of the female genital organs	8								4	4								
133	Nonpuerperal diseases of the breast (cancer excepted)	1														1			
	VII.—The puerperal state	110							9	54	36	11							
134	Accidents of pregnancy	13								4	7	2							
135	Puerperal hemorrhage	8							1	3	3	1							
136	Other accidents of labor	17							3	7	4	3							
137	Puerperal septicemia	34							1	20	12	1							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MAINE—Continued.																		
	VII.—The puerperal state—Con.																		
138	Puerperal albuminuria and convulsions	34							4	17	9	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3								2	1								
140	Following childbirth (not otherwise defined)	1								1									
	VIII.—Diseases of the skin and of the cellular tissue	56	5	1	1				1	2		1	5	3	18	15	4		
142	Gangrene	33											1	2	11	15	4		
143	Furuncle	4								1		1	2						
144	Acute abscess	10	2	1					1				2	1	3				
145	Other diseases of the skin and annexa	9	3		1					1					4				
	IX.—Diseases of the bones and of the organs of locomotion	21	1	1		1		1	4		4	3		4	1	1			
146	Diseases of the bones (tuberculosis excepted)	16	1	1		1		1	3		3	2		2	1	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4							1		1	1		1					
149	Other diseases of the organs of locomotion	1												1					
	X.—Malformations	89	78	2	2	2		2	3										
150	Congenital malformations (stillbirths not included) (total)	89	78	2	2	2		2	3										
	Hydrocephalus	11	6	1	1	1		1	1										
	Congenital malformations of the heart	51	45	1	1	1		1	2										
	Other congenital malformations	27	27																
	XI.—Early infancy	667	667																
151	Congenital debility, icterus, and sclerema (total)	558	558																
	Premature birth	349	349																
	Congenital debility, "atrophy," "marasmus," etc.	209	209																
152	Other causes peculiar to early infancy (total)	108	108																
	Injuries at birth	45	45																
	Other causes peculiar to early infancy [1]	63	63																
153	Lack of care	1	1																
	XII.—Old age	386												16	86	211	68	3	2
154	Senility	386												16	86	211	68	3	2
	XIII.—External causes	677	15	8	8	10	16	33	68	81	96	80	57	64	76	47	7		11
	Suicide (total)	118							7	14	21	16	20	21	15	4			
155	By poison	14							2	1	5	2	2	1	1				
156	By asphyxia	3								2				1					
157	By hanging or strangulation	34								1	3	7	6	7	8	2			
158	By drowning	17							2	1	3	2	5	4					
159	By firearms	43							3	8	8	5	7	6	4	2			
160	By cutting or piercing instruments	6								1	2			1	2				
163	Other suicides	1												1					
	Accidental or undefined (total)	541	14	8	8	10	16	33	59	63	70	62	36	43	60	43	7		9
164	Poisoning by food	10	1		3		1	1	1	1				2					
165	Other acute poisonings	13	1		1	1					4	1	2	1	1	1			
166	Conflagration	20	2			1	1	1	2	2	1	3	1	2	2	2			
167	Burns (conflagration excepted)	48	2	3	2	4	4	3	4	3	6	3	3	1	4	4	2		
168	Absorption of deleterious gases (conflagration excepted)	9	4					1		1	1	1	1						
169	Accidental drowning	109			1	2	4	9	28	17	13	9	9	6	5	3			3
170	Traumatism by firearms	25	1					3	4	3	7	3	1	1	1				1
171	Traumatism by cutting or piercing instruments	3										2			1				
172	Traumatism by fall	94	1	3	1				2	2	2	8	3	12	30	25	5		
173	Traumatism in mines and quarries (total)	2									1		1						
	Traumatism in quarries	2									1		1						
174	Traumatism by machines	22								7	7	4	2	1					1
175	Traumatism by other crushing (total)	94		1		2	5	11	10	18	15	11	5	9	5				2
	Railroad accidents and injuries	43		1		1		2	4	10	8	6	2	4	3				2
	Street-car accidents and injuries	8				1	1		1		1	1	1	1	1				
	Automobile accidents and injuries	21					2	4	1	6	3	3	1	1					
	Injuries by other vehicles	18					1	5	4	2	1		1	3	1				
	Landslide, other crushing	4					1				2	1							
176	Injuries by animals	10										3	3	2	2				
177	Starvation	2	1											1					
178	Excessive cold	3									1	1				1			
179	Effects of heat	1											1						
180	Lightning	2						1											1
181	Electricity (lightning excepted)	6						1	1	2	2								
185	Fractures (cause not specified)	20		1					1	1	1	2	1	1	6	5			1
186	Other external violence	48	1				1	2	6	6	9	11	3	4	3	2			

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MAINE—Continued.																		
	XIII.—External causes—Contd.																		
	Homicide (total)	18	1						2	4	5	2	1		1				2
182	By firearms	13							2	2	4	2	1		1				1
184	By other means	5	1							2	1								1
	XIV.—Ill-defined diseases	159	55	7	1	1		3	3	2	8	9	12	19	23	12			4
187	Ill-defined organic disease	5	1												3	1			
188	Sudden death	20	2			1				1		1	3	6	5	1			
189	Not specified or ill-defined (total)	134	52	7	1			3	3	1	8	8	9	13	15	10			4
	Ill-defined	53	5	4	1			1		1	3	1	6	10	11	8			2
	Not specified, or unknown	81	47	3				2	3		5	7	3	3	4	2			2
	MARYLAND (TOTAL).																		
	All causes	21,353	3,863	682	263	153	127	373	848	1,537	1,736	1,978	2,538	2,893	2,795	1,275	201	13	78
	General diseases	5,593	272	148	78	66	54	163	434	842	766	756	745	684	427	131	10	3	14
1	Typhoid fever	320	2	3	4	2	3	23	74	83	43	43	24	7	7				2
4	Malaria	15	2	1	1	1	1		2	1	2		2	1	1				
6	Measles	34	11	10	2	2		6	1	2									
7	Scarlet fever	71	6	12	7	3	6	20	9	2	4		1						1
8	Whooping cough	92	53	20	5	6	1	6	1										
9	Diphtheria and croup	183	10	28	25	29	19	46	13	4	5	2	2						
10	Influenza	204	9	6	3	1	1	1	4	5	7	20	27	35	49	26	6	1	3
13	Cholera nostras	5		1					1	1			1		1				
14	Dysentery	68	9	2	4	4	1	1	4	3		2	7	8	14	8			1
18	Erysipelas	41	8						2	1	6	4	2	10	6	2			
19	Other epidemic diseases	4	2	1							1								
20	Purulent infection and septicemia	32	1	2		1	1		4	1	3	2	8	5	4				
24	Tetanus	35	12		1		1	3	5	6	4	1	1		1				
25	Mycoses	1										1							
26	Pellagra	16				1		2		2	4	2	1	2	1			1	
	Tuberculosis (total)	2,586	47	50	18	12	17	43	279	647	534	399	278	177	71	8			6
28	Tuberculosis of the lungs	2,220	15	16	6	4	6	24	231	571	486	370	254	160	64	8			5
29	Acute miliary tuberculosis	96	5	3	3	1		1	12	37	15	9	6	4					
30	Tuberculous meningitis	106	21	28	5	5	7	9	14	6	5	2	3	1					
31	Abdominal tuberculosis	93	3	2	1		3	6	12	23	15	11	5	10	2				
32	Pott's disease	23			1			2	5	3	2	4	3	1	1				1
33	White swellings	8	1						1		1	1	2		2				
34	Tuberculosis of other organs	21	2			1		1	2	4	6	1	3		1				
35	Disseminated tuberculosis	19		1	2	1	1		2	3	4	1	2	1	1				
36	Rickets	15	13	1			1												
37	Syphilis	198	77	6	3	1		1	2	24	27	25	17	11	4				
38	Gonococcus infection	2							1	1									
	Cancer and other malignant tumors (total)	1,213		1	2	1	2	2	9	23	73	187	278	339	220	71	4		1
39	Of the buccal cavity	46									1	8	11	14	10	2			
40	Of the stomach, liver	462								5	17	54	104	158	89	34	1		
41	Of the peritoneum, intestines, rectum	148							1	4	12	20	31	42	34	3	1		
42	Of the female genital organs	175							1	4	18	43	47	33	20	9			
43	Of the breast	121								3	11	26	35	18	20	7	1		
44	Of the skin	48			1							4	8	14	12	9			
45	Of other organs or of organs not specified	213		1	1	1	2	2	7	7	14	32	42	60	35	7	1		1
46	Other tumors (tumors of the female genital organs excepted)	4								1		1	1			1			
47	Acute articular rheumatism	58				1		4	8	9	5	5	11	7	6	1		1	
48	Chronic rheumatism and gout	22							1			1	5	5	8	2			
49	Scurvy	4	4																
50	Diabetes	190			1			4	7	8	14	25	46	57	19	9			
51	Exophthalmic goiter	14							1	3	2	3	3	2					
52	Addison's disease	5											4		1				
53	Leukemia	28		2	1				3	5	4	2	5	4	1	1			
54	Anemia, chlorosis	42	1	2				1	1	5	5	6	8	6	6	1			
55	Other general diseases	14	5			1			1		2		1	1	3				
56	Alcoholism (acute or chronic)	59							1	4	17	22	9	5		1			
57	Chronic lead poisoning	5			1						1	1	1	1					
59	Other chronic poisonings	13								1	3	2	2	1	4				
	II.—Diseases of the nervous system and of the organs of special sense	2,232	158	45	18	7	4	25	39	43	104	182	343	487	514	219	34	3	7
60	Encephalitis	16	3	1	1					1	5	2	2	1					
61	Meningitis (total)	91	31	20	9	4	2	6	2	2	7	4	2		1	1			
	Simple meningitis	61	22	13	5	3		2	1	1	6	4	2		1	1			
	Cerebrospinal meningitis (undefined)	18	5	4	3	1	1	2		1	1								
	Cerebrospinal fever	12	4	3	1		1	2	1										
62	Locomotor ataxia	31										8	12	8	3				
63	Other diseases of the spinal cord (total)	70	5	6	5		2	3	7	1	3	4	6	11	11	4	1	1	
	Acute anterior poliomyelitis	21	4	5	5		1	2	2	1					1				
	Other diseases of the spinal cord [1]	49	1	1			1	1	5		3	4	6	11	10	4	1	1	

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (TOTAL)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
64	Cerebral hemorrhage, apoplexy	1,283	3					3	3	8	33	106	246	352	365	140	18	2	4
65	Softening of the brain	18										1		4	8	4	1		
66	Paralysis without specified cause	315		1		1		2	1		3	14	33	81	99	65	14		1
67	General paralysis of the insane	100								4	25	23	18	14	13	3			
68	Other forms of mental alienation	24								5	3	3	6	3	3	1			
69	Epilepsy	70	5	1	1			1	13	11	12	5	9	5	5	1			1
70	Convulsions (nonpuerperal)	6						1	2		1				1				1
71	Convulsions of infants	116	104	12															
72	Chorea	5			1				3	1									
73	Neuralgia and neuritis	5								2	1	1			1				
74	Other diseases of the nervous system	57	3			2		5	6	6	10	9	8	5	3				
75	Diseases of the eyes and their annexa	1												1					
76	Diseases of the ears	24	4	4	1			4	2	2	1	2	1	2	1				
	III.—Diseases of the circulatory system	2,731	9	4		2	4	14	63	83	144	268	451	597	719	318	42	1	12
77	Pericarditis	18					1	1	1	1		4	4	3	1	2			
78	Acute endocarditis	105	2					2	10	11	17	25	33	2	1	2			
79	Organic diseases of the heart	2,115	4	2		1	3	11	49	62	110	214	343	502	557	217	27	1	12
80	Angina pectoris	100									4	8	28	20	30	9	1		
81	Diseases of the arteries, atheroma, aneurism, etc	317							1	1	4	9	27	60	118	84	13		
82	Embolism and thrombosis	55		1					1	4	6	6	14	8	11	3	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	9								1	2	1	1	2	1	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	1	1		1						1	1						
85	Hemorrhage; other diseases of the circulatory system	7	2						1	3	1								
	IV.—Diseases of the respiratory system	2,658	679	184	74	28	25	43	68	103	159	175	257	312	332	186	29		4
86	Diseases of the nasal fossae	8	8																
87	Diseases of the larynx	18	3	1	2	2	1		1		2	2		1	3				
88	Diseases of the thyroid body	8							2	1	1	2	1	1					
89	Acute bronchitis	165	88	16	7	3	2	4	1			2	7	7	18	10			
90	Chronic bronchitis	128	5						1	1	3	5	13	25	29	38	8		
91	Bronchopneumonia	904	396	114	44	13	11	14	10	13	20	20	40	61	87	51	10		
92	Pneumonia (total)	1,248	159	50	18	8	11	25	44	82	123	119	179	194	155	70	7		4
	Lobar pneumonia	1,006	80	29	13	5	9	21	35	71	116	107	160	170	130	52	7		1
	Pneumonia (undefined)	242	79	21	5	3	2	4	9	11	7	12	19	24	25	18			3
93	Pleurisy	52	3	2	1	2			7	2	5	11	8	4	7				
94	Pulmonary congestion, pulmonary apoplexy	48	11							2	1	2	1	5	13	11	2		
95	Gangrene of the lung	8								1	2	2			2	1			
96	Asthma	32										3	3	12	8	5	1		
97	Pulmonary emphysema	4											1		3				
98	Other diseases of the respiratory system (tuberculosis excepted)	35	6	1	2				2	1	2	7	4	2	7		1		
	V.—Diseases of the digestive system	2,197	1,035	220	44	15	11	48	53	70	116	106	138	145	134	50	8	1	3
99	Diseases of the mouth and annexa	19	14	1								1	1	1				1	
100	Diseases of the pharynx	31		2				8	4	3	10	1		1		2			
101	Diseases of the esophagus	4		1				1					2						
102	Ulcer of the stomach	40							2	4	12	6	8	5	3				
103	Other diseases of the stomach (cancer excepted)	193	45	12	3			2	7	9	16	11	12	25	38	11	2		
104	Diarrhea and enteritis (under 2 years)	1,146	949	197															
105	Diarrhea and enteritis (2 years and over)	214			38	11	8	16	4	5	9	14	20	29	37	17	6		
107	Intestinal parasites	1		1															
108	Appendicitis and typhlitis	124			1	1		12	23	21	21	19	12	13					1
109	Hernia, intestinal obstruction (total)	137	19	5	1	2	2	4	2	7	17	13	19	17	17	11			1
	Hernia	41	4							2	3	3	5	10	10	3			1
	Intestinal obstruction	96	15	5	1	2	2	4	2	5	14	10	14	7	7	8			
110	Other diseases of the intestines	32	2						2	3	7	6	4	4	1	3			
111	Acute yellow atrophy of the liver	7								2	1		1	2	1				
113	Cirrhosis of the liver	126	1						1	1	14	25	39	24	19	2			
114	Biliary calculi	37								2	3	3	10	10	7	2			
115	Other diseases of the liver	37	3	1	1			1		4	2	5	3	8	7	2			
116	Diseases of the spleen	2						1				1							
117	Simple peritonitis (nonpuerperal)	42	2			1	1	3	8	9	4		5	4	4				1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	5										1	2	2					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,228	16	14	8	5	4	8	32	90	166	292	415	512	464	167	24	2	9
119	Acute nephritis	213	8	8	5	2	4	4	17	22	22	43	28	26	18	3	3		
120	Bright's disease	1,818	2	3	2	2		3	9	47	116	220	373	466	402	143	19	2	9
122	Other diseases of the kidneys and annexa	38	3		1	1			1	3	4	7	5	4	7	2			
123	Calculi of the urinary passages	5								1			1		1	2			
124	Diseases of the bladder	32	1	3						1	1	2		3	14	6	1		
125	Diseases of the urethra, urinary abscess, etc	6	1									2	1	2					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (TOTAL)—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
126	Diseases of the prostate	38										1		7	18	11	1		
127	Nonvenereal diseases of the male genital organs	2	1												1				
129	Uterine tumor (noncancerous)	20								2	4	7	3	2	2				
130	Other diseases of the uterus	18							3	4	7	2	1		1				
131	Cysts and other tumors of the ovary	8									2	1	3	2					
132	Salpingitis and other diseases of the female genital organs	28							2	9	10	7							
133	Nonpuerperal diseases of the breast (cancer excepted)	2						1		1									
	VII.—The puerperal state	196							20	83	77	16							
134	Accidents of pregnancy	11								6	5								
135	Puerperal hemorrhage	24								10	11	3							
136	Other accidents of labor	19							2	8	4	5							
137	Puerperal septicemia	81							7	35	34	5							
138	Puerperal albuminuria and convulsions	53							11	21	20	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8								3	3	2							
	VIII.—Diseases of the skin and of the cellular tissue	69	11	2			1	1	3	3	2	6	8	4	16	10	1		1
142	Gangrene	34	1						1		1		6	2	12	10			1
143	Furuncle	6	3						1	1		1							
144	Acute abscess	12		1			1	1	1	2	1	1	1	1	2				
145	Other diseases of the skin and annexa	17	7	1								4	1	1	2		1		
	IX.—Diseases of the bones and of the organs of locomotion	41	3	1	3	1	1	4	6	3	2	2	9	2	2	2			
146	Diseases of the bones (tuberculosis excepted)	34	3	1	3	1	1	3	6	3	1	2	7	1		2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5						1			1		2	1					
149	Other diseases of the organs of locomotion	2													2				
	X.—Malformations	166	152	6	2	1	1	1	3										
150	Congenital malformations (stillbirths not included) (total)	166	152	6	2	1	1	1	3										
	Hydrocephalus	10	7	1	1	1													
	Congenital malformations of the heart	123	113	5	1			1	3										
	Other congenital malformations	33	32				1												
	XI.—Early infancy	1,362	1,362																
151	Congenital debility, icterus, and sclerema (total)	1,111	1,111																
	Premature birth	669	669																
	Congenital debility, "atrophy," "marasmus," etc.	442	442																
152	Other causes peculiar to early infancy (total)	243	243																
	Injuries at birth	104	104																
	Other causes peculiar to early infancy [1]	139	139																
153	Lack of care	8	8																
	XII.—Old age	264											3	10	85	120	41	2	3
154	Senility	264											3	10	85	120	41	2	3
	XIII.—External causes	1,294	37	30	32	23	22	63	123	210	191	157	146	110	69	56	6	1	18
	Suicide (total)	184							12	40	35	37	34	17	5	1			3
155	By poison	43							5	14	8	8	4	3	1				
156	By asphyxia	29								4	5	6	11	2	1				
157	By hanging or strangulation	20							2	1	2	7	5		2	1			
158	By drowning	14								1	5	3	3	2					
159	By firearms	63							5	16	12	11	8	7	1				3
160	By cutting or piercing instruments	7								2	3		1	1					
161	By jumping from high places	6										2	2	2					
162	By crushing	1								1									
163	Other suicides	1								1									
	Accidental or undefined (total)	1,029	34	29	32	23	22	62	105	140	138	107	105	93	62	55	6	1	15
164	Poisoning by food	13	3	1	1	1		1	1	1				1	1	2			
165	Other acute poisonings	28	2	7	4	3	1	1		3	1	1	4						1
166	Conflagration	13		1		1	1	2	1		1	1		1	2	2			
167	Burns (conflagration excepted)	147	5	11	17	13	14	16	14	10	11	10	11	5	4	5		1	
168	Absorption of deleterious gases (conflagration excepted)	17	8							1	2	2	2	1			1		
169	Accidental drowning	195	2	4	3		1	13	44	40	36	27	12	6	1				6
170	Traumatism by firearms	27		1		1	1	3	9	5	1	3	1			1			1
171	Traumatism by cutting or piercing instruments	4								1	2		1						
172	Traumatism by fall	172	5	1	3	2	1	4	1	4	17	14	21	33	27	34	5		

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (TOTAL)—Continued.																		
	XIII.—External causes—Contd.																		
	Accidents or undefined—Continued.																		
173	Traumatism in mines and quarries (total)	12								6	2	2	2						
	Traumatism in mines	10								5	2	2	1						
	Traumatism in quarries	2								1			1						
174	Traumatism by machines	19					1	1	1	4	5	1	2	4					
175	Traumatism by other crushing (total)	263		1	3	2	1	16	28	54	45	33	35	26	11	2			6
	Railroad accidents and injuries	131						2	11	35	30	19	18	9	1	1			5
	Street-car accidents and injuries	31						2	1	5	6	3	6	4	3				1
	Automobile accidents and injuries	60		1		2		11	12	8	6	7	5	5	3				
	Injuries by other vehicles	33			3		1	1	3	3	3	3	5	7	3	1			
	Landslide, other crushing	8							1	3		1	1	1	1				
176	Injuries by animals	9						2		1			2	3	1				
177	Starvation	1	1																
178	Excessive cold	8									1	1	1	2	2	1			
179	Effects of heat	22	7	1					1		1	1	3		6	2			
180	Lightning	9					1		1		3	1	2	1					
181	Electricity (lightning excepted)	4								2	2								
185	Fractures (cause not specified)	20									3	2	1	3	5	6			
186	Other external violence	46	1	1	1			3	4	8	5	8	5	7	2				1
	Homicide (total)	81	3	1				1	6	30	18	13	7		2				
182	By firearms	49							5	18	13	6	6		1				
183	By cutting or piercing instruments	9							1	6	1	1							
184	By other means	23	3	1				1		6	4	6	1		1				
	XIV.—Ill-defined diseases	322	129	28	4	5		3	4	7	9	18	23	30	33	16	6		7
187	Ill-defined organic disease	12		1							1	2	2	1	2	1	2		
188	Sudden death	19	9					1				2	3		3		1		
189	Not specified or ill-defined (total)	291	120	27	4	5		2	4	7	8	14	18	29	28	15	3		7
	Ill-defined	136	26	25	2	3			1	5	4	10	14	19	16	8	1		2
	Not specified, or unknown	155	94	2	2	2		2	3	2	4	4	4	10	12	7	2		5
	MARYLAND (WHITE).																		
	All causes	15,773	2,643	469	186	112	85	258	509	968	1,189	1,381	1,903	2,399	2,411	1,086	139	4	31
	I.—General diseases	3,998	150	103	57	54	36	111	221	488	507	550	603	605	383	113	8		9
1	Typhoid fever	207	1	2	3	2	1	10	42	55	30	28	20	6	6				1
4	Malaria	7		1			1				1		2	1	1				
6	Measles	25	10	5	1	1		6	1	1									
7	Scarlet fever	65	6	12	6	3	6	18	7	1	4		1						1
8	Whooping cough	53	31	13	2	4		3											
9	Diphtheria and croup	166	6	26	24	29	17	41	11	4	4	2	2						
10	Influenza	154	4	4	1		1	1	2	1	4	14	20	30	44	23	5		
13	Cholera nostras	3							1				1		1				
14	Dysentery	44	6	2	3	4			3	1			3	6	9	6			1
18	Erysipelas	37	7						2	1	5	3	1	10	6	2			
19	Other epidemic diseases	2		1							1								
20	Purulent infection and septicemia	25	1	2		1			3	1	2	1	6	5	3				
24	Tetanus	20	5		1		1	3	3	2	2	1	1		1				
25	Mycoses	1										1							
26	Pellagra	9				1		2			2		1	2	1				
	Tuberculosis (total)	1,624	30	30	10	6	7	16	120	366	346	276	198	146	62	6			5
28	Tuberculosis of the lungs	1,388	6	5	2	1	1	8	96	325	311	256	179	131	57	6			4
29	Acute miliary tuberculosis	55	2	1	2	1		1	7	18	10	5	5	3					
30	Tuberculous meningitis	79	17	24	4	3	5	3	9	4	5	2	2	1					
31	Abdominal tuberculosis	51	3					1	1	12	10	9	5	9	1				
32	Pott's disease	18			1			2	5	2	1	1	3	1	1				1
33	White swellings	6							1		1	1	1		2				
34	Tuberculosis of other organs	14	2					1	1	4	4	1	1						
35	Disseminated tuberculosis	13			1	1	1			1	4	1	2	1	1				
36	Rickets	7	7																
37	Syphilis	76	29	1	1			1		9	6	11	10	6	2				
	Cancer and other malignant tumors (total)	1,081			2	1	2	2	8	20	58	157	248	313	203	63	3		1
39	Of the buccal cavity	40									1	7	10	12	8	2			
40	Of the stomach, liver	412								5	13	42	94	146	82	30			
41	Of the peritoneum, intestines, rectum	126							1	4	9	15	24	37	32	3	1		
42	Of the female genital organs	151							1	3	11	38	43	32	16	7			
43	Of the breast	107								3	11	22	31	16	18	5	1		
44	Of the skin	46			1							3	7	14	12	9			
45	Of other organs or of organs not specified	199			1	1	2	2	6	5	13	30	39	56	35	7	1		1
46	Other tumors (tumors of the female genital organs excepted)	2											1			1			
47	Acute articular rheumatism	43				1		3	7	8	2	3	10	5	4				
48	Chronic rheumatism and gout	16										1	4	3	7	1			
49	Scurvy	1	1																
50	Diabetes	179			1			4	5	7	12	23	45	55	18	9			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (WHITE)—Continued.																		
	I.—General diseases—Continued.																		
51	Exophthalmic goiter	13							1	3	1	3	3	2					
52	Addison's disease	5											4		1				
53	Leukemia	25		2	1				2	4	4	2	4	4	1	1			
54	Anemia, chlorosis	37	1	2				1	1	4	4	5	6	6	6	1			
55	Other general diseases	14	5			1			1		2		1	1	3				
56	Alcoholism (acute or chronic)	41							1		13	16	8	3					
57	Chronic lead poisoning	4			1						1	1	1						
59	Other chronic poisonings	12									3	2	2	1	4				
	II.—Diseases of the nervous system and of the organs of special sense	1,714	102	35	15	6	3	17	25	28	79	126	246	384	438	187	21	1	1
60	Encephalitis	12	3	1	1						4	1	1	1					
61	Meningitis (total)	71	24	17	7	3	1	2	1	1	7	4	2		1	1			
	Simple meningitis	49	15	11	5	3		1			6	4	2		1	1			
	Cerebrospinal meningitis (undefined)	13	5	4	2					1	1								
	Cerebrospinal fever	9	4	2			1	1	1										
62	Locomotor ataxia	29										7	12	7	3				
63	Other diseases of the spinal cord (total)	55	2	3	4		2	3	4		3	3	5	10	10	4	1	1	
	Acute anterior poliomyelitis	12	2	2	4		1	2							1				
	Other diseases of the spinal cord [1]	43		1			1	1	4		3	3	5	10	9	4	1	1	
64	Cerebral hemorrhage, apoplexy	999	3					2	2	3	20	71	174	277	309	123	15		
65	Softening of the brain	15										1		4	6	4			
66	Paralysis without specified cause	237		1		1			1		3	5	21	65	84	51	5		
67	General paralysis of the insane	80								2	20	18	14	10	13	3			
68	Other forms of mental alienation	17								2	3	3	4	1	3	1			
69	Epilepsy	48	2	1	1			1	7	9	10	2	7	3	5				
70	Convulsions (nonpuerperal)	4						1	1						1				1
71	Convulsions of infants	71	62	9															
72	Chorea	5			1				3	1									
73	Neuralgia and neuritis	5								2	1	1			1				
74	Other diseases of the nervous system	48	2			2		4	5	6	7	9	6	5	2				
76	Diseases of the ears	18	4	3	1			4	1	2	1	1		1					
	III.—Diseases of the circulatory system	2,118	8	2		1	4	13	49	51	84	176	317	491	612	275	33		2
77	Pericarditis	13					1	1	1	1		1	3	3	1	1			
78	Acute endocarditis	84	2					2	7	9	13	21	26	1	1	2			
79	Organic diseases of the heart	1,618	3	1		1	3	10	41	38	61	138	235	410	469	186	20		2
80	Angina pectoris	91									2	6	23	20	30	9	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	256									2	3	19	49	99	73	11		
82	Embolism and thrombosis	44								3	4	6	10	6	11	3	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7									2		1	2	1	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	1	1								1							
85	Hemorrhage; other diseases of the circulatory system	2	2																
	IV.—Diseases of the respiratory system	1,814	398	104	46	16	15	26	32	57	93	99	194	258	288	161	25		2
86	Diseases of the nasal fossae	2	2																
87	Diseases of the larynx	18	3	1	2	2	1		1		2	2		1	3				
88	Diseases of the thyroid body	6								1	1	2	1	1					
89	Acute bronchitis	105	54	9	3		2	3				2	4	4	15	9			
90	Chronic bronchitis	102									3	3	9	22	24	34	7		
91	Bronchopneumonia	603	235	66	24	7	5	8	5	8	14	9	32	53	81	46	10		
92	Pneumonia (total)	841	88	26	16	6	7	15	20	46	67	66	134	156	130	57	5		2
	Lobar pneumonia	691	50	18	13	4	6	12	15	40	63	57	119	139	109	40	5		1
	Pneumonia (undefined)	150	38	8	3	2	1	3	5	6	4	9	15	17	21	17			1
93	Pleurisy	38	3	2	1	1			5		3	6	7	4	6				
94	Pulmonary congestion, pulmonary apoplexy	44	9							2	1	2	1	4	12	11	2		
95	Gangrene of the lung	4										2			2				
96	Asthma	23											2	11	6	4			
97	Pulmonary emphysema	3											1		2				
98	Other diseases of the respiratory system (tuberculosis excepted)	25	4						1		2	5	3	2	7		1		
	V.—Diseases of the digestive system	1,666	763	171	33	11	7	31	37	44	87	80	108	126	120	40	7	1	
99	Diseases of the mouth and annexa	9	5	1								1	1					1	
100	Diseases of the pharynx	22		2				6	2		9	1		1		1			
101	Diseases of the esophagus	4		1				1					2						
102	Ulcer of the stomach	30							2	3	6	3	8	5	3				
103	Other diseases of the stomach (cancer excepted)	126	27	7	2			1	6	2	11	5	7	18	31	7	2		
104	Diarrhea and enteritis (under 2 years)	864	708	156															
105	Diarrhea and enteritis (2 years and over)	165			28	7	4	8	1	5	6	12	13	26	35	15	5		
107	Intestinal parasites	1		1															
108	Appendicitis and typhlitis	100			1	1		9	18	16	16	15	12	12					

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (WHITE)—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
109	Hernia, intestinal obstruction (total)	103	16	3	1	2	2	3	1	5	11	9	13	14	15	8			
	Hernia	29	3							1	1	1	3	9	9	2			
	Intestinal obstruction	74	13	3	1	2	2	3	1	4	10	8	10	5	6	6			
110	Other diseases of the intestines	26	2							2	7	4	3	4	1	3			
111	Acute yellow atrophy of the liver	6								1	1		1	2	1				
113	Cirrhosis of the liver	106									12	20	32	22	18	2			
114	Biliary calculi	35								2	3	3	9	10	6	2			
115	Other diseases of the liver	31	3		1					2	2	5	2	7	7	2			
116	Diseases of the spleen	2						1				1							
117	Simple peritonitis (nonpuerperal)	32	2			1	1	2	7	6	3		4	3	3				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4										1	1	2					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,684	11	11	5	3	3	4	26	57	113	191	285	416	400	142	13	2	2
119	Acute nephritis	138	6	5	3	2	3	1	14	12	16	23	18	18	13	2	2		
120	Bright's disease	1,392	1	3	1			2	8	33	79	146	256	381	348	119	11	2	2
122	Other diseases of the kidneys and annexa	32	3		1	1			1	3	2	5	4	4	6	2			
123	Calculi of the urinary passages	5								1			1		1	2			
124	Diseases of the bladder	27	1	3						1	1	1		1	13	6			
125	Diseases of the urethra, urinary abscess, etc	3											1	2					
126	Diseases of the prostate	33										1		6	15	11			
127	Nonvenereal diseases of the male genital organs	1													1				
129	Uterine tumor (noncancerous)	13										6	3	2	2				
130	Other diseases of the uterus	14							2	2	6	2	1		1				
131	Cysts and other tumors of the ovary	5									1	1	1	2					
132	Salpingitis and other diseases of the female genital organs	19							1	4	8	6							
133	Nonpuerperal diseases of the breast (cancer excepted)	2						1		1									
	VII.—The puerperal state	153							12	67	62	12							
134	Accidents of pregnancy	10								6	4								
135	Puerperal hemorrhage	21								9	9	3							
136	Other accidents of labor	11							1	5	2	3							
137	Puerperal septicemia	63							5	27	27	4							
138	Puerperal albuminuria and convulsions	42							6	17	18	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6								3	2	1							
	VIII.—Diseases of the skin and of the cellular tissue	56	11	1			1	1	2	3	1	5	6	3	12	9	1		
142	Gangrene	25	1										4	1	10	9			
143	Furuncle	6	3						1	1		1							
144	Acute abscess	11		1			1	1	1	2	1		1	1	2				
145	Other diseases of the skin and annexa	14	7									4	1	1			1		
	IX.—Diseases of the bones and of the organs of locomotion	34	2	1	2	1		4	6	2	2	2	7	1	2	2			
146	Diseases of the bones (tuberculosis excepted)	28	2	1	2	1		3	6	2	1	2	6			2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4						1			1		1	1					
149	Other diseases of the organs of locomotion	2													2				
	X.—Malformations	132	120	4	2	1	1	1	3										
150	Congenital malformations (stillbirths not included) (total)	132	120	4	2	1	1	1	3										
	Hydrocephalus	9	6	1	1	1													
	Congenital malformations of the heart	94	86	3	1			1	3										
	Other congenital malformations	29	28				1												
	XI.—Early infancy	1,005	1,005																
151	Congenital debility, icterus, and sclerema (total)	822	822																
	Premature birth	513	513																
	Congenital debility, "atrophy," "marasmus," etc	309	309																
152	Other causes peculiar to early infancy (total)	183	183																
	Injuries at birth	89	89																
	Other causes peculiar to early infancy[1]	94	94																
	XII.—Old age	192											1	7	66	94	23		1
154	Senility	192											1	7	66	94	23		1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (WHITE)—Continued.																		
	XIII.—External causes	1,048	25	27	25	18	15	48	94	168	158	130	118	89	67	52	4		10
	Suicide (total)	171							11	38	29	35	33	17	5	1			2
155	By poison	40							5	14	6	7	4	3	1				
156	By asphyxia	29								4	5	6	11	2	1				
157	By hanging or strangulation	18							2	1	1	6	5		2	1			
158	By drowning	11								1	3	3	2	2					
159	By firearms	59							4	15	11	11	8	7	1				2
160	By cutting or piercing instruments	7								2	3		1	1					
161	By jumping from high places	6										2	2	2					
162	By crushing	1								1									
	Accidental or undefined (total)	827	23	26	25	18	15	47	79	117	116	86	80	72	60	51	4		8
164	Poisoning by food	12	3	1		1		1	1	1				1	1	2			
165	Other acute poisonings	20	2	6	2	3				1	1	1	4						
166	Conflagration	9		1		1		1	1		1			1	2	1			
167	Burns (conflagration excepted)	107	4	11	14	9	10	10	10	8	6	5	7	5	4	4			
168	Absorption of deleterious gases (conflagration excepted)	12	5								2	2	2	1					
169	Accidental drowning	138	1	2	3		1	10	28	30	29	19	8	4	1				2
170	Traumatism by firearms	15		1		1	1	2	5	2		3							
171	Traumatism by cutting or piercing instruments	2									2								
172	Traumatism by fall	144	1	1	2	1		3	1	3	15	13	16	24	26	34	4		
173	Traumatism in mines and quarries (total)	12								6	2	2	2						
	Traumatism in mines	10								5	2	2	1						
	Traumatism in quarries	2								1			1						
174	Traumatism by machines	17					1	1	1	4	4		2	4					
175	Traumatism by other crushing (total)	241		1	3	2	1	14	27	51	41	31	29	23	11	2			5
	Railroad accidents and injuries	122						2	11	34	27	17	16	9	1	1			4
	Street-car accidents and injuries	25						1	1	3	5	3	5	3	3				1
	Automobile accidents and injuries	59		1		2		10	12	8	6	7	5	5	3				
	Injuries by other vehicles	28			3		1	1	2	3	3	3	3	5	3	1			
	Landslide, other crushing	7							1	3		1		1	1				
176	Injuries by animals	6						2		1			1	1	1				
178	Excessive cold	4											1		2	1			
179	Effects of heat	20	6	1					1		1	1	3		6	1			
180	Lightning	9					1		1		3	1	2	1					
181	Electricity (lightning excepted)	4								2	2								
185	Fractures (cause not specified)	19									3	2		3	5	6			
186	Other external violence	36	1	1	1			3	3	8	4	6	3	4	1				1
	Homicide (total)	50	2	1				1	4	13	13	9	5		2				
182	By firearms	32							3	9	9	6	4		1				
183	By cutting or piercing instruments	2							1	1									
184	By other means	16	2	1				1		3	4	3	1		1				
	XIV.—Ill-defined diseases	159	48	10	1	1		2	2	3	3	10	18	19	23	11	4		4
187	Ill-defined organic disease	4										1	1			1	1		
188	Sudden death	14	6					1					3		3		1		
189	Not specified or ill-defined (total)	141	42	10	1	1		1	2	3	3	9	14	19	20	10	2		4
	Ill-defined	81	11	10	1	1			1	2	3	6	11	15	12	5	1		2
	Not specified, or unknown	60	31					1	1	1		3	3	4	8	5	1		2
	MARYLAND (COLORED).																		
	All causes	5,580	1,220	213	77	41	42	115	339	569	547	597	635	494	384	189	62	9	47
	I.—General diseases	1,595	122	45	21	12	18	52	213	354	259	206	142	79	44	18	2	3	5
1	Typhoid fever	113	1	1	1		2	13	32	28	13	15	4	1	1				1
4	Malaria	8	2		1	1			2	1	1								
6	Measles	9	1	5	1	1				1									
7	Scarlet fever	6			1			2	2	1									
8	Whooping cough	39	22	7	3	2	1	3	1										
9	Diphtheria and croup	17	4	2	1		2	5	2		1								
10	Influenza	50	5	2	2	1			2	4	3	6	7	5	5	3	1	1	3
13	Cholera nostras	2		1						1									
14	Dysentery	24	3		1		1	1	1	2		2	4	2	5	2			
18	Erysipelas	4	1								1	1	1						
19	Other epidemic diseases	2	2																
20	Purulent infection and septicemia	7					1		1		1	1	2		1				
24	Tetanus	15	7						2	4	2								
26	Pellagra	7								2	2	2						1	
	Tuberculosis (total)	962	17	20	8	6	10	27	159	281	188	123	80	31	9	2			1
28	Tuberculosis of the lungs	832	9	11	4	3	5	16	135	246	175	114	75	29	7	2			1
29	Acute miliary tuberculosis	41	3	2	1				5	19	5	4	1	1					
30	Tuberculous meningitis	27	4	4	1	2	2	6	5	2			1						
31	Abdominal tuberculosis	42		2	1		3	5	11	11	5	2		1	1				
32	Pott's disease	5								1	1	3							
33	White swellings	2	1										1						
34	Tuberculosis of other organs	7				1			1		2		2		1				
35	Disseminated tuberculosis	6		1	1				2	2									

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (COLORED)—Continued.																		
	I.—General diseases—Continued.																		
36	Rickets	8	6	1			1												
37	Syphilis	122	48	5	2	1			2	15	21	14	7	5	2				
38	Gonococcus infection	2							1	1									
	Cancer and other malignant tumors (total)	132		1					1	3	15	30	30	26	17	8	1		
39	Of the buccal cavity	6										1	1	2	2				
40	Of the stomach, liver	50									4	12	10	12	7	4	1		
41	Of the peritoneum, intestines, rectum	22									3	5	7	5	2				
42	Of the female genital organs	24								1	7	5	4	1	4	2			
43	Of the breast	14										4	4	2	2	2			
44	Of the skin	2										1	1						
45	Of other organs or of organs not specified	14		1					1	2	1	2	3	4					
46	Other tumors (tumors of the female genital organs excepted)	2								1		1							
47	Acute articular rheumatism	15						1	1	1	3	2	1	2	2	1		1	
48	Chronic rheumatism and gout	6							1				1	2	1	1			
49	Scurvy	3	3																
50	Diabetes	11							2	1	2	2	1	2	1				
51	Exophthalmic goiter	1									1								
53	Leukemia	3							1	1			1						
54	Anemia, chlorosis	5								1	1	1	2						
56	Alcoholism (acute or chronic)	18								4	4	6	1	2		1			
57	Chronic lead poisoning	1												1					
59	Other chronic poisonings	1								1									
	II.—Diseases of the nervous system and of the organs of special sense	518	56	10	3	1	1	8	14	15	25	56	97	103	76	32	13	2	6
60	Encephalitis	4								1	1	1	1						
61	Meningitis (total)	20	7	3	2	1	1	4	1	1									
	Simple meningitis	12	7	2				1	1	1									
	Cerebrospinal meningitis (undefined)	5			1	1	1	2											
	Cerebrospinal fever	3		1	1			1											
62	Locomotor ataxia	2										1		1					
63	Other diseases of the spinal cord (total)	15	3	3	1				3	1		1	1	1	1				
	Acute anterior poliomyelitis	9	2	3	1				2	1									
	Other diseases of the spinal cord [1]	6	1						1			1	1	1	1				
64	Cerebral hemorrhage, apoplexy	284						1	1	5	13	35	72	75	56	17	3	2	4
65	Softening of the brain	3													2		1		
66	Paralysis without specified cause	78						2				9	12	16	15	14	9		1
67	General paralysis of the insane	20								2	5	5	4	4					
68	Other forms of mental alienation	7								3			2	2					
69	Epilepsy	22	3						6	2	2	3	2	2		1			1
70	Convulsions (nonpuerperal)	2							1		1								
71	Convulsions of infants	45	42	3															
74	Other diseases of the nervous system	9	1					1	1		3		2		1				
75	Diseases of the eyes and their annexa	1												1					
76	Diseases of the ears	6		1					1			1	1	1	1				
	III.—Diseases of the circulatory system	613	1	2		1		1	14	32	60	92	134	106	107	43	9	1	10
77	Pericarditis	5										3	1			1			
78	Acute endocarditis	21							3	2	4	4	7	1					
79	Organic diseases of the heart	497	1	1				1	8	24	49	76	108	92	88	31	7	1	10
80	Angina pectoris	9									2	2	5						
81	Diseases of the arteries, atheroma, aneurism, etc.	61							1	1	2	6	8	11	19	11	2		
82	Embolism and thrombosis	11		1					1	1	2		4	2					
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2								1		1							
84	Diseases of the lymphatic system (lymphangitis, etc.)	2				1							1						
85	Hemorrhage; other diseases of the circulatory system	5							1	3	1								
	IV.—Diseases of the respiratory system	844	281	80	28	12	10	17	36	46	66	76	63	54	44	25	4		2
86	Diseases of the nasal fossae	6	6																
88	Diseases of the thyroid body	2							2										
89	Acute bronchitis	60	34	7	4	3		1	1				3	3	3	1			
90	Chronic bronchitis	26	5						1	1		2	4	3	5	4	1		
91	Bronchopneumonia	301	161	48	20	6	6	6	5	5	6	11	8	8	6	5			
92	Pneumonia (total)	407	71	24	2	2	4	10	24	36	56	53	45	38	25	13	2		2
	Lobar pneumonia	315	30	11		1	3	9	20	31	53	50	41	31	21	12	2		
	Pneumonia (undefined)	92	41	13	2	1	1	1	4	5	3	3	4	7	4	1			2
93	Pleurisy	14				1			2	2	2	5	1		1				
94	Pulmonary congestion, pulmonary apoplexy	4	2											1	1				
95	Gangrene of the lung	4								1	2					1			
96	Asthma	9										3	1	1	2	1	1		
97	Pulmonary emphysema	1													1				
98	Other diseases of the respiratory system (tuberculosis excepted)	10	2	1	2				1	1		2	1						

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (COLORED)—Continued.																		
	V.—Diseases of the digestive system	531	272	49	11	4	4	17	16	26	29	26	30	19	14	10	1		3
99	Diseases of the mouth and annexa	10	9											1					
100	Diseases of the pharynx	9						2	2	3	1					1			
102	Ulcer of the stomach	10								1	6	3							
103	Other diseases of the stomach (cancer excepted)	67	18	5	1			1	1	7	5	6	5	7	7	4			
104	Diarrhea and enteritis (under 2 years)	282	241	41															
105	Diarrhea and enteritis (2 years and over)	49			10	4	4	8	3		3	2	7	3	2	2	1		
108	Appendicitis and typhlitis	24						3	5	5	5	4		1					1
109	Hernia, intestinal obstruction (total)	34	3	2				1	1	2	6	4	6	3	2	3			1
	Hernia	12	1							1	2	2	2	1	1	1			1
	Intestinal obstruction	22	2	2				1	1	1	4	2	4	2	1	2			
110	Other diseases of the intestines	6							2	1		2	1						
111	Acute yellow atrophy of the liver	1								1									
113	Cirrhosis of the liver	20	1						1	1	2	5	7	2	1				
114	Biliary calculi	2											1		1				
115	Other diseases of the liver	6		1				1		2			1	1					
117	Simple peritonitis (nonpuerperal)	10						1	1	3	1		1	1	1				1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1											1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	544	5	3	3	2	1	4	6	33	53	101	130	96	64	25	11		7
119	Acute nephritis	75	2	3	2		1	3	3	10	6	20	10	8	5	1	1		
120	Bright's disease	426	1		1	2		1	1	14	37	74	117	85	54	24	8		7
122	Other diseases of the kidneys and annexa	6									2	2	1		1				
124	Diseases of the bladder	5										1		2	1		1		
125	Diseases of the urethra, urinary abscess, etc	3	1									2							
126	Diseases of the prostate	5												1	3		1		
127	Nonvenereal diseases of the male genital organs	1	1																
129	Uterine tumor (noncancerous)	7								2	4	1							
130	Other diseases of the uterus	4							1	2	1								
131	Cysts and other tumors of the ovary	3									1		2						
132	Salpingitis and other diseases of the female genital organs	9							1	5	2	1							
	VII.—The puerperal state	43							8	16	15	4							
134	Accidents of pregnancy	1									1								
135	Puerperal hemorrhage	3								1	2								
136	Other accidents of labor	8							1	3	2	2							
137	Puerperal septicemia	18							2	8	7	1							
138	Puerperal albuminuria and convulsions	11							5	4	2								
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2									1	1							
	VIII.—Diseases of the skin and of the cellular tissue	13		1					1		1	1	2	1	4	1			1
142	Gangrene	9							1		1		2	1	2	1			1
144	Acute abscess	1										1							
145	Other diseases of the skin and annexa	3		1											2				
	IX.—Diseases of the bones and of the organs of locomotion	7	1		1		1			1			2	1					
146	Diseases of the bones (tuberculosis excepted)	6	1		1		1			1			1	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1											1						
	X.—Malformations	34	32	2															
150	Congenital malformations (stillbirths not included) (total)	34	32	2															
	Hydrocephalus	1	1																
	Congenital malformations of the heart	29	27	2															
	Other congenital malformations	4	4																
	XI.—Early infancy	357	357																
151	Congenital debility, icterus, and sclerema (total)	289	289																
	Premature birth	156	156																
	Congenital debility, "atrophy," "marasmus," etc	133	133																
152	Other causes peculiar to early infancy (total)	60	60																
	Injuries at birth	15	15																
	Other causes peculiar to early infancy [1]	45	45																
153	Lack of care	8	8																
	XII.—Old age	72											2	3	19	26	18	2	2
154	Senility	72											2	3	19	26	18	2	2

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (COLORED)—Continued.																		
	XIII.—External causes	246	12	3	7	5	7	15	29	42	33	27	28	21	2	4	2	1	8
	Suicide (total)	13							1	2	6	2	1						1
155	By poison	3									2	1							
157	By hanging or strangulation	2									1	1							
158	By drowning	3									2		1						
159	By firearms	4							1	1	1								1
163	Other suicides	1								1									
	Accidental or undefined (total)	202	11	3	7	5	7	15	26	23	22	21	25	21	2	4	2	1	7
164	Poisoning by food	1			1														
165	Other acute poisonings	8		1	2		1	1		2									1
166	Conflagration	4					1	1				1				1			
167	Burns (conflagration excepted)	40	1		3	4	4	6	4	2	5	5	4			1		1	
168	Absorption of deleterious gases (conflagration excepted)	5	3							1							1		
169	Accidental drowning	57	1	2				3	16	10	7	8	4	2					4
170	Traumatism by firearms	12						1	4	3	1		1			1			1
171	Traumatism by cutting or piercing instruments	2								1			1						
172	Traumatism by fall	28	4		1	1	1	1		1	2	1	5	9	1		1		
174	Traumatism by machines	2									1	1							
175	Traumatism by other crushing (total)	22						2	1	3	4	2	6	3					1
	Railroad accidents and injuries	9								1	3	2	2						1
	Street-car accidents and injuries	6						1		2	1		1	1					
	Automobile accidents and injuries	1						1											
	Injuries by other vehicles	5							1				2	2					
	Landslide, other crushing	1											1						
176	Injuries by animals	3											1	2					
177	Starvation	1	1																
178	Excessive cold	4									1	1		2					
179	Effects of heat	2	1													1			
185	Fractures (cause not specified)	1											1						
186	Other external violence	10							1		1	2	2	3	1				
	Homicide (total)	31	1						2	17	5	4	2						
182	By firearms	17							2	9	4		2						
183	By cutting or piercing instruments	7								5	1	1							
184	By other means	7	1							3		3							
	XIV.—Ill-defined diseases	163	81	18	3	4		1	2	4	6	8	5	11	10	5	2		3
187	Ill-defined organic disease	8		1							1	1	1	1	2		1		
188	Sudden death	5	3									2							
189	Not specified or ill-defined (total)	150	78	17	3	4		1	2	4	5	5	4	10	8	5	1		3
	Ill-defined	55	15	15	1	2				3	1	4	3	4	4	3			
	Not specified, or unknown	95	63	2	2	2		1	2	1	4	1	1	6	4	2	1		3
	MASSACHUSETTS.																		
	All causes	53,065	9,414	1,901	702	459	347	1,010	1,632	3,229	3,836	4,829	6,054	7,314	7,627	3,989	657	25	40
	1.—General diseases	13,621	988	610	306	212	181	451	677	1,553	1,636	1,820	1,823	1,679	1,177	450	54	1	3
1	Typhoid fever	247		1	2	3		7	46	77	43	39	24	5					
4	Malaria	6		1				2			1	1			1				
5	Smallpox	10	3	1					1	1	2	1	1						
6	Measles	271	88	97	29	19	15	12	4	2	2			3					
7	Scarlet fever	201	12	37	19	27	28	42	18	13	4		1						
8	Whooping cough	468	261	133	37	18	8	10				1							
9	Diphtheria and croup	732	58	114	105	86	70	212	63	9	7	1	5	2					
10	Influenza	312	23	14	1	2	5	6	3	7	6	17	36	36	74	67	15		
13	Cholera nostras	10	1			1				1				3	3	1			
14	Dysentery	94	36	7	5	2	1	1	1	1		5	3	6	14	10	2		
17	Leprosy	3								1	1		1						
18	Erysipelas	142	53	1	1				1	5	18	14	21	7	10	7	3	1	
19	Other epidemic diseases	20	9	7								2		2					
20	Purulent infection and septicemia	94	15	4	2			2	5	12	7	11	7	19	8	2			
21	Glanders	1										1							
22	Anthrax	4									2	1	1						
23	Rabies	6						3				2	1						
24	Tetanus	36	7			1		2	6	3	3	5	2	4	1	2			
25	Mycoses	7		1						2	1	1		1	1				
26	Pellagra	25								1	7	5	6	3	3				
	Tuberculosis (total)	5,136	191	154	86	39	39	116	438	1,249	1,131	861	450	254	105	20	2		1
28	Tuberculosis of the lungs	4,182	48	34	12	7	8	25	354	1,126	1,034	790	409	227	88	17	2		1
29	Acute miliary tuberculosis	145	13	11	4	1	3	5	16	31	33	20	4	3	1				
30	Tuberculous meningitis	444	100	97	54	23	20	63	30	23	15	11	3	3	2				
31	Abdominal tuberculosis	163	19	11	9	5	3	12	19	29	20	14	13	3	5	1			
32	Pott's disease	63	2		3	2	3	5	11	4	10	9	9	3	2				
33	White swellings	23	2	1		1		1	3	4	4	2	2	1	2				
34	Tuberculosis of other organs	69	4		1		1	3	4	16	10	7	5	11	5	2			
35	Disseminated tuberculosis	47	3		3		1	2	1	16	5	8	5	3					
36	Rickets	26	16	9	1														
37	Syphilis	215	102	8	1	1			1	9	25	35	18	11	4				
38	Gonococcus infection	21	7				1		1	5	2	3	1	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MASSACHUSETTS—Continued.																		
	I.—General diseases—Continued.																		
	Cancer and other malignant tumors (total)	3,809	1	2	6	1	3	1	15	48	210	564	920	980	740	289	28		1
39	Of the buccal cavity	146			1		1		1		7	9	35	36	37	16	3		
40	Of the stomach, liver	1,281			1	1	1		1	9	45	158	323	370	278	86	8		
41	Of the peritoneum, intestines, rectum	715							2	8	36	92	156	190	165	62	4		
42	Of the female genital organs	540							1	10	52	136	137	127	61	11	5		
43	Of the breast	414									26	82	118	81	61	41	4		1
44	Of the skin	91								2	4	1	14	22	24	21	3		
45	Of other organs or of organs not specified	622	1	2	4		1	1	10	19	40	86	137	154	114	52	1		
46	Other tumors (tumors of the female genital organs excepted)	17	1							1	1	4	1	2	2	3	2		
47	Acute articular rheumatism	111	4		1	2	6	11	25	13	12	8	9	7	8	4	1		
48	Chronic rheumatism and gout	35								2		4	3	8	8	9	1		
49	Scurvy	2	2																
50	Diabetes	785	1		3	3	2	15	28	39	47	85	166	222	145	29			
51	Exophthalmic goiter	35							2	9	6	10	5	1	2				
52	Addison's disease	27			1				2	3	5	5	6	4		1			
53	Leukemia	74	2	1	2	1		1	8	12	5	13	13	8	6	2			
54	Anemia, chlorosis	255	8	7		1		5	5	11	22	37	59	65	32	3			
55	Other general diseases	132	87	11	4	5	3	3	4	2	3	1	3	4	1	1			
56	Alcoholism (acute or chronic)	232								13	59	78	55	17	9				1
57	Chronic lead poisoning	16								1	3	4	5	3					
59	Other chronic poisonings	4								1	1	1		1					
	II.—Diseases of the nervous system and of the organs of special sense	5,402	261	78	46	30	19	65	89	100	207	463	761	1,152	1,341	705	81	3	1
60	Encephalitis	15	3	4	1	1			1	1	2			2					
61	Meningitis (total)	324	103	35	24	21	13	30	26	18	12	20	7	6	7	2			
	Simple meningitis	214	70	26	13	14	9	18	15	12	7	12	4	5	7	2			
	Cerebrospinal meningitis (undefined)	64	19	6	5	5	2	11	5	2	3	2	3	1					
	Cerebrospinal fever	46	14	3	6	2	2	1	6	4	2	6							
62	Locomotor ataxia	102								1	7	23	28	26	12	5			
63	Other diseases of the spinal cord (total)	229	7	8	7	1	1	3	12	8	7	33	36	48	47	8	3		
	Acute anterior poliomyelitis	41	6	8	7		1	2	8		1	1	4	2	1				
	Other diseases of the spinal cord [1]	188	1			1		1	4	8	6	32	32	46	46	8	3		
64	Cerebral hemorrhage, apoplexy	3,699	9	4	1	3		2	9	15	72	225	562	956	1,150	615	72	3	1
65	Softening of the brain	46									2	2	4	4	16	17	1		
66	Paralysis without specified cause	160	3								1	4	18	37	59	36	2		
67	General paralysis of the insane	276								3	58	93	61	32	22	7			
68	Other forms of mental alienation	37							2	4	5	7	6	6	4	3			
69	Epilepsy	124	8	1	1			8	21	21	14	19	10	10	9	2			
70	Convulsions (nonpuerperal)	4						1		1		1			1				
71	Convulsions of infants	118	88	17	9	2	2												
72	Chorea	4						1	1		1					1			
73	Neuralgia and neuritis	9										2	1	3	2		1		
74	Other diseases of the nervous system	162	15	2			3	9	8	18	22	27	22	18	11	6	1		
75	Diseases of the eyes and their annexa	8	4			1		1	1							1			
76	Diseases of the ears	85	21	7	3	1		10	8	10	4	7	6	4	1	2	1		
	III.—Diseases of the circulatory system	9,302	85	19	11	12	6	87	208	245	429	658	1,228	2,051	2,602	1,414	233	7	7
77	Pericarditis	41	1		1			2	5	3	4	2	5	7	7	4			
78	Acute endocarditis	422	29	2		6	2	20	39	35	66	68	124	11	17	3			
79	Organic diseases of the heart	6,620	20	12	6	6	2	60	160	195	315	517	901	1,567	1,866	862	123	3	5
80	Angina pectoris	351								1	11	18	52	113	103	49	4		
81	Diseases of the arteries, atheroma, aneurism, etc	1,546						1		2	9	23	97	292	552	464	101	4	1
82	Embolism and thrombosis	237	4	1				3	3	8	18	21	41	52	51	30	5		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	33							1		4	7	8	6	5	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	41	27	4	2		2	1		1	1			2					1
85	Hemorrhage; other diseases of the circulatory system	11	4		2						1	2		1	1				
	IV.—Diseases of the respiratory system	7,044	1,596	632	173	73	41	96	123	263	368	528	663	873	956	546	109	2	2
86	Diseases of the nasal fossae	9	4					1		2			1	1					
87	Diseases of the larynx	46	14	14	3		1	1	1	1	2	2	3	1	3				
88	Diseases of the thyroid body	16								2		4	4	3	3				
89	Acute bronchitis	461	251	62	15	5		3		1	2	5	11	19	30	47	10		
90	Chronic bronchitis	341	10	4			1	3	1	4	6	15	27	57	109	79	25		
91	Bronchopneumonia	2,253	922	342	89	31	18	33	24	36	27	61	92	139	239	164	34	1	1
92	Pneumonia (total)	3,627	371	196	58	33	18	49	88	195	309	405	487	612	534	235	36	1	
	Lobar pneumonia	3,224	310	169	50	31	16	45	79	175	279	372	421	556	482	211	27	1	
	Pneumonia (undefined)	403	61	27	8	2	2	4	9	20	30	33	66	56	52	24	9		
93	Pleurisy	126	9	11	8	4	3	4	7	18	5	20	17	9	8	2	1		
94	Pulmonary congestion, pulmonary apoplexy	65	10	1				1		1	3	2	1	8	18	17	3		
95	Gangrene of the lung	16	1	1					1	1	2	2	4	2	1	1			
96	Asthma	42	2								3	7	11	12	7				
97	Pulmonary emphysema	4							1					2	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	38	2	1				1		2	9	5	5	8	3	1			1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MASSACHUSETTS—Continued.																		
	V.—Diseases of the digestive system	5,248	2,523	417	84	45	27	110	128	164	219	346	379	350	282	147	25	2	.....
99	Diseases of the mouth and annexa	23	5	1	.....	.....	.....	4	2	3	2	2	1	.....	2	1	.....	.....	.....
100	Diseases of the pharynx	110	12	9	7	6	6	19	9	11	7	4	6	6	5	2	1	.....	.....
101	Diseases of the esophagus	6	.....	.....	.....	.....	.....	1	.....	.....	.....	1	2	1	.....	1	.....	.....	.....
102	Ulcer of the stomach	156	1	1	.....	.....	.....	1	1	10	27	24	39	29	18	3	1	1	.....
103	Other diseases of the stomach (cancer excepted)	238	103	5	3	1	1	1	.....	5	2	14	18	20	29	28	8	.....	.....
104	Diarrhea and enteritis (under 2 years)	2,704	2,317	387	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	364	.....	.....	56	23	9	24	7	17	21	34	35	41	47	40	9	1	.....
107	Intestinal parasites	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	415	.....	2	9	7	7	43	86	64	53	61	44	29	9	1	.....	.....	.....
109	Hernia, intestinal obstruction (total)	377	62	4	7	2	1	6	10	14	21	35	52	66	58	36	3	.....	.....
	Hernia	155	10	.....	2	.....	.....	1	3	4	11	15	31	38	29	10	1	.....	.....
	Intestinal obstruction	222	52	4	5	2	1	5	7	10	10	20	21	28	29	26	2	.....	.....
110	Other diseases of the intestines	100	14	2	1	.....	.....	1	3	6	10	14	16	17	13	3	.....	.....	.....
111	Acute yellow atrophy of the liver	15	.....	1	.....	1	.....	.....	1	1	2	2	1	1	4	.....	1	.....	.....
112	Hydatid tumor of the liver	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	338	.....	2	.....	1	.....	1	2	4	34	77	86	71	48	11	1	.....	.....
114	Biliary calculi	138	.....	.....	.....	1	.....	.....	1	3	12	29	36	29	22	5	.....	.....	.....
115	Other diseases of the liver	141	1	3	.....	.....	.....	1	1	8	12	30	22	31	18	13	1	.....	.....
116	Diseases of the spleen	6	.....	.....	.....	.....	1	.....	.....	2	2	1	.....	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	73	6	.....	.....	3	1	8	4	12	8	9	9	4	7	2	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	41	2	.....	.....	.....	1	.....	1	4	6	8	11	5	2	1	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,957	48	13	4	11	8	14	55	177	305	473	728	842	868	368	40	2	1
119	Acute nephritis	237	22	8	1	5	3	6	9	32	28	36	33	20	21	11	2	.....	.....
120	Bright's disease	3,197	12	4	3	4	4	6	39	94	219	358	624	760	736	302	29	2	1
122	Other diseases of the kidneys and annexa	85	10	1	.....	2	.....	2	2	5	7	13	7	14	15	5	2	.....	.....
123	Calculi of the urinary passages	39	.....	.....	.....	.....	.....	.....	.....	4	3	10	6	6	7	3	.....	.....	.....
124	Diseases of the bladder	59	.....	.....	.....	.....	.....	.....	1	1	1	2	4	9	22	17	2	.....	.....
125	Diseases of the urethra, urinary abscess, etc	14	1	.....	.....	.....	1	.....	.....	1	1	3	6	.....	1	.....	.....	.....	.....
126	Diseases of the prostate	123	.....	.....	.....	.....	.....	.....	.....	1	.....	2	14	25	52	26	3	.....	.....
127	Nonvenereal diseases of the male genital organs	5	3	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....
128	Uterine hemorrhage (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	58	.....	.....	.....	.....	.....	.....	.....	4	13	18	13	2	5	3	.....	.....	.....
130	Other diseases of the uterus	35	.....	.....	.....	.....	.....	.....	.....	9	5	7	12	1	1	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	33	.....	.....	.....	.....	.....	.....	.....	8	3	5	5	5	6	.....	1	.....	.....
132	Salpingitis and other diseases of the female genital organs	67	.....	.....	.....	.....	.....	.....	4	17	23	18	4	.....	.....	1	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	3	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....
	VII.—The puerperal state	533	.....	.....	.....	.....	.....	.....	22	251	210	50	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	44	.....	.....	.....	.....	.....	.....	2	22	15	5	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	58	.....	.....	.....	.....	.....	.....	1	22	26	9	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	64	.....	.....	.....	.....	.....	.....	.....	25	34	5	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	155	.....	.....	.....	.....	.....	.....	12	76	56	11	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	165	.....	.....	.....	.....	.....	.....	7	84	57	17	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	45	.....	.....	.....	.....	.....	.....	.....	22	20	3	.....	.....	.....	.....	.....	.....	.....
140	Following childbirth (not otherwise defined)	2	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	190	35	8	1	1	.....	4	5	10	9	12	19	20	33	25	6	1	1
142	Gangrene	70	.....	2	1	.....	.....	1	.....	1	1	2	4	12	24	17	4	1	.....
143	Furuncle	27	4	1	.....	.....	.....	.....	3	1	5	2	7	1	1	1	1	.....	.....
144	Acute abscess	47	15	4	.....	.....	.....	2	1	7	2	4	7	2	1	1	.....	.....	1
145	Other diseases of the skin and annexa	46	16	1	.....	1	.....	1	1	1	1	4	1	5	7	6	1	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	123	11	4	2	1	.....	12	23	11	12	17	15	9	3	3	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	106	10	4	1	1	.....	12	22	8	12	17	9	5	3	2	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	12	.....	.....	1	.....	.....	.....	.....	2	.....	.....	5	3	.....	1	.....	.....	.....
149	Other diseases of the organs of locomotion	5	1	.....	.....	.....	.....	.....	1	1	.....	.....	1	1	.....	.....	.....	.....	.....
	X.—Malformations	711	662	24	10	3	2	5	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	711	662	24	10	3	2	5	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	77	63	6	3	2	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	417	394	11	5	1	1	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	217	205	7	2	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MASSACHUSETTS—Continued.																		
	XI.—Early infancy	3,028	3,028																
151	Congenital debility, icterus, and sclerema (total)	2,270	2,270																
	Premature birth	1,608	1,608																
	Congenital debility, "atrophy," "marasmus," etc	662	662																
152	Other causes peculiar to early infancy (total)	743	743																
	Injuries at birth	466	466																
	Other causes peculiar to early infancy [1]	277	277																
153	Lack of care	15	15																
	XII.—Old age	332										1		20	82	156	68	5	
154	Senility	332										1		20	82	156	68	5	
	XIII.—External causes	3,358	100	78	64	70	61	166	296	447	435	443	421	288	260	164	40	2	23
	Suicide (total)	507							14	95	87	101	101	64	25	8	4		8
155	By poison	73							2	20	12	12	12	12	2	1			
156	By asphyxia	119							3	20	14	29	27	22	3	1			
157	By hanging or strangulation	67								5	15	17	11	9	5	2	1		2
158	By drowning	61							4	18	7	10	9	6	3	1			3
159	By firearms	126							5	26	28	23	23	9	6	2	1		3
160	By cutting or piercing instruments	37								3	7	7	12	4	2	1	1		
161	By jumping from high places	15								3	2	3	4	1	2				
162	By crushing	5									2		1		1		1		
163	Other suicides	4											2	1	1				
	Accidental or undefined (total)	2,731	93	77	64	70	59	162	276	312	327	321	310	220	232	155	36	2	15
164	Poisoning by food	25	4	2	2	2	1	2	4		4	1	1	1	1				
165	Other acute poisonings	73	7	9	6	4		1	2	9	16	11	4	2	1	1			
166	Conflagration	77	1	3	3	2	2	9	20	3	6	6	9	6	5	2			
167	Burns (conflagration excepted)	264	14	40	29	26	24	20	7	15	8	17	20	20	18	4		1	1
168	Absorption of deleterious gases (conflagration excepted)	148	42				1		3	14	16	25	20	13	8	3	2		1
169	Accidental drowning	360	1	5	5	7	5	53	93	66	38	37	29	10	5	1			5
170	Traumatism by firearms	30						2	14	4	5	1	3		1				
171	Traumatism by cutting or piercing instruments	2							1					1					
172	Traumatism by fall	718	5	8	3	5	5	6	12	31	76	71	94	100	137	132	32	1	
173	Traumatism in mines and quarries (total)	7							1		4	2							
	Traumatism in quarries	7							1		4	2							
174	Traumatism by machines	71		1					12	15	14	13	10	4	2				
175	Traumatism by other crushing (total)	755	2	7	11	22	19	66	92	123	110	107	88	50	42	8	2		6
	Railroad accidents and injuries	253			3	1	4	8	32	59	44	42	27	18	10	1			4
	Street-car accidents and injuries	91			6	3	2	3	2	11	11	16	14	7	13	2			1
	Automobile accidents and injuries	265	1	1		10	11	47	41	33	34	32	27	13	11	2	1		1
	Injuries by other vehicles	131	1	6	2	8	2	8	15	15	18	15	17	12	8	3	1		
	Landslide, other crushing	15							2	5	3	2	3						
176	Injuries by animals	9							1	2		4	2						
177	Starvation	1										1							
178	Excessive cold	18	4						1		2	5	1	2	2				1
179	Effects of heat	17	2						1	1	2	3	3	3		2			
180	Lightning	3							1		1			1					
181	Electricity (lightning excepted)	22						1	2	8	9	2							
185	Fractures (cause not specified)	13								1	3	1	4	2	1	1			
186	Other external violence	118	11	2	5	2	2	2	9	20	13	14	22	5	9	1			1
	Homicide (total)	120	7	1			2	4	6	40	21	21	10	4	3	1			
182	By firearms	55					1	2	1	25	10	9	5	2					
183	By cutting or piercing instruments	20							2	8	5	5							
184	By other means	45	7	1			1	2	3	7	6	7	5	2	3	1			
	XIV.—Ill-defined diseases	216	77	18	1	1	2		2	7	6	18	17	30	23	11	1		2
187	Ill-defined organic disease	2	1									1							
188	Sudden death	16	7	2						1		2	2	1		1			
189	Not specified or ill-defined (total)	198	69	16	1	1	2		2	6	6	15	15	29	23	10	1		2
	Ill-defined	141	35	14	1		1		1	3	4	13	13	28	20	7	1		
	Not specified, or unknown	57	34	2		1	1		1	3	2	2	2	1	3	3			2
	MICHIGAN.																		
	All causes	40,425	6,930	1,081	456	272	204	738	1,361	2,742	2,942	3,100	4,234	5,650	6,492	3,595	540	25	63
	I.—General diseases	9,239	516	229	129	109	80	308	542	1,179	1,104	966	1,301	1,345	995	381	44	1	10
1	Typhoid fever	354	3		4	7	3	19	65	102	63	39	19	23	6				1
4	Malaria	13	1							2	2	1	3	2	1	1			
5	Smallpox	5	1							1	1		1	1					
6	Measles	104	22	42	11	8	5	9	4	1		1	1						

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MICHIGAN—Continued.																		
	I.—General diseases—Continued.																		
7	Scarlet fever	110	6	7	10	9	7	34	19	8	3	3	2	2					
8	Whooping cough	234	149	57	14	6	4	4											
9	Diphtheria and croup	361	17	38	42	47	24	120	43	10	4	7	3	4	2				
10	Influenza	528	53	15	5		2	4	9	7	7	29	44	73	138	120	20		2
13	Cholera nostras	11	3	2						1		1		2	1	1			
14	Dysentery	50	11	3	5	1	1	2			3	4		7	7	6			
17	Leprosy	2									1			1					
18	Erysipelas	108	22	3	1			1	1	6	10	11	17	13	16	6	1		
19	Other epidemic diseases	10	5		2	1				1				1					
20	Purulent infection and septicemia	79	10		2			6	6	6	12	6	12	6	8	4	1		
24	Tetanus	29	8		1	1	1	6	1	4	1	2	1	3					
26	Pellagra	12									3	3		2	4				
	Tuberculosis (total)	2,962	51	44	14	16	15	57	297	873	675	359	288	180	77	11	2		3
28	Tuberculosis of the lungs	2,477	12	13	6	5	4	16	245	770	597	304	262	162	67	10	1		3
29	Acute miliary tuberculosis	79	4	1			1	2	13	30	13	8	4	2	1				
30	Tuberculous meningitis	145	29	26	7	9	8	29	6	9	14	5	2	1					
31	Abdominal tuberculosis	103		2	1	2	1	3	9	30	24	16	6	6	3				
32	Pott's disease	38	1					1	7	8	5	4	5	4	2	1			
33	White swellings	25						2	4	3	1	9	3	1	2				
34	Tuberculosis of other organs	62	3	2				3	6	15	13	9	5	3	2		1		
35	Disseminated tuberculosis	33	2				1	1	7	8	8	4	1	1					
36	Rickets	13	9	1				1		1					1				
37	Syphilis	204	77	1	5	1			3	11	35	25	25	14	5	1			1
38	Gonococcus infection	7	1					1	1	1		2	1						
	Cancer and other malignant tumors (total)	2,554			2	1	6	5	9	31	139	318	631	706	526	161	16	1	2
39	Of the buccal cavity	105								3	4	6	25	26	28	11	2		
40	Of the stomach, liver	1,080					2	2	2	4	48	101	267	334	249	64	5	1	1
41	Of the peritoneum, intestines, rectum	318								3	13	49	73	92	74	13	1		
42	Of the female genital organs	350							1	9	42	81	111	69	26	11			
43	Of the breast	212								2	11	49	59	49	29	12	1		
44	Of the skin	110			1		1	1			2	5	13	25	32	23	6		1
45	Of other organs or of organs not specified	379			1	1	3	2	6	10	19	27	83	111	88	27	1		
46	Other tumors (tumors of the female genital organs excepted)	17	1			1				1	1	1	4	1	4	3			
47	Acute articular rheumatism	160	4			2	3	14	28	17	15	13	15	19	24	6			
48	Chronic rheumatism and gout	41		1			1	1			1	3	3	11	10	8	2		
49	Scurvy	8	6	1				1											
50	Diabetes	547	1	2	1	5	4	16	39	41	38	34	107	138	92	28	1		
51	Exophthalmic goiter	77	1						1	12	16	19	10	13	5				
52	Addison's disease	21								2	5	4	8	2					
53	Leukemia	58		1	3	1	4	1	1	7	8	6	9	9	6	2			
54	Anemia, chlorosis	325	9	3	2	1		2	9	17	27	42	64	85	49	15			
55	Other general diseases	101	44	8	5	1		4	4	5	6	3	6	7	4	3	1		
56	Alcoholism (acute or chronic)	101							2	8	25	22	21	13	6	3			1
57	Chronic lead poisoning	7									1	2	2	1	1				
58	Other chronic occupation poisonings	3								1		2							
59	Other chronic poisonings	23	1							2	2	4	4	6	2	2			
	II.—Diseases of the nervous system and of the organs of special sense	4,764	354	93	38	19	12	46	87	105	188	375	604	975	1,236	566	60	2	4
60	Encephalitis	37	9	2		1			5	3	4	9	3			1			
61	Meningitis (total)	276	82	46	16	13	7	20	26	18	14	11	13	6	4				
	Simple meningitis	182	56	29	10	6	5	9	16	12	10	8	12	6	3				
	Cerebrospinal meningitis (undefined)	81	21	17	4	6	2	10	7	6	3	3	1		1				
	Cerebrospinal fever	13	5		2	1		1	3		1								
62	Locomotor ataxia	86								1	5	15	28	20	16	1			
63	Other diseases of the spinal cord (total)	205	13	6	5	1	2	6	9	10	5	16	27	53	42	10			
	Acute anterior poliomyelitis	35	4	5	5	1	2	4	6	3	2	2	1						
	Other diseases of the spinal cord [1]	170	9	1				2	3	7	3	14	26	53	42	10			
64	Cerebral hemorrhage, apoplexy	2,549	9	5	2	1		5	3	21	57	157	362	639	845	406	35		2
65	Softening of the brain	48									1	2	6	13	18	7	1		
66	Paralysis without specified cause	585	2				1		3	3	11	25	62	141	207	107	19	2	2
67	General paralysis of the insane	272								5	44	73	54	41	41	13	1		
68	Other forms of mental alienation	73							1	4	16	16	8	15	9	3	1		
69	Epilepsy	138	5	2	3			5	23	22	11	20	14	15	15	2	1		
70	Convulsions (nonpuerperal)	5						1	1					2		1			
71	Convulsions of infants	240	215	19	5	1													
72	Chorea	10							4		2			1	3				
73	Neuralgia and neuritis	29								1	1	6	3	7	7	4			
74	Other diseases of the nervous system	162	9	4	6	2	1	4	5	14	15	21	24	19	25	11	2		
75	Diseases of the eyes and their annexa	3		1										1	1				
76	Diseases of the ears	46	10	8	1		1	5	7	3	2	4		2	3				
	III.—Diseases of the circulatory system	6,297	72	11	6	5	4	42	97	170	293	420	841	1,462	1,890	888	84	4	8
77	Pericarditis	51			1			3	4	2	2	2	12	13	6	6			
78	Acute endocarditis	189	7	2	1			6	17	18	29	33	57	12	4	3			
79	Organic diseases of the heart	4,854	40	5	2	5	4	31	71	130	244	325	649	1,172	1,477	639	53	2	5
80	Angina pectoris	276	1						1	3	7	26	35	91	84	22	5		1
81	Diseases of the arteries, atheroma, aneurism, etc.	734	1							1	3	14	57	142	295	193	25	2	1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MICHIGAN—Continued.																		
	III.—Diseases of the circulatory system—Continued.																		
82	Embolism and thrombosis	113	3	3					2	10	7	10	20	19	18	19	1		1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	27								4		6	4	5	5	3			
84	Diseases of the lymphatic system (lymphangitis, etc.)	31	17		2			1	2	2		1	2	3		1			
85	Hemorrhage; other diseases of the circulatory system	22	3	1				1			1	3	5	5	1	2			
	IV.—Diseases of the respiratory system	4,300	1,060	309	108	49	34	90	88	185	248	283	349	497	575	366	54		5
86	Diseases of the nasal fossae	4	4																
87	Diseases of the larynx	40	16	6	4	1		5		1	1	1			1	4			
88	Diseases of the thyroid body	35	2						1	5	3	11	3	5	4	1			
89	Acute bronchitis	400	226	33	16	10	4	5	1	2	4	2	5	19	24	43	6		
90	Chronic bronchitis	290	2	3		1		5	1	5	8	6	22	46	86	96	9		
91	Bronchopneumonia	1,022	449	150	42	20	17	25	15	11	22	15	28	71	92	58	7		
92	Pneumonia (total)	2,110	328	108	40	12	12	44	63	145	184	203	248	292	289	117	21		4
	Lobar pneumonia	1,125	129	55	23	6	4	21	37	96	114	130	155	171	129	42	10		3
	Pneumonia (undefined)	985	199	53	17	6	8	23	26	49	70	73	93	121	160	75	11		1
93	Pleurisy	107	2	4	4	2		4	5	7	9	17	14	17	15	7			
94	Pulmonary congestion, pulmonary apoplexy	101	28	1	2	1	1	2			2	6	7	4	23	18	6		
95	Gangrene of the lung	15								1	1	4	1	5	2	1			
96	Asthma	103	2	2		1			2	1	4	6	12	25	28	16	4		
97	Pulmonary emphysema	13		2						1	1			2	3	3	1		
98	Other diseases of the respiratory system (tuberculosis excepted)	60	1			1				6	9	12	9	11	8	2			1
	V.—Diseases of the digestive system	4,134	1,306	297	89	39	28	98	174	236	264	301	356	349	393	175	22	1	6
99	Diseases of the mouth and annexa	25	7	1				2	2	2		4	4	1		2			
100	Diseases of the pharynx	88	5	2	2	3	3	13	10	11	16	8	5	2	6	2			
101	Diseases of the esophagus	10			2						1	1	3	1	1	1			
102	Ulcer of the stomach	145						1	2	12	15	30	30	32	16	7			
103	Other diseases of the stomach (cancer excepted)	518	208	30	7	1	2	1	5	13	11	24	28	50	88	40	10		
104	Diarrhea and enteritis (under 2 years)	1,247	1,003	244															
105	Diarrhea and enteritis (2 years and over)	299			59	21	10	16	7	7	21	22	21	34	42	35	4		
107	Intestinal parasites	4			1				1		1	1							
108	Appendicitis and typhlitis	473	2	2	2	4	7	42	110	118	73	48	34	19	7	5			
109	Hernia, intestinal obstruction (total)	399	60	11	8	3	5	11	15	24	30	43	41	38	68	35	4	1	2
	Hernia	104	11	1				1	2	6	2	11	15	14	23	15	2		1
	Intestinal obstruction	295	49	10	8	3	5	10	13	18	28	32	26	24	45	20	2	1	1
110	Other diseases of the intestines	92	5	1	2			4	5	8	13	10	9	7	12	14	2		
111	Acute yellow atrophy of the liver	16				1				1	4	3	3	1	3				
112	Hydatid tumor of the liver	1											1						
113	Cirrhosis of the liver	387		1	1	2			5	9	35	55	95	87	76	17			4
114	Biliary calculi	104							1		8	15	27	27	19	6	1		
115	Other diseases of the liver	189	4			1		2	5	9	17	25	33	36	47	9	1		
116	Diseases of the spleen	8								1		4		2		1			
117	Simple peritonitis (nonpuerperal)	107	12	5	5	3		6	6	17	18	5	13	8	8	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	22					1			4	1	3	9	4					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,998	58	13	9	4	4	26	52	135	179	329	440	655	714	340	33		7
119	Acute nephritis	226	27	7	6	1	2	9	15	22	21	26	23	27	28	11			1
120	Bright's disease	2,231	18	3	3	2	2	16	30	70	97	230	369	557	549	252	27		6
122	Other diseases of the kidneys and annexa	71	7	1		1				5	5	11	8	13	13	7			
123	Calculi of the urinary passages	21						1	1		2	3	4	4	6				
124	Diseases of the bladder	92	4	1						1	2	1	5	6	40	29	3		
125	Diseases of the urethra, urinary abscess, etc	9									4	2	1	1	1				
126	Diseases of the prostate	157										6	9	37	64	38	3		
127	Nonvenereal diseases of the male genital organs	3	2	1															
128	Uterine hemorrhage (nonpuerperal)	2							1			1							
129	Uterine tumor (noncancerous)	66								2	14	26	12	2	9	1			
130	Other diseases of the uterus	32							1	10	11	5	4		1				
131	Cysts and other tumors of the ovary	34								5	4	10	5	6	2	2			
132	Salpingitis and other diseases of the female genital organs	51							4	19	19	8		1					
133	Nonpuerperal diseases of the breast (cancer excepted)	3								1				1	1				
	VII.—The puerperal state	538							44	251	191	51	1						
134	Accidents of pregnancy	45							3	21	17	4							
135	Puerperal hemorrhage	64							2	22	27	13							
136	Other accidents of labor	47							2	26	14	4	1						
137	Puerperal septicemia	204							13	104	73	14							
138	Puerperal albuminuria and convulsions	149							23	62	48	16							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	26							1	14	11								
140	Following childbirth (not otherwise defined)	3								2	1								

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MICHIGAN—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	188	32	6	1		1	1	3	3	5	6	12	18	39	49	10		2
142	Gangrene	105	1		1							4	5	11	31	40	10		2
143	Furuncle	18	2	1				1	1		3	2	2	2	2	2			
144	Acute abscess	27	6	2			1			2	2		5	2	4	3			
145	Other diseases of the skin and annexa	38	23	3					2	1				3	2	4			
	IX.—Diseases of the bones and of the organs of locomotion	71	6	4	2		1	4	11	7	8	9	7	4	6	2			
146	Diseases of the bones (tuberculosis excepted)	63	6	4	2		1	4	11	7	7	6	5	3	5	2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7									1	2	2	1	1				
149	Other diseases of the organs of locomotion	1										1							
	X.—Malformations	598	566	14	7	4	1	3	1	1	1								
150	Congenital malformations (stillbirths not included) (total)	598	566	14	7	4	1	3	1	1	1								
	Hydrocephalus	60	46	3	4	2	1	2	1		1								
	Congenital malformations of the heart	353	344	6	2	1													
	Other congenital malformations	185	176	5	1	1		1		1									
	XI.—Early infancy	2,828	2,828																
151	Congenital debility, icterus, and sclerema (total)	2,287	2,287																
	Premature birth	1,540	1,540																
	Congenital debility, "atrophy," "marasmus," etc	747	747																
152	Other causes peculiar to early infancy (total)	534	534																
	Injuries at birth	293	293																
	Other causes peculiar to early infancy [1]	241	241																
153	Lack of care	7	7																
	XII.—Old age	1,329											2	45	398	670	197	17	
154	Senility	1,329											2	45	398	670	197	17	
	XIII.—External causes	2,880	62	76	63	41	38	119	259	461	451	344	301	252	216	142	34		21
	Suicide (total)	465							12	78	99	85	92	54	25	13	1		6
155	By poison	141							7	31	26	32	21	17	6	1			
156	By asphyxia	31								10	4	4	8	4	1				
157	By hanging or strangulation	85								8	17	10	23	14	5	6	1		1
158	By drowning	33								5	8	3	7	5	1	2			2
159	By firearms	129							5	21	30	25	23	10	9	3			3
160	By cutting or piercing instruments	40								3	12	11	7	4	3				
161	By jumping from high places	2									1					1			
162	By crushing	3									1		2						
163	Other suicides	1											1						
	Accidental or undefined (total)	2,317	58	76	63	41	38	118	240	352	330	243	201	192	188	129	33		15
164	Poisoning by food	33	2	2	1	8	2	1	4	3	2	1	2	3	1	1			
165	Other acute poisonings	78	2	14	11	3	2	5	3	7	11	10	5	3	2				
166	Conflagration	47	3	4	3	1	4	3	1	5	4	4	5	5	5				
167	Burns (conflagration excepted)	169	9	22	22	17	6	11	12	16	10	9	10	8	12	4	1		
168	Absorption of deleterious gases (conflagration excepted)	75	20	2	1				6	10	9	10	6	5	4	1	1		
169	Accidental drowning	273	2	13	7	1	5	26	82	48	31	26	8	15	4	3	1		1
170	Traumatism by firearms	60				1	1	8	22	8	7	7	4						2
171	Traumatism by cutting or piercing instruments	5						2	1	1			1						
172	Traumatism by fall	461	6	7	2		4	7	16	28	32	23	35	57	105	107	30		2
173	Traumatism in mines and quarries (total)	105							3	37	35	19	6	3	2				
	Traumatism in mines	105							3	37	35	19	6	3	2				
174	Traumatism by machines	60				1			9	19	14	10	2	5					
175	Traumatism by other crushing (total)	719	2	6	8	6	12	43	60	128	139	94	86	76	40	10			9
	Railroad accidents and injuries	295		2	3		1	9	28	57	68	43	30	27	13	5			9
	Street-car accidents and injuries	108				2	2	3	5	21	24	16	15	15	4	1			
	Automobile accidents and injuries	188		2	4	3	6	23	17	29	25	25	23	17	12	2			
	Injuries by other vehicles	105	1	1	1	1	3	8	9	14	14	9	16	15	11	2			
	Landslide, other crushing	23	1	1					1	7	8	1	2	2					
176	Injuries by animals	35		1		1	2	2	6	2	1	5	7	5	3				
177	Starvation	2													1	1			
178	Excessive cold	14							1		3	1	5	1	2	1			
179	Effects of heat	11	3	1				1		1	1		1	2	1				
180	Lightning	9								3	2	2		2					
181	Electricity (lightning excepted)	34							2	13	9	7	3						
185	Fractures (cause not specified)	7	1					1			3	1			1				
186	Other external violence	120	8	4	8	2		8	12	23	17	14	15	2	5	1			1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MICHIGAN—Continued.																		
	XIII.—External causes—Contd.																		
	Homicide (total)	98	4					1	7	31	22	16	8	6	3				
182	By firearms	53							5	17	13	11	3	2	2				
183	By cutting or piercing instruments	14								7	2	1		3	1				
184	By other means	31	4					1	2	7	7	4	5	1					
	XIV.—Ill-defined diseases	261	70	29	4	2	1	1	3	9	10	16	20	48	30	16	2		
187	Ill-defined organic disease	26	1							1		2	3	6	7	6			
188	Sudden death	14	5	1								2	2	4					
189	Not specified or ill-defined (total)	221	64	28	4	2	1	1	3	8	10	12	15	38	23	10	2		
	Ill-defined	121	4	26	3	1	1	1	2	4	9	6	8	29	18	7	2		
	Not specified, or unknown	100	60	2	1	1			1	4	1	6	7	9	5	3			
	MINNESOTA.																		
	All causes	22,794	3,871	510	282	159	131	483	956	1,759	1,923	1,956	2,618	2,724	3,015	2,037	344	10	16
	I.—General diseases	6,284	352	162	106	61	52	216	422	867	811	724	890	776	577	243	25		
1	Typhoid fever	153			1		1	7	22	55	38	13	6	7	3				
5	Smallpox	7	1					2	1		1	1		1					
6	Measles	87	24	26	9	2		9	11	4	1	1							
7	Scarlet fever	145	9	7	18	13	11	36	35	11	3	1	1						
8	Whooping cough	165	110	39	6	2	2	4	1					1					
9	Diphtheria and croup	192	20	16	25	19	16	44	21	18	3	6	4						
10	Influenza	237	30	6	7		1	3	6	9	8	9	12	25	51	57	13		
13	Cholera nostras	8	4	2			1									1			
14	Dysentery	24	6	2	1	1	2	3		2	1		1	1	3	1			
17	Leprosy	1													1				
18	Erysipelas	57	18	3	1	2		1		2	6	2	8	4	5	4	1		
19	Other epidemic diseases	5		1		1		1	2										
20	Purulent infection and septicemia	39	4	2	1			1	4	2	5	2	4	5	4	4	1		
22	Anthrax	2									1			1					
23	Rabies	1					1												
24	Tetanus	39	3		1		1	6	5	6	9	2	4	2					
25	Mycoses	1										1							
26	Pellagra	1									1								
	Tuberculosis (total)	2,281	51	39	27	11	9	59	223	645	517	305	217	112	58	8			
28	Tuberculosis of the lungs	1,818	17	9	3	2	1	19	159	546	463	257	184	102	49	7			
29	Acute miliary tuberculosis	77	1	2	2	2		2	11	24	16	9	7	1					
30	Tuberculous meningitis	174	30	23	19	7	6	29	28	17	4	9	1		1				
31	Abdominal tuberculosis	95	2	1	1		1	1	12	32	17	15	9	3	1				
32	Pott's disease	44		2				6	5	14	5	2	6	2	2				
33	White swellings	16						1	4	3	1	1	3	1	2				
34	Tuberculosis of other organs	42	1	2	1		1	1	3	6	7	10	5	2	2	1			
35	Disseminated tuberculosis	15			1				1	3	4	2	2	1	1				
36	Rickets	14	7	3	2	1							1						
37	Syphilis	112	40	6					3	7	13	21	14	7		1			
38	Gonococcus infection	10	2							2	4	2							
	Cancer and other malignant tumors (total)	1,780	1	1	3	1	1	6	9	30	99	240	438	470	355	120	6		
39	Of the buccal cavity	77		1							1	3	19	16	19	16	2		
40	Of the stomach, liver	854							2	7	20	98	225	244	202	56			
41	Of the peritoneum, intestines, rectum	232					1	1	1	5	18	33	43	69	48	13			
42	Of the female genital organs	178								1	25	42	54	36	20				
43	Of the breast	126								1	16	29	34	25	14	7			
44	Of the skin	42								1	1	2	3	9	14	11	1		
45	Of other organs or of organs not specified	271	1		3	1		5	6	15	18	33	60	71	38	17	3		
46	Other tumors (tumors of the female genital organs excepted)	7	2	1		1					1	1	1						
47	Acute articular rheumatism	95	1		2	2	4	17	18	6	5	7	9	9	6	7	2		
48	Chronic rheumatism and gout	42							1	1	3	2	2	9	10	14			
49	Scurvy	1	1																
50	Diabetes	366	2		1	3	1	14	47	28	23	27	72	73	55	18	2		
51	Exophthalmic goiter	53							7	11	12	12	6	2	1	2			
52	Addison's disease	14								3	3	4	4						
53	Leukemia	51		3	1				3	6	4	9	17	6	2				
54	Anemia, chlorosis	137	2	2		1		1	1	2	9	29	43	28	16	3			
55	Other general diseases	36	14	3		1	1	2	2	4	1		3	2	2	1			
56	Alcoholism (acute or chronic)	111								12	39	23	21	11	5				
57	Chronic lead poisoning	3								1		1	1						
59	Other chronic poisonings	7									1	3	1			2			
	II.—Diseases of the nervous system and of the organs of special sense	2,090	151	40	17	7	12	44	50	51	38	173	297	397	465	261	36	1	
60	Encephalitis	17	2	1				4	2		4		3	1					
61	Meningitis (total)	138	39	13	9	1	9	10	7	11	13	14	4	3	3	1	1		
	Simple meningitis	74	22	6	7		7	4	3	4	4	9	2	2	2	1	1		
	Cerebrospinal meningitis (undefined)	34	12	1	1	1		3	3	2	6	4			1				
	Cerebrospinal fever	30	5	6	1		2	3	1	5	3	1	2	1					
62	Locomotor ataxia	43							1		3	9	14	11	2	3			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MINNESOTA—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
63	Other diseases of the spinal cord (total)	131	5	4	3		2	8	11	5	5	10	14	28	25	11			
	Acute anterior poliomyelitis	30	5	4	2		1	6	7	1	1			2	1				
	Other diseases of the spinal cord [1]	101			1		1	2	4	4	4	10	14	26	24	11			
64	Cerebral hemorrhage, apoplexy	1,241	3	2	1			3	2	8	17	83	190	304	388	214	25	1	
65	Softening of the brain	11										1	2	3	3	1	1		
66	Paralysis without specified cause	85		1				1	1			4	6	18	28	19	7		
67	General paralysis of the insane	73								1	7	24	16	11	8	5	1		
68	Other forms of mental alienation	42							1	6	4	8	13	6	2	2			
69	Epilepsy	84	1	2	1		1	9	10	10	19	7	14	7		3			
70	Convulsions (nonpuerperal)	3						1	1			1							
71	Convulsions of infants	95	80	12	2	1													
73	Neuralgia and neuritis	6									1		1	1	2	1			
74	Other diseases of the nervous system	75	15	2	1	2		2	9	7	7	11	13	2	3		1		
75	Diseases of the eyes and their annexa	1														1			
76	Diseases of the ears	45	6	3		3		6	5	3	8	1	7	2	1				
	III.—Diseases of the circulatory system	2,943	27	4	1	4	5	19	74	95	154	220	425	571	703	546	95		
77	Pericarditis	12				1			1	1			3	2	3	1			
78	Acute endocarditis	125	5	2		1		6	8	18	14	16	41	6	6	2			
79	Organic diseases of the heart	2,279	8	1	1	2	5	12	62	72	129	167	325	476	548	411	60		
80	Angina pectoris	100								2	3	13	25	31	20	6			
81	Diseases of the arteries, atheroma, aneurism, etc.	317	1						1	1	2	10	21	36	103	109	33		
82	Embolism and thrombosis	85	2					1	1		6	11	8	17	22	15	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6										1	1	2		2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	14	10	1						1			1	1					
85	Hemorrhage; other diseases of the circulatory system	5	1						1			2			1				
	IV.—Diseases of the respiratory system	2,512	632	121	52	29	13	40	74	81	133	145	213	245	400	286	46	1	1
86	Diseases of the nasal fossae	6	3									1			2				
87	Diseases of the larynx	14	4	1	1	4	1	1				2							
88	Diseases of the thyroid body	29							2	4	4	5	5	5	4				
89	Acute bronchitis	124	64	7	3	1	1			1		1	2	9	16	17	2		
90	Chronic bronchitis	153	1	1	2				3	1	5	2	6	22	54	45	10		1
91	Bronchopneumonia	860	416	75	30	13	6	19	6	7	11	11	29	42	95	84	15	1	
92	Pneumonia (total)	1,152	135	32	12	11	5	18	56	59	101	105	149	146	196	114	13		
	Lobar pneumonia	969	84	23	7	8	2	16	50	49	91	93	139	135	172	91	9		
	Pneumonia (undefined)	183	51	9	5	3	3	2	6	10	10	12	10	11	24	23	4		
93	Pleurisy	68	3	2	2			2	4	8	8	9	10	8	8	3	1		
94	Pulmonary congestion, pulmonary apoplexy	32	4						1			1	4	2	8	8	4		
95	Gangrene of the lung	7			1				1	1		2	1	1					
96	Asthma	44									3	3	4	6	12	15	1		
97	Pulmonary emphysema	2										1		1					
98	Other diseases of the respiratory system (tuberculosis excepted)	21	2	3	1				1		1	2	3	3	5				
	V.—Diseases of the digestive system	2,067	600	112	51	23	18	69	114	129	143	168	187	167	169	101	15	1	
99	Diseases of the mouth and annexa	15			1	1			1		2	3	4	2		1			
100	Diseases of the pharynx	58	7	1	4	2	2	8	9	8	4	3	5	1	3	1			
101	Diseases of the esophagus	5	1				1				1				2				
102	Ulcer of the stomach	107					1	1	5	7	9	17	26	19	15	7			
103	Other diseases of the stomach (cancer excepted)	111	46	1	1	2			1	1	6	4	5	7	14	19	4		
104	Diarrhea and enteritis (under 2 years)	591	492	99															
105	Diarrhea and enteritis (2 years and over)	154			37	5	7	9	4	10	8	13	12	9	21	16	3		
108	Appendicitis and typhlitis	356	2	5	3	7	2	38	71	65	51	46	35	21	9	1			
109	Hernia, intestinal obstruction (total)	215	36	5	4	3	3	4	8	7	15	14	30	28	32	21	5		
	Hernia	86	6	1		2	1			3	7	4	18	16	17	10	1		
	Intestinal obstruction	129	30	4	4	1	2	4	8	4	8	10	12	12	15	11	4		
110	Other diseases of the intestines	76	9	1	1	1	1	2	5	11	13	6	6	6	9	3	2		
111	Acute yellow atrophy of the liver	10	1							3	2		1	2		1			
112	Hydatid tumor of the liver	1												1					
113	Cirrhosis of the liver	170	2			2		1	3	4	16	28	30	34	37	12		1	
114	Biliary calculi	81	1							2	6	19	14	18	14	7			
115	Other diseases of the liver	78	1					3	2	4	5	10	17	14	12	9	1		
116	Diseases of the spleen	7								1	2	1	2	1					
117	Simple peritonitis (nonpuerperal)	22	2				1	2	4	5	2	1		2	1	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10						1	1	1	1	3		2		1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,093	17	9	5	4	4	10	29	80	140	217	341	393	498	307	39		
119	Acute nephritis	113	5	2	2	2	4	5	11	9	12	16	15	11	12	5	2		
120	Bright's disease	1,640	6	4	3	2		5	16	49	92	163	280	331	416	244	29		
122	Other diseases of the kidneys and annexa	47	3	3						6	6	3	5	8	6	5	2		
123	Calculi of the urinary passages	28									4	2	10	4	7	1			
124	Diseases of the bladder	39									1	3	3	8	9	13	2		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MINNESOTA—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
125	Diseases of the urethra, urinary abscess, etc	6										2		1	2	1			
126	Diseases of the prostate	128									1	2	13	29	45	34	4		
127	Nonvenereal diseases of the male genital organs	2	1													1			
129	Uterine tumor (noncancerous)	28									5	13	8	1		1			
130	Other diseases of the uterus	19							1	4	6	5	2			1			
131	Cysts and other tumors of the ovary	10							1	2	1	3	1		1	1			
132	Salpingitis and other diseases of the female genital organs	32	1							10	12	5	4						
133	Nonpuerperal diseases of the breast (cancer excepted)	1	1																
	VII.—The puerperal state	286							12	116	127	31							
134	Accidents of pregnancy	22								10	7	5							
135	Puerperal hemorrhage	40								10	21	9							
136	Other accidents of labor	28								8	16	4							
137	Puerperal septicemia	101							5	46	43	7							
138	Puerperal albuminuria and convulsions	79							7	35	31	6							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	13								4	9								
140	Following childbirth (not otherwise defined)	3								3									
	VIII.—Diseases of the skin and of the cellular tissue	80	24	1	1				4	3	3	2	3	5	11	19	4		
142	Gangrene	30							1			1	1	3	9	11	4		
143	Furuncle	9	2	1					2		2			1		1			
144	Acute abscess	12	5		1				1	2				1		2			
145	Other diseases of the skin and annexa	29	17							1	1	1	2		2	5			
	IX.—Diseases of the bones and of the organs of locomotion	61	4	1	1	1	2	9	8	3	5	6	10	5	3	3			
146	Diseases of the bones (tuberculosis excepted)	51	4		1	1	2	9	8	3	5	3	9	3	3				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7		1								2		1		3			
149	Other diseases of the organs of locomotion	3										1	1	1					
	X.—Malformations	329	308	9	3	1	2	2	3	1									
150	Congenital malformations (stillbirths not included) (total)	329	308	9	3	1	2	2	3	1									
	Hydrocephalus	25	22	1	1		1												
	Congenital malformations of the heart	170	159	5	1		1	2	2										
	Other congenital malformations	134	127	3	1	1			1	1									
	XI.—Early infancy	1,621	1,621																
151	Congenital debility, icterus, and sclerema (total)	1,314	1,314																
	Premature birth	1,001	1,001																
	Congenital debility, "atrophy," "marasmus," etc	313	313																
152	Other causes peculiar to early infancy (total)	300	300																
	Injuries at birth	168	168																
	Other causes peculiar to early infancy [1]	132	132																
153	Lack of care	7	7																
	XII.—Old age	340										1	4	14	73	175	66	7	
154	Senility	340										1	4	14	73	175	66	7	
	XIII.—External causes	1,918	41	42	44	28	21	73	161	332	314	265	240	139	105	85	14		14
	Suicide (total)	361							9	58	73	83	74	38	14	10			2
155	By poison	54							4	10	16	12	7	5					
156	By asphyxia	42							1	5	9	11	10	4		2			
157	By hanging or strangulation	80							1	7	9	19	27	8	6	3			
158	By drowning	15									2	3	1	5	3				1
159	By firearms	138							3	35	30	30	22	11	3	3			1
160	By cutting or piercing instruments	19								1	3	5	4	3	2	1			
161	By jumping from high places	8									2	2	3	1					
162	By crushing	2									2								
163	Other suicides	3										1		1		1			
	Accidental or undefined (total)	1,481	38	42	44	28	21	71	146	249	227	172	158	97	89	74	14		11
164	Poisoning by food	22	2	3	3	1			2	2	1	3	2	2	1				
165	Other acute poisonings	38		4	9	2		3		6	5	2	4		3				
166	Conflagration	39	1	4	1	2	2	3	3	3	3	6	2	1	4	1			3
167	Burns (conflagration excepted)	96	4	11	15	9	7	7	7	8	5	5	7	4	2	4	1		
168	Absorption of deleterious gases (conflagration excepted)	86	15					6	4	21	11	4	7	8	6	4			
169	Accidental drowning	203	2	9	4	3		11	57	42	38	17	10	3	3	1			3
170	Traumatism by firearms	57			1	1		5	16	12	10	6	3	3					
171	Traumatism by cutting or piercing instruments	1									1								
172	Traumatism by fall	257	3	3	2	2	1	11	7	15	19	28	29	22	48	55	12		

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MINNESOTA—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
173	Traumatism in mines and quarries (total)	32							2	11	11	5	3						
	Traumatism in mines	31							2	10	11	5	3						
	Traumatism in quarries	1								1									
174	Traumatism by machines	47			1			1		13	16	8	4	2	2				
175	Traumatism by other crushing (total)	421		2	3	4	7	15	38	84	77	69	59	39	14	5			5
	Railroad accidents and injuries	214				1		4	14	48	45	47	24	19	5	2			5
	Street-car accidents and injuries	19						4	1	2	4	2	4	2					
	Automobile accidents and injuries	85		1	2	1	4	5	12	14	13	7	14	8	3	1			
	Injuries by other vehicles	88		1	1	2	3	2	11	14	13	10	15	8	6	2			
	Landslide, other crushing	15								6	2	3	2	2					
176	Injuries by animals	38		1	2		2	3	2	6	6	2	6	4	2	2			
177	Starvation	2													1	1			
178	Excessive cold	17	1								6	5	3	2					
179	Effects of heat	6											3	2	1				
180	Lightning	13						1	4	4	2		2						
181	Electricity (lightning excepted)	14								8	3	3							
185	Fractures (cause not specified)	5											1	1	1	1	1		
186	Other external violence	87	10	5	3	4	2	5	4	14	13	9	13	4	1				
	Homicide (total)	76	3					2	6	25	14	10	8	4	2	1			1
182	By firearms	42							4	15	8	8	3	2		1			1
183	By cutting or piercing instruments	4	1					1		1	1								
184	By other means	30	2					1	2	9	5	2	5	2	2				
	XIV.—Ill-defined diseases	170	94	9	1	1	2	1	5	1	5	4	8	12	11	11	4		1
188	Sudden death	9	4				1				1					2	1		
189	Not specified or ill-defined (total)	161	90	9	1	1	1	1	5	1	4	4	8	12	11	9	3		1
	Ill-defined	46	7	4	1				2	1	3	2	3	8	6	6	2		
	Not specified, or unknown	115	83	5			1	1	3		1	2	5	4	5	3	1		1
	MISSOURI.																		
	All causes	40,757	5,605	1,275	641	367	279	874	1,654	3,256	3,539	3,874	4,518	5,386	5,796	3,030	485	34	144
	I.—General diseases	12,060	741	401	266	196	154	447	751	1,678	1,549	1,476	1,457	1,381	1,060	418	50	3	32
1	Typhoid fever	522	8	8	12	13	8	42	115	132	61	38	45	24	13		1		2
4	Malaria	388	68	35	26	10	13	29	35	28	27	31	26	31	19	7			3
5	Smallpox	14	1				1		3	3		1	2	1	1	1			
6	Measles	154	31	40	16	12	3	17	14	12	1	4	2	1					1
7	Scarlet fever	75	5	11	10	6	6	18	16	2			1						
8	Whooping cough	276	147	59	24	14	10	19	2	1									
9	Diphtheria and croup	685	48	99	101	88	74	190	55	16	3	5	4		1	1			
10	Influenza	722	68	29	18	7	7	12	15	18	20	33	50	99	190	132	24		
13	Cholera nostras	13	2					1					3	1	3	2	1		
14	Dysentery	199	34	31	10	8	1	3	3	7	3	5	10	19	31	26	5	1	2
18	Erysipelas	117	41	6	1			1	2	6	7	7	16	12	14	3	1		
19	Other epidemic diseases	7	1	2	1		1	1	1										
20	Purulent infection and septicemia	77	4	2	4	1	1	3	13	9	6	6	8	9	8	2			1
23	Rabies	2							1	1									
24	Tetanus	69	17	1	1	3		10	7	5	7	8	5	5					
25	Mycoses	2									1			1					
26	Pellagra	34						1		3	9	6	8	5	2				
	Tuberculosis (total)	4,916	112	57	32	22	16	58	375	1,286	1,076	791	500	350	181	48	3		9
28	Tuberculosis of the lungs	4,350	49	21	11	9	11	27	319	1,174	1,001	735	462	309	167	44	2		9
29	Acute miliary tuberculosis	93	4	1	2			1	13	32	18	10	7	4	1				
30	Tuberculous meningitis	176	50	28	15	11	2	17	13	17	10	7	4	2					
31	Abdominal tuberculosis	173	5	5	2		1	7	14	34	31	23	20	21	7	3			
32	Pott's disease	33			1			1	6	7	3	6	1	6	2				
33	White swellings	22	1			2		1	2	9	2	2	1	1		1			
34	Tuberculosis of other organs	55	3	2			2	3	8	10	7	6	3	7	3		1		
35	Disseminated tuberculosis	14			1			1		3	4	2	2		1				
36	Rickets	18	9	2	1			1					1	2	1	1			
37	Syphilis	293	104	6	2	1	2	3	2	19	50	41	36	17	8				2
38	Gonococcus infection	22	2						3	9	6	2							
	Cancer and other malignant tumors (total)	2,297	2	4	2	3	3	4	15	41	145	347	540	586	437	150	11	2	5
39	Of the buccal cavity	103							1		3	13	25	36	17	7	1		
40	Of the stomach, liver	879			1				2	5	41	107	197	269	189	64	2		2
41	Of the peritoneum, intestines, rectum	290		2	1	1	2		4	8	19	35	59	71	67	20	1		
42	Of the female genital organs	326							1	10	30	85	100	62	29	5	1	2	1
43	Of the breast	203									23	52	54	42	23	7	2		
44	Of the skin	120					1	1		3	2	5	20	25	34	25	4		
45	Of other organs or of organs not specified	376	2	2		2		3	7	15	27	50	85	81	78	22			2
46	Other tumors (tumors of the female genital organs excepted)	11		1							1	1	1	1	6				
47	Acute articular rheumatism	149	3		2	3	2	11	27	13	14	12	23	17	11	10	1		
48	Chronic rheumatism and gout	54							2	5	2	4	7	12	15	4	3		
49	Scurvy	2	1											1					
50	Diabetes	478	2		2	1	1	15	32	29	41	38	90	124	82	17			4

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MISSOURI—Continued.																		
	I.—General diseases—Contd.																		
51	Exophthalmic goiter	55	1							7	12	19	9	6	1				
52	Addison's disease	12							1	1	3	2	3	1	1				
53	Leukemia	48	1		1	2	1	7	5	2	4	5	12	5	3				
54	Anemia, chlorosis	122	7	2		1	3		5	5	8	23	26	23	13	5			1
55	Other general diseases	60	22	6		1	1	1	2	4	3	5	3	5	3	4			
56	Alcoholism (acute or chronic)	107								11	24	29	17	14	7	3			2
57	Chronic lead poisoning	11									4	3		4					
59	Other chronic poisonings	49								3	11	10	9	5	9	2			
	II.—Diseases of the nervous system and of the organs of special sense	3,590	138	56	44	17	14	45	78	93	192	327	473	752	892	408	41	6	14
60	Encephalitis	25	7	1	2				4	1	4	3	1	2					
61	Meningitis (total)	216	53	35	22	7	5	19	23	16	15	7	5	3	3				3
	Simple meningitis	87	25	14	8	2	3	6	8	6	6	4	1	2	2				
	Cerebrospinal meningitis (undefined)	51	12	10	6	2	1	8	6	1		2		1					2
	Cerebrospinal fever	78	16	11	8	3	1	5	9	9	9	1	4		1				1
62	Locomotor ataxia	82							1		6	11	22	23	17	1	1		
63	Other diseases of the spinal cord (total)	221	12	7	9	4	4	8	4	7	12	12	25	53	44	18	2		
	Acute anterior poliomyelitis	40	9	7	8	4	3	4	2		1	1	1						
	Other diseases of the spinal cord [1]	181	3		1		1	4	2	7	11	11	24	53	44	18	2		
64	Cerebral hemorrhage, apoplexy	2,077	6	2	6	1		3	9	18	52	157	289	547	633	311	29	5	9
65	Softening of the brain	54							1		1	3	2	14	17	16			
66	Paralysis without specified cause	303	1				1	1	3	5	5	13	30	63	127	45	7	1	1
67	General paralysis of the insane	253							2	6	59	76	55	26	22	6	1		
68	Other forms of mental alienation	40							2	4	7	9	7	3	6	2			
69	Epilepsy	124	4	1		2	1	3	15	22	21	17	18	11	8	1			
70	Convulsions (nonpuerperal)	2						1	1										
71	Convulsions of infants	38	32	4	1		1												
72	Chorea	3							1			2							
73	Neuralgia and neuritis	11								1		1	2	4	2	1			
74	Other diseases of the nervous system	83	7	1	2		1	4	8	8	7	10	14	2	11	6	1		1
75	Diseases of the eyes and their annexa	3	2													1			
76	Diseases of the ears	55	14	5	2	3	1	6	4	5	3	6	3	1	2				
	III.—Disease of the circulatory system	4,914	36	7	8	4	6	40	100	150	293	454	685	987	1,309	714	100	5	16
77	Pericarditis	51				1		2		2	8	7	7	12	6	5	1		
78	Acute endocarditis	158	5	1	3	1		9	12	12	30	20	28	11	14	11	1		
79	Organic diseases of the heart	3,511	18	4	2	1	6	27	80	120	215	358	529	750	919	402	64	3	13
80	Angina pectoris	200							1	6	10	14	32	58	62	16			1
81	Diseases of the arteries, atheroma, aneurism, etc	836	1					1	2	3	19	45	65	130	276	260	31	1	2
82	Embolism and thrombosis	110	1					1	4	4	6	7	14	23	27	19	3	1	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7									2	1	4						
84	Diseases of the lymphatic system (lymphangitis, etc.)	20	9	1	3	1				1				2	3				
85	Hemorrhage; other diseases of the circulatory system	21	2	1					1	2	3	2	6	1	2	1			
	IV.—Diseases of the respiratory system	5,040	934	273	122	50	43	90	139	235	293	363	493	617	793	489	90	5	11
86	Diseases of the nasal fossae	5	3								1					1			
87	Diseases of the larynx	34	7	7	3	3	2	4	1	1	1		2	2	1				
88	Diseases of the thyroid body	16							1	1	3	4	4	2	1				
89	Acute bronchitis	308	140	23	9	8	2	6	6	3	2	4	8	17	31	37	12		
90	Chronic bronchitis	302	12					1	2	10	11	6	32	46	95	68	16	3	
91	Bronchopneumonia	1,373	493	151	66	18	18	22	21	16	25	43	43	116	180	130	27	1	3
92	Pneumonia (total)	2,740	257	89	41	20	19	52	99	184	232	280	371	395	438	225	29	1	8
	Lobar pneumonia	2,629	233	84	39	18	18	50	96	177	222	275	367	382	419	215	27	1	6
	Pneumonia (undefined)	111	24	5	2	2	1	2	3	7	10	5	4	13	19	10	2		2
93	Pleurisy	86	8	2	1	1	2	3	7	12	5	12	11	12	8	2			
94	Pulmonary congestion, pulmonary apoplexy	39	7					1		1	3	2	2	2	8	8	5		
95	Gangrene of the lung	8								1		2	2	3					
96	Asthma	84	4	1	1			1		2	2	6	10	17	23	16	1		
97	Pulmonary emphysema	4												2	2				
98	Other diseases of the respiratory system (tuberculosis excepted)	41	3		1				2	4	8	4	8	3	6	2			
	V.—Diseases of the digestive system	3,901	1,058	407	121	49	29	101	172	180	249	289	349	369	332	161	29	1	5
99	Diseases of the mouth and annexa	25	10	1	2		1	2				2	4	1	2				
100	Diseases of the pharynx	79	16	4	7	6	7	13	6	13	3	2		1		1			
101	Diseases of the esophagus	5	1						1				1	1	1				
102	Ulcer of the stomach	119						1	6	13	13	21	26	19	15	5			
103	Other diseases of the stomach (cancer excepted)	321	91	15	5	2	1	4	6	5	6	16	24	34	66	35	10		1
104	Diarrhea and enteritis (under 2 years)	1,236	864	372															
105	Diarrhea and enteritis (2 years and over)	406			102	31	13	23	10	11	17	32	29	44	46	37	7	1	3
107	Intestinal parasites	4			2			1							1				
108	Appendicitis and typhlitis	405	2		1	3	2	35	103	73	82	46	30	16	8	4			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MISSOURI—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
109	Hernia, intestinal obstruction (total)	341	50	9	1	5	4	12	9	20	25	33	43	57	46	23	4		
	Hernia	139	16	1						4	8	19	21	29	26	13	2		
	Intestinal obstruction	202	34	8	1	5	4	12	9	16	17	14	22	28	20	10	2		
110	Other diseases of the intestines	102	9	3			1	4	7	5	5	11	12	18	20	7			
111	Acute yellow atrophy of the liver	17						1		2	2		3	2	6	1			
112	Hydatid tumor of the liver	3										1	2						
113	Cirrhosis of the liver	431		1				3	1	9	43	74	106	108	63	20	2		1
114	Biliary calculi	135							1	6	17	10	32	33	25	9	2		
115	Other diseases of the liver	177	9	1					6	9	20	27	30	28	29	15	3		
116	Diseases of the spleen	1										1							
117	Simple peritonitis (nonpuerperal)	79	5	1	1	2		2	16	10	15	9	4	7	3	3	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	15	1							4	1	4	3		1	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	4,161	36	20	14	8	6	24	59	147	284	459	655	916	1,009	444	65	3	12
119	Acute nephritis	335	21	11	7	6	3	7	19	25	39	40	44	36	43	25	6	1	2
120	Bright's disease	3,367	9	7	6	2	3	15	29	79	178	353	569	824	859	375	48	1	10
122	Other diseases of the kidneys and annexa	85	5	2	1			2	3	6	8	13	12	12	18	3			
123	Calculi of the urinary passages	27							1	1	4	4	6	5	6				
124	Diseases of the bladder	48							1	1	2	2	2	4	20	10	5	1	
125	Diseases of the urethra, urinary abscess, etc	8								1	3		1	3					
126	Diseases of the prostate	129								1	1	1	8	26	56	31	5		
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	2								1	1								
129	Uterine tumor (noncancerous)	46									16	16	9	2	3				
130	Other diseases of the uterus	25							1	5	5	10	1	1	1		1		
131	Cysts and other tumors of the ovary	24								2	6	10	1	2	3				
132	Salpingitis and other diseases of the female genital organs	63							5	24	21	10	2	1					
133	Nonpuerperal diseases of the breast (cancer excepted)	1								1									
	VII.—The puerperal state	487							56	229	163	39							
134	Accidents of pregnancy	55							1	26	25	3							
135	Puerperal hemorrhage	39							1	17	13	8							
136	Other accidents of labor	34							7	8	15	4							
137	Puerperal septicemia	239							24	126	73	16							
138	Puerperal albuminuria and convulsions	109							21	49	32	7							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	11							2	3	5	1							
	VIII.—Diseases of the skin and of the cellular tissue	110	19	3	3	3		1	1	3		11	15	15	15	19	1	1	
142	Gangrene	57	3	1	1	2				2		1	6	10	12	17	1	1	
143	Furuncle	14	3		1				1			3	3	1	1	1			
144	Acute abscess	19	5	2				1		1		5	3	1	1				
145	Other diseases of the skin and annexa	20	8		1	1						2	3	3	1	1			
	IX.—Diseases of the bones and of the organs of locomotion	45	5	2				4	9	2	8	3	3	4	4	1			
146	Diseases of the bones (tuberculosis excepted)	37	3					4	9	2	7	3	3	3	3				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	6	2	2							1			1					
149	Other diseases of the organs of locomotion	2													1	1			
	X.—Malformations	390	358	17	2		2	3	7				1						
150	Congenital malformations (stillbirths not included) (total)	390	358	17	2		2	3	7				1						
	Hydrocephalus	33	25	3	1		1		2				1						
	Congenital malformations of the heart	226	209	9	1			2	5										
	Other congenital malformations	131	124	5			1	1											
	XI.—Early infancy	1,876	1,876																
151	Congenital debility, icterus, and sclerema (total)	1,523	1,523																
	Premature birth	1,247	1,247																
	Congenital debility, "atrophy," "marasmus," etc	276	276																
152	Other causes peculiar to early infancy (total)	346	346																
	Injuries at birth	170	170																
	Other causes peculiar to early infancy [1]	176	176																
153	Lack of care	7	7																
	XII.—Old age	410											1	6	118	197	79	6	3
154	Senility	410											1	6	118	197	79	6	3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MISSOURI—Continued.																		
	XIII.—External causes	3,116	81	72	54	39	23	117	274	528	494	424	338	258	207	144	21	2	40
	Suicide (total)	675							28	141	133	135	114	79	30	12			3
155	By poison	274							15	63	53	59	44	28	10	2			
156	By asphyxia	33								2	9	10	5	3	4				
157	By hanging or strangulation	76								6	14	12	17	14	6	6			1
158	By drowning	19							1	3	4	5	3	1	2				
159	By firearms	219							12	58	41	40	34	26	4	3			1
160	By cutting or piercing instruments	33								4	8	7	7	5	2				
161	By jumping from high places	9								2	2	2	2		1				
162	By crushing	3									1			1					1
163	Other suicides	9								3	1		2	1	1	1			
	Accidental or undefined (total)	2,130	78	72	53	38	23	116	223	265	281	245	208	169	174	132	21	2	30
164	Poisoning by food	34	2	1	3	4	1	1	2	3	6	1	3	4	2				1
165	Other acute poisonings	70	8	14	4	3			2	10	10	8	5	4	1				1
166	Conflagration	24	3	1			1	1	1	1	2	3	2	4	1	4			
167	Burns (conflagration excepted)	176	6	25	22	15	3	18	12	10	15	16	14	5	9	4	2		
168	Absorption of deleterious gases (conflagration excepted)	61	30	2	1			1	3	4	3	2	6	5	3				1
169	Accidental drowning	193	3	10	2	5	1	20	53	39	19	16	7	6	5	2	1		4
170	Traumatism by firearms	90	1		2		2	11	30	19	13	6	2	1	1	1			1
171	Traumatism by cutting or piercing instruments	7								2	1	2	1	1					
172	Traumatism by fall	472	5	9	7	4	4	17	25	20	33	37	42	49	95	105	17	1	2
173	Traumatism in mines and quarries (total)	85							10	26	23	15	8	1					2
	Traumatism in mines	81							10	25	21	14	8	1					2
	Traumatism in quarries	4								1	2	1							
174	Traumatism by machines	51				1		2	7	9	12	8	3	7	2				
175	Traumatism by other crushing (total)	575	4	2	2	2	8	34	42	83	110	89	83	61	36	5			14
	Railroad accidents and injuries	289		1			2	2	18	58	69	53	34	22	17				13
	Street-car accidents and injuries	54					2	4		8	11	5	13	6	4	1			
	Automobile accidents and injuries	122	1	1	1		2	15	14	10	19	16	22	12	6	2			1
	Injuries by other vehicles	102	3		1	2	2	13	10	6	10	10	13	21	9	2			
	Landslide, other crushing	8								1	1	5	1						
176	Injuries by animals	38			3		2	3	3	3	4	3	5	5	5	2			
178	Excessive cold	24	1							1	1	4	6	3	4	4			
179	Effects of heat	17								2	2	4	2	3	2	1			1
180	Lightning	25	1					1	9	2	3	3	3	3					
181	Electricity (lightning excepted)	18				1			4	4	4	4		1					
185	Fractures (cause not specified)	21							1	4	1	3	5	1	2	1	1	1	1
186	Other external violence	149	14	8	7	3	1	7	19	23	19	21	11	5	6	3			2
	Homicide (total)	311	3		1	1		1	23	122	80	44	16	10	3				7
182	By firearms	211							13	91	59	29	7	6	3				3
183	By cutting or piercing instruments	50			1				8	15	11	9	4	2					
184	By other means	50	3			1		1	2	16	10	6	5	2					4
	XIV.—Ill-defined diseases	657	323	17	7	1	2	2	8	11	14	29	48	81	57	35	9	2	11
187	Ill-defined organic disease	22									1	2	4	8	5	1		1	
188	Sudden death	17	5							1			4	1	1	5			
189	Not specified or ill-defined (total)	618	318	17	7	1	2	2	8	10	13	27	40	72	51	29	9	1	11
	Ill-defined	139	31	10	4				3	3	2	11	11	29	23	7	1		4
	Not specified, or unknown	479	287	7	3	1	2	2	5	7	11	16	29	43	28	22	8	1	7
	MONTANA.																		
	All causes	5,072	816	114	51	47	29	105	218	510	644	636	671	539	457	198	30	1	6
	I.—General diseases	1,218	74	31	18	20	12	36	74	155	181	218	194	118	58	24	4		1
1	Typhoid fever	57				2		3	12	16	15	1	5	3					
5	Smallpox	1											1						
6	Measles	7	2	2			1	2											
7	Scarlet fever	16		4	2	2	2	2	3	1									
8	Whooping cough	36	22	4	2	5	3												
9	Diphtheria and croup	21	2	3	5	3		6		1		1							
10	Influenza	41	7	2				1		3	2	2	2	4	5	10	3		
14	Dysentery	6	2	3											1				
18	Erysipelas	13	8	1						1	2		1						
19	Other epidemic diseases	8							1	2	1	2		1	1				
20	Purulent infection and septicemia	13			1	1		1		2	1	2	3		2				
22	Anthrax	1							1										
24	Tetanus	2									1		1						
	Tuberculosis (total)	530	18	10	7	5	5	10	43	108	106	111	69	28	8	2			
28	Tuberculosis of the lungs	453	8	2	2	2	3	5	37	94	100	102	64	26	7	1			
29	Acute miliary tuberculosis	15							1	5	4	4	1						
30	Tuberculous meningitis	34	9	8	5	3	2	3	1	2			1						
31	Abdominal tuberculosis	15							3	5	2	1	2	1		1			
32	Pott's disease	4	1					1	1						1				
33	White swellings	1										1							
34	Tuberculosis of other organs	4						1		1		2							
35	Disseminated tuberculosis	4								1		1	1	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

MONTANA—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	I.—General diseases—Continued.																		
36	Rickets	1	1																
37	Syphilis	26	7	2						3	5	4	3	2					
38	Gonococcus infection	3							1		1	1							
	Cancer and other malignant tumors (total)	223			1				3	2	19	47	60	54	28	8	1		
39	Of the buccal cavity	6										1		3		2			
40	Of the stomach, liver	100									7	22	24	27	16	3	1		
41	Of the peritoneum, intestines, rectum	26								1	2	7	3	6	6	1			
42	Of the female genital organs	36									7	11	12	4	2				
43	Of the breast	11									1	2	5	3					
44	Of the skin	6										1	3	2					
45	Of other organs or of organs not specified	38			1				3	1	2	3	13	9	4	2			
47	Acute articular rheumatism	22						5	4	4	2	4	1	2					
48	Chronic rheumatism and gout	5										2	1	1		1			
50	Diabetes	65						4	6	3	3	8	18	12	9	2			
51	Exophthalmic goiter	7								1		3	2	1					
52	Addison's disease	4									1	3							
53	Leukemia	6					1			3	1	1							
54	Anemia, chlorosis	26	1			2		1		2	2	4	9	5					
55	Other general diseases	9	4					1		1	1	2							
56	Alcoholism (acute or chronic)	66								2	16	20	17	5	4	1			1
59	Other chronic poisonings	3									2		1						
	II.—Diseases of the nervous system and of the organs of special sense	376	23	10	2	1	3	4	6	20	29	40	70	64	78	23	3		
60	Encephalitis	4	1						2				1						
61	Meningitis (total)	31	9	5	1		2	3		2	4	2	3						
	Simple meningitis	12	3	3	1		1	1			1	1	1						
	Cerebrospinal meningitis (undefined)	12	4	1			1			1	2	1	2						
	Cerebrospinal fever	7	2	1				2		1	1								
62	Locomotor ataxia	9									1	1	4	2	1				
63	Other diseases of the spinal cord (total)	14				1				1	1	1	5	2	3				
	Acute anterior poliomyelitis	1				1													
	Other diseases of the spinal cord [1]	13								1	1	1	5	2	3				
64	Cerebral hemorrhage, apoplexy	196	4							3	9	13	32	51	62	20	2		
65	Softening of the brain	2												1	1				
66	Paralysis without specified cause	21							1	1	1	1	4	3	8	1	1		
67	General paralysis of the insane	32								3	4	11	10	2	2				
68	Other forms of mental alienation	19								2	4	5	4	2		2			
69	Epilepsy	18							2	6	4	3	3						
70	Convulsions (nonpuerperal)	1											1						
71	Convulsions of infants	11	7	3	1														
72	Chorea	1							1										
74	Other diseases of the nervous system	10	1				1	1		1		2	2	1	1				
76	Diseases of the ears	7	1	2						1	1	1	1						
	III.—Diseases of the circulatory system	554	9					6	25	29	51	66	99	113	105	43	8		
77	Pericarditis	4										2		1		1			
78	Acute endocarditis	47	3						4	6	12	7	13	1	1				
79	Organic diseases of the heart	407	6					6	21	21	31	51	76	90	77	25	3		
80	Angina pectoris	18									1		3	10	4				
81	Diseases of the arteries, atheroma, aneurism, etc	57									1	2	4	11	17	17	5		
82	Embolism and thrombosis	18								1	4	4	3		6				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3								1	2								
	IV.—Diseases of the respiratory system	625	150	20	8	7	4	11	12	42	57	76	83	64	60	26	5		
86	Diseases of the nasal fossae	1													1				
87	Diseases of the larynx	2				1							1						
88	Diseases of the thyroid body	4								1	3								
89	Acute bronchitis	28	22	3		1										2			
90	Chronic bronchitis	31									1	3	5	4	13	5			
91	Bronchopneumonia	138	75	8	5	1	1	2	4		7	5	6	6	11	7			
92	Pneumonia (total)	373	50	9	3	2	3	8	7	38	40	59	64	49	29	10	2		
	Lobar pneumonia	264	22	5	1	2	2	5	4	35	35	42	51	38	15	5	2		
	Pneumonia (undefined)	109	28	4	2		1	3	3	3	5	17	13	11	14	5			
93	Pleurisy	10				2		1	1	1		2	2	1					
94	Pulmonary congestion, pulmonary apoplexy	12	2									1	1	2	2	2	2		
95	Gangrene of the lung	5								1	2	1	1						
96	Asthma	9	1										3	1	4				
97	Pulmonary emphysema	1															1		
98	Other diseases of the respiratory system (tuberculosis excepted)	11								1	4	5		1					
	V.—Diseases of the digestive system	473	109	25	12	5	4	19	30	39	62	41	53	35	33	6			
99	Diseases of the mouth and annexa	3							1	1		1							
100	Diseases of the pharynx	12	1	1				3	2		1	1	2			1			
101	Diseases of the esophagus	2								1			1						
102	Ulcer of the stomach	27								6	7	5	4	3	1	1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis)

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MONTANA—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
103	Other diseases of the stomach (cancer excepted)	32	6	2	1	1			1	1	3	3	3	2	8	1			
104	Diarrhea and enteritis (under 2 years)	104	84	20															
105	Diarrhea and enteritis (2 years and over)	29			8	2		3		2	4	1	2	4	3				
108	Appendicitis and typhlitis	103	2	1		2	3	11	19	16	23	9	10	5	2				
109	Hernia, intestinal obstruction (total)	52	12	1	3		1	2	1	4	4	5	5	6	7	1			
	Hernia	16	3		1							1	4	3	4				
	Intestinal obstruction	36	9	1	2		1	2	1	4	4	4	1	3	3	1			
110	Other diseases of the intestines	16	2						1	3	4	2	2	1	1				
111	Acute yellow atrophy of the liver	4									1	1	2						
113	Cirrhosis of the liver	46							1	2	6	7	16	7	6	1			
114	Biliary calculi	8										2	1	4	1				
115	Other diseases of the liver	18	1								6	3	3	1	3	1			
117	Simple peritonitis (nonpuerperal)	15	1						4	3	2	1	1	2	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2									1		1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	402	10	1		2	1	4	7	30	45	55	68	85	66	27	1		
119	Acute nephritis	25	5					2		5	5	1	2	2	2	1			
120	Bright's disease	314	4	1		2	1	2	5	12	29	45	57	75	58	23			
122	Other diseases of the kidneys and annexa	5	1									1	2		1				
123	Calculi of the urinary passages	3							1				1	1					
124	Diseases of the bladder	5								2				2	1				
125	Diseases of the urethra, urinary abscess, etc	2								1			1						
126	Diseases of the prostate	12												4	4	3	1		
129	Uterine tumor (noncancerous)	10									2	4	3	1					
130	Other diseases of the uterus	10							1	4	2	2	1						
131	Cysts and other tumors of the ovary	1											1						
132	Salpingitis and other diseases of the female genital organs	15								6	7	2							
	VII.—The puerperal state	91							6	41	40	4							
134	Accidents of pregnancy	9								5	4								
135	Puerperal hemorrhage	4								2	2								
136	Other accidents of labor	16							1	5	9	1							
137	Puerperal septicemia	37							3	21	12	1							
138	Puerperal albuminuria and convulsions	23							2	6	13	2							
193	Puerperal phlegmasia alba dolens, embolus, sudden death	2								2									
	VIII.—Diseases of the skin and of the cellular tissue	3											1	2					
143	Furuncle	1												1					
144	Acute abscess	2											1	1					
	IX.—Diseases of the bones and of the organs of locomotion	11							2	4	1		1		3				
146	Diseases of the bones (tuberculosis excepted)	11							2	4	1		1		3				
	X.—Malformations	71	66	3				2											
150	Congenital malformations (stillbirths not included) (total)	71	66	3				2											
	Hydrocephalus	8	5	1				2											
	Congenital malformations of the heart	42	41	1															
	Other congenital malformations	21	20	1															
	XI.—Early infancy	338	338																
151	Congenital debility, icterus, and sclerema (total)	266	266																
	Premature birth	209	209																
	Congenital debility, "atrophy," "marasmus," etc	57	57																
152	Other causes peculiar to early infancy (total)	71	71																
	Injuries at birth	40	40																
	Other causes peculiar to early infancy[1]	31	31																
153	Lack of care	1	1																
	XII.—Old age	96											3	13	32	39	8	1	
154	Senility	96											3	13	32	39	8	1	
	XIII.—External causes	712	9	19	8	11	4	21	51	147	171	132	78	35	16	5	1		4
	Suicide (total)	103							2	23	29	20	15	11	1	2			
155	By poison	22							1	9	4	2	4	2					
157	By hanging or strangulation	11								1	3	4	2	1					
159	By firearms	50							1	11	17	9	5	5		2			
160	By cutting or piercing instruments	16								2	2	4	4	3	1				
162	By crushing	4									3	1							

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MONTANA—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined (total)	556	9	19	8	11	4	21	48	108	130	100	55	23	14	3	1		2
164	Poisoning by food	5	1					1					2		1				
165	Other acute poisonings	8		3						1	2		1	1					
166	Conflagration	11	1	2	2	2		1		1					1		1		
167	Burns (conflagration excepted)	24		4	2	3	1	1	1	3	4	3		2					
168	Absorption of deleterious gases (conflagration excepted)	10	2						1	3	1	1	1		1				
169	Accidental drowning	55		5	2	1	2	5	11	11	6	7	3	1					1
170	Traumatism by firearms	27						5	7	6	7	1	1						
172	Traumatism by fall	49	2		1	1		1	3	9	10	6	3	5	5	3			
173	Traumatism in mines and quarries (total)	80							1	17	32	22	5	2	1				
	Traumatism in mines	76							1	16	30	21	5	2	1				
	Traumatism in quarries	4								1	2	1							
174	Traumatism by machines	12							2	5	3	2							
175	Traumatism by other crushing (total)	198	1	3		1	1	4	19	39	46	42	30	9	3				
	Railroad accidents and injuries	88						1	5	18	25	20	15	4					
	Street-car accidents and injuries	7		1				1		3	1			1					
	Automobile accidents and injuries	31						2	5	6	4	5	8	1					
	Injuries by other vehicles	60	1	2		1	1		8	9	12	14	6	3	3				
	Landslide, other crushing	12							1	3	4	3	1						
176	Injuries by animals	14				1		3	1	3	1	2	1	1	1				
177	Starvation	1									1								
178	Excessive cold	7			1					1	2	2	1						
179	Effects of heat	2										1	1						
180	Lightning	21								5	5	6	2	2					1
181	Electricity (lightning excepted)	10							1	2	4	3							
186	Other external violence	22	2	2		2			1	2	6	2	4		1				
	Homicide (total)	53							1	16	12	12	8	1	1				2
182	By firearms	41							1	14	10	7	6	1	1				1
183	By cutting or piercing instruments	2									1		1						
184	By other means	10								2	1	5	1						1
	XIV.—Ill-defined diseases	102	28	5	3	1	1	2	5	3	7	4	21	10	6	5			1
187	Ill-defined organic disease	2	1											1					
188	Sudden death	7	2								1		4						
189	Not specified or ill-defined (total)	93	25	5	3	1	1	2	5	3	6	4	17	9	6	5			1
	Ill-defined	29	3	2						1	1	2	11	4	3	2			
	Not specified, or unknown	64	22	3	3	1	1	2	5	2	5	2	6	5	3	3			1
	NEW HAMPSHIRE.																		
	All causes	7,099	1,096	167	56	51	28	80	200	365	380	543	738	1,051	1,275	882	153	2	32
	I.—General diseases	1,588	98	45	19	15	10	23	88	151	152	200	224	237	204	106	13		3
1	Typhoid fever	34							9	11	7	3	2		1				1
4	Malaria	2													2				
6	Measles	9	2	5		1			1										
7	Scarlet fever	7	2		1			1	1		2								
8	Whooping cough	48	29	14	2	1	1	1											
9	Diphtheria and croup	32	5		2	6	7	7	2	2									1
10	Influenza	127	9	4	1	1		1	2		4	7	6	21	28	34	8		1
14	Dysentery	14	4	1	2				1				3	2		1			
18	Erysipelas	14	3					1	1	1		2	2	3		1			
19	Other epidemic diseases	5	1	2	1	1													
20	Purulent infection and septicemia	13	3					1	1			2	4		2				
24	Tetanus	5						1		2			1		1				
26	Pellagra	5									1	1	3						
	Tuberculosis (total)	535	25	15	7	1	2	7	53	115	104	93	49	44	17	3			
28	Tuberculosis of the lungs	431	3	2	2				38	106	95	81	45	42	16	1			
29	Acute miliary tuberculosis	15			1				3	5	3	3							
30	Tuberculous meningitis	45	18	11	2	1	1	6	5	1									
31	Abdominal tuberculosis	20		2	1				4	3	2	4	2		1	1			
32	Pott's disease	7						1	2		1	2		1					
33	White swellings	3	1											1		1			
34	Tuberculosis of other organs	9	2						1		3	1	2						
35	Disseminated tuberculosis	5	1		1		1					2							
36	Rickets	3	1			1							1						
37	Syphilis	16	7	2					1	1		3	1	1					
38	Gonococcus infection	3								1	1				1				
	Cancer and other malignant tumors (total)	482	1						1	6	19	63	103	123	114	48	4		
39	Of the buccal cavity	22									1	1	4	6	6	3	1		
40	Of the stomach, liver	158								2	2	11	28	42	51	21	1		
41	Of the peritoneum, intestines, rectum	71								1	2	7	18	18	17	7	1		
42	Of the female genital organs	91								2	9	25	24	20	6	5			
43	Of the breast	51									2	10	13	11	13	2			
44	Of the skin	22											4	6	8	4			
45	Of other organs or of organs not specified	67	1						1	1	3	9	12	20	13	6	1		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW HAMPSHIRE—Continued.																		
	I.—General diseases—Continued.																		
46	Other tumors (tumors of the female genital organs excepted)	3												1		2			
47	Acute articular rheumatism	18			1	1		1	2	2		3	2	1	4	1			
48	Chronic rheumatism and gout	16								1		1	4	3	2	4	1		
50	Diabetes	100							10	5	5	6	20	23	25	6			
51	Exophthalmic goiter	6								1	1	1	3						
52	Addison's disease	1												1					
53	Leukemia	8								2	3	1	1			1			
54	Anemia, chlorosis	40	1					1	2	1	2	5	11	12	3	2			
55	Other general diseases	16	5	2	2	2		1	1			1				2			
56	Alcoholism (acute or chronic)	19									2	7	5	2	3				
57	Chronic lead poisoning	5										1	2		1	1			
59	Other chronic poisonings	2									1		1						
	II.—Diseases of the nervous system and of the organs of special sense	919	29	13	10		1	5	20	19	32	72	114	205	226	146	26		1
60	Encephalitis	3										1	1		1				
61	Meningitis (total)	54	15	7	7			3	7	3	1	4	2	3		2			
	Simple meningitis	23	6	2	3				2	2	1	2	1	3		1			
	Cerebrospinal meningitis (undefined)	20	6	3	2			1	5	1			1			1			
	Cerebrospinal fever	11	3	2	2			2				2							
62	Locomotor ataxia	14								2	1	5	3	2	1				
63	Other diseases of the spinal cord (total)	50	1		3			1	4	1	2	4	7	13	11	2			1
	Acute anterior poliomyelitis	9	1		2			1	4	1									
	Other diseases of the spinal cord [1]	41			1						2	4	7	13	11	2			1
64	Cerebral hemorrhage, apoplexy	584	1							1	13	33	75	157	174	111	19		
65	Softening of the brain	10													6	3	1		
66	Paralysis without specified cause	53	1										5	10	16	16	5		
67	General paralysis of the insane	46									6	11	11	11	3	4			
68	Other forms of mental alienation	26							1	2	3	4	4	3	5	3	1		
69	Epilepsy	28							7	8	1	5	2	1	4				
71	Convulsions of infants	16	9	6			1												
72	Chorea	1														1			
73	Neuralgia and neuritis	8									2	2			2	2			
74	Other diseases of the nervous system	21	1							2	3	3	2	5	3	2			
76	Diseases of the ears	5	1					1	1				2						
	III.—Diseases of the circulatory system	1,345	11	2				6	15	28	36	74	171	295	408	256	38		5
77	Pericarditis	3							1	1			1						
78	Acute endocarditis	34		1				2	3	7	3	9	7	1	1				
79	Organic diseases of the heart	942	9	1				4	8	17	30	57	136	222	284	153	18		3
80	Angina pectoris	84							1	1	2	1	15	29	24	9			2
81	Diseases of the arteries, atheroma, aneurism, etc.	230							1			2	6	31	85	85	20		
82	Embolism and thrombosis	45							1	2		4	5	11	14	8			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5									1	1	1	1		1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	1																
85	Hemorrhage; other diseases of the circulatory system	1	1																
	IV.—Diseases of the respiratory system	734	139	44	9	10	3	8	9	23	24	43	65	98	121	108	24	1	5
87	Diseases of the larynx	9	1	1		3				2				1		1			
89	Acute bronchitis	76	43	7	1		1					1	2	2	6	10	3		
90	Chronic bronchitis	65									1	2	4	8	18	24	6		2
91	Bronchopneumonia	151	51	22	3	3	1	4				4	3	10	19	29	1	1	
92	Pneumonia (total)	392	41	12	5	3	1	4	8	18	22	34	50	73	67	38	13		3
	Lobar pneumonia	224	16	7	1	1	1		2	14	10	22	31	49	42	23	3		2
	Pneumonia (undefined)	168	25	5	4	2		4	6	4	12	12	19	24	25	15	10		1
93	Pleurisy	17		1					1	2	1	1	2	3	6				
94	Pulmonary congestion, pulmonary apoplexy	12	3			1							1	1	2	3	1		
96	Asthma	7										1	1		2	3			
98	Other diseases of the respiratory system (tuberculosis excepted)	5		1						1			2		1				
	V.—Diseases of the digestive system	698	278	49	8	13	4	16	15	30	34	39	39	57	72	36	5		3
99	Diseases of the mouth and annexa	3								1		2							
100	Diseases of the pharynx	8	1	1				1	1	1		2				1			
102	Ulcer of the stomach	17									3	2	2	2	5	2			1
103	Other diseases of the stomach (cancer excepted)	78	24	2		1	1			2	1	5	7	10	8	13	3		1
104	Diarrhea and enteritis (under 2 years)	293	248	45															
105	Diarrhea and enteritis (2 years and over)	62			6	10	2	5	1	1	4	1	2	5	18	7			
108	Appendicitis and typhlitis	61			1	1	1	6	10	16	11	6	5	1	1	2			
109	Hernia, intestinal obstruction (total)	50	3	1		1				3	5	3	4	9	17	2	1		1
	Hernia	17	1									2		3	8	1	1		1
	Intestinal obstruction	33	2	1		1				3	5	1	4	6	9	1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW HAMPSHIRE—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
110	Other diseases of the intestines	11	1		1				1		1	1		4		2			
111	Acute yellow atrophy of the liver	1												1					
113	Cirrhosis of the liver	53						2		2	7	8	10	9	14	1			
114	Biliary calculi	21								2	1	4	1	7	3	2	1		
115	Other diseases of the liver	21	1					1				3	3	5	4	4			
116	Diseases of the spleen	1												1					
117	Simple peritonitis (nonpuerperal)	11						1	1	2		1	3	2	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7							1		1	1	2	1	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	568	6	1	2	3	1	5	9	26	33	52	79	102	158	79	9		3
119	Acute nephritis	46	3		1	2	1	2	4	4	5	9	4	6	4	1			
120	Bright's disease	456	1	1	1	1		3	4	16	25	34	70	85	136	70	6		3
122	Other diseases of the kidneys and annexa	9	1							1		2	1	2	1		1		
123	Calculi of the urinary passages	2											1		1				
124	Diseases of the bladder	19	1									1		3	7	6	1		
125	Diseases of the urethra, urinary abscess, etc	1									1								
126	Diseases of the prostate	15										1		4	8	2			
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	8										4	2	1			1		
130	Other diseases of the uterus	4							1	2	1								
131	Cysts and other tumors of the ovary	4								2			1		1				
132	Salpingitis and other diseases of the female genital organs	3								1	1			1					
	VII.—The puerperal state	61							2	28	24	5							2
134	Accidents of pregnancy	4								2	1	1							
135	Puerperal hemorrhage	8								2	4	2							
136	Other accidents of labor	5								2	3								
137	Puerperal septicemia	19								10	8								1
138	Puerperal albuminuria and convulsions	23							2	11	8	1							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2								1		1							
	VIII.—Diseases of the skin and of the cellular tissue	35	10	1					1	2	1	2	3	3	6	6			
142	Gangrene	13									1	1	1	1	5	4			
143	Furuncle	6	1						1	2		1	1						
144	Acute abscess	5	2	1										2					
145	Other diseases of the skin and annexa	11	7										1		1	2			
	IX.—Diseases of the bones and of the organs of locomotion	9		1		1			2		1			2		2			
146	Diseases of the bones (tuberculosis excepted)	4		1		1			2										
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4									1			1		2			
149	Other diseases of the organs of locomotion	1												1					
	X.—Malformations	82	73	4	1		1		1	1		1							
150	Congenital malformations (stillbirths not included) (total)	82	73	4	1		1		1	1		1							
	Hydrocephalus	9	7	2															
	Congenital malformations of the heart	53	48	2					1	1		1							
	Other congenital malformations	20	18		1		1												
	XI.—Early infancy	435	435																
151	Congenital debility, icterus, and sclerema (total)	356	356																
	Premature birth	233	233																
	Congenital debility, "atrophy," "marasmus," etc	123	123																
152	Other causes peculiar to early infancy (total)	78	78																
	Injuries at birth	41	41																
	Other causes peculiar to early infancy [1]	37	37																
153	Lack of care	1	1																
	XII.—Old age	203											1	10	39	114	36	1	2
154	Senility	203											1	10	39	114	36	1	2
	XIII.—External causes	395	11	3	7	9	7	17	38	57	43	51	40	38	38	26	2		8
	Suicide (total)	72							2	10	10	12	10	17	7	2			2
155	By poison	4								1		1	1		1				
156	By asphyxia	6								2	2			2					
157	By hanging or strangulation	18								3	1	4	4	3	2	1			
158	By drowning	5										1	1	1	1				1
159	By firearms	27							2	4	6	2	2	8	1	1			1
160	By cutting or piercing instruments	9									1	4	2	1	1				
161	By jumping from high places	1													1				
162	By crushing	1												1					
163	Other suicides	1												1					

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW HAMPSHIRE—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined (total)	313	10	3	7	8	7	17	36	42	32	39	30	19	31	24	2		6
164	Poisoning by food	9			1	1	1	1		2	1	1				1			
165	Other acute poisonings	9	2	1	1	1	1			1			2						
166	Conflagration	8		1				1	1		1	1	1	1	1				
167	Burns (conflagration excepted)	22	1	1		2	3			1	4	2	1	1	4	2			
168	Absorption of deleterious gases (conflagration excepted)	7	2							1	2	2							
169	Accidental drowning	48			1	1	1	5	17	12	1	6	2						2
170	Traumatism by firearms	8							4	3					1				
171	Traumatism by cutting or piercing instruments	3								1					2				
172	Traumatism by fall	75	3		1	1		1	4	4	3	4	7	7	19	19	2		
173	Traumatism in mines and quarries (total)	1									1								
	Traumatism in quarries	1									1								
174	Traumatism by machines	11								3	4	1	1	2					
175	Traumatism by other crushing (total)	80			3	1	1	3	5	10	13	15	14	7	3	1			4
	Railroad accidents and injuries	32			1	1	1		2	2	5	9	7	2	1				1
	Street-car accidents and injuries	5							1	1		1	1	1					
	Automobile accidents and injuries	26			2			3		5	4	3	4	2	1				2
	Injuries by other vehicles	15							2	1	4	1	2	2	1	1			1
	Landslide, other crushing	2								1		1							
176	Injuries by animals	5						3		1		1							
178	Excessive cold	4							1		1	1		1					
179	Effects of heat	3	2			1													
180	Lightning	1							1										
181	Electricity (lightning excepted)	4								2		1	1						
185	Fractures (cause not specified)	1						1											
186	Other external violence	14						2	3	1	1	4	1		1	1			
	Homicide (total)	10	1			1				5	1			2					
182	By firearms	6				1				4				1					
183	By cutting or piercing instruments	1								1									
184	By other means	3	1								1			1					
	XIV.—Ill-defined diseases	27	6	4			1					4	2	4	3	3			
188	Sudden death	7	1									3	1	1	1				
189	Not specified or ill-defined (total)	20	5	4			1					1	1	3	2	3			
	Ill-defined	17	4	4			1					1	1	3	2	1			
	Not specified, or unknown	3	1													2			
	NEW JERSEY.																		
	All causes	39,787	7,125	1,485	581	386	310	810	1,384	2,646	3,416	4,045	4,684	5,201	5,010	2,357	324	21	2
	I.—General diseases	10,030	601	372	217	157	130	327	525	1,239	1,473	1,483	1,354	1,123	743	255	29	2	
1	Typhoid fever	193	1		2	2	2	2	30	66	30	28	19	8	1	2			
4	Malaria	13		1					1	4		2	1	3	1				
5	Smallpox	1										1							
6	Measles	225	75	84	34	9	6	13	1	1	1				1				
7	Scarlet fever	100	6	8	13	13	7	29	11	9	3	1							
8	Whooping cough	249	133	61	19	12	10	10	3					1					
9	Diphtheria and croup	506	28	95	85	69	60	120	32	5	6	2	2	2					
10	Influenza	317	31	16	7	5	2	4	7	13	7	14	33	50	66	52	10		
13	Cholera nostras	6	2	1											1	2			
14	Dysentery	63	14	8	2			2				1	6	9	13	8			
18	Erysipelas	108	41	1		1		1	5	4	7	7	9	14	11	5	2		
19	Other epidemic diseases	6	2		2			1						1					
20	Purulent infection and septicemia	46	2	2			2	2	1	6	9	7	6	5	2	1	1		
22	Anthrax	2								1			1						
23	Rabies	3				1		1			1								
24	Tetanus	47	13			1	2	7	5	5	4	5	4	1					
25	Mycoses	1								1									
26	Pellagra	5						1			2	1	1						
	Tuberculosis (total)	4,416	124	72	40	33	30	86	363	1,016	1,077	833	428	211	88	14	1		
28	Tuberculosis of the lungs	3,760	30	14	9	8	5	19	286	918	999	781	406	192	80	12	1		
29	Acute miliary tuberculosis	166	2	1	1		2	9	26	47	40	25	7	6					
30	Tuberculous meningitis	284	75	49	28	13	18	40	26	16	10	6	1		2				
31	Abdominal tuberculosis	86	8	6	1	6	3	4	7	12	12	12	8	6	1				
32	Pott's disease	41	2			2	2	9	5	11	5	3			1	1			
33	White swellings	19			1	2		4	3	1	1	1	1	5					
34	Tuberculosis of other organs	34	2	1				1	6	6	8	2	3	1	4				
35	Disseminated tuberculosis	26	5	1		2			4	5	2	3	2	1		1			
36	Rickets	18	8	4	2	1		1		1	1								
37	Syphilis	180	76	3	1		1	3	4	11	29	23	17	6	4	2			
38	Gonococcus infection	15	4						1	3	2	3	1	1					

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW JERSEY—Continued.																		
	I.—General diseases—Continued.																		
	Cancer and other malignant tumors (total)	2,336	3	1	4	1	.....	4	13	25	168	389	587	590	409	131	9	2	.....
39	Of the buccal cavity	81	.....	.....	.....	.....	.....	1	.....	1	3	14	20	24	13	5	.....	.....	.....
40	Of the stomach, liver	922	2	.....	.....	.....	.....	.....	1	3	44	131	245	281	170	40	3	2	.....
41	Of the peritoneum, intestines, rectum	344	.....	.....	.....	.....	.....	.....	1	7	28	49	77	84	76	22	.....	.....	.....
42	Of the female genital organs	349	.....	.....	.....	.....	.....	.....	1	2	44	101	94	65	34	7	1	.....	.....
43	Of the breast	244	.....	.....	.....	.....	.....	.....	.....	1	20	50	68	54	35	14	2	.....	.....
44	Of the skin	59	.....	.....	.....	.....	.....	.....	.....	.....	2	3	6	12	15	19	2	.....	.....
45	Of other organs or of organs not specified	337	1	1	4	1	.....	3	10	11	27	41	77	70	66	24	1	.....	.....
46	Other tumors (tumors of the female genital organs excepted)	20	.....	.....	.....	.....	.....	.....	.....	.....	5	2	4	3	3	2	1	.....	.....
47	Acute articular rheumatism	154	2	2	.....	5	4	31	22	18	17	17	12	14	8	2	.....	.....	.....
48	Chronic rheumatism and gout	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	4	4	6	9	7	2	.....	.....
49	Scurvy	4	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Diabetes	546	.....	4	.....	2	2	3	13	16	37	54	138	147	105	23	2	.....	.....
51	Exophthalmic goiter	34	.....	.....	.....	.....	.....	.....	2	5	7	12	3	4	1	.....	.....	.....	.....
52	Addison's disease	13	.....	2	.....	.....	.....	.....	.....	2	2	3	2	2	.....	.....	.....	.....	.....
53	Leukemia	44	.....	1	2	1	1	4	4	6	5	8	5	6	1	.....	.....	.....	.....
54	Anemia, chlorosis	120	8	.....	1	1	.....	1	4	10	14	16	24	23	15	2	1	.....	.....
55	Other general diseases	51	25	5	3	.....	1	1	3	2	1	4	3	1	1	1	.....	.....	.....
56	Alcoholism (acute or chronic)	130	.....	.....	.....	.....	.....	.....	.....	6	31	41	38	12	1	1	.....	.....	.....
57	Chronic lead poisoning	9	.....	.....	.....	.....	.....	.....	.....	.....	2	4	2	1	.....	.....	.....	.....	.....
58	Other chronic occupation poisonings	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	16	.....	.....	.....	.....	.....	.....	.....	2	5	1	4	2	2	.....	.....	.....	.....
	II.—Diseases of the nervous system and of the organs of special sense	3,961	214	72	24	22	20	40	56	81	181	328	613	853	951	452	53	1	.....
60	Encephalitis	24	5	3	.....	.....	.....	2	2	2	4	.....	3	1	2	.....	.....	.....	.....
61	Meningitis (total)	241	83	35	15	12	11	21	19	9	12	9	4	2	5	3	1	.....	.....
	Simple meningitis	149	54	20	10	10	6	12	6	5	7	5	4	2	5	2	1	.....	.....
	Cerebrospinal meningitis (undefined)	56	22	10	.....	1	3	6	6	1	4	2	.....	.....	.....	1	.....	.....	.....
	Cerebrospinal fever	36	7	5	5	1	2	3	7	3	1	2	.....	.....	.....	.....	.....	.....	.....
62	Locomotor ataxia	82	.....	.....	.....	.....	.....	.....	.....	2	7	14	29	19	9	2	.....	.....	.....
63	Other diseases of the spinal cord (total)	180	6	8	1	3	1	5	7	5	6	18	30	42	36	10	1	1	.....
	Acute anterior poliomyelitis	24	5	7	1	2	1	2	4	1	.....	1	.....	.....	.....	.....	.....	.....	.....
	Other diseases of the spinal cord[1]	156	1	1	.....	1	.....	3	3	4	6	17	30	42	36	10	1	1	.....
64	Cerebral hemorrhage, apoplexy	2,568	7	1	.....	2	3	4	7	15	65	167	465	673	770	350	39	.....	.....
65	Softening of the brain	32	.....	.....	.....	.....	.....	.....	.....	.....	1	1	3	8	8	9	2	.....	.....
66	Paralysis without specified cause	219	3	.....	.....	.....	.....	.....	.....	2	2	14	18	53	69	52	6	.....	.....
67	General paralysis of the insane	201	.....	.....	.....	.....	.....	.....	.....	2	42	47	46	22	25	16	1	.....	.....
68	Other forms of mental alienation	48	.....	.....	.....	.....	.....	.....	3	6	3	12	4	8	8	3	1	.....	.....
69	Epilepsy	84	2	2	1	1	1	2	9	19	18	12	5	6	5	1	.....	.....	.....
70	Convulsions (nonpuerperal)	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
71	Convulsions of infants	109	94	12	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
72	Chorea	3	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
73	Neuralgia and neuritis	21	.....	.....	.....	.....	.....	.....	.....	2	6	3	2	3	4	1	.....	.....	.....
74	Other diseases of the nervous system	99	5	3	2	2	3	2	1	8	14	28	3	13	9	4	2	.....	.....
75	Diseases of the eyes and their annexa	3	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	45	8	7	2	.....	1	4	7	8	1	3	1	3	.....	.....	.....	.....	.....
	III.—Diseases of the circulatory system	5,472	80	15	8	8	11	83	191	189	311	506	812	1,200	1,301	675	77	4	1
77	Pericarditis	24	.....	.....	.....	.....	.....	1	3	.....	2	1	2	6	8	1	.....	.....	.....
78	Acute endocarditis	378	22	3	1	4	5	24	40	27	57	62	97	17	11	8	.....	.....	.....
79	Organic diseases of the heart	4,210	43	9	6	4	6	56	147	148	224	384	594	999	1,031	503	53	3	.....
80	Angina pectoris	226	.....	.....	.....	.....	.....	.....	.....	2	9	18	58	62	56	21	.....	.....	.....
81	Diseases of the arteries, atheroma, aneurism, etc	480	.....	.....	.....	.....	.....	.....	.....	1	6	17	40	87	174	130	24	1	.....
82	Embolism and thrombosis	118	3	1	.....	.....	.....	1	1	7	12	21	16	22	21	12	.....	.....	1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	14	.....	.....	.....	.....	.....	.....	.....	3	.....	2	4	5	.....	.....	.....	.....	.....
84	Diseases of the lymphatic system (lymphangitis, etc.)	17	11	2	1	.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system	5	1	.....	.....	.....	.....	.....	.....	1	1	.....	1	1	.....	.....	.....	.....	.....
	IV.—Diseases of the respiratory system	5,133	1,228	444	175	89	52	95	118	222	328	409	490	574	599	264	42	4	.....
87	Diseases of the larynx	33	14	4	1	2	.....	5	.....	1	2	1	1	1	1	.....	.....	.....	.....
88	Diseases of the thyroid body	13	.....	.....	.....	.....	.....	.....	1	4	1	.....	2	5	.....	.....	.....	.....	.....
89	Acute bronchitis	264	173	17	7	2	1	5	.....	.....	1	5	5	4	27	12	5	.....	.....
90	Chronic bronchitis	195	1	1	1	.....	.....	2	1	2	5	8	14	35	72	48	5	.....	.....
91	Bronchopneumonia	1,497	638	237	90	35	17	20	15	15	20	33	74	86	136	72	8	1	.....
92	Pneumonia (total)	2,875	379	172	70	45	32	60	91	190	277	332	364	403	330	111	16	3	.....
	Lobar pneumonia	2,266	246	124	48	38	26	46	69	160	224	293	307	333	263	82	5	2	.....
	Pneumonia (undefined)	609	133	48	22	7	6	14	22	30	53	39	57	70	67	29	11	1	.....
93	Pleurisy	89	6	10	5	3	2	2	7	5	7	10	9	15	6	2	.....	.....	.....
94	Pulmonary congestion, pulmonary apoplexy	63	16	2	.....	1	.....	1	.....	.....	3	3	3	3	12	13	6	.....	.....
95	Gangrene of the lung	4	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....
96	Asthma	49	.....	.....	1	.....	.....	.....	.....	.....	2	8	10	16	7	4	1	.....	.....
97	Pulmonary emphysema	7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1	3	1	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted)	44	1	1	.....	1	.....	.....	3	4	10	7	6	4	5	1	1	.....	.....

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW JERSEY—Continued.																		
	V.—Diseases of the digestive system	4,594	2,119	448	91	40	30	83	114	138	207	303	357	303	243	103	14	1	.....
99	Diseases of the mouth and annexa	20	11	.....	1	.....	.....	.....	.....	.....	4	.....	1	3	.....	.....	.....	.....	.....
100	Diseases of the pharynx	50	5	4	3	2	1	9	3	8	5	4	2	.....	3	1	.....	.....	.....
101	Diseases of the esophagus	5	1	.....	.....	.....	.....	.....	1	.....	.....	.....	1	1	.....	1	.....	.....	.....
102	Ulcer of the stomach	123	.....	.....	.....	.....	.....	.....	4	13	24	32	27	16	5	2	.....	.....	.....
103	Other diseases of the stomach (cancer excepted)	250	70	6	3	4	1	.....	6	8	10	27	27	28	30	26	4	.....	.....
104	Diarrhea and enteritis (under 2 years)	2,398	1,975	423	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
105	Diarrhea and enteritis (2 years and over)	369	.....	.....	77	27	11	32	14	8	18	23	29	52	44	28	5	1	.....
107	Intestinal parasites	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	320	2	2	.....	3	11	27	76	54	41	50	31	8	10	3	2	.....	.....
109	Hernia, intestinal obstruction (total)	284	39	5	2	3	2	8	4	19	21	22	40	56	49	14	.....	.....	.....
	Hernia	135	8	1	.....	.....	.....	1	.....	3	7	14	23	41	29	8	.....	.....	.....
	Intestinal obstruction	149	31	4	2	3	2	7	4	16	14	8	17	15	20	6	.....	.....	.....
110	Other diseases of the intestines	79	9	2	3	.....	1	1	1	5	5	9	12	11	9	10	1	.....	.....
111	Acute yellow atrophy of the liver	8	1	.....	.....	.....	.....	.....	.....	2	2	1	1	1	.....	.....	.....	.....	.....
112	Hydatid tumor of the liver	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	453	1	2	.....	.....	.....	1	.....	9	42	101	137	84	65	10	1	.....	.....
114	Biliary calculi	97	.....	.....	.....	.....	.....	.....	1	1	10	19	24	24	17	1	.....	.....	.....
115	Other diseases of the liver	77	3	1	1	.....	1	2	3	4	7	11	13	12	11	7	1	.....	.....
116	Diseases of the spleen	2	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	32	2	1	1	1	1	2	1	6	8	2	3	4	.....	.....	.....	.....	.....
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	24	.....	1	.....	.....	.....	.....	.....	1	10	2	7	3	.....	.....	.....	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,959	31	16	11	8	4	33	66	149	299	532	717	850	835	359	45	4	.....
119	Acute nephritis	293	14	9	6	4	2	20	20	24	44	51	39	24	24	10	2	.....	.....
120	Bright's disease	3,302	6	6	4	4	2	13	40	93	209	403	637	792	741	310	39	3	.....
122	Other diseases of the kidneys and annexa	68	7	1	1	.....	.....	.....	2	7	7	11	13	8	6	4	1	.....	.....
123	Calculi of the urinary passages	16	.....	.....	.....	.....	.....	.....	1	.....	.....	5	2	3	2	3	.....	.....	.....
124	Diseases of the bladder	35	.....	.....	.....	.....	.....	.....	1	.....	1	3	1	3	11	14	1	.....	.....
125	Diseases of the urethra, urinary abscess, etc.	12	1	.....	.....	.....	.....	.....	1	.....	2	3	2	1	2	.....	.....	.....	.....
126	Diseases of the prostate	87	.....	.....	.....	.....	.....	.....	.....	1	.....	3	8	12	43	17	2	1	.....
127	Nonvenereal diseases of the male genital organs	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	51	.....	.....	.....	.....	.....	.....	.....	1	9	29	4	3	4	1	.....	.....	.....
130	Other diseases of the uterus	26	1	.....	.....	.....	.....	.....	1	4	8	6	5	.....	1	.....	.....	.....	.....
131	Cysts and other tumors of the ovary	15	.....	.....	.....	.....	.....	.....	.....	2	3	4	2	3	1	.....	.....	.....	.....
132	Salpingitis and other diseases of the female genital organs	46	.....	.....	.....	.....	.....	.....	.....	16	13	13	3	1	.....	.....	.....	.....	.....
133	Nonpuerperal diseases of the breast (cancer excepted)	6	2	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	419	.....	.....	.....	.....	.....	.....	27	203	163	26	.....	.....	.....	.....	.....	.....	.....
134	Accidents of pregnancy	37	.....	.....	.....	.....	.....	.....	1	16	16	4	.....	.....	.....	.....	.....	.....	.....
135	Puerperal hemorrhage	49	.....	.....	.....	.....	.....	.....	2	18	23	6	.....	.....	.....	.....	.....	.....	.....
136	Other accidents of labor	45	.....	.....	.....	.....	.....	.....	.....	18	22	5	.....	.....	.....	.....	.....	.....	.....
137	Puerperal septicemia	181	.....	.....	.....	.....	.....	.....	10	103	62	6	.....	.....	.....	.....	.....	.....	.....
138	Puerperal albuminuria and convulsions	90	.....	.....	.....	.....	.....	.....	12	41	34	3	.....	.....	.....	.....	.....	.....	.....
139	Puerperal phlegmasia alba dolens, embolus, sudden death	16	.....	.....	.....	.....	.....	.....	2	7	5	2	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue	118	24	1	2	.....	3	1	2	4	7	4	9	12	29	17	2	1	.....
142	Gangrene	56	2	.....	.....	.....	1	.....	.....	3	2	2	2	7	20	14	2	1	.....
143	Furuncle	16	2	1	.....	.....	.....	.....	.....	.....	2	2	2	2	3	2	.....	.....	.....
144	Acute abscess	18	5	.....	1	.....	1	1	2	1	3	.....	1	2	1	.....	.....	.....	.....
145	Other diseases of the skin and annexa	28	15	.....	1	.....	1	.....	.....	.....	.....	.....	4	1	5	1	.....	.....	.....
	IX.—Diseases of the bones and of the organs of locomotion	73	10	3	2	3	1	9	9	6	5	4	5	9	5	2	.....	.....	.....
146	Diseases of the bones (tuberculosis excepted)	64	8	3	2	2	1	9	9	6	5	3	4	7	3	2	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	.....
148	Amputations	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	4	1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
	X.—Malformations	459	429	14	2	5	1	3	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
150	Congenital malformations (stillbirths not included) (total)	459	429	14	2	5	1	3	3	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	Hydrocephalus	45	32	5	2	2	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	293	279	8	.....	2	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....
	Other congenital malformations	121	118	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW JERSEY—Continued.																		
	XI.—Early infancy	2,295	2,295																
151	Congenital debility, icterus, and sclerema (total)	1,845	1,845																
	Premature birth	1,249	1,249																
	Congenital debility, "atrophy," "marasmus," etc.	596	596																
152	Other causes peculiar to early infancy (total)	442	442																
	Injuries at birth	255	255																
	Other causes peculiar to early infancy [1]	187	187																
153	Lack of care	8	8																
	XII.—Old age	343										1	1	28	124	142	44	3	
154	Senility	343										1	1	28	124	142	44	3	
	XIII.—External causes	2,865	69	78	45	53	58	134	273	415	440	449	325	245	174	87	18	1	1
	Suicide (total)	509							17	70	97	120	99	71	30	4	1		
155	By poison	71							5	10	16	20	12	7	1				
156	By asphyxia	136							6	16	26	23	32	22	10	1			
157	By hanging or strangulation	85							2	7	12	20	18	15	10		1		
158	By drowning	31								2	7	8	4	8	1	1			
159	By firearms	144							3	30	28	40	25	13	4	1			
160	By cutting or piercing instruments	26								1	7	7	2	6	2	1			
161	By jumping from high places	11							1	2	1	1	4		2				
162	By crushing	4								2		1	1						
163	Other suicides	1											1						
	Accidental or undefined (total)	2,233	63	76	45	53	58	132	247	310	310	304	218	173	143	83	16	1	1
164	Poisoning by food	30	7				1	2	2	2	1	5	1	5	4				
165	Other acute poisonings	43	3	4	4	1	1	3		5	5	7	5	4	1				
166	Conflagration	40	2	1	3	1	2	2	3	6	3	6	2	3	4	1		1	
167	Burns (conflagration excepted)	250	9	32	21	26	28	29	15	20	17	16	10	14	9	4			
168	Absorption of deleterious gases (conflagration excepted)	137	22	1	1	1	2	1	6	17	12	23	22	19	7	3			
169	Accidental drowning	354		7	7	3	6	25	91	74	44	48	31	12	5	1			
170	Traumatism by firearms	29					1	4	17	3	3	1							
172	Traumatism by fall	422	6	14	3	6	1	9	8	30	46	53	46	44	79	63	14		
173	Traumatism in mines and quarries (total)	9								4	3	2							
	Traumatism in mines	8								4	3	1							
	Traumatism in quarries	1										1							
174	Traumatism by machines	59		1		1			3	15	20	7	6	5	1				
175	Traumatism by other crushing (total)	692	1	9	5	13	14	52	88	112	130	113	74	51	25	5			
	Railroad accidents and injuries	353		2	1	2	1	9	40	60	91	60	44	26	15	2			
	Street-car accidents and injuries	49		1		2	5	7	4	6	6	6	3	6	3				
	Automobile accidents and injuries	192		1	2	7	6	30	35	31	17	25	20	12	5	1			
	Injuries by other vehicles	85	1	5	2	2	2	6	7	12	13	19	6	6	2	2			
	Landslide, other crushing	13							2	3	3	3	1	1					
176	Injuries by animals	10		2				1			2	2		2			1		
177	Starvation	2													2				
178	Excessive cold	14	1	1				1		2	4	1	2	2					
179	Effects of heat	23	7	1							3		5	4	2		1		
180	Lightning	3							1		1		1						
181	Electricity (lightning excepted)	15						1	2	6	4	1							1
185	Fractures (cause not specified)	16							3	1	1	3	1	1	1	5			
186	Other external violence	85	5	3	1	1	2	2	8	13	11	16	12	7	3	1			
	Homicide (total)	123	6	2				2	9	35	33	25	8	1	1		1		
182	By firearms	57							5	16	16	14	6						
183	By cutting or piercing instruments	18							1	7	6	3	1						
184	By other means	48	6	2				2	3	12	11	8	1	1	1		1		
	XIV.—Ill-defined diseases	66	25	22	4	1		2					1	4	6	1			
187	Ill-defined organic disease	3	1												1	1			
188	Sudden death	2	1											1					
189	Not specified or ill-defined (total)	61	23	22	4	1		2					1	3	5				
	Ill-defined	53	16	22	4	1		2					1	3	4				
	Not specified, or unknown	8	7												1				
	NEW YORK.																		
	All causes	146,938	24,004	5,279	2,031	1,293	899	2,736	4,605	10,007	12,492	15,337	18,189	20,082	18,957	9,492	1,415	54	66
	I.—General diseases	38,940	2,408	1,615	840	552	406	1,104	1,955	4,685	5,347	5,764	5,712	4,625	2,888	923	109	4	3
1	Typhoid fever	765		8	3	9	5	43	149	233	135	87	61	23	8	1			
4	Malaria	42	2	1		1	5		1	3	2	5	6	7	4	4	1		
6	Measles	887	213	381	133	54	22	50	12	8	5	4	3		2				
7	Scarlet fever	433	21	55	70	69	30	108	44	21	10	3	2						
8	Whooping cough	777	439	200	61	30	10	27	4	1		1	1		3				

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK—Continued.																		
	I.—General diseases—Continued.																		
9	Diphtheria and croup	1,758	183	394	271	215	192	363	78	18	17	12	8	4	3				
10	Influenza	1,298	150	45	15	10	7	13	27	47	47	80	110	192	281	227	45	2	
13	Cholera nostras	17	5	3				3	3					1	2				
14	Dysentery	186	42	23	9	4	4	1	2	3	7	3	11	21	34	20	2		
18	Erysipelas	520	195	9	8			3	9	24	42	58	64	50	39	16	3		
19	Other epidemic diseases	35	13	9	2	1		2	2		1			5					
20	Purulent infection and septicemia	162	15	5	2	2	1	6	9	14	29½	19	26	19	9	6			
21	Glanders	2								1		1							
22	Anthrax	13						1	2	5	1	2	1		1				
23	Rabies	3							1	1	1								
24	Tetanus	103	20	2	2		1	7	11	19	13	12	12	2	2				
25	Mycoses	10	1						1	2	2		1	2	1				
26	Pellagra	12								2	4	3	2	1					
	Tuberculosis (total)	16,535	434	397	220	120	89	303	1,305	3,734	3,812	3,055	1,822	841	331	68	2	1	1
28	Tuberculosis of the lungs	13,927	89	85	41	18	13	87	1,027	3,352	3,524	2,833	1,716	777	300	61	2	1	1
29	Acute miliary tuberculosis	626	40	35	15	7	4	19	82	150	125	96	33	14	5	1			
30	Tuberculous meningitis	1,175	250	234	140	76	55	147	97	76	55	27	11	4	3				
31	Abdominal tuberculosis	349	29	22	16	9	8	16	37	76	48	41	21	13	11	2			
32	Pott's disease	137	5	3	1	3	6	18	28	26	14	11	13	7	2				
33	White swellings	75	3	3	1	4	1	8	12	15	7	8	9	4					
34	Tuberculosis of other organs	185	15	8	4	3		3	18	30	31	32	15	14	9	3			
35	Disseminated tuberculosis	61	3	7	2		2	5	4	9	8	7	4	8	1	1			
36	Rickets	96	57	27	5	2		1				2			1	1			
37	Syphilis	1,062	402	21	8	5		7	13	70	158	188	108	66	13	3			
38	Gonococcus infection	68	16	2					4	16	16	8	3	2		1			
	Cancer and other malignant tumors (total)	9,280	11	4	11	4	6	25	39	168	602	1,559	2,440	2,384	1,538	440	47		2
39	Of the buccal cavity	325						1		7	8	33	99	82	69	24	2		
40	Of the stomach, liver	3,471	1			1		3	1	22	154	519	934	1,037	625	162	11		1
41	Of the peritoneum, intestines, rectum	1,432			1		1	2	5	41	92	211	352	379	276	63	9		
42	Of the female genital organs	1,322			1				6	32	144	328	394	254	134	28	1		
43	Of the breast	933								5	85	211	249	187	131	58	7		
44	Of the skin	240						3		2	6	21	37	59	57	46	9		
45	Of other organs or of organs not specified	1,557	10	4	9	3	5	16	27	59	113	236	375	386	246	59	8		1
46	Other tumors (tumors of the female genital organs excepted)	60	3			1			2	3	3	4	7	19	9	9			
47	Acute articular rheumatism	520	3		4	9	15	76	105	55	48	50	55	43	34	19	3	1	
48	Chronic rheumatism and gout	116						1		4	6	7	25	29	33	10	1		
49	Scurvy	18	13	2	1			1					1						
50	Diabetes	2,402	4	5	6	5	4	31	79	79	127	267	619	694	408	71	3		
51	Exophthalmic goiter	157							3	30	28	27	39	21	7	2			
52	Addison's disease	48						1	1	5	12	9	7	7	4	2			
53	Leukemia	232	5	10	5	7	9	15	19	32	25	26	34	25	17	3			
54	Anemia, chlorosis	521	25	4	1	3	2	9	16	20	41	100	113	102	74	10	1		
55	Other general diseases	219	136	8	3	1	4	7	10	12	6	3	9	5	11	4			
56	Alcoholism (acute and chronic)	508							1	38	135	159	109	48	15	3			
57	Chronic lead poisoning	22								4	5	3	7	3					
58	Other chronic occupation poisonings	2								1		1							
59	Other chronic poisonings	51							3	12	7	6	6	9	4	3	1		
	II.—Diseases of the nervous system and of the organs of special sense	12,718	457	161	92	54	40	136	231	331	658	1,256	2,015	2,657	3,022	1,442	153	1	12
60	Encephalitis	47	9	1	2		1	3	4	6	8	4	4	3	1	1			
61	Meningitis (total)	631	151	88	47	26	17	66	53	41	36	45	30	17	8	6			
	Simple meningitis	302	80	38	24	9	9	23	16	19	20	25	20	10	4	5			
	Cerebrospinal meningitis (undefined)	178	36	27	12	10	3	20	24	11	10	15	5	5					
	Cerebrospinal fever	151	35	23	11	7	5	23	13	11	6	5	5	2	4	1			
62	Locomotor ataxia	268							1	6	22	49	76	73	35	6			
63	Other diseases of the spinal cord (total)	631	14	19	11	10	5	13	19	26	38	78	102	146	102	43	5		
	Acute anterior poliomyelitis	70	9	16	8	5	3	7	6	2	5	5		3		1			
	Other diseases of the spinal cord [1]	561	5	3	3	5	2	6	13	24	33	73	102	143	102	42	5		
64	Cerebral hemorrhage, apoplexy	8,289	11	5	1	1		6	14	52	170	585	1,445	2,128	2,536	1,195	128	1	11
65	Softening of the brain	128		1						1	1	5	12	32	42	33	1		
66	Paralysis without specified cause	442	1	3					6		5	22	50	86	158	97	14		
67	General paralysis of the insane	913							2	34	211	295	177	82	75	34	2		1
68	Other forms of mental alienation	151							9	29	25	22	26	17	18	5			
69	Epilepsy	361	11	3	6	3	6	15	55	62	65	55	29	26	16	8	1		
70	Convulsions (nonpuerperal)	1								1									
71	Convulsions of infants	198	167	18	6	4	3												
72	Chorea	15			1			1	7	2	1			2	1				
73	Neuralgia and neuritis	61							1	4	12	15	6	13	6	3	1		
74	Other diseases of the nervous system	352	45	5	12	3	3	12	35	43	42	59	44	22	16	11			
75	Diseases of the eyes and their annexa	9	1			2	1	2	1					1	1				
76	Diseases of the ears	221	47	18	6	5	4	18	24	24	22	22	14	9	7		1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

NEW YORK—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years	5 to 9 years	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	III.—Diseases of the circulatory system	24,020	200	36	16	29	28	282	586	767	1,223	2,094	3,440	5,352	6,139	3,320	482	19	7
77	Pericarditis	84	2			1		7	7	8	10	9	15	10	11	4			
78	Acute endocarditis	1,239	69	11	7	10	13	49	92	127	157	265	366	35	26	10	2		
79	Organic diseases of the heart	18,613	69	17	9	16	15	219	473	585	969	1,597	2,598	4,452	4,896	2,376	308	10	4
80	Angina pectoris	807							1	10	24	80	174	234	204	72	7		1
81	Diseases of the arteries, atheroma, aneurism, etc	2,601							1	13	25	69	186	498	859	789	151	8	2
82	Embolism and thrombosis	480	2					3	5	13	31	54	74	99	124	61	14		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	81							1	6	6	17	19	18	9	4		1	
84	Diseases of the lymphatic system (lymphangitis, etc.)	88	52	7		2		4	6	2	1	2	4	5	3				
85	Hemorrhage; other diseases of the circulatory system	27	6	1						3		1	4	1	7	4			
	IV.—Diseases of the respiratory system	19,881	4,518	1,936	581	295	160	321	415	882	1,227	1,700	1,917	2,226	2,227	1,258	200	11	7
86	Diseases of the nasal fossae	11	2			1				1	1	2	1	1		2			
87	Diseases of the larynx	87	13	12	8	10	7	10	2	3	3	2	4	3	6	3			1
88	Diseases of the thyroid body	53	1						4	5	8	12	9	7	5	2			
89	Acute bronchitis	1,201	682	124	31	11	4	12	3	6	13	10	20	47	100	104	32	2	
90	Chronic bronchitis	732	11	6	1			1	10	7	16	31	63	124	235	206	21		
91	Bronchopneumonia	6,836	2,793	1,220	300	157	71	116	59	79	116	177	268	438	585	381	69	4	3
92	Pneumonia (total)	9,999	912	521	219	99	71	166	316	727	1,002	1,382	1,428	1,478	1,147	462	61	5	3
	Lobar pneumonia	8,748	731	451	189	87	57	146	286	655	925	1,253	1,280	1,317	958	363	45	2	3
	Pneumonia (undefined)	1,251	181	70	30	12	14	20	30	72	77	129	148	161	189	99	16	3	
93	Pleurisy	480	57	49	21	17	7	13	16	38	40	53	55	52	41	16	5		
94	Pulmonary congestion, pulmonary apoplexy	182	37	2				1	1	2	5	6	4	10	48	55	11		
95	Gangrene of the lung	29	1								7	3	11	4	3				
96	Asthma	151	1	1	1			1		8	6	7	33	44	34	15			
97	Pulmonary emphysema	37	1									3	2	10	14	6	1		
98	Other diseases of the respiratory system (tuberculosis excepted)	83	7	1				1	4	6	10	12	19	8	9	6			
	V.—Diseases of the digestive system	14,444	6,217	1,166	261	126	98	253	339	487	819	1,097	1,223	1,063	873	363	55	3	1
99	Diseases of the mouth and annexa	69	23	2		1	2	8	5	2	5	11	4	1	5				
100	Diseases of the pharynx	229	37	22	13	15	11	31	20	18	19	8	13	10	5	4	3		
101	Diseases of the esophagus	17	1		1	1					1	2	2	3	4	2			
102	Ulcer of the stomach	453	4					1	6	45	90	95	83	76	40	13			
103	Other diseases of the stomach (cancer excepted)	672	202	32	8	5	3	4	5	16	20	46	52	80	119	67	13		
104	Diarrhea and enteritis (under 2 years)	6,786	5,713	1,073															
105	Diarrhea and enteritis (2 years and over)	1,048			202	80	47	66	22	35	52	77	76	107	152	111	20	1	
106	Ankylostomiasis	1											1						
107	Intestinal parasites	6	2	1	2		1												
108	Appendicitis and typhlitis	1,265	8	5	15	12	22	98	215	217	236	177	150	70	32	7	1		
109	Hernia, intestinal obstruction (total)	1,080	158	21	11	1	6	15	23	39	78	131	188	185	158	55	9	1	1
	Hernia	483	24		3			3	1	11	32	63	119	106	88	30	2		1
	Intestinal obstruction	597	134	21	8	1	6	12	22	28	46	68	69	79	70	25	7	1	
110	Other diseases of the intestines	244	25	3	2	4		9	8	23	25	30	35	24	29	23	4		
111	Acute yellow atrophy of the liver	44	5	1				1	2	4	5	6	6	6	8				
112	Hydatid tumor of the liver	3								1	2								
113	Cirrhosis of the liver	1,534	5	1	2		1	3	12	25	161	355	419	301	210	37	2		
114	Biliary calculi	301								6	37	47	82	77	37	15			
115	Other diseases of the liver	440	16	4	2	3	1	9	6	18	51	71	79	98	56	23	2	1	
116	Diseases of the spleen	21	3		1				2	3	4	2	4		1	1			
117	Simple peritonitis (nonpuerperal)	140	14	1	2	4	3	7	8	19	19	18	18	10	12	4	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	91	1				1	1	5	16	14	21	11	15	5	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	14,103	117	44	23	35	12	64	170	555	1,122	1,916	2,645	3,176	2,850	1,235	132	2	5
119	Acute nephritis	854	60	26	14	22	6	29	50	96	126	140	115	100	48	21	1		
120	Bright's disease	11,748	24	13	7	13	4	29	110	327	796	1,551	2,326	2,865	2,515	1,054	108	2	4
122	Other diseases of the kidneys and annexa	245	18	5	2		2	4	5	17	35	27	46	31	40	11	2		
123	Calculi of the urinary passages	78						1		3	8	11	19	13	15	7	1		
124	Diseases of the bladder	152	1					1		5	2	5	8	30	40	50	10		
125	Diseases of the urethra, urinary abscess, etc	54	1							3	8	11	16	7	8				
126	Diseases of the prostate	376								3	1	8	30	88	151	84	10		1
127	Nonvenereal diseases of the male genital organs	14	5									2	2	4		1			
128	Uterine hemorrhage (nonpuerperal)	9								3	1	1	2	2					
129	Uterine tumor (noncancerous)	202								10	44	81	37	13	14	3			
130	Other diseases of the uterus	84							2	17	17	10	14	15	7	2			
131	Cysts and other tumors of the ovary	93								15	16	22	19	7	12	2			
132	Salpingitis and other diseases of the female genital organs	183	1						3	55	67	46	10	1					
133	Nonpuerperal diseases of the breast (cancer excepted)	11	7							1	1	1	1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK—Continued.																		
	VII.—The puerperal state	1,418							72	691	554	101							
134	Accidents of pregnancy	123							4	53	58	8							
135	Puerperal hemorrhage	138							2	62	58	16							
136	Other accidents of labor	155							2	62	77	14							
137	Puerperal septicemia	628							43	326	220	39							
138	Puerperal albuminuria and convulsions	304							17	155	114	18							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	63							2	30	25	6							
140	Following childbirth (not otherwise defined)	6							2	2	2								
141	Puerperal diseases of the breast	1								1									
	VIII.—Diseases of the skin and of the cellular tissue	474	115	7	6	6	2	4	7	22	25	31	56	51	83	44	14	1	
142	Gangrene	163	2		1	5	1	1		1	6	5	14	24	55	38	9	1	
143	Furuncle	91	18	1				1	3	11	12	8	22	9	4	1	1		
144	Acute abscess	123	44	3	5	1	1	2	3	6	5	14	14	10	12	2	1		
145	Other diseases of the skin and annexa	97	51	3					1	4	2	4	6	8	12	3	3		
	IX.—Diseases of the bones and of the organs of locomotion	319	35	12	7	9	10	26	57	41	30	30	22	21	12	5	2		
146	Diseases of the bones (tuberculosis excepted)	285	30	10	7	9	10	24	55	36	26	27	19	18	9	3	2		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	31	5	2				1	2	5	4	3	3	2	3	1			
149	Other diseases of the organs of locomotion	3						1						1		1			
	X.—Malformations	1,499	1,375	56	21	8	8	17	7	5	1	1							
150	Congenital malformations (stillbirths not included) (total)	1,499	1,375	56	21	8	8	17	7	5	1	1							
	Hydrocephalus	132	96	14	11	3	4	3	1										
	Congenital malformations of the heart	832	772	27	8	5	2	8	6	2	1	1							
	Other congenital malformations	535	507	15	2		2	6		3									
	XI.—Early infancy	8,284	8,284																
151	Congenital debility, icterus, and sclerema (total)	6,366	6,366																
	Premature birth	4,341	4,341																
	Congenital debility, "atrophy," "marasmus," etc.	2,025	2,025																
152	Other causes peculiar to early infancy (total)	1,890	1,890																
	Injuries at birth	1,117	1,117																
	Other causes peculiar to early infancy[1]	773	773																
153	Lack of care	28	28																
	XII.—Old age	1,003											5	48	264	497	181	8	
154	Senility	1,003											5	48	264	497	181	8	
	XIII.—External causes	9,652	250	202	177	174	134	526	764	1,533	1,482	1,342	1,137	843	574	396	82	5	31
	Suicide (total)	1,771							50	306	373	373	343	225	77	21			3
155	By poison	276							10	55	65	59	50	23	13	1			
156	By asphyxia	495							15	81	103	108	100	61	23	3			1
157	By hanging or strangulation	292							6	31	43	69	65	62	11	5			
158	By drowning	91							1	16	22	18	20	12	2				
159	By firearms	375							10	75	78	74	75	42	15	5			1
160	By cutting or piercing instruments	121								14	30	24	17	19	10	6			1
161	By jumping from high places	100							7	24	32	16	13	5	2	1			
162	By crushing	10								5		4		1					
163	Other suicides	11							1	5		1	3		1				
	Accidental or undefined (total)	7,435	209	198	174	173	131	517	679	1,084	1,009	914	767	606	486	374	82	5	27
164	Poisoning by food	50	7	5	3	1	4	3	3	4	4	7	4	5					
165	Other acute poisonings	174	13	15	11	8	3	4	8	32	29	22	14	9	5	1			
166	Conflagration	121	2	6	4	7	3	9	15	24	10	13	6	8	7	3	4		
167	Burns (conflagration excepted)	693	30	86	88	77	42	101	23	49	38	41	30	44	28	15	1		
168	Absorption of deleterious gases (conflagration excepted)	465	93	3	4	1	3	2	18	52	58	63	60	48	42	16	2		
169	Accidental drowning	1,021	4	21	10	8	8	89	196	207	171	135	92	49	15	6			10
170	Traumatism by firearms	88				3		9	35	18	11	6	5	1					
171	Traumatism by cutting or piercing instruments	14		1				1	1	2	3	2	3	1					
172	Traumatism by fall	1,868	21	31	26	28	26	83	71	156	196	190	204	223	254	285	69	5	
173	Traumatism in mines and quarries (total)	14						1		6	2	5							
	Traumatism in mines	10						1		4	2	3							
	Traumatism in quarries	4								2		2							
174	Traumatism by machines	173						2	18	59	33	36	13	5	6				1
175	Traumatism by other crushing (total)	2,073	8	12	23	32	35	197	229	365	333	294	248	158	95	27	1		16
	Railroad accidents and injuries	721	2	1	2	1	2	12	54	174	146	127	89	61	31	5	1		13
	Street-car accidents and injuries	240		1	4	2	6	15	11	38	47	42	36	20	14	3			1
	Automobile accidents and injuries	692			3	16	16	122	124	83	82	79	85	46	24	10			2
	Injuries by other vehicles	368	6	10	14	13	11	45	34	52	48	41	34	28	24	8			
	Landslide, other crushing	52						3	6	18	10	5	4	3	2	1			

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
176	Injuries by animals	64			1	2	1	4	9	7	1	11	15	8	3	2			
177	Starvation	8	2							2	1	2			1				
178	Excessive cold	51	3	4	1	1			2	6	5	7	7	5	8	1	1		
179	Effects of heat	62	8	1					1	7	6	8	10	12	2	6	1		
180	Lightning	19						1	2	2	7	2	1	3		1			
181	Electricity (lightning excepted)	65					1	2	12	20	17	9	3	1					
185	Fractures (cause not specified)	65	2						2	5	15	10	8	3	11	6	3		
186	Other external violence	347	16	13	3	5	5	9	34	61	69	51	44	23	9	5			
	Homicide (total)	446	41	4	3	1	3	9	35	143	100	55	27	12	11	1			1
182	By firearms	217					2	3	28	80	58	28	11	3	3				1
183	By cutting or piercing instruments	77	3		1		1	2	1	33	25	6	5						
184	By other means	152	38	4	2	1		4	6	30	17	21	11	9	8	1			
	XIV.—Ill-defined diseases	183	28	44	7	5	1	3	2	8	4	5	17	20	25	9	5		
187	Ill-defined organic disease	10	1										1	1	4	1	2		
188	Sudden death	17	2	1						3		1	1	3	5	1			
189	Not specified or ill-defined (total)	156	25	43	7	5	1	3	2	5	4	4	15	16	16	7	3		
	Ill-defined	121	7	43	6	5	1	3	2	3	4	2	9	12	15	6	3		
	Not specified, or unknown	35	18		1					2		2	6	4	1	1			
	NORTH CAROLINA[1] (TOTAL).																		
	All causes	8,438	1,657	456	155	71	58	170	496	1,009	839	718	839	900	723	285	45	8	9
	I.—General diseases	2,670	183	99	43	31	22	80	253	549	414	292	274	241	135	48	2	1	3
1	Typhoid fever	199		3	4	6	5	18	45	69	23	10	7	6	3				
4	Malaria	68	12	5	6	4	1	3	7	4	7	4	8	4	2	1			
5	Smallpox	6		1							3	1		1					
6	Measles	3	1			1	1												
7	Scarlet fever	8	1	2	3			1	1										
8	Whooping cough	70	41	18	3	1	2	5											
9	Diphtheria and croup	57	8	14	4	7	6	14	1	1	1	1							
10	Influenza	93	10	5	2			3	2	3	3	3	8	22	19	12	1		
13	Cholera nostras	1		1															
14	Dysentery	93	25	18	6		1	5	2	4	7	3	2	6	12	2			
18	Erysipelas	17	6		1			2	1	1	2	3		1					
20	Purulent infection and septicemia	21	2				1	1	8	2	2	3	1		1				
23	Rabies	1								1									
24	Tetanus	33	26					1	2			1	1	2					
26	Pellagra	347	2	2		1	1	4	17	56	69	51	67	51	21	4		1	
	Tuberculosis (total)	1,126	12	18	10	8	4	18	154	370	239	122	86	57	20	5			3
28	Tuberculosis of the lungs	974	4	9	5	5	2	12	128	331	216	111	76	53	15	5			2
29	Acute miliary tuberculosis	39	1	1				2	11	15	7	2							
30	Tuberculous meningitis	24	5	4	4	2	1	2	2	2	1	1							
31	Abdominal tuberculosis	61	2	3	1		1	2	6	17	10	6	5	4	3				1
32	Pott's disease	3									1	2							
33	White swellings	7		1					1	2	1		2						
34	Tuberculosis of other organs	11				1			5	1			3		1				
35	Disseminated tuberculosis	7							1	2	3				1				
36	Rickets	11	6	3	1	1													
37	Syphilis	77	18	2					3	16	15	9	6	5	3				
38	Gonococcus infection	1									1								
	Cancer and other malignant tumors (total)	290	1		1			1	3	9	27	59	67	64	38	20			
39	Of the buccal cavity	15			1					2			6	3	1	2			
40	Of the stomach, liver	100	1						1	1	11	17	23	26	15	5			
41	Of the peritoneum, intestines, rectum	21								2	1	4	1	5	2	6			
42	Of the female genital organs	75						1		1	10	28	19	10	5	1			
43	Of the breast	17									1	6	3	6		1			
44	Of the skin	6												1	4	1			
45	Of other organs or of organs not specified	56							2	3	4	4	15	13	11	4			
46	Other tumors (tumors of the female genital organs excepted)	4									1		1	1	1				
47	Acute articular rheumatism	26	1	1				1	3	1	2	4	3	3	4	3			
48	Chronic rheumatism and gout	5										1		2	2				
50	Diabetes	44						1	1	8	4	5	7	9	8	1			
51	Exophthalmic goiter	7							1	1	1	3		1					
52	Addison's disease	1											1						
53	Leukemia	10		2	1			1	1	2	1	1	1						
54	Anemia, chlorosis	11	1									3	3	4					
55	Other general diseases	25	10	4	1	2		1	1		1	2	1		1		1		
56	Alcoholism (acute or chronic)	11								1	2	3	3	2					
57	Chronic lead poisoning	1									1								
59	Other chronic poisonings	3									2		1						

[1] Includes only municipalities having a population of 1,000 or over in 1910.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (TOTAL)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense	791	51	13	11	6	4	17	21	38	39	85	127	163	152	56	5	3	
60	Encephalitis	5						1				3		1					
61	Meningitis (total)	66	18	7	9	3	2	7	7	4	4	2	2	1					
	Simple meningitis	42	11	6	5	3	1	3	5	3	3	2							
	Cerebrospinal meningitis (undefined)	23	6	1	4		1	4	2	1	1		2	1					
	Cerebrospinal fever	1	1																
62	Locomotor ataxia	8								1		3	2	2					
63	Other diseases of the spinal cord (total)	35	2	2	1			2	3		1	1	9	8	6				
	Acute anterior poliomyelitis	6	2		1			1	1			1							
	Other diseases of the spinal cord[2]	29		2				1	2		1		9	8	6				
64	Cerebral hemorrhage, apoplexy	396	2	2					4	17	21	49	83	90	83	39	5	1	
65	Softening of the brain	8										1	2	1	3	1			
66	Paralysis without specified cause	140	2			1			1	5	4	13	17	39	42	14		2	
67	General paralysis of the insane	30								1	1	3	4	11	8	2			
68	Other forms of mental alienation	19							1	2	1	3	5	3	4				
69	Epilepsy	17						1	2	5	3	2	1	1	2				
70	Convulsions (nonpuerperal)	1										1							
71	Convulsions of infants	27	22	1	1	2	1												
72	Chorea	2						1		1									
73	Neuralgia and neuritis	4								1				1	2				
74	Other diseases of the nervous system	22	3	1				2		1	4	3	2	5	1				
75	Diseases of the eyes and their annexa	1													1				
76	Diseases of the ears	10	2				1	3	3			1							
	III.—Diseases of the circulatory system	754	4	2	2			5	18	55	67	76	141	168	146	59	10		1
77	Pericarditis	8						1	1				2	1	2	1			
78	Acute endocarditis	26			1			1	1	3	3	4	9	3		1			
79	Organic diseases of the heart	625	2	2	1			2	14	46	57	67	117	146	126	36	8		1
80	Angina pectoris	21								1	5		4	5	4	2			
81	Diseases of the arteries, atheroma, aneurism, etc	50									1	3	5	11	10	18	2		
82	Embolism and thrombosis	16						1	2	3	1	2	3	1	3				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2								1						1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1											1					
85	Hemorrhage; other diseases of the circulatory system	4	1							1			1		1				
	IV.—Diseases of the respiratory system	776	201	51	32	13	12	20	40	64	57	53	61	74	58	31	5	2	2
86	Diseases of the nasal fossae	4	4																
87	Diseases of the larynx	7	3	1		1	1					1							
88	Diseases of the thyroid body	3	1					1		1									
89	Acute bronchitis	42	22	4	4		1	3	1	2	1		1		2	1			
90	Chronic bronchitis	28	1	1	1	1			2	2	1	1	1	7	7	1	2		
91	Bronchopneumonia	227	103	30	21	4	9	5	4	6	9	3	7	11	7	7		1	
92	Pneumonia (total)	404	57	15	4	6	1	9	28	52	42	39	45	48	34	19	3		2
	Lobar pneumonia	330	38	9	4	4	1	5	26	47	36	34	42	36	28	16	3		1
	Pneumonia (undefined)	74	19	6		2		4	2	5	6	5	3	12	6	3			1
93	Pleurisy	9			1				2	1		1	2	1	1				
94	Pulmonary congestion, pulmonary apoplexy	28	10					2	1		2	3	1	2	5	2			
96	Asthma	13				1						3	2	3	2	1		1	
97	Pulmonary emphysema	1									1								
98	Other diseases of the respiratory system (tuberculosis excepted)	10			1				2		1	2	2	2					
	V.—Diseases of the digestive system	1,144	409	231	42	5	8	21	53	63	76	68	61	56	37	13	1		
99	Diseases of the mouth and annexa	4	3	1															
100	Diseases of the pharynx	9			1			1	1	2		1	2	1					
101	Diseases of the esophagus	1			1														
102	Ulcer of the stomach	21		1	1				1	1	3	8	3	1	2				
103	Other diseases of the stomach (cancer excepted)	109	30	9	5		2	1	2	6	14	8	7	14	11				
104	Diarrhea and enteritis (under 2 years)	576	363	213															
105	Diarrhea and enteritis (2 years and over)	97			30	4	5	4	4	3	9	6	7	10	8	7			
108	Appendicitis and typhlitis	105						11	31	28	16	10	6	1	2				
109	Hernia, intestinal obstruction (total)	91	10	5	4	1		2	4	9	13	12	15	8	4	4			
	Hernia	20	3							1	2	6	3	1	2	2			
	Intestinal obstruction	71	7	5	4	1		2	4	8	11	6	12	7	2	2			
110	Other diseases of the intestines	26	2					1	2	5	3	3	5	2	3				
111	Acute yellow atrophy of the liver	3							2	1									
113	Cirrhosis of the liver	40								2	7	8	9	10	4				
114	Biliary calculi	9								2	1	3	1	1			1		
115	Other diseases of the liver	16		1							1	3	3	4	2	2			
117	Simple peritonitis (nonpuerperal)	31	1	1				1	6	4	7	6	1	3	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	6					1				2		2	1					

[1] Includes only municipalities having a population of 1,000 or over in 1910.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (TOTAL)—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	658	1	11	3	4	2	5	12	48	62	83	123	133	127	35	9		
119	Acute nephritis	74		4	3	3	1	2	5	14	8	8	7	9	5	5			
120	Bright's disease	484	1	7		1		3	5	24	34	59	98	112	108	25	7		
122	Other diseases of the kidneys and annexa	17								4	3	3	2	2	2	1			
123	Calculi of the urinary passages	3					1					1	1						
124	Diseases of the bladder	8								1		1	2	2	2				
125	Diseases of the urethra, urinary abscess, etc	9								1	1	1	4		2				
126	Diseases of the prostate	22									1	1	2	6	8	3	1		
128	Uterine hemorrhage (nonpuerperal)	1									1								
129	Uterine tumor (noncancerous)	20								1	7	4	7	1					
130	Other diseases of the uterus	11							2	2	3	2		1		1			
131	Cysts and other tumors of the ovary	2									1	1							
132	Salpingitis and other diseases of the female genital organs	7								1	3	2					1		
	VII.—The puerperal state	127							21	61	37	8							
134	Accidents of pregnancy	11							2	2	6	1							
135	Puerperal hemorrhage	13							1	7	4	1							
136	Other accidents of labor	15							2	3	7	3							
137	Puerperal septicemia	38							5	21	11	1							
138	Puerperal albuminuria and convulsions	46							11	26	8	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3								1	1	1							
140	Following childbirth (not otherwise defined)	1								1									
	VIII.—Diseases of the skin and of the cellular tissue	15	2						1		1	3	1	2	3	2			
142	Gangrene	5										2		1	1	1			
143	Furuncle	2							1						1				
144	Acute abscess	4	1								1	1	1						
145	Other diseases of the skin and annexa	4	1											1	1	1			
	IX.—Diseases of the bones and of the organs of locomotion	12	1			1		2	3	2		1		2					
146	Diseases of the bones (tuberculosis excepted)	10	1			1		1	3	2				2					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2						1				1							
	X.—Malformations	50	44	5						1									
150	Congenital malformations (stillbirths not included) (total)	50	44	5						1									
	Hydrocephalus	5	3	2															
	Congenital malformations of the heart	20	18	1						1									
	Other congenital malformations	25	23	2															
	XI.—Early infancy	486	486																
151	Congenital debility, icterus, and sclerema (total)	418	418																
	Premature birth	299	299																
	Congenital debility, "atrophy," "marasmus," etc	119	119																
152	Other causes peculiar to early infancy (total)	60	60																
	Injuries at birth	22	22																
	Other causes peculiar to early infancy[2]	38	38																
153	Lack of care	8	8																
	XII.—Old age	59											2	5	19	22	9	1	1
154	Senility	59											2	5	19	22	9	1	1
	XIII.—External causes	465	33	14	17	8	7	18	60	114	68	33	33	31	19	9			1
	Suicide (total)	34							2	8	8	5	7	3	1				
155	By poison	6							1	1	2		2						
157	By hanging or strangulation	4								1		1	2						
158	By drowning	6										3	1	2					
159	By firearms	16							1	6	6		2	1					
160	By cutting or piercing instruments	2										1			1				
	Accidental or undefined (total)	364	30	14	17	8	7	18	53	70	49	21	25	25	18	9			
164	Poisoning by food	15	3	1	1		1	1	2	4			1	1					
165	Other acute poisonings	16	2	1		3				2	4	1	1	2					
166	Conflagration	3								2		1							
167	Burns (conflagration excepted)	55	2	7	12	4	3	6	2	2	5	1	2	6	1	2			
168	Absorption of deleterious gases (conflagration excepted)	19	15							2	2								
169	Accidental drowning	27		1	1		1	2	7	5	4	3	2		1				
170	Traumatism by firearms	28					1	1	16	3	2	3	1	1					
171	Traumatism by cutting or piercing instruments	1								1									
172	Traumatism by fall	36	1	2					4	4	2	1	5	5	6	6			

[1] Includes only municipalities having a population of 1,000 or over in 1910.

[2] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (TOTAL)—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
173	Traumatism in mines and quarries (total)	1									1								
	Traumatism in mines	1									1								
174	Traumatism by machines	11						1	3	3	3			1					
175	Traumatism by other crushing (total)	84		1	1	1		4	13	29	16	6	5	3	4	1			
	Railroad accidents and injuries	58		1		1		1	8	25	11	2	3	3	2	1			
	Street-car accidents and injuries	1							1										
	Automobile accidents and injuries	16			1			2	2	1	5	2	2		1				
	Injuries by other vehicles	2							1	1									
	Landslide, other crushing	7						1	1	2		2			1				
176	Injuries by animals	3			1							1	1						
178	Excessive cold	1													1				
179	Effects of heat	3						1					1	1					
180	Lightning	4						1				2	1						
181	Electricity (lightning excepted)	4								3		1							
185	Fractures (cause not specified)	12	1						1		4		1	2	3				
186	Other external violence	41	6	1	1		1	1	5	10	6	1	4	3	2				
	Homicide (total)	67	3						5	36	11	7	1	3					1
182	By firearms	49							3	30	8	5	1	2					
183	By cutting or piercing instruments	6							1	3	1								1
184	By other means	12	3						1	3	2	2		1					
	XIV.—Ill-defined diseases	431	242	30	5	3	3	2	14	14	18	16	16	25	27	10	4	1	1
187	Ill-defined organic disease	7		2								1		1	2	1			
188	Sudden death	30	7						2	2	2	2	3	6	3	2			1
189	Not specified or ill-defined (total)	394	235	28	5	3	3	2	12	12	16	13	13	18	22	7	4	1	
	Ill-defined	57	17	10					2	5	1	4	4	5	5	4			
	Not specified, or unknown	337	218	18	5	3	3	2	10	7	15	9	9	13	17	3	4	1	
	NORTH CAROLINA[1] (WHITE).																		
	All causes	4,342	783	240	87	33	31	96	188	413	388	365	447	584	479	189	18		1
	I.—General diseases	1,324	75	47	27	14	12	44	84	213	201	158	167	156	91	34	1		
1	Typhoid fever	100		1	1	3	1	5	20	35	18	4	4	5	3				
4	Malaria	24	4		1	1		2	3		4	1	3	3	1	1			
5	Smallpox	4		1							2	1							
6	Measles	3	1			1	1												
7	Scarlet fever	8	1	2	3			1	1										
8	Whooping cough	32	19	7	3			3											
9	Diphtheria and croup	49	6	12	4	7	6	12	1	1									
10	Influenza	57	5	3	1			2	2	2	2	3	3	14	10	10			
13	Cholera nostras	1		1															
14	Dysentery	39	8	6	4		1	4	1		1	2	1	1	9	1			
18	Erysipelas	13	4		1			2	1		2	2		1					
20	Purulent infection and septicemia	14	1				1	1	7	1	1	1	1						
23	Rabies	1								1									
24	Tetanus	6	4						1			1							
26	Pellagra	162						2	4	14	32	27	42	28	12	1			
	Tuberculosis (total)	486	6	8	6	1	2	6	38	143	114	63	51	34	11	3			
28	Tuberculosis of the lungs	423	1	4	2	1		2	33	128	106	58	44	32	9	3			
29	Acute miliary tuberculosis	7						1	1	4	1								
30	Tuberculous meningitis	14	4	3	3		1	2			1								
31	Abdominal tuberculosis	30	1	1	1		1	1	2	8	2	5	4	2	2				
32	Pott's disease	1									1								
33	White swellings	3								1	1		1						
34	Tuberculosis of other organs	5							2	1			2						
35	Disseminated tuberculosis	3								1	2								
36	Rickets	2	2																
37	Syphilis	16	5								2	3	1	3	2				
	Cancer and other malignant tumors (total)	202	1		1			1	1	6	14	35	48	51	30	14			
39	Of the buccal cavity	12			1					1			6	2	1	1			
40	Of the stomach, liver	77	1							1	6	10	18	24	14	3			
41	Of the peritoneum, intestines, rectum	12								2	1	2		1	2	4			
42	Of the female genital organs	42						1			4	18	10	8	1				
43	Of the breast	9										3	1	4		1			
44	Of the skin	6												1	4	1			
45	Of other organs or of organs not specified	44							1	2	3	2	13	11	8	4			
46	Other tumors (tumors of the female genital organs excepted)	3											1	1	1				
47	Acute articular rheumatism	9						1	1			1		1	2	3			
48	Chronic rheumatism and gout	3												2	1				
50	Diabetes	36						1	1	6	3	4	5	7	8	1			
51	Exophthalmic goiter	6							1	1	1	2		1					
52	Addison's disease	1											1						
53	Leukemia	7		2	1			1	1	2									
54	Anemia, chlorosis	7										3	2	2					

[1] Includes only municipalities having a population of 1,000 or over in 1910.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA [1] (WHITE)—Continued.																		
	I. General diseases—Continued.																		
55	Other general diseases	19	8	4	1	1						2	1		1		1		
56	Alcoholism (acute or chronic)	10								1	2	3	2	2					
57	Chronic lead poisoning	1									1								
59	Other chronic poisonings	3									2		1						
	II.—Diseases of the nervous system and of the organs of special sense	449	27	8	7	4	2	11	5	12	16	40	62	111	109	33	2		
60	Encephalitis	4						1				2		1					
61	Meningitis (total)	40	12	4	7	3	1	1	2	2	3	2	2	1					
	Simple meningitis	28	8	4	3	3	1	1	2	1	3	2							
	Cerebrospinal meningitis (undefined)	12	4		4					1			2	1					
62	Locomotor ataxia	5										1	2	2					
63	Other diseases of the spinal cord (total)	14						2					3	5	4				
	Acute anterior poliomyelitis	1						1											
	Other diseases of the spinal cord [2]	13						1					3	5	4				
64	Cerebral hemorrhage, apoplexy	222	2	2					1	3	6	20	40	63	59	24	2		
65	Softening of the brain	7										1	2		3	1			
66	Paralysis without specified cause	73	1							2	3	5	6	24	26	6			
67	General paralysis of the insane	23										3	2	8	8	2			
68	Other forms of mental alienation	13								1	1	2	3	2	4				
69	Epilepsy	8						1		2	2			1	2				
71	Convulsions of infants	10	8	1		1													
72	Chorea	2						1		1									
73	Neuralgia and neuritis	2												1	1				
74	Other diseases of the nervous system	16	2	1				2		1	1	3	2	3	1				
75	Diseases of the eyes and their annexa	1													1				
76	Diseases of the ears	9	2				1	3	2			1							
	III.—Diseases of the circulatory system	406	2	1	1			3	8	20	19	31	60	108	104	42	6		1
77	Pericarditis	7							1				2	1	2	1			
78	Acute endocarditis	12						1	1	2	1	2	2	2		1			
79	Organic diseases of the heart	319	1	1	1			1	5	14	15	25	47	95	87	22	4		1
80	Angina pectoris	14									2		3	4	3	2			
81	Diseases of the arteries, atheroma, aneurism, etc	38										2	4	5	10	15	2		
82	Embolism and thrombosis	11						1	1	2	1	2	2	1	1				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2								1						1			
85	Hemorrhage; other diseases of the circulatory system	3	1							1					1				
	IV.—Diseases of the respiratory system	341	66	27	12	5	7	9	11	25	23	25	28	49	35	18	1		
87	Diseases of the larynx	2				1	1												
88	Diseases of the thyroid body	2						1		1									
89	Acute bronchitis	16	10	1						1	1				2	1			
90	Chronic bronchitis	17	1									1	1	7	5	1	1		
91	Bronchopneumonia	97	34	20	11	1	5	3	1	1	3	1	3	6	4	4			
92	Pneumonia (total)	172	15	6	1	3	1	3	8	21	18	16	21	30	19	10			
	Lobar pneumonia	135	11	3	1	2	1	2	7	18	15	13	19	21	14	8			
	Pneumonia (undefined)	37	4	3		1		1	1	3	3	3	2	9	5	2			
93	Pleurisy	6							1	1		1	1	1	1				
94	Pulmonary congestion, pulmonary apoplexy	18	6					2			1	2		2	3	2			
96	Asthma	6										2	1	2	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	5							1			2	1	1					
	V.—Diseases of the digestive system	630	189	131	30	3	5	14	32	34	38	36	43	36	28	10	1		
100	Diseases of the pharynx	5			1			1		2			1						
102	Ulcer of the stomach	16		1	1				1	1	3	4	3		2				
103	Other diseases of the stomach (cancer excepted)	49	17	2	3		1			2	4	1	1	12	6				
104	Diarrhea and enteritis (under 2 years)	287	166	121															
105	Diarrhea and enteritis (2 years and over)	67			21	2	4	3	2	3	5	3	6	6	6	6			
108	Appendicitis and typhlitis	73						9	22	18	10	6	5	1	2				
109	Hernia, intestinal obstruction (total)	52	5	5	4	1			1	2	9	6	10	5	2	2			
	Hernia	14	2								2	3	3	1	1	2			
	Intestinal obstruction	38	3	5	4	1			1	2	7	3	7	4	1				
110	Other diseases of the intestines	17						1	2	3	1	2	4	1	3				
111	Acute yellow atrophy of the liver	2							1	1									
113	Cirrhosis of the liver	24									3	5	7	5	4				
114	Biliary calculi	5										2	1	1			1		
115	Other diseases of the liver	14		1							1	3	3	2	2	2			
117	Simple peritonitis (nonpuerperal)	16	1	1					3	2	1	4	1	2	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3									1		1	1					

[1] Includes only municipalities having a population of 1,000 or over in 1910.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA [1] (WHITE)—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	345	1	6	1	1	2	3	3	18	26	41	55	86	77	21	4		
119	Acute nephritis	31		1	1	1	1	2	1	7	2	3	2	6	2	2			
120	Bright's disease	273	1	5				1	2	7	17	32	47	77	66	15	3		
122	Other diseases of the kidneys and annexa	12								1	2	3	2	1	2	1			
123	Calculi of the urinary passages	2					1					1							
124	Diseases of the bladder	4								1		1		1	1				
125	Diseases of the urethra, urinary abscess, etc	3											2		1				
126	Diseases of the prostate	9												1	5	2	1		
129	Uterine tumor (noncancerous)	3									1		2						
130	Other diseases of the uterus	4								1	2					1			
131	Cysts and other tumors of the ovary	1									1								
132	Salpingitis and other diseases of the female genital organs	3								1	1	1							
	VII.—The puerperal state	67							10	31	20	6							
134	Accidents of pregnancy	7							1		5	1							
135	Puerperal hemorrhage	6								3	2	1							
136	Other accidents of labor	4							2		1	1							
137	Puerperal septicemia	16							1	9	5	1							
138	Puerperal albuminuria and convulsions	30							6	17	6	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3								1	1	1							
140	Following childbirth (not otherwise defined)	1								1									
	VIII.—Diseases of the skin and of the cellular tissue	9	2						1		1	3		1	1				
142	Gangrene	2										2							
143	Furuncle	2							1						1				
144	Acute abscess	3	1								1	1							
145	Other diseases of the skin and annexa	2	1											1					
	IX.—Diseases of the bones and of the organs of locomotion	9	1			1		2	2	1		1		1					
146	Diseases of the bones (tuberculosis excepted)	7	1			1		1	2	1				1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2						1				1							
	X.—Malformations	45	40	4						1									
150	Congenital malformations (stillbirths not included) (total)	45	40	4						1									
	Hydrocephalus	5	3	2															
	Congenital malformations of the heart	19	18							1									
	Other congenital malformations	21	19	2															
	XI.—Early infancy	300	300																
151	Congenital debility, icterus, and sclerema (total)	263	263																
	Premature birth	203	203																
	Congenital debility, "atrophy," "marasmus," etc	60	60																
152	Other causes peculiar to early infancy (total)	33	33																
	Injuries at birth	12	12																
	Other causes peculiar to early infancy [2]	21	21																
153	Lack of care	4	4																
	XII.—Old age	31												4	10	15	2		
154	Senility	31												4	10	15	2		
	XIII.—External causes	256	15	9	9	4	2	10	28	56	38	19	24	21	12	9			
	Suicide (total)	29							1	8	5	4	7	3	1				
155	By poison	4								1	1		2						
157	By hanging or strangulation	4								1		1	2						
158	By drowning	5										2	1	2					
159	By firearms	14							1	6	4		2	1					
160	By cutting or piercing instruments	2										1			1				
	Accidental or undefined (total)	205	13	9	9	4	2	10	26	42	27	12	16	15	11	9			
164	Poisoning by food	8	3	1			1	1	1					1					
165	Other acute poisonings	8				1				2	3	1	1						
166	Conflagration	2								1		1							
167	Burns (conflagration excepted)	25	1	3	7	2		2		1	2	1	1	3		2			
168	Absorption of deleterious gases (conflagration excepted)	9	7							1	1								
169	Accidental drowning	14		1				2	5	2	3	1							
170	Traumatism by firearms	15						1	8	3	1	1	1						
172	Traumatism by fall	25		2					1	1	1	1	4	4	5	6			

[1] Includes only municipalities having a population of 1,000 or over in 1910.

[2] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA [1] (WHITE)—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
173	Traumatism in mines and quarries (total)	1									1								
	Traumatism in mines	1									1								
174	Traumatism by machines	8						1	2	2	2			1					
175	Traumatism by other crushing (total)	51		1	1	1		3	7	20	8	3	3	2	1	1			
	Railroad accidents and injuries	35		1		1			3	18	5	1	2	2	1	1			
	Street-car accidents and injuries	1							1										
	Automobile accidents and injuries	11			1			2	2		3	2	1						
	Injuries by other vehicles	2							1	1									
	Landslide, other crushing	2						1		1									
176	Injuries by animals	3			1							1	1						
179	Effects of heat	1												1					
180	Lightning	2										1	1						
181	Electricity (lightning excepted)	4								3		1							
185	Fractures (cause not specified)	8							1		1		1	2	3				
186	Other external violence	21	2	1			1		1	6	4		3	1	2				
	Homicide (total)	22	2						1	6	6	3	1	3					
182	By firearms	16							1	5	5	2	1	2					
183	By cutting or piercing instruments	1								1									
184	By other means	5	2								1	1		1					
	XIV.—Ill-defined diseases	130	65	7		1	1		4	2	6	5	8	11	12	7	1		
187	Ill-defined organic disease	2													1	1			
188	Sudden death	17	2						2		2	1	1	5	2	2			
189	Not specified or ill-defined (total)	111	63	7		1	1		2	2	4	4	7	6	9	4	1		
	Ill-defined	29	8	3					1	1	1	1	2	5	4	3			
	Not specified, or unknown	82	55	4		1	1		1	1	3	3	5	1	5	1	1		
	NORTH CAROLINA [1] (COLORED).																		
	All causes	4,096	874	216	68	38	27	74	308	596	451	353	392	316	244	96	27	8	8
	I.—General diseases	1,346	108	52	16	17	10	36	169	336	213	134	107	85	44	14	1	1	3
1	Typhoid fever	99		2	3	3	4	13	25	34	5	6	3	1					
4	Malaria	44	8	5	5	3	1	1	4	4	3	3	5	1	1				
5	Smallpox	2									1			1					
8	Whooping cough	38	22	11		1	2	2											
9	Diphtheria and croup	8	2	2				2			1	1							
10	Influenza	36	5	2	1			1		1	1		5	8	9	2	1		
14	Dysentery	54	17	12	2			1	1	4	6	1	1	5	3	1			
18	Erysipelas	4	2							1		1							
20	Purulent infection and septicemia	7	1						1	1	1	2			1				
24	Tetanus	27	22					1	1				1	2					
26	Pellagra	185	2	2		1	1	2	13	42	37	24	25	23	9	3		1	
	Tuberculosis (total)	640	6	10	4	7	2	12	116	227	125	59	35	23	9	2			3
28	Tuberculosis of the lungs	551	3	5	3	4	2	10	95	203	110	53	32	21	6	2			2
29	Acute miliary tuberculosis	32	1	1				1	10	11	6	2							
30	Tuberculous meningitis	10	1	1	1	2			2	2		1							
31	Abdominal tuberculosis	31	1	2				1	4	9	8	1	1	2	1				1
32	Pott's disease	2										2							
33	White swellings	4		1					1	1			1						
34	Tuberculosis of other organs	6				1			3				1		1				
35	Disseminated tuberculosis	4							1	1	1				1				
36	Rickets	9	4	3	1	1													
37	Syphilis	61	13	2					3	16	13	6	5	2	1				
38	Gonococcus infection	1									1								
	Cancer and other malignant tumors (total)	88							2	3	13	24	19	13	8	6			
39	Of the buccal cavity	3								1				1		1			
40	Of the stomach, liver	23							1		5	7	5	2	1	2			
41	Of the peritoneum, intestines, rectum	9										2	1	4		2			
42	Of the female genital organs	33								1	6	10	9	2	4	1			
43	Of the breast	8									1	3	2	2					
45	Of other organs or of organs not specified	12							1	1	1	2	2	2	3				
46	Other tumors (tumors of the female genital organs excepted)	1									1								
47	Acute articular rheumatism	17	1	1					2	1	2	3	3	2	2				
48	Chronic rheumatism and gout	2										1			1				
50	Diabetes	8								2	1	1	2	2					
51	Exophthalmic goiter	1										1							
53	Leukemia	3									1	1	1						
54	Anemia, chlorosis	4	1										1	2					
55	Other general diseases	6	2			1		1	1		1								
56	Alcoholism (acute or chronic)	1											1						

[1] Includes only municipalities having a population of 1,000 or over in 1910.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA [1] (COLORED)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense	342	24	5	4	2	2	6	16	26	23	45	65	52	43	23	3	3	
60	Encephalitis	1										1							
61	Meningitis (total)	26	6	3	2		1	6	5	2	1								
	Simple meningitis	14	3	2	2			2	3	2									
	Cerebrospinal meningitis (undefined)	11	2	1			1	4	2		1								
	Cerebrospinal fever	1	1																
62	Locomotor ataxia	3								1		2							
63	Other diseases of the spinal cord (total)	21	2	2	1				3		1	1	6	3	2				
	Acute anterior poliomyelitis	5	2		1				1			1							
	Other diseases of the spinal cord [2]	16		2					2		1		6	3	2				
64	Cerebral hemorrhage, apoplexy	174							3	14	15	29	43	27	24	15	3	1	
65	Softening of the brain	1												1					
66	Paralysis without specified cause	67	1			1			1	3	1	8	11	15	16	8		2	
67	General paralysis of the insane	7								1	1		2	3					
68	Other forms of mental alienation	6							1	1		1	2	1					
69	Epilepsy	9							2	3	1	2	1						
70	Convulsions (nonpuerperal)	1										1							
71	Convulsions of infants	17	14		1	1	1												
73	Neuralgia and neuritis	2								1					1				
74	Other diseases of the nervous system	6	1								3			2					
76	Diseases of the ears	1							1										
	III.—Diseases of the circulatory system	348	2	1	1			2	10	35	48	45	81	60	42	17	4		
77	Pericarditis	1						1											
78	Acute endocarditis	14			1					1	2	2	7	1					
79	Organic diseases of the heart	306	1	1				1	9	32	42	42	70	51	39	14	4		
80	Angina pectoris	7								1	3		1	1	1				
81	Diseases of the arteries, atheroma, aneurism, etc.	12									1	1	1	6		3			
82	Embolism and thrombosis	5							1	1			1		2				
84	Diseases of the lymphatic system (lymphangitis, etc.)	2	1											1					
85	Hemorrhage; other diseases of the circulatory system	1											1						
	IV.—Diseases of the respiratory system	435	135	24	20	8	5	11	29	39	34	28	33	25	23	13	4	2	2
86	Diseases of the nasal fossae	4	4																
87	Diseases of the larynx	5	3	1								1							
88	Diseases of the thyroid body	1	1																
89	Acute bronchitis	26	12	3	4		1	3	1	1			1						
90	Chronic bronchitis	11		1	1	1			2	2	1				2		1		
91	Bronchopneumonia	130	69	10	10	3	4	2	3	5	6	2	4	5	3	3		1	
92	Pneumonia (total)	232	42	9	3	3		6	20	31	24	23	24	18	15	9	3		2
	Lobar pneumonia	195	27	6	3	2		3	19	29	21	21	23	15	14	8	3		1
	Pneumonia (undefined)	37	15	3		1		3	1	2	3	2	1	3	1	1			1
93	Pleurisy	3			1				1				1						
94	Pulmonary congestion, pulmonary apoplexy	10	4						1		1	1	1		2				
96	Asthma	7				1						1	1	1	1	1		1	
97	Pulmonary emphysema	1									1								
98	Other diseases of the respiratory system (tuberculosis excepted)	5			1				1		1		1	1					
	V.—Diseases of the digestive system	514	220	100	12	2	3	7	21	29	38	32	18	20	9	3			
99	Diseases of the mouth and annexa	4	3	1															
100	Diseases of the pharynx	4							1			1	1	1					
101	Diseases of the esophagus	1			1														
102	Ulcer of the stomach	5										4		1					
103	Other diseases of the stomach (cancer excepted)	60	13	7	2		1	1	2	4	10	7	6	2	5				
104	Diarrhea and enteritis (under 2 years)	289	197	92															
105	Diarrhea and enteritis (2 years and over)	30			9	2	1	1	2		4	3	1	4	2	1			
108	Appendicitis and typhlitis	32						2	9	10	6	4	1						
109	Hernia, intestinal obstruction (total)	39	5					2	3	7	4	6	5	3	2	2			
	Hernia	6	1							1		3			1				
	Intestinal obstruction	33	4					2	3	6	4	3	5	3	1	2			
110	Other diseases of the intestines	9	2							2	2	1	1	1					
111	Acute yellow atrophy of the liver	1							1										
113	Cirrhosis of the liver	16								2	4	3	2	5					
114	Biliary calculi	4								2	1	1							
115	Other diseases of the liver	2												2					
117	Simple peritonitis (nonpuerperal)	15						1	3	2	6	2		1					
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3					1				1		1						

[1] Includes only municipalities having a population of 1,000 or over in 1910.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (COLORED)—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	313		5	2	3		2	9	30	36	42	68	47	50	14	5		
119	Acute nephritis	43		3	2	2			4	7	6	5	5	3	3	3			
120	Bright's disease	211		2		1		2	3	17	17	27	51	35	42	10	4		
122	Other diseases of the kidneys and annexa	5								3	1			1					
123	Calculi of the urinary passages	1											1						
124	Diseases of the bladder	4											2	1	1				
125	Diseases of the urethra, urinary abscess, etc	6								1	1	1	2		1				
126	Diseases of the prostate	13									1	1	2	5	3	1			
128	Uterine hemorrhage (nonpuerperal)	1									1								
129	Uterine tumor (noncancerous)	17								1	6	4	5	1					
130	Other diseases of the uterus	7							2	1	1	2		1					
131	Cysts and other tumors of the ovary	1										1							
132	Salpingitis and other diseases of the female genital organs	4									2	1					1		
	VII.—The puerperal state	60							11	30	17	2							
134	Accidents of pregnancy	4							1	2	1								
135	Puerperal hemorrhage	7							1	4	2								
136	Other accidents of labor	11								3	6	2							
137	Puerperal septicemia	22							4	12	6								
138	Puerperal albuminuria and convulsions	16							5	9	2								
	VIII.—Diseases of the skin and of the cellular tissue	6											1	1	2	2			
142	Gangrene	3												1	1	1			
144	Acute abscess	1											1						
145	Other diseases of the skin and annexa	2													1	1			
	IX.—Diseases of the bones and of the organs of locomotion	3							1	1				1					
146	Diseases of the bones (tuberculosis excepted)	3							1	1				1					
	X.—Malformations	5	4	1															
150	Congenital malformations (stillbirths not included) (total)	5	4	1															
	Congenital malformations of the heart	1		1															
	Other congenital malformations	4	4																
	XI.—Early infancy	186	186																
151	Congenital debility, icterus, and sclerema (total)	155	155																
	Premature birth	96	96																
	Congenital debility, "atrophy," "marasmus," etc	59	59																
152	Other causes peculiar to early infancy (total)	27	27																
	Injuries at birth	10	10																
	Other causes peculiar to early infancy[2]	17	17																
153	Lack of care	4	4																
	XII.—Old age	28											2	1	9	7	7	1	1
154	Senility	28											2	1	9	7	7	1	1
	XIII.—External causes	209	18	5	8	4	5	8	32	58	30	14	9	10	7				1
	Suicide (total)	5							1		3	1							
155	By poison	2							1		1								
158	By drowning	1										1							
159	By firearms	2									2								
	Accidental or undefined (total)	159	17	5	8	4	5	8	27	28	22	9	9	10	7				
164	Poisoning by food	7			1				1	4			1						
165	Other acute poisonings	8	2	1		2					1			2					
166	Conflagration	1								1									
167	Burns (conflagration excepted)	30	1	4	5	2	3	4	2	1	3		1	3	1				
168	Absorption of deleterious gases (conflagration excepted)	10	8							1	1								
169	Accidental drowning	13			1		1		2	3	1	2	2		1				
170	Traumatism by firearms	13					1		8		1	2		1					
171	Traumatism by cutting or piercing instruments	1								1									
172	Traumatism by fall	11	1						3	3	1		1	1	1				
174	Traumatism by machines	3							1	1	1								
175	Traumatism by other crushing (total)	33						1	6	9	8	3	2	1	3				
	Railroad accidents and injuries	23						1	5	7	6	1	1	1	1				
	Automobile accidents and injuries	5								1	2		1		1				
	Landslide, other crushing	5							1	1		2			1				
178	Excessive cold	1													1				
179	Effects of heat	2						1					1						
180	Lightning	2						1				1							
185	Fractures (cause not specified)	4	1								3								
186	Other external violence	20	4		1			1	4	4	2	1	1	2					

[1] Includes only municipalities having a population of 1,000 or over in 1910.

[2] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (COLORED)—Continued.																		
	XIII.—External causes—Contd.																		
	Homicide (total)	45	1						4	30	5	4							1
182	By firearms	33							2	25	3	3							
183	By cutting or piercing instruments	5							1	2	1								1
184	By other means	7	1						1	3	1	1							
	XIV.—Ill-defined diseases	301	177	23	5	2	2	2	10	12	12	11	8	14	15	3	3	1	1
187	Ill-defined organic disease	5		2								1		1	1				
188	Sudden death	13	5							2		1	2	1	1				1
189	Not specified or ill-defined (total)	283	172	21	5	2	2	2	10	10	12	9	6	12	13	3	3	1	
	Ill-defined	28	9	7					1	4		3	2		1	1			
	Not specified, or unknown	255	163	14	5	2	2	2	9	6	12	6	4	12	12	2	3	1	
	OHIO.																		
	All causes	66,173	9,690	1,791	796	494	356	1,173	2,303	4,496	5,092	5,760	7,178	9,392	10,855	5,899	854	28	16
	I.—General diseases	17,270	851	438	279	213	152	517	1,052	2,184	2,083	2,125	2,272	2,434	1,884	701	82		3
1	Typhoid fever	717	3	6	9	4	7	57	168	171	102	81	44	42	21	2			
4	Malaria	25	1	1	1	1	1	1	3	1	4	2	3	1	3	2			
5	Smallpox	7	2		1				1	1		1		1					
6	Measles	219	51	85	24	10	6	16	10	13	1		2		1				
7	Scarlet fever	224	15	26	21	30	11	68	42	8	3								
8	Whooping cough	355	203	83	29	10	12	11	3	1				1	2				
9	Diphtheria and croup	672	36	82	95	88	66	186	81	14	12	6	4	1	1				
10	Influenza	981	91	14	14	9	4	13	18	25	30	45	59	143	260	219	36		1
13	Cholera nostras	7		1						1				1	3	1			
14	Dysentery	133	18	17	6	5		2		3	3	4	6	16	21	26	6		
18	Erysipelas	159	42	1			1	1	5	3	20	15	14	21	21	14	1		
19	Other epidemic diseases	13	6	4	3														
20	Purulent infection and septicemia	103	8	1	1	1		2	5	12	10	14	15	16	8	9	1		
23	Rabies	7			1		1	2	1	2									
24	Tetanus	93	9	2	2	1	1	10	13	9	12	6	11	11	6				
25	Mycoses	1												1					
26	Pellagra	5								1		1	2		1				
	Tuberculosis (total)	6,643	143	83	56	40	36	77	542	1,679	1,409	983	705	542	289	55	3		1
28	Tuberculosis of the lungs	5,615	46	31	9	11	10	27	432	1,504	1,268	877	633	462	253	48	3		1
29	Acute miliary tuberculosis	161	5	2	1	3	1	2	23	42	39	21	10	10	1	1			
30	Tuberculous meningitis	314	68	42	33	21	15	26	33	34	14	14	6	5	3				
31	Abdominal tuberculosis	281	9	7	4	2	3	7	31	59	49	31	28	32	16	3			
32	Pott's disease	47					5	3	4	6	7	5	9	5	2	1			
33	White swellings	35			1	1		5	4	6	2	5	2	6	3				
34	Tuberculosis of other organs	123	12	1	6	1	1	3	8	16	13	23	10	17	10	2			
35	Disseminated tuberculosis	67	3		2	1	1	4	7	12	17	7	7	5	1				
36	Rickets	28	14	5	2	1		4				1	1						
37	Syphilis	412	142	10	1	3	1	5	10	37	55	68	50	21	8	1			
38	Gonococcus infection	10							2	2	5			1					
	Cancer and other malignant tumors (total)	4,323		1	4	2		11	25	60	221	598	953	1,152	961	308	26		1
39	Of the buccal cavity	173			1			2	1	2	4	20	31	41	51	17	3		
40	Of the stomach, liver	1,670		1				1	1	10	63	183	365	495	440	106	5		
41	Of the peritoneum, intestines, rectum	501						3	4	14	34	54	98	151	109	33	1		
42	Of the female genital organs	712							3	13	66	172	201	166	74	17			
43	Of the breast	423								5	25	86	106	81	86	30	4		
44	Of the skin	191									3	6	15	52	63	45	6		1
45	Of other organs or of organs not specified	653			3	2		5	16	16	26	77	137	166	138	60	7		
46	Other tumors (tumors of the female genital organs excepted)	16	1		1					3	2	2	3		4				
47	Acute articular rheumatism	246	4	2		2	2	27	40	25	19	27	35	31	23	7	2		
48	Chronic rheumatism and gout	93							3	4	8	7	12	23	23	13			
49	Scurvy	6	2	2								1	1						
50	Diabetes	849			2	1	1	11	46	47	48	88	174	256	142	28	5		
51	Exophthalmic goiter	129							2	12	24	41	21	20	8	1			
52	Addison's disease	24							1	1	5	6	3	4	4				
53	Leukemia	83	3	1	4			5	9	7	15	9	14	9	6	1			
54	Anemia, chlorosis	320	3	5		1	1	3	10	21	20	45	83	77	35	9	2		
55	Other general diseases	103	49	6	2	3	1	5	8	7		3	4	5	9	1			
56	Alcoholism (acute or chronic)	222							1	12	54	63	48	27	15	2			
57	Chronic lead poisoning	9				1			1	1		4	1	1					
58	Other chronic occupation poisonings	1							1										
59	Other chronic poisonings	32							1	1	1	4	4	10	9	2			
	II.—Diseases of the nervous system and of the organs of special sense	7,579	296	89	48	34	26	81	121	160	367	635	1,017	1,533	2,078	984	104	5	1
60	Encephalitis	45	5	2	1	1		2	4	2	3	5	6	9	4	1			
61	Meningitis (total)	312	75	39	22	13	8	33	29	30	24	17	13	4	3	1			1
	Simple meningitis	149	35	22	7	7	2	11	12	14	14	10	7	3	3	1			1
	Cerebrospinal meningitis (undefined)	75	20	9	9	2	2	5	6	6	4	6	5	1					
	Cerebrospinal fever	88	20	8	6	4	4	17	11	10	6	1	1						
62	Locomotor ataxia	156							1	2	11	27	37	48	23	7			
63	Other diseases of the spinal cord (total)	381	14	15	12	12	13	17	27	8	12	33	32	76	80	28	2		
	Acute anterior poliomyelitis	95	14	13	10	12	10	15	12	1	1	3	1	2	1				
	Other diseases of the spinal cord[2]	286		2	2		3	2	15	7	11	30	31	74	79	28	2		
64	Cerebral hemorrhage, apoplexy	5,017	24	3	1		1	2	13	37	107	301	733	1,196	1,704	805	85	5	

[1] Includes only municipalities having a population of 1,000 or over in 1910.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	OHIO—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
65	Softening of the brain	118									2	6	7	15	54	31	3		
66	Paralysis without specified cause	279	2						2	4	5	9	21	63	103	63	7		
67	General paralysis of the insane	424							1	9	101	140	68	47	37	18	3		
68	Other forms of mental alienation	167							3	9	25	32	38	30	19	8	3		
69	Epilepsy	171	3	2			1	4	15	23	41	28	19	14	19	2			
70	Convulsions (nonpuerperal)	11						3	2	1	2		1			2			
71	Convulsions of infants	162	141	14	3	3	1												
72	Chorea	8							5	2	1								
73	Neuralgia and neuritis	35								3	1	2	6	7	10	5	1		
74	Other diseases of the nervous system	176	15	3	3	1		11	8	17	20	27	24	17	19	11			
75	Diseases of the eyes and their annexa	6			1	1		1						2		1			
76	Diseases of the ears	111	17	11	5	3	2	8	11	13	12	8	12	5	3	1			
	III.—Diseases of the circulatory system	10,153	74	5	6	6	17	72	205	257	446	715	1,279	2,226	2,949	1,658	228	8	2
77	Pericarditis	77	1	2	1			3	4	4	6	5	7	13	21	10			
78	Acute endocarditis	371	8		1	1	3	22	28	43	46	65	111	15	17	6	5		
79	Organic diseases of the heart	7,630	40	3	4	5	11	44	163	194	338	557	991	1,765	2,253	1,136	120	4	2
80	Angina pectoris	460							2	7	20	36	67	145	136	41	6		
81	Diseases of the arteries, atheroma, aneurism, etc.	1,369	2					1	2	2	14	24	74	246	475	433	92	4	
82	Embolism and thrombosis	164	2				2	1	6	4	10	22	15	36	36	26	4		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	34								3	6	4	7	4	6	3	1		
84	Diseases of the lymphatic system (lymphangitis, etc.)	22	15				1				2		1		3				
85	Hemorrhage; other diseases of the circulatory system	26	6					1			4	2	6	2	2	3			
	IV.—Diseases of the respiratory system	7,520	1,685	489	176	71	48	131	158	246	339	476	603	893	1,280	783	137	4	1
86	Diseases of the nasal fossae	14	2		1				2	2	1				1	3	2		
87	Diseases of the larynx	46	12	9	8	2	3	2	1		1	1	4			2	1		
88	Diseases of the thyroid body	34	1					1	1		6	9	7	7	1	1			
89	Acute bronchitis	434	171	44	14	5	6	4		1	4	10	8	19	56	76	16		
90	Chronic bronchitis	381	5	3				2	2	5	7	6	25	62	128	116	20		
91	Bronchopneumonia	2,604	1,021	272	96	28	18	48	28	36	47	56	104	190	369	234	55	2	
92	Pneumonia (total)	3,581	441	148	52	36	16	64	112	186	244	368	411	540	624	302	34	2	1
	Lobar pneumonia	3,372	398	138	52	34	15	56	105	178	236	350	386	518	592	279	32	2	1
	Pneumonia (undefined)	209	43	10		2	1	8	7	8	8	18	25	22	32	23	2		
93	Pleurisy	148	7	9	3		2	6	10	11	14	13	20	23	22	8			
94	Pulmonary congestion, pulmonary apoplexy	77	22	2	2				2	2	2	1	2	3	19	15	5		
95	Gangrene of the lung	15						1			3	1	2	3	5				
96	Asthma	122	2				2	1		2	6	6	15	28	43	16	1		
97	Pulmonary emphysema	12					1					1		1	6	2	1		
98	Other diseases of the respiratory system (tuberculosis excepted)	52	1	2				2		1	4	4	5	17	6	8	2		
	V.—Diseases of the digestive system	6,536	2,123	590	167	73	37	122	193	294	374	440	557	605	598	325	35	2	1
99	Diseases of the mouth and annexa	47	13	2		2	1	3	3	3	9	3	3	2	1	2			
100	Diseases of the pharynx	121	5	9	7	5	4	14	20	20	11	9	5	4	4	3	1		
101	Diseases of the esophagus	7		2			1						1	1		1	1		
102	Ulcer of the stomach	236	1					1	4	19	34	41	45	41	34	14	2		
103	Other diseases of the stomach (cancer excepted)	541	171	22	8	2	2	7	5	4	19	26	33	51	94	85	11		1
104	Diarrhea and enteritis (under 2 years)	2,339	1,824	515															
105	Diarrhea and enteritis (2 years and over)	556			133	45	15	21	13	25	16	30	30	54	92	70	12		
107	Intestinal parasites	4		1		2			1										
108	Appendicitis and typhlitis	524	2	4	3	8	7	47	100	111	94	61	43	27	12	5			
109	Hernia, intestinal obstruction (total)	630	75	21	10	6	5	11	14	34	58	54	86	101	104	48	2	1	
	Hernia	204	11	2						7	15	17	41	44	50	16	1		
	Intestinal obstruction	426	64	19	10	6	5	11	14	27	43	37	45	57	54	32	1	1	
110	Other diseases of the intestines	157	13	3	1	2		7	7	16	18	14	19	16	24	15	2		
111	Acute yellow atrophy of the liver	25	4					1	3	1	3	3	3	1	5	1			
113	Cirrhosis of the liver	728	1	1	1				1	13	55	121	172	177	139	45	1	1	
114	Biliary calculi	224						1		3	20	34	52	57	48	9			
115	Other diseases of the liver	242	9	4	1		1	2	8	12	16	28	50	54	34	22	1		
116	Diseases of the spleen	4	1							1		1		1					
117	Simple peritonitis (nonpuerperal)	116	4	6	3	1	1	7	12	25	14	11	9	10	7	4	2		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	35							2	7	7	4	6	8		1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	5,452	52	15	13	19	17	25	69	217	355	560	807	1,141	1,386	708	64	2	2
119	Acute nephritis	507	30	9	11	17	12	13	18	46	60	60	58	65	56	46	6		
120	Bright's disease	4,185	13	2	2	2	4	10	40	98	195	400	672	974	1,166	551	52	2	2
122	Other diseases of the kidneys and annexa	90	8	3				2	2	2	6	11	13	12	19	12			
123	Calculi of the urinary passages	35		1						1	1	5	7	10	7	3			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	OHIO—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
124	Diseases of the bladder	97	1							1		5	6	12	35	34	3		
125	Diseases of the urethra, urinary abscess, etc.	14								1	1		9	2	1				
126	Diseases of the prostate	207							1	1	1	2	14	47	86	53	2		
127	Nonvenereal diseases of the male genital organs	6					1			1		1	1			2			
128	Uterine hemorrhage (nonpuerperal)	1							1										
129	Uterine tumor (noncancerous)	99								2	23	40	16	7	8	2	1		
130	Other diseases of the uterus	34							2	11	7	3	4	3	2	2			
131	Cysts and other tumors of the ovary	42							1	4	7	10	4	9	6	1			
132	Salpingitis and other diseases of the female genital organs	133							4	49	54	23	3						
133	Nonpuerperal diseases of the breast (cancer excepted)	2														2			
	VII.—The puerperal state	707							66	297	280	64							
134	Accidents of pregnancy	75							3	34	28	10							
135	Puerperal hemorrhage	81							4	23	45	9							
136	Other accidents of labor	46							2	14	23	7							
137	Puerperal septicemia	304							34	129	120	21							
138	Puerperal albuminuria and convulsions	171							22	80	54	15							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	25							1	12	10	2							
140	Following childbirth (not otherwise defined)	5								5									
	VIII.—Diseases of the skin and of the cellular tissue	216	40	2			1	1	3	6	11	10	15	22	56	39	9	1	
142	Gangrene	117	3				1			2	1		3	16	46	35	9	1	
143	Furuncle	31	6	1					1	1	3	4	6	1	7	1			
144	Acute abscess	22	9							1	5	3		2	2				
145	Other diseases of the skin and annexa	46	22	1				1	2	2	2	3	6	3	1	3			
	IX.—Diseases of the bones and of the organs of locomotion	126	8	2	3	1	1	13	17	14	10	9	14	14	14	6			
146	Diseases of the bones (tuberculosis excepted)	107	8	2	3		1	13	15	14	9	8	11	9	11	3			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	12				1			2		1	1	3	3		1			
148	Amputations	1													1				
149	Other diseases of the organs of locomotion	6												2	2	2			
	X.—Malformations	814	769	17	10	7	2	4	4	1									
150	Congenital malformations (stillbirths not included) (total)	814	769	17	10	7	2	4	4	1									
	Hydrocephalus	42	30	3	4	2		2	1										
	Congenital malformations of the heart	537	514	9	4	3	2	2	2	1									
	Other congenital malformations	235	225	5	2	2			1										
	XI.—Early infancy	3,467	3,467																
151	Congenital debility, icterus, and sclerema (total)	2,687	2,687																
	Premature birth	2,109	2,109																
	Congenital debility, "atrophy," "marasmus," etc.	578	578																
152	Other causes peculiar to early infancy (total)	763	763																
	Injuries at birth	469	469																
	Other causes peculiar to early infancy [1]	294	294																
153	Lack of care	17	17																
	XII.—Old age	784											1	34	213	399	134	3	
154	Senility	784											1	34	213	399	134	3	
	XIII.—External causes	5,160	142	123	90	69	55	202	411	814	811	702	587	449	369	276	52	3	5
	Suicide (total)	778							26	137	163	162	136	104	39	9	1		1
155	By poison	203							11	46	49	42	17	28	8	2			
156	By asphyxia	8								1	4	3							
157	By hanging or strangulation	164							1	21	32	39	31	23	15	1			1
158	By drowning	69							2	12	14	14	15	9	3				
159	By firearms	260							10	50	46	49	55	35	11	3	1		
160	By cutting or piercing instruments	46								1	12	7	15	8		3			
161	By jumping from high places	10								2	3	2	1		2				
162	By crushing	7							2	2	1	2							
163	Other suicides	11								2	2	4	2	1					
	Accidental or undefined (total)	4,069	126	123	88	69	55	201	369	595	551	484	424	334	328	264	51	3	4
164	Poisoning by food	57	9	9	4	2	1	5	5	2	6	1	6	4	3				
165	Other acute poisonings	94	6	11	7	3	1	1	5	12	15	10	12	8	3				
166	Conflagration	78	4	6	4	6	7	5	6	12	8	6	4	6	2	2			
167	Burns (conflagrations excepted)	341	12	44	36	22	15	21	22	36	28	30	19	20	19	16	1		

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	OHIO—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
168	Absorption of deleterious gases (conflagration excepted)	133	65				1	2	10	13	17	8	6	5	5	1			
169	Accidental drowning	311		13	10	5	3	37	80	56	30	35	26	3	8	3			2
170	Traumatism by firearms	87		1	1	2	3	8	28	18	7	12	5	1	1				
171	Traumatism by cutting or piercing instruments	8		1	1		1	1		1	1	1		1					
172	Traumatism by fall	939	9	16	11	5	4	18	21	54	74	80	92	109	186	214	43	3	
173	Traumatism in mines and quarries (total)	80							2	18	25	20	10	3	2				
	Traumatism in mines	73							2	15	25	18	9	2	2				
	Traumatism in quarries	7								3		2	1	1					
174	Traumatism by machines	126		2			2	5	17	37	27	13	17	5	1				
175	Traumatism by other crushing (total)	1,434	4	2	9	13	15	90	141	283	267	215	184	127	71	11	1		1
	Railroad accidents and injuries	750		1	3		2	17	72	170	170	119	103	56	33	2	1		1
	Street-car accidents and injuries	169			1	6	3	12	11	30	28	28	14	22	11	3			
	Automobile accidents and injuries	316	2		2	5	8	46	40	50	50	30	32	27	20	4			
	Injuries by other vehicles	163	2	1	3	2	1	15	18	27	12	26	27	20	7	2			
	Landslide, other crushing	36					1			6	7	12	8	2					
176	Injuries by animals	36			1	3		2	4	2	1	7	9	1	4	2			
177	Starvation	4	1											2	1				
178	Excessive cold	12	1	2					1	1	2	1	1	3					
179	Effects of heat	35				1			2	4	4	3	8	6	4	3			
180	Lightning	11							3	2	2	2	1	1					
181	Electricity (lightning excepted)	48							8	17	13	5	3	2					
185	Fractures (cause not specified)	43							1	3	2	2	1	8	12	9	4		1
186	Other external violence	192	15	16	4	7	2	6	13	24	22	33	20	19	6	3	2		
	Homicide (total)	313	16		2			1	16	82	97	56	27	11	2	3			
182	By firearms	173	1		1				10	53	56	36	13	2	1				
183	By cutting or piercing instruments	47			1				2	18	12	8	3	3					
184	By other means	93	15					1	4	11	29	12	11	6	1	3			
	XIV.—Ill-defined diseases	389	183	21	4	1		5	4	6	16	24	26	41	28	20	9		1
187	Ill-defined organic disease	9											1	2	2	4			
188	Sudden death	32	8					1		1	4	6	5	6		1			
189	Not specified or ill-defined (total)	348	175	21	4	1		4	4	5	12	18	20	33	26	15	9		1
	Ill-defined	119	22	18	4	1		1	3	3	4	9	9	19	15	4	7		
	Not specified, or unknown	229	153	3				3	1	2	8	9	11	14	11	11	2		1
	PENNSYLVANIA.																		
	All causes	115,284	23,933	4,353	1,777	1,026	762	2,412	4,084	7,684	8,941	10,134	12,052	14,806	15,007	7,331	940	37	5
	I.—General diseases	27,139	1,799	1,034	614	432	323	983	1,650	3,343	3,394	3,436	3,520	3,351	2,426	753	79	2	
1	Typhoid fever	1,034	6	4	9	5	9	48	189	303	220	107	71	42	16	5			
4	Malaria	34	2	2		1	1	1	1	7	2	5	3	3	6				
6	Measles	565	178	193	76	49	23	36	3	3	2	1	1						
7	Scarlet fever	301	24	41	31	34	19	96	35	14	5	1	1						
8	Whooping cough	573	322	160	45	14	11	18	1			1			1				
9	Diphtheria and croup	1,632	132	264	270	211	173	399	118	25	18	12	6	4					
10	Influenza	1,463	146	40	20	11	4	17	30	34	60	86	146	232	353	234	49	1	
13	Cholera nostras	54	13	5		1		1	1		3	2	6	6	11	5			
14	Dysentery	216	42	26	10	4	5	12	3	3	5	5	10	13	52	22	3	1	
18	Erysipelas	278	97	9	3	1		1	3	8	23	26	25	36	26	17	3		
19	Other epidemic diseases	53	22	11	9	1	3	2	1	2						2			
20	Purulent infection and septicemia	195	19	5	3	8	1	10	16	18	17	15	29	23	20	11			
22	Anthrax	4								1	1		1	1					
23	Rabies	6	1					3		1	1								
24	Tetanus	126	14		1	5	5	20	23	12	14	13	11	8					
25	Mycoses	2	1											1					
26	Pellagra	6							2		1		1	1	1				
	Tuberculosis (total)	10,638	339	197	103	65	46	199	970	2,526	2,314	1,712	1,097	690	320	58	2		
28	Tuberculosis of the lungs	8,851	104	65	28	21	14	56	755	2,217	2,073	1,547	987	626	305	51	2		
29	Acute miliary tuberculosis	420	16	9	5		3	15	74	130	83	46	24	13	2				
30	Tuberculous meningitis	572	140	97	55	36	19	67	55	34	31	24	8	5		1			
31	Abdominal tuberculosis	408	41	16	6	7	6	32	40	74	63	49	42	19	10	3			
32	Pott's disease	121	3	2	3	1	2	16	15	23	22	14	10	7	1	2			
33	White swellings	60	7	2	1		1	6	8	14	5	7	5	3		1			
34	Tuberculosis of other organs	139	21	5	3			7	13	23	26	17	10	12	2				
35	Disseminated tuberculosis	67	7	1	2		1		10	11	11	8	11	5					
36	Rickets	61	35	15	4	2	1	2	1			1							
37	Syphilis	590	262	21	5	1	1	2	19	44	55	78	56	33	11	2			
38	Gonococcus infection	52	17	2		1				12	12	6			2				
	Cancer and other malignant tumors (total)	6,202	16	5	4	3	4	10	33	109	357	964	1,508	1,639	1,222	310	18		
39	Of the buccal cavity	241						1	2	1	8	20	55	77	60	15	2		
40	Of the stomach, liver	2,512	1	1	1	1	1	5	3	22	96	322	629	759	567	99	5		
41	Of the peritoneum, intestines, rectum	774	1				2	1	5	21	49	104	178	204	167	40	2		
42	Of the female genital organs	968	1						1	30	103	256	263	192	99	21	2		
43	Of the breast	604								4	48	132	153	136	94	37			
44	Of the skin	234	2	1						2	8	15	30	59	66	46	5		
45	Of other organs or of organs not specified	869	11	3	3	2	1	3	22	29	45	115	200	212	169	52	2		

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PENNSYLVANIA—Continued.																		
	I.—General diseases—Continued.																		
46	Other tumors (tumors of the female genital organs excepted)	22	3							1	2	2	4	5	3	2			
47	Acute articular rheumatism	477	5	6	6	6	5	61	103	44	31	35	42	60	51	20	2		
48	Chronic rheumatism and gout	90								1	7	4	17	24	31	6			
49	Scurvy	15	9	2			1		1			2							
50	Diabetes	1,303	1	2	3	1	3	26	62	74	71	129	283	389	225	34			
51	Exophthalmic goiter	102							8	21	19	23	15	8	6	2			
52	Addison's disease	32							2	4	6	7	4	5	3	1			
53	Leukemia	139	4	5	3	3	5	7	9	15	16	28	19	15	9	1			
54	Anemia, chlorosis	342	12	6	1	2	2	6	10	18	35	58	77	69	35	10	1		
55	Other general diseases	165	77	13	8	3	1	6	4	10	4	8	6	14	6	4	1		
56	Alcoholism (acute or chronic)	305							1	30	86	90	61	21	10	6			
57	Chronic lead poisoning	15								1	1	7	5	1					
59	Other chronic poisonings	47							1	2	6	8	15	8	6	1			
	II.—Diseases of the nervous system and of the organs of special sense	11,045	904	176	101	49	36	140	197	216	479	860	1,445	2,335	2,748	1,234	119	4	2
60	Encephalitis	99	22	6	7	1	1	9	6	9	11	10	6	7	3	1			
61	Meningitis (total)	535	186	64	46	22	15	65	46	27	23	16	16	7	2				
	Simple meningitis	395	144	47	34	16	9	41	29	20	19	15	12	7	2				
	Cerebrospinal meningitis (undefined)	60	18	4	4	3	3	11	7	5	2		3						
	Cerebrospinal fever	80	24	13	8	3	3	13	10	2	2	1	1						
62	Locomotor ataxia	244								4	19	44	74	60	38	5			
63	Other diseases of the spinal cord (total)	471	22	17	11	9	1	16	17	11	17	45	68	105	96	33	3		
	Acute anterior poliomyelitis	85	17	15	10	6	1	12	7	2	1	5	3	4	2				
	Other diseases of the spinal cord [1]	386	5	2	1	3		4	10	9	16	40	65	101	94	33	3		
64	Cerebral hemorrhage, apoplexy	6,740	25	6	5	3	4	9	14	26	137	411	970	1,850	2,195	990	91	3	1
65	Softening of the brain	108									1	2	10	30	45	18	2		
66	Paralysis without specified cause	590	3						3	5	14	29	71	137	200	115	12	1	
67	General paralysis of the insane	620								13	126	148	128	75	87	36	6		1
68	Other forms of mental alienation	149							4	16	26	34	18	19	24	7	1		
69	Epilepsy	297	11	7	4	3	5	7	43	62	47	45	27	18	13	3	2		
70	Convulsions (nonpuerperal)	22						5	6	3	3		1		3	1			
71	Convulsions of infants	628	555	53	14	5	1												
72	Chorea	18						5	6	4			1	1		1			
73	Neuralgia and neuritis	44	1				1			3	3	6	8	6	13	2	1		
74	Other diseases of the nervous system	296	32	5	2	3	3	13	28	20	38	55	39	17	21	19	1		
75	Diseases of the eyes and their annexa	12	3		1	1			2				1		3	1			
76	Diseases of the ears	172	44	18	11	2	5	11	22	13	14	15	7	3	5	2			
	III.—Diseases of the circulatory system	15,324	242	29	18	26	21	186	442	522	802	1,346	2,090	3,471	3,935	1,968	221	4	1
77	Pericarditis	81		1	2			3	7	4	10	6	12	15	9	10	2		
78	Acute endocarditis	856	45	7	2	4	3	46	58	82	104	189	253	25	24	12	2		
79	Organic diseases of the heart	11,846	135	10	12	21	15	130	365	397	609	1,031	1,545	2,907	3,127	1,401	137	3	1
80	Angina pectoris	594	2					1	4	12	28	47	100	191	169	38	2		
81	Diseases of the arteries, atheroma, aneurism, etc	1,501	1	1				1	1	3	21	34	108	255	535	467	73	1	
82	Embolism and thrombosis	303	15	1		1		1	3	18	22	22	54	66	62	34	4		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	51								5	6	11	10	11	5	3			
84	Diseases of the lymphatic system (lymphangitis, etc.)	62	38	8	2			4	4		1	1	2	1		1			
85	Hemorrhage; other diseases of the circulatory system	30	6	1			3			1	1	5	6		4	2	1		
	IV.—Diseases of the respiratory system	15,432	4,177	1,257	441	196	153	314	346	578	840	1,150	1,403	1,705	1,765	944	158	5	
86	Diseases of the nasal fossae	16	9							1	1	1	2		1	1			
87	Diseases of the larynx	131	26	18	16	7	11	12	8	6	3	4	5	6	5	3	1		
88	Diseases of the thyroid body	45	2			1	1	1	1	15	7	5	2	5	5				
89	Acute bronchitis	934	530	132	29	14	8	10	4	6	6	15	18	42	77	72	21		
90	Chronic bronchitis	619	26	5	1			10	2	7	15	27	51	129	182	128	35	1	
91	Bronchopneumonia	5,429	2,379	709	226	92	64	111	55	72	98	155	237	371	525	287	46	2	
92	Pneumonia (total)	7,006	1,073	361	147	71	63	147	253	422	642	801	910	934	783	357	41	1	
	Lobar pneumonia	5,466	653	256	97	56	49	116	195	358	564	697	763	768	609	253	31	1	
	Pneumonia (undefined)	1,540	420	105	50	15	14	31	58	64	78	104	147	166	174	104	10		
93	Pleurisy	363	24	22	18	8	5	19	14	25	27	51	29	49	50	18	4		
94	Pulmonary congestion, pulmonary apoplexy	288	100	9	1	3	1	3	2	4	9	12	16	28	42	51	6	1	
95	Gangrene of the lung	25	1						1	7	3	5	3	4	1				
96	Asthma	302	2		2			1	1	4	10	47	59	85	67	21	3		
97	Pulmonary emphysema	32	1		1					1	2	1	8	10	7	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	192	4	1					5	8	17	26	63	42	20	5	1		
	V.—Diseases of the digestive system	14,343	6,980	1,448	306	114	69	228	306	426	555	771	892	928	854	416	47	3	
99	Diseases of the mouth and annexa	70	37	6	1			4	1	3	4	3	3	3	2	3			
100	Diseases of the pharynx	153	27	8	4	5	7	22	19	17	10	12	5	12	3	2			
101	Diseases of the esophagus	23		1	1					1	1	1	5	4	7	2			
102	Ulcer of the stomach	291	2			3		2	1	22	52	53	53	51	35	15	2		
103	Other diseases of the stomach (cancer excepted)	1,158	403	40	15	7	8	15	20	31	39	68	102	139	155	104	11	1	

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PENNSYLVANIA—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
104	Diarrhea and enteritis (under 2 years)	7,603	6,253	1,350															
105	Diarrhea and enteritis (2 years and over)	1,047			249	75	32	62	24	36	45	52	71	102	175	101	22	1	
107	Intestinal parasites	11		4	1	1		3	1				1						
108	Appendicitis and typhlitis	799	5	6	6	9	9	72	172	164	129	106	73	26	12	9	1		
109	Hernia, intestinal obstruction (total)	945	160	16	9	6	5	19	28	42	71	124	126	142	129	64	3	1	
	Hernia	339	29	2		3	1	1	4	5	19	58	58	72	60	26		1	
	Intestinal obstruction	606	131	14	9	3	4	18	24	37	52	66	68	70	69	38	3		
110	Other diseases of the intestines	198	25	7	3	3	2	3	6	18	17	24	23	26	23	17	1		
111	Acute yellow atrophy of the liver	33	4	1			2	2		5	6	3	4	3	1	2			
112	Hydatid tumor of the liver	4						1			2				1				
113	Cirrhosis of the liver	1,067	5		2			2	6	31	81	186	268	273	169	43	1		
114	Biliary calculi	256	1							5	19	51	59	60	43	18			
115	Other diseases of the liver	438	33	4	5	3	1	8	8	22	47	65	70	61	74	32	5		
116	Diseases of the spleen	11			1			1	1	4	1			3					
117	Simple peritonitis (nonpuerperal)	175	25	5	8	1	3	11	18	17	23	13	18	13	15	4	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	61			1	1		1	1	8	8	10	11	10	10				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	9,826	114	43	28	31	23	93	188	409	752	1,097	1,689	2,088	2,202	977	89	3	
119	Acute nephritis	793	48	26	17	18	14	44	50	85	101	107	93	78	80	30	2		
120	Bright's disease	7,899	36	15	8	10	9	46	119	224	494	836	1,463	1,841	1,903	818	74	3	
122	Other diseases of the kidneys and annexa	158	15	1	3	2			4	12	20	18	22	22	25	11	3		
123	Calculi of the urinary passages	54				1				1	13	8	14	10	5	2			
124	Diseases of the bladder	162	6					2		2	4	8	9	27	57	43	4		
125	Diseases of the urethra, urinary abscess, etc	35	1							3	4	5	8	9	4	1			
126	Diseases of the prostate	289							1		3	2	21	76	112	69	5		
127	Nonvenereal diseases of the male genital organs	9	3					1				1	1	3					
128	Uterine hemorrhage (nonpuerperal)	7							3	1	1	1	1						
129	Uterine tumor (noncancerous)	147								6	27	57	32	13	9	3			
130	Other diseases of the uterus	75	1						3	26	27	11	4	1	2				
131	Cysts and other tumors of the ovary	65							1	10	16	17	10	6	5				
132	Salpingitis and other diseases of the female genital organs	124	1	1					7	37	41	25	10	2					
133	Nonpuerperal diseases of the breast (cancer excepted)	9	3							2	1	1	1				1		
	VII.—The puerperal state	1,401							128	602	549	120	2						
134	Accidents of pregnancy	113							5	54	50	4							
135	Puerperal hemorrhage	123							1	34	73	15							
136	Other accidents of labor	130							5	59	51	14	1						
137	Puerperal septicemia	587							54	264	226	42	1						
138	Puerperal albuminuria and convulsions	398							59	168	130	41							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	42							3	18	17	4							
140	Following childbirth (not otherwise defined)	4								3	1								
141	Puerperal diseases of the breast	4							1	2	1								
	VIII.—Diseases of the skin and of the cellular tissue	520	128	5	7	2	2	5	12	11	20	29	50	59	101	80	9		
142	Gangrene	240	2	1	3	1	1	2	1	1	8	8	17	38	80	68	9		
143	Furuncle	74	17			1		1	2	4	6	8	17	6	9	3			
144	Acute abscess	108	44	2	3		1	1	9	6	5	9	12	8	3	5			
145	Other diseases of the skin and annexa	98	65	2	1			1			1	4	4	7	9	4			
	IX.—Diseases of the bones and of the organs of locomotion	255	31	14	6	6	7	28	34	19	22	28	15	24	14	7			
146	Diseases of the bones (tuberculosis excepted)	224	29	13	6	6	7	28	32	17	19	21	15	16	12	3			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	22	2	1					2	2	2	5		4	1	3			
149	Other diseases of the organs of locomotion	9									1	2		4	1	1			
	X.—Malformations	1,650	1,579	26	11	2	3	14	12	1	2								
150	Congenital malformations (stillbirths not included) (total)	1,650	1,579	26	11	2	3	14	12	1	2								
	Hydrocephalus	103	84	3	5	1	1	4	5										
	Congenital malformations of the heart	1,127	1,094	17	2		2	5	5		2								
	Other congenital malformations	420	401	6	4	1		5	2	1									
	XI.—Early infancy	7,570	7,570																
151	Congenital debility, icterus, and sclerema (total)	6,108	6,108																
	Premature birth	4,138	4,138																
	Congenital debility, "atrophy," "marasmus," etc	1,970	1,970																
152	Other causes peculiar to early infancy (total)	1,438	1,438																
	Injuries at birth	797	797																
	Other causes peculiar to early infancy [1]	641	641																
153	Lack of care	24	24																

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PENNSYLVANIA—Continued.																		
	XII.—Old age	1,228											10	65	352	615	172	14	
154	Senility	1,228											10	65	352	615	172	14	
	XIII.—External causes	8,847	243	219	225	163	121	416	759	1,534	1,497	1,253	869	679	527	301	37	2	2
	Suicide (total)	1,081							57	192	223	230	179	136	52	10			2
155	By poison	245							25	58	58	51	29	18	6				
156	By asphyxia	124							4	17	20	27	26	20	9	1			
157	By hanging or strangulation	199							3	25	33	34	44	37	19	4			
158	By drowning	48							1	7	13	12	9	5	1				
159	By firearms	373							22	77	77	78	58	45	12	2			2
160	By cutting or piercing instruments	55								4	11	18	9	7	5	1			
161	By jumping from high places	20							2	2	5	5	2	2		2			
162	By crushing	6									2	2	1	1					
163	Other suicides	11								2	4	3	1	1					
	Accidental or undefined (total)	7,364	226	216	222	163	118	412	677	1,216	1,168	954	660	538	468	287	37	2	
164	Poisoning by food	56	11	4	2	3	1	8	5	5	1	6	4	2	4				
165	Other acute poisonings	150	20	27	16	6	3	10	6	17	15	11	6	7	2	4			
166	Conflagration	126	6	2	6	5	2	7	14	24	21	8	13	5	5	8			
167	Burns (conflagration excepted)	801	40	103	136	94	65	87	36	52	48	43	26	29	30	11	1		
168	Absorption of deleterious gases (conflagration excepted)	181	60	1	1	2	1	6	6	15	21	24	20	14	8	2			
169	Accidental drowning	534	5	24	8	8	14	47	113	119	72	51	34	28	9	1	1		
170	Traumatism by firearms	112	2	2	4	1	1	8	48	19	14	8	3	2					
171	Traumatism by cutting or piercing instruments	6									1	2		1	1	1			
172	Traumatism by fall	1,368	19	19	18	9	3	39	42	77	115	130	139	198	282	242	34	2	
173	Traumatism in mines and quarries (total)	1,143			1			1	83	353	314	244	113	33	1				
	Traumatism in mines	1,109			1			1	82	343	302	238	111	30	1				
	Traumatism in quarries	34							1	10	12	6	2	3					
174	Traumatism by machines	189				1		1	23	52	42	33	24	9	4				
175	Traumatism by other crushing (total)	2,109	3	13	21	29	21	167	249	403	398	331	217	159	89	9			
	Railroad accidents and injuries	1,153		5	3	4		38	118	280	271	206	119	74	31	4			
	Street-car accidents and injuries	187		3	3	4	7	22	20	26	27	25	26	13	10	1			
	Automobile accidents and injuries	466	1	2	3	12	10	80	77	52	65	64	36	34	28	2			
	Injuries by other vehicles	266	1	3	12	9	4	25	30	36	27	30	32	35	20	2			
	Landslide, other crushing	37	1					2	4	9	8	6	4	3					
176	Injuries by animals	55			2	1		7	7	5	11	5	3	8	6				
177	Starvation	5	1					1			1			1	1				
178	Excessive cold	46	5			1		2		3	10	7	9	6	3				
179	Effects of heat	100	30	4	2		1	3	1	8	6	3	8	12	14	7	1		
180	Lightning	16						1	3	3	2	1	6						
181	Electricity (lightning excepted)	56						4	15	19	13	3	2						
185	Fractures (cause not specified)	7					1			1	3	1	1						
186	Other external violence	304	24	17	5	3	5	13	26	41	60	43	32	24	9	2			
	Homicide (total)	402	17	3	3		3	4	25	126	106	69	30	5	7	4			
182	By firearms	219			2		1	2	18	73	71	37	10	1	2	2			
183	By cutting or piercing instruments	55		1				1	2	24	13	11	3						
184	By other means	128	17	2	1		2	1	5	29	22	21	17	4	5	2			
	XIV.—Ill-defined diseases	704	166	102	20	5	4	5	10	23	29	44	67	101	83	36	9		
187	Ill-defined organic disease	33	1		1			1				1	5	5	9	9	1		
188	Sudden death	93	30	5	1				3	4	3	7	8	11	14	6	1		
189	Not specified or ill-defined (total)	578	135	97	18	5	4	4	7	19	26	36	54	85	60	21	7		
	Ill-defined	450	72	92	18	5	4	4	5	14	17	28	44	75	50	15	7		
	Not specified, or unknown	128	63	5					2	5	9	8	10	10	10	6			
	RHODE ISLAND.																		
	All causes	8,922	1,673	315	132	96	63	162	266	556	666	851	1,032	1,283	1,205	539	78	1	4
	I.—General diseases	2,323	189	101	64	39	28	69	131	292	254	292	314	299	184	60	7		
1	Typhoid fever	61	2			1	1	3	14	13	12	8	3	4					
4	Malaria	1	1																
6	Measles	60	19	21	12	3	1	3				1							
7	Scarlet fever	27		1	5	2	5	6	3	3	1	1							
8	Whooping cough	113	71	29	11	2													
9	Diphtheria and croup	99	7	13	13	16	13	28	6	1	2								
10	Influenza	76	5				1		2	1	2	3	9	16	26	8	3		
14	Dysentery	27	8								1		1	7	6	4			
17	Leprosy	1							1										
18	Erysipelas	24	11	2							1	4	1	1	3	1			
20	Purulent infection and septicemia	17	4		2				2	1	1		2	2		3			
21	Glanders	1											1						
24	Tetanus	7	2				1	1	2		1								
25	Mycoses	1									1								
26	Pellagra	9							1			1	1	4	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	RHODE ISLAND—Continued.																		
	I.—General diseases—Continued.																		
	Tuberculosis (total)	946	39	30	14	11	5	21	85	249	176	157	97	50	10	2			
28	Tuberculosis of the lungs	777	5	7	2	2	2	7	70	223	160	152	90	46	9	2			
29	Acute miliary tuberculosis	23	4						2	9	4	2	2						
30	Tuberculous meningitis	86	19	22	10	8	3	6	9	4	2		2	1					
31	Abdominal tuberculosis	29	9			1		3	1	7	4	1	2	1					
32	Pott's disease	7						1		2	2	1		1					
33	White swellings	7						2	2	1	2								
34	Tuberculosis of other organs	10		1	2			1		2	1	1		1	1				
35	Disseminated tuberculosis	7	2					1	1	1	1		1						
36	Rickets	6		1	3	2													
37	Syphilis	33	10	2	1					2	4	6	5	3					
38	Gonococcus infection	1	1																
	Cancer and other malignant tumors (total)	555		1		1			1	3	30	78	141	158	106	32	4		
39	Of the buccal cavity	24									1		5	6	6	5	1		
40	Of the stomach, liver	200								1	5	22	51	68	46	7			
41	Of the peritoneum, intestines, rectum	85									3	7	26	25	18	4	2		
42	Of the female genital organs	92									11	25	27	20	6	3			
43	Of the breast	58									4	14	15	11	11	3			
44	Of the skin	13									1	1		2	5	4			
45	Of other organs or of organs not specified	83		1		1			1	2	5	9	17	26	14	6	1		
46	Other tumors (tumors of the female genital organs excepted)	2												1	1				
47	Acute articular rheumatism	20			2		1	1	4	2	2	2	1		3	2			
48	Chronic rheumatism and gout	8								1			1	3	2	1			
49	Scurvy	1	1																
50	Diabetes	138				1		3	4	6	11	12	35	39	21	6			
51	Exophthalmic goiter	4								1	1	1	1						
52	Addison's disease	4								1			1	1	1				
53	Leukemia	11						2	3	1	1	1	2		1				
54	Anemia, chlorosis	24	1		1				1	1	1	5	7	5	1	1			
55	Other general diseases	12	7	1				1	1		1			1					
56	Alcoholism (acute or chronic)	30								6	5	12	4	2	1				
57	Chronic lead poisoning	1												1					
59	Other chronic poisonings	3							1				1	1					
	II.—Diseases of the nervous system and of the organs of special sense	857	43	16	7	5	3	10	10	17	42	81	138	193	217	69	5		1
60	Encephalitis	4						2				1			1				
61	Meningitis (total)	58	16	10	6		1	6	4	6	4	2	1		1	1			
	Simple meningitis	27	7	5	1			3	1	3	2	2	1		1	1			
	Cerebrospinal meningitis (undefined)	20	5	4	4			2	1	3	1								
	Cerebrospinal fever	11	4	1	1		1	1	2		1								
62	Locomotor ataxia	16									1	5	7	2	1				
63	Other diseases of the spinal cord (total)	34	1	1		1	2	2	3	1		4	6	10	3				
	Acute anterior poliomyelitis	7		1		1	1	2	1				1						
	Other diseases of the spinal cord [1]	27	1				1		2	1		4	5	10	3				
64	Cerebral hemorrhage, apoplexy	571	2							2	14	39	98	160	191	60	4		1
65	Softening of the brain	2													2				
66	Paralysis without specified cause	23										1	1	6	8	6	1		
67	General paralysis of the insane	61								1	12	20	14	9	5				
68	Other forms of mental alienation	11								1	2		4	2	2				
69	Epilepsy	17	1						2	3	5	2	2		2				
71	Convulsions of infants	21	16	3		2													
73	Neuralgia and neuritis	6									1	1	1	2		1			
74	Other diseases of the nervous system	21	3	1		1			1	2	2	6	2	2		1			
75	Diseases of the eyes and their annexa	2									1				1				
76	Diseases of the ears	10	4	1	1	1				1			2						
	III.—Diseases of the circulatory system	1,366	10	3	1	3	2	6	27	40	71	137	175	317	367	180	26		1
77	Pericarditis	7				1		1	1		1	1		1	1				
78	Acute endocarditis	67	2	1				1	5	8	10	19	15	4	2				
79	Organic diseases of the heart	965	6	1	1	2	1	4	19	28	52	95	132	262	239	108	14		1
80	Angina pectoris	57							2	1	3	5	8	12	22	4			
81	Diseases of the arteries, atheroma, aneurism, etc	222								1	2	8	15	30	92	63	11		
82	Embolism and thrombosis	38					1			1	2	7	4	7	10	5	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	5									1	1	1	1	1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	2	1						1									
85	Hemorrhage; other diseases of the circulatory system	1										1							
	IV.—Diseases of the respiratory system	1,187	301	110	28	21	15	20	15	41	65	78	121	146	137	69	18	1	1
87	Diseases of the larnyx	10	2		3	1		2			1				1				
88	Diseases of the thyroid body	2											1	1					
89	Acute bronchitis	82	44	14	2	1	1					1	2	4	7	5	1		
90	Chronic bronchitis	37		1					1		1	1	3	10	10	9	1		
91	Bronchopneumonia	335	149	47	11	8	6	6	4	1	7	12	10	25	23	17	8	1	

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	RHODE ISLAND—Continued.																		
	IV.—Diseases of the respiratory system—Continued.																		
92	Pneumonia (total)	659	99	43	12	10	5	11	9	38	51	60	99	96	85	33	7		1
	Lobar pneumonia	374	30	15	3	7	5	8	9	23	34	45	72	63	47	11	2		
	Pneumonia (undefined)	285	69	28	9	3		3		15	17	15	27	33	38	22	5		1
93	Pleurisy	22	2	3			2	1	1	1	3	3	2	3	1				
94	Pulmonary congestion, pulmonary apoplexy	19	4			1					1	1		2	5	4	1		
95	Gangrene of the lung	1													1				
96	Asthma	8									1		3	1	2	1			
97	Pulmonary emphysema	3		1									1		1				
98	Other diseases of the respiratory system (tuberculosis excepted)	9	1	1			1			1				4	1				
	V.—Diseases of the digestive system	920	434	61	19	7	1	17	23	24	42	65	72	76	49	29	1		
99	Diseases of the mouth and annexa	3	2											1					
100	Diseases of the pharynx	13			2			7	1	1			2						
101	Diseases of the esophagus	1											1						
102	Ulcer of the stomach	37							1	2	12	9	6	3	3	1			
103	Other diseases of the stomach (cancer excepted)	58	20	1	1				3	1	4	4	2	8	9	5			
104	Diarrhea and enteritis (under 2 years)	460	402	58															
105	Diarrhea and enteritis (2 years and over)	78			15	4		4	1	2	4	5	8	12	15	7	1		
108	Appendicitis and typhlitis	62	1			1		6	10	10	5	10	9	8	2				
109	Hernia, intestinal obstruction (total)	50	3	1		1			5	3	2	3	8	13	7	4			
	Hernia	23	2	1						1	1	1	4	6	6	1			
	Intestinal obstruction	27	1			1			5	2	1	2	4	7	1	3			
110	Other diseases of the intestines	13	2		1							2	1	3	3	1			
111	Acute yellow atrophy of the liver	4								1	1		2						
113	Cirrhosis of the liver	77	1								6	19	19	20	8	4			
114	Billiary calculi	18								1	4	2	7	3		1			
115	Other diseases of the liver	31	2			1	1		1		1	7	6	4	2	6			
116	Diseases of the spleen	1										1							
117	Simple peritonitis (nonpuerperal)	7	1	1					1	3	1								
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7									2	3	1	1					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	787	7	2	1	3		5	15	38	61	108	142	173	175	52	4		1
119	Acute nephritis	59	2			2		3	5	6	10	9	8	11	2				1
120	Bright's disease	669	3	2	1	1		2	9	28	44	91	128	149	161	46	4		
122	Other diseases of the kidneys and annexa	12	2								1	1	1	2	4	1			
123	Calculi of the urinary passages	3									1	1		1					
124	Diseases of the bladder	5									1		1	1	1	1			
126	Diseases of the prostate	18											2	6	6	4			
129	Uterine tumor (noncancerous)	8							1	1	1	2	1	1	1				
130	Other diseases of the uterus	1											1						
131	Cysts and other tumors of the ovary	5									2	1		2					
132	Salpingitis and other diseases of the female genital organs	7								3	1	3							
	VII.—The puerperal state	92							4	34	47	7							
134	Accidents of pregnancy	8								4	4								
135	Puerperal hemorrhage	16							1	5	9	1							
136	Other accidents of labor	3									3								
137	Puerperal septicemia	26							2	11	10	3							
138	Puerperal albuminuria and convulsions	35							1	12	19	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4								2	2								
	VIII.—Diseases of the skin and of the cellular tissue	38	7	1					1		2	1	6	8	6	6			
142	Gangrene	18	1									1	2	5	3	6			
143	Furuncle	10	2	1					1		2		2		2				
144	Acute abscess	2	1											1					
145	Other diseases of the skin and annexa	8	3										2	2	1				
	IX.—Diseases of the bones and of the organs of locomotion	15	2						2	3	3	2		1	2				
146	Diseases of the bones (tuberculosis excepted)	11	1						2	3	3	1		1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3	1									1			1				
149	Other diseases of the organs of locomotion	1													1				
	X.—Malformations	80	75	3	1			1											
150	Congenital malformations (stillbirths not included) (total)	80	75	3	1			1											
	Hydrocephalus	9	6	1	1			1											
	Congenital malformations of the heart	47	46	1															
	Other congenital malformations	24	23	1															

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	RHODE ISLAND—Continued.																		
	XI.—Early infancy	575	575																
151	Congenital debility, icterus, and sclerema (total)	452	452																
	Premature birth	269	269																
	Congenital debility, "atrophy," "marasmus," etc.	183	183																
152	Other causes peculiar to early infancy (total)	118	118																
	Injuries at birth	90	90																
	Other causes peculiar to early infancy [1]	28	28																
153	Lack of care	5	5																
	XII.—Old age	112											2	11	35	50	14		
154	Senility	112											2	11	35	50	14		
	XIII.—External causes	525	9	12	10	17	14	33	36	63	77	77	60	57	33	24	3		
	Suicide (total)	87							5	10	19	20	17	13	3				
155	By poison	11							1		7	2	1						
156	By asphyxia	25							1	2	5	4	8	5					
157	By hanging or strangulation	9										2	2	4	1				
158	By drowning	10									3	5		1	1				
159	By firearms	26							3	7	3	5	5	2	1				
160	By cutting or piercing instruments	3									1	1	1						
161	By jumping from high places	2								1				1					
162	By crushing	1										1							
	Accidental or undefined (total)	420	9	12	10	17	14	33	31	49	55	51	40	43	29	24	3		
164	Poisoning by food	3	1					1							1				
165	Other acute poisonings	11	3		1	1		1				4		1					
166	Conflagration	9				1				1		2	3	1	1				
167	Burns (conflagration excepted)	60	4	5	5	10	5	5	3	2	4	2	4	7	1	3			
168	Absorption of deleterious gases (conflagration excepted)	14	1		1					1	2	2	2	3	1	1			
169	Accidental drowning	64		1			2	7	14	15	12	5	4	1	3				
170	Traumatism by firearms	3							3										
171	Traumatism by cutting or piercing instruments	1												1					
172	Traumatism by fall	84		1		3	1	3	2	4	10	8	8	13	14	14	3		
174	Traumatism by machines	9								2	3	2	2						
175	Traumatism by other crushing (total)	124		2	2	2	6	15	6	21	16	22	10	13	6	3			
	Railroad accidents and injuries	28						1	2	10	6	5	3	1					
	Street-car accidents and injuries	18			1	1	3	1			1	3	3	3	2				
	Automobile accidents and injuries	57		1	1		3	10	3	7	8	10	2	5	4	3			
	Injuries by other vehicles	16		1		1		3		3	1	3	1	3					
	Landslide, other crushing	5							1	1		1	1	1					
176	Injuries by animals	3								1			1	1					
178	Excessive cold	5									1	1	1		1	1			
179	Effects of heat	2		1							1								
180	Lightning	3							2							1			
181	Electricity (lightning excepted)	4								1	2		1						
185	Fractures (cause not specified)	2									1			1					
186	Other external violence	19		2	1			1	1	1	3	3	4	1	1	1			
	Homicide (total)	18								4	3	6	3	1	1				
182	By firearms	9								4	1	3		1					
183	By cutting or piercing instruments	3									1	2							
184	By other means	6									1	1	3		1				
	XIV.—Ill-defined diseases	45	21	6	1	1		1	2	4	2	3	2	2					
188	Sudden death	8	5			1				1		1							
189	Not specified or ill-defined (total)	37	16	6	1			1	2	3	2	2	2	2					
	Ill-defined	20	5	6	1				1		1	2	2	2					
	Not specified, or unknown	17	11					1	1	3	1								
	UTAH.																		
	All causes	4,193	877	112	45	31	35	115	231	326	402	367	389	423	482	308	49	1	
	1.—General diseases	859	105	30	14	17	9	42	60	72	92	89	108	111	90	20			
1	Typhoid fever	40	1				3	3	15	7	6	1	2	1	1				
6	Measles	4							2		1			1					
7	Scarlet fever	12		4	2	1	1	4											
8	Whooping cough	86	57	19	5	2		1	1	1									
9	Diphtheria and croup	49	2		2	6	3	23	10	1		2							
10	Influenza	54	10	3	3			1	2		4	1	4	8	9	9			
13	Cholera nostras	1												1					
14	Dysentery	5	2									1		1	1				
18	Erysipelas	24	11	2	1				1		1	2	2	2	1	1			
19	Other epidemic diseases	5									1	3	1						
20	Purulent infection and septicemia	8						1	1				3		2	1			
22	Anthrax	1												1					
24	Tetanus	3							1	2									

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	UTAH—Continued.																		
	I.—General diseases—Continued.																		
	Tuberculosis (total)	189	5	1	1	2	1		11	44	46	30	23	16	9				
28	Tuberculosis of the lungs	147		1		1			4	35	40	27	18	13	8				
29	Acute miliary tuberculosis	6								2	3			1					
30	Tuberculous meningitis	7	3		1	1			1		1								
31	Abdominal tuberculosis	13	1						3	5	1	1	2						
32	Pott's disease	4					1		1			1		1					
33	White swellings	5							1	1	1		1		1				
34	Tuberculosis of other organs	7	1						1	1		1	2	1					
36	Rickets	1	1																
37	Syphilis	21	4			1				1	4	6	3	1	1				
38	Gonococcus infection	2							2										
	Cancer and other malignant tumors (total)	205	1	1		2		1	1		15	28	42	63	44	7			
39	Of the buccal cavity	14									1	3	3	3	3	1			
40	Of the stomach, liver	96	1						1		5	7	19	38	22	3			
41	Of the peritoneum, intestines, rectum	20						1			1	3	4	8	2	1			
42	Of the female genital organs	17									4	5	5	2	1				
43	Of the breast	15									2	2	7	1	3				
44	Of the skin	10		1		1								3	5				
45	Of other organs or of organs not specified	33				1					2	8	4	8	8	2			
46	Other tumors (tumors of the female genital organs excepted)	2													2				
47	Acute articular rheumatism	16						1	6	1	1	1	1		4	1			
48	Chronic rheumatism and gout	8								1	1		2		4				
50	Diabetes	55				1	1	7	5	7	3	3	10	8	9	1			
51	Exophthalmic goiter	8								2	4	1	1						
52	Addison's disease	1											1						
53	Leukemia	10				2				2	1	2	1		2				
54	Anemia, chlorosis	10	1							2		2	3	2					
55	Other general diseases	14	10						2				1	1					
56	Alcoholism (acute or chronic)	15								1	2	3	5	3	1				
57	Chronic lead poisoning	6									1	2	3						
59	Other chronic poisonings	4									1	1		2					
	II.—Diseases of the nervous system and of the organs of special sense	349	42	7	1		4	4	17	17	24	31	42	52	68	34	6		
60	Encephalitis	4							1		3								
61	Meningitis (total)	35	18	4	1		2	1	3	4	1			1					
	Simple meningitis	11	7	1	1						1			1					
	Cerebrospinal meningitis (undefined)	16	8	2			1		3	2									
	Cerebrospinal fever	8	3	1			1	1		2									
62	Locomotor ataxia	3									1	1	1						
63	Other diseases of the spinal cord (total)	24					1		2	1	2	2	4	6	5		1		
	Acute anterior poliomyelitis	3					1		2										
	Other diseases of the spinal cord [1]	21								1	2	2	4	6	5		1		
64	Cerebral hemorrhage, apoplexy	182	1							1	8	19	27	40	53	28	5		
65	Softening of the brain	1													1				
66	Paralysis without specified cause	10										1			5	4			
67	General paralysis of the insane	8									2	2	2	1	1				
68	Other forms of mental alienation	12								1	3	2	2	2	1	1			
69	Epilepsy	27	2						9	5	1	4	2	2	2				
71	Convulsions of infants	16	14	2															
72	Chorea	2							1				1						
74	Other diseases of the nervous system	16	1	1			1	3		4	2		3			1			
76	Diseases of the ears	9	6						1	1	1								
	III.—Diseases of the circulatory system	526	5	2		1	6	18	47	33	43	49	62	89	98	67	6		
77	Pericarditis	2						1			1								
78	Acute endocarditis	24	1	1			1	4	1	2	2	2	3	1	4	2			
79	Organic diseases of the heart	416		1		1	5	12	46	27	35	42	51	72	74	46	4		
80	Angina pectoris	22									2	3	4	6	4	3			
81	Diseases of the arteries, atheroma, aneurism, etc	40								1	2	1	3	6	13	12	2		
82	Embolism and thrombosis	13	1							2			1	3	3	3			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2									1	1							
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	3					1											
85	Hemorrhage; other diseases of the circulatory system	3								1				1		1			
	IV.—Diseases of the respiratory system	528	151	26	14	1	5	6	14	29	39	45	43	45	57	51	2		
86	Diseases of the nasal fossæ	1			1														
87	Diseases of the larynx	1	1																
88	Diseases of the thyroid body	2								1						1			
89	Acute bronchitis	29	18	2			1						2	1	2	1	2		
90	Chronic bronchitis	26	1							1			1	4	9	10			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List N	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	UTAH—Continued.																		
	IV.—Diseases of the respiratory system—Continued.																		
91	Bronchopneumonia	150	80	9	8	1	3	2	2	5	5	1	3	6	13	12			
92	Pneumonia (total)	291	48	14	5		1	4	12	21	31	38	36	31	28	22			
	Lobar pneumonia	244	29	10	3		1	3	8	21	26	38	34	26	26	19			
	Pneumonia (undefined)	47	19	4	2			1	4		5		2	5	2	3			
93	Pleurisy	5	1								2	1		1					
94	Pulmonary congestion, pulmonary apoplexy	3									1					2			
96	Asthma	9	1	1											5	2			
98	Other diseases of the respiratory system (tuberculosis excepted)	11	1							1		5	1	2		1			
	V.—Diseases of the digestive system	412	98	31	9	3	5	16	35	37	45	35	32	30	22	13	1		
99	Diseases of the mouth and annexa	5	1						1	2			1						
100	Diseases of the pharynx	15	2	2	2	1	2	2	1	1	2								
101	Diseases of the esophagus	1								1									
102	Ulcer of the stomach	26								6	4	7	4	5					
103	Other diseases of the stomach (cancer excepted)	24	8	1	1						2	1	2	2	5	2			
104	Diarrhea and enteritis (under 2 years)	95	70	25															
105	Diarrhea and enteritis (2 years and over)	21			3			3	3		4	1	3	2		1	1		
108	Appendicitis and typhlitis	90	1	2	1		1	8	27	18	17	9	4	2					
109	Hernia, intestinal obstruction (total)	52	11	1	1		1	2	2	2	5	6	5	2	8	6			
	Hernia	10	1									3	2		2	2			
	Intestinal obstruction	42	10	1	1		1	2	2	2	5	3	3	2	6	4			
110	Other diseases of the intestines	7	1			1			1	1				1	1	1			
111	Acute yellow atrophy of the liver	1	1																
113	Cirrhosis of the liver	31			1					1	1	6	7	8	7				
114	Biliary calculi	13								1	3	4	3	2					
115	Other diseases of the liver	21	1				1	1		1	6	1	2	5		3			
116	Diseases of the spleen	1				1													
117	Simple peritonitis (nonpuerperal)	6	2							3				1					
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3									1		1		1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	356	5		1			3	9	14	34	41	57	58	94	34	6		
119	Acute nephritis	25	3						5	3	4	5	1		4				
120	Bright's disease	266			1			3	3	8	21	24	52	47	77	25	5		
122	Other diseases of the kidneys and annexa	6	2											2	2				
123	Calculi of the urinary passages	5								1	2	1	1						
124	Diseases of the bladder	7												1	2	4			
125	Diseases of the urethra, urinary abscess, etc	2									1		1						
126	Diseases of the prostate	23											2	7	8	5	1		
129	Uterine tumor (noncancerous)	8									1	5		1	1				
130	Other diseases of the uterus	3									1	2							
131	Cysts and other tumors of the ovary	3								1	2								
132	Salpingitis and other diseases of the female genital organs	8							1	1	2	4							
	VII.—The puerperal state	75							6	30	29	10							
134	Accidents of pregnancy	13								3	8	2							
135	Puerperal hemorrhage	6									4	2							
136	Other accidents of labor	5								4		1							
137	Puerperal septicemia	26							3	8	13	2							
138	Puerperal albuminuria and convulsions	20							3	11	3	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4								3	1								
140	Following childbirth (not otherwise defined)	1								1									
	VIII.—Diseases of the skin and of the cellular tissue	7	2									1		1	1	1	1		
142	Gangrene	3	1											1		1			
144	Acute abscess	1										1							
145	Other diseases of the skin and annexa	3	1												1		1		
	IX.—Diseases of the bones and of the organs of locomotion	11							2	2	2	1	2	1	1				
146	Diseases of the bones (tuberculosis excepted)	10							2	2	2	1	2	1					
149	Other diseases of the organs of locomotion	1													1				
	X.—Malformations	66	64	2															
150	Congenital malformations (stillbirths not included) (total)	66	64	2															
	Hydrocephalus	5	4	1															
	Congenital malformations of the heart	42	41	1															
	Other congenital malformations	19	19																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	UTAH—Continued.																		
	XI.—Early infancy	359	359																
151	Congenital debility, icterus, and sclerema (total)	291	291																
	Premature birth	264	264																
	Congenital debility, "atrophy," "marasmus," etc.	27	27																
152	Other causes peculiar to early infancy (total)	66	66																
	Injuries at birth	40	40																
	Other causes peculiar to early infancy[1]	26	26																
153	Lack of care	2	2																
	XII.—Old age	121												4	30	63	23	1	
154	Senility	121												4	30	63	23	1	
	XIII.—External causes	413	10	11	5	8	5	24	38	91	87	55	32	23	10	12	2		
	Suicide (total)	54						1	4	12	15	11	5	5	1				
155	By poison	18						1	4	6	3	4							
157	By hanging or strangulation	3									1	1	1						
158	By drowning	1											1						
159	By firearms	27								5	11	5	2	4					
160	By cutting or piercing instruments	4										1	1	1	1				
161	By jumping from high places	1								1									
	Accidental or undefined (total)	323	10	11	5	8	5	23	33	69	59	35	25	17	9	12	2		
164	Poisoning by food	6								1	1		1	3					
165	Other acute poisonings	8	1			1	1			3	2								
166	Conflagration	6		1		1		1			1	1	1						
167	Burns (conflagration excepted)	22	2	2		3		3	5	2	1				1	3			
168	Absorption of deleterious gases (conflagration excepted)	10	2			1			2	3		2							
169	Accidental drowning	15		3				1	3	3	2	1	1			1			
170	Traumatism by firearms	17						1	5	4	3	1	2			1			
171	Traumatism by cutting or piercing instruments	1								1									
172	Traumatism by fall	37	3		2	2		1	3	3	1	3	2	5	5	6	1		
173	Traumatism in mines and quarries (total)	43							1	11	17	9	5						
	Traumatism in mines	43							1	11	17	9	5						
174	Traumatism by machines	5						1		2	2								
175	Traumatism by other crushing (total)	108	1	1	2		4	11	7	28	19	14	9	8	3		1		
	Railroad accidents and injuries	47			1				1	17	13	7	3	4	1				
	Street-car accidents and injuries	8					1	1	1	1		3			1				
	Automobile accidents and injuries	23		1			1	5	1	5	3	1	2	2	1		1		
	Injuries by other vehicles	29	1		1		2	5	4	4	3	3	4	2					
	Landslide, other crushing	1								1									
176	Injuries by animals	11						2	2	2	1	1	3						
178	Excessive cold	2		1								1							
179	Effects of heat	1														1			
180	Lightning	4							1	1	2								
181	Electricity (lightning excepted)	7							2	3	2								
185	Fractures (cause not specified)	1									1								
186	Other external violence	19	1	3	1			2	2	2	4	2	1	1					
	Homicide (total)	36							1	10	13	9	2	1					
182	By firearms	25							1	6	10	7		1					
183	By cutting or piercing instruments	4								1	2		1						
184	By other means	7								3	1	2	1						
	XIV.—Ill-defined diseases	111	36	3	1	1	1	2	3	1	7	10	11	9	11	13	2		
187	Ill-defined organic disease	4					1							1	1	1			
188	Sudden death	5	1	1				1							1	1			
189	Not specified or ill-defined (total)	102	35	2	1	1		1	3	1	7	10	11	8	9	11	2		
	Ill-defined	85	22		1	1		1	3	1	7	10	11	8	9	9	2		
	Not specified, or unknown	17	13	2												2			
	VERMONT.																		
	All causes	5,323	670	93	40	38	19	75	177	227	262	387	528	887	1,099	694	120	5	2
	I.—General diseases	1,211	61	22	16	14	7	26	76	97	98	141	169	197	189	87	9	1	1
1	Typhoid fever	47						5	9	11	12	3	5	2					
4	Malaria	3													2	1			
5	Smallpox	1									1								
6	Measles	3					2		1										
7	Scarlet fever	4	1			1			2										
8	Whooping cough	23	15	6			1	1											
9	Diphtheria and croup	40	3	7	7	6	2	9	3	1		1		1					
10	Influenza	115	10	1	1	1		1	4	3	3	5	5	14	32	30	5		
14	Dysentery	19	2	1	2								3	4	2	4	1		
18	Erysipelas	16	5						1	1		1	3	3	2				

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VERMONT—Continued.																		
	I.—General diseases—Continued.																		
20	Purulent infection and septicemia	8							2		1	1	2	1	1				
24	Tetanus	5						1		1		3							
25	Mycoses	1										1							
26	Pellagra	3									1			2					
	Tuberculosis (total)	330	12	6	4	5	2	5	32	66	53	63	40	24	16	2			
28	Tuberculosis of the lungs	263	2	1				3	26	60	45	53	38	21	12	2			
29	Acute miliary tuberculosis	8			1				3		3	1							
30	Tuberculous meningitis	31	8	5	3	5	1	2		2	2	3							
31	Abdominal tuberculosis	15							2	3	1	3	1	3	2				
32	Pott's disease	2									1	1							
33	White swellings	2	1										1						
34	Tuberculosis of other organs	6	1						1	1	1	1			1				
35	Disseminated tuberculosis	3					1					1			1				
36	Rickets	1	1																
37	Syphilis	23	3							1	5	5	6	2	1				
38	Gonococcus infection	2								1	1								
	Cancer and other malignant tumors (total)	377				1			1	6	9	40	80	96	102	38	3	1	
39	Of the buccal cavity	20										1	7	4	5	2	1		
40	Of the stomach, liver	139									3	10	23	37	51	13	2		
41	Of the peritoneum, intestines, rectum	47								1		8	9	13	10	6			
42	Of the female genital organs	61								3	5	11	19	11	9	2		1	
43	Of the breast	33									1	6	8	7	4	7			
44	Of the skin	20											2	5	8	5			
45	Of other organs or of organs not specified	57				1			1	2		4	12	19	15	3			
46	Other tumors (tumors of the female genital organs excepted)	1														1			
47	Acute articular rheumatism	21						2	7	1	2	2	1	4	1	1			
48	Chronic rheumatism and gout	8									1	1	2	1	3				
49	Scurvy	1		1															
50	Diabetes	75						1	7	2	4	4	11	27	14	5			
51	Exophthalmic goiter	6							1		1	2	1		1				
52	Addison's disease	1												1					
53	Leukemia	8							4			2	1	1					
54	Anemia, chlorosis	39	6		1			1	2	2		3	3	7	11	3			
55	Other general diseases	8	3		1					1		1		1		1			
56	Alcoholism (acute or chronic)	16									4	1	4	5	1				1
57	Chronic lead poisoning	1												1					
59	Other chronic poisonings	5										2	2			1			
	II.—Diseases of the nervous system and of the organs of special sense	675	18	11	2	3	2	6	15	10	24	43	84	150	199	95	12		1
60	Encephalitis	4	1										2	1					
61	Meningitis (total)	26	4	4		2	1	2	4	2	2	1	1	2	1				
	Simple meningitis	19	3	2		2		1	3	2	2	1	1	2					
	Cerebrospinal meningitis (undefined)	3		1				1	1										
	Cerebrospinal fever	4	1	1			1								1				
62	Locomotor ataxia	13									1	2	3	6	1				
63	Other diseases of the spinal cord (total)	34	3	3	1			2	6		2	2	3	6	4	2			
	Acute anterior poliomyelitis	18	3	3	1			2	6		2	1							
	Other diseases of the spinal cord [1]	16										1	3	6	4	2			
64	Cerebral hemorrhage, apoplexy	483					1			3	10	24	58	119	176	81	10		1
65	Softening of the brain	10										1	1	2	4	2			
66	Paralysis without specified cause	16										2	1	3	4	5	1		
67	General paralysis of the insane	27									4	6	3	7	4	2	1		
68	Other forms of mental alienation	11									1	1	4	2	1	2			
69	Epilepsy	21	1	1	1			1	2	3	4	2	4		2				
71	Convulsions of infants	12	9	2		1													
73	Neuralgia and neuritis	1								1									
74	Other diseases of the nervous system	13		1						1		2	4	2	2	1			
76	Diseases of the ears	4						1	3										
	III.—Diseases of the circulatory system	1,052	5	1		2		6	10	17	24	56	110	248	314	227	31	1	
77	Pericarditis	6										1	1	2		2			
78	Acute endocarditis	32	1			1		2	3	2	2	6	7	2	4	2			
79	Organic diseases of the heart	725	3	1		1		3	7	10	19	45	75	187	215	141	17	1	
80	Angina pectoris	65								2		2	16	25	12	6	2		
81	Diseases of the arteries, atheroma, aneurism, etc	189									1	1	7	28	70	70	12		
82	Embolism and thrombosis	32						1		3	1	1	3	4	13	6			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2									1		1						
84	Diseases of the lymphatic system (lymphangitis, etc.)	1	1																
	IV.—Diseases of the respiratory system	555	87	23	9	9	1	5	17	17	22	31	39	82	120	75	18		
87	Diseases of the larynx	5	3	1		1													
88	Diseases of the thyroid body	2												2					
89	Acute bronchitis	50	19	6	3	2	1		1				1	2	3	10	2		
90	Chronic bronchitis	46								2	1	2	2	10	11	12	6		
91	Bronchopneumonia	133	39	6	4	4		2	2	2	4	2	1	17	31	16	3		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VERMONT—Continued.																		
	IV.—Diseases of the respiratory system—Continued.																		
92	Pneumonia (total)	283	25	10	1	2		3	11	12	12	25	33	43	70	31	5		
	Lobar pneumonia	143	14	6	1	2		2	3	8	7	15	14	19	38	13	1		
	Pneumonia (undefined)	140	11	4				1	8	4	5	10	19	24	32	18	4		
93	Pleurisy	11								1	2	1	1	3	1	2			
94	Pulmonary congestion, pulmonary apoplexy	11							1					1	3	4	2		
95	Gangrene of the lung	3			1						1		1						
96	Asthma	4							1		1			1	1				
97	Pulmonary emphysema	1												1					
98	Other diseases of the respiratory system (tuberculosis excepted)	6	1						1		1	1		2					
	V.—Diseases of the digestive system	465	153	29	9	4	3	16	8	15	23	29	32	56	52	33	3		
99	Diseases of the mouth and annexa	2										1		1					
100	Diseases of the pharynx	6						1	2	1	1				1				
102	Ulcer of the stomach	14								1	2	3	3	2	1	2			
103	Other diseases of the stomach (cancer excepted)	31	7	1								1		9	6	6	1		
104	Diarrhea and enteritis (under 2 years)	160	133	27															
105	Diarrhea and enteritis (2 years and over)	57			7	3	1	7			2	2	6	11	7	9	2		
107	Intestinal parasites	2							1			1							
108	Appendicitis and typhlitis	38			2	1	1	5	5	6	7	3	4	2	2				
109	Hernia, intestinal obstruction (total)	52	7	1			1	1		2	3	4	6	9	11	7			
	Hernia	17	1									1	3	4	5	3			
	Intestinal obstruction	35	6	1			1	1		2	3	3	3	5	6	4			
110	Other diseases of the intestines	8						1			1		2	2	1	1			
113	Cirrhosis of the liver	47								2	2	9	2	9	17	6			
114	Biliary calculi	6								1			1	4					
115	Other diseases of the liver	24	1					1		1	4	2	5	5	3	2			
116	Diseases of the spleen	2								1			1						
117	Simple peritonitis (nonpuerperal)	15	5								1	2	2	2	3				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	1										1							
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	508	6			1		3	7	16	22	45	56	114	157	74	7		
119	Acute nephritis	33	4			1		2	1	1	2	5	3	5	6	3			
120	Bright's disease	411	1					1	5	7	17	35	50	103	135	52	5		
122	Other diseases of the kidneys and annexa	5	1						1					1	1	1			
124	Diseases of the bladder	20											2		7	9	2		
126	Diseases of the prostate	16												3	5	8			
127	Nonvenereal diseases of the male genital organs	1													1				
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	11								1	2	3	1	1	2	1			
130	Other diseases of the uterus	1								1									
131	Cysts and other tumors of the ovary	4								2		1		1					
132	Salpingitis and other diseases of the female genital organs	5								4	1								
	VII.—The puerperal state	48							7	19	18	4							
134	Accidents of pregnancy	4								2	1	1							
135	Puerperal hemorrhage	3									3								
136	Other accidents of labor	9								4	5								
137	Puerperal septicemia	12							2	6	3	1							
138	Puerperal albuminuria and convulsions	15							5	6	3	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2									2								
140	Following childbirth (not otherwise defined)	3								1	1	1							
	VIII.—Diseases of the skin and of the cellular tissue	22	5						1		3			2	5	4	2		
142	Gangrene	10	1											1	5	2	1		
143	Furuncle	5	1						1		1					2			
144	Acute abscess	2	2																
145	Other diseases of the skin and annexa	5	1								2			1			1		
	IX.—Diseases of the bones and of the organs of locomotion	10	1		1	1			1				2	2		2			
146	Diseases of the bones (tuberculosis excepted)	5	1		1	1							1	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4							1				1			2			
149	Other diseases of the organs of locomotion	1												1					
	X.—Malformations	59	56	2			1												
150	Congenital malformations (stillbirths not included) (total)	59	56	2			1												
	Hydrocephalus	4	3	1															
	Congenital malformations of the heart	40	38	1			1												
	Other congenital malformations	15	15																

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VERMONT—Continued.																		
	XI.—Early infancy	270	270																
151	Congenital debility, icterus, and sclerema (total)	221	221																
	Premature birth	145	145																
	Congenital debility, "atrophy," "marasmus," etc	76	76																
152	Other causes peculiar to early infancy (total)	47	47																
	Injuries at birth	27	27																
	Other causes peculiar to early infancy [1]	20	20																
153	Lack of care	2	2																
	XII.—Old age	134												2	32	68	29	3	
154	Senility	134												2	32	68	29	3	
	XIII.—External causes	305	6	4	3	4	5	13	35	36	28	38	35	31	29	29	9		
	Suicide (total)	60							2	12	3	7	14	10	10	2			
155	By poison	12								2	2	3	2	1	2				
156	By asphyxia	2											2						
157	By hanging or strangulation	18							1	2			3	5	5	2			
158	By drowning	3							1	1			1						
159	By firearms	20								5	1	4	5	4	1				
160	By cutting or piercing instruments	3								2			1						
161	By jumping from high places	2													2				
	Accidental or undefined (total)	238	6	3	3	4	5	13	33	23	23	29	20	21	19	27	9		
164	Poisoning by food	3				1						2							
165	Other acute poisonings	6	2								2		1			1			
166	Conflagration	4										1	1	1		1			
167	Burns (conflagration excepted)	10			1	1	3	2	1	1		1							
168	Absorption of deleterious gases (conflagration excepted)	6	1						1		1	1		1	1				
169	Accidental drowning	32		2	2	1	1	2	15	4	3		1	1					
170	Traumatism by firearms	14					1	4	6	1	2								
171	Traumatism by cutting or piercing instruments	1										1							
172	Traumatism by fall	67		1		1			3	2	2	2	3	7	12	25	9		
173	Traumatism in mines and quarries (total)	11								5	2	3	1						
	Traumatism in quarries	11								5	2	3	1						
174	Traumatism by machines	6									1	3	1		1				
175	Traumatism by other crushing (total)	49						3	4	6	4	11	8	9	4				
	Railroad accidents and injuries	20						1	2	3	4	4	1	2	3				
	Street-car accidents and injuries	1												1					
	Automobile accidents and injuries	13						1	1	1		4	4	1	1				
	Injuries by other vehicles	13						1		2		3	3	4					
	Landslide, other crushing	2							1					1					
176	Injuries by animals	3								2	1								
178	Excessive cold	2	1										1						
179	Effects of heat	1										1							
181	Electricity (lightning excepted)	5							1		2	2							
186	Other external violence	18	2					2	2	2	3	1	3	2	1				
	Homicide (total)	7		1						1	2	2	1						
182	By firearms	4									2	2							
184	By other means	3		1						1			1						
	XIV.—Ill-defined diseases	9	2	1									1	3	2				
187	Ill-defined organic disease	2											1		1				
189	Not specified or ill-defined (total)	7	2	1										3	1				
	Ill-defined	1												1					
	Not specified, or unknown	6	2	1										2	1				
	VIRGINIA (TOTAL).																		
	All causes	30,727	5,504	1,112	512	289	202	651	1,617	2,920	2,705	2,576	2,971	3,671	3,739	1,817	346	72	23
	I.—General diseases	8,711	643	277	200	116	74	253	810	1,511	1,223	935	878	884	657	206	40	1	3
1	Typhoid fever	514	3	6	10	4	4	37	147	140	69	33	33	15	8	5			
4	Malaria	153	11	5	6	5	5	9	17	20	23	13	14	10	9	6			
5	Smallpox	4										2		1	1				
6	Measles	58	10	6	13	2	3	5	11	4	1		2	1					
7	Scarlet fever	24	4	1	2	1	2	6	6	1	1								
8	Whooping cough	318	189	61	30	14	6	12	3	2									1
9	Diphtheria and croup	374	86	49	66	41	29	71	26	2			1	1	1	1			
10	Influenza	411	35	12	4	3	2	1	4	24	18	27	46	73	84	63	14	1	
13	Cholera nostras	15	1	3		1					1		1	5	3				
14	Dysentery	250	61	35	15	8	2	6	5	7	7	10	15	26	30	18	5		
18	Erysipelas	54	20		1		1	1	4	4	2	5	5	5	6				
19	Other epidemic diseases	7	2	3	1	1													

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VIRGINIA (TOTAL)—Continued.																		
	I.—General diseases—Continued.																		
20	Purulent infection and septicemia	70	6	1	1	2	2	3	8	11	5	5	10	9	5	1	1		
23	Rabies	2						1	1										
24	Tetanus	59	23			1		6	5	9	8		3	3	1				
26	Pellagra	332		2		1		2	14	43	67	67	56	55	21	4			
	Tuberculosis (total)	4,003	96	66	41	27	12	69	486	1,131	839	485	314	265	147	22	2		1
28	Tuberculosis of the lungs	3,466	46	38	20	9	5	46	409	1,027	773	437	271	232	130	20	2		1
29	Acute miliary tuberculosis	142	1	3	3	2		3	34	49	21	14	9	3					
30	Tuberculous meningitis	120	31	17	14	9	6	12	13	8	4	2	3	1					
31	Abdominal tuberculosis	168	8	5		2		3	21	32	24	23	16	20	14				
32	Pott's disease	29	4		3	1	1	3	2	3	2	2	3	3	1	1			
33	White swellings	10	1						2	1		1	2	1	1	1			
34	Tuberculosis of other organs	59	5	3	1	4		2	4	7	13	5	10	4	1				
35	Disseminated tuberculosis	9							1	4	2	1		1					
36	Rickets	17	9	5	2				1										
37	Syphilis	221	60	6	2			1	8	35	40	19	25	15	8	2			
38	Gonococcus infection	12	4							3	1	1		2	1				
	Cancer and other malignant tumors (total)	1,166	5	2	2	2	1	4	10	21	81	182	264	283	231	64	13		1
39	Of the buccal cavity	35								2	3	1	4	9	12	2	2		
40	Of the stomach, liver	419		2	1	1				5	16	56	105	116	92	21	4		
41	Of the peritoneum, intestines, rectum	115	1		1	1			1	4	7	20	22	34	18	4	1		1
42	Of the female genital organs	237							1	6	34	57	57	47	29	6			
43	Of the breast	108									7	25	30	28	12	5	1		
44	Of the skin	77									1	3	9	14	29	19	2		
45	Of other organs or of organs not specified	175	4				1	4	8	4	13	20	37	35	39	7	3		
46	Other tumors (tumors of the female genital organs excepted)	13							1		2		4	1	4	1			
47	Acute articular rheumatism	138	1	1			2	8	23	7	8	20	10	28	24	4	2		
48	Chronic rheumatism and gout	26							1	1	1	1	2	9	8	2	1		
49	Scurvy	3		1		1						1							
50	Diabetes	211	2	3			1	6	16	16	17	17	36	49	41	6	1		
51	Exophthalmic goiter	21								4	4	4	6	3					
52	Addison's disease	5	1								1	1	1	1					
53	Leukemia	28		1					3	3	4	7	3	4	3				
54	Anemia, chlorosis	69	3	5				3	8	8	2	9	12	13	5	1			
55	Other general diseases	47	11	3	4	2	2	2	2	6	3	2	2	1	3	3	1		
56	Alcoholism (acute or chronic)	65								7	15	16	11	6	9	1			
57	Chronic lead poisoning	1										1							
59	Other chronic poisonings	20								2	3	7	2		4	2			
	II.—Diseases of the nervous system and of the organs of special sense	3,175	254	79	31	22	19	46	99	97	162	268	489	629	664	276	33	4	3
60	Encephalitis	15	2	2	1	1		1	1	2	1		2			2			
61	Meningitis (total)	248	79	33	13	9	11	24	30	17	13	9	6	2	2				
	Simple meningitis	161	54	18	6	6	3	16	20	13	10	6	6	1	2				
	Cerebrospinal meningitis (undefined)	76	19	13	7	3	8	8	9	4	2	2		1					
	Cerebrospinal fever	11	6	2					1		1	1							
62	Locomotor ataxia	47									2	7	13	14	10	1			
63	Other diseases of the spinal cord (total)	112	10	6	5	3	2	8	13	3	5	8	16	13	11	8	1		
	Acute anterior poliomyelitis	37	8	5	5	2	2	6	5	1	1		1	1					
	Other diseases of the spinal cord [1]	75	2	1		1		2	8	2	4	8	15	12	11	8	1		
64	Cerebral hemorrhage, apoplexy	1,454	5					3	4	15	67	132	298	400	363	150	13	2	2
65	Softening of the brain	60									2	2	5	9	36	6			
66	Paralysis without specified cause	624	1	2	1		2	1	5	8	19	50	91	141	191	94	16	2	
67	General paralysis of the insane	81								5	5	20	17	14	14	6			
68	Other forms of mental alienation	57								7	7	10	10	8	10	4	1		
69	Epilepsy	139	8	1	1	1	1	4	27	28	26	11	14	9	7	1			
70	Convulsions (nonpuerperal)	15						2	5	1	3	2	1	1					
71	Convulsions of infants	170	129	27	7	7													
72	Chorea	6	2		1				2	1									
73	Neuralgia and neuritis	14	1				1		1	2	1	1	1	2	3	1			
74	Other diseases of the nervous system	97	8	6			2	2	8	6	7	10	11	15	16	3	2		1
75	Diseases of the eyes and their annexa	2							1					1					
76	Diseases of the ears	34	9	2	2	1		1	2	2	4	6	4		1				
	III.—Diseases of the circulatory system	3,411	28	5	5	5	8	20	66	160	248	371	489	786	809	356	47	5	3
77	Pericarditis	23					1	2	1	3	2	4	2	4	3	1			
78	Acute endocarditis	108	3			2	1	2	10	13	22	18	26	6	3	1		1	
79	Organic diseases of the heart	2,846	21	3	4	2	6	16	48	126	201	312	412	681	689	288	33	1	3
80	Angina pectoris	121							2	5	8	14	17	37	27	9	2		
81	Diseases of the arteries, atheroma, aneurism, etc	236							2	8	7	12	22	43	78	50	12	2	
82	Embolism and thrombosis	48	1	1		1			1	3	5	5	8	9	9	5			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7									1	2	1	2		1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	2	1					1	1									
85	Hemorrhage; other diseases of the circulatory system	17	1		1				1	1	2	4	1	4		1		1	

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VIRGINIA (TOTAL)—Continued.																		
	IV.—Diseases of the respiratory system	3,161	719	204	90	51	22	85	137	255	225	230	261	318	351	172	36	2	3
86	Diseases of the nasal fossae	21	15		1				1	2				1		1			
87	Diseases of the larynx	40	12	4	5	6	2	4	1	1	1	2	1		1				
88	Diseases of the thyroid body	10								1	1	2	3	1	1	1			
89	Acute bronchitis	168	77	26	10	3	3	6	4	2	3		3	7	10	7	6	1	
90	Chronic bronchitis	148	5	2	1			6	3	9	7	4	17	18	38	31	7		
91	Bronchopneumonia	599	247	81	30	10	7	20	11	15	21	15	22	30	54	30	3	1	2
92	Pneumonia (total)	1,867	322	85	40	29	7	47	99	194	159	163	186	224	210	87	14		1
	Lobar pneumonia	861	70	21	13	12	4	17	48	123	96	99	110	118	96	33	1		
	Pneumonia (undefined)	1,006	252	64	27	17	3	30	51	71	63	64	76	106	114	54	13		1
93	Pleurisy	47	1		2	1	1	1	5	6	8	4	5	7	5	1			
94	Pulmonary congestion, pulmonary apoplexy	94	29	2	1	1			4	6	6	10	6	6	14	7	2		
95	Gangrene of the lung	6		1					1		2		1		1				
96	Asthma	70	4	2			1	1	2	5	5	12	10	10	9	5	4		
97	Pulmonary emphysema	10								4	1	2	2		1				
98	Other diseases of the respiratory system (tuberculosis excepted)	81	7	1		1	1		6	10	11	16	5	14	7	2			
	V.—Diseases of the digestive system.	2,933	1,066	368	102	40	23	85	91	124	154	176	202	217	177	90	13	2	3
99	Diseases of the mouth and annexa	57	38	8				1		3	3		1	1	2				
100	Diseases of the pharynx	58	6	3	1	7	2	5	6	6	3	3	3	2	6	5			
101	Diseases of the esophagus	4	1			1		1								1			
102	Ulcer of the stomach	66						2	1	4	11	16	10	13	8	1			
103	Other diseases of the stomach (cancer excepted)	371	94	24	4	2	2	10	7	17	24	32	45	46	35	24	3	1	1
104	Diarrhea and enteritis (under 2 years)	1,203	884	319															
105	Diarrhea and enteritis (2 years and over)	352			86	22	8	24	4	13	17	18	27	40	55	34	3		1
106	Ankylostomiasis	2							2										
107	Intestinal parasites	23	2	3	6	1	2	8	1										
108	Appendicitis and typhlitis	173	2			2	3	23	35	30	28	18	19	7	1	5			
109	Hernia, intestinal obstruction (total)	196	24	7	4	3	1	2	11	17	14	24	23	25	28	8	5		
	Hernia	57	3	1	1				2	1	3	7	11	12	10	3	3		
	Intestinal obstruction	139	21	6	3	3	1	2	9	16	11	17	12	13	18	5	2		
110	Other diseases of the intestines	54	12	2			1	3	3	2	2	7	4	9	5	3	1		
111	Acute yellow atrophy of the liver	5								2	1		1	1					
112	Hydatid tumor of the liver	1					1												
113	Cirrhosis of the liver	152				1				2	23	32	33	36	20	3	1	1	
114	Biliary calculi	44								4	6	9	11	10	2	2			
115	Other diseases of the liver	76	1		1	1	1	1	3	8	9	8	17	13	10	3			
116	Diseases of the spleen	2										2							
117	Simple peritonitis (nonpuerperal)	82	2	2			1	5	18	14	12	6	5	10	5	1			1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	12					1			2	1	1	3	4					
	VI.— Nonvenereal diseases of the genito-urinary system and annexa	2,673	20	29	11	5	13	23	53	102	199	283	418	596	627	269	21	4	
119	Acute nephritis	254	8	14	9	3	5	11	22	21	46	35	27	26	20	7			
120	Bright's disease	2,121	6	12	2	2	7	12	25	54	103	215	370	531	532	229	18	3	
122	Other diseases of the kidneys and annexa	52	2	3			1		1	2	2	8	6	6	13	8			
123	Calculi of the urinary passages	16								1	3		2	4	4	2			
124	Diseases of the bladder	45	3						1	2	1	1	1	7	22	6		1	
125	Diseases of the urethra, urinary abscess, etc	8								1	1	1	2	2	1				
126	Diseases of the prostate	75										1	9	15	30	17	3		
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	2									1	1							
129	Uterine tumor (noncancerous)	34								1	17	12			4				
130	Other diseases of the uterus	19							2	5	6	6							
131	Cysts and other tumors of the ovary	14								1	5	2		5	1				
132	Salpingitis and other diseases of the female genital organs	32							2	14	14	1	1						
	VII.—The puerperal state	469							65	208	152	43							1
134	Accidents of pregnancy	44							5	19	18	1							1
135	Puerperal hemorrhage	48							4	19	19	6							
136	Other accidents of labor	57							5	15	30	7							
137	Puerperal septicemia	161							15	87	47	12							
138	Puerperal albuminuria and convulsions	144							36	64	32	12							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	15								4	6	5							
	VIII.—Diseases of the skin and of the cellular tissue	94	13	2		1		2	2	2	2	5	15	12	23	10	4	1	
142	Gangrene	51	1	1				1	1		2		6	10	17	7	4	1	
143	Furuncle	7										1	3		2	1			
144	Acute abscess	8	3					1	1			1	2						
145	Other diseases of the skin and annexa	28	9	1		1				2		3	4	2	4	2			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VIRGINIA (TOTAL)—Continued.																		
	IX.—Diseases of the bones and of the organs of locomotion	40		1	2		1	8	1	5	2	7	4	5	4				
146	Diseases of the bones (tuberculosis excepted)	34		1	2		1	8	1	5	2	6	2	3	3				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3										1		1	1				
148	Amputations	1												1					
149	Other diseases of the organs of locomotion	2											2						
	X.—Malformations	230	201	10	3	1	2	7	6										
150	Congenital malformations (stillbirths not included) (total)	230	201	10	3	1	2	7	6										
	Hydrocephalus	23	15	4				1	3										
	Congenital malformations of the heart	118	105	4	1		1	4	3										
	Other congenital malformations	89	81	2	2	1	1	2											
	XI.—Early infancy	1,928	1,928																
151	Congenital debility, icterus, and sclerema (total)	1,655	1,655																
	Premature birth	1,028	1,028																
	Congenital debility, "atrophy," "marasmus," etc.	627	627																
152	Other causes peculiar to early infancy (total)	257	257																
	Injuries at birth	162	162																
	Other causes peculiar to early infancy [1]	95	95																
153	Lack of care	16	16																
	XII.—Old age	762											7	37	219	330	121	47	1
154	Senility	762											7	37	219	330	121	47	1
	XIII.—External causes	1,987	121	52	44	37	35	108	260	413	307	201	137	103	89	63	13	2	2
	Suicide (total)	183							16	33	38	35	33	20	8				
155	By poison	40							4	12	9	6	6	2	1				
156	By asphyxia	7								1	2	2	2						
157	By hanging or strangulation	13							3		2	3	3	2					
158	By drowning	14							1	3	3	3	1	2	1				
159	By firearms	93							8	16	19	15	19	13	3				
160	By cutting or piercing instruments	7								1	2	2	1		1				
161	By jumping from high places	4									1	2			1				
162	By crushing	1										1							
163	Other suicides	4										1	1	1	1				
	Accidental or undefined (total)	1,524	104	52	44	36	35	107	211	265	208	138	91	74	79	63	13	2	2
164	Poisoning by food	23	8	2	1			2	1	2	1	1	1	1	1	2			
165	Other acute poisonings	54	7	10	1	3	2	2	5	7	6	3	2	3	3				
166	Conflagration	59	4	5		4	2	16	3	3	6	2	4	4	6				
167	Burns (conflagration excepted)	231	6	21	33	21	22	26	16	22	11	10	12	9	9	9	2	2	
168	Absorption of deleterious gases (conflagration excepted)	54	39	2			1		1	2	3	1	4		1				
169	Accidental drowning	170		3	2		2	10	42	43	26	23	7	7	3		1		1
170	Traumatism by firearms	119		1		3	3	12	60	25	9	2	1	1	1				1
171	Traumatism by cutting or piercing instruments	5					1			1				3					
172	Traumatism by fall	213	8	1	3	3	1	5	8	17	18	16	18	17	42	48	8		
173	Traumatism in mines and quarries (total)	55							8	20	13	10	4						
	Traumatism in mines	52							8	20	11	9	4						
	Traumatism in quarries	3									2	1							
174	Traumatism by machines	36						4	5	13	5	5	2	1	1				
175	Traumatism by other crushing (total)	327	1	2	2		1	17	44	84	80	42	26	18	9	1			
	Railroad accidents and injuries	203		2	1			1	29	60	54	26	14	9	6	1			
	Street-car accidents and injuries	23						4	2	5	7	3	2						
	Automobile accidents and injuries	45					1	6	5	8	9	8	3	3	2				
	Injuries by other vehicles	42	1		1			5	8	3	6	5	6	6	1				
	Landslide, other crushing	14						1		8	4		1						
176	Injuries by animals	19				1		5	2		2	5	3	1					
177	Starvation	4	1	1							1	1							
178	Excessive cold	16	2					1	1	1	3	2	2	2		1	1		
179	Effects of heat	13	2						1	3	3	1		3					
180	Lightning	11	1					1	4	1	1			2	1				
181	Electricity (lightning excepted)	14							2	3	5	2	2						
185	Fractures (cause not specified)	8						2			2			1		2	1		
186	Other external violence	93	25	4	2	1		4	8	18	13	12	3	1	2				
	Homicide (total)	280	17			1		1	33	115	61	28	13	9	2				
182	By firearms	186							25	84	45	17	10	4	1				
183	By cutting or piercing instruments	38	1						3	18	10	4	1	1					
184	By other means	56	16			1		1	5	13	6	7	2	4	1				
	XIV.—Ill-defined diseases	1,153	511	85	24	11	5	14	27	43	31	57	71	84	119	45	18	4	4
187	Ill-defined organic disease	103	1	7		1	3	1	2	5	4	9	15	14	27	9	5		
188	Sudden death	84	17	2	1				1	2	4	7	10	14	14	8	3	1	
189	Not specified or ill-defined (total)	966	493	76	23	10	2	13	24	36	23	41	46	56	78	28	10	3	4
	Ill-defined	410	105	56	13	3	1	5	15	25	13	28	32	40	54	13	5	1	1
	Not specified, or unknown	556	388	20	10	7	1	8	9	11	10	13	14	16	24	15	5	2	3

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VIRGINIA (WHITE).																		
	All causes	17,288	3,035	600	282	152	123	355	671	1,235	1,229	1,281	1,646	2,409	2,727	1,338	192	4	9
	I.—General diseases	4,685	326	147	119	71	46	145	277	617	557	511	554	626	501	162	26		
1	Typhoid fever	291	1	3	5	2	3	19	67	80	47	23	18	11	7	5			
4	Malaria	42	4	1	1		1	3	2	2	4	5	5	6	4	4			
5	Smallpox	1													1				
6	Measles	38	6	4	7	1	1	4	7	4	1		2	1					
7	Scarlet fever	21	4	1	2	1	1	5	6		1								
8	Whooping cough	140	90	21	10	6	2	8	2	1									
9	Diphtheria and croup	286	54	41	54	37	27	51	17	1			1	1	1	1			
10	Influenza	258	23	6	3	3	2		2	10	6	12	22	49	57	52	11		
13	Cholera nostras	8	1	2		1							1	3					
14	Dysentery	123	18	21	11	4		3	3	2	3	2	8	14	20	13	1		
18	Erysipelas	43	17		1				2	4	2	5	4	3	5				
19	Other epidemic diseases	5	1	2	1	1													
20	Purulent infection and septicemia	50	5	1	1	1	1	3	3	9	3	4	7	6	4	1	1		
23	Rabies	1						1											
24	Tetanus	23	5			1		2	4	3	2		2	3	1				
26	Pellagra	181		1					5	14	37	35	37	36	15	1			
	Tuberculosis (total)	1,765	52	23	18	11	5	24	109	439	356	238	183	180	111	15	1		
28	Tuberculosis of the lungs	1,508	19	7	4	1		9	87	405	333	215	157	158	98	14	1		
29	Acute miliary tuberculosis	37		2	1				8	13	3	5	4	1					
30	Tuberculous meningitis	77	21	11	10	7	4	10	6	2	2	2	1	1					
31	Abdominal tuberculosis	78	5	3		1		1	2	11	8	12	10	13	12				
32	Pott's disease	22	4		2	1	1	2	1	2	2	1	3	3					
33	White swellings	5							1	1			1	1		1			
34	Tuberculosis of other organs	33	3		1	1		2	3	3	7	2	7	3	1				
35	Disseminated tuberculosis	5							1	2	1	1							
36	Rickets	6	4	2															
37	Syphilis	60	26	2				1		2	10	7	3	4	4	1			
38	Gonococcus infection	4								1		1		1	1				
	Cancer and other malignant tumors (total)	873	4	2	2	2	1	4	7	8	43	125	191	223	198	53	10		
39	Of the buccal cavity	25								1	2	1	2	5	10	2	2		
40	Of the stomach, liver	328		2	1	1					10	44	81	92	78	17	2		
41	Of the peritoneum, intestines, rectum	92	1		1	1				3	3	14	17	31	17	4			
42	Of the female genital organs	141							1	2	15	31	37	30	21	4			
43	Of the breast	78									5	17	20	24	7	4	1		
44	Of the skin	73									1	3	8	14	28	17	2		
45	Of other organs or of organs not specified	136	3				1	4	6	2	7	15	26	27	37	5	3		
46	Other tumors (tumors of the female genital organs excepted)	6									1		2	1	1	1			
47	Acute articular rheumatism	79		1			1	7	17	2	5	5	7	16	14	3	1		
48	Chronic rheumatism and gout	23							1			1	1	9	8	2	1		
49	Scurvy	1		1															
50	Diabetes	155	1	3			1	6	12	14	12	11	30	32	29	4			
51	Exophthalmic goiter	17								4	4	3	3	3					
52	Addison's disease	4									1	1	1	1					
53	Leukemia	25		1					3	2	3	6	3	4	3				
54	Anemia, chlorosis	54	3	5				2	6	5	1	6	9	12	4	1			
55	Other general diseases	31	7	3	3			2	2	3	3	2	2	1	1	2			
56	Alcoholism (acute or chronic)	50								5	9	11	10	6	8	1			
57	Chronic lead poisoning	1										1							
59	Other chronic poisonings	20								2	3	7	2		4	2			
	II.—Diseases of the nervous system and of the organs of special sense	1,883	132	42	13	13	13	21	50	45	69	119	251	378	507	208	20	1	1
60	Encephalitis	10	1	2				1	1	2	1		1			1			
61	Meningitis (total)	150	58	24	5	5	9	10	14	8	3	5	6	2	1				
	Simple meningitis	98	43	13	3	2	3	7	9	5	2	3	6	1	1				
	Cerebrospinal meningitis (undefined)	46	12	10	2	3	6	3	4	3	1	1		1					
	Cerebrospinal fever	6	3	1					1			1							
62	Locomotor ataxia	43									1	7	12	14	8	1			
63	Other diseases of the spinal cord (total)	74	5	5	3	1	1	4	7	2	3	5	11	10	10	6	1		
	Acute anterior poliomyelitis	21	4	4	3	1	1	3	3	1				1					
	Other diseases of the spinal cord [1]	53	1	1				1	4	1	3	5	11	9	10	6	1		
64	Cerebral hemorrhage, apoplexy	862	3					1	3	4	20	49	144	237	279	111	10		1
65	Softening of the brain	47									1	2	2	5	33	4			
66	Paralysis without specified cause	356	1	1			1	1	2	3	7	12	39	72	135	75	6	1	
67	General paralysis of the insane	55								2	5	14	11	11	9	3			
68	Other forms of mental alienation	39								3	2	6	6	7	10	4	1		
69	Epilepsy	73	1		1	1		1	14	15	13	6	9	6	6				
70	Convulsions (nonpuerperal)	4						1			3								
71	Convulsions of infants	63	52	4	2	5													
72	Chorea	2							2										
73	Neuralgia and neuritis	11	1				1			1	1		1	2	3	1			
74	Other diseases of the nervous system	62	3	4			1	1	5	3	5	7	6	11	12	2	2		
75	Diseases of the eyes and their annexa	1												1					
76	Diseases of the ears	31	7	2	2	1		1	2	2	4	6	3		1				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VIRGINIA (WHITE)—Continued.																		
	III.—Diseases of the circulatory system	1,990	22	4	2	3	3	15	38	55	85	127	244	506	593	270	21		2
77	Pericarditis	14						1	1	1	1	2	1	3	3	1			
78	Acute endocarditis	37	1			1	1	2	5	2	7	1	12	3	1	1			
79	Organic diseases of the heart	1,644	18	2	2	1	2	12	30	47	71	105	202	427	495	214	14		2
80	Angina pectoris	88									1	8	13	33	23	9	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	154							2	3		5	8	29	63	38	6		
82	Embolism and thrombosis	37	1	1		1				1	2	3	7	8	8	5			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6									1	2	1	1		1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	2	1						1									
85	Hemorrhage; other diseases of the circulatory system	6									2	1		2		1			
	IV.—Diseases of the respiratory system	1,623	337	93	39	22	11	41	61	82	73	105	118	198	266	146	27	1	3
86	Diseases of the nasal fossae	9	5		1					1				1		1			
87	Diseases of the larynx	27	8	4	3	4	1	3		1		2			1				
88	Diseases of the thyroid body	6									1	2	1		1	1			
89	Acute bronchitis	73	33	8	4	1	1	2						6	7	6	4	1	
90	Chronic bronchitis	88	1					3		3		1	7	13	27	28	5		
91	Bronchopneumonia	307	116	36	11	5	4	6	2	6	6	7	13	19	45	26	3		2
92	Pneumonia (total)	977	158	42	19	12	3	26	51	64	55	84	84	139	156	72	11		1
	Lobar pneumonia	419	27	9	5	6	3	11	22	39	27	49	52	73	69	26	1		
	Pneumonia (undefined)	558	131	33	14	6		15	29	25	28	35	32	66	87	46	10		1
93	Pleurisy	25	1		1		1		4		5	1	3	4	4	1			
94	Pulmonary congestion, pulmonary apoplexy	51	14	1					2	3	2		3	4	13	7	2		
95	Gangrene of the lung	4		1					1		1		1						
96	Asthma	26		1			1	1		1		3	3	5	6	3	2		
97	Pulmonary emphysema	3								1		1			1				
98	Other diseases of the respiratory system (tuberculosis excepted)	27	1						1	2	3	4	3	7	5	1			
	V.—Diseases of the digestive system	1,671	544	233	66	24	16	49	52	50	78	85	111	146	131	75	10		1
99	Diseases of the mouth and annexa	18	9	4				1			2			1	1				
100	Diseases of the pharynx	39	2	3		4	2	5	4	4	1		2	2	6	4			
101	Diseases of the esophagus	2	1					1											
102	Ulcer of the stomach	38						1	1	1	8	6	6	8	6	1			
103	Other diseases of the stomach (cancer excepted)	192	58	18	1	1	1	4		4	2	14	20	25	25	18	1		
104	Diarrhea and enteritis (under 2 years)	655	455	200															
105	Diarrhea and enteritis (2 years and over)	222			58	14	6	12	3	2	3	8	18	26	40	29	3		
106	Ankylostomiasis	1							1										
107	Intestinal parasites	13	1	2	4		2	3	1										
108	Appendicitis and typhlitis	114				1	1	17	24	14	23	10	15	3	1	5			
109	Hernia, intestinal obstruction (total)	107	11	4	2	3	1	1	4	9	7	10	11	16	18	6	4		
	Hernia	31									2	3	6	9	7	2	2		
	Intestinal obstruction	76	11	4	2	3	1	1	4	9	5	7	5	7	11	4	2		
110	Other diseases of the intestines	34	4				1	2	1	1	2	5	2	7	5	3	1		
111	Acute yellow atrophy of the liver	4								1	1		1	1					
113	Cirrhosis of the liver	95									13	19	15	29	15	3	1		
114	Biliary calculi	29								2	3	6	5	9	2	2			
115	Other diseases of the liver	50	1		1	1			2	3	7	2	11	9	10	3			
116	Diseases of the spleen	2										2							
117	Simple peritonitis (nonpuerperal)	46	2	2			1	2	11	9	5	2	2	6	2	1			1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	10					1				1	1	3	4					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,594	8	11	5	1	9	10	24	41	87	132	218	401	449	187	11		
119	Acute nephritis	106	5	6	4	1	4	6	10	8	20	9	4	15	10	4			
120	Bright's disease	1,303	1	4	1		4	4	12	19	38	108	202	357	385	159	9		
122	Other diseases of the kidneys and annexa	33	1	1			1		1	2	1	4	5	5	6	6			
123	Calculi of the urinary passages	13								1	3			3	4	2			
124	Diseases of the bladder	27	1							1	1			2	18	4			
125	Diseases of the urethra, urinary abscess, etc.	5											2	2	1				
126	Diseases of the prostate	55										1	5	13	22	12	2		
128	Uterine hemorrhage (nonpuerperal)	2									1	1							
129	Uterine tumor (noncancerous)	16									8	6			2				
130	Other diseases of the uterus	11							1	1	6	3							
131	Cysts and other tumors of the ovary	8								1	2			4	1				
132	Salpingitis and other diseases of the female genital organs	15								8	7								
	VII.—The puerperal state	246							24	116	79	27							
134	Accidents of pregnancy	24							1	13	9	1							
135	Puerperal hemorrhage	27							2	11	9	5							
136	Other accidents of labor	30							3	9	14	4							
137	Puerperal septicemia	86							4	47	25	10							
138	Puerperal albuminuria and convulsions	71							14	35	18	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	8								1	4	3							

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VIRGINIA (WHITE)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	54	11	2				1		1		1	9	10	12	6	1		
142	Gangrene	26	1	1									2	8	8	5	1		
143	Furuncle	6											3		2	1			
144	Acute abscess	5	3					1					1						
145	Other diseases of the skin and annexa	17	7	1						1		1	3	2	2				
	IX.—Diseases of the bones and of the organs of locomotion	32		1	2		1	7	1	2	1	6	3	4	4				
146	Diseases of the bones (tuberculosis excepted)	28		1	2		1	7	1	2	1	5	2	3	3				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3										1		1	1				
149	Other diseases of the organs of locomotion	1											1						
	X.—Malformations	192	172	6	3	1	2	4	4										
150	Congenital malformations (stillbirths not included) (total)	192	172	6	3	1	2	4	4										
	Hydrocephalus	15	11	2					2										
	Congenital malformations of the heart	104	95	2	1		1	3	2										
	Other congenital malformations	73	66	2	2	1	1	1											
	XI.—Early infancy	1,163	1,163																
151	Congenital debility, icterus, and sclerema (total)	996	996																
	Premature birth	682	682																
	Congenital debility, "atrophy," "marasmus," etc.	314	314																
152	Other causes peculiar to early infancy (total)	165	165																
	Injuries at birth	110	110																
	Other causes peculiar to early infancy [1]	55	55																
153	Lack of care	2	2																
	XII.—Old age	422											3	22	124	210	61	2	
154	Senility	422											3	22	124	210	61	2	
	XIII.—External causes	1,175	62	29	21	15	20	59	132	212	183	142	103	69	68	52	8		
	Suicide (total)	159							15	25	31	32	31	17	8				
155	By poison	35							4	10	7	6	6	1	1				
156	By asphyxia	7								1	2	2	2						
157	By hanging or strangulation	13							3		2	3	3	2					
158	By drowning	12							1	3	2	2	1	2	1				
159	By firearms	79							7	11	15	14	18	11	3				
160	By cutting or piercing instruments	5									2	1	1		1				
161	By jumping from high places	4									1	2			1				
162	By crushing	1										1							
163	Other suicides	3										1		1	1				
	Accidental or undefined (total)	921	57	29	21	14	20	58	108	161	130	96	63	46	58	52	8		
164	Poisoning by food	18	7	2	1			1	1	2		1		1	1	1			
165	Other acute poisonings	33	4	5		2	2	1	3	5	5	2	1	1	2				
166	Conflagration	13		1		1		1			4	2	2		2				
167	Burns (conflagration excepted)	116	4	15	15	7	12	15	5	10	6	4	8	3	5	6	1		
168	Absorption of deleterious gases (conflagration excepted)	34	22	2						1	3	1	4		1				
169	Accidental drowning	97		3	2		2	5	18	26	16	15	4	6					
170	Traumatism by firearms	57				2	2	6	28	13	3	1		1	1				
171	Traumatism by cutting or piercing instruments	2	3				1							1					
172	Traumatism by fall	168			1	1		4	6	15	13	13	14	13	36	43	6		
173	Traumatism in mines and quarries (total)	44							6	17	11	6	4						
	Traumatism in mines	43							6	17	10	6	4						
	Traumatism in quarries	1									1								
174	Traumatism by machines	26						3	2	8	5	5	1	1	1				
175	Traumatism by other crushing (total)	216			1		1	13	26	53	49	32	19	14	7	1			
	Railroad accidents and injuries	122						1	16	36	29	20	9	6	4	1			
	Street-car accidents and injuries	15						4	1	1	4	3	2						
	Automobile accidents and injuries	40					1	5	5	8	8	6	2	3	2				
	Injuries by other vehicles	30			1			3	4	2	5	3	6	5	1				
	Landslide, other crushing	9								6	3								
176	Injuries by animals	15				1		4	1		1	4	3	1					
177	Starvation	1	1																
178	Excessive cold	4	1							1		1		1					
179	Effects of heat	4	1							1	1			1					
180	Lightning	10	1					1	4	1	1			1	1				
181	Electricity (lightning excepted)	12							2	2	5	2	1						
185	Fractures (cause not specified)	5						1			1			1		1	1		
186	Other external violence	48	13	1	1			3	6	6	6	7	2		1				
	Homicide (total)	95	5			1		1	9	26	22	14	9	6	2				
182	By firearms	59							6	17	15	9	7	4	1				
183	By cutting or piercing instruments	7								2	4	1							
184	By other means	29	5			1		1	3	7	3	4	2	2	1				
	XIV.—Ill-defined diseases	558	258	32	12	2	2	3	8	14	17	26	32	49	72	22	7		2
187	Ill-defined organic disease	42		2			1				4	3	4	7	13	5	3		
188	Sudden death	49	12	1	1					1	2	3	4	11	9	5			
189	Not specified or ill-defined (total)	467	246	29	11	2	1	3	8	13	11	20	24	31	50	12	4		2
	Ill-defined	205	61	21	5	1	1	2	6	9	7	9	16	20	40	5	1		1
	Not specified, or unknown	262	185	8	6	1		1	2	4	4	11	8	11	10	7	3		1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No. Int.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VIRGINIA (COLORED).																		
	All causes	13,439	2,469	512	230	137	79	296	946	1,685	1,476	1,295	1,325	1,262	1,012	479	154	68	14
	I.—General diseases	4,026	317	130	81	45	28	108	533	894	666	424	324	258	156	44	14	1	3
1	Typhoid fever	223	2	3	5	2	1	18	80	60	22	10	15	4	1				
4	Malaria	111	7	4	5	5	4	6	15	18	19	8	9	4	5	2			
5	Smallpox	3										2		1					
6	Measles	20	4	2	6	1	2	1	4										
7	Scarlet fever	3					1	1		1									
8	Whooping cough	178	99	40	20	8	4	4	1	1									1
9	Diphtheria and croup	88	32	8	12	4	2	20	9	1									
10	Influenza	153	12	6	1			1	2	14	12	15	24	24	27	11	3	1	
13	Cholera nostras	7		1							1			2	3				
14	Dysentery	127	43	14	4	4	2	3	2	5	4	8	7	12	10	5	4		
18	Erysipelas	11	3				1	1	2				1	2	1				
19	Other epidemic diseases	2	1	1															
20	Purulent infection and septicemia	20	1			1	1		5	2	2	1	3	3	1				
23	Rabies	1							1										
24	Tetanus	36	18					4	1	6	6		1						
26	Pellagra	151		1		1		2	9	29	30	32	19	19	6	3			
	Tuberculosis (total)	2,238	44	43	23	16	7	45	377	692	483	247	131	85	36	7	1		1
28	Tuberculosis of the lungs	1,958	27	31	16	8	5	37	322	622	440	222	114	74	32	6	1		1
29	Acute miliary tuberculosis	105	1	1	2	2		3	26	36	18	9	5	2					
30	Tuberculous meningitis	43	10	6	4	2	2	2	7	6	2		2						
31	Abdominal tuberculosis	90	3	2		1		2	19	21	16	11	6	7	2				
32	Pott's disease	7			1			1	1	1		1			1	1			
33	White swellings	5	1						1			1	1		1				
34	Tuberculosis of other organs	26	2	3		3			1	4	6	3	3	1					
35	Disseminated tuberculosis	4								2	1			1					
36	Rickets	11	5	3	2				1										
37	Syphilis	161	34	4	2				8	33	30	12	22	11	4	1			
38	Gonococcus infection	8	4							2	1			1					
	Cancer and other malignant tumors (total)	293	1						3	13	38	57	73	60	33	11	3		1
39	Of the buccal cavity	10								1	1		2	4	2				
40	Of the stomach, liver	91								5	6	12	24	24	14	4	2		
41	Of the peritoneum, intestines, rectum	23							1	1	4	6	5	3	1		1		1
42	Of the female genital organs	96								4	19	26	20	17	8	2			
43	Of the breast	30									2	8	10	4	5	1			
44	Of the skin	4											1		1	2			
45	Of other organs or of organs not specified	39	1						2	2	6	5	11	8	2	2			
46	Other tumors (tumors of the female genital organs excepted)	7							1		1		2		3				
47	Acute articular rheumatism	59	1				1	1	6	5	3	15	3	12	10	1	1		
48	Chronic rheumatism and gout	3								1	1		1						
49	Scurvy	2				1						1							
50	Diabetes	56	1						4	2	5	6	6	17	12	2	1		
51	Exophthalmic goiter	4										1	3						
52	Addison's disease	1	1																
53	Leukemia	3								1	1	1							
54	Anemia, chlorosis	15						1	2	3	1	3	3	1	1				
55	Other general diseases	16	4		1	2	2			3					2	1	1		
56	Alcoholism (acute or chronic)	15								2	6	5	1		1				
	II.—Diseases of the nervous system and of the organs of special sense	1,292	122	37	18	9	6	25	49	52	93	149	238	251	157	68	13	3	2
60	Encephalitis	5	1		1	1							1			1			
61	Meningitis (total)	98	21	9	8	4	2	14	16	9	10	4			1				
	Simple meningitis	63	11	5	3	4		9	11	8	8	3			1				
	Cerebrospinal meningitis (undefined)	30	7	3	5		2	5	5	1	1	1							
	Cerebrospinal fever	5	3	1							1								
62	Locomotor ataxia	4									1		1		2				
63	Other diseases of the spinal cord (total)	38	5	1	2	2	1	4	6	1	2	3	5	3	1	2			
	Acute anterior poliomyelitis	16	4	1	2	1	1	3	2		1		1						
	Other diseases of the spinal cord [1]	22	1			1		1	4	1	1	3	4	3	1	2			
64	Cerebral hemorrhage, apoplexy	592	2					2	1	11	47	83	154	163	84	39	3	2	1
65	Softening of the brain	13									1		3	4	3	2			
66	Paralysis without specified cause	268		1	1		1		3	5	12	38	52	69	56	19	10	1	
67	General paralysis of the insane	26								3		6	6	3	5	3			
68	Other forms of mental alienation	18								4	5	4	4	1					
69	Epilepsy	66	7	1			1	3	13	13	13	5	5	3	1	1			
70	Convulsions (nonpuerperal)	11						1	5	1		2	1	1					
71	Convulsions of infants	107	77	23	5	2													
72	Chorea	4	2		1					1									
73	Neuralgia and neuritis	3							1	1		1							
74	Other diseases of the nervous system	35	5	2			1	1	3	3	2	3	5	4	4	1			1
75	Diseases of the eyes and their annexa	1							1										
76	Diseases of the ears	3	2										1						

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VIRGINIA (COLORED)—Continued.																		
	III.—Diseases of the circulatory system	1,421	6	1	3	2	5	5	28	105	163	244	245	280	216	86	26	5	1
77	Pericarditis	9					1	1		2	1	2	1	1					
78	Acute endocarditis	71	2			1			5	11	15	17	14	3	2			1	
79	Organic diseases of the heart	1,202	3	1	2	1	4	4	18	79	130	207	210	254	194	74	19	1	1
80	Angina pectoris	33							2	5	7	6	4	4	4		1		
81	Diseases of the arteries, atheroma, aneurism, etc	82								5	7	7	14	14	15	12	6	2	
82	Embolism and thrombosis	11							1	2	3	2	1	1	1				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1												1					
84	Diseases of the lymphatic system (lymphangitis, etc.)	1							1										
85	Hemorrhage; other diseases of the circulatory system	11	1		1				1	1		3	1	2				1	
	IV.—Diseases of the respiratory system	1,538	382	111	51	29	11	44	76	173	152	125	143	120	85	26	9	1	
86	Diseases of the nasal fossae	12	10						1	1									
87	Diseases of the larynx	13	4		2	2	1	1	1		1		1						
88	Diseases of the thyroid body	4								1			2	1					
89	Acute bronchitis	95	44	18	6	2	2	4	4	2	3		3	1	3	1	2		
90	Chronic bronchitis	60	4	2	1			3	3	6	7	3	10	5	11	3	2		
91	Bronchopneumonia	292	131	45	19	5	3	14	9	9	15	8	9	11	9	4		1	
92	Pneumonia (total)	890	164	43	21	17	4	21	48	130	104	79	102	85	54	15	3		
	Lobar pneumonia	442	43	12	8	6	1	6	26	84	69	50	58	45	27	7			
	Pneumonia (undefined)	448	121	31	13	11	3	15	22	46	35	29	44	40	27	8	3		
93	Pleurisy	22			1	1		1	1	6	3	3	2	3	1				
94	Pulmonary congestion, pulmonary apoplexy	43	15	1	1	1			2	3	4	10	3	2	1				
95	Gangrene of the lung	2									1				1				
96	Asthma	44	4	1					2	4	5	9	7	5	3	2	2		
97	Pulmonary emphysema	7								3	1	1	2						
98	Other diseases of the respiratory system (tuberculosis excepted)	54	6	1		1	1		5	8	8	12	2	7	2	1			
	V.—Diseases of the digestive system	1,262	522	135	36	16	7	36	39	74	76	91	91	71	46	15	3	2	2
99	Diseases of the mouth and annexa	39	29	4						3	1		1		1				
100	Diseases of the pharynx	19	4		1	3			2	2	2	3	1			1			
101	Diseases of the esophagus	2				1										1			
102	Ulcer of the stomach	28						1		3	3	10	4	5	2				
103	Other diseases of the stomach (cancer excepted)	179	36	6	3	1	1	6	7	13	22	18	25	21	10	6	2	1	1
104	Diarrhea and enteritis (under 2 years)	548	429	119															
105	Diarrhea and enteritis (2 years and over)	130			28	8	2	12	1	11	14	10	9	14	15	5			1
106	Ankylostomiasis	1							1										
107	Intestinal parasites	10	1	1	2	1		5											
108	Appendicitis and typhlitis	59	2			1	2	6	11	16	5	8	4	4					
109	Hernia, intestinal obstruction (total)	89	13	3	2			1	7	8	7	14	12	9	10	2	1		
	Hernia	26	3	1	1				2	1	1	4	5	3	3	1	1		
	Intestinal obstruction	63	10	2	1			1	5	7	6	10	7	6	7	1			
110	Other diseases of the intestines	20	8	2				1	2	1		2	2	2					
111	Acute yellow atrophy of the liver	1								1									
112	Hydatid tumor of the liver	1					1												
113	Cirrhosis of the liver	57				1				2	10	13	18	7	5			1	
114	Biliary calculi	15								2	3	3	6	1					
115	Other diseases of the liver	26					1	1	1	5	2	6	6	4					
117	Simple peritonitis (nonpuerperal)	36						3	7	5	7	4	3	4	3				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2								2									
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,079	12	18	6	4	4	13	29	61	112	151	200	195	178	82	10	4	
119	Acute nephritis	148	3	8	5	2	1	5	12	13	26	26	23	11	10	3			
120	Bright's disease	818	5	8	1	2	3	8	13	35	65	107	168	174	147	70	9	3	
122	Other diseases of the kidneys and annexa	19	1	2							1	4	1	1	7	2			
123	Calculi of the urinary passages	3											2	1					
124	Diseases of the bladder	18	2						1	1		1	1	5	4	2		1	
125	Diseases of the urethra, urinary abscess, etc	3								1	1	1							
126	Diseases of the prostate	20											4	2	8	5	1		
127	Nonvenereal diseases of the male genital organs	1	1																
129	Uterine tumor (noncancerous)	18								1	9	6			2				
130	Other diseases of the uterus	8							1	4		3							
131	Cysts and other tumors of the ovary	6									3	2		1					
132	Salpingitis and other diseases of the female genital organs	17							2	6	7	1	1						

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VIRGINIA (COLORED)—Continued.																		
	VII.—The puerperal state	223							41	92	73	16							1
134	Accidents of pregnancy	20							4	6	9								1
135	Puerperal hemorrhage	21							2	8	10	1							
136	Other accidents of labor	27							2	6	16	3							
137	Puerperal septicemia	75							11	40	22	2							
138	Puerperal albuminuria and convulsions	73							22	29	14	8							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7								3	2	2							
	VIII.—Diseases of the skin and of the cellular tissue	40	2			1		1	2	1	2	4	6	2	11	4	3	1	
142	Gangrene	25						1	1		2		4	2	9	2	3	1	
143	Furuncle	1										1							
144	Acute abscess	3							1			1	1						
145	Other diseases of the skin and annexa	11	2			1				1		2	1		2	2			
	IX.—Diseases of the bones and of the organs of locomotion	8						1		3	1	1	1	1					
146	Diseases of the bones (tuberculosis excepted)	6						1		3	1	1							
148	Amputations	1												1					
149	Other diseases of the organs of locomotion	1											1						
	X.—Malformations	38	29	4				3	2										
150	Congenital malformations (stillbirths not included) (total)	38	29	4				3	2										
	Hydrocephalus	8	4	2				1	1										
	Congenital malformations of the heart	14	10	2				1	1										
	Other congenital malformations	16	15					1											
	XI.—Early infancy	765	765																
151	Congenital debility, icterus, and sclerema (total)	659	659																
	Premature birth	346	346																
	Congenital debility, "atrophy," "marasmus," etc.	313	313																
152	Other causes peculiar to early infancy (total)	92	92																
	Injuries at birth	52	52																
	Other causes peculiar to early infancy [1]	40	40																
153	Lack of care	14	14																
	XII.—Old age	340											4	15	95	120	60	45	1
154	Senility	340											4	15	95	120	60	45	1
	XIII.—External causes	812	59	23	23	22	15	49	128	201	124	59	34	34	21	11	5	2	2
	Suicide (total)	24							1	8	7	3	2	3					
155	By poison	5								2	2			1					
158	By drowning	2									1	1							
159	By firearms	14							1	5	4	1	1	2					
160	By cutting or piercing instruments	2								1		1							
163	Other suicides	1											1						
	Accidental or undefined (total)	603	47	23	23	22	15	49	103	104	78	42	28	28	24	11	5	2	2
164	Poisoning by food	5	1					1			1		1			1			
165	Other acute poisonings	21	3	5	1	1		1	2	2	1	1	1	2	1				
166	Conflagration	46	4	4		3	2	15	3	3	2		2	4	4				
167	Burns (conflagration excepted)	115	2	6	18	14	10	11	11	12	5	6	4	6	4	3	1	2	
168	Absorption of deleterious gases (conflagration excepted)	20	17				1		1	1									
169	Accidental drowning	73						5	24	17	10	8	3	1	3		1		1
170	Traumatism by firearms	62		1		1	1	6	32	12	6	1	1						1
171	Traumatism by cutting or piercing instruments	3								1				2					
172	Traumatism by fall	45	5	1	2	2	1	1	2	2	5	3	4	4	6	5	2		
173	Traumatism in mines and quarries (total)	11							2	3	2	4							
	Traumatism in mines	9							2	3	1	3							
	Traumatism in quarries	2									1	1							
174	Traumatism by machines	10						1	3	5			1						
175	Traumatism by other crushing (total)	111	1	2	1			4	18	31	31	10	7	4	2				
	Railroad accidents and injuries	81		2	1				13	24	25	6	5	3	2				
	Street-car accidents and injuries	8							1	4	3								
	Automobile accidents and injuries	5						1			1	2	1						
	Injuries by other vehicles	12	1					2	4	1	1	2		1					
	Landslide, other crushing	5						1		2	1		1						
176	Injuries by animals	4						1	1		1	1							
177	Starvation	3		1							1	1							
178	Excessive cold	12	1					1	1		3	1	2	1		1	1		
179	Effects of heat	9	1						1	2	2	1		2					
180	Lightning	1												1					
181	Electricity (lightning excepted)	2								1			1						
185	Fractures (cause not specified)	3						1			1					1			
186	Other external violence	47	12	3	1	1		1	2	12	7	5	1	1	1				

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VIRGINIA (COLORED)—Continued.																		
	XIII.—External causes—Contd.																		
	Homicide (total)	185	12						24	89	39	14	4	3					
182	By firearms	127							19	67	30	8	3						
183	By cutting or piercing instruments	31	1						3	16	6	3	1	1					
184	By other means	27	11						2	6	3	3		2					
	XIV.—Ill-defined diseases	595	253	53	12	9	3	11	19	29	14	31	39	35	47	23	11	4	2
187	Ill-defined organic disease	61	1	5		1	2	1	2	5		6	11	7	14	4	2		
188	Sudden death	35	5	1					1	1	2	4	6	3	5	3	3	1	
189	Not specified or ill-defined (total)	499	247	47	12	8	1	10	16	23	12	21	22	25	28	16	6	3	2
	Ill-defined	205	44	35	8	2		3	9	16	6	19	16	20	14	8	4	1	
	Not specified, or unknown	294	203	12	4	6	1	7	7	7	6	2	6	5	14	8	2	2	2
	WASHINGTON.																		
	All causes	11,895	1,461	203	132	84	59	208	544	1,046	1,215	1,310	1,636	1,578	1,562	724	70	5	58
	I.—General diseases	3,109	115	46	44	18	22	60	228	427	432	426	484	405	295	91	8		8
1	Typhoid fever	119	1	1	1		1	3	33	35	18	14	8	1	1				2
4	Malaria	4												3		1			
5	Smallpox	1										1							
6	Measles	17	1	2	4		1	1	5	1	1	1							
7	Scarlet fever	7		2	1			2	2										
8	Whooping cough	43	29	5	5	1	2		1										
9	Diphtheria and croup	40	2	3	4	3	5	11	7	1	2	2							
10	Influenza	146	16	4	1		1	2	3	3	9	6	11	18	44	26	2		
13	Cholera nostras	1							1										
14	Dysentery	12	2	1	2		2	1			1			1	2				
18	Erysipelas	29	9	1	4				1	1		1	2	3	4	3			
19	Other epidemic diseases	3	1		1	1													
20	Purulent infection and septicemia	20	2		3		1		3	1	2	2	2	4					
23	Rabies	1											1						
24	Tetanus	6			1				1	2	2								
26	Pellagra	2								1		1							
27	Beriberi	3	1							1	1								
	Tuberculosis (total)	1,275	28	19	12	8	5	22	130	332	290	170	152	70	25	7			5
28	Tuberculosis of the lungs	1,067	7	1	1		1	8	106	288	264	155	139	64	23	7			3
29	Acute miliary tuberculosis	30							8	11	5	3	2	1					
30	Tuberculous meningitis	92	19	17	9	6	3	11	9	10	3	2	3						
31	Abdominal tuberculosis	39	1	1	2	1	1	2	5	10	5	4	4	2	1				
32	Pott's disease	12				1		1		1	4		2	2	1				
33	White swellings	2								1	1								
34	Tuberculosis of other organs	25							2	7	7	5	2						2
35	Disseminated tuberculosis	8	1							4	1	1		1					
36	Rickets	5	2	1	1	1													
37	Syphilis	57	9	1				1	2	6	13	10	7	5	3				
38	Gonococcus infection	4							1	1	2								
	Cancer and other malignant tumors (total)	841		2		1	1	3	5	9	48	156	204	206	161	39	5		1
39	Of the buccal cavity	30										4	10	8	7	1			
40	Of the stomach, liver	346								3	13	47	98	95	77	11	2		
41	Of the peritoneum, intestines, rectum	109							1		8	26	23	29	21	1			
42	Of the female genital organs	110								1	12	35	21	22	16	2	1		
43	Of the breast	59								1	5	19	14	9	7	4			
44	Of the skin	29										2	2	5	11	7	2		
45	Of other organs or of organs not specified	158		2		1	1	3	4	4	10	23	36	38	22	13			1
46	Other tumors (tumors of the female genital organs excepted)	5						1					1	1	1	1			
47	Acute articular rheumatism	45		1		1	1	5	8	5	3	3	8	3	4	3			
48	Chronic rheumatism and gout	18							1		1	1	3	8	4				
50	Diabetes	192				2		6	17	13	11	21	33	50	33	6			
51	Exophthalmic goiter	17							1	4	1	5	4	2					
52	Addison's disease	6								1		2		2	1				
53	Leukemia	22	1	2	2		1	1	1	3	1	1	7	2					
54	Anemia, chlorosis	53			1			1		1	7	6	17	11	8	1			
55	Other general diseases	29	11	1	1		1		4	2	3	1	1	1	1	2			
56	Alcoholism (acute or chronic)	74							1	4	11	19	22	12	3	2			
57	Chronic lead poisoning	2										1		1					
58	Other chronic occupation poisonings	1										1							
59	Other chronic poisonings	9									5	1	1	1			1		
	II.—Diseases of the nervous system and of the organs of special sense	1,212	60	9	8	8	2	21	32	37	84	119	223	224	277	96	7		5
60	Encephalitis	7							1	2	2	1	1						
61	Meningitis (total)	63	19	5	3	5		3	9	6	6	2	3	2					
	Simple meningitis	25	12	1		1		2	1	2	2	2	1	1					
	Cerebrospinal meningitis (undefined)	36	6	4	3	4		1	8	3	4		2	1					
	Cerebrospinal fever	2	1							1									
62	Locomotor ataxia	22										4	9	7	2				
63	Other diseases of the spinal cord (total)	76	3	2	2		1	7	4	1	3	6	17	14	15	1			
	Acute anterior poliomyelitis	7		1				4	1			1							
	Other diseases of the spinal cord [1]	69	3	1	2		1	3	3	1	3	5	17	14	15	1			
64	Cerebral hemorrhage, apoplexy	668	1		1			2	1	4	21	61	139	163	205	64	3		3
65	Softening of the brain	9											1	4	2	2			
66	Paralysis without specified cause	102	4							1	2	4	17	15	32	24	3		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WASHINGTON—Continued.																		
	II.—Diseases of the nervous system and of the organs of special senses—Continued.																		
67	General paralysis of the insane	79								3	16	24	15	8	9	2	1		1
68	Other forms of mental alienation	45								8	14	8	8	2	4				1
69	Epilepsy	46	1					4	11	8	11	5	1	1	4				
70	Convulsions (nonpuerperal)	1						1											
71	Convulsions of infants	23	20		1	1	1												
73	Neuralgia and neuritis	5											2	1	1	1			
74	Other diseases of the nervous system	44	6	1	1	1		1	2	3	7	4	9	5	2	2			
76	Diseases of the ears	22	6	1		1		3	4	1	2		1	2	1				
	III.—Diseases of the circulatory system	1,608	16		2	1	1	10	48	52	89	171	266	360	411	168	9	1	3
77	Pericarditis	6						1	1					1	1	2			
78	Acute endocarditis	106	3			1	1	2	7	9	15	15	43	7	3				
79	Organic diseases of the heart	1,206	7		2			7	40	39	58	127	186	281	321	127	7	1	3
80	Angina pectoris	85	1							1	1	11	14	35	18	4			
81	Diseases of the arteries, atheroma, aneurism, etc	143								1	8	10	12	25	56	29	2		
82	Embolism and thrombosis	36								1	4	3	8	7	8	5			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	13								1		3	3	4	2				
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	5																
85	Hemorrhage; other diseases of the circulatory system	8									3	2			2	1			
	IV.—Diseases of the respiratory system	1,046	201	43	17	15	12	22	35	47	74	99	108	128	145	91	6	2	1
86	Diseases of the nasal fossae	2				1						1							
87	Diseases of the larynx	13	5	2	1		1	1			1	1		1					
88	Diseases of the thyroid body	12	1						1	1	3	3	1	2					
89	Acute bronchitis	38	12	5			1	1	1		1			2	8	7			
90	Chronic bronchitis	47	1						1	1	1	1	6	4	19	12	1		
91	Bronchopneumonia	317	136	22	7	5	3	9	6	4	9	10	14	26	36	27	2	1	
92	Pneumonia (total)	523	40	13	8	8	6	10	20	37	49	75	72	79	63	39	2	1	1
	Lobar pneumonia	490	31	10	6	7	5	9	18	36	48	72	71	75	59	39	2	1	1
	Pneumonia (undefined)	33	9	3	2	1	1	1	2	1	1	3	1	4	4				
93	Pleurisy	36	1	1			1	1	3	3	6	5	8	5	1	1			
94	Pulmonary congestion, pulmonary apoplexy	16	5		1				1		2			2	4	1			
95	Gangrene of the lung	2							1				1						
96	Asthma	27				1						1	2	7	12	3	1		
97	Pulmonary emphysema	2								1						1			
98	Other diseases of the respiratory system (tuberculosis excepted)	11							1		2	2	4		2				
	V.—Diseases of the digestive system	1,042	179	61	37	21	11	32	44	78	82	123	140	113	75	42	4		
99	Diseases of the mouth and annexa	6	3								1	1	1						
100	Diseases of the pharynx	27	1	1	1		2	4	5	7		1	2	3					
102	Ulcer of the stomach	55							3	5	2	14	14	9	4	3	1		
103	Other diseases of the stomach (cancer excepted)	72	24	3	1	2		1	1	1	3	4	6	5	9	11	1		
104	Diarrhea and enteritis (under 2 years)	184	132	52															
105	Diarrhea and enteritis (2 years and over)	114			30	11	8	9	1	4	5	6	14	11	9	5	1		
108	Appendicitis and typhlitis	169	3	1	3	3	1	14	25	35	26	31	14	8	4	1			
109	Hernia, intestinal obstruction (total)	110	10	3	2	4		1	3	8	16	13	15	17	10	8			
	Hernia	36	5						1		3	3	7	9	4	4			
	Intestinal obstruction	74	5	3	2	4		1	2	8	13	10	8	8	6	4			
110	Other diseases of the intestines	41	2	1		1		1	1	5	4	7	6	1	5	7			
111	Acute yellow atrophy of the liver	3							1	1					1				
113	Cirrhosis of the liver	117								4	11	25	33	26	14	3	1		
114	Biliary calculi	55								1	4	4	14	20	9	3			
115	Other diseases of the liver	53	2						1	3	7	9	12	9	9	1			
116	Diseases of the spleen	3										1	2						
117	Simple peritonitis (nonpuerperal)	20	1					2	3	4	1	5	2	2					
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	13	1								2	2	5	2	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	969	9		1			4	20	47	79	111	180	213	208	88	7		2
119	Acute nephritis	55	2					3	6	8	7	8	11	8	2				
120	Bright's disease	732	3					1	13	22	47	79	153	173	168	65	7		1
122	Other diseases of the kidneys and annexa	28	2		1					1	4		5	4	7	4			
123	Calculi of the urinary passages	5							1			1		1	2				
124	Diseases of the bladder	25											4	4	8	9			
125	Diseases of the urethra, urinary abscess, etc	2									1	1							
126	Diseases of the prostate	45										1	1	17	18	7			1
127	Nonvenereal diseases of the male genital organs	4	2												1	1			
129	Uterine tumor (noncancerous)	18									1	9	3	3		2			
130	Other diseases of the uterus	20								8	4	3	2	3					
131	Cysts and other tumors of the ovary	11								1	4	4	1		1				
132	Salpingitis and other diseases of the female genital organs	24								7	11	5			1				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

WASHINGTON—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years	100 years and over.	Deaths at unknown age.
	VII.—The puerperal state	156							13	68	65	10							
134	Accidents of pregnancy	22							1	9	10	2							
135	Puerperal hemorrhage	16								7	8	1							
136	Other accidents of labor	16							1	7	8								
137	Puerperal septicemia	65							8	28	27	2							
138	Puerperal albuminuria and convulsions	32							3	16	9	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3								1	1	1							
140	Following childbirth (not otherwise defined)	2									2								
	VIII.—Diseases of the skin and of of the cellular tissue	27	5					1		2	2	3	1	2	8	3			
142	Gangrene	11									1	1			7	2			
143	Furuncle	3						1		1			1						
144	Acute abscess	5	1							1		2		1					
145	Other diseases of the skin and annexa	8	4								1			1	1	1			
	IX.—Diseases of the bones and of the organs of locomotion	23	1		1			2	3	6	2		2	1	2	2			1
146	Diseases of the bones (tuberculosis excepted)	19	1		1			2	2	5	2		2	1	1	1			1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4							1	1					1	1			
	X.—Malformations	144	132	7	1			1	2	1									
150	Congenital malformations (stillbirths not included) (total)	144	132	7	1			1	2	1									
	Hydrocephalus	16	12	3					1										
	Congenital malformations of the heart	93	87	3	1				1	1									
	Other congenital malformations	35	33	1				1											
	XI.—Early infancy	661	661																
151	Congenital debility, icterus, and sclerema (total)	514	514																
	Premature birth	372	372																
	Congenital debility, "atrophy," "marasmus," etc	142	142																
152	Other causes peculiar to early infancy (total)	147	147																
	Injuries at birth	82	82																
	Other causes peculiar to early infancy [1]	65	65																
	XII.—Old age	237											5	17	79	111	23	1	1
154	Senility	237											5	17	79	111	23	1	1
	XIII.—External causes	1,485	37	33	21	19	10	47	116	272	299	236	205	92	43	20	4		31
	Suicide (total)	304							8	55	71	61	64	25	6	3			11
155	By poison	54							3	14	14	7	11	3		1			1
156	By asphyxia	19								3	2	6	7	1					
157	By hanging or strangulation	39								4	10	4	12	3	1	1			4
158	By drowning	30								4	9	5	9	1	1				1
159	By firearms	128							5	24	28	31	20	12	3	1			4
160	By cutting or piercing instruments	19								2	4	6	1	4	1				1
161	By jumping from high places	7								2	3	1		1					
162	By crushing	2								1			1						
163	Other suicides	6								1	1	1	3						
	Accidental or undefined (total)	1,069	31	33	21	18	10	44	99	189	202	157	130	61	36	17	4		17
164	Poisoning by food	20	1	3		3		3			5	2	3						
165	Other acute poisonings	26	2	4	2			1	3	2	3	3	4	1	1				
166	Conflagration	20	2	1	2	2	1	2	2			3		3	1	1			
167	Burns (conflagration excepted)	50	3	7	6	4	2	4	6	6	3	1	1	3	2	1	1		
168	Absorption of deleterious gases (conflagration excepted)	31	14		1					4	3	6	1	1	1				
169	Accidental drowning	209	1	10	3	4	2	12	44	44	31	30	14	9					5
170	Traumatism by firearms	34		1	1			1	9	7	4	2	5	1		1			2
172	Traumatism by fall	133		3	4	2	1	5	7	12	21	13	19	11	18	13	3		1
173	Traumatism in mines and quarries (total)	52							1	13	14	12	11	1					
	Traumatism in mines	48							1	12	13	11	10	1					
	Traumatism in quarries	4								1	1	1	1						
174	Traumatism by machines	39							3	7	14	5	7	1	1				1
175	Traumatism by other crushing (total)	307		3	1	2	1	12	20	53	76	54	50	20	8	1			6
	Railroad accidents and injuries	110		1					2	18	42	21	15	5	1				5
	Street-car accidents and injuries	8						1		1	1	3	1	1					
	Automobile accidents and injuries	105		2	1	1		9	11	15	18	14	18	11	4	1			
	Injuries by other vehicles	45				1	1	2	6	7	7	9	7	2	3				
	Landslide, other crushing	39							1	12	8	7	9	1					1

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WASHINGTON—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
176	Injuries by animals	16		1			1			3	2	2	2	3	2				
178	Excessive cold	7								2	1	2	2						
179	Effects of heat	2											1	1					
180	Lightning	1												1					
181	Electricity (lightning excepted)	7								4	2	1							
185	Fractures (cause not specified)	4									1	2		1					
186	Other external violence	111	8		1	1	2	4	4	32	22	19	10	4	2				2
	Homicide (total)	112	6			1		3	9	28	26	18	11	6	1				3
182	By firearms	69							4	21	21	13	5	3					2
183	By cutting or piercing instruments	10							2	4		1	2		1				
184	By other means	33	6			1		3	3	3	5	4	4	3					1
	XIV.—Ill-defined diseases	176	45	4		2	1	8	3	9	7	12	22	23	19	12	2	1	6
187	Ill-defined organic disease	7											2	1	2	2			
188	Sudden death	3											2	1					
189	Not specified or ill-defined (total)	166	45	4		2	1	8	3	9	7	12	18	21	17	10	2	1	6
	Ill-defined	53	6	3		1		1	1	5		7	12	10	3	2	1		1
	Not specified, or unknown	113	39	1		1	1	7	2	4	7	5	6	11	14	8	1	1	5
	WISCONSIN.																		
	All causes	26,712	4,520	531	278	185	142	458	975	1,706	1,843	2,043	2,919	3,448	4,254	2,856	517	15	22
	1.—General diseases	6,837	363	141	94	81	72	183	410	801	776	743	980	1,001	802	339	49	1	1
1	Typhoid fever	119	1	2		3	1	7	21	30	22	20	8	2	2				
4	Malaria	1							1										
5	Smallpox	6	2	1					1	1				1					
6	Measles	53	17	15	4	3	4	4	2	3	1								
7	Scarlet fever	89	3	7	10	13	8	30	13	2	2	1							
8	Whooping cough	191	124	31	13	12	2	8	1										
9	Diphtheria and croup	212	16	26	24	24	27	53	29	6	4	2	1						
10	Influenza	390	36	8	7	3	4	4	13	14	8	20	22	37	94	95	24	1	
13	Cholera nostras	2	1			1													
14	Dysentery	28	6	3			1	1			1	1	2	2	2	8	1		
18	Erysipelas	63	16					1	2	3	4	8	9	6	8	6			
19	Other epidemic diseases	2	1					1											
20	Purulent infection and septicemia	38	3		1			5	2	3	4	10	3	3	2	1	1		
24	Tetanus	34	5	2	2			3	7	3	4	3	2	1	2				
25	Mycoses	2									1				1				
26	Pellagra	1									1								
	Tuberculosis (total)	2,387	47	32	24	17	12	37	220	627	531	301	255	168	88	25	3		
28	Tuberculosis of the lungs	1,986	13	6	7	3	1	9	174	557	458	278	227	149	79	22	3		
29	Acute miliary tuberculosis	68	3	2	1	1		1	7	18	17	5	7	5	1				
30	Tuberculous meningitis	152	24	19	15	9	8	17	14	18	17	4	7						
31	Abdominal tuberculosis	88	4	3		1	2	5	10	19	22	5	8	4	4	1			
32	Pott's disease	18	1	2	1		1	2	3	1	2	2	1	1	1				
33	White swellings	13				1			1	4	2	1		1	2	1			
34	Tuberculosis of other organs	47	2			1		3	10	5	8	5	4	7	1	1			
35	Disseminated tuberculosis	15				1			1	5	5	1	1	1					
36	Rickets	19	14	3	1						1								
37	Syphilis	82	32	1	1	1			1	3	9	13	7	12	1	1			
38	Gonococcus infection	7	1						1	2	3								
	Cancer and other malignant tumors (total)	2,007	2	2	1	1	4	4	11	24	81	239	478	542	445	158	15		
39	Of the buccal cavity	79								1	2	4	12	26	22	11	1		
40	Of the stomach, liver	975		1						6	25	95	245	293	228	77	5		
41	Of the peritoneum, intestines, rectum	258							2	4	12	26	61	61	73	18	1		
42	Of the female genital organs	194								4	15	47	52	43	27	5	1		
43	Of the breast	131							1	1	8	26	38	31	18	5	3		
44	Of the skin	73									1	3	9	15	26	16	3		
45	Of other organs or of organs not specified	297	2	1	1	1	4	4	8	8	18	38	61	73	51	26	1		
46	Other tumors (tumors of the female genital organs excepted)	19	1						1	1	3	1	1	2	6	2	1		
47	Acute articular rheumatism	129						7	31	14	12	10	10	15	17	11	2		
48	Chronic rheumatism and gout	40						1		1	1	5	7	7	13	5			
49	Scurvy	3	1						1						1				
50	Diabetes	454	2	2	2	2	4	10	35	23	32	30	82	119	86	24	1		
51	Exophthalmic goiter	63							4	13	15	11	10	3	5	2			
52	Addison's disease	8							1	1		2	3				1		
53	Leukemia	69	1	2	2	1	5	5	9	7	11	6	10	6	4				
54	Anemia, chlorosis	168	5	3	1				2	9	11	28	40	53	15	1			
55	Other general diseases	38	26	1	1			2	1	1		2	1	2	1				
56	Alcoholism (acute or chronic)	104								10	13	28	28	17	7				1
57	Chronic lead poisoning	1										1							
59	Other chronic poisonings	8									1	1	1	3	2				

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WISCONSIN—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense	2,893	309	50	24	10	5	32	57	53	124	205	390	502	699	394	36	2	1
60	Encephalitis	17	3					1	2		3	5	1	2					
61	Meningitis (total)	183	60	27	11	7	4	10	22	13	5	5	9	8	1				1
	Simple meningitis	92	27	11	4	1	3	8	9	7	3	5	5	7	1				1
	Cerebrospinal meningitis (undefined)	43	14	7	6	2	1		6	4			2	1					
	Cerebrospinal fever	48	19	9	1	4		2	7	2	2		2						
62	Locomotor ataxia	45									6	10	16	10	2	1			
63	Other diseases of the spinal cord (total)	105	2	1	5	1		1	1		5	7	28	19	23	12			
	Acute anterior poliomyelitis	13	1	1	5	1		1	1				2	1					
	Other diseases of the spinal cord [1]	92	1								5	7	26	18	23	12			
64	Cerebral hemorrhage, apoplexy	1,696	4	2	1				4	9	38	90	259	371	577	313	27	1	
65	Softening of the brain	31										4	2	8	10	6	1		
66	Paralysis without specified cause	183						5	1	1	6	12	16	37	51	47	6	1	
67	General paralysis of the insane	114							1	1	26	37	18	14	13	4			
68	Other forms of mental alienation	49							1	4	4	7	13	8	7	5			
69	Epilepsy	92	6	1			1	8	14	15	13	11	7	6	6	3	1		
70	Convulsions (nonpuerperal)	3						1		1		1							
71	Convulsions of infants	237	218	12	5	2													
72	Chorea	3	1									1	1						
73	Neuralgia and neuritis	16	1						1	1	1	1	3	2	4	2			
74	Other diseases of the nervous system	85	5	4	1			4	6	6	11	14	15	12	5	1	1		
75	Diseases of the eyes and their annexa	2						1		1									
76	Diseases of the ears	32	9	3	1			1	4	1	6		2	5					
	III.—Diseases of the circulatory system	3,828	30	7	4	6	3	25	73	100	157	245	467	807	1,115	690	96	3	
77	Pericarditis	18							2	1	3		3	3	3	2	1		
78	Acute endocarditis	189	6	4	1	1	1	2	22	16	21	31	61	13	6	4			
79	Organic diseases of the heart	2,829	11	3	2	5	2	23	46	71	114	183	342	643	858	479	46	1	
80	Angina pectoris	133								2	3	10	24	40	33	17	4		
81	Diseases of the arteries, atheroma, aneurism, etc	554	1						1	1	6	11	21	91	200	176	44	2	
82	Embolism and thrombosis	71	3						2	6	8	6	12	11	13	9	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	14								1	1	3	1	4	1	3			
84	Diseases of the lymphatic system (lymphangitis, etc.)	10	7		1					1			1						
85	Hemorrhage; other diseases of the circulatory system	10	2							1	1	1	2	2	1				
	IV.—Diseases of the respiratory system	3,350	729	155	62	30	18	67	87	113	173	178	298	354	571	439	76		
86	Diseases of the nasal fossae	2									1				1				
87	Diseases of the larynx	21	6	6	1	3	1	1	1			1	1						
88	Diseases of the thyroid body	12							1	2	3	2	2	2					
89	Acute bronchitis	250	122	14	4	2	2	1	2	1	2	7	4	10	27	46	6		
90	Chronic bronchitis	251	2	3				2	1	2	1		11	25	89	92	23		
91	Bronchopneumonia	850	378	74	29	9	7	16	7	8	19	10	24	53	104	100	12		
92	Pneumonia (total)	1,744	209	54	26	14	7	42	63	95	136	139	228	230	299	176	26		
	Lobar pneumonia	1,101	111	31	9	7	1	31	36	72	90	101	158	149	183	106	16		
	Pneumonia (undefined)	643	98	23	17	7	6	11	27	23	46	38	70	81	116	70	10		
93	Pleurisy	65	2	2	2	2	1	4	5	2	7	9	11	3	10	4	1		
94	Pulmonary congestion, pulmonary apoplexy	43	6	1				1	2	1		1	2	5	12	9	3		
95	Gangrene of the lung	8							1			1	2	3		1			
96	Asthma	70									4	7	7	19	23	5	5		
97	Pulmonary emphysema	14	1										3	2	5	3			
98	Other diseases of the respiratory system (tuberculosis excepted)	20	3	1					4	2		1	3	2	1	3			
	V.—Diseases of the digestive system	2,500	809	110	52	30	19	60	125	132	149	158	245	217	249	126	18		1
99	Diseases of the mouth and annexa	19	6	1		1	1	1	1	2	2	1	1	1		1			
100	Diseases of the pharynx	44	3	4	1	4	2	5	9	7	2		2	4	1				
101	Diseases of the esophagus	3									1			1	1				
102	Ulcer of the stomach	109	2						2	7	15	18	32	10	17	6			
103	Other diseases of the stomach (cancer excepted)	202	91	8	4	1	1		4	2	3	5	15	11	26	22	9		
104	Diarrhea and enteritis (under 2 years)	737	653	84															
105	Diarrhea and enteritis (2 years and over)	191			34	7	7	13	3	10	11	14	13	29	29	20	1		
107	Intestinal parasites	1	1																
108	Appendicitis and typhlitis	348	2	1	3	7	3	36	90	62	52	33	32	17	9	1			
109	Hernia, intestinal obstruction (total)	280	36	10	3	4	1	4	6	14	14	22	36	40	57	28	5		
	Hernia	75	4					1	1	1	2	7	13	14	24	8			
	Intestinal obstruction	205	32	10	3	4	1	3	5	13	12	15	23	26	33	20	5		
110	Other diseases of the intestines	61	6	1	1	2	1		5	5	4	7	8	6	9	5			1
111	Acute yellow atrophy of the liver	8	1		1				1	2					2	1			
112	Hydatid tumor of the liver	1											1						
113	Cirrhosis of the liver	282			1				2	8	23	36	67	62	59	22	2		
114	Biliary calculi	72									5	9	19	20	15	4			
115	Other diseases of the liver	107	7		3	1			1	7	12	7	17	13	22	16	1		
116	Diseases of the spleen	5				1				1	1	1	1						
117	Simple peritonitis (nonpuerperal)	16	1	1		2	2	1	1	2	1	3		1	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	14			1		1			3	3	2	1	2	1				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WISCONSIN—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,846	31	9	5	2	1	14	29	82	105	205	299	370	407	255	31	1	
119	Acute nephritis	123	11	4	1	1	1	6	10	9	16	14	14	14	12	8	2		
120	Bright's disease	1,470	12	5	4	1		8	18	59	73	161	255	326	329	193	25	1	
122	Other diseases of the kidneys and annexa	46	5							1	2	4	8	10	9	7			
123	Calculi of the urinary passages	7								1		2	2	1	1				
124	Diseases of the bladder	60									1	1	4	6	20	26	2		
125	Diseases of the urethra, urinary abscess, etc	2	1									1							
126	Diseases of the prostate	62											3	10	29	18	2		
127	Nonvenereal diseases of the male genital organs	5	1										1	1	1	1			
128	Uterine hemorrhage (nonpuerperal)	3									1	2							
129	Uterine tumor (noncancerous)	15								1	2	7	3		2				
130	Other diseases of the uterus	15								3	1	5	5	1					
131	Cysts and other tumors of the ovary	15								1	3	3	3		4	1			
132	Salpingitis and other diseases of the female genital organs	22	1						1	7	6	5	1	1					
133	Nonpuerperal diseases of the breast (cancer excepted)	1														1			
	VII.—The puerperal state	316							22	142	115	37							
134	Accidents of pregnancy	24							1	11	10	2							
135	Puerperal hemorrhage	34							1	13	14	6							
136	Other accidents of labor	32							1	13	12	6							
137	Puerperal septicemia	132							10	60	51	11							
138	Puerperal albuminuria and convulsions	78							9	38	22	9							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	16								7	6	3							
	VIII.—Diseases of the skin and of the cellular tissue	95	25			1		1	4	3	4	2	6	12	19	14	4		
142	Gangrene	41	1						1		2	1	1	6	15	10	4		
143	Furuncle	7	3						1	1				2					
144	Acute abscess	17	5					1	2	1	1	1	2	1	1	2			
145	Other diseases of the skin and annexa	30	16			1				1	1		3	3	3	2			
	IX.—Diseases of the bones and of the organs of locomotion	39	2	1			1	3	9	4	2	1	7	3	5	1			
146	Diseases of the bones (tuberculosis excepted)	33	2	1			1	3	8	3	2	1	6	1	4	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5							1	1			1	2					
149	Other diseases of the organs of locomotion	1													1				
	X.—Malformations	271	253	11	1		2	1	1	2									
150	Congenital malformations (stillbirths not included) (total)	271	253	11	1		2	1	1	2									
	Hydrocephalus	38	31	6				1											
	Congenital malformations of the heart	136	129	3			2			2									
	Other congenital malformations	97	93	2	1				1										
	XI.—Early infancy	1,923	1,923																
151	Congenital debility, icterus, and sclerema (total)	1,575	1,575																
	Premature birth	1,105	1,105																
	Congenital debility, "atrophy," "marasmus," etc	470	470																
152	Other causes peculiar to early infancy (total)	339	339																
	Injuries at birth	197	197																
	Other causes peculiar to early infancy[1]	142	142																
153	Lack of care	9	9																
	XII.—Old age	1,047										1	2	24	270	543	199	8	
154	Senility	1,047										1	2	24	270	543	199	8	
	XIII.—External causes	1,699	38	45	34	25	20	71	154	268	235	264	215	149	107	50	8		16
	Suicide (total)	338							9	58	59	72	63	44	20	10	3		
155	By poison	68							2	16	9	14	9	13	4	1			
156	By asphyxia	11								2	2	4	2	1					
157	By hanging or strangulation	114								15	15	24	23	17	11	6	3		
158	By drowning	25							2	4	6	3	6	3	1				
159	By firearms	91							5	19	16	20	19	6	3	3			
160	By cutting or piercing instruments	15								2	6	3	1	2	1				
161	By jumping from high places	6									2	2	1	1					
162	By crushing	3									1	1	1						
163	Other suicides	5									2	1	1	1					

[1] Exclusive of injuries at birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1915—Con.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WISCONSIN—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined (total)	1,307	34	44	34	25	20	70	142	202	160	180	147	105	87	39	5		13
164	Poisoning by food	12	2	1	3			1	2	2		1							
165	Other acute poisonings	27	5	6	3		1	1	2	1	2	3	2		1				
166	Conflagration	32	1		1	2		6	5	2	1	5	4	3	1				1
167	Burns (conflagration excepted)	84	8	14	12	11	2	5	5	10	4	2	3	2	3	3			
168	Absorption of deleterious gases (conflagration excepted)	39	11	1	1	1			2	4	6	5		4	1	2			1
169	Accidental drowning	173		11	1	3	5	24	33	35	16	14	11	6	9				5
170	Traumatism by firearms	86		1	1			8	30	21	6	9	7	2	1				
171	Traumatism by cutting or piercing instruments	2					1						1						
172	Traumatism by fall	213	1	1	7	3	5	3	8	16	17	25	26	31	40	24	5		1
173	Traumatism in mines and quarries (total)	7								2	3	1	1						
	Traumatism in mines	6								2	2	1	1						
	Traumatism in quarries	1									1								
174	Traumatism by machines	21						1	2	4	3	4	3	4					
175	Traumatism by other crushing (total)	433	1	2	2	3	5	16	35	75	74	77	69	43	22	5			4
	Railroad accidents and injuries	220		1	1		1	4	18	42	42	44	39	16	6	2			4
	Street-car accidents and injuries	25				1	1	1	1	3	3	5	4	2	3	1			
	Automobile accidents and injuries	69	1				1	6	7	15	7	11	9	6	5	1			
	Injuries by other vehicles	113		1	1	2	2	5	8	11	22	17	16	19	8	1			
	Landslide, other crushing	6							1	4			1						
176	Injuries by animals	26			2	1		3	1	2	3	4	3	3	3	1			
178	Excessive cold	19							1	1	2	3	5	2	3	2			
179	Effects of heat	4							1		1		1	1					
180	Lightning	4									1	3							
181	Electricity (lightning excepted)	19					1		5	6	7								
185	Fractures (cause not specified)	2									1					1			
186	Other external violence	104	5	7	1	1		2	10	21	13	24	11	4	3	1			1
	Homicide (total)	54	4	1				1	3	8	16	12	5			1			3
182	By firearms	23		1					2	4	6	7	2						1
183	By cutting or piercing instruments	5								2	2	1							
184	By other means	26	4					1	1	2	8	4	3			1			2
	XIV.—Ill-defined diseases	68	8	2	2		1	1	4	6	3	4	10	9	10	5			3
187	Ill-defined organic disease	14						1				2	2		5	4			
188	Sudden death	2	1				1												
189	Not specified or ill-defined (total)	52	7	2	2				4	6	3	2	8	9	5	1			3
	Ill-defined	34	2	2	1				2	3	3	1	7	7	4	1			1
	Not specified, or unknown	18	5		1				2	3		1	1	2	1				2

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	BIRMINGHAM, ALA. (TOTAL).																		
	All causes	2,714	329	120	50	41	16	68	157	397	416	351	285	222	145	70	16	4	27
1	Typhoid fever	63	1	2			2	5	13	16	16	7							1
2	Typhus fever																		
3	Malaria	27		1	1	1	1	1	3	8	2	5	3		1				
4	Smallpox	1											1						
5	Measles	11	2	3		1		1	1	2	1								
6	Scarlet fever	22	2		3	4	4	7	1		1								
7	Whooping cough	13	2	7	2	2													
8	Diphtheria and croup	18	2	2	1	5	2	5		1									
9	Influenza	35	2	2					2	4		3	8	5	4	4	1		
10	Asiatic cholera																		
11	Cholera nostras	1						1											
12	Other epidemic diseases	14	1			1		1				4	1	3		2		1	
13	Tuberculosis of the lungs	310	2	3	1	1		8	37	110	68	44	23	6	5				2
14	Tuberculous meningitis	13	5	2			1	1	3				1						
15	Other forms of tuberculosis	37	1			2		2	7	4	11	6	4						
16	Cancer and other malignant tumors	93	1					1		4	20	20	20	19	7	1			
17	Meningitis	11	1	1	1			1	1	4	1		1						
18	Cerebral hemorrhage and softening	102	2						1	4	11	14	24	18	15	6	3	1	3
19	Organic diseases of the heart	176						3	8	8	24	48	17	29	27	7	2		3
20	Acute bronchitis	6	4	2															
21	Chronic bronchitis	9								2	1	2	1		2	1			
22	Pneumonia	167	7	4	3	2	2	3	5	24	25	22	25	31	7	5	1		1
23a	Bronchopneumonia	48	28	6	2	4					2	3	1		2				
23b	Other diseases of the respiratory system	35	5					1	1		6	3	11	3	3	1	1		
24	Diseases of the stomach	46	3	3	2		1		2	5	12	4	7	2	1	3	1		
25(37)	Diarrhea and enteritis	154	49	65	18	6		1		2	2	1	4	2	3	1			
26	Appendicitis and typhlitis	53						4	12	10	13	5	6	2		1			
27	Hernia, intestinal obstruction	40	3	2				2		5	9	7	3	5	3	1			
28	Cirrhosis of the liver	15								1		4	2	5	2		1		
29	Acute nephritis and Bright's disease	168							2	7	18	34	42	28	24	11	1		1
30	Diseases of the female genital organs	40							1	12	12	13	1						1
31	Puerperal fever	16							1	11	4								
32	Other puerperal affections	16							3	5	7	1							
33	Congenital debility and malformations	123	123																
34	Senility	35												6	9	15	3	2	
35	Violent deaths (excluding suicide)	222	14	5	6	6	1	10	22	57	51	19	13	6	5	1			6
36	Suicide	18								7	4	2	4		1				
(37)	Other defined diseases	489	48	4	8	4	1	10	27	81	86	75	57	48	23	9	2		6
38	Diseases ill-defined or unknown	67	21	6	2	2	1		4	3	9	5	5	4	1	1			3
	BIRMINGHAM, ALA. (WHITE).																		
	All causes	1,231	180	59	26	21	7	38	54	128	146	120	144	153	105	42	3	1	4
1	Typhoid fever	30		2				1	3	8	10	5							1
2	Typhus fever																		
3	Malaria	3			1						1				1				
4	Smallpox	1											1						
5	Measles	6	2	1		1		1	1										
6	Scarlet fever	22	2		3	4	4	7	1		1								
7	Whooping cough	1		1															
8	Diphtheria and croup	10		2	1	4	1	2											
9	Influenza	18	1	1					1			2	2	5	4	2			
10	Asiatic cholera																		
11	Cholera nostras	1						1											
12	Other epidemic diseases	5	1					1					1	1				1	
13	Tuberculosis of the lungs	82		1		1			5	23	19	14	12	4	3				
14	Tuberculous meningitis	7	3	1				1	1				1						
15	Other forms of tuberculosis	5						1			2	1	1						
16	Cancer and other malignant tumors	64	1					1		2	9	13	14	16	7	1			
17	Meningitis	6		1				1	1	1	1		1						
18	Cerebral hemorrhage and softening	42								1	4	6	7	10	11	3			
19	Organic diseases of the heart	69						3	4	1	4	7	4	19	21	5	1		
20	Acute bronchitis	3	3																
21	Chronic bronchitis	3													2	1			
22	Pneumonia	76	3	2	3	1	1	1	2	6	6	5	13	26	4	3			
23a	Bronchopneumonia	16	9	2		2						2			1				
23b	Other diseases of the respiratory system	14	2					1	1		1	1	4	1	2		1		
24	Diseases of the stomach	14	2							1	2	3	3	1		2			
25(37)	Diarrhea and enteritis	89	29	39	11	3							2	2	2	1			
26	Appendicitis and typhlitis	38						4	8	8	10	2	4	1		1			
27	Hernia, intestinal obstruction	31	3	2				2		3	5	5	2	5	3	1			
28	Cirrhosis of the liver	8								1		1	1	3	2				
29	Acute nephritis and Bright's disease	91							1	3	6	11	25	20	18	7			
30	Diseases of the female genital organs	11								1	5	5							
31	Puerperal fever	9								7	2								
32	Other puerperal affections	12							3	3	5	1							
33	Congenital debility and malformations	77	77																
34	Senility	13												2	4	7			
35	Violent deaths (excluding suicide)	107	7	3	1	3	1	6	14	25	21	7	9	4	4	1			1
36	Suicide	18								7	4	2	4		1				
(37)	Other defined diseases	215	31		4	2		4	8	26	28	27	30	32	14	7	1		1
38	Diseases ill-defined or unknown	14	4	1	2					1			3	1	1				1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	BIRMINGHAM, ALA. (COLORED).																		
	All causes	1,483	149	61	24	20	9	30	103	269	270	231	141	69	40	28	13	3	23
1	Typhoid fever	33	1				2	4	10	8	6	2							
2	Typhus fever																		
3	Malaria	24		1		1	1	1	3	8	1	5	3						
4	Smallpox																		
5	Measles	5		2						2	1								
6	Scarlet fever																		
7	Whooping cough	12	2	6	2	2													
8	Diphtheria and croup	8	2			1	1	3		1									
9	Influenza	17	1	1					1	4		1	6			2	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	9				1						4		2		2			
13	Tuberculosis of the lungs	228	2	2	1			8	32	87	49	30	11	2	2				2
14	Tuberculous meningitis	6	2	1			1		2										
15	Other forms of tuberculosis	32	1			2		1	7	4	9	5	3						
16	Cancer and other malignant tumors	29								2	11	7	6	3					
17	Meningitis	5	1		1					3									
18	Cerebral hemorrhage and softening	60	2						1	3	7	8	17	8	4	3	3	1	3
19	Organic diseases of the heart	107							4	7	20	41	13	10	6	2	1		3
20	Acute bronchitis	3	1	2															
21	Chronic bronchitis	6								2	1	2	1						
22	Pneumonia	91	4	2		1	1	2	3	18	19	17	12	5	3	2	1		1
23a	Bronchopneumonia	32	19	4	2	2					2	1	1		1				
23b	Other diseases of the respiratory system	21	3								5	2	7	2	1	1			
24	Diseases of the stomach	32	1	3	2		1		2	4	10	1	4	1	1	1	1		
25(37)	Diarrhea and enteritis	65	20	26	7	3		1		2	2	1	2		1				
26	Appendicitis and typhlitis	15							4	2	3	3	2	1					
27	Hernia, intestinal obstruction	9								2	4	2	1						
28	Cirrhosis of the liver	7										3	1	2			1		
29	Acute nephritis and Bright's disease	77							1	4	12	23	17	8	6	4	1		1
30	Diseases of the female genital organs	29							1	11	7	8	1						1
31	Puerperal fever	7							1	4	2								
32	Other puerperal affections	4								2	2								
33	Congenital debility and malformations	46	46																
34	Senility	22												4	5	8	3	2	
35	Violent deaths (excluding suicide)	115	7	2	5	3		4	8	32	30	12	4	2	1				5
36	Suicide																		
(37)	Other defined diseases	274	17	4	4	2	1	6	19	55	58	48	27	16	9	2	1		5
38	Diseases ill-defined or unknown	53	17	5		2	1		4	2	9	5	2	3		1			2
	LOS ANGELES, CAL. (TOTAL).																		
	All causes	5,856	540	89	54	34	27	94	180	559	682	666	803	889	810	380	48	1	
1	Typhoid fever	27			1	1		3	2	7	7	3	1	1	1				
2	Typhus fever																		
3	Malaria	1		1															
4	Smallpox																		
5	Measles	19	6	7	2	1	1	1			1								
6	Scarlet fever	10			2	3		2	1			2							
7	Whooping cough	12	6	2	3	1													
8	Diphtheria and croup	39	4	5	4	5	4	12	3		2								
9	Influenza	21	2		1					1			1	3	7	6			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	16								3	1	5	4	2		1			
13	Tuberculosis of the lungs	903	7	6	1		1	8	58	242	238	165	92	60	23	2			
14	Tuberculous meningitis	48	8	3	7	2	7	7	2	5	3	2	2						
15	Other forms of tuberculosis	66	1	2		2	1	4	11	9	9	8	10	7	2				
16	Cancer and other malignant tumors	463						1		4	22	74	129	131	77	24	1		
17	Meningitis	33	5	1	3	1	1	3	6	3	5	1	1	2	1				
18	Cerebral hemorrhage and softening	320	1		1					4	8	26	50	73	115	36	6		
19	Organic diseases of the heart	731	1		1	1		4	10	29	49	61	103	185	189	87	10	1	
20	Acute bronchitis	28	9	1	2						1		1	1	4	9			
21	Chronic bronchitis	30										1	4	7	13	4	1		
22	Pneumonia	238	11	13	3	2	1	3	7	27	22	20	29	47	35	14	4		
23a	Bronchopneumonia	148	54	16	4	2	3	3	2	4	4	7	6	6	20	16	1		
23b	Other diseases of the respiratory system	29	4					2	1	2	3	2	2	5	5	2	1		
24	Diseases of the stomach	65	5							3	6	6	13	14	11	5	2		
25(37)	Diarrhea and enteritis	173	112	17	7	2		2	2	3	7	4	4	3	5	5			
26	Appendicitis and typhlitis	57						2	5	15	15	7	9	3	1				
27	Hernia, intestinal obstruction	61	9	1	2	2	1		1	4	6	3	9	13	7	3			
28	Cirrhosis of the liver	55							1	2	6	8	16	10	10	2			
29	Acute nephritis and Bright's disease	488	3	1	1			2	4	24	36	59	93	116	99	46	4		
30	Diseases of the female genital organs	41								8	16	10	3	3	1				
31	Puerperal fever	21							1	11	9								
32	Other puerperal affections	47							7	23	16	1							
33	Congenital debility and malformations	212	208	1	1	1		1											
34	Senility	56											2	2	10	33	9		
35	Violent deaths (excluding suicide)	372	4	8	4	6	4	16	24	55	71	62	42	30	26	18	2		
36	Suicide	160							3	19	45	32	37	15	8	1			
(37)	Other defined diseases	865	80	4	4	2	3	18	29	52	74	97	140	150	139	66	7		
38	Diseases ill-defined or unknown	1													1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	LOS ANGELES, CAL. (WHITE).																		
	All causes	5,457	486	81	48	30	24	86	160	509	596	615	755	858	791	373	44	1	
1	Typhoid fever	25			1	1		2	2	7	7	2	1	1	1				
2	Typhus fever																		
3	Malaria	1		1															
4	Smallpox																		
5	Measles	19	6	7	2	1	1	1			1								
6	Scarlet fever	10			2	3		2	1			2							
7	Whooping cough	9	4	2	2	1													
8	Diphtheria and croup	37	4	5	4	4	4	12	3		1								
9	Influenza	21	2		1					1			1	3	7	6			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	15								3	1	4	4	2		1			
13	Tuberculosis of the lungs	821	7	5	1		1	8	47	220	210	155	84	59	22	2			
14	Tuberculous meningitis	36	4	3	4	1	5	6	2	4	3	2	2						
15	Other forms of tuberculosis	59	1	2		2	1	3	10	8	8	7	9	7	1				
16	Cancer and other malignant tumors	450						1		4	21	70	127	127	76	23	1		
17	Meningitis	29	3		2	1	1	3	6	3	5	1	1	2	1				
18	Cerebral hemorrhage and softening	310	1		1					3	7	24	48	71	114	36	5		
19	Organic diseases of the heart	698	1		1	1		4	10	28	40	54	94	182	187	86	9	1	
20	Acute bronchitis	27	9	1	2								1	1	4	9			
21	Chronic bronchitis	29										1	4	7	12	4	1		
22	Pneumonia	219	9	13	3	1	1	2	6	26	21	19	26	42	34	13	3		
23a	Bronchopneumonia	134	50	12	4	1	2	1	2	3	3	7	6	6	20	16	1		
23b	Other diseases of the respiratory system	29	4					2	1	2	3	2	2	5	5	2	1		
24	Diseases of the stomach	60	5							3	5	6	13	11	11	4	2		
25(37)	Diarrhea and enteritis	149	95	15	7	2		2	2	2	5	2	4	3	5	5			
26	Appendicitis and typhlitis	49						2	5	14	11	6	7	3	1				
27	Hernia, intestinal obstruction	59	8	1	2	2	1		1	4	6	3	9	12	7	3			
28	Cirrhosis of the liver	51							1	2	4	8	15	9	10	2			
29	Acute nephritis and Bright's disease	456	3	1	1			2	4	23	33	54	83	110	93	45	4		
30	Diseases of the female genital organs	34								6	12	9	3	3	1				
31	Puerperal fever	14							1	7	6								
32	Other puerperal affections	41							7	21	12	1							
33	Congenital debility and malformations	195	191	1	1	1		1											
34	Senility	54											2	2	10	32	8		
35	Violent deaths (excluding suicide)	339	3	8	3	6	4	15	22	48	61	55	41	29	25	17	2		
36	Suicide	150							2	18	41	31	36	14	7	1			
(37)	Other defined diseases	827	76	4	4	2	3	17	25	49	69	90	132	147	136	66	7		
38	Diseases ill-defined or unknown	1													1				
	LOS ANGELES, CAL. (COLORED).[1]																		
	All causes	399	54	8	6	4	3	8	20	50	86	51	48	31	19	7	4		
1	Typhoid fever	2						1				1							
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough	3	2		1														
8	Diphtheria and croup	2				1					1								
9	Influenza																		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	1										1							
13	Tuberculosis of the lungs	82		1					11	22	28	10	8	1	1				
14	Tuberculous meningitis	12	4		3	1	2	1		1									
15	Other forms of tuberculosis	7						1	1	1	1	1	1		1				
16	Cancer and other malignant tumors	13									1	4	2	4	1	1			
17	Meningitis	4	2	1	1														
18	Cerebral hemorrhage and softening	10								1	1	2	2	2	1		1		
19	Organic diseases of the heart	33								1	9	7	9	3	2	1	1		
20	Acute bronchitis	1									1								
21	Chronic bronchitis	1													1				
22	Pneumonia	19	2			1		1	1	1	1	1	3	5	1	1	1		
23a	Bronchopneumonia	14	4	4		1	1	2		1	1								
23b	Other diseases of the respiratory system																		
24	Diseases of the stomach	5									1			3		1			
25(37)	Diarrhea and enteritis	24	17	2						1	2	2							
26	Appendicitis and typhlitis	8								1	4	1	2						
27	Hernia, intestinal obstruction	2	1											1					
28	Cirrhosis of the liver	4									2		1	1					
29	Acute nephritis and Bright's disease	32								1	3	5	10	6	6	1			
30	Diseases of the female genital organs	7								2	4	1							
31	Puerperal fever	7								4	3								
32	Other puerperal affections	6								2	4								
33	Congenital debility and malformations	17	17																
34	Senility	2														1	1		
35	Violent deaths (excluding suicide)	33	1		1			1	2	7	10	7	1	1	1	1			
36	Suicide	10							1	1	4	1	1	1	1				
(37)	Other defined diseases	38	4					1	4	3	5	7	8	3	3				
38	Diseases ill-defined or unknown																		

[1] The deaths of colored persons include 229 Negroes, 5 Indians, 37 Chinese, and 128 Japanese.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

OAKLAND, CAL. (TOTAL).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	All causes	2,166	218	47	21	16	9	36	65	149	194	230	291	328	362	177	22		1
1	Typhoid fever	13			1				1	5	2		3	1					
2	Typhus fever																		
3	Malaria	1								1									
4	Smallpox																		
5	Measles	5	4	1															
6	Scarlet fever	1						1											
7	Whooping cough	19	14	1	1	1	1									1			
8	Diphtheria and croup	18		3	3	6	1	4			1								
9	Influenza	5	1	1					1					2					
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	8	3	1	1					1			1		1				
13	Tuberculosis of the lungs	215	2	2	1			3	19	54	52	35	21	13	11	2			
14	Tuberculous meningitis	30	4	6	3	3	1	8	2	1	1	1							
15	Other forms of tuberculosis	18						1	3	3	5	1	2	1	2				
16	Cancer and other malignant tumors	200			1				1	4	13	36	41	54	40	9	1		
17	Meningitis	9		1	2	1			2	2				1					
18	Cerebral hemorrhage and softening	158							1		5	13	26	30	55	26	2		
19	Organic diseases of the heart	351	1					2	2	4	23	30	50	71	101	62	5		
20	Acute bronchitis	14	5	1									1	1	1	5			
21	Chronic bronchitis	8											1	2	1	3	1		
22	Pneumonia	123	11	6	1		1	2	5	8	9	13	15	23	20	7	2		
23a	Bronchopneumonia	55	17	10	1			2	1		3			3	11	5	2		
23b	Other diseases of the respiratory system	11	1	2	1	1	1						1		1	3			
24	Diseases of the stomach	26	3							1	3	4	1	5	7	2			
25(37)	Diarrhea and enteritis	59	36	5	2	1		1		1	2	3	1	5	2				
26	Appendicitis and typhlitis	23						2	5	6	4	3	3						
27	Hernia, intestinal obstruction	17	2			1	1				1	4	4		2	2			
28	Cirrhosis of the liver	31								1	3	9	6	7	5				
29	Acute nephritis and Bright's disease	176	2		1		1		5	7	5	22	36	38	37	20	2		
30	Diseases of the female genital organs	13								3	5		4		1				
31	Pueperal fever	7								7									
32	Other puerperal affections	13							1	7	4	1							
33	Congenital debility and malformations	77	76		1														
34	Senility	14												1	2	9	2		
35	Violent deaths (excluding suicide)	137	6	4	1			5	9	12	27	17	15	18	12	7	3		1
36	Suicide	51							1	9	10	12	11	8					
(37)	Other defined diseases	259	30	3		2	2	5	6	12	16	26	48	44	50	13	2		
38	Diseases ill-defined or unknown	1														1			

OAKLAND, CAL. (WHITE).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	All causes	2,022	194	41	21	15	8	33	56	137	179	210	274	310	346	175	22		1
1	Typhoid fever	13			1				1	5	2		3	1					
2	Typhus fever																		
3	Malaria	1								1									
4	Smallpox																		
5	Measles	4	3	1															
6	Scarlet fever	1						1											
7	Whooping cough	19	14	1	1	1	1									1			
8	Diphtheria and croup	18		3	3	6	1	4			1								
9	Influenza	5	1	1					1					2					
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	5		1	1					1			1		1				
13	Tuberculosis of the lungs	178	2	1	1			2	14	46	47	30	16	9	8	2			
14	Tuberculous meningitis	29	4	6	3	3	1	8	1	1	1	1							
15	Other forms of tuberculosis	17						1	3	3	5	1	1	1	2				
16	Cancer and other malignant tumors	193			1					4	12	35	37	54	40	9	1		
17	Meningitis	9		1	2	1			2	2				1					
18	Cerebral hemorrhage and softening	154							1		5	10	26	29	55	26	2		
19	Organic diseases of the heart	328						1	2	4	21	27	47	65	95	61	5		
20	Acute bronchitis	14	5	1									1	1	1	5			
21	Chronic bronchitis	8											1	2	1	3	1		
22	Pneumonia	112	9	5	1			2	5	6	9	12	15	23	16	7	2		
23a	Bronchopneumonia	50	16	8	1			1	1		2			3	11	5	2		
23b	Other diseases of the respiratory system	11	1	2	1	1	1						1		1	3			
24	Diseases of the stomach	26	3							1	3	4	1	5	7	2			
25(37)	Diarrhea and enteritis	53	32	4	2	1		1		1	2	3	1	4	2				
26	Appendicitis and typhlitis	20						2	5	5	3	2	3						
27	Hernia, intestinal obstruction	16	1			1	1				1	4	4		2	2			
28	Cirrhosis of the liver	29								1	3	9	5	7	4				
29	Acute nephritis and Bright's disease	173	1		1		1		4	7	5	21	36	38	37	20	2		
30	Diseases of the female genital organs	12								3	4		4		1				
31	Puerperal fever	6								6									
32	Other puerperal affections	12								7	4	1							
33	Congenital debility and malformations	71	70		1														
34	Senility	13												1	1	9	2		
35	Violent deaths (excluding suicide)	128	4	3	1			5	9	12	25	16	14	16	12	7	3		1
36	Suicide	49							1	9	10	11	10	8					
(37)	Other defined diseases	245	28	3		1	2	5	6	12	14	23	47	40	49	13	2		
38	Diseases ill-defined or unknown																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	OAKLAND, CAL. (COLORED).[1]																		
	All causes	144	24	6		1	1	3	9	12	15	20	17	18	16	2			
1	Typhoid fever																		
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	1	1																
6	Scarlet fever																		
7	Whooping cough																		
8	Diphtheria and croup																		
9	Influenza																		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	3	3																
13	Tuberculosis of the lungs	37		1				1	5	8	5	5	5	4	3				
14	Tuberculous meningitis	1							1										
15	Other forms of tuberculosis	1											1						
16	Cancer and other malignant tumors	7							1		1	1	4						
17	Meningitis																		
18	Cerebral hemorrhage and softening	4										3		1					
19	Organic diseases of the heart	23	1					1			2	3	3	6	6	1			
20	Acute bronchitis																		
21	Chronic bronchitis																		
22	Pneumonia	11	2	1			1			2		1			4				
23a	Bronchopneumonia	5	1	2				1			1								
23b	Other diseases of the respiratory system																		
24	Diseases of the stomach																		
25(37)	Diarrhea and enteritis	6	4	1										1					
26	Appendicitis and typhlitis	3								1	1	1							
27	Hernia, intestinal obstruction	1	1																
28	Cirrhosis of the liver	2											1		1				
29	Acute nephritis and Bright's disease	3	1						1			1							
30	Diseases of the female genital organs	1									1								
31	Puerperal fever	1								1									
32	Other puerperal affections	1							1										
33	Congenital debility and malformations	6	6																
34	Senility	1													1				
35	Violent deaths (excluding suicide)	9	2	1							2	1	1	2					
36	Suicide	2										1	1						
(37)	Other defined diseases	14	2			1					2	3	1	4	1				
38	Diseases ill-defined or unknown	1														1			
	SAN FRANCISCO, CAL. (TOTAL).																		
	All causes	7,260	536	129	69	67	33	140	161	581	882	997	1,178	1,114	882	441	48	1	1
1	Typhoid fever	41			1		1	2	4	15	10	5		2		1			
2	Typhus fever																		
3	Malaria	2								1		1							
4	Smallpox																		
5	Measles	22	4	11	3			4											
6	Scarlet fever	9				2	1	2	1	1	1	1							
7	Whooping cough	21	9	8	1	3													
8	Diphtheria and croup	115	6	15	12	16	10	40	11	1	2	1		1					
9	Influenza	10	2							1	2		1	3		1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	18	1				1			1	2	2	2	3	5	1			
13	Tuberculosis of the lungs	820	9	2	3	5	1	8	30	177	231	174	112	57	9	2			
14	Tuberculous meningitis	79	6	21	14	11	3	9	3	5	3	2	2						
15	Other forms of tuberculosis	63	4	4	5	3		4	7	13	13	4	4	1	1				
16	Cancer and other malignant tumors	592			1	1	1	4	2	6	46	94	171	145	100	20	1		
17	Meningitis	25	4		3		2	3	4	3	1	3	1		1				
18	Cerebral hemorrhage and softening	404	1		1					2	13	43	77	111	95	57	4		
19	Organic diseases of the heart	1,071	4					3	9	19	53	111	187	276	258	136	15		
20	Acute bronchitis	40	8	4	3		2	3		1			2	5	6	5	1		
21	Chronic bronchitis	33	2						1			1	5	5	11	7	1		
22	Pneumonia	349	22	13	3	1	2	10	7	29	42	47	58	53	40	20	2		
23a	Bronchopneumonia	248	44	16	3	2	1	4	2	11	26	27	27	31	32	22			
23b	Other diseases of the respiratory system	55				2		1	1	2	12	8	6	6	6	9	2		
24	Diseases of the stomach	61	9	3				1		4	10	11	10	8	3	2			
25(37)	Diarrhea and enteritis	127	77	14	3	1		2		5	5	5	3	4	4	2	2		
26	Appendicitis and typhlitis	101			1	2	1	8	5	24	18	18	13	9	2				
27	Hernia, intestinal obstruction	65	9	1		1		1	2	3	6	10	13	7	7	5			
28	Cirrhosis of the liver	125								2	17	30	33	26	13	4			
29	Acute nephritis and Bright's disease	628	1	2		4	1	2	5	25	62	126	129	127	102	39	3		
30	Diseases of the female genital organs	41		1						7	12	11	7	3					
31	Puerperal fever	31							2	21	7	1							
32	Other puerperal affections	30							1	12	16	1							
33	Congenital debility and malformations	205	202	1					1	1									
34	Senility	48												2	15	24	6	1	
35	Violent deaths (excluding suicide)	517	10	5	6	10	4	21	34	72	108	77	69	43	35	18	4		1
36	Suicide	258							2	46	69	59	49	19	12	2			
(37)	Other defined diseases	1,005	102	8	6	3	2	8	27	71	95	123	197	167	125	64	7		
38	Diseases ill-defined or unknown	1										1							

[1] The deaths of colored persons include 66 Negroes, 56 Chinese, and 22 Japanese.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	SAN FRANCISCO, CAL. (WHITE).																		
	All causes	6,846	494	124	65	64	30	133	155	528	829	932	1,102	1,036	867	438	47	1	1
1	Typhoid fever	36					1	1	4	13	10	4		2		1			
2	Typhus fever																		
3	Malaria	1										1							
4	Smallpox																		
5	Measles	22	4	11	3			4											
6	Scarlet fever	8				2	1	2	1	1	1								
7	Whooping cough	21	9	8	1	3													
8	Diphtheria and croup	115	6	15	12	16	10	40	11	1	2	1		1					
9	Influenza	9	1							1	2		1	3		1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	15	1				1				2	2	1	2	5	1			
13	Tuberculosis of the lungs	732	9	2	3	4	1	8	29	158	214	153	97	45	7	2			
14	Tuberculous meningitis	69	4	20	13	10	1	8	3	3	3	2	2						
15	Other forms of tuberculosis	57	4	4	5	3		4	7	11	10	4	3	1	1				
16	Cancer and other malignant tumors	568			1	1	1	2	2	5	43	88	164	141	99	20	1		
17	Meningitis	23	3		3		2	3	3	3	1	3	1		1				
18	Cerebral hemorrhage and softening	382			1					2	9	41	71	102	95	57	4		
19	Organic diseases of the heart	1,025	3					3	9	17	51	108	174	257	254	135	14		
20	Acute bronchitis	36	7	3	2		1	3		1			2	5	6	5	1		
21	Chronic bronchitis	31	1						1			1	4	5	11	7	1		
22	Pneumonia	339	19	12	3	1	2	10	5	28	41	46	58	52	40	20	2		
23a	Bronchopneumonia	236	39	15	3	2	1	3	2	9	25	26	26	31	32	22			
23b	Other diseases of the respiratory system	51				2		1	1	2	11	8	5	4	6	9	2		
24	Diseases of the stomach	56	7	3				1		4	9	11	8	8	3	2			
25(37)	Diarrhea and enteritis	122	73	14	3	1		1		5	5	5	3	4	4	2	2		
26	Appendicitis and typhlitis	100			1	2	1	8	5	24	18	17	13	9	2				
27	Hernia, intestinal obstruction	62	9	1		1		1	2	2	6	10	11	7	7	5			
28	Cirrhosis of the liver	113								1	17	26	32	21	13	3			
29	Acute nephritis and Bright's disease	596	1	1		3	1	2	5	24	61	118	122	119	98	38	3		
30	Diseases of the female genital organs	40		1						7	11	11	7	3					
31	Puerperal fever	29							2	20	6	1							
32	Other puerperal affections	30							1	12	16	1							
33	Congenital debility and malformations	190	187	1					1	1									
34	Senility	48												2	15	24	6	1	
35	Violent deaths (excluding suicide)	490	10	5	6	10	4	20	32	65	101	70	68	42	34	18	4		1
36	Suicide	248							2	43	66	58	47	19	11	2			
(37)	Other defined diseases	945	97	8	5	3	2	8	27	65	88	115	182	151	123	64	7		
38	Diseases ill-defined or unknown	1										1							
	SAN FRANCISCO, CAL. (COLORED).[1]																		
	All causes	414	42	5	4	3	3	7	6	53	53	65	76	78	15	3	1		
1	Typhoid fever	5			1			1		2		1							
2	Typhus fever																		
3	Malaria	1								1									
4	Smallpox																		
5	Measles																		
6	Scarlet fever	1										1							
7	Whooping cough																		
8	Diphtheria and croup																		
9	Influenza	1	1																
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	3								1			1	1					
13	Tuberculosis of the lungs	88				1			1	19	17	21	15	12	2				
14	Tuberculous meningitis	10	2	1	1	1	2	1		2									
15	Other forms of tuberculosis	6								2	3		1						
16	Cancer and other malignant tumors	24						2		1	3	6	7	4	1				
17	Meningitis	2	1						1										
18	Cerebral hemorrhage and softening	22	1								4	2	6	9					
19	Organic diseases of the heart	46	1							2	2	3	13	19	4	1	1		
20	Acute bronchitis	4	1	1	1		1												
21	Chronic bronchitis	2	1										1						
22	Pneumonia	10	3	1					2	1	1	1		1					
23a	Bronchopneumonia	12	5	1				1		2	1	1	1						
23b	Other diseases of the respiratory system	4									1		1	2					
24	Diseases of the stomach	5	2								1		2						
25(37)	Diarrhea and enteritis	5	4					1											
26	Appendicitis and typhlitis	1										1							
27	Hernia, intestinal obstruction	3								1			2						
28	Cirrhosis of the liver	12								1		4	1	5		1			
29	Acute nephritis and Bright's disease	32		1		1				1	1	8	7	8	4	1			
30	Diseases of the female genital organs	1									1								
31	Puerperal fever	2								1	1								
32	Other puerperal affections																		
33	Congenital debility and malformations	15	15																
34	Senility																		
35	Violent deaths (excluding suicide)	27						1	2	7	7	7	1	1	1				
36	Suicide	10								3	3	1	2		1				
(37)	Other defined diseases	60	5		1					6	7	8	15	16	2				
38	Diseases ill-defined or unknown																		

[1] The deaths of colored persons include 53 Negroes, 1 Indian, 285 Chinese, 74 Japanese, and 1 Filipino.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	DENVER, COLO.																		
	All causes	3,355	338	49	30	14	12	37	99	351	459	409	453	495	412	172	23		2
1	Typhoid fever	16						1	1	5	2	1	2	4					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	3	1	1		1													
6	Scarlet fever	9	2	1	1	1		2	1	1									
7	Whooping cough	16	9	4	1			1							1				
8	Diphtheria and croup	8		1				3	3	1									
9	Influenza	27			1					1	2	5	2	1	10	3	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	10	3	1		1						2	1	2					
13	Tuberculosis of the lungs	596		2	1	1		2	22	186	209	103	47	20	2	1			
14	Tuberculous meningitis	18	4	3			2	2	4	2	1								
15	Other forms of tuberculosis	13			1				1	6	2	1	1	1					
16	Cancer and other malignant tumors	202		1			1		2	5	17	36	49	57	25	8	1		
17	Meningitis	20	7	1		2		2	1	2	1	1		2	1				
18	Cerebral hemorrhage and softening	128						1		1	6	18	17	26	37	22			
19	Organic diseases of the heart	301	5				1	3	14	12	26	30	43	70	75	19	2		1
20	Acute bronchitis	9	6	1											1		1		
21	Chronic bronchitis	15							1				6	2	3	3			
22	Pneumonia	327	18	6	5		3	4	10	16	30	46	51	58	55	21	4		
23a	Bronchopneumonia	83	30	5	5	2	1	1	1	3	1	2	6	5	14	7			
23b	Other diseases of the respiratory system	45			2		1			1	6	6	7	11	7	4			
24	Diseases of the stomach	31	1			1			1	3	3	7	10	3	2				
25(37)	Diarrhea and enteritis	57	26	11	2			1	1	4	1	3	4	1	2	1			
26	Appendicitis and typhlitis	58			1	1	1	5	8	8	8	11	9	4	2				
27	Hernia, intestinal obstruction	30	2	1	1	1			1	3	4	4	4	4	1	4			
28	Cirrhosis of the liver	30								1	4	5	8	6	3	3			
29	Acute nephritis and Bright's disease	285	1	1	1	1		1	1	7	24	35	51	82	65	15			
30	Diseases of the female genital organs	24							1	5	6	7	3	2					
31	Puerperal fever	20							1	10	9								
32	Other puerperal affections	18								9	8	1							
33	Congenital debility and malformations	174	173	1															
34	Senility	66											1	4	24	30	7		
35	Violent deaths (excluding suicide)	126	3	1	6			3	8	17	20	13	20	18	9	8			
36	Suicide	67							2	14	19	11	12	7	2				
(37)	Other defined diseases	518	47	2	2	2	2	5	14	28	50	61	99	105	71	23	6		1
38	Diseases ill-defined or unknown	5		5															
	BRIDGEPORT, CONN.																		
	All causes	1,827	378	65	31	19	21	34	61	131	171	208	218	225	173	82	10		
1	Typhoid fever	6					1		1	1	1	2							
2	Typhus fever																		
3	Malaria	2					1						1						
4	Smallpox																		
5	Measles	8	2	3	2			1											
6	Scarlet fever	9	1		1	1	1	3	2										
7	Whooping cough	23	12	5	3		2	1											
8	Diphtheria and croup	31	4	6	3	8	2	6		1		1							
9	Influenza	14	1	1				1			1	1	1	2	4	2			
10	Asiatic cholera																		
11	Cholera nostras	2	1													1			
12	Other epidemic diseases	8	4					1			1	1		1					
13	Tuberculosis of the lungs	143	4	4			1		15	36	28	29	17	7	2				
14	Tuberculous meningitis	11	3	1	2	1	1	3											
15	Other forms of tuberculosis	7	3					1			3								
16	Cancer and other malignant tumors	88								2	2	20	22	20	14	8			
17	Meningitis	15	4	4	1	1	1		2		2								
18	Cerebral hemorrhage and softening	101									2	5	20	36	27	8	3		
19	Organic diseases of the heart	148						2	5	6	15	14	21	36	34	15			
20	Acute bronchitis	15	8	2					1					1	1	2			
21	Chronic bronchitis	3													1	2			
22	Pneumonia	185	18	13	6	1	2	2	7	19	19	39	21	16	15	5	2		
23a	Bronchopneumonia	57	29	6	1	3	2	2		1	2		4	2	4	1			
23b	Other diseases of the respiratory system	22	10		1	1			1			3	2	1	1	2			
24	Diseases of the stomach	18	2							2	4	5	1	3		1			
25(37)	Diarrhea and enteritis	145	117	13	5	1				1		3	1	1	3				
26	Appendicitis and typhlitis	19					1	3	3	1	2	5	2	2					
27	Hernia, intestinal obstruction	15	1							2	2	1	1	3	2	3			
28	Cirrhosis of the liver	29	1							1	4	3	12	6	2				
29	Acute nephritis and Bright's disease	187	1					2	5	6	19	24	38	43	32	15	2		
30	Diseases of the female genital organs	5									3		1			1			
31	Puerperal fever	10								4	5	1							
32	Other puerperal affections	15								3	7	5							
33	Congenital debility and malformations	111	111																
34	Senility																		
35	Violent deaths (excluding suicide)	117	4	3	3	2	4	3	12	22	24	13	15	9	1	2			
36	Suicide	33							1	9	5	7	6	3	2				
(37)	Other defined diseases	215	36	2	3		2	3	6	14	18	23	31	32	28	14	3		
38	Diseases ill-defined or unknown	10	1	2							2	3	1	1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW HAVEN, CONN.																		
	All causes	2,311	387	86	41	24	12	47	78	119	186	251	271	338	302	145	24		
1	Typhoid fever	29						3	7	5	8	3	2	1					
2	Typhus fever																		
3	Malaria	5						1					1		2	1			
4	Smallpox																		
5	Measles	18	5	9	3	1													
6	Scarlet fever	5				2	1	1				1							
7	Whooping cough	10	5	4		1													
8	Diphtheria and croup	34	1	5	5	6	4	11	2										
9	Influenza	18	3		1					1		2	5	2	2	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	20	6	2				1			1	1	4	4	1				
13	Tuberculosis of the lungs	131	1	1	1	1			13	30	34	27	16	4	3				
14	Tuberculous meningitis	33	8	11	3	1	1	3	3	1		2							
15	Other forms of tuberculosis	17	2	2	2	1			1	2	2	3	1		1				
16	Cancer and other malignant tumors	149							1		8	26	37	39	29	9			
17	Meningitis	17	5	3	2		1	1	1	2		1		1					
18	Cerebral hemorrhage and softening	141									4	15	35	41	28	17	1		
19	Organic diseases of the heart	269						2	7	6	15	29	34	70	68	32	6		
20	Acute bronchitis	17	9	1		2						1			4				
21	Chronic bronchitis	11												2	5	4			
22	Pneumonia	192	18	7	5	4	1	4	5	11	13	24	31	32	28	9			
23a	Bronchopneumonia	100	39	16	7						1	1	4	11	10	8	3		
23b	Other diseases of the respiratory system	25	2	2				1		1	4	2	2	4	5	1	1		
24	Diseases of the stomach	19	4	1						1	2	2	1	1	3	4			
25(37)	Diarrhea and enteritis	113	87	10	1	1		2			2	2	1	4	3				
26	Appendicitis and typhlitis	21			1			3	5	1	5	4	2						
27	Hernia, intestinal obstruction	16	3		1	1			1	4	1	1	1	1	1		1		
28	Cirrhosis of the liver	13				1						3	6	2	1				
29	Acute nephritis and Bright's disease	199						1	1	6	20	28	28	49	43	20	3		
30	Diseases of the female genital organs	10							1	1	1	4	2	1					
31	Puerperal fever	7							1	5	1								
32	Other puerperal affections	22							3	6	12	1							
33	Congenital debility and malformations	110	110																
34	Senility	17												2	4	8	3		
35	Violent deaths (excluding suicide)	130	2	5	6	1	3	6	11	17	17	18	13	12	9	7	3		
36	Suicide	28							1	3	9	9	3	2	1				
(37)	Other defined diseases	348	72	6	2	1	1	6	14	14	24	41	41	51	49	23	3		
38	Diseases ill-defined or unknown	17	5	1	1			1		2	2		1	2	2				
	WASHINGTON, D. C. (TOTAL).																		
	All causes	6,506	781	135	52	28	25	91	224	535	695	787	840	919	946	381	61	6	
1	Typhoid fever	43	2				1	5	2	13	7	6	5	1	1				
2	Typhus fever																		
3	Malaria	2											2						
4	Smallpox																		
5	Measles	7	2	3	1			1											
6	Scarlet fever	9		1	2		1	1	2	2									
7	Whooping cough	19	10	7	1		1												
8	Diphtheria and croup	27	2	1	2	3	3	12	4										
9	Influenza	103	3	1		2		2	4	3	6	11	19	14	22	14	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	17	1	3	1					2		2	3	3	1		1		
13	Tuberculosis of the lungs	716	5	1	1	1	2	5	79	209	166	138	57	33	14	5			
14	Tuberculous meningitis	30	8	8	5		1	3		2	2	1							
15	Other forms of tuberculosis	37					1		6	10	7	5	4	3	1				
16	Cancer and other malignant tumors	399	1						1	9	30	70	105	96	68	18	1		
17	Meningitis	26	9	2		2		1	5	2	2	1	1		1				
18	Cerebral hemorrhage and softening	456							2	4	19	48	88	111	129	46	9		
19	Organic diseases of the heart	804	3	1			3	6	14	28	47	79	130	203	212	72	6		
20	Acute bronchitis	48	24	9			1				2	1		2	5	2	1	1	
21	Chronic bronchitis	31									1		4	5	11	8	2		
22	Pneumonia	423	29	18	6	3	2	7	19	34	55	64	53	60	51	20	2		
23a	Bronchopneumonia	211	67	26	9	5	3	6	2	5	8	13	7	22	24	11	3		
23b	Other diseases of the respiratory system	89	4	2	3	1		1	2	4	13	12	10	10	14	12	1		
24	Diseases of the stomach	74	7					2	1	4	11	12	12	12	10	3			
25(37)	Diarrhea and enteritis	218	149	20	3	1		5	2	1	7	1	8	7	7	6		1	
26	Appendicitis and typhlitis	56						2	11	7	13	11	8	3	1				
27	Hernia, intestinal obstruction	46	4						2	7	4	7	7	5	7	3			
28	Cirrhosis of the liver	53								1	4	10	11	14	12	1			
29	Acute nephritis and Bright's disease	651	6	4	1	1	1	1	13	16	59	97	116	132	148	47	8	1	
30	Diseases of the female genital organs	28							2	9	10	4	2	1					
31	Puerperal fever	27							1	13	12	1							
32	Other puerperal affections	22							2	10	9	1							
33	Congenital debility and malformations	325	321	1	1			1			1								
34	Senility	103											1	10	35	43	12	2	
35	Violent deaths (excluding suicide)	276	10	7	5	7	3	14	23	44	45	24	28	26	25	13	2		
36	Suicide	86								22	19	18	12	12	3				
(37)	Other defined diseases	1,036	114	15	10	2	2	16	25	74	135	150	147	133	144	57	11	1	
38	Diseases ill-defined or unknown	8		5	1						1			1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WASHINGTON, D. C. (WHITE).																		
	All causes	3,915	398	56	24	14	14	53	102	235	329	403	492	640	776	329	50		
1	Typhoid fever	22	2					4	1	6	2	3	2	1	1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	6	2	2	1			1											
6	Scarlet fever	8		1	2		1	1	1	2									
7	Whooping cough	8	2	5			1												
8	Diphtheria and croup	20	2	1	2	2	2	10	1										
9	Influenza	66	3			2		2	1	2	2	5	5	11	19	13	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	11	1	2	1					1		1	2	2	1				
13	Tuberculosis of the lungs	298	1						19	71	71	69	33	22	9	3			
14	Tuberculous meningitis	12	2	3	1			1		2	2	1							
15	Other forms of tuberculosis	19							2	4	3	4	2	3	1				
16	Cancer and other malignant tumors	304	1						1	5	17	41	80	77	63	18	1		
17	Meningitis	19	6	1		2		1	3	2	2		1		1				
18	Cerebral hemorrhage and softening	304							1	3	10	16	47	68	109	42	8		
19	Organic diseases of the heart	556	3				2	2	12	12	25	42	72	142	177	63	4		
20	Acute bronchitis	14	2	2							1	1		1	4	2	1		
21	Chronic bronchitis	30									1		4	5	10	8	2		
22	Pneumonia	217	13	7	3	1	1	5	6	13	19	27	26	36	40	18	2		
23a	Bronchopneumonia	87	20	7	2	1	2	4	1	1	1	3	3	12	19	8	3		
23b	Other diseases of the respiratory system	56	1	2	2	1			1	2	7	4	5	7	13	10	1		
24	Diseases of the stomach	33	4					1		2	5	3	3	4	8	3			
25(37)	Diarrhea and enteritis	103	69	6	2			2	2		5	1	3	3	5	5			
26	Appendicitis and typhlitis	39							9	4	9	9	6	2					
27	Hernia, intestinal obstruction	27	3							2	2	6	5	4	5				
28	Cirrhosis of the liver	44									3	8	9	11	12	1			
29	Acute nephritis and Bright's disease	391	5	1	1		1		11	10	19	47	59	78	113	40	6		
30	Diseases of the female genital organs	9							1	2	2	1	2	1					
31	Puerperal fever	13								6	6	1							
32	Other puerperal affections	14								6	7	1							
33	Congenital debility and malformations	189	186	1	1						1								
34	Senility	73												7	24	33	9		
35	Violent deaths (excluding suicide)	173	6	5	1	4	3	8	13	25	27	12	16	20	19	12	2		
36	Suicide	75								16	14	18	12	12	3				
(37)	Other defined diseases	670	64	6	5	1	1	11	16	36	66	79	95	110	120	50	10		
38	Diseases ill-defined or unknown	5		4										1					
	WASHINGTON, D. C. (COLORED).																		
	All causes	2,591	383	79	28	14	11	38	122	300	366	384	348	279	170	52	11	6	
1	Typhoid fever	21					1	1	1	7	5	3	3						
2	Typhus fever																		
3	Malaria	2											2						
4	Smallpox																		
5	Measles	1		1															
6	Scarlet fever	1							1										
7	Whooping cough	11	8	2	1														
8	Diphtheria and croup	7				1	1	2	3										
9	Influenza	37		1					3	1	4	6	14	3	3	1	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	6		1						1		1	1	1			1		
13	Tuberculosis of the lungs	418	4	1	1	1	2	5	60	138	95	69	24	11	5	2			
14	Tuberculous meningitis	18	6	5	4		1	2											
15	Other forms of tuberculosis	18					1		4	6	4	1	2						
16	Cancer and other malignant tumors	95								4	13	20	25	19	5				
17	Meningitis	7	3	1					2			1							
18	Cerebral hemorrhage and softening	152							1	1	9	32	41	43	20	4	1		
19	Organic diseases of the heart	248		1			1	4	2	16	22	37	58	61	35	9	2		
20	Acute bronchitis	34	22	7			1				1			1	1			1	
21	Chronic bronchitis	1													1				
22	Pneumonia	206	16	11	3	2	1	2	13	21	36	37	27	24	11	2			
23a	Bronchopneumonia	124	47	19	7	4	1	2	1	4	7	10	4	10	5	3			
23b	Other diseases of the respiratory system	33	3		1			1	1	2	6	8	5	3	1	2			
24	Diseases of the stomach	41	3					1	1	2	6	9	9	8	2				
25(37)	Diarrhea and enteritis	115	80	14	1	1		3		1	2		5	4	2	1		1	
26	Appendicitis and typhlitis	17						2	2	3	4	2	2	1	1				
27	Hernia, intestinal obstruction	19	1						2	5	2	1	2	1	2	3			
28	Cirrhosis of the liver	9								1	1	2	2	3					
29	Acute nephritis and Bright's disease	260	1	3		1		1	2	6	40	50	57	54	35	7	2	1	
30	Diseases of the female genital organs	19							1	7	8	3							
31	Puerperal fever	14							1	7	6								
32	Other puerperal affections	8							2	4	2								
33	Congenital debility and malformations	136	135					1											
34	Senility	30											1	3	11	10	3	2	
35	Violent deaths (excluding suicide)	103	4	2	4	3		6	10	19	18	12	12	6	6	1			
36	Suicide	11								6	5								
(37)	Other defined diseases	366	50	9	5	1	1	5	9	38	69	71	52	23	24	7	1	1	
38	Diseases ill-defined or unknown	3		1	1						1								

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	ATLANTA, GA. (TOTAL).																		
	All causes	2,796	308	81	49	23	23	52	146	362	403	388	346	308	209	82	9	5	2
1	Typhoid fever	29	1			1	2		4	10	5	4	2						
2	Typhus fever																		
3	Malaria	6	1	1							1	1		1				1	
4	Smallpox																		
5	Measles	2	1			1													
6	Scarlet fever	1				1													
7	Whooping cough	32	14	6	5	2		4			1								
8	Diphtheria and croup	15		1		4	5	3	2										
9	Influenza	36	5	1						1	7	5	4	3	7	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	26	7	4			2		2		1	2	1	1	4	2			
13	Tuberculosis of the lungs	206	1		2			3	29	77	49	25	11	4	5				
14	Tuberculous meningitis	15	2		2	1	2	2	2		2	2							
15	Other forms of tuberculosis	22						3	1	11	4	2	1						
16	Cancer and other malignant tumors	115							1	2	17	30	24	28	10	3			
17	Meningitis	12	3					1	4		1	2		1					
18	Cerebral hemorrhage and softening	150	1						2	5	14	31	32	37	24	4			
19	Organic diseases of the heart	241	3						8	22	28	41	42	44	33	15	3	1	1
20	Acute bronchitis	10	1	3	2		1	1							1	1			
21	Chronic bronchitis	9						1			2	1		1		4			
22	Pneumonia	161	8	7	5			4	11	33	18	22	22	17	10	4			
23a	Bronchopneumonia	101	36	8	5		2	5	3	2	6	8	5	9	8	2	1	1	
23b	Other diseases of the respiratory system	39	4	2				1	3	5	6	9	3	3	3				
24	Diseases of the stomach	67	8	1	1	1	1		2	6	9	14	14	7	2	1			
25 (37)	Diarrhea and enteritis	128	53	34	11	4		3		2	2	9	4	2	3	1			
26	Appendicitis and typhlitis	33		1					7	11	4	7	3						
27	Hernia, intestinal obstruction	29	4		1				2	3	9	3	1	3	2	1			
28	Cirrhosis of the liver	12									2	2	2	4	1	1			
29	Acute nephritis and Bright's disease	296	2	2	3	1		2	7	16	56	45	58	55	36	10	3		
30	Diseases of the female genital organs	31							1	7	15	6	1	1					
31	Puerperal fever	15							1	8	5	1							
32	Other puerperal affections	29							3	17	6	3							
33	Congenital debility and malformations	96	93		1				2										
34	Senility	29												3	7	19			
35	Violent deaths (excluding suicide)	192	9	2	6	3	2	10	18	47	36	25	11	9	10	2		1	1
36	Suicide	34							1	13	5	4	6	4	1				
(37)	Other defined diseases	528	39	3	3	4	6	8	29	63	85	76	97	67	38	7	2	1	
38	Diseases ill-defined or unknown	49	12	5	2			1	1	1	7	8	2	4	4	2			
	ATLANTA, GA. (WHITE).																		
	All causes	1,444	170	48	22	12	12	25	74	150	163	164	165	201	167	67	4		
1	Typhoid fever	22	1			1	1		3	9	2	3	2						
2	Typhus fever																		
3	Malaria	3		1							1	1							
4	Smallpox																		
5	Measles	2	1			1													
6	Scarlet fever	1				1													
7	Whooping cough	11	5	2	2			1			1								
8	Diphtheria and croup	13		1		4	4	2	2										
9	Influenza	19	5	1							2	1	1	2	6	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	15	2	2			1		2			2		1	4	1			
13	Tuberculosis of the lungs	92	1						8	33	22	13	8	3	4				
14	Tuberculous meningitis	7			2		2	1	1			1							
15	Other forms of tuberculosis	7						1		4	1	1							
16	Cancer and other malignant tumors	84							1	2	13	19	15	21	10	3			
17	Meningitis	9	3					1	4		1								
18	Cerebral hemorrhage and softening	88	1						2	1	5	10	21	25	21	2			
19	Organic diseases of the heart	107	3						5	7	7	12	16	23	21	12	1		
20	Acute bronchitis	4		1	1										1	1			
21	Chronic bronchitis	5									1					4			
22	Pneumonia	62	4	4	2			1	5	7	7	4	9	10	6	3			
23a	Bronchopneumonia	40	15	5	1			3		1		1	1	5	5	2	1		
23b	Other diseases of the respiratory system	18	2	2					1	1		7	1	2	2				
24	Diseases of the stomach	23	3	1	1		1		2	2	2	3	2	4	1	1			
25 (37)	Diarrhea and enteritis	69	31	21	4	1		1		2	1	3	1	1	2	1			
26	Appendicitis and typhlitis	23		1					7	5	3	5	2						
27	Hernia, intestinal obstruction	12	1		1				1		4	2	1		1	1			
28	Cirrhosis of the liver	10									1	2	2	3	1	1			
29	Acute nephritis and Bright's disease	158	1	2	2			1	1	5	25	15	26	37	33	9	1		
30	Diseases of the female genital organs	14							1	2	6	4	1						
31	Puerperal fever	9							1	4	3	1							
32	Other puerperal affections	21							1	13	4	3							
33	Congenital debility and malformations	64	61		1				2										
34	Senility	25												2	6	17			
35	Violent deaths (excluding suicide)	83	3	2	2	1		6	9	15	14	11	5	5	8	2			
36	Suicide	30							1	10	5	4	5	4	1				
(37)	Other defined diseases	274	21	1	3	3	3	6	14	27	30	33	46	49	31	6	1		
38	Diseases ill-defined or unknown	20	6	1				1			2	3		4	3				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	ATLANTA, GA. (COLORED).																		
	All causes	1,352	138	33	27	11	11	27	72	212	240	224	181	107	42	15	5	5	2
1	Typhoid fever	7					1		1	1	3	1							
2	Typhus fever																		
3	Malaria	3	1											1				1	
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough	21	9	4	3	2		3											
8	Diphtheria and croup	2					1	1											
9	Influenza	17								1	5	4	3	1	1	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	11	5	2			1				1		1			1			
13	Tuberculosis of the lungs	114			2			3	21	44	27	12	3	1	1				
14	Tuberculous meningitis	8	2			1		1	1		2	1							
15	Other forms of tuberculosis	15						2	1	7	3	1	1						
16	Cancer and other malignant tumors	31									4	11	9	7					
17	Meningitis	3										2		1					
18	Cerebral hemorrhage and softening	62								4	9	21	11	12	3	2			
19	Organic diseases of the heart	134							3	15	21	29	26	21	12	3	2	1	1
20	Acute bronchitis	6	1	2	1		1	1											
21	Chronic bronchitis	4						1			1	1		1					
22	Pneumonia	99	4	3	3			3	6	26	11	18	13	7	4	1			
23a	Bronchopneumonia	61	21	3	4		2	2	3	1	6	7	4	4	3			1	
23b	Other diseases of the respiratory system	21	2					1	2	4	6	2	2	1	1				
24	Diseases of the stomach	44	5			1				4	7	11	12	3	1				
25(37)	Diarrhea and enteritis	59	22	13	7	3		2			1	6	3	1	1				
26	Appendicitis and typhlitis	10								6	1	2	1						
27	Hernia, intestinal obstruction	17	3						1	3	5	1		3	1				
28	Cirrhosis of the liver	2									1			1					
29	Acute nephritis and Bright's disease	138	1		1	1		1	6	11	31	30	32	18	3	1	2		
30	Diseases of the female genital organs	17								5	9	2		1					
31	Puerperal fever	6								4	2								
32	Other puerperal affections	8							2	4	2								
33	Congenital debility and malformations	32	32																
34	Senility	4												1	1	2			
35	Violent deaths (excluding suicide)	109	6		4	2	2	4	9	32	22	14	6	4	2			1	1
36	Suicide	4								3			1						
(37)	Other defined diseases	254	18	2		1	3	2	15	36	55	43	51	18	7	1	1	1	
38	Diseases ill-defined or unknown	29	6	4	2				1	1	5	5	2		1	2			
	CHICAGO, ILL. (TOTAL).																		
	All causes	34,894	6,219	1,351	601	356	254	811	1,347	3,321	3,599	4,138	4,515	3,956	2,950	1,287	180	9	
1	Typhoid fever	130		2		1	1	3	27	30	32	20	10	3	1				
2	Typhus fever																		
3	Malaria	9							1	3	1	2		1	1				
4	Smallpox																		
5	Measles	264	71	99	49	15	6	17	4	2	1								
6	Scarlet fever	84	4	10	14	16	6	27	2	4	1								
7	Whooping cough	66	36	14	7	4	3	2											
8	Diphtheria and croup	672	36	139	105	84	76	164	42	12	8	5	1						
9	Influenza	230	18	9	6	4	1	5	9	8	8	18	24	47	42	24	7		
10	Asiatic cholera																		
11	Cholera nostras	1								1									
12	Other epidemic diseases	126	39	8	2	1	1			5	9	14	16	13	14	4			
13	Tuberculosis of the lungs	3,735	37	36	8	10	7	32	230	1,085	944	694	425	171	47	9			
14	Tuberculous meningitis	256	47	46	33	18	11	24	30	19	15	5	5	2	1				
15	Other forms of tuberculosis	251	5	11	6	5	4	12	33	59	42	29	26	13	3	3			
16	Cancer and other malignant tumors	2,104	2	2	2	2	1	6	12	55	172	430	575	514	256	71	4		
17	Meningitis	153	30	13	16	11	4	12	18	8	14	11	13	2	1				
18	Cerebral hemorrhage and softening	1,258						1	2	18	49	127	304	314	290	130	22	1	
19	Organic diseases of the heart	3,767	13	9	6	4	3	49	123	207	287	463	645	857	738	314	47	2	
20	Acute bronchitis	209	120	34	16	3	2	4	3			3	2	7	6	7	2		
21	Chronic bronchitis	134	3	1				2		1	5	7	13	29	42	23	8		
22	Pneumonia	2,314	150	75	31	22	13	37	70	190	274	356	420	317	250	100	7	2	
23a	Bronchopneumonia	1,712	809	261	89	41	26	45	13	21	23	44	62	97	96	70	15		
23b	Other diseases of the respiratory system	265	20	16	10	1	2	7	12	26	31	36	25	26	35	16	2		
24	Diseases of the stomach	196	18	6				2	1	16	32	51	28	22	14	6			
25(37)	Diarrhea and enteritis	3,044	2,360	399	96	44	11	12	7	10	16	24	19	12	12	19	3		
26	Appendicitis and typhlitis	415	3	1	4	2	3	36	73	85	80	59	48	15	3	3			
27	Hernia, intestinal obstruction	252	47	5	2	1	3	4	5	16	24	34	35	34	29	12	1		
28	Cirrhosis of the liver	489						1		14	59	126	142	101	38	8			
29	Acute nephritis and Bright's disease	2,730	36	19	11	8	6	21	42	118	199	415	571	581	464	214	24	1	
30	Diseases of the female genital organs	195	3						3	39	58	62	17	9	1	3			
31	Puerperal fever	171							9	86	68	8							
32	Other puerperal affections	199							9	90	89	11							
33	Congenital debility and malformations	1,389	1,357	12	6	1	1	5	1	5	1								
34	Senility	34												3	16	11	4		
35	Violent deaths (excluding suicide)	2,835	37	58	44	41	34	160	398	676	453	341	286	179	88	36	4		
36	Suicide	611							15	112	143	144	107	62	25	3			
(37)	Other defined diseases	4,575	910	65	38	17	29	121	153	300	459	597	694	523	436	200	30	3	
38	Diseases ill-defined or unknown	19	8	1							2	2	2	2	1	1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CHICAGO, ILL. (WHITE).																		
	All causes	33,601	6,133	1,320	586	348	245	782	1,285	3,157	3,349	3,899	4,311	3,852	2,886	1,268	175	5	
1	Typhoid fever	123		2		1	1	2	25	29	30	20	10	2	1				
2	Typhus fever																		
3	Malaria	8								3	1	2		1	1				
4	Smallpox																		
5	Measles	261	71	98	48	15	5	17	4	2	1								
6	Scarlet fever	80	3	10	14	15	6	25	2	4	1								
7	Whooping cough	63	36	11	7	4	3	2											
8	Diphtheria and croup	667	36	137	105	82	76	163	42	12	8	5	1						
9	Influenza	224	18	9	6	3	1	4	8	8	7	16	24	47	42	24	7		
10	Asiatic cholera																		
11	Cholera nostras	1								1									
12	Other epidemic diseases	123	39	7	2	1	1			5	9	14	16	12	13	4			
13	Tuberculosis of the lungs	3,464	35	35	8	8	4	25	206	1,012	867	645	400	167	44	8			
14	Tuberculous meningitis	245	46	45	30	18	10	23	30	18	14	5	5	1					
15	Other forms of tuberculosis	226	5	11	6	5	4	9	27	55	34	27	25	12	3	3			
16	Cancer and other malignant tumors	2,061	2	2	2	2	1	6	12	53	167	416	564	509	251	71	3		
17	Meningitis	147	30	12	16	11	4	12	18	7	10	11	13	2	1				
18	Cerebral hemorrhage and softening	1,218						1	2	17	46	116	292	309	285	127	22	1	
19	Organic diseases of the heart	3,589	13	7	6	4	3	47	119	194	257	432	609	822	720	307	47	2	
20	Acute bronchitis	206	119	32	16	3	2	4	3			3	2	7	6	7	2		
21	Chronic bronchitis	130	2	1				2		1	5	5	12	29	42	23	8		
22	Pneumonia	2,180	143	71	29	22	12	34	64	178	254	332	392	304	242	97	6		
23a	Bronchopneumonia	1,664	792	254	82	40	24	44	13	20	20	43	59	95	96	67	15		
23b	Other diseases of the respiratory system	259	20	16	10	1	2	6	11	24	30	35	25	26	35	16	2		
24	Diseases of the stomach	188	18	6				2	1	16	31	50	24	20	14	6			
25(37)	Diarrhea and enteritis	3,019	2,340	397	96	43	11	12	6	10	16	23	19	12	12	19	3		
26	Appendicitis and typhlitis	406	3	1	4	2	3	36	72	83	77	57	47	15	3	3			
27	Hernia, intestinal obstruction	239	47	5	2	1	3	3	5	15	21	31	34	32	27	12	1		
28	Cirrhosis of the liver	479						1		13	57	123	140	100	37	8			
29	Acute nephritis and Bright's disease	2,623	35	17	10	8	6	21	42	114	185	384	543	566	454	214	23	1	
30	Diseases of the female genital organs	173	3						3	34	50	56	14	9	1	3			
31	Puerperal fever	165							9	84	65	7							
32	Other puerperal affections	195							9	89	86	11							
33	Congenital debility and malformations	1,370	1,339	12	6	1	1	4	1	5	1								
34	Senility	34												3	16	11	4		
35	Violent deaths (excluding suicide)	2,756	37	58	43	41	33	159	388	657	437	327	273	175	88	36	4		
36	Suicide	600							14	110	139	141	106	62	25	3			
(37)	Other defined diseases	4,397	894	63	38	17	29	118	149	284	421	560	660	511	426	198	28	1	
38	Diseases ill-defined or unknown	18	7	1							2	2	2	2	1	1			
	CHICAGO, ILL. (COLORED).																		
	All causes	1,293	86	31	15	8	9	29	62	164	250	239	204	104	64	19	5	4	
1	Typhoid fever	7						1	2	1	2			1					
2	Typhus fever																		
3	Malaria	1							1										
4	Smallpox																		
5	Measles	3		1	1		1												
6	Scarlet fever	4	1			1		2											
7	Whooping cough	3		3															
8	Diphtheria and croup	5		2		2		1											
9	Influenza	6				1		1	1		1	2							
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	3		1										1	1				
13	Tuberculosis of the lungs	271	2	1		2	3	7	24	73	77	49	25	4	3	1			
14	Tuberculous meningitis	11	1	1	3		1	1		1	1			1	1				
15	Other forms of tuberculosis	25						3	6	4	8	2	1	1					
16	Cancer and other malignant tumors	43								2	5	14	11	5	5		1		
17	Meningitis	6		1						1	4								
18	Cerebral hemorrhage and softening	40								1	3	11	12	5	5	3			
19	Organic diseases of the heart	178		2				2	4	13	30	31	36	35	18	7			
20	Acute bronchitis	3	1	2															
21	Chronic bronchitis	4	1									2	1						
22	Pneumonia	134	7	4	2		1	3	6	12	20	24	28	13	8	3	1	2	
23a	Bronchopneumonia	48	17	7	7	1	2	1		1	3	1	3	2		3			
23b	Other diseases of the respiratory system	6						1	1	2	1	1							
24	Diseases of the stomach	8									1	1	4	2					
25(37)	Diarrhea and enteritis	25	20	2		1			1			1							
26	Appendicitis and typhlitis	9							1	2	3	2	1						
27	Hernia, intestinal obstruction	13						1		1	3	3	1	2	2				
28	Cirrhosis of the liver	10								1	2	3	2	1	1				
29	Acute nephritis and Bright's disease	107	1	2	1					4	14	31	28	15	10		1		
30	Diseases of the female genital organs	22								5	8	6	3						
31	Puerperal fever	6								2	3	1							
32	Other puerperal affections	4								1	3								
33	Congenital debility and malformations	19	18					1											
34	Senility																		
35	Violent deaths (excluding suicide)	79			1		1	1	10	19	16	14	13	4					
36	Suicide	11							1	2	4	3	1						
(37)	Other defined diseases	178	16	2				3	4	16	38	37	34	12	10	2	2	2	
38	Diseases ill-defined or unknown	1	1																

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF—. Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	INDIANAPOLIS, IND. (TOTAL).																		
	All causes	3,911	463	70	33	28	17	57	141	384	393	486	536	543	511	221	27	1	
1	Typhoid fever	38		1				3	8	10	5	5	2	3	1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever	8	2	2	1			3											
7	Whooping cough	17	10	4	2	1													
8	Diphtheria and croup	21	1	3	3	3	2	4	3		1	1							
9	Influenza	24	1	1	1	1				2		2	2	7	4	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	13	2						1		1	1	2	2	3	1			
13	Tuberculosis of the lungs	462	4	2	1	2		2	45	134	95	89	47	29	12				
14	Tuberculous meningitis	21	7	4	1		1	4		2	1	1							
15	Other forms of tuberculosis	61	4	1		2		2	6	20	7	6	9	3	1				
16	Cancer and other malignant tumors	250								7	18	46	72	61	38	7	1		
17	Meningitis	36	5		2	4	2	3	5	3	4	3	2	3					
18	Cerebral hemorrhage and softening	223		1			1		1	2	10	20	57	55	49	27			
19	Organic diseases of the heart	497			1			10	11	26	34	65	88	112	107	35	8		
20	Acute bronchitis	22	7	2		1		1						3	1	7			
21	Chronic bronchitis	19									1		1	2	8	6	1		
22	Pneumonia	207	13	1	3	2	1	3	9	19	23	29	26	30	35	10	3		
23a	Bronchopneumonia	171	57	18	8	4	2	4	2	5	5	9	8	11	25	12	1		
23b	Other diseases of the respiratory system	33			1			1	1	3	5	2	3	5	9	3			
24	Diseases of the stomach	39	7	1		1		3		3	3	3	2	7	6	3			
25(37)	Diarrhea and enteritis	109	62	20	2						3	5		6	4	7			
26	Appendicitis and typhlitis	51					1		8	17	12	7	6						
27	Hernia, intestinal obstruction	46	2		1	1	2	1	1	3	2	7	6	6	9	4	1		
28	Cirrhosis of the liver	53								4	4	12	9	16	8				
29	Acute nephritis and Bright's disease	284	1	1			1	1	7	11	17	35	60	62	68	19	1		
30	Diseases of the female genital organs	30								8	11	7	3		1				
31	Puerperal fever	28							1	16	9	2							
32	Other puerperal affections	23								13	10								
33	Congenital debility and malformations	202	199	1	1	1													
34	Senility	12													4	6	2		
35	Violent deaths (excluding suicide)	192	2	1	5	5	2	10	16	33	37	24	23	17	7	9	1		
36	Suicide	45							1	8	10	7	11	6	2				
(37)	Other defined diseases	672	77	5			2	2	15	35	65	98	96	97	109	62	8	1	
38	Diseases ill-defined or unknown	2		1									1						
	INDIANAPOLIS, IND. (WHITE).																		
	All causes	3,352	399	56	28	23	15	48	116	303	306	397	457	488	476	216	23	1	
1	Typhoid fever	29		1				3	6	7	3	4	2	2	1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever	8	2	2	1			3											
7	Whooping cough	14	9	3	2														
8	Diphtheria and croup	20	1	3	3	3	2	4	2		1	1							
9	Influenza	21	1	1	1	1				1		2	1	6	4	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	11	2						1				2	2	3	1			
13	Tuberculosis of the lungs	337	1	1		2		1	32	99	68	59	39	25	10				
14	Tuberculous meningitis	18	6	2	1		1	4		2	1	1							
15	Other forms of tuberculosis	47	4	1		1		2	4	14	5	5	9	1	1				
16	Cancer and other malignant tumors	234								5	16	44	65	59	37	7	1		
17	Meningitis	31	4		2	3	2	3	5	2	3	3	1	3					
18	Cerebral hemorrhage and softening	205		1			1		1	2	9	18	49	52	46	26			
19	Organic diseases of the heart	413			1			9	9	23	21	48	66	98	95	35	8		
20	Acute bronchitis	19	6	1		1								3	1	7			
21	Chronic bronchitis	18											1	2	8	6	1		
22	Pneumonia	170	9	1	2	2	1	3	8	14	21	19	21	27	33	7	2		
23a	Bronchopneumonia	135	44	13	6	3	2	1	1	2	4	6	8	11	22	11	1		
23b	Other diseases of the respiratory system	30			1			1	1	2	3	2	3	5	9	3			
24	Diseases of the stomach	34	5	1		1		2		3	3	2	2	6	6	3			
25(37)	Diarrhea and enteritis	95	53	17	1						2	5		6	4	7			
26	Appendicitis and typhlitis	48					1		8	16	10	7	6						
27	Hernia, intestinal obstruction	43	2		1	1	1	1	1	3	2	7	6	5	8	4	1		
28	Cirrhosis of the liver	47								3	3	10	8	15	8				
29	Acute nephritis and Bright's disease	243	1	1				1	7	10	17	30	44	51	61	19	1		
30	Diseases of the female genital organs	25								6	8	7	3		1				
31	Puerperal fever	26							1	14	9	2							
32	Other puerperal affections	22								12	10								
33	Congenital debility and malformations	183	180	1	1	1													
34	Senility	11													3	6	2		
35	Violent deaths (excluding suicide)	162		1	5	4	2	9	15	28	27	19	21	16	6	9			
36	Suicide	42							1	7	10	7	9	6	2				
(37)	Other defined diseases	609	69	4			2	1	13	28	50	89	90	87	107	62	6	1	
38	Diseases ill-defined or unknown	2		1									1						

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	INDIANAPOLIS, IND. (COLORED).																		
	All causes	559	64	14	5	5	2	9	25	81	87	89	79	55	35	5	4		
1	Typhoid fever	9							2	3	2	1		1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough	3	1	1		1													
8	Diphtheria and croup	1							1										
9	Influenza	3								1			1	1					
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	2									1	1							
13	Tuberculosis of the lungs	125	3	1	1			1	13	35	27	30	8	4	2				
14	Tuberculous meningitis	3	1	2															
15	Other forms of tuberculosis	14				1			2	6	2	1		2					
16	Cancer and other malignant tumors	16								2	2	2	7	2	1				
17	Meningitis	5	1			1				1	1		1						
18	Cerebral hemorrhage and softening	18									1	2	8	3	3	1			
19	Organic diseases of the heart	84						1	2	3	13	17	22	14	12				
20	Acute bronchitis	3	1	1				1											
21	Chronic bronchitis	1									1								
22	Pneumonia	37	4		1				1	5	2	10	5	3	2	3	1		
23a	Bronchopneumonia	36	13	5	2	1		3	1	3	1	3			3	1			
23b	Other diseases of the respiratory system	3								1	2								
24	Diseases of the stomach	5	2					1				1		1					
25(37)	Diarrhea and enteritis	14	9	3	1						1								
26	Appendicitis and typhlitis	3								1	2								
27	Hernia, intestinal obstruction	3					1							1	1				
28	Cirrhosis of the liver	6								1	1	2	1	1					
29	Acute nephritis and Bright's disease	41					1			1		5	16	11	7				
30	Diseases of the female genital organs	5								2	3								
31	Puerperal fever	2								2									
32	Other puerperal affections	1								1									
33	Congenital debility and malformations	19	19																
34	Senility	1													1				
35	Violent deaths (excluding suicide)	30	2			1		1	1	5	10	5	2	1	1		1		
36	Suicide	3								1			2						
(37)	Other defined diseases	63	8	1				1	2	7	15	9	6	10	2		2		
38	Diseases ill-defined or unknown																		
	LOUISVILLE, KY. (TOTAL).																		
	All causes	3,550	379	69	31	22	10	54	140	351	425	448	516	453	429	192	28	2	1
1	Typhoid fever	33						5	7	6	8	2	4				1		
2	Typhus fever																		
3	Malaria	7				1					1	1	2	1	1				
4	Smallpox																		
5	Measles																		
6	Scarlet fever	2						1	1										
7	Whooping cough	11	7	2		1		1											
8	Diphtheria and croup	14	1	1	1	1	1	6	3										
9	Influenza	37		1					2	2	3	4	6	6	11	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	25	5	3	1				1	2		3	2	3	3	2			
13	Tuberculosis of the lungs	393	1	1	2	2		1	25	128	109	66	43	10	4	1			
14	Tuberculous meningitis	21	5	4	4			1	3	3				1					
15	Other forms of tuberculosis	26		1		2		1	4	4	3	4	4	3					
16	Cancer and other malignant tumors	183							1	2	20	31	61	31	27	8	1	1	
17	Meningitis	20	4	1	1		3	2	2	2		3	2						
18	Cerebral hemorrhage and softening	192	2						2	2	8	25	49	32	51	18	2		1
19	Organic diseases of the heart	370	2					1	8	14	35	48	68	95	69	26	4		
20	Acute bronchitis	18	7	3	2				1		1	1			3				
21	Chronic bronchitis	35							1	3	2	5	6	6	8	4			
22	Pneumonia	242	22	9	7	5	1	7	10	18	30	35	35	33	14	15	1		
23a	Bronchopneumonia	83	25	14	6	3		2	1	3	4	2	3	4	11	5			
23b	Other diseases of the respiratory system	59	3	1				1	2	5	10	12	8	9	4	2	2		
24	Diseases of the stomach	33	3						2	2	6	4	7	4	3	1		1	
25(37)	Diarrhea and enteritis	108	56	19	2	1		1	1		9	4	2	3	7	3			
26	Appendicitis and typhlitis	37				1		2	4	16	6	5	3						
27	Hernia, intestinal obstruction	31	2			1		1	1	5	3	4	6	4	3	1			
28	Cirrhosis of the liver	32								2	3	9	7	7	2	2			
29	Acute nephritis and Bright's disease	380	3	2	1	1		1	7	19	19	51	78	101	70	25	2		
30	Diseases of the female genital organs	25								2	12	8	1		1		1		
31	Puerperal fever	13								7	6								
32	Other puerperal affections	12							1	6	4	1							
33	Congenital debility and malformations	174	174																
34	Senility	68												1	27	32	8		
35	Violent deaths (excluding suicide)	188	1	1	4	1	2	9	22	37	34	31	20	9	7	10			
36	Suicide	57							2	13	10	11	13	4	3	1			
(37)	Other defined diseases	613	56	5		1	3	10	26	47	79	78	85	85	99	34	5		
38	Diseases ill-defined or unknown	8		1		1		1		1			1	1	1		1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	LOUISVILLE, KY. (WHITE).																		
	All causes	2,538	283	44	24	13	8	44	94	213	245	287	371	343	376	170	22		1
1	Typhoid fever	24						4	5	4	7		3				1		
2	Typhus fever																		
3	Malaria	2				1									1				
4	Smallpox																		
5	Measles																		
6	Scarlet fever	1							1										
7	Whooping cough	8	7			1													
8	Diphtheria and croup	13		1	1	1	1	6	3										
9	Influenza	27		1					1	1	1	2	3	5	11	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	19	2	3	1				1	1		1	2	3	3	2			
13	Tuberculosis of the lungs	239	1		1			1	17	79	60	42	26	8	3	1			
14	Tuberculous meningitis	16	4	3	3			1	3	1				1					
15	Other forms of tuberculosis	14				1		1	1	2	1	3	3	2					
16	Cancer and other malignant tumors	153							1	2	16	21	52	27	27	7			
17	Meningitis	14	4	1	1		2	2	1	1		1	1						
18	Cerebral hemorrhage and softening	145	2						2	2	3	14	38	21	44	17	1		1
19	Organic diseases of the heart	251	2					1	6	8	13	27	45	65	58	23	3		
20	Acute bronchitis	12	6	2	1						1				2				
21	Chronic bronchitis	20								2			2	5	7	4			
22	Pneumonia	127	8	4	4	2	1	4	4	5	15	22	21	18	9	10			
23a	Bronchopneumonia	58	19	9	5	2		2	1			1		4	10	5			
23b	Other diseases of the respiratory system	37	1	1				1	2	2	5	9	4	5	3	2	2		
24	Diseases of the stomach	19	2						1	2	4	1	4	3	2				
25(37)	Diarrhea and enteritis	78	40	15	2	1			1		6	3	1	2	4	3			
26	Appendicitis and typhlitis	33				1		2	3	15	4	5	3						
27	Hernia, intestinal obstruction	22	2			1		1	1	2	2	1	6	2	3	1			
28	Cirrhosis of the liver	26								2		7	7	7	2	1			
29	Acute nephritis and Bright's disease	296	3		1	1			3	12	11	36	60	83	61	23	2		
30	Diseases of the female genital organs	11								1	6	1	1		1		1		
31	Puerperal fever	11								6	5								
32	Other puerperal affections	8								5	2	1							
33	Congenital debility and malformations	143	143																
34	Senility	62												1	23	30	8		
35	Violent deaths (excluding suicide)	136	1	1	4		2	9	14	19	22	24	17	8	5	10			
36	Suicide	56							2	13	10	11	13	4	3				
(37)	Other defined diseases	453	36	2			2	8	20	26	51	54	58	69	94	29	4		
38	Diseases ill-defined or unknown	4		1		1		1					1						
	LOUISVILLE, KY. (COLORED).																		
	All causes	1,012	96	25	7	9	2	10	46	138	180	161	145	110	53	22	6	2	
1	Typhoid fever	9						1	2	2	1	2	1						
2	Typhus fever																		
3	Malaria	5									1	1	2	1					
4	Smallpox																		
5	Measles																		
6	Scarlet fever	1						1											
7	Whooping cough	3		2				1											
8	Diphtheria and croup	1	1																
9	Influenza	10							1	1	2	2	3	1					
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	6	3							1		2							
13	Tuberculosis of the lungs	154		1	1	2			8	49	49	24	17	2	1				
14	Tuberculous meningitis	5	1	1	1					2									
15	Other forms of tuberculosis	12		1		1			3	2	2	1	1	1					
16	Cancer and other malignant tumors	30									4	10	9	4		1	1	1	
17	Meningitis	6					1		1	1		2	1						
18	Cerebral hemorrhage and softening	47									5	11	11	11	7	1	1		
19	Organic diseases of the heart	119							2	6	22	21	23	30	11	3	1		
20	Acute bronchitis	6	1	1	1				1			1			1				
21	Chronic bronchitis	15							1	1	2	5	4	1	1				
22	Pneumonia	115	14	5	3	3		3	6	13	15	13	14	15	5	5	1		
23a	Bronchopneumonia	25	6	5	1	1				3	4	1	3		1				
23b	Other diseases of the respiratory system	22	2							3	5	3	4	4	1				
24	Diseases of the stomach	14	1						1		2	3	3	1	1	1		1	
25(37)	Diarrhea and enteritis	30	16	4				1			3	1	1	1	3				
26	Appendicitis and typhlitis	4							1	1	2								
27	Hernia, intestinal obstruction	9								3	1	3		2					
28	Cirrhosis of the liver	6									3	2				1			
29	Acute nephritis and Bright's disease	84		2				1	4	7	8	15	18	18	9	2			
30	Diseases of the female genital organs	14								1	6	7							
31	Puerperal fever	2								1	1								
32	Other puerperal affections	4							1	1	2								
33	Congenital debility and malformations	31	31																
34	Senility	6													4	2			
35	Violent deaths (excluding suicide)	52				1			8	18	12	7	3	1	2				
36	Suicide	1														1			
(37)	Other defined diseases	160	20	3		1	1	2	6	21	28	24	27	16	5	5	1		
38	Diseases ill-defined or unknown	4								1				1	1		1		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW ORLEANS, LA. (TOTAL).																		
	All causes	7,752	927	193	92	63	52	128	384	833	978	1,011	1,044	880	762	328	65	7	5
1	Typhoid fever	75				2	1	3	25	28	12	2	2						
2	Typhus fever																		
3	Malaria	36						1	3	9	6	5	2	6	3				1
4	Smallpox	5							1	1	1	2							
5	Measles	3	1					1		1									
6	Scarlet fever	2		1	1														
7	Whooping cough	18	11	2	2	1	2												
8	Diphtheria and croup	113	1	15	16	18	18	30	12	1		1		1					
9	Influenza	189	3	5	2	1	1	3	5	13	13	10	26	25	35	40	7		
10	Asiatic cholera																		
11	Cholera nostras	1											1						
12	Other epidemic diseases	44		1	1	1		1	2	6	6	8	10	3	3	2			
13	Tuberculosis of the lungs	971	8	4	1	2		7	80	260	251	173	116	46	16	6	1		
14	Tuberculous meningitis	24	6	1	3	1	4	2	1	1	3	1	1						
15	Other forms of tuberculosis	115	56	7				4	2	14	13	10	5	3	1				
16	Cancer and other malignant tumors	378		1					5	13	34	77	110	77	47	12	1	1	
17	Meningitis	17	4	2				1	4		3	2	1						
18	Cerebral hemorrhage and softening	391						1	3	7	21	55	83	95	87	36	2	1	
19	Organic diseases of the heart	849	2						8	39	83	110	140	198	182	73	13	1	
20	Acute bronchitis	37	22	2	1	1			1	1	1		1	1	4	2			
21	Chronic bronchitis	49	1	1	1					4	3	5	8	3	15	7	1		
22	Pneumonia	514	51	19	12	9	5	13	28	61	69	77	63	47	38	17	4	1	
23a	Bronchopneumonia	194	78	28	12	5	1	9	6	6	8	7	9	9	8	7		1	
23b	Other diseases of the respiratory system	54	2	1	5		1	1	4	5	7	9	8	5	3	1	2		
24	Diseases of the stomach	56	4	1	3			1	3	7	13	6	7	4	5	1	1		
25(37)	Diarrhea and enteritis	465	300	82	13	8	2	6	2	5	6	11	10	8	7	5			
26	Appendicitis and typhlitis	89	1					3	19	15	22	19	5	2	2	1			
27	Hernia, intestinal obstruction	54	4	1	1	1			3	9	4	8	9	6	5	2	1		
28	Cirrhosis of the liver	119	1		1				2	4	20	31	26	21	11	2			
29	Acute nephritis and Bright's disease	876	3	1	3	1	1	5	15	53	104	121	190	183	140	45	9	1	1
30	Diseases of the female genital organs	54							4	7	19	17	4	2	1				
31	Puerperal fever	37							8	15	9	5							
32	Other puerperal affections	52							6	26	17	3							
33	Congenital debility and malformations	207	205	2															
34	Senility	42													16	16	9	1	
35	Violent deaths (excluding suicide)	464	3	7	9	7	7	17	76	101	75	58	39	21	30	12	2		
36	Suicide	69							4	19	10	17	10	6	1	1			1
(37)	Other defined diseases	1,088	160	8	5	5	9	19	52	102	145	161	158	108	102	40	12		2
38	Diseases ill-defined or unknown	1		1															
	NEW ORLEANS, LA. (WHITE).																		
	All causes	4,442	525	102	48	34	33	69	159	357	454	524	651	613	571	255	41	3	3
1	Typhoid fever	53				1		2	19	17	10	2	2						
2	Typhus fever																		
3	Malaria	16						1		4	2	2		3	3				1
4	Smallpox	2							1		1								
5	Measles	3	1					1		1									
6	Scarlet fever	2		1	1														
7	Whooping cough	9	8				1												
8	Diphtheria and croup	80	1	11	13	13	11	21	8			1		1					
9	Influenza	125	3	4	2	1		2		5	6	8	14	15	28	32	5		
10	Asiatic cholera																		
11	Cholera nostras	1											1						
12	Other epidemic diseases	26		1		1			1	5	3	3	6	2	3	1			
13	Tuberculosis of the lungs	432	3			1		2	14	96	117	83	69	32	13	2			
14	Tuberculous meningitis	19	6		2	1	3	2	1	1	1	1	1						
15	Other forms of tuberculosis	27	11	1				2		4	3	2	2	1	1				
16	Cancer and other malignant tumors	258							3	5	15	45	78	63	39	8	1	1	
17	Meningitis	14	3	2				1	3		2	2	1						
18	Cerebral hemorrhage and softening	245							1	3	8	26	43	66	67	29	2		
19	Organic diseases of the heart	501	2						3	13	28	46	84	126	136	56	7		
20	Acute bronchitis	21	12						1				1	1	4	2			
21	Chronic bronchitis	33								1	1	3	4	2	14	7	1		
22	Pneumonia	230	21	9	4	6	1	5	3	19	17	29	40	34	25	15	2		
23a	Bronchopneumonia	89	31	11	6		1	2	2	2	5	3	5	7	6	7		1	
23b	Other diseases of the respiratory system	37	2	1	3		1		2	2	6	5	4	5	3	1	2		
24	Diseases of the stomach	30	3	1	2			1	2	2	5	3	3	2	4	1	1		
25(37)	Diarrhea and enteritis	261	185	47	6	3	2	2	1	1	1	2	4	2	2	3			
26	Appendicitis and typhlitis	66						3	12	11	17	13	5	2	2	1			
27	Hernia, intestinal obstruction	40	3	1	1	1			2	4	3	8	6	4	4	2	1		
28	Cirrhosis of the liver	86	1						1	1	11	23	21	17	10	1			
29	Acute nephritis and Bright's disease	540	3	1	2			4	7	27	50	58	126	125	102	31	4		
30	Diseases of the female genital organs	27							1	3	8	10	2	2	1				
31	Puerperal fever	19							1	8	5	5							
32	Other puerperal affections	37							4	16	15	2							
33	Congenital debility and malformations	120	118	2															
34	Senility	33													11	14	7	1	
35	Violent deaths (excluding suicide)	251	3	4	3	3	4	9	40	49	36	36	20	13	18	11	2		
36	Suicide	61							3	16	8	16	10	6	1				1
(37)	Other defined diseases	647	105	4	3	3	9	9	23	41	70	87	99	82	74	31	6		1
38	Diseases ill-defined or unknown	1		1															

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW ORLEANS, LA. (COLORED).																		
	All causes	3,310	402	91	44	29	19	59	225	476	524	487	393	267	191	73	24	4	2
1	Typhoid fever	22				1	1	1	6	11	2								
2	Typhus fever																		
3	Malaria	20							3	5	4	3	2	3					
4	Smallpox	3								1		2							
5	Measles																		
6	Scarlet fever																		
7	Whooping cough	9	3	2	2	1	1												
8	Diphtheria and croup	33		4	3	5	7	9	4	1									
9	Influenza	64		1			1	1	5	8	7	2	12	10	7	8	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	18			1			1	1	1	3	5	4	1		1			
13	Tuberculosis of the lungs	539	5	4	1	1		5	66	164	134	90	47	14	3	4	1		
14	Tuberculous meningitis	5		1	1		1				2								
15	Other forms of tuberculosis	88	45	6				2	2	10	10	8	3	2					
16	Cancer and other malignant tumors	120		1					2	8	19	32	32	14	8	4			
17	Meningitis	3	1						1		1								
18	Cerebral hemorrhage and softening	146						1	2	4	13	29	40	29	20	7		1	
19	Organic diseases of the heart	348							5	26	55	64	56	72	46	17	6	1	
20	Acute bronchitis	16	10	2	1	1				1	1								
21	Chronic bronchitis	16	1	1	1					3	2	2	4	1	1				
22	Pneumonia	284	30	10	8	3	4	8	25	42	52	48	23	13	13	2	2	1	
23a	Bronchopneumonia	105	47	17	6	5		7	4	4	3	4	4	2	2				
23b	Other diseases of the respiratory system	17			2			1	2	3	1	4	4						
24	Diseases of the stomach	26	1		1				1	5	8	3	4	2	1				
25(37)	Diarrhea and enteritis	204	115	35	7	5		4	1	4	5	9	6	6	5	2			
26	Appendicitis and typhlitis	23	1						7	4	5	6							
27	Hernia, intestinal obstruction	14	1						1	5	1		3	2	1				
28	Cirrhosis of the liver	33			1				1	3	9	8	5	4	1	1			
29	Acute nephritis and Bright's disease	336			1	1	1	1	8	26	54	63	64	58	38	14	5	1	1
30	Diseases of the female genital organs	27							3	4	11	7	2						
31	Puerperal fever	18							7	7	4								
32	Other puerperal affections	15							2	10	2	1							
33	Congenital debility and malformations	87	87																
34	Senility	9													5	2	2		
35	Violent deaths (excluding suicide)	213		3	6	4	3	8	36	52	39	22	19	8	12	1			
36	Suicide	8							1	3	2	1				1			
(37)	Other defined diseases	441	55	4	2	2		10	29	61	75	74	59	26	28	9	6		1
38	Diseases ill-defined or unknown																		
	BALTIMORE, MD. (TOTAL).																		
	All causes	10,008	1,626	303	125	71	53	164	351	767	929	1,153	1,437	1,389	1,110	460	63	5	2
1	Typhoid fever	121			1		1	8	22	37	16	22	8	2	3				1
2	Typhus fever																		
3	Malaria	1											1						
4	Smallpox																		
5	Measles	20	8	4	2	1		4	1										
6	Scarlet fever	33	2	5	5	2	3	8	3	1	3								1
7	Whooping cough	21	13	5	1	2													
8	Diphtheria and croup	77	2	19	13	14	6	13	3	4	3								
9	Influenza	72	2	3	1			1	1	2	3	16	9	12	16	4	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	32	7		1				1	2	3	4	2	4	4	4			
13	Tuberculosis of the lungs	1,145	9	12	6	3	5	14	106	282	263	207	142	71	24	1			
14	Tuberculous meningitis	59	11	12	3	4	4	7	8	5	3	1		1					
15	Other forms of tuberculosis	83	2		1	2	2	3	9	21	14	11	9	4	5				
16	Cancer and other malignant tumors	630			2	1			6	16	46	113	157	164	95	29	1		
17	Meningitis	41	13	9	3	3	1	1	2	1	3	3	1		1				
18	Cerebral hemorrhage and softening	624						2	2	5	20	65	141	160	165	57	6	1	
19	Organic diseases of the heart	1,014		1			2	8	27	43	68	130	188	247	203	88	9		
20	Acute bronchitis	66	29	7	1	1		2				2	6	4	10	4			
21	Chronic bronchitis	59	1						1	1	2	3	8	11	14	15	3		
22	Pneumonia	634	57	14	11	4	3	10	18	38	77	86	109	103	77	24	3		
23a	Bronchopneumonia	536	216	69	32	5	3	8	8	10	17	17	29	44	50	23	5		
23b	Other diseases of the respiratory system	93	7		3	1			6	4	7	15	9	12	17	9	3		
24	Diseases of the stomach	87	10	1	1				3	7	16	8	11	10	17	3			
25(37)	Diarrhea and enteritis	564	397	88	7	5	1	6	2	3	4	10	12	11	10	7	1		
26	Appendicitis and typhlitis	74						7	15	10	14	11	10	7					
27	Hernia, intestinal obstruction	69	8	2		1			1	3	8	11	12	12	6	5			
28	Cirrhosis of the liver	70	1								7	15	24	15	7	1			
29	Acute nephritis and Bright's disease	1,003		3	3	2	3	1	11	42	75	164	236	254	154	52	2	1	
30	Diseases of the female genital organs	48							3	11	16	12	3	3					
31	Puerperal fever	42							4	18	19	1							
32	Other puerperal affections	46							7	18	18	3							
33	Congenital debility and malformations	558	553	3	1			1											
34	Senility	92											3	4	36	39	10		
35	Violent deaths (excluding suicide)	479	14	12	14	15	11	32	33	70	66	53	62	44	27	21	5		
36	Suicide	102							6	25	20	17	22	11	1				
(37)	Other defined diseases	1,383	254	28	13	4	8	28	42	87	117	148	221	177	167	73	13	3	
38	Diseases ill-defined or unknown	30	10	6		1				1	1	5	2	2	1	1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	BALTIMORE, MD. (WHITE).																		
	All causes	7,536	1,213	223	92	55	34	125	220	472	622	772	1,069	1,181	987	414	52	3	2
1	Typhoid fever	84					1	6	12	28	11	13	7	2	3				1
2	Typhus fever																		
3	Malaria	1											1						
4	Smallpox																		
5	Measles	16	8	2	1			4	1										
6	Scarlet fever	30	2	5	4	2	3	8	2		3								1
7	Whooping cough	13	7	3	1	2													
8	Diphtheria and croup	75	1	19	13	14	5	13	3	4	3								
9	Influenza	56	2	2				1		1	3	11	4	12	14	4	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	26	5		1				1	1	3	3	2	3	3	4			
13	Tuberculosis of the lungs	703	3	3	2	2	1	4	51	149	164	132	106	63	22	1			
14	Tuberculous meningitis	45	11	10	3	2	3	2	6	3	3	1		1					
15	Other forms of tuberculosis	50	1		1	1		1	2	11	11	8	6	4	4				
16	Cancer and other malignant tumors	566			2	1			5	13	36	94	142	155	90	27	1		
17	Meningitis	35	12	9	2	2	1		1		3	3	1		1				
18	Cerebral hemorrhage and softening	477						1	2	2	11	43	97	124	140	52	5		
19	Organic diseases of the heart	762		1			2	8	21	25	37	81	123	198	183	76	7		
20	Acute bronchitis	46	21	3				2				2	3	3	9	3			
21	Chronic bronchitis	47									2	1	5	9	13	15	2		
22	Pneumonia	434	37	10	11	3	2	8	7	20	41	41	77	86	67	21	3		
23a	Bronchopneumonia	364	134	39	18	3	1	6	4	5	12	8	24	38	46	21	5		
23b	Other diseases of the respiratory system	71	5		2	1			3	2	3	9	8	12	15	8	3		
24	Diseases of the stomach	61	7	1	1				3	3	10	4	9	8	14	1			
25(37)	Diarrhea and enteritis	462	331	75	4	4	1	2		3	2	8	6	9	10	6	1		
26	Appendicitis and typhlitis	63						6	12	6	12	10	10	7					
27	Hernia, intestinal obstruction	56	7	1		1			1	2	6	8	9	11	5	5			
28	Cirrhosis of the liver	62									6	14	22	13	6	1			
29	Acute nephritis and Bright's disease	765		2	2	1	3		10	30	51	105	159	218	135	46	2	1	
30	Diseases of the female genital organs	33							1	4	11	11	3	3					
31	Puerperal fever	32							3	13	16								
32	Other puerperal affections	40							3	17	17	3							
33	Congenital debility and malformations	437	433	2	1			1											
34	Senility	77											1	2	32	35	7		
35	Violent deaths (excluding suicide)	386	11	12	12	13	6	25	28	51	52	41	48	37	26	20	4		
36	Suicide	97							6	24	16	17	22	11	1				
(37)	Other defined diseases	1,049	170	21	11	2	5	27	32	55	77	99	173	150	147	68	10	2	
38	Diseases ill-defined or unknown	15	5	3		1						2	1	2	1				
	BALTIMORE, MD. (COLORED).																		
	All causes	2,472	413	80	33	16	19	39	131	295	307	381	368	208	123	46	11	2	
1	Typhoid fever	37			1			2	10	9	5	9	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	4		2	1	1													
6	Scarlet fever	3			1				1	1									
7	Whooping cough	8	6	2															
8	Diphtheria and croup	2	1				1												
9	Influenza	16		1	1				1	1		5	5		2				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	6	2							1		1		1	1				
13	Tuberculosis of the lungs	442	6	9	4	1	4	10	55	133	99	75	36	8	2				
14	Tuberculous meningitis	14		2		2	1	5	2	2									
15	Other forms of tuberculosis	33	1			1	2	2	7	10	3	3	3		1				
16	Cancer and other malignant tumors	64							1	3	10	19	15	9	5	2			
17	Meningitis	6	1		1	1		1	1	1									
18	Cerebral hemorrhage and softening	147						1		3	9	22	44	36	25	5	1	1	
19	Organic diseases of the heart	252							6	18	31	49	65	49	20	12	2		
20	Acute bronchitis	20	8	4	1	1							3	1	1	1			
21	Chronic bronchitis	12	1						1	1		2	3	2	1		1		
22	Pneumonia	200	20	4		1	1	2	11	18	36	45	32	17	10	3			
23a	Bronchopneumonia	172	82	30	14	2	2	2	4	5	5	9	5	6	4	2			
23b	Other diseases of the respiratory system	22	2		1				3	2	4	6	1		2	1			
24	Diseases of the stomach	26	3							4	6	4	2	2	3	2			
25(37)	Diarrhea and enteritis	102	66	13	3	1		4	2		2	2	6	2		1			
26	Appendicitis and typhlitis	11						1	3	4	2	1							
27	Hernia, intestinal obstruction	13	1	1						1	2	3	3	1	1				
28	Cirrhosis of the liver	8	1								1	1	2	2	1				
29	Acute nephritis and Bright's disease	238		1	1	1		1	1	12	24	59	77	36	19	6			
30	Diseases of the female genital organs	15							2	7	5	1							
31	Puerperal fever	10							1	5	3	1							
32	Other puerperal affections	6							4	1	1								
33	Congenital debility and malformations	121	120	1															
34	Senility	15											2	2	4	4	3		
35	Violent deaths (excluding suicide)	93	3		2	2	5	7	5	19	14	12	14	7	1	1	1		
36	Suicide	5								1	4								
(37)	Other defined diseases	334	84	7	2	2	3	1	10	32	40	49	48	27	20	5	3	1	
38	Diseases ill-defined or unknown	15	5	3						1	1	3	1			1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	BOSTON, MASS. (TOTAL).																		
	All causes	12,020	2,042	539	177	121	96	264	393	819	1,100	1,328	1,513	1,622	1,332	583	85	3	3
1	Typhoid fever	39			1	1			11	9	8	7	1	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	41	9	15	6	2	3	3		1	2								
6	Scarlet fever	83	6	15	9	13	10	13	5	11	1								
7	Whooping cough	111	55	39	10	4	2	1											
8	Diphtheria and croup	218	23	43	29	21	19	61	15	2	3		2						
9	Influenza	32	1	4			1					2	9	3	5	7			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	56	23	2	2	1			1	2	8	4	4	3	4	1		1	
13	Tuberculosis of the lungs	1,027	23	25	6	2	3	8	73	247	248	192	112	59	26	3			
14	Tuberculous meningitis	126	23	28	16	6	12	17	10	5	4	4		1					
15	Other forms of tuberculosis	68	6	2	3	2	1	7	8	11	9	11	5	1	2				
16	Cancer and other malignant tumors	857		1	2		1		5	15	62	149	208	229	143	39	3		
17	Meningitis	84	30	11	4	6	3	6	9	6	1	4	1	2	1				
18	Cerebral hemorrhage and softening	670	2	2					5	3	19	38	121	184	196	94	6		
19	Organic diseases of the heart	1,446	1	4	1	4	1	25	43	66	102	130	212	371	329	133	21	2	1
20	Acute bronchitis	72	39	11	3	2		1		1		1	2	2	3	5	2		
21	Chronic bronchitis	63	1	1							1	3	5	12	23	12	5		
22	Pneumonia	999	127	64	19	6	6	16	23	64	101	131	136	143	105	47	11		
23a	Bronchopneumonia	513	201	97	23	8	6	6	8	8	8	15	29	25	43	28	7		1
23b	Other diseases of the respiratory system	92	7	4	4	2	1	3	3	9	6	18	13	9	10	2			1
24	Diseases of the stomach	70	9	2	1					5	15	9	10	10	5	4			
25(37)	Diarrhea and enteritis	530	387	82	6	5	4	2		5	6	7	12	7	1	4	2		
26	Appendicitis and typhlitis	129			3	2	1	10	28	15	18	19	14	16	3				
27	Hernia, intestinal opstruction	112	16	4	2	2		2	3	6	11	11	18	24	6	6	1		
28	Cirrhosis of the liver	95		1		1			1	1	15	28	26	18	3	1			
29	Acute nephritis and Bright's disease	727	5	4	2	1	1		15	26	54	113	150	167	126	60	3		
30	Diseases of the female genital organs	79								19	23	21	12	1	2	1			
31	Puerperal fever	56							4	28	17	7							
32	Other puerperal affections	107							5	55	38	9							
33	Congenital debility and malformations	668	655	6	3	1	1	2											
34	Senility	26												2	7	11	6		
35	Violent deaths (excluding suicide)	710	26	24	9	15	12	36	55	75	109	110	102	54	56	24	3		
36	Suicide	140							3	26	30	31	26	17	6	1			
(37)	Other defined diseases	1,938	350	43	13	14	8	45	59	98	181	251	279	256	226	100	15		
38	Diseases ill-defined or unknown	36	17	5					1			3	4	5	1				
	BOSTON, MASS. (WHITE).																		
	All causes	11,651	1,987	526	173	119	91	254	380	779	1,043	1,273	1,465	1,582	1,313	577	83	3	3
1	Typhoid fever	38			1	1			11	9	7	7	1	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	40	9	15	5	2	3	3		1	2								
6	Scarlet fever	83	6	15	9	13	10	13	5	11	1								
7	Whooping cough	107	52	38	10	4	2	1											
8	Diphtheria and croup	218	23	43	29	21	19	61	15	2	3		2						
9	Influenza	32	1	4			1					2	9	3	5	7			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	56	23	2	2	1			1	2	8	4	4	3	4	1		1	
13	Tuberculosis of the lungs	958	22	25	4	2		5	69	232	228	182	106	55	25	3			
14	Tuberculous meningitis	120	23	27	16	6	11	15	8	5	4	4		1					
15	Other forms of tuberculosis	61	6	2	3	2	1	7	5	10	7	11	4	1	2				
16	Cancer and other malignant tumors	839		1	2				5	15	61	143	205	225	140	39	3		
17	Meningitis	82	30	11	4	5	3	5	9	6	1	4	1	2	1				
18	Cerebral hemorrhage and softening	653	2	2					5	3	18	37	117	175	195	94	5		
19	Organic diseases of the heart	1,415	1	4	1	4	1	25	43	64	100	120	206	362	328	132	21	2	1
20	Acute bronchitis	70	38	11	3	2		1		1		1	2	2	2	5	2		
21	Chronic bronchitis	63	1	1							1	3	5	12	23	12	5		
22	Pneumonia	961	124	61	19	6	6	16	22	58	95	125	131	140	101	46	11		
23a	Bronchopneumonia	493	192	93	23	7	6	5	8	8	8	15	27	25	40	28	7		1
23b	Other diseases of the respiratory system	91	6	4	4	2	1	3	3	9	6	18	13	9	10	2			1
24	Diseases of the stomach	68	9	2	1					5	13	9	10	10	5	4			
25(37)	Diarrhea and enteritis	519	378	82	5	5	4	2		5	6	7	12	7	1	4	1		
26	Appendicitis and typhlitis	127			3	2	1	10	28	14	18	19	14	16	2				
27	Hernia, intestinal obstruction	106	15	3	2	2		2	3	6	11	10	16	23	6	6	1		
28	Cirrhosis of the liver	94		1		1			1	1	15	27	26	18	3	1			
29	Acute nephritis and Bright's disease	703	5	4	2	1	1		14	24	51	107	140	165	126	60	3		
30	Diseases of the female genital organs	76								18	22	20	12	1	2	1			
31	Puerperal fever	54							4	27	17	6							
32	Other puerperal affections	104							5	53	37	9							
33	Congenital debility and malformations	650	637	6	3	1	1	2											
34	Senility	24												2	6	10	6		
35	Violent deaths (excluding suicide)	690	25	24	9	15	12	33	53	72	104	109	99	53	56	23	3		
36	Suicide	137							3	25	29	31	25	17	6	1			
(37)	Other defined diseases	1,885	343	41	13	14	8	45	59	93	170	240	274	249	223	98	15		
38	Diseases ill-defined or unknown	34	16	4					1			3	4	5	1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	BOSTON, MASS. (COLORED).																		
	All causes	369	55	13	4	2	5	10	13	40	57	55	48	40	19	6	2		
1	Typhoid fever	1									1								
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	1			1														
6	Scarlet fever																		
7	Whooping cough	4	3	1															
8	Diphtheria and croup																		
9	Influenza																		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases																		
13	Tuberculosis of the lungs	69	1		2		3	3	4	15	20	10	6	4	1				
14	Tuberculous meningitis	6		1			1	2	2										
15	Other forms of tuberculosis	7							3	1	2		1						
16	Cancer and other malignant tumors	18					1				1	6	3	4	3				
17	Meningitis	2				1		1											
18	Cerebral hemorrhage and softening	17									1	1	4	9	1		1		
19	Organic diseases of the heart	31								2	2	10	6	9	1	1			
20	Acute bronchitis	2	1												1				
21	Chronic bronchitis																		
22	Pneumonia	38	3	3					1	6	6	6	5	3	4	1			
23a	Bronchopneumonia	20	9	4		1		1					2		3				
23b	Other diseases of the respiratory system	1	1																
24	Diseases of the stomach	2									2								
25(37)	Diarrhea and enteritis	11	9		1												1		
26	Appendicitis and typhlitis	2								1					1				
27	Hernia, intestinal obstruction	6	1	1								1	2	1					
28	Cirrhosis of the liver	1										1							
29	Acute nephritis and Bright's disease	24							1	2	3	6	10	2					
30	Diseases of the female genital organs	3								1	1	1							
31	Puerperal fever	2								1		1							
32	Other puerperal affections	3								2	1								
33	Congenital debility and malformations	18	18																
34	Senility	2													1	1			
35	Violent deaths (excluding suicide)	20	1					3	2	3	5	1	3	1		1			
36	Suicide	3								1	1		1						
(37)	Other defined diseases	53	7	2						5	11	11	5	7	3	2			
38	Diseases ill-defined or unknown	2	1	1															
	CAMBRIDGE, MASS.																		
	All causes	1,461	243	40	16	18	4	27	46	95	107	155	173	224	188	105	18	1	1
1	Typhoid fever	2							1			1							
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	6	4	2															
6	Scarlet fever	4		2			1						1						
7	Whooping cough	13	10	2	1														
8	Diphtheria and croup	28	4	4	1	5		10	3	1									
9	Influenza	6	1							1	1				1	2			
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	4		1						1					1	1			
13	Tuberculosis of the lungs	204	1		2	1		1	19	55	48	43	19	10	4	1			
14	Tuberculous meningitis	7	1		2	1		2			1								
15	Other forms of tuberculosis	10	1					1	3	2			1	2					
16	Cancer and other malignant tumors	122				1			1	1	7	20	31	24	17	18	2		
17	Meningitis	9	5		1		1		1			1							
18	Cerebral hemorrhage and softening	104							1			6	12	39	33	12	1		
19	Organic diseases of the heart	176		1	1				4	2	6	18	28	49	45	18	4		
20	Acute bronchitis	15	6	2									1	2	2	2			
21	Chronic bronchitis	7											1	2		3	1		
22	Pneumonia	106	11	6	3	3		1	3	3	9	13	8	26	14	5	1		
23a	Bronchopneumonia	57	23	8		3		2					4	4	7	3	3		
23b	Other diseases of the respiratory system	8	4	1						1			1		1				
24	Diseases of the stomach	14	5							1		1	3	1	1	1	1		
25(37)	Diarrhea and enteritis	66	50	6					1			1	2	3	2	1			
26	Appendicitis and typhlitis	9							1	2	1	4	1						
27	Hernia, intestinal obstruction	10	1									2	2	1	2	2			
28	Cirrhosis of the liver	8										1	2	2	3				
29	Acute nephritis and Bright's disease	90				2				3	8	14	20	20	15	7	1		
30	Diseases of the female genital organs	7								1		3	3						
31	Puerperal fever	4								1	2	1							
32	Other puerperal affections	9								3	4	2							
33	Congenital debility and malformations	84	82	2															
34	Senility	4												1		3			
35	Violent deaths (excluding suicide)	63	3	1	3	1	2	6	3	5	7	9	5	4	7	7			
36	Suicide	10								2	2		3	2		1			
(37)	Other defined diseases	191	31	2	2	1		4	5	9	11	15	24	31	33	18	4	1	
38	Diseases ill-defined or unknown	3								1			1						1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	FALL RIVER, MASS.																		
	All causes	2,020	653	128	39	31	20	39	72	108	126	143	197	223	156	75	6		4
1	Typhoid fever	19		1	1				6	6	1		4						
2	Typhus fever																		
3	Malaria	1										1							
4	Smallpox																		
5	Measles	18	5	6	3	2		2											
6	Scarlet fever	6		1	1	1	1	2											
7	Whooping cough	27	14	8	2	2	1												
8	Diphtheria and croup	33	3	5	5	5	6	6	3										
9	Influenza	2											1		1				
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	16	6	1	2					1		2	2		1	1			
13	Tuberculosis of the lungs	144	4					1	16	37	35	27	15	9					
14	Tuberculous meningitis	23	4	3	3	1	1	4	2	3	1			1					
15	Other forms of tuberculosis	12	1						4	2		2	1	1	1				
16	Cancer and other malignant tumors	100								2	9	13	23	34	15	4			
17	Meningitis	8	2	2	2	1		1											
18	Cerebral hemorrhage and softening	83						1			8	9	13	17	24	9	2		
19	Organic diseases of the heart	196	5	2	1		1	1	4	8	5	20	33	60	41	15			
20	Acute bronchitis	19	13	5										1					
21	Chronic bronchitis	20	2							2		1	3	4	7	1			
22	Pneumonia	115	14	12	1	5		1	6	4	9	11	14	22	15	1			
23a	Bronchopneumonia	139	77	32	11	4	1	3	1				1	1	4	3	1		
23b	Other diseases of the respiratory system	20	1	1	1		1	2	1	1		1	3	4	1	3			
24	Diseases of the stomach	12	5								1			4		1	1		
25 (37)	Diarrhea and enteritis	307	251	36	5	4		4			2	1		1	1	2			
26	Appendicitis and typhlitis	15					1	2	5	1	5		1						
27	Hernia, intestinal obstruction	18	2						3			2	5	4	1	1			
28	Cirrhosis of the liver	8										4	3		1				
29	Acute nephritis and Bright's disease	130	2	1			2	1	4	11	13	17	30	21	15	12	1		
30	Diseases of the female genital organs	5							1			2			2				
31	Puerperal fever	2								1	1								
32	Other puerperal affections	12								8	2	2							
33	Congenital debility and malformations	155	154		1														
34	Senility	9													3	5	1		
35	Violent deaths (excluding suicide)	77	8	6		2	4	5	7	10	7	5	7	8	4	2			2
36	Suicide	17								1	4		8	2					2
(37)	Other defined diseases	223	63	5		3		3	9	9	21	22	29	28	18	13			
38	Diseases ill-defined or unknown	28	16	1		1	1			1	2	1	1	1	1	2			
	LOWELL, MASS.																		
	All causes	1,820	460	81	26	14	18	35	55	103	132	180	185	220	197	91	21	1	1
1	Typhoid fever	18						1	1	10	4	1	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	1	1																
6	Scarlet fever																		
7	Whooping cough	19	8	4	3	1	2	1											
8	Diphtheria and croup	26	1	4	4	3	8	6											
9	Influenza	4												1	2		1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	8	2	2							1	1	2						
13	Tuberculosis of the lungs	114	1	3					12	22	30	34	9		3				
14	Tuberculous meningitis	15	4	7	2			1	1										
15	Other forms of tuberculosis	14	3						2	4			2	2	1				
16	Cancer and other malignant tumors	89								5	3	10	29	22	15	4	1		
17	Meningitis	14	2	1	1		3		3	1	2	1							
18	Cerebral hemorrhage and softening	107								1	5	10	20	28	24	14	5		
19	Organic diseases of the heart	158	1						5	3	7	21	26	42	39	13	1		
20	Acute bronchitis	53	34	11	3						1			1		3			
21	Chronic bronchitis	17	1							1	2	1	4	1	5	2			
22	Pneumonia	122	18	5	2	3		1	2	1	17	19	14	20	13	4	3		
23a	Bronchopneumonia	84	39	16	3		1	1		2	1	6	3	4	6	2			
23b	Other diseases of the respiratory system	10	1				1			3		1	1	1	1	1			
24	Diseases of the stomach	10	3							1	2		2	2					
25 (37)	Diarrhea and enteritis	191	154	20	6	1		2		1		3		2	2				
26	Appendicitis and typhlitis	14						3	4	5			1		1				
27	Hernia, intestinal obstruction	12	2							1	1	1	2	1	2	2			
28	Cirrhosis of the liver	23									4	7	7	1	3	1			
29	Acute nephritis and Bright's disease	109		2				4	3	4	15	17	22	23	15	3	1		
30	Diseases of the female genital organs	8								5		2	1						
31	Puerperal fever	8								4	4								
32	Other puerperal affections	12							1	6	4	1							
33	Congenital debility and malformations	133	132	1															
34	Senility	17												1	3	9	3	1	
35	Violent deaths (excluding suicide)	87	3	2	2	2	3	8	13	5	13	11	9	10	2	4			
36	Suicide	15							1	4		4	1	2	2	1			
(37)	Other defined diseases	306	50	2		4		7	7	14	16	29	29	55	58	28	6		1
38	Diseases ill-defined or unknown	2		1										1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WORCESTER, MASS.																		
	All causes	2,467	418	75	25	21	14	54	64	166	212	238	322	342	325	165	22	1	3
1	Typhoid fever	9							2	3	3		1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	2		1	1														
6	Scarlet fever	3				2		1											
7	Whooping cough	21	15	3	2		1												
8	Diphtheria and croup	22		5	1	2	2	8	1	1		1		1					
9	Influenza	11		1				1					1	1	2	5			
10	Asiatic cholera																		
11	Cholera nostras	1													1				
12	Other epidemic diseases	10	3								2	1	1	1		2			
13	Tuberculosis of the lungs	184	3	2	1	1			15	48	50	34	19	5	4	2			
14	Tuberculous meningitis	29	7	8	2	4	3	3		2									
15	Other forms of tuberculosis	24	1	1	1	1	1	2	1	3	5	1	5	2					
16	Cancer and other malignant tumors	177			1				1	2	13	31	50	40	25	14			
17	Meningitis	14	1	1	1	2	1	2	1	2	1	2							
18	Cerebral hemorrhage and softening	158				1				2	5	12	27	46	44	21			
19	Organic diseases of the heart	360						5	8	17	23	30	51	84	100	38	4		
20	Acute bronchitis	17	7	2								1	2	1	3	1			
21	Chronic bronchitis	20	2								1	1	1	3	4	6	2		
22	Pneumonia	193	10	6	3		1	6	6	10	23	23	31	30	31	10	3		
23a	Bronchopneumonia	106	45	16	1			4			2	3	5	11	8	10	1		
23b	Other diseases of the respiratory system	13	1	2	2					1		1	2		2	2			
24	Diseases of the stomach	23	5								2	2	5	3	3	2	1		
25(37)	Diarrhea and enteritis	128	98	17	1			2				2	2	1	3	2			
26	Appendicitis and tphlitis	24					1	1	8	6	3	2	2	1					
27	Hernia, intestinal obstruction	17	1							2		2	3	3	6				
28	Cirrhosis of the liver	15								1	2	5	4	1	2				
29	Acute nephritis and Bright's disease	117		1		1		1	1	3	10	17	23	29	20	10	1		
30	Diseases of the female genital organs	7								1	2		2		2				
31	Puerperal fever	11							1	5	5								
32	Other puerperal affections	19							1	12	5	1							
33	Congenital debility and malformations	151	149		1				1										
34	Senility	6																	
35	Violent deaths (excluding suicide)	139	4	4	3	6	2	8	10	12	12	23	15	14	12	10	3		1
36	Suicide	20							2	3	5	3	3	3					1
(37)	Other defined diseases	413	66	4	4	1	2	10	5	30	38	40	67	60	51	28	6	1	
38	Diseases ill-defined or unknown	3		1										1					1
	DETROIT, MICH.																		
	All causes	8,720	2,202	391	137	80	60	172	306	818	827	807	859	905	767	342	47		
1	Typhoid fever	75	1		3	2		6	8	23	17	9	5	1					
2	Typhus fever																		
3	Malaria	2								1			1						
4	Smallpox	1								1									
5	Measles	50	12	21	9	2	3	3											
6	Scarlet fever	26	1	3		4	4	5	2	5	2								
7	Whooping cough	74	42	24	5	2		1											
8	Diphtheria and croup	114	7	18	15	18	8	32	8	4	1	2		1					
9	Influenza	48	4	2	1			2	1		1	5	7	4	10	10	1		
10	Asiatic cholera																		
11	Cholera nostras	3	2												1				
12	Other epidemic diseases	42	13	2		1	1			3	5	5	3	4	4	1			
13	Tuberculosis of the lungs	658	7	4	4			8	66	220	167	82	63	28	9				
14	Tuberculous meningitis	46	14	10	3	1	2	7	1	5	1	1	1						
15	Other forms of tuberculosis	48		1				3	9	16	8	5	4	1	1				
16	Cancer and other malignant tumors	422					1	1	2	9	39	64	134	108	54	9	1		
17	Meningitis	81	31	15	4	3	3	3	5	7	5	1	2	2					
18	Cerebral hemorrhage and softening	338	2	3				1	1	5	11	46	59	95	86	26	3		
19	Organic diseases of the heart	725	3	1		1	1	10	25	46	70	90	110	171	148	45	4		
20	Acute bronchitis	80	41	11	1	5	1	2	1				2	7	1	7	1		
21	Chronic bronchitis	50		1		1		1		1	3	1	4	8	14	16			
22	Pneumonia	586	78	31	16	5	4	9	19	65	76	84	74	73	35	15	2		
23a	Bronchopneumonia	450	227	75	13	11	8	9	5	8	13	6	12	28	23	11	1		
23b	Other diseases of the respiratory system	92	8	4	4	2		1	1	3	7	13	15	8	13	11	2		
24	Diseases of the stomach	147	55	6	2		1			11	12	17	10	12	15	4	2		
25(37)	Diarrhea and enteritis	586	454	84	18	4	1	1	1	2	7	3		7	3		1		
26	Appendicitis and typhlitis	121	1	2			2	9	20	39	22	9	10	5	2				
27	Hernia, intestinal obstruction	93	22	2	1			1	4	11	13	17	9	8	5				
28	Cirrhosis of the liver	107		1		1			2	4	16	25	24	19	14	1			
29	Acute nephritis and Bright's disease	453	7	2	1	1	1	9	15	29	32	74	81	89	79	28	5		
30	Diseases of the female genital organs	48							2	9	14	16	4	2	1				
31	Puerperal fever	70							2	40	23	5							
32	Other puerperal affections	79							7	41	24	7							
33	Congenital debility and malformations	812	807	3	1	1													
34	Senility	182												11	69	80	22		
35	Violent deaths (excluding suicide)	560	17	22	15	11	14	25	50	111	91	66	51	42	28	17			
36	Suicide	116							1	23	35	22	20	8	5	2			
(37)	Other defined diseases	1,315	346	33	19	4	5	23	48	76	111	131	154	161	145	57	2		
38	Diseases ill-defined or unknown	20		10	2						1	1		2	2	2			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	GRAND RAPIDS, MICH.																		
	All causes	1,570	224	24	13	5	10	23	44	130	148	156	193	225	225	134	12	4	
1	Typhoid fever	35						2	11	11	9	1		1					
2	Typhus fever																		
3	Malaria	1									1								
4	Smallpox																		
5	Measles																		
6	Scarlet fever	1						1											
7	Whooping cough	2	1	1															
8	Diphtheria and croup	15	1	1	4	2	3	3	1										
9	Influenza	5	1									1		1	1	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	8	2								1	2	1	2					
13	Tuberculosis of the lungs	107	1				1		8	38	30	19	3	4	3				
14	Tuberculous meningitis	3	2								1								
15	Other forms of tuberculosis	11		1					1	3	2	4							
16	Cancer and other malignant tumors	144								2	12	24	42	34	21	8	1		
17	Meningitis	12	5	1	1				1			1	1	2					
18	Cerebral hemorrhage and softening	99		1				2				8	19	25	27	17			
19	Organic diseases of the heart	168	3	2					3	6	18	12	29	39	39	17			
20	Acute bronchitis	14	6	1		1				1				1	2	2			
21	Chronic bronchitis	5								1			1		2	1			
22	Pneumonia	93	17	2				1	1	7	13	9	7	16	14	5	1		
23a	Bronchopneumonia	27	13	2	2				1	1					3	5			
23b	Other diseases of the respiratory system	20	3					1		1	3	2	1	6	3				
24	Diseases of the stomach	37	10	1			1			3	3	3	8	4	3	1			
25(37)	Diarrhea and enteritis	44	28	5	2	1					2	1		2	3				
26	Appendicitis and typhlitis	16						1	1	5	5	2		1		1			
27	Hernia, intestinal obstruction	17	2		1					2		2	2	4	1	3			
28	Cirrhosis of the liver	11							1	2	2		1	3	1	1			
29	Acute nephritis and Bright's disease	114	5		1		1	1	2	3	10	6	20	26	32	7			
30	Diseases of the female genital organs	12								3	3	4	1	1					
31	Puerperal fever	6								3	3								
32	Other puerperal affections	15								8	6	1							
33	Congenital debility and malformations	93	93																
34	Senility	87												3	26	46	8	4	
35	Violent deaths (excluding suicide)	87	1	1		1	2	6	4	11	9	20	13	5	8	5	1		
36	Suicide	20							1	5	3	4	4	2		1			
(37)	Other defined diseases	239	30	5	2		2	5	8	14	12	29	39	43	36	13	1		
38	Diseases ill-defined or unknown	2										1	1						
	MINNEAPOLIS, MINN.																		
	All causes	4,048	608	72	50	27	24	80	121	378	466	427	547	472	461	270	41	2	2
1	Typhoid fever	27						2	3	11	8			3					
2	Typhus fever																		
3	Malaria																		
4	Smallpox	1												1					
5	Measles	13	4	5	1			2	1										
6	Scarlet fever	11	3		1		2	1	1	3									
7	Whooping cough	17	11	5		1													
8	Diphtheria and croup	63	11	4	8	6	6	13	3	7	1	2	2						
9	Influenza	23	2		1								4	2	7	7			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	14	6			2							3	2	1				
13	Tuberculosis of the lungs	439	3	1	2	2		5	32	125	124	73	46	19	6	1			
14	Tuberculous meningitis	33	7	4	5		1	6	5	5									
15	Other forms of tuberculosis	37		1			1	2	5	9	8	4	4	1	2				
16	Cancer and other malignant tumors	287				1				5	22	43	96	68	36	15	1		
17	Meningitis	22	5	3		1		4	1	1	3	2	1		1				
18	Cerebral hemorrhage and softening	171	1						1		4	16	30	48	50	20	1		
19	Organic diseases of the heart	405	1				1	1	9	21	29	42	75	81	84	53	8		
20	Acute bronchitis	10	3							1		1			3	2			
21	Chronic bronchitis	14							1	1				2	3	5	2		
22	Pneumonia	222	12	4		2		4		14	28	20	39	36	43	19	1		
23a	Bronchopneumonia	173	76	8	9	1	2	4		3	3	1	7	13	23	17	5	1	
23b	Other diseases of the respiratory system	29	3	2	1					4	1	9	1	4	3	1			
24	Diseases of the stomach	37	5			1	1		1	1	5	7	4	7	3	2			
25(37)	Diarrhea and enteritis	125	77	17	8		3	1	1	2	1	6	1	2	2	4			
26	Appendicitis and typhlitis	77	2		1	1		7	11	14	14	12	9	5	1				
27	Hernia, intestinal obstruction	33	5			1			1	1	5	2	5	3	6	3	1		
28	Cirrhosis of the liver	28									2	4	7	7	7	1			
29	Acute nephritis and Bright's disease	369	4	1	1		1	3	5	14	30	48	57	75	85	43	2		
30	Diseases of the female genital organs	23							1	5	7	4	5			1			
31	Puerperal fever	17							1	7	8	1							
32	Other puerperal affections	31							1	14	14	2							
33	Congenital debility and malformations	276	271	3	1		1												
34	Senility	22													4	11	6	1	
35	Violent deaths (excluding suicide)	279	8	4	6	5	4	10	14	42	52	41	35	18	20	15	3		2
36	Suicide	82							2	14	15	19	16	12	2	2			
(37)	Other defined diseases	637	87	10	5	3	1	15	21	54	82	68	100	63	69	48	11		
38	Diseases ill-defined or unknown	1	1																

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	ST. PAUL, MINN.																		
	All causes	2,598	413	54	25	23	20	54	100	234	259	260	391	331	245	161	25		3
1	Typhoid fever	17								8	2	4	1	2					
2	Typhus fever																		
3	Malaria																		
4	Smallpox	1									1								
5	Measles	12	4	4	3				1										
6	Scarlet fever	30	1	1	3	2	5	7	8	2	1								
7	Whooping cough	13	5	5	2			1											
8	Diphtheria and croup	30	2	2	5	5	4	5	4	2		1							
9	Influenza	20		1								2	2	3	6	5	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	8	2					1	1				1		1	1	1		
13	Tuberculosis of the lungs	257	4	1					18	81	68	33	31	16	5				
14	Tuberculous meningitis	29	3	4	1	2	2	6	3	4	1	3							
15	Other forms of tuberculosis	25	1				1	1	5	4	3	5	3	2					
16	Cancer and other malignant tumors	192							2	4	15	21	62	59	24	4	1		
17	Meningitis	21	6	1	1				1	2	2	6	1	1					
18	Cerebral hemorrhage and softening	118								1	1	11	28	31	28	16	2		
19	Organic diseases of the heart	260	1	1		1	2	4	5	8	17	21	47	66	48	35	4		
20	Acute bronchitis	10	5											1	1	3			
21	Chronic bronchitis	20									3	1	1	4	6	5			
22	Pneumonia	156	8	4	1			2	5	10	18	17	23	27	26	10			
23a	Bronchopneumonia	112	50	13	4	3		5			1	5	5	6	12	8			
23b	Other diseases of the respiratory system	28				2	1		2	1	5	3	2	6	4	2			
24	Diseases of the stomach	25	5			1			1	2	2	2	5	3	1	3			
25(37)	Diarrhea and enteritis	73	53	7	1		1			2	2		4	1	1	1			
26	Appendicitis and typhlitis	48		3		1		3	4	14	8	9	1	4	1				
27	Hernia, intestinal obstruction	33	4	1	1		1	3		2	3	2	7	4	1	3	1		
28	Cirrhosis of the liver	27				1			3	2	3	3	8	4	2	1			
29	Acute nephritis and Bright's disease	187				1			3	8	14	25	54	29	31	19	3		
30	Diseases of the female genital organs	13								4	1	4	4						
31	Puerperal fever	9							1	3	5								
32	Other puerperal affections	16								3	11	2							
33	Congenital debility and malformations	196	196																
34	Senility	13														8	5		
35	Violent deaths (excluding suicide)	167	4	2	3	3	2	8	10	28	33	16	21	18	6	11			2
36	Suicide	58								12	13	15	9	5	2	1			1
(37)	Other defined diseases	372	59	4		1	1	8	23	27	26	48	66	38	39	25	7		
38	Diseases ill-defined or unknown	2										1		1					
	KANSAS CITY, MO. (TOTAL).																		
	All causes	4,255	492	90	41	33	24	78	173	451	566	516	563	519	483	185	36	2	3
1	Typhoid fever	28						6	4	5	8	2	2	1					
2	Typhus fever																		
3	Malaria	6									2	1	1	1	1				
4	Smallpox	1											1						
5	Measles	6	2		1	1	1		1										
6	Scarlet fever	4			1	1			1	1									
7	Whooping cough	11	4	3	2	2													
8	Diphtheria and croup	71	3	5	8	8	10	24	8	2	2	1							
9	Influenza	56	2	2		1				2	3	3	3	11	16	8	5		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	23	3	3				1		2	2	4	3	1	1	3			
13	Tuberculosis of the lungs	455	8	3			4	4	25	138	139	61	46	18	7	2			
14	Tuberculous meningitis	18	4	4	1	2	1	3	1		1		1						
15	Other forms of tuberculosis	31	1	1		1		1	4	5	6	6	2	3	1				
16	Cancer and other malignant tumors	287		1					1	6	27	51	81	71	41	8			
17	Meningitis	14	1	2					2	2	3	1	1	1	1				
18	Cerebral hemorrhage and softening	185	1						1	1	9	16	37	48	53	15	4		
19	Organic diseases of the heart	428					1	3	10	22	46	69	75	91	74	29	8		
20	Acute bronchitis	22	8	2	1	1			1				2	1	5	1			
21	Chronic bronchitis	17	2							1			2	2	4	6			
22	Pneumonia	336	25	10	5		1	4	8	30	49	46	50	50	39	18	1		
23a	Bronchopneumonia	117	49	10	3	3	2	2	5	3	3	4	7	6	11	7	1	1	
23b	Other diseases of the respiratory system	28	2			1		1		5	4	5	4	4	1	1			
24	Diseases of the stomach	35	3	2	1					2	4	3	5	4	5	5	1		
25(37)	Diarrhea and enteritis	164	103	21	8	4	1	1	3		3	5	4	4	4	3			
26	Appendicitis and typhlitis	69				1		2	17	16	17	9	1	4	2				
27	Hernia, intestinal obstruction	46	4	2					1	5	7	6	4	11	6				
28	Cirrhosis of the liver	40						1		1	5	8	14	5	6				
29	Acute nephritis and Bright's disease	395	5	1	2				7	16	37	62	76	79	76	23	10	1	
30	Diseases of the female genital organs	37							3	12	10	8	3		1				
31	Puerperal fever	25							4	16	5								
32	Other puerperal affections	25							5	15	5								
33	Congenital debility and malformations	146	144	1				1											
34	Senility	10													2	6	2		
35	Violent deaths (excluding suicide)	348	4	6	6	5	1	13	35	56	79	51	42	21	14	13	1		1
36	Suicide	89							6	30	11	19	16	5	2				
(37)	Other defined diseases	670	112	11	2	2	2	11	20	57	77	74	79	74	109	37	3		
38	Diseases ill-defined or unknown	12	2								2	1	1	3	1				2

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KANSAS CITY, MO. (WHITE).																		
	All causes	3,540	437	70	31	30	21	67	128	348	416	402	458	472	452	174	31		3
1	Typhoid fever	21						4	1	5	7	1	2	1					
2	Typhus fever																		
3	Malaria	3									1			1	1				
4	Smallpox	1											1						
5	Measles	6	2		1	1	1		1										
6	Scarlet fever	3			1	1			1										
7	Whooping cough	8	4	2	1	1													
8	Diphtheria and croup	65	2	5	7	8	10	23	6	1	2	1							
9	Influenza	49	2	1		1				1	1	2	3	10	16	7	5		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	19	3	3				1			2	2	3	1	1	3			
13	Tuberculosis of the lungs	304	6	1			1		12	97	93	40	30	17	6	1			
14	Tuberculous meningitis	18	4	4	1	2	1	3	1		1		1						
15	Other forms of tuberculosis	24	1			1		1	4	2	5	5	1	3	1				
16	Cancer and other malignant tumors	268		1					1	6	25	46	74	69	39	7			
17	Meningitis	11	1	2						2	2	1	1	1	1				
18	Cerebral hemorrhage and softening	167	1							1	6	14	29	46	52	15	3		
19	Organic diseases of the heart	336					1	3	7	16	24	46	57	80	68	26	8		
20	Acute bronchitis	20	8	2	1	1							1	1	5	1			
21	Chronic bronchitis	16	2							1			1	2	4	6			
22	Pneumonia	258	17	6	3		1	3	8	19	30	29	43	47	35	16	1		
23a	Bronchopneumonia	87	39	6	2	1	2	1	3		3	4	5	5	9	6	1		
23b	Other diseases of the respiratory system	23	2			1		1		5	2	5	2	3	1	1			
24	Diseases of the stomach	33	3	2	1					2	4	3	5	3	5	4	1		
25(37)	Diarrhea and enteritis	147	93	17	7	4	1	1	2		2	5	4	4	4	3			
26	Appendicitis and typhlitis	64				1		2	17	13	15	9	1	4	2				
27	Hernia, intestinal obstruction	41	4	2						4	7	5	4	9	6				
28	Cirrhosis of the liver	32						1			3	5	12	5	6				
29	Acute nephritis and Bright's disease	302	5	1					5	11	24	43	54	65	65	23	6		
30	Diseases of the female genital organs	32							2	12	8	7	2		1				
31	Puerperal fever	19							3	12	4								
32	Other puerperal affections	24							5	15	4								
33	Congenital debility and malformations	132	130	1				1											
34	Senility	10													2	6	2		
35	Violent deaths (excluding suicide)	290	4	5	4	5	1	12	28	43	64	43	33	19	14	13	1		1
36	Suicide	85							5	28	11	18	16	5	2				
(37)	Other defined diseases	610	102	9	2	2	2	10	16	52	64	67	72	68	105	36	3		
38	Diseases ill-defined or unknown	12	2								2	1	1	3	1				2
	KANSAS CITY, MO. (COLORED).																		
	All causes	715	55	20	10	3	3	11	45	103	150	114	105	47	31	11	5	2	
1	Typhoid fever	7						2	3		1	1							
2	Typhus fever																		
3	Malaria	3									1	1	1						
4	Smallpox																		
5	Measles																		
6	Scarlet fever	1								1									
7	Whooping cough	3		1	1	1													
8	Diphtheria and croup	6	1		1			1	2	1									
9	Influenza	7		1						1	2	1		1		1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	4								2		2							
13	Tuberculosis of the lungs	151	2	2			3	4	13	41	46	21	16	1	1	1			
14	Tuberculous meningitis																		
15	Other forms of tuberculosis	7		1						3	1	1	1						
16	Cancer and other malignant tumors	19									2	5	7	2	2	1			
17	Meningitis	3							2		1								
18	Cerebral hemorrhage and softening	18							1		3	2	8	2	1		1		
19	Organic diseases of the heart	92							3	6	22	23	18	11	6	3			
20	Acute bronchitis	2							1				1						
21	Chronic bronchitis	1											1						
22	Pneumonia	78	8	4	2			1		11	19	17	7	3	4	2			
23a	Bronchopneumonia	30	10	4	1	2		1	2	3			2	1	2	1		1	
23b	Other diseases of the respiratory system	5									2		2	1					
24	Diseases of the stomach	2												1		1			
25(37)	Diarrhea and enteritis	17	10	4	1				1		1								
26	Appendicitis and typhlitis	5								3	2								
27	Hernia, intestinal obstruction	5							1	1		1		2					
28	Cirrhosis of the liver	8								1	2	3	2						
29	Acute nephritis and Bright's disease	93			2				2	5	13	19	22	14	11		4	1	
30	Diseases of the female genital organs	5							1		2	1	1						
31	Puerperal fever	6							1	4	1								
32	Other puerperal affections	1									1								
33	Congenital debility and malformations	14	14																
34	Senility																		
35	Violent deaths (excluding suicide)	58		1	2			1	7	13	15	8	9	2					
36	Suicide	4							1	2		1							
(37)	Other defined diseases	60	10	2				1	4	5	13	7	7	6	4	1			
38	Diseases ill-defined or unknown																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	ST. LOUIS, MO. (TOTAL).																		
	All causes	10,293	1,181	272	138	83	48	213	356	876	1,124	1,310	1,464	1,440	1,186	540	57	3	2
1	Typhoid fever	51		2				4	9	18	7	6	4	1					
2	Typhus fever																		
3	Malaria	19			1	2			2	2	2	2	4	1	2	1			
4	Smallpox																		
5	Measles	55	11	27	4	2	1	8	1	1									
6	Scarlet fever	22	1	6	4	2	1	4	4										
7	Whooping cough	25	11	8	3	2		1											
8	Diphtheria and croup	196	17	26	24	26	14	57	21	4		2	3		1	1			
9	Influenza	89	10	6	3	2		2	2	6	3	6	11	9	18	11			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	44	15	3	1					3	2	2	5	6	5	2			
13	Tuberculosis of the lungs	961	13	5	4	3	1	6	82	290	255	181	81	32	8				
14	Tuberculous meningitis	50	9	7	5	5		5	5	9	3	1		1					
15	Other forms of tuberculosis	66	1	1	1	1		2	5	23	14	10	3	4	1				
16	Cancer and other malignant tumors	705	1	2				1	4	16	53	133	196	165	103	28	3		
17	Meningitis	40	7	3	5	1	1	7	5	3	3	2	1		1				1
18	Cerebral hemorrhage and softening	474						1	1	2	13	59	94	140	125	39			
19	Organic diseases of the heart	995	7	1	1	1	1	9	34	50	93	133	176	198	205	78	6	2	
20	Acute bronchitis	105	41	10	3	2	1	2			1	3	3	12	7	16	4		
21	Chronic bronchitis	93	2							4	5	4	14	16	24	21	2	1	
22	Pneumonia	704	47	24	8	5	6	11	8	60	81	100	130	100	89	32	3		
23a	Bronchopneumonia	356	124	42	21	1	6	5	3	4	10	16	13	33	41	27	10		
23b	Other diseases of the respiratory system	69	6	1		1	1		2	9	7	10	10	8	12	2			
24	Diseases of the stomach	81	13		1			1	2	6	6	10	12	14	12	3	1		
25(37)	Diarrhea and enteritis	412	276	60	18	4	2	6	2	6	8	6	5	10	8	1			
26	Appendicitis and typhlitis	134			1			10	34	26	33	13	11	3	3				
27	Hernia, intestinal obstruction	100	10	1				4	1	2	8	13	17	19	16	9			
28	Cirrhosis of the liver	181		1				1		3	26	40	53	40	14	2	1		
29	Acute nephritis and Bright's disease	1,261	4	1	1	2	2	10	16	40	97	176	271	314	213	105	9		
30	Diseases of the female genital organs	61							2	10	19	21	6	1	2				
31	Puerperal fever	54							5	32	16	1							
32	Other puerperal affections	37							2	15	17	3							
33	Congenital debility and malformations	382	374	7	1														
34	Senility	11													3	6	2		
35	Violent deaths (excluding suicide)	587	11	14	11	10	5	31	36	102	105	84	63	48	34	30	2		1
36	Suicide	272							11	50	56	62	45	33	11	4			
(37)	Other defined diseases	1,598	170	13	17	11	6	25	57	80	181	211	231	232	228	122	14		
38	Diseases ill-defined or unknown	3		1									2						
	ST. LOUIS, MO. (WHITE).																		
	All causes	9,088	1,093	236	128	73	41	194	306	710	916	1,103	1,299	1,317	1,105	513	51	1	2
1	Typhoid fever	44		2				3	7	16	6	5	4	1					
2	Typhus fever																		
3	Malaria	14				2			2	2		1	3	1	2	1			
4	Smallpox																		
5	Measles	54	11	26	4	2	1	8	1	1									
6	Scarlet fever	22	1	6	4	2	1	4	4										
7	Whooping cough	24	11	8	3	1		1											
8	Diphtheria and croup	187	16	26	23	25	11	56	20	4		2	2		1	1			
9	Influenza	86	10	6	3	2		2	2	6	3	6	10	9	18	9			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	42	14	3	1					3	2	1	5	6	5	2			
13	Tuberculosis of the lungs	747	13	3	3	2	1	4	60	225	200	140	64	27	5				
14	Tuberculous meningitis	43	9	6	5	5		4	3	8	1	1		1					
15	Other forms of tuberculosis	45	1		1	1		1	3	14	9	10	3	1	1				
16	Cancer and other malignant tumors	656	1	2				1	4	13	47	125	180	153	100	28	2		
17	Meningitis	36	6	3	4	1		7	5	3	3	1	1		1				1
18	Cerebral hemorrhage and softening	422							1	1	10	48	79	131	117	35			
19	Organic diseases of the heart	849	7	1	1	1	1	9	31	41	70	102	146	172	185	76	5	1	
20	Acute bronchitis	98	38	8	2	1	1	2			1	3	3	12	7	16	4		
21	Chronic bronchitis	85	1							2	4	4	13	16	23	20	2		
22	Pneumonia	590	41	17	7	3	6	7	6	44	58	83	114	90	82	30	2		
23a	Bronchopneumonia	315	108	32	18	1	3	5	3	3	7	15	12	31	40	27	10		
23b	Other diseases of the respiratory system	58	6	1		1	1		2	4	6	7	9	7	12	2			
24	Diseases of the stomach	72	13		1				1	4	5	9	11	13	12	3			
25(37)	Diarrhea and enteritis	387	264	53	18	4	2	6	2	4	7	5	4	9	8	1			
26	Appendicitis and typhlitis	124			1			10	33	23	29	11	11	3	3				
27	Hernia, intestinal obstruction	92	8	1				3	1	2	6	11	17	19	15	9			
28	Cirrhosis of the liver	168		1				1		2	23	36	50	38	14	2	1		
29	Acute nephritis and Bright's disease	1,123	4	1	1	2	2	9	11	39	78	144	244	284	197	98	9		
30	Diseases of the female genital organs	50							1	9	15	16	6	1	2				
31	Puerperal fever	48							4	29	14	1							
32	Other puerperal affections	33							2	11	17	3							
33	Congenital debility and malformations	356	348	7	1														
34	Senility	11													3	6	2		
35	Violent deaths (excluding suicide)	514	10	12	11	6	5	28	32	83	84	75	60	44	33	28	2		1
36	Suicide	266							10	49	55	60	45	33	10	4			
(37)	Other defined diseases	1,425	152	11	16	11	6	23	55	65	156	178	201	215	209	115	12		
38	Diseases ill-defined or unknown	2											2						

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	ST. LOUIS, MO. (COLORED).																		
	All causes	1,205	88	36	10	10	7	19	50	166	208	207	165	123	81	27	6	2	
1	Typhoid fever	7						1	2	2	1	1							
2	Typhus fever																		
3	Malaria	5			1						2	1	1						
4	Smallpox																		
5	Measles	1		1															
6	Scarlet fever																		
7	Whooping cough	1				1													
8	Diphtheria and croup	9	1		1	1	3	1	1				1						
9	Influenza	3											1			2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	2	1									1							
13	Tuberculosis of the lungs	214		2	1	1		2	22	65	55	41	17	5	3				
14	Tuberculous meningitis	7		1				1	2	1	2								
15	Other forms of tuberculosis	21		1				1	2	9	5			3					
16	Cancer and other malignant tumors	49								3	6	8	16	12	3		1		
17	Meningitis	4	1		1		1					1							
18	Cerebral hemorrhage and softening	52						1		1	3	11	15	9	8	4			
19	Organic diseases of the heart	146							3	9	23	31	30	26	20	2	1	1	
20	Acute bronchitis	7	3	2	1	1													
21	Chronic bronchitis	8	1							2	1		1		1	1		1	
22	Pneumonia	114	6	7	1	2		4	2	16	23	17	16	10	7	2	1		
23a	Bronchopneumonia	41	16	10	3		3			1	3	1	1	2	1				
23b	Other diseases of the respiratory system	11								5	1	3	1	1					
24	Diseases of the stomach	9						1	1	2	1	1	1	1			1		
25(37)	Diarrhea and enteritis	25	12	7						2	1	1	1	1					
26	Appendicitis and typhlitis	10							1	3	4	2							
27	Hernia, intestinal obstruction	8	2					1			2	2			1				
28	Cirrhosis of the liver	13								1	3	4	3	2					
29	Acute nephritis and Bright's disease	138						1	5	1	19	32	27	30	16	7			
30	Diseases of the female genital organs	11							1	1	4	5							
31	Puerperal fever	6							1	3	2								
32	Other puerperal affections	4								4									
33	Congenital debility and malformations	26	26																
34	Senility																		
35	Violent deaths (excluding suicide)	73	1	2		4		3	4	19	21	9	3	4	1	2			
36	Suicide	6							1	1	1	2			1				
(37)	Other defined diseases	173	18	2	1			2	2	15	25	33	30	17	19	7	2		
38	Diseases ill-defined or unknown	1		1															
	OMAHA, NEBR.																		
	All causes	1,986	190	59	23	19	10	52	85	172	236	262	287	239	229	108	13	2	
1	Typhoid fever	10						1	1	6	1	1							
2	Typhus fever																		
3	Malaria	3	1		1									1					
4	Smallpox																		
5	Measles	13	3	3	2		1	3	1										
6	Scarlet fever	23		3		1		10	5	3	1								
7	Whooping cough	17	9	5	2	1													
8	Diphtheria and croup	37	1	3	6	7	2	15	2	1									
9	Influenza	23	3	1								1	3	4	8	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	12	2	1	1				1		2	3		2					
13	Tuberculosis of the lungs	152	1	2				1	4	38	37	29	26	9	5				
14	Tuberculous meningitis	7	4	1					1				1						
15	Other forms of tuberculosis	8								2		2	2	2					
16	Cancer and other malignant tumors	134	1	1						2	10	23	42	34	20	1			
17	Meningitis	9	2	1					1	2	2	1							
18	Cerebral hemorrhage and softening	73	1							1	3	11	14	15	19	9			
19	Organic diseases of the heart	133	2						9	8	16	22	25	21	22	8			
20	Acute bronchitis	4	1	1	1										1				
21	Chronic bronchitis	11										1		2	7	1			
22	Pneumonia	110	3	2		2		1	3	17	15	19	21	16	8	2	1		
23a	Bronchopneumonia	124	29	15	3	3	3	7	3	1	1		4	11	20	22	2		
23b	Other diseases of the respiratory system	29						1	2	2	4	5	4	5	4	2			
24	Diseases of the stomach	28	3						4		3	5	6	1	3	3			
25(37)	Diarrhea and enteritis	54	23	13	2		1	2			3	2	2	2	2	2			
26	Appendicitis and typhlitis	46	1		1			2	11	8	10	3	3	4	3				
27	Hernia, intestinal obstruction	35	2	1		1		3		4	8	6	4	2	3	1			
28	Cirrhosis of the liver	17									4	1	8	4					
29	Acute nephritis and Bright's disease	124							2	2	8	14	28	30	31	8		1	
30	Diseases of the female genital organs	29							1	2	12	10	2		1	1			
31	Puerperal fever	20							1	9	8	2							
32	Other puerperal affections	10								5	4	1							
33	Congenital debility and malformations	73	72					1											
34	Senility	33												1	9	16	7		
35	Violent deaths (excluding suicide)	121	2	1	3	3	1	2	12	21	26	14	10	14	9	3			
36	Suicide	68							2	13	13	17	16	6	1				
(37)	Other defined diseases	390	24	4	1	1	2	3	19	25	44	69	66	53	51	24	3	1	
38	Diseases ill-defined or unknown	6		1							1				2	2			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	JERSEY CITY, N. J.																		
	All causes	4,347	892	247	83	50	42	104	161	305	445	496	526	481	359	137	15	3	1
1	Typhoid fever	17				1		1		9	2	1	1	2					
2	Typhus fever																		
3	Malaria	1												1					
4	Smallpox																		
5	Measles	53	17	20	7	1	5	2			1								
6	Scarlet fever	15		2	1	5		5		1		1							
7	Whooping cough	39	21	11	2	3	1	1											
8	Diphtheria and croup	59	4	13	11	4	10	13	2		1			1					
9	Influenza	19	2			2			3	2		1	1	4	4				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	15	5	2					1				4	2	1				
13	Tuberculosis of the lungs	434	4	5	1		1	4	27	100	142	78	40	25	6	1			
14	Tuberculous meningitis	37	9	5	3	2	2	10	4		2								
15	Other forms of tuberculosis	24	4	1	1	3	1	2	2	3		3	3	1					
16	Cancer and other malignant tumors	228		1				1	2	3	12	54	66	54	25	9		1	
17	Meningitis	37	13	5	2	3	2	3	2	2	1	1	1		1		1		
18	Cerebral hemorrhage and softening	235					3	1		2	7	23	49	70	58	20	2		
19	Organic diseases of the heart	365		1	1	1		7	18	17	30	46	71	72	70	27	4		
20	Acute bronchitis	43	30	1	2							1	1		6		2		
21	Chronic bronchitis	18							1		2	2		5	4	3	1		
22	Pneumonia	364	56	26	14	5	3	13	9	42	37	38	48	45	18	9	1		
23a	Bronchopneumonia	217	95	53	13	5	2		6	1	4	2	8	8	14	5		1	
23b	Other diseases of the respiratory system	32	6	4					1	3	3	4	1	3	6	1			
24	Diseases of the stomach	32	5						2	1	4	9	3	5	1	2			
25(37)	Diarrhea and enteritis	379	260	67	14	5		5	3		5	2	4	11	1	2			
26	Appendicitis and typhlitis	44	1	1			2	4	10	7	4	8	6		1				
27	Hernia, intestinal obstruction	40	5			2			1	3	3	4	7	7	7	1			
28	Cirrhosis of the liver	56						1		1	9	10	20	9	6				
29	Acute nephritis and Bright's disease	380	2	1	1			4	12	17	45	72	78	77	49	21	1		
30	Diseases of the female genital organs	16								5	4	5			1	1			
31	Puerperal fever	26							2	15	8	1							
32	Other puerperal affections	26							2	10	13	1							
33	Congenital debility and malformations	248	244	1	1		1		1										
34	Senility	22												2	8	10	1	1	
35	Violent deaths (excluding suicide)	262	7	15	6	5	5	14	27	30	44	54	30	9	9	7			
36	Suicide	56							4	8	14	16	9	4	1				
(37)	Other defined diseases	501	100	7	3	3	4	13	19	23	48	59	75	64	62	18	2		1
38	Diseases ill-defined or unknown	7	2	5															
	NEWARK, N. J.																		
	All causes	5,241	940	189	69	51	43	107	191	387	509	652	662	674	537	198	31	1	
1	Typhoid fever	11							3	6	1	1							
2	Typhus fever																		
3	Malaria	1		1															
4	Smallpox																		
5	Measles	20	6	9	4			1											
6	Scarlet fever	2	1					1											
7	Whooping cough	35	17	9	3	3	2	1											
8	Diphtheria and croup	22	2	5	1	3	2	7	1	1									
9	Influenza	24	7	2	1				1			1	2	1	8		1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	21	8						1	1	2	1	2	3	1	1	1		
13	Tuberculosis of the lungs	643	3	2		4	2	2	53	150	157	150	81	25	13	1			
14	Tuberculous meningitis	69	15	14	6	6	5	13	3	5	1	1							
15	Other forms of tuberculosis	31		3		1		5	6	6	4	4	1	1					
16	Cancer and other malignant tumors	366							3	6	40	68	91	82	62	13	1		
17	Meningitis	41	9	2	2	1	3	4	6	1	6	4		1	1	1			
18	Cerebral hemorrhage and softening	257	1					1	1		7	22	59	70	72	21	3		
19	Organic diseases of the heart	531	2	2			1	8	29	24	30	61	87	136	98	49	4		
20	Acute bronchitis	31	22	2								1			6				
21	Chronic bronchitis	22								1	1	1	3	5	4	6	1		
22	Pneumonia	365	37	30	7	7	5	8	8	26	40	54	46	52	35	10			
23a	Bronchopneumonia	173	71	33	17	5	5	3	1	2	3	3	8	9	8	5			
23b	Other diseases of the respiratory system	41	3	4	3	3		1	3	1	2	2	7	9	2		1		
24	Diseases of the stomach	42	6							4	4	10	8	5	3	2			
25(37)	Diarrhea and enteritis	354	258	47	11	4	2	2	2	3	3	2	4	6	5	3	2		
26	Appendicitis and typhlitis	46		1		1	1	3	11	9	3	11	4	1		1			
27	Hernia, intestinal obstruction	39	4					3	1	3	7	4	6	7	4				
28	Cirrhosis of the liver	88		1						6	10	22	25	13	9	2			
29	Acute nephritis and Bright's disease	496	2	1	1	1	2	6	11	17	42	72	93	117	95	29	6	1	
30	Diseases of the female genital organs	26								4	9	13							
31	Puerperal fever	26							1	17	6	2							
32	Other puerperal affections	36							2	18	11	5							
33	Congenital debility and malformations	331	327	3				1											
34	Senility	35												5	18	9	3		
35	Violent deaths (excluding suicide)	295	10	9	7	9	7	19	22	34	47	43	22	26	26	11	3		
36	Suicide	66							1	7	14	12	20	10	2				
(37)	Other defined diseases	653	128	8	6	3	6	18	21	35	59	82	93	90	65	34	5		
38	Diseases ill-defined or unknown	2	1	1															

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PATERSON, N. J.																		
	All causes	1,796	261	48	16	11	10	37	76	117	180	212	240	264	223	91	10		
1	Typhoid fever	6							1	1	1	2	1						
2	Typhus fever																		
3	Malaria	1												1					
4	Smallpox																		
5	Measles	1				1													
6	Scarlet fever																		
7	Whooping cough	9	6	2	1														
8	Diphtheria and croup	19	1	5	3	2	3	5											
9	Influenza	8	1	1									1	2	1	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	8			1							2			4	1			
13	Tuberculosis of the lungs	166	1		1			1	19	40	42	38	11	10	3				
14	Tuberculous meningitis	7	3	1			1			1		1							
15	Other forms of tuberculosis	10						2	3	1	3	1							
16	Cancer and other malignant tumors	126			1						15	17	24	42	19	7	1		
17	Meningitis	11	6	1				1	1			1				1			
18	Cerebral hemorrhage and softening	105									4	5	22	30	31	12	1		
19	Organic diseases of the heart	214	2	2				2	8	10	17	26	31	48	46	19	3		
20	Acute bronchitis	15	11	1								1			1	1			
21	Chronic bronchitis	9									1		1	1	4	2			
22	Pneumonia	133	18	4	3	1		3	5	8	15	18	25	20	11	2			
23a	Bronchopneumonia	68	25	13	3			1		2	2	5	5	3	7	2			
23b	Other diseases of the respiratory system	14		1					1	1	1	2	3	3		2			
24	Diseases of the stomach	14	2						1		2	3	3	2	1				
25(37)	Diarrhea and enteritis	69	50	8	1	1		1	2	1	1	1		1	2				
26	Appendicitis and typhlitis	19						2	6	4	2	2	3						
27	Hernia, intestinal obstruction	16						1		2	2	3	4	2	2				
28	Cirrhosis of the liver	17									1	2	7	3	3	1			
29	Acute nephritis and Bright's disease	214		1				1	2	5	14	31	48	46	43	21	2		
30	Diseases of the female genital organs	11									1	8	1	1					
31	Puerperal fever	5								2	3								
32	Other puerperal affections	14							1	8	4	1							
33	Congenital debility and malformations	87	87																
34	Senility	24												3	9	10	2		
35	Violent deaths (excluding suicide)	126	3	3	1	5	5	13	15	15	19	14	13	10	9		1		
36	Suicide	31							1	3	7	2	9	5	4				
(37)	Other defined diseases	215	45	4		1	1	4	10	13	23	26	27	31	22	8			
38	Diseases ill-defined or unknown	4		1	1								1		1				
	ALBANY, N. Y.																		
	All causes	2,075	271	62	16	16	15	30	61	133	196	247	282	321	278	134	13		
1	Typhoid fever	13						1	3	2	6			1					
2	Typhus fever																		
3	Malaria	1					1												
4	Smallpox																		
5	Measles	2			1				1										
6	Scarlet fever	3				1			1			1							
7	Whooping cough	15	10	4	1														
8	Diphtheria and croup	18	1	4	3	4	2	2	1		1								
9	Influenza	25	5	2						1	1	1	2	6	5	2			
10	Asiatic cholera																		
11	Cholera nostras	1		1															
12	Other epidemic diseases	6	2			1					1				2				
13	Tuberculosis of the lungs	271	10	2	1			1	19	49	65	72	37	12	2	1			
14	Tuberculous meningitis	13	4	5	1				1	2									
15	Other forms of tuberculosis	16	3	1					1	2	4	2	1	1	1				
16	Cancer and other malignant tumors	147							2	3	7	23	43	40	20	8	1		
17	Meningitis	16	6	2		1		2	1			1	3						
18	Cerebral hemorrhage and softening	109	1								4	9	19	26	29	21			
19	Organic diseases of the heart	233	4	1				3	5	4	12	20	28	64	64	28			
20	Acute bronchitis	10	5	1	1						1				1	1			
21	Chronic bronchitis	14										1	1	2	6	4			
22	Pneumonia	123	12	10	3	1	1	2	7	4	10	16	16	23	14	4			
23a	Bronchopneumonia	51	15	3		2	3		1		1	2	1	10	8	3	2		
23b	Other diseases of the respiratory system	17	1		1	1				1	1	2	2	1	4	3			
24	Diseases of the stomach	17	1	1						4	2	1	3		4	1			
25(37)	Diarrhea and enteritis	83	57	15			2			1	1	1	1	2	1	1	1		
26	Appendicitis and typhlitis	28					3	2	3	6	5	5	2	2					
27	Hernia, intestinal obstruction	18	4								2	4	4	1	2	1			
28	Cirrhosis of the liver	28								3	3	8	3	4	6	1			
29	Acute nephritis and Bright's disease	196	2			1		2	2	5	14	21	46	51	38	14			
30	Diseases of the female genital organs	13								4	1	6	1		1				
31	Puerperal fever	10								5	5								
32	Other puerperal affections	9								5	3	1							
33	Congenital debility and malformations	89	87		1			1											
34	Senility	6													1	3	2		
35	Violent deaths (excluding suicide)	105	3	4	1	1		8	8	18	17	6	14	9	7	9			
36	Suicide	18								1	4	3	2	8					
(37)	Other defined diseases	348	38	5	1	2	3	6	5	13	25	41	53	58	62	29	7		
38	Diseases ill-defined or unknown	3		1	1	1													

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910; BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	BUFFALO, N. Y.																		
	All causes	6,852	1,364	262	101	66	33	144	234	542	573	665	928	829	722	330	56	3	
1	Typhoid fever	46					1	3	7	18	7	8	1		1				
2	Typhus fever																		
3	Malaria	1									1								
4	Smallpox																		
5	Measles	50	10	17	10	5	1	4	3										
6	Scarlet fever	25	1	4	4	6		7		2	1								
7	Whooping cough	21	9	9	1			2											
8	Diphtheria and croup	77	5	16	14	12	7	15	4	1	1		1	1					
9	Influenza	30	5	3	1				1		1	3	4	2	5	5			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	31	6	1				1	1	2	2	6	6	1	4		1		
13	Tuberculosis of the lungs	637	1	3	4	1	1	5	65	199	146	107	64	33	7	1			
14	Tuberculous meningitis	53	5	17	5	3	2	7	4	7	3								
15	Other forms of tuberculosis	34		3	1	1		4	5	8	7	1	3	1					
16	Cancer and other malignant tumors	438		1				1	3	8	31	73	137	107	69	6	2		
17	Meningitis	29	8	2		2		4	4	1	4	2	2						
18	Cerebral hemorrhage and softening	326		1				1	2	4	9	33	82	70	74	45	5		
19	Organic diseases of the heart	719	8		1		1	12	17	29	29	53	121	176	183	75	13	1	
20	Acute bronchitis	45	21	6		1		1				2		3	6	4	1		
21	Chronic bronchitis	28										4	3	6	5	10			
22	Pneumonia	403	39	26	9	6	2	7	8	32	39	58	47	56	43	26	4	1	
23a	Bronchopneumonia	357	138	54	20	9	3	8	4	3	6	12	20	23	34	20	2	1	
23b	Other diseases of the respiratory system	59	5	1		4	1			5	6	5	5	15	9	2	1		
24	Diseases of the stomach	70	22	3						5	8	8	8	7	6	2	1		
25(37)	Diarrhea and enteritis	541	417	65	14	4	2	1	3	2	3	3	6	9	9	3			
26	Appendicitis and typhlitis	85	1			1	3	12	17	18	11	10	9		3				
27	Hernia, intestinal obstruction	55	12		2			2		2	2	8	12	7	6	2			
28	Cirrhosis of the liver	80			1				1	1	9	18	27	15	6	1	1		
29	Acute nephritis and Bright's disease	557	9	6	1	3		4	9	16	44	53	124	131	105	44	8		
30	Diseases of the female genital organs	37							1	12	10	10	3	1					
31	Puerperal fever	37							5	19	11	2							
32	Other puerperal affections	39								17	17	5							
33	Congenital debility and malformations	383	377	1	5														
34	Senility	25												1	12	7	5		
35	Violent deaths (excluding suicide)	366	7	7	4	6	4	24	35	66	55	44	50	31	22	9	2		
36	Suicide	47							2	6	11	8	13	5	2				
(37)	Other defined diseases	1,119	257	16	4	2	5	19	33	59	99	129	179	128	111	68	10		
38	Diseases ill-defined or unknown	2	1										1						
	NEW YORK, N. Y. (TOTAL).																		
	All causes	76,241	13,850	3,572	1,370	861	595	1,684	2,631	5,798	7,572	9,307	9,936	9,293	6,772	2,621	356	18	5
1	Typhoid fever	327		5	1	3	2	20	79	106	50	32	21	5	3				
2	Typhus fever																		
3	Malaria	15		1			2				1	3	3	2	2	1			
4	Smallpox																		
5	Measles	662	161	305	101	39	15	32	2	5	1	1							
6	Scarlet fever	310	11	44	52	54	24	83	26	8	6	1	1						
7	Whooping cough	395	207	112	38	22	6	9	1										
8	Diphtheria and croup	1,271	147	312	205	155	146	233	42	12	8	5	2	3	1				
9	Influenza	394	46	19	7	6	3	7	13	26	27	37	52	59	56	32	4		
10	Asiatic cholera																		
11	Cholera nostras	4	1	1				1	1										
12	Other epidemic diseases	411	176	23	9		1	2	7	20	35	39	38	28	24	7	2		
13	Tuberculosis of the lungs	9,142	81	81	40	21	10	74	663	2,110	2,395	1,977	1,101	436	133	19	1		
14	Tuberculous meningitis	800	180	152	99	59	45	103	61	37	37	21	4	1	1				
15	Other forms of tuberculosis	379	26	30	11	9	11	27	47	81	45	48	28	9	7				
16	Cancer and other malignant tumors	4,650	9	3	7	2	6	14	23	112	374	920	1,346	1,122	578	123	11		
17	Meningitis	297	70	45	18	12	10	29	30	24	20	20	10	9					
18	Cerebral hemorrhage and softening	2,887	4	2		1		1	7	27	84	297	652	796	725	269	21		1
19	Organic diseases of the heart	8,769	22	11	6	14	11	156	338	382	642	999	1,423	2,130	1,813	722	98	2	
20	Acute bronchitis	680	440	85	17	6	3	7	1	2	7	5	9	22	33	38	4	1	
21	Chronic bronchitis	281	6	5				1	7	6	7	13	31	55	79	64	7		
22	Pneumonia	6,277	563	391	168	67	47	116	223	517	731	949	954	859	514	159	17		2
23a	Bronchopneumonia	4,415	1,950	950	240	113	47	78	40	43	76	120	157	226	229	127	19		
23b	Other diseases of the respiratory system	581	76	51	22	16	6	15	13	35	53	46	76	60	63	40	9		
24	Diseases of the stomach	366	46	6	3	1		2	5	29	62	69	57	45	29	9	3		
25(37)	Diarrhea and enteritis	4,370	3,325	625	102	44	25	32	8	19	28	35	27	35	36	22	6	1	
26	Appendicitis and typhlitis	713	3	3	12	5	10	46	116	120	134	115	86	44	17	2			
27	Hernia, intestinal obstruction	547	78	8	1	1	4	5	10	22	42	82	104	99	71	15	5		
28	Cirrhosis of the liver	845	4		1		1	1	7	14	109	237	245	142	75	8	1		
29	Acute nephritis and Bright's disease	6,684	31	21	13	17	7	33	100	245	586	1,081	1,451	1,530	1,111	408	49	1	
30	Diseases of the female genital organs	287							1	54	84	91	35	14	7	1			
31	Puerperal fever	362							26	196	118	22							
32	Other puerperal affections	417							16	200	176	25							
33	Congenital debility and malformations	4,361	4,296	33	11	4	4	8	1	2	1	1							
34	Senility	289											3	22	102	121	36	5	
35	Violent deaths (excluding suicide)	3,759	133	93	108	116	90	328	329	575	559	525	377	266	172	75	11	1	1
36	Suicide	993							31	180	223	238	176	98	38	9			
(37)	Other defined diseases	9,257	1,757	125	74	73	58	221	356	587	850	1,253	1,465	1,175	853	350	52	7	1
38	Diseases ill-defined or unknown	44	1	30	4	1	1		1	2	1		2	1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (WHITE).																		
	All causes	73,542	13,333	3,403	1,316	831	572	1,643	2,522	5,426	7,130	8,925	9,676	9,134	6,673	2,589	349	15	5
1	Typhoid fever	320		5	1	3	2	20	78	103	47	32	21	5	3				
2	Typhus fever																		
3	Malaria	14		1			2				1	3	3	2	1	1			
4	Smallpox																		
5	Measles	650	160	297	99	39	14	32	2	5	1	1							
6	Scarlet fever	308	11	44	52	54	24	83	25	7	6	1	1						
7	Whooping cough	370	200	103	34	18	5	9	1										
8	Diphtheria and croup	1,242	140	305	202	153	144	228	41	12	6	5	2	3	1				
9	Influenza	379	43	19	7	5	3	6	13	26	27	35	51	57	51	32	4		
10	Asiatic cholera																		
11	Cholera nostras	4	1	1				1	1										
12	Other epidemic diseases	404	173	23	9		1	2	7	18	35	37	38	28	24	7	2		
13	Tuberculosis of the lungs	8,569	74	70	33	19	9	66	610	1,939	2,228	1,885	1,062	425	130	18	1		
14	Tuberculous meningitis	755	174	146	93	55	42	95	59	32	33	20	4	1	1				
15	Other forms of tuberculosis	352	25	27	10	8	9	26	42	76	42	44	27	9	7				
16	Cancer and other malignant tumors	4,556	9	3	7	2	6	14	23	103	354	893	1,322	1,113	575	121	11		
17	Meningitis	285	68	44	17	11	9	29	29	20	19	20	10	9					
18	Cerebral hemorrhage and softening	2,820	4	2		1		1	7	26	77	282	631	784	717	266	21		1
19	Organic diseases of the heart	8,541	21	9	6	14	11	155	327	371	608	950	1,387	2,090	1,732	713	95	2	
20	Acute bronchitis	650	425	73	16	6	3	7	1	2	7	5	9	21	32	38	4	1	
21	Chronic bronchitis	278	5	5				1	7	6	7	13	30	54	79	64	7		
22	Pneumonia	6,017	542	368	163	63	46	111	218	469	682	901	929	847	504	155	17		2
23a	Bronchopneumonia	4,244	1,862	911	228	108	44	77	38	42	74	119	151	220	225	126	19		
23b	Other diseases of the respiratory system	566	74	51	22	16	6	15	13	31	50	43	75	59	63	39	9		
24	Diseases of the stomach	358	45	5	3	1		2	5	27	61	68	56	44	29	9	3		
25 (37)	Diarrhea and enteritis	4,217	3,216	598	96	42	23	31	8	19	27	33	25	34	36	22	6	1	
26	Appendicitis and typhlitis	687	3	3	12	5	9	44	112	111	127	114	84	44	17	2			
27	Hernia, intestinal obstruction	527	73	8	1	1	4	5	10	19	39	75	103	98	71	15	5		
28	Cirrhosis of the liver	833	4		1		1	1	7	14	104	233	244	141	74	8	1		
29	Acute nephritis and Bright's disease	6,465	29	18	13	15	7	33	95	229	545	1,038	1,405	1,493	1,094	403	47	1	
30	Diseases of the female genital organs	271							1	50	77	88	34	13	7	1			
31	Puerperal fever	349							23	188	116	22							
32	Other puerperal affections	404							15	194	171	24							
33	Congenital debility and malformations	4,200	4,136	33	10	4	4	8	1	2	1	1							
34	Senility	283											3	20	101	120	35	4	
35	Violent deaths (excluding suicide)	3,659	128	89	106	115	85	323	325	557	538	502	370	262	172	75	11		1
36	Suicide	984							31	177	220	235	176	98	38	9			
(37)	Other defined diseases	8,940	1,687	114	72	72	58	218	346	549	799	1,203	1,421	1,159	839	345	51	6	1
38	Diseases ill-defined or unknown	41	1	28	3	1	1		1	2	1		2	1					
	NEW YORK, N. Y. (COLORED).																		
	All causes	2,699	517	169	54	30	23	41	109	372	442	382	260	159	99	32	7	3	
1	Typhoid fever	7							1	3	3								
2	Typhus fever																		
3	Malaria	1													1				
4	Smallpox																		
5	Measles	12	1	8	2		1												
6	Scarlet fever	2							1	1									
7	Whooping cough	25	7	9	4	4	1												
8	Diphtheria and croup	29	7	7	3	2	2	5	1		2								
9	Influenza	15	3			1		1				2	1	2	5				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	7	3							2		2							
13	Tuberculosis of the lungs	573	7	11	7	2	1	8	53	171	167	92	39	11	3	1			
14	Tuberculous meningitis	45	6	6	6	4	3	8	2	5	4	1							
15	Other forms of tuberculosis	27	1	3	1	1	2	1	5	5	3	4	1						
16	Cancer and other malignant tumors	94								9	20	27	24	9	3	2			
17	Meningitis	12	2	1	1	1	1		1	4	1								
18	Cerebral hemorrhage and softening	67								1	7	15	21	12	8	3			
19	Organic diseases of the heart	228	1	2				1	11	11	34	49	36	40	31	9	3		
20	Acute bronchitis	30	15	12	1									1	1				
21	Chronic bronchitis	3	1										1	1					
22	Pneumonia	260	21	23	5	4	1	5	5	48	49	48	25	12	10	4			
23a	Bronchopneumonia	171	88	39	12	5	3	1	2	1	2	1	6	6	4	1			
23b	Other diseases of the respiratory system	15	2							4	3	3	1	1		1			
24	Diseases of the stomach	8	1	1						2	1	1	1	1					
25 (37)	Diarrhea and enteritis	153	109	27	6	2	2	1			1	2	2	1					
26	Appendicitis and typhlitis	26					1	2	4	9	7	1	2						
27	Hernia, intestinal obstruction	20	5							3	3	7	1	1					
28	Cirrhosis of the liver	12									5	4	1	1	1				
29	Acute nephritis and Bright's disease	219	2	3		2			5	16	41	43	46	37	17	5	2		
30	Diseases of the female genital organs	16								4	7	3	1	1					
31	Puerperal fever	13							3	8	2								
32	Other puerperal affections	13							1	6	5	1							
33	Congenital debility and malformations	161	160		1														
34	Senility	6												2	1	1	1	1	
35	Violent deaths (excluding suicide)	100	5	4	2	1	5	5	4	18	21	23	7	4				1	
36	Suicide	9								3	3	3							
(37)	Other defined diseases	317	70	11	2	1		3	10	38	51	50	44	16	14	5	1	1	
38	Diseases ill-defined or unknown	3		2	1														

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (BRONX BOROUGH, TOTAL).																		
	All causes	7,570	1,288	306	123	78	51	167	308	653	765	872	1,019	963	687	247	39	3	1
1	Typhoid fever	26			1	1		3	4	9	5	2	1						
2	Typhus fever																		
3	Malaria	2										1			1				
4	Smallpox																		
5	Measles	42	11	18	7		1	3		1	1								
6	Scarlet fever	25		1	3	9	2	8	2										
7	Whooping cough	40	27	10	2			1											
8	Diphtheria and croup	142	13	25	23	17	13	42	5	1	1		1	1					
9	Influenza	36	4	1	1	1			1	2	3	3	6	10	3	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	48	26	2	2					4	5	3	1	3	1	1			
13	Tuberculosis of the lungs	967	5	2	2	4			82	259	250	191	115	37	19	1			
14	Tuberculous meningitis	70	18	10	9	4		13	7	2	4	2	1						
15	Other forms of tuberculosis	33	3	3			2	4	7	4	1	4	2		3				
16	Cancer and other malignant tumors	511	1	1	1		1	2	3	12	40	101	152	125	53	18	1		
17	Meningitis	32	6	5	2	3	1	4	1	3	2	1	2	2					
18	Cerebral hemorrhage and softening	294							1	2	10	29	68	80	79	23	2		
19	Organic diseases of the heart	772	1				1	18	43	41	58	76	127	181	150	64	12		
20	Acute bronchitis	35	20	6								1	1	3	1	2		1	
21	Chronic bronchitis	21								1	2	2		4	4	8			
22	Pneumonia	660	66	37	13	4	5	6	24	55	66	89	101	108	60	23	2		1
23a	Bronchopneumonia	379	169	77	16	8	1	3	4	4	7	13	16	23	27	7	4		
23b	Other diseases of the respiratory system	63	9	6	3	3	1	1	2	4	5	4	11	3	6	5			
24	Diseases of the stomach	37	5	1						4	9	4		11	2	1			
25(37)	Diarrhea and enteritis	327	222	64	6	5	4		1	4	1	5	3	3	7	1	1		
26	Appendicitis and typhlitis	79		1	4	1		5	12	11	18	8	8	7	4				
27	Hernia, intestinal obstruction	52	11	1			2	1	1	2	4	9	9	6	5		1		
28	Cirrhosis of the liver	74							1	1	10	11	26	16	9				
29	Acute nephritis and Bright's disease	684	5	4	2			3	14	22	52	103	157	166	110	40	5	1	
30	Diseases of the female genital organs	39							1	7	10	12	8		1				
31	Puerperal fever	52							2	31	15	4							
32	Other puerperal affections	45							2	25	14	4							
33	Congenital debility and malformations	469	462	2	1		1	3											
34	Senility	26												1	13	7	5		
35	Violent deaths (excluding suicide)	343	12	10	15	10	10	28	28	67	50	40	31	19	13	9		1	
36	Suicide	97							4	19	20	25	13	8	6	2			
(37)	Other defined diseases	1,041	192	16	10	8	6	19	55	56	101	125	157	146	110	34	6		
38	Diseases ill-defined or unknown	7		3					1		1		2						
	NEW YORK, N. Y. (BRONX BOROUGH, WHITE).																		
	All causes	7,446	1,271	301	118	76	51	165	300	634	749	857	1,005	960	678	239	39	2	1
1	Typhoid fever	26			1	1		3	4	9	5	2	1						
2	Typhus fever																		
3	Malaria	2										1			1				
4	Smallpox																		
5	Measles	41	11	18	6		1	3		1	1								
6	Scarlet fever	25		1	3	9	2	8	2										
7	Whooping cough	37	25	9	2			1											
8	Diphtheria and croup	140	13	25	23	17	13	41	4	1	1		1	1					
9	Influenza	36	4	1	1	1			1	2	3	3	6	10	3	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	48	26	2	2					4	5	3	1	3	1	1			
13	Tuberculosis of the lungs	942	5	1	1	3			78	251	244	190	113	37	18	1			
14	Tuberculous meningitis	66	18	10	7	4		12	7	1	4	2	1						
15	Other forms of tuberculosis	31	3	2			2	4	6	4	1	4	2		3				
16	Cancer and other malignant tumors	503	1	1	1		1	2	3	11	38	99	151	125	53	16	1		
17	Meningitis	31	6	5	2	2	1	4	1	3	2	1	2	2					
18	Cerebral hemorrhage and softening	293							1	2	10	29	67	80	79	23	2		
19	Organic diseases of the heart	755	1				1	18	43	41	54	72	126	180	146	61	12		
20	Acute bronchitis	34	19	6								1	1	3	1	2		1	
21	Chronic bronchitis	21								1	2	2		4	4	8			
22	Pneumonia	651	66	36	13	4	5	6	23	53	66	87	101	107	59	22	2		1
23a	Bronchopneumonia	377	167	77	16	8	1	3	4	4	7	13	16	23	27	7	4		
23b	Other diseases of the respiratory system	63	9	6	3	3	1	1	2	4	5	4	11	3	6	5			
24	Diseases of the stomach	36	5	1						3	9	4		11	2	1			
25(37)	Diarrhea and enteritis	324	220	63	6	5	4		1	4	1	5	3	3	7	1	1		
26	Appendicitis and typhlitis	78		1	4	1		5	12	11	17	8	8	7	4				
27	Hernia, intestinal obstruction	51	11	1			2	1	1	2	3	9	9	6	5		1		
28	Cirrhosis of the liver	74							1	1	10	11	26	16	9				
29	Acute nephritis and Bright's disease	676	5	4	2			3	14	22	52	102	152	166	108	40	5	1	
30	Diseases of the female genital organs	38							1	6	10	12	8		1				
31	Puerperal fever	52							2	31	15	4							
32	Other puerperal affections	43							2	23	14	4							
33	Congenital debility and malformations	463	456	2	1		1	3											
34	Senility	26												1	13	7	5		
35	Violent deaths (excluding suicide)	336	12	10	15	10	10	28	27	64	49	39	31	19	13	9			
36	Suicide	97							4	19	20	25	13	8	6	2			
(37)	Other defined diseases	1,023	188	16	9	8	6	19	55	56	100	121	153	145	109	32	6		
38	Diseases ill-defined or unknown	7		3					1		1		2						

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (BRONX BOROUGH, COLORED).																		
	All causes	124	17	5	5	2		2	8	19	16	15	14	3	9	8		1	
1	Typhoid fever																		
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	1			1														
6	Scarlet fever																		
7	Whooping cough	3	2	1															
8	Diphtheria and croup	2						1	1										
9	Influenza																		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases																		
13	Tuberculosis of the lungs	25		1	1	1			4	8	6	1	2		1				
14	Tuberculous meningitis	4			2			1		1									
15	Other forms of tuberculosis	2		1					1										
16	Cancer and other malignant tumors	8								1	2	2	1			2			
17	Meningitis	1				1													
18	Cerebral hemorrhage and softening	1											1						
19	Organic diseases of the heart	17									4	4	1	1	4	3			
20	Acute bronchitis	1	1																
21	Chronic bronchitis																		
22	Pneumonia	9		1					1	2		2		1	1	1			
23a	Bronchopneumonia	2	2																
23b	Other diseases of the respiratory system																		
24	Diseases of the stomach	1								1									
25(37)	Diarrhea and enteritis	3	2	1															
26	Appendicitis and typhlitis	1									1								
27	Hernia, intestinal obstruction	1									1								
28	Cirrhosis of the liver																		
29	Acute nephritis and Bright's disease	8										1	5		2				
30	Diseases of the female genital organs	1								1									
31	Puerperal fever																		
32	Other puerperal affections	2								2									
33	Congenital debility and malformations	6	6																
34	Senility																		
35	Violent deaths (excluding suicide)	7							1	3	1	1						1	
36	Suicide																		
(37)	Other defined diseases	18	4		1						1	4	4	1	1	2			
38	Diseases ill-defined or unknown																		
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).																		
	All causes	26,060	4,510	1,211	445	286	215	651	927	1,901	2,489	3,025	3,381	3,286	2,560	1,026	138	7	2
1	Typhoid fever	145		1			2	9	41	49	24	10	7		2				
2	Typhus fever																		
3	Malaria	7									1	1	3	2					
4	Smallpox																		
5	Measles	130	31	56	24	6	5	7	1										
6	Scarlet fever	113	3	12	23	16	8	31	13	3	3	1							
7	Whooping cough	85	45	23	8	4	2	3											
8	Diphtheria and croup	429	42	100	70	52	46	88	20	2	5	1	1	1	1				
9	Influenza	169	18	9	2	2	2	2	6	13	13	16	24	19	29	12	2		
10	Asiatic cholera																		
11	Cholera nostras	3		1				1	1										
12	Other epidemic diseases	116	41	9	3		1	1	5	5	10	14	8	10	8	1			
13	Tuberculosis of the lungs	2,816	25	29	12	5	3	31	220	662	761	587	322	119	32	7	1		
14	Tuberculous meningitis	232	44	48	27	15	14	31	21	13	12	5	1		1				
15	Other forms of tuberculosis	136	11	9		2	1	13	18	29	16	19	12	4	2				
16	Cancer and other malignant tumors	1,525	3		1	1	1	6	9	21	107	299	444	349	229	50	5		
17	Meningitis	91	23	12	7	3	4	9	11	3	5	9	4	1					
18	Cerebral hemorrhage and softening	1,118	2	1				1	1	7	25	94	237	308	311	120	11		
19	Organic diseases of the heart	3,752	8	4	3	7	6	69	119	155	261	424	605	927	799	318	47		
20	Acute bronchitis	313	201	39	9	5	3	5	1	1	4	2	4	10	13	15	1		
21	Chronic bronchitis	129	3	4				1	1	2	3	3	13	31	39	25	4		
22	Pneumonia	2,159	189	147	62	28	18	49	76	169	242	288	332	308	190	52	8		1
23a	Bronchopneumonia	1,533	645	364	91	42	23	34	19	10	26	37	52	73	72	40	5		
23b	Other diseases of the respiratory system	213	17	21	6	7	2	6	4	15	19	24	25	28	19	15	5		
24	Diseases of the stomach	140	12	2	1			2	4	10	20	35	22	11	16	4	1		
25(37)	Diarrhea and enteritis	1,572	1,202	215	30	20	11	16	5	6	6	12	9	13	12	12	2	1	
26	Appendicitis and typhlitis	248		1	3	2	5	21	49	40	46	39	23	13	5	1			
27	Hernia, intestinal obstruction	193	32	3		1	1		4	9	12	25	35	38	26	7			
28	Cirrhosis of the liver	290					1	1	3	6	41	78	81	49	25	4	1		
29	Acute nephritis and Bright's disease	1,970	7	7	3	6	1	10	39	84	193	334	406	432	312	124	12		
30	Diseases of the female genital organs	109								18	31	37	14	6	3				
31	Puerperal fever	111							6	53	43	9							
32	Other puerperal affections	163							7	78	67	11							
33	Congenital debility and malformations	1,310	1,281	15	4	2	2	2		2	1	1							
34	Senility	93											1	5	25	47	12	3	
35	Violent deaths (excluding suicide)	1,217	35	31	24	35	35	111	102	182	170	165	148	89	56	29	4		1
36	Suicide	299							7	49	67	64	61	34	15	2			
(37)	Other defined diseases	3,121	590	40	32	25	18	91	114	204	255	381	487	405	318	141	17	3	
38	Diseases ill-defined or unknown	10		8						1				1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).																		
	All causes	25,362	4,379	1,167	430	282	210	643	903	1,812	2,374	2,941	3,298	3,238	2,521	1,020	136	6	2
1	Typhoid fever	142		1			2	9	41	48	22	10	7		2				
2	Typhus fever																		
3	Malaria	7									1	1	3	2					
4	Smallpox																		
5	Measles	129	31	56	24	6	4	7	1										
6	Scarlet fever	112	3	12	23	16	8	31	13	2	3	1							
7	Whooping cough	80	44	21	7	4	1	3											
8	Diphtheria and croup	422	41	98	69	50	46	88	20	2	4	1	1	1	1				
9	Influenza	158	16	9	2	1	2	1	6	13	13	16	23	17	25	12	2		
10	Asiatic cholera																		
11	Cholera nostras	3		1				1	1										
12	Other epidemic diseases	112	41	9	3		1	1	5	3	10	12	8	10	8	1			
13	Tuberculosis of the lungs	2,682	23	28	10	5	3	29	209	626	716	564	313	117	31	7	1		
14	Tuberculous meningitis	221	43	45	25	15	14	29	21	11	11	5	1		1				
15	Other forms of tuberculosis	129	11	9		2		13	16	28	15	18	11	4	2				
16	Cancer and other malignant tumors	1,504	3		1	1	1	6	9	19	106	295	435	345	228	50	5		
17	Meningitis	88	23	11	6	3	4	9	11	3	4	9	4	1					
18	Cerebral hemorrhage and softening	1,098	2	1				1	1	7	22	89	229	306	309	120	11		
19	Organic diseases of the heart	3,674	8	3	3	7	6	68	117	150	251	411	590	912	785	318	45		
20	Acute bronchitis	300	194	35	9	5	3	5	1	1	4	2	4	9	12	15	1		
21	Chronic bronchitis	127	3	4				1	1	2	3	3	12	30	39	25	4		
22	Pneumonia	2,095	179	139	60	28	18	49	74	159	233	280	327	306	184	50	8		1
23a	Bronchopneumonia	1,501	630	355	88	41	22	34	19	10	26	37	50	73	71	40	5		
23b	Other diseases of the respiratory system	209	17	21	6	7	2	6	4	14	19	23	25	27	19	14	5		
24	Diseases of the stomach	138	11	2	1			2	4	10	19	35	22	11	16	4	1		
25(37)	Diarrhea and enteritis	1,524	1,168	207	27	20	11	15	5	6	6	11	8	13	12	12	2	1	
26	Appendicitis and typhlitis	242		1	3	2	4	21	48	37	45	39	23	13	5	1			
27	Hernia, intestinal obstruction	187	30	3		1	1		4	8	10	24	35	38	26	7			
28	Cirrhosis of the liver	286					1	1	3	6	37	78	81	49	25	4	1		
29	Acute nephritis and Bright's disease	1,918	6	7	3	6	1	10	39	82	184	324	393	419	308	124	12		
30	Diseases of the female genital organs	105								17	29	37	13	6	3				
31	Puerperal fever	107							6	50	42	9							
32	Other puerperal affections	158							6	76	66	10							
33	Congenital debility and malformations	1,269	1,240	15	4	2	2	2		2	1	1							
34	Senility	91											1	5	25	46	12	2	
35	Violent deaths (excluding suicide)	1,194	34	30	24	35	35	111	100	178	163	161	145	88	56	29	4		1
36	Suicide	297							7	48	66	64	61	34	15	2			
(37)	Other defined diseases	3,043	578	36	32	25	18	90	111	193	243	371	473	401	313	139	17	3	
38	Diseases ill-defined or unknown	10		8						1				1					
	NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).																		
	All causes	698	131	44	15	4	5	8	24	89	115	84	83	48	39	6	2	1	
1	Typhoid fever	3								1	2								
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	1					1												
6	Scarlet fever	1								1									
7	Whooping cough	5	1	2	1		1												
8	Diphtheria and croup	7	1	2	1	2					1								
9	Influenza	11	2			1		1					1	2	4				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	4								2		2							
13	Tuberculosis of the lungs	134	2	1	2			2	11	36	45	23	9	2	1				
14	Tuberculous meningitis	11	1	3	2			2		2	1								
15	Other forms of tuberculosis	7					1		2	1	1	1	1						
16	Cancer and other malignant tumors	21								2	1	4	9	4	1				
17	Meningitis	3		1	1						1								
18	Cerebral hemorrhage and softening	20									3	5	8	2	2				
19	Organic diseases of the heart	78		1				1	2	5	10	13	15	15	14		2		
20	Acute bronchitis	13	7	4										1	1				
21	Chronic bronchitis	2											1	1					
22	Pneumonia	64	10	8	2				2	10	9	8	5	2	6	2			
23a	Bronchopneumonia	32	15	9	3	1	1						2		1				
23b	Other diseases of the respiratory system	4								1		1		1		1			
24	Diseases of the stomach	2	1								1								
25(37)	Diarrhea and enteritis	48	34	8	3			1				1	1						
26	Appendicitis and typhlitis	6					1		1	3	1								
27	Hernia, intestinal obstruction	6	2							1	2	1							
28	Cirrhosis of the liver	4									4								
29	Acute nephritis and Bright's disease	52	1							2	9	10	13	13	4				
30	Diseases of the female genital organs	4								1	2		1						
31	Puerperal fever	4								3	1								
32	Other puerperal affections	5							1	2	1	1							
33	Congenital debility and malformations	41	41																
34	Senility	2														1		1	
35	Violent deaths (excluding suicide)	23	1	1					2	4	7	4	3	1					
36	Suicide	2								1	1								
(37)	Other defined diseases	78	12	4				1	3	11	12	10	14	4	5	2			
38	Diseases ill-defined or unknown																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).																		
	All causes	36,176	6,853	1,848	691	420	274	718	1,161	2,773	3,762	4,686	4,718	4,200	2,849	1,069	146	6	2
1	Typhoid fever	129		4		2		6	25	43	16	17	10	5	1				
2	Typhus fever																		
3	Malaria	3					1					1				1			
4	Smallpox																		
5	Measles	447	109	215	61	28	9	20		4		1							
6	Scarlet fever	142	6	28	23	26	12	34	8	3	1		1						
7	Whooping cough	232	111	70	26	17	3	4	1										
8	Diphtheria and croup	604	89	169	100	64	72	82	14	8	2	3		1					
9	Influenza	149	22	9	4	3		4	4	7	9	13	16	22	19	15	2		
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	221	100	9	4			1	2	10	19	16	27	13	14	4	2		
13	Tuberculosis of the lungs	4,681	48	45	22	11	6	39	310	1,016	1,231	1,035	593	245	70	10			
14	Tuberculous meningitis	439	104	84	56	36	24	53	28	20	18	13	2	1					
15	Other forms of tuberculosis	181	8	16	8	6	8	8	19	42	26	20	14	4	2				
16	Cancer and other malignant tumors	2,235	4	2	5	1	3	4	10	69	193	454	657	535	246	47	5		
17	Meningitis	153	39	25	7	5	4	12	16	17	11	8	4	5					
18	Cerebral hemorrhage and softening	1,149	2	1		1			3	15	42	151	259	324	257	89	4		1
19	Organic diseases of the heart	3,477	9	6	2	7	3	60	142	153	271	424	580	837	679	267	35	2	
20	Acute bronchitis	296	200	36	7			2		1	3	2	2	8	15	18	2		
21	Chronic bronchitis	107	2						4	2	2	6	16	19	30	23	3		
22	Pneumonia	3,030	275	192	88	32	22	50	103	264	370	507	453	379	217	73	5		
23a	Bronchopneumonia	2,160	961	459	108	53	19	31	16	27	36	66	81	120	112	62	9		
23b	Other diseases of the respiratory system	254	43	22	12	5	2	7	5	11	25	14	37	26	28	13	4		
24	Diseases of the stomach	159	27	3	2	1			1	10	27	26	30	16	10	4	2		
25(37)	Diarrhea and enteritis	2,076	1,587	308	45	15	9	10	2	9	17	18	11	18	17	8	2		
26	Appendicitis and typhlitis	327	3	1	5	1	5	18	44	56	62	54	49	23	5	1			
27	Hernia, intestinal obstruction	253	29	4	1		1	3	5	9	21	42	49	46	33	6	4		
28	Cirrhosis of the liver	389	4		1				3	7	48	122	107	63	30	4			
29	Acute nephritis and Bright's disease	3,356	16	9	7	10	5	16	38	107	294	555	753	765	558	196	27		
30	Diseases of the female genital organs	120								25	40	37	10	5	2	1			
31	Puerperal fever	169							15	95	50	9							
32	Other puerperal affections	172							6	81	76	9							
33	Congenital debility and malformations	2,173	2,147	13	6	2	1	3	1										
34	Senility	132											2	14	50	53	12	1	
35	Violent deaths (excluding suicide)	1,903	73	45	57	59	36	167	170	279	297	286	166	136	95	32	5		
36	Suicide	498							14	98	124	126	84	37	11	4			
(37)	Other defined diseases	4,337	833	58	30	35	28	84	152	284	431	651	705	533	348	138	23	3	1
38	Diseases ill-defined or unknown	22	1	15	4		1			1									
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).																		
	All causes	34,436	6,502	1,733	664	398	257	689	1,093	2,523	3,468	4,425	4,567	4,103	2,808	1,056	142	6	2
1	Typhoid fever	125		4		2		6	24	41	15	17	10	5	1				
2	Typhus fever																		
3	Malaria	3					1					1				1			
4	Smallpox																		
5	Measles	437	108	207	60	28	9	20		4		1							
6	Scarlet fever	141	6	28	23	26	12	34	7	3	1		1						
7	Whooping cough	216	107	64	23	14	3	4	1										
8	Diphtheria and croup	584	83	164	98	64	70	78	14	8	1	3		1					
9	Influenza	145	21	9	4	3		4	4	7	9	11	16	22	18	15	2		
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	218	97	9	4			1	2	10	19	16	27	13	14	4	2		
13	Tuberculosis of the lungs	4,295	43	36	20	11	5	33	277	896	1,121	971	566	238	69	9			
14	Tuberculous meningitis	409	99	81	54	32	21	48	26	18	15	12	2	1					
15	Other forms of tuberculosis	165	7	14	7	5	7	7	17	38	24	19	14	4	2				
16	Cancer and other malignant tumors	2,173	4	2	5	1	3	4	10	64	177	433	643	530	245	47	5		
17	Meningitis	146	37	25	7	5	3	12	15	14	11	8	4	5					
18	Cerebral hemorrhage and softening	1,111	2	1		1			3	14	38	141	249	315	253	89	4		1
19	Organic diseases of the heart	3,357	8	5	2	7	3	60	135	147	252	394	562	815	669	262	34	2	
20	Acute bronchitis	281	193	29	6			2		1	3	2	2	8	15	18	2		
21	Chronic bronchitis	106	1						4	2	2	6	16	19	30	23	3		
22	Pneumonia	2,854	264	178	85	28	21	46	101	230	332	473	434	370	215	72	5		
23a	Bronchopneumonia	2,032	893	430	103	49	18	30	14	26	34	65	77	114	109	61	9		
23b	Other diseases of the respiratory system	244	42	22	12	5	2	7	5	8	22	12	36	26	28	13	4		
24	Diseases of the stomach	154	27	2	2	1			1	9	27	25	29	15	10	4	2		
25(37)	Diarrhea and enteritis	1,981	1,518	292	43	13	7	10	2	9	16	17	10	17	17	8	2		
26	Appendicitis and typhlitis	310	3	1	5	1	5	16	41	51	57	53	48	23	5	1			
27	Hernia, intestinal obstruction	241	26	4	1		1	3	5	7	21	37	48	45	33	6	4		
28	Cirrhosis of the liver	382	4		1				3	7	48	118	106	62	29	4			
29	Acute nephritis and Bright's disease	3,211	15	7	7	8	5	16	34	93	263	526	726	747	548	191	25		
30	Diseases of the female genital organs	109								23	35	34	10	4	2	1			
31	Puerperal fever	160							12	90	49	9							
32	Other puerperal affections	166							6	79	72	9							
33	Congenital debility and malformations	2,066	2,041	13	5	2	1	3	1										
34	Senility	129											2	12	49	53	12	1	
35	Violent deaths (excluding suicide)	1,838	69	42	55	58	31	163	169	269	287	268	162	133	95	32	5		
36	Suicide	491							14	96	122	123	84	37	11	4			
(37)	Other defined diseases	4,136	782	51	29	34	28	82	146	258	395	621	683	522	341	138	22	3	1
38	Diseases ill-defined or unknown	19	1	13	3		1			1									

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).																		
	All causes	1,740	351	115	27	22	17	29	68	250	294	261	151	97	41	13	4		
1	Typhoid fever	4							1	2	1								
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	10	1	8	1														
6	Scarlet fever	1							1										
7	Whooping cough	16	4	6	3	3													
8	Diphtheria and croup	20	6	5	2		2	4			1								
9	Influenza	4	1									2			1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	3	3																
13	Tuberculosis of the lungs	386	5	9	2		1	6	33	120	110	64	27	7	1	1			
14	Tuberculous meningitis	30	5	3	2	4	3	5	2	2	3	1							
15	Other forms of tuberculosis	16	1	2	1	1	1	1	2	4	2	1							
16	Cancer and other malignant tumors	62								5	16	21	14	5	1				
17	Meningitis	7	2				1		1	3									
18	Cerebral hemorrhage and softening	38								1	4	10	10	9	4				
19	Organic diseases of the heart	120	1	1					7	6	19	30	18	22	10	5	1		
20	Acute bronchitis	15	7	7	1														
21	Chronic bronchitis	1	1																
22	Pneumonia	176	11	14	3	4	1	4	2	34	38	34	19	9	2	1			
23a	Bronchopneumonia	128	68	29	5	4	1	1	2	1	2	1	4	6	3	1			
23b	Other diseases of the respiratory system	10	1							3	3	2	1						
24	Diseases of the stomach	5		1						1		1	1	1					
25(37)	Diarrhea and enteritis	95	69	16	2	2	2				1	1	1	1					
26	Appendicitis and typhlitis	17						2	3	5	5	1	1						
27	Hernia, intestinal obstruction	12	3							2		5	1	1					
28	Cirrhosis of the liver	7										4	1	1	1				
29	Acute nephritis and Bright's disease	145	1	2		2			4	14	31	29	27	18	10	5	2		
30	Diseases of the female genital organs	11								2	5	3		1					
31	Puerperal fever	9							3	5	1								
32	Other puerperal affections	6								2	4								
33	Congenital debility and malformations	107	106		1														
34	Senility	3												2	1				
35	Violent deaths (excluding suicide)	65	4	3	2	1	5	4	1	10	10	18	4	3					
36	Suicide	7								2	2	3							
(37)	Other defined diseases	201	51	7	1	1		2	6	26	36	30	22	11	7		1		
38	Diseases ill-defined or unknown	3		2	1														
	NEW YORK, N. Y. (QUEENS BOROUGH, TOTAL).																		
	All causes	4,915	947	163	80	59	46	121	197	365	422	565	634	636	463	197	18	2	
1	Typhoid fever	19						2	8	1	5	2	1						
2	Typhus fever																		
3	Malaria	3		1			1								1				
4	Smallpox																		
5	Measles	22	6	9	2	3		1	1										
6	Scarlet fever	27	2	3	3	2	2	9	3	2	1								
7	Whooping cough	32	20	7	2	1	1	1											
8	Diphtheria and croup	77	1	17	11	16	13	15	3			1							
9	Influenza	34	2				1	1	2	2	2	5	4	8	3	4			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	23	9	3							1	5	2	1	1	1			
13	Tuberculosis of the lungs	530	3	4	3	1		2	39	139	113	135	54	25	11	1			
14	Tuberculous meningitis	47	12	8	4	4	5	5	4	1	3	1							
15	Other forms of tuberculosis	23	4	2	2	1		2	2	4	1	4		1					
16	Cancer and other malignant tumors	297	1				1	1	1	9	27	51	77	90	34	5			
17	Meningitis	17	2	2	1	1	1	4	2	1	2			1					
18	Cerebral hemorrhage and softening	241							2	2	5	19	63	66	53	27	4		
19	Organic diseases of the heart	588	3	1	1		1	9	31	26	38	58	92	145	128	54	1		
20	Acute bronchitis	27	15	3	1	1							2	1	2	2			
21	Chronic bronchitis	24	1	1					2	1		2	2	1	6	8			
22	Pneumonia	319	25	12	3	2	2	10	19	20	41	52	49	46	31	7			
23a	Bronchopneumonia	270	144	37	18	7	4	8	1	2	5	3	5	9	13	13	1		
23b	Other diseases of the respiratory system	38	5	2	1	1	1	1	1	5	3	1	3	1	8	5			
24	Diseases of the stomach	24								4	6	4	4	5	1				
25(37)	Diarrhea and enteritis	307	245	30	16	3	1	5			2		2	1		1	1		
26	Appendicitis and typhlitis	51				1		2	10	10	8	12	6		2				
27	Hernia, intestinal obstruction	43	6					1		2	3	4	11	7	7	2			
28	Cirrhosis of the liver	66									7	18	25	10	6				
29	Acute nephritis and Bright's disease	458	2	1	1			4	8	22	33	67	105	112	73	28	2		
30	Diseases of the female genital organs	17								4	2	5	3	2	1				
31	Puerperal fever	26							3	15	8								
32	Other puerperal affections	29								12	16	1							
33	Congenital debility and malformations	311	310	1															
34	Senility	25												1	9	10	4	1	
35	Violent deaths (excluding suicide)	224	9	5	10	11	6	18	23	37	31	25	21	16	6	4	2		
36	Suicide	80							5	14	8	18	13	16	5	1			
(37)	Other defined diseases	591	120	10	1	3	6	20	27	30	51	72	90	71	62	24	3	1	
38	Diseases ill-defined or unknown	5		4		1													

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (QUEENS BOROUGH, WHITE).																		
	All causes	4,802	931	159	74	57	45	119	189	353	409	546	627	627	455	192	18	1	
1	Typhoid fever	19						2	8	1	5	2	1						
2	Typhus fever																		
3	Malaria	2		1			1												
4	Smallpox																		
5	Measles	22	6	9	2	3		1	1										
6	Scarlet fever	27	2	3	3	2	2	9	3	2	1								
7	Whooping cough	31	20	7	2		1	1											
8	Diphtheria and croup	77	1	17	11	16	13	15	3			1							
9	Influenza	34	2				1	1	2	2	2	5	4	8	3	4			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	23	9	3							1	5	2	1	1	1			
13	Tuberculosis of the lungs	505	3	4	1			2	35	133	107	132	53	23	11	1			
14	Tuberculous meningitis	47	12	8	4	4	5	5	4	1	3	1							
15	Other forms of tuberculosis	21	4	2	2	1		2	2	4	1	2		1					
16	Cancer and other malignant tumors	294	1				1	1	1	8	26	51	77	90	33	5			
17	Meningitis	16	2	2	1	1	1	4	2		2			1					
18	Cerebral hemorrhage and softening	233							2	2	5	19	61	65	51	24	4		
19	Organic diseases of the heart	578	3	1	1		1	9	29	26	38	56	91	143	126	53	1		
20	Acute bronchitis	26	15	2	1	1							2	1	2	2			
21	Chronic bronchitis	24	1	1					2	1		2	2	1	6	8			
22	Pneumonia	310	25	12	3	2	2	9	19	18	39	49	49	46	30	7			
23a	Bronchopneumonia	263	141	37	15	7	3	8	1	2	5	3	5	9	13	13	1		
23b	Other diseases of the respiratory system	37	4	2	1	1	1	1	1	5	3	1	3	1	8	5			
24	Diseases of the stomach	24								4	6	4	4	5	1				
25(37)	Diarrhea and enteritis	300	241	28	15	3	1	5			2		2	1		1	1		
26	Appendicitis and typhlitis	50				1		2	10	10	8	12	5		2				
27	Hernia, intestinal obstruction	42	6					1		2	3	3	11	7	7	2			
28	Cirrhosis of the liver	65									6	18	25	10	6				
29	Acute nephritis and Bright's disease	449	2		1			4	7	22	33	64	105	108	73	28	2		
30	Diseases of the female genital organs	17								4	2	5	3	2	1				
31	Puerperal fever	26							3	15	8								
32	Other puerperal affections	29								12	16	1							
33	Congenital debility and malformations	306	305	1															
34	Senility	25												1	9	10	4	1	
35	Violent deaths (excluding suicide)	220	9	5	10	11	6	17	23	36	29	25	21	16	6	4	2		
36	Suicide	80							5	14	8	18	13	16	5	1			
(37)	Other defined diseases	575	117	10	1	3	6	20	26	29	50	67	88	71	61	23	3		
38	Diseases ill-defined or unknown	5		4		1													
	NEW YORK, N. Y. (QUEENS BOROUGH, COLORED).																		
	All causes	113	16	4	6	2	1	2	8	12	13	19	7	9	8	5		1	
1	Typhoid fever																		
2	Typhus fever																		
3	Malaria	1													1				
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough	1				1													
8	Diphtheria and croup																		
9	Influenza																		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases																		
13	Tuberculosis of the lungs	25			2	1			4	6	6	3	1	2					
14	Tuberculous meningitis																		
15	Other forms of tuberculosis	2										2							
16	Cancer and other malignant tumors	3								1	1				1				
17	Meningitis	1								1									
18	Cerebral hemorrhage and softening	8											2	1	2	3			
19	Organic diseases of the heart	10							2			2	1	2	2	1			
20	Acute bronchitis	1		1															
21	Chronic bronchitis																		
22	Pneumonia	9						1		2	2	3			1				
23a	Bronchopneumonia	7	3		3		1												
23b	Other diseases of the respiratory system	1	1																
24	Diseases of the stomach																		
25(37)	Diarrhea and enteritis	7	4	2	1														
26	Appendicitis and typhlitis	1											1						
27	Hernia, intestinal obstruction	1										1							
28	Cirrhosis of the liver	1									1								
29	Acute nephritis and Bright's disease	9		1					1			3		4					
30	Diseases of the female genital organs																		
31	Puerperal fever																		
32	Other puerperal affections																		
33	Congenital debility and malformations	5	5																
34	Senility																		
35	Violent deaths (excluding suicide)	4						1		1	2								
36	Suicide																		
(37)	Other defined diseases	16	3						1	1	1	5	2		1	1		1	
38	Diseases ill-defined or unknown																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

NEW YORK, N. Y. (RICHMOND BOROUGH, TOTAL).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	All causes	1,520	252	44	31	18	9	27	38	106	134	159	184	208	213	82	15		
1	Typhoid fever	8							1	4		1	2						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	21	4	7	7	2		1											
6	Scarlet fever	3				1		1			1								
7	Whooping cough	6	4	2															
8	Diphtheria and croup	19	2	1	1	6	2	6		1									
9	Influenza	6								2			2		2				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	3								1		1		1					
13	Tuberculosis of the lungs	148		1	1		1	2	12	34	40	29	17	10	1				
14	Tuberculous meningitis	12	2	2	3		2	1	1	1									
15	Other forms of tuberculosis	6			1				1	2	1	1							
16	Cancer and other malignant tumors	82						1		1	7	15	16	23	16	3			
17	Meningitis	4		1	1							2							
18	Cerebral hemorrhage and softening	85								1	2	4	25	18	25	10			
19	Organic diseases of the heart	180	1						3	7	14	17	19	40	57	19	3		
20	Acute bronchitis	9	4	1											2	1	1		
21	Chronic bronchitis																		
22	Pneumonia	109	8	3	2	1		1	1	9	12	13	19	18	16	4	2		
23a	Bronchopneumonia	73	31	13	7	3		2			2	1	3	1	5	5			
23b	Other diseases of the respiratory system	13	2						1		1	3		2	2	2			
24	Diseases of the stomach	6	2							1			1	2					
25(37)	Diarrhea and enteritis	88	69	8	5	1		1			2		2						
26	Appendicitis and typhlitis	8							1	3		2		1	1				
27	Hernia, intestinal obstruction	6									2	2		2					
28	Cirrhosis of the liver	26									3	8	6	4	5				
29	Acute nephritis and Bright's disease	216	1			1	1		1	10	14	22	30	55	58	20	3		
30	Diseases of the female genital organs	2									1			1					
31	Puerperal fever	4								2	2								
32	Other puerperal affections	8							1	4	3								
33	Congenital debility and malformations	98	96	2															
34	Senility	13												1	5	4	3		
35	Violent deaths (excluding suicide)	72	4	2	2	1	3	4	6	10	11	9	11	6	2	1			
36	Suicide	19							1		4	5	5	3	1				
(37)	Other defined diseases	167	22	1	1	2		7	8	13	12	24	26	20	15	13	3		
38	Diseases ill-defined or unknown																		

NEW YORK, N. Y. (RICHMOND BOROUGH, WHITE).

	All causes	1,496	250	43	30	18	9	27	37	104	130	156	179	206	211	82	14		
1	Typhoid fever	8							1	4		1	2						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	21	4	7	7	2		1											
6	Scarlet fever	3				1		1			1								
7	Whooping cough	6	4	2															
8	Diphtheria and croup	19	2	1	1	6	2	6		1									
9	Influenza	6								2			2		2				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	3								1		1		1					
13	Tuberculosis of the lungs	145		1	1		1	2	11	33	40	28	17	10	1				
14	Tuberculous meningitis	12	2	2	3		2	1	1	1									
15	Other forms of tuberculosis	6			1				1	2	1	1							
16	Cancer and other malignant tumors	82						1		1	7	15	16	23	16	3			
17	Meningitis	4		1	1							2							
18	Cerebral hemorrhage and softening	85								1	2	4	25	18	25	10			
19	Organic diseases of the heart	177	1						3	7	13	17	18	40	56	19	3		
20	Acute bronchitis	9	4	1											2	1	1		
21	Chronic bronchitis																		
22	Pneumonia	107	8	3	2	1		1	1	9	12	12	18	18	16	4	2		
23a	Bronchopneumonia	71	31	12	6	3		2			2	1	3	1	5	5			
23b	Other diseases of the respiratory system	13	2						1		1	3		2	2	2			
24	Diseases of the stomach	6	2							1			1	2					
25(37)	Diarrhea and enteritis	88	69	8	5	1		1			2		2						
26	Appendicitis and typhlitis	7							1	2		2		1	1				
27	Hernia, intestinal obstruction	6									2	2		2					
28	Cirrhosis of the liver	26									3	8	6	4	5				
29	Acute nephritis and Bright's disease	211	1			1	1		1	10	13	22	29	53	57	20	3		
30	Diseases of the female genital organs	2									1			1					
31	Puerperal fever	4								2	2								
32	Other puerperal affections	8							1	4	3								
33	Congenital debility and malformations	96	94	2															
34	Senility	12												1	5	4	2		
35	Violent deaths (excluding suicide)	71	4	2	2	1	3	4	6	10	10	9	11	6	2	1			
36	Suicide	19							1		4	5	5	3	1				
(37)	Other defined diseases	163	22	1	1	2		7	8	13	11	23	24	20	15	13	3		
38	Diseases ill-defined or unknown																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List. No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (RICHMOND BOROUGH, COLORED).																		
	All causes	24	2	1	1				1	2	4	3	5	2	2		1		
1	Typhoid fever																		
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough																		
8	Diphtheria and croup																		
9	Influenza																		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases																		
13	Tuberculosis of the lungs	3							1	1		1							
14	Tuberculous meningitis																		
15	Other forms of tuberculosis																		
16	Cancer and other malignant tumors																		
17	Meningitis																		
18	Cerebral hemorrhage and softening																		
19	Organic diseases of the heart	3									1		1		1				
20	Acute bronchitis																		
21	Chronic bronchitis																		
22	Pneumonia	2										1	1						
23a	Bronchopneumonia	2		1	1														
23b	Other diseases of the respiratory system																		
24	Diseases of the stomach																		
25(37)	Diarrhea and enteritis																		
26	Appendicitis and typhlitis	1								1									
27	Hernia, intestinal obstruction																		
28	Cirrhosis of the liver																		
29	Acute nephritis and Bright's disease	5									1		1	2	1				
30	Diseases of the female genital organs																		
31	Puerperal fever																		
32	Other puerperal affections																		
33	Congenital debility and malformations	2	2																
34	Senility	1															1		
35	Violent deaths (excluding suicide)	1									1								
36	Suicide																		
(37)	Other defined diseases	4									1	1	2						
38	Diseases ill-defined or unknown																		
	ROCHESTER, N. Y.																		
	All causes	3,488	568	90	41	25	15	47	96	217	289	365	455	547	446	257	28	2	
1	Typhoid fever	15						1	2	8	2	2							
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	8	1	4		2		1											
6	Scarlet fever	7	2	1	3			1											
7	Whooping cough	24	18	3	1	1		1											
8	Diphtheria and croup	18		7	6	1	1	2				1							
9	Influenza	15	2	1	1				1	2			2	1	1	3	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	15	8						1		1	2	2	1					
13	Tuberculosis of the lungs	252	5	2	1			1	28	60	51	48	32	14	7	2	1		
14	Tuberculous meningitis	27	6	4	1	3	2	3	3	3		1	1						
15	Other forms of tuberculosis	18		1		1		1	2	4	1	3	3	1	1				
16	Cancer and other malignant tumors	239							1	3	17	48	50	67	41	9	3		
17	Meningitis	12	3	2	1	1				2		1		1		1			
18	Cerebral hemorrhage and softening	247		1						1	6	13	53	73	66	31	2	1	
19	Organic diseases of the heart	489	2		2		1	2	8	9	16	33	76	122	125	82	11		
20	Acute bronchitis	35	23	2	2								1		3	1	3		
21	Chronic bronchitis	29									1	6	5	7	8	2			
22	Pneumonia	161	14	4	2	2		4	6	9	20	28	16	29	13	14			
23a	Bronchopneumonia	134	53	21	4	6	1	4		1	2	3	9	3	13	12	2		
23b	Other diseases of the respiratory system	23	2	1	1			1	2	1	1	3		4	3	3	1		
24	Diseases of the stomach	26	4	1						1	2	3	6	6	2	1			
25(37)	Diarrhea and enteritis	199	147	16	4	2	3	2			3	5	2	5	3	7			
26	Appendicitis and typhlitis	47			2		2	4	7	9	9	4	5	2	3				
27	Hernia, intestinal obstruction	39	7	1	1			1	2			4	5	10	5	3			
28	Cirrhosis of the liver	37		1							3	12	8	5	7	1			
29	Acute nephritis and Bright's disease	343	3	1	2			1	4	21	25	42	61	86	68	28	1		
30	Diseases of the female genital organs	30								6	9	6	8		1				
31	Puerperal fever	15							1	7	7								
32	Other puerperal affections	29							3	9	16	1							
33	Congenital debility and malformations	194	190	1		1	1		1										
34	Senility	2													1	1			
35	Violent deaths (excluding suicide)	160	5	7	2	2	2	6	11	23	20	18	16	23	16	8	1		
36	Suicide	55							1	12	16	8	12	5	1				
(37)	Other defined diseases	544	73	8	5	3	2	11	12	26	61	70	82	82	58	48	2	1	
38	Diseases ill-defined or unknown																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	SYRACUSE, N. Y.																		
	All causes	2,011	347	48	20	12	11	33	63	140	161	206	263	288	258	142	19		
1	Typhoid fever	9						1		2	3	1	1	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	10	4	3			1	1	1										
6	Scarlet fever																		
7	Whooping cough	9	5	2	1	1													
8	Diphtheria and croup	16	2		2	3	3	4	2										
9	Influenza	6			1					1		1		2		1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	6	2	1							1			1	1				
13	Tuberculosis of the lungs	131	2					1	7	31	33	26	26	3	2				
14	Tuberculous meningitis	13	3		2			3	3	2									
15	Other forms of tuberculosis	8	1	1		1				3		2							
16	Cancer and other malignant tumors	139	1							3	13	25	28	36	22	10	1		
17	Meningitis	11	1	1					2	1	1	2	1		1	1			
18	Cerebral hemorrhage and softening	144						1		3	2	13	24	44	36	19	2		
19	Organic diseases of the heart	249	3					2	5	12	10	24	26	59	69	34	5		
20	Acute bronchitis	18	8	1	1			1						1	6				
21	Chronic bronchitis	8	1								1			3	1	2			
22	Pneumonia	117	7	5	1		1	2	5	5	11	15	24	14	18	8	1		
23a	Bronchopneumonia	65	30	10	3		3		1	1	1	1	2	5	4	4			
23b	Other diseases of the respiratory system	12	1	1					1			3		2	2	1	1		
24	Diseases of the stomach	20	4							2	3	1	5	3	1	1			
25(37)	Diarrhea and enteritis	104	77	17	1	2		1				3	1	1	1				
26	Appendicitis and typhlitis	17						1	4	4	3	2	3						
27	Hernia, intestinal obstruction	19	6		1					2	1	1	1	2	4	1			
28	Cirrhosis of the liver	25						1			2	7	6	7	1	1			
29	Acute nephritis and Bright's disease	162							2	4	15	20	31	29	38	20	3		
30	Diseases of the female genital organs	12	1							3	3	4		1					
31	Puerperal fever	6								1	5								
32	Other puerperal affections	12								9	3								
33	Congenital debility and malformations	123	123																
34	Senility	11												2	2	6	1		
35	Violent deaths (excluding suicide)	127	2	2	3	4	1	8	19	23	14	8	14	12	9	8			
36	Suicide	36							2	7	5	5	7	9	1				
(37)	Other defined diseases	366	63	4	4	1	2	6	9	21	31	42	63	51	39	25	5		
38	Diseases ill-defined or unknown																		
	CINCINNATI, OHIO (TOTAL).																		
	All causes	6,360	619	115	52	39	24	104	212	542	669	753	949	915	881	415	66	5	
1	Typhoid fever	30						1	9	6	4	8	1		1				
2	Typhus fever																		
3	Malaria	1					1												
4	Smallpox																		
5	Measles	15	6	3	3	1		2											
6	Scarlet fever	4				2		1	1										
7	Whooping cough	15	7	6		1		1											
8	Diphtheria and croup	48	2	2	3	6	6	22	4	2	1								
9	Influenza	75	6	3	1				2	4	3	5	7	7	22	14	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	22	2						2		2	2	4	3		5	2		
13	Tuberculosis of the lungs	815	2	5	1	3	2	2	58	219	215	151	104	41	11	1			
14	Tuberculous meningitis	43	7	8	3	4	4	5	1	6	3	2							
15	Other forms of tuberculosis	48	1		2		1	2	6	10	7	13	2	3	1				
16	Cancer and other malignant tumors	403							2	5	26	62	118	97	75	17	1		
17	Meningitis	23	5	2	2	1	1	3	4	2	1	1	1						
18	Cerebral hemorrhage and softening	378							1	2	11	21	69	107	112	49	5	1	
19	Organic diseases of the heart	813	3					7	15	28	49	71	136	191	205	90	17	1	
20	Acute bronchitis	36	8	3		1					1	2	2	2	3	13	1		
21	Chronic bronchitis	48										2	5	6	21	13	1		
22	Pneumonia	349	16	8	3	2		6	14	24	34	56	53	60	53	17	3		
23a	Bronchopneumonia	221	54	19	13	5	1	7	4	4	4	7	12	22	40	23	6		
23b	Other diseases of the respiratory system	32		3	2		1	2		2	6	1	5	4	5	1			
24	Diseases of the stomach	43	6	1						2	7	8	6	5	3	4	1		
25(37)	Diarrhea and enteritis	222	139	36	8	1	1	1	1	5	3	3	5	6	7	6			
26	Appendicitis and typhlitis	63		1		1		4	11	11	22	4	6	3					
27	Hernia, intestinal obstruction	68	5	2	1	1				7	8	7	14	13	6	3	1		
28	Cirrhosis of the liver	105								2	17	20	28	23	12	3			
29	Acute nephritis and Bright's disease	676	5	1		3	1	2	7	27	43	97	134	148	137	60	11		
30	Diseases of the female genital organs	43							1	9	8	14	6	3	2				
31	Puerperal fever	34							3	16	12	3							
32	Other puerperal affections	26								12	11	3							
33	Congenital debility and malformations	231	227	1	2	1													
34	Senility	1																1	
35	Violent deaths (excluding suicide)	384	11	4	4	5	3	17	31	65	61	55	48	41	24	11	4		
36	Suicide	76							1	17	14	11	17	9	5	2			
(37)	Other defined diseases	966	104	7	4	1	2	19	34	55	96	124	166	121	136	83	12	2	
38	Diseases ill-defined or unknown	3	3																

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CINCINNATI, OHIO (WHITE).																		
	All causes	5,703	557	101	44	36	22	95	180	447	549	658	852	855	845	397	62	3	
1	Typhoid fever	28						1	7	6	4	8	1		1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	12	5	3	1	1		2											
6	Scarlet fever	4				2		1	1										
7	Whooping cough	14	7	5		1		1											
8	Diphtheria and croup	48	2	2	3	6	6	22	4	2	1								
9	Influenza	69	5	3	1				1	3	2	5	7	6	22	13	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	20	2						2		1	2	3	3		5	2		
13	Tuberculosis of the lungs	655		3		3	2	1	41	172	170	126	87	38	11	1			
14	Tuberculous meningitis	35	5	7	1	4	4	4	1	5	3	1							
15	Other forms of tuberculosis	43	1		1		1	2	5	7	7	13	2	3	1				
16	Cancer and other malignant tumors	382							2	3	24	59	113	93	71	17			
17	Meningitis	20	3	2	2	1	1	3	4	2		1	1						
18	Cerebral hemorrhage and softening	353							1	2	8	19	64	99	108	46	5	1	
19	Organic diseases of the heart	721	3					5	15	23	31	52	115	178	196	86	17		
20	Acute bronchitis	33	7	2		1					1	2	2	2	2	13	1		
21	Chronic bronchitis	45										2	5	6	20	11	1		
22	Pneumonia	306	15	6	3	2		6	11	16	25	47	50	57	49	17	2		
23a	Bronchopneumonia	199	50	15	11	4		5	2	2	4	6	10	21	40	23	6		
23b	Other diseases of the respiratory system	30		3	2		1	2		2	6	1	4	4	4	1			
24	Diseases of the stomach	42	6	1						2	7	7	6	5	3	4	1		
25(37)	Diarrhea and enteritis	201	124	33	8	1	1	1	1	5	3	3	4	5	6	6			
26	Appendicitis and typhlitis	60		1		1		4	11	10	22	3	5	3					
27	Hernia, intestinal obstruction	66	5	2	1	1				7	7	7	13	13	6	3	1		
28	Cirrhosis of the liver	102								2	17	20	27	22	11	3			
29	Acute nephritis and Bright's disease	609	4	1		1	1	2	6	25	35	89	114	134	133	55	9		
30	Diseases of the female genital organs	35							1	6	5	13	6	2	2				
31	Puerperal fever	30							2	13	12	3							
32	Other puerperal affections	26								12	11	3							
33	Congenital debility and malformations	213	209	1	2	1													
34	Senility	1																1	
35	Violent deaths (excluding suicide)	341	10	4	4	5	3	15	30	53	50	47	43	39	24	10	4		
36	Suicide	74							1	17	12	11	17	9	5	2			
(37)	Other defined diseases	883	91	7	4	1	2	18	31	50	81	108	153	113	130	81	12	1	
38	Diseases ill-defined or unknown	3	3																
	CINCINNATI, OHIO (COLORED).																		
	All causes	657	62	14	8	3	2	9	32	95	120	95	97	60	36	18	4	2	
1	Typhoid fever	2							2										
2	Typhus fever																		
3	Malaria	1					1												
4	Smallpox																		
5	Measles	3	1		2														
6	Scarlet fever																		
7	Whooping cough	1		1															
8	Diphtheria and croup																		
9	Influenza	6	1						1	1	1			1		1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	2									1		1						
13	Tuberculosis of the lungs	160	2	2	1			1	17	47	45	25	17	3					
14	Tuberculous meningitis	8	2	1	2			1		1		1							
15	Other forms of tuberculosis	5			1				1	3									
16	Cancer and other malignant tumors	21								2	2	3	5	4	4		1		
17	Meningitis	3	2								1								
18	Cerebral hemorrhage and softening	25									3	2	5	8	4	3			
19	Organic diseases of the heart	92						2		5	18	19	21	13	9	4		1	
20	Acute bronchitis	3	1	1											1				
21	Chronic bronchitis	3													1	2			
22	Pneumonia	43	1	2					3	8	9	9	3	3	4		1		
23a	Bronchopneumonia	22	4	4	2	1	1	2	2	2		1	2	1					
23b	Other diseases of the respiratory system	2											1		1				
24	Diseases of the stomach	1										1							
25(37)	Diarrhea and enteritis	21	15	3									1	1	1				
26	Appendicitis and typhlitis	3								1		1	1						
27	Hernia, intestinal obstruction	2									1		1						
28	Cirrhosis of the liver	3											1	1	1				
29	Acute nephritis and Bright's disease	67	1			2			1	2	8	8	20	14	4	5	2		
30	Diseases of the female genital organs	8								3	3	1		1					
31	Puerperal fever	4							1	3									
32	Other puerperal affections																		
33	Congenital debility and malformations	18	18																
34	Senility																		
35	Violent deaths (excluding suicide)	43	1					2	1	12	11	8	5	2		1			
36	Suicide	2									2								
(37)	Other defined diseases	83	13					1	3	5	15	16	13	8	6	2		1	
38	Diseases ill-defined or unknown																		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CLEVELAND, OHIO.																		
	All causes	8,808	1,829	436	158	99	72	205	303	669	836	962	1,024	990	827	343	52	2	1
1	Typhoid fever	52			1			4	11	11	8	11	3	2	1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	72	23	33	6	3	3	3	1										
6	Scarlet fever	73	3	13	7	9	7	21	10	3									
7	Whooping cough	75	33	22	9	3	4	2						1	1				
8	Diphtheria and croup	163	8	26	31	24	15	43	13	1		1	1						
9	Influenza	73	11	1		1		1	1	2	6	9	8	12	15	5	1		
10	Asiatic cholera																		
11	Cholera nostras	1		1															
12	Other epidemic diseases	31	9	1	1		1			1	2	2	4	3	5	2			
13	Tuberculosis of the lungs	754	11	6	2	2	1	6	58	240	197	120	66	36	9				
14	Tuberculous meningitis	64	16	8	10	3	3	7	8	4	1	2	1	1					
15	Other forms of tuberculosis	54	1	1	3		1	2	9	10	12	5	5	5					
16	Cancer and other malignant tumors	507						3	5	11	28	103	143	130	71	13			
17	Meningitis	42	8	6	2	2	2	4	6	4	5	2							1
18	Cerebral hemorrhage and softening	492	2	1						6	19	50	104	114	129	62	5		
19	Organic diseases of the heart	712	7		1		3	5	30	30	46	85	113	150	165	68	7	2	
20	Acute bronchitis	123	63	18	5		3	2		1		5	2	3	6	11	4		
21	Chronic bronchitis	55	3	1				2	1	1	2	1	4	12	19	8	1		
22	Pneumonia	574	68	30	11	12	3	10	15	33	53	73	92	90	59	22	3		
23a	Bronchopneumonia	422	196	67	18	3	3	8	1	6	13	11	19	20	34	17	6		
23b	Other diseases of the respiratory system	84	9	9	4		2	2	2	5	9	12	6	15	5	3	1		
24	Diseases of the stomach	58	10	1	1			1		4	8	3	12	7	6	4	1		
25(37)	Diarrhea and enteritis	746	541	139	18	10	5	2		5	1	3	2	5	8	6	1		
26	Appendicitis and typhlitis	88	1	1			1	10	18	13	15	13	7	5	3	1			
27	Hernia, intestinal obstruction	78	16	1	1	1			2	5	9	9	11	13	7	3			
28	Cirrhosis of the liver	88								5	10	20	18	14	17	4			
29	Acute nephritis and Bright's disease	603	8	3	1	3	1	4	3	21	44	85	130	145	114	36	5		
30	Diseases of the female genital organs	52							1	12	16	11	6	1	3	2			
31	Puerperal fever	45							3	10	28	4							
32	Other puerperal affections	51							2	20	24	5							
33	Congenital debility and malformations	491	481	2	1	3	1	2		1									
34	Senility	27												1	8	16	2		
35	Violent deaths (excluding suicide)	626	14	21	14	10	11	32	64	98	103	106	62	41	27	19	4		
36	Suicide	131							2	25	37	34	23	7	3				
(37)	Other defined diseases	1,232	241	22	11	10	2	29	37	81	136	170	178	155	111	40	9		
38	Diseases ill-defined or unknown	69	46	2							4	7	4	2	1	1	2		
	COLUMBUS, OHIO (TOTAL).																		
	All causes	2,945	311	45	27	21	19	41	112	252	313	357	428	432	399	161	27		
1	Typhoid fever	28						4	9	6	5	2	2						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	14	2	2	2	1			2	5									
6	Scarlet fever	3				1	1		1										
7	Whooping cough	10	6	4															
8	Diphtheria and croup	23	1	4	4	2	4	7		1									
9	Influenza	23			1	1				1	2		2	10	5	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	12		1						1	3			3	1	3			
13	Tuberculosis of the lungs	277	2	2		1		1	25	85	66	56	21	13	5				
14	Tuberculous meningitis	17	2	2		4	3	2	2	2									
15	Other forms of tuberculosis	39	2	1				2	4	11	4	5	5	5					
16	Cancer and other malignant tumors	233			2			2	1	2	17	36	64	61	38	9	1		
17	Meningitis	14	2	1					2	5	2		1		1				
18	Cerebral hemorrhage and softening	246							1	3	17	32	55	56	63	18	1		
19	Organic diseases of the heart	292					2		12	10	20	41	59	65	61	18	4		
20	Acute bronchitis	9	4	1	1										2	1			
21	Chronic bronchitis	10												1	4	5			
22	Pneumonia	125	13	2	2	1	2	1	4	6	11	14	28	13	21	7			
23a	Bronchopneumonia	141	30	7	5		2	2	2	2	2	6	12	18	33	18	2		
23b	Other diseases of the respiratory system	28	1		1	1		1	2		2		5	5	6	4			
24	Diseases of the stomach	36	2					1	1	3	6	6	9	3	3	1	1		
25(37)	Diarrhea and enteritis	65	37	10	3	1		1		2	2	1		1	3	3	1		
26	Appendicitis and typhlitis	40			1	2	1	1	6	8	10	6	4	1					
27	Hernia, intestinal obstruction	32	3						1		5	5	9	5	3	1			
28	Cirrhosis of the liver	41							1	1	6	5	13	9	4	2			
29	Acute nephritis and Bright's disease	192	3				1	1		10	18	26	36	52	33	10	2		
30	Diseases of the female genital organs	34								9	11	11	1	1	1				
31	Puerperal fever	11							1	6	3	1							
32	Other puerperal affections	16							1	8	5	2							
33	Congenital debility and malformations	142	142																
34	Senility	64												2	21	30	11		
35	Violent deaths (excluding suicide)	169	5	1	2	5	2	8	14	33	25	19	19	19	8	8	1		
36	Suicide	42								9	10	11	1	9	2				
(37)	Other defined diseases	514	54	5	2	1	1	7	20	23	61	72	82	80	81	22	3		
38	Diseases ill-defined or unknown	3		2	1														

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	COLUMBUS, OHIO (WHITE).																		
	All causes	2,645	269	38	25	19	18	31	100	212	270	307	387	407	379	156	27		
1	Typhoid fever	23						4	8	5	4	1	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	13	2	1	2	1			2	5									
6	Scarlet fever	3				1	1		1										
7	Whooping cough	9	6	3															
8	Diphtheria and croup	23	1	4	4	2	4	7		1									
9	Influenza	23			1	1				1	2		2	10	5	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	11		1							3			3	1	3			
13	Tuberculosis of the lungs	231	2	2					20	68	58	48	20	10	3				
14	Tuberculous meningitis	14	1	2		3	3	1	2	2									
15	Other forms of tuberculosis	34	2	1					4	10	4	4	5	4					
16	Cancer and other malignant tumors	225			2			1	1	2	15	35	63	59	37	9	1		
17	Meningitis	13	1	1					2	5	2		1		1				
18	Cerebral hemorrhage and softening	230							1	2	16	26	50	54	63	17	1		
19	Organic diseases of the heart	251					1		10	7	16	30	51	56	58	18	4		
20	Acute bronchitis	7	2	1	1										2	1			
21	Chronic bronchitis	10												1	4	5			
22	Pneumonia	112	11	1	2	1	2		3	5	10	12	27	13	19	6			
23a	Bronchopneumonia	124	23	7	4		2	1	2	2	1	5	9	17	31	18	2		
23b	Other diseases of the respiratory system	28	1		1	1		1	2		2		5	5	6	4			
24	Diseases of the stomach	33	2						1	3	5	5	9	3	3	1	1		
25(37)	Diarrhea and enteritis	57	31	8	3	1		1		2	2	1		1	3	3	1		
26	Appendicitis and typhlitis	34			1	2	1		6	8	8	3	4	1					
27	Hernia, intestinal obstruction	30	2						1		5	5	8	5	3	1			
28	Cirrhosis of the liver	31								1	6	2	9	8	3	2			
29	Acute nephritis and Bright's disease	175	2				1	1		7	14	25	32	50	31	10	2		
30	Diseases of the female genital organs	27								7	8	10	1	1					
31	Puerperal fever	10							1	5	3	1							
32	Other puerperal affections	13							1	7	3	2							
33	Congenital debility and malformations	129	129																
34	Senility	59												2	17	29	11		
35	Violent deaths (excluding suicide)	149	4	1	2	5	2	7	13	28	21	17	15	18	8	7	1		
36	Suicide	42								9	10	11	1	9	2				
(37)	Other defined diseases	470	47	4	1	1	1	7	19	20	52	64	74	77	79	21	3		
38	Diseases ill-defined or unknown	2		1	1														
	COLUMBUS, OHIO (COLORED).																		
	All causes	300	42	7	2	2	1	10	12	40	43	50	41	25	20	5			
1	Typhoid fever	5							1	1	1	1	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	1		1															
6	Scarlet fever																		
7	Whooping cough	1		1															
8	Diphtheria and croup																		
9	Influenza																		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	1								1									
13	Tuberculosis of the lungs	46				1		1	5	17	8	8	1	3	2				
14	Tuberculous meningitis	3	1			1		1											
15	Other forms of tuberculosis	5						2		1		1		1					
16	Cancer and other malignant tumors	8						1			2	1	1	2	1				
17	Meningitis	1	1																
18	Cerebral hemorrhage and softening	16								1	1	6	5	2		1			
19	Organic diseases of the heart	41					1		2	3	4	11	8	9	3				
20	Acute bronchitis	2	2																
21	Chronic bronchitis																		
22	Pneumonia	13	2	1				1	1	1	1	2	1		2	1			
23a	Bronchopneumonia	17	7		1			1			1	1	3	1	2				
23b	Other diseases of the respiratory system																		
24	Diseases of the stomach	3						1			1	1							
25(37)	Diarrhea and enteritis	8	6	2															
26	Appendicitis and typhlitis	6						1			2	3							
27	Hernia, intestinal obstruction	2	1										1						
28	Cirrhosis of the liver	10							1			3	4	1	1				
29	Acute nephritis and Bright's disease	17	1							3	4	1	4	2	2				
30	Diseases of the female genital organs	7								2	3	1			1				
31	Puerperal fever	1								1									
32	Other puerperal affections	3								1	2								
33	Congenital debility and malformations	13	13																
34	Senility	5													4	1			
35	Violent deaths (excluding suicide)	20	1					1	1	5	4	2	4	1		1			
36	Suicide																		
(37)	Other defined diseases	44	7	1	1				1	3	9	8	8	3	2	1			
38	Diseases ill-defined or unknown	1		1															

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	DAYTON, OHIO.																		
	All causes	1,709	233	34	18	13	6	42	70	145	148	166	208	256	231	124	14		1
1	Typhoid fever	22						4	8	4	3	2	1						
2	Typhus fever																		
3	Malaria	3	1									1		1					
4	Smallpox																		
5	Measles	3	1	2															
6	Scarlet fever	9	1	1	1	2		2	2										
7	Whooping cough	9	3	3	2	1													
8	Diphtheria and croup	19	1	1	5	1	2	6	2	1									
9	Influenza	18								1	2		1	3	5	5			1
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	8	1	1						1		1	1	1	2				
13	Tuberculosis of the lungs	191	2	1		1		4	15	51	38	31	22	19	5	2			
14	Tuberculous meningitis	16	2	3		1			6	1	1	1		1					
15	Other forms of tuberculosis	13			1				3	4	2	2		1					
16	Cancer and other malignant tumors	124								5	6	17	29	41	18	7	1		
17	Meningitis	10	1		1			1		4		2	1						
18	Cerebral hemorrhage and softening	128	1						1	1	1	6	26	31	39	19	3		
19	Organic diseases of the heart	209						1	4	6	17	19	33	46	52	28	3		
20	Acute bronchitis	5	3	2															
21	Chronic bronchitis	13								2			1	2		8			
22	Pneumonia	103	15	6	1	1		4	1	7	9	12	10	23	9	4	1		
23a	Bronchopneumonia	73	35	5	3	1		5		1		1	5	3	7	6	1		
23b	Other diseases of the respiratory system	4										1	2		1				
24	Diseases of the stomach	25	2		1			1		1	3	3	1	6	3	3	1		
25(37)	Diarrhea and enteritis	44	27	4	1	3		1		1	1	1		3	1	1			
26	Appendicitis and typhlitis	12							1	3	3	3	1		1				
27	Hernia, intestinal obstruction	26	2					1	4	2	4	1	5	2	3	2			
28	Cirrhosis of the liver	18								1	4	3	7	1	2				
29	Acute nephritis and Bright's disease	129	1				2		2	6	16	12	22	21	33	14			
30	Diseases of the female genital organs	14							2	3	6	1	2						
31	Puerperal fever	9							1	5	1	2							
32	Other puerperal affections	12							1	7	3	1							
33	Congenital debility and malformations	97	97																
34	Senility	11													3	4	4		
35	Violent deaths (excluding suicide)	91	5	1	1	1	1	3	10	10	10	11	9	8	15	6			
36	Suicide	31							1	5	8	7	5	5					
(37)	Other defined diseases	210	32	4	1	1	1	9	6	12	10	25	24	38	32	15			
38	Diseases ill-defined or unknown																		
	TOLEDO, OHIO.																		
	All causes	2,892	479	61	26	28	19	46	101	262	277	322	369	357	356	161	26		2
1	Typhoid fever	43	1				2	1	6	11	9	4	4	3	2				
2	Typhus fever																		
3	Malaria	2			1								1						
4	Smallpox																		
5	Measles	9		4	2			2		1									
6	Scarlet fever	8	1	1	1	1		2		1	1								
7	Whooping cough	24	16	5	1	1		1											
8	Diphtheria and croup	31	2	3	4	9	2	8	3										
9	Influenza	32	2			1		2			2		1	5	8	9	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	7	3										1		1	2			
13	Tuberculosis of the lungs	322	3	1				1	22	92	71	53	46	16	14	2			1
14	Tuberculous meningitis	10	2	1	1	1			2	1	2								
15	Other forms of tuberculosis	32	1	1	1		1	1	3	8	5	2	5	3	1				
16	Cancer and other malignant tumors	174							1	3	8	32	45	43	32	9	1		
17	Meningitis	13	5	2	1			1	2		1		1						
18	Cerebral hemorrhage and softening	150						1		1	4	16	23	41	47	16	1		
19	Organic diseases of the heart	305		1		2		2	8	10	12	39	47	69	70	39	5		1
20	Acute bronchitis	17	9	3											5				
21	Chronic bronchitis	17											1		7	7	2		
22	Pneumonia	122	16	7	2		1	1	4	9	10	18	17	18	14	4	1		
23a	Bronchopneumonia	106	55	7	1	1	2	2		2	3	5	2	9	11	6			
23b	Other diseases of the respiratory system	16	2	1				1		2	1	1	1	4	2	1			
24	Diseases of the stomach	38	6	2					2	2	2	4	4	6	8	2			
25(37)	Diarrhea and enteritis	132	94	13	4	3				1	1	4	2	2	2	6			
26	Appendicitis and typhlitis	34			1	1		4	4	8	10	4	2						
27	Hernia, intestinal obstruction	36	4			1	1			5	2	4	6	6	6	1			
28	Cirrhosis of the liver	31		1							1	7	10	6	5	1			
29	Acute nephritis and Bright's disease	158	3	1		1			2	7	11	22	37	37	26	8	3		
30	Diseases of the female genital organs	28							2	8	9	5	3		1				
31	Puerperal fever	16							2	7	6	1							
32	Other puerperal affections	16							2	7	5	2							
33	Congenital debility and malformations	170	169	1															
34	Senility	48												10	16	17	5		
35	Violent deaths (excluding suicide)	197	2	2	4	5	4	11	16	37	44	15	28	12	14	3			
36	Suicide	39							3	9	8	7	7	5					
(37)	Other defined diseases	506	80	4	2	1	6	5	17	30	49	77	75	62	64	28	6		
38	Diseases ill-defined or unknown	3	3																

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PORTLAND, OREG.																		
	All causes	2,281	238	33	18	12	15	36	75	200	234	254	343	345	308	144	20	2	4
1	Typhoid fever	14						1	2	4	5	1	1						
2	Typhus fever																		
3	Malaria	5									2	2		1					
4	Smallpox	1									1								
5	Measles	4	1	1			1		1										
6	Scarlet fever	1						1											
7	Whooping cough	3	2					1											
8	Diphtheria and croup	17	1	2	2	2	1	7	1	1									
9	Influenza	14		2					1			1	1	3	4	1	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	9	2	1									2	2	1	1			
13	Tuberculosis of the lungs	183	1				1		13	54	42	22	23	19	6	2			
14	Tuberculous meningitis	17	1	1				4	2	4	1	4							
15	Other forms of tuberculosis	33			1	1			6	4	10	5	4	1	1				
16	Cancer and other malignant tumors	217							1	7	14	42	62	50	35	5	1		
17	Meningitis	20	5	3		1	1		2	5	2			1					
18	Cerebral hemorrhage and softening	153	1							3	5	8	27	47	38	21	3		
19	Organic diseases of the heart	242	1		1			1	2	8	19	17	44	68	55	25	1		
20	Acute bronchitis	6	1	2										1	2				
21	Chronic bronchitis	9								1					5	3			
22	Pneumonia	103	6	9	3	1	1	2	4	8	9	13	15	11	15	6			
23a	Bronchopneumonia	45	23	6	1		1	1				2	4	2	3	2			
23b	Other diseases of the respiratory system	28	2			1		1	1	2	1	3	3	4	6	2	2		
24	Diseases of the stomach	33	3			1				3		5	9	3	6	2	1		
25(37)	Diarrhea and enteritis	35	13	3	3	1		1			3	1	4	1	4	1			
26	Appendicitis and typhlitis	26					2	2	2	4	8	1	6		1				
27	Hernia, intestinal obstruction	22	2				1			2	3	3	5	3	3				
28	Cirrhosis of the liver	16										5	3	6	1	1			
29	Acute nephritis and Bright's disease	165		1	1			2	1	9	8	27	37	41	25	11	2		
30	Diseases of the female genital organs	15								3	4	5		2		1			
31	Puerperal fever	12								2	9	1							
32	Other puerperal affections	17								7	8	2							
33	Congenital debility and malformations	107	104		2		1												
34	Senility	58											1	3	16	32	4	2	
35	Violent deaths (excluding suicide)	160	5	1	3	2	2	6	22	25	24	27	15	12	5	7	1		3
36	Suicide	56							3	15	13	12	8	2	2				1
(37)	Other defined diseases	429	63	1	1	2	3	5	11	29	43	44	69	61	73	20	4		
38	Diseases ill-defined or unknown	6	1					1				1		1	1	1			
	PHILADELPHIA, PA. (TOTAL).																		
	All causes	26,291	4,233	919	376	215	146	494	859	1,823	2,339	2,909	3,429	3,740	3,185	1,415	199	10	
1	Typhoid fever	114	1	2			1	5	31	36	24	6	7			1			
2	Typhus fever																		
3	Malaria	3								2					1				
4	Smallpox																		
5	Measles	190	55	76	25	17	10	4	1	1	1								
6	Scarlet fever	27	1	9	3	4	1	4	2	2		1							
7	Whooping cough	43	20	13	4	2	2	2											
8	Diphtheria and croup	320	27	71	57	42	23	74	14	2	2	3	2	3					
9	Influenza	346	13	8	2	4	2	2	7	10	17	22	46	77	80	46	9	1	
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	102	27	11	7		3	3		3	10	12	8	8	7	2	1		
13	Tuberculosis of the lungs	2,767	24	21	8	4	4	16	197	665	695	561	329	175	61	7			
14	Tuberculous meningitis	181	52	29	24	15	4	15	12	6	10	9	4	1					
15	Other forms of tuberculosis	184	12	8	7	4	4	18	23	29	20	25	24	7	1	2			
16	Cancer and other malignant tumors	1,549	1	1	1			3	10	36	113	266	437	384	237	55	5		
17	Meningitis	78	21	7	6	1	2	11	15	6	4	2	3						
18	Cerebral hemorrhage and softening	1,168	2		2	1	2	1	1	1	32	90	199	334	361	125	17		
19	Organic diseases of the heart	3,382	22	2	2	7	4	35	95	125	195	345	492	843	816	350	46	3	
20	Acute bronchitis	222	103	26	5	2	3	1	2	5	2	7	7	15	16	22	6		
21	Chronic bronchitis	149	3	1				3		4	4	12	18	41	31	23	8	1	
22	Pneumonia	1,635	129	90	23	16	14	30	60	140	181	234	265	242	149	57	5		
23a	Bronchopneumonia	1,228	429	182	62	25	11	33	16	24	40	46	68	116	113	56	6	1	
23b	Other diseases of the respiratory system	277	31	9	5	4	2	4	6	18	28	42	41	40	25	20	2		
24	Diseases of the stomach	203	41	4	1	3		1	4	9	21	29	23	29	20	15	2	1	
25(37)	Diarrhea and enteritis	1,701	1,268	247	39	4	3	20	3	12	10	10	15	23	28	13	6		
26	Appendicitis and typhlitis	236	1		3		1	29	54	46	35	35	23	7	2				
27	Hernia, intestinal obstruction	247	37	3	5	2		1	6	15	18	57	30	35	26	12			
28	Cirrhosis of the liver	256							1	6	23	57	71	64	24	9	1		
29	Acute nephritis and Bright's disease	2,812	14	5	4	4	5	15	41	92	225	327	579	632	583	259	26	1	
30	Diseases of the female genital organs	136							6	30	40	41	11	5	2	1			
31	Puerperal fever	115							9	55	41	10							
32	Other puerperal affections	163							14	84	54	11							
33	Congenital debility and malformations	1,326	1,309	6	1		2	4	3		1								
34	Senility	181											2	15	53	85	24	2	
35	Violent deaths (excluding suicide)	1,190	47	28	50	32	28	81	92	136	144	157	131	114	95	48	7		
36	Suicide	280							15	48	51	65	47	41	10	3			
(37)	Other defined diseases	3,454	541	48	29	20	15	79	119	173	297	424	547	486	444	204	28		
38	Diseases ill-defined or unknown	25	2	12	1	2				2	1	3		2					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PHILADELPHIA, PA. (WHITE).																		
	All causes	24,021	3,861	810	333	193	138	454	753	1,561	1,980	2,563	3,153	3,556	3,088	1,380	190	8	
1	Typhoid fever	107	1	2			1	4	29	34	22	6	7			1			
2	Typhus fever																		
3	Malaria	3								2					1				
4	Smallpox																		
5	Measles	175	50	69	25	15	10	4		1	1								
6	Scarlet fever	25		9	3	4	1	4	2	1		1							
7	Whooping cough	31	16	9	2	2	1	1											
8	Diphtheria and croup	308	25	71	55	41	23	71	13	2	2	2		3					
9	Influenza	318	12	7	1	4	2	2	6	7	13	21	41	70	78	45	8	1	
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	95	24	11	7		3	3		3	9	11	7	7	7	2	1		
13	Tuberculosis of the lungs	2,328	20	14	7	2	1	7	146	551	578	484	298	157	57	6			
14	Tuberculous meningitis	159	45	26	21	12	4	12	11	5	10	8	4	1					
15	Other forms of tuberculosis	147	11	6	3	2	4	15	14	26	14	20	23	6	1	2			
16	Cancer and other malignant tumors	1,466	1	1				3	10	33	105	242	409	371	231	55	5		
17	Meningitis	75	20	6	5	1	2	11	15	6	4	2	3						
18	Cerebral hemorrhage and softening	1,110	2		1	1	2	1	1	1	24	79	184	321	355	121	17		
19	Organic diseases of the heart	3,140	22	1	2	7	4	33	87	107	167	301	445	793	782	341	45	3	
20	Acute bronchitis	195	89	19	5	2	3	1	1	4	2	6	7	14	15	22	5		
21	Chronic bronchitis	135	2					2		3	4	9	14	41	29	23	8		
22	Pneumonia	1,470	116	79	21	16	14	28	55	104	150	206	244	232	144	56	5		
23a	Bronchopneumonia	1,097	377	151	49	21	11	33	16	21	32	39	64	112	108	56	6	1	
23b	Other diseases of the respiratory system	252	27	9	5	4	2	4	5	16	23	35	37	38	25	20	2		
24	Diseases of the stomach	177	35	2	1	3		1	3	8	18	23	17	28	20	15	2	1	
25(37)	Diarrhea and enteritis	1,583	1,184	231	34	3	2	17	3	10	9	7	14	22	28	13	6		
26	Appendicitis and typhlitis	217	1		3		1	28	53	40	28	31	23	7	2				
27	Hernia, intestinal obstruction	229	34	3	4			1	6	10	18	55	28	34	24	12			
28	Cirrhosis of the liver	249								5	22	55	69	64	24	9	1		
29	Acute nephritis and Bright's disease	2,598	12	3	3	3	4	13	36	84	186	283	533	603	561	248	25	1	
30	Diseases of the female genital organs	113							4	24	29	39	10	4	2	1			
31	Puerperal fever	103							5	52	38	8							
32	Other puerperal affections	150							14	74	51	11							
33	Congenital debility and malformations	1,222	1,206	6	1		2	4	2		1								
34	Senility	174											2	14	52	84	21	1	
35	Violent deaths (excluding suicide)	1,106	43	26	47	32	26	75	89	124	123	141	124	110	95	45	6		
36	Suicide	273							14	47	47	65	47	41	9	3			
(37)	Other defined diseases	3,170	484	38	28	17	15	76	113	155	249	370	499	461	438	200	27		
38	Diseases ill-defined or unknown	20	2	11		1				1	1	3		1					
	PHILADELPHIA, PA. (COLORED).																		
	All causes	2,270	372	109	43	22	8	40	106	262	359	346	276	184	97	35	9	2	
1	Typhoid fever	7						1	2	2	2								
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	15	5	7		2			1										
6	Scarlet fever	2	1							1									
7	Whooping cough	12	4	4	2		1	1											
8	Diphtheria and croup	12	2		2	1		3	1			1	2						
9	Influenza	28	1	1	1				1	3	4	1	5	7	2	1	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	7	3								1	1	1	1					
13	Tuberculosis of the lungs	439	4	7	1	2	3	9	51	114	117	77	31	18	4	1			
14	Tuberculous meningitis	22	7	3	3	3		3	1	1		1							
15	Other forms of tuberculosis	37	1	2	4	2		3	9	3	6	5	1	1					
16	Cancer and other malignant tumors	83			1					3	8	24	28	13	6				
17	Meningitis	3	1	1	1														
18	Cerebral hemorrhage and softening	58			1						8	11	15	13	6	4			
19	Organic diseases of the heart	242		1				2	8	18	28	44	47	50	34	9	1		
20	Acute bronchitis	27	14	7					1	1		1		1	1		1		
21	Chronic bronchitis	14	1	1				1		1		3	4		2			1	
22	Pneumonia	165	13	11	2			2	5	36	31	28	21	10	5	1			
23a	Bronchopneumonia	131	52	31	13	4				3	8	7	4	4	5				
23b	Other diseases of the respiratory system	25	4						1	2	5	7	4	2					
24	Diseases of the stomach	26	6	2					1	1	3	6	6	1					
25(37)	Diarrhea and enteritis	118	84	16	5	1	1	3		2	1	3	1	1					
26	Appendicitis and typhlitis	19						1	1	6	7	4							
27	Hernia, intestinal obstruction	18	3		1	2				5		2	2	1	2				
28	Cirrhosis of the liver	7							1	1	1	2	2						
29	Acute nephritis and Bright's disease	214	2	2	1	1	1	2	5	8	39	44	46	29	22	11	1		
30	Diseases of the female genital organs	23							2	6	11	2	1	1					
31	Puerperal fever	12							4	3	3	2							
32	Other puerperal affections	13								10	3								
33	Congenital debility and malformations	104	103						1										
34	Senility	7												1	1	1	3	1	
35	Violent deaths (excluding suicide)	84	4	2	3		2	6	3	12	21	16	7	4		3	1		
36	Suicide	7							1	1	4				1				
(37)	Other defined diseases	284	57	10	1	3		3	6	18	48	54	48	25	6	4	1		
38	Diseases ill-defined or unknown	5		1	1	1				1				1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PITTSBURGH, PA. (TOTAL).																		
	All causes	8,728	1,765	396	146	86	82	240	346	728	876	927	979	1,027	767	329	32	2	
1	Typhoid fever	59			1	1		3	8	24	14	5	1	2					
2	Typhus fever																		
3	Malaria	3							1	2									
4	Smallpox																		
5	Measles	74	23	25	11	6	2	5	1		1								
6	Scarlet fever	55	4	9	5	4	4	16	9	4									
7	Whooping cough	45	19	16	5	2	1	2											
8	Diphtheria and croup	154	14	23	28	20	18	41	8			1	1						
9	Influenza	60	3	3		1		2	1	3	5	7	6	11	13	4	1		
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	37	13	2	1			1		1	6	2	6	3	1	1			
13	Tuberculosis of the lungs	620	15	6	2	3	4	8	67	154	155	102	53	37	12	2			
14	Tuberculous meningitis	70	16	16	4	3	3	7	8	7	3	2	1						
15	Other forms of tuberculosis	71	3			1	1	9	10	22	14	5	3	2	1				
16	Cancer and other malignant tumors	493	2	1					4	12	38	95	130	129	66	15	1		
17	Meningitis	45	14	7	3	1	1	6	3	4	1	2	2	1					
18	Cerebral hemorrhage and softening	382	2	1	1	1	1	2	1	4	15	30	72	110	96	44	1	1	
19	Organic diseases of the heart	678	6			1	1	12	40	32	57	95	109	174	113	35	3		
20	Acute bronchitis	86	35	15	3	2		2			2	3	2	3	9	8	2		
21	Chronic bronchitis	55	1					1	1			2	1	12	17	16	4		
22	Pneumonia	844	46	44	9	7	7	9	32	68	111	136	150	127	71	23	4		
23a	Bronchopneumonia	560	198	62	21	8	13	12	7	14	15	18	41	54	61	30	6		
23b	Other diseases of the respiratory system	115	9	6	5		1	5	2	6	12	12	13	13	21	9	1		
24	Diseases of the stomach	102	21	2	1				1	10	13	11	13	16	9	5			
25 (37)	Diarrhea and enteritis	631	457	101	19	5	5	7		5	7	5	7	1	4	7	1		
26	Appendicitis and typhlitis	98	2		1		2	3	10	22	26	17	9	5		1			
27	Hernia, intestinal obstruction	87	23	2	3	1		2	1	4	5	9	12	12	11	2			
28	Cirrhosis of the liver	102						1	1	6	11	22	28	22	10	1			
29	Acute nephritis and Bright's disease	526	5	7	1		4	7	19	33	46	79	80	101	100	44			
30	Diseases of the female genital organs	36							1	5	13	12	4	1					
31	Puerperal fever	71							5	26	34	6							
32	Other puerperal affections	56							8	19	23	5	1						
33	Congenital debility and malformations	559	554	2	2		1												
34	Senility	44												2	15	22	4	1	
35	Violent deaths (excluding suicide)	628	15	11	9	9	7	45	47	136	109	85	63	38	40	13	1		
36	Suicide	88							2	21	21	19	15	8	1	1			
(37)	Other defined diseases	1,177	261	29	10	10	6	32	48	84	119	139	154	140	96	46	3		
38	Diseases ill-defined or unknown	16	3	6	1							1	2	3					
	PITTSBURGH, PA. (WHITE).																		
	All causes	8,197	1,670	370	141	77	79	216	322	675	807	853	909	983	744	321	30		
1	Typhoid fever	54			1	1		3	8	22	11	5	1	2					
2	Typhus fever																		
3	Malaria	3							1	2									
4	Smallpox																		
5	Measles	71	22	25	11	4	2	5	1		1								
6	Scarlet fever	53	4	8	5	4	4	16	8	4									
7	Whooping cough	42	18	14	5	2	1	2											
8	Diphtheria and croup	150	14	23	28	19	17	40	7			1	1						
9	Influenza	54	3	3		1		1	1	2	3	6	5	11	13	4	1		
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	35	13	2	1			1		1	5	2	6	2	1	1			
13	Tuberculosis of the lungs	546	15	5	1	2	4	2	58	136	137	92	47	34	11	2			
14	Tuberculous meningitis	64	14	16	4	3	3	4	8	6	3	2	1						
15	Other forms of tuberculosis	65	2			1	1	7	8	22	13	5	3	2	1				
16	Cancer and other malignant tumors	476	2	1					4	12	38	92	126	123	63	14	1		
17	Meningitis	43	13	7	3	1	1	6	3	3	1	2	2	1					
18	Cerebral hemorrhage and softening	365	2	1	1	1	1	2	1	4	14	28	69	104	92	44	1		
19	Organic diseases of the heart	637	6			1	1	12	39	29	54	86	95	165	111	35	3		
20	Acute bronchitis	84	34	14	3	2		2			2	3	2	3	9	8	2		
21	Chronic bronchitis	53						1	1			2	1	12	16	16	4		
22	Pneumonia	775	42	42	8	6	7	8	30	60	96	120	140	121	70	22	3		
23a	Bronchopneumonia	527	186	55	19	7	12	11	5	13	15	18	38	53	60	29	6		
23b	Other diseases of the respiratory system	105	8	6	5		1	5	1	6	9	10	12	12	20	9	1		
24	Diseases of the stomach	96	20	2	1				1	7	13	10	13	16	8	5			
25 (37)	Diarrhea and enteritis	600	440	94	19	5	5	4		5	7	4	5	1	4	6	1		
26	Appendicitis and typhlitis	93	2		1		2	3	10	20	24	16	9	5		1			
27	Hernia, intestinal obstruction	83	22	2	3	1		2	1	4	4	9	11	12	10	2			
28	Cirrhosis of the liver	100						1	1	6	11	20	28	22	10	1			
29	Acute nephritis and Bright's disease	489	5	6	1		4	7	18	31	43	67	74	96	95	42			
30	Diseases of the female genital organs	32							1	4	12	11	4						
31	Puerperal fever	68							3	26	33	6							
32	Other puerperal affections	53							8	18	22	5							
33	Congenital debility and malformations	527	522	2	2		1												
34	Senility	39												1	15	20	3		
35	Violent deaths (excluding suicide)	597	15	10	9	8	6	40	47	129	106	80	58	35	40	13	1		
36	Suicide	87							2	20	21	19	15	8	1	1			
(37)	Other defined diseases	1,114	242	26	9	8	6	31	46	83	109	131	141	139	94	46	3		
38	Diseases ill-defined or unknown	16	3	6	1							1	2	3					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PITTSBURGH, PA. (COLORED).																		
	All causes	531	95	26	5	9	3	24	24	53	69	74	70	44	23	8	2	2	
1	Typhoid fever	5								2	3								
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	3	1			2													
6	Scarlet fever	2		1					1										
7	Whooping cough	3	1	2															
8	Diphtheria and croup	4				1	1	1	1										
9	Influenza	6						1		1	2	1	1						
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	2									1			1					
13	Tuberculosis of the lungs	74		1	1	1		6	9	18	18	10	6	3	1				
14	Tuberculous meningitis	6	2					3		1									
15	Other forms of tuberculosis	6	1					2	2		1								
16	Cancer and other malignant tumors	17										3	4	6	3	1			
17	Meningitis	2	1							1									
18	Cerebral hemorrhage and softening	17									1	2	3	6	4			1	
19	Organic diseases of the heart	41							1	3	3	9	14	9	2				
20	Acute bronchitis	2	1	1															
21	Chronic bronchitis	2	1												1				
22	Pneumonia	69	4	2	1	1		1	2	8	15	16	10	6	1	1	1		
23a	Bronchopneumonia	33	12	7	2	1	1	1	2	1			3	1	1	1			
23b	Other diseases of the respiratory system	10	1						1		3	2	1	1	1				
24	Diseases of the stomach	6	1							3		1			1				
25(37)	Diarrhea and enteritis	31	17	7				3				1	2			1			
26	Appendicitis and typhlitis	5								2	2	1							
27	Hernia, intestinal obstruction	4	1								1		1		1				
28	Cirrhosis of the liver	2										2							
29	Acute nephritis and Bright's disease	37		1					1	2	3	12	6	5	5	2			
30	Diseases of the female genital organs	4								1	1	1		1					
31	Puerperal fever	3							2		1								
32	Other puerperal affections	3								1	1		1						
33	Congenital debility and malformations	32	32																
34	Senility	5												1		2	1	1	
35	Violent deaths (excluding suicide)	31		1		1	1	5		7	3	5	5	3					
36	Suicide	1								1									
(37)	Other defined diseases	63	19	3	1	2		1	2	1	10	8	13	1	2				
38	Diseases ill-defined or unknown																		
	SCRANTON, PA.																		
	All causes	2,114	474	91	37	23	12	57	92	159	173	245	239	262	161	74	15		
1	Typhoid fever	18		1					6	2	4	3	2						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	8		6	1			1											
6	Scarlet fever	4		1				2		1									
7	Whooping cough	5	3	1	1														
8	Diphtheria and croup	40	2	5	6	8	4	13	1			1							
9	Influenza	13	5	1		1						1	1	1	2	1			
10	Asiatic cholera																		
11	Cholera nostras	2											1	1					
12	Other epidemic diseases	17	6	4	1								3	2		1			
13	Tuberculosis of the lungs	104	1	1	1	1		1	5	32	24	22	9	6	1				
14	Tuberculous meningitis	18	4	3	1	1	2		2	3		2							
15	Other forms of tuberculosis	12	2	1				1	1	2	2	2	1						
16	Cancer and other malignant tumors	131								3	8	29	27	48	10	6			
17	Meningitis	11	2	2	3	1			2					1					
18	Cerebral hemorrhage and softening	100									3	7	17	37	27	8	1		
19	Organic diseases of the heart	185							15	14	19	26	36	35	25	14	1		
20	Acute bronchitis	31	16	3	2							1	2	1	4	1	1		
21	Chronic bronchitis	13						1					1	7	3	1			
22	Pneumonia	160	14	6	3	1	1	7	8	11	17	26	23	18	13	9	3		
23a	Bronchopneumonia	127	63	18	2	2	2	4	1		2	2	7	6	10	6	2		
23b	Other diseases of the respiratory system	27		3	1			2	1	4	1	5	4	4		2			
24	Diseases of the stomach	39	8	2		1	1	3		2	4	2	4	7	5				
25(37)	Diarrhea and enteritis	219	171	26	6			3	2			1	3	4	3				
26	Appendicitis and typhlitis	16		1				2	6	1	2	1	3						
27	Hernia, intestinal obstruction	27	3	1				1	1	1	3	6	3	5	3				
28	Cirrhosis of the liver	11								1	1	5	3		1				
29	Acute nephritis and Bright's disease	148	4		2	1		3	5	9	18	19	29	29	24	4	1		
30	Diseases of the female genital organs	14	1						1	2	2	3	3	2					
31	Puerperal fever	19							1	14	3	1							
32	Other puerperal affections	14							1	7	6								
33	Congenital debility and malformations	120	118			1				1									
34	Senility	4														2	2		
35	Violent deaths (excluding suicide)	188	5	2	7	2	2	7	21	30	33	36	15	13	9	6			
36	Suicide	24								6	7	5	4	1		1			
(37)	Other defined diseases	243	46	2		3		6	12	13	14	39	38	34	20	12	4		
38	Diseases ill-defined or unknown	2		1											1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PROVIDENCE, R. I.																		
	All causes	3,660	621	137	58	50	26	74	108	252	290	406	454	532	414	202	36		
1	Typhoid fever	20	1						6	4	4	2		3					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	23	3	11	5	2		1				1							
6	Scarlet fever	19		1	4	2	3	4	2	1	1	1							
7	Whooping cough	40	26	9	4	1													
8	Diphtheria and croup	55	4	5	7	11	7	15	4		2								
9	Influenza	26	2						1		2	1	4	4	8	2	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	14	5								1	2		1	4	1			
13	Tuberculosis of the lungs	314	7	6	1	1		1	29	90	62	65	37	14	1				
14	Tuberculous meningitis	51	13	13	8	4	1	4	4	2	2								
15	Other forms of tuberculosis	29	3	1	1			7	1	8	5	1		2					
16	Cancer and other malignant tumors	231		1		1				2	15	37	63	62	32	16	2		
17	Meningitis	31	6	7	3		1	2	3	4	2	2				1			
18	Cerebral hemorrhage and softening	254	1							1	6	16	49	71	75	32	3		
19	Organic diseases of the heart	358	1		1				6	12	18	47	45	101	78	46	3		
20	Acute bronchitis	28	13	5		1						1		2	3	2	1		
21	Chronic bronchitis	13									1	1	2	4	2	2	1		
22	Pneumonia	274	27	15	4	6	3	5	4	18	25	32	52	39	38	5	1		
23a	Bronchopneumonia	143	55	22	4	3	1	2	1	1	2	8	3	14	11	10	6		
23b	Other diseases of the respiratory system	32	3	2		1	2			1	2	2	3	8	4	3	1		
24	Diseases of the stomach	28	2							1	6	6	3	5	3	2			
25(37)	Diarrhea and enteritis	177	124	24	6	2					2	3	2	4	7	2	1		
26	Appendicitis and typhlitis	34						4	4	7	3	4	7	5					
27	Hernia, intestinal obstruction	25	1	1					1	2	1	2	5	8	3	1			
28	Cirrhosis of the liver	41									5	10	9	10	5	2			
29	Acute nephritis and Bright's disease	321	1		1	1		2	9	17	26	53	56	73	62	18	2		
30	Diseases of the female genital organs	14							1	3	3	4	2	1					
31	Puerperal fever	18							2	9	5	2							
32	Other puerperal affections	39							1	14	23	1							
33	Congenital debility and malformations	227	226					1											
34	Senility	21												2	7	8	4		
35	Violent deaths (excluding suicide)	191	4	3	3	11	5	18	10	15	23	33	19	26	11	7	3		
36	Suicide	39							3	6	5	8	13	4					
(37)	Other defined diseases	511	83	9	6	3	3	8	16	31	37	60	78	69	60	42	6		
38	Diseases ill-defined or unknown	19	10	2						3	1	1	2						
	MEMPHIS, TENN. (TOTAL).																		
	All causes	2,895	228	57	38	18	14	55	172	505	460	416	364	299	174	67	8	8	12
1	Typhoid fever	39						4	7	13	9	2	3	1					
2	Typhus fever																		
3	Malaria	108	5	5	2	3	2	6	13	22	16	14	10	7	3				
4	Smallpox																		
5	Measles	4			3				1										
6	Scarlet fever	7				1	2	3			1								
7	Whooping cough	1	1																
8	Diphtheria and croup	19	4	4	3	2	2	3	1										
9	Influenza	54	2		1				2	6	8	7	7	6	9	5			1
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	25	2	2	1			1	1	3	3	1	4	3	2	2			
13	Tuberculosis of the lungs	383		2	2	1		4	56	139	83	48	26	16	6				
14	Tuberculous meningitis	9		2						5	1	1							
15	Other forms of tuberculosis	33	1			1		3	1	3	9	12	3						
16	Cancer and other malignant tumors	126								7	17	35	36	21	9	1			
17	Meningitis	5	1							1	3								
18	Cerebral hemorrhage and softening	74							1	5	2	11	22	19	10	3		1	
19	Organic diseases of the heart	212				1		2	3	17	34	41	27	51	27	6	2	1	
20	Acute bronchitis	7	4		1					1				1					
21	Chronic bronchitis	8							1	1			2		2	1	1		
22	Pneumonia	132	7	1			1	5	8	27	23	18	20	13	6	3			
23a	Bronchopneumonia	68	20	10	1	1		1	1	5	1	7	5	6	6	4			
23b	Other diseases of the respiratory system	36	2	1		1	1			6	6	7	5	5		2			
24	Diseases of the stomach	39	2	1	1			1	1	10	4	7	4	5	1			1	1
25(37)	Diarrhea and enteritis	95	35	18	10	2	2	1	5	3	1	3	4	5	2	2	2		
26	Appendicitis and typhlitis	49	1		1				8	13	9	8	7	2					
27	Hernia, intestinal obstruction	40	2	2	3		1	3	1	6	4	6	5	4	2	1			
28	Cirrhosis of the liver	20									3	5	5	5	1				1
29	Acute nephritis and Bright's disease	250	1		1			3	4	19	34	41	54	49	31	12			1
30	Diseases of the female genital organs	53							2	14	21	12	1	1	1				1
31	Puerperal fever	21							2	11	7	1							
32	Other puerperal affections	29							5	17	5	2							
33	Congenital debility and malformations	86	86																
34	Senility	28												2	14	6	1	5	
35	Violent deaths (excluding suicide)	236	3	2	4	3	1	6	21	79	56	28	10	11	6	4	1		1
36	Suicide	36							2	11	7	9	5	2					
(37)	Other defined diseases	515	46	5	4	1	2	8	22	56	87	81	92	60	34	14	1		2
38	Diseases ill-defined or unknown	48	3	2		1		1	3	5	6	9	7	4	2	1			4

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MEMPHIS, TENN. (WHITE).																		
	All causes	1,286	135	25	22	9	12	28	42	146	164	176	187	168	118	46	3		5
1	Typhoid fever	22						3	4	6	6		3						
2	Typhus fever																		
3	Malaria	34	2	1	1	1	2	3	7	5	4	4	3		1				
4	Smallpox																		
5	Measles	3			3														
6	Scarlet fever	6				1	2	3											
7	Whooping cough																		
8	Diphtheria and croup	15	1	4	2	2	2	3	1										
9	Influenza	18	1							1		2		3	7	3			1
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	10			1					1	2	1	1		2	2			
13	Tuberculosis of the lungs	105							4	36	22	14	17	8	4				
14	Tuberculous meningitis	4		2						1		1							
15	Other forms of tuberculosis	16	1					1		1	3	8	2						
16	Cancer and other malignant tumors	84								3	9	23	25	16	8				
17	Meningitis	2	1							1									
18	Cerebral hemorrhage and softening	42										4	12	15	8	3			
19	Organic diseases of the heart	103				1		2	1	4	15	14	11	27	22	5	1		
20	Acute bronchitis	3	2											1					
21	Chronic bronchitis	4											1		2		1		
22	Pneumonia	48	4				1	3	1	5	10	6	8	5	3	2			
23a	Bronchopneumonia	32	9	3				1			1	4		4	6	4			
23b	Other diseases of the respiratory system	16	1			1	1			4	2	3	2	2					
24	Diseases of the stomach	5	1							2	1	1							
25(37)	Diarrhea and enteritis	57	22	8	8	2	2	1	2	2		3	2	3	2				
26	Appendicitis and typhlitis	37	1		1				6	8	4	8	7	2					
27	Hernia, intestinal obstruction	18		1	1		1	2	1	4	2	1	4			1			
28	Cirrhosis of the liver	11									1	2	3	4					1
29	Acute nephritis and Bright's disease	120			1					3	13	14	27	31	21	10			
30	Diseases of the female genital organs	14								4	6	4							
31	Puerperal fever	11								5	5	1							
32	Other puerperal affections	15								10	3	2							
33	Congenital debility and malformations	61	61																
34	Senility	8												1	4	3			
35	Violent deaths (excluding suicide)	85	2	1	2			2	6	20	19	16	3	6	4	3			1
36	Suicide	32							2	8	7	8	5	2					
(37)	Other defined diseases	229	25	3	2		1	4	7	11	28	30	47	37	23	10	1		
38	Diseases ill-defined or unknown	16	1	2		1				1	1	2	4	1	1				2
	MEMPHIS, TENN. (COLORED).																		
	All causes	1,609	93	32	16	9	2	27	130	359	296	240	177	131	56	21	5	8	7
1	Typhoid fever	17						1	3	7	3	2		1					
2	Typhus fever																		
3	Malaria	74	3	4	1	2		3	6	17	12	10	7	7	2				
4	Smallpox																		
5	Measles	1							1										
6	Scarlet fever	1									1								
7	Whooping cough	1	1																
8	Diphtheria and croup	4	3		1														
9	Influenza	36	1		1				2	5	8	5	7	3	2	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	15	2	2				1	1	2	1		3	3					
13	Tuberculosis of the lungs	278		2	2	1		4	52	103	61	34	9	8	2				
14	Tuberculous meningitis	5								4	1								
15	Other forms of tuberculosis	17				1		2	1	2	6	4	1						
16	Cancer and other malignant tumors	42								4	8	12	11	5	1	1			
17	Meningitis	3									3								
18	Cerebral hemorrhage and softening	32							1	5	2	7	10	4	2			1	
19	Organic diseases of the heart	109							2	13	19	27	16	24	5	1	1	1	
20	Acute bronchitis	4	2		1					1									
21	Chronic bronchitis	4							1	1			1			1			
22	Pneumonia	84	3	1				2	7	22	13	12	12	8	3	1			
23a	Bronchopneumonia	36	11	7	1	1			1	5		3	5	2					
23b	Other diseases of the respiratory system	20	1	1						2	4	4	3	3		2			
24	Diseases of the stomach	34	1	1	1			1	1	8	3	6	4	5	1			1	1
25(37)	Diarrhea and enteritis	38	13	10	2				3	1	1		2	2		2	2		
26	Appendicitis and typhlitis	12							2	5	5								
27	Hernia, intestinal obstruction	22	2	1	2			1		2	2	5	1	4	2				
28	Cirrhosis of the liver	9									2	3	2	1	1				
29	Acute nephritis and Bright's disease	130	1					3	4	16	21	27	27	18	10	2			1
30	Diseases of the female genital organs	39							2	10	15	8	1	1	1				1
31	Puerperal fever	10							2	6	2								
32	Other puerperal affections	14							5	7	2								
33	Congenital debility and malformations	25	25																
34	Senility	20												1	10	3	1	5	
35	Violent deaths (excluding suicide)	151	1	1	2	3	1	4	15	59	37	12	7	5	2	1	1		
36	Suicide	4								3		1							
(37)	Other defined diseases	286	21	2	2	1	1	4	15	45	59	51	45	23	11	4			2
38	Diseases ill-defined or unknown	32	2					1	3	4	5	7	3	3	1	1			2

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

NASHVILLE, TENN. (TOTAL).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	All causes	1,997	231	58	34	11	12	39	118	250	232	229	263	251	183	74	10	2	
1	Typhoid fever	43				1	1	4	11	15	4	4	1	2					
2	Typhus fever																		
3	Malaria	7								2	1		3	1					
4	Smallpox																		
5	Measles	1			1														
6	Scarlet fever	2				1	1												
7	Whooping cough	3	1	1	1														
8	Diphtheria and croup	10		1		2	2	3	1	1									
9	Influenza	29	2		3	2				2	1	5	3	4	5	1	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	15	2	1							1		4	2	4	1			
13	Tuberculosis of the lungs	234	2	1			2	2	34	84	56	23	21	5	4				
14	Tuberculous meningitis	10	3	1	1			1	1	1	2								
15	Other forms of tuberculosis	33			1			3	4	9	5	6	2	3					
16	Cancer and other malignant tumors	90								3	8	14	24	22	13	6			
17	Meningitis	7		1	1			1	1	2		1							
18	Cerebral hemorrhage and softening	71	1							1	5	9	18	21	12	3	1		
19	Organic diseases of the heart	245	2						6	13	30	26	62	46	44	14	1	1	
20	Acute bronchitis	5	2										1	1	1				
21	Chronic bronchitis	7							1	1		1	1	1	1	1			
22	Pneumonia	124	11	11	2			4	12	14	12	13	14	18	9	3	1		
23a	Bronchopneumonia	53	27	4	3				1		1	2	2	4	7	2			
23b	Other diseases of the respiratory system	26	2			1		2	1	3	1	5	2	2	5	1	1		
24	Diseases of the stomach	42	5			1		2		4	8	9	3	7	3				
25(37)	Diarrhea and enteritis	101	40	30	11	1			2	1	1	3	5	1	5	1			
26	Appendicitis and typhlitis	35	2					2	9	5	2	8	3	4					
27	Hernia, intestinal obstruction	36	4	2				1	2	2	8	5	4	2	4	2			
28	Cirrhosis of the liver	11								2		2	2	3	2				
29	Acute nephritis and Bright's disease	154	1				1	1	1	8	11	16	34	41	26	14			
30	Diseases of the female genital organs	21							1	4	8	7	1						
31	Puerperal fever	16							5	9	1	1							
32	Other puerperal affections	11							3	3	5								
33	Congenital debility and malformations	98	95	3															
34	Senility	23												1	8	10	3	1	
35	Violent deaths (excluding suicide)	95	4		2		3	5	11	26	19	12	5	2	3	3			
36	Suicide	16							1	4	3	6	2						
(37)	Other defined diseases	308	19	2	7	2	2	8	10	30	38	50	44	55	27	12	2		
38	Diseases ill-defined or unknown	15	6		1					1	1	1	2	3					

NASHVILLE, TENN. (WHITE).

	All causes	1,117	141	31	23	5	6	23	55	115	97	117	136	167	140	56	5		
1	Typhoid fever	20						3	4	8	1	2		2					
2	Typhus fever																		
3	Malaria	2											1	1					
4	Smallpox																		
5	Measles	1			1														
6	Scarlet fever	2				1	1												
7	Whooping cough	3	1	1	1														
8	Diphtheria and croup	7		1		1	1	3	1										
9	Influenza	15								2		2	2	3	4	1	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	11	1	1							1		2	2	3	1			
13	Tuberculosis of the lungs	89	2	1			1		8	29	20	12	10	3	3				
14	Tuberculous meningitis	7	3	1	1			1		1									
15	Other forms of tuberculosis	13			1				1	4	1	4		2					
16	Cancer and other malignant tumors	65								2	5	7	15	20	11	5			
17	Meningitis	7		1	1			1	1	2		1							
18	Cerebral hemorrhage and softening	40	1							1	1	3	10	11	11	2			
19	Organic diseases of the heart	117	1						4	6	8	4	27	26	31	9	1		
20	Acute bronchitis	3	1											1	1				
21	Chronic bronchitis	4								1				1	1	1			
22	Pneumonia	61	3	1	1			1	5	5	6	9	10	11	7	2			
23a	Bronchopneumonia	26	13		2							2		4	3	2			
23b	Other diseases of the respiratory system	12	1					2				2	1	1	4	1			
24	Diseases of the stomach	23	2					1		1	3	7	1	5	3				
25(37)	Diarrhea and enteritis	70	26	19	9	1			2	1	1	2	2	1	5	1			
26	Appendicitis and typhlitis	27	2					2	7	4	2	6	2	2					
27	Hernia, intestinal obstruction	26	4	2				1	1		3	5	3	2	3	2			
28	Cirrhosis of the liver	4												2	2				
29	Acute nephritis and Bright's disease	88					1			6	4	8	18	22	18	11			
30	Diseases of the female genital organs	12							1	1	4	5	1						
31	Puerperal fever	9							2	6	1								
32	Other puerperal affections	5							2	1	2								
33	Congenital debility and malformations	69	67	2															
34	Senility	16													7	6	3		
35	Violent deaths (excluding suicide)	52	1				1	2	7	14	10	8	2	2	3	2			
36	Suicide	13							1	4	2	4	2						
(37)	Other defined diseases	190	10	1	5	2	1	6	8	16	21	23	26	41	20	10			
38	Diseases ill-defined or unknown	8	2		1						1	1	1	2					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NASHVILLE, TENN. (COLORED).																		
	All causes	880	90	27	11	6	6	16	63	135	135	112	127	84	43	18	5	2	
1	Typhoid fever	23				1	1	1	7	7	3	2	1						
2	Typhus fever																		
3	Malaria	5								2	1		2						
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough																		
8	Diphtheria and croup	3				1	1			1									
9	Influenza	14	2		3	2					1	3	1	1	1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	4	1										2		1				
13	Tuberculosis of the lungs	145					1	2	26	55	36	11	11	2	1				
14	Tuberculous meningitis	3							1		2								
15	Other forms of tuberculosis	20						3	3	5	4	2	2	1					
16	Cancer and other malignant tumors	25								1	3	7	9	2	2	1			
17	Meningitis																		
18	Cerebral hemorrhage and softening	31									4	6	8	10	1	1	1		
19	Organic diseases of the heart	128	1						2	7	22	22	35	20	13	5		1	
20	Acute bronchitis	2	1										1						
21	Chronic bronchitis	3							1			1	1						
22	Pneumonia	63	8	10	1			3	7	9	6	4	4	7	2	1	1		
23a	Bronchopneumonia	27	14	4	1				1		1		2		4				
23b	Other diseases of the respiratory system	14	1			1			1	3	1	3	1	1	1		1		
24	Diseases of the stomach	19	3			1		1		3	5	2	2	2					
25 (37)	Diarrhea and enteritis	31	14	11	2							1	3						
26	Appendicitis and typhlitis	8							2	1		2	1	2					
27	Hernia, intestinal obstruction	10							1	2	5		1		1				
28	Cirrhosis of the liver	7								2		2	2	1					
29	Acute nephritis and Bright's disease	66	1					1	1	2	7	8	16	19	8	3			
30	Diseases of the female genital organs	9								3	4	2							
31	Puerperal fever	7							3	3		1							
32	Other puerperal affections	6							1	2	3								
33	Congenital debility and malformations	29	28	1															
34	Senility	7												1	1	4		1	
35	Violent deaths (excluding suicide)	43	3		2		2	3	4	12	9	4	3			1			
36	Suicide	3									1	2							
(37)	Other defined diseases	118	9	1	2		1	2	2	14	17	27	18	14	7	2	2		
38	Diseases ill-defined or unknown	7	4							1			1	1					
	RICHMOND, VA. (TOTAL).																		
	All causes	2,921	440	97	37	23	21	56	108	310	345	327	408	347	277	111	12	2	
1	Typhoid fever	19							5	7	5		2						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever	1						1											
7	Whooping cough	10	3	2	2			2		1									
8	Diphtheria and croup	6		2	1	1	1	1											
9	Influenza	26		2	1			1	1	4	3	1	4	3		5	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	17	4	1		1	1			1	1		2	3	3				
13	Tuberculosis of the lungs	271	2	2	3	3			30	81	79	39	19	10	3				
14	Tuberculous meningitis	24	3	8	2	2	2	2	2	1		1	1						
15	Other forms of tuberculosis	32	3	2		3			1	2	6	5	6	2	2				
16	Cancer and other malignant tumors	127	1	1	1			1	1	2	15	23	40	25	15	2			
17	Meningitis	17	2	2	1	1		4		2	2	1	2						
18	Cerebral hemorrhage and softening	202								3	9	17	54	57	42	20			
19	Organic diseases of the heart	293					1	3	6	14	34	47	54	51	52	26	5		
20	Acute bronchitis	26	10	4					1	2	1		3	3		1	1		
21	Chronic bronchitis	13								1	2	1	2	3	2	2			
22	Pneumonia	198	14	2	2	1	1	3	4	43	28	26	33	25	15	1			
23a	Bronchopneumonia	111	38	18	8	3	3	8	2	1	1	5	6	9	7	2			
23b	Other diseases of the respiratory system	61	6	3	2	2			2	9	6	14	4	9	3	1			
24	Diseases of the stomach	38	7	4				2	1	4	5	6	4	2	1	2			
25 (37)	Diarrhea and enteritis	137	84	20	3	2	1	3		1	3	4	4	4	4	4			
26	Appendicitis and typhlitis	36						7	3	7	7	3	7	1		1			
27	Hernia, intestinal obstruction	27	2		2				1	5	5	3	3	2	2	2			
28	Cirrhosis of the liver	25								2	3	4	7	5	2	2			
29	Acute nephritis and Bright's disease	316	1	3			2	4	5	4	28	51	67	68	65	17		1	
30	Diseases of the female genital organs	18							1	3	10	4							
31	Puerperal fever	10								7	3								
32	Other puerperal affections	22							2	14	6								
33	Congenital debility and malformations	171	169	1		1													
34	Senility	16											1	3	2	8	2		
35	Violent deaths (excluding suicide)	184	11	2	3	2	6	7	27	37	32	16	15	10	13	2	1		
36	Suicide	18							1	4	6	4	2	1					
(37)	Other defined diseases	402	72	6	5	1	2	7	11	42	41	49	61	49	41	12	2	1	
38	Diseases ill-defined or unknown	47	8	12	1		1		1	6	4	3	5	2	3	1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	RICHMOND, VA. (WHITE.)																		
	All causes	1,574	214	40	14	8	13	30	39	112	141	147	230	239	243	95	9		
1	Typhoid fever	6							2	1	2		1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever	1						1											
7	Whooping cough																		
8	Diphtheria and croup	5		2	1	1	1												
9	Influenza	15		2	1					1	1		2	3		4	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	7	1										1	3	2				
13	Tuberculosis of the lungs	109		1					6	30	29	22	10	8	3				
14	Tuberculous meningitis	14	2	5	1		2	2				1	1						
15	Other forms of tuberculosis	15	3	1		2				1	1	2	4		1				
16	Cancer and other malignant tumors	101	1	1	1			1	1		8	16	33	22	15	2			
17	Meningitis	12	2	2		1		3		1		1	2						
18	Cerebral hemorrhage and softening	117									1	5	25	35	35	16			
19	Organic diseases of the heart	172						2	5	5	9	15	26	37	46	25	2		
20	Acute bronchitis	6	2											3			1		
21	Chronic bronchitis	8										1	1	2	2	2			
22	Pneumonia	85	3		1	1		2	3	10	8	15	15	15	11	1			
23a	Bronchopneumonia	40	13	5	1	1		2	1	1		2	1	4	7	2			
23b	Other diseases of the respiratory system	21	2	2	1					1	3	1	2	5	3	1			
24	Diseases of the stomach	11	3	1							1	1	2		1	2			
25(37)	Diarrhea and enteritis	80	45	9	3	1	1	1		1	2	2	4	3	4	4			
26	Appendicitis and typhlitis	25						4	2	3	6	2	6	1		1			
27	Hernia, intestinal obstruction	17	1		1				1	3	3	2	2		2	2			
28	Cirrhosis of the liver	11											2	5	2	2			
29	Acute nephritis and Bright's disease	195		1			1	3	2	2	14	18	38	44	58	14			
30	Diseases of the female genital organs	9								3	5	1							
31	Puerperal fever	3								3									
32	Other puerperal affections	14							2	8	4								
33	Congenital debility and malformations	96	94	1		1													
34	Senility	11												2	1	6	2		
35	Violent deaths (excluding suicide)	94	3	2	2		5	3	8	13	17	13	9	7	9	2	1		
36	Suicide	15							1	3	5	4	1	1					
(37)	Other defined diseases	246	35	4	1		2	6	5	21	21	23	40	39	38	9	2		
38	Diseases ill-defined or unknown	13	4	1			1			1	1		2		3				
	RICHMOND, VA. (COLORED.)																		
	All causes	1,347	226	57	23	15	8	26	69	198	204	180	178	108	34	16	3	2	
1	Typhoid fever	13							3	6	3		1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough	10	3	2	2			2		1									
8	Diphtheria and croup	1						1											
9	Influenza	11						1	1	3	2	1	2			1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	10	3	1		1	1			1	1		1		1				
13	Tuberculosis of the lungs	162	2	1	3	3			24	51	50	17	9	2					
14	Tuberculous meningitis	10	1	3	1	2			2	1									
15	Other forms of tuberculosis	17		1		1			1	1	5	3	2	2	1				
16	Cancer and other malignant tumors	26								2	7	7	7	3					
17	Meningitis	5			1			1		1	2								
18	Cerebral hemorrhage and softening	85								3	8	12	29	22	7	4			
19	Organic diseases of the heart	121					1	1	1	9	25	32	28	14	6	1	3		
20	Acute bronchitis	20	8	4					1	2	1		3			1			
21	Chronic bronchitis	5								1	2		1	1					
22	Pneumonia	113	11	2	1		1	1	1	33	20	11	18	10	4				
23a	Bronchopneumonia	71	25	13	7	2	3	6	1		1	3	5	5					
23b	Other diseases of the respiratory system	40	4	1	1	2			2	8	3	13	2	4					
24	Diseases of the stomach	27	4	3				2	1	4	4	5	2	2					
25(37)	Diarrhea and enteritis	57	39	11		1		2			1	2		1					
26	Appendicitis and typhlitis	11						3	1	4	1	1	1						
27	Hernia, intestinal obstruction	10	1		1					2	2	1	1	2					
28	Cirrhosis of the liver	14								2	3	4	5						
29	Acute nephritis and Bright's disease	121	1	2			1	1	3	2	14	33	29	24	7	3		1	
30	Diseases of the female genital organs	9							1		5	3							
31	Puerperal fever	7								4	3								
32	Other puerperal affections	8								6	2								
33	Congenital debility and malformations	75	75																
34	Senility	5											1	1	1	2			
35	Violent deaths (excluding suicide)	90	8		1	2	1	4	19	24	15	3	6	3	4				
36	Suicide	3								1	1		1						
(37)	Other defined diseases	156	37	2	4	1		1	6	21	20	26	21	10	3	3		1	
38	Diseases ill-defined or unknown	34	4	11	1				1	5	3	3	3	2		1			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	SEATTLE, WASH.																		
	All causes	2,464	262	34	20	13	5	28	83	213	299	360	379	331	292	127	16		2
1	Typhoid fever	8							2	1	1	3	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever	1		1															
7	Whooping cough	5	1	1	1		1		1										
8	Diphtheria and croup	2						1	1										
9	Influenza	21	2								2	2	1	3	7	3	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	6	4									1				1			
13	Tuberculosis of the lungs	162	2		1			1	12	43	44	28	17	10	3	1			
14	Tuberculous meningitis	29	9	6	3	1	2	1	1	3	1		2						
15	Other forms of tuberculosis	22			1	1			1	9	7	2	1						
16	Cancer and other malignant tumors	203							2		12	42	53	53	35	5	1		
17	Meningitis	17	4	1	1	1			3	2	3	1	1						
18	Cerebral hemorrhage and softening	139	1		1					1	3	18	29	39	35	11	1		
19	Organic diseases of the heart	290	2					1	11	11	15	41	42	67	79	19	2		
20	Acute bronchitis	1													1				
21	Chronic bronchitis	9	1											2	4	2			
22	Pneumonia	140	5	6	2			2	1	15	17	28	28	16	10	9	1		
23a	Bronchopneumonia	48	17	5	3	1		2	1		5	3	2	5	2	2			
23b	Other diseases of the respiratory system	38	1	1			1		2	2	9	4	7	5	3	3			
24	Diseases of the stomach	32	4							1	2	8	4	4	4	3	2		
25(37)	Diarrhea and enteritis	41	18	7	1						2	1	3	6		2	1		
26	Appendicitis and typhlitis	42	1			2	1		5	11	6	10	4	2					
27	Hernia, intestinal obstruction	25	2			1			1	1	3	3	6	4		4			
28	Cirrhosis of the liver	26									1	11	10	3			1		
29	Acute nephritis and Bright's disease	187						1	3	5	15	33	43	37	37	12	1		
30	Diseases of the female genital organs	28								8	9	4	2	3	1	1			
31	Puerperal fever	13							1	4	8								
32	Other puerperal affections	28							1	10	15	2							
33	Congenital debility and malformations	132	130						1	1									
34	Senility	31											1	2	9	16	3		
35	Violent deaths (excluding suicide)	206	5	5	1	4		12	14	35	51	38	21	11	6	2			1
36	Suicide	99							1	20	23	26	21	3	2	2			1
(37)	Other defined diseases	428	52		5	2		7	18	30	45	50	78	56	54	29	2		
38	Diseases ill-defined or unknown	5	1	1								1	2						
	SPOKANE, WASH.																		
	All causes	1,165	153	18	15	11	3	23	46	91	132	130	182	169	132	52	6		2
1	Typhoid fever	14		1					2	4	4	2	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever	3						1	2										
7	Whooping cough	15	11	2	1	1													
8	Diphtheria and croup	8			2		1	5											
9	Influenza	18	1	1							2		5		7	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	5	2		2								1						
13	Tuberculosis of the lungs	73							2	15	26	11	14	4	1				
14	Tuberculous meningitis	5	2	1	1					1									
15	Other forms of tuberculosis	11						1	3	2	2	1	2						
16	Cancer and other malignant tumors	90		1				1		3	5	24	18	23	13	2			
17	Meningitis	4				1			1	1	1								
18	Cerebral hemorrhage and softening	48								1	2	4	8	15	9	8	1		
19	Organic diseases of the heart	115	1						4	9	5	10	24	22	27	10	2		1
20	Acute bronchitis	2		1											1				
21	Chronic bronchitis	7									1			1	3	1	1		
22	Pneumonia	48	1			1		1		3	5	6	6	13	7	5			
23a	Bronchopneumonia	30	13	2		2				1	2	1		3	6				
23b	Other diseases of the respiratory system	12	1				1		2			3	2	2	1				
24	Diseases of the stomach	10	2					1			1		2	3		1			
25(37)	Diarrhea and enteritis	34	14	5	3	1	1		1		1		5	2	1				
26	Appendicitis and typhlitis	29	1					3	3	5	3	8	5		1				
27	Hernia, intestinal obstruction	13			1						4	2	3	3					
28	Cirrhosis of the liver	16								1	2	3	6	4					
29	Acute nephritis and Bright's disease	106							4	5	8	8	23	29	17	12			
30	Diseases of the female genital organs	10								1	4	3		1	1				
31	Puerperal fever	8							2	2	4								
32	Other puerperal affections	6								4	1	1							
33	Congenital debility and malformations	75	72	2				1											
34	Senility	9													3	4	2		
35	Violent deaths (excluding suicide)	104	4	1	4	2		7	12	14	19	10	20	6	5				
36	Suicide	30								5	7	8	5	4					1
(37)	Other defined diseases	204	28	1	1	2		2	8	14	23	25	32	33	23	7			
38	Diseases ill-defined or unknown	3				1								1	1				

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MILWAUKEE, WIS.																		
	All causes	4,901	1,107	159	80	62	36	119	170	317	377	411	559	619	528	320	37		
1	Typhoid fever	22		1		1		1	7	3	6	1		1	1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	18	6	6	2	1	2	1											
6	Scarlet fever	30	1	2	6	6	2	8	5										
7	Whooping cough	53	32	11	3	6		1											
8	Diphtheria and croup	99	6	14	12	17	14	27	8		1								
9	Influenza	70	9	2				1	3	2	2	8	3	11	13	15	1		
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	11	1	1				1		1	1	1	1	1		3			
13	Tuberculosis of the lungs	358	1	1	1	3		3	45	115	86	48	34	17	4				
14	Tuberculous meningitis	31	8	4	3	2	2	3	4	1	2	1	1						
15	Other forms of tuberculosis	23	2	3	1	2		1	1	4	4	3	1			1			
16	Cancer and other malignant tumors	354					1	1		2	17	57	105	95	58	17	1		
17	Meningitis	35	11	3	3	1	1	5	4	2		1	4						
18	Cerebral hemorrhage and softening	226							1	1	6	7	49	60	61	37	4		
19	Organic diseases of the heart	420				2		8	10	13	18	41	47	119	108	50	4		
20	Acute bronchitis	82	44	9	1	1	1	1			1	3	1	3	7	9	1		
21	Chronic bronchitis	58						1	1	2			4	6	20	22	2		
22	Pneumonia	373	52	14	6	3		10	5	23	40	37	65	48	46	23	1		
23a	Bronchopneumonia	230	113	32	16	2	2	5	1		2	2	6	15	17	16	1		
23b	Other diseases of the respiratory system	54	4	2	2	2		2	2	2	5	5	6	9	11	1	1		
24	Diseases of the stomach	85	34	4	2				1	3	9	11	10	2	4	4	1		
25(37)	Diarrhea and enteritis	279	225	21	8	1	1	4	1		3	3	3	5	3	1			
26	Appendicitis and typhlitis	75				2		6	14	17	18	7	8	3					
27	Hernia, intestinal obstruction	46	10		1			1	1	2	3	5	7	9	4	3			
28	Cirrhosis of the liver	68			1				2	1	7	12	16	15	11	3			
29	Acute nephritis and Bright's disease	302	8	4	1			1	6	12	28	46	52	73	46	23	2		
30	Diseases of the female genital organs	21								4	2	10	3		2				
31	Puerperal fever	14								6	7	1							
32	Other puerperal affections	30							2	12	14	2							
33	Congenital debility and malformations	332	331	1															
34	Senility	78												2	25	38	13		
35	Violent deaths (excluding suicide)	216	3	6	6	8	4	13	14	32	37	30	30	14	13	6			
36	Suicide	71							4	16	9	16	12	10	1	3			
(37)	Other defined diseases	730	204	17	4	2	6	14	28	40	49	53	90	100	73	45	5		
38	Diseases ill-defined or unknown	6	1	1	1					1			1	1					

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	SUMMARY.													
	THE REGISTRATION AREA.													
	All causes	909,155	79,662	76,452	91,515	85,445	72,636	66,479	69,776	69,735	69,588	70,768	70,347	86,752
1	Typhoid fever	8,332	570	472	510	437	435	509	639	908	1,082	1,108	889	773
3	Malaria	1,541	52	67	64	77	81	113	157	201	251	255	147	76
5	Measles	3,649	221	281	371	563	599	509	308	139	95	86	140	337
6	Scarlet fever	2,419	318	276	280	318	305	175	106	66	78	114	151	232
7	Whooping cough	5,421	363	479	558	546	547	483	486	478	332	338	352	459
8	Diphtheria and croup	10,544	1,126	880	940	721	681	599	519	527	756	1,207	1,331	1,257
9	Influenza	10,768	965	1,303	2,294	2,107	603	239	128	90	93	178	349	2,419
13	Tuberculosis of the lungs	85,993	7,671	7,435	8,843	8,428	8,007	7,013	6,782	6,275	5,886	6,202	6,308	7,143
14–15	Other forms of tuberculosis	12,201	974	973	1,197	1,209	1,265	1,060	1,048	973	965	857	805	875
17	Meningitis	4,985	430	384	472	456	457	415	428	458	413	396	312	364
20–21	Bronchitis	11,682	1,466	1,424	1,733	1,435	802	606	464	384	509	671	858	1,330
22	Pneumonia	55,825	6,343	6,370	8,762	7,802	3,575	2,438	1,612	1,321	1,718	2,765	4,082	9,037
(23)	Bronchopneumonia	33,501	4,224	4,301	5,396	4,270	2,335	1,642	1,172	1,075	1,286	1,700	2,196	3,904
25	Diarrhea and enteritis (under 2 years)	40,099	1,511	1,627	1,733	1,881	1,949	2,452	5,566	8,192	7,237	4,210	2,111	1,630
(37)	Diarrhea and enteritis (2 years and over)	8,226	430	438	470	496	525	665	935	1,278	1,158	801	532	448
(33)	Congenital debility [1]	12,088	831	828	1,027	899	831	849	1,047	1,292	1,361	1,270	949	904
35	Violent deaths (excluding suicide)	56,076	4,091	3,760	3,970	4,321	4,305	4,779	6,430	5,222	4,992	4,709	4,651	4,846
36	Suicide	11,216	918	871	1,073	1,031	1,022	1,001	1,000	862	910	866	849	813
	All other causes	534,589	47,108	44,283	51,822	48,448	44,312	40,932	40,949	39,994	40,466	43,035	43,335	49,905
	REGISTRATION STATES.[2]													
	All causes	823,938	72,310	69,252	83,306	78,062	65,705	59,854	62,335	63,394	63,366	64,222	63,880	78,252
1	Typhoid fever	7,507	517	425	476	394	391	443	534	817	989	1,012	805	704
3	Malaria	1,079	40	58	53	55	54	75	100	151	161	183	90	59
5	Measles	3,249	203	253	332	485	500	449	278	123	85	79	132	330
6	Scarlet fever	2,226	294	248	267	296	284	158	95	61	72	107	139	205
7	Whooping cough	5,123	341	459	520	514	506	448	444	459	325	327	339	441
8	Diphtheria and croup	9,438	1,004	812	832	640	611	535	454	458	663	1,075	1,215	1,139
9	Influenza	9,809	872	1,155	2,112	1,993	559	218	117	82	88	167	313	2,133
13	Tuberculosis of the lungs	76,877	6,837	6,612	7,929	7,582	7,156	6,264	6,117	5,621	5,311	5,507	5,630	6,311
14–15	Other forms of tuberculosis	10,975	872	876	1,082	1,085	1,148	961	942	876	865	751	715	802
17	Meningitis	4,629	391	362	444	426	417	385	388	428	395	376	289	328
20–21	Bronchitis	10,889	1,357	1,308	1,614	1,359	749	570	433	350	472	631	811	1,235
22	Pneumonia	50,702	5,740	5,733	7,992	7,206	3,304	2,247	1,460	1,203	1,566	2,519	3,738	7,994
(23)	Bronchopneumonia	30,543	3,839	3,901	4,980	3,942	2,124	1,498	1,069	973	1,172	1,533	1,979	3,533
25	Diarrhea and enteritis (under 2 years)	35,078	1,269	1,367	1,455	1,525	1,458	1,910	5,086	7,434	6,675	3,779	1,798	1,322
(37)	Diarrhea and enteritis (2 years and over)	7,163	432	389	412	429	409	544	797	1,163	1,039	701	455	393
(33)	Congenital debility [1]	11,357	781	776	958	860	783	789	973	1,210	1,283	1,209	892	843
35	Violent deaths (excluding suicide)	50,137	3,719	3,388	3,564	3,910	3,882	4,382	5,119	4,757	4,570	4,245	4,236	4,365
36	Suicide	10,045	802	784	959	930	917	908	900	777	808	769	761	730
	All other causes	487,112	43,000	40,346	47,325	44,431	40,453	37,070	37,029	36,451	36,827	39,252	39,543	45,385
	CITIES IN REGISTRATION STATES.[2]													
	All causes	440,401	38,775	36,715	43,483	41,152	35,601	32,150	33,493	34,108	33,398	34,006	34,442	43,078
1	Typhoid fever	3,351	224	186	239	188	193	218	244	349	432	418	341	319
3	Malaria	218	9	15	15	17	8	18	21	21	29	33	21	11
5	Measles	2,197	108	145	195	310	363	348	215	91	64	51	90	217
6	Scarlet fever	1,253	150	142	151	181	190	101	63	33	30	45	70	97
7	Whooping cough	2,461	145	193	228	244	222	220	232	253	197	167	157	203
8	Diphtheria and croup	5,435	586	511	523	430	446	366	284	253	321	497	599	619
9	Influenza	3,629	304	426	685	634	199	85	54	28	32	66	133	983
13	Tuberculosis of the lungs	42,143	3,822	3,584	4,327	4,108	3,836	3,361	3,306	3,126	2,918	3,035	3,215	3,505
14–15	Other forms of tuberculosis	6,507	531	518	668	645	698	565	563	490	510	435	428	456
17	Meningitis	2,358	205	183	224	214	220	201	201	229	193	198	140	150
20–21	Bronchitis	5,765	735	675	767	654	414	315	236	208	260	331	458	712
22	Pneumonia	29,613	3,208	3,071	4,260	4,094	2,016	1,442	938	778	982	1,555	2,286	4,983
(23)	Bronchopneumonia	18,729	2,190	2,152	2,681	2,232	1,454	1,079	790	713	823	1,043	1,294	2,278
25	Diarrhea and enteritis (under 2 years)	21,185	763	835	868	919	840	1,145	3,304	4,695	3,804	2,122	1,078	812
(37)	Diarrhea and enteritis (2 years and over)	3,389	215	198	204	220	211	269	388	568	426	290	200	200
(33)	Congenital debility [1]	5,943	386	404	472	435	439	418	560	691	672	633	398	435
35	Violent deaths (excluding suicide)	25,676	2,007	1,738	1,905	2,062	1,974	2,181	2,523	2,319	2,345	2,190	2,169	2,263
36	Suicide	5,921	504	457	560	526	560	541	517	465	462	445	442	442
	All other causes	254,628	22,683	21,282	24,511	23,039	21,318	19,277	19,054	18,798	18,898	20,452	20,923	24,393
	RURAL PART OF REGISTRATION STATES.													
	All causes	383,537	33,535	32,537	39,823	36,910	30,104	27,704	28,842	29,286	29,968	30,216	29,438	35,174
1	Typhoid fever	4,156	293	239	237	206	198	225	290	468	557	594	464	385
3	Malaria	861	31	43	38	38	46	57	79	130	132	150	69	48
5	Measles	1,052	95	108	137	175	137	101	63	32	21	28	42	113
6	Scarlet fever	973	144	106	116	115	94	57	32	28	42	62	69	108
7	Whooping cough	2,662	196	266	292	270	284	228	212	206	128	160	182	238
8	Diphtheria and croup	4,003	418	301	309	210	165	169	170	205	342	578	616	520
9	Influenza	6,180	568	729	1,427	1,359	360	133	63	54	56	101	180	1,150
13	Tuberculosis of the lungs	34,734	3,015	3,028	3,602	3,474	3,320	2,903	2,811	2,495	2,393	2,472	2,415	2,806
14–15	Other forms of tuberculosis	4,468	341	358	414	440	450	396	379	386	355	316	287	346
17	Meningitis	2,271	186	179	220	212	197	184	187	199	202	178	149	178
20–21	Bronchitis	5,124	622	633	847	705	335	255	197	142	212	300	353	523
22	Pneumonia	21,089	2,532	2,662	3,732	3,112	1,288	805	522	425	584	964	1,452	3,011
(23)	Bronchopneumonia	11,814	1,649	1,749	2,299	1,710	670	419	279	260	349	490	685	1,255
25	Diarrhea and enteritis (under 2 years)	13,893	506	532	587	606	618	765	1,782	2,739	2,871	1,657	720	510
(37)	Diarrhea and enteritis (2 years and over)	3,774	217	191	208	209	198	275	409	595	613	411	255	193
(33)	Congenital debility [1]	5,414	395	372	486	425	344	371	413	519	611	576	494	408
35	Violent deaths (excluding suicide)	24,461	1,712	1,650	1,659	1,848	1,908	2,201	2,596	2,438	2,225	2,055	2,067	2,102
36	Suicide	4,124	298	327	399	404	357	367	383	312	346	324	319	288
	All other causes	232,484	20,317	19,064	22,814	21,392	19,135	17,793	17,975	17,653	17,929	18,800	18,620	20,992

[1] Excluding premature birth.

[2] Includes District of Columbia.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	SUMMARY—Continued.													
	REGISTRATION CITIES IN OTHER STATES.													
	All causes	85,217	7,352	7,200	8,209	7,383	6,931	6,625	7,441	6,341	6,222	6,546	6,467	8,500
1	Typhoid fever	825	53	47	34	43	44	66	105	91	93	96	84	69
3	Malaria	462	12	9	11	22	27	38	57	50	90	72	57	17
5	Measles	400	18	28	39	78	99	60	30	16	10	7	8	7
6	Scarlet fever	193	24	28	13	22	21	17	11	5	6	7	12	27
7	Whooping cough	298	22	20	38	32	41	35	42	19	7	11	13	18
8	Diphtheria and croup	1,106	122	68	108	81	70	64	65	69	93	132	116	118
9	Influenza	959	93	148	182	114	44	21	11	8	5	11	36	286
13	Tuberculosis of the lungs	9,116	834	823	914	846	851	749	665	654	575	695	678	832
14–15	Other forms of tuberculosis	1,226	102	97	115	124	117	99	106	97	100	106	90	73
17	Meningitis	356	39	22	28	30	40	30	40	30	18	20	23	36
20–21	Bronchitis	793	109	116	119	76	53	36	31	34	37	40	47	95
22	Pneumonia	5,123	603	637	770	596	271	191	152	118	152	246	344	1,043
(23)	Bronchopneumonia	2,958	385	400	416	328	211	144	103	102	114	167	217	371
25	Diarrhea and enteritis (under 2 years)	5,021	242	260	278	356	491	542	480	758	562	431	313	308
(37)	Diarrhea and enteritis (2 years and over)	1,063	48	49	58	67	116	121	138	115	119	100	77	55
(33)	Congenital debility [1]	731	50	52	69	39	48	60	74	82	78	61	57	61
35	Violent deaths (excluding suicide)	5,939	372	372	406	411	423	397	1,311	465	422	464	415	481
36	Suicide	1,171	116	87	114	101	105	93	100	85	102	97	88	83
	All other causes	47,477	4,108	3,937	4,497	4,017	3,859	3,862	3,920	3,543	3,639	3,783	3,792	4,520
	ALL REGISTRATION CITIES.[2]													
	All causes	525,618	46,127	43,915	51,692	48,535	42,532	38,775	40,934	40,449	39,620	40,552	40,909	51,578
1	Typhoid fever	4,176	277	233	273	231	237	284	349	440	525	514	425	388
3	Malaria	680	21	24	26	39	35	56	78	71	119	105	78	28
5	Measles	2,597	126	173	234	388	462	408	245	107	74	58	98	224
6	Scarlet fever	1,446	174	170	164	203	211	118	74	38	36	52	82	124
7	Whooping cough	2,759	167	213	266	276	263	255	274	272	204	178	170	221
8	Diphtheria and croup	6,541	708	579	631	511	516	430	349	322	414	629	715	737
9	Influenza	4,588	397	574	867	748	243	106	65	36	37	77	169	1,269
13	Tuberculosis of the lungs	51,259	4,656	4,407	5,241	4,954	4,687	4,110	3,971	3,780	3,493	3,730	3,893	4,337
14–15	Other forms of tuberculosis	7,733	633	615	783	769	815	664	669	587	610	541	518	529
17	Meningitis	2,714	244	205	252	244	260	231	241	259	211	218	163	186
20–21	Bronchitis	6,558	844	791	886	730	467	351	267	242	297	371	505	807
22	Pneumonia	34,736	3,811	3,708	5,030	4,690	2,287	1,633	1,090	896	1,134	1,801	2,630	6,026
(23)	Bronchopneumonia	21,687	2,575	2,552	3,097	2,560	1,665	1,223	893	815	937	1,210	1,511	2,649
25	Diarrhea and enteritis (under 2 years)	26,206	1,005	1,095	1,146	1,275	1,331	1,687	3,784	5,453	4,366	2,553	1,391	1,120
(37)	Diarrhea and enteritis (2 years and over)	4,452	263	247	262	287	327	390	526	683	545	390	277	255
(33)	Congenital debility [1]	6,674	436	456	541	474	487	478	634	773	750	694	455	496
35	Violent deaths (excluding suicide)	31,615	2,379	2,110	2,311	2,473	2,397	2,578	3,834	2,784	2,767	2,654	2,584	2,744
36	Suicide	7,092	620	544	674	627	665	634	617	550	564	542	530	525
	All other causes	302,105	26,791	25,219	29,008	27,056	25,177	23,139	22,974	22,341	22,537	24,235	24,715	28,918
	REGISTRATION STATES.													
	CALIFORNIA.													
	All causes	39,038	3,605	3,026	3,435	3,179	3,278	3,068	3,019	2,999	2,930	3,185	3,423	3,891
1	Typhoid fever	276	19	23	17	23	17	24	19	39	22	29	21	23
3	Malaria	52	2	5	2	5	5	5	7	8	5	4	1	3
5	Measles	155	34	29	22	23	18	8	8	4	2	1	1	5
6	Scarlet fever	65	12	7	7	9	3	5	1	5	3	2	4	7
7	Whooping cough	133	18	11	10	12	5	16	15	15	9	6	8	8
8	Diphtheria and croup	314	38	42	29	16	26	31	19	12	22	23	39	17
9	Influenza	237	25	14	19	12	13	4	5	2	4	20	39	80
13	Tuberculosis of the lungs	4,905	492	378	533	443	437	400	371	346	348	351	362	444
14–15	Other forms of tuberculosis	681	53	73	61	57	83	55	58	41	47	55	53	45
17	Meningitis	176	16	16	20	21	12	8	19	15	15	9	11	14
20–21	Bronchitis	403	61	51	45	28	23	26	17	19	21	20	44	48
22	Pneumonia	1,826	224	154	138	106	112	102	87	78	111	153	232	329
(23)	Bronchopneumonia	948	129	82	71	69	86	54	46	55	66	70	80	140
25	Diarrhea and enteritis (under 2 years)	793	56	41	44	37	69	86	85	84	110	93	50	38
(37)	Diarrhea and enteritis (2 years and over)	324	26	26	20	23	25	32	29	36	32	28	26	21
(33)	Congenital debility [1]	254	17	19	14	16	19	21	21	21	31	26	26	23
35	Violent deaths (excluding suicide)	3,168	224	229	239	248	241	268	317	323	291	283	263	242
36	Suicide	1,010	82	76	110	91	79	96	92	64	83	84	86	67
	All other causes	23,318	2,077	1,750	2,034	1,940	2,005	1,827	1,803	1,832	1,708	1,928	2,077	2,337
	COLORADO.													
	All causes	10,602	1,003	951	1,058	881	787	759	753	720	786	812	888	1,204
1	Typhoid fever	119	9	3	12	5	6	4	8	10	24	19	10	9
3	Malaria	2							2					
5	Measles	21	6	2	1	2	6	1	1			1		1
6	Scarlet fever	58	4	5	1	8	3	3	3	1	2	3	7	18
7	Whooping cough	88	5	5	10	6	18	9	11	9	6	4	1	4
8	Diphtheria and croup	52	9	6	6	5	1	4	2	2	3	4	5	5
9	Influenza	130	8	6	14	14	8	1	2		1	1	10	65
13	Tuberculosis of the lungs	1,480	149	111	150	118	128	131	106	99	101	124	118	145
14–15	Other forms of tuberculosis	92	11	6	15	4	10	5	7	1	8	9	4	12
17	Meningitis	80	1	5	13	8	4	10	6	8	1	4	9	11
20–21	Bronchitis	97	12	13	14	16	2	3	5	4	4	7	8	9
22	Pneumonia	959	110	110	150	64	51	43	27	16	26	34	97	231
(23)	Bronchopneumonia	402	72	79	63	51	22	13	6	9	13	25	18	31
25	Diarrhea and enteritis (under 2 years)	244	11	11	12	8	12	12	32	41	58	25	8	14
(37)	Diarrhea and enteritis (2 years and over)	85	9	3	7	8	3	4	6	15	11	7	7	5
(33)	Congenital debility [1]	155	13	16	21	19	11	6	10	7	12	13	14	13
35	Violent deaths (excluding suicide)	795	72	55	48	50	62	62	85	92	70	69	74	56
36	Suicide	164	15	14	13	15	5	15	13	12	24	9	15	14
	All other causes	5,579	487	501	508	480	435	433	421	394	422	454	483	561

[1] Excluding premature birth.

[2] Includes District of Columbia.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	CONNECTICUT.													
	All causes	18,247	1,528	1,456	1,804	1,757	1,418	1,311	1,507	1,607	1,481	1,410	1,343	1,625
1	Typhoid fever	152	9	3	11	4	6	8	11	15	36	17	18	14
3	Malaria	17	.....	1	1	2	1	4	2	2	2	1	1	.....
5	Measles	61	9	9	9	8	10	8	2	.....	1	1	.....	4
6	Scarlet fever	38	8	6	1	8	1	6	2	.....	.....	2	2	2
7	Whooping cough	143	7	16	9	11	9	5	11	12	5	19	22	17
8	Diphtheria and croup	196	26	23	21	16	9	11	11	5	11	17	26	20
9	Influenza	226	16	23	45	70	16	7	2	1	1	3	3	39
13	Tuberculosis of the lungs	1,502	117	142	129	130	148	130	117	117	100	122	119	131
14–15	Other forms of tuberculosis	251	20	16	32	21	30	19	23	26	16	13	18	17
17	Meningitis	145	11	11	8	11	10	20	10	16	15	15	12	6
20–21	Bronchitis	269	19	39	44	31	23	14	10	8	11	21	22	27
22	Pneumonia	1,235	121	120	181	212	113	79	43	22	33	67	88	156
(23)	Bronchopneumonia	666	89	84	113	99	43	30	25	16	24	38	34	71
25	Diarrhea and enteritis (under 2 years)	1,157	27	39	31	31	26	56	217	309	237	121	40	23
(37)	Diarrhea and enteritis (2 years and over)	167	7	7	8	9	11	12	22	34	26	16	5	10
(33)	Congenital debility[1]	290	16	14	24	20	22	23	27	46	35	27	18	18
35	Violent deaths (excluding suicide)	1,034	70	66	76	76	81	89	112	112	100	80	77	95
36	Suicide	223	14	16	20	18	16	19	29	25	19	15	19	13
	All other causes	10,475	942	821	1,041	980	843	771	831	841	809	815	819	962
	INDIANA.													
	All causes	35,403	3,216	3,368	3,764	3,264	2,749	2,424	2,601	2,596	2,740	2,724	2,759	3,198
1	Typhoid fever	416	35	23	29	19	18	17	19	47	60	54	57	38
3	Malaria	59	3	3	5	2	2	4	4	3	6	12	9	6
5	Measles	69	3	5	8	13	12	8	2	1	.....	2	6	9
6	Scarlet fever	101	17	8	17	15	4	2	1	2	3	7	12	13
7	Whooping cough	164	11	15	21	17	15	9	14	18	11	15	9	9
8	Diphtheria and croup	305	34	30	22	14	9	11	17	8	25	43	47	45
9	Influenza	476	50	114	129	71	18	6	3	1	1	5	11	67
13	Tuberculosis of the lungs	3,440	325	308	372	322	349	268	239	240	223	247	239	278
14–15	Other forms of tuberculosis	584	51	49	42	62	61	50	38	50	55	33	39	54
17	Meningitis	195	24	26	14	25	14	13	14	10	16	15	10	14
20–21	Bronchitis	386	47	69	68	37	17	18	13	16	19	21	30	31
22	Pneumonia	1,918	263	347	330	274	86	62	34	25	49	73	129	246
(23)	Bronchopneumonia	1,167	174	226	234	121	58	26	34	15	36	37	83	123
25	Diarrhea and enteritis (under 2 years)	1,160	49	46	54	61	52	45	147	198	213	152	79	64
(37)	Diarrhea and enteritis (2 years and over)	373	21	15	19	27	18	19	34	63	64	48	21	24
(33)	Congenital debility[1]	220	16	28	23	21	11	18	14	15	11	16	20	27
35	Violent deaths (excluding suicide)	2,055	163	151	150	161	154	162	222	186	199	157	154	196
36	Suicide	426	29	37	44	36	45	30	38	41	36	28	36	26
	All other causes	21,889	1,901	1,868	2,183	1,966	1,806	1,656	1,684	1,657	1,713	1,759	1,768	1,928
	KANSAS.													
	All causes	18,209	1,685	1,523	1,802	1,556	1,414	1,283	1,322	1,377	1,309	1,412	1,409	2,117
1	Typhoid fever	185	15	5	7	6	11	4	18	27	28	21	26	17
3	Malaria	27	.....	2	1	1	2	.....	4	4	7	4	.....	2
5	Measles	73	.....	7	6	18	22	8	2	2	1	1	1	5
6	Scarlet fever	33	4	4	9	1	1	.....	1	.....	2	4	3	4
7	Whooping cough	180	16	18	20	24	21	23	12	13	7	10	4	12
8	Diphtheria and croup	238	25	16	23	11	7	8	8	8	10	37	44	41
9	Influenza	463	35	46	67	61	12	4	2	1	4	5	18	208
13	Tuberculosis of the lungs	865	81	74	96	92	83	63	71	57	71	52	53	72
14–15	Other forms of tuberculosis	124	9	17	16	6	9	10	8	8	11	7	9	14
17	Meningitis	84	4	6	10	8	8	9	9	7	6	6	3	8
20–21	Bronchitis	203	29	26	32	20	12	14	7	6	13	11	10	23
22	Pneumonia	1,074	176	153	167	110	43	22	21	19	27	54	67	215
(23)	Bronchopneumonia	485	110	87	64	59	20	9	4	11	16	16	21	68
25	Diarrhea and enteritis (under 2 years)	421	17	17	17	19	21	29	60	100	59	38	23	21
(37)	Diarrhea and enteritis (2 years and over)	204	15	10	13	12	13	16	18	35	35	16	11	10
(33)	Congenital debility[1]	291	24	15	29	11	22	17	20	34	24	33	31	31
35	Violent deaths (excluding suicide)	1,173	94	81	68	82	88	132	112	93	92	103	119	109
36	Suicide	195	20	11	16	24	17	20	13	15	12	19	16	12
	All other causes	11,891	1,011	928	1,141	991	1,002	895	932	937	884	975	950	1,245
	KENTUCKY (TOTAL).													
	All causes	28,986	2,789	2,522	2,936	2,551	2,110	1,966	2,296	2,257	2,339	2,329	2,323	2,568
1	Typhoid fever	718	58	46	40	29	35	36	43	72	108	109	74	68
3	Malaria	151	8	6	8	11	6	10	14	17	14	32	13	12
5	Measles	85	5	12	14	24	13	6	4	1	3	.....	.....	3
6	Scarlet fever	55	6	5	4	5	6	5	.....	3	6	7	4	4
7	Whooping cough	199	14	21	18	15	18	14	18	13	17	17	18	16
8	Diphtheria and croup	576	45	27	29	17	8	16	11	44	89	111	110	69
9	Influenza	465	98	94	91	55	14	9	8	2	3	3	12	76
13	Tuberculosis of the lungs	4,225	375	388	497	433	389	336	332	308	291	296	275	305
14–15	Other forms of tuberculosis	530	52	44	52	46	50	47	51	41	38	37	39	33
17	Meningitis	328	25	24	43	26	25	19	39	30	29	23	23	22
20–21	Bronchitis	349	59	43	45	31	20	19	17	11	22	22	31	29
22	Pneumonia	1,660	277	248	256	199	78	43	37	45	44	87	116	230
(23)	Bronchopneumonia	658	124	102	126	62	25	16	14	17	19	24	50	79
25	Diarrhea and enteritis (under 2 years)	883	25	17	34	38	28	53	171	133	164	135	53	32
(37)	Diarrhea and enteritis (2 years and over)	372	31	17	19	25	19	34	42	50	50	36	27	22
(33)	Congenital debility[1]	418	31	30	34	27	20	16	32	54	43	46	49	36
35	Violent deaths (excluding suicide)	1,567	138	105	108	133	135	121	167	130	134	124	139	133
36	Suicide	257	15	20	24	25	21	24	26	23	25	24	17	13
	All other causes	15,490	1,403	1,273	1,494	1,350	1,200	1,142	1,270	1,263	1,240	1,196	1,273	1,386

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	KENTUCKY (WHITE).													
	All causes	23,481	2,270	2,051	2,380	2,057	1,692	1,573	1,800	1,847	1,937	1,909	1,883	2,082
1	Typhoid fever	587	52	37	34	19	26	27	34	56	91	92	63	56
3	Malaria	117	4	5	6	8	5	7	9	13	13	28	12	7
5	Measles	81	5	12	14	24	12	5	2	1	3			3
6	Scarlet fever	52	6	5	4	3	6	5		3	6	6	4	4
7	Whooping cough	160	13	17	15	15	15	9	11	7	15	15	15	13
8	Diphtheria and croup	544	44	27	27	15	6	15	8	42	85	106	104	65
9	Influenza	383	77	80	76	47	10	8	7	2	2	3	9	62
13	Tuberculosis of the lungs	3,120	301	299	359	325	286	232	241	232	213	205	201	226
14–15	Other forms of tuberculosis	430	43	38	44	37	42	38	38	36	30	29	31	24
17	Meningitis	299	23	23	37	21	23	16	39	27	29	19	22	20
20–21	Bronchitis	254	48	33	32	23	12	13	5	8	17	18	22	23
22	Pneumonia	1,281	211	194	210	157	56	34	21	37	35	64	88	174
(23)	Bronchopneumonia	525	96	85	106	47	19	11	8	14	16	17	39	67
25	Diarrhea and enteritis (under 2 years)	774	22	13	29	36	23	45	146	116	148	123	46	27
(37)	Diarrhea and enteritis (2 years and over)	319	28	13	15	22	16	30	34	43	43	32	26	17
(33)	Congenital debility [1]	343	23	27	27	24	14	14	27	48	36	35	36	32
35	Violent deaths (excluding suicide)	1,216	101	79	92	113	107	97	127	93	96	94	107	110
36	Suicide	239	14	19	23	22	20	23	22	23	24	22	16	11
	All other causes	12,757	1,159	1,045	1,230	1,099	994	944	1,021	1,046	1,035	1,001	1,042	1,141
	KENTUCKY (COLORED).													
	All causes	5,505	519	471	556	494	418	393	496	410	402	420	440	486
1	Typhoid fever	131	6	9	6	10	9	9	9	16	17	17	11	12
3	Malaria	34	4	1	2	3	1	3	5	4	1	4	1	5
5	Measles	4					1	1	2					
6	Scarlet fever	3				2						1		
7	Whooping cough	39	1	4	3		3	5	7	6	2	2	3	3
8	Diphtheria and croup	32	1		2	2	2	1	3	2	4	5	6	4
9	Influenza	82	21	14	15	8	4	1	1		1		3	14
13	Tuberculosis of the lungs	1,105	74	89	138	108	103	104	91	76	78	91	74	79
14–15	Other forms of tuberculosis	100	9	6	8	9	8	9	13	5	8	8	8	9
17	Meningitis	29	2	1	6	5	2	3		3		4	1	2
20–21	Bronchitis	95	11	10	13	8	8	6	12	3	5	4	9	6
22	Pneumonia	379	66	54	46	42	22	9	16	8	9	23	28	56
(23)	Bronchopneumonia	133	28	17	20	15	6	5	6	3	3	7	11	12
25	Diarrhea and enteritis (under 2 years)	109	3	4	5	2	5	8	25	17	16	12	7	5
(37)	Diarrhea and enteritis (2 years and over)	53	3	4	4	3	3	4	8	7	7	4	1	5
(33)	Congenital debility [1]	75	8	3	7	3	6	2	5	6	7	11	13	4
35	Violent deaths (excluding suicide)	351	37	26	16	20	28	24	40	37	38	30	32	23
36	Suicide	18	1	1	1	3	1	1	4		1	2	1	2
	All other causes	2,733	244	228	264	251	206	198	249	217	205	195	231	245
	MAINE.													
	All causes	11,990	1,028	943	1,238	1,341	1,094	891	832	919	1,002	953	836	913
1	Typhoid fever	103	11	5	13	7	6	6	7	13	9	5	7	14
3	Malaria	1							1					
5	Measles	18	6	3	4			1	3	1				
6	Scarlet fever	13	2		2	3	3				1	1		1
7	Whooping cough	80	3	11	6	11	8	5	5	7	5	8	4	7
8	Diphtheria and croup	85	8	11	4	3	7	7	5	5	4	8	8	15
9	Influenza	194	5	13	41	76	26	6	6	5	1	2	2	11
13	Tuberculosis of the lungs	771	69	65	88	91	75	60	59	49	44	51	61	59
14–15	Other forms of tuberculosis	185	12	14	19	17	18	19	15	15	13	22	8	13
17	Meningitis	67	12	3	4	10	4	7	8	4	4	4	3	4
20–21	Bronchitis	179	23	15	26	47	19	10	8	2	3	9	6	11
22	Pneumonia	733	68	81	103	144	99	39	19	14	25	35	33	73
(23)	Bronchopneumonia	328	32	32	54	85	26	12	9	7	9	22	19	21
25	Diarrhea and enteritis (under 2 years)	389	15	18	14	16	12	9	24	77	132	44	20	8
(37)	Diarrhea and enteritis (2 years and over)	131	4	4	10	5	7	5	12	15	40	16	8	5
(33)	Congenital debility [1]	209	11	14	20	14	21	20	11	15	25	20	22	16
35	Violent deaths (excluding suicide)	559	52	38	36	38	46	58	48	54	52	50	49	38
36	Suicide	118	9	9	7	11	14	9	16	13	8	6	7	9
	All other causes	7,827	686	607	787	763	703	618	576	623	627	650	579	608
	MARYLAND (TOTAL).													
	All causes	21,353	1,828	1,688	2,137	2,070	1,720	1,446	1,790	1,802	1,644	1,702	1,621	1,905
1	Typhoid fever	320	16	18	12	12	15	19	27	52	48	40	34	27
3	Malaria	15		1	2		2	1	3			2	3	1
5	Measles	34	2	2	4	3	4	3	1	1	2	1	3	8
6	Scarlet fever	71	7	6	5	6	11	4	5		5	4	11	7
7	Whooping cough	92	9	10	6	5	14	7	4	9	3	5	3	17
8	Diphtheria and croup	183	25	18	14	5	7	5	5	10	12	22	28	32
9	Influenza	204	17	15	50	70	15	7			2	1	3	24
13	Tuberculosis of the lungs	2,316	203	214	234	234	200	171	211	186	157	170	158	178
14–15	Other forms of tuberculosis	270	31	20	21	22	41	23	18	17	27	21	12	17
17	Meningitis	91	10	10	3	8	6	10	7	13	7	5	4	8
20–21	Bronchitis	293	43	26	54	36	13	15	12	13	8	19	24	30
22	Pneumonia	1,248	123	128	220	230	81	54	30	21	43	43	109	166
(23)	Bronchopneumonia	904	96	117	120	135	79	49	35	42	43	38	63	87
25	Diarrhea and enteritis (under 2 years)	1,146	17	30	17	29	17	51	228	274	224	172	53	34
(37)	Diarrhea and enteritis (2 years and over)	214	9	11	11	17	13	7	42	40	20	21	10	13
(33)	Congenital debility [1]	442	23	36	24	35	37	28	42	57	52	49	34	25
35	Violent deaths (excluding suicide)	1,110	92	64	72	71	79	99	140	121	80	99	93	100
36	Suicide	184	16	11	18	15	19	20	12	16	17	11	6	23
	All other causes	12,216	1,089	951	1,250	1,137	1,067	873	968	930	894	979	970	1,108

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	MARYLAND (WHITE).													
	All causes	15,773	1,401	1,243	1,591	1,544	1,241	1,063	1,295	1,310	1,226	1,272	1,161	1,426
1	Typhoid fever	207	10	12	9	11	9	13	18	29	30	30	22	14
3	Malaria	7		1			1	1	1			1	1	1
5	Measles	25	2	2	3	2	2	1	1	1	2	1	3	5
6	Scarlet fever	65	7	5	5	6	9	4	5		5	4	8	7
7	Whooping cough	53	4	10	4	3	10	4	1	4	1	3	1	8
8	Diphtheria and croup	166	24	18	11	5	7	4	5	8	11	19	24	30
9	Influenza	154	12	12	39	52	11	5			2	1	1	19
13	Tuberculosis of the lungs	1,443	133	137	149	150	129	106	130	107	85	115	91	111
14–15	Other forms of tuberculosis	181	22	16	14	17	21	14	10	14	17	16	8	12
17	Meningitis	71	9	7	3	7	5	9	6	9	5	3	3	5
20–21	Bronchitis	207	34	20	38	26	7	11	6	6	6	12	18	23
22	Pneumonia	841	90	79	146	153	59	32	22	14	33	27	71	115
(23)	Bronchopneumonia	603	70	82	79	92	59	27	22	29	27	27	35	54
25	Diarrhea and enteritis (under 2 years)	864	14	26	13	24	15	37	159	209	176	122	44	25
(37)	Diarrhea and enteritis (2 years and over)	165	7	10	8	12	6	5	34	30	17	19	8	9
(33)	Congenital debility [1]	309	14	26	16	23	26	18	29	43	33	36	27	18
35	Violent deaths (excluding suicide)	877	72	48	57	61	59	84	111	91	69	77	68	80
36	Suicide	171	15	11	18	14	16	16	10	15	16	11	6	23
	All other causes	9,364	862	721	979	886	790	672	725	701	691	748	722	867
	MARYLAND (COLORED).													
	All causes	5,580	427	445	546	526	479	383	495	492	418	430	460	479
1	Typhoid fever	113	6	6	3	1	6	6	9	23	18	10	12	13
3	Malaria	8			2		1		2			1	2	
5	Measles	9			1	1	2	2						3
6	Scarlet fever	6		1			2						3	
7	Whooping cough	39	5		2	2	4	3	3	5	2	2	2	9
8	Diphtheria and croup	17	1		3			1		2	1	3	4	2
9	Influenza	50	5	3	11	18	4	2					2	5
13	Tuberculosis of the lungs	873	70	77	85	84	71	65	81	79	72	55	67	67
14–15	Other forms of tuberculosis	89	9	4	7	5	20	9	8	3	10	5	4	5
17	Meningitis	20	1	3		1	1	1	1	4	2	2	1	3
20–21	Bronchitis	86	9	6	16	10	6	4	6	7	2	7	6	7
22	Pneumonia	407	33	49	74	77	22	22	8	7	10	16	38	51
(23)	Bronchopneumonia	301	26	35	41	43	20	22	13	13	16	11	28	33
25	Diarrhea and enteritis (under 2 years)	282	3	4	4	5	2	14	69	65	48	50	9	9
(37)	Diarrhea and enteritis (2 years and over)	49	2	1	3	5	7	2	8	10	3	2	2	4
(33)	Congenital debility [1]	133	9	10	8	12	11	10	13	14	19	13	7	7
35	Violent deaths (excluding suicide)	233	20	16	15	10	20	15	29	30	11	22	25	20
36	Suicide	13	1			1	3	4	2	1	1			
	All other causes	2,852	227	230	271	251	277	201	243	229	203	231	248	241
	MASSACHUSETTS.													
	All causes	53,065	4,557	4,484	5,269	5,273	4,365	3,744	3,919	4,091	4,179	4,179	3,980	5,025
1	Typhoid fever	247	14	14	21	8	14	16	19	22	27	37	29	26
3	Malaria	6				2	1		1		1	1		
5	Measles	271	19	22	32	35	31	40	21	15	4	7	14	31
6	Scarlet fever	201	21	24	32	26	41	17	8	8	4	1	8	11
7	Whooping cough	468	32	56	43	39	45	46	39	34	28	44	27	35
8	Diphtheria and croup	732	62	63	77	62	54	37	44	45	47	59	87	95
9	Influenza	312	32	31	43	90	35	12	5	4	2	9	11	38
13	Tuberculosis of the lungs	4,327	391	377	422	411	385	380	344	314	322	314	340	327
14–15	Other forms of tuberculosis	809	71	66	70	76	80	57	93	62	69	61	49	55
17	Meningitis	324	29	19	27	33	34	22	30	27	34	29	23	17
20–21	Bronchitis	802	80	93	125	132	60	38	37	20	27	43	63	84
22	Pneumonia	3,627	393	384	595	592	267	175	104	85	115	185	220	512
(23)	Bronchopneumonia	2,253	217	247	363	332	169	115	107	90	88	119	127	279
25	Diarrhea and enteritis (under 2 years)	2,704	80	92	85	104	77	102	320	643	629	334	131	107
(37)	Diarrhea and enteritis (2 years and over)	364	26	20	24	15	16	22	41	64	54	42	18	22
(33)	Congenital debility [1]	662	44	55	50	59	63	39	56	47	88	72	43	46
35	Violent deaths (excluding suicide)	2,851	218	202	207	212	236	243	279	266	277	249	210	252
36	Suicide	507	40	35	38	50	48	45	48	34	41	54	43	31
	All other causes	31,598	2,788	2,684	3,015	2,995	2,709	2,338	2,323	2,311	2,322	2,519	2,537	3,057
	MICHIGAN.													
	All causes	40,425	3,358	3,304	4,407	3,925	3,249	3,183	2,949	3,068	3,050	3,087	3,104	3,741
1	Typhoid fever	354	20	32	31	33	22	26	27	26	30	33	41	33
3	Malaria	13	3	1	3		2	1	1		1			1
5	Measles	104	6	7	8	18	12	19	4	7	4	1	2	16
6	Scarlet fever	110	19	18	21	12	8	5	3	4	4	5	4	7
7	Whooping cough	234	16	11	20	26	29	22	21	31	18	10	16	14
8	Diphtheria and croup	361	37	27	46	42	18	25	17	20	24	43	28	34
9	Influenza	528	26	53	147	106	35	20	7	3	6	4	11	110
13	Tuberculosis of the lungs	2,556	170	197	239	246	249	243	203	213	190	196	183	227
14–15	Other forms of tuberculosis	406	34	24	40	29	41	38	37	49	38	16	32	28
17	Meningitis	276	31	23	27	21	23	32	19	13	21	30	14	22
20–21	Bronchitis	690	74	73	113	86	46	39	26	14	33	50	46	90
22	Pneumonia	2,110	219	230	383	303	135	108	73	37	67	104	139	312
(23)	Bronchopneumonia	1,022	86	117	203	152	70	53	24	36	46	44	66	125
25	Diarrhea and enteritis (under 2 years)	1,247	63	59	67	69	77	62	182	236	200	106	71	55
(37)	Diarrhea and enteritis (2 years and over)	299	9	25	17	19	15	26	19	52	43	29	27	18
(33)	Congenital debility [1]	747	59	72	78	62	52	72	61	62	69	67	49	44
35	Violent deaths (excluding suicide)	2,415	161	177	166	186	189	212	246	261	235	196	197	189
36	Suicide	465	28	44	43	44	46	42	35	39	43	27	42	32
	All other causes	26,488	2,297	2,114	2,755	2,471	2,180	2,138	1,944	1,965	1,978	2,126	2,136	2,384

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	MINNESOTA.													
	All causes	22,794	1,997	1,984	2,212	2,132	1,842	1,756	1,653	1,608	1,688	1,717	1,799	2,406
1	Typhoid fever	153	10	11	13	16	7	7	14	13	18	12	20	12
3	Malaria													
5	Measles	87	3	13	10	20	17	9	4	1	1		3	6
6	Scarlet fever	145	21	16	19	24	11	8	4	3	8	8	13	10
7	Whooping cough	165	12	4	13	13	16	17	12	16	12	10	15	25
8	Diphtheria and croup	192	26	16	19	20	8	13	9	6	16	16	16	27
9	Influenza	237	20	26	34	31	8	2		1		1	3	111
13	Tuberculosis of the lungs	1,895	165	146	188	195	188	182	145	158	119	124	122	163
14–15	Other forms of tuberculosis	386	32	37	45	36	40	38	36	18	23	24	25	32
17	Meningitis	138	7	16	13	10	20	12	8	7	14	10	11	10
20–21	Bronchitis	277	30	35	31	37	24	17	11	6	8	15	20	43
22	Pneumonia	1,152	135	138	164	145	78	58	29	30	34	55	76	210
(23)	Bronchopneumonia	860	110	123	152	93	49	39	39	20	21	44	53	117
25	Diarrhea and enteritis (under 2 years)	591	57	62	51	43	37	35	37	61	78	55	37	38
(37)	Diarrhea and enteritis (2 years and over)	154	8	14	15	7	8	12	14	17	30	14	9	6
(33)	Congenital debility [1]	313	25	21	26	38	24	29	21	26	26	28	25	24
35	Violent deaths (excluding suicide)	1,557	106	83	82	105	122	154	156	163	160	138	146	142
36	Suicide	361	18	28	35	41	37	24	30	28	32	31	28	29
	All other causes	14,131	1,212	1,195	1,302	1,258	1,148	1,100	1,084	1,034	1,088	1,132	1,177	1,401
	MISSOURI.													
	All causes	40,757	3,789	3,615	4,173	3,656	2,935	2,740	3,019	2,949	3,040	3,213	3,199	4,429
1	Typhoid fever	522	39	28	33	23	23	31	43	53	61	84	64	40
3	Malaria	388	9	18	14	13	18	19	40	67	71	67	36	16
5	Measles	154	2	9	20	33	36	18	7	7	3	5	5	9
6	Scarlet fever	75	20	10	5	4	8	3			2	6	7	10
7	Whooping cough	276	18	29	29	27	23	21	23	22	16	18	25	25
8	Diphtheria and croup	685	74	34	47	35	30	27	18	35	44	110	135	96
9	Influenza	722	77	90	126	99	25	8	6	6	6	9	21	249
13	Tuberculosis of the lungs	4,443	393	383	505	485	403	348	317	309	280	280	319	421
14–15	Other forms of tuberculosis	473	28	42	48	37	47	34	45	43	32	41	32	44
17	Meningitis	216	19	24	27	12	20	14	13	23	15	17	15	17
20–21	Bronchitis	610	100	89	76	56	29	26	20	18	38	37	48	73
22	Pneumonia	2,740	394	386	449	327	103	70	48	49	64	103	152	595
(23)	Bronchopneumonia	1,373	258	215	231	151	60	37	26	17	50	57	69	202
25	Diarrhea and enteritis (under 2 years)	1,236	48	51	63	47	44	61	199	204	227	158	82	52
(37)	Diarrhea and enteritis (2 years and over)	406	28	22	18	30	13	26	49	69	56	49	27	19
(33)	Congenital debility [1]	276	23	27	26	17	20	14	22	18	26	25	21	37
35	Violent deaths (excluding suicide)	2,441	169	166	174	189	192	227	250	227	209	192	216	230
36	Suicide	675	68	42	69	63	68	67	51	44	50	42	61	50
	All other causes	23,046	2,022	1,950	2,213	2,008	1,773	1,689	1,842	1,738	1,790	1,913	1,864	2,244
	MONTANA.													
	All causes	5,072	485	400	522	395	423	354	352	350	370	420	425	576
1	Typhoid fever	57	4	4	2	1	2	8	2	8	4	11	5	6
3	Malaria													
5	Measles	7	1		1	1		2	1			1		
6	Scarlet fever	16	3	1	2			6	2			1		1
7	Whooping cough	36	4	3	10	3	4	4	1		2		2	3
8	Diphtheria and croup	21	4	4	2	3	2	1	2	2	1			
9	Influenza	41	1	5	7	2						1	3	22
13	Tuberculosis of the lungs	468	39	34	55	47	47	28	28	40	28	30	45	47
14–15	Other forms of tuberculosis	62	7	1	6	7	7	9	1	5	6	8	1	4
17	Meningitis	31	1	2	2	2	7	5	1	2	1	3	1	4
20–21	Bronchitis	59	14	8	6	10	4	2	1	1	2	4	3	4
22	Pneumonia	373	51	41	46	24	34	10	7	13	11	22	39	75
(23)	Bronchopneumonia	138	33	17	23	6	9	6	2	4	4	7	6	21
25	Diarrhea and enteritis (under 2 years)	104	8	11	7	10	2	4	8	13	14	12	8	7
(37)	Diarrhea and enteritis (2 years and over)	29	3	1	1	1	1	1	3	2	5	5	4	2
(33)	Congenital debility [1]	57	3	7	10	2	5	2	2	5	2	8	6	5
35	Violent deaths (excluding suicide)	609	35	37	44	43	45	51	63	68	63	58	46	56
36	Suicide	103	8	4	11	9	12	4	10	4	11	11	8	11
	All other causes	2,861	266	220	287	224	242	211	218	183	216	238	248	308
	NEW HAMPSHIRE.													
	All causes	7,099	632	535	751	726	584	527	572	573	554	550	510	585
1	Typhoid fever	34	1		6	4	1	3	1	3	3	3	8	1
3	Malaria	2								1		1		
5	Measles	9	1	1	1	1			2					3
6	Scarlet fever	7	1	1		2	1		1			1		
7	Whooping cough	48	5	8	14	8	2	3	2	2	2		1	1
8	Diphtheria and croup	32	5	4	2	1	1	1	3	1	4	1	6	3
9	Influenza	127	10	12	34	31	11	6	3	2		4	3	11
13	Tuberculosis of the lungs	446	44	28	53	50	44	42	36	24	30	25	36	34
14–15	Other forms of tuberculosis	89	7	9	8	7	4	14	8	10	9	7	2	4
17	Meningitis	54	3	6	3	6	7	8	5	6	3	4	2	1
20–21	Bronchitis	141	12	17	32	20	15	8	11	4	2	3	6	11
22	Pneumonia	392	42	37	70	84	25	17	12	8	13	16	22	46
(23)	Bronchopneumonia	151	15	21	25	21	15	6	1	5	5	10	10	17
25	Diarrhea and enteritis (under 2 years)	293	12	13	10	11	9	12	43	60	68	29	13	13
(37)	Diarrhea and enteritis (2 years and over)	62	2	3	1	5	8	3	7	12	8	7	4	2
(33)	Congenital debility [1]	123	12	5	4	9	5	12	9	19	18	13	10	7
35	Violent deaths (excluding suicide)	323	21	25	24	21	20	29	30	35	30	35	27	26
36	Suicide	72	6	2	5	10	8	6	6	1	9	6	6	7
	All other causes	4,694	433	343	459	435	408	357	392	380	350	385	354	398

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	NEW JERSEY.													
	All causes	39,787	3,498	3,124	3,728	3,737	3,133	2,935	3,310	3,345	3,091	3,008	3,111	3,767
1	Typhoid fever	193	12	8	17	13	19	12	10	13	31	20	20	18
3	Malaria	13	.....	2	2	.....	.....	4	.....	.....	3	1	1	.....
5	Measles	225	12	14	20	26	18	32	26	12	8	9	16	32
6	Scarlet fever	100	15	6	13	12	22	8	6	1	3	4	4	6
7	Whooping cough	249	14	15	22	25	12	18	27	28	16	26	18	28
8	Diphtheria and croup	506	79	51	34	30	38	29	27	26	28	51	58	55
9	Influenza	317	42	24	59	62	18	7	5	1	3	2	6	88
13	Tuberculosis of the lungs	3,926	288	365	395	367	360	330	339	264	304	279	288	347
14-15	Other forms of tuberculosis	490	34	34	52	40	59	47	55	40	44	26	33	26
17	Meningitis	241	12	17	20	28	22	25	19	27	26	14	15	16
20-21	Bronchitis	459	72	59	50	50	27	31	22	20	19	25	27	57
22	Pneumonia	2,875	347	234	397	442	202	167	88	81	87	134	231	465
(23)	Bronchopneumonia	1,497	206	185	188	162	104	81	59	56	68	101	110	177
25	Diarrhea and enteritis (under 2 years)	2,398	66	80	94	90	84	90	454	590	431	224	122	73
(37)	Diarrhea and enteritis (2 years and over)	369	20	16	20	27	19	28	47	71	42	37	23	19
(33)	Congenital debility [1]	596	36	32	37	28	38	40	63	101	81	75	36	29
35	Violent deaths (excluding suicide)	2,356	200	135	162	201	175	210	284	234	189	193	183	190
36	Suicide	509	43	38	45	56	54	53	40	39	45	32	30	34
	All other causes	22,468	2,000	1,809	2,101	2,078	1,862	1,723	1,739	1,741	1,663	1,755	1,890	2,107
	NEW YORK.													
	All causes	146,938	12,724	11,978	14,998	14,616	12,457	10,977	11,169	11,428	11,146	11,039	11,105	13,301
1	Typhoid fever	765	51	37	45	36	43	50	52	89	97	101	77	87
3	Malaria	42	3	5	1	5	3	4	1	3	10	4	3	.....
5	Measles	887	28	42	69	126	170	180	99	38	30	14	37	54
6	Scarlet fever	433	47	51	50	75	90	46	24	10	3	13	7	17
7	Whooping cough	777	46	69	75	81	71	64	66	84	64	36	61	60
8	Diphtheria and croup	1,758	168	170	213	149	178	154	126	92	83	120	131	174
9	Influenza	1,298	92	111	299	347	87	50	26	20	22	30	51	163
13	Tuberculosis of the lungs	14,553	1,354	1,228	1,480	1,421	1,375	1,160	1,127	1,079	991	1,088	1,080	1,170
14-15	Other forms of tuberculosis	1,982	140	141	213	230	220	170	165	176	157	121	130	119
17	Meningitis	631	48	47	56	56	68	59	60	59	50	48	42	38
20-21	Bronchitis	1,933	223	196	272	251	160	104	75	77	95	113	136	231
22	Pneumonia	9,999	1,034	911	1,572	1,537	798	536	338	279	309	493	745	1,447
(23)	Bronchopneumonia	6,836	725	711	981	914	627	509	332	273	282	361	438	683
25	Diarrhea and enteritis (under 2 years)	6,786	214	239	296	314	313	362	992	1,591	1,260	608	353	244
(37)	Diarrhea and enteritis (2 years and over)	1,048	71	60	64	74	55	69	119	171	148	89	68	60
(33)	Congenital debility [1]	2,025	119	133	169	157	169	137	214	253	220	189	121	144
35	Violent deaths (excluding suicide)	7,881	559	528	584	656	629	700	831	722	782	634	633	623
36	Suicide	1,771	157	143	153	151	160	166	175	139	128	140	132	127
	All other causes	85,533	7,645	7,156	8,406	8,036	7,241	6,457	6,347	6,273	6,415	6,837	6,860	7,860
	NORTH CAROLINA [2] (TOTAL).													
	All causes	8,438	727	683	777	695	690	828	788	649	628	646	672	655
1	Typhoid fever	199	4	5	2	6	4	22	41	38	30	20	17	10
3	Malaria	68	2	5	3	2	5	8	6	13	8	9	4	3
5	Measles	3	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....
6	Scarlet fever	8	1	.....	.....	.....	1	.....	.....	1	3	.....	.....	2
7	Whooping cough	70	2	7	6	9	11	5	7	11	2	2	3	5
8	Diphtheria and croup	57	8	5	2	1	2	1	2	5	7	10	11	3
9	Influenza	93	17	16	19	16	5	3	.....	1	.....	.....	2	14
13	Tuberculosis of the lungs	1,013	100	88	101	92	73	96	99	79	77	63	80	65
14-15	Other forms of tuberculosis	113	6	8	6	8	17	12	9	12	9	10	6	10
17	Meningitis	66	4	1	9	10	6	9	4	1	9	6	3	4
20-21	Bronchitis	70	11	7	9	11	7	8	2	.....	1	6	4	4
22	Pneumonia	404	61	64	82	56	21	12	5	6	11	20	23	43
(23)	Bronchopneumonia	227	32	32	37	36	13	9	3	3	5	11	14	32
25	Diarrhea and enteritis (under 2 years)	576	15	13	10	7	74	116	113	58	58	48	44	20
(37)	Diarrhea and enteritis (2 years and over)	97	1	7	5	4	14	20	12	6	7	9	9	3
(33)	Congenital debility [1]	119	8	10	10	9	6	17	18	8	8	9	9	7
35	Violent deaths (excluding suicide)	431	41	46	28	24	29	28	38	35	30	36	52	44
36	Suicide	34	.....	4	4	5	3	.....	3	4	2	2	5	2
	All other causes	4,790	414	364	444	399	399	462	425	368	361	385	385	384
	NORTH CAROLINA [2] (WHITE).													
	All causes	4,342	379	349	414	345	347	435	407	306	320	324	341	375
1	Typhoid fever	100	1	3	2	3	1	8	25	16	15	12	8	6
3	Malaria	24	1	1	1	1	4	1	1	4	2	3	4	1
5	Measles	3	.....	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....
6	Scarlet fever	8	1	.....	.....	.....	1	.....	.....	1	3	.....	.....	2
7	Whooping cough	32	1	4	5	4	4	4	1	3	1	1	1	3
8	Diphtheria and croup	49	7	3	2	1	2	1	2	5	6	8	9	3
9	Influenza	57	12	11	12	8	3	1	.....	1	.....	.....	1	8
13	Tuberculosis of the lungs	430	48	36	48	43	27	36	36	32	32	27	35	30
14-15	Other forms of tuberculosis	56	2	6	3	1	10	6	7	3	1	6	5	6
17	Meningitis	40	3	1	5	5	4	6	3	1	6	1	3	2
20-21	Bronchitis	33	7	4	5	4	2	4	1	.....	.....	3	2	1
22	Pneumonia	172	25	28	33	21	7	10	3	4	2	8	9	22
(23)	Bronchopneumonia	97	19	11	17	13	6	3	.....	1	3	3	5	16
25	Diarrhea and enteritis (under 2 years)	287	8	7	7	2	41	52	60	27	26	23	22	12
(37)	Diarrhea and enteritis (2 years and over)	67	1	5	4	3	10	17	9	1	4	6	6	1
(33)	Congenital debility [1]	60	3	6	6	4	1	8	12	4	5	3	4	4
35	Violent deaths (excluding suicide)	227	24	17	14	11	21	16	19	21	15	19	24	26
36	Suicide	29	.....	4	3	3	3	.....	3	3	2	2	4	2
	All other causes	2,571	216	201	247	218	200	262	224	179	197	199	198	230

[1] Excluding premature birth.

[2] Includes only municipalities having a population of 1,000 or over in 1910.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	NORTH CAROLINA[1] (COLORED).													
	All causes	4,096	348	334	363	350	343	393	381	343	308	322	331	280
1	Typhoid fever	99	3	2		3	3	14	16	22	15	8	9	4
3	Malaria	44	1	4	2	1	1	7	5	9	6	6		2
5	Measles													
6	Scarlet fever													
7	Whooping cough	38	1	3	1	5	7	1	6	8	1	1	2	2
8	Diphtheria and croup	8	1	2							1	2	2	
9	Influenza	36	5	5	7	8	2	2					1	6
13	Tuberculosis of the lungs	583	52	52	53	49	46	60	63	47	45	36	45	35
14–15	Other forms of tuberculosis	57	4	2	3	7	7	6	2	9	8	4	1	4
17	Meningitis	26	1		4	5	2	3	1		3	5		2
20–21	Bronchitis	37	4	3	4	7	5	4	1		1	3	2	3
22	Pneumonia	232	36	36	49	35	14	2	2	2	9	12	14	21
(23)	Bronchopneumonia	130	13	21	20	23	7	6	3	2	2	8	9	16
25	Diarrhea and enteritis (under 2 years)	289	7	6	3	5	33	64	53	31	32	25	22	8
(37)	Diarrhea and enteritis (2 years and over)	30		2	1	1	4	3	3	5	3	3	3	2
(33)	Congenital debility[2]	59	5	4	4	5	5	9	6	4	3	6	5	3
35	Violent deaths (excluding suicide)	204	17	29	14	13	8	12	19	14	15	17	28	18
36	Suicide	5			1	2				1			1	
	All other causes	2,219	198	163	197	181	199	200	201	189	164	186	187	154
	OHIO.													
	All causes	66,173	5,700	6,055	7,030	6,008	5,105	4,762	4,773	4,945	5,216	5,308	5,275	5,996
1	Typhoid fever	717	63	52	55	50	45	45	43	60	90	89	58	67
3	Malaria	25	1	3	3	3		3	1	1	4	3	2	1
5	Measles	219	5	7	18	33	40	44	26	12	8	7	4	15
6	Scarlet fever	224	23	23	18	20	17	10	8	7	7	15	32	44
7	Whooping cough	355	13	21	36	29	31	42	42	43	23	19	27	29
8	Diphtheria and croup	672	62	56	49	36	47	27	25	30	59	122	96	63
9	Influenza	981	85	179	293	153	59	18	13	16	4	15	31	115
13	Tuberculosis of the lungs	5,776	479	508	583	572	530	523	456	414	402	427	439	443
14–15	Other forms of tuberculosis	867	69	72	88	84	86	83	64	69	63	61	62	66
17	Meningitis	312	34	18	29	24	30	25	17	43	23	30	18	21
20–21	Bronchitis	815	84	119	124	86	47	43	39	26	26	50	68	103
22	Pneumonia	3,581	363	523	660	459	191	131	103	86	123	169	269	504
(23)	Bronchopneumonia	2,604	316	422	547	273	120	89	62	85	92	125	198	275
25	Diarrhea and enteritis (under 2 years)	2,339	106	109	95	116	88	112	255	502	439	296	132	89
(37)	Diarrhea and enteritis (2 years and over)	556	33	27	39	27	32	44	59	85	81	69	28	32
(33)	Congenital debility[2]	578	45	48	88	51	29	35	32	49	57	57	38	49
35	Violent deaths (excluding suicide)	4,382	303	317	300	352	337	412	428	377	420	386	396	354
36	Suicide	778	61	62	69	63	85	68	73	54	63	62	55	63
	All other causes	40,392	3,555	3,489	3,936	3,577	3,291	3,008	3,027	2,986	3,232	3,306	3,322	3,663
	PENNSYLVANIA.													
	All causes	115,284	9,704	9,503	11,383	11,355	8,863	8,001	8,467	9,180	9,246	9,074	8,875	11,633
1	Typhoid fever	1,034	76	59	55	60	49	62	50	83	134	160	116	130
3	Malaria	34	2	3	3	1	2		4	3	4	8	1	3
5	Measles	565	42	46	54	81	66	46	51	15	16	17	28	103
6	Scarlet fever	301	37	43	31	41	36	22	17	9	11	16	15	23
7	Whooping cough	573	36	54	53	54	64	37	51	39	38	39	48	60
8	Diphtheria and croup	1,632	180	137	134	123	121	91	74	71	109	180	200	212
9	Influenza	1,463	100	116	282	361	86	27	12	10	17	29	41	382
13	Tuberculosis of the lungs	9,271	804	827	898	951	903	714	753	687	636	662	683	753
14–15	Other forms of tuberculosis	1,367	110	103	136	172	110	124	104	98	117	100	83	110
17	Meningitis	535	43	48	58	36	38	33	48	61	44	53	36	37
20–21	Bronchitis	1,603	214	180	229	221	112	74	56	48	65	89	122	193
22	Pneumonia	7,006	669	725	1,002	1,111	431	310	190	166	203	379	554	1,266
(23)	Bronchopneumonia	5,429	631	641	931	791	372	235	165	153	187	263	359	701
25	Diarrhea and enteritis (under 2 years)	7,603	251	285	294	339	263	340	1,075	1,778	1,571	813	329	265
(37)	Diarrhea and enteritis (2 years and over)	1,047	51	61	56	46	61	77	123	187	170	93	64	58
(33)	Congenital debility[2]	1,970	115	113	134	147	103	123	160	237	291	238	175	134
35	Violent deaths (excluding suicide)	7,766	593	535	573	605	599	674	728	711	695	660	637	756
36	Suicide	1,081	79	100	128	103	91	104	100	77	79	76	73	71
	All other causes	65,004	5,671	5,427	6,332	6,112	5,356	4,908	4,706	4,747	4,859	5,199	5,311	6,376
	RHODE ISLAND.													
	All causes	8,922	774	730	991	895	706	613	653	754	713	688	668	737
1	Typhoid fever	61	4	3	7	4	2	2	2	9	10	7	7	4
3	Malaria	1										1		
5	Measles	60	3	7	7	3	10	5	3	3	1	5	5	8
6	Scarlet fever	27	1	3	10	1	5	2	1	1	1		1	1
7	Whooping cough	113	8	12	20	12	11	7	12	7	8	5	3	8
8	Diphtheria and croup	99	10	5	5	6	6	8	4	4	7	12	15	17
9	Influenza	76	9	8	18	24	5	1	2			1	1	7
13	Tuberculosis of the lungs	800	78	59	100	72	55	55	81	71	54	62	69	44
14–15	Other forms of tuberculosis	146	9	13	16	17	15	18	11	9	12	9	9	8
17	Meningitis	58	5	4	5	8	3	8	5	8	6	2	2	2
20–21	Bronchitis	119	11	20	25	19	11	4	3	2	3	8	8	5
22	Pneumonia	659	63	56	132	138	47	31	19	7	23	37	37	69
(23)	Bronchopneumonia	335	42	36	71	46	30	18	8	5	11	14	18	36
25	Diarrhea and enteritis (under 2 years)	460	17	16	12	12	18	26	55	120	110	37	18	19
(37)	Diarrhea and enteritis (2 years and over)	78	6	5	6	6	4	4	4	15	9	6	3	10
(33)	Congenital debility[2]	183	12	13	10	11	13	12	12	22	27	28	11	12
35	Violent deaths (excluding suicide)	438	30	31	39	36	31	33	37	44	36	48	41	32
36	Suicide	87	6	10	10	8	4	7	4	10	11	4	6	7
	All other causes	5,122	460	429	498	472	436	372	390	417	384	402	414	448

[1] Includes only municipalities having a population of 1,000 or over in 1910.

[2] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	UTAH.													
	All causes	4,193	470	336	383	361	326	276	298	283	298	349	397	416
1	Typhoid fever	40	2	2	.....	4	4	1	4	2	8	6	5	2
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	4	.....	1	.....	.....	1	.....	1	.....	.....	.....	1	.....
6	Scarlet fever	12	1	1	1	1	3	2	.....	1	.....	1	.....	1
7	Whooping cough	86	4	6	13	19	11	9	6	4	4	2	4	4
8	Diphtheria and croup	49	.....	4	6	4	.....	6	.....	3	3	8	10	5
9	Influenza	54	10	1	4	7	1	.....	1	1	.....	.....	8	21
13	Tuberculosis of the lungs	153	13	12	11	9	13	11	11	8	9	15	21	20
14-15	Other forms of tuberculosis	36	3	1	4	4	3	3	7	1	6	.....	1	3
17	Meningitis	35	3	.....	2	2	4	2	4	3	3	6	2	4
20-21	Bronchitis	55	10	10	6	4	4	4	.....	2	4	2	5	4
22	Pneumonia	291	40	27	33	21	17	15	9	7	10	17	44	51
(23)	Bronchopneumonia	150	53	16	17	4	5	2	7	1	4	9	15	17
25	Diarrhea and enteritis (under 2 years)	95	9	4	1	5	3	5	8	12	17	20	9	2
(37)	Diarrhea and enteritis (2 years and over)	21	1	1	1	1	2	2	1	4	5	1	1	1
(33)	Congenital debility [1]	27	7	.....	2	6	2	.....	.....	2	2	5	.....	1
35	Violent deaths (excluding suicide)	359	30	17	28	22	32	24	43	27	40	36	26	34
36	Suicide	54	5	4	3	6	7	3	2	1	6	3	9	5
	All other causes	2,672	279	229	251	242	214	187	194	204	177	218	236	241
	VERMONT.													
	All causes	5,323	500	460	486	585	429	389	399	418	445	417	378	417
1	Typhoid fever	47	3	2	5	2	1	2	1	2	3	15	7	4
3	Malaria	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1
5	Measles	3	.....	.....	.....	.....	.....	1	1	.....	.....	1	.....	.....
6	Scarlet fever	4	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	2
7	Whooping cough	23	2	2	3	1	3	1	1	1	1	1	3	4
8	Diphtheria and croup	40	6	5	.....	3	2	4	4	2	1	3	1	9
9	Influenza	115	10	13	20	40	12	5	2	1	2	6	1	3
13	Tuberculosis of the lungs	271	22	20	28	34	29	20	25	22	25	14	12	20
14-15	Other forms of tuberculosis	59	4	3	7	9	10	1	5	6	3	4	3	4
17	Meningitis	26	.....	2	4	3	2	3	2	4	1	.....	.....	5
20-21	Bronchitis	96	11	9	13	10	13	3	2	1	5	8	12	9
22	Pneumonia	283	30	30	46	54	30	15	1	10	12	14	18	23
(23)	Bronchopneumonia	133	20	18	21	29	13	2	4	3	2	4	7	10
25	Diarrhea and enteritis (under 2 years)	160	3	10	9	5	4	6	14	16	52	27	7	7
(37)	Diarrhea and enteritis (2 years and over)	57	6	4	1	2	2	8	1	12	13	4	1	3
(33)	Congenital debility [1]	76	5	5	6	5	3	4	9	9	12	7	6	5
35	Violent deaths (excluding suicide)	245	28	14	15	16	15	17	34	30	17	27	23	9
36	Suicide	60	7	2	3	8	4	6	5	8	4	4	4	5
	All other causes	3,622	343	321	305	362	286	291	288	291	292	278	271	294
	VIRGINIA (TOTAL).													
	All causes	30,727	2,616	2,625	3,183	2,855	2,339	2,401	2,640	2,322	2,181	2,485	2,367	2,713
1	Typhoid fever	514	23	24	20	15	20	20	54	98	67	83	52	38
3	Malaria	153	6	3	4	7	5	12	9	27	24	32	14	10
5	Measles	58	9	8	16	6	6	2	3	.....	1	1	2	4
6	Scarlet fever	24	3	1	3	.....	2	.....	2	.....	4	1	3	5
7	Whooping cough	318	27	38	37	45	40	39	23	21	12	11	7	18
8	Diphtheria and croup	374	34	31	22	8	10	9	8	12	33	52	90	65
9	Influenza	411	43	66	107	98	21	5	.....	3	5	5	3	55
13	Tuberculosis of the lungs	3,608	330	349	369	352	322	270	289	275	237	239	269	307
14-15	Other forms of tuberculosis	395	28	39	31	24	38	26	44	37	30	38	23	37
17	Meningitis	248	29	16	21	27	22	14	24	17	25	22	9	22
20-21	Bronchitis	316	43	35	58	39	15	22	16	11	15	11	24	27
22	Pneumonia	1,867	235	277	386	271	98	42	43	38	31	75	108	263
(23)	Bronchopneumonia	599	88	80	92	87	26	31	19	16	19	31	36	74
25	Diarrhea and enteritis (under 2 years)	1,203	18	19	25	27	54	165	296	211	162	132	63	31
(37)	Diarrhea and enteritis (2 years and over)	352	15	11	20	14	23	46	61	52	40	33	25	12
(33)	Congenital debility [1]	627	44	32	62	42	42	55	64	55	53	64	72	42
35	Violent deaths (excluding suicide)	1,804	112	122	135	167	119	136	173	158	135	161	184	202
36	Suicide	183	23	13	23	11	13	19	16	16	10	13	13	13
	All other causes	17,673	1,506	1,461	1,752	1,615	1,463	1,488	1,496	1,275	1,278	1,481	1,370	1,488
	VIRGINIA (WHITE).													
	All causes	17,288	1,510	1,505	1,848	1,658	1,296	1,262	1,416	1,256	1,184	1,395	1,374	1,584
1	Typhoid fever	291	17	17	11	11	13	11	28	55	35	47	24	22
3	Malaria	42	4	1	1	4	3	2	1	6	7	7	4	2
5	Measles	38	6	7	13	3	2	1	1	.....	.....	1	1	3
6	Scarlet fever	21	3	1	3	.....	2	.....	2	.....	4	.....	2	4
7	Whooping cough	140	7	18	17	23	13	15	12	10	4	6	4	11
8	Diphtheria and croup	286	22	24	14	5	7	5	4	8	26	43	74	54
9	Influenza	258	31	34	70	62	16	1	.....	2	.....	2	2	38
13	Tuberculosis of the lungs	1,545	144	157	174	152	124	109	132	104	82	104	112	151
14	Other forms of tuberculosis	220	13	19	15	15	23	13	30	21	17	16	17	21
17	Meningitis	150	21	12	11	17	15	6	15	8	11	15	5	14
20	Bronchitis	161	31	13	23	20	8	10	6	8	8	5	13	16
22	Pneumonia	977	131	148	205	147	56	25	19	18	13	34	46	135
(23)	Bronchopneumonia	307	52	42	53	48	15	7	7	6	4	12	21	40
25	Diarrhea and enteritis (under 2 years)	655	5	6	15	17	28	77	154	124	90	82	41	16
(37)	Diarrhea and enteritis (2 years and over)	222	10	6	17	8	9	25	42	41	23	19	15	7
(33)	Congenital debility [1]	314	21	15	34	17	20	27	24	30	27	30	41	28
35	Violent deaths (excluding suicide)	1,016	63	60	65	98	74	72	97	92	73	99	109	114
36	Suicide	159	23	11	21	11	12	17	12	11	8	10	12	11
	All other causes	10,486	906	914	1,086	1,000	856	839	830	712	752	863	831	897

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	VIRGINIA (COLORED).													
	All causes	13,439	1,106	1,120	1,335	1,197	1,043	1,139	1,224	1,066	997	1,090	993	1,129
1	Typhoid fever	223	6	7	9	4	7	9	26	43	32	36	28	16
3	Malaria	111	2	2	3	3	2	10	8	21	17	25	10	8
5	Measles	20	3	1	3	3	4	1	2		1		1	1
6	Scarlet fever	3										1	1	1
7	Whooping cough	178	20	20	20	22	27	24	11	11	8	5	3	7
8	Diphtheria and croup	88	12	7	8	3	3	4	4	4	7	9	16	11
9	Influenza	153	12	32	37	36	5	4		1	5	3	1	17
13	Tuberculosis of the lungs	2,063	186	192	195	200	198	161	157	171	155	135	157	156
14–15	Other forms of tuberculosis	175	15	20	16	9	15	13	14	16	13	22	6	16
17	Meningitis	98	8	4	10	10	7	8	9	9	14	7	4	8
20–21	Bronchitis	155	12	22	35	19	7	12	10	3	7	6	11	11
22	Pneumonia	890	104	129	181	124	42	17	24	20	18	41	62	128
(23)	Bronchopneumonia	292	36	38	39	39	11	24	12	10	15	19	15	34
25	Diarrhea and enteritis (under 2 years)	548	13	13	10	10	26	88	142	87	72	50	22	15
(37)	Diarrhea and enteritis (2 years and over)	130	5	5	3	6	14	21	19	11	17	14	10	5
(33)	Congenital debility [1]	313	23	17	28	25	22	28	40	25	26	34	31	14
35	Violent deaths (excluding suicide)	788	49	62	70	69	45	64	76	66	62	62	75	88
36	Suicide	24		2	2		1	2	4	5	2	3	1	2
	All other causes	7,137	600	547	666	615	607	649	666	563	526	618	539	591
	WASHINGTON.													
	All causes	11,895	1,056	1,017	1,148	984	959	889	891	936	909	948	1,001	1,157
1	Typhoid fever	119	7	7	5	2	6	9	8	12	24	22	10	7
3	Malaria	4			1	1				1		1		
5	Measles	17	2	4	5	4	2							
6	Scarlet fever	7			3				1			1	1	1
7	Whooping cough	43	2	2	6	4	6	7	2	2	3	1	1	7
8	Diphtheria and croup	40	8	6	2	3	2	2	1	1	4	5	2	4
9	Influenza	146	14	12	20	8	4	3	1	1	3	5	14	61
13	Tuberculosis of the lungs	1,097	97	95	128	105	96	89	83	93	78	72	73	88
14–15	Other forms of tuberculosis	178	15	17	16	22	21	13	19	13	13	4	12	13
17	Meningitis	63	3	8	8	3	8	7	3	7	5	1	5	5
20–21	Bronchitis	85	9	7	10	7	8	6	3	6	5	1	8	15
22	Pneumonia	523	85	61	56	37	39	24	14	6	23	35	44	99
(23)	Bronchopneumonia	317	47	48	51	27	20	15	3	9	15	19	29	34
25	Diarrhea and enteritis (under 2 years)	184	12	10	15	12	13	12	12	32	35	14	8	9
(37)	Diarrhea and enteritis (2 years and over)	114	10	2	7	6	5	7	7	23	17	12	11	7
(33)	Congenital debility [1]	142	19	10	15	10	9	11	9	10	11	11	12	15
35	Violent deaths (excluding suicide)	1,181	86	70	82	71	95	99	136	140	92	93	117	100
36	Suicide	304	24	22	28	32	27	17	21	27	19	32	22	33
	All other causes	7,331	616	636	690	630	598	568	568	553	562	619	632	659
	WISCONSIN.													
	All causes	26,712	2,477	2,356	2,984	2,663	2,251	1,870	1,877	1,745	1,888	2,057	1,881	2,663
1	Typhoid fever	119	10	9	14	11	13	6	8	5	14	9	13	7
3	Malaria	1								1				
5	Measles	53	5	2	3	4	4	6	5	3		4	3	14
6	Scarlet fever	89	20	7	12	18	6	3	5	5		4	1	8
7	Whooping cough	191	17	14	18	13	17	16	18	18	11	17	8	24
8	Diphtheria and croup	212	29	20	24	25	18	7	8	9	16	13	15	28
9	Influenza	390	27	44	103	66	22	6	4		1	6	4	107
13	Tuberculosis of the lungs	2,054	200	166	208	228	218	158	182	116	139	150	129	160
14–15	Other forms of tuberculosis	333	31	24	29	43	40	37	18	25	15	21	23	27
17	Meningitis	183	14	9	14	27	18	11	12	15	16	18	13	16
20–21	Bronchitis	501	58	59	91	63	33	18	17	14	20	31	30	67
22	Pneumonia	1,744	180	203	280	213	106	68	70	43	65	100	117	299
(23)	Bronchopneumonia	850	116	130	170	115	49	33	27	16	35	35	40	84
25	Diarrhea and enteritis (under 2 years)	737	66	75	88	72	58	54	33	46	92	67	34	52
(37)	Diarrhea and enteritis (2 years and over)	191	15	14	7	14	21	18	22	23	25	11	14	7
(33)	Congenital debility [1]	470	53	16	36	37	31	33	38	31	44	63	39	49
35	Violent deaths (excluding suicide)	1,361	99	79	103	116	115	121	128	126	116	117	108	133
36	Suicide	338	23	26	35	27	29	36	31	35	29	26	17	24
	All other causes	16,895	1,514	1,459	1,749	1,571	1,453	1,239	1,251	1,214	1,250	1,365	1,273	1,557
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.													
	BIRMINGHAM, ALA. (TOTAL).													
	All causes	2,714	231	245	244	241	228	251	238	211	189	172	212	252
1	Typhoid fever	63	1	3	1	3	2	6	11	12	9	6	5	4
3	Malaria	27	2	1		1	4	4	3	5	3		2	2
5	Measles	11		1		3	4	2				1		
6	Scarlet fever	22	2	5	4	6	3		1				1	
7	Whooping cough	13			2	5	1		1	1	1		2	
8	Diphtheria and croup	18	1	1	1	4				2	2	2	1	4
9	Influenza	35	5	7	3	3	4			1				12
13	Tuberculosis of the lungs	310	21	26	33	28	31	33	19	21	21	23	27	27
14–15	Other forms of tuberculosis	50	6	1	4	5	7	6	9	1	5	4	2	
17	Meningitis	11	2	1	1	2	2		3					
20–21	Bronchitis	15	2	2	1			1	1	2			3	3
22	Pneumonia	167	34	29	24	16	6	5	4	1	4	4	11	29
(23)	Bronchopneumonia	48	5	12	9	3	2		1		1	3	7	5
25	Diarrhea and enteritis (under 2 years)	114	2	1	3	1	8	32	25	12	12	15	3	
(37)	Diarrhea and enteritis (2 years and over)	40	2	2	3		3	5	7	3	10	2	2	1
(33)	Congenital debility [1]	27	3		2	1	3	1	3	5	3	2	2	2
35	Violent deaths (excluding suicide)	222	17	18	21	26	19	23	16	19	12	17	15	19
36	Suicide	18		1	3	2	2	2	1	1	1	2	2	1
	All other causes	1,503	126	134	129	132	127	131	133	125	105	91	127	143

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	BIRMINGHAM, ALA. (WHITE)													
	All causes	1,231	108	120	112	106	102	122	102	96	74	73	98	118
1	Typhoid fever	30		1				3	5	5	5	6	2	3
3	Malaria	3						1		1	1			
5	Measles	6		1		1	2	1				1		
6	Scarlet fever	22	2	5	4	6	3		1				1	
7	Whooping cough	1			1									
8	Diphtheria and croup	10	1		1	1				2	2	2		1
9	Influenza	18	4	3	1	1	2							7
13	Tuberculosis of the lungs	82	8	5	10	6	3	11	5	5	5	8	8	8
14–15	Other forms of tuberculosis	12	2	1	1	1	3		3		1			
17	Meningitis	6	2	1		1	1		1					
20–21	Bronchitis	6	1	2				1					2	
22	Pneumonia	76	20	12	4	8	2	2	3		1	1	6	17
(23)	Bronchopneumonia	16	2	5	3							1	5	
25	Diarrhea and enteritis (under 2 years)	68	1		2	1	7	23	10	6	5	10	3	
(37)	Diarrhea and enteritis (2 years and over)	21	1		2		2	4	3	2	4	1	2	
(33)	Congenital debility [1]	12	2		2		2	1		1	1	1	1	1
35	Violent deaths (excluding suicide)	107	7	8	8	17	9	12	6	12	5	5	8	10
36	Suicide	18		1	3	2	2	2	1	1	1	2	2	1
	All other causes	717	55	75	70	61	64	61	64	61	43	35	58	70
	BIRMINGHAM, ALA. (COLORED).													
	All causes	1,483	123	125	132	135	126	129	136	115	115	99	114	134
1	Typhoid fever	33	1	2	1	3	2	3	6	7	4		3	1
3	Malaria	24	2	1		1	4	3	3	4	2		2	2
5	Measles	5				2	2	1						
6	Scarlet fever													
7	Whooping cough	12			1	5	1		1	1	1		2	
8	Diphtheria and croup	8		1		3							1	3
9	Influenza	17	1	4	2	2	2			1				5
13	Tuberculosis of the lungs	228	13	21	23	22	28	22	14	16	16	15	19	19
14–15	Other forms of tuberculosis	38	4		3	4	4	6	6	1	4	4	2	
17	Meningitis	5			1	1	1		2					
20–21	Bronchitis	9	1		1				1	2			1	3
22	Pneumonia	91	14	17	20	8	4	3	1	1	3	3	5	12
(23)	Bronchopneumonia	32	3	7	6	3	2		1		1	2	2	5
25	Diarrhea and enteritis (under 2 years)	46	1	1	1		1	9	15	6	7	5		
(37)	Diarrhea and enteritis (2 years and over)	19	1	2	1		1	1	4	1	6	1		1
(33)	Congenital debility [1]	15	1			1	1		3	4	2	1	1	1
35	Violent deaths (excluding suicide)	115	10	10	13	9	10	11	10	7	7	12	7	9
36	Suicide													
	All other causes	786	71	59	59	71	63	70	69	64	62	56	69	73
	LOS ANGELES, CAL. (TOTAL).													
	All causes	5,856	558	470	584	473	520	456	428	424	401	510	478	554
1	Typhoid fever	27	4	4	2	2	3	6	1	1		1	3	
3	Malaria	1										1		
5	Measles	19	1		2	6	4	1	3		1			1
6	Scarlet fever	10	1	2	2	4				1				
7	Whooping cough	12					2	2	1	1	2	1		3
8	Diphtheria and croup	39	2	6	2	3	3	1	4	3	7	3	3	2
9	Influenza	21	2	2	4		2			1	1	1	4	4
13	Tuberculosis of the lungs	903	89	80	104	77	77	86	58	63	72	56	68	73
14–15	Other forms of tuberculosis	114	10	8	14	8	12	7	10	10	10	9	7	9
17	Meningitis	33	2	2	6	4	4	1	2	3	2	3	2	2
20–21	Bronchitis	58	12	11	4	1	7	2	3		2	2	9	5
22	Pneumonia	238	32	22	22	11	8	14	17	8	12	17	35	40
(23)	Bronchopneumonia	148	17	7	14	12	17	10	7	10	10	12	11	21
25	Diarrhea and enteritis (under 2 years)	129	7	9	6	6	18	17	13	17	15	10	5	6
(37)	Diarrhea and enteritis (2 years and over)	44	5	5	3	2	7	3	4	5	1	2	3	4
(33)	Congenital debility [1]	30	1	3	3		4	2	1	2	3	5	2	4
35	Violent deaths (excluding suicide)	372	34	33	47	28	35	25	27	30	29	43	19	22
36	Suicide	160	11	16	18	15	16	18	14	11	7	14	10	10
	All other causes	3,498	328	260	331	294	301	261	263	258	227	330	297	348
	LOS ANGELES, CAL. (WHITE).													
	All causes	5,457	525	433	546	448	472	429	401	394	374	470	444	521
1	Typhoid fever	25	4	4	2	2	3	5	1			1	3	
3	Malaria	1										1		
5	Measles	19	1		2	6	4	1	3		1			1
6	Scarlet fever	10	1	2	2	4				1				
7	Whooping cough	9					2	1	1	1		1		3
8	Diphtheria and croup	37	2	6	2	3	3	1	4	3	5	3	3	2
9	Influenza	21	2	2	4		2			1	1	1	4	4
13	Tuberculosis of the lungs	821	83	72	95	75	67	78	51	59	65	49	60	67
14–15	Other forms of tuberculosis	95	10	7	10	7	10	6	7	10	9	6	5	8
17	Meningitis	29		1	5	4	4	1	2	3	2	3	2	2
20–21	Bronchitis	56	11	10	4	1	7	2	3		2	2	9	5
22	Pneumonia	219	30	19	20	10	7	13	16	8	12	16	29	39
(23)	Bronchopneumonia	134	15	5	12	11	16	8	7	9	9	11	11	20
25	Diarrhea and enteritis (under 2 years)	110	7	8	5	4	14	14	12	14	14	9	4	5
(37)	Diarrhea and enteritis (2 years and over)	39	5	4	3	2	7	2	3	4	1	2	2	4
(33)	Congenital debility [1]	28	1	3	3		4	2	1	1	3	5	2	3
35	Violent deaths (excluding suicide)	339	34	30	47	27	29	25	23	24	26	36	18	20
36	Suicide	150	10	14	18	15	15	18	14	10	7	12	9	8
	All other causes	3,315	309	246	312	277	278	252	253	246	217	312	283	330

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	LOS ANGELES, CAL. (COLORED).[1]													
	All causes	399	33	37	38	25	48	27	27	30	27	40	34	33
1	Typhoid fever	2						1		1				
3	Malaria													
5	Measles													
6	Scarlet fever													
7	Whooping cough	3						1			2			
8	Diphtheria and croup	2									2			
9	Influenza													
13	Tuberculosis of the lungs	82	6	8	9	2	10	8	7	4	7	7	8	6
14–15	Other forms of tuberculosis	19		1	4	1	2	1	3		1	3	2	1
17	Meningitis	4	2	1	1									
20–21	Bronchitis	2	1	1										
22	Pneumonia	19	2	3	2	1	1	1	1			1	6	1
(23)	Bronchopneumonia	14	2	2	2	1	1	2		1	1	1		1
25	Diarrhea and enteritis (under 2 years)	19		1	1	2	4	3	1	3	1	1	1	1
(37)	Diarrhea and enteritis (2 years and over)	5		1				1	1	1			1	
(33)	Congenital debility [2]	2								1				1
35	Violent deaths (excluding suicide)	33		3		1	6		4	6	3	7	1	2
36	Suicide	10	1	2			1			1		2	1	2
	All other causes	183	19	14	19	17	23	9	10	12	10	18	14	18
	OAKLAND, CAL. (TOTAL).													
	All causes	2,166	229	188	206	173	172	165	163	149	165	156	185	215
1	Typhoid fever	13			2	1	2			2	2		1	3
3	Malaria	1								1				
5	Measles	5	3		1	1								
6	Scarlet fever	1				1								
7	Whooping cough	19	5	2	1	3		3			1		2	2
8	Diphtheria and croup	18	5	1	2	1	1	2	1			2	3	
9	Influenza	5	1	1										3
13	Tuberculosis of the lungs	215	26	18	21	15	18	13	19	20	11	11	16	27
14–15	Other forms of tuberculosis	48	7	7	1	6	3	5	6		4	4	4	1
17	Meningitis	9	1	1		1		1		2	1	1	1	
20–21	Bronchitis	22	3	1	4	4	1		1	3		1		4
22	Pneumonia	123	16	12	16	7	8	9	7	4	5	5	17	17
(23)	Bronchopneumonia	55	14	1	8	2	4			1	5	4	6	10
25	Diarrhea and enteritis (under 2 years)	41		4	1	4	2	5		4	11	7	1	2
(37)	Diarrhea and enteritis (2 years and over)	18	3	2	2	1	1	2	1	2	1	3		
(33)	Congenital debility [2]	13	3			1					4	1	1	3
35	Violent deaths (excluding suicide)	137	14	10	8	10	9	12	19	12	8	12	14	9
36	Suicide	51	5	2	6	2	5	7	8	5	2	1	7	1
	All other causes	1,372	123	126	133	113	118	106	101	93	110	104	112	133
	OAKLAND, CAL. (WHITE).													
	All causes	2,022	210	179	186	164	166	155	152	139	154	147	174	196
1	Typhoid fever	13			2	1	2			2	2		1	3
3	Malaria	1								1				
5	Measles	4	3			1								
6	Scarlet fever	1				1								
7	Whooping cough	19	5	2	1	3		3			1		2	2
8	Diphtheria and croup	18	5	1	2	1	1	2	1			2	3	
9	Influenza	5	1	1										3
13	Tuberculosis of the lungs	178	18	15	17	14	16	12	16	15	8	10	14	23
14–15	Other forms of tuberculosis	46	7	7	1	6	3	4	6		4	4	4	
17	Meningitis	9	1	1		1		1		2	1	1	1	
20–21	Bronchitis	22	3	1	4	4	1		1	3		1		4
22	Pneumonia	112	12	11	13	7	8	9	7	4	5	5	16	15
(23)	Bronchopneumonia	50	13	1	8	2	4			1	5	3	5	8
25	Diarrhea and enteritis (under 2 years)	36		3	1	4	1	5		3	10	6	1	2
(37)	Diarrhea and enteritis (2 years and over)	17	3	2	2	1	1	1	1	2	1	3		
(33)	Congenital debility [2]	13	3			1					4	1	1	3
35	Violent deaths (excluding suicide)	128	12	10	8	10	8	11	17	12	8	10	14	8
36	Suicide	49	5	2	6	2	5	7	7	5	2	1	6	1
	All other causes	1,301	119	122	121	105	116	100	96	89	103	100	106	124
	OAKLAND, CAL. (COLORED).[3]													
	All causes	144	19	9	20	9	6	10	11	10	11	9	11	19
1	Typhoid fever													
3	Malaria													
5	Measles	1			1									
6	Scarlet fever													
7	Whooping cough													
8	Diphtheria and croup													
9	Influenza													
13	Tuberculosis of the lungs	37	8	3	4	1	2	1	3	5	3	1	2	4
14–15	Other forms of tuberculosis	2						1						1
17	Meningitis													
20–21	Bronchitis													
22	Pneumonia	11	4	1	3								1	2
(23)	Bronchopneumonia	5	1									1	1	2
25	Diarrhea and enteritis (under 2 years)	5		1			1			1	1	1		
(37)	Diarrhea and enteritis (2 years and over)	1						1						
(33)	Congenital debility [2]													
35	Violent deaths (excluding suicide)	9	2				1	1	2			2		1
36	Suicide	2							1				1	
	All other causes	71	4	4	12	8	2	6	5	4	7	4	6	9

[1] The deaths of colored persons include 229 Negroes, 5 Indians, 37 Chinese, and 128 Japanese.
[2] Excluding premature birth.
[3] The deaths of colored persons include 66 Negroes, 56 Chinese, and 22 Japanese.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	SAN FRANCISCO, CAL. (TOTAL).													
	All causes	7,260	671	576	658	636	628	543	520	551	575	585	608	709
1	Typhoid fever	41	2	3	4	3	4	5	3	4	5	3	1	4
3	Malaria	2		1						1				
5	Measles	22	5	8	5	4								
6	Scarlet fever	9	1	1	2	1				1	1			2
7	Whooping cough	21	5	1	3	1		3	1			2	3	2
8	Diphtheria and croup	115	14	17	13	8	19	15	7	3	3	4	6	6
9	Influenza	10	3		2	3	1			1				
13	Tuberculosis of the lungs	820	92	65	81	72	74	56	55	58	57	66	65	79
14–15	Other forms of tuberculosis	142	14	17	12	12	12	11	12	8	9	12	12	11
17	Meningitis	25	2	4	1	4	1	2	2	2	2		3	2
20–21	Bronchitis	73	11	7	10	7	2	5	3	3	5	5	6	9
22	Pneumonia	349	54	30	28	26	20	22	16	18	25	28	31	51
(23)	Bronchopneumonia	248	26	18	16	18	23	16	19	24	27	17	13	31
25	Diarrhea and enteritis (under 2 years)	91	10	7	10	4	6	5	7	7	8	14	8	5
(37)	Diarrhea and enteritis (2 years and over)	36	4	1	2	4		4	4	4	8	3		2
(33)	Congenital debility [1]	8	1		1	2		1	1			2		
35	Violent deaths (excluding suicide)	517	31	55	52	43	45	32	43	28	49	40	57	42
36	Suicide	258	25	14	29	22	19	22	27	18	22	23	15	22
	All other causes	4,473	371	327	387	402	402	344	320	371	354	366	388	441
	SAN FRANCISCO, CAL. (WHITE).													
	All causes	6,846	636	549	617	603	593	507	487	511	545	555	570	673
1	Typhoid fever	36	2	3	2	3	4	4	3	4	4	3	1	3
3	Malaria	1								1				
5	Measles	22	5	8	5	4								
6	Scarlet fever	8	1	1	2	1				1				2
7	Whooping cough	21	5	1	3	1		3	1			2	3	2
8	Diphtheria and croup	115	14	17	13	8	19	15	7	3	3	4	6	6
9	Influenza	9	3		2	3				1				
13	Tuberculosis of the lungs	732	84	58	72	69	67	51	48	46	52	55	57	73
14–15	Other forms of tuberculosis	126	12	13	11	11	11	10	11	7	9	11	10	10
17	Meningitis	23	2	4	1	3	1	2	2	2	1		3	2
20–21	Bronchitis	67	10	7	9	7	2	4	2	3	4	5	5	9
22	Pneumonia	339	53	30	26	25	20	21	16	17	24	27	31	49
(23)	Bronchopneumonia	236	25	18	16	16	21	14	18	24	26	15	12	31
25	Diarrhea and enteritis (under 2 years)	87	10	7	10	4	5	4	7	5	8	14	8	5
(37)	Diarrhea and enteritis (2 years and over)	35	4	1	1	4		4	4	4	8	3		2
(33)	Congenital debility [1]	7	1		1	2		1	1			1		
35	Violent deaths (excluding suicide)	490	29	54	46	41	44	32	38	27	46	39	54	40
36	Suicide	248	24	14	28	21	18	20	26	18	20	23	15	21
	All other causes	4,244	352	313	369	380	381	322	303	348	340	353	365	418
	SAN FRANCISCO, CAL. (COLORED).[2]													
	All causes	414	35	27	41	33	35	36	33	40	30	30	38	36
1	Typhoid fever	5			2			1			1			1
3	Malaria	1		1										
5	Measles													
6	Scarlet fever	1									1			
7	Whooping cough													
8	Diphtheria and croup													
9	Influenza	1					1							
13	Tuberculosis of the lungs	88	8	7	9	3	7	5	7	12	5	11	8	6
14–15	Other forms of tuberculosis	16	2	4	1	1	1	1	1	1		1	2	1
17	Meningitis	2				1					1			
20–21	Bronchitis	6	1		1			1	1		1		1	
22	Pneumonia	10	1		2	1		1		1	1	1		2
(23)	Bronchopneumonia	12	1			2	2	2	1		1	2	1	
25	Diarrhea and enteritis (under 2 years)	4					1	1		2				
(37)	Diarrhea and enteritis (2 years and over)	1			1									
(33)	Congenital debility [1]	1										1		
35	Violent deaths (excluding suicide)	27	2	1	6	2	1		5	1	3	1	3	2
36	Suicide	10	1		1	1	1	2	1		2			1
	All other causes	229	19	14	18	22	21	22	17	23	14	13	23	23
	DENVER, COLO.													
	All causes	3,355	292	313	340	281	247	235	226	216	240	269	292	404
1	Typhoid fever	16		1	1		3			1	1	2	2	5
3	Malaria													
5	Measles	3					2	1						
6	Scarlet fever	9		2		1	1	1		1		1	1	1
7	Whooping cough	16	1	1	1	2	3	5	2	1				
8	Diphtheria and croup	8	1				1	1		1	1	1	1	1
9	Influenza	27	1	3	3	4					1		1	14
13	Tuberculosis of the lungs	596	66	43	57	48	46	45	44	43	42	50	50	62
14–15	Other forms of tuberculosis	31	4	3	8	2	3	1	2		2		1	5
17	Meningitis	20		2	4	1	1	2	2	2		3		3
20–21	Bronchitis	24	1	5	1	5	1	1	1		2	1	3	3
22	Pneumonia	327	31	40	48	18	14	12	15	7	11	13	39	79
(23)	Bronchopneumonia	83	11	12	14	11	4	1		1	7	10	7	5
25	Diarrhea and enteritis (under 2 years)	37	2	2	2	2		1	4	7	8	4	1	4
(37)	Diarrhea and enteritis (2 years and over)	20	3	1	1	1	2		3	2	2	1	2	2
(33)	Congenital debility [1]	40	5	3	6	5		2	3	1	4	6	3	2
35	Violent deaths (excluding suicide)	126	10	11	10	5	11	7	17	13	10	13	12	7
36	Suicide	67	7	7	7	6	2	8	5	8	4	2	6	5
	All other causes	1,905	149	177	177	170	153	147	128	128	145	162	163	202

[1] Excluding premature birth.

[2] The deaths of colored persons include 53 Negroes, 1 Indian, 285 Chinese, 74 Japanese, and 1 Filipino.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	BRIDGEPORT, CONN.													
	All causes	1,827	137	176	156	170	152	143	165	159	120	135	141	173
1	Typhoid fever	6							1		3	1	1	
3	Malaria	2		1				1						
5	Measles	8	2		1		1	3				1		
6	Scarlet fever	9	3	3		1							1	1
7	Whooping cough	23	1	2		5	2		5	1		4	2	1
8	Diphtheria and croup	31	4	3	3	2		3	3	2	2	5	3	1
9	Influenza	14		2	2	2	2	1						5
13	Tuberculosis of the lungs	143	11	24	12	14	14	14	9	7	5	9	13	11
14-15	Other forms of tuberculosis	18		3	1	2	2	2	3		1	1	1	2
17	Meningitis	15	1	1			2	2	3	1	2	1	1	1
20-21	Bronchitis	18	3	4		2	2	2	1				2	2
22	Pneumonia	185	12	22	24	25	20	17	6	2	6	9	10	32
(23)	Bronchopneumonia	57	6	12	6	8	1	1	1	4	2	5	5	6
25	Diarrhea and enteritis (under 2 years)	130	4	4	3	3	2	7	30	34	22	14	5	2
(37)	Diarrhea and enteritis (2 years and over)	15			1	1		1	5	1	2	2	1	1
(33)	Congenital debility[1]	24	1	2	1		3	3	3	4	1		2	4
35	Violent deaths (excluding suicide)	117	8	7	6	12	12	6	11	14	12	5	13	11
36	Suicide	33	2	4	1	3	3	2	3	5	4	1	3	2
	All other causes	979	79	82	95	90	86	78	81	84	58	77	78	91
	NEW HAVEN, CONN.													
	All causes	2,311	208	192	241	235	180	174	184	184	169	158	174	212
1	Typhoid fever	29	1		2	2	1	1	4	4	7	4	2	1
3	Malaria	5			1	1				2	1			
5	Measles	18	6	2	3	3	3	1						
6	Scarlet fever	5	1		1	1		1				1		
7	Whooping cough	10			1	1				1		3	3	1
8	Diphtheria and croup	34	7	5	5	4	2	2	1	1		2	2	3
9	Influenza	18	1	3	3	4	1	1						5
13	Tuberculosis of the lungs	131	16	8	10	14	6	8	11	11	8	12	14	13
14-15	Other forms of tuberculosis	50		1	6	6	7	6	1	9	5	3	5	1
17	Meningitis	17		2	1	2		6		1	1	1	1	2
20-21	Bronchitis	28	1	2	4	2	5	1	1	1	1	3	4	3
22	Pneumonia	192	22	27	22	31	18	3	5	3	4	11	18	28
(23)	Bronchopneumonia	100	20	11	9	18	2	4	9	1	1	3	6	16
25	Diarrhea and enteritis (under 2 years)	97	2	6	2	2	1	11	23	20	18	8	4	
(37)	Diarrhea and enteritis (2 years and over)	16	1	1	1	2		3		3	2	2		1
(33)	Congenital debility[1]	28	2	2	3	2	1	2	3	6	3	1	1	2
35	Violent deaths (excluding suicide)	130	7	10	13	10	9	9	10	17	11	10	12	12
36	Suicide	28	3	2	4	1		2	4	5	2	2	2	1
	All other causes	1,375	118	110	150	129	124	113	112	99	105	92	100	123
	WASHINGTON, D. C. (TOTAL).													
	All causes	6,506	564	586	707	602	479	461	486	473	493	510	531	614
1	Typhoid fever	43	2	2	4	1	2	3	3	6	3	6	9	2
3	Malaria	2	1								1			
5	Measles	7				3	2	2						
6	Scarlet fever	9	1	2	1	3	1	1						
7	Whooping cough	19		1	2	5	2	2	1		2	2	1	1
8	Diphtheria and croup	27	2	1		2			4		1	5	7	5
9	Influenza	103	3	23	41	23	3	1	2				1	6
13	Tuberculosis of the lungs	716	59	50	67	82	57	56	63	53	55	54	57	63
14-15	Other forms of tuberculosis	67	5	3	9	5	8	9	3	4	4	3	7	7
17	Meningitis	26	3	1	4	1	2		2	2	6	2	3	
20-21	Bronchitis	79	8	10	16	11	5	4	3	1	3	5	6	7
22	Pneumonia	423	37	65	94	53	19	14	9	12	7	15	29	69
(23)	Bronchopneumonia	211	18	33	32	22	14	9	8	9	12	9	16	29
25	Diarrhea and enteritis (under 2 years)	169	7		10	3	3	5	26	45	35	19	11	5
(37)	Diarrhea and enteritis (2 years and over)	49	5	3	3	5	1	2	3	10	8	3	4	2
(33)	Congenital debility[1]	87	1	5	6	7	6	5	6	7	15	20	5	4
35	Violent deaths (excluding suicide)	276	23	15	21	29	16	21	32	22	26	21	26	24
36	Suicide	86	6	11	5	8	5	8	11	8	2	8	5	9
	All other causes	4,107	383	361	392	339	333	319	310	294	313	338	344	381
	WASHINGTON, D. C. (WHITE).													
	All causes	3,915	332	369	431	364	284	254	297	259	293	309	335	388
1	Typhoid fever	22	1	1	2	1		3		1	2	1	8	2
3	Malaria													
5	Measles	6				3	2	1						
6	Scarlet fever	8	1	2	1	3	1							
7	Whooping cough	8		1	1	3	1		1			1		
8	Diphtheria and croup	20	1	1		2			3			3	5	5
9	Influenza	66		13	32	13		1	1				1	5
13	Tuberculosis of the lungs	298	24	24	24	33	21	28	27	23	19	21	28	26
14-15	Other forms of tuberculosis	31	1	3	6	1	4	3	1	2	3		5	2
17	Meningitis	19	3	1	4	1	1			2	4	2	1	
20-21	Bronchitis	44	4	8	8	4	2	1	3		1	4	3	6
22	Pneumonia	217	20	31	50	30	4	9	5	5	4	9	17	33
(23)	Bronchopneumonia	87	3	17	12	13	5	4	2	3	4	5	4	15
25	Diarrhea and enteritis (under 2 years)	75	4		4	1	1	2	10	22	16	8	4	3
(37)	Diarrhea and enteritis (2 years and over)	28	3	1	3	4	1	1	3	4	3	2	2	1
(33)	Congenital debility[1]	59	1	3	4	6	4	4	3	1	11	15	4	3
35	Violent deaths (excluding suicide)	173	12	12	15	19	11	14	20	11	19	16	13	11
36	Suicide	75	5	10	5	5	4	8	10	5	2	7	5	9
	All other causes	2,679	249	241	260	222	222	175	208	180	205	215	235	267

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	WASHINGTON, D. C. (COLORED).													
	All causes	2,591	232	217	276	238	195	207	189	214	200	201	196	226
1	Typhoid fever	21	1	1	2		2		3	5	1	5	1	
3	Malaria	2	1								1			
5	Measles	1						1						
6	Scarlet fever	1						1						
7	Whooping cough	11			1	2	1	2			2	1	1	1
8	Diphtheria and croup	7	1						1		1	2	2	
9	Influenza	37	3	10	9	10	3		1					1
13	Tuberculosis of the lungs	418	35	26	43	49	36	28	36	30	36	33	29	37
14-15	Other forms of tuberculosis	36	4		3	4	4	6	2	2	1	3	2	5
17	Meningitis	7					1		2		2		2	
20-21	Bronchitis	35	4	2	8	7	3	3		1	2	1	3	1
22	Pneumonia	206	17	34	44	23	15	5	4	7	3	6	12	36
(23)	Bronchopneumonia	124	15	16	20	9	9	5	6	6	8	4	12	14
25	Diarrhea and enteritis (under 2 years)	94	3		6	2	2	3	16	23	19	11	7	2
(37)	Diarrhea and enteritis (2 years and over)	21	2	2		1		1		6	5	1	2	1
(33)	Congenital debility [1]	28		2	2	1	2	1	3	6	4	5	1	1
35	Violent deaths (excluding suicide)	103	11	3	6	10	5	7	12	11	7	5	13	13
36	Suicide	11	1	1		3	1		1	3		1		
	All other causes	1,428	134	120	132	117	111	144	102	114	108	123	109	114
	ATLANTA, GA. (TOTAL).													
	All causes	2,796	245	267	273	241	202	243	252	215	221	203	207	227
1	Typhoid fever	29		1	2	2	2	3	3	1	7	3	4	1
3	Malaria	6		1					1		2	1	1	
5	Measles	2				2								
6	Scarlet fever	1	1											
7	Whooping cough	32	2	7	4	6	4	5	3	1				
8	Diphtheria and croup	15	2	1	1						1	2	4	4
9	Influenza	36	4	11	11	5	1	1	1	1				1
13	Tuberculosis of the lungs	206	13	18	24	24	16	17	16	13	11	14	20	20
14-15	Other forms of tuberculosis	37	3	4	6	1	6	2	1	3	4	1	2	4
17	Meningitis	12		1		2	1	3	1			1		3
20-21	Bronchitis	19	3	2	2	1		1		2	1	5		2
22	Pneumonia	161	19	23	33	21	5	2	7	6	3	7	13	22
(23)	Bronchopneumonia	101	12	15	17	12	6	5	4	2	4	6	11	7
25	Diarrhea and enteritis (under 2 years)	87	4	1		2	4	22	17	11	7	6	6	7
(37)	Diarrhea and enteritis (2 years and over)	41	5		3	2	3	10	7	2	3	2	3	1
(33)	Congenital debility [1]	27	1	1	4	1	3	4	2	3	1	4	1	2
35	Violent deaths (excluding suicide)	192	12	15	9	12	17	11	21	16	20	17	21	21
36	Suicide	34	5	3	1	4	3		4	1	7	3	3	
	All other causes	1,758	159	163	156	144	131	157	164	153	150	131	118	132
	ATLANTA, GA. (WHITE).													
	All causes	1,444	136	145	126	119	103	133	129	107	111	114	105	116
1	Typhoid fever	22		1	2	2	2	3	2		4	3	2	1
3	Malaria	3							1		1		1	
5	Measles	2				2								
6	Scarlet fever	1	1											
7	Whooping cough	11		2		3	2	2	2					
8	Diphtheria and croup	13	2	1	1						1	2	3	3
9	Influenza	19	2	9	3	3	1							1
13	Tuberculosis of the lungs	92	7	8	8	9	8	8	6	4	8	10	9	7
14-15	Other forms of tuberculosis	14	1	2	2		3	2		2	1			1
17	Meningitis	9		1		2		2	1			1		2
20-21	Bronchitis	9	2	2		1				2		1		1
22	Pneumonia	62	10	8	11	11			2	1	1	3	6	9
(23)	Bronchopneumonia	40	6	5	7	7		2	1	1	3	2	5	1
25	Diarrhea and enteritis (under 2 years)	52	3	1				17	11	4	3	4	3	6
(37)	Diarrhea and enteritis (2 years and over)	17	2		2	1	1	5	3			1	2	
(33)	Congenital debility [1]	15			2		3	3	2	3				2
35	Violent deaths (excluding suicide)	83	5	9	3	6	12	4	9	6	5	6	10	8
36	Suicide	30	5	3	1	3	2		4	1	6	2	3	
	All other causes	950	90	93	84	69	69	85	85	83	78	79	61	74
	ATLANTA, GA. (COLORED).													
	All causes	1,352	109	122	147	122	99	110	123	108	110	89	102	111
1	Typhoid fever	7							1	1	3		2	
3	Malaria	3		1							1	1		
5	Measles													
6	Scarlet fever													
7	Whooping cough	21	2	5	4	3	2	3	1	1				
8	Diphtheria and croup	2											1	1
9	Influenza	17	2	2	8	2		1	1	1				
13	Tuberculosis of the lungs	114	6	10	16	15	8	9	10	9	3	4	11	13
14-15	Other forms of tuberculosis	23	2	2	4	1	3		1	1	3	1	2	3
17	Meningitis	3					1	1						1
20-21	Bronchitis	10	1		2			1			1	4		1
22	Pneumonia	99	9	15	22	10	5	2	5	5	2	4	7	13
(23)	Bronchopneumonia	61	6	10	10	5	6	3	3	1	1	4	6	6
25	Diarrhea and enteritis (under 2 years)	35	1			2	4	5	6	7	4	2	3	1
(37)	Diarrhea and enteritis (2 years and over)	24	3		1	1	2	5	4	2	3	1	1	1
(33)	Congenital debility [1]	12	1	1	2	1		1			1	4	1	
35	Violent deaths (excluding suicide)	109	7	6	6	6	5	7	12	10	15	11	11	13
36	Suicide	4				1	1				1	1		
	All other causes	808	69	70	72	75	62	72	79	70	72	52	57	58

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	CHICAGO, ILL. (TOTAL).													
	All causes	34,894	2,944	3,059	3,539	3,151	2,699	2,410	3,214	2,604	2,453	2,596	2,480	3,745
1	Typhoid fever	130	15	11	9	10	10	4	7	11	9	20	16	8
3	Malaria	9		1				1		1	2	1	3	
5	Measles	264	6	14	22	48	71	43	25	13	4	4	8	6
6	Scarlet fever	84	8	14	6	7	10	8	2	2	2	5	4	16
7	Whooping cough	66	7	1	5	5	5	9	7	8	2	3	2	12
8	Diphtheria and croup	672	78	41	72	58	50	51	52	43	44	65	54	64
9	Influenza	230	11	30	45	38	4	5			1	2	4	90
13	Tuberculosis of the lungs	3,735	341	346	362	359	340	318	269	270	222	290	275	343
14–15	Other forms of tuberculosis	507	49	40	50	56	42	39	34	49	37	44	37	30
17	Meningitis	153	13	8	16	10	16	10	19	12	9	7	9	24
20–21	Bronchitis	343	44	63	44	32	26	18	8	13	18	14	17	46
22	Pneumonia	2,314	216	262	325	262	128	96	73	57	71	107	147	570
(23)	Bronchopneumonia	1,712	216	226	242	198	129	101	64	56	62	91	102	225
25	Diarrhea and enteritis (under 2 years)	2,759	168	193	206	217	159	139	193	521	366	236	164	197
(37)	Diarrhea and enteritis (2 years and over)	285	9	15	23	24	24	17	32	48	40	24	12	17
(33)	Congenital debility [1]	155	13	11	27	9	9	13	11	21	11	8	12	10
35	Violent deaths (excluding suicide)	2,335	137	142	161	159	174	158	1,017	161	156	210	175	185
36	Suicide	611	60	42	61	51	53	53	61	49	54	46	42	39
	All other causes	18,030	1,553	1,599	1,863	1,608	1,449	1,327	1,340	1,269	1,343	1,419	1,397	1,863
	CHICAGO, ILL. (WHITE).													
	All causes	33,601	2,819	2,955	3,403	3,024	2,589	2,319	3,120	2,517	2,376	2,491	2,376	3,612
1	Typhoid fever	123	15	11	8	8	8	4	7	10	9	19	16	8
3	Malaria	8		1						1	2	1	3	
5	Measles	261	6	14	22	46	70	43	25	13	4	4	8	6
6	Scarlet fever	80	7	14	6	5	10	8	2	2	2	5	4	15
7	Whooping cough	63	7	1	5	5	5	8	6	7	2	3	2	12
8	Diphtheria and croup	667	78	41	71	57	50	51	52	43	44	62	54	64
9	Influenza	224	11	29	44	37	4	5			1	2	4	87
13	Tuberculosis of the lungs	3,464	318	332	334	328	308	297	246	256	205	269	250	321
14–15	Other forms of tuberculosis	471	45	38	48	53	39	35	29	45	33	42	36	28
17	Meningitis	147	12	8	16	10	16	10	19	11	9	7	9	20
20–21	Bronchitis	336	43	63	44	31	25	17	8	13	17	14	17	44
22	Pneumonia	2,180	193	244	308	250	124	90	70	53	67	99	144	538
(23)	Bronchopneumonia	1,664	211	220	234	191	124	99	62	56	62	87	99	219
25	Diarrhea and enteritis (under 2 years)	2,737	165	192	206	216	158	137	193	514	363	234	162	197
(37)	Diarrhea and enteritis (2 years and over)	282	9	15	22	24	24	17	32	48	39	24	11	17
(33)	Congenital debility [1]	151	13	11	25	9	9	13	11	21	10	8	12	9
35	Violent deaths (excluding suicide)	2,756	130	136	156	151	165	152	1,007	153	152	206	169	179
36	Suicide	600	58	40	60	51	53	53	61	49	53	44	41	37
	All other causes	17,387	1,498	1,545	1,794	1,552	1,397	1,280	1,290	1,222	1,302	1,361	1,335	1,811
	CHICAGO, ILL. (COLORED).													
	All causes	1,293	125	104	136	127	110	91	94	87	77	105	104	133
1	Typhoid fever	7			1	2	2			1		1		
3	Malaria	1						1						
5	Measles	3				2	1							
6	Scarlet fever	4	1			2								1
7	Whooping cough	3						1	1	1				
8	Diphtheria and croup	5			1	1						3		
9	Influenza	6		1	1	1								3
13	Tuberculosis of the lungs	271	23	14	28	31	32	21	23	14	17	21	25	22
14–15	Other forms of tuberculosis	36	4	2	2	3	3	4	5	4	4	2	1	2
17	Meningitis	6	1							1				4
20–21	Bronchitis	7	1			1	1	1			1			2
22	Pneumonia	134	23	18	17	12	4	6	3	4	4	8	3	32
(23)	Bronchopneumonia	48	5	6	8	7	5	2	2			4	3	6
25	Diarrhea and enteritis (under 2 years)	22	3	1		1	1	2		7	3	2	2	
(37)	Diarrhea and enteritis (2 years and over)	3			1						1		1	
(33)	Congenital debility [1]	4			2						1			1
35	Violent deaths (excluding suicide)	79	7	6	5	8	9	6	10	8	4	4	6	6
36	Suicide	11	2	2	1						1	2	1	2
	All other classes	643	55	54	69	56	52	47	50	47	41	58	62	52
	INDIANAPOLIS, IND. (TOTAL).													
	All causes	3,911	453	360	343	356	300	268	285	265	274	311	336	360
1	Typhoid fever	38	1	3	3	3	2	1	2	5	5	1	5	7
3	Malaria													
5	Measles													
6	Scarlet fever	8	2					1				3	2	
7	Whooping cough	17	1	3	1		1	1	2	2		2	2	2
8	Diphtheria and croup	21	3		5	1		1	2		2	3	3	1
9	Influenza	24	2	6	2	6			1				1	6
13	Tuberculosis of the lungs	462	49	31	45	46	45	39	29	33	23	45	36	41
14–15	Other forms of tuberculosis	82	12	11	6	10	8	5	6	5	6	6	3	4
17	Meningitis	36	6	5	2	7	1		2	2	3	4	2	2
20–21	Bronchitis	41	9	8	3	3		1	2	3	2	3	3	4
22	Pneumonia	207	38	28	32	22	10	7	1	3	4	12	16	34
(23)	Bronchopneumonia	171	32	35	23	11	5	2	4	1	8	10	15	25
25	Diarrhea and enteritis (under 2 years)	82	7	1	7	4	2	7	14	9	19	3	5	4
(37)	Diarrhea and enteritis (2 years and over)	27	4			1	5	2	3	4	4		3	1
(33)	Congenital debility [1]	26	1	6	3	4		1	1	2	1	3	3	1
35	Violent deaths (excluding suicide)	192	14	13	11	12	12	18	28	16	15	18	16	19
36	Suicide	45	9	3	5	2	9		2	4	5	1	3	2
	All other causes	2,432	263	207	195	224	200	182	186	176	177	197	218	207

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	INDIANAPOLIS, IND. (WHITE).													
	All causes	3,352	393	318	299	307	246	226	238	232	242	263	287	301
1	Typhoid fever	29	1	2	2	3	2		1	3	5	1	4	5
3	Malaria													
5	Measles													
6	Scarlet fever	8	2					1				3	2	
7	Whooping cough	14	1	2	1		1	1	1	2		2	2	1
8	Diphtheria and croup	20	3		5	1		1	2		2	2	3	1
9	Influenza	21	2	6	2	5			1					5
13	Tuberculosis of the lungs	337	40	26	35	33	29	32	20	24	16	28	26	28
14–15	Other forms of tuberculosis	65	11	10	5	8	4	3	4	4	5	5	3	3
17	Meningitis	31	5	4	2	5	1		2	2	3	4	1	2
20–21	Bronchitis	37	8	7	3	2		1	1	3	2	3	3	4
22	Pneumonia	170	31	24	26	20	9	5		2	3	9	15	26
(23)	Bronchopneumonia	135	27	30	19	10	4	1	2	1	4	8	12	17
25	Diarrhea and enteritis (under 2 years)	70	5	1	7	3	1	5	12	9	17	2	4	4
(37)	Diarrhea and enteritis (2 years and over)	25	4			1	4	2	3	3	4		3	1
(33)	Congenital debility [1]	24		6	3	4		1	1	2	1	3	2	1
35	Violent deaths (excluding suicide)	162	12	12	8	6	9	17	26	14	14	14	14	16
36	Suicide	42	9	3	5	2	8		1	4	4	1	3	2
	All other causes	2,162	232	185	176	204	174	156	161	159	162	178	190	185
	INDIANAPOLIS, IND. (COLORED).													
	All causes	559	60	42	44	49	54	42	47	33	32	48	49	59
1	Typhoid fever	9		1	1			1	1	2			1	2
3	Malaria													
5	Measles													
6	Scarlet fever													
7	Whooping cough	3		1					1					1
8	Diphtheria and croup	1										1		
9	Influenza	3				1							1	1
13	Tuberculosis of the lungs	125	9	5	10	13	16	7	9	9	7	17	10	13
14–15	Other forms of tuberculosis	17	1	1	1	2	4	2	2	1	1	1		1
17	Meningitis	5	1	1		2							1	
20–21	Bronchitis	4	1	1		1			1					
22	Pneumonia	37	7	4	6	2	1	2	1	1	1	3	1	8
(23)	Bronchopneumonia	36	5	5	4	1	1	1	2		4	2	3	8
25	Diarrhea and enteritis (under 2 years)	12	2			1	1	2	2		2	1	1	
(37)	Diarrhea and enteritis (2 years and over)	2					1			1				
(33)	Congenital debility [1]	2	1										1	
35	Violent deaths (excluding suicide)	30	2	1	3	6	3	1	2	2	1	4	2	3
36	Suicide	3					1		1		1			
	All other causes	270	31	22	19	20	26	26	25	17	15	19	28	22
	LOUISVILLE, KY. (TOTAL).													
	All causes	3,550	388	305	355	304	272	259	281	274	250	256	279	327
1	Typhoid fever	33	4		3	1	2		1	4	6	5	3	4
3	Malaria	7	1		1			1	1	1			1	1
5	Measles													
6	Scarlet fever	2		1		1								
7	Whooping cough	11		2	1		1			1	5			1
8	Diphtheria and croup	14	3			1	1	1		1		2	2	3
9	Influenza	37	9	6	7	3	1	1					1	9
13	Tuberculosis of the lungs	393	38	40	43	40	37	29	28	30	21	31	23	33
14–15	Other forms of tuberculosis	47	5	2	8	3	5	4	6	4	1	2	3	4
17	Meningitis	20	4	1	3	2	1	1	2	2	1	1		2
20–21	Bronchitis	53	9	2	7	6	2	6	3	3	5	2	5	3
22	Pneumonia	242	41	27	34	33	14	8	12	8	7	16	15	27
(23)	Bronchopneumonia	83	22	12	13	3	5	6	6	3	3	3	6	1
25	Diarrhea and enteritis (under 2 years)	75	4	2	3	5	2	2	20	14	6	6	6	5
(37)	Diarrhea and enteritis (2 years and over)	33	11	3	4	3	1		3	3	1	1	1	2
(33)	Congenital debility [1]	64	3	2	4	1	4	2	5	14	6	4	9	10
35	Violent deaths (excluding suicide)	188	15	10	15	9	18	16	21	17	22	16	11	18
36	Suicide	57	4	5	3	5	4	5	8	6	7	5	3	2
	All other causes	2,191	215	190	206	188	174	177	165	163	159	162	190	202
	LOUISVILLE, KY. (WHITE).													
	All causes	2,538	294	229	257	207	180	180	184	197	187	193	204	226
1	Typhoid fever	24	2		3		2		1	2	4	5	2	3
3	Malaria	2							1	1				
5	Measles													
6	Scarlet fever	1		1										
7	Whooping cough	8		1			1			1	5			
8	Diphtheria and croup	13	3			1		1		1		2	2	3
9	Influenza	27	6	5	7	3		1						5
13	Tuberculosis of the lungs	239	31	26	27	28	22	14	21	17	12	14	14	13
14–15	Other forms of tuberculosis	30		2	7	2	4	3	1	3	1	1	3	3
17	Meningitis	14	3	1	2		1	1	2	2	1	1		
20–21	Bronchitis	32	7	2	5	3		2		2	2	2	5	2
22	Pneumonia	127	24	20	20	15	3	4	1	6	3	7	11	13
(23)	Bronchopneumonia	58	16	7	12	2	5	4	3	1	2	2	3	1
25	Diarrhea and enteritis (under 2 years)	55	3	1	3	3	1	2	15	10	5	4	4	4
(37)	Diarrhea and enteritis (2 years and over)	23	8	2	2	2			2	3	1	1	1	1
(33)	Congenital debility [1]	48	2	2	3		3	2	2	12	4	3	6	9
35	Violent deaths (excluding suicide)	136	13	6	12	7	12	12	12	10	15	12	10	15
36	Suicide	56	4	5	3	5	4	5	7	6	7	5	3	2
	All other causes	1,645	172	148	151	136	122	129	116	120	125	134	140	152

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	LOUISVILLE, KY. (COLORED).													
	All causes	1,012	94	76	98	97	92	79	97	77	63	63	75	101
1	Typhoid fever	9	2			1				2	2		1	1
3	Malaria	5	1		1			1					1	1
5	Measles													
6	Scarlet fever	1				1								
7	Whooping cough	3		1	1									1
8	Diphtheria and croup	1					1							
9	Influenza	10	3	1			1						1	4
13	Tuberculosis of the lungs	154	7	14	16	12	15	15	7	13	9	17	9	20
14-15	Other forms of tuberculosis	17	5		1	1	1	1	5	1		1		1
17	Meningitis	6	1		1	2								2
20-21	Bronchitis	21	2		2	3	2	4	3	1	3			1
22	Pneumonia	115	17	7	14	18	11	4	11	2	4	9	4	14
(23)	Bronchopneumonia	25	6	5	1	1		2	3	2	1	1	3	
25	Diarrhea and enteritis (under 2 years)	20	1	1		2	1		5	4	1	2	2	1
(37)	Diarrhea and enteritis (2 years and over)	10	3	1	2	1	1		1					1
(33)	Congenital debility [1]	16	1		1	1	1		3	2	2	1	3	1
35	Violent deaths (excluding suicide)	52	2	4	3	2	6	4	9	7	7	4	1	3
36	Suicide	1							1					
	All other causes	546	43	42	55	52	52	48	49	43	34	28	50	50
	NEW ORLEANS, LA. (TOTAL).													
	All causes	7,752	708	617	726	631	668	622	582	552	542	668	652	784
1	Typhoid fever	75	6	3	3	7	5	10	6	7	5	8	5	10
3	Malaria	36	2		1	2	5	3	6	6	3	5	3	
5	Measles	3					1			1	1			
6	Scarlet fever	2	1			1								
7	Whooping cough	18	2	1	3		5	5	2					
8	Diphtheria and croup	113	13	6	9	5	6	1	4	10	17	16	18	8
9	Influenza	189	25	25	36	17	11	2	1	1		3	8	60
13	Tuberculosis of the lungs	971	95	102	90	94	82	82	71	74	57	73	70	81
14-15	Other forms of tuberculosis	139	8	9	11	13	26	12	14	9	8	12	11	6
17	Meningitis	17	5			1	3	2	2	2		1		1
20-21	Bronchitis	86	8	10	13	6	7	3	8	3	6	6	7	9
22	Pneumonia	514	66	48	89	48	33	30	21	21	20	30	37	71
(23)	Bronchopneumonia	194	20	13	22	23	16	13	6	14	11	14	21	21
25	Diarrhea and enteritis (under 2 years)	382	19	16	11	23	74	53	22	26	36	32	34	36
(37)	Diarrhea and enteritis (2 years and over)	83	5	2	5	5	14	15	4	4	7	8	10	4
(33)	Congenital debility [1]	29	4	2	2	3	2		4	1	3	6	1	1
35	Violent deaths (excluding suicide)	464	29	34	31	38	33	31	49	38	48	47	39	47
36	Suicide	69	6	6	7	3	9	4	6	5	4	5	6	8
	All other causes	4,368	394	340	393	342	336	356	356	330	316	402	382	421
	NEW ORLEANS, LA. (WHITE).													
	All causes	4,442	428	402	408	343	370	334	320	305	314	375	367	476
1	Typhoid fever	53	4	3	1	3	1	8	6	5	4	7	4	7
3	Malaria	16	1		1		1		4	3	2	2	2	
5	Measles	3					1			1	1			
6	Scarlet fever	2	1			1								
7	Whooping cough	9		1	1		2	4	1					
8	Diphtheria and croup	80	11	6	6	3	4	1	3	5	12	11	12	6
9	Influenza	125	16	17	25	9	4		1			3	7	43
13	Tuberculosis of the lungs	432	49	57	41	36	35	24	24	33	27	29	37	40
14-15	Other forms of tuberculosis	46	4	4	3	4	9	5	3	3	2	4	2	3
17	Meningitis	14	3			1	3	2	2	2		1		
20-21	Bronchitis	54	7	6	8	3	3	2	4	2	4	3	7	5
22	Pneumonia	230	30	25	41	26	16	11	10	8	7	8	14	34
(23)	Bronchopneumonia	89	9	4	9	4	10	6	3	8	5	9	9	13
25	Diarrhea and enteritis (under 2 years)	232	7	11	9	13	43	25	17	15	25	26	19	22
(37)	Diarrhea and enteritis (2 years and over)	29	3	1	2	2	3	5		1	2	2	7	1
(33)	Congenital debility [1]	21	3	1	2	3	1		4		2	5		
35	Violent deaths (excluding suicide)	251	14	21	14	18	21	18	23	23	26	29	20	24
36	Suicide	61	6	6	3	3	9	3	6	4	4	4	6	7
	All other causes	2,695	260	239	242	214	204	220	209	192	191	232	221	271
	NEW ORLEANS, LA. (COLORED).													
	All causes	3,310	280	215	318	288	298	288	262	247	228	293	285	308
1	Typhoid fever	22	2		2	4	4	2		2	1	1	1	3
3	Malaria	20	1			2	4	3	2	3	1	3	1	
5	Measles													
6	Scarlet fever													
7	Whooping cough	9	2		2		3	1	1					
8	Diphtheria and croup	33	2		3	2	2		1	5	5	5	6	2
9	Influenza	64	9	8	11	8	7	2		1			1	17
13	Tuberculosis of the lungs	539	46	45	49	58	47	58	47	41	30	44	33	41
14-15	Other forms of tuberculosis	93	4	5	8	9	17	7	11	6	6	8	9	3
17	Meningitis	3	2											1
20-21	Bronchitis	32	1	4	5	3	4	1	4	1	2	3		4
22	Pneumonia	284	36	23	48	22	17	19	11	13	13	22	23	37
(23)	Bronchopneumonia	105	11	9	13	19	6	7	3	6	6	5	12	8
25	Diarrhea and enteritis (under 2 years)	150	12	5	2	10	31	28	5	11	11	6	15	14
(37)	Diarrhea and enteritis (2 years and over)	54	2	1	3	3	11	10	4	3	5	6	3	3
(33)	Congenital debility [1]	8	1	1			1			1	1	1	1	1
35	Violent deaths (excluding suicide)	213	15	13	17	20	12	13	26	15	22	18	19	23
36	Suicide	8			4			1		1		1		1
	All other causes	1,673	134	101	151	128	132	136	147	138	125	170	161	150

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	BALTIMORE, MD. (TOTAL).													
	All causes	10,008	924	792	1,020	971	825	685	825	793	720	769	798	886
1	Typhoid fever	121	8	6	4	6	4	9	12	17	20	11	17	7
3	Malaria	1											1	
5	Measles	29		1		3	1	1	1	1	1	1	3	7
6	Scarlet fever	33	3		2	2	7	3	3		4	3	5	1
7	Whooping cough	21	5	1		2	3		2	2		3		3
8	Diphtheria and croup	77	14	5	6	4	3	2	3	4	9	7	8	12
9	Influenza	72	8	4	17	23	6	3				1	3	7
13	Tuberculosis of the lungs	1,145	100	116	123	114	83	81	99	90	79	89	84	87
14–15	Other forms of tuberculosis	142	17	11	15	5	20	10	11	7	17	14	5	10
17	Meningitis	41	4	2	2	6	4	5	5	5	3	2		3
20–21	Bronchitis	125	24	8	16	11	6	9	11	3	3	11	12	11
22	Pneumonia	634	54	60	104	119	45	29	15	13	26	23	61	85
(23)	Bronchopneumonia	536	47	63	63	69	58	33	28	32	27	25	38	53
25	Diarrhea and enteritis (under 2 years)	485	11	17	11	14	10	24	108	109	85	58	17	21
(37)	Diarrhea and enteritis (2 years and over)	79	7	4	6	7	6	2	12	12	8	5	3	7
(33)	Congenital debility [1]	179	11	17	14	16	21	12	23	20	17	13	5	10
35	Violent deaths (excluding suicide)	479	41	35	36	35	25	40	51	54	30	45	45	42
36	Suicide	102	13	9	10	9	12	14	1	8	11	5	2	8
	All other causes	5,716	557	433	591	526	511	408	440	416	380	453	489	512
	BALTIMORE, MD. (WHITE).													
	All causes	7,536	722	580	773	738	622	517	617	592	556	581	570	668
1	Typhoid fever	84	6	3	2	5	2	6	10	10	13	8	16	3
3	Malaria	1											1	
5	Measles	16		1		2	1	1	1	1	1	1	3	4
6	Scarlet fever	30	3		2	2	5	3	3		4	3	4	1
7	Whooping cough	13	3	1		1	2		1	1		2		2
8	Diphtheria and croup	75	14	5	4	4	3	2	3	4	9	7	8	12
9	Influenza	56	6	3	16	18	4	2				1	1	5
13	Tuberculosis of the lungs	703	69	71	70	70	57	48	62	54	44	55	47	56
14–15	Other forms of tuberculosis	95	11	9	11	4	11	6	6	5	13	11	1	7
17	Meningitis	35	3	1	2	6	4	4	5	4	2	2		2
20–21	Bronchitis	93	19	7	15	9	4	7	5	1	3	6	8	9
22	Pneumonia	434	44	38	67	77	34	17	11	8	20	17	39	62
(23)	Bronchopneumonia	364	33	43	43	45	41	19	21	25	18	16	23	37
25	Diarrhea and enteritis (under 2 years)	406	10	15	10	13	9	20	79	92	74	51	16	17
(37)	Diarrhea and enteritis (2 years and over)	56	5	4	3	4	3		10	7	6	5	2	7
(33)	Congenital debility [1]	149	7	15	9	13	19	11	19	16	15	11	5	9
35	Violent deaths (excluding suicide)	386	36	27	32	28	20	32	42	41	27	35	32	34
36	Suicide	97	12	9	10	9	10	12	1	8	11	5	2	8
	All other causes	4,443	441	328	477	428	393	327	338	315	296	345	362	393
	BALTIMORE, MD. (COLORED).													
	All causes	2,472	202	212	247	233	203	168	208	201	164	188	228	218
1	Typhoid fever	37	2	3	2	1	2	3	2	7	7	3	1	4
3	Malaria													
5	Measles	4				1								3
6	Scarlet fever	3					2						1	
7	Whooping cough	8	2			1	1		1	1		1		1
8	Diphtheria and croup	2			2									
9	Influenza	16	2	1	1	5	2	1					2	2
13	Tuberculosis of the lungs	442	31	45	53	44	26	33	37	36	35	34	37	31
14–15	Other forms of tuberculosis	47	6	2	4	1	9	4	5	2	4	3	4	3
17	Meningitis	6	1	1				1		1	1			1
20–21	Bronchitis	32	5	1	1	2	2	2	6	2		5	4	2
22	Pneumonia	200	10	22	37	42	11	12	4	5	6	6	22	23
(23)	Bronchopneumonia	172	14	20	20	24	17	14	7	7	9	9	15	16
25	Diarrhea and enteritis (under 2 years)	79	1	2	1	1	1	4	29	17	11	7	1	4
(37)	Diarrhea and enteritis (2 years and over)	23	2		3	3	3	2	2	5	2		1	
(33)	Congenital debility [1]	30	4	2	5	3	2	1	4	4	2	2		1
35	Violent deaths (excluding suicide)	93	5	8	4	7	5	8	9	13	3	10	13	8
36	Suicide	5	1				2	2						
	All other causes	1,273	116	105	114	98	118	81	102	101	84	108	127	119
	BOSTON, MASS. (TOTAL).													
	All causes	12,020	1,032	1,057	1,167	1,190	1,072	849	876	901	902	876	887	1,211
1	Typhoid fever	39	1	3	5		1	3	5	7	3	6	4	1
3	Malaria													
5	Measles	41	1	3	6	4	5	9	2	3		1	2	5
6	Scarlet fever	83	8	7	14	11	21	7	5	3	2	1	1	3
7	Whooping cough	111	2	10	2	9	7	8	11	14	10	17	10	11
8	Diphtheria and croup	218	18	17	22	21	30	18	18	15	10	9	20	20
9	Influenza	32	6	4	1	6	3	1	1			2		8
13	Tuberculosis of the lungs	1,027	102	90	104	98	92	89	88	81	69	68	74	72
14–15	Other forms of tuberculosis	194	20	15	14	17	18	18	29	17	11	13	11	11
17	Meningitis	84	6	7	10	12	6	4	7	5	7	8	8	4
20–21	Bronchitis	135	20	13	18	21	6	9	3	7	5	8	14	11
22	Pneumonia	999	103	114	143	142	68	50	39	31	36	57	70	146
(23)	Bronchopneumonia	513	38	51	58	59	42	30	32	36	27	36	31	73
25	Diarrhea and enteritis (under 2 years)	469	13	17	9	17	18	17	38	120	108	57	24	31
(37)	Diarrhea and enteritis (2 years and over)	61	4	6	2	6	5	4	8	9	6	4	2	5
(33)	Congenital debility [1]	151	12	17	16	14	22	3	15	4	14	14	10	10
35	Violent deaths (excluding suicide)	710	61	63	51	54	72	51	45	67	69	53	47	77
36	Suicide	140	16	9	13	17	9	4	11	9	15	12	15	10
	All other causes	7,013	601	611	679	682	647	524	519	473	510	510	544	713

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	BOSTON, MASS. (WHITE).													
	All causes	11,651	994	1,017	1,120	1,159	1,043	832	843	878	877	849	859	1,180
1	Typhoid fever	38	1	3	4		1	3	5	7	3	6	4	1
3	Malaria													
5	Measles	40	1	3	6	4	5	8	2	3		1	2	5
6	Scarlet fever	83	8	7	14	11	21	7	5	3	2	1	1	3
7	Whooping cough	107	2	10	2	8	7	7	10	14	10	16	10	11
8	Diphtheria and croup	218	18	17	22	21	30	18	18	15	10	9	20	20
9	Influenza	32	6	4	1	6	3	1	1			2		8
13	Tuberculosis of the lungs	958	96	82	92	90	88	84	82	79	67	63	67	68
14–15	Other forms of tuberculosis	181	17	14	13	15	17	18	27	17	11	13	10	9
17	Menigitis	82	5	7	10	12	6	4	7	4	7	8	8	4
20–21	Bronchitis	133	19	12	18	21	6	9	3	7	5	8	14	11
22	Pneumonia	961	100	112	136	138	66	49	38	30	32	54	67	139
(23)	Bronchopneumonia	493	36	47	55	57	39	30	31	34	26	35	30	73
25	Diarrhea and enteritis (under 2 years)	460	13	17	9	16	18	17	37	118	104	56	24	31
(37)	Diarrhea and enteritis (2 years and over)	59	4	6	2	6	5	4	6	9	6	4	2	5
(33)	Congenital debility [1]	144	11	15	15	14	22	3	15	3	13	13	10	10
35	Violent deaths (excluding suicide)	690	59	61	48	51	72	50	43	65	69	50	46	76
36	Suicide	137	16	9	13	16	8	4	11	9	15	11	15	10
	All other causes	6,835	582	591	660	673	629	516	502	461	497	499	529	696
	BOSTON, MASS. (COLORED).													
	All causes	369	38	40	47	31	29	17	33	23	25	27	28	31
1	Typhoid fever	1			1									
3	Malaria													
5	Measles	1						1						
6	Scarlet fever													
7	Whooping cough	4				1		1	1			1		
8	Diphtheria and croup													
9	Influenza													
13	Tuberculosis of the lungs	69	6	8	12	8	4	5	6	2	2	5	7	4
14–15	Other forms of tuberculosis	13	3	1	1	2	1		2				1	2
17	Meningitis	2	1							1				
20–21	Bronchitis	2	1	1										
22	Pneumonia	38	3	2	7	4	2	1	1	1	4	3	3	7
(23)	Bronchopneumonia	20	2	4	3	2	3		1	2	1	1	1	
25	Diarrhea and enteritis (under 2 years)	9				1			1	2	4	1		
(37)	Diarrhea and enteritis (2 years and over)	2							2					
(33)	Congenital debility [1]	7	1	2	1					1	1	1		
35	Violent deaths (excluding suicide)	20	2	2	3	3		1	2	2		3	1	1
36	Suicide	3				1	1					1		
	All other causes	178	19	20	19	9	18	8	17	12	13	11	15	17
	CAMBRIDGE, MASS.													
	All causes	1,461	133	131	157	139	116	85	92	104	111	130	128	135
1	Typhoid fever	2											2	
3	Malaria													
5	Measles	6			1	3	1		1					
6	Scarlet fever	4	1		1	1				1				
7	Whooping cough	13		1		1		4		1	2	2		2
8	Diphtheria and croup	28	1	5	6	6	3	1		1			4	1
9	Influenza	6		2		1	2							1
13	Tuberculosis of the lungs	204	14	18	26	21	19	19	11	11	16	20	13	16
14–15	Other forms of tuberculosis	17	1	2	5		1	1	3		1	2	1	
17	Meningitis	9	3		2			2	1		1			
20–21	Bronchitis	22	2	5	2	1	3		3	2	1	2		1
22	Pneumonia	106	13	14	14	13	8	4	1	5	4	8	11	11
(23)	Bronchopneumonia	57	4	1	5	9	5	1	3	6	3	4	4	12
25	Diarrhea and enteritis (under 2 years)	56		2	2	2	1	1	3	20	13	5	5	2
(37)	Diarrhea and enteritis (2 years and over)	10			3			2	1	1	3			
(33)	Congenital debility [1]	16	1	2	1	2	1		3	1	1	1		3
35	Violent deaths (excluding suicide)	63	7	2	6	6	4	3	4	6	6	4	8	7
36	Suicide	10	1	1	1	1	1		1		1		1	2
	All other causes	832	85	76	82	72	67	47	57	49	59	82	79	77
	FALL RIVER, MASS.													
	All causes	2,020	153	166	209	181	144	171	187	187	145	153	147	177
1	Typhoid fever	19				1		1	4	1		3		9
3	Malaria	1				1								
5	Measles	18	5	4	1	4	1	1		1				1
6	Scarlet fever	6	2	2	1									1
7	Whooping cough	27	6	4	5	3	4					1	3	1
8	Diphtheria and croup	33	2	4	8	2	2		1		1	3	8	2
9	Influenza	2			1	1								
13	Tuberculosis of the lungs	144	5	15	20	11	16	20	6	9	10	12	12	8
14–15	Other forms of tuberculosis	35	8	4		4	2	3	5	1	1	4	1	2
17	Meningitis	8							2	1	1	1	2	1
20–21	Bronchitis	39	1	3	4	8	7	2	2		1	5	2	4
22	Pneumonia	115	17	9	21	20	7	9	4	2	3	4	5	14
(23)	Bronchopneumonia	139	13	12	33	26	9	11	7	5	3	5	3	12
25	Diarrhea and enteritis (under 2 years)	287	3	13	9	7	11	16	62	72	43	28	17	6
(37)	Diarrhea and enteritis (2 years and over)	20	3	1	3		1	2	4	4		1		1
(33)	Congenital debility [1]	52	2	6	3	3	2	7	4	5	6	8	2	4
35	Violent deaths (excluding suicide)	77	4	3	4	2	6	11	9	6	7	9	7	9
36	Suicide	17	1	3	1	2	1	2	1	1	1	2		2
	All other causes	981	81	83	95	86	75	86	76	79	68	67	85	100

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	LOWELL, MASS.													
	All causes	1,820	158	131	188	187	139	103	132	156	154	159	153	160
1	Typhoid fever	18			2	2	1	1	2	2	3	4	1	
3	Malaria													
5	Measles	1					1							
6	Scarlet fever													
7	Whooping cough	19	1	3	4	2	2	1			2		3	1
8	Diphtheria and croup	26	2		2	1	2			1	4	6	7	1
9	Influenza	4	1			2	1							
13	Tuberculosis of the lungs	114	7	10	8	13	8	11	12	9	8	10	11	7
14–15	Other forms of tuberculosis	29	2		4	2		2	1	3	5	3	3	4
17	Meningitis	14	4		2		1	1	1		2	1	1	1
20–21	Bronchitis	70	5	5	14	11	5	3	4	1	1	4	8	9
22	Pneumonia	122	19	12	17	19	17	3	3	2	3	9	7	11
(23)	Bronchopneumonia	84	10	6	25	12	6	1	3	2	1	2	5	11
25	Diarrhea and enteritis (under 2 years)	174	3	6	6	5	4	3	20	43	44	25	5	10
(37)	Diarrhea and enteritis (2 years and over)	17	2		4		1	1	1	5		1	2	
(33)	Congenital debility [1]	60	6	5	5	11	4	1	4	2	5	7	3	7
35	Violent deaths (excluding suicide)	87	4	5	7	5	6	8	12	8	8	10	8	6
36	Suicide	15	1	1	1	3		1	1	1	1	1	3	1
	All other causes	966	91	78	87	99	80	66	68	77	67	76	86	91
	WORCESTER, MASS.													
	All causes	2,467	206	208	238	259	187	178	176	187	197	225	175	231
1	Typhoid fever	9	2				1		1		1	3		1
3	Malaria													
5	Measles	2												2
6	Scarlet fever	3	1			1								1
7	Whooping cough	21	2	1	2	4	1	2	1		3	3	2	
8	Diphtheria and croup	22		6	2	1	2	1	1	1	1	3	1	3
9	Influenza	11			2	5	2							2
13	Tuberculosis of the lungs	184	16	17	24	10	18	16	17	11	14	10	16	15
14–15	Other forms of tuberculosis	53	5	4	5	6	7	3	5	3	6	2	1	6
17	Meningitis	14	2	1	1	2	2	1	2		1			2
20–21	Bronchitis	37	3	5	7	14	3	1	1		1		1	1
22	Pneumonia	193	14	19	32	37	16	11	4	11	6	9	11	23
(23)	Bronchopneumonia	106	14	13	21	10	7	2	5	2	2	5	10	15
25	Diarrhea and enteritis (under 2 years)	115	6	2		2	2	9	23	25	18	17	10	1
(37)	Diarrhea and enteritis (2 years and over)	13		1				1	3	3	2	3		
(33)	Congenital debility [1]	39	2	1	4	5	2	2	2	3	8	2	7	1
35	Violent deaths (excluding suicide)	139	14	9	12	13	9	17	7	8	14	12	11	13
36	Suicide	20	1			2	1	2	5	3		4	1	1
	All other causes	1,486	124	129	126	147	114	110	99	117	120	152	104	144
	DETROIT, MICH.													
	All causes	8,720	689	641	839	734	677	720	630	780	670	646	723	971
1	Typhoid fever	75	1	4	4	3	6	3	10	5	10	6	12	11
3	Malaria	2						1						1
5	Measles	50	1	4	5	5	4	8	3	4	2	1	2	11
6	Scarlet fever	26	4	4	4	7	3		1				1	2
7	Whooping cough	74	4	1	5	9	8	8	7	14	6	3	4	5
8	Diphtheria and croup	114	12	8	15	13	10	10	3	4	8	8	14	9
9	Influenza	48	1	2	5	5	1		1	1			2	30
13	Tuberculosis of the lungs	658	46	49	60	52	52	58	50	66	45	56	53	71
14–15	Other forms of tuberculosis	94	11	5	7	7	11	11	6	11	10	1	7	7
17	Meningitis	81	12	5	10	3	4	16	3	2	6	10	6	4
20–21	Bronchitis	130	14	8	16	8	8	10	5	2	8	14	12	25
22	Pneumonia	586	66	51	74	55	41	30	17	11	21	42	51	127
(23)	Bronchopneumonia	450	43	44	65	54	32	28	8	19	22	22	37	76
25	Diarrhea and enteritis (under 2 years)	538	24	20	23	23	28	22	122	133	67	28	29	19
(37)	Diarrhea and enteritis (2 years and over)	48	1	2	4	2	2	6	4	14	2	4	4	3
(33)	Congenital debility [1]	205	13	13	21	14	18	22	25	21	27	15	9	7
35	Violent deaths (excluding suicide)	560	32	33	41	54	42	41	49	54	57	53	51	53
36	Suicide	116	11	11	8	9	10	14	7	16	6	9	8	7
	All other causes	4,865	393	377	472	411	397	432	309	403	373	374	421	503
	GRAND RAPIDS, MICH.													
	All causes	1,570	124	148	180	144	126	124	91	114	117	136	131	135
1	Typhoid fever	35	3	3	5	7	2	2	1		1	1	6	4
3	Malaria	1		1										
5	Measles													
6	Scarlet fever	1			1									
7	Whooping cough	2				1		1						
8	Diphtheria and croup	15	2	2		4				1	2	2	2	
9	Influenza	5	1	2		1							1	
13	Tuberculosis of the lungs	107	7	12	14	11	13	8	5	6	4	11	8	8
14–15	Other forms of tuberculosis	14	1	1	4	2		1		2	1		2	
17	Meningitis	12				3	2	1	1		1	2	1	1
20–21	Bronchitis	19	1	2	4	1		3		1	1	2	1	3
22	Pneumonia	93	11	14	14	11	5	7	5	1		5	5	15
(23)	Bronchopneumonia	27	2	3	10	5	3	1	1					2
25	Diarrhea and enteritis (under 2 years)	33	4	4		1			2	9	3	4	2	4
(37)	Diarrhea and enteritis (2 years and over)	11		1	1			2	1	2			1	3
(33)	Congenital debility [1]	25	1	6	4	1	2	3		1	1	2	1	3
35	Violent deaths (excluding suicide)	87	4	13	6	8	8	9	10	11	2	3	6	7
36	Suicide	20	2	3	4	4		1	1		3		1	1
	All other causes	1,063	85	81	113	84	91	85	64	80	98	104	94	84

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	MINNEAPOLIS, MINN.													
	All causes	4,048	346	364	345	342	342	282	300	301	316	301	325	484
1	Typhoid fever	27	1	3	4	2	2			4	4	2	4	1
3	Malaria													
5	Measles	13				2	7	2					1	1
6	Scarlet fever	11		1	1	4		1			2		1	1
7	Whooping cough	17	1			1	1	2	2	2	1	1	1	5
8	Diphtheria and croup	63	8	5	7	5	3	3	1	1	6	4	7	13
9	Influenza	23	2	1	1	1								18
13	Tuberculosis of the lungs	439	41	36	43	40	50	36	20	34	32	32	28	47
14–15	Other forms of tuberculosis	70	5	7	10	6	7	5	5	2	5	8	6	4
17	Meningitis	22		3	5		3	1			5	3	1	1
20–21	Bronchitis	24	3	6	2	2	1			1	1	1	4	3
22	Pneumonia	222	20	31	15	20	14	13	4	5	7	11	20	62
(23)	Bronchopneumonia	173	15	22	22	15	9	7	11	4	9	9	13	37
25	Diarrhea and enteritis (under 2 years)	94	5	9	4	4	5	5	4	22	15	7	6	8
(37)	Diarrhea and enteritis (2 years and over)	31	1	1	5		1	5	5	4	5	3		1
(33)	Congenital debility [1]	39	2	4	1	6	2	7	3	4	5	1	3	1
35	Violent deaths (excluding suicide)	279	24	19	18	18	33	21	31	21	24	23	25	22
36	Suicide	82	3	6	4	6	8	4	8	10	12	7	7	7
	All other causes	2,419	215	210	203	210	196	170	206	187	183	189	198	252
	ST. PAUL, MINN.													
	All causes	2,598	213	241	257	254	194	190	173	167	175	208	226	300
1	Typhoid fever	17	2	2				1	1	1	5	1		4
3	Malaria													
5	Measles	12		1	1	4	2	2	1	1				
6	Scarlet fever	30	6	4	8	3	3	3			1	1	1	
7	Whooping cough	13	1		2		2	2	1		2		3	
8	Diphtheria and croup	30	2	4	6	3	1	5	2		3	2		2
9	Influenza	20	1	2	3	1		1						12
13	Tuberculosis of the lungs	257	20	18	31	36	20	16	19	22	16	19	16	24
14–15	Other forms of tuberculosis	54	5	5	7	5	5	6	4	2	4	3	3	5
17	Meningitis	21		2	1		6		1	2	2	1	3	3
20–21	Bronchitis	30	4	2	1	4	3	2	2	1			3	8
22	Pneumonia	156	20	23	14	15	7	12	5	6	5	10	7	32
(23)	Bronchopneumonia	112	10	13	22	8	4	8	4		5	10	11	17
25	Diarrhea and enteritis (under 2 years)	60	9	8	6	4	5	4		3	7	8	2	4
(37)	Diarrhea and enteritis (2 years and over)	13		1	1			1	2	1	2	1	3	1
(33)	Congenital debility [1]	38	2	3	4	6		2	1	5	2	5	4	4
35	Violent deaths (excluding suicide)	167	17	6	13	10	12	21	8	11	23	12	19	15
36	Suicide	58	2	2	10	5	5	2	4	2	7	5	8	6
	All other causes	1,510	112	145	127	150	119	102	118	110	91	130	143	163
	KANSAS CITY, MO. (TOTAL).													
	All causes	4,255	387	360	407	408	305	294	322	318	303	334	343	474
1	Typhoid fever	28	3	2	1	2	3	1	1	4	4	3	3	1
3	Malaria	6			1			1	1	1		1	1	
5	Measles	6			1		2		1	1	1			
6	Scarlet fever	4				1					1			2
7	Whooping cough	11	4	2	1	1		3						
8	Diphtheria and croup	71	7	7	3	3	6	4	5	5	4	13	7	7
9	Influenza	56	4	5	5	4	1	2	1	1		1	5	27
13	Tuberculosis of the lungs	455	29	42	40	56	47	33	34	39	26	29	35	45
14–15	Other forms of tuberculosis	49	4	4	7	2	4	2	7	1	4	4	5	5
17	Meningitis	14	1	3	4			1	1		1	1	1	1
20–21	Bronchitis	39	9	4	4	3	2		3		1	1	7	5
22	Pneumonia	336	39	38	38	45	12	5	7	10	16	9	32	85
(23)	Bronchopneumonia	117	14	24	26	11	6	7	2	1	2	5	8	11
25	Diarrhea and enteritis (under 2 years)	124	8	7	5	7	5	4	19	26	20	10	6	7
(37)	Diarrhea and enteritis (2 years and over)	40	5	4	2	2	1	4	4	7	3	4	2	2
(33)	Congenital debility [1]	17	3	3		3	1	2		1	3		1	
35	Violent deaths (excluding suicide)	348	29	20	27	45	22	24	42	32	22	29	26	30
36	Suicide	89	6	5	4	9	14	12	5	3	10	7	8	6
	All other causes	2,445	222	190	238	214	179	189	189	186	185	217	196	240
	KANSAS CITY, MO. (WHITE).													
	All causes	3,540	338	310	342	328	248	248	266	262	242	278	282	396
1	Typhoid fever	21	3	2	1	2	1	1	1	3	3	1	2	1
3	Malaria	3			1				1				1	
5	Measles	6			1		2		1	1	1			
6	Scarlet fever	3				1					1			1
7	Whooping cough	8	3	1		1		3						
8	Diphtheria and croup	65	6	7	1	2	5	4	5	5	3	13	7	7
9	Influenza	49	3	5	5	3	1	2				1	5	24
13	Tuberculosis of the lungs	304	17	29	30	44	33	24	23	21	14	17	24	28
14–15	Other forms of tuberculosis	42	2	4	7	2	4	2	6		3	3	5	4
17	Meningitis	11	1	2	4			1	1			1		1
20–21	Bronchitis	36	9	3	4	3	2		3		1	1	6	4
22	Pneumonia	258	30	31	32	32	9	3	7	6	11	8	25	64
(23)	Bronchopneumonia	87	11	19	17	7	5	4	2	1	2	3	7	9
25	Diarrhea and enteritis (under 2 years)	110	8	7	5	5	4	4	13	25	19	8	6	6
(37)	Diarrhea and enteritis (2 years and over)	37	5	4	2	2	1	4	4	5	3	3	2	2
(33)	Congenital debility [1]	15	3	2		3	1	2		1	2		1	
35	Violent deaths (excluding suicide)	290	26	19	23	33	19	21	35	26	17	25	21	25
36	Suicide	85	5	5	4	9	13	12	5	3	9	6	8	6
	All other causes	2,110	206	170	205	179	148	161	159	165	153	188	162	214

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	KANSAS CITY, MO. (COLORED).													
	All causes	715	49	50	65	80	57	46	56	56	61	56	61	78
1	Typhoid fever	7					2			1	1	2	1	
3	Malaria	3						1		1		1		
5	Measles													
6	Scarlet fever	1												
7	Whooping cough	3	1	1	1									1
8	Diphtheria and croup	6	1		2	1	1				1			
9	Influenza	7	1			1			1	1				3
13	Tuberculosis of the lungs	151	12	13	10	12	14	9	11	18	12	12	11	17
14–15	Other forms of tuberculosis	7	2						1	1	1	1		1
17	Meningitis	3		1							1		1	
20–21	Bronchitis	3		1									1	
22	Pneumonia	78	9	7	6	13	3	2		4	5	1	7	21
(23)	Bronchopneumonia	30	3	5	9	4	1	3				2	1	2
25	Diarrhea and enteritis (under 2 years)	14				2	1		6	1	1	2		1
(37)	Diarrhea and enteritis (2 years and over)	3								2		1		
(33)	Congenital debility [1]	2		1							1			
35	Violent deaths (excluding suicide)	58	3	1	4	12	3	3	7	6	5	4	5	5
36	Suicide	4	1				1				1	1		
	All other causes	335	16	20	33	35	31	28	30	21	32	29	34	26
	ST. LOUIS, MO. (TOTAL).													
	All causes	10,293	993	905	1,000	901	769	740	827	751	757	791	797	1,062
1	Typhoid fever	51	3	3	2	1	4	2	4	6	7	10	3	6
3	Malaria	19					1	3	1	1	6	5	1	1
5	Measles	55			4	13	21	10	4	3				
6	Scarlet fever	22	7	5	2	1	4	1			1		1	
7	Whooping cough	25			1	4	1	1	2	5	4	1	2	4
8	Diphtheria and croup	196	21	12	16	18	11	12	7	16	12	18	27	26
9	Influenza	89	14	6	15	12	5		1	1	1	4	5	25
13	Tuberculosis of the lungs	961	88	71	100	108	84	81	73	63	69	55	81	88
14–15	Other forms of tuberculosis	116	6	16	9	8	10	9	7	11	10	12	10	8
17	Meningitis	40	4	5	4	1	7	4	2	5	1	4	1	2
20–21	Bronchitis	198	37	25	25	13	13	6	6	9	18	14	11	21
22	Pneumonia	704	105	101	99	79	29	30	15	22	17	40	40	127
(23)	Bronchopneumonia	356	70	34	30	26	25	15	10	4	26	25	23	68
25	Diarrhea and enteritis (under 2 years)	336	10	18	15	13	8	22	66	55	54	36	20	19
(37)	Diarrhea and enteritis (2 years and over)	76	5	5	5	9	1	6	12	10	9	5	7	2
(33)	Congenital debility [1]	43	6	3	4	1	7	2	2	4	2	4	2	6
35	Violent deaths (excluding suicide)	587	42	41	38	48	44	50	56	54	47	56	53	58
36	Suicide	272	30	18	38	16	21	28	14	27	16	12	32	20
	All other causes	6,147	545	542	593	530	473	458	545	455	457	490	478	581
	ST. LOUIS, MO. (WHITE).													
	All causes	9,088	896	803	898	789	669	657	730	654	677	676	707	932
1	Typhoid fever	44	3	3	1	1	4	1	4	5	6	8	3	5
3	Malaria	14					1		1	1	6	4	1	
5	Measles	54			4	13	21	9	4	3				
6	Scarlet fever	22	7	5	2	1	4	1			1		1	
7	Whooping cough	24			1	4	1	1	2	5	3	1	2	4
8	Diphtheria and croup	187	20	12	16	16	10	11	7	15	12	17	26	25
9	Influenza	86	14	6	15	12	5		1	1	1	4	5	22
13	Tuberculosis of the lungs	747	76	56	85	78	68	58	57	56	54	38	61	60
14–15	Other forms of tuberculosis	88	5	12	5	6	7	7	6	6	8	11	7	8
17	Meningitis	36	3	5	3	1	6	4	2	5		4	1	2
20–21	Bronchitis	183	34	23	25	13	12	5	5	7	16	12	10	21
22	Pneumonia	590	95	87	79	66	25	24	13	19	12	30	35	105
(23)	Bronchopneumonia	315	64	29	28	22	17	15	9	3	22	23	19	64
25	Diarrhea and enteritis (under 2 years)	317	10	17	15	13	6	22	64	50	51	32	19	18
(37)	Diarrhea and enteritis (2 years and over)	70	5	5	5	8	1	5	10	8	9	5	7	2
(33)	Congenital debility [1]	40	5	3	3	1	7	2	2	4	2	4	2	5
35	Violent deaths (excluding suicide)	514	36	36	35	45	38	47	51	41	44	44	46	51
36	Suicide	266	30	18	38	16	20	27	14	26	16	10	32	19
	All other causes	5,491	489	486	538	473	416	418	478	399	414	429	430	521
	ST. LOUIS, MO. (COLORED).													
	All causes	1,205	97	102	102	112	100	83	97	97	80	115	90	130
1	Typhoid fever	7			1			1		1	1	2		1
3	Malaria	5						3				1		1
5	Measles	1						1						
6	Scarlet fever													
7	Whooping cough	1									1			
8	Diphtheria and croup	9	1			2	1	1		1		1	1	1
9	Influenza	3												3
13	Tuberculosis of the lungs	214	12	15	15	30	16	23	16	7	15	17	20	28
14–15	Other forms of tuberculosis	28	1	4	4	2	3	2	1	5	2	1	3	
17	Meningitis	4	1		1		1				1			
20–21	Bronchitis	15	3	2			1	1	1	2	2	2	1	
22	Pneumonia	114	10	14	20	13	4	6	2	3	5	10	5	22
(23)	Bronchopneumonia	41	6	5	2	4	8		1	1	4	2	4	4
25	Diarrhea and enteritis (under 2 years)	19		1			2		2	5	3	4	1	1
(37)	Diarrhea and enteritis (2 years and over)	6				1		1	2	2				
(33)	Congenital debility [1]	3	1		1									1
35	Violent deaths (excluding suicide)	73	6	5	3	3	6	3	5	13	3	12	7	7
36	Suicide	6					1	1		1		2		1
	All other causes	656	56	56	55	57	57	40	67	56	43	61	48	60

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	OMAHA, NEBR.													
	All causes	1,986	141	175	175	141	157	156	161	161	149	175	178	217
1	Typhoid fever	10		1		1	2		2	4				
3	Malaria	3							1				2	
5	Measles	13	1	2	2	4		3				1		
6	Scarlet fever	23		1		2	2	8	3	1		1	2	3
7	Whooping cough	17	1		1	2	5	1	2	2	2			1
8	Diphtheria and croup	37	2	1	3	1	1	1			7	4	6	11
9	Influenza	23		5	4	1	1			1	1		3	7
13	Tuberculosis of the lungs	152	8	16	20	6	21	13	9	10	6	16	13	14
14-15	Other forms of tuberculosis	15				2	3	1		1	2	3	1	2
17	Meningitis	9		2		2	2		1			1	1	
20-21	Bronchitis	15	2	4	2	2						2	1	2
22	Pneumonia	110	15	14	13	10	7	3	4	4	3	9	7	21
(23)	Bronchopneumonia	124	8	20	14	7	7	4	6	2	9	17	14	16
25	Diarrhea and enteritis (under 2 years)	36			1		1	3	9	9	5		4	4
(37)	Diarrhea and enteritis (2 years and over)	18	1	1		1	2		1	2	3	2	1	4
(33)	Congenital debility[1]	20	3	4	2	1	1	1		1	5	1		1
35	Violent deaths (excluding suicide)	121	7	7	6	9	5	9	13	11	13	14	15	12
36	Suicide	68	4	5	6	10	6	2	4	3	6	12	6	4
	All other causes	1,172	89	92	101	80	91	107	106	110	87	92	102	115
	JERSEY CITY, N. J.													
	All causes	4,347	364	339	417	405	346	349	399	365	324	332	334	373
1	Typhoid fever	17	2	1	1	3	1	1	2		2	1	1	2
3	Malaria	1											1	
5	Measles	53	1	2	4	6	9	15	12	2	1			1
6	Scarlet fever	15			2	1	5	4	1			2		
7	Whooping cough	39	1	1	4	5	3	4	4	5	5	4	1	2
8	Diphtheria and croup	59	8	4	4	2	8	5	7	2	3	5	4	7
9	Influenza	19	1	4	4	4	3				1			2
13	Tuberculosis of the lungs	434	31	39	39	39	31	34	37	33	37	30	34	50
14-15	Other forms of tuberculosis	61	2	6	1	6	8	9	6	6	9	1	6	1
17	Meningitis	37	4	3	3	3	2	4	3	5	4	4	2	
20-21	Bronchitis	61	9	6	6	12	4	5	1	2	2	2	6	6
22	Pneumonia	364	43	19	55	42	29	29	10	15	14	21	34	53
(23)	Bronchopneumonia	217	22	20	19	17	29	18	14	12	6	15	19	26
25	Diarrhea and enteritis (under 2 years)	327	5	11	11	16	14	16	83	77	46	30	12	6
(37)	Diarrhea and enteritis (2 years and over)	52	2	2	4	3	3	5	7	12	7	4	2	1
(33)	Congenital debility[1]	68	4	6	7	2	4	6	11	6	4	11	4	3
35	Violent deaths (excluding suicide)	262	24	16	30	27	15	20	24	22	13	20	30	21
36	Suicide	56	8	4	6	8		5	6	3	7	2	3	4
	All other causes	2,205	197	195	217	209	178	169	171	163	163	180	175	188
	NEWARK, N. J.													
	All causes	5,241	465	389	521	517	457	363	447	389	399	392	428	474
1	Typhoid fever	11			1	1	1			3	3	1	1	
3	Malaria	1		1										
5	Measles	20		2				1	3	3	1	3	1	6
6	Scarlet fever	2	1	1										
7	Whooping cough	35	3	6	4	2	3	1	3	5	1	2	2	3
8	Diphtheria and croup	22	3	5	5	1	2		1			1	3	1
9	Influenza	24	3	3	5	5	3		1				3	1
13	Tuberculosis of the lungs	643	54	59	76	66	55	47	58	36	45	42	48	57
14-15	Other forms of tuberculosis	100	9	8	14	9	12	6	13	7	3	8	9	2
17	Meningitis	41	1	3	6	7	4	4	3	5	2	1	2	3
20-21	Bronchitis	53	8	6	11	3	5	2	2	2	2	4	3	5
22	Pneumonia	365	38	22	56	71	23	21	9	16	12	13	28	56
(23)	Bronchopneumonia	173	26	24	17	23	11	10	7	6	8	11	15	15
25	Diarrhea and enteritis (under 2 years)	305	12	6	15	21	11	15	58	62	42	34	18	11
(37)	Diarrhea and enteritis (2 years and over)	49	3	1	3		4	7	2	6	8	5	5	5
(33)	Congenital debility[1]	83	4	6	7	4	12	3	7	13	12	9	4	2
35	Violent deaths (excluding suicide)	295	32	14	27	28	23	18	40	19	27	25	21	21
36	Suicide	66	5	2	9	10	7	1	3	7	5	5	6	6
	All other causes	2,953	263	220	265	266	281	227	237	199	228	228	259	280
	PATERSON, N. J.													
	All causes	1,796	169	148	147	158	144	145	133	132	150	144	150	176
1	Typhoid fever	6			1		1	1		1	1			1
3	Malaria	1						1						
5	Measles	1												1
6	Scarlet fever													
7	Whooping cough	9		1		2	1		1	1			1	2
8	Diphtheria and croup	19	3	1	1	2	1	2		1		1	1	6
9	Influenza	8	2	1		3								2
13	Tuberculosis of the lungs	166	16	11	14	12	15	14	16	10	20	14	10	14
14-15	Other forms of tuberculosis	17	1	2	1		2	1	2	1	2	2	2	1
17	Meningitis	11		1	1	1	2				1	2	1	2
20-21	Bronchitis	24	3	4	3	2	2	1	1		2	1		5
22	Pneumonia	133	25	5	10	21	14	6	5	4	7	8	8	20
(23)	Bronchopneumonia	68	8	5	7	3	4	3	1	7	3	10	6	11
25	Diarrhea and enteritis (under 2 years)	58	3	4	2	2	1	1	13	11	13	5	2	1
(37)	Diarrhea and enteritis (2 years and over)	11	1	1	1		2	1		1	1	2	1	
(33)	Congenital debility[1]	28	2		2	3	1	2	5	3	5	2		3
35	Violent deaths (excluding suicide)	126	5	11	6	10	12	8	8	16	10	13	18	9
36	Suicide	31	4	5	3	1	5	4	1	2		2	2	2
	All other causes	1,079	96	96	95	96	81	100	80	74	85	82	98	96

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	ALBANY, N. Y.													
	All causes	2,075	182	176	217	223	168	131	153	165	161	159	155	185
1	Typhoid fever	13	1	1	2		2		1	2	1	3		
3	Malaria	1	1											
5	Measles	2					1							1
6	Scarlet fever	3	1			1	1							
7	Whooping cough	15		1	3	2	2	1		3		1	1	1
8	Diphtheria and croup	18	1	1		1	2	1	1	2	1	1	1	6
9	Influenza	25	3	2	8	6	3				1			2
13	Tuberculosis of the lungs	271	31	23	20	36	28	26	24	16	12	20	15	20
14–15	Other forms of tuberculosis	29	2		1	6	2	1	5	2	3	2	3	2
17	Meningitis	16			3	2	2		2	1		3	3	
20–21	Bronchitis	24		6	3	2	2		1	2	3	2	1	2
22	Pneumonia	123	12	11	31	19	8	6		4	3	6	10	13
(23)	Bronchopneumonia	51	8	5	6	10	4	2	1	3	1	3	3	5
25	Diarrhea and enteritis (under 2 years)	72	2	6	3	5	2	3	10	15	14	1	5	6
(37)	Diarrhea and enteritis (2 years and over)	11	1	1		1		3		1	3	1		
(33)	Congenital debility[1]	33	1	2			2	1	8	8	5	1	2	3
35	Violent deaths (excluding suicide)	105	9	4	9	11	8	6	11	4	13	7	14	9
36	Suicide	18	2	1		2	4	3	1		1		4	
	All other causes	1,245	107	112	128	119	95	78	88	102	100	108	93	115
	BUFFALO, N. Y.													
	All causes	6,852	543	537	720	651	566	490	517	545	574	526	568	615
1	Typhoid fever	46	6	3	4	1	2	1	2	2	10	7	4	4
3	Malaria	1		1										
5	Measles	50				1	4	6	7	6	6	4	8	8
6	Scarlet fever	25	5	6	4	2	1		1			3	2	1
7	Whooping cough	21	2	3	1	8	1	3			1		1	1
8	Diphtheria and croup	77	6	5	11	3	2	8	3	4	4	8	6	17
9	Influenza	30	2	5	6	8	3		1			1	1	3
13	Tuberculosis of the lungs	637	47	45	80	61	75	51	53	49	32	41	59	44
14–15	Other forms of tuberculosis	87	8	9	11	8	9	6	7	5	8	4	7	5
17	Meningitis	29	1	4	2	2	2	5	3		4	2	1	3
20–21	Bronchitis	73	7	8	11	13	4	5	1	3	1	4	6	10
22	Pneumonia	403	36	38	69	62	28	14	19	8	15	18	42	54
(23)	Bronchopneumonia	357	29	46	59	52	25	15	12	16	16	20	26	41
25	Diarrhea and enteritis (under 2 years)	482	12	14	30	16	20	26	60	108	88	44	33	31
(37)	Diarrhea and enteritis (2 years and over)	59	3	7	4	8	1	5	9	7	5	6	1	3
(33)	Congenital debility[1]	41	1	4	4	4	2	7	5	4	1	4	3	2
35	Violent deaths (excluding suicide)	366	24	25	26	24	33	37	37	36	38	21	30	35
36	Suicide	47	3	4	5	4	6	4	3	3	1	6	5	3
	All other causes	4,021	351	310	393	374	348	297	294	294	344	333	333	350
	NEW YORK, N. Y. (TOTAL).													
	All causes	76,241	6,783	6,193	7,574	7,535	6,657	5,788	5,949	5,932	5,467	5,567	5,622	7,174
1	Typhoid fever	327	20	14	16	9	16	19	30	58	49	45	25	26
3	Malaria	15		1		1	2	3			3	3	2	
5	Measles	662	19	36	53	110	146	147	69	24	16	5	14	23
6	Scarlet fever	310	33	39	39	60	58	34	19	8	1	5	2	12
7	Whooping cough	395	16	22	26	44	35	46	39	54	47	18	21	27
8	Diphtheria and croup	1,271	129	131	158	127	148	119	100	62	54	62	74	107
9	Influenza	394	29	30	68	83	32	18	7	5	4	7	23	88
13	Tuberculosis of the lungs	9,142	856	809	904	894	811	674	728	693	652	681	665	775
14–15	Other forms of tuberculosis	1,179	85	75	130	138	126	107	105	109	95	71	74	64
17	Meningitis	297	24	20	27	29	36	27	30	26	21	18	19	20
20–21	Bronchitis	961	119	85	96	112	86	60	41	46	51	49	79	137
22	Pneumonia	6,277	676	537	904	915	506	374	227	198	207	302	456	975
(23)	Bronchopneumonia	4,415	473	407	539	550	447	381	245	211	197	250	272	443
25	Diarrhea and enteritis (under 2 years)	3,950	130	149	185	197	192	221	622	957	653	342	183	119
(37)	Diarrhea and enteritis (2 years and over)	420	23	21	25	30	27	31	54	80	46	27	32	24
(33)	Congenital debility[1]	1,422	82	86	125	118	126	103	146	175	138	138	77	108
35	Violent deaths (excluding suicide)	3,759	314	243	286	315	296	304	385	332	370	310	294	310
36	Suicide	993	97	85	89	79	93	88	103	71	61	79	74	74
	All other causes	40,052	3,658	3,403	3,904	3,724	3,474	3,032	2,999	2,823	2,802	3,155	3,236	3,842
	NEW YORK, N. Y. (WHITE).													
	All causes	73,542	6,519	5,998	7,319	7,284	6,437	5,576	5,724	5,719	5,260	5,365	5,414	6,927
1	Typhoid fever	320	20	13	16	9	16	19	28	57	49	44	25	24
3	Malaria	14		1		1	2	2			3	3	2	
5	Measles	650	18	34	51	109	144	145	68	23	16	5	14	23
6	Scarlet fever	308	33	39	39	60	58	33	19	8	1	5	1	12
7	Whooping cough	370	15	20	22	41	33	43	38	51	46	17	19	25
8	Diphtheria and croup	1,242	125	129	154	127	142	116	97	62	52	62	71	105
9	Influenza	379	29	30	64	79	31	16	6	5	4	7	21	87
13	Tuberculosis of the lungs	8,569	805	760	855	847	767	627	680	646	600	635	617	730
14–15	Other forms of tuberculosis	1,107	77	72	126	132	116	99	100	100	90	67	68	60
17	Meningitis	285	22	19	27	29	36	25	27	24	21	18	18	19
20–21	Bronchitis	928	112	83	92	110	79	56	41	46	51	48	76	134
22	Pneumonia	6,017	648	517	864	881	486	360	217	191	200	289	436	928
(23)	Bronchopneumonia	4,244	456	391	520	535	436	368	230	200	187	233	259	429
25	Diarrhea and enteritis (under 2 years)	3,814	128	144	177	190	187	210	597	932	629	331	176	113
(37)	Diarrhea and enteritis (2 years and over)	403	21	21	23	27	26	30	53	76	44	26	32	24
(33)	Congenital debility[1]	1,356	79	86	119	114	119	97	136	163	131	134	74	104
35	Violent deaths (excluding suicide)	3,659	300	235	280	308	287	298	375	320	359	301	287	309
36	Suicide	984	94	84	88	79	93	87	103	71	60	78	74	73
	All other causes	38,893	3,537	3,320	3,802	3,606	3,379	2,945	2,909	2,744	2,717	3,062	3,144	3,728

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (COLORED).													
	All causes	2,699	264	195	255	251	220	212	225	213	207	202	208	247
1	Typhoid fever	7		1					2	1		1		2
3	Malaria	1						1						
5	Measles	12	1	2	2	1	2	2	1	1				
6	Scarlet fever	2						1					1	
7	Whooping cough	25	1	2	4	3	2	3	1	3	1	1	2	2
8	Diphtheria and croup	29	4	2	4		6	3	3		2		3	2
9	Influenza	15			4	4	1	2	1				2	1
13	Tuberculosis of the lungs	573	51	49	49	47	44	47	48	47	52	46	48	45
14-15	Other forms of tuberculosis	72	8	3	4	6	10	8	5	9	5	4	6	4
17	Meningitis	12	2	1				2	3	2			1	1
20-21	Bronchitis	33	7	2	4	2	7	4				1	3	3
22	Pneumonia	260	28	20	40	34	20	14	10	7	7	13	20	47
(23)	Bronchopneumonia	171	17	16	19	15	11	13	15	11	10	17	13	14
25	Diarrhea and enteritis (under 2 years)	136	2	5	8	7	5	11	25	25	24	11	7	6
(37)	Diarrhea and enteritis (2 years and over)	17	2		2	3	1	1	1	4	2	1		
(33)	Congenital debility [1]	66	3		6	4	7	6	10	12	7	4	3	4
35	Violent deaths (excluding suicide)	100	14	8	6	7	9	6	10	12	11	9	7	1
36	Suicide	9	3	1	1			1			1	1		1
	All other causes	1,159	121	83	102	118	95	87	90	79	85	93	92	114
	NEW YORK, N. Y. (BRONX BOROUGH, TOTAL).													
	All causes	7,570	695	629	790	693	620	563	574	555	581	567	582	721
1	Typhoid fever	26	1		2		1	2	3	6	3	6	1	1
3	Malaria	2		1								1		
5	Measles	42	2	3	4	8	14	8	2	1				
6	Scarlet fever	25	3	5	1	5	3	3	1	2				2
7	Whooping cough	40	1	3	5	3	4	4	7	5	6		1	1
8	Diphtheria and croup	142	22	15	23	14	16	11	9	7	3	2	7	13
9	Influenza	36	2	5	3	7	5				2	1	1	10
13	Tuberculosis of the lungs	967	86	81	103	95	71	61	84	84	60	74	89	79
14-15	Other forms of tuberculosis	103	3	9	10	8	15	9	6	14	12	5	6	6
17	Meningitis	32	1	4	3	3	2	7	3	2	3	1	1	2
20-21	Bronchitis	56	8	3	6	8	2	5	4	1	5	1	4	9
22	Pneumonia	660	74	65	101	93	51	39	19	13	26	34	48	97
(23)	Bronchopneumonia	379	54	44	47	44	22	25	24	12	20	19	22	46
25	Diarrhea and enteritis (under 2 years)	286	10	11	10	12	14	18	38	72	61	17	15	8
(37)	Diarrhea and enteritis (2 years and over)	41	4	2	3	6	1		6	7	4	3	2	3
(33)	Congenital debility [1]	106	5	9	7	12	10	10	11	14	8	9	6	5
35	Violent deaths (excluding suicide)	343	30	15	26	32	23	26	42	32	39	27	25	26
36	Suicide	97	13	9	3	5	13	13	5	7	8	6	5	10
	All other causes	4,187	376	345	433	338	353	322	310	276	321	361	349	403
	NEW YORK, N. Y. (BRONX BOROUGH, WHITE).													
	All causes	7,446	688	624	781	681	607	553	557	546	570	561	569	709
1	Typhoid fever	26	1		2		1	2	3	6	3	6	1	1
3	Malaria	2		1								1		
5	Measles	41	2	3	4	8	13	8	2	1				
6	Scarlet fever	25	3	5	1	5	3	3	1	2				2
7	Whooping cough	37	1	3	4	3	3	4	7	4	6		1	1
8	Diphtheria and croup	140	22	15	22	14	16	11	9	7	3	2	6	13
9	Influenza	36	2	5	3	7	5				2	1	1	10
13	Tuberculosis of the lungs	942	83	81	101	92	67	59	82	84	57	73	86	77
14-15	Other forms of tuberculosis	97	3	9	10	7	13	8	6	14	11	4	6	6
17	Meningitis	31	1	4	3	3	2	6	3	2	3	1	1	2
20-21	Bronchitis	55	8	3	6	8	2	4	4	1	5	1	4	9
22	Pneumonia	651	74	65	99	92	50	38	19	13	26	34	46	95
(23)	Bronchopneumonia	377	54	44	47	44	22	24	24	12	20	19	22	45
25	Diarrhea and enteritis (under 2 years)	283	10	11	10	12	14	17	37	72	60	17	15	8
(37)	Diarrhea and enteritis (2 years and over)	41	4	2	3	6	1		6	7	4	3	2	3
(33)	Congenital debility [1]	104	5	9	7	12	9	10	11	13	8	9	6	5
35	Violent deaths (excluding suicide)	336	30	15	26	30	23	26	41	32	36	27	24	26
36	Suicide	97	13	9	3	5	13	13	5	7	8	6	5	10
	All other causes	4,125	372	340	430	333	350	320	297	269	318	357	343	396
	NEW YORK, N. Y. (BRONX BOROUGH, COLORED).													
	All causes	124	7	5	9	12	13	10	17	9	11	6	13	12
1	Typhoid fever													
3	Malaria													
5	Measles	1					1							
6	Scarlet fever													
7	Whooping cough	3			1		1			1				
8	Diphtheria and croup	2			1								1	
9	Influenza													
13	Tuberculosis of the lungs	25	3		2	3	4	2	2		3	1	3	2
14-15	Other forms of tuberculosis	6				1	2	1			1	1		
17	Meningitis	1						1						
20-21	Bronchitis	1						1						
22	Pneumonia	9			2	1	1	1					2	2
(23)	Bronchopneumonia	2						1						1
25	Diarrhea and enteritis (under 2 years)	3						1	1		1			
(37)	Diarrhea and enteritis (2 years and over)													
(33)	Congenital debility [1]	2					1			1				
35	Violent deaths (excluding suicide)	7				2			1		3		1	
36	Suicide													
	All other causes	62	4	5	3	5	3	2	13	7	3	4	6	7

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).													
	All causes	26,060	2,328	2,093	2,570	2,600	2,250	2,000	1,965	2,057	1,817	1,917	1,979	2,484
1	Typhoid fever	145	9	8	6	4	9	8	10	31	23	16	9	12
3	Malaria	7				1	1	2			1	1	1	
5	Measles	130	2	8	16	22	30	36	7	4			1	4
6	Scarlet fever	113	9	19	20	18	23	8	7	2	1	3	1	2
7	Whooping cough	85	2	5	3	7	5	9	7	18	12	7	4	6
8	Diphtheria and croup	429	42	47	55	44	41	31	30	23	16	25	34	41
9	Influenza	169	10	7	29	32	16	12	4	3	1	3	11	41
13	Tuberculosis of the lungs	2,816	271	253	267	269	275	220	221	221	178	198	215	228
14-15	Other forms of tuberculosis	368	31	19	48	46	36	31	23	34	32	24	25	19
17	Meningitis	91	9	7	6	12	13	6	7	9	7	4	4	7
20-21	Bronchitis	442	59	42	43	53	39	26	15	27	23	26	43	46
22	Pneumonia	2,159	238	191	310	306	174	130	78	60	79	98	160	335
(23)	Bronchopneumonia	1,533	157	133	192	214	172	134	60	75	65	94	93	144
25	Diarrhea and enteritis (under 2 years)	1,417	43	47	58	64	62	71	229	367	253	118	68	37
(37)	Diarrhea and enteritis (2 years and over)	155	5	12	12	7	11	14	20	22	18	14	12	8
(33)	Congenital debility [1]	292	20	14	21	24	33	24	26	29	25	24	21	31
35	Violent deaths (excluding suicide)	1,217	90	59	99	91	99	113	114	123	107	103	115	104
36	Suicide	299	30	26	20	19	27	22	35	28	18	24	26	24
	All other causes	14,193	1,301	1,196	1,365	1,367	1,184	1,103	1,072	981	958	1,135	1,136	1,395
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).													
	All causes	25,362	2,271	2,036	2,509	2,532	2,200	1,939	1,899	1,998	1,765	1,873	1,916	2,424
1	Typhoid fever	142	9	8	6	4	9	8	9	30	23	15	9	12
3	Malaria	7				1	1	2			1	1	1	
5	Measles	129	2	8	16	22	29	36	7	4			1	4
6	Scarlet fever	112	9	19	20	18	23	8	7	2	1	3		2
7	Whooping cough	80	2	4	3	6	5	9	7	16	12	7	4	5
8	Diphtheria and croup	422	40	46	53	44	40	31	30	23	16	25	34	40
9	Influenza	158	10	7	26	30	15	10	3	3	1	3	9	41
13	Tuberculosis of the lungs	2,682	259	242	258	261	268	210	204	210	168	190	196	216
14-15	Other forms of tuberculosis	350	28	19	46	45	32	31	22	32	31	24	23	17
17	Meningitis	88	9	6	6	12	13	6	6	9	7	4	4	6
20-21	Bronchitis	427	55	40	40	52	37	24	15	27	23	25	43	46
22	Pneumonia	2,095	235	182	301	299	172	127	73	58	78	94	153	323
(23)	Bronchopneumonia	1,501	156	130	189	212	166	133	56	72	63	91	91	142
25	Diarrhea and enteritis (under 2 years)	1,375	43	46	57	59	61	68	220	360	245	115	65	36
(37)	Diarrhea and enteritis (2 years and over)	149	5	12	11	7	11	13	19	21	17	13	12	8
(33)	Congenital debility [1]	275	20	14	19	24	31	21	25	25	24	24	18	30
35	Violent deaths (excluding suicide)	1,194	88	59	97	89	97	113	112	119	104	100	113	103
36	Suicide	297	29	25	20	19	27	22	35	28	18	24	26	24
	All other causes	13,879	1,272	1,169	1,341	1,328	1,163	1,067	1,049	959	933	1,115	1,114	1,369
	NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).													
	All causes	698	57	57	61	68	50	61	66	59	52	44	63	60
1	Typhoid fever	3							1	1		1		
3	Malaria													
5	Measles	1					1							
6	Scarlet fever	1											1	
7	Whooping cough	5		1		1				2				1
8	Diphtheria and croup	7	2	1	2		1							1
9	Influenza	11			3	2	1	2	1				2	
13	Tuberculosis of the lungs	134	12	11	9	8	7	10	17	11	10	8	19	12
14-15	Other forms of tuberculosis	18	3		2	1	4		1	2	1		2	2
17	Meningitis	3		1					1					1
20-21	Bronchitis	15	4	2	3	1	2	2				1		
22	Pneumonia	64	3	9	9	7	2	3	5	2	1	4	7	12
(23)	Bronchopneumonia	32	1	3	3	2	6	1	4	3	2	3	2	2
25	Diarrhea and enteritis (under 2 years)	42		1	1	5	1	3	9	7	8	3	3	1
(37)	Diarrhea and enteritis (2 years and over)	6			1			1	1	1	1	1		
(33)	Congenital debility [1]	17			2		2	3	1	4	1		3	1
35	Violent deaths (excluding suicide)	23	2		2	2	2		2	4	3	3	2	1
36	Suicide	2	1	1										
	All other causes	314	29	27	24	39	21	36	23	22	25	20	22	26
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).													
	All causes	36,176	3,186	2,981	3,607	3,625	3,245	2,746	2,882	2,796	2,607	2,570	2,577	3,354
1	Typhoid fever	129	8	4	6	4	5	8	15	19	17	20	14	9
3	Malaria	3									2		1	
5	Measles	447	14	25	31	72	91	90	57	19	15	4	13	16
6	Scarlet fever	142	14	12	13	33	31	20	9	2		2	1	5
7	Whooping cough	232	10	11	15	28	24	29	23	26	26	10	14	16
8	Diphtheria and croup	604	55	61	73	64	82	70	52	23	27	25	25	47
9	Influenza	149	15	14	28	31	11	5	3	2	1	2	7	30
13	Tuberculosis of the lungs	4,681	446	413	464	465	408	348	366	335	354	351	313	418
14-15	Other forms of tuberculosis	620	46	41	67	75	67	60	61	53	43	34	36	37
17	Meningitis	153	12	8	17	13	18	13	18	13	11	8	13	9
20-21	Bronchitis	403	42	35	43	42	40	27	20	16	19	21	28	70
22	Pneumonia	3,030	316	243	445	444	250	170	115	116	92	146	217	476
(23)	Bronchopneumonia	2,160	215	191	265	261	224	198	135	109	103	122	130	207
25	Diarrhea and enteritis (under 2 years)	1,895	68	85	106	112	104	106	282	434	282	166	84	66
(37)	Diarrhea and enteritis (2 years and over)	181	14	5	9	14	13	14	22	40	19	6	15	10
(33)	Congenital debility [1]	894	50	59	88	68	71	59	92	118	95	93	43	58
35	Violent deaths (excluding suicide)	1,903	177	144	134	169	149	147	202	150	190	156	133	152
36	Suicide	498	45	41	54	47	43	41	57	26	31	41	40	32
	All other causes	18,052	1,639	1,589	1,749	1,683	1,614	1,341	1,353	1,295	1,280	1,363	1,450	1,696

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).													
	All causes	34,436	2,999	2,859	3,429	3,468	3,093	2,617	2,754	2,660	2,470	2,429	2,463	3,195
1	Typhoid fever	125	8	3	6	4	5	8	14	19	17	20	14	7
3	Malaria	3									2		1	
5	Measles	437	13	23	29	71	91	88	56	18	15	4	13	16
6	Scarlet fever	141	14	12	13	33	31	19	9	2		2	1	5
7	Whooping cough	216	9	10	12	26	23	26	23	26	25	9	12	15
8	Diphtheria and croup	584	53	60	72	64	77	67	49	23	25	25	23	46
9	Influenza	145	15	14	27	29	11	5	3	2	1	2	7	29
13	Tuberculosis of the lungs	4,295	411	380	427	433	377	314	339	302	316	318	288	390
14-15	Other forms of tuberculosis	574	41	38	65	71	63	53	57	46	40	31	34	35
17	Meningitis	146	10	8	17	13	18	12	16	11	11	8	13	9
20-21	Bronchitis	387	39	35	42	41	36	26	20	16	19	21	25	67
22	Pneumonia	2,854	292	233	416	419	234	161	110	111	87	137	207	447
(23)	Bronchopneumonia	2,032	199	178	250	248	219	188	126	101	96	110	121	196
25	Diarrhea and enteritis (under 2 years)	1,810	66	81	99	110	100	99	270	419	267	158	80	61
(37)	Diarrhea and enteritis (2 years and over)	171	12	5	8	12	12	14	22	37	18	6	15	10
(33)	Congenital debility[1]	851	49	59	84	64	67	57	83	111	89	89	43	56
35	Violent deaths (excluding suicide)	1,838	165	137	131	166	142	141	195	143	186	151	129	152
36	Suicide	491	43	41	53	47	43	40	57	26	30	40	40	31
	All other causes	17,336	1,560	1,542	1,678	1,617	1,544	1,299	1,305	1,247	1,226	1,298	1,397	1,623
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).													
	All causes	1,740	187	122	178	157	152	129	128	136	137	141	114	159
1	Typhoid fever	4		1					1					2
3	Malaria													
5	Measles	10	1	2	2	1		2	1	1				
6	Scarlet fever	1						1						
7	Whooping cough	16	1	1	3	2	1	3			1	1	2	1
8	Diphtheria and croup	20	2	1	1		5	3	3		2		2	1
9	Influenza	4			1	2								1
13	Tuberculosis of the lungs	386	35	33	37	32	31	34	27	33	38	33	25	28
14-15	Other forms of tuberculosis	46	5	3	2	4	4	7	4	7	3	3	2	2
17	Meningitis	7	2					1	2	2				
20-21	Bronchitis	16	3		1	1	4	1					3	3
22	Pneumonia	176	24	10	29	25	16	9	5	5	5	9	10	29
(23)	Bronchopneumonia	128	16	13	15	13	5	10	9	8	7	12	9	11
25	Diarrhea and enteritis (under 2 years)	85	2	4	7	2	4	7	12	15	15	8	4	5
(37)	Diarrhea and enteritis (2 years and over)	10	2		1	2	1			3	1			
(33)	Congenital debility[1]	43	1		4	4	4	2	9	7	6	4		2
35	Violent deaths (excluding suicide)	65	12	7	3	3	7	6	7	7	4	5	4	
36	Suicide	7	2		1			1			1	1		1
	All other causes	716	79	47	71	66	70	42	48	48	54	65	53	73
	NEW YORK, N. Y. (QUEENS BOROUGH, TOTAL).													
	All causes	4,915	456	369	482	456	419	359	402	388	370	382	366	466
1	Typhoid fever	19	1	2	1	1		1	1	2	4	3		3
3	Malaria	3					1	1				1		
5	Measles	22	1			3	4	8	2		1			3
6	Scarlet fever	27	5	3	5	4	1	3	2	1				3
7	Whooping cough	32	3	2	3	5	2	3	1	4	2	1	2	4
8	Diphtheria and croup	77	7	7	6	4	6	5	8	8	8	9	5	4
9	Influenza	34	2	3	8	8		1				1	4	7
13	Tuberculosis of the lungs	530	42	50	53	56	48	39	43	35	44	47	35	38
14-15	Other forms of tuberculosis	70	4	3	3	7	7	6	14	5	6	8	5	2
17	Meningitis	17	2	1	1		3	1	2	1		3	1	2
20-21	Bronchitis	51	7	5	3	8	5	2	2	2	4	1	3	9
22	Pneumonia	319	41	27	35	47	26	26	12	7	8	16	25	49
(23)	Bronchopneumonia	270	33	28	29	28	24	19	17	12	9	12	23	36
25	Diarrhea and enteritis (under 2 years)	275	9	5	10	8	11	15	52	68	43	33	15	6
(37)	Diarrhea and enteritis (2 years and over)	32		1	1	3	1	1	6	8	4	3	2	2
(33)	Congenital debility[1]	93	5	3	9	9	9	5	9	11	10	9	4	10
35	Violent deaths (excluding suicide)	224	12	22	24	16	14	15	24	18	28	17	15	19
36	Suicide	80	8	6	11	8	8	11	3	8	2	5	2	8
	All other causes	2,740	274	201	280	241	249	197	204	198	197	213	225	261
	NEW YORK, N. Y. (QUEENS BOROUGH, WHITE).													
	All causes	4,802	446	359	478	444	414	349	391	381	364	373	349	454
1	Typhoid fever	19	1	2	1	1		1	1	2	4	3		3
3	Malaria	2					1					1		
5	Measles	22	1			3	4	8	2		1			3
6	Scarlet fever	27	5	3	5	4	1	3	2	1				3
7	Whooping cough	31	3	2	3	5	2	3		4	2	1	2	4
8	Diphtheria and croup	77	7	7	6	4	6	5	8	8	8	9	5	4
9	Influenza	34	2	3	8	8		1				1	4	7
13	Tuberculosis of the lungs	505	41	46	52	52	46	38	41	33	44	43	34	35
14-15	Other forms of tuberculosis	68	4	3	3	7	7	6	14	5	6	8	3	2
17	Meningitis	16	2	1	1		3	1	2	1		3		2
20-21	Bronchitis	50	7	5	3	8	4	2	2	2	4	1	3	9
22	Pneumonia	310	40	26	35	46	25	25	12	7	7	16	24	47
(23)	Bronchopneumonia	263	33	28	28	28	24	18	16	12	8	11	21	36
25	Diarrhea and enteritis (under 2 years)	269	9	5	10	8	11	15	49	65	43	33	15	6
(37)	Diarrhea and enteritis (2 years and over)	31		1	1	2	1	1	6	8	4	3	2	2
(33)	Congenital debility[1]	91	4	3	9	9	9	4	9	11	10	9	4	10
35	Violent deaths (excluding suicide)	220	12	21	23	16	14	15	24	17	27	17	15	19
36	Suicide	80	8	6	11	8	8	11	3	8	2	5	2	8
	All other causes	2,687	267	197	279	235	248	192	200	197	194	209	215	254

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (QUEENS BOROUGH, COLORED).													
	All causes	113	10	10	4	12	5	10	11	7	6	9	17	12
1	Typhoid fever													
3	Malaria	1						1						
5	Measles													
6	Scarlet fever													
7	Whooping cough	1							1					
8	Diphtheria and croup													
9	Influenza													
13	Tuberculosis of the lungs	25	1	4	1	4	2	1	2	2		4	1	3
14–15	Other forms of tuberculosis	2											2	
17	Meningitis	1											1	
20–21	Bronchitis	1					1							
22	Pneumonia	9	1	1		1	1	1			1		1	2
(23)	Bronchopneumonia	7			1			1	1		1	1	2	
25	Diarrhea and enteritis (under 2 years)	6							3	3				
(37)	Diarrhea and enteritis (2 years and over)	1				1								
(33)	Congenital debility [1]	2	1					1						
35	Violent deaths (excluding suicide)	4		1	1					1	1			
36	Suicide													
	All other causes	53	7	4	1	6	1	5	4	1	3	4	10	7
	NEW YORK, N. Y. (RICHMOND BOROUGH, TOTAL).													
	All causes	1,520	118	121	125	161	123	120	126	136	92	131	118	149
1	Typhoid fever	8	1		1		1		1		2		1	1
3	Malaria													
5	Measles	21			2	5	7	5	1			1		
6	Scarlet fever	3	2							1				
7	Whooping cough	6		1		1		1	1	1	1			
8	Diphtheria and croup	19	3	1	1	1	3	2	1	1		1	3	2
9	Influenza	6		1		5								
13	Tuberculosis of the lungs	148	11	12	17	9	9	6	14	18	16	11	13	12
14–15	Other forms of tuberculosis	18	1	3	2	2	1	1	1	3	2		2	
17	Meningitis	4				1				1		2		
20–21	Bronchitis	9	3		1	1							1	3
22	Pneumonia	109	7	11	13	25	5	9	3	2	2	8	6	18
(23)	Bronchopneumonia	73	14	11	6	3	5	5	9	3		3	4	10
25	Diarrhea and enteritis (under 2 years)	77		1	1	1	1	11	21	16	14	8	1	2
(37)	Diarrhea and enteritis (2 years and over)	11		1			1	2		3	1	1	1	1
(33)	Congenital debility [1]	37	2	1		5	3	5	8	3		3	3	4
35	Violent deaths (excluding suicide)	72	5	3	3	7	11	3	3	9	6	7	6	9
36	Suicide	19	1	3	1		2	1	3	2	2	3	1	
	All other causes	880	68	72	77	95	74	69	60	73	46	83	76	87
	NEW YORK, N. Y. (RICHMOND BOROUGH, WHITE).													
	All causes	1,496	115	120	122	159	123	118	123	134	91	129	117	145
1	Typhoid fever	8	1		1		1		1		2		1	1
3	Malaria													
5	Measles	21			2	5	7	5	1			1		
6	Scarlet fever	3	2							1				
7	Whooping cough	6		1		1		1	1	1	1			
8	Diphtheria and croup	19	3	1	1	1	3	2	1	1		1	3	2
9	Influenza	6		1		5								
13	Tuberculosis of the lungs	145	11	11	17	9	9	6	14	17	15	11	13	12
14–15	Other forms of tuberculosis	18	1	3	2	2	1	1	1	3	2		2	
17	Meningitis	4				1				1		2		
20–21	Bronchitis	9	3		1	1							1	3
22	Pneumonia	107	7	11	13	25	5	9	3	2	2	8	6	16
(23)	Bronchopneumonia	71	14	11	6	3	5	5	8	3		2	4	10
25	Diarrhea and enteritis (under 2 years)	77		1	1	1	1	11	21	16	14	8	1	2
(37)	Diarrhea and enteritis (2 years and over)	11		1			1	2		3	1	1	1	1
(33)	Congenital debility [1]	35	1	1		5	3	5	8	3		3	3	3
35	Violent deaths (excluding suicide)	71	5	3	3	7	11	3	3	9	6	6	6	9
36	Suicide	19	1	3	1		2	1	3	2	2	3	1	
	All other causes	866	66	72	74	93	74	67	58	72	46	83	75	86
	NEW YORK, N. Y. (RICHMOND BOROUGH, COLORED).													
	All causes	24	3	1	3	2		2	3	2	1	2	1	4
1	Typhoid fever													
3	Malaria													
5	Measles													
6	Scarlet fever													
7	Whooping cough													
8	Diphtheria and croup													
9	Influenza													
13	Tuberculosis of the lungs	3		1						1	1			
14–15	Other forms of tuberculosis													
17	Meningitis													
20–21	Bronchitis													
22	Pneumonia	2												2
(23)	Bronchopneumonia	2							1			1		
25	Diarrhea and enteritis (under 2 years)													
(37)	Diarrhea and enteritis (2 years and over)													
(33)	Congenital debility [1]	2	1											1
35	Violent deaths (excluding suicide)	1										1		
36	Suicide													
	All other causes	14	2		3	2		2	2	1			1	1

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	ROCHESTER, N. Y.													
	All causes	3,488	292	284	375	384	278	241	274	259	265	257	257	322
1	Typhoid fever	15		2	1		3	2				1	5	1
3	Malaria													
5	Measles	8				1	3	4						
6	Scarlet fever	7	1		2		1	1		1				1
7	Whooping cough	24		2		2	1	2	7	5	3	1		1
8	Diphtheria and croup	18	1	1	4	1		1		3		3	1	3
9	Influenza	15	2	2	4	3	3							1
13	Tuberculosis of the lungs	252	25	12	26	23	22	24	24	14	17	20	20	25
14-15	Other forms of tuberculosis	45	1	5	5	7	5		4	3	5	3	3	4
17	Meningitis	12		2					2	1	3	3		1
20-21	Bronchitis	64	1	10	12	12	4	3	2	1	2	2	3	12
22	Pneumonia	161	13	15	25	33	13	9	7		6	9	11	20
(23)	Bronchopneumonia	134	13	14	23	19	15	10	4	5	5	5	9	12
25	Diarrhea and enteritis (under 2 years)	163	5	6	10	11	9	13	29	31	24	12	9	4
(37)	Diarrhea and enteritis (2 years and over)	36	4	1	3	1	2	4	4	3	4	4	2	4
(33)	Congenital debility [1]	8	1	1	2						2		1	1
35	Violent deaths (excluding suicide)	160	8	9	16	19	12	12	21	15	10	12	12	14
36	Suicide	55	5	4	3	2	6	4	7	6	6	2	4	6
	All other causes	2,311	212	198	239	250	179	152	163	171	178	180	177	212
	SYRACUSE, N. Y.													
	All causes	2,011	177	140	212	188	160	166	146	158	183	148	159	174
1	Typhoid fever	9								1	1	2	4	1
3	Malaria													
5	Measles	10	1		1	1	3	4						
6	Scarlet fever													
7	Whooping cough	9		1	2		2	1	2		1			
8	Diphtheria and croup	16	4	1	1	1	2	3			2	1		1
9	Influenza	6	1	1	1	1	1					1		
13	Tuberculosis of the lungs	131	14	10	15	12	16	16	10	8	8	5	8	9
14-15	Other forms of tuberculosis	21	1	3	6	2	1			1	3		2	2
17	Meningitis	11	2	1		1		1	1		2	2	1	
20-21	Bronchitis	26	9	4	3	2		3		1			3	1
22	Pneumonia	117	7	8	23	18	9	6	2	3	4	3	9	25
(23)	Bronchopneumonia	65	6	10	11	8	5	4	3			5	7	6
25	Diarrhea and enteritis (under 2 years)	94	3	3	3	4	2	6	16	32	19	2	2	2
(37)	Diarrhea and enteritis (2 years and over)	10	2				1	1		5	1			
(33)	Congenital debility [1]	11		2					1	3	3		2	
35	Violent deaths (excluding suicide)	127	4	7	6	11	11	21	16	6	16	11	12	6
36	Suicide	36	3	1	3	5	3	4	3	3	4	3	1	3
	All other causes	1,312	120	88	137	122	104	96	92	95	119	113	108	118
	CINCINNATI, OHIO (TOTAL).													
	All causes	6,360	658	576	591	589	517	446	486	475	437	488	541	556
1	Typhoid fever	30	2	2	3	1	1	3	3	3	4	3	2	3
3	Malaria	1			1									
5	Measles	15		1	1	3	2	1	4	2	1			
6	Scarlet fever	4								1		1		2
7	Whooping cough	15	1	1		4	1		1	4	1		2	
8	Diphtheria and croup	48	6	4	2	2		2	5	3	5	9	8	2
9	Influenza	75	19	15	13	8	3	1				2	2	12
13	Tuberculosis of the lungs	815	66	69	73	80	82	60	70	73	54	58	64	66
14-15	Other forms of tuberculosis	91	7	6	12	8	13	11	4	8	5	5	7	5
17	Meningitis	23	5	1	4	3	2		1	1	1	3		2
20-21	Bronchitis	84	17	11	8	5	3	5	3	1	5	8	8	10
22	Pneumonia	349	55	51	45	49	25	14	9	5	16	16	22	42
(23)	Bronchopneumonia	221	40	20	24	20	10	11	10	8	8	16	23	31
25	Diarrhea and enteritis (under 2 years)	175	15	10	10	16	12	11	21	33	12	12	13	10
(37)	Diarrhea and enteritis (2 years and over)	47		4	6	4	4	4	8	5	4	1	4	3
(33)	Congenital debility [1]	5			1	1					1	1	1	
35	Violent deaths (excluding suicide)	384	29	32	30	41	17	23	66	30	30	29	35	22
36	Suicide	76	5	6	8	7	12	7	6	6	6	8	2	3
	All other causes	3,902	391	343	350	337	330	293	275	292	284	316	348	343
	CINCINNATI, OHIO (WHITE).													
	All causes	5,703	610	529	534	508	458	387	431	421	402	436	489	498
1	Typhoid fever	28	2	2	3	1	1	2	3	3	4	3	1	3
3	Malaria													
5	Measles	12		1	1	3	2	1	4					
6	Scarlet fever	4								1		1		2
7	Whooping cough	14	1	1		3	1		1	4	1		2	
8	Diphtheria and croup	48	6	4	2	2		2	5	3	5	9	8	2
9	Influenza	69	18	13	13	8	3						2	12
13	Tuberculosis of the lungs	655	54	60	60	57	66	44	55	60	47	45	53	54
14-15	Other forms of tuberculosis	78	6	5	10	8	11	8	4	5	5	5	6	5
17	Meningitis	20	5	1	3	2	2		1	1	1	3		1
20-21	Bronchitis	78	17	10	7	4	3	5	2	1	4	8	8	9
22	Pneumonia	306	52	45	43	44	21	10	4	3	12	15	20	37
(23)	Bronchopneumonia	199	40	19	24	17	8	8	9	7	6	12	20	29
25	Diarrhea and enteritis (under 2 years)	157	14	9	9	14	9	10	19	29	10	12	12	10
(37)	Diarrhea and enteritis (2 years and over)	44		4	6	4	3	4	7	4	4	1	4	3
(33)	Congenital debility [1]	5			1	1					1	1	1	
35	Violent deaths (excluding suicide)	341	29	29	26	33	15	20	57	27	28	25	31	21
36	Suicide	74	4	6	8	7	12	7	6	5	6	8	2	3
	All other causes	3,571	362	320	318	300	301	266	254	268	268	288	319	307

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	CINCINNATI, OHIO (COLORED).													
	All causes	657	48	47	57	81	59	59	55	54	35	52	52	58
1	Typhoid fever	2						1					1	
3	Malaria	1			1									
5	Measles	3								2	1			
6	Scarlet fever													
7	Whooping cough	1				1								
8	Diphtheria and croup													
9	Influenza	6	1	2				1				2		
13	Tuberculosis of the lungs	160	12	9	13	23	16	16	15	13	7	13	11	12
14–15	Other forms of tuberculosis	13	1	1	2		2	3		3			1	
17	Meningitis	3			1	1								1
20–21	Bronchitis	6		1	1	1			1		1			1
22	Pneumonia	43	3	6	2	5	4	4	5	2	4	1	2	5
(23)	Bronchopneumonia	22		1		3	2	3	1	1	2	4	3	2
25	Diarrhea and enteritis (under 2 years)	18	1	1	1	2	3	1	2	4	2		1	
(37)	Diarrhea and enteritis (2 years and over)	3					1		1	1				
(33)	Congenital debility [1]													
35	Violent deaths (excluding suicide)	43		3	4	8	2	3	9	3	2	4	4	1
36	Suicide	2	1							1				
	All other causes	331	29	23	32	37	29	27	21	24	16	28	29	36
	CLEVELAND, OHIO.													
	All causes	8,808	734	818	761	755	714	603	641	749	733	751	718	831
1	Typhoid fever	52	3	5	6	1	6	4	4	4	6	9	4	
3	Malaria													
5	Measles	72	1			8	23	15	10	5	5	2		3
6	Scarlet fever	73	1	5	3	3	7	3	1	2	3	3	20	22
7	Whooping cough	75	2	5	3	6	5	8	13	16	9	4	2	2
8	Diphtheria and croup	163	15	11	17	10	19	12	5	8	17	25	12	12
9	Influenza	73	3	22	12	5	3	1		1		4	1	21
13	Tuberculosis of the lungs	754	61	65	75	78	78	64	59	37	55	59	67	56
14–15	Other forms of tuberculosis	118	11	8	14	4	10	13	9	11	12	5	5	16
17	Meningitis	42	3	1	4	3	4	3		9	5	4	1	5
20–21	Bronchitis	178	24	30	20	18	12	12	6	14	3	10	11	18
22	Pneumonia	574	50	88	71	62	33	24	16	20	12	35	50	113
(23)	Bronchopneumonia	422	40	58	58	42	25	17	15	23	20	29	41	54
25	Diarrhea and enteritis (under 2 years)	680	29	43	29	32	23	24	80	159	132	78	35	16
(37)	Diarrhea and enteritis (2 years and over)	66	5	4	5	2	4	5	6	13	6	8	4	4
(33)	Congenital debility [1]	55	9	4	7	1	2	4	2	8	5	4	6	3
35	Violent deaths (excluding suicide)	626	52	40	34	55	50	59	51	59	63	58	60	45
36	Suicide	131	11	8	13	12	14	7	15	9	11	8	11	12
	All other causes	4,654	414	421	390	413	396	328	349	351	369	406	388	429
	COLUMBUS, OHIO (TOTAL).													
	All causes	2,945	255	260	306	242	236	204	232	206	241	241	256	266
1	Typhoid fever	28	1		1	1	3	1	1	1	4	6	6	3
3	Malaria													
5	Measles	14		2	7		3	2						
6	Scarlet fever	3			1		1		1					
7	Whooping cough	10	2	1	1			4	1				1	
8	Diphtheria and croup	23		1	3	1	3				1	8	5	1
9	Influenza	23	2	3	5	4	1	2				1	2	3
13	Tuberculosis of the lungs	277	20	29	35	24	26	22	31	19	21	13	18	19
14–15	Other forms of tuberculosis	56	2	2	7	1	7	7	6	5	6	6	5	2
17	Meningitis	14	2	2		1	3	1	1	1	2	1		
20–21	Bronchitis	19		1	4	1	1	1	1	1		3	2	4
22	Pneumonia	125	18	19	16	13	4	7	5	4	4	4	9	22
(23)	Bronchopneumonia	141	16	31	24	11	7	4	2	2	5	5	17	17
25	Diarrhea and enteritis (under 2 years)	47	2	2	1	1		4	11	8	5	8	3	2
(37)	Diarrhea and enteritis (2 years and over)	18	1	2	2			1	1	1	6	2		2
(33)	Congenital debility [1]	31	3	1	4	3	1	2	4	3	2	4	1	3
35	Violent deaths (excluding suicide)	169	12	11	12	10	8	14	14	14	28	15	19	12
36	Suicide	42	3	1	4	3	4	2	6	3	4	2	6	4
	All other causes	1,905	171	152	179	168	164	130	147	144	153	163	162	172
	COLUMBUS, OHIO (WHITE).													
	All causes	2,645	233	236	275	221	204	184	210	185	212	217	232	236
1	Typhoid fever	23			1	1	2	1	1	1	4	5	5	2
3	Malaria													
5	Measles	13		2	7		2	2						
6	Scarlet fever	3			1		1		1					
7	Whooping cough	9	1	1	1			4	1				1	
8	Diphtheria and croup	23		1	3	1	3				1	8	5	1
9	Influenza	23	2	3	5	4	1	2				1	2	3
13	Tuberculosis of the lungs	231	17	28	30	21	21	18	26	14	15	10	15	16
14–15	Other forms of tuberculosis	48	2	1	5	1	4	7	6	5	5	6	4	2
17	Meningitis	13	2	2		1	3	1	1	1	1	1		
20–21	Bronchitis	17		1	4	1	1		1	1		2	2	4
22	Pneumonia	112	18	19	13	11	4	7	4	4	3	3	8	18
(23)	Bronchopneumonia	124	14	26	21	11	6	3	2	2	5	5	16	13
25	Diarrhea and enteritis (under 2 years)	39	2	1	1			4	9	7	4	7	3	1
(37)	Diarrhea and enteritis (2 years and over)	18	1	2	2			1	1	1	6	2		2
(33)	Congenital debility [1]	26	2	1	4	3		2	3	3	1	3	1	3
35	Violent deaths (excluding suicide)	149	9	9	10	10	6	13	12	14	24	13	18	11
36	Suicide	42	3	1	4	3	4	2	6	3	4	2	6	4
	All other causes	1,732	160	138	163	153	146	117	136	129	139	149	146	156

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	COLUMBUS, OHIO (COLORED).													
	All causes	300	22	24	31	21	32	20	22	21	29	24	24	30
1	Typhoid fever	5	1				1					1	1	1
3	Malaria													
5	Measles	1					1							
6	Scarlet fever													
7	Whooping cough	1	1											
8	Diphtheria and croup													
9	Influenza													
13	Tuberculosis of the lungs	46	3	1	5	3	5	4	5	5	6	3	3	3
14–15	Other forms of tuberculosis	8		1	2		3				1		1	
17	Meningitis	1									1			
20–21	Bronchitis	2						1				1		
22	Pneumonia	13			3	2			1		1	1	1	4
(23)	Bronchopneumonia	17	2	5	3		1	1					1	4
25	Diarrhea and enteritis (under 2 years)	8		1		1			2	1	1	1		1
(37)	Diarrhea and enteritis (2 years and over)													
(33)	Congenital debility [1]	5	1				1		1		1	1		
35	Violent deaths (excluding suicide)	20	3	2	2		2	1	2		4	2	1	1
36	Suicide													
	All other causes	173	11	14	16	15	18	13	11	15	14	14	16	16
	DAYTON, OHIO.													
	All causes	1,709	182	173	163	162	131	127	109	106	115	122	142	177
1	Typhoid fever	22	1	1	2	4	2	1		1	3		2	5
3	Malaria	3			1	1			1					
5	Measles	3				2	1							
6	Scarlet fever	9	2		2	1							1	3
7	Whooping cough	9		1	2		1		2	1		1	1	
8	Diphtheria and croup	19	5	2						1		6	2	3
9	Influenza	18	2	4	4		2	1						5
13	Tuberculosis of the lungs	191	13	16	13	20	20	17	14	16	13	13	14	22
14–15	Other forms of tuberculosis	29	2	2	4	4			4	1	1	4	3	4
17	Meningitis	10	1	1		2	1	1					3	1
20–21	Bronchitis	18	4	3		2			1	1			4	3
22	Pneumonia	103	18	12	17	14	5	5	4	1	5	4	7	11
(23)	Bronchopneumonia	73	13	15	6	5	4	4		3	4	2	9	8
25	Diarrhea and enteritis (under 2 years)	31	2	2	4	2	2	1	1	5	4	4	1	3
(37)	Diarrhea and enteritis (2 years and over)	13	1	2	1	1	1	1	2	1	1			2
(33)	Congenital debility [1]	8			2	1			2			1	1	1
35	Violent deaths (excluding suicide)	91	6	9	1	9	7	14	7	5	8	6	9	10
36	Suicide	31	1	3	3	4	6	1	4	1	4	2		2
	All other causes	1,028	111	100	101	90	79	81	67	69	72	79	85	94
	TOLEDO, OHIO.													
	All causes	2,892	249	249	309	226	221	233	213	197	244	221	256	274
1	Typhoid fever	43	4		1	5	1	5	5	4	5	5	3	5
3	Malaria	2		1								1		
5	Measles	9	1		2			1				1		4
6	Scarlet fever	8	1		1		1			1		2	2	
7	Whooping cough	24		1	2	1	2	5	5	4	2	1		1
8	Diphtheria and croup	31	2	2	2	2	4	3	2	1	1	3	7	2
9	Influenza	32	1	7	9	7	1	1	1				2	3
13	Tuberculosis of the lungs	322	25	24	33	22	28	24	30	28	17	28	35	28
14–15	Other forms of tuberculosis	42	2	4	5	3	5	6	4	2	3		3	5
17	Meningitis	13	1		1		1	2		4		2	1	1
20–21	Bronchitis	34	4	3	6	2	2	1	1			5	4	6
22	Pneumonia	122	5	15	19	9	6	6	4	3	5	8	15	27
(23)	Bronchopneumonia	106	10	16	23	5	5	5	5	3	1	13	9	11
25	Diarrhea and enteritis (under 2 years)	107	2	6	4	5	2	9	9	24	22	10	6	8
(37)	Diarrhea and enteritis (2 years and over)	25	2	1	2		1	3	2	4	4	4	1	1
(33)	Congenital debility [1]	16	2	2	3	2		1		2	1	1	1	1
35	Violent deaths (excluding suicide)	197	16	10	14	16	21	19	15	14	23	18	15	16
36	Suicide	39	5	5	1	4	4	2	5	2	5	2	2	2
	All other causes	1,720	166	152	181	143	137	140	125	101	155	117	150	153
	PORTLAND, OREG.													
	All causes	2,281	220	194	181	183	210	188	163	176	182	187	180	217
1	Typhoid fever	14	1	3	1	1	1				1	2	2	2
3	Malaria	5				1			1	1		1		1
5	Measles	4			1		1	1			1			
6	Scarlet fever	1					1							
7	Whooping cough	3					1		1	1				
8	Diphtheria and croup	17	2		3	1	2			3	2	2	2	
9	Influenza	14	1	4	2		1	3				1		2
13	Tuberculosis of the lungs	183	17	13	11	11	20	17	14	8	22	13	19	18
14–15	Other forms of tuberculosis	50	5	5	5	6	1	4	2	5	6	5	3	3
17	Meningitis	20	3	1	1	1	2	2	1	3		1	2	3
20–21	Bronchitis	15	4	1	1	1		3	1	1	1		1	1
22	Pneumonia	103	14	12	14	6	6	13	4	1	6	5	5	17
(23)	Bronchopneumonia	45	10	10	2	3			4	3	2	1	5	5
25	Diarrhea and enteritis (under 2 years)	16	2	1		1	1	1	2	1	4	3		
(37)	Diarrhea and enteritis (2 years and over)	19	1	1	3	1		1		2		7	3	
(33)	Congenital debility [1]	27	2		2	1	3	2	4	3	3	2	1	4
35	Violent deaths (excluding suicide)	160	19	11	8	10	15	15	14	19	18	13	11	7
36	Suicide	56	2	5	6	7	7	5	2	5	2	5	6	4
	All other causes	1,529	137	127	121	132	148	121	113	120	114	126	120	150

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	PHILADELPHIA, PA. (TOTAL).													
	All causes	26,291	2,306	2,055	2,452	2,572	2,056	1,817	1,918	1,884	1,933	1,931	1,984	3,383
1	Typhoid fever	114	5	4	6	12	2	7	7	8	10	20	12	21
3	Malaria	3			1	1			1					
5	Measles	190	13	7	23	38	39	25	26	5	6	4	2	2
6	Scarlet fever	27	4	4	3	3	7	2	1			1	1	1
7	Whooping cough	43	2	2	1	3	5	3	6	2	5	3	3	8
8	Diphtheria and croup	320	37	37	23	31	27	23	15	6	19	20	33	49
9	Influenza	346	21	20	23	46	13	1	2	1		2	6	211
13	Tuberculosis of the lungs	2,767	248	233	261	278	242	198	226	218	202	206	206	249
14-15	Other forms of tuberculosis	365	28	26	36	52	33	33	40	20	24	26	16	31
17	Meningitis	78	6	7	6	5	1	2	10	12	9	8	3	9
20-21	Bronchitis	371	38	41	42	45	30	20	14	8	16	19	24	74
22	Pneumonia	1,635	150	151	196	262	85	62	29	26	33	59	106	476
(23)	Bronchopneumonia	1,228	144	96	135	167	100	64	42	43	49	57	82	249
25	Diarrhea and enteritis (under 2 years)	1,515	52	45	66	72	60	75	256	346	272	142	83	46
(37)	Diarrhea and enteritis (2 years and over)	186	10	14	9	9	10	17	22	32	29	11	10	13
(33)	Congenital debility [1]	242	16	15	13	18	16	11	19	31	33	28	25	17
35	Violent deaths (excluding suicide)	1,190	113	75	105	85	95	107	110	101	101	95	86	117
36	Suicide	280	25	23	36	22	18	29	22	21	23	22	20	19
	All other causes	15,391	1,394	1,255	1,467	1,423	1,273	1,138	1,070	1,004	1,102	1,208	1,266	1,791
	PHILADELPHIA, PA. (WHITE).													
	All causes	24,021	2,107	1,892	2,224	2,330	1,865	1,647	1,753	1,708	1,774	1,776	1,816	3,129
1	Typhoid fever	107	4	4	5	12	2	7	7	7	8	19	12	20
3	Malaria	3			1	1			1					
5	Measles	175	13	6	23	33	36	25	21	4	6	4	2	2
6	Scarlet fever	25	4	4	3	2	7	1	1			1	1	1
7	Whooping cough	31	2	2	1	1	2	2	6	2	4	2	1	6
8	Diphtheria and croup	308	34	35	23	31	26	22	14	5	19	19	31	49
9	Influenza	318	19	18	22	44	11	1	2	1		2	5	193
13	Tuberculosis of the lungs	2,328	215	196	218	232	208	170	191	181	167	176	167	207
14-15	Other forms of tuberculosis	306	24	23	32	40	29	30	32	14	20	20	16	26
17	Meningitis	75	6	7	4	5	1	2	10	11	9	8	3	9
20-21	Bronchitis	330	36	38	39	38	25	17	14	7	16	15	19	66
22	Pneumonia	1,470	130	140	165	232	72	56	23	24	30	56	99	443
(23)	Bronchopneumonia	1,097	132	85	116	148	92	56	39	39	43	48	73	226
25	Diarrhea and enteritis (under 2 years)	1,415	47	43	63	66	58	69	243	318	253	132	82	41
(37)	Diarrhea and enteritis (2 years and over)	168	8	12	9	8	8	14	20	29	27	11	10	12
(33)	Congenital debility [1]	212	13	13	12	16	13	9	15	27	29	27	22	16
35	Violent deaths (excluding suicide)	1,106	107	71	99	77	92	101	99	95	96	86	77	106
36	Suicide	273	24	22	35	22	18	29	22	20	23	21	20	17
	All other causes	14,274	1,289	1,173	1,354	1,322	1,165	1,036	993	924	1,024	1,129	1,176	1,689
	PHILADELPHIA, PA. (COLORED).													
	All causes	2,270	199	163	228	242	191	170	165	176	159	155	168	254
1	Typhoid fever	7	1		1					1	2	1		1
3	Malaria													
5	Measles	15		1		5	3		5	1				
6	Scarlet fever	2				1		1						
7	Whooping cough	12				2	3	1			1	1	2	2
8	Diphtheria and croup	12	3	2			1	1	1	1		1	2	
9	Influenza	28	2	2	1	2	2						1	18
13	Tuberculosis of the lungs	439	33	37	43	46	34	28	35	37	35	30	39	42
14-15	Other forms of tuberculosis	59	4	3	4	12	4	3	8	6	4	6		5
17	Meningitis	3			2					1				
20-21	Bronchitis	41	2	3	3	7	5	3		1		4	5	8
22	Pneumonia	165	20	11	31	30	13	6	6	2	3	3	7	33
(23)	Bronchopneumonia	131	12	11	19	19	8	8	3	4	6	9	9	23
25	Diarrhea and enteritis (under 2 years)	100	5	2	3	6	2	6	13	28	19	10	1	5
(37)	Diarrhea and enteritis (2 years and over)	18	2	2		1	2	3	2	3	2			1
(33)	Congenital debility [1]	30	3	2	1	2	3	2	4	4	4	1	3	1
35	Violent deaths (excluding suicide)	84	6	4	6	8	3	6	11	6	5	9	9	11
36	Suicide	7	1	1	1					1		1		2
	All other causes	1,117	105	82	113	101	108	102	77	80	78	79	90	102
	PITTSBURGH, PA. (TOTAL).													
	All causes	8,728	691	671	855	880	678	643	651	684	644	714	684	933
1	Typhoid fever	59	5	5	5	3	5	4	4	2	8	5	8	5
3	Malaria	3										2		1
5	Measles	74	5	7	5	11	5	7	9	2	4		8	11
6	Scarlet fever	55	8	6	5	10	5	5	6	1	2	2	2	3
7	Whooping cough	45	2			2	11	2	7	3	5	3	5	5
8	Diphtheria and croup	154	18	11	10	16	15	7	8	8	6	10	28	17
9	Influenza	60	4	2	11	16	6				1	3	3	14
13	Tuberculosis of the lungs	620	48	48	57	63	63	55	48	53	37	45	58	45
14-15	Other forms of tuberculosis	141	7	11	10	12	12	21	15	13	13	13	4	10
17	Meningitis	45	3	3	8	1	5		7	6	2	6	3	1
20-21	Bronchitis	141	26	13	17	20	9	7	3	7	5	8	10	16
22	Pneumonia	844	58	78	102	133	72	41	32	25	39	44	69	151
(23)	Bronchopneumonia	560	58	59	79	66	38	34	24	18	28	39	40	77
25	Diarrhea and enteritis (under 2 years)	558	24	22	20	22	22	27	87	138	80	55	31	30
(37)	Diarrhea and enteritis (2 years and over)	73	4	2	2	3	5	6	11	9	12	8	5	6
(33)	Congenital debility [1]	98	3	3	6	10	7	1	11	14	15	15	8	5
35	Violent deaths (excluding suicide)	628	42	43	54	46	51	56	56	57	44	65	46	68
36	Suicide	88	10	10	7	8	8	8	5	4	7	5	6	10
	All other causes	4,482	366	348	457	438	339	362	318	324	336	386	350	458

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	PITTSBURGH, PA. (WHITE).													
	All causes	8,197	653	633	787	830	628	608	613	638	609	675	647	876
1	Typhoid fever	54	5	5	4	2	4	4	4	2	7	5	7	5
3	Malaria	3										2		1
5	Measles	71	5	7	3	11	5	6	9	2	4		8	11
6	Scarlet fever	53	7	6	5	10	5	5	5	1	2	2	2	3
7	Whooping cough	42	2			2	10	2	7	2	5	3	4	5
8	Diphtheria and croup	150	18	11	10	16	15	7	7	6	6	10	28	16
9	Influenza	54	4	2	9	15	6				1	3	2	12
13	Tuberculosis of the lungs	546	42	45	52	55	52	46	46	46	31	40	51	40
14-15	Other forms of tuberculosis	129	5	10	9	12	10	20	14	11	12	12	4	10
17	Meningitis	43	3	3	8	1	5		7	6	2	4	3	1
20-21	Bronchitis	137	25	13	15	20	8	7	3	7	5	8	10	16
22	Pneumonia	775	54	71	96	120	69	35	29	19	37	42	63	140
(23)	Bronchopneumonia	527	55	52	73	65	35	34	22	16	26	38	37	74
25	Diarrhea and enteritis (under 2 years)	534	23	20	20	20	18	26	83	137	76	54	27	30
(37)	Diarrhea and enteritis (2 years and over)	66	4	2	1	3	4	5	10	7	11	8	5	6
(33)	Congenital debility [1]	88	3	3	4	10	7	1	10	13	14	12	7	4
35	Violent deaths (excluding suicide)	597	41	42	47	44	47	53	52	54	40	64	46	67
36	Suicide	87	10	9	7	8	8	8	5	4	7	5	6	10
	All other causes	4,241	347	332	424	416	320	349	300	305	323	363	337	425
	PITTSBURGH, PA. (COLORED).													
	All causes	531	38	38	68	50	50	35	38	46	35	39	37	57
1	Typhoid fever	5			1	1	1				1		1	
3	Malaria													
5	Measles	3			2			1						
6	Scarlet fever	2	1						1					
7	Whooping cough	3					1			1			1	
8	Diphtheria and croup	4							1	2				1
9	Influenza	6			2	1							1	2
13	Tuberculosis of the lungs	74	6	3	5	8	11	9	2	7	6	5	7	5
14-15	Other forms of tuberculosis	12	2	1	1		2	1	1	2	1	1		
17	Meningitis	2										2		
20-21	Bronchitis	4	1		2		1							
22	Pneumonia	69	4	7	6	13	3	6	3	6	2	2	6	11
(23)	Bronchopneumonia	33	3	7	6	1	3		2	2	2	1	3	3
25	Diarrhea and enteritis (under 2 years)	24	1	2		2	4	1	4	1	4	1	4	
(37)	Diarrhea and enteritis (2 years and over)	7			1		1	1	1	2	1			
(33)	Congenital debility [1]	10			2				1	1	1	3	1	1
35	Violent deaths (excluding suicide)	31	1	1	7	2	4	3	4	3	4	1		1
36	Suicide	1		1										
	All other causes	241	19	16	33	22	19	13	18	19	13	23	13	33
	SCRANTON, PA.													
	All causes	2,114	202	174	205	206	155	138	191	189	173	171	149	161
1	Typhoid fever	18	2	1	2		1	1		1	3	3	2	2
3	Malaria													
5	Measles	8		1		2		1	1		3			
6	Scarlet fever	4		1						1			1	1
7	Whooping cough	5	1	2		1	1							
8	Diphtheria and croup	40	3	6	2	6	1	1	1	1	3	5	7	4
9	Influenza	13	3	1	3		2	1						3
13	Tuberculosis of the lungs	104	10	9	9	12	9	13	5	6	8	7	11	5
14-15	Other forms of tuberculosis	30	3		7	6	1	3	1	3	1	2	1	2
17	Meningitis	11		1	1	2			4	2			1	
20-21	Bronchitis	44	11	3	8	2	5	1	5	3	1	3	2	
22	Pneumonia	160	17	14	17	33	16	9	11	5	11	4	6	17
(23)	Bronchopneumonia	127	24	14	15	19	9	5	5	7	7	9	7	6
25	Diarrhea and enteritis (under 2 years)	197	8	6	4	2	3	13	51	35	40	20	8	7
(37)	Diarrhea and enteritis (2 years and over)	22	1	1	1	1	3	1	3	7	2			2
(33)	Congenital debility [1]	25	1	5	5		3	2	1	2	1	4		1
35	Violent deaths (excluding suicide)	188	13	14	17	12	17	20	16	19	16	19	16	9
36	Suicide	24	2	5	1	2		4		2	2	3	2	1
	All other causes	1,094	103	90	113	106	84	63	87	95	75	92	85	101
	PROVIDENCE, R. I.													
	All causes	3,660	325	312	424	379	282	240	253	331	258	272	287	297
1	Typhoid fever	20	2	1			1		2	6	3	3	2	
3	Malaria													
5	Measles	23	3	4	3	1	4		1	1		3	3	
6	Scarlet fever	19	1	2	7	1	4	1	1		1		1	
7	Whooping cough	40	2	2	6	3	3	2	7	3	4	3	2	3
8	Diphtheria and croup	55	7	3	3	4	5	3		4	3	6	10	7
9	Influenza	26	3	6	1	6	3	1	2					4
13	Tuberculosis of the lungs	314	23	27	39	28	18	18	20	36	30	28	31	16
14-15	Other forms of tuberculosis	80	5	7	11	10	8	10	6	6	5	4	4	4
17	Meningitis	31	3	4	4	4	1	6	3		2	1	2	1
20-21	Bronchitis	41	5	6	9	6	3		2	1	2		3	4
22	Pneumonia	274	25	26	50	65	14	10	12	2	9	12	19	30
(23)	Bronchopneumonia	143	22	15	33	20	13	9	3	3	2	3	8	12
25	Diarrhea and enteritis (under 2 years)	148	12	3	8	5	10	6	17	46	23	9	5	4
(37)	Diarrhea and enteritis (2 years and over)	29	2	3	3	2	1		2	7	4	2		3
(33)	Congenital debility [1]	84	4	5	3	7	4	2	8	11	15	13	5	7
35	Violent deaths (excluding suicide)	191	16	15	22	14	9	16	15	13	10	26	20	15
36	Suicide	39	2	3	3	2		4	2	7	4	4	3	5
	All other causes	2,103	188	180	219	201	181	152	150	185	141	155	169	182

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	MEMPHIS, TENN. (TOTAL).													
	All causes	2,895	294	234	297	244	218	212	252	199	234	250	216	245
1	Typhoid fever	39	5	3		5	1		5	5	4	4	5	2
3	Malaria	108	2	1		5	2	7	16	16	25	18	13	3
5	Measles	4			1	3								
6	Scarlet fever	7		1		2	1		1	1				1
7	Whooping cough	1					1							
8	Diphtheria and croup	19	1	2	1	1			3		3	3	5	
9	Influenza	54	8	9	6	3	2		4	3			2	17
13	Tuberculosis of the lungs	383	40	40	45	32	38	25	26	26	26	36	26	23
14–15	Other forms of tuberculosis	42	4	3	6	2	1	6	7	1	2	3	4	3
17	Meningitis	5					3	1		1				
20–21	Bronchitis	15	2	2	2	3			1		1	1	2	1
22	Pneumonia	132	22	15	13	21	7	1	4	1	3	8	4	33
(23)	Bronchopneumonia	68	11	10	9	5	4	3		4	1	3	4	14
25	Diarrhea and enteritis (under 2 years)	53	3	1	4	5	3	2	6	5	5	9	6	4
(37)	Diarrhea and enteritis (2 years and over)	42	2	3	3	4	3	3	7	1	5	6	4	1
(33)	Congenital debility [1]	29	2	2	2	2		4	6	4	3	1	2	1
35	Violent deaths (excluding suicide)	236	28	16	25	22	16	23	19	23	16	19	13	16
36	Suicide	36	7	3	2	1	4	5	2	2	3	3	4	
	All other causes	1,622	157	123	178	128	132	132	145	106	137	136	122	126
	MEMPHIS, TENN. (WHITE).													
	All causes	1,286	132	105	128	104	89	93	119	80	103	118	104	111
1	Typhoid fever	22	4	1		3	1		1	3	2	1	4	2
3	Malaria	34				1	1	1	6	4	11	7	3	
5	Measles	3			1	2								
6	Scarlet fever	6		1		2	1			1				1
7	Whooping cough													
8	Diphtheria and croup	15	1	1		1			3		3	3	3	
9	Influenza	18	2	3	2		1							10
13	Tuberculosis of the lungs	105	15	10	14	10	11	7	8	4	4	9	8	5
14–15	Other forms of tuberculosis	20	3		2	1	1	2	4		1	2	3	1
17	Meningitis	2					1	1						
20–21	Bronchitis	7	2	1		1					1	1	1	
22	Pneumonia	48	5	5	6	10	2		3			1	1	15
(23)	Bronchopneumonia	32	6	5	7	2	2	1		1		3	2	3
25	Diarrhea and enteritis (under 2 years)	30	3	1	4	2	1	1	5	1	1	4	4	3
(37)	Diarrhea and enteritis (2 years and over)	27	2	2	2	3	1	2	4		3	3	4	1
(33)	Congenital debility [1]	20	2	1		2		1	5	4	3	1	1	
35	Violent deaths (excluding suicide)	85	13	9	11	4	4	7	10	5	11	4	4	3
36	Suicide	32	7	3	2	1	4	4	1	1	3	2	4	
	All other causes	780	67	62	77	59	58	66	69	56	60	77	62	67
	MEMPHIS, TENN. (COLORED).													
	All causes	1,609	162	129	169	140	129	119	133	119	131	132	112	134
1	Typhoid fever	17	1	2		2			4	2	2	3	1	
3	Malaria	74	2	1		4	1	6	10	12	14	11	10	3
5	Measles	1				1								
6	Scarlet fever	1							1					
7	Whooping cough	1					1							
8	Diphtheria and croup	4		1	1								2	
9	Influenza	36	6	6	4	3	1		4	3			2	7
13	Tuberculosis of the lungs	278	25	30	31	22	27	18	18	22	22	27	18	18
14–15	Other forms of tuberculosis	22	1	3	4	1		4	3	1	1	1	1	2
17	Meningitis	3					2			1				
20–21	Bronchitis	8		1	2	2			1				1	1
22	Pneumonia	84	17	10	7	11	5	1	1	1	3	7	3	18
(23)	Bronchopneumonia	36	5	5	2	3	2	2		3	1		2	11
25	Diarrhea and enteritis (under 2 years)	23				3	2	1	1	4	4	5	2	1
(37)	Diarrhea and enteritis (2 years and over)	15		1	1	1	2	1	3	1	2	3		
(33)	Congenital debility [1]	9		1	2			3	1				1	1
35	Violent deaths (excluding suicide)	151	15	7	14	18	12	16	9	18	5	15	9	13
36	Suicide	4						1	1	1		1		
	All other causes	842	90	61	101	69	74	66	76	50	77	59	60	59
	NASHVILLE, TENN. (TOTAL).													
	All causes	1,997	181	161	197	162	140	165	190	148	156	180	139	178
1	Typhoid fever	43	3	3	1	1	2	3	6	5	6	5	4	4
3	Malaria	7				3	1				1		2	
5	Measles	1						1						
6	Scarlet fever	2	1											1
7	Whooping cough	3				1		1				1		
8	Diphtheria and croup	10		1					1	2	1	1	2	2
9	Influenza	29	5	9	5	1		1	1				2	5
13	Tuberculosis of the lungs	234	16	19	32	26	19	27	17	10	22	20	14	12
14–15	Other forms of tuberculosis	43	4	6	3	3		3	8	2	6	3	4	1
17	Meningitis	7				2			1	2			1	1
20–21	Bronchitis	12	3	1	2	1	1	1					2	1
22	Pneumonia	124	14	18	24	9	4	5	4	2	5	11	10	18
(23)	Bronchopneumonia	53	16	6	5	4	4		1	1	3	4	3	6
25	Diarrhea and enteritis (under 2 years)	70	3	2		5		12	15	11	8	9	2	3
(37)	Diarrhea and enteritis (2 years and over)	31	4	2	2	2		5	7	3	1	3	2	
(33)	Congenital debility [1]	34		1	2		1	3	1	5	5	9	5	2
35	Violent deaths (excluding suicide)	95	6	6	9	5	2	6	14	11	8	8	1	19
36	Suicide	16		1		3	2		4	1	1	1	2	1
	All other causes	1,183	106	86	112	96	104	97	110	93	89	105	83	102

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	NASHVILLE, TENN. (WHITE).													
	All causes	1,117	104	88	100	83	84	86	110	89	95	105	76	97
1	Typhoid fever	20	2	2				1	3	3	5	2	2	
3	Malaria	2				1							1	
5	Measles	1						1						
6	Scarlet fever	2	1											1
7	Whooping cough	3				1		1				1		
8	Diphtheria and croup	7		1							1	1	2	2
9	Influenza	15	3	6		1		1					1	3
13	Tuberculosis of the lungs	89	8	6	13	11	9	9	7	2	7	7	6	4
14–15	Other forms of tuberculosis	20	2	2	2	1		2	3	2	2	1	3	
17	Meningitis	7				2			1	2			1	1
20–21	Bronchitis	7	1		1	1		1					2	1
22	Pneumonia	61	8	7	17	4	2	1	2	2	3	3	3	9
(23)	Bronchopneumonia	26	6	4	1	3	2			1	2	2	2	3
25	Diarrhea and enteritis (under 2 years)	45	3	1		1		5	13	8	4	6	1	3
(37)	Diarrhea and enteritis (2 years and over)	25	3	1	1	1		5	6	3	1	2	2	
(33)	Congenital debility [1]	25		1	1		1	2	1	5	3	7	4	
35	Violent deaths (excluding suicide)	52	6	2	5	2		4	5	6	7	4	1	10
36	Suicide	13		1		3	2		3		1	1	2	
	All other causes	697	61	54	59	51	68	53	66	55	59	68	43	60
	NASHVILLE, TENN. (COLORED).													
	All causes	880	77	73	97	79	56	79	80	59	61	75	63	81
1	Typhoid fever	23	1	1	1	1	2	2	3	2	1	3	2	4
3	Malaria	5				2	1				1		1	
5	Measles													
6	Scarlet fever													
7	Whooping cough													
8	Diphtheria and croup	3							1	2				
9	Influenza	14	2	3	5				1				1	2
13	Tuberculosis of the lungs	145	8	13	19	15	10	18	10	8	15	13	8	8
14–15	Other forms of tuberculosis	23	2	4	1	2		1	5		4	2	1	1
17	Meningitis													
20–21	Bronchitis	5	2	1	1		1							
22	Pneumonia	63	6	11	7	5	2	4	2		2	8	7	9
(23)	Bronchopneumonia	27	10	2	4	1	2		1		1	2	1	3
25	Diarrhea and enteritis (under 2 years)	25		1		4		7	2	3	4	3	1	
(37)	Diarrhea and enteritis (2 years and over)	6	1	1	1	1			1			1		
(33)	Congenital debility [1]	9			1			1			2	2	1	2
35	Violent deaths (excluding suicide)	43		4	4	3	2	2	9	5	1	4		9
36	Suicide	3							1	1				1
	All other causes	486	45	32	53	45	36	44	44	38	30	37	40	42
	RICHMOND, VA. (TOTAL).													
	All causes	2,921	281	263	283	272	235	231	230	203	214	254	198	257
1	Typhoid fever	19							5	3	5	5		1
3	Malaria													
5	Measles													
6	Scarlet fever	1					1							
7	Whooping cough	10	1		2	2				3	1			1
8	Diphtheria and croup	6	1			1						2	2	
9	Influenza	26	2	5	9	5						1		4
13	Tuberculosis of the lungs	271	20	22	30	23	25	21	24	19	20	17	24	26
14–15	Other forms of tuberculosis	56	8	6	3	3	4	3	4	7	2	6	5	5
17	Meningitis	17	3	1		1	2	1	3	2		2		2
20–21	Bronchitis	39	5	6	9	6	3	3		2	1	1	2	1
22	Pneumonia	198	21	26	36	31	15	4	4	3	3	7	14	34
(23)	Bronchopneumonia	111	25	15	4	14	2	9	5	2	5	6	7	17
25	Diarrhea and enteritis (under 2 years)	104		2	4	1	6	21	28	18	12	8	3	1
(37)	Diarrhea and enteritis (2 years and over)	33	2	1	2	3	5	2	5	5	3	5		
(33)	Congenital debility [1]	66	3	2	8	6	2	5	10	6	8	7	7	2
35	Violent deaths (excluding suicide)	184	14	17	10	17	11	11	17	20	21	20	10	16
36	Suicide	18	3	1	1	1	1	4	3	3				1
	All other causes	1,762	173	159	165	158	158	147	122	110	133	167	124	146
	RICHMOND, VA. (WHITE).													
	All causes	1,574	135	148	163	160	133	108	117	106	107	147	107	143
1	Typhoid fever	6								1	4	1		
3	Malaria													
5	Measles													
6	Scarlet fever	1					1							
7	Whooping cough													
8	Diphtheria and croup	5	1			1						1	2	
9	Influenza	15		3	4	4								4
13	Tuberculosis of the lungs	109	8	11	12	10	8	7	11	6	7	6	9	14
14–15	Other forms of tuberculosis	29	4	4	1	1	3	1	2	4	1	2	4	2
17	Meningitis	12	2	1		1	1		2	2		2		1
20–21	Bronchitis	14	2	1	3	2	1	1		1	1		1	1
22	Pneumonia	85	14	9	17	12	8	2		2		3	4	14
(23)	Bronchopneumonia	40	10	4	2	8	1		1			3	2	9
25	Diarrhea and enteritis (under 2 years)	54		1	4		3	8	15	10	5	5	2	1
(37)	Diarrhea and enteritis (2 years and over)	26	2	1	2	3	4	2	3	4	2	3		
(33)	Congenital debility [1]	29	1	1	3	3	2	2	2	3	3	5	3	1
35	Violent deaths (excluding suicide)	94	4	7	5	11	9	3	11	10	7	15	6	6
36	Suicide	15	3	1	1	1	1	4	1	3				
	All other causes	1,040	84	104	109	103	91	78	69	60	77	101	74	90

[1] Excluding premature birth.

TABLE 10.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.													
	RICHMOND, VA. (COLORED).													
	All causes	1,347	146	115	120	112	102	123	113	97	107	107	91	114
1	Typhoid fever	13							5	2	1	4		1
3	Malaria													
5	Measles													
6	Scarlet fever													
7	Whooping cough	10	1		2	2				3	1			1
8	Diphtheria and croup	1										1		
9	Influenza	11	2	2	5	1						1		
13	Tuberculosis of the lungs	162	12	11	18	13	17	14	13	13	13	11	15	12
14–15	Other forms of tuberculosis	27	4	2	2	2	1	2	2	3	1	4	1	3
17	Meningitis	5	1				1	1	1					1
20–21	Bronchitis	25	3	5	6	4	2	2		1		1	1	
22	Pneumonia	113	7	17	19	19	7	2	4	1	3	4	10	20
(23)	Bronchopneumonia	71	15	11	2	6	1	9	4	2	5	3	5	8
25	Diarrhea and enteritis (under 2 years)	50		1		1	3	13	13	8	7	3	1	
(37)	Diarrhea and enteritis (2 years and over)	7					1		2	1	1	2		
(33)	Congenital debility[1]	37	2	1	5	3		3	8	3	5	2	4	1
35	Violent deaths (excluding suicide)	90	10	10	5	6	2	8	6	10	14	5	4	10
36	Suicide	3							2					1
	All other causes	722	89	55	56	55	67	69	53	50	56	66	50	56
	SEATTLE, WASH.													
	All causes	2,464	231	248	231	216	206	175	206	180	154	173	202	242
1	Typhoid fever	8	1				2	1	1		1	2		
3	Malaria													
5	Measles													
6	Scarlet fever	1			1									
7	Whooping cough	5			2				1	1				1
8	Diphtheria and croup	2	1				1							
9	Influenza	21	3	2	4	3	1			1		2	1	4
13	Tuberculosis of the lungs	162	20	22	15	14	9	14	15	14	10	9	11	9
14–15	Other forms of tuberculosis	51	5	6	2	6	7	5	4	4	4		3	5
17	Meningitis	17	1	2	1	1	2	2	2	2	1			3
20–21	Bronchitis	10	3	2		1	2			1				1
22	Pneumonia	140	30	17	11	12	12	3	4	1	7	5	11	27
(23)	Bronchopneumonia	48	6	6	10	7	3	4	1	1	1	3	4	2
25	Diarrhea and enteritis (under 2 years)	25	3	1	2	1	4	2	2	2	4		3	1
(37)	Diarrhea and enteritis (2 years and over)	16	1	1	2	1	1	1	1	3		3	1	1
(33)	Congenital debility[1]	22	3	2	2	3	2	2	3				2	3
35	Violent deaths (excluding suicide)	206	22	17	14	14	27	15	24	16	7	6	21	23
36	Suicide	99	7	11	13	11	7	7	9	7	4	6	8	9
	All other causes	1,631	125	159	152	142	126	119	139	127	115	137	137	153
	SPOKANE, WASH.													
	All causes	1,165	77	92	130	99	97	93	89	83	90	100	99	116
1	Typhoid fever	14		2	1	1	1	1	2	2	4			
3	Malaria													
5	Measles													
6	Scarlet fever	3										1	1	1
7	Whooping cough	15	1		1		5	3		1	1	1		2
8	Diphtheria and croup	8				1		1				4		2
9	Influenza	18		1	4	1	2		1				5	4
13	Tuberculosis of the lungs	73	7	7	8	5	7	7	4	4	7	6	6	5
14–15	Other forms of tuberculosis	16		1	4	2			2	2	2	1	1	1
17	Meningitis	4	1	1	1								1	
20–21	Bronchitis	9	2			1	1		1			1	1	2
22	Pneumonia	48	5	1	7	2	2	3	1	1	4	5	8	9
(23)	Bronchopneumonia	30	2	9	5	2	2	1		1		4	3	1
25	Diarrhea and enteritis (under 2 years)	19	2	2	2	3	2	1	1	1	3	1		1
(37)	Diarrhea and enteritis (2 years and over)	15	2			2	1	1	1	1	4	1	1	1
(33)	Congenital debility[1]	10	2		2		1			1	1	2	1	
35	Violent deaths (excluding suicide)	104	7	5	10	10	2	8	9	15	10	9	10	9
36	Suicide	30		1	5	7	5	1	1	4		3	1	2
	All other causes	749	46	62	80	62	66	66	66	50	54	61	60	76
	MILWAUKEE, WIS.													
	All causes	4,901	425	450	584	444	412	309	343	291	336	384	376	547
1	Typhoid fever	22	1	1	6	4		2	1		2	2	2	1
3	Malaria													
5	Measles	18		2	1			2	3	2		2	2	4
6	Scarlet fever	30	11	2	2	2	3	2	2	1		1		4
7	Whooping cough	53	3	1	7	3	6	3	5	7	6	2	3	7
8	Diphtheria and croup	99	12	12	8	5	10	2	3	3	7	10	10	17
9	Influenza	70	1	8	15	7	4	2	1			2	2	28
13	Tuberculosis of the lungs	358	36	25	35	42	39	34	30	17	17	31	21	31
14–15	Other forms of tuberculosis	54	6	4	5	3	8	7	2	4	1	4	4	6
17	Meningitis	35	3	1		3	5	2	5	1	5	5	3	2
20–21	Bronchitis	140	17	15	28	9	9	6	8	4	5	4	15	20
22	Pneumonia	373	30	49	56	31	13	13	17	9	9	23	36	37
(23)	Bronchopneumonia	230	23	31	50	23	14	5	7	6	14	17	14	26
25	Diarrhea and enteritis (under 2 years)	246	16	25	33	24	11	16	7	18	37	26	13	20
(37)	Diarrhea and enteritis (2 years and over)	33	2	5		2	1	2	4	5	7		2	3
(33)	Congenital debility[1]	96	9	3	8	9	6	7	9	7	6	15	8	9
35	Violent deaths (excluding suicide)	216	22	12	11	20	24	14	24	14	15	20	18	22
36	Suicide	71	3	5	9	6	7	10	6	4	8	6	2	5
	All other causes	2,757	230	249	310	251	252	180	209	189	197	214	221	255

[1] Excluding premature birth.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	SUMMARY.															
	THE REGISTRATION AREA.															
	All causes	148,561	23,863	7,626	5,445	10,508	47,442	9,564	6,903	5,475	69,384	13,390	10,773	23,945	17,552	13,517
5	Measles	965	3	.....	.....	2	5	13	8	9	35	37	31	153	270	439
6	Scarlet fever	146	1	1	1	2	5	2	5	4	16	5	5	26	40	54
7	Whooping cough	3,119	.....	3	4	1	8	29	78	138	253	469	391	757	646	603
8	Diphtheria and croup	869	4	3	5	11	23	23	27	17	90	64	49	145	217	304
9	Influenza	982	2	3	4	14	23	50	64	57	194	143	106	222	185	132
(12)	Dysentery	491	3	1	.....	8	12	13	15	14	54	46	36	116	138	101
(12)	Erysipelas	750	3	3	2	4	12	31	74	77	194	178	71	157	106	44
(37)	Tetanus	299	1	3	9	97	110	144	24	2	280	4	2	5	6	2
13	Tuberculosis of the lungs	851	3	2	6	11	22	7	17	14	60	52	69	226	230	214
14	Tuberculous meningitis	1,194	.....	.....	1	8	9	11	8	4	32	37	64	279	383	399
15	Other forms of tuberculosis	421	.....	1	.....	4	5	9	9	12	35	40	48	116	99	83
(37)	Syphilis	2,022	170	55	53	92	370	170	149	101	790	355	279	372	136	90
17	Meningitis	1,444	3	8	14	62	87	68	50	37	242	107	111	342	336	306
(37)	Convulsions	2,301	102	122	160	399	783	243	166	108	1,300	224	174	283	197	123
19	Organic diseases of the heart	590	10	10	21	65	106	55	43	38	242	67	73	87	64	57
20	Acute bronchitis	3,401	11	22	27	97	157	243	265	231	896	537	346	785	495	342
22	Pneumonia	6,581	25	39	58	183	305	336	314	244	1,199	776	603	1,524	1,331	1,148
(23)	Bronchopneumonia	13,904	21	76	101	369	567	640	648	641	2,496	1,734	1,343	3,271	2,748	2,312
24	Diseases of the stomach	2,193	9	18	23	100	150	146	172	131	599	358	333	515	242	146
25	Diarrhea and enteritis	32,201	17	44	86	496	643	937	1,064	1,127	3,771	3,511	3,671	9,535	6,955	4,758
(33)	Malformations	9,317	2,090	1,029	853	1,451	5,423	983	536	414	7,356	610	348	553	288	162
(33)	Premature birth	29,027	14,724	3,728	2,037	2,945	23,434	2,421	1,287	694	27,836	732	224	174	50	11
(33,37)	Congenital debility	16,824	2,836	1,145	922	2,066	6,969	1,654	1,076	753	10,452	1,848	1,359	2,057	760	348
(37)	Injuries at birth	5,914	2,992	874	618	924	5,408	317	111	32	5,868	36	10	.....	.....	.....
35	External causes	1,727	156	69	52	100	377	72	51	66	566	208	155	328	225	245
38	Diseases ill-defined or unknown	2,943	505	220	171	320	1,216	270	166	123	1,775	307	223	365	157	116
	All other causes	8,085	172	147	217	677	1,213	677	476	387	2,753	905	649	1,552	1,248	978
	REGISTRATION STATES.[1]															
	All causes	136,041	22,353	6,931	4,974	9,628	43,886	8,743	6,363	5,038	64,030	12,300	9,847	21,725	15,935	12,206
5	Measles	868	3	.....	.....	2	5	13	6	9	33	36	30	143	234	392
6	Scarlet fever	138	1	1	1	2	5	2	5	4	16	5	5	26	38	48
7	Whooping cough	2,973	.....	3	4	1	8	28	77	137	250	446	375	716	607	579
8	Diphtheria and croup	806	4	3	5	9	21	21	25	16	83	61	44	136	203	279
9	Influenza	929	1	3	4	13	21	48	60	53	182	141	104	211	170	121
(12)	Dysentery	448	3	1	.....	8	12	12	15	14	53	43	33	108	123	88
(12)	Erysipelas	705	3	3	2	4	12	26	70	75	183	170	65	149	97	41
(37)	Tetanus	199	1	2	5	64	72	87	20	2	181	4	2	5	5	2
13	Tuberculosis of the lungs	767	3	1	5	8	17	7	16	10	50	52	61	200	207	197
14	Tuberculous meningitis	1,108	.....	.....	1	8	9	11	8	4	32	35	61	262	352	366
15	Other forms of tuberculosis	350	.....	1	.....	3	4	8	5	6	23	29	34	96	90	78
(37)	Syphilis	1,711	150	49	43	82	324	149	133	87	693	296	232	304	112	74
17	Meningitis	1,365	3	6	14	61	84	64	49	37	234	103	106	320	316	286
(37)	Convulsions	2,169	93	114	146	377	730	220	160	104	1,214	217	163	271	186	118
19	Organic diseases of the heart	549	9	9	19	61	98	52	41	36	227	61	67	81	62	51
20	Acute bronchitis	3,162	8	19	26	94	147	222	247	217	833	512	323	710	466	318
22	Pneumonia	6,149	21	32	51	161	265	323	298	234	1,120	731	557	1,427	1,243	1,071
(23)	Bronchopneumonia	12,643	17	65	94	331	507	573	594	592	2,266	1,584	1,237	2,937	2,503	2,116
24	Diseases of the stomach	2,091	8	17	22	95	142	144	170	123	579	339	309	494	229	141
25	Diarrhea and enteritis	28,332	15	39	76	420	550	792	903	977	3,222	3,110	3,257	8,416	6,184	4,143
(33)	Malformations	8,690	1,970	943	793	1,358	5,064	928	497	390	6,879	557	323	514	270	147
(33)	Premature birth	27,011	13,857	3,421	1,858	2,698	21,834	2,241	1,206	638	25,919	674	207	160	45	6
(33,37)	Congenital debility	15,653	2,619	1,014	838	1,898	6,369	1,530	1,004	709	9,612	1,748	1,292	1,975	706	320
(37)	Injuries at birth	5,428	2,772	786	557	841	4,956	294	105	30	5,385	34	9	.....	.....	.....
35	External causes	1,606	150	64	46	96	356	66	49	63	534	192	145	300	208	227
38	Diseases ill-defined or unknown	2,741	481	203	161	305	1,150	250	156	113	1,669	288	206	342	131	105
	All other causes	7,450	161	132	203	628	1,124	632	444	358	2,558	832	600	1,422	1,146	892
	CITIES IN REGISTRATION STATES.[1]															
	All causes	74,437	11,333	3,670	2,628	4,903	22,534	4,255	3,246	2,611	32,646	6,521	5,486	12,606	9,644	7,534
5	Measles	591	.....	.....	.....	.....	.....	5	2	4	11	20	13	85	169	293
6	Scarlet fever	69	.....	.....	.....	1	1	.....	1	1	3	2	1	14	21	28
7	Whooping cough	1,363	.....	2	1	.....	3	9	17	45	74	175	154	331	325	304
8	Diphtheria and croup	434	1	1	1	1	4	3	10	7	24	17	18	68	130	177
9	Influenza	317	.....	.....	1	3	4	11	11	15	41	36	30	81	72	57
(12)	Dysentery	184	1	1	.....	4	6	5	4	7	22	15	14	40	66	27
(12)	Erysipelas	429	1	.....	.....	2	3	15	47	48	113	110	44	91	51	20
(37)	Tetanus	99	.....	1	3	33	37	42	9	1	89	2	2	2	3	1
13	Tuberculosis of the lungs	409	1	.....	2	2	5	3	5	6	19	26	36	109	102	117
14	Tuberculous meningitis	732	.....	.....	1	2	3	8	3	1	15	17	34	164	255	247
15	Other forms of tuberculosis	193	.....	.....	.....	1	1	2	3	2	8	10	18	54	53	50
(37)	Syphilis	1,301	116	40	31	56	243	112	107	68	530	219	176	237	84	55
17	Meningitis	617	1	.....	7	23	31	25	16	11	83	35	34	159	163	143
(37)	Convulsions	942	30	52	56	157	295	81	74	43	493	97	74	129	86	63
19	Organic diseases of the heart	261	2	3	9	28	42	21	23	8	94	32	31	38	36	30
20	Acute bronchitis	1,823	4	7	17	52	80	110	137	127	454	279	180	421	279	210
22	Pneumonia	3,046	6	15	23	80	124	122	105	81	432	288	271	719	672	664
(23)	Bronchopneumonia	7,776	9	42	56	195	302	292	329	319	1,242	826	726	1,820	1,690	1,472
24	Diseases of the stomach	827	3	3	10	31	47	47	75	55	224	133	118	206	90	56
25	Diarrhea and enteritis	17,638	6	22	50	196	274	440	537	588	1,839	1,934	2,025	5,314	3,941	2,585
(33)	Malformations	4,504	970	483	420	698	2,571	472	228	199	3,470	316	179	296	158	85
(33)	Premature birth	14,309	6,971	1,925	1,062	1,467	11,425	1,158	699	362	13,644	409	129	100	23	4
(33,37)	Congenital debility	8,314	1,353	494	417	933	3,197	733	479	368	4,777	990	751	1,173	429	194
(37)	Injuries at birth	3,171	1,625	443	314	501	2,883	184	61	21	3,149	18	4	.....	.....	.....
35	External causes	736	80	30	23	40	173	26	20	24	243	84	67	132	100	110
38	Diseases ill-defined or unknown	392	68	31	18	35	152	21	26	19	218	36	43	60	19	16
	All other causes	3,960	85	75	106	362	628	308	218	181	1,335	395	314	763	627	526

[1] Includes District of Columbia.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	SUMMARY—Continued.															
	RURAL PART OF REGISTRATION STATES.															
	All causes	61,604	11,020	3,261	2,346	4,725	21,352	4,488	3,117	2,427	31,384	5,779	4,361	9,119	6,289	4,672
5	Measles	277	3			2	5	8	4	5	22	16	17	58	65	99
6	Scarlet fever	69	1	1	1	1	4	2	4	3	13	3	4	12	17	20
7	Whooping cough	1,610		1	3	1	5	19	60	92	176	271	221	385	282	275
8	Diphtheria and croup	372	3	2	4	8	17	18	15	9	59	44	26	68	73	102
9	Influenza	612	1	3	3	10	17	37	49	38	141	105	74	130	98	64
(12)	Dysentery	264	2			4	6	7	11	7	31	28	19	68	57	61
(12)	Erysipelas	276	2	3	2	2	9	11	23	27	70	60	21	58	46	21
(37)	Tetanus	100	1	1	2	31	35	45	11	1	92	2		3	2	1
13	Tuberculosis of the lungs	358	2	1	3	6	12	4	11	4	31	26	25	91	105	80
14	Tuberculous meningitis	376				6	6	3	5	3	17	18	27	98	97	119
15	Other forms of tuberculosis	157		1		2	3	6	2	4	15	19	16	42	37	28
(37)	Syphilis	410	34	9	12	26	81	37	26	19	163	77	56	67	28	19
17	Meningitis	748	2	6	7	38	53	39	33	26	151	68	72	161	153	143
(37)	Convulsions	1,227	63	62	90	220	435	139	86	61	721	120	89	142	100	55
19	Organic diseases of the heart	288	7	6	10	33	56	31	18	28	133	29	36	43	26	21
20	Acute bronchitis	1,339	4	12	9	42	67	112	110	90	379	233	143	289	187	108
22	Pneumonia	3,103	15	17	28	81	141	201	193	153	688	443	286	708	571	407
(23)	Bronchopneumonia	4,867	8	23	38	136	205	281	265	273	1,024	758	511	1,117	813	644
24	Diseases of the stomach	1,264	5	14	12	64	95	97	95	68	355	206	191	288	139	85
25	Diarrhea and enteritis	10,694	9	17	26	224	276	352	366	389	1,383	1,176	1,232	3,102	2,243	1,558
(33)	Malformations	4,186	1,000	460	373	660	2,493	456	269	191	3,409	241	144	218	112	62
(33)	Premature birth	12,702	6,886	1,496	796	1,231	10,409	1,083	507	276	12,275	265	78	60	22	2
(33,37)	Congenital debility	7,339	1,266	520	421	965	3,172	797	525	341	4,835	758	541	802	277	126
(37)	Injuries at birth	2,257	1,147	343	243	340	2,073	110	44	9	2,236	16	5			
35	External causes	870	70	34	23	56	183	40	29	39	291	108	78	168	108	117
38	Diseases ill-defined or unknown	2,349	413	172	143	270	998	229	130	94	1,451	252	163	282	112	89
	All other causes	3,490	76	57	97	266	496	324	226	177	1,223	437	286	659	519	366
	REGISTRATION CITIES IN OTHER STATES.															
	All causes	12,520	1,510	695	471	880	3,556	821	540	437	5,354	1,090	926	2,220	1,619	1,311
5	Measles	97							2		2	1	1	10	36	47
6	Scarlet fever	8													2	6
7	Whooping cough	146						1	1	1	3	23	16	41	39	24
8	Diphtheria and croup	63				2	2	2	2	1	7	3	5	9	14	25
9	Influenza	53	1			1	2	2	4	4	12	2	2	11	15	11
(12)	Dysentery	43						1			1	3	3	8	15	13
(12)	Erysipelas	45						5	4	2	11	8	6	8	9	3
(37)	Tetanus	100		1	4	33	38	57	4		99				1	
13	Tuberculosis of the lungs	84		1	1	3	5		1	4	10		8	26	23	17
14	Tuberculous meningitis	86										2	3	17	31	33
15	Other forms of tuberculosis	71				1	1	1	4	6	12	11	14	20	9	5
(37)	Syphilis	311	20	6	10	10	46	21	16	14	97	59	47	68	24	16
17	Meningitis	79		2		1	3	4	1		8	4	5	22	20	20
(37)	Convulsions	132	9	8	14	22	53	23	6	4	86	7	11	12	11	5
19	Organic diseases of the heart	41	1	1	2	4	8	3	2	2	15	6	6	6	2	6
20	Acute bronchitis	239	3	3	1	3	10	21	18	14	63	25	23	75	29	24
22	Pneumonia	432	4	7	7	22	40	13	16	10	79	45	46	97	88	77
(23)	Bronchopneumonia	1,261	4	11	7	38	60	67	54	49	230	150	106	334	245	196
24	Diseases of the stomach	102	1	1	1	5	8	2	2	8	20	19	24	21	13	5
25	Diarrhea and enteritis	3,869	2	5	10	76	93	145	161	150	549	401	414	1,119	771	615
(33)	Malformations	627	120	86	60	93	359	55	39	24	477	53	25	39	18	15
(33)	Premature birth	2,016	867	307	179	247	1,600	180	81	56	1,917	58	17	14	5	5
(33,37)	Congenital debility	1,171	217	131	84	168	600	124	72	44	840	100	67	82	54	28
(37)	Injuries at birth	486	220	88	61	83	452	23	6	2	483	2	1			
35	External causes	121	6	5	6	4	21	6	2	3	32	16	10	28	17	18
38	Diseases ill-defined or unknown	202	24	17	10	15	66	20	10	10	106	19	17	23	26	11
	All other causes	635	11	15	14	49	89	45	32	29	195	73	49	130	102	86
	ALL REGISTRATION CITIES.[1]															
	All causes	86,957	12,843	4,365	3,099	5,783	26,090	5,076	3,786	3,048	38,000	7,611	6,412	14,826	11,263	8,845
5	Measles	688						5	4	4	13	21	14	95	205	340
6	Scarlet fever	77				1	1		1	1	3	2	1	14	23	34
7	Whooping cough	1,509		2	1		3	10	18	46	77	198	170	372	364	328
8	Diphtheria and croup	497	1	1	1	3	6	5	12	8	31	20	23	77	144	202
9	Influenza	370	1		1	4	6	13	15	19	53	38	32	92	87	68
(12)	Dysentery	227	1	1		4	6	6	4	7	23	18	17	48	81	40
(12)	Erysipelas	474	1			2	3	20	51	50	124	118	50	99	60	23
(37)	Tetanus	199		2	7	66	75	99	13	1	188	2	2	2	4	1
13	Tuberculosis of the lungs	493	1	1	3	5	10	3	6	10	29	26	44	135	125	134
14	Tuberculous meningitis	818			1	2	3	8	3	1	15	19	37	181	286	280
15	Other forms of tuberculosis	264				2	2	3	7	8	20	21	32	74	62	55
(37)	Syphilis	1,612	136	46	41	66	289	133	123	82	627	278	223	305	108	71
17	Meningitis	696	1	2	7	24	34	29	17	11	91	39	39	181	183	163
(37)	Convulsions	1,074	39	60	70	179	348	104	80	47	579	104	85	141	97	68
19	Organic diseases of the heart	302	3	4	11	32	50	24	25	10	109	38	37	44	38	36
20	Acute bronchitis	2,062	7	10	18	55	90	131	155	141	517	304	203	496	308	234
22	Pneumonia	3,478	10	22	30	102	164	135	121	91	511	333	317	816	760	741
(23)	Bronchopneumonia	9,037	13	53	63	233	362	359	383	368	1,472	976	832	2,154	1,935	1,668
24	Diseases of the stomach	929	4	4	11	36	55	49	77	63	244	152	142	227	103	61
25	Diarrhea and enteritis	21,507	8	27	60	272	367	585	698	738	2,388	2,335	2,439	6,433	4,712	3,200
(33)	Malformations	5,131	1,090	569	480	791	2,930	527	267	223	3,947	369	204	335	176	100
(33)	Premature birth	16,325	7,838	2,232	1,241	1,714	13,025	1,338	780	418	15,561	467	146	114	28	9
(33,37)	Congenital debility	9,485	1,570	625	501	1,101	3,797	857	551	412	5,617	1,090	818	1,255	483	222
(37)	Injuries at birth	3,657	1,845	531	375	584	3,335	207	67	23	3,632	20	5			
35	External causes	857	86	35	29	44	194	32	22	27	275	100	77	160	117	128
38	Diseases ill-defined or unknown	594	92	48	28	50	218	41	36	29	324	55	60	83	45	27
	All other causes	4,595	96	90	120	411	717	353	250	210	1,530	468	363	893	729	612

[1] Includes District of Columbia.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA; REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES.															
	CALIFORNIA.															
	All causes	3,565	627	218	175	285	1,305	225	146	116	1,792	347	256	551	354	265
5	Measles	47						1	1		2	3	5	13	11	13
6	Scarlet fever	3												1	2	
7	Whooping cough	75						1	1	2	4	12	9	18	15	17
8	Diphtheria and croup	13										1	1	3	2	6
9	Influenza	21				3	3	1		2	6	4	3	5	2	1
(12)	Dysentery	28	1				1	1		1	3	2	6	6	6	5
(12)	Erysipelas	5										1		2		2
(37)	Tetanus	2				1	1		1		2					
13	Tuberculosis of the lungs	38				1	1			1	2	1	3	15	8	9
14	Tuberculous meningitis	49							1		1		4	7	22	15
15	Other forms of tuberculosis	17				1	1		1		2		2	5	7	1
(37)	Syphilis	83	6	1	4	4	15	8	4	9	36	11	11	14	9	2
17	Meningitis	47			1	3	4		1	3	8	4	6	10	10	9
(37)	Convulsions	19				5	5	3	2	1	11	1	2	3		2
19	Organic diseases of the heart	16		1	1	3	5		1		6	6		2	2	
20	Acute bronchitis	56			1	2	3	5	2	6	16	12	7	9	8	4
22	Pneumonia	149		1	1	9	11	3	9	3	26	17	14	34	32	26
(23)	Bronchopneumonia	247	2	3	2	10	17	12	12	14	55	29	23	70	44	26
24	Diseases of the stomach	49			1	1	2	1	2	7	12	10	9	12	3	3
25	Diarrhea and enteritis	661		2	2	10	14	25	22	17	78	95	86	204	112	86
(33)	Malformations	253	56	29	28	37	150	18	17	10	195	19	11	19	5	4
(33)	Premature birth	842	406	113	68	93	680	73	31	15	799	33	7	2	1	
(33,37)	Congenital debility	381	71	33	33	57	194	39	24	12	269	43	19	37	10	3
(37)	Injuries at birth	164	75	25	25	21	146	14	1	1	162	1	1			
35	External causes	60		2	1	6	9	5	2	1	17	8	4	13	9	9
38	Diseases ill-defined or unknown	14	3		1	2	6	1		1	8	3	1	2		
	All other causes	226	7	8	6	16	37	14	11	10	72	31	22	45	34	22
	COLORADO.															
	All causes	1,531	317	89	62	119	587	112	92	58	849	153	99	180	140	110
5	Measles	7												2	3	2
6	Scarlet fever	4												2		2
7	Whooping cough	51								2	2	8	8	12	8	13
8	Diphtheria and croup	3						1			1	2				
9	Influenza	13						3	5		8	1	3	1		
(12)	Dysentery															
(12)	Erysipelas	12							3	2	5	2	2	1	2	
(37)	Tetanus	1			1		1				1					
13	Tuberculosis of the lungs	5										1		1		
14	Tuberculous meningitis	13				1	1	1			2			2	4	5
15	Other forms of tuberculosis	2												1	1	
(37)	Syphilis	18	1	1	1	1	4	2	3		9	3	4	2		
17	Meningitis	20							1	1	2	3	4	4	4	3
(37)	Convulsions	4				2	2	1			3			1		
19	Organic diseases of the heart	18		2		1	3	1	2	1	7	1	1	3	3	3
20	Acute bronchitis	29				2	2	1	3	1	7	4	2	4	9	3
22	Pneumonia	75				2	2	7	5	1	15	10	8	17	10	15
(23)	Bronchopneumonia	212			4	8	12	15	23	17	67	37	15	42	28	23
24	Diseases of the stomach	14						3		2	5	1	2	2	1	3
25	Diarrhea and enteritis	181	1	1	1	5	8	10	5	5	28	28	24	42	37	22
(33)	Malformations	95	22	8	10	14	54	10	9	6	79	9	3	1	3	
(33)	Premature birth	406	236	52	30	36	354	17	13	6	390	12	3	1		
(33,37)	Congenital debility	219	38	16	9	31	94	33	11	11	149	23	12	21	11	3
(37)	Injuries at birth	36	15	6	4	7	32	1	2	1	36					
35	External causes	23	1			4	5	2			7		4	4	5	3
38	Diseases ill-defined or unknown	1			1		1				1					
	All other causes	69	3	3	1	5	12	4	7	2	25	8	4	14	8	10
	CONNECTICUT.															
	All causes	3,494	456	201	119	197	973	206	162	118	1,459	350	300	604	424	357
5	Measles	16										1		4	8	3
6	Scarlet fever	1												1		
7	Whooping cough	86						1	4	7	12	15	9	18	18	14
8	Diphtheria and croup	14												3	3	8
9	Influenza	32						2	4	1	7	6	1	5	10	3
(12)	Dysentery	19	1				1	2	1		4	2		7	3	3
(12)	Erysipelas	23	1				1		4	2	7	7		5	2	2
(37)	Tetanus	5			1	1	2	3			5					
13	Tuberculosis of the lungs	14						1			1	1	3	2	3	4
14	Tuberculous meningitis	29						1			1		3	6	10	9
15	Other forms of tuberculosis	16								1	1	1	1	2	7	4
(37)	Syphilis	24	4	2	1	3	10	1	5	1	17	2	2	2		1
17	Meningitis	48		1	1	3	5	3	2		10	3	3	9	12	11
(37)	Convulsions	37	1	3	2	8	14	6	1		21	4	3	4	3	2
19	Organic diseases of the heart	6				1	1	1			2		1	1	1	1
20	Acute bronchitis	89			1	2	3	5	10	8	26	16	9	20	9	9
22	Pneumonia	151	1	3	1	4	9	6	11	3	29	16	16	24	27	39
(23)	Bronchopneumonia	296	2	5		5	12	12	17	23	64	36	36	59	46	55
24	Diseases of the stomach	51				2	2	3	9	2	16	8	7	14	3	3
25	Diarrhea and enteritis	1,005	1			9	10	20	23	21	74	129	125	318	208	151
(33)	Malformations	180	35	20	26	29	110	20	9	7	146	14	4	8	6	2
(33)	Premature birth	570	256	98	47	51	452	48	31	15	546	12	9	2	1	
(33,37)	Congenital debility	409	53	25	21	50	149	47	14	18	228	53	43	62	17	6
(37)	Injuries at birth	167	92	37	10	16	155	4	5	2	166		1			
35	External causes	29	2	1	2	2	7				7	3	3	6	5	5
38	Diseases ill-defined or unknown	25	4	4		2	10	1	3		14	4	3	3		1
	All other causes	152	3	2	6	9	20	19	9	7	55	17	18	19	22	21

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	INDIANA.															
	All causes	4,915	998	281	208	423	1,910	363	252	201	2,726	449	327	604	470	339
5	Measles	14	1			1	2				2	1	1	3	4	3
6	Scarlet fever	8		1			1			1	2	1	1	2	2	
7	Whooping cough	105						2	3	4	9	18	17	26	23	12
8	Diphtheria and croup	13										1		3	3	6
9	Influenza	36							4	6	10	3	9	6	4	4
(12)	Dysentery	26							2		2	3	3	7	6	5
(12)	Erysipelas	17						1	3	1	5	2	2	5	1	2
(37)	Tetanus	15		1		4	5	7	2		14			1		
13	Tuberculosis of the lungs	32	1				1	1		1	3	1	2	4	11	11
14	Tuberculous meningitis	40								1	1	2	2	6	16	13
15	Other forms of tuberculosis	15							1		1	1	4	6	3	
(37)	Syphilis	61	6	2	2	4	14	7	2	1	24	15	8	10	3	1
17	Meningitis	39			1		1	1	3		5	9	7	7	7	4
(37)	Convulsions	22	2	1	6	4	13	3		1	17	2	1			2
19	Organic diseases of the heart	18			1	1	2	5	3	1	11	2	1	1		3
20	Acute bronchitis	96				8	8	15	14	6	43	13	9	15	7	9
22	Pneumonia	291	1	6	2	8	17	23	17	20	77	36	26	61	58	33
(23)	Bronchopneumonia	501	2	6	4	16	28	32	24	42	126	90	61	93	71	60
24	Diseases of the stomach	135			3	5	8	15	11	11	45	25	19	30	12	4
25	Diarrhea and enteritis	827	3		6	33	42	29	32	29	132	90	84	212	177	132
(33)	Malformations	496	131	64	43	75	313	53	23	19	408	31	17	25	11	4
(33)	Premature birth	1,147	638	127	69	124	958	83	46	23	1,110	29	3	5		
(33,37)	Congenital debility	418	101	39	36	65	241	56	33	13	343	26	21	18	9	1
(37)	Injuries at birth	222	102	30	27	44	203	12	6	1	222					
35	External causes	53	3	2	3	4	12	1		3	16	5	7	15	6	4
38	Diseases ill-defined or unknown	14	5	1		1	7		1		8	2	1	2		1
	All other causes	254	2	1	5	26	34	17	22	17	90	41	21	41	36	25
	KANSAS.															
	All causes	2,599	615	165	108	190	1,078	201	133	104	1,516	245	150	313	216	159
5	Measles	17				1	1	1	1	1	4			3	5	5
6	Scarlet fever	3								1	1			1		1
7	Whooping cough	111						3	5	8	16	19	14	32	14	16
8	Diphtheria and croup	11										2		2	2	5
9	Influenza	34						5	3	1	9	9	5	4	6	1
(12)	Dysentery	10				1	1	1			2	1		3	4	
(12)	Erysipelas	16						1	1	4	6	5	1	2	1	1
(37)	Tetanus	2				1	1			1	2					
13	Tuberculosis of the lungs	4										2		2		
14	Tuberculous meningitis	6												3	2	1
15	Other forms of tuberculosis	3										1			1	1
(37)	Syphilis	10			1	1	2		1		3	3	2		1	1
17	Meningitis	21				1	1	1	1		3	2	2	4	5	5
(37)	Convulsions	48	3	3	1	9	16	7	3	3	29	4	5	5	4	1
19	Organic diseases of the heart	17	3	2	1	2	8	4	1	1	14	2		1		
20	Acute bronchitis	38						6	5	6	17	3	7	4	5	2
22	Pneumonia	172	2	1	1	3	7	11	9	12	39	29	16	40	28	20
(23)	Bronchopneumonia	210			1	8	9	9	10	15	43	41	26	49	32	19
24	Diseases of the stomach	57	1		1	7	9	8	6	2	25	12	5	9	4	2
25	Diarrhea and enteritis	252		2	1	9	12	10	9	11	42	25	25	66	54	40
(33)	Malformations	166	39	17	17	26	99	21	15	4	139	5	7	8	4	3
(33)	Premature birth	634	376	77	38	46	537	50	20	8	615	13	2	1	3	
(33,37)	Congenital debility	361	95	39	23	44	201	36	30	11	278	32	15	25	7	4
(37)	Injuries at birth	106	57	12	16	12	97	6	1		104	2				
35	External causes	46	6	3	1	3	13	2		3	18	6	2	9	5	6
38	Diseases ill-defined or unknown	89	28	7	2	9	46	5	5	2	58	9	6	11		5
	All other causes	155	5	2	4	7	18	14	7	10	49	18	10	29	29	20
	KENTUCKY (TOTAL).															
	All causes	4,741	921	317	170	342	1,750	361	240	176	2,527	432	300	626	471	385
5	Measles	18	1				1	3			4	2	1	4	2	5
6	Scarlet fever	3						1	1		2					1
7	Whooping cough	89						3	4	4	11	17	16	21	15	9
8	Diphtheria and croup	80	1		2	2	5	5	5	3	18	11	5	19	9	18
9	Influenza	34				2	2	2	2	3	9	7	4	6	5	3
(12)	Dysentery	36	1			1	2	1		2	5	3	1	7	10	10
(12)	Erysipelas	24	1	3	1		5	1		1	7	9	4	2	1	1
(37)	Tetanus	14				5	5	6		1	12	1			1	
13	Tuberculosis of the lungs	65							4	1	5	3	5	18	18	16
14	Tuberculous meningitis	55				2	2	1	2	1	6	1	1	13	17	17
15	Other forms of tuberculosis	13						1			1	1	2	4	4	1
(37)	Syphilis	42	5			2	7	3	2	2	14	9	3	3	6	7
17	Meningitis	115		3	2	3	8	13	6	4	31	8	9	24	22	21
(37)	Convulsions	84	7	9	6	21	43	10	4	3	60	9	3	4	5	3
19	Organic diseases of the heart	17		1		2	3	3	2	1	9	1	4	2	1	
20	Acute bronchitis	85			1	5	6	10	5	3	24	17	8	20	9	7
22	Pneumonia	250	3	2	4	7	16	20	13	20	69	39	23	50	38	31
(23)	Bronchopneumonia	243		1	1	7	9	13	11	9	42	30	29	52	53	37
24	Diseases of the stomach	77		1		4	5	7	7	2	21	14	16	15	7	4
25	Diarrhea and enteritis	579		3	3	9	15	12	18	21	66	45	44	163	140	121
(33)	Malformations	228	62	27	20	32	141	19	12	9	181	18	9	13	3	4
(33)	Premature birth	1,035	581	150	52	82	865	76	45	19	1,005	19	3	7	1	
(33,37)	Congenital debility	541	108	37	22	60	227	56	42	25	350	53	44	52	29	13
(37)	Injuries at birth	119	55	22	16	15	108	6	1	2	117	2				
35	External causes	71	7	3		4	14	4	2	4	24	14	6	14	9	4
38	Diseases ill-defined or unknown	549	86	45	30	65	226	59	35	24	344	73	40	58	17	17
	All other causes	275	3	10	10	12	35	26	17	12	90	26	20	55	49	35

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION STATES—Continued.															
	KENTUCKY (WHITE).															
	All causes	4,071	827	275	143	304	1,549	317	218	151	2,235	352	252	515	392	325
5	Measles	18	1				1	3			4	2	1	4	2	5
6	Scarlet fever	3						1	1		2					1
7	Whooping cough	77						3	4	4	11	16	14	17	12	7
8	Diphtheria and croup	71			2	2	4	5	5	3	17	9	5	18	8	14
9	Influenza	27				1	1	2	2	2	7	6	3	5	4	2
(12)	Dysentery	30				1	1			2	3	3	1	6	7	10
(12)	Erysipelas	23	1	3	1		5	1		1	7	9	4	2	1	
(37)	Tetanus	12				4	4	5		1	10	1			1	
13	Tuberculosis of the lungs	55							4	1	5	3	5	13	16	13
14	Tuberculous meningitis	48				2	2	1	1	1	5	1	1	10	15	16
15	Other forms of tuberculosis	10						1			1		2	4	2	1
(37)	Syphilis	23	3			2	5	3	1	1	10	6	1	2	2	2
17	Meningitis	108		3	2	3	8	12	6	3	29	7	8	22	21	21
(37)	Convulsions	63	6	7	6	19	38	7	4	2	51	4	1	2	3	2
19	Organic diseases of the heart	16				2	2	3	2	1	8	1	4	2	1	
20	Acute bronchitis	66				3	3	9	5	3	20	14	7	16	7	2
22	Pneumonia	194	1	2	2	6	11	13	12	20	56	30	17	37	25	29
(23)	Bronchopneumonia	194		1	1	6	8	12	11	8	39	22	23	34	45	31
24	Diseases of the stomach	65		1		4	5	7	7	2	21	11	13	11	6	3
25	Diarrhea and enteritis	507		2	3	7	12	11	15	19	57	37	40	142	124	107
(33)	Malformations	207	55	25	17	30	127	19	12	7	165	15	9	12	2	4
(33)	Premature birth	936	534	132	46	75	787	69	41	16	913	14	2	6	1	
(33,37)	Congenital debility	451	98	30	15	57	200	46	36	20	302	46	35	39	20	9
(37)	Injuries at birth	101	48	21	13	10	92	6	1	1	100	1				
35	External causes	58	4	1		4	9	4	2	3	18	12	6	11	7	4
38	Diseases ill-defined or unknown	475	73	39	27	56	195	53	31	20	299	59	34	54	16	13
	All other causes	233	3	8	8	10	29	21	15	10	75	23	16	46	44	29
	KENTUCKY (COLORED).															
	All causes	670	94	42	27	38	201	44	22	25	292	80	48	111	79	60
5	Measles															
6	Scarlet fever															
7	Whooping cough	12										1	2	4	3	2
8	Diphtheria and croup	9	1				1				1	2		1	1	4
9	Influenza	7				1	1			1	2	1	1	1	1	1
(12)	Dysentery	6	1				1	1			2			1	3	
(12)	Erysipelas	1														1
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs	10												5	2	3
14	Tuberculous meningitis	7							1		1			3	2	1
15	Other forms of tuberculosis	3										1			2	
(37)	Syphilis	19	2				2		1	1	4	3	2	1	4	5
17	Meningitis	7						1		1	2	1	1	2	1	
(37)	Convulsions	21	1	2		2	5	3		1	9	5	2	2	2	1
19	Organic diseases of the heart	1		1			1				1					
20	Acute bronchitis	19			1	2	3	1			4	3	1	4	2	5
22	Pneumonia	56	2		2	1	5	7	1		13	9	6	13	13	2
(23)	Bronchopneumonia	49				1	1	1		1	3	8	6	18	8	6
24	Diseases of the stomach	12										3	3	4	1	1
25	Diarrhea and enteritis	72		1		2	3	1	3	2	9	8	4	21	16	14
(33)	Malformations	21	7	2	3	2	14			2	16	3		1	1	
(33)	Premature birth	99	47	18	6	7	78	7	4	3	92	5	1	1		
(33,37)	Congenital debility	90	10	7	7	3	27	10	6	5	48	7	9	13	9	4
(37)	Injuries at birth	18	7	1	3	5	16			1	17	1				
35	External causes	13	3	2			5			1	6	2		3	2	
38	Diseases ill-defined or unknown	74	13	6	3	9	31	6	4	4	45	14	6	4	1	4
	All other causes	42		2	2	2	6	5	2	2	15	3	4	9	5	6
	MAINE.															
	All causes	1,706	172	176	72	138	558	87	72	51	768	163	168	304	190	113
5	Measles	2								1	1	1				
6	Scarlet fever	1														1
7	Whooping cough	52							1	1	2	8	11	18	7	6
8	Diphtheria and croup	7								1	1		1	1	1	3
9	Influenza	17						1	2	1	4	1	2	1	5	4
(12)	Dysentery	4		1			1				1	1		1	1	
(12)	Erysipelas	2											1	1		
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	7								1	1	1	1	1	1	2
14	Tuberculous meningitis	9										2		2		5
15	Other forms of tuberculosis	6						1			1	1	1	1	1	1
(37)	Syphilis	13								1	1	1	6	3	1	1
17	Meningitis	25						1	1		2	3	2	5	6	7
(37)	Convulsions	26		4		4	8	5	2		15	3	4	2	2	
19	Organic diseases of the heart	12				4	4			3	7	3	1		1	
20	Acute bronchitis	41						1	4	3	8	14	4	9	3	3
22	Pneumonia	86				3	3	2	5	4	14	18	8	20	17	9
(23)	Bronchopneumonia	102				3	3	1	6	3	13	12	8	31	23	15
24	Diseases of the stomach	48			1	1	2	4	2	3	11	4	10	14	7	2
25	Diarrhea and enteritis	319				8	8	5	6	10	29	30	41	105	74	40
(33)	Malformations	78	14	13	11	8	46	7	3	2	58	6	5	3	6	
(33)	Premature birth	349	116	102	28	36	282	31	13	6	332	9	5	1	1	1
(33,37)	Congenital debility	273	24	26	19	40	109	18	17	6	150	27	36	51	8	1
(37)	Injuries at birth	45	9	16	5	11	41	1	1		43	2				
35	External causes	15		1			1	1			2	1	3	3	2	4
38	Diseases ill-defined or unknown	55	8	10	5	5	28	2	2	1	33	4	5	8	4	1
	All other causes	111	1	3	3	14	21	6	7	4	38	11	13	23	19	7

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	MARYLAND (TOTAL).															
	All causes	3,863	642	136	115	208	1,101	225	179	117	1,622	348	323	721	486	363
5	Measles	11												3	5	3
6	Scarlet fever	6						1			1			1	1	3
7	Whooping cough	53						1	1		2	9	2	14	13	13
8	Diphtheria and croup	10				1	1				1		3	2	1	3
9	Influenza	9										2	1	1	3	2
(12)	Dysentery	9										1		4	1	3
(12)	Erysipelas	8										3		2	1	2
(37)	Tetanus	12				5	5	6	1		12					
13	Tuberculosis of the lungs	20								1	1		1	8	7	3
14	Tuberculous meningitis	21				1	1				1	2		3	4	11
15	Other forms of tuberculosis	6							1		1		1	2	1	1
(37)	Syphilis	77	15	1	2	2	20	5	7	6	38	13	8	10	4	4
17	Meningitis	31				2	2	1			3		4	7	10	7
(37)	Convulsions	104	6	2	5	15	28	18	6	4	56	13	10	13	8	4
19	Organic diseases of the heart	4						1		1	2		1			1
20	Acute bronchitis	88				4	4	7	10	6	27	12	9	19	12	9
22	Pneumonia	159		2	1	5	8	8	14	4	34	26	18	34	29	18
(23)	Bronchopneumonia	396	1	2	2	8	13	21	11	16	61	51	50	105	72	57
24	Diseases of the stomach	45				1	1	2	6	2	11	7	8	10	5	4
25	Diarrhea and enteritis	949	1		1	5	7	14	14	22	57	66	109	304	247	166
(33)	Malformations	152	38	17	13	23	91	17	10	3	121	9	5	11	4	2
(33)	Premature birth	669	371	66	51	56	544	51	35	15	645	17	2	4	1	
(33, 37)	Congenital debility	589	108	27	28	49	212	48	41	24	325	77	55	98	23	11
(37)	Injuries at birth	104	77	10	2	10	99	3	1		103	1				
35	External causes	37	4	1	1	2	8		4	2	14	6	3	4	5	5
38	Diseases ill-defined or unknown	129	18	7	7	10	42	6	4	5	57	13	14	31	7	7
	All other causes	165	3	1	2	9	15	15	13	6	49	20	19	31	22	24
	MARYLAND (WHITE).															
	All causes	2,643	476	105	82	137	800	140	127	76	1,143	236	216	478	324	246
5	Measles	10												3	4	3
6	Scarlet fever	6						1			1			1	1	3
7	Whooping cough	31							1		1	5	1	9	8	7
8	Diphtheria and croup	6				1	1				1		1	1	1	2
9	Influenza	4										1	1	1	1	
(12)	Dysentery	6										1		3	1	1
(12)	Erysipelas	7										3		2		2
(37)	Tetanus	5				3	3	2			5					
13	Tuberculosis of the lungs	8								1	1		1	3	2	1
14	Tuberculous meningitis	17										2		3	4	8
15	Other forms of tuberculosis	5											1	2	1	1
(37)	Syphilis	29	2			1	3	1	3	4	11	8	3	4	2	1
17	Meningitis	24				2	2	1			3		3	5	6	7
(37)	Convulsions	62	3	2	4	7	16	9	5	3	33	9	7	9	3	1
19	Organic diseases of the heart	3						1		1	2					1
20	Acute bronchitis	54				3	3	5	6	3	17	8	5	11	7	6
22	Pneumonia	88		2	1	3	6	4	9	3	22	15	13	15	13	10
(23)	Bronchopneumonia	235	1	2	1	6	10	10	9	10	39	32	32	54	44	34
24	Diseases of the stomach	27						1	5	1	7	6	6	4	2	2
25	Diarrhea and enteritis	708	1		1	4	6	10	7	15	38	45	79	233	188	125
(33)	Malformations	120	31	11	10	19	71	11	10	2	94	8	4	9	3	2
(33)	Premature birth	513	293	53	37	45	428	32	25	10	495	14	1	2	1	
(33, 37)	Congenital debility	403	66	20	22	26	134	38	30	17	219	55	39	65	18	7
(37)	Injuries at birth	89	65	9	2	8	84	3	1		88	1				
35	External causes	25	2	1	1	1	5		3	1	9	3	2	4	3	4
38	Diseases ill-defined or unknown	48	9	4	1	3	17		1	2	20	5	6	14	1	2
	All other causes	110	3	1	2	5	11	11	12	3	37	15	11	21	10	16
	MARYLAND (COLORED).															
	All causes	1,220	166	31	33	71	301	85	52	41	479	112	107	243	162	117
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough	22						1			1	4	1	5	5	6
8	Diphtheria and croup	4											2	1		1
9	Influenza	5										1			2	2
(12)	Dysentery	3												1		2
(12)	Erysipelas	1													1	
(37)	Tetanus	7				2	2	4	1		7					
13	Tuberculosis of the lungs	12												5	5	2
14	Tuberculous meningitis	4				1	1				1					3
15	Other forms of tuberculosis	1							1		1					
(37)	Syphilis	48	13	1	2	1	17	4	4	2	27	5	5	6	2	3
17	Meningitis	7											1	2	4	
(37)	Convulsions	42	3		1	8	12	9	1	1	23	4	3	4	5	3
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	34				1	1	2	4	3	10	4	4	8	5	3
22	Pneumonia	71				2	2	4	5	1	12	11	5	19	16	8
(23)	Bronchopneumonia	161			1	2	3	11	2	6	22	19	18	51	28	23
24	Diseases of the stomach	18				1	1	1	1	1	4	1	2	6	3	2
25	Diarrhea and enteritis	241				1	1	4	7	7	19	21	30	71	59	41
(33)	Malformations	32	7	6	3	4	20	6		1	27	1	1	2	1	
(33)	Premature birth	156	78	13	14	11	116	19	10	5	150	3	1	2		
(33, 37)	Congenital debility	186	42	7	6	23	78	10	11	7	106	22	16	33	5	4
(37)	Injuries at birth	15	12	1		2	15				15					
35	External causes	12	2			1	3		1	1	5	3	1		2	1
38	Diseases ill-defined or unknown	81	9	3	6	7	25	6	3	3	37	8	8	17	6	5
	All other causes	55				4	4	4	1	3	12	5	8	10	12	8

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION STATES—Continued.															
	MASSACHUSETTS.															
	All causes	9,414	1,340	447	337	599	2,723	485	396	368	3,972	905	725	1,621	1,276	915
5	Measles	88						2			2	6	1	9	29	41
6	Scarlet fever	12				1	1				1		1	2	5	3
7	Whooping cough	261						2	5	13	20	23	29	68	62	59
8	Diphtheria and croup	58						1	4	3	8	3	1	6	17	23
9	Influenza	23				1	1	3	2	1	7	6	1	1	5	3
(12)	Dysentery	36						1			1	4	3	5	19	4
(12)	Erysipelas	53				1	1		6	2	9	18	8	10	7	1
(37)	Tetanus	7			1	2	3	2	1		6				1	
13	Tuberculosis of the lungs	61							1	1	2	3	4	11	23	18
14	Tuberculous meningitis	100						1			1	5	4	24	30	36
15	Other forms of tuberculosis	30						1			1	1	2	8	7	11
(37)	Syphilis	102	5	2	4		11	6	9	6	32	17	16	22	12	3
17	Meningitis	103				6	6	5	6	3	20	5	5	23	20	30
(37)	Convulsions	88	2	5	8	9	24	5	5	5	39	5	6	18	15	5
19	Organic diseases of the heart	20			2		2	2	2	4	10	3	3	1	2	1
20	Acute bronchitis	251	1			6	7	11	10	16	44	37	22	58	48	42
22	Pneumonia	371	1		3	20	24	10	11	14	59	26	40	72	98	76
(23)	Bronchopneumonia	922	1	3	3	10	17	29	41	38	125	108	80	216	218	175
24	Diseases of the stomach	104			1	5	6	4	11	3	24	15	15	29	13	8
25	Diarrhea and enteritis	2,317			8	15	23	61	61	85	230	317	302	724	478	266
(33)	Malformations	662	114	68	56	104	342	70	40	38	490	57	21	49	26	19
(33)	Premature birth	1,608	801	213	132	149	1,295	97	69	51	1,512	58	23	12	3	
(33, 37)	Congenital debility	954	143	72	58	113	386	89	61	49	585	111	81	125	38	14
(37)	Injuries at birth	466	237	60	41	81	419	27	15	3	464	2				
35	External causes	100	10	5	5	3	23	5	3	8	39	9	3	23	13	13
38	Diseases ill-defined or unknown	77	11	5	3	6	25	3	6	4	38	5	7	13	11	3
	All other causes	540	14	14	12	67	107	48	27	21	203	61	47	92	76	61
	MICHIGAN.															
	All causes	6,930	1,329	335	299	656	2,619	510	372	277	3,778	579	467	936	674	496
5	Measles	22							2		2	1		5	6	8
6	Scarlet fever	6			1		1				1			1	2	2
7	Whooping cough	149				1	1	2	6	8	17	21	20	43	26	22
8	Diphtheria and croup	17								1	1	3	2	3	6	2
9	Influenza	53							4	5	9	15	12	5	5	7
(12)	Dysentery	11								1	1	2		2	5	1
(12)	Erysipelas	22							1	2	3	8	1	3	4	3
(37)	Tetanus	8				3	3	3			6				2	
13	Tuberculosis of the lungs	16						1			1	1	3	4	4	3
14	Tuberculous meningitis	29						1			1		3	10	10	5
15	Other forms of tuberculosis	6						1		1	2	1		2	1	
(37)	Syphilis	77	7	1		1	9	7	8	6	30	12	12	13	7	3
17	Meningitis	82			1	4	5	5	2	1	13	3	6	23	26	11
(37)	Convulsions	215	9	15	18	35	77	19	17	13	126	15	16	22	20	16
19	Organic diseases of the heart	40	1			10	11	2	3	2	18	1	7	6	3	5
20	Acute bronchitis	226	1	5	3	5	14	21	22	15	72	33	22	48	30	21
22	Pneumonia	328			4	13	17	19	17	13	66	59	31	60	60	52
(23)	Bronchopneumonia	449		2	5	16	23	22	24	20	89	72	45	94	79	70
24	Diseases of the stomach	208	2	1	3	7	13	11	17	12	53	32	29	48	31	15
25	Diarrhea and enteritis	1,003	1	2	5	23	31	28	40	37	136	96	125	291	205	150
(33)	Malformations	566	129	47	47	96	319	76	26	24	445	28	21	38	22	12
(33)	Premature birth	1,540	813	151	108	182	1,254	131	69	32	1,486	33	8	11	2	
(33, 37)	Congenital debility	995	203	56	50	148	457	99	75	51	682	76	56	108	46	27
(37)	Injuries at birth	293	139	43	33	57	272	12	5	3	292	1				
35	External causes	62	3	2	2	3	10	2	3	1	16	11	6	11	7	11
38	Diseases ill-defined or unknown	70	11	5	3	12	31	5	7	4	47	8	8	6	1	
	All other causes	437	10	5	16	40	71	43	24	25	163	47	34	79	64	50
	MINNESOTA.															
	All causes	3,871	911	196	201	315	1,623	299	201	155	2,278	342	247	460	309	235
5	Measles	24										3	1	7	9	4
6	Scarlet fever	9								1	1	1		2	2	3
7	Whooping cough	110		1			1	1	5	8	15	19	19	23	12	22
8	Diphtheria and croup	20								1	1	3	1	2	7	6
9	Influenza	30							2	4	6	6	4	4	5	5
(12)	Dysentery	6							1		1			4	1	
(12)	Erysipelas	18	1				1	2	1	3	7	2	2	3	4	
(37)	Tetanus	3						3			3					
13	Tuberculosis of the lungs	18				1	1				1	1	1	4	4	7
14	Tuberculous meningitis	30										1	5	6	6	12
15	Other forms of tuberculosis	3										1			1	1
(37)	Syphilis	40	6	3	1	3	13	3	3		19	3	2	9	6	1
17	Meningitis	39	1		1	2	4	1		1	6	2	5	10	10	6
(37)	Convulsions	80	7	5	9	16	37	5	11	4	57	6	6	7	3	1
19	Organic diseases of the heart	8						3			3	2	2	1		
20	Acute bronchitis	64			1	3	4	6	1	5	16	11	8	17	6	6
22	Pneumonia	135	1	2	2	4	9	12	9	4	34	21	9	29	27	15
(23)	Bronchopneumonia	416		2	2	15	19	21	34	24	98	72	53	86	66	41
24	Diseases of the stomach	46			1	4	5	6	2	1	14	7	6	15	3	1
25	Diarrhea and enteritis	492		2	5	21	28	26	37	26	117	62	51	126	76	60
(33)	Malformations	308	75	35	29	36	175	32	15	16	238	23	9	20	13	5
(33)	Premature birth	1,001	593	79	72	82	826	80	41	18	965	25	7	3	1	
(33, 37)	Congenital debility	452	107	32	41	70	250	53	23	23	349	37	29	24	12	1
(37)	Injuries at birth	168	91	25	18	21	155	10	1		166	2				
35	External causes	41	7		1	3	11	2	2		15	3	2	6	6	9
38	Diseases ill-defined or unknown	94	17	9	8	15	49	12	3	6	70	5	5	10	2	2
	All other causes	216	5	1	10	19	35	21	10	10	76	24	20	42	27	27

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	MISSOURI.															
	All causes	5,605	1,093	309	200	432	2,034	430	252	220	2,936	543	353	739	557	477
5	Measles	31	1				1	1		1	3	1	2	6	8	11
6	Scarlet fever	5				1	1				1	1		1	1	1
7	Whooping cough	147			3		3		7	9	19	29	14	34	24	27
8	Diphtheria and croup	48		1		1	2	2	2	1	7	7	4	9	13	8
9	Influenza	68						5	1	4	10	11	4	20	17	6
(12)	Dysentery	34							2		2	3	4	10	7	8
(12)	Erysipelas	41						1	2	4	7	12	3	11	5	3
(37)	Tetanus	17	1			6	7	9	1		17					
13	Tuberculosis of the lungs	53			2	2	4		1		5	4	4	15	11	14
14	Tuberculous meningitis	50				1	1		1		2	4	3	9	14	18
15	Other forms of tuberculosis	9				1	1	1			2	2			2	3
(37)	Syphilis	104	13	2	2	3	20	9	5	5	39	22	14	19	6	4
17	Meningitis	53				4	4	3	3	3	13	6	5	11	9	9
(37)	Convulsions	32	1	2	3	8	14	3	3	1	21	4	3	1	1	2
19	Organic diseases of the heart	18	1			1	2	1	4	1	8	2	2	3	3	
20	Acute bronchitis	140		2	3	7	12	16	11	12	51	20	16	24	18	11
22	Pneumonia	257	1	1	2	11	15	24	12	10	61	53	19	53	37	34
(23)	Bronchopneumonia	493	1	3	3	19	26	37	32	27	122	73	57	96	78	67
24	Diseases of the stomach	91		2	1	6	9	8	6	6	29	15	6	22	15	4
25	Diarrhea and enteritis	864	1	2	4	23	30	21	16	31	98	104	95	212	198	157
(33)	Malformations	358	85	43	34	52	214	38	17	23	292	18	11	22	10	5
(33)	Premature birth	1,247	708	143	62	113	1,026	102	40	27	1,195	28	16	6	2	
(33,37)	Congenital debility	459	116	40	29	67	252	63	41	20	376	34	16	23	7	3
(37)	Injuries at birth	170	80	27	16	30	153	8	4	1	166	3	1			
35	External causes	81	2	5	3	5	15	1	4	3	23	13	6	21	7	11
38	Diseases ill-defined or unknown	323	69	29	24	37	159	43	19	15	236	28	12	30	8	9
	All other causes	412	13	7	9	34	63	34	18	16	131	46	36	81	56	62
	MONTANA.															
	All causes	816	179	42	36	81	338	68	39	30	475	61	61	100	71	48
5	Measles	2												1	1	
6	Scarlet fever															
7	Whooping cough	22							1	2	3	7		5	4	3
8	Diphtheria and croup	2											1	1		
9	Influenza	7								1	1	1		2	3	
(12)	Dysentery	2														2
(12)	Erysipelas	8						1	1		2	1		3	2	
(37)	Tetanus															
13	Tuberculosis of the lungs	8						1			1			1	3	3
14	Tuberculous meningitis	9						1			1		3	1	1	3
15	Other forms of tuberculosis	1										1				
(37)	Syphilis	7	1				1	1			2			4	1	
17	Meningitis	9							1		1	2		3	1	2
(37)	Convulsions	7	1		1	1	3		1		4			1	1	1
19	Organic diseases of the heart	6						2			2	1	2			1
20	Acute bronchitis	22			1		1	2	1	2	6	3	4	8	1	
22	Pneumonia	50			1	5	6		2	1	9	3	4	15	10	9
(23)	Bronchopneumonia	75			1	1	2	7	2	7	18	11	13	12	15	6
24	Diseases of the stomach	6				2	2				2		1	2		1
25	Diarrhea and enteritis	84	1	1	1	2	5	6	4	5	20	9	12	23	13	7
(33)	Malformations	66	15	7	5	6	33	10	8	3	54	4	2	3	1	2
(33)	Premature birth	209	129	17	11	21	178	15	5	5	203	4	2			
(33,37)	Congenital debility	89	17	8	6	21	52	11	7	3	73	5	4	5	2	
(37)	Injuries at birth	40	14	5	6	11	36	2	1		39		1			
35	External causes	9				1	1				1		1	1	3	3
38	Diseases ill-defined or unknown	28	1	4	1	7	13	2	3		18	1	3	3	1	2
	All other causes	48			2	3	5	7	2	1	15	8	8	6	8	3
	NEW HAMPSHIRE.															
	All causes	1,096	143	72	47	79	341	63	45	29	478	132	91	180	131	84
5	Measles	2											1	1		
6	Scarlet fever	2												1		1
7	Whooping cough	29							1	1	2	5	2	7	7	6
8	Diphtheria and croup	5											1	2		2
9	Influenza	9							1		1	3		3	1	1
(12)	Dysentery	4								1	1	1	1		1	
(12)	Erysipelas	3										2			1	
(37)	Tetanus															
13	Tuberculosis of the lungs	3										1	1			1
14	Tuberculous meningitis	18										1	2	8	5	2
15	Other forms of tuberculosis	4										2		1	1	
(37)	Syphilis	7	2				2			1	3			2	1	1
17	Meningitis	15	1			1	2	1			3	1	1	2	2	6
(37)	Convulsions	9				3	3	1	1		5	1	1	1	1	
19	Organic diseases of the heart	9			1		1	1	1		3		1	2	2	1
20	Acute bronchitis	43				1	1	1	2	3	7	6	5	9	11	5
22	Pneumonia	41				1	1	1	1		3	10	3	12	8	5
(23)	Bronchopneumonia	51			1		1	2		2	5	7	3	15	13	8
24	Diseases of the stomach	24		1			1	1	4		6	3	4	6	1	4
25	Diarrhea and enteritis	248				3	3	7	7	5	22	32	47	57	64	26
(33)	Malformations	73	13	8	2	15	38	5	5	3	51	8	2	8	1	3
(33)	Premature birth	233	93	45	25	24	187	18	7	5	217	12	2	2		
(33,37)	Congenital debility	161	15	7	9	18	49	20	9	5	83	29	12	29	5	3
(37)	Injuries at birth	41	17	10	5	7	39		1	1	41					
35	External causes	11	1			1	2				2	1	1	2	2	3
38	Diseases ill-defined or unknown	6			1	1	2				2			2	2	
	All other causes	45	1	1	3	4	9	5	5	2	21	7	1	8	2	6

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION STATES—Continued.															
	NEW JERSEY.															
	All causes	7,125	962	282	236	420	1,900	383	333	257	2,873	640	499	1,323	1,010	780
5	Measles	75						2			2	6	1	14	18	34
6	Scarlet fever	6										1		1	1	3
7	Whooping cough	133							4	5	9	12	11	35	32	34
8	Diphtheria and croup	28						1	1		2		1	7	8	10
9	Influenza	31						1	2	1	4	3	6	9	6	3
(12)	Dysentery	14						1		2	3			3	5	3
(12)	Erysipelas	41				1	1	2	6		9	14	5	7	5	1
(37)	Tetanus	13			1	2	3	6	3		12			1		
13	Tuberculosis of the lungs	32				1	1				1	2	3	10	8	8
14	Tuberculous meningitis	75			1	1	2		1	1	4		2	18	30	21
15	Other forms of tuberculosis	17		1			1			1	2	3		4	4	4
(37)	Syphilis	76	7	4	4	8	23	7	8	4	42	8	7	11	4	4
17	Meningitis	83			2	2	4	2			6	3	4	15	31	24
(37)	Convulsions	94	1	4	4	15	24	11	7	6	48	9	2	15	12	8
19	Organic diseases of the heart	43		1	1	5	7	5	2	2	16	7	4	7	5	4
20	Acute bronchitis	173			3	4	7	11	17	9	44	32	20	35	27	15
22	Pneumonia	379	2		2	6	10	13	23	8	54	41	34	87	81	82
(23)	Bronchopneumonia	638	1	3	3	12	19	34	19	33	105	88	52	153	121	119
24	Diseases of the stomach	70	1		1	4	6	6	5	3	20	8	13	16	7	6
25	Diarrhea and enteritis	1,975	1	1	5	19	26	44	46	60	176	197	221	610	466	305
(33)	Malformations	429	93	48	30	77	248	38	26	20	332	34	18	20	16	9
(33)	Premature birth	1,249	585	136	104	134	959	104	83	38	1,184	44	9	8	2	2
(33, 37)	Congenital debility	791	116	44	36	59	255	56	49	46	406	82	63	156	56	28
(37)	Injuries at birth	255	138	29	30	35	232	15	6	2	255					
35	External causes	69	2	3	1	3	9	1	3	2	15	6	7	15	13	13
38	Diseases ill-defined or unknown	25	8	1		2	11	2	3	1	17	2	2	3	1	
	All other causes	311	7	7	8	30	52	21	19	13	105	38	14	63	51	40
	NEW YORK.															
	All causes	24,004	3,625	1,037	756	1,429	6,847	1,368	958	823	9,996	2,104	1,790	4,193	3,274	2,647
5	Measles	213							1	1	2	2	3	25	57	124
6	Scarlet fever	21							2		2			1	9	9
7	Whooping cough	439						3	5	9	17	66	50	106	111	89
8	Diphtheria and croup	183		1			1	1		1	3	4	8	26	55	87
9	Influenza	150		1		2	3	6	5	6	20	10	13	40	36	31
(12)	Dysentery	42				2	2		1	2	5	3	2	8	16	8
(12)	Erysipelas	195						9	24	27	60	37	20	46	24	8
(37)	Tetanus	20		1		9	10	7	1		18			1	1	
13	Tuberculosis of the lungs	129	1			1	2		1	1	4	11	9	37	28	40
14	Tuberculous meningitis	250				1	1	1	1	1	4	7	7	57	82	93
15	Other forms of tuberculosis	55							1		1	3	6	17	11	17
(37)	Syphilis	402	28	7	6	21	62	42	28	21	153	74	60	80	22	13
17	Meningitis	151			2	5	7	6	3	4	20	9	7	47	35	33
(37)	Convulsions	167	5	7	12	34	58	15	9	7	89	11	12	27	18	10
19	Organic diseases of the heart	69	1	1	3	3	8	1	4	3	16	8	13	8	17	7
20	Acute bronchitis	682	2	3	4	18	27	45	60	51	183	115	64	162	90	68
22	Pneumonia	912	1	2	3	13	19	28	17	25	89	67	74	210	227	245
(23)	Bronchopneumonia	2,793	1	17	20	64	102	98	94	92	386	276	236	642	646	607
24	Diseases of the stomach	206				8	8	9	16	11	44	37	38	53	13	21
25	Diarrhea and enteritis	5,713		5	10	44	59	135	171	205	570	606	618	1,733	1,345	841
(33)	Malformations	1,375	322	118	125	213	778	155	66	54	1,053	100	61	92	40	29
(33)	Premature birth	4,341	2,151	558	296	450	3,455	385	214	98	4,152	114	36	33	6	
(33, 37)	Congenital debility	2,826	419	126	127	278	950	237	143	124	1,454	382	331	444	152	63
(37)	Injuries at birth	1,117	604	157	107	152	1,020	72	11	1	1,104	11	2			
35	External causes	250	48	11	9	9	77	9	6	8	100	29	25	38	26	32
38	Diseases ill-defined or unknown	28	12	2	1	2	17	1	2	1	21		3	3	1	
	All other causes	1,275	30	20	31	100	181	103	72	70	426	122	92	257	206	172
	NORTH CAROLINA [1] (TOTAL).															
	All causes	1,657	224	76	56	123	479	132	68	52	731	146	132	267	223	158
5	Measles	1													1	
6	Scarlet fever	1													1	
7	Whooping cough	41						1	2	4	7	8	7	7	8	4
8	Diphtheria and croup	8			1		1	2			3		1	2		2
9	Influenza	10				1	1				1	2		4	2	1
(12)	Dysentery	25				2	2			1	3		1	7	10	4
(12)	Erysipelas	6						1	1	1	3	1		1		1
(37)	Tetanus	26				8	8	12	4		24	1		1		
13	Tuberculosis of the lungs	5												4	1	
14	Tuberculous meningitis	5											2		2	1
15	Other forms of tuberculosis	2												1		1
(37)	Syphilis	18			1		1	1	1		3	2	5	5	1	2
17	Meningitis	18						2			2	1	2	2	6	5
(37)	Convulsions	22		1		8	9	2	2	1	14	1		3	3	1
19	Organic diseases of the heart	2											1	1		
20	Acute bronchitis	22							2	2	4	6	3	3	3	3
22	Pneumonia	57				1	1	6	4	1	12	9	2	13	13	8
(23)	Bronchopneumonia	103			1		1	4	6	3	14	7	12	27	28	15
24	Diseases of the stomach	30		1	1		2	4			6	1	8	9	5	1
25	Diarrhea and enteritis	363		1		10	11	12	3	6	32	27	31	102	85	86
(33)	Malformations	44	5	4	4	8	21	5	3	5	34	2	1	4	1	2
(33)	Premature birth	299	140	43	24	33	240	25	14	8	287	8	1		1	2
(33, 37)	Congenital debility	165	25	10	7	15	57	21	8	8	94	23	14	18	11	5
(37)	Injuries at birth	22	13	2	4	2	21	1			22					
35	External causes	33	2	2	1	2	7		3	1	11	6	3	5	6	2
38	Diseases ill-defined or unknown	242	35	10	9	29	83	26	11	9	129	28	27	34	16	8
	All other causes	87	4	2	3	4	13	7	4	2	26	13	11	14	19	4

[1] Includes only municipalities having a population of 1,000 or over in 1910.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION STATES—Continued.															
	NORTH CAROLINA[1] (WHITE).															
	All causes	783	150	42	34	47	273	44	37	32	386	62	60	113	89	73
5	Measles	1													1	
6	Scarlet fever	1													1	
7	Whooping cough	19						1	1	3	5	3	4	1	5	1
8	Diphtheria and croup	6						1			1		1	2		2
9	Influenza	5										2		1	1	1
(12)	Dysentery	8												1	4	3
(12)	Erysipelas	4							1	1	2	1		1		
(37)	Tetanus	4				1	1	1	1		3	1				
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	4											2		1	1
15	Other forms of tuberculosis	1														1
(37)	Syphilis	5							1		1	1	3			
17	Meningitis	12						1			1	1	2	2	3	3
(37)	Convulsions	8		1		3	4				4	1		2	1	
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	10							2	1	3	3	1	2	1	
22	Pneumonia	15						3	1		4	2		2	5	2
(23)	Bronchopneumonia	34							2	2	4	5	4	9	11	1
24	Diseases of the stomach	17		1	1		2	1			3	1	6	4	2	1
25	Diarrhea and enteritis	166		1		2	3	4	1	1	9	10	15	50	35	47
(33)	Malformations	40	4	4	4	7	19	4	3	5	31	2	1	3	1	2
(33)	Premature birth	203	111	25	14	16	166	12	10	7	195	6	1			1
(33, 37)	Congenital debility	85	19	4	4	8	35	10	5	6	56	7	9	8	2	3
(37)	Injuries at birth	12	6		3	2	11	1			12					
35	External causes	15	1	1	1		3		2	1	6	2	1	1	3	2
38	Diseases ill-defined or unknown	65	8	3	5	7	23	2	5	3	33	9	6	15	1	1
	All other causes	41	1	2	2	1	6	3	2	2	13	5	4	7	11	1
	NORTH CAROLINA[1] (COLORED).															
	All causes	874	74	34	22	76	206	88	31	20	345	84	72	154	134	85
5	Measles															
6	Scarlet fever															
7	Whooping cough	22							1	1	2	5	3	6	3	3
8	Diphtheria and croup	2			1		1	1			2					
9	Influenza	5				1	1				1			3	1	
(12)	Dysentery	17				2	2			1	3		1	6	6	1
(12)	Erysipelas	2						1			1					1
(37)	Tetanus	22				7	7	11	3		21			1		
13	Tuberculosis of the lungs	4												3	1	
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	13			1		1	1			2	1	2	5	1	2
17	Meningitis	6						1			1				3	2
(37)	Convulsions	14				5	5	2	2	1	10			1	2	1
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	12								1	1	3	2	1	2	3
22	Pneumonia	42				1	1	3	3	1	8	7	2	11	8	6
(23)	Bronchopneumonia	69			1		1	4	4	1	10	2	8	18	17	14
24	Diseases of the stomach	13						3			3		2	5	3	
25	Diarrhea and enteritis	197				8	8	8	2	5	23	17	16	52	50	39
(33)	Malformations	4	1			1	2	1			3			1		
(33)	Premature birth	96	29	18	10	17	74	13	4	1	92	2			1	1
(33, 37)	Congenital debility	80	6	6	3	7	22	11	3	2	38	16	5	10	9	2
(37)	Injuries at birth	10	7	2	1		10				10					
35	External causes	18	1	1		2	4		1		5	4	2	4	3	
38	Diseases ill-defined or unknown	177	27	7	4	22	60	24	6	6	96	19	21	19	15	7
	All other causes	46	3		1	3	7	4	2		13	8	7	7	8	3
	OHIO.															
	All causes	9,690	1,683	580	386	805	3,454	682	478	376	4,990	826	616	1,451	972	835
5	Measles	51						1			1	2	2	8	13	25
6	Scarlet fever	15	1				1				1		1	3	3	7
7	Whooping cough	203						1	4	11	16	33	26	45	33	50
8	Diphtheria and croup	36			2		2	2			4	1		1	15	15
9	Influenza	91			2		2	3	7	7	19	13	7	25	15	12
(12)	Dysentery	18				1	1	1	3		5	1		2	5	5
(12)	Erysipelas	42						2	2	4	8	12	4	8	5	5
(37)	Tetanus	9				2	2	6	1		9					
13	Tuberculosis of the lungs	51				1	1		1	1	3	3	2	9	16	18
14	Tuberculous meningitis	68						2			2	1	2	18	24	21
15	Other forms of tuberculosis	24										3		8	6	7
(37)	Syphilis	142	18	4	2	7	31	10	11	4	56	34	11	25	5	11
17	Meningitis	75				2	2	3	2	3	10	6	5	21	11	22
(37)	Convulsions	141	6	5	9	38	58	13	13	8	92	11	6	15	11	6
19	Organic diseases of the heart	40			2	4	6	5	1	1	13	3	5	11	3	5
20	Acute bronchitis	171		2	5	5	12	8	13	8	41	32	15	35	26	22
22	Pneumonia	441		4	7	8	19	31	26	12	88	49	44	112	87	61
(23)	Bronchopneumonia	1,021	1	1	9	30	41	59	57	61	218	125	94	248	178	158
24	Diseases of the stomach	172	1	2	3	9	15	7	13	12	47	27	29	43	14	12
25	Diarrhea and enteritis	1,824		1	5	37	43	60	67	69	239	198	218	547	365	257
(33)	Malformations	769	194	96	71	118	479	68	45	40	632	41	23	40	22	11
(33)	Premature birth	2,109	1,046	286	135	245	1,712	182	88	53	2,035	51	12	10	1	
(33, 37)	Congenital debility	889	154	66	58	146	424	118	66	37	645	83	48	72	28	13
(37)	Injuries at birth	469	213	81	49	72	415	30	13	7	465	4				
35	External causes	142	12	4	3	12	31	13	3	8	55	21	10	27	10	19
38	Diseases ill-defined or unknown	183	27	18	12	24	81	14	13	6	114	20	15	22	8	4
	All other causes	494	10	10	12	44	76	43	29	24	172	52	37	96	68	69

[1] Includes only municipalities having a population of 1,000 or over in 1910.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION STATES—Continued.															
	PENNSYLVANIA.															
	All causes	23,933	3,264	1,128	773	1,628	6,793	1,466	1,193	924	10,376	2,166	1,864	4,269	3,058	2,200
5	Measles	178								5	5	6	11	29	45	82
6	Scarlet fever	24							1	1	2	1	1	6	6	8
7	Whooping cough	322		1	1		2	2	7	11	22	40	40	88	62	70
8	Diphtheria and croup	132		1		1	2		6	1	9	7	6	22	34	54
9	Influenza	146	1	1		1	3	7	9	5	24	20	17	45	21	19
(12)	Dysentery	42							2	3	5	5	5	13	5	9
(12)	Erysipelas	97				1	1	3	14	12	30	17	9	19	19	3
(37)	Tetanus	14				6	6	4	1		11	1	1			1
13	Tuberculosis of the lungs	120			1		1	2	5		8	13	12	36	31	20
14	Tuberculous meningitis	140						1	2		3	4	9	36	45	43
15	Other forms of tuberculosis	79				1	1	3	1	3	8	5	10	24	19	13
(37)	Syphilis	262	16	15	10	16	57	29	25	12	123	38	43	41	8	9
17	Meningitis	186		1	2	13	16	5	2	6	29	15	17	45	43	37
(37)	Convulsions	555	12	31	34	70	147	48	40	21	256	83	58	80	42	36
19	Organic diseases of the heart	135	2		6	17	25	13	14	11	63	12	11	22	13	14
20	Acute bronchitis	530	2	7	2	15	26	24	36	34	120	84	53	135	98	40
22	Pneumonia	1,073	4	4	7	23	38	50	44	50	182	124	103	287	211	166
(23)	Bronchopneumonia	2,379	2	13	21	68	104	97	121	97	419	276	234	587	483	380
24	Diseases of the stomach	405	2	5	3	19	29	29	35	26	119	66	49	93	52	26
25	Diarrhea and enteritis	6,253	5	12	12	86	115	176	227	242	760	673	715	1,840	1,375	890
(33)	Malformations	1,579	334	193	142	264	933	179	100	64	1,276	95	64	85	44	15
(33)	Premature birth	4,138	2,061	536	279	420	3,296	370	202	107	3,975	95	27	33	7	1
(33, 37)	Congenital debility	2,635	372	167	124	328	991	248	174	127	1,540	303	220	374	132	66
(37)	Injuries at birth	797	397	108	78	141	724	46	21	2	793	1	3			
35	External causes	243	12	6	6	16	40	10	6	14	70	22	29	42	40	40
38	Diseases ill-defined or unknown	166	16	10	14	17	57	10	11	7	85	14	14	21	18	14
	All other causes	1,303	26	17	31	105	179	110	87	63	439	146	103	266	205	144
	RHODE ISLAND.															
	All causes	1,673	204	91	50	83	428	85	73	58	644	150	163	303	239	174
5	Measles	19						1			1		1	2	3	12
6	Scarlet fever															
7	Whooping cough	71		1			1			6	7	10	6	16	21	11
8	Diphtheria and croup	7										1	1	1	3	1
9	Influenza	5							1		1		1	1	2	
(12)	Dysentery	8						2			2		1	2	2	1
(12)	Erysipelas	11								2	2	6		2	1	
(37)	Tetanus	2				1	1				1		1			
13	Tuberculosis of the lungs	9								1	1	1		4	2	1
14	Tuberculous meningitis	19						1			1		1	4	7	6
15	Other forms of tuberculosis	11										1	2	2	3	3
(37)	Syphilis	10				2	2		1	3	6	2	1	1		
17	Meningitis	16						1	2	1	4	1	1	4	4	2
(37)	Convulsions	16			1	2	3	2	1	1	7	1	3	4	1	
19	Organic diseases of the heart	6			1	3	4				4		1			1
20	Acute bronchitis	44				1	1	3	3	3	10	7	4	10	9	4
22	Pneumonia	99			1		1	9	4	2	16	6	11	25	22	19
(23)	Bronchopneumonia	149	1			1	2	2	6	5	15	17	13	36	36	32
24	Diseases of the stomach	20				1	1	1	2		4	4	4	5	3	
25	Diarrhea and enteritis	402				2	2	5	16	9	32	40	67	118	91	54
(33)	Malformations	75	10	14	12	7	43	11	7	2	63	2	2	4	3	1
(33)	Premature birth	269	121	51	16	25	213	24	13	6	256	4	3	4	2	
(33, 37)	Congenital debility	216	15	13	6	16	50	9	11	13	83	36	33	38	18	8
(37)	Injuries at birth	90	51	11	9	12	83	4	3		90					
35	External causes	9			1	1	2				2	1		1	1	4
38	Diseases ill-defined or unknown	21	6		1	2	9			1	10	1	2	4	2	2
	All other causes	69		1	2	7	10	10	3	3	26	9	4	15	3	12
	UTAH.															
	All causes	877	225	50	26	70	371	72	38	47	528	76	44	97	75	57
5	Measles															
6	Scarlet fever															
7	Whooping cough	57							1	3	4	15	9	10	12	7
8	Diphtheria and croup	2							1		1				1	
9	Influenza	10						1	1	1	3	1	2	2		2
(12)	Dysentery	2												1	1	
(12)	Erysipelas	11								2	2	2		2	3	2
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	3												2		1
15	Other forms of tuberculosis	2												1		1
(37)	Syphilis	4				1	1	1			2	1			1	
17	Meningitis	18				2	2		2	2	6	3	2	5		2
(37)	Convulsions	14	2	1	3		6	4	2		12	1				1
19	Organic diseases of the heart															
20	Acute bronchitis	18						2	2	2	6	3	2	3	1	3
22	Pneumonia	48						1	6	3	10	7	4	13	8	6
(23)	Bronchopneumonia	80			1	1	2	5	3	11	21	12	11	15	6	15
24	Diseases of the stomach	8			1		1		2	2	5	2	1			
25	Diarrhea and enteritis	70				2	2	1	2	1	6	9	5	25	19	6
(33)	Malformations	64	20	2	5	13	40	8	1	5	54	2	1	3	3	1
(33)	Premature birth	264	156	26	9	27	218	27	9	6	260	4				
(33, 37)	Congenital debility	55	14	4	2	11	31	7	1	4	43	5	2	3	2	
(37)	Injuries at birth	40	20	10		6	36	2	1		39	1				
35	External causes	10	2				2		1		3			2	3	2
38	Diseases ill-defined or unknown	36	9	4	2	2	17	5	1	1	24	3	1	3	3	2
	All other causes	61	2	3	3	5	13	8	2	4	27	5	4	7	12	6

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	VERMONT.															
	All causes	670	90	41	28	63	222	41	38	34	335	68	49	111	61	46
5	Measles															
6	Scarlet fever	1														1
7	Whooping cough	15										1	1	9	2	2
8	Diphtheria and croup	3												1	2	
9	Influenza	10				1	1	1	1		3	1	1	2		3
(12)	Dysentery	2						1			1				1	
(12)	Erysipelas	5										2		2	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	2			1		1				1	1				
14	Tuberculous meningitis	8											1	1	3	3
15	Other forms of tuberculosis	2											1		1	
(37)	Syphilis	3				1	1				1	2				
17	Meningitis	4				1	1				1					3
(37)	Convulsions	9		1	1	2	4	1			5	1	1		2	
19	Organic diseases of the heart	3										1	1		1	
20	Acute bronchitis	19				1	1	1	2	2	6	4	3	3	2	1
22	Pneumonia	25						1	3	1	5	2	1	9	4	4
(23)	Bronchopneumonia	39			1	1	2	1		2	5	5	6	7	13	3
24	Diseases of the stomach	7											4	1	1	1
25	Diarrhea and enteritis	133				3	3	6	5	5	19	17	14	54	14	15
(33)	Malformations	56	6	10	5	6	27	4	10	7	48	4	1	1	1	1
(33)	Premature birth	145	58	23	7	21	109	13	6	11	139	4	1	1		
(33, 37)	Congenital debility	98	16	5	4	10	35	7	9	5	56	18	10	9	2	3
(37)	Injuries at birth	27	9	2	9	6	26	1			27					
35	External causes	6				1	1	1			2	1		2		1
38	Diseases ill-defined or unknown	2	1			1	2				2					
	All other causes	46				8	8	3	2	1	14	4	3	9	11	5
	VIRGINIA (TOTAL).															
	All causes	5,504	893	286	206	344	1,729	386	248	203	2,566	513	394	872	646	513
5	Measles	10							1		1			1	2	6
6	Scarlet fever	4							1		1		1		1	1
7	Whooping cough	189						5	7	14	26	20	24	30	45	44
8	Diphtheria and croup	86	2			4	6	5	5	3	19	13	7	16	17	14
9	Influenza	35		1			1	3	2	3	9	5	2	8	7	4
(12)	Dysentery	61				1	1	1	2	1	5	8	5	15	13	15
(12)	Erysipelas	20						1		3	4	1	1	6	5	3
(37)	Tetanus	23			1	6	7	11	4		22	1				
13	Tuberculosis of the lungs	47	1	1	1	1	4	1	3		8	1	3	9	17	9
14	Tuberculous meningitis	31				1	1				1	1	3	12	8	6
15	Other forms of tuberculosis	18										1	1	6	4	6
(37)	Syphilis	60	5	2	1		8	5	4	1	18	13	9	11	6	3
17	Meningitis	79				2	2	8	6	3	19	4	3	17	22	14
(37)	Convulsions	129	7	5	4	17	33	19	6	10	68	12	6	23	14	6
19	Organic diseases of the heart	21				2	2	1	1	2	6	5	3	3	4	
20	Acute bronchitis	77	1		1	2	4	7	4	3	18	12	6	20	9	12
22	Pneumonia	322	2	1	3	8	14	20	19	8	61	37	29	86	67	42
(23)	Bronchopneumonia	247	1	1	2	6	10	8	6	8	32	27	25	63	51	49
24	Diseases of the stomach	94		1		3	4	5	3	6	18	21	9	18	18	10
25	Diarrhea and enteritis	884		1	1	14	16	22	19	21	78	91	91	277	177	170
(33)	Malformations	201	54	23	18	28	123	23	12	10	168	8	7	12	4	2
(33)	Premature birth	1,028	490	135	83	96	804	99	49	29	981	20	12	8	7	
(33, 37)	Congenital debility	738	109	54	38	58	259	57	44	32	392	101	74	95	50	26
(37)	Injuries at birth	162	95	20	14	25	154	3	5		162					
35	External causes	121	22	10	1	7	40	6	3	3	52	12	11	19	15	12
38	Diseases ill-defined or unknown	511	98	28	32	45	203	47	25	24	299	61	35	65	27	24
	All other causes	306	6	3	6	18	33	29	17	19	98	38	27	52	56	35
	VIRGINIA (WHITE).															
	All causes	3,035	590	169	119	186	1,064	212	147	115	1,538	278	208	442	314	255
5	Measles	6							1		1			1		4
6	Scarlet fever	4							1		1		1		1	1
7	Whooping cough	90						4	6	7	17	10	13	10	18	22
8	Diphtheria and croup	54	1			3	4	4	5	1	14	10	6	9	3	12
9	Influenza	23						3	1	3	7	4	2	6	2	2
(12)	Dysentery	18						1	1		2	1	1	5	4	5
(12)	Erysipelas	17						1		2	3	1	1	5	4	3
(37)	Tetanus	5			1	1	2	2	1		5					
13	Tuberculosis of the lungs	19	1	1			2		1		3			6	6	4
14	Tuberculous meningitis	21				1	1				1		1	8	6	5
15	Other forms of tuberculosis	12										1	1	3	3	4
(37)	Syphilis	26	2	1			3	3	3	1	10	8	4	2	1	1
17	Meningitis	58				1	1	6	5	3	15	4	2	13	12	12
(37)	Convulsions	52	4	3	4	6	17	8	3	3	31	6	2	6	4	3
19	Organic diseases of the heart	18				2	2	1		2	5	3	3	3	4	
20	Acute bronchitis	33	1				1	2	3	2	8	5	3	9	4	4
22	Pneumonia	158	1	1	2	2	6	12	16	7	41	19	12	35	31	20
(23)	Bronchopneumonia	116	1		1	2	4	5	5	4	18	19	12	22	20	25
24	Diseases of the stomach	58		1		2	3	2	2	2	9	13	5	14	14	3
25	Diarrhea and enteritis	455				5	5	6	7	8	26	44	49	147	98	91
(33)	Malformations	172	48	21	17	24	110	19	8	8	145	8	5	10	2	2
(33)	Premature birth	682	340	86	46	58	530	69	26	24	649	13	9	5	6	
(33, 37)	Congenital debility	371	60	27	19	23	129	21	23	16	189	54	43	50	28	7
(37)	Injuries at birth	110	63	13	9	19	104	3	3		110					
35	External causes	62	7	3	1	5	16	3		2	21	9	6	11	8	7
38	Diseases ill-defined or unknown	258	60	10	14	25	109	28	16	9	162	31	16	34	9	6
	All other causes	137	1	2	5	7	15	9	10	11	45	15	11	28	26	12

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	VIRGINIA (COLORED).															
	All causes	2,469	303	117	87	158	665	174	101	88	1,028	235	186	430	332	258
5	Measles	4													2	2
6	Scarlet fever															
7	Whooping cough	99						1	1	7	9	10	11	20	27	22
8	Diphtheria and croup	32	1			1	2	1		2	5	3	1	7	14	2
9	Influenza	12		1			1		1		2	1		2	5	2
(12)	Dysentery	43				1	1		1	1	3	7	4	10	9	10
(12)	Erysipelas	3								1	1			1	1	
(37)	Tetanus	18				5	5	9	3		17	1				
13	Tuberculosis of the lungs	28			1	1	2	1	2		5	1	3	3	11	5
14	Tuberculous meningitis	10										1	2	4	2	1
15	Other forms of tuberculosis	6												3	1	2
(37)	Syphilis	34	3	1	1		5	2	1		8	5	5	9	5	2
17	Meningitis	21				1	1	2	1		4		1	4	10	2
(37)	Convulsions	77	3	2		11	16	11	3	7	37	6	4	17	10	3
19	Organic diseases of the heart	3							1		1	2				
20	Acute bronchitis	44			1	2	3	5	1	1	10	7	3	11	5	8
22	Pneumonia	164	1		1	6	8	8	3	1	20	18	17	51	36	22
(23)	Bronchopneumonia	131		1	1	4	6	3	1	4	14	8	13	41	31	24
24	Diseases of the stomach	36				1	1	3	1	4	9	8	4	4	4	7
25	Diarrhea and enteritis	429		1	1	9	11	16	12	13	52	47	42	130	79	79
(33)	Malformations	29	6	2	1	4	13	4	4	2	23		2	2	2	
(33)	Premature birth	346	150	49	37	38	274	30	23	5	332	7	3	3	1	
(33, 37)	Congenital debility	367	49	27	19	35	130	36	21	16	203	47	31	45	22	19
(37)	Injuries at birth	52	32	7	5	6	50		2		52					
35	External causes	59	15	7		2	24	3	3	1	31	3	5	8	7	5
38	Diseases ill-defined or unknown	253	38	18	18	20	94	19	9	15	137	30	19	31	18	18
	All other causes	169	5	1	1	11	18	20	7	8	53	23	16	24	30	23
	WASHINGTON.															
	All causes	1,461	316	100	96	152	664	112	63	47	886	121	90	152	118	94
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	29										6	6	3	6	8
8	Diphtheria and croup	2								1	1				1	
9	Influenza	16			1		1		2	1	4	3	2	3	3	1
(12)	Dysentery	2										1			1	
(12)	Erysipelas	9				1	1	1	1	1	4	1		3	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	7											1		3	3
14	Tuberculous meningitis	19										3	1	6	4	5
15	Other forms of tuberculosis	2													2	
(37)	Syphilis	9							2		2	2	3		1	1
17	Meningitis	19		1	1		2			1	3	4	3	4	4	1
(37)	Convulsions	20	1	2		5	8	1	3		12	2	3	1		2
19	Organic diseases of the heart	7	1	1		1	3			1	4			1	1	1
20	Acute bronchitis	12						2		1	3	4		2	1	2
22	Pneumonia	40			3	1	4	7	1	2	14	2	3	9	4	8
(23)	Bronchopneumonia	136	1	1		9	11	8	7	5	31	25	7	33	21	19
24	Diseases of the stomach	24						2	2	1	5	7	5	3	1	3
25	Diarrhea and enteritis	132		1	1	9	11	4	10	6	31	17	15	29	25	15
(33)	Malformations	132	33	10	16	17	76	10	3	6	95	7	7	12	7	4
(33)	Premature birth	372	207	43	29	35	314	28	9	12	363	2	5	1	1	
(33, 37)	Congenital debility	207	30	15	20	40	105	32	13	6	156	14	10	17	6	4
(37)	Injuries at birth	82	31	16	10	18	75	7			82					
35	External causes	37	2	3	3		8	1	2		11	8	5	6	2	5
38	Diseases ill-defined or unknown	45	7	3	4	8	22	5	2		29	3	2	6	2	3
	All other causes	100	3	4	8	8	23	4	6	3	36	10	12	13	21	8
	WISCONSIN.															
	All causes	4,520	992	222	180	405	1,799	342	251	179	2,571	379	287	620	389	274
5	Measles	17						1			1	1		3	4	8
6	Scarlet fever	3													2	1
7	Whooping cough	124							3	4	7	24	24	27	25	17
8	Diphtheria and croup	16	1				1	1			2	2		3	3	6
9	Influenza	36			1	2	3	4			7	8	4	7	6	4
(12)	Dysentery	6							1		1	2	1	1		1
(12)	Erysipelas	16			1		1			2	3	5	2	3	2	1
(37)	Tetanus	5				1	1	2			3			1		1
13	Tuberculosis of the lungs	16											3	4	5	4
14	Tuberculous meningitis	24										1	1	6	4	12
15	Other forms of tuberculosis	7											1	1	3	2
(37)	Syphilis	32	3			1	4	1	1	3	9	4	3	11	3	2
17	Meningitis	60	1			5	6	1	5	1	13	5	2	15	14	11
(37)	Convulsions	218	19	7	19	46	91	18	21	14	144	16	11	21	19	7
19	Organic diseases of the heart	11				1	1	1		1	3		2	5		1
20	Acute bronchitis	122				2	2	12	7	10	31	8	18	32	19	14
22	Pneumonia	209	2	2	2	6	12	10	13	12	47	23	16	51	33	39
(23)	Bronchopneumonia	378		2	6	11	19	23	23	15	80	52	44	85	71	46
24	Diseases of the stomach	93	1	3	1	6	11	8	8	8	35	13	10	23	9	3
25	Diarrhea and enteritis	653		2	5	19	26	50	42	26	144	89	75	189	101	55
(33)	Malformations	253	64	19	20	48	151	27	13	8	199	13	10	12	13	6
(33)	Premature birth	1,105	640	113	61	105	919	95	42	24	1,080	13	6	5	1	
(33, 37)	Congenital debility	621	134	48	31	96	309	62	48	34	453	64	35	48	13	8
(37)	Injuries at birth	197	123	19	21	25	188	5		3	196	1				
35	External causes	38			2	4	6		2	1	9	6	3	10	5	5
38	Diseases ill-defined or unknown	8	1	1		1	3	1		1	5	1		2		
	All other causes	252	3	6	10	26	45	20	22	12	99	28	16	55	34	20

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in tnis table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910.															
	BIRMINGHAM, ALA. (TOTAL).															
	All causes	329	62	20	7	27	116	23	8	7	154	27	23	56	34	35
5	Measles	2														2
6	Scarlet fever	2														2
7	Whooping cough	2													1	1
8	Diphtheria and croup	2				1	1	1			2					
9	Influenza	2								1	1					1
(12)	Dysentery															
(12)	Erysipelas	1						1			1					
(37)	Tetanus	2				2	2				2					
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	5													3	2
15	Other forms of tuberculosis	1											1			
(37)	Syphilis	14			1	1	2		2	1	5	3	3	2		1
17	Meningitis	1												1		
(37)	Convulsions	4				1	1	2	1		4					
19	Organic diseases of the heart															
20	Acute bronchitis	4						1			1	1	1		1	
22	Pneumonia	7								1	1		1	3	2	
(23)	Bronchopneumonia	28						2		1	3	3	1	11	7	3
24	Diseases of the stomach	3										1	2			
25	Diarrhea and enteritis	49				1	1	1		1	3	1	5	17	10	13
(33)	Malformations	11	2	3		5	10		1		11					
(33)	Premature birth	85	46	13	3	8	70	7	2		79	3	2	1		
(33,37)	Congenital debility	33	6	1	2	4	13	1	2	1	17	6	2	5	1	2
(37)	Injuries at birth	7	5	1		1	7				7					
35	External causes	14		1			1	2		1	4	2	2	3		3
38	Diseases ill-defined or unknown	21	2	1		3	6	4			10	3	1	3	2	2
	All other causes	27	1		1		2	1			3	4	2	9	6	3
	BIRMINGHAM, ALA. (WHITE).															
	All causes	180	38	14	3	16	71	11	7	2	91	11	11	24	20	23
5	Measles	2														2
6	Scarlet fever	2														2
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza	1														1
(12)	Dysentery															
(12)	Erysipelas	1						1			1					
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	3													2	1
15	Other forms of tuberculosis															
(37)	Syphilis	4							1		1	1	1	1		
17	Meningitis															
(37)	Convulsions	3						2	1		3					
19	Organic diseases of the heart															
20	Acute bronchitis	3										1	1		1	
22	Pneumonia	3								1	1			1	1	
(23)	Bronchopneumonia	9						1		1	2	1	1	1	4	
24	Diseases of the stomach	2											2			
25	Diarrhea and enteritis	29				1	1	1			2		1	8	6	12
(33)	Malformations	9	1	2		5	8		1		9					
(33)	Premature birth	56	31	11	2	4	48	3	2		53	1	1	1		
(33,37)	Congenital debility	16	1	1		3	5		2		7	3	2	3		1
(37)	Injuries at birth	5	4			1	5				5					
35	External causes	7						1			1	1	1	2		2
38	Diseases ill-defined or unknown	4				1	1	1			2			1	1	
	All other causes	20	1		1		2	1			3	3	1	6	5	2
	BIRMINGHAM, ALA. (COLORED).															
	All causes	149	24	6	4	11	45	12	1	5	63	16	12	32	14	12
5	Measles															
6	Scarlet fever															
7	Whooping cough	2													1	1
8	Diphtheria and croup	2				1	1	1			2					
9	Influenza	1								1	1					
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	2													1	1
15	Other forms of tuberculosis	1											1			
(37)	Syphilis	10			1	1	2		1	1	4	2	2	1		1
17	Meningitis	1												1		
(37)	Convulsions	1				1	1				1					
19	Organic diseases of the heart															
20	Acute bronchitis	1						1			1					
22	Pneumonia	4											1	2	1	
(23)	Bronchopneumonia	19						1			1	2		10	3	3
24	Diseases of the stomach	1										1				
25	Diarrhea and enteritis	20								1	1	1	4	9	4	1
(33)	Malformations	2	1	1			2				2					
(33)	Premature birth	29	15	2	1	4	22	4			26	2	1			
(33,37)	Congenital debility	17	5		2	1	8	1		1	10	3		2	1	1
(37)	Injuries at birth	2	1	1			2				2					
35	External causes	7		1			1	1		1	3	1	1	1		1
38	Diseases ill-defined or unknown	17	2	1		2	5	3			8	3	1	2	1	2
	All other causes	7										1	1	3	1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	LOS ANGELES, CAL. (TOTAL).															
	All causes	540	99	35	30	36	200	46	23	19	288	45	33	83	59	32
5	Measles	6							1		1			2	3	
6	Scarlet fever															
7	Whooping cough	6										1	1	1	2	1
8	Diphtheria and croup	4										1		2		1
9	Influenza	2								1	1			1		
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	7												4	2	1
14	Tuberculous meningitis	8											1	1	3	3
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	14				1	1		2	3	6	2	1	3	1	1
17	Meningitis	5			1		1				1			2	2	
(37)	Convulsions	3							1		1	1				1
19	Organic diseases of the heart	1		1			1				1					
20	Acute bronchitis	9				1	1	1			2	1	2	1	2	1
22	Pneumonia	11						1	1		2	1		5	2	1
(23)	Bronchopneumonia	54	2	1		3	6	2	3	3	14	3	7	18	8	4
24	Diseases of the stomach	5										2	1	2		
25	Diarrhea and enteritis	112		2	2	1	5	5	4	5	19	17	12	29	23	12
(33)	Malformations	36	10	3	6	3	22	3	1		26	3	1	3	2	1
(33)	Premature birth	142	64	19	11	14	108	16	6	4	134	6	2			
(33, 37)	Congenital debility	45	12	2	2	9	25	7	3	1	36	2	2	5		
(37)	Injuries at birth	30	11	5	6	2	24	6			30					
35	External causes	4										1		1	2	
38	Diseases ill-defined or unknown															
	All other causes	34		2	2	1	5	5	1	2	13	4	3	3	6	5
	LOS ANGELES, CAL. (WHITE).															
	All causes	486	88	32	28	35	183	44	22	18	267	38	27	75	51	28
5	Measles	6							1		1			2	3	
6	Scarlet fever															
7	Whooping cough	4										1			2	1
8	Diphtheria and croup	4										1		2		1
9	Influenza	2								1	1			1		
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	7												4	2	1
14	Tuberculous meningitis	4												1	2	1
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	14				1	1		2	3	6	2	1	3	1	1
17	Meningitis	3			1		1				1			1	1	
(37)	Convulsions	3							1		1	1				1
19	Organic diseases of the heart	1		1			1				1					
20	Acute bronchitis	9				1	1	1			2	1	2	1	2	1
22	Pneumonia	9						1	1		2	1		3	2	1
(23)	Bronchopneumonia	50	1	1		3	5	2	3	3	13	2	6	17	8	4
24	Diseases of the stomach	5										2	1	2		
25	Diarrhea and enteritis	95		2	2	1	5	5	4	4	18	11	9	27	19	11
(33)	Malformations	32	7	3	5	3	18	3	1		22	3	1	3	2	1
(33)	Premature birth	131	58	17	11	13	99	15	5	4	123	6	2			
(33, 37)	Congenital debility	43	11	2	2	9	24	7	3	1	35	2	2	4		
(37)	Injuries at birth	28	11	4	5	2	22	6			28					
35	External causes	3										1		1	1	
38	Diseases ill-defined or unknown															
	All other causes	31		2	2	1	5	4	1	2	12	4	3	3	5	4
	LOS ANGELES, CAL. (COLORED).[1]															
	All causes	54	11	3	2	1	17	2	1	1	21	7	6	8	8	4
5	Measles															
6	Scarlet fever															
7	Whooping cough	2											1	1		
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	4											1		1	2
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis	2												1	1	
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis															
22	Pneumonia	2												2		
(23)	Bronchopneumonia	4	1				1				1	1	1	1		
24	Diseases of the stomach															
25	Diarrhea and enteritis	17								1	1	6	3	2	4	1
(33)	Malformations	4	3		1		4				4					
(33)	Premature birth	11	6	2		1	9	1	1		11					
(33, 37)	Congenital debility	2	1				1				1			1		
(37)	Injuries at birth	2		1	1		2				2					
35	External causes	1													1	
38	Diseases ill-defined or unknown															
	All other causes	3						1			1				1	1

[1] The deaths of colored persons under 1 year of age include 20 Negroes, 1 Indian, 2 Chinese, and 31 Japanese.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	OAKLAND, CAL. (TOTAL).															
	All causes	218	34	10	9	11	64	8	9	10	91	24	22	39	21	21
5	Measles	4												1	1	2
6	Scarlet fever															
7	Whooping cough	14						1		1	2		1	4	2	5
8	Diphtheria and croup															
9	Influenza	1												1		
(12)	Dysentery	3												1	1	1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2											1			1
14	Tuberculous meningitis	4													4	
15	Other forms of tuberculosis															
(37)	Syphilis	10				1	1			1	2	1	2	2	3	
17	Meningitis															
(37)	Convulsions	2						1			1			1		
19	Organic diseases of the heart	1													1	
20	Acute bronchitis	5							1	1	2		1		1	1
22	Pneumonia	11				1	1				1	1		4	2	3
(23)	Bronchopneumonia	17				1	1		1	2	4	2	2	4	2	3
24	Diseases of the stomach	3										2		1		
25	Diarrhea and enteritis	36						2	1	1	4	9	8	9	4	2
(33)	Malformations	24	6	4	2	1	13		2	1	16	4	1	3		
(33)	Premature birth	39	20	5	3	3	31	3	2	1	37		2			
(33, 37)	Congenital debility	20	5	1	2		8		2	2	12	4	1	3		
(37)	Injuries at birth	6	2		1	2	5	1			6					
35	External causes	6			1	1	2				2	1	1			2
38	Diseases ill-defined or unknown															
	All other causes	10	1			1	2				2		2	5		1
	OAKLAND, CAL. (WHITE).															
	All causes	194	31	10	7	8	56	7	8	10	81	22	21	36	17	17
5	Measles	3												1	1	1
6	Scarlet fever															
7	Whooping cough	14						1		1	2		1	4	2	5
8	Diphtheria and croup															
9	Influenza	1												1		
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2											1			1
14	Tuberculous meningitis	4													4	
15	Other forms of tuberculosis															
(37)	Syphilis	10				1	1			1	2	1	2	2	3	
17	Meningitis															
(37)	Convulsions	2						1			1			1		
19	Organic diseases of the heart															
20	Acute bronchitis	5							1	1	2		1		1	1
22	Pneumonia	9										1		4	2	2
(23)	Bronchopneumonia	16				1	1		1	2	4	2	2	4	1	3
24	Diseases of the stomach	3										2		1		
25	Diarrhea and enteritis	32						1	1	1	3	7	8	9	3	2
(33)	Malformations	23	6	4	2		12		2	1	15	4	1	3		
(33)	Premature birth	34	17	5	2	3	27	3	1	1	32		2			
(33, 37)	Congenital debility	20	5	1	2		8		2	2	12	4	1	3		
(37)	Injuries at birth	4	2			1	3	1			4					
35	External causes	4			1	1	2				2	1				1
38	Diseases ill-defined or unknown															
	All other causes	8	1			1	2				2		2	3		1
	OAKLAND, CAL. (COLORED).[1]															
	All causes	24	3		2	3	8	1	1		10	2	1	3	4	4
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	3												1	1	1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart	1													1	
20	Acute bronchitis															
22	Pneumonia	2				1	1				1					1
(23)	Bronchopneumonia	1													1	
24	Diseases of the stomach															
25	Diarrhea and enteritis	4						1			1	2			1	
(33)	Malformations	1				1	1				1					
(33)	Premature birth	5	3		1		4		1		5					
(33, 37)	Congenital debility															
(37)	Injuries at birth	2			1	1	2				2					
35	External causes	2											1			1
38	Diseases ill-defined or unknown															
	All other causes	2												2		

[1] The deaths of colored persons under 1 year of age include 8 Negroes, 4 Chinese, and 12 Japanese.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	SAN FRANCISCO, CAL. (TOTAL).															
	All causes	536	96	45	36	35	212	37	28	20	297	44	38	68	45	44
5	Measles	4												1	1	2
6	Scarlet fever															
7	Whooping cough	9										3	1	2	1	2
8	Diphtheria and croup	6												1	2	3
9	Influenza	2										1	1			
(12)	Dysentery	1												1		
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	9								1	1	1		2	3	2
14	Tuberculous meningitis	6							1		1		1	1	3	
15	Other forms of tuberculosis	4											1	1	1	1
(37)	Syphilis	23	2	1	2	1	6	4	1	1	12	3	4	2	1	1
17	Meningitis	4								1	1					3
(37)	Convulsions															
19	Organic diseases of the heart	4				1	1				1	2		1		
20	Acute bronchitis	8						1		1	2	2	1		3	
22	Pneumonia	22		1			1		2		3	1	3	4	5	6
(23)	Bronchopneumonia	44				1	1	4	3	2	10	7	5	12	7	3
24	Diseases of the stomach	9				1	1		1	3	5	1	2	1		
25	Diarrhea and enteritis	77				2	2	5	3	4	14	5	12	21	11	14
(33)	Malformations	45	8	5	5	6	24	2	2	3	31	2	2	7	2	1
(33)	Premature birth	149	64	25	17	9	115	14	11	1	141	7	1			
(33,37)	Congenital debility	34	11	5	7	5	28	3	1		32	2				
(37)	Injuries at birth	31	11	6	5	6	28	1			29	1	1			
35	External causes	10				1	1		1	1	3	1	1	3		2
38	Diseases ill-defined or unknown															
	All other causes	35		2		2	4	3	2	2	11	5	2	8	5	4
	SAN FRANCISCO, CAL. (WHITE).															
	All causes	494	89	43	32	32	196	37	26	18	277	40	35	62	37	43
5	Measles	4												1	1	2
6	Scarlet fever															
7	Whooping cough	9										3	1	2	1	2
8	Diphtheria and croup	6												1	2	3
9	Influenza	1										1				
(12)	Dysentery	1												1		
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	9								1	1	1		2	3	2
14	Tuberculous meningitis	4							1		1		1	1	1	
15	Other forms of tuberculosis	4											1	1	1	1
(37)	Syphilis	20	1	1	2	1	5	4	1	1	11	2	3	2	1	1
17	Meningitis	3								1	1					2
(37)	Convulsions															
19	Organic diseases of the heart	3										2		1		
20	Acute bronchitis	7						1		1	2	2	1		2	
22	Pneumonia	19		1			1		2		3	1	3	3	3	6
(23)	Bronchopneumonia	39				1	1	4	2	2	9	7	5	9	6	3
24	Diseases of the stomach	7				1	1		1	1	3	1	2	1		
25	Diarrhea and enteritis	73				2	2	5	3	4	14	4	11	20	10	14
(33)	Malformations	42	7	5	3	6	21	2	2	3	28	2	2	7	2	1
(33)	Premature birth	138	59	24	15	8	106	14	10	1	131	6	1			
(33,37)	Congenital debility	32	11	4	7	4	26	3	1		30	2				
(37)	Injuries at birth	31	11	6	5	6	28	1			29	1	1			
35	External causes	10				1	1		1	1	3	1	1	3		2
38	Diseases ill-defined or unknown															
	All other causes	32		2		2	4	3	2	2	11	4	2	7	4	4
	SAN FRANCISCO, CAL. (COLORED).[1]															
	All causes	42	7	2	4	3	16		2	2	20	4	3	6	8	1
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza	1											1			
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2													2	
15	Other forms of tuberculosis															
(37)	Syphilis	3	1				1				1	1	1			
17	Meningitis	1														1
(37)	Convulsions															
19	Organic diseases of the heart	1				1	1				1					
20	Acute bronchitis	1													1	
22	Pneumonia	3												1	2	
(23)	Bronchopneumonia	5							1		1			3	1	
24	Diseases of the stomach	2								2	2					
25	Diarrhea and enteritis	4										1	1	1	1	
(33)	Malformations	3	1		2		3				3					
(33)	Premature birth	11	5	1	2	1	9		1		10	1				
(33,37)	Congenital debility	2		1		1	2				2					
(37)	Injuries at birth															
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	3										1		1	1	

[1] The deaths of colored persons under 1 year of age include 1 Negro, 16 Chinese, and 25 Japanese.

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	DENVER, COLO.															
	All causes	338	85	32	12	22	151	24	12	13	200	35	22	38	25	18
5	Measles	1													1	
6	Scarlet fever	2												1		1
7	Whooping cough	9										1	1	3	1	3
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	3							1	1	2	1				
(37)	Tetanus	1			1		1				1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	4													1	3
15	Other forms of tuberculosis															
(37)	Syphilis	12		1	1		2	2	2		6	3	1	2		
17	Meningitis	7							1		1	1	3	1	1	
(37)	Convulsions															
19	Organic diseases of the heart	5		1		1	2	1			3		1		1	
20	Acute bronchitis	6				1	1			1	2	1			3	
22	Pneumonia	18				1	1	2	1		4	2	3	5	1	3
(23)	Bronchopneumonia	30				2	2	1	1	2	6	6	3	7	5	3
24	Diseases of the stomach	1												1		
25	Diarrhea and enteritis	26						1		1	2	6	2	8	5	3
(33)	Malformations	26	8	1	3	3	15	3	1		19	4	2		1	
(33)	Premature birth	107	59	23	5	5	92	6	4	3	105	1		1		
(33,37)	Congenital debility	58	12	4	1	7	24	5	1	4	34	8	6	6	2	2
(37)	Injuries at birth	9	5	2	1		8			1	9					
35	External causes	3				1	1				1				2	
38	Diseases ill-defined or unknown															
	All other causes	10	1			1	2	3			5	1		3	1	
	BRIDGEPORT, CONN.															
	All causes	378	42	16	15	27	100	19	11	9	139	28	36	69	56	50
5	Measles	2										1				1
6	Scarlet fever	1												1		
7	Whooping cough	12										1	1	5	4	1
8	Diphtheria and croup	4												1	1	2
9	Influenza	1							1		1					
(12)	Dysentery															
(12)	Erysipelas	4	1				1				1	1		2		
(37)	Tetanus															
13	Tuberculosis of the lungs	4						1			1		1		1	1
14	Tuberculous meningitis	3												2		1
15	Other forms of tuberculosis	3													2	1
(37)	Syphilis	5	2			1	3				3	1	1			
17	Meningitis	4											1	1		2
(37)	Convulsions	1		1			1				1					
19	Organic diseases of the heart															
20	Acute bronchitis	8								2	2	1		5		
22	Pneumonia	18				1	1	1			2		4	2	4	6
(23)	Bronchopneumonia	29						1	1	1	3	4	4	5	6	7
24	Diseases of the stomach	2										1	1			
25	Diarrhea and enteritis	117				1	1	4	3	2	10	8	13	38	27	21
(33)	Malformations	22	2	1	4	7	14			1	15	1	2	2	2	
(33)	Premature birth	65	30	7	7	9	53	4	3	1	61	2	1		1	
(33,37)	Congenital debility	36	1	3	2	6	12	5	2	2	21	3	5	3	3	1
(37)	Injuries at birth	11	5	2	2	1	10		1		11					
35	External causes	4	1				1				1	1	1		1	
38	Diseases ill-defined or unknown	1		1			1				1					
	All other causes	21		1		1	2	3			5	3	1	2	4	6
	NEW HAVEN, CONN.															
	All causes	387	48	33	12	23	116	25	24	15	180	39	24	65	41	38
5	Measles	5												2	2	1
6	Scarlet fever															
7	Whooping cough	5										1		2		2
8	Diphtheria and croup	1														1
9	Influenza	3							1		1			1	1	
(12)	Dysentery	1														1
(12)	Erysipelas	5							2	1	3	2				
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	8											1	1	4	2
15	Other forms of tuberculosis	2												1		1
(37)	Syphilis	6	1		1		2		2		4		1	1		
17	Meningitis	5							2		2	1		1		1
(37)	Convulsions	5				1	1	1	1		3	1				1
19	Organic diseases of the heart															
20	Acute bronchitis	9				1	1		2		3	4	1		1	
22	Pneumonia	18				1	1	2		1	4	2	1	3	2	6
(23)	Bronchopneumonia	39	1	1			2		2	3	7	4	2	10	7	9
24	Diseases of the stomach	4						1			1	2			1	
25	Diarrhea and enteritis	87						1	1	2	4	10	10	32	20	11
(33)	Malformations	19	2	3		2	7	4	2	2	15	2		1		1
(33)	Premature birth	63	23	14	7	5	49	6	3	3	61	1	1			
(33,37)	Congenital debility	53	11	3	3	8	25	6	2	3	36	4	4	8	1	
(37)	Injuries at birth	22	8	10	1	3	22				22					
35	External causes	2		1			1				1		1			
38	Diseases ill-defined or unknown	5	1				1	1			2	1		2		
	All other causes	19	1	1		2	4	3	4		11	4	2		1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	WASHINGTON, D. C. (TOTAL).															
	All causes	781	132	54	32	42	260	39	41	18	358	62	52	128	99	82
5	Measles	2														2
6	Scarlet fever															
7	Whooping cough	10								1	1	1	1	1	2	4
8	Diphtheria and croup	2							1		1			1		
9	Influenza	3												1	1	1
(12)	Dysentery	1														1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	5								1	1			1		3
14	Tuberculous meningitis	8											2	2	2	2
15	Other forms of tuberculosis															
(37)	Syphilis	28	2	2	1	1	6	1	3	1	11	5	2	6	4	
17	Meningitis	9						1			1	1	1	3	2	1
(37)	Convulsions	9	1	1			2			1	3	2	1		1	2
19	Organic diseases of the heart	3										1				2
20	Acute bronchitis	24	1			1	2		1		3	4	3	6	5	3
22	Pneumonia	29		1	1		2	1	3	1	7	1	1	4	7	9
(23)	Bronchopneumonia	67			1	2	3	1	5	3	12	5	4	21	11	14
24	Diseases of the stomach	7							1	1	2		2	2	1	
25	Diarrhea and enteritis	149						3	1	2	6	18	17	45	38	25
(33)	Malformations	32	7	3	4	6	20	4	2	2	28		1	1	1	1
(33)	Premature birth	202	85	38	22	12	157	17	12	1	187	11	3		1	
(33,37)	Congenital debility	111	16	5	1	8	30	8	10	2	50	11	9	23	12	6
(37)	Injuries at birth	29	18	3	2	4	27	2			29					
35	External causes	10	2				2			1	3		1	1	3	2
38	Diseases ill-defined or unknown															
	All other causes	41		1		8	9	1	2	1	13	2	4	10	8	4
	WASHINGTON, D. C. (WHITE).															
	All causes	398	81	29	17	27	154	17	20	9	200	31	28	51	49	39
5	Measles	2														2
6	Scarlet fever															
7	Whooping cough	2													1	1
8	Diphtheria and croup	2							1		1			1		
9	Influenza	3												1	1	1
(12)	Dysentery	1														1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	2													1	1
15	Other forms of tuberculosis															
(37)	Syphilis	9							2	1	3	3		2	1	
17	Meningitis	6						1			1	1		2	1	1
(37)	Convulsions	4		1			1				1	1	1			1
19	Organic diseases of the heart	3										1				2
20	Acute bronchitis	2											1		1	
22	Pneumonia	13		1	1		2		1		3	1	1	1	3	4
(23)	Bronchopneumonia	20				2	2		2	2	6	2	2	5	1	4
24	Diseases of the stomach	4							1	1	2		1		1	
25	Diarrhea and enteritis	69						1	1		2	8	7	19	20	13
(33)	Malformations	24	6	2	3	6	17	2	1	2	22		1		1	
(33)	Premature birth	103	51	18	11	5	85	6	5		96	4	3			
(33,37)	Congenital debility	74	9	5		5	19	4	6	2	31	8	7	16	8	4
(37)	Injuries at birth	23	14	1	2	4	21	2			23					
35	External causes	6	1				1				1		1		3	1
38	Diseases ill-defined or unknown															
	All other causes	25		1		5	6	1		1	8	2	3	4	6	2
	WASHINGTON, D. C. (COLORED).															
	All causes	383	51	25	15	15	106	22	21	9	158	31	24	77	50	43
5	Measles															
6	Scarlet fever															
7	Whooping cough	8								1	1	1	1	1	1	3
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	4								1	1			1		2
14	Tuberculous meningitis	6											2	2	1	1
15	Other forms of tuberculosis															
(37)	Syphilis	19	2	2	1	1	6	1	1		8	2	2	4	3	
17	Meningitis	3											1	1	1	
(37)	Convulsions	5	1				1			1	2	1			1	1
19	Organic diseases of the heart															
20	Acute bronchitis	22	1			1	2		1		3	4	2	6	4	3
22	Pneumonia	16						1	2	1	4			3	4	5
(23)	Bronchopneumonia	47			1		1	1	3	1	6	3	2	16	10	10
24	Diseases of the stomach	3											1	2		
25	Diarrhea and enteritis	80						2		2	4	10	10	26	18	12
(33)	Malformations	8	1	1	1		3	2	1		6			1		1
(33)	Premature birth	99	34	20	11	7	72	11	7	1	91	7			1	
(33,37)	Congenital debility	37	7		1	3	11	4	4		19	3	2	7	4	2
(37)	Injuries at birth	6	4	2			6				6					
35	External causes	4	1				1			1	2			1		1
38	Diseases ill-defined or unknown															
	All other causes	16				3	3		2		5		1	6	2	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	ATLANTA, GA. (TOTAL).															
	All causes	308	37	16	12	25	90	23	12	9	134	26	33	47	36	32
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough	14							1		1	4	2	5		2
8	Diphtheria and croup															
9	Influenza	5						1			1			2	1	1
(12)	Dysentery	6												4		2
(12)	Erysipelas	1														1
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	2													2	
15	Other forms of tuberculosis															
(37)	Syphilis	6	1				1	1		1	3		1	1	1	
17	Meningitis	3												1		2
(37)	Convulsions	2			2		2				2					
19	Organic diseases of the heart	3			2		2				2		1			
20	Acute bronchitis	1								1	1					
22	Pneumonia	8				1	1		1		2		3	1		2
(23)	Bronchopneumonia	36						4	2	2	8	2	6	10	4	6
24	Diseases of the stomach	8										1	4	1	2	
25	Diarrhea and enteritis	53				1	1		1		2	10	7	11	12	11
(33)	Malformations	11	5	2		2	9	1			10			1		
(33)	Premature birth	55	24	10	4	5	43	6	3	1	53	1		1		
(33,37)	Congenital debility	37	3	1		8	12	7	2	3	24	4	4	3	2	
(37)	Injuries at birth	9	1	3	2	3	9				9					
35	External causes	9				1	1		1		2	1	2	2	1	1
38	Diseases ill-defined or unknown	12	1			2	3			1	4	2	1	1	3	1
	All other causes	24	2		2	2	6	2	1		9	1	2	2	7	3
	ATLANTA, GA. (WHITE).															
	All causes	170	23	12	9	10	54	13	9	1	77	17	14	27	17	18
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough	5							1		1	2		2		
8	Diphtheria and croup															
9	Influenza	5						1			1			2	1	1
(12)	Dysentery	1												1		
(12)	Erysipelas	1														1
(37)	Tetanus															
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	3	1				1	1			2			1		
17	Meningitis	3												1		2
(37)	Convulsions	1			1		1				1					
19	Organic diseases of the heart	3			2		2				2		1			
20	Acute bronchitis															
22	Pneumonia	4							1		1		2			1
(23)	Bronchopneumonia	15						1	1	1	3		2	6	1	3
24	Diseases of the stomach	3										1	2			
25	Diarrhea and enteritis	31							1		1	6	4	7	6	7
(33)	Malformations	9	4	2		1	7	1			8			1		
(33)	Premature birth	37	14	7	4	4	29	4	3		36	1				
(33,37)	Congenital debility	20	3	1			4	3	2		9	4	3	2	2	
(37)	Injuries at birth	6		2	1	3	6				6					
35	External causes	3										1		1		1
38	Diseases ill-defined or unknown	6				2	2				2	2		1	1	
	All other causes	12	1		1		2	2			4			1	5	2
	ATLANTA, GA. (COLORED).															
	All causes	138	14	4	3	15	36	10	3	8	57	9	19	20	19	14
5	Measles															
6	Scarlet fever															
7	Whooping cough	9										2	2	3		2
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	5												3		2
(12)	Erysipelas															
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2													2	
15	Other forms of tuberculosis															
(37)	Syphilis	3								1	1		1		1	
17	Meningitis															
(37)	Convulsions	1			1		1				1					
19	Organic diseases of the heart															
20	Acute bronchitis	1								1	1					
22	Pneumonia	4				1	1				1		1	1		1
(23)	Bronchopneumonia	21						3	1	1	5	2	4	4	3	3
24	Diseases of the stomach	5											2	1	2	
25	Diarrhea and enteritis	22				1	1				1	4	3	4	6	4
(33)	Malformations	2	1			1	2				2					
(33)	Premature birth	18	10	3		1	14	2		1	17			1		
(33,37)	Congenital debility	17				8	8	4		3	15		1	1		
(37)	Injuries at birth	3	1	1	1		3				3					
35	External causes	6				1	1		1		2		2	1	1	
38	Diseases ill-defined or unknown	6	1				1			1	2		1		2	1
	All other causes	12	1		1	2	4		1		5	1	2	1	2	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	CHICAGO, ILL. (TOTAL).															
	All causes	6,219	730	334	233	393	1,690	368	307	231	2,596	550	448	1,108	842	675
5	Measles	71							1		1	1		6	27	36
6	Scarlet fever	4													1	3
7	Whooping cough	36										4	3	12	12	5
8	Diphtheria and croup	36								1	1	2	3	4	9	17
9	Influenza	18				1	1		1		2		2	5	6	3
(12)	Dysentery	5						1			1			2	1	1
(12)	Erysipelas	34						1	3	1	5	6	5	7	9	2
(37)	Tetanus	2						1			1				1	
13	Tuberculosis of the lungs	37			1	1	2			2	4		2	7	13	11
14	Tuberculous meningitis	47										1	3	12	12	19
15	Other forms of tuberculosis	5											1	2	2	
(37)	Syphilis	118	10	4	5	6	25	10	4	4	43	20	18	19	11	7
17	Meningitis	30				1	1	1			2	3	2	8	6	9
(37)	Convulsions	22	1	3	2	6	12	3	1		16		3		1	2
19	Organic diseases of the heart	13				2	2		2		4	2	1	1	2	3
20	Acute bronchitis	120	2	3		1	6	12	11	8	37	11	8	39	12	13
22	Pneumonia	150	4	3	3	6	16	3	6	5	30	7	15	28	33	37
(23)	Bronchopneumonia	809	2	9	5	31	47	47	39	32	165	99	66	196	150	133
24	Diseases of the stomach	18							1	3	4	3	6	5		
25	Diarrhea and enteritis	2,360	1	1	8	46	56	97	131	117	401	277	258	652	460	312
(33)	Malformations	372	77	50	41	50	218	30	20	10	278	34	17	22	12	9
(33)	Premature birth	830	354	118	75	95	642	82	41	26	791	23	7	6	2	1
(33,37)	Congenital debility	418	106	72	49	75	302	46	24	10	382	18	5	6	5	2
(37)	Injuries at birth	334	167	56	34	54	311	17	3	1	332	1	1			
35	External causes	37	3	2	1		6	1	1		8	5	1	9	8	6
38	Diseases ill-defined or unknown	8	1	6	1		8				8					
	All other causes	285	2	7	8	18	35	16	18	11	80	33	21	60	47	44
	CHICAGO, ILL. (WHITE).															
	All causes	6,133	716	333	231	384	1,664	364	301	229	2,558	545	439	1,094	834	663
5	Measles	71							1		1	1		6	27	36
6	Scarlet fever	3													1	2
7	Whooping cough	36										4	3	12	12	5
8	Diphtheria and croup	36								1	1	2	3	4	9	17
9	Influenza	18				1	1		1		2		2	5	6	3
(12)	Dysentery	5						1			1			2	1	1
(12)	Erysipelas	34						1	3	1	5	6	5	7	9	2
(37)	Tetanus	2						1			1				1	
13	Tuberculosis of the lungs	35			1	1	2			2	4		2	7	13	9
14	Tuberculous meningitis	46										1	3	11	12	19
15	Other forms of tuberculosis	5											1	2	2	
(37)	Syphilis	114	9	4	5	6	24	10	4	4	42	19	18	18	11	6
17	Meningitis	30				1	1	1			2	3	2	8	6	9
(37)	Convulsions	22	1	3	2	6	12	3	1		16		3		1	2
19	Organic diseases of the heart	13				2	2		2		4	2	1	1	2	3
20	Acute bronchitis	119	2	3		1	6	12	11	8	37	11	8	38	12	13
22	Pneumonia	143	3	3	3	6	15	3	5	5	28	7	12	27	33	36
(23)	Bronchopneumonia	792	2	9	5	30	46	46	39	32	163	99	63	191	147	129
24	Diseases of the stomach	18							1	3	4	3	6	5		
25	Diarrhea and enteritis	2,340	1	1	8	44	54	97	130	116	397	274	255	648	457	309
(33)	Malformations	370	77	50	41	49	217	29	20	10	276	34	17	22	12	9
(33)	Premature birth	818	349	118	73	92	632	81	40	26	779	23	7	6	2	1
(33,37)	Congenital debility	409	102	72	49	74	297	46	21	10	374	17	5	6	5	2
(37)	Injuries at birth	329	164	56	34	53	307	17	3		327	1	1			
35	External causes	37	3	2	1		6	1	1		8	5	1	9	8	6
38	Diseases ill-defined or unknown	7	1	5	1		7				7					
	All other causes	281	2	7	8	18	35	15	18	11	79	33	21	59	45	44
	CHICAGO, ILL. (COLORED.)															
	All causes	86	14	1	2	9	26	4	6	2	38	5	9	14	8	12
5	Measles															
6	Scarlet fever	1														1
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2														2
14	Tuberculous meningitis	1												1		
15	Other forms of tuberculosis															
(37)	Syphilis	4	1				1				1	1		1		1
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	1												1		
22	Pneumonia	7	1				1		1		2		3	1		1
(23)	Bronchopneumonia	17				1	1	1			2		3	5	3	4
24	Diseases of the stomach															
25	Diarrhea and enteritis	20				2	2		1	1	4	3	3	4	3	3
(33)	Malformations	2				1	1	1			2					
(33)	Premature birth	12	5		2	3	10	1	1		12					
(33,37)	Congenital debility	9	4			1	5		3		8	1				
(37)	Injuries at birth	5	3			1	4			1	5					
35	External causes															
38	Diseases ill-defined or unknown	1		1			1				1					
	All other causes	4						1			1			1	2	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	INDIANAPOLIS, IND. (TOTAL).															
	All causes	463	90	42	28	36	196	27	20	14	257	42	29	58	49	28
5	Measles															
6	Scarlet fever	2								1	1	1				
7	Whooping cough	10						1			1	1	4	2	2	
8	Diphtheria and croup	1												1		
9	Influenza	1												1		
(12)	Dysentery	1											1			
(12)	Erysipelas	1						1			1					
(37)	Tetanus															
13	Tuberculosis of the lungs	4													3	1
14	Tuberculous meningitis	7											1	1	3	2
15	Other forms of tuberculosis	4											2	2		
(37)	Syphilis	23	2		1	1	4	1	2		7	8	1	6	1	
17	Meningitis	5										3		1	1	
(37)	Convulsions	3	1		1	1	3				3					
19	Organic diseases of the heart															
20	Acute bronchitis	7						2	1		3	1		2		1
22	Pneumonia	13				1	1		1	1	3	1	1	4	3	1
(23)	Bronchopneumonia	57		2		3	5	3	3	6	17	7	3	6	18	6
24	Diseases of the stomach	7			1		1		1		2	1		1	2	1
25	Diarrhea and enteritis	62			1	1	2	1	1	1	5	1	7	24	13	12
(33)	Malformations	51	13	10	5	5	33	6		2	41	5	1	2		2
(33)	Premature birth	122	54	23	9	17	103	5	5	2	115	5	2			
(33,37)	Congenital debility	57	15	5	6	6	32	4	5	1	42	6	3	4	2	
(37)	Injuries at birth	12	4	2	4	1	11	1			12					
35	External causes	2	1				1				1		1			
38	Diseases ill-defined or unknown															
	All other causes	11						2	1		3	2	2	1	1	2
	INDIANAPOLIS, IND. (WHITE).															
	All causes	399	78	38	23	33	172	23	17	13	225	39	23	48	43	21
5	Measles															
6	Scarlet fever	2								1	1	1				
7	Whooping cough	9						1			1	1	4	2	1	
8	Diphtheria and croup	1												1		
9	Influenza	1												1		
(12)	Dysentery	1											1			
(12)	Erysipelas	1						1			1					
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	6											1	1	2	2
15	Other forms of tuberculosis	4											2	2		
(37)	Syphilis	18	2				2	1	1		4	7	1	5	1	
17	Meningitis	4										2		1	1	
(37)	Convulsions	3	1		1	1	3				3					
19	Organic diseases of the heart															
20	Acute bronchitis	6						2	1		3	1		2		
22	Pneumonia	9				1	1		1	1	3	1		2	3	
(23)	Bronchopneumonia	44		2		2	4	1	3	5	13	6	2	2	17	4
24	Diseases of the stomach	5										1		1	2	1
25	Diarrhea and enteritis	53			1	1	2	1	1	1	5	1	4	21	12	10
(33)	Malformations	50	13	10	4	5	32	6		2	40	5	1	2		2
(33)	Premature birth	106	45	19	9	17	90	3	4	2	99	5	2			
(33,37)	Congenital debility	52	13	5	4	5	27	4	5	1	37	6	3	4	2	
(37)	Injuries at birth	12	4	2	4	1	11	1			12					
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	11						2	1		3	2	2	1	1	2
	INDIANAPOLIS, IND. (COLORED).															
	All causes	64	12	4	5	3	24	4	3	1	32	3	6	10	6	7
5	Measles															
6	Scarlet fever															
7	Whooping cough	1													1	
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	3													2	1
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	5			1	1	2		1		3	1		1		
17	Meningitis	1										1				
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	1														1
22	Pneumonia	4											1	2		1
(23)	Bronchopneumonia	13				1	1	2		1	4	1	1	4	1	2
24	Diseases of the stomach	2			1		1		1		2					
25	Diarrhea and enteritis	9											3	3	1	2
(33)	Malformations	1			1		1				1					
(33)	Premature birth	16	9	4			13	2	1		16					
(33,37)	Congenital debility	5	2		2	1	5				5					
(37)	Injuries at birth															
35	External causes	2	1				1				1		1			
38	Diseases ill-defined or unknown															
	All other causes															

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	LOUISVILLE, KY. (TOTAL).															
	All causes	379	69	26	14	34	143	19	16	15	193	32	28	52	50	24
5	Measles															
6	Scarlet fever															
7	Whooping cough	7										1			3	3
8	Diphtheria and croup	1	1				1				1					
9	Influenza															
(12)	Dysentery	5		1			1				1				4	
(12)	Erysipelas															
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	5							1		1			1	3	
15	Other forms of tuberculosis															
(37)	Syphilis	11	1				1	1		1	3	2	1		3	2
17	Meningitis	4			1		1	1			2			1	1	
(37)	Convulsions	12	2			4	6	3			9			1		2
19	Organic diseases of the heart	2											1	1		
20	Acute bronchitis	7				1	1		1		2	1	1	2	1	
22	Pneumonia	22	1		2	1	4		1		5	4	2	7	3	1
(23)	Bronchopneumonia	25				1	1	2		2	5	1	7	3	6	3
24	Diseases of the stomach	3							1		1		1	1		
25	Diarrhea and enteritis	56				1	1	1	2	2	6	4	4	20	17	5
(33)	Malformations	26	10	3	4	3	20	1	1		22	2		2		
(33)	Premature birth	84	41	16	3	11	71	5	5	2	83	1				
(33, 37)	Congenital debility	76	10	2	3	10	25	3	3	7	38	13	7	6	6	6
(37)	Injuries at birth	8	3	3		1	7				7	1				
35	External causes	1		1			1				1					
38	Diseases ill-defined or unknown															
	All other causes	22			1		1	2	1	1	5	2	4	7	3	1
	LOUISVILLE, KY. (WHITE).															
	All causes	283	57	19	9	29	114	17	14	9	154	21	20	37	30	21
5	Measles															
6	Scarlet fever															
7	Whooping cough	7										1			3	3
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	2													2	
(12)	Erysipelas															
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	4												1	3	
15	Other forms of tuberculosis															
(37)	Syphilis	4						1		1	2	1				1
17	Meningitis	4			1		1	1			2			1	1	
(37)	Convulsions	10	2			3	5	3			8					2
19	Organic diseases of the heart	2											1	1		
20	Acute bronchitis	6							1		1	1	1	2	1	
22	Pneumonia	8			1		1		1		2	1	1	3		1
(23)	Bronchopneumonia	19				1	1	2		1	4	1	6	2	3	3
24	Diseases of the stomach	2							1		1			1		
25	Diarrhea and enteritis	40						1	2	1	4	3	4	13	11	5
(33)	Malformations	24	10	2	3	3	18	1	1		20	2		2		
(33)	Premature birth	71	33	13	3	11	60	4	5	1	70	1				
(33, 37)	Congenital debility	57	10		1	10	21	3	2	5	31	8	5	6	3	4
(37)	Injuries at birth	5	2	3			5				5					
35	External causes	1		1			1				1					
38	Diseases ill-defined or unknown															
	All other causes	15						1	1		2	2	2	5	3	1
	LOUISVILLE, KY. (COLORED).															
	All causes	96	12	7	5	5	29	2	2	6	39	11	8	15	20	3
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup	1	1				1				1					
9	Influenza															
(12)	Dysentery	3		1			1				1				2	
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1							1		1					
15	Other forms of tuberculosis															
(37)	Syphilis	7	1				1				1	1	1		3	1
17	Meningitis															
(37)	Convulsions	2				1	1				1			1		
19	Organic diseases of the heart															
20	Acute bronchitis	1				1	1				1					
22	Pneumonia	14	1		1	1	3				3	3	1	4	3	
(23)	Bronchopneumonia	6								1	1		1	1	3	
24	Diseases of the stomach	1											1			
25	Diarrhea and enteritis	16				1	1			1	2	1		7	6	
(33)	Malformations	2		1	1		2				2					
(33)	Premature birth	13	8	3			11	1		1	13					
(33, 37)	Congenital debility	19		2	2		4		1	2	7	5	2		3	2
(37)	Injuries at birth	3	1			1	2				2	1				
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	7			1		1	1		1	3		2	2		

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW ORLEANS, LA. (TOTAL).															
	All causes	927	97	44	29	53	223	51	32	33	339	85	99	208	123	73
5	Measles	1												1		
6	Scarlet fever															
7	Whooping cough	11										1	1	5	4	
8	Diphtheria and croup	1												1		
9	Influenza	3						1			1			1		1
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	22			1	6	7	14	1		22					
13	Tuberculosis of the lungs	8								1	1		1	4	2	
14	Tuberculous meningitis	6												1	1	4
15	Other forms of tuberculosis	56				1	1	1	4	6	12	10	12	15	5	2
(37)	Syphilis	55	2		1		3	2	2	2	9	14	15	16		1
17	Meningitis	4						1			1		1		2	
(37)	Convulsions	8		3		1	4				4	1		3		
19	Organic diseases of the heart	2		1			1			1	2					
20	Acute bronchitis	22	1				1	1	1		3	2		10	5	2
22	Pneumonia	51		1	1		2	1	2		5	5	12	11	11	7
(23)	Bronchopneumonia	78	1	1			2	2	2	3	9	8	9	20	22	10
24	Diseases of the stomach	4										2	2			
25	Diarrhea and enteritis	300			1	7	8	13	6	6	33	26	36	104	63	38
(33)	Malformations	45	11	7	2	4	24	1	4	3	32	7	2	2		2
(33)	Premature birth	131	57	20	12	21	110	7	3	8	128	1	1	1		
(33, 37)	Congenital debility	59	13	7	6	4	30	6	5	1	42	5	3	5	2	2
(37)	Injuries at birth	21	11	3	3	4	21				21					
35	External causes	3			1		1				1		1	1		
38	Diseases ill-defined or unknown															
	All other causes	36	1	1	1	5	8	1	2	2	13	3	3	7	6	4
	NEW ORLEANS, LA. (WHITE).															
	All causes	525	57	26	22	21	126	21	17	16	180	60	59	117	64	45
5	Measles	1												1		
6	Scarlet fever															
7	Whooping cough	8										1		4	3	
8	Diphtheria and croup	1												1		
9	Influenza	3						1			1			1		1
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	5			1	1	2	3			5					
13	Tuberculosis of the lungs	3								1	1		1		1	
14	Tuberculous meningitis	6												1	1	4
15	Other forms of tuberculosis	11				1	1		1	1	3	1	2	2	2	1
(37)	Syphilis	44			1		1	1	2	2	6	14	12	12		
17	Meningitis	3						1			1		1		1	
(37)	Convulsions	5		2		1	3				3	1		1		
19	Organic diseases of the heart	2		1			1			1	2					
20	Acute bronchitis	12	1				1		1		2	2		7	1	
22	Pneumonia	21		1	1		2				2	5	6	3	3	2
(23)	Bronchopneumonia	31	1				1			2	3	4	4	9	10	1
24	Diseases of the stomach	3										1	2			
25	Diarrhea and enteritis	185						6	4	3	13	17	25	63	38	29
(33)	Malformations	33	7	5	2	3	17		3	2	22	6	1	2		2
(33)	Premature birth	64	29	12	7	7	55	4	1	2	62		1	1		
(33, 37)	Congenital debility	41	9	4	5	1	19	5	5		29	5	1	4	1	1
(37)	Injuries at birth	15	9		3	3	15				15					
35	External causes	3			1		1				1		1	1		
38	Diseases ill-defined or unknown															
	All other causes	25	1	1	1	4	7			2	9	3	2	4	3	4
	NEW ORLEANS, LA. (COLORED).															
	All causes	402	40	18	7	32	97	30	15	17	159	25	40	91	59	28
5	Measles															
6	Scarlet fever															
7	Whooping cough	3											1	1	1	
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	17				5	5	11	1		17					
13	Tuberculosis of the lungs	5												4	1	
14	Tuberculous meningitis															
15	Other forms of tuberculosis	45						1	3	5	9	9	10	13	3	1
(37)	Syphilis	11	2				2	1			3		3	4		1
17	Meningitis	1													1	
(37)	Convulsions	3		1			1				1			2		
19	Organic diseases of the heart															
20	Acute bronchitis	10						1			1			3	4	2
22	Pneumonia	30						1	2		3		6	8	8	5
(23)	Bronchopneumonia	47		1			1	2	2	1	6	4	5	11	12	9
24	Diseases of the stomach	1										1				
25	Diarrhea and enteritis	115			1	7	8	7	2	3	20	9	11	41	25	9
(33)	Malformations	12	4	2		1	7	1	1	1	10	1	1			
(33)	Premature birth	67	28	8	5	14	55	3	2	6	66	1				
(33, 37)	Congenital debility	18	4	3	1	3	11	1		1	13		2	1	1	1
(37)	Injuries at birth	6	2	3		1	6				6					
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	11				1	1	1	2		4		1	3	3	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	BALTIMORE, MD. (TOTAL).															
	All causes	1,626	299	59	49	85	492	91	72	53	708	150	121	279	210	158
5	Measles	8												2	4	2
6	Scarlet fever	2														2
7	Whooping cough	13										3		3	4	3
8	Diphtheria and croup	2														2
9	Influenza	2												1	1	
(12)	Dysentery	1												1		
(12)	Erysipelas	6										1		2	1	2
(37)	Tetanus	4				1	1	3			4					
13	Tuberculosis of the lungs	9											1	4	3	1
14	Tuberculous meningitis	11										1		1	2	7
15	Other forms of tuberculosis	2							1		1			1		
(37)	Syphilis	61	12	1	1	2	16	4	7	4	31	11	5	7	3	4
17	Meningitis	13											1	3	5	4
(37)	Convulsions	25			3	3	6	4	1	1	12	5	4	2	2	
19	Organic diseases of the heart															
20	Acute bronchitis	29				1	1	3	3	1	8	6	4	3	4	4
22	Pneumonia	57		1		3	4	3	4	1	12	2	7	16	13	7
(23)	Bronchopneumonia	216	1	2		5	8	12	7	7	34	24	26	53	42	37
24	Diseases of the stomach	10				1	1			1	2	4	2	2		
25	Diarrhea and enteritis	397				3	3	8	3	13	27	26	44	124	111	65
(33)	Malformations	58	17	5	5	9	36	6	1	1	44	4	2	5	2	1
(33)	Premature birth	316	169	32	25	29	255	26	17	9	307	7	1	1		
(33, 37)	Congenital debility	260	57	14	13	18	102	18	19	13	152	45	19	35	8	1
(37)	Injuries at birth	55	42	3	1	7	53	1	1		55					
35	External causes	14			1	1	2		1		3	5		3		3
38	Diseases ill-defined or unknown	10	1	1			2	1		2	5		1	3		1
	All other causes	45				2	2	2	7		11	6	4	7	5	12
	BALTIMORE, MD. (WHITE).															
	All causes	1,213	222	51	38	64	375	58	51	36	520	111	97	200	170	115
5	Measles	8												2	4	2
6	Scarlet fever	2														2
7	Whooping cough	7										1		1	3	2
8	Diphtheria and croup	1														1
9	Influenza	2												1	1	
(12)	Dysentery															
(12)	Erysipelas	5										1		2		2
(37)	Tetanus	3				1	1	2			3					
13	Tuberculosis of the lungs	3											1	2		
14	Tuberculous meningitis	11										1		1	2	7
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	24	2			1	3	1	3	2	9	7	2	3	2	1
17	Meningitis	12											1	2	5	4
(37)	Convulsions	15			2	1	3	4			7	3	3	1	1	
19	Organic diseases of the heart															
20	Acute bronchitis	21				1	1	3	2		6	5	2	2	4	2
22	Pneumonia	37		1		3	4	3	3	1	11	2	6	7	7	4
(23)	Bronchopneumonia	134	1	2		4	7	3	5	5	20	15	18	29	27	25
24	Diseases of the stomach	7										3	2	2		
25	Diarrhea and enteritis	331				2	2	7	2	11	22	20	36	102	101	50
(33)	Malformations	48	13	4	4	7	28	5	1	1	35	3	2	5	2	1
(33)	Premature birth	236	126	29	20	24	199	15	9	6	229	6	1			
(33, 37)	Congenital debility	203	40	11	10	13	74	13	18	9	114	37	18	27	7	
(37)	Injuries at birth	50	39	3	1	5	48	1	1		50					
35	External causes	11			1	1	2				2	3		3		3
38	Diseases ill-defined or unknown	5	1	1			2			1	3		1	1		
	All other causes	36				1	1	1	7		9	4	4	6	4	9
	BALTIMORE, MD. (COLORED).															
	All causes	413	77	8	11	21	117	33	21	17	188	39	24	79	40	43
5	Measles															
6	Scarlet fever															
7	Whooping cough	6										2		2	1	1
8	Diphtheria and croup	1														1
9	Influenza															
(12)	Dysentery	1												1		
(12)	Erysipelas	1													1	
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	6												2	3	1
14	Tuberculous meningitis															
15	Other forms of tuberculosis	1							1		1					
(37)	Syphilis	37	10	1	1	1	13	3	4	2	22	4	3	4	1	3
17	Meningitis	1												1		
(37)	Convulsions	10			1	2	3		1	1	5	2	1	1	1	
19	Organic diseases of the heart															
20	Acute bronchitis	8							1	1	2	1	2	1		2
22	Pneumonia	20							1		1		1	9	6	3
(23)	Bronchopneumonia	82				1	1	9	2	2	14	9	8	24	15	12
24	Diseases of the stomach	3				1	1			1	2	1				
25	Diarrhea and enteritis	66				1	1	1	1	2	5	6	8	22	10	15
(33)	Malformations	10	4	1	1	2	8	1			9	1				
(33)	Premature birth	80	43	3	5	5	56	11	8	3	78	1		1		
(33, 37)	Congenital debility	57	17	3	3	5	28	5	1	4	38	8	1	8	1	1
(37)	Injuries at birth	5	3			2	5				5					
35	External causes	3							1		1	2				
38	Diseases ill-defined or unknown	5						1		1	2			2		1
	All other causes	9				1	1	1			2	2		1	1	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	BOSTON, MASS. (TOTAL).															
	All causes	2,042	324	77	70	149	620	114	76	86	896	195	158	298	281	214
5	Measles	9												1	2	6
6	Scarlet fever	6												2	2	2
7	Whooping cough	55								1	1	4	5	15	15	15
8	Diphtheria and croup	23						1	3	2	6	2			6	9
9	Influenza	1													1	
(12)	Dysentery	4											1		3	
(12)	Erysipelas	16								1	1	8	2	2	2	1
(37)	Tetanus															
13	Tuberculosis of the lungs	23											1	4	9	9
14	Tuberculous meningitis	23										2	1	6	5	9
15	Other forms of tuberculosis	6												2	2	2
(37)	Syphilis	35	2		1		3	4	3		10	6	6	9	4	
17	Meningitis	30				4	4	2			6	1	1	3	10	9
(37)	Convulsions	12				3	3	2	1		6			1	5	
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	39				2	2		5	2	9	5	3	10	7	5
22	Pneumonia	127	1			12	13	7	7	5	32	5	14	14	34	28
(23)	Bronchopneumonia	201		1	2	1	4	6	7	14	31	21	19	39	47	44
24	Diseases of the stomach	9							2		2	2	1	3	1	
25	Diarrhea and enteritis	387			2	1	3	6	9	19	37	51	57	111	85	46
(33)	Malformations	168	33	17	13	24	87	17	7	13	124	14	6	16	4	4
(33)	Premature birth	336	168	30	24	40	262	34	13	11	320	11	4	1		
(33,37)	Congenital debility	210	34	5	11	20	70	12	10	10	102	42	20	30	11	5
(37)	Injuries at birth	137	76	18	10	25	129	6	2		137					
35	External causes	26	1	2	3	1	7	2		2	11	2		10	2	1
38	Diseases ill-defined or unknown	17	3	1		2	6	1	1		8		2	3	3	1
	All other causes	141	6	3	4	14	27	14	6	6	53	19	14	16	21	18
	BOSTON, MASS. (WHITE).															
	All causes	1,987	320	74	67	145	606	110	73	83	872	192	151	287	275	210
5	Measles	9												1	2	6
6	Scarlet fever	6												2	2	2
7	Whooping cough	52								1	1	4	5	13	14	15
8	Diphtheria and croup	23						1	3	2	6	2			6	9
9	Influenza	1													1	
(12)	Dysentery	4											1		3	
(12)	Erysipelas	16								1	1	8	2	2	2	1
(37)	Tetanus															
13	Tuberculosis of the lungs	22											1	4	8	9
14	Tuberculous meningitis	23										2	1	6	5	9
15	Other forms of tuberculosis	6												2	2	2
(37)	Syphilis	35	2		1		3	4	3		10	6	6	9	4	
17	Meningitis	30				4	4	2			6	1	1	3	10	9
(37)	Convulsions	10				3	3	2	1		6			1	3	
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	38				2	2		5	2	9	5	3	10	6	5
22	Pneumonia	124	1			12	13	7	7	5	32	5	14	13	34	26
(23)	Bronchopneumonia	192		1	2	1	4	5	5	12	26	20	18	38	46	44
24	Diseases of the stomach	9							2		2	2	1	3	1	
25	Diarrhea and enteritis	378			2	1	3	6	9	19	37	50	55	107	85	44
(33)	Malformations	163	32	15	12	24	83	17	6	13	119	14	6	16	4	4
(33)	Premature birth	330	166	30	23	38	257	34	13	11	315	10	4	1		
(33,37)	Congenital debility	202	33	5	10	20	68	11	10	9	98	42	17	29	11	5
(37)	Injuries at birth	137	76	18	10	25	129	6	2		137					
35	External causes	25	1	2	3	1	7	2		2	11	2		9	2	1
38	Diseases ill-defined or unknown	16	3	1		1	5	1	1		7		2	3	3	1
	All other causes	135	6	2	4	13	25	12	6	6	49	19	13	15	21	18
	BOSTON, MASS. (COLORED).															
	All causes	55	4	3	3	4	14	4	3	3	24	3	7	11	6	4
5	Measles															
6	Scarlet fever															
7	Whooping cough	3												2	1	
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis															
(37)	Convulsions	2													2	
19	Organic diseases of the heart															
20	Acute bronchitis	1													1	
22	Pneumonia	3												1		2
(23)	Bronchopneumonia	9						1	2	2	5	1	1	1	1	
24	Diseases of the stomach															
25	Diarrhea and enteritis	9										1	2	4		2
(33)	Malformations	5	1	2	1		4		1		5					
(33)	Premature birth	6	2		1	2	5				5	1				
(33,37)	Congenital debility	8	1		1		2	1		1	4		3	1		
(37)	Injuries at birth															
35	External causes	1												1		
38	Diseases ill-defined or unknown	1				1	1				1					
	All other causes	6		1		1	2	2			4		1	1		

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	CAMBRIDGE, MASS.															
	All causes	243	33	10	9	26	78	13	9	14	114	22	15	39	29	24
5	Measles	4												1	2	1
6	Scarlet fever															
7	Whooping cough	10										3	1	2	2	2
8	Diphtheria and croup	4												1	3	
9	Influenza	1													1	
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	1												1		
15	Other forms of tuberculosis	1														1
(37)	Syphilis	3			1		1			1	2	1				
17	Meningitis	5				1	1	1			2			1		2
(37)	Convulsions	1	1				1				1					
19	Organic diseases of the heart															
20	Acute bronchitis	6								2	2	1		1	2	
22	Pneumonia	11				1	1	1			2		2	1	2	4
(23)	Bronchopneumonia	23							2	1	3	2	3	5	5	5
24	Diseases of the stomach	5								1	1		1	1	1	1
25	Diarrhea and enteritis	50						2		2	4	5	6	21	7	7
(33)	Malformations	19	3	2	1	4	10	2	1	2	15	3		1		
(33)	Premature birth	47	22	5	4	6	37	1	2	5	45	2				
(33,37)	Congenital debility	25	4	3	2	5	14	4	2		20	3	1	1		
(37)	Injuries at birth	10	2		1	5	8	2			10					
35	External causes	3	1				1				1			1	1	
38	Diseases ill-defined or unknown															
	All other causes	13				4	4		2		6	2	1	1	3	
	FALL RIVER, MASS.															
	All causes	653	77	19	12	26	134	34	22	17	207	60	44	154	109	79
5	Measles	5										2			2	1
6	Scarlet fever															
7	Whooping cough	14										3		4	4	3
8	Diphtheria and croup	3								1	1			1		1
9	Influenza															
(12)	Dysentery	5										1		2	2	
(12)	Erysipelas	1												1		
(37)	Tetanus															
13	Tuberculosis of the lungs	4								1	1	1	1			1
14	Tuberculous meningitis	4						1			1				1	2
15	Other forms of tuberculosis	1														1
(37)	Syphilis	8		1			1				1	2	3	1		1
17	Meningitis	2												2		
(37)	Convulsions	5							1		1		1	2	1	
19	Organic diseases of the heart	5						2			2				2	1
20	Acute bronchitis	13						1			1	1	3	2	4	2
22	Pneumonia	14				1	1				1			4	6	3
(23)	Bronchopneumonia	77				2	2	1	2	1	6	4	7	20	18	22
24	Diseases of the stomach	5										1	1	1	1	1
25	Diarrhea and enteritis	251				2	2	10	5	8	25	32	21	88	55	30
(33)	Malformations	21	6	3	3	2	14	2	3		19			1	1	
(33)	Premature birth	81	52	7	2	4	65	5	2	1	73	4		3	1	
(33,37)	Congenital debility	63	4	2	3	7	16	7	6	2	31	6	5	15	3	3
(37)	Injuries at birth	24	11	2	2	4	19	3	2		24					
35	External causes	8		1	1	1	3		1		4	1	1	1	1	
38	Diseases ill-defined or unknown	16	4	3	1		8	1		1	10			2	3	1
	All other causes	23				3	3	1		2	6	2	1	4	4	6
	LOWELL, MASS.															
	All causes	460	43	17	9	26	95	26	20	25	166	37	42	99	63	53
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough	8							1	1	2		1	2	2	1
8	Diphtheria and croup	1														1
9	Influenza															
(12)	Dysentery	2													2	
(12)	Erysipelas															
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	4												2	1	1
15	Other forms of tuberculosis	3						1			1				1	1
(37)	Syphilis	1						1			1					
17	Meningitis	2							1		1		1			
(37)	Convulsions	4				1	1				1	1	1		1	
19	Organic diseases of the heart	1								1	1					
20	Acute bronchitis	34								3	3	4	4	9	7	7
22	Pneumonia	18										2	4	5	3	4
(23)	Bronchopneumonia	39						1	4	2	7	2		11	12	7
24	Diseases of the stomach	3						2			2				1	
25	Diarrhea and enteritis	154				4	4	3	3	6	16	19	21	49	27	22
(33)	Malformations	25	1	3		4	8	2	2	1	13	3	2	6		1
(33)	Premature birth	47	24	8	2	4	38	2	1	4	45		2			
(33,37)	Congenital debility	77	12	6	6	11	35	10	7	7	59	3	4	10	1	
(37)	Injuries at birth	8	6		1		7	1			8					
35	External causes	3										1		1	1	
38	Diseases ill-defined or unknown															
	All other causes	23				2	2	2	1		5	2	2	4	3	7

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	WORCESTER, MASS.															
	All causes	418	63	24	16	29	132	24	15	11	182	53	32	63	40	48
5	Measles															
6	Scarlet fever															
7	Whooping cough	15							1	1	2		3	5		5
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	3							1		1	1			1	
(37)	Tetanus															
13	Tuberculosis of the lungs	3													2	1
14	Tuberculous meningitis	7											1	1	2	3
15	Other forms of tuberculosis	1														1
(37)	Syphilis	2										1			1	
17	Meningitis	1														1
(37)	Convulsions	2												2		
19	Organic diseases of the heart															
20	Acute bronchitis	7										2		1	1	3
22	Pneumonia	10											2	4	1	3
(23)	Bronchopneumonia	45			1	1	2	3	2		7	7	2	8	10	11
24	Diseases of the stomach	5										1	1	3		
25	Diarrhea and enteritis	98						2	1	3	6	19	13	26	18	16
(33)	Malformations	23	2	4	1	2	9	5		2	16	5			1	1
(33)	Premature birth	87	37	14	10	8	69	5	2	1	77	6	2	2		
(33, 37)	Congenital debility	53	2	2	4	8	16	7	4	2	29	8	5	9	1	1
(37)	Injuries at birth	35	18	4		9	31	1	3		35					
35	External causes	4	2				2				2			1		1
38	Diseases ill-defined or unknown															
	All other causes	17	2			1	3	1	1	2	7	3	3	1	2	1
	DETROIT, MICH.															
	All causes	2,202	344	85	87	214	730	138	107	77	1,052	161	149	355	282	203
5	Measles	12												3	4	5
6	Scarlet fever	1														1
7	Whooping cough	42							1		1	7	2	11	11	10
8	Diphtheria and croup	7										1		2	4	
9	Influenza	4										1	1	1		1
(12)	Dysentery	2								1	1	1				
(12)	Erysipelas	9								2	2	3			3	1
(37)	Tetanus	3				1	1	1			2				1	
13	Tuberculosis of the lungs	7						1			1		2	1	2	1
14	Tuberculous meningitis	14											2	5	6	1
15	Other forms of tuberculosis															
(37)	Syphilis	49	5				5	7	2	4	18	7	9	8	6	1
17	Meningitis	31						2	1		3	1	2	9	12	4
(37)	Convulsions	68	1	2	5	10	18	5	4	6	33	5	6	10	8	6
19	Organic diseases of the heart	3				2	2				2		1			
20	Acute bronchitis	41		1	1	2	4	3	2	4	13	4	3	8	7	6
22	Pneumonia	78			1	4	5	2	3	1	11	10	7	19	15	16
(23)	Bronchopneumonia	227		2	4	9	15	11	12	7	45	25	21	45	49	42
24	Diseases of the stomach	55			1	1	2	1	8	4	15	7	11	11	8	3
25	Diarrhea and enteritis	454	1	1	1	5	8	7	16	10	41	46	45	143	105	74
(33)	Malformations	137	27	9	16	25	77	19	4	7	107	8	4	10	4	4
(33)	Premature birth	465	228	52	35	71	386	37	22	6	451	8	4	1	1	
(33, 37)	Congenital debility	280	44	10	8	46	108	25	20	18	171	17	20	40	17	15
(37)	Injuries at birth	82	35	7	9	22	73	5	2	2	82					
35	External causes	17	1			1	2	2	2		6	1	1	5	2	2
38	Diseases ill-defined or unknown															
	All other causes	114	2	1	6	15	24	10	8	5	47	9	8	23	17	10
	GRAND RAPIDS, MICH.															
	All causes	224	49	9	10	20	88	15	11	6	120	23	11	31	23	16
5	Measles															
6	Scarlet fever															
7	Whooping cough	1														1
8	Diphtheria and croup	1														1
9	Influenza	1										1				
(12)	Dysentery															
(12)	Erysipelas	2										1	1			
(37)	Tetanus															
13	Tuberculosis of the lungs	1										1				
14	Tuberculous meningitis	2													2	
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis	5										1		1	1	2
(37)	Convulsions	3				1	1	1			2					1
19	Organic diseases of the heart	3						2			2		1			
20	Acute bronchitis	6						1	1	1	3	1		1		1
22	Pneumonia	17				1	1	2			3	1	2	3	6	2
(23)	Bronchopneumonia	13						1		1	2	4	1	2	3	1
24	Diseases of the stomach	10										2	1	3	3	1
25	Diarrhea and enteritis	28			1		1	1	4	1	7	5	2	8	3	3
(33)	Malformations	14	3	2	3	2	10	1	1	1	13			1		
(33)	Premature birth	54	34	4	3	4	45	2	3		50	1	1	2		
(33, 37)	Congenital debility	35	7	1	3	6	17	2	2	1	22	5	1	4	3	
(37)	Injuries at birth	9	4	2		3	9				9					
35	External causes	1	1				1				1					
38	Diseases ill-defined or unknown															
	All other causes	18				3	3	2		1	6		1	6	2	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	MINNEAPOLIS, MINN.															
	All causes	608	136	31	43	46	256	38	29	20	343	63	34	84	41	43
5	Measles	4												1	2	1
6	Scarlet fever	3										1		1		1
7	Whooping cough	11										5		1	2	3
8	Diphtheria and croup	11											1	2	3	5
9	Influenza	2														2
(12)	Dysentery	1												1		
(12)	Erysipelas	5						1		1	2	1	2			
(37)	Tetanus															
13	Tuberculosis of the lungs	3													2	1
14	Tuberculous meningitis	7											2	2		3
15	Other forms of tuberculosis															
(37)	Syphilis	22	4	2		2	8	2	3		13	2		6	1	
17	Meningitis	5				2	2				2	1		1	1	
(37)	Convulsions	8			1	1	2		3		5	1	1	1		
19	Organic diseases of the heart	1										1				
20	Acute bronchitis	3			1		1	1			2			1		
22	Pneumonia	12						1	1		2	4	1	4	1	
(23)	Bronchopneumonia	76				5	5	3	7	4	19	16	6	20	10	5
24	Diseases of the stomach	5							1		1			3	1	
25	Diarrhea and enteritis	77		1		3	4	3	3	5	15	7	8	24	10	13
(33)	Malformations	56	12	8	5	8	33	5	3	3	44	4	3	3	2	
(33)	Premature birth	176	97	17	21	13	148	13	7	2	170	5	1			
(33,37)	Congenital debility	49	8	1	3	6	18	6	1	4	29	9	5	5	1	
(37)	Injuries at birth	23	12	2	8		22				22	1				
35	External causes	8	2			2	4				4			2	1	1
38	Diseases ill-defined or unknown	1			1		1				1					
	All other causes	39	1		3	4	8	3		1	12	5	4	6	4	8
	ST. PAUL, MINN.															
	All causes	413	99	29	18	41	187	28	20	11	246	22	32	49	37	27
5	Measles	4										1		1		2
6	Scarlet fever	1													1	
7	Whooping cough	5						1			1		1	1	1	1
8	Diphtheria and croup	2								1	1				1	
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	2						1	1		2					
(37)	Tetanus															
13	Tuberculosis of the lungs	4													1	3
14	Tuberculous meningitis	3												1		2
15	Other forms of tuberculosis	1														1
(37)	Syphilis	3	1			1	2				2				1	
17	Meningitis	6											2	2	2	
(37)	Convulsions	3		1		2	3				3					
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	5										1	1	1		2
22	Pneumonia	8												2	4	2
(23)	Bronchopneumonia	50				2	2	2	4	3	11	5	7	14	8	5
24	Diseases of the stomach	5						1			1	1	2	1		
25	Diarrhea and enteritis	53			1	3	4	1	4	1	10	4	9	14	10	6
(33)	Malformations	36	9	8	3	4	24	3			27		2	4	3	
(33)	Premature birth	122	68	14	7	4	93	11	7	2	113	5	3	1		
(33,37)	Congenital debility	53	14	2	3	11	30	4	4	2	40	4	3	4	2	
(37)	Injuries at birth	21	6	4	2	9	21				21					
35	External causes	4	1		1		2	1			3				1	
38	Diseases ill-defined or unknown															
	All other causes	21			1	5	6	3		2	11	1	2	2	2	3
	KANSAS CITY, MO. (TOTAL).															
	All causes	492	65	23	22	40	150	37	15	14	216	59	46	78	49	44
5	Measles	2														2
6	Scarlet fever															
7	Whooping cough	4										2	1	1		
8	Diphtheria and croup	3												2	1	
9	Influenza	2												1	1	
(12)	Dysentery	1													1	
(12)	Erysipelas	2										1		1		
(37)	Tetanus															
13	Tuberculosis of the lungs	8			2	1	3				3			3	1	1
14	Tuberculous meningitis	4													2	2
15	Other forms of tuberculosis	1														1
(37)	Syphilis	40	3				3	2	2	2	9	13	5	7	4	2
17	Meningitis	1											1			
(37)	Convulsions	1											1			
19	Organic diseases of the heart															
20	Acute bronchitis	8						1			1	1	1	3	1	1
22	Pneumonia	25				2	2	1			3	6	1	6	4	5
(23)	Bronchopneumonia	49				3	3	4	3	2	12	6	6	8	8	9
24	Diseases of the stomach	3				1	1				1		1			1
25	Diarrhea and enteritis	103				2	2	2	1	2	7	20	14	32	18	12
(33)	Malformations	38	7	2	4	7	20	6	2	1	29	1	1	4	2	1
(33)	Premature birth	89	36	15	8	6	65	8	3	3	79	5	5			
(33,37)	Congenital debility	35	9	1	2	9	21	8	2	1	32	1	1	1		
(37)	Injuries at birth	23	7	4	4	7	22	1			23					
35	External causes	4												2		2
38	Diseases ill-defined or unknown	2	1				1				1		1			
	All other causes	44	2	1	2	2	7	4	2	3	16	3	7	7	6	5

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	KANSAS CITY, MO. (WHITE).															
	All causes	437	58	20	17	35	130	35	15	13	193	54	41	63	45	41
5	Measles	2														2
6	Scarlet fever															
7	Whooping cough	4										2	1	1		
8	Diphtheria and croup	2												1	1	
9	Influenza	2												1	1	
(12)	Dysentery	1													1	
(12)	Erysipelas	2										1		1		
(37)	Tetanus															
13	Tuberculosis of the lungs	6			2	1	3				3			1	1	1
14	Tuberculous meningitis	4													2	2
15	Other forms of tuberculosis	1														1
(37)	Syphilis	39	2				2	2	2	2	8	13	5	7	4	2
17	Meningitis	1											1			
(37)	Convulsions	1											1			
19	Organic diseases of the heart															
20	Acute bronchitis	8						1			1	1	1	3	1	1
22	Pneumonia	17				2	2	1			3	5		3	2	4
(23)	Bronchopneumonia	39				1	1	4	3	1	9	5	5	5	7	8
24	Diseases of the stomach	3				1	1				1		1			1
25	Diarrhea and enteritis	93				2	2	2	1	2	7	18	13	27	17	11
(33)	Malformations	36	6	2	3	7	18	6	2	1	27	1	1	4	2	1
(33)	Premature birth	79	33	13	6	5	57	7	3	3	70	5	4			
(33, 37)	Congenital debility	30	8	1	1	7	17	7	2	1	27	1	1	1		
(37)	Injuries at birth	20	6	3	3	7	19	1			20					
35	External causes	4												2		2
38	Diseases ill-defined or unknown	2	1				1				1		1			
	All other causes	41	2	1	2	2	7	4	2	3	16	2	6	6	6	5
	KANSAS CITY, MO. (COLORED).															
	All causes	55	7	3	5	5	20	2		1	23	5	5	15	4	3
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup	1												1		
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2												2		
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	1	1				1				1					
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis															
22	Pneumonia	8										1	1	3	2	1
(23)	Bronchopneumonia	10				2	2			1	3	1	1	3	1	1
24	Diseases of the stomach															
25	Diarrhea and enteritis	10										2	1	5	1	1
(33)	Malformations	2	1		1		2				2					
(33)	Premature birth	10	3	2	2	1	8	1			9		1			
(33, 37)	Congenital debility	5	1		1	2	4	1			5					
(37)	Injuries at birth	3	1	1	1		3				3					
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	3										1	1	1		
	ST. LOUIS, MO. (TOTAL).															
	All causes	1,181	205	64	35	64	368	75	38	50	531	99	91	193	161	106
5	Measles	11												2	5	4
6	Scarlet fever	1													1	
7	Whooping cough	11										2		3	3	3
8	Diphtheria and croup	17								1	1	1	3	4	5	3
9	Influenza	10										1		3	5	1
(12)	Dysentery	6							1		1		1	1	2	1
(12)	Erysipelas	9							1	1	2	3	1	1	2	
(37)	Tetanus	4				1	1	3			4					
13	Tuberculosis of the lungs	13											3	4	3	3
14	Tuberculous meningitis	9												2	2	5
15	Other forms of tuberculosis	1														1
(37)	Syphilis	47	6	2	1	2	11	6	2	1	20	6	7	10	2	2
17	Meningitis	7											1	3	1	2
(37)	Convulsions	4	1		1		2				2			1		1
19	Organic diseases of the heart	7						1	2		3	1		1	2	
20	Acute bronchitis	41		1		1	2	5	4	4	15	5	6	4	6	5
22	Pneumonia	47		1			1	1		3	5	5	4	14	12	7
(23)	Bronchopneumonia	124		1	1	6	8	7	6	4	25	17	15	35	18	14
24	Diseases of the stomach	13								2	2		2	6	3	
25	Diarrhea and enteritis	276		1	1	4	6	5	4	10	25	31	32	76	68	44
(33)	Malformations	65	14	9	6	9	38	8	1	7	54	4	1	3	3	
(33)	Premature birth	266	139	31	16	22	208	24	11	8	251	10	3	1	1	
(33, 37)	Congenital debility	93	28	9	6	10	53	12	5	5	75	8	4	2	3	1
(37)	Injuries at birth	31	15	9	1	5	30			1	31					
35	External causes	11	1		1	1	3				3	1		4	1	2
38	Diseases ill-defined or unknown															
	All other causes	57	1		1	3	5	3	1	3	12	4	8	13	13	7

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	ST. LOUIS, MO. (WHITE).															
	All causes	1,093	194	57	34	58	343	66	33	49	491	87	83	181	152	99
5	Measles	11												2	5	4
6	Scarlet fever	1													1	
7	Whooping cough	11										2		3	3	3
8	Diphtheria and croup	16								1	1	1	3	4	4	3
9	Influenza	10										1		3	5	1
(12)	Dysentery	5							1		1		1		2	1
(12)	Erysipelas	9							1	1	2	3	1	1	2	
(37)	Tetanus	4				1	1	3			4					
13	Tuberculosis of the lungs	13											3	4	3	3
14	Tuberculous meningitis	9												2	2	5
15	Other forms of tuberculosis	1														1
(37)	Syphilis	35	5		1	2	8	3	2	1	14	3	6	9	2	1
17	Meningitis	6											1	2	1	2
(37)	Convulsions	4	1		1		2				2			1		1
19	Organic diseases of the heart	7						1	2		3	1		1	2	
20	Acute bronchitis	38		1		1	2	5	4	3	14	4	6	4	5	5
22	Pneumonia	41		1			1			3	4	3	4	13	11	6
(23)	Bronchopneumonia	108		1	1	6	8	6	5	4	23	12	13	32	17	11
24	Diseases of the stomach	13								2	2		2	6	3	
25	Diarrhea and enteritis	264		1	1	3	5	5	3	10	23	31	30	73	64	43
(33)	Malformations	64	13	9	6	9	37	8	1	7	53	4	1	3	3	
(33)	Premature birth	244	133	27	15	17	192	21	8	8	229	10	3	1	1	
(33,37)	Congenital debility	86	25	8	6	10	49	11	5	5	70	8	2	2	3	1
(37)	Injuries at birth	31	15	9	1	5	30			1	31					
35	External causes	10	1		1	1	3				3	1		3	1	2
38	Diseases ill-defined or unknown															
	All other causes	52	1		1	3	5	3	1	3	12	3	7	12	12	6
	ST. LOUIS, MO. (COLORED).															
	All causes	88	11	7	1	6	25	9	5	1	40	12	8	12	9	7
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup	1													1	
9	Influenza															
(12)	Dysentery	1												1		
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	12	1	2			3	3			6	3	1	1		1
17	Meningitis	1												1		
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	3								1	1	1			1	
22	Pneumonia	6						1			1	2		1	1	1
(23)	Bronchopneumonia	16						1	1		2	5	2	3	1	3
24	Diseases of the stomach															
25	Diarrhea and enteritis	12				1	1		1		2		2	3	4	1
(33)	Malformations	1	1				1				1					
(33)	Premature birth	22	6	4	1	5	16	3	3		22					
(33,37)	Congenital debility	7	3	1			4	1			5		2			
(37)	Injuries at birth															
35	External causes	1												1		
38	Diseases ill-defined or unknown															
	All other causes	5										1	1	1	1	1
	OMAHA, NEBR.															
	All causes	190	9	17	4	21	51	19	8	6	84	19	12	33	22	20
5	Measles	3												1	1	1
6	Scarlet fever															
7	Whooping cough	9										2	3		2	2
8	Diphtheria and croup	1													1	
9	Influenza	3												2		1
(12)	Dysentery	2													1	1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	4													2	2
15	Other forms of tuberculosis															
(37)	Syphilis	4							1	2	3	1				
17	Meningitis	2												1	1	
(37)	Convulsions	2						1			1			1		
19	Organic diseases of the heart	2						1		1	2					
20	Acute bronchitis	1						1			1					
22	Pneumonia	3							1		1			1	1	
(23)	Bronchopneumonia	29						1	1		2	4	3	10	6	4
24	Diseases of the stomach	3										1		1	1	
25	Diarrhea and enteritis	23						2			2	3	1	7	4	6
(33)	Malformations	18	3	3	1	4	11		1	1	13	2		2	1	
(33)	Premature birth	34	6	11	2	7	26	4	2	1	33	1				
(33,37)	Congenital debility	25		1		5	6	7	2	1	16	2	4	2	1	
(37)	Injuries at birth	8		2	1	3	6	2			8					
35	External causes	2										1	1			
38	Diseases ill-defined or unknown															
	All other causes	11				2	2				2	2		5		2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	JERSEY CITY, N. J.															
	All causes	892	95	37	21	54	207	45	34	27	313	86	78	162	133	120
5	Measles	17						1			1	3	1	6	3	3
6	Scarlet fever															
7	Whooping cough	21										5	2	4	4	6
8	Diphtheria and croup	4												1	1	2
9	Influenza	2							1		1				1	
(12)	Dysentery															
(12)	Erysipelas	4				1	1	1			2	1	1			
(37)	Tetanus	1												1		
13	Tuberculosis of the lungs	4												4		
14	Tuberculous meningitis	9			1	1	2				2		1	1	2	3
15	Other forms of tuberculosis	4										2		1		1
(37)	Syphilis	5		1			1		1		2		1	1		1
17	Meningitis	13												1	8	4
(37)	Convulsions	7						2			2			2	1	2
19	Organic diseases of the heart															
20	Acute bronchitis	30			1	1	2	3	3	2	10	2	4	6	3	5
22	Pneumonia	56				2	2	1	1	1	5	5	5	8	13	15
(23)	Bronchopneumonia	95		1		3	4	4	3	3	14	13	9	20	24	15
24	Diseases of the stomach	5								1	1	1	1	1		1
25	Diarrhea and enteritis	260				1	1	7	4	6	18	31	34	81	52	44
(33)	Malformations	46	10	2	3	5	20	6	4	3	33	4	4		2	3
(33)	Premature birth	130	44	20	12	20	96	11	12	3	122	4	1	1	2	
(33,37)	Congenital debility	90	16	6	2	6	30	6	4	3	43	8	13	16	5	5
(37)	Injuries at birth	38	23	6	1	6	36	1		1	38					
35	External causes	7						1			1	1		2	1	2
38	Diseases ill-defined or unknown	2	1				1	1			2					
	All other causes	42	1	1	1	8	11		1	4	16	6	1	5	6	8
	NEWARK, N. J.															
	All causes	940	144	43	39	55	281	52	40	34	407	79	65	171	136	82
5	Measles	6												1	1	4
6	Scarlet fever	1													1	
7	Whooping cough	17								1	1		1	7	3	5
8	Diphtheria and croup	2													2	
9	Influenza	7											3	2	2	
(12)	Dysentery	1													1	
(12)	Erysipelas	7							1		1	2	2	1	1	
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	3											1	1	1	
14	Tuberculous meningitis	15												6	6	3
15	Other forms of tuberculosis															
(37)	Syphilis	20	2	2	1	4	9			1	10	3	2	3	2	
17	Meningitis	9			1	1	2				2	1		2		4
(37)	Convulsions	14		1		2	3	1	1	2	7	1		3	3	
19	Organic diseases of the heart	2										1				1
20	Acute bronchitis	22				1	1	3	2		6	5	1	7	3	
22	Pneumonia	37						1	3		4	5	3	8	8	9
(23)	Bronchopneumonia	71			1		1	5	4		10	8	5	21	14	13
24	Diseases of the stomach	6						2			2	1	2	1		
25	Diarrhea and enteritis	258			1	2	3	6	6	12	27	23	26	77	71	34
(33)	Malformations	45	10	5	3	5	23	2	1		26	7	5	2	4	1
(33)	Premature birth	199	87	21	20	22	150	22	11	7	190	5	3	1		
(33,37)	Congenital debility	115	26	10	5	9	50	5	7	7	69	10	6	24	5	1
(37)	Injuries at birth	36	18	2	5	8	33	1	1	1	36					
35	External causes	10								1	1		4	1	2	2
38	Diseases ill-defined or unknown	1											1			
	All other causes	35	1	2	2	1	6	3	3	2	14	7		3	6	5
	PATERSON, N. J.															
	All causes	261	47	10	12	13	82	10	12	10	114	20	16	47	34	30
5	Measles															
6	Scarlet fever															
7	Whooping cough	6												1	2	3
8	Diphtheria and croup	1														1
9	Influenza	1								1	1					
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	3													1	2
15	Other forms of tuberculosis															
(37)	Syphilis	4							1		1	2		1		
17	Meningitis	6			1		1				1			1	3	1
(37)	Convulsions	8		1	1	2	4				4	1			1	2
19	Organic diseases of the heart	2						1	1		2					
20	Acute bronchitis	11			1		1	1		3	5	3	1	1	1	
22	Pneumonia	18						1			1	3	3	3	3	5
(23)	Bronchopneumonia	25				1	1	1		1	3	3	1	8	5	5
24	Diseases of the stomach	2											1	1		
25	Diarrhea and enteritis	50				1	1	1	1	1	4	3	6	21	11	5
(33)	Malformations	13	3	1		2	6		1	1	8	2		1	1	1
(33)	Premature birth	46	28	6	2	4	40	1	3	2	46					
(33,37)	Congenital debility	42	9	2	4	1	16	3	4	1	24	2	4	7	3	2
(37)	Injuries at birth	8	7			1	8				8					
35	External causes	3				1	1				1				1	1
38	Diseases ill-defined or unknown															
	All other causes	11			3		3	1	1		5	1		2	2	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	ALBANY, N. Y.															
	All causes	271	38	11	9	20	78	11	9	9	107	30	25	46	35	28
5	Measles															
6	Scarlet fever															
7	Whooping cough	10												4	4	2
8	Diphtheria and croup	1														1
9	Influenza	5							1	1	1					3
(12)	Dysentery	2							1	1				1		
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	10										4	1	2	3	
14	Tuberculous meningitis	4											1	2	1	
15	Other forms of tuberculosis	3											1	1		1
(37)	Syphilis	1											1			
17	Meningitis	6										1		2	2	1
(37)	Convulsions	4				2	2				2		1		1	
19	Organic diseases of the heart	4										1	1		2	
20	Acute bronchitis	5							1		1	1		2		1
22	Pneumonia	12										1	2	2	3	4
(23)	Bronchopneumonia	15				1	1	3		2	6	2		1	4	2
24	Diseases of the stomach	1													1	
25	Diarrhea and enteritis	57				1	1	2	1	1	5	10	6	13	12	11
(33)	Malformations	14	4	1	1	1	7	1	2	1	11	1	1	1		
(33)	Premature birth	40	19	5	5	6	35	2	1		38	1		1		
(33, 37)	Congenital debility	39	3	1		5	9	1	2	3	15	6	10	8		
(37)	Injuries at birth	17	8	4	2	3	17				17					
35	External causes	3	1				1				1	1		1		
38	Diseases ill-defined or unknown															
	All other causes	18	3		1	1	5	2	1	1	9			5	2	2
	BUFFALO, N. Y.															
	All causes	1,364	254	67	46	73	440	75	60	48	623	110	102	249	164	116
5	Measles	10													1	9
6	Scarlet fever	1												1		
7	Whooping cough	9								1	1	3	1	1	3	
8	Diphtheria and croup	5														5
9	Influenza	5										1		2		2
(12)	Dysentery	2				1	1				1		1			
(12)	Erysipelas	4							1		1		1	1	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	5										1		1	1	2
15	Other forms of tuberculosis															
(37)	Syphilis	45	3			1	4	1	4	2	11	8	7	16	2	1
17	Meningitis	8											1	1	5	1
(37)	Convulsions	24	3		1	5	9	1	3	3	16	3	1	4		
19	Organic diseases of the heart	8			1		1				1	1	2	1	1	2
20	Acute bronchitis	21							3		3	3	1	6	7	1
22	Pneumonia	39				1	1		1		2	4	4	16	5	8
(23)	Bronchopneumonia	138		2		1	3	3	5	3	14	9	11	38	38	28
24	Diseases of the stomach	22				2	2	2	3	1	8	3	2	8		1
25	Diarrhea and enteritis	417		1	2	1	4	16	17	23	60	49	58	123	82	45
(33)	Malformations	82	31	11	3	11	56	7	2	3	68	3	2	3	3	3
(33)	Premature birth	254	145	36	17	18	216	19	9	4	248	3	2		1	
(33, 37)	Congenital debility	68	16	2	8	9	35	9	2	1	47	8	2	9	2	
(37)	Injuries at birth	96	54	12	9	13	88	7			95	1				
35	External causes	7				2	2		1		3	1	1		2	
38	Diseases ill-defined or unknown	1		1			1				1					
	All other causes	92	2	2	5	8	17	10	9	7	43	9	5	18	10	7
	NEW YORK, N. Y. (TOTAL).															
	All causes	13,850	1,686	520	392	769	3,367	724	517	445	5,053	1,248	1,060	2,566	2,130	1,793
5	Measles	161							1	1	2	1	1	16	46	95
6	Scarlet fever	11													5	6
7	Whooping cough	207						1	1	2	4	29	18	47	57	52
8	Diphtheria and croup	147						1		1	2	2	7	18	51	67
9	Influenza	46								1	1		5	11	14	15
(12)	Dysentery	19										2		2	12	3
(12)	Erysipelas	148						5	17	18	40	28	18	38	19	5
(37)	Tetanus	11		1		6	7	2	1		10				1	
13	Tuberculosis of the lungs	81	1			1	2			1	3	3	5	24	21	25
14	Tuberculous meningitis	180				1	1				1	3	3	40	60	73
15	Other forms of tuberculosis	26							1		1	1		7	8	9
(37)	Syphilis	229	18	4	6	11	39	25	13	11	88	41	40	42	11	7
17	Meningitis	70				1	1	3	2	2	8	2	4	24	11	21
(37)	Convulsions	58		3	5	11	19	4	1	1	25	3	4	11	8	7
19	Organic diseases of the heart	22				1	1		4	1	6	2	2	3	6	3
20	Acute bronchitis	440	1	3	2	13	19	28	36	36	119	76	47	99	58	41
22	Pneumonia	563		1	2	6	9	10	4	10	33	36	38	118	161	177
(23)	Bronchopneumonia	1,950		8	14	39	61	54	62	60	237	170	161	436	476	470
24	Diseases of the stomach	46				1	1	1	5	2	9	7	7	11	9	3
25	Diarrhea and enteritis	3,325		2	4	21	27	64	77	99	267	341	336	1,044	817	520
(33)	Malformations	658	129	44	63	109	345	83	29	21	478	57	34	49	26	14
(33)	Premature birth	2,216	988	289	158	260	1,695	221	130	53	2,099	70	22	20	5	
(33, 37)	Congenital debility	1,925	261	83	73	159	576	136	89	90	891	278	250	339	123	44
(37)	Injuries at birth	499	249	67	50	84	450	34	6	1	491	6	2			
35	External causes	133	29	5	3	2	39	3	4	4	50	18	14	16	16	19
38	Diseases ill-defined or unknown	1						1			1					
	All other causes	678	10	10	12	43	75	48	34	30	187	72	42	151	109	117

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (WHITE).															
	All causes	13,333	1,634	502	378	748	3,262	685	501	437	4,885	1,200	1,019	2,460	2,041	1,728
5	Measles	160							1	1	2	1	1	16	45	95
6	Scarlet fever	11													5	6
7	Whooping cough	200						1	1	2	4	29	16	45	54	52
8	Diphtheria and croup	140						1		1	2	2	6	17	49	64
9	Influenza	43								1	1		4	11	14	13
(12)	Dysentery	18										2		1	12	3
(12)	Erysipelas	146						5	17	18	40	28	18	36	19	5
(37)	Tetanus	10		1		5	6	2	1		9				1	
13	Tuberculosis of the lungs	74	1			1	2			1	3	2	5	22	18	24
14	Tuberculous meningitis	174				1	1				1	2	3	38	60	70
15	Other forms of tuberculosis	25							1		1	1		7	8	8
(37)	Syphilis	209	16	4	5	11	36	23	13	10	82	34	39	39	9	6
17	Meningitis	68				1	1	3	2	2	8	2	4	24	11	19
(37)	Convulsions	58		3	5	11	19	4	1	1	25	3	4	11	8	7
19	Organic diseases of the heart	21				1	1		4	1	6	2	1	3	6	3
20	Acute bronchitis	425	1	3	2	13	19	27	36	36	118	75	47	94	56	35
22	Pneumonia	542		1	2	5	8	9	4	10	31	34	38	115	153	171
(23)	Bronchopneumonia	1,862		7	12	36	55	53	62	59	229	167	159	408	447	452
24	Diseases of the stomach	45				1	1	1	5	2	9	7	7	11	8	3
25	Diarrhea and enteritis	3,216		2	4	21	27	61	75	97	260	328	323	1,007	791	507
(33)	Malformations	643	124	43	62	107	336	80	28	20	464	57	34	49	25	14
(33)	Premature birth	2,137	959	276	153	253	1,641	209	124	52	2,026	67	20	20	4	
(33, 37)	Congenital debility	1,836	252	80	68	155	555	124	83	88	850	268	236	325	117	40
(37)	Injuries at birth	492	244	67	50	84	445	32	6	1	484	6	2			
35	External causes	128	28	5	3	2	38	3	4	4	49	18	13	14	15	19
38	Diseases ill-defined or unknown	1						1			1					
	All other causes	649	9	10	12	40	71	46	33	30	180	65	39	147	106	112
	NEW YORK, N. Y. (COLORED).															
	All causes	517	52	18	14	21	105	39	16	8	168	48	41	106	89	65
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough	7											2	2	3	
8	Diphtheria and croup	7											1	1	2	3
9	Influenza	3											1			2
(12)	Dysentery	1												1		
(12)	Erysipelas	2												2		
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	7										1		2	3	1
14	Tuberculous meningitis	6										1		2		3
15	Other forms of tuberculosis	1														1
(37)	Syphilis	20	2		1		3	2		1	6	7	1	3	2	1
17	Meningitis	2														2
(37)	Convulsions															
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	15						1			1	1		5	2	6
22	Pneumonia	21				1	1	1			2	2		3	8	6
(23)	Bronchopneumonia	88		1	2	3	6	1		1	8	3	2	28	29	18
24	Diseases of the stomach	1													1	
25	Diarrhea and enteritis	109						3	2	2	7	13	13	37	26	13
(33)	Malformations	15	5	1	1	2	9	3	1	1	14				1	
(33)	Premature birth	79	29	13	5	7	54	12	6	1	73	3	2		1	
(33, 37)	Congenital debility	89	9	3	5	4	21	12	6	2	41	10	14	14	6	4
(37)	Injuries at birth	7	5				5	2			7					
35	External causes	5	1				1				1		1	2	1	
38	Diseases ill-defined or unknown															
	All other causes	29	1			3	4	2	1		7	7	3	4	3	5
	NEW YORK, N. Y. (BRONX BOROUGH, TOTAL).															
	All causes	1,288	188	68	47	106	409	74	60	34	577	101	80	223	161	146
5	Measles	11													3	8
6	Scarlet fever															
7	Whooping cough	27						1	1		2	6		9	6	4
8	Diphtheria and croup	13												2	9	2
9	Influenza	4											1	2	1	
(12)	Dysentery	2													1	1
(12)	Erysipelas	22						2	2	5	9		3	4	3	3
(37)	Tetanus	3		1		1	2		1		3					
13	Tuberculosis of the lungs	5												2	2	1
14	Tuberculous meningitis	18										1		5	8	4
15	Other forms of tuberculosis	3										1		1	1	
(37)	Syphilis	12	2			1	3			2	5	2		5		
17	Meningitis	6											1	2	2	1
(37)	Convulsions	6		1			1				1		1	1	2	1
19	Organic diseases of the heart	1							1		1					
20	Acute bronchitis	20							2	2	4	6	3	4	1	2
22	Pneumonia	66						2		1	3	4	7	10	23	19
(23)	Bronchopneumonia	169		1	1	3	5	5	9	5	24	17	14	45	28	41
24	Diseases of the stomach	5										2		2	1	
25	Diarrhea and enteritis	222			1	1	2	4	10	6	22	21	17	79	48	35
(33)	Malformations	93	13	6	9	27	55	9	3	2	69	8	5	5	3	3
(33)	Premature birth	263	116	37	19	34	206	25	18	1	250	7	3	3		
(33, 37)	Congenital debility	164	31	14	9	13	67	12	7	5	91	15	21	26	6	5
(37)	Injuries at birth	68	24	7	5	21	57	6	3		66	1	1			
35	External causes	12			1		1	1		1	3		1	1	3	4
38	Diseases ill-defined or unknown															
	All other causes	73	2	1	2	5	10	7	3	4	24	10	2	15	10	12

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (BRONX BOROUGH, WHITE).															
	All causes	1,271	185	68	46	105	404	72	59	34	569	101	79	219	158	145
5	Measles	11													3	8
6	Scarlet fever															
7	Whooping cough	25						1	1		2	6		9	4	4
8	Diphtheria and croup	13												2	9	2
9	Influenza	4											1	2	1	
(12)	Dysentery	2													1	1
(12)	Erysipelas	22						2	2	5	9		3	4	3	3
(37)	Tetanus	3		1		1	2		1		3					
13	Tuberculosis of the lungs	5												2	2	1
14	Tuberculous meningitis	18										1		5	8	4
15	Other forms of tuberculosis	3										1		1	1	
(37)	Syphilis	12	2			1	3			2	5	2		5		
17	Meningitis	6											1	2	2	1
(37)	Convulsions	6		1			1				1		1	1	2	1
19	Organic diseases of the heart	1							1		1					
20	Acute bronchitis	19							2	2	4	6	3	4	1	1
22	Pneumonia	66						2		1	3	4	7	10	23	19
(23)	Bronchopneumonia	167		1	1	3	5	5	9	5	24	17	14	44	27	41
24	Diseases of the stomach	5										2		2	1	
25	Diarrhea and enteritis	220			1	1	2	4	10	6	22	21	17	77	48	35
(33)	Malformations	93	13	6	9	27	55	9	3	2	69	8	5	5	3	3
(33)	Premature birth	259	114	37	19	33	203	25	17	1	246	7	3	3		
(33, 37)	Congenital debility	158	30	14	8	13	65	10	7	5	87	15	20	25	6	5
(37)	Injuries at birth	68	24	7	5	21	57	6	3		66	1	1			
35	External causes	12			1		1	1		1	3		1	1	3	4
38	Diseases ill-defined or unknown															
	All other causes	73	2	1	2	5	10	7	3	4	24	10	2	15	10	12
	NEW YORK, N. Y. (BRONX BOROUGH, COLORED).															
	All causes	17	3		1	1	5	2	1		8		1	4	3	1
5	Measles															
6	Scarlet fever															
7	Whooping cough	2													2	
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	1														1
22	Pneumonia															
(23)	Bronchopneumonia	2												1	1	
24	Diseases of the stomach															
25	Diarrhea and enteritis	2												2		
(33)	Malformations															
(33)	Premature birth	4	2			1	3		1		4					
(33, 37)	Congenital debility	6	1		1		2	2			4		1	1		
(37)	Injuries at birth															
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes															
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).															
	All causes	4,510	572	188	141	277	1,178	249	160	139	1,726	372	316	834	678	584
5	Measles	31												6	6	19
6	Scarlet fever	3														3
7	Whooping cough	45								1	1	7	5	11	12	9
8	Diphtheria and croup	42						1		1	2	1	2	3	18	16
9	Influenza	18											3	5	5	5
(12)	Dysentery	6												1	3	2
(12)	Erysipelas	35						2	4	2	8	7	4	8	8	
(37)	Tetanus	3				1	1	1			2				1	
13	Tuberculosis of the lungs	25	1			1	2				2	2		6	6	9
14	Tuberculous meningitis	44										1	1	7	12	23
15	Other forms of tuberculosis	11							1		1			3	5	2
(37)	Syphilis	83	8	1	2	4	15	11	4	4	34	18	14	14	2	1
17	Meningitis	23								2	2	1	2	7	4	7
(37)	Convulsions	35		2	2	5	9	3			12	2	2	8	6	5
19	Organic diseases of the heart	8								1	1	2		2	1	2
20	Acute bronchitis	201	1	2		8	11	11	18	14	54	34	22	47	26	18
22	Pneumonia	189		1	1	3	5	2	2	2	11	14	10	43	49	62
(23)	Bronchopneumonia	645		5	5	15	25	22	15	18	80	44	58	135	161	167
24	Diseases of the stomach	12				1	1		1		2	2		3	4	1
25	Diarrhea and enteritis	1,202		1		5	6	24	33	37	100	115	125	391	288	183
(33)	Malformations	252	56	22	28	40	146	33	16	7	202	16	12	13	5	4
(33)	Premature birth	737	325	91	56	94	566	74	41	16	697	23	5	9	3	
(33, 37)	Congenital debility	438	75	27	20	54	176	40	15	23	254	55	34	64	24	7
(37)	Injuries at birth	202	102	32	21	34	189	10	1		200	1	1			
35	External causes	35	2	1	2	1	6	1	1	1	9	5	6	4	3	8
38	Diseases ill-defined or unknown															
	All other causes	185	2	3	4	11	20	14	8	10	52	22	10	44	26	31

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).															
	All causes	4,379	564	183	137	274	1,158	239	155	136	1,688	357	302	806	657	569
5	Measles	31												6	6	19
6	Scarlet fever	3														3
7	Whooping cough	44								1	1	7	4	11	12	9
8	Diphtheria and croup	41						1		1	2	1	2	3	17	16
9	Influenza	16											2	5	5	4
(12)	Dysentery	6												1	3	2
(12)	Erysipelas	35						2	4	2	8	7	4	8	8	
(37)	Tetanus	3				1	1	1			2				1	
13	Tuberculosis of the lungs	23	1			1	2				2	1		5	6	9
14	Tuberculous meningitis	43											1	7	12	23
15	Other forms of tuberculosis	11							1		1			3	5	2
(37)	Syphilis	76	8	1	2	4	15	10	4	3	32	15	14	12	2	1
17	Meningitis	23								2	2	1	2	7	4	7
(37)	Convulsions	35		2	2	5	9	3			12	2	2	8	6	5
19	Organic diseases of the heart	8								1	1	2		2	1	2
20	Acute bronchitis	194	1	2		8	11	11	18	14	54	34	22	44	26	14
22	Pneumonia	179		1	1	2	4	2	2	2	10	13	10	42	45	59
(23)	Bronchopneumonia	630		5	4	15	24	22	15	18	79	44	57	130	158	162
24	Diseases of the stomach	11				1	1		1		2	2		3	3	1
25	Diarrhea and enteritis	1,168		1		5	6	23	32	37	98	110	118	379	281	182
(33)	Malformations	247	56	21	27	39	143	33	15	6	197	16	12	13	5	4
(33)	Premature birth	718	320	87	54	93	554	71	39	16	680	23	4	9	2	
(33,37)	Congenital debility	419	74	27	20	54	175	36	14	22	247	51	31	60	23	7
(37)	Injuries at birth	200	100	32	21	34	187	10	1		198	1	1			
35	External causes	34	2	1	2	1	6	1	1	1	9	5	6	4	2	8
38	Diseases ill-defined or unknown															
	All other causes	181	2	3	4	11	20	13	8	10	51	22	10	44	24	30
	NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).															
	All causes	131	8	5	4	3	20	10	5	3	38	15	14	28	21	15
5	Measles															
6	Scarlet fever															
7	Whooping cough	1											1			
8	Diphtheria and croup	1													1	
9	Influenza	2											1			1
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2										1		1		
14	Tuberculous meningitis	1										1				
15	Other forms of tuberculosis															
(37)	Syphilis	7						1		1	2	3		2		
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	7												3		4
22	Pneumonia	10				1	1				1	1		1	4	3
(23)	Bronchopneumonia	15			1		1				1		1	5	3	5
24	Diseases of the stomach	1													1	
25	Diarrhea and enteritis	34						1	1		2	5	7	12	7	1
(33)	Malformations	5		1	1	1	3		1	1	5					
(33)	Premature birth	19	5	4	2	1	12	3	2		17		1		1	
(33,37)	Congenital debility	19	1				1	4	1	1	7	4	3	4	1	
(37)	Injuries at birth	2	2				2				2					
35	External causes	1													1	
38	Diseases ill-defined or unknown															
	All other causes	4						1			1				2	1
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL).															
	All causes	6,853	755	223	169	321	1,468	338	254	239	2,299	672	553	1,305	1,087	937
5	Measles	109							1	1	2	1	1	9	31	65
6	Scarlet fever	6													3	3
7	Whooping cough	111								1	1	13	11	20	31	35
8	Diphtheria and croup	89										1	5	13	23	47
9	Influenza	22								1	1		1	4	7	9
(12)	Dysentery	10										1		1	8	
(12)	Erysipelas	83						1	11	10	22	21	9	21	8	2
(37)	Tetanus	2				2	2				2					
13	Tuberculosis of the lungs	48								1	1	1	5	15	11	15
14	Tuberculous meningitis	104				1	1				1	1	2	21	36	43
15	Other forms of tuberculosis	8												2	2	4
(37)	Syphilis	124	4	3	4	6	17	13	7	4	41	21	26	21	9	6
17	Meningitis	39				1	1	3	2		6	1	1	14	4	13
(37)	Convulsions	10			1	5	6		1	1	8			1		1
19	Organic diseases of the heart	9							1		1		1	1	5	1
20	Acute bronchitis	200			1	5	6	16	15	18	55	33	21	44	29	18
22	Pneumonia	275			1	3	4	5	2	7	18	15	16	59	78	89
(23)	Bronchopneumonia	961		2	6	18	26	23	30	31	110	87	68	224	244	228
24	Diseases of the stomach	27						1	4	2	7	3	6	5	4	2
25	Diarrhea and enteritis	1,587		1	3	15	19	29	27	48	123	173	161	488	388	254
(33)	Malformations	255	51	13	19	31	114	33	9	8	164	30	13	25	17	6
(33)	Premature birth	998	438	138	71	111	758	99	60	32	949	31	10	6	2	
(33,37)	Congenital debility	1,165	142	38	41	77	298	72	62	57	489	189	168	217	75	27
(37)	Injuries at birth	173	89	20	18	22	149	17	2	1	169	4				
35	External causes	73	26	3		1	30	1	3	2	36	10	4	10	8	5
38	Diseases ill-defined or unknown	1						1			1					
	All other causes	364	5	5	4	23	37	24	17	14	92	36	24	84	64	64

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).															
	All causes	6,502	715	210	160	307	1,392	313	244	234	2,183	640	529	1,236	1,025	889
5	Measles	108							1	1	2	1	1	9	30	65
6	Scarlet fever	6													3	3
7	Whooping cough	107								1	1	13	10	18	30	35
8	Diphtheria and croup	83										1	4	12	22	44
9	Influenza	21								1	1		1	4	7	8
(12)	Dysentery	9										1			8	
(12)	Erysipelas	81						1	11	10	22	21	9	19	8	2
(37)	Tetanus	2				2	2				2					
13	Tuberculosis of the lungs	43								1	1	1	5	14	8	14
14	Tuberculous meningitis	99				1	1				1	1	2	19	36	40
15	Other forms of tuberculosis	7												2	2	3
(37)	Syphilis	112	3	3	3	6	15	12	7	4	38	17	25	20	7	5
17	Meningitis	37				1	1	3	2		6	1	1	14	4	11
(37)	Convulsions	10			1	5	6		1	1	8			1		1
19	Organic diseases of the heart	8							1		1			1	5	1
20	Acute bronchitis	193			1	5	6	15	15	18	54	32	21	42	27	17
22	Pneumonia	264			1	3	4	4	2	7	17	14	16	57	74	86
(23)	Bronchopneumonia	893		1	5	15	21	22	30	30	103	84	67	204	220	215
24	Diseases of the stomach	27						1	4	2	7	3	6	5	4	2
25	Diarrhea and enteritis	1,518		1	3	15	19	27	26	46	118	165	155	466	371	243
(33)	Malformations	246	46	13	19	30	108	31	9	8	156	30	13	25	16	6
(33)	Premature birth	944	416	129	68	107	720	91	57	31	899	28	9	6	2	
(33, 37)	Congenital debility	1,105	135	35	37	73	280	66	57	56	459	184	160	209	70	23
(37)	Injuries at birth	168	86	20	18	22	146	15	2	1	164	4				
35	External causes	69	25	3		1	29	1	3	2	35	10	3	8	8	5
38	Diseases ill-defined or unknown	1						1			1					
	All other causes	341	4	5	4	21	34	23	16	14	87	29	21	81	63	60
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).															
	All causes	351	40	13	9	14	76	25	10	5	116	32	24	69	62	48
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough	4											1	2	1	
8	Diphtheria and croup	6											1	1	1	3
9	Influenza	1														1
(12)	Dysentery	1												1		
(12)	Erysipelas	2												2		
(37)	Tetanus															
13	Tuberculosis of the lungs	5												1	3	1
14	Tuberculous meningitis	5												2		3
15	Other forms of tuberculosis	1														1
(37)	Syphilis	12	1		1		2	1			3	4	1	1	2	1
17	Meningitis	2														2
(37)	Convulsions															
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	7						1			1	1		2	2	1
22	Pneumonia	11						1			1	1		2	4	3
(23)	Bronchopneumonia	68		1	1	3	5	1		1	7	3	1	20	24	13
24	Diseases of the stomach															
25	Diarrhea and enteritis	69						2	1	2	5	8	6	22	17	11
(33)	Malformations	9	5			1	6	2			8				1	
(33)	Premature birth	54	22	9	3	4	38	8	3	1	50	3	1			
(33, 37)	Congenital debility	60	7	3	4	4	18	6	5	1	30	5	8	8	5	4
(37)	Injuries at birth	5	3				3	2			5					
35	External causes	4	1				1				1		1	2		
38	Diseases ill-defined or unknown															
	All other causes	23	1			2	3	1	1		5	7	3	3	1	4
	NEW YORK, N. Y. (QUEENS BOROUGH, TOTAL).															
	All causes	947	139	34	29	51	253	44	33	25	355	77	91	165	165	94
5	Measles	6													5	1
6	Scarlet fever	2													2	
7	Whooping cough	20										3	2	4	7	4
8	Diphtheria and croup	1														1
9	Influenza	2													1	1
(12)	Dysentery	1										1				
(12)	Erysipelas	8								1	1		2	5		
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs	3												1	2	
14	Tuberculous meningitis	12												6	3	3
15	Other forms of tuberculosis	4												1		3
(37)	Syphilis	7	4				4		1	1	6			1		
17	Meningitis	2												1	1	
(37)	Convulsions	6			1	1	2	1			3	1	1	1		
19	Organic diseases of the heart	3				1	1		1		2		1			
20	Acute bronchitis	15		1			1			2	3	3	1	3	2	3
22	Pneumonia	25										2	4	5	8	6
(23)	Bronchopneumonia	144			2	3	5	3	7	4	19	18	19	27	36	25
24	Diseases of the stomach															
25	Diarrhea and enteritis	245						6	6	7	19	22	26	72	74	32
(33)	Malformations	49	7	3	7	8	25	6	1	4	36	3	3	5	1	1
(33)	Premature birth	168	85	17	9	17	128	15	10	2	155	9	3	1		
(33, 37)	Congenital debility	115	11	3	3	11	28	8	3	3	42	11	22	23	14	3
(37)	Injuries at birth	51	31	8	5	6	50	1			51					
35	External causes	9	1	1			2				2	2	1	1	1	2
38	Diseases ill-defined or unknown															
	All other causes	47		1	2	3	6	3	4	1	14	2	6	8	8	9

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (QUEENS BOROUGH, WHITE).															
	All causes	931	138	34	29	48	249	42	33	25	349	77	90	160	162	93
5	Measles	6													5	1
6	Scarlet fever	2													2	
7	Whooping cough	20										3	2	4	7	4
8	Diphtheria and croup	1														1
9	Influenza	2													1	1
(12)	Dysentery	1										1				
(12)	Erysipelas	8								1	1		2	5		
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	3												1	2	
14	Tuberculous meningitis	12												6	3	3
15	Other forms of tuberculosis	4												1		3
(37)	Syphilis	6	3				3		1	1	5			1		
17	Meningitis	2												1	1	
(37)	Convulsions	6			1	1	2	1			3	1	1	1		
19	Organic diseases of the heart	3				1	1		1		2		1			
20	Acute bronchitis	15		1			1			2	3	3	1	3	2	3
22	Pneumonia	25										2	4	5	8	6
(23)	Bronchopneumonia	141			2	3	5	3	7	4	19	18	19	25	35	25
24	Diseases of the stomach															
25	Diarrhea and enteritis	241						6	6	7	19	22	26	71	72	31
(33)	Malformations	48	7	3	7	8	25	5	1	4	35	3	3	5	1	1
(33)	Premature birth	166	85	17	9	16	127	14	10	2	153	9	3	1		
(33, 37)	Congenital debility	113	11	3	3	11	28	8	3	3	42	11	21	22	14	3
(37)	Injuries at birth	51	31	8	5	6	50	1			51					
35	External causes	9	1	1			2				2	2	1	1	1	2
38	Diseases ill-defined or unknown															
	All other causes	45		1	2	2	5	3	4	1	13	2	6	7	8	9
	NEW YORK, N. Y. (QUEENS BOROUGH, COLORED).															
	All causes	16	1			3	4	2			6		1	5	3	1
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	1	1				1				1					
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis															
22	Pneumonia															
(23)	Bronchopneumonia	3												2	1	
24	Diseases of the stomach															
25	Diarrhea and enteritis	4												1	2	1
(33)	Malformations	1						1			1					
(33)	Premature birth	2				1	1	1			2					
(33, 37)	Congenital debility	2											1	1		
(37)	Injuries at birth															
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	2				1	1				1			1		
	NEW YORK, N. Y. (RICHMOND BOROUGH, TOTAL).															
	All causes	252	32	7	6	14	59	19	10	8	96	26	20	39	39	32
5	Measles	4												1	1	2
6	Scarlet fever															
7	Whooping cough	4												3	1	
8	Diphtheria and croup	2													1	1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis															
(37)	Syphilis	3						1	1		2			1		
17	Meningitis															
(37)	Convulsions	1			1		1				1					
19	Organic diseases of the heart	1							1		1					
20	Acute bronchitis	4			1		1	1	1		3			1		
22	Pneumonia	8						1			1	1	1	1	3	1
(23)	Bronchopneumonia	31						1	1	2	4	4	2	5	7	9
24	Diseases of the stomach	2											1	1		
25	Diarrhea and enteritis	69						1	1	1	3	10	7	14	19	16
(33)	Malformations	9	2			3	5	2			7		1	1		
(33)	Premature birth	50	24	6	3	4	37	8	1	2	48		1	1		
(33, 37)	Congenital debility	43	2	1		4	7	4	2	2	15	8	5	9	4	2
(37)	Injuries at birth	5	3		1	1	5				5					
35	External causes	4										1	2		1	
38	Diseases ill-defined or unknown															
	All other causes	9	1			1	2		2	1	5	2			1	1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (RICHMOND BOROUGH, WHITE).															
	All causes	250	32	7	6	14	59	19	10	8	96	25	19	39	39	32
5	Measles	4												1	1	2
6	Scarlet fever															
7	Whooping cough	4												3	1	
8	Diphtheria and croup	2													1	1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis															
(37)	Syphilis	3						1	1		2			1		
17	Meningitis															
(37)	Convulsions	1			1		1				1					
19	Organic diseases of the heart	1							1		1					
20	Acute bronchitis	4			1		1	1	1		3			1		
22	Pneumonia	8						1			1	1	1	1	3	1
(23)	Bronchopneumonia	31						1	1	2	4	4	2	5	7	9
24	Diseases of the stomach	2											1	1		
25	Diarrhea and enteritis	69						1	1	1	3	10	7	14	19	16
(33)	Malformations	9	2			3	5	2			7		1	1		
(33)	Premature birth	50	24	6	3	4	37	8	1	2	48		1	1		
(33, 37)	Congenital debility	41	2	1		4	7	4	2	2	15	7	4	9	4	2
(37)	Injuries at birth	5	3		1	1	5				5					
35	External causes	4										1	2		1	
38	Diseases ill-defined or unknown															
	All other causes	9	1			1	2		2	1	5	2			1	1
	NEW YORK, N. Y. (RICHMOND BOROUGH, COLORED).															
	All causes	2										1	1			
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis															
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis															
22	Pneumonia															
(23)	Bronchopneumonia															
24	Diseases of the stomach															
25	Diarrhea and enteritis															
(33)	Malformations															
(33)	Premature birth															
(33, 37)	Congenital debility	2										1	1			
(37)	Injuries at birth															
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes															
	ROCHESTER, N. Y.															
	All causes	568	119	31	20	42	212	33	14	19	278	49	26	91	64	60
5	Measles	1													1	
6	Scarlet fever	2													1	1
7	Whooping cough	18							1		1	3	2	5	2	5
8	Diphtheria and croup															
9	Influenza	2										1		1		
(12)	Dysentery															
(12)	Erysipelas	8								4	4	2		2		
(37)	Tetanus															
13	Tuberculosis of the lungs	5							1		1			1		3
14	Tuberculous meningitis	6												2	1	3
15	Other forms of tuberculosis															
(37)	Syphilis	5						1			1	2			1	1
17	Meningitis	3										1		1		1
(37)	Convulsions															
19	Organic diseases of the heart	2												1	1	
20	Acute bronchitis	23						3	1	1	5	4		7	3	4
22	Pneumonia	14				1	1	3			4	1	1	4	2	2
(23)	Bronchopneumonia	53				1	1			1	2	8	5	10	12	16
24	Diseases of the stomach	4										1	3			
25	Diarrhea and enteritis	147			1	2	3	7	1	6	17	20	10	48	34	18
(33)	Malformations	43	15	7	5	5	32	2		2	36	2	1	1		3
(33)	Premature birth	139	78	16	10	14	118	9	7	2	136		2	1		
(33, 37)	Congenital debility	25	4	4	1	8	17	5	1	1	24			1		
(37)	Injuries at birth	28	21	2	1	3	27	1			28					
35	External causes	5		1		1	2				2			1	1	1
38	Diseases ill-defined or unknown															
	All other causes	35	1	1	2	7	11	2	2	2	17	4	2	5	5	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	SYRACUSE, N. Y.															
	All causes	347	61	28	17	28	134	20	17	13	184	31	24	51	28	29
5	Measles	4												1		3
6	Scarlet fever															
7	Whooping cough	5										1	1	2		1
8	Diphtheria and croup	2										1				1
9	Influenza															
(12)	Dysentery	1								1	1					
(12)	Erysipelas	1							1		1					
(37)	Tetanus															
13	Tuberculosis of the lungs	2												2		
14	Tuberculous meningitis	3											1		1	1
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	10		1			1	2	1	1	5	3		2		
17	Meningitis	1						1			1					
(37)	Convulsions	3		1	1	1	3				3					
19	Organic diseases of the heart	3								1	1	1	1			
20	Acute bronchitis	8							2		2	1		4		1
22	Pneumonia	7						2			2			2		3
(23)	Bronchopneumonia	30		1	1	3	5	1		1	7	6	3	3	7	4
24	Diseases of the stomach	4										2		2		
25	Diarrhea and enteritis	77						1	3	4	8	8	9	25	16	11
(33)	Malformations	19	2	3	1	2	8	1	1	2	12	2	3	2		
(33)	Premature birth	93	40	16	8	9	73	7	7	2	89	3	1			
(33,37)	Congenital debility	21	4		4	5	13	1	1		15		3	2		1
(37)	Injuries at birth	29	13	6	2	6	27	1			28	1				
35	External causes	2						1			1					1
38	Diseases ill-defined or unknown															
	All other causes	21	2			2	4	2	1	1	8	2	2	3	4	2
	CINCINNATI, OHIO (TOTAL).															
	All causes	619	126	48	21	51	246	43	26	14	329	51	46	86	63	44
5	Measles	6											1		2	3
6	Scarlet fever															
7	Whooping cough	7										2	1	1	2	1
8	Diphtheria and croup	2													2	
9	Influenza	6										1	1	1	1	2
(12)	Dysentery															
(12)	Erysipelas	2											1		1	
(37)	Tetanus															
13	Tuberculosis of the lungs	2														2
14	Tuberculous meningitis	7						1			1			1	3	2
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	23	5				5	1	1		7	5	1	6	2	2
17	Meningitis	5						1			1				2	2
(37)	Convulsions	2				1	1				1			1		
19	Organic diseases of the heart	3			1		1				1	1			1	
20	Acute bronchitis	8						1			1	2	3			2
22	Pneumonia	16						1		1	2	1	2	5	5	1
(23)	Bronchopneumonia	54				4	4		6	1	11	7	3	17	11	5
24	Diseases of the stomach	6				1	1			1	2		2	2		
25	Diarrhea and enteritis	139						4	5	7	16	19	22	39	26	17
(33)	Malformations	56	19	6	3	3	31	7	5	2	45	4	2	4	1	
(33)	Premature birth	166	75	27	11	23	136	13	7	2	158	5	1	2		
(33,37)	Congenital debility	28	8	6	1	6	21	6			27	1				
(37)	Injuries at birth	41	18	8	4	6	36	4	1		41					
35	External causes	11	1			3	4	1			5	1	1	2		2
38	Diseases ill-defined or unknown	3							1		1		1			1
	All other causes	25		1	1	4	6	3			9	2	4	5	3	2
	CINCINNATI, OHIO (WHITE).															
	All causes	557	110	46	20	47	223	39	25	13	300	45	44	74	59	35
5	Measles	5											1		1	3
6	Scarlet fever															
7	Whooping cough	7										2	1	1	2	1
8	Diphtheria and croup	2													2	
9	Influenza	5										1	1	1		2
(12)	Dysentery															
(12)	Erysipelas	2											1		1	
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	5												1	2	2
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	16	3				3	1	1		5	5	1	3	2	
17	Meningitis	3						1			1				1	1
(37)	Convulsions	2				1	1				1			1		
19	Organic diseases of the heart	3			1		1				1	1			1	
20	Acute bronchitis	7						1			1	1	3			2
22	Pneumonia	15						1		1	2	1	2	4	5	1
(23)	Bronchopneumonia	50				3	3		5	1	9	7	3	15	11	5
24	Diseases of the stomach	6				1	1			1	2		2	2		
25	Diarrhea and enteritis	124						4	5	6	15	15	20	33	26	15
(33)	Malformations	54	17	6	3	3	29	7	5	2	43	4	2	4	1	
(33)	Premature birth	150	67	25	10	21	123	10	7	2	142	5	1	2		
(33,37)	Congenital debility	25	6	6	1	5	18	6			24	1				
(37)	Injuries at birth	39	16	8	4	6	34	4	1		39					
35	External causes	10	1			3	4	1			5	1	1	2		1
38	Diseases ill-defined or unknown	3							1		1		1			
	All other causes	23		1	1	4	6	3			9	1	4	5	3	1
																1

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	CINCINNATI, OHIO (COLORED).															
	All causes	62	16	2	1	4	23	4	1	1	29	6	2	12	4	9
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza	1													1	
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2														2
14	Tuberculous meningitis	2						1			1				1	
15	Other forms of tuberculosis															
(37)	Syphilis	7	2				2				2			3		2
17	Meningitis	2													1	1
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	1										1				
22	Pneumonia	1												1		
(23)	Bronchopneumonia	4				1	1		1		2			2		
24	Diseases of the stomach															
25	Diarrhea and enteritis	15								1	1	4	2	6		2
(33)	Malformations	2	2				2				2					
(33)	Premature birth	16	8	2	1	2	13	3			16					
(33,37)	Congenital debility	3	2			1	3				3					
(37)	Injuries at birth	2	2				2				2					
35	External causes	1														1
38	Diseases ill-defined or unknown															
	All other causes	2										1				1
	CLEVELAND, OHIO.															
	All causes	1,829	244	98	67	119	528	97	81	75	781	147	119	312	239	231
5	Measles	23												4	5	14
6	Scarlet fever	3												2		1
7	Whooping cough	33										1	4	7	6	15
8	Diphtheria and croup	8						1			1			1	3	4
9	Influenza	11						2	1		3		1	2	2	3
(12)	Dysentery	2										1				1
(12)	Erysipelas	4											1	1		2
(37)	Tetanus															
13	Tuberculosis of the lungs	11													7	4
14	Tuberculous meningitis	16						1			1			4	4	7
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	26	1	1	1		3	3	3	1	10	6	2	3	1	4
17	Meningitis	8												1	3	4
(37)	Convulsions	17			1	5	6	3	1	1	11	3	1		1	1
19	Organic diseases of the heart	7								2	2	2	1		1	1
20	Acute bronchitis	63		1	3	3	7	1	5	2	15	12	2	14	9	11
22	Pneumonia	68			2	1	3	3	4		10	9	6	17	15	11
(23)	Bronchopneumonia	196			1	3	4	5	4	9	22	19	19	54	46	36
24	Diseases of the stomach	10						1	1	2	4	1		2	1	2
25	Diarrhea and enteritis	541			2	8	10	22	22	25	79	54	60	157	106	85
(33)	Malformations	81	18	11	8	12	49	5	5	5	64	4	2	7	2	2
(33)	Premature birth	345	155	51	31	45	282	22	15	12	331	11	1	2		
(33,37)	Congenital debility	103	11	12	7	23	53	13	9	4	79	8	6	7	1	2
(37)	Injuries at birth	89	48	16	7	13	84	2	1	2	89					
35	External causes	14	2				2	1		1	4	3		2	3	2
38	Diseases ill-defined or unknown	46	7	3	2	5	17	4	6		27	5	5	5	2	2
	All other causes	103	2	3	2	1	8	8	4	9	29	8	8	21	20	17
	COLUMBUS, OHIO (TOTAL).															
	All causes	311	66	19	13	31	129	19	10	11	169	20	22	47	31	22
5	Measles	2														2
6	Scarlet fever															
7	Whooping cough	6								1	1	1	1	2		1
8	Diphtheria and croup	1													1	
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis	2													2	
15	Other forms of tuberculosis	2												2		
(37)	Syphilis	4	1			1	2				2		1	1		
17	Meningitis	2											1	1		
(37)	Convulsions	9			1	1	2	1	1	2	6			1	2	
19	Organic diseases of the heart															
20	Acute bronchitis	4										1		2		1
22	Pneumonia	13		1			1				1		2	4	3	3
(23)	Bronchopneumonia	30						1	1	2	4	3	5	8	4	6
24	Diseases of the stomach	2				1	1				1				1	
25	Diarrhea and enteritis	37			1		1		2	1	4	7	3	11	12	
(33)	Malformations	22	6	2	1	5	14			2	16	1	1	1	1	2
(33)	Premature birth	89	47	10	5	13	75	10	1	1	87	2				
(33,37)	Congenital debility	49	7	4	5	5	21	4	4	2	31	4	5	5	2	2
(37)	Injuries at birth	8	5	2		1	8				8					
35	External causes	5						1			1			2		2
38	Diseases ill-defined or unknown															
	All other causes	22				4	4	2	1		7	1	3	6	3	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	COLUMBUS, OHIO (WHITE).															
	All causes	269	63	16	10	24	113	17	10	10	150	19	21	37	26	16
5	Measles	2														2
6	Scarlet fever															
7	Whooping cough	6								1	1	1	1	2		1
8	Diphtheria and croup	1													1	
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis	2												2		
(37)	Syphilis	3	1				1				1		1	1		
17	Meningitis	1											1			
(37)	Convulsions	8			1	1	2		1	2	5			1	2	
19	Organic diseases of the heart															
20	Acute bronchitis	2										1		1		
22	Pneumonia	11											2	4	3	2
(23)	Bronchopneumonia	23						1	1	2	4	3	4	5	3	4
24	Diseases of the stomach	2				1	1				1				1	
25	Diarrhea and enteritis	31							2	1	3	6	3	9	10	
(33)	Malformations	20	6	2	1	4	13			1	14	1	1	1	1	2
(33)	Premature birth	83	45	9	5	10	69	10	1	1	81	2				
(33, 37)	Congenital debility	42	7	3	3	5	18	4	4	2	28	4	5	4	1	
(37)	Injuries at birth	7	4	2		1	7				7					
35	External causes	4						1			1			1		2
38	Diseases ill-defined or unknown															
	All other causes	18				2	2	1	1		4	1	3	5	3	2
	COLUMBUS, OHIO (COLORED).															
	All causes	42	3	3	3	7	16	2		1	19	1	1	10	5	6
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	1				1	1				1					
17	Meningitis	1												1		
(37)	Convulsions	1						1			1					
19	Organic diseases of the heart															
20	Acute bronchitis	2												1		1
22	Pneumonia	2		1			1				1					1
(23)	Bronchopneumonia	7											1	3	1	2
24	Diseases of the stomach															
25	Diarrhea and enteritis	6			1		1				1	1		2	2	
(33)	Malformations	2				1	1			1	2					
(33)	Premature birth	6	2	1		3	6				6					
(33, 37)	Congenital debility	7		1	2		3				3			1	1	2
(37)	Injuries at birth	1	1				1				1					
35	External causes	1												1		
38	Diseases ill-defined or unknown															
	All other causes	4				2	2	1			3			1		
	DAYTON, OHIO.															
	All causes	233	47	18	12	19	96	12	12	6	126	18	18	29	27	15
5	Measles	1													1	
6	Scarlet fever	1														1
7	Whooping cough	3								1	1		1			1
8	Diphtheria and croup	1														1
9	Influenza															
(12)	Dysentery	1													1	
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis	2													2	
15	Other forms of tuberculosis															
(37)	Syphilis	6							2	1	3		2	1		
17	Meningitis	1														1
(37)	Convulsions	3	1			1	2		1		3					
19	Organic diseases of the heart															
20	Acute bronchitis	3								1	1		1	1		
22	Pneumonia	15						1	1		2	3	2	4	2	2
(23)	Bronchopneumonia	35			1	2	3	2	1	1	7	5	3	7	9	4
24	Diseases of the stomach	2								1	1		1			
25	Diarrhea and enteritis	27			1	1	2				2	5	6	5	9	
(33)	Malformations	22	3	5	2	6	16	1			17	1		4		
(33)	Premature birth	67	32	13	4	5	54	7	4	1	66			1		
(33, 37)	Congenital debility	15	5		2	1	8	1	2		11	1	1	2		
(37)	Injuries at birth	9	6		2	1	9				9					
35	External causes	5										1	1	1	1	1
38	Diseases ill-defined or unknown															
	All other causes	12				2	2		1		3	2		2	2	3

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	TOLEDO, OHIO.															
	All causes	479	112	25	13	46	196	21	21	12	250	40	34	72	48	35
5	Measles															
6	Scarlet fever	1												1		
7	Whooping cough	16										3	2	6	1	4
8	Diphtheria and croup	2												1		1
9	Influenza	2										1		1		
(12)	Dysentery															
(12)	Erysipelas	3								1	1	1		1		
(37)	Tetanus															
13	Tuberculosis of the lungs	3											1	1		1
14	Tuberculous meningitis	2													1	1
15	Other forms of tuberculosis	1										1				
(37)	Syphilis	3	1				1				1	1	1			
17	Meningitis	5				1	1				1			3	1	
(37)	Convulsions	10	1		1	5	7		1		8	2				
19	Organic diseases of the heart															
20	Acute bronchitis	9			1		1	1	1	1	4			3	2	
22	Pneumonia	16										2	2	4	7	1
(23)	Bronchopneumonia	55	1			1	2	3	3	2	10	4	6	11	11	13
24	Diseases of the stomach	6			1		1		1		2	1		2	1	
25	Diarrhea and enteritis	94		1		2	3	2	7	1	13	12	16	29	18	6
(33)	Malformations	44	7	3	5	12	27	2		4	33	1	2	4	3	1
(33)	Premature birth	109	69	10		11	90	6	3	2	101	8				
(33,37)	Congenital debility	55	25	5	5	7	42	4	5		51	1	1	2		
(37)	Injuries at birth	17	7	5		4	16	1			17					
35	External causes	2											1			1
38	Diseases ill-defined or unknown	3				2	2	1			3					
	All other causes	21	1	1		1	3	1		1	5	2	2	3	3	6
	PORTLAND, OREG.															
	All causes	238	49	30	18	21	118	18	11	10	157	25	11	18	12	15
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	2										2				
8	Diphtheria and croup	1														1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1										1				
(37)	Tetanus															
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis															
(37)	Syphilis	1											1			
17	Meningitis	5		2			2	1			3			1		1
(37)	Convulsions	3	1	1			2	1			3					
19	Organic diseases of the heart	1											1			
20	Acute bronchitis	1										1				
22	Pneumonia	6						1			1		1		3	1
(23)	Bronchopneumonia	23							1	3	4	4	2	6	4	3
24	Diseases of the stomach	3								1	1	1		1		
25	Diarrhea and enteritis	13				1	1		1		2	2	1	3	1	4
(33)	Malformations	19	4	2	3	4	13		2	1	16	2				1
(33)	Premature birth	58	27	12	3	6	48	5	2		55	3				
(33,37)	Congenital debility	40	9	5	4	2	20	5	2	2	29	6	1	3		1
(37)	Injuries at birth	24	6	7	7	2	22	2			24					
35	External causes	5			1	1	2	1			3	1		1		
38	Diseases ill-defined or unknown	1	1				1				1					
	All other causes	28	1	1		5	7	2	3	3	15	2	4	2	3	2
	PHILADELPHIA, PA. (TOTAL).															
	All causes	4,233	504	175	158	242	1,079	256	203	153	1,691	351	303	790	637	461
5	Measles	55								2	2	2	2	9	16	24
6	Scarlet fever	1												1		
7	Whooping cough	20		1			1				1	2	2	6	5	4
8	Diphtheria and croup	27								1	1	1	2	6	10	7
9	Influenza	13							1	1	2	4		4	1	2
(12)	Dysentery	5											2	3		
(12)	Erysipelas	16							3	3	6	2	1	4	2	1
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs	24						1	2		3	2	2	5	5	7
14	Tuberculous meningitis	52						1			1		2	11	21	17
15	Other forms of tuberculosis	12										1	4	3	4	
(37)	Syphilis	79	6	9	1	3	19	9	9	3	40	4	15	17	3	
17	Meningitis	21			1	1	2	1		1	4	1	1	3	7	5
(37)	Convulsions	54	2	3	3	3	11	7	5	1	24	8	7	6	4	5
19	Organic diseases of the heart	22			1	1	2	1	1	1	5	2	2	7	3	3
20	Acute bronchitis	103	1	1		1	3	2	7	4	16	14	8	32	26	7
22	Pneumonia	129			2	3	5	6	8	4	23	7	6	34	28	31
(23)	Bronchopneumonia	429		3	4	8	15	12	17	18	62	44	27	99	106	91
24	Diseases of the stomach	41			1	2	3	3	3	2	11	5	5	14	4	2
25	Diarrhea and enteritis	1,268		5	2	15	22	33	36	43	134	138	141	369	292	194
(33)	Malformations	317	42	38	29	46	155	41	24	11	231	30	16	26	10	4
(33)	Premature birth	750	325	84	66	81	556	69	42	33	700	26	6	16	2	
(33,37)	Congenital debility	341	52	15	19	39	125	38	18	12	193	29	28	48	30	13
(37)	Injuries at birth	145	72	10	17	24	123	12	8	1	144		1			
35	External causes	47		1	3	1	5	2		1	8	7	4	10	10	8
38	Diseases ill-defined or unknown	2				1	1				1			1		
	All other causes	258	4	5	9	12	30	17	19	11	77	22	19	56	48	36

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	PHILADELPHIA, PA. (WHITE).															
	All causes	3,861	461	162	141	222	986	240	191	145	1,562	320	283	713	575	408
5	Measles	50								2	2	2	2	9	12	23
6	Scarlet fever															
7	Whooping cough	16		1			1				1	2	2	5	5	1
8	Diphtheria and croup	25								1	1	1	2	6	9	6
9	Influenza	12							1	1	2	3		4	1	2
(12)	Dysentery	4											1	3		
(12)	Erysipelas	16							3	3	6	2	1	4	2	1
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs	20						1	2		3	2	2	4	4	5
14	Tuberculous meningitis	45						1			1		1	9	19	15
15	Other forms of tuberculosis	11										1	3	3	4	
(37)	Syphilis	61	3	7	1	3	14	5	6	3	28	3	15	12	3	
17	Meningitis	20			1	1	2	1		1	4	1	1	3	6	5
(37)	Convulsions	51	2	3	3	3	11	7	5	1	24	8	7	5	4	3
19	Organic diseases of the heart	22			1	1	2	1	1	1	5	2	2	7	3	3
20	Acute bronchitis	89	1	1		1	3	2	7	4	16	12	4	27	24	6
22	Pneumonia	116			2	3	5	6	8	4	23	7	5	30	25	26
(23)	Bronchopneumonia	377		3	3	8	14	12	17	16	59	37	25	82	91	33
24	Diseases of the stomach	35			1	2	3	3	3	2	11	3	5	11	3	2
25	Diarrhea and enteritis	1,184		3	1	14	18	31	34	42	125	130	136	348	272	173
(33)	Malformations	307	40	36	28	46	150	40	24	10	224	28	16	25	10	4
(33)	Premature birth	687	301	80	59	69	509	64	37	31	641	22	6	16	2	
(33, 37)	Congenital debility	300	44	13	14	35	106	35	17	10	168	26	27	40	27	12
(37)	Injuries at birth	139	67	10	17	23	117	12	8	1	138		1			
35	External causes	43		1	2	1	4	2		1	7	7	4	8	10	7
38	Diseases ill-defined or unknown	2				1	1				1			1		
	All other causes	227	3	4	8	10	25	16	18	11	70	21	15	51	39	31
	PHILADELPHIA, PA. (COLORED).															
	All causes	372	43	13	17	20	93	16	12	8	129	31	20	77	62	53
5	Measles	5													4	1
6	Scarlet fever	1												1		
7	Whooping cough	4												1		3
8	Diphtheria and croup	2													1	1
9	Influenza	1										1				
(12)	Dysentery	1											1			
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	4												1	1	2
14	Tuberculous meningitis	7											1	2	2	2
15	Other forms of tuberculosis	1											1			
(37)	Syphilis	18	3	2			5	4	3		12	1		5		
17	Meningitis	1													1	
(37)	Convulsions	3												1		2
19	Organic diseases of the heart															
20	Acute bronchitis	14										2	4	5	2	1
22	Pneumonia	13											1	4	3	5
(23)	Bronchopneumonia	52			1		1			2	3	7	2	17	15	8
24	Diseases of the stomach	6										2		3	1	
25	Diarrhea and enteritis	84		2	1	1	4	2	2	1	9	8	5	21	20	21
(33)	Malformations	10	2	2	1		5	1		1	7	2		1		
(33)	Premature birth	63	24	4	7	12	47	5	5	2	59	4				
(33, 37)	Congenital debility	41	8	2	5	4	19	3	1	2	25	3	1	8	3	1
(37)	Injuries at birth	6	5			1	6				6					
35	External causes	4			1		1				1			2		1
38	Diseases ill-defined or unknown															
	All other causes	31	1	1	1	2	5	1	1		7	1	4	5	9	5
	PITTSBURGH, PA. (TOTAL).															
	All causes	1,765	308	91	53	106	558	79	71	47	755	130	143	301	251	185
5	Measles	23										2	1	2	8	10
6	Scarlet fever	4												1		3
7	Whooping cough	19								1	1	4	1	5	3	5
8	Diphtheria and croup	14							1		1	1		1	6	5
9	Influenza	3												2		1
(12)	Dysentery	5							1		1	1	1		1	1
(12)	Erysipelas	6							1		1	1		2	1	1
(37)	Tetanus															
13	Tuberculosis of the lungs	15										2	2	5	3	3
14	Tuberculous meningitis	16												5	6	5
15	Other forms of tuberculosis	3											1			2
(37)	Syphilis	35	1	2	2	1	6	2	6	2	16	4	6	5		4
17	Meningitis	14										1	1	5	4	3
(37)	Convulsions	18	1			5	6	1			7	4	3		2	2
19	Organic diseases of the heart	6							2		2			1	2	1
20	Acute bronchitis	35			1	2	3	2	1	2	8	3	1	12	6	5
22	Pneumonia	46				3	3		1	2	6	5	7	11	7	10
(23)	Bronchopneumonia	198		2	3	6	11	6	11	4	32	19	23	42	46	36
24	Diseases of the stomach	21		1		1	2			1	3	3	3	7	4	1
25	Diarrhea and enteritis	457	1	1	1	4	7	15	15	15	52	46	59	124	105	71
(33)	Malformations	103	22	12	10	15	59	8	5	5	77	5	8	7	5	1
(33)	Premature birth	353	193	41	22	31	287	25	16	10	338	7	3	4	1	
(33, 37)	Congenital debility	159	37	19	5	13	74	13	3	1	91	12	12	29	13	2
(37)	Injuries at birth	87	50	12	7	13	82	3	2		87					
35	External causes	15				2	2		1	1	4		2	3	5	1
38	Diseases ill-defined or unknown	3	1				1				1			1	1	
	All other causes	107	2	1	2	10	15	4	5	3	27	10	9	27	22	21

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	PITTSBURGH, PA. (WHITE).															
	All causes	1,670	289	89	46	103	527	74	68	44	713	121	138	281	245	172
5	Measles	22										2	1	2	8	9
6	Scarlet fever	4												1		3
7	Whooping cough	18								1	1	4	1	4	3	5
8	Diphtheria and croup	14							1		1	1		1	6	5
9	Influenza	3												2		1
(12)	Dysentery	5							1		1	1	1		1	1
(12)	Erysipelas	6							1		1	1		2	1	1
(37)	Tetanus															
13	Tuberculosis of the lungs	15										2	2	5	3	3
14	Tuberculous meningitis	14												4	5	5
15	Other forms of tuberculosis	2											1			1
(37)	Syphilis	30		2	1	1	4	2	5	2	13	3	6	5		3
17	Meningitis	13										1		5	4	3
(37)	Convulsions	17	1			5	6	1			7	4	3		2	1
19	Organic diseases of the heart	6							2		2			1	2	1
20	Acute bronchitis	34			1	2	3	2	1	2	8	3	1	11	6	5
22	Pneumonia	42				3	3		1	1	5	5	7	10	6	9
(23)	Bronchopneumonia	186		2	3	6	11	6	10	4	31	17	23	39	45	31
24	Diseases of the stomach	20		1		1	2			1	3	2	3	7	4	1
25	Diarrhea and enteritis	440	1	1	1	4	7	14	15	13	49	42	57	119	103	70
(33)	Malformations	99	21	12	9	14	56	8	5	5	74	5	8	6	5	1
(33)	Premature birth	335	185	40	20	29	274	22	15	10	321	6	3	4	1	
(33,37)	Congenital debility	145	33	18	3	13	67	13	3	1	84	12	10	24	13	2
(37)	Injuries at birth	82	46	12	6	13	77	3	2		82					
35	External causes	15				2	2		1	1	4		2	3	5	1
38	Diseases ill-defined or unknown	3	1				1				1			1	1	
	All other causes	100	1	1	2	10	14	3	5	3	25	10	9	25	21	10
	PITTSBURGH, PA. (COLORED).															
	All causes	95	19	2	7	3	31	5	3	3	42	9	5	20	6	13
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	1												1		
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis	1														1
(37)	Syphilis	5	1		1		2		1		3	1				1
17	Meningitis	1											1			
(37)	Convulsions	1														1
19	Organic diseases of the heart															
20	Acute bronchitis	1												1		
22	Pneumonia	4								1	1			1	1	1
(23)	Bronchopneumonia	12							1		1	2		3	1	5
24	Diseases of the stomach	1										1				
25	Diarrhea and enteritis	17						1		2	3	4	2	5	2	1
(33)	Malformations	4	1		1	1	3				3			1		
(33)	Premature birth	18	8	1	2	2	13	3	1		17	1				
(33,37)	Congenital debility	14	4	1	2		7				7		2	5		
(37)	Injuries at birth	5	4		1		5				5					
35	External causes															
38	Diseases ill-defined or unknown															
	All other causes	7	1				1	1			2			2	1	2
	SCRANTON, PA.															
	All causes	474	53	19	18	37	127	17	27	14	185	45	47	81	61	55
5	Measles															
6	Scarlet fever															
7	Whooping cough	3			1		1				1			1		1
8	Diphtheria and croup	2														2
9	Influenza	5											1		2	2
(12)	Dysentery	2							1		1					1
(12)	Erysipelas	3							1		1	1			1	
(37)	Tetanus															
13	Tuberculosis of the lungs	1											1			
14	Tuberculous meningitis	4													1	3
15	Other forms of tuberculosis	2												1		1
(37)	Syphilis	2										1		1		
17	Meningitis	2												1		1
(37)	Convulsions	8		1			1		1		2	2	1	1	1	1
19	Organic diseases of the heart															
20	Acute bronchitis	16				2	2			2	4	5	1	2	3	1
22	Pneumonia	14						1	1	1	3	2	1	3	2	3
(23)	Bronchopneumonia	63		1		3	4	2	6	4	16	7	7	13	13	7
24	Diseases of the stomach	8						1			1		1	3	1	2
25	Diarrhea and enteritis	171	1		2	5	8	3	7	6	24	15	27	47	32	26
(33)	Malformations	27	7	1	1	7	16	4	1		21	3	3			
(33)	Premature birth	66	32	10	9	7	58	3	4		65	1				
(33,37)	Congenital debility	34	7	4	2	6	19	1	2		22	6	1	4		1
(37)	Injuries at birth	15	5	2	3	5	15				15					
35	External causes	5	1				1				1	1			2	1
38	Diseases ill-defined or unknown															
	All other causes	21				2	2	2	3	1	8	1	3	4	3	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	PROVIDENCE, R. I.															
	All causes	621	97	36	20	31	184	22	28	15	249	61	58	104	90	59
5	Measles	3											1			2
6	Scarlet fever															
7	Whooping cough	26										3	2	7	9	5
8	Diphtheria and croup	4												1	2	1
9	Influenza	2													2	
(12)	Dysentery	1													1	
(12)	Erysipelas	4										2		2		
(37)	Tetanus	2				1	1				1		1			
13	Tuberculosis of the lungs	7								1	1			4	1	1
14	Tuberculous meningitis	13						1			1		1	3	3	5
15	Other forms of tuberculosis	3										1	1			1
(37)	Syphilis	4				1	1				1	2		1		
17	Meningitis	6							1		1			3	1	1
(37)	Convulsions	4				1	1			1	2		1	1		
19	Organic diseases of the heart	1														1
20	Acute bronchitis	13				1	1	2	1		4	2		3	4	
22	Pneumonia	27			1		1		1		2	3	2	7	8	5
(23)	Bronchopneumonia	55	1				1	1	3		5	8	3	11	15	13
24	Diseases of the stomach	2												1	1	
25	Diarrhea and enteritis	124						1	3	3	7	18	24	32	28	15
(33)	Malformations	26	5	6	3	1	15	1	4	1	21	1	1	2	1	
(33)	Premature birth	116	57	22	7	10	96	8	8	1	113	3				
(33, 37)	Congenital debility	94	4	2	3	7	16	3	3	6	28	13	17	22	10	4
(37)	Injuries at birth	44	26	5	4	4	39	2	3		44					
35	External causes	4			1		1				1	1			1	1
38	Diseases ill-defined or unknown	10	4			2	6			1	7	1		2		
	All other causes	26		1	1	3	5	3	1	1	10	3	4	2	3	4
	MEMPHIS, TENN. (TOTAL).															
	All causes	228	24	14	5	20	63	16	16	9	104	29	23	45	16	11
5	Measles															
6	Scarlet fever															
7	Whooping cough	1												1		
8	Diphtheria and croup	4				1	1		1		2		1		1	
9	Influenza	2													1	1
(12)	Dysentery	2												1		1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	16								2	2	2	1	11		
17	Meningitis	1														1
(37)	Convulsions	5				1	1	2			3	1	1			
19	Organic diseases of the heart															
20	Acute bronchitis	4						2	1		3			1		
22	Pneumonia	7		1		1	2				2	2			1	2
(23)	Bronchopneumonia	20				1	1	1	2		4	4	2	6	2	2
24	Diseases of the stomach	2				1	1				1	1				
25	Diarrhea and enteritis	35		1		1	2	1	4	1	8	5	3	11	5	3
(33)	Malformations	10				4	4	2	1		7	1	1	1		
(33)	Premature birth	47	20	8	2	5	35	4	2	3	44	3				
(33, 37)	Congenital debility	38	2	1	1	2	6	1	4	2	13	7	9	5	3	1
(37)	Injuries at birth	4	1	1	2		4				4					
35	External causes	3	1				1				1			1	1	
38	Diseases ill-defined or unknown	3		1			1				1	1	1			
	All other causes	23		1		3	4	3	1	1	9	2	4	6	2	
	MEMPHIS, TENN. (WHITE).															
	All causes	135	16	8	3	10	37	9	11	7	64	19	14	24	8	6
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup	1													1	
9	Influenza	1														1
(12)	Dysentery															
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	10								2	2	1	1	6		
17	Meningitis	1														1
(37)	Convulsions															
19	Organic diseases of the heart															
20	Acute bronchitis	2						1	1		2					
22	Pneumonia	4		1		1	2				2				1	1
(23)	Bronchopneumonia	9						1	2		3	1	1	2	1	1
24	Diseases of the stomach	1				1	1				1					
25	Diarrhea and enteritis	22		1		1	2		2		4	4	2	8	2	2
(33)	Malformations	9				3	3	2	1		6	1	1	1		
(33)	Premature birth	32	15	4	1	2	22	2	2	3	29	3				
(33, 37)	Congenital debility	26		1		1	2	1	2	2	7	7	8	2	2	
(37)	Injuries at birth	3	1		2		3				3					
35	External causes	2												1	1	
38	Diseases ill-defined or unknown	1										1				
	All other causes	10		1		1	2	2	1		5	1	1	3		

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	MEMPHIS, TENN. (COLORED).															
	All causes	93	8	6	2	10	26	7	5	2	40	10	9	21	8	5
5	Measles															
6	Scarlet fever															
7	Whooping cough	1												1		
8	Diphtheria and croup	3				1	1		1		2		1			
9	Influenza	1													1	
(12)	Dysentery	2												1		1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	6										1		5		
17	Meningitis															
(37)	Convulsions	5				1	1	2			3	1	1			
19	Organic diseases of the heart															
20	Acute bronchitis	2						1			1			1		
22	Pneumonia	3										2				1
(23)	Bronchopneumonia	11				1	1				1	3	1	4	1	1
24	Diseases of the stomach	1										1				
25	Diarrhea and enteritis	13						1	2	1	4	1	1	3	3	1
(33)	Malformations	1				1	1				1					
(33)	Premature birth	15	5	4	1	3	13	2			15					
(33,37)	Congenital debility	12	2		1	1	4		2		6		1	3	1	1
(37)	Injuries at birth	1		1			1				1					
35	External causes	1	1				1				1					
38	Diseases ill-defined or unknown	2		1			1				1		1			
	All other causes	13				2	2	1		1	4	1	3	3	2	
	NASHVILLE, TENN. (TOTAL).															
	All causes	231	28	16	6	14	64	22	8	10	104	25	11	43	30	18
5	Measles															
6	Scarlet fever															
7	Whooping cough	1														1
8	Diphtheria and croup															
9	Influenza	2										1			1	
(12)	Dysentery	2														2
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	3													1	2
15	Other forms of tuberculosis															
(37)	Syphilis	4						1			1	2				1
17	Meningitis															
(37)	Convulsions	4				1	1	1		1	3					1
19	Organic diseases of the heart	2												1		1
20	Acute bronchitis	2				1	1				1	1				
22	Pneumonia	11		1		2	3				3	3		4		1
(23)	Bronchopneumonia	27			1	1	2	1	1	1	5	5	2	5	9	1
24	Diseases of the stomach	5				1	1			1	2	1	1		1	
25	Diarrhea and enteritis	40						1			1	1	2	19	12	5
(33)	Malformations	9		1			1	2	2	1	6	1	1	1		
(33)	Premature birth	52	25	8	5	3	41	7	1	1	50	2				
(33,37)	Congenital debility	36	2	3		3	8	3	2	3	16	6	4	6	3	1
(37)	Injuries at birth	3		2		1	3				3					
35	External causes	4						1			1	1		1	1	
38	Diseases ill-defined or unknown	6		1			1		2	1	4	1		1		
	All other causes	16	1			1	2	5		1	8		1	4	1	2
	NASHVILLE, TENN. (WHITE).															
	All causes	141	23	7	3	10	43	10	4	5	62	12	8	28	20	11
5	Measles															
6	Scarlet fever															
7	Whooping cough	1														1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	1														1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	3													1	2
15	Other forms of tuberculosis															
(37)	Syphilis	1														1
17	Meningitis															
(37)	Convulsions	2						1		1	2					
19	Organic diseases of the heart	1												1		
20	Acute bronchitis	1				1	1				1					
22	Pneumonia	3				1	1				1	2				
(23)	Bronchopneumonia	13			1	1	2				2	4		2	4	1
24	Diseases of the stomach	2								1	1				1	
25	Diarrhea and enteritis	26											2	14	8	2
(33)	Malformations	7		1			1	1	2		4	1	1	1		
(33)	Premature birth	35	21	2	2	3	28	4	1	1	34	1				
(33,37)	Congenital debility	27	1	2		3	6	1	1	2	10	4	4	5	3	1
(37)	Injuries at birth	2		1		1	2				2					
35	External causes	1													1	
38	Diseases ill-defined or unknown	2		1			1				1			1		
	All other causes	11	1				1	3			4		1	3	1	2

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	NASHVILLE, TENN. (COLORED).															
	All causes	90	5	9	3	4	21	12	4	5	42	13	3	15	10	7
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza	2										1			1	
(12)	Dysentery	1														1
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis															
15	Other forms of tuberculosis															
(37)	Syphilis	3						1			1	2				
17	Meningitis															
(37)	Convulsions	2				1	1				1					1
19	Organic diseases of the heart	1														1
20	Acute bronchitis	1										1				
22	Pneumonia	8		1		1	2				2	1		4		1
(23)	Bronchopneumonia	14						1	1	1	3	1	2	3	5	
24	Diseases of the stomach	3				1	1				1	1	1			
25	Diarrhea and enteritis	14						1			1	1		5	4	3
(33)	Malformations	2						1		1	2					
(33)	Premature birth	17	4	6	3		13	3			16	1				
(33,37)	Congenital debility	9	1	1			2	2	1	1	6	2		1		
(37)	Injuries at birth	1		1			1				1					
35	External causes	3						1			1	1		1		
38	Diseases ill-defined or unknown	4							2	1	3	1				
	All other causes	5				1	1	2		1	4			1		
	RICHMOND, VA. (TOTAL).															
	All causes	440	66	17	14	24	121	29	18	11	179	40	34	83	72	32
5	Measles															
6	Scarlet fever															
7	Whooping cough	3										1				2
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	4				1	1				1			2		1
(12)	Erysipelas															
(37)	Tetanus	3						3			3					
13	Tuberculosis of the lungs	2													2	
14	Tuberculous meningitis	3												1	1	1
15	Other forms of tuberculosis	3											1		1	1
(37)	Syphilis	12			2		2	1	1		4	5	3			
17	Meningitis	2										1		1		
(37)	Convulsions	15	1	1		1	3	2		1	6	1	2	3	2	1
19	Organic diseases of the heart															
20	Acute bronchitis	10						1			1	2	1	2	1	3
22	Pneumonia	14							1		1	3	3	2	3	2
(23)	Bronchopneumonia	38		1	1	3	5	1		2	8	3	3	13	8	3
24	Diseases of the stomach	7						1			1	1	1	1	2	1
25	Diarrhea and enteritis	84							6		6	6	5	29	28	10
(33)	Malformations	13	2			4	6	3		1	10	1		2		
(33)	Premature birth	90	33	9	7	11	60	9	6	3	78	4	3	3	2	
(33,37)	Congenital debility	82	15	3	3	1	22	8	4	1	35	8	9	14	14	2
(37)	Injuries at birth	11	8	1	1	1	11				11					
35	External causes	11	7	1			8				8	1		1		1
38	Diseases ill-defined or unknown	8				2	2				2	1	2	1		2
	All other causes	25		1			1			3	4	2	1	8	8	2
	RICHMOND, VA. (WHITE).															
	All causes	214	37	8	6	13	64	14	8	5	91	20	17	33	37	16
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	1												1		
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2													1	1
15	Other forms of tuberculosis	3											1		1	1
(37)	Syphilis	7						1	1		2	4	1			
17	Meningitis	2										1		1		
(37)	Convulsions	5	1			1	2				2	1	1		1	
19	Organic diseases of the heart															
20	Acute bronchitis	2													1	1
22	Pneumonia	3										1			1	1
(23)	Bronchopneumonia	13			1	2	3				3		2	3	3	2
24	Diseases of the stomach	3										1		1	1	
25	Diarrhea and enteritis	45							1		1	2	4	16	14	8
(33)	Malformations	10	2			3	5	2		1	8	1		1		
(33)	Premature birth	55	22	5	2	4	33	8	5	2	48	2	3	1	1	
(33,37)	Congenital debility	38	5	1	2	1	9	3	1	1	14	5	5	5	9	
(37)	Injuries at birth	8	5	1	1	1	8				8					
35	External causes	3	2				2				2					1
38	Diseases ill-defined or unknown	4				1	1				1	1		1		1
	All other causes	10		1			1			1	2	1		3	4	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	RICHMOND, VA. (COLORED).															
	All causes	226	29	9	8	11	57	15	10	6	88	20	17	50	35	16
5	Measles															
6	Scarlet fever															
7	Whooping cough	3										1				2
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	3				1	1				1			1		1
(12)	Erysipelas															
(37)	Tetanus	3						3			3					
13	Tuberculosis of the lungs	2													2	
14	Tuberculous meningitis	1												1		
15	Other forms of tuberculosis															
(37)	Syphilis	5			2		2				2	1	2			
17	Meningitis															
(37)	Convulsions	10		1			1	2		1	4		1	3	1	1
19	Organic diseases of the heart															
20	Acute bronchitis	8						1			1	2	1	2		2
22	Pneumonia	11							1		1	2	3	2	2	1
(23)	Bronchopneumonia	25		1		1	2	1		2	5	3	1	10	5	1
24	Diseases of the stomach	4						1			1		1		1	1
25	Diarrhea and enteritis	39							5		5	4	1	13	14	2
(33)	Malformations	3				1	1	1			2			1		
(33)	Premature birth	35	11	4	5	7	27	1	1	1	30	2		2	1	
(33,37)	Congenital debility	44	10	2	1		13	5	3		21	3	4	9	5	2
(37)	Injuries at birth	3	3				3				3					
35	External causes	8	5	1			6				6	1		1		
38	Diseases ill-defined or unknown	4				1	1				1		2			1
	All other causes	15								2	2	1	1	5	4	2
	SEATTLE, WASH.															
	All causes	262	62	17	15	34	128	18	9	7	162	15	19	28	20	18
5	Measles															
6	Scarlet fever															
7	Whooping cough	1													1	
8	Diphtheria and croup															
9	Influenza	2											1	1		
(12)	Dysentery															
(12)	Erysipelas	3						1			1			2		
(37)	Tetanus															
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	9										1	1	3	1	3
15	Other forms of tuberculosis															
(37)	Syphilis	1										1				
17	Meningitis	4								1	1	2	1			
(37)	Convulsions	5	1			1	2				2		1			2
19	Organic diseases of the heart	2								1	1				1	
20	Acute bronchitis															
22	Pneumonia	5												2		3
(23)	Bronchopneumonia	17				1	1		2		3	2		4	4	4
24	Diseases of the stomach	4								1	1		3			
25	Diarrhea and enteritis	18				1	1	1	2		4	2	3	5	4	
(33)	Malformations	28	7	2	2	3	14	3		1	18	1	4	3	1	1
(33)	Premature birth	80	44	10	6	10	70	2	3	2	77	2	1			
(33,37)	Congenital debility	29	4	1	2	8	15	5	2		22	2	1	3	1	
(37)	Injuries at birth	22	6	4	3	6	19	3			22					
35	External causes	5						1			1	1		1	1	1
38	Diseases ill-defined or unknown	1			1		1				1					
	All other causes	24			1	4	5	2		1	8	1	3	4	5	3
	SPOKANE, WASH.															
	All causes	153	43	10	9	10	72	16	5	5	98	8	10	16	8	13
5	Measles															
6	Scarlet fever															
7	Whooping cough	11										1	3	2	2	3
8	Diphtheria and croup															
9	Influenza	1								1	1					
(12)	Dysentery															
(12)	Erysipelas	2				1	1				1			1		
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis															
(37)	Syphilis	2										1				1
17	Meningitis															
(37)	Convulsions															
19	Organic diseases of the heart	1														1
20	Acute bronchitis															
22	Pneumonia	1				1	1				1					
(23)	Bronchopneumonia	13				1	1	1	1		3		1	4	1	4
24	Diseases of the stomach	2						1			1			1		
25	Diarrhea and enteritis	14			1	1	2		2		4	1	1	4	1	3
(33)	Malformations	14	6		3	1	10			2	12			1	1	
(33)	Premature birth	48	25	5	5	3	38	6	2		46		1	1		
(33,37)	Congenital debility	19	4	2		1	7	7		1	15	1	2			1
(37)	Injuries at birth	9	6	1		1	8	1			9					
35	External causes	4		1			1				1	2	1			
38	Diseases ill-defined or unknown															
	All other causes	10	2	1			3			1	4	2	1	1	2	

TABLE 11.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1915—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 100,000 POPULATION OR OVER IN 1910—Continued.															
	MILWAUKEE, WIS.															
	All causes	1,107	198	54	40	79	371	58	53	43	525	85	77	188	128	104
5	Measles	6												2	2	2
6	Scarlet fever	1														1
7	Whooping cough	32								1	1	2	4	3	13	9
8	Diphtheria and croup	6										1		1	1	3
9	Influenza	9			1		1				1	1		4	1	2
(12)	Dysentery															
(12)	Erysipelas	1										1				
(37)	Tetanus	1														1
13	Tuberculosis of the lungs	1											1			
14	Tuberculous meningitis	8												2	1	5
15	Other forms of tuberculosis	2													1	1
(37)	Syphilis	10	3				3			1	4	1	2	2	1	
17	Meningitis	11										1		3	2	5
(37)	Convulsions	42		2	4	9	15	3	6	3	27	1	1	6	4	3
19	Organic diseases of the heart															
20	Acute bronchitis	44						2	1	5	8	4	4	11	6	11
22	Pneumonia	52	2	1	1	3	7	6	1	3	17		3	11	8	13
(23)	Bronchopneumonia	113		1	2	5	8	5	7	2	22	14	8	25	30	14
24	Diseases of the stomach	34	1		1	2	4	1	4	1	10	7	4	7	5	1
25	Diarrhea and enteritis	225			2	3	5	10	14	4	33	25	30	75	37	25
(33)	Malformations	47	13	6	3	6	28	2	4	1	35	3	3	3	2	1
(33)	Premature birth	188	100	27	15	20	162	10	4	7	183	1	3		1	
(33, 37)	Congenital debility	142	40	9	3	19	71	13	8	9	101	16	9	12	1	3
(37)	Injuries at birth	57	39	5	5	4	53	2		2	57					
35	External causes	3				1	1				1			1		1
38	Diseases ill-defined or unknown	1												1		
	All other causes	71		3	3	7	13	4	4	4	25	7	5	19	12	3

SUPPLEMENT

HAWAII AND PORTO RICO

SUPPLEMENT.

HAWAII AND PORTO RICO.

Although Hawaii and Porto Rico are not yet in the registration area for deaths, the vital statistics of these territories are of such general interest that a few mortality figures from the official reports, together with mortality rates based upon the population as estimated by the United States Bureau of the Census, are given in the following tables. It is hoped that these territories will soon enter the registration area, after which it will be possible to compile uniform mortality tables.

Additional population figures for Hawaii and Porto Rico, according to the census of 1910, may be found in Volumes I and III of the final reports of the Thirteenth Census of the United States, 1910.

HAWAII.

The population of Hawaii, according to the census of 1910, was 191,909 and the population January 1, 1915, as estimated by the United States Bureau of the Census, was 209,982. The deaths are for the year ending June 30, 1915, and the tables have been compiled from the annual report of the registrar-general of Hawaii for that year. The death rates are based upon the estimated population.

TABLE 1.—DEATHS IN THE TERRITORY OF HAWAII, BY NATIONALITY AND COUNTY, FOR THE YEAR ENDING JUNE 30, 1915.

NATIONALITY.	NUMBER OF DEATHS [1] FOR THE YEAR ENDING JUNE 30, 1915.						
	Territory of Hawaii.	City of Honolulu.	County of Honolulu (exclusive of city of Honolulu).	County of Hawaii.	County of Kalawao.	County of Kauai.	County of Maui.
Total	3,556	1,163	401	973	74	389	556
British	42	30	1	6	1	1	3
Chinese	276	153	22	41	3	29	28
Filipino	209	15	35	72	.....	55	32
German	19	14	.....	3	.....	2	.....
Hawaiian	888	312	75	238	57	76	130
Japanese	1,301	286	202	411	2	162	238
Part-Hawaiian	188	104	12	23	8	10	31
Portuguese	303	110	26	92	1	19	55
Porto Rican	95	10	4	42	1	19	19
Russian	9	7	.....	1	.....	.....	1
Spanish	52	7	9	20	.....	4	12
Other nationalities	174	115	15	24	1	12	7

[1] Exclusive of stillbirths.

TABLE 2.—POPULATION OF THE TERRITORY OF HAWAII, BY NATIONALITY AND COUNTY, ACCORDING TO THE CENSUS OF 1910.

NATIONALITY.	POPULATION APRIL 15, 1910.						
	Territory of Hawaii.	City of Honolulu.	County of Honolulu (exclusive of city of Honolulu).	County of Hawaii.	County of Kalawao.	County of Kauai.	County of Maui.
Total	191,909	52,183	29,845	55,382	785	23,952	29,762
British	629	403	57	93	2	30	44
Chinese	21,674	9,574	4,150	2,995	46	2,312	2,597
Filipino	2,361	87	477	1,251	1	372	173
German	905	477	86	108	13	160	61
Hawaiian	26,041	7,910	2,657	7,156	520	2,208	5,590
Japanese	79,675	12,093	15,035	27,237	26	12,541	12,743
Part-Hawaiian	12,506	5,613	1,103	2,768	104	798	2,120
Portuguese	22,301	6,147	2,632	7,100	25	2,643	3,754
Porto Rican	4,890	387	963	2,060	2	743	735
Russian	1,077	790	99	72	1	49	66
Spanish	1,990	258	424	839	.....	339	130
Other nationalities	17,860	8,444	2,162	3,703	45	1,757	1,749

TABLE 3.—FIFTEEN PRINCIPAL CAUSES OF DEATHS IN THE TERRITORY OF HAWAII, IN THEIR NUMERICAL IMPORTANCE, FOR THE YEAR ENDING JUNE 30, 1915.

CAUSE OF DEATH.	NUMBER OF DEATHS FOR THE YEAR ENDING JUNE 30, 1915.							Death rate per 1,000 population.[1]
	City of Honolulu.	County of Honolulu (exclusive of city of Honolulu).	County of Hawaii.	County of Kalawao.	County of Kauai.	County of Maui.	Total.	
Pneumonia	122	65	84	6	57	81	415	1.98
Tuberculosis	154	26	72	1	47	49	349	1.66
Gastro-enteritis	53	43	45	.....	40	24	205	0.98
Nephritis	72	6	35	7	11	13	144	0.69
Bronchitis	29	13	66	3	15	15	141	0.67
Cancer	59	10	32	2	12	13	128	0.61
Valvular disease of the heart	57	12	29	.....	4	18	120	0.57
Meningitis	31	9	52	.....	7	14	113	0.54
Apoplexy	36	10	27	.....	10	9	92	0.44
Marasmus, infantile	3	9	63	.....	4	6	90	0.43
Enteritis	26	5	38	1	6	8	84	0.40
Premature birth	31	5	9	1	4	29	79	0.38
Convulsion	12	11	29	.....	6	4	62	0.30
Septicemia	16	3	6	1	7	10	43	0.20
Enteric fever	19	7	11	.....	2	3	42	0.20
All other causes	438	167	375	52	157	260	1,449	6.90
Total	1,163	401	973	74	389	556	3,556	16.93

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1915.

TABLE 4.—DEATHS IN THE TERRITORY OF HAWAII, BY SEX, AGE, AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1915.

SEX AND AGE OF DECEDENT.	All deaths.[1]	MONTH OF DEATH.											
		July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.
Total	3,556	305	287	285	309	305	305	328	283	285	281	320	263
Male	2,106	171	166	167	199	184	182	186	158	169	181	193	150
Female	1,450	134	121	118	110	121	123	142	125	116	100	127	113
Under 1 year	1,210	92	99	104	123	104	102	124	112	91	83	93	83
1 to 4 years	336	27	16	24	24	29	29	31	31	36	33	28	28
5 to 9 years	79	7	5	6	10	3	10	7	4	6	6	8	7
10 to 19 years	186	21	19	12	20	8	15	16	14	12	16	12	21
20 to 29 years	331	33	31	26	27	31	25	28	28	23	23	32	24
30 to 39 years	353	30	32	35	30	33	24	30	21	24	28	41	25
40 to 49 years	336	26	26	32	20	31	30	38	24	22	27	33	27
50 to 59 years	274	27	19	17	18	23	24	22	20	30	27	30	17
60 to 69 years	234	22	19	18	17	21	25	19	16	22	18	18	19
70 to 79 years	123	10	10	8	14	12	12	6	8	10	13	15	5
80 years and over	94	10	11	3	6	10	9	7	5	9	7	10	7

[1] Exclusive of stillbirths.

TABLE 5.—DEATHS IN THE TERRITORY OF HAWAII AND DEATH RATES PER 100,000 POPULATION, BY CAUSE AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1915.

CAUSE OF DEATH.	Number of deaths.	Death rate per 100,000 population.[1]	MONTH OF DEATH.											
			July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.
All causes [2]	3,556	1,693.5	305	287	285	309	305	305	328	283	285	281	320	263
Alcoholism	10	4.8	1	1	2		1		2	1		1		1
Anemia, pernicious	7	3.3		1		3		1	2					
Aneurism	8	3.8	1		1			4			1			1
Angina pectoris	5	2.4	2		1			1			1			
Appendicitis	26	12.4	4	2	3		3	2	4		2	2	2	2
Apoplexy	92	43.8	9	11	8	11	6	5	2	2	6	14	10	8
Arteriosclerosis	34	16.2	3	1	4	5	4	4	2	2	1	3	3	2
Asthma	20	9.5	2	1	4	2		2	3	1	1	2	1	2
Atelectasis	10	4.8	3			2	2						2	1
Beriberi	42	20.0	4	4	8	7	6	3	3	2	3	1	1	
Brain, embolism of	3	1.4											2	1
Tumor of	2	1.0					1	1						
Bronchitis, acute	109	51.9	4	3	8	13	7	7	12	14	7	11	14	9
Chronic	32	15.2	3	2		1	6	7	2	2	4		2	3
Bright's disease	14	6.7	1		1	3	1	1		2	2	1	2	
Cancer of bladder	2	1.0					1		1					
Of breast	3	1.4	2						1					
Of face	5	2.4			2							1		2
Of intestines	5	2.4		1	1				2		1			
Of liver	18	8.6	3	1	1		1	1		2	4	1	2	2
Of rectum	2	1.0					1						1	
Of stomach	59	28.1	6	7		4	10	6	4	4	4	5	6	3
Of womb	18	8.6	2	2			2	1	5	2		2	2	
Of other organs	16	7.6		2	1	1	2	3	1	3	1	1	1	
Cardiac malformation	19	9.0	1	3	2	2	2		2	1	2	3		1
Cholera, infantum	3	1.4	1		1								1	
Congenital malformation	14	6.7		1	1	1	4	1	1	2		2	1	
Convulsions	62	29.5	9	4	3	2	7	10	2	9	3	3	7	3
Cystitis	4	1.9		2	1					1				
Dementia	4	1.9				1	1		2					
Dengue	3	1.4				1		2						
Diabetes	12	5.7	1	1		1				2	2	2	3	
Diarrhea	12	5.7	1		3	1		4				1	1	1
Infantile	23	11.0			3	2		3	2	5	3	1	2	2
Diphtheria	39	18.6		2	4	9	2	1	5	5	3	4	2	2
Dysentery	25	11.9	1	5	2	2		2	3	3	2	1	4	
Amebic	6	2.9			2	1						2		1
Emphysema	1	0.5		1										
Empyema	7	3.3		1	1			1	1		1	2		
Endocarditis	26	12.4	1	3	2		3	3		2	5	4	2	1
Enteric fever	42	20.0	3	4	2	2	10	3	1	3	2	4	4	4
Enteritis	84	40.0	13	8	4	10	4	8	7	5	8	2	6	9
Enterocolitis or ileocolitis	40	19.0	5	4	3	5	3	1		7	4	2	3	3
Epilepsy	6	2.9			1		2		1				1	1
Erysipelas	5	2.4					1	1		1	1	1		
Gallstones	2	1.0		1								1		
Gangrene	2	1.0			1							1		
Gastric ulcer	7	3.3	1				2	1		1	1		1	
Gastritis	39	18.6	4	7	3	2	5	4	8	3		1	1	1
Gastro-enteritis	205	97.6	14	17	24	22	9	14	24	16	15	21	13	16
Grippe—influenza	8	3.8	2		1		1						4	
Heart, fatty degeneration of	4	1.9		1				1		1		1		
Hypertrophy of	1	0.5		1										
Paralysis of	7	3.3					2			1	2		1	1
Valvular disease of	120	57.1	13	5	5	16	17	16	10	12	8	4	10	4
Hemiplegia	16	7.6	4		1	1	3		2	1	1		1	
Hernia	11	5.2	1	1	2	3					1		2	2
Hydrocephalus	3	1.4				1				1				1
Icterus neonatorum	10	4.8			2			1	1	1	2	1		1
Inanition	35	16.7	3	3	4	3	2	1	5	4	3	3	3	2
														1

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1915.

[2] Exclusive of stillbirths.

TABLE 5.—DEATHS IN THE TERRITORY OF HAWAII AND DEATH RATES PER 100,000 POPULATION, BY CAUSE AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1915—Continued.

CAUSE OF DEATH.	Number of deaths.	Death rate per 100,000 population.[1]	MONTH OF DEATH.											
			July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.
Intestinal hemorrhage	2	1.0						1		1				
Intussusception	12	5.7	2		1	1			1	1	2	2		2
Obstruction	15	7.1	2	2		3	3	1	1	1		1	1	
Laryngismus stridulus	4	1.9							2			1	1	
Laryngitis	2	1.0								2				
Leprosy	39	18.6	2	3	4	2	4	2		4	4	5	5	4
Leucocythemia	2	1.0							1					1
Liver, abscess of	13	6.2		1				1	2	3	2	1	1	2
Cirrhosis of	29	13.8	6	2	2	1		4	3	1	4	1	2	3
Inflammation of	17	8.1		1	3	4	3	1	1		1		2	1
Locomotor ataxia	4	1.9	2					1	1					
Malnutrition	27	12.9		3	1	5	3	2	3	3	2			5
Mania	2	1.0									2			
Marasmus, infantile	90	42.9	14	6	11	8	7	7	8	3	6	6	10	4
Senile	41	19.5	9	1	3		3	2	3	4	5	4	3	4
Measles	1	0.5												1
Melancholia	1	0.5									1			
Meningitis	113	53.8	5	9	11	15	6	12	17	9	8	5	10	6
Cerebrospinal	2	1.0						2						
Myocarditis	33	15.7	2	3	5	2	4	1	5	1	2	4	2	2
Nephritis, acute	48	22.9	6	1	3	3		7	5	1	8	7	4	3
Chronic	96	45.7	8	11	3	5	8	7	11	3	8	12	13	7
Ovarian cysts and tumors	5	2.4	2	1						1	1			
Paralysis	14	6.7		3					3	3		3	1	1
General of insane	6	2.9			1		1	1		1		1	1	
Infantile	4	1.9					1			2	1			
Paraplegia	6	2.9		1			2			1			1	1
Para-typhoid	7	3.3			1		2	1			1	1	1	
Pericarditis	6	2.9	2		1					1	1	1		
Peritonitis	38	18.1	2	5	4	3	2	2	3	2	2	3	8	2
Placenta previa	2	1.0					1						1	
Plague, bubonic	1	0.5		1										
Pleurisy	17	8.1	3	1	1	3	1	1	1		2	1	1	2
Pneumonia	223	106.2	13	19	10	25	23	25	18	19	18	21	17	15
Catarrhal	192	91.4	6	15	15	14	15	27	25	20	17	14	11	13
Premature birth	79	37.6	3	10	6	6	12	4	5	8	8	9	6	2
Puerperal convulsions	10	4.8		2	2	1		1			1		1	2
Fever	2	1.0	1									1		
Hemorrhage	17	8.1	4	1	1	1			3	1		3	2	1
Peritonitis	1	0.5										1		
Septicemia	9	4.3	2		3		1	1	1				1	
Pulmonary abscess	3	1.4							1		2			
Congestion	7	3.3					1	1		1			3	1
Hemorrhage	5	2.4						2	1			1		1
Edema	3	1.4					1	1			1			
Pyemia	10	4.8	2	1	2					1	3		1	
Rickets	1	0.5									1			
Scarlet fever	2	1.0		1					1					
Scrofula	1	0.5	1											
Septicemia	43	20.5	9	8	2	2	3	3	4	2	2		1	7
Syphilis, acquired	12	5.7	1	2	2		1	1	1	1	1		2	
Congenital	29	13.8	1	2	2	5	5	1	2	1	2		5	3
Tetanus	11	5.2	1	2	1				1	1	3		2	
Neonatorum	4	1.9		1	1	1				1				
Tuberculosis, glandular	4	1.9				1			2				1	
Meningeal	9	4.3			1	1	2			1	1	1	1	1
Peritoneal	15	7.1		1	2	1		1	3	1	2	1	2	1
Pulmonary	317	151.0	22	22	20	26	23	30	30	26	19	33	31	35
Other forms	4	1.9	1			1	1							1
Umbilical hemorrhage	14	6.7	1	1	1	1	1	1		2	3	3		
Uremia	13	6.2					2		2	1	1	1	3	3
Diseases unclassified	55	26.2	5	8	3	4	1	4	9	4	2	4	8	3
ACCIDENTS AND VIOLENCE.														
Anesthesia	1	0.5							1					
Asphyxiation	4	1.9						1	1			1		1
Automobile	18	8.6	1	1	2		1	2	1	4	3		2	1
Burns and scalds	17	8.1	3	3			1	2			2			6
Crushed	7	3.3	4			1		1	1					
Drowning	70	33.3	7	2	11	8	7	4	7	4	4		12	4
Electric car	1	0.5								1				
Electricity	2	1.0			1									1
Explosions	3	1.4			2							1		
Falls	25	11.9	4	3	1	3	2	1	1	1	3	4	1	1
Firearms	4	1.9	1						1			1		1
Horses and vehicles	11	5.2	2	1			3	3	1				1	
Injuries at birth	15	7.1	2	1	2	3	2			1	2	1		1
Machinery	3	1.4			2							1		
Poisons	21	10.0	2	2		4	1	1	1		4	2	4	
Railroad	21	10.0	2			1	2		5	3	2	3	1	2
Shock following operations	8	3.8	2	1	2		1		1			1		
Homicide	27	12.9	3	3	7	1			1	2	3		5	3
Suicide	54	25.7	4	5	4	3	8	4	4	4	5	2	4	7
Legal execution	1	0.5												1

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1915.

PORTO RICO.

The 1910 census population of Porto Rico was 1,118,012 and the population January 1, 1915, as estimated by the United States Bureau of the Census, was 1,192,387. The deaths are for the year ending June 30, 1915, and the tables are compiled from the report of the governor of Porto Rico for 1915. The death rates are based upon the estimated population.

TABLE 1.—DEATHS IN PORTO RICO, BY AGE, NATIVITY, AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1915

YEAR ENDING JUNE 30, 1915.	All deaths.[1]	NUMBER OF DEATHS BY— Age.														Nativity.									
		Under 1 year.	1 year.	2 to 4 years.	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 39	40 to 49	50 to 59	60 to 69	70 to 79	80 and over.	Age unknown.	Porto Rico.	United States.	Spain.	France.	England.	Germany.	China.	West Indies.	Other countries.	Unknown.
1914																										
July	1,947	598	231	165	61	28	70	117	98	148	115	95	73	81	65	2	1,938	....	6	....	....	....	....	3	....	....
August	1,843	513	227	176	70	28	56	97	100	148	102	108	76	60	81	1	1,825	1	6	2	....	....	1	4	4	....
September	1,750	467	192	164	68	37	73	106	99	141	113	94	88	62	46	....	1,738	1	6	....	....	1	....	3	1	....
October	1,982	562	206	198	70	41	84	207	30	157	115	100	83	69	60	....	1,971	4	5	....	....	....	....	....	2	....
November	1,950	553	239	159	78	38	62	5	190	176	121	79	100	85	65	....	1,929	....	9	2	....	....	....	3	1	6
December	2,245	708	256	184	77	46	81	191	112	105	119	137	89	80	60	....	2,230	2	9	....	....	....	....	2	2	....
Total	11,717	3,401	1,351	1,046	424	218	426	723	629	875	685	613	509	437	377	3	11,631	8	41	4	....	1	1	15	10	6
1915																										
January	2,178	579	239	215	100	46	8	130	108	171	130	121	109	76	68	....	2,167	1	6	1	....	....	....	....	3	....
February	1,921	511	178	151	73	47	83	127	118	165	110	123	102	78	55	....	1,907	2	5	....	1	....	....	....	6	....
March	1,959	497	186	167	82	30	90	125	118	182	113	120	104	83	62	....	1,938	1	13	....	....	....	....	....	7	....
April	1,802	461	193	127	66	31	91	120	86	148	136	123	86	75	59	....	1,784	1	9	....	....	1	....	....	7	....
May	2,001	572	209	143	71	41	82	128	111	163	121	131	91	76	61	1	1,976	....	13	....	1	....	....	....	11	....
June	2,086	623	227	188	92	47	88	111	106	138	124	103	90	66	77	....	2,069	2	8	....	....	....	....	....	7	....
Total	11,947	3,243	1,232	991	484	242	520	741	647	967	734	721	588	454	382	1	11,841	7	54	1	2	1	....	....	41	....
Total, 1914–15	23,664	6,644	2,583	2,037	908	460	946	1,464	1,276	1,842	1,419	1,334	1,097	891	759	4	23,472	15	95	5	2	2	1	15	51	6

[1] Exclusive of stillbirths.

TABLE 2.—DEATHS IN PORTO RICO, AND DEATH RATES PER 100,000 POPULATION, BY CAUSE AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1915.

Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Death rate per 100,000 population.[1]	MONTH OF DEATH. July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.
	All causes[2]	23,664	1,984.6	1,947	1,843	1,750	1,982	1,950	2,245	2,178	1,921	1,959	1,802	2,001	2,086
1	Typhoid fever	121	10.1	8	8	11	17	12	9	11	1	11	7	11	15
2	Typhus fever	1	0.1	....	....	....	....	....	....	....	....	....	....	....	1
3	Relapsing fever	1	0.1	....	1	....	....	....	....	....	....	....	....	....	....
4	Malaria	719	60.3	39	58	41	35	54	89	98	65	51	52	68	69
4a	Includes cachectic fever[3]	50	4.2	2	6	1	20	1	1	....	2	3	8	4	2
5	Smallpox	....	....	....	....	....	....	....	....	....	....	....	....	....	....
6	Measles	3	0.3	1	....	....	....	....	....	1	....	....	....	1	....
7	Scarlet fever	2	0.2	1	....	....	....	....	....	1	....	....	....	....	....
8	Whooping cough	54	4.5	4	1	1	5	....	2	7	....	9	10	8	7
9	Diphtheria and croup	43	3.6	3	7	2	6	4	2	5	2	5	2	3	2
10	Influenza	128	10.7	5	10	5	7	4	17	20	17	10	16	12	5
11	Miliary fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....
12	Asiatic cholera	....	....	....	....	....	....	....	....	....	....	....	....	....	....
13	Cholera nostras	4	0.3	....	....	1	....	2	....	....	....	....	....	....	1
14	Dysentery	123	10.3	9	4	3	13	11	9	15	6	9	10	15	19
14a	Includes epidemic dysentery[3]	2	0.2	1	....	....	....	....	....	....	....	....	....	1	....
15	Plague	....	....	....	....	....	....	....	....	....	....	....	....	....	....
16	Yellow fever	....	....	....	....	....	....	....	....	....	....	....	....	....	....
17	Leprosy	4	0.3	....	....	1	1	....	....	....	....	1	....	....	1
18	Erysipelas	17	1.4	1	2	2	1	1	1	1	1	2	2	3	....
19	Other epidemic diseases	19	1.6	1	3	1	3	....	2	....	4	3	....	1	1
20	Purulent infection and septicemia	108	9.1	10	10	11	13	4	8	8	8	7	13	8	8
21	Glanders	3	0.3	1	....	....	1	....	....	....	....	1	....	....	....
22	Anthrax	2	0.2	1	....	....	....	....	....	....	....	....	....	....	1
23	Rabies	....	....	....	....	....	....	....	....	....	....	....	....	....	....
24	Tetanus	121	10.1	9	9	12	16	5	9	6	16	4	15	7	13
25	Mycoses	1	0.1	....	1	....	....	....	....	....	....	....	....	....	....
26	Pellagra	3	0.3	....	1	....	1	....	....	....	....	....	....	....	1
27	Beriberi	....	....	....	....	....	....	....	....	....	....	....	....	....	....
28	Tuberculosis of the lungs	1,788	150.0	117	145	144	138	127	154	155	171	194	151	146	146
29	Acute miliary tuberculosis	14	1.2	2	1	....	1	1	4	2	1	1	....	....	1
30	Tuberculous meningitis	8	0.7	2	....	....	....	....	3	....	1	....	....	1	1
31	Abdominal tuberculosis	78	6.5	6	6	5	4	7	3	8	7	6	12	6	8
32	Pott's disease	2	0.2	1	....	....	....	....	....	....	....	1	....	....	....
33	White swellings	2	0.2	....	....	1	....	....	1	....	....	....	....	....	....
34	Tuberculosis of other organs	27	2.3	1	....	....	4	1	5	3	1	3	4	3	2
35	Disseminated tuberculosis	5	0.4	....	....	....	....	....	2	1	....	....	....	2	....
36	Rickets	1,087	91.2	81	89	66	96	90	91	92	93	88	78	98	125
37	Syphilis	64	5.4	1	2	6	10	8	4	5	7	7	5	3	6
37a	Includes cutaneous syphilis[3]	5	0.4	1	4	....	....	....	....	....	....	....	....	....	....
38	Gonococcus infection	3	0.3	....	1	....	....	....	....	1	1	....	....	....	....

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1915.
[2] Exclusive of stillbirths.
[3] Number of deaths following indented causes not included in causes to which reference is made.

TABLE 2.—DEATHS IN PORTO RICO, AND DEATH RATES PER 100,000 POPULATION, BY CAUSE AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1915—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Death rate per 100,000 population.[1]	MONTH OF DEATH. July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.
	Cancer and other malignant tumors:														
39	Of the buccal cavity	22	1.8	2		1	1	5		3	4	1		2	3
40	Of the stomach, liver	70	5.9	8	8	5	5	4	5	8	1	8	9	8	1
41	Of the peritoneum, intestines, rectum	8	0.7						2	1	2	1	2		
42	Of the female genital organs	124	10.4	11	6	7	21	7	13	13	8	11	11	9	7
43	Of the breast	9	0.8		1			3	1		1			1	2
44	Of the skin	10	0.8	2					3	1	1	1		2	
45	Of the other organs or of organs not specified	75	6.3	8	6	9	2	7	9	8	5	5	7	2	7
46	Other tumors (tumors of the female genital organs excepted)	6	0.5					2		1	2			1	
47	Acute articular rheumatism	34	2.9		3	4	3	2	3	3		6	5	4	1
48	Chronic rheumatism and gout	12	1.0	1	3	1	1		2		1	1	2		
49	Scurvy	3	0.3		1	1					1				
50	Diabetes	23	1.9	3	1	1	1	4	1	3	1	2	2	3	1
51	Exophthalmic goiter	2	0.2	1			1								
52	Addison's disease														
53	Leukemia	14	1.2			1				2	1	2	4	2	2
54	Anemia, chlorosis	842	70.6	76	64	63	73	74	64	80	58	69	74	81	66
55	Other general diseases	12	1.0	1	2	1	1			2	1	2	2		
56	Alcoholism (acute or chronic)	11	0.9	1			1	1	1		1	1	3	1	1
57	Chronic lead poisoning														
58	Other chronic occupation poisonings														
59	Other chronic poisonings	2	0.2		1							1			
60	Encephalitis	19	1.6		5	2		2		5			1	2	2
61	Simple meningitis	281	23.6	20	22	18	27	29	31	23	21	16	21	24	29
61a	Cerebrospinal fever[2]	3	0.3	1	1									1	
62	Locomotor ataxia	11	0.9	2	1		2	1	1	3				1	
63	Other diseases of the spinal cord	52	4.4	11	3	2	3	8	8	5	5		3	1	3
64	Cerebral hemorrhage, apoplexy	194	16.3	13	11	14	19	13	15	19	21	16	14	20	19
65	Softening of the brain	15	1.3	3	1	1	4		1			2	1	1	1
66	Paralysis without specified cause	74	6.2	4	6	4	2	12	5	7	5	9	5	6	9
67	General paralysis of the insane	17	1.4	3	3	2	1	1		2	2		1	1	1
68	Other forms of mental alienation	29	2.4			1	6	5	2	1	2	2	1	2	7
69	Epilepsy	31	2.6	1		1	3	1	3	1	4	3	3	5	6
70	Convulsions (nonpuerperal) (5 years and over)	24	2.0	1	4	3	2	1	4	1	4	1	1		2
71	Convulsions of infants (under 5 years)	83	7.0	14	7	5	6	14	11	8	3	2	2	4	7
72	Chorea	4	0.3							2		1			1
73	Neuralgia and neuritis	1	0.1			1									
74	Other diseases of the nervous system	20	1.7	2	2	1	1	2	1	2	1	1		5	2
75	Diseases of the eyes and their annexa														
76	Diseases of the ears	8	0.7	1						1		2	3		1
77	Pericarditis	13	1.1	1	1	2	1	2	1	2			2		1
78	Acute endocarditis	204	17.1	18	14	13	16	19	16	17	22	16	15	15	23
79	Organic diseases of the heart	684	57.4	56	47	40	64	63	55	57	50	74	58	74	46
80	Angina pectoris	55	4.6	7	11	1	3	2	6	4	4	5	2	3	7
81	Diseases of the arteries, atheroma, aneurism, etc	235	19.7	17	8	15	19	24	14	25	21	20	19	26	27
82	Embolism and thrombosis	10	0.8	1	1		2	1		2	1	1			1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	2	0.2						1	1					
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	0.4				1	1				3			
85	Hemorrhage; other diseases of the circulatory system	20	1.7	3	1	2		2	6	3	1		1		1
86	Diseases of the nasal fossae	6	0.5	1		5									
87	Diseases of the larynx	24	2.0	1		1	3		6	1	3	5	2	1	1
88	Diseases of the thyroid body	7	0.6			1			2				1	3	
89	Acute bronchitis	1,218	102.1	109	96	86	111	119	138	120	83	88	78	96	94
90	Chronic bronchitis	324	27.2	18	27	29	22	38	28	38	17	24	25	37	21
91	Bronchopneumonia	749	62.8	75	59	52	62	58	84	80	58	57	45	49	70
92	Pneumonia	638	53.5	61	39	53	45	54	56	63	77	65	32	36	57
93	Pleurisy	46	3.9	3	1	2	2	5	6	5	4	3	5	3	7
94	Pulmonary congestion, pulmonary apoplexy	31	2.6	4	2	3	2	5	5	2	1	5	1	1	
95	Gangrene of the lung	4	0.3			1			1						2
96	Asthma	87	7.3	3	7	13	5	4	11	15	7	5	6	6	5
97	Pulmonary emphysema	17	1.4	2	1	2		2	3			1	1	3	
98	Other diseases of the respiratory system (tuberculosis excepted)	36	3.0	3	2	2	9	4	3	4	4	1	2	2	
99	Diseases of the mouth and annexa	18	1.5	1	2	1	2	3	3	1	3		1		1
99a	Parotiditis[2]	3	0.3	1						1					1
100	Diseases of the pharynx	13	1.1		1		2	2		1	2	1	2	2	
101	Diseases of the esophagus	4	0.3		1		2				1				
102	Ulcer of the stomach	30	2.5	1	1	3		4	4	4	3	1	2	3	4
103	Other diseases of the stomach (cancer excepted)	85	7.1	6	5	4	7	8	10	6	8	10	8	2	11
104	Diarrhea and enteritis (under 2 years)	3,377	283.2	326	281	263	269	297	349	293	225	237	208	298	331
105	Diarrhea and enteritis (2 years and over)	1,752	146.9	146	162	128	148	136	170	169	138	120	119	146	170
105a	Due to alcoholism[2]	15	1.3	1		6		2		1			1	4	
106	Ankylostomiasis	325	27.3	21	20	28	30	28	31	27	21	30	25	33	31
107	Intestinal parasites	263	22.1	27	25	19	26	26	27	26	13	16	19	17	22
108	Appendicitis and typhlitis	25	2.1	2	4	4	1	1	1	2		3	1	2	4
109	Hernia, intestinal obstruction	86	7.2	5	2	8	9	7	11	7	9	12	5	4	7
110	Other diseases of the intestines	99	8.3	11	8	7	7	6	5	10	8	7	12	9	9

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1915.
[2] Number of deaths following indented causes not included in causes to which reference is made.

TABLE 2.—DEATHS IN PORTO RICO, AND DEATH RATES PER 100,000 POPULATION, BY CAUSE AND MONTH OF DEATH, FOR THE YEAR ENDING JUNE 30, 1915—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	Number of deaths.	Death rate per 100,000 population [1]	MONTH OF DEATH. July.	August.	September.	October.	November.	December.	January.	February.	March.	April.	May.	June.
111	Acute yellow atrophy of the liver	11	0.9			1			4	1	2	2	1		
112	Hydatid tumor of the liver	4	0.3		1	1	1						1		
113	Cirrhosis of the liver	217	18.2	22	15	22	15	17	19	14	14	16	19	21	23
113a	Due to alcoholism. [2]	1	0.1												1
114	Biliary calculi	12	1.0	1	2	1	1	1	1			1	4		
115	Other diseases of the liver	74	6.2	2	3	11	8	3	10	3	7	6	8	6	7
116	Diseases of the spleen	4	0.3			2	1					1			
117	Simple peritonitis (nonpuerperal)	53	4.4		4	5	10	4	6	3	5	5	4	2	5
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	11	0.9	3		1			2	1	3		1		
119	Acute nephritis	425	35.6	23	24	19	28	12	32	31	40	56	45	52	63
120	Bright's disease	631	52.9	56	51	53	70	62	61	50	57	38	43	55	35
121	Chyluria														
122	Other diseases of the kidneys and annexa	18	1.5	1		2		4	2	1	1		4	1	2
123	Calculi of the urinary passages	10	0.8		1			1	1	1	2	2	1	1	
124	Diseases of the bladder	15	1.3	2	2	1	1		1	3		3			2
125	Diseases of the urethra, urinary abscess, etc.	9	0.8	1	1	2	1			1	1		1	1	
126	Diseases of the prostate	3	0.3								1		1		1
127	Nonvenereal diseases of the male genital organs	1	0.1										1		
128	Uterine hemorrhage (nonpuerperal)	26	2.2	3	4	2	4	1	5		2	4		1	
129	Uterine tumor (noncancerous)	1	0.1		1										
130	Other diseases of the uterus	46	3.9	1	4	7	5	7	1	6	1	4	4	4	2
131	Cysts and other tumors of the ovary	5	0.4						1	1			2	1	
132	Salpingitis and other diseases of the female genital organs	6	0.5	1	1				1	1	1	1			
133	Nonpuerperal diseases of the breast (cancer excepted)														
134	Accidents of pregnancy	21	1.8	2	1	1	2	2		1	1	4	2	3	2
135	Puerperal hemorrhage	49	4.1	5	2	2	2	6	4	6	5	3	6	5	3
136	Other accidents of labor	40	3.4	1	3	6	3	1	8	3	3	5	2	3	2
137	Puerperal septicemia	199	16.7	16	17	16	14	8	18	11	28	25	14	13	19
138	Puerperal albuminuria and convulsions	38	3.2	5	6	2	3	5	2	5	2	3	3	1	1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5	0.4			1			1	2		1			
140	Following childbirth (not otherwise defined)	35	2.9	1	3	2	2	4	3	5	5	4	3	3	
141	Puerperal diseases of the breast														
142	Gangrene	27	2.3	1	4	3	2	3	4	3	1	2		1	3
143	Furuncle	1	0.1							1					
144	Acute abscess	6	0.5						2	1		1		2	
145	Other diseases of the skin and annexa	14	1.2	2	1		2		2	2	1		3		1
146	Diseases of the bones (tuberculosis excepted)	5	0.4		2	2									1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1	0.1									1			
148	Amputations														
149	Other diseases of the organs of locomotion														
150	Congenital malformations (stillbirths not included)	130	10.9	12	9	15	6	7	11	5	11	15	12	10	17
151	Congenital debility, icterus, and sclerema	876	73.5	94	71	72	76	80	80	76	58	51	65	67	86
152	Other causes peculiar to early infancy	182	15.3	20	13	12	15	10	4	12	27	25	13	19	12
152a	Infantile tetanus [2]	688	57.7	40	54	54	58	67	88	57	58	52	62	45	53
153	Lack of care	175	14.7	7	22	9	20	8	10	22	15	17	18	14	13
154	Senility	1,273	106.8	98	108	99	87	98	124	106	118	119	105	105	106
	Suicide:														
155	By poison	17	1.4	6			5	2	2	1		1			
156	By asphyxia	3	0.3	1					2						
157	By hanging or strangulation	41	3.4	1	1	4	1	2	6	3	3	6	6	2	6
158	By drowning	1	0.1			1									
159	By firearms	14	1.2	1	1	3		5		2		1			1
160	By cutting or piercing instruments	2	0.2											2	
161	By jumping from high places														
162	By crushing														
163	Other suicides	3	0.3					1					1		1
164	Poisoning by food	1	0.1					1							
165	Other acute poisonings	29	2.4	3		1	4		3	1	1	5	6	3	2
166	Conflagration	6	0.5								6				
167	Burns (conflagration excepted)	55	4.6	7	4	3	6	4	5	5	4	8	7	1	1
168	Absorption of deleterious gases (conflagration excepted)	1	0.1					1							
169	Accidental drowning	61	5.1	5	6	3	9	1	6	3	4	6	9	6	3
170	Traumatism by firearms	68	5.7	5	3	7	12	3	9	4	8	6	3	4	4
171	Traumatism by cutting or piercing instruments	20	1.7	1	3		1	1	1		4	1		6	2
172	Traumatism by fall	13	1.1	1		2		2		3	1	1	1	2	
173	Traumatism in mines and quarries														
174	Traumatism by machines	1	0.1				1								
175	Traumatism by other crushing (vehicles, etc.)	13	1.1	1	1	2		1	3		1	1	2	1	
176	Injuries by animals	2	0.2				1							1	
177	Starvation	23	1.9		2	2	2	4	6	4	1	1	1		
178	Excessive cold														
179	Effects of heat	6	0.5				1			1				3	1
180	Lightning	1	0.1				1								
181	Electricity (lightning excepted)	2	0.2		1		1								
182	Homicide by firearms	4	0.3	1						1					2
183	Homicide by cutting or piercing instruments	1	0.1											1	
184	Homicide by other means	1	0.1		1										
185	Fractures (cause not specified)	21	1.8	2	5	1			1	4	2	1	1	3	1
186	Other external violence	34	2.9	2	3		2			4	4	4	1	12	2
187	Ill-defined organic disease	77	6.5	1	3	5	8	11	4	16	1	11	7	9	1
188	Sudden death	6	0.5	1			3	1	1						
189	Cause of death not specified or ill-defined	522	43.8	59	19	33	39	46	33	59	67	47	49	44	27

[1] Population, upon which the death rate is based, estimated by the Bureau of the Census as of Jan. 1, 1915.
[2] Number of deaths following indented causes not included in causes to which reference is made.

INDEX.

Abdominal tuberculosis, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Abscess, acute, deaths from, 56; by age, 412, 444; by color, 424, 436; by sex, 412; in cities and rural districts, 390.
—— death rate, 148.
Absorption of deleterious gases (conflagration excepted), deaths from, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Accidental or undefined causes, deaths from, 56; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Accidents and injuries, automobile, railroad, and street-car, deaths from, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Addison's disease, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Age, deaths by, 11, 184, 212, 406, 418, 430, 442, 553.
Alcoholism (acute or chronic), deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Amputations, deaths from, 56; by age, 414, 444; by color, 426, 438; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.
Anemia, chlorosis, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Aneurism. *See* Arteries, diseases of, etc.
Angina pectoris, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Ankylostomiasis, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Anthrax, deaths from, 25, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Apoplexy. *See* Cerebral hemorrhage, etc.
Appendicitis and typhlitis, deaths from, 55; by age, 412, 443; by color, 299, 424, 436; by sex, 412; in cities and rural districts, 388; in each city of 100,000 population or over, 553.
—— death rate, 59, 146.
Arteries, diseases of, atheroma, aneurism, etc., deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Asiatic cholera, deaths from, 54; by age and sex, 406; by color, 418, 430; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 144.
Asthma, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
Asthma, death rate, 146.
Atheroma. *See* Arteries, diseases of, etc.
Atrophy. *See* Congenital debility, etc.
Australian Commonwealth, death rates of, 14, 15.
Austria, death rates of, 14, 15.
Automobile accidents and injuries. *See* Accidents, etc.

Belgium, death rates of, 14.
Beriberi, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Biliary calculi, deaths from, 55; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 388.
—— death rate, 146.
Bladder, diseases of, deaths from, 56; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 390.
—— death rate, 148.
Bones, diseases of (tuberculosis excepted), deaths from, 56; by age, 414, 444; by color, 426, 438; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.
Bones and organs of locomotion, diseases of, deaths from, 56; by age, 414, 444; by color, 426, 438; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.
Breast, nonpuerperal diseases of (cancer excepted), deaths from, 56; by age, 412, 444; by color, 424, 436; by sex, 412; in cities and rural districts, 390.
—— death rate, 148.
Breast, puerperal diseases of, deaths from, 56; by age, 412, 444; by color, 424, 436; in cities and rural districts, 390.
—— death rate, 148.
Bright's disease and nephritis, deaths from, 55; by age, 412, 443; by color, 299, 424, 436; by sex, 412; in cities and rural districts, 390; in each city of 100,000 population or over, 553.
—— death rate, 21, 29, 59, 148.
Bronchitis (acute and chronic), deaths from, 55; by age, 410, 443; by color, 299, 422, 434; by days, weeks, and months, 645; by month of death, 608; by sex, 410; in cities and rural districts, 388; in each city of 100,000 population or over, 553.
—— death rate, 59, 146.
Bronchopneumonia, deaths from, 55; by age, 410, 443; by color, 422, 434; by days, weeks, and months, 645; by month of death, 608; by sex, 410; in cities and rural districts, 388; in each city of 100,000 population or over, 553.
—— death rate, 146.
Bulgaria, death rates of, 14.
Burns (conflagration excepted), deaths from, 56; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.

Calculi of the urinary passages, deaths from, 55; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 390.
—— death rate, 148.
Cancer and other malignant tumors, deaths from, 27, 54; by age, 408, 442; by color, 299, 420, 432; by sex, 408; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 21, 58, 144.
Cause of death, 54; by age, 406, 442; by color, 298, 418, 430; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 21, 54, 58, 144.
Cellular tissue, diseases of. *See* Skin, etc.
Cerebral hemorrhage, apoplexy, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 21, 146.
Cerebral hemorrhage and softening, deaths from, by color, 299; in each city of 100,000 population or over, 553.
—— death rate, 59. *See also* Softening of the brain.
Cerebrospinal fever, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Cerebrospinal meningitis (undefined), deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Ceylon, death rates of, 14.
Childbirth, deaths following, 56; by age, 412, 444; by color, 424, 436; in cities and rural districts, 390.
—— death rate, 148.
Chile, death rates of, 14, 15.
Chinese population, deaths of, by age, 212; by sex, 10, 212.
Chlorosis. *See* Anemia. etc.
Cholera. *See* Asiatic cholera.
Cholera nostras, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 144.
Chorea, deaths from, 55; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 388.
—— death rate, 146.
Chyluria, deaths from, 55; by age, 412; by color, 424, 436; by sex, 412; in cities and rural districts, 390.
—— death rate, 148.
Circulatory system, diseases of, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146. *See also* Hemorrhage, etc.
Cirrhosis of the liver, deaths from, 55; by age, 412, 443; by color, 299, 424, 436; by sex, 412; in cities and rural districts, 388; in each city of 100,000 population or over, 553.
—— death rate, 59, 146.
Cities in registration states, deaths in, 37; by age, 184, 214; by cause, 298, 386; by color, 175, 184, 212, 298; by days, weeks, and months, 645; by month of death, 166, 608; by nativity, 175, 212; by sex, 214; population of, 37.
—— death rate, 12, 13, 37, 58. *See also* Registration cities.

Cities of 100,000 population or over, deaths in, by age, 212, 553; by cause, 553; by color, 212; by days, weeks, and months, 645; by month of death, 608; by nativity, 212; by sex, 212.
—— death rate, 13, 144.
Cities with considerable colored population, death rate of, 16, 18.
Cold, excessive, deaths from, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Color, deaths by, 37, 175, 184, 212, 298, 418, 430.
—— death rate, 58.
Colored population, deaths of, 37; by age, 184, 212, 430; by cause, 298, 430; by sex, 10, 212, 430; in cities and rural districts, 40.
—— death rate, 16, 58.
Conflagration, deaths from, 56; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Congenital debility, deaths from, by days, weeks, and months, 645; by month of death, 608.
Congenital debility, "atrophy," "marasmus," etc., deaths from, 56; by age, 414, 444; by color, 426, 438; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.
Congenital debility, icterus, and sclerema, deaths from, 56; by age, 414, 444; by color, 426, 438; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.
Congenital debility and malformations, deaths from, by color, 299; in each city of 100,000 population or over, 553.
—— death rate, 59.
Congenital malformations (stillbirths not included), deaths from, 56; by age, 414, 444; by color, 426, 438; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.
Congenital malformations of the heart, deaths from, 56; by age, 414, 444; by color, 426, 438; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.
Convulsions (nonpuerperal), deaths from, 55; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 388.
—— death rate, 146.
Convulsions (puerperal). *See* Puerperal albuminuria, etc.
Convulsions of infants, deaths from, 55; by age, 408, 442; by color, 420, 432; by days, weeks, and months, 645; by sex, 408; in cities and rural districts, 388.
—— death rate, 146.
Croup. *See* Diphtheria, etc.
Crushing. *See* Landslide, etc.
Cysts and other tumors of the ovary, deaths from, 56; by age, 412, 444; by color, 424; 436; in cities and rural districts, 390.
——death rate, 148.

Death rates, 12, 37, 40; by cause, 21, 54, 58, 144; by color, 58, 418, 430; in cities and rural districts, 40, 144; in foreign countries, 14.
Deaths, by age, 11, 184, 212, 406, 442, 553; by cause, 19, 54, 298, 386, 406, 442; by color, 37, 175, 184, 212, 298, 418, 430; by days, weeks, and months, 645; by month of death, 166, 608; by nativity, 10, 175, 212; by sex, 10, 11, 212, 406; in cities and rural districts, 40.
Denmark, death rates of, 14.
Diabetes, deaths from, 54; by age, 408, 442; by color, 299, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 59, 144.
Diarrhea and enteritis (under 2 years), deaths from, 29, 55; by age, 410, 443; by color, 299, 422, 434; by days, weeks, and months, 645; by month of death, 608; by sex, 410; in cities and rural districts, 388; in each city of 100,000 population or over, 553.
—— death rate, 21, 59, 146.
Diarrhea and enteritis (2 years and over), deaths from, 55; by age, 410, 443; by color, 422, 434; by month of death, 608; by sex, 410; in cities and rural districts, 388; in each city of 100,000 population or over, 553.
—— death rate, 146.
Digestive system, diseases of, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Diphtheria and croup, deaths from, 24, 54; by age, 406, 442; by color, 298, 418, 430; by days, weeks, and months, 645; by month of death, 608; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 21, 58, 144.
Disseminated tuberculosis, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Drowning, accidental, deaths from, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Dysentery, deaths from, 54; by age, 406, 442; by color, 418, 430; by days, weeks, and months, 645; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.

Ears, diseases of, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rates, 146.
Electricity (lightning excepted), deaths from, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Embolism and thrombosis, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Embolus. *See* Puerperal phlegmasia alba dolens, etc.
Encephalitis, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Endocarditis, acute, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural district, 388.
—— death rate, 146.
England and Wales, death rates of, 14, 15.
Enteritis. *See* Diarrhea, etc.
Epidemic diseases, deaths from, 25, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 144.
Epilepsy, deaths from, 55; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 388.
—— death rate, 146.
Erysipelas, deaths from, 54; by age, 406, 442; by color, 298, 418, 430; by days, weeks, and months, 645; by sex, 406; in cities and rural districts, 386.
—— death rate, 58, 144.
Esophagus, diseases of, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Exophthalmic goiter, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
External causes, deaths from, 56; by age, 414, 444; by color, 426, 438; by days, weeks, and months, 645; by sex, 414; in cities and rural districts, 390.
—— death rate, 150.
Eyes and their annexa, diseases of, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.

Female genital organs, diseases of. *See* Salpingitis, etc.
Finland, death rates of, 14.
Foreign countries, death rates of, 14.
Foreign-born white population, deaths of, 175; by age, 212; by sex, 10, 212.
Fractures, deaths from, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
France, death rates of, 14, 15.
Furuncle, deaths from, 56; by age, 412, 444; by color, 424, 436; by sex, 412; in cities and rural districts, 390.
—— death rate, 148.

Gangrene, deaths from, 56; by age, 412, 444; by color, 424, 436; by sex, 412; in cities and rural districts, 390.
—— death rate, 148.
Gangrene of the lung, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
General diseases, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Genito-urinary system and annexa, nonvenereal diseases of, deaths from, 55; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 390.
—— death rate, 148.
German Empire, death rates of, 14, 15.
Glanders, deaths from, 25, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Goiter. *See* Exophthalmic goiter.
Gonococcus infection, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Gout. *See* Rheumatism, chronic, etc.

Hawaii, deaths in, and death rates of, 697, 698.
Heart, organic diseases of, deaths from, 28, 55; by age, 410, 443; by color, 299, 422, 434; by days, weeks, and months, 645; by sex, 410; in cities and rural districts, 388; in each city of 100,000 population or over, 553.
—— death rate, 21, 59, 146.
Heat, effects of, deaths from, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Hemorrhage, other diseases of the circulatory system, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Hemorrhoids. *See* Veins, diseases of, etc.
Hernia, deaths from, 55; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 388.
—— death rate, 146.
Homicide, deaths from, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.

Hungary, death rates of, 14, 15.
Hydatid tumor of the liver, deaths from, 55; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 388.
—— death rate, 146.
Hydrocephalus, deaths from, 56; by age, 414, 444; by color, 426, 438; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.

Icterus. *See* Congenital debility, etc.
Ill-defined diseases, deaths from, 57; by age, 416, 444; by color, 299, 428, 440; by days, weeks, and months, 645; by sex, 416; in cities and rural districts, 392; in each city of 100,000 population or over, 553.
—— death rate, 59, 150.
Indian population, deaths of, by age, 212; by sex, 10, 212.
Infancy, early, deaths in, 56; by age, 414, 444; by color, 426, 438; by days, weeks, and months, 645; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.
Infantile paralysis. *See* Poliomyelitis, etc.
Influenza, deaths from, 24, 54; by age, 406, 442; by color, 298, 418, 430; by days, weeks, and months, 645; by month of death, 608; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 58, 144.
Injuries. *See* Accidents, etc.
Injuries at birth, deaths from, 56; by age, 414, 444; by color, 426, 438; by days, weeks, and months, 645; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.
Injuries by animals, deaths from, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Intestinal obstruction, deaths from, 55; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 388.
—— death rate, 146.
Intestinal parasites, deaths from, 55; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 388.
—— death rate, 146.
Intestines, diseases of, deaths from, 55; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 388.
—— death rate, 146.
Ireland, death rates of, 14, 15.
Italy, death rates of, 14, 15.

Jamaica, death rates of, 14.
Japan, death rates of, 14, 15.
Japanese population, deaths of, by age, 212; by sex, 10, 212.
Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 56; by age, 414, 444; by color, 426, 438; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.

Kidneys and annexa, diseases of, deaths from, 55; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 390.
—— death rate, 148.

Lack of care, deaths from, 56; by age, 414, 444; by color, 426, 438; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.
Landslide, other crushing, deaths from, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Larynx, diseases of, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Lead poisoning, chronic, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Leprosy, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Leukemia, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Lightning, deaths from, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Liver, diseases of, deaths from, 55; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 388.
—— death rate, 148. *See also* Cirrhosis of the liver *and* Hydatid tumor of the liver.
Lobar pneumonia, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Locomotor ataxia, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 146.
Lymphangitis. *See* Lymphatic system, diseases of, etc.
Lymphatic system, diseases of (lymphangitis, etc.), deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.

Malaria, deaths from, 54; by age, 406, 442; by color, 298, 418, 430; by month of death, 608; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 58, 144.
Male genital organs, nonvenereal diseases of, deaths from, 56; by age, 412, 443; by color, 424, 436; in cities and rural districts, 390.
—— death rate, 148.
Malformations, deaths from, 56; by age, 414, 444; by color, 426, 438; by days, weeks, and months, 645; by sex, 414; in cities and rural districts, 390.
—— death rate, 148. *See also* Congenital debility, etc.
Marasmus. *See* Congenital debility, etc.
Measles, deaths from, 23, 54; by age, 406, 442; by color, 298, 418, 430; by days, weeks, and months, 645; by month of death, 608; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 21, 58, 144.
Meningitis, deaths from, 54; by age, 408, 442; by color, 299, 420, 432; by days, weeks, and months, 645; by month of death, 608; by sex, 408; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 59, 144.
Mental alienation, deaths from, 55; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 388.
—— death rate, 146.
Miliary fever, deaths from, 54; by age and sex, 406; by color, 418, 430; in cities and rural districts, 386.
—— death rate, 144.
Miliary tuberculosis, acute, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Mouth and annexa, diseases of, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Mycoses, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.

Nasal fossae, diseases of, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Native white population, deaths of, 175; by age, 212; by sex, 10, 212.
Nativity, deaths by, 10, 175, 212.
Negro population, deaths of, 175; by age, 212; by sex, 10, 212.
Nephritis. *See* Bright's disease, etc.
Netherlands, death rates of, 14.
Nervous system and organs of special sense, diseases of, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Neuralgia and neuritis, deaths from, 55; by age, 408, 443; by color, 420, 432; by sex, 408; in cities and rural districts, 388.
—— death rate, 146.
Neuritis. *See* Neuralgia, etc.
New Zealand, death rates of, 14, 15.
Nonresidents, deaths of, 18.
Norway, death rates of, 14.

Occupation poisonings, chronic, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Old age, deaths from, 56; by age, 414, 444; by color, 426, 438; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.
Ontario, Province of, death rates of, 14.
Organs of locomotion, diseases of. *See* Bones, etc.
Organs of special sense, diseases of. *See* Nervous system, etc.

Paralysis of the insane, deaths from, 55; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 388.
—— death rate, 146.
Paralysis without specified cause, deaths from, 55; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 388.
—— death rate, 146.
Parent nativity, deaths by, 175, 212.
Pellagra, deaths from, 25, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Pericarditis, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Peritonitis, simple (nonpuerperal), deaths from, 55; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 388.
—— death rate, 148.
Pharynx, diseases of, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Phlebitis. *See* Veins, diseases of, etc.
Plague, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Pleurisy, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Pneumonia, deaths from, 29, 55; by age, 410, 443; by color, 299, 422, 434; by days, weeks, and months, 645; by month of death, 608; by sex, 410.
—— death rate, 21, 59, 146.

Pneumonia (undefined), deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Poisoning by food, deaths from, 56; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Poisonings, acute, deaths from, 56; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Poisonings, chronic, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Poliomyelitis, acute anterior (infantile paralysis), deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 146.
Population, of registration area and its main subdivisions, 37; of cities and rural districts, 40.
Porto Rico, deaths in, and death rates of, 700.
Pott's disease, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Pregnancy, accidents of, deaths from, 56; by age, 412, 444; by color, 424, 436; in cities and rural districts, 390.
—— death rate, 148.
Premature birth, deaths from, 56; by age, 414, 444; by color, 426, 438; by days, weeks, and months, 645; by sex, 414; in cities and rural districts, 390.
—— death rate, 148.
Prostate, diseases of, deaths from, 56; by age, 412, 443; by color, 424, 436; in cities and rural districts, 390.
—— death rate, 148.
Prussia, death rates of, 14.
Puerperal albuminuria and convulsions, deaths from, 56; by age, 412, 444; by color, 424, 436; in cities and rural districts, 390.
—— death rate, 148.
Puerperal fever, deaths from, by color, 299; in each city of 100,000 population or over, 553.
—— death rate, 59.
Puerperal hemorrhage, deaths from, 56; by age, 412, 444; by color, 424, 436; in cities and rural districts, 390.
—— death rate, 148.
Puerperal phlegmasia alba dolens, embolus, sudden death, deaths from, 56; by age, 412, 444; by color, 424, 436; in cities and rural districts, 390.
—— death rate, 148.
Puerperal septicemia, deaths from, 56; by age, 412, 444; by color, 424, 436; in cities and rural districts, 390.
—— death rate, 148.
Pulmonary apoplexy. *See* Pulmonary congestion, etc.
Pulmonary congestion, pulmonary apoplexy, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Pulmonary emphysema, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Purulent infection and septicemia, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Rabies, deaths from, 25, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Railroad accidents and injuries. *See* Accidents, etc.
Registration area, deaths in, 37; by age, 11, 184, 212, 406, 442; by cause, 54, 298, 386, 406, 442; by color, 10, 175, 184, 212, 298; by days, weeks, and months, 645; by month of death, 166, 608; by nativity, 10, 175, 212; by sex, 10, 11, 212, 406; population of, 37; states included in, 10.
—— death rate, 12, 21, 37, 58.
Registration cities, deaths in, 37; by age, 184, 212; by cause, 298, 386; by color, 175, 184, 212, 298; by days, weeks, and months, 646; by month of death, 166, 608; by nativity, 175, 212; by sex, 212; population of, 37, 40.
— death rate, 12, 13, 37, 58.
Registration cities in nonregistration states, deaths in, 37; by age, 184, 212; by cause, 298, 386; by color, 175, 184, 212, 298; by days, weeks, and months, 646; by month of death, 166, 608; by nativity, 175, 212; by sex, 212; population of, 37.
—— death rate, 12, 37, 58.
Registration states, deaths in, 37; by age, 184, 212, 442; by cause, 298, 386, 442; by color, 175, 184, 212, 298; by days, weeks, and months, 645; by month of death, 166, 608, 609; by nativity, 175, 212; by sex, 212; population of, 37.
—— death rate, 12, 37, 58, 144.
Relapsing fever, deaths from, 54; by age and sex, 406; by color, 418, 430; in cities and rural districts, 386.
—— death rate, 144.
Respiratory system, diseases of, deaths from, 55; by age, 410, 443; by color, 299, 422, 434; by sex, 410; in cities and rural districts, 388; in each city of 100,000 population or over, 553.
—— death rate, 146.
Rheumatism, acute articular, deaths from, 54; by age, 408, 442; by color, 298, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Rheumatism, chronic, and gout, deaths from, 54; by age, 408, 442; by color, 298, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 58, 144.
Rickets, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Roumania, death rates of, 14.
Rural part of registration states, deaths in, 37, 40; by age, 184, 212; by cause, 298, 386; by color, 175, 184, 212, 298; by days, weeks, and months, 646; by month of death, 166, 608; by nativity, 175, 212; by sex, 212; population of, 37, 40.
—— death rate, 12, 37, 58, 144.
Russia (European), death rates of, 14, 15.

Salpingitis and other diseases of the female genital organs, deaths from, 56; by age, 412, 444; by color, 424, 436; in cities and rural districts, 390; in each city of 100,000 population or over, 553.
—— death rate, 148.
Scarlet fever, deaths from, 23, 54; by age, 406, 442; by color, 298, 418, 430; by days, weeks, and months, 645; by month of death, 608; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 21, 58, 144.
Sclerema. *See* Congenital debility, etc.
Scotland, death rates of, 14.
Scurvy, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Senility, deaths from, 56; by age, 414, 444; by color, 426, 438; by sex, 414; in cities and rural districts, 390; in each city of 100,000 population or over, 553.
—— death rate, 148.
Septicemia. *See* Puerperal septicemia *and* Purulent infection, etc.
Serbia, death rates of, 14.
Sex, deaths by, 10, 11, 212, 406, 418, 430.
Skin and cellular tissue, diseases of, deaths from, 56; by age, 412, 444; by color, 424, 436; by sex, 412; in cities and rural districts, 390.
—— death rate, 148.
Smallpox, deaths from, 54; by age, 406, 442; by color, 298, 418, 430; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 58, 144.
Softening of the brain, deaths from, 55; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 388.
—— death rate, 146. *See also* Cerebral hemorrhage, etc.
Spain, death rates of, 14, 15.
Spinal cord, diseases of, deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 146.
Spleen, diseases of, deaths from, 55; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 388.
—— death rate, 148.
Starvation, deaths from, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
States. *See* Registration states.
Stomach, diseases of (cancer excepted), deaths from, 55; by age, 410, 443; by color, 422, 434; by days, weeks, and months, 645; by sex, 410; in cities and rural districts, 388; in each city of 100,000 population or over, 553.
—— death rate, 146.
Street-car accidents and injuries. *See* Accidents, etc.
Sudden deaths, number of, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150. *See also* Puerperal phlegmasia alba dolens, etc.
Suicide, deaths from, 30, 56; by age, 414, 444; by color, 299, 426, 438; by month of death, 608; by sex, 414; in cities and rural districts, 390; in each city of 100,000 population or over, 553.
—— death rate, 59, 150.
Sweden, death rates of, 14, 15.
Switzerland, death rates of, 14.
Syphilis, deaths from, 54; by age, 406, 442; by color, 418, 430; by days, weeks, and months, 645; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.

Tetanus, deaths from, 54; by age, 406, 442; by color, 418, 430; by days, weeks, and months, 645; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Thrombosis. *See* Embolism, etc.
Thyroid body, diseases of, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.

Traumatism, deaths from, 57; by age, 416, 444; by color, 428, 440; by sex, 416; in cities and rural districts, 392.
—— death rate, 150.
Tuberculosis, deaths from, 26, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 21, 144.
Tuberculosis of the lungs, deaths from, 26, 54; by age, 406, 442; by color, 298, 418, 430; by days, weeks, and months, 645; by month of death, 608; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 58, 144.
Tuberculous meningitis, deaths from, 54; by age, 406, 442; by color, 298, 418, 430; by days, weeks, and months, 645; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 58, 144.
Tumors (tumors of the female genital organs excepted), deaths from, 54; by age, 408, 442; by color, 420, 432; by sex, 408; in cities and rural districts, 386.
—— death rate, 144.
Tumors, malignant. *See* Cancer, etc.
Typhlitis. *See* Appendicitis, etc.
Typhoid fever, deaths from, 54; by age, 406, 442; by color, 298, 418, 430; by month of death, 608; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 21, 58, 144.
Typhus fever, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 144.

Ulcer of the stomach, deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Undefined causes. *See* Accidental, etc., causes.
Urethra, diseases of, urinary abscess, etc., deaths from, 56; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 390.
—— death rate, 148.
Urinary abscess. *See* Urethra, etc.
Uterine hemorrhage (nonpuerperal), deaths from, 56; by age, 412, 443; by color, 424, 436; in cities and rural districts, 390.
—— death rate, 148.
Uterine tumor (noncancerous), deaths from, 56; by age, 412, 443; by color, 424, 436; in cities and rural districts, 390.
—— death rate, 148.
Uterus, diseases of, deaths from, 56; by age, 412, 443; by color, 424, 436; in cities and rural districts, 390.
—— death rate, 148.

Varices. *See* Veins, diseases of, etc.
Veins, diseases of (varices, hemorrhoids, phlebitis, etc.), deaths from, 55; by age, 410, 443; by color, 422, 434; by sex, 410; in cities and rural districts, 388.
—— death rate, 146.
Violent deaths, number of, 30; by age, 416, 444; by color, 299; by month of death, 608; by sex, 416; in cities and rural districts, 392; in each city of 100,000 population or over, 553.
—— death rate, 59.

Wales. *See* England, etc.
White population, deaths of, 37; by age, 184, 212, 418; by cause, 298, 418; by nativity, 175; by sex, 10, 212, 418; in cities and rural districts, 40.
—— death rate, 16, 58. *See also* Foreign-born white population *and* Native white population.
White swellings, deaths from, 54; by age, 406, 442; by color, 418, 430; by sex, 406; in cities and rural districts, 386.
—— death rate, 144.
Whooping cough, deaths from, 23, 54; by age, 406, 442; by color, 298, 418, 430; by days, weeks, and months, 645; by month of death, 608; by sex, 406; in cities and rural districts, 386; in each city of 100,000 population or over, 553.
—— death rate, 21, 58, 144.

Yellow atrophy of the liver, acute, deaths from, 55; by age, 412, 443; by color, 424, 436; by sex, 412; in cities and rural districts, 388.
—— death rate, 146.
Yellow fever, deaths from, 54; by age and sex, 406; by color, 418, 430; in cities and rural districts, 386.
—— death rate, 144.

○