

Disease Burden from Hepatitis A, B, and C in the United States

	Hepatitis A					
	2006	2005	2004	2003	2002	2001
Number of Acute Clinical Cases Reported ¹	3,579	4,488	5,683	7,653	8,795	10,616
Estimated Number of Acute Clinical Cases ²	15,000	19,000	24,000	33,000	38,000	45,000
Estimated Number of New Infections ² (current)	32,000	42,000	56,000	61,000	73,000	93,000
Estimated Number of New Infections ² (historical)			<u>mean</u>	<u>min</u>	<u>max</u>	
	1990-1999		301,000	181,000	373,000	
	1980-1989		254,000	221,000	380,000	
Number of Persons with Chronic Infection ³	no chronic infection					
Estimated Annual Number of Chronic Liver Disease Deaths †	no chronic infection					
Percent Ever Infected ‡	33%					

	Hepatitis B					
	2006	2005	2004	2003	2002	2001
Number of Acute Clinical Cases Reported ¹	4,758	5,494	6,212	7,526	8,064	7,844
Estimated Number of Acute Clinical Cases ²	13,000	15,000	17,000	22,000	no data	no data
Estimated Number of New Infections ² (current)	46,000	51,000	60,000	73,000	79,000	78,000
Estimated Number of New Infections ² (historical)			<u>mean</u>	<u>min</u>	<u>max</u>	
	1990-1999		140,000	79,000	232,000	
	1980-1989		259,000	208,000	287,000	
Number of Persons with Chronic Infection ³	1.25 million persons					
Estimated Annual Number of Chronic Liver Disease Deaths †	5,000					
Percent Ever Infected ‡	4.9%					

		Hepatitis C					
		2006	2005	2004	2003	2002	2001
Number of Acute Clinical Cases Reported ¹		no data			no data	no data	
Estimated Number of Acute Clinical Cases ²		3,200	3,400	4,200	4,500	4,800	3,900
Estimated Number of New Infections ² (current)		19,000	21,000	26,000	28,000	29,000	24,000
Estimated Number of New Infections ² (historical)				<u>mean</u>	<u>min</u>	<u>max</u>	
	1990-1999			67,000	36,000	179,000	
	1982-1989			232,000	180,000	291,000	
Number of Persons with Chronic Infection ³		3.2 million persons					
Estimated Annual Number of Chronic Liver Disease Deaths †		8,000-10,000					
Percent Ever Infected ‡		1.6%					

¹ Number of Acute Clinical Cases Reported: For hepatitis A and hepatitis B, the number of cases reported to the National Notifiable Disease Surveillance System (NNDSS). Cases of hepatitis C/NANB are also reported to NNDSS (758 in 2004) but are unreliable for monitoring trends in hepatitis C because these reports include cases based only on a positive lab test for anti-HCV, most of which represent chronic HCV infection. (CDC. Summary of Notifiable Diseases, United States, 2002, MMWR 2003;51(53).


² Estimated Number of Acute Clinical Cases and New Infections: Incidence estimates are derived from catalytic modeling of seroprevalence data from the Third National Health and Nutrition Examination Survey (NHANES III) applied to cases reported to the Nationally Notifiable Disease Surveillance System (NNDSS) (for hepatitis A and hepatitis B) or to the Sentinel Counties Study of Viral Hepatitis (for hepatitis C).

³ Number of Persons with Chronic Infection: HBV: Margolis HS, Coleman PJ, Brown RE, et al. Prevention of hepatitis B virus transmission by immunization: An economic analysis of current recommendations. JAMA 1995; 274(15): 1201 - 1208. HCV: Armstrong GL et al. Prevalence of hepatitis C virus infection in the United States, 1999 through 2002. Ann Int Med 2006 (in press).


† Estimated Annual Number of Chronic Liver Disease Deaths: HBV: Margolis HS, Coleman PJ, Brown RE, et al. Prevention of hepatitis B virus transmission by immunization: An economic analysis of current recommendations. JAMA 1995; 274(15): 1201 - 1208. HCV: Centers for Disease Control and Prevention. Recommendations for the prevention and control of hepatitis C virus infection and HCV-related chronic disease. MMWR 1998; 47(RR-19):1-39.

‡ Percent Ever Infected: Seroprevalence estimates for HAV, HBV and HCV come from the National Health and Nutrition Examination Survey HAV: Bell BP, Kruszon-Moran D, Shapiro CN et al. Hepatitis A virus infection in the United States: Serologic results from the Third National Health and Nutrition Examination Survey. Vaccine 23(2005):5798-5806. HBV: McQuillan GM, et al. Prevalence of hepatitis B virus infection in the United States: The National Health and Nutrition and Examination Surveys, 1976 through 1994. AJPH 1999; 89(1)14-18. HCV: Armstrong GL et al. Prevalence of hepatitis C virus infection in the United States, 1999 through 2002. Ann Int Med 2006; 144: 705-71.

Acute Disease Burden Data 1980 - 2006



Year	Reported Acute Cases	Estimated Acute Cases	Estimated Total New Infections
1980	29,087	124,000	234,000
1981	25,802	110,000	223,000
1982	23,404	100,000	228,000
1983	21,534	92,000	221,000
1984	22,038	94,000	232,000
1985	23,211	99,000	228,000
1986	23,429	100,000	239,000
1987	25,280	108,000	255,000
1988	28,506	122,000	305,000
1989	35,822	153,000	380,000
1990	31,522	135,000	373,000
1991	24,219	104,000	288,000
1992	23,112	99,000	274,000
1993	24,238	104,000	284,000
1994	26,796	115,000	333,000
1995	31,582	135,000	356,000
1996	31,032	133,000	335,000
1997	30,021	128,000	341,000
1998	23,299	99,000	243,000
1999	17,047	73,000	181,000
2000	13,397	57,000	143,000
2001	10,616	45,000	93,000
2002	8,795	38,000	73,000
2003	7,653	33,000	61,000
2004	5,683	24,000	56,000
2005	4,488	19,000	42,000
2006	3,579	15,000	32,000



Year	Estimated Acute Cases	Estimated Total New Infections
1982	29,500	180,000
1983	30,800	188,000
1984	36,000	219,000
1985	42,700	261,000
1986	43,000	262,000
1987	35,400	216,000
1988	39,400	240,000
1989	47,800	291,000
1990	29,400	179,000
1991	18,400	112,000
1992	12,000	73,000
1993	9,400	57,000
1994	8,900	54,000
1995	5,900	36,000
1996	5,900	36,000
1997	6,300	38,000
1998	6,800	41,000
1999	6,400	39,000
2000	6,300	38,000
2001	3,900	24,000
2002	4,800	29,000
2003	4,500	28,000
2004	4,200	26,000
2005	3,400	21,000
2006	3,200	19,000