

Primary Bloodstream Infection (BSI)

Page 1 of 4

*required for saving **required for completion

Facility ID:		Event #:	
*Patient ID:		Social Security #:	
Secondary ID:		Medicare #:	
Patient Name, Last:		First:	Middle:
*Sex F M N		*Date of Birth:	
Ethnicity: Hispanic or Latino Not Hispanic or Latino Unknown Declined to respond		Race (Select all that apply): American Indian or Alaska Native Asian Black or African American Middle Eastern or North African Native Hawaiian or Pacific Islander White Unknown Declined to respond	
*Event Type: BSI		*Date of Event:	
Post-procedure BSI: Yes No		Date of Procedure:	
NHSN Procedure Code:		ICD-10-PCS or CPT Procedure Code:	
*MDRO Infection Surveillance: <input type="checkbox"/> Yes, this infection's pathogen & location are in-plan for Infection Surveillance in the MDRO/CDI Module <input type="checkbox"/> No, this infection's pathogen & location are not in-plan for Infection Surveillance in the MDRO/CDI Module			
*Date Admitted to Facility:		*Location:	
*If ICU/Other locations, Central line: Yes No *If Specialty Care Area/Oncology, Permanent central line: Yes No Temporary central line: Yes No		Check all that apply: Yes <input type="checkbox"/> No <input type="checkbox"/> *Any hemodialysis catheter present Yes <input type="checkbox"/> No <input type="checkbox"/> *Extracorporeal life support present (ECLS or ECMO) Yes <input type="checkbox"/> No <input type="checkbox"/> *Ventricular-assist device (VAD) present Yes <input type="checkbox"/> No <input type="checkbox"/> Total Artificial Heart (TAH) present Yes <input type="checkbox"/> No <input type="checkbox"/> *Known or suspected Munchausen Syndrome by Proxy during current admission Yes <input type="checkbox"/> No <input type="checkbox"/> *Observed or suspected patient injection into vascular line(s) within the BSI infection window period Yes <input type="checkbox"/> No <input type="checkbox"/> *Epidermolysis bullosa during current admission Yes <input type="checkbox"/> No <input type="checkbox"/> *Matching organism is identified in blood and from a site-specific specimen, both collected within the infection window period and pus is present at one of the following vascular sites from which the specimen was collected:	
*If NICU, Central line, including umbilical catheter Yes No Birth weight (grams)		<input type="checkbox"/> Arterial catheter <input type="checkbox"/> Arteriovenous fistula <input type="checkbox"/> Arteriovenous graft <input type="checkbox"/> Atrial lines (Right and Left) <input type="checkbox"/> Hemodialysis reliable outflow (HERO) catheter <input type="checkbox"/> Intra-aortic balloon pump (IABP) device <input type="checkbox"/> Non-accessed central line (not accessed inserted during the admission) <input type="checkbox"/> Peripheral IV or Midline catheter	
		Location of Device Insertion: _____ Date of Device Insertion: ___ / ___ / _____	
Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)).			

Event Details		
*Specific Event: Laboratory-confirmed		
*Specify Criteria Used:		
Signs & Symptoms (check all that apply)		
<u>Any Patient</u>	<u>≤ 1 year old</u>	<u>Underlying conditions for MBI-LCBI (check all that apply):</u>
<input type="checkbox"/> Fever	<input type="checkbox"/> Fever	<input type="checkbox"/> Allo-SCT with Grade ≥ 3 GI GVHD
<input type="checkbox"/> Chills	<input type="checkbox"/> Hypothermia	<input type="checkbox"/> Allo-SCT with diarrhea
<input type="checkbox"/> Hypotension	<input type="checkbox"/> Apnea	<input type="checkbox"/> Neutropenia (WBC or ANC < 500 cells mm ³)
	<input type="checkbox"/> Bradycardia	
		<u>Laboratory (check one)</u>
		<input type="checkbox"/> Recognized pathogen from one or more blood specimens
		<input type="checkbox"/> Common commensal from ≥ 2 blood specimens
**Died: Yes No		BSI Contributed to Death: Yes No
Discharge Date:		*Pathogens Identified: Yes No
COVID-19: Yes No If Yes: <input type="checkbox"/> Confirmed <input type="checkbox"/> Suspected		*If Yes, specify on pages 2-3.

Public reporting burden of this collection of information is estimated to average 43 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering, and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS H21-8, Atlanta, GA 30333, ATTN: PRA (0920-0666).

CDC 57.108 (Front) Rev. 11 v9.4

Pathogen #	Gram-positive Organisms																																
	<table border="0"> <tr> <td><i>Staphylococcus coagulase-negative</i> (specify species if available):</td> <td>CEFOX/OX SRN</td> <td>VANC SIRN</td> </tr> </table>	<i>Staphylococcus coagulase-negative</i> (specify species if available):	CEFOX/OX SRN	VANC SIRN																													
<i>Staphylococcus coagulase-negative</i> (specify species if available):	CEFOX/OX SRN	VANC SIRN																															
	<table border="0"> <tr> <td> ___ <i>Enterococcus faecium</i> ___ <i>Enterococcus faecalis</i> ___ <i>Enterococcus</i> spp. (Only those not identified to the species level) </td> <td>DAPTO S S-DD NS R N</td> <td>GENTHLS SRN</td> <td>LNZ SIRN</td> <td>VANC SIRN</td> </tr> </table>	___ <i>Enterococcus faecium</i> ___ <i>Enterococcus faecalis</i> ___ <i>Enterococcus</i> spp. (Only those not identified to the species level)	DAPTO S S-DD NS R N	GENTHLS SRN	LNZ SIRN	VANC SIRN																											
___ <i>Enterococcus faecium</i> ___ <i>Enterococcus faecalis</i> ___ <i>Enterococcus</i> spp. (Only those not identified to the species level)	DAPTO S S-DD NS R N	GENTHLS SRN	LNZ SIRN	VANC SIRN																													
	<table border="0"> <tr> <td><i>Staphylococcus aureus</i></td> <td>CIPRO/LEVO/MOXI SIRN</td> <td>CEFOX/METH/OX SRN</td> <td>CEFTAR S S-DDI R</td> <td>CLIND SIRN</td> <td>DAPTO SNSN</td> <td>DOXY/MINO SIRN</td> <td>GENT SIRN</td> </tr> <tr> <td></td> <td>LNZ SRN</td> <td>RIF SIRN</td> <td>TETRA SIRN</td> <td>TMZ SIRN</td> <td>VANC SIRN</td> <td></td> <td></td> </tr> </table>	<i>Staphylococcus aureus</i>	CIPRO/LEVO/MOXI SIRN	CEFOX/METH/OX SRN	CEFTAR S S-DDI R	CLIND SIRN	DAPTO SNSN	DOXY/MINO SIRN	GENT SIRN		LNZ SRN	RIF SIRN	TETRA SIRN	TMZ SIRN	VANC SIRN																		
<i>Staphylococcus aureus</i>	CIPRO/LEVO/MOXI SIRN	CEFOX/METH/OX SRN	CEFTAR S S-DDI R	CLIND SIRN	DAPTO SNSN	DOXY/MINO SIRN	GENT SIRN																										
	LNZ SRN	RIF SIRN	TETRA SIRN	TMZ SIRN	VANC SIRN																												
Pathogen #	Gram-negative Organisms																																
	<table border="0"> <tr> <td><i>Acinetobacter</i> (specify species)</td> <td>AMK SIRN</td> <td>AMPSUL SIRN</td> <td>CEFTAZ/CEFOT/CEFTRX SIRN</td> <td>CEFEP SIRN</td> <td>CIPRO/LEVO SIRN</td> <td>COL/PB SRN</td> <td>DORI/MERO SIRN</td> </tr> <tr> <td>_____</td> <td>DOXY/MINO SIRN</td> <td>GENT SIRN</td> <td>IMI SIRN</td> <td>PIPTAZ SIRN</td> <td>TMZ SIRN</td> <td>TOBRA SIRN</td> <td></td> </tr> </table>	<i>Acinetobacter</i> (specify species)	AMK SIRN	AMPSUL SIRN	CEFTAZ/CEFOT/CEFTRX SIRN	CEFEP SIRN	CIPRO/LEVO SIRN	COL/PB SRN	DORI/MERO SIRN	_____	DOXY/MINO SIRN	GENT SIRN	IMI SIRN	PIPTAZ SIRN	TMZ SIRN	TOBRA SIRN																	
<i>Acinetobacter</i> (specify species)	AMK SIRN	AMPSUL SIRN	CEFTAZ/CEFOT/CEFTRX SIRN	CEFEP SIRN	CIPRO/LEVO SIRN	COL/PB SRN	DORI/MERO SIRN																										
_____	DOXY/MINO SIRN	GENT SIRN	IMI SIRN	PIPTAZ SIRN	TMZ SIRN	TOBRA SIRN																											
	<table border="0"> <tr> <td><i>Escherichia coli</i></td> <td>AMK SIRN</td> <td>AMP SIRN</td> <td>AMPSUL/AMXCLV SIRN</td> <td>AZT SIRN</td> <td>CEFAZ SIRN</td> <td>CEFTAZ SIRN</td> <td>CEFOT/CEFTRX SIRN</td> </tr> <tr> <td></td> <td>CEFEP S I/S-DDRN</td> <td>CEFTAVI SRN</td> <td>CEFTOTAZ SIRN</td> <td>CIPRO/LEVO/MOXI SIRN</td> <td>COL/PB† IRN</td> <td>DORI/IMI/MERO SIRN</td> <td>DOXY/MINO/TETRA SIRN</td> </tr> <tr> <td></td> <td>ERTA SIRN</td> <td>GENT SIRN</td> <td>IMIREL SIRN</td> <td>MERVAB SIRN</td> <td>PIPTAZ SIRN</td> <td>TIG SIRN</td> <td>TMZ SIRN</td> </tr> <tr> <td></td> <td>TOBRA SIRN</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	<i>Escherichia coli</i>	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFTAZ SIRN	CEFOT/CEFTRX SIRN		CEFEP S I/S-DDRN	CEFTAVI SRN	CEFTOTAZ SIRN	CIPRO/LEVO/MOXI SIRN	COL/PB† IRN	DORI/IMI/MERO SIRN	DOXY/MINO/TETRA SIRN		ERTA SIRN	GENT SIRN	IMIREL SIRN	MERVAB SIRN	PIPTAZ SIRN	TIG SIRN	TMZ SIRN		TOBRA SIRN						
<i>Escherichia coli</i>	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFTAZ SIRN	CEFOT/CEFTRX SIRN																										
	CEFEP S I/S-DDRN	CEFTAVI SRN	CEFTOTAZ SIRN	CIPRO/LEVO/MOXI SIRN	COL/PB† IRN	DORI/IMI/MERO SIRN	DOXY/MINO/TETRA SIRN																										
	ERTA SIRN	GENT SIRN	IMIREL SIRN	MERVAB SIRN	PIPTAZ SIRN	TIG SIRN	TMZ SIRN																										
	TOBRA SIRN																																

	<i>Enterobacter</i> (specify species) _____	AMK SIRN	AZT SIRN	CEFTAZ SIRN	CEFOT/CEFTRX SIRN	CEFEP S I/S- DDR N	CEFTAVI SRN	CEFTOTAZ SIRN		
		CIPRO/LEVO/MOXI SIRN	COL/PB† IRN	DORI/IMI/MERO SIRN	DOXY/MINO/TETRA SIRN	ERTA SIRN	GENT SIRN	IMIREL SIRN		
		MERVAB SIRN	PIPTAZ SIRN	TIG SIRN	TMZ SIRN	TOBRA SIRN				
Pathogen #	Gram-negative Organisms (continued)									
	_____ <i>Klebsiella pneumoniae</i>	AMK SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFTAZ SIRN	CEFOT/CEFTRX SIRN	CEFEP S I/S- DDR N		
	_____ <i>Klebsiella oxytoca</i>	CEFTAVI SRN	CEFTOTAZ SIRN	CIPRO/LEVO/MOXI SIRN	COL/PB† IRN	DORI/IMI/MERO SIRN	DOXY/MINO/TETRA SIRN	ERTA SIRN		
	_____ <i>Klebsiella aerogenes</i>	GENT SIRN	IMIREL SIRN	MERVAB SIRN	PIPTAZ SIRN	TIG SIRN	TMZ SIRN	TOBRA SIRN		
	<i>Pseudomonas aeruginosa</i>	AMK SIRN	AZT SIRN	CEFTAZ SIRN	CEFEP SIRN	CEFTAVI SRN	CEFTOTAZ SIRN	CIPRO/LEVO SIRN		
		COL/PB SIRN	DORI/IMI/MERO SIRN	GENT SIRN	PIPTAZ SIRN	TOBRA SIRN				
Pathogen #	Fungal Organisms									
	<i>Candida</i> (specify species if available) _____	ANID SIRN	CASPO SIRN	FLUCO SS-DDRN	MICA SIRN	VORI SIRN				
Pathogen #	Other Organisms									
	Organism 1 (specify) _____	Drug 1 SIRN	Drug 2 SIRN	Drug 3 SIRN	Drug 4 SIRN	Drug 5 SIRN	Drug 6 SIRN	Drug 7 SIRN	Drug 8 SIRN	Drug 9 SIRN
	Organism 1 (specify) _____	Drug 1 SIRN	Drug 2 SIRN	Drug 3 SIRN	Drug 4 SIRN	Drug 5 SIRN	Drug 6 SIRN	Drug 7 SIRN	Drug 8 SIRN	Drug 9 SIRN
	Organism 1 (specify) _____	Drug 1 SIRN	Drug 2 SIRN	Drug 3 SIRN	Drug 4 SIRN	Drug 5 SIRN	Drug 6 SIRN	Drug 7 SIRN	Drug 8 SIRN	Drug 9 SIRN

Result Codes

**S = Susceptible I = Intermediate R = Resistant NS = Non-susceptible S-DD = Susceptible-dose dependent
N = Not tested**

§ **GENTHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic**

† **Clinical breakpoints are based on CLSI M100-ED30:2020, Intermediate MIC ≤ 2 and Resistant MIC ≥ 4**

Drug Codes:			
AMK = amikacin	CEFTAR = ceftaroline	GENT = gentamicin	OX = oxacillin
AMP = ampicillin	CEFTAVI = ceftazidime/avibactam	GENTHL = gentamicin –high level test	PB = polymyxin B
AMPSUL = ampicillin/sulbactam	CEFTOTAZ = ceftolozane/tazobactam	IMI = imipenem	PIPTAZ = piperacillin/tazobactam
AMXCLV = amoxicillin/clavulanic acid	CEFTRX = ceftriaxone	IMIREL = imipenem/relebactam	RIF = rifampin
ANID = anidulafungin	CIPRO = ciprofloxacin	LEVO = levofloxacin	TETRA = tetracycline
AZT = aztreonam	CLIND = clindamycin	LNZ = linezolid	TIG = tigecycline
CASPO = caspofungin	COL = colistin	MERO = meropenem	TMZ = trimethoprim/sulfamethoxazole

CEFAZ= cefazolin	DAPTO = daptomycin	MERVAB = meropenem/vaborbactam	TOBRA = tobramycin
CEFEP = cefepime	DORI = doripenem	METH = methicillin	VANC = vancomycin
CEFOT = cefotaxime	DOXY = doxycycline	MICA = micafungin	VORI = voriconazole
CEFOX= cefoxitin	ERTA = ertapenem	MINO = minocycline	
CEFTAZ = ceftazidime	FLUCO = fluconazole	MOXI = moxifloxacin	

Primary Bloodstream Infection (BSI)

Page 4 of 4

Custom Fields			
<p>Label</p> <p>_____ / ____ / ____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>	<p>Label</p> <p>_____ / ____ / ____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p> <p>_____</p>		
Comments			