

# Dialysis Event

Page 1 of 4

*required for saving	
Facility ID:	Event ID #:
*Patient ID:	Social Security #:
Secondary ID #:	Medicare #:
Patient Name, Last:	First: Middle:
*Gender: F M Other	*Date of Birth:
Ethnicity (Specify):	Race (Specify):
*Event Type: DE – Dialysis Event	*Date of Event:
*Location:	

## Risk Factors

*Vascular accesses: (check all that apply)	Access placement date (mm/yyyy):
<input type="checkbox"/> Fistula	____ / ____ <input type="checkbox"/> Unknown
Buttonhole? <input type="checkbox"/> Yes <input type="checkbox"/> No	
<input type="checkbox"/> Graft	____ / ____ <input type="checkbox"/> Unknown
<input type="checkbox"/> Tunneled central line	____ / ____ <input type="checkbox"/> Unknown
<input type="checkbox"/> Nontunneled central line	____ / ____ <input type="checkbox"/> Unknown
<input type="checkbox"/> Other access device (e.g., hybrid)	____ / ____ <input type="checkbox"/> Unknown

## Other Patient Information

\*Transient Patient?  Yes  No

## Event Details

\*Specify Dialysis Event: (check at least one)

**IV antimicrobial start**

Was vancomycin the antimicrobial used for this start?  Yes  No

**Positive blood culture** (\*specify pathogen and antimicrobial susceptibilities on pages 2-3)

\*Suspected source of positive blood culture (check one):

Vascular access  A source other than the vascular access  Contamination  Uncertain

**Pus, redness, or increased swelling at vascular access site**

\*Check the access site(s) with pus, redness, or increased swelling:

Fistula  Graft  Tunneled central line  Nontunneled central line  Other access device

\*Specify Problem(s): (check one or more)

Fever  $\geq 37.8^{\circ}\text{C}$  ( $100^{\circ}\text{F}$ ) oral  Chills or rigors  Drop in blood pressure

Wound (NOT related to vascular access) with pus or increased redness

Cellulitis (skin redness, heat, or pain without open wound)

Pneumonia or respiratory infection

Other problem (specify): \_\_\_\_\_

None

\*Specify Outcomes:

Hospitalization  Yes  No  Unknown

Death  Yes  No  Unknown

Assurance of Confidentiality: The voluntarily provided information obtained in this surveillance system that would permit identification of any individual or institution is collected with a guarantee that it will be held in strict confidence, will be used only for the purposes stated, and will not otherwise be disclosed or released without the consent of the individual, or the institution in accordance with Sections 304, 306 and 308(d) of the Public Health Service Act (42 USC 242b, 242k, and 242m(d)).

Public reporting burden of this collection of information is estimated to average 16 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. An agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a currently valid OMB control number. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to CDC, Reports Clearance Officer, 1600 Clifton Rd., MS D-74, Atlanta, GA 30333, ATTN: PRA (0920-0666).

## Dialysis Event

Page 2 of 4

Pathogen #	Gram-positive Organisms									
_____	<i>Staphylococcus</i> coagulase-negative (specify): _____		VANC SIRN							
_____	<i>Enterococcus</i> spp. (specify): _____		AMP SIRN	CIPRO/LEVO/MOXI SIRN	DAPTO SNSN	DOXY/MINO SIRN	GENTHL <sup>s</sup> SRN	LNZ SIRN		
			STREPHL <sup>s</sup> SRN	TETRA SIRN	TIG SNSN	VANC SIRN				
_____	<i>Enterococcus faecium</i>		AMP SIRN	CIPRO/LEVO/MOXI SIRN	DAPTO SNSN	DOXY/MINO SIRN	GENTHL <sup>s</sup> SRN	LNZ SIRN		
			QUIDAL SIRN	STREPHL <sup>s</sup> SRN	TETRA SIRN	TIG SNSN	VANC SIRN			
_____	<i>Staphylococcus aureus</i>		CHLOR SIRN	CIPRO/LEVO/MOXI SIRN	CLIND SIRN	DAPTO SNSN	DOXY/MINO SIRN	ERYTH SIRN	GENT SIRN	
			LNZ SRN	OX/CEFOX/METH SIRN	QUIDAL SIRN	RIF SIRN	TETRA SIRN	TIG SNSN	TMZ SIRN	VANC SIRN
Pathogen #	Gram-negative Organisms									
_____	<i>Acinetobacter</i> spp. (specify): _____		AMK SIRN	AMPSUL SIRN	AZT SIRN	CEFEP SIRN	CEFTAZ SIRN	CIPRO/LEVO SIRN	COL/PB SIRN	
			GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIP/PIPTAZ SIRN	TETRA/DOXY/MINO SIRN			
			TMZ SIRN	TOBRA SIRN						
_____	<i>Escherichia coli</i>		AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP SIRN	CEFOT/CEFTRX SIRN	
			CEFTAZ SIRN	CEFUR SIRN	CEFOX/CETET SIRN	CHLOR SIRN	CIPRO/LEVO/MOXI SIRN	COL/PB SIRN		
			ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN		
			TIG SIRN	TMZ SIRN	TOBRA SIRN					
_____	<i>Enterobacter</i> spp. (specify): _____		AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP SIRN	CEFOT/CEFTRX SIRN	
			CEFTAZ SIRN	CEFUR SIRN	CEFOX/CETET SIRN	CHLOR SIRN	CIPRO/LEVO/MOXI SIRN	COL/PB SIRN		
			ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN		
			TIG SIRN	TMZ SIRN	TOBRA SIRN					
_____	<i>Klebsiella</i> spp. (specify): _____		AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP SIRN	CEFOT/CEFTRX SIRN	
			CEFTAZ SIRN	CEFUR SIRN	CEFOX/CETET SIRN	CHLOR SIRN	CIPRO/LEVO/MOXI SIRN	COL/PB SIRN		
			ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN	TETRA/DOXY/MINO SIRN		
			TIG SIRN	TMZ SIRN	TOBRA SIRN					

## Dialysis Event

Page 3 of 4

Pathogen #	Gram-negative Organisms ( <i>continued</i> )									
_____	<i>Serratia marcescens</i>									
	AMK SIRN	AMP SIRN	AMPSUL/AMXCLV SIRN	AZT SIRN	CEFAZ SIRN	CEFEP SIRN	CEFOT/CEFTRX SIRN			
	CEFTAZ SIRN	CEFUR SIRN	CEFOX/CETET SIRN	CHLOR SIRN	CIPRO/LEVO/MOXI SIRN		COL/PB SIRN			
	ERTA SIRN	GENT SIRN	IMI SIRN	MERO/DORI SIRN	PIPTAZ SIRN		TETRA/DOXY/MINO SIRN			
	TIG SIRN	TMZ SIRN	TOBRA SIRN							
_____	<i>Pseudomonas aeruginosa</i>									
	AMK SIRN	AZT SIRN	CEFEP SIRN	CEFTAZ SIRN	CIPRO/LEVO SIRN	COL/PB SIRN	GENT SIRN			
	IMI SIRN	MERO/DORI SIRN		PIP/PIPTAZ SIRN	TOBRA SIRN					
_____	<i>Stenotrophomonas maltophilia</i>									
		LEVO SIRN	TETRA/MINO SIRN	TICLAV SIRN	TMZ SIRN					
Pathogen #	Fungal Organisms									
_____	<i>Candida</i> spp. (specify): _____									
	ANID SIRN	CASPO SNSN	FLUCO SS-DDRN	FLUCY SIRN	ITRA SS-DDRN	MICA SNSN	VORI SS-DDRN			
Pathogen #	Other Organisms									
_____	Organism 1 (specify) _____									
	Drug 1 SIRN	Drug 2 SIRN	Drug 3 SIRN	Drug 4 SIRN	Drug 5 SIRN	Drug 6 SIRN	Drug 7 SIRN	Drug 8 SIRN	Drug 9 SIRN	
_____	Organism 1 (specify) _____									
	Drug 1 SIRN	Drug 2 SIRN	Drug 3 SIRN	Drug 4 SIRN	Drug 5 SIRN	Drug 6 SIRN	Drug 7 SIRN	Drug 8 SIRN	Drug 9 SIRN	
_____	Organism 1 (specify) _____									
	Drug 1 SIRN	Drug 2 SIRN	Drug 3 SIRN	Drug 4 SIRN	Drug 5 SIRN	Drug 6 SIRN	Drug 7 SIRN	Drug 8 SIRN	Drug 9 SIRN	

**Result Codes**

S = Susceptible I = Intermediate R = Resistant NS = Non-susceptible S-DD = Susceptible-dose dependent N = Not tested  
<sup>§</sup> GENTHL and STREPHL results: S = Susceptible/Synergistic and R = Resistant/Not Synergistic

**Drug Codes:**

- |                                      |                         |                                      |                                    |  |
|--------------------------------------|-------------------------|--------------------------------------|------------------------------------|--|
| AMK = amikacin                       | CEFTRX = ceftriaxone    | ERYTH = erythromycin                 | MICA = micafungin                  | STREPHL = streptomycin – high level test |
| AMP = ampicillin                     | CEFUR = cefuroxime      | FLUCO = fluconazole                  | MINO = minocycline                 | TETRA = tetracycline                     |
| AMPSUL = ampicillin/sulbactam        | CETET = cefotetan       | FLUCY = flucytosine                  | MOXI = moxifloxacin                | TICLAV = ticarcillin/clavulanic acid     |
| AMXCLV = amoxicillin/clavulanic acid | CHLOR = chloramphenicol | GENT = gentamicin                    | OX = oxacillin                     | TIG = tigecycline                        |
| ANID = anidulafungin                 | CIPRO = ciprofloxacin   | GENTHL = gentamicin –high level test | PB = polymyxin B                   | TMZ = trimethoprim/sulfamethoxazole      |
| AZT = aztreonam                      | CLIND = clindamycin     | IMI = imipenem                       | PIP = piperacillin                 | TOBRA = tobramycin                       |
| CASPO = caspofungin                  | COL = colistin          | ITRA = itraconazole                  | PIPTAZ = piperacillin/tazobactam   | VANC = vancomycin                        |
| CEFAZ = ceftazidime                  | DAPTO = daptomycin      | LEVO = levofloxacin                  | QUIDAL = quinupristin/dalfopristin | VORI = voriconazole                      |
| CEFEP = cefepime                     | DORI = doripenem        | LNZ = linezolid                      | RIF = rifampin                     |  |
| CEFOT = cefotaxime                   | DOXY = doxycycline      | MERO = meropenem                     |                                    |  |
| CEFOX = ceftaxime                    | ERTA = ertapenem        | METH = methicillin                   |                                    |  |
| CEFTAZ = ceftazidime                 |                         |                                      |                                    |  |

## Dialysis Event

Page 4 of 4

### Custom Fields

Label		Label	
_____	____/____/____	_____	____/____/____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

### Comments