

# **National Personal Protective Technology Laboratory**

## **Respirator Standards Development and Meeting Wrap-up**

**Jonathan Szalajda  
Policy and Standards Development Branch**

**August 20, 2008**



**Workplace**  
Safety and Health



**NPPTL** *Research to Practice  
through Partnerships*

# Develop Standards for Personal Respiratory Equipment

Notices for Proposed Rulemaking (NPRM) in Agency Review

- Quality Assurance Module
- Closed Circuit Escape Respirator
- Total Inward Leakage for FFR and half masks

Concepts Completing Development in 2008

- Closed Circuit SCBA
- Powered Air-Purifying Respirators

Concepts in Development

- Supplied Air Respirators
- Air Fed Suits (where the suit acts as the respirator)

*Program Approach is to develop two NPRM each year*



Workplace  
Safety and Health



NPPTL  
Research to Practice  
through Partnerships

# **Draft Concept of Subpart Q: Closed-Circuit Self-Contained Breathing Apparatus Technical Performance Standard NIOSH Docket # 039A**

**Stakeholder Input can be submitted by**

- Mail:  
NIOSH Docket Office  
Robert A. Taft Laboratories, M/S C 34
- Reference: Draft Concept of Subpart Q: Closed-Circuit Self-Contained Breathing Apparatus Technical Performance Standard NIOSH Docket # 039A

4676 Columbia Parkway  
Cincinnati, OH 45226

- Email: [niocindocket@cdc.gov](mailto:niocindocket@cdc.gov)
- Fax: (513) 533-8285
- Phone: (513) 533-8303



Workplace  
Safety and Health



NPPTL *Research to Practice  
through Partnerships*



## **Reevaluation of NIOSH limitations on and precaution for safe use of positive-pressure closed-circuit self-contained breathing apparatus NIOSH Docket #123**

**Stakeholder Input can be submitted by**

– Mail:

NIOSH Docket Office

Robert A. Taft Laboratories, M/S C 34

Reference: Reevaluation of NIOSH limitations on and precaution for safe use of positive-pressure closed-circuit self-contained breathing apparatus, NIOSH Docket #123

4676 Columbia Parkway

Cincinnati, OH 45226

– Email: [niocindocket@cdc.gov](mailto:niocindocket@cdc.gov)

– Fax: (513) 533-8285

– Phone: (513) 533-8303



Workplace  
Safety and Health



*NPPTL* Research to Practice  
through Partnerships

# Develop Standards for Personal Respiratory Equipment

Notices for Proposed Rulemaking (NPRM) in Agency Review

- Quality Assurance Module
- Closed Circuit Escape Respirator
- Total Inward Leakage for FFR and half masks

Concepts Completing Development in 2008

- Closed Circuit SCBA
- Powered Air-Purifying Respirators

Concepts in Development

- Supplied Air Respirators
- Air Fed Suits (where the suit acts as the respirator)

*Program Approach is to develop two NPRM each year*



Workplace  
Safety and Health



NPPTL  
Research to Practice  
through Partnerships

# **Draft Concept of Subpart Q: Closed-Circuit Self-Contained Breathing Apparatus Technical Performance Standard NIOSH Docket # 039A**

**Stakeholder Input can be submitted by**

- Mail:  
NIOSH Docket Office  
Robert A. Taft Laboratories, M/S C 34
- Reference: Draft Concept of Subpart Q: Closed-Circuit Self-Contained Breathing Apparatus Technical Performance Standard NIOSH Docket # 039A

4676 Columbia Parkway  
Cincinnati, OH 45226

- Email: [niocindocket@cdc.gov](mailto:niocindocket@cdc.gov)
- Fax: (513) 533-8285
- Phone: (513) 533-8303



Workplace  
Safety and Health



**NPPTL** *Research to Practice  
through Partnerships*



## **Reevaluation of NIOSH limitations on and precaution for safe use of positive-pressure closed-circuit self-contained breathing apparatus NIOSH Docket #123**

**Stakeholder Input can be submitted by**

- Mail:  
NIOSH Docket Office  
Robert A. Taft Laboratories, M/S C 34

Reference: Reevaluation of NIOSH limitations on and precaution for safe use of positive-pressure closed-circuit self-contained breathing apparatus, NIOSH Docket #123

4676 Columbia Parkway  
Cincinnati, OH 45226

- Email: [niocindocket@cdc.gov](mailto:niocindocket@cdc.gov)
- Fax: (513) 533-8285
- Phone: (513) 533-8303



Workplace  
Safety and Health



NPPTL *Research to Practice  
through Partnerships*

# **Draft Concept of Subpart J: Supplied-Air Respirators Technical Performance Standard NIOSH Docket # 083 A**

**Stakeholder Input can be submitted by**

– Mail:

NIOSH Docket Office

Robert A. Taft Laboratories, M/S C 34

Reference: Draft Concept of Subpart J: Supplied-Air  
Respirators Technical Performance Standard NIOSH Docket #  
83A

4676 Columbia Parkway

Cincinnati, OH 45226

– Email: [niocindocket@cdc.gov](mailto:niocindocket@cdc.gov)

– Fax: (513) 533-8285

– Phone: (513) 533-8303



Workplace  
Safety and Health



NPPTL *Research to Practice  
through Partnerships*



# **DoD Request For Alternative Connector Design NIOSH Docket # 139**

**Stakeholder Input can be submitted by**

- Mail:  
NIOSH Docket Office  
Robert A. Taft Laboratories, M/S C 34  
CBRN APR Mechanical Connector Design – NIOSH Docket #  
139  
4676 Columbia Parkway  
Cincinnati, OH 45226
- Email: [niocindocket@cdc.gov](mailto:niocindocket@cdc.gov)
- Fax: (513) 533-8285
- Phone: (513) 533-8303

# NIOSH NPPTL/PPT Program



Visit Us at: <http://www.cdc.gov/niosh/npptl/default.html>

*Disclaimer: The findings and conclusions in this presentation have not been formally disseminated by the National Institute for Occupational Safety and Health and should not be construed to represent any agency determination or policy.*



Workplace  
Safety and Health



NPPTL  
Research to Practice  
through Partnerships