

This presentation should not be considered a final statement of NIOSH policy or of any agency or individual who was involved. This information is intended for use in advancing knowledge needed to protect workers. Comments regarding this presentation may be submitted to the NIOSH Docket Office.

National Personal Protective Technology Laboratory

CBRN CC-SCBA and Respirator Guidelines Summary

Holiday Inn Select, Pittsburgh South
Pittsburgh, PA

Jonathan Szalajda

July 19, 2005

CBRN Respirator Standards

The findings and conclusions in this presentation have not been formally disseminated by the National Institute for Occupational Safety and Health and should not be construed to represent any agency determination or policy.

CBRN CC-SCBA Standard Development Actions for CBRN Concept Development

- **Revise and post CBRN CC SCBA Concept**
- **Continue stakeholder discussions on concept**
- **Continue development/benchmark testing**
 - Identification and validation of test facilities

CBRN CC-SCBA Standard Development

Actions for CBRN Concept Development

- **Next public meeting:**
 - November, 2005
- **Target date for completing standard technical requirements:**
 - December, 2005

Information Docket CBRN CC-SCBA Respirator

- **Email:** niocindocket@cdc.gov
- **Fax:** (513) 533-8285
- **Phone:** (513) 533-8303
- **NPPTL Web Site:** <http://www.cdc.gov/niosh/npptl>
- **Mail:**
 - NIOSH Docket Office
 - Robert A. Taft Laboratories, M/S C 34
 - CCSCBA – NIOSH 039
 - 4676 Columbia Parkway
 - Cincinnati, OH 45226

CBRN Respirator Guidelines

- **Concepts available on the web site:**

http://www.cdc.gov/niosh/npptl/resources/certpgm_spt/meetings/conceptGuid-071905.html

- **Comments accepted through August 31, 2005 via the NIOSH Docket Office**
- **Documents will be developed and issued as NIOSH Numbered Documents in early 2006**

Information Docket CBRN Respirator Guidelines

- **Mail:**
 - NIOSH Docket Office
 - Robert A. Taft Laboratories, M/S C 34
PAPR – NIOSH 052
4676 Columbia Parkway
Cincinnati, OH 45226
- **Email:** niocindocket@cdc.gov
- **Fax:** (513) 533-8285
- **Phone:** (513) 533-8303
- **NPPTL Web Site:** <http://www.cdc.gov/niosh/npptl>