

This presentation should not be considered a final statement of NIOSH policy or of any agency or individual who was involved. This information is intended for use in advancing knowledge needed to protect workers. Comments regarding this presentation may be submitted to the NIOSH Docket Office.

National Personal Protective Technology Laboratory

CBRN CC-SCBA Summary

Holiday Inn Select, Pittsburgh South;
Pittsburgh, PA

Frank Palya

John Kovac

CBRN Respirator Standards

The findings and conclusions in this presentation have not been formally disseminated by the National Institute for Occupational Safety and Health and should not be construed to represent any agency determination or policy.

CBRN CC-SCBA Standard Development Actions for CBRN Concept Development

- **Revise and post CBRN CC SCBA Concept**
- **Continue stakeholder discussions on concept**
- **Continue development/benchmark testing**
 - Identification and validation of test facilities

CBRN CC-SCBA Standard Development

Actions for CBRN Concept Development

- **Next public meeting:**
 - November, 2005
- **Target date for completing standard technical requirements:**
 - December, 2005

Information Docket CBRN CC-SCBA Respirator

- **Email:** niocindocket@cdc.gov
- **Fax:** (513) 533-8285
- **Phone:** (513) 533-8303
- **NPPTL Web Site:** <http://www.cdc.gov/niosh/npptl>
- **Mail:**
 - NIOSH Docket Office
 - Robert A. Taft Laboratories, M/S C 34
 - CCSCBA – NIOSH 039
 - 4676 Columbia Parkway
 - Cincinnati, OH 45226