National Immunization Survey

A Codebook for the
2006 Public-Use Data File

Centers for Disease Control and Prevention

National Center for Immunization and Respiratory Diseases
and
National Center for Health Statistics

Presented by:
National Opinion Research Center (NORC)
September 2007

NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don’t know, and refused) for each variable.

TABLE OF CONTENTS

Section Index of Variables 1

Section 1: ID, Weight, and Flag Variables 14

Section 2: Household Vaccination Variables 17

Section 3: Demographic and Socioeconomic Variables 25

Section 4: Geographic Variables..... 36

Section 5: Number of Providers Identified and Consent Variables 41

Section 6: Number of Responding Provider Variables.....42

Section 7: Characteristics of Provider Variables.....44

Section 8: Provider-Reported Up-to-Date Vaccination Variables.....46

Section 9: Provider-Reported Age-at-Vaccination Variables 74

Alphabetical Index of Variables..... 192

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
PROVWT	13	31	1	WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN
RDDWT	32	50	1	RDD CHILD INTERVIEW WEIGHT
YEAR	51	54	1	YEAR OF INTERVIEW
AGECPOXR	55	55	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
SC_431	56	57	2	HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE
SC_4313	58	59	2	HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE
SC_43133	60	61	2	HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE
SC_DTP	62	63	2	HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE
SC_HEPB	64	65	2	HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE
SC_HIB	66	67	2	HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE
SC_MCV	68	69	2	HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE
SC_POL	70	71	2	HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE
SC_VRC	72	73	2	HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE
HH_DTP	74	75	2	HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED
HH_HEPB	76	77	2	HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED
HH_HIB	78	79	2	HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED
HH_MCV	80	81	2	HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED
HH_POL	82	83	2	HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED
HH_VRC	84	85	2	HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED
HAD_CPOX	86	87	2	CHILD EVER HAD CHICKEN POX DISEASE?
SHOTCARD	88	88	2	SHOT CARD USE FLAG
AGEGRP	89	89	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BF_ENDR06	90	97	3	DURATION OF BREAST FEEDING IN DAYS (TOPCODE)
BF_EXCLR06	98	105	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (TOPCODE)
BF_FORMR06	106	113	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (TOPCODE)
BFENDFL06	114	114	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	115	115	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
C1R	116	116	3	NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE)
C5R	117	118	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	119	120	3	WAS CHILD EVER BREAST FED OR FED BREAST MILK?
CEN_REG	121	121	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	122	122	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
CWIC_01	123	124	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	125	125	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
EDUC1	126	126	3	EDUCATION OF MOTHER CATEGORIES (RECODE)
FRSTBRN	127	127	3	FIRST BORN STATUS OF CHILD
I_HISP_K	128	128	3	HISPANIC ORIGIN OF CHILD
INCPORAR	129	144	3	INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE)
INCPOV1	145	145	3	POVERTY STATUS
INCQ298A	146	147	3	FAMILY INCOME CATEGORIES (RECODE)
INOPHONR	148	148	3	LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE)
INTRP	149	149	3	PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
LANGUAGE	150	150	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
M_AGEGRP	151	151	3	AGE OF MOTHER CATEGORIES
MARITAL	152	152	3	MARITAL STATUS OF MOTHER CATEGORIES (RECODE)
MOBIL_I	153	153	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
RACE_K	154	154	3	RACE OF CHILD (RECODE)
RACEETHK	155	155	3	RACE/ETHNICITY OF CHILD (RECODE)
SEX	156	156	3	GENDER OF CHILD
ESTIAP06	157	159	4	ESTIMATION IAP AREA OF RESIDENCE
STATE	160	161	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
D6R	162	162	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE)
D7	163	163	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DISPCODE	164	165	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
N_PRVR	166	166	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE)
PROV_FAC	167	167	7	PROVIDER FACILITY TYPE
REGISTRY	168	168	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
VFC_ORDER	169	169	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
HEP_BRTH	170	170	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	171	171	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
P_NUHEPX	172	172	8	NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUHIBX	173	173	8	NUMBER OF HIB-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUHPHB	174	174	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMDAH	175	175	8	NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMDHB	176	176	8	NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMDHI	177	177	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RRD INTERVIEW DATE.
P_NUMDHM	178	178	8	NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMDTA	179	179	8	NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMDTM	180	180	8	NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMDTP	181	181	8	NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMFLU	182	182	8	NUMBER OF FLU-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMHEA	183	183	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMHEN	184	184	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMHEP	185	185	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMHIB	186	186	8	NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMHIN	187	187	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMIPV	188	188	8	NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMCN	189	189	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMMR	190	190	8	NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMMRX	191	191	8	NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMMX	192	192	8	NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMMP	193	193	8	NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMPR	194	194	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMRV	195	195	8	NUMBER OF MMR/VARICELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMS	196	196	8	NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMSM	197	197	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMSR	198	198	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMOLN	199	199	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMOPV	200	200	8	NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMPCC	201	201	8	NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMPCN	202	202	8	NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMPCP	203	203	8	NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMPCV	204	204	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMPOL	205	205	8	NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMRB	206	206	8	NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMROT	207	207	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMTPM	208	208	8	NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMTPN	209	209	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMVRC	210	210	8	NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMVRN	211	211	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMVRX	212	212	8	NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_U12VRC	213	213	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS
P_UTD331	214	214	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_UTD431	215	215	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
P_UTDFL1	216	216	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1
P_UTDFL2	217	217	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2
P_UTDHEP	218	218	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS
P_UTDHIB	219	219	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS
P_UTDMCV	220	220	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT
P_UTDMMX	221	221	8	UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT
P_UTDPC3	222	222	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS
P_UTDPCV	223	223	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS
P_UTDPOL	224	224	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS
P_UTDTP3	225	225	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS
P_UTDTP4	226	226	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS
PU431331	227	227	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PUT43133	228	228	8	UTD FLAG FOR PROVIDER 4:3:1:3:3
PUTD4313	229	229	8	UTD FLAG FOR PROVIDER 4:3:1:3
DDTP1	230	232	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	233	236	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	237	240	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	241	244	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	245	248	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	249	251	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	252	254	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	255	255	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	256	256	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	257	260	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #1
DFLU2	261	264	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #2
DFLU3	265	268	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #3
DFLU4	269	272	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #4
DFLU5	273	276	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #5
DFLU6	277	277	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #6
DFLU7	278	278	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #7

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DFLU8	279	279	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #8
DFLU9	280	280	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #9
DHEPA1	281	284	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	285	288	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	289	292	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	293	293	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	294	294	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	295	295	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	296	296	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	297	297	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	298	298	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	299	302	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	303	306	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	307	310	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	311	314	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	315	318	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	319	321	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	322	324	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	325	327	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	328	328	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	329	331	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	332	335	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	336	339	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	340	343	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	344	347	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	348	350	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	351	353	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	354	354	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	355	355	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	356	359	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	360	363	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	364	366	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	367	367	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	368	368	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	369	369	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	370	370	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	371	371	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	372	372	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DMP1	373	376	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	377	377	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	378	378	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	379	379	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	380	380	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	381	381	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	382	382	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	383	383	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	384	384	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	385	387	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	388	388	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	389	389	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	390	390	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	391	391	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	392	392	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	393	393	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	394	394	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	395	395	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	396	399	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	400	403	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	404	407	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	408	411	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	412	415	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	416	418	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	419	421	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	422	422	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	423	423	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	424	426	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	427	430	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	431	434	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	435	438	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	439	441	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	442	444	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	445	447	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	448	450	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	451	451	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	452	454	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	455	455	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DRB3	456	456	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	457	457	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	458	458	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	459	459	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	460	460	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	461	461	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	462	462	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	463	465	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	466	468	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	469	471	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	472	472	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	473	473	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	474	474	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	475	475	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	476	476	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	477	477	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	478	479	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	480	481	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	482	483	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	484	485	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	486	487	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	488	489	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	490	491	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	492	492	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	493	493	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	494	497	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	498	501	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	502	504	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	505	505	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	506	506	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	507	507	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	508	508	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	509	509	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	510	510	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
FLU1_AGE	511	512	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #1
FLU2_AGE	513	514	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #2
FLU3_AGE	515	516	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #3
FLU4_AGE	517	518	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #4

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
FLU5_AGE	519	520	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #5
FLU6_AGE	521	521	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #6
FLU7_AGE	522	522	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #7
FLU8_AGE	523	523	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #8
FLU9_AGE	524	524	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #9
HEA1_AGE	525	526	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	527	528	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	529	530	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	531	531	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	532	532	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	533	533	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	534	534	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	535	535	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	536	536	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	537	538	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	539	540	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	541	542	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	543	544	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	545	546	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	547	548	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	549	550	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	551	552	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	553	553	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HIB1_AGE	554	555	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	556	557	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	558	559	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	560	561	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	562	563	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	564	565	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	566	567	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	568	568	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	569	569	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
MMR1_AGE	570	571	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	572	573	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	574	575	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	576	576	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	577	577	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
MMR6_AGE	578	578	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	579	579	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	580	580	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	581	581	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MP1_AGE	582	583	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	584	584	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	585	585	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	586	586	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	587	587	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	588	588	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	589	589	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	590	590	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	591	591	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	592	593	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	594	594	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	595	595	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	596	596	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	597	597	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	598	598	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	599	599	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	600	600	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	601	601	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
PCV1_AGE	602	603	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	604	605	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	608	609	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	610	611	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	612	613	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	614	615	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	616	616	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	617	617	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
POL1_AGE	618	619	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	620	621	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	622	623	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	624	625	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	626	627	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	628	629	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
POL7_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	632	633	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	634	634	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
RB1_AGE	635	636	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	637	637	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	638	638	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	639	639	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	640	640	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	641	641	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	642	642	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	643	643	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	644	644	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
ROT1_AGE	645	646	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	647	647	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	648	649	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	650	650	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	651	651	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
VRC1_AGE	656	657	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	658	659	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	660	661	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	667	667	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	668	669	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	670	671	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	672	673	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	674	675	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	676	677	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	678	679	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	680	681	9	DT-CONTAINING VACCINATION #7 TYPE CODE

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XDTPTY8	682	682	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	683	683	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	684	685	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	686	687	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	688	689	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	690	691	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	692	693	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	694	695	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	696	697	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	698	699	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	700	700	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	701	702	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	703	704	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	705	706	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	707	708	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	709	710	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	711	712	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	713	714	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	715	715	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	716	716	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	717	718	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	719	720	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	721	722	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	723	723	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	724	724	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	725	725	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	726	726	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	727	727	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	728	728	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	729	730	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	731	732	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	733	734	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	735	736	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	737	738	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	739	740	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	741	742	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	743	743	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	744	744	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE

SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XPOLTY1	745	746	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	747	748	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	749	750	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	751	752	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	753	754	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	755	756	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	757	758	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	759	760	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	761	761	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	762	763	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	764	765	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	766	767	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	768	768	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	769	769	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	770	770	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	771	771	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	772	772	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	773	773	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: SEQNUMC Type: Character

Label: UNIQUE CHILD IDENTIFIER

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: SEQNUMHH Type: Character

Label: UNIQUE HOUSEHOLD IDENTIFIER

Notes: Each household contains one or more children age 19 - 35 months.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: PDAT Type: Numeric

Label: CHILD HAS ADEQUATE PROVIDER DATA

Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS	1	21044	70.4%	70.4%	21044	100.0%	100.0%
CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA	2	8836	29.6%	29.6%	0	0.0%	0.0%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: PROVWT Type: Numeric

Label:
WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN

Notes:
Final child weight to use for the calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1). This variable is calculated to seven decimal places.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		21044	70.4%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8836	29.6%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: PROVWT Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	285.6	152.3	3.6	8190.2	405.4
Adequate Provider Data	285.6	152.3	3.6	8190.2	405.4

Variable: RDDWT Type: Numeric

Label: RDD CHILD INTERVIEW WEIGHT

Notes: Final household interview weight for child.
Use this weight for estimates based on children with completed household interviews.
This variable is calculated to seven decimal places.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: RDDWT Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	201.1	111.3	1.7	4855.4	270.1
Adequate Provider Data	199.0	109.4	2.4	4855.4	269.5

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: YEAR Type: Numeric

Label: YEAR OF INTERVIEW

Notes: Sampling year.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
2006	2006	29880	100.0%	100.0%	21044	100.0%	100.0%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: AGECPOXR Type: Numeric

Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0 TO 6 MONTHS OLD	1	137	0.5%	18.3%	94	0.4%	18.0%
7 TO 12 MONTHS OLD	2	223	0.7%	29.8%	164	0.8%	31.5%
13 TO 18 MONTHS OLD	3	219	0.7%	29.2%	149	0.7%	28.6%
19+ MONTHS OLD	4	170	0.6%	22.7%	114	0.5%	21.9%
SUBTOTALS:		749	2.5%	100.0%	521	2.5%	100.0%
RESERVED CODES:							
MISSING	.	29131	97.5%	n/a	20523	97.5%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: SC_431 Type: Numeric

Label: HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE

Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles--containing.
Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	7565	25.3%	68.9%	5967	28.4%	69.3%
NOT UTD / SC	2	3411	11.4%	31.1%	2645	12.6%	30.7%
SUBTOTALS:		10976	36.7%	100.0%	8612	40.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	453	1.5%	n/a	358	1.7%	n/a
UNKNOWN	88	5	0.0%	n/a	4	0.0%	n/a
REFUSED	99	10	0.0%	n/a	6	0.0%	n/a
MISSING	.	18436	61.7%	n/a	12064	57.3%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_4313 Type: Numeric

Label: HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE

Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles-containing, 3+ HIB-containing. Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	7161	24.0%	65.6%	5667	26.9%	66.1%
NOT UTD / SC	2	3762	12.6%	34.4%	2905	13.8%	33.9%
SUBTOTALS:		10923	36.6%	100.0%	8572	40.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	502	1.7%	n/a	396	1.9%	n/a
UNKNOWN	88	6	0.0%	n/a	5	0.0%	n/a
REFUSED	99	13	0.0%	n/a	7	0.0%	n/a
MISSING	.	18436	61.7%	n/a	12064	57.3%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: SC_43133 Type: Numeric

Label: HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE

Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles-containing, 3+ Hib-containing, 3+ HepB-containing. Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	6793	22.7%	62.5%	5378	25.6%	63.1%
NOT UTD / SC	2	4077	13.6%	37.5%	3148	15.0%	36.9%
SUBTOTALS:		10870	36.4%	100.0%	8526	40.5%	100.0%
RESERVED CODES:							
DON'T KNOW	77	553	1.9%	n/a	440	2.1%	n/a
UNKNOWN	88	6	0.0%	n/a	5	0.0%	n/a
REFUSED	99	15	0.1%	n/a	9	0.0%	n/a
MISSING	.	18436	61.7%	n/a	12064	57.3%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_DTP Type: Numeric

Label: HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE

Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	8201	27.4%	72.4%	6456	30.7%	72.6%
NOT UTD / SC	2	3130	10.5%	27.6%	2439	11.6%	27.4%
SUBTOTALS:		11331	37.9%	100.0%	8895	42.3%	100.0%
RESERVED CODES:							
DON'T KNOW	77	103	0.3%	n/a	77	0.4%	n/a
UNKNOWN	88	5	0.0%	n/a	4	0.0%	n/a
REFUSED	99	5	0.0%	n/a	4	0.0%	n/a
MISSING	.	18436	61.7%	n/a	12064	57.3%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: SC_HEPB Type: Numeric

Label: HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE

Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	9674	32.4%	85.7%	7623	36.2%	86.0%
NOT UTD / SC	2	1620	5.4%	14.3%	1237	5.9%	14.0%
SUBTOTALS:		11294	37.8%	100.0%	8860	42.1%	100.0%
RESERVED CODES:							
DON'T KNOW	77	142	0.5%	n/a	113	0.5%	n/a
UNKNOWN	88	4	0.0%	n/a	4	0.0%	n/a
REFUSED	99	4	0.0%	n/a	3	0.0%	n/a
MISSING	.	18436	61.7%	n/a	12064	57.3%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_HIB Type: Numeric

Label: HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE

Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	9777	32.7%	86.6%	7723	36.7%	87.1%
NOT UTD / SC	2	1512	5.1%	13.4%	1143	5.4%	12.9%
SUBTOTALS:		11289	37.8%	100.0%	8866	42.1%	100.0%
RESERVED CODES:							
DON'T KNOW	77	146	0.5%	n/a	109	0.5%	n/a
UNKNOWN	88	4	0.0%	n/a	3	0.0%	n/a
REFUSED	99	5	0.0%	n/a	2	0.0%	n/a
MISSING	.	18436	61.7%	n/a	12064	57.3%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: SC_MCV Type: Numeric

Label: HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE

Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	10160	34.0%	91.8%	7979	37.9%	91.8%
NOT UTD / SC	2	913	3.1%	8.2%	712	3.4%	8.2%
SUBTOTALS:		11073	37.1%	100.0%	8691	41.3%	100.0%
RESERVED CODES:							
DON'T KNOW	77	363	1.2%	n/a	284	1.3%	n/a
UNKNOWN	88	2	0.0%	n/a	2	0.0%	n/a
REFUSED	99	6	0.0%	n/a	3	0.0%	n/a
MISSING	.	18436	61.7%	n/a	12064	57.3%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_POL Type: Numeric

Label: HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE

Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	9716	32.5%	86.0%	7646	36.3%	86.2%
NOT UTD / SC	2	1586	5.3%	14.0%	1227	5.8%	13.8%
SUBTOTALS:		11302	37.8%	100.0%	8873	42.2%	100.0%
RESERVED CODES:							
DON'T KNOW	77	136	0.5%	n/a	103	0.5%	n/a
UNKNOWN	88	3	0.0%	n/a	3	0.0%	n/a
REFUSED	99	3	0.0%	n/a	1	0.0%	n/a
MISSING	.	18436	61.7%	n/a	12064	57.3%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: SC_VRC Type: Numeric

Label: HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE

Notes: Valid only if shot card was used.
Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UTD / SC	1	9595	32.1%	86.9%	7553	35.9%	87.1%
NOT UTD / SC	2	1446	4.8%	13.1%	1118	5.3%	12.9%
SUBTOTALS:		11041	37.0%	100.0%	8671	41.2%	100.0%
RESERVED CODES:							
DON'T KNOW	77	392	1.3%	n/a	301	1.4%	n/a
UNKNOWN	88	1	0.0%	n/a	1	0.0%	n/a
REFUSED	99	10	0.0%	n/a	7	0.0%	n/a
MISSING	.	18436	61.7%	n/a	12064	57.3%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: HH_DTP Type: Numeric

Label: HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED

Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	689	2.3%	2.4%	404	1.9%	2.0%
AT LEAST ONE	1	23478	78.6%	81.8%	16889	80.3%	83.2%
"ALL"	50	4545	15.2%	15.8%	3013	14.3%	14.8%
SUBTOTALS:		28712	96.1%	100.0%	20306	96.5%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1151	3.9%	n/a	726	3.4%	n/a
REFUSED	99	17	0.1%	n/a	12	0.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HH_HEPB Type: Numeric

Label:
HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED

Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	1840	6.2%	6.6%	1124	5.3%	5.7%
AT LEAST ONE	1	22705	76.0%	82.1%	16452	78.2%	83.8%
"ALL"	50	3127	10.5%	11.3%	2063	9.8%	10.5%
SUBTOTALS:		27672	92.6%	100.0%	19639	93.3%	100.0%
RESERVED CODES:							
DON'T KNOW	77	2193	7.3%	n/a	1394	6.6%	n/a
REFUSED	99	15	0.1%	n/a	11	0.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HH_HIB Type: Numeric

Label: HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED

Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	2838	9.5%	10.8%	1701	8.1%	9.1%
AT LEAST ONE	1	20334	68.1%	77.6%	14972	71.1%	80.2%
"ALL"	50	3031	10.1%	11.6%	1996	9.5%	10.7%
SUBTOTALS:		26203	87.7%	100.0%	18669	88.7%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: HH_HIB Type: Numeric

Label: HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED

Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
DON'T KNOW	77	3660	12.2%	n/a	2365	11.2%	n/a
REFUSED	99	17	0.1%	n/a	10	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HH_MCV Type: Numeric

Label: HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED

Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	1979	6.6%	7.0%	1328	6.3%	6.6%
AT LEAST ONE	1	22660	75.8%	80.0%	16261	77.3%	81.2%
"ALL"	50	3698	12.4%	13.1%	2429	11.5%	12.1%
SUBTOTALS:		28337	94.8%	100.0%	20018	95.1%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1525	5.1%	n/a	1015	4.8%	n/a
REFUSED	99	18	0.1%	n/a	11	0.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HH_POL Type: Numeric

Label: HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED

Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	2585	8.7%	9.5%	1618	7.7%	8.4%
AT LEAST ONE	1	21194	70.9%	77.9%	15448	73.4%	79.9%
"ALL"	50	3428	11.5%	12.6%	2267	10.8%	11.7%
SUBTOTALS:		27207	91.1%	100.0%	19333	91.9%	100.0%
RESERVED CODES:							
DON'T KNOW	77	2654	8.9%	n/a	1699	8.1%	n/a
REFUSED	99	19	0.1%	n/a	12	0.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: HH_VRC Type: Numeric

Label: HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED

Notes: Reporting error exists in household report of vaccinations received.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NONE	0	4135	13.8%	15.0%	2782	13.2%	14.3%
AT LEAST ONE	1	20743	69.4%	75.4%	14963	71.1%	77.0%
"ALL"	50	2615	8.8%	9.5%	1699	8.1%	8.7%
SUBTOTALS:		27493	92.0%	100.0%	19444	92.4%	100.0%
RESERVED CODES:							
DON'T KNOW	77	2363	7.9%	n/a	1584	7.5%	n/a
REFUSED	99	24	0.1%	n/a	16	0.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HAD_CPOX Type: Numeric

Label: CHILD EVER HAD CHICKEN POX DISEASE?

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	757	2.5%	2.5%	525	2.5%	2.5%
NO	2	29002	97.1%	97.5%	20436	97.1%	97.5%
SUBTOTALS:		29759	99.6%	100.0%	20961	99.6%	100.0%
RESERVED CODES:							
DON'T KNOW	77	110	0.4%	n/a	75	0.4%	n/a
REFUSED	99	11	0.0%	n/a	8	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: SHOTCARD Type: Numeric

Label: SHOT CARD USE FLAG

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SHOTCARD	1	11444	38.3%	38.3%	8980	42.7%	42.7%
NO SHOTCARD	2	18436	61.7%	61.7%	12064	57.3%	57.3%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: AGEGRP Type: Numeric

Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
19 - 23 MONTHS	1	8775	29.4%	29.4%	6240	29.7%	29.7%
24 - 29 MONTHS	2	10585	35.4%	35.4%	7428	35.3%	35.3%
30 - 35 MONTHS	3	10520	35.2%	35.2%	7376	35.1%	35.1%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: BF_ENDR06 Type: Numeric

Label: DURATION OF BREAST FEEDING IN DAYS (TOPCODE)

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		21865	73.2%	100.0%	15643	74.3%	100.0%
RESERVED CODES:							
MISSING	.	8015	26.8%	n/a	5401	25.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: BF_ENDR06 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	228.8	182.6	1.0	730.5	174.9
Adequate Provider Data	229.0	182.6	1.0	730.5	174.3

Variable: BF_EXCLR06 Type: Numeric

Label: DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (TOPCODE)

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		22052	73.8%	100.0%	15804	75.1%	100.0%
RESERVED CODES:							
MISSING	.	7828	26.2%	n/a	5240	24.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: BF_EXCLR06 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	138.8	121.8	0.0	273.9	70.3
Adequate Provider Data	138.1	121.8	0.0	273.9	69.3

Variable: BF_FORMR06 Type: Numeric

Label: AGE IN DAYS WHEN CHILD FIRST FED FORMULA (TOPCODE)

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19252	64.4%	100.0%	13727	65.2%	100.0%
RESERVED CODES:							
MISSING	.	10628	35.6%	n/a	7317	34.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: BF_FORMR06 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	82.1	56.0	0.0	273.9	89.4
Adequate Provider Data	81.1	56.0	0.0	273.9	88.5

Variable: BFENDFL06 Type: Numeric

Label: DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: BFFORMFL06 Type: Numeric

Label:
AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: C1R Type: Numeric

Label: NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
2	2	600	2.0%	2.0%	403	1.9%	1.9%
3	3	6476	21.7%	21.7%	4384	20.8%	20.8%
4	4	11125	37.2%	37.2%	7974	37.9%	37.9%
5	5	6316	21.1%	21.1%	4540	21.6%	21.6%
6	6	3061	10.2%	10.2%	2166	10.3%	10.3%
7	7	1190	4.0%	4.0%	820	3.9%	3.9%
8+	8	1112	3.7%	3.7%	757	3.6%	3.6%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: C5R Type: Numeric

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN	1	24552	82.2%	82.2%	17765	84.4%	84.4%
FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN	2	4014	13.4%	13.4%	2563	12.2%	12.2%
GRANDPARENT	3	967	3.2%	3.2%	562	2.7%	2.7%
OTHER FAMILY MEMBER/FRIEND	4	340	1.1%	1.1%	150	0.7%	0.7%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: C5R Type: Numeric

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		29873	100.0%	100.0%	21040	100.0%	100.0%
RESERVED CODES:							
DON'T KNOW	77	4	0.0%	n/a	2	0.0%	n/a
REFUSED	99	3	0.0%	n/a	2	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: CBF_01 Type: Numeric

Label: WAS CHILD EVER BREAST FED OR FED BREAST MILK?

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	22589	75.6%	75.9%	16137	76.7%	77.0%
NO	2	7156	23.9%	24.1%	4833	23.0%	23.0%
SUBTOTALS:		29745	99.5%	100.0%	20970	99.6%	100.0%
RESERVED CODES:							
DON'T KNOW	77	129	0.4%	n/a	70	0.3%	n/a
REFUSED	99	6	0.0%	n/a	4	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: CEN_REG Type: Numeric

Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NORTHEAST	1	5221	17.5%	17.5%	3593	17.1%	17.1%
MIDWEST	2	6804	22.8%	22.8%	4818	22.9%	22.9%
SOUTH	3	10406	34.8%	34.8%	7235	34.4%	34.4%
WEST	4	7449	24.9%	24.9%	5398	25.7%	25.7%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CHILDNM Type: Numeric

Label: NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ONE	1	7536	25.2%	25.2%	5123	24.3%	24.3%
TWO OR THREE	2	18277	61.2%	61.2%	13081	62.2%	62.2%
FOUR OR MORE	3	4067	13.6%	13.6%	2840	13.5%	13.5%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: CWIC_01 Type: Numeric

Label: CHILD EVER RECEIVED WIC BENEFITS?

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	13470	45.1%	45.2%	9543	45.3%	45.5%
NO	2	16235	54.3%	54.5%	11392	54.1%	54.3%
NEVER HEARD OF WIC	3	76	0.3%	0.3%	55	0.3%	0.3%
SUBTOTALS:		29781	99.7%	100.0%	20990	99.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	89	0.3%	n/a	50	0.2%	n/a
REFUSED	99	9	0.0%	n/a	4	0.0%	n/a
MISSING	.	1	0.0%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: CWIC_02 Type: Numeric

Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	7805	26.1%	57.9%	5614	26.7%	58.8%
NO	2	5665	19.0%	42.1%	3929	18.7%	41.2%
SUBTOTALS:		13470	45.1%	100.0%	9543	45.3%	100.0%
RESERVED CODES:							
MISSING	.	16410	54.9%	n/a	11501	54.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: EDUC1 Type: Numeric

Label: EDUCATION OF MOTHER CATEGORIES (RECODE)

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
< 12 YEARS	1	3815	12.8%	12.8%	2750	13.1%	13.1%
12 YEARS	2	6746	22.6%	22.6%	4695	22.3%	22.3%
> 12 YEARS, NON-COLLEGE GRAD	3	6712	22.5%	22.5%	4668	22.2%	22.2%
COLLEGE GRAD	4	12607	42.2%	42.2%	8931	42.4%	42.4%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: FRSTBRN Type: Numeric

Label: FIRST BORN STATUS OF CHILD

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NO	1	15952	53.4%	53.4%	11443	54.4%	54.4%
YES	2	13928	46.6%	46.6%	9601	45.6%	45.6%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: I_HISP_K Type: Numeric

Label: HISPANIC ORIGIN OF CHILD

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HISPANIC	1	6863	23.0%	23.0%	4825	22.9%	22.9%
NON-HISPANIC	2	23017	77.0%	77.0%	16219	77.1%	77.1%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCPORAR Type: Numeric

Label: INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE)

Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2005 and 2006 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing. Calculated to 2 decimal places.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		26671	89.3%	100.0%	19297	91.7%	100.0%
RESERVED CODES:							
MISSING	.	3209	10.7%	n/a	1747	8.3%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: INCPORAR Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.1	2.5	0.5	3.0	1.0
Adequate Provider Data	2.1	2.5	0.5	3.0	1.0

Variable: INCPOV1 Type: Numeric

Label: POVERTY STATUS

Notes: Based on 2005 and 2006 Census poverty thresholds.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ABOVE POVERTY, > $75K	1	8368	28.0%	30.0%	6078	28.9%	30.4%
ABOVE POVERTY, <= $75K	2	13709	45.9%	49.1%	9739	46.3%	48.7%
BELOW POVERTY	3	5827	19.5%	20.9%	4162	19.8%	20.8%
SUBTOTALS:		27904	93.4%	100.0%	19979	94.9%	100.0%
RESERVED CODES:							
UNKNOWN	4	1976	6.6%	n/a	1065	5.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCQ298A Type: Numeric

Label: FAMILY INCOME CATEGORIES (RECODE)

Notes: Family income in 2005 or 2006.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
$0 - $7500	3	1152	3.9%	4.3%	810	3.8%	4.2%
$7501 - $10000	4	1190	4.0%	4.5%	842	4.0%	4.4%
$10001 - $17500	5	1737	5.8%	6.5%	1283	6.1%	6.6%
$17501 - $20000	6	1272	4.3%	4.8%	889	4.2%	4.6%
$20001 - $25000	7	1412	4.7%	5.3%	1050	5.0%	5.4%
$25001 - $30000	8	1583	5.3%	5.9%	1160	5.5%	6.0%
$30001 - $35000	9	1180	3.9%	4.4%	874	4.2%	4.5%
$35001 - $40000	10	1460	4.9%	5.5%	1030	4.9%	5.3%
$40001 - $50000	11	2364	7.9%	8.9%	1675	8.0%	8.7%
$50001 - $60000	12	2178	7.3%	8.2%	1582	7.5%	8.2%
$60001 - $75000	13	2776	9.3%	10.4%	2025	9.6%	10.5%
$75001+	14	8367	28.0%	31.4%	6077	28.9%	31.5%
SUBTOTALS:		26671	89.3%	100.0%	19297	91.7%	100.0%
RESERVED CODES:							
DON'T KNOW	77	1929	6.5%	n/a	1231	5.8%	n/a
REFUSED	99	1280	4.3%	n/a	516	2.5%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: INOPHONR Type: Numeric

Label: LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE)

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
7 TO 14 DAYS	1	685	2.3%	35.7%	482	2.3%	34.9%
15 TO 30 DAYS	2	412	1.4%	21.5%	289	1.4%	20.9%
31 TO 365 DAYS	3	821	2.7%	42.8%	609	2.9%	44.1%
SUBTOTALS:		1918	6.4%	100.0%	1380	6.6%	100.0%
RESERVED CODES:							
MISSING	.	27962	93.6%	n/a	19664	93.4%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INTRP Type: Numeric

Label: PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	2012	6.7%	6.7%	1439	6.8%	6.8%
NO	2	27868	93.3%	93.3%	19605	93.2%	93.2%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: LANGUAGE Type: Numeric

Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

Notes:
Interviews conducted in other languages were administered using the AT&T language line.
This variable was constructed from call outcome codes.
While these outcome codes are considered accurate,
there is no independent check to determine the language in which the interview was actually conducted.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ENGLISH	1	26076	87.3%	87.3%	18355	87.2%	87.2%
SPANISH	2	3298	11.0%	11.0%	2360	11.2%	11.2%
OTHER	3	506	1.7%	1.7%	329	1.6%	1.6%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: M_AGEGRP Type: Numeric

Label: AGE OF MOTHER CATEGORIES

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<= 19 YEARS	1	668	2.2%	2.2%	432	2.1%	2.1%
20 - 29 YEARS	2	10997	36.8%	36.8%	7717	36.7%	36.7%
>= 30 YEARS	3	18215	61.0%	61.0%	12895	61.3%	61.3%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: MARITAL Type: Numeric

Label: MARITAL STATUS OF MOTHER CATEGORIES (RECODE)

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
WIDOWED/DIVORCED/SEPARATED/DECEASED	1	2055	6.9%	6.9%	1434	6.8%	6.8%
NEVER MARRIED	2	5621	18.8%	18.8%	3819	18.1%	18.1%
MARRIED	3	22204	74.3%	74.3%	15791	75.0%	75.0%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: MOBIL_I Type: Numeric

Label: GEOGRAPHIC MOBILITY STATUS:
STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MOVED FROM DIFFERENT STATE	1	2671	8.9%	8.9%	1760	8.4%	8.4%
DID NOT MOVE FROM DIFFERENT STATE	2	27209	91.1%	91.1%	19284	91.6%	91.6%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: RACE_K Type: Numeric

Label: RACE OF CHILD (RECODE)

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
WHITE ONLY	1	21967	73.5%	73.5%	15808	75.1%	75.1%
BLACK ONLY	2	4313	14.4%	14.4%	2719	12.9%	12.9%
OTHER + MULTIPLE RACE	3	3600	12.0%	12.0%	2517	12.0%	12.0%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: RACEETHK Type: Numeric

Label: RACE/ETHNICITY OF CHILD (RECODE)

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HISPANIC	1	6863	23.0%	23.0%	4825	22.9%	22.9%
NON-HISPANIC WHITE ONLY	2	16585	55.5%	55.5%	11961	56.8%	56.8%
NON-HISPANIC BLACK ONLY	3	3623	12.1%	12.1%	2275	10.8%	10.8%
NON-HISPANIC OTHER + MULTIPLE RACE	4	2809	9.4%	9.4%	1983	9.4%	9.4%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: SEX Type: Numeric

Label: GENDER OF CHILD

Notes: Imputed variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MALE	1	15247	51.0%	51.0%	10728	51.0%	51.0%
FEMALE	2	14633	49.0%	49.0%	10316	49.0%	49.0%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP06 Type: Numeric

Label: ESTIMATION IAP AREA OF RESIDENCE

Notes: Use as stratum identifier when calculating standard errors.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CT	1	376	1.3%	1.3%	274	1.3%	1.3%
MA-REST OF STATE	2	365	1.2%	1.2%	246	1.2%	1.2%
MA-CITY OF BOSTON	3	378	1.3%	1.3%	266	1.3%	1.3%
ME	4	294	1.0%	1.0%	204	1.0%	1.0%
NH	5	338	1.1%	1.1%	245	1.2%	1.2%
RI	6	410	1.4%	1.4%	303	1.4%	1.4%
VT	7	282	0.9%	0.9%	222	1.1%	1.1%
NJ-REST OF STATE	8	452	1.5%	1.5%	288	1.4%	1.4%
NJ-CITY OF NEWARK	9	386	1.3%	1.3%	265	1.3%	1.3%
NY-REST OF STATE	10	373	1.2%	1.2%	249	1.2%	1.2%
NY-CITY OF NEW YORK	11	443	1.5%	1.5%	277	1.3%	1.3%
DISTRICT OF COLUMBIA	12	462	1.5%	1.5%	311	1.5%	1.5%
DE	13	343	1.1%	1.1%	235	1.1%	1.1%
MD-REST OF STATE	14	414	1.4%	1.4%	286	1.4%	1.4%
MD-CITY OF BALTIMORE	15	348	1.2%	1.2%	233	1.1%	1.1%
PA-REST OF STATE	16	364	1.2%	1.2%	254	1.2%	1.2%
PA-PHILADELPHIA COUNTY	17	337	1.1%	1.1%	210	1.0%	1.0%
VA	18	403	1.3%	1.3%	280	1.3%	1.3%
WV	19	342	1.1%	1.1%	248	1.2%	1.2%
AL-REST OF STATE	20	378	1.3%	1.3%	269	1.3%	1.3%
FL-REST OF STATE	22	429	1.4%	1.4%	291	1.4%	1.4%
FL-DUVAL COUNTY	23	490	1.6%	1.6%	345	1.6%	1.6%
FL-MIAMI-DADE COUNTY	24	448	1.5%	1.5%	285	1.4%	1.4%
GA-REST OF STATE	25	408	1.4%	1.4%	302	1.4%	1.4%
GA-FULTON/DEKALB COUNTIES	26	379	1.3%	1.3%	266	1.3%	1.3%
KY	27	382	1.3%	1.3%	267	1.3%	1.3%
MS	28	429	1.4%	1.4%	284	1.3%	1.3%
NC	29	347	1.2%	1.2%	241	1.1%	1.1%
SC	30	474	1.6%	1.6%	330	1.6%	1.6%
TN-REST OF STATE	31	334	1.1%	1.1%	239	1.1%	1.1%
TN-SHELBY COUNTY	32	454	1.5%	1.5%	304	1.4%	1.4%
IL-REST OF STATE	34	330	1.1%	1.1%	224	1.1%	1.1%
IL-CITY OF CHICAGO	35	485	1.6%	1.6%	316	1.5%	1.5%
IN-REST OF STATE	36	351	1.2%	1.2%	246	1.2%	1.2%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP06 Type: Numeric

Label: ESTIMATION IAP AREA OF RESIDENCE

Notes: Use as stratum identifier when calculating standard errors.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
IN-MARION COUNTY	37	397	1.3%	1.3%	275	1.3%	1.3%
MI-REST OF STATE	38	413	1.4%	1.4%	305	1.4%	1.4%
MI-CITY OF DETROIT	39	371	1.2%	1.2%	234	1.1%	1.1%
MN	40	323	1.1%	1.1%	236	1.1%	1.1%
OH-REST OF STATE	41	391	1.3%	1.3%	273	1.3%	1.3%
OH-CUYAHOGA COUNTY	42	432	1.4%	1.4%	297	1.4%	1.4%
WI-REST OF STATE	44	313	1.0%	1.0%	236	1.1%	1.1%
WI-MILWAUKEE COUNTY	45	324	1.1%	1.1%	259	1.2%	1.2%
AR	46	286	1.0%	1.0%	207	1.0%	1.0%
LA	47	433	1.4%	1.4%	287	1.4%	1.4%
NM-REST OF STATE	49	321	1.1%	1.1%	236	1.1%	1.1%
OK	50	419	1.4%	1.4%	303	1.4%	1.4%
TX-REST OF STATE	51	538	1.8%	1.8%	381	1.8%	1.8%
TX-DALLAS COUNTY	52	309	1.0%	1.0%	208	1.0%	1.0%
TX-EL PASO COUNTY	53	383	1.3%	1.3%	297	1.4%	1.4%
TX-CITY OF HOUSTON	54	424	1.4%	1.4%	287	1.4%	1.4%
TX-BEXAR COUNTY	55	350	1.2%	1.2%	249	1.2%	1.2%
IA	56	294	1.0%	1.0%	226	1.1%	1.1%
KS-REST OF STATE	57	350	1.2%	1.2%	260	1.2%	1.2%
MO-REST OF STATE	58	393	1.3%	1.3%	275	1.3%	1.3%
NE	59	345	1.2%	1.2%	250	1.2%	1.2%
CO-REST OF STATE	60	283	0.9%	0.9%	219	1.0%	1.0%
MT	61	352	1.2%	1.2%	280	1.3%	1.3%
ND	62	426	1.4%	1.4%	322	1.5%	1.5%
SD	63	457	1.5%	1.5%	296	1.4%	1.4%
UT	64	280	0.9%	0.9%	226	1.1%	1.1%
WY	65	372	1.2%	1.2%	283	1.3%	1.3%
AZ-REST OF STATE	66	297	1.0%	1.0%	224	1.1%	1.1%
AZ-MARICOPA COUNTY	67	424	1.4%	1.4%	294	1.4%	1.4%
CA-REST OF STATE	68	384	1.3%	1.3%	250	1.2%	1.2%
CA-LOS ANGELES COUNTY	69	442	1.5%	1.5%	267	1.3%	1.3%
CA-SANTA CLARA COUNTY	70	316	1.1%	1.1%	218	1.0%	1.0%
CA-SAN DIEGO COUNTY	71	416	1.4%	1.4%	277	1.3%	1.3%
HI	72	346	1.2%	1.2%	230	1.1%	1.1%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP06 Type: Numeric

Label: ESTIMATION IAP AREA OF RESIDENCE

Notes: Use as stratum identifier when calculating standard errors.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NV-REST OF STATE	73	339	1.1%	1.1%	240	1.1%	1.1%
AK	74	333	1.1%	1.1%	240	1.1%	1.1%
ID	75	278	0.9%	0.9%	222	1.1%	1.1%
OR	76	285	1.0%	1.0%	220	1.0%	1.0%
WA-KING COUNTY	78	261	0.9%	0.9%	200	1.0%	1.0%
CA-FRESNO COUNTY	84	406	1.4%	1.4%	271	1.3%	1.3%
CA-NORTHERN CA	85	373	1.2%	1.2%	265	1.3%	1.3%
KS-EASTERN KS	86	409	1.4%	1.4%	288	1.4%	1.4%
PA-ALLEGHENY COUNTY	87	423	1.4%	1.4%	290	1.4%	1.4%
NM-SOUTHERN NM	88	344	1.2%	1.2%	270	1.3%	1.3%
WA-EASTERN WA	771	315	1.1%	1.1%	259	1.2%	1.2%
WA-REST OF STATE	772	282	0.9%	0.9%	207	1.0%	1.0%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: STATE Type: Numeric

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALABAMA	1	378	1.3%	1.3%	269	1.3%	1.3%
ALASKA	2	333	1.1%	1.1%	240	1.1%	1.1%
ARIZONA	4	721	2.4%	2.4%	518	2.5%	2.5%
ARKANSAS	5	286	1.0%	1.0%	207	1.0%	1.0%
CALIFORNIA	6	2337	7.8%	7.8%	1548	7.4%	7.4%
COLORADO	8	283	0.9%	0.9%	219	1.0%	1.0%
CONNECTICUT	9	376	1.3%	1.3%	274	1.3%	1.3%
DELAWARE	10	343	1.1%	1.1%	235	1.1%	1.1%
DISTRICT OF COLUMBIA	11	462	1.5%	1.5%	311	1.5%	1.5%
FLORIDA	12	1367	4.6%	4.6%	921	4.4%	4.4%
GEORGIA	13	787	2.6%	2.6%	568	2.7%	2.7%
HAWAII	15	346	1.2%	1.2%	230	1.1%	1.1%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
IDAHO	16	278	0.9%	0.9%	222	1.1%	1.1%
ILLINOIS	17	815	2.7%	2.7%	540	2.6%	2.6%
INDIANA	18	748	2.5%	2.5%	521	2.5%	2.5%
IOWA	19	294	1.0%	1.0%	226	1.1%	1.1%
KANSAS	20	759	2.5%	2.5%	548	2.6%	2.6%
KENTUCKY	21	382	1.3%	1.3%	267	1.3%	1.3%
LOUISIANA	22	433	1.4%	1.4%	287	1.4%	1.4%
MAINE	23	294	1.0%	1.0%	204	1.0%	1.0%
MARYLAND	24	762	2.6%	2.6%	519	2.5%	2.5%
MASSACHUSETTS	25	743	2.5%	2.5%	512	2.4%	2.4%
MICHIGAN	26	784	2.6%	2.6%	539	2.6%	2.6%
MINNESOTA	27	323	1.1%	1.1%	236	1.1%	1.1%
MISSISSIPPI	28	429	1.4%	1.4%	284	1.3%	1.3%
MISSOURI	29	393	1.3%	1.3%	275	1.3%	1.3%
MONTANA	30	352	1.2%	1.2%	280	1.3%	1.3%
NEBRASKA	31	345	1.2%	1.2%	250	1.2%	1.2%
NEVADA	32	339	1.1%	1.1%	240	1.1%	1.1%
NEW HAMPSHIRE	33	338	1.1%	1.1%	245	1.2%	1.2%
NEW JERSEY	34	838	2.8%	2.8%	553	2.6%	2.6%
NEW MEXICO	35	665	2.2%	2.2%	506	2.4%	2.4%
NEW YORK	36	816	2.7%	2.7%	526	2.5%	2.5%
NORTH CAROLINA	37	347	1.2%	1.2%	241	1.1%	1.1%
NORTH DAKOTA	38	426	1.4%	1.4%	322	1.5%	1.5%
OHIO	39	823	2.8%	2.8%	570	2.7%	2.7%
OKLAHOMA	40	419	1.4%	1.4%	303	1.4%	1.4%
OREGON	41	285	1.0%	1.0%	220	1.0%	1.0%
PENNSYLVANIA	42	1124	3.8%	3.8%	754	3.6%	3.6%
RHODE ISLAND	44	410	1.4%	1.4%	303	1.4%	1.4%
SOUTH CAROLINA	45	474	1.6%	1.6%	330	1.6%	1.6%
SOUTH DAKOTA	46	457	1.5%	1.5%	296	1.4%	1.4%
TENNESSEE	47	788	2.6%	2.6%	543	2.6%	2.6%
TEXAS	48	2004	6.7%	6.7%	1422	6.8%	6.8%
UTAH	49	280	0.9%	0.9%	226	1.1%	1.1%
VERMONT	50	282	0.9%	0.9%	222	1.1%	1.1%

SECTION 4: GEOGRAPHIC VARIABLES

Variable: STATE Type: Numeric

Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VIRGINIA	51	403	1.3%	1.3%	280	1.3%	1.3%
WASHINGTON	53	858	2.9%	2.9%	666	3.2%	3.2%
WEST VIRGINIA	54	342	1.1%	1.1%	248	1.2%	1.2%
WISCONSIN	55	637	2.1%	2.1%	495	2.4%	2.4%
WYOMING	56	372	1.2%	1.2%	283	1.3%	1.3%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

Variable: D6R Type: Numeric

Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE)

Notes:
Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	63	0.2%	0.2%	32	0.2%	0.2%
1	1	20134	67.4%	69.7%	14532	69.1%	69.1%
2	2	6952	23.3%	24.1%	5225	24.8%	24.8%
3+	3	1735	5.8%	6.0%	1255	6.0%	6.0%
SUBTOTALS:		28884	96.7%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	996	3.3%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: D7 Type: Numeric

Label:
CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS

Notes: A blank value means consent was not obtained because of an interview break-off.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	24193	81.0%	99.5%	21012	99.8%	100.0%
NO	2	110	0.4%	0.5%	0	0.0%	0.0%
SUBTOTALS:		24303	81.3%	100.0%	21012	99.8%	100.0%
RESERVED CODES:							
MISSING	.	5577	18.7%	n/a	32	0.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 6: NUMBER OF RESPONDING PROVIDER VARIABLES

Variable: DISPCODE Type: Numeric

Label: NIS PROVIDER RECORD-CHECK DISPOSITION CODE

Notes: See User's Guide for definition of codes. Children with DISPCODE = 7 have inadequate provider data (PDAT = 2) to determine up-to-date status of child.
These children should not be used in the calculation of vaccination coverage rates.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
COMPLETE PROVIDER INFO, NO PROBLEMS	1	8165	27.3%	38.8%	8165	38.8%	39.0%
COMPLETE PROVIDER INFO, NO SHOT CARD	2	11567	38.7%	54.9%	11567	55.0%	55.3%
COMPLETE PROVIDER INFO, POOR HISTORY	3	460	1.5%	2.2%	460	2.2%	2.2%
COMPLETE PROVIDER INFO, POOR HIST/OTHER	4	40	0.1%	0.2%	40	0.2%	0.2%
INCOMPLETE PROVIDER RESP, BUT 4:3:1:3:3 INDICATED	5	504	1.7%	2.4%	504	2.4%	2.4%
INCOMPLETE PROVIDER RESP, INFO MATCHES	6	9	0.0%	0.0%	9	0.0%	0.0%
INCOMPLETE PROVIDER RESP, HISTORY UNKNOWN	7	136	0.5%	0.6%	0	0.0%	0.0%
INCOMPLETE PROVIDER RESP, 4:3:1:3:3 WITH RDD	8	5	0.0%	0.0%	5	0.0%	0.0%
INCOMPLETE PROVIDER RESP, MATCHES RDD	9	27	0.1%	0.1%	27	0.1%	0.1%
INCOMPLETE PROVIDER RESP, RDD NOT EXACT	10	114	0.4%	0.5%	114	0.5%	0.5%
INCOMPLETE PROVIDER RESP, RDD WITHOUT SHOT CARD	11	33	0.1%	0.2%	33	0.2%	0.2%
SUBTOTALS:		21060	70.5%	100.0%	20924	99.4%	100.0%
RESERVED CODES:							
MISSING	.	8820	29.5%	n/a	120	0.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: N_PRVR Type: Numeric

Label:
NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE)

Notes:
Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	8820	29.5%	29.5%	120	0.6%	0.6%
1	1	17659	59.1%	59.1%	17543	83.4%	83.4%
2	2	3088	10.3%	10.3%	3071	14.6%	14.6%
3+	3	313	1.0%	1.0%	310	1.5%	1.5%
SUBTOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 6: NUMBER OF RESPONDING PROVIDER VARIABLES

Variable: N_PRVR Type: Numeric

Label:
NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE)

Notes:
Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: PROV_FAC Type: Numeric

Label: PROVIDER FACILITY TYPE

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALL PUBLIC FACILITIES	1	2090	7.0%	9.9%	2073	9.9%	9.9%
ALL HOSPITAL FACILITIES	2	1609	5.4%	7.6%	1598	7.6%	7.6%
ALL PRIVATE FACILITIES	3	11004	36.8%	52.3%	10955	52.1%	52.4%
ALL MILITARY/OTHER FACILITIES	4	394	1.3%	1.9%	385	1.8%	1.8%
MIXED	5	1198	4.0%	5.7%	1192	5.7%	5.7%
TYPE OF PROVIDER UNKNOWN	6	4750	15.9%	22.6%	4706	22.4%	22.5%
ALL WIC CLINIC PROVIDERS	7	15	0.1%	0.1%	15	0.1%	0.1%
SUBTOTALS:		21060	70.5%	100.0%	20924	99.4%	100.0%
RESERVED CODES:							
MISSING	.	8820	29.5%	n/a	120	0.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: REGISTRY Type: Numeric

Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	7835	26.2%	37.2%	7795	37.0%	37.3%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1505	5.0%	7.1%	1498	7.1%	7.2%
NO PROVIDERS	3	5087	17.0%	24.2%	5058	24.0%	24.2%
UNKNOWN/DON'T KNOW	4	6633	22.2%	31.5%	6573	31.2%	31.4%
SUBTOTALS:		21060	70.5%	100.0%	20924	99.4%	100.0%
RESERVED CODES:							
MISSING	.	8820	29.5%	n/a	120	0.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: VFC_ORDER Type: Numeric

Label: DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?

Notes: Constructed from the responses of up to five providers.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ALL PROVIDERS	1	12752	42.7%	60.6%	12685	60.3%	60.6%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1617	5.4%	7.7%	1609	7.6%	7.7%
NO PROVIDERS	3	2092	7.0%	9.9%	2081	9.9%	9.9%
UNKNOWN/DON'T KNOW	4	4599	15.4%	21.8%	4549	21.6%	21.7%
SUBTOTALS:		21060	70.5%	100.0%	20924	99.4%	100.0%
RESERVED CODES:							
MISSING	.	8820	29.5%	n/a	120	0.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: HEP_BRTH Type: Numeric

Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG

Notes: Constructed from the responses of up to five providers. See User's Guide for more information on this variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH	1	11673	39.1%	56.1%	11605	55.1%	56.1%
NO PROVIDERS CHECKED GIVEN AT BIRTH	2	9153	30.6%	43.9%	9097	43.2%	43.9%
SUBTOTALS:		20826	69.7%	100.0%	20702	98.4%	100.0%
RESERVED CODES:							
MISSING	.	9054	30.3%	n/a	342	1.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HEP_FLAG Type: Numeric

Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG

Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HEPB BIRTH SHOT DATE IMPUTED FROM SHOTCARD	1	18	0.1%	24.3%	18	0.1%	24.3%
HEPB BIRTH SHOT DATE IMPUTED FROM DISTRIBUTION OF BIRTH DOSE DATES	2	56	0.2%	75.7%	56	0.3%	75.7%
SUBTOTALS:		74	0.2%	100.0%	74	0.4%	100.0%
RESERVED CODES:							
MISSING	.	29806	99.8%	n/a	20970	99.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUHEPX Type: Numeric

Label:
NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 60

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	5565	18.6%	26.3%	5524	26.2%	26.2%
1	1	6503	21.8%	30.7%	6446	30.6%	30.6%
2	2	2004	6.7%	9.5%	1984	9.4%	9.4%
3	3	6626	22.2%	31.3%	6610	31.4%	31.4%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUHEPX Type: Numeric

Label:
NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 60

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
4	4	470	1.6%	2.2%	468	2.2%	2.2%
5	5	12	0.0%	0.1%	12	0.1%	0.1%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUHIBX Type: Numeric

Label: NUMBER OF HIB-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 44

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	2810	9.4%	13.3%	2778	13.2%	13.2%
1	1	1267	4.2%	6.0%	1237	5.9%	5.9%
2	2	1733	5.8%	8.2%	1702	8.1%	8.1%
3	3	5862	19.6%	27.7%	5829	27.7%	27.7%
4	4	9419	31.5%	44.5%	9409	44.7%	44.7%
5	5	87	0.3%	0.4%	87	0.4%	0.4%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUHPHB Type: Numeric

Label:
NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 43

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	16445	55.0%	77.6%	16334	77.6%	77.6%
1	1	1234	4.1%	5.8%	1214	5.8%	5.8%
2	2	1282	4.3%	6.1%	1279	6.1%	6.1%
3	3	2175	7.3%	10.3%	2173	10.3%	10.3%
4	4	44	0.1%	0.2%	44	0.2%	0.2%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMDAH Type: Numeric

Label:
NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 07

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18942	63.4%	89.4%	18808	89.4%	89.4%
1	1	2140	7.2%	10.1%	2139	10.2%	10.2%
2	2	38	0.1%	0.2%	37	0.2%	0.2%
3	3	30	0.1%	0.1%	30	0.1%	0.1%
4	4	30	0.1%	0.1%	30	0.1%	0.1%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDHB Type: Numeric

Label:
NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 05 or 07

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	18902	63.3%	89.2%	18768	89.2%	89.2%
1	1	2170	7.3%	10.2%	2169	10.3%	10.3%
2	2	39	0.1%	0.2%	38	0.2%	0.2%
3	3	35	0.1%	0.2%	35	0.2%	0.2%
4	4	34	0.1%	0.2%	34	0.2%	0.2%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMDHI Type: Numeric

Label:
NUMBER OF DTAP/HEPB/IPV COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RRD INTERVIEW DATE.

Notes: Vaccine type 08

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	12123	40.6%	57.2%	12040	57.2%	57.2%
1	1	1300	4.4%	6.1%	1276	6.1%	6.1%
2	2	1723	5.8%	8.1%	1710	8.1%	8.1%
3	3	5875	19.7%	27.7%	5859	27.8%	27.8%
4	4	151	0.5%	0.7%	151	0.7%	0.7%
5	5	7	0.0%	0.0%	7	0.0%	0.0%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDHM Type: Numeric

Label:
NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 05

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	21138	70.7%	99.8%	21002	99.8%	99.8%
1	1	32	0.1%	0.2%	32	0.2%	0.2%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
3	3	7	0.0%	0.0%	7	0.0%	0.0%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMDTA Type: Numeric

Label: NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 04

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	2853	9.5%	13.5%	2800	13.3%	13.3%
1	1	5037	16.9%	23.8%	5008	23.8%	23.8%
2	2	1678	5.6%	7.9%	1652	7.9%	7.9%
3	3	2766	9.3%	13.1%	2743	13.0%	13.0%
4	4	8772	29.4%	41.4%	8767	41.7%	41.7%
5	5	73	0.2%	0.3%	73	0.3%	0.3%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDTM Type: Numeric

Label: NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 01

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	21168	70.8%	99.9%	21032	99.9%	99.9%
1	1	8	0.0%	0.0%	8	0.0%	0.0%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
3	3	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMDTP Type: Numeric

Label:
NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 01, 02, 03, 04, 05, 07, 08, or DH

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	348	1.2%	1.6%	325	1.5%	1.5%
1	1	255	0.9%	1.2%	230	1.1%	1.1%
2	2	351	1.2%	1.7%	330	1.6%	1.6%
3	3	2126	7.1%	10.0%	2076	9.9%	9.9%
4	4	17849	59.7%	84.3%	17832	84.7%	84.7%
5	5	240	0.8%	1.1%	240	1.1%	1.1%
6	6	9	0.0%	0.0%	9	0.0%	0.0%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMFLU Type: Numeric

Label:
NUMBER OF FLU-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type FL

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	10749	36.0%	50.8%	10643	50.6%	50.6%
1	1	3888	13.0%	18.4%	3876	18.4%	18.4%
2	2	4308	14.4%	20.3%	4292	20.4%	20.4%
3	3	2102	7.0%	9.9%	2100	10.0%	10.0%
4	4	127	0.4%	0.6%	127	0.6%	0.6%
5	5	6	0.0%	0.0%	6	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMHEA Type: Numeric

Label:
NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HA

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	16332	54.7%	77.1%	16207	77.0%	77.0%
1	1	4253	14.2%	20.1%	4243	20.2%	20.2%
2	2	592	2.0%	2.8%	591	2.8%	2.8%
3	3	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHEN Type: Numeric

Label:
NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HB or DH

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	20991	70.3%	99.1%	20856	99.1%	99.1%
1	1	97	0.3%	0.5%	97	0.5%	0.5%
2	2	60	0.2%	0.3%	59	0.3%	0.3%
3	3	30	0.1%	0.1%	30	0.1%	0.1%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMHEP Type: Numeric

Label:
NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 08, 43, 60, HB, or DH

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	361	1.2%	1.7%	349	1.7%	1.7%
1	1	400	1.3%	1.9%	364	1.7%	1.7%
2	2	779	2.6%	3.7%	748	3.6%	3.6%
3	3	14576	48.8%	68.8%	14535	69.1%	69.1%
4	4	4849	16.2%	22.9%	4833	23.0%	23.0%
5	5	206	0.7%	1.0%	206	1.0%	1.0%
6	6	8	0.0%	0.0%	8	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHIB Type: Numeric

Label:
NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 05, 07, 43, 44, or HI

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	412	1.4%	1.9%	390	1.9%	1.9%
1	1	328	1.1%	1.5%	298	1.4%	1.4%
2	2	702	2.3%	3.3%	668	3.2%	3.2%
3	3	6816	22.8%	32.2%	6784	32.2%	32.2%
4	4	12749	42.7%	60.2%	12731	60.5%	60.5%
5	5	169	0.6%	0.8%	169	0.8%	0.8%
6	6	3	0.0%	0.0%	3	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMHIN Type: Numeric

Label:
NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HI

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	20861	69.8%	98.5%	20725	98.5%	98.5%
1	1	167	0.6%	0.8%	167	0.8%	0.8%
2	2	44	0.1%	0.2%	44	0.2%	0.2%
3	3	70	0.2%	0.3%	70	0.3%	0.3%
4	4	38	0.1%	0.2%	38	0.2%	0.2%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMIPV Type: Numeric

Label: NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 21

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	6905	23.1%	32.6%	6842	32.5%	32.5%
1	1	1968	6.6%	9.3%	1943	9.2%	9.2%
2	2	1677	5.6%	7.9%	1646	7.8%	7.8%
3	3	10233	34.2%	48.3%	10219	48.6%	48.6%
4	4	386	1.3%	1.8%	383	1.8%	1.8%
5	5	9	0.0%	0.0%	9	0.0%	0.0%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMMCN Type: Numeric

Label:
NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type MM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	20991	70.3%	99.1%	20855	99.1%	99.1%
1	1	186	0.6%	0.9%	186	0.9%	0.9%
2	2	3	0.0%	0.0%	3	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMMR Type: Numeric

Label:
NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 30, 31, 32, 33, MM or VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1491	5.0%	7.0%	1403	6.7%	6.7%
1	1	19279	64.5%	91.0%	19231	91.4%	91.4%
2	2	408	1.4%	1.9%	408	1.9%	1.9%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMMMRX Type: Numeric

Label: NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 30

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	2133	7.1%	10.1%	2045	9.7%	9.7%
1	1	18693	62.6%	88.3%	18645	88.6%	88.6%
2	2	353	1.2%	1.7%	353	1.7%	1.7%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMMX Type: Numeric

Label:
NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 30 or VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1721	5.8%	8.1%	1633	7.8%	7.8%
1	1	19086	63.9%	90.1%	19038	90.5%	90.5%
2	2	372	1.2%	1.8%	372	1.8%	1.8%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMMP Type: Numeric

Label: NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type MP

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	21161	70.8%	99.9%	21025	99.9%	99.9%
1	1	19	0.1%	0.1%	19	0.1%	0.1%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMMPR Type: Numeric

Label: NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type MB

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	21179	70.9%	100.0%	21043	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMPR Type: Numeric

Label: NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type MB

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMMRV Type: Numeric

Label: NUMBER OF MMR/VARICELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	20753	69.5%	98.0%	20617	98.0%	98.0%
1	1	423	1.4%	2.0%	423	2.0%	2.0%
2	2	4	0.0%	0.0%	4	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMMS Type: Numeric

Label: NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 31

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	21106	70.6%	99.7%	20970	99.6%	99.6%
1	1	72	0.2%	0.3%	72	0.3%	0.3%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMSM Type: Numeric

Label:
NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 32

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	21180	70.9%	100.0%	21044	100.0%	100.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMMSR Type: Numeric

Label:
NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 33

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	21180	70.9%	100.0%	21044	100.0%	100.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMOLN Type: Numeric

Label:
NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 22

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	20948	70.1%	98.9%	20813	98.9%	98.9%
1	1	101	0.3%	0.5%	100	0.5%	0.5%
2	2	44	0.1%	0.2%	44	0.2%	0.2%
3	3	83	0.3%	0.4%	83	0.4%	0.4%
4	4	3	0.0%	0.0%	3	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMOLN Type: Numeric

Label:
NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 22

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMOPV Type: Numeric

Label: NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 20

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	20930	70.0%	98.8%	20798	98.8%	98.8%
1	1	41	0.1%	0.2%	40	0.2%	0.2%
2	2	39	0.1%	0.2%	38	0.2%	0.2%
3	3	154	0.5%	0.7%	152	0.7%	0.7%
4	4	12	0.0%	0.1%	12	0.1%	0.1%
5	5	4	0.0%	0.0%	4	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMPCC Type: Numeric

Label:
NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 70

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	2285	7.6%	10.8%	2251	10.7%	10.7%
1	1	665	2.2%	3.1%	634	3.0%	3.0%
2	2	1085	3.6%	5.1%	1060	5.0%	5.0%
3	3	3884	13.0%	18.3%	3856	18.3%	18.3%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCC Type: Numeric

Label:
NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 70

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
4	4	13139	44.0%	62.0%	13122	62.4%	62.4%
5	5	120	0.4%	0.6%	119	0.6%	0.6%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMPCN Type: Numeric

Label:
NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 72

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	19640	65.7%	92.7%	19509	92.7%	92.7%
1	1	522	1.7%	2.5%	522	2.5%	2.5%
2	2	154	0.5%	0.7%	152	0.7%	0.7%
3	3	269	0.9%	1.3%	269	1.3%	1.3%
4	4	590	2.0%	2.8%	587	2.8%	2.8%
5	5	4	0.0%	0.0%	4	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCP Type: Numeric

Label:
NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 71

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	20868	69.8%	98.5%	20734	98.5%	98.5%
1	1	52	0.2%	0.2%	51	0.2%	0.2%
2	2	27	0.1%	0.1%	27	0.1%	0.1%
3	3	62	0.2%	0.3%	61	0.3%	0.3%
4	4	170	0.6%	0.8%	170	0.8%	0.8%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMPCV Type: Numeric

Label:
NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 70, 71, or 72

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	1176	3.9%	5.6%	1149	5.5%	5.5%
1	1	563	1.9%	2.7%	531	2.5%	2.5%
2	2	1024	3.4%	4.8%	997	4.7%	4.7%
3	3	3811	12.8%	18.0%	3782	18.0%	18.0%
4	4	14424	48.3%	68.1%	14404	68.4%	68.4%
5	5	177	0.6%	0.8%	176	0.8%	0.8%
6	6	4	0.0%	0.0%	4	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPOL Type: Numeric

Label:
NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 08, 20, 21, or 22

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	484	1.6%	2.3%	458	2.2%	2.2%
1	1	288	1.0%	1.4%	261	1.2%	1.2%
2	2	835	2.8%	3.9%	805	3.8%	3.8%
3	3	18555	62.1%	87.6%	18505	87.9%	87.9%
4	4	976	3.3%	4.6%	973	4.6%	4.6%
5	5	33	0.1%	0.2%	33	0.2%	0.2%
6	6	7	0.0%	0.0%	7	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMRB Type: Numeric

Label:
NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type RB

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	21163	70.8%	99.9%	21027	99.9%	99.9%
1	1	17	0.1%	0.1%	17	0.1%	0.1%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMROT Type: Numeric

Label:
NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type RO

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	21175	70.9%	100.0%	21039	100.0%	100.0%
1	1	1	0.0%	0.0%	1	0.0%	0.0%
3	3	4	0.0%	0.0%	4	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMTPM Type: Numeric

Label: NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 02

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	20529	68.7%	96.9%	20399	96.9%	96.9%
1	1	150	0.5%	0.7%	148	0.7%	0.7%
2	2	78	0.3%	0.4%	77	0.4%	0.4%
3	3	160	0.5%	0.8%	157	0.7%	0.7%
4	4	261	0.9%	1.2%	261	1.2%	1.2%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMTPN Type: Numeric

Label:
NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 03 or DH

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	20919	70.0%	98.8%	20784	98.8%	98.8%
1	1	151	0.5%	0.7%	150	0.7%	0.7%
2	2	30	0.1%	0.1%	30	0.1%	0.1%
3	3	47	0.2%	0.2%	47	0.2%	0.2%
4	4	32	0.1%	0.2%	32	0.2%	0.2%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMVRC Type: Numeric

Label:
NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VA, VO, or VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	2266	7.6%	10.7%	2176	10.3%	10.3%
1	1	18791	62.9%	88.7%	18745	89.1%	89.1%
2	2	121	0.4%	0.6%	121	0.6%	0.6%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMVRN Type: Numeric

Label:
NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VA

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	20635	69.1%	97.4%	20500	97.4%	97.4%
1	1	544	1.8%	2.6%	543	2.6%	2.6%
2	2	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_NUMVRX Type: Numeric

Label:
NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VO

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	3218	10.8%	15.2%	3127	14.9%	14.9%
1	1	17863	59.8%	84.3%	17818	84.7%	84.7%
2	2	98	0.3%	0.5%	98	0.5%	0.5%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U12VRC Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS

Notes: Vaccine type VA, VO, or VM

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2492	8.3%	11.8%	2402	11.4%	11.4%
UTD	1	18688	62.5%	88.2%	18642	88.6%	88.6%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_UTD331 Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1

Notes: 3+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22) and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2266	7.6%	10.7%	2155	10.2%	10.2%
UTD	1	18914	63.3%	89.3%	18889	89.8%	89.8%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_UTD431 Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22) and 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3546	11.9%	16.7%	3419	16.2%	16.2%
UTD	1	17634	59.0%	83.3%	17625	83.8%	83.8%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDFL1 Type: Numeric

Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1

Notes: For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received at least one influenza vaccine during this period. (VACCINATED) For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received no influenza vaccine during this period. (NOT VACCINATED) Child falls into neither of the preceding categories. (NOT ELIGIBLE).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VACCINATED	1	4766	16.0%	22.5%	4756	22.6%	22.6%
NOT VACCINATED	2	8881	29.7%	41.9%	8790	41.8%	41.8%
NOT ELIGIBLE	3	7533	25.2%	35.6%	7498	35.6%	35.6%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_UTDFL2 Type: Numeric

Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2

Notes: For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and either (received no doses of influenza prior to 9/1/X-1, but then received two between 9/1/(X-1) and whichever is earlier, date of interview or 1/31/X) OR (received at least one dose of influenza vaccine prior to 9/1/X-1 and then received one during the period 9/1/X-1 and 12/31/X-1) (VACCINATED). For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), but does not qualify for the above definition. (NOT VACCINATED). For interviews conducted during year X (defined using the year variable associated with the quarter), child's age fell outside the span of 6 and 23 months at any point between 9/1/X-1 and 12/31/X-1. (NOT ELIGIBLE).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VACCINATED	1	3219	10.8%	15.2%	3214	15.3%	15.3%
NOT VACCINATED	2	10428	34.9%	49.2%	10332	49.1%	49.1%
NOT ELIGIBLE	3	7533	25.2%	35.6%	7498	35.6%	35.6%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDFL2 Type: Numeric

Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2

Notes: For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and either (received no doses of influenza prior to 9/1/X-1, but then received two between 9/1/(X-1) and whichever is earlier, date of interview or 1/31/X) OR (received at least one dose of influenza vaccine prior to 9/1/X-1 and then received one during the period 9/1/X-1 and 12/31/X-1) (VACCINATED). For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), but does not qualify for the above definition. (NOT VACCINATED). For interviews conducted during year X (defined using the year variable associated with the quarter), child's age fell outside the span of 6 and 23 months at any point between 9/1/X-1 and 12/31/X-1. (NOT ELIGIBLE).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_UTDHEP Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS

Notes: 3+ Hepatitis B-containing (08,43,60,HB,DH)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1540	5.2%	7.3%	1461	6.9%	6.9%
UTD	1	19640	65.7%	92.7%	19583	93.1%	93.1%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDHIB Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS

Notes: 3+ HIB-containing (05,07,43,44,HI)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1442	4.8%	6.8%	1356	6.4%	6.4%
UTD	1	19738	66.1%	93.2%	19688	93.6%	93.6%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_UTDMCV Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT

Notes: 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1491	5.0%	7.0%	1403	6.7%	6.7%
UTD	1	19689	65.9%	93.0%	19641	93.3%	93.3%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_UTDMMX Type: Numeric

Label: UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT

Notes: 1+ MMR combo shot (30)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1721	5.8%	8.1%	1633	7.8%	7.8%
UTD	1	19459	65.1%	91.9%	19411	92.2%	92.2%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDPC3 Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS

Notes: 3+ Pneumococcal-containing (70,71,72)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2763	9.2%	13.0%	2677	12.7%	12.7%
UTD	1	18417	61.6%	87.0%	18367	87.3%	87.3%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_UTDPCV Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS

Notes: 4+ Pneumococcal-containing (70,71,72)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	6574	22.0%	31.0%	6459	30.7%	30.7%
UTD	1	14606	48.9%	69.0%	14585	69.3%	69.3%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_UTDPOL Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS

Notes: 3+ Polio-containing (08,20,21,22)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1607	5.4%	7.6%	1524	7.2%	7.2%
UTD	1	19573	65.5%	92.4%	19520	92.8%	92.8%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDTP3 Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS

Notes: 3+ DT-containing (01,02,03,04,05,07,08,DH)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	954	3.2%	4.5%	885	4.2%	4.2%
UTD	1	20226	67.7%	95.5%	20159	95.8%	95.8%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: P_UTDTP4 Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3080	10.3%	14.5%	2961	14.1%	14.1%
UTD	1	18100	60.6%	85.5%	18083	85.9%	85.9%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: PU431331 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (05,07,43,44,HI), 3+ Hepatitis B-containing (08,43,60,HB,DH), and 1+ Varicella-containing (VA,VO,VM) at age 12+ months

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4963	16.6%	23.4%	4827	22.9%	22.9%
UTD	1	16217	54.3%	76.6%	16217	77.1%	77.1%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: PUT43133 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3:3

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (05,07,43,44,HI), and 3+ Hepatitis B-containing (08,43,60,HB,DH)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	4091	13.7%	19.3%	3955	18.8%	18.8%
UTD	1	17089	57.2%	80.7%	17089	81.2%	81.2%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: PUTD4313 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (05,07,43,44,HI)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3736	12.5%	17.6%	3606	17.1%	17.1%
UTD	1	17444	58.4%	82.4%	17438	82.9%	82.9%
SUBTOTALS:		21180	70.9%	100.0%	21044	100.0%	100.0%
RESERVED CODES:							
MISSING	.	8700	29.1%	n/a	0	0.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20836	69.7%	100.0%	20723	98.5%	100.0%
RESERVED CODES:							
MISSING	.	9044	30.3%	n/a	321	1.5%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DDTP1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	74.8	64.0	0.0	982.0	54.6
Adequate Provider Data	74.7	64.0	0.0	982.0	54.1

Variable: DDTP2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20587	68.9%	100.0%	20499	97.4%	100.0%
RESERVED CODES:							
MISSING	.	9293	31.1%	n/a	545	2.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DDTP2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	145.0	128.0	42.0	1255.0	66.1
Adequate Provider Data	144.9	128.0	42.0	1255.0	65.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20270	67.8%	100.0%	20203	96.0%	100.0%
RESERVED CODES:							
MISSING	.	9610	32.2%	n/a	841	4.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DDTP3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	220.4	192.0	94.0	1169.0	88.1
Adequate Provider Data	220.4	192.0	101.0	1169.0	88.1

Variable: DDTP4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18362	61.5%	100.0%	18345	87.2%	100.0%
RESERVED CODES:							
MISSING	.	11518	38.5%	n/a	2699	12.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DDTP4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	519.2	495.0	159.0	1109.0	97.6
Adequate Provider Data	519.2	495.0	159.0	1109.0	97.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		266	0.9%	100.0%	266	1.3%	100.0%
RESERVED CODES:							
MISSING	.	29614	99.1%	n/a	20778	98.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DDTP5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	601.6	563.5	370.0	1132.0	148.7
Adequate Provider Data	601.6	563.5	370.0	1132.0	148.7

Variable: DDTP6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		11	0.0%	100.0%	11	0.1%	100.0%
RESERVED CODES:							
MISSING	.	29869	100.0%	n/a	21033	99.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DDTP6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	671.2	648.0	458.0	864.0	148.5
Adequate Provider Data	671.2	648.0	458.0	864.0	148.5

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DDTP7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29878	100.0%	n/a	21042	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DDTP7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	671.0	671.0	558.0	784.0	159.8
Adequate Provider Data	671.0	671.0	558.0	784.0	159.8

Variable: DDTP8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DDTP9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #1

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10637	35.6%	100.0%	10606	50.4%	100.0%
RESERVED CODES:							
MISSING	.	19243	64.4%	n/a	10438	49.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DFLU1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	379.1	366.0	0.0	1204.0	175.7
Adequate Provider Data	379.2	366.0	0.0	1204.0	175.5

Variable: DFLU2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #2

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6777	22.7%	100.0%	6758	32.1%	100.0%
RESERVED CODES:							
MISSING	.	23103	77.3%	n/a	14286	67.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DFLU2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	470.9	455.0	42.0	1174.0	190.5
Adequate Provider Data	471.0	455.0	42.0	1174.0	190.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #3

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2570	8.6%	100.0%	2567	12.2%	100.0%
RESERVED CODES:							
MISSING	.	27310	91.4%	n/a	18477	87.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DFLU3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	690.9	678.0	184.0	1152.0	150.8
Adequate Provider Data	690.9	678.0	184.0	1152.0	150.8

Variable: DFLU4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #4

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		221	0.7%	100.0%	220	1.0%	100.0%
RESERVED CODES:							
MISSING	.	29659	99.3%	n/a	20824	99.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DFLU4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	919.2	940.0	253.0	1168.0	155.2
Adequate Provider Data	918.4	940.0	253.0	1168.0	155.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #5

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8	0.0%	100.0%	8	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29872	100.0%	n/a	21036	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DFLU5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	854.3	934.5	472.0	1042.0	204.0
Adequate Provider Data	854.3	934.5	472.0	1042.0	204.0

Variable: DFLU6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #6

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DFLU7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #7

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DFLU8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #8

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DFLU9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #9

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DHEPA1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5605	18.8%	100.0%	5592	26.6%	100.0%
RESERVED CODES:							
MISSING	.	24275	81.2%	n/a	15452	73.4%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHEPA1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	707.4	735.0	4.0	1194.0	144.1
Adequate Provider Data	707.4	735.0	4.0	1194.0	144.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1012	3.4%	100.0%	1009	4.8%	100.0%
RESERVED CODES:							
MISSING	.	28868	96.6%	n/a	20035	95.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHEPA2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	881.7	922.0	122.0	1185.0	156.9
Adequate Provider Data	881.3	922.0	122.0	1185.0	156.9

Variable: DHEPA3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		7	0.0%	100.0%	7	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29873	100.0%	n/a	21037	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHEPA3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	898.0	928.0	551.0	1142.0	204.8
Adequate Provider Data	898.0	928.0	551.0	1142.0	204.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DHEPA5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DHEPA6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPA7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DHEPA8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DHEPA9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20826	69.7%	100.0%	20702	98.4%	100.0%
RESERVED CODES:							
MISSING	.	9054	30.3%	n/a	342	1.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHEPB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	32.3	2.0	0.0	1180.0	63.8
Adequate Provider Data	32.3	2.0	0.0	1180.0	63.7

Variable: DHEPB2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20431	68.4%	100.0%	20343	96.7%	100.0%
RESERVED CODES:							
MISSING	.	9449	31.6%	n/a	701	3.3%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHEPB2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	103.2	72.0	17.0	1255.0	81.5
Adequate Provider Data	103.2	72.0	17.0	1255.0	81.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19685	65.9%	100.0%	19628	93.3%	100.0%
RESERVED CODES:							
MISSING	.	10195	34.1%	n/a	1416	6.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHEPB3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	249.5	200.0	53.0	1169.0	127.9
Adequate Provider Data	249.6	200.0	53.0	1169.0	128.0

Variable: DHEPB4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5091	17.0%	100.0%	5075	24.1%	100.0%
RESERVED CODES:							
MISSING	.	24789	83.0%	n/a	15969	75.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHEPB4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	266.6	199.0	97.0	1145.0	135.5
Adequate Provider Data	266.7	199.0	97.0	1145.0	135.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		219	0.7%	100.0%	219	1.0%	100.0%
RESERVED CODES:							
MISSING	.	29661	99.3%	n/a	20825	99.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHEPB5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	464.4	461.0	166.0	1059.0	158.8
Adequate Provider Data	464.4	461.0	166.0	1059.0	158.8

Variable: DHEPB6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10	0.0%	100.0%	10	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29870	100.0%	n/a	21034	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHEPB6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	583.3	568.0	265.0	879.0	189.0
Adequate Provider Data	583.3	568.0	265.0	879.0	189.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHEPB7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	473.0	473.0	473.0	473.0	.
Adequate Provider Data	473.0	473.0	473.0	473.0	.

Variable: DHEPB8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHEPB8 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	530.0	530.0	530.0	530.0	.
Adequate Provider Data	530.0	530.0	530.0	530.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHEPB9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DHIB1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20770	69.5%	100.0%	20656	98.2%	100.0%
RESERVED CODES:							
MISSING	.	9110	30.5%	n/a	388	1.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHIB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	75.8	64.0	0.0	993.0	57.0
Adequate Provider Data	75.6	64.0	0.0	993.0	56.4

Variable: DHIB2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20452	68.4%	100.0%	20368	96.8%	100.0%
RESERVED CODES:							
MISSING	.	9428	31.6%	n/a	676	3.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	145.7	128.0	42.0	1255.0	65.8
Adequate Provider Data	145.6	128.0	42.0	1255.0	65.3

Variable: DHIB3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19788	66.2%	100.0%	19738	93.8%	100.0%
RESERVED CODES:							
MISSING	.	10092	33.8%	n/a	1306	6.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHIB3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	281.1	207.0	102.0	1175.0	128.8
Adequate Provider Data	281.2	207.0	102.0	1175.0	128.9

Variable: DHIB4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		13055	43.7%	100.0%	13037	62.0%	100.0%
RESERVED CODES:							
MISSING	.	16825	56.3%	n/a	8007	38.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHIB4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	479.3	464.0	146.0	1191.0	99.9
Adequate Provider Data	479.4	464.0	146.0	1191.0	100.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		181	0.6%	100.0%	181	0.9%	100.0%
RESERVED CODES:							
MISSING	.	29699	99.4%	n/a	20863	99.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHIB5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	564.9	547.0	366.0	1097.0	153.2
Adequate Provider Data	564.9	547.0	366.0	1097.0	153.2

Variable: DHIB6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29875	100.0%	n/a	21039	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHIB6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	687.0	747.0	481.0	879.0	157.4
Adequate Provider Data	687.0	747.0	481.0	879.0	157.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DHIB7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DHIB7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	547.0	547.0	547.0	547.0	.
Adequate Provider Data	547.0	547.0	547.0	547.0	.

Variable: DHIB8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DHIB9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19794	66.2%	100.0%	19746	93.8%	100.0%
RESERVED CODES:							
MISSING	.	10086	33.8%	n/a	1298	6.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DMMR1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	426.0	387.0	0.0	1169.0	86.7
Adequate Provider Data	426.0	387.0	0.0	1169.0	86.7

Variable: DMMR2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		451	1.5%	100.0%	451	2.1%	100.0%
RESERVED CODES:							
MISSING	.	29429	98.5%	n/a	20593	97.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DMMR2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	637.7	604.0	249.0	1140.0	169.9
Adequate Provider Data	637.7	604.0	249.0	1140.0	169.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29878	100.0%	n/a	21042	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DMMR3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	550.0	550.0	448.0	652.0	144.2
Adequate Provider Data	550.0	550.0	448.0	652.0	144.2

Variable: DMMR4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DMMR5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DMMR7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DMMR8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMMR9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DMP1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		23	0.1%	100.0%	23	0.1%	100.0%
RESERVED CODES:							
MISSING	.	29857	99.9%	n/a	21021	99.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DMP1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	641.3	590.0	366.0	1116.0	197.2
Adequate Provider Data	641.3	590.0	366.0	1116.0	197.2

Variable: DMP2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DMP4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DMP5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DMP7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DMP8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMP9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DMPRB1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DMPRB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	729.0	729.0	729.0	729.0	.
Adequate Provider Data	729.0	729.0	729.0	729.0	.

Variable: DMPRB2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DMPRB4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DMPRB5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DMPRB7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DMPRB8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DPCV1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPCV. The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20014	67.0%	100.0%	19905	94.6%	100.0%
RESERVED CODES:							
MISSING	.	9866	33.0%	n/a	1139	5.4%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPCV1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	87.8	65.0	0.0	1110.0	83.3
Adequate Provider Data	87.5	65.0	0.0	1110.0	82.6

Variable: DPCV2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMPCV. The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19470	65.2%	100.0%	19393	92.2%	100.0%
RESERVED CODES:							
MISSING	.	10410	34.8%	n/a	1651	7.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	160.6	130.0	58.0	1255.0	90.5
Adequate Provider Data	160.5	130.0	58.0	1255.0	90.3

Variable: DPCV3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18474	61.8%	100.0%	18424	87.5%	100.0%
RESERVED CODES:							
MISSING	.	11406	38.2%	n/a	2620	12.5%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPCV3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	261.2	202.0	112.0	1107.0	121.7
Adequate Provider Data	261.2	202.0	112.0	1107.0	121.7

Variable: DPCV4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		14753	49.4%	100.0%	14732	70.0%	100.0%
RESERVED CODES:							
MISSING	.	15127	50.6%	n/a	6312	30.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPCV4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	468.4	459.0	180.0	1140.0	109.4
Adequate Provider Data	468.5	459.0	180.0	1140.0	109.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		193	0.6%	100.0%	192	0.9%	100.0%
RESERVED CODES:							
MISSING	.	29687	99.4%	n/a	20852	99.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPCV5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	586.1	552.0	273.0	1132.0	163.7
Adequate Provider Data	586.7	552.5	273.0	1132.0	163.8

Variable: DPCV6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29874	100.0%	n/a	21038	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPCV6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	633.7	559.5	494.0	888.0	158.0
Adequate Provider Data	633.7	559.5	494.0	888.0	158.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPCV7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPCV7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	558.0	558.0	558.0	558.0	.
Adequate Provider Data	558.0	558.0	558.0	558.0	.

Variable: DPCV8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DPCV9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20700	69.3%	100.0%	20590	97.8%	100.0%
RESERVED CODES:							
MISSING	.	9180	30.7%	n/a	454	2.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPOLIO1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	75.2	64.0	0.0	982.0	52.6
Adequate Provider Data	75.1	64.0	0.0	982.0	52.4

Variable: DPOLIO2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20421	68.3%	100.0%	20338	96.6%	100.0%
RESERVED CODES:							
MISSING	.	9459	31.7%	n/a	706	3.4%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPOLIO2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	147.3	128.0	38.0	1255.0	69.7
Adequate Provider Data	147.2	128.0	42.0	1255.0	69.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19679	65.9%	100.0%	19626	93.3%	100.0%
RESERVED CODES:							
MISSING	.	10201	34.1%	n/a	1418	6.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPOLIO3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	300.0	213.0	66.0	1169.0	155.2
Adequate Provider Data	300.2	213.0	72.0	1169.0	155.2

Variable: DPOLIO4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1038	3.5%	100.0%	1035	4.9%	100.0%
RESERVED CODES:							
MISSING	.	28842	96.5%	n/a	20009	95.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPOLIO4 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	494.2	477.5	94.0	1112.0	151.3
Adequate Provider Data	494.8	479.0	106.0	1112.0	151.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		42	0.1%	100.0%	42	0.2%	100.0%
RESERVED CODES:							
MISSING	.	29838	99.9%	n/a	21002	99.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPOLIO5 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	546.4	552.5	223.0	867.0	141.0
Adequate Provider Data	546.4	552.5	223.0	867.0	141.0

Variable: DPOLIO6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10	0.0%	100.0%	10	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29870	100.0%	n/a	21034	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPOLIO6 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	611.7	572.5	266.0	899.0	184.0
Adequate Provider Data	611.7	572.5	266.0	899.0	184.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29878	100.0%	n/a	21042	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPOLIO7 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	556.0	556.0	308.0	804.0	350.7
Adequate Provider Data	556.0	556.0	308.0	804.0	350.7

Variable: DPOLIO8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DPOLIO8 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	583.0	583.0	583.0	583.0	.
Adequate Provider Data	583.0	583.0	583.0	583.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DRB1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18	0.1%	100.0%	18	0.1%	100.0%
RESERVED CODES:							
MISSING	.	29862	99.9%	n/a	21026	99.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DRB1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	581.4	569.0	184.0	894.0	161.0
Adequate Provider Data	581.4	569.0	184.0	894.0	161.0

Variable: DRB2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DRB4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DRB5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DRB7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DRB8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DROT1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29875	100.0%	n/a	21039	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DROT1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	182.8	64.0	59.0	605.0	237.6
Adequate Provider Data	182.8	64.0	59.0	605.0	237.6

Variable: DROT2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29876	100.0%	n/a	21040	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	132.8	126.0	92.0	187.0	40.0
Adequate Provider Data	132.8	126.0	92.0	187.0	40.0

Variable: DROT3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29876	100.0%	n/a	21040	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DROT3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	233.5	191.0	134.0	418.0	126.0
Adequate Provider Data	233.5	191.0	134.0	418.0	126.0

Variable: DROT4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DROT6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DROT7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DROT8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DROT9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DTP1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20836	69.7%	100.0%	20723	98.5%	100.0%
RESERVED CODES:							
MISSING	.	9044	30.3%	n/a	321	1.5%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DTP1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.1	2.0	0.0	32.0	1.8
Adequate Provider Data	2.1	2.0	0.0	32.0	1.8

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20587	68.9%	100.0%	20499	97.4%	100.0%
RESERVED CODES:							
MISSING	.	9293	31.1%	n/a	545	2.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DTP2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	4.4	4.0	1.0	41.0	2.2
Adequate Provider Data	4.4	4.0	1.0	41.0	2.2

Variable: DTP3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20270	67.8%	100.0%	20203	96.0%	100.0%
RESERVED CODES:							
MISSING	.	9610	32.2%	n/a	841	4.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DTP3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	6.9	6.0	3.0	38.0	2.9
Adequate Provider Data	6.9	6.0	3.0	38.0	2.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18362	61.5%	100.0%	18345	87.2%	100.0%
RESERVED CODES:							
MISSING	.	11518	38.5%	n/a	2699	12.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DTP4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	16.7	16.0	5.0	36.0	3.2
Adequate Provider Data	16.7	16.0	5.0	36.0	3.2

Variable: DTP5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		266	0.9%	100.0%	266	1.3%	100.0%
RESERVED CODES:							
MISSING	.	29614	99.1%	n/a	20778	98.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DTP5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	19.3	18.0	12.0	37.0	4.9
Adequate Provider Data	19.3	18.0	12.0	37.0	4.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		11	0.0%	100.0%	11	0.1%	100.0%
RESERVED CODES:							
MISSING	.	29869	100.0%	n/a	21033	99.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DTP6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	21.6	21.0	15.0	28.0	4.9
Adequate Provider Data	21.6	21.0	15.0	28.0	4.9

Variable: DTP7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29878	100.0%	n/a	21042	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DTP7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	21.5	21.5	18.0	25.0	4.9
Adequate Provider Data	21.5	21.5	18.0	25.0	4.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DTP9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DVRC1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMVRC. The "age in days"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19051	63.8%	100.0%	19005	90.3%	100.0%
RESERVED CODES:							
MISSING	.	10829	36.2%	n/a	2039	9.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DVRC1 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	427.7	384.0	0.0	1169.0	97.4
Adequate Provider Data	427.6	384.0	0.0	1169.0	97.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC2 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		135	0.5%	100.0%	135	0.6%	100.0%
RESERVED CODES:							
MISSING	.	29745	99.5%	n/a	20909	99.4%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DVRC2 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	612.6	563.0	218.0	1138.0	182.3
Adequate Provider Data	612.6	563.0	218.0	1138.0	182.3

Variable: DVRC3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29878	100.0%	n/a	21042	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: DVRC3 Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	649.5	649.5	554.0	745.0	135.1
Adequate Provider Data	649.5	649.5	554.0	745.0	135.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DVRC5 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DVRC6 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DVRC7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DVRC8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: DVRC9 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10637	35.6%	100.0%	10606	50.4%	100.0%
RESERVED CODES:							
MISSING	.	19243	64.4%	n/a	10438	49.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: FLU1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	12.1	12.0	0.0	39.0	5.8
Adequate Provider Data	12.1	12.0	0.0	39.0	5.7

Variable: FLU2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6777	22.7%	100.0%	6758	32.1%	100.0%
RESERVED CODES:							
MISSING	.	23103	77.3%	n/a	14286	67.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: FLU2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	15.0	14.0	1.0	38.0	6.2
Adequate Provider Data	15.1	14.0	1.0	38.0	6.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2570	8.6%	100.0%	2567	12.2%	100.0%
RESERVED CODES:							
MISSING	.	27310	91.4%	n/a	18477	87.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: FLU3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	22.3	22.0	6.0	37.0	4.9
Adequate Provider Data	22.3	22.0	6.0	37.0	4.9

Variable: FLU4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		221	0.7%	100.0%	220	1.0%	100.0%
RESERVED CODES:							
MISSING	.	29659	99.3%	n/a	20824	99.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: FLU4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	29.7	30.0	8.0	38.0	5.1
Adequate Provider Data	29.7	30.0	8.0	38.0	5.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		8	0.0%	100.0%	8	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29872	100.0%	n/a	21036	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: FLU5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	27.5	30.5	15.0	34.0	6.7
Adequate Provider Data	27.5	30.5	15.0	34.0	6.7

Variable: FLU6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: FLU7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: FLU9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: HEA1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5605	18.8%	100.0%	5592	26.6%	100.0%
RESERVED CODES:							
MISSING	.	24275	81.2%	n/a	15452	73.4%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HEA1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	22.9	24.0	0.0	39.0	4.7
Adequate Provider Data	22.9	24.0	0.0	39.0	4.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1012	3.4%	100.0%	1009	4.8%	100.0%
RESERVED CODES:							
MISSING	.	28868	96.6%	n/a	20035	95.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HEA2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	28.6	30.0	3.0	38.0	5.1
Adequate Provider Data	28.5	30.0	3.0	38.0	5.1

Variable: HEA3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		7	0.0%	100.0%	7	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29873	100.0%	n/a	21037	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HEA3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	29.0	30.0	18.0	37.0	6.5
Adequate Provider Data	29.0	30.0	18.0	37.0	6.5

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: HEA5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: HEA6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: HEA8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: HEA9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20826	69.7%	100.0%	20702	98.4%	100.0%
RESERVED CODES:							
MISSING	.	9054	30.3%	n/a	342	1.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HEP1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	0.9	0.0	0.0	38.0	2.0
Adequate Provider Data	0.9	0.0	0.0	38.0	2.0

Variable: HEP2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20431	68.4%	100.0%	20343	96.7%	100.0%
RESERVED CODES:							
MISSING	.	9449	31.6%	n/a	701	3.3%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HEP2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	3.1	2.0	0.0	41.0	2.7
Adequate Provider Data	3.1	2.0	0.0	41.0	2.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19685	65.9%	100.0%	19628	93.3%	100.0%
RESERVED CODES:							
MISSING	.	10195	34.1%	n/a	1416	6.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HEP3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	7.8	6.0	1.0	38.0	4.2
Adequate Provider Data	7.8	6.0	1.0	38.0	4.2

Variable: HEP4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5091	17.0%	100.0%	5075	24.1%	100.0%
RESERVED CODES:							
MISSING	.	24789	83.0%	n/a	15969	75.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HEP4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	8.4	6.0	3.0	37.0	4.4
Adequate Provider Data	8.4	6.0	3.0	37.0	4.4

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		219	0.7%	100.0%	219	1.0%	100.0%
RESERVED CODES:							
MISSING	.	29661	99.3%	n/a	20825	99.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HEP5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	14.9	15.0	5.0	34.0	5.2
Adequate Provider Data	14.9	15.0	5.0	34.0	5.2

Variable: HEP6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10	0.0%	100.0%	10	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29870	100.0%	n/a	21034	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HEP6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	18.7	18.5	8.0	28.0	6.2
Adequate Provider Data	18.7	18.5	8.0	28.0	6.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HEP7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	15.0	15.0	15.0	15.0	.
Adequate Provider Data	15.0	15.0	15.0	15.0	.

Variable: HEP8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HEP8_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	17.0	17.0	17.0	17.0	.
Adequate Provider Data	17.0	17.0	17.0	17.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: HIB1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20770	69.5%	100.0%	20656	98.2%	100.0%
RESERVED CODES:							
MISSING	.	9110	30.5%	n/a	388	1.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HIB1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.2	2.0	0.0	32.0	1.9
Adequate Provider Data	2.2	2.0	0.0	32.0	1.9

Variable: HIB2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20452	68.4%	100.0%	20368	96.8%	100.0%
RESERVED CODES:							
MISSING	.	9428	31.6%	n/a	676	3.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	4.4	4.0	1.0	41.0	2.1
Adequate Provider Data	4.4	4.0	1.0	41.0	2.1

Variable: HIB3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19788	66.2%	100.0%	19738	93.8%	100.0%
RESERVED CODES:							
MISSING	.	10092	33.8%	n/a	1306	6.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HIB3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	8.9	6.0	3.0	38.0	4.2
Adequate Provider Data	8.9	6.0	3.0	38.0	4.2

Variable: HIB4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		13055	43.7%	100.0%	13037	62.0%	100.0%
RESERVED CODES:							
MISSING	.	16825	56.3%	n/a	8007	38.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HIB4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	15.4	15.0	4.0	39.0	3.2
Adequate Provider Data	15.4	15.0	4.0	39.0	3.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		181	0.6%	100.0%	181	0.9%	100.0%
RESERVED CODES:							
MISSING	.	29699	99.4%	n/a	20863	99.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HIB5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	18.2	17.0	12.0	36.0	5.0
Adequate Provider Data	18.2	17.0	12.0	36.0	5.0

Variable: HIB6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29875	100.0%	n/a	21039	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HIB6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	21.8	24.0	15.0	28.0	5.2
Adequate Provider Data	21.8	24.0	15.0	28.0	5.2

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: HIB7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	18.0	18.0	18.0	18.0	.
Adequate Provider Data	18.0	18.0	18.0	18.0	.

Variable: HIB8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: HIB9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19794	66.2%	100.0%	19746	93.8%	100.0%
RESERVED CODES:							
MISSING	.	10086	33.8%	n/a	1298	6.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: MMR1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	13.7	12.0	0.0	38.0	2.8
Adequate Provider Data	13.7	12.0	0.0	38.0	2.8

Variable: MMR2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		451	1.5%	100.0%	451	2.1%	100.0%
RESERVED CODES:							
MISSING	.	29429	98.5%	n/a	20593	97.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: MMR2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	20.6	19.0	8.0	37.0	5.6
Adequate Provider Data	20.6	19.0	8.0	37.0	5.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29878	100.0%	n/a	21042	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: MMR3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	17.5	17.5	14.0	21.0	4.9
Adequate Provider Data	17.5	17.5	14.0	21.0	4.9

Variable: MMR4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: MMR5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: MMR7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: MMR8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: MP1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		23	0.1%	100.0%	23	0.1%	100.0%
RESERVED CODES:							
MISSING	.	29857	99.9%	n/a	21021	99.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: MP1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	20.7	19.0	12.0	36.0	6.4
Adequate Provider Data	20.7	19.0	12.0	36.0	6.4

Variable: MP2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: MP4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: MP5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: MP7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: MP8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: MPR1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: MPR1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	23.0	23.0	23.0	23.0	.
Adequate Provider Data	23.0	23.0	23.0	23.0	.

Variable: MPR2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: MPR4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: MPR5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: MPR7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: MPR8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: PCV1_AGE Type: Numeric

Label:
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20014	67.0%	100.0%	19905	94.6%	100.0%
RESERVED CODES:							
MISSING	.	9866	33.0%	n/a	1139	5.4%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: PCV1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.5	2.0	0.0	36.0	2.7
Adequate Provider Data	2.5	2.0	0.0	36.0	2.7

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV2_AGE Type: Numeric

Label:
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19470	65.2%	100.0%	19393	92.2%	100.0%
RESERVED CODES:							
MISSING	.	10410	34.8%	n/a	1651	7.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: PCV2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	4.9	4.0	1.0	41.0	3.0
Adequate Provider Data	4.9	4.0	1.0	41.0	2.9

Variable: PCV3_AGE Type: Numeric

Label:
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18474	61.8%	100.0%	18424	87.5%	100.0%
RESERVED CODES:							
MISSING	.	11406	38.2%	n/a	2620	12.5%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: PCV3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	8.2	6.0	3.0	36.0	4.0
Adequate Provider Data	8.2	6.0	3.0	36.0	4.0

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV4_AGE Type: Numeric

Label:
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		14753	49.4%	100.0%	14732	70.0%	100.0%
RESERVED CODES:							
MISSING	.	15127	50.6%	n/a	6312	30.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: PCV4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	15.0	15.0	5.0	37.0	3.6
Adequate Provider Data	15.0	15.0	5.0	37.0	3.5

Variable: PCV5_AGE Type: Numeric

Label:
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		193	0.6%	100.0%	192	0.9%	100.0%
RESERVED CODES:							
MISSING	.	29687	99.4%	n/a	20852	99.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: PCV5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	18.8	18.0	8.0	37.0	5.3
Adequate Provider Data	18.8	18.0	8.0	37.0	5.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV6_AGE Type: Numeric

Label:
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29874	100.0%	n/a	21038	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: PCV6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	20.5	18.0	16.0	29.0	5.2
Adequate Provider Data	20.5	18.0	16.0	29.0	5.2

Variable: PCV7_AGE Type: Numeric

Label:
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: PCV7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	18.0	18.0	18.0	18.0	.
Adequate Provider Data	18.0	18.0	18.0	18.0	.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV8_AGE Type: Numeric

Label:
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: PCV9_AGE Type: Numeric

Label:
AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: POL1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20700	69.3%	100.0%	20590	97.8%	100.0%
RESERVED CODES:							
MISSING	.	9180	30.7%	n/a	454	2.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.1	2.0	0.0	32.0	1.7
Adequate Provider Data	2.1	2.0	0.0	32.0	1.7

Variable: POL2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		20421	68.3%	100.0%	20338	96.6%	100.0%
RESERVED CODES:							
MISSING	.	9459	31.7%	n/a	706	3.4%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: POL2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	4.5	4.0	1.0	41.0	2.3
Adequate Provider Data	4.5	4.0	1.0	41.0	2.3

Variable: POL3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19679	65.9%	100.0%	19626	93.3%	100.0%
RESERVED CODES:							
MISSING	.	10201	34.1%	n/a	1418	6.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: POL3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	9.5	7.0	2.0	38.0	5.1
Adequate Provider Data	9.5	7.0	2.0	38.0	5.1

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1038	3.5%	100.0%	1035	4.9%	100.0%
RESERVED CODES:							
MISSING	.	28842	96.5%	n/a	20009	95.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: POL4_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	15.8	15.0	3.0	36.0	5.0
Adequate Provider Data	15.8	15.0	3.0	36.0	4.9

Variable: POL5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		42	0.1%	100.0%	42	0.2%	100.0%
RESERVED CODES:							
MISSING	.	29838	99.9%	n/a	21002	99.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: POL5_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	17.5	18.0	7.0	28.0	4.6
Adequate Provider Data	17.5	18.0	7.0	28.0	4.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		10	0.0%	100.0%	10	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29870	100.0%	n/a	21034	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: POL6_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	19.6	18.5	8.0	29.0	6.0
Adequate Provider Data	19.6	18.5	8.0	29.0	6.0

Variable: POL7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29878	100.0%	n/a	21042	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: POL7_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	18.0	18.0	10.0	26.0	11.3
Adequate Provider Data	18.0	18.0	10.0	26.0	11.3

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: POL8_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	19.0	19.0	19.0	19.0	.
Adequate Provider Data	19.0	19.0	19.0	19.0	.

Variable: POL9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: RB1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		18	0.1%	100.0%	18	0.1%	100.0%
RESERVED CODES:							
MISSING	.	29862	99.9%	n/a	21026	99.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	18.6	18.0	6.0	29.0	5.2
Adequate Provider Data	18.6	18.0	6.0	29.0	5.2

Variable: RB2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: RB3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: RB4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: RB6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: RB7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: RB9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: ROT1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29875	100.0%	n/a	21039	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: ROT1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	5.6	2.0	1.0	19.0	7.6
Adequate Provider Data	5.6	2.0	1.0	19.0	7.6

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29876	100.0%	n/a	21040	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: ROT2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	4.0	3.5	3.0	6.0	1.4
Adequate Provider Data	4.0	3.5	3.0	6.0	1.4

Variable: ROT3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		4	0.0%	100.0%	4	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29876	100.0%	n/a	21040	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: ROT3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	7.3	6.0	4.0	13.0	3.9
Adequate Provider Data	7.3	6.0	4.0	13.0	3.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: ROT5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: ROT6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: ROT8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: ROT9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		19051	63.8%	100.0%	19005	90.3%	100.0%
RESERVED CODES:							
MISSING	.	10829	36.2%	n/a	2039	9.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: VRC1_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	13.7	12.0	0.0	38.0	3.2
Adequate Provider Data	13.7	12.0	0.0	38.0	3.2

Variable: VRC2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		135	0.5%	100.0%	135	0.6%	100.0%
RESERVED CODES:							
MISSING	.	29745	99.5%	n/a	20909	99.4%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: VRC2_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	19.7	18.0	7.0	37.0	5.9
Adequate Provider Data	19.7	18.0	7.0	37.0	5.9

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING	.	29878	100.0%	n/a	21042	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: VRC3_AGE Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	21.0	21.0	18.0	24.0	4.2
Adequate Provider Data	21.0	21.0	18.0	24.0	4.2

Variable: VRC4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: VRC5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: VRC7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: VRC8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.
The "age in months"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING	.	29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: XDTPTY1 Type: Character

Label: DT-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code"
variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	7	0.0%	0.0%	7	0.0%	0.0%
DTP	02	478	1.6%	2.3%	473	2.2%	2.3%
DTP-UNKNOWN	03	138	0.5%	0.7%	137	0.7%	0.7%
DTAP	04	12184	40.8%	58.5%	12121	57.6%	58.5%
DTP-HIB	05	10	0.0%	0.0%	10	0.0%	0.0%
DTAP-HIB	07	83	0.3%	0.4%	82	0.4%	0.4%
DTAP-HEPB-IPV	08	7936	26.6%	38.1%	7893	37.5%	38.1%
SUBTOTALS:		20836	69.7%	100.0%	20723	98.5%	100.0%
RESERVED CODES:							
MISSING		9044	30.3%	n/a	321	1.5%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY2 Type: Character

Label: DT-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	5	0.0%	0.0%	5	0.0%	0.0%
DTP	02	489	1.6%	2.4%	484	2.3%	2.4%
DTP-UNKNOWN	03	117	0.4%	0.6%	117	0.6%	0.6%
DTAP	04	12660	42.4%	61.5%	12604	59.9%	61.5%
DTP-HIB	05	11	0.0%	0.1%	11	0.1%	0.1%
DTAP-HIB	07	100	0.3%	0.5%	99	0.5%	0.5%
DTAP-HEPB-IPV	08	7205	24.1%	35.0%	7179	34.1%	35.0%
SUBTOTALS:		20587	68.9%	100.0%	20499	97.4%	100.0%
RESERVED CODES:							
MISSING		9293	31.1%	n/a	545	2.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XDTPTY3 Type: Character

Label: DT-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	3	0.0%	0.0%	3	0.0%	0.0%
DTP	02	458	1.5%	2.3%	455	2.2%	2.3%
DTP-UNKNOWN	03	93	0.3%	0.5%	93	0.4%	0.5%
DTAP	04	12105	40.5%	59.7%	12070	57.4%	59.7%
DTP-HIB	05	11	0.0%	0.1%	11	0.1%	0.1%
DTAP-HIB	07	111	0.4%	0.5%	111	0.5%	0.5%
DTAP-HEPB-IPV	08	7489	25.1%	36.9%	7460	35.4%	36.9%
SUBTOTALS:		20270	67.8%	100.0%	20203	96.0%	100.0%
RESERVED CODES:							
MISSING		9610	32.2%	n/a	841	4.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY4 Type: Character

Label: DT-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DT	01	4	0.0%	0.0%	4	0.0%	0.0%
DTP	02	418	1.4%	2.3%	418	2.0%	2.3%
DTP-UNKNOWN	03	138	0.5%	0.8%	138	0.7%	0.8%
DTAP	04	15264	51.1%	83.1%	15248	72.5%	83.1%
DTP-HIB	05	31	0.1%	0.2%	31	0.1%	0.2%
DTAP-HIB	07	2125	7.1%	11.6%	2124	10.1%	11.6%
DTAP-HEPB-IPV	08	382	1.3%	2.1%	382	1.8%	2.1%
SUBTOTALS:		18362	61.5%	100.0%	18345	87.2%	100.0%
RESERVED CODES:							
MISSING		11518	38.5%	n/a	2699	12.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XDTPTY5 Type: Character

Label: DT-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP	02	5	0.0%	1.9%	5	0.0%	1.9%
DTP-UNKNOWN	03	5	0.0%	1.9%	5	0.0%	1.9%
DTAP	04	205	0.7%	77.1%	205	1.0%	77.1%
DTAP-HIB	07	26	0.1%	9.8%	26	0.1%	9.8%
DTAP-HEPB-IPV	08	25	0.1%	9.4%	25	0.1%	9.4%
SUBTOTALS:		266	0.9%	100.0%	266	1.3%	100.0%
RESERVED CODES:							
MISSING		29614	99.1%	n/a	20778	98.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY6 Type: Character

Label: DT-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP	02	1	0.0%	9.1%	1	0.0%	9.1%
DTAP	04	4	0.0%	36.4%	4	0.0%	36.4%
DTAP-HIB	07	1	0.0%	9.1%	1	0.0%	9.1%
DTAP-HEPB-IPV	08	5	0.0%	45.5%	5	0.0%	45.5%
SUBTOTALS:		11	0.0%	100.0%	11	0.1%	100.0%
RESERVED CODES:							
MISSING		29869	100.0%	n/a	21033	99.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XDTPTY7 Type: Character

Label: DT-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP	04	2	0.0%	100.0%	2	0.0%	100.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		29878	100.0%	n/a	21042	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XDTPTY8 Type: Character

Label: DT-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY9 Type: Character

Label: DT-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: XHEPTY1 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	3390	11.3%	16.3%	3372	16.0%	16.3%
HEPB-HIB	43	2426	8.1%	11.6%	2413	11.5%	11.7%
HEPB ONLY	60	14949	50.0%	71.8%	14857	70.6%	71.8%
HEPB-UNKNOWN	HB	61	0.2%	0.3%	60	0.3%	0.3%
SUBTOTALS:		20826	69.7%	100.0%	20702	98.4%	100.0%
RESERVED CODES:							
MISSING		9054	30.3%	n/a	342	1.6%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XHEPTY2 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7980	26.7%	39.1%	7941	37.7%	39.0%
HEPB-HIB	43	3927	13.1%	19.2%	3915	18.6%	19.2%
HEPB ONLY	60	8396	28.1%	41.1%	8360	39.7%	41.1%
HEPB-UNKNOWN	HB	128	0.4%	0.6%	127	0.6%	0.6%
SUBTOTALS:		20431	68.4%	100.0%	20343	96.7%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY2 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		9449	31.6%	n/a	701	3.3%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XHEPTY3 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7917	26.5%	40.2%	7887	37.5%	40.2%
HEPB-HIB	43	3505	11.7%	17.8%	3499	16.6%	17.8%
HEPB ONLY	60	8165	27.3%	41.5%	8144	38.7%	41.5%
HEPB-UNKNOWN	HB	98	0.3%	0.5%	98	0.5%	0.5%
SUBTOTALS:		19685	65.9%	100.0%	19628	93.3%	100.0%
RESERVED CODES:							
MISSING		10195	34.1%	n/a	1416	6.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XHEPTY4 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	3634	12.2%	71.4%	3623	17.2%	71.4%
HEPB-HIB	43	624	2.1%	12.3%	623	3.0%	12.3%
HEPB ONLY	60	806	2.7%	15.8%	802	3.8%	15.8%
HEPB-UNKNOWN	HB	27	0.1%	0.5%	27	0.1%	0.5%
SUBTOTALS:		5091	17.0%	100.0%	5075	24.1%	100.0%
RESERVED CODES:							
MISSING		24789	83.0%	n/a	15969	75.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY5 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	121	0.4%	55.3%	121	0.6%	55.3%
HEPB-HIB	43	32	0.1%	14.6%	32	0.2%	14.6%
HEPB ONLY	60	65	0.2%	29.7%	65	0.3%	29.7%
HEPB-UNKNOWN	HB	1	0.0%	0.5%	1	0.0%	0.5%
SUBTOTALS:		219	0.7%	100.0%	219	1.0%	100.0%
RESERVED CODES:							
MISSING		29661	99.3%	n/a	20825	99.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XHEPTY6 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7	0.0%	70.0%	7	0.0%	70.0%
HEPB-HIB	43	2	0.0%	20.0%	2	0.0%	20.0%
HEPB ONLY	60	1	0.0%	10.0%	1	0.0%	10.0%
SUBTOTALS:		10	0.0%	100.0%	10	0.0%	100.0%
RESERVED CODES:							
MISSING		29870	100.0%	n/a	21034	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XHEPTY7 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY7 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XHEPTY8 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XHEPTY9 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY1 Type: Character

Label: HIB-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-HIB	05	10	0.0%	0.0%	10	0.0%	0.0%
DTAP-HIB	07	90	0.3%	0.4%	89	0.4%	0.4%
HEPB-HIB	43	4004	13.4%	19.3%	3982	18.9%	19.3%
HIB ONLY	44	16484	55.2%	79.4%	16393	77.9%	79.4%
HIB-UNKNOWN	HI	182	0.6%	0.9%	182	0.9%	0.9%
SUBTOTALS:		20770	69.5%	100.0%	20656	98.2%	100.0%
RESERVED CODES:							
MISSING		9110	30.5%	n/a	388	1.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XHIBTY2 Type: Character

Label: HIB-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-HIB	05	11	0.0%	0.1%	11	0.1%	0.1%
DTAP-HIB	07	109	0.4%	0.5%	108	0.5%	0.5%
HEPB-HIB	43	2949	9.9%	14.4%	2944	14.0%	14.5%
HIB ONLY	44	17222	57.6%	84.2%	17144	81.5%	84.2%
HIB-UNKNOWN	HI	161	0.5%	0.8%	161	0.8%	0.8%
SUBTOTALS:		20452	68.4%	100.0%	20368	96.8%	100.0%
RESERVED CODES:							
MISSING		9428	31.6%	n/a	676	3.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY3 Type: Character

Label: HIB-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-HIB	05	17	0.1%	0.1%	17	0.1%	0.1%
DTAP-HIB	07	393	1.3%	2.0%	393	1.9%	2.0%
HEPB-HIB	43	3219	10.8%	16.3%	3215	15.3%	16.3%
HIB ONLY	44	16022	53.6%	81.0%	15976	75.9%	80.9%
HIB-UNKNOWN	HI	137	0.5%	0.7%	137	0.7%	0.7%
SUBTOTALS:		19788	66.2%	100.0%	19738	93.8%	100.0%
RESERVED CODES:							
MISSING		10092	33.8%	n/a	1306	6.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XHIBTY4 Type: Character

Label: HIB-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTP-HIB	05	25	0.1%	0.2%	25	0.1%	0.2%
DTAP-HIB	07	1825	6.1%	14.0%	1824	8.7%	14.0%
HEPB-HIB	43	333	1.1%	2.6%	332	1.6%	2.5%
HIB ONLY	44	10735	35.9%	82.2%	10719	50.9%	82.2%
HIB-UNKNOWN	HI	137	0.5%	1.0%	137	0.7%	1.1%
SUBTOTALS:		13055	43.7%	100.0%	13037	62.0%	100.0%
RESERVED CODES:							
MISSING		16825	56.3%	n/a	8007	38.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY5 Type: Character

Label: HIB-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	28	0.1%	15.5%	28	0.1%	15.5%
HEPB-HIB	43	8	0.0%	4.4%	8	0.0%	4.4%
HIB ONLY	44	141	0.5%	77.9%	141	0.7%	77.9%
HIB-UNKNOWN	HI	4	0.0%	2.2%	4	0.0%	2.2%
SUBTOTALS:		181	0.6%	100.0%	181	0.9%	100.0%
RESERVED CODES:							
MISSING		29699	99.4%	n/a	20863	99.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XHIBTY6 Type: Character

Label: HIB-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HIB	07	1	0.0%	20.0%	1	0.0%	20.0%
HEPB-HIB	43	1	0.0%	20.0%	1	0.0%	20.0%
HIB ONLY	44	3	0.0%	60.0%	3	0.0%	60.0%
SUBTOTALS:		5	0.0%	100.0%	5	0.0%	100.0%
RESERVED CODES:							
MISSING		29875	100.0%	n/a	21039	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XHIBTY7 Type: Character

Label: HIB-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HEPB-HIB	43	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY7 Type: Character

Label: HIB-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XHIBTY8 Type: Character

Label: HIB-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: XHIBTY9 Type: Character

Label: HIB-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY1 Type: Character

Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR	30	19104	63.9%	96.5%	19056	90.6%	96.5%
MEASLES ONLY	31	77	0.3%	0.4%	77	0.4%	0.4%
MCV-UNKNOWN	MM	182	0.6%	0.9%	182	0.9%	0.9%
MMR-VARICELLA	VM	431	1.4%	2.2%	431	2.0%	2.2%
SUBTOTALS:		19794	66.2%	100.0%	19746	93.8%	100.0%
RESERVED CODES:							
MISSING		10086	33.8%	n/a	1298	6.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XMMRTY2 Type: Character

Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR	30	412	1.4%	91.4%	412	2.0%	91.4%
MEASLES ONLY	31	2	0.0%	0.4%	2	0.0%	0.4%
MCV-UNKNOWN	MM	15	0.1%	3.3%	15	0.1%	3.3%
MMR-VARICELLA	VM	22	0.1%	4.9%	22	0.1%	4.9%
SUBTOTALS:		451	1.5%	100.0%	451	2.1%	100.0%
RESERVED CODES:							
MISSING		29429	98.5%	n/a	20593	97.9%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY3 Type: Character

Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MMR	30	2	0.0%	100.0%	2	0.0%	100.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		29878	100.0%	n/a	21042	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XMMRTY4 Type: Character

Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: XMMRTY5 Type: Character

Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY6 Type: Character

Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: XMMRTY7 Type: Character

Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: XMMRTY8 Type: Character

Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XMMRTY9 Type: Character

Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: XPCVTY1 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	18679	62.5%	93.3%	18577	88.3%	93.3%
POLYSACCHARIDE	71	267	0.9%	1.3%	265	1.3%	1.3%
PCV-UNKNOWN	72	1068	3.6%	5.3%	1063	5.1%	5.3%
SUBTOTALS:		20014	67.0%	100.0%	19905	94.6%	100.0%
RESERVED CODES:							
MISSING		9866	33.0%	n/a	1139	5.4%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XPCVTY2 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	18194	60.9%	93.4%	18123	86.1%	93.5%
POLYSACCHARIDE	71	259	0.9%	1.3%	258	1.2%	1.3%
PCV-UNKNOWN	72	1017	3.4%	5.2%	1012	4.8%	5.2%
SUBTOTALS:		19470	65.2%	100.0%	19393	92.2%	100.0%
RESERVED CODES:							
MISSING		10410	34.8%	n/a	1651	7.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY3 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	17278	57.8%	93.5%	17232	81.9%	93.5%
POLYSACCHARIDE	71	249	0.8%	1.3%	248	1.2%	1.3%
PCV-UNKNOWN	72	947	3.2%	5.1%	944	4.5%	5.1%
SUBTOTALS:		18474	61.8%	100.0%	18424	87.5%	100.0%
RESERVED CODES:							
MISSING		11406	38.2%	n/a	2620	12.5%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XPCVTY4 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	13576	45.4%	92.0%	13558	64.4%	92.0%
POLYSACCHARIDE	71	195	0.7%	1.3%	195	0.9%	1.3%
PCV-UNKNOWN	72	982	3.3%	6.7%	979	4.7%	6.6%
SUBTOTALS:		14753	49.4%	100.0%	14732	70.0%	100.0%
RESERVED CODES:							
MISSING		15127	50.6%	n/a	6312	30.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XPCVTY5 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	152	0.5%	78.8%	151	0.7%	78.6%
POLYSACCHARIDE	71	13	0.0%	6.7%	13	0.1%	6.8%
PCV-UNKNOWN	72	28	0.1%	14.5%	28	0.1%	14.6%
SUBTOTALS:		193	0.6%	100.0%	192	0.9%	100.0%
RESERVED CODES:							

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY5 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		29687	99.4%	n/a	20852	99.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XPCVTY6 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CONJUGATE	70	4	0.0%	66.7%	4	0.0%	66.7%
PCV-UNKNOWN	72	2	0.0%	33.3%	2	0.0%	33.3%
SUBTOTALS:		6	0.0%	100.0%	6	0.0%	100.0%
RESERVED CODES:							
MISSING		29874	100.0%	n/a	21038	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XPCVTY7 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
PCV-UNKNOWN	72	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY8 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: XPCVTY9 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: XPOLTY1 Type: Character

Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7962	26.6%	38.5%	7918	37.6%	38.5%
OPV	20	211	0.7%	1.0%	207	1.0%	1.0%
IPV	21	12361	41.4%	59.7%	12299	58.4%	59.7%
POLIO-UNKNOWN	22	166	0.6%	0.8%	166	0.8%	0.8%
SUBTOTALS:		20700	69.3%	100.0%	20590	97.8%	100.0%
RESERVED CODES:							
MISSING		9180	30.7%	n/a	454	2.2%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY2 Type: Character

Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7285	24.4%	35.7%	7258	34.5%	35.7%
OPV	20	216	0.7%	1.1%	213	1.0%	1.0%
IPV	21	12783	42.8%	62.6%	12731	60.5%	62.6%
POLIO-UNKNOWN	22	137	0.5%	0.7%	136	0.6%	0.7%
SUBTOTALS:		20421	68.3%	100.0%	20338	96.6%	100.0%
RESERVED CODES:							
MISSING		9459	31.7%	n/a	706	3.4%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XPOLTY3 Type: Character

Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	7513	25.1%	38.2%	7486	35.6%	38.1%
OPV	20	196	0.7%	1.0%	194	0.9%	1.0%
IPV	21	11857	39.7%	60.3%	11833	56.2%	60.3%
POLIO-UNKNOWN	22	113	0.4%	0.6%	113	0.5%	0.6%
SUBTOTALS:		19679	65.9%	100.0%	19626	93.3%	100.0%
RESERVED CODES:							
MISSING		10201	34.1%	n/a	1418	6.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY4 Type: Character

Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	267	0.9%	25.7%	267	1.3%	25.8%
OPV	20	22	0.1%	2.1%	22	0.1%	2.1%
IPV	21	713	2.4%	68.7%	710	3.4%	68.6%
POLIO-UNKNOWN	22	36	0.1%	3.5%	36	0.2%	3.5%
SUBTOTALS:		1038	3.5%	100.0%	1035	4.9%	100.0%
RESERVED CODES:							
MISSING		28842	96.5%	n/a	20009	95.1%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XPOLTY5 Type: Character

Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	15	0.1%	35.7%	15	0.1%	35.7%
OPV	20	4	0.0%	9.5%	4	0.0%	9.5%
IPV	21	19	0.1%	45.2%	19	0.1%	45.2%
POLIO-UNKNOWN	22	4	0.0%	9.5%	4	0.0%	9.5%
SUBTOTALS:		42	0.1%	100.0%	42	0.2%	100.0%
RESERVED CODES:							
MISSING		29838	99.9%	n/a	21002	99.8%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY6 Type: Character

Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	3	0.0%	30.0%	3	0.0%	30.0%
OPV	20	1	0.0%	10.0%	1	0.0%	10.0%
IPV	21	5	0.0%	50.0%	5	0.0%	50.0%
POLIO-UNKNOWN	22	1	0.0%	10.0%	1	0.0%	10.0%
SUBTOTALS:		10	0.0%	100.0%	10	0.0%	100.0%
RESERVED CODES:							
MISSING		29870	100.0%	n/a	21034	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XPOLTY7 Type: Character

Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DTAP-HEPB-IPV	08	1	0.0%	50.0%	1	0.0%	50.0%
POLIO-UNKNOWN	22	1	0.0%	50.0%	1	0.0%	50.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		29878	100.0%	n/a	21042	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XPOLTY8 Type: Character

Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
POLIO-UNKNOWN	22	1	0.0%	100.0%	1	0.0%	100.0%
SUBTOTALS:		1	0.0%	100.0%	1	0.0%	100.0%
RESERVED CODES:							
MISSING		29879	100.0%	n/a	21043	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPOLTY9 Type: Character

Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: XVRCTY1 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	550	1.8%	2.9%	549	2.6%	2.9%
MMR-VARICELLA	VM	436	1.5%	2.3%	436	2.1%	2.3%
VARICELLA-ONLY	VO	18065	60.5%	94.8%	18020	85.6%	94.8%
SUBTOTALS:		19051	63.8%	100.0%	19005	90.3%	100.0%
RESERVED CODES:							
MISSING		10829	36.2%	n/a	2039	9.7%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XVRCTY2 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VARICELLA-UNKNOWN	VA	5	0.0%	3.7%	5	0.0%	3.7%
MMR-VARICELLA	VM	17	0.1%	12.6%	17	0.1%	12.6%
VARICELLA-ONLY	VO	113	0.4%	83.7%	113	0.5%	83.7%
SUBTOTALS:		135	0.5%	100.0%	135	0.6%	100.0%
RESERVED CODES:							
MISSING		29745	99.5%	n/a	20909	99.4%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY3 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
VARICELLA-ONLY	VO	2	0.0%	100.0%	2	0.0%	100.0%
SUBTOTALS:		2	0.0%	100.0%	2	0.0%	100.0%
RESERVED CODES:							
MISSING		29878	100.0%	n/a	21042	100.0%	n/a
TOTALS:		29880	100.0%	100.0%	21044	100.0%	100.0%

Variable: XVRCTY4 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: XVRCTY5 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY6 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: XVRCTY7 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

Variable: XVRCTY8 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY9 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		0	0.0%	n/a	0	0.0%	n/a
RESERVED CODES:							
MISSING		29880	100.0%	n/a	21044	100.0%	n/a
TOTALS:		29880	100.0%	n/a	21044	100.0%	n/a

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
AGECPOXR	55	55	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
AGEGRP	89	89	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BFENDFL06	114	114	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	115	115	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BF_ENDR06	90	97	3	DURATION OF BREAST FEEDING IN DAYS (TOPCODE)
BF_EXCLR06	98	105	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (TOPCODE)
BF_FORMR06	106	113	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (TOPCODE)
C1R	116	116	3	NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE)
C5R	117	118	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	119	120	3	WAS CHILD EVER BREAST FED OR FED BREAST MILK?
CEN_REG	121	121	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	122	122	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	123	124	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	125	125	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
D6R	162	162	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE)
D7	163	163	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DDTP1	230	232	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	233	236	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	237	240	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	241	244	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	245	248	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	249	251	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	252	254	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	255	255	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	256	256	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	257	260	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #1
DFLU2	261	264	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #2
DFLU3	265	268	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #3
DFLU4	269	272	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #4
DFLU5	273	276	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #5
DFLU6	277	277	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #6
DFLU7	278	278	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #7
DFLU8	279	279	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #8
DFLU9	280	280	9	AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #9

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DHEPA1	281	284	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	285	288	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	289	292	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	293	293	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	294	294	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	295	295	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	296	296	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	297	297	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	298	298	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	299	302	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	303	306	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	307	310	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	311	314	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	315	318	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	319	321	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	322	324	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	325	327	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	328	328	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	329	331	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	332	335	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	336	339	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	340	343	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	344	347	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	348	350	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	351	353	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	354	354	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	355	355	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DISPCODE	164	165	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
DMMR1	356	359	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	360	363	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	364	366	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	367	367	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	368	368	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	369	369	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	370	370	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	371	371	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	372	372	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	373	376	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DMP2	377	377	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	378	378	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	379	379	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	380	380	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	381	381	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	382	382	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	383	383	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	384	384	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	385	387	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	388	388	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	389	389	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	390	390	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	391	391	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	392	392	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	393	393	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	394	394	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	395	395	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	396	399	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	400	403	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	404	407	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	408	411	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	412	415	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	416	418	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	419	421	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	422	422	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	423	423	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	424	426	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	427	430	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	431	434	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	435	438	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	439	441	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	442	444	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	445	447	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	448	450	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	451	451	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	452	454	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	455	455	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	456	456	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
DRB4	457	457	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	458	458	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	459	459	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	460	460	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	461	461	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	462	462	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	463	465	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	466	468	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	469	471	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	472	472	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	473	473	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	474	474	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	475	475	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	476	476	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	477	477	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	478	479	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	480	481	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	482	483	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	484	485	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	486	487	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	488	489	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	490	491	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	492	492	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	493	493	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	494	497	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	498	501	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	502	504	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	505	505	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	506	506	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	507	507	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	508	508	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	509	509	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	510	510	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
EDUC1	126	126	3	EDUCATION OF MOTHER CATEGORIES (RECODE)
ESTIAP06	157	159	4	ESTIMATION IAP AREA OF RESIDENCE
FLU1_AGE	511	512	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #1
FLU2_AGE	513	514	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #2
FLU3_AGE	515	516	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #3

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
FLU4_AGE	517	518	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #4
FLU5_AGE	519	520	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #5
FLU6_AGE	521	521	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #6
FLU7_AGE	522	522	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #7
FLU8_AGE	523	523	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #8
FLU9_AGE	524	524	9	AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #9
FRSTBRN	127	127	3	FIRST BORN STATUS OF CHILD
HAD_CPOX	86	87	2	CHILD EVER HAD CHICKEN POX DISEASE?
HEA1_AGE	525	526	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	527	528	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	529	530	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	531	531	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	532	532	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	533	533	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	534	534	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	535	535	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	536	536	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	537	538	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	539	540	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	541	542	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	543	544	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	545	546	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	547	548	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	549	550	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	551	552	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	553	553	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HEP_BRTH	170	170	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	171	171	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
HH_DTP	74	75	2	HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED
HH_HEPB	76	77	2	HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED
HH_HIB	78	79	2	HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED
HH_MCV	80	81	2	HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED
HH_POL	82	83	2	HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED
HH_VRC	84	85	2	HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED
HIB1_AGE	554	555	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	556	557	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	558	559	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	560	561	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
HIB5_AGE	562	563	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	564	565	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	566	567	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	568	568	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	569	569	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
INCPORAR	129	144	3	INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE)
INCPOV1	145	145	3	POVERTY STATUS
INCQ298A	146	147	3	FAMILY INCOME CATEGORIES (RECODE)
INOPHONR	148	148	3	LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE)
INTRP	149	149	3	PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
I_HISP_K	128	128	3	HISPANIC ORIGIN OF CHILD
LANGUAGE	150	150	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
MARITAL	152	152	3	MARITAL STATUS OF MOTHER CATEGORIES (RECODE)
MMR1_AGE	570	571	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	572	573	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	574	575	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	576	576	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	577	577	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	578	578	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	579	579	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	580	580	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	581	581	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MOBIL_I	153	153	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
MP1_AGE	582	583	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	584	584	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	585	585	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	586	586	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	587	587	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	588	588	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	589	589	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	590	590	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	591	591	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	592	593	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	594	594	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	595	595	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	596	596	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	597	597	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
MPR6_AGE	598	598	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	599	599	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	600	600	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	601	601	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
M_AGEGRP	151	151	3	AGE OF MOTHER CATEGORIES
N_PRVR	166	166	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE)
PCV1_AGE	602	603	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	604	605	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	606	607	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	608	609	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	610	611	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	612	613	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	614	615	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	616	616	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	617	617	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	618	619	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	620	621	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	622	623	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	624	625	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	626	627	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	628	629	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	632	633	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	634	634	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
PROVWT	13	31	1	WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN
PROV_FAC	167	167	7	PROVIDER FACILITY TYPE
PU431331	227	227	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)
PUT43133	228	228	8	UTD FLAG FOR PROVIDER 4:3:1:3:3
PUTD4313	229	229	8	UTD FLAG FOR PROVIDER 4:3:1:3
P_NUHEPX	172	172	8	NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUHIBX	173	173	8	NUMBER OF HIB-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUHPHB	174	174	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMDAH	175	175	8	NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMDHB	176	176	8	NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMDHI	177	177	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RRD INTERVIEW DATE.
P_NUMDHM	178	178	8	NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMDTA	179	179	8	NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMDTM	180	180	8	NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMDTP	181	181	8	NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMFLU	182	182	8	NUMBER OF FLU-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMHEA	183	183	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMHEN	184	184	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMHEP	185	185	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMHIB	186	186	8	NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMHIN	187	187	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMIPV	188	188	8	NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMCN	189	189	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMMR	190	190	8	NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMMRX	191	191	8	NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMMX	192	192	8	NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMMP	193	193	8	NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMPR	194	194	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMRV	195	195	8	NUMBER OF MMR/VARICELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMS	196	196	8	NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMSM	197	197	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMMSR	198	198	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMOLN	199	199	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMOPV	200	200	8	NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMPCC	201	201	8	NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMPCN	202	202	8	NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMPCP	203	203	8	NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMPCV	204	204	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMPOL	205	205	8	NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMRB	206	206	8	NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMROT	207	207	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMTPM	208	208	8	NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMTPN	209	209	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMVRC	210	210	8	NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_NUMVRN	211	211	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMVRX	212	212	8	NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.
P_U12VRC	213	213	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS
P_UTD331	214	214	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_UTD431	215	215	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
P_UTDFL1	216	216	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1
P_UTDFL2	217	217	8	UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2
P_UTDHEP	218	218	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS
P_UTDHIB	219	219	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS
P_UTDMCV	220	220	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT
P_UTDMMX	221	221	8	UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT
P_UTDPC3	222	222	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS
P_UTDPCV	223	223	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS
P_UTDPOL	224	224	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS
P_UTDTP3	225	225	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS
P_UTDTP4	226	226	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS
RACEETHK	155	155	3	RACE/ETHNICITY OF CHILD (RECODE)
RACE_K	154	154	3	RACE OF CHILD (RECODE)
RB1_AGE	635	636	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	637	637	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	638	638	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	639	639	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	640	640	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	641	641	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	642	642	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	643	643	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	644	644	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
RDDWT	32	50	1	RDD CHILD INTERVIEW WEIGHT
REGISTRY	168	168	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
ROT1_AGE	645	646	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	647	647	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	648	649	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	650	650	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	651	651	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
ROT6_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
SC_431	56	57	2	HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE
SC_4313	58	59	2	HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE
SC_43133	60	61	2	HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE
SC_DTP	62	63	2	HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE
SC_HEPB	64	65	2	HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE
SC_HIB	66	67	2	HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE
SC_MCV	68	69	2	HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE
SC_POL	70	71	2	HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE
SC_VRC	72	73	2	HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	156	156	3	GENDER OF CHILD
SHOTCARD	88	88	2	SHOT CARD USE FLAG
STATE	160	161	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
VFC_ORDER	169	169	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
VRC1_AGE	656	657	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	658	659	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	660	661	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	662	662	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	663	663	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	664	664	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	665	665	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	666	666	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	667	667	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	668	669	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	670	671	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	672	673	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	674	675	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	676	677	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	678	679	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	680	681	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	682	682	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	683	683	9	DT-CONTAINING VACCINATION #9 TYPE CODE

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XHEPTY1	684	685	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	686	687	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	688	689	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	690	691	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	692	693	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	694	695	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	696	697	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	698	699	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	700	700	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	701	702	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	703	704	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	705	706	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	707	708	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	709	710	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	711	712	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	713	714	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	715	715	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	716	716	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	717	718	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	719	720	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	721	722	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	723	723	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	724	724	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	725	725	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	726	726	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	727	727	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	728	728	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	729	730	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	731	732	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	733	734	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	735	736	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	737	738	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	739	740	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	741	742	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	743	743	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	744	744	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	745	746	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	747	748	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE

ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
XPOLTY3	749	750	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	751	752	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	753	754	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	755	756	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	757	758	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	759	760	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	761	761	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	762	763	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	764	765	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	766	767	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	768	768	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	769	769	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	770	770	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	771	771	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	772	772	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	773	773	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
YEAR	51	54	1	YEAR OF INTERVIEW