

Table 21D
2008 Pediatric Nutrition Surveillance (1)
National
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)							
Age and Year		Anemia Low Hb/Hct (4)		Age and Year		Anemia Low Hb/Hct (4)	
		Number	%			Number	%
6 - 11 Months				18 - 23 Months			
	2008	467,926	17.8		2008	666,917	15.7
	2007	474,481	17.8		2007	632,427	16.0
	2006	456,731	16.9		2006	597,860	14.9
	2005	423,505	16.0		2005	574,477	14.4
	2004	378,164	16.5		2004	560,832	14.6
	2003	370,968	16.4		2003	463,385	14.5
	2002	383,296	16.2		2002	430,303	14.0
	2001	409,327	16.7		2001	385,770	14.3
	2000	501,041	17.2		2000	377,097	14.5
	1999	594,035	18.1		1999	430,654	15.4
12 - 17 Months				24 - 35 Months			
	2008	1,052,753	18.2		2008	1,055,340	16.2
	2007	1,006,280	18.5		2007	1,021,696	16.1
	2006	926,054	17.0		2006	976,762	15.3
	2005	869,799	16.4		2005	951,742	15.1
	2004	874,061	16.5		2004	957,443	15.0
	2003	696,251	15.8		2003	787,294	15.0
	2002	654,996	15.1		2002	748,232	14.5
	2001	581,814	15.4		2001	664,271	14.8
	2000	566,530	15.4		2000	673,890	15.1
	1999	613,229	16.7		1999	753,509	15.8

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

Table 21D
2008 Pediatric Nutrition Surveillance (1)
National
Summary of Trends in Anemia by Age
Children Aged < 5 Years (2)

Summary of Trends in Anemia by Age (3)					
Age and Year		Anemia Low Hb/Hct (4)		Age and Year	
		Number	%		
36 - 59 Months				Total All Age Groups	
2008		1,673,587	10.9	2008	4,916,523 14.9
2007		1,624,704	10.9	2007	4,759,588 15.0
2006		1,564,184	10.3	2006	4,521,591 14.0
2005		1,561,564	10.1	2005	4,381,087 13.6
2004		1,594,401	9.9	2004	4,364,901 13.5
2003		1,282,455	9.9	2003	3,600,353 13.4
2002		1,204,360	9.6	2002	3,421,187 13.0
2001		1,075,424	9.8	2001	3,116,606 13.4
2000		1,099,010	10.0	2000	3,217,568 13.7
1999		1,254,319	10.7	1999	3,645,746 14.5
All Other/Unknown					
2008		0	*		
2007		0	*		
2006		0	*		
2005		0	*		
2004		0	*		
2003		0	*		
2002		0	*		
2001		0	*		
2000		0	*		
1999		0	*		

(1) Reporting period is January 1 through December 31.

(2) Analyses based on one record per child.

(3) Excludes records with unknown data or errors.

(4) Based on 1998 CDC MMWR, "Recommendations to Prevent and Control Iron Deficiency in the United States", altitude adjusted, children 6 months of age and older included in the analysis.

* Percentages are not calculated if < 100 records are available for analysis after exclusions.

