

**Table 7D**  
**2007 Pregnancy Nutrition Surveillance** (1)  
**Nation**  
**Comparison of Smoking Indicators by Contributor**

Comparison of Smoking Indicators (2, 3)										
Contributor	Smoking				Quit Smoking By First Prenatal Visit and Stayed Off Cigarettes (4)	Smoking in Household				
	3 Months Prior to Pregnancy		Last 3 Months of Pregnancy			Prenatal		Postpartum		
	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Alabama	0	* *	0	* *	0	* *	0	* *	0	* *
Arizona	0	* *	0	* *	0	* *	0	* *	0	* *
AZ I/Tribal Council	2,788	10.8 (2)	1,659	2.2 (1)	129	70.5 (1)	2,329	14.3 (5)	1,916	12.6 (6)
Cheyenne River-SD	165	63.0 (26)	14	* *	6	* *	79	* *	97	* *
Connecticut	0	* *	0	* *	0	* *	10,287	16.1 (7)	11,635	9.1 (2)
D.C.	0	* *	0	* *	0	* *	4,204	13.5 (4)	4,818	10.9 (4)
Florida	117,263	16.1 (3)	11,299	18.2 (13)	3,018	28.7 (17)	0	* *	0	* *
Georgia	0	* *	0	* *	0	* *	0	* *	0	* *
Hawaii	0	* *	0	* *	0	* *	0	* *	0	* *
Idaho	9,598	25.6 (8)	10,363	13.0 (9)	1,974	34.8 (10)	9,706	15.7 (6)	10,468	14.9 (9)
Illinois	95,035	19.6 (5)	75,705	11.7 (5)	12,696	32.0 (15)	80,572	18.3 (8)	75,168	15.8 (10)
Indiana	46,230	29.6 (9)	42,187	21.6 (16)	11,950	34.9 (8)	32,259	36.7 (17)	40,465	29.6 (16)
Iowa	15,104	42.8 (19)	18,082	25.6 (20)	4,619	30.7 (16)	12,455	26.3 (15)	17,812	16.8 (11)
Kansas	19,222	33.8 (13)	16,394	18.7 (14)	3,985	32.8 (13)	15,107	18.6 (10)	16,593	16.8 (11)
Massachusetts	35,729	23.0 (6)	32,908	11.9 (7)	5,879	34.9 (8)	29,584	18.5 (9)	32,758	14.3 (7)

(1) Reporting period is January 1 through December 31.

(2) Excludes records with unknown data or errors.

(3) Rank compares one contributor's rate to other contributors. Rank 1 = best rate.

(4) Among women who smoked 3 months prior to pregnancy.

\* Percentages are not calculated if <100 records are available for analysis after exclusions.

**Table 7D**  
**2007 Pregnancy Nutrition Surveillance** (1)  
**Nation**  
**Comparison of Smoking Indicators by Contributor**

Comparison of Smoking Indicators (2, 3)										
Contributor	Smoking				Quit Smoking By First Prenatal Visit and Stayed Off Cigarettes (4)		Smoking in Household			
	3 Months Prior to Pregnancy		Last 3 Months of Pregnancy				Prenatal		Postpartum	
	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Michigan	57,504	36.5 (15)	48,873	19.6 (15)	13,240	34.0 (12)	0	* *	0	* *
Minnesota	39,277	29.8 (11)	35,985	11.7 (5)	8,671	36.1 (7)	0	* *	0	* *
Missouri	48,527	37.3 (16)	45,037	23.8 (19)	13,069	26.9 (20)	37,629	37.4 (18)	45,011	29.0 (15)
Montana	5,894	38.5 (18)	5,084	7.0 (3)	1,441	39.3 (5)	4,797	22.1 (12)	5,133	20.5 (13)
Nebraska	11,750	33.1 (12)	10,996	16.3 (12)	2,472	41.4 (4)	0	* *	0	* *
New Hampshire	3,671	43.4 (21)	2,267	29.2 (22)	741	17.0 (22)	2,965	40.7 (20)	2,336	36.9 (18)
New Jersey	0	* *	0	* *	0	* *	36,781	11.3 (3)	38,948	11.2 (5)
New York	140,740	18.7 (4)	117,058	8.7 (4)	18,534	44.7 (3)	119,355	8.6 (1)	0	* *
North Carolina	46,721	25.2 (7)	53,527	15.4 (11)	9,076	32.1 (14)	0	* *	0	* *
North Dakota	3,110	48.1 (23)	3,500	25.9 (21)	938	34.6 (11)	2,257	21.2 (11)	3,355	14.8 (8)
Ohio	73,037	42.8 (19)	67,129	23.0 (18)	24,589	36.3 (6)	60,873	39.4 (19)	64,369	35.2 (17)
Oregon	0	* *	0	* *	0	* *	0	* *	0	* *
Puerto Rico	35,198	4.0 (1)	28,060	3.9 (2)	0	* *	32,749	10.6 (2)	27,227	10.0 (3)
Rosebud Sioux-SD	230	38.3 (17)	153	13.1 (10)	26	* *	0	* *	11	* *
Standing Rock-ND	183	59.0 (25)	50	* *	22	* *	0	* *	0	* *

(1) Reporting period is January 1 through December 31.

(2) Excludes records with unknown data or errors.

(3) Rank compares one contributor's rate to other contributors. Rank 1 = best rate.

(4) Among women who smoked 3 months prior to pregnancy.

\* Percentages are not calculated if <100 records are available for analysis after exclusions.

**Table 7D**  
**2007 Pregnancy Nutrition Surveillance** (1)  
**Nation**  
**Comparison of Smoking Indicators by Contributor**

<b>Comparison of Smoking Indicators</b> (2, 3)										
<b>Contributor</b>	Smoking				Quit Smoking By First Prenatal Visit and Stayed Off Cigarettes (4)	Smoking in Household				
	3 Months Prior to Pregnancy		Last 3 Months of Pregnancy			Prenatal		Postpartum		
	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Vermont	2,879	46.4 (22)	3,206	30.2 (23)	1,167	24.9 (21)	0	* *	0	* *
Virginia	37,851	29.7 (10)	43,329	12.1 (8)	9,654	47.3 (2)	37,851	22.8 (14)	43,270	48.4 (19)
West Virginia	14,427	52.2 (24)	12,189	34.4 (24)	5,086	27.6 (19)	12,325	30.0 (16)	13,712	23.7 (14)
Wisconsin	33,094	35.6 (14)	31,575	21.6 (16)	8,882	28.0 (18)	27,956	22.7 (13)	31,534	8.8 (1)
<b>Nation</b>	<b>895,227</b>	<b>26.6</b>	<b>716,629</b>	<b>15.8</b>	<b>161,864</b>	<b>35.1</b>	<b>572,120</b>	<b>20.9</b>	<b>486,636</b>	<b>22.6</b>

(1) Reporting period is January 1 through December 31.

(2) Excludes records with unknown data or errors.

(3) Rank compares one contributor's rate to other contributors. Rank 1 = best rate.

(4) Among women who smoked 3 months prior to pregnancy.

\* Percentages are not calculated if <100 records are available for analysis after exclusions.