

Table 8D
2007 Pregnancy Nutrition Surveillance ⁽¹⁾
Nation
Comparison of Infant Health Indicators by Contributor

Comparison of Infant Health Indicators ^(2, 3)										
Contributor	Birthweight				Preterm (6)		Full Term LBW (7)		Ever Breastfed	
	Low (4)		High (5)							
	Number	% (Rank)	% (Rank)		Number	% (Rank)	Number	% (Rank)	Number	% (Rank)
Alabama	34,496	9.3 (29)	5.0 (4)		28,550	15.1 (30)	23,998	4.2 (28)	0	* *
Arizona	50,801	7.2 (10)	6.9 (15)		38,540	11.4 (20)	33,430	2.6 (5)	52,326	64.3 (18)
AZ I/Tribal Council	2,684	6.4 (4)	8.6 (27)		2,224	10.7 (12)	1,911	2.2 (1)	2,383	65.2 (16)
Cheyenne River-SD	135	7.4 (12)	11.1 (33)		133	10.5 (11)	115	3.5 (23)	139	42.4 (30)
Connecticut	11,613	6.9 (7)	7.0 (17)		11,530	7.6 (2)	10,653	3.5 (23)	11,618	65.7 (15)
D.C.	4,700	10.6 (34)	4.9 (3)		3,669	16.7 (32)	3,027	3.4 (22)	4,421	47.0 (28)
Florida	128,385	8.6 (26)	6.1 (6)		124,693	12.8 (24)	108,604	3.3 (19)	128,511	70.8 (8)
Georgia	36,913	9.2 (27)	5.1 (5)		52,568	13.4 (26)	24,866	4.0 (25)	61,804	49.3 (26)
Hawaii	9,163	7.4 (12)	7.3 (21)		9,154	4.6 (1)	8,731	6.1 (32)	8,968	83.2 (2)
Idaho	10,367	6.2 (3)	7.2 (19)		10,380	9.8 (6)	9,295	2.4 (2)	10,249	81.8 (3)
Illinois	72,979	7.6 (17)	7.2 (19)		72,105	10.3 (9)	64,684	3.2 (17)	72,995	65.1 (17)
Indiana	41,224	8.4 (25)	6.5 (10)		29,598	15.1 (30)	25,009	2.9 (9)	40,951	62.7 (19)
Iowa	14,468	7.8 (19)	8.4 (26)		10,848	10.8 (13)	9,521	2.8 (8)	0	* *
Kansas	17,438	7.4 (12)	6.7 (13)		13,518	10.9 (16)	11,773	3.0 (13)	16,345	67.7 (11)

- (1) Reporting period is January 1 through December 31.
- (2) Excludes records with unknown data or errors.
- (3) Rank compares one contributor's rate to other contributors. Rank 1 = best rate.
- (4) <2500 g.
- (5) >4000 g.
- (6) <37 weeks gestation.
- (7) 37 or more weeks gestation and <2500 g.
- * Percentages are not calculated if <100 records are available for analysis after exclusions.

Table 8D
2007 Pregnancy Nutrition Surveillance ⁽¹⁾
Nation
Comparison of Infant Health Indicators by Contributor

Comparison of Infant Health Indicators ^(2, 3)									
Contributor	Birthweight			Preterm ⁽⁶⁾		Full Term LBW ⁽⁷⁾		Ever Breastfed	
	Low ⁽⁴⁾	High ⁽⁵⁾		Number	%	Number	%	Number	%
	Number	% (Rank)	% (Rank)						
Massachusetts	32,356	8.2 (24)	7.8 (24)	32,617	9.7 (5)	29,223	3.3 (19)	32,372	71.3 (7)
Michigan	50,990	7.5 (15)	7.6 (23)	0	* *	50,925	7.5 (34)	50,651	54.0 (25)
Minnesota	34,616	7.0 (8)	8.8 (29)	34,383	10.2 (8)	30,754	2.5 (4)	35,189	73.2 (5)
Missouri	43,966	8.1 (23)	6.6 (11)	43,429	11.2 (18)	38,500	3.3 (19)	43,423	55.2 (23)
Montana	3,765	7.1 (9)	8.7 (28)	4,964	11.3 (19)	3,341	2.9 (9)	4,982	76.7 (4)
Nebraska	10,795	7.3 (11)	7.3 (21)	10,611	10.8 (13)	9,440	3.1 (15)	10,807	69.7 (10)
New Hampshire	3,697	6.7 (5)	10.4 (32)	3,175	8.2 (4)	2,730	2.9 (9)	3,536	66.7 (12)
New Jersey	38,427	7.7 (18)	6.2 (8)	29,110	14.6 (28)	24,697	2.4 (2)	38,630	62.1 (20)
New York	129,175	7.8 (19)	6.9 (15)	126,934	10.9 (16)	112,998	3.0 (13)	119,256	70.0 (9)
North Carolina	53,751	9.4 (30)	6.6 (11)	52,966	14.3 (27)	45,390	4.1 (26)	52,180	61.1 (21)
North Dakota	1,930	7.9 (22)	11.6 (34)	1,471	12.7 (23)	1,284	2.6 (5)	0	* *
Ohio	62,565	9.2 (27)	6.1 (6)	65,931	11.7 (21)	55,183	4.1 (26)	0	* *
Oregon	22,244	5.8 (2)	9.8 (31)	22,742	8.1 (3)	20,346	2.6 (5)	22,757	90.6 (1)
Puerto Rico	25,768	10.3 (33)	2.4 (1)	24,469	18.2 (33)	19,882	5.1 (30)	21,104	55.0 (24)

(1) Reporting period is January 1 through December 31.
(2) Excludes records with unknown data or errors.
(3) Rank compares one contributor's rate to other contributors. Rank 1 = best rate.
(4) <2500 g.
(5) >4000 g.
(6) <37 weeks gestation.
(7) 37 or more weeks gestation and <2500 g.
* Percentages are not calculated if <100 records are available for analysis after exclusions.



Table 8D
2007 Pregnancy Nutrition Surveillance ⁽¹⁾
Nation
Comparison of Infant Health Indicators by Contributor

Comparison of Infant Health Indicators ^(2, 3)										
Contributor	Birthweight			Preterm (6)		Full Term LBW (7)		Ever Breastfed		
	Low (4)	High (5)		Number	% (Rank)	Number	% (Rank)	Number	% (Rank)	
	Number	% (Rank)	% (Rank)							
Rosebud Sioux-SD	214	7.5 (15)	7.0 (17)	215	12.1 (22)	184	6.0 (31)	219	66.7 (12)	
Standing Rock-ND	122	5.7 (1)	4.1 (2)	134	14.9 (29)	104	2.9 (9)	134	49.3 (26)	
Vermont	3,308	6.7 (5)	9.7 (30)	3,148	9.9 (7)	2,836	3.1 (15)	3,174	72.2 (6)	
Virginia	42,415	9.8 (31)	6.7 (13)	42,542	10.8 (13)	37,488	6.2 (33)	43,057	57.6 (22)	
West Virginia	13,311	9.8 (31)	6.4 (9)	10,657	13.0 (25)	9,259	4.2 (28)	13,266	42.5 (29)	
Wisconsin	30,255	7.8 (19)	7.8 (24)	30,697	10.4 (10)	26,286	3.2 (17)	30,747	65.8 (14)	
Nation	1,039,036	8.2	6.7	947,705	11.9	856,467	3.7	936,194	64.6	

(1) Reporting period is January 1 through December 31.
(2) Excludes records with unknown data or errors.
(3) Rank compares one contributor's rate to other contributors. Rank 1 = best rate.
(4) <2500 g.
(5) >4000 g.
(6) <37 weeks gestation.
(7) 37 or more weeks gestation and <2500 g.
* Percentages are not calculated if <100 records are available for analysis after exclusions.

