


**Number of Maine youth projected to die prematurely from their smoking: 31,211**

## Adult Tobacco Use in Maine

### Current Cigarette Smoking Among Adults Aged 18 and Older, 1999



## Youth Tobacco Use

GRADES 6-8		GRADES 9-12	
Current Cigarette Smoking	Current Any Tobacco Use	Current Cigarette Smoking	Current Any Tobacco Use
National*	9.2%	28.5%	34.8%
ME†	11.7%	28.6%	32.6%
Boys†	11.3%	28.6%	35.2%
Girls†	12.3%	28.5%	29.9%

Current Cigarette Smoking = smoked cigarettes on ≥1 of the 30 days preceding the survey.

Current Any Tobacco Use = current use of cigarettes or smokeless tobacco or pipes or bidis or cigars or kreteks on ≥1 of the 30 days preceding the survey.

\*Source: National Youth Tobacco Survey, 1999.

†Source: Maine Youth Tobacco Survey, 2000.


## Health Impact and Costs

AVERAGE ANNUAL DEATHS RELATED TO SMOKING, 1990-1994		AVERAGE ANNUAL YEARS OF POTENTIAL LIFE LOST,* 1990-1994	MEDICAL COSTS RELATED TO SMOKING, 1993	
Overall	2,326	30,556 years or an average of 13.1 years for each death due to smoking.	Ambulatory	\$53,100,000
Men	1,464		Hospital	\$96,780,000
Women	862		Nursing Home†	\$127,610,000
Death Rate	371/100,000		Drug	\$18,870,000
Rank	40	*Calculated to life expectancy	Other	\$46,710,000
(No. 1 is lowest death rate)			<b>Total</b>	<b>\$343,070,000</b>

**Smoking-attributable Medicaid expenditures, Maine, fiscal year 1993: \$95,862,000**

†Preliminary estimates

## Lung Cancer Death Rate\*



\*1997 deaths per 100,000 population, adjusted to the 1970 total U.S. population.

Maine



**Scheduled 2001 settlement payment to Maine: \$53,267,211.52**

### Tobacco Control Funding, 2001

At 172% of the CDC Best Practices recommended lower estimate funding level, Maine ranks 3rd (No. 1 is the highest) for tobacco control funding. Maine ranks 40th (No. 1 is the lowest death rate) for average annual deaths related to smoking.

<i>FUNDING SOURCE</i>	<i>FY01 AMOUNT</i>	<i>FUNDING CYCLE</i>
State Appropriation—Settlement (Tobacco Only)	\$18,326,011	7/00–6/01
State Appropriation—Excise Tax Revenue	\$0	
State Appropriation—Other	\$0	
<b>Subtotal: State Appropriation</b>	<b>\$18,326,011</b>	
Federal—CDC Office on Smoking and Health	\$901,691	6/00–5/01
Federal—SAMHSA	n/a	
Non-Government Source—American Legacy Foundation	\$0	
Non-Government Source—RWJF/AMA	n/a	
<b>Subtotal: Federal/National Sources</b>	<b>\$901,691</b>	
<b>Total</b>	<b>\$19,227,702</b>	
<b>Per Capita Funding</b>	<b>\$15.08</b>	

### Funding as a Percentage of CDC Best Practices Recommendations

	<i>RECOMMENDED FOR TOTAL PROGRAM ANNUAL COST</i>	<i>RECOMMENDED PER CAPITA FUNDING LEVEL</i>	<i>PERCENT OF CDC BEST PRACTICES RECOMMENDATIONS</i>
Lower Estimate	\$11,189,000	\$9.01	172%
Upper Estimate	\$25,353,000	\$20.41	76%

### Excise Tax

Cigarette tax per pack . . . . .	.74¢
Rank = 9 (No. 1 is highest tax)	
Number of packages of cigarettes sold and taxed, per capita, 1999 . . . . .	.85.5
Rank = 26 (No. 1 is lowest cigarette sales)	
Federal and state taxes as a percentage of retail price . . . . .	29.7%
Annual gross tax revenue from cigarettes . . . . .	\$78,584,602
Smokeless tobacco tax . . . . .	.62% of wholesale sales price