


Number of Missouri youth projected to die prematurely from their smoking: 119,057

Adult Tobacco Use in Missouri

Current Cigarette Smoking Among Adults Aged 18 and Older, 1999



Youth Tobacco Use

GRADES 6-8		GRADES 9-12	
Current Cigarette Smoking	Current Any Tobacco Use	Current Cigarette Smoking	Current Any Tobacco Use
National 9.2%*	12.8%*	28.5%*	34.8%*
MO 14.9%†	19.5%†	32.8%**	39.0%**
Boys 13.7%†	Data are not available	35.6%**	44.0%**
Girls 16.3%†		30.1%**	33.9%**

Current Cigarette Smoking = smoked cigarettes on ≥1 of the 30 days preceding the survey.
 Current Any Tobacco Use = current use of cigarettes or smokeless tobacco or pipes or bidis or cigars or kreteks on ≥1 of the 30 days preceding the survey.
 *Source: National Youth Tobacco Survey, 1999.
 †Source: Missouri Youth Tobacco Survey, 1999.
 **Source: Missouri Youth Risk Behavior Survey, 1999.


Health Impact and Costs

AVERAGE ANNUAL DEATHS RELATED TO SMOKING, 1990-1994		AVERAGE ANNUAL YEARS OF POTENTIAL LIFE LOST,* 1990-1994	MEDICAL COSTS RELATED TO SMOKING, 1993	
Overall	9,960	134,994 years or an average of 13.6 years for each death due to smoking. *Calculated to life expectancy	Ambulatory	\$223,900,000
Men	6,682		Hospital	\$380,820,000
Women	3,278		Nursing Home†	\$318,760,000
Death Rate	367/100,000		Drug	\$66,410,000
Rank	36		Other	\$134,710,000
(No. 1 is lowest death rate)			Total	\$1,124,680,000

Smoking-attributable Medicaid expenditures, Missouri, fiscal year 1993: \$206,923,000

†Preliminary estimates

Lung Cancer Death Rate*



*1997 deaths per 100,000 population, adjusted to the 1970 total U.S. population.

Missouri





Scheduled 2001 settlement payment to Missouri: \$157,485,644.00

Tobacco Control Funding, 2001

At 7% of the CDC Best Practices recommended lower estimate funding level, Missouri ranks 46th (No. 1 is the highest) for tobacco control funding. Missouri ranks 36th (No. 1 is the lowest death rate) for average annual deaths related to smoking.

<i>FUNDING SOURCE</i>	<i>FY01 AMOUNT</i>	<i>FUNDING CYCLE</i>
State Appropriation—Settlement (Tobacco Only)	\$0	
State Appropriation—Excise Tax Revenue	\$0	
State Appropriation—Other	\$1,230,173	7/00–6/01
Subtotal: State Appropriation	\$1,230,173	
Federal—CDC Office on Smoking and Health	\$1,166,052	6/00–5/01
Federal—SAMHSA	n/a	
Non-Government Source—American Legacy Foundation	\$0	
Non-Government Source—RWJF/AMA	n/a	
Subtotal: Federal/National Sources	\$1,166,052	
Total Per Capita Funding	\$2,396,225 \$0.43	

Funding as a Percentage of CDC Best Practices Recommendations

	<i>RECOMMENDED FOR TOTAL PROGRAM ANNUAL COST</i>	<i>RECOMMENDED PER CAPITA FUNDING LEVEL</i>	<i>PERCENT OF CDC BEST PRACTICES RECOMMENDATIONS</i>
Lower Estimate	\$32,767,000	\$6.07	7%
Upper Estimate	\$91,359,000	\$16.91	3%

Excise Tax

Cigarette tax per pack	17¢
Rank = 41 (No. 1 is highest tax)	
Number of packages of cigarettes sold and taxed, per capita, 1999	118.0
Rank = 47 (No. 1 is lowest cigarette sales)	
Federal and state taxes as a percentage of retail price	15.8%
Annual gross tax revenue from cigarettes	\$105,596,780
Smokeless tobacco tax	10% of manufacturer's invoice price