


ACIP COVID-19 Vaccines

Considerations for Populations Included in Phase 1b and 1c



Sara Oliver MD, MSPH ACIP Meeting December 20, 2020



Considerations for Phase 1b and 1c

- Transitioning between phases
- Sub-prioritization considerations
- Other considerations for Phase 1b and 1c

Considerations: Transitioning between phases



Transitioning Between Phases

- Strategy for transitioning between phases will be necessary to move to the next phase as supply increases and exceeds demand for the current phase
- Phases may overlap; not necessary to fully complete vaccination in one phase before moving to the next phase
- Decisions on moving to the next phase made at a state/local level

Transitioning Between Phases

- Demand in current phase is less than vaccination capacity
 - For example, appointments for vaccine <80% filled for several days
- Supply increases significantly
 - More doses available of current vaccine or new vaccine authorized
- Most persons within current phase vaccinated (>60-70%)

Considerations: Sub-prioritization



• •

Sub-prioritization Considerations

- Where sub-prioritization of frontline essential workers is needed due to limited vaccine supply, consider:
 - Workers in locations where high rates of transmission and/or outbreaks have occurred
 - Workers who are at increased risk for severe illness based on age or underlying medical conditions^{*}
 - Workers who do not have a history of documented acute SARS-CoV-2 infection in prior 90 days

Sub-prioritization Considerations

The Advisory Committee on Immunization Practices' Ethical Principles for Allocating Initial Supplies of COVID-19 Vaccine — United States, 2020

Nancy McClung, PhD¹; Mary Chamberland, MD^{1,2}; Kathy Kinlaw, MDiv³; Dayna Bowen Matthew, JD, PhD⁴; Megan Wallace, DrPH^{1,5}; Beth P. Bell, MD⁶; Grace M. Lee, MD⁷; H. Keipp Talbot, MD⁸; José R. Romero, MD⁹; Sara E. Oliver, MD¹; Kathleen Dooling, MD¹

Ethical principle	Essential question
Maximize benefits and minimize harms	What groups are at highest risk for SARS-CoV-2 infection, COVID-19 disease, hospitalization, and death?
	What groups are essential to the COVID-19 response?
	What groups are essential to maintaining critical functions of society?
	What are the important characteristics of these groups (e.g., size or geographic distribution) that might inform the magnitude of benefit based on the amount of vaccine available or its characteristics?
Promote justice	Does the allocation plan result in fair and equitable access of the vaccine for all groups?
	How do characteristics of the vaccine and logistical considerations affect fair access for all persons?
	Does allocation planning include input from groups who are disproportionately affected by COVID-19 or face health inequities resulting from social determinants of health, such as income and health care access?
Mitigate health inequities	Does the plan identify and address barriers to vaccination among any groups who are disproportionately affected by COVID-19 or who face health inequities resulting from social determinants of health, such as income and health care access?
	Does the allocation plan contribute to a reduction in health disparities in COVID-19 disease and death?
	What health inequities might inadvertently result from the allocation plan, and what interventions could remove or reduce them?
	Is there a mechanism for timely assessment of vaccination coverage among groups experiencing disadvantage and th possibility for course correction if inequities are identified?
Promote transparency	How does development of the allocation plan include diverse input, and if possible, public engagement?
	Are the allocation plan and evidence-based methods publicly available?
	Is the allocation plan clear about what is known and unknown and about the quality of available evidence?
	What is the process for revision of allocation plans based on new information?
odfs/mm6947e3-H.pdf	Is there a mechanism to report demographic data elements for vaccine recipients (e.g., age, race/ethnicity, and occupation) to support equitable vaccination coverage?

TABLE 1. Essential questions for COVID-19 vaccine allocation planning related to ethical principles — United States, 2020

Considerations: Other considerations for Phase 1b and 1c




Other Considerations

- mRNA vaccines are currently not recommended for outbreak management or for post-exposure prophylaxis (vaccination to prevent the development of SARS-CoV-2 infection in a person with an exposure)
 - Both mRNA vaccines are a 2-dose series; 1-2 weeks following the second dose before a person considered fully vaccinated
 - Median incubation period for SARS-CoV-2 is 4-5 days
- Based on local epidemiology and implementation considerations, jurisdictions may choose to vaccinate frontline essential workers and persons who reside at congregate living facilities (e.g., prisons, jails, homeless shelters) at the same time

Other Considerations

 Communities that have been disproportionately affected by COVID-19 and have a younger population distribution, such as American Indian persons or Alaska Native persons, may choose to adopt an age cut-off appropriate to the epidemiologic circumstances in those communities



For more information, contact CDC 1-800-CDC-INFO (232-4636) TTY: 1-888-232-6348 www.cdc.gov

Thank you

The findings and conclusions in this report are those of the authors and do not necessarily represent the official position of the Centers for Disease Control and Prevention.

