

**Estimated Vaccination Coverage\* with 1+ varicella<sup>†</sup> Among Children 19-35  
Months of Age By Provider Facility Type<sup>‡</sup> and by State and Local Area -- US,  
National Immunization Survey, Q3/2010-Q2/2011<sup>§</sup>**

	<b>Total</b>	<b>Public</b>	<b>Private</b>	<b>Mixed</b>	<b>Other</b>
<b>US National</b>	90.7±0.8	91.6±2.0	92.1±1.0	92.5±2.5	88.3±1.9
<b>Alabama</b>	94.9±2.4	NA	96.0±2.4	98.5±2.9	91.6±7.6
<b>Alaska</b>	84.4±5.0	97.3±3.2	83.3±8.2	NA	NA
<b>Arizona</b>	90.5±3.8	NA	87.1±6.1	95.0±7.2	94.3±6.0
<b>Arkansas</b>	94.2±3.0	94.5±7.5	95.8±3.4	96.2±3.7	94.3±6.4
<b>California</b>	89.3±4.4	NA	89.1±6.0	NA	95.4±4.9
<b>Colorado</b>	88.6±3.7	93.4±6.0	91.2±4.5	NA	NA
<b>Connecticut</b>	92.4±3.4	NA	93.5±3.2	NA	NA
<b>Delaware</b>	91.9±3.7	NA	94.9±2.8	NA	NA
<b>Dist. of Columbia</b>	93.9±3.4	NA	92.3±5.7	96.1±5.6	94.4±6.7
<b>Florida</b>	96.5±2.4	NA	96.4±3.2	96.7±6.4	NA
<b>Georgia</b>	93.2±3.8	NA	93.6±4.1	NA	NA
<b>Hawaii</b>	91.3±3.7	NA	93.8±4.0	97.0±4.3	85.3±8.9
<b>Idaho</b>	82.4±5.7	NA	88.4±6.2	NA	NA
<b>Illinois</b>	90.6±2.9	88.7±8.4	94.6±2.7	90.4±9.7	85.0±8.6
<b>IL-City of Chicago</b>	89.3±4.5	NA	93.3±3.6	NA	NA
<b>IL-Rest of State</b>	91.1±3.6	NA	94.9±3.2	NA	NA
<b>Indiana</b>	92.3±3.1	91.2±6.4	89.2±5.7	NA	95.2±5.8
<b>Iowa</b>	89.2±4.8	NA	92.8±5.5	93.1±8.3	NA
<b>Kansas</b>	85.4±5.4	NA	88.1±7.2	90.2±7.2	NA
<b>Kentucky</b>	94.0±3.5	94.3±6.7	94.9±4.7	98.2±3.5	NA
<b>Louisiana</b>	90.9±3.9	NA	91.4±5.0	NA	94.7±6.5
<b>Maine</b>	88.7±4.3	NA	92.0±5.8	NA	83.2±9.0
<b>Maryland</b>	92.1±3.7	NA	92.1±4.3	NA	NA
<b>Massachusetts</b>	91.6±4.3	NA	93.4±3.7	NA	NA
<b>Michigan</b>	88.5±4.8	NA	86.7±7.2	92.8±7.0	97.2±4.0
<b>Minnesota</b>	87.0±6.4	NA	91.2±6.1	NA	NA
<b>Mississippi</b>	89.5±4.0	90.6±7.1	91.6±4.9	97.5±4.8	NA
<b>Missouri</b>	86.8±4.4	90.3±8.7	87.6±5.7	NA	NA
<b>Montana</b>	85.7±4.4	92.5±6.3	NA	94.2±4.9	NA
<b>Nebraska</b>	94.3±2.9	NA	94.6±4.1	96.2±7.3	95.7±4.4
<b>Nevada</b>	87.4±4.9	NA	87.4±6.7	96.7±5.2	NA
<b>New Hampshire</b>	88.3±5.3	NA	92.9±4.7	NA	89.3±8.7
<b>New Jersey</b>	94.2±3.2	NA	95.2±3.0	NA	NA
<b>New Mexico</b>	87.1±4.4	95.4±6.6	86.7±6.1	NA	NA
<b>New York</b>	88.7±3.4	NA	92.0±3.2	NA	84.8±8.4
<b>NY-City of New York</b>	87.4±5.0	NA	90.0±5.4	NA	NA
<b>NY-Rest of State</b>	89.8±4.6	NA	93.5±3.8	NA	NA
<b>North Carolina</b>	90.0±4.9	NA	94.3±4.3	95.7±5.0	NA
<b>North Dakota</b>	88.8±4.1	97.8±4.4	NA	87.1±9.2	91.3±5.3
<b>Ohio</b>	88.7±4.7	NA	93.3±5.0	94.8±9.9	NA
<b>Oklahoma</b>	91.7±3.8	NA	90.2±5.9	97.4±3.6	NA
<b>Oregon</b>	88.4±4.2	NA	89.0±4.7	NA	NA
<b>Pennsylvania</b>	91.5±2.9	94.3±9.1	91.2±3.7	NA	96.3±4.2
<b>PA-Philadelphia County</b>	93.7±3.5	NA	91.0±6.5	NA	96.2±4.2
<b>PA-Rest of State</b>	91.1±3.4	NA	91.3±4.1	NA	96.3±5.3
<b>Rhode Island</b>	95.4±2.5	NA	95.0±3.0	NA	NA
<b>South Carolina</b>	94.6±2.7	NA	96.7±2.6	NA	93.8±5.9
<b>South Dakota</b>	86.9±5.7	NA	88.9±8.0	NA	97.0±3.4
<b>Tennessee</b>	92.9±3.2	94.8±6.1	92.4±4.5	97.0±4.3	NA
<b>Texas</b>	91.8±2.5	98.5±2.0	93.8±2.9	96.7±2.5	82.9±8.0
<b>TX-Bexar County</b>	88.9±5.0	NA	92.1±4.9	NA	90.0±9.5
<b>TX-City of Houston</b>	93.0±3.7	NA	94.8±3.8	NA	NA
<b>TX-Dallas County</b>	90.8±4.2	NA	91.3±5.6	NA	90.4±8.2
<b>TX-El Paso County</b>	88.5±5.1	NA	92.8±4.9	NA	NA
<b>TX-Rest of State</b>	92.3±3.6	NA	94.3±4.2	NA	NA
<b>Utah</b>	86.5±4.9	NA	90.4±5.2	NA	NA
<b>Vermont</b>	83.1±5.1	NA	83.5±6.5	NA	NA
<b>Virginia</b>	87.7±5.0	NA	89.8±5.5	NA	NA
<b>Washington</b>	88.9±3.9	NA	95.4±3.4	NA	88.0±8.6
<b>West Virginia</b>	88.8±3.7	94.6±8.0	88.9±5.0	94.5±7.4	NA
<b>Wisconsin</b>	91.2±4.1	NA	93.7±4.9	NA	94.2±6.4
<b>Wyoming</b>	87.4±4.4	NA	85.8±6.6	91.3±8.8	NA
<b>U.S. Virgin Islands</b>	76.0±6.7	NA	NA	NA	NA

\* Estimate=NA (Not Available) if the unweighted sample size for the denominator was <30 or (CI half width)/Estimate > 0.588 or (CI half width) >10. Estimates presented as point estimate (%) ± 95% Confidence Interval.

<sup>†</sup> 1 or more doses of varicella at or after child's first birthday, unadjusted for history of varicella illness.

<sup>‡</sup> Self-reported by provider. Public provider includes public health clinics and community health centers. Private provider includes private clinics, HMOs and group practices. Mixed provider includes more than one type of provider. Other provider includes all other types of providers such as hospitals, military facilities, and unknown responses.

<sup>§</sup> Children in the Q3/2010-Q2/2011 National Immunization Survey were born from July 2007 through November 2009.