

U.S. Vaccines

Vaccine	Trade Name	Abbreviation	Manufacturer	Type	Route	Comments
Anthrax	BioThrax	AVA	BioPort	Inactivated Bacterial	IM	
DTaP	Daptacel	DTaP	sanofi	Inactivated Bacterial	IM	Tetanus & diphtheria toxoids and pertussis vaccine. Not licensed for 5 th dose.
	Infanrix	DTaP	GlaxoSmithKline	Inactivated Bacterial	IM	Tetanus & diphtheria toxoids and pertussis vaccine.
	Tripedia	DTaP	sanofi	Inactivated Bacterial	IM	Tetanus & diphtheria toxoids and pertussis vaccine.
Diphtheria - Tetanus	(Generic)	DT	sanofi	Inactivated Bacterial Toxoids	IM	Pediatric formulation
DTaP/Hib	TriHIBit	DTaP/Hib	sanofi	Inactivated Bacterial	IM	ActHIB reconstituted with Tripedia. Licensed for 4 th dose of DTaP & Hib series (not primary series).
DTaP-IPV	Kinrix	DTaP-IPV	GlaxoSmithKline	Inactivated Bacterial & Viral	IM	Licensed for 5 th (DTaP) and 4 th (IPV) booster at 4-6 years
DTaP-HepB-IPV	Pediarix	DTaP-HepB-IPV	GlaxoSmithKline	Inactivated Bacterial & Viral	IM	Licensed for doses at 2, 4, 6 months (through 6 years of age). Not licensed for boosters.
DTaP-IPV/Hib	Pentacel	DTaP-IPV/Hib	sanofi	Inactivated Bacterial & Viral	IM	Licensed for 4 doses at 2, 4, 6, and 15-18 months.
<i>Haemophilus influenzae</i> type b (Hib)	PedvaxHIB	Hib	Merck	Inactivated Bacterial	IM	PRP-OMP. Polysaccharide conjugate (mening. protein carrier). 2-dose schedule.
	ActHIB	Hib	sanofi	Inactivated Bacterial	IM	PRP-T. Polysaccharide conjugate (tetanus toxoid carrier). 3-dose schedule.
<i>Haemophilus influenzae</i> type b - Hepatitis B	Comvax	Hib-HepB	Merck	Inactivated Bacterial & Viral	IM	Should not be used for HepB birth dose.

Vaccine	Trade Name	Abbreviation	Manufacturer	Type	Route	Comments
Hepatitis A	Havrix	HepA	GlaxoSmithKline	Inactivated Viral	IM	Pediatric (≤ 18) and adult formulations. Pediatric = 720 EL.U., 0.5mL Adult = 1,140 EL.U., 1.0mL Minimum age = 1 year.
	Vaqta	HepA	Merck	Inactivated Viral	IM	Pediatric (≤ 18) and adult formulations. Pediatric = 25 U, 0.5mL Adult = 50 U, 1.0mL Minimum age = 1 year.
Hepatitis B	Engerix-B	HepB	GlaxoSmithKline	Inactivated Viral	IM	Pediatric (≤ 19) and adult formulations. Pediatric formulation is not licensed for adults.
	Recombivax HB	HepB	Merck	Inactivated Viral	IM	Pediatric (≤ 19), adult, and dialysis formulations. Two pediatric doses may be substituted for an adult dose.
Hepatitis A - Hepatitis B	Twinrix	HepA-HepB	GlaxoSmithKline	Inactivated Viral	IM	Pediatric dose of HepA + adult dose of HepB. Minimum age = 18 years. 3-dose series.
Herpes Zoster (Shingles)	Zostavax	ZOS	Merck	Live Viral	SC	Licensed for age 60 and older.
Human Papillomavirus (HPV)	Gardasil	HPV4	Merck	Inactivated Viral	IM	Quadrivalent, Types 6, 11, 16 & 18. Licensed for females 9-26 years.
	Cervarix	HPV2	GlaxoSmithKline	Inactivated viral	IM	Bivalent, Types 16 & 18. NOT YET LICENSED IN U.S.

Vaccine	Trade Name	Abbreviation	Manufacturer	Type	Route	Comments
Influenza	Fluarix	TIV	GlaxoSmithKline	Inactivated Viral	IM	Trivalent Types A & B. Minimum age = 18 years.
	Fluvirin	TIV	Chiron	Inactivated Viral	IM	Trivalent Types A & B Purified surface antigen. Minimum age = 4 years.
	Fluzone	TIV	sanofi	Inactivated Viral	IM	Trivalent Types A & B Subvirion. Minimum age multidose vial = 6 months. Age range 0.25ml prefilled syringe = 6-35 months. Minimum age 0.5ml prefilled syringe = 3 years.
	FluLaval	TIV	GlaxoSmithKline	Inactivated Viral	IM	Trivalent Types A & B Minimum age = 18 years.
	Afluria	TIV	CSL	Inactivated Viral	IM	Trivalent Types A & B Minimum age = 18 years.
	FluMist	LAIV	Medimmune	Live attenuated viral	Intra-nasal	Trivalent Types A & B. Age range 2-49 years.
Japanese Encephalitis	JE-Vax	JE	sanofi	Inactivated viral	SC	
MMR	M-M-R II	MMR	Merck	Live attenuated viral	SC	Measles, mumps, rubella.
MMRV	ProQuad	MMRV	Merck	Live attenuated viral	SC	Measles, mumps, rubella, varicella.
Meningococcal	Menomune	MPSV4	sanofi	Inactivated bacterial	SC	Polysaccharide, containing serogroups A, C, Y, & W-135.
	Menactra	MCV4	sanofi	Inactivated bacterial	IM	Polysaccharide conjugate (diphtheria toxoid carrier), containing serogroups A, C, Y, & W-135. Age range 2-55.

Vaccine	Trade Name	Abbreviation	Manufacturer	Type	Route	Comments
Pneumococcal	Pneumovax 23	PPSV23	Merck	Inactivated bacterial	SC or IM	Polysaccharide. Contains 23 strains. Minimum age = 2 yrs.
	Prevnar	PCV7	Wyeth	Inactivated bacterial, conjugate	IM	Polysaccharide conjugate (diphtheria protein carrier). Contains 7 strains. Routine age range = 2-59 months.
	PCV13	PCV13	Wyeth	Inactivated bacterial, conjugate	IM	Polysaccharide conjugate (diphtheria protein carrier). Contains 13 strains. NOT YET LICENSED IN U.S.
Polio	Ipol	IPV	sanofi	Inactivated viral	SC or IM	Trivalent, Types 1, 2, & 3.
Rabies	Imovax Rabies		sanofi	Inactivated viral	IM	
	RabAvert		Chiron	Inactivated viral	IM	
Rotavirus	RotaTeq	RV5	Merck	Live viral	Oral	Pentavalent. First dose between 6 weeks and 14 weeks 6 days; complete 3-dose series by 8 months 0 days.
	Rotarix	RV1	GlaxoSmithKline	Live viral	Oral	Monovalent. First dose between 6 weeks and 14 weeks 6 days; complete 2-dose series by 8 months 0 days.
Tetanus - (reduced) diphtheria	Decavac	Td	sanofi	Inactivated bacterial toxoids	IM	Tetanus/diphtheria toxoids. Adult formulation
	(Generic)	Td	Massachusetts Biological Labs	Inactivated bacterial toxoids	IM	Tetanus/diphtheria toxoids. Adult formulation
Tdap	Boostrix	Tdap	GlaxoSmithKline	Inactivated bacterial	IM	Tetanus & diphtheria toxoids & pertussis vaccine. Licensed for ages 10-64.
	Adacel	Tdap	sanofi	Inactivated bacterial	IM	Tetanus & diphtheria toxoids & pertussis vaccine. Licensed for ages 11-64.

Vaccine	Trade Name	Abbreviation	Manufacturer	Type	Route	Comments
Tetanus Toxoid	(Generic)	TT	sanofi	Inactivated bacterial toxoid	IM	Tetanus toxoid. May be used for adults or children.
Typhoid	Typhim Vi		sanofi	Inactivated bacterial	IM	Polysaccharide.
	Vivotif Berna		Berna	Live bacterial	Oral	Ty21a strain.
Varicella	Varivax	VAR	Merck	Live viral	SC	
Vaccinia (Smallpox)	ACAM2000		Acambis	Live Viral	Percutaneous	
Yellow Fever	YF-Vax	YF	sanofi	Live viral	SC	
Zoster	(See Herpes Zoster)					

February 2009

This document can be found on the CDC website at:

<http://www.cdc.gov/vaccines/pubs/pinkbook/downloads/appendices/B/us-vaccines-508.pdf>