

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-2	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - abortion (complete) (incomplete) - - fetus or newborn P96.4 - - habitual or recurrent - - - with current abortion - - - - fetus P01.8 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - abortion (complete) (incomplete) - - <u>accidental</u> - - - <u>fetus or newborn P01.8</u> - - fetus or newborn P96.4 - - - <u>in fetal death file P01.8</u> - - habitual or recurrent - - - with current abortion - - - - fetus P01.8 - - <u>idiopathic</u> - - - <u>fetus or newborn P01.8</u> - - <u>inevitable</u> - - - <u>fetus or newborn P01.8</u> - - <u>infected</u> - - - <u>fetus or newborn P01.8</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm 	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-2	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - abortion (complete) (incomplete) • - - medical - - - fetus P96.4 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - abortion (complete) (incomplete) • - - medical - - - fetus P96.4 - - <u>missed</u> - - - <u>fetus or newborn P01.8</u> - - <u>natural</u> - - - <u>fetus or newborn P01.8</u> - - <u>recurrent</u> - - - <u>fetus or newborn P01.8</u> - - <u>retained</u> - - - <u>fetus or newborn P01.8</u> - - <u>septic</u> - - - <u>fetus or newborn P01.8</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm 	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-2	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - abortion (complete) (incomplete) • - - threatened (spontaneous) - - - affecting fetus or newborn P01.8 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - abortion (complete) (incomplete) • - - threatened (spontaneous) - - - affecting fetus or newborn P01.8 <u>- - tubal</u> <u>- - - fetus or newborn P01.4</u> <u>- - unavoidable</u> <u>- - - fetus or newborn P01.8</u> <u>- - unintended</u> <u>- - - fetus or newborn P01.8</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm 	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-3	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - abscess (embolic) (infective) (metastatic) (multiple) (perforated) (pyogenic) (septic) - - viscera (multiple) NEC • - - - newborn P78.1 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - abscess (embolic) (infective) (metastatic) (multiple) (perforated) (pyogenic) (septic) - - viscera (multiple) NEC • - - - newborn P78.1 - <u>absent</u> - - <u>fetal heart tone P95</u> 	<p>← Add subterm ← Add subterm</p>	12/11
PC-3	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - alcoholism (acute) (chronic) - - complicating pregnancy or childbirth - - - affecting fetus or newborn P04.3 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - alcoholism (acute) (chronic) - - complicating pregnancy or childbirth - - - affecting fetus or newborn P04.3 - <u>amnion, amniotic - see also condition</u> - - <u>fluid index (AFI)</u> - - - <u>less than 1.4 - see Oligohydramnios</u> - - - <u>more than 3.8 - see Polyhydramnios</u> 	<p>← Add subterm ← Add subterm ← Add subterm ← Add subterm</p>	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-4	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - anoxia (<i>see also</i> Hypoxia) - - cerebral - - - newborn (<i>see also</i> Asphyxia, newborn) P21.9 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - anoxia (<i>see also</i> Hypoxia) - - cerebral - - - newborn (<i>see also</i> Asphyxia, newborn) P21.9 - - fetal, fetus (<i>see also</i> Distress, fetal) P20.- 	← Add subterm	12/11
PC-9	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - calcification - - lung (active) (postinfectional) - - - newborn P28.8 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - calcification - - lung (active) (postinfectional) - - - newborn P28.8 - - umbilical cord P02.6 	← Add subterm	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-10	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - circulation • - - fetal, persistent P29.3 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - circulation • - - fetal, persistent P29.3 - <u>circum nuchal cord (X2) (X3) (X4) (X5) P02.5</u> 	← Add subterm	12/11
PC-10	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - cleidotomy, fetus or newborn P03.8 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - cleidotomy, fetus or newborn P03.8 - <u>clot (blood) (see also Embolism)</u> - - <u>placenta P02.2</u> - - <u>umbilical cord P02.6</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm 	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-12	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - cord (<u>umbilical</u>) - <i>see also condition</i> - - around neck (tightly) (with compression) - - - affecting fetus or newborn P02.5 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - cord (<u>umbilical</u>) - <i>see also condition</i> - - <u>accident P02.6</u> - - around <u>any part of the body</u> (tightly) (with compression) (<u>wrapped</u>) - - - affecting fetus or newborn P02.5 - - <u>decreased blood flow P02.6</u> - - <u>dilated P02.6</u> - - <u>twisted P02.5</u> 	<p>Add parenthetical ← modifier ← Add subterm ←← Revise subterm and add parenthetical modifier ← Add subterm ← Add subterm ← Add subterm</p>	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-13	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - decompensation (<i>see also</i> Hypofunction) • - - respiratory - - - newborn P28.8 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - decompensation (<i>see also</i> Hypofunction) • - - respiratory - - - newborn P28.8 <u>- decrease(d)</u> <u>- - blood</u> <u>- - - flow</u> <u>- - - - cord (umbilical)</u> <u>- - - - - affecting fetus or newborn P02.6</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm 	12/11
PC-13	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - delay, delayed • - - delivery, second twin, triplet, etc. - - - affecting fetus or newborn P03.8 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - delay, delayed • - - delivery, second twin, triplet, etc. - - - affecting fetus or newborn P03.8 <u>- - growth P05.9</u> 	<ul style="list-style-type: none"> ← Add subterm 	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-15	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - dilatation • - - cervix (uteri) - <i>see also</i> Incompetency, cervix - - - incomplete, poor, slow - - - - affecting fetus or newborn P03.6 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - dilatation - - <u>advanced (cervix) (uteri) - <i>see also</i> Incompetency, cervix</u> • - - cervix (uteri) - <i>see also</i> Incompetency, cervix - - - <u>affecting fetus or newborn P01.0</u> - - - incomplete, poor, slow - - - - affecting fetus or newborn P03.6 - - <u>cord (umbilical) P02.6</u> 	<p>← Add subterm</p> <p>← Add subterm</p> <p>← Add subterm</p>	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-20	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - enterocolitis (<i>see also</i> Colitis, Diarrhea, Enteritis, Gastroenteritis) - - necrotizing (chronic) (<i>see also</i> Enteritis, infectious) - - - fetus or newborn P77 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - enterocolitis (<i>see also</i> Colitis, Diarrhea, Enteritis, Gastroenteritis) - - necrotizing (chronic) (<i>see also</i> Enteritis, infectious) - - - fetus or newborn P77 - <u>entrapment</u> - - <u>head, fetus or newborn P03.8</u> 	<p>← Add subterm ← Add subterm</p>	12/11
PC-21	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - failure, failed • - - kidney • - - - diabetic (acute) (any stage) (chronic) (<i>see also</i> E10-E14 with fourth character.2) - - - - congenital P70.2 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - failure, failed • - - kidney • - - - diabetic (acute) (any stage) (chronic) (<i>see also</i> E10-E14 with fourth character.2) - - - - congenital P70.2 - - <u>lungs to expand, fetus or newborn P28.0</u> 	<p>← Add subterm</p>	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-30	Conditions arising in the perinatal period <ul style="list-style-type: none"> • - infarct, infarction (of) - - placenta (complicating pregnancy) - - - affecting fetus or newborn P02.2 	Conditions arising in the perinatal period <ul style="list-style-type: none"> • - infarct, infarction (of) - - placenta (complicating pregnancy) - - - affecting fetus or newborn P02.2 - - <u>umbilical cord P02.6</u> 	← Add subterm	12/11
PC-33	Conditions arising in the perinatal period <ul style="list-style-type: none"> • - interruption (of) • - - respiration - - - newborn P28.8 	Conditions arising in the perinatal period <ul style="list-style-type: none"> • - interruption (of) • - - respiration - - - newborn P28.8 - <u>intolerance</u> - - <u>fetal NEC (to labor) P20.9</u> 	← Add subterm ← Add subterm	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-33	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - isoimmunization NEC (<i>see also</i> Incompatibility) - - fetus or newborn P55.9 • - - - ABO P55.1 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - isoimmunization NEC (<i>see also</i> Incompatibility) - - fetus or newborn P55.9 • - - - ABO P55.1 - - - <u>anti-Kell P55.8</u> 	← Add subterm	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-36	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - maternal condition, affecting fetus or newborn P00.9 - - alcohol use P04.3 - - anesthesia or analgesia P04.0 • - - cortical necrosis of kidney P00.1 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - maternal condition, affecting fetus or newborn P00.9 - - alcohol use P04.3 - - <u>anemia P00.8</u> - - anesthesia or analgesia P04.0 - - <u>appendicitis P00.8</u> - - <u>asthma P00.3</u> - - <u>bipolar P00.8</u> - - blood loss (gestational) P02.1 - - <u>bulging membranes P02.8</u> - - cancer chemotherapy P04.1 - - <u>cholestasis P00.8</u> • - - cortical necrosis of kidney P00.1 - - <u>Crohn's disease P00.8</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm 	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-36	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - maternal condition, affecting fetus or newborn P00.9 • - - complication of pregnancy NEC P01.9 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - maternal condition, affecting fetus or newborn P00.9 • - - complication of pregnancy NEC P01.9 <u>- - conditions NEC in</u> <u>- - - A00-B99 P00.2</u> <u>- - - E10-E14 P70.1</u> <u>- - - E40-E64 P00.4</u> <u>- - - I00-I99 P00.3</u> <u>- - - J00-J06.9 P00.3</u> <u>- - - J09-J11 P00.2</u> <u>- - - J12.0-J98.9 P00.3</u> <u>- - - N00-N39 P00.1</u> <u>- - - O10-O11 P00.0</u> <u>- - - O13-O16 P00.0</u> <u>- - - Q20-Q28 P00.3</u> <u>- - - Q30-Q34 P00.3</u> <u>- - - S00-T79 P00.5</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm 	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-36	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - maternal condition, affecting fetus or newborn P00.9 • - - drug abuse P04.4 - - eclampsia P00.0 - - exposure to environmental chemical substances P04.6 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - maternal condition, affecting fetus or newborn P00.9 • - - drug abuse P04.4 <u>- - drug use NEC P04.9</u> <u>- - - specified drug or substance NEC P04.8</u> - - eclampsia P00.0 <u>- - edema (gestational) P00.8</u> <u>- - elevated enzymes P00.8</u> - - exposure to environmental chemical substances P04.6 - - <u>fatty</u> <u>- - - liver, acute P00.8</u> <u>- - febrile P00.8</u> <u>- - fibroid (uterus) P03.8</u> <u>- - funneling of cervix P01.0</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm 	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-36	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - maternal condition, affecting fetus or newborn P00.9 • - - glomerular diseases (conditions in N00-N08) P00.1 - - hemorrhage, gestational P02.1 • - - hepatitis, acute, malignant or subacute P00.8 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - maternal condition, affecting fetus or newborn P00.9 • - - glomerular diseases (conditions in N00-N08) P00.1 - - <u>hemolytic-uremic syndrome P00.8</u> - - <u>hemorrhage</u> - - - <u>gestational P02.1</u> - - - <u>subchorionic P02.1</u> • - - hepatitis, acute, malignant or subacute P00.8 - - <u>HIV positive P00.8</u> - - <u>hypercoagulation P00.8</u> 	<p>← Add subterm Revise subterm ←← and delete code ← Add subterm ← Add subterm</p> <p>← Add subterm ← Add subterm</p>	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-37	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - maternal condition, affecting fetus or newborn P00.9 • - - malnutrition P00.4 • - - nephritis, nephrotic syndrome and nephrosis (conditions in N00-N08) P00.1 • - - nutritional disorder (conditions in E40-E64) P00.4 • - - respiratory disease (conditions in <u>J00-J99</u>, Q30-Q34) P00.3 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - maternal condition, affecting fetus or newborn P00.9 • - - malnutrition P00.4 - - <u>myocardial infarction (history of) P00.3</u> • - - nephritis, nephrotic syndrome and nephrosis (conditions in N00-N08) P00.1 - - <u>neoplasm NEC P00.8</u> • - - nutritional disorder (conditions in E40-E64) P00.4 - - <u>obesity P00.8</u> • - - respiratory disease (conditions in <u>J00-J06</u>, <u>J12-J99</u>, Q30-Q34) P00.3 	<p>← Add subterm</p> <p>← Add subterm</p> <p>← Add subterm</p> <p>← Revise code span</p>	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-37	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - maternal condition, affecting fetus or newborn P00.9 • - - rheumatic heart disease (chronic) (conditions in I05-I09) P00.3 • - - septate vagina P03.8 • - - syphilis (conditions in A50-A53) P00.2 • - - urinary tract conditions (conditions in N00-N39) P00.1 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - maternal condition, affecting fetus or newborn P00.9 • - - rheumatic heart disease (chronic) (conditions in I05-I09) P00.3 - - <u>rheumatoid arthritis P00.8</u> • - - septate vagina P03.8 - - <u>specified condition NEC P00.8</u> • - - syphilis (conditions in A50-A53) P00.2 - - <u>thalassemia P00.8</u> - - <u>thrombophilia P00.8</u> • - - urinary tract conditions (conditions in N00-N39) P00.1 - - <u>vaginal leaking (amniotic fluid) P01.1</u> - - <u>vaginosis, bacterial P00.8</u> 	<p>← Add subterm</p> <p>← Add subterm</p> <p>← Add subterm</p> <p>← Add subterm</p>	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-37	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - meconium - - obstruction, fetus or newborn P76.0 • - - stain - - - fetus or newborn P20.9 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - meconium - - <u>foul smelling, fetus or newborn P02.7</u> - - <u>heavy, fetus or newborn P02.9</u> - - in liquor - <i>see also</i> Distress, fetal - - - complicating labor and delivery O68.1 - - <u>light, fetus or newborn P02.9</u> - - obstruction, fetus or newborn P76.0 - - <u>particulate, fetus or newborn P02.9</u> • - - stain - - - fetus or newborn P20.9 - - <u>thick, fetus or newborn P02.9</u> 	<ul style="list-style-type: none"> ← Add subterm ← Add subterm ← Add subterm ← Add subterm ← Add subterm 	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-41	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - placenta, placental (<i>see also condition</i>) • - - disease NEC - - - affecting fetus or newborn P02.2 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - placenta, placental (<i>see also condition</i>) • - - disease NEC - - - affecting fetus or newborn P02.2 - - <u>implantation, insertion (abnormal)</u> <u>(poor)</u> - - - <u>affecting fetus or newborn P02.2</u> - - - <u>low - see Placenta, previa</u> 	<p>← Add subterm</p> <p>← Add subterm</p> <p>← Add subterm</p>	12/11
PC47	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - presentation, fetal • - - breech • - - - with external version before labor, affecting fetus or newborn P01.7 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - presentation, fetal • - - breech • - - - with external version before labor, affecting fetus or newborn P01.7 - - - <u>affecting fetus or newborn NEC P01.7</u> 	<p>← Add subterm</p>	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-54	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - syndrome - <i>see also</i> Disease • - - gray (newborn) P93 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - syndrome - <i>see also</i> Disease • - - gray (newborn) P93 - - <u>HELLP (hemolysis, elevated liver enzymes and low platelet count)</u> - - - <u>affecting fetus or newborn P00.0</u> 	<p>← Add subterm</p> <p>← Add subterm</p>	12/11
PC-56	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - thrombosis, thrombotic (multiple) (progressive) (septic) (vein) (vessel) - - umbilical cord (vessels) <u>complicating delivery</u> 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - thrombosis, thrombotic (multiple) (progressive) (septic) (vein) (vessel) - - <u>placenta P02.2</u> - - - <u>marginal vein P02.2</u> - - <u>umbilical cord (vessels)</u> - - - <u>affecting fetus or newborn P02.6</u> - - - <u>complicating delivery</u> - - - - <u>affecting fetus or newborn P02.6</u> 	<p>← Add subterm</p> <p>← Add subterm</p> <p>← Revise subterm</p> <p>← Add subterm</p> <p>← Add subterm</p> <p>← Add subterm</p>	12/11

Amendments to ICD-10 Perinatal Subset Index

NCHS pg #	Current entry in index	Corrected entry	Reason	Effective Date
PC-58	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - version - - with extraction - - - affecting fetus or newborn P01.7 	<p>Conditions arising in the perinatal period</p> <ul style="list-style-type: none"> • - version - - with extraction - - - affecting fetus or newborn P01.7 - <u>villitis (placenta)</u> - - <u>affecting fetus or newborn P02.2</u> 	← Add subterm	12/11