

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Abnormal, abnormality, abnormalities - see also Anomaly

lung shadow **793.19**

Mantoux test **795.51**

product of conception NEC **631.8**

pulmonary

 artery **747.39**

radiological examination 793.99

 lung (field) **793.19**

Absence (organ or part) (complete or partial)

artery (congenital) (peripheral) NEC (see also Anomaly, peripheral vascular system) 747.60

brain 747.81

 pulmonary **747.31**

joint, **congenital NEC 755.8 (acquired) (following prior explantation of joint prosthesis) (with or without presence of antibiotic-impregnated cement spacer) NEC V88.29**

 congenital NEC 755.8

 hip V88.21

 knee V88.22

 pulmonary

 artery **747.31**

 trunk **747.31**

Acroangiodermatitis 448.9

Adenocarcinoma (M8140/3) - see also Neoplasm, by site, malignant

 apocrine (M8401/3)

 unspecified site **173.99**

 ceruminous (M8420/3) **173.29**

Adhesion(s), adhesive (postinfectious) (postoperative)

 bladder (sphincter) **596.89**

 perivesical **596.89**

 vesical **596.89**

vitreomacular adhesion 379.27

Admission (encounter)

 for

 aftercare (see also Aftercare) V58.9

 orthopedic V54.9

following explantation of joint prosthesis (for joint prosthesis insertion) (staged procedure) V54.82

 therapy

 long-term (current) (prophylactic) drug use NEC V58.69

bisphosphonates V58.68

 methadone **for pain control** V58.69

Aftercare V58.9

 following surgery NEC V58.49

 joint **replacement V54.81**

explantation of prosthesis (staged procedure) V54.82

replacement V54.81

 orthopedic V54.9

 following joint **replacement V54.81**

explantation of prosthesis (staged procedure) V54.81

replacement V54.81

Agenesis - see also Absence, by site, congenital

artery (peripheral) NEC (see also Anomaly, peripheral vascular system) 747.60

 pulmonary **747.31**

 pulmonary

 artery **747.31**

 trunk **747.31**

AIPHI (acute idiopathic pulmonary hemorrhage in infants (over 28 days old)) 786.31

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Air

leak (lung) (pulmonary) (thorax) **512.84**

persistent 512.84

postoperative **512.2**

Allergy, allergic (reaction) 995.3

anaphylactic **reaction or** shock 995.0

due to food - see Anaphylactic **reaction or** shock, due to, food

angioedema 995.1

serum (prophylactic) (therapeutic) **999.59**

anaphylactic **reaction or** shock **999.49**

shock (anaphylactic) (due to adverse effect of correct medicinal substance

properly administered) 995.0

food - see Anaphylactic **reaction or** shock, due to, food

from **serum or immunization 999.5**

administration of blood and blood products 999.41

anaphylactic 999.4

immunization 999.42

serum NEC 999.49

Alpha thalassemia **282.43**

Alveolar capillary block syndrome **516.64**

Alveolitis

 fibrosing (chronic) (cryptogenic) (lung) **516.31**

idiopathic 516.30

Amentia (see also **Disability, intellectual**) 319

Anaphylactic **reaction or** shock **or reaction** (correct substance properly administered) 995.0

due to

administration of blood and blood products 999.41

 chemical - see Table of Drugs and Chemicals

 correct medicinal substance properly administered 995.0

drug or medicinal substance

correct substance properly administered 995.0

overdose or wrong substance given or taken 977.9

specified drug - see Table of Drugs and Chemicals

following sting(s) 989.5

immunization 999.42

serum NEC 999.49

serum NEC 999.49

Anaphylactoid **reaction or** shock **or reaction** - see Anaphylactic shock

Anaphylaxis - see Anaphylactic **reaction or** shock

Anaplasmosis, human 082.49

Anastomosis

 intestinal 569.89

complicated NEC 997.49

Anemia 285.9

chronic simple 281.9

chronic 285.9

blood loss 280.0

hemolytic 282.9

idiopathic 283.9

simple 281.9

 Cooley's (erythroblastic) **282.44**

 erythroblastic

familial 282.44

 familial erythroblastic (microcytic) **282.44**

 high A₂ **282.46**

 leptocytosis (hereditary) **282.40**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Anemia (cont)

Mediterranean (**with hemoglobinopathy**) **282.40**

with hemoglobinopathy **282.49**

microdyspanosytosis **282.41**

Rietti-Greppi-Micheli (thalassemia minor) **282.46**

target cell (oval) **285.8**

with thalassemia - see Thalassemia

thalassemia **282.40**

Aneurysm (anastomotic) (artery) (cirrhotic) (diffuse) (false) (fusiform) (multiple) (ruptured) (saccular) (varicose)
 442.9

arteriovenous (congenital) (peripheral) NEC (see also Anomaly, arteriovenous) 747.60
 pulmonary **747.32**

berry (congenital) (ruptured) (see also Hemorrhage, subarachnoid) 430
 nonruptured **437.3**

brain 437.3

 berry (congenital) (ruptured) (see also Hemorrhage, subarachnoid) 430
 nonruptured **437.3**

congenital (peripheral) NEC 747.60
 pulmonary **747.32**

pulmonary 417.1

 arteriovenous **747.32**

Anomaly, anomalous (congenital) (unspecified type) 759.9

 artery (see also Anomaly, peripheral vascular system) NEC 747.60
 pulmonary **747.39**

 origin

 pulmonary artery **747.39**

 artery **747.39**

 circulation **747.39**

 specified type NEC

 artery (peripheral) NEC (see also Anomaly, peripheral vascular system) 747.60
 pulmonary **747.39**

Antibody-deficiency syndrome

agammaglobulinemic **279.00**

 anticardiolipin 795.79

 with

 hemorrhagic disorder 286.53

 hypercoagulable state 289.81

 antiphosphatidylglycerol 795.79

 with

 hemorrhagic disorder 286.53

 hypercoagulable state 289.81

 antiphosphatidylinositol 795.79

 with

 hemorrhagic disorder 286.53

 hypercoagulable state 289.81

 antiphosphatidylserine 795.79

 with

 hemorrhagic disorder 286.53

 hypercoagulable state 289.81

 antiphospholipid 795.79

 with

 hemorrhagic disorder 286.53

 hypercoagulable state 289.81

 deficiency syndrome

agammaglobulinemic **279.00**

 congenital **279.04**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Antibody (cont)
 deficiency syndrome (cont)
 hypogammaglobulinemic 279.00
 congenital **279.04**
 hypogammaglobulinemic **279.00**
Anticoagulant, ~~intrinsic, circulating, causing hemorrhagic disorder (see also Circulating anticoagulants)~~ **286.5**
 intrinsic, circulating, causing hemorrhagic disorder (see also Circulating, anticoagulants) **286.59**
 lupus (LAC) **795.79**
 with
 hemorrhagic disorder **286.53**
 hypercoagulable state **289.81**
Antithrombinemia (see also Circulating anticoagulants) **286.59**
Antithromboplastinemia (see also Circulating anticoagulants) **286.59**
Antithromboplastinogenemia (see also Circulating anticoagulants) **286.59**
Aplasia - see also Agenesis
 red cell (with thymoma) ~~(adult)~~ **284.81**
 acquired (secondary) **284.81**
 due to drugs **284.81**
 adult **284.81**
 pure **284.01**
 due to drugs **284.81**
 coronary (artery) **414.00**
 due to lipid rich plaque **414.3**
 calcified coronary lesion (severely) **414.4**
 lipid rich plaque **414.3**
Arthritis, arthritic (acute) (chronic) (subacute) **716.9**
 due to or associated with
 serum sickness **999.59** [713.6]
 reactive **099.3**
 serum (nontherapeutic) (therapeutic) **999.59** [713.6]
 thalassemia (*see also Thalassemia*) **282.40** [713.2]
Arthus phenomenon **995.21**
 due to
 serum **999.59**
Atresia, atretic (congenital) **759.89**
 artery NEC (see also Atresia, blood vessel) **747.60**
 pulmonary **747.31**
 blood vessel (peripheral) NEC **747.60**
 pulmonary artery **747.31**
 pulmonary (artery) **747.31**
Atrophy, atrophic
 bladder **596.89**
Autoimmune
 inhibitors to clotting factors **286.52**
Automatism **348.89**
 with temporal sclerosis **348.81**
Aversion
 oral **783.3**
 newborn **779.31**
 nonorganic origin **307.59**
Bacillus - see also Infection, bacillus
 coli
 infection **041.49**
Beta thalassemia (**major**) (**minor**) (mixed) **282.44**
 major **282.44**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Beta thalassemia (cont)
 minor 282.46

Biemond's syndrome (obesity, polydactyly, and **intellectual disabilities**) 759.89

Blighted ovum **631.8**

Block
 alveolar capillary **516.8**

Blood
 mole **631.8**
 pressure
 high (see also Hypertension) 401.9
 borderline 796.2

Borderline
 diabetes mellitus 790.29
 hypertension 796.2

Brachman-de Lange syndrome (Amsterdam dwarf, **intellectual disabilities**, and brachycephaly) 759.89

Brain - see also condition
 death **348.82**
 syndrome (acute) (chronic) (nonpsychotic) (organic) (with neurotic reaction) (with behavioral reaction)
 (see also Syndrome, brain) 310.9
 congenital (see also **Disability, intellectual**) 319

Breus' mole **631.8**

Bruck-de Lange disease or syndrome (Amsterdam **dwarf, intellectual disabilities**,
 and brachycephaly) 759.89

Calcification
 bladder **596.89**

Carcinoma (M8010/3) - see also Neoplasm, by site, malignant
 apocrine (M8401/3)
 unspecified site **173.99**
 basal cell (pigmented) (M8090/3) (**see also Neoplasm, skin, malignant**) **173.91**
 ceruminous (M8420/3) **173.29**
 squamous (cell) (M8070/3)
 skin (see also Neoplasm, skin, malignant) 173.92

Cardiomyopathy (congestive) (constrictive) (familial) (infiltrative) (obstructive) (restrictive) (sporadic) 425.4
 hypertrophic **425.18**
 nonobstructive **425.18**
 obstructive **425.11**

Care (of)
 prenatal V22.1
 high-risk pregnancy V23.9
 inconclusive fetal viability V23.87

Carneous mole **631.8**

Cementoma (M9273/0) 213.1
 gigantiform (**M9275/0**) 213.1

Cesarean delivery, operation or section NEC 669.7
 (**planned**) occurring after 37 completed weeks of gestation but before 39 completed weeks
 gestation due to (spontaneous) onset of labor 649.8

Checkup
 pregnancy (normal) V22.1
 high-risk pregnancy V23.9
 inconclusive fetal viability V23.87

Cicatrix (adherent) (contracted) (painful) (vicious) 709.2
 bladder **596.89**

Circulating, **intrinsic** anticoagulants, **antibodies, or inhibitors causing hemorrhagic disorder (see also Anticoagulants) 286.59**
 extrinsic 287.8
 intrinsic, causing hemorrhagic disorder 286.59

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Circulating anticoagulants... (cont)
intrinsic... (cont)
 with
 acquired hemophilia 286.52
 antiphospholipid antibody 286.53

CLABSI (central line-associated bloodstream infection) 999.32

Closure
 primary angle without glaucoma damage 365.06

Coarctation
 pulmonary artery **747.31**

Colibacilosis **041.49**

Collapse 780.2
 during or resulting from a surgical procedure 998.00
 postoperative (cardiovascular) **998.09**
 thorax 512.89

Communication
 abnormal - see also Fistula
 between
 pulmonary artery and pulmonary vein **747.39**
 pulmonary artery-pulmonary vein **747.39**

Complications
 anastomosis (and bypass) - see also Complications, due to (presence of) any device, implant, or graft
 classified to 996.0-996.5 NEC
 intestinal (internal) NEC **997.49**

 artificial opening
 cystostomy **596.83**
 infection 596.81
 mechanical 596.82
 specified complication NEC 596.83

 bariatric surgery **997.4**
 gastric band procedure 539.09
 infection 539.01
 specified procedure NEC 539.89
 infection 539.81

 cystostomy **596.83**
 infection 596.81
 mechanical 596.82
 specified complication NEC 596.83

 gastrointestinal, postoperative NEC (see also Complications, surgical procedures) **997.49**

 genitourinary device, implant or graft NEC 996.76
 erosion of implanted vaginal mesh 629.31
 exposure of implanted vaginal mesh 629.32

 infection and inflammation
 due to (presence of) any device, implant or graft classified to 996.0-996.5 NEC 996.60
 catheter NEC 996.69
 central venous 999.31
 bloodstream 999.32
 localized 999.33
 Hickman 999.31
 bloodstream 999.32
 localized 999.33
 peripherally inserted central (PICC) 999.31
 bloodstream 999.32
 localized 999.33
 portacath (port-a-cath) 999.31
 bloodstream 999.32

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Complications (cont)
infection and inflammation (cont)
due to... (cont)
 catheter NEC (cont)
 portacath (port-a-cath) (cont)
 localized 999.33
 triple lumen 999.31
 bloodstream 999.32
 localized 999.33
 umbilical venous 999.31
 bloodstream 999.32
 localized 999.33
 central venous catheter 999.31
 bloodstream 999.32
 localized 999.33
 Hickman catheter 999.31
 bloodstream 999.32
 localized 999.33
peripherally inserted central catheter (PICC) 999.31
 bloodstream 999.32
 localized 999.33
portacath (port-a-cath) 999.31
 bloodstream 999.32
 localized 999.33
 triple lumen catheter 999.31
 bloodstream 999.32
 localized 999.33
 umbilical venous catheter 999.31
 bloodstream 999.32
 localized 999.33
mechanical
 catheter NEC 996.59
 cystostomy **596.82**
medical care NEC 999.9
 gastrointestinal NEC **997.49**
respiratory 519.9
 distress syndrome, adult, following trauma **or-and** surgery **518.52**
 insufficiency, acute, postoperative **518.52**
stoma, external
 urinary tract 997.5
stomach banding **539.09**
stomach stapling **539.89**
surgical procedures 998.9
 cystostomy malfunction **596.82**
 infection 596.81
 mechanical 596.82
 specified complication NEC 596.83
 gastrointestinal NEC **997.49**
 shock (endotoxic) (**hypovolemic**)-(septic) **998.02**
 hypovolemic 998.09
transfusion (blood) (lymphocytes) (plasma) 999.80
 infection 999.39
 acute 999.34
transplant NEC - see also Complications, due to (presence of) any device, implant, or graft classified to
 996.0-996.5 NEC
 stem cell(s) 996.88

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Complications (cont)
transplant NEC... (cont)
 stem cell(s) (cont)
 from
 peripheral blood 996.88
 umbilical cord 996.88

vaccination 999.9
 anaphylaxis NEC **999.42**
 protein sickness **999.52**
 reaction (allergic) **999.52**
 Herxheimer's 995.0
 serum **999.52**
 serum intoxication, sickness, rash, or other serum reaction NEC **999.52**
 shock (allergic) (anaphylactic) **999.49**

Compression
 thorax 512.89

Condition - see also Disease
 respiratory NEC 519.9
 due to
 smoke inhalation 508.2

Conflagration - see also Burn, by site
 asphyxia (by inhalation of **smoke**, gases, fumes, or vapors) 987.9

Congestion, congestive
 bladder **596.89**
 lung 786.9
 idiopathic, acute **518.52**

Contact - **see also Exposure (suspected)**

Contraction, contracture, contracted
 bladder **596.89**
 hourglass
 bladder **596.89**
 vesical **596.89**

Converter, tuberculosis (test reaction) **795.51**

Cooley's anemia (erythroblastic) **282.44**

Coprostasis **560.32**

Cornelia de Lange's syndrome (Amsterdam dwarf, **intellectual disabilities**, and brachycephaly) 759.89

Cyst (mucus) (retention) (serous) (simple)
 bladder (multiple) (trigone) **596.89**
 pilar **704.41**
 pilonidal (infected) (rectum) 685.1
 malignant (M9084/3) **173.59**
 trichilemmal (proliferating) 704.42
 vesical (orifice) **596.89**

Cystocele
 male **596.89**

Cystoptosis **596.89**

Cystorrhagia **596.89**

Cystostomy status V44.50
 with complication **596.83**
 infection **596.81**
 mechanical **596.82**
 specified complication NEC 596.83

Cystourethrocele (see also Cystocele)
 male **596.89**

Dead
 ovum, retained **631.8**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Death
 brain **348.82**

Decrease, decreased
 blood
 pressure 796.3
 due to shock following
 operation **998.00**

Defect, defective 759.9
 mental (see also **Disability, intellectual**) 319

Deficiency, deficient
 mental (familial) (hereditary) (see also **Disability, intellectual**) 319

Deformity 738.9
 bladder (neck) (sphincter) (trigone) (acquired) **596.89**
 vesicourethral orifice (acquired) **596.89**

Degeneration, degenerative
 corticobasal 331.6

de Lange's syndrome (Amsterdam dwarf, **intellectual disabilities**, and brachycephaly) 759.89

Delivery
 cesarean (for) 669.7
 (**planned**) occurring after 37 completed weeks of gestation but before 39 completed weeks
 gestation due to (spontaneous) onset of labor 649.8
 complicated (by) NEC 669.9
 labor, **premature (before 37 completed weeks gestation) 644.2**
 onset (spontaneous) after 37 completed weeks of gestation but before 39 completed
 weeks gestation with delivery by (planned) cesarean section 649.8
 premature (before 37 completed weeks gestation) 644.2

Dementia **294.20**
 with behavioral disturbance (aggressive) (combative) (violent) **294.21**
 congenital (see also **Disability, intellectual**) 319
 due to or associated with condition(s) classified elsewhere
 Parkinson's disease
 with behavioral disturbance **332.0 [294.11]**
 without behavioral disturbance **332.0 [294.10]**

Dense
 breast(s) **793.82**

Development
 tardy, mental (see also **Disability, intellectual**) 319

Diabetes, diabetic (brittle) (congenital) (familial) (mellitus) (severe) (slight) (without complication) 250.0
 borderline 790.29

Dilatation
 bile duct (common) (**cystic**)-(congenital) 751.69
 bladder (sphincter) **596.89**
 pulmonary
 artery (idiopathic) 417.8
 congenital **747.39**
 vesical orifice **596.89**

Disability, **disabilities**

intellectual 319

borderline V62.89
 mild, IQ 50-70 317
 moderate, IQ 35-49 318.0
 profound, IQ under 20 318.2
 severe, IQ 20-34 318.1

 Disease, diseased - see also Syndrome
 bladder 596.9
 specified NEC **596.89**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Disease, diseased... (cont)

Bruck-de Lange (Amsterdam dwarf, intellectual disabilities, and brachycephaly) 759.89

Cooley's (erythroblastic anemia) **282.44**

Fournier's 608.83

female 616.89

hemoglobin (Hb) 282.7

 Bart's **282.43**

 E (Hb-E) 282.7

thalassemia 282.47

 H (Hb-H) **282.43**

high fetal gene or hemoglobin thalassemia (see also Thalassemia) **282.40**

iron

 metabolism (see also Hemochromatosis) **275.09**

lung NEC 518.89

 interstitial (chronic) 515

respiratory bronchiolitis 516.34

of childhood, specified NEC 516.69

lymphoproliferative (chronic) (M9970/1) 238.79

X linked 759.89

Mediterranean (with hemoglobinopathy) **282.40**

with hemoglobinopathy 282.49

microdysgenesis **282.41**

microvillus-inclusion (MVD) **751.5**

atrophy 751.5

inclusion (MVD) 751.5

Paget's (osteitis deformans) 731.0

 extramammary (M8542/3) - see also Neoplasm, skin, malignant

 anus 154.3

 skin **173.59**

polyethylene **996.45**

respiratory (tract) 519.9

smoke inhalation 508.2

serum NEC **999.59**

Sweeley-Klionsky **272.7**

urinary (tract) 599.9

 bladder 596.9

 specified NEC **596.89**

Woillez's (acute idiopathic pulmonary congestion) **518.52**

Disorder - see also Disease

alcohol, alcoholic (see also Alcohol) 291.9

induced mood 291.89

bladder 596.9

 specified NEC **596.89**

hemorrhagic NEC 287.9

 due to intrinsic circulating anticoagulants, antibodies, or inhibitors 286.59

with

acquired hemophilia 286.52

antiphospholipid antibody 286.53

involuntary emotional expression (IEED) **310.81**

mental (nonpsychotic) 300.9

 specific, following organic brain damage 310.9

 specified type NEC **310.89**

mood (see also Disorder, bipolar) 296.90

alcohol-induced 291.89

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Disorder ... (cont)
 respiration, respiratory NEC 519.9
 due to
 smoke inhalation 508.2

Displacement, displaced
 bladder (acquired) **596.89**

Disruption
 gastrointestinal anastomosis **997.49**

Distention
 bladder **596.89**

Distortion (congenital)
 artery (peripheral) NEC (see also Distortion, peripheral vascular system) 747.60
 pulmonary **747.39**

Distress
 respiratory 786.09
 adult syndrome (following **shock, surgery, or trauma and surgery**) **518.52**

Disturbance - see also Disease
 memory (see also Amnesia) 780.93
 mild, following organic brain damage **310.89**

Drainage
 suprapubic, bladder **596.89**

Drowned, drowning (near) 994.1
 lung **518.52**

Drug - see also condition
 therapy (maintenance) status NEC
 long-term (current) (prophylactic) use V58.69
 bisphosphonates V58.68
 methadone **for pain control** V58.69
 methadone 304.00

Dystasia, vesical neck **596.89**

Dysplasia - see also Anomaly
 alveolar capillary, with vein misalignment 516.64
 bladder **596.89**

Eaton-Lambert syndrome (see also **Syndrome, Lambert-Eaton**) **358.30**

Effect, adverse NEC
 foodstuffs
 anaphylactic **reaction or** shock due to food NEC - **see Anaphylactic reaction or shock, due to food 995.60**
 serum (prophylactic) (therapeutic) NEC **999.59**

Embolism 444.9
 aorta, aortic 444.1
 abdominal **444.09**
 saddle 444.01
 bifurcation **444.09**
 saddle **444.01**
 pulmonary (acute) (artery) (vein) 415.19
 healed or old **V12.55**
 personal history of **V12.55**

saddle (aorta) **444.0**
 abdominal aorta 444.01
 pulmonary artery 415.13

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Embolism (cont)

vein 453.9

 upper extremity (**acute**) 453.83

acute 453.83

deep 453.82

superficial 453.81

deep 453.82

superficial 453.81

Encephalitis (bacterial) (chronic) (hemorrhagic) (idiopathic) (nonepidemic) (spurious) (subacute) 323.9
due to

human immunodeficiency virus [HIV] disease 042 [323.01]

infection classified elsewhere 136.9 [323.41]

other infection classified elsewhere 136.9 [323.41]

Encephaloduroarteriomyosynangiosis (EDAMS) 437.5

Encephalopathy (acute) 348.30

due to

 drugs - (see also Table of Drugs and Chemicals) **349.82**

 influenza (virus) (see also Influenza) 487.8

 identified

(novel) 2009 novel-H1N1 488.19

 serum (nontherapeutic) (therapeutic) **999.59**

 metabolic (see also Delirium) 348.31

drug induced 349.82

Encounter for - see also Admission for

determination of fetal viability of pregnancy V23.87

joint prosthesis insertion following prior explantation of joint prosthesis V54.82

Endotoxic shock 785.52

postoperative 998.02

Eosinophilia 288.3

 with

angiolympoid hyperplasia (ALHE) 228.01

Erosion

implanted vaginal mesh

 in, into

pelvic floor muscles 629.31

surrounding organ(s) or tissue 629.31

vaginal prosthetic materials NEC

 in, into

pelvic floor muscles 629.31

surrounding organ(s) or tissue 629.31

Escherichia coli (E. coli) - see Infection, Escherichia coli

Eversion

 bladder **596.89**

Examination (general) (routine) (of) (for) V70.9

 prenatal V22.1

 high-risk pregnancy V23.9

to determine fetal viability V23.87

Exposure (suspected) 994.9

implanted vaginal mesh

into vagina 629.32

through vaginal wall 629.32

 to

uranium V87.02

vaginal prosthetic materials NEC

into vagina 629.32

through vaginal wall 629.32

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Factor

V Leiden mutation 289.81

Failure, failed

circulation, circulatory 799.89

peripheral 785.50

postoperative 998.00

hepatic 572.8

due to a procedure **997.49**

respiration, respiratory 518.81

acute 518.81

following trauma and surgery 518.51

acute and chronic 518.84

following trauma and surgery 518.53

due to following trauma, and surgery or shock **518.51**

transplant 996.80

stem cell(s) 996.88

from

peripheral blood 996.88

umbilical cord 996.88

Fibrosis, fibrotic

alveolar (diffuse) **516.31**

bladder **596.89**

lung (atrophic) (capillary) (chronic) (confluent) (massive) (perialveolar) (peribronchial) 515

diffuse (idiopathic) (interstitial) **516.31**

pulmonary (chronic) (see also Fibrosis, lung) 515

alveolar capillary block **516.8**

idiopathic 516.31

interstitial

diffuse (idiopathic) **516.31**

Findings, (abnormal), without diagnosis (examination) (laboratory test) 796.4

antiphosphatidylglycerol antibody 795.79

antiphosphatidylinositol antibody 795.79

antiphosphatidylserine antibody 795.79

lung field (~~coin lesion~~) (shadow) **793.19**

coin lesion 793.11

PPD **795.51**

radiologic (x-ray) 793.99

lung **793.19**

skin test, positive 795.79

tuberculin (without active tuberculosis) **795.51**

structure, body (echogram) (thermogram) (ultrasound) (x-ray) NEC 793.99

lung **793.19**

tuberculin skin test (without active tuberculosis) **795.51**

Fistula (sinus) 686.9

arteriovenous (acquired) 447.0

congenital (peripheral) 747.60

pulmonary 747.39

pulmonary (vessels) 417.0

congenital 747.39

cystostomy 596.83

pulmonary 510.0

arteriovenous 417.0

congenital 747.39

Fleshy mole **631.8**

Flu - see also Influenza

swine (~~see also Influenza, novel H1N1~~) **488.12** - see Influenza, (novel) 2009 H1N1

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Food

anaphylactic shock - see Anaphylactic **reaction or** shock, due to food

Fournier's disease (idiopathic gangrene) 608.83

female 616.89

Fracture (abduction) (adduction) (avulsion) (compression) (crush) (dislocation) (oblique) (separation) (closed)
829.0

femur, femoral (closed) 821.00

neck (closed) 820.8

stress 733.96

shaft (lower third) (middle third) (upper third) 821.01

stress 733.97

march 733.95

femoral neck 733.96

pelvis 733.98

shaft of femur 733.97

pelvis, pelvic (bone(s)) (with visceral injury) (closed) 808.8

~~multiple (with disruption of pelvic circle) 808.43~~

~~open 808.53~~

multiple

with

disruption of pelvic circle 808.43

~~open 808.53~~

disruption of pelvic ring 808.43

~~open 808.53~~

without

disruption of pelvic circle 808.44

~~open 808.54~~

disruption of pelvic ring 808.44

~~open 808.54~~

stress 733.98

stress 733.95

femoral neck 733.96

pelvis 733.98

shaft of femur 733.97

Glaucoma (capsular) (inflammatory) (noninflammatory) (primary) 365.9

angle closure 365.20

attack 365.22

crisis 365.22

primary 365.20

chronic 365.23

angle recession 365.65

exfoliation 365.52

inflammatory 365.62

neovascular 365.63

normal tension 365.12

open angle 365.10

with

abnormal optic disc appearance or asymmetry 365.01

~~borderline findings intraocular pressure 365.01~~

~~high risk 365.05~~

~~intraocular pressure 365.01~~

~~low risk 365.01~~

thin central corneal thickness (pachymetry) 365.01

high risk 365.05

low risk 365.01

phacoanaphylactic 365.59

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Glaucoma... (cont)
 phacomorphic
 acute 365.22
 borderline 365.06
 pigment dispersion 365.13
 secondary NEC 365.60
 due to
 steroids 365.31
 surgery 365.60
 stage
 advanced 365.73
 early 365.71
 end-stage 365.73
 indeterminate 365.74
 mild 365.71
 moderate 365.72
 severe 365.73
 unspecified 365.70
 steroid-~~responders~~ 365.03
 induced 365.31
 responders 365.03
 suspect 365.00
 primary angle closure 365.02
 uveitic 365.62
Glycogenosis (see also Disease, glycogen storage) 271.0
 pulmonary interstitial 516.62
Hamman-Rich syndrome (diffuse interstitial pulmonary fibrosis) **516.33**
Hematoma (skin surface intact) (traumatic) - see also Contusion
 aortic intramural - see **Dissection, aorta**
Hemochromatosis (acquired) (liver) (myocardium) (secondary) 275.03
 diabetic **275.03**
Hemoglobin - see also condition
 H Constant Spring 282.43
 H disease 282.43
Hemophilia (familial) (hereditary) 286.0
 acquired **286.52**
 autoimmune 286.52
 secondary **286.52**
Hemorrhage, hemorrhagic (nontraumatic) 459.0
 bladder **596.89**
 disorder 287.9
 due to intrinsic circulating anticoagulants, **antibodies, or inhibitors** 286.59
 with
 acquired hemophilia 286.52
 antiphospholipid antibody 286.53
 due to
 intrinsic circulating anticoagulant, **antibodies, or inhibitors** 286.59
 with
 acquired hemophilia 286.52
 antiphospholipid antibody 286.53
 mole **631.8**
 vesical **596.89**
Hernia, hernial (acquired) (recurrent) 553.9
 bladder (sphincter)
 male **596.89**
 cystostomy 596.83

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Hernia, hernia... (cont)
 prevesical **596.89**
 vesical
 male **596.89**
Herkheimer's reaction **995.91**
High
 A₂ anemia **282.46**
 blood pressure (see also Hypertension) 401.9
 borderline 796.2
 risk
 pregnancy V23.9
 inconclusive fetal viability V23.87
 Histiocytosis (acute) (chronic) (subacute) 277.89
 adult pulmonary Langerhans cell (PLCH) 516.5
History (personal) of
 anaphylactic **reaction or shock V13.81**
 anaphylaxis V13.81
 disease (of) V13.9
 specified site NEC **V13.89**
 disorder (of) V13.9
 endocrine **V12.29**
 gestational diabetes V12.21
 immunity **V12.29**
 metabolic **V12.29**
 obstetric V13.29
 affecting management of current pregnancy V23.49
 ectopic pregnancy V23.42
 specified site NEC **V13.89**
 embolism (**pulmonary**) V12.51
 pulmonary V12.55
 endocrine disorder **V12.29**
 gestational diabetes V12.21
 family
 disabilities, intellectual V18.4
 disease or disorder (of)
 eye NEC **V19.19**
 glaucoma V19.11
 glaucoma V19.11
 eye disorder NEC **V19.19**
 glaucoma V19.11
 glaucoma V19.11
 intellectual disabilities V18.4
 mental retardation - **see History, family, intellectual disabilities**
 retardation, mental V18.4
 retinitis pigmentosa **V19.19**
 gestational diabetes V12.21
 immunity disorder **V12.29**
 metabolic disorder **V12.29**
 obstetric disorder V13.29
 affecting management of current pregnancy V23.49
 ectopic pregnancy V23.42
 poor obstetric V13.29
 affecting management of current pregnancy V23.49
 ectopic pregnancy V23.42
 thrombosis V12.51
 pulmonary V12.55

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Hourglass contraction, contracture
bladder **596.89**

Hydrops 782.3
fetal(is)fetal, fetalis or newborn 778.0
due to ~~isoimmunization~~ **773.3**
alpha thalassemia **282.43**
~~isoimmunization~~ **773.3**

Hyperheparinemia (see also Circulating, **intrinsic** anticoagulants) **287.5**

Hyperplasia, hyperplastic
angiolymphoid, with eosinophilia (ALHE) **228.01**
neuroendocrine cell, of infancy **516.61**

Hypertension, hypertensive Malignant.... Benign ... Unspecified
borderline **796.2**
pulmonary (artery) (secondary) 416.8
with ~~cor pulmonale (chronic)~~ **416.8**
acute **415.0**
cor pulmonale (chronic) **416.8**
acute **415.0**
right heart ventricular strain/failure **416.8**
acute **415.0**

Hypertrophy, hypertrophic
bladder (sphincter) (trigone) **596.89**
myocardium (see also Hypertrophy, cardiac) 429.3
idiopathic **425.18**
subaortic stenosis (idiopathic) **425.11**
vesical **596.89**

Hypoplasia, hypoplasia 759.89
angiolymphoid, with eosinophilia (ALHE) **228.01**
artery (congenital) (peripheral) 747.60
pulmonary **747.31**
pulmonary 748.5
arteriovenous **747.32**
artery **747.31**

Hypovolemia 276.52
surgical shock **998.09**

IEED (involuntary emotional expression disorder) **310.81**

Ileus (adynamic) (bowel) (colon) (inhibitory) (intestine) (neurogenic) (paralytic) 560.1
following gastrointestinal surgery **997.49**
postoperative **997.49**

Impaction, impacted
bowel, colon, rectum 560.30
by
calculus **560.32**
specified type NEC **560.32**
intestine(s) 560.30
by
calculus **560.32**
specified type NEC **560.32**

Inadequate, inadequacy
mental (see also **Disability, intellectual**) 319

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Inappropriate ~~secretion~~

ACTH 255.0

~~antidiuretic hormone (ADH) (excessive) 253.6~~

~~deficiency 253.5~~

~~ectopic hormone NEC 259.3~~

~~pituitary (posterior) 253.6~~

~~change in quantitative human chorionic gonadotropin (hCG) in early pregnancy 631.0~~

~~level of quantitative human chorionic gonadotropin (hCG) for gestational age in early pregnancy 631.0~~

secretion

ACTH 255.0

antidiuretic hormone (ADH) (excessive) 253.6

deficiency 253.5

ectopic hormone NEC 259.3

pituitary (posterior) 253.6

Increase, increased

anticoagulants (antithrombin) (**anti-II**) (anti-VIIIa) (anti-IXa) (**anti-Xa**) (anti-XIa) (**prothrombin**) (*see also Anticoagulants*) **286.59**

anti-IIa 287.8

anti-Xa 287.8

extrinsic 287.8

Infection, infected, infective (opportunistic) 136.9

with **lymphangitis - see Lymphangitis**

influenza viruses occurring in pigs or other animals - see Influenza, due to identified, novel influenza A virus

lymphangitis - see Lymphangitis

blood stream - *see also* Septicemia

central line-associated (CLABSI) 999.32

due to central venous catheter 999.32

central line-associated 999.31

bloodstream 999.32

cystostomy 596.83

due to or resulting from

central venous catheter (*see also Complications, due to, catheter, central venous*) 999.31

bloodstream 999.32

localized 999.33

injection, inoculation, infusion, transfusion, or vaccination (prophylactic) (therapeutic) 999.39

blood and blood products

acute 999.34

Escherichia coli NEC (*E. coli*) 041.49

non-Shiga toxin-producing 041.49

Shiga toxin-producing (STEC) 041.43

with

unspecified O group 041.43

non-O157 (with known O group) 041.42

O157 (with confirmation of Shiga toxin when H antigen is unknown, or is not H7) 041.41

O157:H- (nonmotile) with confirmation of Shiga toxin 041.41

O157:H7 with or without confirmation of Shiga toxin-production 041.41

specified NEC 041.42

exit site 999.33

insertion site 999.33

port 999.33

reservoir 999.33

tunnel 999.33

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Infiltrate, infiltration

lung (see also Infiltrate, pulmonary) **793.19**

x-ray finding only **793.19**

pulmonary **793.19**

with

x-ray finding only **793.19**

Influenza, influenzal 487.1

due to identified

**animal origin influenza virus - see Influenza, due to identified, novel influenza A virus
(novel) 2009 novel-H1N1 influenza virus 488.12**

novel influenza A virus 488.82

with

encephalopathy 488.89

involvement of gastrointestinal tract 488.89

laryngitis 488.82

manifestations NEC 488.89

respiratory (acute) (upper) 488.82

pharyngitis 488.82

pneumonia 488.81

(novel) 2009 novel (2009)-H1N1 488.12

novel A/H1N1 (see also Influenza, **(novel) 2009 novel-H1N1 488.12**)

novel influenza A viruses not previously found in humans - see Influenza, due to identified, novel influenza A virus

Inhalation

smoke **508.2**

Inhibitor, ~~systemic lupus erythematosus (presence of)~~ **286.5**

~~autoimmune, to clotting factors~~ **286.52**

~~systemic lupus erythematosus (presence of)~~ **795.79**

with

hemorrhagic disorder 286.53

hypercoagulable state 289.81

Injury 959.9

internal 869.0

lung 861.20

aspiration 507.0

Insufficiency, insufficient

lung (acute) (see also Insufficiency, pulmonary) 518.82

following trauma **and** surgery, **or shock 518.52**

mental (congenital) (see also **Disability, intellectual**) 319

pulmonary (acute) 518.82

following

shock 518.52

surgery 518.52

trauma 518.52

respiratory 786.09

acute 518.82

following **shock, trauma and surgery, or trauma 518.52**

Interrogation

cardiac defibrillator (automatic) (implantable) V53.32

cardiac pacemaker V53.31

cardiac (event) (loop) recorder V53.39

infusion pump (implanted) (intrathecal) V53.09

neurostimulator V53.02

Intoxication

serum (prophylactic) (therapeutic) **999.59**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Intrauterine contraceptive device
reinsertion V25.13
and reinsertion V25.13
removal V25.12
and reinsertion V25.13

Inversion
bladder **596.89**

IRIS (Immune Reconstitution Inflammatory Syndrome) 995.90

Irritability 799.22
bladder **596.89**

Irritation
bladder **596.89**

Lack of
memory (see also Amnesia) 780.93
mild, following organic brain damage **310.89**

Laurence-Moon-Biedl syndrome (obesity, polydactyly, and intellectual disabilities) 759.89

Leakage
bile from drainage tube (T tube) **997.49**

Lepore hemoglobin syndrome **282.45**

Leptocytosis, hereditary **282.40**

Leriche's syndrome (aortic bifurcation occlusion) **444.09**

Lesion(s)
coin, lung **793.11**
lung 518.89
coin **793.11**

Leukoencephalopathy (see also Encephalitis) 323.9
arteriosclerotic 437.0

Leukoplakia 702.8
bladder (postinfectional) **596.89**
vesical **596.89**

Lipodermatosclerosis 729.39

Long-term (current) (prophylactic) drug use V58.69
bisphosphonates V58.68
methadone **for pain control** V58.69

Loss
memory (see also Amnesia) 780.93
mild, following organic brain damage **310.89**

Lupus 710.0
anticoagulant **795.79**
with
hemorrhagic disorder 286.53
hypercoagulable state 289.81

erythematous (discoid) (local) 695.4
systemic 710.0
inhibitor (presence of) **795.79**
with hypercoagulable state 289.81

Lymphangiomyomatosis 516.4

Lymphangiomyomatosis (**M9174/1**) - see **Neoplasm, connective tissue, uncertain behavior 516.4**

Lymphoma (malignant) (M9590/3) 202.8
small cell and large cell, mixed (diffuse) (M9613/3) 200.8
nodular (**M9691/3**) 202.0

Maintenance
methadone 304.00

Malacoplakia
bladder **596.89**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Malformation (congenital) - see also Anomaly
arteriovenous
 pulmonary **747.32**
Malfunction - see also Dysfunction
cystostomy **596.82**
 infection **596.81**
 mechanical **596.82**
 specified complication NEC **596.83**
Malposition
 congenital
 artery (peripheral) NEC (see also Malposition, congenital, peripheral vascular system) **747.60**
 pulmonary **747.39**
Mast cell
 sarcoma (**M9740/3**) **202.6**
Mediterranean
 anemia (**with other hemoglobinopathy**) **282.40**
 with other hemoglobinopathy **282.49**
 disease or syndrome (**hemopathic**) **282.40**
 with other hemoglobinopathy **282.49**
Melanocytosis, neurocutaneous **757.33**
Memory disturbance, loss or lack (see also Amnesia) **780.93**
 mild, following organic brain damage **310.89**
Mendelson's syndrome (resulting from a procedure) **997.32**
Mental - see also condition
 deficiency (see also **Disability, intellectual**) **319**
 insufficiency (congenital) (see also **Disability, intellectual**) **319**
 retardation (**see also Retardation, mental**) **319 - see Disability, intellectual**
 subnormality (see also **Disability, intellectual**) **319**
Metaplasia
 squamous cell
 bladder **596.89**
Metastasis, metastatic
 mesentery, of neuroendocrine tumor **209.74**
Micheli-Rietti syndrome (thalassemia minor) **282.46**
Microdrepanocytosis (thalassemia-Hb-S disease) **282.41**
 with sickle cell crisis **282.42**
Migraine (idiopathic) **346.9**

Note The following fifth digit subclassification is for use with category 346:

- | | |
|---|--|
| 0 | without mention of intractable migraine without mention of status migrainosus
without mention of refractory migraine without mention of status migrainosus |
| 1 | with intractable migraine, so stated, without mention of status migrainosus
with refractory migraine, so stated, without mention of status migrainosus |
| 2 | without mention of intractable migraine with status migrainosus
without mention of refractory migraine with status migrainosus |
| 3 | with intractable migraine, so stated, with status migrainosus
with refractory migraine, so stated, with status migrainosus |

complicated **346.0**

Molar pregnancy **631.8**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Mole (pigmented) (M8720/0) - see also Neoplasm, skin, benign

blood **631.8**

Breus' **631.8**

carneous **631.8**

fleshy **631.8**

hemorrhagic **631.8**

malignant

meaning

malignant hydatidiform mole (**M9100/1**) 236.1

pregnancy NEC **631.8**

stone **631.8**

Mutation(s)

factor V **Leiden** 289.81

surfactant, of lung **516.63**

MVID (microvillus inclusion disease) 751.5

Myelitis (ascending) (cerebellar) (childhood) (chronic) (descending) (diffuse) (disseminated) (pressure)
(progressive) (spinal cord) (subacute) (see also Encephalitis) 323.9

due to

other infection classified elsewhere 136.9 [323.42]

Myocardiolopathy (congestive) (constrictive) (familial) (**hypertrophic nonobstructive**) (idiopathic) (infiltrative)
(obstructive) (primary) (restrictive) (sporadic) 425.4

hypertrophic **obstructive** 425.18

nonobstructive 425.18

obstructive 425.11

Necrosis, necrotic

bladder (aseptic) (sphincter) **596.89**

vesical (aseptic) (bladder) **596.89**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
Neoplasm, neoplastic.....	199.1	199.1	234.9	229.9	238.9	239.9
abdomen, abdominal	195.2	198.89	234.8	229.8	238.8	239.89
wall	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
<u>basal cell carcinoma</u>	<u>173.51</u>	-	-	-	-	-
<u>specified type NEC</u>	<u>173.59</u>	-	-	-	-	-
<u>squamous cell carcinoma</u>	<u>173.52</u>	-	-	-	-	-
ala nasi (external)	<u>173.30</u>	198.2	232.3	216.3	238.2	239.2
anus, anal	154.3	197.5	230.6	211.4	235.5	239.0
margin (<i>see also Neoplasm, anus, skin</i>)	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
skin	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
<u>basal cell carcinoma</u>	<u>173.51</u>	-	-	-	-	-
<u>specified type NEC</u>	<u>173.59</u>	-	-	-	-	-
<u>squamous cell carcinoma</u>	<u>173.52</u>	-	-	-	-	-
auditory						
canal (external) (skin) (<i>see also Neoplasm, skin, ear</i>) ... <u>173.20</u>	198.2	232.2	216.2	238.2	239.2	
auricle, ear (<i>see also Neoplasm, skin, ear</i>)	<u>173.20</u>	198.2	232.2	216.2	238.2	239.2
auricular canal (external) (<i>see also Neoplasm, skin, ear</i>) ... <u>173.20</u>	198.2	232.2	216.2	238.2	239.2	
axilla, axillary	195.1	198.89	234.8	229.8	238.8	239.89
fold (<i>see also Neoplasm, skin, trunk</i>)	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
breast (connective tissue) (female)						
(glandular tissue) (soft parts)	174.9	198.81	233.0	217	238.3	239.3
mastectomy site (skin)						
(<i>see also Neoplasm, mastectomy site</i>)	<u>173.50</u>	198.2	-	-	-	-
skin (<i>see also Neoplasm, mastectomy site</i>)	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
brow	<u>173.30</u>	198.2	232.3	216.3	238.2	239.2
<u>basal cell carcinoma</u>	<u>173.31</u>	-	-	-	-	-
<u>specified type NEC</u>	<u>173.39</u>	-	-	-	-	-
<u>squamous cell carcinoma</u>	<u>173.32</u>	-	-	-	-	-
canal						
auditory (external) (<i>see also Neoplasm, skin, ear</i>) ... <u>173.20</u>	198.2	232.2	216.2	238.2	239.2	
auricular (external) (<i>see also Neoplasm, skin, ear</i>) ... <u>173.20</u>	198.2	232.2	216.2	238.2	239.2	
canthus (eye) (inner) (outer)	<u>173.10</u>	198.2	232.1	216.1	238.2	239.2
<u>basal cell carcinoma</u>	<u>173.11</u>	-	-	-	-	-
<u>specified type NEC</u>	<u>173.19</u>	-	-	-	-	-

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
Neoplasm, neoplastic (cont)						
canthus... (cont)						
squamous cell carcinoma	173.12	-	-	-	-	-
cheek	195.0	198.89	234.8	229.8	238.8	239.89
external	173.30	198.2	232.3	216.3	238.2	239.2
basal cell carcinoma	173.31	-	-	-	-	-
specified type NEC	173.39	-	-	-	-	-
squamous cell carcinoma	173.32	-	-	-	-	-
chin	173.30	198.2	232.3	216.3	238.2	239.2
basal cell carcinoma	173.31	-	-	-	-	-
specified type NEC	173.39	-	-	-	-	-
squamous cell carcinoma	173.32	-	-	-	-	-
columnella (<i>see also Neoplasm, skin, face</i>)	173.30	198.2	232.3	216.3	238.2	239.2
concha (<i>see also Neoplasm, skin, ear</i>)	173.20	198.2	232.2	216.2	238.2	239.2
connective tissue NEC	171.9	198.89	-	215.9	238.1	239.2
skin (dermis) NEC	173.90	198.2	232.9	216.9	238.2	239.2
ear (external) (<i>see also Neoplasm, ear, skin</i>)	173.20	198.2	232.2	216.2	238.2	239.2
auricle or auris (<i>see also Neoplasm, ear, skin</i>)	173.20	198.2	232.2	216.2	238.2	239.2
canal, external (<i>see also Neoplasm, ear, skin</i>)	173.20	198.2	232.2	216.2	238.2	239.2
external meatus (<i>see also Neoplasm, ear, skin</i>)	173.20	198.2	232.2	216.2	238.2	239.2
lobule (<i>see also Neoplasm, ear, skin</i>)	173.20	198.2	232.2	216.2	238.2	239.2
skin	173.20	198.2	232.2	216.2	238.2	239.2
basal cell carcinoma	173.21	-	-	-	-	-
specified type NEC	173.29	-	-	-	-	-
squamous cell carcinoma	173.22	-	-	-	-	-
earlobe	173.20	198.2	232.2	216.2	238.2	239.2
basal cell carcinoma	173.21	-	-	-	-	-
specified type NEC	173.29	-	-	-	-	-
squamous cell carcinoma	173.22	-	-	-	-	-
external						
meatus (ear) (<i>see also Neoplasm, skin, ear</i>)	173.20	198.2	232.2	216.2	238.2	239.2
eyebrow	173.30	198.2	232.3	216.3	238.2	239.2
basal cell carcinoma	173.31	-	-	-	-	-
specified type NEC	173.39	-	-	-	-	-
squamous cell carcinoma	173.32	-	-	-	-	-

ICD-9-CM Index to Diseases and Injuries Addenda

Effective October 1, 2011 (FY12)

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
Neoplasm, neoplastic (cont)						
eyelid (lower) (skin) (upper).....	<u>173.10</u>	198.2	232.1	216.1	238.2	239.2
basal cell carcinoma	<u>173.11</u>	-	-	-	-	-
specified type NEC	<u>173.19</u>	-	-	-	-	-
squamous cell carcinoma	<u>173.12</u>	-	-	-	-	-
forehead (skin).....	<u>173.30</u>	198.2	232.3	216.3	238.2	239.2
basal cell carcinoma	<u>173.31</u>	-	-	-	-	-
specified type NEC	<u>173.39</u>	-	-	-	-	-
squamous cell carcinoma	<u>173.32</u>	-	-	-	-	-
helix (<i>see also Neoplasm, skin, ear</i>).....	<u>173.20</u>	198.2	232.2	216.2	238.2	239.2
jaw	195.0	198.89	234.8	229.8	238.8	239.89
skin (<i>see also Neoplasm, skin, face</i>).....	<u>173.30</u>	198.2	232.3	216.3	238.2	239.2
lid (lower) (upper).....	<u>173.10</u>	198.2	232.1	216.1	238.2	239.2
basal cell carcinoma	<u>173.11</u>	-	-	-	-	-
specified type NEC	<u>173.19</u>	-	-	-	-	-
squamous cell carcinoma	<u>173.12</u>	-	-	-	-	-
lip (external) (lipstick area) (vermillion border).....	140.9	198.89	230.0	210.0	235.1	239.0
skin (commissure) (lower) (upper).....	<u>173.00</u>	198.2	232.0	216.0	238.2	239.2
basal cell carcinoma	<u>173.01</u>	-	-	-	-	-
specified type NEC	<u>173.09</u>	-	-	-	-	-
squamous cell carcinoma	<u>173.02</u>	-	-	-	-	-
mastectomy site (skin).....	<u>173.50</u>	198.2	-	-	-	-
basal cell carcinoma	<u>173.51</u>	-	-	-	-	-
specified type NEC	<u>173.59</u>	-	-	-	-	-
squamous cell carcinoma	<u>173.52</u>	-	-	-	-	-
meatus						
external (ear) (<i>see also Neoplasm, skin, ear</i>).....	<u>173.20</u>	198.2	232.2	216.2	238.2	239.2
meibomian gland	<u>173.10</u>	198.2	232.1	216.1	238.2	239.2
basal cell carcinoma	<u>173.11</u>	-	-	-	-	-
specified type NEC	<u>173.19</u>	-	-	-	-	-
squamous cell carcinoma	<u>173.12</u>	-	-	-	-	-
nail	<u>173.90</u>	198.2	232.9	216.9	238.2	239.2
finger (<i>see also Neoplasm, skin, limb, upper</i>)	<u>173.60</u>	198.2	232.6	216.6	238.2	239.2
toe (<i>see also Neoplasm, skin, limb, lower</i>)	<u>173.70</u>	198.2	232.7	216.7	238.2	239.2
nasolabial groove (<i>see also Neoplasm, skin, face</i>).....	<u>173.30</u>	198.2	232.3	216.3	238.2	239.2
nates (<i>see also Neoplasm, skin, trunk</i>).....	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
Neoplasm, neoplastic (cont)						
neck NEC*	195.0	198.89	234.8	229.8	238.8	239.89
skin	173.40	198.2	232.4	216.4	238.2	239.2
basal cell carcinoma	173.41	-	-	-	-	-
specified type NEC	173.49	-	-	-	-	-
squamous cell carcinoma	173.42	-	-	-	-	-
nose, nasal	195.0	198.89	234.8	229.8	238.8	239.89
ala (external) (<i>see also Neoplasm, nose, skin</i>)	173.30	198.2	232.3	216.3	238.2	239.2
external (skin) (<i>see also Neoplasm, nose, skin</i>)	173.30	198.2	232.3	216.3	238.2	239.2
skin	173.30	198.2	232.3	216.3	238.2	239.2
basal cell carcinoma	173.31	-	-	-	-	-
specified type NEC	173.39	-	-	-	-	-
squamous cell carcinoma	173.32	-	-	-	-	-
palpebra	173.10	198.2	232.1	216.1	238.2	239.2
basal cell carcinoma	173.11	-	-	-	-	-
specified type NEC	173.19	-	-	-	-	-
squamous cell carcinoma	173.12	-	-	-	-	-
perianal (skin) (<i>see also Neoplasm, skin, anus</i>)	173.50	198.2	232.5	216.5	238.2	239.2
pinna (ear) NEC (<i>see also Neoplasm, skin, ear</i>)	173.20	198.2	232.2	216.2	238.2	239.2
scalp	173.40	198.2	232.4	216.4	238.2	239.2
basal cell carcinoma	173.41	-	-	-	-	-
specified type NEC	173.49	-	-	-	-	-
squamous cell carcinoma	173.42	-	-	-	-	-
scar NEC (<i>see also Neoplasm, skin</i>)	173.90	198.2	232.9	216.9	238.2	239.2
skin NEC NOS	173.90	198.2	232.9	216.9	238.2	239.2
abdominal wall	173.50	198.2	232.5	216.5	238.2	239.2
basal cell carcinoma	173.51	-	-	-	-	-
specified type NEC	173.59	-	-	-	-	-
squamous cell carcinoma	173.52	-	-	-	-	-
ala nasi (<i>see also Neoplasm, skin, face</i>)	173.30	198.2	232.3	216.3	238.2	239.2
ankle (<i>see also Neoplasm, skin, limb, lower</i>)	173.70	198.2	232.7	216.7	238.2	239.2
antecubital space						
(<i>see also Neoplasm, skin, limb, upper</i>)	173.60	198.2	232.6	216.6	238.2	239.2
anus	173.50	198.2	232.5	216.5	238.2	239.2
basal cell carcinoma	173.51	-	-	-	-	-
specified type NEC	173.59	-	-	-	-	-
squamous cell carcinoma	173.52	-	-	-	-	-
arm (<i>see also Neoplasm, skin, limb, upper</i>)	173.60	198.2	232.6	216.6	238.2	239.2

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
Neoplasm, neoplastic (cont)						
skin (cont)						
auditory canal (external) (<i>see also Neoplasm, skin, ear</i>) 173.20	198.2	232.2	216.2	238.2	239.2	
auricle (ear) (<i>see also Neoplasm, skin, ear</i>) 173.20	198.2	232.2	216.2	238.2	239.2	
auricular canal (external) (<i>see also Neoplasm, skin, ear</i>) 173.20	198.2	232.2	216.2	238.2	239.2	
axilla, axillary fold (<i>see also Neoplasm, skin, trunk</i>) 173.50	198.2	232.5	216.5	238.2	239.2	
back 173.50	198.2	232.5	216.5	238.2	239.2	
basal cell carcinoma 173.51	-	-	-	-	-	
specified type NEC 173.59	-	-	-	-	-	
squamous cell carcinoma 173.52	-	-	-	-	-	
basal cell carcinoma, unspecified site 173.91	-	-	-	-	-	
breast (<i>see also Neoplasm, skin, trunk</i>) 173.50	198.2	232.5	216.5	238.2	239.2	
brow (<i>see also Neoplasm, skin, face</i>) 173.30	198.2	232.3	216.3	238.2	239.2	
buttock (<i>see also Neoplasm, skin, trunk</i>) 173.50	198.2	232.5	216.5	238.2	239.2	
calf (<i>see also Neoplasm, skin, limb, lower</i>) 173.70	198.2	232.7	216.7	238.2	239.2	
canthus (eye) (inner) (outer) 173.10	198.2	232.1	216.1	238.2	239.2	
basal cell carcinoma 173.11	-	-	-	-	-	
specified type NEC 173.19	-	-	-	-	-	
squamous cell carcinoma 173.12	-	-	-	-	-	
cervical region (<i>see also Neoplasm, skin, neck</i>) 173.40	198.2	232.4	216.4	238.2	239.2	
cheek (external) (<i>see also Neoplasm, skin, face</i>) 173.30	198.2	232.3	216.3	238.2	239.2	
chest (wall) (<i>see also Neoplasm, skin, trunk</i>) 173.50	198.2	232.5	216.5	238.2	239.2	
chin (<i>see also Neoplasm, skin, face</i>) 173.30	198.2	232.3	216.3	238.2	239.2	
clavicular area (<i>see also Neoplasm, skin, trunk</i>) 173.50	198.2	232.5	216.5	238.2	239.2	
columnella (<i>see also Neoplasm, skin, face</i>) 173.30	198.2	232.3	216.3	238.2	239.2	
concha (<i>see also Neoplasm, skin, ear</i>) 173.20	198.2	232.2	216.2	238.2	239.2	
contiguous sites 173.80	-	-	-	-	-	
basal cell carcinoma 173.81	-	-	-	-	-	
specified type NEC 173.89	-	-	-	-	-	
squamous cell carcinoma 173.82	-	-	-	-	-	
ear (external) 173.20	198.2	232.2	216.2	238.2	239.2	
basal cell carcinoma 173.21	-	-	-	-	-	
specified type NEC 173.29	-	-	-	-	-	
squamous cell carcinoma 173.22	-	-	-	-	-	
elbow (<i>see also Neoplasm, skin, limb, upper</i>) 173.60	198.2	232.6	216.6	238.2	239.2	
eyebrow (<i>see also Neoplasm, skin, face</i>) 173.30	198.2	232.3	216.3	238.2	239.2	

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
Neoplasm, neoplastic (cont)						
skin (cont)						
eyelid	<u>173.10</u>	198.2	232.1	216.1	238.2	239.2
<u>basal cell carcinoma</u>	<u>173.11</u>	-	-	-	-	-
<u>specified type NEC</u>	<u>173.19</u>	-	-	-	-	-
<u>squamous cell carcinoma</u>	<u>173.12</u>	-	-	-	-	-
face NEC	<u>173.30</u>	198.2	232.3	216.3	238.2	239.2
<u>basal cell carcinoma</u>	<u>173.31</u>	-	-	-	-	-
<u>specified type NEC</u>	<u>173.39</u>	-	-	-	-	-
<u>squamous cell carcinoma</u>	<u>173.32</u>	-	-	-	-	-
finger (<i>see also Neoplasm, skin, limb, upper</i>)	<u>173.60</u>	198.2	232.6	216.6	238.2	239.2
flank (<i>see also Neoplasm, skin, trunk</i>)	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
foot (<i>see also Neoplasm, skin, limb, lower</i>).....	<u>173.70</u>	198.2	232.7	216.7	238.2	239.2
forearm (<i>see also Neoplasm, skin, limb, upper</i>).....	<u>173.60</u>	198.2	232.6	216.6	238.2	239.2
forehead (<i>see also Neoplasm, skin, face</i>).....	<u>173.30</u>	198.2	232.3	216.3	238.2	239.2
glabella (<i>see also Neoplasm, skin, face</i>).....	<u>173.30</u>	198.2	232.3	216.3	238.2	239.2
gluteal region (<i>see also Neoplasm, skin, trunk</i>).....	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
groin (<i>see also Neoplasm, skin, trunk</i>).....	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
hand (<i>see also Neoplasm, skin, limb, upper</i>)	<u>173.60</u>	198.2	232.6	216.6	238.2	239.2
head NEC (<i>see also Neoplasm, skin, scalp</i>).....	<u>173.40</u>	198.2	232.4	216.4	238.2	239.2
heel (<i>see also Neoplasm, skin, limb, lower</i>)	<u>173.70</u>	198.2	232.7	216.7	238.2	239.2
helix (<i>see also Neoplasm, skin, ear</i>).....	<u>173.20</u>	198.2	232.2	216.2	238.2	239.2
hip	<u>173.70</u>	198.2	232.7	216.7	238.2	239.2
<u>basal cell carcinoma</u>	<u>173.71</u>	-	-	-	-	-
<u>specified type NEC</u>	<u>173.79</u>	-	-	-	-	-
<u>squamous cell carcinoma</u>	<u>173.72</u>	-	-	-	-	-
infraclavicular region (<i>see also Neoplasm, skin, trunk</i>)	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
inguinal region (<i>see also Neoplasm, skin, trunk</i>)	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
jaw (<i>see also Neoplasm, skin, face</i>)	<u>173.30</u>	198.2	232.3	216.3	238.2	239.2
knee (<i>see also Neoplasm, skin, limb, lower</i>)	<u>173.70</u>	198.2	232.7	216.7	238.2	239.2
leg (<i>see also Neoplasm, skin, limb, lower</i>)	<u>173.70</u>	198.2	232.7	216.7	238.2	239.2
lid (lower) (upper)	<u>173.10</u>	198.2	232.1	216.1	238.2	239.2
<u>basal cell carcinoma</u>	<u>173.11</u>	-	-	-	-	-
<u>specified type NEC</u>	<u>173.19</u>	-	-	-	-	-
<u>squamous cell carcinoma</u>	<u>173.12</u>	-	-	-	-	-

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
Neoplasm, neoplastic (cont)						
skin (cont)						
limb NEC	<u>173.90</u>	198.2	232.9	216.9	238.2	239.5
lower	<u>173.70</u>	198.2	232.7	216.7	238.2	239.2
basal cell carcinoma	<u>173.71</u>	-	-	-	-	-
specified type NEC	<u>173.79</u>	-	-	-	-	-
squamous cell carcinoma	<u>173.72</u>	-	-	-	-	-
upper	<u>173.60</u>	198.2	232.6	216.6	238.2	239.2
basal cell carcinoma	<u>173.61</u>	-	-	-	-	-
specified type NEC	<u>173.69</u>	-	-	-	-	-
squamous cell carcinoma	<u>173.62</u>	-	-	-	-	-
lip (lower) (upper)	<u>173.00</u>	198.2	232.0	216.0	238.2	239.2
basal cell carcinoma	<u>173.01</u>	-	-	-	-	-
specified type NEC	<u>173.09</u>	-	-	-	-	-
squamous cell carcinoma	<u>173.02</u>	-	-	-	-	-
mastectomy site (<i>see also Neoplasm, skin, trunk</i>).....	<u>173.50</u>	198.2	-	-	-	-
meatus, acoustic (external)						
(<i>see also Neoplasm, skin, ear</i>).....	<u>173.20</u>	198.2	232.2	216.2	238.2	239.2
nates (<i>see also Neoplasm, skin, trunk</i>).....	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
neck	<u>173.40</u>	198.2	232.4	216.4	238.2	239.2
basal cell carcinoma	<u>173.41</u>	-	-	-	-	-
specified type NEC	<u>173.49</u>	-	-	-	-	-
squamous cell carcinoma	<u>173.42</u>	-	-	-	-	-
nose (external) (<i>see also Neoplasm, skin, face</i>).....	<u>173.30</u>	198.2	232.3	216.3	238.2	239.2
palm (<i>see also Neoplasm, skin, limb, upper</i>).....	<u>173.60</u>	198.2	232.6	216.6	238.2	239.2
palpebra	<u>173.10</u>	198.2	232.1	216.1	238.2	239.2
basal cell carcinoma	<u>173.11</u>	-	-	-	-	-
specified type NEC	<u>173.19</u>	-	-	-	-	-
squamous cell carcinoma	<u>173.12</u>	-	-	-	-	-
perianal (<i>see also Neoplasm, skin, anus</i>).....	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
perineum (<i>see also Neoplasm, skin, anus</i>).....	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
pinna (<i>see also Neoplasm, skin, ear</i>).....	<u>173.20</u>	198.2	232.2	216.2	238.2	239.2
plantar (<i>see also Neoplasm, skin, limb, lower</i>).....	<u>173.70</u>	198.2	232.7	216.7	238.2	239.2
popliteal fossa or space						
(<i>see also Neoplasm, skin, limb, lower</i>).....	<u>173.70</u>	198.2	232.7	216.7	238.2	239.2
pubes (<i>see also Neoplasm, skin, trunk</i>).....	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
sacrococcygeal region (<i>see also Neoplasm, skin, trunk</i>)	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
Neoplasm, neoplastic (cont)						
skin (cont)						
scalp	<u>173.40</u>	198.2	232.4	216.4	238.2	239.2
<u>basal cell carcinoma</u>	<u>173.41</u>	-	-	-	-	-
<u>specified type NEC</u>	<u>173.49</u>	-	-	-	-	-
<u>squamous cell carcinoma</u>	<u>173.42</u>	-	-	-	-	-
scapular region (<i>see also Neoplasm, skin, trunk</i>)	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
shoulder	<u>173.60</u>	198.2	232.6	216.6	238.2	239.2
<u>basal cell carcinoma</u>	<u>173.61</u>	-	-	-	-	-
<u>specified type NEC</u>	<u>173.69</u>	-	-	-	-	-
<u>squamous cell carcinoma</u>	<u>173.62</u>	-	-	-	-	-
sole (foot) (<i>see also Neoplasm, skin, limb, lower</i>)	<u>173.70</u>	198.2	232.7	216.7	238.2	239.2
specified sites NEC	<u>173.80</u>	198.2	232.8	216.8	232.8	239.2
<u>basal cell carcinoma</u>	<u>173.81</u>	-	-	-	-	-
<u>specified type NEC</u>	<u>173.89</u>	-	-	-	-	-
<u>squamous cell carcinoma</u>	<u>173.82</u>	-	-	-	-	-
specified type NEC, unspecified site	<u>173.99</u>	-	-	-	-	-
<u>squamous cell carcinoma, unspecified site</u>	<u>173.92</u>	-	-	-	-	-
submammary fold (<i>see also Neoplasm, skin, trunk</i>)	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
supraclavicular region (<i>see also Neoplasm, skin, neck</i>)	<u>173.40</u>	198.2	232.4	216.4	238.2	239.2
temple (<i>see also Neoplasm, skin, face</i>)	<u>173.30</u>	198.2	232.3	216.3	238.2	239.2
thigh (<i>see also Neoplasm, skin, limb, lower</i>)	<u>173.70</u>	198.2	232.7	216.7	238.2	239.2
thoracic wall (<i>see also Neoplasm, skin, trunk</i>)	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
thumb (<i>see also Neoplasm, skin, limb, upper</i>)	<u>173.60</u>	198.2	232.6	216.6	238.2	239.2
toe (<i>see also Neoplasm, skin, limb, lower</i>)	<u>173.70</u>	198.2	232.7	216.7	238.2	239.2
tragus (<i>see also Neoplasm, skin, ear</i>)	<u>173.20</u>	198.2	232.2	216.2	238.2	239.2
trunk	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
<u>basal cell carcinoma</u>	<u>173.51</u>	-	-	-	-	-
<u>specified type NEC</u>	<u>173.59</u>	-	-	-	-	-
<u>squamous cell carcinoma</u>	<u>173.52</u>	-	-	-	-	-
umbilicus (<i>see also Neoplasm, skin, trunk</i>)	<u>173.50</u>	198.2	232.5	216.5	238.2	239.2
wrist (<i>see also Neoplasm, skin, limb, upper</i>)	<u>173.60</u>	198.2	232.6	216.6	238.2	239.2
sudoriferous, sudoriparous gland, site unspecified	<u>173.90</u>	198.2	232.9	216.9	238.2	239.2
sweat gland (apocrine) (eccrine), site unspecified	<u>173.90</u>	198.2	232.9	216.9	238.2	239.2
temple (skin) (<i>see also Neoplasm, skin, face</i>)	<u>173.30</u>	198.2	232.3	216.3	238.2	239.2
temporal						
region	195.0	198.89	234.8	229.8	238.8	239.89
skin (<i>see also Neoplasm, skin, face</i>)	<u>173.30</u>	198.2	232.3	216.3	238.2	239.2

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
Neoplasm, neoplastic (cont)						
tragus (<i>see also Neoplasm, skin, ear</i>) 173.20 198.2 232.2 216.2 238.2 239.2						
umbilicus, umbilical (<i>see also Neoplasm, skin, trunk</i>) 173.50 198.2 232.5 216.5 238.2 239.2						

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Neuritis (see also Neuralgia) 729.2
serum **999.59**
Nevus (M8720/0) - see also Neoplasm, skin, benign
 dermal (**M8750/0**)
Nodule(s), nodular
 lung, **solitary 518.89**
 solitary 793.11
 pulmonary, solitary (subsegmental branch of the bronchial tree) 793.11
 multiple 793.19
Observation (for) V71.9
 pregnancy
 high-risk V23.9
 inconclusive fetal viability V23.87
Obstruction, obstructed, obstructive
 aortoiliac **444.09**
 intestine (mechanical) (neurogenic) (paroxysmal) (postinfectional) (reflex) 560.9
 due to
 procedure **997.49**
 impaction **560.32**
Occlusion
 aortoiliac (chronic) **444.09**
Oligergasia (see also **Disability, intellectual**) 319
Oligophrenia (see also **Disability, intellectual**) 319
Open, opening
 angle **with**
 borderline intraocular pressure 365.01
 with
 borderline findings
 high risk 365.05
 intraocular pressure 365.01
 low risk 365.01
 cupping of discs 365.01
 cupping of discs 365.01
 high risk 365.05
 low risk 365.01
Osteomalacia 268.2
 oncogenic 275.8
Ovum
 blighted **631.8**
 dropsical **631.8**
 pathologic **631.8**
Paget's disease (osteitis deformans) 731.0
 extramammary (M8542/3) - see also Neoplasm, skin, malignant
 anus 154.3
 skin **173.59**
Pain(s) (see also Painful) 780.96
 temporomaxillary joint 524.62
Pancytopenia (acquired) **284.19**
 with malformations 284.09
 malformations 284.09
 myelodysplastic syndrome - see Syndrome, myelodysplastic
 due to
 antineoplastic chemotherapy 284.11
 drug, specified NEC 284.12
 specified NEC 284.19

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

PBA (pseudobulbar affect) **310.81**

Placenta, placental

 carneous mole **631.8**

 fleshy mole **631.8**

Plateau iris syndrome (without glaucoma) **364.82**
 with glaucoma 365.23

Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (latent) (lobe) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) **486**

 with influenza, flu, or grippe **487.0**

 due to

 identified (virus)

(novel) 2009 novel-H1N1 488.11

novel influenza A 488.81

 broncho-, bronchial (confluent) (croupous) (diffuse) (disseminated) (hemorrhagic) (involving lobes) (lobar) (terminal) **485**

 with influenza **487.0**

 due to

 identified (virus)

(novel) 2009 novel-H1N1 488.11

novel influenza A 488.81

 cryptogenic organizing **516.36**

 desquamative interstitial **516.37**

 interstitial **516.8**

 acute **136.3**

 due to **Pneumocystis (carinii) (jiroveci) 136.3**

 meaning:

 acute interstitial pneumonitis **516.33**

 atypical pneumonia - see Pneumonia, atypical

 bacterial pneumonia - see Pneumonia, bacterial

 desquamative **516.37**

 idiopathic **516.30**

 lymphoid **516.35**

 lymphoid (due to known underlying cause) **516.8**

 non-specific (due to known underlying cause) **516.8**

 organizing (due to known underlying cause) **516.8**

 postoperative **997.39**

aspiration 997.32

 resulting from a procedure **997.39**

aspiration 997.32

Pneumonitis (acute) (primary) (see also Pneumonia) **486**

 chemical **506.0**

resulting from a procedure 997.32

 interstitial (chronic) (see also Fibrosis, lung) **515**

 acute **516.33**

 idiopathic

 lymphocytic **516.35**

 non-specific **516.32**

 postoperative **997.39**

aspiration 997.32

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Pneumothorax (**acute**) (**chronic**) **512.89**

acute **512.89**

chronic **512.83**

specified type NEC **512.89**

spontaneous **512.89**

 primary **512.81**

 secondary **512.82**

sucking **512.89**

Poor

obstetrical history V13.29

 affecting management of current pregnancy V23.49

ectopic pregnancy V23.42

Positive

PPD **795.51**

skin test 795.7

 tuberculin (without active tuberculosis) **795.51**

Postencephalitic - see also condition

 syndrome **310.89**

Pregnancy (single) (uterine) (without sickness) V22.2

biochemical **631.0**

chemical **631.0**

complicated (by) 646.9

cholestasis 646.7

 current disease or condition (nonobstetric)

biliary tract 646.7

 disorders of liver **and biliary tract** 646.7

insulin resistance 648.8

 previous

ectopic pregnancy V23.42

 retention, retained dead ovum **631.8**

management affected by

insulin resistance 648.8

 previous

ectopic pregnancy V23.42

 molar **631.8**

observation NEC V22.1

 high-risk V23.9

inconclusive fetal viability V23.87

prenatal care only V22.1

 high-risk V23.9

inconclusive fetal viability V23.87

supervision (of) (for) - see also Pregnancy, management affected by

 high-risk V23.9

inconclusive fetal viability V23.87

inconclusive fetal viability V23.87

poor

 obstetric history V23.49

ectopic pregnancy V23.42

Primary - see also condition

angle closure suspect 365.02

Problem (with) V49.9

 behavioral V40.9

 specified NEC **V40.39**

Prognathism (mandibular) (maxillary) **524.10**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Prolapse, prolapsed
bladder (acquired) (mucosa) (sphincter)
 male **596.89**
 cystostomy 596.83

Protein
 sickness (prophylactic) (therapeutic) **999.59**

Pseudobulbar affect (PBA) **310.81**

Rash 782.1
 serum (prophylactic) (therapeutic) **999.59**

Reaction
 allergic (see also Allergy) 995.3
 serum **999.59**
 anaphylactic - see **Shock, anaphylactic**
 Anaphylactic reaction
 food - see also Allergy, food
 anaphylactic shock - see Anaphylactic **reaction or** shock, due to, food
 Hershheimer's **995.91**
 nonspecific
 to
 cell mediated immunity measurement of gamma interferon antigen response without active tuberculosis 795.52
 QuantiFERON-TB test (QFT) without active tuberculosis 795.52
 tuberculin test (see also Reaction, tuberculin skin test) 795.51
 serum (prophylactic) (therapeutic) **999.59**
 anaphylactic 999.49
 due to
 administration of blood and blood products 999.51
 anaphylactic 999.41
 vaccination 999.52
 anaphylactic 999.41
 immediate **999.49**
 tuberculin skin test, nonspecific (without active tuberculosis) **795.51**
 positive (without active tuberculosis) **795.51**

Rejection
 transplant 996.80
 stem cell(s) 996.88
 from
 peripheral blood 996.88
 umbilical cord 996.88

Residual - see also condition
 bladder **596.89**

Resistance, resistant (to)
 insulin 277.7
 complicating pregnancy 648.8

Respiration
 failure 518.81
 acute 518.81
 following trauma and surgery 518.51
 acute and chronic 518.84
 following trauma and surgery 518.53
 chronic 518.83
 following trauma and surgery 518.51

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Respiratory - see also condition
distress 786.09
 syndrome (newborn) 769
 adult (following ~~shock, surgery, or trauma~~ and surgery) **518.52**
failure 518.81
 acute 518.81
 following trauma and surgery 518.51
 acute and chronic 518.84
 following trauma and surgery 518.53
 chronic 518.83
 following trauma and surgery 518.51

Retardation
 mental - see ***Disability, intellectual*** **319**
 borderline **V62.89**
 mild, IQ 50-70 **317**
 moderate, IQ 35-49 **318.0**
 profound, IQ under 20 **318.2**
 severe, IQ 20-34 **318.1**

Retention, retained
 cholelithiasis, ***following cholecystectomy*** **997.41**
 dead
 ovum **631.8**
 gallstones, ***following cholecystectomy*** **997.41**

Rietti-Greppi-Micheli anemia or syndrome **282.46**

Rubinstein-Taybi's syndrome (brachydactylyia, short stature and intellectual disabilities) 759.89

Rupture, ruptured 553.9
 rotator cuff (capsule) (traumatic) 840.4
 nontraumatic, (complete) **727.61**
 partial **726.13**
 tendon (traumatic) - see also Sprain, by site
 rotator cuff (capsule) 840.4
 nontraumatic, (complete) **727.61**
 partial **726.13**

Saddle
 embolus, **aorta** **444.0**
 abdominal aorta **444.01**
 pulmonary artery **415.13**
 injury - code to condition

Screening (for) V82.9
 intellectual disabilities **V79.2**
 mental
 retardation - see ***Screening, intellectual disabilities*** **V79.2**

Seizure(s) 780.39
 recurrent **345.8**

Sensitivity, sensitization - see also Allergy
 tuberculin, without clinical or radiological symptoms **795.51**

Sepsis (generalized) 995.91
 intra-abdominal **567.22**
 localized - code to specific localized infection

Septic - see also condition
 shock (endotoxic) 785.52
 postoperative **998.02**

Septum, septate (congenital) - see also Anomaly, specified type NEC
 uterus (**see also Double, uterus**) (complete) (partial) 752.35

Sequestration
 pulmonary artery (congenital) **747.39**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Serum

- allergy, allergic reaction **999.59**
- shock **999.49**
- arthritis **999.59** [713.6]
- complication or reaction NEC **999.59**
- disease NEC **999.59**
- intoxication **999.59**
- neuritis **999.59**
- poisoning NEC **999.59**
- rash NEC **999.59**
- reaction NEC **999.59**
- sickness NEC **999.59**

Shadow, lung **793.19**

Shock 785.50

allergic - see **Shock, anaphylactic Anaphylactic reaction or shock**
anaphylactic **see also Anaphylactic reaction or shock 995.0**

 chemical - see **Table of Drugs and Chemicals**
 correct medicinal substance properly administered **995.0**
 drug or medicinal substance
 correct substance properly administered 995.0
 overdose or wrong substance given or taken 977.9
 specified drug - see Table of Drugs and Chemicals
 due to administration of blood and blood products **999.41**
 following sting(s) **989.5**
 food - see **Anaphylactic shock, due to, food**
 immunization **999.4**
 serum **999.4**

anaphylactoid - see **Shock, anaphylactic Anaphylactic reaction or shock**
endotoxic 785.52

 due to surgical procedure **998.02**

postoperative 998.02

gram-negative 785.52

postoperative 998.02

hemorrhagic

 due to

 surgery (intraoperative) (postoperative) **998.09**

hypovolemic NEC 785.59

surgical 998.09

lung **518.82**

related to trauma and surgery 518.52

pleural (surgical) **998.09**

postoperative **998.00**

cardiogenic 998.01

hypovolemic 998.09

specified NEC 998.09

septic (endotoxic) (gram-negative) 998.02

septic 785.52

 due to

 surgical procedure **998.02**

 following

 surgical procedure **998.02**

postoperative 998.02

surgical 998.00

Shunt (status)

 arteriovenous, pulmonary (acquired) 417.0

 congenital **747.39**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Sickness

protein (see also Complications, vaccination) **999.59**

serum NEC **999.59**

Siderosis (lung) (occupational) 503

central nervous system (CNS) 437.8

Sloughing (multiple) (skin) 686.9

bladder **596.89**

Solitary

ulcer, bladder **596.89**

Spasm, spastic, spasticity (see also condition) 781.0

bladder (sphincter, external or internal) **596.89**

vesical (sphincter, external or internal) **596.89**

Squamous - see also condition

cell metaplasia

bladder **596.89**

metaplasia

bladder **596.89**

Status (post)

explantation of joint prosthesis NEC V88.29

hip **V88.21**

knee **V88.22**

hip prosthesis (joint) (partial) (total) V43.64

explantation V88.21

joint prosthesis NEC V43.69

explantation V88.29

knee joint prosthesis V43.65

explantation V88.22

Stenosis (cicatricial) - see also Stricture

artery NEC (see also Arteriosclerosis) 447.1

pulmonary (congenital) **747.31**

hypertrophic subaortic (idiopathic) **425.11**

myocardium, myocardial (see also Degeneration, myocardial) 429.1

hypertrophic subaortic (idiopathic) **425.11**

nares (anterior) (posterior) 478.19

pulmonary (artery) (congenital) **747.31**

subaortic 746.81

hypertrophic (idiopathic) **425.11**

Stent jail 996.72

Stoma malfunction

cystostomy **596.82**

infection **596.81**

mechanical **596.82**

specified complication NEC 596.83

Stricture (see also Stenosis) 799.89

artery 447.1

pulmonary (congenital) **747.31**

bladder **596.89**

cystostomy **596.83**

myocardium, myocardial (see also Degeneration, myocardial) 429.1

hypertrophic subaortic (idiopathic) **425.11**

pulmonary, pulmonic

artery (congenital) **747.31**

stoma (following) (of)

cystostomy **596.83**

subaortic 746.81

hypertrophic (acquired) (idiopathic) **425.11**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Subnormal, subnormality
 mental (see also **Disability, intellectual**) 319

Suprapubic drainage **596.89**

Surgical
 shock **998.00**

Syndrome - see also Disease
 alveolar capillary block **516.8**
 aortic
 bifurcation (occlusion) **444.09**
 Bardet-Biedl (obesity, polydactyly, and **intellectual disabilities**) 759.89
 Biedl-Bardet (obesity, polydactyly, and **intellectual disabilities**) 759.89
 Biemond's (obesity, polydactyly, and **intellectual disabilities**) 759.89
 Brachman-de Lange (Amsterdam dwarf, **intellectual disabilities**, and brachycephaly) 759.89
 brain (acute) (chronic) (nonpsychotic) (organic) (with behavioral reaction)
 (with neurotic reaction) 310.9
 congenital (see also **Disability, intellectual**) 319
 Cornelia de Lange's (Amsterdam dwarf, **intellectual disabilities**, and brachycephaly) 759.8
 de Lange's (Amsterdam dwarf, **intellectual disabilities**, and brachycephaly) (Cornelia) 759.89
 Eaton-Lambert (see also **Syndrome, Lambert-Eaton**) **358.30**
 Hamman-Rich (diffuse interstitial pulmonary fibrosis) **516.33**
 hepatopulmonary 573.5
 hepatorenal 572.4
 due to a procedure **997.49**
 immune reconstitution inflammatory (IRIS) 995.90
 Lambert-Eaton 358.30
 in
 diseases classified elsewhere 358.39
 neoplastic disease 358.31
 Laurence-Moon (-Bardet)-Biedl (obesity, polydactyly, and **intellectual disabilities**) 759.89
 Lepore hemoglobin **282.45**
 Leriche's (aortic bifurcation occlusion) **444.09**
 Mendelson's (resulting from a procedure) **997.32**
 Micheli-Rietti (thalassemia minor) **282.46**
 myelodysplastic 238.75
 lesions, low grade 238.72
 plateau iris (**without glaucoma**) 364.82
 with glaucoma 365.23
 post chemoembolization - code to associated conditions
 postencephalic **310.89**
 psycho-organic 293.9
 nonpsychotic severity 310.1
 specified focal (partial) NEC **310.89**
 respiratory distress (idiopathic) (newborn) 769
 adult (following **shock, surgery, or trauma and surgery**) **518.52**
 Rietti-Greppi-Micheli (thalassemia minor) **282.46**
 Rubinstein-Taybi's (brachydactyly, short stature, and **intellectual disabilities**) 759.89
 shock (traumatic) 958.4
 lung **518.82**
 related to trauma and surgery 518.52
 Silvestroni-Bianco (thalassemia minima) **282.46**
 superior
 semi-circular canal dehiscence 386.8
 wet
 lung
 adult 518.52
 newborn 770.6

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

System, systemic - see also condition
lupus erythematosus 710.0
inhibitor **795.79**
Target-oval cell anemia **285.8**
with thalassemia - see Thalassemia
Tear, torn (traumatic) - see also Wound, open, by site
 annular fibrosis 722.51
 rotator cuff (traumatic) 840.4
 nontraumatic (**complete**) 727.61
 partial 726.13
Thalassanemia **282.40**
Thalassemia (**alpha**) (**beta**) (disease) (**Hb-C**) (**Hb-D**) (**Hb-E**) (**Hb-H**) (**Hb-I**) (**high fetal gene**) (**high fetal-hemoglobin**) (**intermedia**) (**major**) (**minima**) (**minor**) (**mixed**) (**trait**) (**with other-hemoglobinopathy**) **282.40**
with other hemoglobinopathy 282.49
alpha (major) (severe) (triple gene defect) 282.43
 silent carrier 282.46
beta (homozygous) (major) (severe) 282.44
delta-beta (homozygous) 282.45
dominant 282.49
hemoglobin
 C (Hb-C) 282.49
 D (Hb-D) 282.49
 E (Hb-E) 282.49
 E-beta 282.47
 H (Hb-H) 282.49
 I (Hb-I) 282.49
high fetal gene (see also Thalassemia) 282.40
high fetal hemoglobin (see also Thalassemia) 282.40
intermedia 282.44
major 282.44
minor (alpha) (beta) 282.46
mixed 282.49
specified NEC 282.49
trait (**alpha**) (**beta**) (**delta-beta**) **282.46**
Thrombosis, thrombotic (marantic) (multiple) (progressive) (vein) (vessel) 453.9
aorta, aortic 444.1
 abdominal **444.09**
 saddle 444.01
 bifurcation **444.09**
 saddle **444.01**
 terminal **444.09**
artery, arteries (postinfectional) 444.9
 pulmonary 415.19
 personal history of **V12.55**
 iliac (acute) (vein) **453.41**
 chronic **453.51**
lung 415.19
 personal history of **V12.55**
pulmonary (artery) (vein) 415.19
 personal history of **V12.55**

ICD-9-CM Index to Diseases and Injuries Addenda
Effective October 1, 2011 (FY12)

Thrombosis... (cont)
 upper extremity (**acute**) 453.83
 acute **453.83**
 deep **453.82**
 superficial **453.84**
 deep **453.82**
 superficial **453.81**

Trabeculation, bladder **596.89**

Traction, vitreomacular 379.27

Trait
 hemoglobin
 abnormal NEC 282.7
 with thalassemia **282.46**
 thalassemia (alpha) (beta) (delta-beta) **282.46**

Transplant (ed)
 complication - see also Complications, due to (presence of) any device, implant, or graft classified to 996.0-996.5 NEC
 stem cell(s) **996.88**
 from
 peripheral blood **996.88**
 umbilical cord **996.88**

Tuberculosis, tubercular, tuberculous (calcification) (calcified) (caseous) (chromogenic acid-fast bacilli) (congenital) (degeneration) (disease) (fibrocaseous) (fistula) (gangrene) (interstitial) (isolated circumscribed lesions) (necrosis) (parenchymatous) (ulcerative) 011.9
 converter (tuberculin skin test) (without disease) **795.51**
 latent **795.51**

Ulcer, ulcerated, ulcerating, ulceration, ulcerative 707.9
 bladder (solitary) (sphincter) **596.89**
 vesical (see also Ulcer, bladder) **596.89**

Urinoma NEC 599.9
 bladder **596.89**

Urticaria 708.9
 due to
 serum **999.59**
 serum **999.59**

Vascularity, pulmonary, congenital **747.39**

Virilism (adrenal) (female) NEC 255.2
 with
 3-beta-hydroxysteroid dehydrogenase defect **255.2**
 11-hydroxylase defect **255.2**
 21-hydroxylase defect **255.2**
 3-beta-hydroxysteroid dehydrogenase defect **255.2**
 11-hydroxylase defect **255.2**
 21-hydroxylase defect **255.2**

Wandering
 in diseases classified elsewhere V40.31

Wet
 lung (syndrome)
 adult **518.52**

Woillez's disease (acute idiopathic pulmonary congestion) **518.52**

Wound, open (by cutting or piercing instrument) (by firearms) (cut) (dissection) (incised) (laceration) (penetration) (perforating) (puncture) (with initial hemorrhage, not internal) 879.8
 anus **863.89**
 complicated **879.7**

**ICD-9-CM Index to External Causes of Injury Addenda
Effective October 1, 2011 (FY12) – Version B**

Blast (air)

in

war operations E993.9

from nuclear explosion - see War operationss, injury due to, nuclear weapons

War operations (during hostilities) (injury) (by) (in) E995.9

blast (air) (effects) E993.9

from nuclear explosion - see War operationss, injury due to, nuclear weapons

ICD-9-CM Table of Drugs and Chemicals Addenda
Effective October 1, 2011 (FY12) – Version B

<u>Substance</u>	<u>Poisoning</u>	<u>Accident</u>	<u>Therapeutic Use</u>	<u>Suicide Attempt</u>	<u>Assault</u>	<u>Undetermined</u>
Cleaner, cleansing agent, NEC type not specified	989.89	E861.9	-	E950.9	E962.1	E980.9
of paint or varnish	982.8	E862.9	-	E950.9	E962.1	E980.9
specified type NEC	989.89	E861.3	-	E950.9	E962.1	E980.9