TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
ALL CAUSES												
ALL RACES, BOTH SEXES												
2000.....	2,403,351	28,035	4,979	3,253	4,160	13,563	17,744	17,681	22,770	36,140	53,658	70,832
1999.....	2,391,399	27,937	5,249	3,474	4,121	13,778	16,878	17,703	23,363	36,804	52,452	68,120
ALL RACES, MALE												
2000.....	1,177,578	15,718	2,824	1,850	2,551	9,697	13,374	12,619	15,271	23,252	34,045	45,121
1999.....	1,175,460	15,646	2,975	1,964	2,528	9,780	12,634	12,542	15,734	23,681	33,437	43,303
ALL RACES, FEMALE												
2000.....	1,225,773	12,317	2,155	1,403	1,609	3,866	4,370	5,062	7,499	12,888	19,613	25,711
1999.....	1,215,939	12,291	2,274	1,510	1,593	3,998	4,244	5,161	7,629	13,123	19,015	24,817
WHITE, BOTH SEXES												
2000.....	2,071,287	18,144	3,494	2,359	3,091	10,273	12,745	12,427	16,292	26,633	39,863	53,131
1999.....	2,061,348	18,067	3,690	2,450	3,043	10,355	11,997	12,569	16,831	27,024	38,583	50,895
WHITE, MALE												
2000.....	1,007,191	10,177	2,004	1,348	1,907	7,242	9,626	8,943	11,197	17,529	25,849	34,599
1999.....	1,005,335	10,197	2,084	1,376	1,852	7,222	8,981	9,015	11,534	17,792	25,122	32,778
WHITE, FEMALE												
2000.....	1,064,096	7,967	1,490	1,011	1,184	3,031	3,119	3,484	5,095	9,104	14,014	18,532
1999.....	1,056,013	7,870	1,606	1,074	1,191	3,133	3,016	3,554	5,297	9,232	13,461	18,117
BLACK, BOTH SEXES												
2000.....	285,826	8,771	1,248	756	887	2,717	4,332	4,541	5,698	8,352	12,205	15,735
1999.....	285,064	8,822	1,311	880	909	2,849	4,217	4,444	5,671	8,663	12,378	15,304
BLACK, MALE												
2000.....	145,184	4,901	692	431	543	2,045	3,273	3,163	3,587	5,015	7,236	9,350
1999.....	145,703	4,897	746	519	577	2,157	3,191	3,073	3,650	5,171	7,396	9,392
BLACK, FEMALE												
2000.....	140,642	3,870	556	325	344	672	1,059	1,378	2,111	3,337	4,969	6,385
1999.....	139,361	3,925	565	361	332	692	1,026	1,371	2,021	3,492	4,982	5,912

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
ALL CAUSES												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	11,363	323	91	50	63	251	268	272	324	472	609	611
1999.....	11,312	343	82	48	57	245	295	281	364	453	574	628
AMERICAN INDIAN 1/, MALE												
2000.....	6,185	193	49	28	33	178	191	192	218	284	391	389
1999.....	6,092	180	48	21	34	179	217	180	238	293	352	415
AMERICAN INDIAN 1/, FEMALE												
2000.....	5,178	130	42	22	30	73	77	80	106	188	218	222
1999.....	5,220	163	34	27	23	66	78	101	126	160	222	213
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	34,875	797	146	88	119	322	399	441	456	683	981	1,355
1999.....	33,675	705	166	96	112	329	369	409	497	664	917	1,293
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	19,018	447	79	43	68	232	284	321	269	424	569	783
1999.....	18,330	372	97	48	65	222	245	274	312	425	567	718
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	15,857	350	67	45	51	90	115	120	187	259	412	572
1999.....	15,345	333	69	48	47	107	124	135	185	239	350	575

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Salmonella infections (A01-A02)												
ALL RACES, BOTH SEXES												
2000.....	28	3	2	-	-	1	-	-	1	-	-	1
1999.....	38	3	-	-	-	-	2	-	-	-	2	-
ALL RACES, MALE												
2000.....	15	2	-	-	-	1	-	-	1	-	-	1
1999.....	21	2	-	-	-	-	2	-	-	-	1	-
ALL RACES, FEMALE												
2000.....	13	1	2	-	-	-	-	-	-	-	-	-
1999.....	17	1	-	-	-	-	-	-	-	-	1	-
WHITE, BOTH SEXES												
2000.....	25	2	2	-	-	-	-	-	1	-	-	1
1999.....	32	3	-	-	-	-	1	-	-	-	2	-
WHITE, MALE												
2000.....	13	1	-	-	-	-	-	-	1	-	-	1
1999.....	16	2	-	-	-	-	1	-	-	-	1	-
WHITE, FEMALE												
2000.....	12	1	2	-	-	-	-	-	-	-	-	-
1999.....	16	1	-	-	-	-	-	-	-	-	1	-
BLACK, BOTH SEXES												
2000.....	2	1	-	-	-	1	-	-	-	-	-	-
1999.....	4	-	-	-	-	-	1	-	-	-	-	-
BLACK, MALE												
2000.....	2	1	-	-	-	1	-	-	-	-	-	-
1999.....	3	-	-	-	-	-	1	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Salmonella infections (A01-A02)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Shigellosis and amebiasis (A03,A06)												
ALL RACES, BOTH SEXES												
2000.....	12	-	-	-	-	-	-	-	-	-	1	-
1999.....	10	-	1	1	-	-	-	-	-	-	1	-
ALL RACES, MALE												
2000.....	5	-	-	-	-	-	-	-	-	-	1	-
1999.....	6	-	1	1	-	-	-	-	-	-	1	-
ALL RACES, FEMALE												
2000.....	7	-	-	-	-	-	-	-	-	-	-	-
1999.....	4	-	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	10	-	-	-	-	-	-	-	-	-	-	-
1999.....	10	-	1	1	-	-	-	-	-	-	1	-
WHITE, MALE												
2000.....	4	-	-	-	-	-	-	-	-	-	-	-
1999.....	6	-	1	1	-	-	-	-	-	-	1	-
WHITE, FEMALE												
2000.....	6	-	-	-	-	-	-	-	-	-	-	-
1999.....	4	-	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	1	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	1	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Shigellosis and amebiasis (A03,A06)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Certain other intestinal infections (A04,A07-A09)												
ALL RACES, BOTH SEXES												
2000.....	1,328	13	10	-	-	-	1	2	1	7	12	11
1999.....	1,108	12	8	2	1	1	4	3	3	2	5	11
ALL RACES, MALE												
2000.....	524	10	6	-	-	-	-	2	1	4	6	7
1999.....	420	8	4	2	1	1	2	2	3	1	3	5
ALL RACES, FEMALE												
2000.....	804	3	4	-	-	-	1	-	-	3	6	4
1999.....	688	4	4	-	-	-	2	1	-	1	2	6
WHITE, BOTH SEXES												
2000.....	1,224	8	7	-	-	-	1	1	1	3	8	8
1999.....	1,026	8	7	-	1	1	3	3	3	2	2	8
WHITE, MALE												
2000.....	478	6	5	-	-	-	-	1	1	2	5	5
1999.....	389	6	3	-	1	1	2	2	3	1	2	3
WHITE, FEMALE												
2000.....	746	2	2	-	-	-	1	-	-	1	3	3
1999.....	637	2	4	-	-	-	1	1	-	1	-	5
BLACK, BOTH SEXES												
2000.....	84	4	2	-	-	-	-	1	-	3	3	3
1999.....	74	4	-	2	-	-	1	-	-	-	3	2
BLACK, MALE												
2000.....	37	3	1	-	-	-	-	1	-	1	1	2
1999.....	25	2	-	2	-	-	-	-	-	-	1	1
BLACK, FEMALE												
2000.....	47	1	1	-	-	-	-	-	-	2	2	1
1999.....	49	2	-	-	-	-	1	-	-	-	2	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Certain other intestinal infections (A04,A07-A09)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	6	-	-	-	-	-	-	-	-	1	1	-
1999.....	3	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	3	-	-	-	-	-	-	-	-	1	-	-
1999.....	2	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	3	-	-	-	-	-	-	-	-	-	1	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	14	1	1	-	-	-	-	-	-	-	-	-
1999.....	5	-	1	-	-	-	-	-	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	6	1	-	-	-	-	-	-	-	-	-	-
1999.....	4	-	1	-	-	-	-	-	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	8	-	1	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tuberculosis (A16-A19)												
ALL RACES, BOTH SEXES												
2000.....	776	1	6	-	1	2	9	7	13	17	25	38
1999.....	930	2	2	1	2	1	10	3	16	25	32	51
ALL RACES, MALE												
2000.....	468	-	1	-	-	2	5	3	11	11	17	35
1999.....	584	-	2	-	2	1	3	1	10	20	23	42
ALL RACES, FEMALE												
2000.....	308	1	5	-	1	-	4	4	2	6	8	3
1999.....	346	2	-	1	-	-	7	2	6	5	9	9
WHITE, BOTH SEXES												
2000.....	439	-	4	-	1	1	5	5	6	8	5	13
1999.....	564	1	-	-	1	1	4	2	3	12	13	25
WHITE, MALE												
2000.....	253	-	-	-	-	1	3	2	5	8	3	12
1999.....	348	-	-	-	1	1	3	1	3	9	10	21
WHITE, FEMALE												
2000.....	186	-	4	-	1	-	2	3	1	-	2	1
1999.....	216	1	-	-	-	-	1	1	-	3	3	4
BLACK, BOTH SEXES												
2000.....	244	-	2	-	-	-	2	2	5	8	17	21
1999.....	245	1	2	1	-	-	4	1	8	10	15	20
BLACK, MALE												
2000.....	161	-	1	-	-	-	1	1	4	2	12	19
1999.....	159	-	2	-	-	-	-	-	4	8	11	17
BLACK, FEMALE												
2000.....	83	-	1	-	-	-	1	1	1	6	5	2
1999.....	86	1	-	1	-	-	4	1	4	2	4	3

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Tuberculosis (A16-A19)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	20	1	-	-	-	-	-	-	-	-	-	2
1999.....	20	-	-	-	-	-	-	-	1	1	-	3
AMERICAN INDIAN 1/, MALE												
2000.....	12	-	-	-	-	-	-	-	-	-	-	2
1999.....	11	-	-	-	-	-	-	-	-	1	-	3
AMERICAN INDIAN 1/, FEMALE												
2000.....	8	1	-	-	-	-	-	-	-	-	-	-
1999.....	9	-	-	-	-	-	-	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	73	-	-	-	-	1	2	-	2	1	3	2
1999.....	101	-	-	-	1	-	2	-	4	2	4	3
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	42	-	-	-	-	1	1	-	2	1	2	2
1999.....	66	-	-	-	1	-	-	-	3	2	2	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	31	-	-	-	-	-	1	-	-	-	1	-
1999.....	35	-	-	-	-	-	2	-	1	-	2	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory tuberculosis (A16)												
ALL RACES, BOTH SEXES												
2000.....	615	-	3	-	-	2	5	5	6	15	20	30
1999.....	764	1	1	-	1	-	8	2	12	19	26	38
ALL RACES, MALE												
2000.....	393	-	1	-	-	2	2	3	5	11	15	29
1999.....	486	-	1	-	1	-	2	-	8	15	18	32
ALL RACES, FEMALE												
2000.....	222	-	2	-	-	-	3	2	1	4	5	1
1999.....	278	1	-	-	-	-	6	2	4	4	8	6
WHITE, BOTH SEXES												
2000.....	351	-	1	-	-	1	3	3	2	8	3	9
1999.....	472	-	-	-	-	-	3	1	2	8	12	20
WHITE, MALE												
2000.....	216	-	-	-	-	1	2	2	2	8	3	9
1999.....	296	-	-	-	-	-	2	-	2	6	9	17
WHITE, FEMALE												
2000.....	135	-	1	-	-	-	1	1	-	-	-	-
1999.....	176	-	-	-	-	-	1	1	-	2	3	3
BLACK, BOTH SEXES												
2000.....	192	-	2	-	-	-	1	2	4	6	14	17
1999.....	199	1	1	-	-	-	4	1	7	9	11	15
BLACK, MALE												
2000.....	134	-	1	-	-	-	-	1	3	2	10	16
1999.....	126	-	1	-	-	-	-	-	3	7	7	13
BLACK, FEMALE												
2000.....	58	-	1	-	-	-	1	1	1	4	4	1
1999.....	73	1	-	-	-	-	4	1	4	2	4	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Respiratory tuberculosis (A16)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	12	-	-	-	-	-	-	-	-	-	-	2
1999.....	10	-	-	-	-	-	-	-	-	-	-	1
AMERICAN INDIAN 1/, MALE												
2000.....	8	-	-	-	-	-	-	-	-	-	-	2
1999.....	5	-	-	-	-	-	-	-	-	-	-	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	4	-	-	-	-	-	-	-	-	-	-	-
1999.....	5	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	60	-	-	-	-	1	1	-	-	1	3	2
1999.....	83	-	-	-	1	-	1	-	3	2	3	2
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	35	-	-	-	-	1	-	-	-	1	2	2
1999.....	59	-	-	-	1	-	-	-	3	2	2	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	25	-	-	-	-	-	1	-	-	-	1	-
1999.....	24	-	-	-	-	-	1	-	-	-	1	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other tuberculosis (A17-A19)												
ALL RACES, BOTH SEXES												
2000.....	161	1	3	-	1	-	4	2	7	2	5	8
1999.....	166	1	1	1	1	1	2	1	4	6	6	13
ALL RACES, MALE												
2000.....	75	-	-	-	-	-	3	-	6	-	2	6
1999.....	98	-	1	-	1	1	1	1	2	5	5	10
ALL RACES, FEMALE												
2000.....	86	1	3	-	1	-	1	2	1	2	3	2
1999.....	68	1	-	1	-	-	1	-	2	1	1	3
WHITE, BOTH SEXES												
2000.....	88	-	3	-	1	-	2	2	4	-	2	4
1999.....	92	1	-	-	1	1	1	1	1	4	1	5
WHITE, MALE												
2000.....	37	-	-	-	-	-	1	-	3	-	-	3
1999.....	52	-	-	-	1	1	1	1	1	3	1	4
WHITE, FEMALE												
2000.....	51	-	3	-	1	-	1	2	1	-	2	1
1999.....	40	1	-	-	-	-	-	-	-	1	-	1
BLACK, BOTH SEXES												
2000.....	52	-	-	-	-	-	1	-	1	2	3	4
1999.....	46	-	1	1	-	-	-	-	1	1	4	5
BLACK, MALE												
2000.....	27	-	-	-	-	-	1	-	1	-	2	3
1999.....	33	-	1	-	-	-	-	-	1	1	4	4
BLACK, FEMALE												
2000.....	25	-	-	-	-	-	-	-	-	2	1	1
1999.....	13	-	-	1	-	-	-	-	-	-	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other tuberculosis (A17-A19)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	8	1	-	-	-	-	-	-	-	-	-	-
1999.....	10	-	-	-	-	-	-	-	1	1	-	2
AMERICAN INDIAN 1/, MALE												
2000.....	4	-	-	-	-	-	-	-	-	-	-	-
1999.....	6	-	-	-	-	-	-	-	-	1	-	2
AMERICAN INDIAN 1/, FEMALE												
2000.....	4	1	-	-	-	-	-	-	-	-	-	-
1999.....	4	-	-	-	-	-	-	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	13	-	-	-	-	-	1	-	2	-	-	-
1999.....	18	-	-	-	-	-	1	-	1	-	1	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	7	-	-	-	-	-	1	-	2	-	-	-
1999.....	7	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	6	-	-	-	-	-	-	-	-	-	-	-
1999.....	11	-	-	-	-	-	1	-	1	-	1	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Whooping cough (A37)												
ALL RACES, BOTH SEXES												
2000.....	12	12	-	-	-	-	-	-	-	-	-	-
1999.....	7	7	-	-	-	-	-	-	-	-	-	-
ALL RACES, MALE												
2000.....	5	5	-	-	-	-	-	-	-	-	-	-
1999.....	1	1	-	-	-	-	-	-	-	-	-	-
ALL RACES, FEMALE												
2000.....	7	7	-	-	-	-	-	-	-	-	-	-
1999.....	6	6	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	11	11	-	-	-	-	-	-	-	-	-	-
1999.....	6	6	-	-	-	-	-	-	-	-	-	-
WHITE, MALE												
2000.....	4	4	-	-	-	-	-	-	-	-	-	-
1999.....	1	1	-	-	-	-	-	-	-	-	-	-
WHITE, FEMALE												
2000.....	7	7	-	-	-	-	-	-	-	-	-	-
1999.....	5	5	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	1	1	-	-	-	-	-	-	-	-	-	-
1999.....	1	1	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	1	1	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	1	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Whooping cough (A37)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Scarlet fever and erysipelas (A38,A46)												
ALL RACES, BOTH SEXES												
2000.....	2	-	-	-	-	-	-	-	-	-	-	1
1999.....	5	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, FEMALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	1
1999.....	5	-	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	2	-	-	-	-	-	-	-	-	-	-	1
1999.....	4	-	-	-	-	-	-	-	-	-	-	-
WHITE, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, FEMALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	1
1999.....	4	-	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Scarlet fever and erysipelas (A38,A46)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningococcal infection (A39)												
ALL RACES, BOTH SEXES												
2000.....	211	22	19	12	6	34	22	9	6	7	6	13
1999.....	227	32	30	13	12	28	11	11	12	12	15	11
ALL RACES, MALE												
2000.....	106	14	12	5	2	24	11	3	3	6	3	5
1999.....	101	14	19	7	6	13	6	8	4	3	6	1
ALL RACES, FEMALE												
2000.....	105	8	7	7	4	10	11	6	3	1	3	8
1999.....	126	18	11	6	6	15	5	3	8	9	9	10
WHITE, BOTH SEXES												
2000.....	161	19	14	5	5	29	16	7	3	3	4	7
1999.....	184	30	26	10	8	20	9	6	8	8	11	10
WHITE, MALE												
2000.....	75	11	8	2	2	20	8	2	-	2	3	2
1999.....	79	14	17	5	4	8	5	4	2	2	4	1
WHITE, FEMALE												
2000.....	86	8	6	3	3	9	8	5	3	1	1	5
1999.....	105	16	9	5	4	12	4	2	6	6	7	9
BLACK, BOTH SEXES												
2000.....	44	3	5	7	1	3	4	1	3	4	2	5
1999.....	39	2	4	2	4	7	2	4	4	4	4	1
BLACK, MALE												
2000.....	27	3	4	3	-	3	2	-	3	4	-	2
1999.....	20	-	2	1	2	5	1	3	2	1	2	-
BLACK, FEMALE												
2000.....	17	-	1	4	1	-	2	1	-	-	2	3
1999.....	19	2	2	1	2	2	1	1	2	3	2	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningococcal infection (A39)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	-	-	-	-	1	-	-	-	-	-	-
1999.....	2	-	-	1	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	1	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	-	-	-	1	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	5	-	-	-	-	1	2	1	-	-	-	1
1999.....	2	-	-	-	-	1	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	4	-	-	-	-	1	1	1	-	-	-	1
1999.....	1	-	-	-	-	-	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	-	-	-	-	-	1	-	-	-	-	-
1999.....	1	-	-	-	-	1	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
ALL RACES, BOTH SEXES												
2000.....	31,224	274	99	38	25	40	60	104	176	324	553	781
1999.....	30,680	283	87	47	30	32	89	106	169	314	498	731
ALL RACES, MALE												
2000.....	13,537	139	53	24	14	23	37	62	96	162	289	439
1999.....	13,395	175	48	22	14	17	50	53	94	170	290	406
ALL RACES, FEMALE												
2000.....	17,687	135	46	14	11	17	23	42	80	162	264	342
1999.....	17,285	108	39	25	16	15	39	53	75	144	208	325
WHITE, BOTH SEXES												
2000.....	24,804	169	66	28	21	24	36	61	104	204	374	495
1999.....	24,287	164	60	35	20	26	53	66	116	194	316	457
WHITE, MALE												
2000.....	10,716	88	35	19	11	15	24	34	61	110	201	289
1999.....	10,489	106	32	18	10	14	35	37	65	109	185	256
WHITE, FEMALE												
2000.....	14,088	81	31	9	10	9	12	27	43	94	173	206
1999.....	13,798	58	28	17	10	12	18	29	51	85	131	201
BLACK, BOTH SEXES												
2000.....	5,928	101	26	8	3	12	21	40	68	109	163	259
1999.....	5,826	107	17	7	7	5	28	37	48	110	172	251
BLACK, MALE												
2000.....	2,587	50	13	4	2	6	12	27	32	48	77	136
1999.....	2,623	61	11	4	3	3	11	14	27	56	99	136
BLACK, FEMALE												
2000.....	3,341	51	13	4	1	6	9	13	36	61	86	123
1999.....	3,203	46	6	3	4	2	17	23	21	54	73	115

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Septicemia (A40-A41)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	162	1	3	1	-	1	1	1	2	6	7	12
1999.....	169	3	1	2	1	-	4	1	2	7	5	10
AMERICAN INDIAN 1/, MALE												
2000.....	74	1	2	1	-	1	-	-	2	2	5	7
1999.....	81	3	-	-	-	-	2	1	1	3	4	6
AMERICAN INDIAN 1/, FEMALE												
2000.....	88	-	1	-	-	-	1	1	-	4	2	5
1999.....	88	-	1	2	1	-	2	-	1	4	1	4
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	330	3	4	1	1	3	2	2	2	5	9	15
1999.....	398	9	9	3	2	1	4	2	3	3	5	13
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	160	-	3	-	1	1	1	1	1	2	6	7
1999.....	202	5	5	-	1	-	2	1	1	2	2	8
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	170	3	1	1	-	2	1	1	1	3	3	8
1999.....	196	4	4	3	1	1	2	1	2	1	3	5

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Syphilis (A50-A53)												
ALL RACES, BOTH SEXES												
2000.....	41	1	-	-	-	-	-	-	1	-	-	2
1999.....	33	2	-	-	-	-	-	-	1	-	1	3
ALL RACES, MALE												
2000.....	24	1	-	-	-	-	-	-	1	-	-	1
1999.....	13	-	-	-	-	-	-	-	1	-	-	2
ALL RACES, FEMALE												
2000.....	17	-	-	-	-	-	-	-	-	-	-	1
1999.....	20	2	-	-	-	-	-	-	-	-	1	1
WHITE, BOTH SEXES												
2000.....	21	-	-	-	-	-	-	-	1	-	-	1
1999.....	20	2	-	-	-	-	-	-	1	-	1	3
WHITE, MALE												
2000.....	7	-	-	-	-	-	-	-	1	-	-	-
1999.....	8	-	-	-	-	-	-	-	1	-	-	2
WHITE, FEMALE												
2000.....	14	-	-	-	-	-	-	-	-	-	-	1
1999.....	12	2	-	-	-	-	-	-	-	-	1	1
BLACK, BOTH SEXES												
2000.....	20	1	-	-	-	-	-	-	-	-	-	1
1999.....	12	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	17	1	-	-	-	-	-	-	-	-	-	1
1999.....	5	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	3	-	-	-	-	-	-	-	-	-	-	-
1999.....	7	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Syphilis (A50-A53)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute poliomyelitis (A80)												
ALL RACES, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute poliomyelitis (A80)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
ALL RACES, BOTH SEXES												
2000.....	2	-	-	-	-	-	-	-	-	-	1	-
1999.....	3	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, MALE												
2000.....	2	-	-	-	-	-	-	-	-	-	1	-
1999.....	3	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	2	-	-	-	-	-	-	-	-	-	1	-
1999.....	3	-	-	-	-	-	-	-	-	-	-	-
WHITE, MALE												
2000.....	2	-	-	-	-	-	-	-	-	-	1	-
1999.....	3	-	-	-	-	-	-	-	-	-	-	-
WHITE, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Measles (B05)												
ALL RACES, BOTH SEXES												
2000.....	1	1	-	-	-	-	-	-	-	-	-	-
1999.....	2	1	-	-	-	-	-	-	-	-	-	-
ALL RACES, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, FEMALE												
2000.....	1	1	-	-	-	-	-	-	-	-	-	-
1999.....	2	1	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	1	1	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
WHITE, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, FEMALE												
2000.....	1	1	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	1	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	1	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Measles (B05)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral hepatitis (B15-B19)												
ALL RACES, BOTH SEXES												
2000.....	5,357	6	1	2	-	4	14	25	54	219	560	1,044
1999.....	4,853	2	3	1	2	3	11	19	69	204	518	871
ALL RACES, MALE												
2000.....	3,381	2	1	1	-	2	9	13	33	151	389	787
1999.....	3,043	2	2	-	2	3	7	9	44	139	381	651
ALL RACES, FEMALE												
2000.....	1,976	4	-	1	-	2	5	12	21	68	171	257
1999.....	1,810	-	1	1	-	-	4	10	25	65	137	220
WHITE, BOTH SEXES												
2000.....	4,216	3	-	2	-	2	6	17	34	180	445	827
1999.....	3,835	1	3	1	1	3	6	11	57	169	402	683
WHITE, MALE												
2000.....	2,686	1	-	1	-	2	4	9	21	123	316	636
1999.....	2,436	1	2	-	1	3	4	4	37	118	301	501
WHITE, FEMALE												
2000.....	1,530	2	-	1	-	-	2	8	13	57	129	191
1999.....	1,399	-	1	1	-	-	2	7	20	51	101	182
BLACK, BOTH SEXES												
2000.....	793	3	-	-	-	2	8	7	14	30	88	172
1999.....	731	1	-	-	1	-	4	6	11	25	96	161
BLACK, MALE												
2000.....	501	1	-	-	-	-	5	3	8	22	56	121
1999.....	443	1	-	-	1	-	2	3	6	15	66	126
BLACK, FEMALE												
2000.....	292	2	-	-	-	2	3	4	6	8	32	51
1999.....	288	-	-	-	-	-	2	3	5	10	30	35

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Viral hepatitis (B15-B19)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	63	-	-	-	-	-	-	-	4	3	12	12
1999.....	37	-	-	-	-	-	1	-	1	2	6	8
AMERICAN INDIAN 1/, MALE												
2000.....	33	-	-	-	-	-	-	-	2	2	6	7
1999.....	22	-	-	-	-	-	1	-	1	-	3	8
AMERICAN INDIAN 1/, FEMALE												
2000.....	30	-	-	-	-	-	-	-	2	1	6	5
1999.....	15	-	-	-	-	-	-	-	-	2	3	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	285	-	1	-	-	-	-	1	2	6	15	33
1999.....	250	-	-	-	-	-	-	2	-	8	14	19
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	161	-	1	-	-	-	-	1	2	4	11	23
1999.....	142	-	-	-	-	-	-	2	-	6	11	16
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	124	-	-	-	-	-	-	-	-	2	4	10
1999.....	108	-	-	-	-	-	-	-	-	2	3	3

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
ALL RACES, BOTH SEXES												
2000.....	14,478	10	14	17	29	35	144	647	1,790	2,896	3,023	2,551
1999.....	14,802	14	24	38	28	31	167	763	1,966	2,981	3,251	2,440
ALL RACES, MALE												
2000.....	10,868	8	6	9	13	19	80	371	1,231	2,172	2,269	2,008
1999.....	11,234	9	16	20	16	15	80	504	1,410	2,224	2,482	1,936
ALL RACES, FEMALE												
2000.....	3,610	2	8	8	16	16	64	276	559	724	754	543
1999.....	3,568	5	8	18	12	16	87	259	556	757	769	504
WHITE, BOTH SEXES												
2000.....	6,498	1	1	8	13	13	40	235	748	1,402	1,383	1,150
1999.....	6,752	4	7	12	13	10	53	304	898	1,472	1,479	1,065
WHITE, MALE												
2000.....	5,360	1	-	4	5	8	30	158	591	1,165	1,135	977
1999.....	5,613	3	5	6	7	7	33	226	730	1,222	1,227	897
WHITE, FEMALE												
2000.....	1,138	-	1	4	8	5	10	77	157	237	248	173
1999.....	1,139	1	2	6	6	3	20	78	168	250	252	168
BLACK, BOTH SEXES												
2000.....	7,848	9	12	9	14	22	103	409	1,023	1,470	1,610	1,385
1999.....	7,893	10	17	26	15	21	112	452	1,045	1,473	1,733	1,350
BLACK, MALE												
2000.....	5,400	7	6	5	7	11	49	210	625	988	1,108	1,016
1999.....	5,493	6	11	14	9	8	46	273	662	969	1,225	1,019
BLACK, FEMALE												
2000.....	2,448	2	6	4	7	11	54	199	398	482	502	369
1999.....	2,400	4	6	12	6	13	66	179	383	504	508	331

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	57	-	1	-	1	-	-	1	7	12	12	12
1999.....	68	-	-	-	-	-	-	4	13	19	15	8
AMERICAN INDIAN 1/, MALE												
2000.....	43	-	-	-	-	-	-	1	4	9	11	11
1999.....	54	-	-	-	-	-	-	3	10	17	10	6
AMERICAN INDIAN 1/, FEMALE												
2000.....	14	-	1	-	1	-	-	-	3	3	1	1
1999.....	14	-	-	-	-	-	-	1	3	2	5	2
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	75	-	-	-	1	-	1	2	12	12	18	4
1999.....	89	-	-	-	-	-	2	3	10	17	24	17
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	65	-	-	-	1	-	1	2	11	10	15	4
1999.....	74	-	-	-	-	-	1	2	8	16	20	14
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	10	-	-	-	-	-	-	-	1	2	3	-
1999.....	15	-	-	-	-	-	1	1	2	1	4	3

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malaria (B50-B54)												
ALL RACES, BOTH SEXES												
2000.....	3	-	-	-	-	-	1	-	-	-	-	-
1999.....	7	1	-	-	-	-	-	2	-	-	1	-
ALL RACES, MALE												
2000.....	2	-	-	-	-	-	-	-	-	-	-	-
1999.....	4	1	-	-	-	-	-	1	-	-	-	-
ALL RACES, FEMALE												
2000.....	1	-	-	-	-	-	1	-	-	-	-	-
1999.....	3	-	-	-	-	-	-	1	-	-	1	-
WHITE, BOTH SEXES												
2000.....	1	-	-	-	-	-	1	-	-	-	-	-
1999.....	4	-	-	-	-	-	-	1	-	-	1	-
WHITE, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	3	-	-	-	-	-	-	1	-	-	-	-
WHITE, FEMALE												
2000.....	1	-	-	-	-	-	1	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	1	-
BLACK, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	3	1	-	-	-	-	-	1	-	-	-	-
BLACK, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	1	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malaria (B50-B54)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)												
ALL RACES, BOTH SEXES												
2000.....	5,532	167	71	30	37	44	52	56	85	162	188	277
1999.....	7,279	203	81	40	39	43	47	92	150	234	311	392
ALL RACES, MALE												
2000.....	2,861	94	41	16	19	25	29	29	46	105	115	164
1999.....	3,655	119	51	20	24	23	26	46	85	149	184	231
ALL RACES, FEMALE												
2000.....	2,671	73	30	14	18	19	23	27	39	57	73	113
1999.....	3,624	84	30	20	15	20	21	46	65	85	127	161
WHITE, BOTH SEXES												
2000.....	4,550	101	50	24	28	32	39	34	50	104	138	212
1999.....	5,794	135	56	32	24	32	32	56	88	156	197	262
WHITE, MALE												
2000.....	2,334	59	27	12	13	16	25	19	29	68	85	127
1999.....	2,910	85	37	18	13	16	18	27	51	110	129	163
WHITE, FEMALE												
2000.....	2,216	42	23	12	15	16	14	15	21	36	53	85
1999.....	2,884	50	19	14	11	16	14	29	37	46	68	99
BLACK, BOTH SEXES												
2000.....	826	61	14	5	5	9	13	16	34	48	47	62
1999.....	1,260	60	23	7	10	7	13	31	58	74	98	117
BLACK, MALE												
2000.....	432	31	10	3	2	6	4	6	16	30	28	35
1999.....	624	31	14	2	8	5	7	14	34	37	46	62
BLACK, FEMALE												
2000.....	394	30	4	2	3	3	9	10	18	18	19	27
1999.....	636	29	9	5	2	2	6	17	24	37	52	55

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	34	2	2	-	-	-	-	1	-	5	-	1
1999.....	53	4	1	-	1	1	-	-	-	1	6	3
AMERICAN INDIAN 1/, MALE												
2000.....	13	1	-	-	-	-	-	-	-	2	-	1
1999.....	20	1	-	-	-	-	-	-	-	1	2	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	21	1	2	-	-	-	-	1	-	3	-	-
1999.....	33	3	1	-	1	1	-	-	-	-	4	3
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	122	3	5	1	4	3	-	5	1	5	3	2
1999.....	172	4	1	1	4	3	2	5	4	3	10	10
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	82	3	4	1	4	3	-	4	1	5	2	1
1999.....	101	2	-	-	3	2	1	5	-	1	7	6
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	40	-	1	-	-	-	-	1	-	-	1	1
1999.....	71	2	1	1	1	1	1	-	4	2	3	4

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
ALL RACES, BOTH SEXES												
2000.....	553,091	92	420	489	525	745	968	1,359	2,557	5,565	10,955	18,803
1999.....	549,838	68	418	509	503	745	979	1,429	2,576	5,764	10,968	18,412
ALL RACES, MALE												
2000.....	286,082	50	233	269	300	446	576	692	1,162	2,402	4,942	9,243
1999.....	285,832	36	227	279	276	448	575	755	1,204	2,467	5,004	9,151
ALL RACES, FEMALE												
2000.....	267,009	42	187	220	225	299	392	667	1,395	3,163	6,013	9,560
1999.....	264,006	32	191	230	227	297	404	674	1,372	3,297	5,964	9,261
WHITE, BOTH SEXES												
2000.....	480,011	75	330	397	421	576	757	1,081	1,991	4,316	8,448	14,743
1999.....	477,238	53	353	397	383	568	759	1,137	2,010	4,495	8,565	14,513
WHITE, MALE												
2000.....	247,403	42	190	215	241	344	454	559	941	1,907	3,832	7,292
1999.....	247,396	31	194	224	210	335	449	606	955	1,984	3,950	7,171
WHITE, FEMALE												
2000.....	232,608	33	140	182	180	232	303	522	1,050	2,409	4,616	7,451
1999.....	229,842	22	159	173	173	233	310	531	1,055	2,511	4,615	7,342
BLACK, BOTH SEXES												
2000.....	61,945	11	70	72	78	136	165	215	434	1,017	2,091	3,437
1999.....	61,951	11	49	85	98	139	179	233	438	1,058	2,022	3,308
BLACK, MALE												
2000.....	32,817	4	34	42	45	82	97	94	168	383	926	1,664
1999.....	32,850	3	26	41	55	87	97	114	183	385	882	1,702
BLACK, FEMALE												
2000.....	29,128	7	36	30	33	54	68	121	266	634	1,165	1,773
1999.....	29,101	8	23	44	43	52	82	119	255	673	1,140	1,606

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms (C00-C97)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1,914	2	3	5	3	6	7	9	17	34	71	88
1999.....	1,836	1	4	2	4	4	9	13	13	28	57	86
AMERICAN INDIAN 1/, MALE												
2000.....	997	2	2	3	1	4	3	5	8	16	33	44
1999.....	949	-	1	1	4	1	6	7	7	13	22	51
AMERICAN INDIAN 1/, FEMALE												
2000.....	917	-	1	2	2	2	4	4	9	18	38	44
1999.....	887	1	3	1	-	3	3	6	6	15	35	35
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	9,221	4	17	15	23	27	39	54	115	198	345	535
1999.....	8,813	3	12	25	18	34	32	46	115	183	324	505
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	4,865	2	7	9	13	16	22	34	45	96	151	243
1999.....	4,637	2	6	13	7	25	23	28	59	85	150	227
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	4,356	2	10	6	10	11	17	20	70	102	194	292
1999.....	4,176	1	6	12	11	9	9	18	56	98	174	278

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
ALL RACES, BOTH SEXES												
2000.....	7,492	-	-	-	4	9	17	18	32	88	205	408
1999.....	7,486	-	2	1	5	9	18	14	29	96	195	449
ALL RACES, MALE												
2000.....	4,952	-	-	-	4	6	7	12	16	60	155	309
1999.....	4,944	-	1	-	3	6	14	10	17	58	146	346
ALL RACES, FEMALE												
2000.....	2,540	-	-	-	-	3	10	6	16	28	50	99
1999.....	2,542	-	1	1	2	3	4	4	12	38	49	103
WHITE, BOTH SEXES												
2000.....	6,135	-	-	-	2	6	12	12	23	60	138	291
1999.....	6,116	-	2	1	3	5	9	10	20	60	134	287
WHITE, MALE												
2000.....	3,942	-	-	-	2	3	4	8	12	38	100	222
1999.....	3,955	-	1	-	2	3	6	6	11	34	100	218
WHITE, FEMALE												
2000.....	2,193	-	-	-	-	3	8	4	11	22	38	69
1999.....	2,161	-	1	1	1	2	3	4	9	26	34	69
BLACK, BOTH SEXES												
2000.....	1,102	-	-	-	2	3	4	5	2	15	46	96
1999.....	1,145	-	-	-	2	4	4	2	6	25	42	135
BLACK, MALE												
2000.....	833	-	-	-	2	3	2	3	1	11	36	69
1999.....	828	-	-	-	1	3	3	2	4	17	30	109
BLACK, FEMALE												
2000.....	269	-	-	-	-	-	2	2	1	4	10	27
1999.....	317	-	-	-	1	1	1	-	2	8	12	26

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	41	-	-	-	-	-	-	-	-	2	2	-
1999.....	33	-	-	-	-	-	-	1	-	-	1	3
AMERICAN INDIAN 1/, MALE												
2000.....	27	-	-	-	-	-	-	-	-	2	2	-
1999.....	22	-	-	-	-	-	-	1	-	-	1	3
AMERICAN INDIAN 1/, FEMALE												
2000.....	14	-	-	-	-	-	-	-	-	-	-	-
1999.....	11	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	214	-	-	-	-	-	1	1	7	11	19	21
1999.....	192	-	-	-	-	-	5	1	3	11	18	24
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	150	-	-	-	-	-	1	1	3	9	17	18
1999.....	139	-	-	-	-	-	5	1	2	7	15	16
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	64	-	-	-	-	-	-	-	4	2	2	3
1999.....	53	-	-	-	-	-	-	-	1	4	3	8

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of esophagus (C15)												
ALL RACES, BOTH SEXES												
2000.....	12,232	1	-	-	-	1	2	9	30	78	219	478
1999.....	11,918	-	-	-	-	-	-	10	27	75	218	469
ALL RACES, MALE												
2000.....	9,279	1	-	-	-	-	2	7	24	69	196	415
1999.....	9,094	-	-	-	-	-	-	7	22	65	190	410
ALL RACES, FEMALE												
2000.....	2,953	-	-	-	-	1	-	2	6	9	23	63
1999.....	2,824	-	-	-	-	-	-	3	5	10	28	59
WHITE, BOTH SEXES												
2000.....	10,406	-	-	-	-	1	2	9	29	74	175	377
1999.....	10,079	-	-	-	-	-	-	9	23	67	162	362
WHITE, MALE												
2000.....	7,986	-	-	-	-	-	2	7	24	67	162	341
1999.....	7,740	-	-	-	-	-	-	6	18	60	143	323
WHITE, FEMALE												
2000.....	2,420	-	-	-	-	1	-	2	5	7	13	36
1999.....	2,339	-	-	-	-	-	-	3	5	7	19	39
BLACK, BOTH SEXES												
2000.....	1,655	1	-	-	-	-	-	-	1	3	41	96
1999.....	1,648	-	-	-	-	-	-	-	3	6	48	99
BLACK, MALE												
2000.....	1,170	1	-	-	-	-	-	-	-	1	31	69
1999.....	1,203	-	-	-	-	-	-	-	3	4	41	79
BLACK, FEMALE												
2000.....	485	-	-	-	-	-	-	-	1	2	10	27
1999.....	445	-	-	-	-	-	-	-	-	2	7	20

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of esophagus (C15)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	43	-	-	-	-	-	-	-	-	-	2	3
1999.....	38	-	-	-	-	-	-	-	-	-	1	3
AMERICAN INDIAN 1/, MALE												
2000.....	36	-	-	-	-	-	-	-	-	-	2	3
1999.....	31	-	-	-	-	-	-	-	-	-	1	3
AMERICAN INDIAN 1/, FEMALE												
2000.....	7	-	-	-	-	-	-	-	-	-	-	-
1999.....	7	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	128	-	-	-	-	-	-	-	-	1	1	2
1999.....	153	-	-	-	-	-	-	1	1	2	7	5
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	87	-	-	-	-	-	-	-	-	1	1	2
1999.....	120	-	-	-	-	-	-	1	1	1	5	5
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	41	-	-	-	-	-	-	-	-	-	-	-
1999.....	33	-	-	-	-	-	-	-	-	1	2	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of stomach (C16)												
ALL RACES, BOTH SEXES												
2000.....	12,645	-	-	-	1	3	11	36	88	167	317	468
1999.....	12,711	-	-	-	1	5	8	47	89	189	316	450
ALL RACES, MALE												
2000.....	7,328	-	-	-	-	-	6	22	47	100	184	290
1999.....	7,459	-	-	-	1	2	4	22	54	101	182	303
ALL RACES, FEMALE												
2000.....	5,317	-	-	-	1	3	5	14	41	67	133	178
1999.....	5,252	-	-	-	-	3	4	25	35	88	134	147
WHITE, BOTH SEXES												
2000.....	9,723	-	-	-	1	2	7	21	57	113	205	314
1999.....	9,779	-	-	-	-	2	6	29	59	128	193	320
WHITE, MALE												
2000.....	5,688	-	-	-	-	-	3	13	32	66	115	192
1999.....	5,786	-	-	-	-	1	3	15	40	70	112	222
WHITE, FEMALE												
2000.....	4,035	-	-	-	1	2	4	8	25	47	90	122
1999.....	3,993	-	-	-	-	1	3	14	19	58	81	98
BLACK, BOTH SEXES												
2000.....	2,176	-	-	-	-	1	3	11	25	37	81	110
1999.....	2,203	-	-	-	1	1	2	14	22	40	87	89
BLACK, MALE												
2000.....	1,218	-	-	-	-	-	2	5	15	26	52	72
1999.....	1,263	-	-	-	1	-	1	7	12	20	52	60
BLACK, FEMALE												
2000.....	958	-	-	-	-	1	1	6	10	11	29	38
1999.....	940	-	-	-	-	1	1	7	10	20	35	29

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of stomach (C16)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	73	-	-	-	-	-	-	-	-	1	3	-
1999.....	67	-	-	-	-	1	-	-	1	2	3	3
AMERICAN INDIAN 1/, MALE												
2000.....	41	-	-	-	-	-	-	-	-	-	3	-
1999.....	44	-	-	-	-	-	-	-	1	1	2	2
AMERICAN INDIAN 1/, FEMALE												
2000.....	32	-	-	-	-	-	-	-	-	1	-	-
1999.....	23	-	-	-	-	1	-	-	-	1	1	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	673	-	-	-	-	-	1	4	6	16	28	44
1999.....	662	-	-	-	-	1	-	4	7	19	33	38
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	381	-	-	-	-	-	1	4	-	8	14	26
1999.....	366	-	-	-	-	1	-	-	1	10	16	19
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	292	-	-	-	-	-	-	-	6	8	14	18
1999.....	296	-	-	-	-	-	-	4	6	9	17	19

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of colon, rectum and anus (C18-C21)												
ALL RACES, BOTH SEXES												
2000.....	57,477	-	-	-	3	13	27	79	193	480	889	1,656
1999.....	57,155	1	-	-	1	11	38	87	196	439	894	1,623
ALL RACES, MALE												
2000.....	28,462	-	-	-	2	8	16	42	111	271	488	893
1999.....	28,240	-	-	-	1	5	22	57	103	226	452	876
ALL RACES, FEMALE												
2000.....	29,015	-	-	-	1	5	11	37	82	209	401	763
1999.....	28,915	1	-	-	-	6	16	30	93	213	442	747
WHITE, BOTH SEXES												
2000.....	49,488	-	-	-	3	12	19	57	144	349	666	1,250
1999.....	49,374	-	-	-	1	6	26	62	150	336	684	1,264
WHITE, MALE												
2000.....	24,517	-	-	-	2	7	9	32	87	204	363	692
1999.....	24,539	-	-	-	1	2	14	40	78	180	360	692
WHITE, FEMALE												
2000.....	24,971	-	-	-	1	5	10	25	57	145	303	558
1999.....	24,835	-	-	-	-	4	12	22	72	156	324	572
BLACK, BOTH SEXES												
2000.....	6,867	-	-	-	-	-	6	12	42	109	184	359
1999.....	6,777	1	-	-	-	5	11	21	35	92	181	305
BLACK, MALE												
2000.....	3,326	-	-	-	-	-	5	4	22	56	105	180
1999.....	3,196	-	-	-	-	3	7	14	17	43	82	159
BLACK, FEMALE												
2000.....	3,541	-	-	-	-	-	1	8	20	53	79	179
1999.....	3,581	1	-	-	-	2	4	7	18	49	99	146

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of colon, rectum and anus (C18-C21)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	194	-	-	-	-	-	-	2	1	2	11	7
1999.....	170	-	-	-	-	-	1	-	2	1	6	7
AMERICAN INDIAN 1/, MALE												
2000.....	110	-	-	-	-	-	-	1	-	1	7	4
1999.....	87	-	-	-	-	-	1	-	2	-	2	6
AMERICAN INDIAN 1/, FEMALE												
2000.....	84	-	-	-	-	-	-	1	1	1	4	3
1999.....	83	-	-	-	-	-	-	-	-	1	4	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	928	-	-	-	-	1	2	8	6	20	28	40
1999.....	834	-	-	-	-	-	-	4	9	10	23	47
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	509	-	-	-	-	1	2	5	2	10	13	17
1999.....	418	-	-	-	-	-	-	3	6	3	8	19
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	419	-	-	-	-	-	-	3	4	10	15	23
1999.....	416	-	-	-	-	-	-	1	3	7	15	28

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of liver and intrahepatic bile ducts (C22)												
ALL RACES, BOTH SEXES												
2000.....	12,916	2	23	9	11	15	15	28	58	113	316	742
1999.....	12,382	8	29	5	6	19	24	33	45	127	317	666
ALL RACES, MALE												
2000.....	8,176	1	14	6	2	11	9	18	41	74	223	595
1999.....	7,689	5	20	5	4	12	12	22	26	88	230	533
ALL RACES, FEMALE												
2000.....	4,740	1	9	3	9	4	6	10	17	39	93	147
1999.....	4,693	3	9	-	2	7	12	11	19	39	87	133
WHITE, BOTH SEXES												
2000.....	10,304	1	17	8	5	10	10	12	32	65	196	510
1999.....	9,986	6	26	3	3	14	15	17	19	73	210	448
WHITE, MALE												
2000.....	6,447	1	11	5	2	7	6	8	19	37	142	401
1999.....	6,151	3	18	3	2	10	7	11	10	45	155	351
WHITE, FEMALE												
2000.....	3,857	-	6	3	3	3	4	4	13	28	54	109
1999.....	3,835	3	8	-	1	4	8	6	9	28	55	97
BLACK, BOTH SEXES												
2000.....	1,598	1	2	-	2	4	2	10	11	25	77	166
1999.....	1,507	1	3	1	3	2	5	9	12	31	60	150
BLACK, MALE												
2000.....	1,061	-	1	-	-	3	2	5	10	16	50	138
1999.....	947	1	2	1	2	-	2	7	7	21	44	125
BLACK, FEMALE												
2000.....	537	1	1	-	2	1	-	5	1	9	27	28
1999.....	560	-	1	-	1	2	3	2	5	10	16	25

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of liver and intrahepatic bile ducts (C22)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	98	-	-	1	-	-	-	-	2	1	3	7
1999.....	76	-	-	-	-	-	1	1	-	3	-	7
AMERICAN INDIAN 1/, MALE												
2000.....	65	-	-	1	-	-	-	-	1	1	3	7
1999.....	42	-	-	-	-	-	1	-	-	2	-	5
AMERICAN INDIAN 1/, FEMALE												
2000.....	33	-	-	-	-	-	-	-	1	-	-	-
1999.....	34	-	-	-	-	-	-	1	-	1	-	2
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	916	-	4	-	4	1	3	6	13	22	40	59
1999.....	813	1	-	1	-	3	3	6	14	20	47	61
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	603	-	2	-	-	1	1	5	11	20	28	49
1999.....	549	1	-	1	-	2	2	4	9	20	31	52
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	313	-	2	-	4	-	2	1	2	2	12	10
1999.....	264	-	-	-	-	1	1	2	5	-	16	9

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of pancreas (C25)												
ALL RACES, BOTH SEXES												
2000.....	29,332	2	1	-	1	1	4	17	38	140	408	834
1999.....	29,082	1	-	-	-	-	3	9	46	178	416	887
ALL RACES, MALE												
2000.....	14,238	1	1	-	-	1	2	11	22	87	237	531
1999.....	14,176	-	-	-	-	-	1	7	26	107	262	575
ALL RACES, FEMALE												
2000.....	15,094	1	-	-	1	-	2	6	16	53	171	303
1999.....	14,906	1	-	-	-	-	2	2	20	71	154	312
WHITE, BOTH SEXES												
2000.....	25,301	2	1	-	1	1	3	15	30	110	319	679
1999.....	25,086	-	-	-	-	-	2	7	33	137	331	729
WHITE, MALE												
2000.....	12,392	1	1	-	-	1	2	9	18	69	189	437
1999.....	12,273	-	-	-	-	-	1	6	19	85	212	476
WHITE, FEMALE												
2000.....	12,909	1	-	-	1	-	1	6	12	41	130	242
1999.....	12,813	-	-	-	-	-	1	1	14	52	119	253
BLACK, BOTH SEXES												
2000.....	3,419	-	-	-	-	-	1	1	8	24	73	136
1999.....	3,391	1	-	-	-	-	-	2	10	36	76	141
BLACK, MALE												
2000.....	1,561	-	-	-	-	-	-	1	4	15	39	80
1999.....	1,611	-	-	-	-	-	-	1	7	19	44	88
BLACK, FEMALE												
2000.....	1,858	-	-	-	-	-	1	-	4	9	34	56
1999.....	1,780	1	-	-	-	-	-	1	3	17	32	53

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of pancreas (C25)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	91	-	-	-	-	-	-	-	-	2	6	1
1999.....	84	-	-	-	-	-	-	-	1	-	2	3
AMERICAN INDIAN 1/, MALE												
2000.....	46	-	-	-	-	-	-	-	-	-	5	1
1999.....	40	-	-	-	-	-	-	-	-	-	1	2
AMERICAN INDIAN 1/, FEMALE												
2000.....	45	-	-	-	-	-	-	-	-	2	1	-
1999.....	44	-	-	-	-	-	-	-	1	-	1	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	521	-	-	-	-	-	-	1	-	4	10	18
1999.....	521	-	-	-	-	-	1	-	2	5	7	14
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	239	-	-	-	-	-	-	1	-	3	4	13
1999.....	252	-	-	-	-	-	-	-	-	3	5	9
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	282	-	-	-	-	-	-	-	-	1	6	5
1999.....	269	-	-	-	-	-	1	-	2	2	2	5

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of larynx (C32)												
ALL RACES, BOTH SEXES												
2000.....	3,861	-	-	-	2	1	-	-	4	9	55	156
1999.....	3,815	-	-	-	-	-	-	-	6	20	58	151
ALL RACES, MALE												
2000.....	3,041	-	-	-	-	-	-	-	2	6	43	122
1999.....	2,992	-	-	-	-	-	-	-	5	18	46	130
ALL RACES, FEMALE												
2000.....	820	-	-	-	2	1	-	-	2	3	12	34
1999.....	823	-	-	-	-	-	-	-	1	2	12	21
WHITE, BOTH SEXES												
2000.....	3,096	-	-	-	2	1	-	-	4	8	41	108
1999.....	3,106	-	-	-	-	-	-	-	4	14	31	101
WHITE, MALE												
2000.....	2,426	-	-	-	-	-	-	-	2	5	30	86
1999.....	2,419	-	-	-	-	-	-	-	3	14	24	87
WHITE, FEMALE												
2000.....	670	-	-	-	2	1	-	-	2	3	11	22
1999.....	687	-	-	-	-	-	-	-	1	-	7	14
BLACK, BOTH SEXES												
2000.....	719	-	-	-	-	-	-	-	-	1	14	47
1999.....	663	-	-	-	-	-	-	-	2	6	26	48
BLACK, MALE												
2000.....	578	-	-	-	-	-	-	-	-	1	13	35
1999.....	536	-	-	-	-	-	-	-	2	4	21	41
BLACK, FEMALE												
2000.....	141	-	-	-	-	-	-	-	-	-	1	12
1999.....	127	-	-	-	-	-	-	-	-	2	5	7

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of larynx (C32)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	16	-	-	-	-	-	-	-	-	-	-	-
1999.....	12	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	11	-	-	-	-	-	-	-	-	-	-	-
1999.....	10	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	5	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	30	-	-	-	-	-	-	-	-	-	-	1
1999.....	34	-	-	-	-	-	-	-	-	-	1	2
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	26	-	-	-	-	-	-	-	-	-	-	1
1999.....	27	-	-	-	-	-	-	-	-	-	1	2
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	4	-	-	-	-	-	-	-	-	-	-	-
1999.....	7	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
ALL RACES, BOTH SEXES												
2000.....	155,521	2	2	-	1	3	19	37	160	664	2,092	4,220
1999.....	152,156	-	-	3	2	6	14	43	136	668	2,056	3,916
ALL RACES, MALE												
2000.....	90,469	2	1	-	-	3	11	28	74	370	1,172	2,540
1999.....	89,453	-	-	2	2	5	8	24	73	323	1,151	2,346
ALL RACES, FEMALE												
2000.....	65,052	-	1	-	1	-	8	9	86	294	920	1,680
1999.....	62,703	-	-	1	-	1	6	19	63	345	905	1,570
WHITE, BOTH SEXES												
2000.....	136,912	1	2	-	1	1	13	27	128	499	1,594	3,265
1999.....	133,752	-	-	2	1	3	8	33	116	511	1,617	3,022
WHITE, MALE												
2000.....	78,747	1	1	-	-	1	9	20	62	277	859	1,953
1999.....	77,846	-	-	1	1	3	4	17	64	247	891	1,782
WHITE, FEMALE												
2000.....	58,165	-	1	-	1	-	4	7	66	222	735	1,312
1999.....	55,906	-	-	1	-	-	4	16	52	264	726	1,240
BLACK, BOTH SEXES												
2000.....	16,066	1	-	-	-	2	3	8	24	142	442	837
1999.....	15,963	-	-	1	1	3	5	5	15	134	399	804
BLACK, MALE												
2000.....	10,153	1	-	-	-	2	-	6	9	80	282	520
1999.....	10,135	-	-	1	1	2	3	4	7	63	240	518
BLACK, FEMALE												
2000.....	5,913	-	-	-	-	-	3	2	15	62	160	317
1999.....	5,828	-	-	-	-	1	2	1	8	71	159	286

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	480	-	-	-	-	-	-	-	1	3	8	17
1999.....	497	-	-	-	-	-	-	-	-	3	5	13
AMERICAN INDIAN 1/, MALE												
2000.....	270	-	-	-	-	-	-	-	1	1	4	9
1999.....	285	-	-	-	-	-	-	-	-	2	1	8
AMERICAN INDIAN 1/, FEMALE												
2000.....	210	-	-	-	-	-	-	-	-	2	4	8
1999.....	212	-	-	-	-	-	-	-	-	1	4	5
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2,063	-	-	-	-	-	3	2	7	20	48	101
1999.....	1,944	-	-	-	-	-	1	5	5	20	35	77
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1,299	-	-	-	-	-	2	2	2	12	27	58
1999.....	1,187	-	-	-	-	-	1	3	2	11	19	38
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	764	-	-	-	-	-	1	-	5	8	21	43
1999.....	757	-	-	-	-	-	-	2	3	9	16	39

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant melanoma of skin (C43)												
ALL RACES, BOTH SEXES												
2000.....	7,420	-	-	-	1	7	34	58	128	234	392	534
1999.....	7,215	1	-	1	-	9	30	62	132	239	386	518
ALL RACES, MALE												
2000.....	4,592	-	-	-	1	4	17	33	77	118	237	321
1999.....	4,529	1	-	-	-	7	16	38	72	151	246	337
ALL RACES, FEMALE												
2000.....	2,828	-	-	-	-	3	17	25	51	116	155	213
1999.....	2,686	-	-	1	-	2	14	24	60	88	140	181
WHITE, BOTH SEXES												
2000.....	7,245	-	-	-	1	6	34	55	125	229	377	525
1999.....	7,086	1	-	1	-	8	28	61	127	236	382	509
WHITE, MALE												
2000.....	4,514	-	-	-	1	4	17	32	76	116	229	319
1999.....	4,459	1	-	-	-	6	14	37	69	149	245	331
WHITE, FEMALE												
2000.....	2,731	-	-	-	-	2	17	23	49	113	148	206
1999.....	2,627	-	-	1	-	2	14	24	58	87	137	178
BLACK, BOTH SEXES												
2000.....	135	-	-	-	-	1	-	2	1	4	11	6
1999.....	96	-	-	-	-	1	-	1	3	1	3	6
BLACK, MALE												
2000.....	60	-	-	-	-	-	-	1	1	2	7	1
1999.....	48	-	-	-	-	1	-	1	1	1	-	4
BLACK, FEMALE												
2000.....	75	-	-	-	-	1	-	1	-	2	4	5
1999.....	48	-	-	-	-	-	-	-	2	-	3	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant melanoma of skin (C43)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	8	-	-	-	-	-	-	-	-	-	-	1
1999.....	10	-	-	-	-	-	1	-	-	-	-	2
AMERICAN INDIAN 1/, MALE												
2000.....	5	-	-	-	-	-	-	-	-	-	-	-
1999.....	7	-	-	-	-	-	1	-	-	-	-	2
AMERICAN INDIAN 1/, FEMALE												
2000.....	3	-	-	-	-	-	-	-	-	-	-	1
1999.....	3	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	32	-	-	-	-	-	-	1	2	1	4	2
1999.....	23	-	-	-	-	-	1	-	2	2	1	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	13	-	-	-	-	-	-	-	-	-	1	1
1999.....	15	-	-	-	-	-	1	-	2	1	1	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	19	-	-	-	-	-	-	1	2	1	3	1
1999.....	8	-	-	-	-	-	-	-	-	1	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of breast (C50)												
ALL RACES, BOTH SEXES												
2000.....	42,300	-	-	-	-	1	10	83	384	982	1,859	2,730
1999.....	41,528	-	1	-	1	3	10	86	353	986	1,755	2,619
ALL RACES, MALE												
2000.....	428	-	-	-	-	-	-	2	1	12	7	18
1999.....	384	-	-	-	-	-	-	-	3	6	9	11
ALL RACES, FEMALE												
2000.....	41,872	-	-	-	-	1	10	81	383	970	1,852	2,712
1999.....	41,144	-	1	-	1	3	10	86	350	980	1,746	2,608
WHITE, BOTH SEXES												
2000.....	36,127	-	-	-	-	1	4	60	265	717	1,380	2,066
1999.....	35,385	-	-	-	1	3	5	59	245	700	1,301	1,977
WHITE, MALE												
2000.....	360	-	-	-	-	-	-	-	1	8	3	13
1999.....	312	-	-	-	-	-	-	-	2	-	8	8
WHITE, FEMALE												
2000.....	35,767	-	-	-	-	1	4	60	264	709	1,377	2,053
1999.....	35,073	-	-	-	1	3	5	59	243	700	1,293	1,969
BLACK, BOTH SEXES												
2000.....	5,424	-	-	-	-	-	5	20	103	228	417	564
1999.....	5,425	-	1	-	-	-	5	25	101	261	404	553
BLACK, MALE												
2000.....	63	-	-	-	-	-	-	2	-	4	4	4
1999.....	67	-	-	-	-	-	-	-	1	6	1	1
BLACK, FEMALE												
2000.....	5,361	-	-	-	-	-	5	18	103	224	413	560
1999.....	5,358	-	1	-	-	-	5	25	100	255	403	552

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of breast (C50)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	131	-	-	-	-	-	-	1	1	3	13	11
1999.....	131	-	-	-	-	-	-	1	1	3	8	9
AMERICAN INDIAN 1/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	130	-	-	-	-	-	-	1	1	3	13	11
1999.....	130	-	-	-	-	-	-	1	1	3	8	9
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	618	-	-	-	-	-	1	2	15	34	49	89
1999.....	587	-	-	-	-	-	-	1	6	22	42	80
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	4	-	-	-	-	-	-	-	-	-	-	1
1999.....	4	-	-	-	-	-	-	-	-	-	-	2
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	614	-	-	-	-	-	1	2	15	34	49	88
1999.....	583	-	-	-	-	-	-	1	6	22	42	78

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of cervix uteri (C53)												
ALL RACES, BOTH SEXES												
2000.....	4,200	-	-	-	1	3	14	77	153	294	400	448
1999.....	4,205	-	-	-	-	2	10	62	155	292	407	462
ALL RACES, FEMALE												
2000.....	4,200	-	-	-	1	3	14	77	153	294	400	448
1999.....	4,205	-	-	-	-	2	10	62	155	292	407	462
WHITE, BOTH SEXES												
2000.....	3,158	-	-	-	-	3	10	63	111	223	288	334
1999.....	3,229	-	-	-	-	-	9	52	124	221	314	371
WHITE, FEMALE												
2000.....	3,158	-	-	-	-	3	10	63	111	223	288	334
1999.....	3,229	-	-	-	-	-	9	52	124	221	314	371
BLACK, BOTH SEXES												
2000.....	869	-	-	-	1	-	4	12	39	62	88	88
1999.....	838	-	-	-	-	2	1	9	27	61	83	68
BLACK, FEMALE												
2000.....	869	-	-	-	1	-	4	12	39	62	88	88
1999.....	838	-	-	-	-	2	1	9	27	61	83	68
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	30	-	-	-	-	-	-	-	2	2	5	3
1999.....	19	-	-	-	-	-	-	1	1	3	-	4
AMERICAN INDIAN 1/, FEMALE												
2000.....	30	-	-	-	-	-	-	-	2	2	5	3
1999.....	19	-	-	-	-	-	-	1	1	3	-	4
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	143	-	-	-	-	-	-	2	1	7	19	23
1999.....	119	-	-	-	-	-	-	-	3	7	10	19

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of cervix uteri (C53)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	143	-	-	-	-	-	-	2	1	7	19	23
1999.....	119	-	-	-	-	-	-	-	3	7	10	19

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)												
ALL RACES, BOTH SEXES												
2000.....	6,586	-	-	-	-	-	3	2	25	41	97	190
1999.....	6,468	-	-	-	-	-	2	11	12	38	104	182
ALL RACES, FEMALE												
2000.....	6,586	-	-	-	-	-	3	2	25	41	97	190
1999.....	6,468	-	-	-	-	-	2	11	12	38	104	182
WHITE, BOTH SEXES												
2000.....	5,397	-	-	-	-	-	1	2	18	33	73	158
1999.....	5,386	-	-	-	-	-	2	8	10	31	78	150
WHITE, FEMALE												
2000.....	5,397	-	-	-	-	-	1	2	18	33	73	158
1999.....	5,386	-	-	-	-	-	2	8	10	31	78	150
BLACK, BOTH SEXES												
2000.....	1,061	-	-	-	-	-	1	-	6	6	16	24
1999.....	987	-	-	-	-	-	-	3	2	5	23	18
BLACK, FEMALE												
2000.....	1,061	-	-	-	-	-	1	-	6	6	16	24
1999.....	987	-	-	-	-	-	-	3	2	5	23	18
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	19	-	-	-	-	-	-	-	-	-	1	1
1999.....	13	-	-	-	-	-	-	-	-	1	1	2
AMERICAN INDIAN 1/, FEMALE												
2000.....	19	-	-	-	-	-	-	-	-	-	1	1
1999.....	13	-	-	-	-	-	-	-	-	1	1	2
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	109	-	-	-	-	-	1	-	1	2	7	7
1999.....	82	-	-	-	-	-	-	-	-	1	2	12

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	109	-	-	-	-	-	1	-	1	2	7	7
1999.....	82	-	-	-	-	-	-	-	-	1	2	12

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of ovary (C56)												
ALL RACES, BOTH SEXES												
2000.....	14,060	-	-	2	-	7	16	36	65	145	327	617
1999.....	13,627	-	1	-	2	9	18	26	51	162	334	616
ALL RACES, FEMALE												
2000.....	14,060	-	-	2	-	7	16	36	65	145	327	617
1999.....	13,627	-	1	-	2	9	18	26	51	162	334	616
WHITE, BOTH SEXES												
2000.....	12,731	-	-	1	-	5	12	32	52	120	277	541
1999.....	12,302	-	1	-	2	8	14	20	37	136	288	535
WHITE, FEMALE												
2000.....	12,731	-	-	1	-	5	12	32	52	120	277	541
1999.....	12,302	-	1	-	2	8	14	20	37	136	288	535
BLACK, BOTH SEXES												
2000.....	1,073	-	-	1	-	-	2	4	8	17	43	51
1999.....	1,079	-	-	-	-	1	3	6	7	16	31	55
BLACK, FEMALE												
2000.....	1,073	-	-	1	-	-	2	4	8	17	43	51
1999.....	1,079	-	-	-	-	1	3	6	7	16	31	55
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	28	-	-	-	-	-	1	-	-	1	-	2
1999.....	29	-	-	-	-	-	-	-	-	-	1	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	28	-	-	-	-	-	1	-	-	1	-	2
1999.....	29	-	-	-	-	-	-	-	-	-	1	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	228	-	-	-	-	2	1	-	5	7	7	23
1999.....	217	-	-	-	-	-	1	-	7	10	14	25

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of ovary (C56)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	228	-	-	-	-	2	1	-	5	7	7	23
1999.....	217	-	-	-	-	-	1	-	7	10	14	25

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of prostate (C61)												
ALL RACES, BOTH SEXES												
2000.....	31,078	-	-	-	-	-	-	1	-	6	19	108
1999.....	31,729	1	-	-	-	-	1	1	1	5	28	100
ALL RACES, MALE												
2000.....	31,078	-	-	-	-	-	-	1	-	6	19	108
1999.....	31,729	1	-	-	-	-	1	1	1	5	28	100
WHITE, BOTH SEXES												
2000.....	25,340	-	-	-	-	-	-	1	-	4	12	70
1999.....	26,005	1	-	-	-	-	1	1	1	4	21	68
WHITE, MALE												
2000.....	25,340	-	-	-	-	-	-	1	-	4	12	70
1999.....	26,005	1	-	-	-	-	1	1	1	4	21	68
BLACK, BOTH SEXES												
2000.....	5,346	-	-	-	-	-	-	-	-	2	7	35
1999.....	5,357	-	-	-	-	-	-	-	-	1	6	31
BLACK, MALE												
2000.....	5,346	-	-	-	-	-	-	-	-	2	7	35
1999.....	5,357	-	-	-	-	-	-	-	-	1	6	31
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	92	-	-	-	-	-	-	-	-	-	-	2
1999.....	63	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	92	-	-	-	-	-	-	-	-	-	-	2
1999.....	63	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	300	-	-	-	-	-	-	-	-	-	-	1
1999.....	304	-	-	-	-	-	-	-	-	-	1	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of prostate (C61)												
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	300	-	-	-	-	-	-	-	-	-	-	1
1999.....	304	-	-	-	-	-	-	-	-	-	1	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of kidney and renal pelvis (C64-C65)												
ALL RACES, BOTH SEXES												
2000.....	11,736	2	15	21	8	8	12	14	28	83	251	450
1999.....	11,116	2	19	23	10	8	9	25	29	105	237	427
ALL RACES, MALE												
2000.....	7,249	1	8	12	3	4	6	7	19	53	175	309
1999.....	6,867	1	11	12	4	4	7	15	22	70	166	310
ALL RACES, FEMALE												
2000.....	4,487	1	7	9	5	4	6	7	9	30	76	141
1999.....	4,249	1	8	11	6	4	2	10	7	35	71	117
WHITE, BOTH SEXES												
2000.....	10,480	-	10	12	7	6	7	8	23	59	211	381
1999.....	9,878	2	12	19	6	5	5	14	18	76	195	346
WHITE, MALE												
2000.....	6,475	-	5	6	3	3	4	2	15	42	150	266
1999.....	6,112	1	8	10	1	4	3	7	13	51	138	255
WHITE, FEMALE												
2000.....	4,005	-	5	6	4	3	3	6	8	17	61	115
1999.....	3,766	1	4	9	5	1	2	7	5	25	57	91
BLACK, BOTH SEXES												
2000.....	1,044	1	5	7	1	2	4	6	4	21	31	58
1999.....	1,035	-	4	3	3	3	4	11	10	27	34	67
BLACK, MALE												
2000.....	632	-	3	4	-	1	1	5	3	9	18	35
1999.....	622	-	2	1	2	-	4	8	8	19	23	44
BLACK, FEMALE												
2000.....	412	1	2	3	1	1	3	1	1	12	13	23
1999.....	413	-	2	2	1	3	-	3	2	8	11	23

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of kidney and renal pelvis (C64-C65)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	64	1	-	1	-	-	1	-	1	1	4	6
1999.....	78	-	2	-	-	-	-	-	-	-	3	4
AMERICAN INDIAN 1/, MALE												
2000.....	43	1	-	1	-	-	1	-	1	1	3	3
1999.....	50	-	-	-	-	-	-	-	-	-	1	3
AMERICAN INDIAN 1/, FEMALE												
2000.....	21	-	-	-	-	-	-	-	-	-	1	3
1999.....	28	-	2	-	-	-	-	-	-	-	2	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	148	-	-	1	-	-	-	-	-	2	5	5
1999.....	125	-	1	1	1	-	-	-	1	2	5	10
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	99	-	-	1	-	-	-	-	-	1	4	5
1999.....	83	-	1	1	1	-	-	-	1	-	4	8
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	49	-	-	-	-	-	-	-	-	1	1	-
1999.....	42	-	-	-	-	-	-	-	-	2	1	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of bladder (C67)												
ALL RACES, BOTH SEXES												
2000.....	12,002	-	-	-	1	2	1	1	9	40	71	160
1999.....	11,911	-	-	-	1	-	1	6	10	32	68	140
ALL RACES, MALE												
2000.....	8,163	-	-	-	-	2	1	-	2	21	41	110
1999.....	8,105	-	-	-	1	-	-	3	6	20	43	107
ALL RACES, FEMALE												
2000.....	3,839	-	-	-	1	-	-	1	7	19	30	50
1999.....	3,806	-	-	-	-	-	1	3	4	12	25	33
WHITE, BOTH SEXES												
2000.....	11,036	-	-	-	1	1	1	1	8	36	63	137
1999.....	10,863	-	-	-	1	-	-	3	7	23	57	114
WHITE, MALE												
2000.....	7,620	-	-	-	-	1	1	-	2	20	37	96
1999.....	7,520	-	-	-	1	-	-	1	4	13	36	87
WHITE, FEMALE												
2000.....	3,416	-	-	-	1	-	-	1	6	16	26	41
1999.....	3,343	-	-	-	-	-	-	2	3	10	21	27
BLACK, BOTH SEXES												
2000.....	852	-	-	-	-	1	-	-	-	3	7	20
1999.....	918	-	-	-	-	-	1	2	2	9	9	23
BLACK, MALE												
2000.....	466	-	-	-	-	1	-	-	-	-	4	11
1999.....	496	-	-	-	-	-	-	1	1	7	6	17
BLACK, FEMALE												
2000.....	386	-	-	-	-	-	-	-	-	3	3	9
1999.....	422	-	-	-	-	-	1	1	1	2	3	6

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasm of bladder (C67)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	16	-	-	-	-	-	-	-	-	1	-	-
1999.....	21	-	-	-	-	-	-	1	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	11	-	-	-	-	-	-	-	-	1	-	-
1999.....	16	-	-	-	-	-	-	1	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	5	-	-	-	-	-	-	-	-	-	-	-
1999.....	5	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	98	-	-	-	-	-	-	-	1	-	1	3
1999.....	109	-	-	-	-	-	-	-	1	-	2	3
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	66	-	-	-	-	-	-	-	-	-	-	3
1999.....	73	-	-	-	-	-	-	-	1	-	1	3
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	32	-	-	-	-	-	-	-	1	-	1	-
1999.....	36	-	-	-	-	-	-	-	-	-	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
ALL RACES, BOTH SEXES												
2000.....	12,655	20	104	166	150	105	120	159	247	454	642	815
1999.....	12,765	10	113	184	124	115	103	177	267	443	622	842
ALL RACES, MALE												
2000.....	7,011	10	58	89	87	63	69	94	170	293	411	481
1999.....	7,001	8	56	96	58	69	62	104	172	268	370	507
ALL RACES, FEMALE												
2000.....	5,644	10	46	77	63	42	51	65	77	161	231	334
1999.....	5,764	2	57	88	66	46	41	73	95	175	252	335
WHITE, BOTH SEXES												
2000.....	11,672	16	82	135	120	84	99	140	220	405	564	745
1999.....	11,819	7	96	139	103	86	85	165	238	408	558	775
WHITE, MALE												
2000.....	6,486	9	46	72	69	52	57	82	145	264	366	449
1999.....	6,492	6	49	75	50	50	51	97	153	249	328	463
WHITE, FEMALE												
2000.....	5,186	7	36	63	51	32	42	58	75	141	198	296
1999.....	5,327	1	47	64	53	36	34	68	85	159	230	312
BLACK, BOTH SEXES												
2000.....	772	2	18	26	26	16	19	15	21	34	57	52
1999.....	764	3	12	37	18	23	14	10	26	26	51	59
BLACK, MALE												
2000.....	414	1	10	15	16	9	12	9	19	19	35	24
1999.....	404	2	5	18	7	15	9	6	17	15	33	39
BLACK, FEMALE												
2000.....	358	1	8	11	10	7	7	6	2	15	22	28
1999.....	360	1	7	19	11	8	5	4	9	11	18	20

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	41	-	2	2	2	2	-	1	-	7	4	4
1999.....	34	-	1	1	-	1	1	-	-	2	7	-
AMERICAN INDIAN 1/, MALE												
2000.....	20	-	1	1	1	1	-	-	-	4	1	1
1999.....	19	-	-	-	-	1	-	-	-	2	5	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	21	-	1	1	1	1	-	1	-	3	3	3
1999.....	15	-	1	1	-	-	1	-	-	-	2	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	170	2	2	3	2	3	2	3	6	8	17	14
1999.....	148	-	4	7	3	5	3	2	3	7	6	8
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	91	-	1	1	1	1	-	3	6	6	9	7
1999.....	86	-	2	3	1	3	2	1	2	2	4	5
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	79	2	1	2	1	2	2	-	-	2	8	7
1999.....	62	-	2	4	2	2	1	1	1	5	2	3

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
ALL RACES, BOTH SEXES												
2000.....	56,518	39	146	168	204	323	395	412	506	776	1,077	1,675
1999.....	56,318	30	137	142	209	303	417	423	537	837	1,076	1,648
ALL RACES, MALE												
2000.....	29,888	21	76	98	125	202	253	226	313	438	637	1,015
1999.....	29,721	12	75	84	122	180	257	241	316	497	647	986
ALL RACES, FEMALE												
2000.....	26,630	18	70	70	79	121	142	186	193	338	440	660
1999.....	26,597	18	62	58	87	123	160	182	221	340	429	662
WHITE, BOTH SEXES												
2000.....	50,394	36	121	136	170	249	300	315	392	617	868	1,340
1999.....	50,189	24	118	114	157	232	332	332	419	677	862	1,362
WHITE, MALE												
2000.....	26,766	19	64	77	103	155	196	180	240	354	536	827
1999.....	26,558	12	63	70	90	136	213	186	245	408	518	816
WHITE, FEMALE												
2000.....	23,628	17	57	59	67	94	104	135	152	263	332	513
1999.....	23,631	12	55	44	67	96	119	146	174	269	344	546
BLACK, BOTH SEXES												
2000.....	5,071	1	20	21	22	58	74	75	85	130	176	295
1999.....	5,088	4	15	21	42	54	80	72	88	135	179	239
BLACK, MALE												
2000.....	2,558	-	9	14	12	36	44	33	58	66	87	163
1999.....	2,590	-	9	11	28	33	41	43	55	74	108	141
BLACK, FEMALE												
2000.....	2,513	1	11	7	10	22	30	42	27	64	89	132
1999.....	2,498	4	6	10	14	21	39	29	33	61	71	98

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	199	1	1	1	1	3	2	2	7	4	5	9
1999.....	161	1	1	-	2	1	2	4	3	3	6	7
AMERICAN INDIAN 1/, MALE												
2000.....	101	1	1	-	-	2	1	2	4	3	1	6
1999.....	92	-	1	-	2	-	1	3	1	1	3	5
AMERICAN INDIAN 1/, FEMALE												
2000.....	98	-	-	1	1	1	1	-	3	1	4	3
1999.....	69	1	-	-	-	1	1	1	2	2	3	2
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	854	1	4	10	11	13	19	20	22	25	28	31
1999.....	880	1	3	7	8	16	3	15	27	22	29	40
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	463	1	2	7	10	9	12	11	11	15	13	19
1999.....	481	-	2	3	2	11	2	9	15	14	18	24
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	391	-	2	3	1	4	7	9	11	10	15	12
1999.....	399	1	1	4	6	5	1	6	12	8	11	16

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hodgkin's disease (C81)												
ALL RACES, BOTH SEXES												
2000.....	1,287	-	-	3	5	21	52	60	85	78	73	73
1999.....	1,403	-	1	-	9	31	63	77	71	90	75	82
ALL RACES, MALE												
2000.....	686	-	-	1	3	6	29	31	48	42	40	46
1999.....	785	-	1	-	3	20	35	42	44	56	47	48
ALL RACES, FEMALE												
2000.....	601	-	-	2	2	15	23	29	37	36	33	27
1999.....	618	-	-	-	6	11	28	35	27	34	28	34
WHITE, BOTH SEXES												
2000.....	1,156	-	-	2	3	17	40	54	76	66	61	66
1999.....	1,263	-	1	-	7	26	49	60	62	80	66	72
WHITE, MALE												
2000.....	616	-	-	1	1	4	26	28	42	36	34	42
1999.....	708	-	1	-	3	17	28	32	40	49	43	41
WHITE, FEMALE												
2000.....	540	-	-	1	2	13	14	26	34	30	27	24
1999.....	555	-	-	-	4	9	21	28	22	31	23	31
BLACK, BOTH SEXES												
2000.....	110	-	-	1	1	4	10	6	7	12	12	7
1999.....	128	-	-	-	1	5	14	17	9	10	8	10
BLACK, MALE												
2000.....	57	-	-	-	1	2	3	3	5	6	6	4
1999.....	75	-	-	-	-	3	7	10	4	7	4	7
BLACK, FEMALE												
2000.....	53	-	-	1	-	2	7	3	2	6	6	3
1999.....	53	-	-	-	1	2	7	7	5	3	4	3

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hodgkin's disease (C81)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	5	-	-	-	-	-	-	-	-	-	-	-
1999.....	5	-	-	-	-	-	-	-	-	-	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	4	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	4	-	-	-	-	-	-	-	-	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	16	-	-	-	1	-	2	-	2	-	-	-
1999.....	7	-	-	-	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	9	-	-	-	1	-	-	-	1	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	7	-	-	-	-	-	2	-	1	-	-	-
1999.....	6	-	-	-	1	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Non-Hodgkin's lymphoma (C82-C85)												
ALL RACES, BOTH SEXES												
2000.....	22,729	1	7	23	24	60	120	124	169	290	461	730
1999.....	22,802	2	16	12	25	51	93	109	180	324	465	696
ALL RACES, MALE												
2000.....	11,812	-	5	16	12	46	80	64	108	192	290	466
1999.....	11,794	-	9	9	21	30	61	69	109	204	306	459
ALL RACES, FEMALE												
2000.....	10,917	1	2	7	12	14	40	60	61	98	171	264
1999.....	11,008	2	7	3	4	21	32	40	71	120	159	237
WHITE, BOTH SEXES												
2000.....	20,892	-	4	18	22	46	85	89	129	226	384	603
1999.....	20,941	-	13	8	18	36	74	79	135	253	374	582
WHITE, MALE												
2000.....	10,838	-	4	12	12	38	58	50	81	150	251	388
1999.....	10,768	-	8	7	16	22	49	48	82	163	244	386
WHITE, FEMALE												
2000.....	10,054	-	-	6	10	8	27	39	48	76	133	215
1999.....	10,173	-	5	1	2	14	25	31	53	90	130	196
BLACK, BOTH SEXES												
2000.....	1,369	1	2	4	1	8	27	30	26	56	65	107
1999.....	1,443	2	2	3	6	13	19	24	34	62	76	93
BLACK, MALE												
2000.....	728	-	-	3	-	3	16	12	19	37	34	67
1999.....	786	-	1	2	4	6	12	17	22	36	51	59
BLACK, FEMALE												
2000.....	641	1	2	1	1	5	11	18	7	19	31	40
1999.....	657	2	1	1	2	7	7	7	12	26	25	34

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Non-Hodgkin's lymphoma (C82-C85)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	83	-	-	-	-	1	-	-	4	1	3	5
1999.....	57	-	-	-	1	-	-	1	2	1	5	2
AMERICAN INDIAN 1/, MALE												
2000.....	41	-	-	-	-	1	-	-	3	1	-	3
1999.....	31	-	-	-	1	-	-	1	-	1	3	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	42	-	-	-	-	-	-	-	1	-	3	2
1999.....	26	-	-	-	-	-	-	-	2	-	2	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	385	-	1	1	1	5	8	5	10	7	9	15
1999.....	361	-	1	1	-	2	-	5	9	8	10	19
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	205	-	1	1	-	4	6	2	5	4	5	8
1999.....	209	-	-	-	-	2	-	3	5	4	8	13
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	180	-	-	-	1	1	2	3	5	3	4	7
1999.....	152	-	1	1	-	-	-	2	4	4	2	6

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leukemia (C91-C95)												
ALL RACES, BOTH SEXES												
2000.....	21,339	38	137	142	173	242	222	228	245	368	433	622
1999.....	21,014	27	119	130	175	221	261	234	266	374	425	626
ALL RACES, MALE												
2000.....	11,777	21	69	81	109	150	143	131	152	185	238	356
1999.....	11,519	11	65	75	98	130	161	128	148	204	231	346
ALL RACES, FEMALE												
2000.....	9,562	17	68	61	64	92	79	97	93	183	195	266
1999.....	9,495	16	54	55	77	91	100	106	118	170	194	280
WHITE, BOTH SEXES												
2000.....	19,191	36	115	116	143	186	175	172	183	300	348	500
1999.....	18,899	23	103	106	132	170	209	191	210	307	353	524
WHITE, MALE												
2000.....	10,617	19	58	64	89	113	112	102	114	154	199	292
1999.....	10,395	11	54	63	71	97	136	104	115	170	192	286
WHITE, FEMALE												
2000.....	8,574	17	57	52	54	73	63	70	69	146	149	208
1999.....	8,504	12	49	43	61	73	73	87	95	137	161	238
BLACK, BOTH SEXES												
2000.....	1,742	-	18	16	20	46	36	39	49	49	68	107
1999.....	1,708	2	13	18	35	36	47	30	38	53	54	79
BLACK, MALE												
2000.....	929	-	9	11	11	31	24	18	32	20	33	54
1999.....	892	-	8	9	24	24	22	16	22	25	29	47
BLACK, FEMALE												
2000.....	813	-	9	5	9	15	12	21	17	29	35	53
1999.....	816	2	5	9	11	12	25	14	16	28	25	32

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Leukemia (C91-C95)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	72	1	1	1	1	2	2	2	3	3	1	2
1999.....	56	1	1	-	1	1	2	3	1	1	-	3
AMERICAN INDIAN 1/, MALE												
2000.....	38	1	1	-	-	1	1	2	1	2	-	1
1999.....	38	-	1	-	1	-	1	2	1	-	-	3
AMERICAN INDIAN 1/, FEMALE												
2000.....	34	-	-	1	1	1	1	-	2	1	1	1
1999.....	18	1	-	-	-	1	1	1	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	334	1	3	9	9	8	9	15	10	16	16	13
1999.....	351	1	2	6	7	14	3	10	17	13	18	20
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	193	1	1	6	9	5	6	9	5	9	6	9
1999.....	194	-	2	3	2	9	2	6	10	9	10	10
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	141	-	2	3	-	3	3	6	5	7	10	4
1999.....	157	1	-	3	5	5	1	4	7	4	8	10

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple myeloma and immunoproliferative neoplasms (C88,C90)												
ALL RACES, BOTH SEXES												
2000.....	11,063	-	-	-	1	-	-	-	7	38	108	245
1999.....	11,016	-	-	-	-	-	-	3	19	47	109	241
ALL RACES, MALE												
2000.....	5,553	-	-	-	-	-	-	-	5	18	67	143
1999.....	5,584	-	-	-	-	-	-	2	14	33	62	132
ALL RACES, FEMALE												
2000.....	5,510	-	-	-	1	-	-	-	2	20	41	102
1999.....	5,432	-	-	-	-	-	-	1	5	14	47	109
WHITE, BOTH SEXES												
2000.....	9,066	-	-	-	1	-	-	-	4	24	73	168
1999.....	9,010	-	-	-	-	-	-	2	11	35	68	182
WHITE, MALE												
2000.....	4,644	-	-	-	-	-	-	-	3	14	50	103
1999.....	4,651	-	-	-	-	-	-	2	7	26	38	102
WHITE, FEMALE												
2000.....	4,422	-	-	-	1	-	-	-	1	10	23	65
1999.....	4,359	-	-	-	-	-	-	-	4	9	30	80
BLACK, BOTH SEXES												
2000.....	1,841	-	-	-	-	-	-	-	3	13	31	72
1999.....	1,803	-	-	-	-	-	-	1	7	10	40	56
BLACK, MALE												
2000.....	837	-	-	-	-	-	-	-	2	3	14	36
1999.....	834	-	-	-	-	-	-	-	7	6	24	28
BLACK, FEMALE												
2000.....	1,004	-	-	-	-	-	-	-	1	10	17	36
1999.....	969	-	-	-	-	-	-	1	-	4	16	28

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple myeloma and immunoproliferative neoplasms (C88,C90)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	38	-	-	-	-	-	-	-	-	-	1	2
1999.....	43	-	-	-	-	-	-	-	-	1	-	2
AMERICAN INDIAN 1/, MALE												
2000.....	17	-	-	-	-	-	-	-	-	-	1	2
1999.....	22	-	-	-	-	-	-	-	-	-	-	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	21	-	-	-	-	-	-	-	-	-	-	-
1999.....	21	-	-	-	-	-	-	-	-	1	-	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	118	-	-	-	-	-	-	-	-	1	3	3
1999.....	160	-	-	-	-	-	-	-	1	1	1	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	55	-	-	-	-	-	-	-	-	1	2	2
1999.....	77	-	-	-	-	-	-	-	-	1	-	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	63	-	-	-	-	-	-	-	-	-	1	1
1999.....	83	-	-	-	-	-	-	-	1	-	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)												
ALL RACES, BOTH SEXES												
2000.....	100	-	2	-	1	-	1	-	-	2	2	5
1999.....	83	1	1	-	-	-	-	-	1	2	2	3
ALL RACES, MALE												
2000.....	60	-	2	-	1	-	1	-	-	1	2	4
1999.....	39	1	-	-	-	-	-	-	1	-	1	1
ALL RACES, FEMALE												
2000.....	40	-	-	-	-	-	-	-	-	1	-	1
1999.....	44	-	1	-	-	-	-	-	-	2	1	2
WHITE, BOTH SEXES												
2000.....	89	-	2	-	1	-	-	-	-	1	2	3
1999.....	76	1	1	-	-	-	-	-	1	2	1	2
WHITE, MALE												
2000.....	51	-	2	-	1	-	-	-	-	-	2	2
1999.....	36	1	-	-	-	-	-	-	1	-	1	1
WHITE, FEMALE												
2000.....	38	-	-	-	-	-	-	-	-	1	-	1
1999.....	40	-	1	-	-	-	-	-	-	2	-	1
BLACK, BOTH SEXES												
2000.....	9	-	-	-	-	-	1	-	-	-	-	2
1999.....	6	-	-	-	-	-	-	-	-	-	1	1
BLACK, MALE												
2000.....	7	-	-	-	-	-	1	-	-	-	-	2
1999.....	3	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	2	-	-	-	-	-	-	-	-	-	-	-
1999.....	3	-	-	-	-	-	-	-	-	-	1	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	1	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	1	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)												
ALL RACES, BOTH SEXES												
2000.....	63,060	24	129	123	137	243	268	292	409	771	1,319	2,114
1999.....	66,251	14	116	150	141	246	273	307	455	833	1,481	2,247
ALL RACES, MALE												
2000.....	31,728	13	75	64	76	142	177	189	243	424	717	1,186
1999.....	33,449	8	64	80	80	158	171	204	286	464	836	1,274
ALL RACES, FEMALE												
2000.....	31,332	11	54	59	61	101	91	103	166	347	602	928
1999.....	32,802	6	52	70	61	88	102	103	169	369	645	973
WHITE, BOTH SEXES												
2000.....	55,066	19	97	105	107	187	223	251	330	595	1,001	1,652
1999.....	57,818	12	98	118	105	196	212	255	360	657	1,147	1,773
WHITE, MALE												
2000.....	27,697	11	62	55	59	110	144	165	206	336	539	928
1999.....	29,229	7	55	65	62	120	132	176	225	375	659	992
WHITE, FEMALE												
2000.....	27,369	8	35	50	48	77	79	86	124	259	462	724
1999.....	28,589	5	43	53	43	76	80	79	135	282	488	781
BLACK, BOTH SEXES												
2000.....	6,696	4	25	17	24	48	37	34	54	154	280	397
1999.....	7,067	1	14	22	28	40	44	41	67	146	280	418
BLACK, MALE												
2000.....	3,378	1	11	9	15	27	29	20	26	75	156	228
1999.....	3,547	-	8	9	13	30	27	20	41	71	151	246
BLACK, FEMALE												
2000.....	3,318	3	14	8	9	21	8	14	28	79	124	169
1999.....	3,520	1	6	13	15	10	17	21	26	75	129	172

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	250	-	-	-	-	1	3	3	2	4	4	14
1999.....	300	-	-	1	2	1	3	4	4	7	13	18
AMERICAN INDIAN 1/, MALE												
2000.....	118	-	-	-	-	1	1	2	1	2	2	8
1999.....	140	-	-	1	2	-	2	2	3	5	5	12
AMERICAN INDIAN 1/, FEMALE												
2000.....	132	-	-	-	-	-	2	1	1	2	2	6
1999.....	160	-	-	-	-	1	1	2	1	2	8	6
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1,048	1	7	1	6	7	5	4	23	18	34	51
1999.....	1,066	1	4	9	6	9	14	7	24	23	41	38
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	535	1	2	-	2	4	3	2	10	11	20	22
1999.....	533	1	1	5	3	8	10	6	17	13	21	24
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	513	-	5	1	4	3	2	2	13	7	14	29
1999.....	533	-	3	4	3	1	4	1	7	10	20	14

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)												
ALL RACES, BOTH SEXES												
2000.....	13,546	60	53	62	37	40	55	68	97	155	213	293
1999.....	13,227	58	63	64	37	52	46	55	116	140	202	276
ALL RACES, MALE												
2000.....	6,559	32	33	32	17	27	35	30	52	86	102	160
1999.....	6,520	30	33	30	19	26	28	32	64	79	118	142
ALL RACES, FEMALE												
2000.....	6,987	28	20	30	20	13	20	38	45	69	111	133
1999.....	6,707	28	30	34	18	26	18	23	52	61	84	134
WHITE, BOTH SEXES												
2000.....	12,171	48	44	46	30	29	44	47	82	124	168	225
1999.....	11,849	41	48	52	32	37	33	39	85	107	162	214
WHITE, MALE												
2000.....	5,900	25	25	24	15	18	30	24	46	68	79	127
1999.....	5,891	21	22	24	16	17	21	21	46	63	101	116
WHITE, FEMALE												
2000.....	6,271	23	19	22	15	11	14	23	36	56	89	98
1999.....	5,958	20	26	28	16	20	12	18	39	44	61	98
BLACK, BOTH SEXES												
2000.....	1,136	9	9	13	6	8	8	18	15	24	39	56
1999.....	1,173	15	13	12	5	13	13	9	21	30	36	50
BLACK, MALE												
2000.....	520	4	8	6	2	7	2	5	6	13	19	24
1999.....	521	8	10	6	3	8	7	8	12	15	15	19
BLACK, FEMALE												
2000.....	616	5	1	7	4	1	6	13	9	11	20	32
1999.....	652	7	3	6	2	5	6	1	9	15	21	31

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	45	-	-	1	-	2	2	2	-	3	1	1
1999.....	42	-	-	-	-	1	-	-	1	-	-	1
AMERICAN INDIAN 1/, MALE												
2000.....	20	-	-	1	-	1	2	1	-	1	-	-
1999.....	22	-	-	-	-	1	-	-	1	-	-	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	25	-	-	-	-	1	-	1	-	2	1	1
1999.....	20	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	194	3	-	2	1	1	1	1	-	4	5	11
1999.....	163	2	2	-	-	1	-	7	9	3	4	11
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	119	3	-	1	-	1	1	-	-	4	4	9
1999.....	86	1	1	-	-	-	-	3	5	1	2	6
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	75	-	-	1	1	-	-	1	-	-	1	2
1999.....	77	1	1	-	-	1	-	4	4	2	2	5

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anemias (D50-D64)												
ALL RACES, BOTH SEXES												
2000.....	4,494	10	35	24	28	27	58	62	91	85	105	110
1999.....	4,503	12	30	24	29	43	78	64	96	90	104	134
ALL RACES, MALE												
2000.....	1,669	6	16	17	12	9	30	29	41	34	44	52
1999.....	1,746	8	17	8	15	24	43	33	48	47	54	68
ALL RACES, FEMALE												
2000.....	2,825	4	19	7	16	18	28	33	50	51	61	58
1999.....	2,757	4	13	16	14	19	35	31	48	43	50	66
WHITE, BOTH SEXES												
2000.....	3,450	4	15	9	12	10	11	15	14	17	26	38
1999.....	3,393	6	9	7	13	18	16	6	11	22	26	55
WHITE, MALE												
2000.....	1,235	2	8	7	5	2	6	9	6	7	14	16
1999.....	1,244	4	6	1	6	9	5	1	5	10	14	31
WHITE, FEMALE												
2000.....	2,215	2	7	2	7	8	5	6	8	10	12	22
1999.....	2,149	2	3	6	7	9	11	5	6	12	12	24
BLACK, BOTH SEXES												
2000.....	967	5	19	15	16	16	46	47	77	65	76	69
1999.....	1,019	3	21	17	16	23	61	56	84	66	76	74
BLACK, MALE												
2000.....	395	4	8	10	7	7	23	20	35	26	29	35
1999.....	457	2	11	7	9	13	37	30	43	35	38	35
BLACK, FEMALE												
2000.....	572	1	11	5	9	9	23	27	42	39	47	34
1999.....	562	1	10	10	7	10	24	26	41	31	38	39

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Anemias (D50-D64)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	20	-	-	-	-	-	-	-	-	-	2	1
1999.....	21	-	-	-	-	1	1	-	1	2	-	2
AMERICAN INDIAN 1/, MALE												
2000.....	9	-	-	-	-	-	-	-	-	-	1	-
1999.....	9	-	-	-	-	1	1	-	-	2	-	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	11	-	-	-	-	-	-	-	-	-	1	1
1999.....	12	-	-	-	-	-	-	-	1	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	57	1	1	-	-	1	1	-	-	3	1	2
1999.....	70	3	-	-	-	1	-	2	-	-	2	3
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	30	-	-	-	-	-	1	-	-	1	-	1
1999.....	36	2	-	-	-	1	-	2	-	-	2	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	27	1	1	-	-	1	-	-	-	2	1	1
1999.....	34	1	-	-	-	-	-	-	-	-	-	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diabetes mellitus (E10-E14)												
ALL RACES, BOTH SEXES												
2000.....	69,301	4	6	8	18	48	114	206	417	684	1,242	1,917
1999.....	68,399	2	8	9	23	51	104	189	393	730	1,212	1,942
ALL RACES, MALE												
2000.....	31,602	4	2	5	8	31	63	118	258	396	755	1,124
1999.....	31,150	-	4	4	12	25	55	94	225	437	702	1,189
ALL RACES, FEMALE												
2000.....	37,699	-	4	3	10	17	51	88	159	288	487	793
1999.....	37,249	2	4	5	11	26	49	95	168	293	510	753
WHITE, BOTH SEXES												
2000.....	55,561	3	6	5	12	33	72	128	292	493	926	1,344
1999.....	54,599	2	6	8	14	38	69	137	272	515	869	1,367
WHITE, MALE												
2000.....	26,009	3	2	3	6	22	42	76	191	285	581	808
1999.....	25,545	-	3	4	6	21	38	72	154	318	511	864
WHITE, FEMALE												
2000.....	29,552	-	4	2	6	11	30	52	101	208	345	536
1999.....	29,054	2	3	4	8	17	31	65	118	197	358	503
BLACK, BOTH SEXES												
2000.....	12,021	1	-	3	6	14	41	75	114	177	285	517
1999.....	11,927	-	2	1	9	13	31	49	113	195	312	515
BLACK, MALE												
2000.....	4,771	1	-	2	2	8	20	40	59	99	155	280
1999.....	4,759	-	1	-	6	4	15	21	65	107	170	292
BLACK, FEMALE												
2000.....	7,250	-	-	1	4	6	21	35	55	78	130	237
1999.....	7,168	-	1	1	3	9	16	28	48	88	142	223

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diabetes mellitus (E10-E14)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	616	-	-	-	-	1	1	-	7	7	16	25
1999.....	725	-	-	-	-	-	2	2	6	13	16	35
AMERICAN INDIAN 1/, MALE												
2000.....	275	-	-	-	-	1	1	-	6	6	10	18
1999.....	323	-	-	-	-	-	2	-	5	8	12	21
AMERICAN INDIAN 1/, FEMALE												
2000.....	341	-	-	-	-	-	-	-	1	1	6	7
1999.....	402	-	-	-	-	-	-	2	1	5	4	14
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1,103	-	-	-	-	-	-	3	4	7	15	31
1999.....	1,148	-	-	-	-	-	2	1	2	7	15	25
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	547	-	-	-	-	-	-	2	2	6	9	18
1999.....	523	-	-	-	-	-	-	1	1	4	9	12
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	556	-	-	-	-	-	-	1	2	1	6	13
1999.....	625	-	-	-	-	-	2	-	1	3	6	13

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nutritional deficiencies (E40-E64)												
ALL RACES, BOTH SEXES												
2000.....	4,242	14	2	1	4	4	6	9	9	30	26	46
1999.....	4,289	9	2	1	-	2	6	4	8	20	44	45
ALL RACES, MALE												
2000.....	1,412	10	2	-	2	1	1	5	4	9	7	25
1999.....	1,486	4	2	1	-	2	3	1	3	8	20	22
ALL RACES, FEMALE												
2000.....	2,830	4	-	1	2	3	5	4	5	21	19	21
1999.....	2,803	5	-	-	-	-	3	3	5	12	24	23
WHITE, BOTH SEXES												
2000.....	3,627	8	1	-	2	4	4	5	4	21	19	37
1999.....	3,628	5	1	-	-	2	3	3	6	15	34	28
WHITE, MALE												
2000.....	1,175	6	1	-	2	1	1	3	1	7	4	20
1999.....	1,199	2	1	-	-	2	1	-	3	5	15	16
WHITE, FEMALE												
2000.....	2,452	2	-	-	-	3	3	2	3	14	15	17
1999.....	2,429	3	-	-	-	-	2	3	3	10	19	12
BLACK, BOTH SEXES												
2000.....	540	5	1	1	2	-	2	4	4	9	7	8
1999.....	589	4	1	1	-	-	3	1	2	5	10	15
BLACK, MALE												
2000.....	215	3	1	-	-	-	-	2	3	2	3	5
1999.....	250	2	1	1	-	-	2	1	-	3	5	5
BLACK, FEMALE												
2000.....	325	2	-	1	2	-	2	2	1	7	4	3
1999.....	339	2	-	-	-	-	1	-	2	2	5	10

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nutritional deficiencies (E40-E64)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	31	1	-	-	-	-	-	-	-	-	-	-
1999.....	28	-	-	-	-	-	-	-	-	-	-	2
AMERICAN INDIAN 1/, MALE												
2000.....	8	1	-	-	-	-	-	-	-	-	-	-
1999.....	12	-	-	-	-	-	-	-	-	-	-	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	23	-	-	-	-	-	-	-	-	-	-	-
1999.....	16	-	-	-	-	-	-	-	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	44	-	-	-	-	-	-	-	1	-	-	1
1999.....	44	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	14	-	-	-	-	-	-	-	-	-	-	-
1999.....	25	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	30	-	-	-	-	-	-	-	1	-	-	1
1999.....	19	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malnutrition (E40-E46)												
ALL RACES, BOTH SEXES												
2000.....	3,926	11	1	1	2	3	5	9	7	29	24	44
1999.....	3,985	7	2	1	-	2	5	4	7	20	41	42
ALL RACES, MALE												
2000.....	1,302	8	1	-	1	1	1	5	3	9	6	23
1999.....	1,371	4	2	1	-	2	2	1	3	8	19	21
ALL RACES, FEMALE												
2000.....	2,624	3	-	1	1	2	4	4	4	20	18	21
1999.....	2,614	3	-	-	-	-	3	3	4	12	22	21
WHITE, BOTH SEXES												
2000.....	3,352	7	-	-	1	3	4	5	3	20	17	35
1999.....	3,368	4	1	-	-	2	3	3	5	15	32	27
WHITE, MALE												
2000.....	1,079	5	-	-	1	1	1	3	1	7	3	18
1999.....	1,100	2	1	-	-	2	1	-	3	5	14	15
WHITE, FEMALE												
2000.....	2,273	2	-	-	-	2	3	2	2	13	14	17
1999.....	2,268	2	-	-	-	-	2	3	2	10	18	12
BLACK, BOTH SEXES												
2000.....	508	3	1	1	1	-	1	4	3	9	7	8
1999.....	547	3	1	1	-	-	2	1	2	5	9	13
BLACK, MALE												
2000.....	203	2	1	-	-	-	-	2	2	2	3	5
1999.....	234	2	1	1	-	-	1	1	-	3	5	5
BLACK, FEMALE												
2000.....	305	1	-	1	1	-	1	2	1	7	4	3
1999.....	313	1	-	-	-	-	1	-	2	2	4	8

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Malnutrition (E40-E46)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	25	1	-	-	-	-	-	-	-	-	-	-
1999.....	27	-	-	-	-	-	-	-	-	-	-	2
AMERICAN INDIAN 1/, MALE												
2000.....	7	1	-	-	-	-	-	-	-	-	-	-
1999.....	12	-	-	-	-	-	-	-	-	-	-	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	18	-	-	-	-	-	-	-	-	-	-	-
1999.....	15	-	-	-	-	-	-	-	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	41	-	-	-	-	-	-	-	1	-	-	1
1999.....	43	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	13	-	-	-	-	-	-	-	-	-	-	-
1999.....	25	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	28	-	-	-	-	-	-	-	1	-	-	1
1999.....	18	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other nutritional deficiencies (E50-E64)												
ALL RACES, BOTH SEXES												
2000.....	316	3	1	-	2	1	1	-	2	1	2	2
1999.....	304	2	-	-	-	-	1	-	1	-	3	3
ALL RACES, MALE												
2000.....	110	2	1	-	1	-	-	-	1	-	1	2
1999.....	115	-	-	-	-	-	1	-	-	-	1	1
ALL RACES, FEMALE												
2000.....	206	1	-	-	1	1	1	-	1	1	1	-
1999.....	189	2	-	-	-	-	-	-	1	-	2	2
WHITE, BOTH SEXES												
2000.....	275	1	1	-	1	1	-	-	1	1	2	2
1999.....	260	1	-	-	-	-	-	-	1	-	2	1
WHITE, MALE												
2000.....	96	1	1	-	1	-	-	-	-	-	1	2
1999.....	99	-	-	-	-	-	-	-	-	-	1	1
WHITE, FEMALE												
2000.....	179	-	-	-	-	1	-	-	1	1	1	-
1999.....	161	1	-	-	-	-	-	-	1	-	1	-
BLACK, BOTH SEXES												
2000.....	32	2	-	-	1	-	1	-	1	-	-	-
1999.....	42	1	-	-	-	-	1	-	-	-	1	2
BLACK, MALE												
2000.....	12	1	-	-	-	-	-	-	1	-	-	-
1999.....	16	-	-	-	-	-	1	-	-	-	-	-
BLACK, FEMALE												
2000.....	20	1	-	-	1	-	1	-	-	-	-	-
1999.....	26	1	-	-	-	-	-	-	-	-	1	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other nutritional deficiencies (E50-E64)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	6	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	5	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	3	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningitis (G00,G03)												
ALL RACES, BOTH SEXES												
2000.....	758	91	36	12	18	7	8	16	27	35	37	45
1999.....	850	116	45	14	13	19	22	21	27	33	43	62
ALL RACES, MALE												
2000.....	405	48	20	6	10	2	2	7	13	22	24	25
1999.....	442	61	26	9	9	10	16	8	16	18	27	39
ALL RACES, FEMALE												
2000.....	353	43	16	6	8	5	6	9	14	13	13	20
1999.....	408	55	19	5	4	9	6	13	11	15	16	23
WHITE, BOTH SEXES												
2000.....	536	54	23	11	10	4	6	8	17	24	20	35
1999.....	601	68	33	9	10	10	11	16	18	22	27	39
WHITE, MALE												
2000.....	294	31	14	6	4	1	2	3	7	15	12	21
1999.....	308	46	20	5	7	5	7	4	9	12	15	22
WHITE, FEMALE												
2000.....	242	23	9	5	6	3	4	5	10	9	8	14
1999.....	293	22	13	4	3	5	4	12	9	10	12	17
BLACK, BOTH SEXES												
2000.....	204	35	13	1	8	3	2	8	10	10	17	9
1999.....	222	42	11	5	3	9	8	5	6	10	12	22
BLACK, MALE												
2000.....	102	16	6	-	6	1	-	4	6	6	12	3
1999.....	121	13	6	4	2	5	6	4	5	6	9	17
BLACK, FEMALE												
2000.....	102	19	7	1	2	2	2	4	4	4	5	6
1999.....	101	29	5	1	1	4	2	1	1	4	3	5

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningitis (G00,G03)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	5	1	-	-	-	-	-	-	-	1	-	-
1999.....	10	2	-	-	-	-	2	-	2	-	1	1
AMERICAN INDIAN 1/, MALE												
2000.....	3	1	-	-	-	-	-	-	-	1	-	-
1999.....	7	1	-	-	-	-	2	-	2	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	-	-	-	-	-	-	-	-	-	-	-
1999.....	3	1	-	-	-	-	-	-	-	-	1	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	13	1	-	-	-	-	-	-	-	-	-	1
1999.....	17	4	1	-	-	-	1	-	1	1	3	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	6	-	-	-	-	-	-	-	-	-	-	1
1999.....	6	1	-	-	-	-	1	-	-	-	3	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	7	1	-	-	-	-	-	-	-	-	-	-
1999.....	11	3	1	-	-	-	-	-	1	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Parkinson's disease (G20-G21)												
ALL RACES, BOTH SEXES												
2000.....	15,682	-	1	-	-	-	-	2	2	4	3	16
1999.....	14,593	1	-	-	-	-	2	1	1	1	4	8
ALL RACES, MALE												
2000.....	8,804	-	-	-	-	-	-	1	2	3	2	10
1999.....	8,262	-	-	-	-	-	2	1	1	1	2	5
ALL RACES, FEMALE												
2000.....	6,878	-	1	-	-	-	-	1	-	1	1	6
1999.....	6,331	1	-	-	-	-	-	-	-	-	2	3
WHITE, BOTH SEXES												
2000.....	14,942	-	-	-	-	-	-	1	2	3	1	12
1999.....	13,886	1	-	-	-	-	2	1	-	1	4	8
WHITE, MALE												
2000.....	8,367	-	-	-	-	-	-	1	2	2	1	8
1999.....	7,880	-	-	-	-	-	2	1	-	1	2	5
WHITE, FEMALE												
2000.....	6,575	-	-	-	-	-	-	-	-	1	-	4
1999.....	6,006	1	-	-	-	-	-	-	-	-	2	3
BLACK, BOTH SEXES												
2000.....	534	-	-	-	-	-	-	1	-	1	2	2
1999.....	507	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	308	-	-	-	-	-	-	-	-	1	1	1
1999.....	270	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	226	-	-	-	-	-	-	1	-	-	1	1
1999.....	237	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Parkinson's disease (G20-G21)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	45	-	1	-	-	-	-	-	-	-	-	-
1999.....	26	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	25	-	-	-	-	-	-	-	-	-	-	-
1999.....	16	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	20	-	1	-	-	-	-	-	-	-	-	-
1999.....	10	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	161	-	-	-	-	-	-	-	-	-	-	2
1999.....	174	-	-	-	-	-	-	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	104	-	-	-	-	-	-	-	-	-	-	1
1999.....	96	-	-	-	-	-	-	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	57	-	-	-	-	-	-	-	-	-	-	1
1999.....	78	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alzheimer's disease (G30)												
ALL RACES, BOTH SEXES												
2000.....	49,558	-	-	-	-	-	-	1	1	2	4	17
1999.....	44,536	-	-	-	-	-	1	-	-	1	6	20
ALL RACES, MALE												
2000.....	14,438	-	-	-	-	-	-	1	-	1	3	10
1999.....	13,391	-	-	-	-	-	1	-	-	-	3	10
ALL RACES, FEMALE												
2000.....	35,120	-	-	-	-	-	-	-	1	1	1	7
1999.....	31,145	-	-	-	-	-	-	-	-	1	3	10
WHITE, BOTH SEXES												
2000.....	46,460	-	-	-	-	-	-	1	1	2	4	14
1999.....	41,877	-	-	-	-	-	1	-	-	1	4	18
WHITE, MALE												
2000.....	13,524	-	-	-	-	-	-	1	-	1	3	8
1999.....	12,585	-	-	-	-	-	1	-	-	-	2	10
WHITE, FEMALE												
2000.....	32,936	-	-	-	-	-	-	-	1	1	1	6
1999.....	29,292	-	-	-	-	-	-	-	-	1	2	8
BLACK, BOTH SEXES												
2000.....	2,728	-	-	-	-	-	-	-	-	-	-	1
1999.....	2,342	-	-	-	-	-	-	-	-	-	1	2
BLACK, MALE												
2000.....	776	-	-	-	-	-	-	-	-	-	-	1
1999.....	692	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	1,952	-	-	-	-	-	-	-	-	-	-	-
1999.....	1,650	-	-	-	-	-	-	-	-	-	1	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alzheimer's disease (G30)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	95	-	-	-	-	-	-	-	-	-	-	-
1999.....	86	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	26	-	-	-	-	-	-	-	-	-	-	-
1999.....	23	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	69	-	-	-	-	-	-	-	-	-	-	-
1999.....	63	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	275	-	-	-	-	-	-	-	-	-	-	2
1999.....	231	-	-	-	-	-	-	-	-	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	112	-	-	-	-	-	-	-	-	-	-	1
1999.....	91	-	-	-	-	-	-	-	-	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	163	-	-	-	-	-	-	-	-	-	-	1
1999.....	140	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Major cardiovascular diseases (I00-I78)												
ALL RACES, BOTH SEXES												
2000.....	936,923	636	234	136	226	493	816	1,295	2,497	5,491	11,133	17,785
1999.....	950,314	644	234	144	210	548	767	1,270	2,603	5,918	11,092	17,354
ALL RACES, MALE												
2000.....	435,912	341	128	78	128	295	488	800	1,578	3,538	7,572	12,544
1999.....	441,827	347	127	84	115	345	454	769	1,673	3,898	7,573	12,150
ALL RACES, FEMALE												
2000.....	501,011	295	106	58	98	198	328	495	919	1,953	3,561	5,241
1999.....	508,487	297	107	60	95	203	313	501	930	2,020	3,519	5,204
WHITE, BOTH SEXES												
2000.....	816,219	434	161	95	147	331	527	845	1,660	3,812	7,867	12,794
1999.....	829,464	434	161	108	142	384	502	834	1,764	4,115	7,769	12,559
WHITE, MALE												
2000.....	379,095	233	96	56	90	201	327	540	1,105	2,573	5,616	9,522
1999.....	384,572	234	90	64	76	237	294	517	1,180	2,807	5,576	9,214
WHITE, FEMALE												
2000.....	437,124	201	65	39	57	130	200	305	555	1,239	2,251	3,272
1999.....	444,892	200	71	44	66	147	208	317	584	1,308	2,193	3,345
BLACK, BOTH SEXES												
2000.....	104,280	171	63	34	62	144	255	407	764	1,510	2,946	4,531
1999.....	104,693	177	61	35	58	149	245	392	742	1,630	3,030	4,317
BLACK, MALE												
2000.....	47,980	91	27	18	30	80	139	231	426	854	1,736	2,710
1999.....	48,578	94	32	19	34	99	145	228	432	965	1,786	2,614
BLACK, FEMALE												
2000.....	56,300	80	36	16	32	64	116	176	338	656	1,210	1,821
1999.....	56,115	83	29	16	24	50	100	164	310	665	1,244	1,703

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Major cardiovascular diseases (I00-I78)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	3,198	7	2	2	5	2	10	12	18	53	97	130
1999.....	3,121	8	5	-	6	2	8	11	32	50	89	119
AMERICAN INDIAN 1/, MALE												
2000.....	1,670	3	1	1	2	2	6	5	11	30	66	90
1999.....	1,613	5	2	-	2	1	6	6	13	34	59	81
AMERICAN INDIAN 1/, FEMALE												
2000.....	1,528	4	1	1	3	-	4	7	7	23	31	40
1999.....	1,508	3	3	-	4	1	2	5	19	16	30	38
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	13,226	24	8	5	12	16	24	31	55	116	223	330
1999.....	13,036	25	7	1	4	13	12	33	65	123	204	359
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	7,167	14	4	3	6	12	16	24	36	81	154	222
1999.....	7,064	14	3	1	3	8	9	18	48	92	152	241
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	6,059	10	4	2	6	4	8	7	19	35	69	108
1999.....	5,972	11	4	-	1	5	3	15	17	31	52	118

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of heart (I00-I09,I11,I13,I20-I51)												
ALL RACES, BOTH SEXES												
2000.....	710,760	493	181	106	165	403	628	1,013	1,945	4,333	8,848	14,313
1999.....	725,192	524	183	116	161	463	606	992	2,074	4,703	8,897	14,096
ALL RACES, MALE												
2000.....	344,807	260	107	64	99	248	390	640	1,282	2,945	6,341	10,596
1999.....	351,617	270	104	66	91	297	367	618	1,370	3,252	6,388	10,346
ALL RACES, FEMALE												
2000.....	365,953	233	74	42	66	155	238	373	663	1,388	2,507	3,717
1999.....	373,575	254	79	50	70	166	239	374	704	1,451	2,509	3,750
WHITE, BOTH SEXES												
2000.....	621,719	343	126	71	106	264	392	637	1,300	3,083	6,449	10,645
1999.....	635,118	352	124	83	110	321	379	638	1,410	3,324	6,394	10,500
WHITE, MALE												
2000.....	301,551	182	80	42	69	161	252	418	898	2,185	4,835	8,267
1999.....	307,585	183	74	47	61	198	231	410	966	2,376	4,809	8,052
WHITE, FEMALE												
2000.....	320,168	161	46	29	37	103	140	219	402	898	1,614	2,378
1999.....	327,533	169	50	36	49	123	148	228	444	948	1,585	2,448
BLACK, BOTH SEXES												
2000.....	77,523	122	49	30	46	125	208	346	591	1,127	2,178	3,356
1999.....	78,574	144	50	32	45	130	210	319	595	1,259	2,287	3,275
BLACK, MALE												
2000.....	36,740	62	24	18	24	75	118	201	346	674	1,335	2,091
1999.....	37,576	72	27	18	27	91	124	191	355	781	1,412	2,050
BLACK, FEMALE												
2000.....	40,783	60	25	12	22	50	90	145	245	453	843	1,265
1999.....	40,998	72	23	14	18	39	86	128	240	478	875	1,225

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of heart (I00-I09,I11,I13,I20-I51)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	2,417	7	1	1	4	2	9	8	16	44	78	103
1999.....	2,404	6	5	-	3	2	7	10	20	40	66	96
AMERICAN INDIAN 1/, MALE												
2000.....	1,341	3	-	1	2	2	6	5	11	26	57	77
1999.....	1,302	3	2	-	1	1	5	5	9	29	46	70
AMERICAN INDIAN 1/, FEMALE												
2000.....	1,076	4	1	-	2	-	3	3	5	18	21	26
1999.....	1,102	3	3	-	2	1	2	5	11	11	20	26
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	9,101	21	5	4	9	12	19	22	38	79	143	209
1999.....	9,096	22	4	1	3	10	10	25	49	80	150	225
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	5,175	13	3	3	4	10	14	16	27	60	114	161
1999.....	5,154	12	1	1	2	7	7	12	40	66	121	174
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	3,926	8	2	1	5	2	5	6	11	19	29	48
1999.....	3,942	10	3	-	1	3	3	13	9	14	29	51

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
ALL RACES, BOTH SEXES												
2000.....	3,582	6	2	2	2	9	8	10	23	49	92	119
1999.....	3,676	6	1	2	3	5	8	12	30	47	77	101
ALL RACES, MALE												
2000.....	1,072	5	2	1	2	5	6	2	10	25	36	49
1999.....	1,042	2	1	1	1	4	6	5	12	19	30	40
ALL RACES, FEMALE												
2000.....	2,510	1	-	1	-	4	2	8	13	24	56	70
1999.....	2,634	4	-	1	2	1	2	7	18	28	47	61
WHITE, BOTH SEXES												
2000.....	3,229	5	2	2	2	6	4	7	18	34	62	90
1999.....	3,302	4	1	1	2	2	6	8	17	33	51	79
WHITE, MALE												
2000.....	965	4	2	1	2	3	3	1	9	19	27	39
1999.....	933	1	1	-	-	1	4	4	8	14	21	32
WHITE, FEMALE												
2000.....	2,264	1	-	1	-	3	1	6	9	15	35	51
1999.....	2,369	3	-	1	2	1	2	4	9	19	30	47
BLACK, BOTH SEXES												
2000.....	265	1	-	-	-	3	4	3	5	11	24	23
1999.....	275	1	-	1	1	2	2	4	9	12	20	20
BLACK, MALE												
2000.....	79	1	-	-	-	2	3	1	1	5	7	8
1999.....	88	1	-	1	1	2	2	1	2	4	8	8
BLACK, FEMALE												
2000.....	186	-	-	-	-	1	1	2	4	6	17	15
1999.....	187	-	-	-	-	-	-	3	7	8	12	12

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	18	-	-	-	-	-	-	-	-	1	1	1
1999.....	19	-	-	-	-	-	-	-	2	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	3	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	1	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	15	-	-	-	-	-	-	-	-	1	1	1
1999.....	17	-	-	-	-	-	-	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	70	-	-	-	-	-	-	-	-	3	5	5
1999.....	80	1	-	-	-	1	-	-	2	1	6	2
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	25	-	-	-	-	-	-	-	-	1	2	2
1999.....	19	-	-	-	-	1	-	-	1	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	45	-	-	-	-	-	-	-	-	2	3	3
1999.....	61	1	-	-	-	-	-	-	1	1	5	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
ALL RACES, BOTH SEXES												
2000.....	23,761	-	1	-	2	5	27	69	144	323	658	952
1999.....	22,702	1	-	-	-	6	27	50	160	347	617	889
ALL RACES, MALE												
2000.....	9,876	-	-	-	1	3	21	43	96	210	433	625
1999.....	9,316	-	-	-	-	6	19	41	108	232	428	586
ALL RACES, FEMALE												
2000.....	13,885	-	1	-	1	2	6	26	48	113	225	327
1999.....	13,386	1	-	-	-	-	8	9	52	115	189	303
WHITE, BOTH SEXES												
2000.....	17,425	-	-	-	2	1	14	31	64	174	368	521
1999.....	16,646	1	-	-	-	2	10	24	85	170	321	469
WHITE, MALE												
2000.....	6,927	-	-	-	1	1	11	22	47	126	259	383
1999.....	6,499	-	-	-	-	2	7	22	69	125	245	340
WHITE, FEMALE												
2000.....	10,498	-	-	-	1	-	3	9	17	48	109	138
1999.....	10,147	1	-	-	-	-	3	2	16	45	76	129
BLACK, BOTH SEXES												
2000.....	5,886	-	1	-	-	4	13	37	77	145	279	420
1999.....	5,619	-	-	-	-	3	17	26	72	169	281	409
BLACK, MALE												
2000.....	2,722	-	-	-	-	2	10	20	46	81	167	235
1999.....	2,606	-	-	-	-	3	12	19	36	101	169	239
BLACK, FEMALE												
2000.....	3,164	-	1	-	-	2	3	17	31	64	112	185
1999.....	3,013	-	-	-	-	-	5	7	36	68	112	170

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	59	-	-	-	-	-	-	-	-	-	-	1
1999.....	56	-	-	-	-	-	-	-	-	3	3	-
AMERICAN INDIAN 1/, MALE												
2000.....	32	-	-	-	-	-	-	-	-	-	-	1
1999.....	26	-	-	-	-	-	-	-	-	2	3	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	27	-	-	-	-	-	-	-	-	-	-	-
1999.....	30	-	-	-	-	-	-	-	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	391	-	-	-	-	-	-	1	3	4	11	10
1999.....	381	-	-	-	-	1	-	-	3	5	12	11
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	195	-	-	-	-	-	-	1	3	3	7	6
1999.....	185	-	-	-	-	1	-	-	3	4	11	7
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	196	-	-	-	-	-	-	-	-	1	4	4
1999.....	196	-	-	-	-	-	-	-	-	1	1	4

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart and renal disease (I13)												
ALL RACES, BOTH SEXES												
2000.....	2,785	-	-	-	1	1	5	11	17	22	61	68
1999.....	3,327	-	-	2	-	2	4	5	16	43	71	80
ALL RACES, MALE												
2000.....	1,163	-	-	-	-	1	3	7	11	12	37	43
1999.....	1,390	-	-	1	-	1	2	3	13	24	43	50
ALL RACES, FEMALE												
2000.....	1,622	-	-	-	1	-	2	4	6	10	24	25
1999.....	1,937	-	-	1	-	1	2	2	3	19	28	30
WHITE, BOTH SEXES												
2000.....	1,904	-	-	-	-	-	1	6	2	9	28	21
1999.....	2,235	-	-	1	-	-	-	1	6	14	14	21
WHITE, MALE												
2000.....	775	-	-	-	-	-	1	4	2	5	17	12
1999.....	906	-	-	1	-	-	-	1	5	7	10	11
WHITE, FEMALE												
2000.....	1,129	-	-	-	-	-	-	2	-	4	11	9
1999.....	1,329	-	-	-	-	-	-	-	1	7	4	10
BLACK, BOTH SEXES												
2000.....	809	-	-	-	1	1	4	4	15	13	33	45
1999.....	1,000	-	-	1	-	2	4	3	10	28	57	57
BLACK, MALE												
2000.....	356	-	-	-	-	1	2	3	9	7	20	30
1999.....	434	-	-	-	-	1	2	1	8	16	33	37
BLACK, FEMALE												
2000.....	453	-	-	-	1	-	2	1	6	6	13	15
1999.....	566	-	-	1	-	1	2	2	2	12	24	20

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart and renal disease (I13)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	9	-	-	-	-	-	-	-	-	-	-	1
1999.....	14	-	-	-	-	-	-	-	-	-	-	1
AMERICAN INDIAN 1/, MALE												
2000.....	3	-	-	-	-	-	-	-	-	-	-	-
1999.....	8	-	-	-	-	-	-	-	-	-	-	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	6	-	-	-	-	-	-	-	-	-	-	1
1999.....	6	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	63	-	-	-	-	-	-	1	-	-	-	1
1999.....	78	-	-	-	-	-	-	1	-	1	-	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	29	-	-	-	-	-	-	-	-	-	-	1
1999.....	42	-	-	-	-	-	-	1	-	1	-	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	34	-	-	-	-	-	-	1	-	-	-	-
1999.....	36	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
ALL RACES, BOTH SEXES												
2000.....	515,204	30	10	8	8	33	90	236	699	2,233	5,286	9,638
1999.....	529,659	27	5	13	9	52	85	245	769	2,387	5,364	9,524
ALL RACES, MALE												
2000.....	260,574	17	7	5	4	21	60	181	523	1,665	4,122	7,601
1999.....	267,268	13	3	10	7	36	57	169	570	1,801	4,169	7,447
ALL RACES, FEMALE												
2000.....	254,630	13	3	3	4	12	30	55	176	568	1,164	2,037
1999.....	262,391	14	2	3	2	16	28	76	199	586	1,195	2,077
WHITE, BOTH SEXES												
2000.....	455,400	23	10	6	7	28	64	160	516	1,745	4,106	7,570
1999.....	469,149	18	4	9	5	36	49	180	573	1,855	4,133	7,541
WHITE, MALE												
2000.....	230,951	14	7	3	4	18	43	124	405	1,336	3,326	6,194
1999.....	237,193	8	3	7	5	25	38	124	431	1,425	3,317	6,089
WHITE, FEMALE												
2000.....	224,449	9	3	3	3	10	21	36	111	409	780	1,376
1999.....	231,956	10	1	2	-	11	11	56	142	430	816	1,452
BLACK, BOTH SEXES												
2000.....	51,265	4	-	2	-	4	20	66	166	432	1,041	1,845
1999.....	51,995	8	1	4	4	14	33	53	160	474	1,096	1,761
BLACK, MALE												
2000.....	24,625	2	-	2	-	2	12	48	104	281	682	1,223
1999.....	25,104	4	-	3	2	9	17	38	110	323	734	1,171
BLACK, FEMALE												
2000.....	26,640	2	-	-	-	2	8	18	62	151	359	622
1999.....	26,891	4	1	1	2	5	16	15	50	151	362	590

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1,740	1	-	-	-	-	4	4	7	18	55	75
1999.....	1,720	1	-	-	-	-	1	5	11	17	39	65
AMERICAN INDIAN 1/, MALE												
2000.....	1,008	-	-	-	-	-	3	3	6	14	42	61
1999.....	977	1	-	-	-	-	1	2	6	13	32	52
AMERICAN INDIAN 1/, FEMALE												
2000.....	732	1	-	-	-	-	1	1	1	4	13	14
1999.....	743	-	-	-	-	-	-	3	5	4	7	13
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	6,799	2	-	-	1	1	2	6	10	38	84	148
1999.....	6,795	-	-	-	-	2	2	7	25	41	96	157
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	3,990	1	-	-	-	1	2	6	8	34	72	123
1999.....	3,994	-	-	-	-	2	1	5	23	40	86	135
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2,809	1	-	-	1	-	-	-	2	4	12	25
1999.....	2,801	-	-	-	-	-	1	2	2	1	10	22

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute myocardial infarction (I21-I22)												
ALL RACES, BOTH SEXES												
2000.....	192,898	20	1	5	1	14	38	108	267	904	2,228	4,230
1999.....	199,454	13	2	5	6	25	35	101	333	935	2,314	4,225
ALL RACES, MALE												
2000.....	100,306	10	1	3	1	8	22	75	194	657	1,730	3,319
1999.....	104,169	6	1	3	4	16	24	68	238	707	1,763	3,261
ALL RACES, FEMALE												
2000.....	92,592	10	-	2	-	6	16	33	73	247	498	911
1999.....	95,285	7	1	2	2	9	11	33	95	228	551	964
WHITE, BOTH SEXES												
2000.....	170,584	16	1	3	1	11	28	71	201	744	1,752	3,442
1999.....	177,075	9	2	3	3	19	20	76	249	757	1,839	3,453
WHITE, MALE												
2000.....	89,383	9	1	1	1	6	18	50	155	556	1,413	2,797
1999.....	93,189	3	1	1	3	13	16	51	178	585	1,447	2,757
WHITE, FEMALE												
2000.....	81,201	7	-	2	-	5	10	21	46	188	339	645
1999.....	83,886	6	1	2	-	6	4	25	71	172	392	696
BLACK, BOTH SEXES												
2000.....	19,112	2	-	2	-	2	9	32	62	146	423	699
1999.....	19,276	4	-	2	3	6	13	22	66	163	424	688
BLACK, MALE												
2000.....	9,045	1	-	2	-	1	4	21	35	90	272	449
1999.....	9,186	3	-	2	1	3	7	16	45	107	272	436
BLACK, FEMALE												
2000.....	10,067	1	-	-	-	1	5	11	27	56	151	250
1999.....	10,090	1	-	-	2	3	6	6	21	56	152	252

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute myocardial infarction (I21-I22)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	656	1	-	-	-	-	1	2	3	7	23	30
1999.....	674	-	-	-	-	-	-	2	6	3	19	26
AMERICAN INDIAN 1/, MALE												
2000.....	384	-	-	-	-	-	-	1	3	5	18	25
1999.....	382	-	-	-	-	-	-	-	4	3	17	20
AMERICAN INDIAN 1/, FEMALE												
2000.....	272	1	-	-	-	-	1	1	-	2	5	5
1999.....	292	-	-	-	-	-	-	2	2	-	2	6
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2,546	1	-	-	-	1	-	3	1	7	30	59
1999.....	2,429	-	-	-	-	-	2	1	12	12	32	58
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1,494	-	-	-	-	1	-	3	1	6	27	48
1999.....	1,412	-	-	-	-	-	1	1	11	12	27	48
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1,052	1	-	-	-	-	-	-	-	1	3	11
1999.....	1,017	-	-	-	-	-	1	-	1	-	5	10

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute ischemic heart diseases (I24)												
ALL RACES, BOTH SEXES												
2000.....	3,363	1	1	-	-	4	4	4	12	30	62	93
1999.....	3,232	3	1	1	-	-	3	2	4	25	56	92
ALL RACES, MALE												
2000.....	1,749	1	1	-	-	3	3	3	10	24	47	76
1999.....	1,665	1	1	1	-	-	3	1	3	19	44	69
ALL RACES, FEMALE												
2000.....	1,614	-	-	-	-	1	1	1	2	6	15	17
1999.....	1,567	2	-	-	-	-	-	1	1	6	12	23
WHITE, BOTH SEXES												
2000.....	2,839	1	1	-	-	4	2	4	8	23	45	69
1999.....	2,752	1	1	1	-	-	3	2	3	13	40	56
WHITE, MALE												
2000.....	1,453	1	1	-	-	3	1	3	6	19	35	61
1999.....	1,389	1	1	1	-	-	3	1	3	10	31	42
WHITE, FEMALE												
2000.....	1,386	-	-	-	-	1	1	1	2	4	10	8
1999.....	1,363	-	-	-	-	-	-	1	-	3	9	14
BLACK, BOTH SEXES												
2000.....	456	-	-	-	-	-	1	-	4	7	15	23
1999.....	431	2	-	-	-	-	-	-	1	12	14	34
BLACK, MALE												
2000.....	258	-	-	-	-	-	1	-	4	5	11	15
1999.....	248	-	-	-	-	-	-	-	-	9	11	26
BLACK, FEMALE												
2000.....	198	-	-	-	-	-	-	-	-	2	4	8
1999.....	183	2	-	-	-	-	-	-	1	3	3	8

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute ischemic heart diseases (I24)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	43	-	-	-	-	-	1	-	-	-	2	1
1999.....	37	-	-	-	-	-	-	-	-	-	1	2
AMERICAN INDIAN 1/, MALE												
2000.....	26	-	-	-	-	-	1	-	-	-	1	-
1999.....	20	-	-	-	-	-	-	-	-	-	1	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	17	-	-	-	-	-	-	-	-	-	1	1
1999.....	17	-	-	-	-	-	-	-	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	25	-	-	-	-	-	-	-	-	-	-	-
1999.....	12	-	-	-	-	-	-	-	-	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	12	-	-	-	-	-	-	-	-	-	-	-
1999.....	8	-	-	-	-	-	-	-	-	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	13	-	-	-	-	-	-	-	-	-	-	-
1999.....	4	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
ALL RACES, BOTH SEXES												
2000.....	318,943	9	8	3	7	15	48	124	420	1,299	2,996	5,315
1999.....	326,973	11	2	7	3	27	47	142	432	1,427	2,994	5,207
ALL RACES, MALE												
2000.....	158,519	6	5	2	3	10	35	103	319	984	2,345	4,206
1999.....	161,434	6	1	6	3	20	30	100	329	1,075	2,362	4,117
ALL RACES, FEMALE												
2000.....	160,424	3	3	1	4	5	13	21	101	315	651	1,109
1999.....	165,539	5	1	1	-	7	17	42	103	352	632	1,090
WHITE, BOTH SEXES												
2000.....	281,977	6	8	3	6	13	34	85	307	978	2,309	4,059
1999.....	289,322	8	1	5	2	17	26	102	321	1,085	2,254	4,032
WHITE, MALE												
2000.....	140,115	4	5	2	3	9	24	71	244	761	1,878	3,336
1999.....	142,615	4	1	5	2	12	19	72	250	830	1,839	3,290
WHITE, FEMALE												
2000.....	141,862	2	3	1	3	4	10	14	63	217	431	723
1999.....	146,707	4	-	-	-	5	7	30	71	255	415	742
BLACK, BOTH SEXES												
2000.....	31,697	2	-	-	-	2	10	34	100	279	603	1,123
1999.....	32,288	2	1	2	1	8	20	31	93	299	658	1,039
BLACK, MALE												
2000.....	15,322	1	-	-	-	1	7	27	65	186	399	759
1999.....	15,670	1	-	1	1	6	10	22	65	207	451	709
BLACK, FEMALE												
2000.....	16,375	1	-	-	-	1	3	7	35	93	204	364
1999.....	16,618	1	1	1	-	2	10	9	28	92	207	330

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1,041	-	-	-	-	-	2	2	4	11	30	44
1999.....	1,009	1	-	-	-	-	1	3	5	14	19	37
AMERICAN INDIAN 1/, MALE												
2000.....	598	-	-	-	-	-	2	2	3	9	23	36
1999.....	575	1	-	-	-	-	1	2	2	10	14	31
AMERICAN INDIAN 1/, FEMALE												
2000.....	443	-	-	-	-	-	-	-	1	2	7	8
1999.....	434	-	-	-	-	-	-	1	3	4	5	6
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	4,228	1	-	-	1	-	2	3	9	31	54	89
1999.....	4,354	-	-	-	-	2	-	6	13	29	63	99
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	2,484	1	-	-	-	-	2	3	7	28	45	75
1999.....	2,574	-	-	-	-	2	-	4	12	28	58	87
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1,744	-	-	-	1	-	-	-	2	3	9	14
1999.....	1,780	-	-	-	-	-	-	2	1	1	5	12

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)												
ALL RACES, BOTH SEXES												
2000.....	69,554	1	-	-	1	-	15	33	111	391	985	1,894
1999.....	71,926	-	1	-	1	-	13	32	128	453	1,035	1,792
ALL RACES, MALE												
2000.....	35,896	-	-	-	1	-	12	26	89	312	787	1,533
1999.....	36,633	-	-	-	1	-	10	21	98	355	837	1,438
ALL RACES, FEMALE												
2000.....	33,658	1	-	-	-	-	3	7	22	79	198	361
1999.....	35,293	-	1	-	-	-	3	11	30	98	198	354
WHITE, BOTH SEXES												
2000.....	57,794	-	-	-	1	-	13	19	83	291	743	1,393
1999.....	59,711	-	-	-	1	-	5	20	90	336	761	1,305
WHITE, MALE												
2000.....	29,467	-	-	-	1	-	10	14	69	237	615	1,164
1999.....	29,977	-	-	-	1	-	5	14	71	269	640	1,076
WHITE, FEMALE												
2000.....	28,327	-	-	-	-	-	3	5	14	54	128	229
1999.....	29,734	-	-	-	-	-	-	6	19	67	121	229
BLACK, BOTH SEXES												
2000.....	10,418	1	-	-	-	-	1	12	24	87	208	459
1999.....	10,823	-	1	-	-	-	8	8	33	110	251	437
BLACK, MALE												
2000.....	5,615	-	-	-	-	-	1	10	16	65	145	332
1999.....	5,815	-	-	-	-	-	5	5	22	80	177	317
BLACK, FEMALE												
2000.....	4,803	1	-	-	-	-	-	2	8	22	63	127
1999.....	5,008	-	1	-	-	-	3	3	11	30	74	120

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	266	-	-	-	-	-	1	1	3	3	9	13
1999.....	295	-	-	-	-	-	-	1	2	3	3	13
AMERICAN INDIAN 1/, MALE												
2000.....	159	-	-	-	-	-	1	1	3	2	6	11
1999.....	179	-	-	-	-	-	-	-	2	2	2	12
AMERICAN INDIAN 1/, FEMALE												
2000.....	107	-	-	-	-	-	-	-	-	1	3	2
1999.....	116	-	-	-	-	-	-	1	-	1	1	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1,076	-	-	-	-	-	-	1	1	10	25	29
1999.....	1,097	-	-	-	-	-	-	3	3	4	20	37
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	655	-	-	-	-	-	-	1	1	8	21	26
1999.....	662	-	-	-	-	-	-	2	3	4	18	33
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	421	-	-	-	-	-	-	-	-	2	4	3
1999.....	435	-	-	-	-	-	-	1	-	-	2	4

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
ALL RACES, BOTH SEXES												
2000.....	249,389	8	8	3	6	15	33	91	309	908	2,011	3,421
1999.....	255,047	11	1	7	2	27	34	110	304	974	1,959	3,415
ALL RACES, MALE												
2000.....	122,623	6	5	2	2	10	23	77	230	672	1,558	2,673
1999.....	124,801	6	1	6	2	20	20	79	231	720	1,525	2,679
ALL RACES, FEMALE												
2000.....	126,766	2	3	1	4	5	10	14	79	236	453	748
1999.....	130,246	5	-	1	-	7	14	31	73	254	434	736
WHITE, BOTH SEXES												
2000.....	224,183	6	8	3	5	13	21	66	224	687	1,566	2,666
1999.....	229,611	8	1	5	1	17	21	82	231	749	1,493	2,727
WHITE, MALE												
2000.....	110,648	4	5	2	2	9	14	57	175	524	1,263	2,172
1999.....	112,638	4	1	5	1	12	14	58	179	561	1,199	2,214
WHITE, FEMALE												
2000.....	113,535	2	3	1	3	4	7	9	49	163	303	494
1999.....	116,973	4	-	-	-	5	7	24	52	188	294	513
BLACK, BOTH SEXES												
2000.....	21,279	1	-	-	-	2	9	22	76	192	395	664
1999.....	21,465	2	-	2	1	8	12	23	60	189	407	602
BLACK, MALE												
2000.....	9,707	1	-	-	-	1	6	17	49	121	254	427
1999.....	9,855	1	-	1	1	6	5	17	43	127	274	392
BLACK, FEMALE												
2000.....	11,572	-	-	-	-	1	3	5	27	71	141	237
1999.....	11,610	1	-	1	-	2	7	6	17	62	133	210

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	775	-	-	-	-	-	1	1	1	8	21	31
1999.....	714	1	-	-	-	-	1	2	3	11	16	24
AMERICAN INDIAN 1/, MALE												
2000.....	439	-	-	-	-	-	1	1	-	7	17	25
1999.....	396	1	-	-	-	-	1	2	-	8	12	19
AMERICAN INDIAN 1/, FEMALE												
2000.....	336	-	-	-	-	-	-	-	1	1	4	6
1999.....	318	-	-	-	-	-	-	-	3	3	4	5
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	3,152	1	-	-	1	-	2	2	8	21	29	60
1999.....	3,257	-	-	-	-	2	-	3	10	25	43	62
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1,829	1	-	-	-	-	2	2	6	20	24	49
1999.....	1,912	-	-	-	-	2	-	2	9	24	40	54
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1,323	-	-	-	1	-	-	-	2	1	5	11
1999.....	1,345	-	-	-	-	-	-	1	1	1	3	8

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
ALL RACES, BOTH SEXES												
2000.....	165,428	457	168	96	152	355	498	687	1,062	1,706	2,751	3,536
1999.....	165,828	490	177	99	149	398	482	680	1,099	1,879	2,768	3,502
ALL RACES, MALE												
2000.....	72,122	238	98	58	92	218	300	407	642	1,033	1,713	2,278
1999.....	72,601	255	100	54	83	250	283	400	667	1,176	1,718	2,223
ALL RACES, FEMALE												
2000.....	93,306	219	70	38	60	137	198	280	420	673	1,038	1,258
1999.....	93,227	235	77	45	66	148	199	280	432	703	1,050	1,279
WHITE, BOTH SEXES												
2000.....	143,761	315	114	63	95	229	309	433	700	1,121	1,885	2,443
1999.....	143,786	329	119	72	103	281	314	425	729	1,252	1,875	2,390
WHITE, MALE												
2000.....	61,933	164	71	38	62	139	194	267	435	699	1,206	1,639
1999.....	62,054	174	70	39	56	170	182	259	453	805	1,216	1,580
WHITE, FEMALE												
2000.....	81,828	151	43	25	33	90	115	166	265	422	679	804
1999.....	81,732	155	49	33	47	111	132	166	276	447	659	810
BLACK, BOTH SEXES												
2000.....	19,298	117	48	28	45	113	167	236	328	526	801	1,023
1999.....	19,685	135	49	26	40	109	154	233	344	576	833	1,028
BLACK, MALE												
2000.....	8,958	59	24	16	24	68	91	129	186	300	459	595
1999.....	9,344	67	27	14	24	76	91	132	199	337	468	595
BLACK, FEMALE												
2000.....	10,340	58	24	12	21	45	76	107	142	226	342	428
1999.....	10,341	68	22	12	16	33	63	101	145	239	365	433

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	591	6	1	1	4	2	5	4	9	25	22	25
1999.....	595	5	5	-	3	2	6	5	7	19	24	30
AMERICAN INDIAN 1/, MALE												
2000.....	295	3	-	1	2	2	3	2	5	12	15	15
1999.....	289	2	2	-	1	1	4	3	2	13	11	17
AMERICAN INDIAN 1/, FEMALE												
2000.....	296	3	1	-	2	-	2	2	4	13	7	10
1999.....	306	3	3	-	2	1	2	2	5	6	13	13
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1,778	19	5	4	8	11	17	14	25	34	43	45
1999.....	1,762	21	4	1	3	6	8	17	19	32	36	54
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	936	12	3	3	4	9	12	9	16	22	33	29
1999.....	914	12	1	1	2	3	6	6	13	21	23	31
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	842	7	2	1	4	2	5	5	9	12	10	16
1999.....	848	9	3	-	1	3	2	11	6	11	13	23

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and subacute endocarditis (I33)												
ALL RACES, BOTH SEXES												
2000.....	1,172	3	1	2	1	5	8	13	27	41	75	89
1999.....	1,116	2	1	-	-	2	5	12	18	54	60	68
ALL RACES, MALE												
2000.....	665	2	-	1	-	1	6	7	17	24	49	59
1999.....	639	2	1	-	-	-	3	9	15	34	41	49
ALL RACES, FEMALE												
2000.....	507	1	1	1	1	4	2	6	10	17	26	30
1999.....	477	-	-	-	-	2	2	3	3	20	19	19
WHITE, BOTH SEXES												
2000.....	927	1	1	1	1	1	5	10	17	27	53	57
1999.....	879	1	1	-	-	2	4	10	14	32	37	41
WHITE, MALE												
2000.....	536	1	-	-	-	-	3	6	13	14	36	39
1999.....	509	1	1	-	-	-	2	7	11	21	24	32
WHITE, FEMALE												
2000.....	391	-	1	1	1	1	2	4	4	13	17	18
1999.....	370	-	-	-	-	2	2	3	3	11	13	9
BLACK, BOTH SEXES												
2000.....	214	2	-	-	-	3	3	3	8	11	20	30
1999.....	210	-	-	-	-	-	1	2	4	20	21	26
BLACK, MALE												
2000.....	111	1	-	-	-	1	3	1	2	9	12	20
1999.....	117	-	-	-	-	-	1	2	4	12	15	16
BLACK, FEMALE												
2000.....	103	1	-	-	-	2	-	2	6	2	8	10
1999.....	93	-	-	-	-	-	-	-	-	8	6	10

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and subacute endocarditis (I33)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	13	-	-	-	-	-	-	-	-	1	2	2
1999.....	7	-	-	-	-	-	-	-	-	2	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	7	-	-	-	-	-	-	-	-	1	1	-
1999.....	4	-	-	-	-	-	-	-	-	1	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	6	-	-	-	-	-	-	-	-	-	1	2
1999.....	3	-	-	-	-	-	-	-	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	18	-	-	1	-	1	-	-	2	2	-	-
1999.....	20	1	-	-	-	-	-	-	-	-	1	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	11	-	-	1	-	-	-	-	2	-	-	-
1999.....	9	1	-	-	-	-	-	-	-	-	1	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	7	-	-	-	-	1	-	-	-	2	-	-
1999.....	11	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
ALL RACES, BOTH SEXES												
2000.....	767	20	24	9	11	17	21	29	24	45	41	45
1999.....	890	27	25	11	10	12	20	19	31	54	60	59
ALL RACES, MALE												
2000.....	404	10	13	4	5	10	11	17	12	30	28	28
1999.....	442	13	14	5	2	8	12	14	20	32	32	31
ALL RACES, FEMALE												
2000.....	363	10	11	5	6	7	10	12	12	15	13	17
1999.....	448	14	11	6	8	4	8	5	11	22	28	28
WHITE, BOTH SEXES												
2000.....	590	11	15	8	2	15	10	21	13	27	31	26
1999.....	703	12	12	7	6	9	15	13	22	41	38	47
WHITE, MALE												
2000.....	309	6	11	4	1	8	5	11	7	18	21	17
1999.....	351	7	5	4	2	7	8	10	14	24	23	24
WHITE, FEMALE												
2000.....	281	5	4	4	1	7	5	10	6	9	10	9
1999.....	352	5	7	3	4	2	7	3	8	17	15	23
BLACK, BOTH SEXES												
2000.....	142	7	8	1	7	1	7	6	10	14	10	14
1999.....	160	10	12	4	4	3	3	6	8	12	19	9
BLACK, MALE												
2000.....	72	4	2	-	3	1	2	5	5	9	7	7
1999.....	77	4	9	1	-	1	2	4	6	7	7	5
BLACK, FEMALE												
2000.....	70	3	6	1	4	-	5	1	5	5	3	7
1999.....	83	6	3	3	4	2	1	2	2	5	12	4

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	6	1	-	-	-	-	1	-	-	-	-	1
1999.....	9	1	1	-	-	-	1	-	1	-	1	1
AMERICAN INDIAN 1/, MALE												
2000.....	4	-	-	-	-	-	1	-	-	-	-	1
1999.....	2	-	-	-	-	-	1	-	-	-	-	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	1	-	-	-	-	-	-	-	-	-	-
1999.....	7	1	1	-	-	-	-	-	1	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	29	1	1	-	2	1	3	2	1	4	-	4
1999.....	18	4	-	-	-	-	1	-	-	1	2	2
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	19	-	-	-	1	1	3	1	-	3	-	3
1999.....	12	2	-	-	-	-	1	-	-	1	2	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	10	1	1	-	1	-	-	1	1	1	-	1
1999.....	6	2	-	-	-	-	-	-	-	-	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Heart failure (I50)												
ALL RACES, BOTH SEXES												
2000.....	55,704	31	9	10	11	21	13	27	36	77	185	283
1999.....	54,913	11	10	5	7	14	17	27	38	88	184	298
ALL RACES, MALE												
2000.....	21,175	22	7	4	5	11	9	15	21	40	119	191
1999.....	20,755	5	7	3	3	12	11	13	19	52	112	186
ALL RACES, FEMALE												
2000.....	34,529	9	2	6	6	10	4	12	15	37	66	92
1999.....	34,158	6	3	2	4	2	6	14	19	36	72	112
WHITE, BOTH SEXES												
2000.....	50,142	19	5	7	9	12	5	15	23	44	120	180
1999.....	49,317	8	8	3	6	9	9	13	21	58	116	183
WHITE, MALE												
2000.....	18,949	14	5	3	4	5	5	9	13	25	84	127
1999.....	18,469	3	5	2	3	8	6	6	11	34	77	116
WHITE, FEMALE												
2000.....	31,193	5	-	4	5	7	-	6	10	19	36	53
1999.....	30,848	5	3	1	3	1	3	7	10	24	39	67
BLACK, BOTH SEXES												
2000.....	4,965	12	4	2	2	8	5	12	12	32	62	98
1999.....	4,998	3	2	2	1	4	8	13	17	28	66	111
BLACK, MALE												
2000.....	1,951	8	2	1	1	5	3	6	7	14	33	60
1999.....	2,021	2	2	1	-	3	5	7	8	16	35	68
BLACK, FEMALE												
2000.....	3,014	4	2	1	1	3	2	6	5	18	29	38
1999.....	2,977	1	-	1	1	1	3	6	9	12	31	43

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Heart failure (I50)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	175	-	-	-	-	-	1	-	-	1	-	2
1999.....	170	-	-	-	-	1	-	-	-	2	2	2
AMERICAN INDIAN 1/, MALE												
2000.....	79	-	-	-	-	-	1	-	-	1	-	1
1999.....	65	-	-	-	-	1	-	-	-	2	-	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	96	-	-	-	-	-	-	-	-	-	-	1
1999.....	105	-	-	-	-	-	-	-	-	-	2	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	422	-	-	1	-	1	2	-	1	-	3	3
1999.....	428	-	-	-	-	-	-	1	-	-	-	2
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	196	-	-	-	-	1	-	-	1	-	2	3
1999.....	200	-	-	-	-	-	-	-	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	226	-	-	1	-	-	2	-	-	-	1	-
1999.....	228	-	-	-	-	-	-	1	-	-	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
ALL RACES, BOTH SEXES												
2000.....	107,785	403	134	75	129	312	456	618	975	1,543	2,450	3,119
1999.....	108,909	450	141	83	132	370	440	622	1,012	1,683	2,464	3,077
ALL RACES, MALE												
2000.....	49,878	204	78	49	82	196	274	368	592	939	1,517	2,000
1999.....	50,765	235	78	46	78	230	257	364	613	1,058	1,533	1,957
ALL RACES, FEMALE												
2000.....	57,907	199	56	26	47	116	182	250	383	604	933	1,119
1999.....	58,144	215	63	37	54	140	183	258	399	625	931	1,120
WHITE, BOTH SEXES												
2000.....	92,102	284	93	47	83	201	289	387	647	1,023	1,681	2,180
1999.....	92,887	308	98	62	91	261	286	389	672	1,121	1,684	2,119
WHITE, MALE												
2000.....	42,139	143	55	31	57	126	181	241	402	642	1,065	1,456
1999.....	42,725	163	59	33	51	155	166	236	417	726	1,092	1,408
WHITE, FEMALE												
2000.....	49,963	141	38	16	26	75	108	146	245	381	616	724
1999.....	50,162	145	39	29	40	106	120	153	255	395	592	711
BLACK, BOTH SEXES												
2000.....	13,977	96	36	25	36	101	152	215	298	469	709	881
1999.....	14,317	122	35	20	35	102	142	212	315	516	727	882
BLACK, MALE												
2000.....	6,824	46	20	15	20	61	83	117	172	268	407	508
1999.....	7,129	61	16	12	24	72	83	119	181	302	411	506
BLACK, FEMALE												
2000.....	7,153	50	16	10	16	40	69	98	126	201	302	373
1999.....	7,188	61	19	8	11	30	59	93	134	214	316	376

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	397	5	1	1	4	2	3	4	9	23	20	20
1999.....	409	4	4	-	3	1	5	5	6	15	20	27
AMERICAN INDIAN 1/, MALE												
2000.....	205	3	-	1	2	2	1	2	5	10	14	13
1999.....	218	2	2	-	1	-	3	3	2	10	10	15
AMERICAN INDIAN 1/, FEMALE												
2000.....	192	2	1	-	2	-	2	2	4	13	6	7
1999.....	191	2	2	-	2	1	2	2	4	5	10	12
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1,309	18	4	2	6	8	12	12	21	28	40	38
1999.....	1,296	16	4	1	3	6	7	16	19	31	33	49
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	710	12	3	2	3	7	9	8	13	19	31	23
1999.....	693	9	1	1	2	3	5	6	13	20	20	28
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	599	6	1	-	3	1	3	4	8	9	9	15
1999.....	603	7	3	-	1	3	2	10	6	11	13	21

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Essential (primary) hypertension and hypertensive renal disease (I10,I12)												
ALL RACES, BOTH SEXES												
2000.....	18,073	1	1	2	2	6	11	21	49	105	243	352
1999.....	16,968	3	3	-	1	3	10	24	54	105	208	329
ALL RACES, MALE												
2000.....	6,895	1	-	1	2	-	4	12	27	61	155	224
1999.....	6,488	2	1	-	1	2	6	13	35	69	126	196
ALL RACES, FEMALE												
2000.....	11,178	-	1	1	-	6	7	9	22	44	88	128
1999.....	10,480	1	2	-	-	1	4	11	19	36	82	133
WHITE, BOTH SEXES												
2000.....	13,775	1	1	1	2	2	5	12	20	41	117	169
1999.....	12,830	2	1	-	-	3	4	12	24	37	94	172
WHITE, MALE												
2000.....	5,120	1	-	1	2	-	3	8	14	30	79	117
1999.....	4,744	1	-	-	-	2	1	7	20	29	63	109
WHITE, FEMALE												
2000.....	8,655	-	1	-	-	2	2	4	6	11	38	52
1999.....	8,086	1	1	-	-	1	3	5	4	8	31	63
BLACK, BOTH SEXES												
2000.....	3,887	-	-	1	-	4	6	7	28	62	117	171
1999.....	3,732	1	1	-	1	-	6	11	27	66	111	145
BLACK, MALE												
2000.....	1,592	-	-	-	-	-	1	3	13	30	70	99
1999.....	1,565	1	1	-	1	-	5	5	13	38	60	83
BLACK, FEMALE												
2000.....	2,295	-	-	1	-	4	5	4	15	32	47	72
1999.....	2,167	-	-	-	-	-	1	6	14	28	51	62

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Essential (primary) hypertension and hypertensive renal disease (I10,I12)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	73	-	-	-	-	-	-	1	-	1	2	2
1999.....	55	-	-	-	-	-	-	1	1	1	2	1
AMERICAN INDIAN 1/, MALE												
2000.....	24	-	-	-	-	-	-	-	-	-	2	1
1999.....	25	-	-	-	-	-	-	1	-	1	2	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	49	-	-	-	-	-	-	1	-	1	-	1
1999.....	30	-	-	-	-	-	-	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	338	-	-	-	-	-	-	1	1	1	7	10
1999.....	351	-	1	-	-	-	-	-	2	1	1	11
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	159	-	-	-	-	-	-	1	-	1	4	7
1999.....	154	-	-	-	-	-	-	-	2	1	1	3
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	179	-	-	-	-	-	-	-	1	-	3	3
1999.....	197	-	1	-	-	-	-	-	-	-	-	8

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
ALL RACES, BOTH SEXES												
2000.....	167,661	124	47	25	51	67	132	209	393	880	1,719	2,625
1999.....	167,366	103	46	26	39	67	115	202	378	916	1,658	2,455
ALL RACES, MALE												
2000.....	64,769	74	19	12	21	38	68	111	197	430	867	1,401
1999.....	64,485	65	22	17	17	36	59	102	197	449	859	1,282
ALL RACES, FEMALE												
2000.....	102,892	50	28	13	30	29	64	98	196	450	852	1,224
1999.....	102,881	38	24	9	22	31	56	100	181	467	799	1,173
WHITE, BOTH SEXES												
2000.....	144,580	75	30	21	34	51	97	160	260	558	1,087	1,627
1999.....	144,827	70	34	23	26	46	89	145	257	602	1,044	1,535
WHITE, MALE												
2000.....	54,938	46	14	12	14	33	51	89	136	282	560	894
1999.....	54,867	43	16	16	11	28	44	73	140	300	556	802
WHITE, FEMALE												
2000.....	89,642	29	16	9	20	18	46	71	124	276	527	733
1999.....	89,960	27	18	7	15	18	45	72	117	302	488	733
BLACK, BOTH SEXES												
2000.....	19,221	46	14	2	13	13	30	41	119	283	553	878
1999.....	18,884	28	10	3	12	18	23	50	100	268	548	787
BLACK, MALE												
2000.....	8,026	27	3	-	5	4	15	18	53	127	270	449
1999.....	7,894	18	4	1	6	7	12	24	48	124	269	412
BLACK, FEMALE												
2000.....	11,195	19	11	2	8	9	15	23	66	156	283	429
1999.....	10,990	10	6	2	6	11	11	26	52	144	279	375

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	572	-	1	1	1	-	1	3	2	7	15	22
1999.....	546	2	-	-	1	-	1	-	11	9	21	21
AMERICAN INDIAN 1/, MALE												
2000.....	250	-	1	-	-	-	-	-	-	4	7	10
1999.....	236	2	-	-	-	-	1	-	4	4	11	10
AMERICAN INDIAN 1/, FEMALE												
2000.....	322	-	-	1	1	-	1	3	2	3	8	12
1999.....	310	-	-	-	1	-	-	-	7	5	10	11
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	3,288	3	2	1	3	3	4	5	12	32	64	98
1999.....	3,109	3	2	-	-	3	2	7	10	37	45	112
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1,555	1	1	-	2	1	2	4	8	17	30	48
1999.....	1,488	2	2	-	-	1	2	5	5	21	23	58
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1,733	2	1	1	1	2	2	1	4	15	34	50
1999.....	1,621	1	-	-	-	2	-	2	5	16	22	54

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerosis (I70)												
ALL RACES, BOTH SEXES												
2000.....	14,393	2	-	-	-	-	3	3	5	16	32	71
1999.....	14,979	2	-	-	-	1	1	1	7	16	29	56
ALL RACES, MALE												
2000.....	5,357	-	-	-	-	-	2	1	5	10	25	48
1999.....	5,443	1	-	-	-	-	-	1	4	11	21	37
ALL RACES, FEMALE												
2000.....	9,036	2	-	-	-	-	1	2	-	6	7	23
1999.....	9,536	1	-	-	-	1	1	-	3	5	8	19
WHITE, BOTH SEXES												
2000.....	13,182	2	-	-	-	-	3	1	4	12	24	50
1999.....	13,737	1	-	-	-	1	1	1	5	14	19	48
WHITE, MALE												
2000.....	4,875	-	-	-	-	-	2	1	4	9	19	36
1999.....	4,932	1	-	-	-	-	-	1	3	10	14	32
WHITE, FEMALE												
2000.....	8,307	2	-	-	-	-	1	-	-	3	5	14
1999.....	8,805	-	-	-	-	1	1	-	2	4	5	16
BLACK, BOTH SEXES												
2000.....	1,054	-	-	-	-	-	-	2	1	4	8	19
1999.....	1,069	1	-	-	-	-	-	-	2	2	7	6
BLACK, MALE												
2000.....	415	-	-	-	-	-	-	-	1	1	6	11
1999.....	432	-	-	-	-	-	-	-	1	1	5	4
BLACK, FEMALE												
2000.....	639	-	-	-	-	-	-	2	-	3	2	8
1999.....	637	1	-	-	-	-	-	-	1	1	2	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerosis (I70)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	49	-	-	-	-	-	-	-	-	-	-	-
1999.....	44	-	-	-	-	-	-	-	-	-	-	1
AMERICAN INDIAN 1/, MALE												
2000.....	18	-	-	-	-	-	-	-	-	-	-	-
1999.....	18	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	31	-	-	-	-	-	-	-	-	-	-	-
1999.....	26	-	-	-	-	-	-	-	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	108	-	-	-	-	-	-	-	-	-	-	2
1999.....	129	-	-	-	-	-	-	-	-	-	3	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	49	-	-	-	-	-	-	-	-	-	-	1
1999.....	61	-	-	-	-	-	-	-	-	-	2	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	59	-	-	-	-	-	-	-	-	-	-	1
1999.....	68	-	-	-	-	-	-	-	-	-	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of circulatory system (I71-I78)												
ALL RACES, BOTH SEXES												
2000.....	26,036	16	5	3	8	17	42	49	105	157	291	424
1999.....	25,809	12	2	2	9	14	35	51	90	178	300	418
ALL RACES, MALE												
2000.....	14,084	6	2	1	6	9	24	36	67	92	184	275
1999.....	13,794	9	-	1	6	10	22	35	67	117	179	289
ALL RACES, FEMALE												
2000.....	11,952	10	3	2	2	8	18	13	38	65	107	149
1999.....	12,015	3	2	1	3	4	13	16	23	61	121	129
WHITE, BOTH SEXES												
2000.....	22,963	13	4	2	5	14	30	35	76	118	190	303
1999.....	22,952	9	2	2	6	13	29	38	68	138	218	304
WHITE, MALE												
2000.....	12,611	4	2	1	5	7	19	24	53	67	123	208
1999.....	12,444	6	-	1	4	9	18	26	51	92	134	219
WHITE, FEMALE												
2000.....	10,352	9	2	1	-	7	11	11	23	51	67	95
1999.....	10,508	3	2	1	2	4	11	12	17	46	84	85
BLACK, BOTH SEXES												
2000.....	2,595	3	-	1	3	2	11	11	25	34	90	107
1999.....	2,434	3	-	-	-	1	6	12	18	35	77	104
BLACK, MALE												
2000.....	1,207	2	-	-	1	1	5	9	13	22	55	60
1999.....	1,111	3	-	-	-	1	4	8	15	21	40	65
BLACK, FEMALE												
2000.....	1,388	1	-	1	2	1	6	2	12	12	35	47
1999.....	1,323	-	-	-	-	-	2	4	3	14	37	39

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of circulatory system (I71-I78)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	87	-	-	-	-	-	-	-	-	1	2	3
1999.....	72	-	-	-	2	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	37	-	-	-	-	-	-	-	-	-	-	2
1999.....	32	-	-	-	1	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	50	-	-	-	-	-	-	-	-	1	2	1
1999.....	40	-	-	-	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	391	-	1	-	-	1	1	3	4	4	9	11
1999.....	351	-	-	-	1	-	-	1	4	5	5	10
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	229	-	-	-	-	1	-	3	1	3	6	5
1999.....	207	-	-	-	1	-	-	1	1	4	5	5
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	162	-	1	-	-	-	1	-	3	1	3	6
1999.....	144	-	-	-	-	-	-	-	3	1	-	5

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Aortic aneurysm and dissection (I71)												
ALL RACES, BOTH SEXES												
2000.....	15,810	-	-	-	5	10	26	38	69	103	200	268
1999.....	15,807	1	1	-	3	8	23	33	60	134	195	283
ALL RACES, MALE												
2000.....	9,661	-	-	-	3	7	16	30	48	72	147	191
1999.....	9,615	1	-	-	2	6	14	25	53	98	134	216
ALL RACES, FEMALE												
2000.....	6,149	-	-	-	2	3	10	8	21	31	53	77
1999.....	6,192	-	1	-	1	2	9	8	7	36	61	67
WHITE, BOTH SEXES												
2000.....	14,210	-	-	-	2	9	17	27	50	75	129	193
1999.....	14,336	1	1	-	2	8	19	25	45	105	135	194
WHITE, MALE												
2000.....	8,797	-	-	-	2	6	12	19	37	52	97	147
1999.....	8,817	1	-	-	1	6	11	19	39	77	95	154
WHITE, FEMALE												
2000.....	5,413	-	-	-	-	3	5	8	13	23	32	46
1999.....	5,519	-	1	-	1	2	8	6	6	28	40	40
BLACK, BOTH SEXES												
2000.....	1,277	-	-	-	3	1	8	8	17	25	65	68
1999.....	1,181	-	-	-	-	-	4	8	13	24	56	81
BLACK, MALE												
2000.....	671	-	-	-	1	1	4	8	11	18	46	39
1999.....	619	-	-	-	-	-	3	6	13	17	35	57
BLACK, FEMALE												
2000.....	606	-	-	-	2	-	4	-	6	7	19	29
1999.....	562	-	-	-	-	-	1	2	-	7	21	24

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Aortic aneurysm and dissection (I71)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	41	-	-	-	-	-	-	-	-	-	-	1
1999.....	36	-	-	-	1	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	21	-	-	-	-	-	-	-	-	-	-	1
1999.....	19	-	-	-	1	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	20	-	-	-	-	-	-	-	-	-	-	-
1999.....	17	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	282	-	-	-	-	-	1	3	2	3	6	6
1999.....	254	-	-	-	-	-	-	-	2	5	4	8
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	172	-	-	-	-	-	-	3	-	2	4	4
1999.....	160	-	-	-	-	-	-	-	1	4	4	5
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	110	-	-	-	-	-	1	-	2	1	2	2
1999.....	94	-	-	-	-	-	-	-	1	1	-	3

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of arteries, arterioles and capillaries (I72-I78)												
ALL RACES, BOTH SEXES												
2000.....	10,226	16	5	3	3	7	16	11	36	54	91	156
1999.....	10,002	11	1	2	6	6	12	18	30	44	105	135
ALL RACES, MALE												
2000.....	4,423	6	2	1	3	2	8	6	19	20	37	84
1999.....	4,179	8	-	1	4	4	8	10	14	19	45	73
ALL RACES, FEMALE												
2000.....	5,803	10	3	2	-	5	8	5	17	34	54	72
1999.....	5,823	3	1	1	2	2	4	8	16	25	60	62
WHITE, BOTH SEXES												
2000.....	8,753	13	4	2	3	5	13	8	26	43	61	110
1999.....	8,616	8	1	2	4	5	10	13	23	33	83	110
WHITE, MALE												
2000.....	3,814	4	2	1	3	1	7	5	16	15	26	61
1999.....	3,627	5	-	1	3	3	7	7	12	15	39	65
WHITE, FEMALE												
2000.....	4,939	9	2	1	-	4	6	3	10	28	35	49
1999.....	4,989	3	1	1	1	2	3	6	11	18	44	45
BLACK, BOTH SEXES												
2000.....	1,318	3	-	1	-	1	3	3	8	9	25	39
1999.....	1,253	3	-	-	-	1	2	4	5	11	21	23
BLACK, MALE												
2000.....	536	2	-	-	-	-	1	1	2	4	9	21
1999.....	492	3	-	-	-	1	1	2	2	4	5	8
BLACK, FEMALE												
2000.....	782	1	-	1	-	1	2	2	6	5	16	18
1999.....	761	-	-	-	-	-	1	2	3	7	16	15

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of arteries, arterioles and capillaries (I72-I78)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	46	-	-	-	-	-	-	-	-	1	2	2
1999.....	36	-	-	-	1	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	16	-	-	-	-	-	-	-	-	-	-	1
1999.....	13	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	30	-	-	-	-	-	-	-	-	1	2	1
1999.....	23	-	-	-	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	109	-	1	-	-	1	-	-	2	1	3	5
1999.....	97	-	-	-	1	-	-	1	2	-	1	2
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	57	-	-	-	-	1	-	-	1	1	2	1
1999.....	47	-	-	-	1	-	-	1	-	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	52	-	1	-	-	-	-	-	1	-	1	4
1999.....	50	-	-	-	-	-	-	-	2	-	-	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of circulatory system (I80-I99)												
ALL RACES, BOTH SEXES												
2000.....	4,603	27	4	5	7	10	27	58	75	125	194	249
1999.....	4,025	23	1	1	1	11	19	30	63	98	173	202
ALL RACES, MALE												
2000.....	1,981	16	2	3	3	6	10	18	39	70	120	145
1999.....	1,714	13	1	1	-	6	7	14	30	55	104	102
ALL RACES, FEMALE												
2000.....	2,622	11	2	2	4	4	17	40	36	55	74	104
1999.....	2,311	10	-	-	1	5	12	16	33	43	69	100
WHITE, BOTH SEXES												
2000.....	3,787	20	3	4	5	4	18	33	49	87	143	189
1999.....	3,345	18	-	1	1	4	11	21	43	66	117	146
WHITE, MALE												
2000.....	1,618	13	1	3	2	3	6	9	25	47	94	111
1999.....	1,399	9	-	1	-	3	5	10	20	37	69	73
WHITE, FEMALE												
2000.....	2,169	7	2	1	3	1	12	24	24	40	49	78
1999.....	1,946	9	-	-	1	1	6	11	23	29	48	73
BLACK, BOTH SEXES												
2000.....	761	5	1	1	2	6	8	23	26	36	51	58
1999.....	616	4	1	-	-	6	8	9	19	29	52	55
BLACK, MALE												
2000.....	335	2	1	-	1	3	4	8	14	22	26	34
1999.....	282	3	1	-	-	2	2	4	10	16	33	29
BLACK, FEMALE												
2000.....	426	3	-	1	1	3	4	15	12	14	25	24
1999.....	334	1	-	-	-	4	6	5	9	13	19	26

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of circulatory system (I80-I99)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	18	-	-	-	-	-	1	1	-	-	-	1
1999.....	13	-	-	-	-	-	-	-	1	-	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	8	-	-	-	-	-	-	1	-	-	-	-
1999.....	4	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	10	-	-	-	-	-	1	-	-	-	-	1
1999.....	9	-	-	-	-	-	-	-	1	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	37	2	-	-	-	-	-	1	-	2	-	1
1999.....	51	1	-	-	-	1	-	-	-	3	3	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	20	1	-	-	-	-	-	-	-	1	-	-
1999.....	29	1	-	-	-	1	-	-	-	2	2	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	17	1	-	-	-	-	-	1	-	1	-	1
1999.....	22	-	-	-	-	-	-	-	-	1	1	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza and pneumonia (J10-J18)												
ALL RACES, BOTH SEXES												
2000.....	65,313	289	103	47	40	65	124	142	222	405	663	783
1999.....	63,730	320	130	46	47	73	106	135	204	462	601	798
ALL RACES, MALE												
2000.....	28,658	163	54	27	21	35	67	82	122	211	419	464
1999.....	27,718	171	66	27	26	34	56	76	121	251	341	500
ALL RACES, FEMALE												
2000.....	36,655	126	49	20	19	30	57	60	100	194	244	319
1999.....	36,012	149	64	19	21	39	50	59	83	211	260	298
WHITE, BOTH SEXES												
2000.....	57,914	172	69	36	34	48	90	98	163	305	462	561
1999.....	56,694	184	75	36	36	54	67	85	137	327	387	557
WHITE, MALE												
2000.....	25,002	98	30	22	17	27	52	51	87	161	294	325
1999.....	24,281	103	33	21	21	26	36	50	84	181	209	346
WHITE, FEMALE												
2000.....	32,912	74	39	14	17	21	38	47	76	144	168	236
1999.....	32,413	81	42	15	15	28	31	35	53	146	178	211
BLACK, BOTH SEXES												
2000.....	5,990	103	30	7	4	14	30	38	55	85	172	197
1999.....	5,876	115	43	8	7	14	35	47	60	121	191	223
BLACK, MALE												
2000.....	2,915	56	21	4	3	6	15	27	32	42	110	124
1999.....	2,825	58	25	5	3	6	17	25	33	62	116	142
BLACK, FEMALE												
2000.....	3,075	47	9	3	1	8	15	11	23	43	62	73
1999.....	3,051	57	18	3	4	8	18	22	27	59	75	81

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza and pneumonia (J10-J18)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	289	6	-	2	1	1	1	4	1	11	17	8
1999.....	315	9	3	1	2	1	4	1	3	4	16	14
AMERICAN INDIAN 1/, MALE												
2000.....	149	2	-	-	-	1	-	2	1	6	12	5
1999.....	147	4	3	1	1	1	3	-	1	-	12	8
AMERICAN INDIAN 1/, FEMALE												
2000.....	140	4	-	2	1	-	1	2	-	5	5	3
1999.....	168	5	-	-	1	-	1	1	2	4	4	6
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1,120	8	4	2	1	2	3	2	3	4	12	17
1999.....	845	12	9	1	2	4	-	2	4	10	7	4
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	592	7	3	1	1	1	-	2	2	2	3	10
1999.....	465	6	5	-	1	1	-	1	3	8	4	4
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	528	1	1	1	-	1	3	-	1	2	9	7
1999.....	380	6	4	1	1	3	-	1	1	2	3	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza (J10-J11)												
ALL RACES, BOTH SEXES												
2000.....	1,765	9	10	3	8	8	5	8	5	8	14	24
1999.....	1,665	13	12	6	5	7	4	2	7	8	8	13
ALL RACES, MALE												
2000.....	664	5	4	1	4	3	3	4	1	5	9	11
1999.....	602	6	9	4	1	1	1	-	5	5	4	8
ALL RACES, FEMALE												
2000.....	1,101	4	6	2	4	5	2	4	4	3	5	13
1999.....	1,063	7	3	2	4	6	3	2	2	3	4	5
WHITE, BOTH SEXES												
2000.....	1,662	7	9	2	7	8	4	7	4	7	11	18
1999.....	1,574	7	8	6	4	6	4	1	7	4	6	12
WHITE, MALE												
2000.....	617	5	4	1	3	3	2	3	-	4	6	7
1999.....	569	1	6	4	1	1	1	-	5	3	3	7
WHITE, FEMALE												
2000.....	1,045	2	5	1	4	5	2	4	4	3	5	11
1999.....	1,005	6	2	2	3	5	3	1	2	1	3	5
BLACK, BOTH SEXES												
2000.....	81	2	1	-	1	-	1	1	-	-	3	5
1999.....	66	4	1	-	-	1	-	1	-	3	2	1
BLACK, MALE												
2000.....	35	-	-	-	1	-	1	1	-	-	3	3
1999.....	24	3	1	-	-	-	-	-	-	1	1	1
BLACK, FEMALE												
2000.....	46	2	1	-	-	-	-	-	-	-	-	2
1999.....	42	1	-	-	-	1	-	1	-	2	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Influenza (J10-J11)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	4	-	-	1	-	-	-	-	-	-	-	-
1999.....	5	1	-	-	1	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	1	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	3	-	-	1	-	-	-	-	-	-	-	-
1999.....	3	-	-	-	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	18	-	-	-	-	-	-	-	1	1	-	1
1999.....	20	1	3	-	-	-	-	-	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	11	-	-	-	-	-	-	-	1	1	-	1
1999.....	7	1	2	-	-	-	-	-	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	7	-	-	-	-	-	-	-	-	-	-	-
1999.....	13	-	1	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
ALL RACES, BOTH SEXES												
2000.....	63,548	280	93	44	32	57	119	134	217	397	649	759
1999.....	62,065	307	118	40	42	66	102	133	197	454	593	785
ALL RACES, MALE												
2000.....	27,994	158	50	26	17	32	64	78	121	206	410	453
1999.....	27,116	165	57	23	25	33	55	76	116	246	337	492
ALL RACES, FEMALE												
2000.....	35,554	122	43	18	15	25	55	56	96	191	239	306
1999.....	34,949	142	61	17	17	33	47	57	81	208	256	293
WHITE, BOTH SEXES												
2000.....	56,252	165	60	34	27	40	86	91	159	298	451	543
1999.....	55,120	177	67	30	32	48	63	84	130	323	381	545
WHITE, MALE												
2000.....	24,385	93	26	21	14	24	50	48	87	157	288	318
1999.....	23,712	102	27	17	20	25	35	50	79	178	206	339
WHITE, FEMALE												
2000.....	31,867	72	34	13	13	16	36	43	72	141	163	225
1999.....	31,408	75	40	13	12	23	28	34	51	145	175	206
BLACK, BOTH SEXES												
2000.....	5,909	101	29	7	3	14	29	37	55	85	169	192
1999.....	5,810	111	42	8	7	13	35	46	60	118	189	222
BLACK, MALE												
2000.....	2,880	56	21	4	2	6	14	26	32	42	107	121
1999.....	2,801	55	24	5	3	6	17	25	33	61	115	141
BLACK, FEMALE												
2000.....	3,029	45	8	3	1	8	15	11	23	43	62	71
1999.....	3,009	56	18	3	4	7	18	21	27	57	74	81

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonia (J12-J18)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	285	6	-	1	1	1	1	4	1	11	17	8
1999.....	310	8	3	1	1	1	4	1	3	4	16	14
AMERICAN INDIAN 1/, MALE												
2000.....	148	2	-	-	-	1	-	2	1	6	12	5
1999.....	145	3	3	1	1	1	3	-	1	-	12	8
AMERICAN INDIAN 1/, FEMALE												
2000.....	137	4	-	1	1	-	1	2	-	5	5	3
1999.....	165	5	-	-	-	-	1	1	2	4	4	6
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1,102	8	4	2	1	2	3	2	2	3	12	16
1999.....	825	11	6	1	2	4	-	2	4	9	7	4
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	581	7	3	1	1	1	-	2	1	1	3	9
1999.....	458	5	3	-	1	1	-	1	3	7	4	4
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	521	1	1	1	-	1	3	-	1	2	9	7
1999.....	367	6	3	1	1	3	-	1	1	2	3	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute lower respiratory infections (J20-J22)												
ALL RACES, BOTH SEXES												
2000.....	425	43	11	3	4	4	1	5	3	3	9	8
1999.....	540	63	25	2	3	3	2	2	2	6	5	7
ALL RACES, MALE												
2000.....	160	25	4	2	1	4	-	5	1	1	6	2
1999.....	196	36	15	-	2	1	-	2	1	3	2	5
ALL RACES, FEMALE												
2000.....	265	18	7	1	3	-	1	-	2	2	3	6
1999.....	344	27	10	2	1	2	2	-	1	3	3	2
WHITE, BOTH SEXES												
2000.....	372	25	8	2	1	4	1	4	1	2	6	5
1999.....	462	36	15	1	3	2	2	1	2	6	3	6
WHITE, MALE												
2000.....	134	12	4	2	-	4	-	4	-	1	5	2
1999.....	156	19	8	-	2	1	-	1	1	3	1	5
WHITE, FEMALE												
2000.....	238	13	4	-	1	-	1	-	1	1	1	3
1999.....	306	17	7	1	1	1	2	-	1	3	2	1
BLACK, BOTH SEXES												
2000.....	46	14	3	-	3	-	-	1	1	1	3	3
1999.....	64	24	6	-	-	1	-	1	-	-	2	1
BLACK, MALE												
2000.....	22	10	-	-	1	-	-	1	1	-	1	-
1999.....	30	15	3	-	-	-	-	1	-	-	1	-
BLACK, FEMALE												
2000.....	24	4	3	-	2	-	-	-	-	1	2	3
1999.....	34	9	3	-	-	1	-	-	-	-	1	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute lower respiratory infections (J20-J22)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	2	1	-	-	-	-	-	-	-	-	-	-
1999.....	5	1	2	1	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	3	1	2	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	1	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	1	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	5	3	-	1	-	-	-	-	1	-	-	-
1999.....	9	2	2	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	3	3	-	-	-	-	-	-	-	-	-	-
1999.....	7	1	2	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	-	-	1	-	-	-	-	1	-	-	-
1999.....	2	1	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute bronchitis and bronchiolitis (J20-J21)												
ALL RACES, BOTH SEXES												
2000.....	290	42	11	2	4	3	1	3	3	2	8	8
1999.....	388	62	24	2	2	3	2	1	2	6	4	7
ALL RACES, MALE												
2000.....	119	24	4	1	1	3	-	3	1	1	5	2
1999.....	154	36	14	-	2	1	-	1	1	3	1	5
ALL RACES, FEMALE												
2000.....	171	18	7	1	3	-	1	-	2	1	3	6
1999.....	234	26	10	2	-	2	2	-	1	3	3	2
WHITE, BOTH SEXES												
2000.....	244	25	8	1	1	3	1	2	1	1	5	5
1999.....	320	35	15	1	2	2	2	1	2	6	2	6
WHITE, MALE												
2000.....	98	12	4	1	-	3	-	2	-	1	4	2
1999.....	119	19	8	-	2	1	-	1	1	3	-	5
WHITE, FEMALE												
2000.....	146	13	4	-	1	-	1	-	1	-	1	3
1999.....	201	16	7	1	-	1	2	-	1	3	2	1
BLACK, BOTH SEXES												
2000.....	40	13	3	-	3	-	-	1	1	1	3	3
1999.....	55	24	5	-	-	1	-	-	-	-	2	1
BLACK, MALE												
2000.....	18	9	-	-	1	-	-	1	1	-	1	-
1999.....	26	15	2	-	-	-	-	-	-	-	1	-
BLACK, FEMALE												
2000.....	22	4	3	-	2	-	-	-	-	1	2	3
1999.....	29	9	3	-	-	1	-	-	-	-	1	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute bronchitis and bronchiolitis (J20-J21)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	1	-	-	-	-	-	-	-	-	-	-
1999.....	5	1	2	1	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	3	1	2	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	1	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	1	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	5	3	-	1	-	-	-	-	1	-	-	-
1999.....	8	2	2	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	3	3	-	-	-	-	-	-	-	-	-	-
1999.....	6	1	2	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	-	-	1	-	-	-	-	1	-	-	-
1999.....	2	1	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified acute lower respiratory infection (J22)												
ALL RACES, BOTH SEXES												
2000.....	135	1	-	1	-	1	-	2	-	1	1	-
1999.....	152	1	1	-	1	-	-	1	-	-	1	-
ALL RACES, MALE												
2000.....	41	1	-	1	-	1	-	2	-	-	1	-
1999.....	42	-	1	-	-	-	-	1	-	-	1	-
ALL RACES, FEMALE												
2000.....	94	-	-	-	-	-	-	-	-	1	-	-
1999.....	110	1	-	-	1	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	128	-	-	1	-	1	-	2	-	1	1	-
1999.....	142	1	-	-	1	-	-	-	-	-	1	-
WHITE, MALE												
2000.....	36	-	-	1	-	1	-	2	-	-	1	-
1999.....	37	-	-	-	-	-	-	-	-	-	1	-
WHITE, FEMALE												
2000.....	92	-	-	-	-	-	-	-	-	1	-	-
1999.....	105	1	-	-	1	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	6	1	-	-	-	-	-	-	-	-	-	-
1999.....	9	-	1	-	-	-	-	1	-	-	-	-
BLACK, MALE												
2000.....	4	1	-	-	-	-	-	-	-	-	-	-
1999.....	4	-	1	-	-	-	-	1	-	-	-	-
BLACK, FEMALE												
2000.....	2	-	-	-	-	-	-	-	-	-	-	-
1999.....	5	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified acute lower respiratory infection (J22)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
ALL RACES, BOTH SEXES												
2000.....	122,009	36	51	48	91	86	104	125	171	310	620	1,174
1999.....	124,181	36	54	49	90	107	102	145	185	302	588	1,079
ALL RACES, MALE												
2000.....	60,004	23	28	26	54	58	62	72	93	145	292	617
1999.....	62,415	19	30	29	64	60	63	69	83	142	268	547
ALL RACES, FEMALE												
2000.....	62,005	13	23	22	37	28	42	53	78	165	328	557
1999.....	61,766	17	24	20	26	47	39	76	102	160	320	532
WHITE, BOTH SEXES												
2000.....	112,840	23	28	23	40	40	63	67	99	194	430	882
1999.....	114,735	16	31	29	42	68	57	73	103	200	408	801
WHITE, MALE												
2000.....	54,816	16	13	12	21	26	39	36	48	85	207	472
1999.....	57,000	10	14	15	30	36	32	32	46	90	181	410
WHITE, FEMALE												
2000.....	58,024	7	15	11	19	14	24	31	51	109	223	410
1999.....	57,735	6	17	14	12	32	25	41	57	110	227	391
BLACK, BOTH SEXES												
2000.....	7,607	11	21	24	46	44	37	51	65	104	171	259
1999.....	7,915	18	18	20	48	36	42	68	76	95	169	257
BLACK, MALE												
2000.....	4,238	6	14	14	29	31	20	31	41	52	78	125
1999.....	4,500	9	13	14	34	23	29	34	35	46	80	126
BLACK, FEMALE												
2000.....	3,369	5	7	10	17	13	17	20	24	52	93	134
1999.....	3,415	9	5	6	14	13	13	34	41	49	89	131

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic lower respiratory diseases (J40-J47)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	429	1	2	-	-	1	2	4	-	4	6	10
1999.....	406	1	-	-	-	-	1	-	2	2	7	8
AMERICAN INDIAN 1/, MALE												
2000.....	228	1	1	-	-	1	2	3	-	1	3	7
1999.....	197	-	-	-	-	-	-	-	1	2	3	5
AMERICAN INDIAN 1/, FEMALE												
2000.....	201	-	1	-	-	-	-	1	-	3	3	3
1999.....	209	1	-	-	-	-	1	-	1	-	4	3
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1,133	1	-	1	5	1	2	3	7	8	13	23
1999.....	1,125	1	5	-	-	3	2	4	4	5	4	13
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	722	-	-	-	4	-	1	2	4	7	4	13
1999.....	718	-	3	-	-	1	2	3	1	4	4	6
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	411	1	-	1	1	1	1	1	3	1	9	10
1999.....	407	1	2	-	-	2	-	1	3	1	-	7

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified (J40-J42)												
ALL RACES, BOTH SEXES												
2000.....	1,167	18	14	2	3	3	2	3	5	7	13	19
1999.....	1,172	20	19	3	1	3	4	3	8	10	8	14
ALL RACES, MALE												
2000.....	503	9	7	2	1	2	2	3	4	4	10	8
1999.....	498	9	11	2	1	2	2	-	3	3	2	9
ALL RACES, FEMALE												
2000.....	664	9	7	-	2	1	-	-	1	3	3	11
1999.....	674	11	8	1	-	1	2	3	5	7	6	5
WHITE, BOTH SEXES												
2000.....	1,073	9	7	2	2	2	2	3	3	7	7	17
1999.....	1,056	11	15	3	1	3	3	2	6	10	6	9
WHITE, MALE												
2000.....	458	5	3	2	-	1	2	3	2	4	4	8
1999.....	440	6	8	2	1	2	1	-	2	3	2	5
WHITE, FEMALE												
2000.....	615	4	4	-	2	1	-	-	1	3	3	9
1999.....	616	5	7	1	-	1	2	2	4	7	4	4
BLACK, BOTH SEXES												
2000.....	80	7	6	-	1	1	-	-	1	-	6	2
1999.....	89	7	1	-	-	-	1	1	2	-	2	4
BLACK, MALE												
2000.....	35	3	3	-	1	1	-	-	1	-	6	-
1999.....	44	3	1	-	-	-	1	-	1	-	-	3
BLACK, FEMALE												
2000.....	45	4	3	-	-	-	-	-	-	-	-	2
1999.....	45	4	-	-	-	-	-	1	1	-	2	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Bronchitis, chronic and unspecified (J40-J42)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	2	1	1	-	-	-	-	-	-	-	-	-
1999.....	7	1	-	-	-	-	-	-	-	-	-	1
AMERICAN INDIAN 1/, MALE												
2000.....	2	1	1	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	-	-	-	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	5	1	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	12	1	-	-	-	-	-	-	1	-	-	-
1999.....	20	1	3	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	8	-	-	-	-	-	-	-	1	-	-	-
1999.....	12	-	2	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	4	1	-	-	-	-	-	-	-	-	-	-
1999.....	8	1	1	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Emphysema (J43)												
ALL RACES, BOTH SEXES												
2000.....	16,700	3	2	-	-	1	4	6	5	23	59	162
1999.....	17,787	1	-	1	-	-	1	1	8	19	78	136
ALL RACES, MALE												
2000.....	8,671	3	-	-	-	1	4	1	4	15	31	101
1999.....	9,480	-	-	-	-	-	1	-	6	9	40	85
ALL RACES, FEMALE												
2000.....	8,029	-	2	-	-	-	-	5	1	8	28	61
1999.....	8,307	1	-	1	-	-	-	1	2	10	38	51
WHITE, BOTH SEXES												
2000.....	15,607	3	-	-	-	-	2	6	4	18	45	121
1999.....	16,674	-	-	1	-	-	-	1	6	15	55	104
WHITE, MALE												
2000.....	7,985	3	-	-	-	-	2	1	3	11	23	72
1999.....	8,754	-	-	-	-	-	-	-	4	5	30	64
WHITE, FEMALE												
2000.....	7,622	-	-	-	-	-	-	5	1	7	22	49
1999.....	7,920	-	-	1	-	-	-	1	2	10	25	40
BLACK, BOTH SEXES												
2000.....	901	-	1	-	-	1	2	-	1	4	13	38
1999.....	930	1	-	-	-	-	-	-	-	3	22	32
BLACK, MALE												
2000.....	559	-	-	-	-	1	2	-	1	3	8	26
1999.....	598	-	-	-	-	-	-	-	-	3	10	21
BLACK, FEMALE												
2000.....	342	-	1	-	-	-	-	-	-	1	5	12
1999.....	332	1	-	-	-	-	-	-	-	-	12	11

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Emphysema (J43)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	59	-	1	-	-	-	-	-	-	1	-	1
1999.....	45	-	-	-	-	-	-	-	1	1	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	29	-	-	-	-	-	-	-	-	1	-	1
1999.....	23	-	-	-	-	-	-	-	1	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	30	-	1	-	-	-	-	-	-	-	-	-
1999.....	22	-	-	-	-	-	-	-	-	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	133	-	-	-	-	-	-	-	-	-	1	2
1999.....	138	-	-	-	-	-	1	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	98	-	-	-	-	-	-	-	-	-	-	2
1999.....	105	-	-	-	-	-	1	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	35	-	-	-	-	-	-	-	-	-	1	-
1999.....	33	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
ALL RACES, BOTH SEXES												
2000.....	4,487	8	32	43	86	78	89	105	144	183	275	318
1999.....	4,657	5	27	40	86	95	87	121	141	206	241	312
ALL RACES, MALE												
2000.....	1,632	6	20	22	52	52	50	64	78	81	115	128
1999.....	1,620	3	16	25	60	53	55	64	64	94	90	96
ALL RACES, FEMALE												
2000.....	2,855	2	12	21	34	26	39	41	66	102	160	190
1999.....	3,037	2	11	15	26	42	32	57	77	112	151	216
WHITE, BOTH SEXES												
2000.....	3,144	5	18	18	36	36	53	49	83	95	161	178
1999.....	3,328	1	11	20	39	59	47	55	72	123	143	191
WHITE, MALE												
2000.....	1,057	3	9	8	20	24	31	29	41	37	68	79
1999.....	1,046	1	5	11	27	32	28	28	30	53	46	55
WHITE, FEMALE												
2000.....	2,087	2	9	10	16	12	22	20	42	58	93	99
1999.....	2,282	-	6	9	12	27	19	27	42	70	97	136
BLACK, BOTH SEXES												
2000.....	1,158	3	14	24	45	40	34	49	55	79	100	128
1999.....	1,145	4	14	20	47	33	38	63	67	77	91	111
BLACK, MALE												
2000.....	481	3	11	14	28	27	17	30	34	38	41	44
1999.....	481	2	10	14	33	20	26	34	34	36	38	38
BLACK, FEMALE												
2000.....	677	-	3	10	17	13	17	19	21	41	59	84
1999.....	664	2	4	6	14	13	12	29	33	41	53	73

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Asthma (J45-J46)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	31	-	-	-	-	1	1	4	-	2	5	1
1999.....	29	-	-	-	-	-	1	-	1	1	3	2
AMERICAN INDIAN 1/, MALE												
2000.....	14	-	-	-	-	1	1	3	-	-	2	-
1999.....	12	-	-	-	-	-	-	-	-	1	2	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	17	-	-	-	-	-	-	1	-	2	3	1
1999.....	17	-	-	-	-	-	1	-	1	-	1	2
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	154	-	-	1	5	1	1	3	6	7	9	11
1999.....	155	-	2	-	-	3	1	3	1	5	4	8
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	80	-	-	-	4	-	1	2	3	6	4	5
1999.....	81	-	1	-	-	1	1	2	-	4	4	3
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	74	-	-	1	1	1	-	1	3	1	5	6
1999.....	74	-	1	-	-	2	-	1	1	1	-	5

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic lower respiratory diseases (J44,J47)												
ALL RACES, BOTH SEXES												
2000.....	99,655	7	3	3	2	4	9	11	17	97	273	675
1999.....	100,565	10	8	5	3	9	10	20	28	67	261	617
ALL RACES, MALE												
2000.....	49,198	5	1	2	1	3	6	4	7	45	136	380
1999.....	50,817	7	3	2	3	5	5	5	10	36	136	357
ALL RACES, FEMALE												
2000.....	50,457	2	2	1	1	1	3	7	10	52	137	295
1999.....	49,748	3	5	3	-	4	5	15	18	31	125	260
WHITE, BOTH SEXES												
2000.....	93,016	6	3	3	2	2	6	9	9	74	217	566
1999.....	93,677	4	5	5	2	6	7	15	19	52	204	497
WHITE, MALE												
2000.....	45,316	5	1	2	1	1	4	3	2	33	112	313
1999.....	46,760	3	1	2	2	2	3	4	10	29	103	286
WHITE, FEMALE												
2000.....	47,700	1	2	1	1	1	2	6	7	41	105	253
1999.....	46,917	1	4	3	-	4	4	11	9	23	101	211
BLACK, BOTH SEXES												
2000.....	5,468	1	-	-	-	2	1	2	8	21	52	91
1999.....	5,751	6	3	-	1	3	3	4	7	15	54	110
BLACK, MALE												
2000.....	3,163	-	-	-	-	2	1	1	5	11	23	55
1999.....	3,377	4	2	-	1	3	2	-	-	7	32	64
BLACK, FEMALE												
2000.....	2,305	1	-	-	-	-	-	1	3	10	29	36
1999.....	2,374	2	1	-	-	-	1	4	7	8	22	46

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic lower respiratory diseases (J44,J47)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	337	-	-	-	-	-	1	-	-	1	1	8
1999.....	325	-	-	-	-	-	-	-	-	-	3	5
AMERICAN INDIAN 1/, MALE												
2000.....	183	-	-	-	-	-	1	-	-	-	1	6
1999.....	160	-	-	-	-	-	-	-	-	-	1	4
AMERICAN INDIAN 1/, FEMALE												
2000.....	154	-	-	-	-	-	-	-	-	1	-	2
1999.....	165	-	-	-	-	-	-	-	-	-	2	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	834	-	-	-	-	-	1	-	-	1	3	10
1999.....	812	-	-	-	-	-	-	1	2	-	-	5
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	536	-	-	-	-	-	-	-	-	1	-	6
1999.....	520	-	-	-	-	-	-	1	-	-	-	3
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	298	-	-	-	-	-	1	-	-	-	3	4
1999.....	292	-	-	-	-	-	-	-	2	-	-	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumoconioses and chemical effects (J60-J66,J68)												
ALL RACES, BOTH SEXES												
2000.....	1,161	-	-	-	-	-	-	1	2	2	5	5
1999.....	1,113	-	3	-	-	1	-	-	-	3	4	3
ALL RACES, MALE												
2000.....	1,113	-	-	-	-	-	-	1	2	1	5	5
1999.....	1,079	-	3	-	-	1	-	-	-	2	3	3
ALL RACES, FEMALE												
2000.....	48	-	-	-	-	-	-	-	-	1	-	-
1999.....	34	-	-	-	-	-	-	-	-	1	1	-
WHITE, BOTH SEXES												
2000.....	1,099	-	-	-	-	-	-	1	2	1	3	5
1999.....	1,037	-	-	-	-	-	-	-	-	1	3	3
WHITE, MALE												
2000.....	1,053	-	-	-	-	-	-	1	2	-	3	5
1999.....	1,006	-	-	-	-	-	-	-	-	1	2	3
WHITE, FEMALE												
2000.....	46	-	-	-	-	-	-	-	-	1	-	-
1999.....	31	-	-	-	-	-	-	-	-	-	1	-
BLACK, BOTH SEXES												
2000.....	55	-	-	-	-	-	-	-	-	1	2	-
1999.....	67	-	3	-	-	1	-	-	-	2	1	-
BLACK, MALE												
2000.....	53	-	-	-	-	-	-	-	-	1	2	-
1999.....	64	-	3	-	-	1	-	-	-	1	1	-
BLACK, FEMALE												
2000.....	2	-	-	-	-	-	-	-	-	-	-	-
1999.....	3	-	-	-	-	-	-	-	-	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumoconioses and chemical effects (J60-J66,J68)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	7	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	7	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	6	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	6	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
ALL RACES, BOTH SEXES												
2000.....	16,636	10	11	8	5	12	25	22	40	65	116	157
1999.....	15,268	16	12	4	12	9	23	33	45	59	107	129
ALL RACES, MALE												
2000.....	8,390	4	5	5	4	8	15	11	24	45	70	99
1999.....	7,755	9	3	-	6	7	15	21	26	35	62	83
ALL RACES, FEMALE												
2000.....	8,246	6	6	3	1	4	10	11	16	20	46	58
1999.....	7,513	7	9	4	6	2	8	12	19	24	45	46
WHITE, BOTH SEXES												
2000.....	14,869	8	9	8	4	10	17	16	30	43	99	115
1999.....	13,582	13	8	4	8	8	14	23	34	43	78	98
WHITE, MALE												
2000.....	7,488	4	4	5	3	7	11	7	15	32	61	72
1999.....	6,853	7	2	-	5	6	8	13	20	26	45	66
WHITE, FEMALE												
2000.....	7,381	4	5	3	1	3	6	9	15	11	38	43
1999.....	6,729	6	6	4	3	2	6	10	14	17	33	32
BLACK, BOTH SEXES												
2000.....	1,521	1	2	-	1	2	7	6	9	21	17	39
1999.....	1,505	2	4	-	3	1	9	9	9	14	27	28
BLACK, MALE												
2000.....	765	-	1	-	1	1	3	4	8	12	9	26
1999.....	775	1	1	-	1	1	7	7	5	8	15	15
BLACK, FEMALE												
2000.....	756	1	1	-	-	1	4	2	1	9	8	13
1999.....	730	1	3	-	2	-	2	2	4	6	12	13

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pneumonitis due to solids and liquids (J69)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	49	-	-	-	-	-	-	-	1	-	-	2
1999.....	46	-	-	-	-	-	-	1	2	1	1	1
AMERICAN INDIAN 1/, MALE												
2000.....	27	-	-	-	-	-	-	-	1	-	-	-
1999.....	28	-	-	-	-	-	-	1	1	-	1	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	22	-	-	-	-	-	-	-	-	-	-	2
1999.....	18	-	-	-	-	-	-	-	1	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	197	1	-	-	-	-	1	-	-	1	-	1
1999.....	135	1	-	-	1	-	-	-	-	1	1	2
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	110	-	-	-	-	-	1	-	-	1	-	1
1999.....	99	1	-	-	-	-	-	-	-	1	1	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	87	1	-	-	-	-	-	-	-	-	-	-
1999.....	36	-	-	-	1	-	-	-	-	-	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)												
ALL RACES, BOTH SEXES												
2000.....	25,535	273	87	36	38	60	71	99	154	231	384	527
1999.....	25,031	252	91	37	39	59	56	97	160	228	348	525
ALL RACES, MALE												
2000.....	12,391	154	45	21	17	30	43	48	79	132	203	281
1999.....	12,110	145	55	20	19	37	32	45	82	125	192	269
ALL RACES, FEMALE												
2000.....	13,144	119	42	15	21	30	28	51	75	99	181	246
1999.....	12,921	107	36	17	20	22	24	52	78	103	156	256
WHITE, BOTH SEXES												
2000.....	22,664	166	63	24	29	39	47	72	110	152	291	374
1999.....	22,161	147	62	25	30	47	43	65	113	155	240	374
WHITE, MALE												
2000.....	10,979	100	30	14	14	17	29	35	58	87	154	199
1999.....	10,764	85	34	13	16	31	27	39	59	88	140	193
WHITE, FEMALE												
2000.....	11,685	66	33	10	15	22	18	37	52	65	137	175
1999.....	11,397	62	28	12	14	16	16	26	54	67	100	181
BLACK, BOTH SEXES												
2000.....	2,361	103	21	10	8	18	22	22	37	70	83	142
1999.....	2,356	93	26	10	9	10	11	29	45	68	95	133
BLACK, MALE												
2000.....	1,135	51	14	7	3	11	12	12	18	41	44	79
1999.....	1,092	54	19	6	3	5	4	5	22	34	43	70
BLACK, FEMALE												
2000.....	1,226	52	7	3	5	7	10	10	19	29	39	63
1999.....	1,264	39	7	4	6	5	7	24	23	34	52	63

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	157	1	2	-	1	1	-	3	4	4	4	6
1999.....	148	3	1	-	-	1	-	3	-	-	5	7
AMERICAN INDIAN 1/, MALE												
2000.....	73	-	1	-	-	1	-	-	2	3	2	1
1999.....	71	3	1	-	-	1	-	1	-	-	2	3
AMERICAN INDIAN 1/, FEMALE												
2000.....	84	1	1	-	1	-	-	3	2	1	2	5
1999.....	77	-	-	-	-	-	-	2	-	-	3	4
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	353	3	1	2	-	2	2	2	3	5	6	5
1999.....	366	9	2	2	-	1	2	-	2	5	8	11
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	204	3	-	-	-	1	2	1	1	1	3	2
1999.....	183	3	1	1	-	-	1	-	1	3	7	3
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	149	-	1	2	-	1	-	1	2	4	3	3
1999.....	183	6	1	1	-	1	1	-	1	2	1	8

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer (K25-K28)												
ALL RACES, BOTH SEXES												
2000.....	4,558	-	-	-	-	4	5	3	11	42	71	130
1999.....	4,604	2	2	-	-	1	1	7	14	38	85	113
ALL RACES, MALE												
2000.....	2,201	-	-	-	-	3	4	1	5	31	48	86
1999.....	2,189	-	-	-	-	1	1	5	7	27	49	67
ALL RACES, FEMALE												
2000.....	2,357	-	-	-	-	1	1	2	6	11	23	44
1999.....	2,415	2	2	-	-	-	-	2	7	11	36	46
WHITE, BOTH SEXES												
2000.....	4,021	-	-	-	-	4	5	3	6	31	50	95
1999.....	4,040	1	2	-	-	1	1	6	9	21	56	80
WHITE, MALE												
2000.....	1,900	-	-	-	-	3	4	1	3	22	34	68
1999.....	1,887	-	-	-	-	1	1	5	3	16	28	45
WHITE, FEMALE												
2000.....	2,121	-	-	-	-	1	1	2	3	9	16	27
1999.....	2,153	1	2	-	-	-	-	1	6	5	28	35
BLACK, BOTH SEXES												
2000.....	425	-	-	-	-	-	-	-	4	10	19	32
1999.....	448	1	-	-	-	-	-	-	4	16	28	28
BLACK, MALE												
2000.....	229	-	-	-	-	-	-	-	2	8	13	17
1999.....	243	-	-	-	-	-	-	-	3	11	20	20
BLACK, FEMALE												
2000.....	196	-	-	-	-	-	-	-	2	2	6	15
1999.....	205	1	-	-	-	-	-	-	1	5	8	8

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Peptic ulcer (K25-K28)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	19	-	-	-	-	-	-	-	-	1	-	2
1999.....	10	-	-	-	-	-	-	-	-	1	1	1
AMERICAN INDIAN 1/, MALE												
2000.....	11	-	-	-	-	-	-	-	-	1	-	-
1999.....	5	-	-	-	-	-	-	-	-	-	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	8	-	-	-	-	-	-	-	-	-	-	2
1999.....	5	-	-	-	-	-	-	-	-	1	-	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	93	-	-	-	-	-	-	-	1	-	2	1
1999.....	106	-	-	-	-	-	-	1	1	-	-	4
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	61	-	-	-	-	-	-	-	-	-	1	1
1999.....	54	-	-	-	-	-	-	-	1	-	-	2
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	32	-	-	-	-	-	-	-	1	-	1	-
1999.....	52	-	-	-	-	-	-	1	-	-	-	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of appendix (K35-K38)												
ALL RACES, BOTH SEXES												
2000.....	435	3	5	4	11	5	6	3	8	11	16	18
1999.....	390	3	2	12	14	2	3	3	3	13	11	25
ALL RACES, MALE												
2000.....	237	2	2	1	3	2	5	3	7	5	11	12
1999.....	236	1	2	6	9	2	3	3	2	10	7	18
ALL RACES, FEMALE												
2000.....	198	1	3	3	8	3	1	-	1	6	5	6
1999.....	154	2	-	6	5	-	-	-	1	3	4	7
WHITE, BOTH SEXES												
2000.....	348	3	4	3	10	5	3	1	3	7	11	10
1999.....	314	3	-	8	10	1	2	3	1	10	9	16
WHITE, MALE												
2000.....	183	2	2	1	3	2	3	1	3	3	6	7
1999.....	184	1	-	4	6	1	2	3	-	8	5	11
WHITE, FEMALE												
2000.....	165	1	2	2	7	3	-	-	-	4	5	3
1999.....	130	2	-	4	4	-	-	-	1	2	4	5
BLACK, BOTH SEXES												
2000.....	77	-	-	1	1	-	2	2	5	4	5	8
1999.....	68	-	2	4	3	-	1	-	2	3	2	8
BLACK, MALE												
2000.....	48	-	-	-	-	-	1	2	4	2	5	5
1999.....	48	-	2	2	2	-	1	-	2	2	2	7
BLACK, FEMALE												
2000.....	29	-	-	1	1	-	1	-	1	2	-	3
1999.....	20	-	-	2	1	-	-	-	-	1	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of appendix (K35-K38)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	2	-	1	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	1	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	1	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	-	1	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	8	-	-	-	-	-	1	-	-	-	-	-
1999.....	6	-	-	-	1	-	-	-	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	6	-	-	-	-	-	1	-	-	-	-	-
1999.....	2	-	-	-	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	-	-	-	-	-	-	-	-	-	-	-
1999.....	4	-	-	-	-	-	-	-	-	-	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
ALL RACES, BOTH SEXES												
2000.....	1,522	46	4	1	2	2	3	2	3	13	18	26
1999.....	1,464	44	3	1	1	1	2	6	10	15	24	16
ALL RACES, MALE												
2000.....	586	28	3	1	2	1	2	-	1	8	5	13
1999.....	597	26	2	1	-	1	2	5	3	10	13	12
ALL RACES, FEMALE												
2000.....	936	18	1	-	-	1	1	2	2	5	13	13
1999.....	867	18	1	-	1	-	-	1	7	5	11	4
WHITE, BOTH SEXES												
2000.....	1,354	36	2	1	2	2	1	2	2	9	13	20
1999.....	1,298	34	3	1	1	1	1	4	6	14	16	11
WHITE, MALE												
2000.....	520	23	2	1	2	1	-	-	1	6	4	9
1999.....	535	20	2	1	-	1	1	3	2	9	11	9
WHITE, FEMALE												
2000.....	834	13	-	-	-	1	1	2	1	3	9	11
1999.....	763	14	1	-	1	-	-	1	4	5	5	2
BLACK, BOTH SEXES												
2000.....	145	7	2	-	-	-	2	-	1	3	5	5
1999.....	140	9	-	-	-	-	1	-	4	1	8	5
BLACK, MALE												
2000.....	54	3	1	-	-	-	2	-	-	1	1	4
1999.....	53	6	-	-	-	-	1	-	1	1	2	3
BLACK, FEMALE												
2000.....	91	4	1	-	-	-	-	-	1	2	4	1
1999.....	87	3	-	-	-	-	-	-	3	-	6	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hernia (K40-K46)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	11	2	-	-	-	-	-	-	-	1	-	-
1999.....	8	1	-	-	-	-	-	1	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	5	1	-	-	-	-	-	-	-	1	-	-
1999.....	2	-	-	-	-	-	-	1	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	6	1	-	-	-	-	-	-	-	-	-	-
1999.....	6	1	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	12	1	-	-	-	-	-	-	-	-	-	1
1999.....	18	-	-	-	-	-	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	7	1	-	-	-	-	-	-	-	-	-	-
1999.....	7	-	-	-	-	-	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	5	-	-	-	-	-	-	-	-	-	-	1
1999.....	11	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic liver disease and cirrhosis (K70,K73-K74)												
ALL RACES, BOTH SEXES												
2000.....	26,552	3	3	-	3	7	29	88	327	1,083	2,288	3,374
1999.....	26,259	5	2	1	1	9	17	70	337	1,103	2,199	3,228
ALL RACES, MALE												
2000.....	17,214	3	1	-	2	3	16	63	217	716	1,598	2,515
1999.....	17,115	4	-	1	-	3	8	41	216	716	1,598	2,446
ALL RACES, FEMALE												
2000.....	9,338	-	2	-	1	4	13	25	110	367	690	859
1999.....	9,144	1	2	-	1	6	9	29	121	387	601	782
WHITE, BOTH SEXES												
2000.....	22,982	-	3	-	2	2	19	57	255	872	1,873	2,817
1999.....	22,620	4	-	-	1	7	8	52	271	905	1,771	2,596
WHITE, MALE												
2000.....	15,002	-	1	-	1	1	10	46	178	588	1,333	2,160
1999.....	14,790	4	-	-	-	3	5	35	178	600	1,306	2,002
WHITE, FEMALE												
2000.....	7,980	-	2	-	1	1	9	11	77	284	540	657
1999.....	7,830	-	-	-	1	4	3	17	93	305	465	594
BLACK, BOTH SEXES												
2000.....	2,737	2	-	-	1	4	8	21	36	144	307	453
1999.....	2,833	-	2	1	-	2	8	16	39	129	328	516
BLACK, MALE												
2000.....	1,730	2	-	-	1	1	5	12	15	92	192	289
1999.....	1,842	-	-	1	-	-	3	5	23	75	221	366
BLACK, FEMALE												
2000.....	1,007	-	-	-	-	3	3	9	21	52	115	164
1999.....	991	-	2	-	-	2	5	11	16	54	107	150

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic liver disease and cirrhosis (K70,K73-K74)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	534	-	-	-	-	1	1	10	29	56	81	72
1999.....	513	-	-	-	-	-	1	2	19	57	78	88
AMERICAN INDIAN 1/, MALE												
2000.....	298	-	-	-	-	1	-	5	18	27	51	42
1999.....	299	-	-	-	-	-	-	1	9	32	52	54
AMERICAN INDIAN 1/, FEMALE												
2000.....	236	-	-	-	-	-	1	5	11	29	30	30
1999.....	214	-	-	-	-	-	1	1	10	25	26	34
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	299	1	-	-	-	-	1	-	7	11	27	32
1999.....	293	1	-	-	-	-	-	-	8	12	22	28
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	184	1	-	-	-	-	1	-	6	9	22	24
1999.....	184	-	-	-	-	-	-	-	6	9	19	24
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	115	-	-	-	-	-	-	-	1	2	5	8
1999.....	109	1	-	-	-	-	-	-	2	3	3	4

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
ALL RACES, BOTH SEXES												
2000.....	12,109	-	-	-	-	-	8	56	223	741	1,485	2,000
1999.....	11,958	-	-	-	-	-	8	37	222	763	1,423	1,965
ALL RACES, MALE												
2000.....	8,985	-	-	-	-	-	5	45	157	486	1,047	1,510
1999.....	8,922	-	-	-	-	-	6	24	141	491	1,029	1,501
ALL RACES, FEMALE												
2000.....	3,124	-	-	-	-	-	3	11	66	255	438	490
1999.....	3,036	-	-	-	-	-	2	13	81	272	394	464
WHITE, BOTH SEXES												
2000.....	10,272	-	-	-	-	-	6	42	176	596	1,214	1,670
1999.....	10,041	-	-	-	-	-	5	31	174	623	1,141	1,605
WHITE, MALE												
2000.....	7,770	-	-	-	-	-	4	36	132	397	867	1,301
1999.....	7,602	-	-	-	-	-	4	21	115	409	840	1,252
WHITE, FEMALE												
2000.....	2,502	-	-	-	-	-	2	6	44	199	347	369
1999.....	2,439	-	-	-	-	-	1	10	59	214	301	353
BLACK, BOTH SEXES												
2000.....	1,380	-	-	-	-	-	-	7	27	94	193	259
1999.....	1,466	-	-	-	-	-	2	4	25	84	199	292
BLACK, MALE												
2000.....	918	-	-	-	-	-	-	5	12	61	126	164
1999.....	1,018	-	-	-	-	-	2	2	13	49	130	204
BLACK, FEMALE												
2000.....	462	-	-	-	-	-	-	2	15	33	67	95
1999.....	448	-	-	-	-	-	-	2	12	35	69	88

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Alcoholic liver disease (K70)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	339	-	-	-	-	-	1	7	18	42	57	52
1999.....	356	-	-	-	-	-	1	2	17	48	70	54
AMERICAN INDIAN 1/, MALE												
2000.....	205	-	-	-	-	-	-	4	11	20	36	30
1999.....	224	-	-	-	-	-	-	1	8	26	47	33
AMERICAN INDIAN 1/, FEMALE												
2000.....	134	-	-	-	-	-	1	3	7	22	21	22
1999.....	132	-	-	-	-	-	1	1	9	22	23	21
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	118	-	-	-	-	-	1	-	2	9	21	19
1999.....	95	-	-	-	-	-	-	-	6	8	13	14
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	92	-	-	-	-	-	1	-	2	8	18	15
1999.....	78	-	-	-	-	-	-	-	5	7	12	12
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	26	-	-	-	-	-	-	-	-	1	3	4
1999.....	17	-	-	-	-	-	-	-	1	1	1	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic liver disease and cirrhosis (K73-K74)												
ALL RACES, BOTH SEXES												
2000.....	14,443	3	3	-	3	7	21	32	104	342	803	1,374
1999.....	14,301	5	2	1	1	9	9	33	115	340	776	1,263
ALL RACES, MALE												
2000.....	8,229	3	1	-	2	3	11	18	60	230	551	1,005
1999.....	8,193	4	-	1	-	3	2	17	75	225	569	945
ALL RACES, FEMALE												
2000.....	6,214	-	2	-	1	4	10	14	44	112	252	369
1999.....	6,108	1	2	-	1	6	7	16	40	115	207	318
WHITE, BOTH SEXES												
2000.....	12,710	-	3	-	2	2	13	15	79	276	659	1,147
1999.....	12,579	4	-	-	1	7	3	21	97	282	630	991
WHITE, MALE												
2000.....	7,232	-	1	-	1	1	6	10	46	191	466	859
1999.....	7,188	4	-	-	-	3	1	14	63	191	466	750
WHITE, FEMALE												
2000.....	5,478	-	2	-	1	1	7	5	33	85	193	288
1999.....	5,391	-	-	-	1	4	2	7	34	91	164	241
BLACK, BOTH SEXES												
2000.....	1,357	2	-	-	1	4	8	14	9	50	114	194
1999.....	1,367	-	2	1	-	2	6	12	14	45	129	224
BLACK, MALE												
2000.....	812	2	-	-	1	1	5	7	3	31	66	125
1999.....	824	-	-	1	-	-	1	3	10	26	91	162
BLACK, FEMALE												
2000.....	545	-	-	-	-	3	3	7	6	19	48	69
1999.....	543	-	2	-	-	2	5	9	4	19	38	62

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other chronic liver disease and cirrhosis (K73-K74)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	195	-	-	-	-	1	-	3	11	14	24	20
1999.....	157	-	-	-	-	-	-	-	2	9	8	34
AMERICAN INDIAN 1/, MALE												
2000.....	93	-	-	-	-	1	-	1	7	7	15	12
1999.....	75	-	-	-	-	-	-	-	1	6	5	21
AMERICAN INDIAN 1/, FEMALE												
2000.....	102	-	-	-	-	-	-	2	4	7	9	8
1999.....	82	-	-	-	-	-	-	-	1	3	3	13
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	181	1	-	-	-	-	-	-	5	2	6	13
1999.....	198	1	-	-	-	-	-	-	2	4	9	14
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	92	1	-	-	-	-	-	-	4	1	4	9
1999.....	106	-	-	-	-	-	-	-	1	2	7	12
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	89	-	-	-	-	-	-	-	1	1	2	4
1999.....	92	1	-	-	-	-	-	-	1	2	2	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
ALL RACES, BOTH SEXES												
2000.....	2,810	-	-	1	1	2	7	6	13	22	31	43
1999.....	2,830	2	-	-	1	4	6	5	11	25	34	55
ALL RACES, MALE												
2000.....	1,244	-	-	-	1	1	3	2	5	12	15	23
1999.....	1,248	1	-	-	1	2	3	-	4	14	16	28
ALL RACES, FEMALE												
2000.....	1,566	-	-	1	-	1	4	4	8	10	16	20
1999.....	1,582	1	-	-	-	2	3	5	7	11	18	27
WHITE, BOTH SEXES												
2000.....	2,457	-	-	-	1	1	6	3	7	17	21	26
1999.....	2,487	-	-	-	1	3	3	4	9	17	20	43
WHITE, MALE												
2000.....	1,111	-	-	-	1	1	2	2	3	10	12	16
1999.....	1,101	-	-	-	1	1	3	-	2	10	10	21
WHITE, FEMALE												
2000.....	1,346	-	-	-	-	-	4	1	4	7	9	10
1999.....	1,386	-	-	-	-	2	-	4	7	7	10	22
BLACK, BOTH SEXES												
2000.....	280	-	-	1	-	1	1	3	5	4	10	14
1999.....	257	2	-	-	-	1	3	1	2	7	13	8
BLACK, MALE												
2000.....	96	-	-	-	-	-	1	-	2	1	3	5
1999.....	102	1	-	-	-	1	-	-	2	3	6	5
BLACK, FEMALE												
2000.....	184	-	-	1	-	1	-	3	3	3	7	9
1999.....	155	1	-	-	-	-	3	1	-	4	7	3

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	20	-	-	-	-	-	-	-	1	-	-	1
1999.....	24	-	-	-	-	-	-	-	-	1	1	1
AMERICAN INDIAN 1/, MALE												
2000.....	7	-	-	-	-	-	-	-	-	-	-	1
1999.....	11	-	-	-	-	-	-	-	-	1	-	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	13	-	-	-	-	-	-	-	1	-	-	-
1999.....	13	-	-	-	-	-	-	-	-	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	53	-	-	-	-	-	-	-	-	1	-	2
1999.....	62	-	-	-	-	-	-	-	-	-	-	3
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	30	-	-	-	-	-	-	-	-	1	-	1
1999.....	34	-	-	-	-	-	-	-	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	23	-	-	-	-	-	-	-	-	-	-	1
1999.....	28	-	-	-	-	-	-	-	-	-	-	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)												
ALL RACES, BOTH SEXES												
2000.....	37,251	162	14	11	14	32	56	80	164	278	462	687
1999.....	35,525	166	15	13	18	24	48	97	155	268	439	608
ALL RACES, MALE												
2000.....	17,811	103	7	7	10	18	25	44	85	152	277	433
1999.....	17,016	90	9	8	10	11	22	43	82	152	250	365
ALL RACES, FEMALE												
2000.....	19,440	59	7	4	4	14	31	36	79	126	185	254
1999.....	18,509	76	6	5	8	13	26	54	73	116	189	243
WHITE, BOTH SEXES												
2000.....	29,598	87	8	8	12	20	43	48	88	144	268	376
1999.....	28,041	102	13	11	11	16	26	52	85	146	235	320
WHITE, MALE												
2000.....	14,385	58	5	6	8	11	22	28	45	80	163	237
1999.....	13,632	62	7	7	8	9	10	24	46	83	135	192
WHITE, FEMALE												
2000.....	15,213	29	3	2	4	9	21	20	43	64	105	139
1999.....	14,409	40	6	4	3	7	16	28	39	63	100	128
BLACK, BOTH SEXES												
2000.....	6,911	71	5	3	1	12	12	29	71	130	176	300
1999.....	6,711	58	1	2	6	8	22	40	63	118	192	270
BLACK, MALE												
2000.....	3,074	42	2	1	1	7	3	13	37	71	104	191
1999.....	3,008	25	1	1	2	2	12	17	30	67	106	164
BLACK, FEMALE												
2000.....	3,837	29	3	2	-	5	9	16	34	59	72	109
1999.....	3,703	33	-	1	4	6	10	23	33	51	86	106

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	215	1	-	-	-	-	-	2	1	1	11	5
1999.....	194	-	-	-	-	-	-	-	4	-	7	11
AMERICAN INDIAN 1/, MALE												
2000.....	98	-	-	-	-	-	-	2	-	-	7	2
1999.....	79	-	-	-	-	-	-	-	4	-	6	5
AMERICAN INDIAN 1/, FEMALE												
2000.....	117	1	-	-	-	-	-	-	1	1	4	3
1999.....	115	-	-	-	-	-	-	-	-	-	1	6
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	527	3	1	-	1	-	1	1	4	3	7	6
1999.....	579	6	1	-	1	-	-	5	3	4	5	7
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	254	3	-	-	1	-	-	1	3	1	3	3
1999.....	297	3	1	-	-	-	-	2	2	2	3	4
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	273	-	1	-	-	-	1	-	1	2	4	3
1999.....	282	3	-	-	1	-	-	3	1	2	2	3

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)												
ALL RACES, BOTH SEXES												
2000.....	177	8	3	1	1	-	1	-	4	1	2	5
1999.....	182	3	2	3	2	-	2	3	2	2	3	6
ALL RACES, MALE												
2000.....	91	3	2	1	1	-	1	-	3	-	1	2
1999.....	90	3	2	1	1	-	2	2	2	-	2	3
ALL RACES, FEMALE												
2000.....	86	5	1	-	-	-	-	-	1	1	1	3
1999.....	92	-	-	2	1	-	-	1	-	2	1	3
WHITE, BOTH SEXES												
2000.....	141	6	1	1	-	-	1	-	3	-	1	2
1999.....	144	3	2	3	1	-	1	1	1	2	1	4
WHITE, MALE												
2000.....	72	3	1	1	-	-	1	-	2	-	1	2
1999.....	67	3	2	1	1	-	1	-	1	-	1	2
WHITE, FEMALE												
2000.....	69	3	-	-	-	-	-	-	1	-	-	-
1999.....	77	-	-	2	-	-	-	1	-	2	-	2
BLACK, BOTH SEXES												
2000.....	30	2	2	-	-	-	-	-	1	1	1	3
1999.....	28	-	-	-	1	-	1	2	-	-	2	2
BLACK, MALE												
2000.....	13	-	1	-	-	-	-	-	1	-	-	-
1999.....	16	-	-	-	-	-	1	2	-	-	1	1
BLACK, FEMALE												
2000.....	17	2	1	-	-	-	-	-	-	1	1	3
1999.....	12	-	-	-	1	-	-	-	-	-	1	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	3	-	-	-	-	-	-	-	1	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	1	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	5	-	-	-	1	-	-	-	-	-	-	-
1999.....	7	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	5	-	-	-	1	-	-	-	-	-	-	-
1999.....	5	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	2	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26)												
ALL RACES, BOTH SEXES												
2000.....	556	1	-	1	3	2	7	8	9	14	20	18
1999.....	589	-	1	1	-	3	4	10	5	15	13	16
ALL RACES, MALE												
2000.....	284	-	-	-	1	-	2	5	6	8	12	13
1999.....	304	-	-	1	-	3	3	7	3	9	9	10
ALL RACES, FEMALE												
2000.....	272	1	-	1	2	2	5	3	3	6	8	5
1999.....	285	-	1	-	-	-	1	3	2	6	4	6
WHITE, BOTH SEXES												
2000.....	439	-	-	-	3	1	6	4	7	7	13	15
1999.....	467	-	1	1	-	2	2	8	3	8	7	14
WHITE, MALE												
2000.....	226	-	-	-	1	-	1	3	4	5	7	11
1999.....	244	-	-	1	-	2	1	6	2	4	6	9
WHITE, FEMALE												
2000.....	213	-	-	-	2	1	5	1	3	2	6	4
1999.....	223	-	1	-	-	-	1	2	1	4	1	5
BLACK, BOTH SEXES												
2000.....	90	1	-	1	-	1	1	3	1	7	3	3
1999.....	94	-	-	-	-	1	2	-	2	6	5	1
BLACK, MALE												
2000.....	44	-	-	-	-	-	1	1	1	3	2	2
1999.....	47	-	-	-	-	1	2	-	1	4	2	1
BLACK, FEMALE												
2000.....	46	1	-	1	-	1	-	2	-	4	1	1
1999.....	47	-	-	-	-	-	-	-	1	2	3	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	8	-	-	-	-	-	-	1	-	-	2	-
1999.....	4	-	-	-	-	-	-	-	-	-	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	6	-	-	-	-	-	-	1	-	-	2	-
1999.....	3	-	-	-	-	-	-	-	-	-	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	19	-	-	-	-	-	-	-	1	-	2	-
1999.....	24	-	-	-	-	-	-	2	-	1	-	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	8	-	-	-	-	-	-	-	1	-	1	-
1999.....	10	-	-	-	-	-	-	1	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	11	-	-	-	-	-	-	-	-	-	1	-
1999.....	14	-	-	-	-	-	-	1	-	-	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
ALL RACES, BOTH SEXES												
2000.....	36,471	152	11	9	10	30	48	72	149	262	439	658
1999.....	34,719	163	12	9	16	21	42	83	147	250	423	586
ALL RACES, MALE												
2000.....	17,416	100	5	6	8	18	22	39	76	144	263	415
1999.....	16,611	87	7	6	9	8	17	34	76	143	239	352
ALL RACES, FEMALE												
2000.....	19,055	52	6	3	2	12	26	33	73	118	176	243
1999.....	18,108	76	5	3	7	13	25	49	71	107	184	234
WHITE, BOTH SEXES												
2000.....	28,982	80	7	7	9	19	36	44	77	137	253	356
1999.....	27,407	99	10	7	10	14	23	42	80	135	227	302
WHITE, MALE												
2000.....	14,070	55	4	5	7	11	20	25	39	75	154	223
1999.....	13,312	59	5	5	7	7	8	18	42	79	128	181
WHITE, FEMALE												
2000.....	14,912	25	3	2	2	8	16	19	38	62	99	133
1999.....	14,095	40	5	2	3	7	15	24	38	56	99	121
BLACK, BOTH SEXES												
2000.....	6,782	68	3	2	1	11	11	26	68	121	172	291
1999.....	6,577	58	1	2	5	7	19	38	61	112	185	267
BLACK, MALE												
2000.....	3,015	42	1	1	1	7	2	12	35	68	102	187
1999.....	2,943	25	1	1	2	1	9	15	29	63	103	162
BLACK, FEMALE												
2000.....	3,767	26	2	1	-	4	9	14	33	53	70	104
1999.....	3,634	33	-	1	3	6	10	23	32	49	82	105

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Renal failure (N17-N19)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	205	1	-	-	-	-	-	1	1	1	9	5
1999.....	187	-	-	-	-	-	-	-	3	-	6	11
AMERICAN INDIAN 1/, MALE												
2000.....	90	-	-	-	-	-	-	1	-	-	5	2
1999.....	74	-	-	-	-	-	-	-	3	-	5	5
AMERICAN INDIAN 1/, FEMALE												
2000.....	115	1	-	-	-	-	-	-	1	1	4	3
1999.....	113	-	-	-	-	-	-	-	-	-	1	6
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	502	3	1	-	-	-	1	1	3	3	5	6
1999.....	548	6	1	-	1	-	-	3	3	3	5	6
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	241	3	-	-	-	-	-	1	2	1	2	3
1999.....	282	3	1	-	-	-	-	1	2	1	3	4
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	261	-	1	-	-	-	1	-	1	2	3	3
1999.....	266	3	-	-	1	-	-	2	1	2	2	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of kidney (N25,N27)												
ALL RACES, BOTH SEXES												
2000.....	47	1	-	-	-	-	-	-	2	1	1	6
1999.....	35	-	-	-	-	-	-	1	1	1	-	-
ALL RACES, MALE												
2000.....	20	-	-	-	-	-	-	-	-	-	1	3
1999.....	11	-	-	-	-	-	-	-	1	-	-	-
ALL RACES, FEMALE												
2000.....	27	1	-	-	-	-	-	-	2	1	-	3
1999.....	24	-	-	-	-	-	-	1	-	1	-	-
WHITE, BOTH SEXES												
2000.....	36	1	-	-	-	-	-	-	1	-	1	3
1999.....	23	-	-	-	-	-	-	1	1	1	-	-
WHITE, MALE												
2000.....	17	-	-	-	-	-	-	-	-	-	1	1
1999.....	9	-	-	-	-	-	-	-	1	-	-	-
WHITE, FEMALE												
2000.....	19	1	-	-	-	-	-	-	1	-	-	2
1999.....	14	-	-	-	-	-	-	1	-	1	-	-
BLACK, BOTH SEXES												
2000.....	9	-	-	-	-	-	-	-	1	1	-	3
1999.....	12	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	2	-	-	-	-	-	-	-	-	-	-	2
1999.....	2	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	7	-	-	-	-	-	-	-	1	1	-	1
1999.....	10	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of kidney (N25,N27)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of kidney (N10-N12,N13.6,N15.1)												
ALL RACES, BOTH SEXES												
2000.....	813	5	3	-	-	1	1	4	5	9	12	21
1999.....	846	3	1	1	-	3	1	5	4	13	15	22
ALL RACES, MALE												
2000.....	214	3	-	-	-	1	-	2	1	2	6	6
1999.....	263	1	-	-	-	1	-	-	-	2	5	8
ALL RACES, FEMALE												
2000.....	599	2	3	-	-	-	1	2	4	7	6	15
1999.....	583	2	1	1	-	2	1	5	4	11	10	14
WHITE, BOTH SEXES												
2000.....	689	5	3	-	-	-	1	4	3	5	7	17
1999.....	749	1	1	1	-	1	1	4	4	8	12	19
WHITE, MALE												
2000.....	182	3	-	-	-	-	-	2	1	-	4	6
1999.....	232	1	-	-	-	1	-	-	-	2	3	6
WHITE, FEMALE												
2000.....	507	2	3	-	-	-	1	2	2	5	3	11
1999.....	517	-	1	1	-	-	1	4	4	6	9	13
BLACK, BOTH SEXES												
2000.....	101	-	-	-	-	1	-	-	2	3	4	3
1999.....	85	1	-	-	-	2	-	1	-	3	3	3
BLACK, MALE												
2000.....	27	-	-	-	-	1	-	-	-	1	1	-
1999.....	29	-	-	-	-	-	-	-	-	-	2	2
BLACK, FEMALE												
2000.....	74	-	-	-	-	-	-	-	2	2	3	3
1999.....	56	1	-	-	-	2	-	1	-	3	1	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infections of kidney (N10-N12,N13.6,N15.1)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	5	-	-	-	-	-	-	-	-	-	-	1
1999.....	3	-	-	-	-	-	-	-	-	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	5	-	-	-	-	-	-	-	-	-	-	1
1999.....	3	-	-	-	-	-	-	-	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	18	-	-	-	-	-	-	-	-	1	1	-
1999.....	9	1	-	-	-	-	-	-	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	5	-	-	-	-	-	-	-	-	1	1	-
1999.....	2	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	13	-	-	-	-	-	-	-	-	-	-	-
1999.....	7	1	-	-	-	-	-	-	-	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hyperplasia of prostate (N40)												
ALL RACES, BOTH SEXES												
2000.....	433	-	-	-	-	-	-	-	-	-	1	1
1999.....	430	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, MALE												
2000.....	433	-	-	-	-	-	-	-	-	-	1	1
1999.....	430	-	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	389	-	-	-	-	-	-	-	-	-	-	1
1999.....	390	-	-	-	-	-	-	-	-	-	-	-
WHITE, MALE												
2000.....	389	-	-	-	-	-	-	-	-	-	-	1
1999.....	390	-	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	37	-	-	-	-	-	-	-	-	-	1	-
1999.....	38	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	37	-	-	-	-	-	-	-	-	-	1	-
1999.....	38	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	2	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	2	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	5	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hyperplasia of prostate (N40)												
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	5	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)												
ALL RACES, BOTH SEXES												
2000.....	120	2	-	-	1	-	2	2	4	9	6	6
1999.....	108	2	1	-	-	1	2	3	3	4	8	4
ALL RACES, FEMALE												
2000.....	120	2	-	-	1	-	2	2	4	9	6	6
1999.....	108	2	1	-	-	1	2	3	3	4	8	4
WHITE, BOTH SEXES												
2000.....	94	1	-	-	-	-	2	2	2	5	2	4
1999.....	80	1	1	-	-	1	1	1	2	1	3	2
WHITE, FEMALE												
2000.....	94	1	-	-	-	-	2	2	2	5	2	4
1999.....	80	1	1	-	-	1	1	1	2	1	3	2
BLACK, BOTH SEXES												
2000.....	23	1	-	-	1	-	-	-	1	3	4	2
1999.....	26	1	-	-	-	-	1	2	-	2	5	2
BLACK, FEMALE												
2000.....	23	1	-	-	1	-	-	-	1	3	4	2
1999.....	26	1	-	-	-	-	1	2	-	2	5	2
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	2	-	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	-	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	1	-	-
1999.....	2	-	-	-	-	-	-	-	1	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Inflammatory diseases of female pelvic organs (N70-N76)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	-	-	-	-	-	-	-	-	1	-	-
1999.....	2	-	-	-	-	-	-	-	1	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy, childbirth and the puerperium (O00-O99)												
ALL RACES, BOTH SEXES												
2000.....	404	...	...	...	-	18	77	87	95	86	35	5
1999.....	406	...	...	...	-	33	64	89	92	88	33	5
ALL RACES, FEMALE												
2000.....	404	...	...	...	-	18	77	87	95	86	35	5
1999.....	406	...	...	...	-	33	64	89	92	88	33	5
WHITE, BOTH SEXES												
2000.....	243	...	...	...	-	11	44	53	55	56	21	2
1999.....	220	...	...	...	-	14	31	47	53	55	16	4
WHITE, FEMALE												
2000.....	243	...	...	...	-	11	44	53	55	56	21	2
1999.....	220	...	...	...	-	14	31	47	53	55	16	4
BLACK, BOTH SEXES												
2000.....	142	...	...	...	-	4	32	31	34	26	12	3
1999.....	162	...	...	...	-	18	29	38	33	28	14	-
BLACK, FEMALE												
2000.....	142	...	...	...	-	4	32	31	34	26	12	3
1999.....	162	...	...	...	-	18	29	38	33	28	14	-
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	6	...	...	...	-	1	1	1	3	-	-	-
1999.....	5	...	...	...	-	1	2	-	1	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	6	...	...	...	-	1	1	1	3	-	-	-
1999.....	5	...	...	...	-	1	2	-	1	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	13	...	...	...	-	2	-	2	3	4	2	-
1999.....	19	...	...	...	-	-	2	4	5	4	3	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy, childbirth and the puerperium (O00-O99)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	13	...	...	...	-	2	-	2	3	4	2	-
1999.....	19	...	...	...	-	-	2	4	5	4	3	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy with abortive outcome (000-007)												
ALL RACES, BOTH SEXES												
2000.....	37	...	...	...	-	-	6	12	5	10	4	-
1999.....	31	...	...	...	-	3	5	5	10	6	2	-
ALL RACES, FEMALE												
2000.....	37	...	...	...	-	-	6	12	5	10	4	-
1999.....	31	...	...	...	-	3	5	5	10	6	2	-
WHITE, BOTH SEXES												
2000.....	18	...	...	...	-	-	1	7	1	6	3	-
1999.....	15	...	...	...	-	2	2	1	5	3	2	-
WHITE, FEMALE												
2000.....	18	...	...	...	-	-	1	7	1	6	3	-
1999.....	15	...	...	...	-	2	2	1	5	3	2	-
BLACK, BOTH SEXES												
2000.....	19	...	...	...	-	-	5	5	4	4	1	-
1999.....	15	...	...	...	-	1	3	4	4	3	-	-
BLACK, FEMALE												
2000.....	19	...	...	...	-	-	5	5	4	4	1	-
1999.....	15	...	...	...	-	1	3	4	4	3	-	-
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	...	...	...	-	-	-	-	-	-	-	-
1999.....	1	...	...	...	-	-	-	-	1	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	...	...	...	-	-	-	-	-	-	-	-
1999.....	1	...	...	...	-	-	-	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	...	...	...	-	-	-	-	-	-	-	-
1999.....	-	...	...	...	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy with abortive outcome (O00-O07)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	...	...	...	-	-	-	-	-	-	-	-
1999.....	-	...	...	...	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of pregnancy, childbirth and the puerperium (O10-O99)												
ALL RACES, BOTH SEXES												
2000.....	367	...	...	...	-	18	71	75	90	76	31	5
1999.....	375	...	...	...	-	30	59	84	82	82	31	5
ALL RACES, FEMALE												
2000.....	367	...	...	...	-	18	71	75	90	76	31	5
1999.....	375	...	...	...	-	30	59	84	82	82	31	5
WHITE, BOTH SEXES												
2000.....	225	...	...	...	-	11	43	46	54	50	18	2
1999.....	205	...	...	...	-	12	29	46	48	52	14	4
WHITE, FEMALE												
2000.....	225	...	...	...	-	11	43	46	54	50	18	2
1999.....	205	...	...	...	-	12	29	46	48	52	14	4
BLACK, BOTH SEXES												
2000.....	123	...	...	...	-	4	27	26	30	22	11	3
1999.....	147	...	...	...	-	17	26	34	29	25	14	-
BLACK, FEMALE												
2000.....	123	...	...	...	-	4	27	26	30	22	11	3
1999.....	147	...	...	...	-	17	26	34	29	25	14	-
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	6	...	...	...	-	1	1	1	3	-	-	-
1999.....	4	...	...	...	-	1	2	-	-	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	6	...	...	...	-	1	1	1	3	-	-	-
1999.....	4	...	...	...	-	1	2	-	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	13	...	...	...	-	2	-	2	3	4	2	-
1999.....	19	...	...	...	-	-	2	4	5	4	3	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of pregnancy, childbirth and the puerperium (O10-O99)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	13	...	...	...	-	2	-	2	3	4	2	-
1999.....	19	...	...	...	-	-	2	4	5	4	3	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Certain conditions originating in the perinatal period (P00-P96)												
ALL RACES, BOTH SEXES												
2000.....	14,069	13,918	79	25	16	10	5	5	2	2	2	1
1999.....	14,259	14,084	92	25	18	11	5	2	5	2	1	2
ALL RACES, MALE												
2000.....	7,968	7,872	52	13	10	9	2	4	2	-	2	1
1999.....	8,044	7,941	56	14	9	6	4	-	2	2	-	2
ALL RACES, FEMALE												
2000.....	6,101	6,046	27	12	6	1	3	1	-	2	-	-
1999.....	6,215	6,143	36	11	9	5	1	2	3	-	1	-
WHITE, BOTH SEXES												
2000.....	8,532	8,431	46	18	12	8	5	2	1	2	2	1
1999.....	8,648	8,522	56	19	14	11	4	2	5	2	1	2
WHITE, MALE												
2000.....	4,828	4,762	30	10	10	8	2	1	1	-	2	1
1999.....	4,884	4,815	30	10	7	6	4	-	2	2	-	2
WHITE, FEMALE												
2000.....	3,704	3,669	16	8	2	-	3	1	-	2	-	-
1999.....	3,764	3,707	26	9	7	5	-	2	3	-	1	-
BLACK, BOTH SEXES												
2000.....	5,021	4,979	27	6	4	1	-	3	1	-	-	-
1999.....	5,150	5,113	29	2	3	-	1	-	-	-	-	-
BLACK, MALE												
2000.....	2,844	2,818	18	3	-	1	-	3	1	-	-	-
1999.....	2,907	2,883	19	2	1	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	2,177	2,161	9	3	4	-	-	-	-	-	-	-
1999.....	2,243	2,230	10	-	2	-	1	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Certain conditions originating in the perinatal period (P00-P96)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	124	121	2	-	-	1	-	-	-	-	-	-
1999.....	138	136	-	2	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	72	71	1	-	-	-	-	-	-	-	-	-
1999.....	73	72	-	1	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	52	50	1	-	-	1	-	-	-	-	-	-
1999.....	65	64	-	1	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	392	387	4	1	-	-	-	-	-	-	-	-
1999.....	323	313	7	2	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	224	221	3	-	-	-	-	-	-	-	-	-
1999.....	180	171	7	1	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	168	166	1	1	-	-	-	-	-	-	-	-
1999.....	143	142	-	1	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
ALL RACES, BOTH SEXES												
2000.....	10,578	5,743	495	198	201	225	216	208	269	277	292	287
1999.....	10,393	5,473	549	207	221	222	212	212	253	279	273	342
ALL RACES, MALE												
2000.....	5,517	3,028	259	105	102	137	131	120	159	154	162	157
1999.....	5,346	2,875	310	102	113	139	123	110	132	152	144	185
ALL RACES, FEMALE												
2000.....	5,061	2,715	236	93	99	88	85	88	110	123	130	130
1999.....	5,047	2,598	239	105	108	83	89	102	121	127	129	157
WHITE, BOTH SEXES												
2000.....	8,396	4,371	347	147	145	159	173	163	228	223	236	245
1999.....	8,297	4,211	385	144	157	170	162	178	208	232	229	292
WHITE, MALE												
2000.....	4,368	2,316	180	72	75	93	108	93	136	127	132	132
1999.....	4,269	2,240	218	69	79	109	95	93	109	128	117	156
WHITE, FEMALE												
2000.....	4,028	2,055	167	75	70	66	65	70	92	96	104	113
1999.....	4,028	1,971	167	75	78	61	67	85	99	104	112	136
BLACK, BOTH SEXES												
2000.....	1,790	1,102	126	44	47	56	35	38	39	48	45	39
1999.....	1,720	1,025	138	50	56	43	40	28	33	42	35	43
BLACK, MALE												
2000.....	944	567	70	29	23	39	19	24	22	25	26	22
1999.....	899	531	79	25	29	27	24	14	18	19	23	27
BLACK, FEMALE												
2000.....	846	535	56	15	24	17	16	14	17	23	19	17
1999.....	821	494	59	25	27	16	16	14	15	23	12	16

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	95	68	4	3	-	1	2	-	-	2	2	-
1999.....	106	67	5	3	3	3	4	2	5	-	1	3
AMERICAN INDIAN 1/, MALE												
2000.....	56	42	1	2	-	-	2	-	-	-	1	-
1999.....	50	28	3	2	2	1	2	-	3	-	-	2
AMERICAN INDIAN 1/, FEMALE												
2000.....	39	26	3	1	-	1	-	-	-	2	1	-
1999.....	56	39	2	1	1	2	2	2	2	-	1	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	297	202	18	4	9	9	6	7	2	4	9	3
1999.....	270	170	21	10	5	6	6	4	7	5	8	4
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	149	103	8	2	4	5	2	3	1	2	3	3
1999.....	128	76	10	6	3	2	2	3	2	5	4	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	148	99	10	2	5	4	4	4	1	2	6	-
1999.....	142	94	11	4	2	4	4	1	5	-	4	4

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
ALL RACES, BOTH SEXES												
2000.....	31,876	3,639	248	85	92	317	551	663	891	1,284	1,703	1,727
1999.....	26,672	3,538	236	65	72	228	381	446	649	940	1,122	1,168
ALL RACES, MALE												
2000.....	15,863	2,156	137	48	51	196	385	456	604	857	1,137	1,157
1999.....	12,877	2,072	136	35	42	153	269	287	434	599	740	796
ALL RACES, FEMALE												
2000.....	16,013	1,483	111	37	41	121	166	207	287	427	566	570
1999.....	13,795	1,466	100	30	30	75	112	159	215	341	382	372
WHITE, BOTH SEXES												
2000.....	26,285	2,294	182	57	63	240	416	495	690	1,035	1,360	1,364
1999.....	21,591	2,227	159	49	47	163	270	312	486	699	808	849
WHITE, MALE												
2000.....	12,827	1,363	106	35	33	157	301	349	481	714	935	929
1999.....	10,094	1,321	96	26	28	110	199	211	318	463	542	572
WHITE, FEMALE												
2000.....	13,458	931	76	22	30	83	115	146	209	321	425	435
1999.....	11,497	906	63	23	19	53	71	101	168	236	266	277
BLACK, BOTH SEXES												
2000.....	5,004	1,212	57	21	25	67	119	142	174	214	314	325
1999.....	4,591	1,167	68	15	18	54	100	116	150	231	283	299
BLACK, MALE												
2000.....	2,693	710	29	11	17	32	76	91	107	115	178	200
1999.....	2,517	669	35	9	11	38	63	67	109	131	176	209
BLACK, FEMALE												
2000.....	2,311	502	28	10	8	35	43	51	67	99	136	125
1999.....	2,074	498	33	6	7	16	37	49	41	100	107	90

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	209	61	3	1	-	4	5	5	12	12	9	13
1999.....	215	72	3	-	2	3	3	8	4	5	10	9
AMERICAN INDIAN 1/, MALE												
2000.....	127	42	1	-	-	3	3	2	5	7	7	12
1999.....	117	39	1	-	1	2	3	4	1	3	6	7
AMERICAN INDIAN 1/, FEMALE												
2000.....	82	19	2	1	-	1	2	3	7	5	2	1
1999.....	98	33	2	-	1	1	-	4	3	2	4	2
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	378	72	6	6	4	6	11	21	15	23	20	25
1999.....	275	72	6	1	5	8	8	10	9	5	21	11
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	216	41	1	2	1	4	5	14	11	21	17	16
1999.....	149	43	4	-	2	3	4	5	6	2	16	8
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	162	31	5	4	3	2	6	7	4	2	3	9
1999.....	126	29	2	1	3	5	4	5	3	3	5	3

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)												
ALL RACES, BOTH SEXES												
2000.....	178,378	1,105	609	376	503	732	1,032	1,257	1,840	3,161	4,952	6,227
1999.....	171,683	1,148	647	436	485	785	986	1,235	1,827	3,203	4,786	5,877
ALL RACES, MALE												
2000.....	72,227	629	338	198	276	432	625	737	1,074	1,873	2,928	3,811
1999.....	69,784	680	354	229	254	483	562	717	1,073	1,912	2,923	3,510
ALL RACES, FEMALE												
2000.....	106,151	476	271	178	227	300	407	520	766	1,288	2,024	2,416
1999.....	101,899	468	293	207	231	302	424	518	754	1,291	1,863	2,367
WHITE, BOTH SEXES												
2000.....	154,181	740	422	277	375	558	767	880	1,317	2,269	3,647	4,572
1999.....	148,614	750	482	314	361	609	710	912	1,342	2,264	3,488	4,315
WHITE, MALE												
2000.....	61,390	409	238	152	217	340	482	551	803	1,398	2,220	2,913
1999.....	59,336	446	264	163	181	391	418	557	827	1,423	2,225	2,652
WHITE, FEMALE												
2000.....	92,791	331	184	125	158	218	285	329	514	871	1,427	1,659
1999.....	89,278	304	218	151	180	218	292	355	515	841	1,263	1,663
BLACK, BOTH SEXES												
2000.....	21,272	305	148	79	110	150	233	344	472	793	1,176	1,517
1999.....	20,325	343	131	101	101	145	243	283	425	846	1,172	1,416
BLACK, MALE												
2000.....	9,455	187	78	35	52	80	124	165	239	415	632	819
1999.....	9,071	199	68	57	62	76	129	136	212	437	615	777
BLACK, FEMALE												
2000.....	11,817	118	70	44	58	70	109	179	233	378	544	698
1999.....	11,254	144	63	44	39	69	114	147	213	409	557	639

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	945	17	17	2	5	7	9	18	28	58	74	69
1999.....	951	16	12	6	6	12	13	21	29	54	86	72
AMERICAN INDIAN 1/, MALE												
2000.....	471	8	7	2	3	4	7	13	24	35	49	38
1999.....	469	11	7	2	3	5	7	15	17	28	55	45
AMERICAN INDIAN 1/, FEMALE												
2000.....	474	9	10	-	2	3	2	5	4	23	25	31
1999.....	482	5	5	4	3	7	6	6	12	26	31	27
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1,980	43	22	18	13	17	23	15	23	41	55	69
1999.....	1,793	39	22	15	17	19	20	19	31	39	40	74
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	911	25	15	9	4	8	12	8	8	25	27	41
1999.....	908	24	15	7	8	11	8	9	17	24	28	36
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1,069	18	7	9	9	9	11	7	15	16	28	28
1999.....	885	15	7	8	9	8	12	10	14	15	12	38

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
ALL RACES, BOTH SEXES												
2000.....	97,900	881	1,826	1,391	1,588	6,755	7,358	5,898	5,871	7,471	7,942	6,870
1999.....	97,860	845	1,898	1,459	1,632	6,688	6,968	5,881	6,009	7,366	7,865	6,696
ALL RACES, MALE												
2000.....	63,817	501	1,098	824	1,037	4,757	5,703	4,606	4,453	5,537	5,907	5,103
1999.....	63,535	494	1,127	897	1,077	4,624	5,416	4,555	4,542	5,411	5,837	4,996
ALL RACES, FEMALE												
2000.....	34,083	380	728	567	551	1,998	1,655	1,292	1,418	1,934	2,035	1,767
1999.....	34,325	351	771	562	555	2,064	1,552	1,326	1,467	1,955	2,028	1,700
WHITE, BOTH SEXES												
2000.....	82,592	569	1,335	996	1,223	5,731	6,092	4,736	4,783	6,171	6,492	5,554
1999.....	82,245	562	1,374	1,011	1,259	5,647	5,717	4,790	4,871	6,051	6,449	5,369
WHITE, MALE												
2000.....	53,329	331	808	587	791	4,007	4,763	3,704	3,665	4,608	4,854	4,143
1999.....	52,898	333	811	611	823	3,862	4,465	3,741	3,701	4,477	4,811	4,002
WHITE, FEMALE												
2000.....	29,263	238	527	409	432	1,724	1,329	1,032	1,118	1,563	1,638	1,411
1999.....	29,347	229	563	400	436	1,785	1,252	1,049	1,170	1,574	1,638	1,367
BLACK, BOTH SEXES												
2000.....	12,277	274	405	338	293	737	958	892	878	1,058	1,229	1,109
1999.....	12,728	252	441	396	311	774	945	855	910	1,081	1,204	1,153
BLACK, MALE												
2000.....	8,531	149	239	209	205	542	719	693	647	772	906	817
1999.....	8,773	141	266	258	214	574	727	658	677	769	891	877
BLACK, FEMALE												
2000.....	3,746	125	166	129	88	195	239	199	231	286	323	292
1999.....	3,955	111	175	138	97	200	218	197	233	312	313	276

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1,353	20	39	31	39	149	150	123	116	129	127	108
1999.....	1,327	13	37	25	26	130	159	119	131	129	123	96
AMERICAN INDIAN 1/, MALE												
2000.....	900	11	25	16	21	102	100	94	78	81	85	80
1999.....	890	8	24	12	16	95	119	72	91	90	77	74
AMERICAN INDIAN 1/, FEMALE												
2000.....	453	9	14	15	18	47	50	29	38	48	42	28
1999.....	437	5	13	13	10	35	40	47	40	39	46	22
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1,678	18	47	26	33	138	158	147	94	113	94	99
1999.....	1,560	18	46	27	36	137	147	117	97	105	89	78
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1,057	10	26	12	20	106	121	115	63	76	62	63
1999.....	974	12	26	16	24	93	105	84	73	75	58	43
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	621	8	21	14	13	32	37	32	31	37	32	36
1999.....	586	6	20	11	12	44	42	33	24	30	31	35

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
ALL RACES, BOTH SEXES												
2000.....	46,749	174	691	842	1,080	5,475	5,553	3,957	3,443	3,889	3,772	3,248
1999.....	46,423	189	712	897	1,078	5,452	5,237	3,922	3,512	3,869	3,684	3,121
ALL RACES, MALE												
2000.....	32,166	94	391	464	674	3,693	4,197	3,016	2,554	2,802	2,758	2,338
1999.....	31,642	101	400	532	674	3,593	3,965	2,952	2,559	2,741	2,635	2,234
ALL RACES, FEMALE												
2000.....	14,583	80	300	378	406	1,782	1,356	941	889	1,087	1,014	910
1999.....	14,781	88	312	365	404	1,859	1,272	970	953	1,128	1,049	887
WHITE, BOTH SEXES												
2000.....	39,088	121	513	646	873	4,713	4,566	3,121	2,769	3,208	3,110	2,679
1999.....	38,767	137	497	664	878	4,661	4,292	3,171	2,855	3,140	3,059	2,563
WHITE, MALE												
2000.....	26,815	68	290	358	538	3,158	3,474	2,377	2,064	2,312	2,277	1,945
1999.....	26,385	80	273	390	546	3,047	3,269	2,401	2,076	2,232	2,196	1,837
WHITE, FEMALE												
2000.....	12,273	53	223	288	335	1,555	1,092	744	705	896	833	734
1999.....	12,382	57	224	274	332	1,614	1,023	770	779	908	863	726
BLACK, BOTH SEXES												
2000.....	5,839	40	141	157	160	539	744	634	535	527	542	457
1999.....	5,901	44	177	202	162	580	704	578	511	587	498	449
BLACK, MALE												
2000.....	4,199	21	79	87	110	380	548	489	401	396	408	321
1999.....	4,162	18	101	127	105	405	521	443	385	412	366	331
BLACK, FEMALE												
2000.....	1,640	19	62	70	50	159	196	145	134	131	134	136
1999.....	1,739	26	76	75	57	175	183	135	126	175	132	118

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	829	7	16	19	27	120	121	94	73	80	66	53
1999.....	816	4	15	16	19	107	126	87	76	76	72	52
AMERICAN INDIAN 1/, MALE												
2000.....	537	2	10	9	14	80	82	69	48	50	42	38
1999.....	547	2	12	8	13	77	91	50	50	51	45	39
AMERICAN INDIAN 1/, FEMALE												
2000.....	292	5	6	10	13	40	39	25	25	30	24	15
1999.....	269	2	3	8	6	30	35	37	26	25	27	13
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	993	6	21	20	20	103	122	108	66	74	54	59
1999.....	939	4	23	15	19	104	115	86	70	66	55	57
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	615	3	12	10	12	75	93	81	41	44	31	34
1999.....	548	1	14	7	10	64	84	58	48	46	28	27
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	378	3	9	10	8	28	29	27	25	30	23	25
1999.....	391	3	9	8	9	40	31	28	22	20	27	30

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
ALL RACES, BOTH SEXES												
2000.....	43,354	168	651	780	992	5,251	5,309	3,715	3,169	3,545	3,382	2,936
1999.....	42,401	184	650	802	969	5,198	4,930	3,604	3,174	3,460	3,278	2,747
ALL RACES, MALE												
2000.....	29,451	90	368	429	614	3,527	3,989	2,804	2,331	2,507	2,433	2,091
1999.....	28,552	97	366	469	593	3,412	3,715	2,690	2,303	2,424	2,311	1,936
ALL RACES, FEMALE												
2000.....	13,903	78	283	351	378	1,724	1,320	911	838	1,038	949	845
1999.....	13,849	87	284	333	376	1,786	1,215	914	871	1,036	967	811
WHITE, BOTH SEXES												
2000.....	36,160	115	484	593	796	4,530	4,351	2,908	2,540	2,918	2,772	2,421
1999.....	35,343	133	455	591	786	4,450	4,035	2,897	2,572	2,791	2,706	2,244
WHITE, MALE												
2000.....	24,470	64	275	330	485	3,026	3,291	2,191	1,876	2,061	1,996	1,739
1999.....	23,763	77	253	344	479	2,899	3,060	2,175	1,863	1,961	1,918	1,583
WHITE, FEMALE												
2000.....	11,690	51	209	263	311	1,504	1,060	717	664	857	776	682
1999.....	11,580	56	202	247	307	1,551	975	722	709	830	788	661
BLACK, BOTH SEXES												
2000.....	5,499	40	134	149	153	513	721	614	497	485	502	415
1999.....	5,470	43	160	184	150	553	677	547	471	538	457	408
BLACK, MALE												
2000.....	3,922	21	74	80	105	358	528	470	372	361	374	288
1999.....	3,821	17	89	111	94	384	501	418	353	374	330	299
BLACK, FEMALE												
2000.....	1,577	19	60	69	48	155	193	144	125	124	128	127
1999.....	1,649	26	71	73	56	169	176	129	118	164	127	109

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	779	7	14	19	25	113	118	92	71	74	61	45
1999.....	730	4	14	14	16	98	112	82	68	70	63	42
AMERICAN INDIAN 1/, MALE												
2000.....	500	2	9	9	14	75	79	67	47	45	38	32
1999.....	481	2	11	7	12	70	79	45	45	46	38	30
AMERICAN INDIAN 1/, FEMALE												
2000.....	279	5	5	10	11	38	39	25	24	29	23	13
1999.....	249	2	3	7	4	28	33	37	23	24	25	12
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	916	6	19	19	18	95	119	101	61	68	47	55
1999.....	858	4	21	13	17	97	106	78	63	61	52	53
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	559	3	10	10	10	68	91	76	36	40	25	32
1999.....	487	1	13	7	8	59	75	52	42	43	25	24
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	357	3	9	9	8	27	28	25	25	28	22	23
1999.....	371	3	8	6	9	38	31	26	21	18	27	29

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)												
ALL RACES, BOTH SEXES												
2000.....	1,492	2	31	39	59	128	115	94	118	149	168	125
1999.....	2,118	4	48	62	66	172	190	152	165	205	203	179
ALL RACES, MALE												
2000.....	1,125	2	17	21	40	99	95	81	90	121	137	92
1999.....	1,559	4	26	43	48	119	160	126	118	157	162	135
ALL RACES, FEMALE												
2000.....	367	-	14	18	19	29	20	13	28	28	31	33
1999.....	559	-	22	19	18	53	30	26	47	48	41	44
WHITE, BOTH SEXES												
2000.....	1,221	2	21	34	49	109	94	77	94	118	132	94
1999.....	1,755	3	32	44	55	141	154	126	133	169	171	146
WHITE, MALE												
2000.....	924	2	10	18	34	83	78	67	72	98	108	70
1999.....	1,281	3	15	29	39	96	127	104	95	130	136	108
WHITE, FEMALE												
2000.....	297	-	11	16	15	26	16	10	22	20	24	24
1999.....	474	-	17	15	16	45	27	22	38	39	35	38
BLACK, BOTH SEXES												
2000.....	206	-	7	4	7	14	18	11	21	26	28	25
1999.....	253	1	13	15	6	18	16	18	24	29	23	24
BLACK, MALE												
2000.....	158	-	5	3	5	11	15	10	15	21	22	20
1999.....	196	1	9	14	6	14	14	16	18	22	19	19
BLACK, FEMALE												
2000.....	48	-	2	1	2	3	3	1	6	5	6	5
1999.....	57	-	4	1	-	4	2	2	6	7	4	5

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	28	-	1	-	2	4	1	2	1	3	5	3
1999.....	60	-	1	1	3	8	12	2	6	5	7	9
AMERICAN INDIAN 1/, MALE												
2000.....	19	-	-	-	-	4	1	2	1	2	4	1
1999.....	45	-	1	-	1	6	11	2	3	4	5	8
AMERICAN INDIAN 1/, FEMALE												
2000.....	9	-	1	-	2	-	-	-	-	1	1	2
1999.....	15	-	-	1	2	2	1	-	3	1	2	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	37	-	2	1	1	1	2	4	2	2	3	3
1999.....	50	-	2	2	2	5	8	6	2	2	2	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	24	-	2	-	1	1	1	2	2	-	3	1
1999.....	37	-	1	-	2	3	8	4	2	1	2	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	13	-	-	1	-	-	1	2	-	2	-	2
1999.....	13	-	1	2	-	2	-	2	-	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)												
ALL RACES, BOTH SEXES												
2000.....	1,903	4	9	23	29	96	129	148	156	195	222	187
1999.....	1,904	1	14	33	43	82	117	166	173	204	203	195
ALL RACES, MALE												
2000.....	1,590	2	6	14	20	67	113	131	133	174	188	155
1999.....	1,531	-	8	20	33	62	90	136	138	160	162	163
ALL RACES, FEMALE												
2000.....	313	2	3	9	9	29	16	17	23	21	34	32
1999.....	373	1	6	13	10	20	27	30	35	44	41	32
WHITE, BOTH SEXES												
2000.....	1,707	4	8	19	28	74	121	136	135	172	206	164
1999.....	1,669	1	10	29	37	70	103	148	150	180	182	173
WHITE, MALE												
2000.....	1,421	2	5	10	19	49	105	119	116	153	173	136
1999.....	1,341	-	5	17	28	52	82	122	118	141	142	146
WHITE, FEMALE												
2000.....	286	2	3	9	9	25	16	17	19	19	33	28
1999.....	328	1	5	12	9	18	21	26	32	39	40	27
BLACK, BOTH SEXES												
2000.....	134	-	-	4	-	12	5	9	17	16	12	17
1999.....	178	-	4	3	6	9	11	13	16	20	18	17
BLACK, MALE												
2000.....	119	-	-	4	-	11	5	9	14	14	12	13
1999.....	145	-	3	2	5	7	6	9	14	16	17	13
BLACK, FEMALE												
2000.....	15	-	-	-	-	1	-	-	3	2	-	4
1999.....	33	-	1	1	1	2	5	4	2	4	1	4

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	22	-	1	-	-	3	2	-	1	3	-	5
1999.....	26	-	-	1	-	1	2	3	2	1	2	1
AMERICAN INDIAN 1/, MALE												
2000.....	18	-	1	-	-	1	2	-	-	3	-	5
1999.....	21	-	-	1	-	1	1	3	2	1	2	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	4	-	-	-	-	2	-	-	1	-	-	-
1999.....	5	-	-	-	-	-	1	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	40	-	-	-	1	7	1	3	3	4	4	1
1999.....	31	-	-	-	-	2	1	2	5	3	1	4
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	32	-	-	-	1	6	1	3	3	4	3	1
1999.....	24	-	-	-	-	2	1	2	4	2	1	3
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	8	-	-	-	-	1	-	-	-	-	1	-
1999.....	7	-	-	-	-	-	-	-	1	1	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nontransport accidents (W00-X59,Y86)												
ALL RACES, BOTH SEXES												
2000.....	51,151	707	1,135	549	508	1,280	1,805	1,941	2,428	3,582	4,170	3,622
1999.....	51,437	656	1,186	562	554	1,236	1,731	1,959	2,497	3,497	4,181	3,575
ALL RACES, MALE												
2000.....	31,651	407	707	360	363	1,064	1,506	1,590	1,899	2,735	3,149	2,765
1999.....	31,893	393	727	365	403	1,031	1,451	1,603	1,983	2,670	3,202	2,762
ALL RACES, FEMALE												
2000.....	19,500	300	428	189	145	216	299	351	529	847	1,021	857
1999.....	19,544	263	459	197	151	205	280	356	514	827	979	813
WHITE, BOTH SEXES												
2000.....	43,504	448	822	350	350	1,018	1,526	1,615	2,014	2,963	3,382	2,875
1999.....	43,478	425	877	347	381	986	1,425	1,619	2,016	2,911	3,390	2,806
WHITE, MALE												
2000.....	26,514	263	518	229	253	849	1,289	1,327	1,601	2,296	2,577	2,198
1999.....	26,513	253	538	221	277	815	1,196	1,340	1,625	2,245	2,615	2,165
WHITE, FEMALE												
2000.....	16,990	185	304	121	97	169	237	288	413	667	805	677
1999.....	16,965	172	339	126	104	171	229	279	391	666	775	641
BLACK, BOTH SEXES												
2000.....	6,438	234	264	181	133	198	214	258	343	531	687	652
1999.....	6,827	208	264	194	149	194	241	277	399	494	706	704
BLACK, MALE												
2000.....	4,332	128	160	122	95	162	171	204	246	376	498	496
1999.....	4,611	123	165	131	109	169	206	215	292	357	525	546
BLACK, FEMALE												
2000.....	2,106	106	104	59	38	36	43	54	97	155	189	156
1999.....	2,216	85	99	63	40	25	35	62	107	137	181	158

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nontransport accidents (W00-X59,Y86)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	524	13	23	12	12	29	29	29	43	49	61	55
1999.....	511	9	22	9	7	23	33	32	55	53	51	44
AMERICAN INDIAN 1/, MALE												
2000.....	363	9	15	7	7	22	18	25	30	31	43	42
1999.....	343	6	12	4	3	18	28	22	41	39	32	35
AMERICAN INDIAN 1/, FEMALE												
2000.....	161	4	8	5	5	7	11	4	13	18	18	13
1999.....	168	3	10	5	4	5	5	10	14	14	19	9
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	685	12	26	6	13	35	36	39	28	39	40	40
1999.....	621	14	23	12	17	33	32	31	27	39	34	21
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	442	7	14	2	8	31	28	34	22	32	31	29
1999.....	426	11	12	9	14	29	21	26	25	29	30	16
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	243	5	12	4	5	4	8	5	6	7	9	11
1999.....	195	3	11	3	3	4	11	5	2	10	4	5

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
ALL RACES, BOTH SEXES												
2000.....	13,322	8	36	16	21	99	138	138	165	238	370	409
1999.....	13,162	12	55	25	28	112	130	156	187	276	369	447
ALL RACES, MALE												
2000.....	7,122	6	23	14	16	88	115	122	150	199	297	332
1999.....	7,109	8	37	19	21	95	114	137	157	225	303	366
ALL RACES, FEMALE												
2000.....	6,200	2	13	2	5	11	23	16	15	39	73	77
1999.....	6,053	4	18	6	7	17	16	19	30	51	66	81
WHITE, BOTH SEXES												
2000.....	12,252	5	23	12	18	90	127	125	140	194	310	352
1999.....	11,992	8	43	18	24	100	112	135	149	239	308	362
WHITE, MALE												
2000.....	6,449	3	13	10	15	81	106	112	127	163	253	290
1999.....	6,352	7	29	14	18	86	100	120	126	193	249	298
WHITE, FEMALE												
2000.....	5,803	2	10	2	3	9	21	13	13	31	57	62
1999.....	5,640	1	14	4	6	14	12	15	23	46	59	64
BLACK, BOTH SEXES												
2000.....	760	2	13	4	3	6	7	5	18	29	45	47
1999.....	878	2	11	6	4	8	13	13	30	27	48	73
BLACK, MALE												
2000.....	485	2	10	4	1	4	7	3	16	23	34	37
1999.....	564	1	8	4	3	6	10	11	24	24	43	59
BLACK, FEMALE												
2000.....	275	-	3	-	2	2	-	2	2	6	11	10
1999.....	314	1	3	2	1	2	3	2	6	3	5	14

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	81	1	-	-	-	1	-	6	3	7	6	5
1999.....	75	-	1	-	-	2	4	4	2	3	4	5
AMERICAN INDIAN 1/, MALE												
2000.....	57	1	-	-	-	1	-	5	3	5	5	1
1999.....	42	-	-	-	-	2	3	3	1	3	4	4
AMERICAN INDIAN 1/, FEMALE												
2000.....	24	-	-	-	-	-	-	1	-	2	1	4
1999.....	33	-	1	-	-	-	1	1	1	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	229	-	-	-	-	2	4	2	4	8	9	5
1999.....	217	2	-	1	-	2	1	4	6	7	9	7
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	131	-	-	-	-	2	2	2	4	8	5	4
1999.....	151	-	-	1	-	1	1	3	6	5	7	5
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	98	-	-	-	-	-	2	-	-	-	4	1
1999.....	66	2	-	-	-	1	-	1	-	2	2	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental discharge of firearms (W32-W34)												
ALL RACES, BOTH SEXES												
2000.....	776	1	18	18	49	107	95	74	57	75	78	38
1999.....	824	-	12	19	57	126	125	76	67	67	69	51
ALL RACES, MALE												
2000.....	671	-	11	16	46	97	86	65	44	60	65	31
1999.....	707	-	7	13	47	115	114	62	60	56	56	46
ALL RACES, FEMALE												
2000.....	105	1	7	2	3	10	9	9	13	15	13	7
1999.....	117	-	5	6	10	11	11	14	7	11	13	5
WHITE, BOTH SEXES												
2000.....	611	1	11	11	41	76	65	52	42	60	68	30
1999.....	649	-	5	9	48	88	86	62	53	56	60	45
WHITE, MALE												
2000.....	530	-	6	10	38	70	59	44	31	49	58	26
1999.....	554	-	3	4	42	80	78	49	47	46	48	41
WHITE, FEMALE												
2000.....	81	1	5	1	3	6	6	8	11	11	10	4
1999.....	95	-	2	5	6	8	8	13	6	10	12	4
BLACK, BOTH SEXES												
2000.....	137	-	5	5	7	28	24	18	14	13	6	7
1999.....	156	-	7	9	8	36	31	12	11	9	9	6
BLACK, MALE												
2000.....	117	-	3	5	7	25	21	17	12	9	5	4
1999.....	135	-	4	8	4	33	28	12	10	8	8	5
BLACK, FEMALE												
2000.....	20	-	2	-	-	3	3	1	2	4	1	3
1999.....	21	-	3	1	4	3	3	-	1	1	1	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental discharge of firearms (W32-W34)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	14	-	2	1	1	3	3	1	-	-	1	1
1999.....	14	-	-	-	1	1	8	1	2	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	12	-	2	1	1	2	3	1	-	-	-	1
1999.....	13	-	-	-	1	1	8	-	2	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	-	-	-	-	1	-	-	-	-	1	-
1999.....	1	-	-	-	-	-	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	14	-	-	1	-	-	3	3	1	2	3	-
1999.....	5	-	-	1	-	1	-	1	1	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	12	-	-	-	-	-	3	3	1	2	2	-
1999.....	5	-	-	1	-	1	-	1	1	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	-	-	1	-	-	-	-	-	-	1	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
ALL RACES, BOTH SEXES												
2000.....	3,482	75	493	201	174	371	275	213	206	250	230	182
1999.....	3,529	68	490	192	177	359	288	212	234	250	225	198
ALL RACES, MALE												
2000.....	2,735	43	316	137	130	339	244	184	180	212	194	156
1999.....	2,794	39	310	139	136	330	262	193	204	215	187	166
ALL RACES, FEMALE												
2000.....	747	32	177	64	44	32	31	29	26	38	36	26
1999.....	735	29	180	53	41	29	26	19	30	35	38	32
WHITE, BOTH SEXES												
2000.....	2,683	47	415	125	93	253	207	162	160	205	180	147
1999.....	2,715	46	416	106	80	247	215	151	179	205	188	175
WHITE, MALE												
2000.....	2,105	28	268	84	67	231	182	141	143	172	151	125
1999.....	2,120	26	262	71	61	226	193	135	158	172	155	143
WHITE, FEMALE												
2000.....	578	19	147	41	26	22	25	21	17	33	29	22
1999.....	595	20	154	35	19	21	22	16	21	33	33	32
BLACK, BOTH SEXES												
2000.....	593	26	56	67	69	86	48	34	24	36	43	23
1999.....	634	21	60	76	83	85	53	48	40	32	28	17
BLACK, MALE												
2000.....	478	14	35	48	54	81	45	29	23	32	37	21
1999.....	530	12	40	60	65	78	51	45	35	30	25	17
BLACK, FEMALE												
2000.....	115	12	21	19	15	5	3	5	1	4	6	2
1999.....	104	9	20	16	18	7	2	3	5	2	3	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	79	2	10	7	4	12	6	2	12	4	3	5
1999.....	68	-	7	2	3	6	5	5	10	7	6	4
AMERICAN INDIAN 1/, MALE												
2000.....	61	1	6	4	4	11	4	2	7	4	3	4
1999.....	55	-	4	2	1	6	5	5	6	7	5	4
AMERICAN INDIAN 1/, FEMALE												
2000.....	18	1	4	3	-	1	2	-	5	-	-	1
1999.....	13	-	3	-	2	-	-	-	4	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	127	-	12	2	8	20	14	15	10	5	4	7
1999.....	112	1	7	8	11	21	15	8	5	6	3	2
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	91	-	7	1	5	16	13	12	7	4	3	6
1999.....	89	1	4	6	9	20	13	8	5	6	2	2
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	36	-	5	1	3	4	1	3	3	1	1	1
1999.....	23	-	3	2	2	1	2	-	-	-	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
ALL RACES, BOTH SEXES												
2000.....	3,377	37	290	182	84	79	113	120	121	188	214	214
1999.....	3,348	41	302	170	92	88	113	142	140	200	221	198
ALL RACES, MALE												
2000.....	2,025	20	174	109	36	44	77	78	79	133	135	145
1999.....	2,025	21	173	95	52	58	75	93	104	138	162	144
ALL RACES, FEMALE												
2000.....	1,352	17	116	73	48	35	36	42	42	55	79	69
1999.....	1,323	20	129	75	40	30	38	49	36	62	59	54
WHITE, BOTH SEXES												
2000.....	2,376	23	160	104	54	60	81	83	86	134	157	155
1999.....	2,380	26	178	96	63	70	83	107	108	141	169	145
WHITE, MALE												
2000.....	1,435	11	98	61	24	32	58	54	59	97	98	106
1999.....	1,466	14	103	52	36	47	56	74	82	97	126	106
WHITE, FEMALE												
2000.....	941	12	62	43	30	28	23	29	27	37	59	49
1999.....	914	12	75	44	27	23	27	33	26	44	43	39
BLACK, BOTH SEXES												
2000.....	930	14	121	74	27	16	28	31	34	44	55	52
1999.....	892	15	111	74	28	16	24	29	24	55	47	46
BLACK, MALE												
2000.....	551	9	71	46	11	10	17	19	20	30	35	35
1999.....	510	7	63	43	15	9	15	15	15	39	32	32
BLACK, FEMALE												
2000.....	379	5	50	28	16	6	11	12	14	14	20	17
1999.....	382	8	48	31	13	7	9	14	9	16	15	14

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	37	-	5	2	2	3	1	6	1	5	2	1
1999.....	40	-	5	-	-	1	3	1	6	3	1	4
AMERICAN INDIAN 1/, MALE												
2000.....	23	-	3	1	1	2	1	5	-	2	2	1
1999.....	26	-	3	-	-	1	3	-	5	2	-	3
AMERICAN INDIAN 1/, FEMALE												
2000.....	14	-	2	1	1	1	-	1	1	3	-	-
1999.....	14	-	2	-	-	-	-	1	1	1	1	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	34	-	4	2	1	-	3	-	-	5	-	6
1999.....	36	-	8	-	1	1	3	5	2	1	4	3
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	16	-	2	1	-	-	1	-	-	4	-	3
1999.....	23	-	4	-	1	1	1	4	2	-	4	3
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	18	-	2	1	1	-	2	-	-	1	-	3
1999.....	13	-	4	-	-	-	2	1	-	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
ALL RACES, BOTH SEXES												
2000.....	12,757	14	32	17	28	351	809	980	1,400	2,159	2,504	1,992
1999.....	12,186	12	34	12	28	260	704	952	1,403	2,082	2,467	1,926
ALL RACES, MALE												
2000.....	9,138	11	21	12	15	273	647	779	1,041	1,554	1,830	1,455
1999.....	8,887	11	17	6	19	195	559	757	1,071	1,523	1,826	1,456
ALL RACES, FEMALE												
2000.....	3,619	3	11	5	13	78	162	201	359	605	674	537
1999.....	3,299	1	17	6	9	65	145	195	332	559	641	470
WHITE, BOTH SEXES												
2000.....	10,508	10	19	10	20	318	732	847	1,184	1,811	2,031	1,568
1999.....	9,883	10	20	4	23	231	612	816	1,149	1,734	1,979	1,493
WHITE, MALE												
2000.....	7,558	8	11	7	11	251	601	674	894	1,330	1,498	1,143
1999.....	7,240	9	9	1	16	173	489	656	895	1,289	1,488	1,125
WHITE, FEMALE												
2000.....	2,950	2	8	3	9	67	131	173	290	481	533	425
1999.....	2,643	1	11	3	7	58	123	160	254	445	491	368
BLACK, BOTH SEXES												
2000.....	2,028	4	12	6	3	21	58	115	188	317	429	389
1999.....	2,062	1	12	6	2	18	76	115	221	305	445	411
BLACK, MALE												
2000.....	1,433	3	9	5	2	13	37	91	125	206	301	288
1999.....	1,494	1	7	4	2	15	62	87	150	207	312	315
BLACK, FEMALE												
2000.....	595	1	3	1	1	8	21	24	63	111	128	101
1999.....	568	-	5	2	-	3	14	28	71	98	133	96

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	137	-	-	1	3	6	12	11	19	21	28	23
1999.....	149	1	2	2	2	7	8	13	24	28	28	17
AMERICAN INDIAN 1/, MALE												
2000.....	84	-	-	-	-	3	4	9	15	10	17	16
1999.....	91	1	1	1	-	4	6	8	18	17	12	12
AMERICAN INDIAN 1/, FEMALE												
2000.....	53	-	-	1	3	3	8	2	4	11	11	7
1999.....	58	-	1	1	2	3	2	5	6	11	16	5
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	84	-	1	-	2	6	7	7	9	10	16	12
1999.....	92	-	-	-	1	4	8	8	9	15	15	5
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	63	-	1	-	2	6	5	5	7	8	14	8
1999.....	62	-	-	-	1	3	2	6	8	10	14	4
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	21	-	-	-	-	-	2	2	2	2	2	4
1999.....	30	-	-	-	-	1	6	2	1	5	1	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)												
ALL RACES, BOTH SEXES												
2000.....	17,437	572	266	115	152	273	375	416	479	672	774	787
1999.....	18,388	523	293	144	172	291	371	421	466	622	830	755
ALL RACES, MALE												
2000.....	9,960	327	162	72	120	223	337	362	405	577	628	646
1999.....	10,371	314	183	93	128	238	327	361	387	513	668	584
ALL RACES, FEMALE												
2000.....	7,477	245	104	43	32	50	38	54	74	95	146	141
1999.....	8,017	209	110	51	44	53	44	60	79	109	162	171
WHITE, BOTH SEXES												
2000.....	15,074	362	194	88	124	221	314	346	402	559	636	623
1999.....	15,859	335	215	114	143	250	317	348	378	536	686	586
WHITE, MALE												
2000.....	8,437	213	122	57	98	184	283	302	347	485	519	508
1999.....	8,781	197	132	79	104	203	280	306	317	448	549	452
WHITE, FEMALE												
2000.....	6,637	149	72	31	26	37	31	44	55	74	117	115
1999.....	7,078	138	83	35	39	47	37	42	61	88	137	134
BLACK, BOTH SEXES												
2000.....	1,990	188	57	25	24	41	49	55	65	92	109	134
1999.....	2,205	169	63	23	24	31	44	60	73	66	129	151
BLACK, MALE												
2000.....	1,268	100	32	14	20	29	44	45	50	76	86	111
1999.....	1,378	102	43	12	20	28	40	45	58	49	105	118
BLACK, FEMALE												
2000.....	722	88	25	11	4	12	5	10	15	16	23	23
1999.....	827	67	20	11	4	3	4	15	15	17	24	33

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	176	10	6	1	2	4	7	3	8	12	21	20
1999.....	165	8	7	5	1	6	5	8	11	11	12	14
AMERICAN INDIAN 1/, MALE												
2000.....	126	7	4	1	1	3	6	3	5	10	16	19
1999.....	116	5	4	1	1	4	3	6	9	9	11	12
AMERICAN INDIAN 1/, FEMALE												
2000.....	50	3	2	-	1	1	1	-	3	2	5	1
1999.....	49	3	3	4	-	2	2	2	2	2	1	2
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	197	12	9	1	2	7	5	12	4	9	8	10
1999.....	159	11	8	2	4	4	5	5	4	9	3	4
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	129	7	4	-	1	7	4	12	3	6	7	8
1999.....	96	10	4	1	3	3	4	4	3	7	3	2
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	68	5	5	1	1	-	1	-	1	3	1	2
1999.....	63	1	4	1	1	1	1	1	1	2	-	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
ALL RACES, BOTH SEXES												
2000.....	29,350	...	...	7	300	1,621	2,373	2,341	2,451	3,112	3,450	2,987
1999.....	29,199	...	...	2	242	1,615	2,286	2,398	2,708	3,286	3,180	2,817
ALL RACES, MALE												
2000.....	23,618	...	...	6	238	1,351	2,073	1,956	1,982	2,457	2,657	2,307
1999.....	23,458	...	...	2	192	1,347	1,979	2,005	2,189	2,590	2,429	2,152
ALL RACES, FEMALE												
2000.....	5,732	...	...	1	62	270	300	385	469	655	793	680
1999.....	5,741	...	...	-	50	268	307	393	519	696	751	665
WHITE, BOTH SEXES												
2000.....	26,475	...	...	6	248	1,354	1,961	1,941	2,143	2,796	3,146	2,762
1999.....	26,300	...	...	2	204	1,344	1,875	1,996	2,350	2,933	2,927	2,599
WHITE, MALE												
2000.....	21,293	...	...	5	195	1,130	1,723	1,631	1,732	2,197	2,423	2,128
1999.....	21,107	...	...	2	162	1,122	1,629	1,667	1,900	2,291	2,244	1,987
WHITE, FEMALE												
2000.....	5,182	...	...	1	53	224	238	310	411	599	723	634
1999.....	5,193	...	...	-	42	222	246	329	450	642	683	612
BLACK, BOTH SEXES												
2000.....	1,962	...	...	-	40	172	308	266	210	214	224	156
1999.....	1,950	...	...	-	29	179	291	261	242	248	187	146
BLACK, MALE												
2000.....	1,636	...	...	-	35	150	265	224	178	180	176	129
1999.....	1,651	...	...	-	22	155	259	231	205	217	139	116
BLACK, FEMALE												
2000.....	326	...	...	-	5	22	43	42	32	34	48	27
1999.....	299	...	...	-	7	24	32	30	37	31	48	30

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	297	...	...	1	6	44	45	43	35	37	30	16
1999.....	291	...	...	-	2	52	43	53	38	35	14	20
AMERICAN INDIAN 1/, MALE												
2000.....	237	...	...	1	5	34	37	33	26	31	22	11
1999.....	233	...	...	-	2	43	36	42	30	29	9	17
AMERICAN INDIAN 1/, FEMALE												
2000.....	60	...	...	-	1	10	8	10	9	6	8	5
1999.....	58	...	...	-	-	9	7	11	8	6	5	3
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	616	...	...	-	6	51	59	91	63	65	50	53
1999.....	658	...	...	-	7	40	77	88	78	70	52	52
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	452	...	...	-	3	37	48	68	46	49	36	39
1999.....	467	...	...	-	6	27	55	65	54	53	37	32
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	164	...	...	-	3	14	11	23	17	16	14	14
1999.....	191	...	...	-	1	13	22	23	24	17	15	20

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
ALL RACES, BOTH SEXES												
2000.....	16,586	...	...	-	110	897	1,370	1,223	1,230	1,521	1,670	1,491
1999.....	16,599	...	...	-	103	975	1,340	1,292	1,329	1,617	1,480	1,462
ALL RACES, MALE												
2000.....	14,454	...	...	-	90	793	1,250	1,084	1,039	1,255	1,402	1,263
1999.....	14,479	...	...	-	80	867	1,216	1,137	1,133	1,349	1,237	1,221
ALL RACES, FEMALE												
2000.....	2,132	...	...	-	20	104	120	139	191	266	268	228
1999.....	2,120	...	...	-	23	108	124	155	196	268	243	241
WHITE, BOTH SEXES												
2000.....	15,174	...	...	-	103	741	1,137	1,012	1,086	1,384	1,549	1,390
1999.....	15,135	...	...	-	94	817	1,082	1,081	1,172	1,452	1,381	1,360
WHITE, MALE												
2000.....	13,214	...	...	-	86	653	1,040	893	922	1,133	1,298	1,178
1999.....	13,167	...	...	-	72	724	983	945	993	1,200	1,149	1,139
WHITE, FEMALE												
2000.....	1,960	...	...	-	17	88	97	119	164	251	251	212
1999.....	1,968	...	...	-	22	93	99	136	179	252	232	221
BLACK, BOTH SEXES												
2000.....	1,090	...	...	-	4	117	191	161	111	101	93	77
1999.....	1,125	...	...	-	5	120	207	156	116	125	74	77
BLACK, MALE												
2000.....	965	...	...	-	4	109	172	145	95	89	80	66
1999.....	1,018	...	...	-	4	109	189	144	106	113	66	64
BLACK, FEMALE												
2000.....	125	...	...	-	-	8	19	16	16	12	13	11
1999.....	107	...	...	-	1	11	18	12	10	12	8	13

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	133	...	...	-	1	20	23	14	13	12	13	8
1999.....	136	...	...	-	1	25	24	24	13	16	6	9
AMERICAN INDIAN 1/, MALE												
2000.....	109	...	...	-	-	17	20	12	8	10	10	4
1999.....	120	...	...	-	1	22	21	21	11	15	5	8
AMERICAN INDIAN 1/, FEMALE												
2000.....	24	...	...	-	1	3	3	2	5	2	3	4
1999.....	16	...	...	-	-	3	3	3	2	1	1	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	189	...	...	-	2	19	19	36	20	24	15	16
1999.....	203	...	...	-	3	13	27	31	28	24	19	16
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	166	...	...	-	-	14	18	34	14	23	14	15
1999.....	174	...	...	-	3	12	23	27	23	21	17	10
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	23	...	...	-	2	5	1	2	6	1	1	1
1999.....	29	...	...	-	-	1	4	4	5	3	2	6

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)												
ALL RACES, BOTH SEXES												
2000.....	12,764	...	...	7	190	724	1,003	1,118	1,221	1,591	1,780	1,496
1999.....	12,600	...	...	2	139	640	946	1,106	1,379	1,669	1,700	1,355
ALL RACES, MALE												
2000.....	9,164	...	...	6	148	558	823	872	943	1,202	1,255	1,044
1999.....	8,979	...	...	2	112	480	763	868	1,056	1,241	1,192	931
ALL RACES, FEMALE												
2000.....	3,600	...	...	1	42	166	180	246	278	389	525	452
1999.....	3,621	...	...	-	27	160	183	238	323	428	508	424
WHITE, BOTH SEXES												
2000.....	11,301	...	...	6	145	613	824	929	1,057	1,412	1,597	1,372
1999.....	11,165	...	...	2	110	527	793	915	1,178	1,481	1,546	1,239
WHITE, MALE												
2000.....	8,079	...	...	5	109	477	683	738	810	1,064	1,125	950
1999.....	7,940	...	...	2	90	398	646	722	907	1,091	1,095	848
WHITE, FEMALE												
2000.....	3,222	...	...	1	36	136	141	191	247	348	472	422
1999.....	3,225	...	...	-	20	129	147	193	271	390	451	391
BLACK, BOTH SEXES												
2000.....	872	...	...	-	36	55	117	105	99	113	131	79
1999.....	825	...	...	-	24	59	84	105	126	123	113	69
BLACK, MALE												
2000.....	671	...	...	-	31	41	93	79	83	91	96	63
1999.....	633	...	...	-	18	46	70	87	99	104	73	52
BLACK, FEMALE												
2000.....	201	...	...	-	5	14	24	26	16	22	35	16
1999.....	192	...	...	-	6	13	14	18	27	19	40	17

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	164	...	...	1	5	24	22	29	22	25	17	8
1999.....	155	...	...	-	1	27	19	29	25	19	8	11
AMERICAN INDIAN 1/, MALE												
2000.....	128	...	...	1	5	17	17	21	18	21	12	7
1999.....	113	...	...	-	1	21	15	21	19	14	4	9
AMERICAN INDIAN 1/, FEMALE												
2000.....	36	...	...	-	-	7	5	8	4	4	5	1
1999.....	42	...	...	-	-	6	4	8	6	5	4	2
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	427	...	...	-	4	32	40	55	43	41	35	37
1999.....	455	...	...	-	4	27	50	57	50	46	33	36
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	286	...	...	-	3	23	30	34	32	26	22	24
1999.....	293	...	...	-	3	15	32	38	31	32	20	22
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	141	...	...	-	1	9	10	21	11	15	13	13
1999.....	162	...	...	-	1	12	18	19	19	14	13	14

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
ALL RACES, BOTH SEXES												
2000.....	16,765	349	356	140	231	1,914	3,025	2,312	1,852	1,732	1,487	1,059
1999.....	16,889	331	376	186	246	2,093	2,905	2,362	1,869	1,751	1,455	998
ALL RACES, MALE												
2000.....	12,820	203	198	77	150	1,613	2,590	1,918	1,443	1,235	1,084	773
1999.....	12,785	187	194	95	155	1,748	2,443	1,922	1,424	1,257	1,050	746
ALL RACES, FEMALE												
2000.....	3,945	146	158	63	81	301	435	394	409	497	403	286
1999.....	4,104	144	182	91	91	345	462	440	445	494	405	252
WHITE, BOTH SEXES												
2000.....	8,339	197	199	98	142	823	1,158	945	869	909	816	616
1999.....	8,628	200	208	106	155	884	1,180	1,006	920	946	820	587
WHITE, MALE												
2000.....	5,925	125	114	59	89	659	924	721	635	614	588	423
1999.....	6,162	121	108	55	93	704	918	784	661	659	581	429
WHITE, FEMALE												
2000.....	2,414	72	85	39	53	164	234	224	234	295	228	193
1999.....	2,466	79	100	51	62	180	262	222	259	287	239	158
BLACK, BOTH SEXES												
2000.....	7,867	140	145	40	84	1,028	1,791	1,301	923	764	612	397
1999.....	7,648	118	152	67	80	1,131	1,650	1,278	879	741	584	371
BLACK, MALE												
2000.....	6,482	73	75	16	56	899	1,602	1,146	765	590	450	315
1999.....	6,214	60	75	36	55	978	1,475	1,084	716	556	440	289
BLACK, FEMALE												
2000.....	1,385	67	70	24	28	129	189	155	158	174	162	82
1999.....	1,434	58	77	31	25	153	175	194	163	185	144	82

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	203	5	8	1	-	25	26	28	31	24	22	9
1999.....	253	5	6	5	4	27	33	34	39	25	19	15
AMERICAN INDIAN 1/, MALE												
2000.....	159	3	6	1	-	21	25	22	24	16	16	7
1999.....	179	3	4	1	3	22	23	22	28	18	12	11
AMERICAN INDIAN 1/, FEMALE												
2000.....	44	2	2	-	-	4	1	6	7	8	6	2
1999.....	74	2	2	4	1	5	10	12	11	7	7	4
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	356	7	4	1	5	38	50	38	29	35	37	37
1999.....	360	8	10	8	7	51	42	44	31	39	32	25
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	254	2	3	1	5	34	39	29	19	15	30	28
1999.....	230	3	7	3	4	44	27	32	19	24	17	17
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	102	5	1	-	-	4	11	9	10	20	7	9
1999.....	130	5	3	5	3	7	15	12	12	15	15	8

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
ALL RACES, BOTH SEXES												
2000.....	10,801	12	28	50	137	1,549	2,414	1,789	1,285	1,064	842	582
1999.....	10,828	8	50	61	163	1,708	2,330	1,795	1,253	1,054	814	551
ALL RACES, MALE												
2000.....	9,006	9	17	28	110	1,381	2,167	1,574	1,076	842	645	445
1999.....	8,944	5	26	37	118	1,498	2,071	1,568	1,041	807	607	426
ALL RACES, FEMALE												
2000.....	1,795	3	11	22	27	168	247	215	209	222	197	137
1999.....	1,884	3	24	24	45	210	259	227	212	247	207	125
WHITE, BOTH SEXES												
2000.....	4,806	5	17	39	75	617	817	645	547	525	460	338
1999.....	4,918	4	26	32	95	662	822	675	562	555	456	313
WHITE, MALE												
2000.....	3,686	2	9	22	59	531	693	528	427	384	340	246
1999.....	3,820	4	14	20	66	567	688	568	440	408	328	230
WHITE, FEMALE												
2000.....	1,120	3	8	17	16	86	124	117	120	141	120	92
1999.....	1,098	-	12	12	29	95	134	107	122	147	128	83
BLACK, BOTH SEXES												
2000.....	5,699	7	8	11	58	888	1,546	1,097	715	509	354	223
1999.....	5,577	2	18	23	59	991	1,459	1,068	656	468	336	222
BLACK, MALE												
2000.....	5,084	7	5	6	47	812	1,431	1,009	628	439	284	183
1999.....	4,883	1	7	15	46	883	1,344	961	576	378	265	183
BLACK, FEMALE												
2000.....	615	-	3	5	11	76	115	88	87	70	70	40
1999.....	694	1	11	8	13	108	115	107	80	90	71	39

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	86	-	2	-	-	14	18	17	10	9	8	2
1999.....	104	2	2	2	4	16	17	16	14	7	4	4
AMERICAN INDIAN 1/, MALE												
2000.....	70	-	2	-	-	12	17	13	9	7	4	2
1999.....	82	-	2	1	3	15	14	12	12	5	2	3
AMERICAN INDIAN 1/, FEMALE												
2000.....	16	-	-	-	-	2	1	4	1	2	4	-
1999.....	22	2	-	1	1	1	3	4	2	2	2	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	210	-	1	-	4	30	33	30	13	21	20	19
1999.....	229	-	4	4	5	39	32	36	21	24	18	12
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	166	-	1	-	4	26	26	24	12	12	17	14
1999.....	159	-	3	1	3	33	25	27	13	16	12	10
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	44	-	-	-	-	4	7	6	1	9	3	5
1999.....	70	-	1	3	2	6	7	9	8	8	6	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)												
ALL RACES, BOTH SEXES												
2000.....	5,964	337	328	90	94	365	611	523	567	668	645	477
1999.....	6,061	323	326	125	83	385	575	567	616	697	641	447
ALL RACES, MALE												
2000.....	3,814	194	181	49	40	232	423	344	367	393	439	328
1999.....	3,841	182	168	58	37	250	372	354	383	450	443	320
ALL RACES, FEMALE												
2000.....	2,150	143	147	41	54	133	188	179	200	275	206	149
1999.....	2,220	141	158	67	46	135	203	213	233	247	198	127
WHITE, BOTH SEXES												
2000.....	3,533	192	182	59	67	206	341	300	322	384	356	278
1999.....	3,710	196	182	74	60	222	358	331	358	391	364	274
WHITE, MALE												
2000.....	2,239	123	105	37	30	128	231	193	208	230	248	177
1999.....	2,342	117	94	35	27	137	230	216	221	251	253	199
WHITE, FEMALE												
2000.....	1,294	69	77	22	37	78	110	107	114	154	108	101
1999.....	1,368	79	88	39	33	85	128	115	137	140	111	75
BLACK, BOTH SEXES												
2000.....	2,168	133	137	29	26	140	245	204	208	255	258	174
1999.....	2,071	116	134	44	21	140	191	210	223	273	248	149
BLACK, MALE												
2000.....	1,398	66	70	10	9	87	171	137	137	151	166	132
1999.....	1,331	59	68	21	9	95	131	123	140	178	175	106
BLACK, FEMALE												
2000.....	770	67	67	19	17	53	74	67	71	104	92	42
1999.....	740	57	66	23	12	45	60	87	83	95	73	43

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	117	5	6	1	-	11	8	11	21	15	14	7
1999.....	149	3	4	3	-	11	16	18	25	18	15	11
AMERICAN INDIAN 1/, MALE												
2000.....	89	3	4	1	-	9	8	9	15	9	12	5
1999.....	97	3	2	-	-	7	9	10	16	13	10	8
AMERICAN INDIAN 1/, FEMALE												
2000.....	28	2	2	-	-	2	-	2	6	6	2	2
1999.....	52	-	2	3	-	4	7	8	9	5	5	3
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	146	7	3	1	1	8	17	8	16	14	17	18
1999.....	131	8	6	4	2	12	10	8	10	15	14	13
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	88	2	2	1	1	8	13	5	7	3	13	14
1999.....	71	3	4	2	1	11	2	5	6	8	5	7
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	58	5	1	-	-	-	4	3	9	11	4	4
1999.....	60	5	2	2	1	1	8	3	4	7	9	6

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal intervention (Y35,Y89.0)												
ALL RACES, BOTH SEXES												
2000.....	359	-	-	-	3	27	46	59	51	60	41	38
1999.....	398	-	-	-	1	20	47	66	70	72	49	19
ALL RACES, MALE												
2000.....	348	-	-	-	3	27	44	58	50	58	38	37
1999.....	392	-	-	-	1	20	47	66	69	69	48	19
ALL RACES, FEMALE												
2000.....	11	-	-	-	-	-	2	1	1	2	3	1
1999.....	6	-	-	-	-	-	-	-	1	3	1	-
WHITE, BOTH SEXES												
2000.....	237	-	-	-	1	11	33	36	36	38	25	32
1999.....	255	-	-	-	-	9	22	39	47	47	33	15
WHITE, MALE												
2000.....	231	-	-	-	1	11	31	35	35	37	25	32
1999.....	250	-	-	-	-	9	22	39	47	44	32	15
WHITE, FEMALE												
2000.....	6	-	-	-	-	-	2	1	1	1	-	-
1999.....	5	-	-	-	-	-	-	-	-	3	1	-
BLACK, BOTH SEXES												
2000.....	111	-	-	-	2	15	13	19	14	20	15	6
1999.....	126	-	-	-	1	10	22	24	18	21	15	4
BLACK, MALE												
2000.....	108	-	-	-	2	15	13	19	14	20	13	5
1999.....	125	-	-	-	1	10	22	24	17	21	15	4
BLACK, FEMALE												
2000.....	3	-	-	-	-	-	-	-	-	-	2	1
1999.....	1	-	-	-	-	-	-	-	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Legal intervention (Y35,Y89.0)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	4	-	-	-	-	1	-	1	-	1	-	-
1999.....	10	-	-	-	-	1	-	1	4	4	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	3	-	-	-	-	1	-	1	-	-	-	-
1999.....	10	-	-	-	-	1	-	1	4	4	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	-	-	-	-	-	-	-	1	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	7	-	-	-	-	-	-	3	1	1	1	-
1999.....	7	-	-	-	-	-	3	2	1	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	6	-	-	-	-	-	-	3	1	1	-	-
1999.....	7	-	-	-	-	-	3	2	1	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	-	-	-	-	-	-	-	-	-	1	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
ALL RACES, BOTH SEXES												
2000.....	3,819	65	39	18	42	120	250	306	373	599	687	543
1999.....	3,917	55	43	12	37	159	271	313	430	644	651	528
ALL RACES, MALE												
2000.....	2,635	27	26	13	37	93	192	223	266	415	470	374
1999.....	2,692	33	21	6	32	132	213	230	293	446	441	357
ALL RACES, FEMALE												
2000.....	1,184	38	13	5	5	27	58	83	107	184	217	169
1999.....	1,225	22	22	6	5	27	58	83	137	198	210	171
WHITE, BOTH SEXES												
2000.....	3,053	41	27	9	29	103	199	252	301	492	539	432
1999.....	3,122	36	23	10	32	125	217	255	351	516	507	409
WHITE, MALE												
2000.....	2,078	18	17	6	26	79	149	181	211	342	368	292
1999.....	2,105	22	13	5	28	106	172	180	236	349	349	262
WHITE, FEMALE												
2000.....	975	23	10	3	3	24	50	71	90	150	171	140
1999.....	1,017	14	10	5	4	19	45	75	115	167	158	147
BLACK, BOTH SEXES												
2000.....	668	15	11	9	12	13	39	45	60	98	136	103
1999.....	696	18	16	2	5	25	46	51	70	114	126	109
BLACK, MALE												
2000.....	488	3	8	7	10	13	34	35	45	67	95	77
1999.....	523	10	8	1	4	20	36	44	49	87	84	88
BLACK, FEMALE												
2000.....	180	12	3	2	2	-	5	10	15	31	41	26
1999.....	173	8	8	1	1	5	10	7	21	27	42	21

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	46	4	1	-	1	1	4	3	6	6	6	4
1999.....	54	1	2	-	-	4	5	2	9	9	9	4
AMERICAN INDIAN 1/, MALE												
2000.....	36	3	1	-	1	-	3	2	6	5	4	3
1999.....	37	1	-	-	-	3	4	2	8	6	4	3
AMERICAN INDIAN 1/, FEMALE												
2000.....	10	1	-	-	-	1	1	1	-	1	2	1
1999.....	17	-	2	-	-	1	1	-	1	3	5	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	52	5	-	-	-	3	8	6	6	3	6	4
1999.....	45	-	2	-	-	5	3	5	-	5	9	6
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	33	3	-	-	-	1	6	5	4	1	3	2
1999.....	27	-	-	-	-	3	1	4	-	4	4	4
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	19	2	-	-	-	2	2	1	2	2	3	2
1999.....	18	-	2	-	-	2	2	1	-	1	5	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)												
ALL RACES, BOTH SEXES												
2000.....	230	-	-	2	8	26	45	32	20	18	21	9
1999.....	324	-	3	-	12	68	59	32	19	28	29	18
ALL RACES, MALE												
2000.....	190	-	-	2	7	25	37	26	17	12	18	6
1999.....	277	-	3	-	12	61	50	28	16	24	21	15
ALL RACES, FEMALE												
2000.....	40	-	-	-	1	1	8	6	3	6	3	3
1999.....	47	-	-	-	-	7	9	4	3	4	8	3
WHITE, BOTH SEXES												
2000.....	167	-	-	-	5	20	28	23	11	13	18	8
1999.....	247	-	1	-	11	42	43	22	14	25	25	13
WHITE, MALE												
2000.....	137	-	-	-	5	19	23	18	10	8	17	5
1999.....	212	-	1	-	11	39	37	19	12	21	20	10
WHITE, FEMALE												
2000.....	30	-	-	-	-	1	5	5	1	5	1	3
1999.....	35	-	-	-	-	3	6	3	2	4	5	3
BLACK, BOTH SEXES												
2000.....	54	-	-	2	3	6	14	8	7	4	3	1
1999.....	66	-	2	-	1	20	15	10	4	3	3	4
BLACK, MALE												
2000.....	47	-	-	2	2	6	13	7	5	4	1	1
1999.....	56	-	2	-	1	17	12	9	3	3	1	4
BLACK, FEMALE												
2000.....	7	-	-	-	1	-	1	1	2	-	2	-
1999.....	10	-	-	-	-	3	3	1	1	-	2	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	4	-	-	-	-	-	2	-	1	-	-	-
1999.....	6	-	-	-	-	3	1	-	1	-	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	3	-	-	-	-	-	1	-	1	-	-	-
1999.....	5	-	-	-	-	3	1	-	1	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	-	-	-	-	1	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	5	-	-	-	-	-	1	1	1	1	-	-
1999.....	5	-	-	-	-	3	-	-	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	3	-	-	-	-	-	-	1	1	-	-	-
1999.....	4	-	-	-	-	2	-	-	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	-	-	-	-	-	1	-	-	1	-	-
1999.....	1	-	-	-	-	1	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)												
ALL RACES, BOTH SEXES												
2000.....	3,589	65	39	16	34	94	205	274	353	581	666	534
1999.....	3,593	55	40	12	25	91	212	281	411	616	622	510
ALL RACES, MALE												
2000.....	2,445	27	26	11	30	68	155	197	249	403	452	368
1999.....	2,415	33	18	6	20	71	163	202	277	422	420	342
ALL RACES, FEMALE												
2000.....	1,144	38	13	5	4	26	50	77	104	178	214	166
1999.....	1,178	22	22	6	5	20	49	79	134	194	202	168
WHITE, BOTH SEXES												
2000.....	2,886	41	27	9	24	83	171	229	290	479	521	424
1999.....	2,875	36	22	10	21	83	174	233	337	491	482	396
WHITE, MALE												
2000.....	1,941	18	17	6	21	60	126	163	201	334	351	287
1999.....	1,893	22	12	5	17	67	135	161	224	328	329	252
WHITE, FEMALE												
2000.....	945	23	10	3	3	23	45	66	89	145	170	137
1999.....	982	14	10	5	4	16	39	72	113	163	153	144
BLACK, BOTH SEXES												
2000.....	614	15	11	7	9	7	25	37	53	94	133	102
1999.....	630	18	14	2	4	5	31	41	66	111	123	105
BLACK, MALE												
2000.....	441	3	8	5	8	7	21	28	40	63	94	76
1999.....	467	10	6	1	3	3	24	35	46	84	83	84
BLACK, FEMALE												
2000.....	173	12	3	2	1	-	4	9	13	31	39	26
1999.....	163	8	8	1	1	2	7	6	20	27	40	21

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	42	4	1	-	1	1	2	3	5	6	6	4
1999.....	48	1	2	-	-	1	4	2	8	9	8	4
AMERICAN INDIAN 1/, MALE												
2000.....	33	3	1	-	1	-	2	2	5	5	4	3
1999.....	32	1	-	-	-	-	3	2	7	6	4	3
AMERICAN INDIAN 1/, FEMALE												
2000.....	9	1	-	-	-	1	-	1	-	1	2	1
1999.....	16	-	2	-	-	1	1	-	1	3	4	1
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	47	5	-	-	-	3	7	5	5	2	6	4
1999.....	40	-	2	-	-	2	3	5	-	5	9	5
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	30	3	-	-	-	1	6	4	3	1	3	2
1999.....	23	-	-	-	-	1	1	4	-	4	4	3
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	17	2	-	-	-	2	1	1	2	1	3	2
1999.....	17	-	2	-	-	1	2	1	-	1	5	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Operations of war and their sequelae (Y36,Y89.1)												
ALL RACES, BOTH SEXES												
2000.....	16	-	-	-	-	-	-	-	-	-	-	-
1999.....	23	-	-	-	-	-	-	-	-	1	-	-
ALL RACES, MALE												
2000.....	16	-	-	-	-	-	-	-	-	-	-	-
1999.....	22	-	-	-	-	-	-	-	-	1	-	-
ALL RACES, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	15	-	-	-	-	-	-	-	-	-	-	-
1999.....	22	-	-	-	-	-	-	-	-	1	-	-
WHITE, MALE												
2000.....	15	-	-	-	-	-	-	-	-	-	-	-
1999.....	21	-	-	-	-	-	-	-	-	1	-	-
WHITE, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Operations of war and their sequelae (Y36,Y89.1)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
ALL RACES, BOTH SEXES												
2000.....	3,059	19	22	18	13	10	22	37	48	65	84	128
1999.....	2,823	54	30	7	11	17	19	29	49	66	86	91
ALL RACES, MALE												
2000.....	1,430	12	11	11	4	5	11	23	24	33	43	59
1999.....	1,308	31	12	4	5	8	13	9	34	37	41	37
ALL RACES, FEMALE												
2000.....	1,629	7	11	7	9	5	11	14	24	32	41	69
1999.....	1,515	23	18	3	6	9	6	20	15	29	45	54
WHITE, BOTH SEXES												
2000.....	2,520	14	12	12	11	8	16	22	38	52	63	97
1999.....	2,314	35	21	6	8	15	15	16	39	52	62	68
WHITE, MALE												
2000.....	1,210	11	8	7	4	4	9	13	20	27	37	45
1999.....	1,078	22	11	3	4	7	10	4	28	30	30	26
WHITE, FEMALE												
2000.....	1,310	3	4	5	7	4	7	9	18	25	26	52
1999.....	1,236	13	10	3	4	8	5	12	11	22	32	42
BLACK, BOTH SEXES												
2000.....	487	5	8	4	1	2	5	13	10	13	18	27
1999.....	449	18	9	1	3	2	4	10	8	13	22	21
BLACK, MALE												
2000.....	193	1	2	2	-	1	1	9	4	6	6	12
1999.....	197	8	1	1	1	1	3	4	6	6	10	11
BLACK, FEMALE												
2000.....	294	4	6	2	1	1	4	4	6	7	12	15
1999.....	252	10	8	-	2	1	1	6	2	7	12	10

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	14	-	-	-	1	-	-	-	-	-	1	-
1999.....	20	-	-	-	-	-	-	2	1	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	5	-	-	-	-	-	-	-	-	-	-	-
1999.....	13	-	-	-	-	-	-	1	-	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	9	-	-	-	1	-	-	-	-	-	1	-
1999.....	7	-	-	-	-	-	-	1	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	38	-	2	2	-	-	1	2	-	-	2	4
1999.....	40	1	-	-	-	-	-	1	1	-	2	2
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	22	-	1	2	-	-	1	1	-	-	-	2
1999.....	20	1	-	-	-	-	-	-	-	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	16	-	1	-	-	-	-	1	-	-	2	2
1999.....	20	-	-	-	-	-	-	1	1	-	1	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
ALL CAUSES												
ALL RACES, BOTH SEXES												
2000.....	89,509	106,751	134,095	181,739	259,470	337,700	362,745	335,813	219,283	84,641	18,434	356
1999.....	84,854	104,884	134,095	186,695	265,905	338,349	360,241	330,903	213,991	83,334	17,913	356
ALL RACES, MALE												
2000.....	55,277	64,425	78,896	103,935	143,473	173,327	166,892	128,877	64,439	18,552	2,874	289
1999.....	52,356	63,441	79,283	107,529	147,391	174,853	166,117	126,531	62,511	18,111	2,836	277
ALL RACES, FEMALE												
2000.....	34,232	42,326	55,199	77,804	115,997	164,373	195,853	206,936	154,844	66,089	15,560	67
1999.....	32,498	41,443	54,812	79,166	118,514	163,496	194,124	204,372	151,480	65,223	15,077	79
WHITE, BOTH SEXES												
2000.....	69,543	85,840	109,701	152,597	224,389	299,257	328,472	307,495	201,942	77,167	16,157	275
1999.....	66,116	83,876	109,706	157,260	230,177	299,701	326,788	302,550	197,437	76,142	15,820	271
WHITE, MALE												
2000.....	43,267	52,048	65,066	88,182	125,197	154,451	151,919	118,321	59,009	16,624	2,455	231
1999.....	41,130	51,133	65,404	91,520	128,922	155,859	151,591	115,599	57,211	16,329	2,471	213
WHITE, FEMALE												
2000.....	26,276	33,792	44,635	64,415	99,192	144,806	176,553	189,174	142,933	60,543	13,702	44
1999.....	24,986	32,743	44,302	65,740	101,255	143,842	175,197	186,951	140,226	59,813	13,349	58
BLACK, BOTH SEXES												
2000.....	17,554	18,161	21,120	25,064	30,131	32,541	28,903	23,919	14,680	6,407	2,032	72
1999.....	16,455	18,359	21,117	25,461	30,661	32,927	28,274	24,046	14,101	6,281	1,857	77
BLACK, MALE												
2000.....	10,563	10,787	11,891	13,505	15,566	15,682	12,344	8,428	4,249	1,532	351	50
1999.....	9,906	10,751	12,018	13,862	15,732	15,873	11,966	8,828	4,167	1,462	311	58
BLACK, FEMALE												
2000.....	6,991	7,374	9,229	11,559	14,565	16,859	16,559	15,491	10,431	4,875	1,681	22
1999.....	6,549	7,608	9,099	11,599	14,929	17,054	16,308	15,218	9,934	4,819	1,546	19

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
ALL CAUSES												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	743	813	885	1,049	1,092	1,130	932	728	442	169	43	3
1999.....	700	783	891	1,037	1,127	1,151	913	733	390	157	59	1
AMERICAN INDIAN 1/, MALE												
2000.....	469	459	505	556	557	567	422	286	155	50	10	3
1999.....	430	452	468	558	590	587	400	261	128	46	14	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	274	354	380	493	535	563	510	442	287	119	33	-
1999.....	270	331	423	479	537	564	513	472	262	111	45	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1,669	1,937	2,389	3,029	3,858	4,772	4,438	3,671	2,219	898	202	6
1999.....	1,583	1,866	2,381	2,937	3,940	4,570	4,266	3,574	2,063	754	177	7
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	978	1,131	1,434	1,692	2,153	2,627	2,207	1,842	1,026	346	58	5
1999.....	890	1,105	1,393	1,589	2,147	2,534	2,160	1,843	1,005	274	40	5
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	691	806	955	1,337	1,705	2,145	2,231	1,829	1,193	552	144	1
1999.....	693	761	988	1,348	1,793	2,036	2,106	1,731	1,058	480	137	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Salmonella infections (A01-A02)												
ALL RACES, BOTH SEXES												
2000.....	3	2	-	1	6	3	2	1	2	-	-	-
1999.....	2	1	2	2	5	8	4	4	2	1	-	-
ALL RACES, MALE												
2000.....	1	2	-	1	4	1	-	-	1	-	-	-
1999.....	2	-	2	2	3	2	3	1	1	-	-	-
ALL RACES, FEMALE												
2000.....	2	-	-	-	2	2	2	1	1	-	-	-
1999.....	-	1	-	-	2	6	1	3	1	1	-	-
WHITE, BOTH SEXES												
2000.....	3	2	-	1	5	3	2	1	2	-	-	-
1999.....	2	1	1	1	4	7	3	4	2	1	-	-
WHITE, MALE												
2000.....	1	2	-	1	4	1	-	-	1	-	-	-
1999.....	2	-	1	1	2	2	2	1	1	-	-	-
WHITE, FEMALE												
2000.....	2	-	-	-	1	2	2	1	1	-	-	-
1999.....	-	1	-	-	2	5	1	3	1	1	-	-
BLACK, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	-	1	1	-	-	-	-	-
BLACK, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	-	-	1	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Salmonella infections (A01-A02)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	1	-	-	-	-	-	-	-
1999.....	-	-	1	-	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	1	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Shigellosis and amebiasis (A03,A06)												
ALL RACES, BOTH SEXES												
2000.....	1	-	1	1	-	2	5	-	-	-	1	-
1999.....	-	-	1	-	1	1	-	1	1	2	-	-
ALL RACES, MALE												
2000.....	-	-	1	-	-	1	2	-	-	-	-	-
1999.....	-	-	1	-	1	-	-	-	1	-	-	-
ALL RACES, FEMALE												
2000.....	1	-	-	1	-	1	3	-	-	-	1	-
1999.....	-	-	-	-	-	1	-	1	-	2	-	-
WHITE, BOTH SEXES												
2000.....	1	-	1	-	-	2	5	-	-	-	1	-
1999.....	-	-	1	-	1	1	-	1	1	2	-	-
WHITE, MALE												
2000.....	-	-	1	-	-	1	2	-	-	-	-	-
1999.....	-	-	1	-	1	-	-	-	1	-	-	-
WHITE, FEMALE												
2000.....	1	-	-	-	-	1	3	-	-	-	1	-
1999.....	-	-	-	-	-	1	-	1	-	2	-	-
BLACK, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Shigellosis and amebiasis (A03,A06)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	1	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	1	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Certain other intestinal infections (A04,A07-A09)												
ALL RACES, BOTH SEXES												
2000.....	18	33	37	85	137	202	260	267	168	53	11	-
1999.....	12	15	34	67	109	168	222	211	146	58	14	-
ALL RACES, MALE												
2000.....	9	20	19	44	61	88	107	81	48	9	2	-
1999.....	6	10	16	28	46	80	89	54	44	13	2	-
ALL RACES, FEMALE												
2000.....	9	13	18	41	76	114	153	186	120	44	9	-
1999.....	6	5	18	39	63	88	133	157	102	45	12	-
WHITE, BOTH SEXES												
2000.....	14	30	32	76	126	190	251	247	162	49	10	-
1999.....	10	13	28	62	100	155	209	204	139	55	13	-
WHITE, MALE												
2000.....	7	17	17	40	56	83	101	76	46	8	2	-
1999.....	4	9	13	27	45	75	85	53	41	12	1	-
WHITE, FEMALE												
2000.....	7	13	15	36	70	107	150	171	116	41	8	-
1999.....	6	4	15	35	55	80	124	151	98	43	12	-
BLACK, BOTH SEXES												
2000.....	4	3	3	8	7	10	7	17	5	4	-	-
1999.....	1	2	4	5	9	13	12	5	7	3	1	-
BLACK, MALE												
2000.....	2	3	1	3	3	4	5	4	2	1	-	-
1999.....	1	1	1	1	1	5	4	-	3	1	1	-
BLACK, FEMALE												
2000.....	2	-	2	5	4	6	2	13	3	3	-	-
1999.....	-	1	3	4	8	8	8	5	4	2	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Certain other intestinal infections (A04,A07-A09)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	2	1	-	-	-	1	-	-	-	-
1999.....	1	-	1	-	-	-	1	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	1	1	-	-	-	-	-	-	-	-
1999.....	1	-	1	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	1	-	-	-	-	1	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	4	2	2	2	1	-	1	-
1999.....	-	-	1	-	-	-	-	2	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	2	1	1	1	-	-	-	-
1999.....	-	-	1	-	-	-	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	2	1	1	1	1	-	1	-
1999.....	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Tuberculosis (A16-A19)												
ALL RACES, BOTH SEXES												
2000.....	53	31	50	70	85	132	120	74	31	10	-	1
1999.....	55	67	63	70	103	134	119	115	41	16	1	1
ALL RACES, MALE												
2000.....	41	23	36	46	41	69	70	38	13	5	-	1
1999.....	45	48	48	49	67	71	66	58	16	11	-	1
ALL RACES, FEMALE												
2000.....	12	8	14	24	44	63	50	36	18	5	-	-
1999.....	10	19	15	21	36	63	53	57	25	5	1	-
WHITE, BOTH SEXES												
2000.....	31	8	25	38	49	79	76	53	26	6	-	-
1999.....	27	37	36	48	60	85	87	87	24	11	-	-
WHITE, MALE												
2000.....	22	6	18	26	27	40	38	27	12	3	-	-
1999.....	25	27	25	33	40	42	49	43	9	6	-	-
WHITE, FEMALE												
2000.....	9	2	7	12	22	39	38	26	14	3	-	-
1999.....	2	10	11	15	20	43	38	44	15	5	-	-
BLACK, BOTH SEXES												
2000.....	21	18	16	25	27	29	31	13	2	4	-	1
1999.....	22	22	18	15	28	31	19	14	8	4	1	1
BLACK, MALE												
2000.....	18	13	13	17	11	17	23	6	-	2	-	1
1999.....	17	15	17	11	18	17	8	6	3	4	-	1
BLACK, FEMALE												
2000.....	3	5	3	8	16	12	8	7	2	2	-	-
1999.....	5	7	1	4	10	14	11	8	5	-	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Tuberculosis (A16-A19)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	3	3	4	1	4	1	-	1	-	-	-
1999.....	1	1	1	1	5	1	-	1	3	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	2	2	2	1	2	1	-	-	-	-	-
1999.....	-	1	-	1	2	-	-	-	2	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	1	1	2	-	2	-	-	1	-	-	-
1999.....	1	-	1	-	3	1	-	1	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	2	6	3	8	20	12	8	2	-	-	-
1999.....	5	7	8	6	10	17	13	13	6	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	2	3	1	2	10	8	5	1	-	-	-
1999.....	3	5	6	4	7	12	9	9	2	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	3	2	6	10	4	3	1	-	-	-
1999.....	2	2	2	2	3	5	4	4	4	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Respiratory tuberculosis (A16)												
ALL RACES, BOTH SEXES												
2000.....	42	24	36	52	67	107	102	64	26	8	-	1
1999.....	38	53	56	58	81	112	104	100	36	16	1	1
ALL RACES, MALE												
2000.....	35	21	29	38	35	58	58	33	13	4	-	1
1999.....	32	39	44	41	56	60	60	52	13	11	-	1
ALL RACES, FEMALE												
2000.....	7	3	7	14	32	49	44	31	13	4	-	-
1999.....	6	14	12	17	25	52	44	48	23	5	1	-
WHITE, BOTH SEXES												
2000.....	26	7	19	27	39	65	66	45	22	5	-	-
1999.....	20	27	34	38	49	70	75	79	23	11	-	-
WHITE, MALE												
2000.....	21	5	15	20	23	36	31	24	12	2	-	-
1999.....	19	21	24	27	34	36	43	41	9	6	-	-
WHITE, FEMALE												
2000.....	5	2	4	7	16	29	35	21	10	3	-	-
1999.....	1	6	10	11	15	34	32	38	14	5	-	-
BLACK, BOTH SEXES												
2000.....	15	12	10	21	22	24	24	12	2	3	-	1
1999.....	14	20	16	13	20	26	17	11	7	4	1	1
BLACK, MALE												
2000.....	13	12	10	16	10	13	19	5	-	2	-	1
1999.....	11	13	16	9	13	14	8	4	2	4	-	1
BLACK, FEMALE												
2000.....	2	-	-	5	12	11	5	7	2	1	-	-
1999.....	3	7	-	4	7	12	9	7	5	-	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Respiratory tuberculosis (A16)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	3	2	2	-	3	-	-	-	-	-	-
1999.....	-	-	1	1	4	1	-	-	1	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	2	2	1	-	1	-	-	-	-	-	-
1999.....	-	-	-	1	2	-	-	-	-	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	1	-	1	-	2	-	-	-	-	-	-
1999.....	-	-	1	-	2	1	-	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	2	5	2	6	15	12	7	2	-	-	-
1999.....	4	6	5	6	8	15	12	10	5	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	2	2	1	2	8	8	4	1	-	-	-
1999.....	2	5	4	4	7	10	9	7	2	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	3	1	4	7	4	3	1	-	-	-
1999.....	2	1	1	2	1	5	3	3	3	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other tuberculosis (A17-A19)												
ALL RACES, BOTH SEXES												
2000.....	11	7	14	18	18	25	18	10	5	2	-	-
1999.....	17	14	7	12	22	22	15	15	5	-	-	-
ALL RACES, MALE												
2000.....	6	2	7	8	6	11	12	5	-	1	-	-
1999.....	13	9	4	8	11	11	6	6	3	-	-	-
ALL RACES, FEMALE												
2000.....	5	5	7	10	12	14	6	5	5	1	-	-
1999.....	4	5	3	4	11	11	9	9	2	-	-	-
WHITE, BOTH SEXES												
2000.....	5	1	6	11	10	14	10	8	4	1	-	-
1999.....	7	10	2	10	11	15	12	8	1	-	-	-
WHITE, MALE												
2000.....	1	1	3	6	4	4	7	3	-	1	-	-
1999.....	6	6	1	6	6	6	6	2	-	-	-	-
WHITE, FEMALE												
2000.....	4	-	3	5	6	10	3	5	4	-	-	-
1999.....	1	4	1	4	5	9	6	6	1	-	-	-
BLACK, BOTH SEXES												
2000.....	6	6	6	4	5	5	7	1	-	1	-	-
1999.....	8	2	2	2	8	5	2	3	1	-	-	-
BLACK, MALE												
2000.....	5	1	3	1	1	4	4	1	-	-	-	-
1999.....	6	2	1	2	5	3	-	2	1	-	-	-
BLACK, FEMALE												
2000.....	1	5	3	3	4	1	3	-	-	1	-	-
1999.....	2	-	1	-	3	2	2	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other tuberculosis (A17-A19)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	1	2	1	1	1	-	1	-	-	-
1999.....	1	1	-	-	1	-	-	1	2	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	1	1	1	1	-	-	-	-	-
1999.....	-	1	-	-	-	-	-	-	2	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	1	1	-	-	-	-	1	-	-	-
1999.....	1	-	-	-	1	-	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	1	1	2	5	-	1	-	-	-	-
1999.....	1	1	3	-	2	2	1	3	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	1	-	-	2	-	1	-	-	-	-
1999.....	1	-	2	-	-	2	-	2	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	1	2	3	-	-	-	-	-	-
1999.....	-	1	1	-	2	-	1	1	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Whooping cough (A37)												
ALL RACES, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Whooping cough (A37)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)												
ALL RACES, BOTH SEXES												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	1	1	1	-	-	1	-	1	-
ALL RACES, MALE												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	1	1	-	-	1	-	1	-
WHITE, BOTH SEXES												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	1	-	1	-	-	1	-	1	-
WHITE, MALE												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	-	1	-	-	1	-	1	-
BLACK, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Scarlet fever and erysipelas (A38,A46)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Meningococcal infection (A39)												
ALL RACES, BOTH SEXES												
2000.....	16	6	3	3	5	7	8	2	4	1	-	-
1999.....	6	3	1	9	-	7	6	3	4	1	-	-
ALL RACES, MALE												
2000.....	6	1	1	-	2	4	3	-	-	1	-	-
1999.....	3	-	-	5	-	2	2	-	1	1	-	-
ALL RACES, FEMALE												
2000.....	10	5	2	3	3	3	5	2	4	-	-	-
1999.....	3	3	1	4	-	5	4	3	3	-	-	-
WHITE, BOTH SEXES												
2000.....	12	5	3	2	5	7	8	2	4	1	-	-
1999.....	5	3	1	9	-	7	5	3	4	1	-	-
WHITE, MALE												
2000.....	3	1	1	-	2	4	3	-	-	1	-	-
1999.....	2	-	-	5	-	2	2	-	1	1	-	-
WHITE, FEMALE												
2000.....	9	4	2	2	3	3	5	2	4	-	-	-
1999.....	3	3	1	4	-	5	3	3	3	-	-	-
BLACK, BOTH SEXES												
2000.....	4	1	-	1	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	3	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	1	1	-	1	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Meningococcal infection (A39)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Septicemia (A40-A41)												
ALL RACES, BOTH SEXES												
2000.....	1,064	1,260	1,639	2,303	3,401	4,745	5,193	4,900	2,949	1,079	216	1
1999.....	954	1,178	1,536	2,352	3,398	4,686	5,024	4,854	2,984	1,133	195	-
ALL RACES, MALE												
2000.....	600	657	856	1,182	1,685	2,249	2,233	1,690	812	199	35	1
1999.....	513	613	799	1,218	1,701	2,252	2,174	1,712	817	236	21	-
ALL RACES, FEMALE												
2000.....	464	603	783	1,121	1,716	2,496	2,960	3,210	2,137	880	181	-
1999.....	441	565	737	1,134	1,697	2,434	2,850	3,142	2,167	897	174	-
WHITE, BOTH SEXES												
2000.....	724	897	1,169	1,716	2,702	3,859	4,364	4,206	2,546	875	163	1
1999.....	650	813	1,115	1,769	2,642	3,799	4,236	4,110	2,546	957	143	-
WHITE, MALE												
2000.....	404	474	623	892	1,372	1,833	1,904	1,448	692	161	25	1
1999.....	351	418	565	917	1,330	1,858	1,837	1,443	690	195	18	-
WHITE, FEMALE												
2000.....	320	423	546	824	1,330	2,026	2,460	2,758	1,854	714	138	-
1999.....	299	395	550	852	1,312	1,941	2,399	2,667	1,856	762	125	-
BLACK, BOTH SEXES												
2000.....	316	328	440	540	649	824	766	635	380	187	53	-
1999.....	274	333	389	524	699	800	725	682	396	163	52	-
BLACK, MALE												
2000.....	183	169	218	265	290	387	297	218	109	34	10	-
1999.....	147	175	219	275	339	350	306	240	107	37	3	-
BLACK, FEMALE												
2000.....	133	159	222	275	359	437	469	417	271	153	43	-
1999.....	127	158	170	249	360	450	419	442	289	126	49	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Septicemia (A40-A41)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	9	18	11	22	11	19	15	12	4	6	-	-
1999.....	16	12	17	18	15	18	14	11	8	4	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	5	8	6	10	5	6	8	2	2	1	-	-
1999.....	9	8	5	10	8	7	7	2	3	2	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	4	10	5	12	6	13	7	10	2	5	-	-
1999.....	7	4	12	8	7	11	7	9	5	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	15	17	19	25	39	43	48	47	19	11	-	-
1999.....	14	20	15	41	42	69	49	51	34	9	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	8	6	9	15	18	23	24	22	9	3	-	-
1999.....	6	12	10	16	24	37	24	27	17	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	7	11	10	10	21	20	24	25	10	8	-	-
1999.....	8	8	5	25	18	32	25	24	17	7	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Syphilis (A50-A53)												
ALL RACES, BOTH SEXES												
2000.....	4	2	1	1	6	7	6	6	3	1	-	-
1999.....	2	1	3	2	4	6	4	2	1	1	-	-
ALL RACES, MALE												
2000.....	4	2	1	1	1	3	4	3	2	-	-	-
1999.....	1	1	2	2	3	-	-	1	-	-	-	-
ALL RACES, FEMALE												
2000.....	-	-	-	-	5	4	2	3	1	1	-	-
1999.....	1	-	1	-	1	6	4	1	1	1	-	-
WHITE, BOTH SEXES												
2000.....	1	-	-	-	3	3	4	4	3	1	-	-
1999.....	2	-	3	2	1	2	2	-	-	1	-	-
WHITE, MALE												
2000.....	1	-	-	-	-	-	2	1	2	-	-	-
1999.....	1	-	2	2	-	-	-	-	-	-	-	-
WHITE, FEMALE												
2000.....	-	-	-	-	3	3	2	3	1	1	-	-
1999.....	1	-	1	-	1	2	2	-	-	1	-	-
BLACK, BOTH SEXES												
2000.....	3	2	1	1	3	4	2	2	-	-	-	-
1999.....	-	1	-	-	3	3	2	2	1	-	-	-
BLACK, MALE												
2000.....	3	2	1	1	1	3	2	2	-	-	-	-
1999.....	-	1	-	-	3	-	-	1	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	2	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	3	2	1	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Syphilis (A50-A53)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	1	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute poliomyelitis (A80)												
ALL RACES, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute poliomyelitis (A80)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
ALL RACES, BOTH SEXES												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	1	1	-	-	1	-	-	-	-
ALL RACES, MALE												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	1	1	-	-	1	-	-	-	-
ALL RACES, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	1	1	-	-	1	-	-	-	-
WHITE, MALE												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	1	1	-	-	1	-	-	-	-
WHITE, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Arthropod-borne viral encephalitis (A83-A84,A85.2)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Measles (B05)												
ALL RACES, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	1	-	-	-	-	-	-	-	-	-	-
ALL RACES, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ALL RACES, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	1	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	1	-	-	-	-	-	-	-	-	-	-
WHITE, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
WHITE, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	1	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Measles (B05)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
ALL RACES, BOTH SEXES												
2000.....	850	492	412	410	435	401	259	123	35	10	-	1
1999.....	635	438	348	427	454	389	262	145	45	5	2	-
ALL RACES, MALE												
2000.....	638	338	239	202	194	198	113	55	11	4	-	1
1999.....	487	298	193	217	209	185	132	61	20	1	-	-
ALL RACES, FEMALE												
2000.....	212	154	173	208	241	203	146	68	24	6	-	-
1999.....	148	140	155	210	245	204	130	84	25	4	2	-
WHITE, BOTH SEXES												
2000.....	635	350	315	320	358	350	222	110	30	9	-	1
1999.....	481	323	269	330	364	326	235	124	40	4	2	-
WHITE, MALE												
2000.....	487	246	186	156	161	175	98	49	11	3	-	1
1999.....	371	224	160	177	177	159	126	52	17	1	-	-
WHITE, FEMALE												
2000.....	148	104	129	164	197	175	124	61	19	6	-	-
1999.....	110	99	109	153	187	167	109	72	23	3	2	-
BLACK, BOTH SEXES												
2000.....	164	93	50	47	47	32	25	9	2	-	-	-
1999.....	118	75	45	60	53	38	17	17	2	1	-	-
BLACK, MALE												
2000.....	120	63	25	26	22	13	12	4	-	-	-	-
1999.....	91	45	21	21	19	15	2	8	1	-	-	-
BLACK, FEMALE												
2000.....	44	30	25	21	25	19	13	5	2	-	-	-
1999.....	27	30	24	39	34	23	15	9	1	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Viral hepatitis (B15-B19)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	13	4	6	4	1	1	2	-	1	-	-	-
1999.....	6	2	2	2	1	2	3	1	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	9	1	4	1	-	-	1	-	-	-	-	-
1999.....	4	1	1	1	-	-	2	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	4	3	2	3	1	1	1	-	1	-	-	-
1999.....	2	1	1	1	1	2	1	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	38	45	41	39	29	18	10	4	2	1	-	-
1999.....	30	38	32	35	36	23	7	3	3	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	22	28	24	19	11	10	2	2	-	1	-	-
1999.....	21	28	11	18	13	11	2	1	2	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	16	17	17	20	18	8	8	2	2	-	-	-
1999.....	9	10	21	17	23	12	5	2	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
ALL RACES, BOTH SEXES												
2000.....	1,591	797	442	250	147	69	16	4	3	2	-	1
1999.....	1,467	777	372	261	137	52	18	7	5	1	1	1
ALL RACES, MALE												
2000.....	1,288	655	358	199	114	54	11	1	1	-	-	1
1999.....	1,198	646	302	211	106	39	11	6	1	1	-	1
ALL RACES, FEMALE												
2000.....	303	142	84	51	33	15	5	3	2	2	-	-
1999.....	269	131	70	50	31	13	7	1	4	-	1	-
WHITE, BOTH SEXES												
2000.....	706	391	197	110	56	33	7	2	1	-	-	1
1999.....	700	346	173	119	52	25	12	3	4	-	1	-
WHITE, MALE												
2000.....	613	336	163	96	44	28	5	-	-	-	-	1
1999.....	613	305	156	103	42	22	7	2	-	-	-	-
WHITE, FEMALE												
2000.....	93	55	34	14	12	5	2	2	1	-	-	-
1999.....	87	41	17	16	10	3	5	1	4	-	1	-
BLACK, BOTH SEXES												
2000.....	872	395	241	137	87	35	9	2	2	2	-	-
1999.....	753	429	196	139	83	27	6	3	1	1	-	1
BLACK, MALE												
2000.....	666	310	191	101	67	25	6	1	1	-	-	-
1999.....	573	339	144	105	63	17	4	3	1	1	-	1
BLACK, FEMALE												
2000.....	206	85	50	36	20	10	3	1	1	2	-	-
1999.....	180	90	52	34	20	10	2	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	6	1	-	2	1	1	-	-	-	-	-	-
1999.....	5	-	2	1	1	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	3	-	-	2	1	1	-	-	-	-	-	-
1999.....	5	-	1	1	1	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	3	1	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	7	10	4	1	3	-	-	-	-	-	-	-
1999.....	9	2	1	2	1	-	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	6	9	4	-	2	-	-	-	-	-	-	-
1999.....	7	2	1	2	-	-	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	1	-	1	1	-	-	-	-	-	-	-
1999.....	2	-	-	-	1	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malaria (B50-B54)												
ALL RACES, BOTH SEXES												
2000.....	1	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	1	-	1	1	-	-	-	-	-	-	-
ALL RACES, MALE												
2000.....	1	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	1	-	-	1	-	-	-	-	-	-	-
ALL RACES, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	1	-	-	1	-	-	-	-	-	-	-
WHITE, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	1	-	-	1	-	-	-	-	-	-	-
WHITE, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malaria (B50-B54)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)												
ALL RACES, BOTH SEXES												
2000.....	308	323	384	451	623	739	636	513	265	93	28	-
1999.....	444	427	471	652	791	927	812	633	330	138	22	-
ALL RACES, MALE												
2000.....	194	179	204	253	344	367	298	216	97	22	4	-
1999.....	247	220	262	351	409	460	367	253	99	28	1	-
ALL RACES, FEMALE												
2000.....	114	144	180	198	279	372	338	297	168	71	24	-
1999.....	197	207	209	301	382	467	445	380	231	110	21	-
WHITE, BOTH SEXES												
2000.....	232	263	297	380	533	655	571	470	235	77	25	-
1999.....	318	329	362	535	673	798	712	565	288	126	18	-
WHITE, MALE												
2000.....	147	150	161	211	300	318	269	197	81	17	3	-
1999.....	182	178	199	289	355	404	306	221	83	26	-	-
WHITE, FEMALE												
2000.....	85	113	136	169	233	337	302	273	154	60	22	-
1999.....	136	151	163	246	318	394	406	344	205	100	18	-
BLACK, BOTH SEXES												
2000.....	65	54	65	55	74	65	57	33	26	15	3	-
1999.....	104	83	88	97	97	105	81	54	37	12	4	-
BLACK, MALE												
2000.....	41	27	35	33	37	36	24	10	12	5	1	-
1999.....	53	34	49	48	47	46	48	24	12	2	1	-
BLACK, FEMALE												
2000.....	24	27	30	22	37	29	33	23	14	10	2	-
1999.....	51	49	39	49	50	59	33	30	25	10	3	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	4	3	9	1	2	2	1	1	-	-	-	-
1999.....	4	3	6	7	6	3	4	2	1	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	4	1	2	-	-	1	-	1	-	-	-	-
1999.....	1	-	3	5	2	-	3	1	1	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	2	7	1	2	1	1	-	-	-	-	-
1999.....	3	3	3	2	4	3	1	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	7	3	13	15	14	17	7	9	4	1	-	-
1999.....	18	12	15	13	15	21	15	12	4	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	2	1	6	9	7	12	5	8	4	-	-	-
1999.....	11	8	11	9	5	10	10	7	3	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	5	2	7	6	7	5	2	1	-	1	-	-
1999.....	7	4	4	4	10	11	5	5	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
ALL RACES, BOTH SEXES												
2000.....	29,231	38,930	50,075	65,843	84,288	90,655	74,444	49,155	21,564	5,653	764	11
1999.....	28,269	38,637	50,430	66,814	85,524	89,874	72,896	48,041	20,702	5,492	779	9
ALL RACES, MALE												
2000.....	14,972	20,912	27,515	36,730	46,461	48,284	37,623	22,714	8,506	1,850	190	10
1999.....	14,483	20,891	27,942	37,315	47,229	48,184	36,876	22,147	8,287	1,826	224	6
ALL RACES, FEMALE												
2000.....	14,259	18,018	22,560	29,113	37,827	42,371	36,821	26,441	13,058	3,803	574	1
1999.....	13,786	17,746	22,488	29,499	38,295	41,690	36,020	25,894	12,415	3,666	555	3
WHITE, BOTH SEXES												
2000.....	23,735	32,440	42,319	56,673	73,897	80,805	67,321	44,566	19,488	4,995	630	7
1999.....	22,976	32,083	42,485	57,500	75,203	80,023	65,986	43,518	18,705	4,869	650	7
WHITE, MALE												
2000.....	12,061	17,275	23,182	31,634	40,650	42,849	33,865	20,503	7,611	1,600	149	7
1999.....	11,668	17,289	23,479	32,130	41,549	42,755	33,311	19,908	7,428	1,579	187	4
WHITE, FEMALE												
2000.....	11,674	15,165	19,137	25,039	33,247	37,956	33,456	24,063	11,877	3,395	481	-
1999.....	11,308	14,794	19,006	25,370	33,654	37,268	32,675	23,610	11,277	3,290	463	3
BLACK, BOTH SEXES												
2000.....	4,710	5,499	6,620	7,797	8,839	8,338	6,023	3,897	1,784	591	118	3
1999.....	4,522	5,635	6,798	7,955	8,809	8,414	5,898	3,930	1,717	531	121	1
BLACK, MALE												
2000.....	2,528	3,114	3,715	4,371	4,950	4,584	3,183	1,832	742	219	38	2
1999.....	2,442	3,148	3,845	4,467	4,847	4,644	3,030	1,905	715	198	33	1
BLACK, FEMALE												
2000.....	2,182	2,385	2,905	3,426	3,889	3,754	2,840	2,065	1,042	372	80	1
1999.....	2,080	2,487	2,953	3,488	3,962	3,770	2,868	2,025	1,002	333	88	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms (C00-C97)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	132	190	227	251	288	248	164	103	46	16	4	-
1999.....	131	187	219	271	264	228	177	91	36	10	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	72	106	120	136	155	133	80	44	20	9	1	-
1999.....	62	90	115	146	146	120	88	44	17	7	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	60	84	107	115	133	115	84	59	26	7	3	-
1999.....	69	97	104	125	118	108	89	47	19	3	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	654	801	909	1,122	1,264	1,264	936	589	246	51	12	1
1999.....	640	732	928	1,088	1,248	1,209	835	502	244	82	7	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	311	417	498	589	706	718	495	335	133	22	2	1
1999.....	311	364	503	572	687	665	447	290	127	42	3	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	343	384	411	533	558	546	441	254	113	29	10	-
1999.....	329	368	425	516	561	544	388	212	117	40	4	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
ALL RACES, BOTH SEXES												
2000.....	660	770	872	942	1,017	933	693	488	249	74	13	-
1999.....	612	753	863	889	1,007	993	751	501	220	64	15	-
ALL RACES, MALE												
2000.....	516	618	652	667	659	569	370	217	96	19	-	-
1999.....	474	568	663	629	679	605	402	229	79	14	1	-
ALL RACES, FEMALE												
2000.....	144	152	220	275	358	364	323	271	153	55	13	-
1999.....	138	185	200	260	328	388	349	272	141	50	14	-
WHITE, BOTH SEXES												
2000.....	475	581	674	776	868	832	629	449	229	67	11	-
1999.....	430	560	688	737	866	873	687	457	213	60	14	-
WHITE, MALE												
2000.....	358	467	499	541	555	495	332	202	86	18	-	-
1999.....	337	418	530	521	587	524	362	205	76	13	1	-
WHITE, FEMALE												
2000.....	117	114	175	235	313	337	297	247	143	49	11	-
1999.....	93	142	158	216	279	349	325	252	137	47	13	-
BLACK, BOTH SEXES												
2000.....	156	164	166	135	121	82	56	26	15	6	2	-
1999.....	155	165	157	130	120	99	54	37	5	2	1	-
BLACK, MALE												
2000.....	137	133	132	106	87	61	34	8	8	-	-	-
1999.....	118	127	119	93	78	70	33	19	1	1	-	-
BLACK, FEMALE												
2000.....	19	31	34	29	34	21	22	18	7	6	2	-
1999.....	37	38	38	37	42	29	21	18	4	1	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	4	6	4	7	10	3	-	3	-	-	-	-
1999.....	7	3	4	6	5	2	-	1	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	3	4	1	5	7	2	-	1	-	-	-	-
1999.....	4	3	2	4	3	-	-	1	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	2	3	2	3	1	-	2	-	-	-	-
1999.....	3	-	2	2	2	2	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	25	19	28	24	18	16	8	10	5	1	-	-
1999.....	20	25	14	16	16	19	10	6	2	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	18	14	20	15	10	11	4	6	2	1	-	-
1999.....	15	20	12	11	11	11	7	4	2	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	7	5	8	9	8	5	4	4	3	-	-	-
1999.....	5	5	2	5	5	8	3	2	-	2	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of esophagus (C15)												
ALL RACES, BOTH SEXES												
2000.....	870	1,180	1,430	1,711	1,960	1,817	1,346	764	274	55	7	-
1999.....	793	1,139	1,392	1,739	1,955	1,784	1,202	755	279	72	8	1
ALL RACES, MALE												
2000.....	746	988	1,181	1,349	1,482	1,337	896	437	122	23	4	-
1999.....	684	969	1,112	1,396	1,529	1,328	808	421	127	22	3	1
ALL RACES, FEMALE												
2000.....	124	192	249	362	478	480	450	327	152	32	3	-
1999.....	109	170	280	343	426	456	394	334	152	50	5	-
WHITE, BOTH SEXES												
2000.....	674	932	1,150	1,441	1,705	1,599	1,218	709	253	51	7	-
1999.....	617	895	1,114	1,448	1,691	1,564	1,102	694	259	67	5	-
WHITE, MALE												
2000.....	588	791	975	1,158	1,308	1,186	830	412	112	19	4	-
1999.....	542	773	905	1,191	1,339	1,171	751	383	115	18	2	-
WHITE, FEMALE												
2000.....	86	141	175	283	397	413	388	297	141	32	3	-
1999.....	75	122	209	257	352	393	351	311	144	49	3	-
BLACK, BOTH SEXES												
2000.....	184	228	255	244	222	203	106	48	19	4	-	-
1999.....	166	225	252	260	231	200	82	51	17	5	2	1
BLACK, MALE												
2000.....	150	185	186	172	149	139	54	21	8	4	-	-
1999.....	133	179	190	179	165	143	42	30	10	4	-	1
BLACK, FEMALE												
2000.....	34	43	69	72	73	64	52	27	11	-	-	-
1999.....	33	46	62	81	66	57	40	21	7	1	2	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of esophagus (C15)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	3	3	8	6	7	3	6	1	1	-	-	-
1999.....	1	7	7	5	6	5	3	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	3	1	8	5	7	2	4	-	1	-	-	-
1999.....	1	6	4	5	6	4	1	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	2	-	1	-	1	2	1	-	-	-	-
1999.....	-	1	3	-	-	1	2	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	9	17	17	20	26	12	16	6	1	-	-	-
1999.....	9	12	19	26	27	15	15	10	3	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	5	11	12	14	18	10	8	4	1	-	-	-
1999.....	8	11	13	21	19	10	14	8	2	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	4	6	5	6	8	2	8	2	-	-	-	-
1999.....	1	1	6	5	8	5	1	2	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of stomach (C16)												
ALL RACES, BOTH SEXES												
2000.....	629	753	1,051	1,317	1,737	2,009	1,824	1,379	641	188	26	-
1999.....	651	808	1,052	1,359	1,793	2,064	1,796	1,277	607	170	29	-
ALL RACES, MALE												
2000.....	413	506	722	860	1,106	1,201	943	617	247	56	8	-
1999.....	443	558	694	893	1,112	1,250	989	568	223	52	8	-
ALL RACES, FEMALE												
2000.....	216	247	329	457	631	808	881	762	394	132	18	-
1999.....	208	250	358	466	681	814	807	709	384	118	21	-
WHITE, BOTH SEXES												
2000.....	463	561	791	988	1,348	1,571	1,465	1,129	525	149	13	-
1999.....	451	583	765	1,066	1,393	1,636	1,462	1,039	497	131	19	-
WHITE, MALE												
2000.....	311	379	557	660	874	952	770	510	205	45	4	-
1999.....	312	415	508	713	880	1,004	807	452	184	42	6	-
WHITE, FEMALE												
2000.....	152	182	234	328	474	619	695	619	320	104	9	-
1999.....	139	168	257	353	513	632	655	587	313	89	13	-
BLACK, BOTH SEXES												
2000.....	130	149	189	243	286	320	266	197	86	30	12	-
1999.....	151	173	205	214	298	328	257	194	86	32	9	-
BLACK, MALE												
2000.....	83	100	125	148	171	176	125	80	27	8	3	-
1999.....	99	112	133	135	178	188	139	89	28	7	2	-
BLACK, FEMALE												
2000.....	47	49	64	95	115	144	141	117	59	22	9	-
1999.....	52	61	72	79	120	140	118	105	58	25	7	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of stomach (C16)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	5	7	9	15	10	9	6	6	2	-	-	-
1999.....	2	6	5	12	11	9	7	1	4	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	4	5	4	8	5	6	2	3	1	-	-	-
1999.....	1	3	4	8	7	5	6	1	3	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	2	5	7	5	3	4	3	1	-	-	-
1999.....	1	3	1	4	4	4	1	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	31	36	62	71	93	109	87	47	28	9	1	-
1999.....	47	46	77	67	91	91	70	43	20	7	1	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	15	22	36	44	56	67	46	24	14	3	1	-
1999.....	31	28	49	37	47	53	37	26	8	3	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	16	14	26	27	37	42	41	23	14	6	-	-
1999.....	16	18	28	30	44	38	33	17	12	4	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of colon, rectum and anus (C18-C21)												
ALL RACES, BOTH SEXES												
2000.....	2,581	3,397	4,543	5,913	8,188	9,410	8,643	6,735	3,518	1,061	148	-
1999.....	2,434	3,309	4,658	6,095	8,154	9,473	8,456	6,672	3,503	973	138	-
ALL RACES, MALE												
2000.....	1,466	1,989	2,619	3,407	4,517	4,852	3,908	2,571	1,012	260	30	-
1999.....	1,374	1,932	2,689	3,431	4,452	4,857	3,897	2,525	1,081	236	24	-
ALL RACES, FEMALE												
2000.....	1,115	1,408	1,924	2,506	3,671	4,558	4,735	4,164	2,506	801	118	-
1999.....	1,060	1,377	1,969	2,664	3,702	4,616	4,559	4,147	2,422	737	114	-
WHITE, BOTH SEXES												
2000.....	2,050	2,737	3,752	4,991	7,094	8,322	7,710	6,090	3,180	933	129	-
1999.....	1,935	2,676	3,861	5,145	7,083	8,370	7,574	6,030	3,198	864	109	-
WHITE, MALE												
2000.....	1,182	1,607	2,181	2,906	3,955	4,332	3,485	2,327	905	218	23	-
1999.....	1,119	1,574	2,254	2,943	3,948	4,303	3,529	2,279	990	211	22	-
WHITE, FEMALE												
2000.....	868	1,130	1,571	2,085	3,139	3,990	4,225	3,763	2,275	715	106	-
1999.....	816	1,102	1,607	2,202	3,135	4,067	4,045	3,751	2,208	653	87	-
BLACK, BOTH SEXES												
2000.....	464	538	687	787	945	942	801	561	295	117	18	-
1999.....	414	551	705	819	927	965	785	576	268	92	24	-
BLACK, MALE												
2000.....	251	312	369	420	479	442	354	199	82	39	7	-
1999.....	218	319	379	426	435	480	315	207	77	15	-	-
BLACK, FEMALE												
2000.....	213	226	318	367	466	500	447	362	213	78	11	-
1999.....	196	232	326	393	492	485	470	369	191	77	24	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of colon, rectum and anus (C18-C21)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	11	22	20	22	29	27	16	13	8	3	-	-
1999.....	18	14	16	18	19	24	22	14	7	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	5	17	13	14	16	15	7	6	3	1	-	-
1999.....	6	7	10	13	7	13	11	6	2	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	6	5	7	8	13	12	9	7	5	2	-	-
1999.....	12	7	6	5	12	11	11	8	5	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	56	100	84	113	120	119	116	71	35	8	1	-
1999.....	67	68	76	113	125	114	75	52	30	16	5	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	28	53	56	67	67	63	62	39	22	2	-	-
1999.....	31	32	46	49	62	61	42	33	12	9	2	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	28	47	28	46	53	56	54	32	13	6	1	-
1999.....	36	36	30	64	63	53	33	19	18	7	3	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of liver and intrahepatic bile ducts (C22)												
ALL RACES, BOTH SEXES												
2000.....	944	1,040	1,216	1,526	1,913	2,011	1,547	943	359	81	4	-
1999.....	826	928	1,163	1,558	1,933	1,914	1,511	863	325	75	7	-
ALL RACES, MALE												
2000.....	729	761	846	1,039	1,207	1,196	856	407	114	26	1	-
1999.....	628	671	794	1,041	1,243	1,103	774	352	109	17	-	-
ALL RACES, FEMALE												
2000.....	215	279	370	487	706	815	691	536	245	55	3	-
1999.....	198	257	369	517	690	811	737	511	216	58	7	-
WHITE, BOTH SEXES												
2000.....	654	756	924	1,204	1,580	1,717	1,376	830	325	70	2	-
1999.....	601	662	892	1,258	1,614	1,660	1,338	766	291	63	7	-
WHITE, MALE												
2000.....	500	542	641	827	1,006	1,048	766	352	105	21	-	-
1999.....	448	481	613	846	1,052	960	698	321	103	14	-	-
WHITE, FEMALE												
2000.....	154	214	283	377	574	669	610	478	220	49	2	-
1999.....	153	181	279	412	562	700	640	445	188	49	7	-
BLACK, BOTH SEXES												
2000.....	199	171	173	189	202	162	101	71	21	7	2	-
1999.....	143	157	158	191	207	149	117	69	29	10	-	-
BLACK, MALE												
2000.....	152	134	122	131	124	77	54	34	4	3	1	-
1999.....	115	110	102	124	124	85	49	18	6	2	-	-
BLACK, FEMALE												
2000.....	47	37	51	58	78	85	47	37	17	4	1	-
1999.....	28	47	56	67	83	64	68	51	23	8	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of liver and intrahepatic bile ducts (C22)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	13	14	9	11	10	6	11	8	1	1	-	-
1999.....	4	9	9	12	8	12	5	4	1	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	10	10	5	8	8	3	5	2	-	1	-	-
1999.....	3	6	7	5	3	7	2	1	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	3	4	4	3	2	3	6	6	1	-	-	-
1999.....	1	3	2	7	5	5	3	3	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	78	99	110	122	121	126	59	34	12	3	-	-
1999.....	78	100	104	97	104	93	51	24	4	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	67	75	78	73	69	68	31	19	5	1	-	-
1999.....	62	74	72	66	64	51	25	12	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	11	24	32	49	52	58	28	15	7	2	-	-
1999.....	16	26	32	31	40	42	26	12	4	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of pancreas (C25)												
ALL RACES, BOTH SEXES												
2000.....	1,528	2,030	2,678	3,546	4,557	5,223	4,236	2,571	1,196	286	34	1
1999.....	1,466	2,039	2,668	3,632	4,661	4,931	4,002	2,673	1,120	309	40	1
ALL RACES, MALE												
2000.....	955	1,206	1,543	1,965	2,224	2,447	1,742	891	310	59	2	1
1999.....	907	1,204	1,517	1,976	2,371	2,281	1,659	910	311	59	3	-
ALL RACES, FEMALE												
2000.....	573	824	1,135	1,581	2,333	2,776	2,494	1,680	886	227	32	-
1999.....	559	835	1,151	1,656	2,290	2,650	2,343	1,763	809	250	37	1
WHITE, BOTH SEXES												
2000.....	1,248	1,675	2,250	2,999	3,945	4,603	3,786	2,297	1,059	250	27	1
1999.....	1,184	1,660	2,237	3,087	4,053	4,339	3,574	2,397	1,003	282	30	1
WHITE, MALE												
2000.....	787	1,003	1,314	1,709	1,949	2,197	1,570	812	272	49	2	1
1999.....	728	978	1,287	1,699	2,096	2,031	1,496	820	280	56	3	-
WHITE, FEMALE												
2000.....	461	672	936	1,290	1,996	2,406	2,216	1,485	787	201	25	-
1999.....	456	682	950	1,388	1,957	2,308	2,078	1,577	723	226	27	1
BLACK, BOTH SEXES												
2000.....	246	307	365	455	523	528	369	228	118	32	5	-
1999.....	249	328	345	461	518	490	362	236	101	25	10	-
BLACK, MALE												
2000.....	151	178	195	214	236	215	138	60	27	8	-	-
1999.....	158	201	186	231	231	212	135	73	22	3	-	-
BLACK, FEMALE												
2000.....	95	129	170	241	287	313	231	168	91	24	5	-
1999.....	91	127	159	230	287	278	227	163	79	22	10	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of pancreas (C25)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	8	16	9	10	14	8	10	3	2	1	1	-
1999.....	6	7	12	14	7	10	12	8	1	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	4	10	6	5	7	2	4	-	1	1	-	-
1999.....	3	3	6	8	6	4	5	2	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	4	6	3	5	7	6	6	3	1	-	1	-
1999.....	3	4	6	6	1	6	7	6	1	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	26	32	54	82	75	84	71	43	17	3	1	-
1999.....	27	44	74	70	83	92	54	32	15	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	13	15	28	37	32	33	30	19	10	1	-	-
1999.....	18	22	38	38	38	34	23	15	9	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	13	17	26	45	43	51	41	24	7	2	1	-
1999.....	9	22	36	32	45	58	31	17	6	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of larynx (C32)												
ALL RACES, BOTH SEXES												
2000.....	270	384	489	574	645	595	401	191	73	11	1	-
1999.....	254	410	494	584	655	529	363	200	72	16	3	-
ALL RACES, MALE												
2000.....	218	319	407	441	504	451	314	155	51	8	-	-
1999.....	216	339	396	458	490	397	284	154	46	10	3	-
ALL RACES, FEMALE												
2000.....	52	65	82	133	141	144	87	36	22	3	1	-
1999.....	38	71	98	126	165	132	79	46	26	6	-	-
WHITE, BOTH SEXES												
2000.....	191	279	364	466	521	501	358	171	70	10	1	-
1999.....	183	308	383	475	560	469	325	176	59	15	3	-
WHITE, MALE												
2000.....	151	228	302	356	407	383	281	140	48	7	-	-
1999.....	158	252	310	372	417	352	249	133	36	9	3	-
WHITE, FEMALE												
2000.....	40	51	62	110	114	118	77	31	22	3	1	-
1999.....	25	56	73	103	143	117	76	43	23	6	-	-
BLACK, BOTH SEXES												
2000.....	76	101	118	96	115	88	41	19	2	1	-	-
1999.....	69	98	107	103	87	57	34	15	10	1	-	-
BLACK, MALE												
2000.....	65	87	100	76	90	62	32	14	2	1	-	-
1999.....	56	85	84	81	67	42	32	13	7	1	-	-
BLACK, FEMALE												
2000.....	11	14	18	20	25	26	9	5	-	-	-	-
1999.....	13	13	23	22	20	15	2	2	3	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of larynx (C32)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	1	5	7	1	1	-	-	-	-	-	-
1999.....	2	1	2	2	2	-	-	3	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	1	3	5	-	1	-	-	-	-	-	-
1999.....	2	1	1	2	1	-	-	3	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	2	2	1	-	-	-	-	-	-	-
1999.....	-	-	1	-	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2	3	2	5	8	5	2	1	1	-	-	-
1999.....	-	3	2	4	6	3	4	6	3	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	3	2	4	7	5	1	1	1	-	-	-
1999.....	-	1	1	3	5	3	3	5	3	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	-	-	1	1	-	1	-	-	-	-	-
1999.....	-	2	1	1	1	-	1	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
ALL RACES, BOTH SEXES												
2000.....	7,695	12,453	17,268	23,438	28,820	27,305	18,531	9,302	2,902	542	60	5
1999.....	7,518	12,165	17,179	23,239	28,609	26,556	17,705	8,945	2,766	549	79	2
ALL RACES, MALE												
2000.....	4,583	7,546	10,391	14,189	17,193	15,726	10,240	4,840	1,335	204	16	5
1999.....	4,505	7,465	10,548	14,186	17,101	15,461	9,936	4,739	1,314	234	28	2
ALL RACES, FEMALE												
2000.....	3,112	4,907	6,877	9,249	11,627	11,579	8,291	4,462	1,567	338	44	-
1999.....	3,013	4,700	6,631	9,053	11,508	11,095	7,769	4,206	1,452	315	51	-
WHITE, BOTH SEXES												
2000.....	6,272	10,562	14,925	20,532	25,676	24,672	17,054	8,508	2,649	479	49	3
1999.....	6,125	10,324	14,766	20,284	25,556	23,939	16,192	8,166	2,523	498	65	1
WHITE, MALE												
2000.....	3,641	6,274	8,905	12,313	15,221	14,059	9,356	4,398	1,206	177	11	3
1999.....	3,583	6,252	8,949	12,286	15,164	13,846	9,018	4,306	1,196	215	20	1
WHITE, FEMALE												
2000.....	2,631	4,288	6,020	8,219	10,455	10,613	7,698	4,110	1,443	302	38	-
1999.....	2,542	4,072	5,817	7,998	10,392	10,093	7,174	3,860	1,327	283	45	-
BLACK, BOTH SEXES												
2000.....	1,295	1,660	2,066	2,534	2,692	2,222	1,216	651	208	53	9	1
1999.....	1,252	1,643	2,127	2,553	2,595	2,257	1,258	662	198	38	13	-
BLACK, MALE												
2000.....	864	1,125	1,312	1,661	1,680	1,390	732	355	105	23	5	1
1999.....	841	1,099	1,422	1,653	1,641	1,387	763	377	93	13	7	-
BLACK, FEMALE												
2000.....	431	535	754	873	1,012	832	484	296	103	30	4	-
1999.....	411	544	705	900	954	870	495	285	105	25	6	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of trachea, bronchus and lung (C33-C34)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	28	56	70	78	87	68	38	21	3	2	-	-
1999.....	27	59	83	89	94	57	46	12	6	2	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	15	31	45	40	43	44	24	9	3	1	-	-
1999.....	17	30	49	49	60	30	25	7	4	2	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	13	25	25	38	44	24	14	12	-	1	-	-
1999.....	10	29	34	40	34	27	21	5	2	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	100	175	207	294	365	343	223	122	42	8	2	1
1999.....	114	139	203	313	364	303	209	105	39	11	-	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	63	116	129	175	249	233	128	78	21	3	-	1
1999.....	64	84	128	198	236	198	130	49	21	4	-	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	37	59	78	119	116	110	95	44	21	5	2	-
1999.....	50	55	75	115	128	105	79	56	18	7	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant melanoma of skin (C43)												
ALL RACES, BOTH SEXES												
2000.....	665	627	676	753	884	887	737	495	252	52	4	-
1999.....	602	615	648	791	861	945	694	435	181	53	12	-
ALL RACES, MALE												
2000.....	448	420	446	495	572	559	454	277	100	13	-	-
1999.....	380	425	426	526	570	596	410	223	90	11	4	-
ALL RACES, FEMALE												
2000.....	217	207	230	258	312	328	283	218	152	39	4	-
1999.....	222	190	222	265	291	349	284	212	91	42	8	-
WHITE, BOTH SEXES												
2000.....	654	611	662	736	862	871	717	483	243	50	4	-
1999.....	598	608	636	777	846	924	680	424	176	52	12	-
WHITE, MALE												
2000.....	441	411	440	484	563	552	444	276	96	13	-	-
1999.....	377	420	418	519	564	584	404	219	88	10	4	-
WHITE, FEMALE												
2000.....	213	200	222	252	299	319	273	207	147	37	4	-
1999.....	221	188	218	258	282	340	276	205	88	42	8	-
BLACK, BOTH SEXES												
2000.....	7	11	9	11	19	14	18	12	7	2	-	-
1999.....	3	5	9	11	14	14	11	8	5	1	-	-
BLACK, MALE												
2000.....	5	6	5	7	7	6	9	1	2	-	-	-
1999.....	2	3	7	4	6	8	4	3	2	1	-	-
BLACK, FEMALE												
2000.....	2	5	4	4	12	8	9	11	5	2	-	-
1999.....	1	2	2	7	8	6	7	5	3	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant melanoma of skin (C43)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	2	1	1	-	1	1	-	-	-	-	-
1999.....	1	-	3	2	-	-	1	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	1	1	1	-	-	1	-	-	-	-	-
1999.....	1	-	1	2	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	1	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	2	-	-	-	1	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	3	3	4	5	3	1	1	-	2	-	-	-
1999.....	-	2	-	1	1	7	2	3	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	2	-	3	2	1	-	-	2	-	-	-
1999.....	-	2	-	1	-	4	2	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	1	4	2	1	-	1	-	-	-	-	-
1999.....	-	-	-	-	1	3	-	2	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of breast (C50)												
ALL RACES, BOTH SEXES												
2000.....	3,655	3,790	3,783	4,135	4,889	5,256	4,494	3,596	1,880	658	115	-
1999.....	3,555	3,682	3,717	4,147	4,962	5,140	4,511	3,428	1,837	611	124	-
ALL RACES, MALE												
2000.....	28	44	41	47	68	65	44	36	13	1	1	-
1999.....	30	36	34	47	56	56	42	33	13	7	1	-
ALL RACES, FEMALE												
2000.....	3,627	3,746	3,742	4,088	4,821	5,191	4,450	3,560	1,867	657	114	-
1999.....	3,525	3,646	3,683	4,100	4,906	5,084	4,469	3,395	1,824	604	123	-
WHITE, BOTH SEXES												
2000.....	2,934	3,100	3,182	3,584	4,341	4,735	4,107	3,267	1,696	586	102	-
1999.....	2,849	3,006	3,105	3,550	4,372	4,598	4,116	3,154	1,681	555	108	-
WHITE, MALE												
2000.....	24	34	33	43	60	60	38	29	12	1	1	-
1999.....	22	29	25	40	45	49	37	30	11	5	1	-
WHITE, FEMALE												
2000.....	2,910	3,066	3,149	3,541	4,281	4,675	4,069	3,238	1,684	585	101	-
1999.....	2,827	2,977	3,080	3,510	4,327	4,549	4,079	3,124	1,670	550	107	-
BLACK, BOTH SEXES												
2000.....	614	592	518	477	492	474	356	307	173	71	13	-
1999.....	614	582	521	523	517	493	363	252	140	54	16	-
BLACK, MALE												
2000.....	4	8	8	3	8	5	5	7	1	-	-	-
1999.....	8	7	9	6	10	6	5	3	2	2	-	-
BLACK, FEMALE												
2000.....	610	584	510	474	484	469	351	300	172	71	13	-
1999.....	606	575	512	517	507	487	358	249	138	52	16	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of breast (C50)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	14	20	19	14	9	11	9	2	4	-	-	-
1999.....	17	14	14	18	18	11	6	9	2	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	1	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	14	19	19	14	9	11	9	2	4	-	-	-
1999.....	17	14	14	17	18	11	6	9	2	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	93	78	64	60	47	36	22	20	7	1	-	-
1999.....	75	80	77	56	55	38	26	13	14	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	1	-	1	-	-	1	-	-	-	-	-
1999.....	-	-	-	-	1	1	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	93	77	64	59	47	36	21	20	7	1	-	-
1999.....	75	80	77	56	54	37	26	13	14	2	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of cervix uteri (C53)												
ALL RACES, BOTH SEXES												
2000.....	467	416	332	342	344	320	279	180	92	35	3	-
1999.....	452	393	376	350	346	345	223	199	98	26	6	1
ALL RACES, FEMALE												
2000.....	467	416	332	342	344	320	279	180	92	35	3	-
1999.....	452	393	376	350	346	345	223	199	98	26	6	1
WHITE, BOTH SEXES												
2000.....	352	314	243	243	255	253	225	147	67	25	2	-
1999.....	360	298	275	261	242	265	181	161	76	14	4	1
WHITE, FEMALE												
2000.....	352	314	243	243	255	253	225	147	67	25	2	-
1999.....	360	298	275	261	242	265	181	161	76	14	4	1
BLACK, BOTH SEXES												
2000.....	92	83	70	85	73	61	48	30	22	10	1	-
1999.....	72	80	89	79	97	69	33	35	22	9	2	-
BLACK, FEMALE												
2000.....	92	83	70	85	73	61	48	30	22	10	1	-
1999.....	72	80	89	79	97	69	33	35	22	9	2	-
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	6	2	3	1	2	2	-	1	1	-	-	-
1999.....	2	3	2	1	-	-	2	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	6	2	3	1	2	2	-	1	1	-	-	-
1999.....	2	3	2	1	-	-	2	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	17	17	16	13	14	4	6	2	2	-	-	-
1999.....	18	12	10	9	7	11	7	3	-	3	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of cervix uteri (C53)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	17	17	16	13	14	4	6	2	2	-	-	-
1999.....	18	12	10	9	7	11	7	3	-	3	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)												
ALL RACES, BOTH SEXES												
2000.....	317	478	644	800	981	1,039	919	617	333	84	15	1
1999.....	286	427	592	835	972	1,061	947	593	290	100	16	-
ALL RACES, FEMALE												
2000.....	317	478	644	800	981	1,039	919	617	333	84	15	1
1999.....	286	427	592	835	972	1,061	947	593	290	100	16	-
WHITE, BOTH SEXES												
2000.....	262	394	496	602	771	866	785	557	294	74	11	-
1999.....	236	342	474	630	805	904	835	523	253	91	14	-
WHITE, FEMALE												
2000.....	262	394	496	602	771	866	785	557	294	74	11	-
1999.....	236	342	474	630	805	904	835	523	253	91	14	-
BLACK, BOTH SEXES												
2000.....	44	71	131	177	198	156	124	56	36	10	4	1
1999.....	39	76	113	189	161	144	103	65	35	9	2	-
BLACK, FEMALE												
2000.....	44	71	131	177	198	156	124	56	36	10	4	1
1999.....	39	76	113	189	161	144	103	65	35	9	2	-
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	2	5	3	4	2	-	1	-	-	-
1999.....	-	2	-	2	2	1	-	2	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	2	5	3	4	2	-	1	-	-	-
1999.....	-	2	-	2	2	1	-	2	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	11	13	15	16	9	13	8	4	2	-	-	-
1999.....	11	7	5	14	4	12	9	3	2	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	11	13	15	16	9	13	8	4	2	-	-	-
1999.....	11	7	5	14	4	12	9	3	2	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of ovary (C56)												
ALL RACES, BOTH SEXES												
2000.....	966	1,123	1,321	1,669	1,932	2,295	1,803	1,176	453	98	9	-
1999.....	933	1,081	1,345	1,626	1,986	2,143	1,732	1,052	412	91	7	-
ALL RACES, FEMALE												
2000.....	966	1,123	1,321	1,669	1,932	2,295	1,803	1,176	453	98	9	-
1999.....	933	1,081	1,345	1,626	1,986	2,143	1,732	1,052	412	91	7	-
WHITE, BOTH SEXES												
2000.....	838	1,008	1,179	1,489	1,752	2,130	1,684	1,099	418	86	8	-
1999.....	814	965	1,199	1,455	1,799	1,956	1,614	987	381	84	7	-
WHITE, FEMALE												
2000.....	838	1,008	1,179	1,489	1,752	2,130	1,684	1,099	418	86	8	-
1999.....	814	965	1,199	1,455	1,799	1,956	1,614	987	381	84	7	-
BLACK, BOTH SEXES												
2000.....	89	86	119	152	147	147	97	66	31	12	1	-
1999.....	89	95	122	136	168	162	98	54	30	6	-	-
BLACK, FEMALE												
2000.....	89	86	119	152	147	147	97	66	31	12	1	-
1999.....	89	95	122	136	168	162	98	54	30	6	-	-
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	3	4	2	3	6	3	2	-	-	-	-
1999.....	2	2	1	8	3	5	4	1	-	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	3	4	2	3	6	3	2	-	-	-	-
1999.....	2	2	1	8	3	5	4	1	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	38	26	19	26	30	12	19	9	4	-	-	-
1999.....	28	19	23	27	16	20	16	10	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of ovary (C56)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	38	26	19	26	30	12	19	9	4	-	-	-
1999.....	28	19	23	27	16	20	16	10	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of prostate (C61)												
ALL RACES, BOTH SEXES												
2000.....	263	623	1,306	2,466	4,342	6,314	6,757	5,532	2,638	628	75	-
1999.....	274	636	1,310	2,711	4,605	6,532	6,903	5,418	2,467	644	91	1
ALL RACES, MALE												
2000.....	263	623	1,306	2,466	4,342	6,314	6,757	5,532	2,638	628	75	-
1999.....	274	636	1,310	2,711	4,605	6,532	6,903	5,418	2,467	644	91	1
WHITE, BOTH SEXES												
2000.....	192	444	960	1,851	3,380	5,167	5,637	4,785	2,257	524	56	-
1999.....	198	471	933	2,065	3,650	5,348	5,892	4,635	2,120	523	72	1
WHITE, MALE												
2000.....	192	444	960	1,851	3,380	5,167	5,637	4,785	2,257	524	56	-
1999.....	198	471	933	2,065	3,650	5,348	5,892	4,635	2,120	523	72	1
BLACK, BOTH SEXES												
2000.....	67	174	323	586	905	1,070	1,037	678	348	96	18	-
1999.....	75	157	358	622	912	1,101	945	716	312	102	19	-
BLACK, MALE												
2000.....	67	174	323	586	905	1,070	1,037	678	348	96	18	-
1999.....	75	157	358	622	912	1,101	945	716	312	102	19	-
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	2	1	5	12	18	18	15	10	6	2	1	-
1999.....	1	3	3	3	9	12	18	9	3	2	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	2	1	5	12	18	18	15	10	6	2	1	-
1999.....	1	3	3	3	9	12	18	9	3	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2	4	18	17	39	59	68	59	27	6	-	-
1999.....	-	5	16	21	34	71	48	58	32	17	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of prostate (C61)												
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	2	4	18	17	39	59	68	59	27	6	-	-
1999.....	-	5	16	21	34	71	48	58	32	17	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of kidney and renal pelvis (C64-C65)												
ALL RACES, BOTH SEXES												
2000.....	789	1,026	1,169	1,432	1,714	1,819	1,463	945	397	83	7	-
1999.....	720	959	1,152	1,374	1,702	1,696	1,314	867	341	91	6	-
ALL RACES, MALE												
2000.....	571	727	803	942	1,068	1,054	811	477	165	31	3	-
1999.....	506	671	803	894	1,064	1,016	701	421	140	29	-	-
ALL RACES, FEMALE												
2000.....	218	299	366	490	646	765	652	468	232	52	4	-
1999.....	214	288	349	480	638	680	613	446	201	62	6	-
WHITE, BOTH SEXES												
2000.....	685	903	1,031	1,271	1,542	1,657	1,344	880	361	76	6	-
1999.....	616	841	1,027	1,226	1,531	1,541	1,211	802	303	77	5	-
WHITE, MALE												
2000.....	495	637	716	829	966	965	744	444	152	29	2	-
1999.....	427	586	724	798	961	927	660	394	124	20	-	-
WHITE, FEMALE												
2000.....	190	266	315	442	576	692	600	436	209	47	4	-
1999.....	189	255	303	428	570	614	551	408	179	57	5	-
BLACK, BOTH SEXES												
2000.....	87	100	114	134	139	132	103	57	30	7	1	-
1999.....	87	102	104	122	143	129	84	55	31	11	1	-
BLACK, MALE												
2000.....	61	69	74	96	84	68	58	30	10	2	1	-
1999.....	65	74	66	77	83	72	32	21	13	8	-	-
BLACK, FEMALE												
2000.....	26	31	40	38	55	64	45	27	20	5	-	-
1999.....	22	28	38	45	60	57	52	34	18	3	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of kidney and renal pelvis (C64-C65)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	6	5	5	7	12	9	1	3	1	-	-	-
1999.....	8	9	7	10	11	14	6	2	1	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	5	5	3	5	6	7	-	1	-	-	-	-
1999.....	6	7	3	7	8	9	4	1	-	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	2	2	6	2	1	2	1	-	-	-
1999.....	2	2	4	3	3	5	2	1	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	11	18	19	20	21	21	15	5	5	-	-	-
1999.....	9	7	14	16	17	12	13	8	6	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	10	16	10	12	12	14	9	2	3	-	-	-
1999.....	8	4	10	12	12	8	5	5	3	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	2	9	8	9	7	6	3	2	-	-	-
1999.....	1	3	4	4	5	4	8	3	3	2	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of bladder (C67)												
ALL RACES, BOTH SEXES												
2000.....	280	486	737	1,119	1,736	2,155	2,252	1,790	875	256	31	-
1999.....	323	492	752	1,126	1,797	2,178	2,139	1,714	852	249	30	1
ALL RACES, MALE												
2000.....	212	369	547	838	1,256	1,542	1,512	1,110	478	110	12	-
1999.....	243	374	559	849	1,283	1,575	1,433	1,039	438	116	15	1
ALL RACES, FEMALE												
2000.....	68	117	190	281	480	613	740	680	397	146	19	-
1999.....	80	118	193	277	514	603	706	675	414	133	15	-
WHITE, BOTH SEXES												
2000.....	254	439	670	1,020	1,585	1,977	2,079	1,665	830	242	27	-
1999.....	283	429	664	1,005	1,638	2,011	1,997	1,592	787	221	30	1
WHITE, MALE												
2000.....	195	335	508	779	1,170	1,447	1,414	1,037	460	106	12	-
1999.....	210	340	503	778	1,199	1,477	1,351	985	412	107	15	1
WHITE, FEMALE												
2000.....	59	104	162	241	415	530	665	628	370	136	15	-
1999.....	73	89	161	227	439	534	646	607	375	114	15	-
BLACK, BOTH SEXES												
2000.....	24	41	59	86	134	160	158	103	41	12	3	-
1999.....	39	59	74	107	140	142	122	110	54	25	-	-
BLACK, MALE												
2000.....	16	28	35	48	72	87	87	59	15	3	-	-
1999.....	32	32	46	60	70	82	68	49	18	7	-	-
BLACK, FEMALE												
2000.....	8	13	24	38	62	73	71	44	26	9	3	-
1999.....	7	27	28	47	70	60	54	61	36	18	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of bladder (C67)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	1	1	2	1	5	2	1	1	-	-	-
1999.....	-	1	4	5	5	1	1	2	1	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	1	1	2	1	1	2	1	1	-	-	-
1999.....	-	1	2	5	4	1	-	1	1	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	-	-	-	4	-	-	-	-	-	-
1999.....	-	-	2	-	1	-	1	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	5	7	11	16	13	13	21	3	2	1	-
1999.....	1	3	10	9	14	24	19	10	10	3	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	5	3	9	13	7	9	13	2	1	-	-
1999.....	1	1	8	6	10	15	14	4	7	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	4	2	3	6	4	8	1	1	1	-
1999.....	-	2	2	3	4	9	5	6	3	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
ALL RACES, BOTH SEXES												
2000.....	1,109	1,110	1,227	1,409	1,623	1,437	1,041	521	166	28	2	-
1999.....	1,038	1,206	1,247	1,498	1,621	1,543	949	496	144	22	1	-
ALL RACES, MALE												
2000.....	667	660	719	789	889	705	482	212	53	9	1	-
1999.....	613	670	747	858	870	785	441	192	47	7	1	-
ALL RACES, FEMALE												
2000.....	442	450	508	620	734	732	559	309	113	19	1	-
1999.....	425	536	500	640	751	758	508	304	97	15	-	-
WHITE, BOTH SEXES												
2000.....	1,026	1,019	1,142	1,321	1,543	1,362	978	486	157	27	1	-
1999.....	950	1,123	1,153	1,400	1,545	1,463	900	473	131	20	1	-
WHITE, MALE												
2000.....	609	611	673	747	846	669	459	201	51	9	-	-
1999.....	560	625	691	807	834	745	424	183	45	6	1	-
WHITE, FEMALE												
2000.....	417	408	469	574	697	693	519	285	106	18	1	-
1999.....	390	498	462	593	711	718	476	290	86	14	-	-
BLACK, BOTH SEXES												
2000.....	70	73	66	68	66	58	51	26	6	1	1	-
1999.....	70	70	72	77	58	67	40	21	9	1	-	-
BLACK, MALE												
2000.....	49	40	37	30	37	25	18	6	2	-	1	-
1999.....	43	35	41	42	26	30	11	8	2	-	-	-
BLACK, FEMALE												
2000.....	21	33	29	38	29	33	33	20	4	1	-	-
1999.....	27	35	31	35	32	37	29	13	7	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	2	1	3	1	6	2	1	-	-	-	-
1999.....	4	3	5	4	2	2	-	-	-	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	1	-	2	-	4	1	1	-	-	-	-
1999.....	1	3	3	1	1	1	-	-	-	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	1	1	1	1	2	1	-	-	-	-	-
1999.....	3	-	2	3	1	1	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	12	16	18	17	13	11	10	8	3	-	-	-
1999.....	14	10	17	17	16	11	9	2	4	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	8	8	9	10	6	7	4	4	-	-	-	-
1999.....	9	7	12	8	9	9	6	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	4	8	9	7	7	4	6	4	3	-	-	-
1999.....	5	3	5	9	7	2	3	1	4	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
ALL RACES, BOTH SEXES												
2000.....	2,350	3,156	4,128	5,932	8,109	9,743	8,705	5,716	2,329	559	70	-
1999.....	2,302	3,346	4,208	5,996	8,336	9,596	8,493	5,468	2,233	526	55	-
ALL RACES, MALE												
2000.....	1,384	1,850	2,355	3,445	4,593	5,168	4,231	2,475	783	185	15	-
1999.....	1,382	1,957	2,469	3,436	4,631	5,102	3,998	2,337	816	155	21	-
ALL RACES, FEMALE												
2000.....	966	1,306	1,773	2,487	3,516	4,575	4,474	3,241	1,546	374	55	-
1999.....	920	1,389	1,739	2,560	3,705	4,494	4,495	3,131	1,417	371	34	-
WHITE, BOTH SEXES												
2000.....	1,957	2,693	3,562	5,251	7,307	8,944	8,129	5,292	2,145	511	59	-
1999.....	1,919	2,836	3,604	5,297	7,529	8,778	7,909	5,093	2,065	483	47	-
WHITE, MALE												
2000.....	1,150	1,591	2,048	3,103	4,146	4,784	3,976	2,309	725	169	14	-
1999.....	1,168	1,673	2,144	3,068	4,219	4,683	3,761	2,176	750	142	17	-
WHITE, FEMALE												
2000.....	807	1,102	1,514	2,148	3,161	4,160	4,153	2,983	1,420	342	45	-
1999.....	751	1,163	1,460	2,229	3,310	4,095	4,148	2,917	1,315	341	30	-
BLACK, BOTH SEXES												
2000.....	328	393	482	563	678	643	466	356	159	38	8	-
1999.....	322	435	492	585	668	667	482	319	142	39	8	-
BLACK, MALE												
2000.....	188	223	262	281	375	313	199	132	49	13	1	-
1999.....	183	243	260	311	338	335	189	123	51	10	4	-
BLACK, FEMALE												
2000.....	140	170	220	282	303	330	267	224	110	25	7	-
1999.....	139	192	232	274	330	332	293	196	91	29	4	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	11	15	19	22	24	25	23	13	7	4	-	-
1999.....	8	9	14	22	28	26	11	8	5	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	8	9	8	10	16	10	11	5	1	2	-	-
1999.....	5	4	8	15	14	18	3	5	3	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	3	6	11	12	8	15	12	8	6	2	-	-
1999.....	3	5	6	7	14	8	8	3	2	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	54	55	65	96	100	131	87	55	18	6	3	-
1999.....	53	66	98	92	111	125	91	48	21	4	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	38	27	37	51	56	61	45	29	8	1	-	-
1999.....	26	37	57	42	60	66	45	33	12	3	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	16	28	28	45	44	70	42	26	10	5	3	-
1999.....	27	29	41	50	51	59	46	15	9	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Hodgkin's disease (C81)												
ALL RACES, BOTH SEXES												
2000.....	88	64	94	92	140	134	121	70	24	10	-	-
1999.....	83	87	91	120	163	149	113	70	22	5	1	-
ALL RACES, MALE												
2000.....	53	30	57	58	76	71	50	30	10	5	-	-
1999.....	50	54	61	72	88	69	50	28	16	1	-	-
ALL RACES, FEMALE												
2000.....	35	34	37	34	64	63	71	40	14	5	-	-
1999.....	33	33	30	48	75	80	63	42	6	4	1	-
WHITE, BOTH SEXES												
2000.....	75	56	82	86	125	134	114	68	22	9	-	-
1999.....	74	78	85	106	154	144	110	62	21	5	1	-
WHITE, MALE												
2000.....	45	26	48	55	67	71	47	29	9	5	-	-
1999.....	42	49	58	64	84	67	49	25	15	1	-	-
WHITE, FEMALE												
2000.....	30	30	34	31	58	63	67	39	13	4	-	-
1999.....	32	29	27	42	70	77	61	37	6	4	1	-
BLACK, BOTH SEXES												
2000.....	10	8	9	4	11	-	5	1	2	-	-	-
1999.....	9	9	5	11	7	5	1	6	1	-	-	-
BLACK, MALE												
2000.....	5	4	7	2	5	-	3	-	1	-	-	-
1999.....	8	5	3	8	4	2	1	1	1	-	-	-
BLACK, FEMALE												
2000.....	5	4	2	2	6	-	2	1	1	-	-	-
1999.....	1	4	2	3	3	3	-	5	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Hodgkin's disease (C81)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	1	1	3	-	-	-	-	-	-	-
1999.....	-	-	-	2	1	-	-	1	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	1	3	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	1	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	1	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	2	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	3	-	2	1	1	-	2	1	-	1	-	-
1999.....	-	-	1	1	1	-	2	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	3	-	2	-	1	-	-	1	-	-	-	-
1999.....	-	-	-	-	-	-	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	1	-	-	2	-	-	1	-	-
1999.....	-	-	1	1	1	-	2	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)												
ALL RACES, BOTH SEXES												
2000.....	1,015	1,434	1,736	2,386	3,212	3,984	3,551	2,330	856	193	23	-
1999.....	1,045	1,414	1,740	2,441	3,407	4,009	3,545	2,198	834	178	18	-
ALL RACES, MALE												
2000.....	646	865	984	1,342	1,763	2,018	1,616	959	274	62	4	-
1999.....	652	851	996	1,355	1,821	2,052	1,544	892	292	53	9	-
ALL RACES, FEMALE												
2000.....	369	569	752	1,044	1,449	1,966	1,935	1,371	582	131	19	-
1999.....	393	563	744	1,086	1,586	1,957	2,001	1,306	542	125	9	-
WHITE, BOTH SEXES												
2000.....	879	1,290	1,564	2,179	2,982	3,761	3,396	2,212	817	185	21	-
1999.....	922	1,251	1,567	2,249	3,166	3,758	3,399	2,089	787	165	16	-
WHITE, MALE												
2000.....	556	771	887	1,244	1,631	1,917	1,548	917	260	59	4	-
1999.....	576	751	892	1,248	1,705	1,911	1,494	839	273	47	7	-
WHITE, FEMALE												
2000.....	323	519	677	935	1,351	1,844	1,848	1,295	557	126	17	-
1999.....	346	500	675	1,001	1,461	1,847	1,905	1,250	514	118	9	-
BLACK, BOTH SEXES												
2000.....	103	119	138	150	170	146	100	80	30	6	-	-
1999.....	99	138	126	154	177	179	109	79	35	11	2	-
BLACK, MALE												
2000.....	68	82	76	74	96	65	38	23	12	3	-	-
1999.....	64	81	74	90	84	99	33	33	11	5	2	-
BLACK, FEMALE												
2000.....	35	37	62	76	74	81	62	57	18	3	-	-
1999.....	35	57	52	64	93	80	76	46	24	6	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Non-Hodgkin's lymphoma (C82-C85)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	7	4	6	11	10	11	15	4	1	-	-	-
1999.....	1	3	6	7	11	8	4	3	2	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	5	2	3	3	5	6	8	1	-	-	-	-
1999.....	1	2	4	4	3	7	1	1	1	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	2	3	8	5	5	7	3	1	-	-	-
1999.....	-	1	2	3	8	1	3	2	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	26	21	28	46	50	66	40	34	8	2	2	-
1999.....	23	22	41	31	53	64	33	27	10	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	17	10	18	21	31	30	22	18	2	-	-	-
1999.....	11	17	26	13	29	35	16	19	7	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	9	11	10	25	19	36	18	16	6	2	2	-
1999.....	12	5	15	18	24	29	17	8	3	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Leukemia (C91-C95)												
ALL RACES, BOTH SEXES												
2000.....	789	1,041	1,373	2,073	2,937	3,515	3,218	2,194	1,041	271	37	-
1999.....	744	1,112	1,404	2,078	2,934	3,401	3,059	2,151	984	258	31	-
ALL RACES, MALE												
2000.....	435	629	823	1,287	1,803	1,982	1,713	1,018	359	85	8	-
1999.....	431	636	853	1,275	1,779	1,946	1,579	964	375	75	9	-
ALL RACES, FEMALE												
2000.....	354	412	550	786	1,134	1,533	1,505	1,176	682	186	29	-
1999.....	313	476	551	803	1,155	1,455	1,480	1,187	609	183	22	-
WHITE, BOTH SEXES												
2000.....	669	900	1,188	1,870	2,690	3,272	3,026	2,053	967	250	32	-
1999.....	619	975	1,221	1,839	2,692	3,166	2,841	2,037	915	238	28	-
WHITE, MALE												
2000.....	366	550	717	1,176	1,651	1,855	1,616	949	338	76	7	-
1999.....	360	563	751	1,141	1,643	1,815	1,484	911	350	69	9	-
WHITE, FEMALE												
2000.....	303	350	471	694	1,039	1,417	1,410	1,104	629	174	25	-
1999.....	259	412	470	698	1,049	1,351	1,357	1,126	565	169	19	-
BLACK, BOTH SEXES												
2000.....	97	107	154	162	213	195	155	124	64	18	5	-
1999.....	96	106	146	201	206	196	177	96	58	18	3	-
BLACK, MALE												
2000.....	53	61	90	86	130	105	76	61	16	7	1	-
1999.....	56	61	81	112	112	108	70	42	20	4	-	-
BLACK, FEMALE												
2000.....	44	46	64	76	83	90	79	63	48	11	4	-
1999.....	40	45	65	89	94	88	107	54	38	14	3	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Leukemia (C91-C95)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	2	8	7	9	7	5	5	6	3	1	-	-
1999.....	6	4	4	7	6	6	4	3	2	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	2	4	3	5	6	1	3	2	1	1	-	-
1999.....	4	1	3	7	4	6	1	2	1	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	4	4	4	1	4	2	4	2	-	-	-
1999.....	2	3	1	-	2	-	3	1	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	21	26	24	32	27	43	32	11	7	2	-	-
1999.....	23	27	33	31	30	33	37	15	9	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	14	14	13	20	16	21	18	6	4	1	-	-
1999.....	11	11	18	15	20	17	24	9	4	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	7	12	11	12	11	22	14	5	3	1	-	-
1999.....	12	16	15	16	10	16	13	6	5	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Multiple myeloma and immunoproliferative neoplasms (C88,C90)												
ALL RACES, BOTH SEXES												
2000.....	455	611	919	1,374	1,805	2,097	1,799	1,109	401	84	10	-
1999.....	424	727	967	1,347	1,825	2,023	1,765	1,040	389	85	5	-
ALL RACES, MALE												
2000.....	248	321	487	751	946	1,087	845	462	137	33	3	-
1999.....	246	411	557	729	940	1,026	820	450	133	26	3	-
ALL RACES, FEMALE												
2000.....	207	290	432	623	859	1,010	954	647	264	51	7	-
1999.....	178	316	410	618	885	997	945	590	256	59	2	-
WHITE, BOTH SEXES												
2000.....	331	442	722	1,109	1,496	1,766	1,578	947	333	66	6	-
1999.....	299	527	725	1,093	1,510	1,697	1,549	897	338	75	2	-
WHITE, MALE												
2000.....	181	240	392	621	793	932	758	409	116	29	3	-
1999.....	188	306	441	610	784	882	729	398	112	25	1	-
WHITE, FEMALE												
2000.....	150	202	330	488	703	834	820	538	217	37	3	-
1999.....	111	221	284	483	726	815	820	499	226	50	1	-
BLACK, BOTH SEXES												
2000.....	118	158	181	247	284	300	205	150	62	14	3	-
1999.....	117	181	215	219	278	286	195	137	48	10	3	-
BLACK, MALE												
2000.....	62	75	89	119	144	142	82	47	19	3	-	-
1999.....	54	95	102	101	138	125	85	47	19	1	2	-
BLACK, FEMALE												
2000.....	56	83	92	128	140	158	123	103	43	11	3	-
1999.....	63	86	113	118	140	161	110	90	29	9	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Multiple myeloma and immunoproliferative neoplasms (C88,C90)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	2	3	5	1	3	9	3	3	3	3	-	-
1999.....	1	2	4	6	10	12	3	1	1	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	3	2	1	1	3	-	2	-	1	-	-
1999.....	-	1	1	4	7	5	1	1	1	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	3	-	2	6	3	1	3	2	-	-
1999.....	1	1	3	2	3	7	2	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	4	8	11	17	22	22	13	9	3	1	1	-
1999.....	7	17	23	29	27	28	18	5	2	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	4	3	4	10	8	10	5	4	2	-	-	-
1999.....	4	9	13	14	11	14	5	4	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	5	7	7	14	12	8	5	1	1	1	-
1999.....	3	8	10	15	16	14	13	1	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)												
ALL RACES, BOTH SEXES												
2000.....	3	6	6	7	15	13	16	13	7	1	-	-
1999.....	6	6	6	10	7	14	11	9	4	-	-	-
ALL RACES, MALE												
2000.....	2	5	4	7	5	10	7	6	3	-	-	-
1999.....	3	5	2	5	3	9	5	3	-	-	-	-
ALL RACES, FEMALE												
2000.....	1	1	2	-	10	3	9	7	4	1	-	-
1999.....	3	1	4	5	4	5	6	6	4	-	-	-
WHITE, BOTH SEXES												
2000.....	3	5	6	7	14	11	15	12	6	1	-	-
1999.....	5	5	6	10	7	13	10	8	4	-	-	-
WHITE, MALE												
2000.....	2	4	4	7	4	9	7	5	2	-	-	-
1999.....	2	4	2	5	3	8	5	3	-	-	-	-
WHITE, FEMALE												
2000.....	1	1	2	-	10	2	8	7	4	1	-	-
1999.....	3	1	4	5	4	5	5	5	4	-	-	-
BLACK, BOTH SEXES												
2000.....	-	1	-	-	-	2	1	1	1	-	-	-
1999.....	1	1	-	-	-	1	-	1	-	-	-	-
BLACK, MALE												
2000.....	-	1	-	-	-	1	-	1	1	-	-	-
1999.....	1	1	-	-	-	1	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	1	1	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	1	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	1	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)												
ALL RACES, BOTH SEXES												
2000.....	3,193	4,088	5,205	6,819	8,897	10,087	8,773	6,214	2,937	874	140	4
1999.....	3,230	4,249	5,614	7,265	9,569	10,451	9,205	6,485	2,955	851	112	2
ALL RACES, MALE												
2000.....	1,773	2,286	2,937	3,791	4,781	5,098	4,063	2,460	989	218	22	4
1999.....	1,824	2,416	3,181	3,984	5,173	5,240	4,199	2,586	986	213	21	1
ALL RACES, FEMALE												
2000.....	1,420	1,802	2,268	3,028	4,116	4,989	4,710	3,754	1,948	656	118	-
1999.....	1,406	1,833	2,433	3,281	4,396	5,211	5,006	3,899	1,969	638	91	1
WHITE, BOTH SEXES												
2000.....	2,554	3,432	4,362	5,908	7,822	9,026	8,040	5,722	2,730	785	115	3
1999.....	2,627	3,496	4,709	6,334	8,430	9,385	8,397	5,949	2,689	769	98	2
WHITE, MALE												
2000.....	1,437	1,921	2,430	3,328	4,244	4,553	3,763	2,269	919	195	20	3
1999.....	1,479	2,002	2,685	3,484	4,594	4,751	3,872	2,387	898	188	20	1
WHITE, FEMALE												
2000.....	1,117	1,511	1,932	2,580	3,578	4,473	4,277	3,453	1,811	590	95	-
1999.....	1,148	1,494	2,024	2,850	3,836	4,634	4,525	3,562	1,791	581	78	1
BLACK, BOTH SEXES												
2000.....	538	557	710	775	882	876	609	405	167	82	20	1
1999.....	513	634	788	773	948	881	668	455	223	69	14	-
BLACK, MALE												
2000.....	285	312	430	392	446	448	247	148	52	19	1	1
1999.....	296	365	443	423	483	403	268	156	71	22	1	-
BLACK, FEMALE												
2000.....	253	245	280	383	436	428	362	257	115	63	19	-
1999.....	217	269	345	350	465	478	400	299	152	47	13	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	16	14	33	26	47	36	19	15	8	3	2	-
1999.....	21	35	28	38	34	37	33	15	5	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	10	8	17	14	21	18	4	5	3	1	-	-
1999.....	11	13	12	18	17	16	13	7	1	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	6	6	16	12	26	18	15	10	5	2	2	-
1999.....	10	22	16	20	17	21	20	8	4	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	85	85	100	110	146	149	105	72	32	4	3	-
1999.....	69	84	89	120	157	148	107	66	38	12	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	41	45	60	57	70	79	49	38	15	3	1	-
1999.....	38	36	41	59	79	70	46	36	16	3	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	44	40	40	53	76	70	56	34	17	1	2	-
1999.....	31	48	48	61	78	78	61	30	22	9	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)												
ALL RACES, BOTH SEXES												
2000.....	397	513	711	1,007	1,539	2,142	2,503	2,103	1,143	314	40	1
1999.....	386	461	672	1,029	1,655	2,151	2,321	1,998	1,059	337	49	-
ALL RACES, MALE												
2000.....	225	270	387	587	828	1,120	1,199	881	362	86	7	1
1999.....	220	255	401	590	932	1,119	1,099	839	367	82	15	-
ALL RACES, FEMALE												
2000.....	172	243	324	420	711	1,022	1,304	1,222	781	228	33	-
1999.....	166	206	271	439	723	1,032	1,222	1,159	692	255	34	-
WHITE, BOTH SEXES												
2000.....	333	447	611	888	1,351	1,962	2,340	1,960	1,066	291	35	-
1999.....	320	389	572	886	1,499	1,959	2,161	1,870	996	303	44	-
WHITE, MALE												
2000.....	192	240	324	517	730	1,032	1,136	818	341	82	7	-
1999.....	186	216	353	516	856	1,027	1,035	792	352	76	14	-
WHITE, FEMALE												
2000.....	141	207	287	371	621	930	1,204	1,142	725	209	28	-
1999.....	134	173	219	370	643	932	1,126	1,078	644	227	30	-
BLACK, BOTH SEXES												
2000.....	58	57	78	96	152	150	134	118	63	20	4	1
1999.....	56	65	84	124	134	165	134	108	52	30	4	-
BLACK, MALE												
2000.....	31	27	49	60	71	73	46	45	18	3	-	1
1999.....	27	36	39	65	64	76	49	38	10	6	-	-
BLACK, FEMALE												
2000.....	27	30	29	36	81	77	88	73	45	17	4	-
1999.....	29	29	45	59	70	89	85	70	42	24	4	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	2	4	4	6	5	2	6	1	1	1	-
1999.....	2	4	3	7	6	4	5	4	2	1	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	3	1	5	1	2	2	-	-	-	-
1999.....	1	2	2	2	3	3	3	2	-	-	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	2	1	3	1	4	-	4	1	1	1	-
1999.....	1	2	1	5	3	1	2	2	2	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	5	7	18	19	30	25	27	19	13	2	-	-
1999.....	8	3	13	12	16	23	21	16	9	3	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	2	3	11	9	22	14	15	16	3	1	-	-
1999.....	6	1	7	7	9	13	12	7	5	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	3	4	7	10	8	11	12	3	10	1	-	-
1999.....	2	2	6	5	7	10	9	9	4	3	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Anemias (D50-D64)												
ALL RACES, BOTH SEXES												
2000.....	117	127	133	210	305	482	689	790	638	290	78	-
1999.....	98	105	126	175	311	497	667	775	647	316	82	-
ALL RACES, MALE												
2000.....	56	66	64	95	141	198	267	237	183	58	14	-
1999.....	48	43	62	92	134	217	267	261	172	73	12	-
ALL RACES, FEMALE												
2000.....	61	61	69	115	164	284	422	553	455	232	64	-
1999.....	50	62	64	83	177	280	400	514	475	243	70	-
WHITE, BOTH SEXES												
2000.....	56	84	85	160	250	414	617	718	566	261	68	-
1999.....	41	46	76	135	254	428	604	692	583	277	68	-
WHITE, MALE												
2000.....	27	45	42	81	118	169	238	212	156	52	13	-
1999.....	20	16	32	75	107	190	244	230	160	66	12	-
WHITE, FEMALE												
2000.....	29	39	43	79	132	245	379	506	410	209	55	-
1999.....	21	30	44	60	147	238	360	462	423	211	56	-
BLACK, BOTH SEXES												
2000.....	59	40	43	43	46	58	64	64	61	28	10	-
1999.....	52	55	46	33	49	64	57	67	57	30	12	-
BLACK, MALE												
2000.....	29	18	19	13	18	23	23	20	22	5	1	-
1999.....	26	25	29	14	23	23	19	25	9	4	-	-
BLACK, FEMALE												
2000.....	30	22	24	30	28	35	41	44	39	23	9	-
1999.....	26	30	17	19	26	41	38	42	48	26	12	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Anemias (D50-D64)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	1	-	2	2	6	2	1	3	-	-	-
1999.....	2	1	3	1	2	-	-	2	-	1	2	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	1	-	1	-	5	1	-	-	-	-	-
1999.....	-	1	1	-	-	-	-	1	-	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	1	2	1	1	1	3	-	-	-
1999.....	2	-	2	1	2	-	-	1	-	-	2	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2	2	5	5	7	4	6	7	8	1	-	-
1999.....	3	3	1	6	6	5	6	14	7	8	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	2	3	-	5	1	5	5	5	1	-	-
1999.....	2	1	-	3	4	4	4	5	3	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	-	2	5	2	3	1	2	3	-	-	-
1999.....	1	2	1	3	2	1	2	9	4	6	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)												
ALL RACES, BOTH SEXES												
2000.....	3,037	3,992	5,194	7,054	9,620	11,607	10,577	8,002	4,104	1,250	200	-
1999.....	2,793	3,865	5,232	7,215	9,693	11,269	10,488	7,893	3,943	1,165	177	3
ALL RACES, MALE												
2000.....	1,697	2,173	2,770	3,556	4,670	5,288	4,450	2,789	1,165	260	20	-
1999.....	1,602	2,120	2,736	3,630	4,649	5,190	4,349	2,816	1,071	210	28	2
ALL RACES, FEMALE												
2000.....	1,340	1,819	2,424	3,498	4,950	6,319	6,127	5,213	2,939	990	180	-
1999.....	1,191	1,745	2,496	3,585	5,044	6,079	6,139	5,077	2,872	955	149	1
WHITE, BOTH SEXES												
2000.....	2,170	2,967	3,912	5,393	7,682	9,561	8,917	6,905	3,525	1,067	148	-
1999.....	1,988	2,754	3,855	5,547	7,683	9,315	8,902	6,746	3,379	995	137	1
WHITE, MALE												
2000.....	1,269	1,662	2,161	2,849	3,890	4,508	3,911	2,473	1,023	228	16	-
1999.....	1,191	1,582	2,102	2,906	3,881	4,455	3,838	2,474	924	178	22	1
WHITE, FEMALE												
2000.....	901	1,305	1,751	2,544	3,792	5,053	5,006	4,432	2,502	839	132	-
1999.....	797	1,172	1,753	2,641	3,802	4,860	5,064	4,272	2,455	817	115	-
BLACK, BOTH SEXES												
2000.....	762	894	1,121	1,441	1,677	1,781	1,434	962	507	160	49	-
1999.....	716	954	1,197	1,444	1,693	1,652	1,370	982	496	144	37	2
BLACK, MALE												
2000.....	374	438	524	593	671	659	454	260	109	21	2	-
1999.....	358	461	534	631	637	595	429	281	123	23	5	1
BLACK, FEMALE												
2000.....	388	456	597	848	1,006	1,122	980	702	398	139	47	-
1999.....	358	493	663	813	1,056	1,057	941	701	373	121	32	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	53	59	75	77	109	81	52	36	13	2	2	-
1999.....	49	73	92	105	114	94	52	51	16	5	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	23	26	42	33	37	37	13	15	5	1	1	-
1999.....	32	33	45	40	42	43	19	16	4	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	30	33	33	44	72	44	39	21	8	1	1	-
1999.....	17	40	47	65	72	51	33	35	12	4	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	52	72	86	143	152	184	174	99	59	21	1	-
1999.....	40	84	88	119	203	208	164	114	52	21	3	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	31	47	43	81	72	84	72	41	28	10	1	-
1999.....	21	44	55	53	89	97	63	45	20	8	1	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	21	25	43	62	80	100	102	58	31	11	-	-
1999.....	19	40	33	66	114	111	101	69	32	13	2	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Nutritional deficiencies (E40-E64)												
ALL RACES, BOTH SEXES												
2000.....	53	70	103	192	268	505	780	947	781	302	90	-
1999.....	61	76	94	149	280	472	776	944	822	380	94	-
ALL RACES, MALE												
2000.....	21	45	52	87	134	207	264	289	182	52	13	-
1999.....	30	42	56	72	149	205	289	301	196	71	9	-
ALL RACES, FEMALE												
2000.....	32	25	51	105	134	298	516	658	599	250	77	-
1999.....	31	34	38	77	131	267	487	643	626	309	85	-
WHITE, BOTH SEXES												
2000.....	36	52	78	159	211	425	687	836	712	255	71	-
1999.....	48	46	72	115	210	392	658	833	751	326	80	-
WHITE, MALE												
2000.....	13	30	35	70	102	171	233	256	167	41	11	-
1999.....	23	21	43	52	106	165	242	265	175	55	7	-
WHITE, FEMALE												
2000.....	23	22	43	89	109	254	454	580	545	214	60	-
1999.....	25	25	29	63	104	227	416	568	576	271	73	-
BLACK, BOTH SEXES												
2000.....	16	18	23	29	49	68	80	96	61	41	16	-
1999.....	12	26	21	29	61	69	107	97	64	47	14	-
BLACK, MALE												
2000.....	8	15	15	15	29	32	27	31	12	11	1	-
1999.....	7	18	12	17	38	34	40	30	19	13	2	-
BLACK, FEMALE												
2000.....	8	3	8	14	20	36	53	65	49	30	15	-
1999.....	5	8	9	12	23	35	67	67	45	34	12	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Nutritional deficiencies (E40-E64)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	-	-	2	4	5	3	8	3	1	3	-
1999.....	1	3	1	3	3	3	4	4	3	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	1	1	2	1	-	1	-	1	-
1999.....	-	2	1	1	1	2	3	1	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	-	1	3	3	2	8	2	1	2	-
1999.....	1	1	-	2	2	1	1	3	3	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	2	2	4	7	10	7	5	5	-	-
1999.....	-	1	-	2	6	8	7	10	4	6	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	2	1	2	2	3	2	2	-	-	-
1999.....	-	1	-	2	4	4	4	5	2	3	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	1	2	5	7	5	3	5	-	-
1999.....	-	-	-	-	2	4	3	5	2	3	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malnutrition (E40-E46)												
ALL RACES, BOTH SEXES												
2000.....	46	61	97	178	245	478	721	888	712	280	84	-
1999.....	57	66	88	141	266	439	720	883	755	353	86	-
ALL RACES, MALE												
2000.....	18	39	47	79	128	194	240	275	165	46	13	-
1999.....	27	38	54	68	139	186	266	282	175	65	8	-
ALL RACES, FEMALE												
2000.....	28	22	50	99	117	284	481	613	547	234	71	-
1999.....	30	28	34	73	127	253	454	601	580	288	78	-
WHITE, BOTH SEXES												
2000.....	31	45	74	146	189	405	634	781	650	235	67	-
1999.....	46	41	66	107	198	366	610	779	689	302	72	-
WHITE, MALE												
2000.....	11	26	32	63	96	162	209	242	152	35	11	-
1999.....	21	20	41	48	98	152	221	247	154	49	6	-
WHITE, FEMALE												
2000.....	20	19	42	83	93	243	425	539	498	200	56	-
1999.....	25	21	25	59	100	214	389	532	535	253	66	-
BLACK, BOTH SEXES												
2000.....	15	16	21	28	49	63	74	94	57	39	14	-
1999.....	11	21	21	29	59	62	100	90	59	44	14	-
BLACK, MALE												
2000.....	7	13	13	14	29	30	27	31	10	11	1	-
1999.....	6	15	12	17	36	28	38	29	19	13	2	-
BLACK, FEMALE												
2000.....	8	3	8	14	20	33	47	63	47	28	13	-
1999.....	5	6	9	12	23	34	62	61	40	31	12	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Malnutrition (E40-E46)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	2	3	4	3	6	2	1	3	-
1999.....	-	3	1	3	3	3	4	4	3	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	1	1	1	1	-	1	-	1	-
1999.....	-	2	1	1	1	2	3	1	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	1	2	3	2	6	1	1	2	-
1999.....	-	1	-	2	2	1	1	3	3	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	2	2	4	6	10	7	3	5	-	-
1999.....	-	1	-	2	6	8	6	10	4	6	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	2	1	2	1	3	2	2	-	-	-
1999.....	-	1	-	2	4	4	4	5	2	3	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	1	2	5	7	5	1	5	-	-
1999.....	-	-	-	-	2	4	2	5	2	3	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other nutritional deficiencies (E50-E64)												
ALL RACES, BOTH SEXES												
2000.....	7	9	6	14	23	27	59	59	69	22	6	-
1999.....	4	10	6	8	14	33	56	61	67	27	8	-
ALL RACES, MALE												
2000.....	3	6	5	8	6	13	24	14	17	6	-	-
1999.....	3	4	2	4	10	19	23	19	21	6	1	-
ALL RACES, FEMALE												
2000.....	4	3	1	6	17	14	35	45	52	16	6	-
1999.....	1	6	4	4	4	14	33	42	46	21	7	-
WHITE, BOTH SEXES												
2000.....	5	7	4	13	22	20	53	55	62	20	4	-
1999.....	2	5	6	8	12	26	48	54	62	24	8	-
WHITE, MALE												
2000.....	2	4	3	7	6	9	24	14	15	6	-	-
1999.....	2	1	2	4	8	13	21	18	21	6	1	-
WHITE, FEMALE												
2000.....	3	3	1	6	16	11	29	41	47	14	4	-
1999.....	-	4	4	4	4	13	27	36	41	18	7	-
BLACK, BOTH SEXES												
2000.....	1	2	2	1	-	5	6	2	4	2	2	-
1999.....	1	5	-	-	2	7	7	7	5	3	-	-
BLACK, MALE												
2000.....	1	2	2	1	-	2	-	-	2	-	-	-
1999.....	1	3	-	-	2	6	2	1	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	3	6	2	2	2	2	-
1999.....	-	2	-	-	-	1	5	6	5	3	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other nutritional deficiencies (E50-E64)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	-	-	-	1	1	-	2	1	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	-	-	1	-	-	2	1	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	1	-	-	2	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	2	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Meningitis (G00,G03)												
ALL RACES, BOTH SEXES												
2000.....	55	43	47	48	60	68	55	32	16	2	-	-
1999.....	46	41	49	49	66	65	57	40	20	2	-	-
ALL RACES, MALE												
2000.....	31	26	28	26	34	41	21	13	5	1	-	-
1999.....	29	24	21	28	32	26	23	13	7	-	-	-
ALL RACES, FEMALE												
2000.....	24	17	19	22	26	27	34	19	11	1	-	-
1999.....	17	17	28	21	34	39	34	27	13	2	-	-
WHITE, BOTH SEXES												
2000.....	36	29	36	32	47	56	48	24	14	2	-	-
1999.....	33	32	39	38	51	47	48	36	12	2	-	-
WHITE, MALE												
2000.....	22	20	22	19	29	33	19	9	4	1	-	-
1999.....	19	20	17	21	25	17	21	12	4	-	-	-
WHITE, FEMALE												
2000.....	14	9	14	13	18	23	29	15	10	1	-	-
1999.....	14	12	22	17	26	30	27	24	8	2	-	-
BLACK, BOTH SEXES												
2000.....	17	13	9	15	12	8	5	7	2	-	-	-
1999.....	13	8	10	9	12	17	8	4	8	-	-	-
BLACK, MALE												
2000.....	8	6	5	6	5	5	2	4	1	-	-	-
1999.....	10	4	4	6	6	8	2	1	3	-	-	-
BLACK, FEMALE												
2000.....	9	7	4	9	7	3	3	3	1	-	-	-
1999.....	3	4	6	3	6	9	6	3	5	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Meningitis (G00,G03)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	2	1	-	-	-	-	-
1999.....	-	-	-	1	-	1	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	1	-	1	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	1	1	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2	1	2	1	1	2	1	1	-	-	-	-
1999.....	-	1	-	1	3	-	1	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	-	1	1	-	2	-	-	-	-	-	-
1999.....	-	-	-	-	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	1	1	-	1	-	1	1	-	-	-	-
1999.....	-	1	-	1	2	-	1	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Parkinson's disease (G20-G21)												
ALL RACES, BOTH SEXES												
2000.....	33	82	188	626	1,482	3,322	4,330	3,567	1,627	369	27	1
1999.....	35	73	169	539	1,481	3,066	4,044	3,332	1,492	313	31	-
ALL RACES, MALE												
2000.....	19	55	115	398	940	2,052	2,478	1,879	726	115	8	1
1999.....	25	44	117	338	965	1,940	2,367	1,699	639	110	6	-
ALL RACES, FEMALE												
2000.....	14	27	73	228	542	1,270	1,852	1,688	901	254	19	-
1999.....	10	29	52	201	516	1,126	1,677	1,633	853	203	25	-
WHITE, BOTH SEXES												
2000.....	29	75	176	585	1,397	3,163	4,143	3,418	1,560	350	26	1
1999.....	31	65	150	498	1,397	2,910	3,877	3,192	1,426	294	29	-
WHITE, MALE												
2000.....	16	49	109	372	890	1,943	2,364	1,804	689	109	7	1
1999.....	24	41	106	314	922	1,842	2,281	1,625	606	102	6	-
WHITE, FEMALE												
2000.....	13	26	67	213	507	1,220	1,779	1,614	871	241	19	-
1999.....	7	24	44	184	475	1,068	1,596	1,567	820	192	23	-
BLACK, BOTH SEXES												
2000.....	4	5	9	28	66	118	133	102	47	15	1	-
1999.....	4	7	15	33	64	109	112	94	52	15	2	-
BLACK, MALE												
2000.....	3	4	5	19	41	80	78	44	24	6	1	-
1999.....	1	3	10	22	37	67	56	47	22	5	-	-
BLACK, FEMALE												
2000.....	1	1	4	9	25	38	55	58	23	9	-	-
1999.....	3	4	5	11	27	42	56	47	30	10	2	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Parkinson's disease (G20-G21)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	1	1	3	6	9	11	6	5	2	-	-
1999.....	-	-	-	1	3	5	11	3	2	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	1	-	1	3	5	7	4	4	-	-	-
1999.....	-	-	-	-	-	4	10	1	1	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	1	2	3	4	4	2	1	2	-	-
1999.....	-	-	-	1	3	1	1	2	1	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	1	2	10	13	32	43	41	15	2	-	-
1999.....	-	1	4	7	17	42	44	43	12	3	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	1	1	6	6	24	29	27	9	-	-	-
1999.....	-	-	1	2	6	27	20	26	10	3	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	1	4	7	8	14	14	6	2	-	-
1999.....	-	1	3	5	11	15	24	17	2	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Alzheimer's disease (G30)												
ALL RACES, BOTH SEXES												
2000.....	47	142	349	868	2,563	6,319	10,934	13,337	10,257	4,014	701	2
1999.....	40	125	323	830	2,374	5,769	10,067	11,862	9,041	3,473	604	-
ALL RACES, MALE												
2000.....	24	60	150	420	1,134	2,433	3,795	3,687	2,101	564	54	1
1999.....	18	68	154	389	1,048	2,332	3,572	3,382	1,861	505	48	-
ALL RACES, FEMALE												
2000.....	23	82	199	448	1,429	3,886	7,139	9,650	8,156	3,450	647	1
1999.....	22	57	169	441	1,326	3,437	6,495	8,480	7,180	2,968	556	-
WHITE, BOTH SEXES												
2000.....	41	132	318	796	2,343	5,864	10,260	12,562	9,723	3,765	633	1
1999.....	35	113	300	757	2,169	5,363	9,470	11,216	8,611	3,267	552	-
WHITE, MALE												
2000.....	21	55	138	389	1,043	2,271	3,583	3,466	1,974	525	45	1
1999.....	16	61	144	355	961	2,180	3,384	3,198	1,763	469	41	-
WHITE, FEMALE												
2000.....	20	77	180	407	1,300	3,593	6,677	9,096	7,749	3,240	588	-
1999.....	19	52	156	402	1,208	3,183	6,086	8,018	6,848	2,798	511	-
BLACK, BOTH SEXES												
2000.....	4	7	23	67	194	400	608	682	464	219	58	1
1999.....	3	10	19	62	187	364	526	569	367	184	48	-
BLACK, MALE												
2000.....	2	5	11	30	83	137	185	181	99	36	6	-
1999.....	2	6	9	31	81	132	160	158	75	31	7	-
BLACK, FEMALE												
2000.....	2	2	12	37	111	263	423	501	365	183	52	1
1999.....	1	4	10	31	106	232	366	411	292	153	41	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Alzheimer's disease (G30)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	1	2	2	12	21	18	19	15	5	-	-
1999.....	-	-	3	5	8	14	15	20	14	5	2	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	1	3	6	7	4	4	1	-	-
1999.....	-	-	1	1	4	6	5	1	5	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	1	2	1	9	15	11	15	11	4	-	-
1999.....	-	-	2	4	4	8	10	19	9	5	2	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2	2	6	3	14	34	48	74	55	25	10	-
1999.....	2	2	1	6	10	28	56	57	49	17	2	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	-	1	-	5	19	20	36	24	2	3	-
1999.....	-	1	-	2	2	14	23	25	18	5	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	2	5	3	9	15	28	38	31	23	7	-
1999.....	2	1	1	4	8	14	33	32	31	12	2	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Major cardiovascular diseases (I00-I78)												
ALL RACES, BOTH SEXES												
2000.....	25,798	33,454	44,028	61,769	94,418	135,296	160,906	165,313	117,092	47,427	10,618	62
1999.....	25,158	33,344	44,489	64,775	98,653	138,680	163,872	166,070	116,257	47,656	10,527	49
ALL RACES, MALE												
2000.....	17,991	22,817	28,606	37,721	54,789	70,196	72,601	60,379	32,104	9,636	1,539	43
1999.....	17,595	22,653	28,872	39,978	56,926	72,052	73,515	60,030	31,573	9,558	1,502	38
ALL RACES, FEMALE												
2000.....	7,807	10,637	15,422	24,048	39,629	65,100	88,305	104,934	84,988	37,791	9,079	19
1999.....	7,563	10,691	15,617	24,797	41,727	66,628	90,357	106,040	84,684	38,098	9,025	11
WHITE, BOTH SEXES												
2000.....	19,428	26,035	34,836	50,692	80,400	118,684	145,286	151,317	108,139	43,327	9,357	45
1999.....	19,030	25,836	35,412	53,485	84,103	121,928	148,314	151,947	107,568	43,687	9,350	32
WHITE, MALE												
2000.....	14,011	18,204	23,256	31,747	47,612	62,471	66,225	55,631	29,586	8,639	1,320	34
1999.....	13,739	18,051	23,510	33,786	49,508	64,277	67,297	55,083	29,040	8,663	1,304	25
WHITE, FEMALE												
2000.....	5,417	7,831	11,580	18,945	32,788	56,213	79,061	95,686	78,553	34,688	8,037	11
1999.....	5,291	7,785	11,902	19,699	34,595	57,651	81,017	96,864	78,528	35,024	8,046	7
BLACK, BOTH SEXES												
2000.....	5,675	6,597	8,068	9,612	12,167	14,047	13,174	11,860	7,551	3,492	1,133	17
1999.....	5,503	6,683	7,971	9,892	12,600	14,302	13,109	11,910	7,348	3,490	1,033	16
BLACK, MALE												
2000.....	3,503	4,074	4,613	5,104	6,104	6,348	5,217	3,778	1,942	758	188	9
1999.....	3,438	4,049	4,681	5,392	6,328	6,415	5,055	3,894	1,953	744	169	12
BLACK, FEMALE												
2000.....	2,172	2,523	3,455	4,508	6,063	7,699	7,957	8,082	5,609	2,734	945	8
1999.....	2,065	2,634	3,290	4,500	6,272	7,887	8,054	8,016	5,395	2,746	864	4

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Major cardiovascular diseases (I00-I78)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	179	224	274	367	351	436	388	322	211	90	18	-
1999.....	159	214	257	329	401	448	376	324	188	66	29	-
AMERICAN INDIAN 1/, MALE												
2000.....	118	142	165	215	209	220	176	123	60	23	2	-
1999.....	108	136	144	204	228	241	154	110	55	17	7	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	61	82	109	152	142	216	212	199	151	67	16	-
1999.....	51	78	113	125	173	207	222	214	133	49	22	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	516	598	850	1,098	1,500	2,129	2,058	1,814	1,191	518	110	-
1999.....	466	611	849	1,069	1,549	2,002	2,073	1,889	1,153	413	115	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	359	397	572	655	864	1,157	983	847	516	216	29	-
1999.....	310	417	537	596	862	1,119	1,009	943	525	134	22	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	157	201	278	443	636	972	1,075	967	675	302	81	-
1999.....	156	194	312	473	687	883	1,064	946	628	279	93	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Diseases of heart (I00-I09,I11,I13,I20-I51)												
ALL RACES, BOTH SEXES												
2000.....	21,167	27,676	35,723	49,178	73,227	101,764	118,296	121,003	86,424	35,605	8,210	59
1999.....	20,898	27,605	36,562	52,206	77,047	104,841	121,311	122,126	85,752	35,797	8,185	47
ALL RACES, MALE												
2000.....	15,331	19,456	23,829	30,890	43,699	54,421	55,272	45,756	24,475	7,430	1,235	41
1999.....	15,143	19,370	24,292	33,118	45,718	56,178	56,292	45,667	23,999	7,442	1,192	37
ALL RACES, FEMALE												
2000.....	5,836	8,220	11,894	18,288	29,528	47,343	63,024	75,247	61,949	28,175	6,975	18
1999.....	5,755	8,235	12,270	19,088	31,329	48,663	65,019	76,459	61,753	28,355	6,993	10
WHITE, BOTH SEXES												
2000.....	16,346	21,927	28,654	40,751	62,698	89,644	107,189	111,070	80,035	32,666	7,279	44
1999.....	16,193	21,743	29,531	43,471	66,107	92,559	110,133	112,009	79,531	32,885	7,289	32
WHITE, MALE												
2000.....	12,213	15,794	19,628	26,246	38,218	48,669	50,626	42,311	22,657	6,708	1,059	33
1999.....	12,092	15,652	20,043	28,215	40,032	50,391	51,748	42,048	22,135	6,760	1,037	25
WHITE, FEMALE												
2000.....	4,133	6,133	9,026	14,505	24,480	40,975	56,563	68,759	57,378	25,958	6,220	11
1999.....	4,101	6,091	9,488	15,256	26,075	42,168	58,385	69,961	57,396	26,125	6,252	7
BLACK, BOTH SEXES												
2000.....	4,324	5,133	6,252	7,367	9,223	10,333	9,469	8,478	5,414	2,503	834	15
1999.....	4,250	5,256	6,219	7,711	9,529	10,523	9,515	8,571	5,280	2,569	790	15
BLACK, MALE												
2000.....	2,746	3,237	3,645	3,973	4,699	4,752	3,827	2,776	1,408	548	153	8
1999.....	2,724	3,284	3,720	4,282	4,873	4,795	3,738	2,864	1,446	561	129	12
BLACK, FEMALE												
2000.....	1,578	1,896	2,607	3,394	4,524	5,581	5,642	5,702	4,006	1,955	681	7
1999.....	1,526	1,972	2,499	3,429	4,656	5,728	5,777	5,707	3,834	2,008	661	3

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Diseases of heart (I00-I09,I11,I13,I20-I51)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	146	180	214	291	257	326	271	231	150	65	13	-
1999.....	135	176	209	268	316	338	278	225	135	49	20	-
AMERICAN INDIAN 1/, MALE												
2000.....	102	118	134	175	161	180	126	91	46	18	-	-
1999.....	93	120	121	172	181	184	119	80	44	11	6	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	44	62	80	116	96	146	145	140	104	47	13	-
1999.....	42	56	88	96	135	154	159	145	91	38	14	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	351	436	603	769	1,049	1,461	1,367	1,224	825	371	84	-
1999.....	320	430	603	756	1,095	1,421	1,385	1,321	806	294	86	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	270	307	422	496	621	820	693	578	364	156	23	-
1999.....	234	314	408	449	632	808	687	675	374	110	20	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	81	129	181	273	428	641	674	646	461	215	61	-
1999.....	86	116	195	307	463	613	698	646	432	184	66	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
ALL RACES, BOTH SEXES												
2000.....	133	183	237	327	492	601	575	416	231	54	11	-
1999.....	144	189	222	338	516	614	613	442	235	63	8	-
ALL RACES, MALE												
2000.....	55	72	94	98	139	177	144	96	40	13	1	-
1999.....	50	64	69	107	183	164	161	89	26	8	-	-
ALL RACES, FEMALE												
2000.....	78	111	143	229	353	424	431	320	191	41	10	-
1999.....	94	125	153	231	333	450	452	353	209	55	8	-
WHITE, BOTH SEXES												
2000.....	107	148	202	293	441	575	554	400	216	50	11	-
1999.....	108	156	185	302	474	578	583	421	227	57	7	-
WHITE, MALE												
2000.....	48	62	85	88	122	169	140	93	36	11	1	-
1999.....	40	53	58	100	170	151	155	87	26	7	-	-
WHITE, FEMALE												
2000.....	59	86	117	205	319	406	414	307	180	39	10	-
1999.....	68	103	127	202	304	427	428	334	201	50	7	-
BLACK, BOTH SEXES												
2000.....	20	26	24	31	27	21	15	12	11	4	-	-
1999.....	29	29	23	25	31	24	16	16	5	4	1	-
BLACK, MALE												
2000.....	5	7	7	8	8	7	1	3	3	2	-	-
1999.....	10	9	8	6	10	10	4	1	-	-	-	-
BLACK, FEMALE												
2000.....	15	19	17	23	19	14	14	9	8	2	-	-
1999.....	19	20	15	19	21	14	12	15	5	4	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	3	3	1	3	1	2	2	-	-	-	-
1999.....	1	1	4	2	4	1	2	-	1	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	1	-	-	1	-	1	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	2	3	1	2	1	1	2	-	-	-	-
1999.....	1	1	4	2	4	1	2	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	6	6	8	2	21	4	4	2	4	-	-	-
1999.....	6	3	10	9	7	11	12	5	2	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	2	2	2	2	8	1	2	-	1	-	-	-
1999.....	-	2	3	1	3	3	2	1	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	4	4	6	-	13	3	2	2	3	-	-	-
1999.....	6	1	7	8	4	8	10	4	2	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
ALL RACES, BOTH SEXES												
2000.....	1,152	1,249	1,423	1,570	2,035	2,694	3,268	3,684	2,886	1,330	286	3
1999.....	1,041	1,260	1,277	1,553	1,964	2,672	3,158	3,498	2,710	1,188	283	1
ALL RACES, MALE												
2000.....	811	789	895	909	1,062	1,135	1,134	960	545	181	21	2
1999.....	673	800	760	858	958	1,185	1,067	912	499	160	23	1
ALL RACES, FEMALE												
2000.....	341	460	528	661	973	1,559	2,134	2,724	2,341	1,149	265	1
1999.....	368	460	517	695	1,006	1,487	2,091	2,586	2,211	1,028	260	-
WHITE, BOTH SEXES												
2000.....	647	721	867	1,032	1,379	2,012	2,614	3,122	2,487	1,132	236	1
1999.....	590	728	801	997	1,329	1,976	2,541	2,983	2,371	1,017	231	-
WHITE, MALE												
2000.....	480	485	564	616	749	855	893	813	456	147	18	1
1999.....	409	488	499	556	667	883	852	757	430	129	19	-
WHITE, FEMALE												
2000.....	167	236	303	416	630	1,157	1,721	2,309	2,031	985	218	-
1999.....	181	240	302	441	662	1,093	1,689	2,226	1,941	888	212	-
BLACK, BOTH SEXES												
2000.....	475	507	524	494	612	625	584	509	360	172	46	2
1999.....	439	499	446	521	584	637	558	456	299	156	46	1
BLACK, MALE												
2000.....	308	291	308	269	287	248	212	134	77	24	2	1
1999.....	254	292	245	281	266	272	191	132	60	30	3	1
BLACK, FEMALE												
2000.....	167	216	216	225	325	377	372	375	283	148	44	1
1999.....	185	207	201	240	318	365	367	324	239	126	43	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	10	5	6	6	5	5	11	6	2	2	-	-
1999.....	2	9	5	3	7	6	9	7	2	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	7	2	3	4	4	3	5	1	1	1	-	-
1999.....	2	5	-	2	5	3	2	1	1	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	3	3	3	2	1	2	6	5	1	1	-	-
1999.....	-	4	5	1	2	3	7	6	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	20	16	26	38	39	52	59	47	37	24	4	-
1999.....	10	24	25	32	44	53	50	52	38	15	6	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	16	11	20	20	22	29	24	12	11	9	1	-
1999.....	8	15	16	19	20	27	22	22	8	1	1	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	4	5	6	18	17	23	35	35	26	15	3	-
1999.....	2	9	9	13	24	26	28	30	30	14	5	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
ALL RACES, BOTH SEXES												
2000.....	79	103	105	149	268	376	487	494	361	153	24	-
1999.....	76	116	146	201	269	487	600	600	411	162	36	-
ALL RACES, MALE												
2000.....	44	57	51	74	132	152	198	188	109	37	7	-
1999.....	50	66	80	99	124	221	239	205	123	41	5	-
ALL RACES, FEMALE												
2000.....	35	46	54	75	136	224	289	306	252	116	17	-
1999.....	26	50	66	102	145	266	361	395	288	121	31	-
WHITE, BOTH SEXES												
2000.....	33	46	44	72	173	263	361	399	305	129	12	-
1999.....	31	47	63	101	148	343	463	473	351	129	29	-
WHITE, MALE												
2000.....	19	25	21	38	88	120	153	150	90	28	2	-
1999.....	19	26	34	54	69	159	199	167	108	31	5	-
WHITE, FEMALE												
2000.....	14	21	23	34	85	143	208	249	215	101	10	-
1999.....	12	21	29	47	79	184	264	306	243	98	24	-
BLACK, BOTH SEXES												
2000.....	46	55	58	75	89	99	110	82	50	19	10	-
1999.....	40	66	78	91	114	122	122	114	52	32	7	-
BLACK, MALE												
2000.....	25	31	27	36	41	29	40	29	16	6	4	-
1999.....	28	37	44	41	51	50	34	29	13	9	-	-
BLACK, FEMALE												
2000.....	21	24	31	39	48	70	70	53	34	13	6	-
1999.....	12	29	34	50	63	72	88	85	39	23	7	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	1	-	1	-	1	1	4	-	-	-	-
1999.....	-	1	-	2	4	4	-	1	1	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	1	-	-	-	-	1	1	-	-	-	-
1999.....	-	1	-	1	2	2	-	1	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	1	-	1	-	3	-	-	-	-
1999.....	-	-	-	1	2	2	-	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	1	3	1	6	13	15	9	6	5	2	-
1999.....	5	2	5	7	3	18	15	12	7	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	3	-	3	3	4	8	3	3	1	-
1999.....	3	2	2	3	2	10	6	8	2	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	1	-	1	3	10	11	1	3	2	1	-
1999.....	2	-	3	4	1	8	9	4	5	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
ALL RACES, BOTH SEXES												
2000.....	15,252	20,724	27,013	37,257	55,628	76,569	87,123	86,890	60,269	24,477	5,683	48
1999.....	15,251	20,575	27,802	40,080	58,760	79,379	89,917	88,158	60,502	24,983	5,733	39
ALL RACES, MALE												
2000.....	11,548	15,154	18,641	24,225	34,329	42,452	42,295	34,024	17,603	5,216	847	34
1999.....	11,614	15,021	19,102	26,184	36,003	44,041	43,264	34,168	17,472	5,245	841	31
ALL RACES, FEMALE												
2000.....	3,704	5,570	8,372	13,032	21,299	34,117	44,828	52,866	42,666	19,261	4,836	14
1999.....	3,637	5,554	8,700	13,896	22,757	35,338	46,653	53,990	43,030	19,738	4,892	8
WHITE, BOTH SEXES												
2000.....	12,265	16,873	22,082	31,304	48,138	67,860	79,215	79,909	55,931	22,506	5,046	36
1999.....	12,272	16,733	22,933	33,894	50,959	70,631	81,999	81,066	56,125	22,985	5,122	27
WHITE, MALE												
2000.....	9,559	12,586	15,635	20,885	30,317	38,199	38,901	31,567	16,346	4,726	729	27
1999.....	9,583	12,487	16,061	22,652	31,841	39,837	39,986	31,607	16,126	4,783	737	21
WHITE, FEMALE												
2000.....	2,706	4,287	6,447	10,419	17,821	29,661	40,314	48,342	39,585	17,780	4,317	9
1999.....	2,689	4,246	6,872	11,242	19,118	30,794	42,013	49,459	39,999	18,202	4,385	6
BLACK, BOTH SEXES												
2000.....	2,624	3,383	4,302	5,124	6,495	7,298	6,668	5,891	3,644	1,676	568	12
1999.....	2,642	3,392	4,240	5,395	6,699	7,402	6,669	5,931	3,697	1,762	546	12
BLACK, MALE												
2000.....	1,701	2,227	2,561	2,796	3,409	3,451	2,748	1,939	957	369	104	7
1999.....	1,767	2,197	2,609	3,038	3,505	3,433	2,652	1,999	1,022	375	86	10
BLACK, FEMALE												
2000.....	923	1,156	1,741	2,328	3,086	3,847	3,920	3,952	2,687	1,307	464	5
1999.....	875	1,195	1,631	2,357	3,194	3,969	4,017	3,932	2,675	1,387	460	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	101	135	167	229	185	246	192	156	113	45	7	-
1999.....	101	133	153	206	241	248	205	166	86	33	9	-
AMERICAN INDIAN 1/, MALE												
2000.....	73	91	110	143	114	138	93	64	38	15	-	-
1999.....	73	95	96	134	141	140	94	59	30	6	2	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	28	44	57	86	71	108	99	92	75	30	7	-
1999.....	28	38	57	72	100	108	111	107	56	27	7	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	262	333	462	600	810	1,165	1,048	934	581	250	62	-
1999.....	236	317	476	585	861	1,098	1,044	995	594	203	56	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	215	250	335	401	489	664	553	454	262	106	14	-
1999.....	191	242	336	360	516	631	532	503	294	81	16	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	47	83	127	199	321	501	495	480	319	144	48	-
1999.....	45	75	140	225	345	467	512	492	300	122	40	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
ALL RACES, BOTH SEXES												
2000.....	6,647	9,030	11,983	15,898	22,561	30,059	32,151	29,922	18,701	6,755	1,367	8
1999.....	6,598	9,123	12,283	17,333	24,108	31,053	33,658	30,711	18,472	6,765	1,349	7
ALL RACES, MALE												
2000.....	4,946	6,490	8,148	10,177	13,646	16,295	15,336	11,765	5,701	1,539	238	5
1999.....	5,039	6,654	8,375	11,154	14,554	16,991	15,952	12,066	5,566	1,523	202	2
ALL RACES, FEMALE												
2000.....	1,701	2,540	3,835	5,721	8,915	13,764	16,815	18,157	13,000	5,216	1,129	3
1999.....	1,559	2,469	3,908	6,179	9,554	14,062	17,706	18,645	12,906	5,242	1,147	5
WHITE, BOTH SEXES												
2000.....	5,458	7,574	10,085	13,575	19,710	26,733	29,233	27,383	17,270	6,112	1,174	7
1999.....	5,500	7,659	10,425	14,982	21,124	27,778	30,704	28,102	17,028	6,167	1,171	5
WHITE, MALE												
2000.....	4,206	5,558	7,028	8,918	12,171	14,738	14,094	10,840	5,246	1,363	210	4
1999.....	4,319	5,690	7,277	9,830	13,039	15,479	14,755	11,087	5,116	1,375	166	1
WHITE, FEMALE												
2000.....	1,252	2,016	3,057	4,657	7,539	11,995	15,139	16,543	12,024	4,749	964	3
1999.....	1,181	1,969	3,148	5,152	8,085	12,299	15,949	17,015	11,912	4,792	1,005	4
BLACK, BOTH SEXES												
2000.....	1,038	1,277	1,658	1,982	2,465	2,761	2,475	2,151	1,207	542	178	1
1999.....	971	1,271	1,611	2,027	2,569	2,773	2,525	2,183	1,254	540	159	2
BLACK, MALE												
2000.....	626	798	950	1,041	1,254	1,254	1,016	727	348	128	27	1
1999.....	624	819	937	1,120	1,284	1,246	984	765	356	128	30	1
BLACK, FEMALE												
2000.....	412	479	708	941	1,211	1,507	1,459	1,424	859	414	151	-
1999.....	347	452	674	907	1,285	1,527	1,541	1,418	898	412	129	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	42	54	59	97	66	96	70	50	38	15	2	-
1999.....	39	61	55	90	93	92	85	64	24	11	4	-
AMERICAN INDIAN 1/, MALE												
2000.....	30	38	35	64	37	54	33	22	12	7	-	-
1999.....	27	45	32	60	53	45	39	28	7	1	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	12	16	24	33	29	42	37	28	26	8	2	-
1999.....	12	16	23	30	40	47	46	36	17	10	3	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	109	125	181	244	320	469	373	338	186	86	13	-
1999.....	88	132	192	234	322	410	344	362	166	47	15	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	84	96	135	154	184	249	193	176	95	41	1	-
1999.....	69	100	129	144	178	221	174	186	87	19	5	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	25	29	46	90	136	220	180	162	91	45	12	-
1999.....	19	32	63	90	144	189	170	176	79	28	10	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other acute ischemic heart diseases (I24)												
ALL RACES, BOTH SEXES												
2000.....	189	219	265	294	350	440	466	439	318	136	35	1
1999.....	160	209	239	294	380	406	449	474	296	116	22	-
ALL RACES, MALE												
2000.....	141	163	178	194	204	232	214	153	68	28	5	1
1999.....	109	159	156	191	219	229	194	170	75	19	2	-
ALL RACES, FEMALE												
2000.....	48	56	87	100	146	208	252	286	250	108	30	-
1999.....	51	50	83	103	161	177	255	304	221	97	20	-
WHITE, BOTH SEXES												
2000.....	145	160	207	236	294	373	417	400	288	130	32	-
1999.....	120	162	195	247	316	354	396	438	279	104	21	-
WHITE, MALE												
2000.....	107	124	142	154	171	199	193	142	60	27	4	-
1999.....	85	122	124	160	183	206	169	159	69	17	2	-
WHITE, FEMALE												
2000.....	38	36	65	82	123	174	224	258	228	103	28	-
1999.....	35	40	71	87	133	148	227	279	210	87	19	-
BLACK, BOTH SEXES												
2000.....	40	51	52	47	46	56	43	35	26	6	3	1
1999.....	39	43	42	39	54	49	48	28	15	10	1	-
BLACK, MALE												
2000.....	31	35	32	32	27	28	18	9	7	1	1	1
1999.....	23	34	31	26	30	21	20	10	5	2	-	-
BLACK, FEMALE												
2000.....	9	16	20	15	19	28	25	26	19	5	2	-
1999.....	16	9	11	13	24	28	28	18	10	8	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other acute ischemic heart diseases (I24)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	4	4	5	8	7	4	4	1	2	-	-	-
1999.....	1	3	2	6	8	3	3	6	1	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	3	2	3	6	4	3	1	1	1	-	-	-
1999.....	1	2	1	3	5	2	3	1	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	2	2	2	3	1	3	-	1	-	-	-
1999.....	-	1	1	3	3	1	-	5	1	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	4	1	3	3	7	2	3	2	-	-	-
1999.....	-	1	-	2	2	-	2	2	1	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	2	1	2	2	2	2	1	-	-	-	-
1999.....	-	1	-	2	1	-	2	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	2	-	1	1	5	-	2	2	-	-	-
1999.....	-	-	-	-	1	-	-	2	-	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)												
ALL RACES, BOTH SEXES												
2000.....	8,416	11,475	14,765	21,065	32,717	46,070	54,506	56,529	41,250	17,586	4,281	39
1999.....	8,493	11,243	15,280	22,453	34,272	47,920	55,810	56,973	41,734	18,102	4,362	32
ALL RACES, MALE												
2000.....	6,461	8,501	10,315	13,854	20,479	25,925	26,745	22,106	11,834	3,649	604	28
1999.....	6,466	8,208	10,571	14,839	21,230	26,821	27,118	21,932	11,831	3,703	637	29
ALL RACES, FEMALE												
2000.....	1,955	2,974	4,450	7,211	12,238	20,145	27,761	34,423	29,416	13,937	3,677	11
1999.....	2,027	3,035	4,709	7,614	13,042	21,099	28,692	35,041	29,903	14,399	3,725	3
WHITE, BOTH SEXES												
2000.....	6,662	9,139	11,790	17,493	28,134	40,754	49,565	52,126	38,373	16,264	3,840	29
1999.....	6,652	8,912	12,313	18,665	29,519	42,499	50,899	52,526	38,818	16,714	3,930	22
WHITE, MALE												
2000.....	5,246	6,904	8,465	11,813	17,975	23,262	24,614	20,585	11,040	3,336	515	23
1999.....	5,179	6,675	8,660	12,662	18,619	24,152	25,062	20,361	10,941	3,391	569	20
WHITE, FEMALE												
2000.....	1,416	2,235	3,325	5,680	10,159	17,492	24,951	31,541	27,333	12,928	3,325	6
1999.....	1,473	2,237	3,653	6,003	10,900	18,347	25,837	32,165	27,877	13,323	3,361	2
BLACK, BOTH SEXES												
2000.....	1,546	2,055	2,592	3,095	3,984	4,481	4,150	3,705	2,411	1,128	387	10
1999.....	1,632	2,078	2,587	3,329	4,076	4,580	4,096	3,720	2,428	1,212	386	10
BLACK, MALE												
2000.....	1,044	1,394	1,579	1,723	2,128	2,169	1,714	1,203	602	240	76	5
1999.....	1,120	1,344	1,641	1,892	2,191	2,166	1,648	1,224	661	245	56	9
BLACK, FEMALE												
2000.....	502	661	1,013	1,372	1,856	2,312	2,436	2,502	1,809	888	311	5
1999.....	512	734	946	1,437	1,885	2,414	2,448	2,496	1,767	967	330	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	55	77	103	124	112	146	118	105	73	30	5	-
1999.....	61	69	96	110	140	153	117	96	61	21	5	-
AMERICAN INDIAN 1/, MALE												
2000.....	40	51	72	73	73	81	59	41	25	8	-	-
1999.....	45	48	63	71	83	93	52	30	23	5	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	15	26	31	51	39	65	59	64	48	22	5	-
1999.....	16	21	33	39	57	60	65	66	38	16	4	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	153	204	280	353	487	689	673	593	393	164	49	-
1999.....	148	184	284	349	537	688	698	631	427	155	41	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	131	152	199	245	303	413	358	277	167	65	13	-
1999.....	122	141	207	214	337	410	356	317	206	62	11	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	22	52	81	108	184	276	315	316	226	99	36	-
1999.....	26	43	77	135	200	278	342	314	221	93	30	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
ALL RACES, BOTH SEXES												
2000.....	3,086	3,841	4,401	5,309	7,258	9,271	10,274	10,397	7,953	3,429	885	19
1999.....	2,945	3,747	4,636	5,691	7,704	9,666	10,655	10,745	8,204	3,591	863	24
ALL RACES, MALE												
2000.....	2,444	2,978	3,147	3,557	4,512	5,086	4,639	3,740	2,205	691	122	15
1999.....	2,314	2,842	3,281	3,842	4,704	5,200	4,763	3,895	2,196	692	122	22
ALL RACES, FEMALE												
2000.....	642	863	1,254	1,752	2,746	4,185	5,635	6,657	5,748	2,738	763	4
1999.....	631	905	1,355	1,849	3,000	4,466	5,892	6,850	6,008	2,899	741	2
WHITE, BOTH SEXES												
2000.....	2,339	2,858	3,255	4,093	5,765	7,717	8,892	9,245	7,202	3,112	760	13
1999.....	2,183	2,765	3,446	4,342	6,130	8,014	9,303	9,568	7,430	3,248	749	15
WHITE, MALE												
2000.....	1,903	2,252	2,408	2,811	3,636	4,249	4,037	3,348	1,997	611	93	12
1999.....	1,763	2,156	2,477	3,001	3,800	4,348	4,178	3,478	1,964	615	108	13
WHITE, FEMALE												
2000.....	436	606	847	1,282	2,129	3,468	4,855	5,897	5,205	2,501	667	1
1999.....	420	609	969	1,341	2,330	3,666	5,125	6,090	5,466	2,633	641	2
BLACK, BOTH SEXES												
2000.....	681	882	1,029	1,083	1,325	1,349	1,204	1,010	663	280	114	6
1999.....	680	889	1,053	1,212	1,396	1,466	1,173	1,019	671	304	103	9
BLACK, MALE												
2000.....	489	646	662	648	769	716	505	340	175	67	26	3
1999.....	485	612	697	760	799	737	499	350	188	64	9	9
BLACK, FEMALE												
2000.....	192	236	367	435	556	633	699	670	488	213	88	3
1999.....	195	277	356	452	597	729	674	669	483	240	94	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	20	27	25	31	24	33	25	30	15	5	1	-
1999.....	24	24	28	33	37	45	34	25	19	4	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	14	21	18	18	15	18	15	9	6	1	-	-
1999.....	17	18	22	23	21	29	15	9	6	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	6	6	7	13	9	15	10	21	9	4	1	-
1999.....	7	6	6	10	16	16	19	16	13	3	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	46	74	92	102	144	172	153	112	73	32	10	-
1999.....	58	69	109	104	141	141	145	133	84	35	11	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	38	59	59	80	92	103	82	43	27	12	3	-
1999.....	49	56	85	58	84	86	71	58	38	12	5	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	8	15	33	22	52	69	71	69	46	20	7	-
1999.....	9	13	24	46	57	55	74	75	46	23	6	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
ALL RACES, BOTH SEXES												
2000.....	5,330	7,634	10,364	15,756	25,459	36,799	44,232	46,132	33,297	14,157	3,396	20
1999.....	5,548	7,496	10,644	16,762	26,568	38,254	45,155	46,228	33,530	14,511	3,499	8
ALL RACES, MALE												
2000.....	4,017	5,523	7,168	10,297	15,967	20,839	22,106	18,366	9,629	2,958	482	13
1999.....	4,152	5,366	7,290	10,997	16,526	21,621	22,355	18,037	9,635	3,011	515	7
ALL RACES, FEMALE												
2000.....	1,313	2,111	3,196	5,459	9,492	15,960	22,126	27,766	23,668	11,199	2,914	7
1999.....	1,396	2,130	3,354	5,765	10,042	16,633	22,800	28,191	23,895	11,500	2,984	1
WHITE, BOTH SEXES												
2000.....	4,323	6,281	8,535	13,400	22,369	33,037	40,673	42,881	31,171	13,152	3,080	16
1999.....	4,469	6,147	8,867	14,323	23,389	34,485	41,596	42,958	31,388	13,466	3,181	7
WHITE, MALE												
2000.....	3,343	4,652	6,057	9,002	14,339	19,013	20,577	17,237	9,043	2,725	422	11
1999.....	3,416	4,519	6,183	9,661	14,819	19,804	20,884	16,883	8,977	2,776	461	7
WHITE, FEMALE												
2000.....	980	1,629	2,478	4,398	8,030	14,024	20,096	25,644	22,128	10,427	2,658	5
1999.....	1,053	1,628	2,684	4,662	8,570	14,681	20,712	26,075	22,411	10,690	2,720	-
BLACK, BOTH SEXES												
2000.....	865	1,173	1,563	2,012	2,659	3,132	2,946	2,695	1,748	848	273	4
1999.....	952	1,189	1,534	2,117	2,680	3,114	2,923	2,701	1,757	908	283	1
BLACK, MALE												
2000.....	555	748	917	1,075	1,359	1,453	1,209	863	427	173	50	2
1999.....	635	732	944	1,132	1,392	1,429	1,149	874	473	181	47	-
BLACK, FEMALE												
2000.....	310	425	646	937	1,300	1,679	1,737	1,832	1,321	675	223	2
1999.....	317	457	590	985	1,288	1,685	1,774	1,827	1,284	727	236	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	35	50	78	93	88	113	93	75	58	25	4	-
1999.....	37	45	68	77	103	108	83	71	42	17	5	-
AMERICAN INDIAN 1/, MALE												
2000.....	26	30	54	55	58	63	44	32	19	7	-	-
1999.....	28	30	41	48	62	64	37	21	17	4	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	9	20	24	38	30	50	49	43	39	18	4	-
1999.....	9	15	27	29	41	44	46	50	25	13	4	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	107	130	188	251	343	517	520	481	320	132	39	-
1999.....	90	115	175	245	396	547	553	498	343	120	30	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	93	93	140	165	211	310	276	234	140	53	10	-
1999.....	73	85	122	156	253	324	285	259	168	50	6	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	14	37	48	86	132	207	244	247	180	79	29	-
1999.....	17	30	53	89	143	223	268	239	175	70	24	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
ALL RACES, BOTH SEXES												
2000.....	4,551	5,417	6,945	9,875	14,804	21,524	26,843	29,519	22,677	9,591	2,206	8
1999.....	4,386	5,465	7,115	10,034	15,538	21,689	27,023	29,428	21,894	9,401	2,125	7
ALL RACES, MALE												
2000.....	2,873	3,384	4,148	5,584	8,037	10,505	11,501	10,488	6,178	1,983	359	5
1999.....	2,756	3,419	4,281	5,870	8,450	10,567	11,561	10,293	5,879	1,988	323	5
ALL RACES, FEMALE												
2000.....	1,678	2,033	2,797	4,291	6,767	11,019	15,342	19,031	16,499	7,608	1,847	3
1999.....	1,630	2,046	2,834	4,164	7,088	11,122	15,462	19,135	16,015	7,413	1,802	2
WHITE, BOTH SEXES												
2000.....	3,294	4,139	5,459	8,050	12,567	18,934	24,445	27,240	21,096	8,849	1,974	7
1999.....	3,192	4,079	5,549	8,177	13,197	19,031	24,547	27,066	20,457	8,697	1,900	5
WHITE, MALE												
2000.....	2,107	2,636	3,323	4,619	6,942	9,326	10,539	9,688	5,729	1,796	309	5
1999.....	2,041	2,598	3,391	4,853	7,285	9,361	10,556	9,430	5,445	1,810	276	4
WHITE, FEMALE												
2000.....	1,187	1,503	2,136	3,431	5,625	9,608	13,906	17,552	15,367	7,053	1,665	2
1999.....	1,151	1,481	2,158	3,324	5,912	9,670	13,991	17,636	15,012	6,887	1,624	1
BLACK, BOTH SEXES												
2000.....	1,159	1,162	1,344	1,643	2,000	2,290	2,092	1,984	1,349	632	210	1
1999.....	1,100	1,270	1,432	1,679	2,101	2,338	2,150	2,054	1,227	615	190	2
BLACK, MALE												
2000.....	707	681	742	864	954	1,017	826	671	355	147	43	-
1999.....	665	749	814	916	1,041	1,030	857	703	351	147	40	1
BLACK, FEMALE												
2000.....	452	481	602	779	1,046	1,273	1,266	1,313	994	485	167	1
1999.....	435	521	618	763	1,060	1,308	1,293	1,351	876	468	150	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	35	36	38	54	64	73	65	63	35	18	6	-
1999.....	31	32	47	55	60	79	62	51	45	16	11	-
AMERICAN INDIAN 1/, MALE												
2000.....	22	23	21	28	42	39	26	25	7	2	-	-
1999.....	18	19	25	35	33	39	23	19	13	5	4	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	13	13	17	26	22	34	39	38	28	16	6	-
1999.....	13	13	22	20	27	40	39	32	32	11	7	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	63	80	104	128	173	227	241	232	197	92	16	-
1999.....	63	84	87	123	180	241	264	257	165	73	24	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	37	44	62	73	99	123	110	104	87	38	7	-
1999.....	32	53	51	66	91	137	125	141	70	26	3	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	26	36	42	55	74	104	131	128	110	54	9	-
1999.....	31	31	36	57	89	104	139	116	95	47	21	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute and subacute endocarditis (I33)												
ALL RACES, BOTH SEXES												
2000.....	97	88	77	105	119	166	136	83	30	5	1	-
1999.....	75	93	78	103	137	155	134	92	21	5	1	-
ALL RACES, MALE												
2000.....	61	52	44	59	63	95	74	40	9	2	-	-
1999.....	54	62	41	51	67	83	71	46	10	-	-	-
ALL RACES, FEMALE												
2000.....	36	36	33	46	56	71	62	43	21	3	1	-
1999.....	21	31	37	52	70	72	63	46	11	5	1	-
WHITE, BOTH SEXES												
2000.....	65	59	63	89	102	148	122	74	26	5	-	-
1999.....	48	58	59	82	114	142	122	87	20	5	-	-
WHITE, MALE												
2000.....	44	38	38	47	57	87	66	37	8	2	-	-
1999.....	33	42	31	45	57	81	66	45	10	-	-	-
WHITE, FEMALE												
2000.....	21	21	25	42	45	61	56	37	18	3	-	-
1999.....	15	16	28	37	57	61	56	42	10	5	-	-
BLACK, BOTH SEXES												
2000.....	27	26	13	15	16	16	10	6	4	-	1	-
1999.....	23	30	18	21	21	10	7	5	1	-	-	-
BLACK, MALE												
2000.....	15	12	6	11	5	6	5	1	1	-	-	-
1999.....	19	18	9	6	9	1	4	1	-	-	-	-
BLACK, FEMALE												
2000.....	12	14	7	4	11	10	5	5	3	-	1	-
1999.....	4	12	9	15	12	9	3	4	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute and subacute endocarditis (I33)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	3	1	1	-	-	1	1	1	-	-	-	-
1999.....	1	1	-	-	-	-	2	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	2	1	-	-	-	1	1	-	-	-	-	-
1999.....	1	-	-	-	-	-	1	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	1	-	-	-	-	1	-	-	-	-
1999.....	-	1	-	-	-	-	1	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2	2	-	1	1	1	3	2	-	-	-	-
1999.....	3	4	1	-	2	3	3	-	-	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	1	-	1	1	1	2	2	-	-	-	-
1999.....	1	2	1	-	1	1	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	1	-	-	-	-	1	-	-	-	-	-
1999.....	2	2	-	-	1	2	3	-	-	-	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
ALL RACES, BOTH SEXES												
2000.....	40	47	42	52	79	82	63	43	24	8	1	-
1999.....	46	63	62	69	77	88	72	56	25	4	-	-
ALL RACES, MALE												
2000.....	18	31	21	24	43	42	31	17	7	1	1	-
1999.....	25	40	30	34	35	38	27	19	11	-	-	-
ALL RACES, FEMALE												
2000.....	22	16	21	28	36	40	32	26	17	7	-	-
1999.....	21	23	32	35	42	50	45	37	14	4	-	-
WHITE, BOTH SEXES												
2000.....	33	39	33	41	67	69	61	38	21	8	1	-
1999.....	35	53	53	57	65	77	65	50	22	4	-	-
WHITE, MALE												
2000.....	15	28	17	15	37	34	31	15	6	1	1	-
1999.....	18	34	27	27	30	35	25	17	10	-	-	-
WHITE, FEMALE												
2000.....	18	11	16	26	30	35	30	23	15	7	-	-
1999.....	17	19	26	30	35	42	40	33	12	4	-	-
BLACK, BOTH SEXES												
2000.....	7	7	8	10	8	8	2	5	2	-	-	-
1999.....	11	9	8	10	10	10	6	4	2	-	-	-
BLACK, MALE												
2000.....	3	2	4	8	3	5	-	2	-	-	-	-
1999.....	7	6	3	6	5	2	2	-	-	-	-	-
BLACK, FEMALE												
2000.....	4	5	4	2	5	3	2	3	2	-	-	-
1999.....	4	3	5	4	5	8	4	4	2	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	1	2	-	-	-	-	-	-
1999.....	-	-	1	-	2	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	1	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	1	-	2	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	1	1	1	3	3	-	-	1	-	-	-
1999.....	-	1	-	2	-	1	1	2	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	1	-	1	2	2	-	-	1	-	-	-
1999.....	-	-	-	1	-	1	-	2	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	1	-	1	1	-	-	-	-	-	-
1999.....	-	1	-	1	-	-	1	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Heart failure (I50)												
ALL RACES, BOTH SEXES												
2000.....	528	828	1,383	2,284	4,119	6,936	9,884	12,315	10,543	4,969	1,208	4
1999.....	484	853	1,254	2,240	4,284	6,926	9,845	12,169	10,197	4,850	1,111	1
ALL RACES, MALE												
2000.....	305	479	785	1,243	2,171	3,286	4,212	4,256	2,819	982	191	2
1999.....	300	506	722	1,232	2,294	3,264	4,054	4,155	2,636	991	177	1
ALL RACES, FEMALE												
2000.....	223	349	598	1,041	1,948	3,650	5,672	8,059	7,724	3,987	1,017	2
1999.....	184	347	532	1,008	1,990	3,662	5,791	8,014	7,561	3,859	934	-
WHITE, BOTH SEXES												
2000.....	378	627	1,088	1,870	3,514	6,178	9,038	11,433	9,847	4,628	1,098	4
1999.....	326	626	1,006	1,827	3,684	6,102	8,979	11,241	9,583	4,490	1,019	-
WHITE, MALE												
2000.....	224	383	624	1,049	1,892	2,959	3,872	3,961	2,618	905	166	2
1999.....	206	387	585	1,012	2,026	2,918	3,725	3,820	2,459	907	153	-
WHITE, FEMALE												
2000.....	154	244	464	821	1,622	3,219	5,166	7,472	7,229	3,723	932	2
1999.....	120	239	421	815	1,658	3,184	5,254	7,421	7,124	3,583	866	-
BLACK, BOTH SEXES												
2000.....	143	189	266	373	544	674	742	783	608	292	102	-
1999.....	149	215	236	380	547	731	750	825	515	316	78	1
BLACK, MALE												
2000.....	78	90	143	175	248	285	288	255	167	60	22	-
1999.....	89	114	129	198	245	309	274	286	141	69	19	1
BLACK, FEMALE												
2000.....	65	99	123	198	296	389	454	528	441	232	80	-
1999.....	60	101	107	182	302	422	476	539	374	247	59	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Heart failure (I50)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	5	4	10	17	25	29	29	28	14	8	2	-
1999.....	5	2	5	17	17	31	27	18	24	11	6	-
AMERICAN INDIAN 1/, MALE												
2000.....	3	1	5	8	15	16	13	12	2	1	-	-
1999.....	2	-	3	12	7	12	9	5	5	3	3	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	3	5	9	10	13	16	16	12	7	2	-
1999.....	3	2	2	5	10	19	18	13	19	8	3	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2	8	19	24	36	55	75	71	74	41	6	-
1999.....	4	10	7	16	36	62	89	85	75	33	8	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	5	13	11	16	26	39	28	32	16	3	-
1999.....	3	5	5	10	16	25	46	44	31	12	2	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	3	6	13	20	29	36	43	42	25	3	-
1999.....	1	5	2	6	20	37	43	41	44	21	6	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
ALL RACES, BOTH SEXES												
2000.....	3,886	4,454	5,443	7,434	10,487	14,340	16,760	17,078	12,080	4,609	996	4
1999.....	3,781	4,456	5,721	7,622	11,040	14,520	16,972	17,111	11,651	4,542	1,013	6
ALL RACES, MALE												
2000.....	2,489	2,822	3,298	4,258	5,760	7,082	7,184	6,175	3,343	998	167	3
1999.....	2,377	2,811	3,488	4,553	6,054	7,182	7,409	6,073	3,222	997	146	4
ALL RACES, FEMALE												
2000.....	1,397	1,632	2,145	3,176	4,727	7,258	9,576	10,903	8,737	3,611	829	1
1999.....	1,404	1,645	2,233	3,069	4,986	7,338	9,563	11,038	8,429	3,545	867	2
WHITE, BOTH SEXES												
2000.....	2,818	3,414	4,275	6,050	8,884	12,539	15,224	15,695	11,202	4,208	875	3
1999.....	2,783	3,342	4,431	6,211	9,334	12,710	15,381	15,688	10,832	4,198	881	5
WHITE, MALE												
2000.....	1,824	2,187	2,644	3,508	4,956	6,246	6,570	5,675	3,097	888	142	3
1999.....	1,784	2,135	2,748	3,769	5,172	6,327	6,740	5,548	2,966	903	123	4
WHITE, FEMALE												
2000.....	994	1,227	1,631	2,542	3,928	6,293	8,654	10,020	8,105	3,320	733	-
1999.....	999	1,207	1,683	2,442	4,162	6,383	8,641	10,140	7,866	3,295	758	1
BLACK, BOTH SEXES												
2000.....	982	940	1,057	1,245	1,432	1,592	1,338	1,190	735	340	107	1
1999.....	917	1,016	1,170	1,268	1,523	1,587	1,387	1,220	709	299	112	1
BLACK, MALE												
2000.....	611	577	589	670	698	721	533	413	187	87	21	-
1999.....	550	611	673	706	782	718	577	416	210	78	21	-
BLACK, FEMALE												
2000.....	371	363	468	575	734	871	805	777	548	253	86	1
1999.....	367	405	497	562	741	869	810	804	499	221	91	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	27	31	27	37	38	41	35	34	21	10	4	-
1999.....	25	29	41	38	41	48	33	33	21	5	5	-
AMERICAN INDIAN 1/, MALE												
2000.....	17	21	16	20	26	21	12	13	5	1	-	-
1999.....	15	19	22	23	26	27	13	14	8	2	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	10	10	11	17	12	20	23	21	16	9	4	-
1999.....	10	10	19	15	15	21	20	19	13	3	4	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	59	69	84	102	133	168	163	159	122	51	10	-
1999.....	56	69	79	105	142	175	171	170	89	40	15	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	37	37	49	60	80	94	69	74	54	22	4	-
1999.....	28	46	45	55	74	110	79	95	38	14	1	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	22	32	35	42	53	74	94	85	68	29	6	-
1999.....	28	23	34	50	68	65	92	75	51	26	14	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Essential (primary) hypertension and hypertensive renal disease (I10,I12)												
ALL RACES, BOTH SEXES												
2000.....	526	597	843	1,094	1,690	2,507	3,116	3,273	2,375	1,017	242	-
1999.....	470	538	780	1,146	1,653	2,400	2,924	2,949	2,208	942	218	-
ALL RACES, MALE												
2000.....	331	352	466	504	804	1,049	1,155	991	569	155	32	-
1999.....	286	316	416	589	783	996	1,071	878	521	161	20	-
ALL RACES, FEMALE												
2000.....	195	245	377	590	886	1,458	1,961	2,282	1,806	862	210	-
1999.....	184	222	364	557	870	1,404	1,853	2,071	1,687	781	198	-
WHITE, BOTH SEXES												
2000.....	269	345	506	706	1,200	1,925	2,573	2,772	2,056	856	196	-
1999.....	235	304	460	755	1,194	1,819	2,365	2,470	1,904	797	178	-
WHITE, MALE												
2000.....	184	212	291	340	586	823	960	839	483	123	24	-
1999.....	146	193	255	403	579	766	864	722	443	125	16	-
WHITE, FEMALE												
2000.....	85	133	215	366	614	1,102	1,613	1,933	1,573	733	172	-
1999.....	89	111	205	352	615	1,053	1,501	1,748	1,461	672	162	-
BLACK, BOTH SEXES												
2000.....	238	242	317	365	441	520	462	440	283	142	41	-
1999.....	226	223	290	344	423	532	480	418	267	125	35	-
BLACK, MALE												
2000.....	134	137	166	154	191	197	163	127	75	27	5	-
1999.....	135	115	146	166	183	208	178	131	62	30	4	-
BLACK, FEMALE												
2000.....	104	105	151	211	250	323	299	313	208	115	36	-
1999.....	91	108	144	178	240	324	302	287	205	95	31	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Essential (primary) hypertension and hypertensive renal disease (I10,I12)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	3	4	10	4	9	9	7	13	4	2	2	-
1999.....	1	1	8	5	5	5	6	10	6	2	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	2	1	4	1	2	3	2	3	1	1	1	-
1999.....	1	-	4	3	2	2	1	3	2	2	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	3	6	3	7	6	5	10	3	1	1	-
1999.....	-	1	4	2	3	3	5	7	4	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	16	6	10	19	40	53	74	48	32	17	3	-
1999.....	8	10	22	42	31	44	73	51	31	18	5	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	11	2	5	9	25	26	30	22	10	4	2	-
1999.....	4	8	11	17	19	20	28	22	14	4	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	5	4	5	10	15	27	44	26	22	13	1	-
1999.....	4	2	11	25	12	24	45	29	17	14	5	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
ALL RACES, BOTH SEXES												
2000.....	3,386	4,145	5,811	8,671	14,978	24,678	32,342	34,030	23,205	8,530	1,611	2
1999.....	3,108	4,152	5,500	8,694	15,398	25,007	32,420	33,841	23,149	8,571	1,519	2
ALL RACES, MALE												
2000.....	1,834	2,294	3,202	4,513	7,529	11,192	12,754	10,864	5,588	1,564	196	1
1999.....	1,714	2,256	3,049	4,522	7,698	11,349	12,739	10,818	5,569	1,467	198	1
ALL RACES, FEMALE												
2000.....	1,552	1,851	2,609	4,158	7,449	13,486	19,588	23,166	17,617	6,966	1,415	1
1999.....	1,394	1,896	2,451	4,172	7,700	13,658	19,681	23,023	17,580	7,104	1,321	1
WHITE, BOTH SEXES												
2000.....	2,287	2,930	4,309	6,775	12,449	21,385	28,982	30,998	21,356	7,711	1,397	1
1999.....	2,074	2,939	4,001	6,876	12,701	21,726	29,191	30,860	21,385	7,852	1,351	-
WHITE, MALE												
2000.....	1,244	1,607	2,391	3,540	6,288	9,746	11,464	9,892	5,095	1,367	172	1
1999.....	1,147	1,613	2,230	3,601	6,399	9,885	11,528	9,838	5,084	1,336	177	-
WHITE, FEMALE												
2000.....	1,043	1,323	1,918	3,235	6,161	11,639	17,518	21,106	16,261	6,344	1,225	-
1999.....	927	1,326	1,771	3,275	6,302	11,841	17,663	21,022	16,301	6,516	1,174	-
BLACK, BOTH SEXES												
2000.....	958	1,043	1,248	1,582	2,107	2,674	2,725	2,492	1,514	688	197	1
1999.....	896	1,028	1,267	1,538	2,275	2,733	2,618	2,453	1,461	623	144	1
BLACK, MALE												
2000.....	520	594	664	818	1,017	1,153	1,024	730	369	145	21	-
1999.....	498	547	704	787	1,081	1,177	939	743	365	110	18	-
BLACK, FEMALE												
2000.....	438	449	584	764	1,090	1,521	1,701	1,762	1,145	543	176	1
1999.....	398	481	563	751	1,194	1,556	1,679	1,710	1,096	513	126	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	25	32	47	44	64	86	92	66	47	16	-	-
1999.....	19	31	32	43	62	90	76	72	39	11	5	-
AMERICAN INDIAN 1/, MALE												
2000.....	12	17	26	27	38	30	39	24	12	3	-	-
1999.....	11	12	14	23	36	48	27	20	9	3	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	13	15	21	17	26	56	53	42	35	13	-	-
1999.....	8	19	18	20	26	42	49	52	30	8	4	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	116	140	207	270	358	533	543	474	288	115	17	-
1999.....	119	154	200	237	360	458	535	456	264	85	19	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	58	76	121	128	186	263	227	218	112	49	3	-
1999.....	58	84	101	111	182	239	245	217	111	18	2	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	58	64	86	142	172	270	316	256	176	66	14	-
1999.....	61	70	99	126	178	219	290	239	153	67	17	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Atherosclerosis (I70)												
ALL RACES, BOTH SEXES												
2000.....	105	170	281	495	928	1,685	2,592	3,188	2,870	1,518	429	-
1999.....	129	172	314	485	991	1,770	2,615	3,362	2,987	1,581	460	-
ALL RACES, MALE												
2000.....	71	108	186	290	510	838	1,097	1,090	738	283	55	-
1999.....	84	114	193	277	518	845	1,082	1,100	773	316	66	-
ALL RACES, FEMALE												
2000.....	34	62	95	205	418	847	1,495	2,098	2,132	1,235	374	-
1999.....	45	58	121	208	473	925	1,533	2,262	2,214	1,265	394	-
WHITE, BOTH SEXES												
2000.....	73	140	226	431	815	1,535	2,375	2,984	2,693	1,431	383	-
1999.....	103	140	262	413	887	1,596	2,423	3,139	2,796	1,475	413	-
WHITE, MALE												
2000.....	50	93	154	252	461	775	1,008	1,015	687	261	48	-
1999.....	70	90	164	238	463	755	1,000	1,022	722	291	56	-
WHITE, FEMALE												
2000.....	23	47	72	179	354	760	1,367	1,969	2,006	1,170	335	-
1999.....	33	50	98	175	424	841	1,423	2,117	2,074	1,184	357	-
BLACK, BOTH SEXES												
2000.....	28	28	51	51	97	132	191	173	153	76	40	-
1999.....	23	27	50	63	88	154	162	190	162	92	40	-
BLACK, MALE												
2000.....	17	14	29	33	42	54	79	63	41	19	5	-
1999.....	11	20	27	34	46	78	65	68	39	23	10	-
BLACK, FEMALE												
2000.....	11	14	22	18	55	78	112	110	112	57	35	-
1999.....	12	7	23	29	42	76	97	122	123	69	30	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Atherosclerosis (I70)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	2	1	8	8	3	10	8	3	4	2	-
1999.....	2	-	2	5	6	4	8	5	5	3	3	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	1	1	3	3	1	5	3	-	-	1	-
1999.....	2	-	2	3	3	3	3	1	-	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	1	-	5	5	2	5	5	3	4	1	-
1999.....	-	-	-	2	3	1	5	4	5	2	3	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	4	-	3	5	8	15	16	23	21	7	4	-
1999.....	1	5	-	4	10	16	22	28	24	11	4	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	4	-	2	2	4	8	5	9	10	3	1	-
1999.....	1	4	-	2	6	9	14	9	12	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	1	3	4	7	11	14	11	4	3	-
1999.....	-	1	-	2	4	7	8	19	12	10	4	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other diseases of circulatory system (I71-I78)												
ALL RACES, BOTH SEXES												
2000.....	614	866	1,370	2,331	3,595	4,662	4,560	3,819	2,218	757	126	1
1999.....	553	877	1,333	2,244	3,564	4,662	4,602	3,792	2,161	765	145	-
ALL RACES, MALE												
2000.....	424	607	923	1,524	2,247	2,696	2,323	1,678	734	204	21	1
1999.....	368	597	922	1,472	2,209	2,684	2,331	1,567	711	172	26	-
ALL RACES, FEMALE												
2000.....	190	259	447	807	1,348	1,966	2,237	2,141	1,484	553	105	-
1999.....	185	280	411	772	1,355	1,978	2,271	2,225	1,450	593	119	-
WHITE, BOTH SEXES												
2000.....	453	693	1,141	2,029	3,238	4,195	4,167	3,493	1,999	663	102	-
1999.....	425	710	1,158	1,970	3,214	4,228	4,202	3,469	1,952	678	119	-
WHITE, MALE												
2000.....	320	498	792	1,369	2,059	2,458	2,167	1,574	664	180	17	-
1999.....	284	503	818	1,329	2,035	2,480	2,157	1,453	656	151	18	-
WHITE, FEMALE												
2000.....	133	195	349	660	1,179	1,737	2,000	1,919	1,335	483	85	-
1999.....	141	207	340	641	1,179	1,748	2,045	2,016	1,296	527	101	-
BLACK, BOTH SEXES												
2000.....	127	151	200	247	299	388	327	277	187	83	21	1
1999.....	108	149	145	236	285	360	334	278	178	81	24	-
BLACK, MALE												
2000.....	86	92	109	126	155	192	124	82	49	19	4	1
1999.....	70	83	84	123	145	157	135	88	41	20	8	-
BLACK, FEMALE												
2000.....	41	59	91	121	144	196	203	195	138	64	17	-
1999.....	38	66	61	113	140	203	199	190	137	61	16	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other diseases of circulatory system (I71-I78)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	5	6	2	20	13	12	8	4	7	3	1	-
1999.....	2	6	6	8	12	11	8	12	3	1	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	2	5	-	9	5	6	4	2	1	1	-	-
1999.....	1	4	3	3	6	4	4	6	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	3	1	2	11	8	6	4	2	6	2	1	-
1999.....	1	2	3	5	6	7	4	6	3	1	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	29	16	27	35	45	67	58	45	25	8	2	-
1999.....	18	12	24	30	53	63	58	33	28	5	1	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	16	12	22	20	28	40	28	20	20	4	-	-
1999.....	13	7	17	17	23	43	35	20	14	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	13	4	5	15	17	27	30	25	5	4	2	-
1999.....	5	5	7	13	30	20	23	13	14	4	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
ALL RACES, BOTH SEXES												
2000.....	394	585	908	1,552	2,460	3,043	2,792	2,134	985	213	25	-
1999.....	355	570	867	1,578	2,423	3,095	2,841	2,118	935	257	27	-
ALL RACES, MALE												
2000.....	301	438	673	1,097	1,633	1,885	1,558	1,063	425	68	6	-
1999.....	270	430	658	1,114	1,598	1,905	1,596	1,008	398	83	6	-
ALL RACES, FEMALE												
2000.....	93	147	235	455	827	1,158	1,234	1,071	560	145	19	-
1999.....	85	140	209	464	825	1,190	1,245	1,110	537	174	21	-
WHITE, BOTH SEXES												
2000.....	303	475	782	1,381	2,270	2,795	2,603	1,988	900	188	23	-
1999.....	273	473	777	1,420	2,232	2,871	2,658	1,971	871	233	22	-
WHITE, MALE												
2000.....	237	364	592	1,006	1,527	1,747	1,480	1,015	389	62	6	-
1999.....	208	369	600	1,025	1,500	1,805	1,506	946	376	74	5	-
WHITE, FEMALE												
2000.....	66	111	190	375	743	1,048	1,123	973	511	126	17	-
1999.....	65	104	177	395	732	1,066	1,152	1,025	495	159	17	-
BLACK, BOTH SEXES												
2000.....	69	98	102	129	152	190	143	114	64	20	1	-
1999.....	71	85	70	128	146	166	140	118	44	22	5	-
BLACK, MALE												
2000.....	52	63	62	68	83	101	54	35	21	4	-	-
1999.....	52	53	44	74	75	63	62	44	12	8	1	-
BLACK, FEMALE												
2000.....	17	35	40	61	69	89	89	79	43	16	1	-
1999.....	19	32	26	54	71	103	78	74	32	14	4	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	1	2	13	8	9	3	-	3	1	-	-
1999.....	-	3	2	4	8	8	3	6	1	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	1	-	7	4	5	2	-	1	-	-	-
1999.....	-	2	1	1	5	4	2	3	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	2	6	4	4	1	-	2	1	-	-
1999.....	-	1	1	3	3	4	1	3	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	22	11	22	29	30	49	43	32	18	4	1	-
1999.....	11	9	18	26	37	50	40	23	19	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	12	10	19	16	19	32	22	13	14	2	-	-
1999.....	10	6	13	14	18	33	26	15	10	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	10	1	3	13	11	17	21	19	4	2	1	-
1999.....	1	3	5	12	19	17	14	8	9	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
ALL RACES, BOTH SEXES												
2000.....	220	281	462	779	1,135	1,619	1,768	1,685	1,233	544	101	1
1999.....	198	307	466	666	1,141	1,567	1,761	1,674	1,226	508	118	-
ALL RACES, MALE												
2000.....	123	169	250	427	614	811	765	615	309	136	15	1
1999.....	98	167	264	358	611	779	735	559	313	89	20	-
ALL RACES, FEMALE												
2000.....	97	112	212	352	521	808	1,003	1,070	924	408	86	-
1999.....	100	140	202	308	530	788	1,026	1,115	913	419	98	-
WHITE, BOTH SEXES												
2000.....	150	218	359	648	968	1,400	1,564	1,505	1,099	475	79	-
1999.....	152	237	381	550	982	1,357	1,544	1,498	1,081	445	97	-
WHITE, MALE												
2000.....	83	134	200	363	532	711	687	559	275	118	11	-
1999.....	76	134	218	304	535	675	651	507	280	77	13	-
WHITE, FEMALE												
2000.....	67	84	159	285	436	689	877	946	824	357	68	-
1999.....	76	103	163	246	447	682	893	991	801	368	84	-
BLACK, BOTH SEXES												
2000.....	58	53	98	118	147	198	184	163	123	63	20	1
1999.....	37	64	75	108	139	194	194	160	134	59	19	-
BLACK, MALE												
2000.....	34	29	47	58	72	91	70	47	28	15	4	1
1999.....	18	30	40	49	70	94	73	44	29	12	7	-
BLACK, FEMALE												
2000.....	24	24	51	60	75	107	114	116	95	48	16	-
1999.....	19	34	35	59	69	100	121	116	105	47	12	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	5	5	-	7	5	3	5	4	4	2	1	-
1999.....	2	3	4	4	4	3	5	6	2	1	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	2	4	-	2	1	1	2	2	-	1	-	-
1999.....	1	2	2	2	1	-	2	3	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	3	1	-	5	4	2	3	2	4	1	1	-
1999.....	1	1	2	2	3	3	3	3	2	1	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	7	5	5	6	15	18	15	13	7	4	1	-
1999.....	7	3	6	4	16	13	18	10	9	3	1	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	4	2	3	4	9	8	6	7	6	2	-	-
1999.....	3	1	4	3	5	10	9	5	4	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	3	3	2	2	6	10	9	6	1	2	1	-
1999.....	4	2	2	1	11	3	9	5	5	3	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other disorders of circulatory system (I80-I99)												
ALL RACES, BOTH SEXES												
2000.....	266	231	285	326	469	573	588	571	343	149	21	-
1999.....	176	208	237	312	380	498	619	509	322	116	25	1
ALL RACES, MALE												
2000.....	150	126	138	170	220	245	227	175	72	26	-	-
1999.....	96	106	118	163	187	225	238	155	66	19	8	-
ALL RACES, FEMALE												
2000.....	116	105	147	156	249	328	361	396	271	123	21	-
1999.....	80	102	119	149	193	273	381	354	256	97	17	1
WHITE, BOTH SEXES												
2000.....	203	175	222	242	395	488	529	516	309	132	21	-
1999.....	131	177	190	243	325	429	549	451	290	107	24	1
WHITE, MALE												
2000.....	117	94	107	131	192	214	205	158	64	22	-	-
1999.....	69	92	100	124	163	191	210	138	59	18	8	-
WHITE, FEMALE												
2000.....	86	81	115	111	203	274	324	358	245	110	21	-
1999.....	62	85	90	119	162	238	339	313	231	89	16	1
BLACK, BOTH SEXES												
2000.....	60	53	56	79	68	82	50	51	30	15	-	-
1999.....	41	27	42	62	47	64	61	51	29	8	1	-
BLACK, MALE												
2000.....	32	29	27	36	26	28	16	14	8	4	-	-
1999.....	24	11	17	36	20	31	24	13	5	1	-	-
BLACK, FEMALE												
2000.....	28	24	29	43	42	54	34	37	22	11	-	-
1999.....	17	16	25	26	27	33	37	38	24	7	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other disorders of circulatory system (I80-I99)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	-	2	3	4	1	3	-	1	-	-	-
1999.....	2	-	2	1	-	1	5	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	1	2	1	1	2	-	-	-	-	-
1999.....	2	-	-	1	-	-	1	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	1	1	3	-	1	-	1	-	-	-
1999.....	-	-	2	-	-	1	4	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2	3	5	2	2	2	6	4	3	2	-	-
1999.....	2	4	3	6	8	4	4	7	3	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	3	3	1	1	2	4	3	-	-	-	-
1999.....	1	3	1	2	4	3	3	4	2	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	-	2	1	1	-	2	1	3	2	-	-
1999.....	1	1	2	4	4	1	1	3	1	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Influenza and pneumonia (J10-J18)												
ALL RACES, BOTH SEXES												
2000.....	991	1,198	1,681	2,533	4,656	7,912	11,909	13,752	11,318	5,116	1,361	3
1999.....	899	1,098	1,527	2,382	4,479	7,776	11,416	13,499	11,151	5,159	1,420	2
ALL RACES, MALE												
2000.....	602	710	970	1,447	2,566	4,084	5,667	5,575	3,724	1,373	273	2
1999.....	559	611	851	1,394	2,499	4,020	5,438	5,501	3,595	1,295	285	1
ALL RACES, FEMALE												
2000.....	389	488	711	1,086	2,090	3,828	6,242	8,177	7,594	3,743	1,088	1
1999.....	340	487	676	988	1,980	3,756	5,978	7,998	7,556	3,864	1,135	1
WHITE, BOTH SEXES												
2000.....	736	932	1,326	2,030	3,939	7,028	10,783	12,677	10,480	4,728	1,216	1
1999.....	666	859	1,200	1,994	3,838	6,962	10,443	12,417	10,312	4,771	1,285	2
WHITE, MALE												
2000.....	434	536	766	1,145	2,169	3,623	5,119	5,128	3,415	1,261	241	1
1999.....	404	471	666	1,164	2,124	3,598	4,968	5,038	3,284	1,192	261	1
WHITE, FEMALE												
2000.....	302	396	560	885	1,770	3,405	5,664	7,549	7,065	3,467	975	-
1999.....	262	388	534	830	1,714	3,364	5,475	7,379	7,028	3,579	1,024	1
BLACK, BOTH SEXES												
2000.....	228	240	298	416	581	700	869	827	657	315	122	2
1999.....	208	213	285	333	556	665	761	884	679	313	115	-
BLACK, MALE												
2000.....	148	157	170	249	322	365	408	325	219	86	25	1
1999.....	140	128	161	200	323	337	358	358	227	81	20	-
BLACK, FEMALE												
2000.....	80	83	128	167	259	335	461	502	438	229	97	1
1999.....	68	85	124	133	233	328	403	526	452	232	95	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Influenza and pneumonia (J10-J18)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	13	6	18	20	25	37	34	36	36	9	3	-
1999.....	12	12	18	15	22	37	35	46	38	18	4	-
AMERICAN INDIAN 1/, MALE												
2000.....	11	3	13	15	14	18	15	11	16	4	-	-
1999.....	9	6	7	6	10	24	15	16	14	6	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	3	5	5	11	19	19	25	20	5	3	-
1999.....	3	6	11	9	12	13	20	30	24	12	4	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	14	20	39	67	111	147	223	212	145	64	20	-
1999.....	13	14	24	40	63	112	177	152	122	57	16	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	9	14	21	38	61	78	125	111	74	22	7	-
1999.....	6	6	17	24	42	61	97	89	70	16	4	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	5	6	18	29	50	69	98	101	71	42	13	-
1999.....	7	8	7	16	21	51	80	63	52	41	12	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Influenza (J10-J11)												
ALL RACES, BOTH SEXES												
2000.....	24	39	54	76	123	189	303	372	305	130	48	-
1999.....	13	29	42	60	104	154	297	368	303	162	48	-
ALL RACES, MALE												
2000.....	14	20	24	43	63	81	115	127	86	35	6	-
1999.....	7	13	24	27	47	71	131	127	70	35	6	-
ALL RACES, FEMALE												
2000.....	10	19	30	33	60	108	188	245	219	95	42	-
1999.....	6	16	18	33	57	83	166	241	233	127	42	-
WHITE, BOTH SEXES												
2000.....	22	37	50	70	110	180	289	353	295	125	47	-
1999.....	10	26	39	55	93	146	283	356	298	157	46	-
WHITE, MALE												
2000.....	12	18	23	40	59	75	112	119	83	32	6	-
1999.....	6	13	23	24	43	70	124	124	70	34	6	-
WHITE, FEMALE												
2000.....	10	19	27	30	51	105	177	234	212	93	41	-
1999.....	4	13	16	31	50	76	159	232	228	123	40	-
BLACK, BOTH SEXES												
2000.....	2	2	4	5	11	5	8	17	8	4	1	-
1999.....	2	3	2	3	10	5	10	8	4	4	2	-
BLACK, MALE												
2000.....	2	2	1	2	3	4	1	7	1	3	-	-
1999.....	1	-	1	2	4	1	5	2	-	1	-	-
BLACK, FEMALE												
2000.....	-	-	3	3	8	1	7	10	7	1	1	-
1999.....	1	3	1	1	6	4	5	6	4	3	2	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Influenza (J10-J11)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	1	-	1	1	-	-	-
1999.....	-	-	-	-	1	1	1	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	1	-	1	-	-	-	-
1999.....	-	-	-	-	1	1	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	1	2	3	6	1	1	1	-	-
1999.....	1	-	1	2	-	2	3	4	1	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	1	1	2	2	1	1	-	-	-
1999.....	-	-	-	1	-	-	1	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	1	1	4	-	-	1	-	-
1999.....	1	-	1	1	-	2	2	3	1	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Pneumonia (J12-J18)												
ALL RACES, BOTH SEXES												
2000.....	967	1,159	1,627	2,457	4,533	7,723	11,606	13,380	11,013	4,986	1,313	3
1999.....	886	1,069	1,485	2,322	4,375	7,622	11,119	13,131	10,848	4,997	1,372	2
ALL RACES, MALE												
2000.....	588	690	946	1,404	2,503	4,003	5,552	5,448	3,638	1,338	267	2
1999.....	552	598	827	1,367	2,452	3,949	5,307	5,374	3,525	1,260	279	1
ALL RACES, FEMALE												
2000.....	379	469	681	1,053	2,030	3,720	6,054	7,932	7,375	3,648	1,046	1
1999.....	334	471	658	955	1,923	3,673	5,812	7,757	7,323	3,737	1,093	1
WHITE, BOTH SEXES												
2000.....	714	895	1,276	1,960	3,829	6,848	10,494	12,324	10,185	4,603	1,169	1
1999.....	656	833	1,161	1,939	3,745	6,816	10,160	12,061	10,014	4,614	1,239	2
WHITE, MALE												
2000.....	422	518	743	1,105	2,110	3,548	5,007	5,009	3,332	1,229	235	1
1999.....	398	458	643	1,140	2,081	3,528	4,844	4,914	3,214	1,158	255	1
WHITE, FEMALE												
2000.....	292	377	533	855	1,719	3,300	5,487	7,315	6,853	3,374	934	-
1999.....	258	375	518	799	1,664	3,288	5,316	7,147	6,800	3,456	984	1
BLACK, BOTH SEXES												
2000.....	226	238	294	411	570	695	861	810	649	311	121	2
1999.....	206	210	283	330	546	660	751	876	675	309	113	-
BLACK, MALE												
2000.....	146	155	169	247	319	361	407	318	218	83	25	1
1999.....	139	128	160	198	319	336	353	356	227	80	20	-
BLACK, FEMALE												
2000.....	80	83	125	164	251	334	454	492	431	228	96	1
1999.....	67	82	123	132	227	324	398	520	448	229	93	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Pneumonia (J12-J18)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	13	6	18	20	25	36	34	35	35	9	3	-
1999.....	12	12	18	15	21	36	34	46	38	18	4	-
AMERICAN INDIAN 1/, MALE												
2000.....	11	3	13	15	14	18	15	11	15	4	-	-
1999.....	9	6	7	6	10	24	14	16	14	6	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	3	5	5	11	18	19	24	20	5	3	-
1999.....	3	6	11	9	11	12	20	30	24	12	4	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	14	20	39	66	109	144	217	211	144	63	20	-
1999.....	12	14	23	38	63	110	174	148	121	56	16	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	9	14	21	37	60	76	123	110	73	22	7	-
1999.....	6	6	17	23	42	61	96	88	70	16	4	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	5	6	18	29	49	68	94	101	71	41	13	-
1999.....	6	8	6	15	21	49	78	60	51	40	12	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other acute lower respiratory infections (J20-J22)												
ALL RACES, BOTH SEXES												
2000.....	4	6	4	19	24	41	41	80	77	23	12	-
1999.....	8	8	13	14	21	44	63	86	96	46	21	-
ALL RACES, MALE												
2000.....	2	2	1	12	10	21	14	26	15	6	-	-
1999.....	3	4	6	6	11	22	29	19	18	6	5	-
ALL RACES, FEMALE												
2000.....	2	4	3	7	14	20	27	54	62	17	12	-
1999.....	5	4	7	8	10	22	34	67	78	40	16	-
WHITE, BOTH SEXES												
2000.....	4	6	4	18	23	38	39	75	72	22	12	-
1999.....	5	6	11	11	16	41	58	81	93	44	19	-
WHITE, MALE												
2000.....	2	2	1	11	9	21	12	24	12	6	-	-
1999.....	3	3	6	4	8	21	27	16	17	6	4	-
WHITE, FEMALE												
2000.....	2	4	3	7	14	17	27	51	60	16	12	-
1999.....	2	3	5	7	8	20	31	65	76	38	15	-
BLACK, BOTH SEXES												
2000.....	-	-	-	1	1	3	2	5	4	1	-	-
1999.....	3	1	1	3	5	2	4	4	2	2	2	-
BLACK, MALE												
2000.....	-	-	-	1	1	-	2	2	2	-	-	-
1999.....	-	1	-	2	3	-	1	2	-	-	1	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	3	-	3	2	1	-	-
1999.....	3	-	1	1	2	2	3	2	2	2	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other acute lower respiratory infections (J20-J22)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	1	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	1	-	-	-	1	1	1	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	1	1	1	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	1	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)												
ALL RACES, BOTH SEXES												
2000.....	1	4	3	15	16	30	23	45	44	15	7	-
1999.....	7	6	12	13	16	28	41	54	55	30	11	-
ALL RACES, MALE												
2000.....	1	2	1	9	5	18	9	14	10	5	-	-
1999.....	2	3	5	6	9	15	19	12	12	5	2	-
ALL RACES, FEMALE												
2000.....	-	2	2	6	11	12	14	31	34	10	7	-
1999.....	5	3	7	7	7	13	22	42	43	25	9	-
WHITE, BOTH SEXES												
2000.....	1	4	3	14	15	27	22	42	42	14	7	-
1999.....	4	4	10	10	11	25	38	51	53	29	11	-
WHITE, MALE												
2000.....	1	2	1	8	4	18	8	14	8	5	-	-
1999.....	2	2	5	4	6	14	18	10	11	5	2	-
WHITE, FEMALE												
2000.....	-	2	2	6	11	9	14	28	34	9	7	-
1999.....	2	2	5	6	5	11	20	41	42	24	9	-
BLACK, BOTH SEXES												
2000.....	-	-	-	1	1	3	1	3	2	1	-	-
1999.....	3	1	1	3	5	2	2	3	1	1	-	-
BLACK, MALE												
2000.....	-	-	-	1	1	-	1	-	2	-	-	-
1999.....	-	1	-	2	3	-	-	2	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	3	-	3	-	1	-	-
1999.....	3	-	1	1	2	2	2	1	1	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	1	-	-	-	1	1	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	1	1	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	1	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Unspecified acute lower respiratory infection (J22)												
ALL RACES, BOTH SEXES												
2000.....	3	2	1	4	8	11	18	35	33	8	5	-
1999.....	1	2	1	1	5	16	22	32	41	16	10	-
ALL RACES, MALE												
2000.....	1	-	-	3	5	3	5	12	5	1	-	-
1999.....	1	1	1	-	2	7	10	7	6	1	3	-
ALL RACES, FEMALE												
2000.....	2	2	1	1	3	8	13	23	28	7	5	-
1999.....	-	1	-	1	3	9	12	25	35	15	7	-
WHITE, BOTH SEXES												
2000.....	3	2	1	4	8	11	17	33	30	8	5	-
1999.....	1	2	1	1	5	16	20	30	40	15	8	-
WHITE, MALE												
2000.....	1	-	-	3	5	3	4	10	4	1	-	-
1999.....	1	1	1	-	2	7	9	6	6	1	2	-
WHITE, FEMALE												
2000.....	2	2	1	1	3	8	13	23	26	7	5	-
1999.....	-	1	-	1	3	9	11	24	34	14	6	-
BLACK, BOTH SEXES												
2000.....	-	-	-	-	-	-	1	2	2	-	-	-
1999.....	-	-	-	-	-	-	2	1	1	1	2	-
BLACK, MALE												
2000.....	-	-	-	-	-	-	1	2	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-	1	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	2	-	-	-
1999.....	-	-	-	-	-	-	1	1	1	1	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Unspecified acute lower respiratory infection (J22)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
ALL RACES, BOTH SEXES												
2000.....	2,077	3,985	6,754	11,833	19,324	24,309	23,413	17,085	7,823	2,238	350	2
1999.....	2,031	4,179	7,118	12,441	20,203	24,978	23,657	16,831	7,510	2,154	338	4
ALL RACES, MALE												
2000.....	1,044	2,072	3,492	6,149	10,061	12,305	11,533	7,843	3,165	776	92	2
1999.....	1,004	2,169	3,789	6,642	10,835	13,021	11,684	7,853	3,154	779	108	3
ALL RACES, FEMALE												
2000.....	1,033	1,913	3,262	5,684	9,263	12,004	11,880	9,242	4,658	1,462	258	-
1999.....	1,027	2,010	3,329	5,799	9,368	11,957	11,973	8,978	4,356	1,375	230	1
WHITE, BOTH SEXES												
2000.....	1,702	3,469	6,063	10,793	17,972	22,832	22,193	16,186	7,360	2,070	310	1
1999.....	1,697	3,656	6,400	11,383	18,728	23,314	22,384	15,941	7,073	2,022	306	3
WHITE, MALE												
2000.....	849	1,791	3,102	5,523	9,263	11,418	10,836	7,340	2,938	702	78	1
1999.....	827	1,885	3,362	6,017	9,956	12,010	10,934	7,376	2,922	716	97	2
WHITE, FEMALE												
2000.....	853	1,678	2,961	5,270	8,709	11,414	11,357	8,846	4,422	1,368	232	-
1999.....	870	1,771	3,038	5,366	8,772	11,304	11,450	8,565	4,151	1,306	209	1
BLACK, BOTH SEXES												
2000.....	340	445	628	881	1,133	1,191	961	671	360	133	31	-
1999.....	304	473	618	905	1,207	1,358	1,022	701	343	111	25	1
BLACK, MALE												
2000.....	169	240	355	532	677	691	532	360	173	60	8	-
1999.....	160	255	374	537	718	815	598	365	172	52	10	1
BLACK, FEMALE												
2000.....	171	205	273	349	456	500	429	311	187	73	23	-
1999.....	144	218	244	368	489	543	424	336	171	59	15	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	7	36	35	58	66	66	60	49	15	3	4	-
1999.....	11	18	45	44	79	88	51	36	10	1	2	-
AMERICAN INDIAN 1/, MALE												
2000.....	5	19	22	24	26	39	38	24	8	1	3	-
1999.....	5	7	21	25	43	39	24	18	4	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	17	13	34	40	27	22	25	7	2	1	-
1999.....	6	11	24	19	36	49	27	18	6	1	2	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	28	35	28	101	153	220	199	179	88	32	5	1
1999.....	19	32	55	109	189	218	200	153	84	20	5	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	21	22	13	70	95	157	127	119	46	13	3	1
1999.....	12	22	32	63	118	157	128	94	56	11	1	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	7	13	15	31	58	63	72	60	42	19	2	-
1999.....	7	10	23	46	71	61	72	59	28	9	4	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Bronchitis, chronic and unspecified (J40-J42)												
ALL RACES, BOTH SEXES												
2000.....	19	20	47	67	91	156	177	236	161	80	24	-
1999.....	24	35	62	63	110	139	200	193	148	82	23	-
ALL RACES, MALE												
2000.....	8	9	23	41	38	84	90	92	46	19	1	-
1999.....	10	24	27	36	58	73	84	71	45	20	6	-
ALL RACES, FEMALE												
2000.....	11	11	24	26	53	72	87	144	115	61	23	-
1999.....	14	11	35	27	52	66	116	122	103	62	17	-
WHITE, BOTH SEXES												
2000.....	15	17	44	58	82	144	166	229	157	77	23	-
1999.....	15	31	57	58	97	123	183	181	143	79	20	-
WHITE, MALE												
2000.....	7	8	20	37	34	78	87	88	46	18	1	-
1999.....	6	21	24	34	51	65	73	67	43	19	5	-
WHITE, FEMALE												
2000.....	8	9	24	21	48	66	79	141	111	59	22	-
1999.....	9	10	33	24	46	58	110	114	100	60	15	-
BLACK, BOTH SEXES												
2000.....	4	1	3	7	9	10	10	5	3	3	1	-
1999.....	8	4	4	4	11	12	14	8	3	1	2	-
BLACK, MALE												
2000.....	1	-	3	2	4	4	3	2	-	1	-	-
1999.....	4	3	2	1	6	6	10	1	1	-	1	-
BLACK, FEMALE												
2000.....	3	1	-	5	5	6	7	3	3	2	1	-
1999.....	4	1	2	3	5	6	4	7	2	1	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Bronchitis, chronic and unspecified (J40-J42)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	1	-	1	-	1	-	-	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	1	-	1	-	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	2	-	2	-	2	1	2	1	-	-	-
1999.....	-	-	1	-	2	3	3	3	2	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	1	-	2	-	2	-	2	-	-	-	-
1999.....	-	-	1	-	1	2	1	3	1	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	1	-	-	-	-	1	-	1	-	-	-
1999.....	-	-	-	-	1	1	2	-	1	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Emphysema (J43)												
ALL RACES, BOTH SEXES												
2000.....	312	680	1,127	1,976	3,144	3,522	2,989	1,832	685	150	18	-
1999.....	332	723	1,296	2,246	3,410	3,768	3,187	1,785	622	146	27	-
ALL RACES, MALE												
2000.....	179	366	577	1,077	1,661	1,839	1,534	898	317	58	5	-
1999.....	183	394	691	1,230	1,906	2,027	1,650	886	295	68	9	-
ALL RACES, FEMALE												
2000.....	133	314	550	899	1,483	1,683	1,455	934	368	92	13	-
1999.....	149	329	605	1,016	1,504	1,741	1,537	899	327	78	18	-
WHITE, BOTH SEXES												
2000.....	262	609	1,036	1,819	2,964	3,342	2,851	1,731	644	134	16	-
1999.....	286	654	1,197	2,104	3,216	3,547	3,050	1,692	589	135	22	-
WHITE, MALE												
2000.....	146	325	522	966	1,553	1,735	1,453	827	293	47	3	-
1999.....	148	348	627	1,135	1,765	1,895	1,554	836	273	63	7	-
WHITE, FEMALE												
2000.....	116	284	514	853	1,411	1,607	1,398	904	351	87	13	-
1999.....	138	306	570	969	1,451	1,652	1,496	856	316	72	15	-
BLACK, BOTH SEXES												
2000.....	47	63	84	135	146	138	109	74	31	14	-	-
1999.....	43	60	86	127	154	176	108	76	28	11	3	-
BLACK, MALE												
2000.....	30	36	52	97	90	74	63	47	20	9	-	-
1999.....	33	38	56	88	109	103	75	38	17	5	2	-
BLACK, FEMALE												
2000.....	17	27	32	38	56	64	46	27	11	5	-	-
1999.....	10	22	30	39	45	73	33	38	11	6	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Emphysema (J43)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	6	5	8	11	13	5	5	1	-	1	-
1999.....	2	4	3	7	9	9	4	4	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	3	2	3	3	7	2	4	1	-	1	-
1999.....	1	3	1	2	6	4	2	2	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	3	3	5	8	6	3	1	-	-	-	-
1999.....	1	1	2	5	3	5	2	2	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2	2	2	14	23	29	24	22	9	2	1	-
1999.....	1	5	10	8	31	36	25	13	5	-	2	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	2	2	1	11	15	23	16	20	3	2	1	-
1999.....	1	5	7	5	26	25	19	10	5	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	1	3	8	6	8	2	6	-	-	-
1999.....	-	-	3	3	5	11	6	3	-	-	2	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Asthma (J45-J46)												
ALL RACES, BOTH SEXES												
2000.....	296	270	270	328	406	420	429	388	227	81	11	-
1999.....	295	343	240	353	420	454	471	381	224	97	18	-
ALL RACES, MALE												
2000.....	110	106	94	121	132	120	123	104	39	15	-	-
1999.....	101	119	88	115	152	144	129	81	52	17	2	-
ALL RACES, FEMALE												
2000.....	186	164	176	207	274	300	306	284	188	66	11	-
1999.....	194	224	152	238	268	310	342	300	172	80	16	-
WHITE, BOTH SEXES												
2000.....	182	162	185	231	316	348	378	338	195	69	8	-
1999.....	183	229	161	254	316	382	416	327	194	88	17	-
WHITE, MALE												
2000.....	71	57	62	79	106	102	105	87	30	9	-	-
1999.....	63	81	55	77	106	115	116	61	40	14	2	-
WHITE, FEMALE												
2000.....	111	105	123	152	210	246	273	251	165	60	8	-
1999.....	120	148	106	177	210	267	300	266	154	74	15	-
BLACK, BOTH SEXES												
2000.....	100	89	79	80	73	60	35	32	27	9	3	-
1999.....	102	96	66	76	82	55	39	37	22	5	-	-
BLACK, MALE												
2000.....	30	38	29	33	21	10	11	9	8	5	-	-
1999.....	34	30	27	26	36	20	7	8	7	1	-	-
BLACK, FEMALE												
2000.....	70	51	50	47	52	50	24	23	19	4	3	-
1999.....	68	66	39	50	46	35	32	29	15	4	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Asthma (J45-J46)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	6	1	3	3	1	1	2	-	-	-	-
1999.....	2	5	2	2	4	4	-	1	1	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	3	-	1	-	1	1	1	-	-	-	-
1999.....	-	2	-	1	2	2	-	1	1	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	3	1	2	3	-	-	1	-	-	-	-
1999.....	2	3	2	1	2	2	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	14	13	5	14	14	11	15	16	5	3	-	-
1999.....	8	13	11	21	18	13	16	16	7	4	1	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	9	8	3	8	5	7	6	7	1	1	-	-
1999.....	4	6	6	11	8	7	6	11	4	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	5	5	2	6	9	4	9	9	4	2	-	-
1999.....	4	7	5	10	10	6	10	5	3	2	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other chronic lower respiratory diseases (J44,J47)												
ALL RACES, BOTH SEXES												
2000.....	1,450	3,015	5,310	9,462	15,683	20,211	19,818	14,629	6,750	1,927	297	2
1999.....	1,380	3,078	5,520	9,779	16,263	20,617	19,799	14,472	6,516	1,829	270	4
ALL RACES, MALE												
2000.....	747	1,591	2,798	4,910	8,230	10,262	9,786	6,749	2,763	684	86	2
1999.....	710	1,632	2,983	5,261	8,719	10,777	9,821	6,815	2,762	674	91	3
ALL RACES, FEMALE												
2000.....	703	1,424	2,512	4,552	7,453	9,949	10,032	7,880	3,987	1,243	211	-
1999.....	670	1,446	2,537	4,518	7,544	9,840	9,978	7,657	3,754	1,155	179	1
WHITE, BOTH SEXES												
2000.....	1,243	2,681	4,798	8,685	14,610	18,998	18,798	13,888	6,364	1,790	263	1
1999.....	1,213	2,742	4,985	8,967	15,099	19,262	18,735	13,741	6,147	1,720	247	3
WHITE, MALE												
2000.....	625	1,401	2,498	4,441	7,570	9,503	9,191	6,338	2,569	628	74	1
1999.....	610	1,435	2,656	4,771	8,034	9,935	9,191	6,412	2,566	620	83	2
WHITE, FEMALE												
2000.....	618	1,280	2,300	4,244	7,040	9,495	9,607	7,550	3,795	1,162	189	-
1999.....	603	1,307	2,329	4,196	7,065	9,327	9,544	7,329	3,581	1,100	164	1
BLACK, BOTH SEXES												
2000.....	189	292	462	659	905	983	807	560	299	107	27	-
1999.....	151	313	462	698	960	1,115	861	580	290	94	20	1
BLACK, MALE												
2000.....	108	166	271	400	562	603	455	302	145	45	8	-
1999.....	89	184	289	422	567	686	506	318	147	46	7	1
BLACK, FEMALE												
2000.....	81	126	191	259	343	380	352	258	154	62	19	-
1999.....	62	129	173	276	393	429	355	262	143	48	13	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other chronic lower respiratory diseases (J44,J47)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	6	24	29	47	52	52	54	42	14	3	3	-
1999.....	6	9	40	34	66	74	47	30	9	1	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	4	13	20	20	23	31	35	19	7	1	2	-
1999.....	4	2	20	21	35	33	22	15	3	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	11	9	27	29	21	19	23	7	2	1	-
1999.....	2	7	20	13	31	41	25	15	6	1	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	12	18	21	71	116	178	159	139	73	27	4	1
1999.....	10	14	33	80	138	166	156	121	70	14	2	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	10	11	9	49	75	125	105	90	42	10	2	1
1999.....	7	11	18	47	83	123	102	70	46	8	1	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	7	12	22	41	53	54	49	31	17	2	-
1999.....	3	3	15	33	55	43	54	51	24	6	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Pneumoconioses and chemical effects (J60-J66,J68)												
ALL RACES, BOTH SEXES												
2000.....	7	21	36	85	196	249	235	217	80	20	-	-
1999.....	12	19	38	104	170	251	252	180	54	18	1	-
ALL RACES, MALE												
2000.....	7	19	35	79	186	241	226	208	79	19	-	-
1999.....	12	19	38	99	170	243	243	172	53	17	1	-
ALL RACES, FEMALE												
2000.....	-	2	1	6	10	8	9	9	1	1	-	-
1999.....	-	-	-	5	-	8	9	8	1	1	-	-
WHITE, BOTH SEXES												
2000.....	6	21	34	80	186	234	222	210	76	18	-	-
1999.....	8	19	28	95	160	239	245	168	53	15	-	-
WHITE, MALE												
2000.....	6	19	33	74	176	227	214	201	75	17	-	-
1999.....	8	19	28	91	160	231	236	161	52	14	-	-
WHITE, FEMALE												
2000.....	-	2	1	6	10	7	8	9	1	1	-	-
1999.....	-	-	-	4	-	8	9	7	1	1	-	-
BLACK, BOTH SEXES												
2000.....	1	-	2	5	10	13	10	7	3	1	-	-
1999.....	4	-	8	8	8	9	7	11	1	3	1	-
BLACK, MALE												
2000.....	1	-	2	5	10	12	9	7	3	1	-	-
1999.....	4	-	8	7	8	9	7	10	1	3	1	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	1	1	-	-	-	-	-
1999.....	-	-	-	1	-	-	-	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Pneumoconioses and chemical effects (J60-J66,J68)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	2	1	-	3	-	1	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	1	-	-	-
1999.....	-	-	2	1	-	3	-	1	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	2	3	-	-	1	-	-
1999.....	-	-	-	-	2	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	2	3	-	-	1	-	-
1999.....	-	-	-	-	2	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
ALL RACES, BOTH SEXES												
2000.....	209	257	341	642	1,257	2,258	3,247	3,825	2,779	1,111	239	-
1999.....	155	259	327	582	1,172	2,068	2,962	3,443	2,586	1,053	212	-
ALL RACES, MALE												
2000.....	126	153	201	405	790	1,291	1,747	1,839	1,116	367	65	-
1999.....	82	151	214	367	716	1,252	1,623	1,659	1,006	372	46	-
ALL RACES, FEMALE												
2000.....	83	104	140	237	467	967	1,500	1,986	1,663	744	174	-
1999.....	73	108	113	215	456	816	1,339	1,784	1,580	681	166	-
WHITE, BOTH SEXES												
2000.....	166	214	271	530	1,050	2,006	2,942	3,532	2,562	1,026	211	-
1999.....	121	204	269	479	982	1,820	2,672	3,175	2,390	947	192	-
WHITE, MALE												
2000.....	99	131	160	329	653	1,139	1,607	1,720	1,028	341	60	-
1999.....	62	118	173	298	597	1,099	1,463	1,532	933	336	44	-
WHITE, FEMALE												
2000.....	67	83	111	201	397	867	1,335	1,812	1,534	685	151	-
1999.....	59	86	96	181	385	721	1,209	1,643	1,457	611	148	-
BLACK, BOTH SEXES												
2000.....	41	39	63	102	188	219	253	236	180	74	21	-
1999.....	31	51	54	91	175	227	246	236	176	95	17	-
BLACK, MALE												
2000.....	27	20	35	67	123	132	114	90	67	21	4	-
1999.....	18	30	38	60	110	137	126	105	58	30	2	-
BLACK, FEMALE												
2000.....	14	19	28	35	65	87	139	146	113	53	17	-
1999.....	13	21	16	31	65	90	120	131	118	65	15	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	4	3	4	5	6	8	8	5	1	1	-
1999.....	1	3	2	5	4	3	5	12	3	2	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	2	2	4	3	5	3	4	2	1	-	-
1999.....	1	3	1	4	-	3	2	8	2	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	2	1	-	2	1	5	4	3	-	1	-
1999.....	-	-	1	1	4	-	3	4	1	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	-	4	6	14	27	44	49	32	10	6	-
1999.....	2	1	2	7	11	18	39	20	17	9	3	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	4	5	11	15	23	25	19	4	1	-
1999.....	1	-	2	5	9	13	32	14	13	6	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	-	-	1	3	12	21	24	13	6	5	-
1999.....	1	1	-	2	2	5	7	6	4	3	3	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)												
ALL RACES, BOTH SEXES												
2000.....	805	1,044	1,367	2,184	3,264	4,487	4,413	3,394	1,850	629	135	3
1999.....	694	904	1,356	2,143	3,266	4,369	4,277	3,498	1,823	667	142	-
ALL RACES, MALE												
2000.....	431	572	752	1,179	1,782	2,353	2,062	1,409	612	156	28	2
1999.....	368	467	746	1,199	1,806	2,255	2,073	1,417	551	178	29	-
ALL RACES, FEMALE												
2000.....	374	472	615	1,005	1,482	2,134	2,351	1,985	1,238	473	107	1
1999.....	326	437	610	944	1,460	2,114	2,204	2,081	1,272	489	113	-
WHITE, BOTH SEXES												
2000.....	635	867	1,150	1,888	2,948	4,123	4,085	3,193	1,711	576	120	1
1999.....	548	723	1,160	1,874	2,913	4,000	3,968	3,251	1,702	597	124	-
WHITE, MALE												
2000.....	341	479	639	1,035	1,615	2,167	1,921	1,328	557	138	21	1
1999.....	296	366	648	1,069	1,637	2,083	1,936	1,318	508	156	22	-
WHITE, FEMALE												
2000.....	294	388	511	853	1,333	1,956	2,164	1,865	1,154	438	99	-
1999.....	252	357	512	805	1,276	1,917	2,032	1,933	1,194	441	102	-
BLACK, BOTH SEXES												
2000.....	146	157	170	254	250	280	252	148	111	42	13	2
1999.....	126	154	165	226	281	296	229	192	89	54	15	-
BLACK, MALE												
2000.....	74	81	85	125	121	143	98	54	41	15	5	1
1999.....	63	81	84	109	130	140	96	74	30	14	6	-
BLACK, FEMALE												
2000.....	72	76	85	129	129	137	154	94	70	27	8	1
1999.....	63	73	81	117	151	156	133	118	59	40	9	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	11	6	18	15	24	17	20	11	8	1	-	-
1999.....	11	6	8	14	14	24	22	15	10	2	2	-
AMERICAN INDIAN 1/, MALE												
2000.....	9	3	11	6	9	10	6	5	3	1	-	-
1999.....	5	6	3	6	9	12	7	7	3	1	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	3	7	9	15	7	14	6	5	-	-	-
1999.....	6	-	5	8	5	12	15	8	7	1	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	13	14	29	27	42	67	56	42	20	10	2	-
1999.....	9	21	23	29	58	49	58	40	22	14	1	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	7	9	17	13	37	33	37	22	11	2	2	-
1999.....	4	14	11	15	30	20	34	18	10	7	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	6	5	12	14	5	34	19	20	9	8	-	-
1999.....	5	7	12	14	28	29	24	22	12	7	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
ALL RACES, BOTH SEXES												
2000.....	177	200	243	299	449	642	773	801	498	177	33	-
1999.....	142	186	236	314	522	665	835	771	470	164	34	2
ALL RACES, MALE												
2000.....	131	134	150	172	270	341	326	291	150	49	9	-
1999.....	102	111	154	196	308	331	381	279	138	29	2	1
ALL RACES, FEMALE												
2000.....	46	66	93	127	179	301	447	510	348	128	24	-
1999.....	40	75	82	118	214	334	454	492	332	135	32	1
WHITE, BOTH SEXES												
2000.....	132	162	208	250	397	569	717	731	468	164	29	-
1999.....	106	152	198	259	457	600	760	713	439	150	28	1
WHITE, MALE												
2000.....	96	110	130	146	234	300	298	263	138	42	8	-
1999.....	76	88	127	160	272	302	348	255	133	24	2	1
WHITE, FEMALE												
2000.....	36	52	78	104	163	269	419	468	330	122	21	-
1999.....	30	64	71	99	185	298	412	458	306	126	26	-
BLACK, BOTH SEXES												
2000.....	38	35	30	37	43	53	39	50	23	8	4	-
1999.....	32	32	34	45	48	43	56	41	24	11	4	1
BLACK, MALE												
2000.....	28	21	19	18	30	27	19	18	5	3	1	-
1999.....	23	22	25	29	26	19	21	18	3	3	-	-
BLACK, FEMALE												
2000.....	10	14	11	19	13	26	20	32	18	5	3	-
1999.....	9	10	9	16	22	24	35	23	21	8	4	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Peptic ulcer (K25-K28)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	3	1	3	4	1	-	3	1	-	-	-	-
1999.....	1	-	-	1	1	3	-	-	-	-	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	3	1	1	3	-	-	2	-	-	-	-	-
1999.....	1	-	-	-	1	2	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	2	1	1	-	1	1	-	-	-	-
1999.....	-	-	-	1	-	1	-	-	-	-	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	4	2	2	8	8	20	14	19	7	5	-	-
1999.....	3	2	4	9	16	19	19	17	7	3	1	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	4	2	-	5	6	14	7	10	7	4	-	-
1999.....	2	1	2	7	9	8	12	6	2	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	2	3	2	6	7	9	-	1	-	-
1999.....	1	1	2	2	7	11	7	11	5	1	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
ALL RACES, BOTH SEXES												
2000.....	25	28	32	26	45	53	68	39	24	4	1	-
1999.....	24	22	26	30	39	43	53	40	18	3	1	-
ALL RACES, MALE												
2000.....	17	20	23	15	25	30	30	15	9	-	-	-
1999.....	19	17	17	18	20	28	19	23	9	2	1	-
ALL RACES, FEMALE												
2000.....	8	8	9	11	20	23	38	24	15	4	1	-
1999.....	5	5	9	12	19	15	34	17	9	1	-	-
WHITE, BOTH SEXES												
2000.....	19	21	29	20	34	42	58	38	22	4	1	-
1999.....	22	15	15	25	32	38	46	37	17	3	1	-
WHITE, MALE												
2000.....	12	14	20	13	18	26	25	14	8	-	-	-
1999.....	17	12	12	15	15	24	15	21	9	2	1	-
WHITE, FEMALE												
2000.....	7	7	9	7	16	16	33	24	14	4	1	-
1999.....	5	3	3	10	17	14	31	16	8	1	-	-
BLACK, BOTH SEXES												
2000.....	4	7	3	6	10	9	7	1	2	-	-	-
1999.....	2	7	10	3	7	5	6	2	1	-	-	-
BLACK, MALE												
2000.....	3	6	3	2	7	3	3	1	1	-	-	-
1999.....	2	5	4	2	5	4	4	2	-	-	-	-
BLACK, FEMALE												
2000.....	1	1	-	4	3	6	4	-	1	-	-	-
1999.....	-	2	6	1	2	1	2	-	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Diseases of appendix (K35-K38)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	1	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2	-	-	-	1	1	3	-	-	-	-	-
1999.....	-	-	-	2	-	-	1	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	2	-	-	-	-	1	2	-	-	-	-	-
1999.....	-	-	-	1	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	1	-	1	-	-	-	-	-
1999.....	-	-	-	1	-	-	1	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Hernia (K40-K46)												
ALL RACES, BOTH SEXES												
2000.....	58	51	62	84	126	224	242	294	188	63	10	-
1999.....	39	36	71	77	138	186	265	269	196	56	8	-
ALL RACES, MALE												
2000.....	32	20	29	39	53	91	104	96	42	12	4	-
1999.....	20	21	39	34	59	75	117	96	51	8	2	-
ALL RACES, FEMALE												
2000.....	26	31	33	45	73	133	138	198	146	51	6	-
1999.....	19	15	32	43	79	111	148	173	145	48	6	-
WHITE, BOTH SEXES												
2000.....	47	45	54	68	117	198	223	270	176	57	9	-
1999.....	30	32	62	60	123	163	245	248	183	54	6	-
WHITE, MALE												
2000.....	25	18	25	31	51	85	95	88	39	10	4	-
1999.....	17	21	36	29	57	68	109	86	44	7	2	-
WHITE, FEMALE												
2000.....	22	27	29	37	66	113	128	182	137	47	5	-
1999.....	13	11	26	31	66	95	136	162	139	47	4	-
BLACK, BOTH SEXES												
2000.....	8	5	8	14	7	22	16	24	12	3	1	-
1999.....	7	4	8	12	12	20	18	15	12	2	2	-
BLACK, MALE												
2000.....	5	1	4	7	2	4	8	8	3	-	-	-
1999.....	3	-	2	5	2	5	8	7	6	1	-	-
BLACK, FEMALE												
2000.....	3	4	4	7	5	18	8	16	9	3	1	-
1999.....	4	4	6	7	10	15	10	8	6	1	2	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Hernia (K40-K46)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	2	1	-	2	1	1	1	-	-	-	-	-
1999.....	1	-	1	1	1	-	-	2	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	1	-	1	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	-	1	1	1	1	-	-	-	-	-
1999.....	1	-	-	1	1	-	-	2	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	-	-	-	1	3	2	-	-	3	-	-
1999.....	1	-	-	4	2	3	2	4	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	-	-	-	-	2	1	-	-	2	-	-
1999.....	-	-	-	-	-	2	-	3	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	1	1	1	-	-	1	-	-
1999.....	1	-	-	4	2	1	2	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Chronic liver disease and cirrhosis (K70,K73-K74)												
ALL RACES, BOTH SEXES												
2000.....	3,280	2,947	2,827	2,751	2,731	2,367	1,462	742	203	30	4	3
1999.....	3,140	2,803	2,834	2,833	2,809	2,396	1,505	702	226	33	4	2
ALL RACES, MALE												
2000.....	2,460	2,066	1,939	1,729	1,588	1,240	634	325	83	12	1	3
1999.....	2,383	2,051	1,892	1,837	1,617	1,208	697	293	86	14	2	2
ALL RACES, FEMALE												
2000.....	820	881	888	1,022	1,143	1,127	828	417	120	18	3	-
1999.....	757	752	942	996	1,192	1,188	808	409	140	19	2	-
WHITE, BOTH SEXES												
2000.....	2,698	2,497	2,451	2,434	2,491	2,223	1,368	697	188	29	4	2
1999.....	2,634	2,338	2,422	2,509	2,564	2,220	1,420	654	208	30	4	2
WHITE, MALE												
2000.....	2,045	1,775	1,700	1,553	1,453	1,162	600	305	76	12	1	2
1999.....	2,019	1,725	1,647	1,633	1,481	1,118	663	275	79	13	2	2
WHITE, FEMALE												
2000.....	653	722	751	881	1,038	1,061	768	392	112	17	3	-
1999.....	615	613	775	876	1,083	1,102	757	379	129	17	2	-
BLACK, BOTH SEXES												
2000.....	484	349	284	249	185	103	62	30	13	1	-	1
1999.....	406	370	329	251	187	130	65	38	14	2	-	-
BLACK, MALE												
2000.....	350	234	180	146	112	58	23	12	5	-	-	1
1999.....	297	260	200	167	110	67	29	14	4	-	-	-
BLACK, FEMALE												
2000.....	134	115	104	103	73	45	39	18	8	1	-	-
1999.....	109	110	129	84	77	63	36	24	10	2	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Chronic liver disease and cirrhosis (K70,K73-K74)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	75	69	54	39	20	19	6	2	-	-	-	-
1999.....	70	68	55	38	20	13	2	2	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	49	39	32	15	6	11	1	1	-	-	-	-
1999.....	45	43	27	18	10	6	1	1	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	26	30	22	24	14	8	5	1	-	-	-	-
1999.....	25	25	28	20	10	7	1	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	23	32	38	29	35	22	26	13	2	-	-	-
1999.....	30	27	28	35	38	33	18	8	4	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	16	18	27	15	17	9	10	7	2	-	-	-
1999.....	22	23	18	19	16	17	4	3	3	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	7	14	11	14	18	13	16	6	-	-	-	-
1999.....	8	4	10	16	22	16	14	5	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
ALL RACES, BOTH SEXES												
2000.....	1,888	1,575	1,394	1,085	806	533	218	76	17	2	-	2
1999.....	1,837	1,511	1,348	1,104	831	533	256	94	21	3	-	2
ALL RACES, MALE												
2000.....	1,458	1,172	1,044	821	612	419	142	52	12	1	-	2
1999.....	1,426	1,179	1,015	867	630	364	174	59	13	1	-	2
ALL RACES, FEMALE												
2000.....	430	403	350	264	194	114	76	24	5	1	-	-
1999.....	411	332	333	237	201	169	82	35	8	2	-	-
WHITE, BOTH SEXES												
2000.....	1,576	1,329	1,204	961	728	487	194	70	16	2	-	1
1999.....	1,547	1,261	1,144	958	740	475	233	81	18	3	-	2
WHITE, MALE												
2000.....	1,237	1,013	917	735	553	387	130	48	11	1	-	1
1999.....	1,217	993	883	753	564	325	161	50	12	1	-	2
WHITE, FEMALE												
2000.....	339	316	287	226	175	100	64	22	5	1	-	-
1999.....	330	268	261	205	176	150	72	31	6	2	-	-
BLACK, BOTH SEXES												
2000.....	249	187	138	107	63	35	15	4	1	-	-	1
1999.....	227	194	167	117	77	45	19	11	3	-	-	-
BLACK, MALE												
2000.....	177	124	87	74	50	24	9	3	1	-	-	1
1999.....	164	147	110	93	55	30	11	7	1	-	-	-
BLACK, FEMALE												
2000.....	72	63	51	33	13	11	6	1	-	-	-	-
1999.....	63	47	57	24	22	15	8	4	2	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Alcoholic liver disease (K70)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	50	44	35	15	8	8	2	-	-	-	-	-
1999.....	53	43	32	19	8	7	1	1	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	33	25	26	11	3	5	1	-	-	-	-	-
1999.....	39	27	18	13	6	4	1	1	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	17	19	9	4	5	3	1	-	-	-	-	-
1999.....	14	16	14	6	2	3	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	13	15	17	2	7	3	7	2	-	-	-	-
1999.....	10	13	5	10	6	6	3	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	11	10	14	1	6	3	2	1	-	-	-	-
1999.....	6	12	4	8	5	5	1	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	5	3	1	1	-	5	1	-	-	-	-
1999.....	4	1	1	2	1	1	2	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other chronic liver disease and cirrhosis (K73-K74)												
ALL RACES, BOTH SEXES												
2000.....	1,392	1,372	1,433	1,666	1,925	1,834	1,244	666	186	28	4	1
1999.....	1,303	1,292	1,486	1,729	1,978	1,863	1,249	608	205	30	4	-
ALL RACES, MALE												
2000.....	1,002	894	895	908	976	821	492	273	71	11	1	1
1999.....	957	872	877	970	987	844	523	234	73	13	2	-
ALL RACES, FEMALE												
2000.....	390	478	538	758	949	1,013	752	393	115	17	3	-
1999.....	346	420	609	759	991	1,019	726	374	132	17	2	-
WHITE, BOTH SEXES												
2000.....	1,122	1,168	1,247	1,473	1,763	1,736	1,174	627	172	27	4	1
1999.....	1,087	1,077	1,278	1,551	1,824	1,745	1,187	573	190	27	4	-
WHITE, MALE												
2000.....	808	762	783	818	900	775	470	257	65	11	1	1
1999.....	802	732	764	880	917	793	502	225	67	12	2	-
WHITE, FEMALE												
2000.....	314	406	464	655	863	961	704	370	107	16	3	-
1999.....	285	345	514	671	907	952	685	348	123	15	2	-
BLACK, BOTH SEXES												
2000.....	235	162	146	142	122	68	47	26	12	1	-	-
1999.....	179	176	162	134	110	85	46	27	11	2	-	-
BLACK, MALE												
2000.....	173	110	93	72	62	34	14	9	4	-	-	-
1999.....	133	113	90	74	55	37	18	7	3	-	-	-
BLACK, FEMALE												
2000.....	62	52	53	70	60	34	33	17	8	1	-	-
1999.....	46	63	72	60	55	48	28	20	8	2	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other chronic liver disease and cirrhosis (K73-K74)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	25	25	19	24	12	11	4	2	-	-	-	-
1999.....	17	25	23	19	12	6	1	1	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	16	14	6	4	3	6	-	1	-	-	-	-
1999.....	6	16	9	5	4	2	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	9	11	13	20	9	5	4	1	-	-	-	-
1999.....	11	9	14	14	8	4	1	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	10	17	21	27	28	19	19	11	2	-	-	-
1999.....	20	14	23	25	32	27	15	7	4	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	5	8	13	14	11	6	8	6	2	-	-	-
1999.....	16	11	14	11	11	12	3	2	3	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	5	9	8	13	17	13	11	5	-	-	-	-
1999.....	4	3	9	14	21	15	12	5	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
ALL RACES, BOTH SEXES												
2000.....	66	80	109	184	266	419	507	528	358	143	24	-
1999.....	69	95	108	171	304	417	531	521	324	120	27	-
ALL RACES, MALE												
2000.....	30	48	62	100	142	224	237	204	105	27	3	-
1999.....	30	54	66	89	163	208	239	203	101	22	4	-
ALL RACES, FEMALE												
2000.....	36	32	47	84	124	195	270	324	253	116	21	-
1999.....	39	41	42	82	141	209	292	318	223	98	23	-
WHITE, BOTH SEXES												
2000.....	49	64	87	151	215	373	454	489	335	135	23	-
1999.....	54	72	81	134	264	378	486	481	299	113	25	-
WHITE, MALE												
2000.....	23	41	51	87	119	203	220	193	99	26	2	-
1999.....	24	38	53	72	145	191	227	184	93	22	4	-
WHITE, FEMALE												
2000.....	26	23	36	64	96	170	234	296	236	109	21	-
1999.....	30	34	28	62	119	187	259	297	206	91	21	-
BLACK, BOTH SEXES												
2000.....	14	13	16	28	37	37	39	33	18	6	-	-
1999.....	13	14	21	29	30	26	39	25	15	6	2	-
BLACK, MALE												
2000.....	6	5	9	10	15	15	12	9	3	-	-	-
1999.....	4	10	9	12	13	12	11	9	4	-	-	-
BLACK, FEMALE												
2000.....	8	8	7	18	22	22	27	24	15	6	-	-
1999.....	9	4	12	17	17	14	28	16	11	6	2	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	1	1	-	2	5	3	3	1	1	-	-
1999.....	2	1	2	4	2	4	-	1	4	1	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	1	-	-	1	2	1	-	1	-	-	-
1999.....	2	-	2	2	1	1	-	-	1	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	1	-	1	3	2	3	-	1	-	-
1999.....	-	1	-	2	1	3	-	1	3	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2	2	5	5	12	4	11	3	4	1	1	-
1999.....	-	8	4	4	8	9	6	14	6	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	1	2	3	7	4	4	2	2	1	1	-
1999.....	-	6	2	3	4	4	1	10	3	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	1	3	2	5	-	7	1	2	-	-	-
1999.....	-	2	2	1	4	5	5	4	3	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)												
ALL RACES, BOTH SEXES												
2000.....	964	1,269	1,831	2,811	4,179	5,893	6,565	6,150	3,915	1,443	269	2
1999.....	872	1,176	1,688	2,694	4,147	5,707	6,220	5,825	3,703	1,388	254	-
ALL RACES, MALE												
2000.....	549	697	954	1,444	2,120	3,039	3,174	2,672	1,473	453	73	2
1999.....	481	627	903	1,366	2,138	2,986	3,045	2,584	1,353	424	67	-
ALL RACES, FEMALE												
2000.....	415	572	877	1,367	2,059	2,854	3,391	3,478	2,442	990	196	-
1999.....	391	549	785	1,328	2,009	2,721	3,175	3,241	2,350	964	187	-
WHITE, BOTH SEXES												
2000.....	560	789	1,220	1,966	3,178	4,857	5,613	5,390	3,447	1,258	216	2
1999.....	505	743	1,125	1,908	3,179	4,679	5,255	4,989	3,249	1,192	200	-
WHITE, MALE												
2000.....	321	444	662	1,071	1,698	2,567	2,786	2,398	1,320	387	66	2
1999.....	282	425	618	1,005	1,706	2,492	2,627	2,243	1,212	384	55	-
WHITE, FEMALE												
2000.....	239	345	558	895	1,480	2,290	2,827	2,992	2,127	871	150	-
1999.....	223	318	507	903	1,473	2,187	2,628	2,746	2,037	808	145	-
BLACK, BOTH SEXES												
2000.....	369	436	555	756	897	931	858	671	413	171	44	-
1999.....	347	382	505	704	865	917	852	732	399	174	54	-
BLACK, MALE												
2000.....	207	227	262	334	382	421	344	234	126	60	5	-
1999.....	190	172	257	315	385	438	375	293	114	30	12	-
BLACK, FEMALE												
2000.....	162	209	293	422	515	510	514	437	287	111	39	-
1999.....	157	210	248	389	480	479	477	439	285	144	42	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	17	17	22	36	29	22	24	11	13	2	1	-
1999.....	7	17	19	31	24	26	16	19	6	7	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	9	9	12	18	10	7	9	5	6	2	-	-
1999.....	4	9	8	13	10	11	1	5	1	2	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	8	8	10	18	19	15	15	6	7	-	1	-
1999.....	3	8	11	18	14	15	15	14	5	5	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	18	27	34	53	75	83	70	78	42	12	8	-
1999.....	13	34	39	51	79	85	97	85	49	15	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	12	17	18	21	30	44	35	35	21	4	2	-
1999.....	5	21	20	33	37	45	42	43	26	8	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	6	10	16	32	45	39	35	43	21	8	6	-
1999.....	8	13	19	18	42	40	55	42	23	7	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)												
ALL RACES, BOTH SEXES												
2000.....	11	2	8	13	16	16	36	27	13	8	1	-
1999.....	5	5	11	10	27	37	25	22	7	5	-	-
ALL RACES, MALE												
2000.....	9	2	6	7	5	11	15	13	5	4	-	-
1999.....	3	2	4	5	12	15	17	9	1	4	-	-
ALL RACES, FEMALE												
2000.....	2	-	2	6	11	5	21	14	8	4	1	-
1999.....	2	3	7	5	15	22	8	13	6	1	-	-
WHITE, BOTH SEXES												
2000.....	4	2	8	8	14	12	34	23	12	8	1	-
1999.....	3	3	6	9	23	32	20	17	7	5	-	-
WHITE, MALE												
2000.....	3	2	6	4	5	9	14	10	4	4	-	-
1999.....	2	1	2	4	10	13	13	5	1	4	-	-
WHITE, FEMALE												
2000.....	1	-	2	4	9	3	20	13	8	4	1	-
1999.....	1	2	4	5	13	19	7	12	6	1	-	-
BLACK, BOTH SEXES												
2000.....	7	-	-	4	2	3	2	2	-	-	-	-
1999.....	2	1	4	-	3	3	3	4	-	-	-	-
BLACK, MALE												
2000.....	6	-	-	2	-	1	1	1	-	-	-	-
1999.....	1	-	2	-	2	1	2	3	-	-	-	-
BLACK, FEMALE												
2000.....	1	-	-	2	2	2	1	1	-	-	-	-
1999.....	1	1	2	-	1	2	1	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	1	-	-	-	-
1999.....	-	1	-	-	-	1	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	1	-	-	-	-
1999.....	-	1	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	1	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	1	-	1	-	1	1	-	-	-
1999.....	-	-	1	1	1	1	2	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	1	-	1	-	1	1	-	-	-
1999.....	-	-	-	1	-	1	2	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	1	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26)												
ALL RACES, BOTH SEXES												
2000.....	21	31	28	43	60	78	94	78	23	15	2	-
1999.....	28	26	34	40	61	104	96	83	37	10	2	-
ALL RACES, MALE												
2000.....	14	16	15	24	30	45	38	40	9	6	-	-
1999.....	15	13	19	20	25	58	49	38	17	5	-	-
ALL RACES, FEMALE												
2000.....	7	15	13	19	30	33	56	38	14	9	2	-
1999.....	13	13	15	20	36	46	47	45	20	5	2	-
WHITE, BOTH SEXES												
2000.....	11	24	19	32	53	67	83	64	17	12	1	-
1999.....	18	18	25	27	51	91	82	70	29	8	2	-
WHITE, MALE												
2000.....	7	13	10	18	27	39	36	34	6	4	-	-
1999.....	10	9	15	15	20	52	42	32	14	4	-	-
WHITE, FEMALE												
2000.....	4	11	9	14	26	28	47	30	11	8	1	-
1999.....	8	9	10	12	31	39	40	38	15	4	2	-
BLACK, BOTH SEXES												
2000.....	9	5	7	9	5	9	10	9	4	2	-	-
1999.....	9	6	5	11	7	11	9	12	5	2	-	-
BLACK, MALE												
2000.....	6	2	5	6	2	4	2	4	2	1	-	-
1999.....	5	3	3	4	3	6	4	5	2	1	-	-
BLACK, FEMALE												
2000.....	3	3	2	3	3	5	8	5	2	1	-	-
1999.....	4	3	2	7	4	5	5	7	3	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03, N05-N07,N26)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	1	-	1	-	1	-	-	-	-	1	-
1999.....	-	1	1	1	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	1	-	-	-	1	-	-	-	-	-	-
1999.....	-	1	-	1	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	1	-	-	-	-	-	-	1	-
1999.....	-	-	1	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	1	2	1	2	1	1	5	2	1	-	-
1999.....	1	1	3	1	3	2	5	1	3	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	1	1	-	2	1	1	-	-
1999.....	-	-	1	-	2	-	3	1	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	1	2	1	1	-	1	3	1	-	-	-
1999.....	1	1	2	1	1	2	2	-	2	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Renal failure (N17-N19)												
ALL RACES, BOTH SEXES												
2000.....	932	1,234	1,789	2,754	4,094	5,794	6,429	6,040	3,878	1,420	265	2
1999.....	836	1,144	1,640	2,641	4,056	5,560	6,092	5,718	3,656	1,372	252	-
ALL RACES, MALE												
2000.....	526	678	929	1,412	2,080	2,981	3,121	2,617	1,458	443	73	2
1999.....	462	612	880	1,340	2,100	2,912	2,976	2,535	1,334	415	67	-
ALL RACES, FEMALE												
2000.....	406	556	860	1,342	2,014	2,813	3,308	3,423	2,420	977	192	-
1999.....	374	532	760	1,301	1,956	2,648	3,116	3,183	2,322	957	185	-
WHITE, BOTH SEXES												
2000.....	545	761	1,188	1,925	3,103	4,774	5,491	5,299	3,417	1,238	214	2
1999.....	482	722	1,093	1,870	3,102	4,551	5,150	4,900	3,212	1,178	198	-
WHITE, MALE												
2000.....	311	428	643	1,048	1,661	2,517	2,736	2,352	1,309	379	66	2
1999.....	269	415	601	986	1,675	2,426	2,570	2,204	1,196	376	55	-
WHITE, FEMALE												
2000.....	234	333	545	877	1,442	2,257	2,755	2,947	2,108	859	148	-
1999.....	213	307	492	884	1,427	2,125	2,580	2,696	2,016	802	143	-
BLACK, BOTH SEXES												
2000.....	353	431	548	743	889	918	846	659	409	169	43	-
1999.....	335	374	494	692	855	902	836	716	392	172	54	-
BLACK, MALE												
2000.....	195	225	257	326	380	416	341	229	124	59	5	-
1999.....	184	169	252	310	380	431	368	285	112	29	12	-
BLACK, FEMALE												
2000.....	158	206	291	417	509	502	505	430	285	110	38	-
1999.....	151	205	242	382	475	471	468	431	280	143	42	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Renal failure (N17-N19)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	16	16	21	35	29	21	24	10	13	2	-	-
1999.....	7	15	18	30	24	25	16	19	6	7	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	8	8	11	18	10	6	9	4	6	2	-	-
1999.....	4	7	8	12	10	11	1	5	1	2	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	8	8	10	17	19	15	15	6	7	-	-	-
1999.....	3	8	10	18	14	14	15	14	5	5	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	18	26	32	51	73	81	68	72	39	11	8	-
1999.....	12	33	35	49	75	82	90	83	46	15	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	12	17	18	20	29	42	35	32	19	3	2	-
1999.....	5	21	19	32	35	44	37	41	25	8	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	6	9	14	31	44	39	33	40	20	8	6	-
1999.....	7	12	16	17	40	38	53	42	21	7	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other disorders of kidney (N25,N27)												
ALL RACES, BOTH SEXES												
2000.....	-	2	6	1	9	5	6	5	1	-	1	-
1999.....	3	1	3	3	3	6	7	2	3	1	-	-
ALL RACES, MALE												
2000.....	-	1	4	1	5	2	-	2	1	-	-	-
1999.....	1	-	-	1	1	1	3	2	1	-	-	-
ALL RACES, FEMALE												
2000.....	-	1	2	-	4	3	6	3	-	-	1	-
1999.....	2	1	3	2	2	5	4	-	2	1	-	-
WHITE, BOTH SEXES												
2000.....	-	2	5	1	8	4	5	4	1	-	-	-
1999.....	2	-	1	2	3	5	3	2	1	1	-	-
WHITE, MALE												
2000.....	-	1	3	1	5	2	-	2	1	-	-	-
1999.....	1	-	-	-	1	1	2	2	1	-	-	-
WHITE, FEMALE												
2000.....	-	1	2	-	3	2	5	2	-	-	-	-
1999.....	1	-	1	2	2	4	1	-	-	1	-	-
BLACK, BOTH SEXES												
2000.....	-	-	-	-	1	1	-	1	-	-	1	-
1999.....	1	1	2	1	-	1	4	-	2	-	-	-
BLACK, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	-	-	1	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	1	1	-	1	-	-	1	-
1999.....	1	1	2	-	-	1	3	-	2	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other disorders of kidney (N25,N27)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	1	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	1	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	1	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	1	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Infections of kidney (N10-N12,N13.6,N15.1)												
ALL RACES, BOTH SEXES												
2000.....	21	25	34	38	66	114	134	145	114	44	17	-
1999.....	33	30	29	52	81	109	133	154	102	49	6	-
ALL RACES, MALE												
2000.....	9	5	10	13	13	34	40	32	30	5	2	-
1999.....	11	14	13	19	25	37	46	45	24	12	-	-
ALL RACES, FEMALE												
2000.....	12	20	24	25	53	80	94	113	84	39	15	-
1999.....	22	16	16	33	56	72	87	109	78	37	6	-
WHITE, BOTH SEXES												
2000.....	13	22	26	31	51	96	114	134	104	38	15	-
1999.....	25	26	22	43	67	99	124	144	97	45	5	-
WHITE, MALE												
2000.....	6	5	8	9	8	30	35	32	27	4	2	-
1999.....	8	12	10	16	18	35	42	43	23	12	-	-
WHITE, FEMALE												
2000.....	7	17	18	22	43	66	79	102	77	34	13	-
1999.....	17	14	12	27	49	64	82	101	74	33	5	-
BLACK, BOTH SEXES												
2000.....	8	2	6	7	12	16	12	10	8	6	1	-
1999.....	7	4	7	7	13	8	8	9	5	3	1	-
BLACK, MALE												
2000.....	3	-	2	4	4	4	3	-	3	1	-	-
1999.....	3	2	3	3	7	1	3	2	1	-	-	-
BLACK, FEMALE												
2000.....	5	2	4	3	8	12	9	10	5	5	1	-
1999.....	4	2	4	4	6	7	5	7	4	3	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Infections of kidney (N10-N12,N13.6,N15.1)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	1	-	1	-	1	-	1	-
1999.....	-	-	-	2	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	1	-	1	-	1	-	1	-
1999.....	-	-	-	2	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	1	2	-	2	2	7	1	1	-	-	-
1999.....	1	-	-	-	1	2	1	1	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	1	-	2	-	-	-	-	-
1999.....	-	-	-	-	-	1	1	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	1	2	-	1	2	5	1	1	-	-	-
1999.....	1	-	-	-	1	1	-	1	-	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
ALL RACES, BOTH SEXES												
2000.....	-	4	7	10	28	64	95	106	83	29	4	1
1999.....	1	4	9	15	32	59	101	109	67	24	9	-
ALL RACES, MALE												
2000.....	-	4	7	10	28	64	95	106	83	29	4	1
1999.....	1	4	9	15	32	59	101	109	67	24	9	-
WHITE, BOTH SEXES												
2000.....	-	2	5	10	25	57	88	96	74	27	4	-
1999.....	1	3	6	12	28	56	91	99	63	24	7	-
WHITE, MALE												
2000.....	-	2	5	10	25	57	88	96	74	27	4	-
1999.....	1	3	6	12	28	56	91	99	63	24	7	-
BLACK, BOTH SEXES												
2000.....	-	2	2	-	2	7	7	7	7	1	-	1
1999.....	-	1	3	3	3	3	10	9	4	-	2	-
BLACK, MALE												
2000.....	-	2	2	-	2	7	7	7	7	1	-	1
1999.....	-	1	3	3	3	3	10	9	4	-	2	-
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	1	-	-	1	-	-	-	-
1999.....	-	-	-	-	1	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	1	-	-	1	-	-	-	-
1999.....	-	-	-	-	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	2	2	1	-	-
1999.....	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Hyperplasia of prostate (N40)												
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	2	2	1	-	-
1999.....	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)												
ALL RACES, BOTH SEXES												
2000.....	3	4	4	11	10	17	12	11	12	3	1	-
1999.....	2	6	7	4	11	15	17	6	6	5	1	-
ALL RACES, FEMALE												
2000.....	3	4	4	11	10	17	12	11	12	3	1	-
1999.....	2	6	7	4	11	15	17	6	6	5	1	-
WHITE, BOTH SEXES												
2000.....	3	2	4	9	8	15	11	9	12	2	1	-
1999.....	2	6	6	2	8	10	16	6	6	5	-	-
WHITE, FEMALE												
2000.....	3	2	4	9	8	15	11	9	12	2	1	-
1999.....	2	6	6	2	8	10	16	6	6	5	-	-
BLACK, BOTH SEXES												
2000.....	-	2	-	2	2	2	1	2	-	-	-	-
1999.....	-	-	1	2	3	5	1	-	-	-	1	-
BLACK, FEMALE												
2000.....	-	2	-	2	2	2	1	2	-	-	-	-
1999.....	-	-	1	2	3	5	1	-	-	-	1	-
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	1	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	1	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Inflammatory diseases of female pelvic organs (N70-N76)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Pregnancy, childbirth and the puerperium (O00-O99)												
ALL RACES, BOTH SEXES												
2000.....	1	...	...	...	...	...	...	...	...	...	...	-
1999.....	2	...	...	...	...	...	...	...	...	...	...	-
ALL RACES, FEMALE												
2000.....	1	...	...	...	...	...	...	...	...	...	...	-
1999.....	2	...	...	...	...	...	...	...	...	...	...	-
WHITE, BOTH SEXES												
2000.....	1	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
WHITE, FEMALE												
2000.....	1	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
BLACK, BOTH SEXES												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	2	...	...	...	...	...	...	...	...	...	...	-
BLACK, FEMALE												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	2	...	...	...	...	...	...	...	...	...	...	-
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Pregnancy, childbirth and the puerperium (O00-O99)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Pregnancy with abortive outcome (000-007)												
ALL RACES, BOTH SEXES												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
ALL RACES, FEMALE												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
WHITE, BOTH SEXES												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
WHITE, FEMALE												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
BLACK, BOTH SEXES												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
BLACK, FEMALE												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Pregnancy with abortive outcome (O00-O07)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other complications of pregnancy, childbirth and the puerperium (O10-O99)												
ALL RACES, BOTH SEXES												
2000.....	1	...	...	...	...	...	...	...	...	...	...	-
1999.....	2	...	...	...	...	...	...	...	...	...	...	-
ALL RACES, FEMALE												
2000.....	1	...	...	...	...	...	...	...	...	...	...	-
1999.....	2	...	...	...	...	...	...	...	...	...	...	-
WHITE, BOTH SEXES												
2000.....	1	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
WHITE, FEMALE												
2000.....	1	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
BLACK, BOTH SEXES												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	2	...	...	...	...	...	...	...	...	...	...	-
BLACK, FEMALE												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	2	...	...	...	...	...	...	...	...	...	...	-
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other complications of pregnancy, childbirth and the puerperium (O10-O99)												
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	...	...	...	...	...	...	...	...	...	...	-
1999.....	-	...	...	...	...	...	...	...	...	...	...	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Certain conditions originating in the perinatal period (P00-P96)												
ALL RACES, BOTH SEXES												
2000.....	1	1	1	-	-	-	-	-	-	-	-	1
1999.....	-	1	2	1	1	1	-	-	1	-	-	5
ALL RACES, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	1	1	-	-	1	-	-	4
ALL RACES, FEMALE												
2000.....	-	1	1	-	-	-	-	-	-	-	-	1
1999.....	-	1	1	1	-	-	-	-	-	-	-	1
WHITE, BOTH SEXES												
2000.....	1	1	1	-	-	-	-	-	-	-	-	1
1999.....	-	1	2	1	1	1	-	-	1	-	-	3
WHITE, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	1	1	-	-	1	-	-	2
WHITE, FEMALE												
2000.....	-	1	1	-	-	-	-	-	-	-	-	1
1999.....	-	1	1	1	-	-	-	-	-	-	-	1
BLACK, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	2
BLACK, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	2
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Certain conditions originating in the perinatal period (P00-P96)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
ALL RACES, BOTH SEXES												
2000.....	325	296	273	248	216	242	246	178	97	39	6	1
1999.....	305	304	253	251	218	249	242	187	100	34	5	2
ALL RACES, MALE												
2000.....	190	130	134	120	102	99	98	74	41	13	2	-
1999.....	162	157	126	106	103	102	102	60	35	6	1	1
ALL RACES, FEMALE												
2000.....	135	166	139	128	114	143	148	104	56	26	4	1
1999.....	143	147	127	145	115	147	140	127	65	28	4	1
WHITE, BOTH SEXES												
2000.....	294	255	241	219	191	225	232	168	94	34	5	1
1999.....	265	275	225	225	191	221	224	170	92	34	5	2
WHITE, MALE												
2000.....	168	114	123	99	89	94	94	70	40	12	1	-
1999.....	140	143	114	95	91	83	96	53	33	6	1	1
WHITE, FEMALE												
2000.....	126	141	118	120	102	131	138	98	54	22	4	1
1999.....	125	132	111	130	100	138	128	117	59	28	4	1
BLACK, BOTH SEXES												
2000.....	28	32	27	25	18	14	11	7	3	5	1	-
1999.....	33	25	21	21	25	22	16	16	8	-	-	-
BLACK, MALE												
2000.....	19	11	7	18	8	5	4	3	1	1	1	-
1999.....	17	12	10	6	10	14	5	7	2	-	-	-
BLACK, FEMALE												
2000.....	9	21	20	7	10	9	7	4	2	4	-	-
1999.....	16	13	11	15	15	8	11	9	6	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	2	3	2	3	1	1	-	-	-	-	-
1999.....	3	3	2	1	-	1	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	1	3	1	2	-	-	-	-	-	-	-
1999.....	3	2	-	1	-	1	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	1	-	1	1	1	1	-	-	-	-	-
1999.....	-	1	2	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2	7	2	2	4	2	2	3	-	-	-	-
1999.....	4	1	5	4	2	5	2	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	2	4	1	2	3	-	-	1	-	-	-	-
1999.....	2	-	2	4	2	4	1	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	3	1	-	1	2	2	2	-	-	-	-
1999.....	2	1	3	-	-	1	1	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
ALL RACES, BOTH SEXES												
2000.....	1,415	1,152	1,101	1,353	1,687	2,235	2,794	3,286	3,014	1,798	726	115
1999.....	983	908	952	1,140	1,558	1,945	2,468	2,818	2,799	1,592	589	75
ALL RACES, MALE												
2000.....	966	743	686	832	876	1,100	1,144	1,078	733	331	100	90
1999.....	650	578	603	665	848	949	981	894	699	306	85	56
ALL RACES, FEMALE												
2000.....	449	409	415	521	811	1,135	1,650	2,208	2,281	1,467	626	25
1999.....	333	330	349	475	710	996	1,487	1,924	2,100	1,286	504	19
WHITE, BOTH SEXES												
2000.....	1,087	907	876	1,072	1,446	1,965	2,509	3,015	2,802	1,680	647	83
1999.....	723	694	753	919	1,335	1,680	2,193	2,582	2,596	1,466	520	61
WHITE, MALE												
2000.....	744	574	551	658	750	974	1,036	988	687	308	88	66
1999.....	478	437	482	538	731	824	865	807	640	280	79	47
WHITE, FEMALE												
2000.....	343	333	325	414	696	991	1,473	2,027	2,115	1,372	559	17
1999.....	245	257	271	381	604	856	1,328	1,775	1,956	1,186	441	14
BLACK, BOTH SEXES												
2000.....	298	216	208	256	223	249	260	239	184	95	78	28
1999.....	236	196	182	202	201	239	251	210	183	114	65	11
BLACK, MALE												
2000.....	203	152	123	159	114	116	99	76	39	14	11	21
1999.....	155	132	113	116	105	114	101	74	54	23	6	7
BLACK, FEMALE												
2000.....	95	64	85	97	109	133	161	163	145	81	67	7
1999.....	81	64	69	86	96	125	150	136	129	91	59	4

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	13	13	6	7	4	7	6	11	8	8	-	1
1999.....	11	7	7	8	12	11	16	9	8	6	-	1
AMERICAN INDIAN 1/, MALE												
2000.....	9	8	5	4	3	4	2	4	2	3	-	1
1999.....	10	4	3	5	5	5	10	2	3	2	-	1
AMERICAN INDIAN 1/, FEMALE												
2000.....	4	5	1	3	1	3	4	7	6	5	-	-
1999.....	1	3	4	3	7	6	6	7	5	4	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	17	16	11	18	14	14	19	21	20	15	1	3
1999.....	13	11	10	11	10	15	8	17	12	6	4	2
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	10	9	7	11	9	6	7	10	5	6	1	2
1999.....	7	5	5	6	7	6	5	11	2	1	-	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	7	7	4	7	5	8	12	11	15	9	-	1
1999.....	6	6	5	5	3	9	3	6	10	5	4	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
ALL RACES, BOTH SEXES												
2000.....	7,099	7,152	8,004	10,108	14,899	21,425	26,594	28,517	21,457	9,192	2,126	11
1999.....	6,506	6,676	7,714	10,272	14,893	20,657	24,941	27,390	20,562	8,680	1,967	10
ALL RACES, MALE												
2000.....	4,100	3,967	4,269	5,174	7,147	9,237	9,865	8,712	4,966	1,593	265	11
1999.....	3,762	3,762	4,108	5,154	7,178	8,976	9,519	8,208	4,722	1,443	250	5
ALL RACES, FEMALE												
2000.....	2,999	3,185	3,735	4,934	7,752	12,188	16,729	19,805	16,491	7,599	1,861	-
1999.....	2,744	2,914	3,606	5,118	7,715	11,681	15,422	19,182	15,840	7,237	1,717	5
WHITE, BOTH SEXES												
2000.....	5,526	5,694	6,488	8,481	12,879	19,016	24,061	26,146	19,763	8,434	1,861	8
1999.....	5,006	5,325	6,302	8,560	12,876	18,283	22,704	25,180	19,125	7,962	1,738	6
WHITE, MALE												
2000.....	3,245	3,198	3,443	4,349	6,184	8,195	8,912	7,958	4,509	1,441	225	8
1999.....	2,951	3,029	3,384	4,320	6,243	7,917	8,649	7,474	4,317	1,287	215	3
WHITE, FEMALE												
2000.....	2,281	2,496	3,045	4,132	6,695	10,821	15,149	18,188	15,254	6,993	1,636	-
1999.....	2,055	2,296	2,918	4,240	6,633	10,366	14,055	17,706	14,808	6,675	1,523	3
BLACK, BOTH SEXES												
2000.....	1,413	1,287	1,338	1,423	1,753	2,096	2,192	2,067	1,474	659	240	3
1999.....	1,335	1,208	1,257	1,513	1,772	2,070	1,926	1,918	1,281	636	199	4
BLACK, MALE												
2000.....	767	695	725	724	837	907	822	622	362	130	35	3
1999.....	727	655	636	730	808	914	729	612	336	130	24	2
BLACK, FEMALE												
2000.....	646	592	613	699	916	1,189	1,370	1,445	1,112	529	205	-
1999.....	608	553	621	783	964	1,156	1,197	1,306	945	506	175	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	82	74	60	77	71	74	78	62	43	17	3	-
1999.....	92	76	57	63	71	76	66	58	32	21	12	-
AMERICAN INDIAN 1/, MALE												
2000.....	44	31	30	37	34	27	33	24	17	2	2	-
1999.....	52	41	32	26	31	33	25	16	11	5	2	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	38	43	30	40	37	47	45	38	26	15	1	-
1999.....	40	35	25	37	40	43	41	42	21	16	10	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	78	97	118	127	196	239	263	242	177	82	22	-
1999.....	73	67	98	136	174	228	245	234	124	61	18	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	44	43	71	64	92	108	98	108	78	20	3	-
1999.....	32	37	56	78	96	112	116	106	58	21	9	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	34	54	47	63	104	131	165	134	99	62	19	-
1999.....	41	30	42	58	78	116	129	128	66	40	9	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
ALL RACES, BOTH SEXES												
2000.....	5,408	4,021	3,484	3,375	4,323	5,596	6,162	5,933	3,939	1,419	304	85
1999.....	4,943	3,944	3,341	3,692	4,516	5,772	6,510	6,138	3,954	1,380	257	106
ALL RACES, MALE												
2000.....	3,960	2,804	2,329	2,117	2,522	3,039	3,024	2,563	1,391	397	62	83
1999.....	3,606	2,753	2,262	2,336	2,656	3,096	3,276	2,647	1,397	376	60	94
ALL RACES, FEMALE												
2000.....	1,448	1,217	1,155	1,258	1,801	2,557	3,138	3,370	2,548	1,022	242	2
1999.....	1,337	1,191	1,079	1,356	1,860	2,676	3,234	3,491	2,557	1,004	197	12
WHITE, BOTH SEXES												
2000.....	4,347	3,334	2,941	2,855	3,762	5,039	5,701	5,570	3,693	1,317	272	79
1999.....	3,999	3,248	2,714	3,130	3,897	5,143	5,987	5,696	3,716	1,292	234	89
WHITE, MALE												
2000.....	3,179	2,297	1,945	1,770	2,207	2,712	2,781	2,400	1,290	357	53	77
1999.....	2,917	2,248	1,852	1,975	2,292	2,740	3,018	2,443	1,292	351	54	79
WHITE, FEMALE												
2000.....	1,168	1,037	996	1,085	1,555	2,327	2,920	3,170	2,403	960	219	2
1999.....	1,082	1,000	862	1,155	1,605	2,403	2,969	3,253	2,424	941	180	10
BLACK, BOTH SEXES												
2000.....	879	566	431	417	451	424	354	280	191	80	28	5
1999.....	786	569	497	459	492	506	430	351	200	81	19	16
BLACK, MALE												
2000.....	658	434	316	285	258	253	185	121	79	32	7	5
1999.....	594	422	333	300	300	285	203	163	80	22	5	14
BLACK, FEMALE												
2000.....	221	132	115	132	193	171	169	159	112	48	21	-
1999.....	192	147	164	159	192	221	227	188	120	59	14	2

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	89	55	39	31	32	29	22	13	6	3	2	1
1999.....	67	52	53	46	36	36	23	16	5	3	2	-
AMERICAN INDIAN 1/, MALE												
2000.....	70	34	22	17	19	20	12	9	2	1	-	1
1999.....	47	42	33	29	22	18	11	7	1	1	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	19	21	17	14	13	9	10	4	4	2	2	-
1999.....	20	10	20	17	14	18	12	9	4	2	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	93	66	73	72	78	104	85	70	49	19	2	-
1999.....	91	75	77	57	91	87	70	75	33	4	2	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	53	39	46	45	38	54	46	33	20	7	2	-
1999.....	48	41	44	32	42	53	44	34	24	2	-	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	40	27	27	27	40	50	39	37	29	12	-	-
1999.....	43	34	33	25	49	34	26	41	9	2	2	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
ALL RACES, BOTH SEXES												
2000.....	2,717	2,115	1,768	1,599	1,716	1,860	1,482	985	298	49	3	33
1999.....	2,524	2,131	1,681	1,727	1,852	1,902	1,566	964	311	50	5	37
ALL RACES, MALE												
2000.....	1,922	1,456	1,161	996	1,025	1,050	808	539	167	27	1	33
1999.....	1,782	1,454	1,107	1,091	1,071	1,089	870	551	179	25	3	34
ALL RACES, FEMALE												
2000.....	795	659	607	603	691	810	674	446	131	22	2	-
1999.....	742	677	574	636	781	813	696	413	132	25	2	3
WHITE, BOTH SEXES												
2000.....	2,245	1,796	1,523	1,375	1,503	1,683	1,377	914	275	44	3	31
1999.....	2,102	1,802	1,412	1,497	1,637	1,716	1,438	888	281	45	4	28
WHITE, MALE												
2000.....	1,598	1,226	987	845	899	942	743	503	154	25	1	31
1999.....	1,494	1,230	931	950	946	977	796	503	163	20	2	26
WHITE, FEMALE												
2000.....	647	570	536	530	604	741	634	411	121	19	2	-
1999.....	608	572	481	547	691	739	642	385	118	25	2	2
BLACK, BOTH SEXES												
2000.....	361	244	180	165	160	109	74	50	16	3	-	1
1999.....	323	246	190	163	155	138	98	59	22	5	1	9
BLACK, MALE												
2000.....	258	188	133	120	100	73	47	27	10	2	-	1
1999.....	236	173	134	105	93	85	56	41	11	5	1	8
BLACK, FEMALE												
2000.....	103	56	47	45	60	36	27	23	6	1	-	-
1999.....	87	73	56	58	62	53	42	18	11	-	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	43	26	24	19	15	14	5	3	2	1	-	1
1999.....	39	36	23	27	17	14	9	1	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	32	12	13	9	10	9	4	2	1	-	-	1
1999.....	27	28	14	14	12	9	5	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	11	14	11	10	5	5	1	1	1	1	-	-
1999.....	12	8	9	13	5	5	4	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	68	49	41	40	38	54	26	18	5	1	-	-
1999.....	60	47	56	40	43	34	21	16	8	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	34	30	28	22	16	26	14	7	2	-	-	-
1999.....	25	23	28	22	20	18	13	7	5	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	34	19	13	18	22	28	12	11	3	1	-	-
1999.....	35	24	28	18	23	16	8	9	3	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
ALL RACES, BOTH SEXES												
2000.....	2,425	1,917	1,589	1,436	1,602	1,764	1,409	953	285	47	3	26
1999.....	2,225	1,885	1,485	1,565	1,711	1,772	1,471	920	291	46	4	30
ALL RACES, MALE												
2000.....	1,689	1,293	1,013	870	932	980	759	517	161	27	1	26
1999.....	1,537	1,250	950	969	962	1,012	815	524	164	24	2	27
ALL RACES, FEMALE												
2000.....	736	624	576	566	670	784	650	436	124	20	2	-
1999.....	688	635	535	596	749	760	656	396	127	22	2	3
WHITE, BOTH SEXES												
2000.....	1,989	1,622	1,362	1,234	1,402	1,598	1,308	885	262	43	3	24
1999.....	1,847	1,587	1,244	1,356	1,512	1,603	1,355	849	263	41	4	22
WHITE, MALE												
2000.....	1,392	1,085	852	736	816	879	696	482	148	25	1	24
1999.....	1,284	1,051	798	841	851	907	748	480	150	19	2	20
WHITE, FEMALE												
2000.....	597	537	510	498	586	719	612	403	114	18	2	-
1999.....	563	536	446	515	661	696	607	369	113	22	2	2
BLACK, BOTH SEXES												
2000.....	342	225	169	150	151	102	71	47	16	2	-	1
1999.....	288	224	169	150	145	128	90	54	21	5	-	8
BLACK, MALE												
2000.....	242	171	124	107	94	68	46	26	10	2	-	1
1999.....	207	155	116	96	84	82	52	37	10	5	-	7
BLACK, FEMALE												
2000.....	100	54	45	43	57	34	25	21	6	-	-	-
1999.....	81	69	53	54	61	46	38	17	11	-	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	37	24	23	17	14	13	5	3	2	1	-	1
1999.....	35	30	21	23	14	14	9	1	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	26	10	13	9	9	8	4	2	1	-	-	1
1999.....	25	23	13	12	9	9	5	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	11	14	10	8	5	5	1	1	1	1	-	-
1999.....	10	7	8	11	5	5	4	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	57	46	35	35	35	51	25	18	5	1	-	-
1999.....	55	44	51	36	40	27	17	16	7	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	29	27	24	18	13	25	13	7	2	-	-	-
1999.....	21	21	23	20	18	14	10	7	4	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	28	19	11	17	22	26	12	11	3	1	-	-
1999.....	34	23	28	16	22	13	7	9	3	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)												
ALL RACES, BOTH SEXES												
2000.....	109	64	58	52	48	51	40	22	12	1	-	7
1999.....	125	101	81	79	66	92	67	34	16	3	1	7
ALL RACES, MALE												
2000.....	74	48	50	38	37	33	24	14	5	-	-	7
1999.....	99	77	58	52	45	51	37	20	13	1	1	7
ALL RACES, FEMALE												
2000.....	35	16	8	14	11	18	16	8	7	1	-	-
1999.....	26	24	23	27	21	41	30	14	3	2	-	-
WHITE, BOTH SEXES												
2000.....	92	50	51	43	42	44	36	20	12	-	-	7
1999.....	104	90	71	66	57	79	60	31	14	3	-	6
WHITE, MALE												
2000.....	62	36	46	30	32	30	22	14	5	-	-	7
1999.....	82	69	50	46	38	45	33	18	11	1	-	6
WHITE, FEMALE												
2000.....	30	14	5	13	10	14	14	6	7	-	-	-
1999.....	22	21	21	20	19	34	27	13	3	2	-	-
BLACK, BOTH SEXES												
2000.....	10	11	4	7	3	4	3	2	-	1	-	-
1999.....	18	11	6	8	6	8	3	3	1	-	1	1
BLACK, MALE												
2000.....	7	9	3	7	2	2	1	-	-	-	-	-
1999.....	15	8	4	4	5	2	1	2	1	-	1	1
BLACK, FEMALE												
2000.....	3	2	1	-	1	2	2	2	-	1	-	-
1999.....	3	3	2	4	1	6	2	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	3	1	1	1	-	-	-	-	-	-	-	-
1999.....	1	-	1	3	1	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	3	1	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	2	1	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	1	1	-	-	-	-	-	-	-	-
1999.....	1	-	-	1	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	4	2	2	1	3	3	1	-	-	-	-	-
1999.....	2	-	3	2	2	5	4	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	2	2	1	1	3	1	1	-	-	-	-	-
1999.....	2	-	3	-	1	4	3	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	-	1	-	-	2	-	-	-	-	-	-
1999.....	-	-	-	2	1	1	1	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)												
ALL RACES, BOTH SEXES												
2000.....	183	134	121	111	66	45	33	10	1	1	-	-
1999.....	174	145	115	83	75	38	28	10	4	1	-	-
ALL RACES, MALE												
2000.....	159	115	98	88	56	37	25	8	1	-	-	-
1999.....	146	127	99	70	64	26	18	7	2	-	-	-
ALL RACES, FEMALE												
2000.....	24	19	23	23	10	8	8	2	-	1	-	-
1999.....	28	18	16	13	11	12	10	3	2	1	-	-
WHITE, BOTH SEXES												
2000.....	164	124	110	98	59	41	33	9	1	1	-	-
1999.....	151	125	97	75	68	34	23	8	4	1	-	-
WHITE, MALE												
2000.....	144	105	89	79	51	33	25	7	1	-	-	-
1999.....	128	110	83	63	57	25	15	5	2	-	-	-
WHITE, FEMALE												
2000.....	20	19	21	19	8	8	8	2	-	1	-	-
1999.....	23	15	14	12	11	9	8	3	2	1	-	-
BLACK, BOTH SEXES												
2000.....	9	8	7	8	6	3	-	1	-	-	-	-
1999.....	17	11	15	5	4	2	5	2	-	-	-	-
BLACK, MALE												
2000.....	9	8	6	6	4	3	-	1	-	-	-	-
1999.....	14	10	14	5	4	1	3	2	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	1	2	2	-	-	-	-	-	-	-
1999.....	3	1	1	-	-	1	2	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	3	1	-	1	1	1	-	-	-	-	-	-
1999.....	3	6	1	1	2	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	3	1	-	-	1	1	-	-	-	-	-	-
1999.....	2	5	-	-	2	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	1	-	-	-	-	-	-	-	-
1999.....	1	1	1	1	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	7	1	4	4	-	-	-	-	-	-	-	-
1999.....	3	3	2	2	1	2	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	3	1	3	3	-	-	-	-	-	-	-	-
1999.....	2	2	2	2	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	4	-	1	1	-	-	-	-	-	-	-	-
1999.....	1	1	-	-	-	2	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Nontransport accidents (W00-X59,Y86)												
ALL RACES, BOTH SEXES												
2000.....	2,691	1,906	1,716	1,776	2,607	3,736	4,680	4,948	3,641	1,370	301	52
1999.....	2,419	1,813	1,660	1,965	2,664	3,870	4,944	5,174	3,643	1,330	252	69
ALL RACES, MALE												
2000.....	2,038	1,348	1,168	1,121	1,497	1,989	2,216	2,024	1,224	370	61	50
1999.....	1,824	1,299	1,155	1,245	1,585	2,007	2,406	2,096	1,218	351	57	60
ALL RACES, FEMALE												
2000.....	653	558	548	655	1,110	1,747	2,464	2,924	2,417	1,000	240	2
1999.....	595	514	505	720	1,079	1,863	2,538	3,078	2,425	979	195	9
WHITE, BOTH SEXES												
2000.....	2,102	1,538	1,418	1,480	2,259	3,356	4,324	4,656	3,418	1,273	269	48
1999.....	1,897	1,446	1,302	1,633	2,260	3,427	4,549	4,808	3,435	1,247	230	61
WHITE, MALE												
2000.....	1,581	1,071	958	925	1,308	1,770	2,038	1,897	1,136	332	52	46
1999.....	1,423	1,018	921	1,025	1,346	1,763	2,222	1,940	1,129	331	52	53
WHITE, FEMALE												
2000.....	521	467	460	555	951	1,586	2,286	2,759	2,282	941	217	2
1999.....	474	428	381	608	914	1,664	2,327	2,868	2,306	916	178	8
BLACK, BOTH SEXES												
2000.....	518	322	251	252	291	315	280	230	175	77	28	4
1999.....	463	323	307	296	337	368	332	292	178	76	18	7
BLACK, MALE												
2000.....	400	246	183	165	158	180	138	94	69	30	7	4
1999.....	358	249	199	195	207	200	147	122	69	17	4	6
BLACK, FEMALE												
2000.....	118	76	68	87	133	135	142	136	106	47	21	-
1999.....	105	74	108	101	130	168	185	170	109	59	14	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Nontransport accidents (W00-X59,Y86)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	46	29	15	12	17	15	17	10	4	2	2	-
1999.....	28	16	30	19	19	22	14	15	5	3	2	-
AMERICAN INDIAN 1/, MALE												
2000.....	38	22	9	8	9	11	8	7	1	1	-	-
1999.....	20	14	19	15	10	9	6	7	1	1	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	8	7	6	4	8	4	9	3	3	1	2	-
1999.....	8	2	11	4	9	13	8	8	4	2	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	25	17	32	32	40	50	59	52	44	18	2	-
1999.....	31	28	21	17	48	53	49	59	25	4	2	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	19	9	18	23	22	28	32	26	18	7	2	-
1999.....	23	18	16	10	22	35	31	27	19	2	-	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	6	8	14	9	18	22	27	26	26	11	-	-
1999.....	8	10	5	7	26	18	18	32	6	2	2	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Falls (W00-W19)												
ALL RACES, BOTH SEXES												
2000.....	462	448	501	595	1,065	1,641	2,200	2,352	1,682	618	120	-
1999.....	377	398	489	663	1,000	1,636	2,220	2,308	1,625	533	112	4
ALL RACES, MALE												
2000.....	358	326	354	378	613	895	1,052	992	592	173	27	-
1999.....	295	296	354	433	594	840	1,110	964	568	140	29	4
ALL RACES, FEMALE												
2000.....	104	122	147	217	452	746	1,148	1,360	1,090	445	93	-
1999.....	82	102	135	230	406	796	1,110	1,344	1,057	393	83	-
WHITE, BOTH SEXES												
2000.....	377	374	428	514	966	1,539	2,088	2,262	1,613	584	111	-
1999.....	301	324	398	575	894	1,518	2,114	2,206	1,551	506	103	4
WHITE, MALE												
2000.....	289	269	305	326	563	833	997	951	559	159	25	-
1999.....	237	239	291	372	532	771	1,057	915	535	131	28	4
WHITE, FEMALE												
2000.....	88	105	123	188	403	706	1,091	1,311	1,054	425	86	-
1999.....	64	85	107	203	362	747	1,057	1,291	1,016	375	75	-
BLACK, BOTH SEXES												
2000.....	67	60	56	64	73	65	72	50	46	21	7	-
1999.....	64	59	72	81	70	75	80	59	55	21	7	-
BLACK, MALE												
2000.....	54	47	42	41	37	39	31	20	23	9	1	-
1999.....	49	45	48	57	43	43	36	23	20	6	1	-
BLACK, FEMALE												
2000.....	13	13	14	23	36	26	41	30	23	12	6	-
1999.....	15	14	24	24	27	32	44	36	35	15	6	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Falls (W00-W19)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	11	7	5	-	6	9	3	6	2	2	1	-
1999.....	5	3	9	1	9	5	3	8	3	3	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	10	6	1	-	2	8	2	5	1	1	-	-
1999.....	3	2	6	-	4	1	-	4	1	1	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	1	4	-	4	1	1	1	1	1	1	-
1999.....	2	1	3	1	5	4	3	4	2	2	1	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	7	7	12	17	20	28	37	34	21	11	1	-
1999.....	7	12	10	6	27	38	23	35	16	3	1	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	5	4	6	11	11	15	22	16	9	4	1	-
1999.....	6	10	9	4	15	25	17	22	12	2	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	3	6	6	9	13	15	18	12	7	-	-
1999.....	1	2	1	2	12	13	6	13	4	1	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Accidental discharge of firearms (W32-W34)												
ALL RACES, BOTH SEXES												
2000.....	40	36	14	24	17	17	7	7	4	-	-	-
1999.....	41	25	23	15	18	15	8	8	2	-	-	-
ALL RACES, MALE												
2000.....	38	30	14	20	14	16	7	7	4	-	-	-
1999.....	32	22	19	13	18	13	7	5	2	-	-	-
ALL RACES, FEMALE												
2000.....	2	6	-	4	3	1	-	-	-	-	-	-
1999.....	9	3	4	2	-	2	1	3	-	-	-	-
WHITE, BOTH SEXES												
2000.....	37	34	13	22	15	16	6	7	4	-	-	-
1999.....	36	21	20	13	17	13	7	8	2	-	-	-
WHITE, MALE												
2000.....	35	28	13	19	12	15	6	7	4	-	-	-
1999.....	27	19	18	11	17	11	6	5	2	-	-	-
WHITE, FEMALE												
2000.....	2	6	-	3	3	1	-	-	-	-	-	-
1999.....	9	2	2	2	-	2	1	3	-	-	-	-
BLACK, BOTH SEXES												
2000.....	3	2	1	1	2	-	1	-	-	-	-	-
1999.....	5	4	3	2	1	2	1	-	-	-	-	-
BLACK, MALE												
2000.....	3	2	1	-	2	-	1	-	-	-	-	-
1999.....	5	3	1	2	1	2	1	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	1	-	-	-	-	-	-	-	-
1999.....	-	1	2	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Accidental discharge of firearms (W32-W34)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	1	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	1	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	1	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
ALL RACES, BOTH SEXES												
2000.....	172	120	97	80	99	71	85	37	19	8	-	24
1999.....	172	122	97	84	101	88	70	45	16	7	-	34
ALL RACES, MALE												
2000.....	143	102	77	63	70	38	50	22	7	5	-	23
1999.....	145	95	75	64	65	63	48	19	6	3	-	30
ALL RACES, FEMALE												
2000.....	29	18	20	17	29	33	35	15	12	3	-	1
1999.....	27	27	22	20	36	25	22	26	10	4	-	4
WHITE, BOTH SEXES												
2000.....	130	105	82	70	86	58	79	34	16	6	-	23
1999.....	142	99	82	72	82	74	64	39	16	5	-	32
WHITE, MALE												
2000.....	107	89	70	55	59	31	50	20	7	3	-	22
1999.....	122	76	63	53	53	53	44	17	6	3	-	28
WHITE, FEMALE												
2000.....	23	16	12	15	27	27	29	14	9	3	-	1
1999.....	20	23	19	19	29	21	20	22	10	2	-	4
BLACK, BOTH SEXES												
2000.....	29	9	8	7	8	9	3	3	2	2	-	1
1999.....	20	19	10	9	12	11	4	3	-	2	-	1
BLACK, MALE												
2000.....	24	8	5	6	7	4	-	2	-	2	-	1
1999.....	18	16	7	8	9	8	3	2	-	-	-	1
BLACK, FEMALE												
2000.....	5	1	3	1	1	5	3	1	2	-	-	-
1999.....	2	3	3	1	3	3	1	1	-	2	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	6	3	1	1	1	-	-	-	-	-	-	-
1999.....	5	2	2	1	2	1	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	5	3	1	1	1	-	-	-	-	-	-	-
1999.....	2	2	2	1	2	1	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	3	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	7	3	6	2	4	4	3	-	1	-	-	-
1999.....	5	2	3	2	5	2	2	3	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	7	2	1	1	3	3	-	-	-	-	-	-
1999.....	3	1	3	2	1	1	1	-	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	1	5	1	1	1	3	-	1	-	-	-
1999.....	2	1	-	-	4	1	1	3	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
ALL RACES, BOTH SEXES												
2000.....	225	187	182	188	213	257	215	158	78	24	3	5
1999.....	170	157	162	193	223	258	229	150	74	18	3	4
ALL RACES, MALE												
2000.....	158	126	115	107	125	136	108	69	34	11	1	5
1999.....	110	98	96	111	133	128	119	67	34	9	1	4
ALL RACES, FEMALE												
2000.....	67	61	67	81	88	121	107	89	44	13	2	-
1999.....	60	59	66	82	90	130	110	83	40	9	2	-
WHITE, BOTH SEXES												
2000.....	175	129	131	139	158	189	156	129	51	17	-	5
1999.....	127	123	112	136	157	187	173	108	53	13	2	3
WHITE, MALE												
2000.....	122	89	80	76	93	100	81	61	22	8	-	5
1999.....	82	74	75	77	92	89	95	52	26	7	1	3
WHITE, FEMALE												
2000.....	53	40	51	63	65	89	75	68	29	9	-	-
1999.....	45	49	37	59	65	98	78	56	27	6	1	-
BLACK, BOTH SEXES												
2000.....	48	53	49	45	53	64	57	29	26	7	3	-
1999.....	41	34	46	52	61	67	53	41	21	5	1	1
BLACK, MALE												
2000.....	34	35	34	29	31	35	26	8	12	3	1	-
1999.....	27	24	20	30	39	36	23	15	8	2	-	1
BLACK, FEMALE												
2000.....	14	18	15	16	22	29	31	21	14	4	2	-
1999.....	14	10	26	22	22	31	30	26	13	3	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	3	2	1	1	1	-	-	-	-	-	-
1999.....	1	-	3	5	1	3	3	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	1	1	-	1	1	-	-	-	-	-	-
1999.....	1	-	-	4	1	2	1	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	2	1	1	-	-	-	-	-	-	-	-
1999.....	-	-	3	1	-	1	2	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	2	-	3	1	3	2	-	1	-	-	-
1999.....	1	-	1	-	4	1	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	1	-	2	-	-	1	-	-	-	-	-
1999.....	-	-	1	-	1	1	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	1	-	1	1	3	1	-	1	-	-	-
1999.....	1	-	-	-	3	-	-	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
ALL RACES, BOTH SEXES												
2000.....	1,069	447	241	146	132	118	127	109	60	14	1	7
1999.....	918	449	219	158	142	138	127	100	31	12	-	12
ALL RACES, MALE												
2000.....	768	260	141	79	68	49	53	51	23	2	-	6
1999.....	650	298	150	98	74	63	53	38	10	5	-	8
ALL RACES, FEMALE												
2000.....	301	187	100	67	64	69	74	58	37	12	1	1
1999.....	268	151	69	60	68	75	74	62	21	7	-	4
WHITE, BOTH SEXES												
2000.....	790	349	194	122	111	111	118	92	54	11	-	6
1999.....	685	353	157	127	113	128	117	84	29	10	-	9
WHITE, MALE												
2000.....	558	187	105	60	55	46	49	43	21	1	-	5
1999.....	469	221	100	77	61	58	49	35	10	4	-	6
WHITE, FEMALE												
2000.....	232	162	89	62	56	65	69	49	33	10	-	1
1999.....	216	132	57	50	52	70	68	49	19	6	-	3
BLACK, BOTH SEXES												
2000.....	266	92	43	24	19	7	8	16	6	3	1	1
1999.....	217	85	59	26	24	10	8	14	2	2	-	3
BLACK, MALE												
2000.....	199	70	34	19	12	3	4	8	2	1	-	1
1999.....	170	70	47	18	12	5	4	3	-	1	-	2
BLACK, FEMALE												
2000.....	67	22	9	5	7	4	4	8	4	2	1	-
1999.....	47	15	12	8	12	5	4	11	2	1	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	8	3	-	-	1	-	-	1	-	-	-	-
1999.....	6	5	1	3	1	-	-	1	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	8	2	-	-	-	-	-	-	-	-	-	-
1999.....	3	5	1	2	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	1	-	-	1	-	-	1	-	-	-	-
1999.....	3	-	-	1	1	-	-	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	5	3	4	-	1	-	1	-	-	-	-	-
1999.....	10	6	2	2	4	-	2	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	3	1	2	-	1	-	-	-	-	-	-	-
1999.....	8	2	2	1	1	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	2	2	-	-	-	1	-	-	-	-	-
1999.....	2	4	-	1	3	-	2	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)												
ALL RACES, BOTH SEXES												
2000.....	723	668	681	743	1,081	1,632	2,046	2,285	1,798	706	177	16
1999.....	741	662	670	852	1,180	1,735	2,290	2,563	1,895	760	137	15
ALL RACES, MALE												
2000.....	573	504	467	474	607	855	946	883	564	179	33	16
1999.....	592	490	461	526	701	900	1,069	1,003	598	194	27	14
ALL RACES, FEMALE												
2000.....	150	164	214	269	474	777	1,100	1,402	1,234	527	144	-
1999.....	149	172	209	326	479	835	1,221	1,560	1,297	566	110	1
WHITE, BOTH SEXES												
2000.....	593	547	570	613	923	1,443	1,877	2,132	1,680	655	158	14
1999.....	606	526	533	710	997	1,507	2,074	2,363	1,784	713	125	13
WHITE, MALE												
2000.....	470	409	385	389	526	745	855	815	523	161	27	14
1999.....	486	389	374	435	591	781	971	916	550	186	23	12
WHITE, FEMALE												
2000.....	123	138	185	224	397	698	1,022	1,317	1,157	494	131	-
1999.....	120	137	159	275	406	726	1,103	1,447	1,234	527	102	1
BLACK, BOTH SEXES												
2000.....	105	106	94	111	136	170	139	132	95	44	17	2
1999.....	116	122	117	126	169	203	186	175	100	46	10	2
BLACK, MALE												
2000.....	86	84	67	70	69	99	76	56	32	15	5	2
1999.....	89	91	76	80	103	106	80	79	41	8	3	2
BLACK, FEMALE												
2000.....	19	22	27	41	67	71	63	76	63	29	12	-
1999.....	27	31	41	46	66	97	106	96	59	38	7	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	20	13	7	9	8	5	14	3	2	-	1	-
1999.....	11	6	15	9	6	13	8	6	2	-	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	14	10	6	6	5	2	6	2	-	-	-	-
1999.....	11	5	10	8	3	5	5	3	-	-	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	6	3	1	3	3	3	8	1	2	-	1	-
1999.....	-	1	5	1	3	8	3	3	2	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	5	2	10	10	14	14	16	18	21	7	1	-
1999.....	8	8	5	7	8	12	22	19	9	1	1	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	3	1	9	9	7	9	9	10	9	3	1	-
1999.....	6	5	1	3	4	8	13	5	7	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	2	1	1	1	7	5	7	8	12	4	-	-
1999.....	2	3	4	4	4	4	9	14	2	1	1	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
ALL RACES, BOTH SEXES												
2000.....	2,450	1,708	1,237	1,073	1,219	1,227	954	590	205	34	4	7
1999.....	2,264	1,678	1,218	1,187	1,284	1,280	937	580	182	39	-	16
ALL RACES, MALE												
2000.....	1,842	1,306	959	870	1,018	1,062	822	507	168	26	4	7
1999.....	1,702	1,284	971	972	1,079	1,073	795	501	150	30	-	16
ALL RACES, FEMALE												
2000.....	608	402	278	203	201	165	132	83	37	8	-	-
1999.....	562	394	247	215	205	207	142	79	32	9	-	-
WHITE, BOTH SEXES												
2000.....	2,273	1,604	1,171	1,017	1,151	1,174	916	574	198	32	2	6
1999.....	2,121	1,567	1,131	1,104	1,226	1,226	903	563	178	38	-	13
WHITE, MALE												
2000.....	1,706	1,225	908	823	961	1,020	797	495	162	24	2	6
1999.....	1,586	1,196	903	911	1,029	1,031	770	487	148	29	-	13
WHITE, FEMALE												
2000.....	567	379	263	194	190	154	119	79	36	8	-	-
1999.....	535	371	228	193	197	195	133	76	30	9	-	-
BLACK, BOTH SEXES												
2000.....	119	62	41	39	46	30	23	9	2	-	1	-
1999.....	84	68	50	58	38	35	17	10	4	1	-	2
BLACK, MALE												
2000.....	90	51	31	36	40	25	15	8	2	-	1	-
1999.....	71	55	42	47	33	30	15	9	2	1	-	2
BLACK, FEMALE												
2000.....	29	11	10	3	6	5	8	1	-	-	-	-
1999.....	13	13	8	11	5	5	2	1	2	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	15	13	3	3	5	1	-	-	-	-	-	-
1999.....	11	8	4	4	5	-	2	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	13	12	3	3	5	1	-	-	-	-	-	-
1999.....	7	5	2	4	5	-	2	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	1	-	-	-	-	-	-	-	-	-	-
1999.....	4	3	2	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	43	29	22	14	17	22	15	7	5	2	1	1
1999.....	48	35	33	21	15	19	15	7	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	33	18	17	8	12	16	10	4	4	2	1	1
1999.....	38	28	24	10	12	12	8	5	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	10	11	5	6	5	6	5	3	1	-	-	-
1999.....	10	7	9	11	3	7	7	2	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
ALL RACES, BOTH SEXES												
2000.....	1,367	1,001	832	791	909	917	694	410	129	18	1	5
1999.....	1,215	1,058	802	827	964	946	660	399	102	23	-	5
ALL RACES, MALE												
2000.....	1,146	854	714	698	830	856	649	388	119	18	1	5
1999.....	1,030	882	712	742	873	875	624	376	99	21	-	5
ALL RACES, FEMALE												
2000.....	221	147	118	93	79	61	45	22	10	-	-	-
1999.....	185	176	90	85	91	71	36	23	3	2	-	-
WHITE, BOTH SEXES												
2000.....	1,290	941	791	759	867	894	679	403	126	17	1	4
1999.....	1,154	998	756	785	929	917	640	390	100	22	-	5
WHITE, MALE												
2000.....	1,083	800	679	667	790	836	637	381	116	17	1	4
1999.....	974	827	672	707	838	849	605	368	97	20	-	5
WHITE, FEMALE												
2000.....	207	141	112	92	77	58	42	22	10	-	-	-
1999.....	180	171	84	78	91	68	35	22	3	2	-	-
BLACK, BOTH SEXES												
2000.....	61	39	33	28	34	19	13	6	2	-	-	-
1999.....	43	46	36	36	29	28	15	9	2	1	-	-
BLACK, MALE												
2000.....	48	35	27	27	33	17	10	6	2	-	-	-
1999.....	40	42	32	30	29	25	14	8	2	1	-	-
BLACK, FEMALE												
2000.....	13	4	6	1	1	2	3	-	-	-	-	-
1999.....	3	4	4	6	-	3	1	1	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	10	8	3	3	4	1	-	-	-	-	-	-
1999.....	6	1	3	3	3	-	2	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	9	8	3	3	4	1	-	-	-	-	-	-
1999.....	5	1	2	3	3	-	2	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	1	-	1	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	6	13	5	1	4	3	2	1	1	1	-	1
1999.....	12	13	7	3	3	1	3	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	6	11	5	1	3	2	2	1	1	1	-	1
1999.....	11	12	6	2	3	1	3	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	2	-	-	1	1	-	-	-	-	-	-
1999.....	1	1	1	1	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)												
ALL RACES, BOTH SEXES												
2000.....	1,083	707	405	282	310	310	260	180	76	16	3	2
1999.....	1,049	620	416	360	320	334	277	181	80	16	-	11
ALL RACES, MALE												
2000.....	696	452	245	172	188	206	173	119	49	8	3	2
1999.....	672	402	259	230	206	198	171	125	51	9	-	11
ALL RACES, FEMALE												
2000.....	387	255	160	110	122	104	87	61	27	8	-	-
1999.....	377	218	157	130	114	136	106	56	29	7	-	-
WHITE, BOTH SEXES												
2000.....	983	663	380	258	284	280	237	171	72	15	1	2
1999.....	967	569	375	319	297	309	263	173	78	16	-	8
WHITE, MALE												
2000.....	623	425	229	156	171	184	160	114	46	7	1	2
1999.....	612	369	231	204	191	182	165	119	51	9	-	8
WHITE, FEMALE												
2000.....	360	238	151	102	113	96	77	57	26	8	-	-
1999.....	355	200	144	115	106	127	98	54	27	7	-	-
BLACK, BOTH SEXES												
2000.....	58	23	8	11	12	11	10	3	-	-	1	-
1999.....	41	22	14	22	9	7	2	1	2	-	-	2
BLACK, MALE												
2000.....	42	16	4	9	7	8	5	2	-	-	1	-
1999.....	31	13	10	17	4	5	1	1	-	-	-	2
BLACK, FEMALE												
2000.....	16	7	4	2	5	3	5	1	-	-	-	-
1999.....	10	9	4	5	5	2	1	-	2	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	5	5	-	-	1	-	-	-	-	-	-	-
1999.....	5	7	1	1	2	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	4	4	-	-	1	-	-	-	-	-	-	-
1999.....	2	4	-	1	2	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	1	-	-	-	-	-	-	-	-	-	-
1999.....	3	3	1	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	37	16	17	13	13	19	13	6	4	1	1	-
1999.....	36	22	26	18	12	18	12	7	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	27	7	12	7	9	14	8	3	3	1	1	-
1999.....	27	16	18	8	9	11	5	5	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	10	9	5	6	4	5	5	3	1	-	-	-
1999.....	9	6	8	10	3	7	7	2	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
ALL RACES, BOTH SEXES												
2000.....	696	455	283	233	210	172	129	68	23	8	1	30
1999.....	670	420	302	259	214	185	119	65	24	10	-	49
ALL RACES, MALE												
2000.....	511	338	199	147	132	85	69	25	10	5	-	15
1999.....	483	323	218	183	121	101	61	28	8	5	-	33
ALL RACES, FEMALE												
2000.....	185	117	84	86	78	87	60	43	13	3	1	15
1999.....	187	97	84	76	93	84	58	37	16	5	-	16
WHITE, BOTH SEXES												
2000.....	432	309	188	150	153	138	89	57	18	7	1	25
1999.....	429	287	209	193	160	133	92	51	21	7	-	34
WHITE, MALE												
2000.....	295	224	126	86	90	67	42	20	7	4	-	13
1999.....	308	210	146	130	86	70	47	19	6	4	-	23
WHITE, FEMALE												
2000.....	137	85	62	64	63	71	47	37	11	3	1	12
1999.....	121	77	63	63	74	63	45	32	15	3	-	11
BLACK, BOTH SEXES												
2000.....	231	123	81	74	51	30	34	8	5	1	-	4
1999.....	198	116	79	60	44	46	21	13	3	3	-	14
BLACK, MALE												
2000.....	193	97	63	58	37	16	23	3	3	1	-	1
1999.....	150	100	60	50	30	29	10	8	2	1	-	10
BLACK, FEMALE												
2000.....	38	26	18	16	14	14	11	5	2	-	-	3
1999.....	48	16	19	10	14	17	11	5	1	2	-	4

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	9	2	4	2	2	2	-	2	-	-	-	1
1999.....	18	8	3	3	4	2	3	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	7	1	3	1	2	1	-	2	-	-	-	1
1999.....	13	6	3	3	3	1	3	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	2	1	1	1	-	1	-	-	-	-	-	-
1999.....	5	2	-	-	1	1	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	24	21	10	7	4	2	6	1	-	-	-	-
1999.....	25	9	11	3	6	4	3	1	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	16	16	7	2	3	1	4	-	-	-	-	-
1999.....	12	7	9	-	2	1	1	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	8	5	3	5	1	1	2	1	-	-	-	-
1999.....	13	2	2	3	4	3	2	-	-	-	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)												
ALL RACES, BOTH SEXES												
2000.....	377	235	132	99	85	54	27	23	4	1	-	12
1999.....	342	206	167	102	91	61	34	17	4	2	-	15
ALL RACES, MALE												
2000.....	285	172	94	58	50	23	14	6	2	1	-	7
1999.....	250	167	127	68	56	34	14	7	2	1	-	14
ALL RACES, FEMALE												
2000.....	92	63	38	41	35	31	13	17	2	-	-	5
1999.....	92	39	40	34	35	27	20	10	2	1	-	1
WHITE, BOTH SEXES												
2000.....	229	165	95	70	64	47	17	19	4	1	-	10
1999.....	213	139	113	79	69	43	29	16	4	1	-	10
WHITE, MALE												
2000.....	160	117	60	37	33	20	5	5	2	1	-	5
1999.....	162	106	80	50	40	20	11	6	2	1	-	9
WHITE, FEMALE												
2000.....	69	48	35	33	31	27	12	14	2	-	-	5
1999.....	51	33	33	29	29	23	18	10	2	-	-	1
BLACK, BOTH SEXES												
2000.....	131	56	29	25	20	7	10	4	-	-	-	1
1999.....	104	59	45	20	19	17	4	1	-	1	-	5
BLACK, MALE												
2000.....	113	43	26	20	17	3	9	1	-	-	-	1
1999.....	77	55	39	17	14	14	2	1	-	-	-	5
BLACK, FEMALE												
2000.....	18	13	3	5	3	4	1	3	-	-	-	-
1999.....	27	4	6	3	5	3	2	-	-	1	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	2	-	2	1	-	-	-	-	-	-	-	1
1999.....	8	2	2	1	2	-	1	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	-	2	-	-	-	-	-	-	-	-	1
1999.....	5	2	2	1	2	-	1	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	-	1	-	-	-	-	-	-	-	-
1999.....	3	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	15	14	6	3	1	-	-	-	-	-	-	-
1999.....	17	6	7	2	1	1	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	11	12	6	1	-	-	-	-	-	-	-	-
1999.....	6	4	6	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	4	2	-	2	1	-	-	-	-	-	-	-
1999.....	11	2	1	2	1	1	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)												
ALL RACES, BOTH SEXES												
2000.....	319	220	151	134	125	118	102	45	19	7	1	18
1999.....	328	214	135	157	123	124	85	48	20	8	-	34
ALL RACES, MALE												
2000.....	226	166	105	89	82	62	55	19	8	4	-	8
1999.....	233	156	91	115	65	67	47	21	6	4	-	19
ALL RACES, FEMALE												
2000.....	93	54	46	45	43	56	47	26	11	3	1	10
1999.....	95	58	44	42	58	57	38	27	14	4	-	15
WHITE, BOTH SEXES												
2000.....	203	144	93	80	89	91	72	38	14	6	1	15
1999.....	216	148	96	114	91	90	63	35	17	6	-	24
WHITE, MALE												
2000.....	135	107	66	49	57	47	37	15	5	3	-	8
1999.....	146	104	66	80	46	50	36	13	4	3	-	14
WHITE, FEMALE												
2000.....	68	37	27	31	32	44	35	23	9	3	1	7
1999.....	70	44	30	34	45	40	27	22	13	3	-	10
BLACK, BOTH SEXES												
2000.....	100	67	52	49	31	23	24	4	5	1	-	3
1999.....	94	57	34	40	25	29	17	12	3	2	-	9
BLACK, MALE												
2000.....	80	54	37	38	20	13	14	2	3	1	-	-
1999.....	73	45	21	33	16	15	8	7	2	1	-	5
BLACK, FEMALE												
2000.....	20	13	15	11	11	10	10	2	2	-	-	3
1999.....	21	12	13	7	9	14	9	5	1	1	-	4

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	7	2	2	1	2	2	-	2	-	-	-	-
1999.....	10	6	1	2	2	2	2	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	6	1	1	1	2	1	-	2	-	-	-	-
1999.....	8	4	1	2	1	1	2	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	1	1	-	-	1	-	-	-	-	-	-
1999.....	2	2	-	-	1	1	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	9	7	4	4	3	2	6	1	-	-	-	-
1999.....	8	3	4	1	5	3	3	1	-	-	-	1
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	5	4	1	1	3	1	4	-	-	-	-	-
1999.....	6	3	3	-	2	1	1	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	4	3	3	3	-	1	2	1	-	-	-	-
1999.....	2	-	1	1	3	2	2	-	-	-	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)												
ALL RACES, BOTH SEXES												
2000.....	17	6	4	2	3	1	-	1	-	-	-	-
1999.....	31	9	11	2	-	1	-	-	-	-	-	-
ALL RACES, MALE												
2000.....	17	6	3	2	3	1	-	1	-	-	-	-
1999.....	30	9	11	2	-	1	-	-	-	-	-	-
ALL RACES, FEMALE												
2000.....	-	-	1	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	11	5	4	1	2	1	-	1	-	-	-	-
1999.....	25	7	8	2	-	1	-	-	-	-	-	-
WHITE, MALE												
2000.....	11	5	3	1	2	1	-	1	-	-	-	-
1999.....	24	7	8	2	-	1	-	-	-	-	-	-
WHITE, FEMALE												
2000.....	-	-	1	-	-	-	-	-	-	-	-	-
1999.....	1	-	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	5	-	-	1	1	-	-	-	-	-	-	-
1999.....	6	2	3	-	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	5	-	-	1	1	-	-	-	-	-	-	-
1999.....	6	2	3	-	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	1	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	1	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
ALL RACES, BOTH SEXES												
2000.....	298	154	74	55	49	43	36	26	25	5	1	11
1999.....	265	136	86	72	42	51	45	37	18	2	1	19
ALL RACES, MALE												
2000.....	196	105	47	38	32	29	20	14	5	2	-	11
1999.....	175	94	54	47	25	31	24	20	4	1	-	13
ALL RACES, FEMALE												
2000.....	102	49	27	17	17	14	16	12	20	3	1	-
1999.....	90	42	32	25	17	20	21	17	14	1	1	6
WHITE, BOTH SEXES												
2000.....	240	116	61	45	39	38	34	22	21	5	-	8
1999.....	203	111	75	63	34	47	42	33	16	2	1	14
WHITE, MALE												
2000.....	154	74	38	29	24	27	18	11	4	2	-	8
1999.....	128	70	43	42	19	28	21	18	4	1	-	9
WHITE, FEMALE												
2000.....	86	42	23	16	15	11	16	11	17	3	-	-
1999.....	75	41	32	21	15	19	21	15	12	1	1	5
BLACK, BOTH SEXES												
2000.....	53	31	12	8	7	4	2	3	3	-	1	3
1999.....	59	20	8	8	6	4	1	3	-	-	-	5
BLACK, MALE												
2000.....	38	24	9	7	6	2	2	2	1	-	-	3
1999.....	46	19	8	5	5	3	1	1	-	-	-	4
BLACK, FEMALE												
2000.....	15	7	3	1	1	2	-	1	2	-	1	-
1999.....	13	1	-	3	1	1	-	2	-	-	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	3	6	-	-	1	-	-	-	-	-	-	-
1999.....	2	2	1	1	1	-	1	-	1	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	2	6	-	-	-	-	-	-	-	-	-	-
1999.....	1	2	1	-	1	-	1	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	-	-	1	-	-	-	-	-	-	-
1999.....	1	-	-	1	-	-	-	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	2	1	1	2	2	1	-	1	1	-	-	-
1999.....	1	3	2	-	1	-	1	1	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	2	1	-	2	2	-	-	1	-	-	-	-
1999.....	-	3	2	-	-	-	1	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	1	-	-	1	-	-	1	-	-	-
1999.....	1	-	-	-	1	-	-	-	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)												
ALL RACES, BOTH SEXES												
2000.....	14	12	3	7	4	5	1	2	-	-	-	1
1999.....	10	6	8	9	6	6	7	4	-	-	-	-
ALL RACES, MALE												
2000.....	12	10	1	5	4	4	1	2	-	-	-	1
1999.....	6	5	6	8	6	5	7	4	-	-	-	-
ALL RACES, FEMALE												
2000.....	2	2	2	2	-	1	-	-	-	-	-	-
1999.....	4	1	2	1	-	1	-	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	12	8	3	6	3	5	1	2	-	-	-	1
1999.....	10	5	7	9	4	6	6	4	-	-	-	-
WHITE, MALE												
2000.....	10	6	1	4	3	4	1	2	-	-	-	1
1999.....	6	4	5	8	4	5	6	4	-	-	-	-
WHITE, FEMALE												
2000.....	2	2	2	2	-	1	-	-	-	-	-	-
1999.....	4	1	2	1	-	1	-	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	1	3	-	1	1	-	-	-	-	-	-	-
1999.....	-	1	-	-	2	-	1	-	-	-	-	-
BLACK, MALE												
2000.....	1	3	-	1	1	-	-	-	-	-	-	-
1999.....	-	1	-	-	2	-	1	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	1	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	1	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	1	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)												
ALL RACES, BOTH SEXES												
2000.....	284	142	71	48	45	38	35	24	25	5	1	10
1999.....	255	130	78	63	36	45	38	33	18	2	1	19
ALL RACES, MALE												
2000.....	184	95	46	33	28	25	19	12	5	2	-	10
1999.....	169	89	48	39	19	26	17	16	4	1	-	13
ALL RACES, FEMALE												
2000.....	100	47	25	15	17	13	16	12	20	3	1	-
1999.....	86	41	30	24	17	19	21	17	14	1	1	6
WHITE, BOTH SEXES												
2000.....	228	108	58	39	36	33	33	20	21	5	-	7
1999.....	193	106	68	54	30	41	36	29	16	2	1	14
WHITE, MALE												
2000.....	144	68	37	25	21	23	17	9	4	2	-	7
1999.....	122	66	38	34	15	23	15	14	4	1	-	9
WHITE, FEMALE												
2000.....	84	40	21	14	15	10	16	11	17	3	-	-
1999.....	71	40	30	20	15	18	21	15	12	1	1	5
BLACK, BOTH SEXES												
2000.....	52	28	12	7	6	4	2	3	3	-	1	3
1999.....	59	19	8	8	4	4	-	3	-	-	-	5
BLACK, MALE												
2000.....	37	21	9	6	5	2	2	2	1	-	-	3
1999.....	46	18	8	5	3	3	-	1	-	-	-	4
BLACK, FEMALE												
2000.....	15	7	3	1	1	2	-	1	2	-	1	-
1999.....	13	1	-	3	1	1	-	2	-	-	-	1

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	3	5	-	-	1	-	-	-	-	-	-	-
1999.....	2	2	1	1	1	-	1	-	1	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	2	5	-	-	-	-	-	-	-	-	-	-
1999.....	1	2	1	-	1	-	1	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	1	-	-	-	1	-	-	-	-	-	-	-
1999.....	1	-	-	1	-	-	-	-	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	1	1	2	2	1	-	1	1	-	-	-
1999.....	1	3	1	-	1	-	1	1	1	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	1	1	-	2	2	-	-	1	-	-	-	-
1999.....	-	3	1	-	-	-	1	1	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	1	-	-	1	-	-	1	-	-	-
1999.....	1	-	-	-	1	-	-	-	1	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)												
ALL RACES, BOTH SEXES												
2000.....	2	-	1	1	2	4	5	1	-	-	-	-
1999.....	2	1	-	2	6	4	4	2	1	-	-	-
ALL RACES, MALE												
2000.....	2	-	1	1	2	4	5	1	-	-	-	-
1999.....	2	1	-	2	6	4	3	2	1	-	-	-
ALL RACES, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-	-	-
WHITE, BOTH SEXES												
2000.....	1	-	1	1	2	4	5	1	-	-	-	-
1999.....	2	1	-	1	6	4	4	2	1	-	-	-
WHITE, MALE												
2000.....	1	-	1	1	2	4	5	1	-	-	-	-
1999.....	2	1	-	1	6	4	3	2	1	-	-	-
WHITE, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	1	-	-	-	-	-
BLACK, BOTH SEXES												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	-	-	-	-	-	-	-	-
BLACK, MALE												
2000.....	1	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	1	-	-	-	-	-	-	-	-
BLACK, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	-	-	-	-	-	-	-	-	-	-	-	-
1999.....	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
ALL RACES, BOTH SEXES												
2000.....	167	157	219	263	384	427	398	337	176	54	11	-
1999.....	123	138	177	229	357	401	410	312	153	52	12	-
ALL RACES, MALE												
2000.....	84	77	104	123	208	212	190	134	48	13	1	-
1999.....	61	77	88	102	177	193	182	128	49	17	3	-
ALL RACES, FEMALE												
2000.....	83	80	115	140	176	215	208	203	128	41	10	-
1999.....	62	61	89	127	180	208	228	184	104	35	9	-
WHITE, BOTH SEXES												
2000.....	134	120	165	215	320	361	357	297	155	41	10	-
1999.....	91	98	142	193	299	343	356	266	137	44	8	-
WHITE, MALE												
2000.....	70	64	80	98	175	186	177	119	44	11	1	-
1999.....	46	55	71	87	148	169	159	108	43	16	1	-
WHITE, FEMALE												
2000.....	64	56	85	117	145	175	180	178	111	30	9	-
1999.....	45	43	71	106	151	174	197	158	94	28	7	-
BLACK, BOTH SEXES												
2000.....	31	35	51	42	59	59	37	34	20	12	1	-
1999.....	31	34	28	32	54	53	43	37	16	7	3	-
BLACK, MALE												
2000.....	13	12	22	24	28	22	12	12	3	1	-	-
1999.....	15	16	14	13	27	22	18	12	6	1	1	-
BLACK, FEMALE												
2000.....	18	23	29	18	31	37	25	22	17	11	1	-
1999.....	16	18	14	19	27	31	25	25	10	6	2	-

TABLE 291A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, SPECIFIED RACE, SEX, UNITED STATES, 1999-2000

(DATA FOR SPECIFIED RACES OTHER THAN WHITE AND BLACK SHOULD BE INTERPRETED WITH CAUTION BECAUSE OF INCONSISTENCIES BETWEEN REPORTING RACE ON DEATH CERTIFICATES AND CENSUSES AND SURVEYS)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, SEX AND YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS AND OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
AMERICAN INDIAN 1/, BOTH SEXES												
2000.....	1	-	-	4	1	1	2	3	-	-	-	-
1999.....	1	2	1	2	1	2	3	2	-	1	1	-
AMERICAN INDIAN 1/, MALE												
2000.....	1	-	-	-	1	1	1	1	-	-	-	-
1999.....	-	2	1	1	1	1	3	1	-	-	1	-
AMERICAN INDIAN 1/, FEMALE												
2000.....	-	-	-	4	-	-	1	2	-	-	-	-
1999.....	1	-	-	1	-	1	-	1	-	1	-	-
ASIAN OR PACIFIC ISLANDER 2/, BOTH SEXES												
2000.....	1	2	3	2	4	6	2	3	1	1	-	-
1999.....	-	4	6	2	3	3	8	7	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, MALE												
2000.....	-	1	2	1	4	3	-	2	1	1	-	-
1999.....	-	4	2	1	1	1	2	7	-	-	-	-
ASIAN OR PACIFIC ISLANDER 2/, FEMALE												
2000.....	1	1	1	1	-	3	2	1	-	-	-	-
1999.....	-	-	4	1	2	2	6	-	-	-	-	-

- QUANTITY ZERO.
... CATEGORY NOT APPLICABLE.
1/ INCLUDES ALEUTS AND ESKIMOS.
2/ INCLUDES CHINESE, FILIPINO, HAWAIIAN, JAPANESE, AND OTHER ASIAN OR PACIFIC ISLANDER.

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.