## Data table for Figure 1. Sex, race and ethnicity, and age of residential care community residents: United States, 2018

Characteristic	Percent	
Sex		
Female	67	
Male	33	
Race and ethnicity		
Non-Hispanic white	89	
Non-Hispanic black	6	
Another race or ethnicity	5	
Age		
Under 65	7	
65–74	12	
75–84	26	
85 and over	55	

NOTES: Another race or ethnicity includes Hispanic, Latino, or Spanish origin or descent; non-Hispanic American Indian or Alaska Native; non-Hispanic Asian; non-Hispanic Native Hawaiian or Other Pacific Islander; non-Hispanic more than one race; and non-Hispanic unknown. Figure excludes cases with missing data. See Data source and methods in this report for details.

## Data table for Figure 2. Residential care community residents with Medicaid, by age: United States, 2018

Age	Percent
All ages	19
Under 65	50 38 21 11

NOTES: Medicaid includes residents who had some or all of their long-term care services paid by Medicaid during the last complete month prior to the survey. Figure excludes cases with missing data. See Data source and methods in this report for details.

# Data table for Figure 3. Residential care community residents needing assistance with activities of daily living: United States, 2018

Activities of daily living	Percent	
Number of ADLs:		
0 ADLs	12	
1–2 ADLs	27	
3–6 ADLs	61	
Type of ADL:		
Bathing	77	
Walking	69	
Dressing	62	
Transferring	51	
Toileting	49	
Eating	26	

NOTES: Activities of daily living (ADL) refers to residents needing any help or supervision from another person, use of assistive devices, or both. Walking includes using a cane, walker, or wheelchair, or help from another person. Transferring includes needing assistance getting in and out of a bed or chair. Individual ADLs are not mutually exclusive; a resident can be counted for more than one ADL. Figure excludes cases with missing data. See Data source and methods in this report for details.

## Data table for Figure 4. Most common chronic conditions among residential care community residents: United States, 2018

Chronic conditions	Percent
Number of conditions:	
0 conditions	14
1 condition	20
2–3 conditions	49
4–10 conditions	17
High blood pressure	55
Alzheimer disease and other dementias	34
Depression	27
Arthritis	20
Diabetes	20
Heart disease	17
Osteoporosis	12
COPD	11
Stroke	10
Cancer	9

NOTES: Heart disease includes coronary or ischemic heart disease. COPD stands for chronic obstructive pulmonary disease and includes chronic bronchitis or emphysema. Individual conditions are not mutually exclusive; a resident can be counted for more than one condition. Figure excludes cases with missing data. See Data source and methods in this report for details.