

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
All codes	187,273	77,278	109,995	6,299	45,155	51,058	84,762	42,099	43,918	69,381	31,875
001-139	4,634	2,119	2,515	340	946	1,352	1,996	1,104	976	1,674	881
003	10	*	*6	*	*	*	*	*	*	*	*
003.0	*8	*	*	*	*	*	*	*	*	*	*
005	*9	*5	*	-	*	*	*	*	*	*6	*
005.9	*8	*5	*	-	*	*	*	*	*	*5	*
008	461	190	271	52	56	94	259	122	115	132	93
008.4	304	125	179	*9	20	63	213	87	77	88	52
008.45	295	121	174	*7	19	61	208	84	74	85	51
008.6	11	*	*6	*7	*	*	*	*	*	*	*
008.61	*7	*	*	*7	-	-	*	*	*	*	*
008.8	143	59	84	36	34	30	43	30	34	40	38
009	45	18	27	*	15	11	16	*8	*6	17	14
009.0	27	13	14	*	13	*	*8	*	*	*9	*8
009.1	*7	*	*6	*	*	*	*	*	*	*	*
009.2	*6	*	*	*	*	*	*	*	*	*5	*
011	13	*9	*	-	*	*7	*	*	*	*6	*
011.9	10	*9	*	-	*	*7	*	*	*	*	*
011.90	*9	*8	*	-	*	*6	*	*	*	*	*
031	18	*9	*9	*	*	*	10	*	*	*7	*
031.0	11	*	*7	-	*	*	*7	*	*	*	*
031.2	*6	*	*	*	*	*	*	*	*	*	*
033	*6	*	*	*	*	*	-	*	*	*	*
034	26	11	15	14	*9	*	*	*	*	*9	*7
034.0	25	10	15	13	*9	*	*	*	*	*9	*7
038	1,124	529	595	24	96	309	695	249	282	424	169
038.0	56	32	24	*	*	17	33	15	13	17	11
038.1	139	79	60	*	15	49	72	37	31	52	19
038.10	16	*8	*8	*	*	*	11	*	*	*6	*
038.11	95	57	38	*	11	37	44	26	19	36	14
038.19	28	13	15	*	*	*7	17	*7	*9	10	*
038.2	19	*9	10	*	*	*7	10	*	*	*9	*
038.3	*8	*	*	-	*	*	*	*	*	*	*
038.4	172	79	93	*	11	55	101	44	45	62	21
038.40	13	*	*8	*	*	*	*8	*	*	*6	*
038.42	82	30	52	*	*7	25	49	21	19	27	15
038.43	15	10	*5	*	*	*6	*8	*	*	*5	*
038.49	58	32	26	*	*	20	34	15	14	23	*
038.8	36	13	23	*	*	*8	24	13	*8	*7	*8
038.9	693	313	380	14	60	169	450	136	179	274	105
040	*7	*6	*	*	*	*	*	*	*	*	*
041	1,213	503	710	109	249	271	583	271	236	473	233
041.0	175	80	94	12	40	40	83	43	28	65	39
041.00	11	*7	*	*	*	*	*	*	*	*	*5
041.01	10	*	*8	*	*	*	*6	*	*	*	*6
041.02	34	13	21	*	16	*7	*8	*	*7	19	*
041.04	89	41	48	*	13	16	57	30	11	32	16
041.05	*6	*	*	-	*	*	*	*	*	*	*
041.09	24	13	11	*	*	*8	*9	*7	*5	*9	*
041.1	358	183	175	46	97	99	115	60	76	155	68
041.10	14	*7	*7	*	*	*	*5	*	*	*7	*
041.11	306	155	151	40	87	86	94	52	60	136	58
041.19	38	21	16	*5	*7	10	16	*6	14	12	*6
041.3	69	23	46	*	*7	13	46	20	11	26	13
041.4	326	86	240	29	52	49	196	76	58	125	67

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
041.6	45	18	27	*	*7	*9	29	13	10	18	*
041.7	76	43	32	*6	*9	18	43	14	21	29	12
041.8	146	64	82	10	29	39	68	43	30	50	24
041.84	*9	*	*	*	*	*	*	*	*	*	*
041.85	50	26	23	*5	*8	16	20	*8	12	22	*8
041.86	41	18	23	*	*8	13	20	*9	*6	17	10
041.89	41	14	27	*	10	*6	24	24	*9	*5	*
041.9	13	*	10	*	*8	*	*	*	*	*	*5
042	148	95	53	-	69	75	*	54	15	55	24
047	41	19	22	16	18	*6	*	*7	*6	13	14
047.8	*5	*	*	*	*	*	-	*	*	*	*
047.9	35	16	19	12	17	*6	*	*5	*5	12	13
053	52	14	38	*	*	12	36	15	15	15	*7
053.1	15	*6	10	-	*	*	12	*5	*	*	*
053.19	14	*6	*9	-	*	*	11	*5	*	*	*
053.9	30	*6	23	*	*	*7	19	*8	*9	*9	*
054	105	19	86	*7	73	12	13	23	21	43	17
054.1	29	*	28	*	27	*	*	*7	*7	15	*
054.10	23	*	22	-	22	*	*	*6	*6	11	*
054.2	*7	*	*	*	*	*	*	*	*	*	*
054.4	*6	*	*	*	-	*	*	*	*	*	*
054.9	57	*9	48	*	44	*6	*5	11	12	23	11
057	*6	*	*	*5	*	*	*	*	*	*	*
057.9	*5	*	*	*	*	-	*	*	*	*	*
070	461	292	170	*	116	302	43	151	58	149	104
070.1	10	*	*8	-	*	*	*	*	*	*6	*
070.3	57	36	22	*	22	28	*6	19	*9	18	11
070.30	38	23	15	*	18	16	*	15	*6	14	*
070.32	19	13	*7	-	*	12	*	*	*	*	*8
070.4	11	*8	*	-	*	*8	*	*	*	*	*
070.44	11	*8	*	-	*	*8	*	*	*	*	*
070.5	171	112	59	*	40	116	15	57	12	33	69
070.51	*7	*	*	-	*	*	*	*	*	*	*
070.54	164	109	55	*	36	113	14	54	11	29	69
070.7	206	130	76	-	50	141	15	67	33	88	19
070.70	198	124	74	-	49	136	13	66	30	83	19
070.71	*8	*6	*	-	*	*5	*	*	*	*	*
075	*9	*5	*	*	*7	*	*	*	*	*	*
078	26	*9	17	*	12	*9	*	*7	*7	10	*
078.1	*7	*	*7	*	*6	*	*	*	*	*	*
078.5	14	*7	*7	*	*	*6	*	*	*	*	*
079	156	73	82	58	44	20	34	27	44	46	40
079.4	11	-	11	-	10	*	-	*	*	*5	-
079.9	134	69	65	50	31	19	33	22	38	37	36
079.98	*5	-	*5	*	*5	-	-	*	*	*	-
079.99	129	69	60	50	26	19	33	22	36	34	36
094	*8	*6	*	-	*	*	*	*	*	*	*
097	*9	*	*	*	*	*	*	*	*	*	*
097.1	*5	*	*	-	*	*	*	*	*	*	*
098	*8	*	*	-	*7	*	-	*	*	*	*
099	*6	*	*6	*	*6	*	*	*	*	*	*
110	56	34	22	*	12	16	25	12	17	17	10
110.1	21	10	11	*	*	*5	13	*	*7	*5	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*^a (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
110.3	*6	*	*	-	*	*	*	*	*	*	*
110.4	17	13	*	*	*6	*5	*6	*	*	*	*
110.5	*6	*	*	*	*	*	*	*	*	*	*
112	390	156	234	25	67	112	187	89	86	140	74
112.0	185	78	106	14	30	57	83	48	41	55	40
112.1	19	-	19	*	11	*	*	*	*	10	*
112.2	68	25	43	*	*6	13	48	13	13	33	*9
112.3	19	*6	13	*8	*	*	*8	*	*5	*	*6
112.4	*9	*7	*	-	*	*	*6	*	*	*	*
112.5	*8	*	*	*	*	*5	*	*	*	*	*
112.8	74	33	40	*	14	26	33	17	14	28	14
112.84	49	24	26	-	13	18	19	13	*8	19	*9
112.89	23	10	14	*	*	*8	13	*	*6	*9	*5
112.9	*8	*	*7	*	*	*	*	*	*	*	*
114	*7	*	*	-	*	*	*	*	*	*	*5
117	38	18	20	*	*6	11	21	*9	*	16	*9
117.3	*9	*6	*	*	*	*	*5	*	*	*	*
117.5	*5	*	*	-	*	*	*	*	*	*	*
117.9	23	*7	16	*	*	*	15	*	*	12	*
131	14	*	14	*	*9	*	*	*	*	*9	*
131.0	10	*	10	*	*6	*	*	*	*	*6	*
133	*6	*	*	*	*	*	*	*	*	*	*
133.0	*6	*	*	*	*	*	*	*	*	*	*
135	49	14	35	*	*9	30	10	*9	12	22	*6
136	19	13	*6	*	*9	*6	*	*	*	*6	*
136.3	13	*9	*	*	*7	*	*	*	*	*	*
138	18	*8	11	-	*	*6	12	*	*	*7	*
140-239	4,932	2,186	2,747	57	626	1,910	2,340	1,150	1,204	1,772	806
141	12	*8	*	-	*	*6	*	*	*	*8	*
141.0	*6	*	*	-	*	*	*	-	*	*	*
146	11	*5	*6	-	*	*	*6	*	*	*5	*
146.0	*5	*	*	-	*	*	*	*	*	*	*
147	*5	*	*	*	*	*	-	*	*	*	-
150	34	25	*9	-	*	16	18	10	*8	10	*6
150.5	*8	*	*	-	*	*	*7	*	*	*	*
150.9	20	17	*	-	-	14	*6	*	*6	*	*
151	45	34	10	-	*	15	29	17	10	10	*8
151.0	20	19	*	-	*	*6	14	*8	*	*	*5
151.8	*5	*	*	-	*	*	*	*	*	*	*
151.9	13	*7	*6	-	*	*	*9	*	*	*	*
152	10	*5	*	-	-	*	*6	*	*	*	*
153	197	81	116	*	12	77	107	38	54	78	27
153.1	16	*8	*7	-	*	*5	11	*	*	*	*
153.2	*6	*	*	-	*	*	*	*	*	*	*
153.3	21	10	11	-	*	*6	13	*	*5	*5	*6
153.4	19	*6	13	-	*	*7	11	*	*	*7	*
153.6	25	12	13	-	-	*5	20	*6	*6	10	*
153.8	10	*	*6	-	*	*	*6	*	*	*	*
153.9	89	34	55	*	*9	42	38	13	27	42	*7
154	79	52	28	-	*	36	40	18	19	31	10

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
154.0	29	18	10	-	*	13	15	*	*7	12	*6
154.1	40	26	14	-	*	14	23	*8	10	17	*
154.3	*8	*7	*	-	*	*7	*	*6	*	*	-
155	59	35	24	*	*	18	39	19	*9	25	*6
155.0	47	30	17	*	*	16	29	13	*7	22	*
155.1	*8	*	*7	-	*	*	*7	*	*	*	*
156	10	*	*6	-	-	*	*6	*	*	*	*
157	85	48	37	-	*	35	49	26	23	24	12
157.0	23	13	10	-	*	*6	17	*7	*	*9	*
157.2	*6	*	*	-	-	*	*	*	*	*	*
157.8	13	*9	*	-	-	*8	*5	*9	*	*	*
157.9	37	18	19	-	*	14	22	*6	15	11	*5
158	13	*	12	*	*	*	*8	*	*	*5	*
158.9	*5	*	*5	*	*	*	*	*	*	*	*
161	18	14	*	-	*	*9	*7	*	*	11	*
161.1	*5	*	*	-	-	*	*	*	*	*	*
161.9	*9	*8	*	-	*	*6	*	*	*	*8	*
162	406	214	192	-	*7	130	269	89	109	152	56
162.2	11	*7	*	-	*	*	*7	*	*	*6	*
162.3	91	50	41	-	*	25	64	22	22	28	19
162.4	10	*5	*	-	*	*	*5	*	*	*	*
162.5	34	16	18	-	*	12	21	*9	*9	12	*
162.8	29	18	10	-	*	13	14	15	*6	*6	*
162.9	230	117	114	-	*	71	157	39	67	96	28
163	*7	*6	*	-	-	*	*	*6	*	*	*
164	*6	*	*	*	*	*	*	*	*	*	*
170	15	10	*5	*	*8	*	*	*	*	*7	*
170.7	*6	*	*	*	*	*	*	*	*	*	*
171	22	11	10	*	*	*7	10	*	*	*8	*6
171.3	*8	*	*6	-	*	*	*	*	*	*	*
172	17	12	*5	-	*	*9	*6	*	*	10	*
172.9	*8	*	*	-	*	*6	*	*	*	*	*
173	18	*8	*9	-	*	*	14	*6	*	*5	*
173.3	*6	*	*	-	*	*	*	*	*	*	*
174	161	-	161	-	26	65	70	40	42	57	22
174.1	*5	-	*5	-	*	*	*	*	*	*	*
174.4	10	-	10	-	*	*	*	*	*	*	*
174.8	39	-	39	-	*9	19	11	14	*9	*9	*6
174.9	93	-	93	-	14	37	43	16	28	38	12
179	14	-	14	-	*	10	*	*	*	*	*7
180	29	-	29	-	12	12	*	*7	*	17	*
180.8	*6	-	*6	-	*	*	*	*	*	*	-
180.9	22	-	22	-	10	*8	*	*	*	14	*
182	54	-	54	-	*	30	22	12	12	18	12
182.0	54	-	54	-	*	30	22	12	12	18	12
183	63	-	63	-	10	28	25	11	15	28	*9
183.0	59	-	59	-	10	26	23	10	13	27	*9
184	*8	-	*8	*	-	*	*5	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
200.4	*7	*6	*	-	-	*5	*	*	*	*	*
200.40	*6	*5	*	-	-	*	*	*	*	*	*
200.7	*8	*6	*	-	*	*	*	*5	*	*	*
200.70	*6	*	*	-	*	*	*	*	*	*	*
201	32	20	12	*	18	*6	*8	15	*5	10	*
201.9	26	15	11	*	13	*6	*8	12	*5	*8	*
201.90	18	10	*8	*	*7	*5	*6	*6	*	*6	*
202	152	82	70	*	12	48	88	40	35	48	28
202.1	*8	*5	*	*	*	*5	*	*	*	*	*
202.10	*6	*	*	*	*	*	*	*	*	*	*
202.8	132	69	63	*	10	36	82	31	30	43	27
202.80	97	48	49	*	*7	27	62	27	21	31	19
202.81	*7	*5	*	-	*7	*	*	*	*	*	*
202.83	12	*9	*	-	*	*	*8	*	*	*6	*
202.88	*8	*	*	*	*	*	*	*	*	*	*
203	81	39	42	-	*	28	51	22	22	28	*9
203.0	79	39	40	-	*	26	50	22	21	28	*9
203.00	76	37	39	-	*	26	47	20	20	27	*9
204	97	64	33	12	*7	22	56	21	24	38	14
204.0	30	22	*7	12	*	*9	*	*6	*5	16	*
204.00	24	19	*6	*7	*	*9	*	*6	*	15	*
204.01	*5	*	*	*	*	*	-	*	*	*	*
204.1	67	42	26	-	*7	13	52	15	19	22	11
204.10	62	38	24	-	*	12	48	15	17	21	*9
204.11	*5	*	*	-	-	*	*	*	*	*	*
205	70	43	26	*	*6	24	39	11	13	30	15
205.0	46	27	19	*	*	18	21	*8	*9	19	10
205.00	41	23	18	*	*	16	21	*8	*8	17	*9
205.1	21	14	*7	-	*	*5	15	*	*	11	*
205.10	18	12	*6	-	*	*	13	*	*	10	*
208	13	*8	*	*	*	*	*6	*	*	*5	*
208.9	*5	*	*	-	*	*	*	*	*	*	*
211	194	96	98	*	15	60	119	37	47	77	34
211.1	18	*7	11	-	*	*7	*9	*	*	*5	*
211.3	153	79	74	*	10	46	96	28	36	64	25
211.4	*9	*	*5	-	*	*	*7	*	*	*	*
212	11	*	*6	*	*	*	*5	*	*	*	*
214	11	*6	*5	*	*	*5	*	*	*	*	*
215	*6	*	*	*	*	*	*	*	*	*	*
216	10	*	*9	*	*6	*	*	*	*	*8	*
216.5	*5	*	*	*	*	*	*	*	*	*	-
218	439	-	439	-	214	210	15	93	106	168	73
218.0	40	-	40	-	22	17	*	12	11	14	*
218.1	98	-	98	-	42	55	*	25	22	36	15
218.2	56	-	56	-	31	24	*	14	16	18	*8
218.9	246	-	246	-	119	115	12	42	58	99	47
220	46	-	46	*	18	22	*6	11	12	19	*
225	48	12	35	*	*7	24	16	15	11	12	10
225.2	37	*9	28	-	*5	20	12	13	*9	*8	*7
226	*8	*	*8	-	*	*	*	*	*	*	*
227	30	11	19	-	*6	12	12	*6	*7	14	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
227.0	*9	*	*7	-	*	*5	*	*	*	*	*
227.1	10	*	*7	-	*	*	*	*	*	*	*
227.3	10	*5	*	-	*	*	*	*	*	*	*
228	26	*8	18	*6	*6	12	*	*8	*	10	*
228.0	25	*8	17	*6	*6	12	*	*7	*	10	*
228.01	*8	*	*7	*5	*	*	*	*	*	*	*
228.04	*6	*	*	-	*	*	*	*	*	*	*
228.09	*7	*	*	*	*	*	*	*	*	*	*
233	29	*	27	-	*7	14	*9	*6	*	12	*6
233.0	16	-	16	-	*	*7	*7	*	*	*	*
233.1	*9	-	*9	-	*	*	*	*	*	*	*
235	14	*6	*8	*	*	*	*7	*	*	*	*
235.2	*8	*	*	*	*	*	*5	*	*	*	*
236	*9	*	*8	-	*	*	*	*	*	*	*
236.2	*5	-	*5	-	*	*	*	*	*	*	*
237	12	*6	*7	*	*	*6	*	*	*	*6	*
237.7	*6	*	*	*	*	*	*	*	*	*	-
238	159	93	66	*	*7	40	108	43	33	56	26
238.4	21	12	*9	-	*	11	*8	*6	*	*6	*5
238.7	132	77	55	*	*	27	96	35	27	48	21
238.71	30	12	18	*	*	*8	15	*6	*6	10	*8
238.74	*6	*6	*	-	-	*	*6	*6	*	*	-
238.75	68	42	27	*	*	11	56	18	15	25	10
238.79	18	*9	*8	*	*	*5	11	*	*6	*6	*
239	26	14	12	*	*	*9	13	*8	*8	*8	*
239.0	*6	*	*	-	*	*	*	*	*	*	*
239.6	*7	*	*	*	*	*	*	*	*	*	*
240-279	21,910	9,251	12,660	474	3,017	7,050	11,369	5,149	5,155	8,191	3,416
240	21	*6	15	*	*	*6	*9	*	*	11	*
240.9	20	*6	15	*	*	*6	*9	*	*	11	*
241	58	*6	51	*	14	15	29	16	*8	19	14
241.0	27	*	23	-	*6	*7	14	*7	*	*8	*8
241.1	28	*	26	*	*8	*6	14	*9	*	10	*5
242	78	20	58	*	25	32	20	20	19	33	*6
242.0	21	*6	15	*	*6	12	*	*8	*6	*5	*
242.00	20	*5	15	*	*5	12	*	*7	*6	*	*
242.9	49	13	36	*	17	17	14	10	12	24	*
242.90	46	12	34	*	16	16	14	10	10	23	*
244	1,827	385	1,442	*5	254	511	1,057	443	462	630	292
244.0	51	*7	45	-	12	20	20	14	13	*7	17
244.1	16	*	11	-	*	*7	*	*	*	*	*7
244.8	26	*	22	*	*6	*	14	*9	12	*	*
244.9	1,733	370	1,363	*	232	478	1,018	417	434	614	267
245	25	*	24	*	10	*7	*8	11	*	*	*5
245.2	21	*	20	*	*9	*5	*6	*8	*	*	*5
246	20	*	16	-	*	*6	11	*	*	11	*
246.9	15	*	13	-	*	*	*8	*	*	*9	*
250	5,542	2,528	3,014	30	652	1,955	2,904	1,394	1,230	2,139	779
250.0	4,169	1,829	2,340	14	405	1,443	2,307	1,027	928	1,655	560
250.00	3,719	1,622	2,097	*5	311	1,256	2,147	907	844	1,463	504
250.01	92	41	52	*6	34	29	24	22	22	42	*7
250.02	341	159	182	*	51	154	134	94	58	143	46

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
250.03	17	*7	10	*	*8	*	*	*	*	*7	*
250.1	168	79	89	14	97	40	17	32	41	68	27
250.10	*9	*	*	-	*6	*	*	*	*	*	*
250.11	*6	*	*	*	*5	*	-	*	*	*	*
250.12	46	26	20	*	15	21	10	*8	10	20	*7
250.13	107	44	63	13	72	16	*6	19	27	45	15
250.2	26	14	12	-	*	15	*7	*	*	12	*7
250.20	10	*	*6	-	*	*6	*	*	*	*	*
250.22	14	*9	*	-	*	*9	*	*	*	*8	*
250.3	10	*	*8	-	*	*	*6	*	*	*	*
250.4	241	135	106	-	26	104	111	54	51	74	63
250.40	185	101	85	-	10	83	92	36	35	57	58
250.41	15	*9	*6	-	*5	*5	*	*	*	*	*
250.42	30	20	10	-	*	12	14	12	*8	*8	*
250.43	11	*5	*5	-	*7	*	*	*	*	*	-
250.5	102	55	48	-	14	46	42	34	23	23	22
250.50	63	37	26	-	*5	29	29	16	16	14	17
250.51	*9	*	*5	-	*	*	*	*	*	*	*
250.52	23	*9	13	-	*	13	*9	14	*	*	*
250.53	*8	*	*	-	*5	*	*	*	*	*	*
250.6	411	200	210	-	61	160	189	128	92	144	46
250.60	275	140	136	-	23	106	147	81	64	96	36
250.61	28	14	14	-	13	12	*	*	*7	12	*
250.62	85	39	46	-	11	38	36	35	18	28	*5
250.63	22	*8	14	-	14	*	*	*8	*	10	*
250.7	75	44	31	-	*	28	43	20	14	29	12
250.70	54	32	22	-	*	18	34	13	*9	22	11
250.72	16	10	*6	-	*	*8	*7	*6	*	*6	*
250.8	297	146	151	*	31	105	161	87	64	109	37
250.80	208	105	103	*	16	68	125	50	46	81	31
250.81	15	*7	*8	*	*5	*6	*	*	*	*6	*
250.82	66	32	34	-	*8	27	31	31	12	18	*
250.83	*8	*	*6	-	*	*	*	*	*	*	-
250.9	42	25	18	*	*7	13	21	*7	13	21	*
250.90	*9	*5	*	-	*	*	*	*	*	*6	*
250.92	30	17	13	-	*	*9	17	*	12	13	*
251	84	34	50	11	16	28	29	20	18	31	15
251.1	*6	*	*	*	*	*	*	*	*	*	*
251.2	26	*8	19	*8	*	*6	*9	*	*7	10	*6
251.3	*6	*	*	-	*	*	*	*	*	*	*
251.8	44	22	22	*	*9	17	15	14	*8	18	*
252	41	13	28	*	*6	10	24	11	11	11	*8
252.0	33	10	22	-	*	*8	21	*7	11	*7	*8
252.00	21	*7	14	-	*	*	16	*7	*	*	*6
252.01	10	*	*8	-	*	*	*	*	*	*	*
252.1	*8	*	*6	*	*	*	*	*	*	*	*
253	139	66	73	*6	12	35	87	36	29	47	27
253.2	18	14	*	*	*	*6	*7	*	*6	*	*
253.5	*8	*	*	*	*	*	*	*	*	*	*
253.6	107	48	59	*	*	24	77	29	19	37	23
255	104	41	63	*	17	40	42	17	32	38	16
255.0	12	*	10	*	*	*6	*	*	*	*	*
255.4	71	32	39	*	10	25	33	13	21	24	13
255.41	70	31	38	*	10	25	33	13	20	23	13
255.8	*6	*	*	*	*	*	*	-	*	*	-
255.9	*6	*	*	-	*	*	*	*	*	*	*
256	27	-	27	*	23	*	*	*9	*5	11	*
256.4	26	-	26	*	22	*	*	*9	*5	11	*
257	*7	*7	-	-	*	*	*	*	*	*	*
257.2	*7	*7	-	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
259	*6	*	*	*	*	*	*	*	*	*	-
260	28	10	18	-	*	*7	19	*	*7	13	*5
261	58	24	34	*	*6	19	33	10	12	31	*
262	47	20	27	*	*	*7	37	*9	*8	27	*
263	586	266	321	12	57	137	381	125	147	223	91
263.0	*9	*	*	*	*	*	*6	*	*	*	*
263.1	*6	*	*	*	*	*	*	*	*	*	*
263.8	28	*9	19	*	*	*8	16	10	*6	11	*
263.9	544	251	294	*9	52	127	356	112	140	206	86
266	88	25	63	-	*9	24	56	35	20	28	*6
266.2	87	25	62	-	*9	23	55	34	20	28	*6
268	35	15	20	*	*8	*6	18	20	*6	*7	*
268.9	33	13	20	*	*8	*6	18	20	*6	*	*
269	13	*6	*7	-	*	*6	*6	*	*	*	*5
270	33	13	20	*	11	*9	11	*7	*8	13	*6
270.4	18	*8	10	-	*8	*	*7	*	*	*7	*
270.6	11	*	*6	*	*	*	*	*	*	*	*
271	23	10	13	*	*	*7	*9	*7	*	*6	*6
271.3	17	*7	10	*	*	*	*7	*	*	*	*
272	4,477	2,224	2,254	*	302	1,655	2,516	1,183	1,082	1,554	658
272.0	1,196	585	611	*	77	441	677	427	232	343	194
272.1	66	40	26	-	21	34	11	*9	15	23	19
272.2	26	17	*9	*	*	16	*9	*7	*6	*9	*
272.4	3,158	1,567	1,591	*	198	1,151	1,807	734	817	1,168	439
272.9	20	10	10	-	*	*8	*9	*	*9	*9	*
273	72	33	39	*	11	18	40	10	17	29	17
273.1	*8	*	*	-	-	*	*6	*	*	*	*
273.8	56	25	31	*	10	15	28	*7	12	25	12
274	292	187	105	-	17	89	187	88	64	90	50
274.0	46	28	18	-	*	13	29	10	*8	24	*
274.9	243	156	87	-	13	74	156	78	55	67	43
275	385	160	225	13	79	133	160	61	117	149	58
275.0	17	10	*7	*	*	*6	*5	*6	*	*	*
275.2	165	63	102	*	33	56	73	21	51	73	21
275.3	57	24	33	*	19	20	17	10	11	25	10
275.4	143	63	80	*	25	50	63	24	53	45	22
275.41	72	30	42	*	16	23	29	10	31	21	10
275.42	60	26	34	*	*8	25	26	13	17	21	*8
275.49	11	*7	*	*	*	*	*8	*	*	*	*
276	6,040	2,523	3,517	309	868	1,571	3,292	1,200	1,440	2,342	1,058
276.0	265	127	139	*8	18	43	196	65	70	90	41
276.1	1,365	600	765	28	133	381	823	258	347	474	286
276.2	544	262	282	37	70	151	285	101	127	215	101
276.3	110	44	66	*	11	38	58	19	25	48	17
276.4	41	22	20	*	*	14	23	*8	13	15	*5
276.5	1,955	821	1,134	202	296	409	1,049	417	443	755	339
276.50	98	41	57	*	13	35	48	12	15	56	15
276.51	1,805	754	1,051	197	277	356	975	394	416	684	311
276.52	52	26	25	*	*5	18	25	11	13	14	14
276.6	71	26	45	*	11	23	36	14	20	26	10
276.7	345	167	178	*8	39	99	199	72	82	143	48
276.8	1,284	431	853	18	278	391	597	234	299	551	201
276.9	60	24	36	*	*8	21	27	12	15	25	*8

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*^a (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
277	98	54	44	30	31	22	14	15	28	30	25
277.0	26	14	11	10	14	*	-	*7	11	*8	-
277.00	*9	*6	*	*6	*	*	-	*	*	*	-
277.02	13	*7	*6	*	10	*	-	*	*7	*	-
277.3	10	*7	*	-	*	*	*5	*	*	*5	*
277.39	*8	*5	*	-	-	*	*	*	*	*	*
277.4	*8	*	*	*	*	*	*	*	*	*	*
277.7	34	18	16	*	11	14	*6	*	11	10	11
277.8	11	*8	*	*9	*	*	*	*	*	*	*
277.87	*6	*6	*	*6	*	*	-	*	-	*	*
278	1,622	549	1,073	28	561	677	357	381	351	646	244
278.0	1,601	546	1,054	28	554	668	352	379	347	637	238
278.00	861	314	546	19	298	334	210	184	194	350	133
278.01	708	220	487	*7	245	322	133	188	148	274	98
278.02	32	12	21	*	11	12	*8	*7	*5	13	*7
278.1	10	*	10	-	*	*5	*	*	*	*	*
278.8	11	*	*9	-	*	*	*	-	*	*	*
279	27	14	13	*6	*	*7	*9	*	*9	11	*
279.0	12	*7	*	*	*	*	*6	*	*	*5	*
279.4	*6	*	*	*	*	*	*	*	*	*	*
280-289	5,749	2,285	3,465	172	1,330	1,477	2,770	1,162	1,398	2,202	988
280	694	224	470	17	162	177	338	167	170	250	107
280.0	322	108	214	*	65	89	167	80	78	114	50
280.1	*6	*	*	*	*	*	*	*	*	*	*
280.8	*7	*	*	*	*	*	*	*	*	*	*
280.9	359	111	248	14	91	87	167	80	91	133	55
281	106	48	58	*	18	25	63	28	21	38	19
281.0	19	*8	11	-	*	*	14	*6	*	*7	*
281.1	24	10	14	-	*6	*	14	*8	*	*7	*5
281.2	*5	*	*	-	*	*	*	*	*	*	*
281.9	56	26	30	*	*9	14	33	13	13	21	10
282	172	63	109	24	116	25	*8	43	30	80	19
282.4	23	10	13	*	10	*6	*	11	*	*9	*
282.42	*7	*6	*	*	*6	*	-	*6	*	*	-
282.49	15	*	12	*	*	*6	*	*5	*	*7	*
282.5	31	*	28	*	25	*	*	*8	*5	14	*
282.6	108	45	63	19	77	11	*	21	20	56	12
282.60	21	*7	14	*5	13	*	*	*	*	10	*
282.62	75	33	42	*9	58	*8	*	14	14	39	*7
282.69	*6	*	*	*	*	-	-	*	-	*	*
283	31	14	18	*	*7	*6	14	*8	*	12	*6
283.0	13	*	*8	*	*	*	*	*	*	*	*
283.9	15	*8	*7	*	*	*	*9	*	*	*5	*
284	264	139	125	*5	31	103	125	47	62	123	32
284.1	208	111	96	*	24	72	107	40	47	98	22
284.8	49	23	26	*	*	28	17	*6	13	22	*9
284.89	48	23	25	*	*	28	16	*	13	22	*9
284.9	*6	*	*	*	*	*	*	*	*	*	*
285	3,149	1,133	2,016	45	699	713	1,692	622	790	1,187	550
285.1	1,027	400	627	*	188	240	596	220	273	317	216
285.2	443	193	250	*	48	109	283	93	111	180	59
285.21	174	85	89	*	24	44	106	36	46	70	22
285.22	72	30	43	*	*5	23	43	14	21	24	12
285.29	196	78	119	*	19	42	134	43	44	85	25
285.8	22	*7	16	*	*7	*5	*9	*	*6	*7	*
285.9	1,656	534	1,123	39	455	359	803	304	399	683	270

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
286	207	101	106	*9	34	66	99	36	43	74	54
286.0	11	*8	*	*	*	*	*6	*	*	*	*
286.3	18	*6	12	*	*5	*8	*	*	*	*6	*
286.4	11	*	10	*	*6	*	*	*	*	*	*
286.5	*8	*	*	-	*	*	*7	*	*	*	*
286.6	28	17	12	*	*6	*8	13	*	*	13	*7
286.7	26	12	14	*	*	11	10	10	*	*6	*6
286.9	102	52	51	*	*9	35	55	10	22	40	30
287	486	280	206	20	90	156	220	99	117	183	87
287.3	59	30	28	*6	13	18	22	19	14	18	*7
287.31	51	27	25	*	11	17	19	17	13	15	*6
287.4	78	48	30	*	13	34	31	18	19	23	18
287.5	341	197	144	11	64	102	164	62	80	139	59
288	470	222	248	37	108	150	176	76	115	195	83
288.0	104	56	48	14	14	38	39	20	24	38	22
288.00	64	34	29	10	10	20	24	13	15	22	13
288.03	27	14	13	*	*	10	13	*	*7	10	*6
288.04	*7	*	*	*	*	*5	*	*	*	*	*
288.3	*7	*	*5	*	*	*	*	*	*	*	*
288.5	30	13	17	*	*9	11	*8	*7	*9	10	*5
288.50	29	12	17	*	*9	10	*8	*6	*9	10	*
288.6	320	146	174	18	81	97	124	47	80	140	53
288.60	303	138	165	15	77	95	116	43	77	135	47
288.66	*7	*	*	*	*	*	*	*	*	*	*
288.8	*6	*	*	-	*	*	*	*	*	*	-
289	169	60	109	10	65	57	36	35	45	60	30
289.0	*5	*	*	*	*	*	*	*	*	*	*
289.2	12	*6	*6	*6	*5	*	-	*	*	*	*
289.4	*5	*	*	*	*	*	*	*	*	*	*
289.5	14	*	10	*	*	*5	*	*	*	*7	*
289.59	10	*	*8	*	*	*	*	*	*	*6	*
289.8	121	38	84	*	52	42	27	25	35	41	20
289.81	98	28	70	*	43	36	19	21	27	35	15
289.82	*7	*	*	-	*	*	*	*	*	*	*
289.89	12	*	*8	-	*	*	*	*	*5	*	*
289.9	*6	*	*	*	*	*	*	*	*	*	*
290-319	12,741	6,030	6,711	333	4,877	4,357	3,173	3,050	3,249	4,548	1,895
290	156	55	101	-	*	*8	146	47	42	47	21
290.0	67	19	47	-	*	*	63	24	16	13	13
290.1	*5	*	*	-	-	*	*	*	*	*	*
290.2	*8	*	*5	-	-	-	*8	*	*	*	*
290.3	10	*	*6	-	-	-	10	*	*	*	*
290.4	64	27	37	-	-	*	61	11	19	28	*6
290.40	48	20	29	-	-	*	46	*7	15	21	*
290.41	11	*	*6	-	-	*	10	*	*	*	*
291	359	259	100	*	136	182	40	96	94	105	63
291.0	75	59	16	-	22	43	*9	18	11	30	16
291.2	21	14	*7	-	*	*9	10	*	*6	*9	*
291.8	256	181	75	*	109	126	20	73	74	64	45
291.81	241	174	66	*	100	120	20	67	70	63	41
291.89	15	*7	*8	-	*9	*5	*	*6	*	*	*
292	236	115	121	*	100	64	69	56	73	73	34
292.0	107	53	54	*	63	34	*8	23	38	30	15
292.1	16	*7	10	*	*	*	10	*	*6	*6	*
292.12	15	*6	*8	*	*	*	*9	*	*5	*5	*
292.8	108	52	55	*	34	24	49	28	27	36	17
292.81	67	32	35	-	11	11	46	13	17	24	13
292.84	36	19	17	*	22	12	*	15	*8	10	*
292.9	*5	*	*	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
293	132	67	65	-	*8	25	99	35	34	40	23
293.0	105	52	53	-	*	18	84	28	28	30	19
293.8	11	*	*6	-	*6	*	*	*	*	*	*
293.83	*8	*	*	-	*	*	*	*	*	*	*
293.9	15	*9	*6	-	-	*	12	*	*	*6	*
294	1,000	359	641	*	*9	47	943	252	223	389	136
294.1	370	135	236	-	*	16	354	93	83	136	58
294.10	288	99	189	-	*	11	276	65	65	108	50
294.11	83	36	46	-	*	*	78	28	18	29	*8
294.8	604	208	396	*	*	26	575	152	133	247	72
294.9	24	15	*9	*	*5	*6	13	*7	*5	*6	*7
295	538	288	250	*	221	239	75	122	131	197	87
295.3	154	90	64	*	55	77	21	35	38	60	21
295.30	91	50	41	*	32	47	12	18	24	40	*9
295.32	37	22	15	-	12	20	*	*9	*7	11	10
295.34	23	16	*8	-	11	*9	*	*7	*6	*9	*
295.6	17	*9	*8	*	*	*7	*	*	*6	*	*
295.60	*7	*	*	*	*	*	*	*	*	*	*
295.62	*7	*	*	-	*	*	*	*	*	*	*
295.7	231	114	116	*	112	97	20	53	61	84	32
295.70	198	97	101	*	94	86	16	38	55	77	28
295.72	*8	*	*	-	*	*	*	*	*	*	*
295.74	23	12	11	-	14	*8	*	12	*	*6	*
295.8	*6	*	*	-	*	*	*	*	*	*	*
295.9	116	66	51	*	39	51	26	28	23	42	23
295.90	108	62	46	*	38	45	24	25	21	42	20
295.92	*7	*	*	-	*	*	*	*	*	-	*
296	1,471	585	886	73	708	494	196	293	452	584	144
296.0	*5	*	*	-	*	*	*	*	*	*	*
296.2	278	122	156	17	118	86	57	47	98	110	23
296.20	176	71	104	*7	73	57	39	33	61	68	13
296.22	15	*8	*7	*	*5	*6	*	*	*8	*	*
296.23	53	25	28	*7	28	11	*7	*5	22	23	*
296.24	32	16	16	*	11	12	*7	*7	*7	15	*
296.3	326	121	205	*8	150	123	45	63	98	130	35
296.30	77	27	49	*	36	26	14	20	33	18	*6
296.32	36	12	24	*	13	14	*7	*	11	15	*6
296.33	142	54	88	*	73	55	11	22	43	58	19
296.34	65	25	39	*	26	27	11	16	10	36	*
296.4	62	22	40	*	30	22	10	14	19	21	10
296.40	35	11	24	*	15	14	*6	10	*7	11	*6
296.43	*6	*	*	*	*	*	*	*	*	*	-
296.44	19	*7	12	*	11	*5	*	*	*6	*7	*
296.5	151	56	95	*	79	54	16	33	46	56	15
296.50	96	36	60	*	50	35	*9	21	29	39	*6
296.52	*5	*	*	-	*	*	*	*	*	*	*
296.53	23	*9	14	*	15	*7	*	*6	*9	*	*
296.54	25	*7	17	-	10	11	*	*	*6	11	*
296.6	87	44	42	11	46	22	*8	10	24	49	*
296.60	51	29	23	*9	24	11	*7	*	11	32	*
296.63	13	*6	*7	*	*9	*	*	*	*7	*5	*
296.64	18	*6	11	*	10	*6	*	*	*	10	*
296.7	31	12	19	*	15	10	*	*6	*8	13	*
296.8	417	150	267	15	210	145	47	84	119	166	48
296.80	347	128	219	14	170	122	41	65	94	145	43
296.89	68	21	48	*	40	23	*5	18	25	20	*6
296.9	114	57	57	17	59	31	*8	36	38	36	*
296.90	105	52	53	16	54	28	*6	32	35	33	*
296.99	*9	*	*	*	*	*	*	*	*	*	-
297	26	13	14	-	*6	*7	13	*7	*6	11	*
297.1	15	*8	*7	-	*	*	*8	*	*	*6	*
297.9	10	*	*5	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
298	140	69	71	*	40	35	62	27	44	50	19
298.9	137	67	69	*	39	34	61	26	44	49	19
299	25	19	*6	11	12	*	*	*7	*5	*9	*
299.0	18	14	*	*8	*8	*	*	*	*	*6	*
299.00	16	12	*	*8	*7	*	-	*	*	*5	*
300	1,346	385	961	23	447	469	406	313	329	482	220
300.0	838	253	585	12	267	290	270	190	217	291	140
300.00	683	206	477	*8	204	244	227	163	169	244	108
300.01	104	32	72	*	44	35	22	20	32	28	24
300.02	44	14	30	*	15	*9	18	*7	13	18	*7
300.09	*7	*	*5	-	*	*	*	*	*	*	*
300.1	37	*7	30	*	22	11	*	*	*6	19	10
300.11	19	*	15	*	10	*6	*	*	*	*6	*9
300.14	12	*	11	*	*9	*	*	*	*	10	*
300.2	23	11	13	*	10	11	*	*5	*	*7	*8
300.21	11	*	*8	-	*6	*5	-	*	*	*	*
300.29	*7	*	*	*	*	*	*	*	*	*	*
300.3	36	15	21	*	21	*9	*	*9	11	11	*6
300.4	377	86	291	*	107	141	126	99	88	143	46
300.7	*6	*	*	*	*	-	*	*	*	*	*
300.9	25	10	15	*	17	*5	*	*	*	*9	*8
301	272	101	171	*	169	82	18	76	69	82	45
301.5	11	*	*9	*	*	*6	*	*	*	*6	*
301.50	10	*	*8	*	*	*	*	*	*	*6	*
301.6	18	*7	11	*	*9	*6	*	*	*	12	*
301.7	22	19	*	*	17	*	*	*7	*7	*6	*
301.8	127	35	93	*	85	36	*5	24	36	33	34
301.81	*7	*6	*	*	*	*	*	*	*	*	*
301.83	102	21	80	*	71	28	*	22	26	26	29
301.89	15	*6	*9	-	10	*	*	*	*7	*	*
301.9	80	31	49	*	48	28	*	39	18	21	*
302	*6	*6	*	-	*	*	*	*	*	*	*
303	701	487	214	*	296	338	64	160	183	202	156
303.0	148	103	45	*	61	76	11	32	51	31	34
303.00	43	32	11	-	16	22	*6	*	16	*8	15
303.01	100	68	32	*	43	51	*	28	32	22	18
303.9	553	384	169	*	235	262	53	128	131	171	122
303.90	228	159	69	*	91	112	23	43	54	71	60
303.91	247	177	70	*	113	117	16	72	51	84	41
303.92	18	14	*	-	10	*9	*	*6	*	*	*8
303.93	59	34	26	-	21	24	13	*7	24	14	13
304	552	301	251	*7	325	205	15	178	131	153	89
304.0	209	118	91	*	110	92	*6	74	45	41	49
304.00	72	44	28	-	42	28	*	16	14	15	28
304.01	129	70	60	*	62	62	*	56	28	25	21
304.03	*7	*	*	-	*6	*	-	*	*	*	*
304.1	32	11	21	*	16	13	*	12	11	*8	*
304.10	11	*	*9	-	*	*7	*	*	*	*	*
304.11	20	*8	12	*	12	*6	*	*7	*8	*	*
304.2	108	59	49	*	59	47	*	33	24	40	10
304.20	45	22	23	*	29	16	-	11	16	12	*6
304.21	52	33	19	-	25	25	*	19	*5	24	*
304.23	*9	*	*6	-	*	*	*	*	*	*	*
304.3	72	44	28	*	60	10	-	15	28	20	10
304.30	29	19	10	*	24	*	-	*	11	*7	*7
304.31	29	20	10	*	25	*	-	*7	12	*8	*
304.33	*9	*	*7	-	*6	*	-	*	*	*	*
304.4	22	12	10	*	13	*7	-	*	*	*9	10
304.40	*9	*6	*	*	*6	*	-	-	*	*	*5
304.41	*7	*	*	-	*	*	-	*	*	*	*
304.43	*5	*	*	*	*	*	-	-	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
304.6	*8	*	*	*	*	*	*	*	*	*5	*
304.61	*5	*	*	-	*	*	*	*	*	*	*
304.7	47	26	21	-	33	14	*	28	*7	10	*
304.70	24	14	10	-	17	*7	-	15	*	*	*
304.71	21	11	10	-	15	*6	*	13	*	*6	*
304.8	27	14	13	*	20	*6	*	11	*6	*8	*
304.80	15	10	*	*	10	*	-	*5	*	*5	*
304.81	*7	*	*	-	*5	*	*	*	*	*	-
304.9	25	12	13	*	*8	13	*	*	*6	10	*5
304.90	17	*9	*8	*	*6	*9	*	*	*	*7	*
304.91	*6	*	*	*	*	*	*	*	*	*	*
305	3,600	2,040	1,560	11	1,606	1,522	462	748	881	1,450	521
305.0	474	332	142	*	221	209	41	114	119	162	79
305.00	331	234	97	*	163	140	25	70	92	112	57
305.01	93	69	24	-	37	44	12	30	18	35	11
305.02	15	10	*6	-	*9	*5	*	*	*	*6	*
305.03	35	19	16	-	12	20	*	11	*6	*9	*9
305.1	2,409	1,277	1,132	*	907	1,087	411	469	578	1,016	348
305.2	215	128	87	*	170	42	*	47	65	77	26
305.20	163	97	67	*	132	29	*	30	53	57	23
305.21	29	18	11	*	23	*6	*	12	*5	11	*
305.22	*9	*6	*	-	*6	*	*	*	*	*	*
305.23	13	*8	*6	*	10	*	-	*	*	*5	*
305.4	30	15	15	*	22	*8	*	*6	10	13	*
305.40	23	11	11	*	16	*6	*	*	*9	11	*
305.41	*6	*	*	-	*5	*	-	*	*	*	-
305.5	74	39	35	*	52	20	*	24	18	28	*
305.50	53	29	25	*	36	16	*	14	13	22	*
305.51	14	*8	*6	-	11	*	*	*8	*	*	*
305.53	*6	*	*	-	*	*	*	*	*	*	-
305.6	243	161	82	*	131	108	*	62	53	100	28
305.60	176	117	59	*	91	82	*	37	42	72	25
305.61	40	29	11	*	25	14	*	17	*	19	*
305.62	*6	*	*	*	*	*	-	*	*	*	*
305.63	20	10	10	-	11	*9	*	*6	*6	*7	*
305.7	29	14	15	-	24	*5	-	*	*	10	16
305.70	24	11	13	-	19	*	-	*	*	*7	13
305.9	121	71	51	*	74	43	*	24	35	43	19
305.90	102	60	42	*	63	35	*	21	28	36	18
305.91	*5	*	*	-	*	*	*	*	*	*	-
305.93	12	*7	*5	-	*6	*7	*	*	*	*	*
306	*5	*	*	*	*	*	*	*	*	*	*
307	101	35	65	*8	51	12	29	21	26	41	13
307.1	*7	*	*6	*	*5	*	*	*	*	*	*
307.2	10	*	*5	*	*7	*	-	*	*	*6	*
307.23	*9	*	*5	*	*7	*	-	*	*	*5	*
307.5	23	*	20	*	20	*	*	*8	*7	*7	*
307.50	*8	*	*8	*	*7	*	-	*	*	*	*
307.51	*8	*	*7	-	*7	*	-	*	*	*	*
307.6	*6	*	*	*	*	-	*	-	-	*	*
307.8	17	*	14	*	*8	*	*5	*	*	*6	*
307.81	11	*	*8	*	*5	*	*	*	*	*	*
307.89	*5	*	*5	*	*	*	*	*	*	*	*
307.9	32	17	14	*	*6	*	20	*6	*8	13	*
308	12	*7	*6	*	*	*6	*	*	*	*	*
308.0	*5	*	*	-	*	*	*	*	*	*	*
308.9	*5	*	*	*	*	*	*	*	*	*	*
309	290	100	191	26	166	86	12	76	75	81	58
309.0	30	12	17	*	17	*8	*	*8	*9	*8	*5
309.2	40	15	24	*	26	*8	*	11	18	*	*7
309.28	36	14	22	*	25	*7	*	*9	16	*	*7
309.4	22	12	10	*	15	*	-	10	*	*	*5

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
309.8	181	55	126	18	96	64	*	41	42	64	34
309.81	179	54	125	17	95	64	*	41	42	63	33
309.9	15	*	10	*	*8	*	*	*6	*	*	*
310	134	68	66	*	20	27	85	103	*6	*9	16
310.1	113	58	55	-	15	24	74	98	*	*	12
310.2	11	*6	*	*	*	*	*	*	*	*	*
310.9	*8	*	*6	-	-	*	*7	*	*	*	-
311	1,197	398	799	10	350	432	404	319	316	380	182
312	69	45	25	17	39	*9	*	14	15	30	12
312.3	40	26	14	*7	24	*8	*	*8	10	14	*8
312.30	21	12	*9	*6	13	*	*	*6	*	*8	*
312.34	14	11	*	*	*8	*	*	*	*	*	*
312.9	23	15	*8	*9	11	*	*	*	*	13	*
313	36	22	13	24	12	*	*	13	*7	15	*
313.8	34	21	13	23	11	*	*	13	*7	14	*
313.81	30	19	11	19	10	*	*	11	*6	12	*
314	161	104	57	58	86	14	*	34	53	57	17
314.0	161	104	57	58	86	13	*	34	53	57	17
314.00	34	17	16	*	22	*7	*	*	12	13	*5
314.01	127	87	41	54	64	*6	*	31	41	44	12
315	43	19	24	28	*9	*6	*	*7	12	12	13
315.3	*5	*	*	*	*	-	-	*	*	*	*
315.8	14	*	10	12	*	*	*	*	*	*6	*
315.9	18	*8	10	10	*	*	-	*	*6	*	*8
317	31	17	14	*	18	*8	*	*8	*7	12	*
318	32	22	10	*6	11	12	*	*5	12	11	*
318.0	*6	*	*	*	*	*	*	*	*	*	*
318.1	19	14	*	*	*5	*8	*	*	*7	*6	*
318.2	*8	*5	*	*	*	*	*	*	*	*	-
319	68	42	26	*9	21	25	12	25	17	20	*6
320-389	6,294	2,791	3,503	372	1,130	1,910	2,883	1,525	1,483	2,151	1,135
320	12	*8	*	*	*	*	*	*	*	*5	*
322	*8	*5	*	*	*	*	*	*	*	*	*
322.9	*7	*5	*	*	*	*	*	*	*	*	*
323	17	*7	10	*	*9	*	*	*	*	*9	*
323.8	*9	*	*6	*	*7	*	*	*	*	*6	*
323.9	*6	*	*	*	*	*	*	*	*	*	*
324	15	11	*	*	*	10	*	*	*	*	*
324.1	11	*8	*	-	*	*7	*	*	*	*	*
327	509	288	221	25	93	239	152	118	108	186	97
327.2	507	286	220	25	92	239	151	118	108	184	97
327.23	499	283	216	25	91	235	148	115	107	183	94
331	607	245	362	18	19	64	506	154	135	211	107
331.0	396	134	262	*	*	11	385	95	90	149	62
331.3	*9	*	*6	*	*	*	*	*	*	*	*
331.4	91	57	35	17	14	30	31	20	16	27	28
331.5	32	13	18	-	-	*9	23	*7	12	*8	*
331.8	61	30	31	-	*	*7	53	21	12	20	*7
331.82	54	27	28	-	-	*	51	20	12	19	*
331.83	*6	*	*	-	*	*	*	*	*	*	*
331.9	13	*5	*8	*	*	*	10	*6	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*® (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
332	195	105	90	-	*	25	169	45	54	72	24
332.0	189	100	89	-	*	22	167	42	53	71	24
332.1	*5	*	*	-	*	*	*	*	*	*	*
333	213	83	130	*	24	59	126	38	58	73	44
333.0	17	*8	*9	*	*	*	15	*	*	*6	*
333.1	42	19	23	*	*	13	28	*	13	11	13
333.2	*8	*	*	*	*	*	*	*	*	*	*
333.4	*7	*	*5	*	*	*	*	*	*	*	*
333.9	130	48	82	*	16	39	74	25	33	49	22
333.90	*7	*	*	-	*	*	*	*	*	*	*
333.94	114	42	72	-	11	35	68	24	29	41	20
334	*8	*6	*	*	*	*	*	*	*	*	*
335	16	10	*6	*	*	*5	11	*	*	*6	*
335.2	16	10	*6	-	*	*5	10	*	*	*5	*
335.20	12	*8	*	-	*	*	*7	*	*	*	*
336	28	16	12	*	*7	13	*6	*6	*9	*9	*
336.0	*7	*	*	*	*	*	*	*	*	*	*
336.3	*8	*	*	-	*	*	*	*	*	*	*
336.9	*7	*	*	-	*	*	*	*	*	*	-
337	48	23	26	*	*8	18	21	13	11	17	*7
337.1	23	13	10	-	*	10	12	*8	*6	*6	*
337.2	13	*	10	-	*	*6	*	*	*	*5	*
337.22	*6	*	*	-	*	*	*	*	*	*	*
337.9	*9	*	*5	*	*	*	*	*	*	*	*
338	532	198	333	*	148	226	153	94	132	186	120
338.1	80	28	53	*	26	27	24	13	22	19	27
338.11	11	*	*8	-	*	*	*7	*	*	*	*
338.18	58	21	37	*	22	20	13	*8	16	15	18
338.19	12	*	*8	*	*	*	*	*	*	*	*
338.2	301	113	188	*	84	129	86	53	73	107	68
338.21	*6	*	*	-	*	*	*	*	*	*	*
338.28	*7	*	*	-	*	*	*	*	*	*	*
338.29	286	105	181	*	79	122	84	49	68	104	65
338.3	50	26	24	-	*9	23	18	10	16	16	*8
338.4	100	32	68	-	29	47	25	18	22	43	18
340	117	24	93	*	36	52	30	23	38	32	24
341	*7	*	*	*	*	*	*	*	*	*	*
342	296	143	154	*	21	93	179	111	55	82	48
342.0	10	*	*5	-	*	*6	*	*	*	*	*
342.00	*6	*	*	-	*	*	*	*	*	*	*
342.8	15	*7	*8	*	*	*	10	*	*	*8	*
342.80	12	*6	*6	*	*	*	*7	*	*	*8	-
342.9	267	129	139	*	19	82	164	107	47	70	43
342.90	242	116	126	*	17	74	148	104	44	63	31
342.91	11	*	*6	-	*	*	*8	*	*	*	*
342.92	15	*8	*7	-	*	*6	*8	*	*	*	*8
343	75	42	33	25	26	19	*5	16	17	24	18
343.0	*6	*	*	*	*	*	-	*	*	*	*
343.2	13	*6	*7	*	*	*	*	*	*	*	*
343.9	53	33	20	17	18	15	*	11	11	18	13
344	215	138	77	*9	59	78	69	50	53	66	46
344.0	80	60	20	*	24	35	19	22	18	24	15
344.00	67	48	19	*	21	30	15	16	16	21	13
344.04	*5	*5	-	-	*	*	*	*	*	*	*
344.1	102	59	43	*6	24	33	40	21	26	32	23

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
344.6	15	11	*	*	*	*6	*	*	*	*	*
344.60	*8	*5	*	-	*	*	*	*	*	*	*
344.61	*7	*5	*	*	*	*	*	*	*	*	*
344.9	10	*	*6	*	*	*	*5	*	*	*	*
345	620	290	330	67	173	210	170	155	153	226	86
345.1	40	19	21	*6	13	11	10	13	11	11	*
345.10	37	18	19	*	11	11	10	12	11	10	*
345.3	31	15	16	*8	*7	*7	*9	*	*6	15	*5
345.4	21	*5	16	*	*6	*5	*7	*8	*	*	*
345.40	19	*	14	*	*	*	*7	*7	*	*	*
345.5	25	10	15	*	*6	*6	10	*7	*	*9	*5
345.50	21	10	11	*	*	*	*8	*6	*	*7	*
345.8	13	*8	*5	*	*	*5	*	*	*	*	*
345.80	13	*7	*5	*	*	*5	*	*	*	*	*
345.9	484	229	255	43	139	174	129	117	124	181	62
345.90	473	224	249	40	134	171	127	115	120	179	59
345.91	11	*5	*6	*	*	*	*	*	*	*	*
346	298	47	251	*7	146	115	30	58	74	112	54
346.1	*7	*	*6	-	*	*	*	*	*	*	*
346.10	*6	*	*6	-	*	*	*	*	*	*	*
346.2	11	*6	*5	*	*	*	*	*	*	*	*
346.20	11	*6	*5	*	*	*	*	*	*	*	*
346.8	18	*	14	*	11	*6	*	*	*7	*5	*
346.80	15	*	12	*	*9	*	*	*	*7	*	*
346.9	261	37	224	*6	126	103	27	52	64	101	43
346.90	252	36	216	*5	121	100	27	52	61	97	42
346.91	*9	*	*7	*	*5	*	-	*	*	*	*
347	*8	*	*6	-	*	*	*	*	*	*	*
347.0	*8	*	*5	-	*	*	*	*	*	*	*
347.00	*8	*	*5	-	*	*	*	*	*	*	*
348	552	286	267	23	73	143	314	129	130	205	88
348.0	*9	*	*	*	*	*	*	*	*	*	*
348.1	83	49	34	*	11	31	37	13	18	35	16
348.2	12	*	10	*	*8	*	*	*	*	*	*
348.3	343	173	171	10	25	72	236	94	78	131	40
348.30	173	91	83	*	12	40	117	45	40	72	16
348.31	95	43	52	-	*	16	76	33	23	34	*5
348.39	75	39	35	*5	*9	16	44	16	15	26	19
348.4	24	10	14	*	*8	*8	*6	*	*8	*7	*
348.5	47	25	22	*	*5	17	23	*7	15	13	12
348.8	26	15	11	*	11	*9	*	*	*5	12	*
348.9	*9	*9	*	-	*	*	*8	*	*	*	*8
349	105	36	69	*	30	17	56	18	28	46	13
349.0	22	*	19	*	20	*	*	*	*5	*6	*8
349.2	*9	*	*6	*	*	*	*	*	*	*	*
349.8	71	29	42	*	*5	12	53	15	19	35	*
349.82	65	26	39	-	*	10	51	13	17	32	*
350	27	*8	19	-	*	*8	14	*6	*	11	*6
350.1	26	*7	18	-	*	*7	14	*6	*	11	*6
351	30	11	19	*	*8	11	11	*8	*	10	*8
351.0	27	10	16	*	*7	*9	10	*6	*	10	*8
353	*8	*	*6	-	*	*5	*	*	*	*	*
354	31	12	19	*	*7	12	12	*8	*9	*8	*6
354.0	20	*7	12	-	*	*8	*8	*6	*6	*	*
355	79	26	52	*	13	23	43	19	19	26	15
355.8	30	13	17	-	*	*9	18	*7	*8	*9	*6
355.9	40	12	29	-	*6	12	22	11	*9	13	*7

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁹ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
373.1	*6	*	*	*	*	*	-	*	*	*	*
374	*8	*	*6	*	*	*5	*	*	*	*	*
375	*7	*	*7	*	*	*	*	*	*	*	*
376	19	10	*9	*6	*7	*5	*	*	*	*8	*6
376.0	12	*6	*6	*	*5	*	*	*	*	*	*
376.01	12	*6	*6	*	*5	*	*	*	*	*	*
377	16	*	12	*	*5	*	*	*	*	*5	*
377.3	*7	*	*6	*	*	*	*	*	*	*	*
377.30	*5	*	*	*	*	*	*	*	*	*	*
378	22	*6	16	*6	*	*8	*	*6	*	*7	*6
378.5	10	*	*7	*	*	*	*	*	*	*	*
378.54	*5	*	*	*	*	*	*	*	*	*	*
379	27	15	12	*	*6	11	*6	*7	*	10	*5
379.5	*7	*7	*	*	*	*	*	*	*	*	*
379.9	12	*	*7	*	*	*	*	*	*	*	*
379.91	*5	*	*	-	*	*	*	*	*	*	*
380	23	*8	14	*8	*7	*	*5	*	*	*9	*
380.1	12	*	*9	*	*5	*	*	*	*	*5	*
380.10	10	*	*8	*	*	*	*	*	*	*5	*
380.4	*9	*	*	*	*	*	*	*	*	*	*
381	11	*	*8	*6	*	*	*	*	*	*	*
382	102	57	44	84	*6	*6	*	15	17	32	38
382.9	99	56	43	83	*6	*6	*	13	16	32	38
383	13	*	*9	*	*	*	*	*	*	*	*
386	80	23	57	*	*6	22	51	20	21	22	16
386.0	16	*	12	-	*	*7	*6	*	*	*6	*
386.00	15	*	11	-	*	*7	*6	*	*	*5	*
386.1	37	*9	28	-	*	*9	27	12	10	11	*
386.11	27	*6	20	-	*	*7	19	*8	*7	*9	*
386.12	*6	*	*	-	*	*	*	*	*	*	*
386.3	21	*8	13	*	*	*6	14	*	*	*	*8
386.30	19	*6	12	-	*	*	13	*	*	*	*7
388	24	*7	17	*	*8	*8	*7	*9	*7	*6	*
388.3	11	*	*6	*	*	*6	*	*	*	*	*
388.30	11	*	*6	*	*	*6	*	*	*	*	*
389	107	55	51	*	13	17	73	32	23	32	19
389.1	*5	*	*	-	*	*	*	*	*	*	-
389.7	*6	*	*	*	*	*	*	*	*	*	*
389.9	89	44	45	*	10	11	64	28	19	26	16
390-459	35,014	17,004	18,010	108	2,206	9,754	22,946	8,478	8,345	13,120	5,072
394	20	*	15	-	*	*6	12	*6	*	*	*
394.0	*8	*	*8	-	*	*	*	*	*	*	*
394.2	*5	*	*	-	*	*	*	*	*	*	*
396	111	42	69	*	*	12	95	35	28	31	17
396.0	*6	*	*	-	-	*	*6	*	*	*	-
396.2	37	13	24	-	*	*	33	14	*9	*9	*5
396.3	49	22	27	-	*	*7	41	14	13	15	*7
396.8	14	*	11	*	*	*	12	*	*	*	*
397	119	38	81	*	*	28	85	32	17	46	24
397.0	118	37	81	*	*	28	83	32	17	46	24

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
398	93	36	58	*	*	11	81	28	23	26	17
398.9	93	36	58	-	*	11	81	28	23	26	17
398.90	*7	*	*6	-	*7	*	*	*	*	*	*
398.91	87	35	52	-	*	*9	77	26	21	24	16
401	9,318	3,942	5,376	15	793	3,200	5,310	2,275	2,108	3,566	1,369
401.0	90	34	56	-	12	31	47	21	20	43	*7
401.1	125	55	70	-	10	48	66	64	10	40	11
401.9	9,103	3,853	5,250	15	771	3,120	5,197	2,190	2,078	3,484	1,351
402	230	95	135	-	*8	62	160	65	32	119	14
402.0	*8	*	*	-	*	*5	*	*	*	*5	-
402.01	*6	*	*	-	*	*	*	*	*	*	-
402.1	*6	*	*	-	*	*	*	*	*	*	-
402.9	216	88	128	-	*7	56	152	58	32	113	14
402.90	121	53	67	-	*	31	87	29	18	69	*5
402.91	95	34	61	-	*	25	65	29	14	44	*8
403	1,714	879	835	*	135	493	1,084	404	421	659	230
403.0	45	18	27	-	*8	15	22	*9	*7	23	*
403.00	22	*8	14	-	*	*7	12	*	*	13	*
403.01	23	10	13	-	*6	*7	*9	*5	*	10	*
403.1	15	11	*	-	*	*6	*8	*9	*	*	*
403.10	11	*8	*	-	*	*5	*	*5	*	*	*
403.9	1,654	851	804	*	124	473	1,055	385	412	634	224
403.90	939	482	457	*	29	190	719	227	228	373	110
403.91	715	368	347	*	96	283	336	158	183	260	113
404	158	70	89	-	11	40	107	33	34	70	22
404.0	14	*8	*6	-	*	*8	*5	*	*	*	*
404.03	*5	*	*	-	*	*	*	*	*	*	*
404.9	144	61	83	-	10	32	102	30	31	64	18
404.90	22	*8	15	-	*	*6	15	*6	*6	*9	*
404.91	85	34	51	-	*	15	66	15	17	41	12
404.92	12	*6	*5	-	*	*	*	*	*	*5	*
404.93	24	12	12	-	*	*6	17	*6	*6	*9	*
405	12	*6	*7	*	*	*	*	*	*6	*	*
405.9	10	*	*6	*	*	*	*	*	*	*	*
405.99	*6	*	*	*	*	*	*	*	*	*	*
410	845	468	377	*	52	252	541	196	223	330	97
410.0	13	*9	*	-	*	*5	*8	*	*	*	*
410.01	13	*9	*	-	*	*	*7	*	*	*	*
410.1	66	41	25	-	*	23	40	13	20	25	*8
410.11	63	39	24	-	*	21	39	12	18	25	*8
410.2	*8	*	*	-	*	*	*	*	*	*	*
410.21	*8	*	*	-	*	*	*	*	*	*	*
410.3	10	*	*7	-	*	*	*	*	*	*	*
410.31	10	*	*7	-	*	*	*	*	*	*	*
410.4	79	48	31	-	*7	44	28	16	22	31	11
410.41	76	47	29	-	*7	41	27	15	21	29	*9
410.5	*9	*5	*	-	*	*	*	*	*	*	*
410.51	*8	*5	*	-	*	*	*	*	*	*	*
410.7	550	297	253	-	32	141	377	134	138	226	52
410.71	530	285	245	-	29	136	365	131	132	217	50
410.72	18	11	*7	-	*	*	11	*	*6	*7	*
410.8	10	*6	*	-	*	*	*7	*	*	*	*
410.81	*9	*6	*	-	*	*	*6	*	*	*	*
410.9	98	54	44	*	*7	22	68	24	26	29	18
410.91	78	41	37	-	*	20	55	11	23	26	18
410.92	18	12	*6	-	*	*	13	12	*	*	*
411	390	245	145	*	22	157	211	105	96	142	47
411.1	372	232	140	*	20	152	200	98	91	137	45
411.8	16	11	*	-	*	*5	*9	*7	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
411.89	15	11	*	-	*	*	*9	*7	*	*	*
412	673	405	268	*	40	224	409	159	152	274	88
413	244	137	106	-	13	89	142	65	70	80	29
413.1	*8	*	*	-	*	*	*	*	*	*	*
413.9	235	132	103	-	12	84	139	62	69	76	29
414	4,586	2,673	1,913	*	114	1,290	3,180	1,198	1,204	1,622	563
414.0	4,143	2,385	1,758	*	103	1,151	2,886	1,095	1,076	1,463	509
414.00	1,042	653	389	*	18	231	792	257	298	373	114
414.01	2,962	1,628	1,334	*	82	882	1,995	797	736	1,049	380
414.02	102	77	25	-	*	29	71	24	36	32	10
414.04	*8	*5	*	-	*	*	*5	*	*	*	*
414.05	29	22	*8	-	-	*8	21	17	*	*5	*
414.1	22	12	10	-	*	*7	12	*	*9	*7	*
414.10	11	*7	*	-	*	*	*8	*	*	*	*
414.12	*9	*	*6	-	*	*	*	*	*	*	*
414.2	58	36	22	-	*	24	32	17	12	19	10
414.8	332	222	110	-	*6	98	228	78	92	123	40
414.9	32	18	14	*	*	*9	21	*	15	10	*
415	282	138	144	*	41	90	151	56	68	91	67
415.0	*8	*6	*	*	*	*	*	*	*	*	*
415.1	274	132	143	*	40	87	147	55	67	87	65
415.11	18	*8	10	-	*	*5	11	*6	*	*	*
415.19	252	122	130	*	37	80	135	47	62	82	60
416	405	173	233	*7	22	103	273	80	88	165	73
416.0	16	*5	11	*	*	*	12	*	*6	*5	*
416.8	331	132	199	*6	19	80	226	66	75	128	62
416.9	57	35	22	*	*	19	36	*9	*7	31	11
420	23	14	*9	*	*7	*	10	*5	*5	*7	*6
420.9	20	13	*8	*	*7	*	*9	*	*	*6	*6
420.90	13	*7	*6	*	*	*	*8	*	*	*	*
420.91	*7	*6	*	*	*	*	*	*	*	*	*
421	33	17	17	*	*	12	17	16	*6	*8	*
421.0	31	16	15	*	*	11	15	16	*6	*8	*
423	106	47	59	*	12	36	56	26	28	34	18
423.1	*5	*	*	-	*	*	*	*	*	*	*
423.3	11	*	*6	*	*	*	*6	*	*	*	*
423.9	84	38	46	*	*9	31	43	22	22	25	14
424	707	279	428	*	59	156	488	195	156	253	102
424.0	394	124	270	*	51	114	228	96	86	155	58
424.1	266	132	134	*	*5	32	229	83	61	84	38
424.2	11	*	*6	*	*	*	*6	*	*	*	*
424.3	*6	*	*	*	*	*	*	*	*	*	*
424.9	30	16	15	*	*	*6	22	11	*6	*7	*6
424.90	28	14	15	*	*	*	22	11	*6	*7	*
425	829	461	369	*	73	274	481	186	200	328	115
425.1	15	*	10	*	*	*	*7	*	*	*6	*
425.4	767	425	342	*	61	246	458	172	189	303	103
425.5	14	12	*	-	*	*9	*	*	*	*	*
425.8	27	15	11	-	*6	10	11	*6	*	12	*7
426	435	243	192	*	27	85	321	101	102	151	81
426.0	78	39	39	*	*	17	56	14	18	30	17
426.1	108	61	47	*	*7	19	82	28	27	37	16
426.10	*8	*7	*	*	-	*	*	*	*	*	*
426.11	59	30	29	*	*	*8	47	18	15	17	*8
426.12	10	*6	*	-	*	*	*6	*	*	*5	*
426.13	31	18	12	-	*	*	24	*6	*7	11	*6

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
426.2	15	11	*	-	*	*	11	*	*	*5	*
426.3	103	50	53	-	*5	20	77	23	22	36	22
426.4	78	51	26	-	*	16	57	21	22	25	10
426.5	33	22	11	-	*	*	27	*8	*7	12	*7
426.52	*8	*6	*	-	*	*	*6	*	*	*	*
426.53	18	12	*6	-	*	*	15	*6	*	*	*
426.7	*6	*	*	*	*	*	*	*	*	*	*
426.8	*7	*	*6	*	*	*	*	*	*	*	*
426.9	*6	*	*	*	*	*	*	*	*	*	*
427	4,156	2,080	2,076	27	211	818	3,101	1,095	939	1,495	628
427.0	118	44	74	*	12	27	78	31	19	42	26
427.1	309	200	109	*	22	103	184	81	75	111	42
427.3	2,653	1,314	1,340	*	61	425	2,166	740	602	934	377
427.31	2,331	1,124	1,207	*	51	342	1,938	648	529	825	329
427.32	323	190	132	*	10	83	228	92	73	109	49
427.4	48	30	18	*	*	14	28	13	*9	18	*8
427.41	47	29	18	*	*	14	27	13	*8	18	*8
427.5	85	50	35	*	*9	22	51	17	17	34	17
427.6	83	49	34	*	*9	24	48	16	25	33	*9
427.61	23	14	*9	*	*	*	16	*	10	*7	*
427.69	60	35	25	*	*8	21	32	14	15	26	*6
427.8	817	378	439	18	88	192	519	191	179	309	138
427.81	192	94	98	*	*9	21	162	54	38	71	29
427.89	625	285	340	18	79	171	357	137	141	237	110
427.9	40	14	26	*	*	10	25	*	13	13	10
428	4,229	1,918	2,312	*8	146	877	3,197	1,032	1,021	1,646	530
428.0	2,767	1,265	1,503	*7	100	597	2,063	637	668	1,113	349
428.1	19	*6	13	-	*	*	16	*	*	10	*
428.2	610	330	280	*	24	139	447	160	148	237	65
428.20	117	59	57	*	*7	24	85	23	36	46	12
428.21	123	64	59	*	*7	34	81	32	30	46	15
428.22	162	88	74	-	*	34	126	54	35	57	16
428.23	208	118	90	-	*6	48	154	51	47	89	22
428.3	660	232	428	-	16	106	537	195	157	218	89
428.30	277	105	172	-	*6	48	222	62	75	91	48
428.31	116	32	84	-	*5	12	98	42	19	47	*7
428.32	135	48	87	-	*	24	108	54	35	30	16
428.33	133	47	86	-	*	22	110	37	28	50	18
428.4	159	79	80	-	*6	28	126	36	41	60	22
428.40	26	12	15	-	*	*	21	*6	*9	*9	*
428.41	31	13	19	-	*	*6	24	*7	*7	14	*
428.42	30	15	16	-	*	*	24	*7	*9	*9	*5
428.43	71	40	31	-	*	13	56	17	17	28	10
428.9	14	*6	*8	*	*	*	*9	*	*	*8	*
429	190	79	111	*	19	49	119	38	36	81	35
429.2	32	12	20	-	*	*	24	*7	*6	14	*
429.3	71	34	37	*	10	20	39	12	14	35	10
429.7	*7	*	*	*	*	*	*	*	*	*	*
429.8	28	*7	21	-	*	12	15	*6	*6	10	*7
429.83	12	*	12	-	*	*	*8	*	*	*	*
429.89	16	*6	*9	-	*	*9	*6	*	*	*5	*6
429.9	41	18	24	*	*	*8	31	*9	*7	17	*8
430	33	14	18	*	*8	15	10	*7	*9	11	*
431	87	50	36	*	*	21	61	12	21	33	21
432	50	25	24	*	*	13	34	*6	11	19	14
432.1	35	19	16	*	*	*6	27	*	*8	11	11
432.9	13	*	*9	*	*	*7	*6	*	*	*8	*
433	368	204	164	*	*5	92	270	77	95	131	65
433.0	*5	*	*	-	*	*	*	*	*	*	*
433.1	293	157	136	*	*	72	217	63	75	106	49

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
433.10	253	136	118	-	*	61	190	47	69	94	43
433.11	39	21	18	*	*	11	27	16	*6	12	*6
433.2	*8	*5	*	-	*	*	*5	*	*	*	*
433.20	*6	*	*	-	*	*	*	*	*	*	*
433.3	59	37	22	-	*	16	43	13	19	18	10
433.30	52	33	19	-	*	13	38	11	16	17	*8
433.31	*7	*	*	-	-	*	*	*	*	*	*
434	484	221	262	*	26	122	334	98	119	200	67
434.0	15	*7	*8	-	*	*	11	*	*	*	*
434.01	14	*6	*8	-	*	*	10	*	*	*	*
434.1	71	35	36	*	*	16	53	19	17	24	11
434.11	68	33	35	*	*	15	51	18	16	23	11
434.9	398	180	218	*	23	104	270	75	99	173	51
434.90	14	*	*9	*	*	*	*8	*	*	*7	*
434.91	384	175	209	*	21	100	262	72	98	166	49
435	253	112	141	-	15	61	177	64	49	97	43
435.3	*5	*	*	-	-	*	*	*	*	*	-
435.8	13	*5	*8	-	*	*	*8	*	*	*	*
435.9	229	101	128	-	14	55	160	59	41	88	40
437	149	56	92	*	19	29	100	36	37	59	17
437.0	49	19	31	-	*	*6	43	*	12	26	*6
437.1	15	*6	*9	-	*	*	13	*	*	*5	*
437.2	23	*5	18	-	*8	*5	10	10	*	*7	*
437.3	28	12	16	*	*	12	11	*6	*7	10	*
437.5	*5	*	*	*	*	*	*	*	*	*	*
437.7	*7	*	*	-	-	*	*	*	*	*	-
437.9	20	*8	12	-	-	*	18	*	*7	*9	*
438	672	320	352	*	21	172	479	113	180	212	167
438.0	18	*6	12	-	*	*6	11	*	*	*	12
438.1	90	43	46	-	*	28	60	11	30	27	21
438.11	74	36	38	-	*7	24	49	*8	26	20	20
438.12	*6	*	*	-	*	*	*	*	*	*	*
438.19	*7	*	*	-	*	*	*	*	*	*	*
438.2	357	178	178	*	*7	83	265	75	87	122	74
438.20	319	158	161	*	*6	70	242	70	79	110	60
438.21	22	10	12	*	*	*8	13	*	*	*6	*8
438.22	16	11	*5	-	*	*	10	*	*	*5	*5
438.5	*7	*	*	-	*	*	*	*	*	*	*
438.7	13	*5	*7	-	*	*	*8	*	*	*	*6
438.8	179	80	99	*	10	47	121	24	49	56	50
438.82	54	22	32	-	*	18	36	*6	16	14	19
438.83	10	*7	*	-	*	*	*6	*	*	*	*
438.84	14	*6	*8	-	*	*	*9	*	*	*	*7
438.89	100	44	56	*	*8	23	68	16	26	37	21
440	349	177	172	-	*7	101	241	57	105	144	44
440.0	15	*9	*6	-	*	*8	*7	*	*	*	*
440.1	45	16	30	-	*	11	34	*5	17	18	*5
440.2	246	130	116	-	*5	71	169	42	70	101	32
440.20	56	28	28	-	*	15	39	*5	21	22	*7
440.21	54	32	22	-	*	22	31	10	15	22	*7
440.22	24	15	*9	-	*	*9	15	*	*6	11	*
440.23	39	17	22	-	*	*9	29	*8	11	16	*
440.24	63	32	30	-	*	15	46	15	13	26	*9
440.29	10	*5	*	-	-	*	*9	*	*	*	*
440.3	11	*7	*	-	*	*	*7	*	*	*5	*
440.4	18	10	*8	-	*	*6	12	*	*6	*9	*
440.9	13	*5	*8	-	-	*	12	*	*	*6	*
441	205	132	74	-	*	46	155	48	60	71	26
441.0	23	12	11	-	*	*6	14	*8	*5	*7	*
441.00	*6	*	*	-	*	*	*5	*	*	*	-
441.01	*9	*	*	-	*	*	*5	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
441.2	29	16	13	-	*	*8	19	*7	11	*8	*
441.3	*5	*	*	-	-	*	*	*	*	*	*
441.4	140	95	45	-	*	27	112	30	41	49	20
442	42	28	14	*	*	*7	32	*8	*9	20	*
442.2	10	*9	*	-	-	*	*9	*	*	*5	*
442.3	18	12	*6	-	*	*	15	*	*	*8	*
442.8	11	*5	*6	*	*	*	*7	*	*	*6	*
443	459	247	212	*	23	108	327	112	107	185	55
443.0	23	*	20	*	*8	*8	*6	12	*	*6	*
443.2	14	*7	*7	-	*8	*	*	*	*	*	*
443.21	*5	*	*	-	*	*	*	*	*	*	*
443.8	22	11	11	-	*	*6	15	*	*	12	*
443.81	12	*8	*	-	*	*	*8	*	*	*8	*
443.89	*9	*	*6	-	*	*	*8	*	*	*	*
443.9	398	224	173	-	*6	90	301	91	95	164	48
444	95	48	47	*	*7	26	61	16	24	38	17
444.0	*8	*	*	*	*	*	*	*	*	*	*
444.2	66	31	35	*	*5	14	46	10	16	28	12
444.21	17	*6	11	-	*	*	12	*	*	*9	*
444.22	49	25	24	*	*	11	34	*8	14	19	*8
444.8	19	11	*8	*	*	*8	10	*	*	*7	*
444.81	12	*6	*5	*	*	*	*7	*	*	*	*
444.89	*7	*	*	-	*	*	*	*	*	*	*
446	48	15	34	*	*	12	27	12	13	14	10
446.2	*6	*	*	*	*	*	*	*	*	*	*
446.4	13	*	*9	-	*	*5	*6	*	*	*	*
446.5	17	*	14	-	-	*	15	*7	*	*	*
447	44	19	25	*	*	15	25	*9	13	14	*8
447.1	19	*9	10	-	*	*7	11	*	*	*8	*
447.6	*9	*	*6	*	*	*	*	*	*	*	*
447.8	*6	*	*	*	*	*	*	*	*	*	*
448	*6	*	*	-	*	*	*	*	*	*	*
451	39	18	21	*	*7	14	18	*7	*7	19	*6
451.0	*8	*	*	-	*	*	*	*	*	*	*
451.1	*9	*	*	-	*	*	*	*	*	*6	*
451.19	*6	*	*	-	-	*	*	*	*	*	*
451.8	17	*9	*9	*	*	*	*9	*	*	*6	*
451.82	*9	*	*	-	*	*	*5	*	*	*	*
452	21	13	*8	-	*7	*9	*	*8	*	*6	*
453	470	234	236	*	66	127	274	108	106	160	96
453.2	*7	*	*	-	*7	*	*	*	*	*	*
453.4	339	164	175	*	45	85	209	81	78	119	62
453.40	99	48	51	*	10	24	64	21	22	39	16
453.41	145	69	76	*	19	35	91	38	33	50	24
453.42	95	48	47	*	16	26	54	21	22	30	21
453.8	108	60	48	*	17	35	54	24	25	31	27
453.9	12	*	*7	*	*	*	*8	*	*	*6	*
454	28	11	17	-	*	10	15	*7	*7	*7	*8
454.0	*6	*	*	-	-	*	*	*	*	*	*
454.9	14	*6	*8	-	*	*6	*	*	*	*	*
455	179	74	105	-	38	62	79	47	34	71	27
455.0	73	31	42	-	13	23	37	18	12	35	*9
455.2	32	16	15	-	*6	12	13	*7	*7	10	*7
455.3	14	*	*9	-	*	*	*6	*	*	*	*
455.5	14	*	11	-	*	*6	*	*	*	*6	*
455.6	29	11	17	-	*9	*9	11	*8	*6	*9	*5

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
455.8	12	*6	*6	-	*	*	*7	*6	*	*	*
456	106	68	38	*	18	57	29	21	21	34	30
456.0	10	*6	*	-	*	*6	*	*	*	*	*5
456.1	17	*9	*8	*	*	*8	*	*	*	*7	*
456.2	68	47	21	-	11	37	20	13	13	23	18
456.20	27	20	*8	-	*	15	*8	*	*6	*9	*9
456.21	40	27	14	-	*7	21	12	10	*8	14	*9
456.8	10	*6	*	-	*	*6	*	*	*	*	*
457	42	15	27	*	*9	18	15	*7	14	13	*9
457.1	36	13	23	*	*8	15	13	*6	12	10	*7
458	693	310	383	*9	65	179	440	124	171	273	125
458.0	148	62	86	*	*9	32	106	27	37	57	27
458.2	88	34	54	*	11	26	50	20	22	24	21
458.29	85	33	52	*	10	25	49	20	20	23	21
458.8	55	28	27	*	*6	13	35	*8	11	13	23
458.9	400	184	215	*7	39	106	248	67	102	177	54
459	163	93	70	*	13	57	91	34	53	54	21
459.0	*8	*	*5	-	*	*	*5	*	*	*	*
459.2	14	*9	*5	*	*	*7	*	*	*	*8	*
459.8	129	74	55	*	*8	45	75	31	42	39	17
459.81	119	69	50	*	*6	41	72	29	38	34	17
459.89	10	*5	*	*	*	*	*	*	*	*	-
459.9	*6	*	*	-	*	*	*	*	*	*	-
460-519	12,707	5,894	6,813	982	1,594	3,330	6,801	2,738	3,012	4,795	2,162
461	45	18	26	*	16	10	14	*6	*9	20	*9
461.0	12	*6	*6	*	*5	*	*	*	*	*6	*
461.9	22	*7	14	*	*9	*	*7	*	*5	*9	*
462	49	19	30	10	20	*8	11	14	*8	20	*8
463	17	*6	11	*	13	*	*	*	*	*8	*
464	23	16	*6	16	*	*	*	*	*7	*7	*
464.1	*6	*5	*	*5	*	*	*	*	*	*	*
464.10	*5	*	*	*5	*	-	*	*	*	*	*
464.4	11	*9	*	11	*	-	-	*	*	*	*
465	187	86	101	79	41	29	38	36	37	73	41
465.9	186	86	100	79	40	29	38	35	37	73	41
466	311	152	159	156	29	39	88	48	59	132	72
466.0	150	49	101	*7	27	34	83	26	33	73	18
466.1	161	103	58	149	*	*6	*	22	26	59	55
466.11	82	48	34	79	*	*	*	11	16	26	29
466.19	79	55	24	70	*	*	*	11	10	33	25
470	*9	*7	*	-	*	*	*	*	*	*	*
472	*9	*	*6	*	*	*	*	*	*	*	*
472.0	*9	*	*6	*	*	*	*	*	*	*	*
473	146	65	81	22	42	37	46	30	33	61	22
473.0	19	10	*9	*	*	*6	*7	*	*	*9	*
473.2	*7	*	*	*	*	*	*	*	*	*	*
473.3	*6	*	*	*	*	*	*	*	*	*	*
473.8	11	*6	*	*	*	*	*	*	*	*	*
473.9	101	42	59	13	32	27	30	20	26	41	15
474	26	16	*9	15	*6	*	*	*6	*	10	*6
474.0	*5	*	*	*	*	*	-	*	*	*	*
474.1	18	11	*7	11	*	*	-	*	*	*7	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
474.10	*9	*	*5	*9	*	-	-	*	*	*	*
474.11	*8	*6	*	*	*	*	-	*	*	*	*
475	15	*5	*9	*	*9	*	*	*	*	*8	*
477	93	40	54	*8	17	40	28	12	28	41	13
477.9	89	38	51	*8	16	38	27	11	27	38	13
478	79	42	37	16	22	19	22	20	18	28	14
478.0	*7	*	*	*	*	*	*	*	*	*	*
478.1	23	13	10	*	*5	*5	*8	*	*6	11	*
478.19	23	13	10	*	*5	*5	*8	*	*6	11	*
478.2	19	12	*7	*7	*8	*	*	*6	*	*5	*
478.22	*6	*	*	*	*	*	*	*	*	*	-
478.24	*6	*	*	*	*	*	*	*	*	*	*
478.3	12	*6	*6	*	*	*	*7	*	*	*	*
478.30	*6	*	*	*	*	*	*	*	*	*	*
478.31	*5	*	*	*	*	*	*	*	*	*	*
478.6	*5	*	*	*	*	*	*	*	*	*	*
478.7	*7	*	*	*	*	*	*	*	*	*	*
480	30	13	17	18	*	*	*6	*	*7	10	10
480.1	*6	*	*	*	*	-	-	*	*	*	*
480.9	22	10	12	14	*	*	*	*	*	*7	*9
481	57	30	27	*	*8	15	30	10	13	22	12
482	266	142	124	15	29	67	155	66	67	86	48
482.0	16	*8	*8	*	*	*6	*8	*	*	*	*
482.1	48	27	20	*	*	12	29	*6	13	18	11
482.2	11	*	*7	*	*	*	*6	*	*	*	*
482.3	14	*6	*8	*	*	*	*6	*	*	*5	*
482.30	*8	*	*	*	*	*	*	*	*	*	*
482.4	102	61	40	*	13	24	60	27	21	35	18
482.41	93	56	37	*	11	23	55	25	20	31	17
482.49	*5	*	*	-	*	*	*	*	*	*	*
482.8	43	22	21	*	*	*9	26	*6	14	16	*8
482.82	*8	*	*	-	*	*	*6	*	*	*	*
482.83	30	14	16	*	*	*6	17	*	10	10	*6
482.9	33	14	19	*	*	*7	20	16	*8	*6	*
483	12	*7	*6	*	*	*	*	*	*	*7	*
483.0	*9	*	*	*	*	*	*	*	*	*6	*
484	11	*	*7	*	*	*	*	*	*	*	*
485	23	11	12	*	*	*	15	*	*7	11	*
486	2,084	987	1,098	145	191	474	1,274	415	541	779	349
487	89	46	44	25	11	10	43	12	36	32	*9
487.0	24	11	13	*6	*	*	13	*	12	*6	*
487.1	62	32	30	18	*8	*7	29	*7	23	25	*7
490	109	45	65	*	28	32	45	19	27	48	15
491	1,263	569	694	*	27	327	907	284	314	508	156
491.2	1,241	560	681	*	22	323	895	280	309	499	153
491.20	64	33	31	-	*	19	44	13	10	28	13
491.21	1,013	461	552	*	14	256	743	228	260	396	130
491.22	164	66	98	-	*7	48	109	39	39	76	10
491.9	16	*	11	-	*	*	10	*	*	*7	*
492	187	98	89	*	*6	58	122	41	51	66	28
492.0	17	12	*	*	*	*7	*7	*	*7	*	*
492.8	170	86	85	*	*	51	115	38	44	61	27

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*® (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
493	2,018	692	1,326	266	595	604	552	508	427	715	368
493.0	84	39	44	52	17	*7	*8	11	11	14	47
493.00	47	18	29	23	12	*5	*7	*8	*7	*6	26
493.01	*6	*	*	*5	*	*	-	*	*	*	*
493.02	31	19	12	23	*	*	*	*	*	*	20
493.1	*8	*5	*	*	*	*	*	*	*	*	*6
493.12	*7	*	*	*	*	*	*	*	-	*	*6
493.2	490	166	324	*	48	188	254	147	104	169	71
493.20	251	93	158	-	24	86	141	83	51	81	35
493.21	11	*5	*6	-	*	*7	*	*	*	*	*
493.22	228	68	161	*	23	96	109	60	49	85	34
493.8	*7	*	*	*	*	*	*	*	*	*	*
493.81	*6	*	*	*	*	*	*	*	*	*	*
493.9	1,429	478	951	212	523	406	287	349	309	529	241
493.90	1,114	345	770	105	433	337	239	282	243	395	195
493.91	64	37	28	38	16	*6	*	12	11	32	*9
493.92	250	96	154	69	74	63	44	55	55	102	38
494	54	18	37	*	*	*9	40	16	10	22	*6
494.0	34	14	20	*	*	*6	23	10	*6	12	*5
494.1	21	*	17	*	*	*	17	*6	*	10	*
496	1,546	776	770	*	40	451	1,054	354	376	614	202
501	17	16	*	-	*	*	16	*	*	10	*
506	*6	*	*	*	*	*	*	*	*	*	*
507	458	251	207	11	36	83	327	108	107	148	94
507.0	454	248	206	11	36	81	326	107	107	146	94
508	*9	*	*	*	*	*	*7	*	*	*	*
508.0	*5	*	*	-	-	*	*	-	*	*	*
510	34	24	*9	*	*5	13	12	*8	*8	11	*6
510.9	30	21	*9	*	*	11	11	*7	*7	10	*6
511	607	296	311	14	53	165	375	122	153	219	112
511.0	18	10	*9	*	*5	*8	*	*	*5	*7	*
511.8	42	24	18	*	*	*8	28	*5	10	15	13
511.9	544	261	283	13	43	148	341	112	138	196	98
512	133	87	46	*	25	43	62	29	29	44	31
512.0	*9	*6	*	*	*	*	*	*	*	*	*
512.1	65	38	27	*	*5	20	38	*9	14	18	24
512.8	60	44	16	*	17	20	21	19	13	22	*6
513	22	12	11	*	*	10	*8	*	*5	*9	*5
513.0	22	12	11	*	*	10	*8	*	*5	*9	*5
514	48	25	23	*	*5	11	30	*7	12	21	*8
515	157	70	87	*	*9	32	116	41	31	61	24
516	31	16	15	*	*	*8	16	*9	*5	12	*
516.3	11	*	*6	*	*	*	*9	*	*	*	*
516.8	16	*7	*9	*	*	*6	*8	*	*	*7	*
517	28	10	18	*6	*7	10	*	*7	*	11	*5
517.3	10	*	*5	*6	*	*	-	*	*	*	*
517.8	15	*	11	-	*	*8	*	*	*	*7	*
518	2,297	1,110	1,186	92	255	662	1,288	456	530	876	433
518.0	638	293	344	35	73	186	344	112	155	224	147
518.1	*6	*	*	*	*	*	*	*	*	*	*
518.3	27	11	15	*	*	10	13	*	*8	11	*6
518.4	27	10	18	*	*5	*8	13	*	*6	*5	11

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
518.5	178	102	76	*8	33	54	82	40	38	62	38
518.8	1,420	689	730	47	136	402	835	297	321	572	230
518.81	979	496	484	28	106	276	569	216	216	390	158
518.82	48	20	28	10	*	13	23	*9	13	22	*
518.83	96	44	52	*	*	26	64	23	28	36	10
518.84	148	64	85	*	*6	39	100	25	37	66	21
518.89	148	66	82	*	17	48	78	25	29	58	36
519	90	50	40	16	15	30	29	16	25	28	21
519.0	18	13	*	*	*	*7	*	*	*5	*6	*
519.02	*7	*6	*	*	*	*	*	*	*	*	*
519.09	10	*7	*	*	*	*	*	*	*	*	*
519.1	39	16	23	*6	*6	12	15	*	13	12	*9
519.11	17	*6	11	*	*	*	*9	*	*7	*7	*
519.19	22	10	12	*	*	*9	*6	*	*6	*	*8
519.8	20	13	*7	*6	*	*7	*	*7	*	*5	*
520-579	11,904	5,197	6,707	450	2,400	3,980	5,075	2,671	2,671	4,506	2,056
521	26	15	11	*	*9	*9	*	*	*	11	*8
521.0	24	14	10	*	*8	*8	*	*	*	11	*8
521.00	22	12	*9	*	*7	*7	*	*	*	10	*8
522	31	12	19	*	17	*7	*	*6	*6	10	*9
522.4	*9	*	*6	-	*	*	*	*	*	*	*
522.5	17	*8	10	*	11	*	*	*	*	*7	*
523	16	10	*6	*	*	*6	*	*	*	*	*5
524	31	10	22	*	19	*8	*	11	*5	14	*
524.0	10	*	*6	*	*8	*	-	*	*	*	-
524.6	12	*	*9	-	*	*	*	*	*	*6	*
524.60	*8	*	*7	-	*	*	*	*	*	*	*
525	20	14	*6	*	10	*8	*	*	*	13	*
525.9	13	*9	*	*	*8	*	*	*	*	*7	*
526	*9	*	*5	*	*	*	*	*	*	*	*
527	17	*	12	*	*	*	*8	*7	*	*	*
527.2	11	*	*9	*	*	*	*6	*	*	*	*
528	47	23	24	*5	16	15	11	11	*7	20	*9
528.0	17	*6	11	*	*	*5	*6	*6	*	*6	*
528.00	*8	*	*5	*	*	*	*	*	*	*	*
528.3	13	*8	*	*	*6	*	*	*	*	*6	*
528.5	*5	*	*	*	*	*	*	*	*	*	*
528.9	10	*	*6	*	*	*	*	*	*	*	*
530	2,881	1,160	1,721	101	458	1,013	1,309	692	640	1,106	442
530.0	10	*	*5	-	*	*	*5	*	*	*	*
530.1	174	90	84	*	38	52	80	45	34	53	42
530.10	53	27	25	*	11	19	22	14	11	16	12
530.11	53	25	28	*	*9	14	29	16	*9	18	10
530.12	*7	*	*6	-	*	*	*	*	*	*	*
530.19	60	35	25	*	17	16	25	12	14	18	17
530.2	32	17	15	-	*	*7	22	*8	*7	12	*5
530.20	23	11	12	-	*	*	17	*6	*	*9	*
530.21	*9	*6	*	-	*	*	*	*	*	*	*
530.3	47	21	26	-	*5	*9	33	12	12	12	10
530.5	15	*	11	-	*	*	*8	*	*	*6	*
530.6	10	*6	*	-	*	*	*7	*	*	*	*
530.7	27	18	*9	*	10	*8	*7	*	*7	*7	*8
530.8	2,563	997	1,566	97	394	926	1,145	617	570	1,010	366
530.81	2,479	948	1,531	96	384	895	1,104	598	552	979	350
530.82	21	14	*7	-	*	*6	12	*5	*	*8	*
530.85	51	31	20	*	*5	20	26	11	11	19	10

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
530.89	12	*	*8	*	*	*	*	*	*	*	*
531	145	67	77	*	18	46	80	29	31	55	30
531.0	*7	*	*	-	*	*	*	*	*	*	*
531.00	*7	*	*	-	*	*	*	*	*	*	*
531.4	75	34	42	*	*6	23	46	12	14	32	18
531.40	75	33	41	*	*6	23	46	12	14	32	18
531.5	*8	*	*	*	*	*	*	*	*	*	*
531.50	*7	*	*	*	*	*	*	*	*	*	*
531.9	48	22	26	*	*7	16	24	12	13	14	*9
531.90	47	22	24	*	*7	16	23	12	13	14	*8
532	93	57	36	*	14	25	54	21	20	35	17
532.0	*6	*	*	-	*	*	*	*	*	*	*
532.00	*6	*	*	-	*	*	*	*	*	*	*
532.4	44	30	14	-	*6	13	25	10	*8	19	*7
532.40	43	30	13	-	*6	13	24	10	*8	19	*7
532.5	*9	*	*	-	*	*	*6	*	*	*	*
532.50	*8	*	*	-	*	*	*6	*	*	*	*
532.9	29	17	12	*	*7	*6	16	*7	*7	*8	*6
532.90	28	16	12	*	*7	*6	15	*7	*7	*8	*6
533	80	36	44	*	12	25	42	15	20	33	11
533.4	12	*6	*6	-	*	*	*8	*	*	*	*
533.40	12	*6	*6	-	*	*	*8	*	*	*	*
533.9	66	29	37	*	*9	23	33	10	17	29	10
533.90	66	29	37	*	*9	23	33	10	17	29	10
534	13	*5	*8	*	*	*6	*	*	*	*	*
534.9	*6	*	*	-	*	*	*	*	*	*	*
534.90	*6	*	*	-	*	*	*	*	*	*	*
535	485	230	255	*8	115	152	210	132	100	187	66
535.0	31	11	20	*	*7	*9	12	12	*6	10	*
535.00	25	*8	17	*	*7	*8	*8	*9	*5	*8	*
535.01	*6	*	*	-	*	*	*	*	*	*	*
535.1	44	20	24	*	10	14	20	13	*6	19	*7
535.10	39	18	21	*	*9	14	16	11	*	18	*6
535.3	20	16	*	-	*8	*9	*	*6	*	*8	*
535.30	15	12	*	-	*8	*6	*	*	*	*	*
535.31	*6	*	*	-	*	*	*	*	*	*	*
535.4	123	59	64	*	27	38	56	30	31	39	22
535.40	99	43	56	*	26	30	42	26	23	32	19
535.41	23	16	*8	*	*	*8	15	*	*9	*8	*
535.5	211	94	117	*	51	60	97	59	41	88	23
535.50	184	81	102	*	48	53	80	48	33	80	22
535.51	28	13	14	*	*	*7	17	11	*8	*8	*
535.6	53	29	24	*	12	21	20	11	13	22	*7
535.60	47	25	22	*	12	18	17	*9	12	20	*6
535.61	*6	*	*	*	-	*	*	*	*	*	*
536	266	97	169	16	75	84	90	37	71	101	56
536.2	49	19	29	*8	16	13	12	*	10	13	23
536.3	111	34	77	*	39	41	30	17	25	50	20
536.4	43	15	27	*	*	*8	27	*8	12	17	*5
536.41	14	*5	*9	*	*	*	*7	*	*	*	*
536.42	21	*8	13	*	*	*	15	*	*6	*8	*
536.49	*7	*	*5	*	*	*	*	*	*	*	*
536.8	57	23	34	*	16	22	17	*7	22	21	*6
537	110	51	59	*	17	30	61	29	20	41	21
537.0	24	12	13	*	*	*7	11	*6	*	10	*
537.3	*6	*	*	*	*	*	*	*	*	*	*
537.4	*6	*	*	*	*	*	*	*	*	*	-
537.8	61	25	36	*	*8	18	34	18	11	20	12
537.82	*6	*	*	-	-	*	*	*	*	*	*
537.83	26	10	17	-	*	*5	20	*7	*6	12	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
537.84	*5	*	*	-	*	*	*	*	*	*	*
537.89	23	10	13	*	*6	10	*7	*7	*	*5	*8
537.9	13	*7	*6	-	*	*	*9	*	*	*6	*
540	283	158	125	70	132	57	25	48	47	102	85
540.0	45	27	18	16	11	11	*7	*6	12	13	14
540.1	40	23	17	*7	17	12	*	*7	*	21	*8
540.9	198	108	90	46	104	34	14	35	31	68	64
541	*8	*5	*	*	*	*	*	*	*	*	*
543	17	*7	10	*	*6	*	*	*	*	*7	*
543.9	16	*7	*9	*	*6	*	*	*	*	*7	*
550	62	55	*7	*	*9	18	30	13	18	17	13
550.1	21	19	*	*	*	*5	12	*6	*6	*5	*
550.10	16	14	*	*	*	*	*8	*	*	*	*
550.9	40	36	*	*	*6	13	18	*7	12	12	10
550.90	32	29	*	*	*	11	14	*5	10	*8	*8
552	93	27	66	*	15	35	42	18	16	40	19
552.1	16	10	*6	*	*	*7	*6	*	*	*7	*
552.2	64	12	52	*	*9	24	31	11	*9	28	16
552.20	21	*	17	*	*	*6	11	*	*	*8	*6
552.21	35	*8	28	-	*6	13	16	*5	*	18	*8
552.29	*8	*	*7	-	*	*	*	*	*	*	*
553	494	174	320	10	85	154	244	120	102	192	81
553.1	45	20	26	*	*8	21	12	*8	11	18	*9
553.2	98	40	59	*	18	40	37	21	28	31	19
553.20	27	10	17	*	*7	12	*9	*5	*7	11	*
553.21	64	27	37	*	11	26	25	13	19	20	12
553.29	*7	*	*	-	*	*	*	*	*	*	*
553.3	339	112	227	*	54	90	193	89	61	138	51
553.8	*8	*	*6	-	*	*	*	*	*	*	*
555	141	66	75	*	48	51	38	25	36	59	21
555.0	16	*9	*7	*	*6	*	*	*	*	*8	*
555.1	15	*6	*9	-	*	*8	*	*	*	*6	*
555.2	*6	*	*	*	*	*	*	*	*	*	*
555.9	103	47	56	*	34	36	32	19	29	42	13
556	79	36	44	*	22	26	29	29	15	26	*9
556.6	11	*	*8	*	*	*	*	*	*	*	*
556.8	*9	*	*5	-	*	*	*	*5	*	*	*
556.9	52	25	26	*	12	18	20	18	*9	19	*6
557	127	37	90	*	11	29	87	34	34	40	20
557.0	49	19	31	*	*6	11	31	16	12	14	*8
557.1	17	*6	12	-	*	*	14	*	*6	*	*
557.9	61	13	48	-	*	15	42	15	16	21	*9
558	355	123	232	50	74	79	152	72	85	150	47
558.1	12	*	*8	-	*	*	*9	*	*	*	*
558.9	340	118	222	48	74	76	141	68	82	146	44
560	851	399	452	34	120	270	427	171	202	324	154
560.0	*9	*	*	*7	*	*	*	*	*	*	*
560.1	408	199	209	14	71	128	195	66	93	172	76
560.2	18	10	*8	*	*	*	*9	*	*	*6	*
560.3	81	38	44	*	*	17	58	28	15	30	*8
560.39	78	38	40	*	*	16	56	26	15	29	*8
560.8	156	70	86	*	20	58	76	39	39	46	32
560.81	91	40	51	*	12	32	45	23	22	24	22
560.89	65	31	34	*	*8	25	31	16	17	22	10
560.9	179	78	102	*	22	64	89	33	48	67	30

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
562	646	271	375	*	63	199	383	143	161	240	102
562.0	*7	*	*6	-	*	*	*	*	*	*	*
562.1	639	270	369	*	63	196	379	142	160	236	101
562.10	268	108	160	*	*8	76	184	59	61	106	42
562.11	294	127	167	*	53	112	129	66	81	99	48
562.12	61	31	30	-	*	*8	53	14	13	25	*8
562.13	16	*	13	-	*	*	14	*	*	*7	*
564	770	256	515	50	161	220	339	169	188	286	127
564.0	567	210	357	47	108	148	265	126	128	217	96
564.00	489	173	317	37	91	130	231	105	108	199	78
564.09	76	37	39	*9	16	18	33	20	20	18	18
564.1	161	24	137	*	43	60	56	33	48	61	19
564.8	26	12	13	*	*7	*9	*9	*6	*9	*5	*6
564.81	16	*8	*8	*	*6	*	*5	*	*7	*	*
564.89	10	*	*5	*	*	*	*	*	*	*	*
565	11	*8	*	*	*5	*	*	*	*	*	*
565.1	*8	*6	*	-	*	*	*	*	*	*	*
566	38	24	15	*	16	13	*8	*	*7	20	*8
567	145	74	71	*	33	58	51	38	31	50	26
567.2	97	52	45	*	24	41	30	26	21	30	21
567.21	12	*7	*6	-	*	*	*	*	*	*	*
567.22	58	27	30	*	14	24	18	15	12	19	12
567.23	11	*8	*	*	*	*5	*	*	*	*	*
567.29	17	10	*6	*	*	*7	*6	*	*6	*	*
567.3	*9	*6	*	*	*	*	*	*	*	*	*
567.31	*7	*	*	*	*	*	*	*	*	*	*
567.8	15	*	11	*	*	*	*7	*	*	*6	*
567.89	*7	*	*5	*	*	*	*	*	*	*	*
567.9	23	12	11	*	*	*8	10	*6	*5	10	*
568	198	75	123	*	60	69	65	42	43	73	40
568.0	164	61	103	*	46	62	53	36	33	59	36
568.8	33	14	19	*	14	*7	12	*6	10	13	*
568.81	22	*9	13	-	10	*	*8	*	*6	*8	*
568.89	10	*	*6	*	*	*	*	*	*	*	*
569	358	165	193	*	50	123	181	97	92	121	48
569.0	*9	*	*5	*	*	*	*	*	*	*	*
569.1	12	*	12	*	*	*	*8	*6	*	*	*
569.3	76	37	39	*	*8	25	42	19	20	30	*6
569.4	34	16	19	*	*7	*9	17	11	*8	*9	*7
569.41	13	*6	*7	*	*	*	*6	*	*	*	*
569.49	17	*7	10	-	*	*	10	*7	*	*	*
569.5	44	21	23	*	10	20	14	*7	13	14	*9
569.6	45	17	29	*	*	16	26	15	10	15	*6
569.61	*6	*	*5	-	*	*	*	*	*	*	*
569.62	*6	*	*	*	*	*	*	*	*	*	*
569.69	33	13	19	*	*	11	19	11	*8	12	*
569.8	130	66	64	*	19	45	66	36	32	44	18
569.81	24	17	*7	-	*7	10	*7	*	*7	*7	*6
569.82	18	*7	11	*	*	*7	*9	*	*	*9	*
569.83	40	20	20	*	*6	17	17	14	*8	10	*7
569.84	11	*6	*	-	*	*	*8	*	*	*5	*
569.85	19	*8	11	-	*	*	17	*6	*7	*6	*
569.89	18	*7	11	*	*	*6	*9	*5	*	*7	*
570	55	26	28	*	11	17	26	*8	15	19	12
571	499	293	206	*	107	279	113	120	91	186	102
571.0	*9	*7	*	-	*	*5	*	*	*	*	*
571.1	60	41	19	-	25	31	*	14	*9	18	19
571.2	143	105	38	-	27	93	23	32	26	48	37
571.3	26	19	*8	-	*8	14	*	*	11	*7	*6

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
571.4	15	*	12	-	*	*7	*5	*	*	*8	*
571.49	13	*	11	-	*	*	*5	*	*	*6	*
571.5	165	87	78	*	13	97	55	44	26	74	21
571.6	10	*	*9	-	-	*6	*	*	*	*	*
571.8	68	31	36	*	26	27	14	15	12	28	12
572	282	176	107	*	38	170	73	64	57	100	61
572.0	*9	*	*	-	*	*	*	*	*	*	*
572.2	104	63	41	-	14	63	27	18	21	43	23
572.3	112	74	37	*	14	69	29	26	25	35	25
572.4	19	14	*	-	*5	12	*	*7	*	*6	*
572.8	38	19	19	*	*	23	10	10	*7	14	*7
573	91	36	55	*	27	28	33	27	22	29	13
573.3	29	10	19	*	11	10	*8	10	*6	*9	*
573.8	39	17	22	*	*8	11	18	*9	14	12	*
573.9	12	*7	*5	-	*	*	*	*	*	*6	*
574	564	202	362	*	157	171	233	128	119	217	100
574.0	151	56	94	*	41	46	64	32	28	71	19
574.00	138	52	86	*	37	41	60	29	27	66	16
574.01	12	*	*8	-	*	*	*	*	*	*5	*
574.1	169	48	121	*	51	50	68	45	33	67	25
574.10	164	47	118	*	49	49	67	43	32	66	24
574.2	118	41	77	*	32	41	43	24	32	40	23
574.20	115	40	75	*	31	40	42	24	29	39	23
574.3	13	*6	*7	-	*	*	*8	*	*	*	*5
574.30	*8	*	*6	-	*	*	*	*	*	*	*
574.31	*5	*	*	-	*	*	*	*	*	*	*
574.4	*6	*	*	-	*	*	*	*	*	*	*
574.40	*5	*	*	-	*	*	*	*	*	*	*
574.5	48	23	25	-	*9	*9	30	14	10	14	*9
574.50	24	*9	15	-	*	*	17	*8	*6	*6	*
574.51	24	14	10	-	*	*7	12	*7	*	*8	*5
574.6	14	*6	*8	-	*6	*	*	*	*	*	*
574.60	11	*	*7	-	*	*	*	*	*	*	*
574.7	20	*8	12	-	*6	*7	*7	*	*5	*6	*5
574.70	15	*5	10	-	*5	*	*6	*	*	*5	*
574.8	12	*6	*6	-	*	*	*	*	*	*5	*
574.80	*8	*5	*	-	*	*	*	*	*	*	*
574.9	13	*5	*7	-	*	*	*7	*	*	*	*
574.90	*9	*	*	-	*	*	*	*	*	*	*
575	150	61	89	*	60	43	42	29	31	64	26
575.0	52	29	22	*	20	14	18	12	*8	21	10
575.1	48	16	32	*	19	15	14	*6	11	24	*7
575.10	14	*	*9	-	*5	*	*	*	*	*8	*
575.11	28	*9	19	*	10	*9	*8	*	*7	12	*6
575.12	*7	*	*	-	*	*	*	*	*	*	*
575.3	*7	*	*	-	*	*	*	*	*	*	*
575.8	36	10	27	*	17	*9	*8	*8	*9	13	*7
576	146	56	91	*6	22	34	84	40	30	53	24
576.1	48	22	26	*	*	12	30	15	*7	16	10
576.2	43	19	24	*	*	13	27	11	10	17	*
576.8	54	15	39	*	15	*9	27	13	13	20	*9
577	587	306	281	11	185	232	160	110	147	213	117
577.0	382	193	189	*6	128	148	100	72	95	135	80
577.1	134	70	64	*	37	64	31	22	37	51	24
577.2	46	32	14	*	13	14	18	*9	*8	20	*9
577.8	15	*7	*7	*	*	*	*5	*	*6	*	*
577.9	10	*	*6	-	*	*	*6	*	*	*	*
578	506	264	242	10	66	132	299	102	124	198	83
578.0	76	47	29	*	26	17	29	16	18	27	16
578.1	144	72	72	*	17	44	80	28	36	55	26

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
578.9	286	145	140	*	23	71	189	58	70	116	41
579	61	13	47	12	15	17	17	*6	13	24	17
579.0	21	*5	16	*	*8	*6	*6	*	*	*7	*7
579.3	24	*	20	*8	*	*7	*5	*	*	10	*7
579.8	*5	*	*	*	*	*	*	*	*	*	*
579.9	*9	*	*7	*	*	*	*	*	*	*	*
580-629	11,377	4,587	6,790	151	2,078	2,967	6,181	2,549	2,675	4,361	1,791
580	*7	*	*	*	*	*	*	*	*	*	*
580.8	*5	*	*	*	*	*	*	*	*	*	-
581	31	15	16	*	13	*9	*6	*8	*9	*9	*
581.8	15	*7	*8	*	*6	*5	*	*5	*	*	*
581.81	15	*7	*8	*	*6	*5	*	*5	*	*	*
581.9	11	*	*7	*	*5	*	*	*	*	*	*
582	19	*8	12	-	*9	*7	*	*	*	*7	*
582.1	*5	*	*	-	*	*	*	*	*	*	*
582.8	*9	*	*8	-	*	*	*	*	*	*	*
582.81	*8	*	*7	-	*	*	*	*	*	*	*
583	89	49	40	*	19	36	33	23	19	27	20
583.8	76	41	35	*	14	31	30	21	15	21	18
583.81	72	40	33	*	13	30	28	21	15	18	18
583.9	10	*5	*	*	*	*	*	*	*	*	*
584	1,997	1,018	979	*5	156	518	1,317	470	486	775	266
584.5	149	76	73	*	16	38	94	46	35	49	18
584.8	*7	*5	*	*	*7	*	*	*	*	*	*
584.9	1,840	937	904	*5	139	475	1,221	422	449	724	246
585	2,023	1,049	974	*	164	561	1,294	506	496	735	285
585.1	*7	*	*	-	*	*	*	*	*	*	-
585.2	30	14	15	-	*	*5	24	*7	*7	12	*
585.3	197	97	100	*	*	34	159	55	54	73	16
585.4	198	87	111	-	*7	32	159	59	54	70	15
585.5	50	28	22	-	*	11	35	14	12	20	*
585.6	808	430	378	*	119	317	370	187	201	283	137
585.9	733	388	345	*	29	159	543	182	167	275	109
586	20	10	*9	*	*	*7	*9	*	*6	*9	*
588	138	69	70	*	26	44	67	27	46	47	18
588.0	*9	*	*6	*	*	*	*	*	*5	*	*
588.8	128	64	64	*	24	38	65	25	41	44	18
588.81	118	58	60	*	22	36	60	22	39	41	16
588.89	10	*6	*	*	*	*	*	*	*	*	*
590	263	65	198	20	120	51	72	49	55	92	67
590.0	*6	*	*	*	*	*	*	*	*	*	*
590.00	*6	*	*	*	*	*	*	*	*	*	*
590.1	105	26	79	*6	47	19	33	21	22	26	36
590.10	105	26	79	*6	47	19	33	21	22	26	36
590.2	*6	*	*	-	*	*	*	*	*	*	*
590.8	146	33	112	13	67	28	37	26	31	60	28
590.80	146	33	112	13	67	28	37	26	31	60	28
591	282	129	153	11	67	89	115	76	61	107	38
592	309	147	162	*	118	103	88	72	71	120	45
592.0	151	66	85	*	57	50	44	38	32	61	20
592.1	157	81	76	*	61	52	44	34	39	58	25
593	467	234	232	21	45	114	286	80	103	195	90
593.2	23	14	*9	*	*	*7	15	*	*	*9	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*^a (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
593.3	10	*6	*	*	*	*	*	*	*	*	*
593.4	42	17	25	*	*7	20	14	*9	*7	18	*8
593.5	11	*6	*	*	*	*	*5	*	*	*	*
593.7	12	*6	*6	10	*	*	*	*	*	*	*
593.70	10	*	*5	*9	*	*	*	*	*	*	*
593.8	32	15	18	*	*6	*9	13	*7	*5	13	*7
593.81	12	*6	*6	-	*	*	*8	*	*	*6	*
593.89	19	*8	11	*	*	*6	*	*	*	*6	*6
593.9	337	171	166	*	26	72	235	51	75	147	64
594	18	14	*	-	*	*8	*9	*	*	*5	*
594.1	17	14	*	-	*	*7	*9	*	*	*5	*
595	70	23	46	*	12	14	43	16	14	33	*6
595.0	22	10	11	*	*	*	14	*5	*	13	*
595.1	*9	*	*9	-	*	*	*	*	*	*	*
595.8	11	*	*7	*	*	*	10	*	*	*	-
595.82	*7	*	*	-	*	*	*6	*	*	*	-
595.9	24	*8	16	*	*6	*5	13	*	*7	12	*
596	203	108	95	*	33	52	114	45	50	71	36
596.0	36	32	*	-	*	11	24	*8	*7	16	*
596.1	15	*7	*8	*	*	*7	*6	*6	*	*	*
596.5	103	40	62	*	20	19	61	25	27	29	22
596.51	19	*	18	-	*	*	14	*7	*	*6	*
596.54	80	38	42	*	19	14	44	17	21	22	20
596.7	*5	*	*	-	*	*	*	*	*	*	*
596.8	29	13	16	*	*6	13	*9	*	*8	14	*
598	35	25	10	-	*	12	22	*6	*6	16	*7
598.9	26	16	*9	-	*	10	15	*	*6	13	*
599	2,916	927	1,989	50	318	539	2,010	643	662	1,174	437
599.0	2,666	773	1,893	44	282	477	1,864	593	606	1,073	394
599.6	31	24	*7	-	*	*6	24	*6	*7	13	*
599.60	16	11	*5	-	*	*	12	*	*	*7	*
599.69	15	13	*	-	*	*	11	*	*	*7	*
599.7	202	126	76	*	34	47	116	40	46	81	35
599.8	13	*	10	-	*	*8	*	*	*	*	*
600	554	554	-	-	*	106	445	175	127	167	85
600.0	516	516	-	-	*	99	414	172	119	158	68
600.00	400	400	-	-	*	79	317	133	92	123	51
600.01	117	117	-	-	*	19	97	39	27	35	16
600.2	*6	*6	-	-	-	*	*	*	-	*	*
600.9	27	27	-	-	-	*	23	*	*8	*6	11
600.90	17	17	-	-	-	*	14	*	*	*	*9
600.91	10	10	-	-	-	*	*9	*	*	*	*
601	29	29	-	-	*	10	17	*6	*6	15	*
601.0	12	12	-	-	*	*	*7	*	*	*5	*
601.9	13	13	-	-	*	*	*9	*	*	*9	*
603	10	10	-	*	*	*	*	*	*	*	*
603.9	*9	*9	-	*	*	*	*	*	*	*	*
604	21	21	-	*	*7	*7	*5	*	*	*7	*8
604.9	19	19	-	*	*7	*6	*	*	*	*6	*8
604.90	15	15	-	*	*6	*	*	*	*	*	*6
605	*6	*6	-	*	*	*	*	*	*	*	*
607	26	26	-	*	*	10	10	*	*	10	*7
607.8	20	20	-	*	*	*9	*8	*	*	*8	*5
607.84	14	14	-	-	*	*7	*6	*	*	*6	*
608	34	34	-	*	11	13	*8	*9	*7	*7	11

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
608.4	14	14	-	*	*	*7	*	*5	*	*	*
608.8	13	13	-	*	*	*	*	*	*	*	*5
608.86	*6	*6	-	-	*	*	*	*	*	*	*
610	10	*	10	-	*	*	*	*	*	*	*
610.1	*6	-	*6	-	*	*	*	*	*	*	*
611	63	*	58	*	24	28	*9	11	13	23	16
611.0	20	*	18	*	*7	10	*	*	*	10	*
611.1	13	*	10	-	*	*6	*	*	*	*	*
611.7	17	*	17	-	*7	*6	*	*	*	*	*6
611.72	12	*	12	-	*6	*	*	*	*	*	*
611.8	*9	-	*9	-	*	*6	*	*	*	*	*
614	190	-	190	*	118	59	*9	42	42	73	34
614.1	14	-	14	-	*	*9	*	*	*	*7	*
614.2	11	-	11	-	*8	*	*	*	*	*6	*
614.4	11	-	11	*	*7	*	*	*	*	*5	*
614.6	135	-	135	*	83	43	*7	33	28	48	26
614.9	11	-	11	*	10	*	*	*	*	*	*
615	24	-	24	*	23	*	*	*	*6	*9	*7
615.9	18	-	18	*	18	*	-	*	*5	*8	*
616	67	-	67	*	39	22	*	12	11	32	11
616.0	34	-	34	-	18	15	*	*9	*5	15	*5
616.1	22	-	22	*	14	*	*	*	*	10	*
616.10	21	-	21	*	14	*	*	*	*	10	*
616.4	*8	-	*8	*	*	*	*	*	*	*6	*
617	193	-	193	-	132	57	*	32	45	74	42
617.0	100	-	100	-	60	38	*	18	23	35	24
617.1	29	-	29	-	22	*7	*	*5	*7	13	*
617.3	31	-	31	-	24	*6	*	*	*8	14	*6
617.8	*5	-	*5	-	*5	*	-	*	*	*	*
617.9	21	-	21	-	17	*	-	*	*	*5	*7
618	232	-	232	-	40	106	85	49	57	87	39
618.0	73	-	73	-	*7	34	31	17	14	30	11
618.01	33	-	33	-	*	12	18	*7	*9	15	*
618.04	27	-	27	-	*	13	10	*9	*	10	*
618.1	18	-	18	-	*6	*9	*	*	*	*9	*
618.2	18	-	18	-	*	12	*	*	*	*	*7
618.3	12	-	12	-	*	*6	*5	*	*	*	*
618.4	38	-	38	-	*9	14	15	*8	11	14	*
618.5	27	-	27	-	*	11	14	*6	*6	10	*5
618.6	36	-	36	-	10	15	11	10	11	13	*
618.8	*9	-	*9	-	*	*	*	*	*	*	*
618.89	*9	-	*9	-	*	*	*	*	*	*	*
619	11	-	11	-	*	*5	*	*	*	*6	*
619.1	*8	-	*8	-	*	*	*	*	*	*	*
620	211	-	211	*7	130	63	11	34	51	83	44
620.0	20	-	20	*	12	*8	-	*	*5	*7	*6
620.1	24	-	24	-	16	*8	-	*6	*6	*6	*6
620.2	128	-	128	*	83	32	*9	17	29	58	24
620.5	*6	-	*6	*	*	*	*	*	*	*	*
620.8	26	-	26	*	15	10	*	*6	*8	*8	*
621	55	-	55	*	16	34	*	11	15	20	*9
621.0	20	-	20	-	*	14	*	*5	*	*6	*5
621.2	*8	-	*8	-	*	*	-	*	*	*	*
621.3	15	-	15	-	*	10	*	*	*	*7	*
621.33	*8	-	*8	-	*	*6	*	*	*	*	-
621.8	*5	-	*5	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
622	25	-	25	-	15	*7	*	*	*	15	*
622.1	18	-	18	-	11	*	*	*	*	11	*
622.10	12	-	12	-	*7	*	*	*	*	*9	*
623	26	-	26	*	13	*8	*	*	*8	10	*
623.5	*7	-	*7	-	*	*	*	*	*	*	*
623.8	17	-	17	*	*8	*6	*	*	*5	*7	*
624	*6	-	*6	*	*	*	*	*	*	*	*
625	326	-	326	*	179	105	42	41	79	145	61
625.0	19	-	19	-	14	*	-	*	*	10	*5
625.3	88	-	88	*	66	20	*	*7	27	40	14
625.6	126	-	126	-	29	60	37	20	29	53	24
625.8	*8	-	*8	-	*	*	*	*	*	*	*
625.9	78	-	78	-	60	17	*	12	17	35	15
626	307	-	307	*	187	115	*	45	80	121	61
626.2	237	-	237	*	143	92	*	40	63	94	40
626.8	54	-	54	*	33	18	*	*	12	17	21
626.9	*6	-	*6	-	*	*	*	*	*	*	*
627	41	-	41	-	*	27	10	10	*8	15	*8
627.0	*6	-	*6	-	*	*	-	*	*	*	*
627.1	21	-	21	-	-	17	*	*6	*6	*8	*
627.2	*6	-	*6	-	*	*	*	-	*	*	*
629	*6	-	*6	*	*	*	*	*	*	*	-
629.8	*5	-	*5	*	*	*	*	*	*	*	-
629.89	*5	-	*5	*	*	*	*	*	*	*	-
630-677	11,032	-	11,032	15	10,984	33	-	1,792	2,772	4,230	2,239
632	16	-	16	-	16	-	-	*	*	*9	*
633	27	-	27	-	27	*	-	*6	*	*8	*9
633.1	21	-	21	-	21	-	-	*5	*	*6	*7
633.10	20	-	20	-	20	-	-	*	*	*6	*7
634	21	-	21	-	21	*	-	*6	*	10	*
634.9	14	-	14	-	14	*	-	*	*	*6	*
634.91	11	-	11	-	11	*	-	*	*	*	*
639	10	-	10	-	10	-	-	*	*	*	*
640	*6	-	*6	-	*6	-	-	*	*	*	*
641	91	-	91	*	90	*	-	12	18	28	32
641.0	*7	-	*7	-	*7	-	-	*	*	*	*
641.01	*6	-	*6	-	*6	-	-	*	*	*	*
641.1	19	-	19	-	19	*	-	*5	*	*5	*
641.11	11	-	11	-	11	*	-	*	*	*	*
641.13	*8	-	*8	-	*8	-	-	*	*	*	*
641.2	51	-	51	-	51	-	-	*	12	14	21
641.21	47	-	47	-	47	-	-	*	11	13	19
641.9	10	-	10	*	10	-	-	*	*	*	*
641.91	*7	-	*7	-	*7	-	-	*	*	*	*
642	434	-	434	*	429	*	-	60	98	209	68
642.0	73	-	73	-	72	*	-	*8	16	39	10
642.01	61	-	61	-	61	*	-	*	14	33	*9
642.03	10	-	10	-	*9	*	-	*	*	*5	*
642.3	143	-	143	*	142	-	-	18	31	72	23
642.31	131	-	131	*	130	-	-	16	27	67	22
642.33	10	-	10	-	10	-	-	*	*	*	*
642.4	104	-	104	*	103	*	-	15	24	42	23
642.41	89	-	89	*	88	*	-	11	21	37	20

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
642.43	10	-	10	-	*9	*	-	*	*	*	*
642.5	48	-	48	*	48	-	-	*6	13	24	*5
642.51	46	-	46	*	46	-	-	*5	12	23	*5
642.6	*8	-	*8	-	*8	-	-	*	*	*	*
642.7	27	-	27	-	27	*	-	*	*6	15	*
642.71	21	-	21	-	20	*	-	*	*5	11	*
642.9	25	-	25	-	25	-	-	*	*6	11	*
642.91	19	-	19	-	19	-	-	*	*	*9	*
643	29	-	29	-	29	-	-	*	*7	17	*
643.0	*7	-	*7	-	*7	-	-	*	*	*	*
643.03	*7	-	*7	-	*7	-	-	*	*	*	*
643.1	12	-	12	-	12	-	-	*	*	*8	*
643.13	12	-	12	-	12	-	-	*	*	*8	*
643.2	*7	-	*7	-	*7	-	-	*	*	*	*
644	393	-	393	*	391	*	-	52	98	151	91
644.0	68	-	68	*	68	*	-	*8	20	34	*7
644.03	68	-	68	*	68	*	-	*8	20	34	*7
644.1	*6	-	*6	-	*6	-	-	*	*	*	-
644.13	*6	-	*6	-	*6	-	-	*	*	*	-
644.2	318	-	318	*	316	*	-	44	77	113	85
644.21	318	-	318	*	316	*	-	44	77	113	85
645	403	-	403	*	400	*	-	85	94	135	89
645.1	398	-	398	*	396	*	-	85	93	131	89
645.11	396	-	396	*	394	*	-	85	93	131	87
646	206	-	206	*	204	*	-	29	46	83	49
646.1	*6	-	*6	-	*6	-	-	*	*	*	*
646.11	*5	-	*5	-	*5	-	-	*	*	*	*
646.2	19	-	19	-	19	-	-	*	*6	*8	*
646.21	*6	-	*6	-	*6	-	-	*	*	*	*
646.23	13	-	13	-	13	-	-	*	*5	*	*
646.3	*7	-	*7	-	*7	-	-	*	*	*	*
646.31	*6	-	*6	-	*6	-	-	*	*	*	*
646.6	107	-	107	-	107	*	-	16	21	39	31
646.61	45	-	45	-	45	-	-	*6	10	18	12
646.62	*5	-	*5	-	*5	-	-	*	*	*	*
646.63	49	-	49	-	49	*	-	*7	*9	18	15
646.64	*8	-	*8	-	*8	-	-	*	*	*	*
646.8	63	-	63	*	61	*	-	*7	13	30	13
646.81	40	-	40	*	39	-	-	*6	*9	17	*9
646.83	20	-	20	-	20	*	-	*	*	11	*
647	142	-	142	*	142	*	-	21	31	69	20
647.2	*5	-	*5	-	*5	-	-	*	*	*	*
647.6	103	-	103	-	103	*	-	19	22	51	12
647.61	95	-	95	-	95	-	-	18	20	46	12
647.63	*7	-	*7	-	*7	*	-	*	*	*	*
647.8	28	-	28	*	28	-	-	*	*7	14	*
647.81	17	-	17	-	17	-	-	*	*	*8	*
647.83	10	-	10	*	*9	-	-	*	*	*	*
648	2,049	-	2,049	*	2,042	*5	-	388	546	762	353
648.0	43	-	43	-	43	*	-	*6	12	23	*
648.01	30	-	30	-	30	*	-	*	*8	17	*
648.03	11	-	11	-	11	-	-	*	*	*	*
648.1	101	-	101	-	100	*	-	19	30	38	15
648.11	91	-	91	-	90	*	-	17	27	33	14
648.13	*8	-	*8	-	*8	-	-	*	*	*	*
648.2	435	-	435	*	433	*	-	68	107	168	91
648.21	261	-	261	*	261	*	-	41	52	98	71
648.22	129	-	129	*	128	*	-	16	48	55	10
648.23	32	-	32	-	32	-	-	11	*6	11	*
648.24	12	-	12	*	11	*	-	*	*	*	*
648.3	11	-	11	-	11	-	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
648.31	*8	-	*8	-	*8	-	-	*	*	*	*
648.4	171	-	171	*	171	-	-	37	45	55	34
648.41	136	-	136	-	136	-	-	29	36	43	29
648.43	23	-	23	-	23	-	-	*6	*6	*9	*
648.44	*7	-	*7	*	*7	-	-	*	*	*	*
648.6	41	-	41	-	41	*	-	*7	*9	21	*
648.61	33	-	33	-	33	-	-	*6	*8	16	*
648.7	17	-	17	-	17	*	-	*	*7	*6	*
648.71	10	-	10	-	10	-	-	*	*6	*	*
648.8	238	-	238	-	238	*	-	50	52	83	53
648.81	217	-	217	-	216	*	-	46	47	76	48
648.83	20	-	20	-	20	-	-	*	*	*7	*
648.9	988	-	988	*	985	*	-	198	280	363	148
648.91	855	-	855	*	852	*	-	172	245	311	126
648.92	20	-	20	-	20	-	-	*	*7	*6	*
648.93	105	-	105	-	105	*	-	20	27	43	16
648.94	*8	-	*8	-	*8	-	-	*	*	*	*
649	386	-	386	-	386	*	-	51	111	171	53
649.0	243	-	243	-	243	*	-	30	80	103	30
649.01	214	-	214	-	214	-	-	27	73	88	27
649.03	24	-	24	-	24	-	-	*	*6	13	*
649.1	105	-	105	-	105	*	-	13	20	54	18
649.11	92	-	92	-	92	*	-	12	19	45	15
649.13	12	-	12	-	12	-	-	*	*	*8	*
649.2	*5	-	*5	-	*5	-	-	*	*	*	*
649.3	10	-	10	-	10	-	-	*	*	*	*
649.31	10	-	10	-	10	-	-	*	*	*	*
649.4	17	-	17	-	17	-	-	*	*8	*6	*
649.41	*9	-	*9	-	*9	-	-	*	*	*	*
649.43	*9	-	*9	-	*9	-	-	*	*	*	*
650	243	-	243	-	243	-	-	28	39	135	40
651	79	-	79	-	79	*	-	13	22	31	14
651.0	74	-	74	-	73	*	-	12	21	27	14
651.01	59	-	59	-	58	*	-	10	16	21	13
651.03	15	-	15	-	15	-	-	*	*5	*7	*
652	305	-	305	*	304	*	-	44	81	114	65
652.0	*5	-	*5	-	*5	-	-	*	*	*	*
652.01	*5	-	*5	-	*5	-	-	*	*	*	*
652.2	124	-	124	*	123	*	-	18	30	44	32
652.21	120	-	120	*	119	*	-	17	29	42	32
652.3	17	-	17	-	17	-	-	*	*5	*7	*
652.31	17	-	17	-	17	-	-	*	*5	*7	*
652.5	68	-	68	-	68	-	-	13	18	25	12
652.51	67	-	67	-	67	-	-	13	18	24	12
652.6	22	-	22	-	22	-	-	*	*6	*9	*
652.61	20	-	20	-	20	-	-	*	*5	*8	*
652.8	57	-	57	-	57	-	-	*6	17	22	12
652.81	56	-	56	-	56	-	-	*6	17	21	12
653	80	-	80	-	80	-	-	13	21	32	13
653.4	63	-	63	-	63	-	-	*9	16	28	10
653.41	63	-	63	-	63	-	-	*9	16	28	10
653.5	*5	-	*5	-	*5	-	-	*	*	*	-
653.51	*5	-	*5	-	*5	-	-	*	*	*	-
653.7	*5	-	*5	-	*5	-	-	*	-	*	*
654	821	-	821	*	819	*	-	133	190	341	157
654.0	14	-	14	-	14	*	-	*	*	*6	*
654.01	14	-	14	-	14	-	-	*	*	*5	*
654.1	39	-	39	-	38	*	-	*6	*7	18	*7
654.11	36	-	36	-	35	*	-	*	*7	17	*7
654.2	646	-	646	-	646	*	-	102	154	268	123
654.21	629	-	629	-	628	*	-	100	150	258	121

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
654.23	17	-	17	-	17	-	-	*	*	10	*
654.4	36	-	36	-	36	-	-	11	*6	12	*7
654.41	32	-	32	-	32	-	-	10	*6	*9	*7
654.5	40	-	40	*	40	-	-	*6	*8	16	10
654.51	23	-	23	-	23	-	-	*	*	*9	*9
654.53	17	-	17	*	16	-	-	*	*	*7	*
654.6	30	-	30	-	30	-	-	*	*9	15	*
654.61	24	-	24	-	24	-	-	*	*5	13	*
654.63	*6	-	*6	-	*6	-	-	*	*	*	*
654.7	*6	-	*6	-	*6	-	-	*	*	*	*
654.71	*5	-	*5	-	*5	-	-	*	*	*	*
654.9	*6	-	*6	-	*6	*	-	*	*	*	*
654.91	*5	-	*5	-	*5	*	-	*	*	*	*
655	58	-	58	-	58	-	-	*7	18	18	16
655.7	23	-	23	-	23	-	-	*	*6	*6	*9
655.71	22	-	22	-	22	-	-	*	*6	*5	*9
655.8	29	-	29	-	29	-	-	*	*9	*9	*6
655.81	26	-	26	-	26	-	-	*	*9	*9	*6
656	377	-	377	*	376	*	-	70	105	128	74
656.1	88	-	88	*	88	-	-	13	23	32	20
656.11	84	-	84	*	84	-	-	13	22	31	19
656.3	12	-	12	-	12	-	-	*	*5	*	*
656.31	12	-	12	-	12	-	-	*	*5	*	*
656.4	12	-	12	-	12	-	-	*	*	*	*
656.41	12	-	12	-	12	-	-	*	*	*	*
656.5	85	-	85	-	84	*	-	17	20	31	17
656.51	81	-	81	-	81	*	-	16	19	30	16
656.6	102	-	102	-	102	-	-	19	36	33	14
656.61	101	-	101	-	101	-	-	19	36	32	14
656.7	12	-	12	*	12	-	-	*	*	*	*
656.71	11	-	11	*	11	-	-	*	*	*	*
656.8	65	-	65	-	65	*	-	16	14	20	15
656.81	64	-	64	-	64	*	-	16	14	20	15
657	23	-	23	-	23	*	-	*	*9	*6	*6
657.0	23	-	23	-	23	*	-	*	*9	*6	*6
657.01	21	-	21	-	21	*	-	*	*8	*	*6
658	364	-	364	*	361	*	-	64	86	112	102
658.0	101	-	101	-	101	*	-	23	22	31	25
658.01	99	-	99	-	99	*	-	23	21	30	25
658.1	147	-	147	-	147	*	-	23	31	45	48
658.11	139	-	139	-	139	-	-	21	30	44	45
658.13	*6	-	*6	-	*6	*	-	*	*	*	*
658.2	47	-	47	-	46	*	-	*9	15	11	12
658.21	46	-	46	-	46	*	-	*9	15	11	12
658.4	64	-	64	*	63	*	-	*9	15	23	17
658.41	63	-	63	*	62	*	-	*8	15	23	16
659	1,114	-	1,114	*	1,105	*7	-	206	260	406	242
659.1	42	-	42	-	42	*	-	*7	12	20	*
659.11	39	-	39	-	39	*	-	*6	*9	19	*
659.2	40	-	40	-	40	-	-	*9	10	12	*9
659.21	39	-	39	-	39	-	-	*9	10	11	*9
659.4	19	-	19	-	19	-	-	*	*	*8	*6
659.41	19	-	19	-	19	-	-	*	*	*8	*6
659.5	49	-	49	-	48	*	-	12	13	15	*8
659.51	46	-	46	-	45	*	-	12	11	14	*8
659.6	360	-	360	-	355	*5	-	86	85	118	72
659.61	341	-	341	-	336	*	-	79	82	109	71
659.63	20	-	20	-	19	*	-	*7	*	*9	*
659.7	511	-	511	-	510	*	-	77	122	197	114
659.71	501	-	501	-	500	*	-	74	120	194	114
659.73	10	-	10	-	10	-	-	*	*	*	*
659.8	59	-	59	*	57	-	-	*7	*9	26	18

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
659.81	59	-	59	*	56	-	-	*7	*8	25	18
659.9	30	-	30	-	30	-	-	*5	*6	*9	10
659.91	30	-	30	-	30	-	-	*5	*6	*9	10
660	196	-	196	*	195	*	-	26	65	67	39
660.0	45	-	45	-	45	-	-	*7	16	11	11
660.01	45	-	45	-	45	-	-	*7	16	11	11
660.1	21	-	21	-	21	-	-	*	*6	10	*
660.11	21	-	21	-	21	-	-	*	*6	10	*
660.3	40	-	40	*	39	-	-	*	*9	19	*9
660.31	40	-	40	*	39	-	-	*	*9	19	*9
660.4	66	-	66	-	66	-	-	10	22	20	13
660.41	66	-	66	-	66	-	-	10	22	20	13
660.6	*7	-	*7	-	*7	-	-	*	*	*	*
660.61	*7	-	*7	-	*7	-	-	*	*	*	*
660.7	11	-	11	-	10	*	-	*	*6	*	*
660.71	11	-	11	-	10	*	-	*	*6	*	*
661	381	-	381	*	378	*	-	56	78	162	85
661.0	92	-	92	*	91	*	-	13	21	44	14
661.01	91	-	91	*	90	*	-	13	21	44	13
661.1	99	-	99	*	98	-	-	18	16	46	19
661.11	99	-	99	*	98	-	-	18	16	46	19
661.2	98	-	98	-	98	*	-	16	22	38	22
661.21	98	-	98	-	98	*	-	16	22	38	22
661.3	79	-	79	-	79	*	-	*7	19	25	28
661.31	79	-	79	-	79	*	-	*7	19	25	28
661.9	10	-	10	-	10	-	-	*	*	*8	*
661.91	*9	-	*9	-	*9	-	-	*	*	*7	*
662	25	-	25	-	25	-	-	*	*7	*5	11
662.2	17	-	17	-	17	-	-	*	*	*	*7
662.21	17	-	17	-	17	-	-	*	*	*	*7
663	794	-	794	*	793	*	-	117	230	284	163
663.0	*9	-	*9	-	*9	-	-	*	*	*	*
663.01	*9	-	*9	-	*9	-	-	*	*	*	*
663.1	130	-	130	*	129	-	-	16	39	46	28
663.11	129	-	129	*	129	-	-	16	39	46	28
663.2	40	-	40	-	40	*	-	*	12	12	11
663.21	40	-	40	-	40	*	-	*	12	12	11
663.3	578	-	578	*	578	*	-	87	170	211	110
663.31	578	-	578	*	578	*	-	87	170	211	110
663.4	15	-	15	-	15	-	-	*	*	*	*5
663.41	15	-	15	-	15	-	-	*	*	*	*5
663.8	22	-	22	-	22	-	-	*	*	*7	*6
663.81	22	-	22	-	22	-	-	*	*	*7	*6
664	1,460	-	1,460	*	1,454	*	-	216	372	544	327
664.0	575	-	575	*	574	*	-	81	147	207	141
664.01	574	-	574	*	574	-	-	81	146	206	141
664.1	626	-	626	*	622	*	-	103	168	213	141
664.11	625	-	625	*	620	*	-	103	168	212	141
664.2	80	-	80	-	80	-	-	12	17	31	20
664.21	80	-	80	-	80	-	-	12	17	31	20
664.3	18	-	18	-	18	-	-	*	*	*9	*
664.31	18	-	18	-	18	-	-	*	*	*9	*
664.4	17	-	17	-	17	-	-	*	*	10	*
664.41	17	-	17	-	17	-	-	*	*	10	*
664.8	110	-	110	*	110	*	-	14	33	50	14
664.81	110	-	110	*	110	*	-	14	33	50	14
664.9	31	-	31	-	31	-	-	*	*	25	*
664.91	31	-	31	-	31	-	-	*	*	25	*
665	86	-	86	-	86	-	-	*9	29	31	18
665.3	*8	-	*8	-	*8	-	-	*	*	*	*
665.31	*8	-	*8	-	*8	-	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
665.4	40	-	40	-	40	-	-	*	16	17	*6
665.41	40	-	40	-	40	-	-	*	16	17	*6
665.5	21	-	21	-	21	-	-	*	*6	*7	*
665.51	21	-	21	-	21	-	-	*	*6	*7	*
665.6	*5	-	*5	-	*5	-	-	*	*	*	*
666	110	-	110	-	109	*	-	12	31	37	30
666.0	13	-	13	-	13	-	-	*	*	*	*6
666.02	11	-	11	-	11	-	-	*	*	*	*
666.1	80	-	80	-	79	*	-	10	22	30	19
666.12	79	-	79	-	79	*	-	10	22	29	19
666.2	12	-	12	-	12	-	-	*	*	*	*
666.22	*7	-	*7	-	*7	-	-	*	*	*	*
667	17	-	17	-	17	-	-	*	*	*	*
667.0	12	-	12	-	12	-	-	*	*	*	*
667.02	11	-	11	-	11	-	-	*	*	*	*
668	19	-	19	-	19	-	-	*	*	*	*8
668.8	19	-	19	-	19	-	-	*	*	*	*8
668.81	*6	-	*6	-	*6	-	-	*	*	*	*
668.82	13	-	13	-	13	-	-	*	*	*	*
669	137	-	137	*	136	*	-	22	32	57	26
669.2	*6	-	*6	-	*6	*	-	*	*	*	*
669.4	10	-	10	-	10	-	-	*	*	*5	*
669.5	26	-	26	-	26	-	-	*	*7	10	*
669.51	26	-	26	-	26	-	-	*	*7	10	*
669.7	27	-	27	-	27	-	-	*	*	22	*
669.71	27	-	27	-	27	-	-	*	*	22	*
669.8	66	-	66	*	65	-	-	13	20	16	17
669.81	53	-	53	-	53	-	-	11	16	12	14
669.82	11	-	11	*	11	-	-	*	*	*	*
670	28	-	28	*	27	*	-	*	*6	11	*7
670.0	28	-	28	*	27	*	-	*	*6	11	*7
670.02	16	-	16	-	15	*	-	*	*	*8	*
670.04	12	-	12	*	12	-	-	*	*	*	*
671	29	-	29	-	29	*	-	*7	*8	*9	*
671.0	*8	-	*8	-	*8	-	-	*	*	*	*
671.01	*7	-	*7	-	*7	-	-	*	*	*	*
671.8	11	-	11	-	10	*	-	*	*	*	*
671.81	*7	-	*7	-	*7	-	-	*	*	*	*
672	21	-	21	-	21	-	-	*	*	*8	*6
672.0	21	-	21	-	21	-	-	*	*	*8	*6
672.02	20	-	20	-	20	-	-	*	*	*8	*5
674	41	-	41	-	41	*	-	*	12	23	*
674.3	15	-	15	-	15	*	-	*	*	*7	*
674.32	*8	-	*8	-	*8	-	-	*	*	*	*
674.34	*7	-	*7	-	*7	*	-	*	*	*	*
674.8	20	-	20	-	20	-	-	*	*6	12	*
674.82	12	-	12	-	12	-	-	*	*	*8	*
674.84	*7	-	*7	-	*7	-	-	*	*	*	*
680-709	2,968	1,446	1,522	179	543	834	1,412	767	648	1,074	479
680	*9	*	*	*	*	*	*	*	*	*	*
681	62	35	28	*	14	25	20	16	13	29	*
681.0	23	13	*9	*	*9	*9	*	*	*	11	*
681.00	19	10	*8	*	*8	*8	*	*	*	*8	*
681.1	40	22	18	*	*5	16	17	11	*8	18	*
681.10	37	19	17	*	*	15	15	10	*7	17	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
682	1,228	629	599	78	277	396	478	298	276	436	217
682.0	76	27	49	10	31	17	17	15	16	29	16
682.1	27	15	11	*7	*7	*9	*	*	*	*7	11
682.2	169	73	96	14	40	69	46	35	35	63	36
682.3	121	70	51	*8	41	31	40	31	26	41	22
682.4	46	28	17	*	18	13	12	11	*9	19	*7
682.5	53	24	29	14	13	17	*9	*7	*9	26	10
682.6	563	294	269	16	94	178	275	148	136	186	93
682.7	147	84	63	*	22	53	67	43	35	53	16
682.8	15	*8	*8	*	*7	*	*	*	*	*6	*
682.9	11	*6	*5	*	*	*	*	*	*	*6	*
683	*5	*	*	*	*	*	*	*	*	*	*
685	*8	*	*	*	*7	*	-	*	*	*5	*
685.0	*5	*	*	-	*5	*	-	*	*	*	*
686	19	*8	11	*	*	*9	*	*	*	*7	*
686.9	*9	*	*	*	*	*	*	*	*	*	*
690	10	*8	*	*	*	*	*	*	*	*	*
690.1	*9	*8	*	*	*	*	*	*	*	*	*
690.10	*7	*6	*	*	*	*	*	*	*	*	*
691	38	24	14	34	*	*	*	*6	*	10	19
691.0	34	22	12	33	-	-	*	*5	*	*8	18
692	71	37	34	20	19	11	21	14	12	27	18
692.9	63	33	30	19	15	10	19	12	11	23	17
693	46	15	31	*7	*7	15	17	19	13	*8	*7
693.0	46	15	31	*7	*7	15	17	18	12	*8	*7
694	13	*5	*8	-	*	*	*8	*	*	*	*
694.5	10	*	*6	-	*	*	*6	*	*	*	*
695	40	13	27	*	11	11	16	*9	*8	14	10
695.1	11	*	*8	*	*	*	*6	*	*	*6	*
695.3	*7	*	*	*	*	*	*	*	*	*	*
695.4	*8	*	*6	-	*	*	*6	*	*	*	*
695.8	*8	*	*7	-	*	*	*	*	*	*	*
695.89	*8	*	*7	-	*	*	*	*	*	*	*
696	67	32	35	*	16	25	27	24	13	17	13
696.0	12	*	*9	-	*	*	*	*	*	*	*
696.1	55	28	26	*	12	20	22	19	10	15	11
698	41	*9	32	*	20	10	*7	11	12	13	*5
698.8	*7	*	*6	*	*	*	*	*	*	*	*
698.9	31	*7	24	*	15	*9	*	*9	*7	10	*5
701	31	*6	24	*	12	*6	*8	*	*	12	11
701.2	*5	*	*	*	*	*	*	*	-	*	*
701.4	*7	*	*6	*	*5	*	*	*	*	*	*
701.9	*9	*	*7	*	*	*	*	-	*	*	*
702	*6	*	*	*	*	*	*	*	*	*	-
703	10	*	*6	*	*	*	*6	*	*	*	*
703.0	*5	*	*	*	*	*	*	*	*	*	*
704	16	*	12	*	*8	*	*	*	*	*9	*
704.0	*7	*	*6	*	*	*	*	*	*	*	*
704.00	*6	*	*5	*	*	*	*	*	*	*	*
704.8	*7	*	*	*	*	*	*	*	*	*	*
705	13	*5	*8	*	*7	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
705.8	11	*	*7	-	*7	*	*	*	*	*	*
705.83	10	*	*6	-	*7	*	*	*	*	*	*
706	27	14	12	*	10	*6	*8	*8	*	*8	*6
706.1	10	*	*6	*	*6	*	-	*	*	*	*
706.2	*9	*	*5	*	*	*	*	*	*	*	*
707	1,128	552	577	*	91	272	762	322	249	426	130
707.0	726	347	380	*	51	146	528	214	152	277	83
707.00	65	30	35	-	*6	18	41	23	16	22	*
707.02	*7	*	*	-	*	*	*6	*	*	*	-
707.03	324	150	174	*	18	67	239	100	59	129	37
707.04	30	17	13	*	*	10	15	*8	*5	12	*
707.05	123	52	71	*	*7	20	96	34	30	40	19
707.06	14	*8	*6	-	*	*	11	*	*	*9	*
707.07	90	48	43	-	*	14	73	27	19	34	10
707.09	70	37	33	-	11	15	45	15	18	29	*8
707.1	377	193	184	*	36	119	221	106	92	137	43
707.10	61	28	33	*	*	16	41	18	18	20	*5
707.11	*9	*	*8	-	*	*	*7	*	*	*6	*
707.12	22	14	*8	-	*	10	11	*6	*9	*	*
707.13	36	19	17	-	*	12	19	10	*9	10	*7
707.14	64	38	26	-	*	21	38	14	18	23	*9
707.15	114	61	53	*	15	40	60	33	25	49	*7
707.19	70	32	38	-	*8	18	44	22	12	24	10
707.8	24	12	12	*	*	*7	12	*	*6	11	*
708	21	*	16	*	*7	*5	*7	*	*6	*7	*
708.0	*8	*	*6	*	*	*	*	*	*	*	*
708.9	11	*	*9	*	*5	*	*	*	*	*	*
709	51	22	29	*5	20	16	10	*8	10	19	14
709.2	13	*	*9	*	*	*5	*	*	*	*	*
709.8	18	*7	11	*	*6	*6	*5	*	*	*7	*
709.9	10	*6	*	*	*	*	*	*	*	*5	*
710-739	7,449	2,651	4,798	91	1,096	2,423	3,839	1,652	1,845	2,589	1,363
710	198	24	174	*	84	64	47	47	36	83	32
710.0	147	16	130	*	75	44	26	37	25	60	25
710.1	18	*	18	-	*	*7	*7	*5	*	*6	*
710.2	19	*	18	-	*	*6	*9	*	*	*8	*
710.4	*7	*	*	-	*	*	*	*	*	*5	*
711	64	42	21	*	12	26	21	16	15	24	*8
711.0	61	41	20	*	11	25	21	16	15	22	*8
711.01	*6	*	*	*	*	*	*	*	*	*	*
711.03	*6	*	*	-	*	*	*	*	*	*	*
711.05	*6	*	*	*	*	*	*	*	*	*	*
711.06	29	19	11	*	*6	12	10	*7	*8	11	*
711.07	*9	*8	*	*	-	*6	*	*	*	*	*
712	*7	*6	*	-	*	*	*5	*	*	*	*
712.3	*6	*6	*	-	*	*	*	*	*	*	*
712.36	*6	*5	*	-	*	*	*	*	*	*	*
713	*9	*	*	-	*	*	*	*	*	*	*
714	286	67	219	*	28	97	161	66	77	94	49
714.0	272	64	207	*	24	94	153	63	73	90	45
714.8	*6	*	*5	-	*	*	*5	*	*	*	*
715	1,793	620	1,173	*	59	572	1,162	409	476	637	271
715.0	21	*6	15	-	*	*8	12	*8	*	*	*
715.09	17	*	12	-	*	*8	*9	*8	*	*	*
715.1	83	39	44	-	*	25	54	15	13	37	17
715.11	*5	*	*	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
715.15	19	*7	12	-	*	*7	11	*6	*	*6	*
715.16	56	28	28	-	*	17	37	*7	*7	30	13
715.2	*8	*	*5	-	*	*6	*	*	*	*	*
715.3	716	275	441	-	21	275	421	175	185	232	125
715.30	14	*	*9	-	*	*	11	*	*	*9	*
715.31	30	15	15	-	*	*9	19	*8	*7	*9	*7
715.35	187	76	111	-	*7	74	106	51	52	57	27
715.36	465	169	296	-	*7	183	275	106	124	150	84
715.37	*8	*	*	-	*	*	*	*	*	*	*
715.38	*8	*	*	-	*	*	*	*	*	*	*
715.8	53	20	33	-	*	18	35	*	17	*9	24
715.89	53	20	33	-	*	18	35	*	17	*9	24
715.9	912	278	635	*	33	240	639	206	254	355	97
715.90	604	169	435	-	26	139	439	151	171	230	52
715.91	14	*5	*9	-	-	*7	*7	*	*	*	*6
715.94	*8	*	*7	-	*	*	*7	*	*	*	*
715.95	67	32	34	-	*	24	40	14	20	25	*8
715.96	186	61	124	-	*	63	121	23	52	85	25
715.97	*7	*	*	*	*	*	*	*	*	*	*
715.98	25	*7	18	-	*	*6	19	14	*	*6	*
716	285	98	187	*	35	90	160	45	76	98	66
716.1	12	*7	*5	-	*	*5	*	*	*	*	*
716.5	*7	*	*5	-	*	*	*5	*	*	*	*
716.9	262	88	174	*	28	83	150	41	71	91	59
716.90	194	60	134	*	20	61	112	26	52	74	43
716.91	10	*	*6	-	*	*	*9	*	*	*	*
716.95	*8	*	*	*	*	*	*	*	*	*	*
716.96	27	*7	20	*	*	*8	15	*8	*5	*8	*6
716.98	*9	*6	*	-	*	*	*	*	*	*	*
716.99	*5	*	*	-	*	*	*	*	*	*	-
717	21	*7	14	-	*7	10	*	*	*	*8	*7
717.7	*7	*	*	-	*	*	*	*	*	*	*
718	37	17	20	*	*9	10	14	*9	*8	11	*9
718.3	*6	*	*	-	*	*	*	*	*	*	*
718.4	17	*9	*8	*	*	*	*8	*5	*	*6	*
718.46	*7	*	*	*	-	*	*	*	*	*	*
719	298	130	169	*6	64	87	142	73	84	95	46
719.0	39	20	19	*	*7	*9	21	*6	11	13	10
719.06	36	19	17	*	*6	*9	19	*5	*9	11	10
719.4	206	92	114	*	53	66	84	41	64	71	29
719.40	*9	*	*7	*	*	*	*	*	*	*	*
719.41	64	31	33	*	16	25	22	15	17	21	11
719.45	50	17	33	*	*8	12	30	10	16	16	*9
719.46	54	28	26	*	12	20	20	*8	19	20	*6
719.47	13	*7	*5	-	*5	*	*5	*	*6	*	*
719.49	*8	*	*	*	*	*	*	*	*	*7	*
719.5	*8	*	*	-	*	*	*5	*	*	*	-
719.7	35	10	25	*	*	*9	25	21	*7	*5	*
720	14	*8	*6	*	*	*	*8	*	*	*	*
720.0	*8	*6	*	-	*	*	*5	*	*	*	*
720.2	*6	*	*	*	*	*	*	*	*	*	*
721	291	136	155	-	32	118	141	59	81	89	62
721.0	76	36	40	-	*9	41	26	16	19	24	16
721.1	43	25	18	-	*	18	20	10	11	15	*7
721.2	*9	*	*	-	*	*	*	*	*	*	*
721.3	118	53	66	-	11	42	66	22	36	29	32
721.4	*5	*	*	-	*	*	*	*	*	*	*
721.9	35	13	22	-	*	*9	21	*7	10	13	*5
721.90	35	13	22	-	*	*9	21	*7	10	13	*5
722	680	311	369	*7	194	290	190	135	155	264	125

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
722.0	69	28	42	-	28	33	*8	21	15	30	*
722.1	205	119	86	*	79	83	42	51	45	71	38
722.10	200	118	81	*	76	81	41	51	44	69	36
722.11	*6	*	*	-	*	*	*	*	*	*	*
722.2	*6	*	*	-	*	*	*	*	*	*	*
722.4	64	23	42	-	13	37	14	11	14	22	18
722.5	210	78	132	-	48	81	81	30	50	80	49
722.51	*8	*	*6	-	*	*	*6	*	*	*	*
722.52	201	75	126	-	47	79	75	28	48	77	48
722.6	31	*9	22	-	*6	10	15	*	*6	21	*
722.7	39	24	15	-	*8	20	11	*7	12	11	*8
722.71	27	16	11	-	*6	13	*8	*6	*7	*9	*6
722.73	*9	*	*	-	*	*	*	*	*	*	*
722.8	15	*6	*9	-	*	*7	*	*	*	*7	*
722.83	13	*	*8	-	*	*6	*	*	*	*6	*
722.9	41	23	17	*6	*6	16	13	*6	*9	20	*6
722.91	*7	*6	*	-	*	*5	*	-	*	*	*
722.92	*8	*	*	*6	*	*	*	*	*	*7	*
722.93	24	13	11	*	*	10	10	*5	*7	11	*
723	138	70	67	*	34	62	41	37	28	46	27
723.0	39	24	14	*	*	18	16	10	*6	14	*9
723.1	66	31	36	*	21	28	17	17	15	18	15
723.4	26	12	14	-	*6	13	*7	*9	*	11	*
724	748	317	430	*	167	263	314	131	200	270	147
724.0	186	79	107	-	*6	44	136	40	52	60	35
724.00	40	13	27	-	*	*7	32	16	10	*6	*8
724.02	143	64	78	-	*5	36	102	25	41	52	25
724.2	218	98	120	*	58	79	79	31	62	79	46
724.3	32	13	19	*	*8	14	10	*8	*7	11	*7
724.4	42	14	27	-	*9	17	16	11	14	14	*
724.5	244	98	146	*	75	102	67	38	58	99	49
724.8	12	*9	*	*	*	*	*	*	*	*	*
725	41	*8	32	-	*	*	37	12	11	11	*7
726	83	42	40	*	10	32	40	20	22	21	20
726.1	29	14	14	-	*	11	17	*7	*5	*6	10
726.10	26	13	13	-	*	*9	16	*6	*	*6	10
726.2	*9	*	*5	-	*	*	*	*	*	*	*
726.3	12	10	*	*	*	*	*	*	*	*	*
726.33	11	*9	*	*	*	*	*	*	*	*	*
726.5	*7	*	*6	-	*	*	*5	*	*	*	*
726.6	12	*9	*	*	*	*	*	*	*	*	*
726.65	*8	*6	*	*	*	*	*	*	*	*	*
727	75	32	43	*	14	25	32	18	20	16	20
727.0	34	19	14	*	10	*8	12	*9	*8	*8	*9
727.00	15	*8	*8	*	*	*	*7	*	*	*	*
727.05	10	*7	*	*	*7	*	*	*	*	*	*
727.09	*6	*	*	*	*	*	*	*	*	*	*
727.4	16	*	12	-	*	*9	*6	*	*6	*	*
727.40	13	*	10	-	*	*7	*6	*	*5	*	*
727.5	*7	*	*	-	*	*	*5	*	*	*	*
727.51	*7	*	*	-	*	*	*5	*	*	*	*
727.6	*7	*	*5	-	*	*	*	*	*	*	*
727.61	*5	*	*	-	-	*	*	*	*	*	*
727.8	*6	*	*	*	*	*	*	*	*	*	*
728	284	132	152	14	64	78	127	70	54	111	49
728.1	*6	*	*6	-	*	*6	*	*	*6	*	-
728.10	*6	-	*6	-	-	*6	-	-	*6	-	-
728.2	*5	*	*	*	*	*	*	*	*	*	*
728.3	11	*	*7	*	*	*	*7	*	*	10	-
728.7	*8	*	*5	-	*	*	*	*	*	*	*
728.71	*8	*	*5	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
728.8	246	121	126	*9	59	66	112	65	44	95	42
728.84	*6	*	*	-	*	*	*	*	*	*	*
728.85	34	10	25	*6	12	*8	*9	*8	*6	14	*7
728.86	12	*7	*5	-	*	*7	*	*	*	*	*
728.87	26	10	17	*	*	*7	14	*	*	11	*7
728.88	153	88	65	*	33	36	83	46	27	57	23
728.89	14	*	*9	*	*	*	*	*5	*	*	*
729	475	136	339	12	119	180	165	89	115	177	94
729.1	215	27	187	*	58	103	51	40	54	78	43
729.2	*9	*	*5	*	*	*	*	*	*	*	*
729.5	110	40	70	*6	36	24	43	23	25	43	20
729.8	130	59	71	*	20	43	64	19	32	50	29
729.81	27	12	15	*	*	11	*9	*	*8	10	*6
729.82	*8	*	*	-	*	*	*	*	*	*	*
729.89	95	44	52	*	13	30	51	16	22	36	21
730	225	137	88	*8	33	87	97	52	44	89	40
730.0	40	23	17	*	*9	14	15	10	*6	13	12
730.07	22	10	12	*	*	*7	11	*	*	*8	*6
730.1	53	37	15	*	*9	24	18	13	11	17	11
730.15	*7	*5	*	*	*	*	*	*	*	*	-
730.16	*7	*	*	-	*	*	*	*	*	*	*
730.17	25	19	*6	-	*	14	*8	*9	*	*	*7
730.18	*8	*	*	-	*	*	*	*	*	*	*
730.2	131	76	55	*	15	49	64	29	27	59	17
730.25	14	*8	*7	*	*	*	*6	*	*	*	*5
730.26	11	*	*6	*	*	*	*6	*	*	*	*
730.27	70	40	30	*	*7	29	34	18	16	33	*
730.28	23	13	10	*	*	*9	11	*	*	11	*
731	47	27	20	-	*6	18	23	14	*8	18	*6
731.0	12	*7	*	-	-	*	11	*8	*	*	*
731.8	32	20	12	-	*5	16	10	*5	*7	14	*6
732	*9	*5	*	*	*	*	*	*	*	*	*
733	1,035	167	868	*	53	204	773	281	246	314	194
733.0	648	57	591	*	*	98	545	185	151	195	117
733.00	623	55	568	*	*	93	525	174	142	193	115
733.01	*5	*	*5	-	-	*	*5	*	*	*	*
733.09	19	*	17	-	*	*	14	*8	*8	*	*
733.1	157	41	116	*	*5	29	123	40	39	45	33
733.13	130	33	97	-	*	22	103	34	32	35	29
733.14	*7	*	*6	*	-	*	*5	*	*	*	*
733.19	*9	*	*6	-	*	*	*6	*	*	*	*
733.2	*6	*	*	*	*	*	*	*	*	*	*
733.4	54	24	30	*	10	26	18	15	14	22	*
733.42	37	15	22	*	*6	19	12	*9	*8	16	*
733.49	*8	*	*	-	*	*	*	*	*	*	*
733.6	31	*7	24	*	13	12	*6	12	*5	*9	*
733.8	41	16	26	*	*9	14	16	*8	12	12	*9
733.81	*9	*	*5	*	*	*	*	*	*	*	*
733.82	32	11	21	*	*7	12	13	*7	10	10	*5
733.9	97	21	76	*	*9	24	63	20	24	30	23
733.90	80	13	67	*	*5	20	54	17	18	25	21
733.95	*5	*	*	-	-	*	*	*	*	*	-
733.99	*7	*	*	*	*	*	*	*	*	*	*
735	*8	*	*	*	*	*5	*	*	*	*	*
736	79	39	40	*	17	26	34	19	14	31	15
736.4	17	11	*6	-	*	*9	*9	*	*	10	*
736.41	*6	*	*	-	-	*	*	-	*	*	*
736.42	12	*9	*	-	*	*	*7	*	*	*8	*
736.6	12	*	*7	-	*	*5	*6	*	*	*	*
736.7	40	17	23	*	14	*8	17	15	*6	13	*6

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*^a (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
736.79	36	15	21	*	12	*8	16	14	*6	10	*5
736.8	*5	*	*	*	*	*	*	*	*	*	*
737	119	34	85	11	25	26	57	15	35	43	26
737.1	22	*6	17	*	*	*	16	*	*8	*8	*5
737.10	20	*5	15	*	*	*	15	*	*8	*7	*
737.3	88	24	65	10	19	22	38	14	25	32	17
737.30	79	21	59	*9	17	21	33	13	21	29	16
737.39	*8	*	*5	*	*	*	*	*	*	*	*
737.4	*7	*	*	*	*	*	*	*	*	*	*
738	83	26	58	*	17	32	33	*8	22	23	30
738.1	*7	*	*	-	*	*	-	*	*	*	*
738.19	*6	*	*	-	*	*	-	*	*	*	*
738.4	71	20	51	*	10	29	32	*5	20	20	26
739	14	*	10	*	*7	*	*	11	-	*	-
739.3	*6	-	*6	-	*6	-	*	*6	-	*	-
740-759	795	407	387	361	148	160	125	117	167	279	231
741	34	20	14	*9	16	*5	*	*	*9	*9	11
741.0	15	*8	*8	*7	*8	*	-	*	*5	*5	*
741.00	11	*	*6	*	*6	*	-	*	*	*	*
741.9	18	12	*6	*	*8	*	*	*	*	*	*6
741.90	13	*7	*6	*	*5	*	*	*	*	*	*
741.93	*5	*	*	*	*	-	*	*	-	*	*
742	41	15	26	26	12	*	*	*	*6	15	15
742.1	*8	*	*6	*7	*	*	-	*	*	*	*6
742.2	*5	*	*	*	*	*	-	*	*	*	*
742.3	11	*5	*6	*8	*	*	-	*	*	*	*
742.5	*8	*	*	*	*	*	-	*	*	*	*
742.59	*8	*	*	*	*	*	-	*	*	*	*
744	*6	*	*	*	*	*	*	*	*	*	*
745	121	67	54	63	14	22	21	19	22	45	35
745.2	*5	*	*	*	*	*	*	*	*	*	-
745.4	22	14	*8	19	*	*	*	*	*	*8	*9
745.5	84	46	38	33	11	19	21	16	15	28	25
746	53	31	22	23	*6	16	*7	10	10	20	14
746.0	*6	*	*	*	*	*	*	*	*	*	*
746.4	15	12	*	*	*	*8	*	*	*5	*	*
746.8	22	10	12	10	*	*6	*	*	*	10	*
746.85	*6	*	*	*	*	*	*	*	*	*	*
746.89	*9	*	*	*6	*	*	*	*	*	*	*
747	70	36	34	44	*6	13	*6	*	17	26	23
747.0	28	15	13	27	*	*	*	*	*	12	11
747.3	10	*	*5	*8	*	*	*	*	*	*	*
747.8	19	*9	10	*	*	10	*	*	10	*	*
747.81	15	*6	*9	*	*	*9	*	*	10	*	*
748	13	*8	*5	12	*	-	*	*	*	*6	*
748.3	*9	*6	*	*9	-	-	*	*	*	*	*
749	17	*6	11	17	*	*	-	*	*	*	*9
749.0	*6	*	*5	*6	*	*	-	-	*	*	*
749.2	10	*	*6	*9	*	-	-	*	-	*	*5
750	24	17	*8	13	*	*	*7	*	*7	*9	*
750.3	*9	*	*6	*	*	*	*6	*	*	*	*
750.5	11	10	*	11	-	-	-	*	*	*	*
751	42	19	22	14	*9	*9	10	*6	*9	12	14

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
751.5	10	*	*6	*	*	*	*7	*	*	*	*5
751.6	*9	*	*6	*	*	*	*	*	*	*	*
752	22	*8	14	*8	*9	*	*	*	*	*6	10
752.1	*6	-	*6	*	*	*	*	*	*	*	*
752.11	*6	-	*6	*	*	*	*	*	*	*	*
753	126	70	56	23	27	32	44	22	33	42	28
753.0	17	*8	*8	*	*	*	*6	*	*	*5	*
753.1	79	46	33	*	17	26	33	15	20	29	14
753.10	40	24	16	*	*5	14	21	*7	*9	17	*6
753.12	22	13	*9	*	*7	*7	*7	*	*6	*8	*
753.13	*9	*	*	*	*	*	*	*	*	*	*
753.19	*5	*	*	*	*	*	*	*	*	*	*
753.2	13	*8	*	*9	*	*	*	*	*	*	*5
753.29	*7	*	*	*5	*	*	*	*	*	*	*
753.3	*5	*	*	*	*	*	*	*	*	*	*
754	34	16	18	24	*6	*	*	*	*	15	11
754.2	17	*6	11	12	*	*	*	*	*	11	*
754.8	*9	*6	*	*6	*	*	*	*	*	*	*5
754.81	*6	*	*	*	*	-	-	-	-	*	*5
755	22	11	12	*9	*5	*7	*	*	*	*6	*8
755.6	15	*	10	*	*	*7	*	*	*	*	*7
755.63	11	*	*9	*	*	*7	*	*	*	*	*5
756	81	34	47	26	15	25	15	12	21	31	17
756.0	12	*	*7	10	*	*	-	*	*	*	*
756.1	40	15	25	*	*8	17	12	*5	13	15	*7
756.12	30	11	19	*	*6	13	10	*	*9	10	*7
756.5	10	*	*6	*	*	*	*	*	*	*	*
756.51	*7	*	*	*	*	*	*	*	*	*	*
756.8	*6	*	*	*	*	*	*	*	*	*	*
757	*9	*	*	*	*	*	*	*	*	*	*
757.3	*6	*	*	*	*	-	*	*	*	*	*
758	39	20	19	20	*7	10	*	*8	*8	16	*7
758.0	28	15	13	14	*	*9	*	*7	*6	12	*
759	35	22	13	16	*9	*6	*	*5	*7	10	13
759.6	*5	*	*	*	*	*	*	*	*	*	*
759.8	23	14	*9	13	*6	*	*	*	*	*6	11
759.89	15	*9	*7	10	*	*	*	*	*	*	*7
760-779	569	335	235	566	*	*	*	54	107	192	216
760	*8	*5	*	*7	*	*	-	-	*	*	*
760.7	*6	*	*	*6	*	*	-	-	*	*	*
765	94	49	45	94	*	-	-	14	21	26	32
765.1	42	21	21	42	-	-	-	*7	10	11	14
765.18	13	*8	*5	13	-	-	-	*	*	*	*
765.19	15	*7	*8	15	-	-	-	*	*	*	*6
765.2	49	26	24	49	-	-	-	*7	10	14	19
765.26	*6	*	*	*6	-	-	-	-	*	*	*
765.27	14	*6	*8	14	-	-	-	*	*	*	*5
765.28	17	*9	*8	17	-	-	-	*	*	*	*6
766	*5	*	*	*5	-	-	-	*	*	*	*
766.1	*5	*	*	*5	-	-	-	*	*	*	*
769	24	12	12	24	-	-	-	*	*7	*9	*6
770	106	70	36	105	*	*	-	11	22	35	38
770.2	*7	*	*	*7	-	-	-	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
770.6	15	*8	*7	15	-	-	-	*	*	*	*
770.7	27	22	*5	26	*	*	-	*	*6	*	14
770.8	46	29	17	46	*	-	-	*	*8	20	16
770.81	17	12	*5	17	*	-	-	*	*	*7	*6
770.89	15	*9	*6	15	-	-	-	*	*	*9	*
771	42	25	17	42	-	-	-	*	*6	15	17
771.8	36	22	14	36	-	-	-	*	*	13	15
771.81	28	17	11	28	-	-	-	*	*	10	12
772	13	*8	*	13	-	-	-	*	*	*	*
772.1	*9	*6	*	*9	-	-	-	*	*	*	*
773	10	*5	*5	10	-	-	-	*	*	*	*
773.2	*7	*	*	*7	-	-	-	-	*	*	*
774	83	49	33	83	-	-	-	*9	14	27	33
774.2	33	19	14	33	-	-	-	*7	*	*8	15
774.6	47	29	18	47	-	-	-	*	11	18	17
775	31	17	14	31	-	-	-	*	*	*9	14
775.4	*6	*	*	*6	-	-	-	*	*	*	*
775.5	13	*8	*5	13	-	-	-	*	*	*	*7
776	23	13	11	23	*	-	-	*	*	11	*9
776.6	13	*7	*6	13	*	-	-	*	*	*6	*5
777	17	*8	*9	17	-	-	-	*	*	*	12
777.8	*6	*	*	*6	-	-	-	*	-	*	*6
778	21	11	10	21	-	-	-	*	*6	11	*
778.4	12	*6	*6	12	-	-	-	*	*	*8	*
779	77	47	30	77	-	*	-	*6	13	29	29
779.0	*6	*5	*	*6	-	-	-	*	*	*	*
779.3	27	16	10	27	-	-	-	*	*	*7	13
779.8	40	23	17	40	-	-	-	*	*8	18	12
779.89	35	21	14	35	-	-	-	*	*8	15	11
780-799	10,991	4,883	6,109	700	2,090	3,296	4,905	2,414	2,560	3,902	2,116
780	2,535	1,151	1,384	156	462	750	1,167	557	598	916	465
780.0	134	66	68	*	33	36	61	21	37	52	23
780.01	29	15	14	-	*	*9	15	*5	*8	13	*
780.03	11	*7	*	*	*	*	*5	*	*	*7	-
780.09	89	43	45	*	26	22	38	12	28	31	19
780.1	22	12	10	*	*	*	15	*	*	11	*
780.2	520	222	299	*	62	134	321	158	101	174	88
780.3	432	209	223	45	113	167	107	100	104	150	78
780.31	16	10	*6	15	*	*	*	*	*	*	*9
780.39	413	197	216	26	113	167	107	96	102	146	68
780.4	171	63	108	*	25	49	97	41	49	52	30
780.5	362	171	190	*6	80	147	129	66	81	143	71
780.50	*8	*	*5	*	*	*	*	*	*	*	*
780.52	135	52	84	*	45	39	48	26	28	59	23
780.57	213	114	99	*	32	103	76	39	48	82	45
780.6	347	175	172	73	79	82	113	63	81	136	67
780.7	285	121	163	*7	31	60	187	52	82	89	62
780.79	280	120	160	*7	30	57	187	51	81	87	60
780.8	14	*8	*6	*	*	*5	*	*	*	*	*
780.9	248	103	145	16	33	67	133	48	54	106	40
780.91	*6	*5	*	*6	-	-	-	*	*	*	*
780.93	21	10	11	-	*	10	*9	*	*5	*8	*
780.96	12	*6	*6	*	*6	*	*	*	*	*	*
780.97	189	76	113	*7	21	52	109	31	40	87	31
780.99	20	*6	14	*	*	*	12	*8	*	*5	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
781	423	184	239	18	40	98	268	172	75	101	75
781.0	33	14	19	*	*9	*7	15	*8	*8	13	*
781.2	253	102	151	*	19	58	175	134	38	44	37
781.3	65	33	32	*9	*6	18	32	11	14	24	17
781.8	*8	*6	*	-	*	*	*6	*	*	*	*
781.9	59	27	32	*	*	12	39	18	12	17	12
781.94	50	23	27	*	*	11	37	17	12	13	*9
781.99	*9	*	*5	*	*	*	*	*	*	*	*
782	340	145	194	20	84	116	119	68	99	115	57
782.0	83	31	53	*	28	35	19	17	22	31	14
782.1	61	24	36	11	20	19	12	15	17	17	12
782.3	121	50	72	*	17	40	64	23	39	42	16
782.4	53	32	21	*	16	17	16	10	17	19	*7
782.5	*8	*	*	*	*	*	*	*	*	*	*
782.7	*9	*	*	*	*	*	*	*	*	*	*
783	364	155	210	89	41	46	189	56	75	135	99
783.0	56	20	36	*	11	*6	37	*	18	27	*7
783.2	91	41	50	*7	16	21	47	15	20	34	23
783.21	88	40	48	*6	14	21	47	15	19	32	23
783.3	16	*6	10	12	*	*	*	*	*	*5	*5
783.4	68	33	35	64	*	*	*	*7	12	20	29
783.40	31	14	18	28	*	*	-	*5	*	*6	16
783.41	36	19	17	36	*	-	-	*	*8	13	13
783.5	*6	*	*	*	*	*	*	*	*	*	*
783.6	*5	*	*5	*	*	-	*	*	*	*	*
783.7	119	51	68	*	*	17	99	24	20	43	32
784	615	274	341	19	142	186	268	176	132	195	113
784.0	241	91	150	10	108	74	50	45	59	95	43
784.2	18	*8	10	*	*7	*6	*	*	*6	*	*
784.3	147	74	73	*	*	37	104	49	30	40	27
784.4	*7	*	*	*	*	*	*5	*	*	*	*
784.49	*7	*	*	*	*	*	*5	*	*	*	*
784.5	123	57	66	*	10	42	69	50	22	28	23
784.6	12	*6	*6	*	*	*	*8	*9	*	*	*
784.69	12	*5	*6	-	*	*	*8	*9	*	*	*
784.7	57	31	27	*	10	20	23	14	12	18	12
784.9	*6	*	*	*	*	*	*	*	*	*	*
785	704	342	362	45	145	211	303	145	164	282	113
785.0	185	84	102	21	72	49	43	28	45	79	33
785.1	54	17	37	*	19	20	15	14	13	20	*6
785.2	53	16	37	13	11	14	16	*6	13	21	13
785.4	71	41	30	-	*6	23	42	17	11	33	11
785.5	266	149	117	*	20	80	162	68	61	99	38
785.50	19	12	*7	-	*	*8	10	*	*	*9	*5
785.51	51	34	17	*	*	17	31	15	12	16	*9
785.52	173	90	83	*	12	51	108	46	44	65	19
785.59	23	13	10	*	*	*	13	*6	*	*9	*
785.6	62	29	33	*7	16	21	17	10	18	24	*9
785.9	13	*7	*6	-	*	*	*9	*	*	*6	*
786	1,591	716	875	71	266	634	620	321	353	601	315
786.0	244	99	145	50	31	63	99	33	63	101	47
786.01	*7	*	*7	-	*	*	*	*	*	*	*
786.03	18	11	*7	16	*	*	*	*	*	10	*5
786.05	91	32	60	*	12	34	44	18	21	37	16
786.06	14	*6	*8	*7	*	*	*	*	*6	*	*
786.07	*7	*5	*	*	*	*	*	*	*	*	*
786.09	101	42	59	22	12	21	46	12	28	43	18
786.1	*7	*	*	*	*	*	*	*	*	*	*
786.2	55	29	26	*9	11	18	17	*7	14	21	14
786.3	99	57	42	*	11	35	52	21	26	38	13
786.5	1,120	486	633	*	203	491	423	250	237	410	223
786.50	405	180	226	*	69	166	168	85	82	163	75

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
786.51	25	12	13	-	*	12	*8	*6	*	*7	*7
786.52	45	17	28	*	16	13	15	*6	16	14	*9
786.59	645	278	367	*	112	300	232	152	135	226	133
786.6	46	26	21	*	*	18	22	*7	10	16	13
786.8	14	12	*	-	*	*7	*	*	*	*8	*
787	1,180	453	727	74	236	319	551	281	278	418	203
787.0	458	148	310	36	143	128	151	66	130	189	73
787.01	283	98	185	12	93	81	96	35	79	130	39
787.02	126	29	97	*	34	42	47	18	37	45	26
787.03	50	22	28	21	15	*	*8	13	14	15	*8
787.1	16	*	11	-	*5	*5	*5	*	*	*	*6
787.2	375	169	206	*7	30	93	246	147	64	99	65
787.20	244	107	137	*	25	58	157	63	51	81	49
787.21	40	17	22	*	*	13	26	32	*	*	*
787.22	51	22	29	*	*	11	39	32	*6	*6	*7
787.23	14	10	*	-	*	*	*8	10	*	*	*
787.29	27	12	15	*	*	*7	16	10	*5	*9	*
787.3	14	*7	*7	*	*	*	*5	*	*6	*	*
787.6	19	*	16	*	*	*	13	*5	*	*6	*
787.9	297	120	177	27	52	87	131	60	70	113	53
787.91	295	119	177	27	52	86	130	60	70	112	53
788	529	268	261	15	72	120	321	134	140	168	87
788.0	*7	*	*	-	*	*	*	*	*	*	*
788.1	21	10	11	*	10	*7	*	*	*5	*8	*6
788.2	249	169	80	*	32	54	159	76	64	72	38
788.20	209	143	66	*	26	44	136	67	52	62	28
788.21	*6	*	*	*	*	*	*	*	*	*	*
788.29	34	24	10	*	*	*9	20	*8	10	*9	*7
788.3	176	47	129	*6	14	40	116	41	50	57	29
788.30	139	37	102	*	11	29	96	33	36	46	23
788.31	*8	*	*6	-	*	*	*7	*	*	*	*
788.33	14	*	14	-	*	*6	*5	*	*	*	*
788.39	*9	*	*7	-	*	*	*5	*	*	*	*
788.4	26	15	10	*	*	*7	14	*	*7	*9	*7
788.41	19	11	*8	-	*	*5	10	*	*5	*6	*6
788.5	*9	*5	*	*	*	*	*	*	*	*	*
788.6	13	*6	*6	*	*	*	*7	*	*	*	*
788.63	*5	*	*	*	*	*	*	*	*	*	*
788.9	25	*9	16	*	*	*	17	*6	*5	11	*
789	802	332	470	29	234	301	238	167	185	294	156
789.0	439	140	299	21	181	120	116	78	107	166	87
789.00	163	52	111	10	62	39	52	28	33	76	26
789.01	40	11	30	*	19	12	10	*9	10	14	*8
789.02	*9	*	*6	-	*	*	*	*	*	*	*
789.03	40	11	28	*6	20	*9	*	*	*9	16	11
789.04	20	*8	12	-	*8	*	*7	*	*8	*5	*
789.06	73	24	48	*	27	27	17	14	16	24	18
789.07	*8	*	*6	*	*	*	*	*	*	*	*
789.09	82	28	54	*	37	21	21	18	24	24	17
789.1	12	*	*8	*	*	*6	*	*	*	*	*
789.2	23	15	*7	*	*7	10	*	*	*6	*6	*6
789.3	20	*5	15	*	*	*9	*8	*	*6	10	*
789.30	12	*	10	*	*	*7	*	*	*	*8	*
789.5	308	167	141	*	40	156	108	80	64	107	57
789.51	28	*7	22	-	*	13	12	11	*6	*8	*
789.59	280	160	119	*	37	143	96	69	58	99	53
790	719	350	369	28	127	213	350	149	190	225	155
790.0	16	*7	*8	-	*	*	*9	*6	*	*	*5
790.01	11	*7	*	-	*	*	*7	*5	*	*	*
790.2	191	92	100	*7	36	73	76	28	56	58	50
790.29	186	90	97	*7	35	71	74	27	54	57	48
790.4	33	16	17	*	10	10	11	*	*8	*9	13
790.5	65	29	36	*	15	19	27	*5	23	18	18

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
790.6	78	31	47	*	21	22	33	17	18	29	14
790.7	203	108	95	12	30	56	105	52	42	74	35
790.9	128	66	62	*	12	28	87	37	39	34	18
790.92	100	46	54	*	*8	22	70	34	28	25	13
790.93	15	15	-	-	*	*	12	*	*	*5	*
790.99	10	*	*8	*	*	*	*5	*	*	*	*
791	38	11	27	*	12	*9	12	*7	10	17	*
791.0	16	*6	*9	*	*5	*5	*	*	*	*7	*
791.9	18	*	15	*	*6	*	*9	*	*	*8	*
792	68	10	58	*	49	*7	11	*9	26	23	10
792.1	20	*9	12	*	*	*6	11	*6	*6	*6	*
792.3	46	-	46	-	46	*	-	*	20	16	*8
793	37	10	27	*	*	14	16	*7	*8	13	*9
793.1	17	*	13	*	*	*	10	*5	*	*9	*
794	137	60	77	*	29	53	52	25	39	51	22
794.3	92	36	56	*	12	40	40	17	29	28	18
794.31	63	23	40	*	*9	29	25	12	18	20	14
794.39	28	12	16	-	*	11	13	*5	10	*8	*
794.5	*5	*	*	*	*	*	*	*	*	*	*
794.8	30	18	13	*	14	10	*6	*5	*7	16	*
795	76	17	59	*	46	17	12	19	11	25	20
795.0	19	-	19	-	17	*	*	*	*	12	*
795.01	*6	-	*6	-	*6	-	-	*	*	*	*
795.03	*8	-	*8	-	*8	-	*	*	*	*6	-
795.5	35	12	23	*	16	11	*7	14	*	*7	13
795.7	15	*	10	*	*9	*	*	*	*	*	*
795.79	14	*	*9	*	*9	*	*	*	*	*	*
795.8	*6	*	*6	-	*	*	*	*	*	*	*
796	80	34	46	*	29	25	21	14	18	30	18
796.0	12	*8	*	*	*	*	*6	*	*	*6	*
796.2	54	21	33	*	25	18	*8	*9	15	17	13
796.3	*5	*	*	*	*	*	*	*	*	*	*
796.4	*6	*	*	*	*	*	*	*	*	*	*
799	750	369	381	119	72	177	383	107	157	290	196
799.0	421	206	215	96	36	89	200	56	102	140	123
799.02	421	206	215	96	36	89	200	56	102	140	123
799.1	*8	*	*	*	*	*	*	*	*	*	*
799.3	98	39	58	-	*	16	79	*8	24	48	17
799.4	127	68	58	*	*8	35	83	31	22	51	22
799.8	12	*6	*6	*	*	*5	*	*	*	*6	*6
799.89	12	*6	*6	*	*	*5	*	*	*	*5	*6
799.9	81	44	38	21	22	27	11	10	*	41	26
800-999	7,915	4,141	3,774	357	2,216	2,172	3,171	1,685	1,774	2,744	1,714
800	28	20	*8	11	11	*	*	*	*6	*8	12
800.0	10	*7	*	*6	*	*	*	*	*	*	*
800.2	10	*7	*	*	*	*	*	*	*	*	*5
801	58	42	16	*8	25	16	*9	11	13	17	17
801.0	23	17	*7	*	13	*5	*	*6	*7	*7	*
801.01	10	*6	*	*	*	*	*	*	*	*	*
801.1	*6	*	*	*	*	*	*	*	*	*	*
801.2	20	16	*	*	*9	*8	*	*	*	*5	*9
801.26	*6	*	*	-	*	*	-	*	*	*	*
802	148	107	41	*6	83	26	34	24	27	53	45
802.0	31	19	12	*	15	*8	*7	*7	*6	12	*6
802.2	34	28	*5	*	27	*	*	*5	*	13	12
802.22	*6	*6	*	-	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
802.25	*5	*	*	-	*5	-	-	*	*	*	*
802.26	*8	*8	*	-	*6	*	-	*	*	*	*
802.3	10	10	*	-	*9	-	*	*	*	*	*6
802.36	*6	*6	-	-	*6	-	-	-	-	*	*5
802.4	23	17	*6	*	*9	*	*9	*	*8	*	*6
802.6	15	10	*	*	*5	*	*5	*	*	*5	*
802.8	25	15	10	*	11	*6	*7	*	*	13	*
803	*8	*6	*	*	*6	*	*	*	*	*	*
805	299	169	130	*	84	79	135	68	72	81	77
805.0	72	50	22	-	29	18	26	15	23	16	19
805.01	*7	*	*	-	*	*	*5	*	*	*	*
805.02	23	13	*9	-	*7	*	13	*	10	*	*
805.04	*7	*5	*	-	*	*	*	*	*	*	*
805.06	14	11	*	-	*6	*6	*	*	*	*	*
805.07	13	10	*	-	*8	*	*	*	*5	*	*
805.2	88	45	42	*	23	24	40	17	20	26	25
805.4	107	57	50	*	20	32	54	28	24	30	26
805.6	26	12	14	*	*8	*	13	*6	*	*9	*6
806	12	*9	*	-	*6	*	*	*	*	*	*
806.0	*8	*7	*	-	*	*	*	*	*	*	*
807	187	116	71	*	47	70	69	45	38	50	53
807.0	163	100	63	*	40	57	64	39	35	48	41
807.00	10	*6	*	-	*	*	*	*	*	*5	*
807.01	38	19	19	*	10	*9	20	*7	*9	14	*8
807.02	21	12	*9	*	*	*8	*9	*8	*6	*	*
807.03	26	14	12	*	*6	*8	11	*	*6	*6	*9
807.04	*9	*7	*	-	*	*	*	*	*	*	*
807.05	*9	*7	*	-	*	*6	*	*	*	*	*
807.06	10	*5	*5	*	*	*	*	*	*	*	*
807.08	10	*8	*	*	*	*	*	*	*	*	*
807.09	28	20	*8	-	*9	10	*9	*9	*5	*7	*8
807.2	15	*9	*6	-	*6	*7	*	*5	*	*	*7
807.4	*5	*	*	*	-	*	*	*	*	*	*
808	134	54	80	*	38	19	76	30	22	44	38
808.0	31	21	10	*	14	*5	11	*5	*6	*9	11
808.2	83	26	57	*	15	12	56	17	15	29	23
808.4	14	*	10	*	*6	*	*7	*	*	*5	*
808.43	*7	*	*6	-	*5	*	*	*	*	*	*
809	*6	*	*	-	*	*	*	*	-	*	*
809.0	*6	*	*	-	*	*	*	*	-	*	*
810	28	17	11	*	15	*5	*8	*6	*8	*9	*6
810.0	27	17	10	*	14	*5	*8	*6	*8	*8	*6
810.00	14	10	*	*	*9	*	*	*	*	*5	*
810.02	*9	*	*5	*	*	*	*	*	*	*	*5
811	19	16	*	*	*7	*8	*	*	*	*	*7
811.0	18	15	*	*	*6	*8	*	*	*	*	*7
811.00	*9	*7	*	*	*	*	*	*	*	*	*
811.03	*5	*	*	-	*	*	*	*	*	*	*
812	128	51	76	11	23	30	63	21	24	51	32
812.0	74	26	48	*	*9	21	45	17	15	29	15
812.00	18	*6	13	-	*	*	10	*5	*	*6	*
812.01	20	*5	15	*	*	*	16	*	*6	*6	*
812.03	15	*7	*8	-	*	*6	*7	*	*	*7	*
812.09	19	*8	12	*	*	*7	11	*	*	*9	*
812.2	21	*8	13	*	*6	*	11	*	*6	*7	*6
812.20	*7	*	*	-	*	*	*	*	*	*	*
812.21	14	*6	*8	*	*	*	*6	*	*	*	*5
812.4	23	*9	14	10	*	*	*7	*	*	*9	10

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
812.41	13	*5	*7	*8	*	*	*	*	*	*	*6
813	109	51	57	12	28	30	38	21	26	40	21
813.0	17	10	*7	*	*8	*	*	*	*	*6	*
813.01	*7	*	*	*	*	*	*	*	*	*	*
813.2	*7	*5	*	*	*	*	*	*	*	*	*
813.4	58	21	37	*	*9	18	27	13	16	20	10
813.41	*9	*	*6	*	*	*	*	*	*	*5	-
813.42	32	12	20	*	*	13	15	*9	*7	*9	*8
813.44	17	*6	11	*	*	*	*8	*	*6	*5	*
813.5	*8	*6	*	*	*	*	*	*	*	*	*
813.8	*7	*	*	*	*	*	*	*	*	*	-
814	*6	*	*	*	*	*	*	*	*	*	*
814.0	*6	*	*	*	*	*	*	*	*	*	*
815	14	10	*	*	*9	*	*	*	*	*	*6
815.0	*8	*6	*	*	*5	*	*	*	*	*	*5
815.1	*6	*	*	-	*	*	*	-	*	*	*
816	19	15	*	*	13	*	*	*8	*	*6	*
816.0	*8	*5	*	*	*	*	*	*	*	*	*
816.1	11	10	*	-	10	*	*	*	*	*	*
816.11	*5	*5	*	-	*	*	*	*	*	*	-
820	347	119	228	*	11	36	299	59	90	142	57
820.0	77	26	52	*	*	*7	67	13	17	29	18
820.00	*6	*	*	-	*	-	*5	*	*	*	*
820.02	*7	*	*	*	-	*	*6	*	*	*	*
820.09	60	21	39	*	*	*5	52	*9	15	26	10
820.2	189	63	126	-	*6	21	162	32	53	77	26
820.20	20	*6	14	-	*	*	17	*	*6	*8	*
820.21	142	42	100	-	*	15	125	23	41	63	15
820.22	26	15	11	-	*	*	21	*	*6	*7	*9
820.8	78	29	49	*	*	*7	69	14	19	35	10
821	90	49	42	*9	35	16	31	17	18	27	28
821.0	50	29	20	*8	23	*7	12	11	10	14	15
821.00	*7	*	*	*	*	*	*	*	*	*	*
821.01	42	26	16	*7	21	*6	*8	10	*9	11	12
821.2	31	10	21	*	*6	*6	18	*	*6	11	*9
821.20	*7	*	*	-	*	*	*	*	*	*	*
821.21	*6	*	*	-	*	*	*	*	*	*	*
821.23	11	*	*9	*	*	*	*8	*	*	*5	-
821.3	*5	*5	*	-	*	*	*	*	*	*	*
822	26	12	13	-	*8	*7	11	*6	*6	10	*
822.0	21	*9	12	-	*5	*5	11	*6	*	10	*
823	106	63	44	*6	40	35	26	14	26	37	29
823.0	53	26	26	*	15	18	18	*6	12	19	15
823.00	34	12	22	*	*6	12	14	*	*8	12	*9
823.01	*9	*7	*	-	*	*	*	*	*	*	*
823.02	10	*8	*	*	*6	*	*	*	*	*6	*
823.2	25	14	10	*	13	*5	*	*	*8	*7	*
823.20	*6	*	*	*	*	*	*	*	*	*	*
823.22	15	*9	*6	*	*7	*	*	*	*	*	*
823.3	*9	*9	*	*	*	*	*	*	*	*	*
823.8	12	*7	*	*	*5	*	*	*	*	*	*
823.82	*9	*	*	-	*	*	*	*	*	*	*
824	133	58	75	*7	44	44	38	19	35	49	29
824.0	*5	*	*	*	*	*	*	*	*	*	*
824.2	19	*8	11	-	*7	*6	*7	*	*	*8	*5
824.4	28	*7	20	-	*7	*9	12	*	*8	11	*6
824.6	28	*9	19	*	10	10	*7	*	*5	*7	11
824.8	36	21	15	*5	12	11	*8	*6	12	13	*5

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*® (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
824.9	*6	*	*	*	*	*	*	*	*	*	*
825	51	28	22	*	22	25	*	*8	11	19	13
825.0	14	*8	*6	-	*7	*7	*	*	*	*6	*
825.2	24	11	13	*	*5	15	*	*	*6	*6	*7
825.25	15	*7	*8	*	*	*9	*	*	*	*	*
825.3	*8	*	*	*	*5	*	-	*	*	*6	-
826	10	*7	*	*	*	*5	*	*	*	*	*
826.0	10	*6	*	*	*	*	*	*	*	*	*
831	*8	*	*	-	*	*	*	*	*	*	*
831.0	*8	*	*	-	*	*	*	*	*	*	*
835	*5	*	*	*	*	*	*	*	*	*	*
835.0	*5	*	*	*	*	*	*	*	*	*	*
836	23	14	*9	*	11	*7	*5	12	*	*	*7
836.0	10	*7	*	*	*	*	*	*	*	*	*
836.1	*5	*	*	*	*	*	*	*	*	*	*
839	*7	*7	*	-	*	*	*	*	*	*	*
840	30	15	16	-	*	17	13	*5	*8	*6	11
840.4	19	*9	10	-	*	*8	10	*	*	*	*6
840.9	*6	*	*	-	*	*	*	*	*	*	*
842	*7	*	*	*	*	*	*	*	*	*	*
844	26	17	*8	*	11	*8	*	10	*	*6	*7
844.2	*9	*7	*	*	*7	*	*	*	*	*	*
844.8	*9	*8	*	*	*	*	*	*	*	*	*
845	19	*8	11	-	*9	*	*8	*	*7	*8	*
845.0	17	*7	*9	-	*8	*	*6	*	*	*8	*
845.00	*8	*	*6	-	*	*	*	*	*	*	*
845.03	*5	*	*	-	*	*	*	*	*	*	-
846	*5	*	*	-	*	*	*	*	*	*	*
847	36	15	20	*	13	*6	15	*5	*6	14	11
847.0	21	10	11	*	*9	*	*7	*	*	*9	*8
847.2	12	*	*8	-	*	*	*8	*	*	*	*
850	80	48	33	*9	37	19	16	26	13	15	26
850.0	13	*6	*7	*	*	*	*	*	*	*	*
850.1	25	19	*6	*	14	*	*	*9	*	*	*9
850.11	25	19	*6	*	14	*	*	*9	*	*	*9
850.5	31	16	15	*	15	*9	*	11	*	*8	*8
850.9	11	*7	*	*	*	*	*	*	*	*	*
851	32	17	15	*	*9	*8	12	*	*8	15	*7
851.4	*6	*	*	*	*	*	*	*	*	*	*
851.8	19	10	*9	*	*	*5	*9	*	*6	*9	*
851.81	*9	*	*5	*	*	*	*	*	*	*5	*
852	105	68	37	*	29	26	47	24	24	23	34
852.0	41	22	19	*	18	*	17	*6	11	*9	16
852.00	*9	*5	*	-	*	*	*	*	*	*	*
852.01	17	*9	*7	*	*9	*	*7	*	*	*	*9
852.02	*7	*	*	*	*	*	*	*	*	*	*
852.06	*7	*	*	*	*	*	*	*	*	*	-
852.2	60	43	17	*	10	19	29	18	14	12	16
852.20	19	14	*5	*	*	*6	11	*7	*	*	*6
852.21	24	19	*6	*	*	10	10	*5	*7	*5	*7
852.26	*9	*	*	-	*	*	*6	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region				
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West	
Number of all-listed diagnoses in thousands												
853	16	11	*6	*	*	*	*7	*	*5	*	*	
853.0	16	11	*6	*	*	*	*7	*	*5	*	*	
853.01	*6	*	*	*	*	*	*	*	*	*	*	
854	*5	*	*	*	*	*	*	*	*	*	*	
854.0	*5	*	*	*	*	*	*	*	*	*	*	
860	74	55	19	*	33	28	12	12	16	25	22	
860.0	43	30	13	*	20	16	*6	*6	10	16	11	
860.2	*9	*5	*	*	*	*	*	*	*	*	*	
860.4	12	11	*	-	*	*5	*	*	*	*	*	
861	46	33	13	*	21	17	*7	*6	*7	18	15	
861.2	40	28	12	*	18	16	*6	*	*6	14	15	
861.21	39	27	12	*	17	16	*6	*	*6	13	15	
862	15	12	*	*	12	*	*	*6	*	*	*	
863	38	30	*9	*	33	*	*	*6	*	14	16	
863.1	*5	*	*	-	*5	*	-	*	*	*	*	
863.3	*8	*6	*	-	*8	*	*	*	*	*	*	
863.5	*8	*8	*	*	*7	*	-	*	*	*	*	
864	32	25	*7	*	26	*	*	*5	*	12	10	
864.0	23	17	*6	*	16	*	*	*	*	10	*6	
864.05	*6	*5	*	*	*	*	*	*	*	*	*	
864.1	10	*9	*	-	10	*	-	*	*	*	*	
864.15	*6	*	*	-	*6	-	-	*	*	*	*	
865	30	22	*8	*	17	*9	*	10	*7	12	*	
865.0	27	20	*8	*	15	*7	*	10	*6	11	*	
865.00	*8	*5	*	*	*6	*	*	*	*	*	*	
865.03	*7	*	*	*	*	*	*	*	*	*	*	
865.09	*6	*5	*	-	*	*	*	*	*	*	*	
866	16	15	*	*	10	*	*	*5	*	*	*	
866.0	15	14	*	*	*9	*	*	*	*	*	*	
866.00	*5	*	*	*	*	*	*	*	*	*	*	
866.01	*6	*5	*	*	*	*	*	*	*	*	*	
867	44	34	10	*	*7	*8	29	11	*9	14	*9	
867.0	36	27	*9	*	*	*	26	10	*8	11	*6	
868	23	15	*7	*	15	*	*	*6	*	*7	*6	
868.0	17	10	*7	*	*9	*	*	*	*	*5	*	
868.03	*6	*	*	-	*	*	*	*	*	*	*	
868.04	*9	*	*	-	*	*	*	*	*	*	*	
868.1	*6	*5	*	*	*5	-	*	*	*	*	*	
870	*8	*5	*	*	*5	*	*	*	*	*	*	
871	*6	*	*	*	*	*	*	*	*	*	*	
872	*8	*6	*	*	*	*	*	*	*	*	*	
873	193	113	81	17	72	40	65	42	49	45	57	
873.0	62	35	27	*	21	12	24	16	13	10	23	
873.1	*5	*	*	*	*	*	*	-	*	*	*	
873.2	*9	*5	*	*	*	*	*	*	*	*	*	
873.20	*8	*5	*	*	*	*	*	*	*	*	*	
873.4	93	54	39	10	28	22	33	22	27	27	17	
873.42	56	33	23	*6	15	12	23	15	18	13	10	
873.43	20	10	10	*	*6	*6	*	*5	*	*7	*	
873.44	*9	*5	*	*	*	*	*	*	*	*	*	
873.5	*6	*	*	*	*5	*	*	-	*	*	*	
873.6	13	*8	*5	*	*7	*	*	*	*	*5	*	
873.63	*7	*5	*	*	*5	*	*	*	*	*	*	

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*^a (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
874	*6	*	*	*	*	*	*	*	*	*	*
875	*8	*7	*	-	*6	*	*	*	*	*	*
875.0	*7	*7	*	-	*6	*	*	*	-	*	*
877	*6	*	*	-	*	*	*	*	*	*	*
879	16	12	*	*	10	*	*	*	*	*8	*
879.8	*7	*5	*	*	*	*	*	*	*	*	*
880	12	10	*	*	*8	*	*	*	*	*	*5
880.0	10	*8	*	*	*5	*	*	*	*	*	*5
881	45	29	16	*	29	*7	*8	*7	11	17	10
881.0	32	18	13	*	20	*	*6	*6	*7	12	*6
881.00	14	*8	*6	*	*9	*	*	*	*	*7	*
881.01	*9	*6	*	-	*5	*	*	*	*	*	*
881.02	*8	*	*	*	*6	*	*	*	*	*	*
881.1	10	*7	*	*	*5	*	*	*	*	*	*
881.10	*5	*	*	*	*	*	*	*	*	*	*
882	26	18	*8	*	14	*	*8	*7	*5	*7	*7
882.0	11	*7	*	*	*	*	*6	*	*	*	*
882.1	12	*9	*	-	*8	*	*	*	*	*	*
883	22	16	*6	*	13	*7	*	*	*7	*6	*
883.0	*5	*	*	-	*	*	*	*	*	*	*
883.1	*8	*	*	*	*	*	*	*	*	*	*
883.2	*9	*7	*	-	*8	*	*	*	*	*	*
884	*6	*	*	-	*	*	*	*	*	*	*
890	*9	*6	*	*	*	*	*	*	*	*6	*
891	43	22	22	*	13	11	16	10	*9	15	*9
891.0	24	*9	15	*	*8	*6	*9	*6	*6	*7	*
891.1	16	*9	*7	*	*	*	*7	*	*	*7	*
892	13	11	*	*	*	*6	*	*6	*	*	*
892.1	*7	*5	*	*	*	*	*	*	*	*	*
902	*7	*6	*	-	*6	*	*	*	*	*	*
903	*8	*6	*	-	*6	*	*	*	*	*	*
905	50	25	25	*	23	13	12	*9	*8	10	22
905.0	*7	*	*	-	*	*	*	*	*	*	*
905.1	11	*	*7	-	*8	*	*	*	*	*	*5
905.2	*9	*	*	*	*	*	*	*	*	*	*
905.3	*5	*	*	-	*	*	*	*	-	*	*
905.4	15	*8	*8	*	*8	*	*	*	*	*	*7
906	*7	*6	*	*	*	*	*	*	*	*	*
907	65	50	15	*	23	33	*8	*7	*9	22	26
907.0	36	29	*7	*	12	18	*6	*6	*	12	15
907.2	26	19	*7	*	10	13	*	*	*6	*8	11
908	*8	*	*	-	*6	*	*	*	*	*	*
908.9	*7	*	*	-	*	*	*	*	*	*	*
909	21	10	11	-	*	*6	14	*7	*6	*5	*
909.2	12	*6	*6	-	*	*	10	*	*	*	*
910	37	22	16	*	11	10	12	*8	*8	13	*8
910.0	35	21	14	*	10	10	12	*7	*8	13	*7

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
911	18	14	*	*	*9	*	*	*	*	*8	*7
911.0	14	10	*	*	*8	*	*	*	*	*6	*5
912	10	*7	*	*	*6	*	*	*	*	*	*
912.0	*8	*6	*	*	*6	*	*	*	*	*	*
913	23	10	12	*	10	*5	*5	*	*7	*	*7
913.0	20	10	11	*	*9	*	*	*	*6	*	*7
914	*9	*7	*	*	*	*	*	*	*	*	*5
916	40	21	19	*	14	11	11	*6	*8	13	13
916.0	27	17	10	*	13	*7	*6	*5	*6	*9	*7
917	*7	*	*	*	*	*	*	*	*	*	*
918	11	*8	*	*	*6	*	*	*	*5	*	*
918.1	10	*7	*	*	*6	*	*	*	*	*	*
919	17	11	*6	*	10	*	*	*	*	*	*9
919.0	15	11	*	*	10	*	*	*	*	*	*8
920	79	32	47	*7	13	18	40	21	17	23	18
921	24	12	12	*	*9	*	*9	*5	*9	*	*7
921.1	*7	*6	*	*	*	*	*	*	*	*	*
921.2	*9	*	*6	*	*	*	*	*	*	*	*
922	67	32	36	*6	15	15	31	16	14	22	15
922.1	32	16	16	*	*5	*7	17	*8	*5	10	*9
922.2	16	*7	*9	*	*5	*	*7	*	*	*	*
922.3	13	*6	*8	*	*	*	*7	*	*	*6	*
922.31	*9	*	*	*	*	*	*	*	*	*	*
923	47	20	27	*6	13	*7	22	11	11	13	12
923.0	19	11	*8	*	*7	*	*6	*	*	*	*8
923.00	14	*9	*	*	*5	*	*	*	*	*	*6
923.1	10	*5	*	*	*	*	*	*	*	*	*
923.11	*7	*	*	*	*	*	*	*	*	*	*
923.2	*8	*	*6	-	*	*	*6	*	*	*	*
923.20	*5	*	*	-	*	*	*	*	*	*	*
923.9	*7	*	*6	*	*	*	*	*	*	*	*
924	106	45	61	*6	22	21	58	23	25	29	29
924.0	34	13	21	*	*	*7	21	10	*6	12	*6
924.00	15	*9	*6	*	*	*	*6	*	*	*6	*
924.01	18	*	15	*	*	*	14	*	*	*6	*
924.1	34	19	15	*	*7	*8	16	*7	*9	*6	11
924.10	*9	*5	*	*	*	*	*	*	*	*	*
924.11	25	14	11	*	*	*6	11	*7	*7	*	*8
924.2	*6	*	*	*	*	*	*	*	*	*	*
924.8	23	10	13	*	*8	*	12	*	*6	*7	*9
928	*6	*6	*	-	*	*	*	*	*	*	*
933	12	*	*7	*	*	*	*6	*	*7	*	*
933.1	10	*	*6	*	*	*	*	*	*5	*	*
934	33	20	14	*	*6	*7	16	*	*9	12	*9
934.1	13	*8	*5	*	*	*	*	*	*	*5	*
934.8	12	*8	*	*	*	*	*7	*	*	*	*
934.9	*6	*	*	*	*	*	*	*	*	*	*
935	15	*	10	*7	*	*	*	*5	*	*	*
935.1	12	*	*8	*5	*	*	*	*	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
941	21	12	*9	*	10	*5	*	*	*	*9	*6
941.2	12	*9	*	*	*	*	*	*	*	*8	*
941.3	*5	*	*	-	*	*	*	*	*	-	*
942	17	*9	*8	*6	*6	*	*	*	*	10	*
942.2	*8	*	*	*	*	*	*	*	*	*	-
943	19	11	*8	*	*8	*	*	*	*5	*9	*
943.2	13	*7	*6	*	*	*	*	*	*	*7	*
944	15	*9	*6	*	*9	*	*	*	*	*5	*
944.2	*8	*6	*	*	*5	*	*	*	*	*	*
945	22	15	*7	*	12	*	*	*	*	13	*
945.2	14	*9	*	*	*8	*	*	*	*	*9	*
948	25	16	*9	*	14	*7	*	*	*7	13	*
948.0	16	*9	*6	*	*8	*	*	*	*6	*6	*
948.00	16	*9	*6	*	*8	*	*	*	*6	*6	*
948.1	*6	*	*	*	*	*	*	*	*	*	*
948.10	*6	*	*	*	*	*	*	*	*	*	-
952	12	*9	*	*	*	*	*	*	*	*	*
952.0	11	*9	*	*	*	*	*	*	*	*	*
955	15	12	*	-	13	*	*	*	*	*	*
955.3	*5	*	*	-	*	*	*	*	*	*	*
958	39	25	13	*	20	*9	*8	*8	*9	14	*8
958.3	*5	*	*	-	*	*	*	*	*	*	*
958.4	14	*7	*7	*	10	*	*	*	*	*6	*
958.7	*9	*7	*	*	*	*5	*	*	*	*	*
958.9	*8	*6	*	-	*	*	*	*	*	*	*
958.92	*6	*	*	-	*	*	*	*	*	*	*
959	61	36	26	*	26	11	22	13	17	18	14
959.0	29	18	10	*	11	*6	11	*7	*9	*6	*7
959.01	26	16	10	*	10	*	10	*6	*9	*6	*5
959.1	12	*7	*5	*	*7	*	*	*	*	*	*6
959.12	*5	*	*	*	*	*	*	*	*	*	*
959.7	*6	*	*	*	*	*	*	*	*	*	*
962	12	*	*8	*	*	*	*	*	*	*	*
962.3	*9	*	*6	*	*	*	*	*	*	*	*
963	11	*	*9	*	*6	*	*	*	*	*	*
963.0	10	*	*7	*	*6	*	*	*	*	*	*
964	*7	*	*	*	*	*	*	*	*	*	*
964.2	*6	*	*	*	*	*	*	*	*	*	*
965	123	53	70	*	77	34	*7	23	33	38	30
965.0	53	33	20	*	30	19	*	11	14	16	12
965.00	12	*6	*5	-	*8	*	*	*	*	*	*
965.01	*7	*6	*	*	*5	*	*	*	*	*	*
965.02	*6	*	*	*	*	*	*	*	*	*	*
965.09	29	18	11	*	13	12	*	*	*7	12	*7
965.1	*8	*	*	*	*	*	*	*	*	*	*
965.4	44	12	32	*	34	*8	*	*7	13	14	10
965.6	10	*	*6	*	*8	*	*	*	*	*	*
965.61	10	*	*6	*	*7	*	*	*	*	*	*
965.9	*6	*	*5	*	*	*	*	*	*	*	*
966	10	*	*7	*	*5	*	*	*	*	*	*
966.3	*8	*	*6	*	*	*	*	*	*	*	*
967	26	12	14	-	11	12	*	*	*7	12	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁸ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
967.8	16	*6	*9	-	*7	*7	*	*	*	*7	*
967.9	*7	*	*	-	*	*	*	*	*	*	*
968	*9	*	*6	-	*6	*	*	*	*	*6	*
968.0	*6	*	*6	-	*5	*	*	*	*	*	*
969	162	67	95	*	108	44	*6	24	42	62	34
969.0	43	15	28	*	29	11	*	11	10	13	*9
969.3	24	11	13	*	16	*7	*	*	*8	*6	*7
969.4	74	29	46	*	47	22	*	10	19	33	13
969.6	*6	*	*	*	*	*	-	*	*	*	*
969.7	*7	*	*	-	*6	*	-	*	*	*	*
970	30	21	10	*	17	12	*	10	*7	*9	*
970.8	29	20	*9	-	16	12	*	*9	*7	*8	*
972	13	*	*9	*	*	*	*	*	*	*6	*
972.6	*7	*	*	*	*	*	*	*	*	*	-
975	13	*	*9	*	*9	*	*	*	*	*5	*
975.2	*7	*	*	*	*5	*	*	*	*	*	*
977	20	*8	12	*	*7	*9	*	*	*7	*8	*
977.8	*9	*	*5	*	*	*	*	*	*	*	*
977.9	11	*	*7	*	*	*7	*	*	*	*	*
980	24	11	13	*	14	*9	*	*	*6	*8	*8
980.0	20	10	11	*	12	*7	*	*	*	*7	*7
987	*6	*	*	*	*	*	*	*	*	*	*
989	20	11	*9	*	12	*	*	*	*	*9	*5
989.5	11	*7	*	*	*6	*	*	*	*	*6	*
991	15	*9	*5	*	*6	*	*	*	*6	*	*
991.6	12	*7	*	*	*5	*	*	*	*6	*	*
992	*8	*7	*	-	*	*	*	*	*	*5	*
994	*6	*	*	*	*	*	*	*	*	*	*
995	801	361	439	27	98	219	456	179	193	301	128
995.0	*8	*	*7	*	*	*	*	*	*	*	*
995.1	18	*8	10	*	*	*7	*7	*	*	*7	*
995.2	14	*	12	*	*	*6	*	*	*	*9	*
995.29	*9	*	*8	-	*	*	*	*	*	*5	*
995.3	*8	*	*6	*	*	*	*	*	*	*	*
995.8	*8	*	*6	*	*	*	*	*	*	*	*
995.9	738	342	395	21	82	197	438	169	181	272	116
995.90	*9	*7	*	-	*	*	*	*	*	*6	*
995.91	504	233	271	18	57	121	308	112	125	189	79
995.92	215	97	118	*	19	70	124	55	49	75	36
995.93	*6	*	*	-	*	*	*	*	*	*	*
996	916	474	442	21	114	321	460	213	203	361	139
996.0	52	31	20	*	*	11	37	14	*8	25	*
996.01	26	14	12	*	*	*	22	*8	*	12	*
996.04	16	13	*	-	*	*	11	*	*	*7	*
996.1	37	17	20	*	*5	16	15	12	*7	14	*
996.2	22	13	*9	*6	*5	*6	*	*5	*5	*8	*
996.3	15	*9	*6	-	*	*	12	*	*	*	*
996.31	*6	*	*	-	*	*	*6	*	*	*	*
996.39	*8	*	*	-	*	*	*5	*	*	*	*
996.4	153	54	98	*	12	52	87	29	34	65	25
996.40	*6	*	*	-	*	*	*	*	*	*5	*
996.41	18	*7	11	-	*	*6	11	*	*	*7	*
996.42	31	*8	23	-	*	*7	24	*7	*7	*9	*8

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
996.43	23	*9	14	-	*	*8	13	*	*6	*9	*
996.44	13	*	11	-	*	*	12	*	*	*	*
996.46	*5	*	*	-	*	*	*	-	*	*	*
996.49	48	22	26	*	*7	23	16	*9	11	24	*
996.5	31	14	17	*	*6	14	*9	*	*7	13	*6
996.59	21	*9	12	*	*	10	*7	*	*	*8	*
996.6	267	153	115	*5	27	90	145	60	53	112	41
996.61	14	*9	*5	-	*	*	10	*	*	*	*
996.62	77	46	30	*	13	26	35	19	17	32	10
996.63	11	*7	*	*	*	*7	*	*	*	*	*
996.64	63	37	26	*	*	13	48	11	11	31	10
996.65	*9	*5	*	-	*	*	*6	*	*	*	*
996.66	44	23	20	-	*	18	24	12	*7	19	*6
996.67	24	*9	14	*	*	10	11	*	*6	10	*6
996.68	*8	*6	*	*	*	*	*	*	*	*	*
996.69	18	10	*8	*	*5	*	*7	*	*	*9	*
996.7	257	131	126	*	29	87	137	63	62	91	41
996.72	54	34	20	*	*	20	31	19	16	14	*
996.73	65	31	34	-	*7	25	32	14	17	22	12
996.74	58	30	28	*	*	16	36	14	14	20	*9
996.76	18	12	*6	-	*5	*	12	*	*	*8	*
996.77	18	*7	12	-	*	*6	10	*	*	*	*5
996.78	20	*8	12	-	*6	11	*	*	*	10	*
996.79	17	*6	11	*	*	*6	*8	*	*	*9	*
996.8	83	52	30	*	25	44	13	21	24	29	10
996.81	59	35	24	*	20	29	10	13	21	17	*8
996.82	*9	*7	*	*	*	*6	*	*	*	*5	-
996.83	*6	*	*	*	*	*	*	*	*	*	*
997	605	321	284	14	91	183	318	155	127	213	111
997.0	38	25	14	*	*6	13	19	*5	10	13	10
997.01	*6	*	*	*	*	*	*	*	*	*	*
997.02	15	10	*5	*	*	*	*9	*	*	*	*
997.09	17	11	*7	*	*	*8	*6	*	*	*5	*6
997.1	124	74	50	*	*8	28	86	44	23	37	19
997.2	34	11	24	*	*	*7	22	11	*6	*7	11
997.3	83	43	40	*	14	24	42	18	16	35	14
997.4	215	97	118	*7	47	78	84	41	46	88	41
997.5	52	34	17	*	*6	*9	37	24	11	13	*
997.6	44	30	14	*	*	16	24	*9	*9	17	10
997.62	33	22	11	*	*	12	19	*6	*6	11	10
997.69	10	*7	*	*	*	*	*	*	*	*6	*
997.9	11	*	*6	*	*	*5	*	*	*	*	*
997.99	*7	*	*	*	*	*	*	*	*	*	*
998	791	339	452	24	149	280	337	195	168	296	131
998.0	11	*6	*5	*	*	*	*9	*	*	*	*
998.1	274	123	150	*6	40	92	136	64	62	101	47
998.11	130	64	66	*	24	36	66	30	29	48	24
998.12	122	51	71	*	14	46	60	31	29	45	17
998.13	21	*8	13	*	*	*9	10	*	*	*8	*6
998.2	94	39	55	*	20	31	42	19	24	34	17
998.3	77	33	44	*	17	25	32	20	15	33	10
998.31	19	*8	11	*	*	*7	10	*6	*	*6	*
998.32	58	25	33	*	16	18	21	14	11	26	*6
998.5	223	97	126	11	48	88	75	64	48	76	35
998.51	*9	*	*7	*	*	*6	*	*	*	*	*
998.59	213	95	118	11	47	83	73	64	46	71	33
998.6	23	*8	15	-	*	*9	12	*7	*	11	*
998.8	81	31	50	*	20	32	24	16	14	34	17
998.83	31	14	17	*	*7	15	*9	*6	*5	13	*7
998.89	48	18	30	*	13	17	14	*9	*8	20	10
998.9	*8	*	*7	*	-	*	*7	*	*	*	*
999	88	39	49	*5	17	30	36	25	23	24	15
999.2	13	*7	*6	*	*	*	*7	*	*	*	*
999.3	53	22	31	*	11	21	18	13	16	16	*9

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
999.31	41	18	23	*	*7	19	12	*8	13	13	*7
999.39	13	*	*8	*	*	*	*6	*5	*	*	*
999.8	13	*	*9	*	*	*	*8	*7	*	*	*
999.9	*6	*	*	*	*	*	*	*	*	*	*
V01-V86	18,289	6,071	12,217	590	7,871	4,055	5,774	4,040	3,879	7,051	3,318
V01	*6	*	*	*	*	*	*	*	*	*	*
V02	569	19	550	*	538	16	12	118	155	213	83
V02.5	548	12	536	*	528	*6	11	106	151	209	82
V02.51	513	*	512	*	512	*	-	97	145	200	71
V02.52	*7	-	*7	-	*7	-	-	*	-	-	*7
V02.59	28	12	16	*	*8	*6	11	*8	*5	*9	*
V02.6	18	*7	10	-	*7	10	*	12	*	*	*
V02.61	*6	*	*	-	*	*	*	*	*	*	*
V02.62	12	*6	*6	-	*	*6	*	*8	*	*	-
V03	67	37	30	*	13	18	32	*6	16	23	22
V03.8	64	35	30	*	11	17	31	*6	15	22	22
V03.82	61	34	27	*	11	17	31	*	13	22	22
V04	87	32	55	*8	33	18	28	*9	20	28	30
V04.8	82	31	51	*7	29	18	28	*6	20	27	30
V04.81	78	30	48	*6	29	17	26	*6	19	27	26
V05	32	13	19	21	*6	*	*	*6	*7	13	*
V05.3	20	*9	11	19	*	-	-	*	*	*9	*
V05.9	*6	*	*	*	*	*	*	*	*	*	*
V06	86	28	58	*6	40	17	23	17	17	29	22
V06.1	23	*	22	*	21	*	-	13	*	*8	-
V06.4	10	*	10	*	10	-	-	*	*	*	*
V06.5	*6	*	*	-	*	*	*	*	*	*	*
V06.6	44	20	24	*	*6	14	22	*	*8	14	18
V07	90	12	78	*5	65	14	*6	14	11	49	16
V07.0	10	*	*6	*	*	*	*	*	*	*9	-
V07.2	47	*	46	*	46	-	-	*7	*8	20	12
V07.3	21	*5	15	*	13	*	*	*	*	16	-
V07.39	21	*5	15	*	13	*	*	*	*	16	-
V07.4	*8	-	*8	-	*	*	*	*	*	*	*
V08	60	38	22	*	25	32	*	26	10	24	*
V09	208	106	103	31	64	50	64	38	39	94	38
V09.0	198	100	98	30	61	47	60	33	35	92	37
V09.8	*8	*5	*	*	*	*	*	*	*	*	*
V09.80	*5	*	*	*	*	*	*	*	*	*	*
V10	1,000	444	556	*	58	287	653	296	198	334	172
V10.0	194	94	100	*	*6	48	140	59	33	58	44
V10.02	11	*9	*	-	*	*6	*	*	*	*	*
V10.03	*7	*6	*	-	*	*	*6	*	*	*	*
V10.04	12	*5	*7	*	*	*	10	*	*	*	*8
V10.05	130	54	75	-	*	26	102	44	20	38	27
V10.06	16	*9	*7	-	*	*8	*7	*6	*5	*	*
V10.09	*9	*	*6	-	*	*	*6	*	*	*	*
V10.1	70	34	37	*	*	25	44	22	12	25	11
V10.11	70	33	37	*	*	25	43	22	12	25	11
V10.2	*9	*5	*	-	*	*	*6	*	*	*	*
V10.21	*8	*	*	-	*	*	*6	*	*	*	*
V10.3	243	*	241	-	16	68	159	67	49	90	37
V10.4	239	177	62	*	13	55	171	77	50	75	37
V10.41	24	-	24	-	*8	10	*7	*6	*	13	*
V10.42	20	-	20	-	*	*	14	*6	*5	*	*
V10.43	14	-	14	-	*	*7	*5	*6	*	*	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V10.46	168	168	-	-	*	26	142	56	34	51	28
V10.47	*9	*9	-	*	*	*6	*	*	*	*	*
V10.5	79	58	22	*	*	26	53	24	15	25	15
V10.51	40	32	*8	-	-	*6	34	14	*9	10	*8
V10.52	33	21	11	*	*	15	17	10	*5	11	*7
V10.53	*5	*	*	-	*	*	*	*	*	*	*
V10.6	*8	*	*	-	*	*	*	*	*	*	*
V10.7	20	11	*9	-	*	*7	13	*7	*	*6	*
V10.79	18	10	*8	-	*	*5	12	*7	*	*6	*
V10.8	132	58	75	*	19	50	63	35	32	45	20
V10.82	41	22	18	-	*6	15	19	12	10	13	*6
V10.83	51	25	26	-	*	19	28	13	11	21	*6
V10.85	*8	*	*	-	*	*6	*	*	*	*	*
V10.87	14	*	11	-	*5	*	*	*	*6	*	*
V10.89	12	*	10	-	*	*	*8	*	*	*	*6
V11	21	12	*9	*	*7	*9	*	*6	*6	*	*
V11.3	13	*8	*	-	*	*7	*	*	*	*	*
V12	941	406	536	15	139	276	512	245	214	351	130
V12.0	79	42	37	*	28	33	17	26	15	31	*8
V12.01	17	*8	*9	-	*6	*	*7	*7	*	*	*
V12.09	56	31	25	*	22	28	*6	18	10	25	*
V12.2	*6	*	*5	-	*	*	*	*	*	*	*
V12.4	14	*	10	*	*	*5	*	*	*	*	*
V12.49	*7	*	*6	-	*	*	*	*	*	*	*
V12.5	672	279	393	*	80	181	407	175	155	259	83
V12.51	265	106	159	*	55	77	133	66	71	86	42
V12.54	303	125	178	*	18	69	214	87	61	125	31
V12.59	93	43	50	*	*6	31	55	21	21	43	*8
V12.6	35	18	17	*7	*7	*7	14	*8	*	13	*9
V12.61	28	15	13	*	*	*6	13	*6	*	12	*7
V12.69	*6	*	*	*	*	*	*	*	*	*	*
V12.7	132	61	71	*	18	49	63	29	35	44	24
V12.71	71	37	34	-	12	22	36	13	18	26	13
V12.72	39	16	23	*	*	16	21	*7	12	12	*8
V12.79	22	*7	14	*	*	10	*	*9	*	*6	*
V13	131	49	82	10	50	32	39	28	31	42	30
V13.0	102	40	62	*	33	28	37	25	26	38	14
V13.01	69	35	33	*	24	23	22	14	19	28	*7
V13.02	32	*5	27	*	*8	*5	15	10	*7	*9	*6
V13.2	11	-	11	-	10	*	-	*	*	*	*8
V13.29	*6	-	*6	-	*5	*	-	*	*	*	*
V13.6	*5	*	*	*	*	*	-	*	*	*	*
V13.69	*5	*	*	*	*5	*	-	*	*	*	*
V13.8	*8	*	*5	*	*	*	*	*	*	*	*
V14	466	128	337	20	187	142	116	104	65	224	73
V14.0	214	70	144	*9	89	66	50	52	32	93	37
V14.1	28	*	23	*	12	*8	*	*7	*6	*8	*6
V14.2	71	15	56	*	23	28	19	22	*8	29	13
V14.3	18	*6	12	*	*9	*	*	*	*	13	*
V14.5	50	13	37	*	22	15	13	11	*	32	*
V14.6	33	*6	26	*	16	*7	10	*	*	22	*
V14.8	44	12	32	*	15	13	13	*8	*7	22	*7
V15	1,503	788	714	64	421	541	476	366	276	606	255
V15.0	69	23	46	14	24	18	12	17	16	20	16
V15.04	*7	*	*	*	*	*	*	*	*	*	*
V15.05	*6	*	*	*	*	*	*	*	*	*	*
V15.07	15	*	13	*	*9	*	*	*	*	*6	*
V15.08	12	*	10	-	*	*	*6	*	*	*	*
V15.09	16	*8	*8	*	*	*6	*	*	*6	*6	*
V15.1	21	11	10	*8	*	*	*8	*	*6	*6	*5
V15.2	*8	*5	*	-	*	*	*	*	*	*	*
V15.3	48	24	25	-	*	24	22	15	11	13	10

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V15.4	101	33	69	22	68	*9	*	10	*5	81	*5
V15.41	71	25	45	15	47	*7	*	*8	*	56	*
V15.42	30	*8	23	*7	21	*	*	*	*	26	*
V15.5	24	13	11	*	12	*8	*	*	10	11	*
V15.8	1,230	678	551	18	308	477	427	319	227	469	215
V15.81	414	230	184	17	184	147	67	100	84	173	56
V15.82	751	419	331	-	121	316	313	203	129	276	143
V15.88	51	21	30	*	*	*8	40	10	12	15	13
V15.89	11	*6	*6	-	*	*6	*	*	*	*	*
V16	130	39	91	*8	38	65	19	16	25	57	32
V16.0	29	11	18	*	*	18	*	*	*7	*9	*9
V16.1	14	*6	*8	*	*	*7	*	*	*	*6	*
V16.3	30	*	26	*	10	18	*	*	*5	17	*6
V16.4	22	*	18	*	*9	*9	*	*	*	10	*5
V16.41	10	-	10	-	*	*	*	*	*	*	*
V16.49	*9	*	*8	*	*	*	*	*	*	*6	*
V16.8	*9	*	*	*	*	*	*	*	*	*	*
V16.9	16	*6	10	*	*6	*	*	-	*	*6	*7
V17	300	157	144	53	86	112	49	58	54	115	73
V17.0	21	10	10	*6	12	*	*	*	*5	11	*
V17.1	12	*5	*7	*	*	*6	*	*	*	*6	*
V17.2	*7	*	*	*5	*	*	*	*	*	*	*
V17.3	136	84	52	*	33	72	31	35	29	48	23
V17.4	93	40	53	14	35	29	14	15	12	39	27
V17.49	90	38	52	14	34	29	13	15	12	38	26
V17.5	28	13	15	26	*	*	-	*	*	*8	18
V18	117	46	71	30	52	25	10	21	16	51	30
V18.0	104	41	62	25	46	23	10	20	13	45	25
V18.5	*6	*	*	*	*	*	*	*	*	*	*
V18.59	*5	*	*	*	*	*	*	*	*	*	*
V19	14	*	*9	*6	*7	*	*	*	*	*5	*5
V19.8	11	*	*8	*	*6	*	*	*	*	*	*
V21	23	14	*9	23	-	-	-	-	*	*	19
V21.3	23	14	*9	23	-	-	-	-	*	*	19
V21.30	17	10	*6	17	-	-	-	-	*	*	14
V22	17	-	17	-	17	-	-	*	*	14	*
V22.1	11	-	11	-	11	-	-	*	*	*9	*
V23	159	-	159	*	158	*	-	19	28	70	42
V23.2	12	-	12	-	12	-	-	*	*	*	*6
V23.4	33	-	33	-	33	-	-	*	*	10	14
V23.41	15	-	15	-	15	-	-	*	*	*	*7
V23.49	18	-	18	-	18	-	-	*	*	*6	*7
V23.5	*8	-	*8	-	*8	-	-	*	*	*	*
V23.7	97	-	97	*	96	-	-	12	18	51	15
V23.8	*8	-	*8	-	*7	*	-	*	*	*	*
V24	*6	-	*6	-	*6	-	-	*	*	*	*
V24.0	*6	-	*6	-	*6	-	-	*	*	*	*
V25	276	*	276	-	273	*	-	28	54	127	66
V25.0	*7	-	*7	-	*7	-	-	-	*	*6	*
V25.2	265	*	265	-	264	*	-	28	51	121	64
V26	16	*	16	-	12	*	*	*	*	*8	*
V26.5	14	*	14	-	10	*	*	*	*	*8	*
V26.51	14	-	14	-	10	*	*	*	*	*8	*
V27	4,144	-	4,144	*5	4,131	*8	-	631	968	1,691	853
V27.0	3,668	-	3,668	*5	3,658	*	-	562	835	1,531	739
V27.1	13	-	13	-	13	-	-	*	*	*5	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V27.2	56	-	56	-	55	*	-	*9	15	22	*9
V27.9	404	-	404	*	401	*	-	57	114	130	102
V29	24	13	11	24	-	-	-	*	*7	13	*
V29.0	23	13	11	23	-	-	-	*	*7	13	*
V30	*6	*	*	*6	-	-	-	*	*	*	*
V30.1	*6	*	*	*6	-	-	-	*	*	*	*
V42	188	103	85	13	39	83	53	43	49	61	35
V42.0	87	53	34	*	25	44	16	18	25	29	14
V42.1	11	10	*	*	*	*	*6	*	*	*	*
V42.2	19	*8	11	-	*	*	16	*	*	*	*6
V42.7	34	17	16	*5	*	17	*9	*9	*6	14	*
V42.8	33	13	20	*5	*8	16	*	*6	11	*9	*8
V42.81	*6	*	*	*	*	*	*	*	*	*	*
V42.82	*9	*	*6	*	*	*6	*	*	*	*	*
V42.83	12	*7	*5	*	*	*6	*	*	*5	*	*
V42.84	*5	*	*	*	*	*	-	-	*	*	*
V43	602	236	366	*	21	173	408	190	132	177	104
V43.3	115	66	49	*	*	33	77	36	26	39	15
V43.6	476	166	310	-	15	136	325	152	104	134	86
V43.61	*6	*	*	-	*	*	*	*	*	*	*
V43.64	172	65	108	-	11	37	123	49	39	51	34
V43.65	295	99	196	-	*	94	198	101	63	80	51
V44	212	115	97	38	25	68	82	73	34	71	35
V44.0	43	27	16	*8	*9	12	14	15	*6	18	*
V44.1	87	46	42	25	*6	20	37	29	12	29	18
V44.2	26	11	14	*	*	13	*7	*7	*	*6	*9
V44.3	42	23	19	*	*	19	20	17	*8	16	*
V44.4	*6	*	*	*	*	*	*	*	*	*	*
V44.6	*6	*	*	-	*	*	*	*	*	*	*
V45	2,225	1,181	1,044	28	254	633	1,310	706	439	728	352
V45.0	363	195	168	*	16	64	281	117	74	132	40
V45.01	266	128	138	*	*9	36	219	87	51	98	30
V45.02	89	61	28	*	*7	25	57	30	19	34	*6
V45.09	*8	*7	*	-	*	*	*5	-	*	*	*
V45.1	81	45	36	*	18	28	34	30	16	27	*8
V45.2	36	19	17	*8	12	*8	*8	12	*8	10	*7
V45.3	19	*6	13	*	*	*8	*8	*	*	*	*9
V45.4	88	34	53	*	26	40	22	16	21	19	31
V45.6	13	*6	*7	-	*	*	10	*	*	*	*
V45.61	13	*6	*7	-	*	*	10	*	*	*	*
V45.7	293	81	212	*	63	108	120	84	62	98	50
V45.71	47	*	46	-	12	16	19	*8	*9	26	*
V45.72	33	16	17	*	*5	11	17	10	*7	*6	*9
V45.73	41	24	17	-	12	12	17	13	10	15	*
V45.75	*6	*	*	-	*	*	*	*	*	*	*
V45.76	12	*6	*5	*	*	*	*8	*	*	*	*
V45.77	82	*	79	-	16	35	32	25	16	25	16
V45.79	69	24	45	*	17	29	22	23	15	18	14
V45.8	1,330	794	536	14	114	375	827	439	253	434	204
V45.81	553	383	170	-	*6	119	428	159	103	220	71
V45.82	469	300	170	-	17	156	296	135	98	147	90
V45.85	*7	*	*	*	*5	*	*	*	*	*	*
V45.86	93	13	81	-	44	43	*6	23	23	29	18
V45.89	207	96	111	13	41	56	96	119	26	38	23
V46	167	68	98	*8	*8	48	102	34	46	60	27
V46.1	43	22	20	*	*	12	22	12	10	13	*7
V46.11	42	22	20	*	*	12	21	12	10	13	*7
V46.2	123	46	78	*	*	36	80	22	36	46	20
V49	107	72	36	*	14	52	40	47	14	37	10

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification*⁹ (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V49.6	*8	*7	*	-	*	*	*	*	*	*	-
V49.62	*5	*5	*	-	*	*	*	*	*	*	-
V49.7	82	57	25	*	*8	44	29	40	10	24	*8
V49.72	*9	*5	*	-	*	*	*	*	*	*	*
V49.75	41	31	11	*	*	22	16	19	*6	13	*
V49.76	25	15	10	*	*	12	10	12	*	*7	*
V49.8	17	*7	10	*	*	*8	*6	*	*	*7	*
V49.81	*7	-	*7	-	-	*	*	*	*	*	*
V49.84	*5	*	*	-	*	*	*	*	*	*	*
V50	22	*6	16	*6	*9	*5	*	*	*	*7	*8
V50.2	*6	*6	-	*6	-	*	-	*	*	*	*
V50.4	15	-	15	-	*9	*	*	*	*	*	*7
V50.41	*8	-	*8	-	*	*	*	*	*	*	*
V50.42	*7	-	*7	-	*	*	*	*	*	*	*
V52	*8	*	*	*8	-	-	-	-	-	*8	-
V52.8	*8	*	*	*8	-	-	-	-	-	*8	-
V53	18	11	*7	*	*	*	11	*	*	*7	*
V53.3	15	*9	*6	*	*	*	10	*	*	*6	*
V53.31	10	*5	*	*	*	*	*8	*	*	*	*
V53.32	*5	*	*	-	*	*	*	*	*	*	*
V54	192	80	112	*	33	46	111	53	38	46	55
V54.0	14	*6	*8	*	*	*	*8	*	*	*6	*
V54.01	*6	*	*	*	*	*	*	*	*	*	*
V54.09	*7	*	*	-	*	*	*6	*	*	*	*
V54.1	120	55	65	*	28	30	61	35	20	26	38
V54.12	*6	*	*6	*	*	*	*	*	-	*	*6
V54.13	21	*8	13	*	*8	*	18	*	*	*9	*
V54.15	*7	*	*	-	*	*	*6	*	*	*	*
V54.16	*9	*	*7	-	*	*	*	*	*	*	*
V54.17	23	14	*9	-	*7	*	11	11	*	*	*
V54.19	49	23	25	*	14	16	19	15	*7	10	18
V54.8	54	18	36	*	*	13	39	17	13	13	12
V54.81	39	10	29	-	*	*8	31	14	*9	*7	*9
V54.89	15	*8	*7	*	*	*5	*8	*	*	*6	*
V55	72	42	30	*8	11	17	36	15	15	28	15
V55.0	*7	*	*	*	*	*	*	*	*	*	*
V55.1	25	16	*9	*	*	*	18	*5	*	11	*6
V55.2	14	*7	*7	*	*	*6	*	*	*	*	*
V55.3	22	14	*8	-	*6	*	11	*	*	10	*
V56	107	51	56	-	17	51	39	11	*8	55	34
V56.0	105	49	56	-	16	50	38	11	*7	52	34
V57	481	204	277	*9	39	114	319	78	114	181	107
V57.1	77	27	50	*	10	16	48	17	10	33	18
V57.2	26	12	14	*	*	*	16	*	*	18	*
V57.21	26	12	14	*	*	*	16	*	*	18	*
V57.8	374	164	210	*	26	92	251	56	103	130	84
V57.89	370	163	208	*	26	89	251	53	103	130	84
V58	1,620	767	853	36	271	499	814	342	335	686	257
V58.0	32	12	21	*	*	*8	20	*7	*	14	*9
V58.1	187	97	89	12	32	91	51	40	41	71	34
V58.11	183	94	89	12	32	88	51	40	41	68	34
V58.3	*9	*6	*	-	*6	*	*	*	*	*8	-
V58.4	13	*6	*7	*	*	*7	*	*	*	*	*7
V58.6	1,331	622	710	23	219	380	709	292	268	582	189
V58.61	295	137	159	*	28	67	200	72	59	122	42
V58.62	25	14	11	*	*	*	17	*	13	*	*6
V58.63	51	32	19	-	*	16	30	*9	10	26	*7
V58.64	*9	*	*6	*	*	*5	*	*	*	*5	*
V58.65	72	32	40	*7	17	24	23	16	13	26	17

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region:
United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North- east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V58.66	304	142	163	*	19	83	200	72	55	135	43
V58.67	381	179	202	*9	106	123	144	96	83	147	55
V58.69	194	82	112	*	39	58	93	26	34	117	17
V58.7	26	16	10	*	*	*6	15	*	*7	*	15
V58.78	18	12	*5	*	*	*	*9	*	*	*	12
V58.8	21	*8	14	*	*	*	15	*	12	*	*
V58.83	*6	*	*	-	*	*	*	*	*	*	*
V58.89	12	*	*8	*	*	*	*9	-	10	*	*
V59	13	*8	*6	-	*7	*6	*	*	*	*8	*
V59.4	*9	*	*5	-	*5	*	*	*	*	*	*
V60	94	61	33	*	49	37	*7	24	15	41	13
V60.0	56	41	15	*	28	26	*	17	10	23	*7
V60.2	25	15	10	*	18	*7	*	*6	*	12	*
V61	62	24	39	*7	43	11	*	18	16	16	13
V61.0	*8	*	*5	*	*6	*	-	*	*	*	*
V61.1	17	*8	10	-	11	*7	*	*9	*	*	*
V61.10	17	*8	10	-	11	*7	*	*9	*	*	*
V61.2	*9	*5	*	*	*7	*	*	*	*	*	*
V61.20	*7	*	*	*	*5	*	-	*	*	*	*
V61.5	*9	-	*9	-	*9	-	-	*	*	*	*
V61.8	14	*7	*7	*	*6	*	*	*	*	*	*
V62	518	253	265	34	322	145	18	84	141	248	44
V62.0	27	16	11	*	21	*5	*	*7	13	*	*
V62.2	11	*8	*	-	*7	*	-	*6	*	*	*
V62.3	*7	*	*	*	*6	*	-	*	*	*	*
V62.4	13	*	*8	*	*7	*	*	*	*	*8	-
V62.5	*6	*	*	-	*5	*	-	*	*	*	*
V62.8	451	214	237	31	274	128	18	64	121	228	38
V62.82	*6	*	*	-	*	*	*	*	*	*	*
V62.84	425	202	223	30	255	123	16	56	113	221	35
V62.89	16	*7	*9	*	11	*	*	*	*	*	*
V63	11	*6	*	*	*	*	*	*	*	*	*5
V63.2	*6	*	*	*	*	*	*	*	*	*	*
V64	135	47	89	*	45	54	33	47	22	47	20
V64.0	23	*6	17	*	12	*8	*	13	*	*6	*
V64.06	19	*6	13	*	*8	*7	*	10	*	*5	*
V64.1	17	*8	*9	*	*	*	*7	*	*	*	*6
V64.2	19	*7	12	*	*7	*5	*7	11	*	*6	*

Number of all-listed diagnoses for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2008

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification** (ICD-9-CM). See footnote at the end of this table for an explanation of general statistical properties of these estimates.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of all-listed diagnoses in thousands											
V64.3	11	*6	*	*	*	*	*	*	*	*	*
V64.4	64	19	45	*	18	33	11	17	12	26	*9
V64.41	62	18	44	*	18	32	11	16	12	25	*9
V65	82	41	41	20	26	29	*6	27	*9	32	15
V65.2	12	*6	*6	-	10	*	-	*	*	*5	*
V65.3	32	16	16	19	*6	*	*	*	*	22	*
V65.4	37	18	20	*	10	22	*	21	*	*	10
V65.49	35	17	18	*	10	21	*	21	*	*	10
V66	100	48	52	*	*	20	76	10	32	43	15
V66.7	97	46	52	*	*	20	73	*8	31	43	15
V70	26	14	12	*	*8	*9	*8	*8	*	11	*
V70.7	23	13	10	*	*7	*8	*6	*	*	11	*
V71	10	*	*6	*	*	*	*	*	*	*	*
V71.4	*6	*	*	*	*	-	*	*	*	*	-
V72	20	11	*9	*	*	*6	*6	*7	*	*7	*
V72.8	14	*9	*5	-	*	*6	*6	*6	*	*	*
V72.83	*8	*	*	-	*	*	*	*6	-	*	*
V83	*6	*	*6	-	*6	*	*	*	*	*	*
V85	663	215	448	*6	175	262	221	135	167	237	125
V85.0	127	39	88	-	18	22	87	14	29	52	32
V85.1	24	14	11	-	*6	*8	10	*	*6	14	*
V85.2	27	15	13	-	*8	*7	12	*	*7	11	*7
V85.21	*8	*	*	-	*	*	*	*	*	*	*
V85.24	*5	*	*	-	*	*	*	-	*	*	*
V85.25	*6	*	*	-	*	*	*	*	*	*	*
V85.3	80	24	55	-	25	36	18	22	16	28	15
V85.30	10	*	*8	-	*	*	*	*	*	*	*
V85.31	*8	*	*	-	*	*	*	*	*	*	*
V85.32	*7	*	*	-	*	*	*	*	*	*	*
V85.33	*6	*	*	-	*	*	*	*	*	*	-
V85.34	*7	*	*	-	*	*	*	*	*	*	*
V85.36	13	*	12	-	*	*6	*	*6	*	*	*
V85.37	*7	*	*5	-	*	*	*	*	*	*	*
V85.38	*9	*	*8	-	*	*	*	*	*	*	*
V85.39	*9	*	*	-	*	*	*	*	*	*	*
V85.4	397	120	277	-	115	188	93	93	107	132	64
V85.5	*8	*	*	*6	*	-	-	*	*	*	*5
V85.54	*6	*	*	*	*	-	-	*	*	*	*5
V86	*6	-	*6	-	*	*	*	*	*	*	*
V86.0	*5	-	*5	-	*	*	*	*	*	*	*

* Figure does not meet standards of reliability or precision.
 - Quantity zero.

§ U.S. Department of Health and Human Services. Centers for Disease Control and Prevention, Centers for Medicare and Medicaid Services. Official version International Classification of Diseases, Ninth Revision, Clinical Modification, Sixth Edition. DHHS Pub No. (PHS) 06-1260. available at: <http://www.cdc.gov/nchs/icd/icd9cm.htm>

NOTE: Estimates are rounded to the nearest thousand, and totals may include data from categories that are not shown individually in this table. For these reasons, figures may not always add to totals. Because of low reliability, estimates less than 5,000 are suppressed and an asterisk (*) is inserted. These estimates generally are based on a sample size of less than 30 records and usually have a relative standard error (RSE) of more than 30 percent. Estimates between 5,000 and 9,000 are preceded by an asterisk (*) because they are generally based on fewer than 60 records and may have low reliability. These criteria for minimum sample size and maximum acceptable RSE are consistent with NCHS guidelines for reporting statistical results. More information can be found in the Methods section of National Hospital Discharge Survey: 2005 Annual Summary With Detailed Diagnosis and Procedure Data, Series 13, No. 165. http://www.cdc.gov/nchs/data/series/sr_13/sr13_165.pdf