

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
All codes	47,962	19,197	28,766	1,605	14,740	13,788	17,829	11,169	10,729	16,934	9,131
00	1,915	1,166	749	*6	95	765	1,049	550	473	625	267
00.1	116	62	54	*	10	33	70	46	25	29	16
00.14	18	*7	11	-	*	*6	10	12	*	*	-
00.17	84	45	38	*	*5	23	55	29	17	25	13
00.2	17	*8	*9	*	*	*8	*8	*	*	11	*
00.24	12	*	*8	*	*	*6	*6	*	*	*9	*
00.3	37	15	22	*	*	20	14	*	*8	24	*
00.34	14	*	11	*	-	*6	*7	*	*	*9	*
00.39	21	11	10	-	*	12	*7	*	*	14	*
00.4	705	448	257	*	22	261	422	242	165	220	78
00.40	319	205	114	*	*8	106	203	103	73	104	39
00.41	68	38	30	-	*	23	43	24	18	17	10
00.42	21	15	*6	-	*	11	*7	*	*6	*9	*
00.44	14	*	*9	-	-	*	10	*7	*	*	*
00.45	183	119	64	*	*	78	101	64	39	62	18
00.46	63	45	18	-	*	27	33	26	15	14	*8
00.47	18	*8	*9	-	*	*	13	*8	*	*5	*
00.48	17	11	*6	-	*	*5	*9	*	*	*6	*
00.5	51	37	15	*	*	14	36	13	12	21	*5
00.51	41	32	*9	-	*	11	30	*9	10	18	*
00.6	656	434	222	-	31	276	348	160	183	223	89
00.61	22	17	*6	-	*	*9	13	*7	*6	*7	*
00.63	19	15	*	-	-	*6	13	*6	*5	*6	*
00.66	605	400	205	-	29	255	321	142	171	207	84
00.7	203	96	107	-	*7	88	108	63	50	53	36
00.70	14	*7	*8	-	*	*	*9	*	*	*6	*
00.71	*9	*	*6	-	*	*	*6	*	*	*	*
00.72	*7	*	*	-	*	*	*	*	*	*	*
00.73	*8	*	*	-	*	*	*	*	*	*	*
00.74	85	39	46	-	*	28	56	33	23	14	15
00.75	57	30	27	-	*	33	21	13	11	22	10
00.76	*6	*	*	-	*	*	*	*	*	*	*
00.77	16	*8	*8	-	*	10	*	*	*5	*	*
00.8	70	32	38	-	*	39	28	15	15	27	12
00.80	23	10	13	-	*	12	10	*	*	*7	*6
00.81	16	*5	10	-	*	*9	*6	*	*	*8	*
00.82	10	*	*6	-	*	*	*5	*	*	*	*
00.84	10	*	*	-	*	*	*	*	*	*	*
00.85	*7	*6	*	-	*	*6	*	*	*	*	*
00.9	60	35	24	*	18	26	15	*7	12	17	24
00.91	*6	*	*	*	*	*	*	*	*	*	*
00.93	17	12	*	*	*	10	*	*	*	*9	*
00.94	35	18	16	*	10	11	12	*	10	*	18
01-05	1,251	621	629	180	295	353	422	286	347	372	245
01	167	92	75	18	38	54	57	23	51	52	41
01.0	*9	*	*5	*	*	*	*	*	*	*	*
01.02	*7	*	*	*	*	*	*	-	-	*	*
01.1	19	11	*8	*	*9	*	*	*	*5	*7	*5
01.10	*7	*5	*	*	*	*	*	*	*	*	*
01.13	*9	*	*5	*	*	*	*	*	*	*	*
01.2	34	20	14	*7	11	*9	*8	*	*8	13	*9
01.24	24	16	*8	*	*8	*	*7	*	*5	10	*7
01.3	53	32	21	*	*	18	29	*7	19	13	14
01.31	42	27	16	*	*	14	24	*	15	*9	13
01.39	10	*	*5	*	*	*	*	*	*	*	*
01.5	49	24	25	*	*9	21	15	10	17	15	*7
01.51	12	*	*9	-	*	*7	*	*5	*	*	*
01.59	35	20	15	*	*8	12	11	*	14	12	*
02	162	93	69	34	57	42	29	33	45	50	35
02.0	33	20	12	*8	15	*7	*	*6	*9	12	*5
02.02	*7	*6	*	*	*	*	-	*	*	*	*
02.06	13	*6	*8	*	*	*6	*	*	*	*6	*
02.1	17	*8	*9	*	*8	*5	*	*8	*5	*	*
02.12	15	*6	*9	*	*6	*	*	*8	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
17	209	117	92	*	30	103	73	33	48	67	60
17.1	*6	*5	*	*	*	*	*	*	*	*	*
17.3	89	40	49	*	12	37	39	16	22	35	16
17.33	34	12	22	*	*	13	19	*6	*9	13	*6
17.35	*8	*	*	-	*	*	*	*	*	*	*
17.36	39	21	18	-	*8	18	13	*7	*9	15	*9
17.4	113	71	43	*	16	64	32	17	25	29	41
17.41	*8	*	*6	-	*	*	*	*	*	*	*
17.42	100	63	36	*	14	56	27	13	22	25	40
18-20	24	15	*9	13	*6	*	*	*6	*7	*6	*
18	10	*8	*	*	*6	*	*	*	*	*	*
20	14	*7	*7	11	*	*	*	*	*	*	*
20.0	11	*5	*6	10	-	-	*	*	*	*	*
20.01	10	*	*6	10	-	-	*	*	*	*	*
21-29	289	178	110	58	93	74	64	59	44	90	95
21	68	45	23	10	19	12	26	18	11	19	21
21.0	28	16	12	*	*	*5	16	*7	*8	*7	*6
21.01	15	*8	*7	*	*	*	*8	*	*	*	*
21.03	*5	*	*	-	*	*	*	*	*	*	*
21.2	*7	*6	*	*	*	*	*	*5	*	*	*
21.6	*8	*6	*	*	*	*	*	*	*	*	*
21.69	*6	*5	*	*	*	*	*	*	*	*	*
21.8	16	10	*6	*	*6	*	*	*	*	*	*9
21.81	*8	*	*	*	*	*	*	*	*	*	*
22	17	*6	12	*	*	11	*	*8	*	*	*
22.6	10	*	*8	*	*	*6	*	*7	*	*	*
22.63	*7	*	*5	*	*	*	*	*	*	*	*
23	28	19	10	*8	13	*7	*	*8	*	10	*8
23.0	11	*8	*	*	*6	*	*	*	*	*	*
23.09	11	*8	*	*	*6	*	*	*	*	*	*
23.1	11	*5	*6	*	*7	*	*	*	*	*	*
23.19	11	*5	*6	*	*7	*	*	*	*	*	*
24	*9	*	*	*	*	*5	*	*	*	*6	*
24.0	*6	*	*	*	*	*	*	*	*	*	-
25	16	13	*	*	*	*6	*5	*6	*	*	*
25.2	*7	*	*	-	*	*	*	*	*	*	*
26	16	*8	*8	*	*	*6	*7	*6	*	*	*
26.3	12	*6	*6	*	*	*5	*5	*	*	*	*
27	59	35	25	12	23	*9	15	*	10	20	25
27.0	11	*6	*	*	*7	*	*	*	*	*6	*
27.5	26	14	12	*5	*8	*	12	*	*	*6	14
27.51	14	*8	*6	*	*5	*	*6	*	*	*	*6
27.6	14	10	*	*6	*	*	*	*	*	*6	*7
27.62	*6	*	*	*6	-	-	-	*	*	*	*
27.69	*7	*7	*	*	*	*	*	*	*	*	*
28	45	27	19	24	16	*	*	*6	*	15	20
28.0	15	*7	*9	*6	*8	*	*	*	*	*	*9
28.2	*9	*6	*	*	*6	*	*	*	*	*	*
28.3	15	10	*5	15	*	*	-	*	*	*6	*5
29	30	22	*8	*	11	15	*	*	*5	13	*9
29.1	11	*7	*	*	*	*6	*	*	*	*	*
29.11	*8	*	*	*	*	*	*	*	*	*	*
29.3	*6	*	*	*	*	*	*	*	*	*	*
29.4	*9	*8	*	*	*	*	*	*	*	*5	*
30-34	1,294	697	597	38	177	454	625	295	306	480	214

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
35.9	*7	*	*	*	*	*	*	*	*	*	*
36	946	652	294	*	39	379	528	223	270	316	137
36.0	528	345	183	-	26	216	287	129	153	173	73
36.06	162	109	53	-	*8	67	87	33	50	51	29
36.07	366	236	130	-	18	149	200	96	103	122	45
36.1	415	304	111	-	14	161	240	93	117	141	64
36.11	46	32	14	-	*	17	28	13	14	13	*6
36.12	89	65	24	-	*	31	54	19	24	32	14
36.13	69	49	20	-	*	29	39	13	19	25	12
36.14	23	16	*7	-	-	*8	14	*6	*6	*8	*
36.15	180	135	45	-	*6	72	102	41	52	60	27
37	1,822	1,021	801	12	142	637	1,032	414	454	678	276
37.0	12	*	*8	*	*	*5	*6	*	*	*	*
37.1	21	11	10	*	*	11	*6	*5	*	*9	*
37.12	20	10	10	*	*	11	*6	*5	*	*8	*
37.2	1,175	681	494	*5	94	493	582	239	317	463	156
37.21	25	*9	17	*	*6	*6	13	11	*7	*6	*
37.22	913	543	370	*	65	400	448	163	255	378	117
37.23	133	71	62	*	10	44	76	34	33	44	22
37.26	53	29	24	*	*7	24	23	16	12	17	*8
37.27	32	17	15	*	*	13	14	10	*7	11	*
37.3	81	37	44	*	10	25	44	22	18	27	13
37.33	12	*	*7	*	*	*	*5	*	*	*	*
37.34	57	27	31	*	*7	20	31	16	11	22	*8
37.36	*6	*	*	-	*	*	*	*	*	*	*
37.6	58	39	20	-	*6	22	31	12	15	21	11
37.61	52	35	17	-	*	19	29	10	13	18	11
37.7	220	108	112	*	14	28	176	61	40	76	42
37.71	28	14	14	-	*	*	26	*9	*	10	*
37.72	123	61	62	*	*	14	105	33	23	44	23
37.75	12	*	*8	-	*	*	*9	*	*	*	*
37.76	*9	*	*5	*	*	*	*7	*	*	*	*
37.77	11	*6	*	-	*	*	*7	*	*	*5	*
37.78	16	*9	*7	-	*	*9	13	*	*	*	13
37.79	17	*9	*8	*	*6	*	*7	*7	*	*	*
37.8	174	83	91	*	*	19	149	50	34	60	30
37.81	16	*6	11	-	-	*	16	*6	*	*7	-
37.82	14	*8	*6	-	*	*	12	*	*	*	*
37.83	119	59	59	*	*	14	102	32	22	41	23
37.87	13	*6	*7	*	*	*	10	*	*	*	*
37.89	*6	*	*	-	*	*	*	*	*	*	*
37.9	74	53	21	-	*8	31	34	17	23	18	15
37.94	59	42	17	-	*7	26	27	11	19	16	13
37.98	*6	*	*	-	*	*	*	*	*	*	*
38	2,180	1,005	1,175	92	302	693	1,093	431	465	908	375
38.0	31	19	12	*	*	10	18	10	*	11	*
38.08	17	10	*7	-	*	*7	10	*7	*	*	*
38.1	140	76	64	-	*	28	112	33	29	57	21
38.12	93	52	41	-	-	21	72	18	22	39	13
38.16	*6	*	*	-	-	*	*5	*	*	*	*
38.18	37	20	17	-	*	*6	31	*9	*5	16	*7
38.2	12	*	*7	-	*	*	*9	*	*	*6	*
38.21	12	*	*7	-	*	*	*9	*	*	*6	*
38.4	36	24	12	*	*	*8	24	*7	*8	14	*8
38.44	13	*9	*	-	-	*	11	*	*	*	*
38.45	18	11	*7	*	*	*6	*9	*5	*	*7	*
38.6	*7	*	*	*	*	*	*	*	*	*	*
38.7	128	60	68	-	*9	33	85	36	28	45	19
38.8	23	12	11	*6	*7	*5	*	*	*	10	*6
38.85	*7	*	*	*6	*	*	-	*	*	*	*
38.9	1,800	804	996	82	281	598	839	336	387	762	315
38.91	97	54	43	12	*9	29	46	17	29	32	19
38.92	*6	*	*	*6	-	-	-	*	*	*	*
38.93	1,485	647	838	59	240	489	698	272	312	633	267
38.94	*5	*	*	*	*	*	*	-	*	*	*
38.95	172	89	83	*	26	61	85	40	39	68	24
38.98	25	*	22	*	*	14	*5	*	*	20	-

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
38.99	*9	*	*5	*	*	*	*	*	*	*	*
39	1,513	848	665	23	181	559	751	345	374	548	247
39.0	*6	*	*5	*	*5	*	-	-	*5	*	-
39.1	22	*8	14	-	13	*6	*	*	15	*	*
39.2	119	79	40	*	*6	49	62	28	22	48	21
39.25	18	13	*5	-	*	*7	*9	*	*6	*8	*
39.27	32	18	14	-	*	12	15	*9	*	12	*7
39.29	63	45	18	-	*	27	36	16	11	26	10
39.3	26	18	*8	*	*9	*9	*6	*	*5	10	*8
39.31	16	12	*	*	*	*5	*5	*	*	*6	*
39.32	*9	*6	*	*	*	*	*	*	*	*	*
39.4	57	34	23	*	*5	26	26	10	11	28	*9
39.42	10	*	*6	-	*	*	*6	*	*	*	*
39.49	39	25	14	*	*	19	18	*7	*8	18	*7
39.5	204	115	88	*	14	76	110	53	62	65	23
39.50	165	92	73	*	10	58	95	45	54	53	13
39.51	*6	*	*	-	*	*5	*	*	*	*	*
39.52	12	*8	*	-	-	*5	*7	*	*	*5	*
39.56	*9	*7	*	*	*	*	*	*	*	*	*
39.59	*6	*	*	-	*	*	*	*	*	*	*
39.6	230	145	85	13	11	72	134	50	58	78	44
39.61	205	132	74	*9	11	65	121	47	55	69	35
39.63	13	*9	*	*	*	*6	*5	*	*	*	*8
39.7	104	72	32	*	11	35	57	22	29	34	18
39.71	40	33	*7	-	-	*8	32	*6	11	14	*8
39.72	25	13	12	*	*5	13	*6	*9	*6	*6	*
39.79	33	22	11	*	*	11	17	*6	11	11	*
39.9	745	377	369	*	106	286	353	178	165	281	122
39.90	59	36	24	*	*	21	37	18	17	21	*
39.95	666	334	332	*	97	256	312	155	143	257	111
39.98	17	*6	11	*	*6	*8	*	*	*	*	*8
40-41	414	194	220	12	68	166	168	99	82	135	98
40	289	120	169	*	35	131	120	79	58	82	71
40.1	77	24	53	*	*8	38	28	20	14	24	18
40.11	69	22	47	*	*8	33	26	18	14	23	14
40.19	*7	*	*6	-	*	*5	*	*	*	*	*
40.2	93	28	65	*	10	37	45	29	20	28	16
40.23	35	*	31	-	*5	13	16	14	*8	*7	*6
40.29	50	19	31	*	*	19	26	13	10	18	*8
40.3	83	48	35	*	*8	44	31	23	14	21	26
40.4	19	10	*9	-	*6	*	*9	*	*	*5	*8
40.41	18	10	*8	-	*6	*	*9	*	*	*5	*6
40.5	14	10	*	-	*	*6	*6	*	*7	*	*
40.59	*8	*6	*	-	*	*	*	*	*	*	*
41	125	74	51	*9	32	36	48	20	24	53	28
41.0	11	*9	*	*	*	*6	*	*	*	*7	*
41.04	10	*8	*	*	*	*	*	*	*	*6	*
41.3	80	43	37	*8	12	21	39	14	15	35	16
41.31	80	43	37	*8	12	21	39	14	15	35	16
41.5	26	19	*7	*	15	*7	*	*	*6	*8	*9
41.9	*8	*	*5	*	*	*	*	*	*	*	*
42-54	6,051	2,738	3,312	214	1,341	2,055	2,440	1,309	1,254	2,354	1,133
42	123	74	50	*	15	58	48	30	25	39	30
42.2	22	11	11	*	*	*6	13	*7	*6	*8	*
42.23	18	*9	*9	*	*	*	11	*7	*6	*	*
42.3	34	27	*6	*	*6	22	*5	*	*	16	*9
42.33	33	27	*6	*	*6	21	*5	*	*	16	*9
42.7	*5	*	*	-	*	*	*	*	*	*	*
42.8	11	*6	*5	*	*	*6	*	*	*	*	*
42.9	42	19	23	*	*	17	24	12	11	11	*8
42.92	42	18	23	*	*	17	23	12	10	11	*8
43	259	144	115	34	23	69	133	53	50	110	46
43.1	181	98	83	14	14	47	106	33	36	85	27

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
43.11	151	81	70	*	10	40	99	31	28	71	21
43.19	29	17	12	12	*	*6	*8	*	*8	13	*6
43.3	20	14	*5	20	-	*	-	*5	*	*	*7
43.4	31	18	13	-	*	*7	20	10	*6	12	*
43.41	29	17	12	-	*	*6	19	10	*5	10	*
43.7	*7	*	*	-	*	*	*	*	*	*	*
43.8	11	*	*8	-	*	*6	*	*	*	*	*
43.89	11	*	*8	-	*	*6	*	*	*	*	*
43.9	*5	*	*	-	*	*	*	*	*	*	*
43.99	*5	*	*	-	*	*	*	*	*	*	*
44	347	130	217	14	89	139	106	95	72	129	51
44.1	*7	*	*	-	*	*	*	*	*	*	*
44.2	13	*5	*8	*	*	*	*6	*	*	*	*
44.22	*5	*	*	-	*	*	*	*	*	*	*
44.29	*8	*	*	*	*	*	*	*	*	*	*
44.3	96	26	70	*	44	40	12	22	21	31	21
44.38	76	19	57	-	36	33	*7	20	16	24	16
44.39	16	*	11	-	*7	*5	*	*	*	*6	*
44.4	104	59	45	-	*7	34	63	27	28	37	12
44.41	*6	*	*	-	*	*	*	*	*	*	*
44.42	11	*6	*	-	*	*	*6	*	*	*	*
44.43	84	49	36	-	*	27	53	22	22	29	11
44.6	48	20	28	11	*7	17	13	*7	*9	22	10
44.66	11	*8	*	*	*	*	*	*	*	*	*5
44.67	24	*9	15	*6	*	*9	*6	*	*6	13	*
44.9	71	10	62	-	29	36	*6	31	*6	31	*
44.95	59	*8	51	-	24	30	*5	25	*	28	*
44.97	*7	*	*7	-	*	*	*	*	*	*	*
45	2,161	966	1,195	29	321	683	1,127	457	471	857	375
45.0	*7	*	*	*	*	*	*5	*	*	*	*
45.02	*5	*	*	*	*	*	*	*	*	*	-
45.1	1,100	498	602	11	180	359	550	239	246	432	184
45.12	*7	*	*	-	*	*	*	*	*	*	*
45.13	471	238	234	*6	78	162	225	104	113	168	86
45.14	*8	*	*5	-	*	*	*	*	*	*	*
45.16	607	254	353	*5	100	187	314	130	128	258	92
45.2	525	225	301	*8	83	154	280	102	112	205	106
45.23	283	134	148	*	39	81	163	58	59	110	56
45.24	36	10	26	-	*6	12	18	*	11	15	*7
45.25	202	78	123	*7	38	60	97	39	41	78	43
45.3	13	*7	*5	*	*	*	*7	*	*	*6	*
45.33	*7	*	*	*	*	*	*	*	*	*	*
45.4	160	75	85	*	*7	41	109	33	40	67	20
45.41	*5	*	*	*	*	*	*	*	*	*	*
45.42	123	61	62	*	*6	33	82	25	32	53	14
45.43	32	13	19	-	*	*8	24	*9	*7	11	*5
45.6	92	40	52	*	13	31	43	19	17	38	17
45.62	91	40	51	*	13	31	43	19	17	38	17
45.7	166	72	94	*	16	59	89	38	31	69	28
45.72	*7	*	*	*	*	*	*	*	*	*	*
45.73	61	26	36	*	*6	20	35	15	13	25	*8
45.74	10	*	*6	-	*	*	*	*	*	*	*
45.75	24	*9	14	-	*	*6	17	*6	*	*8	*7
45.76	49	20	29	-	*6	18	25	11	10	23	*6
45.79	14	*8	*5	*	*	*7	*	*	*	*7	*
45.8	19	15	*	*	*	*	11	*6	*	*6	*
45.82	11	*7	*	-	*	*	*7	*	*	*	*
45.83	*5	*	*	*	*	*	*	*	*	*	-
45.9	74	30	44	*	14	29	31	16	17	29	12
45.91	20	*8	13	-	*6	*9	*6	*	*	10	*
45.93	29	13	16	-	*	10	15	*7	*7	10	*
45.94	16	*6	11	-	*	*6	*8	*	*	*	*
46	284	155	129	15	60	103	107	59	58	116	51
46.0	33	21	12	*	*	14	15	11	*6	11	*
46.01	19	12	*7	*	*	*8	*8	*7	*	*6	*
46.03	14	*9	*	-	*	*6	*7	*	*	*	*
46.1	49	18	30	*	*6	19	22	*8	12	20	*9

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
46.10	29	13	17	*	*5	12	12	*	*8	14	*
46.11	12	*	*8	*	*	*5	*5	*	*	*	*
46.13	*8	*	*6	-	*	*	*5	*	*	*	*
46.2	26	16	10	*	*7	*6	12	*	*7	11	*
46.20	14	*8	*6	*	*	*	*7	*	*	*7	*
46.23	*7	*6	*	*	*	*	*	*	*	*	*
46.3	27	14	12	*	*	10	10	10	*	*	*7
46.32	*5	*	*	*	*	*	*	*	*	*	-
46.39	21	12	*9	*	*	*9	*6	*7	*	*	*7
46.4	18	11	*7	*	*	*8	*6	*	*	*6	*
46.41	*8	*	*	*	*	*	*	*	*	*	*
46.42	*6	*	*	-	*	*	*	*	*	*	*
46.5	57	33	24	*	10	25	16	11	*9	30	*7
46.51	29	16	13	*	*	12	*8	*6	*5	14	*
46.52	28	17	10	*	*6	13	*8	*	*	16	*
46.7	54	29	25	*	23	15	13	*7	12	25	10
46.73	21	12	*9	*	*9	*	*6	*	*	10	*
46.74	*9	*7	*	*	*	*	*	*	*	*6	-
46.75	11	*6	*5	-	*7	*	*	*	*	*	*
46.79	*8	*	*7	*	*	*	*	*	*	*	*
46.8	18	12	*6	*	*	*	11	*	*	*8	*
46.85	13	*9	*	-	*	*	*9	*	*	*6	*
47	353	178	174	67	181	70	34	70	53	120	109
47.0	319	163	156	65	167	59	28	65	46	108	99
47.01	227	115	112	44	126	41	17	32	32	78	85
47.09	92	48	44	21	42	18	11	33	14	30	14
47.1	30	15	16	*	13	*9	*6	*	*7	12	*7
47.11	*8	*	*	-	*6	*	*	-	*	*	*5
47.19	23	11	12	*	*8	*7	*6	*	*6	10	*
48	171	87	84	*6	29	54	82	31	42	69	29
48.1	*7	*	*	-	*	*	*	-	*7	-	-
48.2	44	22	23	*	*7	13	21	*8	*9	20	*7
48.23	17	*7	10	-	*	*8	*6	*	*	*7	*
48.24	25	*13	12	*	*	*	15	*	*5	11	*6
48.3	36	17	19	-	*	*6	27	*6	*7	18	*5
48.36	32	15	17	-	*	*	24	*5	*7	15	*5
48.5	15	11	*	-	*	*8	*	*	*	*	*
48.52	*9	*7	*	-	*	*7	*	*	*	*	*
48.6	41	21	20	-	*6	14	21	11	*9	15	*7
48.62	*6	*	*	-	-	*	*	*	*	*	*
48.63	27	14	13	-	*	*9	14	*9	*5	10	*
48.69	*6	*	*	-	*	*	*	*	*	*	*
48.7	*8	*	*7	*	*	*5	*	*	*	*	*
48.8	15	11	*	*	*7	*	*	*	*	*7	*
48.81	15	11	*	*	*7	*	*	*	*	*7	*
49	46	27	19	*	17	15	13	11	*7	15	13
49.0	*8	*6	*	*	*6	*	*	*	*	*	*
49.01	*7	*6	*	*	*	*	*	*	*	*	*
49.1	*6	*5	*	*	*	*	*	*	*	*	*
49.2	*6	*	*	-	*	*	*	*	*	*	*
49.4	13	*7	*5	-	*	*	*7	*	*	*	*
49.46	*7	*	*	-	*	*	*	*	*	*	*
50	147	79	67	*	26	74	44	39	25	62	21
50.1	96	50	46	*	14	47	35	33	18	36	*9
50.11	59	35	24	*	*8	28	23	20	11	23	*
50.12	12	*8	*	*	*	*7	*	*	*	*6	*
50.14	20	*6	14	-	*	*9	*6	*8	*	*6	*
50.2	20	11	*9	*	*	12	*	*	*	*9	*6
50.22	14	*5	*8	*	*	*6	*	*	*	*	*6
50.5	*7	*6	*	*	*	*6	*	*	*	*6	-
50.59	*7	*6	*	*	*	*6	*	*	*	*6	-
50.6	*6	*5	*	*	*	*	*	*	*	*	*
50.61	*6	*5	*	-	*	*	*	*	*	*	*
50.9	12	*	*7	-	*	*7	*	*	*	*6	*
50.91	10	*	*7	-	*	*5	*	*	*	*5	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
51	818	326	492	*9	256	254	300	172	137	325	183
51.0	10	*7	*	-	*	*	*5	*	*	*	*
51.01	*7	*	*	-	*	*	*	*	*	*	*
51.1	53	23	30	*	12	19	22	14	*9	16	13
51.10	34	17	16	*	*6	13	14	*9	*5	10	10
51.11	*6	*	*6	-	*	*	*	*	*	*	*
51.14	11	*	*7	-	*	*	*6	*	*	*	*
51.2	438	166	272	*8	155	146	129	81	72	190	94
51.22	86	46	39	*	28	27	31	18	14	35	18
51.23	348	119	230	*7	127	119	96	63	57	155	74
51.3	*8	*6	*	*	*	*	*	*	*	*	*
51.4	11	*6	*5	-	*	*	*	*	*	*6	*
51.41	*7	*	*	-	*	*	*	*	*	*	*
51.5	*7	*	*6	-	*	*	*	-	*	*6	*
51.51	*5	*	*	-	*	*	*	-	*	*	*
51.8	266	106	159	*	73	70	122	64	49	93	61
51.84	11	*6	*	*	*	*	*	*	*	*	*
51.85	127	47	80	*	37	36	54	30	22	46	30
51.87	56	23	32	*	11	13	31	15	14	17	10
51.88	71	30	42	*	19	19	32	17	10	26	19
51.9	17	*9	*8	-	*	*7	*8	*5	*	*8	*
51.98	13	*7	*6	-	*	*5	*8	*	*	*	*
52	56	29	27	-	12	17	27	19	13	15	*9
52.1	16	*9	*7	-	*	*	11	*6	*	*5	*
52.11	11	*7	*	-	-	*	*9	*	*	*	*
52.5	*8	*	*	-	*	*	*	*	*	*	*
52.52	*7	*	*	-	*	*	*	*	*	*	*
52.7	10	*6	*	-	*	*5	*	*	*	*	*
52.9	17	*7	11	-	*5	*	*9	*7	*	*	*
52.93	15	*6	*9	-	*	*	*8	*6	*	*	*
53	309	150	159	*8	57	129	115	61	71	124	53
53.0	37	32	*5	*	*6	10	19	*9	*7	15	*6
53.00	*8	*7	*	*	*	*	*	*	*	*	*
53.03	*5	*	*	-	*	*	*	*	*	*	*
53.04	*7	*7	-	-	*	*	*	*	*	*	*
53.05	11	*9	*	-	*	*	*6	*	*	*	*
53.4	61	33	28	*	*9	29	21	13	13	17	17
53.41	11	*7	*	-	*	*8	*	*	*	*	*5
53.43	11	*	*7	*	*	*7	*	*	*	*	*
53.49	38	21	16	*	*7	13	16	*7	*6	13	11
53.5	47	20	27	*	10	19	16	10	12	20	*6
53.51	25	13	12	*	*6	12	*6	*	*8	11	*
53.59	22	*8	14	*	*	*7	10	*	*	*9	*
53.6	113	47	67	*	22	49	42	17	28	54	14
53.61	60	26	33	-	10	23	27	12	11	30	*7
53.62	24	10	14	-	*	11	*8	*	*8	11	*
53.63	*9	*	*6	-	*	*	*	*	*	*	*
53.69	22	*8	14	*	*5	11	*	*	*6	10	*
53.7	33	11	23	*	*7	16	10	*8	*5	13	*6
53.71	26	*6	20	-	*6	12	*7	*8	*5	10	*
53.72	*5	*	*	*	*	*	*	-	*	*	*
53.9	*7	*	*	*	*	*	*	*	*	*	*
54	977	393	585	28	256	390	303	212	231	372	163
54.0	27	16	12	*	*8	13	*	*6	*6	13	*
54.1	51	26	25	*	15	23	11	14	16	13	*8
54.11	23	13	10	*	*7	*9	*6	*7	*7	*6	*
54.12	17	*7	10	*	*	10	*	*	*5	*	*
54.19	10	*5	*	*	*	*	*	*	*	*	*
54.2	108	46	61	*	27	36	39	23	31	32	21
54.21	59	27	32	*	21	19	17	*7	18	21	14
54.23	17	*5	11	*	*	*6	*8	*	*	*5	*
54.24	13	*	*8	*	*	*	*7	*	*6	*	*
54.25	18	*9	10	*	*	*6	*7	10	*	*	*
54.3	17	*6	12	*	*	*8	*6	*	*	*7	*
54.4	66	14	52	*	11	25	27	18	12	27	*9
54.5	356	91	265	*	126	116	110	81	82	144	48
54.51	106	25	81	*	32	46	26	24	26	36	19

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
54.59	251	66	184	*	94	70	84	57	56	108	29
54.6	14	*8	*6	*	*	*6	*5	*	*	*6	*
54.63	*6	*	*	*	*	*	*	*	*	*	*
54.7	14	*5	*9	*	*5	*6	*	*	*	*5	*7
54.72	*8	*	*6	-	*	*	*	*	*	*	*
54.9	324	181	143	12	57	157	98	61	76	124	63
54.91	254	152	102	*6	35	134	79	48	60	98	48
54.92	*8	*	*7	-	*	*5	*	*	*	*	*
54.93	*7	*	*	*	*	*	*	*	*	*	*
54.95	19	10	*9	*5	*6	*6	*	*	*	10	*
54.98	27	13	14	*	11	*7	*8	*7	*8	*6	*5
54.99	*5	*	*	-	*	*	*	*	-	*	*
55-59	1,127	539	589	29	207	357	534	212	266	368	281
55	210	114	95	*8	47	82	72	37	45	81	47
55.0	57	29	28	*	13	17	27	11	12	23	11
55.01	*5	*	*	-	*	*	*	*	*	*	*
55.03	39	24	15	*	*6	12	21	*8	10	18	*
55.04	*9	*	*7	-	*	*	*	*	*	*	*
55.2	28	12	16	*	*8	*9	*9	*	*6	13	*
55.23	24	11	13	*	*7	*8	*7	*	*6	11	*
55.4	17	10	*7	*	*	10	*	*	*	*6	*7
55.5	58	33	25	*	12	24	19	*6	13	21	18
55.51	55	32	23	*	11	23	18	*6	12	20	17
55.6	22	14	*8	*	*8	11	*	*	*	*9	*6
55.69	22	14	*8	*	*8	11	*	*	*	*9	*6
55.8	*9	*	*	*	*	*	*	*	*	*5	-
55.87	*8	*	*	*	*	*	*	*	*	*	-
55.9	15	10	*	*	*	*7	*6	*6	*	*	*
55.93	11	*8	*	*	*	*	*	*	*	*	*
56	105	56	49	10	25	34	36	21	28	35	22
56.0	54	30	24	*	16	18	19	10	14	20	10
56.3	12	*5	*6	-	*	*	*	*	*5	*	*
56.31	10	*	*6	-	*	*	*	*	*	*	*
56.5	12	10	*	-	*	*	*7	*	*	*	*
56.51	10	*8	*	-	*	*	*7	*	*	*	*
56.7	17	*6	11	*8	*	*	*	*	*	*	*6
56.74	16	*5	10	*8	*	*	*	*	*	*	*6
57	495	248	246	*7	66	123	299	93	113	126	162
57.0	30	26	*	-	*	*7	22	*	*8	12	*6
57.1	24	20	*	-	*	*	16	*	*	11	*
57.17	*9	*8	*	-	*	*	*7	*	*	*	*
57.18	*9	*8	*	-	*	*	*8	*	*	*	*
57.3	130	53	77	*	23	48	57	34	39	34	23
57.32	123	49	74	*	22	45	53	34	36	33	20
57.33	*6	*	*	-	*	*	*	*	*	*	*
57.4	50	35	15	*	*	12	37	*7	12	21	11
57.49	50	35	15	*	*	11	37	*7	11	21	11
57.7	*9	*9	*	-	*	*	*6	*	*	*	*
57.71	*9	*9	*	-	*	*	*6	*	*	*	*
57.8	25	*6	19	*	10	*6	*9	*7	*6	*9	*
57.81	12	*	10	-	*6	*	*	*	*	*	*
57.9	221	96	125	*	26	43	150	36	39	34	111
57.94	212	89	123	*	25	41	145	34	38	31	109
57.95	*6	*5	*	-	*	*	*	*	*	*	*
58	44	34	10	*	*	12	26	*7	12	18	*6
58.6	25	20	*	-	*	*7	15	*	*7	11	*
58.9	*5	*	*	-	*	*	*	*	*	*	*
59	274	86	188	*	65	106	101	54	69	108	44
59.0	*8	*	*7	-	*	*	*	*	*	*	*
59.4	*6	*	*6	-	*	*	*	*	*	*	*
59.5	*8	*	*7	-	*	*	*	*	*	*5	*
59.7	74	*	73	*	13	34	27	11	21	28	14
59.79	73	*	72	*	13	33	26	11	21	27	14
59.8	166	80	86	*	47	55	63	35	41	65	25

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
59.9	10	*	*6	-	*	*	*5	*	*	*	*
59.94	*5	*	*	-	*	*	*	*	*	*	-
60-64	235	235	-	30	12	84	109	34	55	82	64
60	169	169	-	-	*	71	97	25	42	49	54
60.1	*7	*7	-	-	-	*	*7	*	*	*	*
60.11	*7	*7	-	-	-	*	*7	*	*	*	*
60.2	65	65	-	-	*	11	54	13	19	25	*7
60.21	*6	*6	-	-	-	*	*5	*	*	*	*
60.29	59	59	-	-	*	10	49	12	18	22	*7
60.5	83	83	-	-	*	54	28	*8	16	16	43
60.6	*8	*8	-	-	-	*	*	*	*	*	*
60.69	*7	*7	-	-	-	*	*	*	*	*	*
61	16	16	-	*	*7	*6	*	*	*	*8	*
61.0	10	10	-	*	*6	*	*	*	*	*	*
61.3	*6	*6	-	-	*	*	*	*	*	*	*
62	*7	*7	-	*	*	*	*	*	*	*	*
64	38	38	-	27	*	*	*	*5	*8	21	*
64.0	27	27	-	26	*	*	*	*	*	16	*
64.9	*7	*7	-	*	*	*	*	*	*	*	*
65-71	1,662	-	1,662	*5	892	550	215	278	404	650	330
65	411	-	411	*	169	189	52	73	103	159	75
65.0	*9	-	*9	-	*7	*	-	*	*	*	*
65.09	*8	-	*8	-	*6	*	-	-	*	*	*
65.2	34	-	34	*	26	*8	-	*8	*7	11	*9
65.25	*7	-	*7	*	*6	*	-	*	*	*	*
65.29	26	-	26	*	19	*7	-	*6	*	*8	*8
65.3	*7	-	*7	*	*	*	*	*	*	*	*
65.4	68	-	68	*	39	25	*	10	16	27	15
65.41	12	-	12	*	*7	*	*	*	*	*	*
65.49	57	-	57	-	32	21	*	*9	13	23	12
65.5	11	-	11	-	*6	*	*	*	*	*	*
65.51	*7	-	*7	-	*	*	*	*	*	*	*
65.6	247	-	247	-	62	140	45	48	67	96	36
65.61	184	-	184	-	45	103	37	33	47	75	29
65.62	*7	-	*7	-	*	*	*	*	*	*	*
65.63	53	-	53	-	12	34	*7	12	18	17	*6
65.8	25	-	25	-	20	*5	-	*	*	13	*5
65.81	*5	-	*5	-	*	*	-	*	*	*	*
65.89	20	-	20	-	17	*	-	*	*	11	*
65.9	*6	-	*6	-	*	*	*	*	*	*	*
66	354	-	354	*	345	*8	*	53	77	148	76
66.3	286	-	286	-	285	*	-	42	57	125	63
66.32	175	-	175	-	175	*	-	23	33	68	51
66.39	110	-	110	-	109	*	-	18	24	56	12
66.4	13	-	13	*	10	*	-	*	*5	*	*
66.5	*9	-	*9	-	*6	*	*	*	*	*	*
66.51	*7	-	*7	-	*	*	*	*	*	*	*
66.6	25	-	25	*	24	*	-	*6	*6	*7	*6
66.61	*7	-	*7	*	*7	*	-	*	*	*	*
66.62	10	-	10	-	10	-	-	*	*	*	*
66.69	*8	-	*8	-	*7	*	-	*	*	*	*
66.7	*6	-	*6	-	*6	-	-	*	*	*6	-
66.79	*6	-	*6	-	*6	-	-	*	*	*6	-
67	14	-	14	-	11	*	*	*	*	*	*
67.5	*7	-	*7	-	*7	-	-	*	*	*	*
67.59	*7	-	*7	-	*7	-	-	*	*	*	*
68	549	-	549	*	254	239	56	94	135	216	104
68.1	11	-	11	-	*	*6	*	*	*	*	*
68.12	*5	-	*5	-	*	*	*	*	*	*	*
68.16	*6	-	*6	-	*	*	*	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
68.2	43	-	43	-	37	*6	*	14	*5	20	*
68.29	38	-	38	-	34	*	*	12	*5	16	*
68.3	52	-	52	-	23	25	*	12	19	13	*8
68.31	22	-	22	-	10	12	*	*	12	*6	*
68.39	30	-	30	-	13	14	*	*9	*7	*7	*7
68.4	292	-	292	*	127	138	27	53	68	126	45
68.41	33	-	33	-	17	13	*	*7	*9	13	*
68.49	259	-	259	*	110	125	24	46	58	114	40
68.5	140	-	140	*	59	59	23	10	35	48	47
68.51	51	-	51	-	22	27	*	*	13	26	*9
68.59	89	-	89	*	36	32	21	*6	23	23	38
68.6	*5	-	*5	-	*	*	*	*	*	*	*
69	82	-	82	*	57	19	*6	17	19	26	21
69.0	38	-	38	-	27	*9	*	*9	10	11	*8
69.02	18	-	18	-	18	*	-	*	*6	*	*
69.09	19	-	19	-	*8	*9	*	*6	*	*6	*
69.2	12	-	12	-	*	*6	*	*	*	*	*
69.22	*9	-	*9	-	*	*6	*	*	*	*	*
69.5	18	-	18	-	15	*	-	*	*5	*6	*6
69.52	11	-	11	-	11	-	-	*	*	*5	*
69.59	*6	-	*6	-	*	*	-	*	*	*	*
69.9	*9	-	*9	-	*9	-	-	*	*	*	*
69.96	*7	-	*7	-	*7	-	-	*	*	*	*
70	210	-	210	*	38	83	88	28	62	82	39
70.3	*6	-	*6	-	*6	*	*	*	*	*	*
70.5	93	-	93	-	12	39	42	13	25	41	14
70.50	39	-	39	-	*	17	18	*	10	17	*7
70.51	24	-	24	-	*5	*8	11	*6	*7	*9	*
70.52	14	-	14	-	*	*7	*	*	*5	*6	*
70.53	*7	-	*7	-	*	*	*	*	*	*	*
70.54	*7	-	*7	-	-	*	*	*	*	*	*
70.7	58	-	58	*	12	20	25	*8	19	19	12
70.77	23	-	23	-	*	*9	10	*	11	*	*6
70.78	21	-	21	-	*	*8	10	*	*6	*6	*
70.79	*8	-	*8	-	*	*	*	*	*	*5	*
70.9	41	-	41	*	*	21	15	*	13	13	12
70.92	23	-	23	-	*	13	*6	*	*8	*7	*7
70.95	15	-	15	-	*	*7	*8	*	*	*	*
71	42	-	42	*	18	*9	13	10	*7	16	*9
71.0	*8	-	*8	*	*	*	*	*	*	*	*
71.09	*8	-	*8	*	*	*	*	*	*	*	*
71.3	13	-	13	-	10	*	*	*	*	*5	*
71.7	13	-	13	-	*	*	*6	*	*	*5	*
71.79	11	-	11	-	*	*	*6	*	*	*	*
72-75	7,340	-	7,340	*5	7,310	25	-	1,354	1,937	2,552	1,497
72	263	-	263	*	261	*	-	44	59	81	79
72.0	26	-	26	-	25	*	-	*	11	11	*
72.1	11	-	11	-	11	-	-	*	*	*	-
72.7	218	-	218	*	217	*	-	40	41	62	74
72.71	40	-	40	*	40	-	-	*9	12	12	*7
72.79	178	-	178	-	177	*	-	31	29	50	68
73	3,195	-	3,195	*	3,188	*	-	503	875	1,144	672
73.0	962	-	962	*	961	*	-	153	285	306	218
73.01	142	-	142	-	142	-	-	16	38	38	49
73.09	820	-	820	*	819	*	-	137	247	268	169
73.1	33	-	33	-	33	-	-	11	10	*6	*6
73.4	693	-	693	*	690	*	-	94	222	231	146
73.5	1,246	-	1,246	*	1,244	*	-	199	293	494	259
73.51	*6	-	*6	-	*6	-	-	-	*	*	*
73.59	1,239	-	1,239	*	1,237	*	-	199	292	492	256
73.6	255	-	255	*	255	-	-	45	61	106	43
74	1,330	-	1,330	*	1,321	*8	-	245	298	526	261
74.0	14	-	14	-	14	-	-	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
74.1	1,308	-	1,308	*	1,299	*8	-	238	291	521	258
74.9	*5	-	*5	-	*5	-	-	*	*	*	*
74.99	*5	-	*5	-	*5	-	-	*	*	*	*
75	2,553	-	2,553	*	2,540	11	-	562	705	801	484
75.1	*9	-	*9	-	*9	-	-	*	*	*	*
75.3	1,139	-	1,139	*	1,132	*6	-	319	335	325	159
75.32	186	-	186	-	185	*	-	41	38	47	60
75.34	853	-	853	*	846	*6	-	262	277	247	67
75.35	71	-	71	-	71	*	-	13	15	23	20
75.37	29	-	29	-	29	-	-	*	*	*8	13
75.4	30	-	30	-	30	*	-	*5	12	*8	*
75.5	*9	-	*9	-	*9	*	-	*	*	*	*
75.51	*6	-	*6	-	*6	*	-	*	*	*	*
75.6	1,330	-	1,330	*	1,324	*	-	235	343	441	311
75.61	14	-	14	-	12	*	-	-	*	*8	*
75.62	64	-	64	*	63	-	-	12	18	26	*8
75.69	1,252	-	1,252	*	1,249	*	-	222	323	408	299
75.7	32	-	32	-	32	*	-	*	*9	21	*
76-84	4,904	2,270	2,634	137	904	1,968	1,895	1,010	1,161	1,710	1,023
76	78	51	26	*5	48	18	*6	23	*8	34	13
76.6	19	10	*9	*	16	*	-	11	*	*8	-
76.65	*7	*	*	*	*6	*	-	*	-	*	-
76.7	38	29	*9	*	21	*9	*	*7	*	16	10
76.72	*9	*6	*	*	*	*	*	*	*	*	*
76.75	*6	*	*	*	*	*	*	*	*	*	*
76.76	14	13	*	*	10	*	*	*	*	10	*
76.79	*5	*	*	*	*	*	*	*	*	*	*
76.9	13	10	*	*	*6	*	*	*	*	*7	*
76.92	*6	*	*	*	*	*	*	*	*	*	-
77	371	177	194	14	70	165	122	74	96	136	65
77.3	16	*5	11	*	*	*5	*	*	*	*	*7
77.35	*6	*	*	*	*	*	*	*	*	*	*
77.4	49	20	29	*	*	12	31	11	13	19	*6
77.45	*5	*	*	*	*	*	*	*	*	*	*
77.49	36	15	21	*	*	*8	26	*7	*9	15	*
77.5	*6	*	*	-	*	*	*	*	*	*	*
77.6	69	40	29	*	10	34	21	18	14	27	*9
77.61	*8	*6	*	*	*	*	*6	*	*	*	*
77.65	*6	*	*	*	*	*	*	*	*	*	*
77.67	11	*7	*	*	*	*	*	*	*	*	*
77.68	14	*7	*7	-	*	*9	*	*7	*	*	*
77.69	24	12	12	*	*	13	*7	*7	*	*8	*
77.7	180	81	99	*6	39	89	46	25	58	61	35
77.70	13	*6	*8	-	*	*	*6	*	*	*	*
77.79	156	70	86	*5	33	80	38	21	53	54	29
77.8	35	18	17	*	*5	16	14	10	*	14	*6
77.81	*5	*	*	-	*	*	*	*	*	*	-
77.85	*5	*	*	-	*	*	*	*	*	*	*
77.88	11	*7	*	*	*	*5	*5	*6	*	*	*
77.89	10	*	*6	*	*	*	*	*	*	*	*
77.9	*9	*6	*	-	*	*5	*	*	*	*	*
78	303	144	159	35	77	94	97	55	58	116	75
78.0	30	15	15	*	*8	*9	13	*7	*6	11	*6
78.05	*8	*	*5	*	*	*	*6	*	*	*	*
78.07	10	*6	*	-	*	*	*	*	*	*	*
78.1	41	23	18	*6	18	13	*	*6	11	17	*6
78.15	*6	*	*	*	*	*	*	*	*	*	*
78.17	23	14	10	*	13	*6	*	*	*5	12	*
78.19	*6	*	*	*	*	*	*	*	*	*	*
78.4	16	*7	*9	10	*	*	*	*	*	14	*
78.41	11	*	*6	10	*	*	-	*	-	11	-
78.5	82	36	46	*8	17	17	40	18	13	26	24
78.52	*6	*	*	*	*	*	*	*	*	*	*
78.55	46	18	28	*	*7	*6	28	*9	*8	15	14
78.57	12	*7	*5	*	*5	*	*	*	*	*5	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
78.59	14	*6	*8	*	*	*	*8	*	*	*	*
78.6	128	59	69	*7	32	53	36	20	27	45	35
78.65	27	11	16	*	*	*6	15	*5	*	*7	11
78.67	31	15	16	*	16	10	*	*	*6	14	*8
78.69	58	28	30	*	12	32	13	10	13	21	14
79	686	316	370	43	193	169	280	136	160	251	140
79.0	61	26	35	*9	19	15	18	16	15	22	*8
79.02	15	*8	*8	*	*	*	*5	*	*	*	*
79.05	*7	*	*	*	-	*	*	*	*	*	*
79.06	24	10	14	*	*9	*8	*6	*	*8	*9	*
79.1	110	51	58	*9	20	17	63	25	20	42	22
79.11	*8	*	*6	*6	*	*	*	*	*	*	*
79.12	*6	*	*	*	*	*	*	*	*	*	*
79.15	79	34	46	*	11	*9	58	16	15	35	13
79.16	12	10	*	*	*7	*	*	*	*	*	*
79.2	*9	*6	*	*	*6	*	*	*	*	*	*
79.26	*7	*	*	-	*	*	*	*	*	*	*
79.3	403	171	232	17	103	108	175	73	93	151	86
79.31	34	14	19	*	10	*7	14	*7	*9	10	*7
79.32	50	22	28	*6	11	17	16	*8	*9	17	16
79.35	145	49	97	*5	14	24	102	24	38	60	23
79.36	139	66	72	*	50	47	40	25	30	51	33
79.37	*9	*	*6	*	*	*	*	*	*	*	*
79.39	19	10	*8	-	10	*8	*	*5	*	*7	*
79.6	57	41	17	*	32	15	*7	10	14	18	15
79.62	*7	*	*	*	*	*	*	*	*	*	*
79.64	*6	*5	*	-	*	*	*	*	*	*	*
79.65	*7	*6	*	-	*	*	*	*	*	*	*
79.66	31	21	10	*	22	*	*	*7	*8	11	*
79.7	28	13	15	-	*7	*8	13	*6	10	*9	*
79.75	20	*8	12	-	*	*5	10	*	*6	*7	*
79.8	14	*7	*7	*	*7	*	*	*	*	*	*
79.87	*6	*	*	-	*	*	*	*	*	*	*
80	519	277	242	*8	122	241	148	115	139	154	111
80.0	19	10	*9	-	*	*8	11	*7	*	*6	*
80.06	14	*8	*6	-	*	*7	*7	*	*	*	*
80.1	40	28	12	*	10	13	15	*9	*9	13	10
80.15	*8	*	*	*	*	*	*	*	*	*	*
80.16	20	15	*	*	*5	*7	*7	*5	*	*8	*
80.2	12	*6	*6	*	*	*5	*	*	*	*	*
80.26	*7	*	*	*	*	*	*	*	*	*	*
80.4	18	12	*7	*	*	*9	*5	*	*	*6	*6
80.46	13	*7	*6	*	*	*7	*	*	*	*5	*
80.5	327	168	159	*	96	159	72	62	93	99	74
80.51	324	166	159	*	94	158	72	62	92	97	74
80.6	*8	*5	*	-	*	*	*	*	*	*	*
80.7	26	12	15	*	*	14	*9	*9	*	*7	*
80.76	19	*8	11	*	*	*9	*9	*6	*	*6	*
80.8	43	23	20	*	*	17	21	12	13	10	*8
80.81	*8	*	*5	-	*	*	*	*	*	*	*
80.85	*6	*	*	*	*	*	*	*	*	*	*
80.86	21	11	10	*	*	*7	12	*7	*7	*5	*
80.9	20	11	*9	*	*	10	*6	*	*6	*6	*
80.99	18	*9	*8	*	*	*9	*5	*	*	*	*
81	2,246	940	1,306	16	250	968	1,012	450	560	768	467
81.0	453	214	238	*5	105	226	116	77	127	155	93
81.02	144	73	71	*	35	82	26	30	34	48	32
81.03	21	14	*7	*	*	*9	*7	*6	*6	*	*
81.04	*6	*	*	*	*	*	*	*	*	*	*
81.05	26	13	12	*	10	*5	*7	*5	*8	*8	*
81.06	46	21	24	-	13	26	*6	*6	20	16	*
81.07	14	*6	*8	-	*	*7	*6	*	*5	*7	*
81.08	194	83	110	*	39	92	62	26	52	67	48
81.1	22	*7	15	-	*6	11	*6	*	*5	*7	*9
81.11	*8	*	*5	-	*	*	*	*	*	*	*
81.12	*7	*	*	-	*	*	*	*	*	*	*
81.3	28	12	16	-	*	18	*6	*	11	*7	*6

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
81.38	17	*7	10	-	*	12	*	*	*7	*5	*
81.4	26	12	14	*	12	10	*	*6	*6	*7	*6
81.47	12	*8	*	-	*	*7	*	*	*	*	*
81.5	1,317	530	787	*	74	564	677	293	335	456	233
81.51	320	158	162	-	15	147	158	85	75	104	56
81.52	313	128	184	*	50	111	149	63	104	96	50
81.54	676	241	435	*	*8	303	364	144	154	250	127
81.6	185	65	120	*	34	71	79	21	29	80	55
81.62	107	40	67	-	29	53	24	12	12	50	32
81.63	17	*8	*9	*	*	12	*	*	*	*8	*5
81.65	20	*6	14	-	-	*6	17	*	*6	*6	*6
81.66	39	10	29	-	*	*	35	*6	*7	16	10
81.8	79	30	49	-	*	27	48	10	11	23	35
81.80	41	16	25	-	*	11	29	*	*	*7	26
81.81	27	*9	17	-	*	12	14	*	*	12	*7
81.83	*5	*	*	-	*	*	*	*	*	*	*
81.9	132	68	64	*	12	40	75	37	34	32	29
81.91	75	47	28	*	*6	26	38	22	18	20	15
81.92	48	17	32	*	*	11	34	13	15	10	10
82	24	14	*9	*	11	*9	*	*	*	*6	10
82.0	*7	*	*	*	*	*	*	*	*	*	*
82.01	*6	*	*	*	*	*	*	*	*	*	*
82.4	*6	*6	*	-	*	*	*	*	*	*	*
83	295	149	146	12	66	122	95	72	52	104	67
83.0	35	15	20	*	*8	15	*9	*7	*7	*9	12
83.03	*6	*	*	*	*	*	*	*	*	*	*
83.09	24	*8	16	*	*	11	*7	*	*	*7	*9
83.1	20	12	*8	*	*5	*	*8	*	*	*8	*
83.14	13	*9	*	*	*	*	*5	*	*	*5	*
83.2	14	*	10	*	*	*	*6	*	*	*	*
83.21	14	*	10	*	*	*	*6	*	*	*	*
83.3	61	29	32	*	*7	31	22	25	12	17	*7
83.39	55	25	30	*	*5	29	20	24	11	14	*7
83.4	51	28	23	*	12	23	16	*7	*8	23	13
83.45	37	20	17	*	*9	16	12	*	*7	19	*6
83.49	*6	*	*	*	*	*	*	*	*	*	*
83.5	*8	*	*	*	*	*	*5	*	*	*	*
83.6	38	20	18	*	19	*7	11	11	*6	11	10
83.63	11	*	*8	-	*	*	*7	*	*	*	*
83.64	10	*7	*	-	*7	*	*	*	*	*	*
83.65	13	*7	*6	*	*9	*	*	*	*	*	*5
83.7	*9	*	*	*	*	*	*	*	*	*	*
83.8	43	21	22	*	*7	25	10	*9	*6	17	11
83.82	17	10	*7	*	*	*8	*5	*	*	*7	*
83.85	*8	*	*	*	*	*5	*	*	*	*	*
83.88	12	*	*7	-	*	*8	*	*	*	*	*
83.9	15	11	*	-	*	*8	*	*	*	*6	*
83.94	*5	*5	-	-	*	*	*	*	*	*	*
83.95	*5	*	*	-	*	*	*	*	*	*	*
84	383	201	182	*	66	182	133	80	86	142	75
84.0	14	*9	*5	*	*	*6	*	*	*	*8	*
84.02	*6	*	*	-	*	*	-	*	-	*5	*
84.1	139	85	54	-	10	67	62	39	32	49	19
84.11	62	40	22	-	*	31	27	18	16	23	*6
84.12	19	14	*	-	*	10	*8	*	*	*8	*5
84.15	33	16	17	-	*	16	12	13	*7	*7	*7
84.17	23	13	11	-	*	*9	14	*7	*	10	*
84.3	11	*8	*	-	*	*7	*	*	*	*5	*
84.5	203	91	112	*	45	98	59	33	49	76	45
84.51	117	55	62	-	32	63	22	15	33	37	32
84.52	41	18	23	*	11	19	10	*7	10	17	*8
84.55	19	*7	13	*	*	*5	12	*	*	18	*
84.56	15	*7	*7	-	*	*5	*9	*6	*	*	*
84.57	11	*	*6	-	-	*	*6	*	*	*	*
84.6	*5	*	*	-	*	*	*	*	*	*	*
84.8	*8	*5	*	-	*	*	*6	*	*	*	*
84.80	*7	*5	*	-	-	*	*6	*	*	*	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
85-86	1,422	607	815	72	398	517	436	330	262	535	295
85	261	*	258	*	62	130	67	58	40	94	69
85.0	13	*	13	*	*8	*	*	*	*	*6	*
85.1	13	-	13	*	*	*5	*5	*	*	*	*6
85.11	*6	-	*6	-	*	*	*	*	*	*	*
85.2	21	*	21	-	*	12	*5	*	*	*6	11
85.21	17	*	17	-	*	10	*	*	*	*	*9
85.3	17	*	16	*	*	*8	*	*	*	*6	*7
85.32	*7	*	*6	*	*	*	*	*	*	*	*
85.4	87	*	87	-	16	39	32	21	17	34	15
85.41	35	-	35	-	*5	17	12	10	*6	13	*6
85.42	10	-	10	-	*	*6	*	*	*	*	*
85.43	36	*	36	-	*7	13	16	*6	*8	15	*7
85.44	*5	-	*5	-	*	*	*	*	*	*	*
85.5	*9	-	*9	*	*	*	*	*	*	*	*
85.53	*6	-	*6	*	*	*	*	*	*	*	*
85.6	*6	-	*6	-	*	*	*	*	-	*	*
85.7	21	-	21	*	*	15	*	*8	*5	*6	*
85.71	*8	-	*8	*	*	*	*	*	*	*	*
85.8	16	-	16	-	*	11	*	*	*	*6	*
85.89	13	-	13	-	*	*9	*	*	*	*	*
85.9	56	-	56	-	16	29	11	10	*9	19	17
85.94	*6	-	*6	-	*	*	*	*	*	*	*
85.95	40	-	40	-	11	22	*6	*8	*7	15	*9
85.96	*5	-	*5	-	*	*	*	*	*	*	*
86	1,162	605	557	69	337	387	369	273	222	441	226
86.0	435	236	200	42	132	153	109	93	77	179	86
86.01	15	*9	*6	*	*	*	*6	*6	*	*7	*
86.04	255	146	109	29	96	84	46	54	44	105	51
86.05	63	34	28	*	14	25	20	14	12	27	10
86.06	14	*5	*9	*	*	*6	*	*	*	*	*6
86.07	75	34	41	*8	11	26	29	13	15	33	15
86.09	13	*6	*7	*	*	*6	*	*	*	*	*
86.1	23	*7	16	*	*	*8	11	*7	*6	*7	*
86.11	23	*7	16	*	*	*8	11	*7	*6	*7	*
86.2	329	181	147	13	75	109	132	91	70	116	52
86.22	172	96	76	*	36	66	65	44	35	70	23
86.23	*9	*6	*	*	*	*	*	*	*	*	*
86.27	35	15	19	-	*	*7	27	15	10	*8	*
86.28	111	62	49	*7	34	31	39	28	20	37	26
86.3	53	14	39	*	23	11	17	*8	12	21	11
86.4	*9	*	*5	*	*	*	*	*	*	*	*
86.5	174	96	79	*	62	43	64	41	26	67	40
86.59	174	96	79	*	62	43	64	41	26	67	40
86.6	55	30	24	*	16	23	11	12	13	19	11
86.63	*7	*	*	*	*	*	*	-	*	*	*
86.67	*7	*	*5	*	*	*	*	*	*	*	*
86.69	35	21	14	*	10	17	*7	*9	*7	13	*5
86.7	39	22	18	*	11	16	11	*7	*7	16	*9
86.70	*5	*	*	*	*	*	*	*	*	*	*
86.74	24	13	11	*	*7	*8	*8	*	*6	*9	*
86.8	34	10	24	*	10	18	*	11	*7	*9	*7
86.83	19	*	17	-	*7	11	*	*6	*	*	*
86.89	10	*5	*	*	*	*	*	*	*	*	*
86.9	11	*6	*5	*	*	*	*	*	*	*	*
86.96	*6	*	*	*	*	*	*	*	*	*	*
87-99	12,993	6,128	6,865	648	2,184	3,933	6,228	3,785	2,453	4,347	2,407
87	693	307	385	36	130	213	314	172	108	219	193
87.0	186	96	91	*9	26	55	96	58	17	31	81
87.03	179	92	87	*9	23	54	92	54	16	31	78
87.2	10	*	*5	-	*	*	*7	*	*	*	*
87.21	*7	*	*	-	*	*	*	*	*	*	-
87.4	180	65	115	*6	24	60	89	69	25	38	48
87.41	117	45	72	*	15	41	58	33	20	19	45
87.44	55	16	39	*	*8	17	27	35	*	17	*

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
87.49	*7	*	*	*	*	*	*	*	*	*	*
87.5	165	60	105	*	54	51	56	20	27	82	36
87.51	*7	*	*6	-	*	*	*	*	*	*	*
87.53	147	54	93	*	50	46	47	15	24	76	32
87.54	*9	*	*7	-	*	*	*	*	*	*	*
87.6	17	11	*6	*	*	*	*9	*	*	*	*8
87.61	*7	*	*	-	*	*	*5	*	*	*	*
87.7	132	72	60	11	25	40	56	19	35	60	18
87.74	89	39	50	*	20	31	37	14	26	39	*9
87.75	*9	*6	*	-	*	*	*	*	*	*	*
87.76	10	*8	*	*8	*	*	*	*	*	*	*
87.77	12	10	*	*	*	*	10	*	*	10	*
88	3,373	1,755	1,618	91	399	1,197	1,686	909	736	1,101	627
88.0	144	63	81	*6	35	52	50	53	18	19	55
88.01	142	62	80	*6	35	51	50	53	18	18	54
88.1	*5	*	*	*	*	*	*	*	-	*	*
88.2	14	*8	*6	*	*	*	*9	*8	*	*5	*9
88.3	61	27	34	*8	14	15	24	18	17	*9	17
88.38	57	26	31	*6	13	15	23	16	16	*8	17
88.4	525	278	247	*6	47	174	297	148	127	178	71
88.41	175	77	98	*	25	53	94	68	33	52	22
88.42	106	62	44	*	*6	35	63	24	32	38	12
88.43	16	*7	*9	*	*	*6	*7	*	*	*5	*
88.44	13	*7	*6	*	*	*8	*	*	*	*	*
88.45	26	14	13	-	*	11	14	*	*8	13	*
88.47	55	33	22	*	*	14	38	16	12	19	*8
88.48	104	62	42	-	*6	36	62	23	27	37	17
88.49	26	15	11	-	*	*9	15	*6	*7	10	*
88.5	1,396	783	613	*	113	615	666	288	361	569	177
88.51	37	15	22	-	*	12	21	*6	13	11	*7
88.53	490	270	220	*	42	223	224	97	123	217	52
88.54	18	10	*8	*	*	*8	*8	*	*6	*6	*
88.55	*6	*	*	-	*	*	*	*	*	*	-
88.56	818	472	346	*	61	357	400	169	210	326	114
88.57	17	10	*8	-	*	*9	*7	*	*6	*7	*
88.6	45	26	19	*	*8	10	27	*9	10	19	*8
88.63	11	*8	*	-	*	*	*7	*	*	*	*
88.66	*6	*9	*	-	*	*	*	*	*	*	*
88.67	19	*9	10	*	*	*	12	*	*	11	*
88.7	885	425	460	37	121	250	477	235	175	239	237
88.71	39	18	21	*	*	*7	27	10	*9	*7	14
88.72	625	315	309	17	66	179	362	162	129	188	145
88.73	13	*6	*7	-	*	*7	*5	*	*	*	*
88.74	20	11	*9	*	*	*5	*9	*	*7	*	*
88.75	16	*8	*8	*	*	*	*6	*7	*	*	*5
88.76	69	26	43	12	19	21	16	20	*	14	32
88.77	80	35	45	-	11	24	45	24	16	12	28
88.78	12	-	12	-	12	-	-	*	*	*6	*
88.79	12	*6	*6	*	*	*	*6	*	*	*	*
88.9	297	142	156	28	55	80	135	147	28	62	60
88.91	187	85	102	21	31	45	90	91	20	37	39
88.93	35	17	18	*	13	*9	11	20	*	*6	*7
88.94	22	14	*8	*	*	10	*9	14	*	*	*
88.97	44	18	25	*	*7	13	23	19	*5	12	*7
89	610	293	317	28	97	194	291	285	86	101	139
89.1	123	53	69	19	27	35	41	57	13	25	27
89.14	77	34	43	*9	13	22	34	30	*6	15	27
89.19	43	19	24	11	14	12	*6	28	*	10	*
89.2	*9	*	*	*	*	*	*	*	*5	*	*
89.29	*7	*	*	-	*	*	*	*	*	*	-
89.3	16	*7	*9	*	*6	*	*	*5	*	*	*
89.39	*7	*	*	*	*	*	*	*	*	*	*
89.4	152	78	75	-	10	53	88	70	28	29	26
89.41	18	*6	12	-	*	11	*	*9	*	*	*6
89.44	73	32	42	-	*6	29	38	28	14	13	19
89.45	30	15	14	-	*	*	26	14	*6	*9	*
89.49	31	24	*7	-	*	*9	20	19	*5	*6	*
89.5	161	68	93	*	23	54	83	104	20	28	*9

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
89.50	*8	*	*	-	*	*	*6	*	*	*	*
89.52	75	35	40	*	15	26	34	43	14	17	*
89.54	63	20	42	*	*	22	36	54	*	*6	*
89.59	15	*9	*6	*	*	*6	*7	*	*	*	*
89.6	128	71	57	*	17	36	72	28	15	12	73
89.62	*7	*	*	*	*	*	*	*	*	*	*
89.64	19	15	*	*	*	11	*8	*6	*8	*	*
89.65	84	42	42	*	13	20	49	16	*	*	62
89.68	11	*7	*	*	*	*	*5	*	*	*	*
89.7	19	*9	*9	-	12	*6	*	18	*	-	-
90	*8	*	*	-	*	*	*	*8	-	-	-
90.5	*6	*	*	-	*	*	*	*6	-	-	-
90.59	*5	*	*	-	*	*	*	*5	-	-	-
91	13	*7	*7	-	*6	*	*	12	*	*	-
91.3	*9	*	*5	-	*	*	*	*9	-	-	-
91.39	*5	*	*	-	-	*	*	*5	-	-	-
92	146	68	78	*	15	54	75	51	15	38	42
92.0	51	21	31	*	*	19	28	20	*	*6	24
92.04	*5	*	*	*	*	*	*	*	-	*	*
92.05	40	17	24	-	*	13	26	16	*	*	20
92.1	22	12	10	*	*	*	15	*6	*	*7	*7
92.15	13	*6	*7	*	*	*	*9	*	-	*6	*
92.2	67	34	32	*	*8	26	31	25	10	24	*8
92.24	10	*7	*	-	*	*	*6	*	*	*	*
92.29	48	24	24	*	*	19	24	16	*8	19	*
92.3	*6	*	*5	-	-	*	*	*	*	*	*
92.30	*5	*	*	-	-	*	*	*	*	*	*
93	1,127	506	622	50	125	296	657	334	204	364	226
93.0	20	11	10	*	*	*6	11	*8	*6	*	*
93.01	10	*6	*	*	*	*	*7	*	*	-	*
93.08	*7	*	*	*	*	*	*	*	*	*	*
93.2	12	*	*8	-	*	*	*7	*8	*	*	*
93.22	*8	*	*6	-	*	*	*6	*8	*	*	-
93.3	213	98	115	*	18	42	150	78	43	63	29
93.38	29	12	17	-	*	*	21	*9	*	*	19
93.39	182	84	98	*	15	38	128	67	43	63	10
93.4	*7	*6	*	*	*	*	*	*	*	*	*
93.5	95	46	48	10	27	30	27	29	24	14	28
93.53	*6	*	*	*	*	*	*	*	*	*	*
93.54	33	19	14	*	12	*7	12	*9	*7	*7	10
93.56	*6	*	*	-	*	*	*	*	*	-	*
93.57	17	*7	10	*	*	*	*	*8	*	*	*
93.59	30	11	18	*	*8	12	*8	*7	*8	*	10
93.6	*5	*	*	*	*	*	*	*	*	*	-
93.67	*5	*	*	-	*	*	*	*	*	*	-
93.7	40	18	22	*	*8	*7	25	*	*9	15	13
93.75	39	17	22	*	*7	*7	24	*	*8	14	13
93.8	316	138	177	*	32	73	207	52	45	131	88
93.81	38	16	23	*	*8	*9	21	*	13	*7	15
93.83	152	67	85	*	15	30	103	46	31	51	24
93.89	124	54	70	*	*8	33	82	*	*	73	48
93.9	416	182	235	29	33	131	223	150	74	129	63
93.90	295	130	165	*9	17	99	170	85	53	107	50
93.94	82	34	48	17	*9	22	33	56	*8	10	*8
93.96	31	14	17	*	*7	*7	15	*9	11	*7	*
94	456	279	177	*7	231	185	33	191	99	111	56
94.1	25	13	12	*	16	*8	*	25	-	*	-
94.11	19	*9	*9	-	12	*6	*	19	-	-	-
94.19	*6	*	*	*	*	*	*	*6	-	*	-
94.2	52	26	26	*	26	18	*7	36	*5	10	*
94.25	36	19	17	*	19	11	*	30	-	*6	*
94.27	12	*	*7	-	*	*6	*	*	*5	*	*
94.3	24	12	12	*	11	*9	*	*6	-	15	*
94.39	19	10	*9	*	*8	*7	*	*	-	15	*
94.4	52	29	23	*	25	20	*	15	-	22	14

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
94.44	48	27	21	*	24	20	*	14	-	20	14
94.6	301	198	103	*	154	130	17	108	93	61	38
94.62	206	139	67	*	89	101	16	77	67	31	31
94.63	*8	*	*	-	*	*	*	*	*	*	*
94.65	49	26	22	-	38	11	*	18	18	*8	*
94.66	*6	*	*	-	*	*	-	-	*	*5	-
94.68	21	16	*	-	15	*6	*	13	*	*	*
94.69	*9	*7	*	*	*	*5	*	-	*	*6	*
95	*6	*	*	*5	*	*	*	*	*	*	-
95.4	*6	*	*	*5	*	-	*	*	-	*	-
96	1,879	928	951	151	340	538	850	486	363	664	366
96.0	749	386	362	46	122	232	349	184	137	277	151
96.04	613	314	299	40	95	188	290	155	116	239	104
96.05	12	*7	*6	*	*	*6	*	*	*	*6	*
96.07	108	59	49	*	25	36	44	24	17	27	41
96.08	*8	*	*	*	*	*	*6	*	*	*	*
96.2	11	*7	*	*	*	*	*	*	*	*	*
96.27	*7	*	*	*	-	*	*	*	*	*	*
96.3	19	*8	11	*	*	*	10	*7	*	*	*6
96.33	*6	*	*	*	*	*	*	*	*	*	*
96.38	*8	*	*	*	*	*	*	*	*	*	*
96.4	74	*7	67	-	65	*	*6	15	25	16	18
96.49	67	*	65	-	65	*	*	14	22	15	16
96.5	25	15	10	*	*5	*5	12	*5	*	13	*
96.56	11	*9	*	*	*	*	*6	*	*	*7	*
96.59	*8	*5	*	*	*	*	*	*	*	*	*
96.6	143	62	81	24	10	33	76	71	19	29	23
96.7	857	443	415	76	132	257	392	198	174	322	163
96.70	*5	*	*	*	*	*	*	*	-	*	*
96.71	556	276	280	44	91	170	251	127	107	209	113
96.72	296	163	133	31	41	86	138	71	67	109	49
97	153	66	87	*7	19	55	72	37	34	58	24
97.0	47	19	28	*	*	14	27	11	*9	21	*6
97.02	31	13	18	*	*	*9	19	*6	*6	17	*
97.05	14	*	*9	*	*	*	*8	*	*	*	*
97.2	14	*7	*7	*	*	*7	*6	*	*	*6	*
97.23	11	*	*6	*	*	*	*5	*	*	*5	*
97.3	*5	*	*	*	*	*	*	*	*	*	*
97.4	25	12	13	*	*	*9	10	*6	*7	*6	*5
97.41	11	*5	*5	*	*	*6	*	*	*	*	*
97.49	14	*6	*8	*	*	*	*6	*	*	*	*
97.5	15	*	11	*	*	*6	*9	*6	*	*6	*
97.51	10	*	*7	*	-	*	*	*	*	*	*
97.6	23	12	11	*	*	*7	11	*	*6	12	*
97.61	*6	*	*	-	*	*	*	*	*	*	*
97.62	15	*8	*7	*	*	*5	*6	*	*6	*6	*
97.8	19	*9	10	*	*	*8	*7	*7	*	*	*
97.82	*7	*	*	*	*	*	*	*	*	*	*
98	34	20	14	*5	10	*8	10	13	*6	10	*
98.0	18	11	*7	*	*	*	*8	*7	*	*	*
98.02	14	*8	*6	*	*	*	*7	*6	*	*	*
98.5	10	*6	*	-	*	*	*	*	*	*	-
98.51	10	*6	*	-	*	*	*	*	*	*	-
99	4,495	1,893	2,602	266	808	1,187	2,234	1,286	802	1,677	731
99.0	2,357	976	1,381	55	274	611	1,417	423	468	1,085	381
99.00	25	14	11	-	*	*9	15	11	*5	*7	*
99.02	27	10	17	*	*	*9	16	*	10	10	*
99.03	15	*	14	*	*	*9	*	*7	*6	*	*
99.04	1,892	770	1,122	40	229	463	1,160	335	374	906	277
99.05	157	76	80	*8	20	61	69	24	22	70	40
99.07	230	99	131	*	19	57	149	43	45	86	55
99.09	*5	*	*	*	*	*	*	*	*	*	-
99.1	507	201	305	50	154	133	169	221	80	118	87
99.10	41	19	22	*	*8	16	16	*9	14	*9	*8
99.11	76	*	76	*	76	*	-	10	21	29	15

Number of all-listed procedures for discharges from short-stay hospitals, by ICD-9-CM code, sex, age, and geographic region: United States, 2009

[Discharges of inpatients from nonfederal hospitals. Excludes newborn infants. Code numbers are from the *International Classification of Diseases, Ninth Revision, Clinical Modification* (ICD-9-CM). Totals include data for categories not listed in table.]

ICD-9-CM code	Total	Sex		Age				Region			
		Male	Female	Under 15 years	15-44 years	45-64 years	65 years and over	North-east	Midwest	South	West
Number of procedures in thousands											
99.14	22	10	12	10	*	*	*	*7	*	*	*9
99.15	191	93	98	37	32	57	66	45	36	65	45
99.17	38	18	20	*	*6	14	17	33	*	*	*
99.18	44	19	25	*	15	11	16	41	*	*	*
99.19	93	42	52	*	13	30	50	76	*	10	*
99.2	926	412	514	78	209	284	355	489	141	179	117
99.20	22	14	*8	*	*	*8	13	*	*5	10	*
99.21	224	91	133	12	67	59	87	153	16	34	21
99.23	118	43	75	*	15	34	65	46	32	26	15
99.25	222	118	104	39	41	79	62	57	44	74	46
99.29	332	143	190	21	83	102	127	227	42	34	29
99.3	54	11	43	*	37	*7	*9	31	*	19	*
99.36	*8	*	*	*	*	*	*	*	*	*	*
99.38	10	*6	*	*	*	*	*	*	*	*	*
99.39	37	*	36	-	34	*	*	24	*	11	*
99.4	*9	*	*7	-	*8	*	-	*	*	*	*
99.48	*6	-	*6	-	*6	-	-	*	*	*	*
99.5	319	133	186	22	73	82	142	44	40	153	81
99.52	143	59	84	*	43	38	60	15	21	69	37
99.55	170	72	97	17	29	43	81	26	17	83	43
99.6	174	105	70	*	12	49	110	46	42	63	23
99.60	64	36	28	*	*7	15	41	14	15	27	*9
99.61	47	31	15	*	*	13	31	15	*9	14	*8
99.62	53	30	23	-	*	18	32	14	15	21	*
99.69	10	*7	*	*	*	*7	*6	*	*	*	*
99.7	77	15	61	*	39	15	20	18	17	28	14
99.71	13	*	10	*	*	*	*	*	*	*	*5
99.74	*8	*	*	*	*	*	*	*	*	*	*
99.77	43	*6	37	*	30	*6	*	10	11	15	*7
99.79	*9	*	*6	-	*	*	*	*	*	*	*
99.8	62	32	30	55	*	*	*	10	10	23	20
99.83	50	28	22	50	-	-	-	*6	*9	18	17
99.84	*7	*	*	*	*	*	*	*	-	*	-
99.9	11	*6	*	-	*	*	*7	*	*	*6	*
99.99	10	*6	*	-	*	*	*7	*	*	*6	-

* Figure does not meet standards of reliability or precision. Estimates preceded by the asterisk should be used with caution.

- Quantity zero.

SOURCE: CDC/NCHS National Hospital Discharge Survey, 2009.

More information about survey methodology can be found at:

ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Dataset_Documentation/NHDS/NHDS_2009_Documentation.pdf.