

DEATH RATES FROM ISCHEMIC HEART DISEASE AND OTHER RELATED DISEASES BY HEALTH SERVICE AREA, 1968-72

Bruce B. Cohen and Joel C. Kleinman^a

INTRODUCTION

In *Statistical Notes for Health Planners* No. 6, the uses of cause-specific mortality data in health planning were discussed.¹ Any complete analysis of mortality must include an assessment of heart disease mortality. Heart disease is the leading cause of death in the United States with ischemic heart disease (IHD) accounting for nearly 90 percent of the deaths in this category.² Deaths in two other *International Classification of Disease, Adapted for Use in the United States* (ICDA) categories—other heart disease and symptoms and ill-defined conditions—are also examined in this Note. It was felt that IHD may, in fact, be the actual cause of death for some of these nonspecific mortality codes (see appendix I). Thus if IHD mortality rates seem low where less specific disease mortality rates seem high, the combined rate may be a better indicator of the true burden of coronary heart disease mortality.

Table A shows that IHD accounts for over 30 percent of all deaths in the United States. Other heart disease and ill-defined conditions were coded as the cause of death for 2.9 and

1.9 percent, respectively, of all deaths in the United States in 1977. However, the age-adjusted IHD death rates are declining (241.6 in 1968 versus 185.0 in 1977), and death rates attributed to the other causes are increasing slightly (table A).

In table B, the differences in IHD mortality by age, race, and sex are presented. The IHD death rates increase dramatically with age in all sex and race groups. The death rate for white males ages 65-69 is more than 7 times greater than that for white males ages 45-49 (1,349.9 versus 188.3); the death rate for white females ages 65-69 is approximately 14 times greater than that for white females ages 45-49 (510.8 versus 36.3). The death rate for black males is 4.6 times greater in the age group 65-69 years than in the 45-49-year age group (1,188.0 versus 255.9), and the death rate for black females in this older age group is nearly 6 times higher than in the younger age group (695.2 versus 117.5) (table B).

The IHD death rates for males are greater than those for females in all age categories. The differential is most pronounced in the younger age groups; for example, the white male death rate for the age group 35-39 years is 5.7 times that of white females (33.1 versus 5.8), but the male death rate in the oldest age group is only 22 percent greater than the

^aDivision of Analysis, National Center for Health Statistics.

Table A. Age-adjusted death rates and percent of all causes for selected causes: United States, 1968-77

[Rates per 100,000 persons¹]

Year	All causes	Ischemic heart disease		Other heart disease		Symptoms and ill-defined conditions	
	Rate ¹	Rate ¹	Percent of all causes	Rate ¹	Percent of all causes	Rate ¹	Percent of all causes
1968.....	743.8	241.6	32.5	13.7	1.8	9.7	1.3
1969.....	728.5	234.7	32.2	14.1	1.9	10.8	1.5
1970.....	714.3	228.1	31.9	14.3	2.0	10.4	1.5
1971.....	699.9	225.1	32.2	14.4	2.1	10.5	1.5
1972.....	701.8	223.9	31.9	15.6	2.2	10.8	1.5
1973.....	692.9	218.9	31.6	16.0	2.3	12.2	1.8
1974.....	666.2	207.7	31.2	16.2	2.4	12.4	1.9
1975.....	638.3	196.1	30.7	16.4	2.6	12.3	1.9
1976.....	627.5	191.6	30.5	17.4	2.8	11.6	1.8
1977.....	612.3	185.0	30.2	18.0	2.9	11.8	1.9

¹Adjusted to 1940 U.S. population.

SOURCE: National Center for Health Statistics, Division of Vital Statistics, unpublished mortality statistics.

female IHD death rate in that age group (7,683.4 versus 6,281.9).

Overall, the age-adjusted death rate for white males is slightly greater than that for black males, but black females have a 38-percent higher age-adjusted IHD death rate than white females have (164.8 versus 119.0).

Until the age of 65 for males and 80 for females, the age-specific IHD death rates for black persons are higher than those for white persons. This differential is slightly greater for females than for males (table B).

In addition to its effect on mortality, the impact of heart conditions on disability is

Table B. Age-specific death rates for ischemic heart disease by sex, race, and age: United States, 1977

[Rates per 100,000 persons]

Age	Total ¹	Males		Females	
		White	Black	White	Black
Total (age-adjusted) ²	185.0	264.7	264.5	119.0	164.8
Under 25 years.....	0.2	0.2	0.4	0.1	0.3
25-29 years.....	2.0	2.4	8.7	0.7	2.5
30-34 years.....	6.9	10.1	21.5	2.1	7.9
35-39 years.....	21.8	33.1	63.2	5.8	27.3
40-44 years.....	56.8	89.2	140.4	17.0	57.1
45-49 years.....	117.0	188.3	255.9	36.3	117.5
50-54 years.....	214.0	343.3	438.5	75.5	214.4
55-59 years.....	354.4	554.0	667.4	147.6	354.6
60-64 years.....	598.5	907.6	1,044.5	296.7	573.5
65-69 years.....	882.1	1,349.9	1,188.0	510.8	695.2
70-74 years.....	1,438.8	2,056.7	2,088.4	954.9	1,556.2
75-79 years.....	2,394.8	3,232.2	3,189.4	1,850.8	2,581.9
80-84 years.....	3,617.9	4,686.6	3,205.1	3,179.7	2,483.9
85 years and over.....	6,420.1	7,683.4	4,348.3	6,281.9	3,663.9

¹Includes all races and both sexes.

²Adjusted to the 1940 U.S. population.

SOURCE: Health, United States, 1979. DHEW, Public Health Service. Washington. U.S. Government Printing Office. In preparation.

enormous. Heart conditions are the leading causes of activity limitation due to chronic disease in this country. Seventeen percent of severe activity limitations due to chronic conditions can be linked to heart disease.³ The estimated cost of circulatory system disease, of which heart disease is the major component, was \$45.7 billion in fiscal year 1975. Sixteen billion dollars were spent for health care, and \$29.7 billion in potential earnings were lost due to circulatory system morbidity and mortality in 1975.⁴

The purpose of this Statistical Note is to present heart disease death rates for health service areas (HSA's). The rates can be used as a baseline for assessing the heart disease problems in local communities. In particular, this information is designed to aid planners who are using the algorithms developed by the Rand Corporation for specific health problems.^b The goal of these algorithms is "to assist HSA's in obtaining valid and sufficiently detailed data that will provide a basis for monitoring breakdowns in the health care systems and to improve planning decisions aimed at preventing such breakdowns. This should, in turn, affect population health status in the planning area."⁵

The algorithms are divided into four evaluation phases: problem recognition, problem analysis, problem solution, and problem re-assessment.⁵ Data presented in this Statistical Note can be used in the problem-recognition phase of the Rand algorithm.

PRESENTATION OF THE DATA

Age-sex- and race-specific death rates for each HSA are presented in the computer printouts for the following causes:

- (1) Ischemic heart disease (ICDA 410-413)

^bAlgorithms for infant mortality, breast cancer mortality, heart attack mortality, preventable death and disease, and hypertension were produced by the Rand Corporation.

- (2) Other heart disease (ICDA 420-429)
- (3) Symptoms and ill-defined conditions (ICDA 780-796)

Rates are presented for ages 35-74 years.

Explanation of the Printout

There are three computer printouts, one for each cause-of-death category. Each printout presents four sets of age-specific death rates as well as the number of observed deaths for each HSA for white males (WM), white females (WF), black males, (BM), and black females (BF). The four age groups used are: 35-44, 45-54, 55-64, 65-74. Death rates for IHD, other heart disease, and ill-defined conditions were not available for other races (Native Americans, Chinese, etc.) from the data tapes used to generate these tables and printouts. The age-specific death rates are calculated as the average annual number of deaths per 10,000 population, using deaths from 1968-72 and the 1970 population.

In addition, the standardized mortality ratio (SMR) over the entire 35-74-year age span is given.⁶ This SMR is calculated using the 1968-72 U.S. death rates for each cause, age, race, and sex (see table C) as the standard rates. The SMR is presented in the printout as the ratio of the observed number of deaths to the expected number of deaths multiplied by 100.

For example, suppose an HSA had the male population and number of deaths as shown in table D. Using the age-sex-race specific IHD mortality rates for the United States presented in table C, the expected number of deaths can be computed for this HSA.

For white males, the expected number of deaths is:

$$\frac{1,000}{10,000} (90.7 \times 8.4 + 89.5 \times 33.5 + 71.7 \times 91.0 + 37.7 \times 204.6) = 1,800$$

For black males, the expected number of deaths is:

$$\frac{1,000}{10,000} (28.0 \times 13.6 + 29.8 \times 42.6 + 26.0 \times 97.7 + 16.1 \times 193.5) = 730.5$$

Table C. Average annual heart disease mortality rates by sex, race, and age for selected causes: United States, 1968-72

[Rates per 10,000 persons]

Cause and age	Males		Females	
	White	Black	White	Black
<u>Ischemic heart disease</u>				
35-44 years.....	8.4	13.6	1.6	6.7
45-54 years.....	33.5	42.6	7.0	22.0
55-64 years.....	91.0	97.7	27.1	59.2
65-74 years.....	204.6	193.5	94.9	135.6
<u>Other heart disease</u>				
35-44 years.....	0.7	2.9	0.4	1.8
45-54 years.....	1.9	5.8	0.8	3.5
55-64 years.....	4.3	11.1	1.8	6.5
65-74 years.....	8.7	19.8	4.3	12.0
<u>Symptoms and ill-defined conditions</u>				
35-44 years.....	0.5	3.3	0.3	1.9
45-54 years.....	1.2	5.8	0.5	3.1
55-64 years.....	2.6	10.9	0.9	5.5
65-74 years.....	4.4	18.2	1.7	10.8

The SMR for white males is:

$$100 \times \frac{2,254}{1,800} = 125.2$$

The SMR for black males is:

$$100 \times \frac{684}{730.5} = 93.6$$

The SMR's imply that in this HSA there were 25 percent more deaths among white males than expected and 6.4 percent fewer deaths among black males than expected. It should be noted that the SMR's for white and black persons are not directly comparable because they are computed using different standard rates. In fact, the age-specific rates in table C show that IHD mortality rates are greater for black males than those for white males under the age of 65. The SMR's computed here indicate that white males in this HSA have higher IHD mortality than U.S. white males have. (NOTE: Local health planners may wish to use other comparison groups to evaluate the SMR's. For instance, the national SMR

Table D. Number of males, and number of deaths from ischemic heart disease (IHD), by race and age for health service area (HSA)

Age	1970 Census population (in thousands)		IHD number of deaths	
	White	Black	White	Black
Total	289.6	99.9	2,254	684
35-44 years	90.7	28.0	88	40
45-54 years	89.5	29.8	428	104
55-64 years	71.7	26.0	855	249
65-74 years	37.7	16.1	883	291

for both races, or SMR's for regional groups of HSA's, could be used. The use of separate standard death rates for SMR's for white and black persons provides a quick method of letting an HSA see how its experience related to a comparable national rate. In theory, the mortality rates achieved by the white population should also be achievable for the black population, unless genetic factors play a major role in differences in the rate-specific incidence of heart disease.)

Although confidence limits for rates and SMR's are not given in the computer printouts, they can be easily calculated.⁶ The standard error of each rate or SMR is:

$$SE(r) = \frac{r}{\sqrt{d}}$$

where

r = rate (or SMR)

d = observed number of deaths

Thus the standard error of the white male IHD death rate in age group 35-44 years for Alabama (HSA 1) is:

$$\frac{8.8}{\sqrt{145}} = 0.73$$

(See printout 1 for death rate and number of deaths.) The 95-percent confidence limits are:

$$\text{Upper limit: } 8.8 + 1.96 \times 0.73 = 10.2$$

$$\text{Lower limit: } 8.8 - 1.96 \times 0.73 = 7.4$$

Confidence limits are most important when the death rates are based on fewer than 100 deaths. In these situations it is possible that a rate that appears to be high may in fact have a very wide confidence interval.

USE OF THE DATA

In table C, the age-sex-race-specific death rates for IHD, other heart disease, and ill-defined conditions are presented for the U.S. population for 1968-72. The rates for the black population are higher than the rates for the white population in each comparable age-sex category for all conditions (except for IHD, males aged 65-74). Mortality rates for black persons with other diseases of the heart are two times greater than those for white persons. The differential for ill-defined conditions is even larger. Mortality rates for black persons are at least four times greater than those for white persons in all age-sex categories.

Tables E-G present the percentile distributions of the cause-specific death rates for IHD, other heart disease, and ill-defined conditions by HSA. In order to eliminate the effect of unstable rates that result from small numbers of deaths, only those HSA's with 25 or more expected deaths (assuming the U.S. death rates applied) in each cause-age-race-sex combination are included in that distribution. In table E, for example, the distribution for black males ages 35-44 years is based on only 67 of the 202 HSA's.

Tables C and E-G are presented so that local health planners can see how heart disease death rates in their communities compare with national death rates and how their HSA compares with other HSA's throughout the country.

It is useful to begin analysis of the death rates for a particular HSA by examining the SMR's given in the computer printout. If the SMR's indicate excess mortality, one can then go further to analyze the age-specific rates. Two examples follow.

Example 1: Delaware

Let us first consider white males in Delaware. (This is an HSA covering an entire

State.) The SMR for IHD is 117.6, which suggests that Delaware has 17.6 percent more IHD deaths than expected based on the U.S. rates (printout 1, p. 23). Table E shows that more than 90 percent of the HSA's had lower rates. White males in Delaware also had much lower rates in the other heart disease (SMR = 73.5) and ill-defined conditions (SMR = 21.8) categories (printout 2, p. 74 and printout 3, p. 125).

In order to estimate what part of the excess IHD mortality may be attributed to inaccuracies in diagnosis or variation in certification procedures, the excess deaths from IHD should be compared with the deficit in the other two categories. There were 2,605 IHD deaths with an SMR of 117.6 among white males in Delaware. The expected number of IHD deaths would be $2,605/1.176 = 2,215.1$. This means that there were 389.9 excess IHD deaths. The expected numbers of deaths for the other two causes were $79/0.735 = 107.5$ for other heart disease and $14/0.218 = 64.2$ for ill-defined conditions (printout 2, p. 74 and printout 3, p. 125). Thus there was a deficit of 28.5 deaths for other heart disease and 50.2 deaths for ill-defined conditions, or a total deficit of 78.7 deaths. If it is assumed that 78.7 of the 389.9 excess IHD deaths should have been coded to one of these two categories based on national rates, the number of excess IHD deaths would be reduced to 311.2. Thus a type of "corrected" SMR can be calculated as:

$$100 \times \frac{2,215.1 + (389.9 - 78.7)}{2,215.1} = 114.0$$

It is therefore quite likely that Delaware has excess IHD mortality even after potential geographic differences in certification or diagnostic practices are taken into account. Similar calculations for the other sex-race groups result in comparably small reductions in the SMR for white females (from 126.4 to 123.5). For the black population, the reductions are greater: from 149.3 to 136.1 for black males and from 130.6 to 117.5 for black females. In all cases, however, the corrected SMR's still suggest excess IHD mortality, near or above the 90th percentile among all HSA's.

Table E. Percentile distribution of ischemic heart disease death rates per 10,000 persons for health service areas (HSA's), by sex, age, and race: United States, 1968-72

Race and percentile	Males					Females				
	35-44 years	45-54 years	55-64 years	65-74 years	SMR	35-44 years	45-54 years	55-64 years	65-74 years	SMR
White										
Rates per 10,000 persons										
5	5.8	25.4	71.1	159.6	78.8	0.9	4.5	18.3	67.0	69.9
10	6.3	26.9	73.8	166.4	81.5	1.1	4.8	20.2	69.3	73.0
20	6.9	28.6	77.4	175.5	86.4	1.2	5.3	21.3	75.5	78.8
30	7.3	30.0	81.1	182.5	88.9	1.3	5.7	22.4	79.1	83.6
40	7.8	31.5	85.9	191.6	94.2	1.4	6.1	24.1	83.3	88.2
50	8.3	32.7	89.0	200.2	98.1	1.5	6.5	24.9	88.6	92.4
60	8.6	34.1	91.9	208.8	102.1	1.6	6.8	26.4	94.7	99.7
70	9.1	35.8	96.6	214.9	104.8	1.7	7.4	28.0	98.6	102.9
80	9.6	37.2	99.4	224.3	109.0	1.8	7.9	29.8	103.9	110.5
90	10.1	41.0	104.9	233.8	115.5	2.0	8.7	33.1	113.1	117.5
95	10.9	43.2	109.8	239.7	121.2	2.3	9.5	34.4	119.8	125.5
Number of HSA's.....	200	202	202	202	202	107	200	202	202	202
Black										
Rates per 10,000 persons										
5	7.3	25.2	65.6	126.9	63.1	3.9	13.8	38.4	84.5	57.9
10	8.2	28.9	70.8	142.1	70.8	4.4	16.4	41.2	99.6	68.7
20	10.4	32.2	77.0	159.7	78.2	5.5	18.3	44.9	108.7	75.9
30	11.4	33.8	86.1	169.0	85.0	6.0	19.7	49.2	117.2	82.1
40	12.6	38.7	92.0	180.3	91.5	6.7	21.1	54.0	126.8	90.8
50	13.0	41.5	96.1	193.7	97.2	7.2	22.2	58.8	132.0	96.3
60	14.1	43.4	100.9	202.7	103.8	7.6	23.2	61.7	139.6	100.8
70	15.0	47.1	106.8	212.6	109.0	7.9	24.8	64.9	144.6	106.4
80	16.9	50.4	112.2	219.9	114.9	9.1	27.6	69.5	151.7	112.3
90	20.8	55.7	120.1	237.5	123.1	10.7	30.2	73.8	159.9	118.4
95	22.1	58.3	130.8	251.9	129.8	12.1	32.5	79.1	164.7	125.7
Number of HSA's.....	67	113	134	141	159	47	91	120	131	153

The standard errors of the SMR's for IHD are rather small. For example, black females have the largest standard errors because they have the fewest number of deaths. Yet even in this case the standard error is $130.6/\sqrt{301} = 7.53$ and the 95-percent confidence interval for the SMR is 115.8-145.4.

Examination of the age-specific rates reveals that in each race-sex group almost all ages exhibit IHD death rates above the 80th percentile. Thus it appears that people in Delaware have excess IHD mortality and that the problem is pervasive, affecting all middle-aged adults of both sexes, black and white.

These estimates and the ones that follow are based on the assumption that all deaths for other heart disease and ill-defined conditions are attributable to IHD. This surely overestimates the real shift in diagnoses and

is presented to show the maximum impact of biases due to terminology differences on IHD rates.

Example 2: Alabama (HSA 1)

The SMR's for Alabama (HSA 1) suggest that mortality from IHD is 10-20 percent below the national average. The percentile rankings are near or below the median over all HSA's (30th percentile for white and black males, 40th for white females, and 50th for black females). Furthermore, these SMR's are quite stable. For example, the standard error of the SMR for black males is $79.3/\sqrt{236} = 5.16$, which yields a confidence interval of 69.2-89.4. This corresponds to a percentile range from the 10th to the 40th (printout 1, p. 14).

Table F. Percentile distribution of other heart disease death rates per 10,000 persons for health service areas (HSA's) by sex, age, and race: United States, 1968-72

Race and percentile	Males					Females				
	35-44 years	45-54 years	55-64 years	65-74 years	SMR	35-44 years	45-54 years	55-64 years	65-74 years	SMR
White										
Rates per 10,000 persons										
5.....	0.3	0.9	2.0	4.2	54.4	0.2	0.5	1.0	2.3	56.9
10.....	0.4	0.9	2.2	4.9	60.9	0.2	0.5	1.1	2.5	64.8
20.....	0.4	1.1	2.7	6.0	67.9	0.3	0.6	1.2	3.2	76.3
30.....	0.4	1.2	3.1	6.8	75.5	0.3	0.6	1.5	3.6	83.1
40.....	0.6	1.3	3.4	7.4	82.9	0.3	0.7	1.6	3.9	93.2
50.....	0.6	1.5	3.7	8.0	90.1	0.3	0.7	1.8	4.2	98.5
60.....	0.6	1.7	4.1	8.9	100.5	0.3	0.8	2.0	4.8	108.1
70.....	0.7	1.9	4.6	10.3	115.2	0.3	0.9	2.2	5.3	119.0
80.....	0.7	2.1	6.1	12.0	149.6	0.3	0.9	2.4	5.8	132.2
90.....	0.9	3.1	8.5	15.0	192.1	0.6	1.0	2.5	6.6	158.9
95.....	1.0	3.8	10.2	19.3	231.0	0.6	1.3	3.2	7.7	183.4
Number of HSA's.....	31	121	185	190	201	7	46	109	169	194
Black										
Rates per 10,000 persons										
5.....	1.4	2.4	3.7	8.8	37.1	0.7	1.3	1.7	5.7	36.7
10.....	1.7	2.5	4.5	9.4	45.2	0.7	1.6	2.5	6.0	46.0
20.....	1.8	3.0	5.9	12.1	54.0	0.7	2.1	3.2	6.7	59.3
30.....	1.8	3.6	9.4	14.6	67.1	1.0	2.3	4.3	8.7	69.5
40.....	2.2	3.7	10.0	17.1	80.2	1.1	2.3	6.0	9.9	72.9
50.....	2.5	5.0	11.8	18.0	90.2	1.1	2.6	6.3	12.2	94.1
60.....	2.8	5.5	13.1	21.5	101.8	1.7	3.7	7.1	14.3	102.8
70.....	3.1	6.0	13.8	25.6	118.2	1.9	3.9	7.6	16.6	128.6
80.....	3.1	7.2	17.9	29.4	137.4	2.3	4.4	8.1	19.4	150.7
90.....	3.8	8.5	21.2	38.9	156.8	3.0	4.6	12.1	24.5	188.7
95.....	6.3	11.7	23.8	44.5	233.3	3.0	8.8	12.4	27.1	207.9
Number of HSA's.....	12	24	48	54	91	8	17	25	42	82

However, the SMR's for other heart disease and ill-defined conditions in Alabama (HSA 1) are considerably higher than expected. This raises the possibility that the low IHD rates are due to diagnostic classification practices that put IHD diagnoses into these two other categories. In order to assess this possibility, it should be considered whether the excess deaths in these categories could raise the IHD death rates substantially.

For white males, there were 576 deaths assigned to the other heart disease category with an SMR of 421.5. The expected number of deaths was $576/4.215 = 136.7$ (printout 2, p. 65). Thus there were 439.3 excess deaths in this category. Similarly, there were 152.6 excess deaths in the ill-defined conditions category (printout 3, p. 116). If all these deaths were actually due to IHD, the number

of deaths that should have been assigned to IHD is $2,481 + 439.3 + 152.6 = 3,072.9$. Since the expected number of IHD deaths is 2,825.7, the corrected SMR is 108.7. However, it is unlikely that all the deaths classified in the two non-IHD categories were actually IHD. Thus 108.7 is a maximum value for the SMR. If only half the excess deaths in these categories should have been assigned to IHD, the corrected SMR is 98.3.

$$100 \times \left[2,481 + \left(\frac{439.3 + 152.6}{2} \right) \right] / 2,825.7$$

Applying the same calculations to white females even when all the excess deaths in other heart disease and ill-defined conditions categories are attributed to IHD, the SMR becomes 97.7. Thus the maximum value of the

Table G. Percentile distribution of ill-defined conditions death rates per 10,000 persons for health service areas (HSA's) by sex, age, and race: United States, 1968-72

Race and percentile	Males					Females				
	35-44 years	45-54 years	55-64 years	65-74 years	SMR	35-44 years	45-54 years	55-64 years	65-74 years	SMR
White										
Rates per 10,000 persons										
5	0.1	0.1	0.2	0.5	13.0	0.1	0.0	0.1	0.1	17.8
10	0.1	0.1	0.3	0.6	16.0	0.1	0.1	0.1	0.2	22.3
20	0.1	0.2	0.5	0.9	22.5	0.1	0.1	0.3	0.4	29.6
30	0.1	0.4	0.6	1.0	28.3	0.1	0.2	0.3	0.4	36.0
40	0.2	0.4	0.8	1.4	37.1	0.1	0.2	0.4	0.5	46.5
50	0.4	0.5	1.1	1.9	49.9	0.4	0.4	0.4	0.7	54.5
60	0.5	0.7	1.5	2.8	70.1	0.5	0.4	0.6	0.9	70.5
70	0.5	1.0	2.2	4.5	98.2	0.5	0.6	0.8	1.3	108.7
80	0.6	1.5	4.7	8.5	179.6	0.8	0.9	1.1	2.2	153.3
90	1.7	3.7	8.7	13.7	322.4	1.5	1.3	2.6	3.7	266.2
95	2.5	6.5	12.2	17.2	386.7	1.5	1.6	3.9	4.8	354.4
Number of HSA's.....	18	78	131	143	197	7	19	38	60	170
Black										
Rates per 10,000 persons										
5	0.4	0.2	0.4	0.7	6.8	0.1	0.1	0.2	0.1	5.3
10	0.4	0.4	0.9	0.9	10.6	0.1	0.2	0.2	0.4	9.4
20	0.5	0.7	1.4	2.0	17.4	0.2	0.4	0.6	1.2	16.3
30	0.9	0.9	2.3	3.4	21.6	0.4	0.6	1.1	2.5	21.8
40	1.2	1.0	3.8	5.9	38.2	1.0	0.9	1.6	4.4	32.9
50	1.3	1.6	5.2	9.1	46.8	1.0	0.9	2.0	7.0	56.3
60	2.3	2.8	8.2	14.0	83.6	1.3	1.4	2.8	10.1	83.6
70	2.6	4.0	11.1	23.7	116.1	2.0	1.6	4.6	15.8	127.2
80	3.5	6.3	21.9	33.5	199.0	6.3	3.2	5.7	26.7	195.3
90	9.4	20.4	39.0	50.6	249.4	9.2	12.2	19.6	34.9	273.1
95	19.5	25.4	41.6	70.4	360.4	9.2	15.4	20.4	41.4	345.6
Number of HSA's.....	14	24	48	50	91	8	14	24	38	75

SMR for white females indicates less IHD mortality than expected.

For black males, the observed SMR of 79.3 increases to 124.3 when all the excess other heart disease and ill-defined conditions deaths are assigned to IHD. When half the excess deaths are included in IHD, the SMR becomes 101.8. For IHD among black females, the observed SMR of 93.5 increases to 106.9 when half the excess deaths are included and 120.3 when all the excess deaths are included.

In summary, the large excess mortality assigned to other heart disease and ill-defined conditions makes it difficult to determine whether there is excess IHD mortality in Alabama (HSA 1). Among white females, it is clear that IHD mortality is no greater than mortality at the national level. For white males, the rates may be somewhat below but

are certainly not substantially higher than the national average.

Interpreting the heart disease rates for the black population in Alabama (HSA 1) is more difficult. The SMR's for IHD indicate that the rates are lower than the national average; however, some of the excess number of deaths coded as other heart disease and ill-defined conditions could, in fact, be IHD. Depending upon the differences in certification and diagnostic procedures between Alabama and other parts of the United States, the IHD rates for black persons in this HSA may be closer to (or even above) the national average.

One consequence of this analysis is that planners in the Alabama HSA may want to consult local authorities in heart disease mortality coding—clinicians, epidemiologists, and medical records specialists—to see whether

regional variation in coding or in actual disease rates has been previously documented. This problem seems to be widespread in Alabama. In Alabama (HSA 3), white male deaths were eight times more likely than the national average to be coded as ill-defined conditions. Thus regional variation in certification and diagnostic practices may yield differences in the observed disease rates. Some issues concerning death certification practices and the accuracy of diagnoses as potential sources of bias in heart disease mortality are presented in appendix I.

In general, the implication of these two examples is that planners should carefully examine total heart disease death rates as well as the cause-specific rates in order to get a complete picture of the heart disease problem in their communities.

SUMMARY

Heart disease is a major cause of death and disability in the United States. Furthermore, the economic costs associated with heart disease are enormous. In order for HSA's to become more involved with planning and evaluation of services that ultimately reduce the burden of this illness, baseline

data on the extent of the problem in each community are needed. This Note presents such baseline data in the form of age-sex-race specific mortality rates for ischemic heart disease, other heart diseases, and ill-defined conditions for all of the HSA's in the United States.

Some suggestions about the use of the data are also presented. Among these are: an examination of the SMR's for ischemic heart disease, other heart disease, and ill-defined conditions; an assessment of the stability of the SMR's and age-specific rates through the computation of confidence intervals; a calculation of the expected number of deaths (either excess or deficit) in the three categories; and a comparison of the local heart disease mortality rates with other HSA's in the country using the age-race-sex specific rates (table B) and the percentile distributions (tables E-G).

As seen in table A, heart disease mortality has been declining since 1968. Since the national rates are changing rapidly, it is important that health planners have information on trends in their local areas. State health departments may be able to provide the data necessary to determine whether the trends at the local level—for an HSA or its subareas—are similar to the current national pattern.

REFERENCES

- ¹National Center for Health Statistics: Cause-of-death data, by T. D. Woolsey. *Statistical Notes for Health Planners*. No. 6. DHEW Pub. No. (PHS) 78-1237. Public Health Service. Hyattsville, Md., Feb. 1978.
- ²Division of Vital Statistics, National Center for Health Statistics: *Chartbook for the Conference on the Decline in Coronary Heart Disease Mortality*. Public Health Service, Hyattsville, Md., Aug. 1978.
- ³National Center for Health Statistics: Limitation of activity due to chronic conditions: United States, 1974, by C. S. Wilder. *Vital and Health Statistics*. Series 10-No. 111. DHEW Pub. No. (HRA) 77-1537. Washington. U.S. Government Printing Office, June 1977.
- ⁴Paringer, L., and Berk, A.: *Cost of Illness and Disease in Fiscal 1975*. Report Number 2. Public Services Laboratory, Georgetown University, Washington, D.C., Jan. 4, 1977.
- ⁵Harris L. J., Keeler, E., Cretin, S., and Michnich, M.: *Algorithms for Health Planners*. Vol. 4, Heart Attack Mortality. R-2215/4-HEW. Santa Monica, Calif. Rand Corporation, Aug. 1977, p. iii.
- ⁶National Center for Health Statistics: Mortality, by J. C. Kleinman. *Statistical Notes for Health Planners*. No. 3. DHEW Pub. No. (HRA) 77-1237. Health Resources Administration. Rockville, Md., Feb. 1977.
- ⁷Division of Vital Statistics, Department of Public Health: *Alabama's Coroner System As It Related to Vital Statistics: A Report to the State Committee of Public Health*. Montgomery, Ala. Department of Public Health, May 7, 1976.
- ⁸Markush, R., Schaff, W., and Seigel, D.: The influence of the death certifier on the results of epidemiologic studies. *J. Natl. Med. Ass.*, 59(2):111, Mar. 1967.
- ⁹Acheson, R., Nefzger, D., and Heyman, A.: Mortality from stroke among U.S. veterans in Georgia and 5 western States. II. Quality of death certification and clinical records. *J. Chronic Dis.* 26:415, 1973.
- ¹⁰Kuller, L., Lilienfeld, A., and Fisher, R.: Quality of death certificate diagnoses of arteriosclerotic heart disease. *Public Health Rep.* 82(4):345, Apr. 1967.
- ¹¹James, G., Patton, R., and Heslin, A.: Accuracy of cause of death statements of death certificates. *Public Health Rep.* 70:39, 1955.
- ¹²Beadenkopf, W. M. et al.: An assessment of certain medical aspects of death certificate data for epidemiologic study of arteriosclerotic heart disease. *J. Chronic Dis.* 16:249-262, 1963.
- ¹³Sauer, H., and Enterline, P.: Are geographic variations in death rates for the cardiovascular diseases real? *J. Chronic Dis.* 10(6):513-524, 1959.
- ¹⁴Enterline, P., and Stewart, W.: Geographic patterns in deaths from CHD. *Public Health Rep.* 71:849, 1956.
- ¹⁵Moriyama, I. M., Dawber, T. R., and Kannel, W. B.: Evaluation of diagnostic information supporting medical certification of deaths from cardiovascular disease. *Natl. Cancer Inst. Monogr.* 19:405-419, Jan. 1966.

A CONSIDERATION OF DEATH CERTIFICATION PRACTICES AND ACCURACY OF DIAGNOSIS AS POTENTIAL SOURCES OF BIAS IN HEART DISEASE MORTALITY ASCERTAINMENT

Although ischemic heart disease death rates have traditionally been considered the most useful in assessing the burden of heart disease in a population, it was decided to include death rates for other heart disease and symptoms and ill-defined conditions. This decision was prompted by concern for several potential biases in the interpretation of regional differences in heart disease rates. In addition to "real" differences in mortality, regional variation in reported heart disease death rates may be due to (1) differences in the rate of autopsy; (2) differences in the percentage of deaths certified by medicolegal authorities (i.e., coroner) rather than by attending physicians; and (3) differences in the proportion of sudden, unexpected deaths. All of these factors in the process of certification of death may contribute to differences in the heart disease death rates by region or locality.

That is, autopsy studies have shown that some deaths recorded as heart disease cannot be verified as such by autopsy findings and other deaths attributed to nonheart disease causes disclose extensive heart disease pathology. These "inaccuracies" in death certificate diagnoses may vary by region or locality as well. The following brief literature review presents some of the studies that address these issues.

Certification Practices

There is some evidence that there may be difference in the process of certification of death in this country. For instance, in a 1976 presentation to the Alabama State Committee of Public Health it was reported that the percentages of deaths certified by coroners, who generally have little medical training, was 14.8 in Alabama.⁷ This is somewhat higher than the estimated 10 percent of all deaths certified by nonphysicians throughout the United

States. This fact becomes important when comparing the causes of death certified by coroners with the causes of death certified by physicians. In 1973, Alabama coroners attributed 40.5 percent of the 3,047 deaths they classified (excluding external causes) to the category symptoms and ill-defined conditions (ICDA 8th revision, 780-796), but physicians used this category for only 2.3 percent of the deaths they certified. The implication is that in areas that rely more heavily on coroner certification, cause-of-death patterns may differ from patterns in places where deaths are certified by physicians.

Markush et al. make a similar point in the discussion of death certification of arteriosclerotic heart disease (ICDA, 7th revision, 420). They suggest "that comparisons of populations with substantially different proportions of medicolegal deaths coroner certified risk distortions because of lack of comparability of diagnosis. . . ."⁸ In general, they feel that selected characteristics of the certifiers of death may yield certain biases in epidemiologic studies of mortality and should be studied more thoroughly.

When examining regional patterns of mortality from stroke among U.S. veterans, Acheson and coworkers found that the autopsy rate is lower in Georgia than in the western States of Colorado, Idaho, Montana, Utah, and Wyoming.⁹ Furthermore, in the West, death certificates were signed more often by physicians who were present during the course of the last illness episode.

If these regional differences are also true for heart disease, one would expect a slightly lower reporting of heart disease deaths in the South than in the West if the actual rates were exactly the same. (This hypothesis is based on the lower rate of autopsy and the higher rate

of non-physician death certification in Georgia.)

Kuller et al. are concerned with the process of death certification in cases of sudden death. They suggest that: "It is possible that geographic differences in arteriosclerotic heart disease [ICDA, 7th revision, 420] death rates may reflect differences in the frequency with which sudden deaths are certified as caused by arteriosclerotic heart disease.... Also within any geographic area, the relationship of arteriosclerotic heart disease death rates to such factors as socioeconomic status, race, and occupation may be affected by the proportion of sudden deaths certified as having been due to arteriosclerotic heart disease."¹⁰

Accuracy of Heart Disease Diagnosis

With regard to accuracy of diagnosis, there is also some evidence that there are variations among subcategories of diagnosis. For instance, James, Patton, and Heslin found that of the 276 deaths classified as coronary heart disease, on autopsy 75 (27 percent) were due to other causes.¹¹ However, 66 deaths attributed to other causes should have been classified as heart disease, a net change of 3.3 percent. Beadenkopf and his coworkers make a similar point in their study of 611 consecutively autopsied individuals (45 years of age and older) who died at Albany Medical Center Hospital, Albany, N.Y., between March 1955 and September 1957.¹² Autopsy findings confirmed 82 percent of the death certificates reporting arteriosclerotic heart disease. However, arteriosclerotic heart disease is listed on the death certificate for only 50 percent of the autopsied individuals with infarction or coronary thrombosis. Sauer and Enterline conclude that "in general, errors in cause-of-death entries on death certificates tend to be compensatory, so that for major groupings such as cardiovascular diseases or coronary heart disease net errors in the counts are possibly less than 7 percent."¹³

One factor that may play a part in accuracy of diagnoses is the difference in terminology used in certifying deaths, particularly in older age groups. A Public Health Service Study reported that such differences may be responsible for some of the heart disease

mortality differentials among regions of the country.¹⁴

In a survey study, Moriyama and his colleagues reviewed a national sample of 1,362 cardiovascular renal deaths.¹⁵ From information gained from questionnaires sent to medical certifiers, the researchers felt that 70-75 percent of cardiovascular diagnoses were probably correct. Within this general heading, 74 percent of the arteriosclerotic heart disease diagnoses seemed appropriate, but only about 50 percent of other heart disease diagnoses were considered to be reasonably supported by diagnostic information from questionnaire response.

The implication here is that heart disease diagnoses may not be very accurate. One quarter of the cardiovascular disease mortality in the United States cannot be verified through questionnaires; in particular, about half of the diagnoses of "other heart disease" cannot be confirmed using criteria established in this survey.

What are the implications of these studies for health planners and researchers? For local health planners in particular, caution must be exercised when comparing small area cause-specific mortality data with data from other regions of the country. Variation in death certification practices coupled with potential differences in accuracy of diagnosis may lead to "biased" estimates of cause-specific death rates. The solution is to aggregate categories. However, there is a price paid in lost precision; that is, not all people with ill-defined conditions have heart disease, and treating them as such may not be appropriate. As can be seen, there are trade-offs involved. If faced with these issues, planners may want to consider the pattern of rates—are all categories of heart disease death rates higher than the rates of a comparison group, or are some rates higher and others lower? Are the rates in the comparison population liable to be more "accurate"? That is, is the autopsy rate higher, or are a greater proportion of deaths certified by attending physicians? Finally, consultation with the local medical and epidemiologic experts might provide information about local variations in diagnosis or certification practices.

HEALTH SERVICE AREA CODES

The HSA codes as used in the following table have been modified to be consistent with county boundaries. As a result of the redefinition there are a total of 202 HSA's for which death rates have been computed.

The exceptions to the official HSA designations are as follows:

(a) The States requesting exemption from designating HSA's and the interstate HSA's are redefined as follows:

<i>Official HSA code</i>	<i>Redefined HSA code</i>
None	DE 01
None	DC 01
None	HI 01
None	RI 01
GA 01, TN 03.....	TN 03
GA 04, SC 05.....	GA 04
GA 05, AL 07.....	GA 05
IA 01, NE 04.....	IA 01
NE 03, IA 02.....	NE 03
IA 03, IL 10.....	IA 03
OH 01, KY 03.....	OH 01
ND 02, MN 01.....	ND 02
WI 07, MN 02.....	MN 02
ND 03, MN 03.....	ND 03
MO 01, KS 04.....	MO 01
MO 03, IL 11.....	MO 03
NY 04, PA 08.....	NY 04
TN 01, VA 06.....	TN 01

(b) HSA's officially listed as including parts of counties are redefined to include the following complete counties:

<i>Official HSA code</i>	<i>Counties included</i>
AK 01	All divisions in Alaska
AZ 01	Gila, Maricopa, Pinal
AZ 02	Cochise, Greenlee, Pima, Santa Cruz, Graham
AZ 03	Coconino, Yavapai, Apache, Navajo (includes AZ 04)
CT 01	Fairfield
CT 02	New Haven
CT 03	Middlesex, New London, Windham
CT 04	Hartford, Tolland
CT 05	Litchfield
IL 06	Area is not defined. Chicago is included in IL 07
IL 07	Cook, Dupage
MA 01	Berkshire, Franklin, Hampden, Hampshire
MA 02	Worcester
MA 03	Essex, Middlesex
MA 04	Norfolk, Suffolk
MA 05	Barnstable, Bristol, Dukes, Nantucket, Plymouth
MA 06	Area is not defined. The part counties of Essex and Middlesex are included in MA 03
NM 01	All counties in New Mexico (includes NM 02)
UT 01	All counties in Utah (includes UT 02)

Printout 1

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
AL	1	WM	RATE/10000	8.8	30.6	80.5	171.4	87.8
AL	1	WM	OBS DEATHS	146	444	858	1033	2481
AL	1	WF	RATE/10000	1.7	6.1	18.5	85.8	84.4
AL	1	WF	OBS DEATHS	28	91	218	652	989
AL	1	BM	RATE/10000	8.7	31.0	75.8	163.5	79.3
AL	1	BM	OBS DEATHS	10	36	75	115	236
AL	1	BF	RATE/10000	8.0	21.8	59.2	117.4	93.5
AL	1	BF	OBS DEATHS	12	30	71	109	222
AL	2	WM	RATE/10000	7.2	33.4	73.8	151.5	80.6
AL	2	WM	OBS DEATHS	26	118	233	296	673
AL	2	WF	RATE/10000	1.1	4.7	19.2	67.6	70.8
AL	2	WF	OBS DEATHS	4	17	66	165	252
AL	2	BM	RATE/10000	10.4	31.9	66.3	136.8	70.6
AL	2	BM	OBS DEATHS	11	35	74	113	233
AL	2	BF	RATE/10000	2.0	16.6	31.9	77.4	57.1
AL	2	BF	OBS DEATHS	3	23	45	83	154
AL	3	WM	RATE/10000	7.4	30.0	77.3	182.8	87.8
AL	3	WM	OBS DEATHS	116	466	950	1333	2865
AL	3	WF	RATE/10000	1.2	5.4	18.3	73.2	74.7
AL	3	WF	OBS DEATHS	21	91	262	730	1104
AL	3	BM	RATE/10000	6.0	24.1	48.4	133.4	59.5
AL	3	BM	OBS DEATHS	25	105	213	415	758
AL	3	BF	RATE/10000	5.7	13.8	39.2	80.2	62.7
AL	3	BF	OBS DEATHS	33	78	207	315	633
AL	4	WM	RATE/10000	8.5	40.2	95.0	187.3	100.7
AL	4	WM	OBS DEATHS	75	370	767	873	2085
AL	4	WF	RATE/10000	2.2	6.5	24.7	92.4	96.0
AL	4	WF	OBS DEATHS	21	66	227	561	875
AL	4	BM	RATE/10000	17.2	39.2	88.7	179.6	93.7
AL	4	BM	OBS DEATHS	26	58	127	155	366
AL	4	BF	RATE/10000	11.6	23.3	58.0	146.3	107.2
AL	4	BF	OBS DEATHS	23	44	98	171	336

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)- 35-74
NAME	-SEX							
AL	5	WM	RATE/10000	7.0	38.8	93.8	207.6	103.6
AL	5	WM	OBS DEATHS	76	406	770	956	2278
AL	5	WF	RATE/10000	1.4	5.1	22.3	86.6	87.4
AL	5	WF	OBS DEATHS	15	56	213	567	851
AL	5	BM	RATE/10000	12.6	33.6	73.3	169.0	82.1
AL	5	BM	OBS DEATHS	41	120	245	391	797
AL	5	BF	RATE/10000	7.7	22.3	41.2	102.9	78.4
AL	5	BF	OBS DEATHS	35	98	171	337	641
AL	6	WM	RATE/10000	8.4	34.9	99.7	209.6	105.1
AL	6	WM	OBS DEATHS	84	338	794	977	2193
AL	6	WF	RATE/10000	2.2	7.6	27.5	90.1	98.7
AL	6	WF	OBS DEATHS	23	79	245	535	882
AL	6	BM	RATE/10000	13.1	41.5	84.8	161.1	87.2
AL	6	BM	OBS DEATHS	52	170	338	451	1011
AL	6	BF	RATE/10000	7.4	22.2	54.0	109.7	87.6
AL	6	BF	OBS DEATHS	39	114	257	401	811
AK	1	WM	RATE/10000	5.5	25.4	72.7	174.7	78.8
AK	1	WM	OBS DEATHS	44	143	208	148	543
AK	1	WF	RATE/10000	1.0	3.9	17.8	69.2	66.2
AK	1	WF	OBS DEATHS	6	18	38	45	107
AK	1	BM	RATE/10000	7.1	37.5	112.5	296.3	99.8
AK	1	BM	OBS DEATHS	2	5	8	4	19
AK	1	BF	RATE/10000	0.0	9.7	0.0	67.3	24.1
AK	1	BF	OBS DEATHS	0	1	0	1	2
AZ	1	WM	RATE/10000	7.0	30.0	81.1	174.8	87.2
AZ	1	WM	OBS DEATHS	177	722	1473	2275	4647
AZ	1	WF	RATE/10000	1.2	4.8	21.5	67.2	72.9
AZ	1	WF	OBS DEATHS	31	125	452	1021	1629
AZ	1	BM	RATE/10000	5.4	25.2	90.6	182.1	84.3
AZ	1	BM	OBS DEATHS	4	16	50	65	135
AZ	1	BF	RATE/10000	6.2	10.0	39.4	117.1	73.9
AZ	1	BF	OBS DEATHS	5	7	22	40	74

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72-Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
AZ	2	WM	RATE/10000	6.5	26.9	81.4	165.9	83.4
AZ	2	WM	OBS DEATHS	66	271	653	956	1946
AZ	2	WF	RATE/10000	1.6	5.5	23.0	71.6	78.6
AZ	2	WF	OBS DEATHS	17	62	215	491	785
AZ	2	BM	RATE/10000	31.1	32.8	100.7	108.4	87.4
AZ	2	BM	OBS DEATHS	10	7	17	14	48
AZ	2	BF	RATE/10000	7.0	25.2	45.8	106.5	84.4
AZ	2	BF	OBS DEATHS	2	6	9	15	32
AZ	3	WM	RATE/10000	7.4	31.5	71.9	175.5	84.7
AZ	3	WM	OBS DEATHS	18	76	159	272	525
AZ	3	WF	RATE/10000	0.0	4.6	16.9	76.5	72.9
AZ	3	WF	OBS DEATHS	0	12	39	113	164
AZ	3	BM	RATE/10000	0.0	0.0	74.1	238.1	74.7
AZ	3	BM	OBS DEATHS	0	0	4	6	10
AZ	3	BF	RATE/10000	0.0	17.6	0.0	217.9	82.7
AZ	3	BF	OBS DEATHS	0	1	0	5	6
AZ	5	WM	RATE/10000	10.9	33.6	91.6	180.2	95.3
AZ	5	WM	OBS DEATHS	22	70	167	218	477
AZ	5	WF	RATE/10000	1.5	8.0	28.2	78.8	92.4
AZ	5	WF	OBS DEATHS	3	17	50	82	152
AZ	5	BM	RATE/10000	0.0	53.8	123.5	228.8	115.5
AZ	5	BM	OBS DEATHS	0	3	5	7	15
AZ	5	BF	RATE/10000	22.2	24.7	79.4	123.5	122.8
AZ	5	BF	OBS DEATHS	1	1	2	2	6
AR	1	WM	RATE/10000	8.2	32.9	80.7	171.7	87.5
AR	1	WM	OBS DEATHS	96	416	1009	1637	3158
AR	1	WF	RATE/10000	1.4	5.4	22.2	75.6	80.2
AR	1	WF	OBS DEATHS	18	73	311	837	1239
AR	1	BM	RATE/10000	16.3	33.7	80.3	213.5	97.0
AR	1	BM	OBS DEATHS	6	14	40	76	136
AR	1	BF	RATE/10000	10.5	23.8	49.2	147.5	102.4
AR	1	BF	OBS DEATHS	5	13	28	71	117

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
AR	2	WM	RATE/10000	11.3	35.1	82.9	174.1	91.1
AR	2	WM	OBS DEATHS	107	343	776	1119	2345
AR	2	WF	RATE/10000	1.4	6.5	20.2	77.2	80.4
AR	2	WF	OBS DEATHS	14	68	208	560	850
AR	2	BM	RATE/10000	10.9	32.7	61.7	131.2	67.8
AR	2	BM	OBS DEATHS	15	53	118	224	410
AR	2	BF	RATE/10000	11.6	18.4	43.0	99.7	77.2
AR	2	BF	OBS DEATHS	23	40	96	190	349
AR	3	WM	RATE/10000	8.9	33.3	102.2	194.3	102.1
AR	3	WM	OBS DEATHS	76	283	660	738	1757
AR	3	WF	RATE/10000	1.3	7.4	21.5	81.8	85.9
AR	3	WF	OBS DEATHS	12	65	157	413	647
AR	3	BM	RATE/10000	18.3	51.6	96.1	193.5	104.1
AR	3	BM	OBS DEATHS	23	67	119	188	397
AR	3	BF	RATE/10000	6.3	27.7	64.6	142.0	108.0
AR	3	BF	OBS DEATHS	10	44	97	173	324
AR	4	WM	RATE/10000	9.8	37.4	92.1	176.0	95.5
AR	4	WM	OBS DEATHS	71	293	683	852	1899
AR	4	WF	RATE/10000	1.1	7.1	23.9	84.7	89.6
AR	4	WF	OBS DEATHS	9	61	194	501	765
AR	4	BM	RATE/10000	7.8	37.5	73.3	161.3	80.5
AR	4	BM	OBS DEATHS	17	92	199	395	703
AR	4	BF	RATE/10000	2.7	22.5	52.3	116.5	86.9
AR	4	BF	OBS DEATHS	8	70	174	340	592
CA	1	WM	RATE/10000	7.9	29.8	86.2	186.6	92.2
CA	1	WM	OBS DEATHS	93	382	1000	1475	2950
CA	1	WF	RATE/10000	1.3	7.0	25.4	83.1	90.2
CA	1	WF	OBS DEATHS	16	93	292	654	1055
CA	1	BM	RATE/10000	0.0	27.3	103.4	133.7	75.7
CA	1	BM	OBS DEATHS	0	3	10	8	21
CA	1	BF	RATE/10000	0.0	19.1	46.9	58.0	58.2
CA	1	BF	OBS DEATHS	0	2	3	3	8

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR			35-44	45-54	55-64	65-74	(SMR)	
NAME	-SEX						35-74	
CA	2	WM	RATE/10000	8.4	34.2	87.5	210.6	100.3
CA	2	WM	OBS DEATHS	198	813	1460	1979	4450
CA	2	WF	RATE/10000	1.4	6.8	24.7	81.3	88.3
CA	2	WF	OBS DEATHS	33	164	429	886	1512
CA	2	BM	RATE/10000	10.9	29.9	76.6	186.2	82.1
CA	2	BM	OBS DEATHS	13	26	38	45	122
CA	2	BF	RATE/10000	2.7	21.8	41.9	78.5	68.7
CA	2	BF	OBS DEATHS	3	17	19	19	58
CA	3	WM	RATE/10000	8.6	28.1	76.8	185.0	88.0
CA	3	WM	OBS DEATHS	87	298	635	1110	2130
CA	3	WF	RATE/10000	1.5	5.2	22.0	77.2	81.0
CA	3	WF	OBS DEATHS	16	57	200	531	804
CA	3	BM	RATE/10000	1.9	17.8	66.2	151.3	59.0
CA	3	BM	OBS DEATHS	1	7	16	16	40
CA	3	BF	RATE/10000	6.3	2.4	35.1	67.3	47.7
CA	3	BF	OBS DEATHS	3	1	8	7	19
CA	4	WM	RATE/10000	6.8	28.9	82.9	182.0	89.0
CA	4	WM	OBS DEATHS	227	1013	2348	3050	6638
CA	4	WF	RATE/10000	1.0	5.2	23.1	81.2	84.3
CA	4	WF	OBS DEATHS	33	197	747	1859	2836
CA	4	BM	RATE/10000	11.5	36.3	72.7	144.7	78.2
CA	4	BM	OBS DEATHS	39	108	132	115	394
CA	4	BF	RATE/10000	3.5	13.8	44.1	105.3	71.7
CA	4	BF	OBS DEATHS	12	44	89	103	248
CA	5	WM	RATE/10000	6.4	28.6	77.8	193.7	89.0
CA	5	WM	OBS DEATHS	229	1071	2018	2683	6001
CA	5	WF	RATE/10000	1.0	5.7	25.1	86.0	89.8
CA	5	WF	OBS DEATHS	38	219	698	1629	2584
CA	5	BM	RATE/10000	11.4	33.5	90.9	157.1	85.0
CA	5	BM	OBS DEATHS	52	162	290	242	746
CA	5	BF	RATE/10000	3.9	16.4	44.9	116.3	78.5
CA	5	BF	OBS DEATHS	21	88	149	204	462

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
CA	6	WM	RATE/10000	7.3	28.7	77.4	185.8	87.9
CA	6	WM	OBS DEATHS	108	440	960	1446	2954
CA	6	WF	RATE/10000	1.4	6.0	24.2	84.9	89.2
CA	6	WF	OBS DEATHS	22	96	304	728	1150
CA	6	BM	RATE/10000	21.0	42.8	94.4	126.9	88.3
CA	6	BM	OBS DEATHS	12	23	40	33	108
CA	6	BF	RATE/10000	7.4	12.1	50.4	104.6	78.0
CA	6	BF	OBS DEATHS	4	6	19	25	54
CA	7	WM	RATE/10000	5.9	24.5	71.1	168.9	78.2
CA	7	WM	OBS DEATHS	167	607	1005	1170	2949
CA	7	WF	RATE/10000	0.7	4.8	20.2	67.9	71.3
CA	7	WF	OBS DEATHS	21	120	310	652	1103
CA	7	BM	RATE/10000	8.4	32.5	78.8	148.1	75.5
CA	7	BM	OBS DEATHS	4	9	10	9	32
CA	7	BF	RATE/10000	2.4	4.7	28.8	96.0	49.0
CA	7	BF	OBS DEATHS	1	1	4	7	13
CA	8	WM	RATE/10000	6.3	29.5	75.2	171.3	83.7
CA	8	WM	OBS DEATHS	65	312	655	1081	2113
CA	8	WF	RATE/10000	0.9	4.7	20.9	72.5	75.5
CA	8	WF	OBS DEATHS	9	52	203	564	828
CA	8	BM	RATE/10000	0.0	27.7	61.3	170.9	60.4
CA	8	BM	OBS DEATHS	0	10	9	9	28
CA	8	BF	RATE/10000	5.8	5.0	43.9	142.2	75.9
CA	8	BF	OBS DEATHS	2	1	5	8	16
CA	9	WM	RATE/10000	7.4	30.9	80.7	188.8	90.9
CA	9	WM	OBS DEATHS	173	729	1527	2132	4561
CA	9	WF	RATE/10000	1.5	6.8	24.6	86.4	91.6
CA	9	WF	OBS DEATHS	38	169	479	1094	1780
CA	9	BM	RATE/10000	17.0	50.9	85.3	189.2	98.9
CA	9	BM	OBS DEATHS	15	47	75	118	255
CA	9	BF	RATE/10000	2.7	20.1	61.7	87.9	80.3
CA	9	BF	OBS DEATHS	3	21	55	51	130

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72-Con.

HSA COLOR								(SMR)
NAME -SEX				35-44	45-54	55-64	65-74	35-74
CA	10	WM	RATE/10000	6.9	28.4	79.7	168.5	84.5
CA	10	WM	OBS DEATHS	119	413	725	961	2218
CA	10	WF	RATE/10000	1.3	4.7	21.3	74.0	77.3
CA	10	WF	OBS DEATHS	22	68	217	554	861
CA	10	BM	RATE/10000	8.8	49.2	145.3	320.2	134.3
CA	10	BM	OBS DEATHS	3	10	17	17	47
CA	10	BF	RATE/10000	3.2	15.4	14.9	100.4	55.6
CA	10	BF	OBS DEATHS	1	3	2	8	14
CA	11	WM	RATE/10000	8.0	32.7	90.2	208.1	99.8
CA	11	WM	OBS DEATHS	1299	5429	11035	13838	31601
CA	11	WF	RATE/10000	1.6	7.6	28.2	91.8	99.7
CA	11	WF	OBS DEATHS	268	1347	3852	8866	14333
CA	11	BM	RATE/10000	11.2	38.5	86.1	169.8	88.0
CA	11	BM	OBS DEATHS	220	605	853	812	2490
CA	11	BF	RATE/10000	5.1	17.1	47.2	117.7	82.1
CA	11	BF	OBS DEATHS	110	299	570	815	1794
CA	12	WM	RATE/10000	8.0	30.1	81.0	166.5	85.3
CA	12	WM	OBS DEATHS	213	773	1644	2695	5325
CA	12	WF	RATE/10000	1.3	5.7	24.5	71.4	79.4
CA	12	WF	OBS DEATHS	34	156	575	1370	2135
CA	12	BM	RATE/10000	8.8	21.3	68.2	123.9	63.1
CA	12	BM	OBS DEATHS	11	19	41	47	118
CA	12	BF	RATE/10000	3.3	12.2	43.3	83.7	63.5
CA	12	BF	OBS DEATHS	4	11	30	38	83
CA	13	WM	RATE/10000	7.4	27.8	79.3	186.6	87.9
CA	13	WM	OBS DEATHS	306	993	1459	2002	4760
CA	13	WF	RATE/10000	1.5	4.9	23.0	76.4	80.7
CA	13	WF	OBS DEATHS	60	171	474	1219	1924
CA	13	BM	RATE/10000	3.8	42.7	0.0	242.4	65.8
CA	13	BM	OBS DEATHS	1	6	0	6	13
CA	13	BF	RATE/10000	0.0	14.3	47.8	185.2	86.1
CA	13	BF	OBS DEATHS	0	2	4	6	12

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
CA	14	WM	RATE/10000	6.4	26.7	77.2	170.9	83.0
CA	14	WM	OBS DEATHS	210	846	1701	2527	5284
CA	14	WF	RATE/10000	1.2	4.9	21.7	75.5	78.8
CA	14	WF	OBS DEATHS	38	167	549	1412	2166
CA	14	BM	RATE/10000	9.3	24.8	76.8	145.4	71.4
CA	14	BM	OBS DEATHS	14	27	48	46	135
CA	14	BF	RATE/10000	3.3	14.3	38.4	85.8	63.0
CA	14	BF	OBS DEATHS	5	16	28	35	84
CO	1	WM	RATE/10000	6.0	28.9	72.9	167.2	81.5
CO	1	WM	OBS DEATHS	223	990	1720	2310	5243
CO	1	WF	RATE/10000	1.2	4.8	20.4	77.2	78.7
CO	1	WF	OBS DEATHS	48	171	533	1399	2151
CO	1	BM	RATE/10000	5.2	31.0	94.6	212.7	89.5
CO	1	BM	OBS DEATHS	7	31	56	65	159
CO	1	BF	RATE/10000	2.1	10.1	33.7	127.4	70.1
CO	1	BF	OBS DEATHS	3	11	23	58	95
CO	2	WM	RATE/10000	5.9	28.1	71.1	164.9	79.9
CO	2	WM	OBS DEATHS	73	317	605	879	1874
CO	2	WF	RATE/10000	1.3	5.8	19.8	75.4	78.1
CO	2	WF	OBS DEATHS	16	68	180	485	749
CO	2	BM	RATE/10000	7.6	30.0	37.5	267.5	77.0
CO	2	BM	OBS DEATHS	3	6	4	13	26
CO	2	BF	RATE/10000	3.3	0.0	56.3	144.1	82.4
CO	2	BF	OBS DEATHS	1	0	6	12	19
CO	3	WM	RATE/10000	8.5	26.8	65.2	166.2	78.5
CO	3	WM	OBS DEATHS	40	127	275	427	869
CO	3	WF	RATE/10000	0.8	4.7	18.0	68.5	69.9
CO	3	WF	OBS DEATHS	4	23	74	188	289
CO	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
CO	3	BM	OBS DEATHS	0	0	0	0	0
CO	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
CO	3	BF	OBS DEATHS	0	0	0	0	0

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR							(SMR)
NAME	-SEX	35-44	45-54	55-64	65-74	35-74	
CT	1 WM	RATE/10000	6.3	27.3	77.9	192.9	88.0
CT	1 WM	OBS DEATHS	128	599	1256	1570	3553
CT	1 WF	RATE/10000	1.1	5.1	22.3	88.6	87.9
CT	1 WF	OBS DEATHS	23	119	384	1003	1529
CT	1 BM	RATE/10000	6.0	32.4	88.7	142.1	77.1
CT	1 BM	OBS DEATHS	8	33	57	44	142
CT	1 BF	RATE/10000	4.5	17.6	43.3	83.6	69.2
CT	1 BF	OBS DEATHS	7	22	36	37	102
CT	2 WM	RATE/10000	7.8	34.0	89.0	217.9	102.1
CT	2 WM	OBS DEATHS	131	664	1286	1817	3898
CT	2 WF	RATE/10000	1.5	6.5	27.7	106.4	107.6
CT	2 WF	OBS DEATHS	27	137	453	1231	1848
CT	2 BM	RATE/10000	15.4	48.8	102.8	194.9	106.8
CT	2 BM	OBS DEATHS	19	47	55	57	178
CT	2 BF	RATE/10000	5.9	18.7	60.8	112.4	89.8
CT	2 BF	OBS DEATHS	9	21	40	43	113
CT	3 WM	RATE/10000	8.7	30.8	87.5	197.6	96.0
CT	3 WM	OBS DEATHS	90	320	691	921	2022
CT	3 WF	RATE/10000	1.2	5.6	23.7	94.7	94.5
CT	3 WF	OBS DEATHS	12	62	202	576	852
CT	3 BM	RATE/10000	20.3	33.8	135.5	137.8	103.2
CT	3 BM	OBS DEATHS	6	7	15	8	36
CT	3 BF	RATE/10000	3.4	36.6	26.6	138.0	94.4
CT	3 BF	OBS DEATHS	1	8	3	10	22
CT	4 WM	RATE/10000	7.3	27.8	77.1	192.7	88.5
CT	4 WM	OBS DEATHS	164	668	1327	1765	3924
CT	4 WF	RATE/10000	1.3	6.0	21.5	96.7	94.1
CT	4 WF	OBS DEATHS	31	150	400	1227	1808
CT	4 BM	RATE/10000	7.5	28.6	80.9	115.7	68.5
CT	4 BM	OBS DEATHS	17	30	46	34	120
CT	4 BF	RATE/10000	4.8	16.6	46.5	101.2	75.6
CT	4 BF	OBS DEATHS	7	18	29	40	94

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
CT	5	WM	RATE/10000	4.8	29.6	77.7	167.8	83.3
CT	5	WM	OBS DEATHS	17	114	249	321	701
CT	5	WF	RATE/10000	1.7	4.5	20.3	101.8	95.2
CT	5	WF	OBS DEATHS	6	19	71	244	340
CT	5	BM	RATE/10000	0.0	0.0	128.2	65.4	58.8
CT	5	BM	OBS DEATHS	0	0	3	1	4
CT	5	BF	RATE/10000	31.3	0.0	65.4	317.5	168.2
CT	5	BF	OBS DEATHS	1	0	2	4	7
DE	1	WM	RATE/10000	9.0	37.2	104.9	252.9	117.6
DE	1	WM	OBS DEATHS	115	459	878	1153	2605
DE	1	WF	RATE/10000	2.6	8.7	34.4	118.6	126.4
DE	1	WF	OBS DEATHS	34	112	315	733	1194
DE	1	BM	RATE/10000	14.9	56.7	148.7	314.0	149.3
DE	1	BM	OBS DEATHS	26	89	173	208	496
DE	1	BF	RATE/10000	9.6	32.9	86.5	151.7	130.6
DE	1	BF	OBS DEATHS	19	56	107	119	301
DC	1	WM	RATE/10000	9.3	42.4	100.2	213.3	108.9
DC	1	WM	OBS DEATHS	45	216	569	854	1684
DC	1	WF	RATE/10000	2.5	7.3	25.1	85.4	91.7
DC	1	WF	OBS DEATHS	11	47	202	586	846
DC	1	BM	RATE/10000	13.0	49.0	106.8	208.3	109.0
DC	1	BM	OBS DEATHS	173	578	883	807	2441
DC	1	BF	RATE/10000	6.8	23.0	52.9	137.2	97.7
DC	1	BF	OBS DEATHS	103	322	512	727	1664
FL	1	WM	RATE/10000	7.3	34.6	89.6	180.0	94.2
FL	1	WM	OBS DEATHS	102	441	817	923	2283
FL	1	WF	RATE/10000	2.1	7.7	25.9	83.0	92.9
FL	1	WF	OBS DEATHS	31	103	260	536	930
FL	1	BM	RATE/10000	7.3	39.8	76.9	180.4	85.7
FL	1	BM	OBS DEATHS	19	101	179	240	539
FL	1	BF	RATE/10000	7.4	26.5	60.7	126.4	100.5
FL	1	BF	OBS DEATHS	25	83	166	240	514

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
FL	2	WM	RATE/10000	8.9	36.5	83.4	163.5	87.1
FL	2	WM	OBS DEATHS	66	277	609	1078	2030
FL	2	WF	RATE/10000	1.3	7.1	22.2	67.5	75.7
FL	2	WF	OBS DEATHS	10	59	192	485	746
FL	2	BM	RATE/10000	7.3	32.6	75.4	155.8	77.5
FL	2	BM	OBS DEATHS	13	58	122	174	367
FL	2	BF	RATE/10000	2.9	19.5	68.8	134.0	100.8
FL	2	BF	OBS DEATHS	6	39	125	173	343
FL	3	WM	RATE/10000	10.1	36.7	98.9	200.4	104.8
FL	3	WM	OBS DEATHS	129	456	837	938	2360
FL	3	WF	RATE/10000	2.3	7.3	26.4	95.0	100.8
FL	3	WF	OBS DEATHS	31	95	257	609	992
FL	3	BM	RATE/10000	10.6	43.0	95.0	190.6	97.3
FL	3	BM	OBS DEATHS	29	119	213	274	635
FL	3	BF	RATE/10000	6.3	20.0	75.2	136.7	107.3
FL	3	BF	OBS DEATHS	22	67	202	251	542
FL	4	WM	RATE/10000	7.4	31.0	89.7	166.4	86.4
FL	4	WM	OBS DEATHS	161	750	2195	5256	8362
FL	4	WF	RATE/10000	1.3	6.3	21.8	66.6	73.0
FL	4	WF	OBS DEATHS	30	178	742	2571	3521
FL	4	BM	RATE/10000	12.0	42.5	103.2	154.3	92.3
FL	4	BM	OBS DEATHS	32	98	201	197	528
FL	4	BF	RATE/10000	7.5	23.5	64.2	141.7	106.4
FL	4	BF	OBS DEATHS	24	64	147	213	448
FL	5	WM	RATE/10000	8.3	31.2	92.5	181.7	93.5
FL	5	WM	OBS DEATHS	168	608	1212	1967	3955
FL	5	WF	RATE/10000	1.1	5.7	24.1	74.6	81.0
FL	5	WF	OBS DEATHS	23	115	383	1036	1557
FL	5	BM	RATE/10000	7.3	32.7	121.3	227.1	108.2
FL	5	BM	OBS DEATHS	17	65	194	234	510
FL	5	BF	RATE/10000	7.4	22.2	70.8	153.0	113.2
FL	5	BF	OBS DEATHS	20	49	131	189	389

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR						(SMR)	
NAME	-SEX	35-44	45-54	55-64	65-74	35-74	
FL 6	WM	RATE/10000	8.1	32.0	81.1	149.8	79.5
FL 6	WM	OBS DEATHS	90	383	1083	2307	3863
FL 6	WF	RATE/10000	1.1	5.7	21.2	61.4	68.5
FL 6	WF	OBS DEATHS	13	78	373	1009	1473
FL 6	BM	RATE/10000	9.4	33.8	93.1	161.0	85.8
FL 6	BM	OBS DEATHS	17	54	125	126	322
FL 6	BF	RATE/10000	7.4	23.1	73.6	129.8	107.2
FL 6	BF	OBS DEATHS	14	36	94	105	249
FL 7	WM	RATE/10000	8.1	28.0	81.1	147.4	77.9
FL 7	WM	OBS DEATHS	70	257	752	1572	2651
FL 7	WF	RATE/10000	1.8	5.8	21.8	60.2	68.5
FL 7	WF	OBS DEATHS	16	62	272	731	1081
FL 7	BM	RATE/10000	10.6	41.2	92.1	169.2	90.9
FL 7	BM	OBS DEATHS	22	72	130	133	357
FL 7	BF	RATE/10000	6.6	22.0	73.4	126.3	104.9
FL 7	BF	OBS DEATHS	15	40	105	104	264
FL 8	WM	RATE/10000	7.8	32.3	85.0	154.1	81.9
FL 8	WM	OBS DEATHS	97	440	1166	2528	4231
FL 8	WF	RATE/10000	1.0	5.3	17.6	62.9	66.5
FL 8	WF	OBS DEATHS	14	85	336	1151	1586
FL 8	BM	RATE/10000	12.0	42.0	97.9	151.0	91.2
FL 8	BM	OBS DEATHS	22	56	88	68	234
FL 8	BF	RATE/10000	6.2	30.2	69.5	144.0	114.7
FL 8	BF	OBS DEATHS	13	44	72	71	200
FL 9	WM	RATE/10000	7.2	31.5	82.2	188.9	91.8
FL 9	WM	OBS DEATHS	215	982	2105	4009	7311
FL 9	WF	RATE/10000	1.5	6.1	21.3	79.5	83.0
FL 9	WF	OBS DEATHS	48	213	679	2214	3154
FL 9	BM	RATE/10000	10.1	32.2	92.0	160.2	84.3
FL 9	BM	OBS DEATHS	48	117	225	201	591
FL 9	BF	RATE/10000	6.9	20.3	54.0	132.0	94.8
FL 9	BF	OBS DEATHS	38	82	151	207	478

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
GA	2	WM	RATE/10000	9.9	36.9	91.3	204.3	102.4
GA	2	WM	OBS DEATHS	110	388	798	1022	2318
GA	2	WF	RATE/10000	1.7	6.2	24.4	80.1	86.7
GA	2	WF	OBS DEATHS	20	71	239	518	848
GA	2	BM	RATE/10000	22.1	41.7	132.4	205.3	118.7
GA	2	BM	OBS DEATHS	17	31	86	74	208
GA	2	BF	RATE/10000	9.1	34.0	65.4	142.7	115.1
GA	2	BF	OBS DEATHS	9	31	54	74	168
GA	3	WM	RATE/10000	9.6	38.3	102.3	208.0	108.6
GA	3	WM	OBS DEATHS	378	1335	2425	2496	6634
GA	3	WF	RATE/10000	1.6	6.2	24.9	85.9	90.9
GA	3	WF	OBS DEATHS	62	224	678	1512	2476
GA	3	BM	RATE/10000	14.6	49.5	119.0	200.3	112.7
GA	3	BM	OBS DEATHS	124	349	674	621	1768
GA	3	BF	RATE/10000	10.6	27.9	70.3	132.2	111.7
GA	3	BF	OBS DEATHS	111	246	514	630	1501
GA	4	WM	RATE/10000	11.9	47.6	111.5	243.5	125.3
GA	4	WM	OBS DEATHS	118	440	772	910	2240
GA	4	WF	RATE/10000	2.4	8.3	31.7	108.5	116.1
GA	4	WF	OBS DEATHS	24	80	252	584	940
GA	4	BM	RATE/10000	17.5	55.8	119.6	222.9	121.1
GA	4	BM	OBS DEATHS	52	164	314	361	891
GA	4	BF	RATE/10000	12.1	27.8	77.3	157.8	124.6
GA	4	BF	OBS DEATHS	46	103	253	375	777
GA	5	WM	RATE/10000	10.0	45.7	116.6	226.9	122.1
GA	5	WM	OBS DEATHS	124	561	1034	1046	2765
GA	5	WF	RATE/10000	2.1	7.7	27.6	89.4	98.4
GA	5	WF	OBS DEATHS	27	99	278	605	1309
GA	5	BM	RATE/10000	22.1	50.5	112.2	215.6	116.9
GA	5	BM	OBS DEATHS	107	234	447	517	1305
GA	5	BF	RATE/10000	8.7	28.4	62.2	134.1	106.1
GA	5	BF	OBS DEATHS	54	163	312	481	1010

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
GA	6	WM	RATE/10000	10.1	46.8	107.9	212.9	115.5
GA	6	WM	OBS DEATHS	79	367	693	764	1903
GA	6	WF	RATE/10000	1.7	7.4	24.8	84.6	91.4
GA	6	WF	OBS DEATHS	14	62	178	416	670
GA	6	BM	RATE/10000	9.2	38.5	92.6	187.5	93.7
GA	6	BM	OBS DEATHS	26	114	254	348	742
GA	6	BF	RATE/10000	8.0	22.2	62.1	123.1	97.4
GA	6	BF	OBS DEATHS	31	84	216	329	660
GA	7	WM	RATE/10000	9.7	47.8	119.2	233.8	125.1
GA	7	WM	OBS DEATHS	88	428	855	883	2254
GA	7	WF	RATE/10000	2.1	10.3	28.4	98.8	108.4
GA	7	WF	OBS DEATHS	19	97	223	515	854
GA	7	BM	RATE/10000	14.3	34.9	95.9	180.3	93.6
GA	7	BM	OBS DEATHS	43	104	249	291	684
GA	7	BF	RATE/10000	5.5	27.4	59.7	132.4	101.6
GA	7	BF	OBS DEATHS	20	98	179	287	584
HI	1	WM	RATE/10000	5.9	31.7	77.3	159.6	83.6
HI	1	WM	OBS DEATHS	50	208	297	276	831
HI	1	WF	RATE/10000	1.9	5.7	24.3	69.2	80.6
HI	1	WF	OBS DEATHS	14	33	87	137	271
HI	1	BM	RATE/10000	19.5	21.8	71.7	289.9	93.8
HI	1	BM	OBS DEATHS	4	2	3	3	12
HI	1	BF	RATE/10000	0.0	0.0	117.0	0.0	51.0
HI	1	BF	OBS DEATHS	0	0	2	0	2
ID	1	WM	RATE/10000	5.7	26.9	74.0	162.3	79.8
ID	1	WM	OBS DEATHS	93	458	1092	1402	3045
ID	1	WF	RATE/10000	1.2	5.6	22.3	71.8	77.8
ID	1	WF	OBS DEATHS	20	98	320	668	1106
ID	1	BM	RATE/10000	0.0	0.0	123.5	148.1	70.6
ID	1	BM	OBS DEATHS	0	0	3	2	5
ID	1	BF	RATE/10000	0.0	0.0	39.7	92.6	51.5
ID	1	BF	OBS DEATHS	0	0	1	1	2

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME -SEX								35-74
IL	1	WM	RATE/10000	7.8	29.4	86.1	203.8	95.8
IL	1	WM	OBS DEATHS	106	397	907	1294	2704
IL	1	WF	RATE/10000	1.3	6.2	29.5	94.4	100.6
IL	1	WF	OBS DEATHS	18	87	325	758	1188
IL	1	BM	RATE/10000	6.7	26.9	71.0	223.1	83.2
IL	1	BM	OBS DEATHS	3	9	14	25	51
IL	1	BF	RATE/10000	4.1	2.9	56.0	134.4	78.1
IL	1	BF	OBS DEATHS	2	1	13	15	31
IL	2	WM	RATE/10000	8.6	33.2	92.9	211.5	102.3
IL	2	WM	OBS DEATHS	140	556	1344	1918	3958
IL	2	WF	RATE/10000	1.5	7.9	26.7	98.6	103.1
IL	2	WF	OBS DEATHS	25	141	411	1138	1715
IL	2	BM	RATE/10000	2.9	49.4	72.2	195.2	89.2
IL	2	BM	OBS DEATHS	1	16	17	26	60
IL	2	BF	RATE/10000	2.4	8.5	66.5	90.3	74.7
IL	2	BF	OBS DEATHS	1	3	17	15	36
IL	3	WM	RATE/10000	6.7	33.0	100.0	225.3	107.6
IL	3	WM	OBS DEATHS	84	448	1235	1936	3703
IL	3	WF	RATE/10000	1.2	6.8	29.6	97.6	103.6
IL	3	WF	OBS DEATHS	16	102	408	1104	1630
IL	3	BM	RATE/10000	9.3	51.5	166.1	279.5	145.7
IL	3	BM	OBS DEATHS	2	11	34	40	87
IL	3	BF	RATE/10000	15.4	22.3	55.7	160.0	112.3
IL	3	BF	OBS DEATHS	4	6	14	28	52
IL	4	WM	RATE/10000	6.6	31.6	91.9	203.1	98.3
IL	4	WM	OBS DEATHS	112	541	1269	1804	3726
IL	4	WF	RATE/10000	1.3	6.3	24.8	94.3	96.5
IL	4	WF	OBS DEATHS	23	114	379	1133	1649
IL	4	BM	RATE/10000	10.1	35.9	107.9	241.9	107.6
IL	4	BM	OBS DEATHS	6	18	37	48	109
IL	4	BF	RATE/10000	4.5	13.2	47.6	153.8	90.8
IL	4	BF	OBS DEATHS	3	7	19	36	65

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
IL	5	WM	RATE/10000	8.5	35.2	96.6	230.0	109.2
IL	5	WM	OBS DEATHS	105	500	1342	2328	4275
IL	5	WF	RATE/10000	1.6	8.0	29.2	103.6	109.1
IL	5	WF	OBS DEATHS	21	126	447	1307	1901
IL	5	BM	RATE/10000	8.7	45.4	110.5	209.9	107.8
IL	5	BM	OBS DEATHS	3	15	38	65	121
IL	5	BF	RATE/10000	3.1	19.7	75.7	146.8	110.3
IL	5	BF	OBS DEATHS	1	8	32	58	99
IL	7	WM	RATE/10000	10.4	41.6	107.7	251.3	121.5
IL	7	WM	OBS DEATHS	1291	5515	11307	14263	32376
IL	7	WF	RATE/10000	2.4	9.4	34.9	127.2	132.9
IL	7	WF	OBS DEATHS	306	1330	4107	9844	15587
IL	7	BM	RATE/10000	24.0	58.6	115.8	206.2	123.1
IL	7	BM	OBS DEATHS	690	1355	1747	1851	5643
IL	7	BF	RATE/10000	9.1	24.1	67.7	147.3	112.4
IL	7	BF	OBS DEATHS	313	628	1193	1626	3760
IL	8	WM	RATE/10000	7.2	32.0	89.0	208.4	98.6
IL	8	WM	OBS DEATHS	137	564	1098	1446	3245
IL	8	WF	RATE/10000	1.5	7.5	25.7	98.7	101.7
IL	8	WF	OBS DEATHS	29	133	340	839	1341
IL	8	BM	RATE/10000	15.8	38.4	60.3	172.0	83.5
IL	8	BM	OBS DEATHS	11	19	17	25	72
IL	8	BF	RATE/10000	4.3	13.4	48.2	172.2	94.9
IL	8	BF	OBS DEATHS	3	7	16	32	58
IL	9	WM	RATE/10000	7.4	37.7	83.9	223.9	103.0
IL	9	WM	OBS DEATHS	73	351	578	846	1848
IL	9	WF	RATE/10000	1.6	7.8	23.4	103.4	103.0
IL	9	WF	OBS DEATHS	15	72	165	491	743
IL	9	BM	RATE/10000	6.1	30.5	77.0	168.5	77.6
IL	9	BM	OBS DEATHS	5	17	31	42	95
IL	9	BF	RATE/10000	4.8	20.8	44.7	133.5	89.3
IL	9	BF	OBS DEATHS	3	11	18	37	69

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72-Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME -SEX								35-74
IN	1	WM	RATE/10000	8.3	34.7	93.8	211.5	103.1
IN	1	WM	OBS DEATHS	361	1513	3109	4009	8992
IN	1	WF	RATE/10000	1.5	6.9	26.6	97.8	101.4
IN	1	WF	OBS DEATHS	67	319	934	2345	3665
IN	1	BM	RATE/10000	12.7	41.2	93.7	232.6	195.0
IN	1	BM	OBS DEATHS	49	137	206	297	689
IN	1	BF	RATE/10000	7.9	24.0	67.5	158.4	114.6
IN	1	BF	OBS DEATHS	36	83	155	221	495
IN	2	WM	RATE/10000	8.3	33.4	91.5	210.8	101.5
IN	2	WM	OBS DEATHS	402	1562	3224	4299	9487
IN	2	WF	RATE/10000	1.8	7.0	26.4	91.5	97.3
IN	2	WF	OBS DEATHS	88	345	1020	2532	3985
IN	2	BM	RATE/10000	11.7	38.7	81.7	172.6	87.4
IN	2	BM	OBS DEATHS	43	130	207	267	647
IN	2	BF	RATE/10000	4.0	19.1	56.2	131.9	92.8
IN	2	BF	OBS DEATHS	18	73	161	248	500
IN	3	WM	RATE/10000	9.0	36.4	92.7	209.2	103.2
IN	3	WM	OBS DEATHS	255	1038	2198	3351	6842
IN	3	WF	RATE/10000	1.4	8.1	27.7	96.9	102.9
IN	3	WF	OBS DEATHS	43	247	731	1980	3001
IN	3	BM	RATE/10000	9.2	39.6	105.1	170.9	94.5
IN	3	BM	OBS DEATHS	5	21	52	59	137
IN	3	BF	RATE/10000	8.3	24.8	59.7	119.3	96.3
IN	3	BF	OBS DEATHS	5	16	33	51	105
IA	1	WM	RATE/10000	6.0	29.3	83.6	194.3	92.2
IA	1	WM	OBS DEATHS	341	1749	4247	6804	13132
IA	1	WF	RATE/10000	1.2	5.8	21.8	78.0	81.8
IA	1	WF	OBS DEATHS	73	366	1196	3473	5108
IA	1	BM	RATE/10000	15.4	32.9	87.9	179.2	90.4
IA	1	BM	OBS DEATHS	9	17	35	50	111
IA	1	BF	RATE/10000	10.8	14.2	69.3	114.9	95.6
IA	1	BF	OBS DEATHS	7	8	30	35	80

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
IA	3	WM	RATE/10000	8.1	31.2	90.3	220.5	102.1
IA	3	WM	OBS DEATHS	79	314	752	1088	2233
IA	3	WF	RATE/10000	1.8	7.1	31.1	101.7	108.7
IA	3	WF	OBS DEATHS	18	75	272	639	1004
IA	3	BM	RATE/10000	7.9	51.4	110.4	237.7	114.0
IA	3	BM	OBS DEATHS	2	11	15	20	48
IA	3	BF	RATE/10000	0.0	14.3	61.7	194.7	107.4
IA	3	BF	OBS DEATHS	0	3	9	17	29
KS	1	WM	RATE/10000	6.6	30.1	78.6	177.3	86.8
KS	1	WM	OBS DEATHS	65	313	737	1171	2286
KS	1	WF	RATE/10000	1.2	4.6	15.9	70.4	69.8
KS	1	WF	OBS DEATHS	12	49	162	563	786
KS	1	BM	RATE/10000	0.0	13.7	54.6	249.2	84.7
KS	1	BM	OBS DEATHS	0	1	3	12	16
KS	1	BF	RATE/10000	0.0	25.5	0.0	113.0	59.2
KS	1	BF	OBS DEATHS	0	2	0	6	8
KS	2	WM	RATE/10000	5.8	25.5	74.5	171.2	81.7
KS	2	WM	OBS DEATHS	67	292	763	1306	2428
KS	2	WF	RATE/10000	0.8	4.5	18.7	69.3	71.3
KS	2	WF	OBS DEATHS	9	53	212	678	952
KS	2	BM	RATE/10000	10.3	36.8	70.5	214.8	91.7
KS	2	BM	OBS DEATHS	5	15	24	49	93
KS	2	BF	RATE/10000	2.0	19.2	51.7	144.6	95.3
KS	2	BF	OBS DEATHS	1	8	20	44	73
KS	3	WM	RATE/10000	7.8	30.4	85.8	196.1	94.5
KS	3	WM	OBS DEATHS	144	589	1418	2171	4322
KS	3	WF	RATE/10000	1.1	5.5	22.2	76.0	80.4
KS	3	WF	OBS DEATHS	22	114	417	1121	1674
KS	3	BM	RATE/10000	13.2	58.3	96.8	208.8	109.7
KS	3	BM	OBS DEATHS	10	37	46	70	163
KS	3	BF	RATE/10000	6.6	12.7	45.0	117.2	79.9
KS	3	BF	OBS DEATHS	6	9	26	49	90

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72-Con.

HSA COLOR						(SMR)		
NAME	-SEX		35-44	45-54	55-64	65-74	35-74	
KY	1	WM	RATE/10000	9.1	35.8	95.6	209.3	104.2
KY	1	WM	OBS DEATHS	335	1304	2801	3930	8370
KY	1	WF	RATE/10000	1.8	8.0	27.9	89.0	98.0
KY	1	WF	OBS DEATHS	70	306	920	2157	3453
KY	1	BM	RATE/10000	19.3	50.4	126.8	237.2	125.2
KY	1	BM	OBS DEATHS	64	169	367	493	1093
KY	1	BF	RATE/10000	10.7	31.5	74.0	162.8	126.1
KY	1	BF	OBS DEATHS	43	125	253	423	844
KY	2	WM	RATE/10000	10.7	39.5	91.7	195.2	101.5
KY	2	WM	OBS DEATHS	310	1155	2275	3281	7021
KY	2	WF	RATE/10000	2.3	7.8	29.3	96.7	105.0
KY	2	WF	OBS DEATHS	70	243	788	1903	3004
KY	2	BM	RATE/10000	16.5	54.0	117.5	226.9	119.8
KY	2	BM	OBS DEATHS	18	64	132	200	414
KY	2	BF	RATE/10000	11.7	24.4	53.4	154.2	108.4
KY	2	BF	OBS DEATHS	16	34	71	162	283
LA	1	WM	RATE/10000	11.4	44.5	115.4	254.4	127.3
LA	1	WM	OBS DEATHS	275	1030	1926	2379	5610
LA	1	WF	RATE/10000	2.9	9.4	35.9	108.4	122.1
LA	1	WF	OBS DEATHS	72	228	691	1448	2439
LA	1	BM	RATE/10000	16.1	46.4	115.5	254.8	122.2
LA	1	BM	OBS DEATHS	118	321	641	886	1966
LA	1	BF	RATE/10000	7.2	26.6	82.5	202.3	139.8
LA	1	BF	OBS DEATHS	67	219	538	905	1729
LA	2	WM	RATE/10000	10.0	40.5	98.1	211.0	108.5
LA	2	WM	OBS DEATHS	233	876	1627	1928	4664
LA	2	WF	RATE/10000	2.0	7.5	28.9	95.5	103.3
LA	2	WF	OBS DEATHS	47	166	507	1105	1825
LA	2	BM	RATE/10000	12.8	42.1	100.9	218.9	106.2
LA	2	BM	OBS DEATHS	87	259	530	740	1616
LA	2	BF	RATE/10000	8.4	24.8	61.7	148.9	109.2
LA	2	BF	OBS DEATHS	68	175	364	633	1240

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
LA	3	WM	RATE/10000	9.3	41.0	103.5	213.4	110.5
LA	3	WM	OBS DEATHS	161	698	1496	1869	4224
LA	3	WF	RATE/10000	1.7	7.0	29.1	87.7	97.2
LA	3	WF	OBS DEATHS	32	129	470	996	1627
LA	3	BM	RATE/10000	13.1	39.1	100.8	184.4	97.3
LA	3	BM	OBS DEATHS	72	214	571	876	1733
LA	3	BF	RATE/10000	5.6	20.9	56.2	144.1	100.9
LA	3	BF	OBS DEATHS	43	151	390	848	1432
ME	1	WM	RATE/10000	9.0	34.1	98.1	224.6	107.9
ME	1	WM	OBS DEATHS	214	815	1975	3038	6042
ME	1	WF	RATE/10000	2.0	8.2	34.1	107.2	116.7
ME	1	WF	OBS DEATHS	51	207	763	1856	2877
ME	1	BM	RATE/10000	0.0	75.8	128.2	420.4	157.2
ME	1	BM	OBS DEATHS	0	3	3	7	13
ME	1	BF	RATE/10000	0.0	0.0	0.0	148.1	61.8
ME	1	BF	OBS DEATHS	0	0	0	3	3
MD	1	WM	RATE/10000	10.4	40.4	112.6	250.5	122.7
MD	1	WM	OBS DEATHS	76	303	667	893	1939
MD	1	WF	RATE/10000	1.3	10.6	40.4	128.8	139.5
MD	1	WF	OBS DEATHS	10	85	266	599	960
MD	1	BM	RATE/10000	5.1	54.2	101.6	311.3	128.1
MD	1	BM	OBS DEATHS	1	10	15	29	55
MD	1	BF	RATE/10000	0.0	16.5	82.8	110.7	94.0
MD	1	BF	OBS DEATHS	0	3	13	14	30
MD	2	WM	RATE/10000	5.8	23.6	70.5	179.9	79.0
MD	2	WM	OBS DEATHS	83	347	616	648	1694
MD	2	WF	RATE/10000	1.2	3.3	20.2	81.0	77.3
MD	2	WF	OBS DEATHS	18	50	187	423	678
MD	2	BM	RATE/10000	10.9	32.5	88.9	172.8	85.7
MD	2	BM	OBS DEATHS	7	13	22	21	63
MD	2	BF	RATE/10000	6.0	8.7	45.8	136.3	80.0
MD	2	BF	OBS DEATHS	4	4	12	20	40

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
MD	3	WM	RATE/10000	8.9	34.9	90.1	225.3	104.6
MD	3	WM	OBS DEATHS	159	515	765	823	2262
MD	3	WF	RATE/10000	1.8	7.0	26.3	96.6	100.6
MD	3	WF	OBS DEATHS	30	168	241	483	862
MD	3	BM	RATE/10000	8.3	24.7	85.3	167.6	76.8
MD	3	BM	OBS DEATHS	26	47	91	97	261
MD	3	BF	RATE/10000	3.6	17.0	40.1	113.6	74.5
MD	3	BF	OBS DEATHS	11	31	43	67	152
MD	4	WM	RATE/10000	8.9	36.6	103.9	238.2	113.9
MD	4	WM	OBS DEATHS	377	1617	3319	4163	9476
MD	4	WF	RATE/10000	1.5	8.1	32.3	112.3	117.9
MD	4	WF	OBS DEATHS	63	380	1120	2708	4271
MD	4	BM	RATE/10000	13.2	47.1	109.6	233.3	113.8
MD	4	BM	OBS DEATHS	153	504	805	947	2409
MD	4	BF	RATE/10000	6.3	23.2	64.9	166.6	113.7
MD	4	BF	OBS DEATHS	85	275	521	818	1699
MD	5	WM	RATE/10000	10.7	37.1	106.4	230.7	114.4
MD	5	WM	OBS DEATHS	55	199	474	692	1420
MD	5	WF	RATE/10000	1.3	8.1	33.3	103.9	112.8
MD	5	WF	OBS DEATHS	7	45	161	389	602
MD	5	BM	RATE/10000	14.2	49.0	103.4	220.9	111.0
MD	5	BM	OBS DEATHS	18	64	119	169	370
MD	5	BF	RATE/10000	5.6	33.1	60.4	159.9	116.1
MD	5	BF	OBS DEATHS	8	47	69	125	249
MA	1	WM	RATE/10000	8.3	33.3	96.9	216.4	104.7
MA	1	WM	OBS DEATHS	149	686	1509	2043	4387
MA	1	WF	RATE/10000	1.6	5.9	25.1	101.3	101.3
MA	1	WF	OBS DEATHS	30	131	443	1352	1956
MA	1	BM	RATE/10000	9.5	21.0	79.6	147.2	70.3
MA	1	BM	OBS DEATHS	6	10	20	20	56
MA	1	BF	RATE/10000	1.4	10.3	47.4	126.8	75.3
MA	1	BF	OBS DEATHS	1	5	15	25	46

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR						(SMR)	
NAME	-SEX	35-44	45-54	55-64	65-74	35-74	
MA	2 WM	RATE/10000	9.5	34.7	88.3	223.6	104.3
MA	2 WM	OBS DEATHS	141	587	1186	1799	3713
MA	2 WF	RATE/10000	1.7	5.7	28.0	103.5	105.4
MA	2 WF	OBS DEATHS	26	104	421	1157	1708
MA	2 BM	RATE/10000	6.9	19.2	52.1	138.9	57.9
MA	2 BM	OBS DEATHS	1	2	3	5	11
MA	2 BF	RATE/10000	7.4	0.0	0.0	44.0	23.4
MA	2 BF	OBS DEATHS	1	0	0	2	3
MA	3 WM	RATE/10000	8.5	31.9	89.7	213.7	100.8
MA	3 WM	OBS DEATHS	431	1607	3429	4922	10389
MA	3 WF	RATE/10000	1.6	6.6	26.6	96.6	100.3
MA	3 WF	OBS DEATHS	83	366	1216	3342	5007
MA	3 BM	RATE/10000	9.1	21.7	50.2	134.5	59.3
MA	3 BM	OBS DEATHS	5	18	13	21	49
MA	3 BF	RATE/10000	0.0	7.2	31.9	104.4	57.9
MA	3 BF	OBS DEATHS	0	4	11	25	40
MA	4 WM	RATE/10000	9.9	34.6	97.6	209.8	104.7
MA	4 WM	OBS DEATHS	279	1023	2422	3387	7111
MA	4 WF	RATE/10000	1.7	8.9	29.0	94.2	103.1
MA	4 WF	OBS DEATHS	50	297	903	2340	3590
MA	4 BM	RATE/10000	10.9	38.9	89.9	183.5	91.8
MA	4 BM	OBS DEATHS	25	75	92	119	311
MA	4 BF	RATE/10000	6.2	16.4	42.8	125.0	83.1
MA	4 BF	OBS DEATHS	18	37	59	114	228
MA	5 WM	RATE/10000	9.2	35.3	88.6	209.3	101.4
MA	5 WM	OBS DEATHS	195	789	1555	2429	4968
MA	5 WF	RATE/10000	1.5	6.4	27.7	93.9	99.1
MA	5 WF	OBS DEATHS	34	156	564	1512	2266
MA	5 BM	RATE/10000	0.0	37.4	105.5	286.5	111.9
MA	5 BM	OBS DEATHS	0	10	16	33	59
MA	5 BF	RATE/10000	6.4	14.7	45.2	154.5	94.6
MA	5 BF	OBS DEATHS	2	4	8	21	35

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR			35-44	45-54	55-64	65-74	(SMR)	
NAME	-SEX						35-74	
MI	1	WM	RATE/10000	8.6	34.0	93.3	224.3	105.5
MI	1	WM	OBS DEATHS	877	3587	6927	9468	20859
MI	1	WF	RATE/10000	1.7	7.4	30.1	107.4	111.8
MI	1	WF	OBS DEATHS	181	823	2387	5591	8982
MI	1	BM	RATE/10000	12.7	40.5	94.0	212.6	100.8
MI	1	BM	OBS DEATHS	231	744	1171	1453	3599
MI	1	BF	RATE/10000	6.1	20.9	63.3	142.7	103.0
MI	1	BF	OBS DEATHS	132	412	816	1079	2439
MI	2	WM	RATE/10000	6.6	28.0	85.3	180.2	88.9
MI	2	WM	OBS DEATHS	97	385	876	1051	2409
MI	2	WF	RATE/10000	0.7	6.3	25.5	81.5	87.6
MI	2	WF	OBS DEATHS	11	91	277	604	983
MI	2	BM	RATE/10000	7.4	18.7	80.5	160.2	70.8
MI	2	BM	OBS DEATHS	5	8	22	23	58
MI	2	BF	RATE/10000	2.0	19.5	40.9	66.9	61.2
MI	2	BF	OBS DEATHS	1	7	11	10	29
MI	3	WM	RATE/10000	7.6	30.5	87.3	203.1	96.5
MI	3	WM	OBS DEATHS	129	512	1126	1551	3318
MI	3	WF	RATE/10000	1.1	6.0	24.6	93.4	94.7
MI	3	WF	OBS DEATHS	19	105	339	872	1335
MI	3	BM	RATE/10000	5.6	32.2	85.6	177.0	84.1
MI	3	BM	OBS DEATHS	6	32	62	90	190
MI	3	BF	RATE/10000	2.5	18.5	48.6	84.5	70.1
MI	3	BF	OBS DEATHS	3	18	39	48	108
MI	4	WM	RATE/10000	6.6	30.3	84.7	199.8	94.2
MI	4	WM	OBS DEATHS	143	647	1447	2091	4328
MI	4	WF	RATE/10000	1.1	5.6	25.0	88.6	91.5
MI	4	WF	OBS DEATHS	24	129	453	1140	1746
MI	4	BM	RATE/10000	10.9	32.4	65.6	176.1	79.6
MI	4	BM	OBS DEATHS	10	27	40	68	145
MI	4	BF	RATE/10000	14.1	7.9	38.3	108.7	75.9
MI	4	BF	OBS DEATHS	15	7	25	46	93

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
MI	5	WM	RATE/10000	8.3	33.8	103.8	236.9	111.7
MI	5	WM	OBS DEATHS	112	395	849	1081	2437
MI	5	WF	RATE/10000	2.3	10.4	30.8	101.3	113.6
MI	5	WF	OBS DEATHS	31	125	266	570	992
MI	5	BM	RATE/10000	16.1	42.5	110.2	178.1	103.9
MI	5	BM	OBS DEATHS	27	47	69	52	195
MI	5	BF	RATE/10000	5.5	21.1	50.9	143.8	95.4
MI	5	BF	OBS DEATHS	9	22	32	48	111
MI	6	WM	RATE/10000	9.0	33.6	88.8	218.2	102.6
MI	6	WM	OBS DEATHS	139	513	1115	1663	3430
MI	6	WF	RATE/10000	1.4	7.0	29.9	101.5	106.9
MI	6	WF	OBS DEATHS	22	113	388	858	1381
MI	6	BM	RATE/10000	2.8	42.3	118.0	174.2	95.4
MI	6	BM	OBS DEATHS	2	22	40	33	97
MI	6	BF	RATE/10000	5.3	18.0	56.1	186.6	108.7
MI	6	BF	OBS DEATHS	4	9	18	34	65
MI	7	WM	RATE/10000	7.2	36.5	99.4	219.1	107.4
MI	7	WM	OBS DEATHS	41	206	561	877	1685
MI	7	WF	RATE/10000	2.0	9.5	28.7	98.8	107.2
MI	7	WF	OBS DEATHS	12	69	176	416	664
MI	7	BM	RATE/10000	0.0	0.0	105.8	117.0	60.2
MI	7	BM	OBS DEATHS	0	0	1	1	2
MI	7	BF	RATE/10000	0.0	0.0	0.0	123.5	54.5
MI	7	BF	OBS DEATHS	0	0	0	1	1
MI	8	WM	RATE/10000	9.6	36.6	96.2	237.0	111.4
MI	8	WM	OBS DEATHS	64	273	708	1115	2160
MI	8	WF	RATE/10000	1.9	9.9	33.1	106.8	117.3
MI	8	WF	OBS DEATHS	13	77	242	534	866
MI	8	BM	RATE/10000	0.0	0.0	138.9	0.0	29.4
MI	8	BM	OBS DEATHS	0	0	1	0	1
MI	8	BF	RATE/10000	0.0	0.0	222.2	0.0	85.7
MI	8	BF	OBS DEATHS	0	0	1	0	1

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
MN	2	WM	RATE/10000	6.9	35.9	98.5	217.5	106.4
MN	2	WM	OBS DEATHS	69	416	1097	1539	3121
MN	2	WF	RATE/10000	1.3	6.3	25.3	102.0	102.1
MN	2	WF	OBS DEATHS	13	76	288	807	1184
MN	2	BM	RATE/10000	0.0	0.0	65.4	261.4	72.6
MN	2	BM	OBS DEATHS	0	0	1	2	3
MN	2	BF	RATE/10000	0.0	76.6	117.0	130.7	152.0
MN	2	BF	OBS DEATHS	0	1	1	1	3
MN	4	WM	RATE/10000	7.8	28.6	86.7	177.9	89.4
MN	4	WM	OBS DEATHS	60	229	634	1080	2003
MN	4	WF	RATE/10000	0.9	5.0	25.2	87.2	90.3
MN	4	WF	OBS DEATHS	7	40	191	530	768
MN	4	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	4	BM	OBS DEATHS	0	0	0	0	0
MN	4	BF	RATE/10000	0.0	96.6	0.0	404.0	283.1
MN	4	BF	OBS DEATHS	0	1	0	2	3
MN	5	WM	RATE/10000	7.0	29.6	85.9	202.8	95.0
MN	5	WM	OBS DEATHS	313	1199	2494	3555	7561
MN	5	WF	RATE/10000	1.2	5.6	22.9	79.7	83.6
MN	5	WF	OBS DEATHS	55	238	766	2026	3085
MN	5	BM	RATE/10000	7.9	32.1	85.5	113.1	71.5
MN	5	BM	OBS DEATHS	6	21	36	28	91
MN	5	BF	RATE/10000	2.6	9.8	25.8	55.7	42.2
MN	5	BF	OBS DEATHS	2	6	11	16	35
MN	6	WM	RATE/10000	6.4	25.2	74.6	163.0	79.7
MN	6	WM	OBS DEATHS	73	322	882	1439	2716
MN	6	WF	RATE/10000	1.5	3.5	16.0	67.9	67.4
MN	6	WF	OBS DEATHS	17	46	192	655	910
MN	6	BM	RATE/10000	0.0	0.0	277.8	0.0	115.5
MN	6	BM	OBS DEATHS	0	0	1	0	1
MN	6	BF	RATE/10000	0.0	0.0	0.0	888.9	355.1
MN	6	BF	OBS DEATHS	0	0	0	2	2

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
MN	7	WM	RATE/10000	5.7	23.4	69.4	170.5	78.7
MN	7	WM	OBS DEATHS	49	208	530	911	1698
MN	7	WF	RATE/10000	0.8	3.3	20.9	66.7	70.1
MN	7	WF	OBS DEATHS	7	30	169	427	633
MN	7	BM	RATE/10000	0.0	0.0	444.4	317.5	185.3
MN	7	BM	OBS DEATHS	0	0	1	1	2
MN	7	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	7	BF	OBS DEATHS	0	0	0	0	0
MS	1	WM	RATE/10000	8.6	36.8	90.9	198.8	100.2
MS	1	WM	OBS DEATHS	302	1236	2659	3532	7729
MS	1	WF	RATE/10000	1.4	6.1	23.7	83.0	87.5
MS	1	WF	OBS DEATHS	50	221	770	1884	2925
MS	1	BM	RATE/10000	10.1	32.3	70.8	148.2	75.0
MS	1	BM	OBS DEATHS	121	411	964	1550	3046
MS	1	BF	RATE/10000	6.8	19.6	46.2	101.5	78.3
MS	1	BF	OBS DEATHS	111	319	732	1279	2441
MO	1	WM	RATE/10000	6.2	26.0	72.7	179.4	82.7
MO	1	WM	OBS DEATHS	194	778	1565	2257	4794
MO	1	WF	RATE/10000	1.3	4.9	21.1	76.9	79.2
MO	1	WF	OBS DEATHS	40	152	510	1348	2050
MO	1	BM	RATE/10000	6.1	26.7	69.1	139.2	68.2
MO	1	BM	OBS DEATHS	21	83	166	230	500
MO	1	BF	RATE/10000	4.4	16.5	44.1	112.4	78.3
MO	1	BF	OBS DEATHS	18	59	119	233	429
MO	2	WM	RATE/10000	6.4	29.8	82.6	181.4	89.0
MO	2	WM	OBS DEATHS	136	680	1883	3176	5875
MO	2	WF	RATE/10000	1.6	6.2	22.8	80.9	85.4
MO	2	WF	OBS DEATHS	36	153	571	1728	2488
MO	2	BM	RATE/10000	10.2	38.3	71.4	214.7	94.4
MO	2	BM	OBS DEATHS	7	23	43	103	176
MO	2	BF	RATE/10000	6.2	29.0	57.7	123.7	97.4
MO	2	BF	OBS DEATHS	4	19	37	68	128

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
MO	3	WM	RATE/10000	8.1	29.4	85.4	223.1	99.9
MO	3	WM	OBS DEATHS	429	1514	3510	5356	10809
MO	3	WF	RATE/10000	2.0	5.8	26.8	98.0	101.0
MO	3	WF	OBS DEATHS	110	320	1255	3323	5008
MO	3	BM	RATE/10000	17.5	43.7	110.1	202.7	108.4
MO	3	BM	OBS DEATHS	134	303	640	806	1883
MO	3	BF	RATE/10000	5.6	25.6	62.9	140.2	105.1
MO	3	BF	OBS DEATHS	57	223	449	685	1414
MO	4	WM	RATE/10000	7.4	30.7	77.0	181.8	87.8
MO	4	WM	OBS DEATHS	84	373	912	1646	3015
MO	4	WF	RATE/10000	1.0	5.6	25.0	79.3	85.2
MO	4	WF	OBS DEATHS	12	75	339	846	1272
MO	4	BM	RATE/10000	0.0	11.2	59.7	246.9	81.4
MO	4	BM	OBS DEATHS	0	1	5	13	19
MO	4	BF	RATE/10000	0.0	10.6	69.4	153.3	102.6
MO	4	BF	OBS DEATHS	0	1	6	10	17
MO	5	WM	RATE/10000	9.9	32.4	85.7	190.5	94.6
MO	5	WM	OBS DEATHS	93	328	873	1416	2710
MO	5	WF	RATE/10000	1.2	6.8	26.5	93.1	97.7
MO	5	WF	OBS DEATHS	12	77	297	783	1169
MO	5	BM	RATE/10000	10.9	39.9	90.4	186.6	94.6
MO	5	BM	OBS DEATHS	3	13	37	79	132
MO	5	BF	RATE/10000	15.4	22.7	64.7	104.4	93.5
MO	5	BF	OBS DEATHS	7	11	33	46	97
MT	1	WM	RATE/10000	8.4	26.1	74.1	167.0	81.7
MT	1	WM	OBS DEATHS	136	448	1042	1359	2985
MT	1	WF	RATE/10000	1.1	6.0	22.6	78.7	83.1
MT	1	WF	OBS DEATHS	18	102	310	703	1133
MT	1	BM	RATE/10000	19.2	0.0	61.7	215.1	83.0
MT	1	BM	OBS DEATHS	1	0	1	3	5
MT	1	BF	RATE/10000	0.0	0.0	0.0	153.3	61.1
MT	1	BF	OBS DEATHS	0	0	0	2	2

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72--Con.

HSA COLOR						(SMR)	
NAME	-SEX	35-44	45-54	55-64	65-74	35-74	
NE	1 WM	RATE/10000	7.3	28.1	76.2	187.7	88.1
NE	1 WM	OBS DEATHS	102	419	1060	1940	3521
NE	1 WF	RATE/10000	1.4	5.1	20.4	72.9	76.4
NE	1 WF	OBS DEATHS	20	77	300	885	1282
NE	1 BM	RATE/10000	0.0	0.0	74.1	370.4	120.7
NE	1 BM	OBS DEATHS	0	0	1	4	5
NE	1 BF	RATE/10000	0.0	0.0	0.0	88.9	34.2
NE	1 BF	OBS DEATHS	0	0	0	1	1
NE	2 WM	RATE/10000	6.7	23.5	73.2	169.1	80.2
NE	2 WM	OBS DEATHS	54	196	544	903	1697
NE	2 WF	RATE/10000	0.7	4.5	21.2	64.7	70.0
NE	2 WF	OBS DEATHS	6	39	174	446	665
NE	2 BM	RATE/10000	0.0	37.0	37.7	151.5	62.5
NE	2 BM	OBS DEATHS	0	2	1	3	6
NE	2 BF	RATE/10000	0.0	0.0	30.0	216.8	84.7
NE	2 BF	OBS DEATHS	0	0	1	4	5
NE	3 WM	RATE/10000	7.7	31.2	86.5	184.0	92.2
NE	3 WM	OBS DEATHS	126	459	979	1370	2934
NE	3 WF	RATE/10000	0.9	6.6	24.2	86.4	90.2
NE	3 WF	OBS DEATHS	14	101	307	853	1275
NE	3 BM	RATE/10000	10.7	60.1	112.9	204.2	113.0
NE	3 BM	OBS DEATHS	9	35	51	59	154
NE	3 BF	RATE/10000	2.1	21.1	72.5	147.6	105.9
NE	3 BF	OBS DEATHS	2	14	36	54	106
NV	1 WM	RATE/10000	9.6	29.5	76.2	178.7	87.3
NV	1 WM	OBS DEATHS	55	179	353	432	1019
NV	1 WF	RATE/10000	1.6	6.9	24.0	75.8	85.0
NV	1 WF	OBS DEATHS	9	40	102	177	328
NV	1 BM	RATE/10000	0.0	23.5	89.5	113.0	66.2
NV	1 BM	OBS DEATHS	0	2	6	3	11
NV	1 BF	RATE/10000	0.0	12.7	0.0	92.6	35.3
NV	1 BF	OBS DEATHS	0	1	0	2	3

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME -SEX								35-74
NV	2	WM	RATE/10000	9.4	36.1	97.1	180.9	100.2
NV	2	WM	OBS DEATHS	72	244	451	395	1162
NV	2	WF	RATE/10000	2.6	7.0	24.7	80.0	90.7
NV	2	WF	OBS DEATHS	18	45	105	166	334
NV	2	BM	RATE/10000	5.2	32.0	54.6	159.9	66.9
NV	2	BM	OBS DEATHS	3	13	14	19	49
NV	2	BF	RATE/10000	3.3	18.2	33.7	84.9	63.3
NV	2	BF	OBS DEATHS	2	7	8	11	28
NH	1	WM	RATE/10000	7.5	33.6	90.4	208.2	100.3
NH	1	WM	OBS DEATHS	135	601	1282	1938	3956
NH	1	WF	RATE/10000	1.2	6.5	26.8	99.4	102.0
NH	1	WF	OBS DEATHS	22	122	429	1199	1772
NH	1	BM	RATE/10000	14.6	26.8	58.5	266.7	94.2
NH	1	BM	OBS DEATHS	1	1	1	3	6
NH	1	BF	RATE/10000	0.0	0.0	0.0	193.2	58.8
NH	1	BF	OBS DEATHS	0	0	0	2	2
NJ	1	WM	RATE/10000	8.0	31.3	84.0	207.3	96.4
NJ	1	WM	OBS DEATHS	279	1242	2556	3209	7286
NJ	1	WF	RATE/10000	1.5	6.8	25.9	103.6	104.1
NJ	1	WF	OBS DEATHS	57	292	834	2158	3341
NJ	1	BM	RATE/10000	15.3	43.1	110.9	194.0	106.2
NJ	1	BM	OBS DEATHS	27	60	98	84	269
NJ	1	BF	RATE/10000	5.9	18.3	55.7	135.5	94.1
NJ	1	BF	OBS DEATHS	13	30	62	86	191
NJ	2	WM	RATE/10000	9.2	34.7	97.2	221.2	107.0
NJ	2	WM	OBS DEATHS	408	1679	3779	4745	10611
NJ	2	WF	RATE/10000	1.8	7.3	29.8	114.2	116.0
NJ	2	WF	OBS DEATHS	82	387	1270	3312	5051
NJ	2	BM	RATE/10000	22.8	52.3	113.1	221.2	121.8
NJ	2	BM	OBS DEATHS	199	349	471	499	1518
NJ	2	BF	RATE/10000	9.7	26.4	58.9	148.2	110.5
NJ	2	BF	OBS DEATHS	103	207	308	461	1079

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
NJ	3	WM	RATE/10000	8.5	40.9	117.5	284.0	131.7
NJ	3	WM	OBS DEATHS	118	643	1606	2276	4643
NJ	3	WF	RATE/10000	2.0	11.8	41.3	145.1	153.7
NJ	3	WF	OBS DEATHS	30	214	657	1607	2508
NJ	3	BM	RATE/10000	12.1	44.7	141.3	237.0	122.3
NJ	3	BM	OBS DEATHS	17	45	89	90	241
NJ	3	BF	RATE/10000	7.5	23.5	88.3	149.4	122.2
NJ	3	BF	OBS DEATHS	13	29	73	79	185
NJ	4	WM	RATE/10000	9.3	33.0	97.0	223.2	106.6
NJ	4	WM	OBS DEATHS	444	1534	3133	4420	9531
NJ	4	WF	RATE/10000	1.4	8.0	31.1	113.1	117.1
NJ	4	WF	OBS DEATHS	70	385	1089	2896	4440
NJ	4	BM	RATE/10000	12.9	46.0	108.9	205.3	107.2
NJ	4	BM	OBS DEATHS	43	124	181	188	536
NJ	4	BF	RATE/10000	9.5	19.7	58.8	141.3	102.7
NJ	4	BF	OBS DEATHS	35	56	109	162	362
NJ	5	WM	RATE/10000	9.7	36.0	105.3	245.4	116.2
NJ	5	WM	OBS DEATHS	307	1176	2500	3543	7526
NJ	5	WF	RATE/10000	2.1	8.2	36.5	135.1	138.2
NJ	5	WF	OBS DEATHS	71	284	957	2608	3920
NJ	5	BM	RATE/10000	12.4	44.4	124.6	256.2	122.3
NJ	5	BM	OBS DEATHS	45	141	274	375	835
NJ	5	BF	RATE/10000	5.0	23.2	65.8	158.9	111.2
NJ	5	BF	OBS DEATHS	21	82	170	290	563
NM	1	WM	RATE/10000	6.1	25.4	62.0	141.7	70.2
NM	1	WM	OBS DEATHS	144	533	973	1253	2903
NM	1	WF	RATE/10000	1.1	5.2	20.6	69.9	74.3
NM	1	WF	OBS DEATHS	28	114	342	712	1196
NM	1	BM	RATE/10000	8.2	37.2	52.1	111.5	62.3
NM	1	BM	OBS DEATHS	4	12	12	16	44
NM	1	BF	RATE/10000	4.0	12.7	54.2	146.7	90.8
NM	1	BF	OBS DEATHS	2	4	14	20	40

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
NY	1	WM	RATE/10000	9.2	35.9	103.0	237.7	113.5
NY	1	WM	OBS DEATHS	374	1583	3569	4914	10440
NY	1	WF	RATE/10000	2.3	8.7	33.2	119.8	125.5
NY	1	WF	OBS DEATHS	99	413	1274	3267	5053
NY	1	BM	RATE/10000	20.8	46.0	99.1	179.2	103.8
NY	1	BM	OBS DEATHS	62	113	159	171	505
NY	1	BF	RATE/10000	7.2	23.2	64.9	128.0	102.2
NY	1	BF	OBS DEATHS	25	60	107	124	316
NY	2	WM	RATE/10000	7.9	30.3	85.9	203.2	96.0
NY	2	WM	OBS DEATHS	219	864	1932	2757	5772
NY	2	WF	RATE/10000	1.1	6.3	26.6	98.2	100.5
NY	2	WF	OBS DEATHS	32	196	654	1760	2642
NY	2	BM	RATE/10000	10.8	28.6	95.9	147.5	81.4
NY	2	BM	OBS DEATHS	16	29	56	43	144
NY	2	BF	RATE/10000	4.5	14.0	46.5	130.2	81.4
NY	2	BF	OBS DEATHS	7	14	27	43	91
NY	3	WM	RATE/10000	9.3	34.8	97.2	234.2	110.1
NY	3	WM	OBS DEATHS	296	1179	2568	3727	7770
NY	3	WF	RATE/10000	1.6	8.0	31.5	112.6	117.4
NY	3	WF	OBS DEATHS	53	292	911	2377	3633
NY	3	BM	RATE/10000	10.3	53.8	75.9	208.0	98.3
NY	3	BM	OBS DEATHS	9	30	27	38	104
NY	3	BF	RATE/10000	1.2	23.1	52.3	107.7	81.7
NY	3	BF	OBS DEATHS	1	13	19	22	55
NY	4	WM	RATE/10000	9.9	33.2	99.5	232.6	110.2
NY	4	WM	OBS DEATHS	101	340	828	1180	2449
NY	4	WF	RATE/10000	1.0	6.6	33.1	110.9	115.5
NY	4	WF	OBS DEATHS	11	73	296	727	1107
NY	4	BM	RATE/10000	16.2	0.0	98.8	121.2	68.7
NY	4	BM	OBS DEATHS	1	0	4	3	8
NY	4	BF	RATE/10000	0.0	43.6	45.8	78.0	80.1
NY	4	BF	OBS DEATHS	0	2	2	2	6

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
NY	5	WM	RATE/10000	9.7	36.0	104.8	238.4	114.8
NY	5	WM	OBS DEATHS	289	1154	2863	4235	8541
NY	5	WF	RATE/10000	1.7	8.4	34.3	117.2	123.7
NY	5	WF	OBS DEATHS	52	294	1051	2691	4088
NY	5	BM	RATE/10000	13.5	33.1	134.5	206.3	109.4
NY	5	BM	OBS DEATHS	11	20	52	52	135
NY	5	BF	RATE/10000	4.0	20.3	44.4	129.0	86.1
NY	5	BF	OBS DEATHS	3	12	19	36	70
NY	6	WM	RATE/10000	8.3	32.5	89.6	208.8	99.9
NY	6	WM	OBS DEATHS	393	1429	3245	4547	9614
NY	6	WF	RATE/10000	1.1	6.4	27.2	105.3	106.0
NY	6	WF	OBS DEATHS	55	298	1084	2956	4393
NY	6	BM	RATE/10000	10.4	32.1	79.3	165.4	81.1
NY	6	BM	OBS DEATHS	37	91	154	179	461
NY	6	BF	RATE/10000	3.0	17.1	47.5	105.9	76.7
NY	6	BF	OBS DEATHS	12	59	123	159	353
NY	7	WM	RATE/10000	9.2	37.3	102.7	229.0	112.1
NY	7	WM	OBS DEATHS	1368	5799	16122	24262	47551
NY	7	WF	RATE/10000	2.0	9.5	33.7	116.4	123.9
NY	7	WF	OBS DEATHS	315	1761	6427	16924	25427
NY	7	BM	RATE/10000	10.9	43.4	106.8	204.2	103.6
NY	7	BM	OBS DEATHS	457	1460	2194	2296	6407
NY	7	BF	RATE/10000	5.5	20.9	55.6	139.9	97.1
NY	7	BF	OBS DEATHS	296	903	1601	2335	5135
NY	8	WM	RATE/10000	7.9	31.2	87.0	220.0	99.7
NY	8	WM	OBS DEATHS	562	2271	3940	5082	11855
NY	8	WF	RATE/10000	1.3	6.1	27.9	114.6	111.7
NY	8	WF	OBS DEATHS	100	447	1276	3564	5387
NY	8	BM	RATE/10000	12.9	34.5	77.4	196.4	88.5
NY	8	BM	OBS DEATHS	40	86	113	143	382
NY	8	BF	RATE/10000	5.2	18.3	45.9	117.1	82.1
NY	8	BF	OBS DEATHS	20	54	87	119	280

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR								(SMR)
NAME -SEX				35-44	45-54	55-64	65-74	35-74
NC	1	WM	RATE/10000	7.9	34.3	91.9	184.0	95.7
NC	1	WM	OBS DEATHS	163	694	1501	1856	4214
NC	1	WF	RATE/10000	1.2	6.0	22.3	79.1	83.1
NC	1	WF	OBS DEATHS	27	131	417	1015	1590
NC	1	BM	RATE/10000	20.1	53.3	127.2	219.8	123.1
NC	1	BM	OBS DEATHS	24	67	131	147	369
NC	1	BF	RATE/10000	9.4	28.1	68.2	139.6	111.6
NC	1	BF	OBS DEATHS	14	41	83	126	264
NC	2	WM	RATE/10000	8.7	36.1	97.1	207.2	104.5
NC	2	WM	OBS DEATHS	199	771	1473	1721	4164
NC	2	WF	RATE/10000	1.7	6.5	21.4	83.9	86.7
NC	2	WF	OBS DEATHS	41	148	380	967	1536
NC	2	BM	RATE/10000	19.3	55.7	127.5	245.5	129.8
NC	2	BM	OBS DEATHS	70	192	338	405	1005
NC	2	BF	RATE/10000	11.9	32.1	74.9	154.6	125.7
NC	2	BF	OBS DEATHS	52	128	247	332	759
NC	3	WM	RATE/10000	9.6	37.9	98.3	205.6	106.1
NC	3	WM	OBS DEATHS	193	714	1318	1439	3664
NC	3	WF	RATE/10000	1.5	6.7	26.3	87.4	94.0
NC	3	WF	OBS DEATHS	32	135	411	858	1436
NC	3	BM	RATE/10000	21.4	51.8	120.5	252.8	128.0
NC	3	BM	OBS DEATHS	68	160	280	319	827
NC	3	BF	RATE/10000	7.8	27.6	66.9	162.7	118.4
NC	3	BF	OBS DEATHS	31	100	187	288	606
NC	4	WM	RATE/10000	8.9	42.0	105.3	238.2	117.3
NC	4	WM	OBS DEATHS	113	503	890	1090	2596
NC	4	WF	RATE/10000	1.6	6.5	24.6	96.2	97.9
NC	4	WF	OBS DEATHS	21	83	246	645	995
NC	4	BM	RATE/10000	18.5	42.2	97.4	196.6	102.5
NC	4	BM	OBS DEATHS	69	163	304	366	902
NC	4	BF	RATE/10000	8.7	18.4	55.7	128.8	94.6
NC	4	BF	OBS DEATHS	40	82	199	314	635

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
NC	5	WM	RATE/10000	10.3	43.6	111.2	228.0	119.0
NC	5	WM	OBS DEATHS	133	510	959	1073	2675
NC	5	WF	RATE/10000	2.4	7.9	25.7	114.2	113.4
NC	5	WF	OBS DEATHS	32	98	252	722	1104
NC	5	BM	RATE/10000	13.6	40.3	96.5	195.7	99.0
NC	5	BM	OBS DEATHS	53	161	308	352	874
NC	5	BF	RATE/10000	6.0	21.0	54.0	145.8	99.6
NC	5	BF	OBS DEATHS	29	98	202	360	689
NC	6	WM	RATE/10000	10.7	43.1	120.7	236.2	124.3
NC	6	WM	OBS DEATHS	166	623	1292	1403	3484
NC	6	WF	RATE/10000	1.9	9.2	30.2	104.6	112.5
NC	6	WF	OBS DEATHS	30	139	380	867	1416
NC	6	BM	RATE/10000	15.8	42.7	104.6	200.4	104.9
NC	6	BM	OBS DEATHS	99	279	544	644	1566
NC	6	BF	RATE/10000	7.9	22.7	53.3	138.9	99.1
NC	6	BF	OBS DEATHS	62	172	329	555	1118
ND	1	WM	RATE/10000	8.9	28.4	77.0	182.5	87.5
ND	1	WM	OBS DEATHS	52	186	458	612	1314
ND	1	WF	RATE/10000	1.1	5.2	22.0	70.3	76.1
ND	1	WF	OBS DEATHS	7	33	126	245	411
ND	1	BM	RATE/10000	17.1	0.0	0.0	1111.1	153.1
ND	1	BM	OBS DEATHS	1	0	0	1	2
ND	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	1	BF	OBS DEATHS	0	0	0	0	0
ND	2	WM	RATE/10000	9.6	32.7	78.3	191.6	92.3
ND	2	WM	OBS DEATHS	59	219	501	895	1674
ND	2	WF	RATE/10000	1.6	5.2	20.8	73.1	77.2
ND	2	WF	OBS DEATHS	10	34	126	347	517
ND	2	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	2	BM	OBS DEATHS	0	0	0	0	0
ND	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	2	BF	OBS DEATHS	0	0	0	0	0

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
ND	3	WM	RATE/10000	6.8	30.0	72.0	183.8	86.2
ND	3	WM	OBS DEATHS	58	277	623	1183	2141
ND	3	WF	RATE/10000	0.6	4.7	18.7	76.8	76.4
ND	3	WF	OBS DEATHS	5	43	163	518	729
ND	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	3	BM	OBS DEATHS	0	0	0	0	0
ND	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	3	BF	OBS DEATHS	0	0	0	0	0
OH	1	WM	RATE/10000	10.2	33.5	98.0	227.7	108.7
OH	1	WM	OBS DEATHS	393	1216	2757	3928	8294
OH	1	WF	RATE/10000	1.8	8.7	31.3	105.9	113.7
OH	1	WF	OBS DEATHS	74	343	1016	2490	3923
OH	1	BM	RATE/10000	13.2	49.4	108.7	231.6	114.9
OH	1	BM	OBS DEATHS	47	167	307	435	956
OH	1	BF	RATE/10000	7.5	27.1	73.0	162.1	120.9
OH	1	BF	OBS DEATHS	35	116	243	363	757
OH	2	WM	RATE/10000	7.6	32.6	91.4	214.8	101.3
OH	2	WM	OBS DEATHS	201	852	1648	2129	4830
OH	2	WF	RATE/10000	1.6	6.7	28.2	101.7	105.1
OH	2	WF	OBS DEATHS	43	182	550	1337	2112
OH	2	BM	RATE/10000	13.8	50.1	106.3	199.8	108.2
OH	2	BM	OBS DEATHS	36	126	176	183	521
OH	2	BF	RATE/10000	6.6	21.1	52.3	149.6	99.8
OH	2	BF	OBS DEATHS	20	57	94	161	332
OH	3	WM	RATE/10000	8.0	32.8	91.9	207.7	100.6
OH	3	WM	OBS DEATHS	73	309	663	971	2014
OH	3	WF	RATE/10000	2.1	4.7	29.7	87.6	95.3
OH	3	WF	OBS DEATHS	20	46	232	531	829
OH	3	BM	RATE/10000	18.0	25.0	123.1	185.2	99.9
OH	3	BM	OBS DEATHS	5	6	18	17	46
OH	3	BF	RATE/10000	19.0	9.2	40.5	208.3	114.7
OH	3	BF	OBS DEATHS	5	2	6	18	31

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
OH	4	WM	RATE/10000	8.5	36.0	92.7	227.2	107.0
OH	4	WM	OBS DEATHS	190	823	1680	2526	5219
OH	4	WF	RATE/10000	1.7	8.3	28.2	106.5	110.5
OH	4	WF	OBS DEATHS	39	203	552	1528	2322
OH	4	BM	RATE/10000	13.4	44.8	105.2	226.9	110.4
OH	4	BM	OBS DEATHS	19	58	97	130	304
OH	4	BF	RATE/10000	6.9	21.6	61.1	126.7	97.7
OH	4	BF	OBS DEATHS	12	31	61	86	190
OH	5	WM	RATE/10000	8.0	32.5	93.6	193.5	97.8
OH	5	WM	OBS DEATHS	279	1054	2206	2761	6300
OH	5	WF	RATE/10000	1.8	6.9	27.4	96.0	101.1
OH	5	WF	OBS DEATHS	64	234	729	1811	2838
OH	5	BM	RATE/10000	5.1	27.7	65.7	145.0	67.6
OH	5	BM	OBS DEATHS	16	70	114	164	364
OH	5	BF	RATE/10000	3.1	17.8	42.4	131.0	83.2
OH	5	BF	OBS DEATHS	10	47	84	165	306
OH	6	WM	RATE/10000	12.0	42.6	103.3	221.6	113.9
OH	6	WM	OBS DEATHS	187	707	1465	2068	4427
OH	6	WF	RATE/10000	1.9	10.0	35.8	108.7	121.3
OH	6	WF	OBS DEATHS	32	182	549	1223	1986
OH	6	BM	RATE/10000	16.7	67.0	116.5	242.9	128.2
OH	6	BM	OBS DEATHS	6	25	39	67	137
OH	6	BF	RATE/10000	2.4	26.1	54.3	133.6	96.7
OH	6	BF	OBS DEATHS	1	11	19	35	66
OH	7	WM	RATE/10000	9.3	35.3	92.5	214.9	104.2
OH	7	WM	OBS DEATHS	181	697	1371	1946	4195
OH	7	WF	RATE/10000	1.7	7.7	29.8	103.5	109.4
OH	7	WF	OBS DEATHS	34	163	474	1181	1852
OH	7	BM	RATE/10000	16.6	30.6	90.0	224.8	100.0
OH	7	BM	OBS DEATHS	12	21	42	69	144
OH	7	BF	RATE/10000	9.5	26.9	56.7	113.4	97.0
OH	7	BF	OBS DEATHS	8	20	29	39	96

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
OH	8	WM	RATE/10000	8.8	32.3	88.0	208.1	99.3
OH	8	WM	OBS DEATHS	140	527	1002	1409	3078
OH	8	WF	RATE/10000	0.9	5.7	28.0	97.4	99.9
OH	8	WF	OBS DEATHS	14	99	354	854	1321
OH	8	BM	RATE/10000	11.8	18.9	92.2	189.2	84.8
OH	8	BM	OBS DEATHS	14	22	75	90	201
OH	8	BF	RATE/10000	4.1	13.5	51.1	99.6	74.5
OH	8	BF	OBS DEATHS	6	18	44	55	123
OH	9	WM	RATE/10000	9.5	35.8	99.1	232.2	110.7
OH	9	WM	OBS DEATHS	476	1977	4089	4930	11472
OH	9	WF	RATE/10000	1.4	6.7	30.7	109.6	112.5
OH	9	WF	OBS DEATHS	71	398	1400	3247	5116
OH	9	BM	RATE/10000	11.3	41.8	94.1	211.8	100.6
OH	9	BM	OBS DEATHS	101	338	481	631	1551
OH	9	BF	RATE/10000	5.1	20.8	66.2	157.2	108.2
OH	9	BF	OBS DEATHS	56	181	372	564	1173
OH	10	WM	RATE/10000	10.9	35.9	95.5	228.7	109.4
OH	10	WM	OBS DEATHS	191	704	1364	1836	4095
OH	10	WF	RATE/10000	1.7	8.5	33.1	120.8	124.9
OH	10	WF	OBS DEATHS	31	177	506	1219	1933
OH	10	BM	RATE/10000	12.5	35.6	87.3	193.7	93.3
OH	10	BM	OBS DEATHS	17	46	80	133	276
OH	10	BF	RATE/10000	4.7	20.3	54.8	104.8	83.6
OH	10	BF	OBS DEATHS	8	28	52	74	162
OK	1	WM	RATE/10000	8.9	31.3	88.0	193.4	95.5
OK	1	WM	OBS DEATHS	500	1773	4314	6368	12955
OK	1	WF	RATE/10000	1.8	6.7	23.3	80.9	86.6
OK	1	WF	OBS DEATHS	108	400	1294	3366	5168
OK	1	BM	RATE/10000	15.0	36.9	97.0	164.5	90.8
OK	1	BM	OBS DEATHS	44	105	259	363	771
OK	1	BF	RATE/10000	7.4	16.9	42.6	97.7	74.0
OK	1	BF	OBS DEATHS	29	60	147	269	505

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
OR	1	WM	RATE/10000	7.2	32.0	82.9	192.0	92.9
OR	1	WM	OBS DEATHS	158	763	1629	2300	4857
OR	1	WF	RATE/10000	1.2	6.2	23.6	81.9	86.6
OR	1	WF	OBS DEATHS	28	159	509	1266	1962
OR	1	BM	RATE/10000	10.4	30.4	90.3	165.2	84.6
OR	1	BM	OBS DEATHS	5	16	37	31	89
OR	1	BF	RATE/10000	7.6	9.0	31.1	116.4	66.9
OR	1	PF	OBS DEATHS	4	5	12	22	43
OR	2	WM	RATE/10000	7.8	27.8	78.7	175.5	85.8
OR	2	WM	OBS DEATHS	157	594	1421	2083	4255
OR	2	WF	RATE/10000	1.2	6.4	21.7	75.3	80.4
OR	2	WF	OBS DEATHS	25	141	402	983	1551
OR	2	BM	RATE/10000	0.0	25.5	233.9	0.0	83.8
OR	2	BM	OBS DEATHS	0	1	4	0	5
OR	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
OR	2	BF	OBS DEATHS	0	0	0	0	0
OR	3	WM	RATE/10000	3.8	28.3	77.9	178.8	85.0
OR	3	WM	OBS DEATHS	25	204	514	708	1451
OR	3	WF	RATE/10000	0.9	5.9	20.6	80.4	81.8
OR	3	WF	OBS DEATHS	6	43	129	316	494
OR	3	BM	RATE/10000	0.0	32.7	92.6	65.4	58.5
OR	3	BM	OBS DEATHS	0	1	2	1	4
OR	3	BF	RATE/10000	0.0	98.8	0.0	0.0	102.9
OR	3	BF	OBS DEATHS	0	2	0	0	2
PA	1	WM	RATE/10000	8.6	32.2	91.1	220.9	103.2
PA	1	WM	OBS DEATHS	682	2806	6234	8847	18569
PA	1	WF	RATE/10000	1.7	7.6	30.9	114.1	117.5
PA	1	WF	OBS DEATHS	142	719	2412	6420	9693
PA	1	BM	RATE/10000	8.2	27.4	72.3	159.5	74.3
PA	1	BM	OBS DEATHS	146	473	833	1143	2595
PA	1	BF	RATE/10000	3.5	14.7	50.0	130.9	85.2
PA	1	BF	OBS DEATHS	78	295	711	1202	2286

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
PA	2	WM	RATE/10000	9.2	34.1	99.4	227.5	109.0
PA	2	WM	OBS DEATHS	205	841	1971	2705	5722
PA	2	WF	RATE/10000	1.6	7.5	31.3	119.8	121.5
PA	2	WF	OBS DEATHS	39	200	692	1841	2772
PA	2	BM	RATE/10000	3.1	61.2	97.1	228.6	109.6
PA	2	BM	OBS DEATHS	1	15	16	25	57
PA	2	BF	RATE/10000	0.0	11.2	86.4	152.3	106.0
PA	2	BF	OBS DEATHS	0	3	17	17	37
PA	3	WM	RATE/10000	13.7	47.3	107.7	214.6	116.5
PA	3	WM	OBS DEATHS	263	1097	2231	2723	6314
PA	3	WF	RATE/10000	2.4	11.2	41.8	140.9	150.9
PA	3	WF	OBS DEATHS	52	298	1036	2484	3870
PA	3	BM	RATE/10000	28.6	102.6	61.7	333.3	153.5
PA	3	BM	OBS DEATHS	3	9	4	15	31
PA	3	BF	RATE/10000	0.0	78.8	151.0	350.9	259.8
PA	3	BF	OBS DEATHS	0	5	7	15	27
PA	4	WM	RATE/10000	8.6	34.1	93.6	216.0	103.9
PA	4	WM	OBS DEATHS	272	1089	2315	3263	6939
PA	4	WF	RATE/10000	1.4	6.9	32.3	106.6	112.6
PA	4	WF	OBS DEATHS	47	238	891	2093	3269
PA	4	BM	RATE/10000	22.2	60.8	107.8	195.5	115.7
PA	4	BM	OBS DEATHS	20	52	69	85	226
PA	4	BF	RATE/10000	2.8	28.9	60.4	174.1	116.1
PA	4	BF	OBS DEATHS	3	29	45	85	162
PA	5	WM	RATE/10000	10.6	42.0	102.7	225.9	114.0
PA	5	WM	OBS DEATHS	174	731	1502	2106	4513
PA	5	WF	RATE/10000	2.2	7.6	34.8	126.0	129.9
PA	5	WF	OBS DEATHS	39	146	567	1479	2231
PA	5	BM	RATE/10000	20.2	26.5	206.7	285.7	145.5
PA	5	BM	OBS DEATHS	3	2	8	9	22
PA	5	BF	RATE/10000	34.5	0.0	114.5	379.4	226.8
PA	5	BF	OBS DEATHS	2	0	5	14	21

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
PA	6	WM	RATE/10000	9.6	38.5	102.5	231.1	113.2
PA	6	WM	OBS DEATHS	675	3153	6581	8337	18746
PA	6	WF	RATE/10000	2.3	9.0	36.0	125.1	132.0
PA	6	WF	OBS DEATHS	176	811	2561	5819	9367
PA	6	BM	RATE/10000	16.9	55.2	109.5	238.6	120.9
PA	6	BM	OBS DEATHS	65	227	375	654	1321
PA	6	BF	RATE/10000	7.2	22.0	73.7	155.6	115.1
PA	6	BF	OBS DEATHS	37	108	279	450	874
PA	7	WM	RATE/10000	9.0	35.7	98.0	224.3	108.4
PA	7	WM	OBS DEATHS	157	684	1520	2075	4436
PA	7	WF	RATE/10000	2.0	8.0	34.5	116.2	123.2
PA	7	WF	OBS DEATHS	38	166	573	1340	2117
PA	7	BM	RATE/10000	17.6	73.4	120.4	193.8	123.8
PA	7	BM	OBS DEATHS	6	23	26	28	83
PA	7	BF	RATE/10000	4.7	24.1	69.2	175.8	118.1
PA	7	BF	OBS DEATHS	2	8	16	25	51
PA	9	WM	RATE/10000	11.5	43.5	109.3	242.6	121.5
PA	9	WM	OBS DEATHS	132	590	1217	1644	3583
PA	9	WF	RATE/10000	2.3	9.0	33.8	126.4	130.8
PA	9	WF	OBS DEATHS	30	133	419	1108	1690
PA	9	BM	RATE/10000	23.6	99.8	150.0	294.3	166.7
PA	9	BM	OBS DEATHS	3	11	16	20	50
PA	9	BF	RATE/10000	13.8	15.3	59.8	246.9	141.4
PA	9	BF	OBS DEATHS	2	2	7	19	30
RI	1	WM	RATE/10000	10.0	33.8	95.8	220.7	106.3
RI	1	WM	OBS DEATHS	220	822	1821	2586	5449
RI	1	WF	RATE/10000	2.1	8.0	29.9	108.2	113.4
RI	1	WF	OBS DEATHS	48	214	672	1800	2734
RI	1	BM	RATE/10000	16.2	50.1	118.5	251.9	123.8
RI	1	BM	OBS DEATHS	10	22	32	45	109
RI	1	BF	RATE/10000	3.0	17.8	45.0	140.8	87.9
RI	1	BF	OBS DEATHS	2	9	15	33	59

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
SC	1	WM	RATE/10000	9.9	42.8	111.9	233.8	120.0
SC	1	WM	OBS DEATHS	152	631	1215	1336	3334
SC	1	WF	RATE/10000	1.5	7.8	27.3	97.6	102.9
SC	1	WF	OBS DEATHS	24	124	346	793	1287
SC	1	BM	RATE/10000	16.3	57.0	115.0	268.7	129.5
SC	1	BM	OBS DEATHS	37	127	209	292	665
SC	1	BF	RATE/10000	10.0	27.7	72.4	154.4	119.8
SC	1	BF	OBS DEATHS	29	76	161	237	503
SC	2	WM	RATE/10000	13.4	43.2	109.8	233.1	121.2
SC	2	WM	OBS DEATHS	174	564	1015	1106	2859
SC	2	WF	RATE/10000	2.0	9.0	28.7	91.8	102.8
SC	2	WF	OBS DEATHS	27	124	309	620	1080
SC	2	BM	RATE/10000	31.5	66.0	137.8	237.6	142.4
SC	2	BM	OBS DEATHS	129	259	394	418	1200
SC	2	BF	RATE/10000	14.5	34.6	86.9	164.7	138.7
SC	2	BF	OBS DEATHS	70	153	302	416	941
SC	3	WM	RATE/10000	16.0	48.3	121.7	242.6	131.9
SC	3	WM	OBS DEATHS	129	370	669	714	1882
SC	3	WF	RATE/10000	2.6	9.8	34.4	117.8	127.3
SC	3	WF	OBS DEATHS	22	79	220	481	802
SC	3	BM	RATE/10000	18.7	49.1	120.1	226.3	119.9
SC	3	BM	OBS DEATHS	70	194	362	393	1019
SC	3	BF	RATE/10000	10.7	32.5	81.0	153.0	127.5
SC	3	BF	OBS DEATHS	53	154	307	401	915
SC	4	WM	RATE/10000	8.5	41.9	108.9	242.4	119.2
SC	4	WM	OBS DEATHS	76	334	582	656	1648
SC	4	WF	RATE/10000	2.8	8.4	31.8	107.9	117.0
SC	4	WF	OBS DEATHS	25	68	190	396	679
SC	4	BM	RATE/10000	16.9	47.9	100.1	183.6	102.6
SC	4	BM	OBS DEATHS	62	194	313	343	912
SC	4	BF	RATE/10000	9.6	32.2	83.9	160.4	131.0
SC	4	BF	OBS DEATHS	46	152	319	408	925

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
SD	1	WM	RATE/10000	7.5	26.5	78.4	184.9	87.5
SD	1	WM	OBS DEATHS	110	416	1041	1791	3358
SD	1	WF	RATE/10000	0.9	5.6	20.2	76.5	78.8
SD	1	WF	OBS DEATHS	14	86	277	834	1211
SD	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
SD	1	BM	OBS DEATHS	0	0	0	0	0
SD	1	BF	RATE/10000	0.0	0.0	0.0	138.9	47.8
SD	1	BF	OBS DEATHS	0	0	0	1	1
TN	1	WM	RATE/10000	9.5	40.7	102.6	218.8	111.5
TN	1	WM	OBS DEATHS	105	449	899	1125	2578
TN	1	WF	RATE/10000	2.0	8.4	31.2	101.6	110.8
TN	1	WF	OBS DEATHS	24	100	300	660	1084
TN	1	BM	RATE/10000	18.4	72.6	175.2	271.2	158.0
TN	1	BM	OBS DEATHS	3	17	32	36	88
TN	1	BF	RATE/10000	11.7	38.0	49.8	121.0	100.3
TN	1	BF	OBS DEATHS	3	9	12	22	46
TN	2	WM	RATE/10000	11.2	36.6	90.4	185.2	98.1
TN	2	WM	OBS DEATHS	185	611	1213	1513	3522
TN	2	WF	RATE/10000	1.7	7.0	22.8	83.2	88.2
TN	2	WF	OBS DEATHS	31	129	343	852	1355
TN	2	BM	RATE/10000	16.0	57.0	130.8	212.7	122.6
TN	2	BM	OBS DEATHS	10	42	90	94	236
TN	2	BF	RATE/10000	6.0	25.2	58.8	137.1	101.9
TN	2	BF	OBS DEATHS	5	24	50	78	157
TN	3	WM	RATE/10000	9.5	44.3	104.1	227.8	115.8
TN	3	WM	OBS DEATHS	114	485	920	1169	2688
TN	3	WF	RATE/10000	2.3	7.7	30.8	90.0	102.0
TN	3	WF	OBS DEATHS	29	92	309	613	1043
TN	3	BM	RATE/10000	21.5	64.9	157.1	237.5	142.1
TN	3	BM	OBS DEATHS	23	72	155	159	409
TN	3	BF	RATE/10000	14.7	52.3	79.1	164.9	143.4
TN	3	BF	OBS DEATHS	22	73	103	162	360

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
TN	4	WM	RATE/10000	11.0	39.0	99.4	199.8	105.8
TN	4	WM	OBS DEATHS	308	1057	2191	2680	6236
TN	4	WF	RATE/10000	2.0	8.9	25.9	89.7	98.0
TN	4	WF	OBS DEATHS	60	257	640	1552	2509
TN	4	BM	RATE/10000	21.6	57.1	104.8	216.9	116.6
TN	4	BM	OBS DEATHS	67	174	284	392	917
TN	4	BF	RATE/10000	13.1	29.1	72.3	153.0	121.8
TN	4	BF	OBS DEATHS	51	104	236	353	744
TN	5	WM	RATE/10000	8.5	37.5	95.1	207.1	103.6
TN	5	WM	OBS DEATHS	65	309	765	1144	2283
TN	5	WF	RATE/10000	1.6	8.0	24.0	83.4	90.0
TN	5	WF	OBS DEATHS	13	74	217	571	875
TN	5	BM	RATE/10000	20.5	64.4	102.8	214.3	116.1
TN	5	BM	OBS DEATHS	24	91	148	235	498
TN	5	BF	RATE/10000	13.3	26.5	59.5	121.8	100.1
TN	5	BF	OBS DEATHS	21	45	98	159	323
TN	6	WM	RATE/10000	7.2	35.5	92.9	221.6	104.7
TN	6	WM	OBS DEATHS	93	443	814	1030	2380
TN	6	WF	RATE/10000	1.5	5.6	24.7	90.2	92.7
TN	6	WF	OBS DEATHS	21	76	252	629	978
TN	6	BM	RATE/10000	14.7	50.5	100.2	213.8	109.0
TN	6	BM	OBS DEATHS	77	256	470	708	1511
TN	6	BF	RATE/10000	6.7	29.6	71.8	161.8	121.0
TN	6	BF	OBS DEATHS	47	185	399	642	1273
TX	1	WM	RATE/10000	8.4	32.4	88.5	181.2	93.3
TX	1	WM	OBS DEATHS	72	261	587	709	1629
TX	1	WF	RATE/10000	1.6	5.3	25.1	76.2	83.7
TX	1	WF	OBS DEATHS	14	44	177	345	580
TX	1	BM	RATE/10000	8.5	47.6	92.4	233.5	107.0
TX	1	BM	OBS DEATHS	2	11	18	29	60
TX	1	BF	RATE/10000	0.0	21.1	96.4	136.5	114.3
TX	1	BF	OBS DEATHS	0	6	19	18	43

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME		-SEX						35-74
TX	2	WM	RATE/10000	4.3	24.9	64.9	146.5	71.1
TX	2	WM	OBS DEATHS	32	166	370	473	1041
TX	2	WF	RATE/10000	1.1	4.4	17.0	65.8	66.9
TX	2	WF	OBS DEATHS	8	31	104	251	394
TX	2	BM	RATE/10000	6.9	16.1	81.2	114.4	62.6
TX	2	BM	OBS DEATHS	3	6	24	21	54
TX	2	BF	RATE/10000	1.8	5.1	31.7	95.6	54.0
TX	2	BF	OBS DEATHS	1	2	10	16	29
TX	3	WM	RATE/10000	5.9	18.1	51.3	139.1	61.7
TX	3	WM	OBS DEATHS	54	138	244	385	821
TX	3	WF	RATE/10000	0.7	4.9	16.9	62.1	64.5
TX	3	WF	OBS DEATHS	7	40	92	225	364
TX	3	BM	RATE/10000	6.5	12.1	49.1	129.4	49.7
TX	3	BM	OBS DEATHS	2	2	4	6	14
TX	3	BF	RATE/10000	3.7	7.0	47.8	74.1	58.0
TX	3	BF	OBS DEATHS	1	1	4	4	10
TX	4	WM	RATE/10000	6.6	32.9	72.7	162.3	81.7
TX	4	WM	OBS DEATHS	89	449	985	1624	3147
TX	4	WF	RATE/10000	1.3	4.8	18.3	67.0	69.9
TX	4	WF	OBS DEATHS	19	72	284	847	1222
TX	4	BM	RATE/10000	10.4	45.8	108.3	165.4	96.1
TX	4	BM	OBS DEATHS	6	22	54	64	146
TX	4	BF	RATE/10000	11.2	16.3	38.6	99.4	74.9
TX	4	BF	OBS DEATHS	8	10	22	46	86
TX	5	WM	RATE/10000	7.6	31.8	86.8	191.5	94.3
TX	5	WM	OBS DEATHS	461	1764	3461	4305	9991
TX	5	WF	RATE/10000	1.1	5.5	21.1	74.7	78.4
TX	5	WF	OBS DEATHS	69	319	952	2359	3699
TX	5	BM	RATE/10000	15.4	41.2	97.5	194.8	100.6
TX	5	BM	OBS DEATHS	116	247	447	587	1397
TX	5	BF	RATE/10000	6.7	22.1	63.2	147.4	106.3
TX	5	BF	OBS DEATHS	60	152	346	550	1108

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
TX	6	WM	RATE/10000	6.9	25.6	70.0	161.7	78.1
TX	6	WM	OBS DEATHS	130	491	1225	1957	3803
TX	6	WF	RATE/10000	0.7	4.8	18.5	66.9	69.5
TX	6	WF	OBS DEATHS	14	98	363	1019	1494
TX	6	BM	RATE/10000	9.6	32.0	74.3	135.2	72.6
TX	6	BM	OBS DEATHS	25	78	192	279	574
TX	6	BF	RATE/10000	5.1	14.3	41.2	104.1	73.4
TX	6	BF	OBS DEATHS	16	43	131	276	466
TX	7	WM	RATE/10000	8.5	32.2	80.5	171.2	87.3
TX	7	WM	OBS DEATHS	102	415	1028	1554	3099
TX	7	WF	RATE/10000	1.0	6.3	20.8	65.7	72.3
TX	7	WF	OBS DEATHS	13	88	303	738	1142
TX	7	BM	RATE/10000	12.9	28.9	63.8	147.4	72.3
TX	7	BM	OBS DEATHS	31	75	190	355	651
TX	7	BF	RATE/10000	7.1	21.7	51.8	114.6	87.5
TX	7	BF	OBS DEATHS	22	72	177	326	597
TX	8	WM	RATE/10000	6.8	27.8	75.9	155.5	79.7
TX	8	WM	OBS DEATHS	148	562	1279	1672	3661
TX	8	WF	RATE/10000	1.6	6.7	22.4	77.0	83.1
TX	8	WF	OBS DEATHS	39	147	414	949	1549
TX	8	BM	RATE/10000	13.7	40.7	103.4	159.7	93.0
TX	8	BM	OBS DEATHS	8	28	62	70	168
TX	8	BF	RATE/10000	6.7	31.2	40.4	124.3	91.3
TX	8	BF	OBS DEATHS	5	25	28	66	124
TX	9	WM	RATE/10000	6.9	28.3	70.9	163.1	80.0
TX	9	WM	OBS DEATHS	166	655	1228	1778	3827
TX	9	WF	RATE/10000	1.1	5.9	24.1	72.0	79.7
TX	9	WF	OBS DEATHS	29	148	471	1026	1674
TX	9	BM	RATE/10000	13.8	44.2	86.6	167.7	91.5
TX	9	BM	OBS DEATHS	19	57	86	104	266
TX	9	BF	RATE/10000	4.1	12.4	46.5	130.2	83.2
TX	9	BF	OBS DEATHS	7	19	58	112	196

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
TX	10	WM	RATE/10000	8.5	37.6	84.2	169.5	91.0
TX	10	WM	OBS DEATHS	96	419	828	1032	2375
TX	10	WF	RATE/10000	2.0	6.7	24.3	79.0	86.6
TX	10	WF	OBS DEATHS	23	79	256	580	938
TX	10	BM	RATE/10000	14.4	33.1	82.4	154.3	82.3
TX	10	BM	OBS DEATHS	37	83	183	244	547
TX	10	BF	RATE/10000	5.5	23.8	47.8	123.0	89.7
TX	10	BF	OBS DEATHS	17	69	115	222	423
TX	11	WM	RATE/10000	8.3	32.6	88.4	199.6	97.5
TX	11	WM	OBS DEATHS	440	1519	2837	3130	7926
TX	11	WF	RATE/10000	2.1	7.3	24.9	83.6	92.1
TX	11	WF	OBS DEATHS	112	341	835	1670	2958
TX	11	BM	RATE/10000	12.0	43.4	97.8	182.8	97.2
TX	11	BM	OBS DEATHS	128	378	625	734	1865
TX	11	BF	RATE/10000	7.3	22.5	73.8	128.1	105.9
TX	11	BF	OBS DEATHS	88	209	519	595	1411
TX	12	WM	RATE/10000	6.3	23.3	70.6	147.5	73.9
TX	12	WM	OBS DEATHS	54	175	390	370	989
TX	12	WF	RATE/10000	1.6	6.6	20.5	70.5	77.5
TX	12	WF	OBS DEATHS	14	49	110	203	376
TX	12	BM	RATE/10000	10.4	18.5	104.4	124.2	75.2
TX	12	BM	OBS DEATHS	4	6	25	18	53
TX	12	BF	RATE/10000	2.3	13.4	33.4	93.2	60.7
TX	12	BF	OBS DEATHS	1	5	9	13	28
UT	1	WM	RATE/10000	4.9	23.2	64.2	152.9	71.7
UT	1	WM	OBS DEATHS	114	510	1062	1484	3170
UT	1	WF	RATE/10000	0.4	3.6	18.2	68.6	68.0
UT	1	WF	OBS DEATHS	10	81	314	799	1204
UT	1	BM	RATE/10000	7.6	14.1	103.6	117.0	69.2
UT	1	BM	OBS DEATHS	1	2	9	5	17
UT	1	BF	RATE/10000	8.0	15.8	12.8	40.4	40.0
UT	1	BF	OBS DEATHS	1	2	1	2	6

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
VT	1	WM	RATE/10000	6.5	27.7	92.9	200.2	96.3
VT	1	WM	OBS DEATHS	67	280	793	1116	2256
VT	1	WF	RATE/10000	1.4	6.8	27.0	97.8	101.5
VT	1	WF	OBS DEATHS	15	73	250	703	1041
VT	1	BM	RATE/10000	0.0	134.7	0.0	170.9	112.9
VT	1	BM	OBS DEATHS	0	2	0	1	3
VT	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
VT	1	BF	OBS DEATHS	0	0	0	0	0
VA	1	WM	RATE/10000	10.4	42.1	105.0	213.5	112.1
VA	1	WM	OBS DEATHS	131	509	1034	1290	2964
VA	1	WF	RATE/10000	1.9	7.7	28.6	97.4	104.3
VA	1	WF	OBS DEATHS	24	97	311	745	1177
VA	1	BM	RATE/10000	12.0	34.8	100.5	202.2	99.2
VA	1	BM	OBS DEATHS	19	53	129	176	377
VA	1	BF	RATE/10000	5.9	18.5	50.5	129.0	90.5
VA	1	BF	OBS DEATHS	10	28	65	131	234
VA	2	WM	RATE/10000	6.2	26.8	77.6	190.2	85.4
VA	2	WM	OBS DEATHS	159	627	965	853	2674
VA	2	WF	RATE/10000	0.8	5.0	18.7	77.3	75.2
VA	2	WF	OBS DEATHS	20	121	249	513	903
VA	2	BM	RATE/10000	11.3	44.1	101.2	250.9	110.1
VA	2	BM	OBS DEATHS	16	48	72	84	220
VA	2	BF	RATE/10000	5.6	15.4	62.2	142.3	97.2
VA	2	BF	OBS DEATHS	7	16	44	58	125
VA	3	WM	RATE/10000	9.8	39.2	97.5	203.2	105.4
VA	3	WM	OBS DEATHS	228	887	1787	2271	5173
VA	3	WF	RATE/10000	1.4	7.0	25.6	100.0	101.8
VA	3	WF	OBS DEATHS	33	171	522	1425	2151
VA	3	BM	RATE/10000	14.1	46.0	110.1	207.6	109.0
VA	3	BM	OBS DEATHS	35	120	225	275	655
VA	3	BF	RATE/10000	10.8	19.7	63.2	137.1	103.8
VA	3	BF	OBS DEATHS	32	55	143	228	458

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
VA	4	WM	RATE/10000	9.7	39.4	103.2	239.7	115.8
VA	4	WM	OBS DEATHS	152	634	1209	1527	3522
VA	4	WF	RATE/10000	1.3	6.0	29.0	96.4	101.4
VA	4	WF	OBS DEATHS	22	102	392	910	1426
VA	4	BM	RATE/10000	16.9	49.7	113.0	215.7	114.7
VA	4	BM	OBS DEATHS	99	297	521	601	1518
VA	4	BF	RATE/10000	5.8	22.7	71.3	161.8	115.6
VA	4	BF	OBS DEATHS	40	149	357	572	1118
VA	5	WM	RATE/10000	9.1	36.2	104.3	225.4	111.3
VA	5	WM	OBS DEATHS	209	747	1413	1632	4001
VA	5	WF	RATE/10000	1.8	7.9	27.6	100.2	105.5
VA	5	WF	OBS DEATHS	41	167	408	1003	1619
VA	5	BM	RATE/10000	14.6	47.5	105.5	219.1	110.7
VA	5	BM	OBS DEATHS	111	390	606	692	1799
VA	5	BF	RATE/10000	7.6	26.3	67.1	175.8	121.9
VA	5	BF	OBS DEATHS	68	228	406	690	1392
WA	1	WM	RATE/10000	7.6	28.8	87.9	195.2	94.0
WA	1	WM	OBS DEATHS	387	1510	3363	4214	9474
WA	1	WF	RATE/10000	1.1	5.5	24.6	88.7	91.0
WA	1	WF	OBS DEATHS	55	292	1001	2455	3803
WA	1	BM	RATE/10000	9.8	38.7	89.7	207.1	94.0
WA	1	BM	OBS DEATHS	16	57	75	71	219
WA	1	BF	RATE/10000	2.8	11.3	30.4	92.9	56.8
WA	1	BF	OBS DEATHS	4	15	22	33	74
WA	2	WM	RATE/10000	6.9	30.0	80.4	196.7	92.0
WA	2	WM	OBS DEATHS	71	336	767	1136	2310
WA	2	WF	RATE/10000	1.1	5.8	25.8	87.2	91.7
WA	2	WF	OBS DEATHS	12	67	250	567	896
WA	2	BM	RATE/10000	0.0	78.0	103.4	193.2	111.0
WA	2	BM	OBS DEATHS	0	2	2	2	6
WA	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WA	2	BF	OBS DEATHS	0	0	0	0	0

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
WA	3	WM	RATE/10000	9.2	29.0	75.7	182.0	87.3
WA	3	WM	OBS DEATHS	83	287	647	877	1894
WA	3	WF	RATE/10000	1.2	6.6	23.7	75.4	82.8
WA	3	WF	OBS DEATHS	11	67	197	396	671
WA	3	BM	RATE/10000	13.7	64.8	52.7	198.4	93.4
WA	3	BM	OBS DEATHS	1	7	5	10	23
WA	3	BF	RATE/10000	22.6	21.4	24.4	107.1	79.5
WA	3	BF	OBS DEATHS	2	2	2	4	10
WA	4	WM	RATE/10000	7.4	31.5	90.3	187.3	94.4
WA	4	WM	OBS DEATHS	72	335	812	1064	2283
WA	4	WF	RATE/10000	1.0	5.7	23.2	72.6	79.1
WA	4	WF	OBS DEATHS	10	64	217	493	784
WA	4	BM	RATE/10000	0.0	69.8	138.9	215.1	123.6
WA	4	BM	OBS DEATHS	0	6	9	6	21
WA	4	BF	RATE/10000	0.0	13.4	52.3	158.7	89.9
WA	4	BF	OBS DEATHS	0	1	2	4	7
WV	1	WM	RATE/10000	9.3	39.6	96.8	214.3	107.5
WV	1	WM	OBS DEATHS	373	1738	3613	4953	10677
WV	1	WF	RATE/10000	2.0	9.6	33.7	107.9	118.7
WV	1	WF	OBS DEATHS	89	460	1373	3056	4978
WV	1	BM	RATE/10000	14.7	52.1	100.0	219.9	111.1
WV	1	BM	OBS DEATHS	15	73	154	308	550
WV	1	BF	RATE/10000	13.1	32.4	68.3	144.8	116.1
WV	1	BF	OBS DEATHS	20	58	128	223	429
WI	1	WM	RATE/10000	7.1	28.3	83.4	200.9	93.5
WI	1	WM	OBS DEATHS	124	476	1128	1809	3537
WI	1	WF	RATE/10000	1.4	5.7	21.6	83.3	85.3
WI	1	WF	OBS DEATHS	24	97	310	924	1355
WI	1	BM	RATE/10000	11.1	19.0	77.1	194.4	79.1
WI	1	BM	OBS DEATHS	2	2	6	7	17
WI	1	BF	RATE/10000	0.0	31.2	82.3	133.3	110.7
WI	1	BF	OBS DEATHS	0	3	6	6	15

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
WI	2	WM	RATE/10000	7.2	32.0	87.0	239.5	98.3
WI	2	WM	OBS DEATHS	298	1310	2839	4153	8600
WI	2	WF	RATE/10000	1.2	6.2	24.2	94.1	95.4
WI	2	WF	OBS DEATHS	52	270	872	2423	3617
WI	2	BM	RATE/10000	8.7	29.1	68.5	176.7	76.0
WI	2	BM	OBS DEATHS	24	57	76	101	258
WI	2	BF	RATE/10000	5.3	15.3	46.3	99.4	74.6
WI	2	BF	OBS DEATHS	17	30	54	63	164
WI	3	WM	RATE/10000	6.7	31.0	84.9	197.2	94.3
WI	3	WM	OBS DEATHS	68	304	723	1162	2257
WI	3	WF	RATE/10000	0.8	5.3	24.1	81.5	85.4
WI	3	WF	OBS DEATHS	8	56	220	566	850
WI	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	3	BM	OBS DEATHS	0	0	0	0	0
WI	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	3	BF	OBS DEATHS	0	0	0	0	0
WI	4	WM	RATE/10000	5.3	28.5	77.3	194.6	89.3
WI	4	WM	OBS DEATHS	56	308	761	1298	2423
WI	4	WF	RATE/10000	1.8	5.0	23.0	91.3	91.7
WI	4	WF	OBS DEATHS	19	58	239	700	1016
WI	4	BM	RATE/10000	0.0	0.0	0.0	1481.5	404.9
WI	4	BM	OBS DEATHS	0	0	0	2	2
WI	4	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	4	BF	OBS DEATHS	0	0	0	0	0
WI	5	WM	RATE/10000	7.0	26.5	71.3	178.3	83.3
WI	5	WM	OBS DEATHS	80	332	803	1498	2713
WI	5	WF	RATE/10000	1.4	5.3	21.1	87.0	87.2
WI	5	WF	OBS DEATHS	16	68	243	791	1118
WI	5	BM	RATE/10000	111.1	0.0	0.0	0.0	73.7
WI	5	BM	OBS DEATHS	1	0	0	0	1
WI	5	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	5	BF	OBS DEATHS	0	0	0	0	0

Number of ischemic heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR								(SMR)
NAME -SEX				35-44	45-54	55-64	65-74	35-74
WI	6	WM	RATE/10000	6.9	29.2	74.1	178.0	85.0
WI	6	WM	OBS DEATHS	53	236	544	927	1760
WI	6	WF	RATE/10000	1.0	4.0	21.0	94.9	90.6
WI	6	WF	OBS DEATHS	8	34	161	526	729
WI	6	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	6	BM	OBS DEATHS	0	0	0	0	0
WI	6	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	6	BF	OBS DEATHS	0	0	0	0	0
WY	1	WM	RATE/10000	8.6	28.6	74.3	184.9	87.1
WY	1	WM	OBS DEATHS	73	236	497	717	1523
WY	1	WF	RATE/10000	0.7	4.1	19.4	76.4	75.5
WY	1	WF	OBS DEATHS	6	34	126	323	489
WY	1	BM	RATE/10000	0.0	70.9	120.8	114.0	99.7
WY	1	BM	OBS DEATHS	0	3	5	2	10
WY	1	BF	RATE/10000	37.3	0.0	40.4	94.6	85.4
WY	1	BF	OBS DEATHS	2	0	1	2	5

Printout 2

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72

HSA NAME	COLOR	SEX		35-44	45-54	55-64	65-74	(SMR) 35-74
AL	1	WM	RATE/10000	2.9	8.9	18.6	33.4	421.5
AL	1	WM	OBS DEATHS	48	129	198	201	576
AL	1	WF	RATE/10000	0.9	1.7	3.1	11.2	219.0
AL	1	WF	OBS DEATHS	15	25	36	85	161
AL	1	BM	RATE/10000	6.1	17.2	40.4	61.1	314.7
AL	1	BM	OBS DEATHS	7	20	49	43	110
AL	1	BF	RATE/10000	3.3	5.8	15.8	22.6	199.2
AL	1	BF	OBS DEATHS	5	8	19	21	53
AL	2	WM	RATE/10000	1.7	4.0	9.8	21.0	232.2
AL	2	WM	OBS DEATHS	6	14	31	41	92
AL	2	WF	RATE/10000	0.3	1.7	3.2	5.3	145.0
AL	2	WF	OBS DEATHS	1	6	11	13	31
AL	2	BM	RATE/10000	3.8	6.4	13.4	33.9	141.6
AL	2	BM	OBS DEATHS	4	7	15	28	54
AL	2	BF	RATE/10000	0.7	5.1	9.2	10.3	107.7
AL	2	BF	OBS DEATHS	1	7	13	11	32
AL	3	WM	RATE/10000	1.4	3.1	5.9	8.5	131.4
AL	3	WM	OBS DEATHS	22	49	72	62	205
AL	3	WF	RATE/10000	0.7	0.8	1.5	5.3	110.9
AL	3	WF	OBS DEATHS	12	14	21	53	100
AL	3	BM	RATE/10000	1.7	3.0	8.2	13.8	67.1
AL	3	BM	OBS DEATHS	7	13	36	43	99
AL	3	BF	RATE/10000	0.9	2.5	3.8	9.9	69.5
AL	3	BF	OBS DEATHS	5	14	20	39	78
AL	4	WM	RATE/10000	2.3	8.3	15.1	19.5	313.7
AL	4	WM	OBS DEATHS	20	76	122	91	309
AL	4	WF	RATE/10000	0.9	1.5	3.3	7.7	182.2
AL	4	WF	OBS DEATHS	9	15	30	47	101
AL	4	BM	RATE/10000	9.3	19.6	27.9	52.1	278.7
AL	4	BM	OBS DEATHS	14	29	40	45	128
AL	4	BF	RATE/10000	4.1	5.8	16.6	18.0	192.4
AL	4	BF	OBS DEATHS	8	11	28	21	68

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
AL	5	WM	RATE/10000	1.6	3.3	10.4	18.0	215.0
AL	5	WM	OBS DEATHS	17	35	85	83	220
AL	5	WF	RATE/10000	0.4	0.9	2.2	7.2	138.3
AL	5	WF	OBS DEATHS	4	10	21	47	82
AL	5	BM	RATE/10000	2.8	5.3	13.5	18.2	101.8
AL	5	BM	OBS DEATHS	9	19	45	42	115
AL	5	BF	RATE/10000	2.4	4.3	6.7	9.2	97.5
AL	5	BF	OBS DEATHS	11	19	28	30	88
AL	6	WM	RATE/10000	1.1	1.7	5.0	9.4	111.3
AL	6	WM	OBS DEATHS	11	16	40	44	111
AL	6	WF	RATE/10000	0.6	1.0	1.1	4.7	98.5
AL	6	WF	OBS DEATHS	6	10	10	28	54
AL	6	BM	RATE/10000	3.5	6.3	10.0	17.5	95.7
AL	6	BM	OBS DEATHS	14	26	49	49	129
AL	6	BF	RATE/10000	2.3	2.7	7.6	12.6	105.1
AL	6	BF	OBS DEATHS	12	14	36	46	108
AK	1	WM	RATE/10000	1.0	4.1	8.0	11.8	179.3
AK	1	WM	OBS DEATHS	8	23	23	10	64
AK	1	WF	RATE/10000	0.2	2.0	2.8	6.1	154.5
AK	1	WF	OBS DEATHS	1	9	6	4	20
AK	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
AK	1	BM	OBS DEATHS	0	0	0	0	0
AK	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
AK	1	BF	OBS DEATHS	0	0	0	0	0
AZ	1	WM	RATE/10000	0.4	1.0	3.1	7.1	73.0
AZ	1	WM	OBS DEATHS	11	25	56	93	185
AZ	1	WF	RATE/10000	0.2	0.6	2.0	3.0	77.8
AZ	1	WF	OBS DEATHS	5	15	41	45	106
AZ	1	BM	RATE/10000	5.4	0.0	5.4	8.4	52.6
AZ	1	BM	OBS DEATHS	4	0	3	3	10
AZ	1	BF	RATE/10000	1.2	5.7	3.6	0.0	59.9
AZ	1	BF	OBS DEATHS	1	4	2	0	7

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME -SEX								35-74
AZ	2	WM	RATE/10000	0.9	1.6	3.4	8.7	92.4
AZ	2	WM	OBS DEATHS	9	16	27	50	102
AZ	2	WF	RATE/10000	0.7	1.6	1.9	5.1	129.2
AZ	2	WF	OBS DEATHS	7	18	18	35	78
AZ	2	BM	RATE/10000	0.0	0.0	5.9	15.5	45.4
AZ	2	BM	OBS DEATHS	0	0	1	2	3
AZ	2	BF	RATE/10000	0.0	0.0	5.1	14.2	69.1
AZ	2	BF	OBS DEATHS	0	0	1	2	3
AZ	3	WM	RATE/10000	0.0	0.4	5.4	5.8	75.5
AZ	3	WM	OBS DEATHS	0	1	12	9	22
AZ	3	WF	RATE/10000	0.4	0.0	3.0	5.4	116.1
AZ	3	WF	OBS DEATHS	1	0	7	8	16
AZ	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
AZ	3	BM	OBS DEATHS	0	0	0	0	0
AZ	3	BF	RATE/10000	0.0	17.6	0.0	0.0	114.3
AZ	3	BF	OBS DEATHS	0	1	0	0	1
AZ	5	WM	RATE/10000	0.5	0.5	2.2	3.3	42.3
AZ	5	WM	OBS DEATHS	1	1	4	4	10
AZ	5	WF	RATE/10000	0.5	0.0	2.8	5.8	116.6
AZ	5	WF	OBS DEATHS	1	0	5	6	12
AZ	5	BM	RATE/10000	0.0	0.0	24.7	0.0	65.2
AZ	5	BM	OBS DEATHS	0	0	1	0	1
AZ	5	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
AZ	5	BF	OBS DEATHS	0	0	0	0	0
AR	1	WM	RATE/10000	1.4	3.7	7.4	15.0	177.1
AR	1	WM	OBS DEATHS	16	47	92	143	298
AR	1	WF	RATE/10000	0.3	0.9	2.0	5.6	117.8
AR	1	WF	OBS DEATHS	4	12	28	62	106
AR	1	BM	RATE/10000	10.9	0.0	12.0	28.1	124.8
AR	1	BM	OBS DEATHS	4	0	6	10	20
AR	1	BF	RATE/10000	2.1	0.0	12.3	12.5	113.8
AR	1	BF	OBS DEATHS	1	0	7	6	14

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
AR	2	WM	RATE/10000	1.5	4.0	8.9	12.0	176.3
AR	2	WM	OBS DEATHS	14	39	83	77	213
AR	2	WF	RATE/10000	0.8	1.9	2.3	5.5	145.7
AR	2	WF	OBS DEATHS	8	20	24	40	92
AR	2	BM	RATE/10000	9.5	16.0	33.4	44.5	261.9
AR	2	BM	OBS DEATHS	13	26	64	76	179
AR	2	BF	RATE/10000	4.5	12.4	18.4	22.0	244.0
AR	2	BF	OBS DEATHS	9	27	41	42	119
AR	3	WM	RATE/10000	0.6	3.4	5.0	13.4	141.9
AR	3	WM	OBS DEATHS	5	29	32	51	117
AR	3	WF	RATE/10000	0.2	0.6	2.2	4.2	95.2
AR	3	WF	OBS DEATHS	2	5	16	21	44
AR	3	BM	RATE/10000	2.4	6.2	7.3	16.5	81.6
AR	3	BM	OBS DEATHS	3	8	9	16	36
AR	3	BF	RATE/10000	1.3	1.9	4.7	5.7	57.6
AR	3	BF	OBS DEATHS	2	3	7	7	19
AR	4	WM	RATE/10000	0.6	3.3	9.7	14.7	184.9
AR	4	WM	OBS DEATHS	4	26	72	71	173
AR	4	WF	RATE/10000	0.4	0.8	3.9	5.8	149.7
AR	4	WF	OBS DEATHS	3	7	32	34	76
AR	4	BM	RATE/10000	1.4	6.9	10.3	20.8	99.9
AR	4	BM	OBS DEATHS	3	17	28	51	99
AR	4	BF	RATE/10000	2.0	3.2	4.2	8.9	76.6
AR	4	BF	OBS DEATHS	6	10	14	26	56
CA	1	WM	RATE/10000	0.6	1.2	2.8	8.6	81.1
CA	1	WM	OBS DEATHS	7	15	32	68	122
CA	1	WF	RATE/10000	0.3	1.1	1.8	3.8	98.6
CA	1	WF	OBS DEATHS	4	15	21	30	70
CA	1	BM	RATE/10000	0.0	0.0	20.7	50.1	150.2
CA	1	BM	OBS DEATHS	0	0	2	3	5
CA	1	BF	RATE/10000	0.0	9.5	0.0	19.3	126.4
CA	1	BF	OBS DEATHS	0	1	0	1	2

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72--Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	SEX							35-74
CA	2	WM	RATE/10000	0.5	1.3	3.4	5.9	71.4
CA	2	WM	OBS DEATHS	11	30	57	55	153
CA	2	WF	RATE/10000	0.2	0.8	1.4	3.5	80.0
CA	2	WF	OBS DEATHS	5	20	24	38	87
CA	2	BM	RATE/10000	5.0	1.1	6.0	8.3	63.7
CA	2	BM	OBS DEATHS	6	1	3	2	12
CA	2	BF	RATE/10000	1.8	2.6	6.6	8.3	84.1
CA	2	BF	OBS DEATHS	2	2	3	2	9
CA	3	WM	RATE/10000	0.3	2.1	4.1	8.2	94.4
CA	3	WM	OBS DEATHS	3	22	34	49	108
CA	3	WF	RATE/10000	0.7	0.8	2.4	4.2	112.1
CA	3	WF	OBS DEATHS	7	9	22	29	67
CA	3	BM	RATE/10000	0.0	7.6	4.1	0.0	46.7
CA	3	BM	OBS DEATHS	0	3	1	0	4
CA	3	BF	RATE/10000	2.1	2.4	8.8	19.2	118.6
CA	3	BF	OBS DEATHS	1	1	2	2	6
CA	4	WM	RATE/10000	0.5	1.3	2.8	4.1	59.6
CA	4	WM	OBS DEATHS	18	47	78	69	212
CA	4	WF	RATE/10000	0.3	0.3	1.1	2.1	53.3
CA	4	WF	OBS DEATHS	10	12	37	49	108
CA	4	BM	RATE/10000	2.4	4.4	3.9	7.6	54.0
CA	4	BM	OBS DEATHS	8	13	7	6	34
CA	4	BF	RATE/10000	0.3	2.5	3.0	1.0	37.6
CA	4	BF	OBS DEATHS	1	8	6	1	16
CA	5	WM	RATE/10000	0.2	1.2	2.0	4.0	49.6
CA	5	WM	OBS DEATHS	8	46	52	56	162
CA	5	WF	RATE/10000	0.3	0.7	1.2	2.4	64.6
CA	5	WF	OBS DEATHS	10	26	34	46	116
CA	5	BM	RATE/10000	0.9	2.5	2.5	5.2	29.9
CA	5	BM	OBS DEATHS	4	12	8	8	32
CA	5	BF	RATE/10000	0.4	1.1	0.9	4.0	25.2
CA	5	BF	OBS DEATHS	2	6	3	7	18

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
CA	6	WM	RATE/10000	0.6	1.0	1.6	6.3	58.2
CA	6	WM	OBS DEATHS	9	15	20	49	93
CA	6	WF	RATE/10000	0.3	0.5	1.3	2.3	61.6
CA	6	WF	OBS DEATHS	5	8	16	20	49
CA	6	BM	RATE/10000	0.0	3.7	2.4	7.7	34.2
CA	6	BM	OBS DEATHS	0	2	1	2	5
CA	6	BF	RATE/10000	0.0	0.0	5.3	4.2	37.2
CA	6	BF	OBS DEATHS	0	0	2	1	3
CA	7	WM	RATE/10000	0.5	1.3	2.0	3.8	54.6
CA	7	WM	OBS DEATHS	15	33	28	26	102
CA	7	WF	RATE/10000	0.3	0.8	1.1	2.8	69.9
CA	7	WF	OBS DEATHS	8	19	17	27	71
CA	7	BM	RATE/10000	4.2	7.2	7.9	0.0	89.3
CA	7	BM	OBS DEATHS	2	2	1	0	5
CA	7	BF	RATE/10000	0.0	4.0	0.0	0.0	29.0
CA	7	BF	OBS DEATHS	0	1	0	0	1
CA	8	WM	RATE/10000	0.6	1.0	3.0	4.3	58.8
CA	8	WM	OBS DEATHS	6	11	26	27	70
CA	8	WF	RATE/10000	0.0	1.0	1.6	3.5	83.1
CA	8	WF	OBS DEATHS	0	11	16	27	54
CA	8	BM	RATE/10000	0.0	0.0	13.6	0.0	32.5
CA	8	BM	OBS DEATHS	0	0	2	0	2
CA	8	BF	RATE/10000	2.9	0.0	0.0	0.0	36.3
CA	8	BF	OBS DEATHS	1	0	0	0	1
CA	9	WM	RATE/10000	0.3	0.9	2.1	4.9	51.3
CA	9	WM	OBS DEATHS	6	22	40	55	123
CA	9	WF	RATE/10000	0.2	0.4	1.6	3.6	76.0
CA	9	WF	OBS DEATHS	6	10	31	45	92
CA	9	BM	RATE/10000	2.3	2.2	0.0	1.6	16.7
CA	9	BM	OBS DEATHS	2	2	0	1	5
CA	9	BF	RATE/10000	2.7	1.0	4.5	1.7	48.6
CA	9	BF	OBS DEATHS	3	1	4	1	9

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
CA 10	WM	RATE/10000		0.6	0.5	2.0	3.5	43.8
CA 10	WM	OBS DEATHS		11	7	18	20	56
CA 10	WF	RATE/10000		0.1	0.5	1.3	2.5	57.3
CA 10	WF	OBS DEATHS		1	7	13	19	40
CA 10	BM	RATE/10000		2.9	0.0	0.0	0.0	22.1
CA 10	BM	OBS DEATHS		1	0	0	0	1
CA 10	BF	RATE/10000		3.2	0.0	7.4	0.0	64.4
CA 10	BF	OBS DEATHS		1	0	1	0	2
CA 11	WM	RATE/10000		0.5	0.9	2.0	4.0	48.0
CA 11	WM	OBS DEATHS		81	147	241	264	733
CA 11	WF	RATE/10000		0.3	0.6	1.0	2.0	56.0
CA 11	WF	OBS DEATHS		54	102	141	197	494
CA 11	BM	RATE/10000		1.4	2.4	3.4	6.5	36.9
CA 11	BM	OBS DEATHS		28	37	34	31	130
CA 11	BF	RATE/10000		1.1	1.3	1.7	3.8	35.3
CA 11	BF	OBS DEATHS		24	22	21	26	93
CA 12	WM	RATE/10000		0.8	0.9	2.4	4.1	54.4
CA 12	WM	OBS DEATHS		21	24	49	66	160
CA 12	WF	RATE/10000		0.3	1.1	1.7	2.5	77.7
CA 12	WF	OBS DEATHS		7	31	39	47	124
CA 12	BM	RATE/10000		0.0	2.2	8.3	13.2	52.2
CA 12	BM	OBS DEATHS		0	2	5	5	12
CA 12	BF	RATE/10000		0.8	2.2	2.9	4.4	45.4
CA 12	BF	OBS DEATHS		1	2	2	2	7
CA 13	WM	RATE/10000		0.3	0.5	1.6	2.2	30.3
CA 13	WM	OBS DEATHS		11	17	29	24	81
CA 13	WF	RATE/10000		0.3	0.3	0.8	2.1	46.6
CA 13	WF	OBS DEATHS		11	10	17	33	71
CA 13	BM	RATE/10000		0.0	0.0	36.1	0.0	74.4
CA 13	BM	OBS DEATHS		0	0	2	0	2
CA 13	BF	RATE/10000		0.0	7.1	0.0	0.0	54.3
CA 13	BF	OBS DEATHS		0	1	0	0	1

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
CA	14	WM	RATE/10000	0.5	1.0	1.4	4.2	45.9
CA	14	WM	OBS DEATHS	16	32	30	62	140
CA	14	WF	RATE/10000	0.4	0.8	1.4	2.5	73.0
CA	14	WF	OBS DEATHS	12	28	36	47	123
CA	14	BM	RATE/10000	1.3	6.4	3.2	0.0	46.1
CA	14	BM	OBS DEATHS	2	7	2	0	11
CA	14	BF	RATE/10000	0.0	0.9	1.4	0.0	12.2
CA	14	BF	OBS DEATHS	0	1	1	0	2
CO	1	WM	RATE/10000	0.6	1.4	3.7	7.0	81.9
CO	1	WM	OBS DEATHS	21	49	88	97	255
CO	1	WF	RATE/10000	0.3	0.8	1.2	3.9	84.3
CO	1	WF	OBS DEATHS	13	28	32	71	144
CO	1	BM	RATE/10000	0.7	4.0	6.8	9.8	53.8
CO	1	BM	OBS DEATHS	1	4	4	3	12
CO	1	BF	RATE/10000	0.7	2.8	1.5	8.8	55.0
CO	1	BF	OBS DEATHS	1	3	1	4	9
CO	2	WM	RATE/10000	1.0	1.4	3.5	7.7	88.9
CO	2	WM	OBS DEATHS	13	16	30	41	100
CO	2	WF	RATE/10000	0.2	1.1	2.0	4.7	108.1
CO	2	WF	OBS DEATHS	3	13	18	30	64
CO	2	BM	RATE/10000	0.0	10.0	9.4	41.2	111.9
CO	2	BM	OBS DEATHS	0	2	1	2	5
CO	2	BF	RATE/10000	0.0	6.4	0.0	0.0	35.7
CO	2	BF	OBS DEATHS	0	1	0	0	1
CO	3	WM	RATE/10000	0.9	2.3	5.0	7.0	102.8
CO	3	WM	OBS DEATHS	4	11	21	18	54
CO	3	WF	RATE/10000	0.0	0.0	1.2	4.0	63.0
CO	3	WF	OBS DEATHS	0	0	5	11	16
CO	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
CO	3	BM	OBS DEATHS	0	0	0	0	0
CO	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
CO	3	BF	OBS DEATHS	0	0	0	0	0

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
CT	1	WM	RATE/10000	0.3	1.2	3.3	6.5	70.7
CT	1	WM	OBS DEATHS	6	26	53	53	138
CT	1	WF	RATE/10000	0.3	0.6	1.3	4.4	87.4
CT	1	WF	OBS DEATHS	7	15	23	50	95
CT	1	BM	RATE/10000	1.5	6.9	6.2	19.4	82.5
CT	1	BM	OBS DEATHS	2	7	4	6	19
CT	1	BF	RATE/10000	0.6	4.0	6.0	13.6	94.3
CT	1	BF	OBS DEATHS	1	5	5	6	17
CT	2	WM	RATE/10000	0.2	1.2	3.2	6.1	67.9
CT	2	WM	OBS DEATHS	3	24	46	51	124
CT	2	WF	RATE/10000	0.2	0.7	1.7	3.4	82.0
CT	2	WF	OBS DEATHS	4	15	28	39	86
CT	2	BM	RATE/10000	3.2	5.2	7.5	6.8	71.7
CT	2	BM	OBS DEATHS	4	5	4	2	15
CT	2	BF	RATE/10000	2.6	0.9	6.1	2.6	63.8
CT	2	BF	OBS DEATHS	4	1	4	1	10
CT	3	WM	RATE/10000	0.4	1.3	2.5	5.6	62.4
CT	3	WM	OBS DEATHS	4	13	20	26	63
CT	3	WF	RATE/10000	0.2	0.3	2.0	2.5	68.9
CT	3	WF	OBS DEATHS	2	3	17	15	37
CT	3	BM	RATE/10000	0.0	0.0	9.0	0.0	22.5
CT	3	BM	OBS DEATHS	0	0	1	0	1
CT	3	BF	RATE/10000	3.4	0.0	0.0	13.8	68.4
CT	3	BF	OBS DEATHS	1	0	0	1	2
CT	4	WM	RATE/10000	0.4	0.8	1.7	4.8	48.2
CT	4	WM	OBS DEATHS	9	20	30	44	103
CT	4	WF	RATE/10000	0.1	0.6	0.6	1.3	36.9
CT	4	WF	OBS DEATHS	2	14	12	16	44
CT	4	BM	RATE/10000	2.3	1.0	3.5	3.4	31.7
CT	4	BM	OBS DEATHS	3	1	2	1	7
CT	4	BF	RATE/10000	0.7	1.8	4.8	0.0	39.1
CT	4	BF	OBS DEATHS	1	2	3	0	6

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR			35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX						35-74
CT	5 WM	RATE/10000	0.8	1.0	3.4	4.2	85.0
CT	5 WM	OBS DEATHS	3	4	11	8	26
CT	5 WF	RATE/10000	0.0	0.7	1.1	0.4	36.8
CT	5 WF	OBS DEATHS	0	3	4	1	8
CT	5 BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
CT	5 BM	OBS DEATHS	0	0	0	0	0
CT	5 BF	RATE/10000	0.0	51.7	0.0	0.0	209.3
CT	5 BF	OBS DEATHS	0	1	0	0	1
DE	1 WM	RATE/10000	0.9	1.3	2.6	6.6	73.5
DE	1 WM	OBS DEATHS	11	16	22	39	79
DE	1 WF	RATE/10000	0.4	0.4	2.2	3.7	89.4
DE	1 WF	OBS DEATHS	5	5	20	23	53
DE	1 BM	RATE/10000	1.7	4.5	10.3	13.6	77.2
DE	1 BM	OBS DEATHS	3	7	12	9	31
DE	1 BF	RATE/10000	0.5	2.9	6.5	3.8	62.6
DE	1 BF	OBS DEATHS	1	5	8	3	17
DC	1 WM	RATE/10000	1.0	1.8	4.4	7.0	93.0
DC	1 WM	OBS DEATHS	5	9	25	28	67
DC	1 WF	RATE/10000	0.7	0.8	1.1	2.6	67.6
DC	1 WF	OBS DEATHS	3	5	9	18	35
DC	1 BM	RATE/10000	2.5	3.6	5.3	10.1	57.4
DC	1 BM	OBS DEATHS	33	42	44	39	158
DC	1 BF	RATE/10000	0.7	2.1	1.5	6.0	42.6
DC	1 BF	OBS DEATHS	11	29	15	32	87
FL	1 WM	RATE/10000	1.5	3.8	7.9	14.6	184.3
FL	1 WM	OBS DEATHS	21	48	72	75	216
FL	1 WF	RATE/10000	0.3	1.3	2.4	8.4	158.3
FL	1 WF	OBS DEATHS	5	17	24	54	100
FL	1 BM	RATE/10000	3.4	6.7	12.9	25.6	120.9
FL	1 BM	OBS DEATHS	9	17	30	34	99
FL	1 BF	RATE/10000	2.6	6.1	5.5	14.2	120.7
FL	1 BF	OBS DEATHS	9	19	15	27	70

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
FL	2	WM	RATE/10000	1.3	3.3	8.5	12.0	163.0
FL	2	WM	OBS DEATHS	10	25	62	79	176
FL	2	WF	RATE/10000	0.5	2.2	1.4	6.3	138.8
FL	2	WF	OBS DEATHS	4	18	12	45	79
FL	2	BM	RATE/10000	2.8	9.0	14.8	32.2	146.0
FL	2	BM	OBS DEATHS	5	16	24	36	81
FL	2	BF	RATE/10000	1.5	9.5	13.2	20.1	188.7
FL	2	BF	OBS DEATHS	3	19	24	26	72
FL	3	WM	RATE/10000	0.9	2.1	5.4	12.8	132.0
FL	3	WM	OBS DEATHS	12	26	46	60	144
FL	3	WF	RATE/10000	0.5	1.1	2.3	5.3	124.6
FL	3	WF	OBS DEATHS	7	14	22	34	77
FL	3	BM	RATE/10000	5.1	6.1	15.6	16.0	115.1
FL	3	BM	OBS DEATHS	14	17	35	23	89
FL	3	BF	RATE/10000	2.6	6.0	14.5	13.1	159.1
FL	3	BF	OBS DEATHS	9	20	39	24	92
FL	4	WM	RATE/10000	0.6	1.4	4.1	5.6	73.9
FL	4	WM	OBS DEATHS	12	35	100	178	325
FL	4	WF	RATE/10000	0.5	1.0	1.6	3.5	88.3
FL	4	WF	OBS DEATHS	11	29	55	137	232
FL	4	BM	RATE/10000	3.0	3.0	11.8	18.0	89.7
FL	4	BM	OBS DEATHS	8	7	23	23	61
FL	4	BF	RATE/10000	2.2	3.7	6.6	11.3	101.0
FL	4	BF	OBS DEATHS	7	10	15	17	49
FL	5	WM	RATE/10000	0.8	1.3	4.0	7.6	87.6
FL	5	WM	OBS DEATHS	16	25	53	82	176
FL	5	WF	RATE/10000	0.5	1.0	1.3	3.8	91.7
FL	5	WF	OBS DEATHS	11	20	21	53	105
FL	5	BM	RATE/10000	3.0	7.1	17.5	18.4	120.7
FL	5	BM	OBS DEATHS	7	14	28	19	68
FL	5	BF	RATE/10000	2.6	5.0	5.9	8.9	100.9
FL	5	BF	OBS DEATHS	7	11	11	11	40

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR			35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX						35-74
FL 6	WM	RATE/10000	0.6	2.4	5.8	7.0	100.3
FL 6	WM	OBS DEATHS	7	29	78	108	222
FL 6	WF	RATE/10000	0.4	1.2	1.8	3.9	96.9
FL 6	WF	OBS DEATHS	5	16	31	64	116
FL 6	BM	RATE/10000	3.9	7.5	14.1	19.2	118.0
FL 6	BM	OBS DEATHS	7	12	19	15	53
FL 6	BF	RATE/10000	1.1	6.4	11.7	17.3	151.8
FL 6	BF	OBS DEATHS	2	10	15	14	41
FL 7	WM	RATE/10000	1.3	2.2	2.2	5.1	67.5
FL 7	WM	OBS DEATHS	11	20	20	54	105
FL 7	WF	RATE/10000	0.7	0.3	1.8	2.1	64.8
FL 7	WF	OBS DEATHS	6	3	22	26	57
FL 7	BM	RATE/10000	1.4	12.6	13.5	15.3	118.2
FL 7	BM	OBS DEATHS	3	22	19	12	56
FL 7	BF	RATE/10000	0.4	4.4	3.5	8.5	70.4
FL 7	BF	OBS DEATHS	1	8	5	7	21
FL 8	WM	RATE/10000	1.9	3.2	7.2	9.5	136.7
FL 8	WM	OBS DEATHS	24	44	99	155	322
FL 8	WF	RATE/10000	0.3	0.8	2.1	3.1	86.5
FL 8	WF	OBS DEATHS	4	13	41	57	115
FL 8	BM	RATE/10000	5.5	11.3	5.6	20.0	122.1
FL 8	BM	OBS DEATHS	10	15	5	9	39
FL 8	BF	RATE/10000	1.9	7.5	8.7	2.0	115.4
FL 8	BF	OBS DEATHS	4	11	9	1	25
FL 9	WM	RATE/10000	0.5	1.3	3.4	8.0	83.6
FL 9	WM	OBS DEATHS	16	40	87	169	312
FL 9	WF	RATE/10000	0.2	0.7	2.1	3.9	95.5
FL 9	WF	OBS DEATHS	7	26	68	110	211
FL 9	BM	RATE/10000	2.7	7.2	18.0	15.9	118.5
FL 9	BM	OBS DEATHS	13	26	44	20	103
FL 9	BF	RATE/10000	3.6	5.0	8.6	12.7	136.7
FL 9	BF	OBS DEATHS	20	20	24	20	84

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
GA	2	WM	RATE/10000	1.0	3.4	6.1	14.0	157.0
GA	2	WM	OBS DEATHS	11	36	53	70	170
GA	2	WF	RATE/10000	0.5	0.6	1.7	6.0	114.8
GA	2	WF	OBS DEATHS	6	7	17	39	69
GA	2	BM	RATE/10000	1.3	9.4	20.0	19.4	134.2
GA	2	BM	OBS DEATHS	1	7	13	7	28
GA	2	BF	RATE/10000	2.0	2.2	6.1	15.4	102.2
GA	2	BF	OBS DEATHS	2	2	5	8	17
GA	3	WM	RATE/10000	0.7	2.1	3.7	19.3	193.2
GA	3	WM	OBS DEATHS	26	72	87	123	308
GA	3	WF	RATE/10000	0.4	0.9	1.7	4.1	96.0
GA	3	WF	OBS DEATHS	14	34	45	72	165
GA	3	BM	RATE/10000	3.8	7.1	13.1	29.4	130.2
GA	3	BM	OBS DEATHS	32	50	74	91	247
GA	3	BF	RATE/10000	2.7	4.5	7.4	19.5	138.5
GA	3	BF	OBS DEATHS	28	40	54	93	215
GA	4	WM	RATE/10000	0.3	1.9	4.5	11.8	111.2
GA	4	WM	OBS DEATHS	3	18	31	44	96
GA	4	WF	RATE/10000	0.6	1.0	1.9	3.0	94.2
GA	4	WF	OBS DEATHS	6	19	15	16	47
GA	4	BM	RATE/10000	2.4	3.4	11.0	17.3	85.2
GA	4	BM	OBS DEATHS	7	10	29	28	74
GA	4	BF	RATE/10000	1.3	1.6	7.0	7.2	72.9
GA	4	BF	OBS DEATHS	5	6	23	17	51
GA	5	WM	RATE/10000	1.1	3.7	11.3	22.1	238.2
GA	5	WM	OBS DEATHS	14	45	100	102	261
GA	5	WF	RATE/10000	0.6	1.3	3.5	8.7	187.2
GA	5	WF	OBS DEATHS	8	17	35	59	119
GA	5	BM	RATE/10000	3.9	11.7	25.3	40.4	204.5
GA	5	BM	OBS DEATHS	19	54	101	97	271
GA	5	BF	RATE/10000	3.2	7.5	12.0	24.5	196.3
GA	5	BF	OBS DEATHS	20	43	60	88	211

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
GA	6	WM	RATE/10000	1.7	3.8	7.9	18.4	203.0
GA	6	WM	OBS DEATHS	13	30	51	66	160
GA	6	WF	RATE/10000	0.6	2.6	3.3	8.3	205.7
GA	6	WF	OBS DEATHS	5	22	24	41	92
GA	6	PM	RATE/10000	3.9	10.5	18.6	28.0	156.8
GA	6	PM	OBS DEATHS	11	31	51	52	145
GA	6	BF	RATE/10000	4.4	5.8	14.1	17.2	178.0
GA	6	BF	OBS DEATHS	17	22	49	46	134
GA	7	WM	RATE/10000	1.4	3.5	7.3	15.1	176.6
GA	7	WM	OBS DEATHS	13	31	52	57	153
GA	7	WF	RATE/10000	0.6	1.8	4.0	6.5	181.5
GA	7	WF	OBS DEATHS	6	17	31	34	88
GA	7	BM	RATE/10000	3.6	10.1	21.2	42.8	190.6
GA	7	BM	OBS DEATHS	10	30	55	69	164
GA	7	BF	RATE/10000	3.6	5.3	17.7	34.1	245.2
GA	7	BF	OBS DEATHS	13	19	53	74	159
HI	1	WM	RATE/10000	0.4	0.9	4.4	5.8	72.5
HI	1	WM	OBS DEATHS	3	6	17	10	36
HI	1	WF	RATE/10000	0.0	1.2	1.7	5.6	105.6
HI	1	WF	OBS DEATHS	0	7	6	11	24
HI	1	BM	RATE/10000	4.9	0.0	0.0	0.0	55.5
HI	1	BM	OBS DEATHS	1	0	0	0	1
HI	1	BF	RATE/10000	0.0	44.9	0.0	0.0	351.0
HI	1	BF	OBS DEATHS	0	2	0	0	2
ID	1	WM	RATE/10000	0.8	2.1	4.1	11.9	116.8
ID	1	WM	OBS DEATHS	13	35	61	103	212
ID	1	WF	RATE/10000	0.3	1.2	1.6	5.7	116.0
ID	1	WF	OBS DEATHS	5	21	23	53	102
ID	1	BM	RATE/10000	0.0	0.0	123.5	0.0	340.6
ID	1	BM	OBS DEATHS	0	0	3	0	7
ID	1	BF	RATE/10000	0.0	0.0	0.0	92.6	211.6
ID	1	BF	OBS DEATHS	0	0	0	1	1

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA NAME	COLOR	SEX		35-44	45-54	55-64	65-74	(SMR) 35-74
IL	1	WM	RATE/10000	0.4	1.2	3.2	5.0	65.2
IL	1	WM	OBS DEATHS	6	16	34	32	88
IL	1	WF	RATE/10000	0.4	0.2	1.4	4.9	85.9
IL	1	WF	OBS DEATHS	5	3	15	39	62
IL	1	BM	RATE/10000	2.2	0.0	5.1	8.9	39.2
IL	1	BM	OBS DEATHS	1	0	1	1	3
IL	1	BF	RATE/10000	0.0	2.9	4.3	9.0	60.4
IL	1	BF	OBS DEATHS	0	1	1	1	3
IL	2	WM	RATE/10000	0.6	1.5	3.0	8.3	83.4
IL	2	WM	OBS DEATHS	9	25	44	75	153
IL	2	WF	RATE/10000	0.1	0.8	2.1	3.6	89.2
IL	2	WF	OBS DEATHS	1	14	32	42	89
IL	2	BM	RATE/10000	2.9	0.0	4.2	15.0	49.2
IL	2	BM	OBS DEATHS	1	0	1	2	4
IL	2	BF	RATE/10000	2.4	0.0	0.0	0.0	17.6
IL	2	BF	OBS DEATHS	1	0	0	0	1
IL	3	WM	RATE/10000	0.1	1.3	3.9	7.1	79.2
IL	3	WM	OBS DEATHS	1	18	48	61	128
IL	3	WF	RATE/10000	0.3	0.7	1.0	3.2	69.5
IL	3	WF	OBS DEATHS	4	10	14	36	64
IL	3	BM	RATE/10000	0.0	4.7	4.9	0.0	28.7
IL	3	BM	OBS DEATHS	0	1	1	0	2
IL	3	BF	RATE/10000	0.0	7.4	0.0	0.0	38.7
IL	3	BF	OBS DEATHS	0	2	0	0	2
IL	4	WM	RATE/10000	0.2	1.7	3.6	8.1	86.0
IL	4	WM	OBS DEATHS	4	29	50	72	155
IL	4	WF	RATE/10000	0.3	0.6	2.0	3.0	81.3
IL	4	WF	OBS DEATHS	6	11	30	36	83
IL	4	BM	RATE/10000	5.0	10.0	14.6	25.2	145.5
IL	4	BM	OBS DEATHS	3	5	5	5	18
IL	4	BF	RATE/10000	0.0	3.8	10.0	12.8	105.6
IL	4	BF	OBS DEATHS	0	2	4	3	9

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR) 35-74
NAME	-SEX							
IL	5	WM	RATE/10000	0.6	1.7	3.7	8.8	94.2
IL	5	WM	OBS DEATHS	7	24	52	89	172
IL	5	WF	RATE/10000	0.5	0.9	1.5	4.4	98.9
IL	5	WF	OBS DEATHS	7	14	23	56	100
IL	5	BM	RATE/10000	0.0	0.0	8.7	12.9	54.5
IL	5	BM	OBS DEATHS	0	0	3	4	7
IL	5	BF	RATE/10000	0.0	4.9	0.0	2.5	31.5
IL	5	BF	OBS DEATHS	0	2	0	1	3
IL	7	WM	RATE/10000	1.6	4.6	7.8	12.9	184.4
IL	7	WM	OBS DEATHS	203	605	816	733	2357
IL	7	WF	RATE/10000	0.6	1.3	2.5	5.1	133.6
IL	7	WF	OBS DEATHS	80	187	298	396	961
IL	7	BM	RATE/10000	6.3	13.8	22.9	45.2	222.5
IL	7	BM	OBS DEATHS	182	319	345	406	1252
IL	7	BF	RATE/10000	3.0	8.8	14.1	28.6	222.6
IL	7	BF	OBS DEATHS	103	229	249	316	897
IL	8	WM	RATE/10000	0.6	1.9	3.9	6.9	87.9
IL	8	WM	OBS DEATHS	11	33	48	48	140
IL	8	WF	RATE/10000	0.3	1.0	1.2	3.3	81.8
IL	8	WF	OBS DEATHS	6	18	16	28	68
IL	8	BM	RATE/10000	0.0	0.0	3.5	6.9	18.3
IL	8	BM	OBS DEATHS	0	0	1	1	2
IL	8	BF	RATE/10000	2.9	5.7	6.0	0.0	92.9
IL	8	BF	OBS DEATHS	2	3	2	0	7
IL	9	WM	RATE/10000	0.5	2.0	2.8	9.5	91.2
IL	9	WM	OBS DEATHS	5	19	19	36	79
IL	9	WF	RATE/10000	0.4	0.7	1.1	2.9	71.2
IL	9	WF	OBS DEATHS	4	6	8	14	32
IL	9	BM	RATE/10000	2.5	7.2	0.0	16.0	66.6
IL	9	BM	OBS DEATHS	2	4	0	4	10
IL	9	BF	RATE/10000	3.2	1.9	2.5	3.6	55.8
IL	9	BF	OBS DEATHS	2	1	1	1	5

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
IN	1	WM	RATE/10000	0.6	1.7	4.5	10.0	104.9
IN	1	WM	OBS DEATHS	27	74	148	190	439
IN	1	WF	RATE/10000	0.4	1.1	2.2	5.7	126.4
IN	1	WF	OBS DEATHS	19	50	77	137	283
IN	1	BM	RATE/10000	2.3	2.7	6.8	18.0	69.8
IN	1	BM	OBS DEATHS	9	9	15	23	56
IN	1	BF	RATE/10000	2.9	3.5	7.4	4.3	91.7
IN	1	BF	OBS DEATHS	13	12	17	6	48
IN	2	WM	RATE/10000	0.5	1.3	4.4	10.4	100.6
IN	2	WM	OBS DEATHS	23	61	155	213	452
IN	2	WF	RATE/10000	0.4	0.8	2.3	5.0	114.5
IN	2	WF	OBS DEATHS	20	41	90	137	288
IN	2	BM	RATE/10000	1.6	3.9	9.5	13.6	72.0
IN	2	BM	OBS DEATHS	6	13	24	21	64
IN	2	BF	RATE/10000	0.9	3.1	8.7	11.2	98.5
IN	2	BF	OBS DEATHS	4	12	25	21	62
IN	3	WM	RATE/10000	0.5	1.5	3.8	7.6	84.7
IN	3	WM	OBS DEATHS	13	42	90	121	266
IN	3	WF	RATE/10000	0.2	1.0	2.6	5.4	123.9
IN	3	WF	OBS DEATHS	6	31	69	110	216
IN	3	BM	RATE/10000	0.0	3.8	6.1	14.5	59.0
IN	3	BM	OBS DEATHS	0	2	3	5	10
IN	3	BF	RATE/10000	0.0	1.5	3.6	2.3	33.0
IN	3	BF	OBS DEATHS	0	1	2	1	4
IA	1	WM	RATE/10000	0.7	1.2	3.2	7.5	79.4
IA	1	WM	OBS DEATHS	40	70	160	264	534
IA	1	WF	RATE/10000	0.2	0.7	1.8	5.1	103.4
IA	1	WF	OBS DEATHS	14	42	100	225	382
IA	1	BM	RATE/10000	1.7	3.9	2.5	25.1	75.2
IA	1	BM	OBS DEATHS	1	2	1	7	11
IA	1	BF	RATE/10000	1.5	5.3	2.3	13.1	93.1
IA	1	BF	OBS DEATHS	1	3	1	4	9

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
IA	3	WM	RATE/10000	1.1	1.4	2.9	5.7	73.9
IA	3	WM	OBS DEATHS	11	14	24	28	77
IA	3	WF	RATE/10000	0.3	1.0	1.6	4.1	96.3
IA	3	WF	OBS DEATHS	3	11	14	26	54
IA	3	BM	RATE/10000	3.9	0.0	7.4	0.0	38.8
IA	3	BM	OBS DEATHS	1	0	1	0	2
IA	3	BF	RATE/10000	0.0	4.8	6.9	22.9	122.6
IA	3	BF	OBS DEATHS	0	1	1	2	4
KS	1	WM	RATE/10000	0.4	2.1	3.6	8.9	96.1
KS	1	WM	OBS DEATHS	4	22	34	59	119
KS	1	WF	RATE/10000	0.6	0.5	1.3	5.3	99.5
KS	1	WF	OBS DEATHS	6	5	13	42	66
KS	1	BM	RATE/10000	0.0	0.0	0.0	20.8	45.0
KS	1	BM	OBS DEATHS	0	0	0	1	1
KS	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
KS	1	BF	OBS DEATHS	0	0	0	0	0
KS	2	WM	RATE/10000	0.3	1.1	4.0	7.6	83.1
KS	2	WM	OBS DEATHS	4	13	41	58	116
KS	2	WF	RATE/10000	0.6	0.3	1.2	3.7	78.6
KS	2	WF	OBS DEATHS	7	4	14	36	61
KS	2	BM	RATE/10000	4.1	0.0	8.8	4.4	49.7
KS	2	BM	OBS DEATHS	2	0	3	1	6
KS	2	BF	RATE/10000	0.0	4.8	5.2	6.6	70.2
KS	2	BF	OBS DEATHS	0	2	2	2	6
KS	3	WM	RATE/10000	0.5	1.1	3.4	9.1	87.9
KS	3	WM	OBS DEATHS	10	22	57	101	190
KS	3	WF	RATE/10000	0.2	1.0	1.2	5.0	96.5
KS	3	WF	OBS DEATHS	3	20	23	73	119
KS	3	BM	RATE/10000	1.3	1.6	2.1	14.9	45.0
KS	3	BM	OBS DEATHS	1	1	1	5	8
KS	3	BF	RATE/10000	0.0	0.0	0.0	2.4	7.7
KS	3	BF	OBS DEATHS	0	0	0	1	1

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
KY	1	WM	RATE/10000	0.7	2.1	4.7	11.3	119.5
KY	1	WM	OBS DEATHS	27	78	139	213	457
KY	1	WF	RATE/10000	0.5	0.9	1.9	5.3	114.8
KY	1	WF	OBS DEATHS	18	35	63	128	244
KY	1	BM	RATE/10000	1.8	9.0	12.1	22.1	114.4
KY	1	BM	OBS DEATHS	6	30	35	46	117
KY	1	BF	RATE/10000	2.0	3.5	6.1	13.1	102.8
KY	1	BF	OBS DEATHS	8	14	21	34	77
KY	2	WM	RATE/10000	1.3	3.5	6.9	14.5	169.9
KY	2	WM	OBS DEATHS	39	102	172	243	556
KY	2	WF	RATE/10000	0.9	1.5	3.6	6.5	171.6
KY	2	WF	OBS DEATHS	27	45	96	128	296
KY	2	BM	RATE/10000	0.0	5.1	9.8	21.6	90.2
KY	2	BM	OBS DEATHS	0	6	11	19	36
KY	2	BF	RATE/10000	1.5	5.0	3.0	6.7	69.6
KY	2	BF	OBS DEATHS	2	7	4	7	20
LA	1	WM	RATE/10000	1.0	2.2	5.2	9.1	115.6
LA	1	WM	OBS DEATHS	23	51	87	85	246
LA	1	WF	RATE/10000	0.7	1.3	2.5	6.1	145.4
LA	1	WF	OBS DEATHS	17	32	48	82	179
LA	1	BM	RATE/10000	2.9	5.6	9.9	19.3	95.0
LA	1	BM	OBS DEATHS	21	39	55	67	182
LA	1	BF	RATE/10000	1.8	3.9	8.1	19.0	131.2
LA	1	BF	OBS DEATHS	17	32	53	85	187
LA	2	WM	RATE/10000	0.7	2.7	8.6	14.6	169.5
LA	2	WM	OBS DEATHS	17	58	143	133	351
LA	2	WF	RATE/10000	0.6	1.7	3.2	8.2	183.4
LA	2	WF	OBS DEATHS	14	37	56	95	202
LA	2	BM	RATE/10000	2.8	8.5	17.9	34.6	156.2
LA	2	BM	OBS DEATHS	19	52	94	117	282
LA	2	BF	RATE/10000	2.6	4.5	12.4	26.6	184.9
LA	2	BF	OBS DEATHS	21	32	73	113	239

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72-Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
LA	3	WM	RATE/10000	0.9	1.5	4.4	10.7	108.8
LA	3	WM	OBS DEATHS	15	25	64	94	198
LA	3	WF	RATE/10000	0.4	1.1	2.5	7.0	146.8
LA	3	WF	OBS DEATHS	8	21	40	80	149
LA	3	BM	RATE/10000	2.4	5.5	14.5	20.8	109.6
LA	3	BM	OBS DEATHS	13	30	82	99	224
LA	3	BF	RATE/10000	2.0	4.4	12.1	19.4	157.5
LA	3	BF	OBS DEATHS	15	32	84	114	245
ME	1	WM	RATE/10000	0.3	1.4	3.3	9.7	90.2
ME	1	WM	OBS DEATHS	8	34	66	131	239
ME	1	WF	RATE/10000	0.4	0.6	1.8	4.0	93.2
ME	1	WF	OBS DEATHS	11	16	41	69	137
ME	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
ME	1	BM	OBS DEATHS	0	0	0	0	0
ME	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
ME	1	BF	OBS DEATHS	0	0	0	0	0
MD	1	WM	RATE/10000	1.2	0.8	2.4	4.8	60.9
MD	1	WM	OBS DEATHS	9	6	14	17	46
MD	1	WF	RATE/10000	0.1	0.9	0.8	1.3	45.3
MD	1	WF	OBS DEATHS	1	7	5	6	19
MD	1	BM	RATE/10000	5.1	0.0	0.0	32.2	78.2
MD	1	BM	OBS DEATHS	1	0	0	3	4
MD	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MD	1	BF	OBS DEATHS	0	0	0	0	0
MD	2	WM	RATE/10000	0.3	1.0	2.1	6.4	56.5
MD	2	WM	OBS DEATHS	4	15	18	23	60
MD	2	WF	RATE/10000	0.1	0.7	1.4	3.8	75.5
MD	2	WF	OBS DEATHS	1	10	13	20	44
MD	2	BM	RATE/10000	0.0	5.0	4.0	8.2	42.8
MD	2	BM	OBS DEATHS	0	2	1	1	4
MD	2	BF	RATE/10000	0.0	2.2	3.8	0.0	31.6
MD	2	BF	OBS DEATHS	0	1	1	0	2

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
MD	3	WM	RATE/10000	0.6	1.8	2.6	5.2	71.2
MD	3	WM	OBS DEATHS	10	26	22	19	77
MD	3	WF	RATE/10000	0.4	0.5	2.0	4.6	95.2
MD	3	WF	OBS DEATHS	7	7	18	23	55
MD	3	BM	RATE/10000	0.6	2.6	8.4	3.5	41.4
MD	3	BM	OBS DEATHS	2	5	9	2	18
MD	3	BF	RATE/10000	0.7	1.6	4.7	3.4	46.0
MD	3	BF	OBS DEATHS	2	3	5	2	12
MD	4	WM	RATE/10000	0.6	1.9	4.2	9.3	101.3
MD	4	WM	OBS DEATHS	25	84	134	163	406
MD	4	WF	RATE/10000	0.3	0.7	1.7	4.8	99.6
MD	4	WF	OBS DEATHS	15	33	60	115	223
MD	4	BM	RATE/10000	1.8	3.7	5.9	12.8	60.6
MD	4	BM	OBS DEATHS	21	40	43	52	156
MD	4	BF	RATE/10000	1.7	2.0	4.0	10.2	72.4
MD	4	BF	OBS DEATHS	23	24	32	50	129
MD	5	WM	RATE/10000	0.4	0.6	2.5	8.3	69.8
MD	5	WM	OBS DEATHS	2	3	11	25	41
MD	5	WF	RATE/10000	0.4	0.9	1.2	5.1	100.6
MD	5	WF	OBS DEATHS	2	5	6	19	32
MD	5	BM	RATE/10000	3.2	3.8	6.1	15.7	71.5
MD	5	BM	OBS DEATHS	4	5	7	12	28
MD	5	BF	RATE/10000	1.4	4.9	8.8	12.8	118.6
MD	5	BF	OBS DEATHS	2	7	10	10	29
MA	1	WM	RATE/10000	0.3	0.9	4.6	5.8	75.6
MA	1	WM	OBS DEATHS	6	18	72	55	151
MA	1	WF	RATE/10000	0.5	0.9	2.0	4.0	101.5
MA	1	WF	OBS DEATHS	9	20	36	53	118
MA	1	BM	RATE/10000	3.2	2.1	4.0	7.4	49.6
MA	1	BM	OBS DEATHS	2	1	1	1	5
MA	1	BF	RATE/10000	0.0	4.1	3.2	0.0	40.1
MA	1	BF	OBS DEATHS	0	2	1	0	3

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72--Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
MA	2	WM	RATE/10000	1.0	3.8	6.8	8.0	139.3
MA	2	WM	OBS DEATHS	15	65	92	64	236
MA	2	WF	RATE/10000	0.3	1.6	2.5	5.0	131.4
MA	2	WF	OBS DEATHS	4	30	38	56	128
MA	2	BM	RATE/10000	0.0	9.6	34.7	27.8	168.4
MA	2	BM	OBS DEATHS	0	1	2	1	4
MA	2	BF	RATE/10000	0.0	12.6	14.8	22.0	197.8
MA	2	BF	OBS DEATHS	0	1	1	1	3
MA	3	WM	RATE/10000	0.6	1.8	3.1	7.3	82.9
MA	3	WM	OBS DEATHS	29	93	118	169	409
MA	3	WF	RATE/10000	0.3	0.5	1.8	3.8	86.5
MA	3	WF	OBS DEATHS	18	29	81	132	260
MA	3	BM	RATE/10000	3.6	0.0	3.9	32.0	78.2
MA	3	BM	OBS DEATHS	2	0	1	5	8
MA	3	BF	RATE/10000	0.0	5.4	2.9	9.0	48.9
MA	3	BF	OBS DEATHS	0	3	1	0	4
MA	4	WM	RATE/10000	1.0	2.1	5.2	8.9	112.9
MA	4	WM	OBS DEATHS	29	62	128	144	363
MA	4	WF	RATE/10000	0.3	0.8	2.1	4.3	100.8
MA	4	WF	OBS DEATHS	9	27	64	106	296
MA	4	BM	RATE/10000	3.1	6.7	3.9	20.0	88.0
MA	4	BM	OBS DEATHS	7	13	4	13	37
MA	4	BF	RATE/10000	1.4	1.3	5.1	6.6	60.2
MA	4	BF	OBS DEATHS	4	3	7	6	20
MA	5	WM	RATE/10000	0.8	1.4	3.5	8.7	91.1
MA	5	WM	OBS DEATHS	18	31	62	101	212
MA	5	WF	RATE/10000	0.3	0.8	2.2	4.8	107.1
MA	5	WF	OBS DEATHS	6	19	44	77	146
MA	5	BM	RATE/10000	0.0	0.0	0.0	8.7	15.6
MA	5	BM	OBS DEATHS	0	0	0	1	1
MA	5	BF	RATE/10000	3.2	0.0	0.0	0.0	23.1
MA	5	BF	OBS DEATHS	1	0	0	0	1

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
MI	1	WM	RATE/10000	9.4	1.0	2.6	5.9	62.2
MI	1	WM	OBS DEATHS	43	107	192	251	593
MI	1	WF	RATE/10000	0.3	0.6	1.3	3.6	78.0
MI	1	WF	OBS DEATHS	36	67	104	187	394
MI	1	BM	RATE/10000	3.1	2.8	4.5	8.9	52.0
MI	1	BM	OBS DEATHS	56	52	56	61	225
MI	1	BF	RATE/10000	0.7	2.2	3.2	5.7	50.3
MI	1	BF	OBS DEATHS	16	43	41	43	143
MI	2	WM	RATE/10000	0.3	1.5	3.1	9.9	88.8
MI	2	WM	OBS DEATHS	5	21	32	58	116
MI	2	WF	RATE/10000	0.3	0.8	2.7	6.1	130.3
MI	2	WF	OBS DEATHS	5	12	29	45	91
MI	2	BM	RATE/10000	1.5	2.3	3.7	13.9	48.4
MI	2	BM	OBS DEATHS	1	1	1	2	5
MI	2	BF	RATE/10000	0.0	0.0	0.0	6.7	17.5
MI	2	BF	OBS DEATHS	0	0	0	1	1
MI	3	WM	RATE/10000	0.4	1.4	3.6	7.9	83.2
MI	3	WM	OBS DEATHS	7	24	46	60	137
MI	3	WF	RATE/10000	0.4	0.9	2.4	4.8	115.9
MI	3	WF	OBS DEATHS	7	16	33	45	101
MI	3	BM	RATE/10000	1.9	0.0	4.1	9.8	37.1
MI	3	BM	OBS DEATHS	2	0	3	5	10
MI	3	BF	RATE/10000	0.8	4.1	1.2	1.8	39.5
MI	3	BF	OBS DEATHS	1	4	1	1	7
MI	4	WM	RATE/10000	0.1	0.9	2.8	7.4	66.6
MI	4	WM	OBS DEATHS	2	19	48	77	146
MI	4	WF	RATE/10000	0.4	0.6	2.2	2.9	83.7
MI	4	WF	OBS DEATHS	8	14	39	37	98
MI	4	BM	RATE/10000	1.1	3.6	9.8	13.0	68.5
MI	4	BM	OBS DEATHS	1	3	6	5	15
MI	4	BF	RATE/10000	0.9	1.1	4.6	9.5	62.5
MI	4	BF	OBS DEATHS	1	1	3	4	9

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR			35-44	45-54	55-64	65-74	(SMR)	
NAME	-SEX						35-74	
MI	5	WM	RATE/10000	0.4	1.0	2.9	6.6	67.0
MI	5	WM	OBS DEATHS	5	12	24	30	71
MI	5	WF	RATE/10000	0.1	0.7	1.4	3.4	75.7
MI	5	WF	OBS DEATHS	2	9	12	19	42
MI	5	BM	RATE/10000	0.6	2.7	4.8	3.4	33.3
MI	5	BM	OBS DEATHS	1	3	3	1	8
MI	5	BF	RATE/10000	0.6	2.9	3.2	6.0	54.1
MI	5	BF	OBS DEATHS	1	3	2	2	8
MI	6	WM	RATE/10000	0.3	1.4	3.4	8.9	86.6
MI	6	WM	OBS DEATHS	5	22	43	68	138
MI	6	WF	RATE/10000	0.1	0.9	1.9	5.8	112.3
MI	6	WF	OBS DEATHS	1	15	25	49	90
MI	6	BM	RATE/10000	4.2	1.9	5.9	21.1	79.2
MI	6	BM	OBS DEATHS	3	1	2	4	10
MI	6	BF	RATE/10000	1.3	2.0	3.1	16.5	80.6
MI	6	BF	OBS DEATHS	1	1	1	3	6
MI	7	WM	RATE/10000	0.4	1.2	3.4	6.7	74.8
MI	7	WM	OBS DEATHS	2	7	19	27	55
MI	7	WF	RATE/10000	0.3	0.6	1.1	3.8	78.1
MI	7	WF	OBS DEATHS	2	4	7	16	29
MI	7	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MI	7	BM	OBS DEATHS	0	0	0	0	0
MI	7	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MI	7	BF	OBS DEATHS	0	0	0	0	0
MI	8	WM	RATE/10000	0.8	0.9	4.3	10.8	104.3
MI	8	WM	OBS DEATHS	5	7	32	51	95
MI	8	WF	RATE/10000	0.3	1.3	2.3	6.2	135.5
MI	8	WF	OBS DEATHS	2	10	17	31	60
MI	8	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MI	8	BM	OBS DEATHS	0	0	0	0	0
MI	8	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MI	8	BF	OBS DEATHS	0	0	0	0	0

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
MN	2	WM	RATE/10000	0.8	1.0	3.6	7.4	80.5
MN	2	WM	OBS DEATHS	8	11	40	52	111
MN	2	WF	RATE/10000	0.3	0.7	1.1	4.7	88.1
MN	2	WF	OBS DEATHS	3	9	12	37	61
MN	2	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	2	BM	OBS DEATHS	0	0	0	0	0
MN	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	2	BF	OBS DEATHS	0	0	0	0	0
MN	4	WM	RATE/10000	0.5	0.6	2.5	4.6	52.7
MN	4	WM	OBS DEATHS	4	5	18	28	55
MN	4	WF	RATE/10000	0.3	0.5	0.7	3.8	68.1
MN	4	WF	OBS DEATHS	2	4	5	23	34
MN	4	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	4	BM	OBS DEATHS	0	0	0	0	0
MN	4	BF	RATE/10000	0.0	96.6	0.0	0.0	846.1
MN	4	BF	OBS DEATHS	0	1	0	0	1
MN	5	WM	RATE/10000	0.4	1.4	2.9	4.8	63.9
MN	5	WM	OBS DEATHS	20	57	83	85	245
MN	5	WF	RATE/10000	0.4	0.7	1.2	2.9	72.6
MN	5	WF	OBS DEATHS	17	32	40	74	163
MN	5	BM	RATE/10000	3.9	7.6	2.4	4.0	64.2
MN	5	BM	OBS DEATHS	3	5	1	1	10
MN	5	BF	RATE/10000	1.3	1.6	2.3	0.0	30.6
MN	5	BF	OBS DEATHS	1	1	1	0	3
MN	6	WM	RATE/10000	0.3	1.3	1.8	6.8	62.8
MN	6	WM	OBS DEATHS	3	16	21	60	100
MN	6	WF	RATE/10000	0.3	0.3	1.2	3.4	68.1
MN	6	WF	OBS DEATHS	3	4	14	33	54
MN	6	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	6	BM	OBS DEATHS	0	0	0	0	0
MN	6	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	6	BF	OBS DEATHS	0	0	0	0	0

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
MN	7	WM	RATE/10000	0.5	1.7	6.5	8.8	113.9
MN	7	WM	OBS DEATHS	4	15	50	47	116
MN	7	WF	RATE/10000	0.3	1.5	2.8	3.6	117.5
MN	7	WF	OBS DEATHS	3	14	23	23	63
MN	7	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	7	BM	OBS DEATHS	0	0	0	0	0
MN	7	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	7	BF	OBS DEATHS	0	0	0	0	0
MS	1	WM	RATE/10000	1.5	3.9	8.6	15.1	192.1
MS	1	WM	OBS DEATHS	52	132	252	269	705
MS	1	WF	RATE/10000	0.4	0.9	2.4	6.0	129.0
MS	1	WF	OBS DEATHS	13	34	78	136	261
MS	1	BM	RATE/10000	2.8	7.9	14.4	26.1	129.3
MS	1	BM	OBS DEATHS	34	100	196	273	603
MS	1	BF	RATE/10000	2.3	3.7	6.2	12.4	102.8
MS	1	BF	OBS DEATHS	38	60	98	156	352
MO	1	WM	RATE/10000	0.4	1.6	4.7	8.7	97.4
MO	1	WM	OBS DEATHS	12	48	102	110	272
MO	1	WF	RATE/10000	0.3	0.9	2.3	3.5	98.9
MO	1	WF	OBS DEATHS	10	29	56	62	157
MO	1	BM	RATE/10000	1.8	3.9	12.9	15.7	85.9
MO	1	BM	OBS DEATHS	6	12	31	26	75
MO	1	BF	RATE/10000	1.9	3.9	5.6	11.6	97.3
MO	1	BF	OBS DEATHS	8	14	15	24	61
MO	2	WM	RATE/10000	0.7	2.0	5.4	11.5	124.6
MO	2	WM	OBS DEATHS	14	45	123	201	383
MO	2	WF	RATE/10000	0.2	0.9	2.4	6.3	131.1
MO	2	WF	OBS DEATHS	5	22	59	134	220
MO	2	BM	RATE/10000	2.9	8.3	11.6	25.0	120.2
MO	2	BM	OBS DEATHS	2	5	7	12	26
MO	2	BF	RATE/10000	1.5	4.6	6.2	7.3	83.9
MO	2	BF	OBS DEATHS	1	3	4	4	12

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME -SEX								35-74
MO	3	WM	RATE/10000	0.9	1.7	4.0	7.9	94.8
MO	3	WM	OBS DEATHS	48	90	163	190	491
MO	3	WF	RATE/10000	0.3	0.7	1.4	3.4	78.9
MO	3	WF	OBS DEATHS	14	40	67	116	237
MO	3	BM	RATE/10000	3.0	5.2	10.0	12.1	80.2
MO	3	BM	OBS DEATHS	23	36	58	48	165
MO	3	BF	RATE/10000	1.4	2.5	6.3	5.9	71.1
MO	3	BF	OBS DEATHS	14	22	45	29	110
MO	4	WM	RATE/10000	1.0	2.2	5.3	12.3	132.4
MO	4	WM	OBS DEATHS	11	27	63	111	212
MO	4	WF	RATE/10000	0.3	0.8	2.5	4.9	115.9
MO	4	WF	OBS DEATHS	4	11	34	52	101
MO	4	BM	RATE/10000	0.0	22.3	23.9	0.0	146.0
MO	4	BM	OBS DEATHS	0	2	2	0	4
MO	4	BF	RATE/10000	0.0	10.6	11.6	15.3	164.6
MO	4	BF	OBS DEATHS	0	1	1	1	3
MO	5	WM	RATE/10000	0.5	3.7	6.9	12.8	154.8
MO	5	WM	OBS DEATHS	5	37	70	95	207
MO	5	WF	RATE/10000	0.6	0.7	2.6	6.9	143.4
MO	5	WF	OBS DEATHS	6	8	29	58	101
MO	5	BM	RATE/10000	10.9	6.1	12.2	16.5	109.0
MO	5	BM	OBS DEATHS	3	2	5	7	17
MO	5	BF	RATE/10000	4.4	4.1	7.8	6.8	98.5
MO	5	BF	OBS DEATHS	2	2	4	3	11
MT	1	WM	RATE/10000	1.2	3.8	9.6	19.3	216.2
MT	1	WM	OBS DEATHS	20	65	135	157	377
MT	1	WF	RATE/10000	0.4	1.1	3.5	6.3	153.0
MT	1	WF	OBS DEATHS	6	19	48	56	129
MT	1	BM	RATE/10000	19.2	0.0	0.0	0.0	133.4
MT	1	BM	OBS DEATHS	1	0	0	0	1
MT	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MT	1	BF	OBS DEATHS	0	0	0	0	0

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	SEX							35-74
NE	1	WM	RATE/10000	0.5	1.7	3.6	6.8	81.3
NE	1	WM	OBS DEATHS	7	25	50	70	152
NE	1	WF	RATE/10000	0.2	0.5	1.5	3.3	73.5
NE	1	WF	OBS DEATHS	3	7	22	40	72
NE	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
NE	1	BM	OBS DEATHS	0	0	0	0	0
NE	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
NE	1	BF	OBS DEATHS	0	0	0	0	0
NE	2	WM	RATE/10000	0.6	1.2	3.4	5.6	70.4
NE	2	WM	OBS DEATHS	5	10	25	30	70
NE	2	WF	RATE/10000	0.2	0.6	0.9	2.0	50.6
NE	2	WF	OBS DEATHS	2	5	7	14	28
NE	2	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
NE	2	BM	OBS DEATHS	0	0	0	0	0
NE	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
NE	2	BF	OBS DEATHS	0	0	0	0	0
NE	3	WM	RATE/10000	0.4	1.4	2.7	7.0	73.0
NE	3	WM	OBS DEATHS	7	21	31	52	111
NE	3	WF	RATE/10000	0.2	0.8	1.4	3.5	79.8
NE	3	WF	OBS DEATHS	3	12	18	35	68
NE	3	BM	RATE/10000	6.0	8.6	0.0	0.0	60.4
NE	3	BM	OBS DEATHS	5	5	0	0	19
NE	3	BF	RATE/10000	1.0	3.0	6.0	2.7	59.6
NE	3	BF	OBS DEATHS	1	2	3	1	7
NV	1	WM	RATE/10000	1.7	3.6	7.8	14.1	181.4
NV	1	WM	OBS DEATHS	10	22	36	34	102
NV	1	WF	RATE/10000	0.4	1.2	3.8	5.1	148.5
NV	1	WF	OBS DEATHS	2	7	16	12	37
NV	1	BM	RATE/10000	0.0	11.8	0.0	0.0	48.9
NV	1	BM	OBS DEATHS	0	1	0	0	1
NV	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
NV	1	BF	OBS DEATHS	0	0	0	0	0

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA NAME	COLOR	SEX		35-44	45-54	55-64	65-74	(SMR) 35-74
NV	2	WM	RATE/10000	0.5	2.1	5.2	13.3	124.8
NV	2	WM	OBS DEATHS	4	14	24	29	71
NV	2	WF	RATE/10000	0.0	1.6	3.1	6.3	144.6
NV	2	WF	OBS DEATHS	0	10	13	13	36
NV	2	BM	RATE/10000	0.0	4.9	0.0	8.4	32.5
NV	2	BM	OBS DEATHS	0	2	0	1	3
NV	2	BF	RATE/10000	3.3	0.0	0.0	15.4	71.6
NV	2	BF	OBS DEATHS	2	0	0	2	4
NH	1	WM	RATE/10000	0.4	1.0	4.3	6.3	76.8
NH	1	WM	OBS DEATHS	7	17	61	59	144
NH	1	WF	RATE/10000	0.1	0.7	2.3	4.1	96.7
NH	1	WF	OBS DEATHS	2	13	36	50	101
NH	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
NH	1	BM	OBS DEATHS	0	0	0	0	0
NH	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
NH	1	BF	OBS DEATHS	0	0	0	0	0
NJ	1	WM	RATE/10000	0.5	1.0	2.1	3.9	49.5
NJ	1	WM	OBS DEATHS	19	38	63	60	180
NJ	1	WF	RATE/10000	0.3	0.6	0.8	2.4	56.5
NJ	1	WF	OBS DEATHS	10	25	27	51	113
NJ	1	BM	RATE/10000	2.3	2.2	2.3	4.6	34.8
NJ	1	BM	OBS DEATHS	4	3	2	2	11
NJ	1	BF	RATE/10000	1.4	0.6	3.6	3.2	40.4
NJ	1	BF	OBS DEATHS	3	1	4	2	10
NJ	2	WM	RATE/10000	0.4	1.1	2.3	5.6	59.9
NJ	2	WM	OBS DEATHS	18	54	91	121	284
NJ	2	WF	RATE/10000	0.2	0.6	1.2	3.0	67.9
NJ	2	WF	OBS DEATHS	11	31	51	88	181
NJ	2	BM	RATE/10000	2.2	3.6	5.3	8.9	54.8
NJ	2	BM	OBS DEATHS	19	24	22	20	85
NJ	2	BF	RATE/10000	1.1	2.3	4.8	6.1	62.3
NJ	2	BF	OBS DEATHS	12	18	25	19	74

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
NJ	3	WM	RATE/10000	3.5	10.0	7.2	7.0	215.2
NJ	3	WM	OBS DEATHS	48	157	99	56	360
NJ	3	WF	RATE/10000	1.6	2.5	2.7	4.2	162.0
NJ	3	WF	OBS DEATHS	24	46	43	46	159
NJ	3	BM	RATE/10000	12.8	18.9	19.0	13.2	221.0
NJ	3	BM	OBS DEATHS	18	19	12	5	54
NJ	3	BF	RATE/10000	8.7	9.7	7.3	6.4	193.9
NJ	3	BF	OBS DEATHS	15	12	6	3	36
NJ	4	WM	RATE/10000	0.4	1.2	2.0	5.2	56.0
NJ	4	WM	OBS DEATHS	19	56	63	103	241
NJ	4	WF	RATE/10000	0.3	0.5	1.2	2.3	61.0
NJ	4	WF	OBS DEATHS	14	26	43	60	143
NJ	4	BM	RATE/10000	1.8	4.1	6.0	1.1	45.2
NJ	4	BM	OBS DEATHS	6	11	10	1	28
NJ	4	BF	RATE/10000	1.1	2.5	4.9	7.0	65.7
NJ	4	BF	OBS DEATHS	4	7	9	8	28
NJ	5	WM	RATE/10000	0.4	1.3	2.9	7.0	71.8
NJ	5	WM	OBS DEATHS	13	41	68	101	223
NJ	5	WF	RATE/10000	0.4	0.9	2.0	4.7	107.1
NJ	5	WF	OBS DEATHS	14	30	52	90	186
NJ	5	BM	RATE/10000	1.6	2.5	3.2	12.3	47.4
NJ	5	BM	OBS DEATHS	6	8	7	18	39
NJ	5	BF	RATE/10000	1.4	1.7	3.9	4.4	50.9
NJ	5	BF	OBS DEATHS	6	6	10	8	30
NM	1	WM	RATE/10000	0.6	1.7	5.0	11.6	115.6
NM	1	WM	OBS DEATHS	15	35	78	103	231
NM	1	WF	RATE/10000	0.3	0.8	2.5	4.8	112.2
NM	1	WF	OBS DEATHS	7	18	41	49	115
NM	1	BM	RATE/10000	2.0	3.1	4.3	13.9	57.5
NM	1	BM	OBS DEATHS	1	1	1	2	5
NM	1	BF	RATE/10000	0.0	3.2	11.6	14.7	112.3
NM	1	BF	OBS DEATHS	0	1	3	2	6

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
NY	1	WM	RATE/10000	0.4	0.9	2.7	5.9	62.0
NY	1	WM	OBS DEATHS	16	40	95	121	272
NY	1	WF	RATE/10000	0.4	0.7	1.4	2.9	76.3
NY	1	WF	OBS DEATHS	17	35	55	80	187
NY	1	BM	RATE/10000	3.7	6.1	6.2	11.5	78.8
NY	1	BM	OBS DEATHS	11	15	19	11	47
NY	1	BF	RATE/10000	2.0	3.9	0.6	3.1	55.4
NY	1	BF	OBS DEATHS	7	10	1	3	21
NY	2	WM	RATE/10000	0.3	1.2	2.0	5.4	55.7
NY	2	WM	OBS DEATHS	9	33	45	73	160
NY	2	WF	RATE/10000	0.3	0.6	1.2	2.6	64.4
NY	2	WF	OBS DEATHS	8	20	29	46	103
NY	2	BM	RATE/10000	1.3	6.9	1.7	17.1	66.8
NY	2	BM	OBS DEATHS	2	7	1	5	15
NY	2	BF	RATE/10000	3.8	3.0	1.7	9.1	91.7
NY	2	BF	OBS DEATHS	6	3	1	3	13
NY	3	WM	RATE/10000	0.5	1.4	3.7	7.0	80.4
NY	3	WM	OBS DEATHS	16	46	98	111	271
NY	3	WF	RATE/10000	0.4	1.0	1.6	4.1	95.8
NY	3	WF	OBS DEATHS	13	35	45	87	180
NY	3	BM	RATE/10000	3.4	3.6	0.0	5.5	44.9
NY	3	BM	OBS DEATHS	3	2	0	1	6
NY	3	BF	RATE/10000	1.2	8.9	0.0	0.0	71.7
NY	3	BF	OBS DEATHS	1	5	0	0	6
NY	4	WM	RATE/10000	0.5	0.9	2.8	6.5	66.1
NY	4	WM	OBS DEATHS	5	9	23	33	70
NY	4	WF	RATE/10000	0.2	0.5	1.7	2.9	72.2
NY	4	WF	OBS DEATHS	2	6	15	19	42
NY	4	BM	RATE/10000	0.0	0.0	24.7	40.4	142.9
NY	4	BM	OBS DEATHS	0	0	1	1	2
NY	4	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
NY	4	BF	OBS DEATHS	0	0	0	0	0

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
NY	5	WM	RATE/10000	0.7	1.0	3.1	6.2	70.7
NY	5	WM	OBS DEATHS	22	31	85	111	249
NY	5	WF	RATE/10000	0.4	1.0	2.3	3.9	105.4
NY	5	WF	OBS DEATHS	13	36	70	89	208
NY	5	BM	RATE/10000	1.2	5.0	12.9	11.9	79.2
NY	5	BM	OBS DEATHS	1	3	5	3	12
NY	5	BF	RATE/10000	1.3	0.0	4.7	7.2	52.0
NY	5	BF	OBS DEATHS	1	0	2	2	5
NY	6	WM	RATE/10000	0.6	1.1	2.4	5.8	63.1
NY	6	WM	OBS DEATHS	26	50	87	127	290
NY	6	WF	RATE/10000	0.3	0.5	0.9	2.5	57.0
NY	6	WF	OBS DEATHS	13	25	37	69	144
NY	6	BM	RATE/10000	1.1	3.5	5.1	7.4	45.9
NY	6	BM	OBS DEATHS	4	19	10	8	32
NY	6	BF	RATE/10000	0.5	1.2	2.7	4.7	36.7
NY	6	BF	OBS DEATHS	2	4	7	7	20
NY	7	WM	RATE/10000	0.6	1.2	2.4	5.5	62.2
NY	7	WM	OBS DEATHS	85	180	383	588	1236
NY	7	WF	RATE/10000	0.2	0.6	1.2	3.5	71.9
NY	7	WF	OBS DEATHS	27	108	225	502	862
NY	7	BM	RATE/10000	1.8	3.2	5.9	8.8	52.7
NY	7	BM	OBS DEATHS	77	108	121	99	405
NY	7	BF	RATE/10000	1.0	1.6	2.5	6.1	46.3
NY	7	BF	OBS DEATHS	52	71	73	101	297
NY	8	WM	RATE/10000	0.3	0.7	1.8	4.1	42.2
NY	8	WM	OBS DEATHS	18	51	82	94	245
NY	8	WF	RATE/10000	0.3	0.5	0.7	2.7	56.9
NY	8	WF	OBS DEATHS	20	38	34	84	176
NY	8	BM	RATE/10000	1.9	2.0	5.5	4.1	40.7
NY	8	BM	OBS DEATHS	6	5	8	3	22
NY	8	BF	RATE/10000	0.5	2.0	3.7	3.9	45.1
NY	8	BF	OBS DEATHS	2	6	7	4	19

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
NC	1	WM	RATE/10000	0.8	1.9	4.6	7.9	100.5
NC	1	WM	OBS DEATHS	17	39	75	80	211
NC	1	WF	RATE/10000	0.1	0.8	1.8	4.4	93.3
NC	1	WF	OBS DEATHS	3	17	33	56	109
NC	1	BM	RATE/10000	2.5	6.4	15.5	12.0	98.9
NC	1	BM	OBS DEATHS	3	8	16	8	35
NC	1	BF	RATE/10000	2.7	4.1	3.3	8.9	82.5
NC	1	BF	OBS DEATHS	4	6	4	8	22
NC	2	WM	RATE/10000	0.7	3.0	5.6	12.8	139.4
NC	2	WM	OBS DEATHS	15	63	85	106	269
NC	2	WF	RATE/10000	0.2	0.6	1.9	4.6	96.6
NC	2	WF	OBS DEATHS	6	14	34	53	107
NC	2	BM	RATE/10000	3.3	9.3	9.4	15.2	101.5
NC	2	BM	OBS DEATHS	12	32	25	25	94
NC	2	BF	RATE/10000	3.2	4.5	3.6	6.5	83.6
NC	2	BF	OBS DEATHS	14	18	12	14	58
NC	3	WM	RATE/10000	0.8	2.5	4.6	9.4	115.2
NC	3	WM	OBS DEATHS	17	48	62	66	193
NC	3	WF	RATE/10000	0.5	0.7	1.4	4.3	93.6
NC	3	WF	OBS DEATHS	11	15	22	42	90
NC	3	BM	RATE/10000	3.5	6.8	13.8	20.6	115.6
NC	3	BM	OBS DEATHS	11	21	32	26	90
NC	3	BF	RATE/10000	3.0	4.7	7.5	7.3	105.8
NC	3	BF	OBS DEATHS	12	17	21	13	63
NC	4	WM	RATE/10000	1.3	4.3	7.9	12.0	178.1
NC	4	WM	OBS DEATHS	17	52	67	55	191
NC	4	WF	RATE/10000	0.8	1.5	3.2	5.5	155.4
NC	4	WF	OBS DEATHS	10	19	32	37	98
NC	4	BM	RATE/10000	4.5	8.8	13.1	21.5	126.1
NC	4	BM	OBS DEATHS	17	34	41	40	132
NC	4	BF	RATE/10000	2.4	3.6	5.6	10.7	95.1
NC	4	BF	OBS DEATHS	11	16	20	26	73

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
NC	5	WM	RATE/10000	2.5	7.4	15.8	19.3	317.2
NC	5	WM	OBS DEATHS	32	86	136	91	345
NC	5	WF	RATE/10000	0.8	1.7	3.0	6.3	164.2
NC	5	WF	OBS DEATHS	10	21	29	40	100
NC	5	BM	RATE/10000	10.8	14.5	23.8	38.9	233.3
NC	5	BM	OBS DEATHS	42	58	76	70	246
NC	5	BF	RATE/10000	6.2	5.8	9.4	16.6	167.6
NC	5	BF	OBS DEATHS	30	27	35	41	133
NC	6	WM	RATE/10000	1.4	4.9	8.7	18.2	216.6
NC	6	WM	OBS DEATHS	21	71	93	108	293
NC	6	WF	RATE/10000	0.4	1.0	3.4	4.2	128.5
NC	6	WF	OBS DEATHS	7	15	43	35	100
NC	6	BM	RATE/10000	4.2	7.2	17.5	28.0	143.3
NC	6	BM	OBS DEATHS	26	47	91	90	254
NC	6	BF	RATE/10000	2.4	4.1	6.0	14.3	111.2
NC	6	BF	OBS DEATHS	19	31	37	57	144
ND	1	WM	RATE/10000	0.2	1.8	2.7	6.6	71.4
ND	1	WM	OBS DEATHS	1	12	16	22	51
ND	1	WF	RATE/10000	0.2	0.5	1.9	3.4	80.7
ND	1	WF	OBS DEATHS	1	3	11	12	27
ND	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	1	BM	OBS DEATHS	0	0	0	0	0
ND	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	1	BF	OBS DEATHS	0	0	0	0	0
ND	2	WM	RATE/10000	0.6	0.9	3.9	6.8	79.0
ND	2	WM	OBS DEATHS	4	6	25	32	67
ND	2	WF	RATE/10000	0.2	0.0	1.5	1.9	48.1
ND	2	WF	OBS DEATHS	1	0	9	9	19
ND	2	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	2	BM	OBS DEATHS	0	0	0	0	0
ND	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	2	BF	OBS DEATHS	0	0	0	0	0

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72--Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
ND	3	WM	RATE/10000	0.4	1.4	2.0	6.4	63.7
ND	3	WM	OBS DEATHS	3	13	17	41	74
ND	3	WF	RATE/10000	0.3	0.5	0.9	1.9	51.5
ND	3	WF	OBS DEATHS	3	5	8	13	29
ND	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	3	BM	OBS DEATHS	0	0	0	0	0
ND	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	3	BF	OBS DEATHS	0	0	0	0	0
OH	1	WM	RATE/10000	0.4	0.9	2.6	6.2	62.4
OH	1	WM	OBS DEATHS	14	34	73	107	228
OH	1	WF	RATE/10000	0.3	0.7	1.2	2.8	68.1
OH	1	WF	OBS DEATHS	11	27	38	67	143
OH	1	BM	RATE/10000	2.5	2.4	4.6	9.6	48.8
OH	1	BM	OBS DEATHS	9	8	13	18	48
OH	1	BF	RATE/10000	1.1	1.4	1.8	4.0	36.0
OH	1	BF	OBS DEATHS	5	6	6	9	26
OH	2	WM	RATE/10000	0.7	0.8	2.6	7.4	69.3
OH	2	WM	OBS DEATHS	19	21	47	73	160
OH	2	WF	RATE/10000	0.3	0.7	2.0	4.3	99.0
OH	2	WF	OBS DEATHS	9	20	39	57	125
OH	2	BM	RATE/10000	1.1	4.0	8.5	15.3	69.9
OH	2	BM	OBS DEATHS	3	10	14	14	41
OH	2	BF	RATE/10000	1.6	3.0	3.3	4.6	60.3
OH	2	BF	OBS DEATHS	5	8	6	5	24
OH	3	WM	RATE/10000	0.5	1.3	3.7	7.7	83.8
OH	3	WM	OBS DEATHS	5	12	27	36	80
OH	3	WF	RATE/10000	0.7	0.6	0.9	4.8	93.4
OH	3	WF	OBS DEATHS	7	6	7	29	49
OH	3	BM	RATE/10000	0.0	0.0	6.8	32.7	70.9
OH	3	BM	OBS DEATHS	0	0	1	3	4
OH	3	BF	RATE/10000	0.0	0.0	6.8	0.0	30.7
OH	3	BF	OBS DEATHS	0	0	1	0	1

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME -SEX								35-74
OH	4	WM	RATE/10000	0.5	1.1	2.8	8.3	77.4
OH	4	WM	OBS DEATHS	12	26	50	92	180
OH	4	WF	RATE/10000	0.5	1.1	1.1	4.0	93.2
OH	4	WF	OBS DEATHS	11	28	22	58	119
OH	4	BM	RATE/10000	0.7	2.3	6.5	5.2	39.1
OH	4	BM	OBS DEATHS	1	3	6	3	13
OH	4	BF	RATE/10000	0.6	2.8	3.0	8.8	61.1
OH	4	BF	OBS DEATHS	1	4	3	6	14
OH	5	WM	RATE/10000	0.9	1.8	3.9	8.1	95.8
OH	5	WM	OBS DEATHS	32	58	92	115	297
OH	5	WF	RATE/10000	0.5	0.6	1.6	4.2	90.8
OH	5	WF	OBS DEATHS	16	20	42	79	157
OH	5	BM	RATE/10000	1.0	4.3	10.4	12.4	70.3
OH	5	BM	OBS DEATHS	3	11	18	14	46
OH	5	BF	RATE/10000	3.1	3.8	2.0	5.6	71.6
OH	5	BF	OBS DEATHS	10	10	4	7	31
OH	6	WM	RATE/10000	0.6	2.0	3.6	9.3	98.4
OH	6	WM	OBS DEATHS	10	33	51	87	181
OH	6	WF	RATE/10000	0.3	1.4	1.4	5.0	108.4
OH	6	WF	OBS DEATHS	5	25	21	56	107
OH	6	BM	RATE/10000	2.8	0.0	6.0	3.6	32.3
OH	6	BM	OBS DEATHS	1	0	2	1	4
OH	6	BF	RATE/10000	0.0	0.0	5.7	0.0	26.1
OH	6	BF	OBS DEATHS	0	0	2	0	2
OH	7	WM	RATE/10000	0.6	1.2	3.2	7.5	78.3
OH	7	WM	OBS DEATHS	12	23	48	68	151
OH	7	WF	RATE/10000	0.4	1.3	1.3	3.9	96.0
OH	7	WF	OBS DEATHS	8	27	21	44	100
OH	7	BM	RATE/10000	4.1	4.4	6.4	16.3	80.8
OH	7	BM	OBS DEATHS	3	3	3	5	14
OH	7	BF	RATE/10000	2.4	1.3	2.0	0.0	34.3
OH	7	BF	OBS DEATHS	2	1	1	0	4

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
OH	8	WM	RATE/10000	0.4	1.5	3.0	7.4	76.4
OH	8	WM	OBS DEATHS	6	24	34	50	114
OH	8	WF	RATE/10000	0.4	0.6	2.0	5.5	109.6
OH	8	WF	OBS DEATHS	7	10	25	48	90
OH	8	BM	RATE/10000	0.8	3.4	6.1	12.6	55.9
OH	8	BM	OBS DEATHS	1	4	5	6	16
OH	8	BF	RATE/10000	0.7	3.0	3.5	9.1	66.2
OH	8	BF	OBS DEATHS	1	4	3	5	13
OH	9	WM	RATE/10000	0.4	1.1	2.1	4.9	55.3
OH	9	WM	OBS DEATHS	20	63	88	105	276
OH	9	WF	RATE/10000	0.4	0.7	1.2	3.7	80.1
OH	9	WF	OBS DEATHS	21	41	54	110	226
OH	9	BM	RATE/10000	1.7	3.5	3.7	9.4	47.7
OH	9	BM	OBS DEATHS	15	28	19	28	90
OH	9	BF	RATE/10000	1.6	2.3	3.3	6.7	60.5
OH	9	BF	OBS DEATHS	18	20	17	24	79
OH	10	WM	RATE/10000	0.5	1.6	4.0	6.0	80.7
OH	10	WM	OBS DEATHS	8	32	57	48	145
OH	10	WF	RATE/10000	0.7	0.7	2.2	3.8	102.6
OH	10	WF	OBS DEATHS	13	15	33	38	99
OH	10	BM	RATE/10000	2.9	2.3	6.5	8.7	54.0
OH	10	BM	OBS DEATHS	4	3	6	6	19
OH	10	BF	RATE/10000	0.6	1.5	2.1	7.1	44.1
OH	10	BF	OBS DEATHS	1	2	2	5	10
OK	1	WM	RATE/10000	0.8	1.9	4.1	9.8	105.2
OK	1	WM	OBS DEATHS	43	108	202	322	675
OK	1	WF	RATE/10000	0.3	0.9	1.6	4.7	99.3
OK	1	WF	OBS DEATHS	19	52	88	194	353
OK	1	BM	RATE/10000	1.4	2.8	7.1	14.0	63.1
OK	1	BM	OBS DEATHS	4	8	19	31	62
OK	1	BF	RATE/10000	0.5	3.9	6.9	9.4	87.7
OK	1	BF	OBS DEATHS	2	14	24	26	66

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
OR	1	WM	RATE/10000	0.5	1.3	3.0	5.9	69.7
OR	1	WM	OBS DEATHS	11	32	59	71	173
OR	1	WF	RATE/10000	0.2	0.1	1.2	3.0	59.2
OR	1	WF	OBS DEATHS	5	3	26	47	81
OR	1	BM	RATE/10000	10.4	1.9	7.3	5.3	78.8
OR	1	BM	OBS DEATHS	5	1	3	1	10
OR	1	BF	RATE/10000	1.9	1.8	2.6	0.0	38.9
OR	1	BF	OBS DEATHS	1	1	1	0	3
OR	2	WM	RATE/10000	0.3	1.0	2.5	6.2	63.1
OR	2	WM	OBS DEATHS	6	22	46	74	148
OR	2	WF	RATE/10000	0.2	0.6	1.5	3.7	79.4
OR	2	WF	OBS DEATHS	4	13	28	48	93
OR	2	BM	RATE/10000	0.0	25.5	0.0	0.0	130.5
OR	2	BM	OBS DEATHS	0	1	0	0	1
OR	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
OR	2	BF	OBS DEATHS	0	0	0	0	0
OR	3	WM	RATE/10000	0.3	1.4	4.4	10.4	101.6
OR	3	WM	OBS DEATHS	2	10	29	41	82
OR	3	WF	RATE/10000	0.6	1.4	2.4	2.8	107.5
OR	3	WF	OBS DEATHS	4	10	15	11	40
OR	3	BM	RATE/10000	0.0	32.7	0.0	65.4	244.6
OR	3	BM	OBS DEATHS	0	1	0	1	2
OR	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
OR	3	BF	OBS DEATHS	0	0	0	0	0
PA	1	WM	RATE/10000	0.6	1.5	4.0	9.8	98.5
PA	1	WM	OBS DEATHS	50	134	271	391	846
PA	1	WF	RATE/10000	0.3	0.9	2.1	5.1	112.7
PA	1	WF	OBS DEATHS	24	86	163	289	562
PA	1	BM	RATE/10000	3.1	4.5	9.5	15.9	84.7
PA	1	BM	OBS DEATHS	55	78	110	114	357
PA	1	BF	RATE/10000	1.9	2.6	6.2	12.3	94.1
PA	1	BF	OBS DEATHS	43	53	88	113	297

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
PA	2	WM	RATE/10000	0.4	1.1	3.2	5.3	66.0
PA	2	WM	OBS DEATHS	10	28	64	63	165
PA	2	WF	RATE/10000	0.5	1.0	1.6	3.5	91.5
PA	2	WF	OBS DEATHS	11	27	36	53	127
PA	2	BM	RATE/10000	6.3	8.2	12.1	18.3	126.2
PA	2	BM	OBS DEATHS	2	2	2	2	8
PA	2	BF	RATE/10000	6.1	0.0	0.0	0.0	47.9
PA	2	BF	OBS DEATHS	2	0	0	0	2
PA	3	WM	RATE/10000	1.2	2.2	5.7	12.4	136.4
PA	3	WM	OBS DEATHS	24	50	118	157	349
PA	3	WF	RATE/10000	0.4	1.3	2.9	9.3	184.0
PA	3	WF	OBS DEATHS	9	35	73	164	281
PA	3	BM	RATE/10000	0.0	0.0	0.0	44.4	82.5
PA	3	BM	OBS DEATHS	0	0	0	2	2
PA	3	BF	RATE/10000	0.0	0.0	21.6	23.4	171.8
PA	3	BF	OBS DEATHS	0	0	1	1	2
PA	4	WM	RATE/10000	0.7	0.9	4.2	8.6	89.3
PA	4	WM	OBS DEATHS	23	29	103	130	285
PA	4	WF	RATE/10000	0.3	0.8	2.1	5.8	119.0
PA	4	WF	OBS DEATHS	10	29	58	114	211
PA	4	BM	RATE/10000	1.1	5.8	7.8	9.2	64.4
PA	4	BM	OBS DEATHS	1	5	5	4	15
PA	4	BF	RATE/10000	1.9	5.0	1.3	10.2	80.1
PA	4	BF	OBS DEATHS	2	5	1	5	13
PA	5	WM	RATE/10000	0.6	1.3	4.2	9.8	99.1
PA	5	WM	OBS DEATHS	10	23	62	91	186
PA	5	WF	RATE/10000	0.3	0.7	2.1	6.9	130.3
PA	5	WF	OBS DEATHS	5	14	35	81	135
PA	5	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
PA	5	BM	OBS DEATHS	0	0	0	0	0
PA	5	BF	RATE/10000	0.0	0.0	22.9	0.0	96.2
PA	5	BF	OBS DEATHS	0	0	1	0	1

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
PA	6	WM	RATE/10000	0.7	1.3	3.7	7.6	84.0
PA	6	WM	OBS DEATHS	47	108	236	273	664
PA	6	WF	RATE/10000	0.3	0.8	2.0	4.1	98.2
PA	6	WF	OBS DEATHS	25	72	140	193	430
PA	6	BM	RATE/10000	1.6	3.2	7.6	14.6	66.8
PA	6	BM	OBS DEATHS	6	13	26	40	85
PA	6	BF	RATE/10000	2.0	1.8	4.2	6.9	63.8
PA	6	BF	OBS DEATHS	10	9	16	20	55
PA	7	WM	RATE/10000	0.6	1.3	3.0	10.3	90.9
PA	7	WM	OBS DEATHS	10	25	47	95	177
PA	7	WF	RATE/10000	0.6	1.0	2.3	6.0	132.2
PA	7	WF	OBS DEATHS	12	20	38	69	139
PA	7	BM	RATE/10000	0.0	3.2	9.3	6.9	49.6
PA	7	BM	OBS DEATHS	0	1	2	1	4
PA	7	BF	RATE/10000	4.7	0.0	0.0	7.0	58.0
PA	7	BF	OBS DEATHS	2	0	0	1	3
PA	9	WM	RATE/10000	1.1	1.6	4.6	9.7	108.6
PA	9	WM	OBS DEATHS	13	22	51	66	152
PA	9	WF	RATE/10000	0.3	1.6	2.6	5.7	139.5
PA	9	WF	OBS DEATHS	4	23	32	50	109
PA	9	BM	RATE/10000	0.0	0.0	9.4	58.9	141.4
PA	9	BM	OBS DEATHS	0	0	1	4	5
PA	9	BF	RATE/10000	0.0	0.0	8.5	13.0	82.8
PA	9	BF	OBS DEATHS	0	0	1	1	2
RI	1	WM	RATE/10000	0.5	1.2	2.6	7.0	70.1
RI	1	WM	OBS DEATHS	10	30	49	82	171
RI	1	WF	RATE/10000	0.1	0.6	1.9	3.2	78.8
RI	1	WF	OBS DEATHS	2	16	43	53	114
RI	1	BM	RATE/10000	0.0	0.0	3.7	16.8	36.8
RI	1	BM	OBS DEATHS	0	0	1	3	4
RI	1	BF	RATE/10000	4.5	9.9	12.0	4.3	162.6
RI	1	BF	OBS DEATHS	3	5	4	1	13

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
SC	1	WM	RATE/10000	1.0	3.2	7.8	14.3	171.1
SC	1	WM	OBS DEATHS	16	47	85	82	239
SC	1	WF	RATE/10000	0.3	1.0	1.6	6.5	120.6
SC	1	WF	OBS DEATHS	5	16	23	53	94
SC	1	BM	RATE/10000	5.3	9.3	22.0	21.2	155.3
SC	1	BM	OBS DEATHS	12	20	49	23	95
SC	1	BF	RATE/10000	3.5	2.9	9.9	15.9	131.4
SC	1	BF	OBS DEATHS	10	8	22	23	63
SC	2	WM	RATE/10000	0.5	1.8	4.1	6.3	85.7
SC	2	WM	OBS DEATHS	6	24	38	30	98
SC	2	WF	RATE/10000	0.3	0.8	1.9	4.7	103.3
SC	2	WF	OBS DEATHS	4	11	21	32	68
SC	2	BM	RATE/10000	2.7	5.9	6.6	17.1	82.0
SC	2	BM	OBS DEATHS	11	23	19	30	83
SC	2	BF	RATE/10000	1.2	3.8	4.9	8.7	80.0
SC	2	BF	OBS DEATHS	6	17	17	22	62
SC	3	WM	RATE/10000	2.0	4.4	12.9	21.7	267.7
SC	3	WM	OBS DEATHS	16	34	71	64	185
SC	3	WF	RATE/10000	0.7	1.9	2.8	8.1	170.1
SC	3	WF	OBS DEATHS	6	15	13	33	67
SC	3	BM	RATE/10000	5.3	10.9	17.9	23.0	154.6
SC	3	BM	OBS DEATHS	20	43	54	40	157
SC	3	BF	RATE/10000	2.6	6.1	10.0	21.0	164.5
SC	3	BF	OBS DEATHS	13	29	38	55	135
SC	4	WM	RATE/10000	0.4	2.0	8.0	15.1	153.0
SC	4	WM	OBS DEATHS	4	16	43	41	104
SC	4	WF	RATE/10000	0.3	1.6	2.7	5.4	140.5
SC	4	WF	OBS DEATHS	3	13	16	20	52
SC	4	BM	RATE/10000	5.2	9.6	18.9	26.8	157.9
SC	4	BM	OBS DEATHS	19	39	59	50	167
SC	4	BF	RATE/10000	3.3	6.6	13.7	27.1	207.9
SC	4	BF	OBS DEATHS	16	31	52	69	168

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR						(SMR)	
NAME	-SEX	35-44	45-54	55-64	65-74	35-74	
SD	1 WM	RATE/10000	0.5	2.0	5.6	10.6	119.6
SD	1 WM	OBS DEATHS	7	31	75	103	216
SD	1 WF	RATE/10000	0.1	0.6	1.7	3.8	84.5
SD	1 WF	OBS DEATHS	2	10	24	41	77
SD	1 BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
SD	1 BM	OBS DEATHS	0	0	0	0	0
SD	1 BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
SD	1 BF	OBS DEATHS	0	0	0	0	0
TN	1 WM	RATE/10000	0.5	0.9	3.5	4.9	64.2
TN	1 WM	OBS DEATHS	5	10	31	25	71
TN	1 WF	RATE/10000	0.2	1.0	1.1	2.6	71.2
TN	1 WF	OBS DEATHS	3	12	11	17	43
TN	1 BM	RATE/10000	18.4	0.0	5.5	7.5	77.2
TN	1 BM	OBS DEATHS	3	0	1	1	5
TN	1 BF	RATE/10000	0.0	0.0	4.1	0.0	19.8
TN	1 BF	OBS DEATHS	0	0	1	0	1
TN	2 WM	RATE/10000	0.8	2.2	4.0	8.8	102.2
TN	2 WM	OBS DEATHS	14	36	53	72	175
TN	2 WF	RATE/10000	0.6	0.9	2.3	6.3	132.2
TN	2 WF	OBS DEATHS	11	16	34	64	125
TN	2 BM	RATE/10000	1.6	4.1	7.3	13.6	66.8
TN	2 BM	OBS DEATHS	1	3	5	6	15
TN	2 BF	RATE/10000	0.0	5.2	9.4	14.1	121.5
TN	2 BF	OBS DEATHS	0	5	8	8	21
TN	3 WM	RATE/10000	0.8	1.6	3.3	10.1	97.9
TN	3 WM	OBS DEATHS	10	18	29	52	109
TN	3 WF	RATE/10000	0.5	0.8	2.7	5.1	122.4
TN	3 WF	OBS DEATHS	6	9	27	35	77
TN	3 BM	RATE/10000	3.7	4.5	6.1	14.9	74.1
TN	3 BM	OBS DEATHS	4	5	6	10	25
TN	3 BF	RATE/10000	2.7	1.4	4.6	8.1	71.5
TN	3 BF	OBS DEATHS	4	2	6	8	20

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
TN	4	WM	RATE/10000	0.6	1.2	3.6	6.6	76.8
TN	4	WM	OBS DEATHS	16	32	83	88	216
TN	4	WF	RATE/10000	0.4	0.8	1.7	5.2	107.1
TN	4	WF	OBS DEATHS	12	23	42	90	167
TN	4	BM	RATE/10000	3.2	5.2	11.8	18.3	98.4
TN	4	BM	OBS DEATHS	10	16	32	33	91
TN	4	BF	RATE/10000	1.8	3.6	5.5	11.7	94.6
TN	4	BF	OBS DEATHS	7	13	18	27	65
TN	5	WM	RATE/10000	0.4	1.8	3.5	4.5	68.8
TN	5	WM	OBS DEATHS	3	15	28	25	71
TN	5	WF	RATE/10000	0.7	1.0	2.0	4.1	106.6
TN	5	WF	OBS DEATHS	6	9	18	28	61
TN	5	BM	RATE/10000	0.0	4.2	6.9	9.1	52.8
TN	5	BM	OBS DEATHS	0	6	10	10	26
TN	5	BF	RATE/10000	0.6	1.8	4.9	3.8	48.1
TN	5	BF	OBS DEATHS	1	3	8	5	17
TN	6	WM	RATE/10000	0.5	1.0	2.5	6.9	67.1
TN	6	WM	OBS DEATHS	7	13	22	32	74
TN	6	WF	RATE/10000	0.2	0.5	1.6	2.3	64.0
TN	6	WF	OBS DEATHS	3	7	16	16	42
TN	6	BM	RATE/10000	1.0	1.8	4.1	10.3	41.3
TN	6	BM	OBS DEATHS	5	9	19	34	67
TN	6	BF	RATE/10000	1.0	1.1	4.3	8.1	58.9
TN	6	BF	OBS DEATHS	7	7	24	32	70
TX	1	WM	RATE/10000	0.7	2.5	9.0	12.5	161.7
TX	1	WM	OBS DEATHS	6	20	60	49	135
TX	1	WF	RATE/10000	0.5	0.8	2.1	8.4	149.0
TX	1	WF	OBS DEATHS	4	7	15	38	64
TX	1	BM	RATE/10000	0.0	4.3	15.4	8.1	75.3
TX	1	BM	OBS DEATHS	0	1	3	1	5
TX	1	BF	RATE/10000	3.7	0.0	15.2	7.6	114.5
TX	1	BF	OBS DEATHS	1	0	3	1	5

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72--Con.

HSA COLOR			35-44	45-54	55-64	65-74	(SMR)	
NAME	-SEX						35-74	
TX	2	WM	RATE/10000	3.1	6.3	15.3	25.7	335.2
TX	2	WM	OBS DEATHS	23	42	87	83	235
TX	2	WF	RATE/10000	0.8	2.4	6.1	8.1	248.7
TX	2	WF	OBS DEATHS	6	17	37	31	91
TX	2	BM	RATE/10000	9.2	34.8	40.6	59.9	386.6
TX	2	BM	OBS DEATHS	4	13	12	11	40
TX	2	BF	RATE/10000	14.7	7.7	22.2	29.9	356.1
TX	2	BF	OBS DEATHS	8	3	7	5	23
TX	3	WM	RATE/10000	1.1	3.9	12.0	27.8	267.6
TX	3	WM	OBS DEATHS	10	30	57	77	174
TX	3	WF	RATE/10000	0.8	2.1	6.1	13.5	293.5
TX	3	WF	OBS DEATHS	8	17	33	49	107
TX	3	BM	RATE/10000	9.7	12.1	0.0	43.1	189.8
TX	3	BM	OBS DEATHS	3	2	0	2	7
TX	3	BF	RATE/10000	0.0	7.0	0.0	18.5	91.0
TX	3	BF	OBS DEATHS	0	1	0	1	2
TX	4	WM	RATE/10000	1.3	3.1	11.2	20.0	228.9
TX	4	WM	OBS DEATHS	17	43	152	200	412
TX	4	WF	RATE/10000	0.4	2.0	3.4	7.4	178.4
TX	4	WF	OBS DEATHS	5	30	53	93	181
TX	4	BM	RATE/10000	7.0	10.4	16.0	36.2	175.7
TX	4	BM	OBS DEATHS	4	5	8	14	31
TX	4	BF	RATE/10000	4.2	8.1	12.3	17.3	180.4
TX	4	BF	OBS DEATHS	3	5	7	8	23
TX	5	WM	RATE/10000	0.7	2.6	7.0	15.0	156.7
TX	5	WM	OBS DEATHS	43	142	280	338	803
TX	5	WF	RATE/10000	0.2	0.9	2.5	5.4	119.3
TX	5	WF	OBS DEATHS	15	51	112	170	348
TX	5	BM	RATE/10000	2.5	6.0	11.3	29.5	117.3
TX	5	BM	OBS DEATHS	19	36	52	89	196
TX	5	BF	RATE/10000	2.6	4.4	7.7	16.3	128.6
TX	5	BF	OBS DEATHS	23	30	42	61	156

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
TX	6	WM	RATE/10000	2.1	7.5	15.1	26.3	334.2
TX	6	WM	OBS DEATHS	39	144	265	318	766
TX	6	WF	RATE/10000	0.8	1.4	4.2	9.8	219.0
TX	6	WF	OBS DEATHS	16	29	83	149	277
TX	6	BM	RATE/10000	3.8	17.2	29.0	49.4	251.2
TX	6	BM	OBS DEATHS	10	42	75	102	229
TX	6	BF	RATE/10000	4.1	12.7	15.4	24.5	239.2
TX	6	BF	OBS DEATHS	13	38	49	65	165
TX	7	WM	RATE/10000	1.7	5.4	12.8	23.1	278.2
TX	7	WM	OBS DEATHS	20	69	163	210	462
TX	7	WF	RATE/10000	0.9	1.0	2.5	7.7	160.6
TX	7	WF	OBS DEATHS	12	14	36	86	148
TX	7	BM	RATE/10000	5.0	8.1	14.1	32.0	148.1
TX	7	BM	OBS DEATHS	12	21	42	77	152
TX	7	BF	RATE/10000	3.2	3.3	8.5	19.3	142.2
TX	7	BF	OBS DEATHS	10	11	29	55	105
TX	8	WM	RATE/10000	1.1	3.8	8.6	17.0	196.2
TX	8	WM	OBS DEATHS	24	77	145	183	429
TX	8	WF	RATE/10000	0.6	0.9	3.6	7.7	170.7
TX	8	WF	OBS DEATHS	16	19	67	95	197
TX	8	BM	RATE/10000	10.3	2.9	11.7	25.1	123.8
TX	8	BM	OBS DEATHS	6	2	7	11	26
TX	8	BF	RATE/10000	2.7	2.5	10.1	13.2	119.2
TX	8	BF	OBS DEATHS	2	2	7	7	18
TX	9	WM	RATE/10000	0.7	2.5	5.5	12.7	135.0
TX	9	WM	OBS DEATHS	17	58	95	139	309
TX	9	WF	RATE/10000	0.5	1.5	2.4	7.2	155.9
TX	9	WF	OBS DEATHS	14	39	46	102	201
TX	9	BM	RATE/10000	3.6	3.1	6.0	25.8	89.2
TX	9	BM	OBS DEATHS	5	4	6	16	31
TX	9	BF	RATE/10000	1.2	3.3	4.8	3.5	59.3
TX	9	BF	OBS DEATHS	2	5	6	3	16

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
TX 10	WM	RATE/10000		1.7	4.4	10.2	19.4	231.0
		OBS DEATHS		19	49	100	118	286
TX 10	WF	RATE/10000		0.6	1.6	3.9	8.0	192.2
		OBS DEATHS		7	19	41	59	126
TX 10	BM	RATE/10000		5.0	4.4	14.0	32.9	137.4
		OBS DEATHS		13	11	31	52	107
TX 10	BF	RATE/10000		2.6	3.1	10.0	21.0	148.4
		OBS DEATHS		8	9	24	38	79
TX 11	WM	RATE/10000		0.9	2.1	6.2	13.4	139.1
		OBS DEATHS		46	99	198	210	553
TX 11	WF	RATE/10000		0.3	0.7	2.2	6.3	121.7
		OBS DEATHS		18	34	75	125	252
TX 11	BM	RATE/10000		2.5	5.4	13.3	21.7	106.0
		OBS DEATHS		27	47	85	87	246
TX 11	BF	RATE/10000		1.6	2.6	7.1	16.4	108.4
		OBS DEATHS		20	24	50	76	170
TX 12	WM	RATE/10000		0.9	3.5	10.7	21.5	224.6
		OBS DEATHS		8	26	59	54	147
TX 12	WF	RATE/10000		0.6	1.1	6.3	8.7	225.2
		OBS DEATHS		5	8	34	25	72
TX 12	BM	RATE/10000		5.2	9.2	20.9	41.4	187.7
		OBS DEATHS		2	3	5	6	16
TX 12	BF	RATE/10000		4.5	5.3	3.7	21.5	143.6
		OBS DEATHS		2	2	1	3	8
UT 1	WM	RATE/10000		0.7	2.0	4.1	11.0	110.5
		OBS DEATHS		16	44	68	107	235
UT 1	WF	RATE/10000		0.4	0.8	1.9	5.8	116.0
		OBS DEATHS		9	19	32	68	128
UT 1	BM	RATE/10000		0.0	7.1	11.5	23.4	99.6
		OBS DEATHS		0	1	1	1	3
UT 1	BF	RATE/10000		0.0	7.9	25.5	9.0	168.1
		OBS DEATHS		0	1	2	0	3

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
VT	1	WM	RATE/10000	0.5	1.7	2.2	7.7	75.6
VT	1	WM	OBS DEATHS	5	17	19	43	84
VT	1	WF	RATE/10000	0.5	1.3	1.4	3.8	96.3
VT	1	WF	OBS DEATHS	5	14	13	27	59
VT	1	BM	RATE/10000	0.0	0.0	0.0	170.9	306.2
VT	1	BM	OBS DEATHS	0	0	0	1	1
VT	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
VT	1	BF	OBS DEATHS	0	0	0	0	0
VA	1	WM	RATE/10000	0.8	1.8	3.9	8.9	98.3
VA	1	WM	OBS DEATHS	10	22	38	54	124
VA	1	WF	RATE/10000	0.6	0.4	2.2	6.0	121.1
VA	1	WF	OBS DEATHS	8	5	24	46	83
VA	1	BM	RATE/10000	3.2	4.6	9.4	25.3	102.6
VA	1	BM	OBS DEATHS	5	7	12	22	46
VA	1	BF	RATE/10000	2.4	2.0	5.4	11.8	89.6
VA	1	BF	OBS DEATHS	4	3	7	12	26
VA	2	WM	RATE/10000	0.5	1.9	3.4	6.9	83.8
VA	2	WM	OBS DEATHS	12	44	42	31	129
VA	2	WF	RATE/10000	0.4	0.6	1.8	4.2	91.1
VA	2	WF	OBS DEATHS	10	14	24	28	76
VA	2	BM	RATE/10000	6.4	5.5	14.1	20.9	128.3
VA	2	BM	OBS DEATHS	9	6	10	7	32
VA	2	BF	RATE/10000	0.8	2.9	8.5	9.8	90.3
VA	2	BF	OBS DEATHS	1	3	6	4	14
VA	3	WM	RATE/10000	0.6	2.1	4.6	8.8	104.2
VA	3	WM	OBS DEATHS	13	48	85	98	244
VA	3	WF	RATE/10000	0.4	0.7	1.5	4.1	90.0
VA	3	WF	OBS DEATHS	10	17	31	58	116
VA	3	BM	RATE/10000	3.2	6.9	12.2	11.3	92.7
VA	3	BM	OBS DEATHS	8	18	25	15	66
VA	3	BF	RATE/10000	0.0	3.6	5.3	7.8	69.9
VA	3	BF	OBS DEATHS	0	10	12	13	35

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME -SEX								35-74
VA	4	WM	RATE/10000	0.4	1.9	4.4	10.8	107.8
VA	4	WM	OBS DEATHS	7	31	51	69	158
VA	4	WF	RATE/10000	0.3	1.1	1.2	6.6	117.2
VA	4	WF	OBS DEATHS	5	18	16	62	101
VA	4	BM	RATE/10000	2.7	5.0	12.8	17.6	97.5
VA	4	BM	OBS DEATHS	16	30	59	49	154
VA	4	BF	RATE/10000	1.7	2.6	7.2	12.2	97.3
VA	4	BF	OBS DEATHS	12	17	36	43	108
VA	5	WM	RATE/10000	0.8	2.6	6.8	11.7	141.3
VA	5	WM	OBS DEATHS	18	53	92	85	248
VA	5	WF	RATE/10000	0.6	1.3	2.4	5.8	140.4
VA	5	WF	OBS DEATHS	14	28	36	58	136
VA	5	BM	RATE/10000	3.3	6.9	13.4	27.9	126.2
VA	5	BM	OBS DEATHS	25	57	77	88	247
VA	5	BF	RATE/10000	2.6	4.6	10.1	14.3	134.7
VA	5	BF	OBS DEATHS	23	40	61	56	180
WA	1	WM	RATE/10000	0.6	1.5	3.4	7.5	82.9
WA	1	WM	OBS DEATHS	32	80	129	161	402
WA	1	WF	RATE/10000	0.3	0.6	1.9	4.0	90.8
WA	1	WF	OBS DEATHS	16	32	77	110	235
WA	1	BM	RATE/10000	1.2	4.1	6.0	11.7	57.9
WA	1	BM	OBS DEATHS	2	6	5	4	17
WA	1	BF	RATE/10000	2.8	3.0	5.5	0.0	73.3
WA	1	BF	OBS DEATHS	4	4	4	0	12
WA	2	WM	RATE/10000	0.4	1.9	4.5	11.8	114.1
WA	2	WM	OBS DEATHS	4	21	43	68	136
WA	2	WF	RATE/10000	0.3	1.3	2.6	4.3	118.8
WA	2	WF	OBS DEATHS	3	15	25	28	71
WA	2	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WA	2	BM	OBS DEATHS	0	0	0	0	0
WA	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WA	2	BF	OBS DEATHS	0	0	0	0	0

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
WA	3	WM	RATE/10000	0.4	1.8	3.0	7.5	81.3
WA	3	WM	OBS DEATHS	4	18	26	36	84
WA	3	WF	RATE/10000	0.2	0.8	1.4	3.2	77.6
WA	3	WF	OBS DEATHS	2	8	12	17	39
WA	3	BM	RATE/10000	0.0	0.0	10.5	0.0	34.7
WA	3	BM	OBS DEATHS	0	0	1	0	1
WA	3	BF	RATE/10000	0.0	10.7	0.0	26.8	135.5
WA	3	BF	OBS DEATHS	0	1	0	1	2
WA	4	WM	RATE/10000	0.8	1.3	3.6	7.9	86.4
WA	4	WM	OBS DEATHS	8	14	32	45	99
WA	4	WF	RATE/10000	0.9	1.0	1.5	5.6	120.2
WA	4	WF	OBS DEATHS	9	11	14	38	72
WA	4	BM	RATE/10000	0.0	0.0	15.4	0.0	47.4
WA	4	BM	OBS DEATHS	0	0	1	0	1
WA	4	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WA	4	BF	OBS DEATHS	0	0	0	0	0
WV	1	WM	RATE/10000	1.0	3.0	7.2	11.4	149.6
WV	1	WM	OBS DEATHS	40	131	269	264	704
WV	1	WF	RATE/10000	0.6	1.4	3.2	6.3	158.9
WV	1	WF	OBS DEATHS	29	68	130	178	405
WV	1	BM	RATE/10000	8.8	10.7	16.2	22.9	145.1
WV	1	BM	OBS DEATHS	9	15	25	32	81
WV	1	BF	RATE/10000	5.2	8.9	7.5	14.3	150.7
WV	1	BF	OBS DEATHS	8	16	14	22	60
WI	1	WM	RATE/10000	0.6	1.8	3.5	8.1	90.1
WI	1	WM	OBS DEATHS	11	31	47	73	162
WI	1	WF	RATE/10000	0.3	0.6	1.0	4.4	81.6
WI	1	WF	OBS DEATHS	5	10	14	49	78
WI	1	BM	RATE/10000	0.0	19.0	0.0	0.0	73.8
WI	1	BM	OBS DEATHS	0	2	0	0	2
WI	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	1	BF	OBS DEATHS	0	0	0	0	0

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
WI	2	WM	RATE/10000	0.6	1.9	3.3	6.2	80.0
WI	2	WM	OBS DEATHS	23	79	109	123	334
WI	2	WF	RATE/10000	0.5	0.6	1.5	3.4	82.4
WI	2	WF	OBS DEATHS	21	28	53	88	190
WI	2	BM	RATE/10000	2.6	3.6	4.5	8.7	55.8
WI	2	BM	OBS DEATHS	7	7	5	5	24
WI	2	BF	RATE/10000	0.3	1.0	4.3	3.2	35.6
WI	2	BF	OBS DEATHS	1	2	5	2	10
WI	3	WM	RATE/10000	0.4	1.2	3.6	6.6	76.1
WI	3	WM	OBS DEATHS	4	12	31	39	86
WI	3	WF	RATE/10000	0.7	1.1	0.9	3.9	90.6
WI	3	WF	OBS DEATHS	7	12	8	27	54
WI	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	3	BM	OBS DEATHS	0	0	0	0	0
WI	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	3	BF	OBS DEATHS	0	0	0	0	0
WI	4	WM	RATE/10000	0.9	4.0	7.9	16.2	187.0
WI	4	WM	OBS DEATHS	10	43	78	108	239
WI	4	WF	RATE/10000	0.3	0.8	2.5	6.1	128.4
WI	4	WF	OBS DEATHS	3	9	26	47	85
WI	4	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	4	BM	OBS DEATHS	0	0	0	0	0
WI	4	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	4	BF	OBS DEATHS	0	0	0	0	0
WI	5	WM	RATE/10000	0.7	2.2	3.6	7.9	92.4
WI	5	WM	OBS DEATHS	8	27	40	66	141
WI	5	WF	RATE/10000	0.3	0.6	1.5	3.7	81.9
WI	5	WF	OBS DEATHS	4	7	17	34	62
WI	5	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	5	BM	OBS DEATHS	0	0	0	0	0
WI	5	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	5	BF	OBS DEATHS	0	0	0	0	0

Number of other heart disease deaths, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
WI	6	WM	RATE/10000	0.8	4.6	10.6	12.8	225.2
WI	6	WM	OBS DEATHS	6	37	78	98	219
WI	6	WF	RATE/10000	0.3	1.1	3.1	5.6	136.9
WI	6	WF	OBS DEATHS	2	9	24	31	66
WI	6	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	6	BM	OBS DEATHS	0	0	0	0	0
WI	6	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	6	BF	OBS DEATHS	0	0	0	0	0
WY	1	WM	RATE/10000	0.7	1.5	5.5	13.7	129.1
WY	1	WM	OBS DEATHS	6	12	37	53	108
WY	1	WF	RATE/10000	0.6	0.4	2.8	5.7	123.9
WY	1	WF	OBS DEATHS	5	3	18	24	50
WY	1	BM	RATE/10000	0.0	0.0	0.0	57.0	81.9
WY	1	BM	OBS DEATHS	0	0	0	1	1
WY	1	BF	RATE/10000	0.0	19.0	0.0	47.3	285.6
WY	1	BF	OBS DEATHS	0	1	0	1	2

Printout 3

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72

HSA COLOR			35-44	45-54	55-64	65-74	(SMR)	
NAME	-SEX						35-74	
AL	1	WM	RATE/10000	1.3	3.2	8.7	12.1	287.6
AL	1	WM	OBS DEATHS	22	46	93	73	234
AL	1	WF	RATE/10000	0.8	1.6	2.4	5.1	283.4
AL	1	WF	OBS DEATHS	14	24	28	39	105
AL	1	BM	RATE/10000	7.8	24.1	30.3	37.0	272.9
AL	1	BM	OBS DEATHS	9	28	30	26	93
AL	1	BF	RATE/10000	4.0	7.3	15.0	29.1	257.4
AL	1	BF	OBS DEATHS	6	10	18	27	61
AL	2	WM	RATE/10000	1.4	4.0	3.5	7.7	194.1
AL	2	WM	OBS DEATHS	5	14	11	15	45
AL	2	WF	RATE/10000	0.8	1.1	0.6	2.5	143.9
AL	2	WF	OBS DEATHS	3	4	2	6	15
AL	2	BM	RATE/10000	6.6	15.5	21.5	43.6	227.0
AL	2	BM	OBS DEATHS	7	17	24	36	84
AL	2	BF	RATE/10000	2.7	10.1	12.0	23.3	227.0
AL	2	BF	OBS DEATHS	4	14	17	25	60
AL	3	WM	RATE/10000	4.1	12.0	21.8	36.2	850.6
AL	3	WM	OBS DEATHS	64	187	268	264	783
AL	3	WF	RATE/10000	2.1	3.7	5.9	10.6	648.3
AL	3	WF	OBS DEATHS	36	62	84	106	288
AL	3	BM	RATE/10000	13.3	25.4	41.6	70.4	396.3
AL	3	BM	OBS DEATHS	55	111	183	219	568
AL	3	BF	RATE/10000	10.4	13.1	20.4	45.0	420.0
AL	3	BF	OBS DEATHS	60	74	108	177	419
AL	4	WM	RATE/10000	1.0	3.1	6.6	11.6	250.6
AL	4	WM	OBS DEATHS	9	29	53	54	145
AL	4	WF	RATE/10000	0.4	0.7	1.9	4.1	194.7
AL	4	WF	OBS DEATHS	4	7	17	25	53
AL	4	BM	RATE/10000	4.0	2.7	7.0	23.2	89.2
AL	4	BM	OBS DEATHS	6	4	10	20	49
AL	4	BF	RATE/10000	1.5	1.6	3.0	4.3	50.9
AL	4	BF	OBS DEATHS	3	3	5	5	16

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
AL	5	WM	RATE/10000	1.7	5.5	11.2	17.6	410.8
AL	5	WM	OBS DEATHS	18	58	92	81	249
AL	5	WF	RATE/10000	0.5	1.8	3.6	7.6	373.5
AL	5	WF	OBS DEATHS	5	20	34	50	109
AL	5	BM	RATE/10000	11.1	21.8	41.6	50.6	336.8
AL	5	BM	OBS DEATHS	36	78	139	117	370
AL	5	BF	RATE/10000	6.9	13.0	14.2	32.4	315.2
AL	5	BF	OBS DEATHS	31	57	59	106	253
AL	6	WM	RATE/10000	1.0	3.0	4.1	10.9	209.2
AL	6	WM	OBS DEATHS	10	29	33	51	123
AL	6	WF	RATE/10000	0.7	1.2	2.2	3.7	225.0
AL	6	WF	OBS DEATHS	7	12	20	22	61
AL	6	BM	RATE/10000	6.0	10.5	19.1	42.1	199.0
AL	6	BM	OBS DEATHS	24	43	76	118	261
AL	6	BF	RATE/10000	3.4	6.0	17.6	30.6	267.9
AL	6	BF	OBS DEATHS	18	31	84	112	245
AK	1	WM	RATE/10000	0.0	1.4	3.5	7.1	106.4
AK	1	WM	OBS DEATHS	0	8	10	6	24
AK	1	WF	RATE/10000	0.2	0.4	0.9	1.5	79.5
AK	1	WF	OBS DEATHS	1	2	2	1	6
AK	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
AK	1	BM	OBS DEATHS	0	0	0	0	0
AK	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
AK	1	BF	OBS DEATHS	0	0	0	0	0
AZ	1	WM	RATE/10000	0.3	1.0	1.9	3.0	71.5
AZ	1	WM	OBS DEATHS	8	25	34	39	106
AZ	1	WF	RATE/10000	0.3	0.7	1.3	1.6	114.5
AZ	1	WF	OBS DEATHS	9	17	27	24	77
AZ	1	BM	RATE/10000	0.0	4.7	0.0	5.6	26.9
AZ	1	BM	OBS DEATHS	0	3	0	2	5
AZ	1	BF	RATE/10000	0.0	1.4	1.8	2.9	28.8
AZ	1	BF	OBS DEATHS	0	1	1	1	3

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
AZ	2	WM	RATE/10000	0.7	0.9	3.1	3.8	97.9
AZ	2	WM	OBS DEATHS	7	9	25	22	63
AZ	2	WF	RATE/10000	0.7	0.7	1.4	2.3	148.9
AZ	2	WF	OBS DEATHS	7	8	13	16	44
AZ	2	BM	RATE/10000	6.2	4.7	0.0	15.5	77.1
AZ	2	BM	OBS DEATHS	2	1	0	2	5
AZ	2	BF	RATE/10000	0.0	0.0	5.1	7.1	51.6
AZ	2	BF	OBS DEATHS	0	0	1	1	2
AZ	3	WM	RATE/10000	0.4	3.3	4.5	7.1	177.3
AZ	3	WM	OBS DEATHS	1	8	10	11	30
AZ	3	WF	RATE/10000	0.8	0.4	1.3	4.1	176.7
AZ	3	WF	OBS DEATHS	2	1	3	6	12
AZ	3	BM	RATE/10000	0.0	0.0	18.5	0.0	63.4
AZ	3	BM	OBS DEATHS	0	0	1	0	1
AZ	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
AZ	3	BF	OBS DEATHS	0	0	0	0	0
AZ	5	WM	RATE/10000	0.5	3.8	8.2	13.2	290.3
AZ	5	WM	OBS DEATHS	1	8	15	16	40
AZ	5	WF	RATE/10000	0.0	0.5	2.3	7.7	252.7
AZ	5	WF	OBS DEATHS	0	1	4	8	13
AZ	5	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
AZ	5	BM	OBS DEATHS	0	0	0	0	0
AZ	5	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
AZ	5	BF	OBS DEATHS	0	0	0	0	0
AR	1	WM	RATE/10000	1.2	3.5	9.0	15.9	333.1
AR	1	WM	OBS DEATHS	14	44	112	152	322
AR	1	WF	RATE/10000	0.5	1.1	2.6	6.0	287.4
AR	1	WF	OBS DEATHS	6	15	36	66	123
AR	1	BM	RATE/10000	5.4	9.6	32.1	28.1	206.4
AR	1	BM	OBS DEATHS	2	4	16	10	32
AR	1	BF	RATE/10000	2.1	5.5	14.1	20.8	201.5
AR	1	BF	OBS DEATHS	1	3	8	10	22

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX		35-74					
AR	2	WM	RATE/10000	1.1	2.6	6.0	10.7	228.5
AR	2	WM	OBS DEATHS	10	25	56	69	160
AR	2	WF	RATE/10000	0.7	0.5	1.7	3.0	166.6
AR	2	WF	OBS DEATHS	7	5	17	22	51
AR	2	BM	RATE/10000	4.4	8.0	15.7	26.4	142.9
AR	2	BM	OBS DEATHS	6	13	30	45	94
AR	2	BF	RATE/10000	1.5	5.0	6.7	22.6	166.3
AR	2	BF	OBS DEATHS	3	11	15	43	72
AR	3	WM	RATE/10000	0.6	1.4	4.0	5.5	131.2
AR	3	WM	OBS DEATHS	5	12	26	21	64
AR	3	WF	RATE/10000	0.2	0.5	1.0	1.8	96.2
AR	3	WF	OBS DEATHS	2	4	7	9	22
AR	3	BM	RATE/10000	6.4	6.2	8.9	25.7	121.5
AR	3	BM	OBS DEATHS	8	8	11	25	52
AR	3	BF	RATE/10000	1.9	4.4	3.3	10.7	95.5
AR	3	BF	OBS DEATHS	3	7	5	13	28
AR	4	WM	RATE/10000	0.8	3.6	6.2	12.2	255.7
AR	4	WM	OBS DEATHS	6	28	46	59	139
AR	4	WF	RATE/10000	0.5	1.1	2.7	5.9	285.4
AR	4	WF	OBS DEATHS	4	9	22	35	70
AR	4	BM	RATE/10000	6.9	11.4	24.7	33.5	201.1
AR	4	BM	OBS DEATHS	15	28	67	82	192
AR	4	BF	RATE/10000	2.0	4.2	13.5	26.7	218.6
AR	4	BF	OBS DEATHS	6	13	45	78	142
CA	1	WM	RATE/10000	0.1	0.2	0.2	1.0	16.0
CA	1	WM	OBS DEATHS	1	3	2	8	14
CA	1	WF	RATE/10000	0.1	0.3	0.2	0.3	25.9
CA	1	WF	OBS DEATHS	1	4	2	2	9
CA	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
CA	1	BM	OBS DEATHS	0	0	0	0	0
CA	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
CA	1	BF	OBS DEATHS	0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR								(SMR)
NAME -SEX				35-44	45-54	55-64	65-74	35-74
CA	2	WM	RATE/10000	0.3	0.1	0.7	0.6	21.2
CA	2	WM	OBS DEATHS	7	3	11	6	27
CA	2	WF	RATE/10000	0.3	0.5	0.3	0.1	45.3
CA	2	WF	OBS DEATHS	8	11	5	1	25
CA	2	BM	RATE/10000	0.8	0.0	0.0	0.0	5.3
CA	2	BM	OBS DEATHS	1	0	0	0	1
CA	2	BF	RATE/10000	0.9	2.6	0.0	0.0	31.1
CA	2	BF	OBS DEATHS	1	2	0	0	3
CA	3	WM	RATE/10000	0.1	0.2	0.2	0.7	13.5
CA	3	WM	OBS DEATHS	1	2	2	4	9
CA	3	WF	RATE/10000	0.1	0.2	0.7	1.0	54.9
CA	3	WF	OBS DEATHS	1	2	6	7	16
CA	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
CA	3	BM	OBS DEATHS	0	0	0	0	0
CA	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
CA	3	BF	OBS DEATHS	0	0	0	0	0
CA	4	WM	RATE/10000	0.0	0.1	0.2	0.4	8.6
CA	4	WM	OBS DEATHS	1	5	6	6	18
CA	4	WF	RATE/10000	0.1	0.1	0.1	0.3	17.2
CA	4	WF	OBS DEATHS	3	4	4	6	17
CA	4	BM	RATE/10000	0.3	0.0	0.0	1.3	3.2
CA	4	BM	OBS DEATHS	1	0	0	1	2
CA	4	BF	RATE/10000	0.3	0.0	1.0	0.0	7.9
CA	4	BF	OBS DEATHS	1	0	2	0	3
CA	5	WM	RATE/10000	0.1	0.2	0.2	0.4	11.3
CA	5	WM	OBS DEATHS	4	7	6	5	22
CA	5	WF	RATE/10000	0.1	0.1	0.3	0.3	22.3
CA	5	WF	OBS DEATHS	2	4	8	6	20
CA	5	BM	RATE/10000	0.7	0.2	1.6	0.0	8.5
CA	5	BM	OBS DEATHS	3	1	5	0	9
CA	5	BF	RATE/10000	0.4	0.4	0.6	0.0	9.4
CA	5	BF	OBS DEATHS	2	2	2	0	6

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME -SEX								35-74
CA	6	WM	RATE/10000	0.1	0.4	0.8	0.9	25.6
CA	6	WM	OBS DEATHS	1	6	10	7	24
CA	6	WF	RATE/10000	0.1	0.5	0.5	0.6	53.2
CA	6	WF	OBS DEATHS	2	8	6	5	21
CA	6	BM	RATE/10000	0.0	5.6	4.7	3.8	41.8
CA	6	BM	OBS DEATHS	0	3	2	1	6
CA	6	BF	RATE/10000	3.7	2.0	0.0	0.0	41.7
CA	6	BF	OBS DEATHS	2	1	0	0	3
CA	7	WM	RATE/10000	0.0	0.1	0.1	0.4	5.3
CA	7	WM	OBS DEATHS	0	2	1	3	6
CA	7	WF	RATE/10000	0.2	0.0	0.1	0.1	15.1
CA	7	WF	OBS DEATHS	5	1	1	1	9
CA	7	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
CA	7	BM	OBS DEATHS	0	0	0	0	0
CA	7	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
CA	7	BF	OBS DEATHS	0	0	0	0	0
CA	8	WM	RATE/10000	0.4	0.0	0.0	1.0	14.4
CA	8	WM	OBS DEATHS	4	0	0	6	10
CA	8	WF	RATE/10000	0.1	0.0	0.5	0.1	22.3
CA	8	WF	OBS DEATHS	1	0	5	1	7
CA	8	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
CA	8	BM	OBS DEATHS	0	0	0	0	0
CA	8	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
CA	8	BF	OBS DEATHS	0	0	0	0	0
CA	9	WM	RATE/10000	0.1	0.0	0.2	0.6	9.9
CA	9	WM	OBS DEATHS	3	0	4	7	14
CA	9	WF	RATE/10000	0.0	0.2	0.2	0.2	18.1
CA	9	WF	OBS DEATHS	0	5	3	3	11
CA	9	BM	RATE/10000	0.0	4.3	1.1	0.0	17.1
CA	9	BM	OBS DEATHS	0	4	1	0	5
CA	9	BF	RATE/10000	0.0	1.0	0.0	0.0	6.1
CA	9	BF	OBS DEATHS	0	1	0	0	1

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
CA 10	WM	RATE/10000		0.2	0.1	0.2	0.2	9.2
CA 10	WM	OBS DEATHS		3	1	2	1	7
CA 10	WF	RATE/10000		0.0	0.1	0.1	0.0	8.5
CA 10	WF	OBS DEATHS		0	2	1	0	3
CA 10	BM	RATE/10000		0.0	0.0	0.0	0.0	0.0
CA 10	BM	OBS DEATHS		0	0	0	0	0
CA 10	BF	RATE/10000		0.0	0.0	0.0	0.0	0.0
CA 10	BF	OBS DEATHS		0	0	0	0	0
CA 11	WM	RATE/10000		0.1	0.1	0.2	0.2	8.3
CA 11	WM	OBS DEATHS		14	21	25	15	75
CA 11	WF	RATE/10000		0.1	0.0	0.0	0.1	8.0
CA 11	WF	OBS DEATHS		14	7	2	12	35
CA 11	BM	RATE/10000		0.4	0.2	0.2	0.2	3.7
CA 11	BM	OBS DEATHS		7	3	2	1	13
CA 11	BF	RATE/10000		0.1	0.1	0.1	0.0	2.5
CA 11	BF	OBS DEATHS		3	2	1	0	6
CA 12	WM	RATE/10000		0.2	0.4	0.8	0.6	24.0
CA 12	WM	OBS DEATHS		5	9	17	10	41
CA 12	WF	RATE/10000		0.1	0.2	0.3	0.5	29.8
CA 12	WF	OBS DEATHS		3	5	6	9	23
CA 12	BM	RATE/10000		0.8	1.1	0.0	0.0	8.8
CA 12	BM	OBS DEATHS		1	1	0	0	2
CA 12	BF	RATE/10000		0.0	0.0	0.0	0.0	0.0
CA 12	BF	OBS DEATHS		0	0	0	0	0
CA 13	WM	RATE/10000		0.0	0.1	0.2	0.5	6.8
CA 13	WM	OBS DEATHS		1	2	3	5	11
CA 13	WF	RATE/10000		0.0	0.1	0.1	0.0	6.4
CA 13	WF	OBS DEATHS		0	3	2	0	5
CA 13	BM	RATE/10000		0.0	0.0	0.0	0.0	0.0
CA 13	BM	OBS DEATHS		0	0	0	0	0
CA 13	BF	RATE/10000		0.0	0.0	0.0	0.0	0.0
CA 13	BF	OBS DEATHS		0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
CA	14	WM	RATE/10000	0.2	0.3	0.6	1.0	25.0
CA	14	WM	OBS DEATHS	8	9	13	15	45
CA	14	WF	RATE/10000	0.2	0.1	0.4	0.4	36.0
CA	14	WF	OBS DEATHS	8	4	10	8	30
CA	14	BM	RATE/10000	0.7	0.0	0.0	0.0	4.2
CA	14	BM	OBS DEATHS	1	0	0	0	1
CA	14	BF	RATE/10000	0.7	0.9	4.1	0.0	34.0
CA	14	BF	OBS DEATHS	1	1	3	0	5
CO	1	WM	RATE/10000	1.4	1.5	1.9	2.5	98.2
CO	1	WM	OBS DEATHS	51	50	46	35	182
CO	1	WF	RATE/10000	0.6	1.1	1.5	1.6	151.4
CO	1	WF	OBS DEATHS	22	39	40	29	130
CO	1	BM	RATE/10000	5.2	3.0	1.7	0.0	49.5
CO	1	BM	OBS DEATHS	7	3	1	0	11
CO	1	BF	RATE/10000	1.4	1.8	0.0	2.2	34.1
CO	1	BF	OBS DEATHS	2	2	0	1	5
CO	2	WM	RATE/10000	0.4	0.5	0.8	2.1	43.6
CO	2	WM	OBS DEATHS	5	6	7	11	29
CO	2	WF	RATE/10000	0.0	0.3	0.2	1.1	40.7
CO	2	WF	OBS DEATHS	0	3	2	7	12
CO	2	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
CO	2	BM	OBS DEATHS	0	0	0	0	0
CO	2	BF	RATE/10000	0.0	0.0	9.4	0.0	39.5
CO	2	BF	OBS DEATHS	0	0	1	0	1
CO	3	WM	RATE/10000	0.4	1.1	0.2	1.9	42.3
CO	3	WM	OBS DEATHS	2	5	1	5	13
CO	3	WF	RATE/10000	0.2	0.2	0.5	0.7	47.7
CO	3	WF	OBS DEATHS	1	1	2	2	6
CO	3	BM	RATE/10000	123.5	0.0	0.0	0.0	521.7
CO	3	BM	OBS DEATHS	1	0	0	0	1
CO	3	BF	RATE/10000	0.0	3.0	0.0	0.0	0.0
CO	3	BF	OBS DEATHS	0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
CT	1	WM	RATE/10000	0.2	0.8	1.3	2.1	50.7
CT	1	WM	OBS DEATHS	4	17	21	17	59
CT	1	WF	RATE/10000	0.5	0.7	0.6	1.0	86.4
CT	1	WF	OBS DEATHS	10	16	10	11	47
CT	1	BM	RATE/10000	0.8	1.0	4.7	3.2	26.2
CT	1	BM	OBS DEATHS	1	1	3	1	6
CT	1	BF	RATE/10000	0.0	1.6	0.0	0.0	12.4
CT	1	BF	OBS DEATHS	0	2	0	0	2
CT	2	WM	RATE/10000	0.2	0.5	0.5	2.4	37.1
CT	2	WM	OBS DEATHS	4	9	7	20	40
CT	2	WF	RATE/10000	0.0	0.3	0.6	0.7	46.5
CT	2	WF	OBS DEATHS	0	7	9	8	24
CT	2	BM	RATE/10000	2.4	1.0	0.0	0.0	19.2
CT	2	BM	OBS DEATHS	3	1	0	0	4
CT	2	BF	RATE/10000	0.0	1.8	1.5	0.0	21.3
CT	2	BF	OBS DEATHS	0	2	1	0	3
CT	3	WM	RATE/10000	0.2	0.4	0.4	0.9	21.8
CT	3	WM	OBS DEATHS	2	4	3	4	13
CT	3	WF	RATE/10000	0.1	0.2	0.2	0.3	25.6
CT	3	WF	OBS DEATHS	1	2	2	2	7
CT	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
CT	3	BM	OBS DEATHS	0	0	0	0	0
CT	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
CT	3	BF	OBS DEATHS	0	0	0	0	0
CT	4	WM	RATE/10000	0.4	0.4	1.0	1.3	37.7
CT	4	WM	OBS DEATHS	9	9	18	12	48
CT	4	WF	RATE/10000	0.2	0.5	0.6	0.2	53.9
CT	4	WF	OBS DEATHS	5	13	11	3	32
CT	4	BM	RATE/10000	3.8	0.0	5.3	0.0	36.3
CT	4	BM	OBS DEATHS	5	0	3	0	8
CT	4	BF	RATE/10000	1.4	0.9	4.8	0.0	43.5
CT	4	BF	OBS DEATHS	2	1	3	0	6

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
CT	5	WM	RATE/10000	0.8	1.6	0.6	2.1	63.8
CT	5	WM	OBS DEATHS	3	6	2	4	15
CT	5	WF	RATE/10000	0.3	1.4	0.9	1.7	103.2
CT	5	WF	OBS DEATHS	1	6	0	4	11
CT	5	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
CT	5	BM	OBS DEATHS	0	0	0	0	0
CT	5	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
CT	5	BF	OBS DEATHS	0	0	0	0	0
DE	1	WM	RATE/10000	0.2	0.2	0.2	1.5	21.8
DE	1	WM	OBS DEATHS	2	3	2	7	14
DE	1	WF	RATE/10000	0.0	0.3	0.2	0.5	30.2
DE	1	WF	OBS DEATHS	0	4	2	3	9
DE	1	BM	RATE/10000	0.0	1.3	1.7	1.5	12.6
DE	1	BM	OBS DEATHS	0	2	2	1	5
DE	1	BF	RATE/10000	0.5	0.6	0.8	1.3	16.5
DE	1	BF	OBS DEATHS	1	1	1	1	4
DC	1	WM	RATE/10000	3.3	2.6	3.7	3.7	157.0
DC	1	WM	OBS DEATHS	16	13	21	15	65
DC	1	WF	RATE/10000	2.0	2.6	2.2	1.3	222.4
DC	1	WF	OBS DEATHS	9	17	18	9	53
DC	1	BM	RATE/10000	2.3	3.6	3.0	4.6	42.5
DC	1	BM	OBS DEATHS	31	42	25	18	116
DC	1	BF	RATE/10000	1.3	1.4	1.1	1.5	31.8
DC	1	BF	OBS DEATHS	20	19	11	8	58
FL	1	WM	RATE/10000	1.1	5.0	10.1	19.1	386.7
FL	1	WM	OBS DEATHS	16	64	92	98	270
FL	1	WF	RATE/10000	0.3	1.5	2.4	6.3	278.9
FL	1	WF	OBS DEATHS	4	23	24	41	89
FL	1	BM	RATE/10000	6.1	13.4	25.3	50.4	241.4
FL	1	BM	OBS DEATHS	16	34	59	67	176
FL	1	BF	RATE/10000	2.6	6.4	14.6	25.3	226.6
FL	1	BF	OBS DEATHS	9	23	40	48	117

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA NAME		COLOR	SEX		35-44	45-54	55-64	65-74	(SMR) 35-74
FL	2	WM		RATE/10000	2.0	5.4	12.2	16.5	412.8
FL	2	WM		OBS DEATHS	15	41	89	109	254
FL	2	WF		RATE/10000	1.0	1.2	3.2	3.5	263.8
FL	2	WF		OBS DEATHS	8	10	28	25	71
FL	2	BM		RATE/10000	5.1	13.5	27.8	50.1	247.9
FL	2	BM		OBS DEATHS	9	24	45	56	134
FL	2	BF		RATE/10000	3.9	8.0	11.6	33.3	259.3
FL	2	BF		OBS DEATHS	8	16	21	43	88
FL	3	WM		RATE/10000	0.5	1.5	2.7	4.3	105.9
FL	3	WM		OBS DEATHS	7	19	23	20	69
FL	3	WF		RATE/10000	0.4	1.1	0.9	1.1	119.0
FL	3	WF		OBS DEATHS	6	15	9	7	37
FL	3	BM		RATE/10000	2.5	6.1	13.8	23.7	117.7
FL	3	BM		OBS DEATHS	7	17	31	34	89
FL	3	BF		RATE/10000	2.0	3.0	6.0	15.8	120.4
FL	3	BF		OBS DEATHS	7	10	16	29	62
FL	4	WM		RATE/10000	1.9	6.7	12.2	10.8	344.4
FL	4	WM		OBS DEATHS	42	163	298	340	843
FL	4	WF		RATE/10000	0.6	2.0	3.8	4.2	303.8
FL	4	WF		OBS DEATHS	15	56	129	161	361
FL	4	BM		RATE/10000	6.7	27.3	39.0	65.0	360.4
FL	4	BM		OBS DEATHS	18	63	76	83	240
FL	4	BF		RATE/10000	4.0	13.2	22.3	29.3	332.8
FL	4	BF		OBS DEATHS	13	36	51	44	144
FL	5	WM		RATE/10000	0.3	1.8	5.0	9.0	175.0
FL	5	WM		OBS DEATHS	6	36	66	97	205
FL	5	WF		RATE/10000	0.3	1.0	2.0	3.0	181.6
FL	5	WF		OBS DEATHS	7	21	32	41	101
FL	5	BM		RATE/10000	3.0	2.5	10.6	16.5	83.2
FL	5	BM		OBS DEATHS	7	5	17	17	46
FL	5	BF		RATE/10000	2.6	4.1	8.1	11.3	127.2
FL	5	BF		OBS DEATHS	7	9	15	14	45

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
FL	6	WM	RATE/10000	2.9	7.4	11.1	8.5	323.8
FL	6	WM	OBS DEATHS	32	89	148	131	400
FL	6	WF	RATE/10000	0.7	1.9	2.3	3.8	249.5
FL	6	WF	OBS DEATHS	8	26	41	62	137
FL	6	BM	RATE/10000	11.6	26.3	37.2	61.3	365.3
FL	6	BM	OBS DEATHS	21	42	50	48	161
FL	6	BF	RATE/10000	9.6	10.9	18.8	35.8	365.1
FL	6	BF	OBS DEATHS	18	17	24	29	88
FL	7	WM	RATE/10000	0.6	2.4	5.1	6.0	158.2
FL	7	WM	OBS DEATHS	5	22	47	64	138
FL	7	WF	RATE/10000	0.1	0.6	1.2	2.3	123.6
FL	7	WF	OBS DEATHS	1	6	15	28	52
FL	7	BM	RATE/10000	8.2	15.4	31.2	39.4	255.2
FL	7	BM	OBS DEATHS	17	27	44	31	119
FL	7	BF	RATE/10000	1.8	9.9	7.0	24.3	195.3
FL	7	BF	OBS DEATHS	4	18	10	20	52
FL	8	WM	RATE/10000	0.6	1.7	1.2	2.2	62.3
FL	8	WM	OBS DEATHS	7	23	16	36	82
FL	8	WF	RATE/10000	0.3	0.9	0.9	2.0	117.8
FL	8	WF	OBS DEATHS	4	14	17	37	72
FL	8	BM	RATE/10000	3.8	6.8	5.6	15.5	88.2
FL	8	BM	OBS DEATHS	7	9	5	7	28
FL	8	BF	RATE/10000	0.5	1.4	1.0	4.1	39.9
FL	8	BF	OBS DEATHS	1	2	1	2	6
FL	9	WM	RATE/10000	0.2	0.4	0.8	0.9	27.9
FL	9	WM	OBS DEATHS	7	13	20	20	60
FL	9	WF	RATE/10000	0.0	0.3	0.3	0.4	28.5
FL	9	WF	OBS DEATHS	1	9	9	11	32
FL	9	BM	RATE/10000	0.8	0.3	2.9	2.4	17.4
FL	9	BM	OBS DEATHS	4	1	7	3	15
FL	9	BF	RATE/10000	0.4	0.5	2.1	1.3	21.8
FL	9	BF	OBS DEATHS	2	2	6	2	12

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
GA	2	WM	RATE/10000	0.5	1.6	2.4	3.4	95.4
GA	2	WM	OBS DEATHS	6	17	21	17	61
GA	2	WF	RATE/10000	0.2	0.4	0.8	0.9	70.5
GA	2	WF	OBS DEATHS	2	5	8	6	21
GA	2	BM	RATE/10000	1.3	0.0	4.6	22.2	58.6
GA	2	BM	OBS DEATHS	1	0	3	8	12
GA	2	BF	RATE/10000	3.0	3.3	7.3	3.9	94.6
GA	2	BF	OBS DEATHS	3	3	6	2	14
GA	3	WM	RATE/10000	0.3	1.3	2.1	4.2	86.9
GA	3	WM	OBS DEATHS	11	46	49	50	156
GA	3	WF	RATE/10000	0.2	0.4	0.8	2.3	94.3
GA	3	WF	OBS DEATHS	8	13	21	40	82
GA	3	BM	RATE/10000	2.6	7.1	9.5	29.4	116.1
GA	3	BM	OBS DEATHS	22	50	54	91	217
GA	3	BF	RATE/10000	1.2	3.0	5.7	20.1	127.8
GA	3	BF	OBS DEATHS	13	26	42	96	177
GA	4	WM	RATE/10000	0.7	2.5	3.9	6.7	159.5
GA	4	WM	OBS DEATHS	7	23	27	25	82
GA	4	WF	RATE/10000	0.2	0.6	1.1	2.8	129.0
GA	4	WF	OBS DEATHS	2	6	9	15	32
GA	4	BM	RATE/10000	2.7	5.4	9.9	13.0	83.6
GA	4	BM	OBS DEATHS	8	16	26	21	71
GA	4	BF	RATE/10000	1.1	3.8	5.2	10.1	94.8
GA	4	BF	OBS DEATHS	4	14	17	24	59
GA	5	WM	RATE/10000	0.6	1.8	4.6	7.6	162.0
GA	5	WM	OBS DEATHS	8	22	41	35	106
GA	5	WF	RATE/10000	0.3	0.8	0.9	2.8	132.5
GA	5	WF	OBS DEATHS	4	10	9	19	42
GA	5	BM	RATE/10000	2.1	6.0	9.3	16.3	87.9
GA	5	BM	OBS DEATHS	10	28	37	39	114
GA	5	BF	RATE/10000	1.9	3.1	4.6	11.2	97.1
GA	5	BF	OBS DEATHS	12	18	23	40	93

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME -SEX								35-74
GA	6	WM	RATE/10000	0.4	1.3	1.6	3.1	73.0
GA	6	WM	OBS DEATHS	3	10	10	11	34
GA	6	WF	RATE/10000	0.1	0.6	0.6	1.6	81.7
GA	6	WF	OBS DEATHS	1	5	4	8	18
GA	6	BM	RATE/10000	2.1	2.0	9.1	14.0	69.9
GA	6	BM	OBS DEATHS	6	6	25	26	63
GA	6	BF	RATE/10000	1.0	1.8	5.8	9.4	83.6
GA	6	BF	OBS DEATHS	4	7	20	25	56
GA	7	WM	RATE/10000	0.4	0.9	2.2	2.4	71.9
GA	7	WM	OBS DEATHS	4	8	16	9	37
GA	7	WF	RATE/10000	0.0	0.0	0.4	1.9	54.1
GA	7	WF	OBS DEATHS	0	0	3	10	13
GA	7	BM	RATE/10000	1.8	2.4	3.9	8.1	41.6
GA	7	BM	OBS DEATHS	5	7	10	13	35
GA	7	BF	RATE/10000	0.8	0.6	3.0	6.0	46.8
GA	7	BF	OBS DEATHS	3	2	9	13	27
HI	1	WM	RATE/10000	0.7	0.5	1.3	1.2	52.6
HI	1	WM	OBS DEATHS	6	3	5	2	16
HI	1	WF	RATE/10000	0.0	0.7	0.6	1.0	66.4
HI	1	WF	OBS DEATHS	0	4	2	2	8
HI	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
HI	1	BM	OBS DEATHS	0	0	0	0	0
HI	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
HI	1	BF	OBS DEATHS	0	0	0	0	0
ID	1	WM	RATE/10000	0.1	0.4	1.4	5.3	68.5
ID	1	WM	OBS DEATHS	1	6	20	46	73
ID	1	WF	RATE/10000	0.1	0.2	0.6	1.9	73.3
ID	1	WF	OBS DEATHS	2	3	9	18	32
ID	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
ID	1	BM	OBS DEATHS	0	0	0	0	0
ID	1	BF	RATE/10000	0.0	0.0	0.0	92.6	237.0
ID	1	BF	OBS DEATHS	0	0	0	1	1

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME -SEX								35-74
IL	1	WM	RATE/10000	0.4	0.1	0.4	2.2	31.4
IL	1	WM	OBS DEATHS	5	2	4	14	25
IL	1	WF	RATE/10000	0.0	0.4	0.2	0.2	25.3
IL	1	WF	OBS DEATHS	0	5	2	2	9
IL	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
IL	1	BM	OBS DEATHS	0	0	0	0	0
IL	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
IL	1	BF	OBS DEATHS	0	0	0	0	0
IL	2	WM	RATE/10000	0.0	0.4	0.5	1.0	21.4
IL	2	WM	OBS DEATHS	0	7	7	9	23
IL	2	WF	RATE/10000	0.1	0.2	0.3	0.4	30.9
IL	2	WF	OBS DEATHS	1	4	5	5	15
IL	2	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
IL	2	BM	OBS DEATHS	0	0	0	0	0
IL	2	BF	RATE/10000	2.4	0.0	0.0	6.0	39.5
IL	2	BF	OBS DEATHS	1	0	0	1	2
IL	3	WM	RATE/10000	0.4	0.8	1.1	0.9	39.5
IL	3	WM	OBS DEATHS	5	11	13	8	37
IL	3	WF	RATE/10000	0.2	0.7	1.0	1.2	93.2
IL	3	WF	OBS DEATHS	3	10	14	14	41
IL	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
IL	3	BM	OBS DEATHS	0	0	0	0	0
IL	3	BF	RATE/10000	0.0	0.0	0.0	11.4	43.6
IL	3	BF	OBS DEATHS	0	0	0	2	2
IL	4	WM	RATE/10000	0.2	0.4	0.4	0.8	22.7
IL	4	WM	OBS DEATHS	4	7	6	7	24
IL	4	WF	RATE/10000	0.2	0.1	0.3	0.9	40.3
IL	4	WF	OBS DEATHS	3	1	5	11	20
IL	4	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
IL	4	BM	OBS DEATHS	0	0	0	0	0
IL	4	BF	RATE/10000	1.5	0.0	0.0	0.0	13.1
IL	4	BF	OBS DEATHS	1	0	0	0	1

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR			35-44	45-54	55-64	65-74	(SMR)	
NAME	-SFY						35-74	
IL	5	WM	RATE/10000	0.1	0.2	1.2	0.9	27.6
IL	5	WM	OBS DEATHS	1	3	16	9	29
IL	5	WF	RATE/10000	0.1	0.1	0.2	0.6	29.2
IL	5	WF	OBS DEATHS	1	2	3	8	14
IL	5	BM	RATE/10000	2.9	0.0	0.0	0.0	8.0
IL	5	BM	OBS DEATHS	1	0	0	0	1
IL	5	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
IL	5	BF	OBS DEATHS	0	0	0	0	0
IL	7	WM	RATE/10000	0.2	0.3	0.4	0.5	17.4
IL	7	WM	OBS DEATHS	28	38	39	27	132
IL	7	WF	RATE/10000	0.1	0.1	0.2	0.3	22.8
IL	7	WF	OBS DEATHS	15	21	19	26	81
IL	7	BM	RATE/10000	1.2	1.0	1.5	0.8	15.8
IL	7	BM	OBS DEATHS	35	24	22	7	88
IL	7	BF	RATE/10000	0.2	0.2	0.2	0.5	6.1
IL	7	BF	OBS DEATHS	7	6	4	5	22
IL	8	WM	RATE/10000	0.2	0.2	0.4	0.7	17.9
IL	8	WM	OBS DEATHS	4	3	5	5	17
IL	8	WF	RATE/10000	0.2	0.1	0.2	0.6	26.2
IL	8	WF	OBS DEATHS	3	1	2	5	11
IL	8	BM	RATE/10000	1.4	2.0	0.0	0.0	18.4
IL	8	BM	OBS DEATHS	1	1	0	0	2
IL	8	BF	RATE/10000	0.0	0.0	0.0	5.4	14.8
IL	8	BF	OBS DEATHS	0	0	0	1	1
IL	9	WM	RATE/10000	0.0	0.3	0.3	0.8	15.5
IL	9	WM	OBS DEATHS	0	3	2	3	8
IL	9	WF	RATE/10000	0.0	0.3	0.0	0.4	22.2
IL	9	WF	OBS DEATHS	0	3	0	2	5
IL	9	BM	RATE/10000	1.2	0.0	2.5	8.0	27.0
IL	9	BM	OBS DEATHS	1	0	1	2	4
IL	9	BF	RATE/10000	0.0	0.0	0.0	3.6	12.5
IL	9	BF	OBS DEATHS	0	0	0	1	1

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR								(SMR)
NAME	-SEX			35-44	45-54	55-64	65-74	35-74
IN	1	WM	RATE/10000	0.2	0.4	1.0	2.0	39.6
IN	1	WM	OBS DEATHS	10	17	34	37	98
IN	1	WF	RATE/10000	0.1	0.2	0.3	1.2	46.7
IN	1	WF	OBS DEATHS	5	10	9	28	52
IN	1	BM	RATE/10000	0.5	0.9	1.4	4.7	17.7
IN	1	BM	OBS DEATHS	2	3	3	6	14
IN	1	BF	RATE/10000	1.1	0.6	1.7	2.9	32.0
IN	1	BF	OBS DEATHS	5	2	4	4	15
IN	2	WM	RATE/10000	0.2	0.4	0.7	1.4	29.7
IN	2	WM	OBS DEATHS	10	18	23	28	79
IN	2	WF	RATE/10000	0.1	0.2	0.2	0.8	40.1
IN	2	WF	OBS DEATHS	7	12	8	23	50
IN	2	BM	RATE/10000	0.5	0.6	0.4	2.6	10.3
IN	2	BM	OBS DEATHS	2	2	1	4	9
IN	2	BF	RATE/10000	0.2	0.0	0.0	1.1	5.3
IN	2	BF	OBS DEATHS	1	0	0	2	3
IN	3	WM	RATE/10000	0.2	0.4	0.8	1.2	29.5
IN	3	WM	OBS DEATHS	5	11	18	20	54
IN	3	WF	RATE/10000	0.1	0.1	0.3	0.4	27.2
IN	3	WF	OBS DEATHS	3	4	7	9	23
IN	3	BM	RATE/10000	0.0	5.7	0.0	5.8	30.3
IN	3	BM	OBS DEATHS	0	3	0	2	5
IN	3	BF	RATE/10000	0.0	3.1	0.0	0.0	18.6
IN	3	BF	OBS DEATHS	0	2	0	0	2
IA	1	WM	RATE/10000	0.1	0.2	0.4	0.7	16.9
IA	1	WM	OBS DEATHS	6	12	22	26	66
IA	1	WF	RATE/10000	0.1	0.1	0.2	0.4	20.2
IA	1	WF	OBS DEATHS	3	5	11	17	36
IA	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
IA	1	BM	OBS DEATHS	0	0	0	0	0
IA	1	BF	RATE/10000	1.5	0.0	0.0	0.0	11.6
IA	1	BF	OBS DEATHS	1	0	0	0	1

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
IA	3	WM	RATE/10000	0.1	0.2	0.4	0.4	13.0
IA	3	WM	OBS DEATHS	1	2	3	2	8
IA	3	WF	RATE/10000	0.2	0.2	0.1	0.8	36.3
IA	3	WF	OBS DEATHS	2	2	1	5	10
IA	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
IA	3	BM	OBS DEATHS	0	0	0	0	0
IA	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
IA	3	BF	OBS DEATHS	0	0	0	0	0
KS	1	WM	RATE/10000	0.0	0.9	1.8	2.6	59.9
KS	1	WM	OBS DEATHS	0	9	17	17	43
KS	1	WF	RATE/10000	0.1	0.5	0.2	1.1	53.4
KS	1	WF	OBS DEATHS	1	5	2	9	17
KS	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
KS	1	BM	OBS DEATHS	0	0	0	0	0
KS	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
KS	1	BF	OBS DEATHS	0	0	0	0	0
KS	2	WM	RATE/10000	0.1	0.7	2.0	2.9	63.1
KS	2	WM	OBS DEATHS	1	8	20	22	51
KS	2	WF	RATE/10000	0.1	0.3	0.5	1.7	73.1
KS	2	WF	OBS DEATHS	1	3	6	17	27
KS	2	BM	RATE/10000	2.1	0.0	2.9	0.8	33.8
KS	2	BM	OBS DEATHS	1	0	1	2	4
KS	2	BF	RATE/10000	4.1	0.0	0.0	0.0	26.3
KS	2	BF	OBS DEATHS	2	0	0	0	2
KS	3	WM	RATE/10000	0.1	0.5	1.2	3.1	52.4
KS	3	WM	OBS DEATHS	2	10	20	34	66
KS	3	WF	RATE/10000	0.2	0.2	0.6	1.2	58.9
KS	3	WF	OBS DEATHS	3	4	11	17	35
KS	3	BM	RATE/10000	1.3	0.0	0.0	0.0	5.7
KS	3	BM	OBS DEATHS	1	0	0	0	1
KS	3	BF	RATE/10000	0.0	1.4	0.0	0.0	9.6
KS	3	BF	OBS DEATHS	0	1	0	0	1

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX		35-74					
KY	1	WM	RATE/10000	0.2	0.4	0.5	1.5	28.1
KY	1	WM	OBS DEATHS	6	13	16	28	63
KY	1	WF	RATE/10000	0.2	0.1	0.4	0.5	33.7
KY	1	WF	OBS DEATHS	8	3	12	12	35
KY	1	BM	RATE/10000	0.3	0.3	1.4	1.0	8.0
KY	1	BM	OBS DEATHS	1	1	4	2	8
KY	1	BF	RATE/10000	0.7	0.3	0.0	0.8	9.0
KY	1	BF	OBS DEATHS	3	1	0	2	6
KY	2	WM	RATE/10000	0.1	0.4	1.0	1.5	35.6
KY	2	WM	OBS DEATHS	3	13	26	26	68
KY	2	WF	RATE/10000	0.1	0.1	0.3	0.8	32.0
KY	2	WF	OBS DEATHS	3	2	7	15	27
KY	2	BM	RATE/10000	0.9	1.7	0.9	4.5	20.7
KY	2	BM	OBS DEATHS	1	2	1	4	8
KY	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
KY	2	BF	OBS DEATHS	0	0	0	0	0
LA	1	WM	RATE/10000	0.2	0.5	0.5	1.5	30.0
LA	1	WM	OBS DEATHS	5	11	8	14	38
LA	1	WF	RATE/10000	0.1	0.2	0.4	0.7	40.9
LA	1	WF	OBS DEATHS	2	5	8	10	25
LA	1	BM	RATE/10000	0.5	0.4	0.9	2.3	10.6
LA	1	BM	OBS DEATHS	4	3	5	8	25
LA	1	BF	RATE/10000	0.2	0.5	0.2	2.7	15.0
LA	1	BF	OBS DEATHS	2	4	1	12	19
LA	2	WM	RATE/10000	0.2	0.4	0.9	1.8	36.6
LA	2	WM	OBS DEATHS	5	9	15	16	45
LA	2	WF	RATE/10000	0.1	0.4	0.3	1.4	58.0
LA	2	WF	OBS DEATHS	2	8	6	16	32
LA	2	BM	RATE/10000	0.3	0.8	3.0	5.9	24.3
LA	2	BM	OBS DEATHS	2	5	16	20	43
LA	2	BF	RATE/10000	0.1	0.9	1.7	4.5	31.2
LA	2	BF	OBS DEATHS	1	6	10	19	36

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR								(SMR)
NAME -SEX				35-44	45-54	55-64	65-74	35-74
LA	3	WM	RATE/10000	0.1	0.8	1.0	2.9	50.5
LA	3	WM	OBS DEATHS	1	13	15	25	54
LA	3	WF	RATE/10000	0.1	0.2	0.4	1.3	52.2
LA	3	WF	OBS DEATHS	1	3	7	15	26
LA	3	BM	RATE/10000	0.4	1.3	2.3	3.4	19.2
LA	3	BM	OBS DEATHS	2	7	13	16	38
LA	3	BF	RATE/10000	0.0	1.0	2.0	2.5	26.0
LA	3	BF	OBS DEATHS	0	7	14	15	36
ME	1	WM	RATE/10000	0.3	0.5	0.5	2.0	37.5
ME	1	WM	OBS DEATHS	7	13	11	27	58
ME	1	WF	RATE/10000	0.1	0.2	0.3	1.0	43.5
ME	1	WF	OBS DEATHS	3	4	7	17	31
ME	1	BM	RATE/10000	0.0	0.0	0.0	60.1	95.4
ME	1	BM	OBS DEATHS	0	0	0	1	1
ME	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
ME	1	BF	OBS DEATHS	0	0	0	0	0
MD	1	WM	RATE/10000	0.0	0.4	0.5	0.3	15.7
MD	1	WM	OBS DEATHS	0	3	3	1	7
MD	1	WF	RATE/10000	0.0	0.2	0.5	0.2	29.0
MD	1	WF	OBS DEATHS	0	2	3	1	6
MD	1	BM	RATE/10000	0.0	0.0	0.0	10.7	19.9
MD	1	BM	OBS DEATHS	0	0	0	1	1
MD	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MD	1	BF	OBS DEATHS	0	0	0	0	0
MD	2	WM	RATE/10000	0.1	0.4	0.5	1.1	24.7
MD	2	WM	OBS DEATHS	2	6	4	4	16
MD	2	WF	RATE/10000	0.1	0.3	0.3	1.1	49.3
MD	2	WF	OBS DEATHS	1	5	3	6	15
MD	2	BM	RATE/10000	1.6	2.5	0.0	0.0	21.4
MD	2	BM	OBS DEATHS	1	1	0	0	2
MD	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MD	2	BF	OBS DEATHS	0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
MD	3	WM	RATE/10000	0.6	1.0	3.1	6.8	114.6
MD	3	WM	OBS DEATHS	10	15	26	25	76
MD	3	WF	RATE/10000	0.2	0.6	1.0	1.8	98.4
MD	3	WF	OBS DEATHS	3	9	9	9	30
MD	3	BM	RATE/10000	0.6	1.1	7.5	13.8	46.0
MD	3	BM	OBS DEATHS	2	2	8	8	20
MD	3	BF	RATE/10000	0.3	0.5	1.9	10.2	42.4
MD	3	BF	OBS DEATHS	1	1	2	6	10
MD	4	WM	RATE/10000	0.1	0.2	0.7	1.3	24.3
MD	4	WM	OBS DEATHS	5	9	22	22	58
MD	4	WF	RATE/10000	0.1	0.2	0.4	0.4	32.3
MD	4	WF	OBS DEATHS	5	8	13	10	36
MD	4	BM	RATE/10000	0.5	0.7	1.2	2.0	11.8
MD	4	BM	OBS DEATHS	6	7	9	8	30
MD	4	BF	RATE/10000	0.4	0.4	0.4	1.2	12.6
MD	4	BF	OBS DEATHS	6	5	3	6	20
MD	5	WM	RATE/10000	0.2	0.2	0.7	0.3	17.5
MD	5	WM	OBS DEATHS	1	1	3	1	6
MD	5	WF	RATE/10000	0.0	0.2	0.0	1.3	38.9
MD	5	WF	OBS DEATHS	0	1	0	5	6
MD	5	BM	RATE/10000	0.8	0.0	0.9	3.9	13.1
MD	5	BM	OBS DEATHS	1	0	1	3	5
MD	5	BF	RATE/10000	0.0	0.0	0.9	3.8	18.4
MD	5	BF	OBS DEATHS	0	0	1	3	4
MA	1	WM	RATE/10000	0.3	0.5	0.6	0.7	27.2
MA	1	WM	OBS DEATHS	6	10	9	7	32
MA	1	WF	RATE/10000	0.3	0.2	0.6	0.3	45.9
MA	1	WF	OBS DEATHS	6	5	11	4	26
MA	1	BM	RATE/10000	0.0	2.1	4.0	0.0	19.9
MA	1	BM	OBS DEATHS	0	1	1	0	2
MA	1	BF	RATE/10000	0.0	2.1	0.0	0.0	14.9
MA	1	BF	OBS DEATHS	0	1	0	0	1

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR			35-44	45-54	55-64	65-74	(SMR)	
NAME	-SEX						35-74	
MA	2	WM	RATE/10000	0.3	0.5	0.5	1.4	31.1
MA	2	WM	OBS DEATHS	4	9	7	11	31
MA	2	WF	RATE/10000	0.4	0.3	0.1	0.5	40.1
MA	2	WF	OBS DEATHS	6	6	1	6	19
MA	2	BM	RATE/10000	0.0	9.6	0.0	0.0	42.3
MA	2	BM	OBS DEATHS	0	1	0	0	1
MA	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MA	2	BF	OBS DEATHS	0	0	0	0	0
MA	3	WM	RATE/10000	0.5	0.6	1.4	1.9	51.8
MA	3	WM	OBS DEATHS	23	31	53	44	151
MA	3	WF	RATE/10000	0.6	0.4	0.6	0.6	68.8
MA	3	WF	OBS DEATHS	31	23	26	21	101
MA	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MA	3	BM	OBS DEATHS	0	0	0	0	0
MA	3	BF	RATE/10000	1.7	0.0	0.0	4.2	27.4
MA	3	BF	OBS DEATHS	1	0	0	1	2
MA	4	WM	RATE/10000	1.1	2.6	5.5	8.4	201.6
MA	4	WM	OBS DEATHS	32	76	136	135	379
MA	4	WF	RATE/10000	0.8	0.8	1.7	2.9	180.9
MA	4	WF	OBS DEATHS	23	27	54	73	177
MA	4	BM	RATE/10000	1.3	1.6	1.0	3.1	21.6
MA	4	BM	OBS DEATHS	3	3	1	2	9
MA	4	BF	RATE/10000	1.0	0.0	1.5	0.0	16.8
MA	4	BF	OBS DEATHS	3	0	2	0	5
MA	5	WM	RATE/10000	0.2	0.8	1.0	1.0	38.2
MA	5	WM	OBS DEATHS	5	18	17	12	52
MA	5	WF	RATE/10000	0.2	0.3	0.3	1.1	54.6
MA	5	WF	OBS DEATHS	4	7	7	18	36
MA	5	BM	RATE/10000	0.0	0.0	6.6	0.0	15.8
MA	5	BM	OBS DEATHS	0	0	1	0	1
MA	5	BF	RATE/10000	0.0	3.7	0.0	0.0	25.9
MA	5	BF	OBS DEATHS	0	1	0	0	1

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
MI	1	WM	RATE/10000	0.5	0.4	0.7	1.1	32.7
MI	1	WM	OBS DEATHS	47	37	53	48	185
MI	1	WF	RATE/10000	0.4	0.4	0.5	0.3	55.4
MI	1	WF	OBS DEATHS	38	49	37	17	141
MI	1	BM	RATE/10000	2.3	1.0	1.3	1.2	19.9
MI	1	BM	OBS DEATHS	42	19	16	8	85
MI	1	BF	RATE/10000	1.0	0.9	0.9	0.1	20.1
MI	1	BF	OBS DEATHS	22	17	11	1	51
MI	2	WM	RATE/10000	0.1	0.1	0.3	1.9	21.9
MI	2	WM	OBS DEATHS	1	2	3	11	17
MI	2	WF	RATE/10000	0.3	0.2	0.1	0.8	42.9
MI	2	WF	OBS DEATHS	5	3	1	6	15
MI	2	BM	RATE/10000	1.5	0.0	7.3	0.0	29.1
MI	2	BM	OBS DEATHS	1	0	2	0	3
MI	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MI	2	BF	OBS DEATHS	0	0	0	0	0
MI	3	WM	RATE/10000	0.3	0.4	0.8	1.7	34.9
MI	3	WM	OBS DEATHS	5	6	10	13	34
MI	3	WF	RATE/10000	0.1	0.2	0.1	0.6	32.3
MI	3	WF	OBS DEATHS	2	4	2	6	14
MI	3	BM	RATE/10000	0.9	3.0	2.8	0.0	22.7
MI	3	BM	OBS DEATHS	1	3	2	0	6
MI	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MI	3	BF	OBS DEATHS	0	0	0	0	0
MI	4	WM	RATE/10000	0.4	0.7	2.9	4.6	93.8
MI	4	WM	OBS DEATHS	9	15	49	48	121
MI	4	WF	RATE/10000	0.1	0.4	1.1	1.6	89.8
MI	4	WF	OBS DEATHS	3	9	20	20	52
MI	4	BM	RATE/10000	2.2	3.6	0.0	5.2	32.5
MI	4	BM	OBS DEATHS	2	3	0	2	7
MI	4	BF	RATE/10000	0.0	4.5	1.5	0.0	39.8
MI	4	BF	OBS DEATHS	0	4	1	0	5

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
MI	5	WM	RATE/10000	0.3	0.3	0.5	1.3	26.9
MI	5	WM	OBS DEATHS	4	3	4	6	17
MI	5	WF	RATE/10000	0.1	0.0	0.3	0.2	17.7
MI	5	WF	OBS DEATHS	1	0	3	1	5
MI	5	BM	RATE/10000	0.0	0.0	0.0	3.4	4.2
MI	5	BM	OBS DEATHS	0	0	0	1	1
MI	5	BF	RATE/10000	0.0	0.0	0.0	3.0	7.5
MI	5	BF	OBS DEATHS	0	0	0	1	1
MI	6	WM	RATE/10000	0.0	0.2	0.6	0.8	17.1
MI	6	WM	OBS DEATHS	0	3	7	6	16
MI	6	WF	RATE/10000	0.0	0.0	0.2	0.6	17.5
MI	6	WF	OBS DEATHS	0	0	2	5	7
MI	6	BM	RATE/10000	0.0	0.0	3.0	0.0	8.0
MI	6	BM	OBS DEATHS	0	0	1	0	1
MI	6	BF	RATE/10000	0.0	0.0	3.1	0.0	14.9
MI	6	BF	OBS DEATHS	0	0	1	0	1
MI	7	WM	RATE/10000	0.2	0.2	0.4	0.7	16.5
MI	7	WM	OBS DEATHS	1	1	2	3	7
MI	7	WF	RATE/10000	0.0	0.0	0.3	0.2	16.6
MI	7	WF	OBS DEATHS	0	0	2	1	3
MI	7	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MI	7	BM	OBS DEATHS	0	0	0	0	0
MI	7	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MI	7	BF	OBS DEATHS	0	0	0	0	0
MI	8	WM	RATE/10000	0.2	0.5	1.0	3.6	54.9
MI	8	WM	OBS DEATHS	1	4	7	17	29
MI	8	WF	RATE/10000	0.1	0.6	0.4	1.2	69.8
MI	8	WF	OBS DEATHS	1	5	3	6	15
MI	8	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MI	8	BM	OBS DEATHS	0	0	0	0	0
MI	8	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MI	8	BF	OBS DEATHS	0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
MN	2	WM	RATE/10000	0.0	0.2	1.1	2.3	37.5
MN	2	WM	OBS DEATHS	0	2	12	16	30
MN	2	WF	RATE/10000	0.1	0.2	0.5	1.1	53.7
MN	2	WF	OBS DEATHS	1	2	6	9	18
MN	2	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	2	BM	OBS DEATHS	0	0	0	0	0
MN	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	2	BF	OBS DEATHS	0	0	0	0	0
MN	4	WM	RATE/10000	0.0	0.3	0.8	1.0	23.4
MN	4	WM	OBS DEATHS	0	2	6	6	14
MN	4	WF	RATE/10000	0.1	0.0	0.3	0.5	25.1
MN	4	WF	OBS DEATHS	1	0	2	3	6
MN	4	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	4	BM	OBS DEATHS	0	0	0	0	0
MN	4	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	4	BF	OBS DEATHS	0	0	0	0	0
MN	5	WM	RATE/10000	0.3	0.6	1.4	1.8	48.8
MN	5	WM	OBS DEATHS	13	26	40	32	111
MN	5	WF	RATE/10000	0.3	0.4	0.5	1.0	65.0
MN	5	WF	OBS DEATHS	12	19	16	25	72
MN	5	BM	RATE/10000	5.2	0.0	2.4	8.1	45.5
MN	5	BM	OBS DEATHS	4	0	1	2	7
MN	5	BF	RATE/10000	1.3	0.0	2.3	0.0	22.8
MN	5	BF	OBS DEATHS	1	0	1	0	2
MN	6	WM	RATE/10000	0.3	0.2	0.6	1.6	28.3
MN	6	WM	OBS DEATHS	3	2	7	14	26
MN	6	WF	RATE/10000	0.0	0.2	0.5	1.1	52.6
MN	6	WF	OBS DEATHS	0	3	6	11	21
MN	6	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	6	BM	OBS DEATHS	0	0	0	0	0
MN	6	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	6	BF	OBS DEATHS	0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR						(SMR)	
NAME	-SEX		35-44	45-54	55-64	65-74	35-74
MN	7 WM	RATE/10000	0.0	0.2	0.5	0.7	16.9
MN	7 WM	OBS DEATHS	0	2	4	4	10
MN	7 WF	RATE/10000	0.2	0.1	0.4	0.5	34.7
MN	7 WF	OBS DEATHS	2	1	3	3	9
MN	7 BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	7 BM	OBS DEATHS	0	0	0	0	0
MN	7 BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
MN	7 BF	OBS DEATHS	0	0	0	0	0
MS	1 WM	RATE/10000	2.4	6.5	15.1	23.4	538.9
MS	1 WM	OBS DEATHS	86	217	442	416	1161
MS	1 WF	RATE/10000	0.7	2.1	4.1	8.8	436.7
MS	1 WF	OBS DEATHS	25	76	133	199	433
MS	1 BM	RATE/10000	9.4	20.4	39.0	59.6	338.3
MS	1 BM	OBS DEATHS	113	260	532	623	1528
MS	1 BF	RATE/10000	6.3	12.2	19.6	34.9	345.6
MS	1 BF	OBS DEATHS	104	198	310	440	1052
MO	1 WM	RATE/10000	2.2	7.6	15.4	24.7	565.4
MO	1 WM	OBS DEATHS	69	226	332	311	938
MO	1 WF	RATE/10000	1.0	2.6	5.3	9.7	523.5
MO	1 WF	OBS DEATHS	31	82	129	170	412
MO	1 BM	RATE/10000	8.8	28.0	43.3	75.6	404.7
MO	1 BM	OBS DEATHS	30	87	104	125	346
MO	1 BF	RATE/10000	5.1	12.8	26.7	36.2	382.2
MO	1 BF	OBS DEATHS	21	46	72	75	214
MO	2 WM	RATE/10000	1.1	3.7	7.7	10.9	268.5
MO	2 WM	OBS DEATHS	23	85	175	191	474
MO	2 WF	RATE/10000	0.4	0.7	1.9	2.7	166.7
MO	2 WF	OBS DEATHS	8	18	48	58	132
MO	2 BM	RATE/10000	1.5	5.0	19.9	31.3	147.6
MO	2 BM	OBS DEATHS	1	3	12	15	31
MO	2 BF	RATE/10000	3.1	0.0	4.7	12.7	94.4
MO	2 BF	OBS DEATHS	2	0	3	7	12

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72--Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
MO	3	WM	RATE/10000	0.9	2.5	5.3	7.7	190.3
MO	3	WM	OBS DEATHS	47	131	219	185	582
MO	3	WF	RATE/10000	0.3	0.9	1.5	3.7	177.8
MO	3	WF	OBS DEATHS	18	47	71	126	262
MO	3	BM	RATE/10000	0.4	2.6	4.0	6.3	34.3
MO	3	BM	OBS DEATHS	3	18	23	25	69
MO	3	BF	RATE/10000	0.4	0.9	2.1	3.1	30.4
MO	3	BF	OBS DEATHS	4	8	15	15	42
MO	4	WM	RATE/10000	2.7	7.1	15.1	19.6	513.9
MO	4	WM	OBS DEATHS	31	86	179	177	473
MO	4	WF	RATE/10000	0.8	2.2	2.7	6.4	344.5
MO	4	WF	OBS DEATHS	10	29	36	68	143
MO	4	BM	RATE/10000	0.0	11.2	47.8	76.0	336.8
MO	4	BM	OBS DEATHS	0	1	4	4	9
MO	4	BF	RATE/10000	12.9	10.6	23.1	15.3	309.2
MO	4	BF	OBS DEATHS	1	1	2	1	5
MO	5	WM	RATE/10000	3.2	9.7	17.5	28.4	671.8
MO	5	WM	OBS DEATHS	30	98	178	211	517
MO	5	WF	RATE/10000	0.6	1.5	4.0	8.8	420.7
MO	5	WF	OBS DEATHS	6	17	45	74	142
MO	5	BM	RATE/10000	10.9	43.0	56.2	80.3	495.2
MO	5	BM	OBS DEATHS	3	14	23	34	74
MO	5	BF	RATE/10000	8.8	10.3	23.5	31.8	353.0
MO	5	BF	OBS DEATHS	4	5	12	14	35
MT	1	WM	RATE/10000	1.4	3.9	7.7	17.2	330.1
MT	1	WM	OBS DEATHS	23	67	109	140	339
MT	1	WF	RATE/10000	0.2	1.4	2.8	5.5	271.8
MT	1	WF	OBS DEATHS	3	23	39	49	114
MT	1	BM	RATE/10000	0.0	0.0	61.7	143.4	403.6
MT	1	BM	OBS DEATHS	0	0	1	2	3
MT	1	BF	RATE/10000	0.0	0.0	65.4	153.3	895.2
MT	1	BF	OBS DEATHS	0	0	1	2	3

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
NE	1	WM	RATE/10000	0.2	0.4	1.2	1.8	40.8
NE	1	WM	OBS DEATHS	3	6	16	19	44
NE	1	WF	RATE/10000	0.0	0.0	0.3	0.7	27.9
NE	1	WF	OBS DEATHS	0	0	5	8	13
NE	1	BM	RATE/10000	0.0	0.0	74.1	0.0	219.1
NE	1	BM	OBS DEATHS	0	0	1	0	1
NE	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
NE	1	BF	OBS DEATHS	0	0	0	0	0
NE	2	WM	RATE/10000	0.0	0.2	0.8	1.9	31.2
NE	2	WM	OBS DEATHS	0	2	6	10	18
NE	2	WF	RATE/10000	0.0	0.0	0.7	0.3	30.3
NE	2	WF	OBS DEATHS	0	0	6	2	8
NE	2	BM	RATE/10000	0.0	0.0	0.0	50.5	85.0
NE	2	BM	OBS DEATHS	0	0	0	1	1
NE	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
NE	2	BF	OBS DEATHS	0	0	0	0	0
NE	3	WM	RATE/10000	0.1	0.2	0.4	1.6	23.5
NE	3	WM	OBS DEATHS	2	3	4	12	21
NE	3	WF	RATE/10000	0.1	0.1	0.4	0.2	24.0
NE	3	WF	OBS DEATHS	1	2	5	2	10
NE	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
NE	3	BM	OBS DEATHS	0	0	0	0	0
NE	3	BF	RATE/10000	0.0	0.0	2.0	0.0	9.5
NE	3	BF	OBS DEATHS	0	0	1	0	1
NV	1	WM	RATE/10000	0.2	1.3	4.5	12.4	179.6
NV	1	WM	OBS DEATHS	1	8	21	30	60
NV	1	WF	RATE/10000	0.5	0.3	1.4	3.4	149.1
NV	1	WF	OBS DEATHS	3	2	6	8	19
NV	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
NV	1	BM	OBS DEATHS	0	0	0	0	0
NV	1	BF	RATE/10000	0.0	12.7	0.0	46.3	213.2
NV	1	BF	OBS DEATHS	0	1	0	1	2

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR						(SMR)	
NAME	-SEX	35-44	45-54	55-64	65-74	35-74	
NV	2 WM	RATE/10000	0.1	0.3	1.5	3.7	52.4
NV	2 WM	OBS DEATHS	1	2	7	8	18
NV	2 WF	RATE/10000	0.4	0.2	0.2	1.4	60.9
NV	2 WF	OBS DEATHS	3	1	1	3	9
NV	2 BM	RATE/10000	1.7	0.0	0.0	0.0	17.9
NV	2 BM	OBS DEATHS	1	0	0	0	1
NV	2 BF	RATE/10000	1.6	5.2	4.2	0.0	79.4
NV	2 BF	OBS DEATHS	1	2	1	0	4
NH	1 WM	RATE/10000	1.1	3.1	7.0	12.0	260.0
NH	1 WM	OBS DEATHS	19	56	99	112	286
NH	1 WF	RATE/10000	0.5	1.1	2.8	4.6	253.4
NH	1 WF	OBS DEATHS	9	20	44	56	129
NH	1 BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
NH	1 BM	OBS DEATHS	0	0	0	0	0
NH	1 BF	RATE/10000	15.9	0.0	0.0	0.0	249.2
NH	1 BF	OBS DEATHS	1	0	0	0	1
NJ	1 WM	RATE/10000	0.7	0.6	0.6	1.6	40.8
NJ	1 WM	OBS DEATHS	23	22	18	25	88
NJ	1 WF	RATE/10000	0.6	0.7	0.8	0.8	96.3
NJ	1 WF	OBS DEATHS	24	28	27	17	96
NJ	1 BM	RATE/10000	3.4	2.9	2.3	0.0	38.2
NJ	1 BM	OBS DEATHS	6	4	2	0	12
NJ	1 BF	RATE/10000	1.8	1.2	0.9	0.0	31.5
NJ	1 BF	OBS DEATHS	4	2	1	0	7
NJ	2 WM	RATE/10000	0.2	0.3	0.6	1.1	25.0
NJ	2 WM	OBS DEATHS	9	15	23	23	70
NJ	2 WF	RATE/10000	0.3	0.4	0.4	0.4	48.7
NJ	2 WF	OBS DEATHS	12	23	18	11	64
NJ	2 BM	RATE/10000	1.3	0.9	1.4	0.9	16.2
NJ	2 BM	OBS DEATHS	11	6	6	2	25
NJ	2 BF	RATE/10000	0.8	0.5	0.6	0.3	15.0
NJ	2 BF	OBS DEATHS	8	4	3	1	16

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
NJ	3	WM	RATE/10000	0.7	3.2	1.0	0.9	34.7
NJ	3	WM	OBS DEATHS	13	3	14	7	34
NJ	3	WF	RATE/10000	0.1	0.4	0.1	0.5	33.6
NJ	3	WF	OBS DEATHS	2	7	1	6	16
NJ	3	BM	RATE/10000	3.6	3.0	0.0	7.9	45.4
NJ	3	BM	OBS DEATHS	5	3	0	3	11
NJ	3	BF	RATE/10000	0.6	1.6	3.6	0.0	36.0
NJ	3	BF	OBS DEATHS	1	2	3	0	6
NJ	4	WM	RATE/10000	0.1	0.4	0.5	0.9	22.7
NJ	4	WM	OBS DEATHS	7	17	17	17	58
NJ	4	WF	RATE/10000	0.2	0.2	0.3	0.7	39.4
NJ	4	WF	OBS DEATHS	8	12	9	17	46
NJ	4	BM	RATE/10000	1.2	0.7	0.6	2.2	14.7
NJ	4	BM	OBS DEATHS	4	2	1	2	9
NJ	4	BF	RATE/10000	0.5	0.0	0.5	0.9	10.5
NJ	4	BF	OBS DEATHS	2	0	1	1	4
NJ	5	WM	RATE/10000	0.2	0.5	1.7	1.6	46.3
NJ	5	WM	OBS DEATHS	7	15	40	23	85
NJ	5	WF	RATE/10000	0.1	0.2	0.4	0.2	30.3
NJ	5	WF	OBS DEATHS	4	8	10	4	26
NJ	5	PM	RATE/10000	2.5	1.6	0.9	0.7	21.0
NJ	5	BM	OBS DEATHS	9	5	2	1	17
NJ	5	BF	RATE/10000	0.5	0.3	0.0	2.2	13.3
NJ	5	BF	OBS DEATHS	2	1	0	4	7
NM	1	WM	RATE/10000	0.9	4.0	6.4	16.1	291.1
NM	1	WM	OBS DEATHS	21	83	100	142	346
NM	1	WF	RATE/10000	0.7	1.7	3.3	6.5	339.6
NM	1	WF	OBS DEATHS	18	38	55	66	177
NM	1	BM	RATE/10000	2.0	6.2	4.3	27.9	93.0
NM	1	BM	OBS DEATHS	1	2	1	4	8
NM	1	BF	RATE/10000	2.0	6.4	3.9	14.7	125.2
NM	1	BF	OBS DEATHS	1	2	1	2	6

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
NY	1	WM	RATE/10000	0.2	0.5	1.5	2.1	48.4
NY	1	WM	OBS DEATHS	9	22	51	43	125
NY	1	WF	RATE/10000	0.1	0.4	0.6	0.7	52.3
NY	1	WF	OBS DEATHS	5	17	23	18	63
NY	1	BM	RATE/10000	2.0	2.4	3.1	6.3	39.0
NY	1	BM	OBS DEATHS	6	6	5	6	23
NY	1	BF	RATE/10000	1.2	0.4	0.6	0.0	17.7
NY	1	BF	OBS DEATHS	4	1	1	0	6
NY	2	WM	RATE/10000	0.1	0.1	0.3	0.5	12.4
NY	2	WM	OBS DEATHS	4	3	7	7	21
NY	2	WF	RATE/10000	0.1	0.1	0.1	0.2	17.8
NY	2	WF	OBS DEATHS	4	4	2	4	14
NY	2	BM	RATE/10000	0.0	1.0	0.0	3.4	8.9
NY	2	BM	OBS DEATHS	0	1	0	1	2
NY	2	BF	RATE/10000	0.6	1.0	0.0	0.0	15.7
NY	2	BF	OBS DEATHS	1	1	0	0	2
NY	3	WM	RATE/10000	0.2	0.4	0.5	0.9	22.7
NY	3	WM	OBS DEATHS	6	12	13	14	45
NY	3	WF	RATE/10000	0.2	0.2	0.4	0.4	35.8
NY	3	WF	OBS DEATHS	5	7	12	9	33
NY	3	BM	RATE/10000	0.0	3.6	2.8	0.0	22.5
NY	3	BM	OBS DEATHS	0	2	1	0	3
NY	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
NY	3	BF	OBS DEATHS	0	0	0	0	0
NY	4	WM	RATE/10000	0.2	0.9	1.0	2.0	46.5
NY	4	WM	OBS DEATHS	2	9	8	10	29
NY	4	WF	RATE/10000	0.4	0.4	0.3	0.8	56.0
NY	4	WF	OBS DEATHS	4	4	3	5	16
NY	4	BM	RATE/10000	16.2	0.0	0.0	0.0	72.7
NY	4	BM	OBS DEATHS	1	0	0	0	1
NY	4	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
NY	4	BF	OBS DEATHS	0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
NY	5	WM	RATE/10000	0.3	0.3	0.9	1.2	31.6
NY	5	WM	OBS DEATHS	10	9	25	21	65
NY	5	WF	RATE/10000	0.3	0.2	0.6	0.7	50.2
NY	5	WF	OBS DEATHS	8	8	17	15	48
NY	5	BM	RATE/10000	1.2	0.0	2.6	0.0	13.3
NY	5	BM	OBS DEATHS	1	0	1	0	2
NY	5	BF	RATE/10000	4.0	3.4	2.3	0.0	69.7
NY	5	BF	OBS DEATHS	3	2	1	0	6
NY	6	WM	RATE/10000	0.4	0.4	0.3	0.8	24.7
NY	6	WM	OBS DEATHS	21	19	10	17	67
NY	6	WF	RATE/10000	0.3	0.5	0.4	0.3	48.2
NY	6	WF	OBS DEATHS	14	21	16	9	60
NY	6	BM	RATE/10000	1.1	1.4	2.1	0.9	18.8
NY	6	BM	OBS DEATHS	4	4	4	1	13
NY	6	BF	RATE/10000	1.5	0.3	0.4	0.7	18.5
NY	6	BF	OBS DEATHS	6	1	1	1	9
NY	7	WM	RATE/10000	1.7	1.2	1.0	1.1	62.4
NY	7	WM	OBS DEATHS	259	184	155	120	718
NY	7	WF	RATE/10000	1.5	1.3	1.1	1.0	146.3
NY	7	WF	OBS DEATHS	244	245	204	142	837
NY	7	BM	RATE/10000	3.5	2.0	1.4	1.2	33.5
NY	7	BM	OBS DEATHS	146	66	29	14	255
NY	7	BF	RATE/10000	2.0	1.2	0.7	0.4	32.9
NY	7	BF	OBS DEATHS	110	54	19	6	189
NY	8	WM	RATE/10000	0.4	0.9	1.1	2.8	60.7
NY	8	WM	OBS DEATHS	31	65	51	65	212
NY	8	WF	RATE/10000	0.5	0.6	0.7	0.9	92.8
NY	8	WF	OBS DEATHS	41	44	34	28	147
NY	8	BM	RATE/10000	6.1	7.2	7.5	6.9	98.5
NY	8	BM	OBS DEATHS	19	18	11	5	53
NY	8	BF	RATE/10000	3.4	3.4	3.2	2.0	82.1
NY	8	BF	OBS DEATHS	13	10	6	2	31

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR			35-44	45-54	55-64	65-74	(SMR)	
NAME	-SEX						35-74	
NC	1	WM	RATE/10000	0.9	2.9	4.4	8.8	193.6
NC	1	WM	OBS DEATHS	19	59	72	89	239
NC	1	WF	RATE/10000	0.4	0.8	1.7	3.1	166.7
NC	1	WF	OBS DEATHS	8	17	31	40	96
NC	1	BM	RATE/10000	4.2	3.2	11.7	13.5	86.7
NC	1	BM	OBS DEATHS	5	4	12	9	30
NC	1	BF	RATE/10000	2.7	4.1	3.3	8.9	92.7
NC	1	BF	OBS DEATHS	4	6	4	8	22
NC	2	WM	RATE/10000	0.3	1.5	1.9	4.9	94.6
NC	2	WM	OBS DEATHS	8	31	29	41	109
NC	2	WF	RATE/10000	0.1	0.6	0.5	1.2	68.3
NC	2	WF	OBS DEATHS	2	13	9	14	38
NC	2	BM	RATE/10000	2.2	3.8	3.8	8.5	49.5
NC	2	BM	OBS DEATHS	8	13	10	14	45
NC	2	BF	RATE/10000	1.4	2.0	1.8	7.5	58.2
NC	2	BF	OBS DEATHS	6	8	6	16	36
NC	3	WM	RATE/10000	0.2	1.2	2.2	3.0	76.8
NC	3	WM	OBS DEATHS	5	22	29	21	77
NC	3	WF	RATE/10000	0.4	0.1	0.9	0.8	70.2
NC	3	WF	OBS DEATHS	9	3	14	8	34
NC	3	BM	RATE/10000	1.6	3.9	6.5	2.4	45.7
NC	3	BM	OBS DEATHS	5	12	15	3	35
NC	3	BF	RATE/10000	1.5	1.7	0.7	5.1	43.3
NC	3	BF	OBS DEATHS	6	6	2	9	23
NC	4	WM	RATE/10000	0.3	0.5	1.9	3.1	62.5
NC	4	WM	OBS DEATHS	4	6	16	14	40
NC	4	WF	RATE/10000	0.2	0.5	0.4	0.7	54.0
NC	4	WF	OBS DEATHS	2	6	4	5	17
NC	4	BM	RATE/10000	2.9	4.1	5.1	6.4	53.7
NC	4	BM	OBS DEATHS	11	16	16	12	55
NC	4	BF	RATE/10000	1.1	1.6	2.8	7.4	58.5
NC	4	BF	OBS DEATHS	5	7	10	18	40

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
NC	5	WM	RATE/10000	0.8	3.2	9.7	11.3	285.3
NC	5	WM	OBS DEATHS	11	37	84	53	185
NC	5	WF	RATE/10000	0.9	1.0	1.9	5.7	258.3
NC	5	WF	OBS DEATHS	12	12	19	36	79
NC	5	BM	RATE/10000	8.0	14.0	23.5	53.4	249.4
NC	5	BM	OBS DEATHS	31	56	75	96	258
NC	5	BF	RATE/10000	5.6	7.7	15.2	29.6	273.1
NC	5	BF	OBS DEATHS	27	36	57	73	193
NC	6	WM	RATE/10000	0.8	1.9	3.9	8.1	162.8
NC	6	WM	OBS DEATHS	13	28	42	48	131
NC	6	WF	RATE/10000	0.3	1.1	1.1	2.7	144.7
NC	6	WF	OBS DEATHS	4	16	14	22	56
NC	6	BM	RATE/10000	5.1	6.3	13.7	21.5	122.7
NC	6	BM	OBS DEATHS	32	41	71	69	213
NC	6	BF	RATE/10000	1.5	3.7	4.9	11.3	99.7
NC	6	BF	OBS DEATHS	12	28	30	45	115
ND	1	WM	RATE/10000	0.3	0.0	0.7	0.3	16.7
ND	1	WM	OBS DEATHS	2	0	4	1	7
ND	1	WF	RATE/10000	0.2	0.2	0.2	0.0	18.0
ND	1	WF	OBS DEATHS	1	1	1	0	3
ND	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	1	BM	OBS DEATHS	0	0	0	0	0
ND	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	1	BF	OBS DEATHS	0	0	0	0	0
ND	2	WM	RATE/10000	0.0	0.0	0.8	1.9	28.6
ND	2	WM	OBS DEATHS	0	0	5	9	14
ND	2	WF	RATE/10000	0.2	0.2	0.5	0.8	47.4
ND	2	WF	OBS DEATHS	1	1	3	4	9
ND	2	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	2	BM	OBS DEATHS	0	0	0	0	0
ND	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	2	BF	OBS DEATHS	0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
ND	3	WM	RATE/10000	0.1	0.3	0.9	0.8	25.4
ND	3	WM	OBS DEATHS	1	3	8	5	17
ND	3	WF	RATE/10000	0.0	0.3	0.1	0.6	29.6
ND	3	WF	OBS DEATHS	0	3	1	4	8
ND	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	3	BM	OBS DEATHS	0	0	0	0	0
ND	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
ND	3	BF	OBS DEATHS	0	0	0	0	0
OH	1	WM	RATE/10000	0.2	0.2	0.5	0.9	21.3
OH	1	WM	OBS DEATHS	9	7	15	15	46
OH	1	WF	RATE/10000	0.2	0.2	0.3	0.5	37.7
OH	1	WF	OBS DEATHS	10	7	11	11	39
OH	1	BM	RATE/10000	2.2	0.9	2.1	2.1	21.8
OH	1	BM	OBS DEATHS	8	3	6	4	21
OH	1	BF	RATE/10000	0.6	0.9	0.9	0.9	18.6
OH	1	BF	OBS DEATHS	3	4	3	2	12
OH	2	WM	RATE/10000	0.8	0.7	0.8	1.1	45.8
OH	2	WM	OBS DEATHS	20	18	14	11	63
OH	2	WF	RATE/10000	0.4	0.7	0.6	0.6	78.7
OH	2	WF	OBS DEATHS	12	18	12	8	50
OH	2	BM	RATE/10000	3.4	2.0	1.2	1.1	29.4
OH	2	BM	OBS DEATHS	9	5	2	1	17
OH	2	BF	RATE/10000	1.3	0.7	0.6	0.0	19.7
OH	2	BF	OBS DEATHS	4	2	1	0	7
OH	3	WM	RATE/10000	0.1	0.4	0.3	0.9	19.6
OH	3	WM	OBS DEATHS	1	4	2	4	11
OH	3	WF	RATE/10000	0.1	0.2	0.3	0.5	31.2
OH	3	WF	OBS DEATHS	1	2	2	3	8
OH	3	BM	RATE/10000	3.6	0.0	0.0	0.0	18.0
OH	3	BM	OBS DEATHS	1	0	0	0	1
OH	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
OH	3	BF	OBS DEATHS	0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
OH	4	WM	RATE/10000	0.2	1.2	1.7	4.4	81.1
OH	4	WM	OBS DEATHS	5	27	30	49	111
OH	4	WF	RATE/10000	0.1	0.2	0.4	0.9	44.7
OH	4	WF	OBS DEATHS	3	4	8	13	28
OH	4	BM	RATE/10000	0.7	2.3	6.5	5.2	39.8
OH	4	BM	OBS DEATHS	1	3	6	3	13
OH	4	BF	RATE/10000	0.6	0.7	2.0	2.9	29.3
OH	4	BF	OBS DEATHS	1	1	2	2	6
OH	5	WM	RATE/10000	1.5	2.0	2.0	1.9	104.5
OH	5	WM	OBS DEATHS	52	65	48	27	192
OH	5	WF	RATE/10000	0.9	1.1	1.1	0.8	129.1
OH	5	WF	OBS DEATHS	31	36	28	16	111
OH	5	BM	RATE/10000	9.6	10.7	5.8	1.8	107.1
OH	5	BM	OBS DEATHS	30	27	10	2	69
OH	5	BF	RATE/10000	3.7	3.4	3.5	0.8	74.9
OH	5	BF	OBS DEATHS	12	9	7	1	29
OH	6	WM	RATE/10000	0.3	1.1	1.5	0.9	49.4
OH	6	WM	OBS DEATHS	5	19	21	8	53
OH	6	WF	RATE/10000	0.1	0.3	0.6	0.6	47.7
OH	6	WF	OBS DEATHS	2	5	9	7	23
OH	6	BM	RATE/10000	2.8	0.0	3.0	0.0	16.7
OH	6	BM	OBS DEATHS	1	0	1	0	2
OH	6	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
OH	6	BF	OBS DEATHS	0	0	0	0	0
OH	7	WM	RATE/10000	0.6	2.7	2.0	3.6	77.4
OH	7	WM	OBS DEATHS	11	14	30	33	88
OH	7	WF	RATE/10000	0.2	0.4	0.4	1.5	71.7
OH	7	WF	OBS DEATHS	4	9	7	17	37
OH	7	BM	RATE/10000	0.0	2.9	4.3	6.5	35.2
OH	7	BM	OBS DEATHS	0	2	2	2	6
OH	7	BF	RATE/10000	0.0	1.3	3.9	5.8	48.0
OH	7	BF	OBS DEATHS	0	1	2	2	5

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
OH	8	WM	RATE/10000	2.6	4.5	6.7	11.2	301.8
OH	8	WM	OBS DEATHS	42	73	76	76	267
OH	8	WF	RATE/10000	2.7	2.5	3.5	6.2	456.4
OH	8	WF	OBS DEATHS	45	44	44	54	187
OH	8	BM	RATE/10000	17.7	24.1	12.3	23.1	248.6
OH	8	BM	OBS DEATHS	21	28	10	11	70
OH	8	BF	RATE/10000	7.6	8.3	7.0	16.3	211.1
OH	8	BF	OBS DEATHS	11	11	6	9	37
OH	9	WM	RATE/10000	0.1	0.3	0.6	0.9	22.9
OH	9	WM	OBS DEATHS	7	16	26	19	68
OH	9	WF	RATE/10000	0.2	0.2	0.3	0.6	38.5
OH	9	WF	OBS DEATHS	11	13	12	18	54
OH	9	BM	RATE/10000	0.9	0.7	0.6	2.7	13.4
OH	9	BM	OBS DEATHS	8	6	3	8	25
OH	9	BF	RATE/10000	0.4	0.6	1.1	1.1	16.3
OH	9	BF	OBS DEATHS	4	5	6	4	19
OH	10	WM	RATE/10000	0.1	0.3	0.4	0.6	15.0
OH	10	WM	OBS DEATHS	1	5	5	5	16
OH	10	WF	RATE/10000	0.0	0.0	0.3	0.4	18.7
OH	10	WF	OBS DEATHS	0	1	4	4	9
OH	10	BM	RATE/10000	0.0	0.0	1.1	2.9	8.7
OH	10	BM	OBS DEATHS	0	0	1	2	3
OH	10	BF	RATE/10000	0.6	0.7	0.0	2.8	19.7
OH	10	BF	OBS DEATHS	1	1	0	2	4
OK	1	WM	RATE/10000	0.6	1.3	2.9	5.6	115.2
OK	1	WM	OBS DEATHS	32	71	144	184	431
OK	1	WF	RATE/10000	0.5	0.6	1.0	1.9	113.2
OK	1	WF	OBS DEATHS	28	33	54	80	195
OK	1	BM	RATE/10000	4.4	4.6	8.2	11.8	77.6
OK	1	BM	OBS DEATHS	13	13	22	26	74
OK	1	BF	RATE/10000	1.8	1.1	2.6	4.4	47.8
OK	1	BF	OBS DEATHS	7	4	9	12	32

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
OR	1	WM	RATE/10000	0.7	1.8	4.7	9.3	181.4
OR	1	WM	OBS DEATHS	16	44	93	111	264
OR	1	WF	RATE/10000	0.4	3.9	1.9	3.5	188.6
OR	1	WF	OBS DEATHS	8	23	41	54	126
OR	1	BM	RATE/10000	2.1	3.8	12.2	16.0	88.0
OR	1	BM	OBS DEATHS	1	2	5	3	11
OR	1	BF	RATE/10000	3.8	1.8	2.6	0.0	58.2
OR	1	BF	OBS DEATHS	2	1	1	0	4
OR	2	WM	RATE/10000	0.2	0.5	1.6	2.9	57.0
OR	2	WM	OBS DEATHS	4	11	29	34	78
OR	2	WF	RATE/10000	0.3	0.6	0.6	1.1	79.9
OR	2	WF	OBS DEATHS	6	13	12	15	46
OR	2	BM	RATE/10000	0.0	0.0	0.0	101.0	130.3
OR	2	BM	OBS DEATHS	0	0	0	1	1
OR	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
OR	2	BF	OBS DEATHS	0	0	0	0	0
OR	3	WM	RATE/10000	0.3	0.7	1.4	1.0	42.4
OR	3	WM	OBS DEATHS	2	5	9	4	20
OR	3	WF	RATE/10000	0.4	0.6	0.6	1.0	81.4
OR	3	WF	OBS DEATHS	3	4	4	4	15
OR	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
OR	3	BM	OBS DEATHS	0	0	0	0	0
OR	3	BF	RATE/10000	0.0	3.0	0.0	0.0	0.0
OR	3	BF	OBS DEATHS	0	0	0	0	0
PA	1	WM	RATE/10000	2.5	6.8	15.5	24.6	562.1
PA	1	WM	OBS DEATHS	202	594	1063	987	2846
PA	1	WF	RATE/10000	0.8	1.6	3.9	7.3	383.4
PA	1	WF	OBS DEATHS	65	155	397	408	935
PA	1	BM	RATE/10000	19.5	34.7	64.1	80.8	545.9
PA	1	BM	OBS DEATHS	349	598	739	579	2265
PA	1	BF	RATE/10000	9.2	15.4	25.1	41.4	444.9
PA	1	BF	OBS DEATHS	207	309	357	380	1253

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
PA	2	WM	RATE/10000	0.1	0.1	0.4	1.8	22.5
PA	2	WM	OBS DEATHS	2	2	8	21	33
PA	2	WF	RATE/10000	0.0	0.3	0.1	0.2	20.5
PA	2	WF	OBS DEATHS	1	7	3	3	14
PA	2	BM	RATE/10000	0.0	4.1	0.0	0.0	16.0
PA	2	BM	OBS DEATHS	0	1	0	0	1
PA	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
PA	2	BF	OBS DEATHS	0	0	0	0	0
PA	3	WM	RATE/10000	0.2	0.5	0.5	1.4	29.5
PA	3	WM	OBS DEATHS	4	11	11	18	44
PA	3	WF	RATE/10000	0.1	0.4	0.5	0.9	52.9
PA	3	WF	OBS DEATHS	2	10	12	15	39
PA	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
PA	3	BM	OBS DEATHS	0	0	0	0	0
PA	3	BF	RATE/10000	14.8	0.0	0.0	0.0	96.3
PA	3	BF	OBS DEATHS	1	0	0	0	1
PA	4	WM	RATE/10000	0.1	0.3	0.3	0.6	14.4
PA	4	WM	OBS DEATHS	2	9	8	9	27
PA	4	WF	RATE/10000	0.0	0.1	0.3	0.4	22.9
PA	4	WF	OBS DEATHS	1	4	8	7	20
PA	4	BM	RATE/10000	0.0	4.7	4.7	0.0	30.7
PA	4	BM	OBS DEATHS	0	4	3	0	7
PA	4	BF	RATE/10000	0.9	0.0	1.3	0.0	13.8
PA	4	BF	OBS DEATHS	1	0	1	0	2
PA	5	WM	RATE/10000	0.1	0.1	0.4	0.6	13.7
PA	5	WM	OBS DEATHS	2	1	6	6	15
PA	5	WF	RATE/10000	0.1	0.0	0.2	0.5	23.7
PA	5	WF	OBS DEATHS	2	0	4	6	12
PA	5	BM	RATE/10000	0.0	0.0	25.8	0.0	52.0
PA	5	BM	OBS DEATHS	0	0	1	0	1
PA	5	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
PA	5	BF	OBS DEATHS	0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
PA	6	WM	RATE/10000	0.1	0.2	0.4	1.3	19.9
PA	6	WM	OBS DEATHS	9	14	24	46	93
PA	6	WF	RATE/10000	0.1	0.1	0.3	0.7	33.2
PA	6	WF	OBS DEATHS	6	11	24	31	72
PA	6	BM	RATE/10000	0.8	0.0	0.3	1.1	5.7
PA	6	BM	OBS DEATHS	3	0	1	3	7
PA	6	BF	RATE/10000	0.2	0.6	0.5	1.4	13.0
PA	6	BF	OBS DEATHS	1	3	2	4	10
PA	7	WM	RATE/10000	0.2	0.3	0.6	0.6	21.8
PA	7	WM	OBS DEATHS	3	6	10	6	25
PA	7	WF	RATE/10000	0.0	0.2	0.3	0.7	32.8
PA	7	WF	OBS DEATHS	0	4	5	8	17
PA	7	BM	RATE/10000	0.0	3.2	0.0	0.0	12.6
PA	7	BM	OBS DEATHS	0	1	0	0	1
PA	7	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
PA	7	BF	OBS DEATHS	0	0	0	0	0
PA	9	WM	RATE/10000	0.2	0.4	0.8	1.8	35.4
PA	9	WM	OBS DEATHS	2	6	9	12	29
PA	9	WF	RATE/10000	0.2	0.5	0.4	1.0	62.8
PA	9	WF	OBS DEATHS	2	8	5	9	24
PA	9	BM	RATE/10000	0.0	0.0	9.4	0.0	28.9
PA	9	BM	OBS DEATHS	0	0	1	0	1
PA	9	BF	RATE/10000	0.0	0.0	8.5	0.0	46.5
PA	9	BF	OBS DEATHS	0	0	1	0	1
RI	1	WM	RATE/10000	0.1	0.1	0.2	0.9	13.3
RI	1	WM	OBS DEATHS	2	3	3	11	19
RI	1	WF	RATE/10000	0.0	0.0	0.1	0.1	10.0
RI	1	WF	OBS DEATHS	1	1	3	2	7
RI	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
RI	1	BM	OBS DEATHS	0	0	0	0	0
RI	1	BF	RATE/10000	1.5	0.0	0.0	0.0	14.0
RI	1	BF	OBS DEATHS	1	0	0	0	1

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR NAME -SEX				35-44	45-54	55-64	65-74	(SMR) 35-74
SC	1	WM	RATE/10000	0.9	2.6	5.2	9.6	204.6
SC	1	WM	OBS DEATHS	13	39	57	55	164
SC	1	WF	RATE/10000	0.4	0.9	1.3	3.7	169.4
SC	1	WF	OBS DEATHS	6	14	16	30	66
SC	1	BM	RATE/10000	4.4	9.9	18.2	16.6	138.4
SC	1	BM	OBS DEATHS	10	22	33	18	83
SC	1	BF	RATE/10000	3.1	6.2	12.1	13.7	173.2
SC	1	BF	OBS DEATHS	9	17	27	21	74
SC	2	WM	RATE/10000	0.8	1.7	2.1	3.0	96.6
SC	2	WM	OBS DEATHS	11	22	19	14	66
SC	2	WF	RATE/10000	0.3	0.4	0.2	1.6	69.6
SC	2	WF	OBS DEATHS	4	6	2	11	23
SC	2	BM	RATE/10000	2.2	5.4	6.6	9.1	65.4
SC	2	BM	OBS DEATHS	9	21	19	16	65
SC	2	BF	RATE/10000	0.6	1.6	5.8	4.8	60.8
SC	2	BF	OBS DEATHS	3	7	20	12	42
SC	3	WM	RATE/10000	1.2	4.8	10.5	17.7	389.6
SC	3	WM	OBS DEATHS	10	37	58	52	157
SC	3	WF	RATE/10000	0.4	1.0	2.7	4.7	238.0
SC	3	WF	OBS DEATHS	3	8	17	19	47
SC	3	BM	RATE/10000	8.8	10.9	21.9	35.1	203.7
SC	3	BM	OBS DEATHS	33	43	66	61	203
SC	3	BF	RATE/10000	4.2	5.3	15.6	20.6	217.5
SC	3	BF	OBS DEATHS	21	25	59	54	159
SC	4	WM	RATE/10000	0.6	1.1	7.1	12.9	213.8
SC	4	WM	OBS DEATHS	5	9	38	35	87
SC	4	WF	RATE/10000	0.3	0.7	1.0	4.6	170.0
SC	4	WF	OBS DEATHS	3	6	6	17	32
SC	4	BM	RATE/10000	9.0	12.1	22.4	40.1	219.2
SC	4	BM	OBS DEATHS	33	49	70	75	227
SC	4	BF	RATE/10000	2.3	6.8	22.6	39.7	319.8
SC	4	BF	OBS DEATHS	11	32	86	101	230

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR						(SMR)
NAME	-SEX	35-44	45-54	55-64	65-74	35-74
SD	1 WM	0.3	0.2	2.3	5.1	82.1
SD	1 WM	4	3	30	49	86
SD	1 WF	0.0	0.1	0.7	1.2	54.5
SD	1 WF	0	2	9	13	24
SD	1 BM	0.0	0.0	0.0	0.0	0.0
SD	1 BM	0	0	0	0	0
SD	1 BF	0.0	0.0	0.0	0.0	0.0
SD	1 BF	0	0	0	0	0
TN	1 WM	0.5	0.9	1.3	1.9	55.1
TN	1 WM	5	10	11	10	36
TN	1 WF	0.1	0.4	0.6	0.9	60.3
TN	1 WF	1	5	6	6	18
TN	1 BM	6.1	8.5	10.9	0.0	79.4
TN	1 BM	1	2	2	0	5
TN	1 BF	3.9	4.2	4.1	0.0	66.6
TN	1 BF	1	1	1	0	3
TN	2 WM	1.1	3.9	9.4	15.8	335.4
TN	2 WM	18	65	126	129	338
TN	2 WF	0.7	1.7	4.0	6.8	373.4
TN	2 WF	13	32	60	70	175
TN	2 BM	8.0	28.5	33.4	67.9	361.6
TN	2 BM	5	21	23	30	79
TN	2 BF	11.9	12.6	14.1	35.2	352.1
TN	2 BF	10	12	12	20	54
TN	3 WM	0.1	0.4	1.1	2.1	39.5
TN	3 WM	1	4	10	11	26
TN	3 WF	0.1	0.4	0.7	1.0	64.1
TN	3 WF	1	5	7	7	27
TN	3 BM	0.9	1.8	3.0	0.0	18.2
TN	3 BM	1	2	3	0	6
TN	3 BF	0.7	0.7	0.0	3.1	20.1
TN	3 BF	1	1	0	3	5

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
TN	4	WM	RATE/10000	0.5	0.8	1.7	3.4	71.3
TN	4	WM	OBS DEATHS	15	21	37	45	118
TN	4	WF	RATE/10000	0.2	0.1	0.6	1.3	58.6
TN	4	WF	OBS DEATHS	6	3	14	22	45
TN	4	BM	RATE/10000	0.6	2.3	3.7	4.4	29.9
TN	4	BM	OBS DEATHS	2	7	10	8	27
TN	4	BF	RATE/10000	0.3	0.8	3.4	2.6	34.3
TN	4	BF	OBS DEATHS	1	3	11	6	21
TN	5	WM	RATE/10000	0.3	0.8	2.1	2.4	65.3
TN	5	WM	OBS DEATHS	2	7	17	13	39
TN	5	WF	RATE/10000	0.1	0.3	0.2	0.6	36.5
TN	5	WF	OBS DEATHS	1	3	2	4	10
TN	5	BM	RATE/10000	0.9	2.8	3.5	8.2	39.9
TN	5	BM	OBS DEATHS	1	4	5	9	19
TN	5	BF	RATE/10000	0.6	0.6	1.8	3.1	28.7
TN	5	BF	OBS DEATHS	1	1	3	4	9
TN	6	WM	RATE/10000	0.2	0.8	1.7	3.0	63.8
TN	6	WM	OBS DEATHS	3	10	15	14	42
TN	6	WF	RATE/10000	0.1	0.1	0.2	0.3	24.4
TN	6	WF	OBS DEATHS	2	2	2	2	8
TN	6	BM	RATE/10000	1.0	0.6	0.9	5.4	19.0
TN	6	BM	OBS DEATHS	5	3	4	18	30
TN	6	BF	RATE/10000	0.1	1.1	1.6	1.3	20.8
TN	6	BF	OBS DEATHS	1	7	9	5	22
TX	1	WM	RATE/10000	0.2	2.2	4.2	5.6	142.2
TX	1	WM	OBS DEATHS	2	18	28	22	75
TX	1	WF	RATE/10000	0.1	0.6	1.0	2.0	102.7
TX	1	WF	OBS DEATHS	1	5	7	9	22
TX	1	BM	RATE/10000	4.3	0.0	10.3	0.0	46.2
TX	1	BM	OBS DEATHS	1	0	2	0	3
TX	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
TX	1	BF	OBS DEATHS	0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
TX	2	WM	RATE/10000	0.1	2.1	2.5	7.7	130.4
TX	2	WM	OBS DEATHS	1	14	14	25	54
TX	2	WF	RATE/10000	0.3	1.0	1.5	2.1	142.3
TX	2	WF	OBS DEATHS	2	7	9	8	26
TX	2	BM	RATE/10000	4.6	8.0	10.1	10.9	98.4
TX	2	BM	OBS DEATHS	2	3	3	2	10
TX	2	BF	RATE/10000	1.8	0.0	3.2	11.9	69.2
TX	2	BF	OBS DEATHS	1	0	1	2	4
TX	3	WM	RATE/10000	0.9	4.1	10.5	22.4	386.9
TX	3	WM	OBS DEATHS	8	31	59	62	151
TX	3	WF	RATE/10000	0.5	1.0	5.0	9.1	388.4
TX	3	WF	OBS DEATHS	5	8	27	33	73
TX	3	BM	RATE/10000	0.0	6.0	12.3	86.3	161.6
TX	3	BM	OBS DEATHS	0	1	1	4	6
TX	3	BF	RATE/10000	0.0	7.0	11.9	55.6	251.0
TX	3	BF	OBS DEATHS	0	1	1	3	5
TX	4	WM	RATE/10000	0.7	2.2	6.1	9.6	210.2
TX	4	WM	OBS DEATHS	9	30	83	96	218
TX	4	WF	RATE/10000	0.3	0.4	1.9	3.0	161.9
TX	4	WF	OBS DEATHS	4	6	30	38	78
TX	4	BM	RATE/10000	1.7	4.2	6.0	12.9	64.2
TX	4	BM	OBS DEATHS	1	2	3	5	11
TX	4	BF	RATE/10000	1.4	6.5	8.8	4.3	105.6
TX	4	BF	OBS DEATHS	1	4	5	2	12
TX	5	WM	RATE/10000	0.5	1.2	3.0	6.2	116.6
TX	5	WM	OBS DEATHS	33	65	118	140	356
TX	5	WF	RATE/10000	0.3	0.6	0.8	2.2	108.7
TX	5	WF	OBS DEATHS	16	37	37	68	158
TX	5	BM	RATE/10000	1.6	2.8	5.5	12.9	56.4
TX	5	BM	OBS DEATHS	12	17	25	39	93
TX	5	BF	RATE/10000	1.7	1.5	3.3	7.0	63.6
TX	5	BF	OBS DEATHS	15	10	18	26	69

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
TX	6	WM	RATE/10000	1.0	2.2	7.4	11.2	246.5
TX	6	WM	OBS DEATHS	19	43	130	136	328
TX	6	WF	RATE/10000	0.3	0.6	1.1	3.5	153.3
TX	6	WF	OBS DEATHS	6	12	22	53	93
TX	6	BM	RATE/10000	1.9	7.0	15.9	25.7	131.3
TX	6	BM	OBS DEATHS	5	17	41	53	116
TX	6	BF	RATE/10000	2.8	4.7	7.2	15.8	143.5
TX	6	BF	OBS DEATHS	9	14	23	42	88
TX	7	WM	RATE/10000	1.1	4.5	8.2	14.7	322.4
TX	7	WM	OBS DEATHS	13	58	105	133	309
TX	7	WF	RATE/10000	0.8	1.8	2.7	3.7	264.3
TX	7	WF	OBS DEATHS	10	25	39	42	116
TX	7	BM	RATE/10000	5.8	13.1	21.2	41.1	211.8
TX	7	BM	OBS DEATHS	14	34	63	99	213
TX	7	BF	RATE/10000	2.3	9.3	12.9	21.8	219.6
TX	7	BF	OBS DEATHS	7	31	44	62	144
TX	8	WM	RATE/10000	1.4	3.6	8.8	16.2	331.2
TX	8	WM	OBS DEATHS	30	72	149	174	425
TX	8	WF	RATE/10000	0.7	0.8	3.1	7.3	316.0
TX	8	WF	OBS DEATHS	17	18	57	90	182
TX	8	BM	RATE/10000	1.7	7.3	6.7	13.7	78.4
TX	8	BM	OBS DEATHS	1	5	4	6	16
TX	8	BF	RATE/10000	1.3	1.2	10.1	9.4	104.3
TX	8	BF	OBS DEATHS	1	1	7	5	14
TX	9	WM	RATE/10000	0.6	0.6	2.0	3.9	77.0
TX	9	WM	OBS DEATHS	14	13	35	42	104
TX	9	WF	RATE/10000	0.6	0.6	1.1	1.6	117.3
TX	9	WF	OBS DEATHS	17	14	21	23	75
TX	9	BM	RATE/10000	1.5	0.8	2.0	9.7	32.2
TX	9	BM	OBS DEATHS	2	1	2	6	11
TX	9	BF	RATE/10000	1.2	2.6	1.6	7.0	58.2
TX	9	BF	OBS DEATHS	2	4	2	6	14

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME -SEX								35-74
TX	10	WM	RATE/10000	0.6	1.6	4.0	9.5	168.3
TX	10	WM	OBS DEATHS	7	18	39	58	122
TX	10	WF	RATE/10000	0.1	0.6	1.5	2.6	133.9
TX	10	WF	OBS DEATHS	1	7	16	19	43
TX	10	BM	RATE/10000	1.6	6.4	10.8	22.8	175.4
TX	10	BM	OBS DEATHS	4	16	24	36	80
TX	10	BF	RATE/10000	2.0	4.1	9.6	15.0	143.4
TX	10	BF	OBS DEATHS	6	12	23	27	68
TX	11	WM	RATE/10000	0.5	1.0	3.5	4.5	106.0
TX	11	WM	OBS DEATHS	27	45	112	70	254
TX	11	WF	RATE/10000	0.3	0.3	1.2	1.8	99.7
TX	11	WF	OBS DEATHS	15	14	41	36	106
TX	11	BM	RATE/10000	0.7	1.6	5.9	12.0	46.8
TX	11	BM	OBS DEATHS	7	14	38	48	107
TX	11	BF	RATE/10000	0.7	1.6	2.7	8.0	56.3
TX	11	BF	OBS DEATHS	8	15	19	37	79
TX	12	WM	RATE/10000	0.9	4.3	6.5	21.1	327.1
TX	12	WM	OBS DEATHS	8	32	36	53	129
TX	12	WF	RATE/10000	0.3	1.6	2.4	6.6	282.5
TX	12	WF	OBS DEATHS	3	12	13	19	47
TX	12	BM	RATE/10000	0.0	12.3	33.4	20.7	178.7
TX	12	BM	OBS DEATHS	0	4	8	3	15
TX	12	BF	RATE/10000	2.3	5.3	7.4	7.2	120.6
TX	12	BF	OBS DEATHS	1	2	2	1	6
UT	1	WM	RATE/10000	1.2	4.8	10.5	18.0	382.7
UT	1	WM	OBS DEATHS	29	105	173	175	482
UT	1	WF	RATE/10000	1.2	1.4	3.2	7.0	354.4
UT	1	WF	OBS DEATHS	29	31	55	81	196
UT	1	BM	RATE/10000	7.6	21.2	46.1	46.8	335.9
UT	1	BM	OBS DEATHS	1	3	4	2	10
UT	1	BF	RATE/10000	0.0	7.9	12.8	20.2	188.4
UT	1	BF	OBS DEATHS	0	1	1	1	3

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
VT	1	WM	RATE/10000	0.5	1.1	2.0	3.9	84.6
VT	1	WM	OBS DEATHS	5	11	17	22	55
VT	1	WF	RATE/10000	0.2	0.1	0.8	1.5	70.5
VT	1	WF	OBS DEATHS	2	1	7	11	21
VT	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
VT	1	BM	OBS DEATHS	0	0	0	0	0
VT	1	BF	RATE/10000	0.0	74.1	0.0	0.0	635.0
VT	1	BF	OBS DEATHS	0	1	0	0	1
VA	1	WM	RATE/10000	0.5	2.1	3.7	5.0	130.7
VA	1	WM	OBS DEATHS	6	25	36	30	97
VA	1	WF	RATE/10000	0.5	0.5	0.8	2.0	106.8
VA	1	WF	OBS DEATHS	6	6	9	15	36
VA	1	BM	RATE/10000	3.2	5.3	7.0	6.9	63.9
VA	1	BM	OBS DEATHS	5	8	9	6	28
VA	1	BF	RATE/10000	1.2	1.3	3.1	4.9	50.3
VA	1	BF	OBS DEATHS	2	2	4	5	13
VA	2	WM	RATE/10000	0.2	1.0	2.2	2.5	70.3
VA	2	WM	OBS DEATHS	5	24	27	11	67
VA	2	WF	RATE/10000	0.5	0.5	0.9	2.3	116.2
VA	2	WF	OBS DEATHS	13	12	12	15	52
VA	2	BM	RATE/10000	2.1	1.8	2.8	11.9	44.3
VA	2	BM	OBS DEATHS	3	2	2	4	11
VA	2	BF	RATE/10000	2.4	1.0	1.4	2.5	43.3
VA	2	BF	OBS DEATHS	3	1	1	1	6
VA	3	WM	RATE/10000	0.9	1.6	4.5	5.7	148.0
VA	3	WM	OBS DEATHS	21	36	83	64	204
VA	3	WF	RATE/10000	0.4	0.5	1.4	2.1	129.1
VA	3	WF	OBS DEATHS	10	13	29	30	82
VA	3	BM	RATE/10000	3.6	6.9	14.7	24.2	127.8
VA	3	BM	OBS DEATHS	9	18	30	32	89
VA	3	BF	RATE/10000	1.7	3.6	3.5	11.4	94.2
VA	3	BF	OBS DEATHS	5	10	8	19	42

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
VA	4	WM	RATE/10000	0.6	0.6	1.5	2.5	60.8
VA	4	WM	OBS DEATHS	19	19	17	16	53
VA	4	WF	RATE/10000	0.1	0.7	0.6	1.4	77.5
VA	4	WF	OBS DEATHS	1	11	8	13	33
VA	4	BM	RATE/10000	1.5	4.0	5.2	4.3	44.6
VA	4	BM	OBS DEATHS	9	24	24	12	69
VA	4	BF	RATE/10000	1.7	1.7	2.8	4.0	51.6
VA	4	BF	OBS DEATHS	12	11	14	14	51
VA	5	WM	RATE/10000	0.3	1.3	2.8	5.7	105.4
VA	5	WM	OBS DEATHS	6	26	38	41	111
VA	5	WF	RATE/10000	0.4	0.6	1.4	2.6	138.8
VA	5	WF	OBS DEATHS	10	12	20	26	68
VA	5	BM	RATE/10000	3.0	5.7	11.1	15.5	95.0
VA	5	BM	OBS DEATHS	23	47	64	49	183
VA	5	BF	RATE/10000	2.2	3.2	5.1	11.0	102.4
VA	5	BF	OBS DEATHS	20	28	31	43	122
WA	1	WM	RATE/10000	0.1	0.2	0.3	0.8	14.6
WA	1	WM	OBS DEATHS	4	10	11	17	42
WA	1	WF	RATE/10000	0.0	0.2	0.1	0.4	20.2
WA	1	WF	OBS DEATHS	1	9	6	10	26
WA	1	BM	RATE/10000	0.6	0.7	0.0	0.0	6.8
WA	1	BM	OBS DEATHS	1	1	0	0	2
WA	1	BF	RATE/10000	0.0	0.0	1.4	0.0	6.8
WA	1	BF	OBS DEATHS	0	0	1	0	1
WA	2	WM	RATE/10000	0.2	0.9	1.8	3.5	70.1
WA	2	WM	OBS DEATHS	2	10	17	20	49
WA	2	WF	RATE/10000	0.1	0.0	0.5	1.5	54.3
WA	2	WF	OBS DEATHS	1	0	5	10	16
WA	2	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WA	2	BM	OBS DEATHS	0	0	0	0	0
WA	2	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WA	2	BF	OBS DEATHS	0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME -SEX								35-74
WA	3	WM	RATE/10000	0.3	1.1	0.5	1.0	37.9
WA	3	WM	OBS DEATHS	3	11	4	5	23
WA	3	WF	RATE/10000	0.1	0.0	0.4	0.4	24.0
WA	3	WF	OBS DEATHS	1	0	3	2	6
WA	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WA	3	BM	OBS DEATHS	0	0	0	0	0
WA	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WA	3	BF	OBS DEATHS	0	0	0	0	0
WA	4	WM	RATE/10000	0.1	0.7	1.1	0.9	34.3
WA	4	WM	OBS DEATHS	1	7	10	5	23
WA	4	WF	RATE/10000	0.0	0.2	0.4	0.7	37.6
WA	4	WF	OBS DEATHS	0	2	4	5	11
WA	4	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WA	4	BM	OBS DEATHS	0	0	0	0	0
WA	4	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WA	4	BF	OBS DEATHS	0	0	0	0	0
WV	1	WM	RATE/10000	1.3	4.1	8.9	13.7	319.8
WV	1	WM	OBS DEATHS	52	182	331	316	881
WV	1	WF	RATE/10000	0.6	1.3	2.6	4.8	266.2
WV	1	WF	OBS DEATHS	25	64	107	137	333
WV	1	BM	RATE/10000	5.9	9.3	17.5	26.4	154.6
WV	1	BM	OBS DEATHS	6	13	27	37	83
WV	1	BF	RATE/10000	4.6	7.3	12.3	13.0	178.3
WV	1	BF	OBS DEATHS	7	13	23	20	63
WI	1	WM	RATE/10000	0.1	0.1	0.4	1.4	19.9
WI	1	WM	OBS DEATHS	1	1	6	13	21
WI	1	WF	RATE/10000	0.1	0.2	0.3	0.5	30.0
WI	1	WF	OBS DEATHS	1	3	5	5	14
WI	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	1	BM	OBS DEATHS	0	0	0	0	0
WI	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	1	BF	OBS DEATHS	0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA		COLOR		35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
WI	2	WM	RATE/10000	0.0	0.1	0.3	0.7	11.0
WI	2	WM	OBS DEATHS	2	3	9	13	27
WI	2	WF	RATE/10000	0.1	0.0	0.1	0.5	20.3
WI	2	WF	OBS DEATHS	4	2	3	14	23
WI	2	BM	RATE/10000	0.0	0.5	0.0	0.0	2.3
WI	2	BM	OBS DEATHS	0	1	0	0	1
WI	2	BF	RATE/10000	0.0	0.5	0.0	0.0	3.9
WI	2	BF	OBS DEATHS	0	1	0	0	1
WI	3	WM	RATE/10000	0.2	0.2	1.3	1.4	34.9
WI	3	WM	OBS DEATHS	2	2	11	8	23
WI	3	WF	RATE/10000	0.0	0.1	0.1	0.7	24.1
WI	3	WF	OBS DEATHS	0	1	1	5	7
WI	3	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	3	BM	OBS DEATHS	0	0	0	0	0
WI	3	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	3	BF	OBS DEATHS	0	0	0	0	0
WI	4	WM	RATE/10000	0.0	0.2	0.6	0.9	18.8
WI	4	WM	OBS DEATHS	0	2	6	6	14
WI	4	WF	RATE/10000	0.0	0.0	0.3	0.7	24.9
WI	4	WF	OBS DEATHS	0	0	3	5	8
WI	4	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	4	BM	OBS DEATHS	0	0	0	0	0
WI	4	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	4	BF	OBS DEATHS	0	0	0	0	0
WI	5	WM	RATE/10000	0.1	0.2	1.5	2.9	49.9
WI	5	WM	OBS DEATHS	1	2	17	24	44
WI	5	WF	RATE/10000	0.1	0.1	0.7	1.4	63.2
WI	5	WF	OBS DEATHS	1	1	8	13	23
WI	5	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	5	BM	OBS DEATHS	0	0	0	0	0
WI	5	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	5	BF	OBS DEATHS	0	0	0	0	0

Number of deaths from ill-defined conditions, rates per 10,000 persons, and standardized mortality ratio (SMR), by age, race, sex, and health service area (HSA): United States, 1968-72—Con.

HSA COLOR				35-44	45-54	55-64	65-74	(SMR)
NAME	-SEX							35-74
WI	6	WM	RATE/10000	0.0	0.1	0.5	2.1	28.4
WI	6	WM	OBS DEATHS	0	1	4	11	16
WI	6	WF	RATE/10000	0.1	0.1	0.0	1.1	34.2
WI	6	WF	OBS DEATHS	1	1	0	6	8
WI	6	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	6	BM	OBS DEATHS	0	0	0	0	0
WI	6	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WI	6	BF	OBS DEATHS	0	0	0	0	0
WY	1	WM	RATE/10000	0.2	1.3	3.0	3.9	97.2
WY	1	WM	OBS DEATHS	2	11	20	15	48
WY	1	WF	RATE/10000	0.2	0.1	0.8	1.7	74.3
WY	1	WF	OBS DEATHS	2	1	5	7	15
WY	1	BM	RATE/10000	0.0	0.0	0.0	0.0	0.0
WY	1	BM	OBS DEATHS	0	0	0	0	0
WY	1	BF	RATE/10000	0.0	0.0	0.0	0.0	0.0
WY	1	BF	OBS DEATHS	0	0	0	0	0

SYMBOLS

Category not applicable-----
Quantity less than 0.05----- 0.0

Statistical Notes for Health Planners is a cooperative activity of the National Center for Health Statistics and the Bureau of Health Planning, Health Resources Administration.

Information, questions, and contributions should be directed to Joel C. Kleinman, Division of Analysis, NCHS, 3700 East-West Highway, Hyattsville, Maryland 20782.

NCHS

U.S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
Public Health Service
Office of Health Research, Statistics, and Technology
National Center for Health Statistics
3700 East-West Highway
Hyattsville, Maryland 20782

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300

DHEW Publication No.
(PHS) 80-1237

POSTAGE AND FEES PAID
U.S. DEPARTMENT OF HEW
HEW 396

FIRST CLASS

